DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

UJI POWDER PLANT
TOKYO 2ND MILITARY ARSENAL
22-23

Machine code no.		Name of user.	Address.
1745	@	Japan Drug Manufactuering Co., Ltd.	Higashiuji-cho, Uji-gun, Kyoto-fu.
1747	@	"	"
1748-1750	@	"	"
1752	@	"	"
1753		"	"
1754-1762	@	"	"
1763		"	"
1766	@	"	"
1778	@	"	"
1783-1885	@	"	"
1788	@	"	"
1793-1795		"	"
1798		"	"
1800-1803		"	"
1806		"	"
1810		"	"
1812-1814	@	"	"
1817-1826	@	"	"
1833	@	"	"
1836	@	"	"
1849	@	"	"
1854-1856	@	"	"
1857-1859	@	"	"
1860-1863	@	"	"
1864-1866	@	"	"
1867-1868	@	"	"
1869-1871	@	"	"
1872	@	"	"
1874-1875	@	"	"
1905		"	"
1907-1910		"	"
1911-1914		"	"
1920-1928		"	"
1930		"	"
1932-1933		"	"
1964	@	"	"
1969	@	"	"
1979	@	"	"
1985	@	"	"
1986	@	"	"
2000-2002	@	"	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(copy)

KYOTO MILITARY GOVERNMENT TEAM
APO 715 (Kyoto, Honshu)

16 Dec. 1946

SUBJECT; Release of Transformer & Motors

TO ; Local Section of the Home Ministry

THRU ; Kyoto Liaison Office

1. The transformers and motors shown on attached list as available at the Uji Factory of Second Tokyo Military Arsenal are hereby released to the Post Engineer, Kyoto Post Command, for use on Dependent Housing Projects.

2. A representative of the appropriate section of the Home Ministry will immadiately contact either the Post Engineer, Capt G.B.Espy Jr., or the Asst. Post Engineer, Mr. J.Tabor, for the purpose of making arrangement of delivery.

3. It is contemplated that these transformer and motors will be held at the Uji Factory and delivered, a few at a time, as called for by the Post Engineer.

FOR THE COMMANDING OFFICER;

ENOS L. COMMONS JR
Capt., Ord.
Res & Ind Officer

The requested transformers by this Instruction were not delivered for unsuitable to use. And so, we recived again the Instruction, dated 31 January 1947, attached paper, and, dated 14 January 1947,.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name	Capacity	Quantity	Inv.Number	Remark
Single Phase	10 KVA		22-23-1158	Good Condition
"			22-23-1178	"
"			22-23-1179	"
"			22-23-1250	"
"		10	22-23-1289	"
"			22-23-1255	"
"			22-23-1310	"
"			22-23-1288	"
"			22-23-1297	"
"			22-23-1298	"
"	15 KVA		22-23-1274	"
"			22-23-1173	"
"			22-23-1172	"
"			22-23-1258	"
"		10	22-23-1259	"
"			22-23-1260	"
"			22-23-1261	"
"			22-23-1262	"
"			22-23-1263	"
"			22-23-12171	"
"	20 KVA		22-23-1300	"
"			22-23-1301	"
"			22-23-1164	"
"			22-23-1165	"
"		10	22-23-1166	"
"			22-23-1167	"
"			22-23-1168	"
"			22-23-1169	"
"	20 KVA		22-23-1321	"
"			22-23-12170	"
"	50 KVA		22-23-1161	"
"			22-23-1162	"
"		5	22-23-1163	"
"			22-23-1277	"
"			22-23-1278	"
"	25 KVA	8	Not Available	
"	30 KVA	3	"	
Three Phase	5 KVA	10	"	
Motor	1 HP	5	"	
"	3 HP	5	Available	Good Condition

T. Kojima
Uji Powder Plant Administration

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(copy)

52-23

KYOTO MILITARY GOVERNMENT TEAM
APO 717

31 January 1947

SUBJECT; Release of Transformers

TO ; Custodian-Uji Factory 2nd Tokyo Military Arsenal

THRU ; Kyoto Liaison Office

1. Authority is hereby granted to release to Kyoto Post Command, Post Engineer, one 100 KVA, 3 phase transformer to be used at 126th QM Sale Department Laundry.

2. Upon release of this transformer corrected inventory sheet will be submitted to this office showing the new location of subject transformer.

FOR THE COMMANDING OFFICER

E. L. COMMONS, JR.
Capt. Ord.
Res & Ind Off.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(copy)

DATE; 1st February 1947

SUBJECT; Report on the release of transformers

TO ; Kyoto Military Government Team

THRU ; Kyoto Liaison Office

Enclosed please find a list of the transformers released to the Kyoto Post Command, Post Engineer, including those which were reported already.

Reference will be made to the directions dated 14 Jan. and 31 Jan. of this year.

Items	invoice number	capacity	piece
Transformer	22-23-1321	20 KVA	
	22-23-1265	20 KVA	2
	22-23-1310	10 KVA	
	22-23-1256	10 KVA	2
	22-23-1277	50 KVA	
	22-23-1278	50 KVA	2
	22-23- 642	100 KVA	
	22-23- 643	100 KVA	
	22-23- 635	100 KVA	5
	22-23- 653	100 KVA	
	22-23- 654	100 KVA	
	22-23- 656	50 KVA	
	22-23- 657	50 KVA	2

Motors were not released.

Taro Kojima
Custodian Uji Factory

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

22-23

MACHINES OF THE UJI FACTORY OF THE SECOND TOKYO
MILITARY ARSENAL NOW IN USE

Code Number

22-23-137 thru 140
142
143
145 thru 148
151 thru 161
168 thru 170
177 thru 182
185
187 thru 191
194
199 thru 209
211 thru 220
224 thru
280 thru 290
296
297
311 thru 332
342 thru 350
361 thru 365
368 thru 372
374 thru 381
384 thru 389
391 thru 393
403
405
411
466 thru 468
470 thru 472
474 thru 480
490
491
493 thru 495
497
498
501
504
506
509
511 thru 514
518
519
521 thru 523
526 thru 529
thru
631
640

642
643
653
654
813
814
930
953
1012
1018
1019
1057
1256
1265
1277
1278
1310
1321
1619 thru 1621
1623 thru 1646
1649
1651 thru 1659
1664 thru 1669
1674
1675
1678 thru 1684
1704 thru 1714
1716 thru 1722
1724
1725
1735 thru 1740
1745
1747 thru 1750
1752 thru 1763
1766
1778
1783 thru 1785
1788
1793 thru 1795
1798
1800 thru 1803
1806
1810
1812 thru 1814

1326
1330
1332

1817 thru 1826
1833
1836
1849
1854 thru 1872
1874
1875
1905
1907 thru 1914
1920 thru 1928
1930
1932
1933
1964
1969
1979
1982
1986
2000 thru 2002

265
267 thru 271
273
277
307
308
335
340
341

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Misc
File
Release of Mail
Supplies
Dep

BASIC: Ltr, Hqs 35th Inf., APO 25, subj: "Disposition of Former Enemy Equipment", dtd 12 May 1947.

1st Ind ELC/ro

Hq, Kyoto Military Government Team, APO 713 10 June 1947

TO: Commanding Officer, 35th Infantry, APO 25

Completed and returned for your files.

FOR THE COMMANDING OFFICER:

George D. Ish
Capt., CMP
Executive

(J3)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS 35TH INFANTRY
APO 25 (Otsu, Honshu)

12 May 1947

SUBJECT: Disposition of Former Enemy Equipment

TO: Commanding Officer
Kyoto Military Government Team
APO 713

1. Attached is a receipt list in quadruplicate former enemy equipment which originally belonged to the Maizuru Navy Institution and which is now in the possession of the Shinanozawa Special construction works of the Transportation Department. The present possessor does not have authority for the possession of subject equipment which has not yet been returned to the Japanese Home Ministry.

2. It is requested that this receipt be forwarded to the Military Government Team Detachment in Maizuru who will in turn:

a. Have a representative of the Home Ministry sign each copy of the receipt.

b. Sign all copies of receipt in space provided for U.S. Representative.

c. Give Japanese one copy, retain one, forward one for your file and one to this Headquarters.

3. None of the items listed come under the heading of critical items.

FOR THE COMMANDING OFFICER:

ROBERT E BRADLEY JR
Capt, 35th Infantry
Adjutant

1 Incl:
Receipt list
(in quad.)

(23)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS 35TH INFANTRY
APO 25 (Otsu, Honshu)

R E C E I P T

On 10 June 1947, the below listed stable accessories at the Maizuru Navy Institution, is turned over to I Watanabe ; a representative of the Japanese Home Ministry.

I. Watanabe
Japanese Representative

I have read and explained the above receipt to the Japanese Home Ministry, and he understands and agrees on behalf of the Home Ministry.

Y. Hayashi
Interpreter

In view of the above receipt, the below listed supplies are turned back to the Japanese Home Ministry.

E L Commons Jr.
Capt. AGD
U.S. Representative

10 June 47
Date

Item	Unit	Quantity
1. Horses	each	21
2. Bridle bit	pair	48
3. Cart	each	24
4. Tools	pair	24
5. Water tank	each	2
6. Desk	each	6
7. Chair	each	6
8. Book shelf	each	2
9. Wall clock	each	1
10. Horse equipment	pair	1
11. Horse Shoeing equipment	set	1
12. Hoof nails	box	1
13. Steel comb	each	100
14. Rake	each	4
15. Hook	each	4
16. Sc ale	each	2

(23)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(Ltr. of March)
Correction of Inv. Sheets)
23

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

004-BA

EIC/ky
3 June 1947

SUBJECT: Correction of Inventory Sheets

TO : Chief of Reparations Section, Kyoto Prefectural Government.

THRU : Kyoto Liaison Office

1. Pursuant to authority granted by Hq Eighth Army, the following listed transformers have been released to the British Commonwealth Occupation Forces. It is requested the inventory sheets covering these items be withdrawn.

22-23-219	Transformer
22-23-220	Transformer
22-23-296	Transformer
22-23-297	Transformer
22-23-342	Transformer
22-23-343	Transformer

2. In view of the above deletions, plant cover sheet with corrected number of machines inventoried is forwarded for substitution.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

1 Incl:
1 plant cover sheet

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

EMC/ky
2 June 1947

0C4-BA

SUBJECT: Correction of Inventory Sheets

TO : General Headquarter, Supreme Commander for the Allied Powers
(Attn: Office of the Executive for Reparations)
APO 500

1. In view of the fact that the following listed transformers have been released to the British Commonwealth Occupation Forces (authority: 2d Ind, Hq Eighth Army, dtd 21 May 1947 to letter, Kyoto Mil Govt Team, subject: Temporary Release of Reparations Equipment, dtd 8 May 1947), it is requested the inventory sheets covering these items be withdrawn:

22-23-219	Transformer
22-23-220	"
22-23-296	"
22-23-297	"
22-23-342	"
22-23-343	"

2. It is further requested that inclosed plant cover sheet for plant 22-23, with revised number of machines inventoried, be substituted for the original copy.

FOR THE COMMANDING OFFICER:

GEORGE D. ISH
Capt., CMP.
Executive Officer

1 Incl:
1 plant cover sheet

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File Copy
(Reparations)
22-23

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

004-BA

HLC/ky
31 May 1947

SUBJECT: Release of Reparations Equipment

TO : Director, Kyoto Custodian Office, Osaka Finance Bureau
Kyoto City, Kyoto Prefecture.

THRU : Kyoto Liaison Office

1. Reference is made to your letter, subject: Request for removal and temporary use of transformers located at Uji Powder Plant, dated 2 May 1947.

2. The release of the six (6) transformers listed below to the British Commonwealth Occupation Forces from Uji Plant of Second Tokyo Military Arsenal, reference above, is authorized:

Transformer	22-22-219
"	22-23-220
"	22-23-296
"	22-23-297
"	22-23-242
"	22-23-243

3. Upon release, the inventory sheets will be amended by deleting the transformers above.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

1 Incl:
Petition for release

2d

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OSAKA FINANCIAL BUREAU
KYOTO CUSTODIAN OFFICE

2 May 1947

SUBJECT; Request for removal and temporary use of transformers which locat at Uji Powder Plant.

TO ; Kyoto Military Government Team.

THRU ; Kyoto Liaison Office.

We beg you to grant removal and temporary use of transformers which locat at Uji Powder Plant.

The requested 6(six) transformers, which are stated below, are used for dwelling equipment of English Occupation Army.

1. Requested materials.
   2. single-phase transformers 3.300V 100KVA (22-23-219) (22-23-220)
   2. " " " 3.300V 10KVA (22-23-296) (22-23-297)
   2. " " " 3.300V 50KVA (22-23-342,) (22-23-343)
2. Destination.
   Kikuya Hotel. Ujicho, UjiWgun, Kyoto Prefecture.

Inspected by Y. Kitagawa
For Senior Liaison Officer
Copies submitted
Date: May 11 7 1947

Y. Zenki
Director
Kyoto Custodian Office.

fin # 1 (2)

25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS, I CORPS
OFFICE OF THE CORPS ENGINEER
APO 301
Postmaster, San Francisco

H

28 April 1947

SUBJECT: Material Requirements

TO : Osaka Financial Bureau
THRU: Liaison Office

1. This is to certify that:

Takehana Komuten
Aburano-koji Agaru
Kamigyoku, Kyoto

is doing work on Procurement Demand JPNK-39, reconstruction work at Uji. (BCOF Hotel)

2. The following materials are requested for temporary use only for completion of this project:

2	Single-phase transformers		3,300V	100KVA	(22-23-219)
					(22-23-220)
2	"	"	"	10KVA	(22-23-296)
					(22-23-297)
2	"	"	"	50KVA	(22-23-342)
					(22-23-343)

FOR THE ENGINEER:

Howard E. Moore
HOWARD E. MOORE
CAPT CE
I Corps ESO

Encl # 2

25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/ys
8 May 1947

SUBJECT: Temporary Release of Reparations Equipment

TO : Commanding General, I Corps, APO 301
Attn: Mil Govt, Res & Ind Section

1. It is recommended that this petition be granted.

2. These Transformers are located at Uji Factory of 2nd Tokyo Mil Arsenal, Plant 23 in Kyoto prefecture (22) and if this petition is granted, will be used to complete Procurement Demand JPNK-39 for the BCOF.

3. No transformers, other than those located in Reparations Plants, are available in this area.

FOR THE COMMANDING OFFICER:

17.6

HQ. I CORPS
AG 604

Thomas R. Harbin
Thomas R. Harbin
1st Lt., Inf.
Adjutant

Incl:
1 3 Petition for exemption of machinery from Kyoto Finance Office
2 Recommendations from I Corps Engineers

11 25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Temporary Release of Reparations Equipment", dtd 8 May 1947.

AG 004 - BA 1st Ind EHN/ay

4244

Hq I Corps, APO 301, 14 MAY 1947

TO: CG, Eighth Army, APO 343

1. This headquarters concurs in recommendation contained in basic communication.

2. The requested six (6) transformers are to be used to complete a procurement demand of the BCOF rest hotel. In the event that the inclosed petition is approved, corrected inventory sheets, with necessary notations on line M, will be submitted by the Kyoto Military Government Team.

FOR THE COMMANDING GENERAL:

H. B. Taylor
H. B. TAYLOR
MAJOR, A.G.D.
ASST. ADJ. GEN.

2 Incls:
n/c

45

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Ltr, Kyoto Mil Govt Team, subj: "Temporary Release of Reparations Equipment", dtd 8 May 1947.

AG 004 (MG-Em) 2nd Ind

Headquarters Eighth Army, APO 343

TO: Commanding General, I Corps, APO 301 MAY 21 1947

1. The release of the six (6) transformers listed below to the British Commonwealth Occupation Forces from the Uji factory of 2nd Tokyo Military Arsenal is authorized.

Transformer # 22-23-219
22-23-220
22-23-296
22-23-297
22-23-342
22-23-343

2. Corrected Plant Cover Sheet will be submitted to indicate this deletion.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

B-176

HQ. I CORPS
AG 004

R. E. SCHAFER
Lt. Col., AGD
Asst. Adjutant General.

2 Incls:

13 w/d
Info copy to SCAP (Attn: ExRep)

25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Temporary Release of Reparations Equipment", dtd 8 May 47.

AG 004 - BA 3rd Ind EHN/yo

Hq I Corps, APO 301, 27 MAY 1947

TO: CO, Kyoto Mil Govt Team, APO 713

For compliance with the 2nd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

H B Taylor
H. B. TAYLOR
MAJOR, A.G.D.
ASST. ADJ. GEN.

2 Incls:
1. One copy w/d
2. n/c

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

11 July 47

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/ky
29 May 1947

004-BA

SUBJECT: Petition for Use of Reparations and Non-Reparations Items from the Former 2nd Tokyo Military Arsenal, Uji Factory.

TO : CG I Corps, APO 301
Attn: Mil Govt., Res & Ind Section

1. The enclosed petition for use of reparation and non-reparation items from the Uji Factory of 2nd Tokyo Military Arsenal (Plant 22-23) is forwarded for your consideration.

2. The Japan Drug Co. established their factory in buildings of the above mentioned plant which had been returned to the Japanese under the provisions of OD 28/12. In order to start operations they submitted a petition for use of a considerable amount of equipment located in the Uji factory. This petition was granted by your headquarters on 26 Feb. 1947 in a third indorsement to letter from Kyoto Mil Govt. Team, subject Temporary Use of Reparations Equipment, dated 13 Feb. 1947. The petition was based on the fact that the use of this equipment was temporary and that the company would replace these items with equipment not scheduled for reparations as soon as possible. Since that date the company has procured no equipment of it's own, but instead, is petitioning for use of additional equipment from the Uji Factory.

3. This office is fully aware of the difficulty in procuring machinery in Japan. However it is felt that the Japan Drug Company is becoming too dependent upon equipment that is or will be scheduled for reparations removal. In view of this fact it is recommended that this petition be denied.

FOR THE COMMANDING OFFICER:

Thomas R Harbin 1LT

THOMAS R. HARBIN
1st Lt., Inf.
Adjutant

HQ. I CORPS
AG 004

1 Incl:
4
1 Petition to use reparations items located at the 2nd Tokyo Mil Ars.

49325

8th ARMY FILE NO. AG 383.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Kyoto Mil Govt Team, 004-BA, subj: "Petition for Use of Reparations and Non-Reparations Items from the Former 2nd Tokyo Military Arsenal, Uji Factory," dtd 29 May 47.

AG 004 - BA 1st Ind EHN/yt

Hq I Corps, APO 301, 7 JUN 1947

TO: CG, Eighth Army, APO 343

1. Forwarded herewith is a petition from the Japan Drug Co. (Nippon Yakuhin Kasei KK), for temporary use of a total of 131 units of machinery and equipment located in the Uji Factory of the 2nd Tokyo Military Arsenal (22-23).

2. Subject company has been authorized by Headquarters Eighth Army to utilize buildings and grounds of the 2nd Tokyo Military Arsenal, Uji Factory, and under date of 24 February 1947 has been permitted temporary use of reparation machinery located in the above mentioned arsenal. The subject company has converted a portion of the arsenal and is presently in operation. The present petition is for permission to use additional arsenal equipment and machinery until such time as disposition is decided upon by higher headquarters.

3. Of the 131 machines, only one machine has been inventoried in accordance with current inventory instructions. The balance of 130 machines have not been inventoried, inasmuch as they do not fall under any of the items specified in Annex A, Inclosure 1 to Operational Directive No. 5/4, your headquarters, dated 22 August 1946. Although the 130 machines have not been inventoried, the Kyoto Military Government Team is holding them under custody, pending further instructions from higher headquarters. Numbers corresponding items which have not been inventoried, in inclosed list, are numbers assigned by the Osaka Finance Bureau for record purposes and are not machine code numbers for inventory purposes. Half of the requested machines are Class I equipment, and the balance are considered to be Class II. All 131 machines have been in use for the past twenty years. The Japan Drug Co. is confronting difficulties in obtaining new machinery or machinery from non-reparation installations, but is exhausting every effort to do so. Up to this date, approximately 35 units have been newly installed by this company. Inasmuch as the subject company is planning to use the requested equipment within the present location, this headquarters is of the opinion that temporary use of subject equipment would not jeopardize the custody and control to any extent.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

mh.

BASIC: Ltr, Kyoto Mil Govt Team, 004-BA, subj: "Petition for Use of Reparations and Non-Reparations Items from the Former 2nd Tokyo Military Arsenal, Uji Factory," dtd 29 May 1947 (cont'd)

3. This headquarters interposes no objection to the proposed use of this equipment. Despite the recommendation contained in the basic communication, this headquarters recommends that favorable consideration be given to the inclosed application.

FOR THE COMMANDING GENERAL:

1234

R. H. SCHMIDT
MAJOR, AGD
ASST. ADJ. GEN.

1 Incl:
1 copy w/d

AG 004 (MG-Em) 2nd Ind

18 JUN 1947

Headquarters Eighth Army, APO 343

TO: Commanding General, I Corps, APO 301

The recommendation contained in paragraph 3 of the 1st indorsement is approved.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

B-126

HQ. I CORPS
AG 004

1 Incl:

1 copy w/d

R. SCHAFER
Lt. Col., AGD
Asst. Adjutant General.

50840
49325

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Kyoto Mil Govt Team, 004-BA, subj: "Petition for Use of Reparations and Non-Reparations Items from the Former 2nd Tokyo Military Arsenal, Uji Factory," dtd 29 May 47.

AG 004 - BA 3rd Ind EHN/fsn

Hq I Corps, APO 301, 18 JUN 1947

TO: CO, Kyoto Mil Govt Team, APO 713

1. Your attention is directed to 2nd indorsement.

2. The inclosed application of the Nippon Yakuhin Kasei K.K. has been approved.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

H. B. Taylor.

H. B. TAYLOR
MAJOR, A.G.D.
ASST. ADJ. GEN.

1 Incl:
n/c

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name of Machinery	Inventoried Serial Number	Quantity	Capacity	Usage
Main Plant				
Grinder with motor	1057	1	Hand tool type	Repairing
	Uninventoried Serial Number			
Main Plant				
Refrigerator with motor	1193 1194	1	10,000 cal 6.7 HP 1740 rpm	sulphanyl-chloric acid
Switch box	1195 1196	2	10 HP 220 V	Ditto
Centrifugal pump with motor	1189,1190 1191,1192	2	1 HP 1710 rpm Hitachi	Ditto
Ice making machine with motor	1026 1027	1	10,000 cal 7.5 HP 1740 rpm	Thiazol plant
Centrifugal pump with motor	1028 1029	1	1 HP 1800 rpm	Ditto
Switch box	1033	1	3.75 KW 200 V	Ditto
Centrifugal pump with motor	1285,1286		1 HP 1710 rpm	Sulphanyl-chloric acid
Centrifugal pump with motor	1289 1290	1	2 HP 1179 rpm	Antu plant
Switch box	1292 1293 1294 1295	4	7.5 HP 220 V	Ditto
Switch box	1300 1301	2	6.7 HP 220 V	Sulphanyl-chloric acid
Ice making machine with motor	1935 1936	1	5 HP 1745 rpm	Phenacetin plant
Centrifugal pump with motor	1937 1938	1	1/2 HP 1730 rpm	Ditto
Refrigerator with motor	1939 1940	1	10,000 cal 7.5 HP 1730 rpm	Sulphamethyl-thiazol plant
Centrifugal pump with motor	1941 1942	1	1 HP 1720 rpm	Ditto
Worthington pump	1948	1	ϕ 6"/4"	Ditto
Worthington pump	1925 1926	2	ϕ 60 mm	Ditto
Refrigerator with motor	1309,1310 1311,1312	2	10,000 cal 6.7 HP 1750 rpm	Ditto
Centrigugal pump with motor	1307 1308	1	2 HP 1420 rpm	Ditto
Centrifugal pump with motor	1315 1316	1	2 HP 1420 rpm	Ditto
Vermicelli machine	14	1	1,000x1,000x500	Chewing gum
Motor	380	1	4 HP	
Roller	14	1	180 x 120	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Motor	386	1	4 HP	
Shafting	14	1		
Machine				
Motor	390	1	2.7 HP	
Motor	11	1	3 HP 1720 rpm	Ditto
Switch	≠ 0	2		Chewing gum
Balance	0	2	Weight 200grm	Laboratory
Desk telephone		25		Office
Automatic telephone exchanger		1	Fuji Denki	Office
Motor	2325	1	3 HP	
Reaction vessel	1593	1	ϕ 70 x 60 cm	Sulphaguanidine
Iron vessel	1594	1	ϕ 600 x 1000 mm	Ditto
Iron vessel	1595	1	ϕ 600 x 1000 mm	Ditto
Motor	856	1	1/4 HP	Ditto
Wing pump	1596	1	ϕ 180 x 626 mm	Ditto
Blower	2113	1		"
Motor	1592	1		"
Dryer	2102	1	Wooden made Alminium linning	"
Motor	857	1	1/4 HP	
Chain block(tool)	-	1	1 Ton	Chlor-sulfonic acid
Agitator	-	1	920 x 350	Uroboramin
Motor	861	1	3 HP	Ditto
Crushing mill	4112	1		Antu
Motor machine	862	1	1/2 HP 1800 rpm	Ditto
Motor	872	1	1/2 HP	Ditto
Melting vessel	2133	1	ϕ 530 x L 530	Ditto
Motor	873	1	1/2 HP	Ditto
Melting vessel	2132	1	ϕ 530 x L 530	Ditto
Motor	874	1	1/2 HP	Ditto
Dehydrator	454	1	with motor	Uroboramin
Blower	1747	1		"
Motor	1746	1		"
Melting vessel	1226	1		Pine resin
Melting vessel	1227			"
Iron tank	1471			
	1472	4	2 Tons ϕ1 x 1.1 m	"
	1473			
	1474			
Nitrator with reduction gear	1836	1	1 KW 1750 rpm	"
Diluting vessel with agitator	1834	1	1.5 KW x 1740 rpm	"
Dryer	2010	1	ϕ30 x 57 x 165 cm	"
Motor	908	1	2 HP	
Reaction vessel	2277	2		Chewing gum
	2278			
Motor	883	2	3 HP	" "
	884			" "
Balance	577	1	250 "gs	Chlor-sulfonic acid
Balance	552	3		Ditto
	555			
	556			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Melting vessel				
~~Pfaudler~~	2256	1	0.75 x 0.48	Sulphaguanidine
Motor	906	1	1 HP	"
Erectric drill	~~Elbe~~ 4898	1	2 HP (tool)	Repairing shop
Motor	911	1	2 HP	
Cutter	2301	1	Small round type	
				Chewing gum
Motor	948	1	1 HP	

Collateral plant

Tank wagon	1932 1933	2		Pine resin soap (Insecticide)
Motor	955 284	2	2 HP	
Tank	437	1	Steel	Ditto
Centrifugal pump	0	1	Ø 2 inch	Laboratory
Motor	953	1	4/5 HP	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name of Machines	Uninventoried Serial Number	Quantity	Capacity	Usage
Main Plant				
Rice cake pounding machine	9	1	560x150x260	Uroboramin
Motor	900	1	3 HP	Ditto
Balance	577	1	250 Kg Max.	Chlor-sulphonic acid
Ice making machine with motor	1193 1194	1	6.7 HP 1740 rpm	Pine resin soap
Switch box	1195 1196	2	10 HP 220 V	Ditto
Motor pump	1189	2	1 HP 1710 rpm	Ditto
Balance	4371	1	150 Kg Max.	Chewing gum
Refrigerator with Motor	16 17	1	7.5 HP 1740 rpm	Kitchen ice box
Collateral Plant				
Steel tank	1858	1	Round, Horizontal type	Sulphamine
Wing pump	0	1	Hand operating	Pine resin soap

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

NOTE VERBALE

May 20, 1947.

K. L. O. No. 13

Kyoto Liaison Office wishes to forward to Kyoto Military Government Team the annexed petition presented by Chief Kyoto Agent Officer for Government's Properties of Osaka Office of Finance Ministry for permission to be given to temporary use of Uji Powder Plant machinery.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

14 April 1947

SUBJECT : Petition for Temporary Use ofUji Powder Plant Machinery

TO : Commanding Officer, Kyoto Military Government Team

THRU : Kyoto Liaison Office

1 Contained herewith are the details of machinery which Japan Drugs Mfg. Co., Ltd is going to use temporalily for the production of drugs, saying sulphamethyl-thiazol, sulphanyl-chloric acid, antu, pine resin soap (fruit insecticide) and uroboramin.

2 Machinery listed in the attached sheet is kindly requested your approval to be granted so that they can be used just temporarily until they will be removed eventually for reparation.

3 These are a small part of the inventoried and uninventoried machineries under the custody of Uji Powder Plant Administration. Some of them are needed to repair for use.

4 Machinery listed in the attached sheet is an additional part to the machinery which was approved to use to Japan Drugs Mfg.Co.,Ltd at 10 March 1947 by Kyoto Military Government Team.

5 As these drugs are demanded urgently by Japanese people at present, we hope your prompt consideration on this matter and acceptance of this petition.

YUTAKA ZENKI
The Director of Kyoto Branch,
The Osaka Financial Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name of Machinery	Inventoried Serial Number	Quantity	Capacity	Usage
Main Plant				
Grinder with motor	1057	1	Hand tool type	Repairing

"	Uninventoried Serial Number	"	"	"
Main Plant				
Refrigerator with motor	1193 1194	1	10,000 cal 6.7 HP 1740 rpm	Sulphanyl-chloric acid
Switch box	1195 1196	2	10 HP 220 V	Ditto
Centrifugal pump with motor	1189,1190 1191,1192	2	1 HP 1710 rpm Hitachi	Ditto
Ice making machine with motor	1026 1027	1	10,000 cal 7.5 HP 1740rpm	Thiazol plant
Centrifugal pump with motor	1028 1029	1	1 HP 1800 rpm	Ditto
Switch box	1033	1	3.75 KW 200 V	Ditto
Centrifugal pump with motor	1285,1286	1	1 HP 1710 rpm	Sulphanyl-chloric acid
Centrifugal pump with motor	1289 1290	1	2 HP 1170 rpm	Antu plant
Switch box	1292 1293 1294 1295	4	7.5 HP 220 V	Ditto
Switch box	1300 1301	2	6.7 HP 220 V	Sulphanyl-chloric acid
Ice making machine with motor	1935 1936	1	5 HP 1745 rpm	Phenacetin plant
Centrifugal pump with motor	1937 1938	1	1/2 HP 1730 rpm	Ditto
Refrigerator with motor	1939 1940	1	10,000 cal 7.5 HP 1730 rpm	Sulphamethyl-thiazol plant
Centrifugal pump with motor	1941 1942	1	1 HP 1720 rpm	Ditto
Worthington pump	1948	1	ø 6"/4"	Ditto
Worthington pump	1925 1926	2	ø 60 mm	Ditto
Refrigerator with motor	1309,1310 1311,1312	2	10,000cal 6.7 HP 1750 rpm	Ditto
Centrifugal pump with motor	1307 1308	1	2 HP 1420 rpm	Ditto
Centrifugal pump with motor	1315 1316	1	2 HP 1420 rpm	Ditto
Vermicelli machine	14	1	1,000x1,000x500	Chewing gum
Motor	380	1	4 HP	
Roller	14	1	180 x 120	Ditto
Motor	386	1	4 HP	
Shafting	14	1		
~~Rice cake pounding machine~~	~~7~~	~~1~~	~~150 x 250~~	~~Ditto~~
Motor	390	1	2.7 HP	
Motor	11	1	3 HP 1720 rpm	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Switch	∅ 0	2		Chewing gum
Balance	0	2	Weight 200grm	Laboratory
Desk telephone		25		Office
Automatic telephone exchanger		1	Fuji Denki	Office
Motor	2325	1	3 HP	
Reaction vessel	1593	1	∅ 70 x 60 cm	Sulphaguanidine
~~Motor~~	~~805~~	~~1~~	~~1 Hp~~	~~Ditto~~
Iron vessel	1594	1	∅ 600x 1000 mm	Ditto
~~Motor~~	~~4515~~	~~1~~	~~1 HP~~	
Iron vessel	1595	1	∅ 600 x 1000 mm	Ditto
Motor	856	1	1/4 HP	Ditto
Wing pump	1596	1	∅ 180 x 626 mm	Ditto
Blower	2113	1		"
Motor	1592	1		"
Dryer	2102	1	Wooden made Alminium linning	"
Motor	857	1	1/4 HP	
Chain block(tool)	-	1	1 Ton	Chlor-sulfonic acid
Agitator	-	1	920 x 350	Uroboramin
Motor	861	1	3 HP	Ditto
Crushing mill	4112	1		Antu/
Motor	862	1	1/2 HP 1800 rpm	Ditto
~~Rice cake pounding~~ machine	~~0~~	~~1~~	~~150 x 800~~	~~Antu~~
Motor	872	1	1/2 HP	Ditto
Melting vessel	2133	1	∅ 530 x L 530	Ditto
Motor	873	1	1/2 HP	Ditto
Melting vessel	2132	1	∅ 530 X L 530	Ditto
Motor	874	1	1/2 HP	Ditto
Dehydrator	454	1	with motor	Uroboramin
Blower	1747	1		"
Motor	1746	1		"
Melting vessel	1226	1		Pine resin
~~Motor~~	~~949~~	~~1~~	~~1 HP~~	~~comp(Insecticide~~
Melting vessel	1227	1		"
~~Motor~~	~~921~~	~~1~~	~~1 HP~~	"
Iron tank	1471 1472 1473 147~~4~~	4	2 Tons ∅1 x 1.1 m	"
Nitrator with reduction gear	1836	1	1 KW 1750 rpm	"
~~Motor~~	~~889~~	~~1~~	~~1 HP~~	
Diluting ~~vessel~~ vessel with agitator	1834	1	1.5 KW x 1740 rpm	"
Dryer	2010	1	∅30 x 57 x 165 cm	"
Motor	908	1	2 HP	
Reaction vessel	2277 2278	2		Chewing gum " "
Motor	883 884	2	3 HP	"
Balance	577	1	250 kgs	Chlor-sulfonic acid
Balance ~~Melting pan~~	552 55~~5~~ 556	3		Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Melting vessel				
[illegible]	2256	1	0.75 x 0.48	Sulphaguanidine
Motor	906	1	1 HP	"
Erectric drill	[illegible] 4898	1	2 HP (tool)	Repairing shop
Motor	911	1	2 HP	
Cutter	2301	1	Small round type	Chewing gum
Motor	948	1	1 HP	

Collateral plant

Tank wagon	1932 1933	2		Pine resin soap (Insecticide)
Motor	955 284	2	2 HP	
Tank	437	1	Steel	Ditto
Centrifugal pump	0	1	0Ø 2 inch	Laboratory
Motor	953	1	4.5 HP	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

NAME OF MACHINES	SERIAL NUMBER	INVENTORIED QUANTITY	CAPACITY	USAGE
Main Plant				
Rice cake pounding machine	9	1	560x150x260	Uroboramin
Motor	900	1	3 HP	Ditto
Balance	577	1	250 Kg Max.	Chlor-sulphonic acid
Ice making machine with motor	1193 1194	1	6.7 HP 1740rpm	Pine resin soap
Switch box	1195 1196	2	10 HP 220 V	Ditto
Motor pump	1189	2	1 H P 1710 rpm	Ditto
Balance	4371	1	150 Kg Max.	Chewing gum
Refrigerator with motor	16 17	1	7.5Hp 1740rpm	Kitchen ice box
Collateral Plant				
Steel tank	1858	1	Round,Horizontal type	Sulphamine
Wing pump	C	1	Hand operating	Pine resin soap

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 719 (Kyoto, Honshu)

ELQ/sy
21 July 1947

004 - Ba

SUBJECT: Use of Reperations and Non - Reperations Items from the Former Uji Factory of the Second Tokyo Military Arsenal.

TO : Japan Drug. Co., Ltd.

THRU : Kyoto Liaison Office

In regards to your petition, dtd 14 April 47, you are authorized to use the 131 machines listed on attached list, currently located at the Uji Factory of the Second Tokyo Military Arsenal and its collateral plant.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN
1st Lt., Inf.
Adjutant

1 Incl:
1 List of machines authorized for use.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

file copy

(23)

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

MLC/ys
8 May 1947

SUBJECT: Temporary Release of Reparations Equipment

TO : Commanding General, I Corps, APO 301
Attn: Mil Govt, Res & Ind Section

1. It is recommended that this petition be granted.

2. These Transformers are located at Uji Factory of 2nd Tokyo Mil Arsenal, Plant 23 in Kyoto prefecture (22) and if this petition is granted, will be used to complete Procurement Demand JPMK-39 for the BCOF.

3. No transformers, other than those located in Reparations Plants, are available in this area.

FOR THE COMMANDING OFFICER:

Thomas R. Harbin
1st Lt., Inf.
Adjutant

Incl:
1[3] Petition for exemption of machinery from Kyoto Finance Office
2 Recommendations from I Corps Engineers

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OSAKA FINANCIAL BUREAU
KYOTO CUSTODIAN OFFICE

2 May 1947

SUBJECT; Request for removal and temporary use of transformers which locat at Uji Powder Plant.

TO ; Kyoto Military Government Team.

THRU ; Kyoto Liaison Office.

We beg you to grant removal and temporary use of transformers which locat at Uji Powder Plant.
The requested 6(six) transformers, which are stated below, are used for dwelling equipment of English Occupation army.

1. Requested materials.
   ~~1~~ 2. single-phase transformers 3.300V 100~~K~~KVA
   (22-23-219)
   (22-23-220)
   2. " " " 3.300V 10KVA
   (22-23-296)
   (22-23-297)
   2. " " " 3.300V 50KVA
   (22-23-342)
   (22-23-343)

2. Destination.
   Kikuya Hotel. Ujicho, Uji-gun, Kyoto Prefecture.

Y.Zenki
Director
Kyoto Custodian Office.

Inspected by Y.Kitagawa
For Senior Liaison Officer
_____Copies submitted
Date: May 7 1947

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Date 19th June, 1947

Subject: RELEASE OF TRANSFORMERS.

To : KYOTO MILITARY GOVERNMENT TEAM

Thru : KYOTO LIAISON OFFICE

1. Enclosed please find the list of six (6) transformers as follows, which have been delivered to Mr. Usaburo Honri to be used at the B.C.O.F. KIKUYA HOTEL, Uji, Kyoto Pref.

T R A N F O R M E R S

22-23-219
22-23-220
22-23-296
22-23-297
22-23-342
22-23-343

2. Reference will be made to the letter of direction of K.M.G.T.
04-BA dated 31 May, 1947.

Taro Kojima

TARO KOJIMA
CUSTODIAN, UJI POWDER PLANT.

局財務大阪
22.6.25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

EHO/ys
3 May 1947

SUBJECT: Corrected Inventory sheets

TO : General Headquarters, Supreme Commander for the Allied Powers
(Attn: Office of the Executive for Reparations), APO 500

In compliance with Section IV, Incl 1 to GO No. 5/4, Hq Eighth Army, dated August 1946, forwarded are corrected inventory sheets for machines listed below:

22-03-1093 Milling Machine - Engraving
22-03-1052 Compressor - Reciprocating - Single acting

FOR THE COMMANDING OFFICER:

Thomas F. Herrin
1st Lt., Inf.
Adjutant

Incl:
2 inventory sheets.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Mack-Grunsel

KYOTO POST COMMAND
(Kyoto, Honshu)
APO 301

16 May 1947

SUBJECT: 50 KVA Induction Regulators

TO: Commanding Officer
Kyoto Military Government Team

1. The following equipment is needed for installation at 126th Signal Service Company:

a. Three (3) 50-KVA 3-Phase Induction Regulators

2. We are informed that this equipment can be obtained from Uji Arsenal.

3. The assistance of the Kyoto Military Government Team is requested in procuring this equipment.

FOR THE POST COMMANDER:

Charles E Turner

CHARLES E. TURNER
Major, AGD
S-1

Incl 1

14

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

004-BA

ELC/ky
4 June 1947

SUBJECT: 50 K.V.A. Induction Regulators

TO : Commanding General, I Corps.
Attn: Mil Govt., Res & Ind Section

1. Petition from Kyoto Post Command for procuring three(3) 50-K.V.A. 3-phase Induction Regulators is enclosed for your consideration.

2. These Induction Regulators are available at the Uji Branch of the Second Tokyo Military Arsenal (Code Number 22-23). There are no other Induction Regulators available in this area. Request they be released to the 126th Signal Service Company.

FOR THE COMMANDING OFFICER:

GEORGE D. ISH
Capt., GAP
Executive Officer

Incl:
1[2] petition Kyoto Post Command

AG 004 - BA 1st Ind EHN/yo

Hq I Corps, APO 301, 7 JUN 1947

TO: CG, Eighth Army, APO 343

1. Request authority to release the non-inventoried induction regulators mentioned in basic to the Kyoto Post Command.

2. The Uji Branch, Tokyo 2nd Military Arsenal is an enemy installation and no procurement demand is required for the regulators.

FOR THE COMMANDING GENERAL:

O. H. SCHMIDT
MAJOR, AGD
ASST. ADJ. GEN.

1 Incl:
n/c 49534

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

73

Ltr, Kyoto Mil Govt Team, APO 713, (Kyoto, Honshu), subj: 50 K.V.A. Induction Regulators, 004 - BA, dated 4 June 1947

AG 475 (SIG)(MG-Em) 2nd Ind

18 JUN 19[illegible]

Headquarters Eighth Army, APO 343

TO: Commanding General, I Corps, APO 301

The release of three (3) 50 K.V.A. - 3 phase Induction Regulators from the 2nd Tokyo Military Arsenal, Uji Branch, for use of Occupation Forces is approved.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

8

B-17G

HQ. I CORPS
AG 004

R. SCHAFER
Lt. Col., AGD
Asst. Adjutant General.

1 Incl:
n/c

AG 004 - BA 3rd Ind EHN/ckw

Hq I Corps, APO 301, 18 JUN 1947

TO: CO, Kyoto Mil Govt Team, APO 713

Your attention is directed to 2nd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

H. B. TAYLOR
MAJOR, A.G.D.
ASST. ADJ. GEN.

1 Incl:
n/c

7071 14

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Thomas R. Harbin
Reg. Hist. Officer
File Copy

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

004 - BA

EIC/ro
23 June 1947

SUBJECT: 50 K.V.A. Induction Regulators

TO : Commanding General, Kyoto Post Command, APO 301
Attn: Engineer Section

Enclosed herewith is letter to Kyoto Branch of Osaka Finance Ministry for your information.

FOR THE COMMANDING OFFICER:

Thomas R. Harbin
1st Lt., Inf.
Adjutant

1 Incl:
1 Letter to Osaka Finance Ministry, Kyoto Branch

15

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Jib Copy

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

RLC/ro
004 - BA 23 June 1947

SUBJECT: 50 K.V.A. Induction Regulators

TO : Kyoto Branch of the Osaka Finance Ministry

THRU : Kyoto Liaison Office

1. You are hereby directed to release to the Kyoto Post Command three (3) 50 K.V.A. 3 Phase Induction Regulators, which are located at the Second Tokyo Military Arsenal (Uji Branch).

2. If inventoried, note release of above in section (M) of inventory sheets.

FOR THE COMMANDING OFFICER:

Thomas H. Harbin
1st Lt., Inf.
Adjutant

16

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OSAKA FINANCE BUREAU
KYOTO CUSTODIAN OFFICE

15 July 1947

SUBJECT; Report on delivery of the induction voltage regulater.

TO ; Kyoto Military Government Team.

THRU ; Kyoto Liaison Office.

Regarding to the subject item, we respectfully submit you enclosed report from Uji Custodian Office.
And we were instructed delivery of 3 (three) voltage regulaters, but we delivered 2 of them with understand of K. P. C. on account of proper machine was shortage.

Encl. Report of Uji Custodian Office.

Y. Zenki
Kyoto Custodian Office.

INTER-OFFICE
C.O. ____
Exec. [illegible]
Adj. ____
Res+Ind. __
Nat. Res. __
Proc. ____
Pub. Welf. __
C.I.+E. ___
Legal+Govt.
Labor ___
Pub. Hlth __
Maizuru __
Team ___
Read, Initial +return for File

Inspected by _____
Senior Liaison Officer
____Copies submitted
Date; July 19 1947

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Copy

GPA Form 1
(4-46)

PROCUREMENT DEMAND
On Imperial Japanese Government

Account Code (If Applicable to all Items: _____ Demand No. JPNK - 39
(Read Instructions on Back of this Form)

Items No.	Specific Description of Items Desired	Unit	Quantity
1.	Furnish necessary supervision, labor, materials and equipment to renovate the KIKUYA Hotel, located approximately nine (9) miles from Kyoto at Uji-machi, Kyoto-Fu, for use as an Indian Troop Leave Hotel as described in the attached Construction Schedule.		

J JH/ghn

(Detach Along this Line for Additional Pages)

Suggested Source: _____ Name _____ Address _____ City _____ Prefecture

////////////// Authority for (Japanese Delivery) (Occ Force Pick Up) Restricted Item: Constr. Dir. JAP - 1004 Letter Reference or Signature

Delete One

Delivery Requested: 28 February 1947 Calendar Date or Period

Ship By: (AIR)/(MAIL)/(RAIL)/(TRUCK)/

Delete Three

Deliver To: Commanding officer 1067 Engr. Construction GP. Kyoto. Jackson 5424 Name of Receiving Officer Organization Location Prefecture Phone

Requested By: GOC HQ BCOF Itazuke Annex 296 Name of Requesting Officer Organization Location Prefecture Phone

Approved By: T.R. Demery Lt. Col. CE 8th Army Kanagawa 32560 Name of Approving Officer Staff Section Headquarters Prefecture Phone

Remarks and INSTRUCTIONS: _____

(Space for Mil. Govt. Preparing and Forwarding Demand to Another Mil. Govt. Unit)

8th Army Unit Mil. Govt. Hq & Hq. Co. Section Kyoto Prefecture Typed: Albert Frascoi Lt. Col., C.E. Mil. Govt. Officer Rank Branch

(Space for Mil. Govt. Unit Processing Demand to Japanese)

KYTE Unit Mil. Govt. Hq. & H. Co. Kyoto Prefecture Signed: R.V. Kissam Jr. Mil. Govt. Officer Rank Branch

Dated: 3 March 1947 Typed: R.V. KISSAM JR. Capt., CAC. Kyoto MT Team

(Space for Japanese Only)

P.D. Received By: M. Katsoka Signature Kyoto City Kyoto Prefecture 3 March 1947 Date

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

10 MARCH '47
enclosed

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

13 Feb. 1947

SUBJECT: Temporary Use of Reparations Equipment

TO : Commanding General, Hq I Corps, APO 301
Attn: Mil Govt, Res & Ind Section

1. The enclosed petition is forwarded for your consideration.

2. Those building of the Uji Powder Plant not needed for reparations purposes have been returned to the Japanese Govt. under the provisions of O.D. 28/12. The Home Ministry has granted the Japan Drug Co. permission to use certain of the returned buildings to establish their company.

3. The Japan Drug Company is now petitioning to use certain reparations equipment, and other equipment of the Uji Factory, until such time as it may be replaced by non-reparations equipment or withdrawn for reparations purposes.

4. The electrical equipment listed on enclosed petition is already installed as part of the plants electric system and its use by the Japan Drug Co. would in no way change or endanger its condition.

5. The machine tools requested are few in number and, in view of the fact that they are all class III machines which would be repaired and placed in class I condition, it is felt that their use by the company would benefit the reparations program.

6. In view of the above facts and the critical need for the products of this company it is recommended that this petition be granted.

FOR THE COMMANDING OFFICER:

Enos L Commons Jr.

ENOS L COMMONS JR
Capt., Ord.
Res & Ind Officer

1 Inc
#1. Petition (4cc)

353ED

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Temporary Use of Reparations Equipment", dtd 13 Feb 47.

AG 004 - BA 1st Ind EHN/ks

3053

Hq I Corps, APO 301, 18 FEB 1947

TO: CG, Eighth Army, APO 343

1. In view of the facts revealed in paragraphs 4 and 5, basic communication, it is the recommendation of this headquarters that the inclosed petition be given favorable consideration.

2. In the event that the Japan Drug Company (Nippon Yakuhin Kaşei Kogyo K.K.) is permitted to use the equipment listed in inclosure 1, it would in no way jeopardize the custody and protective maintenance of reparations equipment. The company is exhausting every effort to replace the machines with non-reparations equipment. The application for temporary use of this equipment is made with the full understanding that it will be removed when required for reparations, regardless whether replacements are available at that time.

FOR THE COMMANDING GENERAL:

O.H. Schmidt

O. H. SCHMIDT
MAJOR, AGD
ASST. ADJ. GEN.

1 Incl:
Petition (w/incl) (trip)

DA 3T360

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Ltr, Kyoto Mil Govt Team, subj: "Temporary Use of Reparations Equipment", dtd 13 Feb 47.

AG 004 (MG-Em) 2nd Ind

Headquarters Eighth Army, APO 343 24 FEB 1947

TO: Commanding General, I Corps, APO 301

Temporary use of the reparation equipment listed in inclosure 1 by the Japan Drug Co. is approved pending reparations removal or replacement from non reparation sources.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

R. SCHAFER
Lt. Col., AGD.
Asst. Adjutant General.

HQ. I CORPS
AG 004

1 Incl:
1⁴ w/d.

AG 004 - BA 3rd Ind EHN/ks

Hq I Corps, APO 301, 26 FEB 1947

TO: CO, Kyoto Mil Govt Team, APO 713

Your attention is directed to 2nd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

O. H. SCHMIDT
MAJOR, AGD
ASST. ADJ. GEN.

1 Incl:
n/c

30541

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Uji Powder Plant

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu) EJC/ys

10 March 1947

SUBJECT: Use of Uji Powder Plant Equipment

TO : Japan Drugs Mfg. Co., Ltd.

THRU : Kyoto Liaison Office

1. Permission to use the machinery and equipment listed on enclosed applications is here-by granted.

2. The use of this equipment will in no way change it's reparations standing and all machinery must be kept in first class conditions and available for immediate release for reparations purposes.

FOR THE COMMANDING OFFICER:

THOMAS R HARBIN
1st Lt., Inf.
Adjutant

Incl:
As stated above

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

MAR6 1947

DATE: Feb. 22nd, 1947

SUBJECT : Petition for the temporary operation of the refrigerator unit in the Uji Powder Plant

TO : Kyoto Military Government Team

THROUGH : Kyoto Liaison Office

1. I would like to ask the petition be granted to the Japan Drugs Manufacturing Co., Ltd to run the refrigerator unit in the Uji Powder Plant during the comming summer season to supply ice to the market.

The machineriesto be operated are uninventoried except a couple of auxiliary electric equipment such as transformers and herein enclosed the list. Some of them are comprised in the letter which I submmited on the 24th of the last month.

Four buildings are to be used this time in the collateral plant.

Good attention will be paid to maintain all machineries concerned in perfect condition.

2. In the comming summer season, ice will be quite scarce because people can not run refrigerator units of their own on the regular productive condition due to the shortage of oparating materials such as ammonia. The budiness prospect is worse than the last year. Concequently, the Japan Drugs Mfg Co proposed to my office to be authorized by the Occupation Forces to run the refrigerator unit of the Uji Powder Plant, which can produce 15 tons per day of ice in the form of blocks or snow balls.

This business can supply more ice in this summer ~~to~~ not only to healthy and invalid people in the Kyoto Prefecture, but also to the personnel of the Occupation Forces and their families around here.

3. The machineries are in good condition, the company keep to their possession every operating materials which are hard to purchase and scarce at present. The units are just ready to be runned except a minor change in the piping arrangement and some carpentry works to be done. And this preliminary works must be completed in April. I would be much obliged to be advised from the Kyoto Military Government Team before too late so that the production can be started in time.

Inspected by

Senior Liaison Officer

4 Copies submitted

Date: March / /194

Y. Tenki

Yutaka Tenki
The director of the Kyoto Branch Office
The Osaka Financial Bureau.

1" = 1'
1m3 = 1kg.

NAME OF MACHINERIES	INVENTORIED SERIAL NUMBER	QUANTITY	CAPACITY
COLLATERAL PLANT			
Power tpansformer	22-23-1705	1	3 ø 100 KVA 3300 V
	22-23-1706	1	
	22-23-1707	1	
Pole transformer	22-23-1708	1	1 ø 10 KVA 100 V
	22-23-1709	1	
	22-23-1710	1	
Main switch	22-23-1724	1	3/ø 3500 V 200 A
Switch board	22-23-1718	1	3 ø 3500 V 100 A
	22-23-1717	1	
	22-23-1719	1	
Switch board	22-23-1720	1	3 ø 250 V 500 A
	22-23-1721	1	" " "
	22-23-1722	1	3 ø 250 V 200 A
Oil switch	22-23-1712	1	3 ø 3500 V 300 A
	22-23-1713	1	
	22-23-1714	1	
Power transformer	22-23-1812	1	3 ø 100 KVA 3300 V
	22-23-1813	1	
	22-23-1814	1	
Pole transformer	22-23-1817	1	1 ø 100 KVA 100 V
	22-23-1818	1	
	22-23-1819	1	
Switch box	22-23-1820	1	3 ø 3500 V 100 A
Oil switch	22-23-1821	1	3 ø 3500 V 200 A
	22-23-1822	1	
	22-23-1823	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Oil switch	22-23-1824	1
	22-23-1825	1
	22-23-1826	1

3 ∅ 220 V 300A

NAME OF MACHINERIES	UNINVENTORIED SERIAL NUMBER	QUANTITY	CAPACITY
COLLATERAL PLANTY			
Ice making machine with motors	187 188 189 190	2	40 HP 750 / 720 mm 12 Kg/cm^2
Ice making machine with motors	191 192 195 196 193 194 197 198	4	25 HP 1145 rpm 12 Kg / cm^2
Ice making machine with motors	1795 1796 1797 1798	4	30 KW 850 / 200 mm 24 Kg / cm^2
Switch box	1799 1800 1801 1802	4	30 KW 200 V

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File

SUBJECT : Petition for the temporary use of machineries in the Uji Powder Plant.

TO : Kyoto Military Government Team.

THROUGH : Kyoto Liaison Office.

1. Of the inventoried machineries and uninventoried machineries of the Uji Powder Plant Administration, machineries listed in the attached sheet are kindly requested the approval to be granted so that they can be used just temporarily until they will be removed eventually for reparation.

2. Contained herewith are the details of machineries which the Japan Drugs Mfg Co Ltd are going to use temporarily for the production of some drugs. These drugs, saying Sulfaguanidine, Sulfathiazol, Phenothiazin, Phenacetin, Chlor-sulphonic acid, Antu etc, are urgently demanded by the Japanese people at present. These drugs are essential to the public hygiene of Japan, particularly to the lower class people.

Sulfaguanidine is the wellknown drug in the world as the special effective one for dysentery, child dysentery and microbic diarrhoea. Hence the production of this drug will be very useful in comming summer.

3. The Japan Drugs Mfg Co Ltd was newly established by a group of many repatriators with the purpose of producing these drugs.

This company has been approved the reconversion of the Uji Powder Plant by the H. Q. of the 8th Army, last August.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

This plan has been approved by the Ministry of Public Welfare, the Ministry of Finance and the Home Ministry of the Japanese Government 6th Aug 1946.

4. These machineries are the minimum of our necessity and a very small part compared with the whole machineries of the Uji Powder Plant.

These include electric equipment, machine tools (3rd class) and other general purpose machines such as pump, motor, blower etc.

5. In case the petition be granted, they will be cared for by the Japan Drugs Mfg Co Ltd under the close supervision of the Uji Powder Plant Administration.

These machineries are quite durable and theoretically no obsolescence is suspected.

6. We hope your prompt consideration on this matter and acceptance of this petition.

Yutaka Zenki
The Director of the Kyoto Branch
The Osaka Financial Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF MACHINERIES TO BE TEMPORARILLY USED

NAME OF MACHINERIS	INVENTORIED SERIAL NUMBER	QUANTITY	CAPACITY OF EACH MACHINERY	REMARK
MAIN PLANT				
Transformer	~~50-KVA-3300V-220A-~~ 22-23-371	1	50KVA 3300V 220A	
Pole transformer	22-23-372	1	5KVA 3300V 220A	
~~Switch~~	~~22-23-373~~	~~1~~	~~3500V 100A~~	
Switch	22-23-374	1	3500V 400A	
Transformer	22-23-361	1	50KVA 3150V 220A	
Pole transformer	22-23-362 22-23-363 22-23-364	3	10KVA 3300V 220A	
Pole transformer	22-23-365	1	5 KVA 3300V 220A	
Switch	22-23-368 22-23-369	2	250 V 400A	
Switch	22-23-370	1	3500V 100A	
Pole transformer	22-23-284 22-23-285 22-23-286	3	5 KVA 220V 220A	
Switch	22-23-387	1	250V 400A	
Pole transformer	22-23-388	1	5 KVA 220V 220A	

Switch box	22-23-389	1	250V 400A
Pole transformer	22-23-391 22-23-392	2	10KVA 3300V 220A
Pole transformer	22-23-379	1	5KVA 3300V 220A
Pole transformer	22-23-380 22-23-381	2	5KVA 3300V 220A
Pole transformer	22-23-375 22-23-376	2	10KVA 3300V 220A
Pole transformer	22-23-377 22-23-378	2	3KVA 220V 220A
Transformer	22-23-393	1	50KVA 3300V 220A
Transformer	22-23-280 22-23-281	2	100KVA 3300V 210A
Transformer	22-23-224 22-23-225	2	100KVA 3300V 220A
Oil switch	22-23-227	1	3500V 20A
Oil switch	22-23-226	1	3500V 20A
Transformer	22-23-228 22-23-229 22-23-230	3	200KVA 3300V 3100A
Pole transformer	22-23-231 22-23-232	2	10KVA 3200V 200A
Pole transformer	22-23-233	1	10KVA 3200V 200A
Pole transformer	22-23-234 22-23-235 2223 -236	3	10KVA 3200V 200A
Pole transformer	22-23-237	3.	10KVA 3200V 200A

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 745013

Pole transformer	22-23-238 22-23-239		
Oil switch	22-23-240 22-23-241	2	3300V 100A
Static condenser	22-23-242	1	50KVA 3300V
Switch	22-23-243	1	3500V 100A
Panel	22-23-244	1	3500V 100A
Panel	22-23-245 22-23-246 22-23-247	3	250V 400A
Panel	22-23-248	1	250V 800A
Pole transformer	22-23-282 22-23-283	2	10KVA 3300V 220A
Pole transformer	22-23-289 22-23-290	2	5 KVA 210A
Oil switch	22-23-287	1	3300V 100A
Oil switch	22-23-284 22-23-285	2	3300V 100A
Static condenser	22-23-286	1	50KVA 3300V
Switch box	22-23-288	1	3500V 10A

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Transformer	22-23-328 22-23-329	2	50 KVA
Transformer	22-23-330 22-23-331	2	10 KVA
Pole switch	22-23-332	1	
Transformer	22-23-140	1	350 KVA
Transformer	22-23-202 22-23-203 22-23-204 22-23-205 22-23-206 22-23-207 22-23-208 22-23-209	8	50 KVA
Transformer	22-23-199 22-23-200 22-23-201	3	10 KVA
Panel	22-23-212 22-23-213 22-23-214 22-23-215 22-23-216 22-23-217 22-23-218	7	
Pole switch	22-23-211	1	
Transformer	22-23-249 22-23-250 22-23-251	3	3 ø 20 KVA
Transformer	22-23-252 22-23-253	2	1 ø 20 KVA
Pole switch	22-23-254 22-23-255	2	
Switch house	22-23- from 257 to 263	7	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 745013

COLLATERAL PLANT

Oil switch	22-23-1867 22-23-1868	2	3500 V 200 A
Oil switch	22-23-1854	1	3500 V 200 A
Oil switch	22-23-1869 22-23-1870 22-23-1871	3	3500 V 200 A
Transformer Transformer	22-23-1621 22-23-1754 22-23-1755	1 2	2000KVA 200 KVA Hitachi
Transformer	22-23-1756 22-23-1757 22-23-1758 22-23-1759 22-23-1760 22-23-1761	6	10 KVA Osaka Trans.
Oil switch	22-23-1762	1	3500 V 100 A
Oil switch	22-23-1864 22-23-1865	2	3500 V 200 A
Oil switch	22-23-1866	1	3500 V 300A
Oil switch	22-23-1862 22-23-1863	2	3500 V 300 A
Distributing panel	22-23-1860 22-23-1874 22-23-1875	3	250 V 200 A
Oil switch board	22-23-1861	1	3500 V 200 A

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Oil switch	22-23-1858 22-23-1859	2	3500 V 200 A
Oil switch	22-23-1857	1	3500 V 300 A
Transformer	22-23-1836	1	3 KVA Osaka trans.
Oilswitch	22-23-1855	1	3500 V 200 A
Transformer	22-23-1872	1	5 KVA Hitachi
Pole transformer	22-23-1708 22-23-1709 22-23-1710	3	10 KVA 1 ø
Panel	22-23-1716	1	3500 V 100 A
Panel	22-23-1722	1	250 V 200 A
Transformer	22-23-1725	1	200 KVA 3300 V Hitachi
Oil switch	22-23-1745 22-23-1747	2	3300 V 100 A
Oil switch	22-23-1739 22-23-1740	2	220 V 300 A
Oil switch	22-23-1748 22-23-1749 22-23-1750 22-23-1752	4	3500 V 100 A
Distributing panel	22-23-1735 22-23-1736	2	3500 V 100 A
Distributing panel	22-23-1737 22-23-1738	2	110 V 800 A
Pole oil switch	22-23-1856	1	3500 V 200 A
Transformer	22-23-~~1870~~ 1766	1	100 KVA 3300 V Hitachi

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Oil switch ~~Transformer~~	22-23-1783 22-23-1778	2	220 V 300 A
Oil switch	22-23-1784 22-23-1785	2	3300 V 300A
Panel	22-23-1788	1	3300 V 100 A
Pole transformer	22-23-1833	1	3 KVA Osaka Trans.
Oil switch	22-23-1849	1	220 V 100A

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Main plant			
Transformer	22-23-342		
	22-23-343		
	22-23-344	8	50 KVA
	22-23-345		
	22-23-346		
	22-23-347		
Oil switch	22-23-348		
	22-23-349	3	
	22-23-350		
Induction regurator	22-23-153		
	22-23-154		
	22-23-155		
	22-23-156	7	
	22-23-157		
	22-23-159		
	22-23-160		
Static codensor	22-23-146	2	
	22-23-145		
Switch panel	22-23-147	2	
	22-23-148		
Collateral plant			
Static condensor	22-23-1681	2	
	22-23-1682		
Switch panel	22-23-1683	2	
	22-23-1684		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 74-5013

Main plant

Grinder	22-23-526	1	ø 200 / 10 mm	For repairing shop
Upright drill	22-23-527	1	ø 20mm	Ditto
Motor	22-23-528	1	30 HP	Ditto
Switch	22-23-529	1	220 V	Ditto
Motor	22-23-930	1	5 KW	For phenothiazin
Motor	22-23-1012 /	1	5 KW	Ditto
Lathe	22-23-511	1	Center to center 1000mm Swing 600mm	ø For repairing shop
Shaper	22-23-512	1	24 inch	Ditto
Lathe	22-23-509	1	Center to center 1100mm Swing 50mm	Ditto
Reduced gear motor	22-23-513	1	10 kw	Ditto
Switch	22-23-514	1	220 V	Ditto
Upright drill	22-23-506	1	1 HP ø 25mm	Ditto

Collateral plant

Lathe	22-23-1979	1	5 feet	Ditto
Lathe	22-23-1982	1	4 feet	Ditto
Shaper	22-23-1986	1	Made by Watanabe Works Ltd	Ditto
Drilling machine	22-23-1969	1	Uncertain	Ditto
Plate bending roll	22-23-2001	1	1600 / 240 / 330 mm	Ditto
Motor	22-23-2002	1	5 HP	Ditto
Bite grinding tool	22-23-2000	1	270 / 3.50	Ditto
Compressor for acid tank	" 1964	1	15HP	For acid tank

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 745013

The following machineries are un-inventoried.

Main plant

Name of machineries	Administration Serial Number	Quantity	Capacity	Remark
Alliance gauge	172816 172818	2	20 kg / cm^2	For saccharine plant
Steel tank		1		Ditto
Jaw crusher	uncertain	1	Small and table type	For phenothiazin
Pulverizer with motor	"	1	Disc type	Ditto
Blower with motor	2214 2049	2	½ HP 1800 rpm	Ditto
Motor	2050	1	2 HP	Ditto
Oil switch	2331	1		Ditto
Blower with motor	92 109 120	3	Old one , uncertain.	For repairing shop
Sawing machine	125	1		For repairing shop
Wood milling machine	126	1		Ditto
Sawing table machine	127	1		Ditto
Band saw	128	1	Broken, now.	Ditto
Wood planner	131 132 133	3		Ditto
Line shafting	135	1		Ditto
Spray gun	885 4620	2		Ditto

Motor	4661	1	2 HP	For repairing shop
Blance	81662	1		For laboratory
Motor	583	1	4 H P 1750 rpm	For phenothiazin
Reduced gear motor	989	1	1 KW 1800 / 200	Ditto
Gas tank	2285	1	2700 / 1770 mm	Ditto
Fan with motor	2687	1	1 HP 1674 rpm	Ditto
Filling machine	2223	1		Ditto
Small mixing machine	4331	1	25 kg	Ditto
Crusher with motor	2240	1	15 HP 1730 rpm	Ditto
Reduced gear motor	4503	1	5 HP 1800 / 100 rpm	Ditto
Centrifugal pump with motor	1211 & 1212	1	1.8 HP 1750 rpm	Ditto For sulphaguanidin
Ice making machine with motor	1209 1210	1	7.5 HP 1740 rpm	Ditto
Switch box	1219 1221	2	2 HP 220V	Ditto
Portable mixer with propeller	4514 207	1	1 HP	Ditto
Agitator	1288	1	1 HP	Ditto
Blower with motor	2051	1	5 Hp	Ditto
Switch box	2052	1	250 V / 30 A	Ditto
Dryer box	2260	1	Electric heating type 220 V 87A 120°C const.	Ditto
Portable agitator	1288	1	1 HP	Ditto
Crushing mill	4383	1		Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 745013

Centrifuge	4376	1		For sulphaguanidin (3)
Distillator	4401	1	Electric type	For labolatory
Balance	4384 4386	2	Hand operate	Ditto
Switch box	1969 1071	2	10 HP 220 V	Ditto
Switch box	1976 1977	2	10 HP 220 V	Ditto
Knife switch	Un-certain	23		Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

The following machineries are un-inventoried.

Collateral plant

Name of Machineries	Administration Serial Number	Quantity	Capacity	Remark
Blower with motor	426	1	1 HP 1730 rpm	For saccharin plant
Tank	439	1	380 / 640 mm	Ditto
Nasn type vaccum pump with motor	1850	1	2 HP 1800 rpm	Ditto
Voleum regurator	1855 1856	2	Round type	Ditto
Air receiver	2267	1	Steel tank	For acid plant
Steel tank	2287	1		Ditto
Nash type vaccum pump with motor	705	1	10 HP 1150 rpm	For chlor sulfonic acid
Steel tank	659	1	750 / 1420 mm	Ditto
Mesuring tank	1266	1	500 / 1050 mm	Ditto
Sulpharating tank	1391 1392 1393 1394	4	1250 / 1500 mm	Ditto
Melting vessel with agitator	1784	1	650 / 850 mm	For sulphaguanidine
Line shafting	1786	1	6 m	Ditto
Centrifuge	1781	1	950 / 550	Ditto
Motor	1782	1	3.7 HP 1730 rpm	Ditto

Reduced gaer motor	1758 1759 1760 1761	4	1.34 HP 1750 rpm	For sulphaguanidine
Steel tank	1793 1484 1496	3		Ditto
Cast iron tank	1794	1		Ditto
Nash type vaccum pump with motor	706 707	⌀2	10 HP 1150 rpm	Ditto
Tank car with motor mixer	431	1	0.5 KW Portable	Ditto
Separator	422 423	2	700 / 1030 mm	Ditto
Blower with motor	2133	1	3 Hp 1720 rpm	Ditto
Steel tank	2134	1	800 / 1000 mm We are going to use- make as a electric boiler	Ditto
Steam boiler	2241	1	Second hand, 9.63/lm Locomotive type	Ditto
Nitrator with motor agitator	2180	1	1.5 KW	Ditto
Steel cuting table		1	Tool	For repairing shop
Reduced gear motor	503 504	2	3 H P ratio 2 / 1	For sulphaguanidine
Reduced gear motor	519 520 521 522	4	3 HP ratio 2 / 1	Ditto
Reaction vessel		2	300 / 400 steel tank with jacket	For saccharine

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Motor	uncertain		1	1 KW 3ϕ/	For saccharine plant
Ice making machine with motors	187 189 188 190		2	40 HP 750 / 720 mm 12 kg ϑ/ cm^2	Ditto
Ice making machine with motors	191 192 189 195 193 194 197 198		4	25 HP 1145 rpm 12 kg / cm^2	For sulphaguanidine cooling plant
Ice making machine with motors	1795 1796 1797 1798		4	30 KW 850 / 900 mm 24 kg / cm^2	For sulfamethyl-thizol cooling plant
Switch box	1799 1799 1800 1801 1802		4	30 KW 200 V	Ditto
Bite grinding tool	52		1		For repairing shop
Blower with motor	71		1	5 HP 1730 rpm	Ditto
Anvil			2		Ditto
Vice	64		1		Ditto
Forging furnace	65 66		2		Ditto
Stoker with motor	63		1	1 HP 1700 rpm	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

8 8

F1/23

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

6 Feb. 1947

SUBJECT: Corrected Inventory Sheets

TO : Supreme Commander for the Allied Powers, APO 500
Attn: Industrial Division, Economic & Scientific Sect.

1. Enclosed herewith are thirteen (13) corrected inventory sheets of the Uji Arsenal of Kyoto Prefecture. (Code No.22-23)

2. Request that the above mentioned sheets be submitted for the sheets previously submitted.

3. This is in compliance to Par. N, OD-5, Hq Eighth Army, dtd 22 Aug. 1946.

FOR THE COMMANDING OFFICER:

ENOS L COMMONS JR
Capt., Ord.
Res & Ind Section

Incl:
As stated above.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE: 1st Februáry 1947

SUBJECT: Report on the release of transformers
TO: Kyoto Military Government Team
THRU: Kyoto Liaison Office

Enclosed please find a list of the transformers release d to the Kyoto Post Command, Post Engineer, including those which were reported already.

Referrence will be made to the directions dated 14 Jan. and 31 Jan. of this year.

Items	invoice number	capacity	piece
Transformer	22-23-1321	20 KVA	2
	22-23-1265	20 KVA	
	22-23-1310	10 KVA	2
	22-23-125 6	10 KVA	
	22-23-1277	50 KVA	2
	22-23-127 8	50 KVA	
	22-23- 642	100 KVA	
	22-23- 643	100 KVA	
	22-23- 635	100 KVA	5
	22-23- 653	100 KVA	
	22-23- 654	100 KVA	
	22-23- 636	50 KVA	
	22-23- 637	50 KVA	2

Motors were not released .

Taro Kojima

Taro Kojima
Custodian- Uji Factory

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

17 Jan. 1947

SUBJECT: Machinery from Sakurajima Warehouse of Uji Arsenal

TO : Toyo Rayon Co.

THRU : Kyoto Liaison Office

1. The petition for exclusion from reparations of equipment and machines on enclosed list #1 is here-by approved.

2. All other equipment and machines that were in the Sakurajima Warehouse will be inventoried in accordance with current directives and the inventory sheets submitted to this office without delay.

3. Inventory sheets will be coded 22-23(Y) and all machines numbered consecutively starting with one (1).

FOR THE COMMANDING OFFICER:

ENOS L. COMMONS JR
Capt., Ord.
Res & Ind Officer

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Toyo Rayon Co.

46 Ishiyama Kitaojicho, Otsu,

Dec. 4th, 1946

To the Commander of Kyoto Military Government Team
Through Osaka Finance Bureau Kyoto Branch.

APPLICATION FOR EXCLUSION OF MACHINES IN SAKURAJIMA WAREHOUSE FROM DESIGNATION FOR REPARATION.

Dear Sir :

Referring to the instruction concerning above item by Osaka Government Team to Finance Bureau dated Oct. 3rd, 1946, we wish to appoint that Sakurajima Warehouse which was formerly Sakurajima Dye-Works of Toyo Rayon Co. was bought by No.3 Business Dept. of Industrial Equipments Inc. in order to provide for army use and the machines which had formerly been used by the dye-works were also decided to be transfered to Army; and necessary procedure were on taking steps, but the prices were not yet paid until the time when the war ended.

These machines have been kept in the warehouse and have never been used by the Army. Notwithstanding this fact those who have taken over the machines from army registeredthem by mistake as army owned ones and reported to the Allied Headquarter, consequently the machines were designated for reparation of which datails are shown in attached inventory.

We would also mention that transformers among these machines are property of Toyo Rayon Co. and never sold to the Industrial Equipment Inc. They were expected to be carried into our Yamashina Factory, but under the control of Army we were obliged

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

to remain temporarily the transformers in Sakurajima warehouse. Concerning this fact we enclose herewith a copy of letter of instruction for transfer of machines.

In view of above facts we venture to request your special consideration and actions for cancellation of designation for reparation to the said machines, especially transformers.

Thanking your prompt attention on above we remain.

Yours truely,

TOYO RAYON CO.

Director

Enc. : An Inventory of Machines.

A copy of letter from Industrial Equipment s Inc.

T. Tsuchi.
chief Kyoto Branch
of Osaka Financial
Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Toyo Rayon Co.

Dec. 4th 1946

Inventory of machines

Article	Type & Capacity	Quantity
Centrifugal pump	10 HP	2
Trans former	Naigai Denki 30 K.W.	4
Water separator	Centri fugal	1
Oil switch	Shibaura	1
Motor	Shibaura 7½ HP	1
"	Yasukawa 5 HP	5
"	" 3 HP	6
"	" 2 HP	2
"	" 1 HP	1
"	" ½ HP	2

Inc list #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Translation

Document No : 3 - Ji, No.2090
Date : April 30, 1944
From : No. 3 Business Dept., the Industrial Equipment Inc.
To : Toyo Rayon Co.
Subject : Delivery of the Transferred Articles

A certificate for transfer of the following articles which were turned over by you from the Sakurajima Dye-Works, has been issued by the Munitions Department to the No. 2 Military Arsenal in Tokyo. We, therefore, decided to transfer them to the said Arsenal.

We shall be obliged if you will deliver them to the Arsenal, who are now making arrangements for taking over.

P.S. (1) The expenses for dissection and conveyance of the articles shall be borne by the transferee.

(2) You are requested to inform us of tonnage of the articles by actual weight; if impossible, by calculating weight.

(3) You are requested also to inform us of the purchasing cost prices and the date of installation of the articles.

(4) The transfer certificate for these articles was submitted to us by the Arsenal, for which we have sent a receipt to them.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

3-~~1~~
8102

(1)

NO.	Item	Specification	NO. of set	Remarks
	Securing m/c.	Actual width 42", cast iron frame, with brass roller guider	1	
	Cylinder drying m/c.	Actual width 36", horizontal type with free letting off, 17 copper-cylinders of 22.5"dia., thickness of copper plate 1/16"	1	
	Cylinder drying m/c.	"	1	
	Tentering m/c.	Actual width 50", clip tension type, 50'long, 24 pieces of steam heater, gas and electric heater equipped.	1	
	Motor	Totally enclosed fan-cooled type, rated output 0.2 KW	3	
	Motor	Totally enclosed fan-cooled type, rated output 1/2 H.P.	2	
	Motor	Semi-enclosed cage rotor type(3) totally enclosed fan cooled type(1), rated output 1 H.P.	4	
	Motor	Semi-enclosed cage rotor type, rated out put 2 H.P.	2	
	Motor	" 3 H.P.	8	
	Motor	" "	9	
	Motor	" 7.5 H.P.	3	
	Motor	Open cage-rotor type, rated output 7.5 H.P.	1	
	Motor	Totally enclosed fan-cooled type, rated out-put 10 H.P.	2	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

NO.	Item	Specification	NO. of set	Remarks
	Hydro-extractor	Diameter of cage 36", Vertical type, motor driven	1	
	Motor	Semi-enclosed cage rotor type, rated output 3 H.P.	1	
	Cylinder drying m/c.	Actual width 44", vertical type with 16 copper cylinders 22.5" dia., thickness of copper plate 1/16"	1	
	Cylinder drying m/c.	Actual width 44", vertical type with 16 copper cylinders 11.5" dia., thickness of copper plate 1/16"		
	Cylinder drying m/c.	Actual width 44", vertical type with 16 copper cylinders 22.5" dia, thickness of copper plate 1/16"		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

NO.	Item	Specification	No. of set	Remarks
	Piping for water supply		1	
	Water pump	Diameter of delivery pipe 5"	2	
	Bracket for shafting		1	
	Piping for steam supply		1	
	Motor	2 H.P.	2	
	"	1 H.P.	2	
	"	7.5 H.P.	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Ministry of Finance Osaka Office

NO. Np-222 Sept 25 1946

Subject : Request for the alteration of list of machines and equipments in Sakurajima Plant

To : Osaka Military Government Team

From : Ministry of Finance Osaka Office

1. We request you to omit the machines stated in the attached list from the list submitted on January 10. 1946 by our office to the 94 th Military Government Team.
2. These machines in Sakurajima Branch Plant of Uji Arsenal were considered and reported to the authority as National Properties, but, after investigation we have to inform you that these are civilian properties from the following history and evidences,

A. To meet with the urgent demand of military productions during the war the local officers decided informally to use these machines owned by Toyo Rayon Company with the consent of the same and started its operation.

B. Regarding the purchase of rent of these machines by the Japanese Imperial Government no final decision or approval was given to them until the time of war ended.

C. Since the war termination these machines were deemed as a part of National Properties identically with others and had been custodied in the said plant.

D. The Toyo Rayon Company removed these machines from said plant, January 1946, on the ground that these are properties owned by the above company..

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

E. The immediate investigation, therefore, was made by our office and we have received recently the attached report which explains that the ownership of these machines are the said company.

A. Ikeuchi
Director
National Property Dept
Ministry of Finance Osaka Office

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Translation

May 7, 1946

Kai No. 21

Subject : The machinary owned by Toyo Rayon Company in Sakurajima Plant.

To : Takuma Meguro, Uji Liquidation Branch Office

From : Seiichi Ihara

Liquidation Dept, Tokyo Second Military Arsenal.

With regard to the inquiry of March 20,1946 from the Uji Branch Office of the Liquidation Dept, we have to inform you that after the investigation made by our office with the cooperation of Industrial Squadron the payment about the said machinary was not made by the Headquarters of Tokyo Second Military Arsenal to the Industrial squadron, unpayment was caused by incompletion of selection of the machines desired to purchase by the Government which entrusted to the Uji Arsenal People, though to the land and building was made and also no report on selection was submitted by them until the time of was ended.

We therefore advice you to approach the authority to request the alteration of the list already forwarded.

Seiichi Ihara

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

List of Machines to be excluded from
the list submitted Jan 10, 1946

With reference our letter NO.NP-222 SS Sept 25 1946

Ministry of Finance, Osaka Office

Name of machine	Capacity	Quantity
Centrifugal punp		3
Transformer	30 K.V.a.	4
Water separator		1
Oil switch	3,500V.400a.	1
Motor	7½ H.P.	1
"	5	3
"	3	7
"	2	5
"	1	3
"	½	3
"	0.2 K.W.	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Headquarters

HHH/mh

Osaka Military Government Team

APO 660

3 October 1946

Subject : Request for Exemption of machines
from Reparations List

Through : Osaka Liaison Office

To : Ministry of Finance

1. Reference is made to your letter of 25 Sep. 46 Copy of which is attached.

2. The presence of these machines in an arsenal and the use of them for war production renders them subject to reparations regardless of previous ownership.

3. The Toyo Rayon Company will be directed to return these machines to the custody and control of Sakurajima Branch plant of Uji Arsenal.

4. These machines will be cared for and inventoried in accordance with directions regarding machinery taken into custody and control for reparation.

5. Request for exemption of these machines from reparations list is dinied.

By order of colonel Truxes;

P. Burdick

Capt. Aus

Adjustant

Incl

Ltr. Finance ministry

dtd. 25 Sep. 46

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Mar. March 13.

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

9 Jan. 1947

SUBJECT: Release of Machines and Accessories

TO : Commanding Officer, Osaka Mil Govt Team APO 660
Attn: Res & Ind Sect.

1. With reference to our telephone conversation of 6 Jan. 1947 a copy of letter written by this office is forwarded for your information.

2. In view of the fact that Eighth Army had already authorized the Kyoto Imperial University to use certain machine tools from the Sonobe Branch of Osaka Military Arsenal, and the fact that the accessories listed on enclosed petition were only for operation of those machines, an indorsement by the property custodian was not deemed necessary.

3. The original correspondence on these machine tools, which, by mistake, was not routed through your office, is being sent to you through I Corps Mil Govt. Section.

4. It is the understanding of this office that none of the machines have yet been moved from Sonobe to the University.

FOR THE COMMANDING OFFICER:

ENOS L COMMONS JR
Capt., Ord.
Res & Ind Officer

1 Incl.
#1. Ltr, on use of accessories

29
~~#8~~

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



I

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013