

BIOLOGY LIBRARY















Auch B. Deabir. Buester



THE LIBRARY OF THE UNIVERSITY OF CALIFORNIA

PRESENTED BY
PROF. CHARLES A. KOFOID AND
MRS. PRUDENCE W. KOFOID



FITTON, ELIZ.

CONVERSATIONS

ON

BOTANY.

WITH PLATES.

NINTH EDITION.

LONDON:

PRINTED FOR

LONGMAN, ORME, BROWN, GREEN, & LONGMANS,
PATERNOSTER-ROW.
1840.

PRINTED ' BLAND

London:
Printed by A. Spottiswoode,
New-Street-Square.

K-QK 49
F5
Biology
Library

THE object of the following pages is to enable children and young persons to acquire a knowledge of the vegetable productions of their native country, by introducing to them, in a familiar manner, the principles of the Linnæan system of Botany.

For this purpose, the arrangement of Linnæus is briefly explained; a native plant of each class, with a few exceptions, is examined, and illustrated by an Engraving; and a short account is added of some of the principal foreign species.

The classification of Linnæus has been in part relinquished, in order to conform to that adopted by Dr. Withering, whose valuable "Arrangement of British Plants" is one of the best works of reference upon this subject, for persons unacquainted with Latin. In this volume, therefore, the plants of four of the Linnæan classes—Gynandria, Monœcia, Diœcia, and Polygamia,—are distributed among the preceding classes, according to the number of their stamens. The English Flora of Sir James Edward Smith furnishes a systematical account of all our native plants, according to the original method of Linnæus.

What Miss Edgeworth has said of Chemistry may with equal truth be applied to Botany, and may serve to recommend the study of it, as a branch of general education: — "It is not a science of parade, it affords occupation and infinite variety, it demands no bodily strength, it can be pursued in retirement; — there is no danger of its inflaming the imagination, because the mind is intent upon realities. The knowledge that is acquired is exact; and

the pleasure of the pursuit is a sufficient reward for the labour."*

It may be due to the author of the admirable "Conversations on Chemistry," to mention, that the title of the present volume was chosen, because it was the only one that seemed to be adapted to the nature of the subject, which had not been appropriated by preceding writers.

^{* &}quot;Letters for Literary Ladies," 3d edit. page 60.

nelsman it through the consists of

Action of the particular of the control of the second of t

Arrest at the filles that are about the

CONTENTS.

LIST of the Plates		400	- Page xii
Explanation of the	Table of the	Classes,	Plate 2. xiii
Pronunciation of th	e Latin Name	es of Pla	nts - xvi

CONVERSATION THE FIRST. Page 1.

Botany in General. — Linnæus. — Uses of Botany. — Parts of a Flower.

CONVERSATION THE SECOND. Page 9.

Linnæan Arrangement of Plants. — Classes. — Alterations adopted by Dr. Withering. — Orders. — Genera. — Species.

CONVERSATION THE THIRD. Page 19.

Class 1. Monan'dria. — Mare's-tail. — Glasswort. —
Grass-wrack. — Indian Arrow-root. — Turmeric. —
Indian Shot. — Class 2. Dian'dria. — Veroni'ca
Chamæd'rys, Germander Speedwell, examined. —
Privet. — Pepper. — Ash-tree. — Olive. — Rosemary. — Sage.

CONVERSATION THE FOURTH. Page 30.

Class 3. Trian'dria. — Cro'cus ver'nus, Spring Crocus, examined. — The Grasses. — Wheat. — Barley. — Oats, &c. — Sugar-cane. — Sugar-making. — Reed. — Bamboo. — Dac'tylis glomera'ta, rough Cock's-foot Grass, examined. — Butcher's Broom. — Sedge.

CONVERSATION THE FIFTH. Page 45.

Class 4. Tetran'dria. — I'lex Aquifo'lium, common Holly, examined. — Clothiers' Teasel. — Madder. — Birch-tree. — Alder. — Dutch Myrtle. — Box. — Centun'culus min'imus. — Miseltoe. — Parasitical Plants. — Flower-of-the-Air. — Rose-coloured Balsam-tree. — The Great Flower, Raffle'sia.

CONVERSATION THE SIXTH. Page 59.

Class 5. Pentan'dria. — Genus Sola'num, Potatoe. — Woody and Garden Nightshade. — Deadly Nightshade, a different Genus. — At'ropa. — Ivy. — Buckthorn. — Myoso'tis palus'tris, Water Mouse-ear, examined. — Vine. — Currant and Gooseberry. — Coffee-tree. — Tobacco. — Violet.

CONVERSATION THE SEVENTH. Page 70.

Class 5. concluded. Description of an Umbel. — Umbellif'erous Plants. — Elder. — Teak-wood. — Tamarisk-tree. — Su'mach. — Flax; its Uses. — Paper.

CONVERSATION THE EIGHTH. Page 81.

Class 6. Hexan'dria. — Galan'thus niva'lis, Snowdrop, examined. — Nectaries. — Double and Single Flowers.

— Barberry; its Filaments. — Sorrel. — American Aloe. — Indian Reed. — Large Plants of hot Climates. — Great Fan Palm. — Aristolo'chia. — Adanso'nia. — Climbers. — Tendrils. — Terms explained. — Lilies. — Bulbous Roots. — Kamschatka Lily.

CONVERSATION THE NINTH. Page 98.

Class 7. Heptan'dria. — Trienta'lis. — Horse Chesnuttree. — Class 8. Octan'dria. — Heaths. — Daph'ne
meze'reum, common Mezereon, examined. — Maple.
— Nut-tree. — Walnut. — Balm of Gilead. — Poplar.
— Cork-tree. — Oak; its various Uses. — Class 9.
Ennean'dria. — Bu'tomus umbella'tus, Flowering
Rush, examined. — Laurel-tree. — Cinnamon. —
Camphire. — Rhubarb.

CONVERSATION THE TENTH. Page 114.

Class 10. Decan'dria. — Strawberry-tree. — Saxifrage. —Pink. —Carnation. —Agrostem'ma githa'go, Corncockle, examined. — Wood-sorrel. — Lignum-Vitætree. — Logwood. — Brasil-wood. — Locust-tree. — Mahogany-tree.

CONVERSATION THE ELEVENTH. Page 123 Class 11. Dodecan'dria.—Sempervi'vum tecto'rum, common Houseleek, examined. — Defects of Systems.—Mignonette.—Chesnut-tree.—Beech.——Class 12. Icosan'dria. — Situation of the Stamens; its Importance.—Ro'sa cani'na, Dog-Rose, examined. — Roses. — Sweet-briar. — Fruit-trees. — Hawthorn. — Thorns. — Clove-tree. — Myrtle. — Peach and Almond Trees. — Pomegranate-tree.

CONVERSATION THE TWELFTH. Page 139.

Class 13. Polyan'dria. — Papa'ver rhœ'as, common Poppy, examined. — Seeds. — Opium. — Tea-tree. — Caper-bush. — Water-Lily. — Sacred Bean of India. — Tulip-tree. — Side-saddle Flower. — Anotta. — Story of an Indian Woman.

CONVERSATION THE THIRTEENTH. P. 161.

Class 14. Didyna'mia.—Natural Orders.—Glecho'ma hedera'cea, Ground Ivy, examined.—Leaves.—Other Plants of this Class.—Honey Flower.—Foreign Trees.—Situation and Distribution of Plants.—Effects of Climate,—and of Light.

CONVERSATION THE FOURTEENTH. P. 177.

Class 15. Tetradyna'mia. — Orders. — Cheiran'thus chei'ri, common Wall-Flower, examined. — Class 16. Monadel'phia. — Orders. — Mal'va sylves'tris, common Mallow, examined. — Yew-tree. — Pines; their various Uses. — Cotton-plant.

CONVERSATION THE FIFTEENTH. Page 190.

Class 17. Diadel'phia. — Papiliona'ceous Flowers. —
Sleep of Plants. — Pod and Legu'men. — Lo'tus
Cornicula'tus, Bird's-foot Clover, examined. — Trefoils. — Furze. — Indigo. — Moving Plant. — Acacia.
—— Class 18. Polyadel'phia. — Hyper'icum androsæ'mum, common Tutsan, examined. — ChocolateNut. — Orange and Lemon Trees.

CONVERSATION THE SIXTEENTH. Page 205.

Class 19. Syngene'sia. — Structure of a Compound Flower. — Aggregate Flower. — Natural Character of this Class. — Calyx, Seeds, and Down. — Orders. — Bel'lis peren'nis, common Daisy, examined. — Other Plants of this Class.

CONVERSATION THE SEVENTEENTH. P. 216.

The Four Classes omitted by Withering. — Class 20. Gynan'dria.—Natural Order Orchid'eæ.— Class 21. Monoe'cia. — Bread-fruit Tree. — Maize. — Cocoanut. — Indian Rubber. — Water-proof Cloth. — Tallow-tree. — Castor-oil Plant. — Manchineel-tree. — Other valuable Trees. — Class 22. Dioe'cia. — Willows. — Date-palm. — Pista'chia. — Mastick. — Hemp. — Nutmeg. — Class 23. Polyga'mia. — Plantain.—Sensitive Plant.—Gum Ar'abic.— Fig.

CONVERSATION THE EIGHTEENTH. P. 229.

Class 24. Cryptoga'mia. — Orders. — Ferns. — Mosses; their various Uses. — Li'chens. — Reindeer Moss or Lichen. — Sea-Weeds. — Mushrooms.

EXPLANATION of the Botanical Terms made use of in this volume - - Page 245.

General Index - - Page 269.

LIST OF THE PLATES.

			The same of the sa	m 4
1		Class	Time of Flowering.	To face Page
	Parts of a Flower	-		6.
	Table of the Classes	-	-	12.
3.	Veroni'ca chamæd'rys,			
	Germander Speedwell	II.	May, June.	26.
4.	Cro'cus ver'nus, Spring			
	Crocus -	III.	Feb. April.	31.
5.	Dac'tylis glomera'ta,			
	Rough Cocksfoot Grass	III.	June, Aug.	41.
6.	Anthoxan'thum odora'-			
	tum, sweet-scented Ver-	out nace		
	nal Grass	II.	May, June.	42.
7.	I'lex aquifo'lium, com-			
	mon Holly -	IV.	May, June.	47.
8.	Myoso'tis palus'tris,	7.5		
	Water Mouse-ear -	V.	April, Aug.	64.
9.	Galan'thus niva'lis,		The ball of	
	Snowdrop -	VI.	Feb. April.	82.
10.	Daph'ne meze'reum,	4440	Mario de la 100 a	100
	common Mezereon	VIII.	Feb. April.	100.
11.	Bu'tomus umbella'tus,	4		
	Flowering Rush -	IX.	June, July.	109.
12.	Agrostem'ma githa'go,			
	Corn-Cockle -	X.	June, July.	117.
13.	Sempervi'vum tecto'rum,			
	common Houseleek	XI.	July, Sept.	124.
14.	Ro'sa cani'na, Dog-Rose	XII.		

Class	Time of To face Flowering. Page
15. Papa'ver rhœ'as, com-	
mon red Poppy XIII.	June, July. 140.
16. Glecho'ma hedera'cea,	
Ground Ivy - XIV.	Mar. May. 165.
17. Cheiran'thus chei'ri,	
common Wall-Flower XV.	April, July. 179.
18. Mal'va sylves'tris, com-	
mon Mallow - XVI.	May, Oct. 184.
19. Lo'tus cornicula'tus,	
Bird's-foot Clover XVII.	June, Aug. 192.
20. Hyper'icum androsæ'-	The state of the s
mum, common Tutsan XVIII.	July, Sept. 202.
21. Bel'lis peren'nis, com- XIX.	Nearly all 205.
mon Daisy -	the year.
22. Cryptogamic Plants XXIV.	230.

The two parts of Plate 2. are to face each other.

EXPLANATION OF THE TABLE OF THE CLASSES.—PLATE 2.

This Plate represents the flower of a native plant, in each of the twenty-four classes; viz.

Class 1. A Flower of the Hippu'ris vulga'ris, common Mare's-tail, slightly magnified. —
May, June.

Class 2. A	Flower of the Veroni'ca officina'lis, common
	Speedwell, magnified. — May,
	July.
3. —	Valeria'na officina'lis, great wild
diff.	Valerian, magnified. — June,
	July.
4. —	Cor'nus sanguin'ea, wild Cornel-
	tree. — June, July.
5. —	Polemo'nium cæru'leum, Greek
	Valerian. — May, July.
6. —	Scil'la bifo'lia, two-leaved Squill,
	— February, April.
7. —	Trienta'lis Europæ'a, Chickweed
	Winter-green May, June.
8. —	Chlo'ra perfolia'ta, yellow Centaury.
	- June, August.
9. —	Bu'tomus umbella'tus, Flowering
	Rush. — June, July.
10. —	Saxif raga stella ris, Hairy Saxi-
	frage. — June, July.
11. —	Sempervi'vum Tecto'rum, com-
	mon House-leek July, Sep-
	tember.
12. —	Pru'nus insiti'tia, Bullace Plum.
	— April.
13. —	Chelido'nium ma'jus, common Ce-
	landine. — April, October.
14. —	Teu'crium scorodo'nia, Wood Sage.
	- July, August.
15. —	Cardam'ine praten'sis, common
	Cardamine. — April, May.

Class 16. A Flower of the Althæ'a officina'lis, Marsh-Mallow. - July, September. 17. — Genis'ta tincto'ria, Dyer's Greenweed. - June, August. - Hyper'icum pul'chrum, upright St. John's Wort. - July. - Son'chus cæru'leus, blue Sow-Thistle. - July, August. Or'chis mas'cula, early purple Or-

chis. - April, May. 21. A Spike of Flowers of the Carex pulicaris, Flea Sedge, with two flowers magnified; one having stamens only, the other only a pistil. - June, July.

22. Two Catkins, from different Plants, of the Sa'lix argen'tea, silky Sand-Willow; one bearing flowers with stamens, the other with pistils; with a single flower of each kind magnified. - May.

23. A spike of flowers of the At'riplex pat'ula, spreading Orache; with two flowers of different kinds, magnified. - June, September.

> In this genus, which is the only native one of the class Polygamia, none of the

> > なの神寺と

flowers have stamens only.

24. A small specimen of a Fern, Asple'nium trichoma'nes, common Maiden-hair; and of a Moss, Hyp'num taxifo'lium, Yew-leaved Feather Moss, both of the natural size. - October, and through the winter months.

PRONUNCIATION

OF THE

LATIN NAMES OF PLANTS.

IT will be necessary for persons unacquainted with the Latin language, to observe the following rules, in pro-

nouncing the botanical names of plants: -

1. The letter E, at the end of a word, is always to be sounded; for example, the word $G_{A'LE}$ is to be pronounced as if composed of two syllables, $G_{A'-LE}$: and not like the English word Gale.

2. When the letters C and H come together, they are to be pronounced hard, like K. Thus, Lichen, is pro-

nounced LI'KEN.

3. When the vowels A and E, O and E, or E and I, occur together, if not marked with two dots placed over them, as in $D_{ABOE'CIA}$, proncunced $D_{A-BO-E-CIA}$, they are to be pronounced as one sound. Thus,

Cratæ'gus, is to be pronounced Cra-te'-gus.

Monœ'cia - Mo-ne'-cia.

Cheiran'thus - Ki-ran'-thus —

with the I long, like the word Eye.

4. In words that end in -IDES, the I is always to be pronounced long, like the word Eye; — eye-des; thus Lichenöide's is to be pronounced Liken-o-eye-des.

The termination -ides, which is sometimes added to other words, is derived from the Greek word, eides,

which signifies form, resemblance, figure.

In this volume, wherever the accentuation of the Latin name or terms is not obvious, they are divided and marked, as they are to be pronounced; and the accent, or force of the voice, is to be thrown upon the syllable which precedes the mark. Thus,

Ar'butus, is to be pronounced Ar'butus, not Arro'tus. Veroni'ca - Veroni'ca, not Veron'ica.

CONVERSATIONS

ON

BOTANY.

CONVERSATION THE FIRST.

BOTANY IN GENERAL.—LINNÆUS.—USES OF BOTANY.
— PARTS OF A FLOWER.

EDWARD.

WHAT are you doing, mamma?

MOTHER.

I am examining the pretty little yellow flower, that we found this morning in the hedge.

EDWARD.

How do you examine a flower?

MOTHER.

You cannot understand the method, my dear, until you have learned something of Botany.

EDWARD.

What is Botany?

MOTHER.

It is the science that makes us acquainted with plants, and teaches us how to distinguish them from one another. The term Botany is derived from a Greek word signifying an herb or grass.—Do you not recollect what your aunt and I were talking of yesterday in the garden? I thought you seemed attentive to our conversation.

EDWARD.

You said something about a very industrious man, who had examined a great many plants.

MOTHER.

Yes: — we were speaking of Linnæus, a celebrated botanist, who did so much to increase our knowledge of the works of nature, that he was called the Father of Natural History. He was born in Sweden, in the year 1707.

EDWARD.

Am I too young to learn botany? I think I should like it very much.

MOTHER.

By no means, my dear. It is so simple a study, that the youngest persons can understand it, when

the principles are properly explained to them; and if you like, I will teach you all I know of it. Linnæus himself was scarely four years old, when he heard his father describing to a friend some flowers, which he had just gathered from the turf where they sat. This first botanical lecture made such an impression upon him, that, afterwards, he used to ask his father the names and properties of all the plants he could procure; and even at that early age, he began to attend to the habits and distinctions of animals and insects also.

EDWARD.

What is the use of Botany?

MOTHER.

You are not yet old enough to understand all its uses, but I will endeavour to tell you some of them. You will be surprised to learn the variety of purposes to which plants are applied. They form the principal part of our food, medicine, clothing, and furniture; and several of the most beautiful dyes are obtained from them. But in some instances the different kinds resemble each other so nearly, that ignorant persons have often mistaken those which are hurtful, or of no value, for the useful ones. Some animals are guided by an instinct which teaches them what plants to choose and what to avoid: but men must have recourse for this pur-

pose to their own experience, or to the observations of others; and without a knowledge of botany, we could neither understand the descriptions given by other persons, nor describe them ourselves so as to be understood. As an amusement, Botany has many recommendations: it may be studied with less expense than most other sciences; it invites us into the country, and increases the pleasure of every walk; and the cultivation of plants in the garden affords one of the most innocent and healthful occupations that we can enjoy. - Indeed, the study of natural history in every department is so attractive, that those who once engage in it seldom give it up. The sameness of most other pursuits becomes at last fatiguing; but the naturalist meets with endless variety, and at every step discovers beautiful contrivances in the works of nature, which escape the attention of common observers.

EDWARD.

But when do you think I shall be able to examine a plant, as you do now? It is very difficult.

MOTHER.

At first it may appear so to you: but do not be frightened; you will soon find that it is not a great undertaking. Nothing is required but to have patience: — to begin at the beginning: after

that your progress will be easy; — and you need not go any farther than you choose. An indolent person, it is true, can never expect to become a good botanist, nor, indeed, to excel in any thing. When Linnæus was about to publish one of his most celebrated works *, he examined the characters of eight thousand flowers; 50 that you may judge how very industrious he must have been. If you are attentive, and try to remember what I shall tell you, I think that at the end of a month you may be able to examine the flowers you meet with in your walks, without my assistance.

EDWARD.

I long to begin! — Will you take a walk with me to-morrow in the fields, to bring home some flowers?

MOTHER.

With pleasure, my dear; I am very glad to see you so eager to begin this delightful study. But before we set out, you had better learn the names of the different parts of a plant. You already know, that the Root is what grows in the ground, and supplies the rest with nourishment. The Stem rises from the root, and is generally clothed with green leaves. The Flower is the beautifully coloured part that you so often admire:

^{*} Genera Plantarum, Genera of Plants.


it is subdivided into several different parts, which I will explain to you, if you will go into the garden and bring me a branch of any plant you like.

EDWARD.

Here, mamma, is some Wall-flower: it is the first that I could find in blow.

MOTHER.

It will do very well; but if we had a larger flower you could see the different parts more distinctly. [PLATE 1.] You may now break off one of the flowers, and hold it by the little stalk, between your thumb and finger. The green part, that you see close under the yellow blossom, and which is not unlike a cup, is called the Ca'lyx or flower-cup. The vellow leaves that grow out of it are called Pet'als, or blossom-leaves: the petals altogether form what is called the Corol'la or blossom. Pull off, very gently, from the little stalk, the calyx and petals, and you will see seven threads; one in the middle, thicker than the rest, and six others with yellow heads; those with heads are called Stamens, and are each composed of the heads, called Anthers, and the threads which support them, Fil'aments;—as this penknife might be divided into the handle and the blade, which are together called a knife. The centre thread is called the Pistil, and consists of three portions; the



The Flower here shown is that of the COMMON WALL FLOWER.

P. Petal _ A. Anther _ F. Filament _ N. Nectary.
S. Summit _ St. Style _ G. Germen _ R. Receptade

Sowerby sc.



Germen or seed-bud, which is the thickest green part at the bottom,— the Style which stands upon it,— and the Summit, or top of the style. When the petals fall off, after the plant has been in flower for some time, the germen grows larger, and is then called the Seed-vessel, because it contains the seeds within it. In the Wall-flower, the seed-vessel is a long pod, containing several flat see is. If you now pull off the stamens and pistil, you may perceive what is called the Receptacle: it is only the top of the stalk, to which all the other parts of the flower is fixed.

EDWARD.

I have done so; — but I do not see any thing remarkable.

MOTHER.

You are right. In many flowers the receptacle is not very conspicuous, and the Wall-flower is one of them; but in others it is very large, particularly in the Artichoke, which you sometimes see at dinner. What we commonly call the bottom,—which remains, after we have taken off the leaves, and the bristly substance, or choke,— is the receptacle.

Another part of a flower, as well as the receptacle, is very often indistinct. It is called the Nectary, and its use is supposed to be to prepare a sweet fluid, like honey or nectar, which it frequently contains. It is from this part that bees collect their honey. The form of the nectary

varies in different flowers; in some it is very conspicuous, in others less visible, and in many it appears to be entirely wanting. The nectaries of the Wall-flower are two little greenish bodies surrounding the lower part of the short stamens; but you cannot easily see them; and I shall take an opportunity of showing you the nectaries when we examine a plant that has larger ones. There are many flowers so small, that their separate parts cannot be seen distinctly without the help of a magnifying-glass; here is one that you shall have to assist you:— and you will find a needle and a sharp-pointed penknife also very useful; for some flowers are too delicate to be divided by the fingers alone.

rolling with to mine, and the second of the second

CONVERSATION THE SECOND.

LINNÆAN ARRANGEMENT OF PLANTS.— CLASSES.—
ALTERATIONS ADOPTED BY DR. WITHERING. —
ORDERS. — GENERA. — SPECIES.

EDWARD.

WHEN I have examined a plant, mamma, how am I to find out its name?

MOTHER.

Before you can do so, you must learn how the vegetables that are known have been arranged; and I will now explain to you, as clearly as I can, the system of Linnæus, which is an arrangement very generally used in this country.

Linnæus distributed all the plants, that were known to him, in twenty-four divisions, each of which is called a Class; and each class he subdivided into Orders. The first eleven classes are distinguished by the number of separate stamens in each flower.—But tell me whether you recollect what the stamens and pistils are?

EDWARD.

I think you said, that the whitish threads, called

filaments, and the yellow heads, or anthers, were both together the stamens; and the thicker thread, that stands in the middle of them, the pistil.

MOTHER.

You are quite right. I am very glad to find that you remember so well what I tell you.

In the first class, MONAN'DRIA, each flower contains one Stamen.

In the second, DIAN'DRIA, two Stamens; and so on, to the tenth class, DECAN'DRIA, which has ten Stamens in each flower.

In the eleventh class, Dodecan'dria, each flower contains from eleven to nineteen Stamens.

In the twelfth, ICOSAN'DRIA, there are twenty Stamens, or more, in each flower, the precise number not being of any consequence;—and they are fixed to the calyx.

The thirteenth class, Polyan'dria, at first sight, is like the twelfth; but the difference, which is very important, is, that the Stamens are fastened to the Receptacle, instead of growing from the sides of the calyx. If you do not perceive this difference at once, in examining plants of these two classes, the surest way is to pull off the calyx gently, and then, if the stamens remain, you may conclude that they grow upon the receptacle, and that the plant is in the class Polyandria.

The character of the fourteenth class, DIDY-

NA'MIA, is, that the flowers have each four Stamens, two of them long and two short.

In the flowers of the fifteenth class, Tetrady-NA'MIA, there are six Stamens, four long and two short.

In the sixteenth, Monadel'Phia, the Filament are all united together, forming a little tube round the pistil.

In the flowers of the seventeenth class, DIADEL'-PHIA, the Filaments are united at the bottom, generally in two sets.

The eighteenth class, Polyadel'Phia, contains those plants which have their Filaments united at the bottom into three or more little parcels or bundles; as you may see in the large Saint-John's-wort in the garden.

In the nineteenth class, Syngene'sia, the Anthers are united, and form a little tube; but the filaments are separate.

In the twentieth class, GYNAN'DRIA, the Stamens adhere to the Pistil itself.

The twenty-first class, Monce'cia, contains those plants, in which the Stamens and Pistils grow in separate flowers, but on the same plant.

The twenty-second, Diœ'cia, those in which the Stamens and Pistils grow in separate flowers, and on different plants.

In the twenty-third class, Polyga'mia, three different sorts of flowers grow on the same plant;

some of them having pistils only, some stamens only, and others both stamens and pistils.

But Dr. Withering, in his "Arrangement of British Plants," which is one of the best books that you can refer to, until you have learned Latin, has distributed the plants of these last four classes among the first nineteen, according to the number of their stamens.

Those that belong to the twenty-fourth class, CRYPTOGA'MIA, have flowers which are not visible to the naked eye; such as ferns, mosses, sea-weeds, mushrooms, &c.

EDWARD.

I am afraid I shall never remember the distinctions of all these classes.

MOTHER.

Do not be alarmed, my dear; here is a drawing I have made [Plate 2.], to assist your memory, and show you their different characters; and I have written the Latin names over the figures, that you may learn them, as well as the numbers, — because they are used by all botanists in speaking of the classes.

EDWARD.

Then how can I learn botany, without knowing Latin?




PLATE ?.

C. I. MONANDRIA.

TABLE OF

C_2. DIANDRIA.

PART 1 C_3. TRIANDRIA.



One Stamen in each Flower: C_4. TETRANDRIA.



Two Stamens.

C.5. PENTANDRIA.



Three Stamens.

C.6. HEXANDRIA.



Four Stamens.

C.7. HEPTANDRIA.



Five Stamens.

C.8. OCTANDRIA.



Six Stamens.

C_9. ENNEANDRIA.



Seven Stamens.

Eight Stamens.



Nine Stamens.

C.10. DECANDRIA.



Ten Stamens.

C.H. DODECANDRIA.



Eleven to Nineteen Stamens.



More than Twelve Stamens fixed to the Calyx.

Sowerby so.

C. 13. POLYANDRIA.

C_14. DIDYNAMIA.

C 15. TETRADYNAMIA.





Forer Starners two long and two shart C 17. DIADELPHIA.



Six Stamens for long and two short





The Figments writed in thro sets.



The Filaments united in more than two sets.



All the Filaments united. C. 19. SYNGENESIA.



C. 20. GYNANDRIA.



The Stamens and Pistils in sepa-rate Flowers on the same Plant.



Five Stamens - The Anthers united



C.24. CRYPTOGAMIA.



Flowers on disterent Plants.


Stamers only Pistils only, or both in each Flower

" T. A. 186 . Townson & . . .



The Stamens and Pistils not visible to the nakal Eve

Son stor so



MOTHER.

There are several English books in which the Latin words employed in botany are very clearly explained*; and until you are able to make use of them without my assistance, I will explain every thing as we go on.

EDWARD.

Will you now tell me something about the Orders, mamma?

MOTHER.

In the first thirteen classes, from Monandria to Polyandria, the Orders are known by the number of Pistils in each flower.

When there is only one pistil, the plant is said to be in the order Monogyn'ia.

If there are two pistils, DIGYN'IA.

If three, TRIGYN'IA.

If four, TETRAGYN'IA.

If five, Pentagyn'ia.

If six, which is not common, HEXAGYN'IA.

If seven, Heptagyn'ia; still less common.

If eight, which scarcely ever occurs, OCTA-GYN'IA.

If nine, of which there is hardly an instance, Enneagyn'ia.

If ten, DECAGYN'IA.

^{*} Martyn's Language of Botany, &

If about twelve, Dodecagyn'ia.

Many pistils, — that is, more than twelve, — Polygyn'ia.

In the fourteenth class, Didynamia, the orders, which are two, depend upon the seeds being contained in seed-vessels or not. They are called,—

GYMNOSPER'MIA, when the seeds are naked or without a covering: and

Angiosper'mia, when the seeds are inclosed in a seed-vessel.

The orders of the fifteenth class, Tetradynamia, are also two, and are determined by the shape of the seed-vessels, which are called Pods.

The first has broad short pods, and is called Siliculo'sa.

The second has long pods, and is named Sili-Quo'sa.

In the sixteenth, seventeenth, and eighteenth classes (Monadelphia, Diadelphia, and Polyadelphia), the orders are known by the number of Stamens.

The nineteenth class, Syngenesia, contains five orders: but as they are rather difficult to understand, it will be time enough to learn them when you come to examine plants of that class, which I should not advise you to do for some time. Nor is it necessary for you to learn at present the orders of the five remaining classes, which are also difficult.

EDWARD.

I should like to try to find out, by myself, what class and order some plant belongs to.

MOTHER.

That is the best thing you can do now, and here is a Tulip to begin with. It is always a good way, when you find a plant that is new to you, to examine some of the flowers which are not yet quite opened, as well as those that are; for the anthers are then more distinct, and you may be sure that none of them have been lost.

EDWARD.

I think this Tulip is in the sixth class, Hexandria, and the order Monogynia.

MOTHER.

It is, my dear; but why do you think so?

EDWARD.

Because it has six stamens and one pistil. But the anthers are black, instead of being yellow like those of the Wall-flower that we examined yesterday. — Does that make any difference?

MOTHER.

No. The powder with which the anthers are covered, and which is called Pollen, or Fari'na, is of different colours in different plants.

EDWARD.

I wish the Tulip had a sweet smell, it looks so beautiful.

MOTHER.

We must not expect to find many perfections united in plants, more than in other things:—
Those that look best are seldom the most useful.—
Do you remember the lines our friend wrote for you the other day?

EDWARD.

I believe I do; -

For brilliant tints, to strike the eye, What plant can with the Tulip vie? Yet no delicious scent it yields, To cheer the garden or the fields; In vain in gaudy colours drest, 'Tis rather gazed at than caress'd.

MOTHER.

I must now finish what I was going to say, before we take our walk.

Linnæus divided the Orders into what are called Genera, and these genera again into Species.

A GENUS, which is the singular of the word Genera, is formed of a number of plants, that agree with each other in the structure of their flowers and fruit.

A Species includes such plants as agree in these particulars, but differ in others; as in the leaves, the stem, the root, or other parts besides the flower.

For instance, you often see in green-houses a great many different sorts of Geranium; these Geraniums form a genus of plants, and each different sort is a species of that genus;—so that when you hear a person say, an Ivy-leaved Geranium, a Rose-scented Geranium, or a Butterfly Geranium you know that they all belong to the Genus Geranium, and that the Ivy-leaved, &c. are the different

species.

In distinguishing plants, two words are always employed by Botanists; the first, which is applied to all the species of the same genus, is called the Generic name; but the second is confined to a single species only, and is called the Specific, or Trivial, name. This mode of naming plants is so much approved of, that it is universally used, even by those botanists who arrange them in a different manner from Linnæus. The two names thus employed are understood in every part of the world, by those who study Botany, but the common names are different in different countries. If you were to talk of Wall-flower, or Stock-Gilliflower, to a French or German Botanist, he would not understand you, -nor would you know what he meant by the French or German names of those plants, though very abundant in his own country; but the names Cheiran'thus fruticulo'sus, and Cheiran'thus sinua'tus would immediately signify to him that you were speaking of two different species of the genus Cheiran'thus; and if he did not know them he could find their descriptions by referring to botanical books.

EDWARD.

Shall we examine a Geranium first, as we have so many in our green-house?

MOTHER.

No, my dear! - That genus is in the sixteenth class, Monadelphia; and I think it will be easier for you to begin with a plant in one of the first ten classes, which depend on the number only of the stamens. Besides, the Geraniums in the greenhouse are not natives of England,-that is, they do not grow wild in the hedges and fields: 'and we had better confine ourselves, for some time, to the examination of native plants only. Although these are generally called weeds, many of them are so beautiful that they are cultivated in flower-gardens. An acquaintance with the plants of our own country is more desirable for you than a knowledge of foreign ones, as they are more within your reach; and it will be impossible to be thoroughly acquainted with both, unless you devote much more time to Botany, than you can give it without neglecting your other employments.

CONVERSATION THE THIRD.

CLASS 1. MONAN'DRIA.—MARE'S-TAIL.—GLASSWORT.

— GRASS-WRACK.—INDIAN ARROW-ROOT.—TURMERIC.—INDIAN SHOT.—CLASS 2. DIAN'DRIA.—
VERONI'CA CHAMÆD'RY'S, GERMANDER SPEEDWELL,
EXAMINED.—PRIVET.—PEPPER.—ASH-TREE.—
OLIVE.—ROSEMARY.—SAGE.

EDWARD.

Mamma, shall we find plants of all of the first ten classes in our walks?

MOTHER.

I do not think we shall, for there are very few native plants in the classes Monandria, Heptandria, and Enneandria, (the first, seventh, and ninth,) and they are not common. But all that I wish you to do at present is, to gain such a knowledge of the different parts of plants, with their classes and orders, as will enable you to understand and make use of the books which are generally employed by persons who study Botany. Even if we did find a plant in the class Monandria, I should not advise you to examine it, as the flowers are very small, and not easily distinguished by a young beginner.

The Mare's tail, to which Linnæus gave the

generic name of Hippu'ris, and the specific name vulga'ris, is in the first class; it grows in muddy ponds, though not very commonly found. The flowers are very small, and grow close to the stem, at the bottom of the leaf; and their structure is very simple; for they have no blossom, and only one stamen, one pistil, and one seed. [Plate 2. Class 1.]

EDWARD.

But how can it be called a flower without having a blossom?

MOTHER.

All the parts which are necessary to form a perfect flower are the stamens and pistils, for these alone are concerned in the production of the seed. You will find, hereafter, that some flowers have not any calyx, and others no petals, which parts you recollect, form the blossom; but you will never find any without stamens or pistils.

If we were near the sea, I could perhaps show you the Jointed Glasswort, Salicor'nia herba'cea, a useful plant, which is also in the class Monandria. It has a saltish taste, and cattle are very fond of it. In some countries this plant, with several others that grow near the coast, is cut down towards the end of summer, when fully grown; and being first dried in the sun, they are burnt for the sake of their ashes, which are used in making glass and soap, and are called Kelp.

Another plant of this class, the Grass-wrack, Zoste'ra mari'na, grows near the sea, and in salt-water ditches. In some of the northern parts of Europe, it is used for bedding, and has lately been imported in large quantities from the Continent into this country, for stuffing mattrasses, and for other purposes, to which horse hair is generally applied. It is also said to be very useful for packing bottles and other brittle ware.

The Indian Arrow-root, too, that your little brother has sometimes for breakfast, is obtained from a plant of this class, Maran'ta arundina'cea; which is a native of South America, and has its English name from being supposed to extract the poison from wounds made by the poisoned arrows of the Indians. It has a thick fleshy root, which, when washed, pounded, and bleached, makes the powder that we use as food.

The Turmeric, so commonly used in dyeing yellow, is the root of a plant, also in the first class, called by Linnæus Cur'cuma lon'ga. It is very much cultivated in the East Indies and in China for the sake of its roots, which are sold in our shops as a dye. Indian Shot, Can'na In'dica, a native of both the Indies, and Ginger, Zin'giber officina'le, a native of the East Indies, belong also to this class.—But I dare say you are now anxious to examine a plant yourself, so let us go into the fields and look for one.

EDWARD.

Oh, here is a nice little blue flower; I should like to take it home, it is so pretty?

MOTHER.

Do so, my dear; and if you can tell me the class and order it belongs to, I will show you how to find out its name, in Withering's Botany.

EDWARD.

I see only two stamens, and one pistil; so that, I suppose, it is in the second class, and the first order. Am I right?

MOTHER.

Yes, perfectly right; but you must remember, if you can, to call each class and order by the names Linnæus gave them.

EDWARD.

Then this plant is in the class Diandria, and the order Monogynia. What am I to do next?

MOTHER.

Now hold the flower in your hand, and look at every part, very attentively, while I read to you the descriptions of a few genera in the class Diandria. The first genus described has "a very "small cup; of one leaf,"—that is, consisting of

one piece; "with four blunt teeth, or divisions, "in its rim." Look at your calyx, and see if it is like this.—[Plate 3.]

EDWARD.

It is of one piece, but the divisions are sharp.

MOTHER.

Very well. Now look again at your flower. "The blossom of one petal ——"

EDWARD.

It cannot be that; for mine has four petals.

MOTHER.

Pull them out, and let me see. I think you will find, that when you attempt to take one, they will all come off together.

EDWARD.

So they do; - and the stamens with them!

MOTHER.

Then you see that your blossom has but one petal, with four divisions, though at first you thought it had four petals. Blossoms formed of one piece are called Monopet'alous; those of many pieces, Polypet'alous. In flowers of one petal, the stamens are generally fastened to the blossom; but in those with more petals, they are fixed to the recep-

tacle or calyx; so that in the latter case we may take away the petals without the stamens. This observation affords an easy and pretty certain rule for knowing whether a corolla consists of one petal, or of several; which it is sometimes not very easy to decide. When the calyx is formed of one piece, as is the case in this plant, it is said to be Monophyllous; when of more than a single piece,—Diphyllous, or two-leaved; Triphyllous, three-leaved, &c.; or Polyphyllous, many-leaved; according to the number of distinct pieces of which it consists.—We must now go on with our description where we left off.

"Blossom of one petal, shaped somewhat like
"a funnel; tube of the blossom longer than the
"cup;"—the Tube, in a blossom of one petal,
is the lower part which stands in the calyx—
"Border of the blossom," that is, the upper
spreading part, "divided into four egg-shaped
"segments or divisions. Filaments opposite to
"each other. Anthers nearly as long as the blos"som. The germen, or lowest part of the pistil,
"nearly round; style very short; summit thick,
"blunt, cloven," that is, divided, half-way down.
—Does this agree with your plant?

EDWARD.

I think it is something like it, except in the pistil. The summit of mine is not divided, and the style is not very short.

MOTHER.

Well, we must see if the next genus will answer better,— "Calyx of one leaf, with two divisions." Blossom two petals."—We need not go farther with this genus, for your flower has but one petal; let us try another.— "Calyx, a cup; with "four divisions, each of them sharp. Blossom of "one petal; tube of the blossom, nearly as long as "the cup; border flat, divided into four egg-shaped parts, the lowest division narrower than any of the others. Stamens two; filaments thinner at "the bottom than in the other parts; anthers oblong. Germen compressed or flattened; style thread-shaped, as long as the stamens; summit undivided."

EDWARD.

That is exactly like mine, in every thing.

MOTHER.

It is your plant, my dear; so that we need not read any more at present. The genus is called Veroni'ca, and is distinguished from all other genera of the same class and order by having the lowest division of the blossom narrower than the rest. We ought now to determine what species of Veroni'ca your plant belongs to, by comparing it with the different descriptions given by Withering; but as there are a great many species, and some of them very like each other, I will tell you

which it is at once, that you may not be too much puzzled. It is Veroni'ca Chamæd'rys, called in English Germander Speedwell [Plate 3.]; and it is known from the other species by the bunches of flowers rising from the sides of the main stem. The leaves are egg-shaped, wrinkled, toothed at the edges, and sitting,—that is, growing close to the stem, without any little stalks of their own; and the stem, through 'its whole length, has two hairy lines, one on each side, but placed alternately between the joints.

EDWARD.

The young leaves that are not yet opened look as if they were covered with down.

MOTHER.

The leaves of several plants, especially when young, are clothed with very fine hairs; which Grew, an English botanist who lived in the time of Charles the Second, supposed to be intended for their protection; the leaves being exceedingly tender in their infant state:—" So that they seem," he says, "to be vested with a coat of frize, or to "be kept warm, like young and dainty chickens, "in wool." *

EDWARD.

I never thought it could be so easy to find out the name of a plant. How plain the description is!—But what was the first plant that you read about, which had the summit divided?


^{*} Grew's Anatomy of Plants, p. 34.



Veronica Chamædrys Germander Speedwell.

Class II, DIANDRIA_Order MONOGYNIA.

Somorby so



MOTHER.

It was common Privet, Ligus'trum vulga're, of which hedges are often made, as it grows very fast. The purple colour upon cards is prepared from its berries; which are filled with a spongy violet-coloured pulp, and make also a good green dye, with the addition of alum.

EDWARD.

Are there many useful plants in the class Diandria?

MOTHER.

Not so many as in several of the other classes; but I will mention a few of them.

The black Pepper plant, Pi'per ni'grum, is a native of the East and West Indies, and some of the South Sea Islands. It is cultivated with great success in the Molucca Islands, Java and Sumatra, and exported from them to every part of the world where regular trade is carried on. White pepper was formerly thought to be a different species from the black; but it is really nothing more than the ripe berries deprived of their skin, by steeping them in water, after which they are dried in the sun. It is this berry, ground into powder, that you see used every day at dinner.

The common Ash, Frax'inus excel'sior*, is a native of England; and is placed, by Withering, in

^{*} In the twenty-third class, Polygamia, of Linnæus.

the class Diandria, because the flowers contain two stamens. In the north of Lancashire, when grass is scarce, the tops of the ash trees are cut down to feed the cattle. The wood is hard and tough, and is much used for making tools employed in husbandry. It is one of the latest trees in coming into leaf, and loses its leaves early in autumn.

The Olive tree belongs to the genus O'lea, in this class, of which there are several species. is supposed to have come originally from Asia, where it gave the name to the Mount of Olives The O'lea Europæ'a is a small near Jerusalem. evergreen tree, universally cultivated in the south of Europe for the sake of its fruit, from which olive oil is obtained by pressing it in a mill. The unripe olives, when pickled, are sent over in barrels to England, where they are eaten at desserts. Another species, called the sweet-scented Olive, O'lea fra'grans, is kept in greenhouses in this country: it is valuable for the delightful scent of its little white flowers, and is used on that account to flavour the most delicate green tea.

The common Lilac, Syrin'ga vulga'ris, a native of Persia, white Jessamine, Jasmi'num officina'le, of the south of Europe, Rosemary, Rosmari'nus officina'lis, and Sage, Sal'via, are also in the class Diandria; and they all show very distinctly the characters of their class and orders. Rosemary, which you have seen in the garden, is an evergreen

shrub, and grows wild on the shores of the Mediterranean sea. It was formerly so abundant in Languedoc, about the sixteenth century, that the inhabitants burnt scarcely any other fuel.

There are more than sixty different species of Sage, many of which are natives of Europe; but two only have been found wild in England, — Meadow-Sage, Sal'via praten'sis, and wild English Clary, Sal'via verben'ica. An infusion of sage leaves is sometimes used as tea: and the Chinese were surprised that Europeans should come to them for tea, when we have sage, which they think far better. The Dutch formerly were in the habit of collecting large quantities of sage leaves, in Holland and the south of France, which they dried like tea, and packed in cases for exportation to China—where they received, in exchange for every pound of sage, four pounds of tea.

But I am afraid that if I tell you any more at present you will be tired; so we shall leave the

third class, Triandria, until to-morrow.

CONVERSATION THE FOURTH.

CLASS 3. TRIAN'DRIA. — CRO'CUS VER'NUS, SPRING CROCUS, EXAMINED. — THE GRASSES. — WHEAT. — BARLEY. — OATS, ETC. — SUGAR-CANE. — SUGAR-MAKING. — REED. — BAMBOO. — DAC'TYLIS GLOMERA'TA, ROUGH COCK'S-FOOT GRASS, EXAMINED. — BUTCHER'S BROOM. — SEDGE.

EDWARD.

Mamma, will you come out with me now to look for a plant in the third class?

MOTHER.


Yes: but we need not go farther than the garden; for you cannot have a better example than the Crocus, which is a native of England, though it does not grow wild in our neighbourhood.

EDWARD.

Here are purple, yellow, and white Crocuses; are they of different species?

MOTHER.

Perhaps not; for the character of the species does not depend upon the colour, size, or smell of





Crocus vernus _Spring Crocus.
Class III. TRIANDRIA Order MONOGYNIA.

Sowerby 50

the flower. Plants which differ in these respects only are called Varieties; and if you compare these three different-coloured Crocuses, you will probably find that they agree in the leaves and other parts, which, I told you, were to be attended to, in distinguishing species. The different parts of plants have, generally, peculiar colours. The root is commonly black, white, or brown; seldom yellow, or red, but never green. The stem and leaves are commonly green; and rarely blue, yellow, or red. The calyx is generally green, but with some exceptions; that of the Daph'ne Laure'ola, Spurge Laurel, is yellow, and the blossom green; the calyx of the Fuch'sia coccin'ea, scarlet Fuchsia, is a bright scarlet, and the petals in the centre of the richest purple. Corollas have almost every colour; but are rarely green, and scarcely ever black. The black spot in the blossom of the common garden Bean is the darkest colour I have ever seen in any plant.-Now bring in a Crocus, and I will read you a description of it. [PLATE 4.] You perceive that it has three stamens, and one pistil: what class and order then does it belong to?

EDWARD.

To the class Triandria, and order Monogynia.

MOTHER.

Very well. Now look at it as you did at the

Veroni'ca. This sort of calyx, which is really a Bractea, is very different from those I have already described to you: it is called a Spatha or Sheath, and is composed of one leaf rising from the stem: you see it is formed of a thin skinny substance, not green, like the cups of most other flowers, but whitish, tinged with brown. "The blossom is of "one petal. Tube of the blossom very long: "border with six divisions, standing upright;" not open and spreading, like that of Veroni'ca. "Segments egg-shaped, pointed, and all of the " same size. Stamens three; filaments shaped like "an awl, shorter than the blossom; anthers like "the head of an arrow. The germen, which is " placed below the blossom and concealed in the "sheath, is roundish; the style thread-shaped; "and the summits, three in number, are notched, " like the teeth of a saw, and a little twisted."

This is the generic character of Cro'cus. Our species is the ver'nus, or Spring Crocus; which is distinguished by the summits being of a pale colour, not very long, and standing up straight within the flowers.

There are two other native species, sati'vus and nudiflo'rus: but the last is very rare. In the Cro'cus sati'vus, or Saffron, the tube of the blossom is very long; and the summit of the pistil is divided into three long strap-shaped segments, which are of a full orange colour, and hang out of the

blossom. The petals are violet-coloured, and the plant has an agreeable smell. The leaves of the Saffron are not so broad as those of the Spring Crocus.

The summits of the pistil of the Cro'cus sati'vus are, I believe, the only parts of any of the species that are made use of. They are carefully picked, pressed together, and dried in kilns, and are then the Saffron that is sold in the shops, which was formerly very much used in medicine. There is a place in Essex called Saffron-Walden, from the quantity of this plant which was formerly cultivated there, for the purpose of preparing the drug.

EDWARD.

Can we find any other plants of this class in the fields?

MOTHER.

You cannot go into any field without meeting some of them; for the class Triandria contains almost all the grasses, which are, you know, so common and so useful; the leaves affording pasture for cattle, the small seeds food for birds, and the larger for men.

The grasses form about a twelfth part of all the species on our globe, especially in open situations. But if the numbers of the individuals be compared, they probably outnumber all the other plants, with visible flowers, put together. Most of them are

without scent, but some are fragrant, especially when dry; and few are known to be poisonous, except the Darnel, Lo'lium temulen'tum, and Festu'ca tridenta'ta, which have poisonous seeds.

EDWARD.

I have never seen the flowers of grasses. Are they pretty?

MOTHER.

I am not surprised that you have never observed them; for not having petals of brilliant colours, the flowers are generally overlooked; but their construction is not less curious than that of the most beautiful in appearance.

The care taken by nature to ensure the production of grass is truly wonderful. Though the leaves be trodden down or consumed, the roots still increase; and the stalks which support the flowers are seldom eaten by cattle, so that the seeds are always allowed to ripen. Some of the grasses that grow on very high mountains, where the heat is not sufficient to ripen the seed, are propagated by suckers or shoots, which rise from the root, spread along the ground, and then take root themselves. Grasses of this kind are called Stolonif'erous. Some others are propagated in a manner not less remarkable: the seeds begin to grow within the calyx itself, which in grasses is called the Husk; and plants are formed there with little leaves and roots;

these fall to the ground, where they take root, and then continue to grow like the parent plant from which they sprung. In these cases the grass is called Vivip'arous. There is a native species, called Festu'ca vivip'ara (viviparous Fescue-grass), which grows in this way, whether on the tops of mountains or in plains. It is found in perfection in Scotland, on dry walls, and in the moist crevices of rocks.

EDWARD.

But what sorts of grass seeds do men eat?

MOTHER.

Wheat, barley, oats, rye, and corn of all kinds, are the seeds of different grasses. Wheat, Trit'icum hyber'num, is the grain of which bread is chiefly made; but it must first be ground into flour, or meal. Starch, and hair powder, which is only ground starch, are also prepared from wheaten flour. Barley, Hor'deum vulga're, is with us used principally for making beer; but in Spain, where malt liquor is little known, horses are fed with it, as ours are with oats. The poorer people of England, Scotland, and Ireland make use of Oats, Ave'na sati'va, ground into meal, for porridge; and in Scotland oaten bread is a common article of food. The inhabitants of Norway make bread of barley and oatmeal, which keeps thirty or forty years, and is even considered as the better for being

old. At the christening of a child, bread is sometimes made use of that was baked in the time of its great-grandfather.

EDWARD.

Are all these grasses natives of England?

MOTHER.

The particular species which are most valuable are not native; but we shall find others of the same genera that are.

Couch-grass, the weed that our gardener finds so troublesome, belongs to a genus formerly placed in the genus Trit'icum, but now considered as an Agros'tichum. In this species (A. répens), the roots, which have a sweet taste like liquorice, are sold in the markets at Naples as food for horses, and are sometimes ground and made into bread. The seeds of the Festu'ca flu'itans, floating Fescue, are very large and sweetish, and are gathered for the table in Poland, and some other countries, where they are called manna.

Wall-barley or Way Bennet, Hor'deum muri'num, is a weed very common by road-sides, and is eaten by horses and sheep.

The animated Oats, that your aunt sometimes amuses you with, are the seeds of the Ave'na fa'tua, which grows wild in corn-fields.

The Sea-Lyme-grass, El'ymus arena'rius, which is found pretty commonly on some of our own shores, grows abundantly in Iceland and Green-

land, where the climate is too cold to allow the better kinds of corn to ripen; and the seeds are sometimes made into bread by the inhabitants of those miserable countries.

In the island of Rasay, one of the Scottish Western Isles, the fishermen use ropes for their nets made of the mountain Melic-grass, Mel'ica nu'tans, which grows plentifully there, and is remarkably tough.

The Sugar-cane and Reed are also grasses. The former, Sac'charum officina'rum, is supposed to have been originally a native of Spain and Sicily, and to have been carried by the Europeans into America and the West Indies, where it is now very extensively cultivated. It is from the juice of its stem, which sometimes grows to the height of twenty feet, that all our sugar is prepared. The canes or stems of the plant, when ripe, are bruised between the rollers of a mill, to squeeze out the juice, which is collected and put into large boilers, with a small quantity of quicklime, or strong ley of vegetable ashes: when this has been boiled to the consistence of a syrup, and carefully skimmed it is drawn off and allowed to cool, in vessels perforated with small holes, through which the impure liquid part, called molasses or treacle, escapes, and is received in a cistern below; - while the remainder becomes a mass of small and hard grains of a brownish colour, called moist or raw sugar. When this is imported into Europe, it is farther purified by other processes, and converted into refined or loaf sugar, such as we use at breakfast and tea.

The tops of the sugar-canes, and the leaves that grow upon the joints, make very good provender for cattle; and the refuse of the cane itself is used as fuel, so that no part of this plant is without its use.

But the sugar-cane is by no means the only plant from which sugar can be obtained. The juice of the A'cer sacchari'num, American Maple, yields it in such abundance, that American farmers manufacture Maple sugar for their own use. The juice of the grape, also, when ripe, yields a sort of sugar, which is called Sugar of grapes, and has lately been employed in France as a substitute for what is brought from the West Indies, though not so sweet or agreeable to the taste. In Mexico, sugar is obtained from the Aga've America'na, American Agave; and in Kamschatka, from the Hera'cleum Sphondyl'ium, Cow-parsnep, and Fu'cus sacchari'nus, - a species of sea-weed called Dulse. Several roots also yield sugar; as the common beet, turnip, carrot, and parsnep.

The Sea-reed, Arun'do arena'ria, grows on the driest sandy parts of our sea-shores, where it is so useful in binding the sand, and preventing it from being blown into the neighbouring fields, that Queen Elizabeth forbade its extirpation. In the

north of Scotland, mats, floor-brushes, ropes, and hats are manufactured of it; and in China, the sailors, in rainy weather, use large hats, jackets, and trowsers, made of reeds laid close together, from which the rain runs off, as from the feathers of water-birds.

The Bamboo, a native of the East Indies, is another species of reed, Arun'do bam'bos of Linnæus, the stalks of which are almost solid when young, but become hollow as they grow older, except at the joints; they sometimes measure fifteen inches round, and sixty feet in height; and being strong, durable, and very light, are much used in the construction of buildings, and for making furniture. In the East they serve also for the poles that support a sort of litter or bed, called Palanquin, which is carried about by men, and used like a sedan chair in this country; only that the palanquin bearers put the poles upon their shoulders, instead of holding them in their hands, like our chairmen.

In Malabar, Bamboos are trained over iron arches, and when they have acquired a curved form, they are used to support the canopies of the palanquins: a lofty bamboo arch of this description is of great value.

EDWARD.

But if the stems are hollow, how can they be so strong?

MOTHER.

I am not surprised at your question: -The reason is, that the same quantity of matter acquires much greater strength, by being disposed in the form of a hollow cylinder, than if it were compressed into a solid one, which would be much thinner. The woody part of the smaller roots of trees is generally in the centre, which makes them pliable; while in the trunk the wood is at some distance from the centre, and thus gives great strength to the stem, and is favourable to its upright growth. We see other instances of the same structure in bones, and in the feathers of birds; the strongest bones, as those of the legs of most animals, being hollow: and the hollow quills -which are exceedingly light, that the bird may fly the better - are wonderfully strong, and much less apt to bend, than if their substance were contracted into a solid cylinder.

When the joints of the bamboo are bored through, they serve for water-pipes; and walking-sticks and fishing-rods are made of the smaller stalks.

EDWARD.

Are not the chairs in your room made in imitation of bamboo?

MOTHER.

The frames are—but the seats are made of Bull-rushes, Scir-pus lacus'tris, a plant also of the





Dactylis glomeráta_Rough Cock's-ioot.
Class III. TRIANDRIA_Order DIGYNIA.

Soundy sc.

third class, that grows very commonly in clear ditches and streams in England. Cottages are sometimes thatched with these rushes, and cattle eat them when other food is scarce.

EDWARD.

I should like to examine some of the grasses, they seem to be so useful.

MOTHER.

They are so very numerous, and their flowers so minute, that many persons neglect them altogether, and attend only to more striking plants. Most of the species seem, at first sight, to be very much alike; but this apparent resemblance will vanish when you make yourself acquainted with their flowers, which you can very easily do with the assistance of a microscope. I should advise you, however, not to examine many grasses, till you are better acquainted with botany in general. But to give you some idea of their structure, we will now look at one that is very common, the Dac'tylis glomera'ta, rough Cocksfoot. [PLATE 5.] I have already told you that the calyx of most of the grasses is called the husk; in this instance it is composed of two leafits, which are called valves: they are both keeled, or shaped like a little boat, and the inner one is larger than the other. The calyx contains several florets collected into

an oblong spike, called a spiket. The blossom is composed of two petals, which are also called valves; they are concave and sharp-pointed, the lower one a little longer than the upper: there are two nectaries, spear-shaped, and tapering to a point; three stamens, the filaments like hair, supporting oblong anthers forked at each end: the germen is egg-shaped, with two styles spreading out, and feathered summits. In some species there is one floret in each calyx; in others four or five, sometimes more. There are but two native species of Dac'tylis; stric'ta, and glomera'ta. In our plant, which is of the latter species, the flowers are disposed in what are called Panicles; and they all point one way. In rainy seasons the florets sometimes become viviparous. This grass has been much cultivated by farmers: if suffered to grow tall, it is very coarse; but when kept short, it makes a valuable pasture for sheep, and grows very fast. It was found by experiment in Norfolk, that this plant shot up four inches in less than three days. It grows at midsummer during droughts, when almost every thing else is burnt up.

The sweet-scented Vernal Grass, Anthoxan'thum odora'tum, that smells so delightfully in new made hay, is one of the native grasses. I will give you a drawing of it (Plate 6.), to show its general appearance.

The ancient Romans used, on some occasions,





to bestow a crown of grass upon their generals; and this reward for their services, though of so little value in itself, was one of the most honourable; for it was never given but for some great exploit; as when an army reduced to the last extremities had been saved from destruction by the skill and courage of the general.

Besides the Crocus and the grasses, there are several other plants of this class, which you will find growing wild. Do you remember how much pleased you were last winter, in Devonshire, with the plant in the woods that had the pretty little flowers growing on the middle of the leaves?

EDWARD.

O yes! and it had beautiful red fruit, like cherries. What was the name of it?

MOTHER.

Butchers'-broom, Rus'cus aculea'tus. It is in the class Triandria of Withering's arrangement; but as the stamens and pistils are not in the same flowers, nor even upon the same plants, Linnæus has placed this genus in the twenty-second class, Diœcia. In general, the berries are not larger than black currants, but the warmth of the climate in Devonshire increases their size. In Italy, the plant is made into brooms, which butchers use for sweeping their blocks; and from this circumstance it has obtained its name.

44 SEDGE.

Withering places the genus Ca'rex, or Sedge, in the third class, though it properly belongs to the twenty-first, Monœcia, of Linnæus. Most of the Sedges grow on the banks of rivers, ditches, and ponds; and if suffered to increase, will quickly fill up any piece of water. They have creeping roots, which easily make their way through swampy ground; and hence these plants are often found in meadows. In Italy, the leaves of the sharp Vernal Carex, Ca'rex acu'ta, are used by glassmakers, to bind round flasks for wine and oil.

THE RESERVE AND THE RESERVE AND THE PARTY AN

CONVERSATION THE FIFTH.

CLASS 4. TETRAN'DRIA.—I'LEX AQUIFO'LIUM, COMMON HOLLY, EXAMINED.—CLOTHIERS' TEASEL.—
MADDER.—BIRCH-TREE.—ALDER.—DUTCH MYRTLE.—BOX.—CENTUN'CULUS MIN'IMUS.—MISELTOE.
—PARASITICAL PLANTS.—ROSE-COLOURED BALSAM-TREE.—FLOWER-OF-THE-AIR.—THE GREAT
FLOWER, RAFFLE'SIA.

MOTHER.

Well, Edward, if you are inclined to begin the fourth class, Tetrandria, to-day, bring me a piece of Holly from the garden, and we will compare it with the description.

EDWARD.

Is Holly a native plant, mamma?

MOTHER.

Yes, one of the species grows wild in England. The botanical name is I'lex Aquifo'lium; and it is in the order Tetragynia of this class.

EDWARD.

I thought that all the leaves of holly were prickly, but here are some quite smooth.

MOTHER.

It has been observed, I think by Linnæus, that the lower branches, within the reach of cattle, bear thorny leaves; while the upper ones, which do not want a defence, are without thorns.—

- " Below, a circling fence, its leaves are seen
 - " Wrinkled and keen,
- " No grazing cattle through their prickly round "Can reach to wound:
- " But as they grow where nothing is to fear,
- " Smooth and unarm'd the pointless leaves appear."*

EDWARD.

But would cattle eat the leaves, if they had no thorns?

MOTHER.

They would; and in winter, when other food is scarce, the upper boughs, that have smooth leaves, are sometimes cut down, and strewed upon the ground to feed deer and sheep. They peel off the bark also very nicely, and eat it along with the smooth leaves.

The wood of the holly is remarkably white and hard, and takes a fine polish; it is much used by inlayers and engravers on wood, and some of the pretty Tunbridge ware is made of it. Holly planted in hedges makes a very durable as well as ornamental fence.





Îlex Aquifolium_Common Holly.

Class IV. TETRANDRIA Order TETRAGYNIA.

Sowerby, so

EDWARD.

Will you now read the description of the holly, while I look at the flower?

MOTHER.

In the genus I'lex [PLATE 7.], "The calyx is a "very small cup, which has four or five teeth at the "edge. The blossom is of one petal, generally "with four divisions, but there is some variety in "this respect: the segments roundish, and spread-"ing out. The stamens are four, shorter than "the blossom. The germen roundish; with four "summits, but no styles. The seed-vessel is a "roundish berry, containing four very hard seeds." The leaves, in our species, Aquifo'lium, "are "egg-shaped, thorny, and evergreen, surrounded "by a thickened border:" and in the tree from which this specimen was taken, they are what is called variegated, the leaves in the wild state not being stained with white, but of an uniform dark green colour. The berries are of a bright scarlet.

EDWARD.

I do not understand what is meant by evergreen.

MOTHER.

Plants which retain green leaves all the year, in winter as well as in summer, are called so.

EDWARD.

Then do they never change their leaves?

MOTHER.

They change them once in the course of a year, but the plant is always green, because the young leaves come out before the old ones decay. Leaves are usually Deciduous, that is to say, they last only one season; but there are a few plants whose leaves last two or three, and sometimes as long as four years.

In the East and West Indies almost all the trees are evergreen, and have broad leaves; but most of the trees in our cold regions cast their foliage every year; and such as do not have narrow and sharp leaves. It is supposed that if the leaves were broader, the snow which falls during the winter would collect among them, and often break the branches by its weight; their slenderness prevents this, by allowing the snow to pass between them. This precaution would be unnecessary in India, and other countries where snow is not known.

I will now tell you of a few other plants in the class Tetrandria. The clothiers' Teasel, Dip'sacus fullo'num, is very much cultivated in the west of England, for the use of cloth manufactories. The heads are fixed to the edge of a large broad wheel, which is kept turning, while the cloth is held

against them, and the crooked awns, with which they are furnished, raise the knap of the cloth.

EDWARD.

What are the Awns?

MOTHER.

They are slender, sharp bristles, such as grow from the husks of barley and oats, and which you call the beard. — One use of the awn is, to attach the ripe seeds to the coats of animals, that they may be more widely dispersed. In this species of teasel, it is the stiff, strong awns, hooked backwards at the ends, which make the plant so useful to clothiers.

There is a plant of this class, common in the west of England, called Dyer's Madder, Ru'bia tincto'rum, the root of which affords a very beautiful scarlet dye; but what is cultivated in Holland is considered by dyers as better than that of our country. Madder has the property of tinging with its red colour the milk, and even the bones, of the animals that feed upon it.

The white Birch, Bet'ula al'ba (in this class, according to Withering*), is very useful to the inhabitants of the north of Europe; it endures the severity of cold climates better than any other tree;

^{*} In class twenty-one, Monœcia, of Linnæus.

and the seeds, which are furnished with little wings, are often carried by the wind to the tops of buildings, and of high rocks, where they take root and grow. The sap or juice, obtained from the trunk in spring, with the addition of sugar, is said to make a pleasant wine; and in the northern parts of Lancashire, the young twigs are made into brooms, which are exported to different countries. The bark is much more firm and durable than the wood itself. A French traveller*, in passing through Lapland, where there are vast forests of birch, observed, upon examining the trees which had been blown down by the storms, that in several instances the wood was entirely gone; the trunks, though to all appearance solid, consisting only of an empty shell of bark. In Norway, Sweden, and Russia, this bark is cut into square pieces like tiles, to cover the roofs of the houses; the Swedish fishermen make shoes of it; the inhabitants of Kamschatka, hats and drinking cups; and the people of Canada, canoes. An essential oil is extracted from the bark of the birch in Russia, which is used in preparing Russia leather, and gives the peculiar scent to it. The inner silky bark of this tree was used for writing on, before the invention of paper.

The catkins and seeds of the dwarf Birch, Bet'ula

^{*} M. Maupertuis.

na'na, are the principal food of grouse and ptarmigans in northern countries.

The Alder-tree, which you may see on the banks of rivers, is a species of Al'nus, (A. glutinosa,) the wood of which is soft and brittle, but lasts a long time under water, and is therefore used for pumps and water-pipes, and for beams to lay under the foundations of buildings in marshy places. For this reason the Alder-tree is very much cultivated in Flanders and Holland. It makes, too, the best charcoal for gunpowder; and the bark and leaves are employed in tanning leather and staining fishermen's nets.

The Dutch Myrtle, Myri'ca Ga'le, which is found in our bogs, is in the class Tetrandria, according to Withering.* The flowers grow in little clusters, which are called Catkins; and when these are boiled in water, they throw up a scum like bees'-wax, that would make candles if collected in sufficient quantity. In America, candles, soap, and sealing-wax, are actually made from another species, called Candle-berry Myrtle, Myri'ca cerif'era.

The common Box, Bux'us sempervi'rens, with which part of our garden is bordered, is also placed by Withering in the fourth class.† It is an ever-

^{*} In the twenty-second class, Diœcia, and order Tetrandria of Linnæus.

⁺ In the class Monœcia, and order Tetrandria, of Linnæus.

green, and grows more slowly than almost any of our trees, which renders its wood particularly hard, and of a fine close texture, and therefore very valuable for musical and mathematical instruments, and for the finer kinds of turner's ware, which require wood of a smooth grain. The beautiful figures of animals and birds, by Bewick, are cut upon boxwood. The hardest wood is always of slowest growth, as in the oak and holly; and the softest grows the most rapidly, as the horse-chesnut and ash.

You have seen only small trees of Box,—but it grows to the height of ten or twelve feet, at Boxhill, in Surrey; and at Bodenham, in Herefordshire, there is one tree more than twenty feet high.

EDWARD.

Will our borders ever be so tall?

MOTHER.

No: what is used for garden-borders is a dwarf,
—or a very small variety, but not a different species of Box. It never grows to a great height.

EDWARD.

How many curious things you know about plants, mamma!—How did you find them out?

MOTHER.

By reading different botanical works, and books

of travels, which I will lend you when you are old enough to understand them: but you will find that I know very little of the subject, indeed almost nothing, in comparison with many other persons, and less than you yourself can easily learn hereafter. I hope that if ever you become a good botanist, you will still recollect the lines that you heard sung last night:—

What though I trace each herb and flower
That drinks the morning dew,
Did I not own Jehovah's power,
How vain were all I knew!

But there are some other plants of the fourth class, that I must not forget;—the Pimpernel Chaff-weed, Centun'culus min'imus, the smallest of all the British plants that have distinct flowers, the stem being hardly an inch high; and some others which are called parasites.

EDWARD.

What does that mean?

MOTHER.

Parasitical plants are those which are produced upon the trunks, branches, or any parts of other vegetables; and which, in many instances, will not grow in the ground; as is the case with Miseltoe, and some kinds of funguses. The Miseltoe, Vis'cum al'bum*, is an evergreen shrub, that grows in great

^{*} In the twenty-second class, Diœcia, of Linnæus.

perfection on apple-trees. Nobody has ever yet succeeded in making it take root in the earth, but if the berries, when fully ripe, are pressed and rubbed on the smooth bark of almost any tree, they adhere closely, and will produce plants the following winter.

Parasitical plants have been lately discovered, that grow upon others which are themselves parasites; but these are very rare.

There are parasites of another kind, less properly called so, which first take root in the ground, and afterwards fasten themselves to trees, or other substances within their reach, where they strike out roots from their own stems.

EDWARD.

Then Ivy, I suppose, is a parasitical plant?

MOTHER.

Yes, it is one of those I have just mentioned; and you shall hear more about it, when we come to the fifth class to which it belongs. But some of the most remarkable native parasites belong to the genus Cuscu'ta, or Dodder, in the second order of the fourth class: they have no leaves, but only a slender stalk, with which they lay hold very closely of some other plant stronger than themselves, from whence they draw all their nourishment. There are two native species — C. Europe'a and C. Epi'-

thymum, which grow upon beans, hops, flax, heath, and the nettle; and often in such profusion as to destroy the plant that supports them.

There is a genus peculiar to hot climates, the Epiden'drum of Linnæus, one species of which, called Flos-a'ëris, or Flower-of-the-Air*, is particularly curious. It is found in abundance in the East Indies, beyond the river Ganges. The smell of the flowers is so delightful, that the inhabitants suspend it from the ceilings of their houses, where it will vegetate for years †; it is always trained over Bamboo; and grows and even blossoms in the air, without attaching itself to any solid body.

Mirbel, a French botanist, says, that in North America there are even parasitic trees, growing upon other trees. The long roots of the Clu'sia ro'sea, rose-coloured Balsam-tree, a parasite of this kind, descend from the top of the trees on which they grow, to the ground; and sometimes several of these roots become engrafted into each other, and are covered with the same bark, so as to form a great case, in which the trunk of the tree that supports the Clu'sia in the air is enclosed.

There are parasites also, which grow upon the roots of other plants; and one of these produces the most extraordinary flower that has ever yet

^{*} Now called Renan'thera arachni'tis; — in the twentieth class, Gynandria, of Linnæus.

⁺ Wildenow's "Principles of Botany," p. 263.

been discovered. It was found in the island of Sumatra, in the year 1818, by Dr. Joseph Arnold, who gives this account of his discovery, in a letter to one of his friends:—

"Here, at Pulo Lebbar, on the Manna river, "I rejoice to tell you, I happened to meet with "what I consider as the greatest prodigy of the "vegetable world. I had ventured some way from "the party, when one of the Malay servants came "running to me with wonder in his eyes, and said, " Come with me, sir, come! a flower, -very large, "'beautiful, wonderful!' I immediately went with "the man about a hundred yards in the jungle" (this name is given in India to wild bushy underwood), "and he pointed to a flower growing close "to the ground, under the bushes, which was "truly astonishing. My first impulse was to cut "it up, and carry it to the hut. I therefore " seized the Malay's parang, a sort of instrument "like a woodman's chopping hook, and finding "that it sprang from a small root which ran hori-"zontally, about as large as two fingers, or a little " more, I soon detached it, and removed it to our "hut. To tell you the truth, had I been alone, "and had there been no witnesses, I should, I "think, have been fearful of mentioning the size " of this flower, so much does it exceed every "flower I have ever seen or heard of; but I had " Sir Stamford and Lady Raffles with me.

"The whole flower was of a very thick sub-"stance, the petals and nectary being in but few "places less than a quarter of an inch thick, and "in some places three-quarters of an inch; the "substance of it was very succulent.—

"Now for the dimensions, which are the most "astonishing part:—it measured a full yard across; "the petals, which were roundish, and five in "number, being twelve inches in length, and it being about a foot from the insertion of the one petal to the opposite one; Sir Stamford, Lady Raffles, and myself, taking immediate measures to be accurate in this respect, by pinning four large sheets of paper together, and cutting them to the precise size of the flower. The nectary, in the opinion of all of us, would hold twelve pints, and the weight of this prodigy we cal-"culated to be fifteen pounds.——

"A guide from the interior of the country said "that such flowers were rare, but that he had seen "several, and that the natives called them Krūbut, "or the Great Flower.—You may judge how well "they deserve this name, from the dimensions of "the buds, which are about the size, and have very "much the appearance, of moderate cabbages."

Mr. Brown, who described the specimens of this gigantic flower that were first sent to England *, was of opinion that the root on which it grew be-

^{*} Transactions of the Linnæan Society, vol. xiii. part 1.

longed to a sort of vine; since ascertained to be Cissus Angustifolia. He named the genus Rafflésia, in honour of Sir Stamford Raffles, then governor of the East India Company's establishment at Sumatra; and called the species, Arnol'di, in memory of Dr. Arnold, who unfortunately died almost immediately after its discovery.

thing signal of relations where he are addition.

a tomorro atalbacacci pardet Heren bas a disti "

Cluster shreets of capear abust been and earther them

CONVERSATION THE SIXTH.

CLASS 5. PENTAN'DRIA.—GENUS SOLA'NUM, POTATOE.

— WOODY, AND GARDEN NIGHTSHADE.—DEADLY
NIGHTSHADE, A DIFFERENT GENUS.—AT'ROPA.—
IVY.—BUCKTHORN.—MYOSO'TIS PALUS'TRIS, WATER
MOUSE-EAR, EXAMINED.—VINE.—CURRANT AND
GOOSEBERRY.—COFFEE-TREE.—TOBACCO.—VIOLET.

MOTHER.

THE fifth class, Pentandria, comprehends more than a tenth part of all the plants that are known at present; and some of our most useful vegetables belong to it. I shall begin with the Potatoe, Sola'num tubero'sum, which is in the order Monogynia.

EDWARD.

Do Potatoes grow wild in England?

MOTHER.

No; they were brought from America, by Sir Walter Raleigh, who, on his return from that part of the world, about the year 1597, distributed a number of Potatoes in Ireland, where they were planted and multiplied very fast. It is said that they were afterwards brought from Ireland into England; and that a ship, laden with potatoes

having been wrecked on the coast of Lancashire, the cultivation of them soon became general. But the native place of the potatoe is still doubtful; and all that can be said with certainty is, that it came from South America.

It is remarkable that Virginia, the country from which, it was at one time supposed, potatoes were first brought to Europe, was afterwards saved from famine by a supply of them from Ireland. Linnæus took great pains to introduce the culture of the potatoe into Sweden, but it was not until near the end of the last century that it became general in that country.

Go and ask the gardener for some of the blossoms, and you will see that they are in the first order of the fifth class. It is commonly supposed that what we eat is the root; but this is not precisely true, the potatoe itself being no part of the root, but a kind of underground stem, which botanists call a *Tuber*.

EDWARD.

Here is one bunch with white, and another with purple flowers. Are they only varieties?

MOTHER.

That is all; the plants with white flowers are said to afford white potatoes, and those with purple flowers, red ones. I have been told that in many

and that a ships laden we

parts of Germany, the purpled-flowered potatoes are preferred to the white; and in Saxony, where they are cried about for sale, the colour of the blossom is always mentioned.

EDWARD.

And these little green balls; are they the seeds?

MOTHER.

They are the seed-vessels, and contain the seeds within them. When the seeds of any one plant are sown, they produce a great many different varieties: and on this account the Potatoe is propagated by planting the eyes; — which are undeveloped buds, growing on the Tuber, as the buds do on the stems of other plants. This ensures the production of plants of the same quality.

Look at the anthers, and you will perceive that they are nearly united at top, in a point, and that there are two little holes in each of them; this is the principal distinguishing character of the genus Sola'num, of which there are more than three hundred species; but only two of these are natives of England, the Dulcama'ra and Ni'grum. You will, perhaps, be surprised to hear that the woody Nightshade, which grows wild in our hedges, and bears the pretty scarlet berries that I have so often told you were poisonous, belongs to the same genus as the potatoe: it is the Sola'num Dulcama'ra.

The garden Nightshade, Sola'num ni'grum, is

also poisonous; and even the smell of it is said to occasion sleep: the flowers are white, and the ripe berries black. The deadly Nightshade is another plant of the same class and order; and from its English name you might suppose it to be of the same genus; but the flower is very different; and this may serve to show you how necessary it is to use the botanical names, in speaking of plants, when we wish to distinguish them with accuracy.

EDWARD.

Then what is the botanical name of Deadly Nightshade?

MOTHER.

At'ropa Belladon'na. It grows wild in Europe, particularly in England and Austria; and every part of it is poisonous.

The Tomato, or Love Apple, that you often see in fruit shops, is the Sola'num Lycoper'sicum: the berry is about the size of a plum, and is used in soups. Another species, the Sola'num Melonge'na, is very much cultivated in Jamaica, and is called the egg-plant, or vegetable-egg, from the fruit which in shape and size is very like the egg of a hen.

Our common Ivy, Hed'era He'lix, is also in the class and order, Pentandria Monogynia. It is the only native species of Hed'era, and is the latest flowering of all our plants, for it blossoms in October and November; but the berries are not ripe until the following spring.

EDWARD.

But are not there two kinds of ivy growing on the old church?

MOTHER.

Although the leaves are different, they belong in reality to the same plant. When the ivy trails on the ground, the branches are small and weak, and the leaves have three divisions; but when it climbs up walls or trees, the plant grows much stronger, and the figure of the leaf is changed to egg-shaped. The roots of the common ivy make beautiful cups and boxes, and I have seen even tables made of them.

The Buckthorn, Rham'nus cathar'ticus, which belongs to the same class and order, grows wild in woods and hedges in various parts of Europe. The unripe fruit is sold under the name of French berries, and affords a juice which is used for staining maps and paper yellow. The juice of the ripe berries, mixed with alum, forms the sap-green employed by painters; and if the berries are gathered late in autumn, their juice is purple. The bark of the stem dyes a beautiful yellow colour. The unripe fruit of another species, the yellow-berried Buckthorn, Rham'nus infecto'rius, a native of the south of Europe, is said to give the yellow colour to Turkey or Morocco leather.

In Africa, the negroes make bread of a sweet

yellow berry, the fruit of the Rham'nus Lo'tus, which they call Tomberongs. When the berries are dried, they pound them into meal, and make cakes of it, which, when dried in the sun, have the colour and taste of gingerbread.

EDWARD.

Shall not we examine a plant to day?

MOTHER.

Yes, certainly!—and I am glad you have reminded me of it. The best way to learn botany is to examine plants themselves. Here is a piece of water Mouse-ear, Myoso'tis palus'tris [Plate 8.]—tell me its class and order.

EDWARD.

I do not see any stamens; where are they?

MOTHER.

Pull off one of the blossoms, and cut it open with your penknife.

EDWARD.

Now I do see five stamens; but the anthers are almost covered by the little yellow parts that met in the middle before I opened the flower.

MOTHER.

But you have not told me the order?



Myosotis palustris _Water Mouse Ear: Class V. PENTANDRIA _ Order MONO GYNIA.

mody sc.



EDWARD.

It is the first, Monogynia, for I see only one pistil, which has remained in the calyx.

MOTHER.

Very well. "The calyx is a cup, with five ob"long sharp divisions. The blossom is of one petal;
"the border has five blunt divisions, very slightly
"notched at the ends; the mouth, or upper part,
"of the tube is closed with five small projecting
"parts, called Valves: the stamens are placed in
"the neck of the tube, and the filaments are very
"short; the anthers small, and covered by the
"valves. The style is as long as the tube of the
"blossom. There is no seed-vessel, but the cup
"enlarges as the seeds ripen, and contains them
"within it.—In this species, Myoso'tis palus'tris,
"the leaves are spear-shaped, the seeds smooth,
"and the calyx funnel-shaped, with straight and
"close-pressed hairs."

EDWARD.

I think I shall always know Mouse-ear, when I see it, by the little valves in the middle of the blossom.

MOTHER.

These do form one of the principal characters of the genus: but you must attend besides to the other circumstances that I have mentioned; for there are other genera of the same class and order, which are furnished with valves, as well as Myoso'tis. The Mouse-ear is also called Forget-me-not.

The Vine, Vi'tis, is a genus of this class. The common species, vinif'era, which produces grapes, is a native of the south of Europe, where a great many varieties are cultivated, from which different kinds of wine are obtained. The fruit, you know, is generally produced in hot-houses in this part of England; but it grows and ripens very well in the open air in some of the southern counties. And formerly the vine flourished so well in the neighbourhood of London, that wine was made there in considerable quantities.— Lee and Kennedy's nursery-garden, at Hammersmith, is still called the Vineyard, from the goodness of the grapes which were at one time produced there.

The Currant and Gooseberry are also in the class Pentandria, and order Monogynia. Their generic name is Ri'bes.

EDWARD.

Then are currants and gooseberries of the same genus? — They look very different from each other.

MOTHER.

When you examine the plants, you will find that their botanical characters agree. Each of the little yellowish flowers of a currant or gooseberrybush has five petals, which, as well as the stamens, are fixed to the calyx: the style is cloven; and the blossom is superior,—that is, it grows above the germen; and this germen afterwards becomes the fruit, and contains within it little hard seeds, dispersed through a pulpysubstance;—as you will find if you open a currant or gooseberry.

There are several species of Ri'bes, some producing different sorts of currants, and others gooseberries. All the currant kind are without thorns, and bear clusters of flowers and fruit; but the branches of the gooseberry are thorny; and the flowers are, in general, what is called Solitary, — only one growing from the same part of the plant, instead of a bunch.

EDWARD.

Are they all natives of England?

MOTHER.

No; there are not more than six or seven native species: two of gooseberries, and four or five of currants. Both fruits succeed very well in our gardens.

No thin-skinned fruits, such as grapes, enerries, currants, strawberries, plums, apricots, and peaches, nor even common apples and pears, come to perfection in very hot climates; and this is remarkable, because a much greater number of vegetables seem to be calculated to bear a high degree of warmth, than to endure cold.

The Coffee-tree is of the genus Coffe'a, in the fifth class, and first order; the oriental kind Coffe'a arab'ica, is a native of Arabia; and a second species, occidenta'lis, grows in the West Indies. The trees are evergreen, but seldom grow higher than seventeen or eighteen feet. The fruit, which is the only useful part, is like a small cherry, and when fit to be gathered is of a deep red colour; it contains two seeds, and these, when roasted and ground, are what we make use of. They are collected in large quantities, and sent to all parts of Europe. It is said that coffee was first sold in England about the year 1680, by the servant of a Turkish merchant.

Tobacco, Nicotia'na Tab'acum, is also in this class and order. The custom of smoking it is said to have been introduced in England by Sir Walter Raleigh, after his discovery of Virginia, about the year 1536. King James the First had such a dislike to the fumes of this plant, that he wrote a pamphlet against it, which he called a "Counterblast to Tobacco."—It is sold everywhere in China, where, next to Tea, it is considered as the best preservative of health, and is used by all ranks of people. In Italy it is cultivated for use: but we seldom see the plant in England except in greenhouses. It is not however our climate which prevents its being cultivated in the open air, but the regulations of the revenue, by which it is pro-

hibited. It flowers in July and August, and bears a great number of long, tubular, rose-coloured blossoms.

There are some other genera in the first order of the fifth class, that you will be glad to hear of; the Primrose, Prim'ula; Honeysuckle or Woodbine, Lonice'ra; Bindweed, Convol'vulus; Periwinkle, Vin'ca; Bell-flower, Campan'ula; and the Violet, Vi'ola. You will perhaps be surprised to hear that the Auricula, Prim'ula Auric'ula, so often cultivated in gardens, and a native of Switzerland, belongs to the same genus as the Cowslip, Prim'ula ve'ris, and the Primrose, Prim'ula vulga'ris, which both grow wild in England, and appear in the spring when the violets are in blow.

EDWARD.

Don't you love violets? they smell so sweet, and grow in such pleasant shady places.

MOTHER.

There are five or six other native species, besides your favourite, the sweet violet, which is called Vi'ola odora'ta; the Heart's-ease or Pansy, Vi'ola tric'olor, is one of these, though its flower is so different in appearance from that of the sweet-scented species.

CONVERSATION THE SEVENTH.

CLASS 5. CONCLUDED.—DESCRIPTION OF AN UMBEL.—
UMBELLIF'EROUS PLANTS.—ELDER.—TEAK-WOOD.
—TAMARISK-TREE.—SU'MACH.—FLAX: ITS USES.—PAPER.

MOTHER.

By far the greater portion of the order Digynia, in the fifth class, is composed of what are called Umbelliferous or Umbel'late plants, from the Umbels in which their flowers are disposed, — in a very curious arrangement. From the top of a straight stalk several smaller ones, called spokes, spread out, like the wires in the inside of an umbrella when it is open — (the word umbella, indeed, is the Latin for an umbrella). Each set of spokes forms what is called an Umbel; and every spoke is terminated by another little umbrella or Umbellule, which consists of a number of smaller stalks, with a single flower at the end of each. You cannot have better examples of this tribe than the common Hemlock and garden Parsley.

Several of the umbelliferous plants are remarkable for their uses as food or medicine, or else for their poisonous qualities. The roots of most of those which grow in dry soils have a spicy smell and taste; but in moist situations, or in water, they are nearly all poisonous.

The water Cow-bane, Cicu'ta viro'sa, grows in pools and rivers, and is one of the most violent of vegetable poisons. Early in the spring cows are often killed by eating it; but as the summer advances, the smell of the plant becomes stronger, and they carefully avoid it. Linnæus mentions, in his Lapland Tour, that he was told of a disease amongst the cattle at Torneo, which killed a great many of them in the winter, but was still more prevalent in the spring, when they were first turned out to grass; and which the inhabitants could not account for.

On examining the place where the cattle had fed, he found it to be a marsh, in which the Cicu'ta viro'sa grew in abundance; and by pointing out the plant, he enabled the people to guard against the danger ever after.

The water Parsnep, Si'um latifo'lium, and water Hemlock, Phellan'drium aquat'icum, both natives of England, are also very poisonous. The carrot, Dau'cus Caro'ta; Parsnep, Pastina'ca sati'va; Angelica, Angel'ica Archangel'ica; Carraway, Ca'rum Car'ui, Coriander, Corian'drum sati'vum; Earthnut, Bu'nium flexuo'sum; Fennel, Me'um Fœnic'

ulum; Parsley, A'pium Petroseli'num; and celery, A'pium grave'olens; most of which you are acquainted with, are all umbelliferous plants, and grow wild in England.

EDWARD.

Do Carrots grow wild in the fields?

MOTHER.

The garden carrot is nothing more than the wild carrot or Bird's-nest, — but so much improved by cultivation that you would hardly suppose them to be the same. A comparison of this plant in the wild and cultivated state affords a good illustration of the effect of culture, which sometimes renders useless weeds most serviceable vegetables. The roots of the garden carrot are very nourishing; and at the Cape of Good Hope the Dutch planters cultivate large fields of it, as food for their cattle.

Angelica grows very abundantly in Greenland, where the inhabitants consider the inner part of its root and stalk as a great delicacy. Like many other eatable plants, it has a much better flavour in cold climates than in warmer countries. Some of the gardeners near London propagate great quantities of this plant, which they sell to the confectioners who make a sweetmeat of the tender stalks.

In Poland, the poor people make a fermented drink, which they use instead of ale, from the

leaves and seeds of the cow-parsnep, Herac'leum Sphondyl'ium, another umbellate plant, which is a troublesome weed in our meadows; and the Kamschatkans and Russians peal its stalks and eat them.

But do you think you can distinguish an umbelliferous plant from any other, by the description that I have given you? — Go out, and try if you can find one.

EDWARD.

Here, mamma, are two, from the side of the field, next the road.

MOTHER.

You have made a very good attempt, my dear; and are right in one of them, the Shepherd's needle, Scan'dex Pec'ten.—And I am not surprised at your taking the other for an umbelliferous plant, as it certainly has the general appearance of one. It is the common Elder, Sambu'cus ni'gra. But if you look again, you will find that it has not exactly the structure which I have described to you; for, though all the principal ribs grow from the same stalk, like those in the umbel of the shepherd's needle, there are no umbellules, the smaller stalks not being regularly arranged.

The character of the umbelliferous tribe is in part, also, taken from the structure of the flower itself. In umbellate plants, the corolla has five

petals, with a stamen between every two; and two styles, each with a single summit, — which rise from the centre of the flower, and remain after the petals and stamens fall off, so as to crown the two seeds.

Now look at your Elder, and you will see that the blossom, instead of having five petals, is of one piece, divided into five parts: there are, it is true, five stamens, but there is no style; and you will more frequently find three summits than two. The fruit of the elder is a soft berry; but in the umbelliferous tribe it consists of two dry and naked seeds.

The branches of the elder tree are full of a very light kind of pith, but the wood of the trunk is uncommonly tough and close grained. You will generally find that stems which contain the most pith are protected on the outside by wood that is particularly strong and elastic.

EDWARD.

Why does the gardener spread elder leaves near mole-hills?

MOTHER.

To keep away the moles, which will not come near elder. You may have seen the coachman also fixing branches of it on the horses' heads, to keep off the flies, for few insects can endure the smell of this plant. The faculty that most animals possess, of distinguishing plants from each other by the

smell or taste, and of avoiding those which are noxious, is very extraordinary, and of great importance to them. If all plants were equally wholesome to animals of every kind, some animals might deprive others of subsistence; whereas, at present, each kind has its appropriate food, which is agreeable to their sense of smell or taste, and cannot feed on other vegetables without suffering.

The common Elm-tree, Ul'mus campes'tris, is in the order Digynia of the fifth class. It grows wild in England, and the wood is very serviceable, where it can be kept, constantly, either dry or moist. It is used for water-works, mills, pumps, and keels of boats, from its not being disposed to split or crack; and coffins also are made of it, because it lasts longer under ground than most other timber. The clearness of the grain makes elm particularly fitted for carved works, and architectural ornaments. - Silk-worms devour the tender leaves with great avidity. The flowers have a smell resembling that of violets; in this country, they do not commonly produce perfect seeds, and the tree is propagated by suckers and grafts; but the seeds have ripened, among other places, at Lea-Park near Canterbury. The city of Ulm, in Germany, derives its name from the great number of Elm-trees that grow in its neighbourhood.

The North American Indians hollow the trunks of the red Elm, Ul'mus america'na, into canoes,

some of which, made out of one trunk, will hold twenty persons. Bears and wild cats sometimes live in the hollow stems of these trees during the winter months.

Samphire, Crith'mum marit'imum, is in the same class and order with the Elm: - it grows wild on the sea-shore, but is never covered by the water; and a knowledge of this was useful, in a way that might not have been expected, to some French sailors, who were shipwrecked near Beachy-head, in Sussex. The vessel, to which these poor men belonged, was driven on shore by a storm, in the month of November, 1821; - the whole crew were washed overboard; and only four escaped from the sea by climbing to the top of a heap of rocks which had fallen from the cliff above. It was a very dark night; and they expected every moment to be swallowed up by the waves, when one of them found a plant, growing among the rocks, which he knew to be samphire. As this convinced them that the tide did not rise so high, they knew that they were safe, and did not move from the place till day-break, when they were seen by the people on the cliffs, who immediately came to their assistance.

I shall conclude to-day, by telling you something about a few foreign trees, and our own useful plant, the Flax, which are in the class Pentandria.

The Marking-nut tree, Semicar'pus anacar'dium, is a native of woody mountains in the East Indies. It is a lofty tree, and bears a fruit which contains a black resinous juice, that is used in the East for marking linen. This is done by putting the linen over the nut, and pricking it till the juice comes through, which makes a stain that never washes out. The fleshy receptacle, when roasted, has the flavour of apples, and is eaten by the natives of India.

The forests of Java, Ceylon, and some other islands in the East Indies, afford a very valuable tree called the Indian oak, or Teak-wood, Tec'tona gran'dis. The leaves, even of the young trees, are nearly two feet long and more than a foot in breadth. The trunk grows to a great size, and the wood is the most useful timber of the East; it is supposed to be superior to every other for building ships, as the worms which destroy deal and oak, do not injure it.

The order Trigynia contains, besides other genera, the Tamarisk-tree, one species of which Tam'arix gal'lica, grows wild on the southern coast of England,— the Guelder-rose, or Snowball tree, Vibur'num Op'ulus,— the Laurusti'nus, Vibur'num Ti'nus,— and the Sumach-tree, Rhus. The Varnish-sumach-tree, Rhus Ver'nix, produces the gum from which the Japanese make their beautiful black varnish.

The common flax, Li'num usitatis'simum, in the order Pentagynia of this class, is one of the most valuable of plants; for every kind of linen is manufactured from the bark of its stalks; and linen worn to rags makes paper. It is said that the plant came originally from Egypt; but it is now found wild in many parts of England. The seeds afford linseed-oil, which is used in great quantities for painting; and after the oil has been pressed out they form what are called oil-cakes, with which cattle are fattened. The Linnet has its name from the Li'num, because flax-seed is its favourite food. You will be interested very much by reading an account of the method of preparing flax for making linen.

EDWARD.

Is all paper made of linen rags?

MOTHER.

No: what we most commonly use in England is so; but there are several other kinds, made of different materials. Paper was first manufactured in Europe about the year 1300; and it appears to have been first made of linen towards the beginning of the fourteenth century, but the inventor is not known. The first paper-mill in England was erected in 1588.

In ancient Egypt paper was made of the inner coat of the stem of the Papy'rus, Cy'perus

Papy'rus, a species of rush, in the class Triandria, which still grows on the banks of the Nile. The plant was much valued by the Egyptians, who applied it to several other useful purposes, and it is often represented on their monuments. They made vases of the roots; and boats of the stalks, woven together and coated over with some resinous substance. When the bark of the stalk is peeled off, the inside can be separated into very thin layers, and of this they made not only paper, but a kind of cloth for dresses. Their mode of making paper was to place a number of these layers close beside each other, with as many more ranged across them, and then to wet the whole with water, which made the different pieces stick together. When this was pressed and dried, it was equal to our paper in solidity and lightness.

In China paper is prepared from the bark of several different trees; among others, of the elm and mulberry, butchiefly of the cotton-tree. Great quantities of paper are now made in Europe from cotton rags; but it is not so good as that from linen. Our blotting-paper is made principally of woollen rags; and our coarse brown paper, of pieces of old rope. I have seen, also, paper that was manufactured of silk, straw, sea-weed, and even of leather; this last kind was said to be particularly useful for packing, as it was water-proof, and did not easily tear, or take fire.

The word Paper is derived from the Egyptian plant papyrus; and from the general custom among the ancients of writing on the leaves of trees, our books are still said to be composed of leaves.

Liber, the Latin name for a book, signifies also the inner bark of a tree,—which the ancients used to write upon; and Volumen, a roll, was the manuscript rolled up;—from whence come our words Library and Volume. The English word Book comes from the Saxon boc, or beech, because beechen tablets were formerly used to write on.

ale of the control years there in 1881 facts

CONVERSATION THE EIGHTH.

CLASS 6. HEXAN'DRIA.—GALAN'THUS NIVA'LIS, SNOW-DROP, EXAMINED.—NECTARIES.—BARBERRY; ITS FILAMENTS.—SORREL.—AMERICAN ALOE.—INDIAN REED.—LARGE PLANTS OF HOT CLIMATES.—GREAT FAN-PALM. — ARISTOLO'CHIA. — ADANSO'NIA. — CLIMBERS.—TENDRILS.—TERMS EXPLAINED.—LILIES.—BULBOUS ROOTS.—KAMSCHATKA LILY.

EDWARD.

What shall we do to-day, Mamma? I hope we shall examine a plant in the sixth class.

MOTHER.

I believe, my dear, that the Snowdrop is one of the best examples you can have, for the flower is very remarkable; and the only species which is known is a native of England.

EDWARD.

But the Snowdrop has done flowering long ago.

MOTHER.

Very true: it is one of our earliest spring flowers. You remember Mrs. Barbauld's lines, which

I gave you to learn in the winter, when you brought me the first Snowdrop from the garden.

EDWARD.

Already now the Snowdrop dares appear,
The first pale blossom of the unripen'd year:
As nature's breath, by some transforming power,
Had changed an icicle into a flower;
Its name and hue the scentless plant retains,
And winter lingers in its icy veins.

MOTHER.

We cannot, then, procure a living plant at present: — but I will read you a description of it, which you may compare with this drawing [Plate 9.], and you must not forget next spring to examine a real one. "The flower has six "stamens and one pistil;"—it is therefore in the class Hexandria, and order Monogynia. "There "is no cup, but instead of one a sheath,"—a kind of calyx, of which this plant affords a very good example: and "there are six petals, three smaller "than the rest, standing within the other three, "and notched at the ends."

EDWARD.

How very different the small ones are from the other petals!

MOTHER.

For this reason they were considered by Linnæus



Galanthus nivalis Snowdrop.

Class VI. HEXANDRIA Order MONOGYNIA.

Sowerby, sc.



as distinct from the petals, and called by him the Nectaries. In the snowdrop, these three inner parts of the flower, whether we call them nectaries or petals, form the distinguishing character of the genus, which is named Galan'thus.

EDWARD.

But when we were examining the wallflower, you said that the nectaries were little green bodies, surrounding the lower part of the stamens.

MOTHER.

Yes; but I also told you, that nectaries had very different forms in different flowers. The use of the nectary is very doubtful; but it has been supposed to be intended to contain the honey, which some plants produce. In monopetalous flowers, the tube of the blossom itself answers this purpose; but in flowers with several petals, and open calyxes, which have no tube for the honey, there is in general a distinct part which holds it.

In some genera, the nectary is a sort of horn or spur, at the back of the flower, as you will see very distinctly in the Larkspur and Columbine. There is a genus in the fifth class, called Parnas'sia, in which the nectaries are very curious; and in the species Palus'tris, which grows wild in England, they are particularly beautiful. There are five in every flower, placed alternately

between the stamens, and each of them consists of a little heart-shaped substance, beautifully fringed with bristles: every bristle bearing on its extremity a transparent yellow ball, which looks like melted wax. Here is a little drawing that will give you some idea of their figure. The English name of the Parnas'sia palus'-tris is Grass of Parnassus.

But let us return to our Snowdrop.—"The fila-"ments, in the genus Galan'thus, are very short, "and the anthers end in a fine point like a bristle. "The pistil is longer than the stamens; the style "thread-shaped; and the germen is rather large, "roundish, and inferior;"—that is, placed below the blossom, so that you can see it without pulling off the petals. The specific name of the snowdrop is Niva'lis.

EDWARD.

You have not described the leaves or the root.

MOTHER.

It is not necessary to do so, for the purpose of distinction, when there is but one species known of any genus. The character of the genus, as I have told you, depends upon the structure of the flower; and the distinctions between the *species*, principally upon differences in the roots, leaves, or other parts. But where there is only one species,—as of Galan'-

thus, — we have not any others to compare it with, and cannot form a specific character.

EDWARD.

I like to examine plants that have but one species.

MOTHER.

It certainly is less difficult for a beginner, than when there are many; which is my reason for choosing such plants for you, when I can.

You already know that the Tulip is in the sixth class. One of the species, called the wild Tulip Tu'lipa sylves'tris, is a native of England. It differs from the garden Tulip, Tu'lipa Gesneria'na, which grows wild in the Levant, in having narrow leaves, a flower that nods or bends downwards, and is fragrant: the pollen also, on the anthers of the native species, is yellow, instead of black.

The garden Tulip was first brought from Constantinople, about the middle of the sixteenth century, to Vienna; whence it has found its way over all the rest of Europe.

The Pine-apple, Brome'lia An'anas, that you see in the hot-house; Lily-of-the-Valley, Convalla'ria maja'lis; Asparagus, Aspar'agus officina'lis; Hyacinth, Hyacin'thus non-scrip'tus; Daffodil, Narcis'sus Pseu'do-Narcis'sus; Barberry, Ber'beris vulga'ris; Garlic, Al'lium Schoenopra'sum; and Sweet-rush, Ac'orus Cal'amus; are amongst the

plants in the first order of the sixth class. They are all natives of England, except the pine-apple, which is said to have come originally from South America; the English name for the fruit was given from the resemblance of its shape to the cone or seed-vessel of some of the pine-trees.

The garden Hyacinth, Hyacin'thus orienta'lis, is a native of the Levant. The flower was formerly admired, in its simple or single state, on account of the regularity and equality of the petals; and double hyacinths were then no more valued, than double tulips are now.

EDWARD.

What are double flowers?

MOTHER.

All flowers, which have a greater number of petals than usual, are commonly called Double; — but, strictly speaking, they should be called double, treble, quadruple, and so on, according to the number of rows of the petals. Great richness of soil, and high cultivation, have such an effect upon plants, that they grow very luxuriantly; and the stamens, in some kinds, are converted into petals. When all the stamens are changed in this way, the flower is said to be "Full," and can no longer produce seeds; and in order to bring back the plant to its natural state, we ought to put it into a poorer soil; —or, in other words, to give it less food, or

not of so rich a quality. Flowers which have many petals often become full; but those of one petal are more disposed to be changed into double or treble, &c., which botanists call being Multiplied. In either state, they are generally thought to be more beautiful, and are very much valued by gardeners. A Dutch florist at Haerlem used to throw the double hyacinths out of his collection; till, by accident, one of them attracted his attention, and appeared to be so beautiful, that he cultivated the plant, and raised others from it. These were so much prized, that he sold them at a high price, and afterwards cultivated double flowers with as much care as he had formerly taken to reject them; and, at last, double hyacinths came into such request, that from one to two hundred pounds have been given for a single root.

The genus Al'lium includes the different species of Leek, Onion, Shalot, and Garlic. The broad-leaved leek, Al'lium Por'rum, and the common onion, Al'lium Ce'pa, which are cultivated in almost every cottage garden in this country, are natives of Switzerland.

There is one circumstance relating to the Barberry, Ber'beris vulga'ris, that deserves particular attention. The flowers contain six stamens, each of them fastened by its lower part to one of the petals, which are also six in number: the filaments spread out a little, and the anthers are covered by the upper part of the petals. If any thing,—an insect, for example, in search of honey,—touches the filament near the bottom, it immediately contracts, and strikes its anther against the summit of the pistil; but any other part of the filament may be touched without producing this effect. The filament which has contracted gradually goes back of itself to its original position, and may be made to move as before, several times, without losing this property; and even when the petals fall off, along with the stamens which are fixed to them, the filament still retains the power of moving.

The berries of the barberry are so very acid, that birds will not eat them; but we use them boiled with sugar as a sweetmeat. The leaves also are very acid. In Poland, the bark of the root is used for dyeing leather of a beautiful yellow colour.

Sorrel, Ru'mex aceto'sa, and Meadow-saffron, Col'chicum autumna'le, are in the order Trigynia of this class. The Laplanders use Sorrel in preparing a kind of whey from reindeer's milk, which will keep a long time.

EDWARD.

Is that the same kind of Sorrel that we sometimes eat when we gather it in the fields?

MOTHER.

Yes; and it is also used in salad. In France another species, Ru'mex scuta'tus, French sorrel, is cultivated for the table.

I must not forget the Aloe, which was first introduced into Europe from America in the year 1561, and is now planted for hedges in Spain, Sicily, and Calabria.

It is a common opinion that this plant blossoms only once in one hundred years; but the time of its flowering depends on the quickness of its growth: so that in hot countries, where it grows fast, it blossoms after a few years, but in colder climates it is much longer before even the stem shoots up. When vigorous, it grows to the height of more than twenty feet.

The tallest aloe of which there is any account, was in the King of Prussia's garden, and grew to forty feet high. In another plant, which flourished in Cheshire, in the year 1737, the stem began to appear in June, and grew five inches a day for some weeks; the flower branches were perfected in twelve weeks, and then ceased to grow for a month, while the buds were forming. This plant produced one thousand and fifty flowers; but one that blossomed at Leyden, in 1760, produced more than four thousand.

The Rice-plant, Ory'za, is in the order Digynia of this class; but it has the form and structure of the grasses, and differs from them only in the num-

ber of the stamens. Linnæus was acquainted with but one species, the Ory'za sati'va; but I believe that others have been since discovered. The common rice is a native of India, and throughout the East is of the greatest importance to the inhabitants, as an article of food. Rice is also much cultivated in the north of Italy.

The Indian Reed, Cal'amus petræ'us, is another plant of the class Hexandria, which also in some respects resembles a grass; but the stems grow to more than a hundred feet in height, and are then at least as thick as a man's arm. They are used in Cochin-China for making soldiers' pikes; and the inner part of the young shoots is eaten by the natives. Another species of Cal'amus, the ro'tang, or ratan, has very smooth glossy stems, marked with dark spots: it grows abundantly on both sides of the Straits of Malacca, from whence it is sent into Europe. The long spaces between the joints are used for walking-canes. A third species, Cal'amus ver'nus, is very common in forests in the East Indies: though not thicker than a man's finger, it often grows to the length of more than a hundred feet; and when split into strips, is used for making ropes, the seats of chairs, and different parts of several other articles of furniture.

EDWARD.

How very large the plants in India seem to be!

MOTHER.

In all hot countries vegetables grow to a much greater size, and are found in greater abundance than in cold climates, where they are diminutive, and few in number. The difference of size in going south from England begins to be perceived even in Italy, where millet, a sort of corn, attains the height of four or five yards. In the Island of Jamaica, in Madagascar, and on the coast of Coromandel, botanists have hitherto found from four to five thousand native species of plants; in Piedmont, two thousand eight hundred; in Brandenburg, two thousand; in Sweden, about thirteen hundred; in Iceland, five hundred and fifty-three; in Lapland, five hundred and thirty-four; in Spitzbergen, only thirty.

In the East Indies there is a plant called the greatFan-palm, Cor'ypha umbraculif'era, with leaves more than six yards in breadth, which have the form of an umbrella; and a species of Aristolo'chia*, that grows on the banks of the river La Madalina, in South America, has flowers so large that the children use them in play for hats. Another species of this genus, Aristolo'chia clemat'itis, grows wild in our woods and hedges.

The Monkey's Bread-tree, Adanso'nia digita'ta, is found on the banks of the river Senegal in Africa,

^{*} Class Hexandria, of Withering; but in the twentieth class, Gynandria, of Linnæus.

and the genus has its name from M. Adanson, a French traveller, who resided several years in that country. The roots often spread to more than a hundred feet around; the top is crowded with great branches, like trees, which run out from it in all directions, and touch the ground at their extremities; and though the stem is not more than twelve or fifteen feet high, it is often from eighty to ninety feet round. You will not, then, be surprised to hear that whole families of negroes sometimes live in the hollow trunk of this singular tree; which is remarkably long-lived, and has been even computed to live more than a thousand years.

Near the equator, too, gigantic climbers are found, which grow to the length of several hun-

dred vards.

EDWARD.

What are Climbers?

MOTHER.

Im a glad that you have asked this question; and whenever I mention any thing that you do not quite understand, you must not hesitate to say so. Plants are called climbers, when they are unable to support themselves, but take advantage of whatever is near to raise themselves upon; such as the Vine, and Virgin's bower. Many of these are furnished with tendrils, or claspers, with which they take hold of whatever can support them; some of them twist-

inground their prop from left to right, or according to the apparent motion of the sun, as the Honeysuckle; and others, on the contrary, from right to left, as the great Bind-weed. In some instances, as in the black Bryony, the tendril twists itself a certain number of times one way, and then takes a contrary direction, probably for the purpose of securing a more certain hold.

The common Ivy, Hede'ra he'lix, is a climber; and what are generally mistaken for the roots are in reality tendrils, which grow in the form of small fibres along the stem or branches, on the side next the supporter; insinuating themselves into the very substance of it, if a vegetable, and fixing themselves like real roots;—or clinging even to naked walls: for they are covered with hairs, which yield a gluey substance, that fastens them to the smoothest surfaces.

EDWARD.

Then Hops, I suppose, are climbers?

MOTHER.

Yes; and the poles are used to encourage their growth, by giving support to the young branches. In countries where wine is made, entire fields are planted with vines, which are supported on poles, just like the hops that you have seen in Kent and Surrey. And now, while I recollect it, I will tell you the distinctions between the terms Tree, Shrub,

Under-Shrub, and Herb, which are frequently employed by botanists.

Trees bear flowers for several years in succession, and send up a lofty trunk, divided at the top into many branches.

A Shrub is like a small tree; with a woody stem, which lasts many years, but begins to be divided into branches near the ground.

An Under Shrub is described by Decandolle, a French botanist, as a plant of whose stems the lower part only is woody; but the upper part, being of an herbaceous nature, dies every year.

Herbs, or Herbaceous Plants, have soft, not woody, stems. If they bear leaves and seeds within one year and then die, they are called Annuals; when they bear leaves in the first year, and flowers in the second, and then die, they are Biennials; and if they live and flower for more than two years, they are called Perennials.

The Oak and Horse-Chestnut are trees; Myrtle and Privet are shrubs; Candy-tuft is an under shrub; Parsley and Mint are herbs.

Climate and cultivation have great effect upon the growth and duration of all plants; so that, in warm climates, the shrubs of cold countries attain the size of trees; and, in a few instances, even herbaceous plants become as large as the trees in our orchards. On the contrary, the trees of warm or temperate climates dwindle into shrubs in cold countries. The colours, too, in tropical flowers, particularly those of Asia, are much richer and more variegated than in those of cold climates, which are principally white and blue.

EDWARD.

What is the meaning of Tropical?

MOTHER.

It is a term used in geography, which you will find explained in books on that subject. — The space that lies between what are called the Tropics is more directly under the influence of the sun, and much warmer than any other part of the globe. But I used the words Tropical plants only to signify those which grow in the warmest climates of the world.

I must not omit the Lil'ium, a genus which belongs to the sixth class, and one of the most important in a very numerous tribe, which bears the general name of Lilies. The flowers of this genus are very beautiful, being shaped like a bell, and composed of six petals, generally of the most brilliant colours. The roots are round, fleshy, Bulbs;— a sort of root of which there are several different kinds, and of which the Crocus and Snowdrop afford good examples. [Plates 5. and 9.] In the tulip the bulb is solid, hard, and smooth: in the lily it is scaly, something like the skin of a fish,

or the cup of a thistle: and in the onion it is coated, — which means, composed of layers one over another.

Bulbs are commonly considered, and very often described, as roots; perhaps because they are lodged entirely in the ground when planted by the gardener; but the true root of the plant is, not the bulb, but the fibres that issue from its under surface; and if these are cut away, the bulb will not grow. Linnæus calls the bulb the winter quarters of the future plant, furnished with a root suitable to its peculiar structure.

EDWARD.

Are turnips bulbous roots?

MOTHER.

No; but they are sometimes described as such. What we call the turnip, and generally consider as the root, is only a kind of intermediate stem, swelled into a bulbous form, between the real stem and the root.

The bulbous roots of the Kamschatka Lily, Lil'ium Camschatcen'se, called by the natives Saranne, forms a principal part of the food of the inhabitants of that country; and, fortunately for them, it is very abundant, all the grounds in Kamschatka blooming with its flowers in summer. During the season when fish is scarce, the Saranne is plentiful; and at other times the rivers supply

provision. The roots are gathered by the women, dried in the sun, and laid up for use. After being baked, they are ground into powder, or flour, of which the best Kamschatkan bread is made; and they are also sometimes eaten like potatoes.

But it is not to the labour of the women alone that the Kamschatkans are indebted for a stock of these roots; a species of mouse saves them a great deal of trouble in procuring it. The Saranne forms part of the winter provision of that little animal, which not only gathers them in the proper season, and lays them up in its magazines, but has the foresight to bring them out to dry in sunny weather to prevent their decaying. The natives search for these hoards; but always take care to leave a part for the mice, that these useful little creatures may not perish for want of food.

CONVERSATION THE NINTH.

CLASS 7. HEPTAN'DRIA. — TRIENTA'LIS. — HORSE-CHESNUT-TREE.—CLASS 8. OCTAN'DRIA.—HEATHS.
—DAPH'NE MEZE'REUM, COMMON MEZEREON, EXA-MINED. —MAPLE. — NUT-TREE. — WALNUT. —BALM OF GILEAD. — POPLAR. — CORK-TREE. — OAK; ITS VARIOUS USES. — CLASS 9. ENNEAN'DRIA. —BU'TO-MUS UMBELLA'TUS, FLOWERING-RUSH, EXAMINED. —LAUREL-TREE.—CINNAMON.—CAMPHOR.—RHUBARB.

MOTHER.

We are now come to the least numerous of all the Linnean classes, — the seventh, Heptandria; of which there is but one genus native in England; and of that only one species is known, the Chickweed Wintergreen, Trienta'lis europæ'a. It grows in woods, and on turfy heaths in the northern counties, but you are not likely to meet with it in our own neighbourhod.

The Horse-chesnut, Æs'culus Hippocas'tanum, in the first order of the class Heptandria, is a native of the northern parts of Asia, whence it was introduced into Europe, about the year 1500. There are several Horse-chesnut trees in our plantations,

and you know how beautiful the buds and-flowers are, in the months of April and May. The tree affords a fine shade while the leaves remain upon it, but as they begin to fall in July, it soon loses its beauty. Deer are particularly fond of the nuts; which, in Turkey, are ground and mixed with the horses' food: and in England a paste or size is prepared from them, which is preferred by bookbinders and paper-hangers to that made from wheaten flour.

EDWARD.

Is the wood of the Horse-chesnut made any use of?

MOTHER.

None, that I know of, except for water-pipes underground; but I have heard that the bark is sometimes used in medicine. The prickly husks of the nuts are used in tanning leather.

In England and all cold climates, trees and shrubs are universally provided with buds; which seem to be intended to protect the new parts about to be added to the plant, from the cold; since the same trees which are furnished with buds in our climate do not produce them in hot countries. The bud of the Horse-chesnut is remarkably large and beautiful.

The eighth class, Octandria, contains a very numerous and beautiful genus, that of the Heaths, Eri'ca, which is confined entirely to Europe and the southern parts of Africa. The country about the Cape of Good Hope especially abounds with them; the Cape alone, it is said, producing more than two hundred and fifty species. It is remarkable that this genus has not yet been discovered in New Holland, Asia, or the continent of America; and, what is still more extraordinary, it does not occur between the tropics, although found both in the Northern and Southern hemispheres in corresponding latitudes. The heaths in general are not fragrant, but the Eri'ca o'dor-ro'sea has a scent like otto of roses, and the tenuiflo'ra has the odour of a carnation.

Our native heaths, of which there are five, though inferior to the foreign species, are very beautiful. The most common, vulga'ris, is very useful to the poor inhabitants of the north of Scotland, who make beds, and thatch the roofs of their cottages, with it. In England and Ireland, brooms are made of its branches; and in the island of Islay, one of the Western Isles, ale is sometimes made of the young tops, with the addition of a little malt. Bees extract a great deal of honey from the flowers of heath.

Here is a drawing of the Mezereon, [Plate 10.] a plant in the order Monogynia of this class; which you must be contented with for this year, as the plant itself flowers in February and March, and is now out of blow.



Dapline Mezéreum _ Common Mezereon.

Class VIII. OCTANDRIA_Order MONOGYNIA.

Sowerby, se



EDWARD.

Then you will read a description of it, while I look at the drawing; and next spring we can try to find some real Mezereon in the hedges.

MOTHER.

It is not a very common plant, and I do not think you will find it growing wild in this part of the country; but that in our garden is of the same species; and will do as well for examination. The generic name is Daph'ne, and the characters of the genus are these:—"It has no calyx; the blossom "is of one petal, shaped like a funnel; the tube of "the blossom is longer than the border, which "has four flat divisions, ending in points. There "are eight stamens, growing on the inside of the "tube, in two rows; four of them below the other "four, but placed alternately. The germen is egg- "shaped, and contained within the blossom; the "style very short. The seed-vessel is a pulpy round "berry, which contains a single seed."

Withering mentions two native species; and the character which distinguishes the Meze'reum, of which the English name is Mezereon, or Spurge-Olive, consists in the flowers being Sessile, or sitting close, — without any flower-stalks, and growing upon the sides of the stem, generally three together. The leaves, which are spear-shaped, grow from the ends of the branches, and fall off in the

autumn. The berries are red; and Linnæus says they are so poisonous, that six of them will kill a wolf. The Mezereon does not produce its flowers till January or February; but if a bud is dissected in the month of August preceding, the petals, the stamens, and other parts of the young fruit, may be distinctly perceived.

EDWARD.

Is Mezereon a shrub or a tree?

MOTHER.

It is only a shrub; as you may perceive from its throwing out branches so near the ground.

There is another species of Daph'ne, the Laget'to, called the Lace-bark-tree, from the resemblance of its inner bark to net-work or lace. This bark is very beautiful, and consists of several layers, which can easily be pulled out into a fine white silky web, three or four feet wide, like lace or gauze, and which has often been used for ladies' dresses. Swartz, a celebrated botanist, says that it may be washed without injury. King Charles the Second is said to have had a cravat made of this web, presented to him by the governor of Jamaica; of which island, and of Hispaniola, it is a native.

The common Maple, A'cer campes'tre, and the Sycamore, or Plane tree, A'cer Pseu'do-plat'anus,

are placed by Withering in the same class and order as the Mezereon*, and both are natives of England. The wood of the Maple is much used by musical instrument-makers on account of its lightness; that of the Sycamore is one of the best that can be employed for turning, and it was in universal use for trenchers, before the introduction of earthenware. The Sugar-Maple, A'cer sacchari'nus, grows in great abundance in Pennsylvania, where sugar is made in large quantities, from the juice or sap obtained by piercing the stem of the tree in spring. This sugar is made nearly in the same manner as that procured from the sugar-cane, of which I have already given you an account.

The Whortle-berry, or Bilberry, Vaccin'ium myrtil'lus, and Cranberry, Vaccin'ium oxycoc'cus, are in the first order of this class, and grow plentifully in Scotland and some parts of England. Whortle-berries are the principal food of the moor-game in Scotland; and Cranberries are so much liked for making tarts, that they are brought to London from the northern counties of England, and even imported from Russia; as are the berries of another species of Vaccin'ium, the Macro-

^{*} In the twenty-third class, Polygamia, and order Monœcia, of Linnæus.

car'pon, nearly resembling the European, but with larger fruit, from North America. In China, the Vaccin'ium formo'sum is a sacred plant: the flowers are gathered at the beginning of the Chinese year, and placed in all the temples as an offering.

The Hazel-nut-tree, Cor'ylus avella'na, in the order Digynia of this class, according to Withering*, grows very commonly in our woods, and its timber is used for several different purposes. I need not describe the nuts to you, for you saw them yesterday at dinner. Squirrels live almost entirely upon them, and the leaves of the tree are eaten by horses.

EDWARD.

What is the tree that produces Walnuts?

MOTHER.

The Ju'glans re'gia, which was originally brought from Persia, but now grows commonly in this country. The genus Ju'glans is in the class Monœcia of Linnæus. The tree grows to the height of about fifty feet, and bears large green clusters of fruit, enclosing furrowed nuts, which ripen in September and October. The young fruit is

^{*} Class twenty-one, Monœcia, order Polyandria, of Linnæus.

pickled, and, when ripe, the kernels are eaten. is from these nuts that what is called Nut-oil is obtained; but the hazel-nut also affords a kind of oil which is used by painters. The wood of the Walnut-tree takes a fine polish, and was formerly much used in furniture: its principal use at present is, for making gun-stocks, for which purpose the king has plantations of the tree in different parts of England.

The Amy'ris Gil'eadensis, Balm of Gilead, is a shrub of this class and order, which grows in Judea and Arabia, and produces the resin or gum celebrated in Scripture for its medical virtues. It is so highly valued by the Turks that its exportation

is prohibited.

I had almost forgotten to tell you, that the Poplar, of which there are three or four native species, belongs, according to Withering, to the order Monogynia, of the eighth class.* The bark of the trembling Poplar, or Aspen-tree, Pop'ulus trem'ula, is the principal food of beavers: and Linnæus mentions that in West Bothnia, a part of Sweden, it serves as fodder for cows, goats, and sheep, being cut into very small pieces in autumn, and laid up to dry till the following spring, when hay is very scarce in that country. The woodpecker is very fond of the Aspen-tree, for the bark

^{*} Class and order Diœcia Octandria, of Linnæus.

is so soft that he can easily make his nest in it; and great numbers of insects are to be found in the decayed wood.

The poplar is the fittest of all trees for raising a shade quickly; it sometimes grows fourteen feet in a single season. The bark of the black Poplar, Pop'ulus ni'gra, is so light, that it is sometimes employed by fishermen, instead of cork, to support their nets in the water.

EDWARD.

But what is real Cork?

MOTHER.

It is the outer bark of a species of Oak, Quer'cus su'ber, a genus placed by Withering in the class Octandria*, which grows in the south of Europe and the north of Africa.

The Cork-tree does not begin to be productive until it is fifteen years old;—and even then the bark is only fit for fuel;—nor does it arrive at perfection till about the twenty-third year; but from that period it continues to yield good cork, every tenth year, for about an hundred and fifty years. The season for stripping off the bark is in July and August, and great care is taken not to wound the inner bark, which in time becomes good cork also.

^{*} Monœcia Polyandria, of Linnæus.

The best sort comes from Spain and Portugal; and is imported in great quantities into England, where it is cut into corks for bottles, and applied to many other purposes. The Spaniards cover the walls of their houses with cork, like wainscoting, which not only makes them warm, but very dry; and the peasantry in Spain lay broad planks of it at their bed-sides, as we do carpets; they also burn it to make what is called by painters Spanish black. The Egyptians formerly made coffins of cork lined with resin, which preserved their dead bodies for a very long time.

Two species of Quer'cus, or Oak, grow naturally in England, one of which, the Quer'cus ro'bur, is of great value; it is, indeed, the most valuable of all our native trees. The oak attains a great size, the full-grown tree sometimes measuring from fifty to sixty feet round. The wood is hard and tough, it takes a good polish, and, when well manufactured, has a very handsome appearance. The roofs and frame-work of almost all our ancient buildings which are the best preserved are formed of this timber; and it is now always employed where strength and durability are required. The crooked branches of the oak are of peculiar value in building ships, and there are extensive forests in England belonging to the King, which are reserved entirely for that purpose. Oak saw-dust is one of the principal vegetable ingredients used in dyeing the different shades of brown and drab colour. The bark of the tree is universally employed for tanning leather; and the acorns or fruit which enclose the seed, for fattening deer and pigs. The Oak is a very long lived tree; it is at least one hundred years attaining its utmost perfection: it continues vigorous for perhaps a hundred more, and then begins to decay. At Calthorpe, near Wetherby, in Yorkshire, there is an oak which measures seventy-eight feet in circumference close to the ground, and forty-eight feet at the height of a yard. It began to decline, it is said, in the reign of Queen Elizabeth; and though now much decayed, is still likely to stand for many years.

The light spongy bodies about the size of walnuts, called oak-apples, which you have often seen, are excrescences that grow from the leaves and other tender parts of the oak, when wounded by insects in depositing their eggs: they are called also Galls; and there are several different kinds, produced by the wounds made by different insects. Some of them are very useful in dyeing black, and the common gall is an essential ingredient in the ink that we write with. It is extremely bitter and astringent; but the galls of the Sal'via pomif'era, Apple-bearing Sage, a plant in the class Diandria and order Monogynia, are said to be of a very pleasant flavour, and are considered as a great delicacy in eastern countries.





Bútomus umbellátus ___ Flowering Rush.
Class IX. ENNEANDRIA __Order HEXAGYNIA.

The plants of the ninth class, Enneandria, are so few in number, that I think we can go through them to-day; and I dare say it will give you pleasure to examine this one, which I have just procured for you. [Plate 11.]

EDWARD.

How beautiful it is! I long to find out its name.

MOTHER.

That you can easily do; for there are but three native genera in this class, according to Withering, and only one in the arrangement of Linnæus. Here, hold the plant in your hand, while I read what Withering says about the genera.

The first genus described, Mercuria'lis*, is in the order Digynia; "it has no blossom, and the "flowers with stamens are on different plants from "those with pistils:"—we need not read any farther, for your plant, having six pistils, is in the order Hexagynia, and it has both stamens and pistils in every flower.

In the second genus, Bu'tomus, "the calyx, "which is called an Involu'crum, is composed of "three leaves."

^{*} In the class and order Monœcia Enneandria, of Linnæus.

EDWARD.

But these flowers have no calyx.

MOTHER.

It is true that each flower has not a separate calyx; but if you look at the top of the stem, from which the flower-stalks grow, something in the manner of an umbelliferous plant, you will perceive three sharp-pointed brownish leaves, that form a sort of a general calyx to the umbel or set of flowers: this is called an Involu'crum. "blossom is round, hollowed out like a bowl, and "composed of six petals; three of them smaller "than the rest, and standing alternately on the "outside between the others. There are nine "stamens, the filaments are awl-shaped, and the "anthers composed of two flat pieces laid close "together; and six pistils, each consisting of a "germen, which gradually passes into a style, "with a summit slightly notched."

In the next genus of Withering, Hydrocha'ris*, the stamens and pistils are in the flowers of different plants:—so that Bu'tomus must be our genus;—of which there is but one species known, called Umbella'tus, from the resemblance of its sets of flowers to an umbel. The English name is Flower-

^{*} Class and order Diœcia Enneandria, of Linnæus.

ing-Rush, and it grows on the margins of lakes and slow-running rivers.

EDWARD.

I wish we could always have real plants to examine; it is so much more easy to remember them than the drawings.

MOTHER.

So do I, my dear; and I hope we shall succeed in finding some living Plants in the classes that we have still to go through; but it is not possible to obtain them all in the same period of the year.

The genus Lau'rus, or Laurel, is in the order Monogynia, of the ninth class; none of the species grow wild in England.

The sweet Bay-tree, Lau'rus nob'ilis, is a native of Italy, and is said to be the Laurel of the ancients, with which they crowned their generals when they gained victories. It is a fine aromatic evergreen, and grows to the height of thirty feet.

The cinnamon-tree, Lau'rus cinnamo'mum, is a native of Ceylon, where it grows commonly in the woods and hedges, and is used by the Ceylonese as fuel. The whole plant is covered with a bark, which is at first green, and afterwards red: when the tree is three or four years old, this bark is peeled off and cut into narrow slips; and these, when dried in the sun, curl up into flakes like

quills, which are the Cinnamon we see in the shops. That of Ceylon is more highly flavoured than what is produced in any other country. The fruit of the tree is shaped like an acorn, but not so large. A kind of pigeon that feeds on it is very useful in propagating the cinnamon tree in Ceylon; for in carrying the fruit to its young, it often drops it in different places, where it takes root. When the seeds are boiled in water, they yield an oil, that hardens into a white substance, which has a delightful smell, and is made into candles at Ceylon; but only for the use of the king.

The Lau'rus campho'ra, or Camphor-tree, is so called from its affording what is called Camphor; a white brittle substance, which is so inflammable, that it burns even on the surface of water. This species grows in Japan, and is there a large and valuable timber-tree; it is used in the best buildings, and for the masts of ships.

Rhubarb, Rhe'um, is an herbaceous plant in the order Trigynia of the ninth class. The common sort, Rhe'um Rhapon'ticum, is a native of Turkey in Asia, but is frequently cultivated in our gardens; and we use the young leaf-stalks in spring for tarts. The Chinese Rhubarb, Rhe'um palma'tum, and another species that grows in Tartary, Rhe'um compac'tum, have thick, fleshy, yellow roots, which are much used in medicine. The Rhe'um palma'tum is a remarkably quick-growing plant, and the stem

has been known to grow upwards of eleven feet in three months. Some of the leaves are five feet in their largest extent; and the root, which remains in the ground during the winter, grows also to a very large size. Roots of five years old, produced in this country, have been sometimes found to weigh more than seventy pounds when fresh.

We shall leave the tenth class till to-morrow; for I think you have heard quite enough for the present.

straped the Sink of Leven Joseph

greener and the line of most symbator to

CONVERSATION THE TENTH.

CLASS 10. DECAN'DRIA.—STRAWBERRY-TREE.—SAXI-FRAGE.—PINK.—CARNATION.—AGROSTEM'MA GI-THA'GO, CORN-COCKLE, EXAMINED.—WOOD-SORREL. — LIG'NUM-VI'TÆ TREE. — LOGWOOD. — BRAZIL-WOOD. —LOCUST-TREE. — MAHOGANY-TREE.

MOTHER.

THE common strawberry-tree, Ar'butus une'do, is one of the native plants most remarkable for beauty, amongst those of the class Decandria. It belongs to the order Monogynia, and grows wild in Ireland, Italy, and Spain. It flowers in November or December, but the fruit does not ripen till the following winter; and it is singular to see a tree in the open ground, at that season, covered with both flowers and fruit; for, when the fruit is ripe, and still remaining on the tree, the flowers of the succeeding crop are in full bloom.

Plants which flower the earliest in this country, do not always ripen their fruit the soonest: the Hazel blows in February, but does not ripen its fruit till autumn; while the Cherry, which does not blow till May, is ripe in June. It may be taken, however, as a general rule, that if a plant blows in summer, it ripens its fruit in autumn,—as is the case with the Vine; and if it blows in autumn, the fruit is ripe in the winter; but the Meadow-Saffron, though it blows in the autumn, does not ripen its seeds till the succeeding spring.

EDWARD.

The Ar'butus berries look like strawberries:— I have tasted some of them in the shrubbery, but they were not very good.

MOTHER.

They are insipid; but they are sometimes eaten by the country people in the south of Ireland, where this tree grows abundantly and in great perfection, especially among the rocks of the Lakes of Killarney.

The black-berried Strawberry-tree, Ar'butus Alpi'na, which grows on mountains in Scotland, flowers in June and July, and bears a fruit like the black currant, both in shape and flavour.

The second order, Digynia, of this class, contains the genus Saxifraga, or Saxifrage, of which there are several native species. London Pride,

Saxif'raga umbro'sa, is one of them; and though so common in all our gardens, its natural situation is on high mountains.

The beautiful genus of Pinks, Dian'thus, which includes all the varieties of Carnations and Sweet Williams, is also in this order; and there are five or six native species of it. The fine double Carnations, that are so much admired, are only varieties of the common Pink, Dian'thus caryophyl'lus:—but a botanist considers every thing as a deformity which does not appear in a plant in its uncultivated state; and if I wished to examine the botanical characters of a species of Dian'thus, I should choose a wild specimen with a single flower.

EDWARD.

But don't you like double Carnations a great deal better than single Pinks and Sweet Williams?

MOTHER.

I certainly do admire the wonderful variety and beauty of their colours. — Can you read these lines?

EDWARD.

Where is the labour of the loom Can vie with the Carnation's bloom? He who can thus adorn a flower, That's doomed to perish in an hour, Forbids his creatures to despair His universal love to share,





Agrostemma Githágo _Corn Cockle.

Class X.DECANDRIA _ Order PENTAGYNIA.

Sowerby,

MOTHER.

Here is the plant which I have brought in this morning to examine. [Plate 12.] Can you tell me its class and order?

EDWARD.

It must be in the tenth class, Decandria, and the order Pentagynia; for it has ten stamens, and five pistils.

MOTHER.

Very well; now compare it with this description: - "Calvx, a cup of one leaf, of a texture "something like that of leather, with five sharp "divisions; blossom composed of five petals; the " lower parts of the petals, which are called Claws, "as long as the tube of the cup; border of the " blossom spreading out. The filaments are awl-"shaped, and the styles of the pistils thread-" shaped, as long as the stamens, with undivided "summits." This is the generic character of Agrostem'ma, and you see it answers very well.-There is but one species native: the specific character consists in the whole plant being hairy; the cup having ten ribs, with divisions reaching beyond the blossom; and the petals being undivided, and without down or hair. The English name of the plant is Corn-Cockle, and the botanical name Agrostem'ma Githa'go.

EDWARD.

I think I have seen it in corn-fields.

MOTHER.

I dare say you have, for it grows in abundance amongst corn, where it is a troublesome weed.

EDWARD.

What a thick calyx this flower has, with such delicate petals!

MOTHER.

The use of the calyx is to protect the other parts, before the flower opens, and afterwards to support them in their proper places: its figure varies a good deal in different flowers; and it is sometimes altogether wanting, -as in the tulip, which has fleshy and firm petals, standing on a broad and firm basis, and not requiring support. Carnations, on the contrary, whose petals are particularly long and slender at the lower part, and would be apt to break, have a calyx composed of one piece; which is indented at the top, that it may fold over the petals before they expand, and support them better, by spreading under them, when the flower is in full blow. In some flowers, where the petals are very long and slender, the calyx is composed of several pieces, lying over each other like the scales of fishes.

The pretty little Wood-Sorrel, Oxa'lis aceto-

sel'la, is in the same order with the corn-cockle. The leaves, which are like those of the trefoil, close up on the approach of rain; and open again when it is dry. They are very acid, like those of the common Sorrel, Ru'mex aceto'sa; and a salt is prepared from them, which is sold in the shops under the name of essential salt of lemon.

By the opening and shutting of several flowers as well as leaves, we are enabled to judge of the state of the atmosphere. If the Son'chus Siber'ica, Siberian Sow-thistle, shuts at night, the following day will probably be fine; but if it remains open, it will be cloudy and rainy. When the African Marigold, Tage'tes erec'ta, continues shut, long after its usual time of opening in the morning, rain is nearly approaching; and the Convol'vulus arven'sis, small Bindweed, and Anagal'lis arven'sis, scarlet Pimpernel, even after they have opened, shut themselves up again on the approach of rain.

— From this circumstance, the Pimpernel has been called the poor man's weather-glass.

EDWARD.

Are there any trees in the tenth class?

MOTHER.

I do not know of many, and none of them except the Ar'butus are native: but I will tell you what I recollect of a few foreign ones.

The Lig'num-Vit'æ tree, Guai'acum officina'le, in the order Monogynia of this class, is a native of the West Indies. The wood is so heavy that it sinks in water, and so hard that it often breaks the tools employed in cutting it down: it is, therefore, seldom used for common purposes, but is used by sugar-planters, for making wheels in their sugarmills, and is frequently made into bowls, mortars, and other utensils for which very hard wood is necessary.

It is said that almost all parts of this tree, the wood, bark, the gum, which is called Gum-guaia-cum, the fruit, and even the flowers, are useful in medicine.

The Logwood-tree, Hæmatox'ylon Campechia'num, which is of the greatest use in dyeing, and in staining wood, is a native of South America. It is very heavy, and is brought to Europe in logs of about a yard long, which are cut and bruised by a mill before they can be used by the dyer.

The Brazil-wood, Cæsalpi'nia Brasilien'sis, which is used particularly for dyeing cloth of a beautiful scarlet colour, comes from the West Indies. The wood is very hard and dry, of a red colour, and takes a good polish.

The Egyptian Cassia, or Senna-tree, Cas'sia senna, is a native of Persia, Syria, and Arabia. The leaves are gathered in those countries, and sent to Alexandria in Egypt, from whence they

are brought to Europe, and are very much used in medicine.

The Locust-tree, Hymene'a Courba'ril, which grows in the West Indies, produces from its roots a fine transparent resin, called in the shops Gum an'ime, which, when dissolved in spirit of wine, makes a very fine varnish. The wood of the tree is remarkably heavy.

The Mahogany-tree is the last I shall mention in this class. Its botanical name is Swiete'nia Mahog'ani; and it grows in the warmest parts of America, and some of the West India islands. The seeds, which are very light, are often blown into the chinks of rocks, where they take root, and sometimes produce trees of considerable size; and the wood of those that spring in this manner, from exposed situations, is harder and better than what grows in other places.

Mahogany is more used than any other timber for cabinet-maker's work, because it takes a fine polish, and is very durable. It was first brought to England about a hundred years ago, by a West India captain, as ballast for his ship; but being too hard to be cut with the common tools used by carpenters, it was laid aside as useless. Afterwards, it is said, the captain's wife wanting a box to hold her candles, thought that wood so hard would keep out the mice, and had stronger tools employed to make one. The wood was then found to be so beautiful, that the fame of mahogany became general, and it has ever since been imported in large quantities.

I do not wish to tell you any thing more at present, my dear, as it will be better for you to remember well what you have already heard; and if you try to learn too much at one time, you can retain nothing in your memory.

To-morrow we will go into the village, and look for some Houseleek; which grows on the roofs of cottages, and the tops of old walls. It is the best plant of the eleventh class, that I can think of, for examination; and there is but one native species. But we must try to find some of it growing in different situations, for a reason I shall tell you when we examine the plant.

Charles - Comment of the Comment of

Hed in anti-passing a diversity of the original

CONVERSATION THE ELEVENTH.

CLASS 11. DODECAN'DRIA.—SEMPERVI'VUM TECTO'RUM, COMMON HOUSELEEK, EXAMINED.—DEFECTS
OF SYSTEMS.—MIGNONETTE.—CHESNUT TREE.—
BEECH.—CLASS 12. ICOSAN'DRIA.—SITUATION OF
THE STAMENS; ITS IMPORTANCE.—RO'SA CANI'NA,
DOG-ROSE, EXAMINED.—ROSES.—SWEET-BRIAR.—
FRUIT-TREES.—HAWTHORN.—THORNS.—CLOVE
TREE.—MYRTLE.—PEACH AND ALMOND TREES.—
POMEGRANATE-TREE.

EDWARD.

Are you ready now, mamma, to read a description of the Houseleek?

MOTHER.

Yes, my dear.—But I wish I could have procured a flower that would show the character of the class Dodecandria more distinctly: since the number of stamens varies, under different circumstances, even in the same species, of the genera which are native. The Houseleek, however, is certainly placed in this class by botanists. Can you tell me the order it is in?

EDWARD.

I suppose it is Dodecagynia, for I see twelve pistils, and I think you told me that whenever there were about that number in each flower, the order was called so.

MOTHER.

You are right. The number of the pistils in the genus Sempervi'vum, to which this plant belongs, is commonly twelve: but it often varies. Here then is the description.—[PLATE 13.] "The calvx " is a cup, of one piece, with twelve or more sharp "divisions: the blossom is longer than the cup, "and composed of the same number of sharp " petals, each of which is fringed with fine hairs. "The number of stamens is, in general, the same "with that of the petals:" but frequently, in this species, some of them are imperfect, and of very different appearance from the rest. "There are "about twelve germens, placed in a circle, which "have sharp summits." In our plant, Sempervi'vum tecto'rum, the leaves grow in thick tufts, and are very fleshy, and fringed at the edges with hair.

EDWARD.

Look at this piece that grew upon the wall; it has only eight pistils.

MOTHER.

In the Houseleek you will often find, that the



Sempervivum tectorum Common Houseleck:

Class XI, DODECANDRIA _ Order DODECAGYNIA.

Somerby sc.



number of all the parts of the flower, especially of the pistils, varies according to the richness of the soil in which the plant has grown; and it was for this reason that I wished to bring home specimens from different situations. The branch we have just examined, was from the thatched roof of the cottage, where I suppose the soil was richer than on the top of the wall.

Houseleek was formerly planted on the tops of houses, from a superstitious idea that it was a preservative from lightning and thunder.

EDWARD.

I am afraid that I should not have been able to find out the name of this plant, if you had not told me.

MOTHER.

It is unsatisfactory to examine the plants which are placed in this class, because the character itself is imperfect. You must always recollect, that every botanical arrangement, or System, as it is called, must be defective; because the acquaintance with plants, even of the best botanists, is very far from being complete. The method of Linnæus is, upon the whole, one of the best; but it has some faults, and the imperfection of this eleventh class is one of them; for the class has no foundation in nature, and has been formed merely for convenience; whereas the grasses, and some other

tribes of plants that I have told you of, besides being so regular in the number and situation of the different parts, upon which the classes and orders are founded, have a general and natural character that distinguishes them.

The genus Rese'da, of which the Mignonette is a species, belongs also to the class Dodecandria; and Linnæus himself says, that there is scarcely any genus which it is more difficult to determine: the number and shape of the parts of the flower varying considerable in different species. Two of these species grow wild in England, Rese'da lu'tea, or wild Reseda; and R. Lute'ola, Dyer's weed. The latter is made great use of in woollen manufactories for dyeing yellow; and it gives the colour also to the vellow paint called Dutch pink. The Lute'ola flowers in July; and Linnæus observes that the spike of flowers follows the course of the sun, turning towards the east at sunrise, towards the west as the sun declines, and at midnight towards the north.

The garden Mignonette, Rese'da odora'ta, which has its name from the delightful odour of the flower, is a native of Egypt; but was introduced into France about the year 1725, and thence into England in 1740. It blossoms from June till the beginning of winter, and the flowers when dried retain their scent for several months.

These three species of Rese'da are all annuals; but the odora'ta, if the blossoms are cut off as fast as they blow, continues to bear flowers from year to year, like a perennial.—You recollect what the words Annual and Perennial mean?

EDWARD.

An annual is a plant that bears leaves and flowers within one year, and then dies.

MOTHER.

Very well. Several plants which are annual in warmer climates become Biennial, or live for two years with us: because the heat of this country is not sufficient to bring them to perfection in one year, and the seeds do not ripen till the second summer. Some, that in warm countries are Perennial, which means lasting many years, become annual with us; the root being killed by our severe winters. And some which are perennial in cold climates become annuals when they are transplanted to a warmer one,—the heat and drought causing the roots to dry away.

But we must finish the eleventh class, that we may go on to the twelfth, which is very extensive, and contains several plants that you will be pleased to hear of.

The Chesnut-tree, Fa'gus casta'nea, which, according to Withering, is in the class Dodecandria*, and order Trigynia, is one of the finest of our
* In the class and order Monœcia Polyandria, of Lin-

næus.

native trees, and is remarkably long lived. In Gloucestershire there is a chesnut-tree which is known to have stood there ever since the year 1150, and even then was so remarkable, as to be called the great Chesnut of Tortworth; it measures fifty-two feet round, and still continues to bear fruit, though probably not less than a thousand years old.—But the largest chesnut-trees known grow upon Mount Ætna in Sicily. The tree is very beautiful, and Salvator Rosa, who painted often in the mountains of Calabria, where the chesnut flourishes, frequently represents it in his pictures. The nut forms a great part of the food of the common people in the south of Europe, and the wood is very valuable.

The common Beech, Fa'gus sylvat'ica, is also a native of England. The old leaves, after turning brown, sometimes remain on the tree throughout the winter; and they are often gathered in the autumn by poor people, for the purpose of making mattresses, which are much better, and more durable, than those of straw or chaff. The wood soon decays when exposed to the weather: but it lasts a long time under water, and is of the greatest value for making carpenters' tools. The nuts, when dried and ground, are said to make a tolerable sort of bread, but, if eaten raw, they cause giddiness: the poor people of Silesia use an oil procured from them, instead of butter.

CLASS ICOSAN'DRIA, HOW DISTINGUISHED. 129

Now, my dear Edward, tell me, do you recollect how the twelfth class, Icosandria, is distinguished?

EDWARD.

I believe there are more than twenty stamens in each flower; and if the petals are pulled off, the stamens remain on the receptacle.

MOTHER.

Bring your little drawing of the classes [Plate 2.], and see, yourself, whether you are right.

EDWARD.

Oh! I have made a great mistake!—It is in the *thirteenth* class, Polyandria, that the stamens grow upon the receptacle. In Icosandria they are fastened to the sides of the calyx.

MOTHER.

Here are two plants,—a Dog-rose and a Buttercup; tell me to what class each of them belongs?

EDWARD.

I have pulled off the calyx of both flowers; and I think that the Rose is in the class Icosandria, and the Butter-cup in Polyandria,—for all the stamens of the rose came off along with the calyx, but in the butter-cup they remain on the receptacle.


MOTHER.

Exactly so. This character of the flower in the class Icosandria is very important; as it indicates, almost certainly, that the pulpy fruit, which comes after the flower, is wholesome. No traveller in an unknown wilderness need be afraid to eat the fruit of any plant whose stamens grow upon the calyx: but the other parts should be carefully avoided, for in some species they are poisonous.*

The plant that we shall examine to-day, is a Rose, which belongs to the genus Ro'sa, in the order Polygynia; and as there are several native species, I will at once tell you that this is the common Dog-rose, Ro'sa cani'na. [Plate 14.]

"The cup in this genus is of one leaf; with five divisions in its border, which are narrow and sharp-pointed. The blossom has five heart-shaped petals, as long as the cup, and fixed to its neck." You recollect, that in this class, the precise number of the stamens is not material; but there are more than twenty. The filaments are short, and fixed to the sides of the calyx. There is no seed-vessel; but the cup itself swells into a berry, which is generally of a bright red colour, when ripe, and contains a great many oblong seeds rough with stiff hairs. It is this cup which forms the principal distinction of the genus Ro'sa: its shape

^{*} Smith's Introduction to Botany, 5th edition, p.317.



Rósa Canina Common Dog Rose.

Class XII. ICOSANDRIA Order POLYGYNIA.



is something like a boy's top, bulging out below and drawn in at the neck or upper part, as if confined by a string; and it opens at the upper part to let out the ripe seeds.

Ro'sa cani'na is distinguished from the other Roses, by having oblong fruit; the stalks which bear the flowers smooth, but those supporting the leaves prickly: and crooked prickles also on the stem, two in every joint between the knots, placed alternately on opposite sides. In the calyx two of the divisions have teeth on both edges; two have none; and the fifth has teeth on one edge only.

EDWARD.

How pretty the Dog-roses are! I often wish to bring some home; but the thorns are so sharp, that I can hardly pull them in the hedges.

MOTHER.

Roses are always accompanied by thorns, and these lines were written to reconcile us to them:—

Why does the painful thorn presume To spoil the Rose's soft perfume? — It was by Providence intended Our pains and pleasures should be blended; We smile to-day, to-morrow mourn, Nor find a rose without a thorn.

The Sweet-briar, or Eglantine, is another species of rose, Ro'sa rubigino'sa, which is common in England; its flowers sometimes grow double, and,

132 Roses.

as well as the leaves have a very delightful scent, The Provins, and Damask roses, provincialis and damasce'na, are the most fragrant of the genus Ro'sa. There are two varieties of the damasce'na which blossom more than once a year; one called the Monthly rose, the other the rose of Pæstum, which has been celebrated by Latin poets for blossoming twice a year. The Moss rose, Ro'sa musco'sa, has its name from the substance like moss, with which the flower-stems and calyx are covered; it is, in fact, a collection of glands, containing a resinous and fragrant fluid.

The Rose is a favourite plant in every country where it is found; but it is remarkable that no roses have ever been met with in the southern hemisphere. All the species at present known grow between the seventieth and twentieth degrees of northern latitude; except the Ro'sa Montezu'ma of Mexico, which is found in the nineteenth degree, at an elevation of nearly ten thousand feet above the level of the sea. Asia, which may be called the land of roses, produces about forty species; Europe has twenty-five species; of which five are common to Asia and Europe: and two species are peculiar to Africa. Among the ancients, particularly the Egyptians, roses were considered as symbols of silence; for which reason, the goddess Isis, and her son Harpocrates, who was the god of silence, were crowned with chaplets of these flowers.

Red and white roses are remarkable in English history as emblems of the houses of York and Lancaster; for when those two families were contending for the crown, in the reign of Henry the Sixth, the white rose distinguished the partisans of the house of York, and the red those of Lancaster.

There is another genus in this class, and of the same order, the Brambles, Ru'bus, that in some respects resembles the rose. Most of the species grow in cool climates or mountainous situations, and are valuable for their fruit, which is wholesome and agreeable. The berry is composed of a number of juicy grains,—in general attached to each other, so that they cannot be separated without tearing; and a number of these little grains are placed close together, round a receptacle like a sugar loaf; which you see when you pull a ripe raspberry.

The wild Raspberry, Ru'bus Idæ'us, is plentiful in the North of England, Scotland, and Wales, and, though smaller than what is cultivated in gardens, which is a variety of the same species, the fruit has a much sweeter flavour. The fresh leave, are the favourite food of kids. The Blackberrys so common in all our hedges, is the Ru'bus frutico'sus.

The Cloudberry, Ru'bus Chamæmo'rus, has its English name from growing on the tops of very high mountains, which are often covered by clouds. It grows plentifully in the north of England and Scotland, and in many parts of the north of Europe. The Norwegians pack up the berries in wooden vessels, and send them to Stockholm, where they are sold for desserts, and for making vinegar; and the Laplanders bury them under the snow to preserve them from one year to another.

The dwarf crimson Bramble, Ru'bus arc'ticus, is so diminutive, that an entire tree, with all its branches, leaves, and fruit, has been put into a bottle capable of holding only six ounces.*

The Plum, Prunus: the Medlar, Mes'pilus; and the Pear and Apple trees, Py'rus, all belong to this class, and are all found wild in England.

The Cherry and Apricot, as well as the Plum, are species of the genus Pru'nus. And though the fruit in this genus is so good, the leaves of several of the species are poisonous; especially those of the Pru'nus Laurocer'asus or Laurel Cherry. Many species of plum are covered with a substance called the Bloom, which is sprinkled over the outer surface of the fruit, and has very often a delicate tinge of blue: it is easily rubbed off with the finger, but resists the most violent rains.

The Pru'nus Armeni'aca, or Apricot, has its specific name from having been originally a native

^{*} Clarke's Travels, Vol. V.

of Armenia; it was first brought to this country about two hundred and fifty years ago.

The Sloe-tree, or Blackthorn, Pru'nus spino'sa, in its natural state, is almost covered with thorns; indeed most of our fruit-trees, in their wild state, are furnished with thorns; but cultivation soon causes these to disappear, or greatly diminishes their number. Thorns are, in fact, buds, which a sufficient supply of food would convert into branches and leaves, but whose growth is checked for want of nourishment. In temperate climates few vegetables are furnished with thorns; but in hot countries they render some of the forests quite impenetrable. In some species of Mim'osa, the thorns are so strong and thickly set, as to form a complete defence against animals, except such as have very thick and hard skins, like the rhinoceros.

Several plants are furnished with *Prichles*, which are sometimes almost as stiff and sharp-pointed as thorns; but there is this difference, that the prickle springs from the outer bark, and may be peeled off along with it, while the thorn grows from the wood itself, and remains after the bark is taken away. What we commonly call thorns in the rose-bush, are only prickles. Grew remarks, that "thorns being part of the wood, which has a ten-"dency to grow upwards, generally point upwards

"but prickles, which proceed from the bark only, "are in most cases pointed downwards."*

All the varieties of pears and apples belong to two species only of Py'rus. The wood of the peartree, Py'rus commu'nis, is light and smooth, and much used for making carved work; and when stained, it serves to make the black keys of pianofortes, and black picture-frames. The juice of the Pear, fermented, is called Perry; which is made in great quantities in England, especially in Worcestershire and Herefordshire.

The wild Apple, or Crab-tree, Py'rus Ma'lus, though so harsh and disagreeable, is the original from which all our varieties of apples have been produced. The tree lives a long time; and the wood is much used by millwrights. The juice of the wild fruit, which is extremely sour, is called Verjuice, but that of the cultivated kinds, when fermented, makes Cider.

The Strawberry, Fraga'ria, is another valuable genus of this class, and grows wild in England.

EDWARD.

Are the large strawberries in our garden of the same genus as the little ones, that we find in the woods?

MOTHER.

They are; and even the species is the same,

* Grew's Anatomy of Plants, p. 34.

Fraga'ria vesca; but the fruit is enlarged to the size that you see in the garden, by cultivation and richness of soil; which you remember, render the growth of almost all plants more luxuriant.*

The Hawthorn, Cratæ'gus Oxyacan'tha, which grows in almost every hedge, and the Mountainash, Sor'bus aucupa'ria, that is so ornamental in shrubberies, are in the orders Digynia and Trigyn'ia, of the class Icosandria.

Amongst the foreign genera of this class, the Clove-tree, the Myrtle, and the Peach and Almond-trees are remarkable.

The Clove-tree, Euge'nia caryophylla'ta, belongs to the order Monogynia, and is a native of the Molucca islands. Its general appearance resembles that of the laurel. The flowers, which are produced at the ends of the branches in great numbers, are first white, then green, and at last red and hard, in which state they are cloves. The season for gathering this spice is from October to February, when large cloths are spread under the trees to receive the flowers, which are beaten off the boughs with long reeds; as they dry they become yellow; and when gathered for some time, they are of a deep brown colour, such as we see.

The common Myrtle, the pretty evergreen shrub that is to be found in almost every green-house, is

^{*} Page 86.

the species commu'nis of the genus Myr'tus; and is a native of Asia, Africa, and the southern parts of Europe. Lord Anson mentions, in his Voyage round the World, that the largest trees for timber on the island of Juan Fernandez, and from which he obtained beams of forty feet in length, were of this genus.

The Peach-tree, Amyg'dalus Per'sica, of which there are two varieties,—the Peach with downy fruit, and the Nectarine without down,—is in the first order of this class. Its native country is not known, but it is supposed to have come originally from Persia. Another species the Almond-tree, Amyg'dalus commu'nis, is a native of Barbary.

In the same order of this class are the Pomegranate-tree, Pu'nica Grana'tum, which bears the fruit supposed to have been the golden apple of the ancients;— and the Eucalyp'tus, a genus peculiar to Australia, of which nearly a hundred species have been already discovered, most of them trees of very large dimensions. The Eucalyp'tus glob'ulus, and another species peculiar to the south end of Van Diemen's Island, frequently attain the height of a hundred and fifty feet, and measure, near the base, from twenty to five-and-forty feet round.

CONVERSATION THE TWELFTH.

CLASS 13. POLYAN'DRIA.—PAPA'VER RHÆ'AS, COMMON POPPY, EXAMINED.—SEEDS.—OPIUM.—TEATREE. — CAPER-BUSH. — WATER-LILY. — SACRED
BEAN OF INDIA. — TULIP-TREE. — SIDE-SADDLE
FLOWER. — ANOTTA. — STORY OF AN INDIAN
WOMAN.

EDWARD.

I have brought in some beautiful Poppies from the corn fields; and I am sure they are in the thirteenth class, Polyandria, for all the stamens are fixed to the receptacles, and there are more than twenty of them. Will you read the description of the poppy for me?

MOTHER.

I will, my dear, with pleasure. It gives me great satisfaction to find that you begin to distinguish the classes by yourself. But we must go on regularly:—is there nothing else to be determined before we come to the genus?

EDWARD.

Oh, yes;—the order. Well there is only one pistil, so it is Monogynia.

MOTHER.

Very well. The genera of this order are — for convenience,— divided into three sets, consisting of plants, which have flowers with four petals, or with five, or with a greater number. This plant has but four; and in that division there are only three genera, to one of which, of course, the poppy belongs.

The seed-vessel of the first genus, Chelido'nium is a long pod, something like that of the wall-flower [Plate 1.]. Is that the case in your plant?—Look at the largest of the seed-vessels [Plate 15.], and tell me.

EDWARD.

No, mamma; this has a round, smooth, seed-vessel, with a little thing like a coach-wheel on the top.

MOTHER.

Then it is not Chelido'nium.— In the next genus with four petals, Actæ'a, the seed-vessel is a berry, consisting of a pulpy substance, with the seeds dispersed through it,—like a currant or gooseberry, but quite unlike this one. Our plant, then, must be a Papa'ver; and we will now see whether your



Papáver Rhœas __Common Red Poppy.
Class XIII. POLYANDRIA __Order MONOGYNIA.

Sowerby:



flower agrees with the full description of that genus

"The cup consists of two egg-shaped leaves."-

EDWARD.

But these flowers have no cup.

MOTHER.

You must look at some of those which are not fully blown, for in this genus the calyx falls off as soon as the blossom opens. When this is the case, the calyx is said to be Cadu'cous; if it falls off along with the other parts of the flower, it is called Decid'uous,—as in the Wall-flower; when it remains after the other parts of the blossom fall, it is said to be Permanent, as in the Corn-cockle.

"The cup consists of two egg-shaped leaves, "notched at the ends. The blossom is composed "of four round flat petals, large and spreading out, "and narrowest at the end next to the receptacle. "The filaments are numerous, like hair, and much "shorter than the blossom; and the anthers are "oblong and flattened. In the pistil the germen "is large, and in general, nearly round, like a "globe;"—but in some of the species it is oblong, as in this instance; "there is no style; and the "summit is shaped like a target, — (or something "like a saucer turned upside down), flat, and divid-"ed into rays, like the spokes of a wheel. The seed-

"vessel is called a Capsule, and has only one cell, "divided half-way through by little partitions that "run from top to bottom. The large flat summit "forms a sort of crown on the top of the seed-"vessel, which, when the seeds are ripe, opens in "several places, close under the crown, to let them "out. The seeds are round and numerous."

EDWARD.

What is a Cell?

MOTHER

It is a hollow space in the seed-vessel, for holding the seeds. A capsule is composed either of one such hollow, or of several; and these cells are sometimes provided with little partitions, to which the seeds are fixed, until they are quite ripe and fit for sowing. Can you find the seeds of your poppy?

EDWARD.

Yes; but they are very small. Would every one of these little things grow into a plant, if I were to put them into the ground?

MOTHER.

Under favourable circumstances they would: but it is probable that a good many of them might be destroyed by damp, or eaten by insects; which is, perhaps, one of the reasons why they are so numerous.

SEEDS. 143

The number of seeds produced by some annuals is very astonishing. More than thirty thousand have been found in a single head of poppy; and in some other plants the number is still greater. In the great Cat's Tail, Ty'pha ma'jor, the seeds are blown off by the wind, and no doubt many of them lost; but this effect is provided against by their vast number, each spike generally bearing about forty thousand seeds! so that upon the three spikes, which every plant commonly produces, there are every year more than a hundred and twenty thousand seeds. The Tobacco, Nicotia'na Tab'acum, of a genus in the class Pentandria, has been known to produce, on one plant, three hundred and sixty thousand seeds; and the annual produce of a single stalk of Spleenwort, a kind of Fern, has been estimated at a million.

EDWARD.

And do all plants produce seeds?

MOTHER.

All annual and most perennial plants do so, when they grow in a favourable soil and situation.

The structure of seeds, and the manner in which they grow, or germinate, are of great importance in botany; — because they are found to be always connected with great differences, both in the inward structure, and in the form and ap-

pearance of the plants which spring from the seed. But as this subject is difficult, I will mention to you only some of the principal parts into which seeds are divided,—and these are, chiefly, the Skin or Husk, the Cotyl'edon, and the Embryo.

The Skin, or Husk, is no more than a sort of case, by which the parts within are defended from injury; it is commonly of a darker colour than the parts which it contains.

The Lobes, or Cotyl'edons, immediately surround the Embryo; and when the stem has begun to grow, they generally appear upon the surface along with it, in the form of the first leaf or leaves. When there is only one lobe, the plant is said to be Monocotyle'donous; when two it is called Dicotyle'donous, which is by far the most numerous division. Other seeds have a greater number of Cotyl'edons than two; and some have none at all.

The Embryo is the future plant in miniature, and in general is exceedingly small. Linnaus calls it the Cor'culum, or little heart. It is the portion which all the rest of the seed is intended to nourish and protect, and is itself divided into two parts; one called the Plu'mula, which always grows upwards, and becomes the stem and branches of the future plant; the other, which is called the Rad'icle, becomes the root, and grows down into the earth. These parts may be readily distinguished in the

common garden bean, the skin or husk of which it is very easy to separate; the two flat portions, which form the greater part of the bean, being the Cotyl'edons, with the little plant or Cor'culum between them.

EDWARD.

Must the seeds be quite ripe, before they can grow?

MOTHER.

Seeds that are not ripe very seldom grow; but there are a few exceptions to this rule. Peas have been known to germinate, even when put into the earth in a green and soft state; and the seed of a lemon has been observed to shoot out a little radicle and plumula, even before it was taken from the fruit.

Some kinds of seeds take a much longer time to germinate than others. Those of the grasses are among the number whose seeds grow the quickest; and the plants of the Rose-tribe are perhaps the slowest.

EDWARD.

But if the seeds are not gathered when they are ripe, what becomes of them?

MOTHER.

Nature takes various methods to ensure their being sown. The seeds of several plants, which grow best in a peculiar soil, as of the A'rum, are

small, and heavy enough to fall directly into the ground when the seed-vessel opens; so that they grow without further care, nearly in the same place where the parent plant flourished. If the seeds are so large and light, as to be borne by the wind, they are often furnished with little hooks, to prevent their straying too far, till they are safely lodged in the earth. Some, on the contrary, have little wings, that, when they are ripe, they may be carried by the wind to some distance; lest they should all fall together, and come up so thick as to injure each other. The seeds of the ash and maple are of this description. Other seeds are scattered, not by flying about, but by being spurted, or darted away, by the plant itself: those of the Wood-sorrel, for instance, which has a running root, are thrown off in this manner; - the seed-vessel being of such a construction, that when it begins to dry, it bursts open, and in a moment is violently turned inside out, so that the seeds are scattered to a great distance. When oats are ripe, the grains are thrown from the calyx with such a sound, that, in passing near an oat field in a fine dry day, you may hear a crackling noise.

Birds and animals also sometimes disperse the seed, when the seed-vessel forms part of their food. This is the case with such fruits as the cherry, the sloe, and haw; which birds carry away, till they

find some convenient place for devouring the pulpy seed-vessel, and then drop the stone, with the seed which it contains, upon the ground.

Where the seed itself is liable to be totally destroyed, provision is made for the propagation of the plant by other contrivances. Thus in the strawberry, — the seeds of which are eaten along with the pulp, and often devoured by vermin, — the plant is easily made to grow from suckers, or young shoots; much in the same manner as the stoloniferous grasses which I described to you the other day.

EDWARD.

Shall we try now to find out what species of Poppy this is?

MOTHER.

There are six or seven native species of Papa'-ver; two of which, du'bium and Rhœ'as, resemble each other in their general appearance, and are both very common. As yours is one of these, I will read the characters of both, and you shall decide for yourself.

In the species du'bium, "the capsules are smooth "and oblong,"—that is, of an oval shape, or somewhat like an egg; "the stem bears several flowers; "and the stalks are covered with a bristly sort of "hair, which lies close down upon them."

In the other species, "the capsules are smooth, "and shaped like an urn, broader at the top than "at the bottom; the stem bears several flowers, "and is hairy; and the hair on the fruit stalks, "instead of lying close down, spreads or stands "out."

EDWARD.

I did not know that poppies had any fruit; but you-speak of their fruit stalks. What are they?

MOTHER.

In all plants, the part that contains the seed is called the fruit, — whether it is fit to be eaten or not; and the *fruit stalks* are those which support this part. Now, can you tell me, which of the descriptions that I have just read suits your poppy?

EDWARD.

The last, I think: because the seed-vessel is broader at the top than at the bottom, and the hairs stand out from the fruit-stalks.

MOTHER.

Very right: our plant is of the last species that I have mentioned, Papa'ver Rhœ'as, common red Poppy; one of the most troublesome weeds the farmer meets with among his corn, for it is more difficult to destroy than any other. The seeds will lie for a very long time in unploughed land with-

out shooting; but as soon as the corn begins to grow, they spring up.

When the Poppy is only in bud the stem is curved, and the head hangs down, so as to prevent the rain and dew from getting into it; but when the flower has become larger, and is ready to open, the stalk stands up, as if for the purpose of presenting the flower to the sun's rays.

Opium, which is so much used in medicine, on account of its power to relieve pain, and to occasion sleep, is the juice obtained from the unripe seed-vessels of another species of Papa'ver, the somniferum, or white Poppy. In many parts of Asia Minor the inhabitants chew Opium, as the sailors and common people chew tobacco in England; and whole fields are sown with the seeds of this plant, just as ours are with corn. When the heads are nearly ripe, they are cut into on one side with a sharp instrument, and a white liquor flows out, which the heat of the sun hardens upon them; this is the Opium: it is collected the next day, when fresh cuts are made on the opposite side of the seed-vessel; but what comes from the first wound is greatly superior to that obtained from the second. After the opium is collected, it is moistened with a small quantity of water or honey, and worked upon a board until it becomes of the consistence of pitch, when it is formed into cakes or rolls for sale. Tincture of opium, which

150 TEA.

is made by dissolving it in spirit of wine, is called Laudanum.

There is another plant, called Yellow horned-Poppy, Chelido'nium Glau'cium, which is in the same order of this class, but of a different genus. It is found in many parts of England near the sea; and has its English name from the great length of the pods, which may be compared to horns. It is a very poisonous plant, which is the case with most of those belonging to the class Polyandria.

EDWARD.

Then are there no fruits in this class fit to eat?

MOTHER.

There are a few; but none of them are natives of this country. But there is one tree belonging to it which is very remarkable, and is considered as almost a necessary of life in several other parts of the world, as well as in England, though it does not produce an eatable fruit. The Tea-tree, The'a, is a native of China, Japan, and Tonquin; and had never been found wild in any other country, till it was unexpectedly discovered in Assam, a province on the East of India, between Hindoostan and China. It attains the height of ten or twelve feet, and is an evergreen. The leaves, which are the only valuable part, are about an inch and a half long, and resemble those of sweet-briar; the flowers are something like the wild white rose;

and the seeds are round, blackish, and about the size of a large pea. Linnæus says, that there are two species of this plant, the Bohe'a, or black, and the vir'idis, or green tea. The green, which has much longer leaves than the black, is a more hardy plant, and, with very little protection, bears the severity of our winters.

As tea is a most important article of commerce to the Chinese, they bestow the greatest possible care upon its cultivation. It is propagated by seeds, from six to twelve of which are put into holes at regular distances from each other, and about five inches deep; so many of the seeds being sown together, because it is supposed that only a small number grow.

When the tree is three years old, the leaves are fit to be gathered; and the men who collect them wear gloves, that the flavour may not be injured. They do not pull them by handfuls, but pick them off one by one, taking great care not to break any; and although this appears to be a very tedious process, each person gathers from ten to fifteen pounds a day.

The fresh leaves are first exposed to the steam of boiling water, after which they are put on plates of copper, and held over a fire till they become dry and shrivelled: they are then taken off the plates with shovels, and spread upon mats;—some of the labourers taking a small quantity at a time,

which they roll in their hands, always in the same direction; while others are continually employed in stirring the tea-leaves on the mats, that they may cool the sooner, and retain their shrivelled appearance; and this process is repeated several times before the tea is fit for use.

The tea-leaves are gathered at three different seasons. What are first procured, while they are very young, are called Imperial tea; which is generally reserved for the court and persons of rank, because it is considered as of the finest quality. The last gathering, when the leaves have attained their full growth, is the coarsest tea of all, and is used by the common people.

In China and Japan, tea is sold in every town, and on all the public roads, as beer is in England; and is drunk in the same manner by labourers and travellers: it is used without cream or sugar; and in Chinese drawings, the people are seldom represented at work of any kind without a tea-pot and tea-cup. People of rank in those countries take as much pains to procure tea of excellent quality, as Europeans do to obtain good wine; and they generally keep it a year before it is made use of.

The Tea-tree is said to grow in China, principally in a mild and temperate climate, in the country about Nankin; in Japan, that which is most esteemed grows in the neighbourhood of a small town called Udis; where there is a celebrated

mountain of that name, near the sea, the whole of which is planted with tea for the Emperor's use, and surrounded with a wide ditch for its protection.

Tea was first brought to Europe from China, by some Dutch merchants, about the year 1641.

The Caper-bush, Cap'paris spino'sa, Polyandria Monogynia, grows wild in the Levant. It is as common there as the bramble is with us, growing out of old walls, the chinks of rocks, and amongst rubbish; and is cultivated in the south of Europe, for the sake of the young flower-buds, which are pickled and exported in great quantities, and used at table in England. It is a very beautiful shrub But I must return to our native plants, some of which, of this class, are too remarkable to be passed over; particularly the Water-lily, which is equal in beauty to almost any foreign flower.

EDWARD.

I have seen a white Water-lily growing in our ponds. What is its botanical name?

MOTHER.

Nymphæ'a al'ba, of a genus in the order Monogynia. You must watch it in the evening when the flowers close and lie down upon the water: at night they sink below the surface; and in the middle of the day, when the weather is bright and hot, they rise some inches above it, and expand

The yellow Water-lily, Nymphæ'a lu'tea, is also a very beautiful flower, though much smaller; it grows in the same situations as the white, in ponds and slow-running rivers.

Nymphæ'a Nelum'bo, the Sacred Bean of India, is celebrated by the Chinese poets. The flowers, which resemble tulips, are composed of numerous petals, tinged with a delicate pink; and they are very splendid. The seed is like a small acorn without its cup; it is eaten green, and often preserved as a sweet-meat; and the root also is used as food.

The Egyptian Lotus, or Lily of the Nile, is another species, the Nymphæ'a Lo'tus.

The common Lime, or Linden-tree, Til'ia Europæ'a (Polyandria Monogynia), is a native of England. The wood is preferred by carvers to every other, on account of its delicate colour, and of its not being liable to split or to be injured by worms. The beautiful festoons of fruit and flowers at Windsor Castle, and some of the ornaments of the choir of St. Paul's church in London, which were carved by Gibbons in the time of Charles the Second, are of this wood, and are still in perfect preservation. The leaves of the Lime-tree are dried as winter-food for sheep and goats; and the bark is sometimes made into ropes and fishingnets. Sugar is prepared in some countries from the sap; and the flowers, which are delightfully

fragrant, particularly at night, are eagerly sought after by bees.

Some of the most common garden flowers belong to native genera in the orders Pentagynia and Polygynia of this class: Larkspur, Delphin'ium consol'ida; Monk's-hood or Wolfs-bane, Aconi'tum Napel'lus; Columbine, Aquile'gia vulga'ris; Traveller's Joy, Clem'atis Vital'ba; and Piony, Pæo'nia coralli'na, (which last grows wild on some of the islands in the Severn,) are among the number.

There is a tree also, in the order Polygynia of this class, a native of North America, which bears a flower very much resembling our garden tulip, and is therefore called the Tulip-tree, Lirioden'-dron Tulipif'era. It grows to the height of seventy or eighty feet, and its wood is used for all sorts of carpenters' work. The flowers, which have six petals, spotted with green, red, white, and yellow, are succeeded by large cones, or seed-vessels, but these never ripen in England.

The Sarrace nia, Side-saddle Flower, is of singular structure, both in the flower and the leaves; the plant is very common in the swamps in North America, but it is extremely difficult to cultivate in this country. The singularity of the flower consists chiefly in the stigma, which is spread out over the stamens like an umbrella. The leaves are hollow tubes, capable of holding water; and it is

said that in dry weather, birds and other animals repair to them for drink.

I forgot to mention to you, that the dye, called Anotta, is obtained from the berries of a tree belonging to the first order of this class, called Bix'a Orella'na, a native of the East and West Indies. The Mexicans employ the anotta, which affords a bright orange colour, in staining wood and in drawing; and it is used in England to give a colour to cheese. The bark makes good ropes for common purposes; and the wood is much used by the American Indians for procuring fire, which they do by rubbing pieces of it together.

EDWARD.

You promised once to tell me a story of a poor Indian woman, who suffered a great deal because she did not know this way of making a fire.

MOTHER.

I did so; and as we have finished our thirteenth class you shall hear it now, though it has no immediate relation to Botany,—because it shows the value of knowledge and ingenuity in time of distress. I read the account in Hearne's Journey to the Northern Ocean.

When some of Hearne's companions were hunting in one of the wildest parts of North America, they observed the track of a strange snow-shoe.—

EDWARD.

Is that different from a common shoe?

MOTHER.

It is made of an oblong wooden rim, with cords woven like a net, from side to side, something like the rackets with which you play, but much longer and wider than the foot; it is fastened to the sole of the foot, and is used to prevent the person who wears it from sinking in the soft snow.

The party followed the track, and came at last to a little hut, where they discovered a young woman sitting alone. They soon found that she understood their language, and was one of a western tribe of Indians, who, with some others, had been taken prisoners by another tribe. The savages, according to their custom, surprised her party in the night; and her father, mother, husband, and even her young child who was only five months old, were put to death. This act of cruelty gave her such an abhorrence to those Indians, although she herself was treated with kindness, that she resolved to leave them, if possible, and to return to her own country, at the hazard of the greatest misery and danger: - and she succeeded in escaping; but the windings of the rivers and lakes were so numerous, that she lost her way, and was obliged, with her own hands, to

build the hut in which she was found, to give her shelter during the winter.

From her account of the number of moons that had passed since her escape, for that was her way of reckoning time, it appeared that she had been near seven months without seeing a human face; but during all that time she had supported herself very well, by snaring partridges, rabbits, and squirrels.

The methods practised by this poor creature to procure a subsistence were truly admirable. Five or six inches of an iron hoop, made into a sort of knife, and the iron head of an arrow, which served her as an awl, were the only tools she had; but with these she had contrived to make herself complete snow-shoes, and many other useful articles. When the few deers' sinews that she had taken with her were all used, in making snares for game, and sewing her clothes, she had nothing to supply their place but the sinews of the rabbits' legs and feet: but she twisted these together with great dexterity into threads; and the wild animals that she caught not only supplied her with food, but with a suit of warm clothing for the winter, which she had made of their skins.

It would scarcely be imagined, that a person in her forlorn situation could be so composed, as to contrive or execute anything that was not absolutely necessary to existence; but all her clothes, besides being calculated for real service, showed great taste, and even variety of ornament.

Her hours of leisure from hunting had been employed in twisting the inner bark or rind of willows into small lines like twine, of which she had prepared several hundred yards; and of this she intended, as the spring advanced, to have made a fishing net, after the manner of her country.

One of her greatest difficulties was to make a fire. She had no instruments for that purpose but two hard stones; — but by rubbing or striking these together, after a great many attempts, she obtained a few sparks, and at last succeeded in kindling some touchwood.

EDWARD.

Is that the wood of the anotta tree?

MOTHER.

No; touchwood is not the produce of any particular tree, but dried decayed wood, of almost any kind, which in England is used to catch the sparks struck from steel or iron by a flint.—When I rub this metal button very quickly on the cover of the table, you perceive that it becomes hot; and if I could rub it hard enough, it might even be made to set fire to the cloth. The same effect is actually produced when a piece of steel is struck against a flint; for the scraping or rubbing

causes so great a heat, as to set fire to the little morsel of steel which is struck off by the violent blow.—
I suppose the poor woman knew that sparks could be struck out from two hard stones; and that she found, by good fortune, some pieces of decayed wood, fit to be set on fire by them: but as this method was very laborious and uncertain, she thought it best to keep her fire burning, with great anxiety, through the whole winter.

Transfer was a many of the proof of the party

Control of the Contro

CONVERSATION THE THIRTEENTH.

CLASS 14. DIDYNA'MIA.—NATURAL ORDERS.—GLE-CHO'MA HEDERA'CEA, GROUND IVY, EXAMINED.—LEAVES.—OTHER PLANTS OF THIS CLASS.—HONEY FLOWER.—FOREIGN TREES.—SITUATION AND DISTRIBUTION OF PLANTS.—EFFECTS OF CLIMATE,—AND OF LIGHT.

MOTHER.

I have already told you, Edward, that the flowers of the fourteenth class, Didyna'mia, contain four stamens, two of which are long and two short. But besides these distinctions, this class is known by some others, which it is important to attend to, because they form what is called a Natural character.

EDWARD.

What does that mean?

MOTHER.

Some plants, although belonging to different genera, bear so strong a resemblance to each other,

in their whole structure, and appearance, that botanists are enabled to arrange them into sets or groups, which they call Natural Orders; and the circumstances that distinguish these, are called the Natural character; because they form distinctions which are pointed out by nature itself. Whereas the classes and orders which depend upon the number of the stamens and pistils, though they afford a very convenient method of finding out the names of plants, sometimes separate plants that are in reality very like each other.—The umbelliferous plants, for example, have a very obvious natural character. The lilies, of which the orange and white lilies and the Crown Imperial in the garden are good examples, form a very distinct natural family; and may easily be known from other tribes, by their bulbous roots, long slender leaves, and handsome flowers, and by having either no calyx, or instead of one a sheath.

EDWARD.

But the hyacinth and tulip are very like what you describe, as well as the lilies.

MOTHER.

So they are; and from this general resemblance, they are placed in the same natural order, and the whole together are called Lilia'ceous plants.

The grasses form another natural tribe; which

includes all plants that have a straight hollow stem, without branches, and commonly jointed, -a single undivided leaf, part of which surrounds the stem like a sheath growing from each joint, - and flowers each bearing only one seed. [See Plates 5. and 6.7 Plants which have these characters, whatever be the class in which they have been placed according to the method of Linnæus, belong to the natural order of grasses, called in Latin Gram'ina. The different species of rush, and the rice-plant, for instance, are placed in the sixth class of Linnæus, because they have six stamens;out they belong to this natural order, as well as the various kinds of corn and the sugar-cane, which have only three. This separation of genera that are so much alike, is one of the principal defects of the Linnæan system.

EDWARD.

But is there no arrangement better than Linnæus's?

MOTHER.

Several different systems or arrangements of plants have been invented by other botanists; which are founded, some upon the fruit, some upon the corolla, and others upon the general appearance, or natural character, of the whole plant, without regard to the number of stamens and pistils. There is not any one quite free from objections; but the ingenuity of some of them will interest

and delight you very much, when you are sufficiently acquainted with the structure of plants to understand them.


My reasons for having chosen the system of Linnæus, in preference to any other, were, that it is used in England very generally; and that it will enable you to find out the genera and species of plants with greater ease and certainty than any other, — which is all that I propose to instruct you in at present. The Natural orders, in short, are the best to teach the structure of plants:—the Artificial orders, serve to distinguish one plant from another, or to find their places in the arrangement. Linnæus himself, indeed, allows, in his Gen'era Planta'rum, that his artificial method is of use only to ascertain plants.

EDWARD.

But have not a great many plants been found since Linnæus's time?

MOTHER.

Botanists are constantly discovering new species; and travellers seldom visit distant countries, without bringing home even new genera. Sir Joseph Banks found nearly a thousand species, during the voyage in which New South Wales was discovered; and Mr. Brown a celebrated botanist, who went out with Captain Flinders, on a voyage of discovery to New Holland, in the year 1801,





Clechóma hederácea _ Ground Ivy.

Class XIV. DIDYNAMIA _ Order GYNNOSPERMIA.

collected nearly four thousand different species, most of them new.

The whole number of plants, at present known, may be estimated at thirty-three thousand; without including those peculiar to New Holland. Those belonging to the class Cryptogamia, already published by various authors, exceed six thousand.

But we must come back to the class Didynamia; and we shall now examine the common Ground-Ivy, which is a good example of it. [Plate 16.]

There are two orders in this class, the first called Gymnosper'mia, in which the seeds are naked; the second, Angiosper'mia, having the seeds covered. Pull out one of the blossoms, and tell me to which of these orders the Ground-Ivy belongs.

EDWARD.

I suppose it must be the first; for I see four little seeds in the bottom of the cup, without any covering. But what were the two little white crosses that I saw in the blossom?

MOTHER.

They were the anthers; but you must not be too sure of their number, until you have opened the blossom; you will then find that what you took for a cross, is in reality composed of two parts, so shaped that when they meet, S & they look like a little cross. This is what constitutes the prin-

cipal distinction of the genus Glecho'ma, to which our plant belongs; and we shall now try, whether the remaining characters correspond with the description.

"The cup is small, in proportion to the size of the blossom, and formed of one leaf, in five un-equal divisions, each of which ends in a point. The upper lip of the blossom is upright, and slightly notched in the middle; the lower lip is large, turns down, and has three divisions, the middle one the broadest, and notched at the end. The style is thread-shaped, and the sum-imit cloven into two pointed divisions. There is no seed-vessel: but the seeds are placed at the bottom of the cup, without any covering;"—as you have seen. All this agrees so well with our specimen, that there can be no doubt about the genus.

There is but one native species of Glecho'ma, the hedera'cea; and it may be distinguished from the foreign species by the leaves, which, you perceive, are nearly kidney-shaped, and scolloped at the edges. When rubbed on the under side, they have a pleasant smell; the upper side has none. The leaves and young shoots of this plant were used in England for giving a flavour to ale, till the reign of Henry the Eighth, about which period hops were substituted.

The figure of the leaf has been found to be of great use for distinguishing the species; and bo-

tanists have therefore spared no pains to determine and describe the various forms of leaves, of which there are upwards of a hundred. The size also of the leaf varies much in different plants; and the largest plants have not always the largest leaves: those of the Marsh Marigold, Cal'tha palus'tris, a small herb, being larger than those of the oak. The largest leaves produced by any British species, are, I believe, those of the Burdock, Arc'tium Lap'pa, and the Butterbur-Coltsfoot, Tussila'go Petasi'tes; but these are very small, in comparison with the leaves of some foreign plants. leaf of the Strelit'zia Regi'na, an African plant, grows to the length of three or four feet, and is eighteen inches at the broadest part. Those of the plaintain tree are sometimes ten feet long, and two feet in breadth at the base; and they are used in a variety of ways to screen the inhabitants of the countries in which they grow from the sun. The largest leaves are generally found in tropical climates, where shade is most wanted.

Leaves are of great service to the plants which bear them, by affording protection to the flowers and fruit. Such tender fruits as require to be shaded from the sunbeams while young, are accompanied by very large leaves; while in the pear and apple, and other trees in which the fruit does not need protection, the leaves are comparatively small.

EDWARD.

But if the leaves are so useful, why do not the trees die when they fall off?

MOTHER.

When vegetation ceases, - that is, when the plants do not continue to grow, as is the case with many of them during the winter in this country,the leaves become unnecessary, and then fall off or decay; but when warm weather approaches new ones appear, and the plant begins to grow again. The under side of leaves is furnished with a great number of little vessels, or tubes, which seem to be intended to imbibe the moisture of the air. M. Bonnet, indeed, proved this by a very simple experiment: he placed a leaf of the white mulberry, Mo'rus al'ba, with its upper surface upon water, and found that it did not continue fresh and green for more than six days; but another leaf of the same tree, placed with its under surface upon water, continued fresh for six months. The upper surface of the leaf serves as a defence to the under side; and this position of the two surfaces appears to be essential to the health of the plant; for if a branch be turned upside down, in such a manner as to reverse the natural situation of the leaves, they will turn back again of themselves.

But we must not forget the fourteenth class, where we left off.—You can now, probably, under-

stand its natural character; which consists in its having a calyx formed of only one leaf, like a tube, — with five divisions, — and being permanent, or remaining upon the stalk until the seeds are ripe. The blossom, too, is of one petal, the lower part like a tube; and the border is divided into two parts like lips; from which last circumstance the flowers belonging to the class are called La'biate, or Lipped, and some of them, from their resemblance to an open mouth, are said to gape or grin. In most instances the upper lip is like a hood or helmet, and the lower one spreads out, and is divided into three segments.

The plants in the order Gymnospermia,—(with naked seeds,) are almost universally odoriferous, and none of them are poisonous. Lavender, Lavan'dula Spica; several species of Mint, Men'tha; the common Marjoram, Orig'anum vulga're; Balm, Melis'sa; white Horehound, Marru'bium vulga're; and Vervain, Verbe'na officina'lis, are among them:—and these are all natives of England, except the lavender, which came originally from the south of Europe.

In the second order, Angiosper'mia, where the seeds are enclosed, some of the species are poisonous; and the common Fox-glove, Digita'lis purpu'rea, which grows plentifully in England, though very useful in medicine, is one of these: — indeed every medicine would be poisonous, if taken in suf-

ficient quantity.—The Honey-flower, Melian'thus, a Cape plant, is of this class and order. It produces honey in such great abundance, that a teaspoonful may be collected every morning from each of its flowers, of which there is always a great number; but the strong and disagreeable smell of the plant when it is bruised indicates a poisonous quality.—There is another flower,—but of the class Hexandria, the Crown Imperial, Fritilla'ria imperia'lis, which produces nearly as much honey; but the plant is so poisonous that bees will not collect it: this beautiful plant, now so common, was introduced into Europe by Clusius, a professor of botany at Leyden, who received it from the East, along with the Horse Chesnut, more than two hundred years ago.

Snapdragon, Antirrhi'num, and Vervain, Verbe'na, are other examples of the order Angiospermia in the fourteenth class.

EDWARD.

Verbe'na is the plant in the greenhouse that has such sweet-scented leaves; they have a smell of lemon, even when they are dry.

MOTHER.

There are several species of Verbe'na, and the one you mean is the triphyl'la, or three-leaved Vervain. It is a native of Chili in South America.

The leaves of several plants retain their aromatic smell for a long time, even when dried. Those of a great many Geraniums are very fragrant, and you are well acquainted with the odour of the leaves of Mint, Thyme, Rosemary, Lavender, and several other plants, commonly cultivated in gardens.

There are but few trees in the class Didynamia, and none of them are natives of this country. The Calabash tree, Crescen'tia, is in the order Angiospermia, and there are two species, the oval and the round-fruited, Crescen'tia Cuje'te, and C. cucurbiti'na. Both are natives of the West Indies, and they are easily propagated by seed. The wood of the Calabash tree is hard and smooth, and is used for making different kinds of furniture. The fruit varies from two inches to a foot in diameter; but the pulp is seldom eaten, except by cattle in time of drought. The small shells, of the long-fruited species, are formed into spoons and ladles, and those of the round fruit into cups. The large shells, which sometimes hold fifteen pints, serve for boiling water in, and bear the fire very well.

EDWARD.

I think you have told me, of very few trees that are natives of England, in comparison with other countries.

MOTHER.

When you consider how very small a part of the

world England occupies, you cannot be surprised that the native trees are comparatively few in number; and I ought to have mentioned to you before, that the proportion of trees to herbaceous plants is much greater in hot countries than in temperate and cold climates. But it is singular, that in some parts of North America, though the average climate is colder than that of England, the vegetation is richer. In the United States alone, it is supposed that more species are found, of the single genus Quer'cus, or oak, than there are, of different genera in the whole of Europe.

Trees grow in such profusion in many parts of North America, that great pains are taken to destroy them. The ground cannot be tilled, nor can the inhabitants support themselves, until the trees are removed; and the person who cuts down the largest number, and makes the fields about his house most free from wood, is looked upon as the greatest improver in the country. I have heard that when some Americans landed on a part of the north-west coast of Ireland, which we should consider as very desolate and dreary, they expressed the greatest surprise and pleasure at the beauty and improved state of a country, "so clear of trees."

EDWARD.

What curious things you tell me! I thought, at first, that botany would teach me only the names and shape of plants.

MOTHER.

You will find, as you advance, that what relates to the various situations in which vegetables grow, and their distribution in different countries, is very interesting. Some species, for instance, are confined to exceedingly narrow limits, while others are diffused, almost universally, over the world. A species of marjoram, Orig'anum Tournefor'tii, a plant of the class Didynamia, was discovered by Tournefort, a celebrated French botanist, in the year 1700, upon one rock only in the little island of Amorgos, in the Archipelago. It was found eighty years afterwards, by Sibthorpe, another botanist, on the same island, and even upon the very same rock; but no one has ever yet observed it anywhere else.

Some plants grow wild on mountains only, and are called Alpine, from the word Alps, which signifies very high mountains; some grow in valleys only, others nowhere but on plains; and some which are entirely confined to water, are called Aquatic. Some require the hottest climates, some temperate ones, while others thrive only in the midst of ice. Asiatic plants are remarkable for their beauty; those of Africa for their thick and succulent leaves: and of America for the length and smoothness of their leaves, with some peculiarity in the shape of the flower and fruit. The flowers of Europe are seldom very beautiful.

The plants peculiar to the polar regions are generally low, with small compressed leaves, and flowers which are large in proportion to the other parts; those of New Holland are distinguished by small and dry leaves, which often have a shrivelled appearance. In Arabia, the plants in general are low and dwarfish; in the islands of the Mediterranean and Archipelago, they are generally shrubby, and furnished with prickles; while, in the Canary Islands, many which in other countries are merely herbs, assume the appearance of shrubs and trees. Nature, however, has endowed some tribes with the capacity of growing in almost all climates; and this is fortunately the case with the grasses, and with many eatable roots, such as carrots, turnips, potatoes, - so that these have followed man into all the climates and quarters of the globe. Between the tropics, where the heat is always high, it often happens, that plants flower more than once in the year.

Light also, as well as heat, has a great effect upon the colour and growth of plants; so that, when they are deprived of it, they become white and colourless, and shoot up into pale weak stalks. The outer leaves of a cabbage are green, but the heart or inner part is nearly white, merely from being shut up. Potatoes often grow in cellars, where there is but little light and air; and the stems shoot to a great length towards the light,

but they are very weak, and trail upon the ground. I have myself seen plants, which had grown in dark rooms or cellars, and were perfectly white, gradually become green on being exposed to the light.

EDWARD.

Then does the gardener cover up endive and celery with earth, to make them grow white?

MOTHER.

He does, my dear; and earthing them up in this manner is called blanching. The position of the leaves of plants depends in some measure on their exposure to light, to which they always turn their upper surface; and it has been remarked, that the ripe ears of corn, which bend down with the weight of the grain, scarcely ever incline to the north, but always turn towards the sun, or to the south; you may observe this yourself in a field of ripe corn. The opening of flowers is also effected by light: many of them do not expand their petals fully except when the sun shines, and therefore open them during the day, and shut them at night, alternately. There are some flowers, however, which open only in darkness, and shut up their blossoms on the approach of light: M. Decandolle, a French botanist, who tried some curious experiments on the subject, found that the Mirab'ilis Jal'apa, Marvel of Peru,

opened its flowers when put into a very dark place, but shut them at night, even when artificial light was introduced.

Trees show how beneficial the light is to them, by their branches being generally thicker and more full of leaves on the side exposed to the sun than on the opposite one. - And the knowledge of this circumstance is very useful to the Laplanders, who are unacquainted with the compass, and would lose their way in their long journeys, through wild districts without roads or paths, if they were not guided by this and other natural appearances, which enable them to distinguish the points of north and south.—The inhabitants of several other countries also make great use of their observations on the periodical appearances of plants. Some tribes of American-Indians plant their corn "when the "wild-plum blooms," or "when the leaves of the "oak are about the size of a squirrel's ears:" and some of their months are named from the state of vegetation; one being called the budding month, another the flowering month, one the strawberry, and another the mulberry month; and the Autumn is expressed by a term which signifies "the fall of the leaf."

CONVERSATION THE FOURTEENTH.

CLASS 15. TETRADYNA'MIA.—ORDERS.—CHEIRAN'THUS CHEI'RI, COMMON WALL-FLOWER, EXAMINED.
—CLASS 16. MONADEL'PHIA.—ORDERS.—MAL'VA
SYLVES'TRIS, COMMON MALLOW, EXAMINED.—YEWTREE.—PINES; THEIR VARIOUS USES.—COTTONPLANT.

MOTHER.

I HOPE, Edward, that we can examine two plants to-day,—which I know will give you pleasure,—for I have not much to tell you about the fifteenth class, Tetradynamia. Do you recollect how it is distinguished?

EDWARD.

The flowers contain six stamens; four of them long, and two of them short,


MOTHER.

You are quite right; but as the difference of their length is not always very striking, and the plants of the sixth class have the same number of stamens, it will save you trouble, to remember that the flowers in the class Hexandria never have four petals, while those of the fifteenth class always have that number. The last are generally called Cru'ciform, or cross-shaped, from the four petals being so placed as to form a kind of cross; and this circumstance forms the natural character of the class Tetradynamia.

In moist situations, and during wet seasons, the cruciform plants acquire a hot and biting taste, like mustard; but none of them are poisonous Even the common Turnip, Bras'sica Ra'pa, whose root in a dry sandy soil is so sweet and juicy, becomes, in wet land, hard, and disagreeable to the taste; and the common Horse-radish, Cochlea'ria Armora'cia, when it grows near water, is so extremely acrid that it can hardly be used.

The orders of this class, you may remember, are two. They are distinguished from each other by the shape of the seed-vessel, which in both is a Pod. In the first order, Siliculo'sa, the pod is broad and short; and in the second, Siliquo'sa, it is long and narrow.

The first order contains about twelve native genera: among which are Sea-kale, Cram'be marit'ima; Shepherd's-purse, Thlas'pi Bur'sa-pasto'ris; Candy-tuft, I'beris ama'ra, which is very often cultivated in flower-gardens; and common Whitlow-grass, Dra'ba ver'na, a pretty little plant,





Cheiranthus Cheiri _ Common Wall Flower: Class XV. TETRADYNAMIA _ Order SILIQUOSA.

Commander o

which shows very well the effect of climate upon vegetables; for in Sicily it is in flower all through the winter; in England, Holland, and France, it does not begin to flower till February; in Germany, till March; and in Sweden it does not flower until the month of April.

The second order, Siliquo'sa, contains about eleven native genera, some of which we use as food. The common Water-cress, for instance, Sisym'brium Nastur'tium; the Turnip, Bras'sica Ra'pa; Cabbage, Bras'sica olera'cea; Rape, Bras'sica Na'pus, which is cultivated chiefly for the sake of the oil that is procured from its seeds; Mustard, Sina'pis ni'gra; and the Radish, Raph'anus Raphanis'trum. The Chinese Cabbage, Bras'sica chinen'sis, is to the people of China nearly what the potato is to the Irish. It is prized by all classes. and is considered a necessary of life: it often weighs from fifteen to twenty pounds, and reaches the height of three or four feet .- The leaves are used raw, as salad; and, when boiled, they have the flavour of asparagus.

The Wall-flower, too, that you brought in from the garden, to learn from it the different parts of a flower, is in this second order. It is a good example of the class, and we will now examine its characters. [Plates 17. and 1.]

The pods that contain the seeds, you perceive, are long; the order therefore is Siliquosa, in which

there are two divisions of the genera; -one having the calyx open, with the leafits spreading; the other, to which this plant belongs, having a close cup, and the leafits approaching each other at the top. This genus is named Cheiran'thus, and is distinguished from the others, of the same division, principally by two little roundish bodies, called glands, which surround the bottom of the two shorter stamens [Plate 1.]; but they are not easily seen without the assistance of a magnifying glass. These glands, as I have already told you, form the nectaries of the Wall-flower. "The cup "consists of four upright spear-shaped leafits, of "which the two outermost bulge, or swell a little "at the bottom. There are four petals, forming "a cross, the claws as long as the cup. The "four long stamens are of the same length as the "calyx; and the two shorter ones are curved out-"wards at the lower part,"—being pushed out, as it were, and made to appear shorter, by the glands that surround them at the bottom. "The anthers " are long, upright, pointed at the top, and cloven "at the bottom. The germen is as long as the "filaments, and supports a very short style, with "a divided summit. The seed-vessel is a long " pod, containing several flat egg-shaped seeds."

The specific name of our plant is Chei'ri. It is supposed by several botanists to be a variety of the native species, Fruticulo'sus, and is so common in

all our gardens, that I wished to examine it with you. It differs, however, from the plant that grows wild on old walls, and the roofs of houses, in having somewhat larger flowers, with petals not of an uniform yellow, but stained with brown or rust colour; but the two plants are very nearly alike. The leaves are spear-shaped, and the stem is somewhat shrubby.

There are two other native species of Cheiran'thus; one of which, the Inca'nus, or Stock-gilly-flower, is very much cultivated in gardens, and has been found wild only in one place in England. The Sinua'tus, or Sea-stock, grows upon the sea-shore; and in both these species the flowers are purplish, and the whole plant is covered with a short whitish down.

EDWARD.

The stem of the Wall-flower is so hard and woody, that it is very like a shrub. Is it one?

MOTHER.

No, my dear; but it is called shrub-like, from its having a woody stem. It is a perennial plant; and in old gardens I have seen the stem so thick, and so like wood, that I could almost have mistaken it for a shrub myself: and I have been told, that it grows very well from cuttings;—in which also it agrees with the shrubs.

We have now done with the class Tetradynamia; and as I am afraid that the character of the sixteenth class, Monadelphia, is not very easy to remember, we had better look at your drawing, and go over the description of it again.

EDWARD.

Here it is [Plate 2. fig. 16.]: the filaments are all joined at the bottom, but separate at the top.

MOTHER.

Yes; and the class is called Monadelphia, from two Greek words, which signify one brotherhood. In most of the classes that we have already examined, the orders are determined by the number of pistils; but in this one the number of the stamens determines the order. All the genera hitherto discovered come under eight orders, but only three of these contain plants which grow wild in England: Triandria—with three stamens, Decandria—with ten, and Polyandria—with more than twenty.

The calyx is the part by which the different genera in this class are principally distinguished;

and it is of great importance.

The order Triandria contains, according to Withering, but one native genus; and there is only one native species of it, the Juniper-tree, Junip'erus commu'nis.* The berries of this plant are two

^{*} Class Dioecia, order Monadelphia, of Linnæus.

years in ripening, and afford an oil, which gives the flavour to gin or juniper-water. The ripe berries, when dried, were used in this country as we now use pepper, before that spice became common. The bark is sometimes made into ropes; and the wood of juniper, which is hard and durable, and of a reddish colour, is used by cabinet-makers for different purposes. Frankincense, which is the produce of another species, Junip'erus ly'cia, is brought to this country from Turkey and the East Indies, but principally from Arabia. The wood used in making black-lead pencils, though commonly called Cedar, is really that of another species of Juniper, Junip'erus bermudi'ana, which grows to a considerable size.

The Tamarind-tree, Tamarin'dus indicus, whose fruit is so delightfully acid, is a native of the East and West Indies, and belongs also to this order.

The Gera'nium, of which there are several native species, and a great number of foreign ones, is the only genus in the order Decandria, of the class Monadelphia. It has, however, been divided by M. L'Heritier, a French botanist, into three genera—Ero'dium, Pelargo'nium, and Gera'nium: the first two of which he has placed in the order Pentandria, and only the last in Decandria. The seed-vessels of all these genera are wonderfully constructed, and are well worth your observing. The Geraniums found in Africa are much larger,

and have far more brilliant flowers, than those which grow in Europe; but some of the species that we find in our own woods and hedges are very beautiful.

In the order Polyandria, there are, according to Withering, five native genera: the Marsh-Mallow, Althæ'a; common Mallow, Mal'va; tree Mallow, Lavate'ra; the Yew-tree, Tax'us; and the Fir or Pine-tree, Pinus: but the last two genera are in the classes Dioecia and Monoecia of Linnæus.

EDWARD.

I have seen the common Mallow so often, that I should like to examine it.

MOTHER.

Well, then, bring in some of it, and we will go through the description. You cannot fail to meet with it in the next hedge.

EDWARD.

It looks as if there were two calyxes. [Plate 18.]

MOTHER.

It has what is called a Double calyx, or one within another; and it is the structure of the outer calyx, which is distinctly composed of three leaves, that constitutes the principal character of the genus Mal'va; Lavate'ra having an outer cup of



Malva sylvestris_Common Mallow.

Class XVI.MONADELPHIA_Order POLYANDRIA.



one leaf, with divisions only, — not three separate leaves; and in Althæ'a, of which the Hollyhock in our garden is a Chinese species, the divisions are nine. "The inner cup of the Mal'va is of one "leaf, with five shallow divisions. The blossom is "composed of five heart-shaped flat petals, united "at the bottom to the tube formed by the filaments. "The middle of the receptacle rises like a little "pillar; and the seed-vessels, which are generally "eight in number, with one seed in each, stand "round it in a circle."

There are three or four native species of Mal'va: ours, which is the Sylves'tris, or common Mallow, is distinguished from the others by a rough, upright, and somewhat woody stem. The leaves are hairy, with five or seven divisions, and they all have a dark purplish stain at the lower part, near the stalk; the edges unequally notched: the leaf-stalks and fruit-stalks are hairy. The ancients made considerable use of mallows in their food; but these plants are no longer employed for that purpose.

Of the Yew-tree, Tax'us, there is but one species, Bacca'ta, native in England, the wood of which is uncommonly hard, tough, smooth when cut, and beautifully veined with red. It is so durable, that it is a common saying, amongst the inhabitants of New-Forest, in Hampshire, that a post of yew will outlive a post of iron. Yew-trees were

formerly very generally planted in churchyards in this country, and were employed by the parishioners for making their long bows, in the use of which our ancestors were very skilful.

The Yew, though of slow growth, sometimes attains a great size. Pennant mentions one in Fontingal churchyard, in the Highlands of Scotland, the ruined trunk of which measured fifty-six feet and a half in circumference; and I have myself seen one at Crowhurst in Sussex, the stem of which was more than thirty-six feet round.

The genus Pi'nus*, or Pine, includes several species; but the only native one is the Sylves'tris, or Scotch Fir, which grows plentifully throughout the Highlands of Scotland. When this tree is planted in a grove, the trunk becomes tall and naked; but in open sunny places it sends off numerous branches. It is said to live sometimes to the age of four hundred years. The wood, which is called red deal, is very smooth and light. The bark will tan leather, and in years of scarcity it is dried, ground to powder, and made into bread, by the people of the north of Europe. The inhabitants of the Scottish Highlands dig up the roots, and divide them into small splinters, to burn instead of candles; for they contain a great quantity of resin, and easily take fire.

^{*} Class Monoecia, order Monadelphia, of Linnæus.

The black Spruce, Pi'nus ni'gra, is a native of North America. The young shoots of this species are used for making spruce-beer.

The Pinus Ce'drus, Cedar of Lebanon, grows on mountains in the Levant, especially on the celebrated Mount Lebanon, from which it takes its name. The wood is not destroyed by insects, which cannot endure its bitter taste; and for this reason the ancients used tablets of cedar to write upon, and smeared their books and writings with a juice drawn from the wood, to preserve them. Solomon's temple and palace, it is supposed, were built of this wood.

The Larch-tree, Pi'nus La'rix, is a native of the Alps and Apennines, where it sometimes grows to the height of nearly two hundred feet. The wood is said to be more durable even than oak, and has the valuable property of not warping or shrinking. It was used, more than any other, by painters, before the use of canvass became general, and several of Raphael's pictures are painted on boards of larch. The piles upon which the houses of Venice were built, many hundred years ago, are of this wood, and are still fresh and sound. The resinous substance, erroneously called Venice-turpentine, is extracted from the tree.

The Norway Pine, Pi'nus A'bies, affords the white deal, which is employed for a great many useful purposes in England; it is from its sap.

that pitch, tar, common resin, and turpentine are obtained. You will find an account of the method of preparing these different substances very curious.

EDWARD.

What are the cones that we see on the fir-trees in the shrubbery?

MOTHER.

They are the seed-vessels or fruit of the fir: the cone, or Strob'ilé, as botanists call it, is a tough, woody seed-vessel, consisting of the general receptacle, with a number of hard scales attached to it. When the fruit of the pine is mature, these scales lie over each other like tiles, -covering the seeds, or nuts, so completely, as to have the appearance of one undivided body. In this state, the cone hangs upon the tree during the winter-season, and protects the seeds which it contains; but as soon as the warm weather comes again, the scales of the cone begin to shrink and separate, leaving openings for the ripe seeds to escape. If a number of cones happen to burst at the same moment, which is often the case, the noise can be heard at a considerable distance.

EDWARD.

Are there any other useful plants in this class, besides the pines?

MOTHER.

That which produces cotton is the principal one that I recollect. The botanical name of the genus is Gossyp'ium, and all the species at present known are natives of the East and West Indies. What we call cotton is a soft downy substance that surrounds the seeds; which in one species, the common Cotton Gossyp'ium herba'ceum, is of a snowy white: but in the species barbaden'se, which grows in Barbadoes, and in great perfection in the Chinese province of Kiang-nan, of which Nankin is the capital city, the down, in its natural state, has a yellowish colour inclining to red. The kind of cloth called Nankin, which is made of it in China, is of great value, because it is very strong, and fades very little, even after long use and frequent washing.

CONVERSATION THE FIFTEENTH.

CLASS 17. DIADEL'PHIA.—PAPILIONA'CEOUS FLOWERS.
—SLEEP OF PLANTS.—POD AND LEGU'MEN.—LO'TUS CORNICULA'TUS, BIRDS'S-FOOT CLOVER, EXAMINED.—TREFOILS.—FURZE.—INDIGO.—MOVING
PLANT.—ACACIA.—CLASS 18. POLYADEL'PHIA.—
HYPER'ICUM ANDROSÆ'MUM, COMMON TUTSAN, EXAMINED.—CHOCOLATE-NUT.—ORANGE AND LEMON
TREES.

EDWARD.

I THINK I can tell you the character of the seventeenth class, Diadelphia: the filaments are all united in two sets.

MOTHER.

That is certainly the character given by Linnæus; but some other circumstances must be attended to, besides the connection of the stamens and number of the sets; for the flowers of different genera in this class differ from each other in these respects; some having the filaments united in one set only. In doubtful cases the shape of the blossom will enable you to decide; for it is always irregular, — that is, the petals are unequal, and of different

figures; and it has generally some resemblance to a butterfly, like the sweet-pea blossom that you see in the garden; for which reason the flowers of this class are called Papiliona'ceous, from the word Papil'io, the Latin for a butterfly. In flowers of this shape, the number of stamens is most commonly ten; which sometimes are all quite distinct; — and then, of course, the plant would be referred to the class Decandria: but whenever you meet with a flower shaped like a butterfly, if any of the filaments are joined together, you may be sure that it belongs to the class Diadelphia of Linnæus.

The Orders, of this class, depend upon the number of the stamens; which are either five, six, eight, or ten. The last number is by far the most common; nine of the stamens being generally united, and the tenth standing by itself.

You will understand better what I have said about the shape of the flowers, when we have examined a plant of this class; and I think I have seen one in the meadow near the gardener's house. Let us go and look out for it.

EDWARD.

Here is a very pretty plant, with a blossom something like what you have just told me of; but the flower is so different from those we have examined already, that I don't think I can understand the parts by myself.

MOTHER.

The shape of the blossom in this class is so peculiar, that its petals, which are five, are called by different names. Take off one of the flowers, and I will show them to you. [Plate 19.] This large uppermost one that turns backwards, is called the Standard; the two next, which are both alike, and placed one on each side, are the Wings; the lowermost, between the wings, is called the Boat or Keel, and is generally composed of one hollow petal, but sometimes of two: this contains within it the stamens and pistil, which it defends from rain.

The flowers of this tribe in general spread out their wings in fine weather, to admit the rays of the sun, and fold them up again as the night approaches. — I have lately read an account of the manner in which Linnæus first discovered this fact, which shows how attentive he was to the appearances of nature. A friend having sent him some seeds of a papilionaceous plant, he sowed them in his greenhouse, and they soon produced two beautiful flowers. The gardener was absent when these were first observed; and in the evening, when Linnæus took with him a lantern to see them, they were nowhere to be found; so that he himself supposed they had been destroyed by insects, or by some accident; but the next morning,



Lótus Corniculátus. Birds tòot Trefoil.

Class XVII. DIADELPHIA Order DECANDRIA.



to his great surprise, he found his flowers just where they had been the day before. - He took his gardener therefore again in the evening to look at them; - they were not to be seen; but the next morning he found them again, looking as fresh as ever. The gardener said, "These cannot be the same flowers; they must have blown since:"-but Linnæus himself was not so easily satisfied. As soon as it was dark he visited the plant once more; and lifting up the leaves, one by one, he found the two flowers folded up under them, and so closely concealed, that it was impossible, at first sight, to discover where they were. This led him to pay attention to other plants of the same tribe; and he had the satisfaction to find that they all possessed the property of closing their flowers, more or less, at night. For want of a better term, he called this the "Sleep of Plants."

Do you think you can find the germen or seedvessel, of the plant in your hand?

EDWARD.

I believe I can; but it is not very distinct.

MOTHER.


You will find it more so in the flowers that have shed their petals; but for the unripe ones you must use your magnifying-glass.

EDWARD.

Is it not a pod? It is something like the seed-vessel of the wall-flower, and is full of little seeds.

MOTHER.

It is something like a pod; but there is a remarkable difference, which you must remember. In the seed-vessel of the wall-flower, you recollect, there was a partition between the two outer shells; on both sides of which the seeds were arranged, being fixed alternately to different edges: but in this seed-vessel (and you will see the same thing more plainly in the common pea), there is no partition. All the seeds are fastened to one of the seams; but in such a manner, that when the seed-vessel is opened, they lie, alternately, in the two shells. I have made a drawing to explain this to you more distinctly.



This last kind of seed-vessel is called a Legu'men; and the plants that bear it are said to be Legu'minous. Very few of them are poisonous; indeed most of them produce very wholesome food for man and the larger animals; but there is one species found in the West Indies, called Jamaica Dog-wood, or Fish-bean, Piscid'ia Erythri'na, the leaves and branches of which, when thrown into water where there are fish, have such an effect upon them, that they come up and float upon the surface, and may be easily taken with the hand. The seeds of the Labur'num, Cyt'isus Labur'num, - and of Lupine, Lupi'nus, are also extremely noxious. I have heard of a child being killed by eating only three or four Laburnum-seeds; and Hasselquist, a Swedish botanist, who travelled in the East, informs us, that the inhabitants of Egypt, who live near the banks of the Nile, destroy the hippopotamus, or river-horse, - which does great mischief at night to their gardens and fields, -by placing near his haunts the seeds of Lupine, which he devours greedily.

But let us examine our plant. [PLATE 19.]—If you reckon the stamens, which are of different lengths, you will find that there are ten; nine of them united together at the lower part, into a sort of membrane, which covers the germen. The order, then, is Decandria; and this contains so

many genera, that, for convenience, it is subdivided into six sets; four of which depend, chiefly, upon the shape and structure of the legumen. This plant belongs to the division that has a legumen of one cell, with several seeds. The name of the genus is Lo'tus; and the principal characters are. that the wings of the flower nearly meet at the upper part, and that the legumen is round and The species that we have is the Cornicula'tus, or Bird's-foot Clover; - which is distinguished by the heads of flowers, consisting of a small number only, and being flat at the top; the legumens spreading out like the spokes of a wheel; and the stems generally trailing on the ground. The leaves have three divisions, of an oblong figure; and where they spring from the stalks, there are two other little leaves, called Stip'ules, which are of a different shape from the divisions of the leaf itself. The flowers, before they open, are of a red colour; but, when expanded, of a rich yellow. The plant varies very much in different situations; it is Decumbent, or commonly grows near the ground; but in meadows it is often upright, like this specimen.

The genus Lo'tus is one of a very numerous tribe of plants, called Trefoils, from the genus Trifo'-lium, which signifies three-leaved,—because each leaf looks like three. The common English name of all the trefoils is clover; and almost all the spe-

cies are of great value to farmers, as they afford good pasture for cattle, and make excellent hay.

EDWARD.

I have often seen both purple and white clover; but I do not think the flowers looked as if they were butterfly-shaped.

MOTHER.

You probably took each head of clover for a single flower; but if you examine one of the heads, you will soon find that it consists of a great number of small flowers; each of which has a little calyx of its own,—with a blossom as perfect as that of the Lo'tus, and composed of a standard, two wings, and a keel. But if you wish to see the stamens and pistils distinctly, you must look at them through your magnifying glass.

EDWARD.

How pretty the little flowers must be! When I go out to-day I will gather some clover, and examine it. — Are the peas and beans, that we eat, in this class, as well as the sweet-pea in the garden?

MOTHER.

They are, my dear; and in the order Decandria also:—as are the Kidney-bean, Phase'olus vulga'ris; the Vetch, Vicia; wild Liquorice, Astrag'alus;

Lucern, Medica'go sati'va; and Saintfoin, Hedys'arum. The botanical name of the Pea is Pi'sum, and the species that we eat is called Sati'vum; the Bean is a species of vetch, Vicia Fa'ba: but neither of these species grows wild in England. The Bean is a native of Egypt. The Pea came originally from the south of Europe; and cultivation has produced a great many varieties of the seed, which differ very much from each other in size and flavour.

The garden Sweet-pea is a native of Sicily; its botanical name is Lath'yrus odora'tus.

The common Broom, Spar'tium scopa'rium, belongs to this class, and grows wild in England; as well as the Dyer's Green-weed, Genis'ta tincto'ria, and the Furze, U'lex europæ'us, that you see in such large bushes on the heath. This last shrub, though it is so abundant in England, is by no means common in other parts of Europe: Portugal and France produce it more plentifully, perhaps, than any other country except our own. In Cornwall this plant grows, with great luxuriance, to the height of six or eight feet; but it will not bear severe cold. Linnæus tried to preserve some plants of it through the winter in Sweden, under cover, with as much care as we bestow on hot-house plants, but without success: and when he came to England, in the year 1736, he was so much delighted with the golden bloom of the furze, which he saw for the first time on the commons near London, that, it is said, he fell on his knees to admire it.

Dyer's Green-weed, Genis'ta tincto'ria, is a native of England, and is frequently met with on dry banks in the borders of fields. The whole of the plant dyes a yellow colour, and is preferred to all other yellows for colouring wool; and by means of Woad, Isa'tis tincto'ria, a plant of the fifteenth class, which affords a blue tint, the yellow can afterwards be made green.

The name of Plantagenet, of which you have read so much in the history of England, is supposed to be derived from this plant. Fulke, Earl of Anjou, who lived a century before the Norman conquest, was enjoined, by way of penance for some crime which he had been guilty of, to go to the Holy Land: he wore, it is said, a sprig of genista in his cap, as a mark of humility, and afterwards adopted from it the title of Plantagenet, (Plantagenis'ta, or genes'ta), which his descendants retained.

The remaining plants of the class Diadelphia, that I shall now mention to you, are not natives of England.

That which affords the Indigo, with which blue coth is dyed, Indigo'fera tincto'ria, in the order Decandria, is a native of the East Indies. The dye is obtained by steeping the leaves and small branches of the plant in water, and drying the

sediment which they deposit. It is a light substance, somewhat of the consistence of raw starch, but of a deep blue colour. In this prepared state, indigo is poisonous; but the plant itself is harmless. All the different species of Indigo fera afford it; which is the case indeed with several other leguminous plants. The leaves of the Lo'tus cornicula'tus, as they dry, become blue.

A foreign species of Saintfoin, called the Moving Plant, Hedys'arum gy'rans, which belongs to a genus of the class Diadelphia, is very remarkable. It grows in the East Indies, on the banks of the river Ganges, near Bengal, and was first made known in England in the year 1772, when it was produced from seeds. It is an annual plant, and reaches to the height of three or four feet: the leaves are of a bright green colour, and the flowers generally of a pale red. Its leaves possess the singular property of moving without being touched; sometimes one of them will move suddenly, while the rest remain still; at other times they all move together, or separately, without any regularity; and even when detached from the plant, they still retain their power of motion.-You will find hereafter, that there are several other marks of a sort of feeling among plants of different tribes. The leaves of the trefoils always fold themselves up when rain approaches.

Gum Trag'acanth is the produce of another plant in this class and order, — great-Goat's Thorn, Astrag'alus tragacan'tha,—a thorny shrub, which grows in the islands of the Levant. The gum which exudes from its stem and branches resembles gum-arabic in many of its properties: it is used in medicine, calico-printing, and in making ink.

The Acacia-tree, Robin'ia Pseu'do-aca'cia, which is so much admired in our shrubberies, has such very brittle wood that a slight blast of wind is sufficient to break off its branches; so that it is not fit for exposed situations: but it makes amends for this defect by sending up from the roots innumerable suckers, which grow very rapidly. I have read of a farmer, at Long Island, in North America, who, during the year after his marriage, planted a field of fourteen acres with suckers of this tree, as a provision for his children. When his eldest son married, at twenty-two years of age, the farmer cut down about three hundred pounds' worth of timber out of his acacia wood; and gave the money to his son to buy a farm with. Three years after he did the same for one of his daughters; and in this way he provided for his whole family in succession; the wood, in the mean time, repairing by its suckers all the losses that it sustained.

We have now come, Edward, to the eighteenth class, Polyadelphia.

EDWARD.

Is it not in this class that the Stamens are united into more than two sets?

MOTHER.

Yes; but in some species the filaments are so much separated, that unless you examine them quite down to the bottom, you might suppose that they were all distinct, and consider the plant as belonging to the class Icosandria or Polyandria.

The orders, according to Linnæus, depend upon the number of the stamens; and the plant that I have chosen for you to examine [Plate 20.] belongs to the third order, Polyandria, which contains plants with very numerous stamens, not fixed to the calyx.

In the genus Hyper'icum, the only native genus of this class, "the calyx is placed below the "germen, and has five divisions; the petals are "five in number, and blunt at the ends; the sta-"mens are very numerous, like hairs, and united "at the base into three or five sets, corresponding "with the number of the styles: the capsule is "round; it is divided into as many cells as there "are styles, and contains several seeds."



Hypericum Androsæmum_Tutsan.
Class xvIII, POLYADELPHIA_Order POLYANDRIA.

Sowerby sc.



This species, Hyper'icum Androsæ'mum, though not very common in England, happens to grow in our neighbourhood, and shows the character of the class very distinctly. It may be known from the others by having three pistils, — a shrub-like stem with two edges, — and fruit consisting of a pulpy berry, which is black when ripe. The flower is large, and of a rich yellow colour; and the plant grows naturally in woods, and in damp ground under hedges: it generally blossoms in July and August, but the flowers seldom expand fully, except in very bright sunshine. The English name of our species is Tutsan.

The most remarkable foreign genera of this class are the Chocolate-nut tree, Theobro'ma caca'o; the Orange and Citron trees, Ci'trus auran'tium and Ci'trus med'ica,—of which last the Lemon and Lime are varieties; and the Caju-Puti tree, Melaleu'ca leucaden'dron, a native of the East Indies, from which Cajeput oil is obtained.—The Chocolate-nut tree is very handsome, and grows naturally in South America to the height of twelve or sixteen feet: it bears leaves, flowers, and fruit, all the year round. The seeds are very nourishing; they are generally ground to powder and made into a paste, in which state they are much used in England and America.

The Orange and Citron trees are very handsome evergreens, and frequently cultivated in green-

houses in England; but they are generally much smaller with us than in their native country, the warmer parts of Asia, where they grow to the height of twelve or fifteen feet. From one of the varieties of orange tree, the perfume called bergamot is obtained: it is said to have derived its name from Bergamo in Italy. Although the oranges produced in Malta, which is not far from Italy, are now the most esteemed in Europe, the fruit was unknown to the ancient Greeks or Romans. Orange trees sometimes live to a great age. I have seen one in the gardens of Versailles, near Paris, said to be more than four hundred years old.





Bellis perennis tommon Daisy.

Class XIX. SYNGENESIA Order POLYGAMIA SUPERFLUA.

CONVERSATION THE SIXTEENTH.

CLASS 19. SYNGENE'SIA.—STRUCTURE OF A COMPOUND FLOWER.—AGGREGATE FLOWER.—NATURAL CHARACTER OF THIS CLASS.—CALYX, SEEDS, AND DOWN.—ORDERS.—BEL'LIS PEREN'NIS, COMMON DAISY, EXAMINED.—OTHER PLANTS OF THIS CLASS.

MOTHER.

I have brought in a Daisy, Edward, for you to examine this morning; and before I tell you any thing of the nineteenth class, Syngenesia, to which it belongs, we will try to find out how the flowers are constructed. [Plate 21.]—At first, you perceive, they do not look like any of those that you have already examined.

EDWARD.

No, indeed! — There is a sort of cup, and a great many white and pink petals; but instead of stamens and pistils in the middle, I see only a great number of yellow dots. What are they?

MOTHER.

Pull off all the parts that are within the cup, and look at them again with your magnifying glass.

EDWARD.

Oh! now I see that the yellow spots were the tops of beautiful little things like flowers; and these, I suppose, are seeds, below them.

MOTHER.

Well; now I will open one of these little flowers with my needle, for it requires some practice, and you cannot do it so readily yourself.—Can you perceive with your glass that each little blossom is shaped like a funnel, with five divisions in its border?—The stamens are so small in the daisy, that you can hardly see them: but in larger flowers of this class you will find that they are five in number, with the filaments distinct, but the anthers joined together, side by side, like a tube;—a single pistil with a notched summit passes up through this tube; and there is an egg-shaped seed below.

EDWARD.

How very beautiful it is!

MOTHER.

Now look at what you called the white and pink

petals, and try if you can describe one of them as they appear to you.

EDWARD.

They look like little blossoms too, but they are very different from the yellow ones. There is a long white part, tipped with red, coming out from one side; and the blossom looks as if the other petals had been torn off.

MOTHER.

The white part is one of the divisions in the border of the little blossom, but much longer than the rest; you see it is shaped something like the head of a spear, blunted, with a very slight notch at the end; and you will find, with your glass, that the other part of the border, which you thought was torn, has three very small teeth. When we open the blossom, you perceive that there are no stamens; but the style comes up from the seed through the tube of the blossom itself, and has two summits curled a little backwards. There is no seed-vessel: but the seeds, as in the little yellow flower that we have just examined, are single, naked, shaped somewhat like an egg a little flattened, and placed immediately below the blossom. Now, if you look at the receptacle, from which we have pulled off all these little flowers, you will find that it stands up, like a sugar-loaf, in the middle of the cup, and is dotted all over with little holes; these are the places in which the seeds were fixed; and when I cut down through the sugar-loaf, you see that it has a soft pith within. [Plate 21.] This flower is called the Daisy, (Day's-Eye, or the Eye of Day,) from its opening to the rising sun. When the sun declines, the flower shuts itself up, as if to take its rest. It has always been a favourite with poets; and Chaucer, who lived in the fourteenth century, and was one of the first to take notice of the opening and shutting of flowers at particular times of the day, expresses great partiality for it.

EDWARD.

And is every daisy that we see in the fields made like this, — of so many beautiful little flowers?

MOTHER.

All the flowers of this class,—not only the Daisy, but the Dandelion, the Thistle, and a great number of the most common wild flowers, are formed nearly in the same way; and, when magnified, are equally beautiful and curious. But there are differences in the shape and arrangement of their parts, which enable botanists to divide the class into orders and genera; and these you will now be able to understand. I shall not, however, give you more than a general explanation of them; for I do not advise you to examine many plants

of this class, until you are better acquainted with those that have larger and more simple flowers.


The class Syngenesia comprehends the flowers which botanists call Compound, - that is, which are composed, like the daisy, of a number of small flowers, or Florets, - all placed upon the same receptacle, and within one common calyx: the stamens in each flower being five in number, with distinct filaments, but the anthers united side by side, so as to form a little tube. There are some other flowers, as the Scabious and Teasel, in the class Tetrandria, also composed of florets, but in which the anthers are not united into a cylinder; -these are called Aggregate Flowers. -And you must remember this distinction; for the general appearance of these plants might otherwise lead you to suppose, that they belonged to the class Syngenesia.

Compound flowers are all so far alike, that this class has a very perfect natural character, which their general resemblance to the daisy will sufficiently point out to you; but the calyx and the seeds are to be particularly attended to.

The Calyx consists, sometimes of a single row of leaves or scales; sometimes of two rows, as in the daisy; and in some flowers, as in the common artichoke, these scales are placed over each other, alternately,—like tiles upon the roof of a house. The calyx, in many instances, opens as

the florets expand, and closes when they fall off, as if to confine the young seeds; but as the seeds ripen and increase in size, it opens again to make room for them; and in some plants turns quite back, to let them escape. The Dandelion and Coltsfoot are in this state, when you see their heads covered with down.

The seeds, in several of the species, are very remarkable: they are placed below the corolla, and there is never more than one to each floret. In many instances, they are topped with a beautiful down, consisting of a great number of spokes or rays; the spokes, themselves, are sometimes branched or feathered: and in some cases, as in the common Dandelion, an entire crown or wheel formed of the branches is fixed upon a sort of stem, or pillar, which is itself attached to the seed. Thus:—



The down is a beautiful object for the micro-

scope; and its use is very important; for it enables the wind to carry the seeds to great distances from the plant,—and to sow them, as it were, in situations which otherwise they might never have reached.

EDWARD.

The down of the Coltsfoot is very soft, like cotton. Is it ever made any use of?

MOTHER.

I have heard of its being used for making tinder. The poor people in the Highlands of Scotland stuff pillows with the down of several different plants.

The Orders, in the class Syngenesia, are founded upon the uniformity or differences of the florets,—and on the manner in which the florets, when of different kinds, are disposed in the compound flower. They may be all of one kind; or there may be florets of one sort in the centre, and others of a different structure in the circumference, or border, of the flower.

In the first order, called Polyga'mia equa'lis, all the florets have both stamens and pistils; and every floret has one seed.

In the second order, Polyga'mia super'flua, the florets of the centre have both stamens and pistils; but those of the border, pistils only: and all have seeds.

In the third order, Polyga'mia frustra'nea, the florets of the centre have both stamens and pistils but those of the circumference have neither.

In the fourth order, Polyga'mia necessa'ria, the florets of the centre have stamens only, without seeds: and those of the border have pistils only, with seeds.

In the fifth order, Polyga'mia segrega'ta, the structure of the flower is not quite the same with that in the other four. All the florets have five stamens, with united anthers, and they are all included in one general calyx; but each floret has, besides, a little calyx of its own. Of this order there is no native genus.

EDWARD.

I am afraid it will be a long time before I know this class well; for it is not easy to understand the orders.

MOTHER.

You will soon find, that the knowledge you acquire, by examining a few plants yourself, will remove all your difficulties, and give you better instruction than any thing that I can tell you. The chief point to be attended to, in the class Syngenesia, is the *Union of the Anthers*. There are some flowers in other classes, which at first you might suppose to belong to this one, but which have not the anthers united: and, with regard to

the orders, all that you need attend to is the manner in which the two kinds of florets, those with stamens, or with pistils, are distributed in the compound flower.

We may now go on to the characters of our Daisy.—The florets in the centre of the flower have both stamens and pistils; but those in the circumference pistils only. It is then in the second order, - Polygamia superflua. The name of the genus is Bel'lis; which is distinguished from the other genera, of the same order, by the receptacle being conical, without hair or bristles; the calyx roundish; and the seeds egg-shaped, and without down. There is only one native species, the peren'nis, or common Daisy: and its distinctions from the foreign species are, that the flower-stalks have no leaves; - each supporting only a single flower; and that the root is Creeping, - that is, spreading to some distance, and putting forth fibres. The Daisy is in blow almost all the year round, but shuts up its flowers every night, and on the approach of rainy weather.

You can never fail to procure plants in this class, for it is a very numerous one, and contains several that grow wild in England. Among others, the Dandelion, Leon'todon Tarax'acum; Burdock, Arc'tium Lap'pa; Thistle, Car'duus; Tansey, Tanace'tum vulga're; Coltsfoot, Tussila'go far'fara; Groundsel, Sene'cio vulga'ris; the Ox-eye Daisy,

Chrysan'themum Leucan'themum; Blue-bottle, Centau'rea Cy'anus; and Chamomile, Anthe'mis nob'ilis.—Of these, the Dandelion is, perhaps, the most common; growing on rubbish and uncultivated land, as well as in meadows, where you have seen it, and bearing flowers the greater part of the year. In France, this plant is very much used in salad; and at Gottingen, the roots are roasted and used like coffee by the poorer inhabitants. The juice of the roots and leaves is employed as a medicine in England. The name Leon'todon is taken from the supposed resemblance of its jagged leaves to the teeth of a lion; and the English name, Dandelion, which is a corruption of the French Dent de lion, expresses the same idea.

The Artichoke, Cyna'ra Scol'ymus; Dah'lia; China Aster, As'ter chinen'sis; and Sun-flower, Helian'thus, — of which there are several species, belong also to the class Syngenesia. The artichoke is a native of the south of Europe, where it is much more generally used than with us, and is even eaten raw with salt and pepper. The common Sun-flower, Helian'thus an'nuus, grows wild in Mexico and Peru; and another species, the Jerusalem Artichoke, Helian'thus tubero'sus, is a native of Brazil. The vegetable oil most esteemed in Russia is obtained from the seeds of the Sun-flower.

Yellow is the prevailing colour of the flowers in

this class; and, although most of the plants are bitter, none of them are poisonous;—except, perhaps, the wild Lettuce, Lactu'ca viro'sa, when it grows in shady situations. No trees, or bulbs, and but few shrubs, belong to it.

DESCRIPTION OF THE PROPERTY OF

The well be some to have been deed by wall by

the distance because the college of the

Called a see out , it was provided

La la Friday Continue de la Continue

CONVERSATION THE SEVENTEENTH.

THE FOUR CLASSES OMITTED BY WITHERING.—
CLASS 20. GYNAN'DRIA.—NATURAL ORDER ORCHID'EÆ.—CLASS 21. MONOE'CIA.—BREAD-FRUITTREE.—MAIZE.—COCOA-NUT.—INDIAN-RUBBER.—
WATER-PROOF CLOTH.—TALLOW-TREE.—CASTOROIL PLANT.—MANCHINEEL-TREE.—OTHER VALUABLE TREES.—CLASS 22. DIOE'CIA.—WILLOWS.—
DATE-PALM.—PISTA'CHIA.—MAS'TICK.—HEMP.
—NUTMEG.—CLASS 23. POLYGA'MIA.—PLANTAIN.
—SENSITIVE PLANT.—GUM-ARABIC.—FIG.

MOTHER.

You will be sorry to hear, Edward, that we have no plant to examine to-day.

EDWARD.

But there are twenty-four classes; and we have gone through only nineteen.

MOTHER.

Very true; but, in Dr. Withering's arrangement of British plants, those of the twentieth, twenty-first, twenty-second, and twenty-third

classes are distributed among the first nineteen, according to the number of their stamens:—and I have thought it best, as I have already mentioned (p. 12.), to follow this method, in speaking of the native plants of England,—although it has not been approved of by some very good botanists.

Look at your drawing of the classes [PLATE 2. figures 20, 21, 22, and 23.], and you will find a short character of the four classes omitted by Dr. Withering; the names of which are Gynandria, Monoecia, Dioecia, and Polygamia.

The plants of foreign countries, however, which belong to these classes, are universally arranged according to the original method of Linnæus; and some of these are so curious, and so useful, that I must mention a few of them.

In the twentieth class of Linnæus, GYNANDRIA, the stamens grow upon the pistil itself, — either on the style or germen; and the Orders depend upon their number. The plants which have this character the most distinctly belong to a natural tribe called Orchid'eæ, — which includes, besides other genera, the Or'chises, of which there are several native species. I have drawn the flower of one of these, in the table of the classes [Plate 2. fig. 20.], which will give you an idea of the general appearance of the tribe; but as their structure is not easily understood, I shall not at present

say any thing more about them. The substance called Salop is prepared from the root of one species, the early purple Orchis, Or'chis ma'scula.

In the classes Monoecia and Dioecia, and in part of Polygamia, all the flowers are imperfect; some being without stamens, others without pistils.

In the twenty-first, Monoecia [Plate 2. fig. 21.], some of the flowers have stamens only, and others, on the same plant, only pistils; but none of them have both. This class contains a great number of important genera.

The Bread-fruit-tree, Artocar'pus inci'sa, which is of great use to the inhabitants of the South-Sea Islands, belongs to one of these genera. It grows to the height of about forty feet, and the fruit which is as large as a child's head, hangs upon the boughs like apples. The eatable part lies between the skin and the core: it is very white, soft, and of the consistence of new bread, with a sweetish taste, like that of the Jerusalem artichoke; but it must be roasted before it is eaten. The fruit is fit for use, for about seven months of the year, and during the whole of that time supplies very wholesome and agreeable food to the inhabitants of the islands; who also make cloth of the bark of the tree, and use the wood in building their huts and canoes. There is another species of this genus, the Artocar'pus integrifo'lia, or Indian Jaca-tree, which is a native of the East Indies: its fruit is said to weigh about thirty pounds, and is used as food, but not so generally as the bread-fruit.

The maize, or Indian corn, Ze'a Mä'ys, Monoecia Triandria, is a very useful plant. It is a native of America, and is cultivated in several other countries. The seeds grow in ears, which are very large, each of them bearing about eight rows of grain; and every row contains at least thirty grains, which give much more flour than those of wheat, or any of our kinds of corn. The stalk of the maize is jointed, like the sugar-cane and bamboo, and it contains a juice from which a syrup, like that of sugar, is often made.

The Sago Palm, Sa'gus Rum'phii, from the pith of which the substance called Sago is prepared, - and the Cocoa-nut-tree, Co'cos nucif'era, were originally natives of the East Indies; but they have been introduced into several other warm countries. The cocoa-nut thrives remarkably well on the seashore; indeed, the neighbourhood of the sea appears to be almost necessary to its growth: and the celebrated traveller Humboldt, mentions, that on the banks of the river Oronoco, when the nut is planted, a quantity of salt is thrown into the hole along with it. The tree grows to the height of sixty feet, and has a fine appearance; the top of the stem being crowned with about fifty leaves, which are from ten to fifteen feet long, with nuts nearly as large as a man's head hanging from it,

s in clusters of about a dozen each. You have often seen the inner shells of these nuts, which consist of a very hard case, containing a thick hollow kernel of an agreeable flavour, and a sweet milky liquor. The cases are employed with us for making sugarbowls, and various toys, and are very useful to the natives of the countries where the tree grows. A sort of wine, called Toddy, is made from the sap of the stem, which looks like whey.

EDWARD.

You told me, yesterday, that the mat at the green-house door was made of part of the cocoanut. How can that be?

MOTHER.

In their natural state, the inner shells, which contain the kernel, are surrounded with a very thick coating, of coarse fibres, with a smooth rind on the outside. The fibrous part is employed for making mats, a purpose which it answers very well. The Indians make ropes of the bark of the tree, and mats, baskets, and brooms, of the leaves.

The wood of the Cypress-tree, Cupres'sus sempervi'rens, is said to resist worms and moths remarkably, and to last for many centuries. Some of the chests that contain the Egyptian mummies are made of it; and the coffins in which the Athe-

nians buried their heroes were of cypress wood. The doors of Saint Peter's church at Rome were originally made of this timber; and when they were removed at the end of six hundred years, that gates of brass might be put into their place, they did not show the slightest appearance of decay. In the island of Candia, where the cypress grows in abundance, the trees are so valuable, that one of them is reckoned a daughter's portion.

The tree that produces the Indian rubber, or Caoutchouc, which was first introduced into Europe about the beginning of the last century, is a native of the West Indies. This substance is an elastic resin, of very singular properties, which is deposited by a liquor that oozes out from incisions cut in the bark of a tree called Jat'ropha elas'tica, and when fresh and pure is of a whitish colour; but it becomes brown by exposure to the air. A gum of the same kind is procured from several other trees; among which is the Jaca-tree, that I have already mentioned to you. The Indians make boots of Caoutchouc which are water-proof, and, when smoked, look like leather: the inhabitants of Quito, in South America, prepare from it a kind of cloth which they use as we do oil-cloth and sailcloth; and in India, flambeaux are made of it, that burn without a wick, and are used by fishermen when they go out at night to fish. A very ingenious application of it, for making cloth waterproof, was invented some years ago by a gentleman of Glasgow, and is now universally used in England. The Caoutchouc is dissolved in Naphtha (a brownish liquor obtained in the process for making gas from coal), so as to form a varnish, with which the surface of cloth, or silk, or calico, is covered. This alone would be sufficient to prevent the rain from penetrating: but as the varnish is very glutinous, and would be inconvenient if it were exposed, it is covered up by a second thin cloth; and the whole being then passed between rollers, is made quite smooth, and of equal thickness all through. I have seen water-proof cloaks made in this manner, of double calico, or silk, with Indian rubber between, which were lighter than a single woollen cloth, such as you wear.

EDWARD.

But will not the rain melt away the Indian rubber from between the folds of the calico?

MOTHER.

No; because it cannot be dissolved in water; — indeed there are few liquors besides Naphtha that will dissolve it.

Since the invention of water-proof cloth by Mr. Macintosh, Indian rubber has been imported in much larger quantities than before; and has been applied to a great number of new and very

useful purposes, especially in making elastic cloth and cordage.

The Tallow-tree, the Castor oil plant, or Palma Christi, and the Manchineel tree, belong to the class Monoecia.

The Tallow-tree, Stillin'gia sebif'era, is remarkable for the quantity and peculiar nature of the oil obtained from its berries; which so nearly resembles wax or spermaceti, that candles are made of it; but they produce a very disagreeable smell in burning. The tree is a native of China.-Castor oil is obtained from the seeds of the Ric'inus * commu'nis, which are dried in the sun when ripe, pounded in wooden mortars, and then boiled in water. The oil rises to the surface of the water. and is skimmed off and put into jars for use. In this country it is employed only as a medicine; but in the West Indies the planters burn it in lamps, and apply it to various other purposes .-The seeds themselves of the Ric'inus commu'nis are an extremely powerful medicine.

The Manchineel, Hippom'ane Mancinel'la, is a very large West Indian tree, the wood of which is beautifully clouded, takes a fine polish, and is very durable. The Indians are said to poison their arrows with its juice, which is so very corrosive, that the wood-cutters make a fire round the tree before they cut it down, to cause the juice to

^{*} In this word the c is pronounced soft, like s.

run out, and to avoid the danger of losing their sight by its flying into their eyes.

Besides these plants, the class Monoecia of Linnæus contains some of the most valuable trees that grow in England, either originally natives, or introduced from foreign countries; among which are the Oak, the Firs, Beech, Birch, and Mulberry: and the genus Cu'cumis, which includes the Melon and the common Cucumber, with several other species, also belongs to it.

In the twenty-second class, DIOECIA [PLATE 2. fig. 22.], the stamens and pistils are in different flowers, and on separate plants; the orders in general depend upon the number of stamens.

This class, among other valuable species, contains the great Date-palm, the Pistachia-tree, Hemp, and the Nutmeg-tree; with several others that I have already mentioned to you among the native plants.

The genus Sa'lix, or Willow, contains about sixty native species, and several foreign ones. In some of these trees, all the flowers contain stamens only, two in each flower; and in others, the flowers have a pistil only, with a divided summit, and a single seed-vessel close below. The flowers are collected, in both cases, into what are called Catkins, from their resemblance to the tail of a cat; each little flower having neither calyx nor petals, but being separated from the rest by a small scale. In the table of the classes [Plate 2. Class

22.] you will see two such catkins as I describe, with a flower of each kind magnified. The common Osier, the twigs of which are so much used for making baskets and bird-cages, is a native species of Sa'lix, the vim'inalis. The Weeping Willow, Sa'lix babylo'nica, is a native of Asia, and was brought into this country about fifty years ago.

The Date-palm, Phœ'nix dactylif'era, is a native of the Levant: it grows from sixty to a hundred feet in height, with a cluster of leaves, like branches, eight or nine feet long, springing from the top, spreading all round like an umbrella, and bending towards the ground. The shape of the fruit is something like that of an acorn.

There is scarcely any part of the Date-tree that is, not useful. It supplies the place of corn to the inhabitants of the countries where it grows, and furnishes them with almost the whole of their subsistence. Besides the fruit, they eat the young leaves; and of the old ones they make mats, and many other articles, with which they carry on a considerable trade. The tree, when wounded, affords a white juice, called by the natives "the milk of the date;" which has a sweet and agreeable taste, and is given to invalids as a refreshment; and even the stones of the fruit, though very hard, are not thrown away; for, when bruised or softened in water, they are given to sheep and camels as food.

The Pistachia-nut-tree, Pista'cia Terebin'thus,

grows naturally in Arabia, Persia, and Syria, from whence the nuts are brought to Europe. I will show you some of them after dinner: they contain a kernel of a pale greenish colour, with a pleasant flavour. The Mas'tich-tree is another species of Pista'cia, the Lentis'cus: it affords the resinous substance called Mas'tich, which is much used for making varnish, and sometimes employed in medicine.

Hemp, which you have often heard of, is obtained from a plant that is cultivated in many parts of England, particularly in Lincolnshire and Suffolk, but is a native of India; the botanical name is Can'nabis sati'va, Dioecia Pentandria.

EDWARD.

Is it not hemp, that ropes are made of?

MOTHER.

It is; and sail-cloth also; and the seeds yield a great quantity of oil. The whole plant, when fresh, has a disagreeable smell; and the water, in which the stalks are soaked, for the purpose of separating the tough rind or outer coating, becomes poisonous.

The Nutmeg-tree, Myris'tica moscha'ta, is very beautiful, and grows abundantly in the East Indies. The leaves have a very fragrant smell, as well as the fruit, which is about the size of a nectarine, and consists of three coats: — the first a fleshy pulp;

the second a coloured membrane, which is the spice called mace; and the third a shell, containing within it the nutmeg, which is the seed of the plant. In India, the nutmeg-fruit, preserved entire, is introduced with tea, but the pulp and mace only are eaten.

The plants of the twenty-third class, Polygamia [Plate 2. fig. 23.], bear flowers of three different kinds:—1. with stamens only;—2. with pistils only;—3. with both—and these grow either on the same plant, on two distinct plants, or on three. But as very few plants have these characters, several good botanists think this class unnecessary. The only species belonging to it, that I recollect, are the Plantain-tree, the Sensitive-plant, and the Fig.

The fruit of the Plantain-tree, Mu's a paradisi'aca, is one of the greatest blessings the inhabitants of hot climates enjoy. It is cultivated in all the West Indian islands; where the plantains serve the negroes instead of bread. The tree rises, with a soft stalk, to the height of fifteen or twenty feet; and the leaves, which are often eight feet long, come out from the top on every side. The fruit, or plantain, is about a foot long, and from three to six inches round; it has a tough skin; and, within, a soft pulp of a very sweet flavour, which is roasted and eaten. Every part of the tree is applied to some useful purpose in the West Indies.

The Sensitive-plant, Mimo'sa pudi'ca, which

you have seen in the hot-house, is a native of Brazil; and belongs to a genus, several other species of which have the singular property of moving their leaves or branches when touched: but they differ from the Hedys'arum gy'rans, which I have described, with the 17th class, in not having the power of moving of themselves.* Gum-Ar'abic is procured from the Mimo'sa Nilot'ica, a tree that grows abundantly on the sandy soil of Arabia and Egypt, and several parts of Africa. The purest gum is brought to Cairo, by the Arabs of the country round Mount Tor and Sinai, who convey it across the country, sewed up in bags of skin on the backs of camels.

The common Fig, Fi'cus Car'ica, is a native of the south of Europe. What we consider as the fruit, is called by Linnæus the receptacle, or a sort of common calyx of the flowers; and he describes it as being top-shaped, fleshy, closed at the broad end, with several scales, and having the inside covered with little flowers, both perfect and imperfect, sometimes on the same plant, and sometimes on different trees.—In other plants, generally, it is the flower that contains the young fruit; but in this plant the fruit encloses and conceals the flower.

It was a long time before it was known how the fig was propagated; and the history of this tree is so very curious, that at some future time you shall read an account of it.

^{*} See page 200.





CONVERSATION THE EIGHTEENTH.

CLASS 24. CRYPTOGA'MIA. — ORDERS. — FERNS. — MOSSES; THEIR VARIOUS USES.—LI'CHENS.—REINDEER MOSS OR LI'CHEN. — SEA-WEEDS. — MUSHROOMS.

MOTHER.

The plants of the twenty-fourth class, Cryptogamia, are so very different from those of all the other classes, that the study of them might be considered as forming a distinct department of botany; and I do not recommend them to your particular attention, unless hereafter you wish to devote a large portion of your time to this subject. There are several books well calculated to assist your progress, whenever you are disposed to pursue it; and you will be equally astonished and pleased by the wonderful regularity and minuteness of the parts of these plants, and the beautiful contrivances of nature for their nourishment and distribution.

The character of this class consists, as I have already told you, in the plants that compose it

having flowers, which cannot be referred to any of the preceding classes *, as the stamens and pistils are either not well ascertained, or not to be numbered with certainty.

The orders, or rather groups, into which the class is now divided, are five; consisting of tribes entirely different from each other in their characters and appearance.

The first is called FILICES, or Ferns; the second,—Mus'ci, or Mosses, includes a great many genera and species; the third, Hepat'icæ, or Liverworts, consists of genera bearing some resemblance to the mosses; the fourth, called Al'gæ, comprehends the Lichens and Sea-weeds; and the fifth, Fun'gi, contains all the Mushrooms and Funguses. Withering, and some other botanists, have still another order, which they call Miscellaneous,—including plants that are not easily referred to any of the tribes I have just mentioned. The drawing that I have made for you [Plate 22.] is intended merely to show the general appearance of some of the most common cryptogamic genera in each order.

The Ferns, in general, have — (what is called) their fruit, disposed in spots or lines upon the under side of the leaves; and the genera are distinguished, principally, by the shape and structure

^{*} Smith's Introduction, &c. p. 321.

of these spots. They are a beautiful tribe; but the uses to which they are applied are not very numerous.

Several of our common kinds of fern are employed as firing by the poorer classes of people; who also mix the ashes with water, and form them into balls, which they dry in the sun, and use instead of soap for washing their linen.

The leaves of most of the species, if cut when fully grown and properly dried, make a thatch for houses more durable than any sort of straw; and the root of one kind, called the Flowering Fern, Osmun'da rega'lis, when boiled in water, is employed in the north of Europe, like starch, to stiffen linen.

Humboldt tells us, that at Santa Maria, one of the Azores, almost all the plants of the fern tribe assume the form and size of trees. In the time of Linnæus, botanists were acquainted with only four of these arborescent species; but five new ones have been discovered in Santa Maria alone.

In South America, also, some ferns, not unlike our common Brakes or Polypody, Pte'ris aquili'na, grow to such a size, that they may be compared to trees; and at the southern extremity of Van Diemen's Island a species has been found, whose trunk is sometimes from twelve to sixteen feet high: it is remarkable that no fern of this description has been discovered beyond the northern tropic.

A species found in North America, called the Sensitive Fern, Onoc'lea sensib'ilis, is said to wither immediately on being touched by the human hand, though it may be touched by other bodies without injury. Sprengel, a German botanist, asserts that he repeated this experiment several times, and always with the same effect.

The Mosses, which form the second order of the class Cryptogamia, have roots and leaves something like those of other plants; but the fruit is very different. Small threads, like the filaments of stamens, generally grow out of the bosom of the leaves, and support little roundish bodies resembling anthers, but which are really the capsules that contain the seeds. These capsules are hollow, of various figures, and in general furnished with what is called a Calyp'tra, or Veil, like a little extinguisher; and when this is removed, the mouth of the capsule itself, which sometimes has a Lid besides, is found to be surrounded with one or two rows of fringe, of great delicacy, and of surprising regularity in the number of the teeth that compose it. The genera of mosses are founded, chiefly, upon the situation of the capsule; and on other circumstances, among which the structure of the fringe at the mouth is the most important. The form of the leaves of mosses is extremely simple: they are

all destitute of leaf-stalks, and are never either winged or divided.

Mosses are generally perennial and evergreen, and capable of growing in much colder climates and situations than most other vegetables. I have heard, that in the dreary country of Spitzbergen, the rocks, which rise out of everlasting masses of ice, are thickly clothed with mosses; and a botanist named Crantz, who travelled in Greenland, counted above twenty different species, without moving from a rock where he was seated.—They possess the singular property of reviving when moistened, after having become very dry and to all appearance withered; and even after they have been gathered and kept in a dry state for many years, if put into water, every part of them will expand, and become apparently as fresh as when they were growing. They overspread the trunks and roots of trees, and in winter defend them against frost: in wet weather they preserve them from decay; and, during the greatest drought, provide them with moisture, and protect them from the burning heat of the sun. It has been observed, too, that mosses grow chiefly on the northern side of the trunks and branches of trees - as if to shelter them from the cold north wind.

The poor Laplanders derive several of their comforts from the mosses. Of the Golden Maiden-

hair, Polyt'richum commu'ne one of the largest species belonging to this tribe, they form excellent beds, by cutting thick layers of it, one of which serves as a mattress, and the other as a coverlet. Linnæus tells us, that he himself often made use of such a bed, when he was travelling in Lapland. These mossy cushions are very elastic: so that a bed may be rolled up into a parcel small enough to be carried under a man's arm, and the inhabitants can easily take them about with them in their journeys. They do not grow hard by pressure; and when they lose a part of their elasticity by long use, it can soon be restored by dipping them in water.

The Lapland women make great use of the grey Bog-moss, Sphag'num palus'tre, which is particularly soft, like a thick fur, or fleece. They wrap their infants up in it without any other clothing, and place them in leathern cradles, lined with the moss. In these soft and warm nests the little babies are completely defended from the cold. The Greenlanders use this moss as tinder, and for wicks to their lamps.

There is a plant of another cryptogamic genus, Lycopo'dium clava'tum, which though not belonging to the same order, is called Club-moss: the seeds of it are collected and sold in various parts of Europe, for the purpose of imitating lightning on the stage at theatres; for being very light and combustible, they take fire very quickly, and with a sort of hissing noise, while floating in the air.

The structure of the mosses is so beautiful, that they are objects of the greatest interest and admiration, to all who understand them. Mungo Park, a traveller celebrated for his fortitude and courage, who ventured alone into the midst of the great unknown countries of Africa, wrote an account of his journey that will give you pleasure at some future time; and I will now read you a part of it: - "I "found myself in the midst of a vast wilderness, " naked and alone, surrounded by savage animals, "and by men still more savage. I was five hun-"dred miles from the nearest European settlement; "I considered my fate as certain, and that I had " no alternative but to lie down and perish. At "this moment, the extraordinary beauty of a "small moss irresistibly caught my eye; and 6 though the whole plant was not larger than the "top of one of my fingers, I could not contemplate "the delicate conformation of its roots, leaves, and "capsules, without admiration. Can that Being, "thought I, who planted, watered, and brought " to perfection, in this obscure part of the world, "a thing which appears of so small importance, " look with unconcern upon the situation and suf"ferings of creatures formed after his own image?"—Reflections like these would not allow me to despair: I started up, and, disregarding both hunger and fatigue, travelled forwards, assured that relief was at hand; and I was not disappointed."

EDWARD.

And did he ever come home?

MOTHER.

He did, my dear; but he went out again to Africa to make new discoveries, and was killed by some of the natives.

The Hepaticæ or Liverworts, form the next order of Cryptogamic plants; they are a tribe of small herbaceous plants resembling the mosses; the name is derived from a Greek word signifying the liver, perhaps because some of them were formerly employed to cure diseases of the liver, — or from their supposed resemblance to the lobes or divisions of the liver.

The AL'GÆ consist of plants, some of which are tormed of a mere crust, others of a leathery or jelly-like substance; and there are two principal divisions,—the Li'chens, and the Aquatic, or Submersed Al'gæ, some of which occur in fresh water, others in the sea. The latter are commonly

called Sea-weeds; and the genera, in both divisions of the order, are distinguished, either by the situation of what is supposed to be the flower or seed, or by the resemblance of the whole plant to some other well-known substance.

The nearer we approach either to the north or south pole, the more we find the earth to abound with lichens and liverworts: in advancing towards the equator, the class of plants next in abundance are the mosses; and then the grasses.

Li'chens commonly grow in fleshy or leatherlike patches, on the stems of trees, rocks, old buildings, palings, and other solid bodies.

EDWARD.

Are those lichens, that grow, like rough yellow and bluish crusts, upon the old gooseberry-bushes and apple-trees in the garden? I think your drawing is like them.

MOTHER.

They are some of the most common species.— Lichens, as well as mosses, are found to thrive in all kinds of soil, and in every climate; and, like mosses, they have the property of growing again, when placed in situations adapted to them, though they may have been kept in a dry state for many years. They are not destroyed either by heat of climate or by severe cold, and are found growing where no other vegetation is to be seen.

One species of this tribe of plants, the Li'chen rangiferi'nus, or Reindeer-Moss, is the most useful vegetable that grows in Lapland; for it is the principal food of the reindeer, without which valuable creature the inhabitants of that miserable country could scarcely exist. The rein-deer draws them in sledges over countries buried in snow; its flesh and milk afford them nourishment, its skin clothing, and even its bones and sinews are made into several useful articles.

The Rein-deer Li'chen, or Rein-deer Moss, as it is sometimes called, is of a whitish colour, and grows in Lapland to the height of at least a foot, covering the ground like snow; but in this country, where it is found in some mountainous situations, it seldom attains the height of six inches.

The inhabitants of Iceland find another species of lichen, called Iceland-moss, Li'chen Islan'dicus, which grows abundantly in their country, highly serviceable; they make use of it as food in various ways, and consider it as very nourishing.

Several different species of lichen afford beautiful dyes; and one of them, called Dyer's Li'chen, or Orchall, Li'chen roccel'la, is particularly valuable, from its communicating various shades of purple and crimson to wool and silk. The plant, which is brought chiefly from the Archipelago and the

Canary Islands, is of great importance as an article of commerce; and, when scarce, has been sold for even a thousand pounds a ton.

The purple powder, called Cudbear, that is used in dyeing purple, is prepared from the Li'chen tarta'reus, which is common in many parts of England; but it can be used only for dyeing woollen cloth, as it does not communicate its colour to vegetable substances.

The Aquatic Algæ, including the Sea-weeds, imbibe all their nourishment through their surface, the roots serving only to fasten them to the bottom; many of them, indeed, float about in the water, without being attached to any solid body. They constitute a very large tribe.

Some of the Sea-weeds are used as food; and all are of great importance to farmers on the sea-coast, for manuring their land. In the islands of Jura and Skye, the Bladder-fu'cus, or Sea-wrack, Fu'cus vesiculo'sus, often serves as winter food for the cattle, which regularly go down to the shores, when the tide is out, to eat it; and even the deer have been observed to come from the mountains, to feed upon this plant. Linnæus says, that the inhabitants of Gothland in Sweden boil this fu'cus in water, and feed their hogs with it, mixed with meal: in Scandinavia, the poor people thatch their cottages with it. But one of the most important purposes to which this sea-weed is applied, in

common with many other species, is the preparation of Kelp, a kind of salt, which is a principal ingredient in the manufacture of soap.

If the leaves of this plant receive a wound, while growing, abundance of young shoots are thrown out from the injured part; and even if a hole or rent be made in the middle of a leaf, a new one will spring from each side of it.

In Scotland, the Sea-tangle, Fu'cus digita'tus, and the Dulse, Fu'cus palma'tus, are employed as food; and the stems of the former plant are sometimes used for making handles of knives. For this purpose a thick stem is chosen, and cut into pieces about four inches long; the hilts of the knives are stuck into these while fresh, and as the stem dries, it contracts and hardens firmly around them. These handles, when tipped with metal, can scarcely be distinguished from horn. The large stalks of the plant are dried, and used as fuel, in the Orkney and Shetland islands.

The size that some of the larger kinds of seaweeds attain, and the rapidity of their growth, are truly wonderful. The Gigantic Fu'cus, Fu'cus gigante'us, is said to extend often to the length of a thousand or fifteen hundred feet: and it grows in such profusion, that the masses of it resemble islands. In the Atlantic, Pacific, and Indian Oceans, there are vast tracts of sea-weeds; one of which has been called by navigators the Grassysea, from its great extent. The entire surface in such places is literally covered with these plants; and ships on their voyages are several days in passing through them.

Fu'cus te'nax is employed in China as glue and gum-arabic are with us; when washed and steeped in warm water it dissolves, and as it cools, stiffens into a glue, with which large sheets of paper are coated, in order to make them transparent; and these are used, instead of glass, for lanterns and windows. In China, too, windows are sometimes made of slips of bamboo, which are crossed, and the spaces between are filled up with thin sheets of this glue alone.

The Fu'cus lichenöi'des is in high estimation in the East Indies, particularly at Ceylon, as a luxury for the table.—You will be surprised to hear that the nests of a kind of swallow are eaten as a delicacy in China, and throughout the East, and even imported to London. These nests, it is supposed, are made by the birds almost entirely of the Fu'cus lichenöi'des.

The little branch of sea-weed that I have sketched for you [Plate 22.], does not resemble any of the kinds which I have been speaking of. It is a species of Confer'va; and I have drawn it merely to give you an idea of the difference between the Aquatic Al'gæ (of which this is a genus) and the Li'chens,—which form the two divisions of the

order Algæ. Several species of Confer'va are found to be very beautiful and curious, when examined with a magnifying glass.

What is called the dry-rot, in wood, is a decay supposed to be occasioned by a peculiar kind of plant, Bys'sus sep'tica, belonging to the order Algæ. Though of so light a texture that the breath will disperse it like the finest wool, this little plant, in time, destroys the hardest wood.

The Fungi are a very singular tribe. They have, properly, no leaves; their whole substance being fleshy, generally of quick growth and short duration, and of various degrees of firmness, from a watery pulp to a leathery or even woody texture. Several of the species are poisonous.

The only kind of fungus that we venture to eat in England, is the Agar'icus campes'tris, or common Mushroom; which is often cultivated in hotbeds, and grows wild in parks and fields, that have been undisturbed by ploughing for many years together. The most splendid of all the mushrooms, Agar'icus xerampeli'nus, is common in Italy, and is brought to the markets there for sale as food; but it is very rarely found in this country. It is of a beautiful red and orange colour. But the Agar'icus delicio'sus, which also grows in Italy, and has been found in England, is of much superior flavour, and was highly prized as a luxury by the ancient Romans.

In Lapland, Linnæus saw the Bole'tus ignia'rius, another kind of mushroom, which is shaped like a horse's hoof, hung up on the walls of the cottages, and used as a pincushion. It is made use of also as a tinder in some parts of England and Germany.

I have now told you, my dear Edward, all that I intended to mention about Botany; and I hope that what you have already learned will enable you to make use of books upon this interesting subject, without my assistance. I shall be very much gratified, if your desire to pursue it is at all increased by anything that I have said.

The first the west in the first of the part of the second in the second

The profession of the property blacks at each temperature. The expected production of the profession of the production o

EXPLANATION

OF

THE BOTANICAL TERMS

MADE USE OF IN THIS VOLUME.

- AGGREGATE; a term applied to flowers which consist of several florets placed upon one receptacle, and included within one common calyx, but in which the anthers are not united; as Scab'ius and Teasel, in the class Tetrandria.
- ALTERNATE, branches, leaves, or flowers; coming out regularly one above another, but on different sides; not opposite.
- Angiosper'mia; the name of one of the orders of the class Didynamia; in which the seeds are enclosed in a seed-vessel.
- Annual, plants or roots; living only one year.
- AN'THER; the uppermost part of a Stamen, fixed upon the top of the filament, and containing the Pollen-[Plate 1.]
- Arbores'cent, stem; distinguished from herbaceous, — becoming woody.
- Arrow-shaped; like the head of an arrow: as the leaves of common Sorrel, or the anther of the Crocus-[Plate 5.]
- AWL-SHAPED; slender, and becoming fine towards the end, like an awl; as the filaments of the flowering Rush. [Plate 11.]

Awn; a slender, stiff, sharp substance, growing from the husks of some grasses and other flowers; as in Oats, Barley, and Teasel.

B

BARK; the outermost covering of the roots, stems, and branches of vegetables. It is generally divided into three parts; the Cuticle or skin, the Outer, and the Inner bark.

Berry; a pulpy seed-vessel, without valves, — in which the seeds are surrounded with the pulp: as in the Gooseberry, and common Holly. [Plate 7.]

BIENNIAL; living two years, and then perishing. In biennial plants, a root and leaves are formed during the first year, and the flower and fruit are completed in the second.

BLOSSOM, or Corolla; that part of a flower which, in general, is coloured, and consists of one or more petals. [Plate 1.]

BORDER; the upper spreading part of a blossom of one petal: as in Germander Speedwell. [Plate 3.]

BRACTEA, or floral leaf; a leaf different from the other leaves in shape and colour: generally situated on the same stalk with the flower and fruit.

BRISTLES; strong, stiff, roundish hairs.

Bud; a scaly or leafy receptacle of leaves or flowers; on the stem or its branches. It is supposed to protect its contents from cold; for most plants in cold countries have buds, but very few in hot climates.

Bulbous-root; the part, commonly round and Bulbous-root; fleshy, from which the stem of

some plants arises, and which sends down fibres into the ground. — The fibres are the true root. Bulbous roots, as they are called, are either Solid, as in the Crocus and Snowdrop [Plates 5. and 9.]; — Coated, as in the Onion, — or Scaly, as in the Lily.

Bulging; swelling out irregularly: as the two outer leaves in the calyx of the Wall-flower. [Plates 1. and 17.]

Bunch; a fruit-stalk, or flower-stalk, furnished with short branches at the sides. White and red Currants grow in bunches; as also the flowers of Germander Speedwell. [Plate 3.]

C

CADU'COUS, (from cado, to fall); falling off quickly.

In the Poppy the calyx is caducous. This term is applied also to stipules, leaves, and petals.

CA'LYX; that part of a flower which, in general, grows close under the corolla. [Plate 1.] There are seven different kinds of calyx; but the following only are mentioned in this volume, viz.—

A Cup,—as in Corn-cockle and Ground Ivy. [Plates 12. and 16.]

An Involu'crum, — as in the Flowering Rush.
[Plate 9.]

A Catkin,—as in the Willow. [Plate 2.] Class Dioecia.

A Sheath,—as in the Crocus and Snowdrop.
[Plates 5. and 9.]

A Veil, —as in the Mosses. [Plate 22.]

CAPSULE; a dry hollow seed-vessel, which opens na-

turally, when the seeds are ripe, to let them out: as in the Poppy. [Plate 15.]

CATKIN; a composition of flowers and chaff, upon a long, slender, thread-shaped receptacle; the whole resembling the tail of a cat;—as in the common Willow. [Plate 2. Class Dioecia.]

Cell; a hollow space in a seed-vessel, (particularly in a capsule), for holding the seed.

CENTRE FLORETS, are those which occupy the middle part of a compound flower: as the yellow ones in the Daisy. [Plate 21.] — See Floret.

CIRCUMFERENCE; the outward line, or boundary, of a circle. The word is used, in speaking of compound flowers, to express the florets which are farthest from the centre; as the white ones, that surround the yellow florets, in the Daisy. [Plate 21.]

CLAW; the lower part of the petal, which stands within the calyx, in a polypetalous flower: as in Wall-flower and Corn-cockle. [Plates 1. and 12.]

CLIMBERS; plants which are weak, and require the support of some other body to raise themselves upon: as Ivy, Vine, &c. Climbers do not twine round the bodies to which they are attached.

CLOVEN; divided or split,—the edges of the divisions being straight: as the summit of the pistil in Ground Ivy. [Plate 16.]—See NOTCHED.

COATED; composed of layers, one over another; like an Onion.

COLOURED; of any other colour than green. The calyx is sometimes coloured.

Common, — applied to the calyx; containing several blossoms: as in plants of the class Syngenesia, Dandelion, Thistle, Daisy, &c. [Plate 21.]

COMPOUND; a term applied to the flowers of the class Syngenesia, which consist of many florets, or little flowers, placed upon one receptacle, and included within one common calyx;—each floret having the anthers united: as the Daisy. [Plate 21.]

COMPRESSED; flattened on the sides.

Cone, or Strobile; a solid body shaped like a sugarloaf. — The fruit of the Fir, and of several other trees, is called a cone, because it has this shape.

CON'ICAL; shaped like a cone or sugar-loaf; as the receptacle of the Daisy. [Plate 21.]

COROLLA, or Blossom. - See BLOSSOM.

Cotyl'Edon; a seed-lobe,—intended to nourish the heart of the seed, and then to perish.

CREEFING — applied to stems and roots; extending itself along, or under, the ground, and putting forth fibrous roots.

CROSS-SHAPED FLOWERS, are those which have four equal petals, spreading out in the form of a cross; as the Wall-flower. [Plates 1. and 17.]

CRU'CIFORM; cross-shaped.

CRYPTOGA'MIA; the name given by Linnæus to the twenty-fourth class: stamens and pistils not visible to the naked eye, or not ascertained. [Plates 2. and 22.]

Cup; a kind of calyx,—so called because it is commonly shaped like a cup. It is either of one leaf, as in Mouse-ear and Corn-cockle [Plates 8. and 12.]; or formed of several leaves, as in Wall-flower [Plates 1. and 17.]; and is sometimes double, as in Mallow. [Plate 18.] And it contains either one flower, as in the examples above mentioned,—or several, as in the Daisy. [Plate 21.]

- DECAN'DRIA; the name of the tenth class: ten stamens in each flower. [Plates 2. and 12.] Also the name of one of the orders, in the classes Monadel'phia, Diadel'phia, and Polyadel'phia. [Plate 19.]
- DECID'VOUS (leaf); falling off in the autumn. The term is also applied to the calyx, corolla, legumen, and stipula.
- DECUMBENT, applied to the stalk; lying upon, or near the ground.
- DIADEL'PHIA; the name of the seventeenth class: filaments united in two sets; flowers butterfly-shaped. [Plates 2. and 19.]
- DIAN'DRIA; the name of the second class: two stamens in each flower. [Plates 2. and 3.]—Also the name of an order, in the classes Gynandria, Monoecia, and Dioecia.
- DIDYNA'MIA; the name of the fourteenth class: four stamens in each flower; two of them long, and two short. [Plates 2. and 16.]
- DIGYN'IA; the name of one of the orders in each of the first thirteen classes, except the ninth and twelfth;—two pistils in each flower. [Plate 6.]
- DIOE'CIA; the name of the twenty-second class of Linnæus: the flowers which contain stamens growing upon distinct plants from those with pistils. [Plate 2.]—Also the name of one of the orders in the class Polygamia.
- DIPHYL'LOUS, calyx; two-leaved: as in the Poppy. [Plate 15.]

Dodecagyn'ia; the name of one of the orders in the eleventh class: twelve, to eighteen or twenty pistils in each flower. [Plate 13.]

DODECAN'DRIA; the name of the eleventh class: from eleven to nineteen stamens in each flower. [Plates

2. and 13.]

DOUBLE; — a flower is commonly so called, when the petals exceed the usual number, while some of the stamens remain. See Full.

Double Calyx; one calyx within another: as in the Mallow. [Plate 18.]

Down; the fine hair, or feather-like substance, with which the seeds of some plants are furnished: as in Dandelion and several other compound flowers. [Wood-cut, page 210.]

E

Ennean'dria; signifies that there are nine stamens in each flower: the name of the ninth class, [Plates 2. and 9.]; — and also of one of the orders, in the classes Monadel'phia and Diœ'cia.

EVERGREEN; bearing green leaves throughout all seasons of the year: as common Holly. [Plate 7.]

Eye, — of a seed, as in the bean; the external mark, or scar, by which the seed adheres to the seed-vessel.

In the Potatoe,—(which is itself a sort of underground stem connected with the true roots), the buds are called Eyes.—See Tuber.

F

FARI'NA, or Pollen. — See Pollen.

FEATHERED; applied to hair, bristles, or down:—having smaller hairs growing on the sides of others.

The down of seeds sometimes consists of simple hairs: sometimes it is feathered,—as in Dandelion.

[Wood-cut, page 210.]

FERNS, Fil'ices; the name of a natural tribe of plants, which form one of the orders of the class Cryptogamia. [Plates 2. and 22.]

FIL'AMENT; that part of a stamen which supports the anther. [Plate 1.]

FIL'ICES : Ferns.

FLESHY; of a consistence more solid than pulp; as the fruit of the Apple, the root of the Turnip, and the leaves of some plants. See Pulpy.

FLO'RET; a little flower, one of those which form a compound flower: as in the Daisy. [Plate 20.]

FLOWER; that part of a plant which produces the seed.

FRUIT; the seed or seeds, with their seed-vessel;—but the seed is the essential part.

FRUIT-STALK; a stem or branch bearing fruit or flowers, but not leaves. [Plates 3. 11. &c.]

Full; this term is applied to flowers, commonly called double,—when by richness of soil, or other causes, all the stamens have been changed into petals. Full flowers cannot produce seeds.

Fun'gi; the name of one of the orders in the class Cryptogamia; including the Funguses, and Mushrooms. [Plate 22.]

Funnel-shaped; applied to a blossom of one petal, in which the lower part is like a tube, and the upper like a cup: as in Mezereon. [Plate 10.]

GAPING; a term applied to the blossoms of several plants in the class Didynamia, from their resemblance to an open mouth: as Ground Ivy. [Plate 16.]

GELAT'INOUS; like jelly.

GEN'ERA; the plural of the word genus.

GE'NUS; one of the subdivisions in every Botanical system; containing Plants of the same classes and orders, which agree in their flowers and fruit.

GERMEN; the lower part of a pistil. — It is the young fruit, scarcely formed, and becomes afterwards the Seed-vessel. [Plate 1.] — The germen is sometimes placed below the calyx and corolla, sometimes above or within them. See Inferior, and Superior.

GLANDS; solid bodies, which afford a peculiar fluid: differently situated in different plants. In the Wallflower, they are placed at the foot of the shorter stamens. [Plate 1.]

GRAM'INA; a natural family of plants; comprehending principally those of the order Digynia, in the class Triandria.

GRINNING, or Ringent. See RINGENT.

GYMNOSPER'MIA; (naked-seeded) — having seeds without a covering; as in Ground Ivy. [Plate 16.] The name of one of the orders in the class Didynamia.

GYNAN'DRIA; stamens growing upon the pistils: the name of the twentieth class; in which the flowers have a very peculiar structure; as in the Orchises. [Plate 2.]

H

HEADS—of flowers. When several flowers grow thickly together, in a kind of ball, [they are said to form Heads; as in the common red and white Clover, Bird's-foot Clover [Plate 19.], Clothiers' Teasel (p. 48.).

HEART-SHAPED; a term applied to some leaves and petals, from their resemblance to the shape of a heart. — When the narrow end is next the stem, the term is 'Inversely heart-shaped:' as the petals of the Mallow. [Plate 18.]

Heptagyn'ia; having seven pistils: the name of one of the orders in the seventh class.

HEPTAN'DRIA; seven stamens in each flower: the name of the seventh class. [See Plate 2.]

HERB; or HERBA'CEOUS PLANT; terms opposed to WOODY, and applied to plants which are succulent and tender.—The Mouse-ear, and common garden Pea, are herbs; the stem of the Wall-flower is somewhat woody: the Mezereon is a shrub; the Ash, Oak, &c. are trees.

HEXAGYN'IA; — in which every flower has six pistils: the name of one of the orders in the sixth, ninth, and thirteenth classes. [Plate 11.]

HEXAN'DRIA; six stamens in each flower: the name of the sixth class. [Plates 2. and 9.]

Husk; the calyx and blossom of the Grasses are called husks; they are thin and dry, like chaff; consisting of one or more leaves, called Valves, with or without awns, and containing the grain or seed. [Plate 6.] See Awn.

I

ICOSAN'DRIA; twenty stamens or more; the name of the twelfth class; in which the stamens are all attached to the calyx. [Plates 2. and 14.]

IMPERFECT FLOWER; wanting either stamens or pistils, or both; as in the classes Monoecia, and Dioecia. [Plate 2.] In the Daisy, the florets of the border having no stamens, are called imperfect. [Plate 21.]

INCOMPLETE, flower; — wanting the calyx or the corolla: as the Mezereon. [Plate 10.]

INFERIOR;—applied, principally, to the germen, when it is placed below the cup: as in the Snowdrop. [Plate 9.]

Involu'crum; a sort of calyx distant from the corolla; exemplified principally, but not exclusively, in umbelliferous plants. In the Flowering Rush also the calyx is an Involucrum. [Plate 11.]

J

JOINTED STEM; having knots, or joints: like the straw of Wheat, &c. [Plate 6.]

K

KEEL; the lowermost petal in a butterfly-shaped blossom; — so called from its resemblance to the keel of a boat. [Plate 19.]

KNOTS; the joints of the stem of Grasses and Reeds. [Plate 6.]

L

LA'BIATE, or Lipped; applied to a corolla of an irregular figure, which has some resemblance to a mouth; as in several flowers of the class Didynamia. [Plate 16.]

LEAFIT, or Cone of the smaller leaves, in a leaf composed of many: as in the Dog-Rose. [Plate 14.]

LEAF-STALK; the stalk which supports a leaf, but not a flower.

Legu'men; a seed-vessel, of two valves, in which the seeds are fixed to one seam only: as in the common Pea. [Wood-cut, page 194.] When the seeds are attached, alternately, to opposite seams, the seed-vessel is called a *Pod.*—See Pop.

LEGU'MINOUS PLANTS; those in which the seed-vessel is a legumen. [Plate 19.]

LID; the cover of the capsule, in several of the Mosses.
[Plate 22.]

Lips; the upper and under divisions of a Labiate or Gaping blossom. [Plate 16.]

M

Monadel'Phia — signifying one Brotherhood; the name of the sixteenth class: all the filaments united, in a tube which surrounds the pistil. [Plates 2. and 18.]

Monan'dria: the name of the first class: one stamen in each flower. [Plates 2. and 3.]

Monoe'cia; (a single house or dwelling) - the name

of the twenty-first class: stamens and pistils in separate flowers, but on the same plant. [Plate 2.]—Also the name of one of the orders in the twenty-third class, Polygamia, of Linnæus.

Monogyn'ia; one pistil in each flower. The name of the first order in each of the first thirteen classes, [Plates 3. 5. 8, 9, 10. 15.]

Monopet'alous; a blossom is so called, when it is composed of only one petal: as in Germander Speedwell, [Plate 3.]; Crocus, [Plate 5.]; Mezereon, [Plate 10.]; Ground Ivy. [Plate 16.]

Monophyl'lous; a calyx is so called when it is composed of one piece; the Primrose, and Corn-cockle [Plate 12.], afford good examples.

Mosses, Mus'ci; a natural tribe of plants, forming one of the orders in the class Cryptogamia. [Plate 22.]

MOUTH; the opening of the tube, in blossoms composed of one petal; as in Mouse-ear [Plate 8.]; and Ground Ivy. [Plate 16.]

Mus'ci; Mosses. [Plate 22.]

Mushrooms, Fungi; the name of a natural tribe of plants forming one of the orders in the class Cryptogamia. [Plate 22.]

N - A STEER AND DESCRIPTION

NAMES. In all the Botanical systems at present in use, every Plant has two names;—1. The Generic name, which applies to all those of the same Genus;

2. What is called the Trivial name; which is confined to plants of one Species only.

Whenever a third name occurs, it denotes a Variety

of the species. — Thus, Gera'nium malvifo'liumpusillum, — signifies a very small variety (pusillum) of the Gera'nium malvifo'lium, or mallow-leaved Geranium. — See Specific, and Trivial.

NATURAL — ORDER, or CLASS; an assemblage of Plants, of several different genera, which agree in their general appearance, structure, and qualities: as the Umbelliferous and Leguminous tribes, the Grasses, &c.

NECTARY; a part of a flower, the use of which is doubtful, but in which honey is supposed to be formed, or contained; it is of various forms in different flowers. In the Wallflower, the Nectary is a distinct gland [Plate 1.], but is not conspicuous.—See pp. 8. 83, 84.

NODDING; a term applied to a flower, when the stalk is bent down near the end; as in the Daffodil, Hyacinth, and Snowdrop. [Plate 8.]

NOTCHED, at the end or sides; having angular incisions, but not so deep as when cloven: like the summits of the pistils in the Flowering Rush[Plate 11.]

Nut; a seed, enclosed in a hard woody shell: as the common Hazel-nut; and the stone of the Peach, Plum, and Cherry, &c.; the seed, within, is called the Kernel.

Office the same of the same of

OCTAN'DRIA; eight stamens in each flower. — The name of the eighth class. [Plates 2. and 10.]
Opposite, — leaves or branches; growing in pairs,

from the same part of the stem, but on opposite sides. [Plate 3.]

P

Papiliona'ceous; Butterfly-shaped. Some blossoms are so called from their resemblance to a butterfly, in Latin *Papil'io*. The term is applied generally to plants of the class Diadelphia. [Plates 2. and 19.]

PARASITICAL; growing upon some other plant, but not in the ground: as Miseltoe.

Pentagyn'ia; five pistils in each flower. The name of one of the orders in the classes Pentandria, Decandria, Dodecandria, Icosandria, and Polyandria. [Plate 12.]

Pentan'dria; five stamens in each flower. The name of the fifth class. [Plates 2. and 8.]

Perennial; lasting for many years, — or at least more than two.

Perfect flower; having both stamens and pistils. —

PERMANENT; applied principally to the calyx — remaining on the plant after the fruit is ripe; as in the Mouse-ear [Plate 8.]; and Ground Ivy. [Plate 16.]

Pet'als; the leaves which form the blossom, or corolla, of a flower. They are generally coloured.

[Plate 1.]

PILLAR; a little shaft, or stem, supporting part of the down of some seeds; as in Dandelion. [Woodcut, page 210.] The term is applied also to the receptacle, around which the capsules are placed, in the Mallow. [Plate 18.] PISTIL; part of a flower; — composed of the Germen, Style, and Summit. [Plate 1.]

PITH; a soft spongy substance, which occupies the middle, or clothes the inner surface of the hollow trunk in some plants; as in the Rush and Elder.

PLU'MULA; the plume, or ascending part, of the corculum or heart of the seed.

Pop: a seed-vessel, composed of two valves or shells; with a partition,—to which the seeds are fixed, alternately, to each of the seams or sides. [Plates 1. and 17; and Wood-cut, page 194.]

Pol'LEN, or Fari'na; a fine powder contained in the anthers of flowers.

Polyadel'Phia; the name of the eighteenth class:
—stamens united, by the filaments, in three or more sets. [Plates 2. and 20.]

Polyan'dria; many (more than twenty) stamens. The name of the thirteenth class; — [Plates 2. and 15.] in which all the stamens are fixed to the receptacle. Also the name of an order in the classes Monadelphia, Diadelphia, and Polyadelphia. [Plates 18. and 20.]

Polyga'mia; the name of the twenty-third class, of Linnæus; three different sorts of flowers on the same, or on separate plants; some of them containing pistils, some stamens, and others both. [Plate 2.]

The term is applied also to the subdivisions of the class Syngenesia; signifying that florets of different kinds are variously combined, and enclosed within one common calyx:—the five orders of the class being named as follows, viz.—

- 1. Polyga'mia Æqua'lis; all the florets furnished with both stamens and pistils.
- 2. ——— Super'flua; florets of the centre having both stamens and pistils, those of the circumference pistils only. The common daisy is an example of this order. [Plate 21.]
- 3. Frustra'nea; florets of the centre having both stamens and pistils, those of the circumference neither.
- 4. —— Necessa'ria; florets of the centre having stamens and pistils, without seeds; those of the circumference pistils only, with seeds.
- 5. ——— Segrega'ta; several florets enclosed within one common calyx; each having, besides, a separate calyx of its own.
- POLYGYN'IA; having many pistils. The name of one of the orders, in the classes Pentandria, Hexandria, Icosandria, and Polyandria. [Plate 14.]
- POLYPET'ALOUS, corolla or flower; having more than one petal: as the Rose or the Poppy. [Plates 14. and 15.]
- Polyphyl'Lous,—calyx; many-leaved.
- PRICKLES; sharp points growing from the bark, only, of a Plant, and coming off along with it: as in the Rose [Plate 14.], and Bramble. Thorns grow from the wood. [Plate 22.]
- PROCUMBENT; lying on the ground, but without putting forth roots.
- Pulpy; softer than fleshy: applied to fruit, as in the Gooseberry and Currant, and sometimes to leaves. A Cherry is pulpy, but an Apple is fleshy.

R

RAD'ICLE; a root-leaf proceeding immediately from the root.

RECEPTACLE; the seat or base, upon which all the other parts of a flower are placed, and by which they are connected. It is remarkable in the Artichoke, but in some flowers is not conspicuous. [Plate 1.]

RIN'GENT, or Grinning; a term applied to the corolla of several flowers of the class Didynamia; in which the border is divided into two parts, called Lips, and is supposed to resemble an open mouth: as in Ground Ivy. [Plate 16.] When the lips are closed the flower is called *Personate*.

ROOT; that part of a plant which grows in the earth, and supplies the rest with nourishment. It may be Fibrous; Bulbous; Tuberose, &c.

TO S TO I THE THE

SAP; the juice of plants.

SCALY; composed of scales, lying one over another, like those in the skin of a fish; as in the outer coat of the bulb of a Lily, the cup of a Thistle, &c.

SEAM; the line formed by the meeting of the valves in a seed-vessel. The legumen of a Pea has two valves; and all the seeds are fastened to one of the seams. [Wood-cut, page 194.] See also Pop.

Seed-Vessel; a vessel, or case, containing the seeds.

Seed-Vessels are of the following kinds:

A CAPSULE; as in the Poppy. [Plate 15.]

A Pod; as in the Wall-flower. [Plate 1. and Wood-cut, page 194.]

A Legu'men; as in Bird's-foot Clover. [Plate 19 — and Wood-cut, page 124.]

A BERRY; as in the Holly, [Plate 7.], and in the Rose. [Plate 14.]

A CONE; as in the Fir.

A DRU'PA, — enclosing a nut; as in the Cherry, and Peach.

A POMUM; as in the Apple.

SEGMENTS; the divisions—of leaves, blossoms, &c. SESSILE. — See SITTING.

SHEATH (SPATHA); a kind of calyx, composed of a thin, skinny, leaf: as in the Crocus, and Snowdrop. [Plates 5. and 9.]

Shrub; a term commonly applied to plants with a perennial, woody, stem, — divided, near the ground, into branches. Mezereon is a shrub.

SILIC'ULA (a little siliqua); a short broad pod.

Siliculo's A (having siliculas.) The name of one of the orders of the class Tetradynamia; in which the seed-vessel is a Silicula.

SIL'IQUA; a long narrow pod. [Plates 1. and 17. and Wood-cut, page 194.]

SILIQUO'SA; the name of one of the orders of the class Tetradynamia: in which the seed-vessel is a Siliqua. [Plates 1. and 17.]

SIMPLE; applied to the stem or stalk, means undivided-SITTING, or Sessile, leaves or flowers; joined immediately to the stem, without leaf-stalks or fruit-stalks: as the leaves of the Germander Speedwell [Plate 3.], and the flowers of the Mezereon. [Plate 10.] The terms are applied also to the down of seeds, when there is no pillar, or stalk, between it and the seed. [Wood-cut, page 210.]

SKINNY; like skin, or gold-beater's leaf; thin, tough, and transparent.

Solitary; — flowers, seeds, or leaves, are so called, when only one grows upon the same part of a plant.

SPATHA. - See SHEATH.

Spear-shaped; shaped like the head of a spear: as the leaves of the Mouse-ear. [Plate 8.]

Species; a group of plants, which agree in the general structure of their flowers and fruit,—and therefore belong to the same Genus; but which differ in the characters of their stem, leaves, and other parts.

Specific name; Linnæus used these words in a different sense from that which is now frequently connected with them. His "specific names" were brief enumerations of the essential differences of the species, derived from the number, figure, situation, and proportion of the parts of plants. What we now commonly speak of as the specific name, consisting of one word only, was called by Linnæus the "Trivial name." (See Trivial.)

SPIKE; a number of sessile flowers, placed alternately on each side of a simple fruit-stalk: as in lavender, the ear of wheat or barley, and many of the Grasses.

Spike:—chiefly applied to the Grasses. [Plate 6.]
Spokes; the little stalks which support the umbel-

lules, or the separate flowers, in umbelliferous plants.

STA'MEN; part of a flower; composed of a Filament and an Anther. [Plate 1.]

STANDARD; the upper petal of a butterfly-shaped blossom. [Plate 19.] In the common Pea, the standard is very remarkable.

STEM; the trunk of a plant, - supporting the leaves, branches, and flower-stalks, or flowers. It rises immediately from the root. [Plates 5. and 9.]

STIP'ULA; a scale, at the base of young leaf-stalks. [Plate 19.7

STOLONIF'EROUS; putting forth suckers.

STRAW; the stem of a Grass.

STROB'ILE. - See CONE.

STYLE; that part of a pistil, which stands upon the germen and supports the summit. [Plate 1.]

Suckers; shoots which spring from the root, spread along, or under, the ground, and then take root themselves.

SUMMIT; the uppermost part of a pistil. [Plate 1.]

SUPERIOR; a term applied to the calyx or corolla, when it is placed above the germen; which last is then called Inferior. [Plate 9.] The Germen is Superior, when it is placed above, or within, the caly'x or corolla. [Plates 10. and 12.]

SYNGENE'SIA, (production, or growing, together.) The name of the nineteenth class: flowers compound;

anthers united. [Plates 2. and 21.]

TARGET-SHAPED; round and flattened; something like the under side of a saucer, or the head of a common brass nail: as the summit of the pistil in the Poppy. [Plate 15.]

TETRADYNA'MIA; (signifying four powers);—the name of the fifteenth class; six stamens in each flower; four longer (more powerful) than the other two. [Plates 1. and 17.]

Tetragyn'ia; four pistils in each flower. The name of one of the orders, in several of the classes.

TETRAN'DRIA; four stamens in each flower. The name of the fourth class. [Plates 2. and 7.]

THORNS; sharp-pointed projections, growing from the woody substance of a plant, as in the Furze and Blackthorn. Prickles grow from the bark only. [Plates 14. and 22.]

TREE; a vegetable with a single, woody, trunk, — divided, at the top, into branches, and enduring for many years.

TRIAN'DRIA; three stamens in each flower. The name of the third class. [Plates 2. and 5.]

TRIGYN'IA; three pistils in each flower. The name of one of the orders, in several of the classes.

TRIVIAL NAME; that which is now, universally, added to the generic name, to denote the species: as in Cro'cus ver'nus;—the first of these words being the Generic, the second the Trivial name. The Trivial name is now generally called the specific name of the plant; but Linnæus used the latter term in a different sense. (See Specific.)

Tube; the lower, narrow part, of a blossom of one petal, by which it is fixed to the receptacle. [Plates 5. 10. and 16.]

Tuber; a solid fleshy knob, connected with fibres, in a root; the potatoe is a tuber, and is supposed to be an imperfect underground stem, the eyes representing buds.

U shering sit to metall

UMBEL; an assemblage of flowers, in which a number of slender fruit-stalks grow from the same centre, and rise nearly to the same height; so as to form a flat surface at top: as in Hemlock, and Cow Parsnip. The separate fruit-stalks are often called the Spokes of the umbel.

UMBELLIF'EROUS; a term applied to plants, which produce their flowers in umbels.

UMBELLULE (a little umbel). — In many umbelliferous plants, each spoke of the umbel has an umbellule at its end.

Under-shrub; a plant, in which the lower part only of the stem is woody,—but the upper part herbaceous, and dying every year.

V

VALVES; the pieces that compose a seed-vessel. [Wood-cut, page 194.] The pod of the Wall-flower has two valves, with a partition between them. [Plate 1.]

The term is applied also to the projecting sub-

stances, which, in some blossoms, close the mouth of the tube; as in Mouse-ear. [Plate 8.]

VARIETIES; plants, of the same species, which differ slightly from each other,—as in colour, size, or other unimportant circumstances. The purple, yellow, and white Crocuses, for example, are varieties of the species Ver'nus. When seeds are sown, the plants which they produce are often different varieties of the parent species; but the specific character remains the same in all.

Veil; a conical covering of the capsule, in several Mosses; somewhat like an extinguisher. [Plates 2. and 21.]

VIVIP'AROUS; a term used where seeds, instead of falling to the ground, as is common, germinate or grow, without being separated from the parent plant. Examples may be seen in several of the Grasses.

W

WHEEL-SHAPED; a term applied to a blossom of one petal, with a flat border, and very short tube; (like a coach wheel:) as in Germander Speedwell. [Plate 3.]

WINGS; the side petals, in a butterfly-shaped blossom. [Plate 19.7]

WINGED; — applied to seeds: furnished with a thin flat membrane on each side; as in the Maple.

WOODY; like wood, not herbaceous. The principal stem of the Wall-flower may serve as an example; it is somewhat Woody. [Plate 16.]

A CONTRACTOR	Page		Page
Aca'cia tree	201	American maple-tree	38
A'cer campes'tre	103	plants	173
Pseudo-plat'anus	103	Amyg'dalus commu'nis	138
- sacchari'num 38.	103	Per'sica	138
Aconi'tum Napel'lus	155	Amy'ris Gileaden'sis	105
Ac'orus Cal'amus	85	Anagal'lis arven'sis	119
Actæ'a	140	Angel'ica	71
Adanso'nia digita'ta	91		. 165
Æs'culus Hippocas'tanu	m 98	Animated oat	36
African marigold	119	Annuals 92	. 127
plants	173	Anotta	156
Agar'icus campes'tris	242	An'themis nob'ilis	214
delicio'sus	242	Anthers	6
xerampeli'nus	242	Anthoxan'thum odorátu	m 42
Aga've America'na	38	Antirrhi'num	170
Aggregate flowers	209	A'pium grave'olens	72
Agrostem'ma Githa'go,		Petroseli'num	72
described	117	Apple-tree	136
Agros'tichum re'pens	36	Apple-bearing sage	108
Alder-tree	50	Apricot-tree	134
Al'gæ	241	Aquile'gia vulga'ris	154
—, submersed	242	Ar'butus alpi'na	115
—, aquatic	241	une'do	114
Al'lium	87	Arc'tium Lap'pa 167	. 214
Ce'pa	87	Aristolo'chia Clemati'tis	s 91
——Por'rum	87	Arrow-root	21
Schænopra'sum	85		. 214
Almond-tree	138	, Jerusalem	214
Aloe, American	89	Artificial orders	164
Alpine plants	173	Artocar pus inci'sa	
Althæ'a	185	integrifo'lia	218

	Dana		Page
	Page 38	Birch-tree	49
Arun'do arena'ria bam'bos	39	Birch-tree, Dwarf	50
	27	Bird's-foot clover, de-	30
Ash-tree	173	scribed	196
Asiatic plants	85	Bird's-nest	72
Aspar'agus	105	Bix'a Orella'na	156
Aspin-tree	150	Blackberry	133
Assam tea	214	Black bryony	93
As'ter chinen'sis			27
Astrag'alus Tragacan'tha	62	pepper	106
At'ropa Belladon'na	69	— poplar	187
Auric'ula	36	spruce fir thorn	135
Ave'na fat'ua		Bladder fu'cus	239
sati'va	35		134
Awns	49	Bloom	6
D		Blossom	23
В	100	, monopet'alous	23
Balm	169	, polypet'alous	214
— of Gilead	105	Blue-bottle	234
Balsam-tree	55	Bog-moss	
Bamboo	39	Bole'tus ignia'rius	243
Barberry	85	Border of the blossom	24
, its stamens	88	Botany	2
Barley	35	, its uses	3, 4
—, Wall	36	Box-tree	51
Bay-tree	111	Bractea	32
Beans	198	Brakes	231
, Kidney	197	Bramble	133
Beech-nut oil	128	Dwarf crimson	
tree	128	Bras'sica chinen'sis	179
Beet, common	38	Na'pus	179
Bell-flower	69	olera'cea	179
Bel'lis peren'nis, de-	070	Ra'pa	179
scribed	213	Brazil-wood	120
Ber'beris vulga'ris	85	Breadfruit tree	218
Bergamot	204	Briar, Sweet	131
Bet'ula al'ba	49	Brome'lia Ana'nas	85
Al'nus	50	Broom Dutch one?	198
na'na	50	Butchers'	43
Biennials	127	Bryony, Black	93
Bilberry	103	Buckthorn	63
Bindweed	69	, Yellow-berrie	
, Small	119	Buds 6	1. 99

	D		D
D. II	Page	C	Page
Bulbs	95	Caoutchouc	221
Bullrush	41	Car'duus	214
Bu'nium flexuo'sum	71	Ca'rex	44
	. 214	acu'ta	44
Butchers' broom	43	Carnation	116
Bu'tomus umbella'tus,	110	Carraway	71
described	110	Carrot	71
Butterbur coltsfoot	167	Ca'rum Car'ui	.71
Buttercup	129	Cas'sia sen'na	120
Bux'us sempervi'rens	51	Castor-oil plant	222
Bys'sus sep'tica	242	Catkins	224
A STATE OF THE PARTY OF THE PAR		Cat's tail	143
C		Cedar of Lebanon	187
Cabbage	179	Celery	72
Cadu'cous calyx	141	Cell	142
Cæsalpi'nia brasilien'sis	120	Centau'rea Cy'anus	214
Cajaput oil	203	Centun'culus min'imus	53
Caja-Puti-tree	203	Chamomile	214
Calabash-tree	171	Cheiran'thus Chei'ri, de	e-
Cal'amus petræ'us	90	scribed	180
Ro'tang ver'nus	90	fruticulo'su	is 180
ver'nus	90	inca'nus	181
Cal'tha palus'tris	167	sinua'tus	181
Calyp'tra	232	Chelido'nium Glau'cium	n 150
	6. 118	Cherry-tree	134
-, cadu'cous	141	Chesnut-tree	128
, decid'uous	141	Chick-weed winter-gree	en 98
, diphyl'lous	23	China aster	214
double	184	Chinese rhubarb	112
, monophyl'lous	23	Chocolate-nut-tree	203
, permanent	141	Chrysan'themum Leu-	
, polyphyl'lous	23	can'themum	214
-, triphyl'lous	23	Cicu'ta viro'sa	71
Campan'ula	69	Cinnamon-tree	111
Camphire-tree	112	Cis'sus angustifo'lia	58
Candle-berry myrtle	51	Citron-tree	204
Candy-tuft 95		Ci'trus Auran'tium	204
Can'na In'dica	21	Med'ica	204
Can'nabis sati'va	226	Clary, Wild English	29
Caper-bush	153	Claspers	92
Cap'paris spino'sa	153	Class,	9
Capsule	142		10. 19

	1	Page		Page
Class two	10.		Coffee-tree	68
three	10.	31	Columbine	155
four	10.	45	Colt's foot	214
five	10.	64	Colours	30
—— six	10.	81	Compound flowers	209
seven	10.	98	Cones	188
	10.	99	Conferva	241
eight nine	10.	109	Convalla'ria maja'lis	85
— ten	10.	117	Convol'vulus	69
— eleven	10.	123	arven'sis	119
twelve	10.	129	Cor'culum	145
— thirteen	10.	139	Coriander	71
—— fourteen	11.	161	Corian'drum sati'yum	71
— fifteen		177	Cork-tree	106
sixteen	11.	182	Corn-cockle, described	117
seventeen	11.	191	Corolla	6
eighteen	11.		Cor'ylus avella'na	104
nineteen		299	Cor ypha umbraculif era	91
twenty		217	Cotton-tree	189
twenty-one		218	Cotyl'edons	144
twenty-two		224	Couch-grass	36
twenty-three			Cow-bane	- 71
twenty-four	12.	229	parsnep	72
Classes	- titil	10	Cowslip	69
Claws		117	Crab-tree	136
Clem'atis Vital'ba		155	Cram'be marit'ima	178
Climate, effects of, o	n	and the	Cranberry	103
plants		173	Cratæ'gus Oxyacan'tha	137
Climbers		92	Crescen'tia cucurbiti'na	171
Clothiers' teasel		48	Cuje'te	171
Cloud-berry		133	Crimson Bramble	134
Clove-tree		137	Crith'mum marit'imum	76
Clover, Bird's foot,	de-	D107	Cro'cus nudiflo'rus	32
scribed		196	sati'yus	32
Club moss		234	, Spring	32
Clu'sia ro'sea		55	, Springver'nus	32
Cochlea'ria Armora'	cia	178	Crown imperial	170
Cock's foot, Rough		41	Cru'ciform flowers	178
Cocoa-nut tree	17. 34	219	Cryptoga'mia 12.	229
Co'cos nucif'era	STREET	219	Cucumber	224
Coffe'a arab'ica		68	Cu'cumis	224
occidentális		68	Cudbear	239

1	Page		I	Page
Cultivation, effects of, or	n	Digyn'ia		13
plants	72	Diœ'cia	11.	224
Cupres'sus sempervi'rens	220	Diphyl'lous calyx		23
Cur'cuma lon'ga	21	Dip'sacus fullo'num		48
Currants	66	Distribution of plants		173
Cuscu'ta Europæ'a	54			146
Cyder	136	Dodder		54
Cyna'ra Scol'ymus	214	Dodecagyn'ia	14.	124
Cy'perus Papy'rus	78	Dodecan'dria		123
Cypress-tree	220	Dog-rose, examined		130
Cyt'isus Labur'num	195	Dog-wood		195
AND THE RESERVE OF THE PARTY OF		Double calyx		184
D		flowers		86
Dac'tylis glomera'ta, de-		Down		210
scribed .	41	, feathered		210
stric'ta	42	, on	a	
Daffodil	85	pillar	3	210
Dahlia	214	, simple		210
Daisy, described 206.		Dry-rot		241
, Ox-eye	214	Dulse	38.	240
Damask rose	132	Dutch myrtle	00.	51
Dandelion	213	pink		126
Daph'ne Laget'to	102	Dwarf birch-tree	F 101	50
- Meze'reum, de-		Dyers' green-weed		198
scribed	101	weed		126
Darnel	34	lichen		238
Date-palm	225	2011011		200
Dau'cus Caro'ta	71	E		
Deadly nightshade	62	Earth-nut		71
Decagyn'ia	13	Effects of climate		173
	117	cultivation		72
, order	182	heat		173
Decid'uous calyx	141	light		173
——— leaves	48	Egg-plant		62
	196	Eglantine		131
Delphin'ium consol'ida		Egyptian Cassia		120
	190	Lo'tus		154
Dian'dria 10		Lo'tus Papy'rus		79
Dian'thus caryophyl'lus	116	Elder		73
Dicotyle'donous plants	144	leaves		74
Didyna'mia 10.		Elm-tree		75
Digita'lis purpu'rea	160	- Red		75

	Page		Page
El'ymus arena'rius	36	Flowering fern	231
Embryo	144	rush, describe	
Enneagyn'ia	13	Flowers, aggregate	209
	109	——, compound	209
Epiden'drum flos-a'ëris	55	, cru'ciform	178
Eri'ca	100	double	86
— o'dor-ro'sea	100	——, full	86
tenuiflo'ra	100	, labiate	169
Ero'dium	183	, multiplied	87
Eucalyp'tus	138	- papiliona ceous	191
glob'ulus	138	papiliona'ceous	20
Euge'nia caryophylla'ta	137	, sessile	102
	7, 48	, single	86
Eyes of potatoes	61	, single , solitary	67
		, treble	86
F		Forget-me-not	66
Fa'gus casta'nea	127	Fox-glove	169
	128	Fraga'ria ves'ca	136
Fan-Palm	91	Frankincense	183
Fari'na	15	Frax'inus excel'sior	27
Feathered down	210	French berries	63
on a		sorrel	88
pillar	210	Fritilla'ria imperia'lis	170
Fennel	71	Fruit-stalks	148
Fern, sensitive	232	Fuch'sia coccin'ea	31
Ferns	231	Fu'cus digita'tus	240
Fescue-grass	35	gigante'us lichenoi'des	240
Festu'ca flu'itans	36	lichenoi'des	241
tridenta'ta	34	—— palma'tus —— sacchari'nus —— te'nax	240
vivip'ara	35	sacchari'nus	38
Fi'cus Car'ica	228	te'nax	241
Fig	228	vesiculo'sus	239
Fil'aments	6	Full flowers	86
Fil'ices	230). 242
Fir, black spruce	187	Furze	198
_, Scotch	186	A CONTRACTOR OF THE PARTY OF TH	
Fish-bean	195	G	
Flax	78	Galan'thus niva'lis, de-	SEET U
Florets	209	scribed	84
Floating fescue	35	Galls	108
Flower-of-the-Air	55	Garden nightshade	61
, parts of a	6	tulip	5. 84

	Page		Page
Gen'era	16	Gymnosper'mia	14. 165
Genis'ta tincto'ria	198	Gynan'dria	11. 217
Ge'nus	16	AN MAIN ROSE BURN STORY	
	8. 183	H	
Germander speedwell,		Hæmatox'ylon campe	a-
described	25	chia'num	120
Germen	6	Hair powder	35
Gigantic Fu'cus	240	Hairs upon leaves	26
Gilead, Balm of	105	Hawthorn	137
Gilly-flower	181	Hazel-nut-tree 1	04. 115
Ginger	21	Heart's-ease	69
Glasswort	20	Heat, effects of, on v	ege-
Glecho'ma hedera'cea,		tation	174
described	166	Heaths	100
Goat's thorn	201	Hed'era He'lix	62
Golden maiden-hair	233	Hedys'arum gy'rans	200
Gooseberry	66	Helian'thus an'nuus	214
Gossyp'ium	189	tubero's	us 214
Gram'ina	163	Hemlock, water	71
Grapes, sugar of	38	Hemp	226
Grass, Rough cock's-fo	oot.	Herac'leum Sphondy	l'ium 73
examined	41	Herba'ceous plants	94
Grass of Parnassus	84	Herbs	94
wrack	21	Hepat'icæ	230. 236
	33. 163	Heptagyn'ia	13
, stolonif'erous	34	Heptan'dria	19. 98
, vivip'arous	35	Hexagyn'ia	13
, very numerou	s 33	Hexan'dria	19.82
Grassy crown	43	Hippoma'ne Mancine	l'la 223
—— Sea	240	Hippu'rus vulga'ris	20
Great flower	56	Holly, described	47
Green-weed, Dyers'	199	Hollyhock	185
Grey bog-moss	234	Honey-flower	170
Ground ivy, described	166	suckle	69.93
Groundsel	214	Hops	93
Guelder-rose	77	Hor'deum muri'num	36
Guai'acum officina'le	120	vulga're	35
Gum an'ime	121	Horehound	169
Ar'abic	228	Horned poppy	150
guai'acum	120	Horse-chesnut	98
mas'tick	226	radish	178
trag'acanth	201	Houseleek, described	1 124
		^	

	Dana		D
Husk 34	Page . 144	Junip'erus commu'nis	Page
Hyacinth	85		182 183
Hyacin'thus non-scrip'te		ly'cia	100
orienta'lis	86	K	
Hydrocha'ris	110	Kamschatka lily	96
Hymene'a Courb'aril	121		240
Hyper'icum Androsæ'-		Kidney-bean	197
mum, described		Kidney-bean	197
mum, described	202	L	
		Labiate flowers	169
es production of the second		Laburnum	195
I'beris ama'ra	178	Lace-bark-tree	-
Iceland moss	238		102
Icosan'dria 10	. 130	Lactu'ca viro'sa Larch-tree	215 187
I'lex Aquifo'lium, de-		-	
scribed 4	5.47	Larkspur Lath/amag a lang/tana	155
Imperial tea	152	Lath'yrus odora'tus	198
Indian arrow-root	21	Laudanum	150
corn	219	Laurel	111
—— Jaca-tree	218	cherry Spurge	134
—— oak	77	, Spurge	31
— reed	90	Lau'rus campho'ra	112
rubber	221	cinnamo'mum	111
shot woman, story of	21	nob'ilis	111
woman, story of	157	Laurusti'nus	77
Indigo	199	Lavan'dula spi'ca	169
Indigo'fera tincto'ria	199	Lavate'ra	184
Inferior germen	88	Lavender	169
Involu'crum	109	Leaves, deciduous	48
Isa'tis tincto'ria	199	, uses of	1
	4. 62	Legu'men	194
A STATE OF THE PARTY OF THE PAR		Legu'minous plants	195
J		Lemon, salt of	119
10 10 10 10 10 10 10 10 10 10 10 10 10 1	COKA-	tree	204
Jaca-tree	218	Leon'todon Tarax'acum	213
Jamaica dog-wood	195	Lettuce, wild	215
Jasmi'num officina'le	28	Lichen, Dyers'	238
Jat'ropha elas'tica	221	Islan'dicus	238
Jerusalem artichoke	214	rangiferi'nus roccel'la	237
Jessamine	28	roccel'la	238
Ju'glans re'gia	104	tarta'reus	239
Juniper-tree	182	Li'chens	237
Junip'erus bermudia'na	183	Lid	232

I	age		Page
Light, effects of, on plants		Mal'va sylves'tris, de-	
Lig'num-vi'tæ-tree	120	scribed	185
Ligus'trum vulga're	26	Manchineel-tree	223
Lilac	28	Maple-tree	103
Lilia'ceous plants	162	, American	38
Lil'ium Camschatcen'se	96	sugar	103
Lilies	95	Maran'ta arundina'cea	21
Lily, Kamschatka	96	Mare's tail	20
—— of the Nile	154	Marigold, African	119
of the valley	85	———, Marsh	167
—, White water —, Yellow water	153	Marjoram	169
, Yellow water	154	Marking-nut-tree	77
Lime-tree	154	Marru'bium vulga're	169
Linden-tree	154	Marsh mallow	184
Linnæan system	9	marigold	167
Linnæus	2	marigold samphire	20
Linseed-oil	78	Marvel of Peru	176
Li'num usitatis'simum	78	Mastick-tree	226
Liquorice, wild	198	Meadow saffron	115
Lirioden'dron Tulipif'era		sage	28
Liverworts	236	Medlar	134
Lobes	144	Melaleu'ca leucaden'-	
Locust-tree	121	dron	203
Logwood-tree	120	Melian'thus	170
Lo'lium temulen'tum	34	Mel'ic grass	37
London pride	115	Mel'ica nutans	37
Lonice'ra	69	Melis'sa	169
Lo'tus cornicula'tus, de-		Melon	224
scribed	196	Men'tha	169
——, Egyptian	154	Mercuria'lis	109
Love apple	62	Mes pilus	134
Lycopo'dium clava'tum	234	Me'um Fœnic'ulum	71
Lupine	195	Mezereon, described	101
Lupi'nus	195	Mignonette	127
		Mimo'sa Nilot'ica	228
M		— pudi'ca	227
Madder	49		94. 169
Mahogany-tree	121	Mirab'ilis Jal'apa	175
Maize	219	Misletoe	53
Mallow, described	185	Monadel phia	11. 182
——, Marsh	184	Monan'dria	10. 19
—— tree	184	Monkey's bread tree	91

	Page		Page
Monkshood	155	Natural orders 162.	
Monocotyle'donous		Nectarine-tree	138
plants	144		. 83
	218	Nicotia'na Tab'acum 68.	
	3. 15	Night-shade, Deadly	62
Monopet'alous blossoms			61
Monophyl'lous calyx	23	Garden , W y	61
Monthly rose	132	Norway bread	35
Mo'rus al'ba	168	pine	187
Moss, Club	234	Number of plants known	165
, Grey bog	234	Nut oil	105
, Iceland	238	Nutmeg-tree	226
—, Rein-deer	238	Nymphæ'a al'ba	153
rose	132	Lo'tus	154
Mosses	232	Lo'tus lu'tea	154
Mount of Olives	28	Nelum'bo	154
Mountain ash	137	THE PERSON NAMED IN COLUMN	100
Mouse-ear, described	65	0	
Moving plant	200	Oak apple	108
Mulberry-tree 168.	224		107
Multiplied flowers	87	Oats	35
Mungo Park	235	—, animated	36
Mu'sa paradisi'aca	227	Octan'dria	100
Mus'ci	230	Octagyn'ia	13
Mushrooms	242	Oil of beech-nut	128
Mustard	179	, cajaput	203
Myoso'tis palus'tris, de-		, cakes	78
scribed	65	, castor	223
Myri'ca cerif'era	51	——, linseed	78
—— Ga'le	51	——, nut	105
Myris'tica moscha'ta	226	—, olive	28
Myrtle	137	of rape-seed	179
, Candleberry , Dutch	51	O'lea europæ'a	28
, Dutch	51	fra'grans	28
Myr'tus commu'nis	138	Olive oil	28
		tree	28
N		—, Spurge	101
Names of plants	71	Olives, Mount of	28
Nankin	189		232
Naphtha	222	Opium	149
Narcis'sus Pseudo-Nar-		Orange-tree	204
cie'ene	85	Orchall	920

	Page		Page
Orchid'eæ	217	Ox'alis acetosel'la	118
Orchis mas'cula	218	Ox-eye daisy	214
, early purple	218	All a line in the land of the land	
Orchises	217	P	
Orders	9	Pæo'nia coralli'na	155
Order Al'gæ	236	Pæstum, Rose of	132
—— Angiosper'mia —— Decagyn'ia	14. 165	Palanquin	39
—— Decagyn'ia	13	Palma Christi	222
— Decan'dria	182	Panicle	42
— Digyn'ia	13	Pansy	69
Dodecagyn'ia	14. 124	Papa'ver du'bium	147
— Enneagyn'ia — Fil'ices	13	Papa'ver Rhœ'as, de-	
Fil'ices	230	scribed	148
Fun'gi	230	Papa'ver somnif'erum	149
- Gymnosper mia	14. 165	Paper	78
— Hepat'icæ	230	Papiliona'ceous flowers	191
Heptagyn'ia	13	Papy rus	78
Hexagyn'ia	13. 109	Parasitical plants	53
— Monogyn'ia — Mus'ci	13. 15	Parnas'sia palus'tris	84
Mus'ci	230	Parsley	72
Octagyn'ia	13	Parsnep	71
Pentagyn'ia	13. 117	Parts of a flower	. 6
Pentan'dria	183	plant	5
Polyan'dria	82. 202	Pastina'ca sati'va	71
Polyga'mia æqu	alis211	Peach-tree	138
frustra necess	nea 212	Pear-tree	136
necess	a'ria 212	Pea	198
segrege super	a'ta 212	—, Sweet	198
super'i	Aua 211	Pelargo'nium	183
Polygyn'ia	14. 130		3. 117
— Polygyn'ia — Siliculo'sa	14. 178	Pentan'dria, class	59
Siliquo'sa	14. 178	, order	183
Tetragyn'ia	13	Pepper	27
Trian dria	182	,White	27
— Trigyn'ia	13	Perennials	127
Orlers, artificial	164	Perfect flowers	20
, natural	164	Periwinkle	69
Orig'anum Tournefo	r'tii 173	Permanent calyx	141
vulga're	169	Perry	136
Ory'za sati'va	89	Pet'als	6
Osier	224	Phase'olus vulga'ris	197
Osnun'da rega'lis	231	Phellan'drium aquat'ic	um 71

	Page		Page
Phœ'nix dactylif'era	225	Plants, Tropical	95
Pimpernel chaffweed	53	, Umbel'late	70
, Scarlet	119	- Umbellif'erous	70
Pine apple	85	, Umbellif erous	29
Pines	186	Plum-tree	134
Pinks	116	Plu'mula	144
Pinus Abies	187	Pod	194
—— Ce'drus	186	Pollen	15
—— La'rix	187	Polyadel'phia 11	. 202
— ni'gra	187	Polyan'dria.class 10, 129	.139
ni'gra sylves'tris	188	order 182	. 202
Piony	155	Polyga'mia 11	. 227
Pi'per ni'grum	27	æqua'lis	211
Piscid'ia erythri'na	195	æqua'lis — frustra'nea	212
Pistachia-nut-tree	225	—— necessa'ria	212
Pista'chia Lentis'cus	226	segrega'ta	212
- Terebin'thus	225	super'flua	211
Pistil	6	Polygyn'ia	14
Pi'sum sati'yum	198	Polypet'alous blossom	23
Plane-tree	103	Polyphyl'lous calyx	23
Plant, parts of a	5	Polypody	231
Plantagenet	199	Polyt'richum commu'ne	234
Plantain-tree	227	Pomegranate-tree	138
Plants, African	173	Poor man's weather-glass	119
, Alpine	173	Poplar-tree	105
——, American	173		106
——, Annual	127	, Trembling	105
- Asiatic	173	Poppy, Horned	150
Asiatic Biennial	127	, Red, described	148
—, Decumbent	196	—, White	149
Dicotyle'donous	144	Pop'ulus ni'gra	106
, distribution of	173	trem'ula	105
, Herba'ceous	94	Potatoe	59
——, Leguminous	195	Prickles	135
Lilia ceous	162	Primrose	69
, Monococtyle'-		Prim'ula	69
donous	144	——— Auric'ula	69
, names of	17	ve'ris	69
, number of known		vulga'ris	69
, Papiliona'ceous	191		94
	53	Provins rose	132
, Perennial	127	Pru'nus	134

	Page	73	Page
Pru'nus armeni'aca	134	Rhus	77
- Laurocer'asus	134	— ver'nix	77
spino'sa	135	Ri'bes 6	6, 67
Pte'ris aquili'na	231	Rice	89
Pu'nica Grana'tum	138	Ric'inus commu'nis	222
Purple orchis	218	Robin'ia Pseudo-aca'cia	201
Py'rus	136	Root	- 5
commu'nis	136	, creeping	213
Ma'lus	136	Ro'sa cani'na, described	130
		damasce'na	132
Q		Montezu'ma	132
Quer'cus Ro'bur	107	musco'sa	132
- Su'ber	106	provincia lis	132
		rubigino'sa	131
\mathbf{R}		Rose, Damask	132
Radish	179	, Dog, described	130
Radicle	144	—, Monthly	132
Raffle'sia	56.58	—, Moss	132
Rape	179	— of Pæstum	132
seed oil	179	—, Provins	132
Raph'anus Raphanis'tra	ım179	Rose-coloured balsam-	
Raspberry	133	tree	55
Ratan	90	Rosemary	28
Receptacle	7	Rosmari'nus officina'lis	28
Red elm	75	Rough cock's-foot grass,	
Reed	38	described	41
—, Indian	90	Ru'bia tincto'rum	49
Rein-deer moss	237	Ru'bus arc'ticus	134
lichen	232	——— Chamæmo'rus	133
Renan'thera arachni'tis	55	frutico'sus	133
Rese'da lu'tea	126	——— Idæ'us	133
lute'ola	126	210	119
odora'ta, Wild	126	scuta'tus	89
, Wild	126	Rus'cus aculea'tus	43
Rham'nus cathar'ticus	63	Rush, Flowering, de-	
infecto'rius	63	scribed	110
— Lo'tus	64	—, Sweet	85
Rhe'um compac'tum	112		
palma'tum rhapon'ticum	112		
rhapon'ticum	112	S	47.0
Rhubarb	112	Sacred bean of India	154
———, Chinese	112	Sac'charum officina'rum	37

	Page		Page
Saffron	32, 33	Seeds, distribution of	146
Saffron-Walden	33	Seed-vessels 7. 188.	
Sage	28	Semicar pus anacar dium	
, Apple-bearing	102	Sempervi'vum tecto'rum	
, Meadow	28	described	124
Sago	219	Sene'cio vulga'ris	214
— palm	219	Senna-tree	120
Sa'gus Rum'phii	219	Sensitive plant	227
Saintfoin	198	—— fern	232
Sa'lix	224	Sessile flowers	102
babylo'nica	225	Sheath	32
vimina'lis	225	Shepherd's needle	73
Salicor'nia herba'cea	20	purse	178
Salop	218	Shrub	92
Salt of lemon	119	Shipwreck	76
Sal'via	28	Shot, Indian	21
pomif'era	108	Side-saddle flower	155
praten'sis	29	10111 1 /	178
praten'sis verben'ica	29		178
Sambu'cus nigra	73	Simple down	210
Samphire	76	Sina'pis ni'gra	179
——, Marsh	20	Single flowers	86
Sap-green	63	Sisym'brium Nastur'tium	
Saranne	97	Si'um latifo'lium	71
Sarrace'nia	155	Sleep of plants	193
Saxif raga umbro'sa	116	Sloe-tree	135
Saxifrage	115	Snapdragon	170
Scan'dix Pec'ten	73	Snow-ball-tree	77
Scarlet fuchsia	31	Snow-shoe	157
pimpernel *	119	Snowdrop, described	82
Scir pus lacus tris	41	Sola'num Dulcama'ra	60
Scotch fir	186	Lycoper sicum	62
Sea kale	178	Melonge'na	62
lyme grass	36	ni'grum tubero'sum	60
reed	38	- tubero'sum	59
stock	181	Solitary flowers	67
tangle	240	Son'chus Siber'ica	119
weeds	237. 239	Sor'bus aucupa'ria	137
wrack	239	Sorrel	88
Sedge	44	, French	89
Seed-bud	6	—, Wood	118
Seeds, described	143, 144	Sow thistle	119

	Page		Page
Spanish black	107	Syngene'sia	11. 209
Spa'tha	32	Syrin'ga vulga'ris	28
Spar'tium scopa'rium	198	System of Linnæus	9. 163
Species	16		
Specific name	17	T	
Speedwell, Germander,		Tage'tes erec'ta	119
described	25	Tallow-tree	223
Spiket	42	Tamarind-tree	183
Sphag'num palus'tre	234	Tamarin'dus in'dica	183
Spruce fir	187	Tamarisk-tree	77
Spurge laurel	31	Tam'arix gal'lica	77
olive	102	Tanace'tum vulga're	214
Stamen	6	Tansy	214
Starch	35	Tax'us bacca'ta	185
Stem	5	Tea-tree	150
Stems, hollow	40	, Imperial	152
Stillin'gia sebif'era	223	Teak-wood	. 77
Stock gilly-flower	181	Teasel, Clothiers'	48
—, Sea	181	Tec'tona gran'dis	77
Stolonif erous grasses	34	Tendrils	92
Strawberry	136	Tetradyna'mia	11. 177
tree	114	Tetragyn'ia	13
, Black-berried		Tetran'dria	10. 45
Strelit'zia regi'na	167	The'a Bohe'a	151
Strob'ile	188	vir'idis	151
Style	6	Theobro'ma caca'o	203
Submersed algæ	236	Thistle	214
Sugar	37	Thlas'pi Bur'sa-pasto	ris 178
cane	37	Thorns	135
of Grapes	38	Til'ia europæ'a	154
— maple-tree	103	Tobacco	68. 143
Sumach-tree	77	Tomato	62
Summit	6	Tomberongs	64
Sun-flower	214	Touch-wood	159
Superior blossom	67	Traveller's joy	155 87
Sweet bay-tree	111	Treble flowers	
briar	131	Tree	94
— pea	198	Trefoils	196 10.
- rush	85	Trembling poplar-tree Trian'dria	10. 3
William	116		98
Swiete'nia Mahog'ani	121	Trienta'lis europæ'a	13
Sycamore-tree	103	Trigyn'ia	19

MINERAL SECTION OF THE PROPERTY OF THE PARTY	Page		Page
Triphyl'lous calyx	23	Verbe'na officina'lis	164
Trit'icum hyber'num	35		170
re'pens	36	Verjuice	136
Trivial name	17	Vernal carex	44
Tropical plants	95	grass	42
Tuber	60	Veroni'ca Chamæd'rys,	
Tube of the blossom	24	described	26
Tulip, Garden	15. 86	Vervain	169
tree	155	Vetch	198
—, Wild	86	Vibur'num Op'ulus	77
Tu'lipa Gesneria'na	86	Ti'nus	77
sylves'tris	86	Vic'ia Fa'ba	198
Turmeric	21	Vin'ca	69
	6. 178	Vine	66
Turpentine	188	Vi'ola odora'ta	69
Tussila go far fara	213	— tric'olor	69
Petasi'tes	167	Violet	69
Tutsan, described	202	Virgin's bower	92
Ty'pha ma'jor	143	Vis'cum al'bum	53
		Vi'tis vinif'era	66
Ulustration		Vivip'arous grasses	35
U'lex europæ'us	198	- Paris and the state of the same	
Ul'mus america'na	75	\mathbf{W}	
campes'tris	75	Wall barley	36
Umbel	70	Wall-flower, described	179
Umbel'late plants	70	Walnut-tree	104
Umbellif'erous plants	70	Water-cowbane	71
Umbellule	70	Water-cress	179
Under-shrub	94	hemlock	71
Uses of Botany	3, 4	——— lily	153
leaves	168	mouse-ear, de-	
		scribed	65
V		parsnep	71
Vaccin'ium formo'sum	104	Water-proof cloth	222
- macrocar'po	n 104	Way bennet	36
myrtil'lus	103	Weed, Dyers'	126
myrtil'lus oxycoc'cos	103	Weeping willow	225
Varieties of plants	29	Wheat	35
Varnish sumach-tree	77	White pepper	27
Vegetable egg	62	water-lily	153
Veil of mosses	232	Whitlow-grass	178
Venice turpentine	187	Whortle-berry	103

	Page		Page
Wild liquorice	198		
reseda	126	Y	
Wild tulip	86	Yellow water-lily	154
Willows	224	Yew-tree	185
Woad	199		
Wolf's-bane	155	Z	
Woodbine	69	Ze'a Ma'ys	219
Wood-sorrel	118	Zin'giber officina'lis	21
Woody night-shade	61	Zoste'ra mari'na	21

285

THE END.

GUIDE TO THE ORCHARD AND KITCHEN GAR-DEN. By G. LINDLEY, C.M.H.S. Edited by Dr. LINDLEY. 8vo. 16s. boards.

By SIR WILLIAM JACKSON HOOKER.

THE BRITISH FLORA — THE FLOWERING PLANTS AND THE FERNS. 8vo. 4th Edition, with Plates, containing 82 Figures of the Grasses and Umbelliferous Plants. 12s.; or coloured, 16s.

*** In this Edition all the newly discovered Species are introduced. The Linnæan Arrangement is followed; but in the Appendix are given the Characters of all the Natural Orders, with a List of the Genera.

Vol. II. Part 1. of the above (CRYPTOGAMIA). 8vo. 12s. — Vol. II. Part 2. (Fungi), completing the Work; by Sir W. J. Hooker, and the Rev. M. J. Berkeley. 8vo. 12s.

MUSCOLOGIA BRITANNICA. THE MOSSES OF GREAT BRITAIN AND IRELAND, systematically arranged; with Plates. By Sir W. J. Hooker, and Dr. Taylor. 2d Edition, 8vo. 31s. 6d. plain; 3l. 3s. coloured.

ICONES PLANTARUM; or, Figures, with Brief DESCRIPTIVE CHARACTERS AND REMARKS, OF NEW AND RARE PLANTS. 2 vols. 8vo, with 200 Plates. 2l. 16s. cloth lettered.

Parts I. & II. of a Continuation (forming Vol. III, Price 28s. cloth lettered), comprising 50 Plates and Descriptions, (to be completed in 2 more Parts,) 14s. each.

By SIR JAMES EDWARD SMITH.

THE ENGLISH FLORA. 6 vols. 8vo. 3l. 12s. boards. Vols. I. to IV. the Flowering Plants and the Ferns. 2l. 8s. bds.

Vol. V. Part 1. 12s. — CRYPTOGAMIA. By Sir W. J. HOOKER. Vol. V. Part 2. 12s. — The Fungi. By Sir W. J. Hooker, and the Rev. M. J. Berkeley.

COMPENDIUM OF THE ENGLISH FLORA. 2d Edition. By Sir W. J. HOOKER. 12mo. 7s. 6d.

THE SAME IN LATIN. 5th Edition, 12mo. 7s. 6d.
INTRODUCTION TO THE STUDY OF PHYSIOLOGICAL AND SYSTEMATICAL BOTANY. New Edition. By Sir W. J. Hooker. 8vo, 36 Plates. 16s. cloth.

AN ALPHABETICAL CATALOGUE

OF

NEW WORKS

IN GENERAL AND MISCELLANEOUS LITERATURE,

PUBLISHED BY

MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS,
PATERNOSTER ROW, LONDON.

CLASSIFIED INDEX.

Agriculture and Rural	Pages
	Lardner's Cabinet Cyclopædia - 16 Loudon's Self Instruction - 17
Affairs.	Loudon's Self Instruction 17
Pages	(Mrs.) Amateur Gardener = 17
Sayldon on Valuing Rents, etc. 6 Caird's Letters on Agriculture - 8 Cecil's Stud Farm - 8	Munnder's Tuescomes of Knowledge a 90
Caird's Letters on Agriculture 8	Scientificand Literary Treasury 20
Decil's Stud Farm 8	Tresensu of History - 20
	Biographical Transper
Self-Instruction for Farmers, etc. 17	Natural History 90
,, Self-Instruction for Farmers, etc. 17 ,, (Mrs.) Lady's Country Companion 17	Dooket and the Sand
ow's Elements of Agriculture : - 18	Provote's Course of Variet Reading - 24
	Possels Medical Cuids
Arts, Manufactures, and	Scientificand diterary Freasury 3: Biograph of History 2: Natural History 3: Pocket and the Stud Pycroft's Course of English Reading 2: Rece's Medical Guide Rich's Companion to the Latin Dictionary 2:
Architecture.	Riddle's Latin Dictionaries and Lexicou Roger's Veyetable Guitivator Roger's English Thesaurus Royet's English Thesaurus Royet's English Thesaurus Royet's English Thesaurus Stort Whist Stud (The Jordan Student Stud
	Rogers s vegetable Cultivator 25
Addison's Knights Templars - 5	Roger's English Thesaurus 25
Bourne's Catechism of the Steam Engine 7	Rowton's Debater 20
	Short Whist 20
Brande's Dictionary of Science, etc 7	Stud (The) for Practical Purposes 12
	Thomson's Interest Tables 30
Eastlake on Oil Painting Gwilt's Encyclopædia of Architecture - 11	Traveller's Labrary
Gwilt's Encyclopædia of Architecture - 11	Webster's Domestic Economy - 32
Immeson's Sacred and Legendary Art - 14	
London's Rural Architecture 18	Commentaries 32
Moseley's Engineering and Architecture 21	The state of the s
Roam Engine (The), by the Artisan Club 5	Botany and Gardening.
Pate on Strength of Materials 29	Dotally and wardening.
Ure's Dictionary of Arts, etc 30	Conversations on Botany
	Conversations on Botany 8 Hooker's British Flora 13
Biography.	,, Guide to Kew Gardens 12
Diography	Tindle de le tende de la la Peters 12
Baines's Life of Baines 6	Lindley's Introduction to Botany - 17 Loudon's Hortus Britannicus - 18
Baines's Life of Baines 6 Bunsen's Hippolytus 7	Loudon's Hortus Dritainings 10
bansen's Hippolytus 7 fosas' Judges of Eugland 10 freeman's Life of Kirby 10 Haydon's Autobiography, by Taylor 29 Holeroft's Memoirs 31 Holland's (Lord) Memoirs 31 Lardner's Cabinet Cyclopedia 16 Aududer's Biographical Trensary 31 Manuder's Biographical Trensary 31	,, Encyclopædia of Trees & Shrubs 17
Freeman's Life of Kirhy 10	", Gardening 17 " Gardening 17 " Plants - 18 ", Self-Instruction for Gardeners 17 Rivers's Rose Amsteur's Guide - 25 Rogers's Vegetable Cultivator - 25
Haydon's Antohiography, by Taylor - 29	y Cale I y Figures - 10
Holoroft's Memnirs	,, Self-Instruction for Gardeners 1/
Holland's (Lord) Memoirs 12	,, (Mrs.) Amsteur Gardener - 17
Lardner's Cabinet Cyclonædia - 16	Rivers's Rose Amateur's Guide - 25
Manuder's Bingraphical Treasury - 20	Rogers's vegetable Cultivator 25
Memoir of the Duke of Wellington - 31	
Maunder's Biographical Ireasury - 20 Memoir of the Duke of Wellington - 31 Lord Peterborough - 23 Russell's Memoirs of Moore - 21 Southey's Life of Wesley - 27 Life and Correspondence - 27 Stephen's Ecclesiastical Biography - 29	Chronology.
Russell's Mamoirs of Moore 21	OMI OHOTOBA.
Louthey's life of Wesley 97	Blair's Chronological Tables 6
Life and Correspondence - 27	Bungen's Ancient Egypt
Stanban's Euglasiastical Biography - 98	Bunsen's Ancient Egypt 7 Haydu's Book of Dignities 12
Parlor's Lorols - 20	Nicolas's Chronology of History 16
Taylor's Lovola - 29 ,, Wesley - 29	Micoras s Chronology of Mistory 4 4 10
Townsend's Twelve eminent Judges - 30	
waterton's Autobiography and Essays - 30	Commerce and Mercantile
n aterion s Autobiography and Essays - 50	Affairs.
	Allairs
Books of General Utili	Francis's Bank of England 10
Acton's (Eliza) Cookery Book 5	Francis s Dank of England 10
acton's (Eliza) Cookery Dook	,, English Railway 10 ,, Stock Exchange - 10 Lorimer's Letters to a Master Mariner - 17
Black's Treatise on Brewing 6	,, Stock Exchange 10
Capinet Gazetteer (The) 7	Lorimer's Letters to a Master Mariner - 17
Cabinet Gazetteer (The) - 7 , Lawyer (The) - 8 Hints on Etiquette 12 Hudson's Executor's Guide - 13	M'Culloch's Dictionary of Commerce - 19 Steel's Shipmaster's Assistant - 28 Symons' Merchant Seamen's Law - 28
Hints on Etiquette 12	Steel's Shipmaster's Assistant • 28
Hudson's Executor's tiulde 13	Symons' Merchant Seamen's Law - 25
On Making Wills 13	Thomson's Tables of Interest 29

Criticism, History, and Memoirs.

TAT GILLOTT 2.	
Pa	ges
Addison's Knights Templars	5
Anthony's Footsteps to History	5
Balfour's Sketches of Literature	6
Ralfact's English Posts	6
Blair's Chron, and Historical Tables .	6
Burton's History of Scotland -	
Bunsen's Ancient Egypt	7 7 8
,, Hippolytus	7
Conybeare and Howson's St. Paul	8
Dennistoun's Dukes of Urbino	9
Eastlake's History of Oil Painting -	9
Felice's French Protestants	10
Foss's Judges of England	10
Francis's Bank of England	10
, English Railway	10
Stock Exchange	10
Gleig's Leipsic Campaign Gurney's Historical Sketches	31
Gurney's Historical Sketches	11
Hamilton's Essays from the Edinburgh	
Review	11
Haydon's Autoblography, by Taylor -	29
Haydon's Autobiography, by Taylor - Harrison On the English Language -	11
Holland's (Lord) Foreign Reminis-	
cences	12
Whie Party	12
Jeffrey's (Lord) Contributions	14
Kemble's Anglo-Saxons in England -	15
Lardner's Cabinet Cyclopædia	16
Macaulay's Essays	18
History of England	18
Mackintosh's Miscellaneous Works -	18
M'Culloch's Dictionary, Historical, Geo-	
graphical, and Statistical	19
Maunder's Treasury of History	20
Marriotti's Fra Dolcino	19
Martineau's Church History	20
Memoir of the Duke of Wellington -	31
Merivale's Roman Republic	20
,, History of Rome	20
Moore's (Thomas) Memoirs, etc Mosheim's Ecclesiastical History	21
Mosheim's Ecclesiastical History	22
Mure's Greek Literature	22
Ranke's Ferdinand and Maximilian -	31
Rich's Companion to the Latin Dictionary	24
Riddle's Latin Dictionaries	24
Rogers's Essays from the Edinburgh Rev.	25
Roget's English Thesaurus St. John's Indian Archipelago	25
St. John's Indian Archipelago	25
Schmitz's History of Greece	29
Sinclair's Popish Legends	26
Smith's (S.) Lectures on Moral Philosophy Southey's The Doctor etc. Stephen's Ecclesiastical Biography	27 27
Southey's The Doctor etc	27
Stephen's Ecclesiastical Biography	28
France Lectures on the History of	00
Sydney Smith!- Works	28
Sydney Smith's Works	27
wesley	29
Thirlwall's History of Greece -	29
Townsend's State Trials	29
Turner's England during the Middle Ages	30
,, Anglo-Saxons	30
,, Anglo-Saxons	30
Zumpt's Latin Grammar	30
	34

Geography and Atlases.

Butler's Ancient and Modern Geography
,, Atlas of General Geography
Cabinet Gazetteer (The)

Pages Hall's Large Library Atlas Hughes (E.) New School Physical Atlas (W.) Australian Colonies Mathematical Geography Johnston's General Gazetteer

M'Culloch's Geographical Dictionary 18 21 26 M'Leod and Weller's Scripture Atlas Murray's Encyclopædia of Geography Sharp's British Gazetteer

Juvenile Books.

Amy Herbert	25
Anthony's Footsteps to History	5
Calling and Responsibilities of a Go-	
verness	8
Corner's Children's Sunday Book	8
Earl's Daughter (The)	25
Experience of Life (The)	10
Gertrude	26
Graham's Studies from the English Poets	11
Howitt's Boy's Country Book	13
Children's Year	13
Laneton Parsonage	26
Mrs. Marcet's Conversations	19
Margaret Percival	26
Pycroft's Course of English Reading -	24

Medicine.

Ancell On Tuberculosis -		4
Bull's Hints to Mothers -		
Management of Children		
Copland's Dictionary of Medicine		
Holland's Mental Physiology		
Latham On Diseases of the Heart		
Moore On Health, Disease, and Re	me	dy
Pereira On Food and Diet .	-	
Reece's Medical Gulde		
Thomas's Practice on Physic -	-	-

Miscellaneous

and General Literature	
Calling, etc. (The) of a Governess -	8
Carlisle's Lectures and Addresses -	31
Eclipse of Faith (The)	9
Graham's English	11
Greg's Essays on Political and Social	
Science	11
Haydn's Beatson's Index	12
Holland's Medical Physiology	12
Hooker's Kew Guide	12
Howitt's Rural Life of England	13
,, Visits to Remarkable Places -	13
Jeffrey's (Lord) Contributions	14
Lang On Freedom for the Colonles -	16
Lardner's Cabinet Cyclopædia	
Loudon's (Mrs.) Lady's Country Companion	18
Macaulay's Critical and Historical Essays Mackintosh's (Sir J.) Miscellaneous Works	
Maitland's Church in the Catacombs -	19
Memoirs of a Maitre d'Armes	31
Pascal's Works, by Pearce	:3
Pyeroft's Course of English Reading .	24
Rich's Companion to the Latin Dictionary	24
Riddle's Latin Dictionaries and Lexicon	24
Rowton's Debater	25
Seaward's Narrative of his Shipwreck -	25
Sir Roger De Coverley	26
Sketches by a Sailor	26
Southey's Common-Place Books	27
,, The Doctor etc	27
AND DESCRIPTION OF THE PARTY OF	

Pages Stow's Training System 28	Political Economy and
Sydney Smith's Works 27 Fownsend's State Trials 30	Statistics.
Willoaghby's (Lady) Diary 32	Page
Zumpt's Latin Grammar 32	Banfield's Statistical Companion 6 Caird's English Agriculture
CONTRACTOR OF SHARE OF SHIPS OF SHIPS	Caird's English Agriculture 8 Francis's Bank of England 16
Natural History in	English Railway !!
General.	Greig's Essays on Political and Sociel
Catlew's Popular Conchology 8	Laing's Benmark and the Duchies 18
Combleday, Westwood, and Hewitson's	. Notes of a Traveller 1
Butterfiles 9	M'Culloch's Geographical, Statistical, and Historical Dictionary - 19
Cphemera and Young on the Salmon - 10	M'Culloub's Dictionary of Commerce . 10
Cemp's Natural History of Creation - 31	. London 3
irby and Spence's Entemology 15	,, Ou laxation and randing - 13
ee's Elements of Natural History - 15	Marcet's Conversations on Polit. Economy 19
Janader's Treasury of Natural History - 20 arten's Shells of the British Islands - 30	Pashley on Pauperism 22
Vatertou's Essays on Natural History - 30	A STATE OF THE PARTY OF THE PAR
Touatt's The Dog = 32	The second section of the second seco
,, The Horse 23	The state of the s
The Property of the Party of th	Religious and Moral
One Vol. Encyclopædias	Works, etc.
and Dictionaries.	
	Amy Herbert 2
laine's, of Rural Sports 6	Bloomfield's Greek Testament -
rande's of Science Literature, and Art 7	,, Annotations on ditto - 6 College and School ditto - 6
opland's, of Medicine 8 resy's, of Civil Engineering - 8 wilt's, of Architecture 11	Calling and Responsibilities of a Governess 8
wilt's, of Architecture 11	Convheare and Howson's St. Paul 8
ohnston's Geographical Dictionary - 14	Corner's Sunday Book 8 Dale's Domestic Liturgy - 9
andan's of Transand Shruhs a m 17	Dale's Domestic Liturgy - 9
	Discipline - 9 Earl's Daughter (The) 25
of Agriculture 17	Eclinse of Faith (The) 9
of Rural Architecture - 18	Englishman's Hebrew Concordance - 10
Culloch's Geographical Dictionary - 19	Greek Concordance - 10
,, Dictionary of Commerce - 19 Inrray's Encyclopædia of Geography - 22	Experience of Life (The) 10 Félice's French Protestants 10
Inrray's Encyclopædia of Geography 22 harn's British Gazetteer 22	Félice's French Protestants 10 Gertrude 26
harp's British Gazetteer - 26 re's Arts, Manufactures, and Mines - 30	Tr1 to I to be of the Force 11
Vebster's Domestic Economy 32	Hope's Drittany and the Divie 31
SHOWER GROWN TO A SECOND OF THE PARTY OF THE	Hook's (Dr.) Lectures on Passion Week 12
Poetry and the Drama.	Jameson's Sacred and Legendary Art - 14
THE RESERVE OF THE PARTY OF THE	,, Monastic Legends 14
ikin's (Dr.) British Poets 5	,, Monastic Legends - 14
aillie's (Joanna) Poetical Works 5 selfast's Lectures on the English Poets	Jeremy Taylor's Works 14 Kippis's Hymns 15
Pante, by Cayley 8	Laneton Parsonage 26
Pante, by Cayley - 8 Thomas and their Kindred Thoughts - 22 Truits from the Garden and Field - 23	Laneton Parsonage - 26 Letters to my Unknown Friends - 17 on Happiness - 17
'ruits from the Garden and Field 23	on Happiness 17
oldsmith's Poems, illustrated - 11 octhe's Faust, by Falck Lebahn - 15 raham's Studies from the English Poets 11	Maitland's Church in the Catacombs - 19 Margaret Percival - 26
raham's Studies from the English Poets 11	M'Leod and Weller's Scripture Atlas - 18
Cippis's Hymns 15	Mariotti's Fra Dolcino 10
E. L.'s Poetical Works 15	Martineau's Church History 20
inwood's Anthologia Oxoniensis 17	Milner's Church of Christ 20
Iontgomery's Poetical Works 20	Montgomery's Original Hymns 20 Moore on the Power of the Soul 21
Original Hymns 20	on the Use of the Body 21
Ioore's Irish Melodies 21	on man and his pictives 21
,, Lalla Rookh 21	Mosheim's Ecclesiastical History 22
,, Poetical Works 21 Songs and Ballads 21	Neale's Risen from the Ranks - 22
Songs and Ballads - 21 hakspeare, by Bowdler - 26 , 'a Sentiments and Similes - 14	,, Closing Scene - 23 ,, Resting Places of the Just - 22
'a Sentiments and Similes - 14	Riches that bring no Sormer - 99
, 'a Sentiments and Similes - 14 , 'a Songs and Ballads - 26 outhey's Poetical Works - 27 , British Poets 28 wain's English Melodies - 28	
outhey's Poetical Works 27	Pascal's Works, by Pearce - 23
,, British Poets 28 wain's English Melodies 28	Ranke's Ferdinand and Ma milian - 31 Readings for Lent 14
	Robinson's Lexicon of the Greek Testa-
Vatta's Lyrics of the Heart 32	ment 25
Vinged Thoughts 22	Saints our Example (The) 95

Pages	Pages
rages	Portlack's Geology of Londonderry - 24
Self-Denial the Preparation for Easter - 25	Smee's Electro-Metallurgy 27
Shotches by a Sailor 20	Steam Engine (The), by the Artisan Club 5
Sinclair's Journey of Life 26	Tete on Strength of Materials - 28
Popish Legends 26	Tate on Strength of Materials - 28 Exercises on Mechanics - 27
Smith's (J.) St. Paul's Shipwreck 27	,, Exercises on Mechanics - 21
	Mechanical Philosophy 20
Souther's Life of Wesley	Tate on Strength of Materials , Exercises on Mechanics , Mechanical Philosophy - 28 Wood's Algebra, by Lund - 32
Stanban's (Sir J.) Ecclesiastical Biography 28	A LINE OF THE THE PARTY OF THE
Tayler's (Rev. C. B.) Margaret - 29	
Lady Mary 29	Veterinary Medicine.
Taylor's (J.) Thumb Bible 29	A Creating A management
(Isaac) Loyola - 29 Wesley - 29	
99 (ISBAC) LOYOTA 20	Cecil's Stable Practice 8
Tomline's Introduction to the Bible - 30	Cecil's Stable Practice - 8 , Stud Farm - 8 The Hunting Field 11
Tomline's Introduction to the Bible 30	The Hunting Field 11
Turner's Sacred History 30 Willoughby's (Lady) Diary 32	The Pocket and the Stud 12
Willoughby's (Lady) Diary	Practical Horsemanship 11
	Stable Talk and Table Talk 12
	The Stud for Practical Purposes 11
Townel Cooute.	Vanett's The Dog 32
Rural Sports.	The Pocket and the Stud
THE AND REPORT OF THE PERSON AND PRINCIPLE.	" Incitotac
Blaine's Dictionary of Rural Sports 6	METSONAMIST A SECTION AND ADDRESS OF THE PARTY OF THE PAR
Cecil's Stable Practice 8	Transport and Transpole
Blaine's Dictionary of the Special Stable Practice - 8 Cecil's Stable Practice - 8 The Cricket Field - 9 Ephemera on Angling Special - 10	Voyages and Travels.
The Cricket Field 9	
Enhancer on Angling 10	Adams's Canterbury Settlement 5
	Davis's China 9 Eöthen 31
Hawker's Instructions to Sportsmen - 12	Eöthen 31
The Hunting Field 11	Forbes's Dahomey 10
The Hunting Field	The state of Diddidate to Norway 10
Loudon's Lady's Country Companion	Hone's Brittany and the Bible 31
Pocket and the Stud	Hughes's Australian Colonies 31
Practical Horsemanship -	Hne's Tartory Thibet, and China 31
Loudou's Lady's Country Companion	Hope's Brittany and the Bible 31 Huches's Australian Colonies - 31 Huc's Tartary, Thibet, and China - 31 Humboldt's Aspects of Nature - 14
Stable Talk and Table Talk	Jameson's Canada 31
The Stud, for Practical Men 12	Jerrmann's Pictures from St. Petersburg 31
Wheatley's Rod and Line 32	Lang's New South Wales 15
	Lang's New South Wales 15

The Sciences in General and Mathematics.

CILC STACKOMONICATION OF THE PROPERTY OF THE P	
Bourne's Catechism of the Steam Engine ,, on the Serew Propeller , on t	7 6 7 9 9 12 14 14 12 16
Lund's Companion to Wood's Algebra -	15 32 19
	22 22
Owen's Comparative Anatomy	23 23 23
" PalæozoicFossilsof Cornwall, etc.	

5 9 81 10 10 31 31 14 31 15 15 15 15 15 22 23 31 24 24 25 25 28 31 Jerrmann's Pictures from St. Petersburg Lang's New South Wales Laing's Denmark ,, Norway ,, Notes of a Traveller Lardner's London, etc. Osborn's Arctic Journal -Peel's Nubian Desert

Seaward's Narrative of his Shipwr Snow's Arctic Voyage St. John's (H.) Indian Archipelago (J. A.) 1sis Sutherland's Arctic Voyage Traveller's Library Werne's African Wanderings Works of Fiction.

Lady Willonghby's Diary
Macdonald's Villa Verocchlo
Sir Roger De Coverley
Southey's The Doctor etc.

Pfeiffer's Voyage round the World -Power's New Zealand Sketches Richardson's Arctic Boat Voyage -Seaward's Narrative of his Shipwreck

AN ALPHABETICAL CATALOGUE

OF

NEW WORKS AND NEW EDITIONS

PUBLISHED BY

MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS.

MISS ACTON'S MODERN COOKERY-BOOK.

Modern Cookery in all its Branches, reduced to a System of Easy Practice. For the use of Private Families. In a Series of Practical Receipts, all of which have been strictly tested, and are given with the most minute exactness. By Eliza Acton. New Edition, with Directions for Carring, and other Additions. Foolscap 870. with Plates and Woodcuts, 72.6d. cloth.

- ADAMS .- A SPRING IN THE CANTERBURY SETTLE-MENT. By C. Warren Adams, Esq. With Five Illustrations. Post 8vo. price 5s. 6d. eloth.
- ADDISON .- THE HISTORY OF THE KNIGHTS TEMPLARS, By C. G. Addison, of the Inner Temple, Esq., Barrister-at-Law. Third Edition, corrected and improved: with Four Lithographic and Three Woodcat Illustrations. Square crown 8vo. 10s. 6d. cloth.

AIKIN.—SELECT WORKS OF THE BRITISH POETS:

From Ben Jonson to Coleridge. With Biographical and Critical Prefaces by Dr. Alkin. A New Edition; with additional Selections, from more recent Poeta, by Lucy Aikin. Medium 8vo. 18s. cloth.

ANCELL.-A TREATISE ON TUBERCULOSIS,

The Constitutional Origin of Consumption and Scrofula. By Henry Ancell, late Surgeon to the Western General Dispensary, and Lecturer on Materia Medica and Jurisprudence in the School of Anatomy and Medicine adjoining St. George's Hospital. Svo. price One Guinea, cloth.

ANTHONY .- FOOTSTEPS TO HISTORY:

Being an Epitome of the Histories of England and France; to which are added, slight Sketches of Literature, Arts and Mannfactures. By Louisa Anthony. The Second Edition, thoroughly revised, with considerable Additions. Foolscap 8vo, price 5s. 6d. clotha.

THE ARTISAN CLUB.—A TREATISE ON THE STEAM-ENGINE, in its Application to Mines, Mills, Steam Navigation, and Railways. By the Artisan Club. Edited by John Bourne, C.E. New Edition. With 30 Steel Plates, and about 350 Wood Engravings. 4to. 27s. cioth.

JOANNA BAILLIE'S DRAMATIC AND POETICAL WORKS,

Complete in One Volume: Comprising the Plays on the Passions, Miscellaneous Dramas, Metrical Legends, Fegitive Pieces, and Ahalva Baee. Second Edition; including a Life of Joanna Baillie, now first published; with a Portrait engraved by H. Robinson, and a Vignette View of Bothwell Manse. Square crown 870. 21s. cloth, or 42s. bound in morocco by Hayday.

BAINES.—THE LIFE OF EDWARD BAINES, late M.P. for the Borough of Leeds. By his Soo, Edward Baines, Author of The History of the Cotton Manufacture. With a Portrait, engraved in line by Greatbach. 8vo. 9s.

BALFOUR.—SKETCHES OF ENGLISH LITERATURE,

from the Fourteenth to the Present Century. By Clara Lucas Balfour, Author of Women of Scripture, etc. Foolscap 8vo. 7s. cloth.

BANFIELD.—THE STATISTICAL COMPANION:

Exhibiting the most interesting Facts in Moral and Intellectual, Vital, Economical, and Political Statistics, at Home and Abroad. Corrected to the Present Time; and including the Results of the Census of the British Population taken in 1831. Compiled from Official and other Authentic Sources, by T. C. Banseld, Esq., Statistical Clerk to the Council of Education. Poolscap Sto., price Sc. Iches.

BAYLDON'S ART OF VALUING RENTS AND TILLAGES, and Tenant's Right of Entering and Quitting Farms, explained by several Specimens of Valuations; with Remarks on the Cultivation pursued on Soils in different Situations. Adapted to the Use of Landlords, Land Agents, Appraisers, Farmers, and Tenants. New Edition, corrected and revised by John Donaldson. Svo. 10s. 6d. cloth.

LORD BELFAST.-LECTURER ON THE ENGLISH POETS AND POETRY OF THE NINETEENTH CENTURY. By the Right Hon, the Earl of Belfast. Foolscap 8vo. price 6s. 6d. cloth.

BLACK'S PRACTICAL TREATISE ON BREWING,

Based on Chemical and Economical Principles: With Formulæ for Public Brewers, and instructions for Private Families. New and greatly improved Edition, with considerable Additions, Sec. 10s. 6d. cioth.

BLAINE'S ENCYCLOPÆDIA OF RURAL SPORTS:

Or, a complete Account, Historical, Practical, and Descriptive, of Hunting, Shooting, Fishing, Racing, and other Field Sports and Athletic Amusements of the present day. A New and thoroughly revised Edition; with copious Additions and improvements, and numerous additional Illustrations. The Hunsting, Racing, and all relative to Horses and Horsenmanahip, revised by Horry Hicover; Shooting and Fishing by Ephemera; and Coursing by Mr. A. Graham. With apwards of 600 Woodeuts. Svo, 50c. hall-bound.

BLAIR'S CHRONOLOGICAL AND HISTORICAL TABLES,

From the Creation to the present Time: with Additions and Corrections from the most authentic Writers; including the Computation of St. Paul, as connecting the Period from the Exode to the Temple. Under the revision of Sir Henry Ellis, K.H., Principal Libraria of the British Museum. New Edition, corrected. Imperial Svo. 31s. 6d. half morocco.

BLOOMFIELD .- THE GREEK TESTAMENT:

With copious English Notes, Critical, Philological, and Explanatory. Formed for the use of advanced Students of Divisity and Candidates for Holy Orders. By the Rev. S. T. Bloomfield, D.D. F.S.A. New Edition. 2 vols. Svo. with a Map of Palestine, 49c. cloth.

THE REV. DR. BLOOMFIELD'S ADDITIONAL ANNOTATIONS ON THE NEW TESTAMENT's being a Supplement to his larger Edition of the Greek Testament with English Notes. New Edition. Svo. 15s. cloth.

BLOOMFIELD.—THE GREEK TESTAMENT FOR COLLEGES AND SCHOOLS; with shorter English Nozes, Critical, Philological, and Explanatory. By the Rev. S. T. Bloomfeld, D.D., F.S.A. New Edition, enlarged, with a New Map and an Index, Foolean 9vo. 10s, 6d. cloth.

BOURNE.—A TREATISE ON THE SCREW PROPELLER: With various Suggestions of Improvement. By John Bourne, C.E. Editor of The Artinian Club's Tractise on the Steam Engine. With 20 large Plates and numerous Woodcast. 4to. price 35s. cloth.

BOURNE .- A CATECHISM OF THE STEAM-ENGINE,

Illustrative of the Scientific Principles upon which its Operation depends, and the Practical Details of its Structure, in its Applications to Mines, Mill's, Steam Navigation, and Railways; with various Suggestions of Improvement. By John Bourne, C.E. Third Edition. Foolscap Svo. 6s. cloth.

BRANDE. - A DICTIONARY OF SCIENCE, LITERATURE,

AND ART: Comprising the History, Description and Scientific Principles of every Branch of Human Knowledge; with the Derivation and Definition of all the Terms in general use. Edited by W.T. Brande, F.R.S.L. and E.; assisted by Dr. J. Cavvin. Second Edition, revised and corrected; including a Supplement, and numerous Wood Engravings. 8vo. price 60s. cloth.

The SUPPLEMENT separately, price 3s. 6d.

BULL.-HINTS TO MOTHERS.

For the Management of their Health during the Period of Pregnancy and in the Lying-in Room: with an Exposure of Popular Errors in connexion with those subjects, etc.; and Hints upon Nursing. By Thomas Bull, M.D. New Edition. Foelscap 8vo. 5s. cloth.

BULL.—THE MATERNAL MANAGEMENT OF CHILDREN.

In HEALTH and DISEASE. By Thomas Bull, M.D. late Physician Accoucheur to the Finsbury Midwifery Institution. New Edition, revised and enlarged. Fcap. 8vo. 5a. cloth.

BUNSEN.-HIPPOLYTUS AND HIS AGE:

Or, Doctrine and Practice of the Church of Rome under Commodus and Alexander Severus : And Ascient and Modern Christianity and Divinity compared. By C. C. J. Bunsen, D.C.L. With the Effigy of Hippolytus. 4 vols. post 8vo. 42s. cloth.

BUNSEN.-EGYPT'S PLACE IN UNIVERSAL HISTORY.

An Historical Investigation, In Five Books. By C. C. J. Bussen, D.C.L. Translated from the German, by C. H. Cottrell, Eag. M.A. Vol. I. containing the First Book, or Sources and Primeral Facts of Expyrhian History; with an Expyrhian Grammar and Dictionary and a complete List of Hieroglyphical Signa; an Appendix of Authorities, embracing the complete Fact of Manethe and Eratosthenes, Expyrhian From Pliny, Strabo, etc., and Plates representing the Egyptian Divinities. With many Illustrations. Svo. 28s. cloth.

. The SECOND VOLUME, comprising the Second and Third Volumes of the original German Edition, revised and corrected by the Author, is preparing for publication.

BURTON.—THE HISTORY OF SCOTLAND,

From the Revolution to the Extinction of the last Jacobite Insurrection (1689-1748.) By John Hill Burton, Author of The Life of David Hume, etc. 2 vols. 8vo. [In the press.

BISHOP BUTLER'S SKETCH OF MODERN AND ANCIENT

GEOGRAPHY. New Edition, carefully revised throughout, with such Alterations introduced as continually progressive Discoveries and the latest Information have rendered necessary. Edited by the Author's Son, the Rev. T. Butler. 8vo. 9v. cloth.

BISHOP BUTLER'S GENERAL ATLAS OF MODERN AND

ANCIENT GEOGRAPHY. Comprising Fifty-one full-coloured Maps; with complete In-Account of the state of the sta 24s, half bound.

Separately {The Modern Atlas, 28 full-coloured Maps. Royal 8vo. 12s. half-bound. The Aucient Atlas, 23 full-coloured Maps. Royal 8vo. 12s. half-bound.

THE CABINET GAZETTEER:

A Popular Exposition of all the Countries of the World; their Government, Population, Revenues, Commerce and Industries; Agricultural, Manufactured, and Mineral Products; Religion, Laws, Manuers, and Social State; with brief Notices of their History and Antiquities. From the latest Authorities. By the Author of The Cabinet Lawyer. In One Volume, with a coloured Map. Feap, 870, price 109, 6d. cloth; or 13s, call fettered.

THE CABINET LAWYER:

A Popular Digest of the Laws of England, Civil and Criminal; with a Dictionary of Law Terms, Maxims, Statutes, and Judicial Antiquities; Correct Tables of Assessed Taxes, Stamp Duties, Excise Licences, and Post-Horse Duties; Post-Office Regulations, and Prison Discipline. Fifteenth Edition, with Supplements. Fcap. 8vo. 10s. 6d. cloth.

CAIRD.-ENGLISH AGRICULTURE IN 1850 AND 1851:

Its Condition and Prospects. By James Caird, Esq., of Baldoon, Agricultural Commissioner of The Times. Second Edition. 8vo. 14s. cloth.

THE CALLING AND RESPONSIBILITIES OF A GOVERNESS. By Amica. Fcap. 8vo. price 4s. 6d. cloth.

CATLOW .- POPULAR CONCHOLOGY:

Or, the Shell Cabinet arranged: being an Introduction to the modern System of Conchology; with a Sketch of the Natural History of the Animals, an Account of the Formation of the Shells, and a couplete Descriptive List of the Familles and Genera. By Agnes Catlow. With 312 Woodcuts. Foolscap Svo. 10s. 6d. cloth.

CAYLEY .- DANTE'S DIVINE COMEDY.

Translated in the Original Ternary Rhyme. By C. B. Cayley, B.A. Vol. I. THE VISION OF HELL. Fcap. 8vo. 6s. cloth.—Vol. II. THE PURGATORY. Fcap. 8vo. price 6s. cloth.

CECIL.—STABLE PRACTICE.

Or, Hints on Training for the Turf, the Chase, and the Road, with Observations on Racing and Hunting, Wasting, Race Riding, and Handicapping. Addressed to Owners of Racers, Hunters, and other Horses, and to all who are concerned in Racing, Steeple-Chasing, and Fox Hunting. By Ceell. Fcap. 8vo. with Plate, price 5s. half-bound.

CECIL. — THE STUD FARM; OR, HINTS ON BREEDING HORSES FOR THE TURP, THE CHASE, AND THE ROAD. Addressed to Breeders of Race Horses and Hunters, Landed Proprietors, and especially to Tenant Farmers. By Cecil. Feap. Svo. with Plate, 5s. half-bound.

CONVERSATIONS ON BOTANY.

New Edition, improved. Foolscap 8vo. with 22 Plates, 7s. 6d. cloth; with coloured Plates, 12s.

CONYBEARE AND HOWSON.—THE LIFE AND EPISTLES OF ST. PAUL; Comprising a complete Blography of the Apostle, and a Translation of his Epistles inserted in Chronological order. Edited by the Rev. W. J. Conybeare, M.A. late Fellow of Trinity College, Cambridge; and the Rev. J. S. Howson, M.A. Principal of the Collegiate Institution, Liverpool. With 40 Engravings on Steel and 100 Wooffcuts, including Yiews of the Principal Places visited by the Apostle, from Original Drawings made on the spot by W. H. Bartlett, and other Travellers; also Maps, Charts, Plaus, Coins, Antiquities, etc. 2 vols. 4to. price 21.8s. cloth.

COPLAND .-- A DICTIONARY OF PRACTICAL MEDICINE.

Comprising General Pathology, the Nature and Treatment of Diseases, Morbid Structures, and the Disorders especially incidental to Climates, to Sex, and to the different Epochs of Life, with numerous approved Formulæ of the Mediciues recommended. By James Copland, M.D., etc. etc. Vols. 1. and Il. 8vo. 3l. cloth; and Parts X. to XVI. 4s. 6d. each.

CORNER.—THE CHILDREN'S OWN SUNDAY-BOOK.

By Miss Julia Corner, Author of "Questions on the History of Europe," etc. With Two Illustrations engraved on Steel. Square fcap. 8vo. 5s. cloth,

CRESY.—AN ENCYCLOPÆDIA OF CIVIL ENGINEERING, HISTORICAL, THEORETICAL, and PRACTICAL. By Edward Cresy, F.S.A. C.E. With upwards of 3900 Engravings on Wood, explanatory of the Principles, Machinery, and Constructions which come under the Direction of the Civil Engineer. Svo. 31. 13s. 6d. cloth.

THE CRICKET-FIELD;

Or, the Science and History of the Game. Illustrated with Diagrams, and enlivened with Aucedotes. By the Author of Principles of Scientific Batting. Yeap. 8vo. with Plate, 5s. half-bound.

DALE.—THE DOMESTIC LITURGY AND FAMILY CHAP-

LAIN: in Two Parts: the First Part being Church Services adapted for Domestic Use, with Prayers for every Day of the Week, selected exclusively from the Book of Common Prayer. Part II. comprising an appropriate Sermon for every Sunday in the Year. By the Rev. Thomas Dale, M.A., Canon-Residentiary of St. Paul's Cathedral. 2d Edition. Post 4to. 21s. cloth; or, bound by Hayday, 31s. 6s. calf lettered; 50s. morocco.

Separately { THE FAMILY CHAPLAIN, price 12s. cloth. THE DOMESTIC LITURGY, price 10s. 6d. cloth.

DAVIS .- CHINA DURING THE WAR AND SINCE THE

PEACE. By Sir J. F. Davis, F.R.S. Bart., late H. M. Plenipotentiary In China; Governor and Commander-in-Chief of the Colony of Hongkong. 2 vols. post 8vo. with Woodcuts, price 21s. cloth.

DELABECHE.—THE GEOLOGICAL OBSERVER.

By Sir Heary T. Delabeche, F.R.S. Director-General of the Geological Survey of the United Kingdom. New Edition; with numerous Woodcuts. 8vo.18s.cloth.

DELABECHE.—REPORT ON THE GEOLOGY OF CORN-WALL, DEVON AND WEST SOMERSET. By Sir Henry T. De la Beche, F.R.S., Director-General of the Geological Survey of the United Kingdom. With Maps, Wood-

cuts, and 12 large Plates, 8vo. 14s., cloth.

DE LA RIVE.—A TREATISE ON ELECTRICITY. IN THEORY AND PRACTICE. By Auguste De la Rive, Professor in the Academy of Geneva. In Two Volumes, with numerous Wood Engravings. Vol. 1. 8vo. price 18s. cloth.

DENNISTOUN.-MEMOIRS OF THE DUKES OF URBINO;

Hustrating the Arms, Arts, and Literature of Italy, from MCCCCXL to MDCXXX. By James Dennistoun, of Dennistoun. With numerous Portraits, Plates, Fac-similes, and Engravings on Wood. 3 vols. square crown 8vo. 21. St. cloth.

DISCIPLINE.

By the Author of Letters to my Unknown Friends, etc. Second Edition, enlarged. 18mo, price Half-a-Crown, cloth.

DOUBLEDAY, WESTWOOD, AND HEWITSON .- THE GENERA

ODDIEDDAI, WEST WOOD, AND REWILSON. — THE GENERAL A
OF BUTTERLIES, OR DIURNAL LEPIDOPTERA: Comprising their Generic Characters, a Notice of the Habits and Transformations, and a Catologue of the Species, of each
Genus. By Edward Dobbleday, F.L.S., F.Z.S., late Assistant in the Zoological Department
of the British Muscum; and John O. Westwood, President of the Entomological Society of
London. Illustrated with Eighty-six coloried Plates from Dravings by W. C. Hewitson,
Author of British Octogy. 2 vols. imperial 4to. price 151. 15s. half-bound in morocco.

EASTLAKE. - MATERIALS FOR A HISTORY OF OIL PAINTING. By Sir C. L. Eastlake, President of the Royal Academy. 8vo. 16s. cloth.

THE ECLIPSE OF FAITH; OR, A VISIT TO A RELIGIOUS SCEPTIC. New Edition. Post 8vo. price 9s. 6d. cloth.

" It is absolutely necessary to meet them" [infidel writers of the modern school] " on their "It is absolutely necessary to meet them" (infidel vorters of the modern zeroot) "on their own ground, and fight them with their own weapons. And this is what the little book at the head of this article professes to do; and it does its work well. It is learned and logical at the same time lively wand entertaining. Its irony is very powerful and enting, and get it is not open to the apparent objection of grave and serious subjects being treated flippantly. Whilst from the nature of the subject, it might fairly be entitled Theological Fragments, from the method in which the subject is treated it is as interesting as a collection of seens of society." Britannia.

- THE ENGLISHMAN'S GREEK CONCORDANCE OF THE NEW TESTAMENT; being an attempt at a Verbal Connexion between the Greek and the English Texts; including a Concordance to the Proper Names, with Indexes, Greek-English and English-Greek. Second Edition, carefully revised; with a new Index, Greek and English-Royal Svo. 42s. cloth.
- THE ENGLISHMAN'S HEBREW AND CHALDEE CON-CORDANGE OF THE OLD TESTAMENT; being an attempt at a Verbal Connexion between the Original and the English Translations; with Indexes, a List of the Proper Names and their Occurrences, etc. etc. 2 rols. royal 8 vo. 3t. 13s. 6d. cloth; large paper, 4t. 1st. 6d.
- EPHEMERA.—THE BOOK OF THE SALMON.

Comprising the Theory, Principles, and Practice of Fly-Fishing for Salmon; with Lists of good Salmon Flies for every good River in the Empire; with the Natural History of the Salmon, all its known Habits described, and the best way of artificially Breeding it explained. With namerous coloured Engravings of Salmon Flies and Salmon Fry. By Epheneura, assisted by Andrew Young, of inversain, Manager of the Duke of Sutherland's Salmon Fisherics. Foolscap 8vo. with coloured Plates, 14s. cloth.

EPHEMERA.-A HAND-BOOK OF ANGLING:

Teaching Fly Fishing, Trolling, Bottom Fishing, and Salmon Fishing. With the Natural History of River Fish, and the best Modes of Catching them. By Ephemera. New Edition, enlarged and improved. Poolscap 8ro. with Wood Engravings, 9s. cloth.

THE EXPERIENCE OF LIFE.

By the Author of Amy Herbert, Gertrude, etc. Fcap. 8vo. price 7s. 6d. cloth.

- FELICE'S HISTORY OF THE PROTESTANTS OF FRANCE From 1521 to 1851. Translated from the Second, revised, and corrected Edition, by E. West. 2 vols, post 8vo.
- FORBES .- DAHOMEY AND THE DAHOMANS:

Being the Journals of Two Missions to the King of Dahomey, and Residence at his Capital, In the Years 1849 and 1850. By Frederick E. Forbes, Commander, R.N., F.R.G.S. With 10 Plates and Wood Engravings. 2 vols. post 8vo.21s. cloth.

FORESTER AND BIDDULPH .-- NORWAY IN 1848 & 1849:

Containing Rambles among the Fields and Fjords of the Central and Western Districts; and including Remarks on its Political, Military, Ecclesiastical, and Social Organisation By Thomas Forester, Esq.; and Lieutenant M. S. Biddulph, Royal Artillery. With Wood Engravings, and 10 coloured Plates. Sro. 18s. cloth.

FOSS.—THE JUDGES OF ENGLAND:

With Sketches of their Lives, and Miscellaneous Notices connected with the Courts at Westminster from the time of the Conquest. By Edward Foss, F.S.A., of the Inner Temple. Vols. I. II. 111. and IV, 870. 56r. cloth.

- FRANCIS.—THE HISTORY OF THE BANK OF ENGLAND;
 Its Times and Traditions. By John Francis. Third Edition. 2vols, 8vo. 21s, cloth.
- FRANCIS.—A HISTORY OF THE ENGLISH RAILWAY;
 1ts Social Relations and Revelations. By John Francis. 2 vols. 8vo. 24s. cloth.
- FRANCIS, CHRONICLES AND CHARACTERS OF THE STOCK EXCHANGE. By John Francis, Second Edition, Svo. 12s. cloth.
- FREEMAN,—THE LIFE OF THE REV. WILLIAM KIRBY, M.A., F.R.S., F.L.S., etc., Rector of Barbam; Author of one of the Bridgewater Treatises, and Joint-Author of the Introduction to Entonology. By the Rev. John Freeman, M.A., Rector of Ashwicken, Norfolk, and Rural Dean. With a Portrait of Mr. Kirby (engraved by Henry Robinson), a Fac-simile of his Handwriting, and a View of Barbam Parsonage. Svo. price 15s. cloth,

THE POETICAL WORKS OF OLIVER GOLDSMITH.

Illustrated by Wood Engraviogs, from Designs by Members of the Etching Club. Edited by Bolton Corney, Esq. Square crown 8vo. 21s. cluth; or 36s. bound in morocco, by Hayday.

GOSSE .-- A NATURALIST'S SOJOURN IN JAMAICA. By P. H. Gosse, Esq. With coloured Plates. Post 8vo. 14s, cloth.

GRAHAM.-STUDIES FROM THE ENGLISH POETS:

Comprising Selections from Milton, Shakspeare, Pope, Gray, Goldsmith, Cowper, and Collins; with the strikingly beautiful Passages printed in Italies; Explanatory Notice and Illustrations; and Examination Questions for exercise in English Composition. By G.F. Graham. 12mo. price 7s. cloth.

GRAHAM.—ENGLISH; OR, THE ART OF COMPOSITION.

Explained in a Series of Instructions and Examples. By G. F. Graham, New Edition, revised and improved. Foolscap 8vo.6s. cloth.

MR. W. R. GREG'S CONTRIBUTIONS TO THE EDIN-BURGH REVIEW.—ESSAYS ON POLITICAL AND SOCIAL SCIENCE, contributed chiefly to the Edinburgh Review. By William R. Greg. 2 vols. 8vo. price 24s. ciota.

GURNEY .- HISTORICAL SKETCHES:

Illustrating some Memorable Events and Epochs, from A.D. 1400 to A.D. 1546. By the Rev. John Hampden Gurney, M.A., Rector of St. Mary's, Mary-le-bone. Feap. 8vo. 7s. 6d. cloth.

GWILT.—AN ENCYCLOPÆDIA OF ARCHITECTURE:

Historical, Theoretical, and Practical. By Joseph Gwilt. Illustrated with more than One Thousand Engravings on Wood, from Designs by J. S. Gwilt, Second Edition, with Supplemental View of the Symmetry and Stability of Gothic Architecture: Comprising upwards of 80 additional Woodcuts. Svo. 52s. 6d. cloth.—The SUPPLEMENT separately, 6s.

SIDNEY HALL'S GENERAL LARGE LIBRARY ATLAS OF FIFTY-THREE MAPS (size 20 in, by 76 in.), with the Divisions and Boundaries carefully coloured; and an Alphabetical Index of all the Names contained in the Maps. New Edition, corrected from the best and most recent Authorities; with the Railways laid down, and many entirely new Maps. Colombier 4to. 51. 5s. balt-bound in russia.

HAMILTON.—DISCUSSIONS IN PHILOSOPHY AND LITERATURE, EDUCATION AND UNIVERSITY REFORM. Chiefly from the Edinburgh Retiew; corrected, vindicated, enlarged, in Notes and Appendices. By Sir William Hamilton, Bart. Sec. 18s. eloth.

HARRISON.—THE LIGHT OF THE FORGE;
Or, Counsels drawn from the Sick-Bed of E. M. By the Rev. William Harrison, M.A.,
Rector of Birch, Essex, and Domestic Chaplain to H.R.H. the Duchess of Cambridge.
With 2 Wood Engravings. Foolscap Svo.price 5s.cloth.

HARRISON .- ON THE RISE, PROGRESS, AND PRESENT STRUCTURE OF THE ENGLISH LANGUAGE, By the Rev. M. Harrison, M.A., late Fellow of Queen's College, Oxford. Post 8vo.8s. 6d. cluth.

HARRY HIEOVER .- THE HUNTING-FIELD.

By Harry Hieover. With Two Plates, one representing The Right Sort; the other, The Wrong Sort. Fcap. 8vo. 5s. half-bound.

HARRY HIEOVER.-PRACTICAL HORSEMANSHIP,

By Harry Hieover, With 2 Plates, one representing Going like Workmen; the other, Going like Mufts. Foolscap Svo. 5s. half-bound.

- HARRY HIEOVER.—THE STUD, FOR PRACTICAL PUR-POSES AND PRACTICAL MEN: being a Guide to the Choice of a Horse for use more than for show. By Harry Hieover. With 2 Plates, one representing A pretty good sort for most purposes; the other, Rayther a bad sort for any purpose. Fcap. 8vo. 5s. half-bound.
- HARRY HIEOVER .- THE POCKET AND THE STUD;

Or, Practical Hinta on the Management of the Stable. By Harry Hieover, With a Portrait of the Authoron his favourite Horse Harlequin. Second Edition, Foolscap 8vo. 5s. half-bound.

- HARRY HIEOVER.—STABLE TALK AND TABLE TALK; or, SPECTACLES for YOUNG SPORTSMEN. By Harry Hieover. New Edition. 2 vols. 8ro. with Potratic, 24s. cloth.
- HAWKER.—INSTRUCTIONS TO YOUNG SPORTSMEN
 In all that relates to Guns and Shooting. By Lieut, Col. P. Hawker. 9th edition, corrected, enlarged, and improved; with Eighty-five Plates and Woodcuts, by Adlard and Branston, from Drawings by C. Variey, Dickes, etc. 8vo. 21s. cloth.
- HAYDN'S BOOK OF DIGNITIES:

Containing Rolls of the Official Personages of the British Empire, Civil, Ecclesiastical, Judicial, Military, Naval, and Municipal, Piothe Efficient Periods to the Present Times compiled chiefy from the Records of the Public Offices. Together with the Sovereigns of Europe, from the Foundation of their respective States; the Peerage of England of Great Britain; and numerous other Lists. Becipt a New Edition, improved and continued, of BEATSON'S POLITICAL ISS. By Joseph Haydn, Compiler of The Dictionary of Dates, and other Works. 8vo. 28s. half-bound.

- SIR JOHN HERSCHEL.—OUTLINES OF ASTRONOMY.

 By Sir John F. W. Herschel, Bart, etc. New Edition; with Plates and Engravings on Wood.
- 850.18s. cloth.

 HINTS ON ETIQUETTE AND THE USAGES OF SOCIETY:
- With a Glance at Bad Habits. By Αγωγός. "Manners make the Man." New Edition, revised (with Additions) by a Ladyof Rank. Foolscap Svo. 2s. 6d. cloth.
- HOLLAND.—MEMOIRS OF THE WHIG PARTY DURING MY TIME. By Henry Richard Lord Holland. Edited by his Son, Henry Edward Lord Holland. Vol. I. post Svo. 9s. 6d. cioth.
- LORD HOLLAND'S FOREIGN REMINISCENCES.—FOREIGN REMINISCENCES. By Henry Richard Lord Holland. Comprising Anecdotes, and an Account of such Persons and Political Intrigues in Foreign Countries as have fallen within his Lordship's Observation. Edited by his Son, Henry Edward Lord Holland. With Face-simile. Second Edition. Post 8vo, 10s. 6d. cioth.
- HOLLAND.—CHAPTERS ON MENTAL PHYSIOLOGY.

By Henry Holland, M.D., F.R.S.; Physician Extraordinary to the Queen; and Physician in Ordinary to His Royal Highness Prince Albert. Founded chiefly on Chapters contained in Medical Notes and Reflections, by the same Author. Svo. price 10s.64. cloth.

- HOOK.—THE LAST DAYS OF OUR LORD'S MINISTRY; A Course of Lectures on the principal Events of Passion Week. By Walter Farquhar Hook, D.D., Chalplain in Ordinary to the Queen. New Edition. Foolisage 8vo. 6s. cloth.
- HOOKER .- KEW GARDENS:

Or a Popular Guide to the Royal Botanic Gardens of Kew. By Sir William Jackson Hooker, K.H. D.C.L. F.R.A. & L.S. etc. etc. Director. New Edition; with numerous Wood-Engravings. Idmo. price Sixpence,

HOOKER AND ARNOTT .-- THE BRITISH FLORA:

Comprising the Phanogamous or Flowering Plants, and the Ferns. The Sixth Edition with Additions and Corrections, and numerous Figures, illustrative of the Umbelliferous Plants, the Composite Plants, the Grasses, and the Ferns. By Sir W. J. Hooker, F. R.A. and L.S. etc., and G. A. Walker Arnott, LL.D. 12mo. with 12 Plates, 14s. cloth; or with the Plates coloured, price 21s.

HORNE.—AN INTRODUCTION TO THE CRITICAL STUDY AND KNOWLEDGE OF THE HOLY SCRIPTURES. By the Rev. Thomas Hartwell Horne, B.D. of St. John's College, Cambridge. New Edition, revised and corrected; with blaps and Fac-similes. 5 vols. vov. 3t. 3s. cloth; or 5t. boand in calf.

HORNE.-A COMPENDIOUS INTRODUCTION TO THE STUDY OF THE BIBLE. By the Rev. Thomas Hartwell Horne, B.D. of St. John's College, Cambridge. Being au Analysis of his Introduction to the Critical Study and Knowledge of the Holy Scriptures. New Edition, 12mo, with Maps and Engravings on Wood, 9s. cloth.

HOWITT.-THE CHILDREN'S YEAR.

By Mary Howitt. With Four Illustrations, engraved by John Absolon, from Original Designs by Anna Mary Howitt. Square 16mo. 5s. cloth.

WILLIAM HOWITT'S BOY'S COUNTRY BOOK:

Being the real Life of a Country Boy, written by Himself: Exhibiting all the Amusements. Pleasures, and Purauits of Children in the Country. New Edition. Pcap. 8vo. with 40 Woodcuts, 6s. cloth.

HOWITT.-VISITS TO REMARKABLE PLACES:

Old Halls, Battle-Fields, and Scenes illustrative of Striking Passages in English History and Poetry. By William Howitt. New Edition; with 40 Woodcuts. Medium 8vo. 21s. cloth.

SECOND SERIES, chiefy in the Counties of DURHAM and NORTHUMBERLAND, with a Stroll along the BORDER. With apwards of 40 highly-finished Woodcuts, from Drawings made on the spot. Medium 8vo. 21s. cloth.

HOWITT .- THE RURAL LIFE OF ENGLAND.

By William Howitt. New Edition, corrected and revised. With Engravings on Wood by Bewick and Williams; uniform with Visits to Remarkable Places. Medium 8vo. 21s. cloth.

HUDSON.—THE EXECUTOR'S GUIDE.

By J. C. Hudson, Esq., late of the Legacy Duty Office, London; Author of Plain Directions for Making Wills. New Edition. Foolscap 8vo.5s. cloth.

HUDSON.—PLAIN DIRECTIONS FOR MAKING WILLS

In conformity with the Law: with a clear Exposition of the Law relating to the Distribution of Personal Estate in the case of Intestacy, two Forms of Wills, and much useful information etc. By J. C. Hudson, Esq. New Edition, corrected. Fcap. 8vo. 2s.6d. cloth.

. The above Two Works may be had in One Polume, price 7s. cloth.

HUGHES (E.)-A NEW SCHOOL ATLAS OF PHYSICAL,

POLITICAL, AND COMBERCIAL GEOGRAPHY. By Edward Hughes, F.R.G.S., Head Master of the Royal Naval Lower School, Greenwich Hospital. Containing Seventeen coloured Maps, with a descriptive Letterpress. The Maps engraved on Steel by E. Weller, F.R.G.S. Koyal 8vo. price 10s. 6d, half-bound.

HUGHES (W.)—A MANUAL OF MATHEMATICAL GEOGRA-PHY: comprehending an Inquiry into the Construction of Maps; with Rules for the Formation of Map Projections. By William Hughes, F.R.G.S. late Professor of Geography in the College for Civil Engineers. Second Edition; with 5 Plates. Feap. 8vo. price 4s. 6d. cloth.

HUMBOLDT'S ASPECTS OF NATURE,

In Different Lands and Different Climates, with Scientific Elucidations. Translated, with the Author's sanction and co-operation, and at his express desire, by Mrs. Sabine. 16mo. 6s. cloth: or in 2 vols. 3s. 6d. cach toth; 2s. 6d. each toth; 2s. 6d. each sewed.

HUMBOLDT'S COSMOS:

Or, a Sketch of a Physical Description of the Universe. Translated, with the Author's sanction and co-operation, by Mrs. Sabine. New Edition. Vols. I. and II. 16mo. 3s. 6d. each cloth; 2s. 6d. each sewed; or in post 8vo. price 12s. each. Vol. III. post 8vo. 12s. 6d. cloth; or in 16mo. Part I. 2s. 6d. sewed, 3s. 6d. cloth; and Part II. 3s. sewed, 4s. cloth.

HUMPHREYS.—SENTIMENTS AND SIMILES OF SHAKS-PEARE: with an elaborately illuminated Border in the characteristic Style of the Elizabethan Period, and other Embelliabneuts; bound in very massive carved and bierced

Elizabethan Period, and other Embellishments; bound in very massive carved and pierced covers, containing in deep relief a medallon Head and Cypher. The Illuminations and Ornaments designed and executed by Heary Noel Humphreys. Square post 8vo. price One Guinea.

MRS. JAMESON'S LEGENDS OF THE MONASTIC ORDERS As represented in the Fine Arts. Containing St. Benedict and the early Benedictines in

As represented in the Fine Arts. Containing St. Benedict and the early Benedictines in Italy, France, Spain, and Flanders, the Benedictines in England and in Germany; the Retormed Benedictines; early Royal Saints connected with the Benedictine Order; the Augustines; Orders derived from the Augustine Rule; the Mendicant Orders, the Jeanits; and the Order of the Visitation of St. Mary. Forming the SECOND SERIES of Sacred and Legendary Art. Second Edition, corrected and enlarged; with 11 Etchings by the Author and 83 Woodcuts. Square crown 8vo. 23s. cloth.

MRS. JAMESON'S SACRED AND LEGENDARY ART;

Or, Legends of the Saints and Martyrs. First Series. Containing, Legends of the Angels and Archangels; the Evangelists and Apostles; the Greek and Latin Fathers; the Magdalene; the Patron Saints; the Virgin Patronesses; the Martyrs; the Bishops; the Hermits; and the Warrior-Saints of Christendom. Second Edition, with numerous Woodcuts, and 16 Etchings by the Author. Square crown 8vo. 28s. Cubh.

MRS. JAMESON'S LEGENDS OF THE MADONNA,

As represented in the Fine Arts. Forming the THIRD and concluding SERIES of Sacred and Legendary Art. With 55 Drawings by the Author: 152 Wood Engravings. Square Svo, price 25s. cloth.

LORD JEFFREY'S CONTRIBUTIONS TO THE EDINBURGH

REVIEW. A New Edition, complete in One Volume, uniform with Mr. Macaulay's Essays, and Sir James Mackintosh's and the Rev. Sydney Smith's Works; with a Portrait engraved by Henry Robinson, and a Viguette View of Craigcrook, engraved by J. Cousen. Square crown 8vo.

*. * Also, the Second Edition, in 3 vols. 8vo. price 42s, cloth.

BISHOP JEREMY TAYLOR'S ENTIRE WORKS:

With the Life by Bishop Heber. Revised and corrected by the Rev. Charles Page Eden, Fellow of Oriel College, Oxford. In Ten Volumes. Vols. II. to X. 8vo. price Half-a-Guinea each.

. The First Volume comprising Bishop Heber's Life of Jeremy Taylor, extended by the Editor, is nearly ready for publication.

READINGS FOR EVERY DAY IN LENT.

Compiled from the Writings of Bishop Jeremy Taylor. By the Author of Amy Herbert, The Child's First History of Rome, etc. Fcup. 8vo. 5s. cloth.

JOHNSTON .- A NEW DICTIONARY OF GEOGRAPHY,

Descriptive, Physical, Statistical, and Historical Forming a complete General Gazetteer of the World. By Alexander Keith Johnston, F.R.S.E. F.R.G.S. F.G.S.; Geographer at Edinburgh in Ordinary to Her Majesty. In One Volume comprehing nearly 50,000 Names of Places. 8vo. 36s. cloth; or strongly half-bound in russia, price 41s.

KEMBLE.—THE SAXONS IN ENGLAND:

A History of the English Commonwealth till the period of the Norman Conquest. By John Mitchell Kemble, M.A., F.C.P.S., etc. 2 vols. 8vo. 28s. cloth.

- KIPPIS.—A COLLECTION OF HYMNS AND PSALMS FOR PUBLIC AND PRIVATE WORSHIP, Selected and Prepared by Andrew Kippis, D.D., F.R.S., Abraham Rees, D.D., F.R.S., the Rev. Thomas Jervis, and the Rev. Thomas Morgan, LLD. New Eddinoit, including a New Supplement by the Rev. Edmund Kil, M.A. 18mo. 4s. cloth; or 4s. 6d. bound in roan. The SUPPLEMENT separately, price 8d.
- KIRBY AND SPENCE .- AN INTRODUCTION TO ENTO-MOLOGY; or, Elements of the Natural History of Insects: comprising an account of noxious and useful Insects, of their Metamorphoses, Food, Stratagems, Habitations, Societies, Motions, Noises, Hybernation, Instinct, tet. By W. Kirby, M.A. F.R.S. & L.S. and W. Spence, Esq., F.R.S. & L.S. New Edition, enlarged. 2 vols. 8vo. 31s. 6d. cloth.
- L. E. L.—THE POETICAL WORKS OF LETITIA ELIZABETH LANDON: Comprising the IMPROVISATRICE, the VENETIAN BRACELET, the GOLDEN VIOLET, the TROUBADOUR, and other Poetical Remains. New Edition, with 2 Viguettes by Richard Doyle. 2 vols. Idmo. 10s. cloth; morocco, 21s.
- LAING.—OBSERVATIONS ON THE SOCIAL AND POLITICAL STATE OF DENMARK AND THE DUCHIES OF SLESWICK AND HOLSTEIN, in 1851: Being the Third Series of Notes of a Traveller. By Samuel Laing, Esq. With a Plan of the Battle of Idatedt. 8vo, price 12x-cloth
- LAING.—OBSERVATIONS ON THE SOCIAL AND POLI-TICAL STATE OF THE EUROPEAN PROPER IN 1849 AND 1849, Being the Second Series of Notes of a Traveller. By Samuel Laing, Esq. 8vo. 14s. cloth.
- LANG. FREEDOM AND INDEPENDENCE FOR GOLDEN LANDS OF AUSTRALIA; the Right of the Colonies, and the Interest of Britain and of the World. By John Dunmore Lang, M.A., D.D. With a coloured Map. Post 8vo. price 7s. 6d. cloth.
- LANG. AN HISTORICAL AND STATISTICAL ACCOUNT OF NEW SOUTH WALES; Including a Visit to the Gold Regions, and a Description of the Mines; with an Estimate of the probable Results of the Great Discovery. By John Dunmore Lang, M.A., D.D. Third Edition (three-fourths entirely new), bringing down the History of the Colony to July 1, 1852; with a large coloured Map. 2 vols. post 8vo. price 21s. cloth.
- LARDNER THE GREAT EXHIBITION AND LONDON IN 1851. Reviewed by Dr. Lardner, Michel Chevalier, John Lemoinne, and Hector Berlioz. With Wood Engravings. Crown 8vo. price 14s. cloth.
- LATHAM .- ON DISEASES OF THE HEART.

Lectures on Subjects connected with Clinical Medicine: Diseases of the Heart. By P. M. Latham, M.D., Physician Extraordinary to the Queen. New Edition. 2vols. 12mo. 16s. cloth.

- DR. FALCK LEBAHN.-GOETHE'S FAUST.
 - With copions English Notes, Grammatical, Philological, and Exegetical, for advanced Students of the German Language, By Falck Lebahn, Ph.D., Professor of the German Language; Author of Practice in German, etc. 8vo. price 15s. cloth.
- LEE .- ELEMENTS OF NATURAL HISTORY; OR, FIRST PRINCIPLES OF ZOOLOGY: Comprising the Priociples of Classification, interspersed with amasing and instructive Accounts of the most remarkable Animals. By Mrs. R. Lee. New Edition, enlarged; with many additional Woodcuts. Foolscap Bro. 7s. 6d. cioth.

History .

32. Lardner's Arithmetic

. . . 1 vol. 3s.6d.

. l vol.

3s. 6d.

LARDNER'S CABINET CYCLOPÆDIA,

1. Bell's History of Russia . 3 vols. 10s. 6d.

2. Bell's Lives of British Poets, 2 vols. 78.

3. Brewster's Optics, New Edition, corrected to 1853 . 1 vol. 3s. 6d.

4. Cooley's Maritime and In-

5. Crowe's History of France, 3 vols. 10s. 6d.

Of History, Biography, Literature, the Arts and Sciences, Natural History, and Manufactures. Comprising a Series of Original Works by Sir John Herschel, Sir James Mackintosh, Robert Southey, Sir David Brewater, Thomas Keightley, John Forster, Sir Walter Scott, Thomas Moore, Bishop Thirlwall, the Rev. G. R. Gleig, J. C. L. Siramond, John Phillips, F.R.S., G.S., and other eminent Writers. 132 vols. feap. Sve. with Vignette Thick, price Nirstream Grinkas, cloth.—The works separately, in Sets or Series, price Triazs Shirlairos and Strapance each Volume.

A List of the Works comprising the CABINET CYCLOPÆDIA.

33. Lardner's Geometry . 1 vol. 3s. 6d.

tricity and Magnetism, 2 vols. 7s.

. l vol.

l vol.

3s. 6d.

3s. 6d.

3s. 6d.

. I vol.

8 vols. 28s.

Bibliography

History of

62. Thirlwall's

Greece .

34. Lardner on Heat .

Pneumatics .

35. Lardner's Hydrostatics and

36. Lardner and Walker's Elec-

37. Mackintosh, Forster, and

a. Crowe s mistory of France, a vois. 10s. 0a.	S/. Mackintosh, Forster, and Courtenay's Lives of Bri-
6. De Morgan on Probabilities, 1 vol. 3s. 6d.	tish Statesmen 7 vols. 24s. 6d.
7. De Sismondi's History of the Italian Republics . 1 vol. 3s.6d.	38. Mackintosh, Wallace, and Bell's History of Eug-
8. De Sismoudi's Fall of the	land 10 vols. 35s.
Roman Empire 2 vols. 7s.	39. Montgomery and Shelley's
9. Donovan's Chemistry . 1 vol. 3s.6d.	Emineut Italian, Spanish.
10. Donovan's Domestic Eco-	and Portuguese Authors, 3 vols. 10s.6d.
nomy 2 vols. 7s.	40. Moore's History of Ireland, 4 vols. 14s.
11. Dunham's Spain and Portugal 5 vols. 17s. 6d.	41. Nicolas's Chronology of
	History 1 vol. 3s. 6d.
12. Dunham's History of Den- mark, Sweden, and Nor-	42. Phillips' Treatise on Geo-
way 3 vols. 10s. 6d.	logy, corrected to 1852 2 vols. 7s.
13. Dunham's History of Po-	43. Powell's History of Natural
land l vol. 3s. 6d.	Philosophy 1 vol. 3s. 6d.
14. Dunham's Germanic Em-	44. Porter's Treatise on the Manufacture of Silk , 1 vol. 3s. 6d.
pire 3 vols. 10s. 6d.	45. Porter's Manufacture of
15. Duuham's Europe during	Porcelain and Glass . 1 vol. 3s. 6d.
the Middle Ages 4 vois. 14s.	46. Roscoe's British Lawyers, 1 vol. 3s. 6d.
16. Dunham's British Drama-	47. Scott's History of Scot-
tists 2 vols. 7s.	land 2 vols. 7s.
17. Dunham's Lives of Early Writers of Great Britain, 1 vol. 3s. 6d.	48. Shelley's Lives of Eminent
	French Authors 2 vols. 7s.
18. Fergus's History of the United States . 2 vols. 7s.	49. Shuckard and Swainson's
19. Fosbroke's Greek and Ro-	Insects 1 vol. 3s.6d.
man Antiquities 2 vols. 7s.	50. Southey's Lives of British
20. Forster's Lives of the	Admirals 5 vols. 17s. 6d.
Statesmen of the Com-	51. Stebbing's Church History, 2vols. 7s.
monwealth 5 vols. 17s. 6d.	52. Stebbing's History of the
21. Gleg's Lives of Military	Reformation 2 vols. 7s.
Commanders 3 vols. 10s. 6d.	53. Swainson's Discourse on
22. Grattan's History of the Netherlands l vol. 3s.6d.	Natural History . 1 vol. 3s.6d.
	54. Swainson's Natural HIs- tory and Classification of
	Animals 1 vol. 3s.6d.
24. Herschel's Astronomy . 1 vol. 3s. 6d.	55. Swainson's Habits and In-
25. Herschel's Discourse on Natural Philosophy , 1 vol. 3s. 6d.	stincts of Animals . 1 vol. 3s.6d.
	56. Swainson's Birds 2 vols. 7s.
26. History of Rome 2 vols. 7s.	57. Swainson's Fish, Reptiles,
27. History of Switzerland . 1 vol. 3s.6d.	etc 2 vols. 7s.
28. Holland's Treatise on the Manufactures in Metal, 3 vols. 10s. 6d.	58. Swainson's Quadrupeds . 1 vol. 3s.6d.
29. James's Lives of Foreign	59. Swainson's Shells and
Statesmen 5 vols. 17s.6d.	Shell-fish l vol. 3s. 6d.
30. Kater and Lardner's Me-	60. Swaiuson's Animalsin Me-
chanics l vol. 3s. 6d.	nageries 1 vol. 3s.6d.
31. Keightley's Outlines of	61. Swaiuson's Taxidermy and

LETTERS ON HAPPINESS, ADDRESSED TO A FRIEND. By the Author of Letters to My Unknown Friends. Foolscap 8vo. 6s. cloth.

LETTERS TO MY UNKNOWN FRIENDS. By a Lady, Third Edition. Foolscap 8vo. 6s, cloth.

LINDLEY.—AN INTRODUCTION TO BOTANY.

By Prof. J. Lindley, Ph.D., F.R.S. L.S. etc. New Edition, with Corrections and numerous Additions, 2 vols. 8vo. with Six Plates and numerous Woodcuts, 24s. cloth.

LINWOOD (W.)—ANTHOLOGIA OXONIENSIS; Sive, Florilegium e lusibas poeticis diversorum Oxoniensium Gracis et Latinis decerptum. Curante Guilelmo Linwood, M.A. & Edis Christi Alnumo., 8 vo. 14s. cloth.

LITTON.—THE CHURCH OF CHRIST,

In its Idea, Attributes, and Ministry: with a particular reference to the Controversy on the Subject between Romaulists and Protestants. By the Rev. Edward Arthur Litton, M.A., Vice-Principal of St. Edmund Hall, Oxford. Svo. 16s. cloth.

LORIMER.—LETTERS TO A YOUNG MASTER MARINER

On some Subjects connected with his Calling. By the late Charles Lorimer. A New Edition. Foolscap 8vo. 5s. 6d. cloth.

LOUDON .- THE AMATEUR GARDENER'S CALENDAR:

Being a Monthly Guide, as to what should be avoided as well as what should be done in a Garden in each Mouth: with plain Rules how to do what is requisite; Directions for laying out and planting Kitchen and Flower Gardens, Pleasure Grounds, and Shrubberies; and a short account, in each Month, of the Quadrupeds, Birds, and Insects, then most injurious to Gardens. By Mrs. Loudon. 16mo. with numerous Wood Engravings, 7s. 6d. cloth.

LOUDON - THE LADY'S COUNTRY COMPANION:

Or, How to Enjoy a Country Life Rationally. By Mrs. Loudon, author of "Gardening for Ladies," etc. Fourth Edition. Foolscap 8vo., with Plate and Woodcuts, 5s. cloth.

LOUDON'S SELF-INSTRUCTION FOR YOUNG GARDENERS,

Foresters, Bailiffs, Land Stewards, and Farmers; In Arithmetic, Book-keeping, Geo. metry, Mensuration, Practical Trigonometry, Mechanics, Land-Surveying, Levelling, Planning and Mapping, Architectural Drawing, and Isometrical Projection and Perspective; with Examples shewing their applications to Horticultural and Agricultural Purposes. With a Portrait and a Memoir. 8vo. with Wood Engravings, 7z, 6d, cloth.

LOUDON'S ENCYCLOPÆDIA OF TREES AND SHRUBS:

Being the Arboretum et Frutiertum Britannieum abridged: containing the Hardy Trees and Shruhs of Great Britain, Native and Foreign, scientifically flad popularly described: with their Propagation, Colture, and Uses in the Arts. 8vo. with 2,000 Woodcuts, price 50s. cloth.

LOUDON'S ENCYCLOPÆDIA OF GARDENING: Comprising the Theory and Practice of Horticulture, Provinculture, Arboriculture, and Laudscape Gardening: including all the latest improvements; a General History of Garden-Lanuscape transumg: including all the latest improvements; a ueneral History of Gaden-ing in all Countries; and a Statistical View of its Present State; with Surgestions for its Future Progress in the British Isles. With many bundred Kngravings on Wood. New Edition, corrected and improved by Mrs. Loudon. 8vo. 50s. cloth.

LOUDON'S ENCYCLOPÆDIA OF AGRICULTURE:

Comprising the Theory and Practice of the Valuation, Transfer, Laying-out, Improvement. and Management of Landed Property, and of the cultivation and economy of the Animal and Vegetable Productions of Agriculture, lucluding all the latest improvements. Fifth Edition; with upwards of Liflo Engravings on Wood. 870, 24, 100. cloth.

LOUDON'S ENCYCLOPÆDIA OF PLANTS:

Including all the Plants which are now found in, or have been introduced into, Great Britain, giving their Natural History, accompanied by such Descriptions, Engraved Figures, and Elementary Details, as may enable a beginner, who is a mere English reader, to discover the name of every Plant which he may find in flower, and acquire all the information respecting it which is useful and interesting. New Edition, corrected throughout and brought down to the year 1853, by Mrs. Loudon. In the press.

LOUDON'S ENCYCLOPÆDIA OF COTTAGE, FARM, AND VILLA ARCHITECTURE and FURNITURE. Containing Designs for Cottages, Villas, Farm Houses, Farmerica, Country Inns, Public Houses, Parochial Schools, etc.; with the requisite Fittings up, Fixtures, and Furniture, and appropriate Offices, Gardens, and General Scenery: each Design accompanied by Analytical and Critical Remarks. New Edition, edited by Mrs. Loudon. 8vo. vith 2,900 Woodcusts, 63s. cloth

LOUDON'S HORTUS BRITANNICUS:

Or, Catalogue of all the Plants indigenous to, cultivated in, or introduced into Britain. An entirely New Edition corrected throughout: with a Supplement, including all the New Plants down to March, 1850; and a New General Index to the whole Work. Edited by Mrs. Loudon; assisted by W. H. Baxter and David Wooster. 8vo. 31s. 6d. cloth.

The SUPPLEMENT separately, price 14s, cloth.

LOW.—ELEMENTS OF PRACTICAL AGRICULTURE:

Comprehending the Cultivation of Plants, the Husbandry of the Domestic Animals, and the Economy of the Farm. By David Low, Esq. F.R.S.E. New Edition; with 200 Woodcuts. Svo. 21s, cloth.

MACAULAY .- THE HISTORY OF ENGLAND,

From the Accession of James II. By Thomas Bablington Macaulay. New Edition. Vols. I. and II. Svo. 32s, cloth.

MR. MACAULAY'S CRITICAL AND HISTORICAL ESSAYS CONTRIBUTED TO THE EDINBURGH REVIEW. Three Editions, as follows:—

1. LIBRARY EDITION (the Seventh), in 3 vols. 8vo. price 36s, cloth,

- Complete in ONE VOLUME, with Portrait and Vignette. Square crown 8vo. price 21s. cloth; or 30s. handsomely bound in calf, by Hayday.
- 3. A NEW EDITION, in 3 vols. fcap, 8vo. price 21s. cloth.

MACAULAY .-- LAYS OF ANCIENT ROME,

IVRY and THE ARMADA. By Thomas Babington Macaulay. New Edition. 16mo. 4s. 6d. cloth; morocco, 10s. 6d. (bound by Hayday.)

MR. MACAULAY'S LAYS OF ANCIENT ROME.

With numerous Illustrations, Original and from the Antique, drawn on Wood by George Scharf, jun. and engraved by Samuel Williams. New Edition. Fcap. 4to. 21s. boards; or 42s. bound in morocco, by Hayday.

MACDONALD.—VILLA VEROCCHIO; OR, THE YOUTH OF LEONARDO DA VINCI: a Tale. By the late Diana Louisa Macdonald. Fcap. 8vo. 6s. cloth.

MACKINTOSH'S (SIR JAMES) MISCELLANEOUS WORKS: Including his Contributions to The EDINBURGH REVIEW. A New Edition, complete in One Volume; with Portrait and Vignette. Square crown 8vo. 21s., colors, or 30s. calf extra by Hayday.

M'LEOD AND WELLER'S SACRED ATLAS.—AN ATLAS OF AND WELLEN'S SAUKED ATLAS,—AN ATLAS OF SCRIPTURE GEOGRAPHY, Adapted for the use of Training Colleges, Pupil Teachers, and the Upper Classea in Elementary Schools. Comprising Fitteen coloured slaps, and a Section, engraved on Ten Flates: with Illustrative Letterpress, by Walter Muscool, Fig.G.S., Head Master of the Model School, and Master of Method in the Royal Bilitary Asylum, Chelsea. The Maps compiled and engraved by Edward Weller, F.R.G.S. Royal Stropher, Indicators of the Maps of the Market of th

- M'CULLOCH.—A DICTIONARY, GEOGRAPHICAL, STATIS-TICAL, AND HISTORICAL, of the various Countries, Places, and Principal Natural Objects in the World. By J. R. M'Culloch, Eag. Illustrated with Six large Maps. New Edition, with a Supplement, comprising the Population of Great Britain from the Census of 1851. 2 vols. Svo. 63s. cioth.—The SUPPLEMENT separately, price 3s. 64
- M'CULLOCH.—A DICTIONARY, PRACTICAL, THEORETI-CAL, AND HISTORICAL, OF COMMERCE, AND COMMERCIAL NAVIGATION. Illustrated with Maps and Plans. By J. R. M'Culloch, Esq. A New Edition, corrected, cularged, and improved: Including a New Supplement. 8vo. 50s. cloth; or 55s. strongly half-bound in russia.—The SUPPLEMENT separately, price 4s. 6d.
- M'CULLOCH.—AN ACCOUNT, DESCRIPTIVE, AND STATIS-TICAL, of the BRITISH EMPIRE; exhibiting its Extent, Physical Capacities, Population, Industry, and Civil and Religious Institutions. By J. R. M'Culloch, Esq. 3d Edition, corrected, enlarged, and greatly improved. 2 vols. 8vo. 42s. cloth.
- M'CULLOCH.—A TREATISE ON THE PRINCIPLES AND PRACTICAL INFLUENCE OF TAXATION AND THE FUNDING SYSTEM. By J. R. M'Culloch, Esq. Second Edition, corrected, enlarged, and improved. Syo. 16s. coltra
- M'CULLOCH.—A TREATISE ON THE CIRCUMSTANCES WHICH DETERMINE THE RATE OF WAGES AND THE CONDITION OF THE LABOURING CLASSES. By J. R. M'Culloch, Eq. Feap. Syo, 3s. 6d. cloth.
- MAITLAND.—THE CHURCH IN THE CATACOMBS:

 A Description of the Primitive Church of Rome, illustrated by its Sepulchral Remains.

 By Charles Maitland. New Edition, revised; with numerous Woodcats. 8vo. 14s. cloth.
- MRS. MARCET'S CONVERSATIONS ON CHEMISTRY: In which the Elements of that Science are familiarly Explained and Illustrated by Experiments. New Edition, corrected. 2 vols. foolscap 8vo. 14s. cloth.
- MRS. MARCET'S CONVERSATIONS ON POLITICAL ECONOMY: In which the Elements of that Science are familiarly explained. New Edition, revised, and enlarged. Fooliscap 8vo. 7s. 6d. cloth.
- MRS. MARCET'S CONVERSATIONS ON NATURAL PHILO-NOPHY: In which the Elements of that Science are familiarly explained, and adapted to the comprehension of Young Persons. New Edition, greatly improved. Fcap. 8vo. with 23 Plates, 10s. 6d. cloth.
- MRS. MARCET'S CONVERSATIONS ON VEGETABLE PHYSIOLOGY: comprehending the Elements of Botany, with their Application to Agriculture. New Edition. Foolscap 8vo. with Four Pilates, 9s. cloth.
- MRS. MARCET'S CONVERSATIONS ON LAND AND WATER.

 New Edition, revised and corrected. Foolscap 8vo. with coloured Map shewing the
 comparative Altitude of Mountains, 5s. 6d. cloth.
- MARIOTTI.—FRA DOLCINO AND HIS TIMES:

 Being an Account of a General Struggle for Ecclesiastical Reform, and of an Anti-Heretical
 Crusade in Italy, in the early part of the Fourteenth Century. By L. Mariotti, Author of
 Italy, Past and Present, etc. Post 8vo. price 19i, 6d. cloth.

MARTINEAU.—CHURCH HISTORY IN ENGLAND, From the Earliest Times to the Period of the Reformation. By the Rev. Arthur Martineau.

M.A., late Fellow of Trinity College, Cambridge. 12mo. In the press.

MAUNDER'S SCIENTIFIC AND LITERARY TREASURY:
A New and Popular Encyclopædia of Science and the Belles Lettres; including all
Branches of Science, and every subject connected with Literature and Art. New
Edition. Feap. 8vo. 10s. cloth; bound in roan, 12s.; calf lettered, 12s. 6d.

MAUNDER'S HISTORICAL TREASURY;

Comprising a General Introductory Outline of Universal History, Ancient and Modern, and a Series of separate Histories of every principal Nation that exists; developing their Rise Progress, and Present Condition, the Moral and Social Character of their respective Inhabitants, their Religion, Manners, and Customs, etc. An entirely New Edition; revised throughout, and brought down to the Present Time. Foolscap Svo. 10s. cloth; bound In roan, 12s.; calf lettered, 12s. 6d.

MAUNDER'S TREASURY OF NATURAL HISTORY;

Or, a Popular Dictionary of Animated Nature: In which the Zoological Characteristics that distinguish the different Classes, Genera, and Species are combined with a variety of interesting Information illustrative of the Habits, Institutes, and General Economy of the Animal Kingdom. Embellished with 900 Engravings on Wood, New Edition. Fcap. 8vo. 10s. cloth j bound in roan, 12s.; call lettered, 12s. 64.

MAUNDER'S TREASURY OF KNOWLEDGE,

And LIBRARY of REFERENCE: Comprising an English Dictionary and Grammar, an Universal Georgetter, a Classical Dictionary, a Chronology, a Law Dictionary, a Synopsis of the Peerage, numerous useful Tables, etc. The Twentieth Edition (1833), carefully revised and corrected throughout, with some Additions. Foolscap Svo. 10s. cloth; bound in roan, 12s.; call tettered, 12s. 6d.

MAUNDER'S BIOGRAPHICAL TREASURY:

Consisting of Memolrs, Sketches, and brief Notices of above 12,000 Eminent Persons of all Ages and Nations, from the Earliest Period of History; forming a new and complete Dictionary of Universal Biography. A New and carefully revised Edition; corrected throughout, and extended by the introduction of numerous additional Lives. Foolscap 8vo. 10s. cloth; bound in roan, 12s.; calf lettered, 12s. 6d.

MERIVALE.—A HISTORY OF THE ROMANS UNDER THE

EMPIRE. By the Rev. Charles Merivale, late Fellow of St. John's College, Cambridge. Vols. I. and II. 8vo. 28s. cloth. Vol. III. completing the History to the Establishment of the Monarchy by Augustus, 8vo. 14s. cloth,

MERIVALE.—THE FALL OF THE ROMAN REPUBLIC:

A Short History of the last Century of the Commouwealth. By the Rev. Charles Merivale, B.D., late Fellow of St. John's College, Cambridge. 12mo.

MILNER.—THE HISTORY OF THE CHURCH OF CHRIST.

By the late Rev. Joseph Milner, A.M., With additions by the late Rev. Isaac Milner,
D.D. F.R.S. A New Edition, revised, with additional Notes by the Rev. Thomas
trantham, B.D. 4 vols. 8vo. price 52s. cloth.

MONTGOMERY.—ORIGINAL HYMNS FOR PUBLIC, SOCIAL, AND PRIVATE DEVOTION. By James Montgomery. 18mo. price 5s. 6d. cloth.

JAMES MONTGOMERY'S POETICAL WORKS.

With some additional Poems, and the Author's Autobiographical Prefaces. A New Edition, complete in One Volume; with Portrait and Vignette. Square crown 8vo. 10s. 6d. cloth; morocco, 21s.—Or ha 4 vols. foolscap 8vo. with Portrait, and Seven other Plates, 20s. cloth; bound in morocco, 11.16s.

MOORE.—HEALTH, DISEASE, AND REMEDY,

Familiarly and Practically considered in a few of their Relations to the Blood. By George Moore, M.D. Post 8vo. 7s. 6d. cloth.

MOORE.—THE POWER OF THE SOUL OVER THE BODY. Considered in relation to Health and Morals. By George Moore, M.D. Member of the Royal College of Physicians, etc. Fifth Edition. Fcap. 8vo. 6s. cloth.

MOORE.—THE USE OF THE BODY IN RELATION TO THE MIND. By George Moore, M.D. Third Edition. Feap. Svo. 6s. cloth.

MOORE.-MAN AND HIS MOTIVES.

By George Moore, M.D. Third Edition. Fcap. 8vo. 6s. cloth.

MOORE.—MEMOIRS, JOURNAL, AND CORRESPONDENCE OF THOMAS MOORE. Edited by the Right Hon. Lord John Russell. With Portraits and Vignette filustrations. Vols. I. and II. post 8vo. price 21s. cloth.

and Vignette Hustrations. Vols. I. and 11. postovo, price 22. citota.
THE THIRD AND FOURTH VOLUMES OF MOORE'S SERMONS, JOURNAL, AND CORRESPONDENCE, with Portraits of Sir John Stevenson and Samuel Rogers, Esq.; and Vignettes, by T. Creswick, R.A., of the Meeting of the Waters, and Moore's Residence at Mayfield, Vols. III. and IV. post 8vo, price 21s. cloth.

MOORE'S POETICAL WORKS:

Containing the Author's recent latroduction and Notes. Complete in One Volume, uniform with Lord Byron's and Southey's Poems. With Portrait and View of Sloperton Cottage, Chippenham. Medium 8vo. 11. In. cloth; or 42z. bound in morocco, by Hayday.

*. Also a New and Cheaper Issue of the First collected Edition of the above, in 10 vols. foolscap 8vo. with Portrait, and 19 Plates, price 35s. cloth.

THOMAS MOORE'S SONGS, BALLADS, AND SACRED SONGS.

First collected Edition, with Vignette by Richard Doyle. 16mo. 5s. cloth; or 12s. 6d. bound in smooth morocco, by Hayday.

MOORE'S IRISH MELODIES.

New Edition. With the Autobiographical Preface from the Collective Edition of Mr. Moore's Poetical Works, and a Vignette by D. Maclise, R.A., 16mo. Ss., cloth; 12s., 6d bound in smooth morocco, by Hayday,—Or in foolscap 870. with Vignette by Corbould, 10s., cloth bound in morocco, 13s., 6d.

MOORE'S IRISH MELODIES.

Illustrated by D. Maclise, R.A. New and cheaper Edition, with 161 Designs, and the whole of the Letter-press engraved on Steel, by F. P. Becker. Super royal 8vo. 31s. 6d. cloth; bound in moroeco, by Hayday, 2l. 12s. 6d.

. The Original Edition, in imperial 8vo. 63s. boards; morocco, by Hayday, 4l. 14s. 6d.; Proofs, 6l. 6s. boards,—may still be had.

MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

New Edition; with the Autobiographical Preface from the Collective Edition of Mr. Moore's Poetical Works, and a Vignetic by D. Maclise, R.A. Ismo. 5s. cloth; 12s.6d. bound in smooth morecco, by Hayday.—Or in foolscap 8vo. with 4 Plates by Westall, 10s. 6d. cloth; or 14s. bound in morecco.

MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

With 13 highly-finished Steel Plates, from Designs by Corbould, Meadows, and Stephanoff, engraved under the superintendence of the late Charles Heath. New Edition. Square crown Svo. 15s. clott; morocco, 28s.—A few copies of the Original Edition, in royal Swo. price One Guinea, still remain.

- MOSELEY.—ILLUSTRATIONS OF PRACTICAL MECHANICS.
 By the Rev. H. Moseley, M.A., Professor of Natural Philosophy and Astronomy in King's College, London. New Edition. Feap. For. with Woodcuts, 8s. cloth.
- MOSELEY. THE MECHANICAL PRINCIPLES OF EN-GINEERING AND ARCHITECTURE. By the Rev. H. Moseley, M.A. F.R.S. 870. 24s.
- MOSHEIM'S ECCLESIASTICAL HISTORY,
 Ancient and Modern. Translated, with copious Notes, by James Murdock, D.D. New
 Edition, revised, and continued, by the Rev. Henry Soames, M.A. 4vols, 8vo. 48s. cloth.
- MURE.—A CRITICAL HISTORY OF THE LANGUAGE AND LITERATURE OF ANCIENT GREECE. By William Mure, M.P., of Caldwell. 3 vols. 8vo. 36s. cloth. Vol. IV. comprising Historical Literature from the Rise of Fure Composition to the Death of Herodotus. 8vo. with Map, price 13s. cloth.
- MURRAY'S ENCYCLOPÆDIA OF GEOGRAPHY:
 Comprising a complete Description of the Earth: exhibiting its Relation to the Heavenly
 Bodies, its Physical Structure, the Natural History of each Country, and the ludustry, Commerce, Political Institutions, and Civil and Social State of all Nations. Second Editions
 with 82 Maps, and upwards of 1,000 other Wood Engravings. 8vo. 3l. clot.
- NEALE.—RISEN FROM THE RANKS; Or, Conduct versus Caste. By the Rev. Erskine Neale, M.A. Rector of Kirton, Suffolk, Frap. 800. [Nearly ready.
- NEALE.—THE RICHES THAT BRING NO SORROW.

 By the Rev. Erskine Neale, M.A., Rector of Kirton, Suffolk. Foolscap 870. 68. cloth.
- THE EARTHLY RESTING-PLACES OF THE JUST.

 By the Rev. Erskine Neale, M.A., Rector of Kirton, Suffolk. Fcap. 8vo. 7s. cloth.
- NEALE. THE CLOSING SCENE;
 Or, Christianity and Infidelity contrasted in the Last Hours of Remarkable Persons. By the Rev. Erskine Neale, M.A., New Editions. 2 vols. fcap. 8vo. 6s. each.
- NEWMAN.—DISCOURSES ADDRESSED TO MIXED CON-GREGATIONS. By John Henry Newman, Priest of the Oratory of St. Philip Neri. Second Edition. 8vo, 12s. cloth.
- LIEUTENANT OSBORN'S ARCTIC JOURNAL.

 STRAY LEAVES FROM AN ARCTIC JOURNAL; or, Eighteen Months in the Polar Regions in search of Sir John Franklin's Expedition. By Lieut. Sherard Osborn, R.N., Commanding H.M.S.V. Pioneer. With Map and Four coloured Plates. Post 8vo, price 12s, cloth.
- OWEN JONES.—WINGED THOUGHTS.

 A Series of Poems. By Mary Anne Bacon, With Illustrations of Birds, designed by E. L. Bateman, and executed in Illuminated printing by Owen Jones. Imperial Syo. 31s. 6d. elegantly bound in calf.
- OWEN JONES.—FLOWERS AND THEIR KINDRED THOUGHTS: A Series of Stanzas. By Mary Anne Bacon. With beautiful Illustrations of Flowers, designed and printed in Colours by Owen Jones. Imperial 8vo. 31s. 6d. elegantly bound in calf.

OWEN JONES .- FRUITS FROM THE GARDEN AND THE FIELD. A Series of Stanzas. By Mary Anne Bacon. With beautiful Illustrations of Fruit, designed and printed in Colours by Owen Jones. Imperial 8vo. 31s. 6d. elegantly bound

in calf.

OWEN.-LECTURES ON THE COMPARATIVE ANATOMY AND PHYSIOLOGY OF THE INVERTEBRATE ANIMALS, delivered at the Royal College of Surgeons in 1843. By Richard Owen, F.R.S. Hunterian Professor to the College. New Edition, corrected. 8vo. with Woodcasts. [Nearly ready.

PROFESSOR OWEN'S LECTURES ON THE COMPARATIVE ANATOMY AND PHYSIOLOGY of the VERTEBRATE ANIMALS, delivered at the Royal College of Surgeous in 1844 and 1846. Vol. 1., with Woodcut s. 8vo. 14s. cloth.

THE COMPLETE WORKS OF BLAISE PASCAL:

With M. Villemain's Essay on Pascal considered as a Writer and Moralist, prefixed to the Provincial Letters; and the Mircellancess Writings, Thoughts on Religion, and Evidences of Christianity, rearranged, with large Additions, from the French Edition of Mous. P. Fangere. Translated from the French, with Memoir, Introductions to the various Works, Editorial Notes, and Appendices, by George Pearce, Esq. 3 vols. post 8vo. with Fortrait, 25s. 6d. cloth.

Vel. I .- PASCAL'S PROVINCIAL LETTERS: with M. Villemain's Essay on Pascal prefixed, and a new Memoir. Post 8vo. Portrait, 8s. 6d. cloth.

Vol. II.-THE THOUGHTS ON RELIGION, AND EVIDENCES OF CHRISTIANITY, with Additions from original MSS.: from M, Fangère's Edition. Post 8vo. 8s. 6d. cloth,

Vol. III.—PASCAL'S MISCELLANEOUS WRITINGS, CORRESPONDENCE, DE-TACHED THOUGHTS, etc. from M. Faugère's Edition. Post 8vo. 8s. 64. cloth.

PASHLEY.—PAUPERISM AND POOR LAWS.

By Robert Pashley, M.A., F.C.P.S., One of Her Majesty's Counsel, and late Fellow of Trinity College, Cambridge; Author of Travels in Crete. 8vo. price 10s. 6d., cloth.

CAPTAIN PEEL'S TRAVELS IN NUBIA.—A RIDE THROUGH THE NUBIAN DESERT. By Captain W. Peel, R.N. Post 8vo. with a Route Map from Cairo to Kordofau, price 5s. cloth.

PEREIRA.-A TREATISE ON FOOD AND DIET:

With Observations on the Dietetical Regimen suited for Disordered States of the Digestive Organs; and an Account of the Dietaries of some of the principal Metropolitan and other Establishments for Paupers, Lunatics, Criminals, Children, the Sick, etc. By Jon. Pereira, M.D. F.R.S., author of Elements of Materia Medics. 8vo. 16s. cloth.

PESCHEL'S ELEMENTS OF PHYSICS.

Translated from the German, with Notes, by E. West. With Diagrams and Woodcuts. 3 vois. fcap. 8vo. 21s. cloth.

PETERBOROUGH.—A MEMOIR OF CHARLES MORDAUNT, EARL OF PETERBOROUGH AND MONMOUTH With Selections from his Correspondence. By the Author of Hochelagus and The Conquest of Gausdia. 2 vols. post 8vo. [In the press.

PHILLIPS'S ELEMENTARY INTRODUCTION TO MINERA-10GY. A New Edition, with extensive Alterations and Additions, by H.J. Brooke, F.R.S., F.G.S., and W. H. Miller, M.A., F.R.S., F.G.S., Professor of Mineralogy in the University of Cambridge. With numerous Wood Engravings. Post 8vo, price 18s. cloth

- PHILLIPS.—FIGURES AND DESCRIPTIONS OF THE PALÆ-OZOIC FOSSILS OF CORNWALL, DEVON, and WEST SOMERSET; observed in the course of the Ordnance Geological Survey of that District. By John Phillips, F.R.S. F.G.S. 8vo. with 60 Plates, comprising very numerous Figures, 9s. cloth.
- PORTLOCK .- REPORT ON THE GEOLOGY OF THE COUNTY OF LONDONDERRY, and of Parts of Tyrone and Fermanagh, examined and described under the Authority of the Master-General and Board of Ordnance. By J. E. Portlock, F.R.S. etc. 8vo. with 48 Plates, 24s, cloth,

POWER.—SKETCHES IN NEW ZEALAND, with Pen and Pencil. By W. Tyrone Power, D.A.C.G. From a Journal kept in that Country, from July 1846 to June 1848. With 8 Plates and 2 Woodcuts. Post Svo. 12s. cloth.

THE VADE-MECUM OF FLY-FISHING FOR TROUT:

Being a complete Practical Treatise on that Branch of the Art of Angling; with plain and copious Instructions for the Manufacture of Artificial Flies. By G.P.R. Pulman. Third Edition, with several Woodcuts. Fcap. 8vo. 6s. cloth.

PYCROFT.-A COURSE OF ENGLISH READING;

Adapted to every Taste and Capacity. With Literary Anecdotes. By the Rev. James Pycroft, B.A., author of The Collegian's Guide. New Edition. Fcap. 8vo. 5s. cloth.

DR. REECE'S MEDICAL GUIDE:

For the use of the Clergy, Heads of Families, Schools, and Junior Medical Practitioners. Comprising a complete Modern Dispensatory, and a Practical Treatise on the distinguishing Symptoms, Causes, Prevention, Cure, and Palliation of the Discases incident to the Human Frame. With the latest Discoveries in the different Departments of the Healing Art, Materia Medica, etc. Seventeenth Edition, with considerable Additions; revised and corrected by the Author's Son, Dr., Henry Reece, M.R.C.S. etc. 8vo. 12s. cloth.

- RICH.—THE ILLUSTRATED COMPANION TO THE LATIN DICTIONARY AND GREEK LEXICON: forming a Glossary of all the Words respecting Visible Objects connected with the Arts, Manufactures, and Every-day Life of the Ancients, With Representations of nearly Two Thousand Objects from the Antique. By Anthony Rich, jun.B.A., Post 8vo. with about 2,000 Woodcuts, 21s. cloth.
- JOURNAL OF A BOAT VOYAGE THROUGH RUPERT'S LAND and the Central Arctic Sea, in Search of the Discovery Shipa under command of DAND and the Central Arctic Sea, 11 Search of the Discovery Sings Indee Commands if John Richardson, C.B., F.R.S., etc., Inspector of Naval Hospitals and Fleets. A a coloured Map, several Plates and Woodcuts. 2 vol.8 vol.8 vol.81.6 d. cloth.
- RIDDLE.—A COPIOUS AND CRITICAL LATIN-ENGLISH LEXICON, founded on the Germau-Latin Dictionaries of Dr. William Freund. By the Rev. J. E. Riddle, M.A., of St. Edmund Hall, Oxford. New Edition, with Corrections. Post 4to. 31s. 6d. cloth.
- RIDDLE'S COMPLETE LATIN-ENGLISH AND ENGLISH-LATIN DICTIONARY, for the use of Colleges and Schools. New Edition, revised and corrected. Svo. 2ls. cloth.
 - • Separately The English-Latin Dictionary, price 15s.

 THE LATIN-ENGLISH DICTIONARY, price 7s.
- RIDDLE'S DIAMOND LATIN-ENGLISH DICTIONARY: A Guide to the Meaning, Quality, and right Accentuation of Latin Classical Words. New Edition. Royal 32mo. 4s. bound.

RIVERS .- THE ROSE AMATEUR'S GUIDE:

Containing ample Descriptions of all the fine leading varieties of Roses, regularly classed in their respective Families; their History and Mode of Culture. By T. Rivers, Jun. Fourth Edition, corrected and improved. Foolscap 8vo.6s.cloth.

ROBINSON'S LEXICON TO THE GREEK TESTAMENT.

A Greek and English Lexicon of the New Testament. By Edward Robinson, D.D. LL.D. Professor of Biblical Literature in the Union Theological Seminary, New York; Author of Biblical Researches in Pulestine, etc. New Edition, revised and in great part rewritten. 8vo. 18s. cloth.

ROGERS'S VEGETABLE CULTIVATOR;

Containing a plain and accurate Description of every species and variety of Culinary Vege-tables: With the most approved Modes of Cultivating and Cooking them. New and cheaper Edition. Fcap. 8vo. 5s. cloth.

ROGERS. - ESSAYS SELECTED FROM CONTRIBUTIONS TO THE EDINBURGH REVIEW. By Henry Rogers. 2 vols. 8vo. 24s. cloth.

ROGET .- THESAURUS OF ENGLISH WORDS AND PHRASES classified and arranged so as to facilitate the Expression of Ideas and assist in Literary Composition. By P. M. Roget, M.D., F.R.S. Second Edition, revised and enlarged. Medlum 8vo. price 14s. cloth.

ROWTON (F.)—THE DEBATER:
Being a Series of complete Debates, Outlines of Debates, and Questions for Discussion.
With ample references to the best sources of Information upon each particular topic, By
Frederic Rowton. Second Edition. Foolscap 800. 6s.cloth.

ST. JOHN (H.)—THE INDIAN ARCHIPELAGO;
Its History and Present State. By Horace St. John, Author of History of the British Conquests in India, Life of Christopher Columbus, etc. 2 vols. post 8vo. price 21s. cloth.

MR. ST. JOHN'S NEW WORK ON EGYPT.—ISIS:

An Egyptian Pilgrimage. By James Augustus St. John. 2 vols. post 8vo. price 21s. cloth.

THE SAINTS OUR EXAMPLE.

STR.

By the Author of Letters to My Unknown Friends, Letters on Happiness, etc. Fcap. 8vo. price 7s. cloth.

EDWARD SEAWARD'S NARRATIVE OF HIS SHIP-

WRECK, and consequent Discovery of certain Islands in the Caribbean Sear with a Detail of many extraordinary and highly Interesting Events in his Life, from 1733 to 1749, as written In his own Diary. Edited by Jane Porter. Third Edition. 2 vols. post Svo. 21s. cloth.—Also an Abridgement, in 16mo. price Half-a-Crown.

SELF-DENIAL THE PREPARATION FOR EASTER.

By the Author of Letters to My Unknown Friends. Foolscap 8vo. price 2s. 6d. cloth.

SEWELL.-AMY HERBERT.

By a Lady. Edited by the Rev. William Sewell, B.D., Fellow and Tutor of Exeter College, Oxford. New Edition, complete in One volume. Foolscap 8vo. price 6s. cloth.

SEWELL.—THE EARL'S DAUGHTER.

By the Author of Any Herbert. Edited by the Rev. W. Sewell, B.D. 2 vols. fcap. 8vo. 9s. cloth.

SEWELL.—GERTRUDE.

A Tale. By the Author of Anny Herbert. Edited by the Rev. W. Sewell, B.D. New Edition, complete in One volume. Foolscap 8vo. price 6s. cloth.

SEWELL.-LANETON PARSONAGE:

A Tale for Children, on the practical Use of a Portion of the Church Catechism. By the author of Amy Herbert. Edited by the Rev. W. Sewell, B.D. New Edition. 3 vols. fcap, 8vo, 16s, cloth.

SEWELL.-MARGARET PERCIVAL.

By the Author of Amy Herbert. Edited by the Rev. W. Sewell, B.D. New Edition. 2 vols, foolscap 8vo. 12s. cloth.

THE FAMILY SHAKSPEARE,

In which nothing is added to the Original Text; but those Words and Expressions are omitted which cannot with propriety be read aloud. By T. Bowdler, Esq. F.R.S. New Edition (1853), in volumes for the Pocket. 6 vols. foolscap 8vo. price 30s. cloth

. Also a Library Editlon ; with 36 Illustrations after Smirke, etc. 8vo. 21s. cloth.

SONGS AND BALLADS OF SHAKSPEARE.

Illustrated in 18 Plates by the Etching Club. Imperial 4to, 42s, boards,

*. The first Nine Plates were originally published in 1843; and the Subscribers to those Plates may purchase the last Nine separately, price 21s.

SHARP'S NEW BRITISH GAZETTEER,

OR TOPOGRAPHICAL DICTIONARY OF THE BRITISH ISLANDS AND NARROW SEAS: Comprising concise Descriptions of about Sixty Thousand Places, Seats, Natural Features, and Objects of Note, founded on the best Authorities; full Particulars of the Boundaries, Registered Electors, etc. of the Parliamentary Boroughs; with a Reference under every Name to the Sheet of the Ordinance Survey, as fur as completed; and Appendix, containing a General View of the Resources of the United Kingdom, a short Chronology, and an Abstract of certain Results of the Census of 1851. 2 vols. bvo. 22. 16s, cloth.

SHORT WHIST: ITS RISE, PROGRESS, AND LAWS;

With the recent Decisions of the Clubs, and Observations to make any one a Whist Player. Containing also the Laws of Piquet, Cassino, Ecarte, Ctibbage, Backgammon. By Major A. New Edition. To which are added, Precepts for Tyros. By Mrs. B. Foolscap 8vo. 3s. cloth, gilt edges.

SINCLAIR.—THE JOURNEY OF LIFE.

By Catherine Sinclair. New Edition, corrected and enlarged. Fcap. 8vo. 5s. cloth.

SINCLAIR -POPISH LEGENDS OR BIBLE TRUTHS.

By Catherine Sinclair. Dedicated to her Nieces. Fcap. 8vo. 6s. cloth.

SIR ROGER DE COVERLEY.

From The Spectator. With Notes and Illustrations by W. Henry Wills; and Twelve fine Wood Engravings by John Thompson from Designs by Frederick Tayler. Crown 8vo. 15s. boards; or 7st. bound in morocco by Hayday.—Also a Cheap Edition, without Engravings, In 16mo. price One Shilling.

SKETCHES BY A SAILOR:

Or, Things of Earth and Things of Heaven. By a Commander in the Royal Navy. Contents:-1. The Shipwreck; 2. The Model Prison; 3. The Foot Race; 4, A Man Overboard; 5. The Assize Court; 6. The Fugitive. Feap. 8vo. price 3. 6d. cloth.

SMEE.—ELEMENTS OF ELECTRO-METALLURGY. By Alfred Smee, F.R.S., Surgeon to the Bank of England, Third Edition, considerably enlarged; with Electrotypes and numerous Woodcuts. Post 8vo. 10s. 6d. cloth.

THE WORKS OF THE REV. SYDNEY SMITH.

Comprising the Author's Miscellaneous Writings, and Contributions to the Edinburgh Review. New Edition, complete in One Volume: with Portrait and Vignette. Square crown 8vo, 21s. cloth; 30s. call extra, by Hayday.—Or in 3vois. 8vo, with Portrait, 36s. cloth.

SMITH.—ELEMENTARY SKETCHES OF MORAL PHILO-SOPHY, delivered at the Royal Institution in the Years 1804, 1805, and 1806. By the late Rev. Sydney Smith, M.A. Second Edition. 8vo. 12s. cloth.

SMITH .- THE VOYAGE AND SHIPWRECK OF ST. PAUL: with Dissertations on the Sources of the Writings of St. Luke, and the Ships and Navigation of the Ancients. By James Smith, Eaq., F.R.S. etc. 8vo. with Illustrations, 14s. cloth.

SNOW.—VOYAGE OF THE PRINCE ALBERT IN SEARCH OF SIR JOHN FRANKLIN. A Narrative of Every-day Life in the Arctic Sens. By W. Parker Snow. With a Chart, and 4 Illustrations printed in colours. Post 870, 12s. c.bt.

THE LIFE AND CORRESPONDENCE OF THE LATE ROBERT SOUTHEY. Edited by his Son, the Rev. Charles Cuthbert Southey, M.A. Vicar of Ardleigh. With numerous Portraits; and Six Landscape Illustrations from Designs by W. Westall,

A.R.A. 6 vols. post 8vo. 63s. cloth.

SOUTHEY'S COMMON-PLACE BOOKS.

THE COMMON-PLACE BOOKS of the late Robert Southey. Comprising—I, Choice Passages: with Collections for the History of Manuers and Literature in England; 2. Special Collections on various Historical and Theological Subjects; 3. Analytical Readings in various branches of Literature; and 4. Original Memoranda, Literary and Miscellaneous. Edited by the Rev. John Wood Warter, B.D. 4 vols. square crown 870. 31. Bs. cloth.

Each Common-Place Book, complete in Itself, may be had separately as follows :-

FIRST SERIES-CHOICE PASSAGES, etc. 2d Edition; with Medallion. Price 18s.

SECOND SERIES-SPECIAL COLLECTIONS. Price 18s.

THIRD SERIES-ANALYTICAL READINGS. One Guinea.

FOURTH SERIES-ORIGINAL MEMORANDA, etc. One Gainea,

SOUTHEY'S THE DOCTOR ETC.

Complete in One Volume. Edited by the Rev. John Wood Warter. With Portrait, Vignette, Bust, and coloured Plate. New Edition. Square crown Svo. 21s. cloth.

SOUTHEY'S LIFE OF WESLEY,

And Rise and Progress of Methodism. New Rdition, with Notes by the late Samuel Taylor Coleridge; and Remarks on the Life and Chrancter of John Wesley, by the late Alexander Knox. Edited by the Rev. C. C. Southey, M.A. 2 vols. 870. with two Portraits, 1/1. 8s. cloth.

ROBERT SOUTHEY'S COMPLETE POETICAL WORKS:

Containing all the Author's last Introductions and Notes. Complete in One Volume, with Portrait and View of the Poet's Residence at Keswick; uniform with Lord Byron's and Moore's Poetical Works. Medium 870. 21s. cloth; 42s. boand in moroeco, by Hayday.—Or in 10 vols. foolscap 8vo. with Portrait and 19 Plates, 21. 10s.; morocco, 41. 10s.

SOUTHEY'S SELECT WORKS OF THE BRITISH POETS,

From Chaucer to Lovelace inclusive. With Blographical Sketches by the late Robert Southey, Medium 8vo. 30s. cloth.

STEEL'S SHIPMASTER'S ASSISTANT,

For the use of Merchants, Owners and Masters of Ships, Officers of Customs, and sll
Persons connected with Shipping or Commerce; containing the Law and Local Regulations affecting the Ownership, Charge, and Management of Ships and their Cargoes;
together with Notices of other Matters, and all necessary Information for Mariners. New
Edition, rewritten throughout; and containing the New Passengers Act passed during the
last Session of Parliament. Edited by Graham Willmore, Esq., M.A., Barrister-at-law;
George Clements, of the Customs, London; and William Tate, author of The Modern
Cambist. Svo. 28s. cloth.

STEPHEN.—LECTURES ON THE HISTORY OF FRANCE.

By the Right Honourable Sir James Stephen, K.C.B., LL.D., Professor of Modern History in the University of Cambridge. Second Edition. 2 vols. 8vo. 24s. cloth.

"These masterly Lectures by Sir James Stephen, successor to the lamented Professor Snythe in the University of Cambridge, although they take rather new ground, will be found to cast a flood of light on the external and internal histories of the French people, discussing to cast a flond of light on the externul and internal histories of the French people, discussing at they do fully and with consummate ability, a was to be expected from the author of Ecclesiastical Biography, the monarchical, judicial, and economical institutions of the Great Nation.

The present Lectures are at once projound [and] discriminative. They are written in a style of singular fascination, and even to the general reader they present historical truth in the attractiveness of ronance. We indulge the hope that they will attain a large circulation, appecially among those classes who are so latetasinarian as to ignore the painful but plapable facts of ecclesiastical history.

STEPHEN-ESSAYS IN ECCLESIASTICAL BIOGRAPHY.

From The Edinburgh Review. By the Right Honourable Sir James Stephen, K.B., LL.D Second Edition. 2 vols. 8vo. 24s. cloth.

STOW.—THE TRAINING SYSTEM, THE MORAL TRAINING SCHOOL, AND THE NORMAL SEMINARY. By David Stow, Esq., Honorary Secretary to the Glasgow Normal Free Seminary. 8th Edition; with Plates and Woodcuts. Post 8vo. 6s. cloth.

SUTHERLAND.—JOURNAL OF A VOYAGE IN BAFFIN'S BAY AND BARROW STRAITS, in the Years 1850 and 1851, Performed by H. M. Ships Lady Franklin and Sophia, under the command of Mr. William Penny, in search of the missing Crews of Her Majesty's Ships Exchas and Terror with a Narrative of Sledge Excursions on the Ice of Wellington Channel; and Observations on the Natural History and Physical Features of the Countries and Frozen Seas visited. By Peter C. Satherland, M.D., M.R.C.S.E., Surgeonto the Expedition. With Two coloured Charts by A, Petermann, Six Plates (four coloured), and namerous Wold Engravings. 2 vols. post 8vo. price 27s. cloth.

SWAIN.-ENGLISH MELODIES.

By Charles Swain. Fcap. 8vo.6s, cloth; or bound in morocco, 12s.

SYMONS.—THE MERCANTILE MARINE LAW.

By Edward William Symons, Chief Clerk of the Thames Police Court. Fifth Edition, Including the Act passed in 1851 to amend the Mercantile Marine Act of 1850, and the provisions of the New Act relating to the Merchant Seamen's Fund. 12mo. 8c, cloth.

TATE. - EXERCISES ON MECHANICS AND NATURAL

PHILOSOPHY; or, an Easy Introduction to Engineering. Containing various Applications of the Principle of Work: the Theory of the Steam-Engine, with simple Mechanics; Theorems and Problems on accumulated Work, etc. By Thomas Tate, F.R.A.S., of Kneller Training College, Twickenham. New Edition. 12mo. 2s. cloth.—KEY, price 3s. 6d.

"The object of this work is to remove an evil pointed out by Professor Moseley in his Report on the Hydraulic Machines of the Great Exhibition—the frequent sacrifice of capital and of much mechanical ingenuity, in English mochinery as compared with French, the first the work of u knowledge of mechanical laws. Mr. Tate enunciates the principles of his subject, and illustrates them by means of exercise conducted for the most part on algebraical and geometrical principles. Spectator.

TATE.—THE PRINCIPLES OF MECHANICAL PHILOSOPHY APPLIED TO INDUSTRIAL MECHANICS, Forming a Sequel to the Author's Exercises on Mechanics and Natural Philosophy. By Thomas Tate, F.R.A.S., of Kneller Training College, Twickenham. With about 200 Wood Engravings. 8vo. price 10s. 6d. cloth.

TATE.—ON THE STRENGTH OF MATERIALS:

Containing various original and useful Formulæ, specially applied to Tubular Bridges, Wrought Iron and Cast Iron Beams, etc. By Thomas Tate, F.R.A.S. 8vo. 5s. 6d. cloth.

TAYLER .- MARGARET; OR, THE PEARL. By the Rev. Charles B. Tayler, M.A. New Edition. Foolscap 8vo. 6s. cloth.

TAYLER .- LADY MARY; OR, NOT OF THE WORLD.

By the Rev. Charles B. Tayler, M.A. New Edition. Foolscap 8vo. with Frontispiece 6n 6d, cloth.

TAYLOR .- THE AUTOBIOGRAPHY OF B. R. HAYDON,

Historical Painter. Edited, and coutineed to the time of his Death, from his own Journals, by Tom Taylor, M.A. of the Inher Temple, Eq.; late Fellow of Trinity College, Camhridge; and late Professor of the English Language and Literature in University College, London. 3 vols. post 8vo. [In the press.

TAYLOR.—WESLEY AND METHODISM.

By Isaac Taylor. With a Portrait of Wesley. Post 8vo. 10s. 6d. cloth.

" All the characteristics of early Methodism are analysed in the present volume with a discrimination, and described with a clearness, such as we might expect from the philosophical and eloquent anthor of the Natural History of Enthusiasm. . . . Of the Methodism and cloquent anthor of the Natural History of Enthusiasm. Of the Methodium of the cight each century, the corporal part remains in the Wesleyan Connexion; the soul of it, while partly animating that body, was transfused into all Christian Churches. How that great movement brome a starting-point in our modern history, and how it was the source of what is the most characteristic of the present, time, as contrasted with the corresponding period of lust century, not in religion only, but in general tone of national feeling, and manners, and literature, Mr. Taylor ably shews."

Literary Gazette.

TAYLOR -LOYOLA: AND JESUITISM

In its Rudiments, By Isaac Taylor. With medallion Portrait. Post 8vo. 10s. 6d. cloth

THIRLWALL.—THE HISTORY OF GREECE.

By the Right Rev. the Lord Bishop of St. David's, (the Rev. Connep Thirlwall). An Improved Library Edition: with Maps. 8 vols. 41. 14s. cloth.—Also, an Edition in 8 vols. fcap. 8vo. with Vignette Titles, It. 8s. cloth.

HISTORY OF GREECE, FROM THE EARLIEST TIME

TO THE TAKING OF CORINTH BY THE ROMANS, B.C. 146, mainly based upon Bishop Thirtwall's History of Greece. By Dr. Leonhard Schmitz, F.R.S.E., Rector of the High School of Edinburgh. Second Eddition. 12mo. 7z. 6z. cloth

THOMAS'S MODERN PRACTICE OF PHYSIC:

Exhibiting the Symptoms, Causes, Prognostics, Morbid Appearances, and Treatment of the Diseases of All Climates. Eleventh Edition, thoroughly revised, corrected, and to a considerable extent rewritten, by Algermon Frampton, M.D., Physician to the London Hospital; assisted by Herbert Davies, M.D., Physician to the London Hospital; N. Parker, M.D., Assistant-Physician to the London Hospital; G. Critchett, F.R.C.S., Senior Assistant-Surgeon to the London Hospital; J. Wordsworth, F.R.C.S., Assistant-Surgeon to the London Hospital; Henry Powell, M.D., Edinburgh; and H. Letheby, M.D., Lecturer on Chemistry and Toxicology in the London Hospital Medical School. 2 vols. Stro. price 289. cloth.

THOMSON'S SEASONS.

Edited by Bolton Corney, Esq. Illustrated with Seventy-seven Designs drawn on Wood by the Members of the Etching Club. Engraved by Thompson and other eminent Engravers. Square crown 3vo. 21s. cloth; bound in morocco, by Hayday, 36s.

THOMSON'S TABLES OF INTEREST,
At Three, Four-and-a-balf, and Five per Cent., from One Pound to Ten Thousand,
and from 1 to 355 Days, in a regular progression of Single Days; with interest at all the
above Rates, from One to Twelve Months, and from One to Ten Years. Also, Tables
shewing the Exchange on Bills, etc.etc. New Edition. 12mo. Ss. bound.

THE THUMB BIBLE;

Or, Verbum Semplternum. By J. Taylor. Being an Epitome of the Old and New Testaments in English Verse. New Edition, printed from the Edition of 1693, by C. Whittingham, Chiswick. 64mo. l. 6d. bound and clasped.

TOMLINE'S INTRODUCTION TO THE STUDY OF THE BIBLE; Being the First Volume of the Elements of Christian Theology; containing Proofs of the Authenticity and Inspiration of the HolyScriptures; a Summary of the History of the Jews, an Account of the Jewis Sects; and a brief Statement of the Contents of the several Books of the Old Testament. New Edition. Foolscap 8vo. 5s. 6d, cloth.

TOWNSEND .- MODERN STATE TRIALS.

Revised and illustrated with Essays and Notes. By William Charles Townsend, Esq. M.A. Q.C. 2 vols. 8vo. 30s. cloth.

TOWNSEND .- THE LIVES OF TWELVE EMINENT JUDGES OF THE LAST AND OF THE PRESENT CENTURY. By W. Charles Townsend, Esq., M.A.Q.C. 2vols. 8vo. 28s. cloth.

TURNER.-THE SACRED HISTORY OF THE WORLD,

Attempted to be Philosophically considered, in a Series of Letters to a Son. By Sharon Turner, F.S.A. and R.A.S.L. Eighth Edition, edited by the Rev. Sydney Turner. 3 vols. post 8vo. 31s. 6d. cloth.

TURNER.-A NEW EDITION OF SHARON TURNER'S HISTORY OF ENGLAND DURING THE MIDDLE AGES: Comprising the Reigns from William the Conqueror to the Accession of Henry VIII. 4 vols. 8vo. [In the press.

TURNER-THE HISTORY OF THE ANGLO-SAXONS.

From the Earliest Period to the Norman Couquest. By Sharon Turner, F.R.S. and R.A.S.L. The Seventh Edition. 3 vols. 8vo. 36s. cloth.

TURTON'S MANUAL OF THE LAND AND FRESH WATER SHELLS OF THE BRITISH ISLANDS. New Edition, with Additions. By John Edward Gray. Post 8vo. with Woodcuts, and 12 coloured Plates 15s. cloth.

URE. - DICTIONARY OF ARTS, MANUFACTURES, AND MINES: Containing a clear Exposition of their Principles and Practice. By Andrew Ure, M.D. F.R.S. M.G.S. M.A.S. Lond., M. Acad. N.S. Philad.; S. Ph. Soc. N. Germ. Hanov.; Mullij, etc. etc. 36 Kdition, corrected. 8vo, with 1,24 Woodcuts. 50s. cloth.—Also SUPPLEMENT OF RECENT IMPROVEMENTS. 2d Edition, 8vo.14s.cloth.

WATERTON.—ESSAYS ON NATURAL HISTORY,

Chiefly Ornithology. By Charles Waterton, Esq., author of Wanderings in South America With an Autobiography of the Author, and Viewa of Walton Hall. New Editions. 2 vols. foolscap 8vo. 10s. cloth.—Separately—Vol. 1. (First Series), 5s. 6d. Vol. 11. (Second Series), 4s. 6d.

THE TRAVELLER'S LIBRARY,

In course of Publication in Parts at One Shilling and in Volumes price Half-a-Crown each. Comprising books of valuable information and acknowledged merit, in a form adapted for reading while Travelling, and of a character that will render them wurthy of preservation; but the price of which has hitherto confined them within a comparatively narrow circle of readers.

Already Published :-

- WARREN HASTINGS. By Thomas Babington Macaulay. Price One Shilling.
- LORD CLIVE. By Thomas Babington Macaulay. Price One Shilling.
- • Mr. Macaulay's Two Essays on Warren Hastings and Lord Clive may be had in One Volume, price Half-a-Crown.
- WILLIAM PITT, EARL of CHATHAM. By Thomas Babington Macaulay. Price One Shilling.
- RANKE'S HISTORY OF THE POPES. And GLADSTONE ON CHURCH AND STATE. By Thomas Babington Macaulay. Price One Shilling.
- *. Mr. Macaulay's Essays on William Pitt, Ranke's History of the Popes, and Gladstone On Church and State, may be had in One Volume, price Half-a-Crown.
- THE LIFE AND WRITINGS OF ADDISON.
 And, HORACE WALPOLE. By Thomas
 Babington Macaulay. Price One Shilling.
- LORD BACON. By Thomas Babington Macaulay. Price One Shilling.
- *.* Mr. Macaulay's Three Essays on Addison, Horace Walpole, and Lord Bacon, may be had in One Volume, price Half-a-Crown.
- LORD BYRON, And, THE COMIC DRAMA-TISTS of the RESTORATION, By Thomas Babington Macaulay. Price One Shilling.
- LORD JEEFREY'S TWO ESSAYS on SWIFT and RICHARDSON, Price One Shilling.
- THE AUSTRALIAN COLONIES: their Origin and Present Condition. By William Hughes, F.R.G.S. Two Parts, price One Shiling each; or in One Volume, price Halt-a-Crown.
- LONDON IN 1850 and 1851. By J. R.M'Culloch, Esq. Price One Shilling.
- MR. S. LAING'S JOURNAL OF A RESI-DENCE IN NORWAY. Two Parts, price One Shilling each; or in One Volume, price Half-a-Crown.
- EOTHEN; or, Traces of Travel brought Home from the East. Two Parts, price One Shilling each; or in One Volume, price Halt-a-Crown.
- IDA PFEIFFER'S LADY'S VOYAGE ROUND THE WORLD. Two Parts, price One Shilling each; or in One Volume, price Half-a-Crown.

- HUC'S TRAVELS IN TARTARY, THIBET, and CHINA. Two Parts, price One Shilling each; in One Volume, price Half-a-Crown.
- Mrs. JAMESON'S SKETCHES in CANADA and RAMBLES among the RED MEN. Two Parts, price One Shilling each; or in One Volume, price Halt a Crown.
- WERNE'S AFRICAN WANDERINGS. Two Parts, price One Shilling each; or in One Volume, price Half-a-Crown.
- JERRMANN'S PICTURES from ST. PETERSBURG. Two Parts, price One Shilling each; or in One Volume, price Half-a-Crown.
- MEMOIRS of a MAITRE D'ARMES; or Eighteen Months at St. Petersburg. By Alexander Dumas. Two Parts, One Shilling each; or in One Volume, price Half-a-Cruwn.
- SIR EDWARD SEAWARD'S NARRATIVE of his SHIPWRECK. Abridged from the last Edition of the Original. Two Parts, One Shilling each; or in One Yolume, price Half-a-Crown.
- BRITTANY and the BIBLE; with Remarks on the French People and their Affairs. By I. Hope. Price One Shilling.
- RANKE'S FERDINAND the FIRST and MAXIMILIAN the SECOND of AUSTRIA. Price One Shilling.
- MEMOIR of the DUKE of WELLINGTON.
 Reprinted by permission from The Times
 Newspaper. Price One Shitling.
- THE LEIPSIC CAMPAIGN. By the Rev. G. R. Gleig, M.A. Two Parta, One Shilling each; or in One Volume, price Haif-a-Crown.
- THOMAS HOLCROFT'S MEMOIRS. Reprinted (1852). Two Parts, price One Shilling each; or in One Volume, price Half-a-Crown.
- LORD CARLISLE'S LECTURES AND ADDRESSES. Price One Shilling.
- THE NATURAL HISTORY of CREATION.

 By T. Lindley Kemp, M.D. Price One Shilling.
- ELECTRICITY and the ELECTRIC TELE-GRAPH, etc. By Dr. George Wilson, Price One Shilling.
- SIR ROGER DE COVERLEY. From the Spectator. With Notes and Illustrations by W. H. Wills. Price One Shilling.

ALARIC WATTS'S POETRY AND PAINTING.—LYRICS OF THE HEATT; with other Poems. By Alaric A. Watts. With Forty-one highly-finished Line Bugravings, executed expressly for this work by the most eminent Painters and Engravers. Square crows 8vo. pite 31s. 6d. boards, or 45s. board in moreoco by Hayday. Proof Impressions, 63s. boards.—Plain Proofs, 41 Plates, demy 4to. (only 100 copies printed) 21. 2s. in portfolio; India Proofs before letters, colombier 4to. (only 50 copies printed) 50. 5s. in portfolio;

WEBSTER AND PARKES'S ENCYCLOPÆDIA OF DOMESTIC ECONOMY: Comprising such subjects as are most immediately connected with House-keeping; as, The Construction of Domestic Edisces, with the Modes of Warming, Ventilating, and Lighting them—A Description of the various Articles of Furniture, with the Nature of their Materials-Duties of Servants, etc. etc. New Edition. 8vo. with nearly 1,000 Woodcuts, 50s. cloth.

WHEATLEY.—THE ROD AND LINE;

Or, Practical Hints and Dainty Devices for the sure taking of Troat, Grayling, etc. By Hewett Wheatley, Esq., Senior Angler. Foolscap 8vo. with 9 coloured Plates, 10s. 6d. cloth.

LADY WILLOUGHBY'S DIARY.

Printed, ornamented, and bound in the style of the period to which The Diary refers (1635 to 1663). New Edition; in Two Parts. Square foolscap 8vo. 8s. each, boards; or 18s. each, bound in morocco by Hayday.

WILMOT'S ABRIDGMENT OF BLACKSTONE'S COMMEN-

TARIES ON THE LAWS OF ENGLAND, intended for the use of Young Persons, and comprised in a series of Letters from a Father to his Daughter. A New Edition, corrected and brought down to the present day, by Sir John R. Eardley Wilmot, Bart., Barristerat-Law, Recorder of Warwick; and inscribed, by permission, to H.R.H. the Princess Royal. 12mo, price 66.6d. cloth.

WOOD'S ELEMENTS OF ALGEBRA,

Designed for the use of Students in the University. Fourteenth Edition, revised and enlarged, by Thomas Lund, B.D. late Fellow of Sadlerian Lecturer of St. John's College, Cambridge. Svo. price 12s. 6d. cloth.

LUND'S COMPANION TO WOOD'S ALGEBRA:

Containing Solutions of various Questions and Problems; and forming a Key to the chief Difficulties found in the Collection of Examples appended to Wood's Algebra. Second Edition, enlarged. Post Svo. price 6s. cloth.

YOUATT .- THE HORSE.

By William Youatt. With a Treatise of Draught. A New Edition; with numerous Wood Engravings from Designs by William Harvey. Svo. 10s. cloth.

, Messrs. Longman and Co.'s Edition should be ordered.

YOUATT .- THE DOG.

By William Youatt. A New Edition; with numerous Wood Engravings from Designs by William Harvey. 8vo. 6s. cloth.

ZUMPT'S LARGER GRAMMAR OF THE LATIN LANGUAGE.

Translated and adapted to the use of the English Students, by Dr. L. Schmitz. Rector of the High School Edinburgh: with nunerous Additions and Corrections by the Author and Translator. The Third Edition, thoroughly revised; to which its added, an index (by the Rev. J. T. White, M.A.) of all the Passages of Latin Authors referred to and explained in the Grammar. Sto. price 14s. cloth.

[March 31, 1853.

LARDNER'S CABINET CYCLOPÆDIA A SERIES OF ORIGINAL WORKS.

Price THREE SHILLINGS AND SIXPENCE each VOLUME.

THE SERIES, in 132 VOLUMES, £19. '9s.

- The LIVES of British DRAMATISTS.


 By Dr. Dunham, R. Bell, Esq. &c. 2 vols. 7s.
- The EARLY WRITERS of GREAT
 BRITAIN. By Dr. Dunham, R. Bell, Esq.
 &c. 1 vol. 3s. 6d.
- LIVES of the most Eminent FOREIGN STATESMEN. By G. P. R. James, Esq. and E. E. Crowe, Esq. 5 vols. . . . 17s. 6d.
- LIVES of the most Eminent FRENCH WRITERS. By Mrs. Shelley, and others. 2 vols. 7s.
- LIVES of the most Eminent LITE-RARY MEN of ITALY, SPAIN, and POR-TUGAL. By Mrs. St elley, Sir D. Brewster. J. Montgomery, &c. 3 vols. . . . 10s. 6d.
- A PRELIMINARY DISCOURSE on the STUDY of NATURAL PHILOSOPHY. By Sir John Herschel, 1 vol. . 3s. 6d.
- The HISTORY of NATURAL PHI-LOSOPHY, from the earliest Periods to the present Time. By Baden Powell, A.M. Savilhan Professor of Mathematics in the University of Oxford. 1 vol. 38.6d.
- A TREATISE on ARITHMETIC. By D. Lardner, LL.D. F.R.S. 1 vol. 3s. 6d.
- A TREATISE on ASTRONOMY. By Sir John Herschel 1 vol . . 3s. 6d.
- A TREATISE on MECHANICS. By Capt. Kater and Dr. Lardner. 1 vol. 3s. 6d.
- A TREATISE on OPTICS. By Sir David Brewster, New Edition, 1 vol. 3s. 6d.
- A TREATISE on HEAT. By Dr. Lardner. 1 vol. 3s. 6d.
- A TREATISE on CHEMISTRY. By Michael Donovan, M.R.I.A. 1 vol. 3s. 6d.
- A TREATISE on HYDROSTATICS and PNEUMATICS. By Dr. Lardner. 1 vol. 3s. 6d.
- An ESSAY on PROBABILITIES, and on their application to Life Contingencies and Insurance Offices. By Aug. De Morgan, of Trinity College, Cambridge. 1 vol. 3s. 6d.
- A TREATISE on GEOMETRY, and its application to the Arts. By Dr. Lardner, l vol. 3s. 6d.
- A MANUAL of ELECTRICITY,
 MAGNETISM, and METEGROLOGY. By
 D. Lardner, D.C.L. F.R.S. &c.; and C. V
 Walker, Esq. Secretary to the Electrical Society. 2 voids.

- A TREATISE on the MANUFA TURE of SILK. By G. R. Porter, Esq. F.R.S. Author of "The Progress of the Nation," &c. 1 vol.
 - A TREATISE on the MANUFAC-TURES of PORCELAIN and GLASS. By G. R. Porter, Esq. F.R.S. 1 vol. . 3s. 6d.
 - A TREATISE on the MANUFAC-TURES in METAL. By J. Holland, Esq. 3 vols. 10s. 6d.
- A PRELIMINARY DISCOURSE on the STUDY of NATURAL HISTORY. By W. Swainson, Esq. F.R.S. L S. 1 vol. 3s. 6d.
- A TREATISE on the NATURAL HISTORY and CLASSIFICATION of ANI-MALS. By W. Swainson, Esq. 1 vol. 3s.6d.
- On the NATURAL HISTORY and CLASSIFICATION of QUADRUPEDS. By W. Swainson, Esq. 1 vol. 3s. 6d.
- On the NATURAL HISTORY and CLASSIFICATION of BIRDS. By W. Swainson, Esq. 2 vols. 7s.
- ANIMALS in MENAGERIES. By W. Swainson, Esq. 1 vol. . . 3s. 6d.
- On the NATURAL HISTORY and CLASSIFICATION of FISH, REPTILES, &c. By W. Swainson, Esq. 2 vols . 7s.
- The HISTORY and NATURAL ARRANGEMENT of INSECTS. By W. Swainson, Esq. and W. E. Shuckard, Esq. 1 vol. 3s. 6d.
- A TREATISE on MALACOLOGY; or, the Natural Classification of Shells and Shell-Fish. By William Swainson, Esq. 1 vol. 3s. 6d.
- TREATISE on TAXIDERMY. With the Biography of the Zoologists, and Notices of their Works. By W. Swainson. 1 vol. 3s.6d.
- A TREATISE on GEOLOGY. By Jchn Phillips, F.R.S. G.S. Professor of Geology, King's College, New Edit. 2 vols. 78.
- The PRINCIPLES of DESCRIPTIVE and PHYSIOLOGICAL BOTANY. By the Rev. J. S. Henslow, M.A. &c. I vol. 3s. 6d.









14 DAY USE RETURN TO DESK FROM WHICH BORROWED

This book is due on the last date stamped below, or on the date to which renewed. Renewed books are subject to immediate recall

	Totali.
INTERLIBRARY LOAN	
JUN 1 1992	
UNIV. OF CALIF., BERK	
OCT 1 3 1994	
U. C. BERKELEY	
SENT ON ILL	
AUG 1 8 1999	
U. C. BERKELEY	
LD 21-40m-5,'65 (F4308s10)476	General Library University of California

General Library University of California Berkeley

