


大正十四年 (1925年)

氣象年報

埼玉縣熊谷測候所

(每日六回觀測)



北緯	36° 9'
東經	139° 23'
測候所海面上ノ高さ	30.2米
晴雨計海面上ノ高さ	31.7米
寒暖計地上ノ高さ	1.1米
雨量計地上ノ高さ	0.2米
風力計地上ノ高さ	10.1米

始



14.6-143

埼玉縣熊谷測候所氣象年報



大正十四年 (1925)

熊谷毎日毎觀測時氣象及毎日平均氣象觀測成績..... P 2-25

(氣壓。氣溫。水蒸氣張力。濕度。雲量。風向。風速。降水量。日照時數。地面溫度。地中0.3米溫度。.....以上時別成績)

(氣壓ノ平均最高、最低。氣溫ノ平均、最高、最低。水蒸氣張力ノ平均、濕度ノ平均、最低。平均雲量。平均風速。最多風向。最速風。降水量。日照時數。平均地中溫度。蒸發量。最低地溫。.....以上毎日成績)

熊谷氣象年表(月別統計).....26-29

熊谷半旬期平均氣象(本年及平年).....30-31

管内氣象年表(月別統計).....32-35

(管内二十六箇所ノ氣溫、降水量及降水日數)

管内觀測所一覽表.....36

附 記

- 本報ニハ主トシテ熊谷測候所ニ於ケル毎日六回ノ觀測成績ヲ集録シ埼玉縣管内二十六箇所ノ觀測所ニ於ケル毎日十時一回ノ簡易觀測成績ノ大要ヲモ附記スルモノトス
- 地震ニ關スル觀測成績、上層風ニ關スル觀測成績及管内二十六箇所ニ於ケル降水觀測ノ日表、管内七箇所ニ於ケル降水ノ毎時觀測成績等ハ別冊ニ集録シテ報ズルモノトス。
- 氣壓ハ氷點ノ度ニシテ重力及海面ノ更正ヲ施シアラズ。



一月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 氣壓 (700hPa+), 氣溫 (攝氏度), 水蒸氣張力 (hPa), 濕度 (%), and 時 (hour). Rows represent days from 1 to 31.

Table with columns for 雲量 (0-10) 主雲形, 風向 (十六方位), 風速 (毎秒米), 降水量 (mm), and 時 (hour). Rows represent days from 1 to 31.

一月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 日照時數 (ゲヨルダ方式), 日照時數 (カンペル式), 地面溫度 (攝氏度), 地中0.3米溫度 (攝氏度), and 日 (day). Rows represent days from 1 to 31.

Table with columns for 氣壓, 氣溫, 水蒸氣張力, 濕度, 平均雲量, 平均風速, 最多風向, 最速風向, 降水量, 日照時數, 平均地中溫度, 蒸發量, 最低地温, and 日 (day). Rows represent days from 1 to 31.

二月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 氣壓 (700hPa), 氣溫 (攝氏度), 水蒸氣張力 (耗), 濕度 (%), and 日照時數 (ヤヨルダニ式) and (カンペル式). Rows represent hours from 1 to 28.

Table with columns for 雲量 (0-10), 主雲形, 風向 (十六方位), 風速 (毎秒米), 降水量 (耗), and 日照時數 (ヤヨルダニ式) and (カンペル式). Rows represent hours from 1 to 28.

二月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 日照時數 (ヤヨルダニ式) and (カンペル式), 地面溫度 (攝氏度), and 地中0.3米溫度 (攝氏度). Rows represent hours from 1 to 28.

Table with columns for 氣壓, 氣溫, 水蒸氣張力, 濕度, 平均雲量, 平均風速, 最多風向, 最速風向, 日照時數, 平均地中溫度, 蒸發量, and 最低地溫. Rows represent hours from 1 to 28.

三月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). It contains 31 rows of daily data and a summary row for the month.

Table with columns for cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). It contains 31 rows of daily data and a summary row for the month.

三月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for sunshine hours (日照時數), ground temperature (地面溫度), and soil temperature (地中0.3米溫度). It contains 31 rows of daily data and a summary row for the month.

Table with columns for pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), wind (風), precipitation (降水量), and other meteorological data. It contains 31 rows of daily data and a summary row for the month.

四月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 氣壓 (700hPa+), 氣溫 (攝氏度), 水蒸氣張力 (托), 濕度 (%), and 日照時數 (ヤロゲン式). Rows represent hourly data from 1 to 24 hours, plus a summary row for 平均 (Average).

Table with columns for 雲量 (0-10) 主雲形, 風向 (十六方位), 風速 (每秒米), 降水量 (托), and 日照時數 (ヤロゲン式). Rows represent hourly data from 1 to 24 hours, plus a summary row for 平均 (Average).

四月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 日照時數 (ヤロゲン式), 日照時數 (カンペル式), 地面溫度 (攝氏度), and 地中0.3米溫度 (攝氏). Rows represent hourly data from 1 to 24 hours, plus a summary row for 平均 (Average).

Table with columns for 氣壓, 氣溫, 水蒸氣張力, 濕度, 平均風速, 最風向, 降水量, 日照時數, 平均地中溫度, 蒸發量, and 最低地温. Rows represent hourly data from 1 to 24 hours, plus a summary row for 平均 (Average).

五月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2分米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and other meteorological data.

Table with columns for time (時), day (日), cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量).

五月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2分米)

Table with columns for time (時), day (日), sunshine (日照時數), ground temperature (地面溫度), and soil temperature (地中0.3米溫度).

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), wind (風), precipitation (降水量), and other meteorological data.

六月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). It contains 30 rows of daily data and a summary row for the month.

Table with columns for cloud amount (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). It contains 30 rows of daily data and a summary row for the month.

六月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for sunshine hours (日照時數), ground temperature (地面溫度), and subsoil temperature (地中0.3米溫度). It contains 30 rows of daily data and a summary row for the month.

Table with columns for pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), wind (風), precipitation (降水量), and other meteorological data. It contains 30 rows of daily data and a summary row for the month.

七月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and wind (風). It contains daily weather data for July from day 1 to 31, including a summary row for the month.

七月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), sunshine (日照時數), ground temperature (地面溫度), and other meteorological data. It contains daily weather data for July from day 1 to 31, including a summary row for the month.

八月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

Table with columns for time (時), day (日), cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

八月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), sunshine (日照時數), ground temperature (地面溫度), and air temperature at 0.3m (地中0.3米溫度). Rows 1-31 show hourly data, and a final row shows the monthly average (平均).

Table with columns for day (日), pressure (氣壓), temperature (氣溫), humidity (濕度), wind (風), precipitation (降水量), and other statistics. Rows 1-31 show daily data, and a final row shows the monthly average (平均).

九月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). It contains 30 rows of daily data and a summary row for the month.

Table with columns for time (時), day (日), cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). It contains 30 rows of daily data and a summary row for the month.

九月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), sunshine hours (日照時數), ground temperature (地面溫度), and soil temperature (地中0.3米溫度). It contains 30 rows of daily data and a summary row for the month.

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), wind (風), precipitation (降水量), and other weather metrics. It contains 30 rows of daily data and a summary row for the month.

十月熊谷氣象(北緯36度9分、東經139度22分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

Table with columns for cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

十月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for sunshine hours (日照時數), temperature (地面溫度), and ground temperature (地中0.3米溫度). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

Table with columns for pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), relative humidity (濕度), wind speed (平均風速), wind direction (最風向), precipitation (降水量), and ground temperature (平均地中溫度). Rows 1-31 show daily data, and a final row shows the monthly average (平均).

十一月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 氣壓 (700hPa+), 氣溫 (攝氏度), 水蒸氣張力 (耗), 濕度 (%). Rows include hourly data from 1 to 30 and a 平均 (Average) row.

Table with columns for 雲量 (0-10) 主雲形, 風向 (十六方位), 風速 (每秒米), 降水量 (耗). Rows include hourly data from 1 to 30 and a 平均 (Average) row.

十一月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for 日照時數 (ゲオルゲン式), 日照時數 (カンペル式), 地面溫度 (攝氏度), 地中0.3米溫度 (攝氏). Rows include hourly data from 1 to 30 and a 平均 (Average) row.

Table with columns for 氣壓, 氣溫, 水蒸氣張力, 濕度, 平均雲量, 平均風速, 最多風向, 最速風, 降水量, 日照時數, 平均地中溫度, 蒸發量 (トール), 最低地温. Rows include hourly data from 1 to 30 and a 平均 (Average) row.

十二月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), and relative humidity (濕度). Rows 1-31 show daily data, and a final row shows monthly averages.

Table with columns for time (時), day (日), cloud cover (雲量), wind direction (風向), wind speed (風速), and precipitation (降水量). Rows 1-31 show daily data, and a final row shows monthly averages.

十二月熊谷氣象(北緯36度9分、東經139度23分、海拔30.2米)

Table with columns for time (時), day (日), sunshine hours (日照時數), ground temperature (地面溫度), and soil temperature (地中0.3米溫度). Rows 1-31 show daily data, and a final row shows monthly averages.

Table with columns for time (時), day (日), pressure (氣壓), temperature (氣溫), humidity (水蒸氣張力), wind speed (平均風速), precipitation (降水量), and other weather metrics. Rows 1-31 show daily data, and a final row shows monthly averages.

熊谷氣象年表 (其一)

Table with 14 columns (months and year) and multiple rows for various meteorological data including pressure, temperature, humidity, precipitation, and wind.

熊谷氣象年表 (其二)

Table with 14 columns (months and year) and multiple rows for detailed meteorological data including precipitation frequency, wind speed, and wind direction.

熊谷氣象年表 (其三)

Table with 15 columns (months and year) and multiple rows for wind direction, speed, and force. Includes sub-rows for '平均風向' and '平均風速'.

熊谷氣象年表 (其四)

Table with 15 columns (months and year) and multiple rows for weather days, temperature, and cloud cover. Includes sub-rows for '天氣日數', '地回震數', and '雲ノ平均方向'.

熊谷半旬期平均氣象

半旬期	本 1925 年							平 年							
	氣 温			湿度	雲量	降水量	日照 時數	氣 温			湿度	雲量	降水量	日照 時數	
	平均	最高	最低					平均	最高	最低					
一 月	1-5	4.33	11.76	98.70	63.6	3.6	0.0	33.24	2.44	8.94	97.46	65.5	2.9	2.60	31.75
	6-10	1.43	8.32	96.00	70.5	4.4	17.0	28.19	2.42	8.81	97.26	66.1	3.2	5.66	30.03
	11-15	2.28	7.42	98.10	55.0	1.5	-	35.66	2.46	8.29	97.53	66.2	3.3	6.36	31.72
	16-20	1.54	7.78	96.60	52.5	0.8	-	40.74	2.51	8.57	97.70	63.6	3.3	6.01	31.87
	21-25	2.08	9.86	96.10	57.9	2.4	-	38.46	2.11	7.85	97.39	67.0	3.7	8.59	28.15
	26-30	0.92	7.18	95.28	65.3	5.4	4.9	19.02	2.32	8.22	97.66	65.5	3.8	5.60	29.25
二 月	31-4	0.60	7.50	94.96	53.6	0.7	-	43.99	2.56	8.22	97.82	65.1	4.0	9.34	28.01
	5-9	3.07	8.08	98.98	68.6	5.4	4.2	26.80	2.36	8.22	97.56	63.9	3.7	6.94	30.66
	10-14	1.62	9.70	95.56	53.8	2.4	1.6	44.67	2.44	8.53	97.35	61.4	3.5	3.86	34.71
	15-19	3.44	8.40	99.36	64.5	7.1	2.0	22.73	3.34	9.33	98.41	62.6	4.5	11.61	32.66
	20-24	1.64	6.48	98.12	59.2	6.8	9.8	27.51	3.59	9.50	98.58	65.0	4.9	9.97	30.53
	25-1	99.93	5.98	96.00	59.0	5.7	2.7	29.33	4.48	10.46	99.51	65.4	5.3	8.87	29.31
三 月	2-6	3.20	11.64	97.18	51.8	3.3	-	43.37	4.72	10.97	99.73	60.6	4.9	7.93	33.48
	7-11	5.31	14.66	98.32	42.9	2.8	0.0	45.57	5.66	11.93	0.21	63.0	5.2	9.14	33.50
	12-16	4.69	11.70	99.54	62.6	4.7	6.2	35.80	5.31	10.87	0.75	65.0	5.6	12.27	31.17
	17-21	4.22	11.24	98.38	42.4	0.9	-	53.80	6.43	12.55	0.95	63.4	4.9	10.27	36.42
	22-26	6.95	13.62	0.76	67.4	5.1	2.7	32.25	6.78	12.69	2.16	66.6	5.9	15.81	28.74
	27-31	7.49	12.98	3.12	66.6	5.9	28.2	34.39	8.00	13.86	2.87	69.5	5.9	12.46	31.62
四 月	1-5	10.08	15.98	5.72	77.7	8.8	27.7	19.02	9.79	15.39	4.84	72.0	6.7	20.11	30.84
	6-10	7.44	13.94	1.68	62.0	4.6	6.0	45.55	10.36	16.23	5.00	69.8	6.5	16.48	30.62
	11-15	10.47	16.34	6.16	66.8	5.2	19.9	31.64	11.63	17.46	6.54	71.0	6.4	12.07	29.60
	16-20	11.87	21.60	2.86	54.1	0.9	-	59.60	12.68	19.07	7.02	71.6	6.1	15.51	34.40
	21-25	15.15	20.42	10.54	82.9	7.7	23.3	24.10	13.66	19.64	8.32	72.7	6.9	15.77	31.40
	26-30	13.13	17.70	9.52	81.1	8.4	19.3	20.63	14.21	20.07	8.90	73.7	6.8	14.73	28.93
五 月	1-5	15.94	24.96	9.20	67.5	4.9	3.0	37.68	14.94	20.96	9.50	74.5	6.6	23.59	31.00
	6-10	14.72	20.36	9.38	73.4	8.8	12.8	29.38	15.34	20.98	10.37	75.1	7.1	23.82	28.97
	11-15	15.29	21.40	10.14	67.0	5.1	21.3	40.97	15.38	21.04	10.17	76.0	7.0	20.30	30.14
	16-20	16.09	22.02	10.62	75.7	7.3	4.5	37.47	16.59	22.59	10.93	75.2	6.8	16.01	34.24
	21-25	16.14	23.78	8.96	71.8	5.6	6.4	34.63	16.65	22.58	11.62	76.0	7.0	16.28	31.04
	26-30	15.64	19.28	12.72	86.7	9.6	18.2	7.97	17.76	23.43	12.55	77.1	7.1	16.92	31.11
六 月	31-4	19.23	24.06	15.02	80.2	8.0	20.8	33.74	18.92	24.59	13.85	76.9	7.1	16.22	31.38
	5-9	17.56	22.28	14.20	77.8	9.1	12.2	23.51	19.61	24.77	15.16	79.0	8.0	23.57	26.04
	10-14	18.50	24.38	14.12	75.1	8.0	1.5	18.98	20.13	25.00	16.08	80.4	8.3	19.23	22.73
	15-19	20.66	25.76	16.06	75.1	7.3	39.1	31.24	20.50	25.23	16.70	81.7	8.4	32.26	21.52
	20-24	21.27	24.92	18.30	83.5	9.4	20.0	12.32	20.99	25.60	17.26	81.1	8.5	18.83	18.88
	25-29	23.49	29.82	18.46	70.9	7.6	5.3	31.10	21.81	26.08	18.30	82.6	8.7	30.72	17.96

熊谷半旬期平均氣象

半旬期	本 1925 年							平 年							
	氣 温			湿度	雲量	降水量	日照 時數	氣 温			湿度	雲量	降水量	日照 時數	
	平均	最高	最低					平均	最高	最低					
七 月	30-4	21.91	26.52	16.08	75.1	7.1	17.1	40.63	22.44	26.86	18.82	8.28	8.3	27.53	21.75
	5-9	22.49	25.92	19.96	85.6	9.7	3.5	9.65	22.80	27.04	19.44	83.4	8.5	22.01	18.86
	10-14	19.38	22.92	16.90	85.5	9.6	77.3	9.79	23.82	28.27	20.37	84.0	8.1	26.48	20.94
	15-19	23.70	29.18	19.18	75.3	6.9	-	44.47	24.59	29.14	21.19	83.5	8.1	18.36	23.18
	20-24	25.77	30.16	22.42	80.5	6.9	46.2	35.45	25.27	30.23	21.50	82.3	7.4	20.96	28.52
	25-29	23.68	27.62	20.28	82.0	8.0	2.9	25.40	25.49	30.45	21.72	82.8	7.4	31.21	27.47
八 月	30-3	24.76	30.08	21.20	83.4	8.6	38.3	32.49	25.26	30.24	21.54	83.6	7.4	23.06	29.80
	4-8	24.41	29.14	21.64	85.5	9.2	48.0	22.91	25.65	30.59	21.94	83.3	7.2	31.52	29.75
	9-13	25.62	30.74	21.78	79.8	7.2	7.3	38.76	25.73	30.92	21.76	82.8	6.8	38.79	33.00
	14-18	25.04	28.56	22.90	88.1	9.8	168.8	13.68	25.12	30.03	21.54	83.3	7.4	28.63	28.03
	19-23	25.70	30.62	22.42	81.5	7.3	1.3	39.82	25.15	30.12	21.65	84.3	7.3	21.98	27.39
	24-28	25.51	29.80	22.08	84.7	6.6	179.8	32.71	24.87	29.67	21.48	84.2	7.4	53.36	27.79
九 月	29-2	26.61	31.80	23.80	86.1	8.8	2.4	29.33	24.69	29.54	21.09	84.6	7.1	23.96	27.82
	3-7	23.36	26.54	21.24	88.9	9.7	25.6	12.55	23.77	28.39	20.58	86.4	7.9	37.19	22.50
	8-12	24.23	28.22	20.76	86.5	8.1	16.0	19.15	22.58	27.04	19.32	85.4	7.8	38.95	19.27
	13-17	24.43	29.34	21.48	86.0	6.9	37.9	26.80	21.41	25.82	18.10	86.0	8.2	42.32	19.10
	18-22	20.29	25.64	16.44	84.3	6.6	28.4	33.75	20.39	24.91	16.69	84.0	7.6	35.05	21.96
	23-27	19.11	24.68	15.20	85.3	7.1	61.2	23.90	18.98	23.67	15.35	85.0	7.7	38.52	19.11
十 月	28-2	19.80	22.50	17.30	87.2	8.7	103.5	7.70	18.02	22.56	14.44	83.4	7.8	46.31	17.88
	3-7	17.69	22.10	14.20	68.6	7.0	10.0	22.21	17.10	21.68	13.62	84.1	7.7	38.96	18.31
	8-12	17.46	20.78	14.38	87.8	8.4	16.5	9.95	16.34	21.62	12.27	80.6	6.7	31.05	23.84
	13-17	14.84	20.12	10.80	76.6	7.2	19.2	27.84	15.54	21.26	11.10	82.2	6.2	21.35	24.17
	18-22	14.80	20.74	10.22	79.3	6.2	22.1	26.15	14.63	20.40	10.24	80.7	5.7	21.09	25.86
	23-27	12.26	18.30	6.66	77.3	5.0	0.8	29.02	13.53	19.28	9.05	80.1	6.0	17.06	25.37
十一 月	28-1	13.45	19.72	8.72	78.2	5.9	1.1	23.70	12.63	18.31	8.19	79.4	6.2	15.32	21.48
	2-6	11.74	17.96	6.90	73.6	5.4	-	31.35	11.56	17.88	6.58	78.0	5.1	11.73	23.68
	7-11	10.99	17.82	5.04	78.3	4.4	4.8	31.94	10.35	16.81	5.25	76.1	4.5	8.97	28.20
	12-16	10.93	17.10	5.64	76.1	3.0	36.7	31.90	9.64	16.17	4.40	74.7	4.3	8.28	28.64
	17-21	11.44	16.62	7.54	80.8	7.6	1.6	15.06	9.45	15.69	4.41	73.4	4.6	12.34	27.54
	22-26	9.00	15.18	3.58	61.8	4.7	0.0	25.85	8.03	14.21	3.07	72.7	4.0	8.93	29.01
十二 月	27-1	7.18	13.52	1.50	70.5	4.1	21.6	31.76	7.12	13.40	2.03	70.1	3.5	5.43	30.80
	2-6	6.89	14.16	1.30	70.5	2.8	4.7	28.54	6.07	12.54	0.96	70.4	3.6	4.74	29.31
	7-11	8.27	15.44	2.66	75.1	3.4	-	33.68	5.43	11.62	0.46	68.4	3.6	5.38	29.98
	12-16	6.45	13.80	0.64	72.5	1.0	-	36.97	4.52	10.93	99.43	68.4	3.1	6.92	30.12
	17-21	3.21	8.56	98.80	70.3	2.9	42.8	31.45	3.79	10.13	98.69	66.4	3.1	4.62	30.20
	22-26	3.63	9.88	98.76	62.4	0.5	-	38.14	2.97	9.61	97.86	66.1	2.5	7.06	32.18
27-31	6.39	12.32	2.22	67.9	4.3	3.9	31.89	3.26	9.64	98.36	66.8	3.3	4.50	31.47	

管内氣象年表 其一

観測地		一	二	三	四	五	六	七	八	九	十	十一	十二	全
		月	月	月	月	月	月	月	月	月	月	月	月	年
気温 毎日 最高ノ 平均 (攝氏度)	浦吉岩	8.9	8.0	12.9	17.9	21.4	25.6	28.0	30.8	28.1	21.3	18.4	13.4	19.6
	和川	8.7	7.7	13.4	18.3	21.7	25.9	28.4	31.4	27.4	21.7	17.5	12.8	19.6
	岩	8.3	7.9	12.4	18.1	22.1	26.2	28.7	31.5	28.4	21.1	17.0	12.7	19.5
	杉	8.2	7.3	12.5	17.6	22.1	25.9	29.0	31.8	28.7	21.1	17.4	11.9	19.4
	菅	9.2	8.1	12.9	17.9	22.3	25.8	28.3	30.7	27.9	21.8	18.5	13.7	19.8
	栗	8.0	7.9	12.6	18.0	21.8	25.2	27.7	30.4	27.4	21.1	17.3	12.5	19.2
	越	8.2	7.4	12.6	17.8	21.9	25.2	27.5	30.4	27.6	21.5	17.2	13.1	19.2
	ヶ	9.4	8.4	14.1	18.4	22.6	26.8	28.6	32.3	28.7	20.9	19.0	14.0	20.3
	所	9.1	8.5	14.2	18.8	22.7	26.0	27.5	30.2	27.5	21.4	18.0	13.6	19.8
	飯	8.3	7.7	12.7	18.6	22.3	26.4	27.6	30.9	27.2	21.1	17.4	13.0	19.4
	川	8.9	7.7	12.7	17.6	21.8	25.3	27.5	30.8	27.3	21.3	17.7	13.3	19.4
	梅	9.9	8.5	13.7	18.8	22.2	26.1	27.8	30.0	27.6	21.8	17.5	14.2	19.8
	松	8.9	8.4	13.0	18.6	22.1	25.7	27.5	30.3	27.4	20.9	17.0	12.5	19.4
	小	8.7	7.7	12.5	17.7	22.1	25.3	27.3	29.9	26.6	20.9	16.3	12.5	19.0
	熊	9.2	8.6	13.0	18.8	23.3	26.0	26.9	30.4	28.0	21.8	17.3	13.6	19.7
	若	9.0	7.8	12.8	17.6	22.2	26.0	27.7	30.0	27.6	21.0	17.2	12.5	19.3
	玉	8.9	8.2	13.1	18.5	23.0	25.8	28.8	30.8	27.8	22.0	17.5	12.3	19.7
	羽	8.7	7.2	13.0	18.4	22.8	25.8	28.1	30.4	27.9	21.1	17.2	12.7	19.4
本	8.7	7.8	12.9	17.6	22.4	25.0	26.6	30.1	27.4	20.9	17.6	13.2	19.2	
名	6.3	6.6	11.1	14.5	21.1	24.1	25.6	27.1	27.0	20.7	17.0	13.0	17.8	
浦	1.3	0.7	5.7	11.5	16.8	19.0	22.0	23.7	21.2	14.9	11.0	6.8	12.9	
三	7.8	7.4	11.7	17.2	21.2	23.2	26.3	27.8	25.9	19.6	16.2	13.0	18.1	
大	4.5	4.0	8.6	16.2	21.4	23.0	26.3	26.9	24.0	18.5	14.4	8.9	16.4	
中	9.0	9.3	12.7	18.9	21.6	24.8	27.5	29.4	26.5	20.3	16.3	12.7	19.1	
秩	9.7	9.4	13.4	18.1	22.2	25.6	28.5	30.7	27.5	21.3	17.5	13.6	19.8	
小	10.2	9.6	14.3	19.7	23.8	26.8	28.7	29.9	27.5	21.2	16.9	14.6	20.3	
野														
気温 毎日 最低ノ 平均 (攝氏度)	浦吉岩	-3.4	-2.4	-0.6	6.0	10.7	15.8	19.1	22.1	19.1	12.1	5.7	0.1	8.7
	和川	-3.4	-2.2	-0.3	6.3	10.8	16.2	18.8	21.8	19.1	11.7	6.5	1.1	8.9
	岩	-3.4	-2.3	-1.1	5.8	10.1	15.7	19.0	21.7	18.9	11.9	5.6	0.4	8.5
	杉	-3.8	-2.0	-0.6	6.0	10.6	16.3	19.8	23.7	19.8	12.1	5.7	0.8	9.0
	菅	-3.3	-2.0	-0.2	3.5	11.3	16.7	20.0	23.9	19.7	12.3	6.3	1.2	9.1
	栗	-2.9	-2.4	-0.4	5.9	10.7	15.4	18.9	21.5	18.6	12.4	5.8	0.5	8.7
	越	-3.6	-2.0	-0.5	6.3	10.7	16.5	19.9	21.5	17.9	12.1	5.9	0.9	8.8
	ヶ	-3.9	-3.1	-1.0	5.6	9.9	15.2	18.7	20.5	17.9	10.6	5.2	0.0	8.0
	所	-3.5	-2.5	-0.7	5.6	10.3	15.7	18.9	21.1	18.4	11.8	5.5	0.5	8.4
	飯	-3.5	-2.3	-0.3	6.1	10.4	16.5	19.8	22.4	18.7	11.6	5.3	0.7	8.8
	川	-3.6	-3.0	-1.2	5.4	9.4	15.3	18.5	20.5	17.7	11.6	5.5	0.2	8.0
	梅	-4.0	-2.8	-1.2	5.7	10.1	15.8	18.9	21.9	18.9	11.4	5.0	-0.3	8.3
	松	-3.8	-2.7	-1.4	4.7	9.6	16.0	19.3	21.7	18.8	11.3	5.0	-0.3	8.2
	小	-3.4	-2.5	-0.6	6.1	10.2	16.2	19.7	22.2	19.0	11.4	5.3	0.8	8.7
	熊	-4.7	-3.0	-1.4	4.7	9.0	15.0	18.1	20.2	17.8	10.1	4.2	-0.5	7.5
	若	-3.7	-2.7	-1.1	5.9	9.6	15.1	18.8	21.8	18.6	10.3	5.2	0.4	8.2
	玉	-2.9	-2.2	-0.3	5.9	10.8	16.2	19.6	23.4	19.4	11.7	5.7	0.9	9.0
	羽	-3.2	-2.1	-0.4	5.9	10.3	16.1	19.0	22.1	18.7	11.6	5.4	0.7	8.7
本	-5.1	-4.3	-2.3	3.9	8.4	13.3	16.7	19.2	16.0	10.0	4.1	-0.1	6.6	
名	-5.7	-4.6	-2.1	4.1	9.8	14.1	17.3	20.6	17.7	10.3	5.3	0.5	7.3	
浦	-6.8	-8.3	-5.4	1.7	7.0	11.5	15.0	16.4	14.1	7.5	2.7	-2.1	4.4	
三	-6.4	-5.2	-3.7	3.0	8.4	13.9	17.2	18.4	15.5	8.9	3.3	-0.9	6.0	
大	-8.1	-8.5	-5.4	2.2	8.9	9.8	15.3	14.6	13.2	6.2	1.7	-3.5	3.9	
中	-6.1	-4.4	-3.2	4.1	8.9	13.7	18.9	20.0	16.3	9.5	3.0	-1.8	6.6	
秩	-6.5	-5.1	-3.3	4.3	9.0	15.2	18.6	20.4	17.6	9.6	2.8	-2.1	6.7	
小	-6.6	-4.9	-3.4	3.9	8.7	15.2	1.88	20.4	17.7	10.4	3.1	-1.0	6.9	
野														

管内氣象年表 其二

観測地		一	二	三	四	五	六	七	八	九	十	十一	十二	全
		月	月	月	月	月	月	月	月	月	月	月	月	年
気温 毎月 最高 高度 (攝氏)	浦吉岩	13.5	14.1	20.5	24.0	26.0	31.5	33.2	35.2	33.5	30.0	21.1	18.0	35.2
	和川	12.5	14.5	20.0	23.5	26.5	31.5	33.5	35.0	33.0	29.0	22.0	18.5	35.0
	岩	12.0	10.5	20.0	25.0	26.5	31.0	35.0	35.5	33.0	30.0	20.5	18.0	35.5
	杉	13.0	12.0	21.0	24.0	27.0	31.5	34.0	35.0	32.5	30.5	21.0	18.5	35.0
	菅	14.5	14.0	19.5	25.0	27.0	31.5	35.0	35.5	35.0	32.0	22.0	18.0	35.5
	栗	13.8	11.0	19.5	24.0	26.2	30.4	33.5	35.0	33.0	30.1	21.0	17.0	35.0
	越	12.0	14.0	20.0	23.0	26.0	30.0	33.0	34.0	31.0	30.0	21.0	17.8	34.0
	ヶ	14.2	12.0	22.1	25.2	28.0	31.5	34.7	37.5	35.5	31.5	22.7	19.3	37.5
	所	14.0	10.0	21.5	25.5	27.0	30.5	34.0	36.5	33.5	31.5	23.0	19.5	36.5
	飯	11.2	12.2	20.0	24.0	30.0	31.0	34.0	35.0	32.0	30.5	21.5	18.8	35.0
	川	14.0	13.0	20.6	25.7	39.0	31.5	34.5	35.4	33.4	30.4	20.7	19.4	35.4
	梅	15.0	15.0	21.0	26.0	30.0	31.0	32.5	34.9	32.0	30.5	21.0	18.8	34.9
	松	12.5	14.5	21.0	25.5	32.0	31.3	32.5	36.0	33.0	29.5	20.0	18.0	36.0
	小	13.7	14.2	20.2	25.2	30.9	31.8	32.5	33.7	32.5	30.2	20.5	16.9	33.7
	熊	14.2	13.8	20.2	26.8	33.7	30.8	34.4	34.7	34.0	30.2	21.2	18.2	34.7
	若	14.0	14.5	21.0	25.0	31.5	31.0	32.5	34.0	33.0	30.0	20.7	16.5	34.0
	玉	12.5	12.0	19.5	25.5	28.5	31.5	34.5	34.9	35.6	32.5	22.2	16.3	35.6
	羽	14.0	11.5	20.0	25.5	30.0	31.0	34.0	37.0	33.0	30.0	20.6	17.5	37.0
本	14.5	14.0	21.2	25.0	30.8	30.0	33.0	35.0	33.0	31.0	21.7	18.0	35.0	
名	10.5	12.0	17.0	23.5	25.5	30.5	32.0	31.0	32.8	30.0	21.6	17.0	32.8	
浦	7.4	8.6	13.4	22.0	27.6	25.1	28.1	28.5	27.9	24.2	15.4	11.6	28.5	
三	13.5	14.2	19.6	25.4	29.5	27.2	32.0	32.1	30.6	30.4	21.7	18.5	32.1	
大	8.9	7.1	13.9	25.6	29.5	27.8	31.5	30.5	30.5	26.3	20.0	12.5	31.5	
中	16.0	13.5	21.0	26.6	33.0	29.5	32.0	34.0	32.5	29.5	20.0	18.0	34.0	
秩	16.0	15.2	20.5	26.0	31.5	30.4	34.1	35.4	34.5	31.0	22.0	19.0	35.4	
小	15.0	14.5	23.0	29.0	34.5	32.0	34.1	33.5	33.5	29.5	23.0	20.0	34.1	
野														
気温 毎月 最低 度 (攝氏)	浦吉岩	-11.9	-8.0	-5.1	-1.0	2.8	10.2	14.5	18.0	11.5	2.4	-0.3	-5.0	-11.9
	和川	-9.0	-6.0	-5.0	0.0	4.5	11.5	14.5	19.0	11.5	5.0	0.5	-4.5	-9.0
	岩	-8.5	6.0	-5.0	-0.5	3.5	9.5	14.0	20.0	11.0	3.0	0.1	-4.0	-8.5
	杉	-10.0	-7.0	-5.0	-0.5	5.0	10.0	15.0	20.0	11.0	5.0	-2.0	-5.5	-10.0
	菅	-11.0	-5.5	-4.5	-0.5	5.0	11.5	15.0	19.5	11.0	4.0	-0.5	-5.5	-11.0
	栗	-10.2	-6.2	-5.0	-1.0	4.5	12.5	14.5	17.0	10.0	3.0	0.1	-5.0	-10.2
	越	-12.0	-7.0	-5.0	0.0	4.0	11.0	14.5	19.5	10.0	3.0	-0.5	-4.4	-12.0
	ヶ	-11.9	-7.0	-6.9	-2.5	2.2	9.9	11.5	18.7	12.5	1.3	-1.0	-5.9	-11.9
	所	-8.0	-7.0	-5.0	-2.5	4.5	11.0	14.5	18.5	10.0	5.5	-1.0	-5.0	-8.0
	飯	-9.6	-6.0	-5.0	0.0	5.0	12.6	15.5	20.5	11.2	4.0	-2.0	-4.0	-9.6
	川	-8.6	-7.5	-6.0	-2.0	2.0	10.4	13.8	18.0	9.8	4.2	-0.3	-5.2	-8.6
	梅	-10.0	-8.0	-6.5	-1.5	2.0	12.0	14.5	20.0	10.0	3.0	-1.8	-8.0	-10.0

管内氣象年表 共三

観測地		一	二	三	四	五	六	七	八	九	十	十一	十二	全
		月	月	月	月	月	月	月	月	月	月	月	月	年
降水量ノ合計 (mm)	浦吉岩 和川	32.9	43.5	51.1	107.1	102.3	81.5	120.1	249.0	316.3	100.4	106.5	57.1	1367.5
	浦吉岩 和川	32.6	54.0	41.0	123.3	120.2	89.3	119.0	258.3	226.8	93.9	93.2	52.5	1304.1
	浦吉岩 和川	31.4	53.2	38.3	103.1	89.9	71.7	123.8	359.4	307.9	92.7	87.2	55.5	1414.1
	浦吉岩 和川	13.7	35.0	43.5	97.7	92.1	58.2	157.4	263.8	255.5	50.7	84.4	49.1	1201.1
	浦吉岩 和川	31.0	54.5	43.7	109.0	97.5	86.2	123.5	235.4	249.5	93.5	97.8	52.8	1274.4
	浦吉岩 和川	31.0	46.6	33.4	83.8	63.9	79.1	94.5	284.8	216.7	83.6	93.1	52.5	1163.0
	浦吉岩 和川	39.0	51.3	35.0	109.6	126.5	100.5	188.0	325.0	377.0	98.3	99.9	56.8	1606.9
	浦吉岩 和川	31.5	39.5	49.6	101.6	77.8	100.6	155.0	467.2	325.4	78.1	98.7	61.2	1586.2
	浦吉岩 和川	25.4	36.9	44.7	126.1	86.8	119.0	200.3	476.5	309.4	89.3	97.8	43.8	1661.0
	浦吉岩 和川	26.9	35.6	34.6	106.6	67.4	105.2	134.7	405.7	265.3	73.5	96.5	49.5	1401.5
	浦吉岩 和川	22.8	32.4	47.0	118.7	109.5	125.6	200.2	534.4	397.5	102.6	88.1	61.8	1840.6
	浦吉岩 和川	15.9	29.1	35.8	97.6	76.9	93.5	126.3	475.5	220.0	72.2	72.3	58.3	1873.4
	浦吉岩 和川	21.2	21.9	41.5	96.7	101.6	100.0	160.7	419.5	357.8	105.6	76.6	61.7	1564.8
	浦吉岩 和川	21.9	20.3	37.1	96.6	66.2	98.9	147.0	444.9	269.1	73.7	65.8	51.4	1392.9
	浦吉岩 和川	14.7	17.6	31.5	78.7	94.4	108.9	277.7	584.3	273.7	82.2	85.1	51.9	1700.7
浦吉岩 和川	14.5	17.6	47.0	87.9	65.8	114.0	140.9	536.6	262.1	55.6	63.2	55.7	1460.9	
浦吉岩 和川	19.8	16.5	38.4	86.7	82.2	89.9	120.3	355.0	219.4	96.0	72.1	60.0	1256.3	
浦吉岩 和川	18.8	24.5	41.4	76.9	91.2	107.4	164.1	281.1	190.2	78.6	52.4	46.4	1173.0	
浦吉岩 和川	20.9	41.3	27.7	124.8	125.9	167.8	242.2	815.8	371.8	101.0	93.1	66.8	2199.1	
浦吉岩 和川	23.0	22.5	7.5	111.4	140.5	167.5	226.0	718.5	326.2	109.2	114.3	80.0	2046.0	
浦吉岩 和川	29.4	37.9	41.4	121.2	96.0	216.7	230.1	577.0	411.3	92.0	78.5	63.9	2050.2	
浦吉岩 和川	16.9	26.2	26.2	98.5	95.7	171.6	256.4	538.0	364.8	77.4	70.1	57.2	1799.0	
浦吉岩 和川	23.9	16.9	16.5	88.3	69.7	177.8	220.0	441.1	311.2	75.4	57.9	43.1	1540.8	
浦吉岩 和川	23.1	20.3	18.0	82.3	104.0	111.1	164.2	633.5	311.4	79.9	70.6	57.3	1675.7	
浦吉岩 和川	19.6	17.4	16.7	82.4	67.1	94.7	179.4	592.8	299.4	56.7	63.8	33.2	1523.2	
浦吉岩 和川	20.3	17.7	12.7	75.0	86.0	95.2	217.8	612.3	298.7	106.7	77.0	59.0	1678.4	
〇・一耗以上ノ降水日数	浦吉岩 和川	4	9	7	13	13	12	8	13	13	10	11	6	119
	浦吉岩 和川	5	9	5	12	14	10	8	12	13	13	11	6	118
	浦吉岩 和川	4	9	8	12	13	12	10	14	10	8	9	6	115
	浦吉岩 和川	3	7	9	13	14	11	9	12	10	8	8	5	109
	浦吉岩 和川	4	8	10	14	13	18	11	17	15	12	9	7	133
	浦吉岩 和川	5	8	9	11	12	11	8	11	12	13	10	7	117
	浦吉岩 和川	5	8	10	15	15	12	7	15	12	12	13	7	131
	浦吉岩 和川	6	7	3	13	13	15	9	15	14	12	10	6	123
	浦吉岩 和川	4	7	8	17	16	16	14	15	15	12	10	5	139
	浦吉岩 和川	4	8	7	15	14	14	10	14	12	9	10	5	122
	浦吉岩 和川	3	7	7	11	13	13	13	13	15	10	9	5	119
	浦吉岩 和川	3	7	3	11	15	11	10	12	10	8	7	5	102
	浦吉岩 和川	4	7	4	15	11	14	14	14	14	14	12	7	122
	浦吉岩 和川	4	8	7	15	13	20	13	17	17	12	8	6	140
	浦吉岩 和川	4	5	6	11	14	17	12	17	14	10	5	5	120
浦吉岩 和川	3	7	4	11	12	15	13	16	17	11	7	5	121	
浦吉岩 和川	3	6	5	11	10	14	14	13	14	12	9	5	116	
浦吉岩 和川	4	6	4	11	10	9	9	11	12	8	4	5	93	
浦吉岩 和川	4	9	8	15	16	17	14	17	15	11	9	5	140	
浦吉岩 和川	2	5	2	13	14	15	9	17	16	11	8	5	117	
浦吉岩 和川	6	8	12	14	17	20	19	19	15	14	10	9	163	
浦吉岩 和川	4	7	7	14	14	15	14	15	13	10	6	7	126	
浦吉岩 和川	4	7	10	12	16	19	14	20	19	10	4	8	143	
浦吉岩 和川	4	8	7	14	13	19	15	18	19	13	7	5	142	
浦吉岩 和川	5	6	6	14	14	14	15	15	15	10	7	5	126	
浦吉岩 和川	4	8	4	13	13	17	12	16	17	13	8	5	130	

管内氣象年表 共四

観測地		一	二	三	四	五	六	七	八	九	十	十一	十二	全
		月	月	月	月	月	月	月	月	月	月	月	月	年
一耗以上ノ降水日数	浦吉岩 和川	4	8	6	10	10	12	8	10	10	9	10	5	102
	浦吉岩 和川	5	9	5	12	14	8	8	12	11	13	10	4	111
	浦吉岩 和川	4	7	8	11	12	12	9	13	10	8	9	4	108
	浦吉岩 和川	2	7	9	12	12	11	9	11	10	8	6	5	102
	浦吉岩 和川	4	8	9	12	12	16	10	15	14	12	6	6	124
	浦吉岩 和川	4	8	7	9	10	11	7	11	10	7	7	5	96
	浦吉岩 和川	4	8	6	15	15	12	7	12	12	9	10	5	115
	浦吉岩 和川	4	7	3	11	13	12	9	14	13	8	9	5	108
	浦吉岩 和川	3	7	5	12	12	16	13	14	13	10	7	4	116
	浦吉岩 和川	3	8	7	15	13	14	10	14	12	9	8	5	118
	浦吉岩 和川	3	6	6	11	10	13	13	11	14	9	6	4	106
	浦吉岩 和川	3	7	3	11	12	11	10	12	10	8	6	5	98
	浦吉岩 和川	4	7	4	12	10	13	11	14	13	9	6	5	108
	浦吉岩 和川	3	6	4	11	10	17	11	14	12	9	6	5	108
	浦吉岩 和川	2	3	4	7	12	16	10	14	12	9	4	5	98
浦吉岩 和川	3	6	3	10	10	14	10	13	12	9	5	5	100	
浦吉岩 和川	3	5	5	9	10	12	11	12	11	9	6	5	98	
浦吉岩 和川	3	4	3	8	8	9	7	11	10	8	2	5	78	
浦吉岩 和川	4	8	7	12	11	17	12	16	15	11	7	5	125	
浦吉岩 和川	2	5	2	11	14	14	9	17	13	11	7	5	110	
浦吉岩 和川	4	8	8	13	12	17	15	15	14	9	5	7	127	
浦吉岩 和川	2	5	6	12	11	14	14	14	12	8	4	6	108	
浦吉岩 和川	4	4	4	9	10	19	9	17	13	10	3	7	109	
浦吉岩 和川	3	6	5	12	9	18	11	15	14	8	5	3	109	
浦吉岩 和川	3	6	5	11	10	14	11	15	14	7	4	4	104	
浦吉岩 和川	2	5	4	12	10	17	9	15	13	7	5	4	103	
降水一日量ノ最大 (mm)	浦吉岩 和川	18.4	12.9	29.8	27.4	29.6	38.4	22.2	128.5	113.7	24.8	24.9	31.2	128.5
	浦吉岩 和川	10.0	12.0	20.0	23.0	27.0	36.0	30.0	80.0	56.0	27.0	33.5	30.0	80.0
	浦吉岩 和川	17.0	16.5	15.8	26.0	22.0	33.0	29.0	146.0	110.0	36.0	37.0	32.0	146.0
	浦吉岩 和川	11.0	13.0	5.7	26.5	22.6	27.0	49.0	106.0	98.5	18.0	35.0	26.2	106.0
	浦吉岩 和川	15.0	18.0	23.0	27.0	23.5	34.0	27.0	114.0	67.0	35.0	30.0	22.0	114.0
	浦吉岩 和川	18.3	16.8	16.8	25.9	18.3	34.3	26.3	120.0	87.0	33.8	37.1	20.8	120.0
	浦吉岩 和川	18.5	13.0	15.5	17.5	27.0	37.0	35.0	124.0	145.0	36.0	34.0	27.8	145.0
	浦吉岩 和川	16.3	8.3	33.0	24.3	25.0	30.0	38.0	191.0	87.0	24.5	40.0	36.0	191.0
	浦吉岩 和川	16.3	11.9	27.6	30.3	33.8	28.7	56.2	161.4	72.5	29.3	38.4	22.7	161.4
	浦吉岩 和川	14.0	8.0	20.0	27.0	19.0	30.2	35.0	210.0	65.0	18.5	28.0	28.5	210.0
	浦吉岩 和川	18.0	7.0	29.8	30.0	59.7	27.4	60.4	195.8	72.0	44.4	39.2	36.6	195.8
	浦吉岩 和川	11.0	12.5	29.0	26.0	15.7	39.0	42.5	140.0	57.3	22.5	31.0	31.0	140.0
	浦吉岩 和川	12.0	5.1	28.0	26.0	42.0	37.5	46.5	118.8	60.0	49.0	32.0	38.0	118.8
	浦吉岩 和川	16.2	8.9	27.9	27.1	19.8	35.0	33.2	135.4	57.7	33.9	25.2	26.6	135.4
	浦吉岩 和川	12.3	11.2	26.0	28.8	48.3	26.8	121.6	213.7	58.8	37.4	35.2	24.8	213.7
浦吉岩 和川	9.5	9.0	38.0	27.7	18.5	38.0	31.6	147.5	54.5	14.0	25.2	32.0	147.5	
浦吉岩 和川	10.0	6.0	24.5	27.3	20.0	36.4	25.3	134.0	64.1	28.6	26.7	31.0	134.0	
浦吉岩 和川	13.5	10.0	30.0	25.6	20.0	25								

管内観測所一覽 大正十四年

地名	讀方	郡	町村	大字	北緯	東經	海拔	創立	取扱所	観測主任者
浦和	Urawa	北足立	浦和町	中原	35.51	139.39	20	31. 1	農事試験場	間瀬鉦太郎
吉川	Yosikawa	北葛飾	吉川町	平沼	35.53	139.51	6	31. 1	警察署	須賀晋
岩槻	Iwatuki	南埼玉	岩槻町	岩槻	35.57	139.41	17	31. 12	郡役所	松本岩太郎
杉戸	Sugito	北葛飾	杉戸町	清地	36.02	139.44	15	31. 12	郡役所	船川亮
菫蒲	Syōbu	南埼玉	菫蒲町	菫蒲	36.04	139.36	13	39. 6	町役場	堀部石藏
栗橋	Kuribashi	南葛飾	栗橋町	栗橋	36.08	139.43	18	31. 1	町役場	吉田忠
越ヶ谷	Kosigaya	南埼玉	越ヶ谷町	越ヶ谷	35.54	139.48	5	大正 11. 7	農事試験場	関慎之助
所澤	Tokorozawa	入間	所澤町	所澤	35.48	139.28	82	39. 6	警察署	石川理平
飯能	Hannō	入間	飯能町	飯能	35.51	139.19	120	31. 1	警察署	古山貞治
川越	Kawagoe	川越	市	川越	35.56	139.30	22	31. 1	蠶業取締所	五十嵐林兵衛
梅園	Umezono	入間	梅園村	小杉	35.58	139.17	109	42. 6	村役場	新井清次郎
越生	Ogose	入間	越生町		35.57	139.18	100	大正 10. 9	警察署	高木民治
松山	Matuyama	比企	松山町	松山	36.02	139.25	36	31. 1	郡役所	新井仁一
小川	Ogawa	比企	小川町	小川	36.03	139.16	97	31. 1	警察署	吉田清吉
熊谷	Kumagaya	大里	熊谷町	熊谷	36.09	139.23	30.2	29. 12	測候所	
若泉	Wakaidumi	兒玉	若泉村	下阿久原	36.09	139.04	136	42. 6	村役場	田代市助
玉井	Tamawi	大里	玉井村	久保島	36.10	139.21	38	37. 11	農事試験場	野村盛久
羽生	Hanyū	北埼玉	羽生町	羽生	36.10	139.32	19	35. 5	警察署	新井春吉
本庄	Honzyō	兒玉	本庄町	本庄	36.14	139.11	62	31. 1	郡役所	菅沼英夫
名栗	Naguri	入間	名栗村	上名栗	35.53	139.11	249	42. 6	村役場	町田瀧次郎
浦山	Urayama	秩父	浦山村	嶽ノ久保	35.56	139.05	560	大正 6. 6	小學校	峯慶藏
三峯	Mitumine	秩父	大瀧村	三峯	35.56	138.49	1116.3	36. 6	測候所	
大瀧	Ootaki	秩父	大瀧村	大瀧	35.56	138.56	400	31. 1	村役場	山中龜八
中津川	Nakatugawa	秩父	大瀧村	中津川	36.00	138.50	744	大正 6. 6	幸島氏	幸島逸作
秩父	Titibu	秩父	秩父町	大宮	36.00	139.06	240.5	31. 1	蠶業試験場	町田傳三
小鹿野	Ogano	秩父	小鹿野町	小鹿野	36.01	139.01	237	34. 5	警察署	小此木牛太郎
野上	Nogami	秩父	野上村	本野上	36.06	139.07	134	39. 6	村役場	鹽谷長三郎

昭和元年十二月二十八日印刷
昭和元年十二月三十一日發行

埼玉縣熊谷測候所

印刷者 清華堂 山田忠義
神田區西小川町一ノ六

14. 6二-143
1200501222704

14.6二
143

終