

6 7 8 9 40 1 2 3 4 5 6 7 8 9 5

始



中央氣象臺月報

大正四年二月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

FEBRUARY, 1915.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY.

TOKYO.

1915

## 緒言

本編ハ大正四年二月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ舉クレハ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據ル但シ日照時數ハ真太陽時ヲ用フ

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サス但シ其更正數ハ本表ノ欄外ニ掲ク

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒス百ヨリ其度ヲ減シ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルカ如シ

雨雪霰雹ノ種類ニ拘ラス之ヲ一括シテ降水ト爲ス時ハ其全日ノ水量耗ノ十分一以上ニ達シタル日ノミヲ降水ノアリシ日トス但シ特ニ雪霰雹ヲ各別ニ計算スル時ハ其量ノ多少ニ拘ラス苟モ雪霰雹ノアリシ日ハ皆其日數ニ算入ス

平均雲量ニ未滿ナル日ヲ快晴トシ八

## INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of February, 1915.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

*Hours of Observations.*—The Central Standard Time (mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. mean time of the meridian 120° E. is followed.

For Sunshine duration the apparent solar time is used.

*Pressure.*—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

*Temperature.*—The degrees are given in Centigrade; those below zero are shown by adding 100 to avoid the minus sign; thus 99° for -1°, 95° for -5°, etc.

*Days with Precipitation.*—The number of days with precipitation is counted only when the amount is 0.1 mm or more in a day; but for those days with either snow, hail or graupel, the amount is not taken into consideration.

*Clear and Cloudy Days.*—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ観測シタル日ヲ暴風日トス

現象ノ記號ハ總テ萬國普通ノ記號ヲ用フ

中央氣象臺長

理學博士 中村精男

*Days with Gale.* — As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.

The occurrence of phenomena is recorded with international symbols.

K. NAKAMURA, *Rigakuhakushi.*

*Director of the Central Meteorological Observatory.*

萬國普通記號  
ILLUSTRATION OF SYMBOLS

雨	☉	Rain	吹雪	+	Snow drift	卷雲	C	Cirrus
雪	✕	Snow	細氷	←	Ice crystals	卷層雲	CS	Cirro-stratus
電雷	⚡	Thunder storm	地震	⊙	Earthquake	卷積雲	CK	Cirro-cumulus
雷聲	⚡	Thunder without lightning	日光環	☉	Solar corona	積卷雲	KC	Cumulo-cirrus
電光	⚡	Lightning without thunder	日暈	○	Solar halo	層卷雲	SC	Strato-cirrus
霰	△	Grapel	月光環	☾	Lunar corona	層積雲	SK	Strato-cumulus
雹	▲	Hail	月暈	☾	Lunar halo	亂雲	N	Nimbus
霧	≡	Mist, fog	暴風	↘	Gales	積雲	K	Cumulus
霜	□	Hoar frost	虹	∩	Rainbow	積亂雲	KN	Cumulo-nimbus
露	⊕	Dew	極光	☄	Aurora	層雲	S	Stratus
樹氷	∨	Silver thaw	煙霧	∞	Dust haze			
凝霜	~	Glazed frost						

大正四年二月

測候所 LIST OF

Table with columns: 地名 (Locality), 北緯 (Latitude N.), 東經 (Longitude E.), 晴雨計 (Barometer), 寒暖計 (Therm.), 雨量計 (Rainingauge), 長 (Director), 創立年月 (Date of Commencement). Lists various weather stations in Japan with their respective coordinates and directors.

\*一等測候所 Stations, making hourly observations.

一覽表 STATIONS.

FEBRUARY, 1915.

Table with columns: 地名 (Locality), 北緯 (Latitude N.), 東經 (Longitude E.), 晴雨計 (Barometer), 寒暖計 (Therm.), 雨量計 (Rainingauge), 長 (Director), 創立年月 (Date of Commencement). Lists various weather stations in Japan and other regions like Tianjin, Chee-foo, Hangchow, Nanking, Hankow, and Shasi.

大正四年二月 SUMMARY FOR

Table with columns for Locality (地名), Air Pressure (氣壓), Air Temperature (氣温), Vapor Tension (水蒸氣張力), Relative Humidity (濕度), Amount of Cloud (雲量), and No. of Hours with Sunshine (日照時數). It lists data for various locations like Kōsuyun, Taikō, Tainan, etc.

\* 電力ノ更正并ニ海面ヘノ更正ヲ施シタルモノ

氣象一覽表大 FEBRUARY, 1915.

Table with columns for Amount of Precipitation (降水量), Wind Velocity (風速度), and Number of Days with various weather conditions (天氣日數). It includes sub-columns for wind direction, speed, and temperature ranges.

大正四年二月 SUMMARY FOR

Table with columns for Locality (地名), Air Pressure (氣壓), Air Temperature (氣温), Wind Velocity (風速), and Sunshine (日照時數). It lists data for various locations like Maebasi, Kumagaya, and others.

● 重力ノ更正并ニ海面ヘノ更正ヲ施シタルモノ

氣象一覽表 FEBRUARY, 1915.

Table with columns for Amount of Precipitation (降水量), Wind Velocity (風速度), and Number of Days with (天氣日數). It provides detailed daily weather data for February 1915.

大正四年二月 SUMMARY FOR

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes a 'Resultant' section for direction and frequency percentage.

氣象一覽表 FEBRUARY, 1915.

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes a 'Resultant' section for direction and frequency percentage.

時 時 觀 測  
HOURLY OBSERVATIONS

每 時 觀 測

HOURLY OBSERVATIONS.



臺北 TAIHOKU. FEBRUARY, 1915. 大正四年二月

Table with columns for Day, Air Pressure (mm), and various time intervals (午前, 正午, 午後, 夜半, 平均). Includes a summary row at the bottom for monthly averages.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and 12 hourly temperature readings for each day, plus a summary row for monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 1.27 海面ニ更正 Reduction to mean sea level ..... + 0.84

臺北 TAIHOKU.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Taipei in February 1915. Columns include Day, time periods (1-11), and wind direction/velocity data.

臺北

臺北 TAIHOKU.

大正四年二月

FEBRUARY, 1915.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Taipei in February 1915. Columns include Day, time periods (3-11), and wind velocity data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Taipei in February 1915. Columns include Day, Max, Min, Range, and Mean.

臺北

雲量(0-10)

AMOUNT (0-10) AND

Table of cloud amounts for Taipei in February 1915. Columns include Day, time periods (1-11), and cloud amount data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Taipei in February 1915. Columns include Day, time periods (1-11), and cloud form data.

臺北 TAIHOKU.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and various hourly measurements. Includes a summary row at the bottom.

濕度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day, Relative Humidity (%), and various hourly measurements. Includes a summary row at the bottom.

那霸 NAHA.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and various hourly measurements. Includes a summary row at the bottom.

氣溫 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day, Air Temperature (°C), and various hourly measurements. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 1.21
海面ノ更正 Reduction to mean sea level ..... + 0.94

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Naha in February 1915. Columns include Day, direction (1-11), and velocity (1-2). Includes a summary row for '平均' (Average).

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for Naha in February 1915. Columns include Day, direction (1-11), and amount (1-10). Includes a summary row for '平均' (Average).

及速度(米/秒) VELOCITY OF WIND

Table of wind velocities for Naha in February 1915. Columns include Day, direction (1-11), and velocity (1-2). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Naha in February 1915. Columns include Day, direction (1-11), and cloud form (1-10). Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Naha in February 1915. Columns include Day, Max, Min, Range, and Mean.

那 霸

那 霸

那覇 NAHA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AM, PM, and Night. Data rows from 1 to 28, plus a total row.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

那覇

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day, Relative Humidity (%), and Mean. Data rows from 1 to 28, plus a mean row.

鹿兒島 KAGOSIMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), and Mean. Includes sub-headers for AM, PM, and Night. Data rows from 1 to 28, plus a mean row.

氣壓 (耗) AIR PRESSURE. (mm)

鹿兒島

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day, Air Temperature (°C), and Mean. Data rows from 1 to 28, plus a mean row.

重力ノ更正 Reduction to standard gravity ..... - 0.89
海面ノ更正 Reduction to mean sea level..... + 11.00

鹿兒島 KAGOSIMA.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kagosima in February 1915. Columns include Day, Direction (ENE, E, etc.), and Velocity (m/sec).

鹿兒島

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kagosima in February 1915. Columns include Day, Amount (0-10), and Direction.

鹿兒島 KAGOSIMA.

大正四年二月

FEBRUARY, 1915.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kagosima in February 1915. Columns include Day, Direction, and Velocity (m/sec).

鹿兒島

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kagosima in February 1915. Columns include Day, Cloud Form (e.g., c, k, n), and Direction.

Table of temperature extremes for Kagosima in February 1915. Columns include Day, Max, Min, Range, and Mean.

鹿兒島

KAGOSIMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total. Rows show precipitation data for each day from 1 to 28, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

鹿兒島

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with columns for Day and Hour (午前, 午後, 夜半). Rows show relative humidity data for each day from 1 to 28, with a summary row at the bottom.

熊本

KUMAMOTO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Average. Rows show air pressure data for each day from 1 to 28, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (700 mm +) (mm)

熊本

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Hour (午前, 午後, 夜半). Rows show air temperature data for each day from 1 to 28, with a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.81
海面ノ更正 Reduction to mean sea level ..... + 3.65

Table with columns for Day, Direction (風ノ方向), and Velocity (速度). Includes sub-headers for A.M. and P.M. and a summary row for Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, Amount (雲量), and Direction (風ノ方向). Includes sub-headers for A.M. and P.M. and a summary row for Mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, Direction, and Velocity. Includes sub-headers for A.M. and P.M. and a summary row for Mean.

及雲形 FORMS OF CLOUD.

Table with columns for Day, Cloud Form (雲形), and Direction. Includes sub-headers for A.M. and P.M. and a summary row for Mean.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, Max, Min, Range, and Mean temperature.

熊本



熊本

大正四年二月

KUMAMOTO.

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜半), and Total precipitation.

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

Main precipitation data table for Kumamoto, showing daily amounts in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table showing relative humidity percentages for each day in Kumamoto.

長崎

大正四年二月

NAGASAKI.

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜半), and Average pressure.

氣壓 (mm) AIR PRESSURE. (mm)

Main air pressure data table for Nagasaki, showing daily readings in mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table showing air temperature in degrees Celsius for each day in Nagasaki.

急變 Sudden change. 重力ノ更正 Reduction to standard gravity. 海面へ更正 Reduction to mean sea level.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nagasaki in February 1915. Columns include Day, Direction (1-11), and Velocity (1-2). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagasaki in February 1915. Columns include Day, Amount (1-11), and Average (平均).

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nagasaki in February 1915. Columns include Day, Velocity (3-11), and Average (平均). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagasaki in February 1915. Columns include Day, Form (1-11), and Average (平均).

氣温ノ極 Extremes of Air Temp.

Table of air temperature extremes for Nagasaki in February 1915. Columns include Day, Max, Min, Range, and Average (平均).

長崎

長崎

長崎

大正四年二月

NAGASAKI.

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後), and Precipitation (降水量). Includes a summary row at the bottom.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day and Hour, and Relative Humidity values. Includes a summary row at the bottom.

福岡

大正四年二月

HUKUOKA.

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後), Air Pressure (気圧), and Air Temperature (気温). Includes a summary row at the bottom.

気温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day and Hour, and Air Temperature values. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Hukuoka in February 1916. Columns include Day, time periods (午前, A.M., M., 正午), and wind direction/velocity data.

雲量 (0-10) AND AMOUNT (0-10)

Table of cloud amounts for Hukuoka in February 1916. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Hukuoka in February 1916. Columns include Day, time periods, and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Hukuoka in February 1916. Columns include Day, time periods, and cloud form data.

Table of air temperature extremes for Hukuoka in February 1916. Columns include Day, Max, Min, Range, and Mean.

福岡

HUKUOKA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total. Rows show precipitation data for each day from 1 to 28, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Hour (午前, 午後, 夜半). Rows show relative humidity data for each day from 1 to 28, with a summary row at the bottom.

下關

SIMONOSEKI.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total. Rows show air pressure data for each day from 1 to 28, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Hour (午前, 午後, 夜半). Rows show air temperature data for each day from 1 to 28, with a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.75
海面へ更正 Reduction to mean sea level ..... + 4.50

下關 SIMONOSEKI. FEBRUARY, 1915.

Table with columns for Day, Direction (風ノ方向), and Velocity (速度). Includes sub-headers for '前' (Morning) and '正午' (Noon). Data rows show wind direction and speed for each day from 1 to 28.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day and Amount (0-10). Data rows show cloud amount for each day from 1 to 28.

下關 SIMONOSEKI. FEBRUARY, 1915.

Table with columns for Day, Direction, and Velocity. Includes sub-headers for '後' (Afternoon) and '夜' (Night). Data rows show wind direction and speed for each day from 1 to 28.

及雲形 FORMS OF CLOUD.

Table with columns for Day and Cloud Form. Data rows show cloud forms for each day from 1 to 28.

Table with columns for Extremes of Air Temp. (最高, 最低, 範圍) and Day. Data rows show temperature extremes for each day from 1 to 28.

下關

下關

下關 SIMONOSEKI. FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜半), and Total. Rows 1-28 showing precipitation data for Simono-seki.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

下關

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day, Hour, and Mean. Rows 1-28 showing relative humidity data for Simono-seki.

廣島 HIROSIMA. FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜半), and Mean. Rows 1-28 showing air pressure data for Hiroshima.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

廣島

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day, Hour, and Mean. Rows 1-28 showing air temperature data for Hiroshima.

重力ノ更正 Reduction to standard gravity.....- 0.71 海面ノ更正 Reduction to mean sea level.....+ 0.30

風ノ方向 DIRECTION AND

Table with columns for Day, Direction (A, M, Noon), and Wind Velocity (m/sec) for each day from 1 to 28.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, Cloud Amount (0-10), and Cloud Form (A, M, Noon) for each day from 1 to 28.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, Velocity (m/sec) (A, M, Noon), and Air Temperature Extremes (Max, Min, Range) for each day from 1 to 28.

及雲形 FORMS OF CLOUD.

Table with columns for Day, Cloud Form (A, M, Noon), and Cloud Amount (0-10) for each day from 1 to 28.

廣島

廣島



廣島 HIROSIMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Total. Rows show precipitation data for each day from 1 to 28, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Mean. Rows show relative humidity data for each day from 1 to 28, with a summary row at the bottom.

松山 MATUYAMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Mean. Rows show air pressure data for each day from 1 to 28, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Mean. Rows show air temperature data for each day from 1 to 28, with a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.75
海面ノ更正 Reduction to mean sea level ..... + 3.02

松山 MATUYAMA.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Matuyama in February 1915. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Matuyama in February 1915. Columns include Day, time periods, and cloud amount data.

松山 MATUYAMA.

大正四年二月

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Matuyama in February 1915. Columns include time periods (午前, P., M., 夜半, 平均) and velocity data.

Table of air temperature extremes for Matuyama in February 1915. Columns include Day, Max, Min, Range, and Mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Matuyama in February 1915. Columns include time periods and cloud form data.

松山 MATUYAMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Precipitation (mm), and Total. Includes a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Includes a summary row at the bottom.

多度津 TADOTU.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), and Mean. Includes a summary row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.72
海面ノ更正 Reduction to mean sea level ..... + 0.49

多度津 TADOTU.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tadotsu in February 1915. Columns include Day, direction (SE, E, S, SW, W, NW, N, NE), and velocity (m/sec). Includes a summary row for '平均' (Average).

多度津

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tadotsu in February 1915. Columns include Day, time of day (午前, A.M., M., 正午), and cloud amount (0-10). Includes a summary row for '平均' (Average).

多度津 TADOTU.

大正四年二月

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tadotsu in February 1915. Columns include Day, time of day (午後, P.M., M., 夜), and velocity (m/sec). Includes a summary row for '平均' (Average).

多度津

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tadotsu in February 1915. Columns include Day, time of day (午後, P.M., M., 夜), and cloud form codes. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tadotsu in February 1915. Columns include Day, highest temperature (最高), lowest temperature (最低), range (範圍), and day (日).

多度津 TADOTU.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total (合計). Rows 1-28.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Tadotsu, showing hourly and daily amounts in mm. Includes a '合計' (Total) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tadotsu, showing hourly percentages and a '平均' (Average) row at the bottom.

徳島 TOKUSIMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, 午後, 夜半), and Average (平均). Rows 1-28.

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Tokushima, showing hourly and daily values in mm. Includes a '平均' (Average) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Tokushima, showing hourly values in °C and a '平均' (Average) row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.73 海面ノ更正 Reduction to mean sea level..... + 0.36

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tokushima in February 1915. Columns include Day, direction (W, NW, etc.), and velocity (m/sec). Rows are numbered 1 to 28, with a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tokushima in February 1915. Columns include Day, time of day (午前, 午後), and cloud amount (0-10). Rows are numbered 1 to 28, with a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tokushima in February 1915. Columns include Day, time of day (午前, 午後), and velocity (m/sec). Rows are numbered 1 to 28, with a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokushima in February 1915. Columns include Day, time of day (午前, 午後), and cloud form (e.g., cs, sc, cu). Rows are numbered 1 to 28, with a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tokushima in February 1915. Columns include Day, highest temperature (最高), lowest temperature (最低), and range (較差). Rows are numbered 1 to 28, with a '平均' (Average) row at the bottom.

德島

德島

徳島 TOKUSIMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, A.M., 正午, 午後, P.M., 夜半), and Total. Includes sub-table for precipitation (降水量) and a summary row (合計) at the bottom.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with columns for Day and Hour (1-24), and a Mean row at the bottom.

神戸 KÔBE.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Hour (午前, A.M., 正午, 午後, P.M., 夜半), and Mean. Includes sub-table for air pressure (氣壓) and a summary row (平均) at the bottom.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with columns for Day and Hour (1-24), and a Mean row at the bottom.

重力ノ更正 Reduction to standard gravity.....- 0.70
海面へ更正 Reduction to mean sea level.....+ 5.44

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kobe in February 1916. Columns include Day, time periods (午前, A.M., M., 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kobe in February 1916. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kobe in February 1916. Columns include Day, time periods (午後, P.M., M., 夜), and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kobe in February 1916. Columns include Day, time periods, and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kobe in February 1916. Columns include Day, Max, Min, Range, and Mean.

神戸

神戸



神戸 KÔBE.

FEBRUARY, 1915.

大正四年二月

Table for Kobe precipitation data. Columns: Day, 午前 (1-6), A.M. (7-11), 正午 (Noon), 午後 (1-6), P.M. (7-11), 夜半 (M.N.), 總計 (Total). Rows: 1-28, 合計 (Sum).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table for Kobe relative humidity data. Columns: Day, 湿度 (百分率) (1-11), 平均 (Mean). Rows: 1-28, 平均 (Mean).

湿度 (百分率) RELATIVE HUMIDITY. (%)

大阪 OOSAKA.

FEBRUARY, 1915.

大正四年二月

Table for Osaka air pressure data. Columns: Day, 午前 (1-6), A.M. (7-11), 正午 (Noon), 午後 (1-6), P.M. (7-11), 夜半 (M.N.), 平均 (Mean). Rows: 1-28, 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (700 mm +)

Table for Osaka air temperature data. Columns: Day, 氣温 (攝氏) (1-11), 平均 (Mean). Rows: 1-28, 平均 (Mean).

氣温 (攝氏) AIR TEMPERATURE. (°C)

\* 重力ノ更正 Reduction to standard gravity ..... - 0.70
\* 海面ノ更正 Reduction to mean sea level ..... + 0.28

風ノ方向 DIRECTION AND

Table of wind directions (DIRECTION AND) for Osaka, Feb 1915. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data for each day.

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts (AMOUNT (0-10) AND) for Osaka, Feb 1915. Columns include Day, time periods, and cloud amount data for each day.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities (VELOCITY OF WIND) for Osaka, Feb 1915. Columns include Day, time periods (午前, 午後, P., M.), and wind velocity data for each day.

及雲形 FORMS OF CLOUD.

Table of cloud forms (FORMS OF CLOUD) for Osaka, Feb 1915. Columns include Day, time periods, and cloud form data for each day.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Extremes of Air Temp.) for Osaka, Feb 1915. Columns include Day, Max, Min, Range, and Mean.

大阪

大阪 OSAKA.

FEBRUARY, 1915.

大正四年二月

Table for Osaka precipitation and humidity. Includes columns for Day, Hour (午前, 午後, 正午), and Total. Sub-tables for '降水量 (mm)' and '湿度 (百分率)'. Average mean values are provided at the bottom.

急變 Sudden Changes.

京都 KYŌTO.

FEBRUARY, 1915.

大正四年二月

Table for Kyoto air pressure and temperature. Includes columns for Day, Hour (午前, 午後, 正午), and Mean. Sub-tables for '氣壓 (mm)' and '氣溫 (攝氏)'. Average mean values are provided at the bottom.

重力ノ修正 Reduction to standard gravity ..... - 0.67
海面ノ修正 Reduction to mean sea level ..... + 4.02

大阪

京都

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kyoto in February 1915. Columns include Day, time periods (午前, A.M., 正午, Noon), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kyoto in February 1915. Columns include Day, time periods (午前, A.M., 正午, Noon), and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kyoto in February 1915. Columns include Day, time periods (午後, P.M., 夜中, Night, 平均, Mean), and wind velocity data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kyoto in February 1915. Columns include Day, 最高 (Max.), 最低 (Min.), 變差 (Range), and 平均 (Mean).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kyoto in February 1915. Columns include Day, time periods (午後, P.M., 夜中, Night, 平均, Mean), and cloud form data.

京都 KYŌTO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AM and PM hours.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

京都

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%) values.

平均 Mean 83.1 84.3 85.1 86.0 85.9 86.0 84.9 82.7 77.5 70.4 65.4 60.9 59.9 58.7 57.6 59.4 63.1 67.3 72.6 76.9 79.4 81.4 81.4 83.2 74.7

名古屋 NAGOYA.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and Mean. Includes sub-headers for AM and PM hours.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

名古屋

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C) values.

平均 Mean 2.99 2.71 2.38 2.29 1.91 1.68 1.62 2.63 4.35 5.73 6.72 7.34 7.69 8.09 8.10 7.67 6.66 5.76 5.17 4.67 4.30 3.87 3.38 3.07 4.62

重力ノ更正 Reduction to standard gravity ..... - 0.67 海面ノ更正 Reduction to mean sea level ..... + 1.41

風ノ方向 DIRECTION AND

Table of wind directions for Nagoya, February 1915. Columns include Day, time periods (午前, A.M., M., 正午), and wind direction/strength.

名古屋

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagoya, February 1915. Columns include Day, time periods, and cloud amount.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity for Nagoya, February 1915. Columns include Day, time periods, wind velocity, and extremes of air temperature.

名古屋

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagoya, February 1915. Columns include Day, time periods, cloud forms, and cloud amount.

名古屋 NAGOYA.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜中), and Total. Rows show precipitation data for each day from 1 to 28, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

名古屋

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day and Hour (1-24). Rows show relative humidity data for each day from 1 to 28, with a summary row at the bottom.

平均 Mean

東京 TOKYO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Hour (午前, 午後, 夜中), and Mean. Rows show air pressure data for each day from 1 to 28, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (760 mm +)

東京

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day and Hour (1-24). Rows show air temperature data for each day from 1 to 28, with a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 0.63 海面ノ更正 Reduction to mean sea level ..... + 1.99

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tokyo in February 1915. Columns include Day, direction (1-11), and velocity. Includes a summary row for Mean.

東京

東京

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tokyo in February 1915. Columns include Day, amount (1-11), and direction. Includes a summary row for Mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tokyo in February 1915. Columns include Day, direction (3-11), and velocity. Includes a summary row for Mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tokyo in February 1915. Columns include Day, Max, Min, Range, and Mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokyo in February 1915. Columns include Day, form (1-11), and direction. Includes a summary row for Mean.



東京 TŌKYŌ.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and various time intervals (午前, A.M., 正午, 午後, P.M., 夜半, 合計). Includes a '合計' row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day, Relative Humidity (%), and various time intervals. Includes a '平均' (Mean) row at the bottom.

銚子 TYŌSI.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and various time intervals. Includes a '平均' (Mean) row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day, Air Temperature (°C), and various time intervals. Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.63 海面ノ更正 Reduction to mean sea level ..... + 1.81

東京

銚子

銚子 TYÔSI.

大正四年二月

FEBRUARY, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tyôsi in February 1916. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

銚子

銚子 TYÔSI.

大正四年二月

FEBRUARY, 1916.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities and cloud forms for Tyôsi in February 1916. Columns include Day, time periods (午後, P., M., 夜中), and velocity/cloud data.

銚子

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tyôsi in February 1916. Columns include Day, time periods (午前, A., M., 正午), and cloud amount data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tyôsi in February 1916. Columns include Day, time periods (午後, P., M., 夜中), and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tyôsi in February 1916. Columns include Day, Max., Min., Range, and Mean.

銚子 TYÔSI.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AM, Noon, PM, and Night. Data rows 1-28 and a summary row.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

銚子

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Data rows 1-28 and a summary row.

水戸 MITO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and Mean. Includes sub-headers for AM, Noon, PM, and Night. Data rows 1-28 and a summary row.

氣壓 (耗) AIR PRESSURE. (mm) (700 msi +)

水戸

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Data rows 1-28 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.59 海面へ更正 Reduction to mean sea level ..... + 2.90

水戸 MITO.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Mitou in February 1915. Columns include Day, time periods (午前, A.M., M., 正午), and wind direction/velocity data.

水戸

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Mitou in February 1915. Columns include Day, time periods, and cloud amount data.

水戸 MITO.

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities for Mitou in February 1915. Columns include Day, time periods, and wind velocity data.

水戸

及雲形 FORMS OF CLOUD.

Table of cloud forms for Mitou in February 1915. Columns include Day, time periods, and cloud form data.

Summary table for temperature extremes (最高, 最低, 較差) and average temperature (平均) for Mitou in February 1915.

水戸  
MITO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and Total. Includes a summary row at the bottom.

湿度 (百分率)  
RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Includes a summary row at the bottom.

前橋  
MAEBASI.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and Total. Includes a summary row at the bottom.

氣温 (攝氏)  
AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.59  
海面へ更正 Reduction to mean sea level ..... + 10.56

大正四年二月

前橋 MAEBASI.

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Maebashi in February 1915. Columns include Day, time periods (午前, A, M, 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Maebashi in February 1915. Columns include Day, time periods, and cloud amount data.

大正四年二月

前橋 MAEBASI.

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Maebashi in February 1915. Columns include Day, time periods, and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Maebashi in February 1915. Columns include Day, time periods, and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Maebashi in February 1915. Columns include Day, Max, Min, Range, and Mean.

前橋

大正四年二月

前橋 MAEBASI

FEBRUARY, 1915.

Table with columns for Day, Hour, and Precipitation (mm). Includes a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

前橋

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day, Hour, and Relative Humidity (%). Includes a summary row at the bottom.

大正四年二月

筑波山 TUKUBASAN

FEBRUARY, 1915.

Table with columns for Day, Hour, and Air Pressure (mm). Includes a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (600 mm +)

筑波山

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day, Hour, and Air Temperature (°C). Includes a summary row at the bottom.

重力的修正 Reduction to standard gravity ..... - 0.56
海面的修正 Reduction to mean sea level ..... +78.05

筑波山 TUKUBASAN.

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table with columns for Day, direction (A, M, Noon), and wind velocity values for each day from 1 to 28.

筑波山

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, direction (A, M, Noon), and cloud amount values for each day from 1 to 28.

筑波山 TUKUBASAN.

大正四年二月

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, direction (P, M, Noon), and wind velocity values for each day from 1 to 28.

及雲形 FORMS OF CLOUD.

Table with columns for Day, direction (P, M, Noon), and cloud form descriptions for each day from 1 to 28.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, Max, Min, Range, and Mean values for air temperature.

筑波山



筑波山 TUKUBASAN.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Precipitation (mm), and Total. Includes a summary row at the bottom.

筑波山

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Includes a summary row at the bottom.

新潟 NIIGATA.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), and Average. Includes a summary row at the bottom.

新潟

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.48
海面へ更正 Reduction to mean sea level..... + 2.41

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Niigata in February 1915. Columns include Day, direction (A, M), and velocity (1-11, Noon, 1-2). Includes a summary row for '平均' (Average).

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for Niigata in February 1915. Columns include Day, direction (A, M), and amount (1-11, Noon, 1-2). Includes a summary row for '平均' (Average).

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Niigata in February 1915. Columns include Day, direction (P, M), and velocity (3-11, M. N., Mean). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Niigata in February 1915. Columns include Day, direction (P, M), and cloud form (1-11, M. N., Mean). Includes a summary row for '平均' (Average).

Table of temperature extremes for Niigata in February 1915. Columns include Day, Max, Min, Range, and Mean. Includes a summary row for '平均' (Average).

新潟 NIIGATA. 大正四年二月

FEBRUARY, 1915.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total). Rows 1-28 show precipitation data in mm.

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

新潟

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with columns for Day and 平均 (Mean). Rows 1-28 show relative humidity data in percent.

平均 Mean

函館 HAKODATE. 大正四年二月

FEBRUARY, 1915.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows 1-28 show air pressure data in mm.

氣壓 (mm) AIR PRESSURE. (mm) (700 mm +)

函館

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and 平均 (Mean). Rows 1-28 show air temperature data in degrees Celsius.

平均 Mean

重力ノ更正 Reduction to standard gravity ..... - 0.22 海面ノ更正 Reduction to mean sea level ..... + 0.35

大正四年二月

風ノ方向 DIRECTION AND

Table with columns for Day, H, 1-11, Noon, 1-2, and wind direction data for each hour.

雲量(0-10) AMOUNT (0-10) AND

Table with columns for Day, H, 1-11, Noon, and cloud amount data for each hour.

大正四年二月

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, H, 3-11, Noon, 1-2, and wind velocity data for each hour.

及雲形 FORMS OF CLOUD.

Table with columns for Day, H, 1-11, Noon, and cloud form data for each hour.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, 最高 Max., 最低 Min., 較差 Range, and 平均 Mean.

函館

函館

HAKODATE.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Hakodate, showing daily amounts in mm and a monthly total of 96.1 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hakodate, showing daily percentages and a monthly mean of 76.9%.

札幌

SAPPORO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air pressure data for Sapporo, showing daily readings in mm and a monthly mean of 762.5 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Sapporo, showing daily readings in °C and a monthly mean of 9.5°C.

重力ノ更正 Reduction to standard gravity ..... - 0.14
海面ノ更正 Reduction to mean sea level ..... + 1.62

札幌 SAPPORO

大正四年二月

FEBRUARY, 1915.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Sapporo in February 1915. Columns include Day, direction (1-11), and velocity (1-2). Includes a summary row for '平均 Mean'.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Sapporo in February 1915. Columns include Day, amount (1-11), and a summary row for '平均 Mean'.

札幌 SAPPORO

大正四年二月

FEBRUARY, 1915.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Sapporo in February 1915. Columns include Day, velocity (3-11), and a summary row for '平均 Mean'.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Sapporo in February 1915. Columns include Day, cloud form (1-11), and a summary row for '平均 Mean'.

Table of temperature extremes for Sapporo in February 1915. Columns include Day, Max, Min, Range, and Mean.

札幌

札幌

札幌 SAPPORO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Precipitation (mm), and Total. Includes a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Includes a summary row at the bottom.

札幌

根室 NEMURO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), and Mean. Includes a summary row at the bottom.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.12
海面へ更正 Reduction to mean sea level ..... + 2.57

根室

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nemuro in February 1915. Columns include Day, direction (1-11), and velocity. Includes a summary row at the bottom.

根室

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nemuro in February 1915. Columns include Day, amount (1-11), and Noon. Includes a summary row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nemuro in February 1915. Columns include Day, direction (3-11), and velocity. Includes a summary row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Nemuro in February 1915. Columns include Day, Max, Min, Range, and Mean.

根室

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nemuro in February 1915. Columns include Day, form (1-11), and Noon. Includes a summary row at the bottom.



大正四年二月

根室

NEMURO.

FEBRUARY, 1915.

日 Day	午前 A. M.											正午 Noon	午後 P. M.											夜半 M.N.	總計 Total
	1	2	3	4	5	6	7	8	9	10	11		1	2	3	4	5	6	7	8	9	10	11		
降水量 (耗) AMOUNT OF PRECIPITATION. (mm)																									
1	0.2	0.5	1.1	0.4	0.2	0.2	0.3	0.6	0.0	0.0	0.7	1.0	1.3	0.9	1.1	0.5	0.7	0.8	1.0	0.4	0.0	0.0	0.0	0.0	11.9
2	0.0	1.2	0.6	0.2	0.0	0.0	0.0	0.1	0.8	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	2.9	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.4	0.2	0.5	0.3	0.3	0.7	0.9	0.6	0.6	0.6	0.7	6.1	
5	0.3	0.3	0.7	0.4	0.3	0.5	0.4	0.6	0.3	0.2	0.3	0.4	0.4	0.0	0.0	0.0	0.2	-	0.0	-	0.0	0.5	0.2	6.0	
6	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	-	-	-	-	-	0.0	0.2	0.5	0.3	1.4	0.2	0.3	0.8	1.6	1.5	-	-	-	-	-	-	-	-	6.8	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	-	-	-	-	-	-	-	-	0.0	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0	
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	-	0.5	
15	-	-	0.1	0.1	-	-	-	-	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	0.2	
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.3	1.5	0.0	-	-	-	1.8	
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	-	-	0.0	
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	0.0	0.0	0.3	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	-	0.0	1.1	
21	0.0	0.2	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	
22	-	-	-	-	-	-	-	-	0.0	0.0	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	0.0	
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.4	0.0	1.0	
24	0.2	0.4	0.8	1.5	2.5	6.8	5.3	5.2	4.8	4.4	1.6	0.0	-	-	-	-	0.3	0.6	-	-	-	-	34.4		
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
26	0.0	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
27	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	1.5	3.6	1.0	2.5	2.5	1.3	0.3	0.0	
28	-	-	-	-	-	-	-	-	-	-	-	-	0.0	2.0	4.7	6.7	4.5	3.6	1.0	2.5	2.5	1.3	0.3	30.6	
合計 Sum	0.7	2.6	3.7	2.8	3.1	7.6	6.3	7.1	6.2	6.0	2.8	1.7	2.9	4.7	7.8	7.5	5.6	3.6	6.2	4.2	3.2	3.7	2.9	0.8	103.7

根室

六回観測

FOUR-HOURLY OBSERVATIONS.

湿度 (百分率) RELATIVE HUMIDITY. (%)																								平均 Mean				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		25	26	27	28
95	97	100	100	100	100	100	100	94	88	98	98	98	98	98	100	98	100	98	95	91	91	96	96	97.5				
95	95	98	88	92	94	94	96	98	92	92	77	71	64	51	63	64	85	80	75	72	70	74	73	81.6				
75	77	77	82	82	85	80	75	70	78	76	77	79	74	76	80	92	89	89	94	94	94	97	94	82.7				
89	91	89	87	89	89	94	95	87	76	83	93	97	97	97	97	95	95	100	97	97	95	95	95	92.5				
97	100	100	100	100	100	97	97	97	96	95	92	92	80	97	97	94	97	94	90	90	94	97	97	95.4				
80	70	72	75	77	79	70	74	70	71	68	66	60	59	58	51	61	62	64	60	63	76	66	62	96.0				
61	95	100	92	91	96	88	91	85	77	64	54	51	50	55	57	67	69	63	64	58	69	69	72.3					
67	69	69	79	77	80	70	63	72	64	54	54	61	69	67	55	70	74	64	67	62	73	69	72	67.8				
74	67	70	73	74	84	95	100	97	95	98	96	96	96	90	61	56	63	63	70	77	77	81	81	80.6				
79	78	78	83	82	75	80	80	68	68	57	65	60	57	55	60	65	67	62	70	62	72	68	76	69.5				
78	78	83	74	80	77	76	69	69	79	81	75	73	61	59	61	75	80	80	84	84	81	86	84	76.1				
87	81	81	71	76	75	83	86	86	86	84	84	84	82	84	82	82	76	76	76	76	75	81	81	81.0				
81	86	86	78	75	80	80	76	69	58	69	57	50	56	60	65	74	74	74	77	82	85	85	85	73.4				
88	91	88	86	83	83	83	86	82	74	70	72	70	80	78	85	95	78	78	78	100	100	95	94	84.0				
95	83	95	87	63	68	78	78	77	67	69	75	73	84	74	73	70	76	79	82	82	75	62	78	76.8				
64	64	63	62	70	66	68	64	72	66	65	62	65	65	66	63	69	91	94	94	82	84	88	88	72.3				
93	92	91	91	88	83	80	75	67	68	57	49	43	46	49	58	61	63	65	71	73	84	87	84	71.6				
84	76	80	80	86	86	97	90	87	77	78	62	59	50	64	57	70	69	67	70	70	69	66	70	73.3				
73	70	70	71	71	74	81	85	78	83	72	71	76	83	78	87	87	90	85	85	87	87	85	85	79.7				
92	95	100	100	100	100	97	97	90	87	78	78	78	78	72	92	97	100	95	97	97	97	97	95	92.9				
95	100	97	97	97	97	97	100	97	95	90	87	83	87	92	94	100	92	91	91	86	81	86	81	93.5				
76	76	76	71	66	76	76	74	74	67	64	71	62	60	68	71	79	86	78	83	85	94	91	97	75.9				
97	97	97	96	96	96	97	97	65	89	68	52	58	58	69	67	81	95	92	97	100	97	97	100	85.4				
100	100	100	100	100	100	100	100	100	100	100	100	100	100	85	84	90	90	92	100	83	75	77	72	81	92.0			
86	80	75	69	77	94	83	94	97	97	91	91	78	86	85	91	91	97	84	90	90	90	84	87.7					
81	78	78	75	90	81	79	73	70	72	72	78	71	81	81	80	80	77	77	81	78	76	73	73	77.3				
76	74	77	80	77	72	77	70	74	69	61	63	63	63	63	70	66	66	70	70	70	78	78	78	71.0				
76	76	76	76	81	95	81	79	80	73	78	80	82	100	100	98	98	98	98	96	98	98	100	90	87.7				
平均 Mean	83.4	83.4	84.5	83.0	83.6	84.9	85.2	84.3	81.2	79.2	76.6	74.7	73.3	73.4	74.1	74.7	79.2	82.2	81.5	82.0	81.6	83.8	83.0	83.7	80.7			

大正四年二月

恒春 KOSYUN.

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1 through 28 and a summary row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Form of Cloud (A.M., P.M., Mean). Includes data for days 1 through 28 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 2.1

恒春

臺東 TAITO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 0.9

臺南 TAINAN.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 1.3

臺東

臺南

澎湖島 HOKOTŌ.

FEBRUARY, 1915.

大正四年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10) for each day from 1 to 28.

重力ノ更正 Reduction to standard gravity ..... 1.3
海面ノ更正 Reduction to mean sea level ..... + 1.0

臺中 TAIYŪ.

FEBRUARY, 1915.

大正四年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10) for each day from 1 to 28.

重力ノ更正 Reduction to standard gravity ..... 1.3
海面ノ更正 Reduction to mean sea level ..... + 7.0

澎湖島

臺中

基隆 KIRUN.

大正四年二月

FEBRUARY, 1915.

Table for Kirun weather data including Air Pressure, Wind Direction and Velocity, Precipitation, Air Temperature, Humidity, and Cloud Amount.

重力的更正 Reduction to standard gravity - 1.3 海面へ更正 Reduction to mean sea level + 0.3

石垣島 ISIGAKIZIMA.

大正四年二月

FEBRUARY, 1915.

Table for Isigakizima weather data including Air Pressure, Wind Direction and Velocity, Precipitation, Air Temperature, Humidity, and Cloud Amount.

重力的更正 Reduction to standard gravity - 1.3 海面へ更正 Reduction to mean sea level + 0.6

基隆

石垣島

名瀬

NAZE.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a Total column.

名瀬

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a Mean column.

重力ノ更正 Reduction to standard gravity ..... - 1.1
海面ノ更正 Reduction to mean sea level ..... + 0.4

宮崎

MIYAZAKI.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a Total column.

宮崎

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a Mean column.

重力ノ更正 Reduction to standard gravity ..... - 0.9
海面ノ更正 Reduction to mean sea level ..... + 0.8

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

佐賀

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

\* 重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 1.2

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

佐世保

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

\* 重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 1.2

嚴原

大正四年二月

ITUHARA.

FEBRUARY, 1915.

Table with columns for Date (日), Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Amount of Precipitation (降水量). Includes sub-tables for morning and afternoon readings and a monthly average (平均).

嚴原

Table with columns for Date (日), Air Temperature (氣温), Relative Humidity (濕度), and Cloud Amount and Form (雲量及雲形). Includes sub-tables for morning and afternoon readings and a monthly average (平均).

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 1.9

大分

大正四年二月

OOITA.

FEBRUARY, 1915.

Table with columns for Date (日), Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Amount of Precipitation (降水量). Includes sub-tables for morning and afternoon readings and a monthly average (平均).

大分

Table with columns for Date (日), Air Temperature (氣温), Relative Humidity (濕度), and Cloud Amount and Form (雲量及雲形). Includes sub-tables for morning and afternoon readings and a monthly average (平均).

重力ノ更正 Reduction to standard gravity..... - 0.8
海面ノ更正 Reduction to mean sea level..... + 0.5



大正四年二月

吳 KURE.

FEBRUARY, 1915.

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for Kure. Includes daily data from Feb 1 to 28 and monthly averages.

吳

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for Kure. Includes daily data from Feb 1 to 28 and monthly averages.

重力ノ更正 Reduction to standard gravity ..... 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.8

大正四年二月

四阪島 SISAKAZIMA.

FEBRUARY, 1915.

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for Sisakazima. Includes daily data from Feb 1 to 28 and monthly averages.

四阪島

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for Sisakazima. Includes daily data from Feb 1 to 28 and monthly averages.

重力ノ更正 Reduction to standard gravity ..... 0.7
海面ノ更正 Reduction to mean sea level ..... +10.5

新居濱 NIIHAMA.

FEBRUARY, 1915.

大正四年二月

新居濱

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.5

別子 BESSI.

FEBRUARY, 1915

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 84.7

別子

岡山 OKAYAMA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.6

味野 ADINO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.4

大正四年二月

和歌山

WAKAYAMA.

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

和歌山

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

\* 重力ノ更正 Reduction to standard gravity..... - 0.7
海面へ更正 Reduction to mean sea level..... + 1.4

高知

KŌTI.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

高知

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

\* 重力ノ更正 Reduction to standard gravity..... - 0.8
海面へ更正 Reduction to mean sea level..... + 3.9

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 6.8

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.4

Table for Hamamatu weather data including Air Pressure, Wind Direction and Velocity, and Amount of Precipitation for February 1915.

Table for Hamamatu weather data including Air Temperature, Relative Humidity, and Amount of Clouds for February 1915.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 2.6

Table for Numadu weather data including Air Pressure, Wind Direction and Velocity, and Amount of Precipitation for February 1915.

Table for Numadu weather data including Air Temperature, Relative Humidity, and Amount of Clouds for February 1915.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.7

橫須賀

Table for Yokosuka weather data. Columns include date (日), air pressure (氣壓), wind direction and velocity (風ノ方向及速度), precipitation (降水量), air temperature (氣温), humidity (湿度), and cloud amount (雲量). Rows represent daily observations from Feb 1 to Feb 28, plus monthly averages (平均).

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 4.1

橫濱

Table for Yokohama weather data. Columns include date (日), air pressure (氣壓), wind direction and velocity (風ノ方向及速度), precipitation (降水量), air temperature (氣温), humidity (湿度), and cloud amount (雲量). Rows represent daily observations from Feb 1 to Feb 28, plus monthly averages (平均).

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.4

八丈島 HATIDYŌZIMA.

大正四年二月

FEBRUARY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

八丈島

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 7.4

父島 TITIZIMA.

大正四年二月

FEBRUARY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

父島

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 1.2
海面ノ更正 Reduction to mean sea level ..... + 0.3



小名濱 ONAHAMA.

FEBRUARY, 1915.

大正四年二月

小名濱

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 0.4

金山 KANAYAMA.

FEBRUARY, 1915.

大正四年二月

金山

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 2.3

石巻 ISINOMAKI.

FEBRUARY, 1915.

大正四年二月

Table for Ishinomaki weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

Table for Ishinomaki weather data including Air Temperature, Humidity, and Cloud Amount for February 1915.

電力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 4.2

宮古 MIYAKO.

FEBRUARY, 1915.

大正四年二月

Table for Miyako weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

Table for Miyako weather data including Air Temperature, Humidity, and Cloud Amount for February 1915.

電力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 2.9

石巻

宮古

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 6.1

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 8.2

八木

彦根

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Form of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 1.5

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Form of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 51.7

岐阜

山

高山

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M., P.M., and Mean values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M., P.M., and Mean values.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... +47.6

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M., P.M., and Mean values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M., P.M., and Mean values.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... +24.7

飯田

甲府

松本 MATUMOTO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

横線ノ上ニアル数字ニハ+600mm. 重力ノ更正 Reduction to standard gravity ..... - 0.6 For the figures underlined+600mm. 海面へ更正 Reduction to mean sea level ..... +63.5

長野 NAGANO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6 海面へ更正 Reduction to mean sea level ..... +38.9

松本

長野

熊谷 KUMAGAYA.

FEBRUARY, 1915.

大正四年二月

Table for Kumagaya weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

熊谷

Table for Kumagaya weather data including Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from 1 to 28.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 3.0

宇都宮 UTUNOMIYA.

FEBRUARY, 1915.

大正四年二月

Table for Utsunomiya weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

宇都宮

Table for Utsunomiya weather data including Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from 1 to 28.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 11.7

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面へ更正 Reduction to mean sea level ..... +70.4

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面へ更正 Reduction to mean sea level ..... + 5.9

足尾

福島



山形 YAMAGATA.

FEBRUARY, 1915.

大正四年二月

Table for Yamagata weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

Table for Yamagata weather data including Air Temperature, Humidity, and Cloud Amount for February 1915.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 14.7

水澤 MIDUSAWA.

FEBRUARY, 1915.

大正四年二月

Table for Midusawa weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

Table for Midusawa weather data including Air Temperature, Humidity, and Cloud Amount for February 1915.

重力ノ更正 Reduction to standard gravity..... - 0.4
海面ノ更正 Reduction to mean sea level..... + 6.0

山形

水澤

濱田 HAMADA.

FEBRUARY, 1915.

大正四年二月

Table for Hamada weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

Table for Hamada weather data including Air Temperature (C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.8

境 SAKAI.

FEBRUARY, 1915.

大正四年二月

Table for Sakai weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28.

Table for Sakai weather data including Air Temperature (C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.3

宮津 MIYADU

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a Total column.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.3

舞鶴 MAIDURU

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a Total column.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 2.9

宮津

舞鶴

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6  
海面へ更正 Reduction to mean sea level ..... + 0.8

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6  
海面へ更正 Reduction to mean sea level ..... + 1.0

敦賀

福井

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Form. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 2.7

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Form. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 1.2

金澤

伏木

相川 AIKAWA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a summary row at the bottom.

相川

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-tables for morning and afternoon data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 4.3

加茂 KAMO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a summary row at the bottom.

加茂

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-tables for morning and afternoon data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 1.2

秋田 AKITA.

FEBRUARY, 1915.

大正四年二月

Table for Akita weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

秋田

Table for Akita weather data including Air Temperature, Relative Humidity, and Cloud Amount for February 1915.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.6

青森 AOMORI.

FEBRUARY, 1915.

大正四年二月

Table for Aomori weather data including Air Pressure, Wind Direction and Velocity, and Precipitation for February 1915.

青森

Table for Aomori weather data including Air Temperature, Relative Humidity, and Cloud Amount for February 1915.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4

壽都 SUTTU.

FEBRUARY, 1915.

大正四年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 1.6

旭川 ASAHIGAWA.

FEBRUARY, 1915.

大正四年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 1.6

旭川



大正四年二月

帶廣 OBIHIRO.

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ... - 0.1
海面へ更正 Reduction to mean sea level ... + 3.9

大正四年二月

襟裳 ERIMO.

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Force (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ... - ...
海面へ更正 Reduction to mean sea level ... + ...

帶廣

襟裳

釧路 KUSIRO.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.3

網走 ABASIRI.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.7

釧路

網走

紗那 SYANA.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Forms. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... + 0.0
海面ノ更正 Reduction to mean sea level ..... + 3.8

大泊 OOTOMARI.

大正四年二月

FEBRUARY, 1915.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Forms. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity ..... + 0.1
海面ノ更正 Reduction to mean sea level ..... + 3.7

大泊

真岡

真岡

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for Maoka. Includes sub-tables for morning and afternoon data and a summary row.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10) for Maoka. Includes sub-tables for morning and afternoon data and a summary row.

重力ノ更正 Reduction to standard gravity + 0.1
海面へ更正 Reduction to mean sea level + 2.8

落合

落合

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for Otai. Includes sub-tables for morning and afternoon data and a summary row.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10) for Otai. Includes sub-tables for morning and afternoon data and a summary row.

重力ノ更正 Reduction to standard gravity + 0.2
海面へ更正 Reduction to mean sea level + 0.7

自記器ニ據ル By self-recorder

Table for SIKKA weather data: Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), Amount of Precipitation (A.M., P.M., Total). Includes daily data from 1 to 28 and monthly averages.

Table for SIKKA weather data: Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data from 1 to 28 and monthly averages.

重力ノ更正 Reduction to standard gravity + 0.3 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level + 0.3

Table for HUSAN weather data: Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), Amount of Precipitation (A.M., P.M., Total). Includes daily data from 1 to 28 and monthly averages.

Table for HUSAN weather data: Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data from 1 to 28 and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.7 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level + 1.4

大邱 TAIKŪ.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a daily mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Form of Cloud. Includes sub-columns for morning and afternoon readings and a daily mean.

重力ノ更正 Reduction to standard gravity..... - 0.6 自記器ニ據ル By self-recorder.

大邱

木浦 MOPPO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a daily mean.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Form of Cloud. Includes sub-columns for morning and afternoon readings and a daily mean.

重力ノ更正 Reduction to standard gravity..... - 0.7 自記器ニ據ル By self-recorder.

木浦

仁川

ZINSEN.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

仁川

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount of Clouds (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面へ更正 Reduction to mean sea level ..... + 6.5

京城

KEIZYŌ.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

京城

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount of Clouds (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面へ更正 Reduction to mean sea level ..... + 3.1

自記器ノ減少 By self-recorder.

平壤 HEIZYŌ.

大正四年二月

FEBRUARY, 1915.

平壤

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day in February 1915.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day in February 1915.

重力ノ更正 Reduction to standard gravity ... - 0.4
海面ノ更正 Reduction to mean sea level ... + 4.7

自記器ニ據ル By self-recorder.

江陵 KŌRYŌ.

大正四年二月

FEBRUARY, 1915.

江陵

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day in February 1915.

Table with columns for Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day in February 1915.

重力ノ更正 Reduction to standard gravity ... - 0.5
海面ノ更正 Reduction to mean sea level ... + 1.1

自記器ニ據ル By self-recorder.



元山 GENSAN.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

元山

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Mean column.

重力ノ更正 Reduction to standard gravity ..... - 0.4 自記器ニ據ル By self-recorder. 海面ノ更正 Reduction to mean sea level ..... + 0.3

城津 ZYOSIN.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

城津

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Mean column.

重力ノ更正 Reduction to standard gravity ..... - 0.3 自記器ニ據ル By self-recorder. 海面ノ更正 Reduction to mean sea level ..... + 0.4

大正四年二月

雄基

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.2
海面ノ更正 Reduction to mean sea level ..... + 0.5
自記器ニ據ル By self-recorder

FEBRUARY, 1915.

大正四年二月

中江鎮

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 31.4
自記器ニ據ル By self-recorder

龍巖浦 RYUGANPO.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-28 and monthly averages.

巖浦

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-28 and monthly averages.

\* 重力ノ更正 Reduction to standard gravity ..... - 0.3 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level ..... + 0.6

大連 DAIREN.

FEBRUARY, 1915.

大正四年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-28 and monthly averages.

大連

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-28 and monthly averages.

\* 重力ノ更正 Reduction to standard gravity ..... - 0.4 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level ..... + 1.3

Table with columns for Day, Air Pressure (mm), Direction and Velocity (m/sec) of Wind, and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

旅順

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 7.7

Table with columns for Day, Air Pressure (mm), Direction and Velocity (m/sec) of Wind, and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

營口

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 24-hour mean.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4