WLW Focus Group: Banner campaigns

User:Ciell

Wiki Loves Women - 29 Nov 2023



User:Ciell

- Active in the movement since 2006
- Admin, organizer, jane-of-all-trades, curious about the world
- Became CN admin when my requests were not handled in time. :)
- Not a developer, but a social worker by education.



Agenda

- Presentation by Ciell
- Questions!!
- CN banner requesting exercise

Introduction


Other mass communication tools

m:Special:MassMessage

Send mass message	
You can use this special page to send talk page messages to a list of users quickly and easily. This is a very powerful tool , and it is strongly suggested that you read the documentation before using it. You are fully responsible for an inappropriate recipients lists, etc.). Be sure to read the caveats.	y mistakes (incl
Use the form below to send messages to a specified list (full documentation; log). All form fields are required.	
Send mass message —	
Page or category containing list of pages to leave a message on:	
Subject of the message (also used as the edit summary):	
This is ignored if a section of the page is selected to be sent as subject	
Page to be sent as a message:	
	<u>individual tools like</u>
The message body, if provided, will be appended to the end of the content from the selected page. Section of the page to be sent as subject:	
Section of the page to be sent as subject:	mass wikimails
Select a page and preview the form to see a list of available sections. If a section is selected only that will be sent as subject. Newlines and tags	are stripped.
Section of the page to be sent as message:	
Select a page and preview the form to see a list of available sections. If a section is selected only that will be sent as message.	
body of the message:	eta.wikimedia and a sysop here, at de.wikipedia, commons.wikimedia and meta.wikimedia, and an oversight there
rd	of Wikimer in Cormony in 2011 to 2012. My contributions can be found here, and coded by page 2022 here. At the
	Please enter the people to be contacted separated by semicolon, e.g.: TheWizard;DerHexer
	TheWizard;DerHexer
	ontribution
	OK Abbrechen

Other banner types


MediaWiki:Watchlist-summary



MediaWiki:Sitenotice



Global banners



Main facts

- What? CentralNotice is a tool for providing information in banner campaigns for targeted audiences
- Where? Metawiki: m:Special:CentralNotice
- Wherefrom? back in ~ 2012 originally created for fundraising,
 later used for community initiatives like WLM
- For whom? every person on m:CentralNotice/Request
- By whom? few <u>CentralNotice administrators</u>, <u>stewards</u> resp.
 <u>WMF staff</u>
- How? low coordination, almost no technical development

Functionality

Functions (beginners)

- each campaign can be focused on:
 - the current Wikimedia project
 - language of user settings
 - geolocation of IP address (national and regional)
 - full or partial display
 - logged-in or anonymous users
 - mobile or desktop version
- various statistics (tracking)
- campaign types (which can be disabled in user settings)

Functions (experts)

- display JavaScript or CSS
 - often just a clickable graphic is given in the request
 - various adjustments would be possible because <u>magic words</u> as well as <u>MediaWiki configuration</u> <u>values</u> can be used, e. g.:
 - edit count

user groups

registration date

gender

- page title
- . new: WMDE project to target (sub)categories

Examples of functionality

- banner for all accounts with gender female set which have been created less than 3 years ago or just made between 10 and 50 edits per month in the last year
- notifying readers of articles on marginalized topics in a region to a nearby edit-a-thon on the same topic
- invitation of active editors who read Wikipedia articles on chemistry to the WikiProject Chemistry
- notification for all functionaries to join the UCoC functionaries meetings
- theoretically displayed for individual users or pages
- etc.

Campaigns & banners

Admin interface

Central notice admin

? Help


CENTRALNOTICE	Banner Requests	Campaign Calendar	Usage Guidelines	Frequent questions	Admin Interface	Interface Documentation
This extension allows administrators to	create and edit banner campaigns	across multiple wikis. Documentat	ion can be found at Help:Central	lNotice.		[edit]
Please add potential notices to the guidelines.	e CentralNotice calendar and o	discuss potential changes with	the project sponsor prior to ma	aking them. See also the Centr	alNotice usage guidelines a	nd banner
Current cache settings: Banners: 10	min server, 0min client; Geo: 0min	. Note: Campaigns are not cached -	rather, banners assigned to camp	paigns are cached.		
Testing: The Afar Wikipedia (aawiki) ar separate instance of CentralNotice.	nd many others have been closed	d, but are still live and can be targe	ted from CentralNotice campaigns	s. Alternately you can test on test.v	wikipedia.org but note that it ru	ns a completely
Emergencies: Any urgent issue regard	ling any ongoing campaign or live	banner should be reported to #wik	imedia-fundraising ^{connect} or jse	ddon@wikimedia.org.		
		Building a bassas Need	a template to use? Try templa	421		

Manage campaigns

Campaign name \$	Campaign type	Projects +	Languages +	Countries and ¢ regions	Starting (UTC) •	Ending (UTC) •	Enabled ¢	Priority	•	Limit traffic •	Locked ¢	Archive
Discussion_Tools_feedback_2022_03	No type (always shown)	wikipedia	ar	All	2022-03-21 16:00	2022-03-28 16:00		normal	v)			
Universal Code of Conduct ratification 2022	Governance	All except test	All except blk, fon, gaa, gld, gur, hsn, kea, ksw, nmz, nod, nyn, rsk, se-fi, se-no, se-se, sjd, sje, sms, vmw and yrl	All	2022-03-16 00:00	2022-03-21 23:59	S	normal	~			

Campaign

Campaign: wmcz_conference_2019_round2



Campaign

☐ Large banner limit and switch	
Show a large banner once, then switch to small banners. Place large banners in buckets A and B a	and
small banners in buckets C and D.	
☐ Banner sequence	
Set multiple banners to display in a specific order.	
☐ Impression events sample rate	
Set a non-default sample rate for logging impression events.	

 Assigned based 	anners —	
Give all ban	ners equal	weight ☑
Remove	Bucket	Banners
	A ~	wmcz_conference_2019_anon
	Α ~	wmcz_conference_2019

Filter banners	
Filter banners (e.g. Jimmy 2008)	Apply filter
2	

Banner settings

Settings —	
Category	
{{{campaign}}} Banners of a specifi	c category share tracking variables and group settings (e.g. hide cookies and impression counts).
	n be magic words like {{{campaign}}}} or {{{banner}}} which will be automatically expanded at display
time. Values must b	
Display to	
☑ Logged in use	ers
☐ Anonymous u	sers (remember to uncheck unless necessary)
Display on: (if you	are setting a banner to appear on the mobile site, please test it there first)
☑ (desktop) Des	sktop Computer
☑ (android) And	roid OS
(iphone) All iF	Phone versions
(ipad) All devi	ces identified as iPads but not iPhones
☑ (unknown) De	evices on the mobile site which are not iPhones, iPads, or Android - (Selector logic)
Mixins	
Check each mixin th	nat you want to be included during banner delivery. (See Banner mixins for more information.)

CentralNotice code

```
Edit banner
Warning: Loading external resources into a banner can compromise user privacy.
To create a localisable message, enclose a string in three curly brackets, e.g. {{{message_name}}}}. To use a localisable
message from another banner, include the banner name followed by a comma, then the message name, e.g.,
{{{banner_name,message_name}}}.
Magic words provided by banner mixins: {{{banner}}} and {{{campaign}}}
<!-- For guidance or help with this banner, contact Seddon (WMF) -->
<!-- This banners is set up to run to loggedin users only -->
/* Main banner container. Banner: background, border colour and width and adding a margin between
banner and article header*/
.cnotice {
    position: relative;
    overflow: hidden;
    background: #f8f9fa;
    border: 1px solid #a2a9b1:
    border-radius: 2px;
    margin-bottom: 1em;
    cursor: pointer;
    color: #222;
    font-weight: 500;
/* Sets the minimum banner height. If img + logo-container margins > height. Banner will be
larger*/
#cnotice-main {
    display: table;
    width: 100%;
    height: 80px; /* need to set height for height 100% to work on elements within it */
```

Summary Message about these changes (optional)

Delete | Clone | Save

Magic words

Variables [edit]

Further information: mw:Help:Magic words § Variables, and Wikipedia:Page name § sub

Shortcut WP:VAR

Page name variable	Output	Description
{{FULLPAGENAME}}	Help:Magic words	Canonical page name. Title line. Title unless letter-case is altered with {{DISPLAYTITLE}}.
{{PAGENAME}}	Magic words	Title line excluding namespace.
{{BASEPAGENAME}}	Magic words	Title of parent page, excluding namespace.
{{ROOTPAGENAME}}	Magic words	Title of topmost parent (before all subpages), excluding namespace.
{{SUBPAGENAME}}	Magic words	On a subpage, rightmost portion of <i>current</i> title; higher subpagenames show as backlinks.
{{ARTICLEPAGENAME}}	Help:Magic words	Title of the subject range passed to with the surrent range. These are useful an tally range (but are not a hour Category tally range)
{{SUBJECTPAGENAME}}	Help:Magic words	Title of the subject page associated with the current page. These are useful on talk pages (but see note about Category talk pages).
{{TALKPAGENAME}}	Help talk:Magic words	Title of the talk page associated with the current page. Useful on subject pages.
{{NAMESPACENUMBER}}	12	Number of the current page's namespace.
{{NAMESPACE}}	Help	Namespace of the title.
{{ARTICLESPACE}}	Help	
{{SUBJECTSPACE}}	Help	On a talk page, the namespace part of the title of the associated subject page.
{{TALKSPACE}}	Help talk	Namespace of the talk page associated with the current page.
{{FULLPAGENAMEE}}, {{PAGENAMEE}}, (etc.)	Help:Magic_words, Magic_words, (etc.)	Adding an E to the end of the above variables, renders the above encoded for use in MediaWiki URLs (i.e. with underscores replacing spaces).
{{SHORTDESC}}		Only works on the English Wikipedia, where it displays a short description below the article title on mobile platforms. See Wikipedia:Short description.

Note: The magic words above can also take a parameter, in order to parse values on a page other than the current page. A colon (:) is used to pass the parameter, rather than a pipe (|) that is used in templates, like {{MAGICWORD:value}}. For example, {{TALKPAGENAME:wikipedia:MOS}} returns wikipedia talk:MOS on any page.

Note: In the "Category" and "Category talk" namespaces, to wikilink (some) page name variables may require prefixing a colon to avoid unwanted categorization.

MediaWiki configuration variables

All pages (user/page-specific) [edit]

Name	\$	Type +	Description	Availability \$
wgAction		String	The action performed, e.g. "edit" for edit pages, or "view" for page views. See Manual:Parameters to index.php#Actions.	MW 1.10+
wgArticleId		Integer	The internal ID of the page. For non-existent pages and special pages, it is zero.	MW 1.8+
wgCanonicalNamespace		String	The canonical (i.e., not localized or aliased) namespace name of the page.	MW 1.8+
wgCanonicalSpecialPageName		String or false or not defined	On special pages, the canonical (i.e., not localized or aliased) name of the special page; otherwise it is not defined at all (up to and including MW 1.15) or is set to false (since MW 1.16).	MW 1.9+
wgCategories		Array of strings	The list of all the categories a page belongs to. This is essentially a JavaScript version of the category box shown on the page (grey box at bottom of page, in Monobook/Vector). If the category box is not shown on the current page (as is the case when editing/viewing history), wgCategories will be an empty array.	MW 1.16+
wgCurRevisionId		Integer	The top revision ID of the currently viewed page at the time the page was served. Also set on diff and history pages; zero for special pages.	MW 1.9+

Related to the user currently viewing the page:

Name ♦	Type ♦	Description	Availability \$
wgUserEditCount	Integer	The number of edits the current user made (null if not logged in).	MW 1.21+
wgUserGroups	Array of strings	An array containing all the (local) user groups the current user is a member of, or null for non-logged-in users. User groups are identified by the internal user group names, e.g. "sysop", "autoconfirmed", "bureaucrat", and so on. The default user group is named "*".	MW 1.10+
wgUserId	Integer	The numeric ID of the current user (null if not logged in).	MW 1.21+
wgUserLanguage	String	The language code for the user's interface language, as set in Special—Preferences (which may be overridden by a uselang= parameter in the URL).	MW 1.8+
String The user name of the user currently viewing the page, if it's a logged-in user. For non-logged-in users, it is null (not the user's IP address, unlike PHP \$wgUser->getName() on the server).		MW 1.8+	
wgUserRegistration	Integer	The time and date on which the current user registered, represented as milliseconds since epoch. Null if not logged in.	MW 1.21+

(sub)category targeting (de.wp)

w:de:Wikipedia:Förderung subpage

Themenbanner – Bannerkampagnen für ausgewählte Kategorien beantragen

Diese Schritt-für-Schritt-Anleitung soll es interessierten Community-Mitgliedern ermöglichen, CentralNotice-Bannerkampagnen zu beantragen, die nur in bestimmten Kategorien der Wikimedia-Projekte anzeigt werden. Dazu stellt sie ausführlich jede einzelne Handlung dar; Screenshots sollen die Erläuterungen bereichern. Diese Anleitung ergänzt zudem eine Präsentation auf der WikiCon 2021 zum Thema "Mit Banner in Kategorien einfach Community erreichen" (Präsentationsfolien).

Inhaltsverzeichnis [Verbergen]


- 1 Schritt 1: Kategorienbaum oder -bäume wählen
- 2 Schritt 2: Vollständige Liste an Unterkategorien erstellen
- 3 Schritt 3: Vollständige Kategorienliste in Liste für das Banner umwandeln
- 4 Schritt 4: Umgewandelte Liste für das Banner mit sonstigem Bannerquelltext kombinieren
- 5 Schritt 5: Bannerkampagne beantragen
- 6 Verbesserungsmöglichkeiten
- 7 Kontakt und Hilfe
- 8 Anmerkungen

document.getElementById("hrefwmdesurvey").href = "https://lime.wikimedia.de/index.php/" + thisSurvey; document.getElementById("textwmdesurvey").innerHTML = "Wusstest du, dass du auch zum Bearbeiten von " + thisText + " in Wikipedia Förderung erhalten kannst? Teile in einer kurzen Umfrage mit, was dir dabei besonders helfen könnte."; //korrekte Anpassung der Links und des Bannertextes

How to request a banner campaign

Where to request

- can be requested by everyone on Metawiki (<u>m:CentralNotice/Request</u>)
- submit a title → a template with many parameters will be loaded;
 it's common to fill in English text



Empty template

Creating CentralNotice/Request/Test

Please add your request at CentralNotice/Request, after creation. Thank you! B / xℓ ∞ M W → Advanced > Special characters > Help {{subst:CentralNotice/Request/Source |Name= {{subst:SUBPAGENAME}} |campaigndescription= |from =<!--- Date-Month-Year: 1st January 1900 ---> |to =<!--- Date-Month-Year: 1st January 1900 ---> | projecttarget = <!--- Wikipedia/Wikibooks/Commons etc. ---> |languagetarget = <!--- One Language (English) / Multiple Languages (Farsi/English/Malay etc.) ---> |usertarget = <!--- Logged In users, Anonymous Users or Both? Do you want to target users with a specific number of edits or average monthly? ---> |countrytarget = |Metrics= |bannerchoice= |landingpagelink= |granttype= |grantlink= }}

Completion of the template 1/3

- Name: please do not change that
- campaigndescription: short description of the planned campaign;
 please also add a link to a discussion in the community about that
 particular campaign
- from: start of the banner campaign (not the planned event!) in a readable date format
- to: end date of the campaign
 - please pay attention to the international calendar and try to avoid overlapping campaigns (<u>m:CentralNotice/Calendar</u>)

Completion of the template 2/3

- projecttarget: choose Wikipedia, Commons or sister project(s)
 as the main target of the campaign
- languagetarget: Polish, Austrian German, English or any other language in which the campaign should be displayed
 - as with any other translation on Metawiki, the source language needs to be English; please have translations at hand and local communities informed
- usertarget: the campaign should either be displayed for logged-in or anonymous users (or both)
- countrytarget: (optional) display in a country, federal state,
 canton, etc.

Completion of the template 3/3

- bannerchoice: (will be elaborated on next pages)
- landingpagelink: please add a link to the project page (= landing page)
- Metrics, granttype, grantlink: (pretty optional) please add links to your approved grant request and mention the planned metrics

Other settings

- display handled by CentralNotice administrators, comments can be made by requesters
 - diet: total number of displays, displays per week, etc.
 - weight: percentage of campaign display
 - priority: low, normal, high, emergency
 - campaign type: advocacy, article writing, photography, event,
 fundraising, governance (+maintenance, special)
- usual display: 3 to 5 times per week at 100 % weight at normal priority
- intention: reduce banner blindness and overlapping campaigns

Parameter "bannercoice'

- very wide range of options thanks to the combination of HTML, CSS and JavaScript as per above
- the three most common forms of requests
 - clickable image which takes you to a landing page
 - designed banner by an agency, WMF/WMDE software development department
 - 3

Standard [edit|edit source]

<div id="wda-banner {{{banner}}}" class="plainlinks" style="background:white; border:4px solid #36987a; text-align: justify;</pre> padding:7px;"><img src="https://upload.wikimedia.org/wikipedia/commons

/f/f9/lcon %27Natur%27 für WikiDaheim mit Kategoriebezeichnung.svg" width="90px" style="float: right;" /><div style=" margin:5px ; fontsize: 120%; overflow: hidden; text-align: center; padding: 1.2em;line-height:1em;"><b style="color:#24224c; font-family: 'Space Mono', 'Times New Roman', serif;"><u>Der Fotowettbewerb WikiDaheim 2021 hat begonnen, gleichzeitig findet heuer auch Wiki Loves Earth bis 31. Juli 2021 statt! < br/>
- Mach mit - auch Beiträge zu weiteren österreichischen Themen werden gesucht!</u></div><div>style="text-align: center;"></div> <div id="cnotice-toggle-box"> </div>

Week 1 [edit | edit source]



Der Fotowettbewerb WikiDaheim 2021 hat begonnen, gleichzeitig findet heuer auch Wiki Loves Earth bis 31. Juli 2021 statt!

Mach mit – auch Beiträge zu weiteren österreichischen Themen werden gesucht!



The standard banner 1

standard banner variant with adjustments



- logo: please choose one logo of your choice: only files on Wikimedia
 Commons can be used; it's recommended to link an <u>SVG</u> graphic with
 transparent background more than one logo is possible but needs
 adjustment of the standard banner which not all CN admins can
- text: it's recommended to request a text of 50 to 70 characters; however, most CN administrators are able to adjust the standard banner
- script: any kind of design and technical adjustments like background color, minimum edit count/registration date, script for category targeting, etc.

The standard banner 2

Example text:

|bannerchoice=Please use the standard banner with logo [[:File:SomeLogo.svg]] and text "Some text for the banner". Please also add the code on my user subpage [[:w:de:Special:Edit/Spezial:Meine_Benutzerseite/Themenbann er]] at the end of the banner.

31

Completed template, preview (example)



Completed template, saved (example)

Treffen der Redaktion Film und Fernsehen November 2021

• Martin Rulsch (WMDE) (talk • contribs • page moves • block user • block log), primary contact (Requested at 10:17, 25 March 2022 (UTC))

Central Notice Settings What is the campaign duration? • 1st November 2021 → 7th November 2021 Which projects will you be targeting? • Wikipedia What languages will you be targeting? • German Do you wish to show banners to Logged In users, Anonymous Users or Both? Do you want to target users with a specific number of edits or average monthly? • Logged In users What countries will your campaign target? Banner/Campaign Diet: • To be determined by Central Notice admin

What is the purpose of the campaign? How will you measure the success of the campaign?

Description - campaign in dewiki categories Film and Fernsehen (TV) in order to invite editors to a meetup of the Redaktion Film und Fernsehen (WikiProject Film and TV), as per w:de:Wikipedia Diskussion:Redaktion Film und Fernsehen/Redaktionstreffen 2021

Metrics -

What banner(s) will you use? What will be your landing page?

Banners - Please use the standard banner with logo File:Emojione BW 1F4FD.svg and text "Die Redaktion Film und Fernsehen der deutschsprachigen Wikipedia trifft sich am 19. und 20. November 2021 zu einem Online-Redaktionstreffen. Wenn du neugierig bist, zu diesen Themen mitmachen und den Themenbereich mitgestalten willst, schau hier auf der Vorbereitungsseite zum Treffen herein und melde dich zur Teilnahme an!". Please also add the code on my user subpage w:de:Special:Edit/Benutzer:Martin Rulsch (WMDE)/ThemenbannerRFF at the end of the banner.


Landing Page - https://de.wikipedia.org/wiki/Wikipedia:Redaktion Film und Fernsehen/Redaktionstreffen 2021@

Is this project grant funded? Please provide a link

Type of grant -

Last steps!

- copy the page title and add your new banner campaign request to the request page and the calendar
- watch the request page and banner preview, respond to questions and ping CentralNotice administrators when the request did not get any attention before your campaign



Discussion

What are your ideas for campaigns?

Do you have any other questions?

Let's practice!

Let's request and create a CN banner campaign for Wiki Loves Africa 2024.

Links bank

- CentalNotice on Meta: <u>https://meta.wikimedia.org/wiki/CentralNotice</u>
- CN FAQ: <u>https://meta.wikimedia.org/wiki/CentralNotice/FAQ</u>
- CN Request page: https://meta.wikimedia.org/wiki/CentralNotice/Request
- CN calendar: <u>https://meta.wikimedia.org/wiki/CentralNotice/Calendar</u>
- List of alternative ways to CN banners to reach people in the wikiverse:
 - https://meta.wikimedia.org/wiki/Campaigns/Foundation_Product_Team/Event_Discovery