DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2951

(2) Folder title/number: (26)
463: Fuel, Light, Water & Power

(3) Date: Feb. 1948 - Oct. 1948

(4) Subject:

Classification	Type of record
9617	e

(5) Item description and comment:

i) Kinki
ii) Includes Contents List

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

1. 62/48 Instructions for the Prevention of Spontaneous Combustion of Coal Stockpiles
2. 10/2/48 Estimate and Control of Petroleum Products for Japanese Contractors
3. 25/2/48 Physical Inventory of All 55 Gallon POL Drums (Reports Control Symbol QGD - (OT) - 41)
4. 3/12/4 Minimum Requirements POL Products and Ltr of Transmittal
5. 24/5/48 2nd Ind to "Repair of City Water System"
6. 8/9/48 Replacement Motors for Dependent Housing Water Pumps
7. June 48 Report on Reduction in Consumption of Petroleum Products
8. 7/8/48 Estimates of Petroleum Products for Occupation Forces
9. 9/9/48 Estimates of Petroleum Producst for Occupation Forces
10. 2/10/48 Report on reduction in consuption of petroleum products Kyoto Mil Govt
11. 13/10/48 Electric Power
12. 10/12/48 The following named industries have been excluded from power stoppages during the strike by the Densan union

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

FROM: C O KINKI MIL GOVT REGION APO 301

TO : C O KYOTO MIL GOVT TEAM APO 713

Following radio from 8th Army to I Corps quoted for your information and action: "Commander Pierre Gilly, French Mission, G2, GHQ, arrive Kyoto 19 Feb, leave 20 Feb. Official mission business. Request local transportation. (CITE D 99618)."

DEVINE

FEB 6

INTER-OFFICE

C.O.	✓
Exec.	
Adj.	
Econ.	
C.I.+E.	
Pub.Health	
Pub.Welf.	
Leg+Govt.	
Chief Clerk	
Maizuru	
Team	
File	
Action	
Info	✓
Your File	
Read. Initial +return for File	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNBS NO. _____

10 December 1948

Col. Kowalski:

The following named industries have been excluded from power stoppages during the strike by the Densan union.

Tanabe Medicine Manufacture Co.
Mitsubishi Hospital
Nippon Chemicals Co.
Inoue Electric Machinery Co.
Obayashi Kasuga Industry
Mitsubishi Paper Manufacture
Takii Farm
Nippon Flour-mill Co.
Fujizawa Medicine Manufacture Co.
Nippon Metallurgy
Kansai Carbon
Toyo Textile
Kyoto Products Co.
Provision Rationing Office (Shokuryo-Kodan)
Tsuen Ration Distribution Station
Heian Industry
Kyoritsu Electric Machinery Co.
Murata Foundry
Inamoto Copper Sheets Workshop
Heian Products Co.
Showa Copper Sheets Workshop
Tomishige " "
Matsumi " "
Muranaka " "
Asada Alloy Co.
Mr. Kiichiro Otsu
Yamashina Flour-mill Co.
Morinaga Provision Co.
Sanryoku Factory
Nikkin Factory
Taniguchi Sanrintan
Murata Textile Co.
Segawa Metal Goods Co.
Uratani Electric Machinery Co.
Nippon New Medicine Co.
Yamato Commercial Co.
Kanzaki Flour Mill Co.
Yada Flour Mill Co.
Mr. Manryo Nohara
Tabacco Monopoly Bureau
Takimura Textile
Nishijin Industry
Kyonishi Textile
Kyoto Special Textile
Futaba Fibre
Naigai Textile

1-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO. [redacted]

Kyobi Technological Goods
Hirata Products Co.
Nisshin Alloy Co.,
Aoki Industry Workshop
Shimokyo 2nd Health Station
Kainan Dyeing Industry
Daimaru Ko.
Teikoku Transformation Co.
Examination Room of Porcelain Ware
Hirano Knitted Goods Co.
Yamaishi Bakery
National Railway Hospital
Marue Copper Sheets Co.
Showa Vacuum Co.
Nippon Refrigerator Co.
Akasaka Copper Sheet Co.
Murata Products Co.
Sakurai Metal Goods Co.
Corona Electric Bulb Co.
Hayashi Copper Sheet Co.
Kotobuki Kyu(nine) Jo
Numasaki Workshop
Yukawa Copper Sheets Co.
Shofu False Tooth Co.
Dainichi Dyeing Industry
Kyowa Products Co.
Mainichi Sha
Yasu Chemistry
Mr. Zenjiro Otsuka
Toyo Technological Goods Co.
Hamaguchi Industry
Ito Copper Sheets Co.
Sasaki Workshop
Private Industry Laboratory,
Mantetsu Tan
Kanhai Machinery Co.
Naigai Timber Co.
Provision Rationing Office (Shokuryo Kodan)
Toka Ration Station
Riken Electric Tools
Toho Yogyo Industry
Kyoto Electric Machinery Co.
Asada Alloy Co.
Yamaishi Bakery
Takayama Mine Products
Yamafuku Fish Paste
1st Industry Medicine Co.
Kyoto Industry
Okada Metal Goods Co.
Kyoto Dyeing Industry
Peniciline Factory
Yamashina Kanebo
Nisshin Chemistry

Toyo Textile
Kawashima Silk Mill
Watanabe Textile
Sumie Textile
Nishijin Enterprise

Kyoto Textile

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Filing Copy Econ Div

296 OR Econ

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

13 Oct 1948

SUBJECT: Electric Power

THRU: Kyoto Liaison Office

TO: Kyoto Office, Kansai Haiden

1. In view of the fact that the Terashima Shoe Manufacturing Company is working directly for the Occupation Forces through Post Exchange contract, it is requested that this company be left connected to the Occupation Forces line from which they are now drawing their power.

2. This is not to be construed as a request for increased power allocation, but is only meant to insure constant power for those machines used on PX contract work. The Terashima Company should be informed that all machinery not used exclusively for PX contract work should be shutdown during the days or hours specified for other factories in that district.

3. The Terashima factory is located at No. 34 Kamiyanagi-cho, Tanaka, Sakyo-ku, Kyoto-shi.

FOR THE COMMANDING OFFICER:

THOMAS R. HARPIN
1st Lt., Inf
Adjutant

11

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

REPORT ON REDUCTION IN CONSUMPTION OF PETROLEUM PRODUCTS

Organization Kyoto Mil. Govt. Team APO 301 — Reports Control Symbol CGD-2;

Month 2, October 1948.

PRODUCT (Unit is gallons except greases which are pounds)	AVGAS 73 Octane	MOGAS 80 Octane	MOGAS 72 Octane	RANGE FUEL	KEROSENE	DIESEL	SOLVENT	ENGINE OIL #10	ENGINE OIL #30	ENGINE OIL #50	GREASE GP #0	GREASE GP #1	GREASE GP #2	GREASE WP #4	ETC. Oil SAE #90
1. Total consumed			5434	310	143	280			129			63	37		51
2. Consumed by QSA															
3. Consumed by TSA															
4. Consumed by ESA															
5. Special Products															
6. Total (Lines 2 through 5)															
7. Consumed by AGRS															
8. Consumed by PG for Repatriation															
9. Consumed by PG for other than Repatriation			4468	310	143	280			129			63	37		51
10. Issued to other U. S. Government Agencies															
11. Issued to Foreign Allied Military Forces															
12. Sold for recreation			966												
13. Sold through CX Sales Store															
14. Sold to AES															
15. Used for Sanitation															

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

463 - BA

KGM/JC/ct
9 Sept 1948

SUBJECT: Estimates of Petroleum Products for Occupation Forces

TO : Commanding General
Hqs I Corps
APO 301
Attn: Military Government Section

1. Reference: Circular No. 154, Hqs 8th Army, dated 23 September 1947 (Report Control Symbol QGD-29).

2. Forwarded herewith Estimates of Petroleum Products for the Occupation Forces for the month of November 1948.

FOR THE COMMANDING OFFICER:

1 Incl:
As indicated (Dupl)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

9

DECLASSIFIED E.O. 12065 SECTION 3 402/NARS

REQUIREMENTS OF PETROLEUM PRODUCTS REQUIRED FOR OCCUPATION FORCES - Rpt Control Symbol QGD-29

~~November~~ MONTH

All liquid products are estimated in gallons; all greases in pounds

~~Kyoto~~ Pref

	Vehicles	Gasoline	Mobile	Fuel	Diesel	Grease	Project and Unit Employing Contractors
1. Construction & Rehabilitation for Occ. Forces							
2. Hauling for Occ. Forces							
3. Vehicles Contracted for Occ. Forces	35	11,000	600		300		PD JPNO 572 Kyoto Post Command
	18	3,596	200				PD JPNO 536 Camp Fisher Reconstruction Center
	3	1,700	20				PD JPNO 571P Kyoto Post Command Visitors Bureau
	3	245	9			3	PD JPNO 3960 Hqs I Corp, TI & E
4. Road Maintenance for Occ. Forces	1	300					Pref Road Main. Kyoto Mil Govt
5. Heating of Installations for Occ. Forces							
6. Total Estimat	60	~~16,841~~	~~859~~		~~300~~	~~3~~	
7. Am't consumed in Pref by last day of month.		16,274	786			0	
8. Balance on hand in Pref. on last day of month.		4,728	158			12	

REMARKS: Vehicles contracted by Kyoto Post Command operated about 16 hours per day and thus requires more than 300 gallons of gasoline per vehicle per month. Service has been extended from Kyoto to Otsu and hydroponic farm for dependents in that area operating 11 hours per day. Diesel oil is to be used in new diesel powered bus recently received from manufacturer. Buses for Vistors Bureau consumes greater amount of gasoline because of size and length of scheduled runs. Amount for Kyoto Mil Govt will be required for maintenance of road used by Occupation Forces. The amount for TI & E will be required for distribution of Stars & Stripes.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO. _____

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

KGM/JC/et
7 Aug 1948

463 - BA

SUBJECT: Estimates of Petroleum Products for Occupation Forces

TO : Commanding General
Hqs I Corps
APO 301
Attn: Military Government Section

1. Reference: Circular No. 154, Hqs 8th Army, dated 23 September 1947 (Report Control Symbol QGD-29).

2. Forwarded herewith Estimates of Petroleum Products for the Occupation Forces for the month of October 1948.

FOR THE COMMANDING OFFICER:

1 Incl:
As indicated (Dupl)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

8

DECLASSIFIED E.O. 12065 SECTION 3-402/NWD

Month ESTIMATE OF PETROLEUM PRODUCTS REQUIRED FOR OCCUPATION FORCES - Rpt Control Symbol QGD-29
All liquid products are estimated in gallons; all greases in pounds

	Vehicles	Gasoline	Mobile Fuel	Diesel	Grease	Project and Unit Employing Contractors
1. Construction & Rehabilitation for Occ. Forces						
2. Hauling for Occ. Forces						
3. Vehicles Contracted for Occ. Forces	35	11,000	550			PD JPNO 572 Kyoto Post Command
	18	3,598	200			PD JPNO 596 Camp Fisher Reconstruction Center
	3	1,650	45			PD JPNO 571B Kyoto Post Command Visitors Bureau
	3	618	39		12	PD JPNO 3960 Hq I Corp TI & E
4. Road Maintenance for Occ. Forces	1	300				Pref. Road Maintenance Kyoto Military Government
5. Heating of Installations for Occ. Forces						
6. Total Estimate	60	17,166	894		12	
7. Am't consumed in Pref by last day of month.		16,437	722	1,045		
8. Balance on hand in Pref. on last day of month.		3,352	106			

REMARKS: Vehicles contracted by Kyoto Post Command operated about 16 hours per day and thus requires more than 300 gallons of gasoline per vehicle a month. Services have been extended from Kyoto to Otsu for dependents in that area operating 11 hours per day.
Buses used by Visitors' Bureau consumes greater amount of gasoline due to size and length of schedule runs.
Amount for Kyoto Mil Govt Will be required for maintenance of road used by Occupation Forces.
The amount for TI & E Sect. includes July, August & September to cover the 3 month period since they were unaware that ferecast report was required at that time as mentioned in Cir. #154.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

REPORT ON REDUCTION IN CONSUMPTION OF PETROLEUM PRODUCTS

Organization Kyoto Mil Govt Team APO 301 — Reports Control Symbol CGD-2;

Month June, 1948

PRODUCT (Unit is gallons except greases which are pounds)	AVGAS 73 Octane	MOGAS 80 Octane	MOGAS 72 Octane	RANGE FUEL	KEROSENE	DIESEL	SOLVENT	ENGINE OIL #10	ENGINE OIL #30	ENGINE OIL #50	GREASE GP #0	GREASE GP #1	GREASE GP #2	GREASE WP #4	ETC. SAE #90
1. Total consumed			5530	105	136	95		17	129			30	50		21
2. Consumed by QSA															
3. Consumed by TSA															
4. Consumed by ESA															
5. Special Products															
6. Total (Lines 2 through 5)															
7. Consumed by AGRS															
8. Consumed by MG for Repatriation															
9. Consumed by MG for other than Repatriation			4674	105	136	95		17	129			30	50		21
10. Issued to other U. S. Government Agencies															
11. Issued to Foreign Allied Military Forces															
12. Sold for recreation															
13. Sold through CX Sales Store			856												
14. Sold to ASS															
15. Used for Sanitation															

Thomas T. Harkin
1st Lt. Inf

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO: [redacted]

File Copy Gen. Economics 9/17

463.1

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

EIC/ct
8 Sept 1947

SUBJECT: Replacement Motors for Dependent Housing Water Pumps

TO : Kyoto Branch of Osaka Finance Bureau

THRU : Kyoto Liaison Office

You are directed to deliver to the Engineer Supply Officer, I Corps, Nijyo Station, Kyoto the following electric motors.

Motor, electric,	1.35	HP	3 each
Motor, "	1.5	HP	1 each
Motor, "	3.	HP	20 each

The motors are now located at the 2nd Tokyo Military Arsenal, Uji Factory, Kyoto.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

SEP 9 1947

6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Use of Separations Marks

KYOTO POST COMMAND
(Kyoto, Honshu)
APO 301

13 June 1947

SUBJECT: Replacement Motors for Dependent Housing Water Pumps

TO: Commanding Officer, Kyoto Military Government Team
APO 713

1. The following listed motors are needed as standby and replacement equipment for dependent housing water pumps.

H.P.	Quantity
1.33	3
1.5	1
3.0	20

2. We are informed that these motors can be obtained at the Uji Arsenal.

3. The assistance of your organization is requested in procuring these motors.

FOR THE POST COMMANDER:

Charles E. Turner
CHARLES E. TURNER
Major, AGD
S-1

Incl 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/ey
11 July 1947

004 - BA

SUBJECT: Replacement Motors for Dependent Housing Pumps.

TO : Commanding General, I Corps, APO 301
Attn: Mil. Govt., Res & Ind Secting

1. Petition from Kyoto Post Command for procuring Twenty four (24) motors is enclosed for your consideration.

2. These motors are available at the Uji Branch of the Second Tokyo Military Arsnal (code number 22-23). There are no other motors of this horsepower available in this area. Request they be released to the Kyoto Post Command.

FOR THE COMMANDING OFFICER:

Thomas R. Harbin
THOMAS R. HARBIN
1st Lt., Inf.
Adjutant

Incl:
1 Petition from Kyoto Post Command.

8th ARMY FILE NO. AG 383

(4)

53887

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

2761

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Replacement Motors for Dependent Housing Pumps", dtd 11 July 1947.

620
AG 004 - BA 1st Ind EHN/af
414.1
Hq I Corps, APO 301, 18 JUL 1947

TO: CG, Eighth Army, APO 343

1. Reference: letter, Headquarters Eighth Army, AG 386.3 (MG-Em), subject: "Release of Equipment from Military and Naval Arsenals, Laboratories, Aircraft and Munition Plants Listed for Reparations", dated 3 July 1947.

2. Inclosed herewith is a petition from the Kyoto Post Command for release of 24 motors from the Uji Branch of the Second Tokyo Military Arsenal which is presently inventoried under code number 22-23 in Kyoto Prefecture. Inasmuch as such motors are not available from any other source, it is the recommendation of this headquarters that the inclosed petition be given favorable condition.

FOR THE COMMANDING GENERAL:

H. B. Taylor
H. B. TAYLOR
MAJOR, A.G.D.
ASST. ADJ. GEN.

1 Incl:
n/c

AG 414.1 (LDCR) 2nd Ind

Headquarters Eighth Army, APO 343 21 AUG 1947

TO: Commanding General, I Corps, APO 301

1. Action has been initiated by this headquarters to require the Japanese Government to deliver from the 2nd Tokyo Military Arsenal, Uji Factory, Kyoto, the following electric motors:

Motor, electric, 1.33 HP	3 each
Motor, electric, 1.5 HP	1 each
Motor, electric, 3 HP	20 each

2. Directions will be issued to the Japanese Government for delivery of the above to Engineer Supply Officer, I Corps, Nijyo Station, Kyoto.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

B-126
HQ. I CORPS
AG 414

Otis N. Luckman
OTIS N. LUCKMAN
Capt A.G.D.
Asst Adjutant General

8
1 Incl
n/c
57935

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO: [redacted]

TO: SGT. Matthews, WKGT.

Information on Motors
located in Uji Powder Plant

30 Oct 1947

These motors are coupled with acid pumps, but pumps are unable to use for the purpose, by corrosion.

As a motor, they are perfect.

2 HP	22-23-1466	1
	1467	1
3 HP	22-23-1367	1
	1392	1
	1395	1
	1396	1
	1397	1
	1399	1
	1400	1
	1401	1
	1402	1
	1403	1
	1404	1
	1405	1
	1418	1
	1459	1
	1460	1
	1462	1
	1463	1
	1464	1
	1471	1
	1512	1
	1530	1
Total		23

Kazuhiro Hayeda

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

BASIC: Ltr, Kyoto Mil Govt Team, 004 - BA, subj: "Replacement Motors for Dependent Housing Pumps", dtd 11 Jul 47

AG 414.1 - BA 3rd Ind EHN/abh/ay

Hq I Corps, APO 301, 25 AUG 1947

TO: CO, Kyoto Mil Govt Team, APO 713

Your attention is directed to 2nd indorsement.

BY COMMAND OF MAJOR GENERAL WOODRUFF:

Wilder A. Johnson.

WILDER A. JOHNSON
Capt., A. G. D.
Asst. Adj. Gen.

1 Incl:
n/c

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

To - Econ

Memo

TO: Major Sheffield

Recommend approval as of 1st Ind.

/s/ Kenneth G. Mosser
KENNETH G. MOSSER
Capt Inf
Ass't Econ. Officer

OK Rothen
notify

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

BASIC: Ltr, Kyoto Mil Govt Team, subj: "Repair of City Water System", dtd 4 May 1948

2nd Ind ELC/ct

Hq, Kyoto Military Government Team, APO 713 24 May 1948

THRU: Kyoto Liaison Office

TO : City Water Works Section
Kyoto City

Approved

FOR THE COMMANDING OFFICER:

CURTIS E. HEALTON
Major, T.C.
Acting Adjutant

RECEIVED MAY 23

Economics file copy

5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [redacted]

C-O-P-Y

671 1st Ind

Kyoto Post Command, Kyoto, Honshu, APO 301, 13 May 1948

TO: Kyoto Military Government Team, APO 713
Attn: Lt Harbin

1. Recommend approval as a closed canal is highly desireable in p place of the present open cannal.

2. Further recommend that until such time as the new pipe line is installed, that the canal be cleaned at least once a month and that closer supervision be given by the Water Department to see that residents do not throw trash or rubbish into the canal.

BY ORDER OF THE DEPUTY POST COMMANDER:

/s/Grady L. Hicks
/t/GRADY L. HICKS
1st Lt, Inf
Post Adjutant

1 Incl
n/c

C-O-P-Y

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

BASIC: Ltr, Hq Kyoto Mil Govt Team, APO 713, dtd 20 Jan 48, subj: "Release of Enemy Installations"

2nd Ind

1 Incl:
1 Items

1. Former Maizuru Naval Port, Maizuru-shi, Kyoto-gu No. 1 Parade Ground.
2. Maizuru Naval Port No. 2 Parade Ground (Maizuru Navy Personal Dept. Area)
3. Maizuru Naval Port Roads within the compound
4. Maizuru Naval Port Waterworks
5. Maizuru Naval Port Waterworks (Additional Equipment)
6. Former Maizuru Naval Port Waterworks Ariji Source Area
7. Maizuru Naval Port Waterworks Source.
8. Maizuru Naval Port Waterworks Kitasui Clearing Bed
9. Maizuru Naval Port Waterworks Enoki Water Distribution Pond.
10. Maizuru Naval Port Onami Water Distribution Pond.
11. Maizuru Naval Port Railroad cite.
12. Maizuru Naval Port Waterworks, Kamiyasu Pump House.
13. Maizuru Naval Port Maizuru Navy Port Administration Dept War time ship Inspection Station.
14. Maizuru Naval Port East Gate Sentinels Waiting House.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Y-T-O-O

BASIC: Ltr, Hq Kyoto Mil Govt Team, APO 713, dtd 20 Jan 48, subj: "Release of Enemy Installations"

2nd Ind

1 Incl:
1 Items

1. Former Maizuru Naval Port, Maizuru-shi, Kyoto-gu No. 1 Parade Ground.
2. Maizuru Naval Port No. 2 Parade Ground (Maizuru Navy Personal Dept. Area)
3. Maizuru Naval Port Roads within the compound
4. Maizuru Naval Port Waterworks
5. Maizuru Naval Port Waterworks (Additional Equipment)
6. Former Maizuru Naval Port Waterworks Ariji Source Area
7. Maizuru Naval Port Waterworks Source.
8. Maizuru Naval Port Waterworks Kitasui Clearing Bed
9. Maizuru Naval Port Waterworks Enoki Water Distribution Pond.
10. Maizuru Naval Port Onami Water Distribution Pond.
11. Maizuru Naval Port Railroad cite.
12. Maizuru Naval Port Waterworks, Kamiyasu Pump House.
13. Maizuru Naval Port Maizuru Navy Port Administration Dept War time ship Inspection Station.
14. Maizuru Naval Port East Gate Sentinels Waiting House.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

RECEIVED
8 - MAY 1948
ELC/ct
4 May 1948

SUBJECT: Repair of City Water System

TO : Commanding General
Kyoto Post Command
APO 301

Forwarded for your information and any suggestions you deem necessary.

FOR THE COMMANDING OFFICER:

1 Incl.

THOMAS R. HARBIN
1st ~~Lt.~~ Inf
Adjutant

671 1st Ind

Kyoto Post Command, Kyoto, Honshu, APO 301, 13 May 1948

To: Kyoto Military Government Team, APO 713
Attn: Lt Harbin

1. Recommend approval as a closed canal is highly desireable in place of the present open canal.

2. Further recommend that until such time as the new pipe line is installed, that the canal be cleaned at least once a month and that closer supervision be given by the Water Department to see that residents do not throw trash or rubbish into the canal.

BY ORDER OF THE DEPUTY POST COMMANDER:

1 Incl
n/c

GRADY L. HICKS
1st Lt, Inf
Post Adjutant

DECLASSIFIED E.O. 12065 SECTION 3 402/NND 7

TO COMPLETE UNFINISHED PART OF TRANSITE PIPE LINE
BETWEEN KEAGE INTAKE AND MATSUGASAKI FILTER PLANT.

1. The transite pipe installation work have partly been completed in 1935. The unfinished part is leaving as open canal and using it now. The length of the canal is about 2,070 meters.

The total length of the transite line is about 5,150 meters. The Keage Intake side piping line is 453.5 meters which are already installed with the diameter of 1,350 m.m. Cast Iron Pipes; and the Matsugasaki Filter Plant side is also installed with the diameter of 1,500 m.m. concrete pipes and the cast iron pipes (dia. 1,350 m.m.) which are 2,626.5 meters long.

The reason why the city needs to complete the unfinished part of work is that area along the sides of canal is not satisfactory, because many houses were built since then, consequently filth things, sands and other materials are flowing into the canal; therefore it is very dangerous as source water for Matsugasaki Filter Plant, - this has been mentioned by the Occupation Force also.

This is the time that the city needs to take some kind of remedy upon the problem from the stand point of sanitation, efficiency and maintenance. In completion of transite line, it will increase about 5 tons of water per

with the diameter of 1,350 m.m. Cast Iron pipes; and the Matsugasaki Filter Plant side is also installed with the diameter of 1,500 m.m. concrete pipes and the cast iron pipes (dia. 1,350 m.m.) which are 2,626.5 meters long.

The reason why the city needs to complete the unfinished part of work is that area along the sides of canal is not satisfactory, because many houses were built since then, consequently filth things, sands and other materials are flowing into the canal; therefore it is very dangerous as source water for Matsugasaki Filter Plant, - this has been mentioned by the Occupation Force also.

This is the time that the city needs to take some kind of remedy upon the problem from the stand point of sanitation, efficiency and maintenance. In completion of transite line, it will increase about 5 tons of water per day on account of increasing pressure.

The city is trying to do this work together with the cleaning works of sands which are in the 1,500 m.m. pipes of the transite line, and which must do sooner or later.

2. Explanation of construction works:

(a) Plan for the works,

1. Place: From Fukuchi-machi, Nanzenji to the end of Street-car line of Ginkakuji as shown on the attached map.

2. Pipes Use: Use 1,350 m.m. dia. Cast Iron Pipes. (length, 2,070 meters)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

(b) Items of Enterprise Expenditures:

Items.	Quantity.	Unit.	Unit Price.	Total	Remarks.
Construction Expenditure.	2,070	Meter	¥ 18,735.00	¥ 8,781,450.00	
Indemnification Expenditure.	1			350,000.00	
Office Expenditure	1			5,868,550.00	
Total.				45,000,000.00	

(c) Investigationmen Staple Commodity:

Name of Materials.	Unit.	Quantity	Unit Price.	Sum	Remarks
Cement.	Ton.	160.00	¥ 1,714.25	¥ 274,280.00	
Iron. steel bar	"	10.00	10,000.00	100,000.00	
Steel. pipe	"	657.00	7,320.00	4,809,240.00	
Cast-iron Pipe.	"	552.00		Stock, No charges.	
Original Materials	"	27.00	7,030.00	189,810.00	
Steel 2nd. Manufactures	"	6.00	13,600.00	81,600.00	
Lead.	"	21.00	23,000.00	483,000.00	
Yarn.	Kilogram	860.00	30.00	25,800.00	
Lumber & Timber.	Koku	1,500.00	432.00	648,000.00	
Coke	Ton	20.00	2,500.00	50,000.00	
Asphalt.	"	1.00	6,000.00	6,000.00	
Gasoline.	Litre.	27,000.00	8.13	219,510.00	
Electric Welding Bar.	Ton.	2.50	34,280.00	85,700.00	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Name of Materials.	Unit.	Quantity	Unit Price.	Sum	Remarks
Cement.	Ton.	160.00	¥ 1,714.25	¥ 274,280.00	
Iron.	"	10.00	10,000.00	100,000.00	
Steel.	"	657.00	7,320.00	4,809,240.00	
Cast-iron Pipe.	"	552.00		Stock, No charges.	
Original Materials	"	27.00	7,030.00	189,810.00	
Steel 2nd, Manufactures	"	6.00	13,600.00	81,600.00	
Lead.	"	21.00	23,000.00	483,000.00	
Yarn.	Kilogram	860.00	30.00	25,800.00	
Lumber & Timber.	Koku	1,500.00	432.00	648,000.00	
Coke	Ton	20.00	2,500.00	50,000.00	
Asphalt.	"	1.00	6,000.00	6,000.00	
Gasoline.	Litre.	27,000.00	8.13	219,510.00	
Electric Welding Bar.	Ton.	2.50	34,280.00	85,700.00	

3. Date of Starting the Construction and Expect to Complete:

Start: May 1st, 1948.

Complete: March 31st, 1949.

4. Items of Revenue Source for the Enterprise Expenditure.

Enterprise Expenditure	Source of Revenue.					Remarks.
	Government Subsidy.	Donation.	General Revenue	Burden Money.	Floatation of Loan.	
¥ 45,000,000.00					¥ 45,000,000.00	

DECLASSIFIED E.O. 12065 SECTION 3-402/NND 9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO:

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS No:

Scale 1:3



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO:

Scale 1:3000

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

縮尺二千分一

Gosho Water Works

Sosui Canal

Intake

Keihin Road

To Otsu

To Sagi's

Keage Filter Plant

	Example
——	Under Project Pipe line
----	Constructed Pipe line

Miyako Hotel.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

KYOTO MILITARY GOVERNMENT TEAM
APO 713 (Kyoto, Honshu)

ELC/HO/ct
3 Dec 1947

SUBJECT: Letter of Transmittal

TO : Commanding Officer, Kinki Mil Govt Team, APO 301

1. Enclosed is Minimum Requirements POL Products for Kinki-Kyoto Mil Govt Team for month of November 1947.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

1 Incl:
1 Mini Requirements POL Prod. (2cc)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS No. _____

Central File Mil Gov

Minimum Requirements POL Products

Unit: Kinki-Kyoto Mil Govt Team For month of Nov 1947

Part I 72 Octane Gasoline

Type of trip	Average No. of necessary trips per Mo.	Type of Vehicle	Average Round Trip milage	Average total milage 30 day period	Average gallons required 30 days
Inspection Investigations & Field service 25 vehicles	57	½	16.14	922.2	76.85
Rations & Supply 3 vehicles	53	3/4	17.3	808.3	101.02
Rations & Supply 3 vehicles	16	2½	36.7	575.2	143.8
Inspection of vessels	16	Cabin cruiser	3/4 HRS	12 HRS	108

Total Requirements - 30 day period 1764 *

Part II 62 Octane Gasoline

LINE UNITS

No. operated	6
No. Authorized T/E	6
Personnel Authorized by T/O	51
No. personnel (Mess count)	73
Average Daily Gasoline Consumption	13.5 Gal
Consumption for 30 day period	405 Gal

Immersion Heaters

No. operated	4
Average Daily consumption	1.0 Gal
Consumption for 30 day period	31 Gal

Total requirements 62 Octane gasoline for 436

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Part III POL Products Consumed During Sept 1947

1.	72 Octane	- 2264
	62 Octane	- 436
2.	Total for Army	- 2700
3.	Recreation Gas	- 656
4.	Net Used (Official Business)	- 2144
5.	Oil SAE 30 consumed	- 112
6.	Oil, gear, SAE 90 consumed	- 39
7.	Grease GP 1	- 123
8.	Grease GP 2	- 22

* In addition to this figure 500 gallon of gasoline was sent to Maizuru Det., K.M.G.T.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

20

HEADQUARTERS
KINKI MIL GOVT REGION
APO 301 (Kyoto, Honshu)

JFL/mmo

463

25 FEB 1948

SUBJECT: Physical Inventory of All 55 Gallon POL Drums
(Reports Control Symbol QGD - (OT) - 41)

TO : Commanding Officer, Kyoto Military Government Team, APO 713
Commanding Officer, Fukui Military Government Team, APO 713
Commanding Officer, Osaka Military Government Team, APO 25
Commanding Officer, Shiga Military Government Team, APO 25
Commanding Officer, Nara Military Government Team, APO 25
Commanding Officer, Wakayama Military Government Team, APO 25
Commanding Officer, Hyogo Military Government Team, APO 317

1. Attention is invited to Section II, Daily Bulletin Number 45, Hq I Corps, dated 24 February 1948.

2. Subject report will be submitted in order to reach this headquarters not later than 6 March 1948.

BY ORDER OF COLONEL DEVINE:

J. L. ENGLEHARDT
Captain, AGD
Adjutant

7645a

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

HEADQUARTERS KYOTO MIL GOVT TEAM
APO 713, U.S. Army

463 3 March 1948

SUBJECT: Physical Inventory of All 55 Gallon POL Drums
(Reports Control Symbol QGD - (OT) - 41)

TO : Commanding Officer, Kinki Mil Govt Region,
APO 301

1. Reference is made to Section II, Daily Bulletin Number 45, Headquarters I Corps, dated 24 February 1948 and your letter, subject as above, dated 25 February 1948.

2. In compliance with the above, this organization reports twenty-four (24) 55 Gallon POL Drums on hand as of date of inventory, filled or partially filled.

FOR THE COMMANDING OFFICER:

THOMAS R. HARBIN,
1st Lt., INF
Adjutant

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO: _____

FILE COPY

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

ABH/tn

10 February 1948

AG 463 - BA

SUBJECT: Estimate and Control of Petroleum Products for Japanese Contractors

TO : See Distribution

The following extract from an indorsement by Headquarters Eighth Army on the above subject is quoted for your information and guidance:

"1. SCAP directs the Japanese Government to allot petroleum products to each prefecture according to the estimates submitted by this headquarters (Hqs 8th Army). Estimates are used by SCAP for overall planning and are made primarily to insure that contractors working for the occupation forces are furnished with the necessary gasoline. In the event that a using unit fails to submit estimates, or in the event that the estimates submitted are inadequate, the military government team should, upon request from the using unit, direct the responsible Japanese local government authorities to furnish the gasoline. Corrections then should be made on future estimates.

"2. Estimates submitted by military government teams and Engineers are consolidated by this headquarters (Hqs 8th Army) and submitted to SCAP. Approval of this headquarters (Hqs 8th Army) merely indicates that the Japanese Government has been instructed to make that amount available. Using units should attempt to keep the Japanese contractors working within these estimates. SCAP has arbitrarily set 200 gallons per month per vehicle as a logical amount. Unless explanation is given to amounts in excess of this figure, SCAP reduces the estimate to 200 gallons per month per vehicle.

"3. As notification by this headquarters (Hqs 8th Army) of recognized estimates is not a prerequisite for the continuance of occupation projects requiring the use of gasoline, units should, in the absence of such notice,

FEB 10

INTER-OFFICE
C.O.
Exec.
Adj.
Econ. 1
C.I.+E.
Pub.Health
Pub.Welf.
Leg+Govt.
Chief Clerk
Maizuru
Team
File
Action
Info
Your File
Read. Initial +return for File

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO: _____

continue the project under authority of the procurement demand. The Japanese Government is responsible for furnishing gasoline to such projects under directions of SCAP in SCAPIN 1443-A, a copy of which is attached.

"4. Excessive discrepancies noted between allocations and estimates in the future should be called to the attention of this headquarters (Hqs 8th Army)."

BY COMMAND OF MAJOR GENERAL SWING:

W. N. HORNISH
Lt Col, AGD
Asst Adj Gen

1 Incl:
SCAPIN 1443-A
dtd 10 Jun 46

DISTRIBUTION:
2 ea MG Region & Team
I Corps Z/R
3 AG Rec, I Corps

DECLASSIFIED E.O. 12065 SECTION 3-402/NNBS NO:

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS

AG 463.7 (10 Jun 46)GD
(SCAPIN- 1443-A)

A. P. O. 500
10 June 1946

MEMORANDUM FOR: IMPERIAL JAPANESE GOVERNMENT.

THROUGH : Central Liaison Office, Tokyo.

SUBJECT : Civilian Consumption of Petroleum Products.

1. The Imperial Japanese Government is responsible for the supply of gasoline and other petroleum products to its own nationals and agencies. This responsibility includes furnishing of petroleum products to Japanese contractors and individuals who use their own equipment to perform work for the Occupation Forces. It is imperative that consumption of petroleum products be restricted to essential uses.

2. Close supervision will be exercised over the distribution of petroleum products to avoid unnecessary consumption and to insure effective rationing enforcement.

FOR THE SUPREME COMMANDER

/s/ J. M. Mann
For JOHN B. COOLEY,
Colonel, AGD,
Adjutant General.

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNBS NO. _____

FILE COPY

HEADQUARTERS I CORPS
APO 301 (Kyoto, Honshu)

EHN/tn

6 February 1948

AG 463 - BA

SUBJECT: Instructions for the Prevention of Spontaneous Combustion of Coal Stockpiles

TO : See Distribution

The following letter from Headquarters Eighth Army is quoted for your information and guidance:

"1. In order to reduce the fire hazard caused by spontaneous combustion of large stockpiles of coal of high sulfur and moisture content the following information will be disseminated to military government teams in coal mining areas under your command, for their use in advising the Japanese:

a. If mining must be continued without interruption, necessitating the stockpiling of an amount of coal in excess of available transportation, only coal from which sizes less than one inch in diameter have been eliminated, should be stockpiled.

b. Coal should not be piled in depths greater than six feet, and stockpiles should be made only where good surface drainage can be provided.

c. If it becomes necessary, in emergencies, to stockpile coal that is of sizes less than one inch in diameter, resistance to spontaneous combustion can be improved by maintaining the depth of stockpiles at less than six feet, preferably in layers of less than two feet, compacted by rolling, in order to minimize the circulation of air.

FEB 6

INTER-OFFICE
C.O. ---
Exec. ---
Adm. ---
Operations (1)
Personnel (1)
Mess ---
Trans. ---
File ---
Action ✓
Info ---
Your File ---
Read. Initial + return for File ✓

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS No:

"2. The problem of coal stockpile fire prevention has been brought to the attention of the Japanese Government."

BY COMMAND OF MAJOR GENERAL SWING:

W. N. HORNISH
Lt Col, AGD
Asst Adj Gen

DISTRIBUTION:
2 ea MG Region & Team
I Corps Z/R
3 AG Rec, I Corps