DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TRACHOMA - Cont'd:													
Kyoto	162.7	39.3	44.7	35.9	66.7	109.6	177.3	229.8	224.2	81.3	298.4	85.7	552.5
Osaka	180.3	68.7	123.5	144.3	344.7	167.5	145.8	140.4	207.1	201.6	174.0	183.0	305.7
Hyogo	242.2	198.1	296.6	176.0	263.4	149.1	328.9	705.8	181.0	157.4	155.7	113.5	120.5
Nara	99.5	64.5	87.4	146.2	53.8	243.3	129.4	73.9	68.9	102.5	73.9	52.1	84.0
Wakayama	103.1	139.8	118.7	93.4	77.4	101.4	108.0	161.1	110.7	65.4	98.2	88.0	53.4
Tottori	97.2	253.9	59.5	57.3	72.7	155.2	81.6	82.9	114.6	66.1	60.0	59.5	61.7
Shimane	180.6	53.3	272.1	275.0	149.1	335.8	146.2	142.4	136.1	163.6	135.5	227.3	144.8
Okayama	174.1	72.2	72.9	72.9	129.1	281.4	367.6	246.5	425.4	133.9	133.1	76.1	68.9
Hiroshima	269.0	132.9	152.7	221.1	210.8	408.4	635.7	489.6	295.8	155.2	139.5	134.8	228.1
Yamaguchi	64.1	59.1	32.1	33.0	32.1	88.9	76.4	42.4	78.2	80.8	45.9	72.1	132.9
Tokushima	401.9	262.3	273.8	329.4	133.9	1,202.2	1,735.8	427.2	156.4	63.2	34.9	49.6	73.7
Kagawa	163.6	137.7	116.2	140.0	293.9	260.9	404.5	191.5	134.4	112.0	51.5	63.0	61.6
Ehime	266.5	326.9	135.9	158.9	201.2	384.1	564.0	295.1	353.0	371.6	124.3	91.8	174.8
Kochi	97.6	82.1	70.9	83.0	92.1	106.3	304.9	164.2	66.4	45.3	45.9	54.3	54.3
Fukuoka	349.1	227.0	313.0	390.3	447.6	461.6	503.2	434.1	451.9	314.6	258.9	208.0	182.3
Saga	138.5	146.0	151.6	151.6	174.1	111.2	220.4	190.9	127.8	153.0	70.8	113.7	59.0
Nagasaki	95.7	91.5	104.4	106.9	127.8	124.3	113.6	102.2	55.1	61.8	54.8	50.9	157.9
Kumamoto	134.3	72.0	110.5	118.6	174.2	144.6	109.8	217.2	231.3	144.9	101.3	100.3	87.1
Oita	102.9	138.6	65.1	112.3	109.2	101.6	184.8	141.1	141.7	81.9	67.2	49.3	32.5
Miyazaki	140.3	52.7	64.6	64.6	280.8	357.8	246.0	116.3	93.2	63.4	144.1	80.8	91.9
Kagoshima	200.8	85.9	109.5	91.0	135.5	85.3	173.9	265.3	287.2	207.2	34.3	37.0	980.0

See footnotes at end of table.

TABLE 73. - 1/ INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948

List No	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848
1	Typhoid Fever	5	2	-	-	-	-	1	-	-	1	1	-	-
2	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus)meningitis	90	6	3	11	10	9	7	8	5	6	6	6	13
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet Fever	5	-	1	1	1	-	1	-	1	-	-	-	-
9	Whooping cough	2,595	262	195	166	187	222	256	320	239	203	132	166	247
10	Diphtheria	356	57	41	28	29	23	13	11	14	16	32	38	54
11	Erysipelas	2/447	NA	NA	NA	NA	NA	44	52	54	58	56	86	97
12	Tetanus	1,013	72	57	67	87	63	70	133	134	100	77	84	69
13-22	Tuberculosis(all forms)	1,236	87	102	107	138	134	113	120	110	99	65	74	87
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia & purulent infection (nonpuerperal)	1,045	113	119	100	83	73	73	92	85	90	69	84	64
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	101	3	1	1	4	6	15	24	26	12	2	4	3
28	Malaria	3	-	1	-	-	-	-	1	-	-	1	-	-
30	Syphilis	1,152	91	122	127	88	81	91	77	71	89	89	99	127
33	Influenza	134	29	14	16	11	7	8	6	2	3	12	9	17
35	Measles	1,937	105	118	235	218	296	331	240	100	48	47	69	130
37b	Japanese "B" encephalitis	45	-	-	1	-	-	-	-	21	19	4	-	-
38a	Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus Fever & typhus-like diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	3,794	492	526	491	349	248	238	201	201	199	231	284	334
81	Meningitis(not due to meningococcus)	2,799	292	272	263	327	295	241	239	130	118	181	204	237

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TRACHOMA - Cont'd:													
Kyoto	162.7	39.3	44.7	35.9	66.7	109.6	177.3	229.8	224.2	81.3	298.4	85.7	552.5
Osaka	180.3	68.7	123.5	144.3	344.7	167.5	145.8	140.4	207.1	201.6	174.0	183.0	305.7
Hyogo	242.2	198.1	296.6	176.0	263.4	149.1	328.9	705.8	181.0	157.4	155.7	113.5	120.5
Nara	99.5	64.5	87.4	146.2	53.8	243.3	129.4	73.9	68.9	102.5	73.9	52.1	84.0
Wakayama	103.1	139.8	118.7	93.4	77.4	101.4	108.0	161.1	110.7	65.4	98.2	88.0	53.4
Tottori	97.2	253.9	59.5	57.3	72.7	155.2	81.6	82.9	114.6	66.1	60.0	59.5	61.7
Shimane	180.6	53.3	272.1	275.0	149.1	335.8	146.2	142.4	136.1	163.6	135.5	227.3	144.8
Okayama	174.1	72.2	72.9	72.9	129.1	281.4	367.6	246.5	425.4	133.9	133.1	76.1	68.9
Hiroshima	269.0	132.9	152.7	221.1	210.8	408.4	635.7	489.6	295.8	155.2	139.5	134.8	228.1
Yamaguchi	64.1	59.1	32.1	33.0	32.1	88.9	76.4	42.4	78.2	80.8	45.9	72.1	132.9
Tokushima	401.9	262.3	273.8	329.4	133.9	1,202.2	1,735.8	427.2	156.4	63.2	34.9	49.6	73.7
Kagawa	163.6	137.7	116.2	140.0	293.9	260.9	404.5	191.5	134.4	112.0	51.5	63.0	61.6
Ehime	266.5	326.9	135.9	158.9	201.2	384.1	564.0	295.1	353.0	371.6	124.3	91.8	174.8
Kochi	97.6	82.1	70.9	83.0	92.1	106.3	304.9	164.2	66.4	45.3	45.9	54.3	54.3
Fukuoka	349.1	227.0	313.0	390.3	447.6	461.6	503.2	434.1	451.9	314.6	258.9	208.0	182.3
Saga	138.5	146.0	151.6	151.6	174.1	111.2	220.4	190.9	127.8	153.0	70.8	113.7	59.0
Nagasaki	95.7	91.5	104.4	106.9	127.8	124.3	113.6	102.2	55.1	61.8	54.8	50.9	157.9
Kumamoto	134.3	72.0	110.5	118.6	174.2	144.6	109.8	217.2	231.3	144.9	101.3	100.3	87.1
Oita	102.9	138.6	65.1	112.3	109.2	101.6	184.8	141.1	141.7	81.9	67.2	49.3	32.5
Miyazaki	140.3	52.7	64.6	64.6	280.8	357.8	246.0	116.3	93.2	63.4	144.1	80.8	91.9
Kagoshima	200.8	85.9	109.5	91.0	135.5	85.3	173.9	265.3	287.2	207.2	34.3	37.0	980.0

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS):													
Japan	138.7	243.6	265.4	289.8	251.0	148.3	103.6	57.1	40.6	38.5	51.2	66.8	122.4
Hokkaido	209.2	333.2	352.8	417.5	349.2	226.3	138.2	103.0	53.7	60.5	81.7	149.6	267.3
Aomori	169.9	241.3	221.1	270.4	334.8	179.4	192.1	74.7	55.8	77.3	98.7	91.2	223.2
Iwate	142.3	273.1	191.9	267.7	251.5	152.7	133.3	630.3	33.3	51.5	36.4	68.7	195.0
Miyagi	173.4	302.7	275.2	286.7	286.7	200.5	132.7	60.3	45.0	39.3	89.1	135.1	238.3
Akita	158.9	218.4	184.4	286.3	205.8	167.9	181.3	75.0	59.1	56.0	102.7	140.6	246.6
Yamagata	111.8	141.4	136.0	160.2	162.2	152.3	116.5	111.1	42.7	38.8	62.9	75.7	136.0
Fukushima	159.3	277.2	240.0	264.5	330.3	223.5	152.9	67.1	57.4	45.8	71.7	83.2	96.8
Ibaraki	175.4	415.9	364.5	427.8	286.5	148.9	85.7	52.7	38.4	45.4	63.4	67.8	112.6
Tochigi	126.8	234.9	236.6	301.2	281.9	142.3	90.6	53.7	40.3	23.5	43.6	31.9	48.7
Gumma	139.4	284.0	320.9	245.3	274.6	149.5	85.3	31.8	38.2	29.2	44.8	63.4	117.8
Saitama	88.4	133.9	201.1	209.7	175.3	90.2	55.8	31.4	31.9	27.0	20.1	36.8	66.8
Chiba	51.0	49.4	135.0	128.9	102.0	63.0	44.6	20.5	18.3	11.0	8.8	11.0	34.8
Tokyo	115.2	168.9	216.0	290.5	214.3	105.8	69.7	47.7	44.6	34.5	36.9	53.6	124.8
Kanagawa	137.4	303.7	340.2	354.9	221.1	132.7	72.2	42.9	25.4	18.1	27.1	29.9	92.0
Niigata	183.9	254.7	295.8	387.0	358.6	253.4	128.3	82.5	76.8	70.9	72.1	88.0	157.3
Toyama	388.6	416.0	640.5	819.9	897.2	545.9	368.0	207.5	91.7	93.0	102.7	193.8	357.6
Ishikawa	221.7	455.1	432.9	439.9	424.6	226.5	162.4	75.5	47.2	43.0	78.8	106.8	180.4
Fukui	126.9	151.2	133.7	235.4	219.3	218.3	189.0	44.2	44.6	58.8	68.5	51.7	114.1
Yamanashi	85.9	132.2	267.8	194.1	157.2	61.6	59.3	43.6	32.1	30.5	29.5	24.1	17.6
Nagano	126.2	239.4	238.3	223.2	223.2	144.9	119.5	55.8	33.3	23.9	55.3	58.5	101.2
Gifu	170.4	441.9	281.3	286.5	246.2	161.9	126.9	64.5	47.2	67.8	78.2	96.9	128.7
Shizuoka	101.3	191.6	253.1	232.4	168.3	92.1	59.7	51.3	27.2	23.4	33.5	39.1	53.2
Aichi	100.1	191.6	195.3	199.8	188.0	92.4	81.4	42.5	40.9	23.5	30.8	38.9	86.7
Mie	125.0	294.0	336.0	260.3	213.5	115.3	61.3	38.9	27.0	18.9	29.5	31.5	79.3
Shiga	136.4	277.9	284.5	244.1	272.5	152.1	94.3	27.6	12.0	43.4	49.1	67.4	121.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 100,000 population per annum)

Disease and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) - Cont'd:													
Kyoto	98.1	130.1	151.7	137.7	218.3	109.6	96.7	39.9	38.8	37.4	48.7	85.7	98.2
Osaka	74.8	125.8	102.6	104.9	277.0	64.6	39.0	27.1	22.3	13.0	22.6	28.6	84.4
Hyogo	51.0	63.9	82.8	87.8	83.2	52.4	31.1	27.2	25.7	26.1	28.2	32.3	79.9
Nara	60.7	138.4	127.7	146.2	68.9	68.5	33.6	20.2	16.8	11.8	22.8	25.2	47.0
Wakayama	200.0	496.2	656.2	574.9	382.8	95.0	52.0	30.9	18.7	20.0	33.1	28.0	48.0
Tottori	157.0	234.5	271.1	379.1	330.6	234.5	152.1	58.2	41.9	37.5	33.5	37.5	90.4
Shimane	310.2	748.1	875.8	716.5	477.7	260.6	180.9	69.5	47.8	27.5	93.8	68.0	173.7
Okayama	116.8	145.8	178.2	210.7	209.1	178.7	119.6	58.3	39.6	42.0	46.3	65.0	118.0
Hiroshima	176.2	223.9	285.6	445.9	316.2	263.7	159.7	99.2	37.7	29.4	50.6	89.4	129.7
Yamaguchi	83.8	184.1	158.9	206.7	131.1	104.9	59.9	22.2	22.6	16.5	7.6	32.1	63.4
Tokushima	233.5	488.6	512.9	780.7	382.1	216.6	151.9	67.4	28.6	13.5	25.3	63.2	105.3
Kagawa	121.1	181.4	267.3	331.7	247.7	136.6	167.9	35.8	18.2	25.2	12.3	14.0	44.8
Ehime	341.2	581.1	737.9	750.2	662.8	371.4	261.3	122.9	67.1	92.7	93.9	156.2	245.4
Kochi	175.7	410.6	407.5	460.4	264.1	160.6	98.1	55.5	37.7	25.7	55.5	37.7	99.6
Fukuoka	154.7	271.8	313.0	267.6	206.0	126.6	97.5	57.1	73.8	71.0	101.4	107.7	178.4
Saga	219.5	480.7	539.1	449.3	266.8	203.3	143.2	85.4	59.0	54.8	89.9	108.1	158.7
Nagasaki	117.0	229.2	227.2	243.9	194.6	102.9	94.4	58.8	25.1	54.3	40.8	56.0	86.0
Kumamoto	105.9	144.0	183.7	202.0	207.9	131.2	112.0	66.7	35.1	39.5	43.3	32.2	82.7
Oita	86.7	229.3	131.2	166.9	165.9	72.2	57.7	47.9	39.9	27.3	27.7	25.2	42.0
Miyazaki	88.0	114.3	156.6	166.5	142.9	95.4	77.0	42.7	33.5	31.1	48.9	63.4	96.9
Kagoshima	93.9	174.7	182.1	176.9	106.6	84.7	62.2	37.3	34.8	37.7	66.9	70.3	95.5

See footnotes at end of table.

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PUERPERAL INFECTION													
Japan	1.2	1.8	1.6	1.5	1.1	1.0	1.0	0.9	0.9	1.1	1.4	1.0	1.2
Hokkaido	2.1	4.9	2.3	2.3	1.3	0.8	1.3	1.6	1.6	1.6	3.1	2.3	2.0
Aomori	1.4	-	3.2	-	4.3	0.9	-	1.7	2.1	3.2	1.7	-	-
Iwate	1.1	1.6	1.0	1.0	2.0	2.4	-	0.8	-	1.0	-	-	3.0
Miyagi	1.2	1.3	1.6	-	-	1.3	2.5	1.3	0.8	0.8	2.6	0.8	0.8
Akita	1.9	-	5.1	6.1	1.0	0.8	3.1	1.6	-	1.0	2.4	-	2.0
Yamagata	1.6	10.1	1.9	1.9	1.0	1.6	-	-	-	1.0	-	1.0	-
Fukushima	1.1	1.5	1.3	2.6	1.3	0.5	1.9	0.5	1.3	-	-	-	3.2
Ibaraki	1.4	0.5	1.3	0.6	1.9	0.5	-	1.0	1.3	1.9	4.6	1.3	1.3
Tochigi	1.7	3.4	1.7	2.5	1.7	1.3	0.8	1.3	2.5	0.8	1.3	0.8	2.5
Gumma	1.0	1.9	1.6	0.8	1.6	0.6	0.8	-	0.8	1.6	0.6	1.6	-
Saitama	1.0	1.5	0.6	0.6	-	1.5	0.6	1.0	2.5	0.6	1.0	-	1.8
Chiba	0.5	1.0	0.6	0.6	0.6	1.0	-	0.5	-	0.6	0.5	-	-
Tokyo	0.6	0.6	1.7	1.0	0.5	0.8	0.2	-	0.7	0.5	0.6	0.5	0.7
Kanagawa	0.5	2.3	1.1	-	-	-	1.1	0.5	-	-	-	0.6	-
Niigata	1.4	2.1	1.1	1.1	1.6	0.9	1.6	0.9	0.5	1.6	3.4	1.6	-
Toyama	2.7	2.1	3.9	1.3	3.9	4.2	1.3	3.1	1.3	2.6	2.1	3.9	2.6
Ishikawa	1.6	3.3	2.8	-	4.2	-	4.2	-	-	2.8	-	1.4	1.4
Fukui	1.4	5.7	-	3.6	-	2.9	-	-	-	3.6	-	-	-
Yamanashi	3.3	-	8.0	1.6	-	3.8	4.8	5.1	6.4	8.0	1.3	1.6	-
Nagano	1.0	0.5	0.6	-	-	0.5	1.9	-	1.3	0.6	4.0	0.6	1.3
Gifu	1.6	2.1	-	0.9	1.7	3.4	-	3.4	0.9	1.7	1.4	-	3.4
Shizuoka	0.7	0.4	1.1	2.2	1.1	-	-	-	0.5	-	1.3	1.1	0.5
Aichi	1.0	0.3	0.8	3.2	0.8	-	0.8	-	2.4	0.4	1.3	1.6	0.8
Mie	0.5	-	-	-	0.9	-	0.9	1.4	-	0.9	0.7	0.9	-
Shiga	2.5	2.4	3.0	1.5	-	-	4.5	-	1.5	10.5	7.2	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 70. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 100,000 population per annum)

Disease & Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PUERPERAL INFECTION - Cont'd.													
Kyoto	0.7	0.6	0.7	0.7	-	0.6	0.7	-	0.7	-	3.5	0.7	-
Osaka	0.3	0.6	0.4	0.4	0.4	-	0.4	-	0.4	-	-	0.4	1.5
Hyogo	0.4	0.3	0.4	0.4	-	0.3	0.4	0.3	-	0.8	0.7	0.4	1.2
Nara	1.3	1.3	1.7	-	3.4	-	-	1.3	-	1.7	5.4	-	-
Wakayama	1.0	1.1	1.3	4.0	-	-	1.3	-	1.3	1.3	-	1.3	1.3
Tottori	1.2	1.8	2.2	2.2	2.2	-	-	1.8	-	-	1.8	-	2.2
Shimane	6.2	11.6	13.0	8.7	5.8	2.3	8.7	3.5	1.4	1.4	5.8	8.7	4.3
Okayama	1.3	-	1.6	0.8	2.4	2.5	2.4	1.3	1.6	0.8	0.6	-	1.6
Hiroshima	2.1	-	1.3	1.9	5.7	3.6	1.3	1.0	3.2	0.6	0.5	5.1	1.3
Yamaguchi	0.3	-	0.9	-	-	-	-	1.4	-	-	0.7	-	0.9
Tokushima	3.6	12.0	1.5	6.0	-	9.6	-	6.0	-	-	2.4	-	1.5
Kagawa	0.8	2.2	-	2.8	-	-	-	1.1	-	-	-	1.4	1.4
Ehime	2.0	2.8	3.5	2.6	1.8	0.7	1.8	0.7	1.8	3.5	1.4	2.6	0.9
Kochi	1.4	2.4	6.0	3.0	3.0	-	-	-	-	-	2.4	-	-
Fukuoka	1.0	1.3	0.8	1.2	-	0.9	1.6	1.9	0.4	1.6	0.6	1.2	0.8
Saga	1.6	3.4	1.4	2.8	1.4	2.2	-	-	-	1.4	4.5	-	1.4
Nagasaki	0.6	0.7	-	1.7	-	1.3	-	0.7	-	-	0.7	-	1.7
Kumamoto	1.1	0.6	2.2	2.9	2.9	0.6	-	0.6	1.5	0.7	0.6	-	0.7
Oita	1.1	4.2	1.0	2.1	-	-	1.0	1.7	1.0	-	0.8	-	1.0
Miyazaki	1.0	-	3.7	2.5	-	1.0	1.2	-	-	-	-	1.2	2.5
Kagoshima	0.7	1.8	1.5	-	-	-	1.5	-	0.7	0.7	0.6	0.7	1.5

There were no cases of cholera, plague or yellow fever during 1948.
A dash (-) indicates that no cases were reported and the case rate was zero.
A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 71. - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848
All "Shi"	47,733	5,992	5,527	5,271	3,893	3,278	3,223	3,603	3,073	2,738	2,783	3,538	4,814
All "Gun"	118,916	14,785	14,103	13,481	9,676	8,160	8,005	8,743	7,835	6,851	7,257	8,986	11,034
Aichi	6,354	858	750	720	484	401	416	442	371	345	394	515	658
Akita	4,068	384	433	502	356	285	324	286	273	278	258	327	362
Aomori	4,570	392	377	416	392	311	372	440	409	366	303	363	429
Chiba	4,361	625	564	502	358	293	269	270	275	237	279	311	378
Ehime	3,024	403	375	343	228	178	222	189	212	176	185	227	286
Fukui	2,395	196	220	245	166	123	233	373	290	125	119	131	174
Fukuoka	6,061	868	738	580	439	438	383	404	369	342	406	488	606
Fukushima	4,644	512	473	577	437	358	315	315	267	286	312	357	435
Gifu	3,418	457	435	389	270	231	246	252	189	142	190	264	353
Gumma	2,861	408	357	370	258	187	173	182	170	161	153	194	248
Hiroshima	3,523	448	381	380	301	236	243	293	263	179	215	252	332
Hokkaido	10,457	989	1,055	1,034	887	760	717	758	943	736	694	850	1,034
Hyogo	5,721	714	725	680	449	382	404	416	356	312	309	409	565
Ibaraki	4,384	620	569	555	339	262	293	259	260	253	258	325	391
Ishikawa	3,031	360	349	335	257	220	187	260	223	189	179	207	265
Iwate	4,344	439	481	464	411	324	299	310	324	298	254	344	396
Kagawa	2,265	284	268	275	174	183	154	160	144	122	104	185	212
Kagoshima	3,674	485	413	307	249	262	215	321	251	236	250	335	350
Kanagawa	3,280	476	426	355	294	236	207	222	182	182	166	222	312
Kochi	1,736	251	206	175	152	109	131	134	94	102	106	134	142

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 71. - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	3,321	482	348	316	232	267	248	233	206	186	221	274	308
Kyoto	2,879	371	345	379	214	183	177	192	193	147	156	214	308
Mie	3,134	405	386	355	246	196	202	236	195	174	197	242	300
Miyagi	3,857	481	475	463	348	273	235	267	215	202	211	306	381
Miyazaki	2,248	317	259	207	141	158	179	163	145	116	134	212	217
Nagano	3,159	410	386	360	258	234	214	215	177	162	201	244	298
Nagasaki	3,484	419	452	375	270	261	223	242	207	226	231	246	332
Nara	1,570	209	196	189	116	105	89	146	79	83	84	122	152
Niigata	5,587	568	644	640	529	398	416	445	404	306	357	425	455
Oita	2,735	374	373	283	189	168	174	197	163	143	178	209	284
Okayama	3,455	471	412	454	265	248	208	248	198	189	210	253	299
Osaka	5,895	754	704	697	471	382	389	495	322	306	336	430	609
Saga	2,323	334	282	272	175	156	145	168	132	135	139	153	232
Saitama	4,268	570	548	514	311	275	277	304	245	240	244	295	445
Shiga	1,784	240	217	219	147	111	128	171	103	85	94	109	160
Shimane	2,063	227	240	217	177	136	133	169	188	139	116	128	193
Shizuoka	4,443	620	588	535	342	330	327	313	259	217	234	272	406
Tochigi	2,832	387	350	327	215	206	171	194	162	194	154	199	273
Tokushima	2,137	306	274	262	180	141	125	129	133	109	123	155	200
Tokyo	7,753	1,031	990	1,004	645	537	489	513	431	370	388	539	816
Tottori	1,308	149	148	151	132	94	98	102	80	83	87	72	112
Toyama	3,127	353	343	369	295	191	200	231	202	187	217	263	276
Wakayama	1,743	213	207	186	143	115	106	143	100	103	110	133	184
Yamagata	3,470	377	385	359	338	243	236	253	244	198	245	287	305
Yamaguchi	2,590	339	300	263	194	164	164	195	184	155	175	201	256
Yamanashi	1,313	201	183	152	95	87	72	96	76	67	64	101	119

Data refer to infant deaths of Japanese nationals in Japan Proper.
Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 72. - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
All "Shi"	53.3	57.9	66.8	64.3	54.3	50.0	49.9	50.0	41.5	37.8	38.7	49.0	75.9
All "Gun"	65.6	70.0	79.3	76.9	63.4	60.0	65.0	65.5	55.5	48.0	49.6	61.0	86.9
Aichi	57.3	63.3	71.5	75.9	53.1	51.7	53.8	49.7	40.5	37.8	44.3	56.5	87.0
Akita	92.4	81.7	87.1	110.2	91.9	93.4	119.7	97.9	83.9	82.2	73.7	89.6	105.4
Aomori	97.1	86.0	83.9	88.3	92.0	82.3	105.2	127.7	120.0	94.3	78.2	94.9	130.7
Chiba	64.8	75.4	85.8	76.0	63.1	59.7	62.4	54.2	51.7	44.7	52.1	58.4	80.7
Ehime	56.5	67.9	77.4	68.3	52.3	47.8	59.8	47.2	49.7	40.9	40.0	49.8	68.9
Fukui	91.7	66.5	85.9	90.9	70.1	56.2	125.1	187.2	143.6	59.9	61.9	69.2	110.8
Fukuoka	50.7	65.6	71.2	55.8	47.0	49.8	44.0	41.3	36.9	34.4	42.3	48.0	65.4
Fukushima	64.5	63.6	72.5	78.5	69.3	57.0	60.2	61.6	50.8	52.1	55.8	63.5	83.7
Gifu	64.1	71.7	79.9	77.5	61.9	56.6	65.7	63.6	44.4	34.7	44.6	64.9	96.6
Gumma	54.6	61.9	66.8	73.1	59.5	49.3	45.9	44.6	41.4	39.3	39.6	48.9	72.7
Hiroshima	56.5	57.7	66.8	67.3	58.2	49.1	56.7	60.8	50.6	36.1	43.4	50.0	82.4
Hokkaido	67.6	55.9	71.3	65.8	66.0	62.3	63.3	69.2	80.6	58.0	55.2	71.2	106.3
Hyogo	55.3	62.9	75.3	63.7	52.3	47.5	53.6	48.8	41.1	39.0	39.2	51.8	84.2
Ibaraki	64.8	75.6	81.4	82.5	59.2	49.7	65.5	53.8	50.3	52.1	50.1	60.3	80.8
Ishikawa	87.9	86.7	100.5	96.7	84.6	85.8	79.2	105.1	84.6	69.1	63.3	79.2	122.7
Iwate	91.8	90.0	102.6	105.0	92.7	87.4	93.6	91.6	95.6	84.1	65.6	84.3	106.5
Kagawa	66.7	78.0	77.5	86.0	61.0	74.4	62.9	59.5	50.6	46.0	39.1	66.4	92.9
Kagoshima	57.6	63.3	72.6	61.4	45.9	57.3	50.7	69.1	49.5	44.4	45.2	59.4	70.5
Kanagawa	44.5	48.8	57.7	49.4	50.6	44.5	40.3	40.0	32.1	31.8	28.6	38.7	57.6
Kochi	63.2	83.3	80.6	70.0	67.7	57.8	73.6	63.7	41.5	46.2	46.0	54.0	67.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 72. - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	54.2	66.6	60.9	60.2	50.2	62.4	58.6	49.7	42.5	38.4	43.9	49.0	62.4
Kyoto	52.6	59.6	68.1	73.6	49.1	43.7	43.9	41.6	44.5	35.1	37.9	49.3	73.7
Mie	66.0	74.5	84.4	82.3	69.0	59.5	62.2	65.0	50.4	43.6	50.0	58.7	86.4
Miyagi	68.0	74.3	86.1	84.1	69.2	62.8	61.7	68.8	51.8	46.7	46.0	62.4	91.5
Miyazaki	54.5	64.4	69.8	59.6	44.7	54.9	66.4	52.5	44.1	34.2	37.9	56.9	64.4
Nagano	52.1	57.9	66.6	62.3	52.3	48.6	50.8	50.7	38.8	33.5	38.4	49.6	71.3
Nagasaki	60.2	68.0	85.7	74.6	62.0	63.6	59.8	54.3	43.5	45.8	46.5	46.5	68.6
Nara	66.7	76.6	91.9	82.5	65.1	61.7	54.0	78.6	41.7	46.3	44.3	59.9	85.6
Niigata	67.7	63.5	80.0	72.6	75.2	60.4	72.7	72.5	61.7	43.2	51.6	70.4	99.0
Oita	62.3	74.6	87.7	73.6	51.2	54.3	57.8	58.0	44.7	39.6	49.5	58.6	88.9
Okayama	65.3	73.4	77.8	89.0	58.6	63.2	57.1	60.7	46.2	47.7	51.5	60.9	87.1
Osaka	52.1	64.0	70.5	62.7	51.3	47.0	47.1	52.4	34.0	34.1	37.3	47.2	69.8
Saga	70.3	86.2	93.3	90.6	68.0	67.6	64.4	65.8	49.5	51.8	51.4	54.2	88.0
Saitama	60.3	72.2	71.7	76.5	56.8	54.7	59.6	57.4	42.9	42.3	42.3	51.2	85.2
Shiga	64.9	77.7	79.2	77.8	66.6	49.3	66.5	82.3	47.9	41.1	46.2	54.4	75.9
Shimane	67.3	61.8	79.2	73.3	66.7	60.4	65.3	75.1	78.5	56.6	45.6	55.1	93.7
Shizuoka	53.1	57.7	73.5	69.4	48.2	56.1	58.3	49.9	39.3	34.7	34.9	39.9	68.5
Tochigi	52.1	58.9	63.2	61.4	47.6	48.3	47.8	48.5	37.0	49.2	36.9	46.2	72.0
Tokushima	66.3	84.2	84.9	82.9	66.6	58.0	59.1	56.5	54.9	42.2	46.4	56.9	87.0
Tokyo	47.0	49.5	60.8	64.7	49.1	44.6	42.8	39.7	32.6	29.0	29.6	41.6	76.0
Tottori	65.4	57.1	72.1	77.9	71.7	63.5	74.9	71.1	55.6	55.3	55.7	46.3	86.8
Toyama	87.0	93.2	92.7	107.6	94.3	72.7	77.7	83.2	66.9	59.1	77.3	100.7	118.3
Wakayama	57.9	57.9	74.6	64.8	59.5	55.3	49.2	65.0	42.6	43.8	44.0	53.0	82.5
Yamagata	82.1	79.6	88.1	84.5	96.4	82.3	85.9	79.2	70.7	58.0	69.2	84.2	112.2
Yamaguchi	53.7	60.1	70.1	61.3	50.4	46.7	48.7	50.8	44.5	38.1	44.9	50.1	76.9
Yamanashi	52.2	62.9	74.5	65.6	42.4	44.8	43.9	52.3	40.6	34.0	30.5	49.2	78.0

Data refer to vital events to Japanese nationals in Japan Proper.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 73. - 1/ INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948

List No	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848
1	Typhoid Fever	5	2	-	-	-	-	1	-	-	1	1	-	-
2	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus)meningitis	90	6	3	11	10	9	7	8	5	6	6	6	13
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet Fever	5	-	1	1	1	-	1	-	1	-	-	-	-
9	Whooping cough	2,595	262	195	166	187	222	256	320	239	203	132	166	247
10	Diphtheria	356	57	41	28	29	23	13	11	14	16	32	38	54
11	Erysipelas	2/447	NA	NA	NA	NA	NA	44	52	54	58	56	86	97
12	Tetanus	1,013	72	57	67	87	63	70	133	134	100	77	84	69
13-22	Tuberculosis(all forms)	1,236	87	102	107	138	134	113	120	110	99	65	74	87
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia & purulent infection (nonpuerperal)	1,045	113	119	100	83	73	73	92	85	90	69	84	64
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	101	3	1	1	4	6	15	24	26	12	2	4	3
28	Malaria	3	-	1	-	-	-	-	1	-	-	1	-	-
30	Syphilis	1,152	91	122	127	88	81	91	77	71	89	89	99	127
33	Influenza	134	29	14	16	11	7	8	6	2	3	12	9	17
35	Measles	1,937	105	118	235	218	296	331	240	100	48	47	69	130
37b	Japanese "B" encephalitis	45	-	-	1	-	-	-	-	21	19	4	-	-
38a	Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus Fever & typhus-like diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	3,794	492	526	491	349	248	238	201	201	199	231	284	334
81	Meningitis(not due to meningococcus)	2,799	292	272	263	327	295	241	239	130	118	181	204	237

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 73. - 1/ INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.

List No	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
86	Convulsions	1,310	142	145	180	125	110	85	67	59	62	99	111	125
106	Bronchitis	8,851	1,479	1,372	1,266	778	559	460	301	239	303	496	616	982
107-109	Pneumonia (all forms)	22,937	3,769	3,474	3,216	2,204	1,516	1,194	821	656	671	1,082	1,646	2,688
119	Diarrhea, enteritis & ulceration of intestines	31,436	2,444	2,305	2,516	2,209	2,232	2,835	4,386	3,648	2,395	1,809	2,398	2,259
157	Congenital malformations	4,596	430	426	492	345	297	276	361	330	371	365	402	501
158	Congenital debility	38,323	5,425	5,184	4,661	2,952	2,373	2,171	2,184	2,109	2,153	2,326	2,882	3,903
159	Premature birth	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,389
160	Injury at birth	1,007	106	109	97	77	80	70	81	89	75	54	67	102
161	Other diseases peculier to first year of life	8,836	1,211	1,296	1,064	669	524	441	504	490	535	574	667	861
169-195	Accidental deaths	2,184	189	210	172	139	116	221	281	238	134	138	157	189
199-200	Ill-defined and Unknown Causes	2,789	381	336	366	257	207	195	152	125	133	208	217	212
	All other causes	13,869	2,016	1,732	1,781	1,291	1,013	838	768	777	756	807	932	1,158

1/ Deaths under 1 year of age.
2/ Data are for 7 months, excluding January through May.
Data refer to infant deaths of Japanese Nationals in Japan Proper
"NA" indicates data are not available.
A dash (-) indicates that no infant deaths were reported.

Sources: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948
(Rates per 1,000 live births each month)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
1	Typhoid Fever	0.0	0.0	-	-	-	-	0.0	-	-	0.0	0.0	-	-
2	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal(meningococcus)meningitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet Fever	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-
9	Whooping Cough	1.0	0.8	0.7	0.6	0.8	1.1	1.4	1.6	1.1	0.9	0.6	0.8	1.3
10	Diphtheria	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
11	Erysipelas	2/0.3	NA	NA	NA	NA	NA	0.2	0.3	0.3	0.3	0.3	0.4	0.5
12	Tetanus	0.4	0.2	0.2	0.3	0.4	0.3	0.4	0.6	0.6	0.5	0.4	0.4	0.4
13-22	Tuberculosis(all forms)	0.5	0.3	0.4	0.4	0.6	0.7	0.6	0.6	0.5	0.5	0.3	0.3	0.5
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia & purulent infection(nonpuerperal)	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
28	Malaria	0.0	-	0.0	-	-	-	-	0.0	-	-	0.0	-	-
30	Syphilis	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.5	0.7
33	Influenza	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
35	Measles	0.7	0.3	0.5	0.9	1.0	1.5	1.8	1.2	0.5	0.2	0.2	0.3	0.7
37b	Japanese "B" encephalitis	0.0	-	-	0.0	-	-	-	-	0.1	0.1	0.0	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

List No.	Cause of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
38a	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus Fever & typhus-like diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1.4	1.6	2.0	1.9	1.6	1.2	1.3	1.0	0.9	0.9	1.1	1.3	1.8
81	Meningitis(not due to meningococcus)	1.0	0.9	1.0	1.0	1.5	1.5	1.3	1.2	0.6	0.5	0.8	0.9	1.2
86	Convulsions	0.5	0.5	0.6	0.7	0.6	0.5	0.5	0.3	0.3	0.3	0.5	0.5	0.7
106	Bronchitis	3.3	4.7	5.3	4.9	3.5	2.8	2.5	1.5	1.1	1.4	2.3	2.8	5.2
107-109	Pneumonia (all forms)	8.5	12.0	13.3	12.5	9.8	7.5	6.4	4.0	3.0	3.1	5.0	7.5	14.1
119	Diarrhea,enteritis & ulceration of intestines	11.6	7.8	8.8	9.8	9.8	11.1	15.1	21.3	17.0	11.1	8.3	10.9	11.9
157	Congenital malformations	1.7	1.4	1.6	1.9	1.5	1.5	1.5	1.8	1.5	1.7	1.7	1.8	2.6
158	Congenital Debility	14.1	17.2	19.9	18.1	13.2	11.8	11.6	10.6	9.8	10.0	10.7	13.1	20.5
159	Premature birth	5.1	5.0	5.6	5.2	4.4	4.7	5.0	4.5	4.4	4.4	4.9	5.6	7.3
160	Injury at birth	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.5
161	Other diseases peculiar to first year of life.	3.3	3.8	5.0	4.1	3.0	2.6	2.3	2.5	2.3	2.5	2.6	3.0	4.5
169-195	Accidental deaths	0.8	0.6	0.8	0.7	0.6	0.6	1.2	1.4	1.1	0.6	0.6	0.7	1.0
199-200	Ill-defined and unknown causes	1.0	1.2	1.3	1.4	1.1	1.0	1.0	0.7	0.6	0.6	1.0	1.0	1.1
	All other causes	5.1	6.4	6.6	6.9	5.8	5.0	4.5	3.7	3.6	3.5	3.7	4.2	6.1

1/ Deaths under 1 year of age.
2/ Original data are for 7 months (June-December) and rate is per 1,000 live births in the corresponding period.
Data refer to infant deaths of Japanese nationals in Japan Proper.
"NA" indicates data are not available.

Footnotes continued on next page.

TABLE 74. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1948
(Rates per 1,000 live births each month)

FOOTNOTES:- Cont'd.

A dash (-) indicates that no deaths were reported and that the death rate was zero.
A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:-

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948

Area	All Causes	Typhoid Fever (1)	Paratyphoid Fever (2)	Cholera (4)	Cerebrospinal (meningococcus) Meningitis (6)	Anthrax (7)	Scarlet Fever (8)	Whooping Cough (9)	Diphtheria (10)	1/ Erysipelas (11)
All Japan	166649	5	-	-	90	-	5	2595	356	447
All "Shi"	47733	3	-	-	52	-	2	863	155	97
All "Gun"	118916	2	-	-	38	-	3	1732	201	350
Aichi	6354	-	-	-	-	-	1	86	15	8
Akita	4068	-	-	-	1	-	-	50	10	8
Aomori	4570	-	-	-	3	-	-	56	5	7
Chiba	4361	-	-	-	-	-	-	59	4	9
Ehime	3024	-	-	-	-	-	-	34	7	10
Fukui	2395	-	-	-	1	-	-	25	3	6
Fukuoka	6061	-	-	-	3	-	1	113	16	8
Fukushima	4644	-	-	-	4	-	-	92	7	13
Gifu	3418	-	-	-	-	-	-	52	3	10
Gumma	2861	-	-	-	2	-	-	107	12	15
Hiroshima	3523	-	-	-	1	-	-	25	10	7
Hokkaido	10457	-	-	-	11	-	1	262	45	23
Hyogo	5721	2	-	-	3	-	-	72	11	14
Ibaraki	4384	-	-	-	4	-	-	33	5	12
Ishikawa	3031	-	-	-	-	-	-	44	4	6
Iwate	4344	-	-	-	1	-	-	64	10	11
Kagawa	2265	-	-	-	-	-	-	17	5	9
Kagoshima	3674	-	-	-	2	-	-	70	7	19
Kanagawa	3280	-	-	-	2	-	-	53	9	3
Kochi	1736	-	-	-	1	-	-	17	3	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948

Area	All Causes	Typhoid Fever (1)	Paratyphoid Fever (2)	Cholera (4)	Cerebrospinal (meningococcus) Meningitis (6)	Anthrax (7)	Scarlet Fever (8)	Whooping Cough (9)	Diphtheria (10)	1/ Erysipelas (11)
Kumamoto	3321	-	-	-	2	-	-	46	6	19
Kyoto	2879	-	-	-	7	-	-	47	4	5
Mie	3134	-	-	-	-	-	-	12	2	11
Miyagi	3857	-	-	-	4	-	-	62	8	9
Miyazaki	2248	-	-	-	-	-	1	36	6	6
Nagano	3159	-	-	-	1	-	-	93	4	11
Nagasaki	3484	1	-	-	4	-	-	40	8	9
Nara	1570	-	-	-	-	-	-	4	3	4
Niigata	5587	-	-	-	-	-	-	167	8	12
Oita	2735	-	-	-	1	-	-	32	5	6
Okayama	3455	1	-	-	-	-	-	37	6	9
Osaka	5895	-	-	-	10	-	1	65	11	21
Saga	2323	-	-	-	1	-	-	30	12	8
Saitama	4268	-	-	-	2	-	-	65	5	21
Shiga	1784	-	-	-	1	-	-	28	1	6
Shimane	2063	-	-	-	-	-	-	66	3	8
Shizuoka	4443	-	-	-	-	-	-	45	7	11
Tochigi	2832	-	-	-	1	-	-	65	2	19
Tokushima	2137	-	-	-	1	-	-	9	3	11
Tokyo	7753	-	-	-	9	-	-	136	36	9
Tottori	1308	-	-	-	2	-	-	6	3	3
Toyama	3127	1	-	-	2	-	-	57	2	8
Wakayama	1743	-	-	-	-	-	-	15	1	5
Yamagata	3470	-	-	-	1	-	-	37	11	10
Yamaguchi	2590	-	-	-	1	-	-	42	7	9
Yamanashi	1313	-	-	-	1	-	-	32	1	3

See footnotes at end of table.

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
All Japan	1013	1236	-	1045	-	101	3	1152	134	1937
All "Shi"	251	697	-	344	-	20	-	508	47	526
All "Gun"	762	539	-	701	-	81	3	644	87	1411
Aichi	58	38	-	42	-	7	-	44	1	35
Akita	10	14	-	18	-	3	-	16	4	27
Aomori	17	24	-	19	-	3	-	14	12	81
Chiba	86	15	-	24	-	-	-	33	1	10
Ehime	23	23	-	19	-	4	-	23	7	61
Fukui	3	8	-	11	-	2	-	9	2	27
Fukuoka	23	80	-	57	-	1	1	101	8	33
Fukushima	20	19	-	19	-	1	-	29	1	48
Gifu	11	17	-	15	-	4	-	13	4	70
Gumma	44	12	-	17	-	2	-	13	4	11
Hiroshima	9	18	-	33	-	3	-	15	1	73
Hokkaido	29	144	-	59	-	10	-	78	9	235
Hyogo	16	73	-	28	-	2	-	35	4	138
Ibaraki	83	14	-	25	-	2	-	25	2	16
Ishikawa	17	14	-	16	-	-	-	11	2	56
Iwate	4	19	-	14	-	2	-	26	2	114
Kagawa	23	11	-	9	-	-	-	8	-	80
Kagoshima	40	19	-	46	-	2	-	29	1	43
Kanagawa	18	46	-	22	-	2	-	27	2	4
Kochi	16	5	-	8	-	1	-	16	-	31

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
Kumamoto	28	30	-	31	-	3	-	27	5	22
Kyoto	13	34	-	16	-	2	-	37	4	18
Mie	12	10	-	24	-	1	-	26	6	44
Miyagi	20	29	-	18	-	-	-	26	2	68
Miyazaki	17	10	-	24	-	2	-	18	1	20
Nagano	21	21	-	16	-	1	-	4	1	43
Nagasaki	31	23	-	33	-	3	-	53	2	28
Nara	8	3	-	10	-	-	-	6	-	3
Niigata	12	30	-	29	-	6	-	15	5	63
Oita	20	12	-	39	-	-	-	15	4	17
Okayama	9	15	-	21	-	1	-	10	1	85
Osaka	14	73	-	37	-	2	-	54	7	66
Saga	14	14	-	9	-	1	-	25	-	9
Saitama	45	16	-	17	-	7	-	14	3	4
Shiga	8	8	-	11	-	-	2	16	2	15
Shimane	19	21	-	12	-	2	-	12	-	11
Shizuoka	33	33	-	21	-	2	-	30	1	32
Tochigi	27	7	-	18	-	2	-	11	-	15
Tokushima	18	8	-	8	-	2	-	5	4	32
Tokyo	35	145	-	50	-	4	-	88	9	18
Tottori	4	9	-	6	-	2	-	13	-	26
Toyama	5	17	-	19	-	-	-	11	-	21
Wakayama	7	19	-	15	-	3	-	13	3	31
Yamagata	12	12	-	13	-	2	-	9	1	42
Yamaguchi	22	21	-	39	-	1	-	20	5	10
Yamanashi	15	3	-	8	-	2	-	9	1	1

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to meningococus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and Ulceration of the intestines (119)
All Japan	45	-	-	-	3794	2799	1310	8851	22937	31436
All "Shi"	29	-	-	-	1073	930	173	2034	7437	8797
All "Gun"	16	-	-	-	2721	1869	1137	6817	15500	22639
Aichi	2	-	-	-	162	141	10	374	805	917
Akita	1	-	-	-	88	64	109	195	375	1038
Aomori	-	-	-	-	157	41	144	266	574	1100
Chiba	1	-	-	-	96	98	10	261	536	617
Ehime	-	-	-	-	35	79	7	205	445	416
Fukui	-	-	-	-	50	23	13	123	183	471
Fukuoka	-	-	-	-	103	98	12	280	960	1099
Fukushima	-	-	-	-	93	53	10	263	700	938
Gifu	-	-	-	-	46	56	8	206	359	639
Gumma	1	-	-	-	29	39	5	161	531	390
Hiroshima	-	-	-	-	74	94	24	175	471	614
Hokkaido	1	-	-	-	255	191	181	584	1577	2594
Hyogo	1	-	-	-	135	102	15	320	747	1049
Iberaki	1	-	-	-	77	46	22	250	514	720
Ishikawa	1	-	-	-	90	52	166	164	363	684
Iwate	2	-	-	-	148	49	46	239	741	945
Kagawa	1	-	-	-	13	43	17	112	299	300
Kagoshima	-	-	-	-	67	79	7	180	610	793
Kanagawa	6	-	-	-	65	53	8	101	682	616
Kochi	-	-	-	-	40	35	1	71	227	285

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to meningococcus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and Ulceration of the intestines (119)
Kumamoto)	-	-	-	-	91	50	6	142	462	642
Kyoto	-	-	-	-	74	51	11	127	339	517
Mie	2	-	-	-	71	75	18	190	358	561
Miyagi	-	-	-	-	128	51	13	152	569	829
Miyazaki	2	-	-	-	26	35	2	124	315	420
Nagano	2	-	-	-	37	48	17	172	458	532
Nagasaki	-	-	-	-	70	50	11	166	533	692
Nara	-	-	-	-	33	19	2	74	143	330
Niigata	1	-	-	-	173	134	45	432	760	1054
Oita	-	-	-	-	53	46	19	165	337	461
Okayama	-	-	-	-	81	56	1	158	432	473
Osaka	-	-	-	-	166	110	7	249	901	1074
Saga	-	-	-	-	85	43	4	93	208	455
Saitama	-	-	-	-	67	67	3	266	564	675
Shiga	1	-	-	-	33	18	4	73	166	369
Shimane	-	-	-	-	20	37	16	111	298	367
Shizuoka	1	-	-	-	115	82	16	203	604	862
Tochigi	1	-	-	-	64	37	22	192	367	526
Tokushima	-	-	-	-	15	28	8	140	337	315
Tokyo	15	-	-	-	211	130	6	277	1396	1328
Tottori	-	-	-	-	41	19	15	58	150	257
Toyama	-	-	-	-	91	52	223	246	348	695
Wakayama	-	-	-	-	30	39	2	71	227	324
Yamagata	1	-	-	-	99	35	6	221	399	762
Yamaguchi	-	-	-	-	82	35	9	132	374	446
Yamanashi	1	-	-	-	15	16	9	87	193	245

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and Unknown causes (199-200)	All other causes
All Japan	4596	38323	13754	1007	8836	2184	2789	13869
All "Shi"	1509	9867	4227	361	2316	649	779	3987
All "Gun"	3087	28456	9527	646	6520	1535	2010	9882
Aichi	164	1713	615	35	377	54	104	546
Akita	95	1079	346	22	155	33	57	250
Aomori	89	1130	230	12	127	41	87	331
Chiba	127	1001	528	35	351	34	73	362
Ehime	86	715	277	30	189	18	53	258
Fukui	40	547	174	8	63	377	40	186
Fukuoka	208	1405	452	29	347	67	55	501
Fukushima	130	1062	355	29	214	75	89	380
Gifu	64	947	344	17	166	48	54	265
Gumma	113	690	203	25	130	30	34	241
Hiroshima	101	871	266	25	189	49	50	325
Hokkaido	272	1687	453	45	457	133	321	800
Hyogo	153	1352	514	29	295	63	74	474
Ibaraki	131	1163	515	37	285	32	63	307
Ishikawa	67	567	197	7	135	30	55	285
Iwate	79	906	309	20	164	70	58	301
Kagawa	56	612	234	12	152	29	47	176
Kagoshima	89	687	236	18	178	63	50	319
Kanagawa	139	621	268	23	171	34	53	252
Kochi	58	426	190	16	90	14	36	147

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and unknown causes (199-200)	All other causes
Kumamoto	84	752	271	13	210	35	34	311
Kyoto	81	683	300	25	180	56	39	209
Mie	89	748	294	14	219	18	73	256
Miyagi	97	883	277	35	163	45	65	304
Miyazaki	57	478	206	15	153	26	30	218
Nagano	102	731	307	17	150	34	50	286
Nagasaki	95	819	202	15	220	33	31	312
Nara	27	487	127	12	105	12	32	126
Niigata	148	1074	441	34	200	53	114	577
Oita	60	686	247	17	186	31	33	243
Okayama	70	1000	341	24	220	44	54	306
Osaka	195	1422	477	30	290	54	112	447
Saga	56	674	202	10	145	22	28	175
Saitama	170	1105	375	22	284	31	88	352
Shiga	50	468	185	22	106	20	20	151
Shimane	55	485	192	15	91	35	27	166
Shizuoka	142	999	359	17	331	32	78	387
Tochigi	111	609	250	12	149	17	60	254
Tokushima	47	592	186	12	112	27	42	176
Tokyo	277	1424	740	64	396	114	123	713
Tottori	24	307	111	14	102	8	10	118
Toyama	51	549	246	22	110	34	70	247
Wakayama	55	365	177	10	114	15	49	153
Yamagata	98	888	286	41	150	41	29	264
Yamaguchi	63	637	147	13	138	36	24	277
Yamanashi	32	277	102	8	77	17	23	135

See footnotes at end of table.

TABLE 75. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.

FOOTNOTES

1/ Erysipelas: Data are for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

"NA" indicates data are not available.

A dash (-) indicates that no infant deaths were reported.

Sources are Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (miningoccus) meningitis (6)	Anthrax (7)	Scarlet fever (8)	Whooping Cough (9)	Diphtheria (10)	1/ Erysipelas (11)
All Japan	61.5	0.0	-	-	0.0	-	0.0	1.0	0.1	0.3
All "Shi"	53.3	0.0	-	-	0.1	-	0.0	1.0	0.2	0.2
All "Gun"	65.6	0.0	-	-	0.0	-	0.0	1.0	0.1	0.4
Aichi	57.3	-	-	-	-	-	0.0	0.8	0.1	0.1
Akita	92.4	-	-	-	0.0	-	-	1.1	0.2	0.4
Aomori	97.1	-	-	-	0.1	-	-	1.2	0.1	0.3
Chiba	64.8	-	-	-	-	-	-	0.7	0.1	0.3
Ehime	56.5	-	-	-	-	-	-	0.6	0.1	0.3
Fukui	91.7	-	-	-	0.0	-	-	1.0	0.1	0.4
Fukuoka	50.7	-	-	-	0.0	-	0.0	0.9	0.1	0.1
Fukushima	64.5	-	-	-	0.1	-	-	1.3	0.1	0.3
Gifu	64.1	-	-	-	-	-	-	1.0	0.1	0.4
Gunma	54.6	-	-	-	0.0	-	-	2.0	0.2	0.5
Hiroshima	56.5	-	-	-	0.0	-	-	0.4	0.2	0.2
Hokkaido	67.6	-	-	-	0.1	-	0.0	1.7	0.3	0.3
Hyogo	55.3	0.0	-	-	0.0	-	-	0.7	0.1	0.3
Ibaraki	64.8	-	-	-	0.1	-	-	0.5	0.1	0.3
Ishikawa	87.9	-	-	-	-	-	-	1.3	0.1	0.3
Iwate	91.8	-	-	-	0.0	-	-	1.4	0.2	0.4
Kagawa	66.7	-	-	-	-	-	-	0.5	0.1	0.5
Kagoshima	57.6	-	-	-	0.0	-	-	1.1	0.1	0.5
Kanagawa	44.5	-	-	-	0.0	-	-	0.7	0.1	0.1
Kochi	63.2	-	-	-	0.0	-	-	0.6	0.1	0.1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (meningoccus) meningitis (6)	Anthrax (7)	Scarlet fever (8)	Whooping cough (9)	Diphtheria (10)	1/ Erysipelas (11)
Kumamoto	54.2	-	-	-	0.0	-	-	0.8	0.1	0.6
Kyoto	52.6	-	-	-	0.1	-	-	0.9	0.1	0.2
Mie	66.0	-	-	-	-	-	-	0.3	0.0	0.4
Miyagi	68.0	-	-	-	0.1	-	-	1.1	0.1	0.3
Miyazaki	54.5	-	-	-	--	-	0.0	0.9	0.1	0.3
Nagano	52.1	-	-	-	0.0	-	-	1.5	0.1	0.3
Nagasaki	60.2	0.0	-	-	0.1	-	-	0.7	0.1	0.3
Nara	66.7	-	-	-	-	-	-	0.2	0.1	0.3
Niigata	67.7	-	-	-	-	-	-	2.0	0.1	0.3
Oita	62.3	-	-	-	0.0	-	-	0.7	0.1	0.2
Okayama	65.3	0.0	-	-	-	-	-	0.7	0.1	0.3
Osaka	52.1	-	-	-	0.1	-	0.0	0.6	0.1	0.3
Saga	70.3	-	-	-	0.0	-	-	0.9	0.4	0.4
Saitama	60.3	-	-	-	0.0	-	-	0.9	0.1	0.6
Shiga	64.9	-	-	-	0.0	-	-	1.0	0.0	0.4
Shimane	67.3	-	-	-	-	-	-	2.2	0.1	0.5
Shizuoka	53.1	-	-	-	-	-	-	0.5	0.1	0.2
Tochigi	52.1	-	-	-	0.0	-	-	1.2	0.0	0.5
Tokushima	66.3	-	-	-	0.0	-	-	0.3	0.1	0.6
Tokyo	47.0	-	-	-	0.1	-	-	0.8	0.2	0.1
Tottori	65.4	-	-	-	0.1	-	-	0.3	0.1	0.3
Toyama	87.0	0.0	-	-	0.1	-	-	1.6	0.1	0.4
Wakayama	57.9	-	-	-	-	-	-	0.5	0.0	0.3
Yamagata	82.1	-	-	-	0.0	-	-	0.9	0.3	0.4
Yamaguchi	53.7	-	-	-	0.0	-	-	0.9	0.1	0.3
Yamanashi	52.2	-	-	-	0.0	-	-	1.3	0.0	0.2

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births)

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
All Japan	0.4	0.5	-	0.4	-	0.0	0.0	0.4	0.0	0.7
All "Shi"	0.3	0.8	-	0.4	-	0.0	-	0.6	0.1	0.6
All "Gun"	0.4	0.3	-	0.4	-	0.0	0.0	0.4	0.0	0.8
Aichi	0.5	0.3	-	0.4	-	0.1	-	0.4	0.0	0.3
Akita	0.2	0.3	-	0.4	-	0.1	-	0.4	0.1	0.6
Aomori	0.4	0.5	-	0.4	-	0.1	-	0.3	0.3	1.7
Chiba	1.3	0.2	-	0.4	-	-	-	0.5	0.0	0.1
Ehime	0.4	0.4	-	0.4	-	0.1	-	0.4	0.1	0.1
Fukui	0.1	0.3	-	0.4	-	0.1	-	0.3	0.1	1.0
Fukuoka	0.2	0.7	-	0.5	-	0.0	0.0	0.8	0.1	0.3
Fukushima	0.3	0.3	-	0.3	-	0.0	-	0.4	0.0	0.7
Gifu	0.2	0.3	-	0.3	-	0.1	-	0.2	0.1	1.3
Gumma	0.8	0.2	-	0.3	-	0.0	-	0.2	0.1	0.2
Hiroshima	0.1	0.3	-	0.5	-	0.0	-	0.2	0.0	1.2
Hokkaido	0.2	0.9	-	0.4	-	0.1	-	0.5	0.1	1.5
Hyogo	0.2	0.7	-	0.3	-	0.0	-	0.3	0.0	1.3
Ibaraki	1.2	0.2	-	0.4	-	0.0	-	0.4	0.0	0.2
Ishikawa	0.5	0.4	-	0.5	-	-	-	0.3	0.1	1.6
Iwate	0.1	0.4	-	0.3	-	0.0	-	0.5	0.0	2.4
Kagawa	0.7	0.3	-	0.3	-	-	-	0.2	-	2.4
Kagoshima	0.6	0.3	-	0.7	-	0.0	-	0.8	0.0	0.7
Kanagawa	0.2	0.6	-	0.3	-	0.0	-	0.4	0.0	0.1
Kochi	0.6	0.2	-	0.3	-	0.0	-	0.6	-	1.1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births)

Area	Tetanus (12)	Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)
Kumamoto	0.5	0.5	-	0.5	-	0.0	-	0.4	0.1	0.4
Kyoto	0.2	0.6	-	0.3	-	0.0	-	0.7	0.1	0.3
Mie	0.3	0.2	-	0.5	-	0.0	-	0.5	0.1	0.9
Miyagi	0.4	0.5	-	0.3	-	-	-	0.5	0.0	1.2
Miyazaki	0.4	0.2	-	0.6	-	0.0	-	0.4	0.0	0.5
Nagano	0.3	0.3	-	0.3	-	0.0	-	0.1	0.0	0.7
Nagasaki	0.5	0.4	-	0.6	-	0.1	-	0.9	0.0	0.5
Nara	0.3	0.1	-	0.4	-	-	-	0.3	-	0.1
Niigata	0.1	0.4	-	0.4	-	0.1	-	0.2	0.1	0.8
Oita	0.5	0.3	-	0.9	-	-	-	0.3	0.1	0.4
Okayama	0.2	0.3	-	0.4	-	0.0	-	0.2	0.0	1.6
Osaka	0.1	0.6	-	0.3	-	0.0	-	0.5	0.1	0.6
Saga	0.4	0.4	-	0.3	-	0.0	-	0.8	-	0.3
Saitama	0.6	0.2	-	0.2	-	0.1	-	0.2	0.0	0.1
Shiga	0.3	0.3	-	0.4	-	-	0.1	0.6	0.1	0.5
Shimane	0.4	0.7	-	0.4	-	0.1	-	0.4	-	0.4
Shizuoka	0.4	0.4	-	0.3	-	0.0	-	0.4	0.0	0.4
Tochigi	0.5	0.1	-	0.2	-	0.0	-	0.2	-	0.3
Tokushima	0.6	0.2	-	0.2	-	0.1	-	0.2	0.1	1.0
Tokyo	0.2	0.9	-	0.3	-	0.0	-	0.5	0.1	0.1
Tottori	0.2	0.4	-	0.3	-	0.1	-	0.6	-	1.3
Toyama	0.1	0.5	-	0.5	-	-	-	0.3	-	0.6
Wakayama	0.2	0.6	-	0.5	-	0.1	-	0.4	0.1	1.0
Yamagata	0.3	0.3	-	0.3	-	0.0	-	0.2	0.0	1.0
Yamaguchi	0.5	0.4	-	0.8	-	0.0	-	0.4	0.1	0.2
Yamanashi	0.6	0.1	-	0.3	-	0.1	-	0.4	0.0	0.0

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births)

Area	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to menginoccus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of the intestines (119)
All Japan	0.0	-	-	-	1.4	1.0	0.5	3.3	8.5	11.6
All "Shi"	0.0	-	-	-	1.2	1.0	0.2	2.3	8.3	9.8
All "Gun"	0.0	-	-	-	1.5	1.0	0.6	3.8	8.5	12.5
Aichi	0.0	-	-	-	1.5	1.3	0.1	3.4	7.3	8.3
Akita	0.0	-	-	-	2.0	1.5	2.5	4.4	8.5	23.6
Aomori	-	-	-	-	3.3	0.9	3.1	5.7	12.2	23.4
Chiba	0.0	-	-	-	1.4	1.5	0.1	3.9	8.0	9.2
Ehime	-	-	-	-	0.7	1.5	0.1	3.8	8.3	7.8
Fukui	-	-	-	-	1.9	0.9	0.5	4.7	7.0	18.0
Fukuoka	-	-	-	-	0.9	0.8	0.1	2.3	8.0	9.2
Fukushima	-	-	-	-	1.3	0.7	0.1	3.7	9.7	13.0
Gifu	-	-	-	-	0.9	1.1	0.2	3.9	6.7	12.0
Gumma	0.0	-	-	-	0.6	0.7	0.1	3.1	10.1	7.4
Hiroshima	-	-	-	-	1.2	1.5	0.4	2.8	7.5	9.8
Hokkaido	0.0	-	-	-	1.6	1.2	1.2	3.8	10.2	16.8
Hyogo	0.0	-	-	-	1.3	1.0	0.1	3.1	7.2	10.1
Ibaraki	0.0	-	-	-	1.1	0.7	0.3	3.7	7.6	10.6
Ishikawa	0.0	-	-	-	2.6	1.5	4.8	4.8	10.5	19.8
Iwate	0.0	-	-	-	3.1	1.0	1.0	5.1	15.7	20.0
Kagawa	0.0	-	-	-	0.4	1.3	0.5	3.3	8.8	8.8
Kagoshima	-	-	-	-	1.1	1.2	0.1	2.8	9.6	12.4
Kanagawa	0.1	-	-	-	0.9	0.7	0.1	1.4	9.3	8.4
Kochi	-	-	-	-	1.5	1.3	0.0	2.6	8.3	10.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births)

Area	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to menginoccus) (81)	Convulsions (86)	Bronchitis (106)	Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of the intestines (119)
Kumamoto	-	-	-	-	1.5	0.8	0.1	2.3	7.5	10.5
Kyoto	-	-	-	-	1.4	0.9	0.2	2.3	6.2	9.4
Mie	0.0	-	-	-	1.5	1.6	0.4	4.0	7.5	11.8
Miyagi	-	-	-	-	2.3	0.9	0.2	2.7	10.0	14.6
Miyazaki	0.0	-	-	-	0.6	0.8	0.0	3.0	7.6	10.2
Nagano	0.0	-	-	-	0.6	0.8	0.3	2.8	7.6	8.8
Nagasaki	-	-	-	-	1.2	0.9	0.2	2.9	9.2	12.0
Nara	-	-	-	-	1.4	0.8	0.1	3.1	6.1	14.0
Niigata	0.0	-	-	-	2.1	1.6	0.5	5.2	9.2	12.8
Oita	-	-	-	-	1.2	1.0	0.4	3.8	7.7	10.5
Okayama	-	-	-	-	1.5	1.1	0.0	3.0	8.2	8.9
Osaka	-	-	-	-	1.5	1.0	0.1	2.2	8.0	9.5
Saga	-	-	-	-	2.6	1.3	0.1	2.8	6.3	13.8
Saitama	-	-	-	-	0.9	0.9	0.0	3.8	8.0	9.5
Shiga	0.0	-	-	-	1.2	0.7	0.1	2.7	6.0	13.4
Shimane	-	-	-	-	0.7	1.2	0.5	3.6	9.7	12.0
Shizuoka	0.0	-	-	-	1.4	1.0	0.2	2.4	7.2	10.3
Tochigi	0.0	-	-	-	1.2	0.7	0.4	3.5	6.7	9.7
Tokushima	-	-	-	-	0.5	0.9	0.2	4.3	10.5	9.8
Tokyo	0.1	-	-	-	1.3	0.8	0.0	1.7	8.5	8.1
Tottori	-	-	-	-	2.0	0.9	0.7	2.9	7.5	12.8
Toyama	-	-	-	-	2.5	1.4	6.2	6.8	9.7	19.3
Wakayama	-	-	-	-	1.0	1.3	0.1	2.4	7.5	10.8
Yamagata	0.0	-	-	-	2.3	0.8	0.1	5.2	9.4	18.0
Yamaguchi	-	-	-	-	1.7	0.7	0.2	2.7	7.8	9.2
Yamanashi	0.0	-	-	-	0.6	0.6	0.4	3.5	7.7	9.7

See footnotes at end of table.

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195(	Ill-defined and unknown causes (199-200)	All other causes
Kumamoto	1.4	12.3	4.4	0.2	3.4	0.6	0.6	5.1
Kyoto	1.5	12.5	5.5	0.5	3.3	1.0	0.7	3.8
Mie	1.9	15.8	6.2	0.3	4.6	0.4	1.5	5.4
Miyagi	1.7	15.6	4.9	0.6	2.9	0.8	1.1	5.4
Miyazaki	1.4	11.6	5.0	0.4	3.7	0.6	0.7	5.3
Nagano	1.7	12.1	5.1	0.3	2.5	0.6	0.8	4.7
Nagasaki	1.6	14.1	3.5	0.3	3.8	0.6	0.5	5.4
Nara	1.1	20.7	5.4	0.5	4.5	0.5	1.4	5.4
Niigata	1.8	13.0	5.3	0.4	2.4	0.6	1.4	7.0
Oita	1.4	15.6	5.6	0.4	4.2	0.7	0.8	5.5
Okayama	1.3	18.9	6.4	0.5	4.2	0.8	1.0	5.8
Osaka	1.7	12.6	4.2	0.3	2.6	0.5	1.0	4.0
Saga	1.7	20.4	6.1	0.3	4.4	0.7	0.8	5.3
Saitama	2.4	15.6	5.3	0.3	4.0	0.4	1.2	5.0
Shiga	1.8	17.0	6.7	0.8	3.9	0.7	0.7	5.5
Shimane	1.8	15.8	6.3	0.5	3.0	1.1	0.9	5.4
Shizuoka	1.7	11.9	4.3	0.2	4.0	0.4	0.9	4.6
Tochigi	2.0	11.2	4.6	0.2	2.7	0.3	1.1	4.7
Tokushima	1.4	18.4	5.8	0.4	3.5	0.8	1.3	5.5
Tokyo	1.7	8.6	4.5	0.4	2.4	0.7	0.7	4.3
Tottori	1.2	15.3	5.5	0.7	5.1	0.4	0.5	5.9
Toyama	1.4	15.3	6.8	0.6	3.1	0.9	1.9	6.9
Wakayama	1.8	12.1	5.9	0.3	3.8	0.5	1.6	5.1
Yamagata	2.3	21.0	6.8	1.0	3.5	1.0	0.7	6.2
Yamaguchi	1.3	13.2	3.0	0.3	2.9	0.7	0.5	5.7
Yamanashi	1.3	11.0	4.1	0.3	3.1	0.7	0.9	5.4

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd

Area	Congenital Malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Ill-defined and Unknown causes (199-200)	All other causes
All Japan	1.7	14.1	5.1	0.4	3.3	0.8	1.0	5.1
All "Shi"	1.7	11.0	4.7	0.4	2.6	0.7	0.9	4.5
All "Gun"	1.7	15.7	5.3	0.4	3.6	0.8	1.1	5.4
Aichi	1.5	15.4	5.5	0.3	3.4	0.5	0.9	4.9
Akita	2.2	24.5	7.9	0.5	3.5	0.7	1.3	5.7
Aomori	1.9	24.0	4.9	0.3	2.7	0.9	1.8	7.0
Chiba	1.9	14.9	7.8	0.5	5.2	0.5	1.1	5.4
Ehime	1.6	13.4	5.2	0.6	3.5	0.3	1.0	4.8
Fukui	1.5	21.0	6.7	0.3	2.4	14.4	1.5	7.1
Fukuoka	1.7	11.8	3.8	0.2	2.9	0.6	0.5	4.2
Fukushima	1.8	14.7	4.9	0.4	3.0	1.0	1.2	5.3
Gifu	1.2	17.8	6.5	0.3	3.1	0.9	1.0	5.0
Gumma	2.2	13.2	3.9	0.5	2.5	0.6	0.6	4.6
Hiroshima	1.6	14.0	4.3	0.4	3.0	0.8	0.8	5.2
Hokkaido	1.8	10.9	2.9	0.3	3.0	0.9	2.1	5.2
Hyogo	1.5	13.1	5.0	0.3	2.9	0.6	0.7	4.6
Ibaraki	1.9	17.2	7.6	0.5	4.2	0.5	0.9	4.5
Ishikawa	1.9	16.4	5.7	0.2	3.9	0.9	1.5	8.3
Iwate	1.7	19.2	6.5	0.4	3.5	1.5	1.2	6.4
Kagawa	1.6	18.0	6.9	0.4	4.5	0.9	1.4	5.2
Kagoshima	1.4	10.8	3.7	0.3	2.8	1.0	0.8	5.0
Kanagawa	1.9	8.4	3.6	0.3	2.3	0.5	0.7	3.4
Kochi	2.1	15.5	6.9	0.6	3.3	0.5	1.3	5.4

TABLE 76. - INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1948 - Cont'd.

FOOTNOTES:

1/ Erysipelas: Rates are based upon data for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero.

A rate of 0.0 indicates that there were some infant deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1):													
All Japan	5	2	-	-	-	-	1	-	-	1	1	-	-
All "Shi"	3	1	-	-	-	-	-	-	-	1	1	-	-
All "Gun"	2	1	-	-	-	-	1	-	-		-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	2	-	-	-	-	-	1	-	-	1	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER (1) - Cont'd.													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1	1	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	1	-	-	-	-	-	-	-	-	-	1	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6):													
All Japan	90	6	3	11	10	9	7	8	5	6	6	6	13
All "Shi"	52	4	1	5	5	6	3	4	3	5	5	4	7
All "Gun"	38	2	2	6	5	3	4	4	2	1	1	2	6
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	1	-	-	-	1	-	-	-	-	-	-	-	-
Aomori	3	1	-	-	-	-	-	2	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	1	-	-	1	-	-	-	-	-	-	-	-	-
Fukuoka	3	-	-	-	2	-	-	-	-	-	-	1	-
Fukushima	4	-	-	-	1	2	-	-	-	-	-	1	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	2	-	-	-	-	-	-	-	-	-	-	-	2
Hiroshima	1	-	-	-	1	-	-	-	-	-	-	-	-
Hokkaido	11	-	-	3	2	2	1	1	-	1	-	-	1
Hyogo	3	-	-	2	-	-	-	-	-	-	-	-	1
Ibaraki	4	-	1	-	-	-	-	1	1	1	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	-	-	-	-	-	1	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	2	-	-	-	-	-	-	-	-	-	-	-	2
Kanagawa	2	-	-	-	-	-	-	-	-	1	-	-	1
Kochi	1	-	-	-	-	-	-	1	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CEREBROSPINAL(MENINGOCOCCUS) MENINGITIS (6): Cont'd.													
Kumamoto	2	-	-	-	-	-	-	-	-	-	-	-	2
Kyoto	7	3	-	-	-	1	-	-	-	1	2	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	4	1	-	1	-	-	1	-	-	-	-	1	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	-	-	-	-	-	-	-	-	1	-	-	-
Nagasaki	4	-	-	1	-	-	2	-	-	1	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	1	-	-	-	-	-	1	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	10	-	-	-	1	-	2	2	1	-	1	2	1
Saga	1	-	-	-	-	-	-	-	-	-	-	1	-
Saitama	2	-	-	-	-	1	-	-	1	-	-	-	-
Shiga	1	-	-	-	-	-	-	-	-	-	1	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	1	-	-	-	-	-	-	-	-	-	-	-	1
Tokushima	1	1	-	-	-	-	-	-	-	-	-	-	-
Tokyo	9	-	1	1	2	2	-	-	2	-	-	-	1
Tottori	2	-	1	1	-	-	-	-	-	-	-	-	-
Toyama	2	-	-	-	-	-	-	-	-	-	1	-	1
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	-	-	1	-	-
Yamaguchi	1	-	-	-	-	1	-	-	-	-	-	-	-
Yamanashi	1	-	-	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
All Japan	5	-	1	1	1	-	1	-	1	-	-	-	-
All "Shi"	2	-	1	-	-	-	1	-	-	-	-	-	-
All "Gun"	3	-	-	1	1	-	-	-	1	-	-	-	-
Aichi	1	-	-	-	-	-	-	-	1	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	1	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	1	-	-	1	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER (8):													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	1	-	-	-	1	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	1	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9):													
All Japan	2595	262	195	166	187	222	256	320	239	203	132	166	247
All "Shi"	863	74	61	59	52	71	87	103	85	76	45	62	88
All "Gun"	1732	188	134	107	135	151	169	217	154	127	87	104	159
Aichi	86	3	5	3	7	3	9	18	11	8	6	5	8
Akita	50	8	2	1	7	2	3	4	7	4	1	3	8
Aomori	56	9	4	3	2	4	3	4	8	1	4	10	4
Chiba	49	6	3	3	5	6	5	7	6	2	3	-	3
Ehime	34	3	2	4	1	-	5	8	3	3	2	-	3
Fukui	25	3	3	2	2	1	5	2	2	2	1	1	1
Fukuoka	113	12	12	5	9	11	6	20	12	5	7	4	10
Fukushima	92	13	9	7	7	13	10	10	5	2	2	4	10
Gifu	52	4	1	1	2	5	4	9	8	5	2	1	10
Gumma	107	5	2	4	9	9	9	22	8	7	7	11	14
Hiroshima	25	2	3	1	2	3	5	3	4	1	-	1	-
Hokkaido	262	11	13	8	12	12	12	16	26	38	33	37	44
Hyogo	72	6	3	4	2	7	14	7	6	8	4	5	6
Ibaraki	33	6	3	3	4	2	4	1	2	1	2	1	4
Ishikawa	44	5	2	3	6	2	4	5	3	1	1	6	6
Iwate	64	7	5	6	4	7	13	5	5	1	3	3	5
Kagawa	17	2	3	1	3	2	-	3	1	1	-	1	-
Kagoshima	70	9	4	3	9	4	7	7	8	8	5	3	3
Kanagawa	53	7	6	-	2	8	5	5	9	5	2	2	2
Kochi	17	4	5	4	-	-	1	1	1	1	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9): - Cont'd:													
Kumamoto	46	9	3	4	2	1	6	5	7	2	1	3	3
Kyoto	47	4	1	4	3	1	3	7	6	7	4	3	4
Mie	12	3	2	1	-	2	-	1	2	-	-	-	1
Miyagi	62	9	6	5	10	4	5	11	2	2	1	2	5
Miyazaki	36	11	4	4	-	-	3	6	1	2	3	-	2
Nagano	93	8	3	2	10	12	16	10	4	7	4	6	11
Nagasaki	40	2	7	2	6	6	4	8	2	1	2	-	-
Nara	4	-	-	-	-	1	-	1	1	-	-	-	1
Niigata	167	21	14	10	15	7	21	20	10	17	10	8	14
Oita	32	2	3	4	-	-	2	6	7	-	1	5	2
Okayama	37	6	4	2	4	5	2	5	3	5	-	1	-
Osaka	65	2	3	7	1	9	2	10	8	8	2	6	7
Saga	30	2	3	4	1	4	2	5	4	1	2	-	2
Saitama	65	3	5	4	3	9	8	11	6	3	1	1	11
Shiga	28	3	1	1	1	3	3	8	4	1	-	1	2
Shimane	66	4	4	8	2	10	8	10	6	5	1	4	4
Shizuoka	45	6	2	3	2	7	5	4	6	4	1	2	3
Tochigi	65	6	6	5	5	11	4	7	3	7	2	5	4
Tokushima	9	2	2	1	2	1	-	-	-	1	-	-	-
Tokyo	136	13	9	14	9	15	20	7	12	11	5	6	15
Tottori	6	2	-	-	-	-	-	3	-	-	-	1	-
Toyama	57	3	9	6	6	3	6	5	4	3	1	6	5
Wakayama	15	3	5	1	2	-	2	-	1	-	-	1	-
Yamagata	37	2	2	2	4	4	3	3	2	7	5	-	3
Yamaguchi	42	7	4	1	3	4	2	5	2	4	-	5	5
Yamanashi	32	4	3	5	1	2	5	5	1	1	1	2	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10):													
All Japan	356	57	41	28	29	23	13	11	14	16	32	38	54
All "Shi"	155	30	17	11	16	7	6	4	4	6	13	13	28
All "Gun"	201	27	24	17	13	16	7	7	10	10	19	25	26
Aichi	15	1	2	1	2	-	-	-	-	-	1	3	5
Akita	10	3	1	-	-	-	-	-	2	2	1	-	1
Aomori	5	-	1	-	1	-	-	-	-	2	-	1	-
Chiba	4	1	-	-	-	1	-	-	-	-	-	-	2
Ehime	7	3	2	-	-	-	-	-	1	-	-	-	1
Fukui	3	-	1	-	-	-	-	1	-	-	1	-	-
Fukuoka	16	4	1	-	3	1	1	-	-	-	3	1	2
Fukushima	7	1	-	-	2	-	-	1	-	1	-	-	2
Gifu	3	-	1	-	1	-	-	-	1	-	-	-	-
Gumma	12	1	1	2	-	-	2	-	-	-	2	1	3
Hiroshima	10	1	-	-	-	-	-	-	-	-	3	4	2
Hokkaido	45	5	3	5	4	3	4	2	1	3	4	5	6
Hyogo	11	4	3	1	-	-	1	-	1	-	-	1	-
Ibaraki	5	-	1	-	-	-	1	-	-	1	-	2	-
Ishikawa	4	2	-	-	-	1	-	-	-	-	-	1	-
Iwate	10	1	1	1	1	-	-	-	2	-	1	1	2
Kagawa	5	1	2	1	-	-	-	-	-	-	-	-	1
Kagoshima	7	1	-	1	1	-	-	1	-	1	1	-	1
Kanagawa	9	3	2	-	2	-	-	1	-	-	-	-	1
Kochi	3	-	2	1	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIPHTHERIA (10) - Cont'd.													
Kumamoto	6	-	1	-	1	3	-	-	-	-	1	-	-
Kyoto	4	-	-	-	-	-	-	1	-	1	-	-	2
Mie	2	-	1	-	-	-	-	-	1	-	-	-	-
Miyagi	8	1	-	3	1	1	-	-	-	-	1	-	1
Miyazaki	6	1	-	1	1	-	-	1	1	1	-	-	-
Nagano	4	1	-	-	-	1	-	1	-	-	-	-	1
Nagasaki	8	2	-	-	1	-	-	-	1	-	3	1	-
Nara	3	1	-	1	-	-	-	-	-	1	-	-	-
Niigata	8	1	1	1	-	1	-	-	-	-	1	2	1
Oita	5	1	1	-	-	-	-	-	-	-	-	1	2
Okayama	6	2	-	1	-	1	-	-	-	-	1	1	-
Osaka	11	1	3	-	2	1	-	-	1	-	2	1	-
Saga	12	3	-	1	1	3	-	-	-	-	-	2	2
Saitama	5	1	2	-	-	-	-	-	-	-	1	-	1
Shiga	1	-	-	-	-	-	-	-	-	-	1	-	-
Shimane	3	1	1	-	-	-	1	-	-	-	-	-	-
Shizuoka	7	-	-	2	1	-	-	-	1	1	1	1	-
Tochigi	2	-	-	-	1	-	-	-	-	-	-	-	1
Tokushima	3	-	-	-	-	1	-	-	-	-	-	2	-
Tokyo	36	3	4	5	3	3	1	1	1	1	-	3	11
Tottori	3	1	2	-	-	-	-	-	-	-	-	-	-
Toyama	2	1	-	-	-	1	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	-	-	-	-	1	-	-
Yamagata	11	1	1	-	-	1	2	1	-	1	1	1	2
Yamaguchi	7	3	-	-	-	-	-	-	-	-	1	2	1
Yamanashi	1	-	-	-	-	-	-	-	-	-	-	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	1/Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ERYSIPELAS (11):													
All Japan	447	NA	NA	NA	NA	NA	44	52	54	58	56	86	97
All "Shi"	97	NA	NA	NA	NA	NA	10	12	11	15	5	16	28
All "Gun"	350	NA	NA	NA	NA	NA	34	40	43	43	51	70	69
Aichi	8	NA	NA	NA	NA	NA	1	-	1	1	-	5	-
Akita	8	NA	NA	NA	NA	NA	-	1	1	1	1	1	3
Aomori	7	NA	NA	NA	NA	NA	2	2	-	1	1	1	-
Chiba	9	NA	NA	NA	NA	NA	-	2	2	1	1	2	1
Ehime	10	NA	NA	NA	NA	NA	1	-	1	2	1	3	2
Fukui	6	NA	NA	NA	NA	NA	1	-	2	1	-	1	1
Fukuoka	8	NA	NA	NA	NA	NA	1	1	1	2	-	-	3
Fukushima	13	NA	NA	NA	NA	NA	1	2	2	1	4	3	-
Gifu	10	NA	NA	NA	NA	NA	1	2	-	2	1	2	2
Gunma	15	NA	NA	NA	NA	NA	-	2	1	3	2	5	2
Hiroshima	7	NA	NA	NA	NA	NA	1	1	-	-	2	-	3
Hokkaido	23	NA	NA	NA	NA	NA	6	1	3	1	4	5	3
Hyogo	14	NA	NA	NA	NA	NA	1	1	3	3	2	1	3
Ibaraki	12	NA	NA	NA	NA	NA	-	-	2	2	2	1	5
Ishikawa	6	NA	NA	NA	NA	NA	1	-	1	3	1	-	-
Iwate	11	NA	NA	NA	NA	NA	-	-	3	1	2	3	2
Kagawa	9	NA	NA	NA	NA	NA	1	2	-	1	2	1	2
Kagoshima	19	NA	NA	NA	NA	NA	1	4	3	4	-	5	2
Kanagawa	3	NA	NA	NA	NA	NA	1	-	-	-	-	2	-
Kochi	2	NA	NA	NA	NA	NA	1	-	-	-	-	-	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	1/Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ERYSIPELAS (11) - Cont'd.													
Kumamoto	19	NA	NA	NA	NA	NA	1	5	1	2	4	3	3
Kyoto	5	NA	NA	NA	NA	NA	2	-	-	1	-	1	1
Mie	11	NA	NA	NA	NA	NA	3	-	3	3	1	-	1
Miyagi	9	NA	NA	NA	NA	NA	-	-	1	1	1	3	3
Miyazaki	6	NA	NA	NA	NA	NA	2	-	2	-	-	2	-
Nagano	11	NA	NA	NA	NA	NA	1	-	-	2	1	1	6
Nagasaki	9	NA	NA	NA	NA	NA	1	1	4	-	2	-	1
Nara	4	NA	NA	NA	NA	NA	-	1	-	-	-	1	2
Niigata	12	NA	NA	NA	NA	NA	1	1	1	1	4	3	1
Oita	6	NA	NA	NA	NA	NA	-	-	-	-	1	-	5
Okayama	9	NA	NA	NA	NA	NA	-	1	-	1	2	1	4
Osaka	21	NA	NA	NA	NA	NA	1	3	2	5	1	3	6
Saga	8	NA	NA	NA	NA	NA	-	2	1	3	-	1	1
Saitama	21	NA	NA	NA	NA	NA	2	2	2	-	3	4	8
Shiga	6	NA	NA	NA	NA	NA	-	3	1	-	-	2	-
Shimane	8	NA	NA	NA	NA	NA	-	1	2	1	-	1	3
Shizuoka	11	NA	NA	NA	NA	NA	1	1	-	-	4	3	2
Tochigi	13	NA	NA	NA	NA	NA	2	1	2	1	-	3	4
Tokushima	11	NA	NA	NA	NA	NA	2	-	-	2	2	4	1
Tokyo	9	NA	NA	NA	NA	NA	-	3	1	-	-	3	2
Tottori	3	NA	NA	NA	NA	NA	1	1	-	1	-	-	-
Toyama	8	NA	NA	NA	NA	NA	-	2	3	1	-	1	1
Wakayama	5	NA	NA	NA	NA	NA	1	2	-	-	2	-	-
Yamagata	10	NA	NA	NA	NA	NA	1	-	-	1	2	3	3
Yamaguchi	9	NA	NA	NA	NA	NA	1	1	2	2	-	-	3
Yamanashi	3	NA	NA	NA	NA	NA	-	-	-	-	-	2	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):													
All Japan	1013	72	57	67	87	63	70	133	134	100	77	84	69
All "Shi"	251	21	14	15	22	14	23	29	37	19	23	18	16
All "Gun"	762	51	43	52	65	49	47	104	97	81	54	66	53
Aichi	58	1	1	3	3	3	7	9	12	8	2	4	5
Akita	10	1	-	2	1	-	-	-	-	-	2	1	3
Aomori	17	3	-	-	1	-	-	-	4	6	-	3	-
Chiba	86	9	7	5	9	6	11	12	7	8	3	5	4
Ehime	23	2	4	-	1	-	1	3	2	-	4	3	3
Fukui	3	-	-	-	-	-	1	1	-	-	1	-	-
Fukuoka	23	3	1	2	3	1	-	2	4	1	-	2	4
Fukushima	20	3	-	-	3	3	1	3	2	3	1	1	-
Gifu	11	2	1	-	-	1	2	-	1	1	-	1	2
Gumma	44	3	2	6	3	2	4	9	4	2	6	2	1
Hiroshima	9	-	-	-	2	1	-	2	3	-	-	-	1
Hokkaido	29	3	-	2	3	-	2	1	6	3	1	4	4
Hyogo	16	1	1	1	2	2	2	-	3	2	2	-	-
Ibaraki	83	6	8	4	10	7	2	11	8	8	7	8	4
Ishikawa	17	2	-	3	1	2	-	3	2	2	-	2	-
Iwate	4	-	1	-	1	-	-	1	-	-	-	1	-
Kagawa	23	2	2	-	1	2	1	4	4	1	2	3	1
Kagoshima	40	3	3	5	2	2	1	5	5	2	4	4	4
Kanagawa	18	1	1	-	5	1	2	-	1	4	1	1	1
Kochi	16	1	1	-	2	1	3	1	2	3	1	1	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):- Cont'd:													
Kumamoto	28	1	3	5	2	4	1	1	4	2	2	1	2
Kyoto	13	1	-	-	-	-	-	1	2	-	4	4	1
Mie	12	2	2	1	-	1	1	1	1	2	-	1	-
Miyagi	20	1	-	2	3	1	1	1	3	1	3	-	4
Miyazaki	17	1	1	2	4	-	3	1	1	1	1	2	-
Nagano	21	1	-	1	-	-	2	4	5	5	1	-	2
Nagasaki	31	2	3	4	-	2	-	4	3	4	5	2	2
Nara	8	1	1	2	-	1	-	2	-	-	-	1	-
Niigata	12	1	-	1	1	-	-	1	3	2	2	1	-
Oita	20	1	1	1	3	-	2	[illegible]	2	2	2	2	1
Okayama	9	-	1	-	1	-	-	2	1	-	2	1	1
Osaka	14	-	1	2	1	1	1	-	4	2	1	1	-
Saga	14	1	-	-	-	-	-	2	2	4	-	4	1
Saitama	45	4	1	2	2	2	4	9	8	5	1	3	4
Shiga	8	-	-	-	-	1	2	-	3	1	-	1	-
Shimane	13	1	-	-	-	-	-	6	2	4	-	-	-
Shizuoka	33	1	2	4	3	3	1	3	2	3	5	3	3
Tochigi	27	2	3	2	1	3	1	4	1	3	1	2	4
Tokushima	18	-	-	1	3	2	3	3	2	-	2	1	1
Tokyo	35	4	-	-	4	2	3	6	6	1	3	2	4
Tottori	4	-	1	1	-	1	-	1	-	-	-	-	-
Toyama	5	-	1	-	-	1	2	-	1	-	-	-	-
Wakayama	7	-	1	1	-	1	-	2	-	-	-	1	1
Yamagata	12	-	2	1	1	1	-	4	-	-	1	2	-
Yamaguchi	22	1	-	1	3	1	1	4	5	1	2	2	1
Yamanashi	15	-	-	-	2	1	2	1	3	3	2	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	1,236	87	102	107	138	134	113	120	110	99	65	74	87
All "Shi"	697	46	65	51	77	82	61	60	64	64	39	36	52
All "Gun"	539	41	37	56	61	52	52	60	46	35	26	38	35
Aichi	38	2	3	5	5	1	4	4	4	2	3	1	4
Akita	14	1	2	1	3	-	3	2	-	1	1	-	-
Aomori	24	1	1	3	5	1	1	2	2	3	2	1	2
Chiba	15	1	-	4	2	2	1	2	-	1	-	-	2
Ehime	23	3	3	1	2	2	4	3	-	1	2	-	2
Fukui	8	2	2	-	-	1	-	1	1	1	-	-	-
Fukuoka	80	5	9	7	8	7	8	6	8	7	5	6	4
Fukushima	19	1	1	-	-	2	3	1	4	5	1	-	1
Gifu	17	1	1	5	-	2	1	4	-	1	1	1	-
Gumma	12	1	-	2	2	1	-	1	1	3	-	-	1
Hiroshima	18	2	1	-	1	2	3	3	1	-	1	2	2
Hokkaido	144	10	17	13	12	21	9	12	12	14	5	9	10
Hyogo	73	3	6	4	12	6	7	4	4	9	3	10	5
Ibaraki	14	-	1	1	-	1	2	1	1	4	2	-	1
Ishikawa	14	-	1	1	2	2	2	3	1	1	-	-	1
Iwate	19	3	-	2	3	2	3	-	2	2	1	-	1
Kagawa	11	1	1	2	-	1	-	-	3	-	-	1	2
Kagoshima	19	3	1	1	1	2	1	2	4	1	-	1	2
Kochi	5	2	-	-	-	-	1	-	-	1	-	-	1
Kanagawa	46	1	2	6	3	7	4	6	4	5	3	2	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22) - Cont'd:													
Kumamoto	30	1	1	2	3	-	3	5	2	3	4	4	2
Kyoto	34	4	2	2	8	4	2	2	-	3	1	1	5
Mie	10	-	-	-	3	1	2	-	1	-	1	2	-
Miyagi	29	-	3	3	2	3	2	3	5	1	-	4	3
Miyazaki	10	1	-	2	1	2	1	1	1	-	-	-	1
Nagano	21	2	-	5	2	1	2	2	2	-	-	2	3
Nagasaki	23	2	2	1	3	2	-	5	4	-	1	3	-
Nara	3	-	1	-	1	1	-	-	-	-	-	-	-
Niigata	30	2	4	-	4	5	3	2	4	1	1	1	3
Oita	12	-	1	1	2	1	2	3	1	-	1	-	-
Okayama	15	2	2	3	-	-	-	-	3	2	-	3	-
Osaka	73	8	8	6	8	6	8	5	5	7	3	3	6
Saga	14	2	1	-	-	-	-	2	1	-	2	3	3
Saitama	16	-	1	4	1	1	1	2	-	-	3	1	2
Shiga	8	2	1	1	-	-	1	-	-	2	1	-	-
Shimane	21	-	1	-	3	5	1	2	1	3	3	1	1
Shizuoka	33	5	4	1	1	2	9	2	3	2	1	1	2
Tochigi	7	1	-	3	1	-	1	-	1	-	-	-	-
Tokushima	8	-	-	1	1	3	-	1	-	-	1	-	1
Tokyo	145	7	13	8	22	24	13	12	17	6	10	7	6
Tottori	9	1	-	2	-	2	-	1	-	1	1	1	-
Toyama	17	-	3	-	-	4	3	3	2	1	-	1	-
Wakayama	19	1	2	2	5	2	-	4	-	3	-	-	-
Yamagata	12	2	-	-	-	2	1	3	1	-	-	1	2
Yamaguchi	21	1	-	2	6	-	1	3	2	2	1	-	3
Yamanashi	3	-	-	-	-	-	-	-	2	-	-	1	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA AND PURULENT INFECTION (NONPUERPERAL) (24):													
All Japan	1,045	113	119	100	83	73	73	92	85	90	69	84	64
All "Shi"	344	36	41	40	35	18	26	26	26	38	24	22	12
All "Gun"	701	77	78	60	48	55	47	66	59	52	45	62	52
Aichi	42	4	5	6	5	2	3	3	4	2	3	2	3
Akita	18	1	2	1	2	2	2	1	1	2	1	2	1
Aomori	19	1	2	3	-	1	-	2	-	4	1	2	3
Chiba	24	2	3	3	2	1	2	3	-	1	4	1	2
Ehime	19	2	2	4	2	-	-	-	1	3	1	4	-
Fukui	11	1	-	1	1	3	2	2	1	-	-	-	-
Fukuoka	57	10	11	3	5	3	2	4	3	4	2	5	5
Fukushima	19	2	-	-	1	1	2	2	5	3	1	1	1
Gifu	15	-	-	2	2	3	3	-	1	-	2	2	-
Gumma	17	1	4	2	1	-	1	1	2	3	2	-	-
Hiroshima	33	3	4	3	3	3	2	3	3	5	1	2	1
Hokkaido	59	5	9	4	3	7	4	6	8	4	1	3	5
Hyogo	28	3	3	2	1	1	5	2	4	3	-	2	2
Ibaraki	25	2	1	1	-	3	1	3	4	5	1	3	1
Ishikawa	16	3	-	-	3	2	2	3	1	-	1	1	-
Iwate	14	3	1	-	1	-	-	2	-	-	1	6	-
Kagawa	9	3	1	1	1	-	-	-	-	-	1	1	1
Kagoshima	46	6	7	2	2	5	5	2	6	-	4	5	2
Kanagawa	22	1	2	3	2	2	-	2	5	3	1	-	1
Kochi	8	1	2	-	-	-	1	-	1	-	1	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA AND PURULENT INFECTION (NONPUERPERAL) (24) - Cont'd:													
Kumamoto	31	5	2	3	1	3	2	6	1	4	-	2	2
Kyoto	16	1	1	-	1	2	1	-	1	5	3	-	1
Mie	24	1	2	4	2	2	2	2	-	2	2	2	3
Miyagi	18	4	1	2	2	1	-	-	1	2	1	-	4
Miyazaki	24	1	-	3	4	1	3	4	1	-	2	2	3
Nagano	16	1	-	5	1	-	2	1	2	-	1	2	1
Nagasaki	33	1	3	3	3	3	2	6	2	5	3	1	1
Nara	10	1	3	1	1	-	-	2	-	-	-	1	1
Niigata	29	2	3	-	3	2	4	3	1	2	2	5	2
Oita	39	3	6	5	1	-	2	5	7	-	5	3	2
Okayama	21	2	4	2	1	3	3	3	-	1	2	-	-
Osaka	37	3	3	2	3	3	3	4	3	5	2	5	1
Saga	9	1	2	-	4	-	1	-	-	-	-	-	1
Saitama	17	3	2	-	1	1	2	2	2	1	1	1	1
Shiga	11	4	2	-	-	-	-	1	-	1	1	2	-
Shimane	12	3	-	1	1	-	-	1	1	1	1	1	2
Shizuoka	21	3	1	2	1	1	4	3	2	1	1	2	-
Tochigi	18	1	4	6	2	2	-	1	1	-	1	-	-
Tokushima	8	2	1	1	-	-	-	1	1	-	-	1	1
Tokyo	50	5	8	5	5	5	2	3	1	6	4	2	4
Tottori	6	1	1	1	1	1	-	-	1	-	-	-	-
Toyama	19	4	2	2	1	-	1	1	2	2	2	1	1
Wakayama	15	-	1	4	-	1	1	1	-	2	2	2	1
Yamagata	13	1	2	1	2	1	-	-	2	2	-	1	1
Yamaguchi	39	4	5	5	4	1	1	1	3	6	4	4	1
Yamanashi	8	2	1	1	1	1	-	-	-	-	-	1	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27):													
All Japan	101	3	1	1	4	6	15	24	26	12	2	4	3
All "Shi"	20	-	1	-	2	-	5	3	5	2	1	1	-
All "Gun"	81	3	-	1	2	6	10	21	21	10	1	3	3
Aichi	7	-	-	-	-	-	-	4	3	-	-	-	-
Akita	3	-	-	-	-	1	-	-	2	-	-	-	-
Aomori	3	-	-	-	1	1	-	-	-	-	1	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	4	-	-	-	-	-	1	1	1	1	-	-	-
Fukui	2	-	-	-	-	-	-	2	-	-	-	-	-
Fukuoka	1	-	-	-	-	-	-	-	-	1	-	-	-
Fukushima	1	-	-	-	-	-	-	-	1	-	-	-	-
Gifu	4	-	-	-	-	-	1	-	3	-	-	-	-
Gumma	2	1	1	-	-	-	-	-	-	-	-	-	-
Hiroshima	3	-	-	-	-	1	-	1	-	1	-	-	-
Hokkaido	10	-	-	1	-	-	1	-	5	1	-	1	1
Hyogo	2	-	-	-	1	-	1	-	-	-	-	-	-
Ibaraki	2	-	-	-	-	-	1	-	1	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	2	-	-	-	-	-	1	-	1	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	2	-	-	-	-	-	-	1	1	-	-	-	-
Kanagawa	2	-	-	-	-	1	-	1	-	-	-	-	-
Kochi	1	-	-	-	-	-	-	1	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DYSENTERY (27) - Cont'd:													
Kumamoto	2	-	-	-	-	-	-	1	-	-	-	1	-
Kyoto	2	-	-	-	1	-	1	-	-	-	-	-	-
Mie	1	-	-	-	-	-	1	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	2	-	-	-	1	-	-	1	-	-	-	-	-
Nagano	1	-	-	-	-	-	1	-	-	-	-	-	-
Nagasaki	3	-	-	-	-	1	-	2	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	6	1	-	-	-	-	1	1	1	2	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	-	-	-	-	-	-	-	-	1	-	-	-
Osaka	2	-	-	-	-	-	-	-	2	-	-	-	-
Saga	1	-	-	-	-	-	-	-	-	-	-	1	-
Saitama	7	-	-	-	-	1	1	2	1	1	1	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	2	-	-	-	-	-	-	1	-	-	-	-	1
Shizuoka	2	-	-	-	-	-	-	1	-	1	-	-	-
Tochigi	2	-	-	-	-	-	-	-	1	1	-	-	-
Tokushima	2	-	-	-	-	-	-	1	1	-	-	-	-
Tokyo	4	-	-	-	-	-	1	1	1	-	-	1	-
Tottori	2	-	-	-	-	-	1	-	1	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	3	1	-	-	-	-	-	1	-	-	-	-	1
Yamagata	2	-	-	-	-	-	1	1	-	-	-	-	-
Yamaguchi	1	-	-	-	-	-	-	-	-	1	-	-	-
Yamanashi	2	-	-	-	-	-	1	-	-	1	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28):													
All Japan	3	-	1	-	-	-	-	1	-	-	1	-	-
All "Shi"	-	-	-	-	-	-	-	-	-	-	-	-	-
All "Gun"	3	-	1	-	-	-	-	1	-	-	1	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	1	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA (28) - Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	2	-	-	-	-	-	-	1	-	-	1	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30):													
All Japan	1,152	91	122	127	88	81	91	77	71	89	89	99	127
All "Shi"	508	40	52	62	37	35	47	40	24	36	38	48	49
All "Gun"	644	51	70	65	51	46	44	37	47	53	51	51	78
Aichi	44	7	3	4	4	-	5	3	2	4	4	3	5
Akita	16	-	1	-	1	2	3	2	1	3	1	-	2
Aomori	14	-	3	1	-	-	2	1	2	1	2	1	1
Chiba	33	6	6	2	1	5	-	4	3	2	2	1	1
Ehime	23	2	2	4	-	1	2	1	3	2	2	1	3
Fukui	9	2	1	3	-	-	-	1	-	1	1	-	-
Fukuoka	101	6	14	12	10	6	5	6	7	7	9	5	14
Fukushima	29	-	1	3	-	1	3	1	2	3	4	4	7
Gifu	13	-	2	-	1	5	1	-	-	1	-	3	-
Gumma	13	3	2	1	2	-	2	-	-	1	-	1	1
Hiroshima	15	1	1	4	-	-	1	2	-	1	-	3	2
Hokkaido	78	6	3	9	12	6	8	4	1	9	8	8	4
Hyogo	35	2	4	4	2	5	3	-	1	5	2	2	5
Ibaraki	25	2	1	3	1	2	4	-	1	2	2	4	3
Ishikawa	11	1	2	1	1	-	-	1	1	-	1	2	1
Iwate	26	2	2	2	3	2	1	3	2	3	1	2	3
Kagawa	8	-	-	-	-	2	2	-	1	-	1	2	-
Kagoshima	49	7	6	8	5	2	3	1	3	-	-	8	6
Kanagawa	27	1	5	3	2	1	-	2	2	1	4	1	5
Kochi	16	-	-	2	-	2	3	2	1	2	2	-	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	27	6	2	4	2	1	2	2	3	2	1	1	1
Kyoto	37	-	5	4	3	5	6	5	2	1	-	4	2
Mie	26	2	-	4	1	-	-	3	4	1	1	3	7
Miyagi	26	-	1	1	2	2	2	2	4	1	4	4	3
Miyazaki	18	1	4	-	1	3	-	1	2	3	1	1	1
Nagano	4	1	-	-	1	-	1	-	-	1	-	-	-
Nagasaki	53	2	10	4	3	2	3	3	6	3	7	3	7
Nara	6	1	-	-	1	-	2	-	-	1	1	-	-
Niigata	15	1	4	2	-	2	2	-	-	-	1	1	2
Oita	15	1	2	1	2	3	1	-	1	-	1	1	2
Okayama	10	1	2	1	3	-	-	-	1	1	-	1	-
Osaka	54	3	5	8	1	5	2	9	2	2	7	6	4
Saga	25	3	6	4	1	1	1	1	1	3	2	1	1
Saitama	14	1	1	3	1	1	1	-	-	-	2	-	4
Shiga	16	5	4	1	2	-	2	-	-	-	1	1	-
Shimane	12	1	-	1	1	1	-	2	-	3	2	-	1
Shizuoka	30	1	2	6	4	2	1	2	3	2	1	4	2
Tochigi	11	-	-	1	-	-	-	2	-	5	-	2	1
Tokushima	5	-	-	1	-	1	-	1	1	-	1	-	-
Tokyo	88	4	3	11	8	5	10	6	5	8	4	10	14
Tottori	13	2	3	-	-	-	3	-	1	-	2	-	2
Toyama	11	3	1	-	-	3	-	1	-	-	-	1	2
Wakayama	13	-	1	1	-	-	1	2	1	1	1	3	2
Yamagata	9	-	1	1	2	-	1	-	1	2	-	-	1
Yamaguchi	20	2	3	2	2	2	2	1	-	-	3	1	2
Yamanashi	9	2	3	-	2	-	-	-	-	1	-	-	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33):													
All Japan	134	29	14	16	11	7	8	6	2	3	12	9	17
All "Shi"	47	4	3	3	4	5	2	5	1	2	7	4	7
All "Gun"	87	25	11	13	7	2	6	1	1	1	5	5	10
Aichi	1	-	-	-	-	1	-	-	-	-	-	-	-
Akita	4	-	-	-	-	-	1	-	-	-	-	3	-
Aomori	12	1	-	3	1	-	4	-	-	-	1	-	2
Chiba	1	1	-	-	-	-	-	-	-	-	-	-	-
Ehime	7	3	-	1	1	-	-	-	-	-	-	-	2
Fukui	2	-	-	-	-	-	-	-	-	-	1	-	1
Fukuoka	8	3	-	-	-	-	-	-	-	-	2	1	2
Fukushima	1	1	-	-	-	-	-	-	-	-	-	-	-
Gifu	4	-	1	-	-	-	-	1	-	-	-	1	1
Gumma	4	1	2	1	-	-	-	-	-	-	-	-	-
Hiroshima	1	-	-	-	1	-	-	-	-	-	-	-	-
Hokkaido	9	1	-	1	2	1	-	2	1	-	-	-	1
Hyogo	4	2	-	1	-	1	-	-	-	-	-	-	-
Ibaraki	2	1	-	-	1	-	-	-	-	-	-	-	-
Ishikawa	2	-	1	1	-	-	-	-	-	-	-	-	-
Iwate	2	-	-	-	-	-	1	-	-	-	1	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	1	-	-	-	-	-	-	-	-	-	-	-	1
Kanagawa	2	-	-	-	-	-	1	-	-	-	-	1	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INFLUENZA (33): - Cont'd:													
Kumamoto	5	4	1	-	-	-	-	-	-	-	-	-	-
Kyoto	4	-	-	-	1	-	1	-	-	1	1	-	-
Mie	6	-	-	1	-	-	-	2	-	-	1	-	2
Miyagi	2	-	-	-	1	-	-	-	-	-	-	1	-
Miyazaki	1	-	-	1	-	-	-	-	-	-	-	-	-
Nagano	1	-	1	-	-	-	-	-	-	-	-	-	-
Nagasaki	2	1	1	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	5	1	-	2	-	-	-	-	-	1	-	1	-
Oita	4	1	1	-	-	1	-	-	-	-	-	1	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	7	1	2	-	2	-	-	-	1	-	-	-	1
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	3	-	1	1	-	1	-	-	-	-	-	-	-
Shiga	2	-	-	-	-	-	-	-	-	-	1	-	1
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	-	-	1	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	4	3	1	-	-	-	-	-	-	-	-	-	-
Tokyo	9	1	-	1	1	1	-	1	-	-	4	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	3	-	-	2	-	1	-	-	-	-	-	-	-
Yamagata	1	1	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	5	-	2	-	-	-	-	-	-	-	-	-	3
Yamanashi	1	1	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	1937	105	118	235	218	296	331	240	100	48	47	69	130
All "Shi"	526	26	37	58	53	70	96	71	37	13	7	14	44
All "Gun"	1411	79	81	177	165	226	235	169	63	35	40	55	86
Aichi	35	1	-	4	6	9	9	6	-	-	-	-	-
Akita	27	4	-	1	1	6	1	3	2	-	2	2	5
Aomori	81	10	5	7	8	6	8	6	7	2	4	9	9
Chiba	10	-	-	1	2	3	1	1	1	1	-	-	-
Ehime	61	2	3	20	12	6	9	5	-	2	1	-	1
Fukui	27	3	1	-	4	4	4	6	3	1	-	-	1
Fukuoka	33	1	-	2	-	8	5	4	2	1	1	1	8
Fukushima	48	-	1	2	6	9	6	6	4	2	3	6	3
Gifu	70	4	7	12	12	7	19	6	1	-	1	1	-
Gumma	11	1	-	2	2	1	1	1	1	-	1	-	1
Hiroshima	73	4	5	9	8	14	11	16	3	1	-	1	1
Hokkaido	235	11	7	4	10	11	18	30	28	19	15	25	57
Hyogo	138	2	8	16	18	20	41	26	4	2	1	-	-
Ibaraki	16	-	-	6	3	-	5	1	1	-	-	-	-
Ishikawa	56	2	3	6	6	15	8	5	2	1	1	1	6
Iwate	114	6	5	9	13	18	23	14	16	4	2	2	2
Kagawa	80	2	8	18	15	18	12	7	-	-	-	-	-
Kagoshima	43	6	5	8	2	7	5	6	4	-	-	-	-
Kanagawa	4	-	-	-	-	1	1	-	-	1	-	1	-
Kochi	31	4	3	10	5	2	3	2	-	-	-	-	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35): - Cont'd:													
Kumamoto	22	-	1	2	-	5	5	7	1	-	-	-	1
Kyoto	18	1	2	-	2	1	5	3	2	-	-	1	1
Mie	44	8	6	5	10	4	7	2	-	-	1	1	-
Miyagi	68	9	6	11	7	10	12	6	2	1	1	2	1
Miyazaki	20	4	1	4	2	4	2	3	-	-	-	-	-
Nagano	43	1	4	12	6	13	4	3	-	-	-	-	-
Nagasaki	28	2	4	2	-	4	7	5	-	1	-	-	3
Nara	3	-	-	-	-	-	1	1	-	-	-	1	-
Niigata	63	2	3	6	5	10	14	5	4	5	2	3	4
Oita	17	1	-	-	1	-	5	2	1	-	1	4	2
Okayama	85	1	7	19	12	24	13	8	-	1	-	-	-
Osaka	66	1	1	7	10	7	16	14	3	1	2	2	2
Saga	9	1	2	-	1	2	2	1	-	-	-	-	-
Saitama	4	-	1	-	-	1	2	-	-	-	-	-	-
Shiga	15	2	4	2	2	2	1	2	-	-	-	-	-
Shimane	11	-	1	1	-	-	-	-	-	-	1	2	6
Shizuoka	32	1	2	4	10	7	5	2	1	-	-	-	-
Tochigi	15	-	4	2	-	5	2	1	1	-	-	-	-
Tokushima	32	1	1	10	4	4	7	3	1	-	1	-	-
Tokyo	18	-	2	2	3	3	4	3	1	-	-	-	-
Tottori	26	2	-	2	6	6	4	4	2	-	-	-	-
Toyama	21	2	-	3	1	2	4	5	1	-	1	-	2
Wakayama	31	1	1	-	3	8	6	5	1	-	2	1	3
Yamagata	42	2	3	1	-	5	11	3	-	2	3	3	9
Yamaguchi	10	-	1	3	-	3	2	1	-	-	-	-	-
Yamanashi	1	-	-	-	-	1	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b)													
All Japan	45	-	-	1	-	-	-	-	21	19	4	-	-
All "Shi"	29	-	-	-	-	-	-	-	9	18	2	-	-
All "Gun"	16	-	-	1	-	-	-	-	12	1	2	-	-
Aichi	2	-	-	-	-	-	-	-	2	-	-	-	-
Akita	1	-	-	-	-	-	-	-	-	-	1	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	-	-	-	-	-	-	1	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	1	-	-	-	-	-	-	-	1	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	1	-	-	1	-	-	-	-	-	-	-	-	-
Hyogo	1	-	-	-	-	-	-	-	-	1	-	-	-
Ibaraki	1	-	-	-	-	-	-	-	1	-	-	-	-
Ishikawa	1	-	-	-	-	-	-	-	1	-	-	-	-
Iwate	2	-	-	-	-	-	-	-	2	-	-	-	-
Kagawa	1	-	-	-	-	-	-	-	-	1	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	6	-	-	-	-	-	-	-	2	4	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death And Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE "B" ENCEPHALITIS (37b) - Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	2	-	-	-	-	-	-	-	1	1	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	2	-	-	-	-	-	-	-	-	1	1	-	-
Nagano	2	-	-	-	-	-	-	-	1	1	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	-	-	-	-	1	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	1	-	-	-	-	-	-	-	1	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	-	1	-	-	-	-
Tochigi	1	-	-	-	-	-	-	-	1	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	15	-	-	-	-	-	-	-	6	7	2	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	-	1	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	1	-	-	-	-	-	-	-	-	1	-	-	-

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68):													
All Japan	3794	492	526	491	349	248	238	201	201	199	231	284	334
All "Shi"	1073	146	163	146	97	65	45	60	60	61	59	80	91
All "Gun"	2721	346	363	345	252	183	193	141	141	138	172	204	243
Aichi	162	19	28	29	14	13	9	7	7	8	7	9	12
Akita	88	7	13	12	11	8	4	2	2	9	6	4	10
Aomori	157	19	21	11	18	7	16	13	9	9	9	14	11
Chiba	96	10	14	12	11	9	8	6	5	2	7	6	6
Ehime	35	4	5	4	4	2	3	1	-	2	3	3	4
Fukui	50	3	3	7	5	4	4	3	2	6	3	4	6
Fukuoka	103	17	11	7	13	10	9	5	4	7	6	5	9
Fukushima	93	9	11	14	12	7	8	3	4	2	8	7	8
Gifu	46	6	7	10	2	-	3	1	1	2	3	3	8
Gumma	29	4	3	7	2	1	-	2	1	2	2	4	1
Hiroshima	74	9	4	15	6	2	6	5	4	7	8	-	8
Hokkaido	255	27	28	28	20	16	12	10	16	15	27	31	25
Hyogo	135	21	16	14	13	4	14	6	9	10	7	10	11
Ibaraki	77	15	15	8	5	5	9	4	4	1	5	2	4
Ishikawa	90	9	12	11	10	5	2	7	5	5	6	10	8
Iwate	148	18	15	13	20	17	7	7	5	7	8	11	20
Kagawa	13	2	1	2	1	1	2	-	2	1	-	-	1
Kagoshima	67	11	10	4	3	5	6	5	4	6	2	6	5
Kanagawa	65	11	10	7	8	3	4	2	5	4	1	3	7
Kochi	40	8	7	1	2	4	5	2	1	1	3	3	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68) Cont'd.													
Kumamoto	91	12	16	11	5	8	6	7	5	4	4	5	8
Kyoto	74	13	9	14	9	4	3	3	5	2	2	5	5
Mie	71	6	12	11	7	3	5	3	2	7	3	7	5
Miyagi	128	20	19	16	8	11	6	2	7	3	3	15	18
Miyazaki	26	3	1	3	-	-	-	2	8	1	6	1	1
Nagano	37	4	5	3	4	2	1	1	3	-	5	6	3
Nagasaki	70	9	8	11	5	3	4	4	1	6	4	8	7
Nara	33	4	8	3	5	-	3	1	2	1	1	4	1
Niigata	173	17	25	30	18	13	13	8	4	10	10	12	13
Oita	53	9	7	3	5	2	2	6	1	2	6	3	7
Okayama	81	10	8	18	10	6	2	3	7	3	3	5	6
Osaka	166	18	22	16	15	7	10	14	9	10	11	18	16
Saga	85	18	14	15	4	2	3	4	6	4	7	4	4
Saitama	67	8	11	9	5	5	5	5	3	2	3	7	4
Shiga	33	8	2	6	4	-	3	-	1	-	3	1	5
Shimane	20	-	2	1	1	2	2	1	1	5	1	2	2
Shizuoka	115	11	20	21	9	12	9	6	8	4	3	6	6
Tochigi	64	10	14	10	4	5	2	2	3	3	1	4	6
Tokushima	15	3	1	2	1	-	-	-	1	1	1	3	2
Tokyo	211	32	45	22	7	18	9	13	12	12	9	15	17
Tottori	41	3	3	7	6	2	4	1	2	1	5	2	5
Toyama	91	8	11	16	13	6	4	5	8	1	8	5	6
Wakayama	30	1	4	5	1	1	3	4	4	1	2	2	2
Yamagata	99	18	14	12	11	9	5	8	2	6	7	2	5
Yamaguchi	82	15	9	9	12	4	3	6	4	3	1	5	11
Yamanashi	15	3	2	1	-	-	-	1	2	1	1	2	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81):													
All Japan	2799	292	272	263	327	295	241	239	130	118	181	204	237
All "Shi"	930	84	79	84	122	96	88	82	42	46	66	59	82
All "Gun"	1869	208	193	179	205	199	153	157	88	72	115	145	155
Aichi	141	7	16	12	14	13	16	13	2	4	17	15	12
Akita	64	6	8	6	4	6	4	4	3	2	7	9	5
Aomori	41	3	3	5	4	6	3	10	-	2	1	2	2
Chiba	98	16	11	11	11	9	7	10	2	5	5	6	5
Ehime	79	7	12	5	8	11	8	2	8	-	5	4	9
Fukui	23	2	2	4	2	2	3	1	2	-	2	1	2
Fukuoka	98	12	6	10	3	11	9	12	6	8	5	8	8
Fukushima	53	2	5	6	4	7	7	3	-	4	3	8	4
Gifu	56	6	6	5	9	10	6	2	3	2	4	2	1
Gumma	39	9	4	4	4	2	3	1	-	3	3	3	3
Hiroshima	94	7	8	4	15	11	8	11	6	4	2	13	5
Hokkaido	191	16	25	19	19	23	19	10	12	8	11	10	19
Hyogo	102	7	7	8	17	15	8	8	3	3	9	7	10
Ibaraki	46	8	4	4	4	3	2	3	6	-	2	4	6
Ishikawa	52	8	6	2	7	6	5	3	2	-	4	4	5
Iwate	49	4	4	3	8	5	9	5	6	3	-	-	2
Kagawa	43	7	2	6	1	8	7	2	1	1	-	2	6
Kagoshima	79	12	4	8	7	14	1	8	4	2	2	7	10
Kanagawa	53	14	6	4	5	1	4	3	1	2	7	4	2
Kochi	35	2	5	3	4	4	5	4	-	1	1	3	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81)-Cont'd.													
Kumamoto	50	5	1	5	7	5	-	7	6	1	4	2	7
Kyoto	51	6	9	8	5	3	6	4	2	1	4	2	1
Mie	75	5	7	8	12	7	8	7	3	-	7	5	6
Miyagi	51	5	3	4	3	9	3	6	1	4	3	4	6
Miyazaki	35	5	5	3	3	4	-	2	3	3	-	3	4
Nagano	48	7	6	4	6	3	4	1	2	1	5	4	5
Nagasaki	50	3	6	7	1	3	-	4	4	5	9	2	6
Nara	19	3	4	1	3	1	4	2	-	-	-	1	-
Niigata	134	12	15	14	16	12	7	5	5	8	7	14	19
Oita	46	9	2	4	3	3	2	6	1	2	2	7	5
Okayama	56	3	3	9	2	5	4	10	3	5	7	1	4
Osaka	110	8	10	8	22	12	12	9	7	4	6	7	5
Saga	43	8	2	4	6	3	3	4	3	4	3	2	1
Saitama	67	8	10	4	8	4	5	6	2	8	4	1	7
Shiga	18	-	2	2	5	2	3	2	-	-	-	-	2
Shimane	37	3	4	5	6	5	3	2	2	1	2	2	2
Shizuoka	82	16	9	7	9	9	9	6	3	2	2	8	2
Tochigi	37	5	2	4	5	5	4	4	-	-	3	2	3
Tokushima	28	5	2	1	5	4	2	3	-	1	2	1	2
Tokyo	130	9	10	12	20	13	10	11	5	7	6	11	16
Tottori	19	3	2	1	5	2	4	1	-	1	-	-	-
Toyama	52	4	6	4	6	2	5	6	2	-	7	5	5
Wakayama	39	2	2	5	6	3	3	5	2	2	1	4	4
Yamagata	35	2	3	3	5	4	5	1	4	2	4	1	1
Yamaguchi	35	1	3	4	7	3	1	6	2	2	2	2	2
Yamanashi	16	-	-	3	1	2	-	4	1	-	1	1	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86):													
All Japan	1,310	142	145	180	125	110	85	67	59	62	99	111	125
All "Shi"	173	21	19	29	23	13	13	8	9	3	10	14	11
All "Gun"	1,137	121	126	151	102	97	72	59	50	59	89	97	114
Aichi	10	-	2	-	1	1	-	1	2	1	-	2	-
Akita	109	7	11	16	10	8	15	4	2	2	12	7	15
Aomori	144	16	17	19	14	10	12	11	8	4	8	12	13
Chiba	10	-	1	2	-	1	1	-	1	1	-	-	3
Ehime	7	1	2	1	-	-	-	-	-	1	2	-	-
Fukui	13	-	1	2	2	9	-	-	1	1	1	1	1
Fukuoka	12	-	3	2	1	1	-	-	1	2	-	2	-
Fukushima	10	2	2	1	2	1	1	-	-	-	-	-	1
Gifu	8	-	-	-	1	-	2	1	1	1	1	1	-
Gumma	5	-	-	-	1	1	1	-	-	1	1	-	-
Hiroshima	24	2	1	3	3	3	2	1	2	-	2	1	4
Hokkaido	181	22	25	18	15	22	12	7	4	6	11	16	23
Hyogo	15	-	3	1	1	3	1	1	2	1	-	-	2
Ibaraki	22	2	6	2	2	1	1	1	1	3	1	1	1
Ishikawa	166	23	18	28	15	9	6	8	6	12	13	10	18
Iwate	46	1	3	8	7	3	2	3	-	2	4	10	3
Kagawa	17	1	-	1	1	1	2	-	1	-	4	5	1
Kagoshima	7	-	-	2	1	-	-	3	-	1	-	-	-
Kanagawa	8	-	-	2	1	-	3	-	-	-	1	-	1
Kochi	1	-	-	-	-	-	-	-	-	1	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86) - Cont'd:													
Kumamoto	6	1	1	1	-	1	1	-	-	-	-	-	1
Kyoto	11	1	-	1	1	1	1	1	2	-	-	1	2
Mie	18	3	4	1	3	2	-	3	1	-	-	-	1
Miyagi	13	1	1	3	-	2	-	-	3	1	1	-	1
Miyazaki	2	1	-	-	1	-	-	-	-	-	-	-	-
Nagano	17	2	-	2	2	2	2	1	1	2	-	2	1
Nagasaki	11	1	-	3	1	2	-	-	1	-	2	1	-
Nara	2	-	-	-	1	-	-	-	1	-	-	-	-
Niigata	45	6	9	6	1	1	3	5	3	1	5	2	3
Oita	19	2	3	2	1	1	1	4	2	2	-	1	-
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	7	1	1	1	-	-	2	1	-	-	-	-	1
Saga	4	-	1	-	1	-	1	-	-	-	-	1	-
Saitama	3	-	-	-	1	-	-	-	1	-	1	-	-
Shiga	4	1	-	1	-	1	1	-	-	-	-	-	-
Shimane	16	-	2	4	-	6	1	-	-	-	-	1	2
Shizuoka	16	3	1	2	1	2	1	2	1	1	1	-	1
Tochigi	22	1	1	4	2	1	2	1	1	1	3	2	3
Tokushima	8	1	-	1	1	-	-	-	2	2	1	-	-
Tokyo	6	2	-	-	2	-	-	1	-	-	1	-	-
Tottori	15	2	2	1	1	2	1	-	-	-	1	5	-
Toyama	223	30	21	37	26	15	5	6	8	11	18	25	21
Wakayama	2	1	-	-	-	-	-	-	-	-	1	-	-
Yamagata	6	-	1	1	-	-	-	1	-	-	1	2	-
Yamaguchi	9	1	1	1	1	1	2	-	-	-	1	-	1
Yamanashi	9	3	1	-	-	2	-	-	-	1	1	-	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	8851	1479	1372	1266	778	559	460	301	239	303	496	616	982
All "Shi"	2034	372	312	269	167	129	92	61	58	62	100	147	265
All "Gun"	6817	1107	1060	997	611	430	368	240	181	241	396	469	717
Aichi	374	69	63	46	40	19	19	14	12	12	19	22	39
Akita	195	16	29	31	22	21	15	7	7	4	8	12	23
Aomori	266	35	27	25	20	24	24	14	9	7	19	21	41
Chiba	261	58	44	37	23	16	13	5	6	6	18	13	22
Ehime	205	43	26	35	9	6	8	9	9	6	10	18	26
Fukui	123	11	15	24	11	8	15	5	4	3	3	4	20
Fukuoka	280	52	49	30	21	21	13	14	4	8	21	18	29
Fukushima	263	40	28	41	21	22	15	16	8	8	22	20	22
Gifu	206	43	34	34	18	12	11	9	3	6	8	15	13
Gumma	161	30	16	34	8	14	9	3	3	8	11	13	12
Hiroshima	175	24	21	27	17	13	6	9	7	6	8	15	22
Hokkaido	584	74	95	82	60	41	35	16	24	27	27	36	67
Hyogo	320	73	56	44	27	12	16	4	9	13	12	14	40
Ibaraki	250	49	47	39	24	6	15	8	10	8	11	13	20
Ishikawa	164	29	31	19	14	10	5	4	5	7	8	13	19
Iwate	239	23	27	35	24	15	18	16	4	8	18	22	29
Kagawa	112	20	19	19	12	7	4	3	2	-	3	11	12
Kagoshima	180	22	35	21	12	14	6	12	-	7	8	24	19
Kanagawa	101	23	16	7	12	6	5	1	6	1	6	10	8
Kochi	71	9	13	13	6	3	-	2	2	6	3	7	7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106): Cont'd													
Kumamoto	142	24	22	12	12	10	8	5	8	7	13	9	12
Kyoto	127	26	12	22	13	4	7	3	2	-	6	12	20
Mie	190	43	31	28	15	16	6	2	4	8	7	13	17
Miyagi	152	32	27	18	14	10	5	5	5	4	7	10	15
Miyazaki	124	10	18	15	10	7	6	4	8	9	7	13	17
Nagano	172	23	35	27	14	14	6	6	5	5	9	9	19
Nagasaki	166	25	26	18	13	11	6	7	2	6	14	16	22
Nara	74	14	8	14	5	2	3	1	2	3	4	8	10
Niigata	432	60	50	65	47	33	29	18	13	11	32	23	51
Oita	165	27	28	28	13	10	14	4	2	3	10	7	19
Okayama	158	24	18	32	14	6	9	8	3	5	4	12	23
Osaka	249	49	49	39	18	12	10	1	5	9	9	17	31
Saga	93	24	13	7	8	3	4	6	1	2	6	10	9
Saitama	266	48	40	47	16	16	19	8	6	13	13	19	21
Shiga	73	11	12	13	4	4	5	2	2	3	2	3	12
Shimane	111	14	17	16	15	4	6	8	3	3	6	5	14
Shizuoka	203	46	39	26	17	12	5	7	1	10	9	8	23
Tochigi	192	32	34	30	16	16	3	7	2	12	10	11	19
Tokushima	140	27	22	19	14	9	4	3	5	6	11	12	8
Tokyo	277	43	51	37	20	19	12	10	10	5	12	19	39
Tottori	58	5	12	8	6	6	2	1	1	3	6	1	7
Toyama	246	32	42	31	21	12	13	6	5	10	19	22	33
Wakayama	71	11	13	10	4	6	3	-	-	3	6	7	8
Yamagata	221	35	20	23	32	19	12	4	6	7	19	17	27
Yamaguchi	132	30	20	18	11	5	9	3	2	3	9	9	13
Yamanashi	87	21	22	20	5	3	2	1	2	2	3	3	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109):													
All Japan	22,937	3,769	3,474	3,216	2,204	1,516	1,194	821	656	671	1,082	1,646	2,688
All "Shi"	7,437	1,254	1,073	1,012	661	423	343	275	225	221	359	541	1,050
All "Gun"	15,500	2,515	2,401	2,204	1,543	1,093	851	546	431	450	723	1,105	1,638
Aichi	805	148	122	108	56	56	51	22	23	25	37	59	98
Akita	375	35	36	51	42	36	22	20	14	9	22	33	55
Aomori	574	67	53	66	67	41	48	31	20	19	26	60	76
Chiba	536	102	99	87	50	36	26	21	15	9	27	28	36
Ehime	445	69	80	75	50	28	20	14	19	15	17	23	35
Fukui	183	24	23	36	19	17	9	7	6	6	10	10	16
Fukuoka	960	199	165	110	54	53	54	32	36	24	53	69	111
Fukushima	700	92	84	97	75	62	52	25	24	24	28	60	77
Gifu	359	59	60	45	36	29	21	16	6	9	13	31	34
Gumma	531	115	91	60	54	33	16	18	25	20	18	24	57
Hiroshima	471	75	70	64	40	33	25	25	10	6	29	38	56
Hokkaido	1,577	195	219	217	151	126	92	72	64	37	74	118	212
Hyogo	747	129	115	116	62	51	32	19	22	20	24	59	98
Ibaraki	514	94	73	95	54	29	29	10	13	14	22	32	49
Ishikawa	363	66	50	48	33	28	16	11	9	6	17	36	43
Iwate	741	88	94	93	99	75	43	13	14	31	44	75	72
Kagawa	299	50	55	53	23	25	15	11	7	5	9	22	24
Kagoshima	610	103	77	63	48	37	23	34	23	29	48	70	55
Kanagawa	682	136	107	99	61	31	36	19	20	27	33	31	82
Kochi	227	53	36	34	23	9	5	10	3	7	9	15	23

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109) - Cont'd:													
Kumamoto	462	86	66	55	40	33	22	18	16	18	25	40	43
Kyoto	339	60	54	53	24	18	21	12	9	11	14	25	38
Mie	358	59	69	49	37	23	14	12	5	6	21	23	40
Miyagi	569	88	81	73	65	38	28	17	13	15	27	59	65
Miyazaki	315	46	42	49	19	14	18	15	17	7	19	33	36
Nagano	458	90	75	60	51	21	31	18	6	14	18	26	48
Nagasaki	533	77	96	74	67	33	24	22	9	18	27	27	59
Nara	143	26	25	21	9	9	3	2	4	2	5	11	26
Niigata	760	102	112	100	86	56	45	32	27	23	31	52	94
Oita	337	56	61	47	20	16	14	14	8	12	21	26	42
Okayama	432	68	70	75	42	33	20	16	4	8	17	23	56
Osaka	901	154	135	130	66	47	42	37	24	34	40	59	133
Saga	208	42	44	26	18	9	11	7	7	3	7	11	23
Saitama	564	95	109	85	52	29	21	11	18	18	30	33	63
Shiga	166	32	30	28	17	7	9	3	2	4	11	8	15
Shimane	298	35	46	39	51	21	17	19	6	6	14	17	27
Shizuoka	604	108	112	93	58	43	19	22	17	25	20	30	57
Tochigi	367	90	51	55	39	23	16	7	9	12	11	15	39
Tokushima	337	57	60	48	31	29	18	6	5	10	16	14	43
Tokyo	1,396	227	208	227	125	64	56	43	33	34	54	98	227
Tottori	150	21	12	22	30	9	18	6	2	8	5	4	13
Toyama	348	51	36	45	46	20	30	12	8	12	21	19	48
Wakayama	227	40	33	37	17	13	12	5	2	8	8	23	29
Yamagata	399	53	42	43	46	32	24	19	7	11	29	37	56
Yamaguchi	374	69	52	37	30	27	20	14	19	9	24	32	41
Yamanashi	193	38	44	28	21	14	6	2	6	1	7	8	18

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119):													
All Japan	31436	2444	2305	2516	2209	2232	2835	4386	3648	2395	1809	2398	2259
All "Shi"	8797	719	702	775	668	671	811	1219	883	579	484	676	610
All "Gun"	22639	1725	1603	1741	1541	1561	2024	3167	2765	1816	1325	1722	1649
Aichi	917	88	77	98	73	64	74	123	65	52	40	80	83
Akita	1038	61	54	67	62	76	122	157	143	98	61	85	52
Aomori	1100	40	47	52	65	62	95	192	182	155	82	76	52
Chiba	617	56	52	47	49	46	44	55	64	50	38	60	56
Ehime	416	31	24	27	24	32	50	60	48	32	23	31	34
Fukui	471	22	23	23	17	15	51	121	80	36	25	33	25
Fukuoka	1099	100	98	79	81	79	104	119	99	68	64	114	94
Fukushima	938	61	55	86	72	57	72	127	107	75	70	74	82
Gifu	639	69	47	48	44	46	51	86	60	38	36	49	65
Gumma	390	36	36	36	26	31	38	38	40	29	24	26	30
Hiroshima	614	37	37	36	48	37	58	112	93	34	38	36	48
Hokkaido	2594	155	168	178	152	160	190	293	433	299	178	220	168
Hyogo	1049	79	92	93	66	75	102	161	115	62	58	77	69
Ibaraki	720	70	78	75	40	39	68	69	64	53	35	64	65
Ishikawa	684	44	40	43	41	48	65	131	99	63	39	34	37
Iwate	945	62	64	79	73	52	77	130	143	91	58	45	71
Kagawa	300	29	18	29	18	20	24	37	33	24	14	29	25
Kagoshima	793	63	64	44	46	67	76	119	66	69	54	66	59
Kanagawa	616	40	57	47	52	52	66	85	64	38	20	48	47
Kochi	285	33	14	13	28	26	40	42	23	25	12	11	18

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119) - Cont'd.													
Kumamoto	642	70	45	43	54	55	70	68	49	39	35	63	51
Kyoto	517	53	37	55	36	41	35	69	71	28	25	40	27
Mie	561	50	40	40	39	34	58	102	56	36	25	38	43
Miyagi	829	68	67	68	65	69	61	109	88	73	46	60	55
Miyazaki	420	45	42	24	19	39	48	51	27	15	23	50	37
Nagano	532	42	33	59	36	41	51	64	52	47	38	33	36
Nagasaki	692	57	58	77	47	70	69	75	60	39	45	45	50
Nara	330	25	19	27	29	27	29	66	28	26	14	23	17
Niigata	1054	56	55	77	75	64	101	177	157	78	64	87	63
Oita	461	38	42	42	31	40	51	45	49	31	21	27	44
Okayama	473	31	22	28	23	36	47	82	75	31	33	36	29
Osaka	1074	87	92	125	107	80	87	178	78	45	46	74	75
Saga	455	43	35	40	43	47	43	58	28	28	27	24	39
Saitama	675	69	63	69	45	53	58	84	59	43	34	41	57
Shiga	369	24	20	31	33	24	30	78	37	22	22	28	20
Shimane	367	17	24	22	24	21	30	47	89	34	20	15	24
Shizuoka	862	91	72	65	57	78	108	104	86	40	34	60	67
Tochigi	526	44	37	41	35	37	37	66	52	43	31	53	50
Tokushima	315	33	19	21	21	21	27	34	41	24	20	27	27
Tokyo	1328	139	138	147	106	101	112	153	108	67	57	99	101
Tottori	257	13	17	25	17	14	17	49	41	23	15	11	15
Toyama	695	53	45	56	63	45	59	101	76	53	51	55	38
Wakayama	324	13	29	31	34	19	23	55	35	16	18	24	27
Yamagata	762	47	48	49	56	49	66	103	113	72	49	64	46
Yamaguchi	446	29	39	38	25	25	37	67	52	36	39	37	22
Yamanashi	245	31	22	16	12	18	14	44	20	15	8	26	19

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157):													
All Japan	4,596	430	426	492	345	297	276	361	330	371	365	402	501
All "Shi"	1,509	128	150	164	104	94	88	130	111	135	115	125	165
All "Gun"	3,087	302	276	328	241	203	188	231	219	236	250	277	336
Aichi	164	19	16	15	14	12	7	13	11	15	14	14	14
Akita	95	8	11	13	11	5	6	4	4	9	9	8	7
Aomori	89	6	5	11	7	4	8	10	6	4	8	9	11
Chiba	127	17	12	14	14	6	3	4	8	17	9	11	12
Ehime	86	12	6	6	7	7	6	5	6	9	7	3	12
Fukui	40	5	1	5	2	2	-	5	3	6	3	3	5
Fukuoka	208	19	11	19	13	17	9	14	17	17	25	22	25
Fukushima	130	11	12	14	12	6	4	10	5	17	15	7	17
Gifu	64	10	6	4	8	5	4	2	5	4	8	2	6
Gumma	113	13	9	16	12	4	3	9	7	11	8	12	9
Hiroshima	101	7	10	9	9	6	5	3	14	8	11	8	11
Hokkaido	272	19	25	23	25	21	15	15	26	25	18	19	41
Hyogo	153	15	13	19	8	11	8	16	12	12	7	12	20
Ibaraki	131	13	11	11	9	8	9	7	13	11	9	14	16
Ishikawa	67	3	6	7	8	7	7	-	6	9	8	1	5
Iwate	79	7	13	10	5	6	2	10	4	5	2	7	8
Kagawa	56	5	2	10	4	6	3	2	5	3	3	6	7
Kagoshima	80	7	8	10	2	7	4	9	7	6	8	11	10
Kanagawa	139	15	11	13	13	8	7	15	9	7	7	18	16
Kochi	58	6	5	7	4	3	5	4	4	5	3	5	7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157): Cont'd													
Kumamoto	84	12	2	15	6	5	9	7	2	5	7	7	7
Kyoto	81	1	8	13	6	7	5	11	5	9	5	3	8
Mie	89	5	7	12	7	3	2	4	6	11	10	10	12
Miyagi	97	7	9	13	11	3	9	11	9	4	5	8	8
Miyazaki	57	8	5	6	6	2	6	8	4	4	1	4	3
Nagano	102	5	9	10	6	10	12	6	7	4	9	16	8
Nagasaki	95	11	13	6	4	5	7	5	3	11	6	12	12
Nara	27	1	5	1	3	3	1	4	1	1	1	3	3
Niigata	148	10	11	18	12	14	10	11	12	12	10	15	13
Oita	60	6	9	5	5	4	3	4	7	2	8	4	3
Okayama	70	7	4	8	3	3	1	9	6	5	5	11	8
Osaka	195	23	24	21	7	11	10	14	11	20	15	21	18
Saga	56	7	4	8	2	1	3	4	5	3	7	3	9
Saitama	170	16	13	16	11	9	9	18	10	18	11	14	25
Shiga	50	4	5	9	2	4	2	3	-	5	2	5	9
Shimane	55	7	4	5	3	4	3	6	5	6	4	2	6
Shizuoka	142	10	22	13	7	9	13	9	10	6	15	14	14
Tochigi	111	15	9	12	10	9	11	12	5	4	6	8	10
Tokushima	46	2	6	4	3	2	3	6	6	2	4	0	8
Tokyo	277	22	31	27	25	15	22	32	20	17	20	17	29
Tottori	24	2	2	4	-	4	4	1	1	1	2	2	1
Toyama	51	8	4	5	1	4	1	4	3	6	3	9	3
Wakayama	55	9	3	5	2	2	5	2	2	5	8	5	7
Yamagata	98	9	11	10	6	13	4	5	10	4	11	8	7
Yamaguchi	63	3	8	9	7	-	3	5	5	4	7	4	8
Yamanashi	32	3	5	1	3	-	3	3	3	2	1	5	3

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158):													
All Japan	38323	5425	5184	4661	2952	2373	2171	2184	2109	2153	2326	2882	3903
All "Shi"	9867	1448	1353	1158	761	633	567	598	551	523	553	692	1030
All "Gun"	28456	3977	3831	3503	2191	1740	1604	1586	1558	1630	1773	2190	2873
Aichi	1713	274	213	200	127	87	106	91	89	88	103	130	205
Akita	1079	126	157	164	100	48	60	40	42	80	59	97	106
Aomori	1130	92	110	120	106	76	76	86	90	103	71	74	126
Chiba	1001	133	138	125	66	62	61	57	62	57	66	79	95
Ehime	715	109	93	69	44	37	47	26	50	49	53	69	69
Fukui	547	71	90	62	64	31	28	31	31	28	27	33	51
Fukuoka	1405	216	157	159	102	112	69	77	86	79	104	112	132
Fukushima	1062	141	138	163	111	80	65	47	38	60	52	66	101
Gifu	947	150	144	121	63	45	48	52	50	37	50	77	110
Gumma	690	101	101	108	72	51	29	36	38	31	27	41	55
Hiroshima	871	140	104	105	76	60	60	48	56	47	40	61	74
Hokkaido	1687	189	162	164	144	117	129	114	133	104	119	143	169
Hyogo	1352	194	212	175	99	75	56	79	68	70	80	101	143
Ibaraki	1163	188	160	134	89	73	71	66	63	74	78	68	99
Ishikawa	567	65	77	71	49	43	27	41	31	26	44	37	56
Iwate	906	105	131	99	73	58	51	44	56	53	54	75	107
Kagawa	612	77	91	79	48	34	38	37	37	36	34	45	56
Kagoshima	687	122	95	45	42	35	35	45	46	38	40	59	85
Kanagawa	621	102	97	83	52	47	28	33	19	31	29	30	70
Kochi	426	61	64	43	34	22	22	24	26	26	29	41	34

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) -Cont'd.													
Kumamoto	752	118	95	71	37	67	54	33	41	37	60	62	77
Kyoto	683	103	98	106	40	37	36	35	39	35	37	44	73
Mie	748	110	96	91	50	43	46	45	38	40	53	51	85
Miyagi	883	118	139	124	77	56	46	44	27	41	48	71	92
Miyazaki	478	83	62	41	28	30	30	27	29	35	28	38	47
Nagano	731	97	101	80	53	54	39	41	39	29	53	49	96
Nagasaki	819	112	115	91	43	49	47	49	56	48	53	76	80
Nara	487	69	63	65	36	33	25	34	19	28	29	41	45
Niigata	1074	111	159	141	88	70	63	76	60	58	77	87	84
Oita	686	112	96	79	45	41	32	45	37	44	43	53	59
Okayama	1000	161	145	130	79	64	51	54	45	53	62	72	84
Osaka	1422	218	192	169	95	83	88	95	67	65	77	112	161
Saga	674	98	77	103	41	48	43	41	36	38	39	45	65
Saitama	1105	162	136	121	89	57	64	71	52	63	75	87	128
Shiga	468	71	68	57	35	31	23	37	26	22	19	35	44
Shimane	485	68	64	49	35	24	23	29	34	31	38	46	44
Shizuoka	999	159	149	124	75	53	53	62	54	44	61	58	107
Tochigi	609	83	80	87	49	39	31	25	36	49	32	39	59
Tokushima	592	86	94	75	47	29	23	30	29	33	39	46	61
Tokyo	1424	234	213	205	110	88	85	67	66	68	66	94	128
Tottori	307	48	47	35	25	24	17	15	7	21	26	16	26
Toyama	549	77	73	83	43	29	23	32	30	29	29	50	51
Wakayama	365	53	55	22	26	20	16	25	24	27	16	26	55
Yamagata	888	100	120	121	95	46	38	53	53	40	51	80	91
Yamaguchi	637	76	78	62	33	49	44	36	40	39	43	52	85
Yamanashi	277	42	35	40	17	16	25	9	14	19	13	14	33

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159):													
All Japan	13,754	1,574	1,469	1,327	991	954	940	916	955	940	1,077	1,222	1,389
All "Shi"	4,227	461	401	371	293	301	309	297	328	323	324	381	438
All "Gun"	9,527	1,113	1,068	956	698	653	631	619	627	617	753	841	951
Aichi	615	62	63	56	39	33	43	38	48	41	60	60	72
Akita	346	45	45	49	35	24	23	14	16	16	35	25	19
Aomori	230	18	22	20	17	18	19	22	27	14	18	22	13
Chiba	528	73	52	40	36	27	43	38	44	28	40	55	52
Ehime	277	34	30	30	24	18	14	18	20	23	14	23	29
Fukui	174	18	16	27	14	12	10	15	7	9	12	12	22
Fukuoka	452	60	44	35	31	27	28	24	32	32	39	50	50
Fukushima	355	37	38	37	31	28	23	16	15	30	35	27	38
Gifu	344	35	40	37	23	19	28	23	17	15	34	34	39
Gumma	203	27	21	19	14	10	20	14	11	16	11	21	19
Hiroshima	266	35	28	24	19	12	21	18	16	27	26	19	21
Hokkaido	453	48	45	38	32	35	39	39	37	26	40	33	41
Hyogo	514	64	65	55	36	36	36	33	30	33	33	45	48
Ibaraki	515	58	48	61	35	44	24	35	31	33	44	54	48
Ishikawa	197	19	22	22	16	6	14	9	14	21	14	14	26
Iwate	309	28	32	30	17	27	21	20	24	33	20	32	25
Kagawa	234	19	22	17	18	15	21	21	21	18	19	19	24
Kagoshima	236	30	19	25	15	15	7	15	25	18	21	24	22
Kanagawa	268	36	22	22	20	23	15	22	14	24	22	27	21
Kochi	190	20	14	11	23	14	15	16	10	6	20	21	20

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159) - Cont'd:													
Kumamoto	271	33	24	17	19	17	20	19	18	20	23	27	34
Kyoto	300	29	34	26	18	23	22	16	22	20	15	30	45
Mie	294	28	31	34	12	32	18	15	30	17	17	34	26
Miyagi	277	28	29	34	26	14	18	13	17	15	26	16	41
Miyazaki	206	23	16	12	16	22	19	10	15	13	22	20	18
Nagano	307	29	33	30	18	26	14	25	24	21	28	32	27
Nagasaki	202	19	18	11	14	14	19	11	11	23	15	22	25
Nara	127	19	19	18	8	6	5	8	6	7	10	8	13
Niigata	441	49	46	45	47	33	39	19	35	28	42	34	24
Oita	247	34	32	18	12	10	14	17	14	11	22	27	36
Okayama	341	46	43	33	22	23	19	19	19	25	29	30	33
Osaka	477	43	47	48	30	39	39	43	33	30	35	42	48
Saga	202	23	31	17	9	10	13	13	12	17	15	15	27
Saitama	375	45	32	40	26	25	24	27	32	25	17	37	45
Shiga	185	19	24	28	15	11	17	9	6	11	14	11	20
Shimane	192	26	25	19	11	17	15	12	14	16	9	10	18
Shizuoka	359	44	41	40	21	25	26	32	15	20	24	29	42
Tochigi	250	24	29	16	19	16	17	28	20	18	22	17	24
Tokushima	186	25	24	20	16	9	13	11	13	12	11	11	21
Tokyo	740	93	77	61	51	61	46	46	57	51	53	63	81
Tottori	111	11	12	15	9	6	5	4	6	11	8	15	9
Toyama	246	26	28	20	16	18	16	16	22	22	14	22	26
Wakayama	177	23	18	11	17	11	9	10	13	17	20	13	15
Yamagata	286	34	32	32	25	22	21	22	24	17	21	18	18
Yamaguchi	147	22	20	22	13	10	5	10	7	7	5	8	18
Yamanashi	102	13	16	5	6	11	3	11	11	3	3	14	6

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160):													
All Japan	1007	106	109	97	77	80	70	81	89	75	54	67	102
All "Shi"	361	32	31	25	32	28	28	33	35	25	21	32	39
All "Gun"	646	74	78	72	45	52	42	48	54	50	33	35	63
Aichi	35	1	3	1	-	2	1	6	6	4	4	4	3
Akita	22	3	1	8	2	-	2	-	1	-	4	-	1
Aomori	12	2	2	1	1	2	1	-	1	-	1	-	1
Chiba	35	6	2	5	3	1	2	2	5	1	1	2	5
Ehime	30	1	3	1	4	2	1	4	7	-	4	1	2
Fukui	8	-	1	-	2	1	-	2	-	-	1	-	1
Fukuoka	29	3	6	-	2	1	2	3	2	4	1	3	2
Fukushima	29	5	1	3	3	3	4	5	1	-	1	1	2
Gifu	17	2	4	-	1	1	1	1	3	-	-	1	3
Gumma	25	2	1	5	2	-	4	3	3	1	-	3	1
Hiroshima	25	1	3	1	4	1	2	2	3	1	-	3	4
Hokkaido	45	4	7	12	7	6	-	1	1	1	2	2	2
Hyogo	29	3	1	6	2	3	1	-	4	5	1	-	3
Ibaraki	37	3	7	5	3	2	4	5	1	2	-	4	1
Ishikawa	7	-	-	-	-	1	-	1	1	1	-	2	1
Iwate	20	5	3	1	2	1	1	1	1	-	1	2	2
Kagawa	12	-	-	1	1	1	1	2	-	5	-	-	1
Kagoshima	18	1	-	-	-	1	1	2	3	6	2	-	2
Kanagawa	23	2	5	1	-	2	1	-	-	1	5	2	4
Kochi	16	2	2	1	1	2	-	1	3	-	1	1	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160): Cont'd													
Kumamoto	13	-	-	1	-	-	2	4	1	1	-	1	3
Kyoto	25	-	3	2	3	4	4	2	1	2	1	2	1
Mie	14	1	-	2	2	-	-	-	1	2	2	4	-
Miyagi	35	6	4	6	1	1	3	2	1	2	3	2	4
Miyazaki	15	2	-	1	1	3	5	-	-	-	1	-	2
Nagano	17	2	3	2	1	2	1	3	1	1	-	-	1
Nagasaki	15	6	3	1	1	-	-	-	1	3	-	-	-
Nara	12	-	1	-	-	2	3	1	3	-	1	1	-
Niigata	34	7	5	2	2	3	2	3	1	2	-	4	3
Oita	17	1	1	-	3	2	-	2	-	1	2	4	1
Okayama	24	1	1	3	-	4	4	2	2	3	1	1	2
Osaka	30	2	3	2	-	1	2	5	2	1	1	2	9
Saga	10	1	-	2	1	-	-	1	2	1	-	1	1
Saitama	22	2	-	1	1	4	1	-	5	3	1	-	4
Shiga	22	4	1	1	3	1	3	1	2	2	1	1	2
Shimane	15	3	1	2	-	1	1	2	-	2	-	1	2
Shizuoka	17	1	4	-	-	2	3	2	2	1	1	1	-
Tochigi	12	2	1	1	-	-	1	-	1	2	2	1	1
Tokushima	12	1	2	-	-	2	-	1	2	-	1	1	2
Tokyo	64	8	6	5	12	4	3	2	3	3	2	5	11
Tottori	14	1	1	2	-	1	-	-	2	3	-	-	4
Toyama	22	1	2	3	2	3	1	1	3	4	1	-	1
Wakayama	10	1	2	-	-	-	1	2	1	1	-	1	1
Yamagata	41	6	9	5	4	5	1	2	2	1	3	2	1
Yamaguchi	13	1	4	1	-	-	-	1	2	2	1	-	1
Yamanashi	8	-	-	-	-	2	-	1	2	-	-	1	2

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):													
All Japan	8,836	1,211	1,296	1,064	669	524	441	504	490	535	574	667	861
All "Shi"	2,316	311	329	255	162	128	127	137	149	165	169	167	217
All "Gun"	6,520	900	967	809	507	396	314	367	341	370	405	500	644
Aichi	377	53	54	39	20	25	13	22	23	30	30	35	33
Akita	155	13	22	31	15	11	10	7	4	11	5	9	17
Aomori	127	20	11	10	11	11	6	10	6	7	8	13	14
Chiba	351	56	52	45	27	23	19	19	19	22	20	16	33
Ehime	189	17	31	18	10	6	17	11	9	12	17	21	20
Fukui	63	5	8	12	2	4	5	8	3	4	2	7	3
Fukuoka	347	55	60	27	30	20	16	18	14	25	17	23	42
Fukushima	214	31	23	30	18	15	7	12	9	16	19	17	17
Gifu	166	22	28	18	12	14	10	10	6	8	12	10	16
Gumma	130	14	24	15	14	10	7	5	8	8	9	7	9
Hiroshima	189	35	25	19	12	5	12	9	14	8	16	13	21
Hokkaido	457	46	57	53	71	29	24	35	17	29	31	28	37
Hyogo	295	27	44	31	22	20	12	21	19	22	24	19	34
Ibaraki	285	35	52	47	23	20	6	11	11	15	15	24	26
Ishikawa	135	23	33	20	8	2	7	7	9	6	5	5	10
Iwate	164	23	29	21	9	14	7	10	8	8	10	12	13
Kagawa	152	19	20	12	7	9	16	10	9	11	4	16	19
Kagoshima	178	24	26	19	14	6	10	5	12	14	10	18	20
Kanagawa	171	26	29	20	14	7	7	10	11	9	11	12	15
Kochi	90	8	8	11	3	3	11	6	9	4	4	15	8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161) - Cont'd:													
Kumamoto	210	28	21	21	8	16	18	14	16	16	14	16	22
Kyoto	180	25	23	28	16	9	3	7	7	11	12	15	24
Mie	219	25	30	27	12	6	12	12	14	17	24	19	21
Miyagi	163	37	22	27	11	8	3	7	6	7	7	13	15
Miyazaki	153	31	26	10	3	9	11	9	8	8	7	15	16
Nagano	150	23	24	16	11	8	6	10	8	8	11	16	9
Nagasaki	220	32	34	19	18	14	5	10	16	23	12	12	25
Nara	105	14	19	13	6	6	3	10	5	4	5	7	13
Niigata	200	14	28	23	30	11	9	13	15	11	14	17	15
Oita	186	23	37	18	9	10	7	15	9	13	16	12	17
Okayama	220	36	32	36	17	11	9	11	9	11	13	19	16
Osaka	290	44	36	27	22	16	12	11	22	22	26	18	34
Saga	145	23	18	21	9	3	5	5	10	9	3	13	26
Saitama	284	39	42	37	14	19	9	19	19	18	16	21	31
Shiga	106	23	22	10	5	3	10	6	7	3	3	4	10
Shimane	91	16	17	14	6	4	6	7	5	5	3	3	5
Shizuoka	331	43	54	49	25	18	17	16	15	13	22	23	36
Tochigi	149	13	22	11	5	14	10	9	13	9	9	17	17
Tokushima	112	9	12	19	15	10	4	8	7	3	7	14	4
Tokyo	396	56	52	62	23	31	22	28	26	22	24	20	30
Tottori	102	13	14	11	9	6	5	5	7	3	8	7	14
Toyama	110	15	11	17	8	8	4	6	6	5	11	6	13
Wakayama	114	17	15	13	12	9	7	5	5	7	7	6	11
Yamagata	150	23	25	17	16	10	10	5	4	3	12	16	9
Yamaguchi	138	21	15	16	9	6	10	10	9	9	10	13	10
Yamanashi	77	16	9	4	8	5	2	-	2	6	9	5	11

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	2184	189	210	172	139	116	221	281	238	134	138	157	189
All "Shi"	649	68	70	52	51	40	47	44	65	50	31	46	85
All "Gun"	1535	121	140	120	88	76	174	237	173	84	107	111	104
Aichi	54	5	5	6	-	5	1	3	3	5	5	6	10
Akita	33	-	5	1	2	2	4	2	3	3	2	6	3
Aomori	41	1	1	-	3	5	10	4	5	1	6	3	2
Chiba	34	2	4	4	5	1	5	2	1	2	4	1	3
Ehime	18	1	3	4	1	1	3	-	2	-	1	-	2
Fukui	377	3	1	1	2	-	84	142	125	7	5	3	4
Fukuoka	67	8	5	6	8	6	5	4	3	5	5	4	8
Fukushima	75	6	9	5	6	7	5	9	6	4	6	5	7
Gifu	48	6	7	7	2	1	1	4	2	2	4	7	5
Gunma	30	4	5	1	3	1	1	3	2	1	2	5	2
Hiroshima	49	5	2	8	4	4	1	1	4	1	2	8	9
Hokkaido	133	11	15	9	8	10	12	11	11	5	14	16	11
Hyogo	63	12	7	6	8	3	4	1	4	2	2	6	8
Ibaraki	32	2	2	3	4	-	7	-	1	1	2	3	7
Ishikawa	30	1	4	4	2	3	2	4	4	1	-	3	2
Iwate	70	3	5	5	2	4	3	6	5	27	4	4	2
Kagawa	29	3	4	1	4	4	3	2	3	2	1	1	1
Kagoshima	63	5	2	4	3	5	8	8	6	5	9	6	2
Kanagawa	34	4	8	4	5	1	-	3	2	1	1	2	3
Kochi	14	1	1	-	-	2	1	2	1	2	4	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195): Cont'd													
Kumamoto	35	5	3	3	1	3	2	3	4	1	1	5	4
Kyoto	56	3	9	5	4	3	-	1	5	1	9	3	19
Mie	18	1	3	-	3	-	1	-	2	-	2	3	3
Miyagi	45	4	3	2	3	3	4	4	4	6	3	3	6
Miyazaki	26	-	6	2	1	-	4	3	1	-	3	3	3
Nagano	34	8	3	5	2	2	1	3	2	2	2	3	1
Nagasaki	33	3	4	1	5	2	4	1	-	9	1	1	2
Nara	12	1	2	1	-	2	1	2	-	-	2	-	1
Niigata	53	5	7	8	6	1	2	6	3	4	6	3	2
Oita	31	3	4	1	3	3	3	4	2	2	1	2	3
Okayama	44	13	6	5	3	1	2	2	1	1	4	6	-
Osaka	54	9	4	4	3	7	7	3	2	3	1	4	7
Saga	22	2	4	3	-	2	-	-	1	7	1	1	1
Saitama	31	1	6	3	2	-	3	2	1	3	4	2	4
Shiga	20	5	-	3	1	2	2	3	2	-	2	-	-
Shimane	35	3	4	4	2	-	3	3	1	1	2	1	11
Shizuoka	32	5	6	2	5	1	3	4	-	3	1	1	1
Tochigi	17	3	3	1	-	-	-	1	1	1	1	4	2
Tokushima	27	3	2	3	4	2	3	2	5	-	-	2	1
Tokyo	114	14	20	17	9	4	7	6	4	5	8	7	13
Tottori	8	-	1	1	-	-	1	1	-	-	-	2	2
Toyama	34	5	5	6	1	1	2	4	-	1	5	3	1
Wakayama	15	1	3	3	-	3	-	2	1	1	1	-	-
Yamagata	41	3	5	8	4	1	2	3	1	2	1	5	6
Yamaguchi	36	5	2	1	3	7	4	4	2	1	3	-	4
Yamanashi	17	1	-	1	2	1	-	3	-	3	1	4	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ILL-DEFINED AND UNKNOWN CAUSES (199-200):													
All Japan	2,789	381	336	366	257	207	195	152	125	133	208	217	212
All "Shi"	779	115	88	93	60	53	51	47	31	43	59	76	63
All "Gun"	2,010	266	248	273	197	154	144	105	94	90	149	141	149
Aichi	104	17	8	18	12	6	3	7	5	4	7	9	8
Akita	57	8	6	13	4	10	4	2	-	1	-	5	4
Aomori	87	9	10	4	4	5	8	3	5	7	12	7	13
Chiba	73	10	10	7	5	5	8	2	5	2	4	5	10
Ehime	53	11	8	5	2	4	5	3	3	3	2	6	1
Fukui	40	6	4	10	3	1	1	2	4	1	5	1	2
Fukuoka	55	14	6	7	4	2	5	5	1	1	3	5	2
Fukushima	89	9	8	18	12	5	8	6	1	4	5	8	5
Gifu	54	7	8	8	5	1	5	4	3	1	3	3	6
Gumma	34	2	3	7	2	3	3	2	-	3	4	2	3
Hiroshima	50	8	6	7	3	3	1	5	3	2	3	6	3
Hokkaido	321	24	30	38	39	25	31	17	25	16	23	24	29
Hyogo	74	7	9	11	9	2	3	5	5	3	8	5	7
Ibaraki	63	10	9	9	7	2	6	3	1	3	2	4	7
Ishikawa	53	10	10	5	8	3	4	2	2	4	1	3	1
Iwate	58	7	8	12	8	4	1	3	1	5	5	2	2
Kagawa	47	7	2	2	3	7	1	4	5	3	3	4	6
Kagoshima	50	7	7	5	6	6	2	1	1	3	7	1	4
Kanagawa	53	10	10	2	6	5	4	5	-	1	3	4	3
Kochi	36	4	6	3	2	2	1	5	2	3	4	3	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ILL DEFINED AND UNKNOWN CAUSES (199-200) - Cont'd:													
Kumamoto	34	6	1	5	5	3	1	-	1	2	2	4	4
Kyoto	39	7	3	7	1	5	3	-	3	1	2	4	3
Mie	73	9	18	8	5	1	4	4	3	2	6	7	6
Miyagi	65	9	7	4	5	8	9	3	-	4	3	8	5
Miyazaki	30	3	7	3	2	1	2	1	2	1	2	3	3
Nagano	50	10	10	5	7	3	3	2	3	-	2	5	-
Nagasaki	31	2	3	1	3	4	4	2	1	2	1	4	4
Nara	32	6	2	1	-	5	-	3	1	3	3	5	3
Niigata	114	12	13	23	14	12	4	8	13	2	4	7	2
Oita	33	8	3	3	4	5	1	1	-	4	1	1	2
Okayama	54	9	6	7	2	6	4	1	2	-	8	3	6
Osaka	112	19	12	11	14	6	7	6	3	10	12	7	5
Saga	28	8	5	4	3	-	-	1	-	1	3	2	1
Saitama	88	11	15	14	10	4	11	2	3	5	5	4	4
Shiga	20	1	1	3	2	4	2	2	-	-	-	2	3
Shimane	27	3	2	5	1	2	2	1	1	4	1	-	5
Shizuoka	78	9	8	13	3	13	7	2	1	3	7	3	9
Tochigi	60	13	8	5	7	2	6	4	-	6	6	1	2
Tokushima	42	6	4	8	1	3	3	3	4	-	2	4	4
Tokyo	123	16	15	22	7	10	2	10	2	4	11	12	12
Tottori	10	1	2	2	1	1	-	1	-	-	2	-	-
Toyama	70	7	6	3	9	2	5	4	4	6	6	12	6
Wakayama	49	9	6	9	2	3	4	2	1	1	6	4	2
Yamagata	29	2	2	-	2	3	5	2	1	2	7	1	2
Yamaguchi	24	4	6	3	2	-	1	-	3	-	-	4	1
Yamanashi	23	4	3	6	1	-	1	1	1	-	2	3	1

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES:													
All Japan	13,869	2,016	1,732	1,781	1,291	1,013	838	768	777	756	807	932	1,158
All "Shi"	3,987	551	464	534	389	296	247	255	220	207	223	264	337
All "Gun"	9,882	1,465	1,268	1,247	902	717	591	513	557	549	584	668	821
Aichi	546	77	61	66	42	46	35	35	35	31	32	47	39
Akita	250	31	27	34	20	17	20	10	16	21	17	15	22
Aomori	331	38	32	52	36	27	26	15	18	14	18	22	33
Chiba	362	60	54	48	37	27	9	18	18	19	27	20	25
Ehime	258	43	34	29	22	15	17	15	19	10	14	14	26
Fukui	186	15	24	25	14	14	10	15	13	12	15	17	12
Fukuoka	501	69	67	58	36	41	32	34	27	34	34	27	42
Fukushima	380	45	47	50	38	27	18	10	24	22	32	37	30
Gifu	265	31	30	32	28	25	23	19	14	7	7	17	32
Gumma	241	32	29	38	25	13	20	12	14	8	13	13	22
Hiroshima	325	50	48	41	27	22	13	13	17	19	23	18	34
Hokkaido	800	107	102	103	84	66	42	43	49	45	48	57	54
Hyogo	474	60	57	66	41	30	35	22	28	22	30	33	50
Ibaraki	307	56	41	44	21	15	22	19	19	11	16	19	24
Ishikawa	285	45	31	40	27	25	10	12	18	20	15	22	20
Iwate	301	43	38	35	38	14	15	16	20	14	14	29	25
Kagawa	176	34	15	20	13	20	1	13	9	9	4	16	22
Kagoshima	319	43	40	29	28	28	13	26	20	16	25	17	34
Kanagawa	252	43	30	32	29	29	13	7	8	12	9	21	19
Kochi	147	32	18	18	15	10	8	8	5	8	9	7	9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ALL OTHER CAUSES: (Cont'd)													
Kumamoto	311	56	37	36	27	27	15	16	20	20	20	18	19
Kyoto	209	30	35	29	19	10	10	9	7	6	15	14	25
Mie	256	44	25	28	26	16	12	16	17	19	15	19	21
Miyagi	304	33	47	43	31	19	17	21	16	14	17	20	26
Miyazaki	218	37	19	21	17	17	16	13	14	12	7	22	23
Nagano	286	53	41	32	27	19	14	13	10	11	14	32	20
Nagasaki	312	47	38	38	32	31	15	18	20	18	19	10	26
Nara	126	23	16	20	8	6	6	5	6	6	8	6	16
Niigata	577	75	80	66	59	48	43	31	32	26	32	43	42
Oita	243	36	33	21	26	16	15	11	12	12	13	18	30
Okayama	306	45	34	42	27	17	18	12	14	27	17	26	27
Osaka	447	60	51	64	43	29	25	31	27	25	36	20	38
Saga	175	24	20	13	22	18	10	11	12	7	15	8	15
Saitama	352	54	57	54	23	32	27	23	14	11	17	19	21
Shiga	151	21	18	22	16	11	9	10	9	8	8	4	15
Shimane	166	22	21	21	15	7	11	9	15	8	8	14	13
Shizuoka	387	57	38	58	33	31	28	21	27	30	20	15	29
Tochigi	254	42	42	31	14	18	21	12	8	17	13	13	23
Tokushima	176	39	21	26	11	9	13	12	7	12	1	12	13
Tokyo	713	99	84	113	71	49	49	48	32	35	33	45	55
Tottori	118	17	13	10	16	7	11	7	6	6	6	5	14
Toyama	247	23	37	32	32	12	16	11	14	20	18	20	12
Wakayama	153	26	13	24	12	12	9	9	7	8	8	10	15
Yamagata	264	36	42	29	27	16	23	10	11	15	17	23	15
Yamaguchi	277	44	28	28	23	15	15	17	23	24	19	21	20
Yamanashi	135	17	17	20	13	8	8	10	6	7	11	7	11

See footnotes at end of table.

TABLE 77. - INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

FOOTNOTES:

1/ Erysipelas: data are for 7 months, excluding January through May.

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

NA indicates data are not available.

A dash (-) indicates data are not available.

Sources are Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9):													
All Japan	1.0	0.8	0.7	0.6	0.8	1.1	1.4	1.6	1.1	0.9	0.6	0.8	1.3
All "Shi"	1.0	0.7	0.7	0.7	0.7	1.1	1.3	1.4	1.1	1.1	0.6	0.9	1.4
All "Gun"	1.0	0.9	0.8	0.6	0.9	1.1	1.4	1.6	1.1	0.9	0.6	0.7	1.3
Aichi	0.8	0.2	0.5	0.3	0.8	0.4	1.2	2.0	1.2	0.9	0.7	0.5	1.1
Akita	1.1	1.7	0.4	0.2	1.8	0.7	1.1	1.4	2.2	1.2	0.3	0.8	2.3
Aomori	1.2	2.0	0.9	0.6	0.5	1.1	0.8	1.2	2.3	0.3	1.0	2.6	1.2
Chiba	0.7	0.7	0.5	0.5	0.9	1.2	1.2	1.4	1.1	0.4	0.6	-	0.6
Ehime	0.6	0.5	0.4	0.8	0.2	-	1.3	2.0	0.7	0.7	0.4	-	0.7
Fukui	1.0	1.0	1.2	0.7	0.8	0.5	2.7	1.0	1.0	1.0	0.5	0.5	0.6
Fukuoka	0.9	0.9	1.2	0.5	1.0	1.3	0.7	2.0	1.2	0.5	0.7	0.4	1.1
Fukushima	1.3	1.6	1.4	1.0	1.1	2.1	1.9	2.0	1.0	0.4	0.4	0.7	1.9
Gifu	1.0	0.6	0.2	0.2	0.5	1.2	1.1	2.3	1.9	1.2	0.5	0.2	2.7
Gunma	2.0	0.8	0.4	0.8	2.1	2.4	2.4	5.4	1.9	1.7	1.8	2.8	4.1
Hiroshima	0.4	0.3	0.5	0.2	0.4	0.6	1.2	0.6	0.8	0.2	-	0.2	-
Hokkaido	1.7	0.6	0.9	0.5	0.9	1.0	1.1	1.5	2.2	3.0	2.6	3.1	4.5
Hyogo	0.7	0.5	0.3	0.4	0.2	0.9	1.9	0.8	0.7	1.0	0.5	0.6	0.9
Ibaraki	0.5	0.7	0.4	0.4	0.7	0.4	0.9	0.2	0.4	0.2	0.4	0.2	0.8
Ishikawa	1.3	1.2	0.6	0.9	2.0	0.8	1.7	2.0	1.1	0.4	0.4	2.3	2.8
Iwate	1.4	1.4	1.1	1.4	0.9	1.9	4.1	1.5	1.5	0.3	0.8	0.7	1.3
Kagawa	0.5	0.5	0.9	0.3	1.1	0.8	-	1.1	0.4	0.4	-	0.4	-
Kagoshima	1.1	1.2	0.7	0.6	1.7	0.9	1.7	1.5	1.6	1.5	0.9	0.5	0.6
Kanagawa	0.7	0.7	0.8	-	0.3	1.5	1.0	0.9	1.6	0.9	0.3	0.3	0.4
Kochi	0.6	1.3	2.0	1.6	-	-	0.6	0.5	0.4	0.5	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9):													
All Japan	1.0	0.8	0.7	0.6	0.8	1.1	1.4	1.6	1.1	0.9	0.6	0.8	1.3
All "Shi"	1.0	0.7	0.7	0.7	0.7	1.1	1.3	1.4	1.1	1.1	0.6	0.9	1.4
All "Gun"	1.0	0.9	0.8	0.6	0.9	1.1	1.4	1.6	1.1	0.9	0.6	0.7	1.3
Aichi	0.8	0.2	0.5	0.3	0.8	0.4	1.2	2.0	1.2	0.9	0.7	0.5	1.1
Akita	1.1	1.7	0.4	0.2	1.8	0.7	1.1	1.4	2.2	1.2	0.3	0.8	2.3
Aomori	1.2	2.0	0.9	0.6	0.5	1.1	0.8	1.2	2.3	0.3	1.0	2.6	1.2
Chiba	0.7	0.7	0.5	0.5	0.9	1.2	1.2	1.4	1.1	0.4	0.6	-	0.6
Ehime	0.6	0.5	0.4	0.8	0.2	-	1.3	2.0	0.7	0.7	0.4	-	0.7
Fukui	1.0	1.0	1.2	0.7	0.8	0.5	2.7	1.0	1.0	1.0	0.5	0.5	0.6
Fukuoka	0.9	0.9	1.2	0.5	1.0	1.3	0.7	2.0	1.2	0.5	0.7	0.4	1.1
Fukushima	1.3	1.6	1.4	1.0	1.1	2.1	1.9	2.0	1.0	0.4	0.4	0.7	1.9
Gifu	1.0	0.6	0.2	0.2	0.5	1.2	1.1	2.3	1.9	1.2	0.5	0.2	2.7
Gumma	2.0	0.8	0.4	0.8	2.1	2.4	2.4	5.4	1.9	1.7	1.8	2.8	4.1
Hiroshima	0.4	0.3	0.5	0.2	0.4	0.6	1.2	0.6	0.8	0.2	-	0.2	-
Hokkaido	1.7	0.6	0.9	0.5	0.9	1.0	1.1	1.5	2.2	3.0	2.6	3.1	4.5
Hyogo	0.7	0.5	0.3	0.4	0.2	0.9	1.9	0.8	0.7	1.0	0.5	0.6	0.9
Ibaraki	0.5	0.7	0.4	0.4	0.7	0.4	0.9	0.2	0.4	0.2	0.4	0.2	0.8
Ishikawa	1.3	1.2	0.6	0.9	2.0	0.8	1.7	2.0	1.1	0.4	0.4	2.3	2.8
Iwate	1.4	1.4	1.1	1.4	0.9	1.9	4.1	1.5	1.5	0.3	0.8	0.7	1.3
Kagawa	0.5	0.5	0.9	0.3	1.1	0.8	-	1.1	0.4	0.4	-	0.4	-
Kagoshima	1.1	1.2	0.7	0.6	1.7	0.9	1.7	1.5	1.6	1.5	0.9	0.5	0.6
Kanagawa	0.7	0.7	0.8	-	0.3	1.5	1.0	0.9	1.6	0.9	0.3	0.3	0.4
Kochi	0.6	1.3	2.0	1.6	-	-	0.6	0.5	0.4	0.5	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
WHOOPING COUGH (9) - Cont'd.													
Kumamoto	0.8	1.2	0.5	0.8	0.4	0.2	1.4	1.1	1.4	0.4	0.2	0.5	0.6
Kyoto	0.9	0.6	0.2	0.8	0.7	0.2	0.7	1.5	1.4	1.7	1.0	0.7	1.0
Mie	0.3	0.6	0.4	0.2	-	0.6	-	0.3	0.5	-	-	-	0.3
Miyagi	1.1	1.4	1.1	0.9	2.0	0.9	1.3	2.8	0.5	0.5	0.2	0.4	1.2
Miyazaki	0.9	2.2	1.1	1.2	-	-	1.1	1.9	0.3	0.6	0.8	-	0.6
Nagano	1.5	1.1	0.5	0.3	2.0	2.5	3.8	2.4	0.9	1.4	0.8	1.2	2.6
Nagasaki	0.7	0.3	1.3	0.4	1.4	1.5	1.1	1.8	0.4	0.2	0.4	-	-
Nara	0.2	-	-	-	-	0.6	-	0.5	0.5	-	-	-	0.6
Niigata	2.0	2.3	1.7	1.1	2.1	1.1	3.7	3.3	1.5	2.4	1.4	1.3	3.0
Oita	0.7	0.4	0.7	1.0	-	-	0.7	1.8	1.9	-	0.3	1.4	0.6
Okayama	0.7	0.9	0.8	0.4	0.9	1.3	0.5	1.2	0.7	1.3	-	0.2	-
Osaka	0.6	0.2	0.3	0.6	0.1	1.1	0.2	1.1	0.8	0.9	0.2	0.7	0.8
Saga	0.9	0.5	1.0	1.3	0.4	1.7	0.9	2.0	1.5	0.4	0.7	-	0.8
Saitama	0.9	0.4	0.7	0.6	0.5	1.8	1.7	2.1	1.1	0.5	0.2	0.2	2.1
Shiga	1.0	1.0	0.4	0.4	0.5	1.3	1.6	3.8	1.9	0.5	-	0.5	0.9
Shimane	2.2	1.1	1.3	2.7	0.8	4.4	3.9	4.4	2.5	2.0	0.4	1.7	1.9
Shizuoka	0.5	0.6	0.2	0.4	0.3	1.2	0.9	0.6	0.9	0.6	0.1	0.3	0.5
Tochigi	1.2	0.9	1.1	0.9	1.1	2.6	1.1	1.8	0.7	1.8	0.5	1.2	1.1
Tokushima	0.3	0.6	0.6	0.3	0.7	0.4	-	-	-	0.4	-	-	-
Tokyo	0.8	0.6	0.6	0.9	0.7	1.2	1.7	0.5	0.9	0.9	0.4	0.5	1.4
Tottori	0.3	0.8	-	-	-	-	-	2.1	-	-	-	0.6	-
Toyama	1.6	0.8	2.4	1.7	1.9	1.1	2.3	1.8	1.3	0.9	0.4	2.3	2.1
Wakayama	0.5	0.8	1.8	0.3	0.8	-	0.9	-	0.4	-	-	0.4	-
Yamagata	0.9	0.4	0.5	0.5	1.1	1.4	1.1	0.9	0.6	2.1	1.4	-	1.1
Yamaguchi	0.9	1.2	0.9	0.2	0.8	1.1	0.6	1.3	0.5	1.0	-	1.2	1.5
Yamanashi	1.3	1.3	1.2	2.2	0.4	1.0	3.1	2.7	0.5	0.5	0.5	1.0	1.3

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12):													
All Japan	0.4	0.2	0.2	0.3	0.4	0.3	0.4	0.6	0.6	0.5	0.4	0.4	0.4
All "Shi"	0.3	0.2	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.3	0.3	0.2	0.3
All "Gun"	0.4	0.2	0.2	0.3	0.4	0.4	0.4	0.8	0.7	0.6	0.4	0.4	0.4
Aichi	0.5	0.1	0.1	0.3	0.3	0.4	0.9	1.0	1.3	0.9	0.2	0.4	0.7
Akita	0.2	0.2	-	0.4	0.3	-	-	-	-	-	0.6	0.3	0.9
Aomori	0.4	0.7	-	-	0.2	-	-	-	1.2	1.5	-	0.8	-
Chiba	1.3	1.1	1.1	0.8	1.6	1.2	2.6	2.4	1.3	1.5	0.6	0.9	0.9
Ehime	0.4	0.3	0.8	-	0.2	-	0.3	0.7	0.5	-	0.9	0.7	0.7
Fukui	0.1	-	-	-	-	-	0.5	0.5	-	-	0.5	-	-
Fukuoka	0.2	0.2	0.1	0.2	0.3	0.1	-	0.2	0.4	0.1	-	0.2	0.4
Fukushima	0.3	0.4	-	-	0.5	0.5	0.2	0.6	0.4	0.5	0.2	0.2	-
Gifu	0.2	0.3	0.2	-	-	0.2	0.5	-	0.2	0.2	-	0.2	0.5
Gumma	0.8	0.5	0.4	1.2	0.7	0.5	1.1	2.2	1.0	0.5	1.6	0.5	0.3
Hiroshima	0.1	-	-	-	0.4	0.2	-	0.4	0.6	-	-	-	0.2
Hokkaido	0.2	0.2	-	0.1	0.2	-	0.2	0.1	0.5	0.2	0.1	0.3	0.4
Hyogo	0.2	0.1	0.1	0.1	0.2	0.2	0.3	-	0.3	0.3	0.3	-	-
Ibaraki	1.2	0.7	1.1	0.6	1.7	1.3	0.4	2.3	1.5	1.6	1.4	1.5	0.8
Ishikawa	0.5	0.5	-	0.9	0.3	0.8	-	1.2	0.8	0.7	-	0.8	-
Iwate	0.1	-	0.2	-	0.2	-	-	0.3	-	-	-	0.2	-
Kagawa	0.7	0.5	0.6	-	0.4	0.8	0.4	1.5	1.4	0.4	0.8	1.1	0.4
Kagoshima	0.6	0.4	0.5	1.0	0.4	0.4	0.2	1.1	1.0	0.4	0.7	0.7	0.8
Kanagawa	0.2	0.1	0.1	-	0.9	0.2	0.4	-	0.2	0.7	0.2	0.2	0.2
Kochi	0.4	0.2	0.4	-	0.9	0.5	1.7	0.5	0.9	1.4	0.4	0.4	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TETANUS (12) - Cont'd:													
Kumamoto	0.5	0.1	0.5	1.0	0.4	0.9	0.2	0.2	0.8	0.4	0.4	0.2	0.4
Kyoto	0.2	0.2	-	-	-	-	-	0.2	0.5	-	1.0	0.9	0.2
Mie	0.3	0.4	0.4	0.2	-	0.3	0.3	0.3	0.3	0.5	-	0.2	-
Miyagi	0.4	0.2	-	0.4	0.6	0.2	0.3	0.3	0.7	0.2	0.7	-	1.0
Miyazaki	0.4	0.2	0.3	0.6	1.3	-	1.1	0.3	0.3	0.3	0.3	0.5	-
Nagano	0.3	0.1	-	0.2	-	-	0.5	0.9	1.1	1.0	0.2	-	0.5
Nagasaki	0.5	0.3	0.6	0.8	-	0.5	-	0.9	0.6	0.8	1.0	0.4	0.4
Nara	0.3	0.4	0.5	0.9	-	0.6	-	1.1	-	-	-	0.5	-
Niigata	0.1	0.1	-	0.1	0.1	-	-	0.2	0.5	0.3	0.3	0.2	-
Oita	0.5	0.2	0.2	0.3	0.8	-	0.7	0.9	0.5	0.6	0.6	0.6	0.3
Okayama	0.2	-	0.2	-	0.2	-	-	0.5	0.2	-	0.5	0.2	0.3
Osaka	0.1	-	0.1	0.2	0.1	0.1	0.1	-	0.4	0.2	0.1	0.1	-
Saga	0.4	0.3	-	-	-	-	-	0.8	0.7	1.5	-	1.4	0.4
Saitama	0.6	0.5	0.1	0.3	0.4	0.4	0.9	1.7	1.4	0.9	0.2	0.5	0.8
Shiga	0.3	-	-	-	-	0.4	1.0	-	1.4	0.5	-	0.5	-
Shimane	0.4	0.3	-	-	-	-	-	2.7	0.8	1.6	-	-	-
Shizuoka	0.4	0.1	0.2	0.5	0.4	0.5	0.2	0.5	0.3	0.5	0.7	0.4	0.5
Tochigi	0.5	0.3	0.5	0.4	0.2	0.7	0.3	1.0	0.2	0.8	0.2	0.5	1.1
Tokushima	0.6	-	-	0.3	1.1	0.8	1.4	1.3	0.8	-	0.8	0.4	0.4
Tokyo	0.2	0.2	-	-	0.3	0.2	0.3	0.5	0.5	0.1	0.2	0.2	0.4
Tottori	0.2	-	0.5	0.5	-	0.7	-	0.7	-	-	-	-	-
Toyama	0.1	-	0.3	-	-	0.4	0.8	-	0.3	-	-	-	-
Wakayama	0.2	-	0.4	0.3	-	0.5	-	0.9	-	-	-	0.4	0.4
Yamagata	0.3	-	0.5	0.2	0.3	0.3	-	1.3	-	-	0.3	0.6	-
Yamaguchi	0.5	0.2	-	0.2	0.8	0.3	0.3	1.0	1.2	0.2	0.5	0.5	0.3
Yamanashi	0.6	-	-	-	0.9	0.5	1.2	0.5	1.6	1.5	1.0	0.5	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22):													
All Japan	0.5	0.3	0.4	0.4	0.6	0.7	0.6	0.6	0.5	0.5	0.3	0.3	0.5
All "Shi"	0.8	0.4	0.8	0.6	1.1	1.3	0.9	0.8	0.9	0.9	0.5	0.5	0.8
All "Gun"	0.3	0.2	0.2	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.2	0.3	0.3
Aichi	0.3	0.1	0.3	0.5	0.5	0.1	0.5	0.4	0.4	0.2	0.3	0.1	0.5
Akita	0.3	0.2	0.4	0.2	0.8	-	1.1	0.7	-	0.3	0.3	-	-
Aomori	0.5	0.2	0.2	0.6	1.2	0.3	0.3	0.6	0.6	0.8	0.5	0.3	0.6
Chiba	0.2	0.1	-	0.6	0.4	0.4	0.2	0.4	-	0.2	-	-	0.4
Ehime	0.4	0.5	0.6	0.2	0.5	0.5	1.1	0.7	-	0.2	0.4	-	0.5
Fukui	0.3	0.7	0.8	-	-	0.5	-	0.5	0.5	0.5	-	-	-
Fukuoka	0.7	0.4	0.9	0.7	0.9	0.8	0.9	0.6	0.8	0.7	0.5	0.6	0.4
Fukushima	0.3	0.1	0.2	-	-	0.3	0.6	0.2	0.8	0.9	0.2	-	0.2
Gifu	0.3	0.2	0.2	1.0	-	0.5	0.3	1.0	-	0.2	0.2	0.2	-
Gumma	0.2	0.2	-	0.4	0.5	0.3	-	0.2	0.2	0.7	-	-	0.3
Hiroshima	0.3	0.3	0.2	-	0.2	0.4	0.7	0.6	0.2	-	0.2	0.4	0.5
Hokkaido	0.9	0.6	1.1	0.8	0.9	1.7	0.8	1.1	1.0	1.1	0.4	0.8	1.0
Hyogo	0.7	0.3	0.6	0.4	1.4	0.7	0.9	0.5	0.5	1.1	0.4	1.3	0.7
Ibaraki	0.2	-	0.1	0.1	-	0.2	0.4	0.2	0.2	0.8	0.4	-	0.2
Ishikawa	0.4	-	0.3	0.3	0.7	0.8	0.8	1.2	0.4	0.4	-	-	0.5
Iwate	0.4	0.6	-	0.5	0.7	0.5	0.9	-	0.6	0.6	0.3	-	0.3
Kagawa	0.3	0.3	0.3	0.6	-	0.4	-	-	1.1	-	-	0.4	0.9
Kagoshima	0.3	0.4	0.2	0.2	0.2	0.4	0.2	0.4	0.8	0.2	-	0.2	0.4
Kanagawa	0.6	0.1	0.3	0.8	0.5	1.3	0.8	1.1	0.7	0.9	0.5	0.3	0.7
Kochi	0.2	0.7	-	-	-	-	0.6	-	-	0.5	-	-	0.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TUBERCULOSIS (ALL FORMS) (13-22): Cont'd													
Kumamoto	0.5	0.1	0.2	0.4	0.6	-	0.7	1.1	0.4	0.6	0.8	0.7	0.4
Kyoto	0.6	0.6	0.4	0.4	1.8	1.0	0.5	0.4	-	0.7	0.2	0.2	1.2
Mie	0.2	-	-	-	0.8	0.3	0.6	-	0.3	-	0.3	0.5	-
Miyagi	0.5	-	0.5	0.5	0.4	0.7	0.5	0.8	1.2	0.2	-	0.8	0.7
Miyazaki	0.2	0.2	-	0.6	0.3	0.7	0.4	0.3	0.3	-	-	-	0.3
Nagano	0.3	0.3	-	0.9	0.4	0.2	0.5	0.5	0.4	-	-	0.4	0.7
Nagasaki	0.4	0.3	0.4	0.2	0.7	0.5	-	1.1	0.8	-	0.2	0.6	-
Nara	0.1	-	0.5	-	0.6	0.6	-	-	-	-	-	-	-
Niigata	0.4	0.2	0.5	-	0.6	0.8	0.5	0.3	0.6	0.1	0.1	0.2	0.7
Oita	0.3	-	0.2	0.3	0.5	0.3	0.7	0.9	0.3	-	0.3	-	-
Okayama	0.3	0.3	0.4	0.6	-	-	-	-	0.7	0.5	-	0.7	-
Osaka	0.6	0.7	0.8	0.5	0.9	0.7	1.0	0.5	0.5	0.8	0.3	0.3	0.7
Saga	0.4	0.5	0.3	-	-	-	-	0.8	0.4	-	0.9	1.1	1.1
Saitama	0.2	-	0.1	0.6	0.2	0.2	0.2	0.4	-	-	0.5	0.2	0.4
Shiga	0.3	0.6	0.4	0.4	-	-	0.5	-	-	1.0	0.5	-	-
Shimane	0.7	-	0.3	-	1.1	2.2	0.5	0.9	0.4	1.2	1.2	0.4	0.5
Shizuoka	0.4	0.5	0.5	0.1	0.1	0.3	1.6	0.3	0.5	0.3	0.1	0.1	0.3
Tochigi	0.1	0.2	-	0.6	0.2	-	0.3	-	0.2	-	-	-	-
Tokushima	0.2	-	-	0.3	0.4	1.2	-	0.4	-	-	0.4	-	0.4
Tokyo	0.9	0.3	0.8	0.5	1.7	2.0	1.1	0.9	1.3	0.5	0.8	0.5	0.6
Tottori	0.4	0.4	-	1.0	-	1.4	-	0.7	-	0.7	0.6	0.6	-
Toyama	0.5	-	0.8	-	-	1.5	1.2	1.1	0.7	0.3	-	0.4	-
Wakayama	0.6	0.3	0.7	0.7	2.1	1.0	-	1.8	-	1.3	-	-	-
Yamagata	0.3	0.4	-	-	-	0.7	0.4	0.9	0.3	-	-	0.3	0.7
Yamaguchi	0.4	0.2	-	0.5	1.6	-	0.3	0.8	0.5	0.5	0.3	-	0.9
Yamanashi	0.1	-	-	-	-	-	-	-	1.1	-	-	0.5	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA & PURULENT INFECTION (NONPUERPERAL) (24):													
All Japan	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3
All "Shi"	0.4	0.3	0.5	0.5	0.5	0.3	0.4	0.4	0.4	0.5	0.3	0.3	0.2
All "Gun"	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4
Aichi	0.4	0.3	0.5	0.6	0.5	0.3	0.4	0.3	0.4	0.2	0.3	0.2	0.4
Akita	0.4	0.2	0.4	0.2	0.5	0.7	0.7	0.3	0.3	0.6	0.3	0.5	0.3
Aomori	0.4	0.2	0.4	0.6	-	0.3	-	0.6	-	1.0	0.3	0.5	0.9
Chiba	0.4	0.2	0.5	0.5	0.4	0.2	0.5	0.6	-	0.2	0.7	0.2	0.4
Ehime	0.4	0.3	0.4	0.8	0.5	-	-	-	0.2	0.7	0.2	0.9	-
Fukui	0.4	0.3	-	0.4	0.4	1.4	1.1	1.0	0.5	-	-	-	-
Fukuoka	0.5	0.8	1.1	0.3	0.5	0.3	0.2	0.4	0.3	0.4	0.2	0.5	0.5
Fukushima	0.3	0.2	-	-	0.2	0.2	0.4	0.4	1.0	0.5	0.2	0.2	0.2
Gifu	0.3	-	-	0.4	0.5	0.7	0.8	-	0.2	-	0.5	0.5	-
Gumma	0.3	0.2	0.7	0.4	0.2	-	0.3	0.2	0.5	0.7	0.5	-	-
Hiroshima	0.5	0.4	0.7	0.5	0.6	0.6	0.5	0.6	0.6	1.0	0.2	0.4	0.2
Hokkaido	0.4	0.3	0.6	0.3	0.2	0.6	0.4	0.5	0.7	0.3	0.1	0.3	0.5
Hyogo	0.3	0.3	0.3	0.2	0.1	0.1	0.7	0.2	0.5	0.4	-	0.3	0.3
Ibaraki	0.4	0.2	0.1	0.1	-	0.6	0.2	0.6	0.8	1.0	0.2	0.6	0.2
Ishikawa	0.5	0.7	-	-	1.0	0.8	0.8	1.2	0.4	-	0.4	0.4	-
Iwate	0.3	0.6	0.2	-	0.2	-	-	0.6	-	-	0.3	1.5	-
Kagawa	0.3	0.8	0.3	0.3	0.4	-	-	-	-	-	0.4	0.4	0.4
Kagoshima	0.7	0.8	1.2	0.4	0.4	1.1	1.2	0.4	1.2	-	0.7	0.9	0.4
Kanagawa	0.3	0.1	0.3	0.4	0.3	0.4	-	0.4	0.9	0.5	0.2	-	0.2
Kochi	0.3	0.3	0.8	-	-	-	0.6	-	0.4	-	0.4	0.4	0.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SEPTICEMIA & PURULENT INFECTION (NONPUERPERAL) (24) - Cont'd.													
Kumamoto	0.5	0.7	0.3	0.6	0.2	0.7	0.5	1.3	0.2	0.8	-	0.4	0.4
Kyoto	0.3	0.2	0.2	-	0.2	0.5	0.2	-	0.2	1.2	0.7	-	0.2
Mie	0.5	0.2	0.4	0.9	0.6	0.6	0.6	0.6	-	0.5	0.5	0.5	0.9
Miyagi	0.3	0.6	0.2	0.4	0.4	0.2	-	-	0.2	0.5	0.2	-	1.0
Miyazaki	0.6	0.2	-	0.9	1.3	0.3	1.1	1.3	0.3	-	0.6	0.5	0.9
Nagano	0.3	0.1	-	0.9	0.2	-	0.5	0.2	0.4	-	0.2	0.4	0.2
Nagasaki	0.6	0.2	0.6	0.6	0.7	0.7	0.5	1.3	0.4	1.0	0.6	0.2	0.2
Nara	0.4	0.4	1.4	0.4	0.6	-	-	1.1	-	-	-	0.5	0.6
Niigata	0.4	0.2	0.4	-	0.4	0.3	0.7	0.5	0.2	0.3	0.3	0.8	0.4
Oita	0.9	0.6	1.4	1.3	0.3	-	0.7	1.5	1.9	-	1.4	0.8	0.6
Okayama	0.4	0.3	0.8	0.4	0.2	0.8	0.8	0.7	-	0.3	0.5	-	-
Osaka	0.3	0.3	0.3	0.2	0.3	0.4	0.4	0.4	0.3	0.6	0.2	0.5	0.1
Saga	0.3	0.3	0.7	-	1.6	-	0.4	-	-	-	-	-	0.4
Saitama	0.2	0.4	0.3	-	0.2	0.2	0.4	0.4	0.4	0.2	0.2	0.2	0.2
Shiga	0.4	1.3	0.7	-	-	-	-	0.5	-	0.5	0.5	1.0	-
Shimane	0.4	0.8	-	0.3	0.4	-	-	0.4	0.4	0.4	0.4	0.4	1.0
Shizuoka	0.3	0.3	0.1	0.3	0.1	0.2	0.7	0.5	0.3	0.2	0.1	0.3	-
Tochigi	0.3	0.2	0.7	1.1	0.4	0.5	-	0.3	0.2	-	0.2	-	-
Tokushima	0.2	0.6	0.3	0.3	-	-	-	0.4	0.4	-	-	0.4	0.4
Tokyo	0.3	0.2	0.5	0.3	0.4	0.4	0.2	0.2	0.1	0.5	0.3	0.2	0.4
Tottori	0.3	0.4	0.5	0.5	0.5	0.7	-	-	0.7	-	-	-	-
Toyama	0.5	1.1	0.5	0.6	0.3	-	0.4	0.4	0.7	0.6	0.7	0.4	0.4
Wakayama	0.5	-	0.4	1.4	-	0.5	0.5	0.5	-	0.8	0.8	0.8	0.4
Yamagata	0.3	0.2	0.5	0.2	0.6	0.3	-	-	0.6	0.6	-	0.3	0.4
Yamaguchi	0.8	0.7	1.2	1.2	1.0	0.3	0.3	0.3	0.7	1.5	1.0	1.0	0.3
Yamanashi	0.3	0.6	0.4	0.4	0.4	0.5	-	-	-	-	-	0.5	0.7

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30):													
All Japan	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.5	0.7
All "Shi"	0.6	0.4	0.6	0.8	0.5	0.5	0.7	0.6	0.3	0.5	0.5	0.7	0.8
All "Gun"	0.4	0.2	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.6
Aichi	0.4	0.5	0.3	0.4	0.4	-	0.6	0.3	0.2	0.4	0.4	0.3	0.7
Akita	0.4	-	0.2	-	0.3	0.7	1.1	0.7	0.3	0.9	0.3	-	0.6
Aomori	0.3	-	0.7	0.2	-	-	0.6	0.3	0.6	0.3	0.5	0.3	0.3
Chiba	0.5	0.7	0.9	0.3	0.2	1.0	-	0.8	0.6	0.4	0.4	0.2	0.2
Ehime	0.4	0.3	0.4	0.8	-	0.3	0.5	0.2	0.7	0.5	0.4	0.2	0.7
Fukui	0.3	0.7	0.4	1.1	-	-	-	0.5	-	0.5	0.5	-	-
Fukuoka	0.8	0.5	1.3	1.2	1.1	0.7	0.6	0.6	0.7	0.7	0.9	0.5	1.5
Fukushima	0.4	-	0.2	0.4	-	0.2	0.6	0.2	0.4	0.5	0.7	0.7	1.3
Gifu	0.2	-	0.4	-	0.2	1.2	0.3	-	-	0.2	-	0.7	-
Gumma	0.2	0.5	0.4	0.2	0.5	-	0.5	-	-	0.2	-	0.3	0.3
Hiroshima	0.2	0.1	0.2	0.7	-	-	0.2	0.4	-	0.2	-	0.6	0.5
Hokkaido	0.5	0.3	0.2	0.6	0.9	0.5	0.7	0.4	0.1	0.7	0.6	0.7	0.4
Hyogo	0.3	0.2	0.4	0.4	0.2	0.6	0.4	-	0.1	0.6	0.3	0.3	0.7
Ibaraki	0.4	0.2	0.1	0.4	0.2	0.4	0.9	-	0.2	0.4	0.4	0.7	0.6
Ishikawa	0.3	0.2	0.6	0.3	0.3	-	-	0.4	0.4	-	0.4	0.8	0.5
Iwate	0.5	0.4	0.4	0.5	0.7	0.5	0.3	0.9	0.6	0.8	0.3	0.5	0.8
Kagawa	0.2	-	-	-	-	0.8	0.8	-	0.4	-	0.4	0.7	-
Kagoshima	0.8	0.9	1.1	1.6	0.9	0.4	0.7	0.2	0.6	-	-	1.4	1.2
Kanagawa	0.4	0.1	0.7	0.4	0.3	0.2	-	0.4	0.4	0.2	0.7	0.2	1.1
Kochi	0.6	-	-	0.8	-	1.1	1.7	1.0	0.4	0.9	0.9	-	0.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SYPHILIS (30) - Cont'd:													
Kumamoto	0.4	0.8	0.3	0.8	0.4	0.2	0.5	0.4	0.6	0.4	0.2	0.2	0.2
Kyoto	0.7	-	1.0	0.8	0.7	1.2	1.5	1.1	0.5	0.2	-	0.9	0.5
Mie	0.5	0.4	-	0.9	0.3	-	-	0.8	1.0	0.3	0.3	0.7	2.0
Miyagi	0.5	-	0.2	0.2	0.4	0.5	0.5	0.5	1.0	0.2	0.9	0.8	0.7
Miyazaki	0.4	0.2	1.1	-	0.3	1.0	-	0.3	0.6	0.9	0.3	0.3	0.3
Nagano	0.1	0.1	-	-	0.2	-	0.2	-	-	0.2	-	-	-
Nagasaki	0.9	0.3	1.9	0.8	0.7	0.5	0.8	0.7	1.3	0.6	1.4	0.6	1.4
Nara	0.3	0.4	-	-	0.6	-	1.2	-	-	0.6	0.5	-	-
Niigata	0.2	0.1	0.5	0.2	-	0.3	0.3	-	-	-	0.1	0.2	0.4
Oita	0.3	0.2	0.5	0.3	0.5	1.0	0.3	-	0.3	-	0.3	0.3	0.6
Okayama	0.2	0.2	0.4	0.2	0.7	-	-	-	0.2	0.3	-	0.2	-
Osaka	0.5	0.3	0.5	0.7	0.1	0.6	0.2	1.0	0.2	0.2	0.8	0.7	0.5
Saga	0.8	0.8	2.0	1.3	0.4	0.4	0.4	0.4	0.4	1.2	0.7	0.4	0.4
Saitama	0.2	0.1	0.1	0.4	0.2	0.2	0.2	-	-	-	0.3	-	0.8
Shiga	0.6	1.6	1.5	0.4	0.9	-	1.0	-	-	-	0.5	0.5	-
Shimane	0.4	0.3	-	0.3	0.4	0.4	-	0.9	-	1.2	0.8	-	0.5
Shizuoka	0.4	0.1	0.2	0.8	0.6	0.3	0.2	0.3	0.5	0.3	0.1	0.6	0.3
Tochigi	0.2	-	-	0.2	-	-	-	0.5	-	1.3	-	0.5	0.3
Tokushima	0.2	-	-	0.3	-	0.4	-	0.4	0.4	-	0.4	-	-
Tokyo	0.5	0.2	0.2	0.7	0.6	0.4	0.9	0.5	0.4	0.6	0.3	0.8	1.3
Tottori	0.6	0.8	1.5	-	-	-	2.3	-	0.7	-	1.3	-	1.6
Toyama	0.3	0.8	0.3	-	-	1.1	-	0.4	-	-	-	0.4	0.9
Wakeyama	0.4	-	0.4	0.3	-	-	0.5	0.9	0.4	0.4	0.4	1.2	0.9
Yamagata	0.2	-	0.2	0.2	0.6	-	0.4	-	0.3	0.6	-	-	0.4
Yamaguchi	0.4	0.4	0.7	0.5	0.5	0.6	0.6	0.3	-	-	0.8	0.2	0.6
Yamanashi	0.4	0.6	1.2	-	0.9	-	-	-	-	0.5	-	-	0.7

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35):													
All Japan	0.7	0.3	0.5	0.9	1.0	1.5	1.8	1.2	0.5	0.2	0.2	0.3	0.7
All "Shi"	0.6	0.3	0.4	0.7	0.7	1.1	1.5	1.0	0.5	0.2	0.1	0.2	0.7
All "Gun"	0.8	0.4	0.5	1.0	1.1	1.7	1.9	1.3	0.4	0.2	0.3	0.4	0.7
Aichi	0.3	0.1	-	0.4	0.7	1.2	1.2	0.7	-	-	-	-	-
Akita	0.6	0.9	-	0.2	0.3	2.0	0.4	1.0	0.6	-	0.6	0.5	1.5
Aomori	1.7	2.2	1.1	1.5	1.9	1.6	2.3	1.7	2.1	0.5	1.0	2.4	2.7
Chiba	0.1	-	-	0.2	0.4	0.6	0.2	0.2	0.2	0.2	-	-	-
Ehime	1.1	0.3	0.6	4.0	2.8	1.6	2.4	1.2	-	0.5	0.2	-	0.2
Fukui	1.0	1.0	0.4	-	1.7	1.8	2.1	3.0	1.5	0.5	-	-	0.6
Fukuoka	0.3	0.1	-	0.2	-	0.9	0.6	0.4	0.2	0.1	0.1	0.1	0.9
Fukushima	0.7	-	0.2	0.3	1.0	1.4	1.1	1.2	0.8	0.4	0.5	1.1	0.6
Gifu	1.3	0.6	1.3	2.4	2.8	1.7	5.1	1.5	0.2	-	0.2	0.2	-
Gumma	0.2	0.2	-	0.4	0.5	0.3	0.3	0.2	0.2	-	0.3	-	0.3
Hiroshima	1.2	0.5	0.9	1.6	1.5	2.9	2.6	3.3	0.6	0.2	-	0.2	0.2
Hokkaido	1.5	0.6	0.5	0.3	0.7	0.9	1.6	2.7	2.4	1.5	1.2	2.1	5.9
Hyogo	1.3	0.2	0.8	1.5	2.1	2.5	5.4	3.0	0.5	0.3	0.1	-	-
Ibaraki	0.2	-	-	0.9	0.5	-	1.1	0.2	0.2	-	-	-	-
Ishikawa	1.6	0.5	0.9	1.7	2.0	5.9	3.4	2.0	0.8	0.4	0.4	0.4	2.8
Iwate	2.4	1.2	1.1	2.0	2.9	4.9	7.2	4.1	4.7	1.1	0.5	0.5	0.5
Kagawa	2.4	0.5	2.3	5.6	5.3	7.3	4.9	2.6	-	-	-	-	-
Kagoshima	0.7	0.6	0.9	1.6	0.4	1.5	1.2	1.3	0.8	-	-	-	-
Kanagawa	0.7	-	-	-	-	0.2	0.2	-	-	0.2	-	0.2	-
Kochi	1.1	1.3	1.2	4.0	2.2	1.1	1.7	1.0	-	-	-	-	0.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MEASLES (35) - Cont'd:													
Kumamoto	0.4	-	0.2	0.4	-	1.2	1.2	1.5	0.2	-	-	-	0.2
Kyoto	0.3	0.2	0.4	-	0.5	0.2	1.2	0.7	0.5	-	-	0.2	0.2
Mie	0.9	1.5	1.3	1.2	2.8	1.2	2.2	0.6	-	-	0.3	0.2	-
Miyagi	1.2	1.4	1.1	2.0	1.4	2.3	3.1	1.5	0.5	0.2	0.2	0.4	0.2
Miyazaki	0.5	0.8	0.3	1.2	0.6	1.4	0.7	1.0	-	-	-	-	-
Nagano	0.7	0.1	0.7	2.1	1.2	2.7	0.9	0.7	-	-	-	-	-
Nagasaki	0.5	0.3	0.8	0.4	-	1.0	1.9	1.1	-	0.2	-	-	0.6
Nara	0.1	-	-	-	-	-	0.6	0.5	-	-	-	0.5	-
Niigata	0.8	0.2	0.4	0.7	0.7	1.5	2.4	0.8	0.6	0.7	0.3	0.5	0.9
Oita	0.4	0.2	-	-	0.3	-	1.7	0.6	0.3	-	0.3	1.1	0.6
Okayama	1.6	0.2	1.3	3.7	2.7	6.1	3.6	2.0	-	0.3	-	-	-
Osaka	0.6	0.1	0.1	0.6	1.1	0.9	1.9	1.5	0.3	0.1	0.2	0.2	0.2
Saga	0.3	0.3	0.7	-	0.4	0.9	0.9	0.4	-	-	-	-	-
Saitama	0.1	-	0.1	-	-	0.2	0.4	-	-	-	-	-	-
Shiga	0.5	0.6	1.5	0.7	0.9	0.9	0.5	1.0	-	-	-	-	-
Shimane	0.4	-	0.3	0.3	-	-	-	-	-	-	0.4	0.9	2.9
Shizuoka	0.4	0.1	0.2	0.5	1.4	1.2	0.9	0.3	0.2	-	-	-	-
Tochigi	0.3	-	0.7	0.4	-	1.2	0.6	0.3	0.2	-	-	-	-
Tokushima	1.0	0.3	0.3	3.2	1.5	1.6	3.3	1.3	0.4	-	0.4	-	-
Tokyo	0.1	-	0.1	0.1	0.2	0.2	0.3	0.2	0.1	-	-	-	-
Tottori	1.3	0.8	-	1.0	3.3	4.1	3.1	2.8	1.4	-	-	-	-
Toyama	0.6	0.5	-	0.9	0.3	0.8	1.6	1.8	0.3	-	0.4	-	0.9
Wakayama	1.0	0.3	0.4	-	1.2	3.8	2.8	2.3	0.4	-	0.8	0.4	1.3
Yamagata	1.0	0.4	0.7	0.2	-	1.7	4.0	0.9	-	0.6	0.8	0.9	3.3
Yamaguchi	0.2	-	0.2	0.7	-	0.9	0.6	0.3	-	-	-	-	-
Yamanashi	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68):													
All Japan	1.4	1.6	2.0	1.9	1.6	1.2	1.3	1.0	0.9	0.9	1.1	1.3	1.8
All "Shi"	1.2	1.4	2.0	1.8	1.4	1.0	0.7	0.8	0.8	0.8	0.8	1.1	1.4
All "Gun"	1.5	1.6	2.0	2.0	1.7	1.3	1.6	1.1	1.0	1.0	1.2	1.4	1.9
Aichi	1.5	1.4	2.7	3.1	1.5	1.7	1.2	0.8	0.8	0.9	0.8	1.0	1.6
Akita	2.0	1.5	2.6	2.6	2.8	2.6	1.5	0.7	0.6	2.7	1.7	1.1	2.9
Aomori	3.3	4.2	4.7	2.3	4.2	1.9	4.5	3.8	2.6	2.3	2.3	3.7	3.4
Chiba	1.4	1.2	2.1	1.8	1.9	1.8	1.9	1.2	0.9	0.4	1.3	1.1	1.3
Ehime	0.7	0.7	1.0	0.8	0.9	0.5	0.8	0.2	-	0.5	0.6	0.7	1.0
Fukui	1.9	1.0	1.2	2.6	2.1	1.8	2.1	1.5	1.0	2.9	1.6	2.1	3.8
Fukuoka	0.9	1.3	1.1	0.7	1.4	1.1	1.0	0.5	0.4	0.7	0.6	0.5	1.0
Fukushima	1.3	1.1	1.7	1.9	1.9	1.1	1.5	0.6	0.8	0.4	1.4	1.2	1.5
Gifu	0.9	0.9	1.3	2.0	0.5	-	0.8	0.3	0.2	0.5	0.7	0.7	2.2
Gumma	0.6	0.6	0.6	1.4	0.5	0.3	-	0.5	0.2	0.5	0.5	1.0	0.3
Hiroshima	1.2	1.2	0.7	2.7	1.2	0.4	1.4	1.0	0.8	1.4	1.6	-	2.0
Hokkaido	1.6	1.5	1.9	1.8	1.5	1.3	1.1	0.9	1.4	1.2	2.1	2.6	2.6
Hyogo	1.3	1.9	1.7	1.3	1.5	0.5	1.9	0.7	1.0	1.3	0.9	1.3	1.6
Ibaraki	1.1	1.8	2.1	1.2	0.9	0.9	2.0	0.8	0.8	0.2	1.0	0.4	0.8
Ishikawa	2.6	2.2	3.5	3.2	3.3	2.0	0.8	2.8	1.9	1.8	2.1	3.8	3.7
Iwate	3.1	3.7	3.2	2.9	4.5	4.6	2.2	2.1	1.5	2.0	2.1	2.7	5.4
Kagawa	0.4	0.5	0.3	0.6	0.4	0.4	0.8	-	0.7	0.4	-	-	0.4
Kagoshima	1.1	1.4	1.8	0.8	0.6	1.1	1.4	1.1	0.8	1.1	0.4	1.1	1.0
Kanagawa	0.9	1.1	1.4	1.0	1.4	0.6	0.8	0.4	0.9	0.7	0.2	0.5	1.5
Kochi	1.5	2.7	2.7	0.4	0.9	2.1	2.8	1.0	0.4	0.5	1.3	1.2	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BERIBERI (68) - Cont'd:													
Kumamoto	1.5	1.7	2.8	2.1	1.1	1.9	1.4	1.5	1.0	0.8	0.8	0.9	1.6
Kyoto	1.4	2.1	1.8	2.7	2.1	1.0	0.7	0.7	1.2	0.5	0.5	1.2	1.2
Mie	1.5	1.1	2.6	2.5	2.0	0.9	1.5	0.8	0.5	1.8	0.8	1.7	1.4
Miyagi	2.3	3.1	3.4	2.9	1.6	2.5	1.6	0.5	1.7	0.7	0.7	3.1	4.3
Miyazaki	0.6	0.6	0.3	0.9	-	-	-	0.6	2.4	0.3	1.7	0.3	0.3
Nagano	0.6	0.6	0.9	0.5	0.8	0.4	0.2	0.2	0.7	-	1.0	1.2	0.7
Nagasaki	1.2	1.5	1.5	2.2	1.1	0.7	1.1	0.9	0.2	1.2	0.8	1.5	1.4
Nara	1.4	1.5	3.8	1.3	2.8	-	1.8	0.5	1.1	0.6	0.5	2.0	0.6
Niigata	2.1	1.9	3.1	3.4	2.6	2.0	2.3	1.3	0.6	1.4	1.4	2.0	2.8
Oita	1.2	1.8	1.6	0.8	1.4	0.6	0.7	1.8	0.3	0.6	1.7	0.8	2.2
Okayama	1.5	1.6	1.5	3.5	2.2	1.5	0.5	0.7	1.6	0.8	0.7	1.2	1.7
Osaka	1.5	1.5	2.2	1.4	1.6	0.9	1.2	1.5	1.0	1.1	1.2	2.0	1.8
Saga	2.6	4.6	4.6	5.0	1.6	0.9	1.3	1.6	2.2	1.5	2.6	1.4	1.5
Saitama	0.9	1.0	1.4	1.3	0.9	1.0	1.1	0.9	0.5	0.4	0.5	1.2	0.8
Shiga	1.2	2.6	0.7	2.1	1.8	-	1.6	-	0.5	-	1.5	0.5	2.4
Shimane	0.7	-	0.7	0.3	0.4	0.9	1.0	0.4	0.4	2.0	0.4	0.9	1.0
Shizuoka	1.4	1.0	2.5	2.7	1.3	2.0	1.6	1.0	1.2	0.6	0.4	0.9	1.0
Tochigi	1.2	1.5	2.5	1.9	0.9	1.2	0.6	0.5	0.7	0.8	0.2	0.9	1.6
Tokushima	0.5	0.8	0.3	0.6	0.4	-	-	-	0.4	0.4	0.4	1.1	0.9
Tokyo	1.3	1.5	2.8	1.4	0.5	1.5	0.8	1.0	0.9	0.9	0.7	1.2	1.6
Tottori	2.0	1.1	1.5	3.6	3.3	1.4	3.1	0.7	1.4	0.7	3.2	1.3	3.9
Toyama	2.5	2.1	3.0	4.7	4.2	2.3	1.6	1.8	2.6	0.3	2.9	1.9	2.6
Wakayama	1.0	0.3	1.4	1.7	0.4	0.5	1.4	1.8	1.7	0.4	0.8	0.8	0.9
Yamagata	2.3	3.8	3.2	2.8	3.1	3.0	1.8	2.5	0.6	1.8	2.0	0.6	1.8
Yamaguchi	1.7	2.7	2.1	2.1	3.1	1.1	0.9	1.6	1.0	0.7	0.3	1.2	3.3
Yamanashi	0.6	0.9	0.8	0.4	-	-	-	0.5	1.1	0.5	0.5	1.0	1.3

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81):													
All Japan	1.0	0.9	1.0	1.0	1.5	1.5	1.3	1.2	0.6	0.5	0.8	0.9	1.2
All "Shi"	1.0	0.8	1.0	1.0	1.7	1.5	1.4	1.1	0.6	0.6	0.9	0.8	1.3
All "Gun"	1.0	1.0	1.1	1.0	1.3	1.5	1.2	1.2	0.6	0.5	0.8	1.0	1.2
Aichi	1.3	0.5	1.5	1.3	1.5	1.7	2.1	1.5	0.2	0.4	1.9	1.6	1.6
Akita	1.5	1.3	1.6	1.3	1.0	2.0	1.5	1.4	0.9	0.6	2.0	2.5	1.5
Aomori	0.9	0.7	0.7	1.1	0.9	1.6	0.8	2.9	-	0.5	0.3	0.5	0.6
Chiba	1.5	1.9	1.7	1.7	1.9	1.8	1.6	2.0	0.4	0.9	0.9	1.1	1.1
Ehime	1.5	1.2	2.5	1.0	1.8	3.0	2.2	0.5	1.9	-	1.1	0.9	2.2
Fukui	0.9	0.7	0.8	1.5	0.8	0.9	1.6	0.5	1.0	-	1.0	0.5	1.3
Fukuoka	0.8	0.9	0.6	1.0	0.3	1.3	1.0	1.2	0.6	0.8	0.5	0.8	0.9
Fukushima	0.7	0.2	0.8	0.8	0.6	1.1	1.3	0.6	-	0.7	0.5	1.4	0.8
Gifu	1.1	0.9	1.1	1.0	2.1	2.5	1.6	0.5	0.7	0.5	0.9	0.5	0.3
Gumma	0.7	1.4	0.7	0.8	0.9	0.5	0.8	0.2	-	0.7	0.8	0.8	0.9
Hiroshima	1.5	0.9	1.4	0.7	2.9	2.3	1.9	2.3	1.2	0.8	0.4	2.6	1.2
Hokkaido	1.2	0.9	1.7	1.2	1.4	1.9	1.7	0.9	1.0	0.6	0.9	0.8	2.0
Hyogo	1.0	0.6	0.7	0.7	2.0	1.9	1.1	0.9	0.3	0.4	1.1	0.9	1.5
Ibaraki	0.7	1.0	0.6	0.6	0.7	0.6	0.4	0.6	1.2	-	0.4	0.7	1.2
Ishikawa	1.5	1.9	1.7	0.6	2.3	2.3	2.1	1.2	0.8	-	1.4	1.5	2.3
Iwate	1.0	0.8	0.9	0.7	1.8	1.3	2.8	1.5	1.8	0.8	-	-	0.5
Kagawa	1.3	1.9	0.6	1.9	0.4	3.3	2.9	0.7	0.4	0.4	-	0.7	2.6
Kagoshima	1.2	1.6	0.7	1.6	1.3	3.1	0.2	1.7	0.8	0.4	0.4	1.2	2.0
Kanagawa	0.7	1.4	0.8	0.6	0.9	0.2	0.8	0.5	0.2	0.3	1.2	0.7	0.4
Kochi	1.3	0.7	2.0	1.2	1.8	2.1	2.8	1.9	-	0.5	0.4	1.2	1.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81) - Cont'd:													
Kumomoto	0.8	0.7	0.2	1.0	1.5	1.2	-	1.5	1.2	0.2	0.8	0.4	1.4
Kyoto	0.9	1.0	1.8	1.6	1.1	0.7	1.5	0.9	0.5	0.2	1.0	0.5	0.2
Mie	1.6	0.9	1.5	1.9	3.4	2.1	2.5	1.9	0.8	-	1.8	1.2	1.7
Miyagi	0.9	0.8	0.5	0.7	0.6	2.1	0.8	1.5	0.2	0.9	0.7	0.8	1.4
Miyazaki	0.8	1.0	1.3	0.9	1.0	1.4	-	0.6	0.9	0.9	-	0.8	1.2
Nagano	0.8	1.0	1.0	0.7	1.2	0.6	0.9	0.2	0.4	0.2	1.0	0.8	1.2
Nagasaki	0.9	0.5	1.1	1.4	0.2	0.7	-	0.9	0.8	1.0	1.8	0.4	1.2
Nara	0.8	1.1	1.9	0.4	1.7	0.6	2.4	1.1	-	-	-	0.5	-
Niigata	1.6	1.3	1.9	1.6	2.3	1.8	1.2	0.8	0.8	1.1	1.0	2.3	4.1
Oita	1.0	1.8	0.5	1.0	0.8	1.0	0.7	1.8	0.3	0.6	0.6	2.0	1.6
Okayama	1.1	0.5	0.6	1.8	0.4	1.3	1.1	2.4	0.7	1.3	1.7	0.2	1.2
Osaka	1.0	0.7	1.0	0.7	2.4	1.5	1.5	1.0	0.7	0.4	0.7	0.8	0.6
Saga	1.3	2.1	0.7	1.3	2.3	1.3	1.3	1.6	1.1	1.5	1.1	0.7	0.4
Saitama	0.9	1.0	1.3	0.6	1.5	0.8	1.1	1.1	0.4	1.4	0.7	0.2	1.3
Shiga	0.7	-	0.7	0.7	2.3	0.9	1.6	1.0	-	-	-	-	0.9
Shimane	1.2	0.8	1.3	1.7	2.3	2.2	1.5	0.9	0.8	0.4	0.8	0.9	1.0
Shizuoka	1.0	1.5	1.1	0.9	1.3	1.5	1.6	1.0	0.5	0.3	0.3	1.2	0.3
Tochigi	0.7	0.8	0.4	0.8	1.1	1.2	1.1	1.0	-	-	0.7	0.5	0.8
Tokushima	0.9	1.4	0.6	0.3	1.8	1.6	0.9	1.3	-	0.4	0.8	0.4	0.9
Tokyo	0.8	0.4	0.6	0.8	1.5	1.1	0.9	0.9	0.4	0.5	0.5	0.8	1.5
Tottori	0.9	1.1	1.0	0.5	2.7	1.4	3.1	0.7	-	0.7	-	-	-
Toyama	1.4	1.1	1.6	1.2	1.9	0.8	1.9	2.2	0.7	-	2.5	1.9	2.1
Wakayama	1.3	0.5	0.7	1.7	2.5	1.4	1.4	2.3	0.9	0.8	0.4	1.6	1.8
Yamagata	0.8	0.4	0.7	0.7	1.4	1.4	1.8	0.3	1.2	0.6	1.1	0.3	0.4
Yamaguchi	0.7	0.2	0.7	0.9	1.8	0.9	0.3	1.6	0.5	0.5	0.5	0.5	0.6
Yamanashi	0.6	-	-	1.3	0.4	1.0	-	2.2	0.5	-	0.5	0.5	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86):													
All Japan	0.5	0.5	0.6	0.7	0.6	0.5	0.5	0.3	0.3	0.3	0.5	0.5	0.7
All "Shi"	0.2	0.2	0.2	0.4	0.3	0.2	0.2	0.1	0.1	0.0	0.1	0.2	0.2
All "Gun"	0.6	0.6	0.7	0.9	0.7	0.7	0.6	0.4	0.4	0.4	0.6	0.7	0.9
Aichi	0.1	-	0.2	-	0.1	0.1	-	0.1	0.2	0.1	-	0.2	-
Akita	2.5	1.5	2.2	3.5	2.6	2.6	5.5	1.4	0.6	0.6	3.4	1.9	4.4
Aomori	3.1	3.5	3.8	4.0	3.3	2.6	3.4	3.2	2.3	1.0	2.1	3.1	4.0
Chiba	0.1	-	0.2	0.3	-	0.2	0.2	-	0.2	0.2	-	-	0.6
Ehime	0.1	0.2	0.4	0.2	-	-	-	-	-	0.2	0.4	-	-
Fukui	0.5	-	0.4	0.7	0.8	1.4	-	-	0.5	0.5	0.5	0.5	0.6
Fukuoka	0.1	-	0.3	0.2	0.1	0.1	-	-	0.1	0.2	-	0.2	-
Fukushima	0.1	0.2	0.3	0.1	0.3	0.2	0.2	-	-	-	-	-	0.2
Gifu	0.2	-	-	-	0.2	-	0.5	0.3	0.2	0.2	0.2	0.2	-
Gumma	0.1	-	-	-	0.2	0.3	0.3	-	-	0.2	0.3	-	-
Hiroshima	0.4	0.3	0.2	0.5	0.6	0.6	0.5	0.2	0.4	-	0.4	0.2	1.0
Hokkaido	1.2	1.2	1.7	1.1	1.1	1.8	1.1	0.6	0.3	0.5	0.9	1.3	2.4
Hyogo	0.1	-	0.3	0.1	0.1	0.4	0.1	0.1	0.2	0.1	-	-	0.3
Ibaraki	0.3	0.2	0.9	0.3	0.3	0.2	0.2	0.2	0.2	0.6	0.2	0.2	0.2
Ishikawa	4.8	5.5	5.2	8.1	4.9	3.5	2.5	3.2	2.3	4.4	4.6	3.8	8.3
Iwate	1.0	0.2	0.6	1.8	1.6	0.8	0.6	0.9	-	0.6	1.0	2.5	0.8
Kagawa	0.5	0.3	-	0.3	0.4	0.4	0.8	-	0.4	-	1.5	1.8	0.4
Kagoshima	0.1	-	-	0.4	0.2	-	-	0.6	-	0.2	-	-	-
Kanagawa	0.1	-	-	0.3	0.2	-	0.6	-	-	-	0.2	-	0.2
Kochi	0.0	-	-	-	-	-	-	-	-	0.5	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONVULSIONS (86) - Cont'd:													
Kumamoto	0.1	0.1	0.2	0.2	-	0.2	0.2	-	-	-	-	-	0.2
Kyoto	0.2	0.2	-	0.2	0.2	0.2	0.2	0.2	0.5	-	-	0.2	0.5
Mie	0.4	0.6	0.9	0.2	0.8	0.6	-	0.8	0.3	-	-	-	0.3
Miyagi	0.2	0.2	0.2	0.5	-	0.5	-	-	0.7	0.2	0.2	-	0.2
Miyazaki	0.0	0.2	-	-	0.3	-	-	-	-	-	-	-	-
Nagano	0.3	0.3	-	0.3	0.4	0.4	0.5	0.2	0.2	0.4	-	0.4	0.2
Nagasaki	0.2	0.2	-	0.6	0.2	0.5	-	-	0.2	-	0.4	0.2	-
Nara	0.1	-	-	-	0.6	-	-	-	0.5	-	-	-	-
Niigata	0.5	0.7	1.1	0.7	0.1	0.2	0.5	0.8	0.5	0.1	0.7	0.3	0.7
Oita	0.4	0.4	0.7	0.5	0.3	0.3	0.3	1.2	0.5	0.6	-	0.3	-
Okayama	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.1	0.1	0.1	0.1	-	-	0.2	0.1	-	-	-	-	0.1
Saga	0.1	-	0.3	-	0.4	-	0.4	-	-	-	-	0.4	-
Saitama	0.0	-	-	-	0.2	-	-	-	0.2	-	0.2	-	-
Shiga	0.1	0.3	-	0.4	-	0.4	0.5	-	-	-	-	-	-
Shimane	0.5	-	0.7	1.4	-	2.7	0.5	-	-	-	-	0.4	1.0
Shizuoka	0.2	0.3	0.1	0.3	0.1	0.3	0.2	0.3	0.2	0.2	0.1	-	0.2
Tochigi	0.4	0.2	0.2	0.8	0.4	0.2	0.6	0.3	0.2	0.3	0.7	0.5	0.8
Tokushima	0.2	0.3	-	0.3	0.4	-	-	-	0.8	0.8	0.4	-	-
Tokyo	0.0	0.1	-	-	0.2	-	-	0.1	-	-	0.1	-	-
Tottori	0.7	0.8	1.0	0.5	0.5	1.4	0.8	-	-	-	0.6	3.2	-
Toyama	6.2	7.9	5.7	10.8	8.3	5.7	1.9	2.2	2.6	3.5	6.4	9.6	9.0
Wakayama	0.1	0.3	-	-	-	-	-	-	-	-	0.4	-	-
Yamagata	0.1	-	0.2	0.2	-	-	-	0.3	-	-	0.3	0.6	-
Yamaguchi	0.2	0.2	0.2	0.2	0.3	0.3	0.6	-	-	-	0.3	-	0.3
Yamanashi	0.4	0.9	0.4	-	-	1.0	-	-	-	0.5	0.5	-	-

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106):													
All Japan	3.3	4.7	5.3	4.9	3.5	2.8	2.5	1.5	1.1	1.4	2.3	2.8	5.2
All "Shi"	2.3	3.6	3.8	3.3	2.3	2.0	1.4	0.8	0.8	0.9	1.4	2.0	4.2
All "Gun"	3.8	5.2	6.0	5.7	4.0	3.2	3.0	1.8	1.3	1.7	2.7	3.2	5.6
Aichi	3.4	5.1	6.0	4.8	4.4	2.5	2.5	1.6	1.3	1.9	2.1	2.4	5.2
Akita	4.4	3.4	5.8	6.8	5.7	6.9	5.5	2.4	2.2	1.2	2.3	3.3	6.7
Aomori	5.7	7.7	6.0	5.3	4.7	6.3	6.8	4.1	2.6	1.8	4.9	5.5	12.5
Chiba	3.9	7.0	6.7	5.6	4.1	3.3	3.0	1.0	1.1	1.1	3.4	2.4	4.7
Ehime	3.8	7.2	5.4	7.0	2.1	1.6	2.2	2.2	2.1	1.4	2.2	4.0	6.3
Fukui	4.7	3.7	5.9	8.9	4.6	3.7	8.1	2.5	2.0	1.4	1.6	2.1	12.7
Fukuoka	2.3	3.9	4.7	2.9	2.3	2.4	1.5	1.4	0.4	0.8	2.2	1.8	3.1
Fukushima	3.7	5.0	4.3	5.6	3.3	3.5	2.9	3.1	1.5	1.5	3.9	3.6	4.2
Gifu	3.9	6.8	6.2	6.8	4.1	2.9	2.9	2.3	0.7	1.5	1.9	3.7	3.6
Gumma	3.1	4.6	3.0	6.7	1.8	3.7	2.4	0.7	0.7	2.0	2.8	3.3	3.5
Hiroshima	2.8	3.1	3.7	4.8	3.3	2.7	1.4	1.9	1.3	1.2	1.6	3.0	5.5
Hokkaido	3.8	4.2	6.4	5.2	4.5	3.4	3.1	1.5	2.1	2.1	2.1	3.0	6.9
Hyogo	3.1	6.4	5.8	4.1	3.1	1.5	2.1	0.5	1.0	1.6	1.5	1.8	6.0
Ibaraki	3.7	6.0	6.7	5.8	4.2	1.1	3.4	1.7	1.9	1.6	2.1	2.4	4.1
Ishikawa	4.8	7.0	8.9	5.5	4.6	3.9	2.1	1.6	1.9	2.6	2.8	5.0	8.8
Iwate	5.1	4.7	5.8	7.9	5.4	4.0	5.6	4.7	1.2	2.3	4.6	5.4	7.8
Kagawa	3.3	5.5	5.5	5.9	4.2	2.8	1.6	1.1	0.7	-	1.1	3.9	5.3
Kagoshima	2.8	2.9	6.2	4.2	2.2	3.1	1.4	2.6	-	1.3	1.4	4.3	3.8
Kanagawa	1.4	2.4	2.2	1.0	2.1	1.1	1.0	0.2	1.1	0.2	1.0	1.7	1.7
Kochi	2.6	3.0	5.1	5.2	2.7	1.6	-	1.0	0.9	2.7	1.3	2.8	3.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
BRONCHITIS (106) - Cont'd:													
Kumamoto	2.3	3.3	3.8	2.3	2.6	2.3	1.9	1.1	1.7	1.4	2.6	1.6	2.4
Kyoto	2.3	4.2	2.4	4.3	3.0	1.0	1.7	0.7	0.5	-	1.5	2.8	4.8
Mie	4.0	7.9	6.8	6.5	4.2	4.9	1.8	0.6	1.0	2.0	1.8	3.2	4.9
Miyagi	2.7	4.9	4.9	3.3	2.8	2.3	1.3	1.3	1.2	0.9	1.5	2.0	3.6
Miyazaki	3.0	2.0	4.8	4.3	3.2	2.4	2.2	1.3	2.4	2.7	2.0	3.5	5.0
Nagano	2.8	3.2	6.0	4.7	2.8	2.9	1.4	1.4	1.1	1.0	1.7	1.8	4.5
Nagasaki	2.9	4.1	4.9	3.6	3.0	2.7	1.6	1.6	0.4	1.2	2.8	3.0	4.5
Nara	3.1	5.1	3.8	6.1	2.8	1.2	1.8	0.5	1.1	1.7	2.1	3.9	5.6
Niigata	5.2	6.7	6.2	7.4	6.7	5.0	5.1	2.9	2.0	1.6	4.6	3.8	11.1
Oita	3.8	5.4	6.6	7.3	3.5	3.2	4.7	1.2	0.5	0.8	2.8	2.0	5.9
Okayama	3.0	3.7	3.4	6.3	3.1	1.5	2.5	2.0	0.7	1.3	1.0	2.9	6.7
Osaka	2.2	4.2	4.9	3.5	2.0	1.5	1.2	0.1	0.5	1.0	1.0	1.9	3.6
Saga	2.8	6.2	4.3	2.3	3.1	1.3	1.8	2.4	0.4	0.8	2.2	3.5	3.4
Saitama	3.8	6.1	5.2	7.0	2.9	3.2	4.1	1.5	1.1	2.3	2.3	3.3	4.0
Shiga	2.7	3.6	4.4	4.6	1.8	1.8	2.6	1.0	0.9	1.5	1.0	1.5	5.7
Shimane	3.6	3.8	5.6	5.4	5.6	1.8	2.9	3.6	1.3	1.2	2.4	2.2	6.8
Shizuoka	2.4	4.3	4.9	3.4	2.4	2.0	0.9	1.1	0.2	1.6	1.3	1.2	3.9
Tochigi	3.5	4.9	6.1	5.6	3.5	3.7	0.8	1.8	0.5	3.0	2.4	2.6	5.0
Tokushima	4.3	7.4	6.8	6.0	5.2	3.7	1.9	1.3	2.1	2.3	4.1	4.4	3.5
Tokyo	1.7	2.1	3.1	2.4	1.5	1.6	1.0	0.8	0.8	0.4	0.9	1.5	3.6
Tottori	2.9	1.9	5.8	4.1	3.3	4.1	1.5	0.7	0.7	2.0	3.8	0.6	5.4
Toyama	6.8	8.4	11.3	9.0	6.7	4.6	5.1	2.2	1.7	3.2	6.8	8.4	14.1
Wakayama	2.4	3.0	4.7	3.5	1.7	2.9	1.4	-	-	1.3	2.4	2.8	3.6
Yamagata	5.2	7.4	4.6	5.4	9.1	6.4	4.4	1.3	1.7	2.1	5.4	5.0	9.9
Yamaguchi	2.7	5.3	4.7	4.2	2.9	1.4	2.7	0.8	0.5	0.7	2.3	2.2	3.9
Yamanashi	3.5	6.6	9.0	8.6	2.2	1.5	1.2	0.5	1.1	1.0	1.4	1.5	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109)													
All Japan	8.5	12.0	13.3	12.5	9.8	7.5	6.4	4.0	3.0	3.1	5.0	7.5	14.1
All "Shi"	8.3	12.1	13.0	12.3	9.2	6.5	5.3	3.8	3.0	3.1	5.0	7.5	16.5
All "Gun"	8.5	11.9	13.5	12.6	10.1	8.0	6.9	4.1	3.1	3.2	4.9	7.5	12.9
Aichi	7.3	10.9	11.6	11.4	6.1	7.2	6.6	2.5	2.5	2.7	4.2	6.5	13.0
Akita	8.5	7.4	7.2	11.2	10.8	11.8	8.1	6.8	4.3	2.7	6.3	9.0	16.0
Aomori	12.2	14.7	11.8	14.0	15.7	10.8	13.6	9.0	5.9	4.9	6.7	15.7	23.1
Chiba	8.0	12.3	15.1	13.2	8.8	7.3	6.0	4.2	2.8	1.7	5.0	5.3	7.7
Ehime	8.3	11.6	16.5	14.9	11.5	7.5	5.4	3.5	4.5	3.5	3.7	5.0	8.4
Fukui	7.0	8.1	9.0	13.4	8.0	7.8	4.8	3.5	3.0	2.9	5.2	5.3	10.2
Fukuoka	8.0	15.0	15.9	10.6	5.8	6.0	6.2	3.3	3.6	2.4	5.5	6.8	12.0
Fukushima	9.7	11.4	12.9	13.2	11.9	9.9	9.9	4.9	4.6	4.4	5.0	10.7	14.8
Gifu	6.7	9.3	11.0	9.0	8.3	7.1	5.6	4.0	1.4	2.2	3.1	7.6	9.3
Gunma	10.1	17.5	17.0	11.9	12.4	8.7	4.2	4.4	6.1	4.9	4.7	6.1	16.7
Hiroshima	7.5	9.7	12.3	11.3	7.7	6.9	5.8	5.2	1.9	1.2	5.8	7.5	13.9
Hokkaido	10.2	11.0	14.8	13.8	11.2	10.3	8.1	6.6	5.5	2.9	5.9	10.0	21.8
Hyogo	7.2	11.4	11.9	10.9	7.2	6.3	4.2	2.2	2.5	2.5	3.0	7.5	14.6
Ibaraki	7.6	11.5	10.4	14.1	9.4	5.5	6.5	2.1	2.5	2.9	4.3	5.9	10.1
Ishikawa	10.5	15.9	14.4	13.9	10.9	10.9	6.8	4.4	3.4	2.2	6.0	13.8	19.9
Iwate	15.7	18.0	20.1	21.0	22.3	20.2	13.5	9.8	4.1	8.8	11.4	18.4	19.4
Kagawa	8.8	13.7	15.9	16.6	8.1	10.2	6.1	4.1	2.5	1.9	3.4	7.9	10.5
Kagoshima	9.6	13.5	13.5	12.6	8.9	8.1	5.4	7.3	4.5	5.5	8.7	12.4	11.1
Kanagawa	9.3	14.0	14.5	13.8	10.5	5.9	7.0	3.4	3.5	4.7	5.7	5.4	17.8
Kochi	8.3	17.6	14.1	13.6	10.2	4.8	2.8	4.8	1.3	3.2	3.9	6.0	10.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PNEUMONIA (ALL FORMS) (107-109) Cont'd													
Kumamoto	7.5	11.9	11.5	10.5	8.7	7.7	5.2	3.8	3.3	3.7	5.0	7.2	8.7
Kyoto	6.2	9.6	10.7	10.3	5.3	4.3	5.2	2.6	2.1	2.6	3.4	5.8	9.1
Mie	7.5	10.9	15.1	11.4	10.4	7.0	4.3	3.3	1.3	1.5	5.3	5.6	11.5
Miyagi	10.0	13.6	14.7	13.3	12.9	8.7	7.3	4.4	3.1	3.5	5.9	12.0	15.6
Miyazaki	7.6	9.3	11.3	14.1	6.0	4.9	6.7	4.8	5.2	2.1	5.4	8.8	10.7
Nagano	7.6	12.7	12.9	10.4	10.3	4.4	7.4	4.2	1.3	2.9	3.4	5.3	11.5
Nagasaki	9.2	12.5	18.2	14.7	15.4	8.0	6.4	4.9	1.9	3.6	5.4	5.1	12.2
Nara	6.1	9.5	11.7	9.2	5.0	5.3	1.8	1.1	2.1	1.1	2.6	5.4	14.6
Niigata	9.2	11.4	13.9	11.3	12.2	8.5	7.9	5.2	4.1	3.2	4.5	8.6	20.4
Oita	7.7	11.2	14.3	12.2	5.4	5.2	4.7	4.1	2.2	3.3	5.8	7.3	13.1
Okayama	8.2	10.6	13.2	14.7	9.3	8.4	5.5	3.9	0.9	2.0	4.2	5.5	16.3
Osaka	8.0	13.1	13.5	11.7	7.2	5.8	5.1	3.9	2.5	3.8	4.4	6.5	15.2
Saga	6.3	10.8	14.6	8.7	7.0	3.9	4.9	2.7	2.6	1.2	2.6	3.9	8.7
Saitama	8.0	12.0	14.3	12.7	9.5	5.8	4.5	2.1	3.2	3.2	5.2	5.7	12.1
Shiga	6.0	10.4	10.9	9.9	7.7	3.1	4.7	1.4	0.9	1.9	5.4	3.0	7.1
Shimane	9.7	9.5	15.2	13.2	19.2	9.3	8.3	8.4	2.5	2.4	5.5	7.3	13.1
Shizuoka	7.2	10.1	14.0	12.1	8.2	7.3	3.4	3.5	2.6	4.0	3.0	4.4	9.6
Tochigi	6.7	13.7	9.2	10.3	8.6	5.4	4.5	1.8	2.1	3.0	2.6	3.5	10.3
Tokushima	10.5	15.7	18.6	15.2	11.5	11.9	8.5	2.6	2.1	3.9	6.0	5.1	18.7
Tokyo	8.5	10.9	12.8	14.6	9.5	5.3	4.9	3.3	2.5	2.7	4.1	7.6	21.1
Tottori	7.5	8.0	5.8	11.4	16.3	6.1	13.8	4.2	1.4	5.3	3.2	2.6	10.1
Toyama	9.7	13.5	9.7	13.1	14.7	7.6	11.7	4.3	2.6	3.8	7.5	7.3	20.6
Wakayama	7.5	10.9	11.9	12.9	7.1	6.2	5.6	2.3	0.9	3.4	3.2	9.2	13.0
Yamagata	9.4	11.2	9.6	10.1	13.1	10.8	8.7	6.0	2.0	3.2	8.2	10.9	20.6
Yamaguchi	7.8	12.2	12.2	8.6	7.8	7.7	5.9	3.6	4.6	2.2	6.2	8.0	12.3
Yamanashi	7.7	11.9	17.9	12.1	9.4	7.2	3.7	1.1	3.2	0.5	3.3	8.9	11.8

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119):													
All Japan	11.6	7.8	8.8	9.8	9.8	11.1	15.1	21.3	17.0	11.1	8.3	10.9	11.9
All "Shi"	9.8	6.9	8.5	9.5	9.3	10.2	12.6	16.9	11.9	8.0	6.7	9.4	9.6
All "Gun"	12.5	8.2	9.0	9.9	10.1	11.5	16.4	23.7	19.6	12.7	9.1	11.7	13.0
Aichi	8.3	6.5	7.3	10.3	8.0	8.3	9.6	13.8	7.1	5.7	4.5	8.8	11.0
Akita	23.6	13.0	10.9	14.7	16.0	24.9	45.1	53.7	43.9	29.0	17.4	23.3	15.1
Aomori	23.4	8.8	10.5	11.0	15.2	16.4	26.9	55.7	53.4	39.9	21.2	19.9	15.8
Chiba	9.2	6.8	7.9	7.1	8.6	9.4	10.2	11.0	12.0	9.4	7.1	11.3	12.0
Ehime	7.8	5.2	5.0	5.4	5.5	8.6	13.5	15.0	11.3	7.4	5.0	6.8	8.2
Fukui	18.0	7.5	9.0	8.5	7.2	6.9	27.4	60.7	39.6	17.2	13.0	17.4	15.9
Fukuoka	9.2	7.6	9.4	7.6	8.7	9.0	11.9	12.2	9.9	6.8	6.7	11.2	10.1
Fukushima	13.0	7.6	8.4	11.7	11.4	9.1	13.8	24.8	20.3	13.7	12.5	13.2	15.8
Gifu	12.0	10.8	8.6	9.6	10.1	11.3	13.6	21.7	14.1	9.3	8.4	12.0	17.8
Gunma	7.4	5.5	6.7	7.1	6.0	8.2	10.1	9.3	9.7	7.1	6.2	6.6	8.8
Hiroshima	9.8	4.8	6.5	6.4	9.3	7.7	13.5	23.2	17.9	6.9	7.7	7.1	11.9
Hokkaido	16.8	8.8	11.3	11.3	11.3	13.1	16.8	26.8	37.0	23.6	14.2	18.4	17.3
Hyogo	10.1	7.0	9.6	8.7	7.7	9.3	13.5	18.9	13.3	7.8	7.4	9.7	10.3
Ibaraki	10.6	8.5	11.2	11.1	7.0	7.4	15.2	14.3	12.4	10.9	6.8	11.9	13.4
Ishikawa	19.8	10.6	11.5	12.4	13.5	18.7	27.5	52.9	37.6	23.0	13.8	13.0	17.1
Iwate	20.0	12.7	13.7	17.9	16.5	14.0	24.1	38.4	42.2	25.7	15.0	11.0	19.1
Kagawa	8.8	8.0	5.2	9.1	6.3	8.1	9.8	13.8	11.6	9.0	5.3	10.4	11.0
Kagoshima	12.4	8.2	11.3	8.8	8.5	14.6	17.9	25.6	13.0	13.0	9.8	11.7	11.9
Kanagawa	8.4	4.1	7.7	6.5	8.9	9.8	12.9	15.3	11.3	6.6	3.4	8.4	10.2
Kochi	10.4	11.0	5.5	5.2	12.5	13.8	22.5	20.0	10.2	11.3	5.2	4.4	8.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
DIARRHEA, ENTERITIS & ULCERATION OF THE INTESTINES (119) - Cont'd.													
Kumamoto	10.5	9.7	7.9	8.2	11.7	12.8	16.5	14.5	10.1	8.1	7.0	11.3	10.3
Kyoto	9.4	8.5	7.3	10.7	8.3	9.8	8.7	15.0	16.4	6.7	6.1	9.2	6.5
Mie	11.8	9.2	8.7	9.3	10.9	10.3	17.9	28.1	14.5	9.0	6.3	9.2	12.4
Miyagi	14.6	10.5	12.1	12.4	12.9	15.9	16.0	28.1	21.2	16.9	10.0	12.2	13.2
Miyazaki	10.2	9.1	11.2	6.9	6.0	13.6	17.8	16.4	8.2	4.4	6.5	13.4	11.0
Nagano	8.8	5.9	5.7	10.2	7.3	8.5	12.1	15.1	11.4	9.7	7.3	6.7	8.6
Nagasaki	12.0	9.2	11.0	15.3	10.8	17.1	18.5	16.8	12.6	7.9	9.1	8.5	10.3
Nara	14.0	9.2	8.9	11.8	16.3	15.9	17.6	35.5	14.8	14.5	7.4	11.3	9.6
Niigata	12.8	6.3	6.8	8.7	10.7	9.7	17.7	28.9	24.0	11.0	9.2	14.4	13.7
Oita	10.5	7.6	9.9	10.9	8.4	12.9	16.9	13.2	13.4	8.6	5.8	7.6	13.8
Okayama	8.9	4.8	4.2	5.5	5.1	9.2	12.9	20.1	17.5	7.8	8.1	8.7	8.4
Osaka	9.5	7.4	9.2	11.2	11.6	9.8	10.5	18.9	8.2	5.0	5.1	8.1	8.6
Saga	13.8	11.1	11.6	13.3	16.7	20.4	19.1	22.7	10.5	10.7	10.0	8.5	14.8
Saitama	9.5	8.7	8.2	10.3	8.2	10.5	12.5	15.9	10.3	7.6	5.9	7.1	10.9
Shiga	13.4	7.8	7.3	11.0	15.0	10.7	15.6	37.5	17.2	10.6	10.8	14.0	9.5
Shimane	12.0	4.6	7.9	7.4	9.0	9.3	14.7	20.9	37.2	13.8	7.9	6.5	11.7
Shizuoka	10.3	8.5	9.0	8.4	8.0	13.3	19.2	16.6	13.1	6.4	5.1	8.8	11.3
Tochigi	9.7	6.7	6.7	7.7	7.7	8.7	10.3	16.5	11.9	10.9	7.4	12.3	13.2
Tokushima	9.8	9.1	5.9	6.6	7.8	8.6	12.8	14.9	16.9	9.3	7.5	9.9	11.7
Tokyo	8.1	6.7	8.5	9.5	8.1	8.4	9.8	11.9	8.2	5.3	4.4	7.6	9.4
Tottori	12.8	5.0	8.3	12.9	9.2	9.5	13.0	34.2	28.5	15.3	9.6	7.1	11.6
Toyama	19.3	14.0	12.2	16.3	20.1	17.1	22.9	36.4	25.2	16.8	18.2	21.1	16.3
Wakayama	10.8	3.5	10.4	10.8	14.1	9.1	10.7	25.0	14.9	6.8	7.2	9.6	12.1
Yamagata	18.0	9.9	11.0	11.5	16.0	16.6	24.0	32.3	32.8	21.1	13.8	18.8	16.9
Yamaguchi	9.2	5.1	9.1	8.9	6.5	7.1	11.0	17.4	12.6	8.8	10.0	9.2	6.6
Yamanashi	9.7	9.7	9.0	6.9	5.4	9.3	8.5	24.0	10.7	7.6	3.8	12.7	12.5

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157)													
All Japan	1.7	1.4	1.6	1.9	1.5	1.5	1.5	1.8	1.5	1.7	1.7	1.8	2.6
All "Shi"	1.7	1.2	1.8	2.0	1.5	1.4	1.4	1.8	1.5	1.9	1.6	1.7	2.6
All "Gun"	1.7	1.4	1.6	1.9	1.6	1.5	1.5	1.7	1.6	1.7	1.7	1.9	2.6
Aichi	1.5	1.4	1.5	1.6	1.5	1.5	0.9	1.5	1.2	1.6	1.6	1.5	1.9
Akita	2.2	1.7	2.2	2.9	2.8	1.6	2.2	1.4	1.2	2.7	2.6	2.2	2.0
Aomori	1.9	1.3	1.1	2.3	1.6	1.1	2.3	2.9	1.8	1.0	2.1	2.4	3.4
Chiba	1.9	2.1	1.8	2.1	2.5	1.2	0.7	0.8	1.5	3.2	1.7	2.1	2.6
Ehime	1.6	2.0	1.2	1.2	1.6	1.9	1.6	1.2	1.4	2.1	1.5	0.7	2.9
Fukui	1.5	1.7	0.4	1.9	0.8	0.9	-	2.5	1.5	2.9	1.6	1.6	3.2
Fukuoka	1.7	1.4	1.1	1.8	1.4	1.9	1.0	1.4	1.7	1.7	2.6	2.2	2.7
Fukushima	1.8	1.4	1.8	1.9	1.9	1.0	0.8	2.0	1.0	3.1	2.7	1.2	3.3
Gifu	1.2	1.6	1.1	0.8	1.8	1.2	1.1	0.5	1.2	1.0	1.9	0.5	1.6
Gumma	2.2	2.0	1.7	3.2	2.8	1.1	0.8	2.2	1.7	2.7	2.1	3.0	2.6
Hiroshima	1.6	0.9	1.8	1.6	1.7	1.2	1.2	0.6	2.7	1.6	2.2	1.6	2.7
Hokkaido	1.8	1.1	1.7	1.5	1.9	1.7	1.3	1.4	2.2	2.0	1.4	1.6	4.2
Hyogo	1.5	1.3	1.3	1.8	0.9	1.4	1.1	1.9	1.4	1.5	0.9	1.5	3.0
Ibaraki	1.9	1.6	1.6	1.6	1.6	1.5	2.0	1.5	2.5	2.3	1.7	2.6	3.3
Ishikawa	1.9	0.7	1.7	2.0	2.6	2.7	3.0	-	2.3	3.3	2.8	0.4	2.3
Iwate	1.7	1.4	2.8	2.3	1.1	1.6	0.6	3.0	1.2	1.4	0.5	1.7	2.2
Kagawa	1.6	1.4	0.6	3.1	1.4	2.4	1.2	0.7	1.8	1.1	1.1	2.2	3.1
Kagoshima	1.4	0.9	1.4	2.0	0.4	1.5	0.9	1.9	1.4	1.1	1.4	2.0	2.0
Kanagawa	1.9	1.5	1.5	1.8	2.2	1.5	1.4	2.7	1.6	1.2	1.2	3.1	3.5
Kochi	2.1	2.0	2.0	2.8	1.8	1.6	2.8	1.9	1.8	2.3	1.3	2.0	3.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL MALFORMATIONS (157): Cont'd													
Kumamoto	1.4	1.7	0.3	2.9	1.3	1.2	2.1	1.5	0.4	1.0	1.4	1.3	1.4
Kyoto	1.5	0.2	1.6	2.5	1.4	1.7	1.2	2.4	1.2	2.1	1.2	0.7	1.9
Mie	1.9	0.9	1.5	2.8	2.0	0.9	0.6	1.1	1.6	2.8	2.5	2.4	3.5
Miyagi	1.7	1.1	1.6	2.4	2.2	0.7	2.4	2.8	2.2	0.9	1.1	1.6	1.9
Miyazaki	1.4	1.6	1.3	1.7	1.9	0.7	2.2	2.6	1.2	1.2	0.3	1.1	0.9
Nagano	1.7	0.7	1.6	1.7	1.2	2.1	2.8	1.4	1.5	0.8	1.7	3.3	1.9
Nagasaki	1.6	1.8	2.5	1.2	0.9	1.2	1.9	1.1	0.6	2.2	1.2	2.3	2.5
Nara	1.1	0.4	2.3	0.4	1.7	1.8	0.6	2.2	0.5	0.6	0.5	1.5	1.7
Niigata	1.8	1.1	1.4	2.0	1.7	2.1	1.7	1.8	1.8	1.7	1.4	2.5	2.8
Oita	1.4	1.2	2.1	1.3	1.4	1.3	1.0	1.2	1.9	0.6	2.2	1.1	0.9
Okayama	1.3	1.1	0.8	1.6	0.7	0.8	0.3	2.2	1.4	1.3	1.2	2.6	2.3
Osaka	1.7	2.0	2.4	1.9	0.8	1.4	1.2	1.5	1.2	2.2	1.7	2.3	2.1
Saga	1.7	1.8	1.3	2.7	0.8	0.4	1.3	1.6	1.9	1.2	2.6	1.1	3.4
Saitama	2.4	2.0	1.7	2.4	2.0	1.8	1.9	3.4	1.8	3.2	1.9	2.4	4.8
Shiga	1.8	1.3	1.8	3.2	0.9	1.8	1.0	1.4	-	2.4	1.0	2.5	4.3
Shimane	1.8	1.9	1.3	1.7	1.1	1.8	1.5	2.7	2.1	2.4	1.6	0.9	2.9
Shizuoka	1.7	0.9	2.7	1.7	1.0	1.5	2.3	1.4	1.5	1.0	2.2	2.1	2.4
Tochigi	2.0	2.3	1.6	2.3	2.2	2.1	3.1	3.0	1.1	1.0	1.4	1.9	2.6
Tokushima	1.4	0.6	1.9	1.3	1.1	0.8	1.4	2.6	2.5	0.8	1.5	-	3.5
Tokyo	1.7	1.1	1.9	1.7	1.9	1.2	1.9	2.5	1.5	1.3	1.5	1.3	2.7
Tottori	1.2	0.8	1.0	2.1	-	2.7	3.1	0.7	0.7	0.7	1.3	1.3	0.8
Toyama	1.4	2.1	1.1	1.5	0.3	1.5	0.4	1.4	1.0	1.9	1.1	3.4	1.3
Wakayama	1.8	2.4	1.1	1.7	0.8	1.0	2.3	0.9	0.9	2.1	3.2	2.0	3.1
Yamagata	2.3	1.9	2.5	2.4	1.7	4.4	1.5	1.6	2.9	1.2	3.1	2.3	2.6
Yamaguchi	1.3	0.5	1.9	2.1	1.8	-	0.9	1.3	1.2	1.0	1.8	1.0	2.4
Yamanashi	1.3	0.9	2.0	0.4	1.3	-	1.8	1.6	1.6	1.0	0.5	2.4	2.0

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158):													
All Japan	14.1	17.2	19.9	18.1	13.2	11.8	11.6	10.6	9.8	10.0	10.7	13.1	20.5
All "Shi"	11.0	14.0	16.4	14.1	10.6	9.7	8.8	8.3	7.4	7.2	7.7	9.6	16.2
All "Gun"	15.7	18.8	21.6	20.0	14.4	12.8	13.0	11.9	11.0	11.4	12.1	14.9	22.6
Aichi	15.4	20.2	20.3	21.1	13.9	11.2	13.7	10.2	9.7	9.7	11.6	14.2	27.1
Akita	24.5	26.8	31.6	36.0	25.8	15.7	22.2	13.7	12.9	23.7	16.9	26.6	30.9
Aomori	24.0	20.2	24.5	25.5	24.9	20.1	21.5	25.0	26.4	26.5	18.3	19.4	38.4
Chiba	14.9	16.0	21.0	18.9	11.6	12.6	14.2	11.4	11.6	10.8	12.3	14.8	20.3
Ehime	13.4	18.4	19.2	13.7	10.1	9.9	12.7	6.5	11.7	11.4	11.5	15.1	16.6
Fukui	21.0	24.1	35.1	23.0	27.0	14.2	15.0	15.6	15.4	13.4	14.0	17.4	32.5
Fukuoka	11.8	16.3	15.1	15.3	10.9	12.7	7.9	7.9	8.6	8.0	10.8	11.0	14.3
Gifu	17.8	23.5	26.4	24.1	14.4	11.0	12.8	13.1	11.8	9.0	11.7	18.9	30.1
Fukushima	14.7	17.5	21.1	22.2	17.6	12.7	12.4	9.2	7.2	10.9	9.3	11.7	19.4
Gumma	13.2	15.3	18.9	21.3	16.6	13.5	7.7	8.8	9.2	7.6	7.0	10.3	16.1
Hiroshima	14.0	18.0	18.2	18.6	14.7	12.5	14.0	10.0	10.8	9.5	8.1	12.1	18.4
Hokkaido	10.9	10.7	10.9	10.4	10.7	9.6	11.4	10.4	11.4	8.2	9.5	12.0	17.4
Hyogo	13.1	17.1	22.0	16.4	11.5	9.3	7.4	9.3	7.9	8.8	10.2	12.8	21.3
Ibaraki	17.2	22.9	22.9	19.9	15.5	13.8	15.9	13.7	12.2	15.2	15.1	12.6	20.3
Ishikawa	16.4	15.7	22.2	20.5	16.1	16.8	11.4	16.6	11.8	9.5	15.5	14.2	25.9
Iwate	19.2	21.5	28.0	22.4	16.5	15.6	16.0	13.0	16.5	15.0	13.9	18.4	28.8
Kagawa	18.0	21.1	26.3	24.7	16.8	13.8	15.5	13.8	13.0	13.6	12.8	16.2	24.6
Kagoshima	10.8	15.9	16.7	9.0	7.7	7.7	8.3	9.7	9.1	7.2	7.2	10.5	17.1
Kanagawa	8.4	10.5	13.1	11.6	8.9	8.9	5.5	5.9	3.3	5.4	5.0	5.2	15.2
Kochi	15.5	20.3	25.0	17.2	15.1	11.7	12.4	11.4	11.5	11.8	12.6	16.5	16.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CONGENITAL DEBILITY (158) - Cont'd:													
Kumamoto	12.3	16.3	16.6	13.5	8.0	15.7	12.8	7.0	8.5	7.6	11.9	11.1	15.6
Kyoto	12.5	16.6	19.3	20.6	9.2	8.8	8.9	7.6	9.0	8.4	9.0	10.1	17.5
Mie	15.8	20.2	21.0	21.1	14.0	13.0	14.2	12.4	9.8	10.0	13.5	12.4	24.5
Miyagi	15.6	18.2	25.2	22.5	15.3	12.9	12.1	11.3	6.5	9.5	10.5	14.5	22.1
Miyazaki	11.6	16.9	16.7	11.8	8.9	10.4	11.1	8.7	8.8	10.3	7.9	10.2	13.9
Nagano	12.1	13.7	17.4	13.8	10.8	11.2	9.3	9.7	8.5	6.0	10.1	10.0	23.0
Nagasaki	14.1	18.2	21.8	18.1	9.9	11.9	12.6	11.0	11.8	9.7	10.7	14.4	16.5
Nara	20.7	25.3	29.5	28.4	20.2	19.4	15.2	18.3	10.0	15.6	15.3	20.1	25.3
Niigata	13.0	12.4	19.8	16.0	12.5	10.6	11.0	12.4	9.2	8.2	11.1	14.4	18.3
Oita	15.6	22.3	22.6	20.5	12.2	13.3	10.6	13.2	10.1	12.2	12.0	14.9	18.5
Okayama	18.9	25.1	27.4	25.5	17.5	16.3	14.0	13.2	10.5	13.4	15.2	17.3	24.5
Osaka	12.6	18.5	19.2	15.2	10.3	10.2	10.7	10.1	7.1	7.2	8.6	12.3	18.5
Saga	20.4	25.3	25.5	34.3	15.9	20.8	19.1	16.1	13.5	14.6	14.4	15.9	24.7
Saitama	15.6	20.5	17.8	18.0	16.3	11.3	13.8	13.4	9.1	11.1	13.0	15.1	24.5
Shiga	17.0	23.0	24.8	20.2	15.9	13.8	12.0	17.8	12.1	10.6	9.3	17.5	20.9
Shimane	15.8	18.5	21.1	16.5	13.2	10.7	11.3	12.9	14.2	12.6	14.9	19.8	21.4
Shizuoka	11.9	14.8	18.6	16.1	10.6	9.0	9.4	9.9	8.2	7.0	9.1	8.5	18.1
Tochigi	11.2	12.6	14.4	16.3	10.8	9.1	8.7	6.3	8.2	12.4	7.7	9.0	15.6
Tokushima	18.4	23.7	29.1	23.7	17.4	11.9	10.9	13.1	12.0	12.8	14.7	16.9	26.5
Tokyo	8.6	11.2	13.1	13.2	8.4	7.3	7.4	5.2	5.0	5.3	5.0	7.3	11.9
Tottori	15.3	18.4	22.9	18.1	13.6	16.2	13.0	10.5	4.9	14.0	16.7	10.3	20.2
Toyama	15.3	20.3	19.7	24.2	13.8	11.0	8.9	11.5	9.9	9.2	10.3	19.1	21.9
Wakayama	12.1	14.4	19.8	7.7	10.8	9.6	7.4	11.4	10.2	11.5	6.4	10.4	24.7
Yamagata	21.0	21.1	27.5	28.5	27.1	15.6	13.8	16.6	15.4	11.7	14.4	23.5	33.5
Yamaguchi	13.2	13.5	18.2	14.5	8.6	13.9	13.1	9.4	9.7	9.6	11.0	13.0	25.5
Yamanashi	11.0	13.1	14.2	17.3	7.6	8.2	15.3	4.9	7.5	9.6	6.2	6.8	21.6

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159):													
All Japan	5.1	5.0	5.6	5.2	4.4	4.7	5.0	4.5	4.4	4.4	4.9	5.6	7.3
All "Shi"	4.7	4.5	4.8	4.5	4.1	4.6	4.8	4.1	4.4	4.5	4.5	5.3	6.9
All "Gun"	5.3	5.3	6.0	5.5	4.6	4.8	5.1	4.6	4.4	4.3	5.2	5.7	7.5
Aichi	5.5	4.6	6.0	5.9	4.3	4.3	5.6	4.3	5.2	4.5	6.7	6.6	9.5
Akita	7.9	9.6	9.1	10.8	9.0	7.9	8.5	4.8	4.9	4.7	10.0	6.8	5.5
Aomori	4.9	3.9	4.9	4.2	4.0	4.8	5.4	6.4	7.9	3.6	4.6	5.8	4.0
Chiba	7.8	8.8	7.9	6.1	6.3	5.5	10.0	7.6	8.3	5.3	7.5	10.3	11.1
Ehime	5.2	5.7	6.2	6.0	5.5	4.8	3.8	4.5	4.7	5.3	3.0	5.0	7.0
Fukui	6.7	6.1	6.2	10.0	5.9	5.5	5.4	7.5	3.5	4.3	6.2	6.3	14.0
Fukuoka	3.8	4.5	4.2	3.4	3.3	3.1	3.2	2.5	3.2	3.2	4.1	4.9	5.4
Fukushima	4.9	4.6	5.8	5.0	4.9	4.5	4.4	3.1	2.9	5.5	6.3	4.8	7.3
Gifu	6.5	5.5	7.3	7.4	5.3	4.7	7.5	5.8	4.0	3.7	8.0	8.4	10.7
Gunma	3.9	4.1	3.9	3.8	3.2	2.6	5.3	3.4	2.7	3.9	2.8	5.3	5.6
Hiroshima	4.3	4.5	4.9	4.3	3.7	2.5	4.9	3.7	3.1	5.4	5.2	3.8	5.2
Hokkaido	2.9	2.7	3.0	2.4	2.4	2.9	3.4	3.6	3.2	2.0	3.2	2.8	4.2
Hyogo	5.0	5.6	6.7	5.2	4.2	4.5	4.8	3.9	3.5	4.1	4.2	5.7	7.2
Ibaraki	7.6	7.1	6.9	9.1	6.1	8.3	5.4	7.3	6.0	6.8	8.5	10.0	9.9
Ishikawa	5.7	4.6	6.3	6.4	5.3	2.3	5.9	3.6	5.3	7.7	4.9	5.4	12.0
Iwate	6.5	5.7	6.8	6.8	3.8	7.3	6.6	5.9	7.1	9.3	5.2	7.8	6.7
Kagawa	6.9	5.2	6.4	5.3	6.3	6.1	8.6	7.8	7.4	6.8	7.1	6.8	10.5
Kagoshima	3.7	3.9	3.3	5.0	2.8	3.3	1.7	3.2	4.9	3.4	3.8	4.3	4.4
Kanagawa	3.6	3.7	3.0	3.1	3.4	4.3	2.9	4.0	2.5	4.2	3.8	4.7	4.6
Koshi	6.9	6.6	5.5	4.4	10.2	7.4	8.4	7.6	4.4	2.7	8.7	8.5	9.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
PREMATURE BIRTH (159) - Cont'd.													
Kumamoto	4.4	4.6	4.2	3.2	4.1	4.0	4.7	4.1	3.7	4.1	4.6	4.8	6.9
Kyoto	5.5	4.7	6.7	5.1	4.1	5.5	5.5	3.5	5.1	4.8	3.6	6.9	10.8
Mie	6.2	5.2	6.8	7.9	3.4	9.7	5.5	4.1	7.8	4.3	4.3	8.2	7.5
Miyagi	4.9	4.3	5.3	6.2	5.2	3.2	4.7	3.4	4.1	3.5	5.7	3.3	9.8
Miyazaki	5.0	4.7	4.3	3.5	5.1	7.6	7.1	3.2	4.6	3.8	6.2	5.4	5.3
Nagano	5.1	4.1	5.7	5.2	3.7	5.4	3.3	5.9	5.3	4.3	5.4	6.5	6.5
Nagasaki	3.5	3.1	3.4	2.2	3.2	3.4	5.1	2.5	2.3	4.7	3.0	4.2	5.2
Nara	5.4	7.0	8.9	7.9	4.5	3.5	3.0	4.3	3.2	3.9	5.3	3.9	7.3
Niigata	5.3	5.5	5.7	5.1	6.7	5.0	6.8	3.1	5.3	4.0	6.1	5.6	5.2
Oita	5.6	6.8	7.5	4.7	3.3	3.2	4.7	5.0	3.8	3.0	6.1	7.6	11.3
Okayama	6.4	7.2	8.1	6.5	4.9	5.9	5.2	4.6	4.4	6.3	7.1	7.2	9.6
Osaka	4.2	3.7	4.7	4.3	5.3	4.8	4.7	4.6	3.5	3.3	3.9	4.6	5.5
Saga	6.1	5.9	10.3	5.7	3.5	4.3	5.8	5.1	4.5	6.5	5.5	5.3	10.2
Saitama	5.3	5.7	4.2	6.0	4.8	5.0	5.2	5.1	5.6	4.4	2.9	6.4	8.6
Shiga	6.7	6.2	8.8	9.9	6.8	4.9	8.8	4.3	2.8	5.3	6.9	5.5	9.5
Shimane	6.3	7.1	8.2	6.4	4.1	7.5	7.4	5.3	5.8	6.5	3.5	4.3	8.7
Shizuoka	4.3	4.1	5.1	5.2	3.0	4.2	4.6	5.1	2.3	3.2	3.6	4.2	7.1
Tochigi	4.6	3.7	5.2	3.0	4.2	3.7	4.7	7.0	4.6	4.6	5.3	3.9	6.3
Tokushima	5.8	6.9	7.4	6.3	5.9	3.7	6.1	4.8	5.4	4.6	4.1	4.0	9.1
Tokyo	4.5	4.5	4.7	3.9	3.9	5.1	4.0	3.6	4.3	4.0	4.0	4.9	7.5
Tottori	5.5	4.2	5.8	7.7	4.9	4.1	3.8	2.8	4.2	7.3	5.1	9.6	7.0
Toyama	6.8	6.9	7.6	5.8	5.1	6.8	6.2	5.8	7.3	7.0	5.0	8.4	11.1
Wakayama	5.9	6.3	6.5	3.8	7.1	5.3	4.2	4.5	5.5	7.2	8.0	5.2	6.7
Yamagata	6.8	7.2	7.3	7.5	7.1	7.4	7.6	6.9	7.0	5.0	5.9	5.3	6.6
Yamaguchi	3.0	3.9	4.7	5.1	3.4	2.8	1.5	2.6	1.7	1.7	1.3	2.0	5.4
Yamanashi	4.1	4.1	6.5	2.2	2.7	5.7	1.8	6.0	5.9	1.5	1.4	6.8	3.9

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160): Cont'd													
Kumamoto	0.2	-	-	0.2	-	-	0.5	0.9	0.2	0.2	-	0.2	0.6
Kyoto	0.5	-	0.6	0.4	0.7	1.0	1.0	0.4	0.2	0.5	0.2	0.5	0.2
Mie	0.3	0.2	-	0.5	0.6	-	-	-	0.3	0.5	0.5	1.0	-
Miyagi	0.6	0.9	0.7	1.1	0.2	0.2	0.8	0.5	0.2	0.5	0.7	0.4	1.0
Miyazaki	0.4	0.4	-	0.3	0.3	1.0	1.9	-	-	-	0.3	-	0.6
Nagano	0.3	0.3	0.5	0.3	0.2	0.4	0.2	0.7	0.2	0.2	-	-	0.2
Nagasaki	0.3	1.0	0.6	0.2	0.2	-	-	-	0.2	0.6	-	-	-
Nara	0.5	-	0.5	-	-	1.2	1.8	0.5	1.6	-	0.5	0.5	-
Niigata	0.4	0.8	0.6	0.2	0.3	0.5	0.3	0.5	0.2	0.3	-	0.7	0.7
Oita	0.4	0.2	0.2	-	0.8	0.6	-	0.6	-	0.3	0.6	1.1	0.3
Okayama	0.5	0.2	0.2	0.6	-	1.0	1.1	0.5	0.5	0.8	0.2	0.2	0.6
Osaka	0.3	0.2	0.3	0.2	-	0.1	0.2	0.5	0.2	0.1	0.1	0.2	1.0
Saga	0.3	0.3	-	0.7	0.4	-	-	0.4	0.7	0.4	-	0.4	0.4
Saitama	0.3	0.3	-	0.1	0.2	0.8	0.2	-	0.9	0.5	0.2	-	0.8
Shiga	0.8	1.3	0.4	0.4	1.4	0.4	1.6	0.5	0.9	1.0	0.5	0.5	0.9
Shimane	0.5	0.8	0.3	0.7	-	0.4	0.5	0.9	-	0.8	-	0.4	1.0
Shizuoka	0.2	0.1	0.5	-	-	0.3	0.5	0.3	0.3	0.2	0.1	0.1	-
Tochigi	0.2	0.3	0.2	0.2	-	-	0.3	-	0.2	0.5	0.5	0.2	0.3
Tokushima	0.4	0.3	0.6	-	-	0.8	-	0.4	0.8	-	0.4	0.4	0.9
Tokyo	0.4	0.4	0.4	0.3	0.9	0.3	0.3	0.2	0.2	0.2	0.2	0.4	1.0
Tottori	0.7	0.4	0.5	1.0	-	0.7	-	-	1.4	2.0	-	-	3.1
Toyama	0.6	0.3	0.5	0.9	0.6	1.1	0.4	0.4	1.0	1.3	0.4	-	0.4
Wakayama	0.3	0.3	0.7	-	-	-	0.5	0.9	0.4	0.4	-	0.4	0.4
Yamagata	1.0	1.3	2.1	1.2	1.1	1.7	0.4	0.6	0.6	0.3	0.8	0.6	0.4
Yamaguchi	0.3	0.2	0.9	0.2	-	-	-	0.3	0.5	0.5	0.3	-	0.3
Yamanashi	0.3	-	-	-	-	1.0	-	0.5	1.1	-	-	0.5	1.3

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
INJURY AT BIRTH (160):													
All Japan	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.5
All "Shi"	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.5	0.5	0.3	0.3	0.4	0.6
All "Gun"	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.4	0.2	0.2	0.5
Aichi	0.3	0.1	0.3	0.1	-	0.3	0.1	0.7	0.7	0.4	0.4	0.4	0.4
Akita	0.5	0.6	0.2	1.8	0.5	-	0.7	-	0.3	-	1.1	-	0.3
Aomori	0.3	0.4	0.4	0.2	0.2	0.5	0.3	-	0.3	-	0.3	-	0.3
Chiba	0.5	0.7	0.3	0.8	0.5	0.2	0.5	0.4	0.9	0.2	0.2	0.4	1.1
Ehime	0.6	0.2	0.6	0.2	0.9	0.5	0.3	1.0	1.6	-	0.9	0.2	0.5
Fukui	0.3	-	0.4	-	0.8	0.5	-	1.0	-	-	0.5	-	0.6
Fukuoka	0.2	0.2	0.6	-	0.2	0.1	0.2	0.3	0.2	0.4	0.1	0.3	0.2
Fukushima	0.4	0.6	0.2	0.4	0.5	0.5	0.8	1.0	0.2	-	0.2	0.2	0.4
Gifu	0.3	0.3	0.7	-	0.2	0.2	0.3	0.3	0.7	-	-	0.2	0.8
Gumma	0.5	0.3	0.2	1.0	0.5	-	1.1	0.7	0.7	0.2	-	0.8	0.3
Hiroshima	0.4	0.1	0.5	0.2	0.8	0.2	0.5	0.4	0.6	0.2	-	0.6	1.0
Hokkaido	0.3	0.2	0.5	0.8	0.5	0.5	-	0.1	0.1	0.1	0.2	0.2	0.2
Hyogo	0.3	0.3	0.1	0.6	0.2	0.4	0.1	-	0.5	0.6	0.1	-	0.4
Ibaraki	0.5	0.4	1.0	0.7	0.5	0.4	0.9	1.0	0.2	0.4	-	0.7	0.2
Ishikawa	0.2	-	-	-	-	0.4	-	0.4	0.4	0.4	-	0.8	0.5
Iwate	0.4	1.0	0.6	0.2	0.5	0.3	0.3	0.3	0.3	-	0.3	0.5	0.5
Kagawa	0.4	-	-	0.3	0.4	0.4	0.4	0.7	-	1.9	-	-	0.4
Kagoshima	0.3	0.1	-	-	-	0.2	0.2	0.4	0.6	1.1	0.4	-	0.4
Kanagawa	0.3	0.2	0.7	0.1	-	0.4	0.2	-	-	0.2	0.9	0.3	0.9
Kochi	0.6	0.7	0.8	0.4	0.4	1.1	-	0.5	1.3	-	0.4	0.4	0.9

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):													
All Japan	3.3	3.8	5.0	4.1	3.0	2.6	2.3	2.5	2.3	2.5	2.6	3.0	4.5
All "Shi"	2.6	3.0	4.0	3.1	2.3	2.0	2.0	1.9	2.0	2.3	2.4	2.3	3.4
All "Gun"	3.6	4.3	5.4	4.6	3.3	2.9	2.5	2.7	2.4	2.6	2.8	3.4	5.1
Aichi	3.4	3.9	5.1	4.1	2.2	3.2	1.7	2.5	2.5	3.3	3.4	3.8	4.4
Akita	3.5	2.8	4.4	6.8	3.9	3.6	3.7	2.4	1.2	3.3	1.4	2.5	5.0
Aomori	2.7	4.4	2.4	2.1	2.6	2.9	1.7	2.9	1.8	1.8	2.1	3.4	4.3
Chiba	5.2	6.8	7.9	6.8	4.8	4.7	4.4	3.8	3.6	4.2	3.7	3.0	7.0
Ehime	3.5	2.9	6.4	3.6	2.3	1.6	4.6	2.7	2.1	2.8	3.7	4.6	4.8
Fukui	2.4	1.7	3.1	4.5	0.8	1.8	2.7	4.0	1.5	1.9	1.0	3.7	1.9
Fukuoka	2.9	4.2	5.8	2.6	3.2	2.3	1.8	1.8	1.4	2.5	1.8	2.3	4.5
Fukushima	3.0	3.8	3.5	4.1	2.9	2.4	1.3	2.3	1.7	2.9	3.4	3.0	3.3
Gifu	3.1	3.5	5.1	3.6	2.8	3.4	2.7	2.5	1.4	2.0	2.8	2.5	4.4
Gumma	2.5	2.1	4.5	3.0	3.2	2.6	1.9	1.2	1.9	2.0	2.3	1.8	2.6
Hiroshima	3.0	4.5	4.4	3.4	2.3	1.0	2.8	1.9	2.7	1.6	3.2	2.6	5.2
Hokkaido	3.0	2.6	3.9	3.4	5.3	2.4	2.1	3.2	1.5	2.3	2.5	2.3	3.8
Hyogo	2.9	2.4	4.6	2.9	2.6	2.5	1.6	2.5	2.2	2.8	3.0	2.4	5.1
Ibaraki	4.2	4.3	7.4	7.0	4.0	3.8	1.3	2.3	2.1	3.1	2.9	4.5	5.4
Ishikawa	3.9	5.5	9.5	5.8	2.6	0.8	3.0	2.8	3.4	2.2	1.8	1.9	4.6
Iwate	3.5	4.7	6.2	4.8	2.0	3.8	2.2	3.0	2.4	2.3	2.6	2.9	3.5
Kagawa	4.5	5.2	5.8	3.8	2.5	3.7	6.5	3.7	3.2	4.1	1.5	5.7	8.3
Kagoshima	2.8	3.1	4.6	3.8	2.6	1.3	2.4	1.1	2.4	2.6	1.8	3.2	4.0
Kanagawa	2.3	2.7	3.9	2.8	2.4	1.3	1.4	1.8	1.9	1.6	1.9	2.1	3.3
Kochi	3.3	2.7	3.1	4.4	1.3	1.6	6.2	2.9	4.0	1.8	1.7	6.0	3.8

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
OTHER DISEASES PECULIAR TO FIRST YEAR OF LIFE (161):- Cont'd.													
Kumamoto	3.4	3.9	3.7	4.0	1.7	3.7	4.3	3.0	3.3	3.3	2.8	2.9	4.5
Kyoto	3.3	4.0	4.5	5.4	3.7	2.1	0.7	1.5	1.6	2.6	2.9	3.5	5.7
Mie	4.6	4.6	6.6	6.3	3.4	1.8	3.7	3.3	3.6	4.3	6.1	4.6	6.0
Miyagi	2.9	5.7	4.0	4.9	2.2	1.8	0.8	1.8	1.4	1.6	1.5	2.6	3.6
Miyazaki	3.7	6.3	7.0	2.9	1.0	3.1	4.1	2.9	2.4	2.4	2.0	4.0	4.7
Nagano	2.5	3.2	4.1	2.8	2.2	1.7	1.4	2.4	1.8	1.7	2.1	3.3	2.2
Nagasaki	3.8	5.2	6.4	3.8	4.1	3.4	1.3	2.2	3.4	4.7	2.4	2.3	5.2
Nara	4.5	5.1	8.9	5.7	3.4	3.5	1.8	5.4	2.6	2.2	2.6	3.4	7.3
Niigata	2.4	1.6	3.5	2.6	4.3	1.7	1.6	2.1	2.3	1.6	2.0	2.8	3.3
Oita	4.2	4.6	8.7	4.7	2.4	3.2	2.3	4.4	2.5	3.6	4.4	3.4	5.3
Okayama	4.2	5.6	6.0	7.1	3.8	2.8	2.5	2.7	2.1	2.8	3.2	4.6	4.7
Osaka	2.6	3.7	3.6	2.4	2.4	2.0	1.5	1.2	2.3	2.5	2.9	2.0	3.9
Saga	4.4	5.9	6.0	7.0	3.5	1.3	2.2	2.0	3.7	3.5	1.1	4.6	9.9
Saitama	4.0	4.9	5.5	5.5	2.6	3.8	1.9	3.6	3.3	3.2	2.8	3.6	5.9
Shiga	3.9	7.4	8.0	3.6	2.3	1.3	5.2	2.9	3.3	1.5	1.5	2.0	4.7
Shimane	3.0	4.4	5.6	4.7	2.3	1.8	2.9	3.1	2.1	2.0	1.2	1.3	2.4
Shizuoka	4.0	4.0	6.7	6.4	3.5	3.1	3.0	2.5	2.3	2.1	3.3	3.4	6.1
Tochigi	2.7	2.0	4.0	2.1	1.1	3.3	2.8	2.3	3.0	2.3	2.2	3.9	4.5
Tokushima	3.5	2.5	3.7	6.0	5.5	4.1	1.9	3.5	2.9	1.2	2.6	5.1	1.7
Tokyo	2.4	2.7	3.2	4.0	1.8	2.6	1.9	2.2	2.0	1.7	1.8	1.5	2.8
Tottori	5.1	5.0	6.8	5.7	4.9	4.1	3.8	3.5	4.9	2.0	5.1	4.5	10.9
Toyama	3.1	4.0	3.0	5.0	2.6	3.0	1.6	2.2	2.0	1.6	3.9	2.3	5.6
Wakayama	3.8	4.6	5.4	4.5	5.0	4.3	3.2	2.3	2.1	3.0	2.8	2.4	4.9
Yamagata	3.5	4.9	5.7	4.0	4.6	3.4	3.6	1.6	1.2	0.9	3.4	4.7	3.3
Yamaguchi	2.9	3.7	3.5	3.7	2.3	1.7	3.0	2.6	2.2	2.2	2.6	3.2	3.0
Yamanashi	3.1	5.0	3.7	1.7	3.6	2.6	1.2	-	1.1	3.0	4.3	2.4	7.2

See footnotes at end of table.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195):													
All Japan	0.8	0.6	0.8	0.7	0.6	0.6	1.2	1.4	1.1	0.6	0.6	0.7	1.0
All "Shi"	0.7	0.7	0.8	0.6	0.7	0.6	0.7	0.6	0.9	0.7	0.4	0.6	1.3
All "Gun"	0.8	0.6	0.8	0.7	0.6	0.6	1.4	1.8	1.2	0.6	0.7	0.8	0.8
Aichi	0.5	0.4	0.5	0.6	-	0.6	0.1	0.3	0.3	0.5	0.6	0.7	1.3
Akita	0.7	-	1.0	0.2	0.5	0.7	1.5	0.7	0.9	0.9	0.6	1.6	0.9
Aomori	0.9	0.2	0.2	-	0.7	1.3	2.8	1.2	1.5	0.3	1.5	0.8	0.6
Chiba	0.5	0.2	0.6	0.6	0.9	0.2	1.2	0.4	0.2	0.4	0.7	0.2	0.6
Ehime	0.3	0.2	0.6	0.8	0.2	0.3	0.8	-	0.5	-	0.2	-	0.5
Fukui	14.4	1.0	0.4	0.4	0.8	-	45.1	71.2	61.9	3.4	2.6	1.6	2.5
Fukuoka	0.6	0.6	0.5	0.6	0.9	0.7	0.6	0.4	0.3	0.5	0.5	0.4	0.9
Fukushima	1.0	0.7	1.4	0.7	1.0	1.1	1.0	1.8	1.1	0.7	1.1	0.9	1.3
Gifu	0.9	0.9	1.3	1.4	0.5	0.2	0.3	1.0	0.5	0.5	0.9	1.7	1.4
Gumma	0.6	0.6	0.9	0.2	0.7	0.3	0.3	0.7	0.5	0.2	0.5	1.3	0.6
Hiroshima	0.8	0.6	0.4	1.4	0.8	0.8	0.2	0.2	0.8	0.2	0.4	1.6	2.2
Hokkaido	0.9	0.6	1.0	0.6	0.6	0.8	1.1	1.0	0.9	0.4	1.1	1.3	1.1
Hyogo	0.6	1.1	0.7	0.6	0.9	0.4	0.5	0.1	0.5	0.3	0.3	0.8	1.2
Ibaraki	0.5	0.2	0.3	0.4	0.7	-	1.6	-	0.2	0.2	0.4	0.6	1.4
Ishikawa	0.9	0.2	1.2	1.2	0.7	1.2	0.8	1.6	1.5	0.4	-	1.1	0.9
Iwate	1.5	0.6	1.1	1.1	0.5	1.1	0.9	1.8	1.5	7.6	1.0	1.0	0.5
Kagawa	0.9	0.8	1.2	0.3	1.4	1.6	1.2	0.7	1.1	0.8	0.4	0.4	0.4
Kagoshima	1.0	0.7	0.4	0.8	0.6	1.1	1.9	1.7	1.2	0.9	1.6	1.1	0.4
Kanagawa	0.5	0.4	1.1	0.6	0.9	0.2	-	0.5	0.4	0.2	0.2	0.3	0.7
Kochi	0.5	0.3	0.4	-	-	1.1	0.6	1.0	0.4	0.9	1.7	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

Cause of Death and Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
ACCIDENTAL DEATHS (169-195) - Cont'd:													
Kumamoto	0.6	0.7	0.5	0.6	0.2	0.7	0.5	0.6	0.8	0.2	0.2	0.9	0.8
Kyoto	1.0	0.5	1.8	1.0	0.9	0.7	-	0.2	1.2	0.2	0.7	0.7	4.5
Mie	0.4	0.2	0.7	-	0.8	-	0.3	-	0.5		0.5	0.7	0.9
Miyagi	0.8	0.6	0.5	0.4	0.6	0.7	1.0	1.0	1.0	1.4	0.7	0.6	1.4
Miyazaki	0.6	-	1.6	0.6	0.3	-	1.5	1.0	0.3	-	0.8	0.8	0.9
Nagano	0.6	1.1	0.5	0.9	0.4	0.4	0.2	0.7	0.4	0.4	0.4	0.6	0.2
Nagasaki	0.6	0.5	0.8	0.2	1.1	0.5	1.1	0.2	-	1.8	0.2	0.2	0.4
Nara	0.5	0.4	0.9	0.4	-	1.2	0.6	1.1	-	-	1.1	-	0.6
Niigata	0.6	0.6	0.9	0.9	0.9	0.2	0.3	1.0	0.5	0.6	0.9	0.5	0.4
Oita	0.7	0.6	0.9	0.3	0.8	1.0	1.0	1.2	0.5	0.6	0.3	0.6	0.9
Okayama	0.8	2.0	1.1	1.0	0.7	0.3	0.5	0.5	0.2	0.3	1.0	1.4	-
Osaka	0.5	0.8	0.4	0.4	0.3	0.9	0.8	0.3	0.2	0.3	0.1	0.4	0.8
Saga	0.7	0.5	1.3	1.0	-	0.9	-	-	0.4	2.7	0.4	0.4	0.4
Saitama	0.4	0.1	0.8	0.4	0.4	-	0.6	0.4	0.2	0.5	0.7	0.3	0.8
Shiga	0.7	1.6	-	1.1	0.5	0.9	1.0	1.4	0.9	-	1.0	-	-
Shimane	1.1	0.8	1.3	1.4	0.8	-	1.5	1.3	0.4	0.4	0.8	0.4	5.3
Shizuoka	0.4	0.5	0.7	0.3	0.7	0.2	0.5	0.6	-	0.5	0.1	0.1	0.2
Tochigi	0.3	0.5	0.5	0.2	-	-	-	0.3	0.2	0.3	0.2	0.9	0.5
Tokushima	0.8	0.8	0.6	0.9	1.5	0.8	1.4	0.9	2.1	-	-	0.7	0.4
Tokyo	0.7	0.7	1.2	1.1	0.7	0.3	0.6	0.5	0.3	0.4	0.6	0.5	1.2
Tottori	0.4	-	0.5	0.5	-	-	0.8	0.7	-	-	-	1.3	1.6
Toyama	0.9	1.3	1.4	1.7	0.3	0.4	0.8	1.4	-	0.3	1.8	1.1	0.4
Wakayama	0.5	0.3	1.1	1.0	-	1.4	-	0.9	0.4	0.4	0.4	-	-
Yamagata	1.0	0.6	1.1	1.9	1.1	0.3	0.7	0.9	0.3	0.6	0.3	1.5	2.2
Yamaguchi	0.7	0.9	0.5	0.2	0.8	2.0	1.2	1.0	0.5	0.2	0.8	-	1.2
Yamanashi	0.7	0.3	-	0.4	0.9	0.5	-	1.6	-	1.5	0.5	2.0	0.7

See footnotes on next page.

TABLE 78. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd
(Rates per 1,000 live births each month)

FOOTNOTES:

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan Proper.

A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero.

A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 79. - STILLBIRTHS BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	144,095	12,286	12,171	12,427	11,304	11,402	10,400	11,139	11,852	12,479	12,915	12,273	13,447
All "Shi"	60,052	4,605	4,722	4,884	4,534	4,765	4,421	4,768	5,117	5,572	5,739	5,302	5,623
All "Gun"	84,043	7,681	7,449	7,543	6,770	6,637	5,979	6,371	6,735	6,907	7,176	6,971	7,824
Aichi	5,539	438	435	418	406	480	439	448	456	464	519	476	560
Akita	2,550	246	255	233	199	169	177	177	208	187	214	233	252
Aomori	2,103	178	183	212	182	182	173	151	149	153	156	182	202
Chiba	3,490	317	298	294	292	276	248	279	294	282	328	280	302
Ehime	2,608	203	190	242	204	185	198	228	214	266	223	194	261
Fukui	1,306	115	118	120	106	101	98	95	97	113	120	110	113
Fukuoka	6,534	504	498	508	466	527	435	531	538	649	664	580	634
Fukushima	3,687	305	300	351	327	323	230	291	248	292	257	361	402
Gifu	2,432	206	196	201	208	212	184	178	199	214	195	215	224
Gunma	3,168	264	272	290	235	258	216	236	265	262	298	280	292
Hiroshima	3,299	290	275	281	296	266	245	259	289	313	264	232	289
Hokkaido	6,931	546	641	626	574	505	539	502	561	577	629	584	647
Hyogo	6,011	529	488	508	481	473	448	477	453	560	537	498	559
Ibaraki	3,942	366	376	363	333	304	265	299	293	344	309	346	344
Ishikawa	1,486	134	140	126	110	101	99	91	119	122	129	170	145
Iwate	2,627	259	232	247	220	225	191	180	209	189	208	205	262
Kagawa	1,954	169	160	182	152	149	134	142	159	177	193	152	185
Kagoshima	3,073	295	257	228	230	211	204	249	254	285	282	256	322
Kanagawa	3,834	324	309	368	292	300	293	316	336	300	335	332	329
Kochi	1,289	106	110	111	94	135	94	122	112	103	106	96	100

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 79. - STILLBIRTHS BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	3,206	276	241	259	229	238	232	263	262	309	319	282	296
Kyoto	2,923	241	242	245	221	233	209	228	229	242	291	271	271
Mie	2,324	206	188	196	181	160	166	170	192	213	231	212	209
Miyagi	3,288	274	280	293	241	253	221	246	239	281	310	320	330
Miyazaki	2,087	211	163	166	153	147	133	139	188	200	193	193	201
Nagano	3,878	355	349	338	279	316	270	291	342	339	348	283	368
Nagasaki	2,902	263	237	228	193	231	216	219	235	263	294	260	263
Nara	1,274	99	90	110	119	105	109	94	125	102	113	93	115
Niigata	4,569	360	422	440	384	351	301	342	346	349	423	445	406
Oita	2,532	197	243	200	186	199	179	199	210	229	231	199	260
Okayama	3,424	268	279	300	257	258	246	273	312	301	328	273	329
Osaka	6,565	526	535	534	485	535	527	548	590	579	619	570	517
Saga	1,518	114	117	111	115	122	107	88	142	152	158	145	147
Saitama	3,918	319	379	313	371	319	268	317	308	295	338	346	345
Shiga	1,433	118	109	142	119	110	114	95	131	135	116	102	142
Shimane	1,990	173	159	192	153	139	146	153	178	207	167	142	181
Shizuoka	4,515	356	405	381	379	409	302	333	381	378	437	370	384
Tochigi	2,787	275	250	265	212	193	209	227	247	220	228	221	240
Tokushima	1,940	193	148	166	171	139	140	144	157	170	171	160	181
Tokyo	8,636	716	712	698	694	697	656	722	721	774	729	760	757
Tottori	1,238	128	117	111	100	95	83	94	88	108	104	95	115
Toyama	1,450	140	107	139	96	110	104	109	102	138	133	128	144
Wakayama	1,572	128	111	120	118	134	114	126	138	145	147	136	155
Yamagata	2,123	204	174	213	162	186	152	156	163	162	175	174	202
Yamaguchi	2,650	199	243	225	188	224	182	189	256	210	222	200	312
Yamanashi	1,490	153	138	133	91	117	104	123	117	126	124	111	153

Data refer to vital events of Japanese nationals in Japan Proper.
Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 80. - STILLBIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	53.2	39.0	46.7	48.3	50.4	56.6	55.4	54.2	55.1	58.0	59.2	55.9	70.6
All "Shi"	67.0	44.5	57.1	59.6	63.2	72.7	68.5	66.2	69.1	77.0	79.9	73.5	88.6
All "Gun"	46.3	36.4	41.9	43.0	44.4	48.8	48.5	47.7	47.7	48.4	49.1	47.3	61.6
Aichi	49.9	32.3	41.5	44.0	44.5	61.9	56.7	50.4	49.8	50.9	58.3	52.2	74.1
Akita	57.9	52.3	51.3	51.1	51.4	55.4	65.4	60.6	63.9	55.3	61.1	63.8	73.4
Aomori	44.7	39.0	40.7	45.0	42.7	48.1	48.9	43.8	43.7	39.4	40.2	47.6	61.5
Chiba	51.8	38.2	45.3	44.5	51.4	56.2	57.6	56.0	55.2	53.2	61.3	52.6	64.5
Ehime	48.7	34.2	39.2	48.2	46.8	49.7	53.3	57.0	50.2	61.7	48.2	42.6	62.9
Fukui	50.0	39.0	46.1	44.5	44.8	46.2	52.6	47.7	48.0	54.1	62.4	58.1	72.0
Fukuoka	54.7	38.1	48.0	48.9	49.9	59.9	50.0	54.3	53.8	65.3	69.2	57.1	68.4
Fukushima	51.2	37.9	46.0	47.8	51.8	51.5	43.9	56.9	47.2	53.2	46.0	64.2	77.3
Gifu	45.6	32.3	36.0	40.0	47.7	51.9	49.1	44.9	46.8	52.3	45.8	52.8	61.3
Gunma	60.4	40.1	50.9	57.3	54.2	68.1	57.3	57.9	64.5	64.0	77.1	70.6	85.6
Hiroshima	52.9	37.4	48.2	49.8	57.2	55.4	57.1	53.7	55.7	63.1	53.2	46.0	71.7
Hokkaido	44.8	30.8	43.3	39.9	42.7	41.4	47.6	45.9	47.9	45.5	50.0	48.9	66.5
Hyogo	58.1	46.6	50.7	47.6	56.0	58.8	59.4	55.9	52.4	70.1	68.2	63.0	83.3
Ibaraki	58.3	44.6	53.8	53.9	58.1	57.7	59.2	62.1	56.6	70.9	60.0	64.2	71.1
Ishikawa	43.1	32.3	40.3	36.4	36.2	39.4	41.9	36.8	45.2	44.6	45.6	65.1	67.1
Iwate	55.5	53.1	49.5	55.9	49.6	60.7	59.8	53.2	61.7	53.4	53.7	50.3	70.5
Kagawa	57.5	46.4	46.3	56.9	53.3	60.5	54.8	52.8	55.9	66.7	72.5	54.6	81.1
Kagoshima	48.2	38.5	45.2	45.6	42.4	46.1	48.1	53.6	50.1	53.6	51.0	45.4	64.8
Kanagawa	52.0	33.2	41.8	51.2	50.2	56.6	57.0	56.9	59.2	52.5	57.7	57.9	71.3
Kochi	46.9	35.2	43.0	44.4	41.9	71.6	52.8	58.0	49.4	46.7	46.0	38.7	47.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 80. - STILLBIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	52.3	38.2	42.2	49.3	49.6	55.6	54.8	56.1	54.1	63.8	63.4	50.5	60.0
Kyoto	53.4	38.7	47.8	47.6	50.7	55.6	51.9	49.4	52.9	57.7	70.8	62.4	64.8
Mie	49.0	37.9	41.1	45.4	50.8	48.5	51.1	46.8	49.7	53.4	58.6	51.4	60.2
Miyagi	58.0	42.3	50.7	53.2	47.9	58.2	58.0	63.4	57.6	65.0	67.6	65.2	79.3
Miyazaki	50.6	42.9	43.9	47.8	48.5	51.1	49.4	44.7	57.1	58.9	54.6	51.8	59.6
Nagano	64.0	50.1	60.2	58.5	56.6	65.7	64.1	68.6	75.0	70.0	66.5	57.5	88.0
Nagasaki	50.1	42.7	44.9	45.4	44.3	56.3	57.9	49.2	49.4	53.3	59.2	49.1	54.3
Nara	54.1	36.3	42.2	48.0	66.7	61.7	66.2	50.6	66.0	57.0	59.6	45.7	64.8
Niigata	55.4	40.2	52.4	49.9	54.6	53.2	52.6	55.7	52.9	49.2	61.1	73.8	88.3
Oita	57.6	39.3	57.1	52.0	50.4	64.3	59.5	58.6	57.6	63.3	64.2	55.8	81.4
Okayama	64.7	41.7	52.7	58.8	56.8	65.8	67.5	66.8	72.8	76.0	80.5	65.8	95.9
Osaka	58.0	44.7	53.6	48.0	52.8	65.9	63.9	58.1	62.4	64.5	68.7	62.5	59.3
Saga	46.0	29.4	38.7	37.0	44.7	52.9	47.5	34.5	53.2	58.3	58.4	51.4	55.8
Saitama	55.3	40.4	49.6	46.6	67.8	63.4	57.6	59.8	53.9	52.0	58.6	60.1	66.1
Shiga	52.2	38.2	39.8	50.4	53.9	48.8	59.3	45.7	60.9	65.3	57.0	50.9	67.3
Shimane	65.0	47.1	52.5	64.8	57.6	61.7	71.7	68.0	74.3	84.2	65.7	61.1	87.9
Shizuoka	54.0	33.1	50.6	49.4	53.4	69.5	53.8	53.0	57.9	60.5	65.2	54.2	64.8
Tochigi	51.2	41.9	45.1	49.8	46.9	45.2	58.4	56.8	56.4	55.8	54.7	51.3	63.3
Tokushima	60.2	53.1	45.8	52.5	63.2	57.2	66.2	63.1	64.8	65.8	64.5	58.8	78.7
Tokyo	52.4	34.4	43.8	45.0	52.9	57.9	57.4	55.9	54.6	60.8	55.7	58.6	70.5
Tottori	61.9	49.0	57.0	57.3	54.3	64.2	63.4	65.6	61.2	71.9	66.6	61.1	89.1
Toyama	40.3	36.9	28.9	40.5	30.7	41.8	40.4	39.3	33.8	43.6	47.4	49.0	61.7
Wakayama	52.2	34.8	40.0	41.8	49.1	64.4	52.9	57.3	58.8	61.6	58.8	54.2	69.5
Yamagata	50.2	43.0	39.8	50.1	46.2	63.0	55.4	48.9	47.2	47.5	49.5	51.1	74.3
Yamaguchi	55.0	35.3	56.8	52.5	48.8	63.8	54.0	49.2	61.9	51.6	57.0	49.8	93.8
Yamanashi	59.3	47.9	56.2	57.4	40.6	60.3	63.5	67.0	62.5	64.0	59.1	54.1	100.3

Data refer to vital events of Japanese nationals in Japan Proper.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 81. - MARRIAGES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	960,275	70,909	94,967	106,775	102,887	95,167	71,542	68,821	63,784	64,634	64,933	69,730	86,126
All "Shi"	311,193	22,596	28,076	30,524	30,525	30,175	26,408	23,490	21,946	21,489	22,419	25,333	28,212
All "Gun"	649,082	48,313	66,891	76,251	72,362	64,992	45,134	45,331	41,838	43,145	42,514	44,397	57,914
Aichi	37,244	2,991	3,395	3,832	3,645	3,596	2,715	2,814	2,661	2,693	2,941	2,903	3,058
Akita	14,983	972	1,197	1,691	1,450	1,435	1,217	1,219	971	972	925	1,178	1,756
Aomori	14,565	1,141	1,323	1,653	1,387	1,166	1,096	1,076	906	1,118	1,011	1,157	1,531
Chiba	22,615	1,389	2,370	2,689	2,601	2,081	1,525	1,844	1,369	1,508	1,528	1,533	2,178
Ehime	19,048	1,568	1,822	2,125	1,894	1,766	1,318	1,376	1,340	1,330	1,396	1,419	1,694
Fukui	9,468	548	936	1,198	1,194	1,005	782	543	557	613	656	613	823
Fukuoka	42,808	3,230	4,249	4,499	4,201	4,046	3,312	3,167	3,038	3,345	3,116	3,069	3,536
Fukushima	25,331	1,873	2,341	3,038	3,099	2,693	1,807	1,704	1,480	1,570	1,536	1,709	2,481
Gifu	19,036	1,009	2,011	2,202	1,944	2,011	1,350	1,423	1,359	1,377	1,363	1,426	1,561
Gumma	18,004	1,197	2,016	2,079	2,580	2,281	1,253	1,072	1,069	973	975	1,039	1,470
Hiroshima	26,266	2,081	2,571	2,718	2,585	2,480	1,882	2,063	1,944	1,966	1,815	1,992	2,169
Hokkaido	45,793	3,527	4,351	4,667	4,696	3,918	3,688	3,425	3,122	3,046	3,158	3,691	4,504
Hyogo	36,731	3,064	3,450	3,976	3,558	3,541	2,590	2,767	2,491	2,626	2,697	2,811	3,160
Ibaraki	23,413	1,773	2,305	2,706	2,557	2,376	1,596	1,560	1,498	1,627	1,551	1,689	2,175
Ishikawa	11,670	808	1,306	1,348	1,225	997	862	779	865	789	761	837	1,093
Iwate	15,188	1,229	1,569	1,726	1,659	1,991	1,207	1,134	933	925	835	1,132	1,448
Kagawa	13,549	1,209	1,356	1,587	1,357	1,228	945	984	972	971	910	939	1,091
Kagoshima	22,786	2,074	2,408	2,511	2,430	1,918	1,548	1,583	1,578	1,647	1,559	1,543	1,987
Kanagawa	24,190	1,706	2,424	2,487	2,687	2,696	1,908	1,659	1,463	1,378	1,582	1,893	2,907
Kochi	11,220	906	1,205	1,253	1,139	933	760	840	844	847	762	814	917

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 81. - MARRIAGES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	22,860	1,482	2,287	2,805	2,681	2,401	1,731	1,643	1,606	1,549	1,404	1,439	1,832
Kyoto	19,766	1,357	2,145	2,221	1,973	1,938	1,567	1,451	1,266	1,360	1,344	1,507	1,637
Mie	17,478	1,121	1,845	2,212	1,853	1,678	1,194	1,216	1,217	1,235	1,279	1,234	1,394
Miyagi	19,691	1,655	1,651	2,227	2,068	1,908	1,551	1,378	1,248	1,237	1,359	1,439	1,970
Miyazaki	14,251	1,306	1,412	1,609	1,488	1,208	950	1,100	951	1,066	1,013	966	1,182
Nagano	23,351	1,486	2,357	2,594	3,057	2,988	1,876	1,360	1,273	1,099	1,357	1,361	2,543
Nagasaki	21,058	1,710	1,875	2,239	2,136	2,107	1,672	1,614	1,496	1,563	1,478	1,414	1,754
Nara	10,210	764	981	1,154	1,046	980	702	782	673	776	753	766	833
Niigata	29,340	2,523	2,941	3,236	3,734	3,311	2,143	1,912	1,651	1,615	1,422	1,746	3,106
Oita	16,395	1,023	1,611	2,054	1,807	1,651	1,137	1,175	1,172	1,228	1,165	1,006	1,366
Okayama	21,463	1,647	2,078	2,409	2,059	1,978	1,496	1,627	1,626	1,563	1,520	1,764	1,696
Osaka	41,248	2,833	3,870	4,502	3,974	3,778	3,334	3,204	2,964	2,958	3,164	3,268	3,399
Saga	12,662	1,036	1,270	1,446	1,404	1,207	884	980	836	866	816	867	1,050
Saitama	23,220	1,687	2,892	2,704	2,664	2,681	1,522	1,537	1,261	1,390	1,454	1,460	1,968
Shiga	10,571	767	1,220	1,388	1,268	1,108	655	668	642	667	711	649	828
Shimane	11,407	813	1,068	1,378	1,138	1,119	782	841	776	802	781	880	1,029
Shizuoka	27,592	1,832	3,157	3,274	3,216	2,932	2,027	1,713	1,700	1,426	1,968	2,101	2,246
Tochigi	18,672	1,555	1,913	2,160	1,950	1,849	1,257	1,244	1,145	1,312	1,225	1,373	1,689
Tokushima	11,983	1,028	1,288	1,436	1,299	1,127	753	790	793	839	792	846	992
Tokyo	56,810	3,881	5,227	5,015	5,860	5,997	5,259	4,126	3,986	3,678	3,859	4,788	5,134
Tottori	7,711	614	795	1,020	842	800	507	535	501	463	486	509	639
Toyama	11,654	957	1,189	1,290	1,228	1,022	858	775	800	858	763	767	1,147
Wakayama	12,571	887	1,173	1,384	1,286	1,157	897	938	830	934	1,016	1,014	1,055
Yamagata	16,665	875	1,313	1,688	1,990	1,810	1,375	1,207	993	933	938	1,328	2,215
Yamaguchi	18,962	1,162	1,963	2,180	1,900	1,857	1,413	1,463	1,374	1,385	1,270	1,310	1,685
Yamanashi	8,776	613	841	1,165	1,078	1,017	639	510	544	511	519	541	798

Data refer to marriages in Japan Proper and include all marriages in which either husband or wife was a Japanese national.
Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 82. - MARRIAGE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	12.0	10.4	14.9	15.7	15.7	14.0	10.9	10.1	9.4	9.8	9.6	10.6	12.7
All "Shi"	11.2	9.6	12.8	13.0	13.4	12.9	11.6	10.0	9.4	9.5	9.6	11.2	12.0
All "Gun"	12.4	10.9	16.1	17.2	16.8	14.6	10.5	10.2	9.4	10.0	9.6	10.3	13.0
Aichi	11.5	10.9	13.3	14.0	13.8	13.2	10.3	10.3	9.7	10.2	10.8	11.0	11.2
Akita	11.7	8.9	11.8	15.6	13.8	13.2	11.6	11.2	8.9	9.2	8.5	11.2	16.2
Aomori	12.0	11.1	13.7	16.0	13.9	11.3	11.0	10.4	8.8	11.2	9.8	11.6	14.8
Chiba	10.6	7.7	14.0	14.8	14.8	11.5	8.7	10.2	7.6	8.6	8.4	8.7	12.0
Ehime	12.9	12.5	15.5	16.9	15.6	14.1	10.9	11.0	10.7	11.0	11.1	11.7	13.5
Fukui	12.9	8.8	16.1	19.3	19.9	16.2	13.0	8.7	9.0	10.2	10.6	10.2	13.3
Fukuoka	12.9	11.5	16.2	16.0	15.5	14.4	12.2	11.3	10.8	12.3	11.1	11.3	12.6
Fukushima	12.5	10.9	14.6	17.7	18.7	15.7	10.9	9.9	8.6	9.5	9.0	10.3	14.5
Gifu	12.5	7.8	16.7	17.1	15.6	15.6	10.8	11.0	10.5	11.0	10.6	11.4	12.1
Gumma	11.2	8.8	15.8	15.3	19.6	16.7	9.5	7.9	7.8	7.4	7.2	7.9	10.8
Hiroshima	12.8	12.0	15.9	15.7	15.4	14.3	11.2	11.9	11.2	11.7	10.5	11.9	12.5
Hokkaido	11.4	10.3	13.7	13.7	14.3	11.5	11.2	10.1	9.2	9.2	9.3	11.2	13.2
Hyogo	11.6	11.4	13.8	14.9	13.8	13.2	10.0	10.4	9.3	10.2	10.1	10.9	11.8
Ibaraki	11.5	10.2	14.2	15.6	15.3	13.7	9.5	9.0	8.7	9.7	9.0	10.1	12.6
Ishikawa	12.4	10.1	17.5	16.9	15.9	12.5	11.2	9.8	10.8	10.2	9.5	10.8	13.7
Iwate	11.7	11.2	15.3	15.7	15.6	12.7	11.4	10.3	8.5	8.7	7.6	10.7	13.2
Kagawa	14.5	15.3	18.3	20.1	17.7	15.5	12.3	12.4	12.3	12.7	11.5	12.3	13.8
Kagoshima	12.9	13.9	17.2	16.8	16.8	12.8	10.7	10.6	10.5	11.4	10.4	10.7	13.3
Kanagawa	10.4	8.6	13.2	12.7	14.1	13.7	10.0	8.5	7.5	7.3	8.1	10.0	11.8
Kochi	13.0	12.4	17.6	17.1	16.0	12.7	10.7	11.5	11.5	11.9	10.4	11.5	12.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 82. - MARRIAGE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	12.8	9.8	16.2	18.5	18.3	15.9	11.8	10.9	10.6	10.6	9.3	9.8	12.1
Kyoto	11.1	9.0	15.2	14.7	13.5	12.8	10.7	9.6	8.4	9.3	8.9	10.3	10.8
Mie	12.0	9.1	16.0	18.0	15.6	13.7	10.0	9.9	9.9	10.4	10.4	10.4	11.3
Miyagi	12.3	12.2	13.1	16.5	15.8	14.1	11.9	10.2	9.2	9.5	10.1	11.0	14.6
Miyazaki	13.5	14.6	16.9	18.1	17.3	13.6	11.0	12.3	10.7	12.4	11.4	11.2	13.3
Nagano	11.2	8.4	14.3	14.7	17.9	17.0	11.0	7.7	7.2	6.4	7.7	8.0	14.4
Nagasaki	13.5	12.8	15.1	16.9	16.7	15.9	13.0	12.2	11.3	12.2	11.2	11.0	13.2
Nara	13.1	11.6	15.9	17.5	16.4	14.9	11.0	11.9	10.2	12.2	11.4	12.0	12.6
Niigata	12.0	12.2	15.2	15.7	18.7	16.1	10.7	9.3	8.0	8.1	6.9	8.7	15.1
Oita	13.2	9.7	16.3	19.5	17.7	15.7	11.1	11.1	11.1	12.0	11.0	9.9	13.0
Okayama	13.0	11.8	15.9	17.2	15.2	14.2	11.1	11.6	11.6	11.6	10.9	13.0	12.1
Osaka	11.7	9.5	13.9	15.1	13.8	12.7	11.6	10.8	10.0	10.3	10.6	11.3	11.4
Saga	13.6	13.1	17.2	18.3	18.4	15.3	11.6	12.4	10.6	11.3	10.3	11.4	13.3
Saitama	10.9	9.3	17.1	15.0	15.2	14.8	8.7	8.5	7.0	8.0	8.1	8.4	10.9
Shiga	12.1	10.4	17.6	18.8	17.7	15.0	9.2	9.0	8.7	9.3	9.6	9.1	11.2
Shimane	12.6	10.6	14.9	18.0	15.4	14.6	10.6	11.0	10.1	10.8	10.2	11.9	13.5
Shizuoka	11.5	9.0	16.6	16.1	16.3	14.4	10.3	8.4	8.3	7.2	9.7	10.6	11.0
Tochigi	12.0	11.8	15.5	16.4	15.3	14.0	9.8	9.4	8.7	10.3	9.3	10.8	12.8
Tokushima	13.8	14.0	18.7	19.5	18.2	15.3	10.6	10.7	10.8	11.8	10.8	11.9	13.5
Tokyo	10.5	8.4	12.2	10.9	13.2	13.1	11.8	9.0	8.7	8.3	8.4	10.8	11.2
Tottori	13.0	12.2	16.9	20.3	17.3	15.9	10.4	10.7	10.0	9.5	9.7	10.5	12.7
Toyama	11.7	11.3	15.0	15.3	15.0	12.1	10.5	9.2	9.5	10.5	9.0	9.4	13.6
Wakayama	12.8	10.7	15.1	16.7	16.0	13.9	11.2	11.3	10.0	11.6	12.2	12.6	12.7
Yamagata	12.4	7.7	12.3	14.8	18.0	15.9	12.5	10.6	8.7	8.5	8.2	12.0	19.4
Yamaguchi	12.6	9.1	16.5	17.1	15.4	14.6	11.5	11.5	10.8	11.2	10.0	10.6	13.2
Yamanashi	10.8	8.9	13.0	16.9	16.1	14.7	9.6	7.4	7.9	7.6	7.5	8.1	11.6

Data refer to marriages in Japan Proper and include all marriages in which either the husband or wife was a Japanese national.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 83. - DIVORCES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Divorces	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	79,415	3,801	6,265	7,612	7,311	7,449	6,067	6,415	6,780	7,410	6,724	6,252	7,329
All "Shi"	28,755	1,415	2,172	2,530	2,531	2,794	2,419	2,327	2,410	2,623	2,538	2,405	2,591
All "Gun"	50,660	2,386	4,093	5,082	4,780	4,655	3,648	4,088	4,370	4,787	4,186	3,847	4,738
Aichi	2,436	117	177	234	239	242	177	186	191	235	229	212	197
Akita	2,028	97	129	200	204	178	175	181	169	182	161	163	189
Aomori	1,403	61	105	132	112	124	138	121	111	137	112	132	118
Chiba	1,598	69	130	167	158	138	111	134	125	136	133	128	169
Ehime	1,780	77	119	171	184	177	137	157	144	176	148	134	156
Fukui	891	37	86	118	96	81	72	42	54	85	58	68	94
Fukuoka	3,653	208	318	302	337	382	279	287	284	324	337	286	309
Fukushima	2,214	109	129	245	198	241	169	162	161	206	190	177	227
Gifu	1,317	29	119	140	114	122	93	105	109	139	120	101	126
Gumma	1,375	56	136	130	134	141	95	86	113	118	117	102	147
Hiroshima	2,503	169	201	226	215	211	201	216	210	244	225	164	221
Hokkaido	3,603	140	284	347	325	329	273	328	310	280	311	327	349
Hyogo	2,977	166	232	293	263	291	245	247	258	278	273	195	236
Ibaraki	1,329	44	104	119	134	136	106	103	102	130	115	94	142
Ishikawa	1,224	53	117	122	122	90	94	113	110	111	81	100	111
Iwate	1,590	81	119	163	151	140	121	137	129	133	120	151	145
Kagawa	1,090	78	86	112	71	86	73	93	115	100	105	72	99
Kagoshima	1,771	120	151	152	170	121	132	136	200	155	150	129	155
Kanagawa	1,874	78	141	164	168	205	147	152	167	174	157	150	171
Kochi	1,175	61	92	92	108	94	98	89	114	122	108	73	124

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 83. - DIVORCES BY MONTH BY PREFECTURE: JAPAN, 1948

Area	Total Divorces	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1,906	75	190	207	191	175	125	155	163	204	134	118	169
Kyoto	1,629	64	141	174	137	132	128	118	141	155	159	124	156
Mie	1,248	43	94	132	107	120	99	88	119	132	114	94	106
Miyagi	1,417	81	96	135	115	162	91	113	119	127	112	128	138
Miyazaki	1,101	60	104	116	93	108	72	84	97	103	86	82	96
Nagano	1,596	68	129	167	149	152	123	138	138	128	126	128	150
Nagasaki	1,989	128	177	198	173	190	144	167	166	186	146	149	165
Nara	774	48	63	72	68	69	47	60	52	88	61	61	85
Niigata	2,929	118	198	274	274	246	234	258	271	296	253	239	268
Oita	1,267	43	89	157	122	124	89	100	109	126	99	88	121
Okayama	1,684	83	132	189	146	146	121	127	136	164	158	130	152
Osaka	3,456	143	242	319	334	367	298	286	274	353	288	286	266
Saga	1,020	62	86	92	90	73	79	81	94	91	86	71	115
Saitama	1,491	58	111	125	140	157	96	111	130	138	125	137	163
Shiga	729	34	70	72	69	83	45	75	61	58	49	51	62
Shimane	1.019	53	105	104	101	95	60	87	95	86	68	85	80
Shizuoka	2,339	103	206	203	220	207	164	192	236	192	223	185	208
Tochigi	1,261	81	86	132	106	116	80	90	115	144	94	85	132
Tokushima	867	55	70	84	84	82	51	68	63	77	86	75	72
Tokyo	4,733	222	335	320	435	476	443	369	379	410	462	441	441
Tottori	705	40	46	64	68	60	52	55	72	58	64	56	70
Toyama	1,392	71	116	149	140	115	100	98	131	123	100	124	125
Wakayama	1,091	49	70	103	101	111	82	100	95	124	72	71	113
Yamagata	1,642	69	135	168	149	130	135	133	145	162	116	127	173
Yamaguchi	1,694	74	160	174	134	156	137	125	145	168	138	120	163
Yamanashi	605	26	39	53	62	68	36	62	58	52	55	39	55

FOOTNOTES: Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese national.

SOURCES: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 84. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1948
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.0	0.6	1.0	1.1	1.1	1.1	0.9	0.9	1.0	1.1	1.0	1.0	1.1
All "Shi"	1.0	0.6	1.0	1.1	1.1	1.2	1.1	1.0	1.0	1.2	1.1	1.1	1.1
All "Gun"	1.0	0.5	1.0	1.1	1.1	1.0	0.8	0.9	1.0	1.1	0.9	0.9	1.1
Aichi	0.8	0.4	0.7	0.9	0.9	0.9	0.7	0.7	0.7	0.9	0.8	0.8	0.7
Akita	1.6	0.9	1.3	1.8	1.9	1.6	1.7	1.7	1.6	1.7	1.5	1.5	1.7
Aomori	1.2	0.6	1.1	1.3	1.1	1.2	1.4	1.2	1.1	1.4	1.1	1.3	1.1
Chiba	0.7	0.4	0.8	0.9	0.9	0.8	0.6	0.7	0.7	0.8	0.7	0.7	0.9
Ehime	1.2	0.6	1.0	1.4	1.5	1.4	1.1	1.3	1.1	1.4	1.2	1.1	1.2
Fukui	1.2	0.6	1.5	1.9	1.6	1.3	1.2	0.7	0.9	1.4	0.9	1.3	1.5
Fukuoka	1.1	0.7	1.2	1.1	1.2	1.4	1.0	1.0	1.0	1.2	1.2	1.1	1.1
Fukushima	1.1	0.6	0.8	1.4	1.2	1.4	1.0	0.9	0.9	1.2	1.1	1.1	1.3
Gifu	0.9	0.2	1.0	1.1	0.9	0.9	0.7	0.8	0.8	1.1	0.9	0.8	1.0
Gunma	0.9	0.4	1.1	1.0	1.0	1.0	0.7	0.6	0.8	0.9	0.9	0.8	1.1
Hiroshima	1.2	1.0	1.2	1.3	1.3	1.2	1.2	1.2	1.2	1.5	1.3	1.0	1.3
Hokkaido	0.9	0.4	0.9	1.0	1.0	1.0	0.8	1.0	0.9	0.8	0.9	1.0	1.0
Hyogo	0.9	0.6	0.9	1.1	1.0	1.1	0.9	0.9	1.0	1.1	1.0	0.8	0.9
Ibaraki	0.7	0.3	0.6	0.7	0.8	0.8	0.6	0.6	0.6	0.8	0.7	0.6	0.8
Ishikawa	1.3	0.7	1.6	1.5	1.6	1.1	1.2	1.4	1.4	1.4	1.0	1.3	1.4
Iwate	1.2	0.7	1.2	1.5	1.4	1.3	1.1	1.2	1.2	1.3	1.1	1.4	1.3
Kagawa	1.2	1.0	1.2	1.4	0.9	1.1	1.0	1.2	1.5	1.3	1.3	0.9	1.3
Kagoshima	1.0	0.8	1.1	1.0	1.2	0.8	0.9	0.9	1.3	1.1	1.0	0.9	1.0
Kanagawa	0.8	0.4	0.8	0.8	0.9	1.0	0.8	0.8	0.9	0.9	0.8	0.8	0.9
Kochi	1.4	0.8	1.3	1.3	1.5	1.3	1.4	1.2	1.6	1.7	1.5	1.0	1.7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 84. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1948 - Cont'd.
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1.1	0.5	1.3	1.4	1.3	1.2	0.9	1.0	1.1	1.4	0.9	0.8	1.1
Kyoto	0.9	0.4	1.0	1.2	0.9	0.9	0.9	0.8	0.9	1.1	1.1	0.8	1.0
Mie	0.9	0.3	0.8	1.1	0.9	1.0	0.8	0.7	1.0	1.1	0.9	0.8	0.9
Miyagi	0.9	0.6	0.8	1.0	0.9	1.2	0.7	0.8	0.9	1.0	0.8	1.0	1.0
Miyazaki	1.0	0.7	1.2	1.3	1.1	1.2	0.8	0.9	1.1	1.2	1.0	1.0	1.1
Nagano	0.8	0.4	0.8	0.9	0.9	0.9	0.7	0.8	0.8	0.8	0.7	0.8	0.9
Nagasaki	1.3	1.0	1.4	1.5	1.3	1.4	1.1	1.3	1.3	1.4	1.1	1.2	1.2
Nara	1.0	0.7	1.0	1.1	1.1	1.0	0.7	0.9	0.8	1.4	0.9	1.0	1.3
Niigata	1.2	0.6	1.0	1.3	1.4	1.2	1.2	1.3	1.3	1.5	1.2	1.2	1.3
Oita	1.0	0.4	0.9	1.5	1.2	1.2	0.9	0.9	1.0	1.2	0.9	0.9	1.1
Okayama	1.0	0.6	1.0	1.4	1.1	1.0	0.9	0.9	1.0	1.2	1.1	1.0	1.1
Osaka	1.0	0.5	0.9	1.1	1.2	1.2	1.0	1.0	0.9	1.2	1.0	1.0	0.9
Saga	1.1	0.8	1.2	1.2	1.2	0.9	1.0	1.0	1.2	1.2	1.1	0.9	1.5
Saitama	0.7	0.3	0.7	0.7	0.8	0.9	0.5	0.6	0.7	0.8	0.7	0.8	0.9
Shiga	0.8	0.5	1.0	1.0	1.0	1.1	0.6	1.0	0.8	0.8	0.7	0.7	0.8
Shimane	1.1	0.7	1.5	1.4	1.4	1.2	0.8	1.1	1.2	1.2	0.9	1.1	1.0
Shizuoka	1.0	0.5	1.1	1.0	1.1	1.0	0.8	0.9	1.2	1.0	1.1	0.9	1.0
Tochigi	0.8	0.6	0.7	1.0	0.8	0.9	0.6	0.7	0.9	1.1	0.7	0.7	1.0
Tokushima	1.0	0.7	1.0	1.1	1.2	1.1	0.7	0.9	0.9	1.1	1.2	1.1	1.0
Tokyo	0.9	0.5	0.8	0.7	1.0	1.0	1.0	0.8	0.8	0.9	1.0	1.0	1.0
Tottori	1.2	0.8	1.0	1.3	1.4	1.2	1.1	1.1	1.4	1.2	1.3	1.2	1.4
Toyama	1.4	0.8	1.5	1.8	1.7	1.4	1.2	1.2	1.5	1.5	1.2	1.5	1.5
Wakayama	1.1	0.6	0.9	1.2	1.3	1.3	1.0	1.2	1.1	1.5	0.9	0.9	1.4
Yamagata	1.2	0.6	1.3	1.5	1.4	1.1	1.2	1.2	1.3	1.5	1.0	1.2	1.5
Yamaguchi	1.1	0.6	1.3	1.4	1.1	1.2	1.1	1.0	1.1	1.4	1.1	1.0	1.3
Yamanashi	0.7	0.4	0.6	0.8	0.9	1.0	0.5	0.9	0.8	0.8	0.8	0.6	0.8

Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese National.
Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 85. - LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES OF NON-JAPANESE NATIONALS IN JAPAN BY MONTH: 1947 - 1948

Month	Live Births		Deaths		1/Infant Deaths		Stillbirths		Marriages		Divorces	
	1948	1947	1948	1947	1948	1947	1948	1947	2/1948	3/1947	2/1948	3/1947
Total	20,549	13,301	4,432	4,184	1,196	1,142	1,037	789	748	2,838	34	138
Jan	1,965	897	393	278	140	100	87	60	52	131	4	3
Feb	1,802	650	345	366	125	119	85	54	60	150	-	5
Mar	1,941	734	435	414	135	131	89	48	66	207	2	10
Apr	1,643	516	374	369	109	48	101	64	70	177	5	9
May	1,586	606	368	404	98	90	79	53	67	191	2	12
Jun	1,539	841	344	328	76	87	90	67	63	195	9	9
Jul	1,794	1,521	397	392	98	123	89	64	68	190	-	11
Aug	1,729	1,589	402	389	68	93	78	74	49	958	4	21
Sep	1,557	1,438	344	343	67	90	83	82	65	174	3	9
Oct	1,631	1,484	325	291	71	76	88	60	68	172	2	14
Nov	1,705	1,502	328	245	91	55	83	77	50	119	3	13
Dec	1,657	1,523	377	365	118	130	85	86	70	174	-	22

FOOTNOTES:

1/ Deaths under 1 year of age.
2/ Data refer to marriages and divorces in which both husband and wife were not Japanese nationals.
3/ Data refer to marriages and divorces in which either husband or wife was not a Japanese national.

SOURCES:

1947, January - June: Monthly Vital Statistics Schedule Reports, Cabinet Bureau of Statistics.
1947, July - December; 1948: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

59. Deaths & Rates detected Cancer by mo. by Pref. 1948.
60. Maternal Deaths & Rates by mo. Japan 48.
61. " " " Pref. "
62. " " " mo by Pref "
63 C.D. Birth & Deaths & Rates Japan 1948
64. " " by month " "
65. Rates " " " " "
66. C. D. Deaths " " "
67. Rates " " " "
68 C.D. Cancer & Death & Rates by Pref. "
69. " " by mo by Pref "
70 Rates " " " "
71. Infant Death by mo. by Pref "
72. Rates " " " " "
73. Infant Death Detected Cancer by month Jap. 1948
74. Rates " " " " "
75. Infant " " by Pref. " "
76. Rates " " " " "
77. Infant Death " " " "
78. Rates " " " " "
79. Still Births by month by Pref. 1948.
80 Rates " " " " "
81. Marriages " " " "
82. Rates " " " "
83. Divorces " " " "
84. Rates " " " "

TABLE 86. - LIVE BIRTHS, DEATHS AND INFANT DEATHS OF JAPANESE NATIONALS OUTSIDE JAPAN BY MONTH: 1947 - 1948

Month	Live Births 1948	Live Births 1947	Deaths 1948	Deaths 1947	1/ Infant deaths 1948	1/ Infant deaths 1947
Total	8,896	24,633	142,062	470,268	966	3,435
Jan	505	2,886	13,137	31,082	73	490
Feb	700	3,002	17,225	32,107	89	401
Mar	802	3,772	15,164	34,266	104	534
Apr	586	2,797	14,731	39,962	77	337
May	550	2,328	14,332	51,549	77	297
Jun	724	1,701	12,765	49,767	66	329
Jul	834	1,831	14,793	47,120	95	247
Aug	951	1,622	11,388	46,493	87	172
Sep	934	1,298	8,690	40,758	82	191
Oct	739	1,129	9,378	42,369	59	177
Nov	753	1,177	5,629	31,311	65	123
Dec	818	1,090	4,830	23,484	92	137

FOOTNOTES:

1/ Deaths under 1 year of age.

SOURCES:

1947, January - June: Monthly Vital Statistics Schedule Reports, Cabinet Bureau of Statistics.
1947, July - December; 1948: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

59. Death Rates deleted Cause by mo. by Pref. 1948.
60. Maternal Deaths & Rates by mo. Japan 48.
61. " " " Pref. "
62. " " " mo. by Pref. "
63 C.D. Case & Deaths & Rates Japan 1948
64. " " by month " "
65. Rates " " " " "
66. C. D. Deaths " " "
67. Rates " " " " "
68 C.D. Cases & Death & Rates by Pref. "
69. " " by mo. by Pref. "
70 Rate " " " " "
71. Infant Death by mo. by Pref. "
72. Rates " " " " "
73. Infant Deaths deleted Causes by month Japan 1948
74. Rates " " " " " "
75. Infant " " by Pref. " "
76. Rates " " " " " "
77. Infant Death " " by mo. by Pref. " "
78. Rate " " " " " "
79. Still Births by month by Pref. 1948.
80. Rates " " " " " "
81 Marriages " " " " "
82 Rates " " " " " "
83. Divorce " " " " " "
84. Rates " " " " " "

TABLE 86. - LIVE BIRTHS, DEATHS AND INFANT DEATHS OF JAPANESE NATIONALS OUTSIDE JAPAN BY MONTH: 1947 - 1948

Month	Live Births 1948	Live Births 1947	Deaths 1948	Deaths 1947	1/ Infant deaths 1948	1/ Infant deaths 1947
Total	8,896	24,633	142,062	470,268	966	3,435
Jan	505	2,886	13,137	31,082	73	490
Feb	700	3,002	17,225	32,107	89	401
Mar	802	3,772	15,164	34,266	104	534
Apr	586	2,797	14,731	39,962	77	337
May	550	2,328	14,332	51,549	77	297
Jun	724	1,701	12,765	49,767	66	329
Jul	834	1,831	14,793	47,120	95	247
Aug	951	1,622	11,388	46,493	87	172
Sep	934	1,298	8,690	40,758	82	191
Oct	739	1,129	9,378	42,369	59	177
Nov	753	1,177	5,629	31,311	65	123
Dec	818	1,090	4,830	23,484	92	137

FOOTNOTES:

1/ Deaths under 1 year of age.

SOURCES:

1947, January - June: Monthly Vital Statistics Schedule Reports, Cabinet Bureau of Statistics.
1947, July - December; 1948: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

32. Infant Deaths Selected Causes Japan 1920-48
33. Rates " " " " " "
34. Infant Deaths 10 Leading Causes " "
35. Rates " " " " "
36. Stillbirth by Month " "
37. Rates " " " " "
38. Stillbirth by Pref " "
39. Rates " " " " "
40. Marriages " Month " "
41. Rates " " " " "
42. Marriages " Pref " "
43. Rates " " " " "
44. Divorces " Month " "
45. Rates " " " " "
46. Divorce " Pref " "
47. Rates " " " " "
48. Birth, Deaths, Inf. Death, Stillbirth, Marriage + Divorce by Pref. 1948.
49. Rates " " " " "
50. Live Birth by Month by Pref 1948.
51. Rates " " " " "
52. Deaths " " " " "
53. Rate " " " " "
54. Deaths from Selected Causes by Month Japan 1948
55. Rates " " " " "
56. Deaths " " " Pref "
57. Rates " " " " " "
58. Death " " " " " Month by Pref "

6494—FEC Printing Plant—6/49—550

1. Pop. by Pref. Japan 1920-48.
2. Pop by age. Japan 1948
3. Pop. Birth, Inf. Death Stillbirth, Marriage + Divorce Japan 1872-194
4. Rates " " " " "
5. Live Births by Month, Japan 1920-48.
6. Rates " " " " "
7. Live " " Pref " "
8. " " " " " "
9. Deaths by month Japan 1920-48
10. Rate " " " " "
11. Deaths by Pref " "
12. Rate " " " " "
13. Deaths from Causes " "
14. Rate " " " " "
15. Deaths 10 Leading Causes Japan 1920-48
16. Rate " " " " " "
17. Rank order 10 " " " "
18. Deaths by age Japan 1920-48.
19. Rate " " " "
20. T.B. Deaths by Age " "
21. " " Rate by Age Japan "
22. Births, Mat. Deaths + Mat. Death Rates Japan 1920-48
23. Cases Selected Comm. Dis. Japan 1900-48
24. Case Rates " " " " "
25. Cases " " " by Month Japan 1900-48.
26. Case Rates " " " " " "
27. Natural Increase Pop. Japan 1900-48
28. Infant Deaths by Month 1937-1948
29. Rate " " " " "
30. Infant Death by Pref 1920-48
31. Rates " " " " "