DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CODE NUMBER	NOMENCLATURE OF ITEN	CARRY IN PERMISSION	REMARK
22-23-6874EX	Rear-car	Aug 31 48 OK	
22-23-6875EX	Bycicle	" " "	
22-23-6876EX	Clock	" " "	
22-23-6877EX	"	" " "	
22-23-6878EX	"	" " "	
22-23-6879EX	Car	" " "	
22-23-6880EX	Rear-car	" " "	
22-23-6881EX	"	" " "	
22-23-6882EX	Clock	" " "	
22-23-6883EX	"	" " "	
22-23-6884EX	"	" " "	
22-23-6885EX	"	" " "	
22-23-6886EX	"	" " "	
22-23-6887EX	Rear-car	" " "	
22-23-6888EX	"	" " "	
22-23-6889EX	"	" " "	
22-23-6891EX	Clock	" " "	
22-23-6892EX	"	" " "	
22-23-6893EX	"	" " "	
22-23-6894EX	"	" " "	
22-23-6895EX	Meter with reduction gear 2HP 200/220 Hitachi	" " "	
22-23-6896EX	Melting vessel	" " "	
22-23-6897EX	Store tank	" " "	
22-23-6898EX	Shafts-set	" " "	
22-23-6899EX	Acid tank Lead	" " "	
22-23-6900EX	" "	" " "	

49

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

28 Dec 1948

SUBJECT: Permission for Temporary Removal of Reparations Machine from the Uji Plant of the Second Tokyo Military Arsenal

THRU : Kyoto Liaison Office

TO : Kyoto Branch of the Osaka Finance Bureau
Attn: Reparations Section

1. Reference:
a. Petition, Kyoto Branch of the Osaka Finance Bureau, subj: "Petition for temporary removal from plant of reparations machine for repairing", dtd 30 Sept 48. (Incl #1)

2. Permission is granted for temporary removal of one (1) fire engine (code nbr 22-23-4872) from the Uji Plant of the Second Tokyo Military Arsenal to Nisshin Jodosha Kosakusho located at Kyoto-shi, Fushimi-ku, Fukakusa-cho, for a period not to exceed ~~three~~ three (3) weeks (terminating 17 Jan 49) from the date of this letter.

3. Request this office be notified when subject item has been returned to plant.

FOR THE COMMANDING OFFICER:

1 Incl: (1-c)
As indicated above

HAROLD C. SHEFFIELD
Major QMC
Commanding

48'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

FINANCE DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

30 Sept 1948

SUBJECT: Petition for temporary removal from plant of reparations machine for repairing

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Offi-e

1. This is to ask a reparations ma-hine be granted to be removed temporaryly for repairing from the Uji Arsenal. This has been unservi-eable this few months.

Code No. 22-23-4872
Name Fire Engine
Address of repair shop
Nisshin Jodosha Kokakusho
Fukakusa cho, Fushimi-ku, Kyoto City

2. As this machine is an important fire fighting equipment this petition be granted favourably.

A. Ueda
Chief of the Kyoto District
Offi-e of the Osaka Finan-ial
Bureau of the Finan-ial Dept

48-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

BASIC: Ltr. from Chief of Kyoto Pref. Food Section, subj: "Permission for use of Tents," dtd 2 Nov 48.

11th Ind

Hqs, Kyoto Mil Govt Team APO 301 KGM/JC/th

TO: Commanding Officer
Kinki Military Government Region
APO 301 28 Dec 48

Forwarding herwith in compliance with the 10th Ind.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

23 Ele

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto Honshu)

15 Dec 1948
Late

SUBJECT: Temporary Use of Reparations Equipment

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau (22-23)

1. Uji Branch of the Second Tokyo Military Arsenal is hereby granted permission for terporary use of the following listed reparations equipment for a period of 106 days (expires 31 March 1949) from date of this letter:

Number	Description
22-23-192	Switchboard
164	Oil Circuit Breaker
165	" " "
264	Power Transformer
265	Switch House
266	" "
267	Power Transformer
268	" "
273	Switch House
274	" "
298	Pole Transformer
299	" "
402	Switch House
416	" "
1E5-94(76E5)	Blower Set
1E5-95(77E5)	" "
1330	Switch House
1333	" "
407	Transformer
408	"
1251	"
1253	"
LAST ITEM	

2. This equipment remains subject to immediate allocation and removal for reparations and will be adequately maintained at all times upon penalty of immediate revocation of this permit.

3. Company concerned will notify this office immediately at such time as any of the equipment listed herein is no longer required for current operation.

FOR THE COMMANDING OFFICER:

HAROLD C. SHEFFIELD
Major, QMC
Adjutant

47

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

B-3

(SECOND)

LIST OF THE CARRYING

MACHINES AND EQUIPMENTS

The Kyodo Chemical

Industrial Co., Ltd.

Shigetomo Iwama

Shigetomo Iwama

President

46'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

Attached Paper

LIST OF NON-REPARATION

MACHINE AND EQUIPMENT

Code-Number	Nomenclatire of Item	Remarks	Carry in permission
22-23-7595EX	Pole transformer	3Ø 10KVA 3300-210-105V	Oct. 29 48
7596EX	"	"	"
7597EX	"	"	"
7598EX	Balance	500 Kg	June 8 48
7599EX	"	"	"
9000EX	"	"	"
9001EX	"	"	"
9002EX	"	"	"
9003EX	Mixing vessel	$1M^3$ Ø950x1200	"
9004EX	"	"	"

462

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

27

LIST OF NON-REPARATION MACHINES AND EQUIPENTS

JAPAN DRUGS MFG. CO.
Date November 13, 1948

CODE NUMBER	NOMENCLATURE OF ITEM	CARRY IN PERMISSION	REMARK
22-23-6923 EX	Coal-cart	ELC/GK/CT	5 NOV. 48
22-23-6924 EX	Bicycle	" " "	
22-23-6925 EX	Rear-car	" " "	
22-23-6926 EX	"	" " "	
22-23-6927 EX	"	" " "	
22-23-6928 EX	"	" " "	
22-23-6929 EX	Vacuum Pump D-5 400rpm ½HP	" " "	
22-23-6930 EX	Ball Mill Kikusui	" " "	
22-23-6931 EX	Vacuum Pump Rotary Sanseikiki	" " "	
22-23-6932 EX	" "	" " "	
22-23-6933 EX	Motor 2HP	" " "	
22-23-6934AEX	" 1KW	" " "	
22-23-6934BEX	Vice Horizontal 6"	" " "	
22-23-6935 EX	" "	" " "	
22-23-6936 EX	" "	" " "	
22-23-6937 EX	" "	" " "	
22-23-6938 EX	" "	" " "	
22-23-6939 EX	Vice Vertical	" " "	
22-23-6940 EX	"	" " "	
22-23-6941 EX	"	" " "	
22-23-6942 EX	Vice Horizontal	" " "	
22-23-6943 EX	Working Table	" " "	
22-23-6944 EX	"	" " "	
22-23-6945 EX	"	" " "	
22-23-6946 EX	Electric Welding Machine	" " "	
82-23-6947 EX	Switch	" " "	
22-23-6948 EX	Balance	" " "	
22-23-6949 EX	Oil Switch	" " "	
22-23-6950 EX	Nphelo-meter	" " "	
22-23-6951 EX	Panel Balance	" " "	
22-23-6952AEX	~~Bomb-Oven~~ Vessel (Nitrogen)	" " "	
22-23-6952BEX	"	" " "	
22-23-6952CEX	"	" " "	
22-23-6952DEX	"	" " "	
22-23-6953 EX	Transformer	" " "	
22-23-6954 EX	"	" " "	
22-23-6955 EX	Bomb-oven	" " "	
22-23-6956 EX	Motor 1/20HP	" " "	
22-23-6957 EX	Distirator	" " "	
22-23-6958 EX	Panel Balance 100g	" " "	
22-23-6959 EX	" "	" " "	
22-23-6960 EX	" "	" " "	
22-23-6961 EX	Balance 100Kg	" " "	
22-23-6962 EX	Automatic Balance 12Kg	" " "	

Total 44

463

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

23-

Supplementary

LIST OF NON-REPARATION MACHINES AND EQUIPMENTS

JAPAN DRUGS MFG. CO.
Date October 29, 1948

CODE NUMBER	NOMENCLATURE OF ITEM			CARRY IN PERMISSION	REMARK
22-23-6901 EX	Electric Drill			Oct 22 48	
22-23-6902 EX	Bicycle			" " "	
22-23-6903 EX	Ammeter	0-50A	MP-1 Type	" " "	
22-23-6904 EX	"	0-100A	MP-1 Type	" " "	
22-23-6905 EX	Tank			" " "	
22-23-6906 EX	Motor	7.5HP	Mitsubishi	" " "	
22-23-6907 EX	"	"	"	" " "	
22-23-6908 EX	Distilator	1280x1450		" " "	
22-23-6909 EX	Cooler	750x1000		" " "	
22-23-6910 EX	"	"		" " "	
22-23-6911 EX	Crusher	7.5HP		" " "	
22-23-6912 EX	Tablet Machine			" " "	
22-23-6913 EX	Cleaner	600x600		" " "	
22-23-6914 EX	Filter Press	390x400		" " "	
22-23-6915 EX	Vacuum Pump	½HP		" " "	
22-23-6916 EX	Clock			" " "	
22-23-6917 EX	Bicycle			" " "	
22-23-6918 EX	"			" " "	
22-23-6919 EX	"			" " "	
22-23-6920 EX	Motor	5HP	Mitsubishi	" " "	
22-23-6921 EX	"	"	"	" " "	
22-23-6922 EX	"	"	"	" " "	

Total 22

464

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

KYOTO MILITARY GOVERNMENT TEAM
APO 501 (Kyoto, Honshu)

ELC/RO/-t

9 De- 1948

SUBJECT: Permission to Move Reparations Equipments

THRU : Kyoto Liaison Offi-e

TO : Kyoto Bran-h, Osaka Finan-e Bureau
Attn: Mr. Ueda

1. Referen-e:

a. Ltr, Kyoto Bran-h of Osaka Finan-e Bureau, subj: "Petition for Use of Building and for Movement of Reparations Ma-hines in the Bran-h Fa-tory of the Uni Powder Plant", dtd 6 Nov 48. (In-l #1)

b. Ltr, Takakura Chemi-al Eng. Co., Ltd, subj: same as above, dtd 22 O-t 48. (In-l #2)

2. Permission is granted to the Takakura Chemi-al Eng. Co.,Ltd to move the reparations ma-hines lo-ated in building # 72 as spe-ified in above references.

3. This letter does not authorize use of reparation equipment.

2 In-l: (1 ea-h)
As indi-ated above

FRANK KOWALSKI Jr.
Colonel, Inf.
Commanding

45-1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

COPY

Investigation of Takakura Chemical Eng. Co., Ltd.

Investigation of Takakura Chemical Company reveals that subject plant is presently manufacturing fertilizers from rotten fishes, acquired from the Ventral Market of Kyoto, with an average production of 10 tons per month. No other operation is being done within the company except for research of chemical dyes.

Plant official state that recently, research of chemical dyes have been completed and that proposal for a large scale production has been made. In the event when permitted by the MG., 150 kilograms can be produced during the first month of operation with a steady increase each month. Application for allocation of raw materials has been submitted to the Japanese Government and delivery will be made in the near future

Building # 72, as mentioned in attached petition, is located within the company's premises (vicinity of main office). All reparations objects will be transferred to one section of the building while the latter section (Part A of blueprint) will be used for production of dyes, Partition will be constructed in order to devide the two sections. No permit for construction is required, since supplies required does not exceed the requirements of the construction laws.

No reparations objects will be utilized. Due to the extremely low consuption of electric-power. Powder lines will be strung on to the electric-lighting facilities. Consequently, no electrical reparations item will be used.

All equipments a d facilities, necessary for production will be newly purchased for made by the utilization of scrap or waste supplies or materials.

43-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

6 Nov 1948

SUBJECT: Petition for Use of Building and for Movement of Reparations Machines in the Branch Factory of the Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

With regard to the Petition of above-mentioned subject from the Takakura Chemical Eng. Co., Ltd. as enclosure, we respectfully beg you the permission of this petition for the Movement of Reparations machines and the Use of the Installation with ur opinions as followings.

1. The above-mentioned Building is No. 72 Building of the Evaluation Protocol and is in the area in which the above Co. has been granted to operate by you.

2. This office will approve the petition of the Co. with following conditions when this petition willapproved by your office.

a) All reparations machines will not be used and the movement of them will not be done hereafter without the permission of Kyoto Military Government Team.

b) This movement will be done to the B Part of the same building according to the plan stated on the petition of the above Co., and it will be enclosed completely so that none may enter into.

c) The applicant will bear the expense of the movement and construction work.

d) The movement will be done with full care, but if the damage of machine should arised in the case of the movement, the applicant will repir the damage with responsibility.

e) The applicant will take the responsibility for the Osaka Finance Bur au on the Custody and Control of all reparations machines in that Building and will bear the all expence which is necessary for the performance of this responsibility.

3. This Office will strictly supervise the above Co. so that no obstackles may be caused up in the using of Installation by the Co.

s/ A. Ueda
t/ A. Ueda
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

Incl:
Petition of the Takakura
Chemical Eng. Co., Ltd.

45 .3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

PETITION

Shijo-sagaru, Yamato-oji
Higashiyama-ku, Kyoto.
Takakura Chemical Eng. Co., Ltd.
President: Seiroku Takakura

October 22nd, 1948

SUBJECT: Petition for the permission to use a part of Building with the Reparations Machineriew in the Branch Plant of Uji Powder Factory of Tokyo 2ndMilitary Arsenal.

FROM : Takakura Chemical Eng. Co., Ltd
President: Seiroku Takakura.

TO : Kyoto Military Government.

THRU : Liaison Office

By your letter, dated April 29th, 1948., we were granted to use a part of the Branch Plant of Uji Powder Factory of Tokyo 2nd Military Arsenal, and we desire to use the No. 72 Building recently in order to opening operation of Dye Stuff.

As regards, we wish to move a part of machinery, installed in the No. 72 Building, like the attached sheet, and it's circumference is isolated off by the ripple-mark iron sheets, owing to take good custody of the Reparations Equipment. Then, we are going to commence the production of Dye Stuff puting the space (Part A: Showed in the attached sheet) to use.

We should be very greatful if you would give us your kind permission to do so.

Yours obediently:

Takakura Chemical Eng.Co ,Ltd
Predident:
s/ Seiroku Takakura
t/ SEIROKU TAKAKURA

45-4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/GK/ct
22 Nov 1948

SUBJECT: Petition for Carrying Busines Equipment into the Uni Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau

1. Reference:

a. Letter, Kyoto Branch, Osaka Finance Bureau, subj: "Petition for Carrying Busines Equipment into the Uji Powder Plant", dtd 16 Sep 1948. (Incl 1)

b. Petition, Japan Druge Manufacturing Co, subj: "Petition of Carrying Equipment into the Arsenal", dtd 11 November 1948. (Incl 2)

2. Petition for carrying business equipment into the Uji Powder Plant (See reference 1 b above) is approved.

3. Items transported into the plant will be coded and marked in accordance with provision contained in letter, this headquarters, subj: "Marking of Non-reparations Equipments in Reparations Plant", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls:
Ad indicated above

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

44'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

16 Sept. 1948

SUBJECT: Petition for Carring Business Equipment into the Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We respectfully beg you the permission to the petition of the Japan Druge Manufacturing Co., Ltd., subj: Petition of carring equipments into the Arsenal", dtd 11 September 1948 as inclosure.

Incl:
1 Petition of the Japan Drugs Mfg. Co., Ltd.

s/t/ A. Ueda
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept

44 2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

JAPAN DRUGS MANUFACTURING CO.

Nov 11 1948

SUBJECT: Petition of carrying equipments into the Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. Contained herewith are the details of the office furnitures and others necessary to our factory, which we are going to carry in into the Uji Arsenal.

2. In accordance with instruction from the headquarter, we should paint the mark of the Non-Reparation Equipments on those items after your permission forcarrying in.

3. We hope your kind consideration on this petition.

s/t/ Tsunekichi Ui
Chief, Uji Factory
Japan Drugs Mfg. Co.,

1 Incl:
List of equipments

443

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

List of equipments to be carried into Arsenal
by Japan Drugs Manufacturing Co.,

NAME OF EQUIPMENT	QUANTITY	REMARKS
Desk 2-3 drawers	113	
Desk drawing room	7	
Desk no drawer	175	
Desk planning room	6	
Analysis-desk	2	
Chair office	119	
Chair wooden, 6 feet long	162	
Chair swivel	4	
Chair others	59	
Documents case	45	
Clothes-box	81	
Cupboard	88	
Hat-rack	3	
Screen wooden	13	
Black-board	13	
Map-box	6	
Shoes-box	4	
Card-box	1	
Stove	27	
Charcoal brazier	7	
Mirror	1	
Pingpong table	3	
Wooden frame, for making a blue print	1	
Cart handcar	7	
Fire-extingusher Portable	3	
Bed	6	
Working table	28	
Table	10	
Ladder	8	
Time recorder.	2	
Wooden tank	3	
Cooking table	3	
Water hose	100 M	
Dryer, wooden	3	
Notice board	2	
Nozzle	1	
Box	3	
Total	1020	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/GK/~t
22 Nov 1948

SUBJECT: Petition for Permission to Transport Non-reparations Ma~hine and Equipment into the Uji Arsenal

THRU : Kyoto Liaison Offi~e

TO : Kyoto Bran~h, Osaka Finan~e Bureau

1. Referen~e:
   a. Letter, Kyoto Bran~h, Osaka Finan~e Bureau, subj: "Petition for Permission to Carry Non-reparations Ma~hine and Equipment into the Uji Arsenal", dtd 16 November 1948. (In~l 1)

   b. Petition, Kode Chemi~al Industrial Co, Ltd, subj: "Fifth Petition for Carrying Ma~hine into the Bran~h Plant of Uji Arsenal", dtd 10 November 1948. (In~l 2)

2. Petition referen~ed in para 1b above is approved.

3. Items transported into the plant will be ~oded and marked in a~~ordan~e with provision ~ontained in letter, this headquarters, subj: "Marking of Non-reparations Equipments in Reparations Plants", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 In~ls:
Ad indi~ated above.

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

43'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENTS
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

16 Nov 1948

SUBJECT: Petition for Permission to Carry Non-reparation Machine and Equipment into the Uji Arsenal

TO, : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We respectfully forward you to get your approval to the attached Petition of the Kyodo Chemical Industrial Co., Ltd 10 November 1948, subj: "Fifth Petition for Carring Machines into the Branch Plant of the Uji Arsenal".

Incl:
1 Petition of the Kyodo Chemical Industrial Co., Ltd.

s/ t/ A. Ueda
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

43

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

THE KYODO CHEMICAL INDUSTRIAL CO., LTD

10 Nov 1948

No. 22-4, 3-chome,
Kanda Ogawa-cho,
Chiyoda-ku, Tokyo

SUBJECT: Fifth Petition for carrying machine into the Branch plant of Uji Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. This company is going to carry machineries listed on the attached paper into The Branch Plant of Uji Arsenal from outside for the construction of the plant.

2. We hope your kind consideration on this matter and approval.

Yours sincerely

s/t/ Shigetomo Iwama

President

433

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF MACHINES

Name of Machine	Quantity	Specification
Balance	2	500 Kg
Ammonia compressor	1	75 HP Stroke 9.5" Cyl. 9.5"
Chimney	1	400 x 10 m
Tool-locker	1	1.7 x 0.46 x 2m
Material-shelf	6	1.92 x 1.46 x 2m
Desk	1	0.92 x 0.53 x 0.77 m
Chair	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715 013

23 Call Pres. Min. Assistants
and see if Asst can be hired for all
if report & future work only not. Project

Cannot be used

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

11 Nov. 1948

京地路第一〇二七號

SUBJECT; Report on Investigation of Oil Storage Facilities

TO ; Kyoto Military Government Team

THRU ; Kyoto Liaison Office

We submit you the attached report as the supplementary report of this office on the above subject, dtd 30 Sept 48.

The tank facilities in this report are four sets of facilities for the storage of sulphuric acid, ammonia, and toluene etc., and not for the storage of prtroleum.

We herewith report you the above-mentioned tank facilities, though we dont know whether these tanks are suitable for the petroleum storage or not, because we are required to report the tanks which are suitable for the petroleum storage.

Incl;
Report of the tanks located in the Uji Arsenal

A. Ueda A. Ueda.
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

Inspected by K. Kayashima
Date 13 Nov -48
___ Copies submitted
KYOTO LIAISON & COORDINATION OFFICE

42

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART A

1. Identification: 22 - 2ㅋ - 4198 thru 4201 (4 tanks)

2. Owner:

Dec. 6, 1941.	Not completed
Aug. 15, 1945.	Army Ministry.
At present	Finance Ministry

3. Present user: Was under construction by the Japanese Army until Aug. 15, 1945 and was 90 per cent completed.

4. Present use: Not in use and empty.

5. Type of construction: Above ground construction, vertical, closed with one manhole each at the top, steel welded, removable. 7 side board.

6. Capacity: Each tank: 1540 Barrels
Diameter 18.0 ft
Height 29.5 ft

7. Present condition: Unusable

8. Accessa ries: Piping (1)
Ladder (3)
Scale (2)

42

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART B

9. Name and Location of Installation:

Sulphuric acid reservoir
No.1, Mukoshima cho, Fushimi ku, Kyoto City.

10. Total Number of Tanks: Repairable 4

11. Total Capacity: Usable 0 Barrels
Repairable 6160 Barrels

12. Total tanks in use: None

13. Total tanks not in use: Sulphuric acid 4

14. Routes of Communication:
Est. 660 feet to the terminal station of the Ujigawa extention line of the Nara Government Line.
Est. 1900 feet to Kohata Station of the Nara Government Line.
In both case the traffic roads are well paved except a small portion.
Kohata Station to Osaka Harbor: 62 miles.

15. Water way: Osaka Harner Low tide: 32.8 ft
High tide: 39.36 ft
Largest vessel accommodated: 20,000 tons

16. Primary Function:
Interim storage of circulative working sulphuric acid during productive process.

17. Discharging and Loading facilities: No facilities.
Have to be completed

18. Capacity of Operation in Item 17: Unknown

19. Suitability: The suitability for storage of petroleum is unknown at present.
The decision awaits thorough study of spect specialists.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART A

1. Identification: 22-23-3292 thru 3294 (3 tanks)

2. Owner: Dec. 6, 1941. Was not under construction.
Aug. 15, 1945. Army Ministry
At present Finance Ministry

3. Present user: Used by the Japanese Army until Aug. 1945.

4. Present use: Used for the storage of sulphuric acid.
At present not in use and empty.

5. Type of construction:
Above ground construction, vertical, closed with one manhole each at the top, steel welded and removable.
7 side boards.

6. Capacity: Each tank: 1540 Barrels
Diameter 18.9 ft
Height 29.5 ft

7. Present condition: Unusable (all essential machine parts are disconnected)

8. Accessories: Piping (1)
Ladder (3)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART B

9. Name and Location of Installation:
Sulphuric acid reservoir.
No.1, Mukoshima cho, Fushimi ku, Kyoto City.

10. Total Number of tanks: Repairable 3

11. Total capacity: Usable 0 Barrel
Repairable 4620 Barrels

12. Total tanks in use: None

13. Total tanks not in use: Sulphuric acid 3

14. Routes of communication:
Right close to the side track of the terminal station of the Ujigawa extention line of the Nara Government line. Est. 1,900 feet to Kohata Station of the "ara Government Line. (No traffic road between the reservoir and the paved public road).
Kohata Station to Osaka "arbor : 62 miles.

15. Water Way:
Osaka Harbor Low tide: 32.8 Feet
High tide: 39.36 Feet
Largest Vessel Accommodated: 20,000 tons.

16. Primary Function:
Receiving of sulphuric acid in tank cars and its storage.

17. Discharging and Loading facilities:
Pipe, pump (all dismantled)

18. Capacity of Operation in Item 17:
3 inches pipe (dismantled)
pumps: scrapped down

19. Suitability:
The suitability for storage of petroleum is unknown at present.
The decision awaits thorough study of specialists.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART A

1. Identification: 22-23-3266 thru 3269 (4 tanks)

2. Owner: Dec. 6, 1941. Was not under construction
Aug. 15, 1945. Army Ministry
At present Finance Ministry

3. Present user:
Used by the Japanese Army until Aug. 1945.

4. Present use:
Used for the storage of ammonia.
At present not in use and empty.

5. Type of construction:
Above ground construction, vertical, closed with one manhole each at the top, steel, welded, removable.
5 side boards.

6. Capacity: Each tank: 700 Barrels
Diameter 15.6 ft
Height 18.0 ft

7. Present condition: Unusable

8. Accessories:
Piping (1)
Ladder (4)
Scale (4)
Measuring tank (3)
Pump (2)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART B

9. Name and Location of installation:
A mmonia reservoir
No.1, Mukoshima cho, Fushimi ku, Kyoto City.

10. Total number of tanks: Repairable 4

11. Total capacity:
Usable 0 Barrel
Repairable 2800 Barrels

12. Total tanks in use: None

13. Total tanks not in use: Ammonia 4

14. Routes of communication:
Right close to a side track of the terminal station of the Ujigawa extention line of the Nara Government line.
Est. 1900 feet to Kohata station of the Nara Government line. (No traffic road between the reservoir and a paved public road.)
Kohata station to Osaka Harbor: 62 miles

15. Water way: Osaka Harbor Low tide: 32.38 feet
High tide: 39.36 feet
Largest Vessel accommodated: 20,000 tons

166. Primary Function:
Receiving of liquid ammonia in tank cars and its storage as aqua ammonia.

17. Discharging and Loading facilities:
Pipe, pump, saturator
(all dismantled)

18. Capacity of Operation in Item 17:
3 inches pipe (est. 50 ft) (dismantled)
pumps (228 litre per min.)2(dismantled)

19. Suitability:
The suitability for storage of petroleum is unknown at present.
The decision awaits thorough study of specialists.

42

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

PART A

1. Identification: 22-23-3252 thru 3261 (10 tanks)

2. Owner: Dec. 6, 1941 Army Ministry
Aug. 15, 1945. Army Ministry
At present Finance Ministry

3. Present use:
Used for storage of toluene.
At present not in use and empty.

4. Present user:
Used by the Japanese Army until Aug. 1945

5. Type of construction:
Under ground construction. Covered with layers of concrete and soil, horizontal, closed with one ventilation pipe, each, steel, unremovable.

6. Capacity: Each tank: 980 Barrels (Est.)

7. Present condition:

Unusable (all essential machines parts disconnected)

8. Accessories:
Gear pump (4)
Measuring tank (4)
Piping (2)
Charg.ng tank (2)
Auxillary charging tank (2)
Guage tank (1)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART B

9. Name and Location of Installation:
Toluene reservoir
No.1, Oshima, Mukoshima cho, Fushimi ku, Kyoto City.

10. Total number of tanks: Repairable 10

11. Total capacity: Usable: 0 Barrel
Repairable: 9800 Barrels

12. Total tanks in use: None

13. Total tanks not in use: Toluene 10

14. Routes of communication:
About 300 feet to the terminal station of the Ujigawa extention of the Nara Government Line.
Est. 1900 feet to Kohata Station of the Nara Government line.
Traffic road good between the reservoir and the station except a small portion.
Kohata Station to Osaka Harbor: 62 miles.

15. Water way: Osaka Harbor Low tide: 32.8 feet
High tide: 39.36 feet
Largest Vessel Accommodated: 20,000 tons

16. Primary Function:
Receiving of toluene (drums) and its storage

17. Discharging and Loading facilities:
Pipe, charging tank and gear pump

18. Capacity of Operation in Item 17:
3 inches pipe (est 300 ft)
gear pump (4 cubic meter/ hour)
4 dismantled

19. Suitability:
The suitability for storage of petroleum is unknown at present.
The decision awaits thorough study of specialists.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

429

PART C - 1

CONSOLIDATION OF ABOVEGROUND TANKAGE BY PREFECTURE

Date: October 30, 1948. Prefecture: Kyoto

(except clean and dirty)

Name and Location	Tank Capacity (bbls)	Ownership: Govt.	Ownership: Private: Japl. Natl.	Ownership: Private: Foreign	Tanks in Use: Sulphuric acid: No.	Sulphuric acid: Cap.	Ammonia: No.	Ammonia: Cap.	Toluene: No.	Toluene: Cap.	Total: No.	Total: Cap.
Tokyo 2nd Army Arsenal	6160 (1540x4)	4	--	--	--	---	--	---	--	---	---	---
Uji Factory	4620 (1540x3)	3	--	--	--	---	--	---	--	---	---	---
No.1, Mukojima, Fushimi-ku, Kyoto city.	2800 (700x4)	4	--	--	--	---	--	---	--	---	---	---
Total:		11	--	--	--	---	--	---	--	---	---	---

PART C - 1 (Cont'd)

Tanks Not in Use								Total							
Sulphuric Acid		Ammonia		Toluene		Total		Usable		Reparable		Irreparable		Total	
No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.
4	6160	--	---	--	---	4	6160	--	---	4	6160	--	---	4	6160
3	4620	--	---	--	---	3	4620	--	---	3	4620	--	---	3	4620
--	---	4	2800	--	---	4	2800	--	---	4	2800	--	---	4	2800
7	10780	4	2800	--	---	11	13580	--	---	11	13580	--	---	11	13580

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 113013

PART C - 2

CONSOLIDATION OF UNDERGROUND TANKAGE BY PREFECTURE

Date: October 30, 1948. (Except clean and dirty) Prefecture: Kyoto

Name and Location	Tank Capacity (bbls)	Ownership: Govt.	Ownership: Private: Corp.	Ownership: Private: Foreign	Tanks in Use: Sulphuric Acid: No.	Sulphuric Acid: Cap.	Ammonia: No.	Ammonia: Cap.	Toluene: No.	Toluene: Cap.	Total: No.	Total: Cap.
Tokyo 2nd Army Arsenal Uji Factory No.1 Mukojima, Fushimi-ku, Kyoto city	9800 (980 x 10)	10	--	---	--	---	--	---	--	---	--	---

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 713013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

PART C - 2 (cont'd)

Tanks Not In Use																	
Picric Acid		Ammonia		Toluene		Total		Usable		Repairable		Improperly Stored		Total		Removed		Not Removed	
No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.	No.	Cap.
--	---	--	---	10	9800	10	9800	--	---	10	9800	--	---	10	9800	--	---	10	9800

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/GK/at
5 Nov 1948

SUBJECT: Petition for Carrying Machines into the Uji Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau

1. Reference are as following:
   a. Letter, Kyoto Branch, Osaka Finance Bureau, subj: "Petition for Carrying Machines into the Uji Powder Plant," dtd 28 October 1948. (Incl 1)

   b. Petition, Japan Drugs Manufacturing Co., subj: "Petition of Carrying Machines into the Arsenal", dtd 20 October 1948. (Incl 2)

2. Petition of Carrying Machines into the 2nd Tokyo Military Arsenal, Uji Branch (See reference 1b above) is approved.

3. Item transported into the Plant will be coded and marked in accordance with provision contained in letter, this headquarter, subj: "Marking of non-reparations Equipment in Reparation Plant", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

HAROLD C SHEFFIELD
Major, QMC
Acting Adjutant

2 Incls;
As indicated above.

41

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

28 Oct 1948

SUBJECT: Petition for Carring Machines into the Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Owing to had received the Petition of above subject, dtd 20 Oct. 1948, from the Japan Drugs Manufacturing Co., Ltd., We respectfully beg you the permission of this petition.

Incl: Petition of the Japanese Manufacturing Co., Ltd.

s/t/ SI IZUMI
Acting-Chief of the Kyoto District
Office of the Osaka Financial Bureau
of the Financial Department

41²

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

JAPAN DRUGS MANUFACTURING CO.

P E T I T I O N

20, October, 1948

SUBJECT: Petition of carrying machines into the Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Contained herewith are the details of machines necessary to our factory, which we want to carry in into the Uji Arsenal from the outside.

We hope your prompt consideration on this petition.

(Appended paper)

s/t/ Tsunekichi Ui
Chief, Uji Factory
Japan Druge Manufacturing Co.

413

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF MACHINE TO BE CARRIED
UJI ARSENAL
by Japan Grugs Mgf. Co., Ltd

Name of item	Specification	Quantity
Coal-cart		1
Bicycle		1
Rear-car		4
Vacuum pump	D-5 400rpm 2/1HP	1
Ball mill	Kikusui	1
Vacuum pump	rotary Sanseikikai	2
Motor	2HP	1
"	1KW	1
Vice horizontal	6"	5
Vice Vertical		3
Vice horizontal		1
Working table		3
Electric Wdlding machine		1
Switch		1
Balance		1
Oil switch		1
Nphelo-meter		1
Panel balance		1
Vessel (nitrogen)		4
Transformer		2
Bomb-oven		1
Motor	1/20HP	1
Distirator		1
Panel balance	100g	3
Balance	100g	1
Authomatic balance	12kg	1
		44

41[4]

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

FLC/GK/-t
1 Nov 1948

SUBJECT: Concentration of Reparation Machines

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau

1. Reference: Petition, Kyoto Branch, Osaka Finance Bureau, subj: "Petition for Approval of Removal of Reparation Machinery between Buildings", dtd 12 Oct 1948. (Incl 1)

2. Permission is granted to 2nd Tokyo Military Arsenal, Uji Branch to concentrate reparations machines as indicated below:

From Building Number	To Building Numbers
233. 235. 237. 217. 302. 118. 168. etc	280. 281.

3. Request this office be advised upon completion of this movement.

FOR THE COMMANDING OFFICER:

HAROLD C. SHEFFIELD
Major, QMC
Act'g Adjutant

1 Incl:
As indicated above.

40'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

12 Oct. 1948

SUBJECT: Petition for approval of removal of reparations machineries between buildings

TO : Kyoto M.G.T.

THRU : Kyoto Liaison Office

1. To improve the custody performance of the reparations machineries of this arsenal, the Kyoto MGT advised the consolidation of the machines to a few good buildings. The machineries of the Collateral plant concern, we completely finished. However, this arsenal keeps still many machineries dispersed, dead stock, in several samll buildings in the premises of the Main Plant.

2. By the further advice of the Kyoto MGT, a concrete plan of the removal of these machineries was being planned and ready to be started any time. We hope to receive inspection and approval in an earliest occasion.

3. The complete plan is as followings:

NAME	POS	PRESENT LOCATION	CONSOLIDATE TO
Pump	12	Building No.	Building No.
Switchgear	129	233.235.237.	280.281.
Stater condenser	12	217.302.448	
Transformer	13	468.	
Convertor	6	and other several	
Motor	67	dispersal places	
O C B	17	of the Main Plant	
Electric pannel	13		
Series reactor	7		
Gasoline Engine	1		

)) Above ((

s/ Taro Kojima
t/ TARO KOJIMA
Chief Custodian of The Uji Arsenal
Osaka Financial Bureau

s/ S. Izumi

Director of the Kyoto District
Office Osaka Financial Bureau

40²

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/GK/ct
1 Nov 1948

SUBJECT: Petition to Transport Non-reparations Machinery into the Uji Branch, 2nd Tokyo Military Arsenal

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau

1. Reference are as following:

a Letter, Kyoto Branch, Osaka Finance Bureau, subj: "Petition for Carrying Machines into the Uji Branch Factory", dtd 21, October 1948. (Incl 1)

b. Petition, Kyodo Chemical Industrial Co ; Ltd, subj: "Fourth Petition for Carrying Machines into the Branch Plant of Uji Arsenal", dtd 11 October 1948. (Incl 2)

2. Petition to transport machinery into the 2nd Tokyo Military Arsenal, Uji Branch. (See reference 1b, above) is approved.

3. Items transported into the plant will be coded and marked in accordance with provision contained in letter, this headquarters, subj: "Marking of Non-reparations Equipments in Reparation Plants", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls:
As indicated above

HAROLD C. SHEFFIELD
Major, QMC
A't'g Adjutant

391

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

21 Oct 1948

SUBJECT: Petition for Carring Machineries into the Uji Branch Factory

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Owing to had received the petition on above subject from the Kyodo Chemical Industrial Co., Ltd. as inclosure, we respectfully beg you the permission for theis petition.

Incl:
1 Petition of the Kyodo Chemical Industrial Co., Ltd.

S. Izumi
Acting Chief of the Kyoto
District Office of the
Financial Department

392

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775 013

COPY

11 O-t 1948

THE KYODO CHEMICAL
INDUSTRIAL CO., LTD.

No. 22-4, 3-chome,
Kanda Ogawa-Cho,
Chiyoda-ku, Tokyo

SUBJECT: Fourth petition for carrying Machines into The Branch Plant of Uji Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. This company is going to carry machineries listed on the attached paper into The Branch Plant of Uji Arsenal from outside for the construction of the plant.

2. We hope your k nd consideration on this matter and approval.

Yours sincerely

s/t/ Shigetomo Iwama

President

373

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

Attached paper

LIST OF MACHINES

NAME OF MACHINE	QUANTITY	SPECIFICATION
Reduction gear	1	10 HP 10 : 1
Turbine pump	4	2 HP 0.245/min 20m/H 1740r.p.m.
Electric motor	3	3 Ø 3 HP
Panel	3	
A.C. Volt meter	1	0-150V, 0-300V
A.C. Am meter	1	0-150V
"	1	0-25A, 0-50A
D.C. Volt meter	1	0-150V
Megohm tester	1	500V, 0-100megohm
Magnetic bell	1	
Universal tester	1	
Panel oil switch	1	3 Ø 3450V 100A
Telephone	1	
Locker	11	
Coumter shaft	1	Ø 62.5X20m
"	2	Ø 45 X6.2m
"	1	Ø 45 X4.8m
"	2	Ø 45 X2.5m

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/RO/-t
30 Oct 1948

SUBJECT: Permission to Remove Items from Reparations Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch of the Osaka Finance Bureau

1. Reference: Ltr, Kyoto Branch of Osaka Finance Bureau subj: "Application for permission to enter the former Uji Arsenal and to take out the things in the same arsenal", dtd 27 Oct 1948.

2. Permission is granted to remove the following listed items from the Uji Branch of the Second Tokyo Military Arsenal as requested in reference letter:

	Items	Unit	Amount
a.	Swing, iron	each	2
b.	Slide, wooden	each	1
c.	Brick	pcs.	300

3. Above-mentioned items will be used at the Uji Primary School and Infant School as play-things for the children and for the kitchen-furnace.

FOR THE COMMANDING OFFICER:

1 Incl:
Ltr, as mentioned in par 1 above
(1 cy)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

38-1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

FINANCIAL DEPARTMENT
OSAK FINANCE BUREAU
KYOTO DISTRIC OFFICE

27 Oct 1948

SUBJECT: Application for Permission to Enter the former Uji Arsenal and to Take Out the Things in the Same Arsenal

TO : The Chief of E-onomi- Division, Kyoto Military Government Team

THRU : Kyoto Liaison Office

We respectfully beg your favourable permission to enter the Main Plant and to take out the things in the same plant for the following member who engage in taking out of the things in the Main Plant of the Uji Branch of the former Tokyo 2nd Military Arsenal.

1. The things that is taken out.
   2 Iron Swings and 1 Wooden Slide and disused old Bri-k 300 mail

2. The Purpose of taking out.
   In order to use the said things for the play use of -hildrens of Uji Primary S-hool & Infant S-hool and as the materials of Kitchen-furnance for children's supplying with food use.

3. Member
   Heiji Yamazaki, Head-man of Hig shi-uji Town and 5 others.

4. Term.
   For a Week. From 30 Oct to 7 of Nov

Note.
1. this things have been released for Japanese Government on January 7, 1948 and it have been excepted from the object of reparation evaluation.
2. Uji Town on September 20 1948

s/t/ S. Izumi
Acting Chief of the Kyoto District Office of the Osaka Finance Bureau

38

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/EEO/ct
28 Oct 1948

SUBJECT: Permission to Deliver Reparations Transformers to the Uji Arsenal

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Bureau

1 Reference: Ltr, Kyoto Br nch, Osaka Finance Bureau, subj: "Petition for Permission to Carry the Reparation Transformers and Entrance in Uji Powder Plant", dated 22 October 1948.

2. Petition referenced above is approved.

3. Subject transformers will be delivered to the Uji Arsenal as of this date.

FOR THE COMMANDING OFFICER:

1 Incl:
Reference letter

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

371

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

FINANCE MINISTRY
OSAKA FINANCE BUREAU
KYOTO DISTRICT OFFICE

22 Oct 1948

SUBJECT: Petition for permission to Carry the Reparation Transformers and Entrance in Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. Reference will be made to the letter, K.M.G.T., dtd 31 May 47, subj "Release of Reparations Equipment", and this officem dtd 2 May 47, Subj: "Request for removal and temporary use of transformers which locat at Uji Powder Plant".

2. The six (6) Transformers (22-23-219, 220, 296 297, 342, 343) had been removed to Kikuya Hotel, Uji-cho, and used for B.C.O.F. which staied in the Hotel But, now, the Hotel is not used and the Transformers are needless. Special Procurement Board going to carry them into the Mother Plant.

3. By the above mentioned reason, we hereby ask your permission to carry the above equipments into the Plant, and to enter following peoples who will engage in theis operation.

a. Entrance Date; 28 or 29 October 48

b. Name ; Takehei Kitamura and 10 peoples

s/t/ Sotokichi Izumi
Chief,
Kyoto District Office

372

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

004.5

ELC/GK/ct
22 Oct 1948

SUBJECT: Petition for Permission to Carry Non-reparation Machines and Equipments in Uji Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch of Osaka Financial Bureau

1. Reference are as following:

a. Letter, Kyoto Branch of Osaka Financial Bureau, subj: "Petition for Permission to Carry Non-reparation Machines and Equipments in Uji Powder Plant", dtd 15 October 1948.

b. Letter, Japan Drugs Manufacturing Co., subj: "Petition of carrying machines into the Arsenal", dtd 25 September 1948.

2. Permission is granted Japan Drugs Manufacturing Co. of carrying non-reparation machines and equipments (Reference 1a above) into the premises of the Former Uji Powder Plant which is located within the area of the Uji Branch of the Second Tokyo Military Arsenal (22-23).

3. Items transported into the plant will be coded and marked in accrodance with the provisions contained in letter, this headquarters, subj: "Marking of Non-reparations Equipments in Reparations Plants", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls:
Reference 1a and 1b above
(1cc each)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

361

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

15 Oct 1948

SUBJECT: Petition for Permission to Carry Non-Reparation Machines and Equipments in Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We respectfully beg you to permit the attached petition of Japan Drugo Manufacturing Co. Ltd, which is the Petition for Permission to Carry Non-Reparation Machines and Equipments in Uji Powder Plant, dtd 25 Sept 1948.

s/t/ Sotokichi Izumi
Acting Chief
Kyoto District Office

Incl:
Petition of Japan Drugs Mfg.Co, Ltd.

362

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

JAPAN DRUGS MANUFACTURING CO.

P E T I T I O N

25 Sept 1948

SUBJECT: Petition of carrying machines into the Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Contained herewith are the details of machines necessary to our factory, which we want to carry in into the Uji Arsenal from the outside.

We hope your prompt consideration on this petition.

(appended paper)

s/t/ Tsunekichi Ui
Chief, Uji Factory
Japan, Drugs Manufacturing
Co.,

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF MACHINES TO BE CARRIED INTO THE ARSENAL (UJI POWDER PLANT)
by Japan Drugs Mfg. Co., Ltd.

NAME OF MACHINE	QUANTITY	SPECIFICATION
Electric Drill	1	
Bicycle	1	
Ammeter (D C)	1	0-50A MP-1 Type
Ammeter (D C)	1	0-100A MP-1 type
Tank	1	
Motor	2	7.5 HP MITSUBISHI
Distilator	1	1280 1450
Cooler	2	7.5 HP
Crusher	1	
Tablet Machine	1	600 600
Cleaner	1	390 400
Filter Press	1	
Vacuum Pump	1	2/1 HP
Clock	1	
Bicycle	3	
Motor	33	5 HP MITSUBISHI
	22	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/GK/~t
6 Oct 1948

SUBJECT: Movement of Non-Reparations Machines and Equipment into the Premises of the Branch Plant of the Uji Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch of the Osaka Finance Bureau

1. Reference is made to the followings:

a. Letter, Kyoto Branch of the Osaka Finance Bureau, subj: "Petition for the Carrying Machine and Equipment into the Uji Powder Plant", dtd 4 October 1948.

b. Letter, Kyoto University Wood Research Institute, subj: "Petition for the Permission of Bringing the Machineries in Wood Research Institute in the Former Uji Powder Mill", dtd 27 September 1948.

2. Permission is granted to the Kyoto University Wood Research Institute of Bringing the Machineries (reference 1b above) into the premises of the former Uji Powder Mill which is located within the area of the Uji Branch of the Second Tokyo Military Arsenal (22-23)

3. Items transported into the plant will be coded and marked in accordance with the provisions contained in letter, this headquarters subj: "Marking of Non-reparations Equipment in Reparations Plants" dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls;
Reference 1a and 1b above
(1 ea)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

35-1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

4 Oct.1948

SUBJECT: Petition for the Carring Machine and Equipment into the Uji Powder Plant

TO, : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Owing to had received the Petition for Subject above from the Wood Research Institute as inclosure, we respectfully beg you the permission for this petition.

Morever, the items carried in will be put in order in accordance with your letter, Subject "Marking of Non-reparation Equipment in Reparation Plants", dtd 21 Sept. 1948.

Incl: Petition of the Wood Research Institute

M. Sakai
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

35-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

WOOD RESEARCH INSTITUTE KYOTO UNIVERSITY

27 Sept. 1948

SUBJECT: Petition for the permission of bringing the machineries in Wood Research Institute in the former Uji Powder Mill.

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We petition herewith to be gihen the permission of bringing the machineries in the former Uji Powder Mill of the Second Tokyo Military Arsenal to use for research works.

The machineries to be brought in are spefified in attached paper and are marked with W. R. I. (Wood Research Insitute)

s/t/ Sigeru Ko ?
Director of Wood Research
Institute, Kyoto University

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

LIST OF EQUIPMENTS TO BE BROUGHT IN

NAME	NUMBER OF QUANTITY	REMARKS
Paper Cutter	1	
Cement	400 Kg	
Bench	6	
Long Desk	6	
Monophase Motor	2	
Teacher Table	1	
Wire	30 Kg	14 #
"	50 Kg	8 #
Crusher	1	
Tointer	1	
Collapsible Chair	5	
Machine Oil	30 l	
Elasticity Experiment Apparatus	1	
D.C. Generator	1	
Chemical Balance	1	
Upscale Balance	1	
Iron Bath	5	
Plattform Balance	2	50 Kg, 250 Kg
Sterilizing Box	1	
Mixer	2	
Table	10	
Transformer	4	3 Kw.
Thermostatt	1	
Stove	2	
Bolt	10	
Induction Motor	2	2/1 H.P. 1 H.P.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773 013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/RO/ct
2 Oct 1948

SUBJECT: Movement of Non-Reparations and Equipments into the Premises of the Branch Plant of the Uji Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch of the Osaka Finance Bureau

1. Reference is made to the followings:

a. Petition, Takakura Chemical Eng Co Ltd, subj: "Desires to get permission of carrying in the machineries and office fixtures to the Branch Plant of Uji Powder Factory", dtd 21 Sep 1948.

b. Ltr, Kyoto Branch of the Osaka Finance Bureau, subj: "Petition for carrying machines and equipments into the Uji Powder Plant, Branch Factory", dtd 29 Sep 1948.

2. Permission is granted to the Takakura Chemical Co Ltd to transport machines and equipments (reference 1a above) into the premises of the Takakura Chemical Co Ltd, located within the area of the Collateral Plant of the Uji Brancg of the Second Tokyo Military Arsenal (22-23).

3. Items transported into the plant will be coded and marked in accordance with the provisions contained in letter, this headquarters subj: "Marking of Non-reparations Equipment in Reparations Plants", dtd 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls:
Reference 1a and 1b above
(1cc each)

THOMAS R. HARBIN
1stLt, Inf
Adjutant

341

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENTS
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

29 Sept. 1948

SUBJECT: Petition for Carring Machines and Equipments into the Uji Powder Plant, Branch Factory

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Owing to had received the petion on the above subject from the Takakura Chemival Engineering Co., Ltd., we respectfully beg you the permission for this petition.

Morever, when the permission of carring is hereafter granted, the items carried in will be marked the inventory number followed by "EX" and the list of items above will be recorded on the Monthly Activities Report, submitted on 28 every month.

Incl: Petition of Takakura Chemical Eng. Co., Ltd.

M. Sakai
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Fina cial Dept.

342

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PETITION

Shijo-sagaru, Yamato-oji,
Higashiyama-ku, Kyoto.
Takakura Chemical
Engineering Co., Ltd.
President, Seiroku Takakura

21 September 1948

FROM: Takakura Chemical Eng. Co., Ltd.
President: Seiroku Takakura

TO : Kyoto Military Government

THRU: Kyoto Liaison Office

SUBJECT: Desires to get permission of carrying in the Machineries and Office fixtures to the Branch plants of Uji Powder Factory.

By your letter dated 29th April 1948, we are informed that the tenporary use of a Part of the Branch plants of Uji Powder Factory has been approved to us. Then we offer this petition by the instruction 4 noted in your letter to get your kind permission of carrying in following machineries and office fixtures to the plants.

(A) Machines and instruments:

Chemical balance,	1 p'cs
Automatic balance,	1 "
Electric drier,	1 "
Gas-producer,	2 sets
Trimmer for gas with rubber pipe,	1 set
Pressure governor for welding,	2 sets
Gas water tight safety bottle for gas-welding,	1 p'cs
Protection spectales of eyes for ga-welding works	2 "
Kettle for Alukari fusion,	1 "
Reaction kettle,	6 "
Face steel anvils,	2 "
Anvils (Round),	2 "
Leveling plates,	1 "
Swage blocks	1 "
Forging furnace,	1 "
Working table,	3 "
Tools for Forging (Hummer etc.),	1 set
Others (Pliers, Drivers etc.),	30 p'cs
Wooden rules to be folded,	10 "
Tools for Carpenter works,	1 set
Electric utensil (Cords, Bulb, switch etc)	50 p'cs

343

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

Cable-head for high-pressure line,	6 sets
Current-welding machine	
(Include welding bars),	1 sets
Electric Motor 1/4 H.P.,	1 p'cs
" 36 W	1 "
Electric air compressors,	1 "
Table for laboratory,	1 "
Various pumps,	1 "
Cylindrical tombs for oxygen,	7 "
Boiler (Small style),	1 set
High pressure test pumps,	1 p'cs
Manometer,	5 "
and Glass ware for laboratory	
(Flask, Test-tube etc.),	100 "
Office fixtures:	
Desk (various kinds),	20 p'cs
Table for council-room	2 "
Long table (Length about 7 feets)	4 "
Chair	4 "
" (various kinds),	45 "
Table for reception-room	3 "
Chair for reception-room,	8 "
Book shelf,	4 "
Strong-Box,	1 "
Portable cash-box,	2 "
Typewriter for Japanese letters,	1 set
Copying - press,	2 sets
Black board,	4 p'cs
Clock,	3 "
Chest of drawers,	8 "
Tools for cooking use,	1 set
Porcelain ware (various kinds)	1 "
Wooden Box (various kinds),	110 p'cs
and others (Ladder, News-paper holder etc.)	20 "

Your truly:

Takakura Chemical Eng. Co., Ltd.

President:

(Signed)

Seiroku Takakura

34

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

30 Sept 1948

SUBJECT: Petition for temporary removal from plant of reparations machine for repairing

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. This is to ask a reparations machine be granted to be removed temporaryly for repairing from the Uji Arsenal. This has been unservisiable this few months.

Code No. 22-23-4872
Name Fire Engine
Address of repair shop
Nisshin Jodosha Kosakusho
Fukakusa-cho, Fushimi-ku, Kyoto City

2. As this machine is an important fire fighting equipment this petition be granted faborably.

s/ A. Ueda
t/ A. UEDA
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

KYOTO MILITARY GOVERNMENT TEAM
APO 201 (Kyoto, Honshu)

33

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

004.5 ELC/JI/ct
29 Sept 1948

SUBJECT: Movement of Non-reparations Equipment into Reparations Plant

THRU : Kyoto Liaison Office

TO : Chief, Kyoto District Office, Osaka Bureau

1. Reference is made to the following:

a. Letter, Financial Dept, Osaka Finance Bureau, Kyoto District Office, subject: "Petition for Carrying Machines and Equipments into Uji Powder Plant, Branch Factory", dated 27 Sept 1948 (Incl 1)

b. Letter, The Kyodo Chemical Industrial Co, Ltd, subject: "Thri petition for carrying machineries into the Branch Plant of Uji Arsenal, dated 19 Se t 1948 (Incl 2)

2. Permission is granted to bring non-reparations machinery and equipment as listed in reference letter 1b above, into the plant of Factory of 2d Tokyo Mil Arsenal (22-23)

3. Items brought in will be codedant marked in accordance with provisions contained in letter, this headquarters, subject: "Marking of Non-reparations Ecuipment in Reparations Plants", dated 21 September 1948.

FOR THE COMMANDING OFFICER:

2 Incls:
As indicated

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

33'

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

27 Sept 1948

SUBJECT: Petition for Carrying Machines and Equipments into the Uji Powder Plant, Branch Factory

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Owing to had received the application on above subject from the Kyodo Chemical Industrial Co., Ltd., we respectfully beg you the permission for this petition.

Morever, when the permission of carring is hereafter granted, the items carried in will be marked the inventory number followed by "EX" and the list of items above will be recorded on the Monthly Activities Report, submitted on 28 every month.

Incl: Petition of the Kyodo Chemical Industrial Co., Ltd

s/t/ M. Sakai
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

33-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

19 Sept. 1948

THE KYODO CHEMICAL INDUSTRIAL CO., LTD.

No. 22-4, 3-chome,
Kanda Ogawa-cho,
Chiyoda-ku, Tokyo

SUBJECT: Thrid petition for carrying machineries into The Branch Plant of Uji Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

1. This company is going to carry machineries listed on the attached paper into The Branch Plant of Uji Arsenal from outside for the construction of the plant.

2. We hope your kind consideration on this matter and approval.

Yours sincerely

s/t/ Shigetomo Iwama
President

33 3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Attached Paper

NAME OF MACHINERY	QUANTITY	SPECIFICATION
Ammonia compressor	1	25 HP 40000 KCal/Hr.
"	1	30 HP 50000KCal/Hr.
Ammonia receiver	1	
Ammonia condenser	1	
Electri-motor	1	30 HP 1200r.p.m. 6p
Brine cooler	1	
Brine pump	1	5 HP 2 2/1"ϕ 20M3/Hr. 20m/H
Brine tank	2	10000 1000 2000
Centrifugal pump	1	3 HP 2"ϕ 20M3/Hr. 15m/H
Oil tank	1	ϕ 600 1220 Steam jacket
"	1	ϕ 1000 1200 "
"	1	ϕ 1200 1460 "
Oil quantitying tank	1	ϕ 750 500
Oil stock tank	1	2 tons ϕ 1550 1200
Hydrogen washing tank	1	1.2 tons ϕ 600 4000
Batter deck	96m2	24 m 4m 3m/H Steel skeleton
Hardened oil deck	60m2	15m 4m 4m/H "
Alkali differing oildock	64m2	16m 4m 3m/H "
Deodorizing oil deck	60m2	8m 7.5m 4m/H
Kneeding machine	1	
Soap dryer	1	
Stanpping machine	1	
Reduction gear	3	2 HP 20: I
"	2	5 HP 30: I
Gas pipe	250 Kg	ϕ 4/3"
"	624 Kg	ϕ I"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

Gas pipe	878 Kg	∅ 1 2/1 "
"	2271 Kg	∅ 2"
"	400 Kg	∅ 2 2/1"
"	2008 Kg	∅ 3"
"	1061 Kg	∅ 4"
Sluice valve	3	4"
Cock	35	1 2/1"
"	50	2"
"	2	3"
"	2	4"
Pipe cutter	2	2/1-2" 2-3"
Pipe vice	1	1/8-4 /12"
Chaine-ton	1	1-8"
Weighthbalance	2	100 Kg
Electro-motor	1	2HP 2930r.p.m. Type All close
"	1	3HP 6P 960r.p.m. "
"	1	" 4p 1440r.p.m. "
"	2	" " 1695r.p.m. "
"	2	" 1720r.p.m. "
"	1	2.2Kw 2p 3625r.p.m. "
"	1	20Kw 4p 1755r.p.m.
Magnet switch	10	3p 30A 250V
"	10	3p 50A 250V
Hydrogen moter	2	100M3/Hr.
Pole transformer	3	3p 10KVA 3300-210-105V
Transformer	2	single 100KVA 3300-210V
Electric grainder	1	1/2 HP
Electric drill	1	∅ 3/4" AC 110V

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELC/JI/mm

004.5

21 September 1948

SUBJECT: Permission to Bring Non-reparations Equipment into Reperations Plant

THRU : Kyoto Liaison

TO : Kyoto Branch of Osaka Finance Bureau
ATTN: Reparations Section

1. Reference is made to letter, Japan Drug Manufacturing Co, subject: "Petition of Carrying Machines into the Arsenal", dated Aug 30, 1948.

2. Permission is granted to bring equipment listed on reference above into Uji Plant of 2d Tokyo Mil Arsenal.

3. Equipment referred to will be marked in accordance with instructions from this headquarters, subject: Marking of Non-reparations Equipment in Reparations Plants, dated 21 Sept 1948.

FOR THE COMMANDING OFFICER:

Incl
As indicated

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

17 Sept. 1948

SUBJECT: Petition for Permission to Carry Non-reparations Machines Equipments into the Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We respectfully apply your permission, on which attached Petition of subject item from Japan Drugs Manufacturing Co., Ltd.

Incl:
Petition of Japan Drugs Manufacturing Co., Ltd.

M. Sakai
Chief of the Kyoto District
Office of the Osaka Financial
Bureau of the Financial Dept.

31

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PETITION

Aug 30 1948

SUBJECT: Petition of carrying machines into the Arsenal

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

Contained herewith are the details of machines necessary to our factory, which we want to carry in into the Uji Arsenal from the outside.

We hope your prompt consideration on this petition.

(appended paper)

s/t/ TUNEKICHI UI

Chief, Uji Factory
Japan Drugs Manufacturing
Co. Ltd.

313

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF MACHINES TO BE CARRIED INTO THE ARSENAL

BY JAPAN DRUGS MFG. CO. LTD.

Aug 30 1948

NAME OF MACHINE	QUANTITY	SPECIFICATION	REMARKS
Dryer	2	H2700 W1400 1900	
Reaction Vessel	2		
Line shafting	1		
Tower; absorption	1		
Crystalling Tank	2		
Tank; measure	1		
Tank; circulating	1		
Cart	2		
Roller	2		
Cutter; rotary	1		
TOTAL	15		

314

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

EIC/JI/ct
20 Sept 1948

004.5

SUBJECT: Permission to Bring Non-reparations Machinery and Equipment into Reparations Plant

THRU : Kyoto Liaison Office

TO : Kyoto District Office
Osaka Finance Bureau

1. Reference is made to letter, Wood Research Institue, Kyoto University, subject: "Petition for the Permission of Bringing the Machineries in the former Uji Powder Mill", dated Aug 30, 1948, attached hereto as Inclosure 1.

2. Permission is granted to bring the following listed items into Wood Research Institute of Kyoto Universtity, located within the premise of Uji Plant of 2nd Tokyo Military Arsenal (22-23):

Quantity	Name of Items
1	Pole Transformer, 3 kw
1	Automatic Balance, 3 kg
2	Up-scale Balance
1	Chemical Balance
1	Vacuum Pump
2	Bomb
1	Destorying Box
1	Bench Circular Saw
2	Vacuum Drier
1	Electirc Furnace (Pipe Type)
1	Colorimeter

3. No permission of this headquarters will be required to bring raw materials into reparations plants.

4. Custodian of Uji Plant will assign and mark code numbers followed by "EX" for items listed in paragraph 2 above. Such code numbers will

30

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

continue the numerical sequence assigned to equipment inventoried under Operational Directive 5/4. 5/10, and evaluation. Items which are impractical to mark will be listed for record.

5. List of code numbers assigned in accordance with paragraph 4 above will be submitted to this headquarters.

FOR THE COMMANDING OFFICER:

THOMAS R. HARPIN
1st Lt, Inf
Adjutant

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

FINANCIAL DEPARTMENT
OSAKA FINANCIAL BUREAU
KYOTO DISTRICT OFFICE

ELC/RO/ct
6 Sep 1948

SUBJECT: Petition for Permission to Cary Non-reparation Machines, Equipments, Supplies into the Uji Powder Plant

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

With regards to the Petition for permission toccarry Machines, Equipments, Supplies in the Arsenal listed on the attached Petition of Kyoto University, wood Research Institute, We humbly ask your permission.

Incl: Petition of Wood Research Institute.

s/t/ M. Sakai
The Chief of
The Kyoto District Office

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

Wood Research Institute
Kyoto University
Aug. 30, 1948

SUBJECT: Petition for the Permission of Bringing the Machineries in the former Uji Powder Mill.

TO : Kyoto Military Government Team

THRU : Kyoto Liaison Office

We petition hefewith to be given the permission of bringing the machineries inthe former Uji Powder Mill of the Second Tokyo Military Arsenal to use for research works.

The machineries to be brought in area specified in attached paper and are m rked with W. R. I. (Wood Research Institute)

s/t/ Sigeru Kodera
Director of Wood Research
Institute, Kyoto University

30 4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LIST OF EQUIPMENTS TO BE BROUGHT IN

NAME	NUMBER OF QUANTITY	REMARKS
Pole Transformer	1	3 K.W.
Authomatic Balance	1	3 Kg
Up-scale Balance	2	
Chemical Balance	1	
Vacuum Pum	1	
Bombe	2	
Destroying Box	1	
Pine Oil	2000 l	
Bench Circular Saw	1	
Some Sort of Drugs	300 phials	
Vacuum Drier	2	
Electric furnance (Pipe Type)	1	
Colorimeter	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Honshu)

ELG/JJL/ct
13 Sept 1948

SUBJECT: Permission for Use of Military Property

THRU : Kyoto Liaison Office

TO : Kyoto Branch, Osaka Finance Ministry

1. This is to inform you that your petition dated 1 Sept 1948 for the use of military property by the Kyoto University Wood Research Institute has been approved.

2. It is requested that your office inform the Kyoto University Wood Research Institute that no arsenal equipment will be put into use.

3. It is requested that your office inform the Kyoto University Wood Research Institute that no machinery or equipment will be moved into the confines of the arsenal without permission of this office.

FOR THE COMMANDING OFFICER:

2 Incls:
1. Sub application for permission temp use
2. Chart

THOMAS R. HARBIN
1st Lt. Inf
Adjutant

#232

29

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCIAL DEPARTMENT
OSAKA FINANCE BUREAU
KYOTO DISTRICT OFFICE

1 September 1948

SUBJECT; Sub-Application for Permission of The Operation of Following Institute that we had decided temporary use for a part of Uji Main Factory.

TO ; Commanding Officer, Kyoto Military Government Team.

THRU ; Kyoto Liaison Office.

We have received the application for permission of operation from Wood Research Institute, Kyoto University for which we had decided to grant temporary use permit already, as the separated paper.

Then, we respectfully beg your favourable permission as fast as possible.

M. Sakai
Chief of The Kyoto District Office
of The Osaka Finance Bureau.

J. Hosomi
J. Hosomi
The Chief of The 1st Administration Section.
Acting The Chief of The Kyoto District Office.

29

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 113013

Wood Research Institute, Kyoto
University, Kitashirakawa, Sakyo-
ku, Kyoto. May 10 , 1948.

Dear Major H. Sheffield.

Our Wood Research Institute has made an application to divert a part of the former Powder-mill at Uji, Kyoto Prefecture, through the Kyoto Prefectural Division of Administration, Osaka Department of Finance, Ministry of Finance (Okura-sho, Osaka Zaimu-kyoku, Kyoto-chiho-bu), owing to the requests described under separate papers, i.e. "Request of diverting a part of the former Powder-mill at Uji." We would begin experiments there as early as possible, and we are very grateful if you give kindly any permission to let us institute.

Yours respectfully.

S. Kadeta

Director of the Wood Re-
search Institute, Kyoto
University.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 113013

Request of Diverting a Part of
the Former Powder-mill at Uji,
Kyoto Prefecture.

1. Reasons of the request.

(1) Our Institute has been established in May, 1944. Then, as it was in the war time, the Institute entered unavoidably on research by borrowing only a few rooms, buildings etc. which belong to the Department of Agriculture, Kyoto University, and it is the same at present as it was.
(2) Wood becomes more and more significant rather than in the war time as the domestic industrial material. Accordingly, the results of its scientific investigation also become more and more desirable. From these aspects, the arrangement and enlargement of the Institute is one of the most urgent expectations indeed.
(3) On the other hand, the Dept. of Agriculture is urged to expand its lecture-rooms, laboratories, reading-rooms etc., owing to the adjustment of the educational systems, and he requires our Institute to withdraw the equipments once lent.
(4) The Institute has also prepared members and mechanism of research during four years after establishment up to date. For realization of the original plan, our Institute has to obtain any independent area and buildings as quick as possible.
(5) There are already no spaces adequate to our Institute in the area of the University. We are seeking for some others but unfortunately have no suitable one.
(6) The proper Powder-mill at Uji is most favourable for the peculiar characteristics of our Institute, i.e. requiring a considerable area for laboratories, intermediate plants of saw-mill, wood-working, kiln-drying of wood, reserving wood materials, testing wood-decay, cultivating tree-species etc., and further the facility of communication is rather convenient. Thus the possibility of completing general organisation of wood research is enough by adjusting some fittings in the present buildings there.

According to the above mentioned, our Institute is earnestly desiring to divert the Powder-mill at Uji.

2. Application plan of the diverted.
buildings and areas.

In the Powder-mill at Uji, our Institute have a request to

is one of the most urgent expectations indeed.
(3) On the other hand, the Dept. of Agriculture is urged to expand its lecture-rooms, laboratories, reading-rooms etc., owing to the adjustment of the educational systems, and he requires our Institute to withdraw the equipments once lent.
(4) The Institute has also prepared members and mechanism of research during four years after establishment up to date. For realization of the original plan, our Institute has to obtain any independent area and buildings as quick as possible.
(5) There are already no spaces adequate to our Institute in the area of the University. We are seeking for some others but unfortunately have no suitable one.
(6) The proper Powder-mill at Uji is most favourable for the peculiar characteristies of our Institute, i.e. requiring a considerable area for laboratories, intermediate plants of saw-mill, wood-working, kiln-drying of wood, reserving wood materials, testing wood-decay, cultivating tree-species etc., and further the facility of communication is rather convenient. Thus the possibility of completing general organisation of wood research is enough by adjusting some fittings in the present buildings there.

According to the above mentioned, our Institute is earnestly desiring to divert the Powder-mill at Uji.

2. Application plan of the diverted. buildings and areas.

In the Powder-mill at Uji, our Institute have a request to divert an area of 18.94 ha (57381 tsubo) in the south-eastern part of it, and the building area in this region is 107.67 a (3263 tsubo).

The buildings in this region and the open area between these buildingsshare expected to use for the purposes as described in the annexed map.

3. Outline of the Wood Research Institute, Kyoto University.

(1) Object—— Wood is one of the most historical and useful material. Especially, recent utilization of it is conspicuous enough to the direction not only of habitation but also of clothing and food.

Our countr is occupied a greater part of the area by forest and the forest itself is in close connection with the living of our population.

Hence, for our country, wood is indeed one of the most important materials produced in the interior and especially, after the war, the total sum of wood-demand reached an unprecedented number.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 113013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77013

In these circumstances, wood is to be used most scientifically and reasonably. Positively, we have to evolve the most suitable uses and the new ones, and negatively, we have to adapt it in the most adequate uses and to improve its original properties according to the individual demand for them. And further, against to the circumstances of the lack of wood-material in our country, more intensive utilization of it and again promoting cultivation of adaptable species to the peculiar objects are urgently demanded.

The scientific investigation is however very discontented in our country, and its development is rather later than the metal and other industrial materials. To fill up these defeat, it is the most important duty to establish the general research-organization concerning wood and other forest products. Our Institute is naturally making effort to the simillar aim.

(2) History—— The Institute was established on May 20, 1944 (published in the Official Gazette). At that time, that is in the war time, the estimates given for the establishment were much smaller than the amount expected at first, the acquisitions of the demanded materials and commodities were also very difficult to obtain, and such like new construction of buildings and so on was entirely not permitted. We had unavoidably to borrow a mere portion of buildings and equipments from the Department of Agriculture, Kyoto University, to begin research works. Thus, in spite of the bad condition, our Institute has gradually prepared own members and equipments to date.

(3) Formation——

Section of Wood-physics
- I Laboratory - On the solid wood, directed by Prof. S. Kadita.
- II Laboratory - On the improved-wood, directed by Asst. Prof. T. Maku.
- III Laboratory - On the wood-working machinery, directed by Prof. S. Kadita.

Section of Wood-chemistry.
- I Laboratory - On the chemical constituent, directed by Prof. I. Tachi.
- II Laboratory - On the chemical technology, directed by Prof. Y. Inouye.
- III Laboratory - On the adhesives and other subsidiary materials, directed by Prof. Y. Konishi.

Section of Biological Wood-science.
- I Laboratory - On the wood-histology, directed by Prof. F. Onaka.
- II Laboratory - On the fungi and decay of wood, directed by Asst. Prof. S. Akai.

And Office.

(4) Members——

	In full service	In addition	Total
Research Members			

materials and commodities were also [illegible]
such like new construction of buildings and so on was entirely not permitted. We had unavoidably to borrow a mere portion of buildings and equipments from the Department of Agriculture, Kyoto University, to begin research works. Thus, in spite of the bad condition, our Institute has gradually prepared own members and equipments to date.

(3) Formation——

Section of Wood-physics
- I Laboratory - On the solid wood, directed by Prof. S. Kadita.
- II Laboratory - On the improved-wood, directed by Asst. Prof. T. Maku.
- III Laboratory - On the wood-working machinery, directed by Prof. S. Kadita.

Section of Wood-chemistry.
- I Laboratory - On the chemical constituent, directed by Prof. I. Tachi.
- II Laboratory - On the chemical technology, directed by Prof. Y. Inouye.
- III Laboratory - On the adhesives and other subsidiary materials, directed by Prof. Y. Konishi.

Section of Biological Wood-science.
- I Laboratory - On the wood-histology, directed by Prof. F. Onaka.
- II Laboratory - On the fungi and decay of wood, directed by Asst. Prof. S. Akai.

And Office.

(4) Members——

	In full service	In addition	Total
Research Members			
Researchers, Prof.	1	3	4
" , Asst. Prof.	2	1	3
Lecturers	1	0	1
Assistants	6	0	6
Subsidialies	11	1	12
Others	2	11	13
Business Members	6	0	6
		Total	45

(5) Research Items ——

Research Projects, now carried on.

1. Studies on the manufacture of antiseptic agents for wood. (Prof. Inouye, Kadita & Asst. Prof. Maku in coop.)
2. Studies of utilization of saw-dust. (Prof. Tachi, Asst. Prof. Kitao & Maku in coop.)
3. Studies on adhesives. (Prof. Konishi & Asst. Prof. Maku in coop.)
4. Studies on the industrial arts of wood and bamboo. (Prof. Kadita, Konishi, Asst. Prof. Kishima and Maku in coop.)
5. Studies on the chemical wood-technology. (Prof. Tachi & Asst. Prof. Kitao in coop.)
6. Studies on the compressed-wood and bamboo. (Prof. Kadita)
7. Studies on the charcoal. (Prof. Tachi.)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 713013

8. Studies on the uses of fiber-board. (Prof. Tachi)
9. Studies on the pulp-and paper-making. (Prof. Tachi)
10. Studies on the paints for wood. (Prof. Inouye)
11. Studies on the plug agents of wood. (Prof. Konishi)
12. Studies to decrease hydrophilic property of wood and bamboo material. (Prof. Konishi)
13. Studies on water-proof adhesives of wood. (Prof. Konishi)
14. Studies on the ray tissue of wood. (Asst. Prof. Kishima)
15. Studies on the fungi of wood decay. (Asst. Prof. Akai)

Research Results, obtained.

1. Studies on the hygroscopicity of laminated wood. (Prof. Kadita)
2. Studies on the shearing stress of wood. (Prof. Kadita)
3. Studies on useful woods. (Prof. Kadita)
4. On the nail-holding power (Prof. Kadita)
5. On the thermometric conductivity. (Asst. Prof. Maku)
6. On the thermal properties of wood. (Asst. Prof. Maku)
7. On the tensile strength of veneer and plywood. (Asst. Prof. Maku)
8. Studies to convert wood to liguid fuel. (Prof. Tachi)
9. Application of pyroligneous liqur of wood for smoking fishes. (Prof. Tachi)
10. Study on the liquefaction of wood. (Asst.Prof. Kitao)
11. Studies on the chemical utilization of wood. (Asst.Prof. Kitao)
12. On the utilization of saw dust. (Prof. Inouye)
13. Studies on the manufacture of antiseptic agents for wood. (Prof. Inouye)
14. New testing method for adhesive strength. (Prof. Konishi)
15. On the method of manufactureing ply-wood without adhesives. (Prof. Konishi)
16. Studies on the chemical treatment of wood and bamboo material. (Prof. Konishi)
17. Studies on adhesives, (a) On Phenolresin, (b) On application of metallic hydroide. (Prof. Konishi)

4. Annexed map.

(Seperated sheet)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 713013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

INSTRUCTION No. 875

Date ; August 1 1949

TO ; Risabro Torigai

Vice-Chancellor of the Kyoto University.

SUBJECT ; Permission regarding Temporary use of National Property.

I hereby permit you to use temporarily the following common property in charge of this board.

following;

1. Name of Property.

Uji Main Factory of the Uji Arsenal of the Tokyo 2nd Military Arsenal.

2. Kind.

Land, 33,165 tsubo.

Buildings; 32, floor space; 2,788 tsubo.

(As is shown by attached paper.)

Rent, Term & Other Conditions are to be fixed by the other papers.

Dosuke Yoshida.

The Director of Osaka Finance Bureau

294

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

Wood Resear

Kyoto ~~Imperial~~

京都~~帝國~~大學木



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

d Research Institute

yoto ~~Imperial~~ University

都~~帝國~~大學木材研究所

試驗區
tal Area for
bers in Water

Club-house
集会室
34

樁積貯木試驗區
Experimental Area for
Storing Timbers on Land

防腐剤注入及
屋外防腐試驗區
Laboratory
of Fibre Board
Experimental Area
of Antiseptic Impreg-
nation and out-
door Preservation

105

林産物乾燥調
製場
Experimental
Area for Seaso-
ning and prepa-
ring Forest Pro-
ducts

タンニン研究室
17
Laboratory
of Tannin

13
Storage
of Sawdust

製材天然乾燥試験區
Experimental Area for
Natural Drying of Saw-timbers

Dry-Kilns
of Lumber

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013

te

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ural Drying of Saw-timbers

323

-house

Laboratory
for Wood construction

369

246

Laboratory of
Wood Technology

338

and
Laboratory

Laboratory of
Wood-physics III

木材物理第三研究室
324

Laboratory of
Wood-physics II

木材物理第二研究室
326

Laboratory of
Wood-physi

Rep
Equi

Experimental Equipment
for Wood treatment

16

Testing machine
Room

46

Laboratory of
Wood-technology

60

Room for Test-pieces

試材室
53

Room for
Experimental Materi

資料室
52

濶葉樹見本植栽區
Arboretum of Broad Leaved Trees

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Laboratory of Wood-physics II
326
Laboratory of Wood-physics I
327
Laboratory of Wood-histology
325
25
Office
99
Repair Equipment
12
Specimen-room
103
Specimen-room and Library
Laboratory of Wood-Decay and insects
Spare Room for Experiment
ental Equipment d treatment
16
Testing machine Room
40
243
53
for Test-pieces
資料室
52
Room for Experimental Materials
d Trees
Store-house
食用菌類培養試驗區
Nursery of Mushroom
Spare Room
Spare Room
Spare Room for Experiment
66
駐日揭俑奈成試驗

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

tory of
stology

325

25

Office

99

103

en-room

Specimen-room
and Library

Laboratory of
od-Decay and insects

Spare Room
for Experiment

e-house

Spare Room

Spare Room

Spare Room
for Experiment

66

Lodge

(removed)

樹苗圃
Forest-
tree
Nursery

(removed)

特用樹種育成試験地

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 715013



EXPLANATION OF SIGNS

- Building: reinforced concrete, brick and wood
- Earthen Wall and Fire-wall
- Pond and Pool
- Fence; concrete and wire
- Concrete Pavement
- Trolly Line
- Boundary Line
- Water Pipe and Fire-hydrant
- Electric Power Line
- Telephone Line

N

WOOD RESERCH INSTITUTE · KYOTO IMPERIAL UNIVERSITY ·

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KYOTO MILITARY GOVERNMENT TEAM
APO 301 (Kyoto, Hosnhu)

ELC/RO/ct
31 Aug 1948

SUBJECT: Permission to Carry Non-Reparations Machines into the Uji Powder Plant

THRU : Kyoto Liaison Office

TO : Kyoto Branch of the Osaka Finance Bureau

1. This is to inform you that your petition subj: "Petition for permission to Carry Non-reparations Machines and Equipments into Uji Arsenal" has been approved..

2. It is requested that you inform the Japan Druge Mfg Co., Ltd that permission is granted to carry the fourty-six (46) machines, quipments and sundries, as mentioned in the petition of the Japan Druge Co., Ltd, dtd 18 August 1948, into the premises of the Uji Plant of the Second Tokyo Military Arsenal.

3. Request also that subject company be informed to paint factory name both legibly and conspicuously in at least two places on each item carried in.

FOR THE COMMANDING OFFICER:

1 Incl:
1. Petition from Finance Bureau (1 cc)

THOMAS R. HARBIN
1st Lt, Inf
Adjutant

28