

17

PRICE LIST

January 1, 1951

CONSOLIDATED MACARONI MACHINE CORP.
156 Sixth Street
Brooklyn 15, New York

COPY FOR:

One (1) Patented Continuous Automatic Spreader Press for the production of all standard types of plain or fancy long pastes - solid round, flat or tubular. Press consists of 2 sections, one rear mixing and extruding unit and one front unit with an automatic spreading device. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer sheathing, stainless steel mixer shafts and stainless steel mixer paddles, steel extrusion head, cut-off knives, synchronized stick carrier, stick magazine, stick feeder, combination belt and pneumatic conveyor for returning trimmings to mixer; and completely motorized and wired. Production over 900 lbs. per hour and with a service factor of 24 hours daily production.

Type DAFS
Type ADS

Price: \$25,000.00
~~Price: \$26,250.00~~

Fusilli

26,000.00

One (1) Patented Continuous Automatic Press for long and short cut production. Press to extrude all standard types of plain or fancy pastes - solid round, flat or tubular - either long or short cut pastes. Press to consist of 3 sections; one rear mixing and extruding unit, one short paste extruding head complete with cutting device, and one front unit with an automatic spreading device. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer shafts, stainless steel paddles, cast iron short paste extrusion head complete with cutting knives having a variable speed of from 10 RPM to 400 RPM, a short cut steel die holder, a steel extrusion head for long paste, cut-off knives for long paste, synchroized stick carrier, stick magazine, stick feeder, combination belt and pneumatic conveyor for returning trimmings to mixer; and completely motorized and wired. Production over 900 lbs. per hour on long paste and over 1,000 lbs. per hour on short cut production with a service factor of 24 hour daily production.

Type DAFSC
Type ~~ADSC~~

FUSILLI

Price: \$28,500.00
Price: \$29,500.00

One (1) Patented Continuous Automatic Spreader Press for the production of all standard types of plain or fancy long pastes - solid round, flat or tubular. Press consists of 2 sections, one rear mixing and extruding unit and one front unit with an automatic spreading device. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer sheathing, stainless steel mixer shafts and stainless steel mixer paddles, steel extrusion head, cut-off knives, synchronized stick carrier, stick magazine, stick feeder, combination belt and pneumatic conveyor for returning trimmings to mixer; and completely motorized and wired. Production: 500 lbs. per hour and with a service factor of 24 hours daily production.

Type SAFS - 500

Price: \$ 16,500⁰⁰

One (1) Patented Continuous Automatic Press for long and short cut production. Press to extrude all standard types of plain or fancy pastes - solid round, flat or tubular - either long or short cut pastes. Press to consist of 3 sections; one rear mixing and extruding unit, one short paste extruding head complete with cutting device, and one front unit with an automatic spreading device. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer shafts, stainless steel paddles, cast iron short paste extrusion head complete with cutting device having a variable speed of from 10 RPM to 400 RPM, a short cut steel die holder, a steel extrusion head for long paste, cut-off knives for long paste, synchronized stick carrier, stick magazine, stick feeder, combination belt and pneumatic conveyor for returning trimmings to mixer; and completely motorized and wired. Production: 500 lbs. per hour on long paste and 500 lbs. per hour on short cut paste with a service factor of 24 hour daily production.

Type SAFSO

Price: \$ 18,350⁰⁰

One (1) Patented Continuous Automatic Press for short cut goods production. Press can also be used for hand spreading of long pastes. Press to consist of a mixing and extruding unit with a short paste extruding head. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer sheathing, stainless steel mixing shafts, stainless steel paddles, cast iron short cut extrusion head, steel die holder, cutting device with knives having a variable speed of from 10 RPM to 400 RPM, a ventilating blower, enclosed chute; and completely motorized and wired.

Production over 1,000 lbs. per hour for one speed press and 1000 lbs. and 800 lbs. per hour on two speed press.

Type SCP
 Type ~~DSCP~~

Price: ~~\$15,750.00~~ ^{15,000.00}
 Price: ~~\$15,000.00~~

XCP

11,500.00

SCP

Single Speed Motor

14,500.00

One (1) Patented Continuous Automatic Press for short cut goods production. Press can also be used for hand spreading of long pastes. Press to consist of a mixing and extruding unit with a short paste extruding head. Press to be complete with water and Semolina (flour) metering device, stainless steel mixer sheathing, stainless steel mixing shafts, stainless steel paddles, cast iron short cut extrusion head, steel die holder, cutting device with knives having a variable speed of from 10 RPM to 400 RPM, a ventilating blower, enclosed chute; and completely motorized and wired.

Production: over 500 lbs. per hour.

Type SACP

Price: ~~9720~~

One (1) Patented Preliminary Dryer for long goods. Unit consists of a preliminary drying section and a sweat or return chamber. Dryer to include all conveying chains, drive motors, reducers, aluminum fans, fan motors. Construction is of structural steel frame, plastic coated plywood interior and exterior, prelubricated bearings (yearly inspection type). This unit does not include steam heating coils or steam controls, electrical wiring or controls. Blue prints will be furnished by us for all necessary heating and electrical equipment which will be furnished by purchaser.

Type PLPD

Price: ~~\$6,500.00~~ ^{7,150}

One (1) Short Cut Patented Macaroni Dryer for Italian style short cut pastes. Length of units and sections depend on purchaser's space and floor plans. Dryer to consist of a Preliminary Stage and Finishing Sections. Dryer to be constructed of structural steel frame, interior and exterior of plastic covered plywood. Complete with all necessary aluminum fans, conveyor screen belts, canvas sweat chamber (Rest), belts, motors, reduction motor drives, distributors, hoppers, collectors, chains, tubing, sprockets, automatic heat controls (on Finishing Sections only) and all other essentials for operation. Screen wire to be rust resistant and braced every 6". All screens to be equipped with zippers for cleaning and all canvas conveyors will have steel guides to prevent dust collecting. All bearings to be prelubricated (yearly inspected type). Dryer to be so constructed so as to have removable panels for cleaning.

We will not furnish any steam heat coils, traps, etc. electrical wiring or motor controls. We will not furnish any conveyors or pneumatic tubing to convey products from one Dryer Section to another. We will furnish all necessary blue prints giving all steam and electrical requirements.

Standard Dryer consists of the following:

- | | | |
|----------------------|--------|----------------------|
| 1. Preliminary Dryer | 32'-0" | 4 screens and 1 Rest |
| 2. Second Stage | 36'-0" | 4 screens |
| 3. Third Stage | 36'-0" | 1 Rest and 4 screens |
| 4. Fourth Stage | 36'-0" | 5 screens |

Type CASC-4 Price: \$33,300.00

NOTE: For each extra 48'-0" section add - - - - - \$ 600.00
 For each extra screen add - - - - - \$ 900.00

The same Dryer as above with sections as follows:

- | | | | |
|----------------------|--------|----------------------|---------------|
| 1. Preliminary Dryer | 32'-0" | 4 screens and 1 Rest | |
| 2. Second Stage | 40'-0" | 4 screens | add \$ 600.00 |
| 3. Third Stage | 40'-0" | 1 Rest and 4 screens | add \$ 600.00 |
| 4. Fourth Stage | 40'-0" | 5 screens | add \$ 600.00 |

BASE PRICE \$33,300.00
 PLUS - - - 1,800.00
 TOTAL - - - \$35,100.00

NOTE: For each additional screen add - - - - - \$900.00

The same Dryer as above with sections as follows:

- | | | | |
|----------------------|--------|----------------------|----------------|
| 1. Preliminary Dryer | 32'-0" | 4 screens and 1 Rest | |
| 2. Second Stage | 52'-0" | 4 screens | add \$2,400.00 |
| 3. Third Stage | 52'-0" | 1 Rest and 4 screens | add \$2,400.00 |
| 4. Fourth Stage | 52'-0" | 5 screens | add \$2,400.00 |

BASE PRICE \$33,300.00
 PLUS - - - 7,600.00
 TOTAL - - - \$40,900.00

NOTE: For each additional screen add - - - - - \$900.00

One (1) Short Cut Patented Macaroni Dryer for American style short cuts. Length of units and sections depend on purchaser's space and floor plans. Dryer to be constructed of structural steel frame, interior of plastic coated plywood. Complete with all necessary aluminum fans, motors, reduction motor drives, distributors, hoppers, collector chains, tubing, sprockets, automatic heat controls (on Finishing Sections only) and all other essentials for operation. Screen wire to be rust resistant and braced every 6". Canvas of rest chamber to be 4 ply. All screens to be equipped with zippers for cleaning and all canvas conveyors will have steel guides to prevent dust collecting. All bearings to be prelubricated (yearly inspected type). Dryer will be so constructed so as to have removable panels for cleaning.

We will not furnish any steam heat coils, traps, etc., electrical wiring or motor controls. We will not furnish any conveyors or pneumatic tubing to convey products from one Dryer Section to another. We will furnish all necessary blue prints giving all heating and electrical requirements.

Standard Dryer consists of:

- 1. Preliminary Dryer 28'-0" 4 screens and 1 Rest
- 2. Second Stage 36'-0" 4 screens
- 3. Third Stage 36'-0" 1 Rest and 4 screens

Type CASC-3

Price: \$24,500.00

NOTE: For each 4'-0" Section add - - - - - \$600.00
 For each extra screen add \$900.00

The same Dryer as above with sections as follows:

- 1. Preliminary Dryer 28'-0" 4 screens and 1 Rest add \$600.00
- 2. Second Stage 40'-0" 4 screens add \$600.00
- 3. Third Stage 40'-0" 1 Rest and 4 screens add \$600.00

BASE PRICE: \$24,500.00
 PLUS - - - 1,800.00
 TOTAL - - - \$26,300.00

The same Dryer as above with sections as follows:

- 1. Preliminary Dryer 40'-0" 3 screens and 1 Rest
 One screen less than standard \$900.00 } add \$900.00
 Three extra sections at \$600.00 - - \$1,800.00 }
- 2. Second Stage 40'-0" 3 screens
 One screen less \$900.00 } add \$900.00
 Three extra sections at \$600 - - \$1,800.00 }
- 3. Third Stage 52'-0" 5 screens
 and one canvas - - Add \$900.00 for canvas } add \$3,600.00
 And 4 x \$600.00 - - - \$2,400.00 }

BASE PRICE: \$24,500.00
 PLUS - - - 5,400.00
 TOTAL - - - 29,900.00

One (1) Patented Automatic Noodle Dryer for all types of noodles. Length of unit and sections depend on purchaser's available space and floor plans. Dryer to consist of a Preliminary Stage and Finishing Sections. Dryer to be constructed of structural steel frame, interior and exterior of plastic coated plywood. Complete with all necessary aluminum fans, conveyor screen belts, canvas sweat chamber (Rest), belts, motors, reduction motor drives, distributors, hoppers, collectors, chains, tubing, sprockets and all other essentials for operation. Screen wire to be rust resistant and braced every 6". Canvas of rest chamber to be 4 ply. All screens to be equipped with zippers to facilitate their cleaning and all canvas conveyors will have steel guides to prevent dust collecting. All bearings to be prelubricated (yearly inspection type). Dryer will be so constructed so as to have removable panels for cleaning. Dryer will include all automatic heat controls on all Finishing units.

We will not furnish any steam coils, traps, etc., electrical wiring or motor controls. We will not furnish any conveyors or pneumatic tubing to convey products from one Dryer section to another. We will furnish all necessary blue prints giving all heating and electrical requirements. This Dryer will consist of the following:

- | | | |
|----------------------|--------|----------------------|
| 1. Preliminary Dryer | 28'-0" | 4 screens and 1 Rest |
| 2. Second Stage | 36'-0" | 3 screens |
| 3. Third Stage | 36'-0" | 4 screens |

Type CAND

Price: \$18,500.00

NOTE: For each 4'-0" section add - - - - - \$600.00
 For each extra screen add - - - - - \$900.00

One (1) Patented Preliminary Dryer for Short Goods. Dryer to be constructed of structural steel frame, interior and exterior of plastic coated plywood. Complete with all necessary aluminum fans, conveyor screen belts, canvas sweat chamber (Rest), belts, motors, reduction motor drives, distributors, hoppers, collectors, chains, sprockets and all other essentials for operation. Screen wire to be rust resistant and braced every 6". Canvas of rest chamber to be 4 ply. All screens to be equipped with zippers and canvas conveyor will have steel guides to prevent dust collecting. All bearings to be prelubricated (yearly inspection type). Dryer to be so constructed so as to have removable panels for cleaning.

We will not furnish any steam coils, traps, automatic heat controls etc., electrical wiring or motor controls. We will not furnish any conveyor or pneumatic tubing to convey product from Press to Dryer or from discharge end of Dryer. We will furnish all necessary blue prints giving all heating and electrical requirements.

- | | |
|--|-------------------|
| 4 screens (5'-0" wide) and rest (36'-0" x 8'-0") | Price: |
| 4 screens (5'-0" wide) and rest (32'-0" x 8'-0") | Price: \$7,500.00 |
| 4 screens (5'-0" wide) and rest (28'-0" x 8'-0") | Price: \$6,500.00 |

One (1) Patented Preliminary Dryer for Short Goods. Dryer to be constructed of structural steel frame, interior and exterior of plastic coated plywood. Complete with all necessary aluminum fans, conveyor screen belts, motors, reduction motor drives, distributors, hoppers, collectors, chains, sprockets and all other essentials for operation. Screen wire to be rust resistant and braced every 6". All screens to be equipped with zippers to facilitate their cleaning. Dryer to be so constructed so as to have removable panels for cleaning.

We will not furnish any steam coils, traps, automatic heat controls, etc. electrical wiring or motor controls. We will not furnish any conveyors or pneumatic tubing to convey the product from the press to the Dryer, or from discharge end of Dryer.

We will furnish all necessary blue prints giving all heating and electrical requirements:

4 screens	(5'-0" wide)	32'-0" x 8'-0"	Price:	\$6,950.00
4 screens	(5'-0" wide)	28'-0" x 8'-0"	Price:	\$6,000.00
4 screens	(5'-0" wide)	24'-0" x 8'-0"	Price:	

One (1) Semi-automatic Patented Long Paste Finishing Room. This Drying Room will be constructed of structural steel frame and its interior of plastic coated plywood, and suspended ceiling (false) of plastic coated plywood. Complete with all necessary aluminum fans, motors, sliding door, electrical control box with one automatic timer for reversing fans and 2 timers for hand setting the amount of heat required and a solenoid valve for steam control. Drying Room to be so designed so as to allow one half of macaroni filled trucks in room to be drying and the other half to be resting with an automatic reversing cycle.

We will not furnish any steam heat coils, traps, etc., electrical wiring or motor controls. We will furnish all necessary blue prints giving all steam and electrical requirements:

9 truck Room	(2 fans)	Price:	
12 truck Room	(2 fans)	Price:	\$1,455.00
16 truck Room	(3 fans)	Price:	\$2,150.00
20 truck Room	(3 fans)	Price:	\$2,550.00

One (1) motorized Blower, complete with injector box, 3 H.P., 3600 R.P.M. motor, blower, 20'-0" of 6" piping and a collector.

Price: \$650.00

One (1) Dry Macaroni Cutter, complete with motor, pump and all hydraulic controls:

Type EMC-2	(Two (2) cutting knives)	Price: \$1,425.00
Type HMC-3	(Three (3) cutting knives)	Price: \$1,575.00

One (1) motor driven Macaroni Shaker, open type, complete with structural steel frame, stainless steel screens and motor.

Price: \$750.00

NOTE: Shakers will depend in size, length of screen, amount of screen, etc. CHECK SPECIFICATIONS.

One (1) Mostaccioli cutting attachment Price: \$475.00

One (1) Spreader only for Buhler Press or others

Price: \$16,500.00

One (1) Egg Dozer Assembly, mounted on a steel platform, consisting of one mixing tank, one feed tank, pumps, control valves and gravity tank, motorized agitators for feed and mixing tanks, and connecting piping .

This whole unit will be fabricated in its entirety of stainless steel with the exception of the platform that this assembly is mounted on.

Price: \$2,475.00

One (1) Short Cut Macaroni Truck, with 4 cast iron swivel castors, with fabricated welded base of steel to hold 25 trays. The trays to have the following measurements: 24" wide x 54" long x 1-1/2" deep inside measurement and a 9" pad on each corner of tray. Complete with 25 trays.

Type LPR

Price: \$198.00

One (1) Long Paste Macaroni Truck, constructed of steel with 4 cast iron swivel castors. Truck to hold 3 tiers of macaroni. Height 76-1/2" - - - Width 36-1/4" - - - Depth 55" or to purchaser's own specifications.

Type LPT

Price: \$48.00

One (1) Long Paste Macaroni Stick made of long grain hard wood, 7/8" in diameter and 54" long.

Type MS

Price: \$0.30

One (1) Combination Die Cleaner, constructed of a stainless steel tank with all parts submerged in water to be of stainless steel or bronze, tank to fit all standard round dies and all standard rectangular dies. Complete with 2 H.P. motor, bronze pump and all essentials for its operation with the exception of electrical controls.

Type DCM

Price: \$1,925.00 ✓

One (1) Combination Die Soaking Tank constructed of stainless steel tank with outlet drain. Tank to have partition for a minimum of 10 standard round dies and a minimum of 4 rectangular long paste dies.

Type DST

Price: \$690.00

NOTE: To be included in contract signed by customer.

The price of this equipment is subject to change without notice and equipment will be billed at price prevailing at the time of shipment of same.

If you so desire we will send our competent mechanic to supervise and assist in the erection of this equipment, you to furnish whatever ordinary labor which is necessary. The charges are as follows:

All travelling expenses from New York and return, as well as a daily charge of \$32.00 plus his hotel and living expenses. This \$32.00 is based on an 8 hour day and a 5 day week. Any time in excess of the 8 hour day, 5 day week, including Saturdays and Sundays will be charged at the rate of \$6.00 per hour.

It is understood that you will provide openings in floors and walls as well as remove any pipes, water, steam or electrical lines and all other obstructions which might interfere with the installation of the equipment.

SHEET FORMER

AROUND # 15,000 WITH C.P.

" " 6,000 WITHOUT C.P.