

## Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Tobacco Section.



SUMMARY BY GROUPS OF GRADES

OF

TOBACCO STOCKS REPORTS

LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS  
JANUARY 1, APRIL 1, JULY 1, AND OCTOBER 1.  
1930 AND 1931.

Washington, D. C.  
December 4, 1931.



EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11,12,13 and 14:

A-Wrappers  
B-Heavy Leaf, Cutting Leaf, and  
Fillers.  
C-Thin Leaf or Cutters.  
X-Lugs and Ground Leaves.  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPES 21,22,23 and 24:

A-Wrappers.  
B-Heavy Leaf  
C-Thin Leaf  
X-Lugs  
S-Scrap, as defined.\*  
N-Nondescript, as defined.\*

GROUPS OF TYPE 31:

A-Wrappers  
B-Leaf or Fillers and Tips  
C-Lugs or Cutters  
X-Trash, Flyings, and Spods  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as Dull  
Crop  
C-Thin Leaf, locally known as Bright  
Crop  
X-Seconds and Ground Leaves  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 35,36 and 37:

A-Wrappers  
B-Heavy Leaf  
C-Thin Leaf  
X-Lugs  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 41:

B-Binders or Tops  
C-Fillers, locally known as Wrappers  
or B's.  
X-Stemming, Farm Fillers, Ground  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 42,43 and 44:

C-Fillers, locally known as Wrappers.  
X-Stemming, Farm Fillers, Ground Leaves  
and crops unsuitable for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 45:

C-Fillers  
X-Stemming, Ground Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 46:

C-Tripas or Fillers  
X-Resagos, Terceros, Boliches, and  
crops unsuitable for sorting.  
S-Scrap, (Picadura), as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 51, 52, and 53:

A-Wrappers  
B-Binders, locally known as Seconds  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers, Ground  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 54 and 55:

B-Binders  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers, Bottom  
Leaves, and crops unsuitable for  
sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 61 and 62:

A-Wrappers  
B-Binders  
C-Fillers, or Tips  
X-Trashy Fillers or Loose Leaves  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

\* For definitions of Scrap and Nondescript see Service and Regulatory  
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS  
SUMMARY REPORT BY GROUPS OF GRADES  
FOR 1930 AND 1931

U. S. TYPE 11.—OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Year & quarter:	Group A : 1,000 lbs	Group B : 1,000 lbs	Group C : 1,000 lbs	Group X : 1,000 lbs	Group S : 1,000 lbs	Group N : 1,000 lbs	Type Total : 1,000 lbs.
1930							
Jan.	8,897	88,676	125,423	116,115	6,158	319	345,589
Apr.	10,412	85,915	112,617	111,382	5,728	222	326,274
July	8,195	70,395	98,193	96,617	5,582	203	279,685
Oct.	7,324	57,426	86,032	83,037	4,438	196	238,453
1931							
Jan.	8,406	101,236	110,296	126,362	4,989	393	351,682
Apr.	8,534	113,391	96,346	134,569	6,173	310	359,323
July	7,477	91,812	84,362	116,061	5,598	325	305,635
Oct.	6,487	79,673	75,222	105,115	4,211	188	270,896

U. S. TYPE 12.—EASTERN NORTH CAROLINA FLUE-CURED.

1930							
Jan.	1,825	42,559	106,720	97,696	5,445	457	254,703
Apr.	1,724	28,372	105,630	73,244	3,861	159	212,990
July	234	22,620	79,248	69,029	2,697	153	173,980
Oct.	118	34,730	80,833	79,173	1,686	466	197,006
1931							
Jan.	236	67,911	91,573	115,017	4,867	328	279,932
Apr.	260	63,697	86,251	107,984	5,265	795	264,252
July	186	43,517	74,170	84,116	4,797	209	206,995
Oct.	129	45,830*	78,504	102,345	4,531	161	231,500*

U. S. TYPE 13.—SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C)

1930							
Jan.	468	24,351	32,733	54,582	1,565	137	113,836
Apr.	549	17,974	32,757	39,894	1,636	114	92,924
July	518	15,355	26,105	38,420	1,074	121	80,592
Oct.	717	29,627	43,066	65,386	1,711	128	140,635
1931							
Jan.	803	33,356	36,112	67,585	1,052	296	139,204
Apr.	778	30,186	34,076	59,122	853	278	125,293
July	612	23,825	29,550	45,783	771	215	100,756
Oct.	813	28,242	48,975	65,023	3,038	230	146,321

U. S. TYPE 14.—GEORGIA AND FLORIDA FLUE-CURED.

1930							
Jan.	1,175	18,373	40,905	20,085	529	290	81,357
Apr.	753	16,365	40,737	16,652	365	90	74,961
July	737	14,470	33,542	14,965	226	64	64,004
Oct.	735	24,520	54,424	31,104	804	87	111,675
1931							
Jan.	673	24,002	48,755	24,200	477	58	98,165
Apr.	420	17,870	44,318	19,229	559	83	82,479
July	158	11,467	37,586	13,838	288	29	63,366
Oct.	46	22,713	46,006	21,220	577	77	90,639

(Figures rounded to nearest thousand pounds)\* Revised figures October 1, 1931 report.



U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Year & Quarter	Group A 1,000 lbs	Group B 1,000 lbs	Group C 1,000 lbs	Group X 1,000 lbs	Group S 1,000 lbs	Group N 1,000 lbs	Type Total 1,000 lbs
1930							
Jan.	1,411	11,317	2,873	19,226	169	2	34,997
Apr.	2,531	14,271	3,229	19,686	251	3	40,021
July	2,724	12,701	2,331	17,613	250	5	35,625
Oct.	1,058	9,322	1,309	15,918	265	44	27,917
1931							
Jan.	1,340	9,707	2,159	19,890	211	85	33,392
Apr.	1,580	10,066	2,562	23,815	226	115	38,364
July	911	8,057	2,061	21,870	281	61	33,241
Oct.	675	6,849*	1,547	19,117	338	81	28,607*

U. S. TYPE 22.-TENNESSEE & KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H.&S.)

1930							
Jan.	3,369	56,697	4,697	12,848	525	1,248	79,384
Apr.	4,091	84,058	13,011	22,377	564	1,071	125,173
July	4,310	81,991	13,941	19,737	861	1,115	121,954
Oct.	3,407	65,315	7,891	9,572	819	485	87,589
1931							
Jan.	2,693	60,134	5,804	9,581	768	283	79,263
Apr.	3,994	82,218	9,073	24,502	933	1,428	122,148
July	4,368	79,900	8,402	26,195	1,199	1,308	121,372
Oct.	3,462	69,172*	6,007	21,594	1,157	629	102,121*

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

1930							
Jan.	576	15,694	5,983	3,947	193	83	27,475
Apr.	429	20,864	7,893	3,943	196	125	33,450
July	394	17,998	3,911	2,298	243	56	24,901
Oct.	343	16,406	1,497	849	334	37	19,467
1931							
Jan.	268	15,292	2,763	2,715	204	46	21,288
Apr.	290	20,984	4,351	6,253	205	163	32,256
July	227	22,803	4,793	5,783	372	196	34,174
Oct.	360	17,978	3,799	4,660	285	146	27,228

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

1930							
Jan.	165	1,426	305	726	47	125	2,793
Apr.	409	2,078	260	2,231	102	10	5,089
July	213	779	116	1,081	91	10	2,291
Oct.	35	152	6	445	90	8	736
1931							
Jan.	90	1,576	356	1,225	525	16	3,788
Apr.	265	3,873	767	3,075	523	16	8,519
July	236	1,415	173	1,842	530	16	4,212
Oct.	172	1,378	143	865	528	16	3,102

(Figures rounded to nearest thousand pounds)

\* Revised figures October 1, 1931 report.



U. S. TYPE 31.-BURLLEY.

Year & Quarter	Group A : 1,000 lbs	Group B : 1,000 lbs	Group C : 1,000 lbs	Group X : 1,000 lbs	Group S : 1,000 lbs	Group N : 1,000 lbs	Type Total : 1,000 lbs
1930							
Jan.	2,026	142,343	142,006	55,849	7,128	451	352,804
Apr.	2,272	240,419	169,503	83,332	10,401	451	506,377
July	1,885	175,725	180,109	70,982	9,432	526	438,659
Oct.	1,546	176,172	127,648	59,069	8,250	347	373,032
1931							
Jan.	1,477	195,697	136,369	66,311	6,734	969	407,557
Apr.	1,546	292,942	158,289	105,011	8,112	2,110	568,010
July	1,311	256,316	141,571	90,557	8,188	2,099	500,042
Oct.	1,309	224,098	127,236	75,561	7,018	1,580	436,802

U. S. TYPE 32.-SOUTHERN MARYLAND.

1930							
Jan.	-	123	12,736	2,336	91	18	15,304
Apr.	-	162	9,964	1,743	73	17	11,960
July	-	337	7,748	1,360	36	72	9,553
Oct.	-	295	12,323	2,704	66	70	17,167
1931							
Jan.	-	523	14,875	1,551	55	34	17,038
Apr.	-	644	12,669	1,142	104	56	14,615
July	-	619	10,099	812	45	81	11,756
Oct.	-	5,830	14,429*	1,628	26	196	22,109*

U. S. TYPE 35.-ONE SUCKER.

1930							
Jan.	1,968	12,288	8,216	5,329	1,639	414	29,853
Apr.	1,889	16,018	10,789	8,126	579	817	38,218
July	1,523	13,395	7,235	7,403	517	300	30,283
Oct.	1,181	11,436	5,473	6,348	397	289	25,123
1931							
Jan.	1,161	12,364	7,565	7,247	382	461	29,180
Apr.	1,727	20,031	12,928	12,384	685	602	48,357
July	1,663	17,056	10,967	10,297	445	598	41,026
Oct.	1,299	13,964	8,297	7,826	485	453	32,324

U. S. TYPE 36.-GREEN RIVER.

1930							
Jan.	501	13,839	2,861	12,692	883	49	30,825
Apr.	404	16,071	2,108	16,061	931	42	35,618
July	258	11,105	2,643	13,686	804	36	28,533
Oct.	264	9,767	1,666	11,358	721	9	23,786
1931							
Jan.	434	11,362	2,338	12,401	826	8	27,369
Apr.	321	12,870	2,184	13,057	868	8	29,308
July	172	11,197	1,797	12,097	865	8	26,136
Oct.	332	10,396	1,415	11,192	899	8	24,242

(Figures rounded to nearest thousand pounds.)

\* Revised figures October 1, 1931 report.

U. S. TYPE 37.-VIRGINIA SUN-CURED.

Year & Quarter	Group A :1,000 lbs.	Group B :1,000 lbs.	Group C :1,000 lbs.	Group X :1,000 lbs.	Group S :1,000 lbs.	Group N :1,000 lbs.	Type Total :1,000 lbs.
1930							
Jan.	265	1,384	658	2,493	142	-	4,941
Apr.	396	1,569	839	2,837	80	-	5,821
July	302	1,417	874	2,241	100	-	4,935
Oct.	220	1,117	712	1,764	64	-	3,878
1931							
Jan.	153	1,089	661	1,896	56	-	3,855
Apr.	244	889	671	2,836	69	-	4,709
July	283	761	785	2,249	64	-	4,142
Oct.	226	675	643	1,864	47	-	3,455

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

1930							
Jan.	-	2,839	58,953	11,013	351	30	73,185
Apr.	-	1,399	71,735	20,303	355	3	93,795
July	-	2,748	68,925	18,338	278	3	90,292
Oct.	-	4,177	62,516	12,667	231	1	79,592
1931							
Jan.	-	1,876	53,371	13,266	271	6	68,790
Apr.	-	12,781	52,091	14,379	234	2	80,387
July	-	12,455	52,509	17,859	188	-	83,011
Oct.	-	14,186	46,316*	13,507	191*	-	74,200*

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

1930							
Jan.	-	-	10,796	1,355	117	-	12,267
Apr.	-	-	12,647	2,161	138	-	14,947
July	-	-	12,813	1,746	27	3	14,589
Oct.	-	-	11,025	1,311	26	34	12,395
1931							
Jan.	-	-	9,343	1,108	27	12	10,490
Apr.	-	-	15,752	3,141	135	2	19,030
July	-	-	16,326	3,055	26	11	21,418
Oct.	-	-	16,549	2,850	29	2	19,430

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

1930							
Jan.	-	-	12,869	3,213	56	4	16,141
Apr.	-	-	16,314	3,552	78	22	19,966
July	-	-	16,642	3,554	102	1	20,300
Oct.	-	-	14,817	2,882	59	8	17,766
1931							
Jan.	-	-	12,488	2,243	95	1	14,827
Apr.	-	-	23,984	3,645	35	10	27,674
July	-	-	23,174	4,393	33	1	27,601
Oct.	-	-	20,936	3,991	30	1	24,958

(Figures rounded to nearest thousand pounds.)

\* Revised figures October 1, 1931 report.



U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

Year & Quarter	Group A :1,000 lbs.	Group B :1,000 lbs.	Group C :1,000 lbs.	Group X :1,000 lbs.	Group S :1,000 lbs.	Group N :1,000 lbs.	Type Total :1,000 lbs.
1930							
Jan.	-	-	5,674	369	51	-	6,094
Apr.	-	-	5,332	1,102	101	1	6,536
July	-	-	6,322	992	59	-	7,393
Oct.	-	-	5,305	923	37	-	6,266
1931							
Jan.	-	-	4,396	765	22	2	5,185
Apr.	-	-	6,029	1,442	214	-	7,685
July	-	-	8,164	1,249	23	-	9,436
Oct.	-	-	8,415*	1,352	31	-	9,798*

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN.

1930							
Jan.	-	-	1,497	37	1	3	1,538
Apr.	-	-	1,294	16	6	2	1,318
July	-	-	1,308	22	10	-	1,340
Oct.	-	-	2,296	2	45	3	2,345
1931							
Jan.	-	-	1,687	2	43	1	2,033
Apr.	-	-	2,163	9	49	2	2,223
July	-	-	1,438	1	41	-	1,530
Oct.	-	-	2,409	-	10	-	2,419

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

1930							
Jan.	-	-	21,283	5,940	1,786	32	29,040
Apr.	-	-	20,296	6,225	1,890	23	28,442
July	-	-	17,988	5,096	1,615	34	24,734
Oct.	-	-	17,006	4,877	1,580	47	23,510
1931							
Jan.	-	-	20,036	5,484	1,739	25	27,284
Apr.	-	-	20,897	5,158	1,877	-	27,932
July	-	-	18,768	4,694	1,478	-	24,940
Oct.	-	-	18,171*	3,982	1,391	2	23,546*

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF.

1930							
Jan.	2,238	18,163	857	8,018	194	37	29,507
Apr.	2,158	18,331	1,198	8,293	80	11	30,072
July	3,100	17,465	1,274	7,016	105	1	28,960
Oct.	2,404	15,536	738	5,916	116	10	24,809
1931							
Jan.	2,657	12,515	1,052	7,139	74	1	23,438
Apr.	3,735	17,853	1,753	7,327	40	-	30,758
July	3,934	21,477	1,266	6,646	53	1	33,377
Oct.	3,372*	18,945*	1,542	6,069	40	1	29,969*

(Figures rounded to nearest thousand pounds.)

\* Revised figures October 1, 1931 report.



U. S. TYPE 52.--CONNECTICUT VALLEY HAVANA SEED.

Year & Quarter	Group A : 1,000 lbs.	Group B : 1,000 lbs.	Group C : 1,000 lbs.	Group X : 1,000 lbs.	Group S : 1,000 lbs.	Group N : 1,000 lbs.	Type Total : 1,000 lbs.
1930							
Jan.	2,892	20,989	708	8,839	60	-	33,488
Apr.	2,590	28,859	2,605	9,364	38	2	43,469
July	2,324	23,871	1,716	7,794	27	-	35,732
Oct.	2,308	21,453	1,449	7,141	18	-	32,598
1931							
Jan.	2,108	21,820	1,356	7,356	10	89	32,739
Apr.	2,951	29,725	1,479	8,010	11	-	42,176
July	1,765	27,370	1,765	7,351	14	-	38,265
Oct.	1,742*	24,188*	1,506	5,897	9	-	33,442*

U. S. TYPE 53.--NEW YORK AND PENNSYLVANIA HAVANA SEED.

1930							
Jan.	25	470	330	1,534	35	-	2,393
Apr.	62	711	337	1,695	5	-	2,810
July	73	651	177	1,624	9	-	2,553
Oct.	70	394	217	1,473	12	-	2,166
1931							
Jan.	43	443	269	2,073	9	-	2,837
Apr.	44	467	188	2,830	29	-	3,558
July	32	330	234	3,002	16	-	3,644
Oct.	119	292	233	2,373	17	-	3,034

U. S. TYPE 54.--SOUTHERN WISCONSIN.

1930							
Jan.	-	8,687	1,788	32,809	25	-	43,308
Apr.	-	10,268	3,489	46,534	49	-	60,340
July	-	9,668	4,024	44,023	55	-	57,770
Oct.	-	9,507	3,695	37,879	62	-	51,143
1931							
Jan.	-	8,548	3,204	32,741	79	-	44,572
Apr.	-	11,697	3,657	40,367	64	-	55,785
July	-	13,275	4,641	48,506	53	-	66,475
Oct.	-	12,653	4,226	43,044	63	-	60,586

U. S. TYPE 55.--NORTHERN WISCONSIN.

1930							
Jan.	-	12,819	648	15,457	355	22	29,301
Apr.	-	13,474	1,857	20,581	161	7	41,080
July	-	17,903	2,369	18,892	50	34	39,253
Oct.	-	15,775	2,253	16,026	61	16	34,131
1931							
Jan.	-	13,896	1,752	13,026	45	-	28,719
Apr.	-	19,904	3,151	18,597	51	27	41,730
July	-	20,867	5,344	19,797	45	27	46,080
Oct.	-	20,755	4,985	18,776	43	24	44,583

(Figures rounded to nearest thousand pounds).

\* Revised figures October 1, 1931 report.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

Year & Quarter	Group A 1,000 lbs.	Group B 1,000 lbs.	Group C 1,000 lbs.	Group X 1,000 lbs.	Group S 1,000 lbs.	Group N 1,000 lbs.	Type Total 1,000 lbs.
1930							
Jan.	7,228	2,727	1,140	48	121	63	11,329
Apr.	7,077	2,218	997	79	125	5	10,499
July	6,810	2,100	1,156	33	109	-	10,207
Oct.	6,641	2,251	1,132	30	106	2	10,162
1931							
Jan.	7,608	2,958	859	224	111	11	11,771
Apr.	5,635	4,142	710	236	88	7	10,818
July	6,230	2,985	695	255	90	-	10,255
Oct.	6,034*	3,824	695	254	56	-	10,863*

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

1930							
Jan.	4,262	573	157	30	13	13	5,048
Apr.	4,223	491	193	34	3	6	4,950
July	3,466	410	62	29	1	-	3,968
Oct.	5,145	560	120	57	31	8	5,921
1931							
Jan.	4,373	709	35	41	4	3	5,165
Apr.	3,596	620	172	38	2	-	4,428
July	3,360	654	68	26	1	1	4,110
Oct.	4,056*	924*	155*	61	1	-	5,197*

U. S. TYPE 70 MISCELLANEOUS DOMESTIC	U. S. TYPE 80. FOREIGN GROWN CIGAR LEAF	U. S. TYPE 90. FOREIGN-GROWN OTHER THAN CIGAR LEAF.
TOTALS	TOTALS	TOTALS

1930			
Jan.	1,989	13,318	72,640
Apr.	4,106	15,125	79,003
July	2,932	5,628	74,025
Oct.	2,918	14,520	61,993
1931			
Jan.	2,723	13,689	67,501
Apr.	2,973	15,656	80,332
July	2,843	14,750	74,131
Oct.	2,573*	14,426*	62,727*

(Figures rounded to nearest thousand pounds)

\* Revised figures October 1, 1931 report.

