

m.s.

52

deo







~~1817~~

~~c. d.~~

~~the
same~~

N. XV

16/d

~~Aug.~~

U. L

g. E.

S.T.C. 6988

Rams little Dodeon.

A briefe Epitome of the newe Herbal,
or *History of Plants.*


Wherin is contayned the disposition and true declara-
tion of the Phisike helpe of all sortes of herbes
and Plants, vnder their names and operati-
ons, not onely of those which are here
in this our Countrey of England
growing, but of all others also
of other Realmes, Coun-
treyes and Nations
Gabi. Crans vied in Phisike: *Chillinge*

Collected out of the most exquisite newe Herball, or
History of Plants, first set forth in the Dutch or
Almayne tongue, by the learned and worthy
man of famous memory, D. Reinbert
Dodeon, Phisicion to the Empe-
rour; And lately translated
into English by Henry
Lyte, Esquire:

And now collected and abridged
by William Ram, Gent.

Pandit Oliua suos Ramos.

Imprinted at London by Simon Stafford, dwelling
in the Cloth-Fayre, at the signe of the
three Crownes. 1606.



The Author to the Reader.

Ouing & most naturall countrymen : I haue
bestowed some tyme, in reducing the most
exquisit new herball or history of plants (first
set forth in Dutch and Almayne tongue, by
the learned and worthy man, of famous memory, D.
Reinbert Dodon, Phisicion to the Emperour, and
translated into English by Master *Henry Lyte*, Esquire)
into a briefe and short Epitome : wherein is contay-
ned the disposition and true declaration of the phisike
helps of all sorts of herbes and plants, vnder their seueral
names & titles, not onely of those which are here in this
our countrey of England growing, but also of others of
foreine realmes, countreys, and nations, vsed in Phisike,
(being nowe brought into a very samll volume) So as
where the geat booke at large is not to be had, but at a
great price, which canot be procured by the poorer sort,
my endeuor herein hath bin chiefly, to make the bene-
fit of so good, necessary, and profitable a worke, to be
brought within the reach and compasse aswell of you
my poore Countrymen & women, whose liues, healths,
ease and welfare is to be regarded with the rest, at a smal-
ler price, then the greater Volume is : wherein I haue
made declaration of certayne dangerous Plants, with
their corrections; onely drawing them into a special Title
by themselues, which before were dispersed in many pla-
ces. This onely obseruation I gaue thee, that where, in
many titles of cures, all, or the most part of the herbs or
simples for such cure, are drawn within this dire&, & it
is not to be intēded, that all those simples should be Sad-
ded together in the vse of Phisike, but that euery of them

A 2 by

The Authour to the Reader.

by themselves are to be ministred for the cure of the disease vnder their severall tytles: and that this Character or marke,—which you shall finde in many places of this book, is to giue the right vnderstanding of the herbe (by which it is set) by some other more familiar name, then in his first place: And as it pleased that famous and worthy man, D. Reinbert Dodeon, the Patrone of so excellent and necessary a woorke, to offer the same into the world: And as the sayde worshipfull gentleman, master Henry Lyte, by his diligence hath translated the same into our English tonge, for the benefit of all his countrymen, to the end the light thereof might not be hidden or extinguished, to their great prayse and commendations: Euen so, my poore talent of endeavor hath byn to none other end, but only to draw that into a handfull, which before was in the compas of a great garden: or else to bring that into a little Gardē, which before was (as to be looked for in many fields and dispersed places) not to be found but by great labour and industry: my onely and greatest care hath byn of long tyme, to knowe or thinke, how and vpon whome to bestow the dedication of this my small labor: And in the penning of this my letter, my Affections are satisfied with the dedication thereof to thee my poore and louing countryman whosoeuer, and to whose hands soever it may come: For whose sake I haue desired publicatiō of the same, beseeching Almighty God to blesse vs all.

William Ram.



The Contents of this Booke.

A Speciall note that the first page of euery leafe being opened, contayneth the practice of M. R. Dodeon : And that the second opposite page, vnder the Title *Incidentia*, contayneth the practises of others for the same Phisike helpe, collected and inserted by the Author of this Treatise.

Certayne excellent approoued experiments vnder the Title *Incidentia*, incident to the cures of many, or of the most part of the lame diseases, set on the other opposite page.

A declaration of many dangerous herbes and Plants, very dangerous and hurtfull to man, by reason of their malignant and hurtfull qualties.

The correction of the same dangerous plants, or many of them.

Observations for euery of the twelve moneths in the yeere.

Observations of times of gathering, ordering and preseruing of certayne herbes, fruits, leedes, flowres and rootes.

Observation of gardening, by father Kinke of Tibolds.

Observation of diuers dangerous dayes in the severall moneths of the yeere.

Certayne generall observations.

Observations of Dyer, good and cuill for the parts of mans body.

All these Plants, or the most part of them
have their severall dangers and pro-
perties, and therefore they are
to be corrected, or to be
yfed by good
discretion.

Hempesēde, Pewlēz, Agarick, Squilla, Leks,
Onions, Indian Pepper, Thlaspy, Colewoots,
Drache, Poole reede, Wister Witch, Chich pease,
Hemlock, Solanum, Mandragora, Oleander,
Lacockenon,aconitum, Ranunculus, Fyne,
Scamony, White Bryone, Wallwort, Elder,
Colloquintida, Lismachus, Curyd Cowcumer, Stanesacre,
Przeron, Camelea, Phyllium, Lamell, Harvard dill,
Lapsia, Peplos, Spurge, Ozula, Lithosail,
Elebor, Ciclamen, Astilogia, Euphorbium, Lacerpitium,
Coylander, Compas, Aneos, Carthamus, Flaxe sade.

All these simples and plants are not to be
taken into the body, without great
skill, and good correction, by the
learned and skilfull
Physcions.

All the Crow-fotes, especially Apium risum, taken inward-
ly, spoyleth the sensnes and understanding, and draweth to-
gether all the sinewes of the face, making them that hane eaten
theress, to seeme to laugh, and so they dye laughing, except pre-
sent remedie be provided.
Flannula, Wolkes bane — Licostratum, Hererum — Oleander
Oppium — Papauer, Mandragora, Solanum lethale, — Divale,
Solanum somniferum, Henbane, blacke especially, Hemlock,
Pewle tree not to spee under.

The

THE CURE OF DISEASES

The Corrections of dangerous Herbes, Plants, and simples.

The danger of Hetherwood: it is a hurtfull enemy to Sothern-the stomake: therfore Gallen woulde not haue it ministred inwardly in the body. Catha,

The danger of the seede of ballard Hassro, it is hurtfull to the stomake, causing desire to vomyt, of hard and slowe operation, remayning long in the stomake.

Put to that seed, Annis seeds, Galingale, Dailek, Gin-Correcter, Sal gem, & common salt, which will hasten his operation, and correct his malignity.

The danger is, being taken into the stomake, it is a hindrance Flaxseed to digestion of meate, and breedeth windinesse. or Lyne-
The danger, it is hard of digestion, contrary to the stomake, seede. seede.
it causeth payne, gret, and dulnes in the head, it engendreth Hemp-grosse and naughty humors in all the body. seede.

When yee will use Lysimachus, take none but that with the Lysimachus yellow Flowres, which is the right herbe, and the other not, chus, his The danger, it is hurtful to mans nature, it engendreth cold-choyce-nes, and visnesse throughout the body, with pensuenesse Psilliun, and heauynesse of the heart.

Inrouke vomit, with medecines convenient to cast Correct-
it vp: then giue to drinke of the best and most sanzy wyne, being coide by it self, or boyled with wormwood, or mingled with honyn, and a little iye, or the decoction of Dill.

The best are those which growe in Slavonia.

The next in Macedonia.

The third in Africa.

The white Iris is taken for the best.

Flowre
de Lyce

rootes:
their

The choyce,

The Corrections of dangerous

Ametos. The danger of the saete taken in too great quantity, it faketh away the colour, and pronoketh palenesse as in dead boles.

Cummin. The danger, being too much vsed, it decayeth the natural complexion, and luely colour, and causeth a man to looke wan and pale.

Coriader. If greene Coriander be taken into the body, it causeth hidnes, fransy and dulnes of the vnderstanding, it maketh the party see me as if he were draken: the Joyce taken in quantity of 4. drams, kuleth the body.

Lacerpi-
tum the
choyce. The best is that which is reddish, cleare & bright, and sauentum the ring like myrr, not greenish, or a good pleasant smell, which being dissolved, wipeth white.

Euphor-
biun: the
danger. By reason of his extreme heate, it is hurtfull to the Iuyor & the Stomack and all the inward parts, being receyued inwardly, it chaseth and instauneth out of measure.

Correc-
tion. First annoynt it with the oyle of Swarte Almonds, then put it in the middle of a Cytron, and wap it in leuened paste, and bake it, and then use it.

Manardus taketh of mastick & gum Dragagant,asmuch as of Euphorbium, and mingling them together, putteth it into the midd of an unbaked loafe, and baketh it well, then he taketh the crum of that loafe, and maketh pills, and giueith it for the weakesnes that commeth of the French poxe, & all anguish and paynes outward.

Another mingleth Euphorbium with the like quantity of mastick, and maketh pills with the Joyce of Citrons, or of Oranges, and vise ihem much agaynt the pestilence.

Astrolo-
chia the
choyce. Round Astrolochia is of sene and subtill partes, and of stronger operation then the red, it mandiseth and cleaseth mightily, it uppleth and maketh thin, grosse humors.

Long Astrolochia is better to incarnate, and to engender flesh in vlcers,

Astrolochia Climatis hath best salioz, and therfore maketh best oyntments.

herbes, plants, and simples.

The danger: In what sort soever it be taken, it is dangerous Ciclamē to women with childe: wherefore let them take hēde not only Sow- how they receive it inwardly, but also let them bee aduised in a· bread. ny wise not to applie it outwardly, nor to carrie it about them, nor yet plant it in their gardens, for it will hinder them if they goe but ouer it.

The danger: being vnpreserved, and taken out of time and White place, or too much in quantitie, is hurtfull to the bodie: for it cho- keth and troubleth all the inward parts, shrinketh and draweth together al the sinewes, and slayeth the partie: therefore vnpreserved it ought not to be ministred, nor then, without good hēde and great aduisement: for such as are either too yong, or too olde, feeble, that spit bloud, that are grieved in their stomacks, whose brests are straight and narrow, their necks long, such people must in no wise deale with it without leopardie and danger: therefore be aduised by learned Phisicions.

Although blacke Elebor is not so vehement as the white, yet it Blacke cannot be giuen without daunger, especially to people hauing Elebor, their health, &c. and not to be ministred but in desperate causes in the spring time only: and not before it be aduisedly prepared and corrected.

¶ Elebor giuen with Long-pepper, Isop, Daucus, and Annis- Corre- seeds, maketh it to work the better, & with lesse danger. Also, if it be boyled in the broth of a Capon, or of any other meate: and that broth may be giuen to drinke, and with lesse danger.

The daunger of the Juice and seede of Tithimalles: it wor- Tithi- keth violently, hurtfull to the nature of man, troubling the body, malles, overturning the stomacke, burning the throate, making it reugh and soze: wherefore Gallien willeth not to hane it ministred inwardly, but to be applyed outwardly.

¶ Lay the bark of the roots to soke in Vineger by a day, then Correc- drie it, and make it in powder, and put to it Annis and Fenell tion and seedes, Gumme Dragagant and Masticke, and so ministering it remedie. with some cooling and refreshing liquor, as Endive, Cichory, or Oringes, &c.

The danger is like to the Tithimalles, and hurtfull.

Ezula.

¶ The euill qualitie is corrected as the Tithimalles.

Correc-

tion.

The

The Corrections of dangerous.

Spourge The danger: it is hurtfull to mans nature and body, as the Tithimalles.

Correc-
tion. ¶ Take the seede of Spourge, with Dates, Figges, or Gumme Dragagant, Masticke, Annisseedes, or any refreshing or cooling herbe: or if one drinke water, straight waies it correcteth, &c.

Peplos. The danger is hurtfull to man, as Spourge.

Correc-
tion. ¶ Is as of Spourge.

* Thap-
sia. * The daunger: in drawing the suyce from the herbe & roote, great inflamation chaunceth to the partie that draweth it, in his face: And received into the bodie, it causeth great windynesse, blasking, turmoyling, and ouerturning the whole body: and it hurteth the bowels and inward parts.

Correc-
tion. ¶ When one will gather the Juyce, or strip the barke off the roote, let him anoynt his face and bare places, with oyle of Rose and ware.

When it shall be ministred inwardly to open the belly, put to it Long-pepper and Sugar.

Wilde
Saffron,
Hermo-
dactil.
Correc-
tion. The danger: it stirreth vp gnawing and fretting in the body, as if it wers all rubbed with nettles, it inflameth the stomacke, and hurteth the inward parts, so as at first it procureth bloody excrements, and after bringeth death.

¶ Drinke a great draught of Cow-milke: Put to it Ginger, Long-pepper, Annisseedes, Comin, and a little Masticke: it correcteth, and helpeth.

Lawrell. The danger: it doth vexe and ouerturne the stomacke, it inflameth, hurteth, and burneth the inward parts.

Correc-
tion. ¶ The leaues are to be steeped one day in good strong Vineger, then drye it, and keepe it to vse.

If first you lay to soke in that Vineger, Quinces, or the seede of Barberies, when you will occupie the leaues prepared, you must make them in powder, and give it with Annisseedes and Masticke, or boyle them in whay or sweete milke, especially goates milke, or the broth of a Capon.

Chame-
lea. The danger is very neare the nature of venim, hurtfull many wayes to mankind: it greatly hurteth the stomacke, liner, and to all principall parts of man, chafing, and vehemently grieuing the inward parts.

¶ The

herbes, plants, and simples.

¶ The correction is as of Lawrell.

Correc-

* The dager, by reason that it is very hote, it is very hurtfull, tunc, and of strong and vehement working, grieving the inward & Meze- parts.

ron.

¶ His correction is as of Chamelea.

Correc-

* His danger is very hurtfull to Nature, for it catcheth & infla- tion meth all inward parts: it overturneth the Stomacke, being holde & Staues- den in the mouth: it causeth inflammation in the mouth and agre. thoate, and therefore it is to bee ministred outwardly.

¶ Before you occupie the sède of Stauchagre, Sipe it in Wi- neger, and drye it.

tion.

You may giue it to be drunken with meat or Homed wa- ter.

Who that hath taken in any of this sède, must walke without stayng, and shoulde drinke HIDROMELL often, when he feeleth a- ny kind of choking.

* ¶ It must be giuen with meade, or with swæt milke, a lit- * Wild
tle Anniseeds and salt, or giue it in powder with Gumme Dra- Cowcu-
gagant, Anniseedes, and a little salt. mer, the

* The dager: it hurteth the inward parts, & openeth the smal correcti- baines, it prouoketh gripings, and tormentes in the belly.

on.

The daunger is exceeding hurtfull to the Stomack, and Liver, * Idem,
hurting the bowels and intrayles.

Collo-

¶ Put to the pulpe or pith thereof Gumme Dragagant quintida and Mastick, and after make it into Treches or Balles with Correc- hony.

tion.

The danger it is very hurtfull to man, it stirreth vomiting, Elder, rolling and tumbling the Stomack, bowels, and belly, it ma- keth the body weake and feble, and it wasteth the strength of the Liver.

The daunger: it is noysome to the Stomack and inward Wall- partes, as Elder.

woort.

The daunger is, the rote by his violence troubleth and ouer- White
turneth the Stomack, and other inner parts, it is altogether euill, Briony. and contrary to women with child.

¶ The malice or naughtye quality thereof is taken away, by Correc- putting to Mastick, Ginger, and Cinnamcn.

tion.

The Corrections of dangerous

1 The danger: the Juice is very strong and violent, causing wanbling and windinesse:

2 It chafeth the liver and bloud, and it ingendereth feuers so such as be of hote complection.

3 It openeth the vaines, and hurteh the bowels and inward parts, to the prouoking of bloody excrements, verie hurtfull to the liver, heart, and inward parts.

Correc-
tion. 1 Boyle or digest it in a Quince, or paste of Quinces, vntill the Quinces bee verie tender and perfectly boyled, and then it is called Diagredium.

2 Spise it with some cold Juyce, as of Roses, Psilliū, or Prune-pulpe.

3 Put to your Diagredium, Mastick, or the iuyce of Quinces.

Fearne. The danger is verie great, especially to women with child.

Polipo-
die the
choyce.

The roote which groweth at the stote of the oke is best, and most profitable to be vsed in medicines.

Ranū-
culus.

The daunger: they al are dangerous and hurtfull, they kill and slay, especially Apium Risus, which taken inwardly, spoyleth sences, & draweth the sinewes: as those which haue eaten thereof, seeme to laugh, and die laughing, without some present remedie.

Acco-
nite.

The danger is great, it killeth wolues, swine, and all beastis both wilde and tame that eate of it.

Lico-
nium.

The danger of wolues bane, being taken in, it inflameth the heart, burneth the inward parts, and killeth the bedy.

Rose-
oleander

The danger: it is verie hurtfull to man, and killeth Sheep, Goates, Dogges, Asses, Mules, Horses, and all soure footed beasts.

Nereū.
Mandra-
gora.

The danger: it is most hurtful to man, to be received into the body, if it be take in, neuer so little quantitie more then ought to be, it killeth the body; the leaues and frust are also very dangerous.

Solanū
sominis-
ferum.

The danger is great: if yee giue more shen twelue berries, it causeth rauing, distraction, and furiousnes, as much as Opium.

The roote taken in wine, to the quantitie of a dram, causeth vaine and idle imaginacions: two drams bringeth frensie and madnesse, which lasteth thre or fourte daies: soure drams taken in,

herbes, plantes, and simples.

in, killeth the bodie.

The danger by his venemous qualitie is great: for whoso Hem-
ever taketh of it, dieth, except hee drinke good old wine after it, block.
But if he taketh Juyce of Hemblock together with the wine,
the poysen is augmented, and it killeth.

The danger: the use of these pease is not very good for them Chiche-
that haue any ulceration in their kidneyes or bladders: for they pease
be too much scouring, and do cause the vaine to be sharpe.

The danger of Ers or Oribus: being vsed often, & in too great The bit-
a quantitie, it causeth head-ache and heauie dulnes: it bringeth ter vitch,
forth bloud both by vaine and excrements of the belly. called

The danger of þ Poole Reed or Harundo vallatoria, is, that if Eruin.
the downe that is in the toppe or tufting tassell thereof chanceth þ Poole
to fall into the eares, it bringeth such dulnesse and deafnesse as Reede.
is hard to bee cured.

The danger: the often eating thereof engendreth many infir. Orache.
mities: it overturneth the stomacke, and it causeth divers spots,
freckles, and pimples to arise in the face, and all the rest of the
body, also it is hard of digestion.

The danger of them: eaten, they engender grosse and melan. Cole-
cholicke bloud; especially the redde kind: the white are better to worts.
digest, and engender more agrēable and better nourishement, e-
specially when they haue beeē twise sodden.

The danger is: seeing the sead is verie hote, and of strong and Thlas-
behement working, insomuch that being taken in too great a pie-
quantitie, it purgeth or scoureth even unto bloud, and is verie
hurtfull to women with childe, therefore it may not bee rashly
ministred inwardly.

The danger: it is dangerous to bee often vsed, or in too great Indian
a quantitie: for this pepper hath in it a certaine euill qualitie, pepper,
whereby it killeth dogges, if it be giuen them to eate. Capſicū.

The daunger: the often use of them causeth head-ache, and Onions.
ouer-much sleepe, and is hurtfull to the eyes.

The daunger: they engender euill humors and windinesse, Leekes.
they cause heauie and terrible dreames: they darken the eye-
sight: they are verie hurtful to them that haue any exulcerations,
or going off of the skinne of the bladder or raynes.

The Corrections of daungerous herbes, &c.

Squilla. The daunger: it is a very sharpe and harde medicine, it is subtil and wasting, hurtfull, and soozing the nature of man, when it is taken or vsed rawe.

Correc- ¶ It is not to be vsed into the body, without it be first sodden, rostred, or baked.

Arbutus The daunger: the fruit thereof eaten hurteþ the Stomack, and causeþ head Ach.

Agarick The daunger: it is of slow operation, taken in too great a quantitie, it febleþ the inward parts.

Correc- ¶ It is corrected being giuen with Vineger, Sal gemme, and tion. chiefly with Oximell.

Yewtree The daunger: it is altogether venomous, and against mans nature.

It is so hurtfull, that if one do but sleepe vnder it, or the shadow thereof, he becommeth sick and sometimes dieth, especially when it bloweth.

In Gascoyne it is most daungerous: if any eate the fruit, it causeth the laske.

The birds that eate the Berries thereof, do either die or cast their feathers.

Observations



Obseruations in Januarie.

With this fyre I warme my hand.

If frost and weather be not extreme, the wind not at West or North: set trees, of Apples Quinces Cherries Rosiers
Pears Plums Filbirds Raspis
Mardens Damsons Walnuts Goseberies
Barberies Quicksets Hawthornes Blackthorne
and generally all trees and plantes, the yonger the better.

In the wane of the Moone in the first quarter is best to set those and all others that shal beare fruit or flowres, and to prune trees, to cause them grow and beare the better.

In the wane of þ Moone, set beanes, pease, & hastings, & sow parsneps, carrets & onions, if the weather be mild & not too hard.

In the end of this moneth, in the new Moone it is indifferent good to graffe, fell, and crop trees.

Forget not to luke to weake cattell.

Giue drinke to sick cattell: to Kine with Vergis, and to horse with white water made with ground Mault or Branne, or with some drinke if need bee.

If they be pore, giue them sodden wheale.

Sow Lettice, Reddish and Spynach.

Drinche Hoggis with whay, or take Ornament, alias Oxale, and Triacle of Jeane, an ounce of each: Bolearmaniak halfe an ounce in fine powder, temper it in a pottell of whay for a hog, and in a pint of vergis for a Cow, and giue it to drinke warme.

Weane Calues and Pigges for store.

Pow geld or lybbe, the signe being fro the brest bywards, and from the thighes downewards, the Moone being at land and at full: for it is ill cutting at full.

Let not your cattell take any sudden heat, before nor after cut.

Use little Phisick but for great necessity. (ting.

Let no blood but in case of necessarie, by skillfull advice, and in good time.

Use

Observations in Iauuarie.

Use warme meates.

Drinke white wine fasting, if thy backe be not weake, or that thou bee not subiect to the gout.

Eschew all sweete meates and drinckes, and vse warme cloathing.

Let not such as are subiect to the Rheume, take cold nor wet on their feete.

Such as haue aches may sweate or bathe, taking no cold.

Cold Januarie loueth hote clothes.

Warne meates and broths are best.

Meates that are warne conuenient be.

Blæde not, but bathes by counsaile vse.

Draw no bloud from vaine, but so[n]t necessarie.

If thou blæde beware of cold.

Walk e not abroade in the night time.

Use to eate the best confectiones.

Drinke white wine, for that fleyme increaseth.

To fast long is hurtfull to the body.

Eate Sallets well prepared with syle and spices.

Wash not thy he[ad].

Bathe in safetie thy body warne.

To take a vomit is not hurtfull.

Take euerie morning during this month, a little quantitie of Rosed honey to comsoo[n]t the Stomacke, and to cleanse the body of choler and fleyme.

Drinke in ale or wine,

Graines,

Ginger,

Putmegs,

Cloues.

Observations





Obseruations in Februarie.

With this spade I digge my land.

In taking Phisick bee not too bold.
As yet no vaine let opened be.
Be choyce of soode, prouide soz cold,
For feare lest Agues trouble thee.
Welke now and Fennish feule denie,
As now no holosome messe.
Hole medecines and flegbotomy
Are vsde with ill successe.

Eate confectiones condited with honey, to purge the bloud.

Eate apples.

To eate fresh bæke often is hurtfull, or other moyst meates.

Use not to eate any pot-herbes, but Pareley, Smaleedge,
and such like.

Eate rather sodden meate then rost, to keep thy bodie soluble.

To bathe is not hurtfull, nor to take a potion.

Blæde in the vaine vnder the Thumbe.

Take pilles to purge the head.

Eate honey with bread, to purge the head and bladder.

| | | | |
|-------|--------------|--------------------|--------------------|
| Sowle | Larkspete, | Rocket, | In þ old Moone. |
| | Asparagus, | Cardus benedictus, | |
| | Burnet, | Spinage, | |
| | Artichocks, | and Cucumers, | |
| | Harts-horne, | Parceneps, | |
| | Samphire, | Coleworts, | |
| | Hauell, | Cabage & Lettice, | |

| | | | |
|-------|----------------|-------------------|--------------------|
| Sowle | Palma Christi, | Marygolds double, | In þ new Moone. |
| | White Popie, | Coriander, | |
| | Rocket, | Flowre-gentle, | |
| | Margeram, | Violets, | |

C

Sowle

Observations in Februarie.

Time,
Hewe { Pumpions,
Purcelaine,
Keddish & Borage, } in the new Moone.

Hewe { Chickweede,
Cichory white,
Beetes, } and { Fenell, &
Parcely, } in the full Moone.

Hewe { Onions,
Cabages,
and Leakes, } in the wane: and replant Cabages in
the decrease.

In the new Moone, graffe, plant, and set almost all treas: cut
Quickset hedges, set Roses and berry bushes, the weather good,
and wind respected.

In the wane set Beanes, Pease, & Hastings, & all kind of li-
gumen: and sow Onions and Parceneps. And now good hus-
wiues set toward their gardens, in setting and sowing most
kind of herbes and seedes, except Wazell, Margeram, and such
like, which cannot abide cold nor drought. Now sow kearnels
of Barberies, Peares, and Apples.

Set Hops.

Sow Mustard-seede.

Set Wines, and prune them.

Stake, and reare vp Rounseualles.

Refraine all things that stop the liver or heines, or that thic-
ken bloud, as Rice, Milke-pottage, with Mallowes, and al simile
meates.

Forbeare Phisick, and bloud-letting.

Beware of taking cold, for now Agues are apt to be taken.

Now it is dangerous to take sudden heate or cold.

Observations



Obseruations in March.

Here I cut my Vine spring.

Still have regard what soode you take,
For now in man b̄ede humors great,
The learned of your counsaile make,
Before you blede, bathe, purge, or sweate.
Such vituals March requireth,
As are both light and pure,
Blood letting somewhat profiteth,
And medicines somewhat cure.

Eate pleasant and well spiced meates.

Refraine sharpe meates.

Drinke pleasant and the strongest wines.

Oft times eate Lekke pottage.

To bathe often profiteth much.

Eake no posien to purge or blede by veine.

Eate often Penny-royal, to heate h̄ stomach, & to make diges
Wherin sallets eate Bittony, to cleanse the sight, & to amēd h̄ head.

Use { Graines,
Ginger,
Nutmeggs, } and such like spices, profitable this time in
Galingale, } drinkes or meates.
Pepper,

Sow { Cabage, Lettice, } Bayell, } Artischocks,
Cucumers, } Saffron, } Cardus
Cardus benedict. } Harts-horne, } Chickweed, } in h̄ old
Hampshire, } Harts-ease. } Burnet, } spone,
Gilliflowres, } Mallowres, } Isop, savorry.

Sow { Reddish,
Pumpions, } Margerain, }
Dauell, } Violets, } In the new
Coriader, Worage, } and Time, } spone.
Parcelan, } Marigolds, }
Sow Cabage coles, Onions, and Lekkes, in the wane.

Observations in March.

Sowe { Beetes,
Parsely,
Fenell, } and { White Cicory, } In the ful monthe

Sowe { Lettice,
Reddish,
Spynage, } at all seasons.

In the new monthe grasse any good fruit, respecting the wind:
plant Quickslets, so that the weather be not too drye.

Set Vines and prune them, set Hops and Willowes, and cut
Quickslet hedges.

In the waine, set Pease and Beanies, and sowe Onions,
Parseneps, Otes, and Field pease.

Good huswiues are now knowne by their gardens.

I neede not to tell that it is now good to set and sow all herbs,
except Bazell and Margeram, and such like.

In yend of this month set Cucumers, Melons, & Artichocks.

Sow Barley in moist and cold ground.

Crose feeding b̄deth euill bloud and grosse humors.

Use meates of good digestion, and such as b̄de good iuyce.

It is good to purge in warme and milde weather.

Now it is good to enter into the diet of Ginacom.

Sweete meates and drynkes are now holsome.

March sayd to Auarill,

I see three hogges vpon a hill :

Wilt thou lend me dayes thre,

Ize do my good will to make them die.

When thre dayes were come and gone,

The thre hogges came hopping home.

A shoure in March, { The third in Auarill,

Another in May, }

The fourth about the Lammastide,

When Corne beginnes to fill,

Is wel yworth a plough of gold,

And all that longs theretill.

I.D.

Observations



Obseruations in Aprill.

Heere I heare the birds sing.

ALL things their strenght now put in vse.
The pores are open, the bloud abounds,
Let bloud and purge: yet be thou sure,
From learned counsell no hurt redounds.

Those meates are meete in Aprill,
Which March desired for to haue.
Bloud letting now doth very well,
Now purging medecines do craue.

Eate pleasant meates.

River fish is holosome.

Gallets are commended.

Blæde by any vaine in the body except of the Lungs: to open
that vaine, hurteth, and to open the middle vaine, profiteth.

Bathe often.

To purge the stomacke with a potion or otherwise, is good.

Eate no kind of rootes.

Eate all kind of flesh but pigges.

Take phisicke, but blæde safely.

Drinke moderately.

Blæde for scabbes.

Eate Witony and Mynts prepared in honey.

Drinke in the morning fasting.

Use herbe Grace in thy wine.

Beware of eating saltfish, which then ingendereth the scab
and ytch in the body.

Set or { Cardus, } and { Geliflowres, } In the old
Sowe { Artichocks, } Hartsease, } Hoone.
{ Walslowres, } Parceneps, }

Observations in Aprill.

Howe { Flovre gentell, } Margerā, }
Howe { Rosemary, } and { Violets, } in þ new Moone.
Howe { Lauender, } & Lime, }

Howe { Cabbadge Coles in the wane of the Moone.

Gather { Adders tōgue, } & Roses: } make { Syrop of Roses,
Gather { Camomill } & Huger Roset.

Purge, let bloud and bathe.

Now go to Bathes: if thou canst not be mued at home, frō the beginning of this moneth to Midsummer, and from Midsummer to the end of September, or els it is too hot or too cold.

Purge, let bloud in temperate time.

Now housewives that forget their gardens before, wil leane no vacant plot nor hearbe vnslet, nor seide from sowynge and setting, and specially Cucumers, Melons, Cithrons, Gourdes, and Artichocks.

In the wane of the Moone, set Pease, Beanies, and pole Hoppes.

Dairy dames, besur your families.

Let the Tanner looke for barkē.

Observations



Obseruations in May.

I am as fresh as bird on bough.

To bathe and also to let blood
If neede require do not refuse:
To rise betimes will do thee good.
Be merry, but no myght abuse.
In May thou mayest with safety
Both bathe and take purgation,
Use Vnctry and Phlegbotomy,
And like euacuation.

Mash thy face often with faire running watar.
Use not to eate much meate of hot qualitie.
Bleed when need is in any place.
To bleed in the foote is most profitable.
Beware of eating any stale fish.
Eaten tainted flesh that smelleth ill.
Eate your sallet in daw season.
Drinke but little wine.
To bathe is not unprofitable.
Drinke clarified whey, simply or drawen with cold hearbes.
Use to drinke pure wine mixed with goates milke, and with
that annoynt thy head and brest.
To drinke sharpe drinckes profiteth.
Take Physick if need require.
Eate no head nor fete of any beasts, because of the moysture
of the hearbes beasts do eate.
Wormewood wine is profitable to drinke.
Use to eate Fennell rootes tenderly sodden.
Take tender lares to pourge the bloud.
Slaepe a littell after dinner.
To blode on the head or liuer veines profiteth.
¶ Arise early: May loueth no sluggards.

Walke

Obseruations in May.

Walke into the fields.

Eate and drinke betimes.

Sage leaues and butter and Sage-ale is holsome.

Eate no egges, nor the heades, feete, or braines of any thing.

Drinke clarified whay with these herbes,

Fumitory, Haiden-heare, Sestrach, Sorrell, and Egrimony,
of each of them halse a handfull: a few tender buds of hoppes,
with a little liquoris: Boyle them, straine them, and drinke it at
all times, except with meates.

Gather and make {
Hirrop of Roses,
Sugar Roset,
Dyle of Camomyll,
Dyle of Lillies,
Opium,
Rosemary flowres.

Sowe Cardus Benedictus in the old Poone.

Sowe {
Lettice,
Reddish,
Spinage,
(Parseneeps,) } at all times.

Now cut, set, and plant all herbes and seedes: for it is sayd of
olde, Set or cut in May, and grow all day.

Now sow Bazell, Margeram, Turneps, and all seedes and
saliet herbes.

Sowe Flare and Heinpe, and set Artichocks.

Weede Hops, set yong grasse.

Distill herbes gathered in a drie day in the after noone.

No good Gentlewomen will distill May dewe.

Now gather and make Rosa solis.

Put your Lambes from the Ewes.

Receaine all things that stop and congeale the bloud: all the
spring time.

The labouring man nedeth not vse any rules of Phisickē.

Let weake stomacks vse thinne diet.

Receine phisick, let bloud, & bathe, & after this monsh restraine.

Drinke clarified whay.

Obseruations



Obseruations in June.

My Corne is weeded well enough.

Abstayne from drinke both sweet and new:
From Physick do thy selfe restraine:
Vnde riotous pleasures quise adew,
Lest that they brede thy endlesse paine.

Cold hearbes in June are very meete,
But such meate shunne chiefly,
As shalbe eyther new or swete:
Take pleasures medicinably.

Abstayne from meates that ingender flegme.
Drinke the pleasantest wines.
Drinke sometime fasting white wine, which purgeth chester.
Eate Sallets of Lettice prepared with vineger, to purge humors descending to the kidneyes.

Use meats of light digestion.
Arise alwaies from the table somewhat hungry.
Exercize thy body with some long walke.
Use Phlegbotomy safely.

Eate no milke but that is well sodden.
Beware of eating Apples this moneth.
To bathe is good, but not to tarry long in it.
To wash thy selfe often in cold water is commendable.

It is now good time to make Syrop of Damaske Roscs, To serues of red Roscs, Violets, Borage and Buglos, and to distill Rose water, and to make oyle of Roscs.

Wede Corne and Gardens.
When the Sunne shineth, make Hay.
Set Gilliflowres, Carnations, and Rosemary.
Sowle sallat herbes, & Lettice, iii. daies before the ful Mone,
and Reddish iii. dayes after the full Mone, in every moneth
from March to September.

Obseruations in June.

Set no herbes, hedges, nor trees in June, July, or August:
and haue an eye vnto Antes, Emits, and Snalles in your gar-
dens.

Sow { Lettice,
Keddish,
Spinach, and } at all times.
Parseneys,
Pumpions in the new Poone.
Cucumers in the old Poone.

Gather { Lovone Cresses,
Peritory,
Lang de bief,
Dragons,
Origanum,
Calamint, and
Mary golds the xvi. day before the Sunne,
without knife.

If thou must needes take Phisick, take it early in the mor-
ning.

Use thinne diet of thy meate.
Let no bloud; but in extremitie.
Drinke clarified whay as in May.
Take no great thirst: for the pores of the brayne are open.

Obserua-





Obseruations in July.

With this sickle my grasse I mowe.

Cold herbes now wholesome bee:

But let no blood in any wise:

By running streme and shadow tree,

Thy booke thou mayest well exercise.

Sleepe not too much, to cold Bathes go:

Refuse to vse Phlegbotomie:

This moneth ablaime from Venus; woe

To him that keepeſ her companie.

Now make hay, fallow for wheate, forget not to carry out
soyle.

Gather ſuch flowres and ſeedes, as you will keepe all the
yeere.

Dry your flowres in the shadow till they be almost dry, and
then ſunne them well that they mould not, and ſo also dry your
herbes.

Be ware of bread made of fuffe or pind corne.

Take no great thirt, and vſe moderate diet.

Auoyd euill ayres.

Walke not abroad too early nor too late: especially where
fogs, miſts, vapours, or ſlinkes in ſtreetes be or lanes.

Keēpe close your chamber windowes Shut all night, and open
all day in fayre weather, but ſhat in miſt.

In the euening perfume your chāber with perfumes of Ben-
jamin, Storax, Pasticke, Frankincense or any of them.

Eate in the morning butter, with bread and Rue.

Steep Rue in Wine or Ale, all night, and drinke it in the
morning.

Feare G D D and ſerve him truely, lead a cleane lyfe ho-
nely.

Sowe White Succory in the full Moone.

Observations in July.

Lettice, }
Sowre Reddish, } at all seasons.
Spinage, &
Parseneys,

Use moderate diet in meate, for the Stomack will better digest drinke then meate.

Take no thirst in June, July, or August, for nothing ingenereth more seruent heate, Agues, and the Plague, then it.

No extreme thirsts, heats and cold, do suddenly come vpon them that are subiect to those diseases.

Observations



Obseruations in August.

Here I cut my corne full lowe.

Le little sleepe, and meate and wine,
And litle or no venery
Suffise: abstayne from medicine.
Fly cold Bathes, and Flegbotomy.

Good husband, hie thée to haue in thy Haruest, and let him
that best besturres him, haue a Garland, and be Lord of the
Reapers.

Give her that followeth him best, preeminence to be Lady.
Deny none to give them largesse.
Wowe thy Earne.

Gather seedes of thine owne garden yérely, which are better
then those thou shalt buy of others.

Howe Lettice seedes to eate at Easter, and to bring fymely
seedes.

Moderate diet is god Phisick.

Beware of surfeit.

Take heed of taking great heate, or sudden cold vpon thee.

Sleepe not much at noon.

Take no Ague now, for the fits are extreme sharpe and long,
by reason of the Canicular daies.

Use glisters, and open a veine if strenght will beare it.

Obserua-

Obseruations in September.

With this flaire I earne my bread.

September yelds frutes pleasantly:

Refraine, eate not thy fill:

Take medecines, vse phlegbotomy.

Pow spice in meates not ill.

Make conserues of { Barberries,
& Quinces.

Howe seedes of winter hearbes, and set Artichocks.

In the newe Moone cut Quickset, hedges of Roses, and boords of hearbes.

Set { Berry bushes,
Apples, Peares, Mardens, } that are yong.

{ Strawberies,
It is good { Violets,
to set { Belliflowres, Carnations.

In the newe of the Moone sow Parcenyss.

Howe Wheate and Rie.

Gather Crabbes, for Vergis.

Gather Akornes and Beech mast for hogges.

Take the hony from the elder Bas, & keepe the yonger bee
warne and dry, and bewars of Pyce, Antes, Snasles, Pothes,
and such like.

Stry the Boze.

Put the Ewe to the Ramme, that they may take by S. Ed.
Wards time: and come by mid-March.

Pluck thy hempe, and clense thy seed.

Take Phisick.

Bathe and be let blood, if need bee.

Eate all ripe frutes that are not infected, if thy stomacke

(be hot.)

Obseruations



Obseruations in October,

Here I sow my wheate so red.

God hunt, drinke wine that's old and good,

Use exercise for health:

Sow must thou take good stoe of food,

Whiche hast good stoe of wealth.

Sowe wheate, and cleane thy säd corne in the barne at home.

In the wane of the Moone, it is good to set yong trees of Apples, Peares, Wardens, Roses, and Berry bushes.

In the wane of the Moone, set Beanies, and Rathe pease, and sowe Parcenes in warme Gardens.

Send out boyes to gather Acorns.

Set all kind of Nuts, as thicke as they can stand in a pot or pale, and after remoue them.

Gather winter fruit.

Bid the boy goe skar the Crows.

Finishe vp the phisick you mind to take, and rest till March.

Use good hot meates and drinke.

Drinke holesome wines to nourish the blood.

Go dry shod, lest the Rheume or Rose take thee.

Provide warme clothing.

Sow it is dangerous, to take the quartaine Ague.

Obseruations in Nouember.

With this axe I kill my Swine.

Old wines and swete are holsome.

Let little bathing serue.

Count Venus now as lothsome,

If health thou wilt preserue.

In the new Moone remoue yong frēs, and set crab stockes in
Nouember, December, Januari, and February.

In the wane set Beanes, Hastelers, and Rathe pease, & sowe
Parcemeys.

Let none that can make Vault be idle.

Kill Biefe, and Bacon to hang in the roose.

Take no Phisick.

Bleed not nor bathe.

Use god meates and drinkeſ.

Use warme cloathing.

Good exercise preserueth health.

Obseruations

Obseruations in December,

And here I brew both Ale and Wine.

No fire and hot meates haue thou must,
December loues warme potions.
Drinke wine, beware of too much lust:
Goe warme, and vse strong motions.

In the new moone, the winde being West or Southerly, the
weather being not extreme hot nor frozen, set or remoue trees
of al fruits, Roses, and Berry bushes: in the wane set Beans,
Hastlers, and Rath-pease.

Amend thy hedges.

Cleau wood.

Looke to weake caffell.

Let thy horse bloud on Saint Steuens day.

Couer such herbs as cannot abide cold and hard winter, with
Fearne or straw, and God send a merrie Christmas.

Use Doctor Diet, Doctor Quiet, and Doctor Very man, for
thy Phisicions.

Let thy kitchen be thy Apothecarie.

Let warme clothing bee thy nurse.

Let god companie and god hospitalitic be thine exercise.

Let thy needie, old, poore, and hungry neighbours bee remem-
bered.

Remoue and set treés, Roses, and Berry bushes, euerie new
Moone, from the beginning of September, to the end of Fe-
bruarie.

Graffe euerie new Moone, from Januarie to mid Aprill, the
wind being not North nor East.

Sow seades and herbes, or set herbes to haue seed againe, eue-
ry new Moone, from Februarie to June.

Cut hedges or herbes euerie new moone, from Februarie to
May: but Vines onely in Februarie and March.

Observations in December.

Set or sow seeds as shall be round, as Onions, Turneps, Cabbage, Lettice, and such like, thre or four days before the full Moone: Onions in Februarie and March, Turneps in May, Cabbage in Januarie, Februarie, March, and September, Lettice euerie month.

Sowe all seedes that the rootes shall growe downward: as Parceneps, Carrets, and Reddish, in the wane of the Moone.

Gather Apples, Peares, and Wardens, in the wane of the Moone.

Observation





Observations for gathering of Herbes, Fruits, Seedes, Flowres, and Rootes.

Should be gathered when they bee full ripe, and the moysture Seedes,
some deale dried.

Should be gathered when they be some deale opē, before they Flowres,
fall or fade.

Should bee gathered when they be full of moysture, before Herbes,
they do beginne to shrinke.

Should bee gathered when the leaues do fall. Rootes,

Should bee gathered when they bee at the full greatnesse, be Fruits,
fore they fall.

The heauier and the sadder that the fruities bee, the better
they are.

Those fruits that be great and light, thou shalt not choose.

The fruit that is gathered in raine, are not so good as fruities
gathered in faire weather.

That grow in the fieldes, are better then those which growe Herbes,
in townes and gardens.

Of those herbes which grow in the fieldes, such as grow on
hilles are best.

Commonly the hearbes growing in the fieldes, are smaller
then herbes of the samz kinde, growing in townes and gar-
dens.

Many herbes haue their speciall times of gathering.

If they bee gathered in that time, they haue their ver-
ties, but if they bee gathered in any other time, they are not so
good.

Some herbes helpe whensoeuer they bee gathered: and
some do not, if they bee gathered out of their time.

Obscruations for gathering of herbes,

- Swine-cresses,
Red Docke,
Pedeleon, after noone,
Wallwort without yron,
Groandswell,
Garlicke,
Dodor upon lyne,
Saffron before sunne,
and Galingale,
- Camomyll and Adder-tongue,
Violets,
Roses;
- Towne Cresses,
Perretory,
Lang de biese,
Dragons,
Oiganum,
Calamyt,
Marygolde's the rbi. day, before
sunne, with yron.
- Rose-mary flowres,
Bittony and Colombines,
- Centory,
Wilde garlicke,
Agnus Castus,
Water Calamyt,
Drake,
Harts-tongue,
- Astrologia longa,
Astrologia rotunda,
and Fenell,
- Gourds,
Cucumbers,
Citrull,
- Fenell rootes,
- } are to be gathered at all times.
- in Aprill.
in March.
in May.
- } in June and July.
- in May.
in Lammas moone.
- } When they flowre.
- in November.
- } in Harvest.
- in the end of September.
When the first is ripe.
When the first is ripe.
- in the beginning of the yere.
Gentian

fruites, seedes, flowres, and rootes.

Gentian, ————— in the last end of the y^ers.
Flowre de lyce, ————— in the end of Fevre.
Wilde Neppe Berries, ————— when they ware yellow.
Philipendula rootes, ————— in the end of Haruest.
Avens; ————— at all times.

Grapes: before they be ripe, presse out the iuyce or moynes,
and drye it in the sunne, make it into powder, and vse it with
meates, it is good against casting coniuring of cholericke hu-
mours.



Obseruations for gardening, by Fa- ther Kinke of Tibolds.

Trench and leuell your ground in summer, if it be not alrea-
die broken in winter.

Then may you sowe all maner winter herbes, for Sallets,
and for the Kitchin.

Fouretene dayes before Bartholmew-tide, set knots of all
maner herbes, and borders, with double Wall-flowres, Gilli-
flowres, Pinks, and such like.

If the ground be readie, sow Endive to make white, four-
teene dayes before Midsummer, and sow at every wane vnto
Halloweynede.

Then must you take them vp in a drye time, and set or lay
them as close as you may, that the earth come not among them.

At Bartholmew time is good sowing of white Cabage.

Take them vp in Januarie, in the wane of the Moone, or in
Februarie, and replant them two foote asunder, and they will be
readie to eate about Midsummer.

Sowe of the same Cabage again about Februarie, then shall
you doe as aboue-said, and they will bee readie about Hollomas
and Chritmas.

Sowe about Februarie Cabage Lettice, in the wane of the
Moone.

Sow

Observations for gardening.

Sow in March all herbes for the Kitchen.

Sow in May, Turneps, Reddish, and Carrets, to serve for winter.

Cut your knots and borders in the spring of the Moone, to make them grow apace.

Do the like by all quickset hedges.

If you will haue them to grow softly, cut them in the wane, and it will be the longer before they shall be cut againe.

Set and lay red and damaske Roses, and Strawberries, after Bartholomewtide.

Begynne to remoue all sorts of trees for frutes, at Halloweintide.

In the latter end of Aprill, or the beginning of May, pricke in the ground, Bazel, Margerā, Melons, Pumpeons, Cucumers, &c.

Lay your Cucumber and Melon seedes in milke to soke, a day and a night before you pricke them in the ground, in the wane of the Moone.

For feare of frost couer them in the night with pottes, and for feare of snayles.

Cut your vine in Januarie or in Februarie, in the wane of the Moone, or at the beginning of March, two or three ioynts: but in May cut it not too neere, for feare it bleede and hinder thy vine.

If it be a yong vine, cut but two ioynts, and cut it betwene the ioynts, not too neere any ioynt, and it will haue very well.

Set vines in Januarie or Februarie.

If in the end of Aprill, or the beginning of May, you will cut a branch of a vine, it will bleede verie much: you may preserue that water in a glasse for your eyes.

Gather all fruit to last, in the wane of the moone, next before or after Michaelmas, and lay them in a close chamber, open heapes.

In distilling of any waters, when your glasse is full, put in a Stillfull of Roseg, or of other things that you mind to still, and put your glasse into your Still uncovered, & let it stand till that be stilled: then close vp your glasse, and never set it in the sunne.

Obseruations for gardening.

To graffe in the Shield, is to be done in June and July, with the rynde.

To graffe in the Scochin, is to be done in March and Apyll, in the new Moone, or a day or two before the change. First pare the skinnes readie to put in the Stocke, before you cleave the Stocke: straight put in your skins, and clay them sure: for if the sap of a Plumme tree take wind, it then will not prosper,

Kinke of Tibolds,



Certaine obseruations.

ALL raw things annoy the stomacke.

All rosted things, Yber dye,
and all wines,
Eate not too much.
Eate but when neede is: } whereby enjoy continuall health.

A good perfume to burne.

Take Storax & Calamynta, a quarter of an ounce: as much Beniamin, as much Lignum Aloes, beate the wood in powder, and then incorporate all the rest by beating together, and make it in small Cakes to burne.

A pretie kind of bread to eate in the morning.

Take Sugar one pound, fine wheat-flowre a pound, eight egges beaten: temper them well together, with a few whole Annisseedes cleansed: make it in Coffins, bake it, and eate it euerie morning.

For a web in a Horse eye.

Take Celidony and salt, and stampe them: and then put it in the Horse eye.

For

Certaine obseruations.

For a Horse founred.

¶ Take fourre egges hard rosted, and all hot, lay to each foote one, shel and al, and stop it fast about with horse dung, and so let him stand.

To make Vineger.

¶ Take a quantitie of Bean floure, knead it with Vineger, bake it, and swise or thrise take it out of the ouen, and moyst it well with Vineger, til it haue drunken wel, then put it in wine, and it will turne to good Vineger, and the like you must doe to make easell or Alleger.

For a Horse that hath the Cough.

¶ Take two egges and bruse the shelles, but breake not the yolks, put them into one pint of Vergis al one night: the next day take out the egges, and put into the Vergis a penny worth of Polipody of the oke, and boyle it a good while. And after, whē it is luke warme, put in the egges, shels and all, and stirre them well together, and gine it the Horse to drinke.

For Hogges murren.

¶ Rootes of Polipody are good.

For squinancy of Hogges.

¶ Harts-ease is good.

¶ Rub thy hands with the roote of Dragons in May, and take Adders in them, and they shall not sting thee.

Ad extingendum Argentum viuum.

¶ 1 Argentum viuum extinguitur, bene cū salina & cincero calid, bene confricando.

2 Melius tamen cum sulphure & salina.

3 Optime cum salina, & calce vi.

For the Farcy on a Horse.

¶ Allumen mixtum cum Aceto & galla equali pondere ad extingendum Farsam ne sana loca perambulet, multum valet,

Obseruations



Obseruations for Diet.

| | | |
|------------------------------|--|---|
| Prime time. | Chickens, Kids with vergis, Borage, Beetes, Volks of egges, | Eggs in mooneshe w, Roches, Perches, Pikrelles, All scals fish. |
| | Caponis, Henries, Pigeons, Good wines, Good drincks. | |
| | | |
| | | |
| | | |
| Harvest time. | | |
| | | |
| | | |
| | | |
| | | |
| Diet so all the yeare. | | |
| | | |
| | | |
| | | |
| | | |
| Summer time. | Light meates, Chickens w vergis, Yong Hares, Rabbets, Lettice, Purcelain, | Melons, Gourds, Cucumbers, Peares, Plums, (said. the fish asoþe) |
| | | |
| | | |
| | | |
| | | |
| Winter time. | Beefe, Poyke, Brawne, Harts, Hindes, Other venison. | Partridges, Phesants, Hares, Riner sowles, Wine, Good spices. |
| | | |
| | | |
| | | |
| | | |

Good to comfort
the braine.

Smel to Paske, Quibbes, & Camomill:
drinke wine moderately: eate Sage not too
much: cover thy head: wash oft thy handes
and feet: walke measureably: sleep reason-
ably: delight to heare melodie & singing:
eat mustard and pepper: smel to red Rose:
wash thy temples with red Rose water.

Observations for Diet.

| | |
|------------------------|--------------------------------|
| All braunes of beasts, | To much watching, |
| Glyffony, | To much walking, |
| Drunkennesse, | Milke, |
| Late Supper, | Chese, and Puts, |
| To sleep after meate, | To eate before hunger, |
| Corrupt Ayre, | and Bathing after meate, |
| Anger, | Dnyons, |
| Heauines, | Garlick, |
| To uncover hys head, | Great noyse, |
| To eate softly, | To smel to a white Rose, |
| To much heate, | Much stirring. |
| Look ast on gold, | Wimpernell, |
| Red Roses, | Oculus Christi, |
| Veruin, | Pluge clere water in hys eyes: |
| Reu, | Looke on gréene colour, |
| Fenell, | Measurale slæpe, |
| Eusrase, | Wash hands and fætosten, |
| Garlick, | Lechery, |
| Dnyons, | Sleepe after noone, |
| Hunger, | Much sleeping, |
| Lökkes, | Much waking, |
| Clakjuc, | Blood letting, |
| Wconde, | Looking against the fire: |
| Hot ayre, | Guill baked bread, |
| Cold ayre, | Dust, |
| Glyffony, | Weeping, |
| Milke, | Looking against the sun or |
| Chese. | Moone, |
| Much to behold, | Bright things, |
| Smoke, | Red colour, |
| Colewooles, | White colour. |
| Red mynts, | Calamynt, |
| Red Roses, | To vomit once a quarter, |
| Comyt, | and Great hunger, |
| Sugar, | Every day to stand after |
| Hage, | meate, |

Wormes

Observations for Diet.

| | | | |
|--------------------------------|--|-----|--|
| Good for the Sto- macke, | Mornewood, Galingale, Nutmegs, Beasurereable sleep, | and | Out walking after meate, Every cold thing, Mineger, Pepper. |
|--------------------------------|--|-----|--|

| | | | |
|--------------------------------|---|-----|--|
| Evil for the Sto- macke, | Suts, Cherse old, Honey, Barow not sod, Heanines, Dread, Falling, Fried meates, Milke, Stolping, | and | Too much casting, Too much bathing after Too much trauell, (meate, To eate raw flesh, Bread not baked, To eate not hungrie, To eate many meates at a meale, To drinke not thirstie, To eate stinking meate. |
|--------------------------------|---|-----|--|

Good for Liquoris, soft Egges, Ilop, Sugar-Candie, Hone,
the throat, Sugar, Butter with a little salt.

| | | | |
|-----------------------|---|-----|--|
| Evil for y throat, | Mustard, Much lying on the breast, Pepper, Anger, All things rodded, Lechery, | and | Too much waking, Too much Rest, Much drinke, Smicke of Incence, Old chæse, Much running, Sowre things. |
|-----------------------|---|-----|--|

| | | | |
|----------------------|--|-----|--|
| Good for y heart, | Saffron, Bourage, Laughing, Joy, Muske, Cloues, | and | Nutmegs, Galingale, Red Roses, Violets, Sugar, Maces before all things. |
|----------------------|--|-----|--|

| | | | |
|----------------------|--|-----|--|
| Evil for y heart, | Beanes, Pease, Leekes, Garlick, Onions, Peauinisse, | and | Anger, Dread, Too much heauiness, Trauell, To drinke cold water after labour. |
|----------------------|--|-----|--|



Rams little Dodeon.

For the after-birth, secondine, dead child, or flowres.



Amesites leaues decoct in wine and drunke.
Comiza leaues & flowres decoct in wine & drunke.
Marygold flowres decoct in wine and drunke.
Camomyl herb, flowres, & root, decoct in wine and
Tyme, boyled in water & hony & drunke. (dunk.
Penny-royall, boyled in wine and drunke.

Masticke bark or leaues, decoct in wine and drunke.

Horehound white, decoct in wine and drunke.

Horehound blacke, decoct in wine and drunke.

Rue leaues, decoct in wine and drunke.

Lauender, decoct in wine and drunke.

Dictain, decoct in wine and drunke : or a pessary.

Cessly seedes, decoct in wine and drunke.

Daucus seedes, decoct in wine and drunke.

Saxifrage rootes, decoct in wine and drunke.

Pannar seedes, decoct with Wormewood in wine, and drunke.

Pencedamum roote, h̄ sap by it self, or with bitter Almonds taken.

Oppopannar : a pessary.

Lacerpitium, with myre and pepper drunke.

Hagapenum, with honied Water drunke.

Gilbanum, with wine and myre drunke.

Amommacum, taken a little at once. ‡‡

Aristologia longa, with pepper and myre & drunke.

Centory maius, decoct in wine and drunke.

Heleborus albus, decoct in wine and drunke.

Heleborus niger, decoct in wine and drunke.

Cucumeris silvestris, decoct with hony, conveyed in the place
conuenient.

Bryony white roote, a pessary.

Seamony,

Incidentia.

2

To prouoke flowres when they be destroyed.

TTake the roote of ~~W~~ader graine, make it cleane, anoynt
it with hony, and sprinkle powder of Wader on it, make a
pellarie or suppository of it, and put it in place conuenient.

To deliuere a dead child.

SCalde Leake blades, and binde them to the womans na-
uell, and it shal cast out the dead child: and when she is de-
liuered, vee away the blades, or else shes shall cast out all that
is in her.

E 3

Ague

3
Rams little Dodeon.

Seamony, a pessary.

Mandragora, a pessary.

Lupines with myrr & honys, a pessary.

Smyrneum seades, decoct in wine, and drunke.

Cresces seades, decoct in wine and drunke.

Ciscus, taken.

Haven leaues decoct in wine and drunke, or pessary.

Azatum with hoined water drunke.

For the Ague.

Otherne wood sooked in oyle, and rub the body.

Tansey iuyce mingled with oyle of Roses, anoynt the body.

Hepatica decoct in wine and drunke. — Linerwoort.

Singreene iuyce with pepper drunke.

Bugle, or Brunell, decoct and drunke.

Violets the sirrop taken.

Flos Armoris, the flowre cōserued taken. — Sweet Williams.

Dayles small, the leaues decoct in water and drunke.

Cotula lutea, decoct in oyle put in Elster. — wilde.

Camomyll.

Oppopanax, drunke with hoined water.

Rubarb infused and taken.

For hote Agues or Feuers.

Psillium or Flebane, the seade decoct or stieped and drunke.

Pirola decoct and drunke.

Violets sirrop taken.

White water Lillie decoct and drunke.

Seamony, the weight of sixe wheate graine taken.

Cichozy decoct and drunke.

Purcelain iuyce drunke.

Roses iuyce drunke.

Marrish worts blacke, eaten raw, or stewed with sugar.

Goose-berries, eaten raw with meates, grāne.

Barbery bush, grāne leaues made in sauce, eaten.

Apples eaten.

Lemons eaten.

Pomegarnets eaten.

Hebstenes

Incidental

Ague Cakes

To abate extreme heat in Ague
Take Smaledge; chop it small, and make worts with
meale, and eat it for a time.

Ague Cakes

- ¶ Drinke Cenforsie water.
- ¶ Frie red Mints, red Pettles, and Wormewood with butter, apply it hote as it may be lussered, of each one dram.
- ¶ Roast Onions with butter, streane it, and annoynt the griesse.
- ¶ Drinke water of Ilop.
- ¶ Take Smaledge; chop it small, and make worts with gle-
meale, and eat euerie morning soz a time.

To abate extreme heate in Ague,

- ¶ Take French wine, a quart, and as much runnynge water:
planten one dram: boyle the halfe, and to abate the harsh-
nesse, put to it a good peece of Sugar: drinke this warme in ex-
tremtie of heat; for want of French wine, take Gascoyne wine.

Rams little Dodeon.

Scabestenes eaten.

Tassia drawne, the pulpe eaten.

For tertian Agues.

Briglos decoct and drunke.

Hepatica boyled in wine & drunke. — Bastard Agrimony.

Turnesole decoct in wine and drunke.

Hipericon decoct in wine, and drunke.

Sinquefoyle decoct in wine and drunke.

Planten decoct in wine and drunke.

Knot-grasse decoct in wine and drunke.

Maruin decoct in wine and drunke.

Pennyroyall decoct in wine and drunke.

Liverwort decoct in wine and drunke.

Trifoly decoct in wine and drunke.

For long Agues.

Axifrage decoct in wine and drunke.

SMasterwort decoct in wine and drunke.

For old Agues.

Cuscinta decoct in wine and drunke. — Doder.

For to procure Agues.

Cherries eaten.

For to quench thirst in Agues.

Goose-berries eaten raw.

For to driue away shaking and shiuering Agues.

Oppopannum drunke with meate and hored water,

Lacerpitium taken with honey.

Sagapenum, one dram taken.

Aristolochia decoct in wine or water, drunke.

Woodbine leaues sod in oyle, and pond, the backe or ridge all oynted.

Mustard taken in meate or drinke.

Pepper taken in meate or drinke.

Incidentia.

6

7 Rams little Dodeon.

For S. Anthonies fire.

- Fucusse we grane leaues, pund and laid to.
Tuisilago leaues, pund with hony and laid to.
Pennywort on the wall, he iuyt laid to.
Peritory, pnd and laid to.
Poliganum pnd, and laid to.
Hlebane seed decoct in water or stiped, and laid to.
Singrane pnd alone, or mingled with parched barley meale,
laid to.
Waruen pnd with vineger, laid to.
Water Singrane pnd with vineger, and laid to.
White Lilly rotes rosted, pnd with oyle of Roses applied.
Haftson mingled with womans milke, laid to.
Coriander iuice with Cernice, Lierge, Vineger & oyle of Roses,
applied.
Azarum stamped, and laid to.
Palma Christi leaues pnd with barley meale, laid to.
Liverwort brused, and laid to.
Popie heads not ripe brused with barley meale, laid to.
Nightshade leaues pnd with barley meale, laid to.
Alkakengi leaues pnd with barley meale, laid to.
Olive tree leaues decoct in wine, and laid to.
Milot: a Quince and oyle of Roses, laid to.
Drache pnd with Salt peter, Hony and vineger, laid to.
Succory iuice with barley meale, laid to.
Lettice greene leaues brused, and laid to.
Durcelaine leaues pnd with parched barley, laid to.
Gourd iuice with oyle of Roses, laid to.
Garlick burnt to ashes, meoled with vineger, laid to.
Roses iuice applied.
Gooseberries grane brused, and laid to.
Acacia the iuice, laid to.
Dates leaues and branches pnd, and laid to.
Ciprus tree leaues pnd, and laid to.
Turpentine, applied.

For S. Anthonies fire.

STampe Adders tongue with swines greace, and apply it.

Arache iuice, laid to, easeth.

Betes ——— Burta pastoris

Succory rotes and flowre

Lye made of ashes of Coleworts

Coriander iuyce with vineger

Endive with Ceruce and vineger, applied

Galion ——— Gourdes iuice

Henbane boyled in water

Wyntes iuyce with vineger and brimstone

Wyntes, Rue, oyle and vineger

Opium with vineger

Perritory stamped, tempered with Ceruce

Parcely with bread

Planten leaues brused with iuyce of Houseleks

Greene popie heads, not ripe, pund with barley meale

Red rose dried leaues sodde in wine warme

Rue with oyle of Roses, Vineger, and Ceruce

Saint stamped or the iuice

Thorow-wax the water or herbe

TBoyle the herbe, roke & seed of Holy hocke, with barley meale in water, mired with oyle of Roses, or oyle Olive, and apply it to the holy fire and shingles.

The water or iuyce of Knotgras cureth all Kingwormes, Letters, Shingles, Holy fire & Inflammations, Sinking filth in eares, rotten sores, Gangreues of the gumes, and all wounds new and old, but especially about the priuie partes of men and women, & preserueth the same from Inflammation, and all other euill accidents.

Take vnslet Porret & Tazels, wash them cleane, shred them & tampe them, & take some clere water, & some oyle, and fry them on a soft fire, and apply it warme as ye can.

For wild fire.

TAke dregges of wine or vineger, & the volkes of Rauncis egges & whites by eu'en measure: temper them well together, and apply it to the griefe, and it wil heale.

To

seuerally
applied.

Rams little Dodeon.

- For to restore Appetite.
- I**mperatorium roote decoct in wine and drunke.
 - L**upines seked long in water, eaten.
 - Sorell de Boys and decoct, eaten or drunke.
 - Lettice crispe, eaten with meate or Sallet.
 - Sea Purcelaine preserved and eaten in Sallet.
 - Kampion eaten with vineger.
 - Raphanum magnum eaten with meats.
 - Skirworts eaten boyled.
 - Parcely eaten with meate.
 - Charuell decoct and eaten, or Rave in Sallet.
 - Mustard eaten.
 - Pepper eaten with meate.
 - Onions eaten with meate.
 - Capers eaten in Sallet.
 - Barberies eaten with meate.
 - Lemons eaten.
 - Putmegs eaten.
 - Maces eaten.
 - Olives eaten with meats.

For the Appoplexie.

- L**illy Conualle, the flowres distilled with strong wine, drunke, one spoonfull.
- S**axifrage, the roote chawne in the mouth.
- Sagapeum the waight of a dram taken.
- Colloquintida the white pulpe, one scruple taken.
- Wijony roote one dram taken.

For to restore speech in Appoplexic.

- S**mall Saxifrage the rootes taken.
- Euphorbium, corrected, taken.
- Peach kernels eaten.
- Viscus quercinus, the wort hanged about the neck.

For

To make a man haue appetit to his meate.

Take Byle Centoy in faire water, & giue the sick to drinke ther-of, at morne iii. daies bloud warme: ech day ix. spoones full.
A comfortable powder for digestion, and to procure appetite, with other good properties.

Take Pellitory of Spaine, Centoy, Annis, Liquors, Graines of Paris, Ginger & Sinamon: of ech a like much beaten and serced, and drinke thereof morne and even, halse a spoonfull in Wine or Ale.

Iopocras for a weake Stomack.

Take one pint of Aqua vitæ, put in a glasse, thē take ii. ounces of Sinamon, one ounce of Ginger, two penniworth of Cloues, two pēniworth of Graines, one penniworth of Nutmegs, beate them al together to grosse powder, put al into the glasse to the Aqua vitæ, shake it every day often ix. daies toge-ther, and drinke it with Wine or Ale, halse a spoonfull, or a quarter, with halse a pint of Ale.

For the Appoplexie, and to restore speach in Appoplexie.

VSe to drinke Borage Water.

Bryony roote one dram a whole yere together cureth.
Colloquintida taken in glisters and subpositories, cureth.
Cowslip flowres condited with suger often eaten, cureth.
Myre Euphorbium with oile, and apply it to the nape of the neck, or the neck. And also Margerom comforsteth: and Mistletoe of the Oke hanged about the neck, the wod of it.
Drinke the iuice of Ros solis, & it cureth the drawing of the Sagapenum one dram drinke, cureth. (mouth awry.
Sothernwood iuice drunke with wine, defendeth &c.

Water of Violets profiteth.

Lauender flowres steeped in wine & distilled, the water hol-den in the mouth, restoreth.

Steep the kernels of Peaches in water of Penny royal, and drinke it.

Powder of Sarifrage, and the seedes cureth conuulsions.

Sarifrage chawed restoreth speach.

Wineger, Opimel, or Lohok of Squilla helpeth.

Steep flowres of Liliconuale in wine xx. daies: then take it out

Rams little Dodcon.

For the Ars-gut going out,

Aster Atticus, pund and laid to.

Mall flowres, pund and laid to.

For Ayre infected.

Rule, Walnuts and Figgis, eaten in the morning.

Small Sarifrage seedes.

Angelica rote holden in the mouth.

Penedanum she sappe taken with Rue, and bitter Almonds.

Lentian the roote in powder taken.

Limons iuice taken: and Juniper berries perfumed.

For the belly to purge nightly.

Colloquintida the white Pulpe taken one scruple.

White Briony roste the iuice taken.

Juice of Mandragora rote taken in small quantitie.

White Wate iuice taken.

Buckthorne.

For the belly to purge gently.

Clamen iuice stroked ou the nauell oþ belly.

Black Heleborz taken by discretion.

Hoppes iuice taken.

Horned Poppy seedes decoct and taken.

Weanes gréne, vrripe taken.

Kidney Weanes fruit and Coddes vrripe eaten.

Bitter Fisches decoct and eaten.

Lentils decoct, the first decoction taken.

Lupines decoct and taken.

Fenigrecks seedes, prepared and eaten.

Red Colewort leanes, decoct and eaten.

Shépes sorell leaues, boyled and eaten.

Cucumer seedes, drunke with milke and sweet wine.

Courds iuice boyled, drunke with hony & Salt-peter.

Onions eaten with meat.

Squilla with hony and syle.

Astredill, the roste boyled and drunke.

Grapes gréne eaten: & Apples lowre boyled & eaten.

Peach leaues, pund and taken; & Ticamoz fruit eaten.

Peck Figs, plums, Cherries, and Carobes eaten.

For

out of the wine, and distill the wine five times over in a Lymbeck or body of glasse : this wine with sixe graines of Pepper, and a little Lauender water drinke, is a precious remedy against the Appoplexie, and more precious then gold.

For falling of the fundament of Matrix.

Take oyle of Camomill and Rose water, and anoint the griesse.

Take Red nestles, bray them well, & put them in an earthen pot, with a good portion of white wine; seethe it to the halfe, and give it the patient to drinke, & lay the herbes to the fundament, as hot as may be suffered.

For Ache in the backe, a soueraine Medicine.

Take Pigs greace, strike it plastrer wise on a piece of leather, pricke it ful of little holes, with a sharp pointed knife, and lay it to the Raynes where the paine is.

Take Ache and Egrimony, and pun them with Mowse.ears rootes and leaues, & barrowes greace, & distill and lay to the backe.

Take Vnguentum Alabastrum, and Vnguentum Aureum, of each one quarterne; meddle them together, and anoint the backe.

For to cause blasting, and paine in the belly.

Raw Turnep rotes eaten.

For to open and loose the belly.

Saffron seede iuice drunke in milke.

Bastard Rubarbe leaues in meate.

Mercury boyled and eaten or drunke.

Violet sirrop eaten.

Daysies small decoct and eaten or drunke.

Drigan with Hidromell or homed water drunks.

Trago Drigan.

Betony with Hidromell or homed water drunke.

Pencidanū rotes the suice with Rue & bitter Almonds.

Amomacum a dram taken.

Aloes the iuice taken..

Palma Christi sedes taken.

Elder tender croppes in broth eaten.

Blacke Briony tender buddes in Sallet.

Bind wēd leaues, the iuice taken — Helvīne.

Drache in pottage.

Coleworts the iuice by it selfe, or with Salt peter.

Lettice in Sallet with meate,

Mallowes with meate.

Asperagus buds decoct with oyle and vineger in sallet.

Red Rose's iuice.

Quodimack of Quinces after meate.

Peaches, Mulberries, and Figgis ripe eaten.

Mulberry roote, the barke decoct and drunke.

Cassia, the pulpe eaten.

Elme tree y vther barke one ouce with wine or water.

Kosen of Larix trēs licked with hony.

Kosen of Turpentine trēs licked with hony.

For inward Scuruines of the bladder.

Oppopannax with meate or homed water.

For Viceration or rawnes of the bladder.

Cucumer sedes drunke with milke or swēt wine.

Hebestenes.

Cyprus nuts leaues boyled in swēt wine or meate, drunke.

Hurtfull

A Receipt to make a Purgation.

TTake Seny 2. ounces, Epithimi 3 i. Ginger. 1. Racine, Sianamom. 3 i. Violets, a quarter of a handfull. Passes de sol 1. quart. h. damaske Prunes stoned v. or vii. dim. pint of faire water: put al in a pot closed, and let it boyle softly in another pot one houre, straine it, and put to it Penidros, & drinke it. G.K.

For going off of the skinne of the Coddes, and the rednesse and inflamation of the same.

TTake Chimoleā, Vernice, Nitre, Colofony, Rosin & Betony: beate them that are to be beaten, & mixe them with boyle, and put to the Rosin, and incorporate them, and wash the coddes with warme water, and being well washed, put the receipt vpon the red place.

A most approued experiment against the same griefe.

TTake Tapsi Barbasti, smal nettles, violets, mallows, beane bran and comyn, cut the herbes, and put leaves of Ebuledar and wormewood to it, and boyle it in good wine: and after plaister it to the griefe, as hote as may be suffered, and put to it roses and the huskes of garlick.

For warts and pustules on the priuie members.

It chanceth, that sometimes Warts and Pustules grow on the yard. To take away the Warts, put to it the powder of Harmodætulus: which being done away, make a medicine for wounds: but first let the place be washed with water, that mallows and Brank Vrsinc haue beeene boyled in.

For inflamation of the yard ex Coitu.

TTake leaues of Willow tree and boyle them in wafer, (in quibus pistatis) & make thereof a plaister and lay to it.

If any pustules be, lay to it Vnguentum album; and for vineger, Water of roses, and for common oyle, oyle of violets.

Hurtfull to the bladder.

VVhite Hound taken in any waies.

For inward scabs of the bladder.

Bkoklem leaves decoct in wine & drunke with Asperagus.
Myrtell berries.

Liquoris roote and iuice taken.

For paine or stopping of the bladder.

Creat Wur the juice.

Glantsey iuice with oyle of Roses.

Philippendula roots boyled in wine & drunke.

Toade Flare decoct and drunke.—Osiris.

Planten roote boyled in wine and drunke.

Horsetayle boyled in wine or water, & drunke.

Scordis decoct with wine and drunke,

Consound the iuice taken.

Whitel water Lilley roote boyled in wine & drunke.

Camomill decoct in water, drunke.

Secados decoct in wine and drunke.

Saxifrage roote decoct in wine and drunke.

Pencedamū roote, the iuice, by it selfe or with Rue or
bitter Almonds.

Meon roots boyled in water and drunke.

Dittain the seed one dram taken.—Tragium.

Cuscuta decoct in wine and drunke.

Verti morell stamped & applied outwardly.

Alkekengie fruite eaten.

Callomus Aromaticus iuice drunke.

Gummie dragagant with hony and wine.

Hallow leaves with salt eaten.

Myrneum seed decoct and drunke.

Scaudix, or sheperds needell decoct & drunke.

Water Cresses in Gallade. Dried Raisons eaten.

Nutmegs eaten or drunke.

For to coole the bloud.

Parcelain in Gallade eaten.

Partish whortles eaten. Red Gooseberies eaten.

For

Provlco in vesica.

Take French Barley a handfull : Plantine leaues, Bosnicole leaues, Strawberry leaues, or eche a handfull : the soure cold seeds two drams : boyle them in thre pinte of water to a pynte : put to it of Mel Rosarum two ounces : red Rose water halfe a pynte, and vse it by injection per virgam : When this smection is not readie, then vse an smection of Pilke and Sugar luke-warms.

Abstaine from
Wine.
Strong drinke.
Mineger.
Mergis.

Vise Cassia oller.

Rams little Dodeon.

For to stoppe all issues of blood.

Medeswæt rotes in pouder.

Planten leaues decoct.

Knot grasse suice.

Great Hingrene decoct, or the iuice.

Hanicle boyled in wine.

Coriander seed rosted or parched in pouder

Kubarb taken.

Henbane seed þ weight of 1. d. ob. in pouder.

Redde Kattell boyled in wine.

Caroline Thistell the lesser decoct in wine.

Purcele in iuice.

Marish mallowes græne or drye pund.

Leek leeds & myrtle berries like quat. decoct.

Cittus flowers decoct in wine.

Tamariske barkē decoct.

Shomacke leaues decoct.

Pomegranate seeds dried in the Sunne.

Wild plummes or snage the iuice.

Chestnut red barkē boyled.

Myrtle leaues and barkē decoct.

Oke leaues, barkē and cuppes decoct.

May bennet or barley wrapped in a crimisin skynne or piece
of leather bound to the body.

Gallion flowers laid to or put in the nose.

Wild grape flowers and unripe fruit eaten.

Yellowe seed and fruit of Roses taken in.

Unripe gooseberries, the iuice pressed out and dried, eaten.

Myrtle berries eaten.

Quince rosse and eaten.

Oke apples burnt on coales, and quenched with wine or vine-
ger, or with byrne made of salt and vineger, stoppeth all
issues of blood.

Mistletoe taken and eaten.

Ant —— plentie of graine.
Husbandmen of Kent. { White worme — murrion of beasts
Spider — pestilence among men.
Mathiolus

For pissing of bloud.

TTake Ambrose Sanguinaria, and Parcely seede, of ech an ounce, and drinke the iuyce with Goates milke.

TTake Ambrose Saxifrage, and Purcelain the iuice, and drinke it with Cow milke.

For the bloody Fluxe.

TTake Barrow & Waybride: stamp the suice with wheate sowe, temper them into dough, and make a cake and bake it in Ashes, and let the sick eate thereof, as he may suffer it.

F 3

For

Rams little Dodeon.

Mathiolus Fly —— warre.
 super Di- { Spider —— pestilent sicknes.
 scorides } Worme —— scarcity of victuall.

For to staunch bloud of greene woundes.

HErbe Robert brused **E**ryngie digg'd
Moade brused
Pelow Lycimachus **C**amomile
Hinke foyle **R**osemary
Motherwort **A**ncient primrose } brused and laid to.
Pimpernell
Pelow Millesoly
Paralw

For to stop the bloud of all woundes.

SAge pund **A**loes in powder
Liverwort pund **L**ungwort in powder — Pulmonaria
Astragalus rōte in powder — Pease earth nut
Couche grasse leaues pund
Parnassus gras yong leaues — Hepatica alba } pund and
Cluer or Gōse grasse
Galion
Pomegranates leaues and blossoms
Cornell trē leaues and tender croppes
Oke leaues
Ciprus trē leaues

To purge bloud of all corrupt humors.

HOppes decoct and drunke.

Juice of Hoppes drunke.

For Inflammation of bloud.

Lauerwort decoct and drunke.

Marsh whoots decoct and drunke or eaten.
 Pomegranat iuice taken in.

For to cause to pisſe bloud.

Garden Spadder rōte decoct and drunke.

For

For to staunch bloud of greene wounds.

Take one dram of wild Tansey, & bind it hard to þ wound,
& it will staunch the master vaine cut, of man or beast.

If you leþ a man in great perill of bleeding, if the wound be
about the foot, bind him aboue the knee: if upon the hand, bind
him aboue the wress; if on the arme, bind him aboue the elbow
with a good iii. or iiiii. sculd, and it shall stay soone after, sikerly.

TApply mose of the Pazell tree, the older and longer kept, the
better.

To staunch bloud when a master vaine is cut.

TTake a peice of salt biefe, the leaner the better, & no fat, as
much as will goe into the wound, lay it in the hot ashes
in the fire, and let it roast till it be threugh hot, and being so
hot, thrust it into þ wound, & bind it fast, it will stanch
and never after breake, & pen warrantise.

For pricking with a needle, or thorne in a Sinew.

Take bolted Wheate flowre, seper it with wine, & boyle se
till it be thicke, make a platter therof, and lay it to as hot
as may be suffered, it wil easle the Ache, and heale by the hole.

Regula.

There be certaine places in man, which being prickid in a si
new, except he haue helpe within seuen daies, he shall die: for
there will come a cramp from the hurt place, to the neck, and
draw his Jawes together, that he shal not open his mouth,
which is called Spasme.

Therefore if a man be prickid in the sinew that accordeth to the
same, take god oyle Rose, and chafe the hurt place as hot
as may be suffered, and poure thereof into the same hurt, & lay
woll upon it and bind it vp, and use this till it be whole, and
none other, for this is kindly for it aboue all others.

For to stop the Fluxe of the belly.

SInquesoyle rootes decoct

Tozmentill roote in powder, with wine or water of
a Smithes forge, wherein yron or Steele hath bee
osten quenched.

Planten leaues decoct, — Knot gras the suice,
Hoystaile decoct in wine, — Great Singreene decoct,
Velv flowre-deluce decoct in water

Hiacinth roote decoct in wine

Fly orchis roote boyled in water

Puliall mountaine boyled in wine

Trago Organum decoct in wine

Annisteds decoct in wine — Piony rootes in powder

Ciprus seede — Galingale decoct in water

drunke.

Harts tongue leaues decoct

Wayden haire decoct in wine

Black popie seede decoct in wine

Tares seede decoct — Hares sooke decoct in wine

Phænix or Waybennet decoct

Garden Parcelane iuyce

Marsh Mallow rootes decoct in wine

Gourdes tender topes brased with wine

Smyrneum leaues decoct, & the rootes in waser stiped

Chestnut red barke boyled in wine

Lentisk tre leaues and barkes

Lacerpitium with hony and vineger

Otemeale in meat. — Dry blanched Beanes

Tares seede decoct — Earth nut boyled

Smyrneum leaues and rootes

Hiponstus taken — Unripe Gooseberries

Fruit of White thorne — Hawes

Almonds before meat

Wedlers

Greene Mulberries dyed

Wild Plums — Lorus

Carobus dyed

Ciprus tre fruit

eaten.

For to stop the fluxe of the belly.

Makē powder of the bloomes of Walnuts whē they fal, two
drāms, with a hard rostēd egge and oyle, eaten threē mor-
nings fasting: if that serue not, take threē drāms with an egge.

For a Marmoll.

Firſt giue the patient this ſirrup; that is, take Parcely, Fe-
nel, Baeholme, Sparage, Scabios, Gunla campana, Af-
dill rootes, Dock rootes, round and Sharpe Ebulus, Elder, Ca-
medios, Camepitis, Endiue, Sorrill, Hartſtongue, Cetrack,
Politricon, Capillus Veneris, Adiantus; one drām. Violets,
Scene, Polipody, Eletri, of each ſoure ounces. Flowres of Bo-
rage, Maratrum, Lime, Epithini, Cuscati, Sticados, Liquoris
clensed, of each one ounce: Borage iuyce, Affodill iuyce, Fu-
mytozie iuyce boyled with Hiccorie, one pound, Sugar ſoure
pound.

Giue it the patient by nine dayes purged, vt potionatus redi-
get, and after anoynt the pustules places with iuyce of Af-
fodils halfe a pound, Lapacii acuti & Rotundi, iuyce of Celidoni, of
each ſix ounces, Sulphuris viui, quicke Lime, Litarg. auri, of
each two ounces: Padder, Citrin, of each threē ounces: Aloes,
Caballine, Cartaruin, of each one ounce: Viridis cris, two oun-
ces, Picis natalis, one pouūd, Olei communis, two pound, Auxin-
gie, Angrull. porci ſals. one pouūd, Petrociliini, 2. ounces: Omnia
incorporentur, in maner of an oyntment, and therewith anoynt
the grieued parties by eight dayes, and then let him enter into
a bath, in which the leaues and rootes of long and round Docks
and Scabious wild, and domeſtically great Lawzell, and little
Lawzell, Tithimſll, Rootes of Ebulus, Elder rootes, and
leaues of Gunla Campana ſhall be boyled, of each threē drāmes:
All which muſt bee ſtamped and boyled in waſter, and make a
bath, and anoynt the patient dayly by ſix dayes, and let him vſe
this ſoꝝ a competent ſeasōn, vntill he be cured.

For

Rams little Dodcon.

For windiness, and blasting of the belly.

Worme wood eaten in the morning lasting,
Hemp seede in small quantitie,
Pellitorie of Spaine roote, decoct in wine, & drunk,
Wild sea Purcelane kept in brine, eaten in sallet,
Blacke Pepper eaten.

For griping paines in the belly.

Cinna leaves and flowres decoct in wine or water,
Maruin decoct,
Margerum decoct in white wine.
Garden Mint boyled in water,
Costmary alone, or with Parcneps seedes decoct,
Rue decoct with Dill,
Anniseedes decoct with wine,
Comin seedes decoct with wine,
Lybanotus seedes decoct in wine,
Cesely seedes decoct with wine,
Daveus seedes decoct with wine,
Haystrage seedes and rootes decoct with wine,
Louage roote and seede, decoct with wine,
Asclepias roote boyled in water,
Centauri major, the roote two drams with wine,
Kubarbe infused,
Walwort leaues and yong raps decoct in wine,
Polipody of the oke in powder decoct,
Pannar seedes decoct in wine,
Phoenix decoct with red wine,
Eringus rootes in powder, or decoct in wine,
Cardus benedictus boyled in wine,
Sea Purcelane decoct in wine, & Radish decoct,
Parcely roote decoct in wine,
Putmegs decoct, and Juniper berries decoct,
Lyne seedes boyled in water and glistered.
Penedamum roote, the say by it selfe, or with bitter Almonds
eaten.
Parcely eaten, and Squilla rosted, prepared, and eaten.
Putmegs eaten.

For

For fret in the belly.

TE Ate Tansey, Rew, and Sothernwood.

For hardnes of the belly.

TDRinke thre spoonesals of iuyce of Rose leaues thre times in a day.

For griping paine in the belly.

TAKE Sothernwood, and lay it against the place of the contrarie side where the torment is, and it will drine it out: if it be layd to the nauell, it will drine away the paine.

For ache in the backe.

TAKE Ache, Egrymony, Hause-eare, Saincle, and Wormes wood, of each a like much, stampe them smal with butter or barrowes greace and white wine, frys it, and make a playster of it, and lay it to the backe as hot as may be suffered.

For ache in the bones.

TAKE an old hoare Fore, bind him sure that he stirre not, put him quicke into a brasse pot, and put to him sixe or eight gallons of oyle Olie, set them on the fire, and boyle it easilly fiftene houres, then let the fire coole, then straine it through a cleane linnen cloth: With that oyle anoynt the ache, which profiteth greatly: you may keepe it fortie yeeres or more: whē it is boyled, you shal find of the Fore nether haire, skinne, nos bones, but onely the clawes, and the oyle consumed to one gallon, or a little moore.

For ache a Crecloth.

TAKE Rosen half a pound, Perrosen, one quarter of a pound, Deere sute two ounces, Turpentine one ounce, Cloues and Pace of each alike, one ounce, Haffron, one ounce, oyle of Rosles, two ounces: boyle al together, and vse it.

For

Rams little Dodeon.

For to cure the bloudie Fluxe,

- Bistort Roote,
Periwinkle,
Agrimony sède, } in wine decoct.
Yellow Lycymachus,
Shepheards purce,
Cinquefoyle,
Tormentill roote in smiths water,
Wild Tansey in wine,
Gnaphalion leaues in red wine,
Plantain leaues in wine, } decoct
Knot-gras iuyce drunke,
Horse-taile in wine,
Flebane sède parched, the powder in wine
Scordion dried in powder, two drams in wine
Greate Singrene in wine decoct,
Fier weed sède in wine or smiths water, decoct,
White Polyn roote, in red wine } and drunk.
Pimpernell in wine decoct,
Millesolly in wine decoct,
White water Lillie roote or sède, decoct in wine
Yellow Flowre de luce, decoct in water
Costmary leaues alone, or wþ Parcely sèds in wine
Sage decoct in wine, & Kubarbe infused (decoct,
Polimonium roote decoct in wine
Pannar seede decoct in wine
Vine greene leaues and claspers decoct in wine
Pomegranat blossoms in powder
Mulberries greene and bnrspē, decoct in wine
Chesnut barke boyled in wine
Oke leaves, barke, and Apple, decoct in wine
Pine Apple, fruit, and scales decoct in wine,
Nutmegs drunke,
Turpentine leaues decoct in wine,
Lentilles decoct, the first water cast astray: and after the second
decoction, eate them. Lycium of bor thorne takne.
Cornelle Plums, and Rosen of Larix taken.

For

For to cure the bloody Fluxe.

Take powder of Acornes cuppes, and drinke it with red wine, yolkes of hard egges and cynamom.

For bleeding at the nose or bloody Fluxe.

Take a great Toade, put it in a glasse, and stoppe it fast: then set it in a dunghill, and all the great Toades thereabouts will draw to it: then take them and put them into an earthen pot, and stoppe them fast, and set that pot on a strong fire till they be drye: but come not to it, till they be cold, for the stinch: then sow them in silke.

If it bee the bloody fluxe, lay it to the right side: If it bee soe bleeding at the nose, lay it to the Stomacke warme: But if it be great ned, heat two Toades thereon, and dry them and lay them to your Stomacke warme in silke as aforesaid &c.

A Caudle for the bloody Fluxe.

Take a pint of red wine, and the yolkes of 5. newlaid eggs, a good quantitie of Cynamoni, a little sugar, the pell of a Pomegranate dried and made in pouder, a good quantitie: boyle all together in a platter on a chafingdishes, till it be thicks, and let the patient eate of it earely and late, and as oft else in the day, as his stomacke will serue him: and it will stoppe it, be the fluxe never so great.

A singular approued remedie for the bloody Fluxe.

Take as much fine linnen cloth, as will make a supposito-
tozie, being wrapped round together, bottomwise, wet it
in the best Aqua vita or Aqua composita: and let the patient
conney it into the fundament, and within thre or four times
dressing, by Gods helpe it will doe good.

Another.

Take gads of Steele made redd hote in his drinke, often-
times quenched, and drinke thereof,

Another.

For spitting of bloud or corrupt matter.

- G**reat Bur seed in powder one dram, pound
with kernels of pine Apple in wine
Permacle in wine } decoct
Shephearde's purse in wine } decoct
Tormentill roote in powder with wine
Knot grasse iuice
Black Spolyn with his pleasant flowers decoct
in wine
Plumpernell in wine or smithes water decoct
Sanicle decoct in wine or water
Millesolly decoct
Rumglyme iuice half an euce with vineger } dranks.
Vint iuice with vineger
White horehound decoct in water
Betonie decoct in wine or water
Capillus Generis decoct in wine
Solle decoct in water
Hspelt Meale decoct with red wine
Ladles Thistell roote decoct in wine
Parcelane decoct in wine
Wine Tendrils or Clasps boyled in wine
Burtheorne, or the seed, decoct in wine
Mithie leaues and barke decoct in wine
Oke leaues, barke, and acorne cups decoct in wine
Rosen of Larix, or Agarik decoct in wine } dranke
Turpentine tree leaues and barke boyled in wine
Mastick or Léthick tree leaues & bark decoct in wine
Hage iuice taken with houle
Wheat meale boyled to pap, and often licked
Balba Casta, eaten. Tamarisk fruite eaten.
Quinces Quodimak any wayes taken
Almonds any wayes taken
Chestnuts & meale made in electuarie, or Cypres fruite eaten.

De Sanicula.

Celui, qui Sanicle à, de mire il u'a.

Who se hath Sanicle, nedeth no Surgeon.

For

Another.

TTake Hinkesoyle, boyle it in wine, and let the patient hold his mouth ouer it.

To remoue a botch from one place to another.

TTake Wormewold and Mugwort Rodion, stamp them together, and drinke the juice in ale: then take a quicke Oyster, and lay it on the place that thou wouldest breake, and thitherward it will draw it.

TTake Oculus Christi and Vervain, make a plaister of them, and lay it from the botch two fingers breadth, and elsewheres putt it far, and doe so till thou come to the place wheres thou wolt breake it.

TTake Colombind, stamp it, & with the juice wash the botch or boyle well, and make a stike with the same juice to y place where thou wouldest have it breake, & there lay a plaister of the same herbe stamped with juice, and it will breake it.

TTake the iuce of Wansey in a nutshell doth the like to remoue a Felen.

To ripen a Botch.

SEE the Otemeals in milke, and lay it playsterwise as hot as may be safpered.

TTake Tormentill, Honey and Salt, tempered with the white of an Egge, and lay it to, and it will breake it.

TTake Hingrene, Melilot, Linseeds, and Pints, boyle them in water, make therof a plaister, and lay to, to breake it.

Roast Toade dooles hote, and lay to, to break it.

Lay Galbanum to it, and it will breake it.

TTake Shorell, the white snaple, and the lesser Brokelyme, a like quantitie, stamp it, strete it with Shepes sute, and lay it to the griefe.

To breake a Botch when it is ripe within, and the skinne thicke and hard.

Stampe Sperewort with oyls; and lay it on the head of the Botch,

To

Rams little Dodcon.

For to stoppe pissing of blood.

A Grimony.

Shepherds parse.

Planten leaues.

Coronopes, or Parts-horne.

Knot grasse.

Pimpinell.

Knights parrows.

Molle.

Tribulus terrestris or Saligot nuts

Mirtle berries.

Withie leaues and bark.

Oak leaves, bark and Acorne cups.

Masticke.

Tormentill roote in pouder, decoct in Smithes water.

For to cause pissing of blood.

Garden Padder juice of the roote much vsed.

For to strengthen the bodie,

Sandiergrasse full and sappy rootes eaten — testiculus odoratus, Goates Diclis rootes eaten or boyled in Goates milke, drunke : Satirion rootes eaten boyled.

For obstructions and stopping of the body.

Garmaunder with his flowers boyled in water and drunke.

For to dissolve congealed and clotted blood in the bodie.

Camepitis decoct.

Wild Tansey boyled in salt & water.

Morsus diabolici root decoct in wine.

Bugle.

Auens.

Tyme. } decoct in wine.

Mustard.

Figges decoct in water and drunke.

Figges.

Margerans.

To strengthen the body and stomacke, and
to procure good digestion.

¶ Take Malmeley one pints, as much Mint water, Syl-
namom, Ginger, of each an ounce, broile them and put
them together with halfe a quarter of Sugar, let them stand all
night, and in the morning drinke it.

Mistris Barret,

Rams little Dodeon.

31.

Margerom, dried and taken with honie, —
Kue roote, in powder, with Honie dried, } eaten.
Amers, dried with Honie,
Lacerpitum rootes, stamped with Oyle,
Gentian rootes, the juice taken.
White Bryonie, in Electuarie with Honie.
Wild Bryonie, in Electuarie with Honie.
Dulcamara, decoct and drunke.
Garden Madder roote, or peled decoct and drunke.
Water Pepperwoyt leaues and Ale, decoct and drunke.

For windinesse of the bodie.

Agella Roinana seedes with wine, } drunke.
Agnus castus seede with Wine, } drunke.

For to strengthen the Bowels.

Vulgo Tansie, }
Calamint, } decoct in Wine and drunke.

Parnassus Cralle, }
Frangula Barkes, boyled with Hops, Pontiske, Wormwood,
Cupatorium, Sennep, Fenel, Marcell, and Endive, with their
rootes taken, in quantitie of due Dunces.

For inflamation of the Bowels.

Flebane seede, boyled in water or stiped, }
Herbe Bennet roote, — Quens, decoct. } drunke.
Trifoli by it selfe, or with the flowers boy- }
led in syrups or Horned water, — } drunke.
Purcelane juice, drunke.

For windinesse of the Bowels.

Agnus castus seedes, }
Juniper Berries, } decoct in Wine and drunke.

For to mundifie the Braine.

Penne Kall, ynd with Winger, drunke.

Margrem byseed,

Orygan juice,

Sowbread juice,

Wild Cucumer, delage with swete Milke,

} put or lassfed in
the pochills.

Jule

وَمِنْهُمْ مَنْ يَرْجُوا أَنْ يُخْلَدُوا فِي الْأَرْضِ
وَمَا يَرْجُوا مِنْ أَنْ يُخْلَدُوا هُوَ أَكْبَرُ

Rams little Dodeon.

Iule juice or fruite,
 White Wete juice with Vone, } put or snuffed in the
 Colewoxte juice, } nose,
 Onion juice.
 Harifrage roote or seede chewed.
 Oppopanax, two Drams taken.
 Sagapenum, one Dram taken.
 Amomiacum, one Dram taken.
 Hareacoll taken.
 Laurell leaues, chewed and holden in the mouth.
 White Bryonie roote, one Dram taken.

For to comfort the Braine.

Bayell, decoct and drunke, and often smelled on.
 Rosemarie flowres, in conserve, eaten.
 Lavender flowres, eaten alone or with Sincamum.
 Nutmegs and Cloues, taken any way and smelled to.
 Stecados flowres smelled on.
 Pigella seede dried, poud, and wrapped in a Harcenet, or fine
 linen cloth smelled to.
 Stauesakre, chewed in the mouth.
 Jessamine drieeth Rhetomes.

For to warme the Braine.

Cardmarie leaues, in conserve.
 Pellitorie roote taken with Vone.
 Kie-meale, put into a bagge, laide to the head.
 Jessamine, drieeth and warmeth the braine.

For to remooue slyme flegme from
the Braine.

VVilde Pellitorie, chewed and held in the mouth.
 White Elebor, the roose in powder, snuffed into the nose.

For Impostumes of the Braine.

A Garicke with Syrup, Acetes taken,

A com-

A comfortable Pomaunder for the Braine.

Take Labdanum one Drunc, Beniamine & Sforax, of each two Drams, Damaske powder finely searced, one Dram: Cloues and Mace, of each a little. A Nutmeg, and a little Camphire: Muske and Ciurt, a little. First heate your Morter and Pestell with coales, then make them verie cleane and put in your Labdanum, beate it till it wax soft, put to it two or thre drops of oyle of Spike, and so labour them a while: then put in all the rest finely in powder, and worke them till all be incorporated, then take it out, anoynting your hands with Cinet, roll it vp, and with a Bodkin pierce a hole thorow it,

Rams little Dodcon.

35

For to cleanse the brest.

Lyne seade, mingled with Honie in Electuarie.
Scabius, herbe and roote, boyled in Wine & Water, taken.
Scordion, dried in powder mingled with Honie, drunke.
Ethupis, decoct and drunke.

Romane nettell seade, tempered with Honie, licked in.

Acens, decoct with Wine,

Comphrye rootes decoct in water,

Iris rootes, decoct,

Tyme with Honie, decoct,

Pennie Royall with Honie, decoct,

White Horehound, decoct in water,

Annis seedes, dried by fire, and taken with Honie.

Betonie decoct.

Oppopanax, two Drams taken.

Lacerpitium rootes, boyled with Pomegranat pils and Vinegar,
drunke.

Hagapenum, one Dram taken.

Jentian rootes, or Crosse wort decoct and drunke.

Enula campana rootes, decoct in Electuarie.

White Brionie rootes, decoct, the juice.

Ceruum meale, or bawter Pitch with Honie, licked in.

Fengreke seade, decoct with Dates and Honie, eaten.

Cardus benedictus, boyled and drunke.

Redish young, decoct and drunke.

Percenep rootes, eaten.

Pyrrhis rootes, boyled in flesh broath, eaten.

Cressles, the seedes boyled in the broath of a Hen or Pullet.

Erilemen seade, in Lohok with Honie.

Lake juice, in Lohok with Honie.

Liquorice rootes, mixt with other splices.

Musa fruite, eaten.

Fistiche Nuts, eaten.

Pine Nut kernels, eaten.

Liquid Pitch with Honie, eaten.

Kozen of Larix with Honie, eaten.

Curpentine, in Electuarie with Honie.

For

For a sore brest of a woman.

¶ Take Rue, Sage, Archangell, white Dayssie rootes, Plan-
ten, Angelica, Oculus Christi, of each one Scropule, wash
them and dyse them in a cloth, shred them, and stampe them with
halfe a pound of fresh greace or Barrowes Greace: stampe all
together, and boyle them with halfe a quarter of a pound of Ko-
zen, and as much new Ware: till the Ware and Kozen be mol-
ten with the herbes, then straine it thorow a cleane cloth, and
it will be a faire oyntment to vse.

To purge the brest.

¶ Take a great quantitie of Isop, seethe it in a pottell of good
Wine, and drinke of it earely and late, at Euening hote,
and at Morning cold.

¶ Take a good quantitie of white Horehound, a lesser of
Groundswell, and the least of Malwort, boyle them with fresh
Barrowes Greace, incorporate it and make a Playster and
lay to the Brest: in one night it will cause the Patient to cast out
much corruption, and profiteth against the Cough.

To cleare the Pipes.

¶ Take a handfull of dried Isop, as much of the rooste of Enu-
la campana, and not fully so much of good Liquoris brused,
boyle them in running water, from a galon to halfe: straine it,
and put to it halfe a pint of clarified Honie, drinke thereof first
and last.

Bladders called sise Bladders, or burnings.

¶ Take ground Iuie, alias Alehoone, Sheepe's dung, Housake,
Cooie dung, Sheepe's tallow and fresh Butter: stampe all
together, and let it stand two or threé dages, then straine it, straine
it, reserue and vse it daily.

Rams little Dodcon.

For stopping of the brest.

Sothernewood seede boyled in wine or water, dranke.

Saffron seed the juice boyled with honyed water, or in the broth
of a chicken.

Blache Molin with his pleasant floweres decoct in wine or wa-
ter, dranke.

Ilop decoct with Rue, Figs, and Honie, dranke.

Wetius boyled in wine, dranke. —— Oke of Ierusalem.

Hticados with the floweres, decoct and dranke.

Cummin decoct and dranke.

Anomacum, one dram taken.

Hareacoll taken.

Mappia, the batke of the rofe, one dram.

Fengieke seeds decoct with Dates and hony to drop.

Mustards seed in meates.

Liqueris iuice mixed with Ginger and splices, and small Cakes
made of it and eaten.

Pine nut kernels eaten.

Liquid pitch with Honie eaten.

Rosen of Larix with Honie licked.

Turpentine in Electuarie with Honie taken in.

For exulcerations or swellings of womens
brests or pappes.

VV Heate bran decoct with Rue, laid to.

Soylt meale boyles with wine and Salt-peter laid to.

Erbum meale with Honie applied.

Dried Raisons the kernels pind small with salt laid to.

Roses pind and laid to.

For to drie vp womens brests.

Asherabacks leaues pind and laid to.

For impostumes of the brest.

TUllago leares dried, & a perfume therof made vpon seales,

taken in at the mouth by a tunnell or pipe,

Scabios boyled by it selfe, or his rote in wine or water, dranke.

Asclepias leanes pind and laid to.

Caramilla

For a sore brest, where peeces fall out so broad as the bot-
tome of a sawcer.

Take the slip of Elder tree, scrape off y russet vicermost bark,
and take the middle graine barkis from the white next the
bark, stamp it with Right shade, 4. or 5. leaves of it: but
if the brest burne soze, take the more Right shade to coole it: then
grayne it thorow a cloth, and put to it the yeolke of a new layd
Egge, take aw ay the scum of it, & put thereto pure hony combs of
the hine, faire strayned so sone as they are taken out of the hine:
then take faire wheat flower, and beat all together. The yong
Elder buds that spring out of the ioynts of the Elder tree is bet-
ter then the rinde: temper all these together like a salve: if it bee
well made, it wil looke greene: it must be made as thicke as may
lye on a linnen cloth plaister wisse, and dresse the brest: then take
a linnen cloth as big as the soze and somewhat bigger, that it fall
not in on any side: lay the same vpon the plaster of linnen cloth,
and so lay it to the soze brest, not comming neere the fire.

If there bee dead flesh in it, seethe running water, Allom,
and Sage, till the strenght of the Allome and Sage bee in the
liquor.

When the brest is to be dressed, wash it first with this water;
cleane the soze, drye out the water, but take some fine lint scraped,
and lay it on the soze.

Let it be dressed moynie and euuen.

This medicine is to bee regarded, for it will heale any other
soze, as hath bene often proved.

If the brest bee stiffe, anoynt it with Peates soote oyle.

If the hole of the soze ghe in farre, lay of the salue abous
mentioned vpon the one side of the lynt, and couer the soze
withall.

And if there be dead flesh in it, then must you wash it with the
said water before you lay on the plaister.

You may put in Pallows to the Elder and Right shades, and
it will be the better.

Ad idem.

Rams little Dodeon.

Caramilia, the Oyle, applied.
Crisatum lede with Honie, a Lohocke.
Pellowe Assedill rootes, boyled in Lees of Wine.
Kernels of dyed Raysons and Salt, pund and laid to.

For old disease of the brest.

Lambinus sed, { decoct in Wine and dranke.
Rue of the wall,

For great paines of the brest.

Hembane sate, decoct and applied.

For vnnaturall swellings of womens brests.

Chestnuts, the meale in powder with Barley meale and Vi-
negar, Plaster wise applied.

For hardnesse of womens brests.

Chamepitis græne, pund with Honie, and laid to.
Mint, mingled with Barley, laid to.

Ad idem

Ad idem.

Take Mallowes with Shepes Sowt, till they be verie tender; then straine it and keepe it in bores.

If the brest haue neede to bee fentred, take the stalke of Mallowes that are sooden, and tent therewith: this is approued to be verie good.

For the brest and side.

TTake Sage Royall, Alexanders, red Pettels, Wormelwoode, red Fenell rootes, all of one yecres growing: then make a great fire on the ground till the ground bee hote a soote thicke, then lay the herbes abroad on the ground, and a linnen cloth ouer them, and then lay the painted place on them so long as the heate dureth: and couer him well about.

TTake Ambrose, Rue, and Horehound, of each a like much, Tampe them and drinke it with Wine.

TTake Mints, and Dyle Oline, boyle them and applie it to the griele.

TScrape a Goates horne that is boyled, and gine that scraping to the Patient.

For inflammation or swelling of the brest or elsewhere.

TTake leaues of Marsh Mallowes, or Holy-hocke, sodde in white wine till they be verie tender, mince them smal, and make them in a Cathaplasma, and lay to the griele wher soever the swelling is.

D. K.

TTake seed of Henbane, break it and boyle it in Wine, and lay it hote to the brest.

TTake Linseeke, and the white of an Egge, or the iisce of Smalsage and lay to it: and if shee lose her Milke, giue her iisce of Marren, and it shall restore Milke abundantly.

For rankling Teats of too much Milke.

TTake powder of Hempseede, and giue her to eate and drinke in all meates and drynkes.

To make Teats small.

TTampe Hede of Hemlocke with Vineger, and annoynt them often.

TPowder of Aciens and Vineger doe the like;

For

Rans little Dodeon.

For shortnes of breath.

Sothernwood seed decoct in water and drunke.

Tussilago leaves dried, and a perfume taken into the mouth
by tunnell.

Jarmander with his flowers decoct in wine or water, drunke.

Ranunculus peltie seeds with honie often licked in.

Stock Wilielis flowers decoct in water, drunks.

Piris roots taken with sugar or Honie.

Lime boyled in water and Honie, drunke.

Margerom mingled with Honie and } taken.

Tragorizan mingled with Honie and } taken.

Bazell decoct in water

Calamint decoct in wine }

Rut and Dill decoct in wine } and drunke.

Pigella seede decoct in wine }

Seculus seede decoct in wine }

Penceyanum roots, the sap by it selfe, or with bitter Almonds.

Oppopanax tree dranis }

Dagapene one dram } taken in.

Galbanum one dram }

Amomacum one dram }

Assarabacka roots boyled in wine, and drunke.

Dragunculus roots rosted or boyled, mixed with honie, eaten.

Rubarbe taken in.

Wilde Cumer Eaterium dried, halse a scruple.

Briony root in Electuarie with honie.

Blessed Thistle powder in wine.

Smyrniam leaues decoct in wine.

Mustard taken any wayes.

Erismon seede with honie often licked.

Squilla prepared with oyle and honie.

Bitter Almonds eaten.

Figs eaten before meat.

Whistck nuts eaten alone or with sugar.

Agarick one dram taken in.

Tansy seed taken. — Saffron in sweet wine drunke.

Oke of Jerusalem decoct in sweete wine, drunke.

Hongforsc scruple decoct in wine and drunke,

For Tisick and shortnes of breath.

¶ Take Enula Campana the roote in mid May, dry it, pato
it, cut it small and put it in Vinegar till it be soft: then
dry it, and take purified Honie, and cast both into a chaser, and
boyle them together, secundum artem, and box it.

Against the Tisicke.

¶ Take Barley of the cleanest, wel ground in a myll, that the
husks & bark be cleane taken away, boulted in a fine cloth:
of h bran whereof make a poultis in cleane water, with a spoon-
full of butter thrice washed in water, and hereof let the Patient
often vse.

¶ Also boyle the sweetest Apples you can get with newe
porke: let the Patient eate the Apple, his brest and places annoy-
ted against the fire with fresh butter.

Against horsenesse.

¶ Take Gum Arrabeck, Dragagant, Liquorice, Anudi,
Cucumer sedes, Gourd sedes, Purcelene, Pemdisa,
Horsehone, Lettrellis Canabi sedes, Acholas roots, Isop, Gen-
tarium, Violets: boyle them together in white wine, and let the
Patient drinke thereof morne and even, &c.

For windc and stitch in the side.

¶ Take Camomill and Wormewood, of eache one handfull,
græne Broome two handfulls, stamp them small together:
then make a bag that will goe from the Pauell to the Keynes, &
put those things into the bag couched abroade that will lye ouer
the wombe: then take a good quantitie of Mallowes, and boyle
them in a pottle of rayne water or clere running water, till it be
thoroughly boyled: then plunge the same bag in that water till it
be thoroughly hote: then squeeze out that water, and all hote lay it
ouer the womb til it commeth to the reines, and when it is cold,
heat it againe, and renewes it often.

Rams little Dodeon.

43

For paine in fetching breath.

Saffron seede the iules with boined water, or brech of a chiché,
Sphullick nuts with sugar eaten.

For to amend a stinking breath, and to procure
a sweete breath.

L Acerpitum roots eaten with myrate or salt.
L Pilles of Lemons condited and eaten.
Patmegs eaten.
Mastick holden and chewed in the mouth.

For such as are bursten or broken.

A Canthus roots taken in drinke.

Rubarbe infused, taken in.

Osmond, the heart or middle roote taken in broth.

Garden Radde roote,

Moussears — Petiolla rootes or leaves,

Hoytale, or Shauue grasse

Morsus Diaboli,

Adders tongue,

Cerapheis roots, pund and applied to ruptures.

Clinopodium decoct in wine and drunke.

Carantia oyle anoynted.

Calamus Arromaticus, decoct

Caroline roots decoct in wine, and drunke.

Cruciata decoct in wine —

Parcenep roots eaten

Yellow Aftodill roots decoct in wine onz dram.

Ciprus nats pund and laid to the rupture.

For

15. June. 1542. 44

A paste for stinking breath.

¶ Take Wine and Honey a quantitie; boyle them a little, then
put to it grated bread and stir it, put to it Annis seeds, Lis-
quoris, and Pepper in powder, and make paste of it; make it in
cakes, bake them of any fashon, and eate of it.

¶ Take two handfulls of Comyn in powder, sethe it in good
Wine from a pottle to halfe, drinke it at euern hot, and at moerne
as hot as you may suffer it: at euern and moerne a pinte, 9. daies.

¶ Take Puliall Mortan, one handfull, wash it, dryed and
campe it, put to it halfe an ounce of Comyn, pun and meddle
them well together with white wine one pottle boyled to halfe,
and glase the patient to drinke hot as hee may suffer it, halfe
a pinte a day, once after meat and not before, and once at euern
hot, and it shall be well in fiftene daies.

For one that is bursten.

¶ Take rootes of Comphrie with the leaues, Setwall rootes
and leaues, Polypody rotes, Centory called Peterwort,
make it in powder, and drinke it in Ale.

For children bursten.

Flebane sode with Vinegar,
Flutter Crowe root mingled wth wheat flower } laid to h greste
 Profolia sum pund with meale and wine, } outwardly.
 Pencedanum iisce, }
 Profoliatum mingled with Ware, Oyle or oyntment fit to cure
 Wounds applied.
 Sanguula decoct in Wine or water, } and drunke.
 Pilosilla leaues decoct, }
 For burning or scalding with water
 or fire.

Great Buglos root pund with Oyle and ware,
Greene Clote leanes pnd with whites of eggs,
 S. Johns wort leaues pnd,
 Wilde Mullen pnd,
 Greene Pirroll pnd,
 White Lilly roots rosted, mixed with oyle of Roses,
 Parcissus medio luteus roote pnd with honis,
 Iule leanes boyled in Wine pnd,
 Tipha the do wne mixt with swines greace,
 Branke vraine grēne, pnd,
 Galion flowres pnd,
 Beete leaues pnd,
 Lettice grēne leaues pnd,
 Marsh Mallo w leaues pnd,
 Conrd iisce,
 Yellow Affodill rootes boyled in oyle,
 Mulberie leaues boyled with oyle,
 Ashes of Figtree with oyle of Roses and Ware,
 Palme tree broken mixt with greace,
 Pine apple scales with the barke of Pine tree pnd
 With Litsarge of siluer and frankincense,

applied and
laid to.

For

For to preserue one from bursting.

Take Comprie, Pep, Royall, & Egremony: pan them
and make a posset with the iuice thereof, and drinke it:
and somtyme chip and fry them with Egges, and eat it
as a Tansey.

Take tender crops of Osmond in May, dry them in the
wind and not elsewhere, make it in powder, & save it in a bla-
der Winter and Sommer, and drinke thereof: it will make the
belly goe as if it were new burst. Let the Patient be well and
easely trussed to goe withall in the day, and to lie in the night, till
he be whole, whiche will be in 24. dayes, if he will bee ruled.

He must lye upright as much as he may, and keepe his bed eue-
ry morning two houres after hee taketh his medicine, and eats
no white meates till he be whole, no i strague him any wayes.

For burning.

Take infuse of the leaues and berries of Iuy, the oyle of Puts,
of each 8.ounces, Mare two ounces: boyle it to an oynt-
ment, and vse it.

For burning or scalding.

Take Nighthade, Parcely, Isop, Tim-houe, Sorell, Mar-
gold, and Setwall, of each two handfulls: Stampe them
and straine the iuice, and put to it a pound of Spike, a quar-
ter of a pound of Deere-suit well clarified, or fresh Butter, or
Sheepe's suit, boyle all together a little while, then put it out and
anoint the griesse: it wil take out the fire in ten or twelue houres:
then lay ouer it, the soft Long wort lease, but first wash the griesse
with salt brine, whiche will speedily take out the fire.

Another for the same.

Take Hallet Dyle and running water, beat them together,
and then lay a lawne ouer the griesse, and annoynt it on the
lawne without remouing till it be whole.

Take the black water remayning in the making of salve
or oyntment of Tabacco, and annoynt the griesse, & it killeth the
malignant heat of any burning or scalding.

For Cankers.

Scrophularia leaues, }
Plantain leaues, } stamped and
Mettis leaues, } layd to.
Dragens, the fruite,
Cobus boyled, mixt with Honey and Barley meale, appled.

For to prouoke carnall copulation.

Siberne wood layd under the pillow, bed, or bolster.

For to ingender male children.

Barrous Mercurie, or Male Phellen, } drunke or
Fly Diclis full rootes, ————— eaten.

For to ingender female children.

Girls Mercurie or Phellen, ————— drunke or eaten by
Fly Diclis withered rootes, ————— women.

For

¶ Take running water, a potte, as much whiske sone or vinger, halfe a penyworth of Hony, as much Allom as an Egge, white Coprus a quarter of a pound, Rosemary, Rue, Rose, Cimz, and red Sage, of each a branch: boyle them to halfe, straine it and reserue it to use.

To destroy a Canker.

¶ Take Chid sope and quicke Lyne, make a plaister and lay it to the sore, and be well ware that the Canker be there, for it will certaintely slay the Canker: And when it is slayne, lay to the sore a sword of Bacon, and it will heale it.

This is called Veni mecum, for it will not sayle if it be layd to the quicke flesh.

For Cankers in teates.

¶ Take Culuer dung, Hony, Virgin waxe, flower of Barly, Beanes and Lyneseds, sethe them in Vniger or Wine, pat thereto Rams tallow, make a plaister and apply it.

For a Canker in the mouth.

¶ Take the roote of Flower de luce, wash it and slice it, and a few leaues of Peny royall, steepe them in conduit water, and wash the griese therewith.

Rams little Dodeon.

For pestilent Carbuncles.

MOrsus diaboligræne, —
Violets with Barly meale,
Pomegranat seed with hony,
Gip;ustree leaves with parched barly meale, — } pund and
laid to.

For cholerick humours.

Common Wormewood, — }
Fumitory,
Tormentill rotes, } pund and laid to.
Flebane seede,
Senie cods & leaues one dram,
Olive tree leaues,

For cholerick inflamations.

Feuers w græne leaues and flowers, pund and applied.
Perritory } stamped and applied.
Safron }
Pynts two or thre branches, the juice drunks with juice of
lowre Pomegranats.

For

To purge Choller.

¶ TAKE Disagredij one dram, beat it grosse, put the powder of Aromaticum Rosarium Gabrielis to it, halfe a scruple, Ginger fine sliced, halfe a spoonfull, & Sugar as you list: take a fayre Apple, cut off the cap, take out the core, lay a tyle upon embers, rost the Apple, and when it is rost, pare the Apple, and put into white wine, and take it early in the morning.

D. K.

H 3

For

Rams little Dodeon.

For the collicke.

Saffron seeds the juice with horrid water —

Quens roote dried and wine

Camomil herbe and flowers with wine

Cotula Lutea with wine decoct

Mynts boyled in water thre dayes

Daucus seeds boyled in wine or water

Ricinus seeds pond with whey

Capsia the bark of the roote, one dram

Colloquintida white pulpe decoct in water

Honeyd water,

Sea huill rootes boyled in wine

Holly berries decoct —

Oke ferne roote boyled in Butter broyl, or of a Chicken or Cappon, or the decoction of Mallowes or Beets, and a little Annis, or the powder thereof with honeyd water drunke.

For cornes of the feete.

VVhite Lilly rootes boyled in Winger, applied as a plastrer.

Lacerpitum with Rue water and Honey, applied.

For

For the Colli cke, and to cause digestion, and for
gryping paynes of the belly.

T Take herbe John, Camomill, Wormewood, of eche one
handsfull, the yeolkes of two egges hard rosted, shred the
together, not ouermuch, fry them with salt Butter: then take a
freene dish and fill it with warme ymbers, and lay the fried
herbes vpon the embers, sprinkling the embers with wine vi-
neger: and lay a lynnen cloth over the dish, and knit it fast in
the bottome, and lay it close vnto the Payne.

G. K.

For swelling of the coddes.

T Take powder of Comyn, Barley meale and Hony: fry
them, and make a plaster thereof, and bind it to the cods.

For Cornes in any place.

T Take crops of a Pettle, brouse them and lay them to the
Cornes.

T Cut them till they bleede, and then apply to it ashes of
Tabacco burnt.

H. 4.

For

Rams little Dodeon.

53

For a consumpcion.

Sandergrasse, full and sappy rootes boyled in Goates milke,
Seaten, or alone.
Bay berries punds small, mingled with Hony or Syrop,
often licked.

Pine Nut kernels eaten.

Agarick sodden in sweet wine, drunke.

For the Cough.

Ermaunder with his flowers boyled in water,
Saffron seed juice with homed water,
Stock-Gillifer flowers decoct in water,
Rue and Dill decoct,

Betony decoct,

Lacerpitum rootes boyled to Electuary with hony
Galbanum in like sort,

Enula campana rootes decoct in homed water,

Galingale rootes boyled in wine or water,

Hony succle fruite decoct in wine,

Capillus Genertis decoct in wine,

Hopie heads decoct in wine,

Henbane saedes decoct in wine,

Marsh Mallow rootes decoct in wine,

Parcely decoct in wine,

Yellow Assodill rootes decoct, one dram,

Wild Cherry tree gumme decoct in wine,

Planten leaves eaten with meates.

Violets Syrop eaten.

Spendedanum juice with an Egge (reare) eaten.

Spelt meale with good sweet Butter, or new Goates
suet taken, appeaseth the Cough.

Colewoxt juice boyled in syrop, often licked.

Raylons dryed

Bitter Almonds

Figs

Sebastenes

Labdanum layd to the brest with oyntments and
plasters to mollifie.

For

For the perilous Cough.

T Take Sage, Rue, Comyn, and Pepper, boyle them in
Hony, and eate of it earely and late a sponefull.

T Take Horehound and Hony, and eate of it thre dayes
and thre nightes.

For Cough of cold.

T W Ath his fete every evyn with hot water: then set his
soles against the fire: then stamp Garlick, and a little
Horehound, scaine them and annoynt the soles of the fete against
the fire, at evyn when he goeth to bed.

For Cough of flegme.

T Take Figs a pound, a quarter of a pound of Liquoris, &
a handfull of Isop: stamp them and sathe them in wa-
ter, from a gallon to a potiell: strayne it, and doe thereto halle
a pound of Annice and clarified hony, and drinke of it, as of a
principall remedy.

For a Cough of Rewme in the lungs.

T Take Driganum, Isop, the roote of Enula Campana,
of eche a good quantity: boyle them in water, and bray
them well: strayne it, and put to it halfe a pound of Annice, and
sathe it againe till it be thick: then take it from the fire, and put
to it a quarter of a pound of Sugar, and halle a pinte of clarifi-
ed Hony, one ounce of powder of Yeat, and so have you a sin-
gular good remedy.

For

Rams little Dodeon.

For the olde Cough.

Veronica water distilled with wine,

Verstooy,

Munilaria in wine,

Scabious,

Whise Holyn rote in water,

Secilie seedes with wine,

Daucus seedes with wine,

Young Radish with wine,

Hmyrneum rotes and leavens with wine,

Crtsimon seedes,

Lyne seede mingied with Hony,

Scabious flowers conserued,

Germawnder in powder,

Ilop decoct with Rue and Figges,

Lyme boyled in water and Hony,

Whits horehound decoct in wine,

Annis seedes with bitter Almonds and honey,

Oppopanax two drams;

Harcacoll one dram,

Dragon ross boyled or rosted with honey,

Briony roote in electuary,

Leeke juice made in electuary,

Scilla prepared with oyle and honey,

Cakes made with Liquorice, Ginger and

other splices,

Meale of Chestnats and hony in electuary,

Kernels of Pine Nuts,

Agarick. one dram.

For the Crampc.

VVold Tyme decoct in wine or water, drunke.

Harifrage rote dried and chewed.

Betony dried, one dram with hained water.

Pmentedanum roots sap, with oyle of Rose & vinegar applyed.

Oppopanax two drams taken.

Lacerpitum rootes broken with the yeolk of an egge, taken.

Sagapenum one dram taken.

Caphezigm prepared, taken.

decoc & drunke.

taken and eaten.

Astara.

For the Cough, rutling of the brest, boyles and sores
in the side: for the Milc and stomacke.

T TAKE Horseshelpie, Groundswell, Isop, Centory, Smal-
lidge, Rue, Holewort, and Puliall, of eche alike, and doe
thereto Pepper and Honey, and eate of it early and late.

For the dry Cough.

T TAKE Anet, Smalledge seedes, a like much: make it into
powder, temper it with wine, and seethe it till it begins
to ware thick: then boyle it, and use it first and last.

For the olde Cough.

T TAKE white Horehound, a god quantity, Groundswell, a
lesser quantity, and Wallwort, the least quantity: boyle
them with water and fresh greace: temper them wel together,
make a plasser thereof and lay it to the brest: in one night it
profiteth greatly, and expelleth much euill corruption.

A notable Electuary for the same.

T TAKE iuice of Horehound, Feuerfew, Centory, Horse-
mynt, Betony, roote and all, and Fenel; boyle them with
powder of Pepper: looke ye take like proportion of the iuices,
and of Honey clarified, as much as all the rest: seethe it till it be
somewhat thicke, stir it fast, and give it not to great a fire: cole
it, boyle it vp, and eate of it.

For the chine cough.

T TAKE womans milke, and anoynt the childes brest about
the heartspone: then take powder of Sauoy and Strow
thereabout, and bind it with a clout: doe this thre or four
dayes, at euern and morne against the fire, and keepe the child
from cold and from all sowre meate.

For the Crampc.

T TAKE an hearbe that groweth on the roote of Browme, one
handfull, as much Laurel leaues, a quart of white wine,
as much oyle of Olive: boyle it till the wine be wasted, cleanse it
and keape it well, soj it is full good soj the Crampe, being a-
noynted therewith.

G Take

Rams little Dodcon.

57

- Allarabacka boyled in wine, taken.
Rootes of Dragons, boyled or rosted with hony oftenlicked.
Rootes of Rha Ponticam.
Oyle of Tarantia anoynted.
Sea hull rootes decoct with wine and drunke.
Brake vraine taken in drinke,
Carline roote decoct in wine,
Parcelane rootes decoct in wine,
Marsh Hallow rootes decoct in wine,
Yellow Affodill rootes decoct in wine, one dram, }
Bay berries with oyntments and oyles for Cramps applyed.
For deafenesse.

Round Guy brused and put in the eares.

Cardus benedictus in meate or drinke.

Coleworts juice with vineger put in the eares.

Mustard seede poud with Figs, layd to the eares.

Yellow Affodill rootes boyled in oyle, put in the eares.

Bay berries decoct in wine, put in the eares.

Cedra or liquour of Cedar with vineger dropped in the eares.

For dissenterie or dangerous fluxe.

My flowers made in wine, drunke twise a day.

For

T Take, boe stamp and mix it with fresh Greace, and kepe
it in a vessel nine daies well covered: boyle it, and scowre it, and
while it is bole, put powder of Incense into it, stir it and make
it into an syntment, and anoint the griefe with it.

For the Cramp or convolution of sinewes.

T Take Olei Galstroci one dram, Olei Imperii halfe a dram,
Olei Liliorum, Olei Vulpini, of each three ounces, mingled
all together: anoynt at morne and evyn, the hinder part of the
necke, both the shoulde rblades and downe all the spens of the
backs even to the hips.

Ad idem.

T Take Holys oyle, oyle of violets, and Barroters greace, and
anoynt the griefe.

To

For to cause good digestion.

- C**arroway seeds ——————
 Coriander seeds alone or with Sugar,
 Haxifrage root dried in powder with sugar,
 Betony decoct with Honey,
 Ligusticum seeds
 Masterwort the roote decoct in wine
 Gentian roote decoct in wine or water, ——————
 Enula Campana conlected,
 Condzilla seeds
 Parsely with mease
 Mustard
 Rocket,
 Long Pepper,
 Orenge or Lemon pilles, ——————
 Oyle of Rose auoynted on the stomack.
- taken and eaten.

For biting of a mad dogge.

- C**lots leaues pund with a little salt, ——————
 plantain
 Kettle leaues with salt,
 Mynts with salt,
 Blache Horehound,
 Rennell rootes with honey,
 Angelica leaues & Rue leaues with honey, ——————
 Master wort,
 Lacerpitum roots with honey and vinegar,
 Asclepias leaues,
 Capillus Veneris græne,
 Wheate raw chalwood, or ——————
 Juice of Rue with wine,
 Asclepias rootes boyled in water,
- pund and laid to.
 boanke

For

To make good digestion, and to delrey wind,
and to comfort the reynes and Leth.

Take Cardis, 2 drachms white, Cardi. Coriander, 2 drachms
peppen, Cardamoy, 2 drachms, Saffron, 2 drachms, Cinnamon,
Calamus, 2 drachms, Black Pepper, long Pepper, 3 drachms, Pimento
ly, of each halfe a drachm & mace, Cloves, Peperme of Spices,
Saffraue, of each two drachms, Saffron, 2 drachms, Cloves,
Cinnamon, and Drachms of each halfe a drachm : and Saffraue, as
much as all this may by weight, and make this powder.

Dropes

For the dropsic.

- C**innamon Womewood decoct and drunke.
 Juice of the sed of Haffron with hony pund, or chickē broth.
 Pennywort on the wall, the leanes and roote eaten.
 Mercury boyled in water, drunke.
 Water-Planten leanes laid to þy shins & shanks in great aboun-
 Þarisons consound boyled in water and drunke. (danc-
 Polipodi in water oþ wine
 Rue boyled in god wine to halfe
 Betony decoct
 Laser decoct in wine
 Sarabacka boyled in wine
 Galingale rootes boyled
 White Elebor roote decoct
 Palma Christi sedde with whay and milke
 Tripolium rootes, two dramis with wine
 Lawrell leanes decoct
 Wild Cucumber iuice dried halfe a scruple,
 Elder sedes one dram,
 Mallow rootes decoct in wine
 Wild Briony roote boyled with sea water
 Calamus Aromaticus decoct in wine
 White Camelion rot with red wine decoct
 Smyrnium leaves and roote decoct
 Garlick boyled
 Wrome leaves oþ branches boyled in wine
 Barbery tree, the bark of the roote in wine
 Ash tree leane, bark and tender crops decoct
 Rue mixt with Hony and Figs, applied.
 Black Elebor root made a playster with barley meale and wine
 Holdenella boyled in the broth of fat meat, eaten.
 Solanum Somniferum the berries eaten.
 Garlick eaten
 Figs mixt with Barly meale, applied.
 Frangula.

For to slake the belly of such as haue the dropsic.

- L**eanes of the wild Ash tree boyled in wine and drunke.

Fer

Dropsy in the wombe.

¶ Take Gourds and Parcely seed of Alexandria, Broome flowers, a like much: boyle them, & wring out the water whē it is sodden: then take Charuel, Tamerick, & the other Parcely, and stamp them all together, & wring out the juice, and boyle it till it be halfe wasted; put therēin Cassia Flosula, and put therof into the patients drinke, and kepe him warme.

Dropsy and Iaudes.

¶ Take a great bundle of Broome that is grēne, and burns it to ashes: then take Madder, and make Lye with good wine, and let it runne throughe the ashes all warme, and put to Spike, Sugar Candy, and Galengale, and let it stand a night: This drinke will destroy the Dropsy, vse dxxi. dayes at morne and euēn.

For Dropsy.

¶ Take Turmerick, Jaory, and the shell of Pomegarnet in powder, boyle it in good Ale or wyne: put therēto suice of Celideny, Honey, and Spike: when it is cold, giue the sick to drinke thereof in the new Moone, and leauē at the old.

Hote Dropsy in the wombe.

¶ Take suice of Cresses, and sweet wort a like much, and the third part of cleere Honey, temper them together, & straine it, and giue to drinke ix. dayes.

Cold Dropsy in legs and feet.

¶ Take young tendrells of Elder, such as be black, and bruse them with Eldern leaves, and boyle them well in cleane water; put it in a vessell, and stew the legges, and lay the herbs to them when thou goest to bed, as hote as may be suffred early and late.

¶ Drinke thine owne water, and it profiteth.

For

Rams little Dodeon.

63

For payde in the Eares.

- Juice of Veritory —
Great Chickweed juice
Greene Hempye leaues juice
Great Pilosilla iuice
Planten juice Knot grasse juice
Saffron with womans milke
Spyn juice with horned water
Rue juice warmed in a Pomegranet shell
Penedanum juice with oyle of Roses
Dragonculas juice
Emilia Cowrainer iuice
Hoppes juice Nightshade juice
Spiletot juice
Goose grasse juice
White Beeze juice
Gourd iuices and oyle of Roses
Yellow Saffordill root boyled in oyle,
Dried Roses steeped in Wine,
Ladanū with horned water, or oyle of roses
Whiske Popler leaues, the juice —
Black Helebor root put in the eare two or three dayes.
Opium layd to with oyle of sweet Almonds, myrrh and Saffron, cureth.
Penbane leaues the juice draine and layd in the Sun, minned
gled with Collettes for the eares.

For Impostumes behind the Eares.

- Nettle leaues poud with Salt, —
Nightshade poud with Salt,
Sheeps Soarell decoct,
Marsh Mallowers boyled in wine, and {
bruised with horned water,
Cristmon seed mingled with hony and }
water, —

For wormes in the Eares.

- Pellium decoct in water, —
Capers the juice of the leaues, }
fruits and crops, }
Codus —

dropped in the
eares.

For

For payne in the Eares, and to restore hearing.

¶ Burne young branches of greene Ash; and take the water that doeth peish from them an Egge Shell full, as much juice of Leeke blades, and of the dripping of Cales: boyle them together a little: strayne it through a cloth, and keepe it in a glasse: pouf of it in the whole eare, and lye on the soare eare, and in nyne d^ressings it will be hole: then take Wooll vnderneath a blacke Sheepe's belly, wet it in that juice, and lay it to the eare.

For wormes in the Eares.

¶ Take Honey from the Combbe, and doe it in the eare, and lye downe on the other side, and it will come out.

¶ Juice of mynts mirt with hote wine doos the like

¶ Juice of Arle-smarrt with hote winc boozopped it.

Rams little Dodeon.

For Impotencies in the eares,

Lyngesēd boyled in water, —
Planten leaves pund with salt, } put to and applyed.

Souchus irice, ——————
Annis seeds with oyle of Roses, pund and put into the eares.

Juice of Night-Shade dropped into the eares.

Yellow Aſſorellus the root brused, and the iuice with Franch-
incence, Hony, Myrrh, and wyne layd to.

For running eares.

Seed of Fleband boyled, the water —
Tuy leaves, the iuice } dropped in.

Shumak leaves, the iuice }

Turpentynē with Oyle and Hony —

Myrrell Berryes decoct in wyne and flower, layd to.

Licium, or Buxithorne boyled and layd to.

Pitae tree leaues and rasse applyed.

For to cleane the stopping of eares.

Whīte Hozehounde iuice, with hony and wine dropped in.

Dnyon iuice dropped in.

For singing or humming of the eares.

Grand Tuy brused ——————

Hoppes iuice }

Whīte Beete iuice }

Colewazt iuice, and vinsger warme, }

Dnyon iuice }

Bayberries decoct in wine,

Codza, — Liquor of Coder —

Greene pund with Figs, layd to playster-wisse.

Figs and Mustardseed pund hard together, applyed.

For

For aking of eares.

¶ Take iuste of Swines cresses, and put it in the eares.

¶ Take iuste of Raddish and Dyle Olive, and put it in
the eares.

¶ Take iuste of red Hyntes, and put into the eares.

For water fallen into the Eares.

¶ Take iuste of Corryander, and put it in the ears.

I. 3. A water

For inflammation and rednesse of the eyz.

Sotherneword with a rossed Quince,

Aster Atticus gréene,

Great Chickweed,

Pimpernell,

Miolet brused with Barly meale,

Maghalen Wort, and part of wild Daye,

Marabaska leaues, a sygne to the eyz to compound and

Genian roote iisce,

Palma Christi leaues,

Wety Morell gréene leaues,

Parcelane leaues with Barly meale,

Pepins Pulpe finely stamped,

Gourd pulpe finely stamped,

Gréene Parsely with white bread or Barly

flower,

Planten juice —

Great Hingréene juice

Marygold distilled water

Lilium Conualle distilled water

Parcelane leaues pond with Barly meale

Heath mice Acacia mice

Wilde Dilue leaves the juice —

Venbane juice dyed in the Sonne, mingled with Cilltries, to
be applyed in hote cances.

For dimnesse of the sight and eyes.

Wormewood mingled with hony, —

Bazell pond with wine,

Horninnum seed mingled with hony,

Fennell juice and the gall of a Hen,

Libanofus juice of þ herb & root with hony,

Great Scentuary juice with hony,

Loes Cicarrine with hony, —

Wall-flower juice, —

Sarsfrags distilled Water alone, or with vi-
niger.

Hagapertum, Sarcacoll,

Grama Pernasse juice,

Saligot leaues the juice, —

dropped in
the eyes.

For

put in the eye.

A water for sore eyes, that if a man had lost his sight
ten yeres, if it be possible to be recovered, it
will helpe in ten dayes.

Take Smal ledge, Rue, Fennell, Maruen, Egremony, Be-
sony, Avenes, Scaticus, Hand-streng, Custrale, Pimper-
nell, and Sage, a like much, distill them with a little wine of a
man child with fine grapes of Franckincense: drop a drop
hereof every night in the soze eye.

To cleare the sight, and remoue the Web.

Take red Rose, Smallage, Rue, Maruen, Mayden hayre,
Endive, Singraine, red Fennell, Hollywoyt, Celidony, or
ethe halfe a quarteine: wash them cleane, and infuse them in
white wine fourte and twenty houres; then distill them in a still-
litory: the first is like Gold, the second like Silver, and the third
part like Balme: kepe it in a glasse as a precious Water or
Balme for all maladiges of the eyes.

For a stripe in the eye, though the sight bee
perished.

Take the whitest Salt thou canst get, burne it well in a
firepan red hote, beate it in fine powder, and as the Pat-
entlyeth in his bed, make thre small balles with clarified Hony
and that powder, and put them in the eye once in thre
dayes.

A Powder to conserue the sight.

Take Bekony, Rue, Celidony, Haristage, Louage, Anise
seeds, Spynamon, Fennell, Ciganum, Petony, Glodifer,
Montanum, or eche a biam: Galingale, one ounce: make powder
of all these, and take it continually with meats.

To perfise the sight.

Take Sage, Fennell, Maruen, Witony, Eye-bright, Pim-
pernell, Cimactaly, and Rue steeped in white wine fours
and twenty houres: distill it in a glasse Still, which is best.
This water will rehore sight perished.

J
T
T.

Rams little Dodeon.

For bloud-shotten Eyes.

W^Dimewood mingled with hony, layd to.

Chelabug juice mingled with Hony, boyled in copper or
brasse, dropped into the eyes.

Wall-flower juice dropped into the eyes.

Digella seed mingled with Irios oyle, put in the nose.

Caris seed layd to the forehead.

Hagapenum dropped in the eye.

Sarcacoil steeped in Alles milke fourre or five dayes, the milke
every day renued, and the stale milke cast away.

For paynfull bleared Eyes.

W^Dimewood mingled with hony, layd to.

Lyme eaten in the morning fasting, and before supper.

Benbane leaves, the juice dried in the sun applyed.

Groundsell, the downe of the flower with Saffron and water,
applyed.

Roles the juice layd to the eyes.

For the Haw in the Eye or Pearle.

Armaunder juice with oyle straked on the eyes.

Lacerplatinum with Hony applyed.

Howbres mingled with hony, layd to.

Anemony root boyled in wine prepared, layd to.

Swet Trifoli juice put in the eye.

Hellilot juice dropped in the eye.

Dryon juice droped in the eye.

Cedrae brepped in the eye. — Liqueur of Ceder.

For Fistulaes in the corner of the Eyes.

M^Ost rare — — —

Camowylf

Allies Cleatrine

Dates grēne leaves

Raspis flowers with hony

Licium made of the biaunc, roots & seed of Buxiborne, laid to.

Lentils me ale, with Hellilot and Quinces, and oyle of Roles,
layed to.

Hellilot boyled in sweet wine alone, or with the yeolks of rosted
egges, or the meale of Fenygreeke, or Linseed, or Comin
applyed.

For

For Eyes that water, runne and itch.

¶ Take Lapis Calaminaris, burne it red hote, and quench it often in white wine; till it fall in powder, and put thereof in the eyes.

For swelling bladders in the eyes.

¶ Take Dusty, and anoynt the soze eyes,

For sore Eyes in man or beast.

¶ Take a handfull of Dazy roots, leaues and all, & the white of a new layd Egge, beaten in a dish: let it stand halse an houre, then scum it: then put the juice to it with a little Honey, and the Egge, and anoynt the eye.

For the Webbe in the Eye.

¶ Take the gall of an Hare, and Honey clarified, a like much, mixe them well: lay it with a feather on the Web, and it will breake it in thre dayes, and sauе the sight.

For all paynes in the Eyes.

¶ Take Fennell, Rue, Custrale, Waruen, Toymenfull, Wistany, red Rose, Gape leaues, Smaleedge, Egrimony, ground Guy, and Guy that groweth on the Oke, a like much, keepe the one day in white wine, the second day in water of a man childe or virgin, the third day in womans milke, the fourth day in clarified honey: then distill all together, and vsethe water as pretious, one drop at a time.

For eyes that swell, comming of cold.

¶ Take Egrimony, the leaues of Waruin, Fennel, Rue, and Roses, and distill them.

And if you will haue it strong, doe thereto leaues of Galetrium, and of Morses Galline, which is Chick-wæd with the red flower.

For inflammation of the Eyes.

¶ Take the juice of Morell or Rightshade thre or fourre spooles full, the whites of Egges beaten, and the foams taken off: mixe them, and strike them on a linnen cloth, and lay it to the temples and forhead.

G. K.

For

Ramus little Dedeon.

71

For Payne of the eyes.

Wynne wherein dyed Retes have bin boyled, layed to.
Beech leaves juice dropped into the eye.

To stop the running eyes.

Plane tree young tender leaves pined and layd to.

For flowing downe of humours to the eyse.

Saffron mingled with Iromans milke, applied.

Bazell pined with wyne, applyed.

Nightshade juice dyed in the Sunne, mingled with Gillies,
against heats and Rheumes layd to, or taken with Wine-

mell, or hemed water, the wayght of an halspenny, layd to.

Amilium or Starch made of Wheate, applyed.

Pepons pulp finely stamped, and bound to the softhead.

Plumtree leaves beaten and layd to.

For to quicken and sharpen the sight.

Famistoy juice

Eye-bright juice

Libanotus roiles juice

Hagapenum

Yellow Devils bit juice

Wilde Lettice juice

Rampions leaves & stalks juice

Oxpon juice

Lycium

Cedrs — Liquor of Cedar —

dropped into the eyes.

For

For rednesse of eyes, and to cleare the sight.

TTake fine Aloes, Turp, a new layd egge shell, of eche the
waight of a French crowne : beat them in powder, and
put them in a cleane cloth, and sow it as neere the powder as ye
can : hang it in a wyde mouthed glasse, in two ounces of red
Rose water, and one ounce of Eye-bright water, and dip the
cloth vpon the eyes as oft as ye thinke good.

G. K.

A good water for eyes.

TTake Fennell, Maruen, Roses, Celidony, Rue, Phisago,
Eustace rods, and Woodbinds, distill them, and vse it.

Ad idem preciosissima aqua.

TTake Smallage, Rue, Fennel, Egrimony, Bitany, Scabious,
Quens, Hounds toungh, Eustace; Pimpernel & Sage,
full them with a little brinz of a man childe, and fwe graynes
of Frankincence, drop thereof every night into the eye.

A precious water to cleare the eyes, and to destroy
the Pyn and Webbe.

TTake red Roses, Capillus Veneris, Fennell, Rue, Maruen,
Eustace, Endine and Bitany, a like much, so that there be
in all vnder sixe hands full : let them rest in white wine, a day
and a night : the second day distill them in a Stillitory : The
first water will seeme in colour like Gold : the second, Siluer;
the thirde, Balme.

To

Rams little Dodeon.

- For to quicken and sharpen the sight.
 HCrinnum seed mingled with Honey.
 Helubina iuice mingled with Honey in copper or brasse.
 White Horsehound iuice mingled with Honey and Wine,
 applyed.
 Rue eaten raw, or condited with Salt, or mingled with Barley
 meale, layd to.
 Harmula stamped with Wine, Honey, Saffron, Fennell iuice,
 and the gall of a Hen, layd to.
 Oppopanax —
 Lacerpitium
 Sagapenum
 Amomacum
 Howbred roote with Honey,
 Vernassus grasse the iuice in Cillsie,
 Mustardsed iuice dryed in the Sunne, al-
 layd with honey, after waros
 Yellow Assodill roote iuice boyled in god
 olte Wyne, Spyrth, and Saffron — } layd to.

For enchantments and bewitchings.
 A Lissen hanged in the house, at the gate, or in the entry.
 Agullen.
 Molye.
 Rhamuns braunches and boughs hanged at doores and
 windows.

For the falling Euill.
 Camock, or Pety Willyn boyled in honey and vnsiger.
 Cherryes distill, the water powred in the mouth.
 Mistell of the Wke hanged about the neckes.
 Agarick with Cirrop Acetell taken.
 Anna seedes eaten by infants and chldren.

For

To purge the bloud, and cleare the sight.

¶ Take four ounces of Roses well picked, one pound of
Time, Rosemary halfe a pound, red Pynns iij. ounces,
Comyn ijij. ounces, Annae seede one ounce, Cloves one ounce,
bray them to powder, & steepe them all together twelue houres
in thre pynts of pure white Wine, diuell it, and keape the
water in a sayle glasse, and set it to rectifie in the Sonne, and
drinke thereof every morning fassing a spanfull.

A good water for eyes.

¶ Take Fennell, Maruen, Roses, Celidony, Rue, Phisage,
Cupphase Cods, and Woodbyne, diuell them together,
and yse it.

Falling Euill.

¶ Knead cakes of Wheate meale, with the Dewe on Mid-
summer day morning: bake it and este it.

¶ Gather Maruen whilst the Sun is in Aries, and drinke
it in white wine, and powder of Penny seeds.

For

For bruises by falling or beating.

Wy Sage boyled in wine or water, — }

Mallot wort the root decoct,

Oppopenas with mead or hained water,

Gentian juice decoct,

Dulcamara decoct in wine,

Carden madder roote decoct in wine,

Ciprus iuste bark decoct in wine,

Juniper berries decoct in wine or hained

water,

Agarick decoct in wine or hained water,

Rhubarde infus'd,

Almond hart or middle roote boyled, — —

White Popler buds made in oylment, and bled.

For one fallen in a woone.

Bazell bused with Winiger holden to the nose.

For to prouoke carnall copulation.

Gladisius upper rost in wine, — —

Saffron boyled in wine,

Standagrass lappz roote decoct in

Goates milke,

Satiriont wort boyled in wine,

Hoinixum seide with wine,

Ash keyes decoct with Putmeggs,

Carpentine tree fruit in wine, — —

Ariychokes young tender shelles staped in wine,

Caret rootes

Rocket — — —

Clary any wayes taken.

dranke.

eaten.

For proud flesh.

One Apples or galles staped in Winiger, layd so.

For

For a Salsiplen face,

¶ Let the Patient be competently purged, and then let his legges and thighes bee washed with the decoction of mallowes, or Lapaciacuti, or Lexinij Sarmenti, or Whits Wine; boyle them, and make this oyntment:

Taks Mastick, Ceruse, Litarge, Enula Campana decoct in water, juice of Reddish, Oyle and Miniger, incorporate them, and vse it.

For

Rams little Dodeon.

77

For the Fistula.

Cinquefoyle leaues pond and layd to, and mingled with Salt
and hony applyed, closeth vp the Fistula.

Planten leaues —————
Yellow Millesely. } pond and layd to.

Testiculus Odoratus roote —————

Arisarum made in Cillierte and plaister.

Small Centery in powder, mingled in plaisters, oyntments,
powders, and applyed.

White Eleborus cut in gobbins, and put in Fistulas.

Dates greene leaues pond and layd to, with the meale of the
seed of poore Dates applyed.

Pitch liquid pond small with Franchincence applyed.
For to prouoke flowers, and to bring them downe.

Champeritis leaues —————
Sothernwood seeds greene or dry, boyled in wine,
Crinza leaues and flowers decoct in wine,
S. Johns Wort with y flower & seed decoct in wine,
Horse-tayle decoct in wine or water,
Scordion with wine,
Wall-flowers dryed, decoct in water,
Stock Gilleflowers decoct,
Marigold flowers decoct,
Camomil herbs, root and flower decoct in wine, } drunke.
Tyme boyled in water and hony,
Winter Sauery boyled in water and hony,
Poly boyled in water and hony,
Clinopodium decoct in wine or water,
Botrus boyled in wine or water,
Calamus decoct in wine or water,
White Horehound decoct in wine,
Rue leaues decoct in water,
Harmula decoct in water or wine,
Lauender boyled in wine, —————
Nettle seeds pond with Pyreth, vsed by pessary.
Iris roots receyued into the body by pessary, or bath.
White Lilly roots rosted and pond with oyle of Rose, applied.
Clary any wayes taken. — Drctanum verum boyled in wine,
drunk, or by pessary, Nigella

For the greene Sicknesse.

Take thirty grēne leues of Allarabacea in Wyne all night: then Strayne it and put it in a close pot, with a piece of fat porke: boyle it, eate the porke, drinke the wyne. It also helpeth the Jaundes, the Feuer, the beginning of Dropys, Lympany, Quotidian wormes, and swelling of the Noe macke: for all whiche there is no better remeuy.

TPowder of Ash Keyes with Birsing, red Sage, Mints, & Margerom, boyled in running water from a pottle to a quart, a god draught with Sugart taken early and late, is good.

TEake the Blessed Whiske, & drinke the decoction thereof.

TEake Onions.

TStamp Rue one handful, red Sage two handfuls, strain the iuice, and put to hi a pynt of hote honig, well clarified, and a great spoonfull of grosse Pepper, mire them well together, and glue thereof one spoonfull and halfe, bloud warme; at even and morne, and let her eate soure or faine times every day syxe or seven Raylins of the Sunne at a time.

This will cure it, though it appere not at the first: and if she amens not at the end of ten weekes, give her the same receyt agayne.

TTake soure drams of the powder of Quory, sixe or seuen drams of Turpentine, soure penny Wayght of Saffrou, and drinke thereof with stale ale at moyne and even.

TBoyle cloues of Garlick in milke till it be thick, and let her eate it, and walke after it boldly.

Beaconsfield. For

Nigella Romana decoct in wine, —
 Libanotus roots, Cecily seeds,
 Cardion seedes, Daucus seedes, } dranke.
 Haricrage roots, Betony dyed,
 Pannar seeds with Wormwood & wine,
 For to prouoke flowers, and to bring them downe.

Lacerpitium with myrrh and pepper, —
 Hagapentam with boined water,
 Astrolochia longa, with myrrh and pepper,
 Astarabacca with boined water,
 Great Centory with wyne,
 Howbied dyed in powder with wyne,
 Enula Campana decoct in wine,
 Peony roote dyed with Hidromell,
 Hettwall roots decoct in wyne,
 Stragium sed one dram decoct,
 Galingale roots decoct with wyne,
 Trifoly leaues, flowers & seeds decoct in water,
 Cardus Benedictus decoct in wine,
 Crithmum leaues, flowers & roots decoct in wine, } dranke.
 Bulbacaltanum sed decoct in wine,

Meddish decoct,
 Wild Carret seed decoct in wine,
 Mountapce Parcely seeds with boined water,
 Mayneum seeds decoct in wyne,
 Heny seeds with boined water,
 Cresses seeds decoct in wyne,

Garlick decoct with Orygan,

Yellow Assobill roots boyled,

Baetholme decoct in wyne,

Laurus Alexandriae decoct in wine,

Cyprius roois decoct in wine,

Lotus floures decoct in wyne or water,

Hastin leaues decoct in wyne, —

Opperpanay,

white Elebor the root,

Blacke Elebor root,

Wild Cowcumer sodden with honey, put in —

by pellary.

table

For a Felon;

¶ Take Rue, the yeolk of an Egge, and a little Bay salt, as much Hore and oyle of Snayles, a little wheat flower, a spoonfull of hony; two spoonfulls of Aqua Composita, bruse the herbs small, temper all together, & make plasters of white leather, and lay to the griefe, which will heale the Felon, and preserve the ioynt.

To draw out the Core and corruption.

A white salve.

¶ Take oyle of Rose, boyle it over a soft fire: wash the griefe first thre or foare tyme with white wyne: then put in a little Woodbine water, and boyle it to a perfyt oyntment: then take a handfull of Wall-Gillofers, and a handfull of Sow-sane, and make iuice of all together, and boyle it to a good salue so; that use.

To heale and close vp the wound, after the other salue hath drawne.

A greene salue.

¶ Take Ware halfe a pound, Bay Butter a pound, set them on the fire and try them: then take Plantain one handful, Ribwort halfe a handful, Galerian two handfuls, Brooklem halfe a handful, Smallage halfe a handful, Daphn, Sutsav, Bisolium, Ground Joy, Elder flowers, of eche a handful; cut them small, and boyle all together, with Ware and Butter, and make it vp to use so; that purpose.

White Bryony roote, Scamory, }
 Lupines with aner and hony,
 Garden Hadder roots,
 Wild Carret seed sooden in wine, } be pessary.
 Bayons decoct,
 Agnus-Castus alone; or wyl Heron root,
 Savin decoct in wine, }
 For to stop the inward staine of the flowers.
 Bishope roote, Wincircle, —
 To menthe roots, Strawberrie plants,
 Wild Tansey, Plantain leaves,
 Knot grasse, Pippinell, } decent in wine,
 Yellow Muster-Lilly, } and diurale.
 Plony roote boyled with boined water, alstrich
 as the quantitie of a leane.
 Calungale, Black Poppy seed, —
 Yellow Lilkim incouice of the leaves applyed outwardly.
 Horsetaple incice decent, —
 Gingriene incice } by pessary.
 Right shadie incice decent with ceter.
 Cowcumminge wrom gis syngale and pulse of Raspars, sp
 phyd to the belly pl. Her-wilk.
 Gentiane seed one halfe dray wighte and Raspars, ceter.
 Lentiles twise decoct, the first decoction red alredy; then put to
 vintner, or Cicer, or Peperas, or red Sars, or Red Piss, or
 oyside pillow of Pomegranates, or red Riche, or red Hys, or
 Gerards, or blake Fennel, or Cardens, or Peperas, or
 wort, Galas, & leete of Chamom, denys and wort, &c.
 Barries of Damask, —
 Pelecast, cat.
 Rosemary wryk Vincet.
 Ranuncull,
 O. longe leaf of Kelsie; Kelsie flowers, } decent in wine
 O. pinnas,
 Rosemary incice,
 Gillys,
 Camomile
 Grassis leete, Spynall Marples, —

There are feoure maner of Fluxes;

- 1 **C**Olides, sicknesse of the stomake, comming of cholerick humours: it maketh a man haue a great Fluye, & great casting: It slayeth within thise dayes, except it be prevented.
- 2 **L**yenteria, which is, when the meat deparfath vndeued.
- 3 **D**Yaria is a Fluye, durt mixed with blood.
- 4 **D**Iscentula, is where there floweth blood and the spawing of the Guts together.

B 3

Te

Shumak leaues, ——————
 Wild Oltue leaues the iuste, } decoct in Wine
 Withy leaues and barke, } and drunke.
 Turpentine tree leaues and bark,
 Cereline the lesser, ——————
 Barbery leaues,
 White Thorne fruct, } eaten.
 But megs and Pace,
 Quinnes decoct,
 Oke Apples decoct in water, and sit and bathe in it.
 Kayns kernels broth, bath with it.
 Sharpes Herrell purp with vnyger, applied so.

For white flowers.

Wilee Wansep ——————
 Yellow water Lilly root in red wine } decoct in wine
 Crispolz leaues } and drunks.
 Yellow seeds of Roses ——————
 Shumak leaues eaten as sauce with meats.

For to ripen flowers.

M Ellet boyled in wine and drunke.
 Reddish broth decoct and drunke.

Fenerfew in powder with hony two dymbs }
 Cods and seeds of Sæny one dyam
 Polypody of the Oke, the roote dryed,
 Pepper in meat,
 Buxthorne berries to young lassy persons, } eaten.
 Figges

Pyne Puts
 Turpratine with hony in Electuary,
 Juniper gumme with hony, ——————

For cold flevmes of the stomacke.

E lme vnder-barke one ounce decoct in wine,
 Aller yellow barke scaped in wine or beere, } drunke.
 Janiper gumme infused in wine, ——————
 Cardus Benedictus powder eaten.
 Capers eaten in salwoe.

For

To stop Whites,

TTake Wergood, and Rosemary dryed, beat it in powder, mixe them and lay them to the Patell.

To purge Flegme.

TTake pure white Turbish gumme cleane scraped, thin sicced, and fine minke as may be, one dram, pure Ginger in like soft dressed, two drams, Sugar three drams, make all in fine powder, and put it into an Apple that the coze is taken out, the cap taken off, and set a fayre tyls on hole ymbres, and therupon rost the Apple, and turne it often: when it is rosted, pare away the rynde, and put that apple in white wyne, and bzeake it in pieces, and adde to it a little Ginger early in the morning: and if ye take it at night, ye must sop early.

D. K.

To auoyd flegme.

TTake Rose-Water eight spoonfulls, Cendust or spring wa-
ter foure spoonfulls, white vyniger two spoonfulls, Rose wa-
ter two spoonfulls, of fine white Sugar two spoonfulls: boyle
them on a soft swet fire, scum it cleane, and vse it.

D. K.

For Frenzy.

Stemonye iisce dyed, the wayght of sixe wheat cornew,
Sounke.

For out-going of the Fundament.

ALoes Cicatrice boyled in Wine and Honey, applyed.

For to settle the Fundament displaced.

Aster Atticus carryed about a man.
Pomegranat pilles and flowers in playster applyed.
Lentiske leaues and barkē decoct.

For swelling of the Fundament.

Aster Atticus carried about a man.
Alors Cicatrice in powder strowed, or playster-wise.

For

For Frenzy.

¶ Take of Wormewood, Sage, and Marygold, of eche halse
a pynt, white wine one pynt and a halfe, brew them to-
gether, and glue the sickle to drinke nine sponefulls warme in
the mooring fassing, fifteene dayes together.

D. K.

¶ Take the herbe called Shepheards yard, stampe it, and
lay it to the head shamed.

Choller, maketh a man harmfull & debatous.

¶ Madnesse Blood, maketh him playing, singing, and not
or Frenzy of harmefull,
Melancholly, maketh him sad, sullen, and dread-
full of all things.

Fundament going out.

¶ Take Apostolicon, and touch it hote, and it shall goe in : doe
so once or twice, as needis, and after bathe it with water
that Vertury hath bin boyled in, and the Fundament shall go
to his place agayne.

¶ Wash the Fundament that goeth out, with thine owne
water.

For bleeding at the Fundament.

¶ Take Alloes and Myrrh, and make them into powder, and
with oyle of Almonds annoynt the soze, and cast on the
powder, and put by the Fundament with a Scarlet cloth, and
it will helpe.

¶ Take Morts of Maybred and Sancicle, and eate them.

For

For choppes, rifts and fistulaes above the fundament.

Tazzell rootes poud and boyled in wine, to the thicknesse of a playster or oyntment, applied.

Agnus Castus seedes mixed with oyle and oyntments, made so heat and mollify, applied.

Lyctum made of the banches, rookes or seedes of Boxthorne, applied.

Clearre liquid Rozen of Fyre tree, with Nutmeggs and Sugar, the quantity of a Nut, cureth the excoriation of the lecher parts, by the fluse of them.

For to open the stopping of the gall.

Doder boyled in wyne or water, drunke.

For blasting or swelling of Genitors.

Rose leaves and Bay berries poud and layd to. Gourd rynd burnt to ashes, strowed on.

Cypres nuts poud with Figs, applied.

For spreading or fretting sores of Genitors, or Priuities.

Flowers of unripe fruit of the wilde Wine, mingled with the oyle of Rose and vintger, applied.

For

For swelling of the Genitors.

¶ Take Beane meale and vyniger, temper them, and apply it all about, and let it not come neare the fire: and if you haue greene leaves, stamp them, and temper them with hony.

¶ Juice of Wallwort and Cissell, a like much, and Fennel, boyle them to thicknesse, and apply it warme.

¶ Powder of Comyn, Barley meale and hony frysed, applied warme:

¶ Take Moxmeadow, Camp ff, and Beane meale, powder of Comyn, fry them, and warme lay it to the W. This is good for all weakenes of the W. and when ye take away the plyster, wash the W. with warme vyniger at eche time. This is well approued.

¶ Take Scabious, Mattelon, and Auens as much as boþy, grind them small, and make thereof pellets: dry them in an Ouen when your bread is drawne: then make powder thereof, and drinke thereof early and late: and if thou mayst haue the juice of these herbes, it is the better.

For

For to expell Gnats and flies.

Cōmza strowed or burned in any place.

For swelling of the Gowt.

W^{ylde} Cowcumer made soft, or sooked in vnsiger, applyed,

For to asswage payne of the Gowt.

H^enbane sēde pond with wyne,
Lentils boyled with barley meale,
Colewort saice, and meale of Fennygrēk,
Turneps boyled in milke, lappyled, or
W^{ylde} flowers pond with swines greace, layd to,
Callia,
Black Poppler leaves, and yong buds.
Plunge the patient suddenly into a heape of whole Wheat, up
to the knees.

For

For the Gowe.

¶ Take Browne flowers, Penny Royall, Pellitory on the
wall a like much, stamp them with May Butter, put them
in an earthen pot, set it twenty dayes in hote horse-dung close
stopped: then syg it with a part of Sheepe sallow, strayne it,
and vise it.

For the Gangrene.

- ¶ Stampe leaves of Coleworts, and apply it, or the wine
of him that vseth to eate Coleworts.
¶ Stamp blacke Elebor with viniger, and apply it.
¶ Stamp Pettles with salt, and apply it.
¶ The water and iuice of Knot grasse applied.
¶ Decoct Lupines in water and wash with it.
¶ The iuice and rots of Pellitory applied.
¶ Reddish with viniger applied.
¶ Take Stones of Rayns, stamp them, and apply them.

A playster

For Gowt in hands or feet
 PErriotry iisce mingled with Deers salt, }
 Turnesle leaues,
 Singræne,
 Penny royall,
 Libanotus seed mingled with Turay meale
 and vintger,
 Wild Imperatoria,
 Elder græne leaues,
 Sea-mosse,
 Acanthus græne,
 Drach græne, with Saltpeeter, hony and
 vintger,
 Succory and Endive græne, —————— }
 Lilly Conualle flowers distilled with good wyne, one spoonfull
 drunke.
 Tyme with wyne, booke in lime and out of lime of griesle with
 Oprimell.
 Libanotus seed mingled with Turay meale & vintger, applied.
 Oppopanax applyed.
 Lacerpitium roote in powder, with oyle of Grises and wax made
 into playster, layd to.
 Ammomacum one dram taken.
 Howbhed root decort and layd to.
 Whiite Elebor roote taken in small quantity.
 Tapsta, the barke of the roote, one dram taken.
 Opium with vintger applyed.
 Figs milky ioice with meale of Fennigræn & vintger applied.
 Plunge the patient suddenly into a heape of Wheat by to the
 knees.

pund and
layd to.

A playster wherewith the L. R. was cured, when all Chi-
rurgions thought him incurable.

Take vnew bought waxe halfe a pound, Rosen halfe a pound,
Slibanum one ounce, fine Lyarde of gold a quarter of a
pound, white lead thre quarters of a pound beaten to pow-
der, and finely sauced, a pynct of oyle of Beats feet, set it on a fire
in a small vessell with the Ware and Rozen: and when it is
molten, put thereto the other powders, and stire it fast with a
sticke, and then put a little thereof in a salucer, and if it be hard
sostryed, take it from the fire, and annoynt a faire boord with
sons Beats foot oyle; and as you may handle it so; heat, work
it as it were Cordwayners way, and make it in rolles, and
make playsters of it with a chafingdish of coalls, spread it thin
on lignen or leather, and lay the playster warme whereas the
payne is, and so renew it at mo;ne and evening, vntill you bee
whole, or till the ache be driven to some other synt, & so follow
with the playster as the payne remoueth, and beware of cold,
and hote bynes.

A playster to cure the red Gowt, or
Gutta Rosaria.

Take old Lard, and put to it strong vniciger by two dayes:
then Samp it, and put to it the barke Lappacij acutirotes
boyled in water, Quicksilver sublimed, and Quicksulpher wel
incorpo;ated together, and make thereto an oyntment, where-
with annoynt the face when thou goest to sleepe, and in the mor-
ning wash the face, and rub the face with the liquor.

A most excellent remedy for a cold Gowt, that is Oleum
Benedictum, to heale Guattam Rosarium.

Take a fat Gander, a fat Churle or male Cat, new Ware
thre quarters of a pound, Passiuim one handful, Bar-
robes Creace, beat them together, and put it into the Gander:
boyle it and cole it, and with that oyntment annoynt the griefe,

For to auoyd Grauell, and the Stones;

F^Euerfew without his flowers,

Perritorie,

Cormopos,

Saffron rote,

Wilde Lime,

Coché grasse,

Cardus Benedictus,

Halligot, the Puts dyed with wyne,

Carret roots in powder with hemed water,

Gingidolum

Asperagus alone, or with Chicke pease,

Winter Cresses seeds,

The rough spongeous ball of y wild Rose,

Blome Rape,

Pety Thyn, tender spryngs,

Spice Holme,

Rhamuns saede tertium genus,

Meddler stones in powder,

Cannons mill decoct in water, applied outwardly in the

Region of the bladder.

Wallotin leaves raw, eaten with salt,

Stone Parcely seed taken.

White Thorne fruit eaten.

Bitter Almonds with sweet wine taken.

Figs before meat eaten.

Plumtree gumme Dissolved in wine,

Wilde Cherry tree gumme soounke.

Nutmegs taken any way.

Cassia taken.

Fruit of Wyne tree taken.

Liquid Rozen of Fure tree taken.

Rozen of Larix tree taken, and licked in.

For to strengthen the Gummies.

P^Eony Royal burnt to ashes, and rub the gummies.

Pomegranate.

For

Incidentia.

94

L

15
Rams little Dodeon.

For swelling of gummes.

Dryed Rosees in wyne, anoynted or put to.

Bramble new sprigs boyled and held in the mouth.

Lycium or Borthorne decoct and held in the mouth.

Platatre leanes decoct in water, applyed.

Olyue tre leanes pond with Hony, applyed.

Waxick or Lentisk leaves pond and holde in the mouth.

For filthy moystre of gummes.

Oyle of unripe Dlins applyed.

The Apples mixt with oyl oynments, applyed.

For Gouts fallen into the Cods.

Cyprius Guts pond and layd to outwardly.

For heauiness of the heart.

Garden Bagols eaten in Salade.

Garden Bagols flowers steeped in wyne, or conserued,
taken.

Pimpernell leaves, — Burnet steeped in wyne, drunke.

For

For the cold Gout.

¶ Take the juice of Petiles, the white of an Egg, Wheate
bord, make a plaster and apply it.

For a Canker in the gummes.

¶ First wash the soore with vinger and Sugare thidayes:
but first rubbit, and then wash it with this liquor.

Take quick Lime and Sage quenched at the fire in an earthen
then be still, and put to it Rose and melt it: then coole it, and re-
serue it to use.

¶ The Canker oftentimes chaunceith in the pallet, which
ought to be burnt with a hot Iron, or with Gold.

Sometimes it chanceth in the nouells, the roose or pallet of the
mouth, the lips, and the gummes.

The place where it is, is eaten and compastred, and is red, and
sometimes it turneth in the skin, and the skinnes is not eaten, but
the lech within.

Sitobis.

This disease commeth of a melancholy humor, continuing
like to a Canker, which in the beginning is called Sitobis.

Noli me tangere.

In the face it is called Noli me tangere,

Singulum,

In the mid body, S Circles.

Lupus.

In the face, thighes, &c. A Wolfe, which is incurable, be-
cause the face are the moore partes.

Regula,

In facie, Noli, in medijs partibus, Herpes,

Si sit inferius, dicitur esse Lupus,

¶ And it is proper, ut omnis proprietas in solidioris substanzia
fortius imprimit effectum suum, & sic nos: and therefore
is rather curable.

For swelling of the guts,

¶ Eat this boist with vinger, and juice of Pimpernell, and
make a plaster and lay it to.

For to drie veanomic from the heart.
Tyme and melle leaves and roote boyled in wyne, drunke.

For to comfort the heart.

Clove Gillasters conserued with sugar,
 Lilly conually distilled water, taken, by
 Hazell, drunke.
 Sage decoct in wyne, ——————
 Balme

For stiches or gripings at the heart.

Origanum bogeo in wine, drunke.

For trembling and shaking of the heart.

Succory and Endive leaues pond, and layd to
 Bramble tendrels and leaves stamped, outwardly,
 Maces decoct and eaten.
 Juice of Roses decoct or insulced, drunke.

For

For fernesse about the heart.

T Take iuice of Fennel and hony, and boyle them till they be hard, and eate it at morne and euening.

For swelling and stitch at the heart.

T Take Neptwo handfuls, Waruen, gréne Wormwood, of eche alike, stamp them and temper them with stale Ale, and drinke it at meales.

For a Stitch.

T Take the bottome of a Rye loafe, an inch thick, boile it, and then take a pynt of god viner, and sprinkle it, till it bee well drunk in: then sprinkle a little Palmsey on it, and lay it so hot as may be, to the Stitch, and follow it from place to place, warming the tolles from time to time.

For a stitch about the heart. A Cawdell.

T Take Comyn seedes, Alisander seedes, Cloues and Mace, Graines, Licoris, of eche one dram in fine powder, a pinc of stale Ale, saeth it, and scum it clean: then put in your powder, and make a Cawdle with an Egge potched as rare as may be. Drinke this fasting in the moorning, and last at night with Sugar.

D. K.

Trembling and shaking of the heart.

M Trabolanes in grosse powder taken, from two drams to five drams, comforteth the trembling of the heart.

T Wystell leaves taken, profiteth.

T Putmegs eaten, comfort the same.

T Dinges, the iuice and inner part or substance where the iuice is taken, profit much.

T This disease commeth to women, by reason of the coldnes of the matrix, and is thus cured:

Scrape a Goats horne that is boyled, and giue that scraping to the patient to drinke.

Rams little Dodcon.

99

For scuruy heate or itch of hands.

Swall Chickweed boyled in water and salt, often washed.

For chaps or rifts, in hands, feete, or
fundament.

I Guiper gumme, with oyle of Rosas, applyed.
Pitch liquid mixt with Sulphur, applyed.

For head-ache.

F Lebane seed mingled with oyle of Rosas, vniuer, or water,
applyed.

Singreene juice mingled with Barly meale, and oyle
of Rosas.

Maruen leaues pund with oyle of Rosas, & vniuer, { laid to.

Violete alone, or with oyle of Rosas, pund.

White Water-Lilly flowers conservned and eaten.

Iris roots mingled with oyle of Rosas, applyed.

Hage boyled in wine, drunke.

Rue leaues pund with oyle of Rosas.

Hecados with the flowers, decoct and drunke.

Annis seeds burnt, and the sume taken at the nose.

Nigella roots mixt with roots of Treos, layd to the forhead.

Wetony decoct in wyne and drunke.

Pence danum juice with oyle of Rosas and vniuer, layd to the
forhead.

Hagapenum, one dram —————

Amomatum, one dram —————

Euphorbium prepared by discretion, —————

{ taken.

For

For extreme head-ache,

Tamp violets alone, or with oyle, and apply it,

L 4

For

For head-ache.

ALoes mixt with oyle of Rosees and vnlger, applyed.

Seeny leauis one dram taken.

Maydenhayre, a garland worn about the head.

Solanum Hortensis pruned and layd to.

Pellot juice mixt with oyle of Rosees and vnlger, poured on the head.

Cresses seed and hony layd to the head.

Wine tendyels or claspers pruned with parched Barly meale applied.

Wilde Lyme tendyels, with oyle of Rosees, pruned and applyed.

Double tongue, a garland worn about the head.

Par malad, or Quodimack of Quincee eaten after meat.

Bitter Almonds applyed to the so^thead.

For giddynesse of the head.

Feuersels dryed to powder, two drams taken.

Prunell bruised with oyle of Rosees and vnlger, applyed.

Running Lime pruned with oyle of Rosees and vnlger, applyed.

Lauender flowers alone or with Nutmeggs, applyed.

Synnamon and Cloues applyed.

Pellitor y root with hony eaten.

Collectintha boyled or soaked in hained water or other liquis.

Hiony roots one dram taken dally one yere.

Blessed Thistle vsed in meat and drinke.

Agarick with Cirop Acetess, taken.

For scurfe of the head.

Whise water-Lilly roote with Tarre layd to.

Capillus Veneris steeped or boyled in Lye, to wash y head.

Poole reede ashes mingled with vnlger, layd to.

For to purge the head.

Gall Cellidony decoct in wine, gargarized.

Spimpernell juice snuffed in at the nose.

Celeworts juice snuffed in at the nose.

Warnty perfume taken in at the nose.

For head-ache,

¶ Mise Wheate bran with Pigeons dung, and apply it with
the whyte of an Egge, to the contrary side of the griesse.

For head pushes,

¶ SLampe Violet leaues with honyp, and apply it.

For a scald head.

¶ SLampe Primrose rootes, fry them with fresh Butter and
Tare, and lay to the griesse.

Stamp'd for
the primrose rootes

Incidentia.

Stamp'd tree

W.

For Impostumes and humours of the head.

Chrysanthemum flowers pond with oyle and wax, applyed.
Sheeps Horrel grane leaues pond with oyle of Noles and
Saffron, applyed.

For dry humours of the head,

Iellamyn pond and layd to.

Wernix perfume taken in.

For to heale wounds in the head.

Cleare liquid Rozen, applyed.

For old payne of the head.

White Elebor rote taken in.

Jug juice with oyle of Rosez layd to the head.

Rye meale put in a little bag, layd to,

Garlick bruled betweene the hands.

For kybed heelcs.

Penny Wort on the wall, layd to.

Bathe the heelcs in wine, and anoynt the gries with
gummie of Lacerptium boyled in oyle.

Horobzed rote boyled and applyed.

Beets boyled and wash therewith.

Turneps rosted with oyle of Rosez, applyed.

Squilla inner part boyled in oyle or Turpenisne,
layd to.

Yellow Asforill root sodden in oyle, layd to.

For the Hydrophy.

Poly boyled in wine or water, drunke.

Drtigan eaten with figges.

Bazell eaten.

Soldonella boyled with broth of fat meale, corrected
with Annts seeds, Synametum, sugar and Ginger.

For


For qualifying of any hote matter, practised
by D. Achelo.

¶ Distill {
Wylke ——————
Mallowes
Plantain
Whites of Egges } into a water,
and vse it. D. K.

Kybed heeles.

¶ Bystle Bengwyn, or Lacerpitium in Oyle, and anoyne
the kybed heeles, being first long bathed in white wine.

¶ Make a playster with Ware and burnt Figges, and ap-
ply thereto,



For the Emerods inward and outward.

Dogs soung rossed in swabers, applyed hote.

Small Celidony pund in wine or wyne, the rot layd to.

Galeopsis the roote eaten.

Capsaria b;uisled with oyle of Rose, layd to.

Wild Imperatoria pund and layd to.

Lacerpitium roots boyled with Pomegranat pilles, and vinger, layd to.

Holy wort mingled with Poplion, applyed.

Aloes boyled with wyne and honny, applyed.

Walsamum oyle applyed on cotton.

Purcelayne juice drunke.

Dayons eaten in meate.

Bramble tendzels and leaues stamed, layd to.

Shumak, or Rhus, pund with Oke coles, applyed.

Figs milky juice layd to.

For the Yex or Hicket.

A Lissondrunke, or held to the nose.

Synts, two or thre branches with juice of lowre
Pomegranats, drunke.

Dill seed chafed, and often smelled to.

Astrolochia rotunda ginne in drinke.

Rubarbe taken.

Ceterach leaves decoct and drunke.

Sherit roots, the juice with wine & Goats milke,
drunke.

Pumegs eaten or drunke.

For to dissolue cold humours.

Sothernwood infused in oyle, anoynt the member taken with
cold.

Marula decoct with wine and drunke.

Stechados decoct with his flowers, or alone drunke.

Wild Parcely roote holden in the mouth.

For noysc and sound in the eares, and to
mone hearing.

Egges and Mustard seed, pund and layd to.

For

For the Emeralds,

Take flare lead, beyle it in May buster, till it be soft and
thicke, and lay it to hote. Douglas.

Duglas.

Ad idem.

Take blacke sope one ounce, Swines greace one ounce
and a halfe, a little bay salt in fine powder, temper it and lay it
to the griefe.

Take beards of Laks viset, boyle them and stamp them with Saffron, strayne it, and lay that oynement hote with a cloth to the griesse.

For the Yex or Hicket.

Whan the Ver or Hicket comith, let the patient speake as
if it shoud be to the Hicket, and say this word, Enough.

Duglas,

Ad idem.

Take oyle of Lylges, and anointe the body of the sick wth
it oftentimes.

For Emerods.

Take leaves of Penupher, called Canell leaves, wash
them cleane, put them in a paper, roast them in ymbres,
and apply them hote as may be suffred: make powder of them,
and cast it into the sofe.

For the same, ~~12.00~~ at all times.

Take red Woits, boyle them in a pot, and sit ouer the
fume in a close chayre, till it be cold, & annoynt the griefe.

For the same.

TTake a plate of Lead, and rub thereon Barrowes greace
for a man, and Swines greace for a woman, wash it out
with white wine, and annoynt the griesse.

Rams little Dodeon.

For to waste waterish humours.

- Wⁱld Cowcumer, the juice of the bark of h^e root with wyn,
Mall-wo^tt roots boyld in wine, drunke. (drunke.)
Wild Batony root boyled in wine or water, temperd with sea-
Soldanella boyled with fat meat broth. (water, drunke.)
Wild Lettuce iuste with Ormell, drunke.
Brome leaues or braunches boyld in wine, drunks.
Spanis^h Brome seed taken.

For the launders.

| | | |
|--|-----------------------------|-------------------------------|
| T ^o rmentill leaues, | Planten roote, | decoct in wine and drunke. |
| Cotula, | Buphthalmus, | |
| Chisanthemum, | Chisantherum seed, | |
| Poly, | Bazell, | |
| Rosemary, | Dulcamara, | |
| Doer, | Cetrach, | |
| Succory iuste, | Sorochus, | |
| Bay roote, | Frangala, | |
| Maruen leaues drunke in old wine, one dram & halfe, pl. dayes. | | |
| O ^r iganum boyled, and the patient bathed. | | |
| Libanotis seeds decoct with Pepper, taken. | | |
| Lacerpitium taken with dryed Figgies. | | |
| Aleakengi fruit eaten. | | |
| Garden madder roots decoct in Ormell, drunke. | | |
| Carrel rootes in powder with homed water, drunke. | | |
| Erismon seedes mingled with homed water, drunke. | | |
| Squilla rostet and prepared, taken. | | |
| Red Rose iuste drunke. | Frangula decoct and drunks. | |

For the launders and yellow sough.

| | | |
|--|--|---------|
| C ^o mmon Wormewood infus'd, | | drunke. |
| Chamepitis leaues infus'd, | | |
| Celidony boyled in wine with Annis seedes, | | |
| Saffron floweres with homed water, | | |
| Comza leaues and flowers decoct, | | |
| Euphrase boyled in wine, | | |
| Hempseed stamped in wyn, | | |
| Lode flaxe decoct, Bugle decoct, | | |
| Consolida boyled in water, | | |
| Calamyn and homed water, | | |

For the Pyles.

TRANSET Leeks in a Dock lease, or a paper, stamp them, & put to them May butter, and mix them well, and it wil be a salue, and when the Pyles war angry, lay that warme to it: you must take the Leeks greene and white, the barbes cut: and when this medicine hath drawne it well, wash the griefe with womans milke.

To stay the bleeding of Pyles.

TDRinke fasse of Mysesolly, which is approued good.

Q Apply powder of burnt Garlick, & the Pyles will dye.

Q Take oyle of Roses, Franckincence, & honny, make therof an oyntment, & put it into the Fundament with thy finger, and put thereinto myrrh, and let the sume thereof go vp into the Fundament.

TWynd blacke wooll and blacke soape to the griefe,

For the blacke Iaudis.

TTAKE wheat straw, and strawe it abroad on the floore in a close house, and put in Geese, and watch them when they dung: take it vp whole, and with a knisse scrape off the white that is about the dung, till you haue a god quantity: then dry it in an ouen, make it into powder, and drinke thereof in Ale at morne and even.

Q Take the gall of a Rauen, dry it, and make it in powder, take a quantity thereof in a spone, temper it with Bete or Ale together, and drinke it fasting.

For yellow Iaudis.

Q Take a big Apple, cat off the top as a couer, take out the core, and put into it some sweet Butter, and a good deale of Turmeric, and a pretie quantity of English Saffron, rosse it very tenderly, and let the sick eat of it thre or four meallings or oftner together.

For the Yex or Hicker.

Q Take bark of a Pomegranat tree, Senn, Blantyn, Varts young, Parcely, Beane meale, 3. ounces, Saffron, make it in powder, and glue it the patient to drinke dayly fasting.

Q Take vyn of a mayd chylde, Gales dung, and Goose grasse, temper them together, and let the patient drinke thereof nyne dayes together.

For

For the launders and yellow sought.

Small Centoyp decoct, ——————
 Hollowred iwie decoct, } drunke.
 Black Elebor boyled in water with Rue,
 and Egemony, or bastard Cupaloyp,
 Scamony iuice dryed, sixe wheat cornes wayght with Drache
 seeds and hōmed water, taken.
 Sharp Sorrell decoct and drunke.
 Knepholme decoct and drunke.
 Cassia dralwne and eaten.

For swelling and corruption of the lawes.

Sallgot leaues ——————
 Figges } decoct and gargarized.
 Plumtre leaues ——————
 Pastick, the teeth and lawes rubbed.

For Impostumes.

W Dad of the Garden,
 Lynseed with Figs, } pond and
 Planten leaues, } layd to.
 Cotula lutea,
 Wild Cowcumer root, with parched Barly,
 Sea-molle,
 Chick Pease with Barly meale and hony,
 Lupines flower, with parched Barly meale } layd to.
 and hōmed water,
 Juice of Endive with Ceruice, — white lead,
 Vnguentum popilon,

For

For the yellow Jaundes.

Take Ilop, Betony, Scabios, Egrimony, holy Thistle, of ech a branch as big as both your thumbs: Boorage, Baglos, Succory, Endive, Sorrel, Juniper, Plantain, Violet leaves, of ech a quarter of a handfull, & petemnts fives crops, Mercury leaves, Water-Cresses, Celidony, of ech halfe a handfull, Raisins of the Sunne stoned, halfe a handfull, Damaské Prouines stoned leuen spoonfulls, of Barley cornes knocked & cleane washed, 3. spoonfulls, of Licoris scraped & thin sliced two spoonfulls, of water thre pinte: boyle all to the third part watered: straine it, and put to it Pemrios halfe an ounce, Syrine, mom the wayght of eight pence bruised: then sethe it a little, and strayne it againe, and giue the sick to drinke of it first and last, a draught blood warme.

D. K.

Ad idem.

Take Turneric, and the inner bark of Piperisch fr. & of ech an ounce, make it in powder, & eat it in potage every morning and supper: and take Celidony water, a god draught thre houres after supper.

For blacke Jaundes,

Take Aloes, Epaticke, Azarum, Annis seeds, Synamon, Comyn seeds, Hemp seeds, Licoris, Onula campana root, Worms seed, of ech one ounce, make it in powder, and eat it in potage.

For iaw-fallen, mould-fallen, or roofe-fallen.

Roll a handfull of Chickweed in ymbers, and apply it to the bone of the necke, and apply sowre leath of Wheate bread to the mould of the head ix. houres, so rayse it.

B

For.

For Impostumes about the priuy members or genitores
of men or women.

Sherewort greene stamped, layd to.

Whyle Lilly roote mingled with viniger, or the leauss of
Henbane, or Barly meale, layd to.

Dill seed burned or parched, layd to the yard, cureth the swell-
ing lumps and rills of the same, and of the fundament.

Dill hearbe made into ashes, strowed on the share or priuy
parts, cureth moyg vlers.

Astrolochia rotunda mist with Greos, and bathe the greise.

Galingale in powder, strowed on.

Aloes in powder strowed on, cureth the vlers of the priuy
members and fundameat.

Wall-wort leaues and newbuds, pund and layd to.

Brane meale layd to.

Endive or Succory gréne leaues pund, — }

Lettice gréne leaues pund,

Seuchus juice,

Crispion seede mingled with hony and water,

Yellow Aspall roots, boyled in wine lees,

Agnus castus leaues with Batter,

Plane tree young leaues decoct,

Mistletoe leaues and fruit, with Warre & Mayne,

Plumtree leaues pund,

Fennell bayled in wine, — }

layd to.

To softten Impostumes about the fundament.

Violets stamped with Barly meale, — }

Roots of Iris mingled with hony,

Blacke Horehound pund,

Dillseede burned or parched,

Libanotis leaues pund,

Helilot, a Drinace, and oyle of Rosles,

Helilot by it selfe decoct in swet wine,

Liquid Rozen with Nutmegs and Sugar, — }

applied, or
layd to.

For the Ape gall;

¶ Burne a cleane linnen cloth to ashes, and meddele it with
oyle of egges, and apply it virge.

¶ Burne Clay to ashes, and lay to the grise, and wrap a
linnen cloth virge.

For swelling of the P.

¶ Take iuice of Morell, Lynsed and Barrowes greace, fry
them, and lay to hote.

¶ D^r take fourre Figges and Date meale meddled with oyle
Olime, and lay to.

¶ D^r take Lynsed in powder, thicke boyled in womans
milke, and lay it all about the Part.

For scalding of the P.

¶ Take herbe Robert, herbe Walter, Buglos, Quens, Egri-
mony, Danicle, Petymorell, Dengrane, Pepernel, Ve-
bane, red Mettles, of eche a handfull, Laybord, Maynayre,
Hemp, Orpin, Ribwort, Brier tops, of eche a quarter of a hand-
full, wash and stamp them well, and do thereto a quart of god
May butter clarified, stamp all together: then put them into an
earthen pan, and crush them well with thy hands, that it be not
hollow: then couer it well, and let it stand ix. dayes and ix.
nights: then worke it, fry it well, and stamp it to an oyntment;
and anoint the grise. It will heale the scalding, or any wound
that is careable, on warrantise.

For scalding of a womans priuity.

¶ Take herbe Robert, Rue, of eche a handfull, stamp them
in a morter, put thereto hony, and fry them, make a play-
ter, and apply it as hote as may be to the fundement.

For Satiris, or rising of the Yard.

¶ Eat seeds of Agnus Castor; or boyle it in wine, and plas-
ter it to the reynes and secret parts.

¶ Boyle Comyn with wine or water, and drinke it, or ap-
ply it to the grise.

¶ Stamp Water-Lilly, and apply it.

To break hard Impotunes, or swelling Ulcers.

Narcissus roots mingled with Pepple seeds & vintiger, layd to.

White Bistony roote poud with oyle, — — —

Barley meale boyled in hained water, with
Figgis,

Juray meale with Pigeons dung and oyle of

laid to.

Lynseed boyled and applied to,

Fennigreek meale boyled in hained water,

New Figs with wheate meale, with Lynseed

Fennigreek and rotes of Lillyes, — — —

For inward inflamations.

Pauces flowers with the herbe and plant boyled, } Brunke.

Wood Sage boyled in wine or water, — — —

For hote inflamations.

Hounds young boyled in water or wine — — —

Coffilago greene leaues poud with honny

Pennywort on the wall, poud

Knot-grasse greene leaues, poud

Singrene alone, or with barley meale, poud

Marren greene leaues, poud

Adders young incorporate with Swines greace

Pimpernell greene leaues poud

Willifolli leaues poud

Comfr, with the leaues of Groundsell, poud

Molets bruised with Barly meale

Trifoly leaues sod in oyle

Cane reed greene tender leaues stamped

Cardus Benedictus, poud

Drache greene bruised

White Beete leaues bruised and boyled,

Colewort iuice alone, or with parched barly meale

Endive and Hiccorie greene leaues, poud

Acasta iuice, Chamuns iuice,

Date tree leaues and braunches, poud

Red Goseberries chawd and holden in the mouth.

laid to.

For

To clense the lungs and brest.

T Flowers of Hearts ease, or Pannaces, boyled with the
herbe or plant, and dʒunke, clensemeth the lungs and brest, and is
good against Feuers and inflammations.

Vnguentum Album Camphoratum.

TAKE oyle of Roses halfe a pound, swet veale salt fryed,
thre ounces, white waxe one pound, set it on a hot fire
and melt it: then take it off, and put in a quarter of lead, and
the white of two new layd egges, beaten with Rose water, la-
bavour these in a mozter, and then put in the Camphire, fine
brought powder, one dram, the space of two houres: then put
it in a gally pot.

This mitigateth paine, and quenches all hote cause.

Rams little Dodeon.

For ache of ioynts that haue bene broken.
 The great Wurre roote, one dram poud with Pyne apple her-
 nels, layd to.
 Flebane leade mingled with oyle of Rose and vnlger, or
 water, playster-wise layd to.
 Dead nettles poud and layd to.

For parts being out of ioynt.
 Swobzed roote boyled in broth, and eaten.
 Cane ræde, or Spere roote, poud and layd to.

For itch of scuruinessse.

Hilop decoct, and bathe the itch.
 Stauesagresed mingled with oyle, and anoynted.
 Heny leaues decoct with a Chicken broth, or with Perry,
 made with Pearce, or some other good liquo; dranke.
 Bryony fruite anoynted.
 Wheeps Sorrell broth boyled in vnlger, applyed.
 Lampsana bnaised and layd to.

For hollow kybes,
 Pbole ræde colton applyed.

For

For the scury itch;

¶ Boyle Rosemary and Helondine, of echs ones handfull in
halfe a pynce of vinger, strayne it, and put to it a quanti-
tay of white Coperose, whillest it is hole, & wash often with it.

¶ Use salt with oyle and vinger.

Boyle small Chickweede with salt in water, and wash often
the scury itch.

Wormes in hands and feete,

¶ Boyle the iisce of Wormewood in Hay Butter, and red
Docks, and make it to a salve, and annoynt the griesse.

¶ Wash the hands with iisce of Pettymorell, ^{Rue, — — — Rue wa-}ter and
^{or Spyns, — — — Salt,}

For the Kings Euill.

R
The leaves mingled with wine and Pepper, Allorne and Hony, or poud with Wynnes greace, and applied.
Coriander greene with Beane meale, poud
Lacerpitain roots poud with oyle
Beupleros poud with salt and oyle.
Saltget leaues poud
Aperiae leaues poud with Wynnes greace } and layd to.
Groundsell with salt, poud
Indian Pepper with hony, poud
Pepper poud with pitch
Figtree leaues poud _____
Squilla leaues layd to soure dayes.
Sheeps Hoylell roots hanged about the necke.

For Ulcers of Kidneyes.

S
Anticle decoct in wine or water, dranke.
Tozdition iuice, one dram boyled with wine, drunks.
Mallowes raw leaues eaten in Hallade, or with salt.
Rozen of Fyres tree, halfe an ounce taken in.

For

To dissolve scriphules or kernels.

¶ Take Mustard seed, Nettle seed, Spuma Maris, Astrologie, Armomacum, old Oyle and VVasse, make a pouster and apply it.

For

Ellenbogen.

Take Mustard seed, Nettle seed, Spuma Maris, old Oyle and VVasse, make a pouster and apply it.

For stopping and payne of the kidneyes.

Veronica decoct

Himpernelli decoct in wine

Tode Flaye decoct

Plantain rotes and seede decoct in wine

Hossetagle decoct in wine

Devils Bit decoct

Fennell herbe, rose and seede decoct

Betony decoct Tuscenta decoct in wine

Hops decoct Melilot boyled in wine

Sea-hall boyled in wine

Garden madder boyled in hored water

Tragagant steeped in wine

Carret rots in powder with hored water

Parcely rots decoct

Water Cresses decoct

Hebs stenes decoct

Cassia in decoction of Lycopus, Parcely rootes,
or Chiches

Fruit of Juniper decoct in hored water or wine

Pence danū rot by it self, or with bitter Almonds,

Sheepes Chiches

Verzelote in Halade Bulba Castanea

Petrociliatum Macdonicum seed

Smyrnium seed

Masse tree fruite

Bitter Almonds

Figges before meate

Pruneggs steeped in oyle of sweet Almonds.

Ayartick one dram

Nozen of Turpentine tree

For to drive away Gnats.

Yellow Legumachus, dried and perfumed.

For lamenesse.

Take Euphorbiuns, and twelue smes so much oyle, and a little
water, a ley it to arte of toynts, palsey, lamenesse, cramps,
shrinking of sinewes, and against all aches, and paynes of
the same.

For

and dranck.

taken and
eaten.

For swelling and ache in the knees.

T Take Wormwood, Agrimony, and Maruer, Lonege, herb
Wenat, Petty morell, and Rue, of ech a like much,
stamp them and sry them with two parts of fresh Butter, and
one part of white wine, make a playser, and as yste as may be
suffred, apply it to the payne.

Payne in the knees.

T Take Rue and Louage, stamp them, and meddile them
with hony, sry them, and lay to the knes as hote as may
be suffred two or three times.

For

Rams little Dodcon.

For to stop the Laske,

Brgort rofe in wine,

Peruincle in wine,

Egrimony sēde in wine,

Hipericen with his flowers and sēds in wine,

Shepherds purse,

Tozmentill rofe in powder in wine,

Strawbery plants in wine,

Wilde Ransey, Horsetayle,

Flebane seede, parched and bruised,

Flax wæd or sophia, in wine or Smiths water,

Parrow, flower gentle,

White water-Lilly rofe or seede,

Hiacynthus Orientalis,

Fly Orchis rotes, Wild Bazell,

Garden Rue leaves, Annis sēde,

Coriander seed parched, Daucus rofe,

Harts young, Melle,

Blache Poppyseeds, Vannik sēds,

Lentils by second decoction, the first cast away,

Pease earth Nut, Hares teste,

Common Rush seed parched,

Dock seed and Horell,

Great Condzilla twise,

Moles yellow sēdes,

Castus flowers,

Lotus wood shanings,

Oak leaves, barke, and Acoyne cups,

Pyne apple scales,

Wines Cresses rosted in ymbers, eaten.

Annis sēds taken any Wayes.

Rubarbe taken by discretion.

Endive and Succiory boyled and eaten with viniget.

Purcelayne sēds taken in,

Marsh Mallowes, grēne seed or dyed, vund and drunke.

Skerit roots iisce drunke with Goats milke.

Rayson kernels broth drunke.

Unripe grapes flower, & unripe fruit of the wild grape, taken.

For

{decoct in wine
and drunke,

For costiuenesse.

¶ Make a Subpository with hony.

¶ Take Hāny, Sops, and the flowre of wheate, & the luke
of the root of Wallwort, sc̄e the them together, make a playster,
and lay it on the womb, and it wil procure a sped̄y siege.

¶ Take Mallowes and Mercury, and boyle them with a
piece of pozke, make pottage thereof, and eat well thereof, and
drinke white wyne to it.

¶ Take a piece of pozke enterlarded, and boyle it well in
Water: then take the broth vp in a dish, & cole it, till it be milke
warme: then take Mercury, Violet leaves, Horage, & Quens,
a like much, make wortz with that pozke and broth, and eate
thereof a quantity; and in the middle of your eating, take a
quantity of Itals Ale, and meddle it with the sayd broth, and
drinke it in the middle of the pottage, &c. and vse this.

An easy Laske for digestion.

¶ Take two penay waight Electuarij Rosarum, and eate it
or drinke it with Ale or Wyne, and it shall procure easie
Laske. It is tolerable for a woman with child.

To stop

For to stop the Laskē,

Great Lainarisk the fruite taken, — — —

Barkieries the fruite

Acattia the juice

Whitel Thorns the fruite

Licium taken in,

Pomegranat seeds dryed in the Sun,

Quinces

Almonds before meat,

Sowre rough choke Peares

Wild Plummes juice

Black sowre Cherries

Cornell fruite

Sowre Apples gathered before they bes
ripe, dryed in the Sun, — — —

One apples or galles taken any wayes.

Ciprus fruit, or decoction threelf taken.

eaten.

To stop the Lask, comming of chol-
ericke humours.

REG Gossberriess eaten.

For to heale legges or armes broken.

ELM leaves, the brootb, or the bark or roots, to bathe
the legs or armes broken.

For sorcs that runne in the legges.

POnd Werd, or water spylle, puned with water and
vintger, applied.

For

To stop the Laske.

T TAKE an Egge, and Aqua composita, boyle it with the
Egges till it be drye, then eate it with Sennamom and
Sugar.

T Boyle starch in milke and sugar to pap, and giue it
the patient.

For a sore shynne.

T TAKE Osmond, Bugle, Plantain and Betony, rampe it
well, and meddle it with Beane meale, hony and syls,
boyle it well, and use it till it be whole.

For

Rams little Dodeon.

For the Litargy or sleeping sickness;

R Whe juice with vincer given to smell vnto.
Pencedanum rote given to smell vnto.
Euphorbium mingles with oyle, straked and layd to
 the Temples.
Henry made in plastrer with Figs, layd to the head.

For the Lazer and Lepry.

Calamint boyled in wine and drunke, and the same eaten,
 and to drinke whay of sweet milke after it.
Tithemall root boyled in vincer, applied.
Briony fruit applied.
Vitis alba, or Clematis leaves layd upon.
Jurap meale with sulphur and vincer, applied.
Henry mingles with vincer, applied.
Garlick poud with oyle and salt, layd to.
Figges milky juice with Barly meale parched, applied.
Olymetres leaves poud with vincer, layd to.

For

For Lazer and Lepry.

- 1 A Catia being grūod with viniger, abateth pouches of þ lepry.
- 2 Ashes of the bark of Ash mixed with water, and annoyne the Lepry.
- 3 Playsters made wth Barley meale applyed, profiteth the scurfe and Lepry.
- 4 Briony fruit good against steb, lepry, and naughty scab.
- 5 To preserue thē from lepry, cheire Calamynt fassing, and hold it in thy mouth, and it profiteth.
- 6 Let Lazars and Lepers eate of Calamynt, and drinke it in whey of sweet milke.
- 7 Stamp Selondine with viniger, and apply it.
- 8 Mixe three parts of the iuice with two parts of viniger, and annoynt the scurfe.
- 9 Darnell with Brimstone and viniger applyed, cureth.
- 10 Black Elleboore stamped with viniger, applyed.
- 11 White Elleboore boyled in wine, with Louage & Fennell, and wash the griele.
- 12 Boyle Elcer leaves in strong wine, and bathe.
- 13 Cime greene leaves stamped with viniger, annoynted, hel-
peth greatly.
- 14 Figs milky iuice annoynted, cureth, and the same applyed
with the yeolke of an Egge, helpeth.
- 15 Veronica, or Fluellen stamped and applyed, profiteth.
- 16 Mixe ashes of Garlick with hony and May butter, and annoynt: or annoynt with the iuice therof, or Ramp it with oyle
and salt, and apply it.

Lippe salue.

- ¶ Take Rosemary flowers, Sallet oyle, Rose water, un-
wrought waxe, brusse the buds, and boyle them all togea-
ter, but very little, for feare of burning black, and use it.

Rams little Dodeon.

For lice and nits in the body and apparell.

Golden Stechas boyled in lye, and the hayre washed.

Gumme of Ivy killeth them.

Betes breth, wash the head with it.

Wilde Passerag boyled in lye, and wash the head.

Garlick decoct with Oregan and wine drunke, killeth them.

Stecas, alias Philago, boyled in wyne and washed.

To drive them from the head and body.

Oregan decoct in wine, drunke.

Stavesacre mingled with oyle, and annoynted.

Tamarisk with the buds and tendreis decoct, and wash them.

Ceder decoct, the liquor annoynted.

To strengthen the Liver.

A Grimony decoct in wine, — }

White Horehound juice,

Pentaphilon juice,

Seahull made in powder,

Woodrourne put in wine,

Drach fruite put in wine,

Roses juice, or decoction, — }

Phistick Puts eaten.

{drunke.

For

For lice and nits in the body and apparell.

TAKE thy shirt ouer Quicksiluer burnt byon coales.

Threw Hoylemynts in your chamber.

Take iuice of Rue, and anoynt your body wth it.

Take Coct, boyle it in water, and sprinckle the house
with it.

To drine away lice.

Take Quicksiluer, i. ounce, Marfrage, two ounces, Bar-
rowes greace six ounces, meddle them together, & anoynt
therewth the armeholes, and the Mauell, the bredth of a penny,
and they shall gee away: or anoynt therewth iuice of Rue,

For scabs and lice.

Take Quicksiluer, and slayt with sacking spittle, i. ounce,
meddle therat with the white of an Egge, and do it on a
woollen clout, and gird it about thy naked middle, shaped like
a girdle, and then couer it with a lynnen cloth, and gird it as
aforesayd, and weare it sy, dayes, and it shall slay all.

For the consumption of the Liver.

Take a pottle of Woxt, not strong, Maybenhaire one hand-
ful, Liverwoxt one handful, Harts tong ix. leaves, parce-
ly roots one handful, Fennell roots halfe a handful, the pith of
both roots taken out: braise the roots a little, wash them & boyle
them to halfe, or thre pynts: imediately after the first boylung
put to it Daunders one ounce, and when it is almost sed, put in
a quantity of Canell bruised: then strayne it through an Ipo-
eras bag softly, and let the patient drinke thereof every morning
fve or sixe spoonesfulls, one houre before repast, and as much as
night before rell.

For inflamation of the Liver.

| | |
|--|------------------------------|
| Roman Wormeword, | } decoct in wine and drunke. |
| Bastard Egrimony | |
| Hepaticz | |
| Scorium, | |
| Small Daylies | |
| Violets | |
| Linerwort | |
| Weymouzell græn leaves pond & layd to outwardly, | |
| Whorts black stewed, — Whortell berries, | |
| Gosleberries greene with meats, | |
| Licoris roote, | |
| Pomegranat juice, — | |

For stopping of the Liver.

| | |
|---|---------|
| Cameykitis steeped in wyne. | |
| Chelubny roote decoct with Annis seeds in white wine. | |
| Flowers of Saffron with hained water. | |
| Pimpernell decoct in wine, — | |
| Egrimony decoct, | |
| Hempseed stamped in wine, | |
| Obris, — Tode flax decoct, | |
| Toymentill leaves and roots decoct, | |
| Planten root & seed decoct in white wine, | |
| Bugle, } decoct in wyne, | |
| Auens, } | |
| Harilens consound decoct in water, | |
| Hage decoct in water, | drunke. |
| White Horehound decoct in water, | |
| Hicacos flowers decoct, | |
| Fennell, herbe, seed and rose decoct, | |
| Betonyn decoct, | |
| Centauri maius the roote decoct, | |
| Kubarbe infused by discretion, | |
| Ptony roote dryed, | |
| Cleboryne decoct in wine, — | |
| Howbied roes dryed, taken with wyne and Ptozomell. | |

A playster to cool the Liver.

Take a piece of scarlet, cut it like a fluer, the saice of Hony
rell, as much vinger, and a little Rosewater, the powder
of Saunders: boyle all together, and lay it hot to the place of
the liuer.

For to restore the Liver.

Take a quantity of wild Tansey, stampe it, and drinke it
with wyne or ale, iij. dages or moxe.

¶ 3

For

For to increase loue,

Eate the roots of Carets.

¶ 4

A water

133 Rams little Doctor.

For inflamation of the Lungs.

Ethiopis roote decoct or confect, & often licked in with hony,

Syrop of Violets eaten.

Palmomaria made in powder, and drunke, — Des-mosse.

Bitter Almonds eaten.

For to cleane the Lungs.

PAnches herbe and flowers decoct, drunke.

Wortus, — Oke of Jerusalem boyled in wine, drunke.

Iris rotes new gathered, with Sugar or Hony,

Penny toyall with hony

Dilgan with hony licked in,

Harcacoll one dram taken,

Licoris roote

For roughnesse of the Lungs.

Figges eaten.

Jujubes in Electuary or Syrop, eaten.

Gumme of the wild Cherry tree in wine, drunke.

For drynesse and harme of the Lungs.

VERonica water with wine distilled, and often drunke, untill
it be red of colour, drunke,

Munularia

Hinkfoyle tender rate iuste,

Tozmentill rotes

Scabies herbe or roote,

Black Molyn with his pleasant flowers,

Hanicle leaues & root decoct in water & hony,

Campphy rotes,

Rue

Stecados

Ethiopis roote confect with hony, often licked,

Garden Parcenep rotes

Raysins dyed,

Peche kernels

Figges

Fistia Puffis

Wyne Nut kernels

Tarpenpine in Electuary with hony, taken.

Licoris rotes

Bitter Almonds

Heberenes

decoct in wine

and drunke.

eaten.

For

A water to cleane the lungs and stomake.

TTake new Ale out of the fat, one gallon, a good quantity of Licorice cleane scraped and shayed, as much Annis seeds, as much Fennells seeds, as much Coriander seeds dryed, Cinnamon one handfull: lay them in to keape xxijij. houres in the Ale, stille it and drinke of it, four spoonsfulls every morning fasting.

A marueilous and precious water.

TTake Galengale, Cloves, Quibbles, Ginger, Melleot, Cardamomum, Pace, Nutmegs, of eche one dram, the juice of Celidony halfe a pynt: mire all these made in powder with the juice, and a pynt of god Aqua vitæ, & thare pynts of god whiste wyne: put all together in a Stillitory of glasse, and let it stand all night, and in the morning stille it with an easie fire as can be.

It is of a secret vertue.

It dissolueþ the swelling of the lungs, without grienance.

If the lungs be wounded or perished, it mightily comforteth them, and suffreth not the blood to puttysse. He that drinkeþ this water, shall not haue to be let blood.

It suffreth not the heart to be burnt, nor melancholy, nor siegne to be lifted vp, or to haue dominion above nature.

It expelleþ the Rheume, profiteth the stomake, and conserueth a good colour, and youth in his estate: it also conserueth the visage and memory.

It destroyeth the Palsey of the tonyng and lymmes.

If one spoonfull be given to one labouring at the poynþ of death, it reviueth.

Of all waters artificiall, it is the best.

In the Sommer use one spoonfull once a weke fasting, and in the Winter two spoonfulls.

For

For to take away marks, comming by stripes or
beating.

I Hop decoct and washed,

Margerom dryed, mingled with hony,

Oreganum mingled with hony and oyle,

Calamyn boyled in wyne often washed,

Roe rote in powder mingled with hony,

Fennell roots pans with hony,

Ametes pund with hony,

Lacerpitum roots pund with hony,

Aloes Ecatreine with hony,

Lupia, the barke of the rose with Frantick
cence and waxe,

White Bryony roote with wine pnd,

Vitis Silvestris fruct,

Dulcamara decoct,

Colewort leaves with parched Barly pnd,

Cenuy mingled with hony and new greace,

Rocket seed pnd with hony,

Garlick pnd,

Water Pepper leaves and seed pnd,

Oyle of Bay anoynted.

Oyle of Ruts anoynted.

For to take away marks with hotte irons.

I Iuerwort pnd and layd to.

For to take away marks of small
Poxe.

Slobred roote stamped and layd to.

For to mundify the Matrix.

I Acerpitum leaves boyled in wyne,

Astrolochia longa with Pepper and Myrr,

Piony rotes dryed, as much as a Beane, with
boined water,

Lawzall of Alexandria decoct in wine,

For the Marmoll, or Malum mortuum

IT is an infirmity about the shynnes and armes, which is called Malum mortuum; they be old wan sores, little matter gendring therein.

Otherwhile it cometh of melancholy, mixyd with Salce-
plen: if it come of melancholy, it is seene by black pustels with-
out itching. If salcpleyn be mixyd therewith, the place wareth
wan with itch and biting.

If it be cleane melancholy, let the matter bee digested with
Orimel, Squilliticum, and Sirupus de Fumitory, of ech a like.

If salcpleyn be mixyd therewith, let the matter bee digested
with 2. parts of Orimell, & the 3. part of Episcaccary, and the 4.
part of Syrop of Fumitory: & let it be purged with 2. parts of
Iera ligridion, and the 3. part of Iera Rulfini, and the 4. part of
Catarticum Imperiale, and let it be tempred with Barly Water,
and giue it in the morning.

The next day after be there made a Stuppe, of Calamyns,
Origanum, Rue, Mints, Rose hoynes, Bay leavens, and all kind
of March Treyses, Scabios, Fumitory, Speculae foecidae.

And going out of the Stuppe, giue the patient Escacle, with
juice of Fumitory hote to drinke it, if it be cleane melancholy.

And if it bee of Flegme meddled, put thereto a good part of
Rubea Trociscata.

If it be an vnuersall Malum mortuum, let his blood of the
veyne Hepaticke.

And if it be about the shynnes, thighs, or armes, leshim blood
on the veyne Sephone, withyn and without a little, and other-
whiles bee there put to Venetaries, vpon the raynes. And if
he be too colde, and that haue he, purge him before inuncti-
on with Catarticum Imperiale, or with a Glyster is more conve-
nient.

Remember, that at what time the cure is to be done, the pa-
tient must bee kept from colde, as a woman lying in child-bed,
Winter and Sommer, with firs in the chamber.

For to close vp the Matrix.

SAge eaten.

Lentisk leaves and bark, boyled and drunke.

For windynesse of the Matrix.

Caypn receyued at the place conuenient, by glg.

ster, pessary, or playster.

Agnus Castus seeds drunke.

For blasting and windynesse of the matrix,

or mother.

Geranium Tuberosum, the rote taken in wine.

Pulegium decoct, and sit ouer the sume of it.

Peplos, the herbe and seede kept in wine and eaten.

For the payne of the matrix or mother.

Aphillis ringled with milke and oyle of Roses, layd to the belly outwardly.

Feuerfew boyled, and to sit ouer the sume and bathe it.

Peruincle with cyle of Roses and milke, a pessary.

Comza decoct, and sit ouer the sume on a close stoole.

Lynseed boyled and glystred.

Gartien leaves purnd with swines greace, or oyle of Roses, layd to.

Betony leaves dried, and drunke with hored water.

Kubarb taken by discretion.

Writonyroote decoct, and sit ouer and bathe it.

Dyle of Balsamum applyed.

Hinbane grane iuice with Collitries conuenient, applyed.

Dryed Roses boyled in wine, anoynted and layd to.

Nutmegs takeyn in wyne.

For

For wind passing by the Matrix.

TAKE Rue, Pennyroyall, Camomill, of eche a handfull, chep them as great as worts, bruise Fennel seeds, Anns seeds, Comyn seeds, & mix them: then try them with viniger, and make bags, and put the same in them, and lay to her side, as hote as may be suffred; when one is cold, lay to another.

DO take flowers of Camomill, Billes, Mugwort, Isp, Sage, Feuerfew, Maydewards, Bay leaves, & Horehound, of eche halfe a handful, Anns seeds, Fennel, and Caroway seeds, Bay berries, & Comyn seeds, of eche an ounce: bruise the herbe and put all together, boyle them all in a sufficient quantity of running water, and halfe as much white wyne: streyne the herbs, and put them in a bagge, and apply them to the payned place: or else wet a sponge in the liquor, and warme lay it to the griesse,

For a woman laboring with child, and that wanteth
her throwes at her deliverance.

TAKE Sinnenamom, Saffron, & the barkie of Cassia fistula, of eche a like much, make it in powder, and give her four penney weyght thereof to drinke in whisse wyne or Palmeley, blood warme v. or vi. spoonfuls.

De

Rams little Dodcon

139

For to resettle the matrix in the naturall place,
being moued.

CEnios seede with wyne, —
Pannax seede with wine, } drunke.
Double young leaues decoct,
Acatia with red wyne,
Quinces decoct and bathe there with.
Oke apples decoct, and sit ouer it.
Hastick taken in.

For suffocation and strangling of the matrix.
Bitter Bur in powder with wine, —

Pannax seeds with Worme wood, } drunke.
Piony seeds xv. or xvi. in wine or meade
Black Bryony decoct in wine,
Cotula foetida boyled, and wash her fete.
Dill decoct, and sit ouer the same thereof.
Penedamum juice — Asafoetida — } smelt to.
Gummie Sagapenum — — — — —
Galeanum perfume taken in place convenient.
Mustard seede snuffed into the nose.
Wild Caret seeds in wine, drunke.

For stopping, or hardnesse of the matrix.

FEnersew boyled in wine, layd to the pauell.
White Lilly roots rosted or p̄d with oyle of Roses, applied.

White Horehound decoct in wine,

Astrolochia longa with Pepper & Myrh, } drunke.

Small Centaury,

Ciprus roots boyled and bathed warme.

Wall-wort leaves, buds and roots decoct, & the perfume taken.

Iup leaves boyled in vinger, applyed.

Feuntrekk decoct in bath, sit ouer it.

To mentill leaves and flowers, decoct in wine, drunke.

Poly root by pessary applyed.

Leekes decoct, and bathe with it.

Labanum by pessary applyed.

Agnus Castus decoct, and sit ouer in bath.

Leggs decoct in sea water, and bathe with it.

For

De virgavirili swollen.

¶ TAKE Mallowes and Violets, boyle them in conduit water, and wash the griesse.

For scalding virge.

¶ BOYLE Mallowes in water, beat them in a morter, fry them with oyle or May butter: then take a red Cole leafe, and lay it thereon, and wrap the soze therein, and make a hole of the leafe ad ingendum, & sanabitur gratia Dei.

For the yard blorized.

¶ DRY Birch leaves on a syde, and make powder thereof, which powder will heale the Blaynes, and consumeth the Quister: but the powder shold not bee strowed so; the Quister.

For

Rams little Dodeon.

For hote hard Impostumes of the Matrix,
or Mother.

WAllflowers dyed and decoct in water, drunk; and the grief
stoued or bathed in it.

Asclepias leaves pond and layd to,

Dyle of Walliam conneyed in by Instrument.

Melilot boyled in sweet wyne, or with the yeek of an Egge ro-
ued, or meale of Fennigrēke, or of Lynsāde, or with fine
flower of meale, or with Cicory layd to.

Purcelane twice put in by discretion.

Mallow leaves decoct and bathe it.

Marsh Mallowes pond with Saines greace, or goose greace,
or Turpentine applyed by pessary.

Agnus Castus boyled and fumigated by sitting ouer it.

Pitch liquid layd to with Watry meale.

For rising of the Matrix.

STinking Motherwort to smell of it, or to lay of it to the
Pauell.

For to helpe Melancholy.

BDrage leaves and flowers put in wine, —

Time in powder 3. drams with hemed water, } drunke,

Balme in wyne, —

Tormentill root and leaves in powder, knodoch with the
white of an Egge, eaten.

Waxell taken in wine, and often smelled to.

For memberstaken dead or benum'd.

AGnus Castus infangled with ogle and oyntments, made to
heat, melitly and heale.

For a woman whose child is fallen too lowe,
to rayse it,

¶ D Ryne a red Cow till she dung, then take that dung, and
hony, and boyle them together, and lay it very hote to the
upper side of her Panell, till she be well.

Against melancholy, an electuary.

¶ Take Borage flowers, and Wiglos flowers alike by dis-
cretion, not exceeding halfe a pound; keepe them in as
much Claret wine as will myste them: then beate hem in a
marble morter very small, put to it like waight of Sugar
finely beaten, sacropozate al together: put it in a gallipot, and
reserue it to vse, the quantity of a Chestnut at any time when
the melancholy passio troubleth you. It is good against drought,
heatinelle of the heart, body or minde, taken in like quantity,

G. K.

To purge melancholy.

¶ Take Henry cleane picked, one dram, Episthny, Hra-
bolinde, Hermodactili albi, of eche halfe a dram: make all
into fine powder, and adde to it powder of Ginger and Sypnac-
mom, of eche halfe a dram, make all into powder: then take a
sayre apple, cut off the cap, take out the core, then put it all into
the apple: then set a syde byon hole ymber, and couer the apple,
turning it that it may be throughtly rostid: when it is rostid,
pare off the rynte, and put the apple in white wyne, and breakes
it in pieces, and take it early in the morning.

D. K.

D

For

Rams little Dodcom.

For to mollify stiffe and hard members.

Agnus Castus with oyle and oyntmentes made to heale,
mollify and heale.

Oyle of ripe Plices compound with god herbes.

For shrinking of any member.

Great Centriflute, two vjams with wyne, drunke.

For to warme all parts of cold members.

Agnus Castus with oyle and oyntmentes, made to heale, mol-
lify, and heale.

For swolne members.

Plantain leaves purée and layd to.

For dislocation of members out of ioynt.

Turnesole leaues purée,

Iris roote

Anciscus rotes

Acanthus gréene,

Ashes of the Wyne dissolved in oyle of Rose

and vialger,

Acacia leaues and crops decoct, and bathe with it.

For to strengthen and comfort memory.

Eye-bright dryed in powder, thre parts, and one part of Pa-
ces, a spoonfull drunke at morning with wyne.

Lilly Conually distilled water, drunke.

Rosemary flowers conserued with Sugar, eaten daily fassing.

Hecades leaues and flowers often smelled vpon.

Cardus benedictus in meat or drinke.

Incidentia.

444

① 2

For to make a man to be merry.

Borage leaves and flowers put in wyne, drunke.

Maruer styped in water, sprinkled about the house, where banqueting and company is.

Synts swelled unto, and strowed about the house.

For Meazels.

Veronica decoct and drunke.

Saffron mingled with womans milke, layd to the eyes.
Figges eaten.

To cause plenty of milke in womens brests.

Buglos in wyne decoct and drunke.

Milk-wort, or sea-Trifoly taken in meat or drinke;

Fennell leaues eaten, or the seads drunks.

Dill crows decoct & drunk, and the seed decoct & drunke.

Pigella seede decoct in wyne.

Ciches eaten.

Honchus iuice drunke.

Lettice eaten in Hallade.

Parcelane roote eaten, —— Palminis,

Spalliw seede drunke in wyne.

Reddheaten.

To dry milke in womens brests.

Hempseede applyed.

Rue eaten.

For cloddered milke in brests,

Lentils boyled in salt sea-water, applyed.

To cause Kyne to yeeld plenty of milke.

Foode them with Sparry, —— Spargula, or Poligula,

For

Incidentia.

146

22 3

For to open the Mylt or Splene.
White Horehound decoct in water and drunke.

For swelling and inflamation of the Mylt.

PEnsebanum sap of y root eaten alone, or with bitter Almonds.
Petymozell poud and applyed to the griesse outwardly.

Garden Padder seede with Drimell taken.

Wine ashes dissolved in vnicer and oyle, layd to.

For stopping of the Mylt or Splene.

Iris rootes decoct and eaten.

Lonchitis drunke, or layd upon with vnicer.

Lupines with Rue and Pepper boyled, drunke.

Bromie leaues, biamches, and crops, decoct in wine or water,
drunke.

Tamarisk boyled in wyne, drunke.

Caypes rote barke with Drimell, or applyed outwardly with
oyles and oyntments conuenient.

Bay rote barke decoct in wine, drunke.

To diminish the Mylt.

Cresses seede eaten or drunke.

For hardnesse of the Mylt.

TDimentill with vnicer,

Dario, — Eode flaxe,

Hecordion in ale or wyne,

Loucreon decoct in wyne,

White water-Lilly root decoct in white wine,

Sfectados alone, or with the flower decoct,

Gyuleaues boyled in wyne,

Woder decoct in wine or water,

Wile Fearne rote decoct in wyne,

Oke ferne decoct, the roote,

Barts leong decoct,

Lonchitis, — Spleenwort decoct,

Cetrach leaues, — Asplexum decoct,

Capillus Veneris decoct in wine,

drunke.

For stopping of the Mylt and Splene.

¶ Give the Patient powder of Cockle, with twice of Woxw
wood.

¶ Use wyne that the seede of Cockle is sodden in, and eale
the powder with all meats.

¶ Make wine that seeds of Honeysuckles of the hedge is
sodden in: It maketh good digestion: It wealeth winder: It
openeth the stoppyng of the Splene, the Reynes and bladder.

For hardnessse of the Myld

Arden Wadder roste decoct in wyne, —
Caret roots in powder with boined water,
Tamerisk decoct in wyne,
Hulberry roste bark decoct,
Wh herte leaues and bark decoct,
Maple rotes with wyne pond, —
Petile leaues mingled with oyle and wax, layd so.
Stinking Gladewum halse a dram taken in.
Penny royall mingled with vincer and hony.

drunks.

Oppopanax — — — — —
Sagapenum Galbanum
Amomacum in small quantity
Nutmegs Pine nut kernels
Rozen of Larix with vincer,
Rozen of Tarpenine, — — — — —
Wheres Hoirell pond with vincer, — — — — —
Radish rote pond with vincer, — — — — —
Cresses seedes pond with vincer, — — — — —

eatene, or taken in.

layd so.

For old grecs and vlcers of the mouth.

Hounds teng boyled with h root in water or wine,
Biloxi leaues decoct, Herbe Robert decoct,
Shakesoyle decoct in water to the third part,
Tormentill roots and leaues decoct,
Strawberry plants, Wild Tansey,
Planten leaues, Jaces,
Maruen leaues and roote,
Eagle leaues, — — Prunell,
Hanicle with hony,
Wall flowers with hony,
Bell flower in water, Camomill decoct,
Testicularis odoratus with hony,
Hesep with Figgis,
Great Valerian leaues and roots,
Aloes and wine applyed, — — — — —
Hoirell de Boys decoct, — — — — —
Saligot leaues decoct, — — — — — bathe.

wash the
grecs.

For

For a sore mouth.

TAKE white wyne a quart, Licois a quarter of a pound, Anise seeds a quarter of a pound, Mace, a quarter of an ounce: beat all together; and put it to the wyne, and two spoonfulls of English hony, two ounces of white stane sugar, one ounce of Roche Allome, a quantite of Honysuckles, as much Endive, as much Barrow, as much Buglos, as much Hyccory: distill them, and vse that water.

Ad idem, an excellent remedy.

TAKE Honysuckles, red Sage, red Rose Campions leaues, Filberd leaues, Rosemary leaues, of eche a handfull, two spoonfulls of English hony, a good quantity of Roche Allome, boyle it in running water, and wash the soze mouth,

For

Rams little Dodcon.

For olde vlcers or grisches of the mouth.

Bramble young tendzels decoct and wash,

Acatia decoct,

Priuet leaues decoct,

Figges decoct,

Walnut shelles, or grēne barkē decoct,

Olive tree leaues decoct,

Oke apples decoct,

and bathed.

For stinking of the mouth.

Herbe Robert decoct,

Strawberry plants decoct, and wash or bathe,

Constand

Vauer grasse —

For vlcers in childrens mouthes.

Leaues of Lynem tree decoct in water, and bathed.

To increase nature.

Molle tree fruite eaten.

Mash tree heyes eaten.

For going out of the Nauell.

Erysollafem poud with r̄eale and wyne,

Lebane sode poud with vnicer,

Peacocke fumme sulce or pulpe,

applied.

For young childrens Nauels.

Glega syred in oyle of Lynseed, lard to,

Foe

For olde vlcers of the mouth;

Take a quart of white wine, stell it with a quarter of Lico-
ris, a quarter of Annis seeds, halfe a quarter of an ounce
of great Rose: beat all together, and put it in the wyne, with
two spoonfulls of English hony, two ources of white stone Hu-
gar, one ounce of Kochs Allion, a quantity of Honeysuckles, as
much Endive, as much Barrotin, as much Buglos, as much
Succory, distill all together, and vse the water.

To increase Nature.

Take powder of Annis seeds, Fennel, Galengale, Spike-
nard, Tamarisk, Nutmegs, Cardamom, mixe it with
wheate flower, water, and red wyne: make cakes thereof, and
eate them daily for wasting of nature, nature lost, and Gomeyn
passio,

For the Nauell going out.

- 1 Wash it with wyne boyled with blessed Thistle.
- 2 Take powder of burnt faire lynnen, and of bitter Lupines, and lay it to the nauell.
- 3 Floweret with vnicer applied.
- 4 Stamp faine Johnes wort, and lay it to.
- 5 The wholy way stamped with meale and wyne helpeth, and
the whole herbe, leaves and seede applied, profiteth.
- 6 Boyle Spike Celrike in oyle of Almonds, and a little
Turpentyn: dip wooll in it, and apply it to the Nauel, wool-
len after the cutting of it.

To,

Rams little Dodcom.

153

For ange nayles.

Wh^te Briony pond with wyne, applyed.

For corrupt nayles.

Gall Celidony pond,

Lynarde with Cresses and honys pond,

Hinketoyle roote boyled in vinger,

Iris rootes decoct with honys;

Crowletole leauers and rootes pond,

Dry Myrtle leauers with conuentient eyntments or
galnes,

applyed.

For the Kings Euill.

Lynarde decoct in water, applyed.

Bell flower decoct in water.

Wh^te Horseshond leauers tempred with honys.

Warty meale mingled with Lar, waxe, oyle, and the
urin of a child, applyed.

Beupleres with wine and salt pond, applyed.

To procure sneezing,

Bazell with vinger bruised, put in the nose.

For to cause the nose to bleede.

Nettle leaves pond and put into the nose.
Galmyng oyle put in the nose.

For to stanuch nose-bleeding.

Perrainie bruised,

Yellow Liliachus

Knotgasse bruised,

Spesse decoct in water,

Gallcon flowers pond,

Lake blades bruised,

Leafe leaves pond with salt lyps to the nose and soþhead.

Butt leakes pond, and lyps to the nose outwardly.

} pet in the
nose.

For

To prouoke neezing.

T Take Nigella Romana, Latdanum, Storax, Pulineys, or
eche sixpenny waight in fyns powder, the roote of neezing
powder, the waight of all the rest: mire all together, and take
as much thereof as a pinnes head at a time,

G. K.

For

155
Rams little Dodeast.

For to take away stench or smelle of the nose.
Hauer grasse, and the roote boyled in water to the thied part
consumed, and after boyled agayne with hony till it bee
thick, especially with a little Aloes put in the nose.

To heale superfluous flesh in the nose, called
Polipus.

Polyposy powder often put in the nose.
Cypres iuste put in the nose.

To open the conduits of the nose,
Twice of Pimpernell snuffed into the nose.

For members taken with Palsey.
Lauender flowers alone, or with Sennamom, Sul-
phur and Cloues taken.
Lauender water distilled, and wash the member.

For the Palsey.
Pensadanum sap with oyle of Roses and vnlger,
taken.
Oppopanax two drams.
Sagapenum one dram.
Euphorbium prepared.
Cypres roote decoct and drinke.

For

For the Palsey.

T Take a god quantity of Sage, put it in a coftin of pastre,
bake it in an ouen: and when it is well baked, take the
Sage forth, put it in a pot of Ale, and stop it close, and let the
sick drinke thereof, and of none other drinke.

Another for the Palsey.

T Take Pepper one ounce, Ginger halfe an ounce, Carda-
momum, long Pepper, Sinnamon, and Nutmeg, of eche
j. dram: Spikenard, Mace, & Saffron, of ech half a dram, make
it in powder, and drinke it with god Ipocras, or Malmsey: and
when you go to bed, wash your hands with warme water.

Ad idem, when the speech is lost.

T Take Avens, one handfull, leaves and roots, wash them,
and boyle them in a quart of white wine to a pynt: strain
it, and drinke it thre mornings.

If it be too bitter, put sugar to it, and it will restore speach.

For

For to stay perbraking and vomiting

B 3 stort boyled in water or wine, or powder of it, drunke.

Tormentill root in powder knod with the white of an
egge, caten.

Running E pme iusce, halle an ounce with vinsiger,))

Fennell herbe or see de with water,

Bernassus grasse de coct,

BUTTESS,

Betony with clarified honey after supper,

~~Lyptines long soaked in water,~~

Blacke Smiths,

Nobob made of Rhytes and Sugar,

Dry Dates,

Clym's frutte boryles in oyle,

Wallick taken in,

For perbra

For perking and wambling of the stomake
of women with child,

V3 The young tendjels twice taken.

For to asswage all paynes.

Balsamum leaves decoct in wine, drunke.

Then bare staves put in plasters, laid to.

Scalpans leases alone, or with Early meale prind, layd to,

mingled with other players.

For to dissolve pestilent Carbuncles.

I ~~Opparafouian~~ rate by it selfe, or with the leaves, pond and applied.

Appropriate layouts.

Lacerpitum with Rue water, and honey, applied.

Lupines, the meale with vinger, or boyled in vinger, applied.
Cardus benedictus greene herbe, poud and layd to.

For Hegmes and hote Carbuncles.

Violets pound with Barley-meal, applied.

For the Tisick, or consumption.

BETONY DECOR AND DESIGN

For

Aug. 21. 1860. 10.00 A.M.

Left New York after 1 hour, 45 min.

Arrived at Boston 10 minutes later.

Arrived at New Haven 1 hour, 15 min. later.

Arrived at New York 1 hour, 30 min. later.

Arrived at Philadelphia 1 hour, 45 min. later.

Arrived at Washington 1 hour, 45 min. later.

Arrived at Baltimore 1 hour, 45 min. later.

Arrived at Richmond 1 hour, 45 min. later.

Arrived at Petersburg 1 hour, 45 min. later.

Arrived at Roanoke 1 hour, 45 min. later.

Arrived at Lynchburg 1 hour, 45 min. later.

Arrived at Chattanooga 1 hour, 45 min. later.

Arrived at Atlanta 1 hour, 45 min. later.

Arrived at Mobile 1 hour, 45 min. later.

Arrived at New Orleans 1 hour, 45 min. later.

Arrived at Galveston 1 hour, 45 min. later.

Arrived at San Antonio 1 hour, 45 min. later.

Arrived at El Paso 1 hour, 45 min. later.

Arrived at Tucson 1 hour, 45 min. later.

Arrived at Phoenix 1 hour, 45 min. later.

Arrived at Los Angeles 1 hour, 45 min. later.

P

For

Rams little Dodcon.

For to cause one to pisse well,

Saxifrage roote in wine decoct and drunke.

Bitter Almonds taken with Muscadell or Bassard;

For the hote pisse.

A Phisilis halse a dram, Comza leaues decoct, } drunke.

Annis seedes decoct in wine,

Cecelios seedes decoct in wyne, —————— }

Cetrach leaues taken with vngifer, eaten.

Hebasteres taken in meate.

For such as cannot pisse, but by drops.

Tansoy seedes with wyne, ——————

Oshis, —— Lode flaxe decoct,

Haffron roote in wyne decoct,

Margerom in white wine decoct,

Garden Rue leaues in water decoct,

Bneholme in wine decoct,

Rutmegs parched, ——————

A Preseruatiue for the Plague or Pestilence.

ANGelica roote holden in the mouth.

Myrrhis boyled in wyne, drunke.

Drenge saice eaten or drunke.

Juniper berries burked and perfumed.

Against the Plague and pestilent Feuers.

Bitter Bur in powder with wine, ——————

Commentill roote and leaues in wine,

Devills bit in wyne,

Saxifrage rost dried, with wyne or vngifer,

Angelica holden in the mouth in the morning.

Cloue Gyllofers conserued, ——————

Marygolds conserued, ——————

Monophilon halse a dram

Rue leaues alone, or with Mallnuts and Figgies,

Gaderwoot with wine, ——————

Crossewort Gentian in wine decoct,

Hetwall roote in wine decoct, ——————

Angelica roote holden in the mouth at morning.

Caroline roote in wine decoct, drunke.

Drenge taken any wayes.

For

For him that pisseth bloud.

Take Ambrose and Sanguinary, of eche a handfull, and as much Parsely seeds: stamp them, and meddle them with Goats milke and dylinke.

Take Ambrose, Safrage, and Purcelane: stamp them, and drinke the iisce with Cow milke.

For him that cannot well pisse.

Take Rue, Cromel and Parsely, stamp them, and meddle the iisce with white Wine, and drinke it warme.

For him that cannot hold his water.

Take the clawes of a Goat, and burne them to powder, and let the patient use of it in pottage, a spoonfull at once, and he shall be cured. The clawes must be burnt in a new earthen pot.

A perfume to auoyd the infection of the Plague,
Pox, or Meazels.

Take saint Johns Wort dyed, the Hatting of Juniper wood, Myrtle leaves, of ech a like much, Olibanum, Turpentine of Venise, a like much in weight: bruise your Olibanum, incorporate all into ballees as big as a Chestnut, and at night lay one upon hote coales in a chalengdish, and let it smoake; if the fire go out, renew it.

The water of the upper busts of Walnuts distilled in September, being drunke, is a sure remedy against the Plague.

Against Poyson, and the Pestilence.

Take two dry Walnuts, two dry Figs, twenty leaves of Rue, and a graine of salt: eat thereof fasting, & nothing venemous shall hurt thee that day.

For the Pestilence.

Wash a Lilly root cleane, and boyle it in white wine, till it be halfe wasted, and glue it the sick to drinke. Yee shall break out ful of bladders, as if he were burnt or scalded, which will dry, & tanaberiſſ.

For the French Poxe.
Beller Burre in powder with wine taken.
Fumitory iuice.

Galeopis leaues poud and layd to.
Plantain stamped and layd to.
Linerwoort poud with honay, applied.

For weaknes comming of the French Poxe.

Ephorbiat prepared, any taken by discretion.

For the small Poxe.

Veronica decoct and drunke.
Saffron with womans milke mingled, and layd to
the eyes.
Figges eaten.
Figges milky iucose layd to.

For

For them that haue the small Poxe.

¶ KEEPS them warme in all parts but the necke and head,
and there let them haue ayre enough: and when they be-
gin to come forth, ges of Doctor Ludlards wafer, and keepe it
continually dropping in their eyes: which water will keepe
them out of their eyes: then take Beefe, and powder it
with dry Salt, two dayes and two nightes: then boyle a piece
of that Beefe well scummed; take the fat of that broth, and a
quantity of running water, and beat both together, till it come
to an syde, and so sone as the Poxe come forth, annoynt the face
therewith continually with a feather, day and night: and when
the Poxe are thoroughly ripe, let them out with a gold needle:
when they begin to dry, let them not hang too long, but put
them off softly, else the scabs will make prints, which shall be
seen.

Rams little Dodcon.

For poyson of Serpents or Vipers.

Swall Bugles in meat or drinke, or to be carried about a man
or woman.

Hinquefoyle roote juice in wyne decoct, —
Tormentill root and leaues in wyne decoct, } drinke.
Betony dryed leaues in wyne decoct,
Paunces seed and flower with oyle applyed.

For to cure poyson.

Swall gone crop juice with viniger taken.

Henophilon roote halfe a dram in wine or viniger, or broth
together taken. Poly in wyne or water.

Margerom compounded with smelling oyntments, applyed.
Kue leaues eaten alone, or with Walnuts and Figs.

Gentian juice with wyne.

Daucus roote decoct in wine,

Saxifrage roote and seede in wine & viniger decoct,

Betony dryed leaues in wyne,

Angelica rootes in wyne decoct,

Astrolochia roote in wyne,

Assarabacka in wyne decoct,

Holowred rootes in wyne decoct,

Gentian root in powder, i. dram with wine, Pepper
and Rue,

Croisewort Gentian in powder,

Hetwall decoct, Peleborosis decoct,

Ealega juice,

Camelion roots in wyne decoct,

Cardus benedictus juice,

Wild Pannas seed decoct,

Garden Parsely roote decoct,

Garlick decoct in wyne,

Assedill in wyne, Bayberries in wyne,

Plane tree fratre with wyne taken,

Betony leaves applyed outwardly.

Lacerpitium roots taken.

Sharp wrynd-wred leaues and fruit taken.

One berry herbe and fruit taken in, — herba Paris.

Triseliam leaues or roots with Triacle and Spithredatu taken;

Uillo

For poyson of Serpents or Vipers.

¶ Drinke Dragons, Rue, and Betony.

¶ Drinke juice of Hincquefoyle. ¶ Eat Garlick.

¶ Boyle Rue, Betony and Fennell in butter, and drinke it.

To withstand poysoning.

¶ Eat a Walnut with a Fig and Rue fasting.

Against Poyson and Plague.

¶ Water of greene Walnuts distilled about Midsummer 2.

or 3. ounces drus, coleth & resisteth poison & the plague.

¶ Pare away the uttermost of the bark of the Walnut, and make powder of the rest, & steep it all night in water, straine it, and drinke it fasting, to cast out poyson.

For the small Poxe, a soueraigne medicine.

¶ First giue the patient sodden milke, mixt with Saffron, or

With Mithregatum, & when they be perfectly come forth and begin to break, in no case let them come into syre: then distill of good apples sliced, vyniger and milk with a little Camphire, and annoynt the face therewith. G. K.

For to make the Poxe come forth.

¶ Give the patient Barly water to drinke made sweet with Sugar. G. K.

To know if the sick of the Pox shall liue or die.

¶ Who that falleth sick of that disease, and the Pox appeare not till the sixt day, and do come sooth the fourth day after, then the patient is like to dye. G. K.

To make the Poxe come forth.

¶ Take ry. fat Figs, gum Dragagant, y. drams, Fennel seed brused halle a quarter of an ounce, brused Saffron halle a dram, boyle all in a quart of water, till the third part be consumed: then strain it, and drinke it warme early and late. G. K.

To take away the pits of the Poxe.

¶ Take milke and vyniger of eche a pynt, of apples pared and sliced thin 3. handfulls, incorporate the with a little Compasse: then stir it and wash the face 3. times a day, & let it dry.

¶ The creame of womans milke annoynted, is good also.

¶ Powdered Bale broth, not too fresh, nor too salt, is good also. G. K.

For

Incidentia

866.

To

125.

For to purge hote melancholy humours.

PEnny royall taken with honys and Aloes.

Plantæ Leonis, or Christes wort taken.

Honey cods and leaues, one dram taken.

Elder grēne and middle bark in wyne or bēere.

To purge choler vpward and downeward.

Thlaspy seede eaten.

To purge by siege downward.

Saffron the iisce of the seede taken.

Great Unnesole a handfull boyled and taken.

Mercurie pond with Butter, and layd to the fundament.

Violets decoct and drunke.

Iris rootes, the iisce taken in small quantity.

White Lilly rootes decoct in hōmed water.

Yellow Parcellus roots two drams decoct in wine or water.

Slop with Syrop Acetell taken.

Tyme in powder thre drams with hōmed water, vīniger and salt, taken. Oppopanax two drams or lesse, taken.

Hagapenum one dram. Euphorbiūm prepared.

Blacke Veleborz taken.

Clematis altera fruit decoct & drunk with white wine xl dayes.

Squilla prepared, first covered about with doore or paste, baked in an ouen, or rosted vnder coales, till it bee soft and tender, and then a sponefull or two thereof taken with the eryght part of salt.

For rage or madnes by biting of a mad dogge.

Allison taken with meats.

To make a man rauie and madde.

Solanum somniferum more then twelue berries eaten.

Henbane rootes, leaues, or iisce taken.

Against rauing and Frenzy.

Euphorbiūm entangled with oyle, straked on the forhead.

To kill Rats and Mice.

Eleborz roote puré with meale and honys; layd soz them.

For

To purge melancholy.

¶ Take Sæny cleane picked, one dram, Epichimi mirabelani, Hermodaçili albi, ol eche halse a dram, Sugar one dram: make all into fine powder, & adde to it powder of Gyn-ger and Synamom, ol eche halse a dram: make this in powder, and put it into an apple, the top cut off, and the coze taken out: roll it, and eate it.

To purge choler.

¶ Take Diagredij halse a dram, beat it grosse: then put to it the powder of the rote Aromaticum Rosarum Gabrielis, halse a scruple, and Sugar as you like: roll it in an apple, as before, and vse it,

For raw vnskinned places.

Græne Fennigréke pund with vnlger, applyed.

For Payne of the Reynes or Kidneyes.

| | | | |
|--|---|--------|---------|
| Buglos rote boyled in wyne, | — | — | dranke. |
| Anthelis with wine, halfe an ounce, | | | |
| Tozilson lusec in wyne, one dram, | | | |
| Horned Popy root boyled to halfe in water, | | | |
| Calamus Arromaticus decoct in wyne, | | | |
| Bulba castanon. seede decoct in wine, | | | |
| Licoris juice — | | | |
| Bitter Almonds | — | eaten. | |
| Cassia drawne, | | | |

For to refresh a man.

Barberry bush greene leaues, made in grænesawce, eaten.

For subtil Rhewmes and Cataries,

Popy heads boyled into a Syrop, eaten.

The little Carolins Thistle, called Spurrie Arabica,
taken any wayes.

For all ruptures.

Pilosilla leaues and rotes decoct and dranke.

For

For running of the reynes, and Gomora passio.

¶ Drinke seede of Lettice wth ale or water.

¶ Use powder of Mastick, Olibanum, Styrax, and Cammonium.

¶ Dry Myrs in an ouen, and drinke the powder.

¶ Anoynt the yard & clothes with iuste of Rose & Comphire.

¶ Carry about the seede of Sorell, gathered by a chaste boy.

For him that hath lost his kinde.

¶ Take a red Onyon and a Hen sod in a pot, eate it and drinke it thre dayes.

¶ Or take seede of Fennell, Parsely, Caraway, Cardamomum, Lignum, Cloues, Galengale, Cauel, of ech a pene waight, Rubarb two drams, & of Allome as much, Mastick one dram: stamp them in a brazen morter, and take a faire scoured bason, and put a good portion therin, & melt it: then take the foresaid things, and put thereto, let it boyle till it be thick, as thou maile hold it in thy hand: then boyle it vp, and use it first and last. This will restore the againe, though thou werst never so cold.

¶ Drinke a woman every day till thou be restored.

Running of the Reynes.

¶ Take Licerwort, Longwort, Harts tounig, of ech halfe a handful, a little Buglos, as much Succory, as much Endive, Violets, Sorell, & Flaefinger, of ech a little, boyle all in a quart of running water to hals, blaunched Almonds two pennyworth, stamp them with the pitch of a Bullock: then put it to the liquoy with the herbs, and wring them, and take out the iuste: then straine it, heat it, and season it with long Pepper, a pennyworth, Nutmegs & Graines, halse a pennyworth, some large Mace and Sugar, to make it pleasant, and drinke it often.

¶ Take Saunders white and yellow, two ounces, Sinnamon one ounce, Mastick one ounce, Sang. Draconis, halse an ounce, one Nutmeg, conserue of Roses two ounces, mix all together with Turpentine, and take it in often.

For

For ruuning and spreading scabs and sores;
PArritory pund and layd vpon.

Galingale roots dryed, and the powder layd on.

White Wyony roote pund,

Liverwojt pund with hony,

Spelt meale boyled with wine and Saltpester,

Turay meale with sulphur and vnicer,

Chiches boyled with Orobous,

Camelion roote with Coperose and swines greace,

Red Erete leaves pund,

Sheeps Horrell roote and leaves decoct and bathe,

Smalage iuste, Cresses pund with hony,

Squilla rosted in pybers,

Bramble leaves pund,

Myrtle greene leaves pund with oyle of Roses,

Licium of Wurthoyne,

Almonds pond with hony,

Figges milky iutes,

Linde bark pund with vnicer,

Juniper bark or rynde burnt, and with waler,

Hauis leaves pund with hony,

Scales of Pyne apples, & the bark with litarge of

Bluer & Franchincence, and a little Coperose, —

For scabs and scurumess.

VCronica decoct and dranke,

Scabious mixt with oyntments convenient,

Oigan decoct in water, and baths the griesse, or
wash the body,

Kye leaves mixt with Wine, Pepper, Piter, hony
and Allome,

Cuphorbitum with oyle of Way, Beares greace, or

Wolues greace, or such like,

Dragon roots dryed, mixed with hony,

Cleborus root pund with Frakincence, rozen & oyle,

Wild Cowcumur roote in powder with hony,

Vitis alba leaves, — Clematis altera,

Scamony iuste with oyle,

Hops decoct and drunkis,

applied
& laid to,

laid to.

For

For a scall.

TTake Palmrose roots, stamp them, & fry them with fresh Butter and Lard, and plaster-wise lay it to the griefe.

For a child's head having a white scall,

TTake Arse-smart a good quantity, stamp it small, & put to it the like quantity of Hogs Lard, stamp them & incorporate them together; set it on a soft sweet fire, alwayes stirring it, with a little water in it for burning to, and let it boyle till the leaues begin to parch: then straine it, & of that liquor take two ounces, and adde thereto of Storax liquid one ounce, mix them together, and therewithal annoynt the griefe every euening or every morning, which you will, and lay a cloth on it. D. K.

For the Purples.

TTake Purplewort if ye can: it is a clouē grasse, whiche bath a blew hart in the midst of it: and if you cannot get that, then take Angelica, Betony, Scabios, of eche a branch as big as both your thumbs: stamp them, & seethe them in posset ale: straine them, & put to it Sugar, Saffron, and a little Triacle, drinke it fasting at morning and euening without Triacle.

For angry scabs, night plowks, and watry wheales.

TTake Raspins, the stones taken out, and Rue stamped together, and apply it to.

TStamp Daysy leaues, fry them with fresh Butter, and annoynt the hands.

TStamp wild Lansey, and Daysy flowers with cold running water, and wash therewith.

TStamp Sharp leaued Docks and Fumitory a like much, make it to oynment with May butter, or Barrowdes greace, and Roche Alome, and annoynt it.

TBoyle a handful of Pettles with Cinnamon & Cloves, of eche two drams, and bathe thy hands with the same thereof.

For wormes in hands and feete.

TBoyle iuice of Willow wood in May butter, and red docks, and stirre it to a salue, and annoynt.

TBoyle Legion in god ale drags, and apply it to scabs.

TBoyle Wheat bran with Rue in vinsiger, and lay it to:

For

Rams little Dodcon.

For Sciatica.

- Sothernwood seed greene, or powder decoct in wine or water,
drunke.
 Great Burre seede in powder decoct in wine or water.
 Camepiles leaues decoct in wine soþy dayes, —
 Ethiopis rootes decoct,
 Lyne boyled in wyne or water,
 Penny royall pundo and layd to,
 Rue boyled with Dill,
 Allarabacka boyled in wyne,
 Asperagus decoct, Hmyrneum seeds decoct, drunke.
 Spanish Browne tender branches steeped in wa-
 ter, and the juice pressed out, drunk, a little Socrat
 or glasse full,
 Capres rootes, the barks decoct, —
 White Popler bark boyled in wyne, —
 Penny royall pundo, —
 Penedanum roote sap, —
 Lacerpitium roote with oyle and waxe,
 Amomacum one dram with oyle of Ciprus & Pister
 Enula Campana leaues boyled in wyne,
 Black Elebor roote decoct, and taken in small
 quantity. applied
 to laid to.
 Turay meale boyled in hored water,
 Lupines flower or meale boyled in vniȝer,
 Penny with Figgis made in plaster,
 Cresses pundo with honny and vniȝer,
 Crismon seede taken with honny,
 Iberis roote mixt with Swynes greace, —
 Rimus seeds boyled with incate and eaten.
 Thlaspy seed glistred at the fundament.

To drive away Serpents.

- Yellow Ulysinachion —
 Penedanum
 Sagapenum Wallwerk
 Paliurciui
 Agnus Castus —

perfumed.

For

For

For stinging of Serpents.

Came Cipressus decoct, —
 Great Turnesole a handfull decoct,
 Lichenus seed & flower, — Rose campid with wine,
 Wild Campions seed and flower decoct,
 Garden Larke Spurre seed,
 Iris roots with viniger or water,
 Oregane boyled in wyne,
 Rue juice eaten, Fennell herbe and seede,
 Lettice seede decoct in wyne,
 Rocket seede decoct, — Bacheloris in wine,
 Scorpion grasse pundi, —
 Margerom with salt and viniger pundi,
 Lacerpitium outwardly, Polymony pundi,
 Galingale roots pundi, — Aconitum pundi,
 Spelt meale with red wyne pundi,
 Whistle tender crops and leaves,
 Seeds of Docks and Sorrell decoct,
 Gilke Thistle roots and leaves pundi, —
 Rue juice eaten,

drunke.

ayde to:

For byting of Serpents.

Eckron roote boyled in wyne, —
 Great Burre roots juice,
 Came Cipressus with wyne,
 Scabios roote decoct in wyne,
 Camomill & his flowers decoct in wine, one dram,
 Clinopodium, — Prial. montanum decoct in wyne,
 Dearastrum seede in wyne,
 White Horehound decoct in wyne, Rue juice,
 Libanotus roots decoct in wyne, drunke.
 Betony dry leaves in wyne,
 Paunces seeds, roote and flower decoct in wyne,
 Ligusticum roote decoct in wyne,
 Harts tongue decoct, — Ladyes Thistle seede,
 Coleworts juice in wyne,
 Ash leaves juice, tender herbe, crops and bark decoct,

For

For stinging of an Adder,

I Kynd Centoz with Butter, and giue the sick to drinke :
It will heale man and beast.
¶ Stampe Garlick, and lay to.

For byting with a Dogge.

¶ Incorporate hony and Garlick, and eate it.

For byting of a Spider.

Rub the place well with flyes.

For biting or stinging of any venomous worme.

I Take Dragaunce one handfull, Centoz halfe a handfull,
halfe so much Rue, two cloues of Garlick; Ramp them,
and wring out the iuste, and annoynt the griesse.
If thou distill all these, and drinke the water, it doth destroy
all venome within thee.

Q. 2

For

For biting of Serpents.

The great Burre leaves pnd with salt,
 White Lilly roots rosted, and oyle of Roses,
 Masterwort pnd, the rose,
 Gentian juice with vnlger, } layed to.
 Juice of the Aglets of the greene Wine dissolued in
 oyle of Roses and vnlger;
 Erica leaves and flowers pnd, ——————
 Agnus Castus pnd, layed to:
 Agnus Castus } fummed.
 Wallwort }

For white naughtey scurfe.

Scabios pnd.
 White Lilly roots mingled with vnlger, or the leaves of
 Henbane or Barly meale layed to.

For naughty white scuruinesse of the head.

Lacerpitium applyed.

Sowbred decoct and bathe, ——————
 Myrtle berries decoct and bathe, } or wash the
 Lye made of ashes of the Ash tree, & bathe, } griesse.
 Allet yellow bark decoct and bathe, ——————
 Tithymall juice with hony, ——————
 Wild Cowcumer root in powder and hony,
 Turay meale with sulphur and hony,
 Cices boyled in Oribus the pulpe,
 Betone leaves pnd and layed to, and the griesse
 to be rubbed with Salt peter,
 Henuy mingled with hony & newe greace, } applied on
 Garlick burnt myngled with hony, } layed to.
 Squilla inner bark boyled in oyle or Tur-
 pentine,
 Yellow Assodill roots burnt to ashes,
 Ladannum with Myrrh, and oyle of Myrrh,
 Hazle Nuts burnt with Hogs greace,
 Lynden barkes pnd with vnlger, ——————
 Heng leauers one dram taken.

For

For shingles.

¶ If it gived a man, haply he shall never be whole. Take Culver dangu and Barly meale, stampes them together, and temper them with Cypel, and doe it to the griesse till it bee whole. This euill will spring like wild fire, but this is greater and redder, and it euer springeth arow.

¶ Apply to them the Patients owne bloud, and he shall be cured.

¶ 3

For

For soule scury ceters and scabs.

Croplowt leauess pond and layd to a little, & then rehioned
Wheat bryad newly baked, soked in wyne or pickle, layd to.
Black Camellion rot with a little Coperose & Swomes greace,
layd to.

Milio Thistle roote with viniger, —————— }
Scury with viniger, —————— }
Myrtle greene leauess with oyle of Rose, —————— }
Figs milky iuste, Did oxyg Wallnnts pond, } applyed.
Elme leaues with viniger, —————— }
Water sound in the hollow Wach tree, —————— }
For dry lcurfe and mangynesse.

Libanofus mingled with Juray meale & viniger, —————— }
Lacerpitium with Coperose and Mardegreace, —————— }
Cuphorbium mingled with Barrows greace, Bay
berries, or Wines greace, —————— }
Lithemall iuste, Bzony fruit pond, —————— }
Rha Pontike roste with viniger pond, —————— }
Milio Cowcumer iuste with hony, —————— } layd to.
Carlin rote pond with viniger, —————— }
Red Beet raw leauess pond, —————— }
Sheeps Doxel rois decoct in viniger, or brused raw
Radeish roots with hony, —————— }
Garlick with oyle and salt pond, (lyne, —————— }
Squilla inner part boyled in oyle, viniger or Turpe, —————— }
Juniper rynd or bark burnt, mingled with oyle or
viniger, and Turpentynne, —————— }

To drue away the Secondine or after-birth.

Martgold flowers and herbe in powder, —————— } perfumed
Garlick decoct, and sit over the sume, or perfu- } in place
med on coates, —————— } conuenient.

Elme boyled in water and hony, —————— }
Penny toyall in wine, —————— }
Claryposson boylee in wyne, Clary decoct, } drinke.
Wild Hoehound decoct in wyne, —————— }
Rue iuste in wyne, —————— }
Clary any wayes taken in drinke or meate. —————— }
For

For foole scuruy tetteres and scabs.

¶ WHeat bread soke in brine or pickle, layd to the bread being new.

For bleche or swelling.

¶ Take Walnut leanes and Sotherne wood, of eche a handfull, Succory, Woodbine leanes, white Archangell, wylde Tansey, Wormwood, Gassing weed, red Archangell, of eche a handfull, chop them all together, and boyle them in May butter, till there be a greene oyntment, straine it, and kepe it to vse.

To kill a Ring-worme or tetter.

¶ Take Mercury and Daisie roots, of eche a handfull, g. spoonfuls of creame, stampe and straine them, and put thereto gree spoonfuls of water made of Mercury sublimatum, and wash the tetter or ring-worme therewith.

A water to heale in fve dayes all scabs, as well inward as outward.

¶ Take Planten water a pynt, Rosewater halfe a pynt, water of flowers of Cythirons, or Djenjes, or of the juice of the fruits of them, a quarter of a pynt: put all into a Wyoll of glasse, and put to it of quicksilver beaten to powder one ounce: let them boyle softly at the fire a quarter of an houre: then coole it, and put it in a glasse.

Wash the scabby place with it at night, and let it alone to the next day without more washing: the third day wash it agayne, but not the fourth day.

At the first and second time you wash them, it will make all the scabs in your body to breake out.

At the third tyme they shall dry vp, that you shall find all neat and cleane, both within and without.

There is no remedy in the world more excellent then this, nor easier to be made.

This water maketh a mans flesh white, and doeth out all euill humours of the body.

For to drive away the seconde or after-birth.

Lauender decoct in wyne, ——————
 Dictayne decoct in wyne,
 Danca's seede decoct in wyne,
 Haristrage roote decoct in wyne,
 Lacerpitum leaues boyled in wyne,
 Astrolochia longa with Pepper and Myrr,
 & Carrabacka with hony and wyne,
 Syzygium seede decoct with wyne,
 Myrtis rootes decoct in wyne,
 Cresses seede decoct in wine,
 Garlicks decoct,
 Anagaris leaues, one dram decoct in wyne,
 Sauen leaues decoct in wyne, ——————
 Pencovanum roots iuste the lap alone, or with bitter Almonds
 and Rue.

Drunke,

Poppyanax taken with hony.
 White Bryony roote,
 Garden Hadder roote, } a pessary.
 Dryen juice,

For the falling Sicknesse.

A Nethilis with Ormell, ——————
 Coniza with vnguer,
 Lacerpitum with hony and vnguer, a Syrop,
 Sagapenum, one dram,
 Amomacum, one dram,
 Pellytoro roote with hony,
 Whyle Elebor prepared;
 Heny leaues by discretion,
 Bryony roote, one dram dayly a yeere, ——————
 Pentaphilon rubrum decoct in wyne or hained water and
 Pepper thirty dayes.

taken.

Lyme fumelled vpon. Galbanum perfumed.
 Hale Bryony roote hanged about the necke.

For falling sicknesse in children.

A spenis seedes eaten.

For

For the falling sickness.

¶ DRinke powder of Harts hozue with wyne.

¶ The first sygne he falleth, when thou seest it, put off thine
dwone shooe, and pisse in it, tince it well, and give him to drinke
of it, and he shall no more fall, nor have that euill.

¶ Also at his first falling slay a Hound, and take out his
hart and gall, and being here, grynd it, and give it him to drinke,
and he shall no more haue it.

¶ Cocks stones greene,drunk, helpeth; but abyayne from
wyne ix. dayes.

¶ Bores stones eaten,or drunk with wyne, profiteth.

¶ Take a Fores brayne, and give it oft to children, and
they shall never be sick of that euill.

For

For excoriation, or going off of the skin of the pri-
vities or secret parts.

Cypres fruite or leanes boyled in oyle, —
Liquid Resen with a Nutmeg and Sugar { applied.
the quantity of a nut, ——————

To make holes in the skin, or blisters.

ROes Solis with salt bruised, layd to.
Crowfeote leaves and rote, layd to.

To take away hard skin of hands and feet,
procured by labour.

Ashes of Willow bark with vniuerger applied.

For roughnesse of the skin.

Eleborus inner roots pond with ffrauncincence, oyle and Ro-
zen, applied.

Eleborus pond with oyle, and layd to.

Tithimall juice applied.

Scamony juice with oyle and hony, layd to.

Figges milky juice, layd to.

Ach tree bark burned to ashes, and lye made therof, and wash.

To procure ouermuch sleepe.

Leakes eaten rawe,

For

Incidentia.

184

J.C. Stephen's Book

Received

For to procure quiet sleepe.

Violets pind with oyle and layd to the head.

Wheyie water-Lillyes conserued.

Anvise seeds kept at the nose to smell to.

Poppy heaſs and leaues decoct in water, drunke.

Black Poppy ſeedes decoct in wyne, drunke.

Wandrake roote made a ſubpoſitory.

Henbane decoct in water, & wash the ſet, or uſe it as a glyſter.

Garden Lettice in meate eaten.

For them that are very sleepy.

Euphorbiū myngled with oyle, and ſtraked on the temples.

To reſtore ſmelling loſt.

Nigella ſeede dyed, pind, and put in Harcenet, and often
ſmelled to.

To prouoke neezing.

Senyp ſnuffed into the noſe.

Onyon iuice ſnuffed into the noſe.

For to dry ſores and Impoſtures.

Myrneum Creticum leaues layd to.

For

To prouoke sleepe.

Takes Leflice seede, and Smallage seede: Stamp them, and temper them with the white of an Egge, and lay it to the forhead.

Take powder of Smallage, Hembane and Mynts, tempered with oyle or greace, and anoynt the temples, &c.

Stamp Lekke seeds, and temper them with womans milk, and the white of an egge bound to the temples.

For

For olde sores.

Great Buglos rote with oyle and wax, —
 Singrene alone, or with parched barley meale, } layd to.
 White Horehound leaues with hony pund, }
 Alces in powder, —
 Cinoglesson in wyne and bathe.
 Great Butter greene leaues pund with whistles of Egges.
 Lynsa de boyled in wyne, and bathe.
 Allgood greene stamped, applyed. The juice of the roote of it
 taketh away scabs, and makes the skin smoothe, especially if
 you mingle it with vngifer,

For filthy fretting sores.

Veronica erect and drunke.

Galeopsis leaues with salt pund, —
 Peritorp juice and Seruice made to oyntment,
 Pimpernell pund, —
 Wild Woad pund,
 Singrene alone, or with parched Barly pund, —
 Maruen grēne leaues pund, —
 Testiculus odoratus roote grēne,
 Panner flowers roote grēne, pnd,
 Astrolochia rotunda with Treos and hony mixt,
 Dragons bruste pnd, —
 Gentian roote pnd, —
 Thymall juice applyed or layd to.
 Horned Poppy leaues and floweres pnd, —
 Turay meale with vngifer,
 Cole wort leaues pnd,
 Radish roote with hony pnd,
 Wild Coleworts with hony pnd, —
 Carets grēne leaues with hony pnd,
 Pellow Assadyll rootes boyled in Wyne lees,
 Pursuet leaues in powder,
 Scornes very small pnd, —

laid to and applyed.

laid to.

For

For a scald head.

TAKE hony a spoonfull, wax and sheps sute, of ech a quarter; & as much of the after-bryth of a woman as an egge, Rozen, Pitch, & Sparma coeli, of eche halse a quarter, boyle them till they be molten, & wel incorporated; then stiche them on a cloth, and make a plaster & apply; then take Rozen, pitch, & the after-barden of a woman, smingle them together over the fire, and make a plaster; and this to be layd to viij. or viij. dayes: and then take of the next platter before, Brimstone, blacke Sope, and the burden, & anoynt the head without it, and pat it in a cloth, & anoynt the head with it after y^e it is shayed; when the skin riseth, & it wil be whole: and if it be hard like the brawne of y^e thumbe, it is not whole: and if it be very ill & thick of scall, you shall let it lye viij. dayes: but if it bee meane, then but vij. dayes: a little scall ij. or iiiij. dayes: and lay it on a moneth or fine w^eeks, till the skin rise wrinkled: and if it be ful in the skin, like the brawne of the thumbe, let it lye vij. dayes: and then stamp it all together.

A principall playster to doe away kernels.

TAKE roots of Ferns, roots of Affodil, & boyle them in the best wine, put to it a little quick brimston, make a plaster and lay it to spedily, which will consume the griefe.

For Glandils or kernels.

TAKERoots of nettles, & roots of Ebalus, boyle them in vni-ger, put to it unslaked lyne, and Auri Pigmentum, make a plaster and apply it to the Kings Quill or Kernels.

Take the greene of brasse, iuice of Docks, Persicory, and iuice of Leeks, incorporate them, and in that liquor wet a tent, and put it into the griefe, vnder a plaster, putting forth the corrupt matter.

A new kernell or scruphill is cured as followeth,
without cutting or rupture.

TAKE Sennamum, Clones, Quicksiluer, quick Brimston, pitch, Virgin wax, y^e root of Eoula campana, Howers greace for a woman, & Bores greace for a man: boyle the root of Eoula campana in water: then with the Quicksiluer exting, Sage, hoggs greace, pitch & wax resolued, set it over the fire: then adde to the powder of the splices & brimstone, and stamping them all together, let them be well incorporated, and reserved to use.

For

For dulnesse or heauinesse of spirit,

Viioletts pund and layd to the head.
Charuell boyled in wyne and drunke.

For the Sqinnancy.

LAcropitium roots pund with hony, —————
Spanish Browne steeped in water, & the liquor } drunke,
 pissed out, a little cup or glasse full, ————— }
Holy wort chewed and holden in the mouth.
Elaterium with olde oyle or hony, or the gall of an Ore or
 Bull, applyed.
Radish roote boyled in homed vינiger, gargled.
Pepper layd to with hony.

For

For to stop spitting of bloud.

Tamp close Bur roote one ozam, with the kernels of Pyn
apples, and drinke it.

TDecoc Peruincie with wyne, drunke.

TDrinke juice of Burfa pastoris.

TDrinke powder of tormentill roots with wyne.

TDrinke juice of Knot grasse, or the leaves boyled in wyne,

TAmyle or Starch being drunke, profiteth. (drunks.)
For a sore throat by sickness.

TDrinke juice of Woodruss with good ale.

For the Squinnancy.

TAke Goats milke, and in the beginning make a plaster of
wheat bran, the juice of Smalage in meale of Fenigrake
with newe Bartowes greace, and the juice of Planten, and
potoder of Rose, and apply it.

Take roots of Mallowes, meale of Fenigrake, Flare seads,
Dates, great Raisins, the stones taken out, with wheat bran:
boyle them in water, stamp them, and make it with newe Bar-
towes greace and a little hony into a plaster, which is marue-
lous riþing, and lay it to the Squinnancy.

Take hony, hoggs bloud, lard, meale of Flare seede, Fen-
grake, and the dung of Swallowes: incorporate them, & make
a plaster excellent to rype the Squinnancy.

And note, that the dung of all maner of Swallowes, healeth
the Squinnancy.

Let the Impostume be opened with yron, or a razer,
or this breaking plaster following.

TAke Bran, salt and oyie, stamp them & incorporate them,
and make thereof a plaster, and apply it. This is used to
clense and dry the same.

For the Stone.

Fenerfew herbe without flowers, decoct
in water,
Herbe Robert in wyne, Verstorpe,
S. Johns Wort, herbe, flower and sed,
Wild Tansey, Coronopis,
Cotula lutea, Heranthemum,
Saffron rote, Winter Sauery, decoct in wyne
Fennell crops, Daucus sed, and drunke.
Auricula Leporis,
Sea holly,
Starre Thistle in powder,
Sheeps Sorrell rootes, Malloives,
Bramble rootes, Rampions sedz,
White Thornes fruite,
Cetrack leaves with vinger, drunke.
Alkakengy fruite eaten.
Saligot greene Nuts broken and drunke.

To breake the Stone.

Penny Wort on the wall, leaves
and rote, ——————
Garden Parsely,
Water Cresses in Salade, eaten.
Cassia drawne, ——————
Philipendula rote, ——————
Virga Aurea,
The water of Virga Aurea distilled,
Penny Royall, Sage,
Havifrage sedz and rote,
Lacerpitum rootes, Tragium sedz, decoct in wyne
Capillus Veneris,
Hernassus grasse, Sea holly,
Sheeps Sorrell rootes,
Tender sweet milk Thistle juice,
Turnep crops and young springs, ——————
and drunke.

For

To procure urine, and to breake the Stone.

Take Water Cresses a handfull, Parcely halfe a handfull, red Fennel tops, Mercury leanes, roots of Cypres bruis'd, of eche a quarter of a handfull, Kayuns of the Sunne, the stones taken out, halfe a handfull: chop them smal, & make possestge with mutton or veale, and thicke it with great Date meale beaten small: sealon it with Pepper grosse: adde to it Gromel seeds ij. d. waight, beaten fine, a little Saffron: eate a meale thereof at moyning, noone and night, a wyke together.

D. K.

Take Virga Aurea in sygne, and drinke it, and drinke one spoonfull of the powder thereof fourte houres before meat with a raw egge.

For the Collicke and the Stone.

Take Stone crop, Parcely leaves & roots, & mother Tyme, of eche a handfull, boyle them in good stale Ale halfe an houre: strayne it, and put to it a good quantite of Graynes in powder, and drinke it warme.

For the Stone. A powder.

Take Barberies a handfull, dry them, Peach stones, Ash heves, dyed Parcely lerv, Seebull, Paxifrage, of eche a like much, dry them, beat them, & scarce them: then lay a black finta stone in the fire till it be red hot, & quench it in a pynte of Malmesey, and put in it a quantity of that powder, about one spoonfull to as much Malmesey as your Icomake will haue, and keape the residue of the powder to use at used.

When the griele is on the patient, let him drinke no other drinke, but posset ale, or some other warme drinke, with part of that powder, untill it breake.

To breake the Stone in the bladder.

Take Oleum simplex Scorpionis: and for an old man, myngayle of Violets with it, and noyn the sides, by, ouer, ouer, and about the prsyup members, from ano upwards.

Rams little Dodeon.

For to breake the stone,
 REdish, Parsely, Stone Parsely,
 Great Parsely rote,
 Winter Cresses seede,
 Laxke seeds with other herbs conuenient,
 Broome seedes,
 Rose Harrow bark and rote,
 Baneholme, Bayes, Rose and barkie,
 Peuler stones broken in pouder,
 Plumtree gum dissolved in wyne,
 Cleare Rozen of the fyre tree taken.

decoct in wyne
and drunke.

Things hurtfull to the stomake.
 Sothernwood, White Clebor unprepared,
 Colloquintida, Eliterium,
 Elder, Drach often eaten,
 Turneps excessively taken,
 Radish excessively eaten,
 Cresses alone, and not in Salade,
 Malibryes grēne and brype,
 New Figgis in great quantity,
 Mazeris or small Cherryes in great quantity,
 Dry Nuts in abundance,
 Grēne Carobus,

not correc-
ted; &c.

To strengthen the stomake.

Arctifilata rote,
 Saffron, { decoct in wyne,
 Calamyn, { and drunke.
 Serele seede, —
 Betony taken with hained water,
 Coriander prepared or corrected, { eaten.
 Enula Campana rote conserued,
 Young Artichokes boyled, —
 Aloes Cicatrine taken.
 Imperatoria rote taken with wyne.
 Hexifrage rote in Sugar, in powder, taken.
 Conozilla lēde drynke.

For the Stone.

Take the Stone in an Ore gall, as much as a Beane, Turneric, y. penyworth, Bayes i. ounce, Cloues, Mace, & long Pepper, of eche i. penyworth, y. Acornes, Swete bister Stones, Grasmells levs, clore Bar levs, of eche a spoonful, Hawe Stones halle a spoonfull: pua all together into fine powder, and mix them wel together, & put thereof into a reasonable draught of god ale in a glasse or cup, so much as ye can take with your thumb & y. fingers, or more (the moare the better) and drinke it off. If you fele it veray bitter, drinke two or thre spoonfuls of ale or other drinke after it, which will lay the bitterness.

After you have taken this receipt, if it do not thoroughly helpe after viij. dayes or ij. weekes, take a god handful of wild Thyme, boyle it in a quart of white wine, and in the tyme of boylng, throw ij. or y. pebble stones in the ire, & burne them to coales, & cast them red hote into the wine being bruisid to pieces: then straine and drinke it, saeling in the morning two houres after.

To cleane the stomake.

Take Isop, Rosemary & Time, of eche tis crops, put them in a pynt of ale with Sugars: let them boyle, and drinke thereof two houres before meat.

To auoyd flegme out of the stomake, to be taken one spoonfull or two at any time.

Take eight spoonfuls of Rose-water, fourre spoonfuls of Conduit water, & two spoonfuls of white vyniger, halle a quarter of a pound of fine Sugars, boyle them in a pozinger, on a chafingdыш with coles, scum it cleane, & drinke it luke-warme.

For such as cast vp their meat by weaknesse of the stomake.

Take the nether crust of a bisbone loale, toast it dry and lesurely, then stope it in strong vyniger a little while: then take it out, and spread on it powder of Cloues, & warm it agayne, and lay it about the mouth of the stomake, and it shall stay hovitting.

For to strengthen the stomake.

P^rerclane,

Sea Parcelande preserved in vintger for salide,
Carib Che Sauts, Margis of unripe grapes,
Dinges the juice and fruite,
Pomegarnets the juice,
Quassimack, or Par malade of Quinces,
Patmegs, Fillick Puts,
Olives greene unripe,
Oyle in which fruite of Cyprius is boyled,
Agarick dry without liquor, Mastick,

eaten.

For Payne in the stomake.

C^ommon Wormwood, Decoct in wyne

Hecodium dry, Hand dranke.

Peny reyall taken with water and vintger.

Digan in water dranke.

Garden Hynt taken in dranke and meat.

Rubarbe taken by discretion.

Setwall roots decoct and dranke.

Aloes Cicatrine taken. Young latice dranke.

Groundsel leaves and stalks decoct in water dranke.

Parcely seeds decoct and dranke.

Juniper yong fruit or berries boyled in hained water.

Mastick eaten.

Spelt meale boyled with Saltpeper, applied.

Melilot raw, punds or sed in wyne, layd to.

For wambling or boylng of the stomake.

C^ommon Wormwood with Annis seeds,

Fennell or the seede,

Our Ladies Thistle roote decoct,

Sheeps Hoyle seeds, and Hoyle seeds,

Lettice in sallade eaten.

Wild Vines Claspers and frant brought into a syrope; with
the bargis of the same eaten.

Bramble leaves and neto springs stamped and layd to.

Dry Dates eaten.

Mastick eaten.

For

To comfort and strengthen a weake Stomake.

Take malmesy one pynt, mint water a pynt, Hynnamon and Ginger of ech an ounce: bruse them and mix them together with halle a quarterne of Huger: let them stand all night, and in the morning drinke it.

Mistris Barret.

A good sauce to procure Appetite.

Take sauce with Dijonge, mynt, vineger, Comyn and Pepper.

For the Collike of the stomake.

Take wormewood a pound and a halse, peache leaues, mother of lyme, Red mynts, Perritory on the wall, of ech a handful, Marissege and penny-roial, of ech half a handful, Fennel seed a quarter of a pound, Gromel seed half a quarter of a pound, of Annis seede and Liquoris, of ech half a pound, bruse all the seeds together, and put them into a gallon and a halse of Hock and distil them in a Limbeck.

Mistris Barret.

For a Feuer in the stomake.

Take Comyn, Annis, fensel seeds, red rose leaues, wormwood, mynts, Anens, vineger, so wye bread fryed and layd in a bag luke warme to the stomake, grawm it often with vineger.

R 4

Aguinß

For inflamation of the stomake.

- R
Dwane Wormwood, —
Starworts or Share wort, } decoct and drunke.
Tormentill leaues and roofe,
Parcelane raw, Lettice, — }
Wharts raw or stued with sugar,
Gooselberries greene, Apples, } eaten.
Pomegranate iuice,
Cornell fruite, ——————
White water Lilly, ——————
Solanum hortense, } purped and layd to.
Cadeue and Succory leaues,

To warme the stomake.

- L
Quach roote and seede dyed, drunke in Iapne.
Aloes Cicatrice drunke.
Soprell de Boys decoct and drunke and eaten.
Great Radish roote or Rayfors eaten.
Henry bruised with vyniger.
Dyenges and Lymons pilles and barke eaten.
Nutmeggs and Maces taken in.

To refresh the hote stomake.

- P
Cnywoxt on the wall iuice, drunke.
Caraway seedes decoct drunke or eaten.
Bjony first sprouts or springs in Salade.
Yellow Succory in Salade.
Cobcumers with meat.
Pepon of the Garden his fruite well boyled, eaten.
Licozis roote eaten. Apples eaten.
Pomegranat iuice eaten.

To overturne the stomake.

- R
Ape Olives eaten.
To purge the stomake of Fleyme.
Aloes Cicatrice taken.

To cleane the stomake.

- W
With White wine drunke.

Against dayly payne and repletion of the
mouth of the stomake.

¶ TAKE Liqueuris, Sauerp, Herpillum, Enula campawa,
Reddish roote, middle barke of Elder, mynts, Sage and
Rue: stamp them, and steep them in white wine, and give
the patient early and late.

A Purgation against Paralipism, or coldnesse
at the stomake.

¶ TAKE rootes of Fennell, Marcell, grasse, Treos, Spurge,
Lchorus, Triangulus, Reddish, the barke of Tamarick:
of these rootes and herbes make a decoction in white wine: be-
ing well made and collated, take Sianatum, Cloves, Nut-
megs, Zebary, Galingale, long Pepper and Spikenard: beat
them all in powder, and with the decoction aforesaid, make a
pigmentum with honey well clarified, and use it.

For a hotte stomake.

¶ CUT the graine of the folwyrs of Wholets, and pun them
small, and put to them whyle almuch sugar, and kepe
it in a Caly pot all the yere, and use it.

¶ TAKE one pynt of mooke, two syconials of Treos, a little
sugar, and drinke therew.
For

Incidentia

For to ingender wnde in the stomake.

Lentilles eaten too much.

Ripe Mulberries after meat.

Hazle Nuts, or Filberds } eaten.

Ripe Ollives

For cold windiness, or blasting of the stomake.

Phillipendula rotes in powder with wine

Annyss seedes drunke,

Comyn seedes } or eaten.

Ligusticum decoct

Peucedanum sap of the roots

Canla Campana rotes decoct

Heion roote boyled

Stone Parcely seede decoct

Smyracum Creticum seede decoct

Agnus Castus seede decoct

Juniper gummitis dissolved in wine

For to comfort the weaknesse and overcasting
of the stomake.

Lentilles husked, thirly graynes swallowed downe,

Cicer and Endive eaten.

Squilla prepared and taken.

Wild Cham leaues, branch and tendrels layd to the stomake.

Kalspis floriferis bhused, decoct in wine and drunke.

Blacke sowre Cherries eaten.

Dringe and Lemmons iuice

Coquell fruite } eaten.

Putmegs

Orans vntripe Ollives

For to comfort the mouth of the stomake.

Stone Parcely seede decoct and drunke.

Putmegs eaten and drunke.

Pomegranates iuice

Quinces, Quodimack and marmalad } eaten.

Rough and choky Peares

For the Collicke of the Sto:make.

¶ Take of Wormewood, one pound and an halfe, of
Beache leaves, a pound: Mother of Lym, red
Mints, and Perriory on the wall, of eche a handfull, Har-
frage and Penny-Wayall, halfe a handfull of eche, Fennell
seades, a quarter of a pound, Grommell seades, halfe a quar-
ter of a pound, Ennis seades and Liquorice, a pound of eche:
bruise all the seades, & put them into sixe quarts of god Hache,
and distill them in a Lymbeck.

To cleane the Stomake, and cause digestion.

¶ Take Gynt Water and Wormewood water, of eche a
quart, Malmesey a pottell, a good quantity of bruised
Syrnatum, and almost as much sliced Ginger, a good pless
of Sugar: put them together, and sturre them well, then
put them in a glasse, and let it stand till it be cleare: and let
the Patient drinke of it fift and last sixe sponefuls at once,
blood warme.

Ad idem.

¶ Take a pynt of malmesey, a pynt of mynt water, Gin-
ger and Syrnatum one ounce of eche: bruise them, &
put them together, with halfe a quartern of Sugar in the
malmesey all one night, and in the morning drinke it.

For

For stinging with Bees or Wasps.

W^tter Mynt, Rue the juice, Ynard and
Mallows, Marsh mallowes, Slagd to.

For Strangury and hote pisse.

Aⁿthills hall an ounce, Jarmander leaf & flower
decoc in winc, Comza leaf & flower in wine
Philipendula roote boyled in wine,
Bnut gras, Ceciliis seed, Cordilios seed, Decoc in
Dancus seed, Sarifrage root & lesser Swine,
White Sarifrage roote decoc,
Allarabacka in wine decoct,
Onyon rootes sooked in water,
Tragium seeds, Decoc in
Tetrach leaues, Wyne,
Trifoly leaues and flowers in water,
Calamus Aromaticus,
White Camelion roote in red wyne,
Starre Thistle in powder decoct,
Houcus juice with wyne,
Milo Caros seed, Winter Cresses seed, Decoc in
Charnell, Whyle Poplar barke Wyne,
The wild spurge in the Rose bush decoct,
Lawrell Alexandria roote decoct in wyne,
Plumtree gramine dissolved in wyne,
Cipres leaues boyled in wyne, ——————
Asperagus first springs perboyled, eaten in salade.
Water Cresses eaten in salade. Ceder straw eaten.
Creere liquid Rozen with Nutmegs eaten.

To prouoke sweating.

Chamepitis rubbed all over the body.

Violets decoct, and set over as a strew.

Calamyns drunke with hoined water.

Libanotus iode mingled with oyle, and anoynt the body.

Penedans n root dyed, mixed with oyle of Will, and anoynt.

Pellitory decoct in wyne, anoynt the body.

Masterwort, Cardus benedictus, Decoc in wyne,

Hmyntem seeds, Sand drunke.

Gigges calce.

For

For stinging with Wasps or Bees, and such like.

T A poynct it with Mithredatum.

T Anoynt it with juice of Henzidum.

For the Collick, Stone, and Strangury.

T Take the stone in an Oce gall, as much as a Beane, Toy-metil y. penyworth, Bayes 1 ounce, Cloves, Maces, long Pepper, of eche 1. penyworth, two Acornes, Swēbirer stones, Gromell seeds, Clot Wurkeds, of eche a spoonfull, Haw Stones half a spoonful: make it all in fine powder, mixe them wel together, and put therof in a reasonable draught of ale, in a glasse or cup, so much as you can take vp with your thumb and two fingers, or more, the moxe the better: Stirre it well together, and drinke it.

If you feele it bitter, two or threé spoonsfulls of ale after it, will abate the bitterness.

After the taking of this powder, if it doe not thoroughly help after a foxnight or threé weekes, take a good handfull of Impd Lyme, and boyle it in a quart of white wyne, and in the time of boylng it, throw two or threé pibble stones in the fire, and burne them to coles, brruise them, and cast them into the wyne, being hote: after strayne it, and drinke it saffing at mornes, and fast two houres after it.

Fr. Stevens,

For

For hardnesse of swelling.

Galepsis seed, Wallie and roote poud,
Lynseed boyled,
Bynd-wred leaues poud,
Helliot raw poud,
Nayfins kernels with salt poud,
Bellamyn poud, Oyle of ripe Olives,
Acoynes small with salt poud,
Piane tree young tender leaues poud,

For all hote swellings.

Flebane seed sooked in water, (flower)

Water-Letsils, or graine mingled with wheat
Wort-Wazell poud with Barley meale, parched,
Cerne Rose leaues and greene heads poud,
Mandragora fresh leaues poud with parched Bar-

ley meale,

Helliot boyled with it self in sweet wine, or mixed
with the yolk of a rostegge, or with Linseed,
or the meale of Fenigreek, or Cicory,

Our Lady Listle root broct in wine,

Haligot leaues, Wild Cole leaues poud,

Mallows with Swines greace,

Garlick with Swines greace,

Olives leaves,

Water of hollowesse of Bach tree,

To dissolute hard cold swellings.

Oyle poud and mingled with oyle and wape,

Stinking Gladis with vintiger poud,

Gladibus rote with Turay meale, poud & horned

Saffron mingled with womans milk, (water,

Hormon seed mingled with water,

Pigella with vintiger poud,

Lbanotus leaues poud, Oppopanax,

Roots of Lacerpitium with oyle poud,

Hagapenum sooked in vintiger,

Galbatum, Anomacum,

laid to.

applied &
laid to.

laid to.

For

For the Strangury. A plaster.

T Take ashes of the rofe and leaves of Chameractis : actus signifieth Elder, and Chamer is ebulus : whiche herbe or ashes, boyle till it be liquid : then so hote as may bee suffered, pectin cum fastia ponas, and he shall presently make wine.

And when by droupe meale, and in extreme heat he painefully maketh water, take wheat bran, & thereof make a poultis, and let therof be daily offred to the patient fasting, and after make a platter thereof with Popilon.

For Warts.

T Stamp Egremony with salt, temper it with binger, and lay it to the Wart, and in foure dayes it will be whole.

T Roast the yolkes of an Egge well, stamp it with oyle O, lne, or of Mioletis, and make thereof a playster, and lay it to, and it will bee away the Wart in one night.

For

For to dissolve cold hard swellings.

W^e glos Cowcumer roote with vyniger,
Wheat bread boyled in hōred water,
Lewin of Rye meale,
Barley meale boyled with Fygges and hōred
water,
Beane meale playster-wise,
Fenugreeke meale in mead,
Sweete Trifoly decoct,
Smyrnium leaves decoct,
Water Pepper leaves and seede pond,
Pepper myngled with pylch,
Dryed Fygges pond,
Liquid Rose,

Applied and
laid to.

For cold swellings.

SOthernwood seede with barley meale pond,
Eniquesoyle roote boyled in vyniger,
Black Welyn boyled in water, or pond with
hony,
Tyme pond with hony,
Tragozlgantum pond with hony,
Pancus seede pond,
Seamony twice mingled with hony,
Doth Brank Mysine,
Mallowes by it ielſe, or with Swynes greace
pond,
Marsh Mallowes pond,
Cresies seede with hony pond,
Garlick with Swynes greace pond,
Onions decoct with Fygges,
Walnuts, Rue and Fygges pond, and with
Raysine,
Arbor Inde young tender leavens,
Histleto leaves and fruite with Terre and wort
playster-wise,

Layd to.

For

For thighs wearyed, and thatake,
and that are stiffe with trauell.

¶ Take Brooklyme, Horehound, and herbs John: make
a playster of them, with Shæpes tallow, swynges greace
and hyspe-boonyng, and lay to the payne.

For

For all swelling and feuerishnesse about the Sere;

Coueresyle roote boyled in vnsiger, layd to.

For to take away sweatynge.

Drye Myrtle leaves, with oyntments convenient.

For hardnesse and shrinking of sinewes,

Silbernwoode leade, graine or drye, decoct in wine,

or water,

Hemp roote decoct in water,

Cocculus lutea bruised,

Iris rootes poude,

Oyle of Lillies,

Penny royal with honey poude,

Agapenon,

Galbanum mixt with myrrh,

Marabacca boyled in wyne,

Mubarke taken by discretion,

Balsamine oyle,

Whate meale & the iuste of Henbane mingled,

Acanthus drunke with wine,

Pellow Astevils, one dram in wyne drunke.

For drawing or aking of sinewes.

Cedaram tayce —

Lacerpitium

Amomum —

Celosquintida white pith in small quantity,

layd to,

Acanthus roote decoct in wine, drunke,

Origanell leaves and flowres with powder of —

Frankincense

Walmy leaves and bark boyled in watre —

layd to.

layd to.

For

For sinewes shrunk.

Take Rosemary, Cyme, Lauender, Dill, Balme, Broke-
lyne, M. viole, Louage, Souldedge, Maruer, Camomill,
Pintar, R. Myrtle, Werbe Robert, Adders tongue, Bely-
nge on the Dike, Colabryndes, Dayles, Cravat, one hand-
full, or halfe a pound of eche: spread them small, put them into
a pot, take a gallon of oyle Vitue, Spay butter, two peards,
myre Marke; halfe a poud: pue all together in the pan, and let
it stand by no tyme. Stirring it once every day, then seethe it, till
the kyssard butter be molten and incorporated, Grayne it in
a bessell, and leau nothing in the stryner, then put your oyle
into a pot, in which oyle or fresh greace haith bene. This oyle
must be made betwene May and Bartholomewyde.

A precious salve for all wounds and sores.

Take peggs greace, Coliphony, byrrhones, white incense,
a good quantity of eche, stamp them, & mixe them with
the white of an ege; spread it on a piece of parchment, prese
the lucnes with your fingers, to cause the blood come out, AND
apply that plyster, whiche will heale speedily.

A precious oyler to heale a wound in 24. hours.

Take floures of St. Johns Wort, & Rosemary floures, of
eche an handfull, put them in a glasse, and fill it with
good oyle, close it, that no ayre goe forth, set it in the lumen 30.
dages, and in clare nights also. When the oyle hath gotten
the colour of the floures, Grayne it, and put to it, of Ginger
in powder, one ozw, and a little saffron dissolved in good wine,
then set it in the sunne againe 18. dages: warme the oyle, and
applyat therewith thric in the day.

For payne, or swelling sinewes.

Cinoglosson boyled in wyne or water,

Parcissus rote with hony poud,

Euphorbium prepared,

For to soften sinewes.

Phiuit oyle mixt with other things convenient.

For to ioyne sinewes cut.

White Lilly rotes poud with hony

Groundsell with powder of frankincense

laid to.

For to appease payne in the side.

Blacke Molyn, with Rue leaues decoct in wine

Oates beard rote boyled in wine

Tyone boyled in water and hony

Sage decoct in water

Rue with Will decoct

Gentian rote the juice

Hetwals rotes decoct in wine

Capsia the barke of the rote decoct

Trifoly leaues, seede and flowre decoct

Caroline rote decoct in wine

Parsely seedes decoct

Yellow Ascodill rotes decoct

Leaues, rote and barke of Ashtre decoct in wine

Oppoponax.

Calewoyt Calkes burnt to ashes, mixt with swynes greace, applied.

Mistletoes with wyne iies poud and laid to.

Parceneps eaten.

Galbanum perfumed.

drunke.

For to dry a moyft stomake.

Lentiles blanched eaten.

Garden Madder rote poud and laid to.

Myrtilles juice drunke dyed.

For

For all swellings.

¶ TAKE Groundsel, Bunchyome, Chickenweede, Dayle,
petty morell, & herbe Bennet: Sampre and boyle them
with two parts of fresh butter, and one part of white wyne,
and lay to the grise as hole as may be fussed.

Payne of the Spleene is thus cured,

¶ TAKE Fennell roots, Parsely, Smalledge, Knephosome, Ab-
peragus, with their leetes, grasse, the middle bark of El-
der, Tamaricks old bark made cleane, Lime bark and Po-
pericon: Sampre them all, and keape them thre dayes in vini-
ger and water, and after boyle them, and put to the clarified
hony, and boyle all to a thicknesse of hony, which is Drimell,
give it the Patient to drinke early and late, with warme wa-
ter and salt, being diligently puned, and lay a playster upon the
Spleene, and let the Patient take every day on an empty stom-
ake, thre rolles of Radish dipped in hony, and make a Nysse
in this maner:

Make a ditch or hole in the earthe, the deppth and quantity of
the Patient, make it hole with burning coales: then draw out
the coales, and sprinkle the ditch with vyniger or wine: then
grow it with diureticall herbes: then let the Patient in the
hole so the necke, and cover him with the diureticall herbes, all
but the head, and put a cloth over him till he sweate: then
take him out, and cover him in a convenient place.

Rams little Doctor:

For to cleanse the teeth.

Ricetologia rotunda powder often rubbed.

Gingidium bare Steinnes, or spiles used to picke the teeth.
For tooth-ache.

Celidony rote —

Periuncle

chaled.

Hapifrage rote —

Umpernell juice snuft in the nose —

Pentahilon decoct in water

Plantzu rote and juice decoct

White Molyn rote boyled

Wright Garnet, or the rafe decoct

Pellitory rote decoct in vinger

White Cleboz rote boyled in vinger

Fruit of Solanum somniferum boyled

Vanbaner rote boyled in vinger

Camileen rote boyled

Ladies Thistle boyled in wine

Caroline rote boyled in wine

Sheeps fozell boyled in wine

Marsh mallowes decoct

Willo Warcly seede chaled

Mulier seede chaled

Ditigan decoct

Yellowe Affodill rote prepared, boyled in
old wine

Syph and Dachon

Cannoh tender crops boyled in vinger

Tammarisk leaves decoct in wine

Capers leaves boyled in vinger

Hulberry leaves decoct in wine —

Lacyngay rote chaled or put in the tooth.

Myppenap applied.

Bagapenam put in the hollow tooth.

Wallam leaves put on the tooth.

Willy juice of Rigges applied.

holde in
y mouth.

For

A playster for the tooth-ache.

Inake a poultice of the Sphynx hedges, or fayre Cataplaine, and wet it with your tongue, and lay it on the tooth, then lay it playster-wise upon the brynes that lyeth about the eye which goeth to the tooth, and let it lyer the space of an houre: then lay another like curdy, and so the thrid. therell chyck playster will make an incision upon the brynes, and therill be a drop of bloud in the middle of it, let it alone, and wippe it not, till it be dry as a scab, and fall of by it selfe: so then the bryne is dryed, so as the bloud cannot come to the tooth neyghernesse, whiche causeth the site. Often poustouch.

For the same.

Inake the iuyce of Rue, and as much in quantite of beny: and vallynys make little balleys dynt in that liquidour: and if the tooth be hollow, fayp the tooth: if it be not hollow, lay it to the greamme where the paine is, and it healeth wonderfuley.

For tooth-ache of Rhewme.

Inake running water and nettles, boyle them well together in a pesselle pot, put thereto a quantity of vinger, & a piece of Riche Allum, boyle them a little, then set the pot from the fire, and cast a cloth ouer the Patients head, and let him holde his nase therownde open, so as the smoky may greefull into his nose, and let the cloth hang close about, that no ayre gett out, arte he shalbe cured: but haplywarne from cold halfe a day after.

213 S.C.B: Rams little Dodeon.

For spreading Tetteres.

V^Eronica decoct in wine and drunke.

For roughnesse of the throte.

Wheat meale boyled to paste or pap, with butter and nuts
licked in.

Starch mixt with milke, licked in.

Spelt meale boyled with fresh butter & new Goates satt eaten.

Figges eaten.

Quinibges in Arrop eaten.

For Squinancy or swelling in the throte.

Violets, the yellow in the midst of the flowre, decoct in wa-
ter, gargarized.

Hysop boyled with water and Figgs, gargarized.

Glaeterium layd to, with oyle or hony, or the gall of a Wall, or
Ere.

Saligot leaues boyled in water, applied.

Double tongue leaues and rootes, gargarized.

Figges decoct and gargarized.

For Almonds or straynes about the throte,
and the rootes of the tongue.

Mustard with hony and vniiger.

Double tongue leaues and rootes.


Mulberries leaues and rootes gargarized.


Figges eaten.

Walnut Shell graine bark decoct in wine, gargarized.

Philberds huskes and shells decoct in wine, gargarized.

FINIS.





m / i w p ..

