# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# WHAT TO PLANT



# THIS FALL-E-WHY



HICKS NURSERIES

WESTBURY,L.I.

1912

# Fall Planting is Best for Most Trees, Shrubs, and Hardy Flowers

THERE are varieties such as Golden Bell, Upright Honeysuckle, Paeonia, etc., which respond to the first touch of spring, and which bloom unsatisfactorily the first summer, if planted after they have started. Fall planting gives the best

possible results in foliage and flower.

The possibility of damage from fall planting is far outweighed by a more vigorous growth in May. Fall planting benefits the plant because the roots get started earlier. It benefits your landscape; relieves the rush of work for your gardener and his men; enables the nurseryman to give the plants better attention, delivering them more promptly in cool, moist weather (instead of the more hot, dry weather of April and in early May.) All this is avoided by fall planting. In the fall you get a fuller list of varieties, and you get first selection.



SYRINGA OR PHILADELPHUS

It is doing now what you lack time to do next spring. To those maintaining country homes, no season could be more timely. Personal selection and arrangement is possible now, and is most satisfactory, but in the spring may be inconvenient as the premises are frequently not occupied until a date later than the beginning of the planting season in early March.

Let a visit to our nurseries be one of the important items on your fall programme. During October, nature dons her fall robes and the splendor of the Dogwood, Liquidambar, Oak, etc., will leave pleasant memories. You can always see enough to make a

visit worth while.

Varieties more suited for spring can be labelled now and reserved, and delivered before the height and rush of the spring season.

Those usually omitted from fall planting lists are: Beech, Birch, Liquidambar, Mag-

nolia, Althea, Azalea, Japanese Maple.

See 1912 Price List for complete list of stock in all sizes. Have you one of our descriptive catalogues on file for reference and our evergreen editions?

BUSINESS TERMS. See Price list 1912.

PRICES. The prices in this list are for stock loaded at our Nurseries. Five, 50, 50, 90, plants at the 10, 100, and 1000 rates.


TERMS: Net Cash. WE CHARGE POR DELIVERY AND PACKING FOR SHIPMENT.

# Isaac Hicks & Son

Westbury, Nassau County, Long Island
Telephone, 68 Westbury

## **Deciduous Trees**

Ash, White, Fraxinus Americana. These are vigorous little trees suitable for making a grove at low cost. Others are Dogwood, Maple, Oak, Tulip, Walnut, Poplar, Willow, Pine, and Spruce.





Flowering Dogwood. One of the most conspicuous elements in nature's May composition. Red berries succeed the flowers and the crimson foliage in October is a most fitting climax. They should be considered both in groups of trees and among shrubs.

| Elm, American. Ulmus Americana.                               | Each   | Per 10        | Per 100     |
|---|--------|---------------|-------------|
| 6 ft. high  | 75     | 6 00          | 30 00       |
| 8 ft. high  | 1 00   | 8 50          | 50 00       |
| $10-14$ ft. high, $1\frac{1}{2}$ in. diam., $3-5$ ft. spr     | 1 50   | 12 50         | 75 00       |
| 10-14 ft. high, 2 in. diam., 4-7 ft. spr                      | 2 50   | 20 00         |             |
| Horse-Chestnut. Aesculus hippocastanum.                       |        |               |             |
| 10 ft. high., $1\frac{1}{2}$ -2 in. diam                      | 2 00   | 17 50         |             |
| Linden, Silver. Tilia tomentosa, syn., T. Argente             | a; syr | ., T. alba.   |             |
| 6 ft. high  | 1 25   |               |             |
| 8 ft. high  | 1 75   | 15 00         |             |
| 10 ft. high, $1\frac{1}{2}$ in. diam., 2-4 ft. spr            | 2 50   | 22 50         |             |
| 10-12 ft. high, 2 in. diam., 2-4 ft. spr. 8 yrs.              | 4 50   |               |             |
| 10 12 10 Mgs, 2 M. didmi, 2 1 10 Spr. 0 J15                   |        |               |             |
| Linden, Small-leaf. Tilia ulmifolia, syn. microph             | hylla. |               |             |
| 8 ft. high  | 1 50   | 12 50         |             |
| Linden, American. Tilia Americana.                            |        |               |             |
| 8 ft. high  | 1 00   | 8 00          |             |
| 10-14 ft. high, 2 in. diam., 4-6 ft. spr                      | 2 00   | 17 50         | 150 00      |
| Maple, Norway. Acer platanoides.                              |        |               |             |
| 6 ft. high  | 60     | 5 00          | 45 00       |
| 8 ft. high.   | 1 00   |               | 80 00       |
| 10 ft. high, $1\frac{1}{4}$ in. diam.                         | 1 25   |               | 100 00      |
| 10–14 ft. high, $1\frac{1}{2}$ in. diam., 3–5 ft. spr., 9 yrs | 2 25   |               | 190 00      |
| 10 16 ft high Qin Jiam 4 Cft and 10 and                       | 3 00   |               | 225 00      |
| 12-16 ft. high, 2 in. diam., 4-6 ft. spr., 10 yrs             |        |               | 225 00      |
| 14-18 ft. high, $2\frac{1}{2}$ in. diam., 4-6 ft. spr         | 4 50   | 40 00         |             |
| Maple, Silver. Acer dasycarpum.                               |        |               |             |
| A quiele gravring tree Our starle : of smaller                | + a I  | ter with atmo | inht ainala |

A quick growing tree. Our stock is of excellent quality with straight single leaders, and broad tops, offered at a low price. If the ground is well manured, they will make better screens than Lombardy Poplars, which are frequently asked for.

| 8 it. high  |   | 75   | 6    | 00         | 60     | UU |
|---|---|------|------|------------|--------|----|
| $10-16  \text{ft high, } 1\frac{1}{2}  \text{in. diam., } 3-6  \text{ft. spr }$       | 1 | 25   | 10   | 00         | 90     | 00 |
| $10-16$ ft. high, $2-2\frac{1}{2}$ in. diam., $4-7$ ft. spr                           | 1 | 50   | 12   | <b>50</b>  |        |    |
| Maple, Sugar (Rock or Hard). Acer saccharum;  | s | yn., | A. s | acch       | arinum |    |
| 8–10 ft. high   |   | 50   |      | 50         |        |    |
| 10–14 ft. high, $1\frac{1}{2}$ in. diam., 5–7 ft. spr                                 | 2 | 50   | 22   | <b>5</b> 0 |        |    |
| Maple, Red or Scarlet. Acer Rubrum.   |   |      |      |            |        |    |
| 5 ft. high  |   | 40   | 3    | 00         | 25     | 00 |
| 6 ft. high  |   | 50   | 4    | 00         | 35     | 00 |
| 8 ft. high  | 1 | 25   | 11   | 0.0        | 100    | 00 |
| $10-14  \text{ft. high, } 1\frac{1}{2}  \text{in. diam., } 4  \text{ft. spr. } \dots$ | 2 | 00   | 17   | 50         |        |    |
| 12-18 ft. high, $2\frac{1}{2}$ in. diam., 4-8 ft. spr                                 | 5 | 50   | 50   | 00         |        |    |



Linden. Better quality below or above ground could hardly be possible. We can supply either low or high branched trees, as specimens or for screens.



PIN OAK. A growing demand, and a good stock of straight, well-branched, root-pruned trees, sure to grow and please, tells our whole story. They are especially effective planted at intervals in shrubbery. They are trained up to bamboo poles to insure a straight trunk.

#### DECIDUOUS TREES-Continued

| \$1<br>1<br>2 | 00<br>25<br>25  | \$ 9<br>10<br>20  | 00<br>00<br>00 | Per 1<br>\$75<br>90   | 00                    |
|---------------|---|---|----------------|---|-----------------------|
| nens          | sis.<br>40<br>60  |   |                | 40  | 00                    |
| 1             | 25  | 15  | 00             |   |                       |
| , syı         | 1., F<br>40<br>60                                       | 3   | 50             | 30<br>40  |                       |
| 1             | 50<br>25  |   |                |   |                       |
| var           | ., Sa   |   |                |   |                       |
| peni          |   |   | 20             | 10  | 00                    |
| 1             | 50  | 4   | 00             | 35  |                       |
|               | 15<br>50  | _   |                | 8<br>35   | 00<br>00              |
|               | \$1 1 2 3 3 inens 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 00<br>1 25<br>2 25<br>, syn., F<br>40<br>60<br>1 25<br>var., So<br>40<br>pendula;<br>15<br>50<br>1 00 | \$1 00         | \$1 00  \$ 9 00 1 25  10 00 2 25  20 00 3 50  32 50  inensis. 40  3 50 60  5 00  1 00  7 50 1 25  15 00 2 25  20 00 , syn., P. fastigiato 40  3 50 60  5 00  . 50  3 50 1 25  10 00  var., Salamonii. 40  3 00  pendula) 15  1 20 50  4 00 1 00  9 00 | \$1 00  \$ 9 00  \$75 |

For Larger Trees see Price list 1912. It lists trees fifteen to twenty-five years old, which save you ten to twenty years as compared with usual sizes sold by nurseries. Our blocks of these trees look like an orchard, the trees spreading twelve to twenty-five feet. The tops are trained to symmetrical form and are twenty to forty feet high. They are ready for delivery this fall by wagon, tree mover, motor-truck or rail.

by wagon, tree mover, motor-truck or rail.

There are several thousand for you to select from. Come and see the results you can obtain without waiting.

Our tree moving department can move from your vicinity, trees one  $\varepsilon$ nd a half feet in diameter, fifty feet high, forty feet spread, or larger.



A two and one-half inch Norway Maple, showing straight trunk, numerous branches and fibrous roots.



There could hardly be a representative border without some Spirea Van Houtti. In May, the spot is magnetic to the eye. There is graceful outline the whole season.

# Deciduous Shrubs

They are used for concealing unsightly objects, planting in irregular masses along boundaries, edging down a woodland, protecting against dust from the road, making divisions in the landscape, banking by foundations. They are appropriate on large and small places, alike.

You have thought of several solutions for your landscape problems.

Shrubs are pretty sure to enter the solution. Come and see what is most efficient.

| Barberry, Japanese.           | Berberis | Thunbergi — ex | cellent for | hedges. | Plant two | feet apart. | Each  | Per 10 | Per 100 |
|-------------------------------|----------|----------------|-------------|---------|-----------|-------------|-------|--------|---------|
| 1 ft. high                    |          |                |             |         |           |             | \$ 20 | \$1 50 |         |
| $1\frac{1}{2}$ ft. high       | ·        |                |             |         |           |             | 25    | 2 00   | \$18 00 |
| 2 ft. high, $1\frac{1}{2}$ -2 | ft. spr. | . <b></b>      | <b></b>     |         |           |             | 30    | 2 25   | 20 00   |
|                               |          |                |             |         |           |             |       |        |         |
| Barberry, Common.             | Berberis | vulgaris.      | Each        | Per 10  | Per 100   |             |       |        |         |

| Barberry, Common. Berberis vulgaris.          | Each \$ 20  | Per 10<br>\$1 80 | Per 100<br>\$15 00 |
|---|-------------|------------------|--------------------|
| 2 ft. high.<br>3 ft. high.                    | \$ 20<br>30 | 2 50             | φ10 00             |
|   |             |                  |                    |
| Button Bush. Cephalanthus occidentalis,       |             |                  |                    |
| A big, broad shrub with glossy dark green for | liage.      |                  |                    |
| 1-1½ ft. high                                 | 10          | 90               |                    |
| 3 ft. high                                    | 15          | 1 25             | 10 00              |
| 4 ft. high                                    | 20          | 1 50             | 12 50              |
|   |             |                  |                    |
| Catalpa Bungei, Bush Form. Sheared Domes      |             |                  |                    |
| 2 ft. high, 2 ft. spr                         | 40          | 3 00             |                    |
| 3 ft. high, 2–3 ft. spr                       | 50          | 4 00             |                    |
| Deutzia crenata, flore pleno.                 |             |                  |                    |
|   | 10          | 00               | 0.00               |
| 1-1½ ft. high                                 | 10          | 80               | 6 00               |
| 2 ft. high                                    | 15          | 1 25             | 10 00              |
| 3 ft. high                                    | 20          | 1 80             | 15 00              |
| 4–5 ft. high, 3–4 ft. spr                     | 30          | 2 50             | 20 00              |
| Deutzia, Pride of Rochester.                  |             |                  |                    |
| 1-1½ ft. high                                 | 10          | 80               | 6 00               |
| 2 ft. high                                    | 15          | 1 20             | 10 00              |
| 3–4 ft. high                                  | 25          | 2 00             | 15 00              |



BUTTON BUSH. The interesting pendent balls appear in July when there is such a dearth of bloom. We recommend it to those wishing a large mass of good foliage at a low cost.



# FORSYTHIA, may be always showy, but especially illuminating with an evergreen background. Evergreens also make fitting frames for Magnolias, White Birch and perennial plants.

#### DECIDUOUS SHRUBS - Continued

Dogwood, Red-twigged. Cornus alba, var., Siberica.

A shrub that you get full value from right away. The bright carmine red twigs are cheerful all winter. In summer it is a vigorous broad shrub with white flowers in June and white berries in August

| Per 100 |
|---------|
| \$ 8 00 |
| 15 00   |
| 18 00   |
| 25 00   |
| 35 00   |
|         |

Dogwood, Yellow-twigged. Cornus stolonifera, var., lutea.  $1\frac{1}{2}$  ft. high..... 1.80 15 00

Fringe, White. Chionanthus Virginica.
You will be glad to make the acquaintance of this plant. It grows ten or fifteen feet high and has big, dark leaves like an India rubber tree. In June, it is hung with a lace-like white fringe.

| 2 ft. high | 40 | 3 50 | 30 00 |
|------------|----|------|-------|
| 3 ft. high | 60 | 5 00 |       |

Golden Bell. Forsythia suspensa and Viridissima.

The Golden Bells bloom about April fifteenth. Plant in the fall or early in the spring, and you get a mass of bright flowers

| 1 ft. high | 10 | 70   | 6 00  |
|------------|----|------|-------|
| 2 ft. high | 15 | 1 20 | 10 00 |
| 3 ft. high | 25 | 2 00 | 18 00 |
| 4 ft. high | 35 | 3 00 | 20 00 |
| 5 ft. high | 40 | 3 50 | 25 00 |
| 6 ft. high | 50 | 4 00 | 30 00 |

Hazelnut, American. Corylus, Americana.

The Hazelnut gives abundant crops. We offer broad bushes that have been bearing for the past two years.

| 6-12 in. high, 2 yrs., transplanted. | 12 | 1 00 | 6 00  |
|--------------------------------------|----|------|-------|
| $1-1\frac{1}{2}$ ft. high.           | 20 | 1 50 | 12 00 |
| 2–3 ft. high.                        | 25 | 2 00 | 15 00 |

Honeysuckle, Upright. Lonicera Tatarica.
Sturdy shrubs with oak-like branches. Fall planting is especially valuable because they start with lilacs, the middle of April.


| or riprii.   |                  |            |         |
|--|------------------|------------|---------|
|  | Each             | Per 10     | Per 100 |
| 1 ft. high   | $\frac{7}{8}$ 18 | \$1 50     | \$12 00 |
| 2 ft. high   | 20               | 1 80       | 15 00   |
| 3 ft. high   | 25               | 2 00       | 18 00   |
| 4 ft. high, 3–4 ft. spr  | 35               | 2 50       | 10 00   |
| 5 ft. high, 3–4 ft. spr  | 50               | 4 00       | 35 00   |
| 6 ft. high, 4–6 ft. spr  | 75               | 6 00       | 50 00   |
| o it. ingh, 4-0 it. spi  | 10               | 0 00       | 30 00   |
| Honeysuckle, Bush. Lonicera Morrowi.   |                  |            |         |
| 3 ft. high   | 35               | 3 00       | 25 00   |
| 4 ft. high   | 40               | 3 50       | 30 00   |
| 0  |                  |            |         |
| Honeysuckle, Fragrant. Lonicera Fragrantissima.  |                  |            |         |
| $1\frac{1}{2}$ ft. high  | 20               | 1 50       | 12 00   |
| 2 ft. high   | 30               | 2 50       |         |
| 0  |                  |            |         |
| Honeysuckle, Fly. Lonicera gracilipes, syn., Physical Physics of the Physics of t | lomelx.          |            |         |
| 2 ft. high   | 25               | 2 00       | 18 00   |
| 5 ft. high, 3 ft. spr  | 75               | 6 00       |         |
| 3 , <b>1</b>   |                  |            |         |
| Hydrangea, Paniculata grandiflora.   |                  |            |         |
| 2 ft. high   | 20               | 1 80       | 15 00   |
| 3 ft. high   | 30               | 2 50       | 20 00   |
|  |                  |            |         |
| Hydrangea, Paniculata, var., Tardiva. Late flower  | ring type        | e <b>.</b> |         |
| 3 ft. high   | 30               | 2 50       | 20 00   |
| 4 ft. high, 3 ft. spr  | 40               | 3 50       |         |
| •  |                  |            |         |
|  |                  |            |         |

2 ft. high.....



HAZELNUT. This adapts itself to dry ground conditions. Its fruiting qualities need no introduction. Used as a cover plant under trees tholds moisture, leaf mould and the trees grow much faster.

| 400   | DECIDUOUS SHRUBS — Continue  | ed         |             |           |
|---|--|------------|-------------|-----------|
|   | Indian Currant (Coral Berry). Sympho   | ricarpus   | rulcaris.   |           |
|   |  | Each       | Per 10      | Per 100   |
| WHAT THE TOTAL OF THE PARTY OF | 1 ft. high   | \$ 10      | \$ 90       | \$7.50    |
|   | 2 ft. high   |            | 1 00        | 8 00      |
|   | Black Alder. Hex verticillata.   |            |             |           |
| E L   | 2 ft. high   | 35         | 3 00        |           |
|   | Lilac, Common. Syringa vulgaris.   |            |             |           |
|   | 1 ft. high   | 20         | 1 50        | 12 00     |
| <b>第八次</b> 第  | 2 ft. high   | 25         | 2 00        | 18 00     |
| TO TO STATE OF THE  | 3 ft. high   | 40         | 3 00        | 25 00     |
| A STANCE OF THE | Lilac, White. Syringa vulgaris, var., alba.  |            |             |           |
|   | 1 ft. high   | 20         | 1 50        | 12 00     |
| TO THE REAL PROPERTY.   | 2 ft. high   | 25         | 2 00        | 18 00     |
|   | 3 ft. high   | 40         | 3 00        | 25 00     |
|   | Lilac, Persian. Syringa Persica.   |            |             |           |
|   | 1 ft. high   | 20         | 1 50        | 12 00     |
|   | 2 ft. high   | 25         | 2 00        | 18 00     |
| (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)   | 3 ft. high   | 40         | 3 00        |           |
|   | Pearl Bush. Exochorda grandiflora.   |            |             |           |
|   | A mass of white in early May, just ahead of the far                                    | miliar die | splay of Sr | nirea Van |
|   | Houtti. This and Persian Lilac bloom simultaneously a                                  |            |             |           |
|   | rarely seen or excelled. It is apt to be thin at the base, planting Barberry in front. | which c    | an be rem   | edied by  |
|   | 1 ft. high   | 25         | 2 00        | 18 00     |
|   | 1½-2 ft. high  | 40         | 3 50        | 30 00     |
| WHITE FRINGE. Very desirable as   | Privet, California. Ligustrum ovalfolium.  |            |             |           |
| a specimen or in shrubbery. The delicate fringe-like flowers appear the   | 12 in. high., 1 yr. cuttings (\$15 per 1000)   | 04         | 35          | 3 00      |
| first of June. Lustrous foliage.  | 1 ft. high (\$25 per 1000)   | 05         | 40          | 3 50      |
| •   | 2 ft. high (\$40 per 1000)   | 06         | 50          | 4 50      |
|   | 3 ft. high. (\$55 per 1000)  | 08         | 70          | 6 00      |
| Privet Ibota. Standard or Bay To  | ree Form.  |            |             |           |
| 4 ft. high, 2–3 ft. spr   |  | 9 00       | 80 00       |           |
| 5 ft. high, 2-3 ft. spr., 7 yrs   |  | 12 00      | 110 00      |           |
| Privet, Ibota. Ligustrum Ibota.   |  |            |             |           |
|   |  | 06         | 50          | 4 00      |
|   |  | 15         | 1 00        | 8 00      |
|   |  | 20         | 1 20        | 10 00     |
| 4 ft. high, 2–3 ft. spr   |  | 30         | 2 50        |           |
| Cut back several times, 7 vrs. o  | ld; plants about as wide as high.  |            |             |           |
| •   | Each Per 10 Per 100  | 7          |             |           |



2 ft. high. 3 ft. high. 4 ft. high.

In reference to boundary plantings your choice is not limited to privet. Let us mention as a superior treatment, a belt or group of flowering shrubs. Excellent compositions can be made with Japanese Barberry, RedTwig Dogwood, Golden Bell, Upright Honeysuckle, Silver Thorn, Spirea Thunbergii, Spirea Van Houtii, Syringa, Viburnum, Weigelia, Witch Hazel, and Indian Currant. Another type of boundary planting might consist of low-branched trees, such as Linden, Dogwood, Pin Oak, Beech, Liquidambar, Chinese Cork Tree, Larch, Pines, and Hemlocks. These can be planted ten to twenty feet apart in an irregular line from one to three trees wide, with or without shrubs between.

 $\begin{array}{cc} \$2 & 50 \\ 4 & 00 \end{array}$ 

5 00

 $\begin{array}{c} 50 \\ 60 \end{array}$ 

\$20 00

30 00

40 00



Specimen of two year shrub, from cutting. Thrifty and vigorous. Effective results are only one year off, when such stock is utilized.



# LILAC. These give May a reputation that Roses give June. Foliage frequently mildews, and the plants are usually thin at the base. Hence they are better used among other shrubs, without these failings.

#### DECIDUOUS SHRUBS - Continued

| Privet Ibota, P.               | yramidal.                         | Each        | Per 10      | Per 100 |
|--------------------------------|-----------------------------------|-------------|-------------|---------|
| 4 ft. high,                    | 2-3 ft. spr                       | \$2 50      | \$20 00     |         |
| 5 ft. high,                    | 2-3 ft. spr                       | 5 00        | 45 00       |         |
| 6 ft. high,                    | 2½-4 ft. spr                      | 6 00        | 55 00       |         |
| Privet Ibota, D                | ome Shape.                        |             |             |         |
| 2 ft. high.                    |                                   | 2 00        | 15 00       |         |
|                                |                                   | 3 00        | 25 00       |         |
| Arches of Ciron frame.         | California Privet; Foliage within | 2 ft. of    | centre with | double  |
|                                |                                   |             |             |         |
| 7 ft. high,                    | 6 ft. spr                         | 14 00       | 120 00      |         |
|                                | ·                                 | 14 00       | 120 00      |         |
| Rhodotypus Keri                | rioides.                          | 14 00<br>20 | 120 00      |         |
| Rhodotypus Kern<br>2 ft. high. | ·                                 |             |             |         |

2 00 3 00

3 00

\$25 00

Silver Thorn. Elwagnus umbellata.

4 ft. high.....

Shad Bush. Amelanchier Canadensis.
2 ft. high.....

An excellent shrub for dry, sterile soils. Further praise is unnecessary as far as many Long Island planters are concerned. The foliage is silvery green and the red berries attract the birds all winter.

| and the red berries attract                      | the birds an winter. |      |       |
|--|----------------------|------|-------|
| 4 ft. high                                       |                      | 4 00 |       |
| 5 ft. high                                       | 60                   | 5 00 |       |
| Snowberry. Sumphoricarpus racemosus.             |                      |      |       |
| Snowberry. Symphoricarpus racemosus.  1 ft. high |                      | 1 20 |       |
| 1½ ft. high                                      |                      | 1 80 | 15 00 |
| 2 ft. high                                       |                      | 2 00 | 18 00 |
| 3 ft. high, 2-3 ft. spr                          |                      | 2 50 |       |
| Siberian Pea Tree. Caragana arborescens.         |                      |      |       |
| 4 ft. high, 3 ft. spr                            |                      | 6 00 |       |
| 5 ft. high, 3 ft. spr.                           | 1 00                 | 7 50 |       |



Our block of trained Privet, Standard or Bay Tree form, with straight stems and round heads, and the Pyramidal trained in conical shape. These are especially valuable as they do not demand winter storage like the Bay and do not require protection like the Box. We have been eight years training these, and regard them invaluable for formal gardens. We also offer Privet Arches for arching paths.



An everyday problem is here illustrated. Service drive, kitchen windows and drying yard, effectively and economically eliminated from the land-scape and invisible from the entrance court. No. 1 Stephanandra; No. 2 Rhodotypus: No. 3 Purple Fringe (Preferably Upright Honeysuckle); No. 4 Norway Maple; No. 5 Barberry; No. 6 Spirea Van Houtti (recently thinned out); No. 7 Privet; No. 8 Forsythia.

| DECIDUOUS SHRUBS — Continued                       | D 1        | D 10   | D 100   |
|--|------------|--------|---------|
| Spirea, Thunberg's. Spirea Thunbergii.             | Each       | Per 10 | Per 100 |
| 1 ft. high   | \$ 20      | \$1 80 | \$15 00 |
| $1\frac{1}{2}$ ft. high                            | 25         | 2 00   | 18 00   |
| Spirea Bridal Wreath. Spirea prunifolia, var., flo | ore pleno. |        |         |
| 1 ft. high   | 15         | 1 00   | 8 00    |
| $1\frac{1}{2}$ -2 ft. high                         | 20         | 1 80   | 15 00   |
| 3 ft. high   | 30         | 2 50   | 20 00   |
| 4 ft. high   | 35         | 3 00   | 25 00   |
| Spirea Van Houtii.                                 |            |        |         |
| $1\frac{1}{2}$ ft. high                            | 15         | 1 20   | 10 00   |
| 2 ft. high   | 25         | 2 00   | 18 00   |
| 3 ft. high   | 30         | 2 50   | 20 00   |
| Snives emplifolis                                  |            |        |         |
| Spirea opulifolia. 5 ft. high                      | 40         | 2 50   | 20 00   |
| 5 it. night  | 40         | 2 30   | 20 00   |
| Spirea Anthony Waterer. Spirea Bumalda.            |            |        |         |
| 1-1½ ft. high                                      | 25         | 1 80   | 15 00   |
| 2 ft. high   | 30         | 2 00   | 18 00   |
| 3 ft. high   | 35         | 3 00   | 25 00   |
| Cumach Chining Plans constitue                     |            |        |         |
| Sumach, Shining. Rhus copalina. 3-4 ft. high       | 30         | 2 50   | 20 00   |
| 5-¥ 1t. nign                                       | 30         | 2 30   | 20 00   |
| Sumach, Smooth. Rhus glabra.                       |            |        |         |
| 3–4 ft. high                                       | 25         | 2 20   | 18 00   |
| G 1 70   |            |        |         |
| Sumach, Fragrant. Rhus aromatica.                  | 20         | 2 50   |         |
| 2 ft. high   | 30         | 2 50   |         |
| Sweet-scented Shrub. Calycanthus floridus.         |            |        |         |
| 1-1½ ft. high                                      | 20         | 1 80   | 12 00   |
| 2 ft   | 25         | 2 00   | 18 00   |
|  |            |        |         |





Specimen of one year shrub from cutting. These are decidely economical. We offer such in Deutzia, Red Twig Dogwood, Forsythia, Upright Honeysuckle, Spirea, Syringa, Viburnum, and Weigelia.



A path is infinitely more attractive if interrupted with shrubs, unfolding secrets at every angle. Unsightly objects are simultaneously hidden and privacy sustained. We have shrubs that will give this effect quickly. See Upright Honeysuckle, Buttonbush, Deutzia, Privet, Lilac, Syringa, Witch Hazel: Viburnum, Weigelia.

| DECIDUOUS SHRUBS—Continued  |            |                  |           |
|---|------------|------------------|-----------|
| Sweet Pepper Bush. Clethra almifolia. Spikes of white flowers in July.  1-2 ft. high              | Each \$ 20 | Per 10<br>\$1 50 | Per 100   |
| 2–3 ft. high.   | 25         | 2 00             |           |
| Syringa (Mock Orange). Philadelphus coronarius.   |            |                  |           |
| 1–2 ft. high  | 15         | 1 20             | \$10 00   |
| 3–4 ft. high  | 25         | 2 00             | 18 00     |
| 5 ft. high  | 35         | 3 00             | 25 00     |
| 6 ft. high  | 50         | 4 00             |           |
| Syringa, Philadelphus grandiflorus. Pure white flowers in June.                                   |            |                  |           |
| $1-1\frac{1}{2}$ ft. high   | 15         | 1 20             | 10 00     |
| 2 ft. high  | 18         | 1 50             | 12 00     |
| 3 ft. high.   | 20         | 1 80             | 15 00     |
| 4 ft. high  | 25         | 2 00             | 18 00     |
| 5 ft. high  | 35         | 3 00             | 25 00     |
| 6 ft. high  | 75         | 6 00             |           |
| Tamarisk. Tamarix africana.<br>2–3 ft. high.  | 25         | 2 00             | 18 00     |
| z o it. mgm.  | 20         | 2 00             | 10 00     |
| Viburnums.  |            |                  |           |
| Almost indispensable in the formation of a good landscape. Healthy and vigorous in fol            | iage, wh   | ite flowers      | not over  |
| showy at various seasons followed by blue, black, and bright red berries. The Japanese            | Bush Cr    | anberry, l       | Viburnum  |
| dilatatum, is probably one of the least known, still one of the most valuable. Scarlet fruit in p | rofusion   | from Septe       | ember on. |
| Y7*! 1  |            |                  |           |
| Viburnum dentatum.  | 1.0        | 1 00             | 70.00     |
| 1–1½ ft. high   | 15         | 1 20             | 10 00     |
| 2 ft. high  | 25         | 2 00             | 15 00     |
| William Walland   |            |                  |           |
| Viburnum molle; syn., V. Nepalense.   | 30         | 2 50             | 20.00     |
| 3 ft. high.<br>4 ft. high   | 50<br>50   | 2 50<br>4 50     | 20 00     |
|   | 50<br>75   | 6 00             | 50 00     |
| 5–6 ft. high  | 19         | 0.00             | 50 00     |





You would not suspect there was a service drive, and garden in back. This same group in May or June, would show a bank of bloom. However, healthy, vigorous toliage throughout the season is the main consideration. Possibly you have use for a similar planting. No. 1 is Spirea Thunbergii, graceful in foliage and attractive in flower. No. 2 is Spirea Van Houtti, the best of the Spireas. No. 3 is Small Leaf Linden giving stability and height. No. 4 is Lilac.; Upright Honeysuckle or Deutzia might be more ideal as the foliage does not mildew. No. 5 is Hydrangea; possibly a little overshowy. Viburnums might preferably be used. No. 6 is Rhodotypus. No. 7 Syringa.



The white spot in the landscape is Spirea Thunbergii. This is one of the earliest white flowering shrubs. Its restful and pleasing foliage is well illustrated in the picture on page 11. The virture of a landscape, however, is not proclaimed by this or any particular shrub, but by a careful design in masses, with bays and projections of varying height and a liberal area of lawn. Groups of Evergreens strengthen the landscape, especially in winter.

#### ${\tt DECIDUOUS\ SHRUBS-Continued}$

| Daois coco crintosc communa  |                     |                          |                  |
|--|---------------------|--------------------------|------------------|
| Weigelia candida. (White). 3 ft. high. 4 ft. high.                           | Each<br>\$ 25<br>30 | Per 10<br>\$2 00<br>2 50 | Per 100          |
| Weigelia florida rosea.  1 ft high. $1\frac{1}{2}$ -2 ft. high.  3 ft. high. | 15<br>20<br>25      | 1 20<br>1 80<br>2 00     | \$10 00<br>15 00 |
| Weigelia floribunda.  2 ft. high. 3–4 ft. high.                              | 20<br>30            | 1 80<br>2 50             |                  |
| Willow, Japanese Pussy. Salix multinervis. 2 ft. high                        | 30                  | 2 50                     | 20 00            |



PUSSY WILLOW. Always the first item in the garden diary. Too impatient to wait for spring, it bursts its silky catkins in February and March



Block of big shrubs planted six by six feet. The usual distance is three feet by one foot. These large shrubs are especially valuable for screening about the service court or planting around the foundation of a new house. Nothing settles a house in the landscape more quickly than big round masses of foliage in the harsh angle with the ground. A group of trees twenty-five feet high, such as we have in large quantity, will do it also, but the big shrubs will be needed to balance the composition.

# Big Broad Bushy Shrubs

They are all specimens, seven years old, as thrifty plants as we have ever offered.

Don't confuse them with crowded, ill-shaped, left-over shrubs, the nurseryman usually discards. They are ideal for immediate screens, and if we figure correctly the cheapest screen for their height.

 Forsythia Fortunei.
 Each 6-7 ft. high, 4-6 ft. spr.
 Per 10 \$2 00



VIBURNUM LANTANA. White flowers in May, followed by pink, red and black fruit, with the advancing season. Grows six feet.



WHITE SNOWBERRY. Waxy berries from September until frost. Locate a group in the edge of your shrubbery.



VIBURNUM DENTATUM. Unexcelled for healthy foliage and dense growth. Blue berries in September.

| Honeysuckle, Upright. 6-7 ft. high, 4-5 ft. spr                                    | Each<br>\$2 00 | Per 10<br>\$15 00 |
|--|----------------|-------------------|
| Spirea Van Houtii. 5 ft. high, 3-4 ft. spr   | 1 50           |                   |
| Syringa (Mock Orange). Philadelphus coronarius.<br>6-7 ft. high, 3-4 ft. spr       | 2 00           | 15 00             |
| Viburnum dentatum. 5-6 ft. high, 4 ft. spr   | 3 00           | 25 00             |
| Viburnum Lentago. 5-6 ft. high. 3-4 ft. spr  | 3 00           |                   |
| Viburnum Molle; syn., Nepalense, see illustration p. 13. 5-7 ft. high, 4-6 ft. spr | 3 00           | 25 00             |

BIG BROAD BUSHY SHRUBS - Continued.



UPRIGHT HONEYSUCKLE. Always admired for its pretty pink flowers and transparent red berries. It grows big and sturdy and is capable of constituting the backbone of shrub planting.

If you examine the Hicks Nurseries, you may come to these conclusions.

5-6 ft. high, 4-5 ft. spr.....

5-6 ft. high, 4-5 ft. spr.....

Trees that accurately fit the conditions where they are to be planted. Advice to discourage you from planting trees where they will not continue happy and beautiful.

Little trees, one to five years old, at low cost and in large quantities.

Trees of the usual sizes of highest possible quality with big system of fibrous feeding roots; broad, symmetrical tops, prices moderate in consideration of the high quality and system of growing them wide apart.

Larger trees fifteen to twenty-five years old that save you many years waiting. There are thousands to select from, trees twenty to forty feet high, twelve to twenty-five feet spread of branches and roots.

3 00

2 00

Our large tree-moving department for moving shade trees up to fifty feet high, forty feet spread of roots and tops, one and one-half feet in diameter.

Evergreens up to forty feet high.

Viburnum Tomentosum.

Weigelia Rosea.

November is the time to arrange for moving large evergreens this winter. Send for our pamphlets, showing carloads of Pines, fifteen feet high; Cedars, twenty-five feet high; and other evergreens, we can supply from our nursery or the collecting fields; and big evergreens we can move in your vicinity.



CLEMATIS PANICULATA. The one with small, scented flowers in August. It delights to ramble over any unsightly object, bank, fence, or trellis. When in bloom it has little competition among vines.

15

# Vines

The value of a vine lies not so much in its ability to accomplish certain results, but rather the short time required to do it. For subduing the bald aspect of buildings and walls, they are the sole means. Poles, Trellises, Poultry wires, tennis backstops, are magically transformed to objects of attraction. Steep banks can be kept from washing by a tangle of Ivy, Clematis, Roses and Wisteria, and what could be prettier? Frequently it is difficult to get plants to grow where shade is dense. This is quickly solved by the use of appropriate vines. Areas in shrubbery borders can be appropriately devoted to masses of vines. Nature gives many hints for effective uses. The hedge rows, old rail fences, dead trees, rocks, are some of the prettiest objects in her composition, made so by the beautiful draperies and festoons of the Ivies. These same vistas with their fall coloring, have undoubtedly already left their impression. Often the dusty roadside is rendered beautiful by the wild array of vines. It is possible to use Virginia Creeper and Honey-suckle with confidence.

| Bitter Sweet, Japanese. Celastrus articula | ıta.  |        |         |
|--|-------|--------|---------|
| • •  | Each  | Per 10 | Per 100 |
| 1–3 ft. high                               | \$ 25 | \$2 00 |         |
| 4–5 ft. high                               | 30    | 2 50   |         |
| Dutchman's Pipe. Aristolochia Sipho.       |       |        |         |
| 2–3 ft. high                               | 50    | 4 00   |         |
| 5 ft. high                                 | 75    | 6 00   |         |
|  |       |        |         |
| Clematis paniculata.                       |       |        |         |
| 6–12 in. high                              | 15    | 1 20   | 10 00   |
| V I m mgm                                  | 10    | 1 20   | 10 00   |
| Euonymus radicans. Narrow-leaved.          |       |        |         |
| 6–12 in. high                              | 20    | 1 25   | 10 00   |
| 0 12 m. mgn                                | 20    | 1 20   | 10 00   |
| Euonymus radicans, vegetus. Broad-leaved   |       |        |         |
| 4–6 in. high                               | 20    | 1 80   | 15 00   |
| To m. mgm                                  | 20    | 1 00   | 19 00   |



Boston Ivy. The most in demand for covering rocks, foundations, walls, etc. Gorgeous in the fall.

Euonymus radicans. If some one would establish a popular name for this hardy evergreen vine, it would become as popular as Japanese Ivy. It is hardy where English Ivy gets the foliage browned or the branches killed back. Plant it in the woods, along foundation walls, fences, and in shady corners. Euonymus vegetus. One conspicuous lack of Long Island landscape is evergreens. This vine will make many a dull spot look cheerfull in winter,



Hall's Honeysuckle. A vine valuable for almost any purpose, porch, trellis, fences, banks, dry ground, or shade. Our stock permits a wholesale use. Plant it on banks 4 ft. apart.

| Honeysuckle, Hall's Japanese. Lonicera Japonica, var., Halleana.  1–3 ft. high (\$60 per 1000) | Each<br>\$ 10 | Per 10<br>\$ 90 | Per 100<br>\$8 00 |
|--|---------------|-----------------|-------------------|
| Ivy, Japanese or Boston. Ampelopsis tricuspidata, syn., Veitchi.                               |               |                 |                   |
| 6–12 in. high  | 15            | 1 20            | 10 00             |
| Matrimony Vine. Lycium. 3 ft. high   | 20            | 1 80            |                   |
| Virginia Creeper. Ampelopsis quinquefolia.   |               |                 |                   |
| 1-1½ ft. high  | 15            | 1 20            | 10 00             |
| 2–3 ft. high   | 20            | 1 80            |                   |
| Wisteria, Chinese. Wisteria Chinensis; syn., Kraunhia  |               |                 |                   |
| 2–3 ft high  | 25            | 2 00            |                   |
| 4–6 ft. high.  | 50            | 4 00            |                   |



A Rose Bed is not an unreasonable ambition. Prepare the soil to a depth of eighteen inches by digging in well-rotted horse or cow manure; cultivate freely during the summer; bank the earth around the plants for the winter, and cover with leaves. Apply manure liberally.

### Roses

|                        | Each  | Per 10 | Per 100 |
|------------------------|-------|--------|---------|
| Hybrid Perpetual Roses | \$ 30 | \$2 50 | \$20 00 |

Baron de Bronstetten..... Baroness Rothschild..... Maroon, fragrant, large and full. Baroness Rothschild..... Delicate pink, large and full.
Clio...... Flesh pink clusters, free blooming. Red, vigorous, free blooming. Pure white, prolific vigorous. Francois Levet... Gen. Jacqueminot..... Crimson, large, abundant, fragrant. Carmine, luxuriant foliage. Jules Margottin.... Madam Gabriel Luizet..... Pink, beautiful, slightly fragrant. Magna Charta.... Pink, large fragrant. Mrs. John Laing..... Pink, large, very hardy Paul Neyron.... Pink, very large, free blooming.

If you have no shrubbery for these to clamber over, no bank for them to cover, no tree-trunks for them to climb up, no fence for them to ramble on, no retaining wall for them to fall over, no arbors, arches, or pergolas for them to

entwine, no waste portion of ground for them to carpet, then grow them for their own beauty of flower and vigorous healthy foliage.

The following are almost entirely free from leaf troubles or winter-killing

| Dorothy Perkins       | Large clusters, double pink, healthy.                 |
|-----------------------|---|
| Farquhar              |   |
| Hiawatha              | Single, bright crimson, vigorous, free flowering.     |
| Lady Gay              |   |
| Pink Roamer           | Single, pink, with bright stamens.                    |
| Ruby Queen            |   |
| White Dorothy Perkins | Same as Dorothy Perkins, except color.                |
|                       | Exceedingly hardy and vigorous. Frequently mildews.   |
| Yellow Rambler        | Cream when open, spicy, foliage glossy.               |
| Prairie Rose          | Single pink, in clusters. July.                       |
| Wichuraiana           | Single white, golden stamens, glossy, bright foliage. |

#### ROSA RUGOSA

Here is something you can plant at the edge of the ocean besides Privet. You will also find it satisfactory and appropriate among shrubbery, on road banks and in situations where high cultivation must be denied. These are worth planting for their dense, dark green, healthy foliage alone. The single and double, white and pink flowers, succeeded by red fruits an inch in diameter are additional features. Cut back every two or three years to keep compact.

|      |        |       |               | E  | Cach | Per | 10 | Per 100 |
|------|--------|-------|---------------|----|------|-----|----|---------|
| Rosa | Rugosa | Rubra | Single red.   | \$ | 25   | \$2 | 00 | \$18 00 |
| Rosa | Rugosa | Alba  | Single white. |    |      |     |    |         |

#### SPRAYING ROSES

For green fly or aphs and other sucking insects, whaleoil soap (1 lb. to 8 gals.) just before the leaves open and every twenty days to July first.

Mildew and black spot; Bordeaux mixture, diluted one half strength, once a month. For mildew; powdered sulphur. Rose bug; hand picking in the early morning.



CLIMBING ROSE. Meets almost as many demands as the Honeysuckle or Clematis. In fact, the thoughtful planter uses them all, and has a beautiful landscape, the whole season.

# Hardy Garden Flowers

Do your grounds look sombre during September and October? A few moments in this department will show you how it is possible to make the premises vie with spring in its rich display of color, in fact, there need be no period without its wealth and variety of bloom. Possibly

the eestasy of decorating the home with flowers fresh from the garden has never been a reality. Or you may be alert for improved varieties or rare shades. We are situated to help you in either case. Plant now! In November the beds or border should be mulched with eight inches of leaves (those you usually burn), or very light strawy manure. This mulch can be kept in place by chicken wire, limbs, or a light layer of soil.

Our plants are all field-grown, and are nearly all large clumps, larger than usually sold. Note also the low prices at which they are offered. This permits their use in large quantities for naturalizing, cover planting, and large groups in shrubberies. Lower rates on large quantities of our selection.

The list we offer is carefully selected. We aim to grow only the best of each species, and have eliminated, as far as possible, undesirable colors; for we wish our patrons to feel that they can be sure of obtaining the effects desired.

Nothing can be more old-fashioned or lovelier than a garden in July filled with the tall spires of single Hollyhocks in the beautiful shades which we offer. Special attention has been given to securing the best colors. Our mixture is delightful, and the separate colors, so rarely found, are also offered;

the crimson and the pink in quantity.

We offer a few single named varieties raised from English seed of the newest varieties, such as Wearne Wyche, Rosy Morn, Whistler, Field of War, Cadbury, etc., at 30c each, \$2.50 per 10. Set of 10 varieties, \$2.75.

Rosa Rugosa. For seashore, banks, among shrubbery, in groups, etc., large single and double flowers fol-lowed by red hips one inch in di-ameter. Dark green, leathery leaves.

Those starred are especially adapted for cutting.

|   | Each  | Per 10 | Per 100 |
|---|-------|--------|---------|
| *Achillea ptarmica fl. pl, "The Pearl"        | \$ 10 | \$ 90  | \$ 8 00 |
| Althea rosea. Hollyhock, single, mixed colors | 15    | 1 25   | 10 00   |
| Althea double. Double Hollyhock, mixed colors | 20    | 1 75   | 15 00   |

Alyssum, pumila, Saxatile Compactum. For use back of low border plants such as Iris and Moss pinks this should be used lavishly.

|   |         | rer 10 |  |
|---|---------|--------|--|
| Alyssum saxatile compactum. Golden Tuft         | . \$ 10 | \$ 90  |  |
| Anchusa Italica. Dropmore Variety. Blue, 5–6 ft | . 25    | 2 00   |  |

It is surprising how few know it. It never fails to excite admiration. It is the bluest flower we have. The summer sky appears faded in comparison. It occupies the period prior to Delphinium and Veronica, and blooms more abundantly. We have anticipated a large demand and propagated accordingly.

| Anemone Japonica, var., alba. Japanese Windflower |    |      |           |
|---|----|------|-----------|
| White   | 15 | 1 25 | 12 00     |
| A. Japonica, var. Whirlwind                       | 15 | 1 25 | 12 00     |
| A. Japonica, var. "Queen Charlotte" Silvery pink. | 15 | 1 25 | 12 00     |
| Aquilegia, var. Chrysantha. Golden Columbine.     |    |      |           |
| Yellow  | 15 | 1 25 | 10 00     |
| A. var. Cœrulea. Rocky Mountain Columbine. Blue   |    |      | ***       |
| and white   | 15 | 1 25 | 10 00     |
| A. var. Helenæ. Blue and white                    | 15 | 1 25 | $10 \ 00$ |
| A. Nivea grandiflora. Long spurred white          | 15 | 1 25 | 10 00     |
| Aranis Alpina. Alpine Rock Cress. White           | 15 | 1 25 | 8 00      |
|   |    | . ,. | 1.1       |

Aquilegia. The grace of the long spurred Columbines is indispensable as a combination with the statelier iris.

| COMMON TOTAL CONTROL C |    |      |      |
|--|----|------|------|
| A. Fine mixed  | 10 | 90   | 7 00 |
| Armeria plantaginea. Thrift. Sea Pink. Rose pink.  | 10 | 80   | 5 00 |
| Aster  | 15 | 1 25 |      |
| A. Novae-Belgii, var. Perry's Pink. Pink   | 15 | 1 25 | 8 00 |
| A. Novae-Belgii, var. Top Sawyer Parma-Violet  | 15 | 1 25 | 8 00 |
| A. Tataricus. Blue   | 15 | 1 25 | 8 00 |
| A. sub-coeruleus   | 15 | 1 25 | 8 00 |
| Bellis Perennis. English Daisy   | 10 | 80   | 5 00 |
| Dellis Cicinis. English Calsy  | 10 | 30   | 9 00 |



SINGLE HOLLYHOCK. Tall and stately. The double forms appear like roses along the stem.



AQUILEGIA. With long stems and such fascinating flowers, the temptation to cut for boquets is irresistible.

#### HARDY GARDEN FLOWERS-Continued.

| Campanula persicifolia grandiflora. | Bell Flower | E  | ach | Per | 10 | Per 100 |
|-------------------------------------|-------------|----|-----|-----|----|---------|
| Blue and white                      |             | \$ | 15  | \$1 | 25 | \$10 00 |

This is one of the best and most vigorous of the Campanulas. We offer a very large stock of fine heavy plants which will make a great show the first season.

| C. medium. Canterbury Bells. Blue, pink and white                      | 15 | 1 25 | 10 00 |
|--|----|------|-------|
| and white  | 15 | 1 25 | 8 00  |
| Clematis recta. White  | 15 | 1 25 | 10 00 |
| Chrysanthemum, Pompon: Myer's Perfection. Pure white anemone flowered. | 10 | 90   | 6 00  |
| Anna Mary. Cream white, shaded pink. Button                            | 10 | 90   | 6 00  |
| St. Iloria. Silvery rose, quilled petals                               | 10 | 90   | 6 00  |
| Oban. Silver pink, full anemone centre                                 | 10 | 90   | 6 00  |
| Rhoda. Pink, shaded white. Button                                      | 10 | 90   | 6 00  |
| Julia Lagravere. Crimson maroon  | 10 | 90   | 6 00  |
| Sylvia. Scarlet-bronze. Tall   | 10 | 90   | 6 00  |
| Alice Cary. Pure yellow. Button  | 10 | 90   | 6 00  |
| Urith. Bronze, tipped yellow   | 10 | 90   | 6 00  |

|   |       |        | Per 100 |
|---|-------|--------|---------|
| *Coreopsis lanceolata grandiflora. Yellow | \$ 15 | \$1 25 | \$8 00  |
| Convallaria majalis. Lily-of-the-Valley   | 10    | 80     | 5.00    |

The low price at which this is offered permits its use in large quantities, and the clumps we send out can be divided to make small plants. There are many places where it is appropriate as a cover plant.

| printe de la cover printer                             |          |            |       |
|--|----------|------------|-------|
| *Delphinium. Larkspur. Formosum, dark blue             | 15       | 1 25       | 10 00 |
| D. grandiflorum, var. Chinense. Gentian blue           | 15       | 1 25       | 10 00 |
| D. Gold Medal Hybrids. Shades of blue, mostly light    | 15       | 1 25       | 10 00 |
| *D. Kelway's Choice Show. Mixed                        | 25       | 2 00       | 15 00 |
| We have a large stock of this grown from Kelway's seed | Very lov | elv shades |       |

\*Dianthus. Hardy Pinks, White Reserves, Her Majesty and Mrs. Simkins. Pure white, clove scented.....

| and bottoom                      |    |      |       |
|----------------------------------|----|------|-------|
| D. Chinensis. China Pinks.       |    |      |       |
| Crimson and salmon               | 10 | 90   | 8 00  |
| *D. Barbatus. Sweet William.     |    |      |       |
| Pink, white and crimson.         | 10 | 90   | 9 00  |
| Dicentra spectabilis. Bleeding   |    |      |       |
| Heart. Pink                      | 15 | 1 25 | 10 00 |
| Digitalis. Foxglove, var. gloxi- |    |      |       |
| niæflora. Rose colored           | 15 | 1 25 | 8 00  |
| D. Purewhite (\$60.00 per M).    | 15 | 1 25 | 8 00  |

Digitalis. This stately plant is very showy in the garden and is equally appropriate for naturalizing among trees and shrubs.

| Funkia. Plantain Lily. Day      |          | _  |           |   |     |
|---------------------------------|----------|----|-----------|---|-----|
| Lily in variety                 | 15       | 1  | 25        | 8 | 00  |
| *Gaillardia grandiflora. Blan-  |          |    |           |   |     |
| ket flower. Yellow, ver-        |          |    |           |   |     |
| milion, and crimson             | 15       | 1  | 25        | 8 | 00  |
| There is no plant in the garden | to which | or | ie mav go | w | ith |

There is no plant in the garden to which one may go with more confidence of always finding good cut-flowers than to this. The stems are long and the rich bronze, red and yellow flowers will harmonize with most interiors.

| Hemerocallis. Yellow Day Lily, var. Dumortierii |
|---|
| *Heliopsis laevis, var. Pitcheriana. Yellow     |
| *Helianthus rigidus, var. Miss Mellish. Yellow  |
| *Gypsophylla paniculata. Baby's Breath          |
|   |



LILY OF THE VALLEY.
Ours are good clumps.
Try them in that shady
corner where so few
things will thrive.

| Each | Per 10 | Per 100 |
|------|--------|---------|
| 15   | 1 25   | 8 00    |
| 10   | 90     | 8 00    |
| 15   | 1 25   | 10 00   |
| 51   | 1 25   | 10 00   |



DELPHINIUM. Makes the border or garden a deluge of blue of most exquisite hues.



BLEEDING HEART. Seemingly created for children to dissect, forming miniature bunnies, bellows, slippers, etc.

#### HARDY GARDEN FLOWERS-Continued.

|   | Each  | Per 10 | Per 100 |
|---|-------|--------|---------|
| H. flava. Lemon Lily. Yellow                | \$ 15 | \$1 25 | \$ 8 00 |
| H. florham. Yellow                          | 20    | 1 75   | 15 00   |
| H. Thunbergii. Thunberg's Day Lily          | 15    | 1 25   | 8 00    |
| Heuchera sanguinea. Coral Bells             | 15    | 1 25   | 10 00   |
| Hibiscus Moscheutos. Mallow                 | 15    | 1 25   | 10 00   |
| Hypericum Moserianum. Gold Flower. St.      |       |        |         |
| Johnswort                                   | 15    | 1 25   | 10 00   |
| Iberis. Hardy Candytuft, var. sempervirens. |       |        |         |
| Evergreen Candytuft. White                  | 15    | 1 25   | 8 00    |

#### Iris Germanica. German Iris. Fleur-de-lis:

Nothing ever discourages this species and its site always looks well in the garden, even after flowering. The variety Walnerii is a light blue variety which we offer at low rates and recommend for planting both in ordinary soils among shrubbery and in damp situations.

| Purple King. Rich, deep, velvety, purple  | 25 | 2 00 |      |
|---|----|------|------|
| Spectabilis. Light and deep violet-purple | 15 | 1 25 |      |
| Walnerii. Light blue (\$60 per M)         | 15 | 1 25 | 8 0  |
| Pallida Dalmatica. Lavender blue          | 25 | 2 00 | 18 0 |



CAMPANULA. Give an unbroken area of bloom, and lend dignity to any garden.



PLANTAIN LILY. Adapted for beds, borders, and shrubbery. Healthy foliage and handsome flowers.

|  |    | Per 10 | Per 100 |
|--|----|--------|---------|
| Queen of May. Soft lilac, almost pink \$           | 15 | \$1 25 |         |
| Cengialti. S. Lavender blue. F. Violet blue        | 15 | 1 25   |         |
| Maori King. S. Golden yellow, F. Velvety crimson   | 25 | 2 00   |         |
| Honorabilis. S. Golden. F. Rich brown              | 15 | 1 25   |         |
| Dr. Bernice. S. Coppery bronze. F. Velvety crimson | 25 | 2 00   |         |
| Jaquesiana. S. Bright coppery crimson. F. Maroon   | 15 | 1 25   |         |
| Bridesmaid. S. White, shaded lavender. F. Lavender | 25 | 2 00   |         |
| Madam Chereau. White, frilled blue                 | 15 | 1 25   | \$10 00 |
| Mrs. H. Darwin. S. Pure white. F. White and violet | 15 | 1 25   |         |
| Iris Florentina. Orris Root. White suffused lilac  | 15 | 1 25   | 10 00   |

I. pumila hybrida:

This is one of the welcome flowers of early spring. It is one of the first Iris to bloom and is the most showy flower of its season. Fine for edging.

| Cyanea. Satiny blue-purple (\$60 per M)                            | 15 | 1 00 | 8 00  |
|--|----|------|-------|
| Florida. Sulphur yellow  | 15 | 1 00 | 8 00  |
| I. Siberica orientalis. Siberian Iris. Blue                        | 15 | 1 00 | 8 00  |
| I. Kæmpferi. Japanese Iris: pure white                             | 25 | 2 00 | 15 00 |
| Anna Christ. Pale lavender. Three petaled                          | 25 | 2 00 | 15 00 |
| Victor. White, veined violet-purple                                | 25 | 2 00 | 15 00 |
| Blue Jay. Sky blue   | 25 | 2 00 | 15 00 |
| Blue Danube. Indigo Blue   | 25 | 2 00 | 15 00 |
| Helene von Siebold. Reddish, veined white                          | 25 | 2 00 | 15 00 |
| Paragon. Royal purple, marked orange                               | 25 | 2 00 | 15 00 |
| Kniphofia tritoma. Red Hot Poker Plant. Orange, scarlet and yellow | 15 | 1 25 | 10 00 |
| Liatris pycnostachya. Kansas Gay Feather                           | 15 | 1 25 | 8 00  |
| L. spicata, Devils Bit   | 15 | 1 25 | 8 00  |



IRIS. Almost as rich as the orchid. By using the Pumila Hybrids, German. and Japanese varieties, you have iris for eight weeks.

| ₮. | VDDV | CA | PDEN | EI C | WEDS    | Continued |
|----|------|----|------|------|---------|-----------|
| 14 | 1UJ  | GA | KDEN | FLU  | / W EKS | Continuea |

|  | Each    | Per 10  | Per 100  |
|--|---------|---------|----------|
| L. latifolia alba, var. "The Pearl," White         | \$ 15   | \$ 1 25 | \$ 10 00 |
| Lavendula vera. Lavender                           | 15      | 1 25    | 10 00    |
| Lespedeza Sieboldi; syn. Desmodium punduli-        |         |         |          |
| florum. Magenta-pink                               | 20      | 1 50    | 12 00    |
| L. Sieboldi alba. Pure white.                      | 25      | 2 00    |          |
| Latris pycnostachya. Kansas Gay Feather.           |         |         |          |
| Light rosy-purple                                  | 15      | 1 25    | 8 00     |
| L. spicata. Devils Bit. Clear purple               | 15      | 1 25    | 8 00     |
| L. speciosum album. White                          | 25      | 1 75    |          |
| L. speciosum rubrum. Deep pink                     | 15      | 1.25    | 10 00    |
| Lobelia cardinalis. Cardinal flower. Crimson       | 15      | 1 25    | 10.00    |
| Lupinus polphyllus. Lupine. Blue                   | 15      | 1 25    | 10 00    |
| Lupine should be planted in quantity, especially t | he pure | white.  |          |
| L. polyphyllus, var. albus. White                  | 15      | 1 25    |          |
| Lychnis chalcedonica. Lamp Flower. London          |         |         |          |
| Pride. Orange-scarlet.                             | 15      | 1 00    | 8 00     |
| L. Viscaria fl. pl. German Catchfly. Double        |         |         |          |
| rosy-red   | 15      | 1 25    | 8 00     |

This can be used for carpet-bedding because of its even and intense color. When out of flower it is a particularly attractive clump of grass-like foliage.

| Monarda didyma. Bee Balm. Oswego Tea.          |    |      |       |
|--|----|------|-------|
| "Cambridge Scarlet"                            | 15 | 1 25 | 10 00 |
| Montbretia Crocosmæflora. Orange or vermilion. | 30 | 2 25 |       |
| Myosotis. Forget-me-not. Blue                  | 10 | 90   | 8 00  |



HELIANTHUS. If they illuminate the garden in sunlight they cannot help but illuminate the interior on dull days. Long stems and long season, July to October.



HEMEROCALLIS FLAVA or yellow day-lily a beautiful, sweet scented flower that is found in every good garden.

| Narcissus incomparabilis. | Star Daffodil. | Single yellow | E  | ach | Per | 10 | Per 100 |
|---------------------------|----------------|---------------|----|-----|-----|----|---------|
| (\$6 00 per M. \$50 j     | per 10M)       |               | \$ | 15  | \$  | 75 |         |

| N. poeticus. | Poet's Narcissus. Fragrant, pure white |    |    |
|--------------|--|----|----|
| (\$7 per     | M)                                     | 15 | 75 |

These clumps can be planted from our Nursery even when in flower. In the early spring when they are in bloom is the time to send us an order for a few thousand to be planted in September. They may be dotted through the grass. The simplest way to plant them is with a sharp stick.

\*Oenothera fruticosa, var. Youngii. Yellow. . . . . . 15 1 25



PÆONY. They reward you annually without toil or effort. The immense blooms are very decorative.

# Paeonia Sinensis. Peony.

Within the last half century wonderful improvements have been made in the Peony, and to-day for size, beautiful coloring and fragrance no hardy garden plant surpasses it. The roots may be planted any time from the middle of August until the ground freezes, and very early in the spring before growth has advanced too far. Spring-planted Peonies will not bloom the first summer and typically perfect blossoms are not produced till the second or third year. June.

|   | Each  | Per 10 | Per 100 |
|---|-------|--------|---------|
| Pæonia, Festiva maxima. White; early. An enormous snow-white  | \$ 50 | \$4 50 | \$40 00 |
| MADAM CROUSSE. White; midseason. One of the finest pure whites  | 50    | 4 50   | 40 00   |
| with golden stamens; very beautiful   | 75    | 6 50   | 60 00   |
| ing to pure white   | 25    | 2 00   | 18 00   |
| Delicatissima. Clear, delicate pink centre, shading lighter. A free bloomer; very fragrant  | 75    | 6 50   | 60 00   |
| TRIOMPHE DE L'EXPOSITION DE LILLE. Pink; late; imbricated petals of soft flesh-pink.  | 75    | 6 50   | 60 00   |
| Humei carnea. Large, cinnamon-scented flower of clear cherry-pink.  | 25    | 2 00   | 00 00   |
| Felix Crousse. Late midseason; one of the finest brilliant reds. Glowing with ruby-   |       |        |         |
| flame-colored centre.  Rubra Superba, Richardson's. Crimson; late; brilliant, velvety, deep crimson. Very   | 75    | 6 50   | 60 00   |
| fragrant  | 50    | 4 50   | 40 00   |
| Delachei. Crimson-purple; late midseason; of a velvety amaranth shade,  |       |        |         |
| showing golden stamens.   | 50    | 4 50   | 40 00   |
| OFFICINALIS RUBRA FL. PL. The true old-fashioned Peony. Deep crimson  | 30    | 2 50   | 20 00   |
| P. OFFICINALIS FL. PL. Which decorated our grandmothers' gardens. It blooms about two weeks before other Peonies, and differs in that the foliage dies down in midsummer and should, therefore, be so planted that other flowers will cover the same space later. Deep crimson.   | 00    | 2 00   | 20 00   |
| Japanese Single Peonies. Pure white; yellow stamens   | 75    | 6.50   |         |
| Pæonia Moutan. Tree Peony. A dwarf shrub, bearing immense flowers   | 1 00  | 9 00   |         |
|   | 1 00  | 3 00   |         |
| Papaver orientale. Oriental Poppy. For gorgeous display of intense vermilion or searlet nothing rivals the great Poppies, frequently 8 inches across and borne on stems 3 feet high. Papaver Nudicaule. Iceland Poppy. A charming flower which blooms all summer and especially in early spring and autumn. Beautiful shades of white, primrose, lemon, fawn, to orange. An excellent cut flower. | 15    | 1 25   | 10 00   |
| P. NUDICAULE. Iceland Poppy. White, orange, and scarlet flowers   | 15    | 1 00   | 8 00    |
| Pentstemon Barbatus, var. Torreyi. Scarlet  | 15    | 1 25   | 8 00    |
| 1 ENISTEMON DARBATUS, Val. 1011cyl. Deatlet   | 10    | 1 20   | 0 00    |



Used in variety, Phlox make the garden glow for a period of two months. With Iris, Helianthus and Chrysanthemums the season is practically covered. White Phlox and Lilies are rich and

P. hybridum, single.

### Phlox

We are proud of our varieties. The new Phloxes are so beautiful, and so varied in exquisitely delicate shadings, that there seems no excuse for the grower who continues to offer a long list plentifully sprinkled with rose-magenta, rose-mauve, rosy-lilac, and many less explicit descriptions, much to the mystification of the amateur who is trying to select a few harmonious shades. There are many indifferent, freaky or washy shades even in the best lists we have studied, which should not be offered. We offer none of the abhorred magenta. Our study and testing has been tireless and comprehensive. Each of the varieties offered below is distinct and the best of its color that we have seen. For color harmony consult us.

|  | WHITE   |          |            |              |
|--|---|----------|------------|--------------|
| 元·罗克尔 (1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4   |   | Each     | Per 10     | Per 100      |
| <b>《李林·李宗·李宗·李宗·李宗</b> 》   | INDEPENDENCE. Tall. Early White                     | \$ 15    | \$1 25     | \$10 00      |
|  | QUEEN. Tall. White                                  | 15       | 1 25       | 10 00        |
|  | Sonnenkind. Medium. Rose pink (\$50                 |          | 1 05       | 10.00        |
|  | per M)  | 15       | 1 25       | 10 00        |
|  | Beranger. Dwarf. White, suffused rose-pink, red eye | 15       | 1 25       | 10 00        |
|  | red eye   | 19       | 1 20       | 10 00        |
| Hard in a sister Dilament of the land  | SALMON-PINK   |          |            |              |
| Used in variety, Phlox make the garden glow<br>for a period of two months. With Iris, Helianthus | SALMON-FINE   |          |            |              |
| for a period of two months. With Iris, Helianthus and Chrysanthenums the season is practically   | LUMINEAUX. Tall. A splendid, late-flowering,        |          |            |              |
| covered. White Phlox and Lilies are rich and harmonious.   | salmon-pink shading lighter toward the              |          |            |              |
|  | centre, with darker eye. A charming color.          |          |            |              |
|  | Flowers large                                       | 15       | 1 25       | 10 00        |
| Elizabeth Campbell. New. A soft sali   | non shading to white in the centre with a touch     |          |            |              |
| of red at the eye. An unusual shade  | e <sub>.</sub>                                      | 30       | 2 50       | 20 00        |
| WOLFGANG VON GOETHE. Medium. Dee   | p salmon-rose with large white centre               | 15       | 1 25       | 10 00        |
|  | mon of satiny texture, with a showy blue-purple eye | 15       | 1 25       | 10 00        |
|  | ctly different and together are charming. They have | rmonize  | perfectly, | and may      |
| be safely planted with the white, scarlet, or  | ange, and red varieties of our list.                |          |            |              |
|  | COLDING AND ODANICE DED                             |          |            |              |
|  | SCARLET AND ORANGE-RED                              |          |            |              |
| GEORGE A STROHLEIN Brilliant orange-   | scarlet with blood-red eye                          | 20       | 1 75       | 15 00        |
|  | right orange-red with cherry centre                 | 15       | 1 25       | 10 00        |
|  | crimson eye.  | 15       | 1 25       | 10 00        |
| General Van Heutsz. New. Brilliant   | salmon-red with white centres                       | 15       | 1 25       | 10 00        |
|  | 1   |          |            |              |
|  | RED TO BRONZE-RED                                   |          |            |              |
| R. P. STRUTHERS. Tall. This is an excel  | lent bright red, the flowers borne in open panicles |          |            |              |
| much branched. A very vigorous, lo   | ng-flowering variety                                | 15       | 1 25       | 10 00        |
|  | ers of deep crimson, overlaid with coppery bronze;  |          |            |              |
| a fine, strong grower  |   | 15       | 1 25       | 10 00        |
|  |   |          |            |              |
| LAVENDER-PIN.  | K AND ROSE-VIOLET WITH WHITE CENT                   | CRE      |            |              |
| L'Esperance. Dwarf. Light lavender-pi  | nk, with large white eye                            | 15       | 1 25       | 10 00        |
|  | sh violet flowers with a large, white, star-shaped  |          |            |              |
| centre   |   | 15       | 1 25       | 10 00        |
|  |   |          |            |              |
| Phlox. Mixed   |   | 10       | 90         | 8 00         |
| P. suffruticosa. Early flowering. Miss Lin   | gard, white, with pale pink eye                     | 20       | 1 75       | 15 00        |
| F. Subulata. Moss pink. Alba. Pure W.  | hite (\$50 per M)                                   | 10<br>10 | 80<br>80   | 6 00<br>6 00 |
| Pink An excellent pink (\$50 per M)  | )   | 10       | 80         | 6 00         |
| Tink. An excellent pink (\$50 per M  | /   | 10       | 30         | 0 00         |
| Physostegia Virginica Falsa Dragon Haa   | d. Pink and white                                   | 15       | 1 25       | 10 00        |
| Platycodon grandiflorum Chinese Bellflor   | wer. Blue and white                                 | 15       | 1 25       | 10 00        |
| Primula. Primrose. One of the most char  | ming of the early spring flowers.                   | 10       | 1 20       | 10 00        |
|  | nze   | 15       | 1 25       | 8 00         |
| P. vulgaris. Canary yellow   |   | 15       | 1 25       | 8 00         |
| P. Polyanthus. Invincible Giant  |   | 20       | 1 75       | 15 00        |
|  |   | 20       | 1 75       | 15 00        |
|  |   | 20       | 1 75       | 15 00        |
| Pyrethrum hybridum, double   |   | 20       | 1 75       | 15 00        |

1 25

10 00

| HARDY GARDEN FLOWERS—Continu | 60 |
|------------------------------|----|

|  | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| Rudbeckia laciniata. Golden Glow   | \$15 | \$1 00 | \$6 00  |
| R. purpurea. Giant Purple Cone-flower Salvia azurea, var. grandiflora. Meadow Sage.                          | 15   | 1 25   | 10 00   |
| Blue   | 15   | 1 25   | 10 00   |
| low  | 10   | 50     | 3 00    |
| S. spectabilis. Stonecrop. Japanese Live-for-  | 1.5  | 1 05   | 10.00   |
| ever. Rosy-red   | 15   | 1 25   | 10 00   |
| Spiræa Japonica. Astilbe Japonica. White   | 15   | 1 25   |         |
| S. Kamtschatica or Gigantea. Cream white   | 25   | 2 00   |         |
| S. palmata, var. elegans. Silvery-pink   | 15   | 1 25   |         |
| Statice latifolia. Great Sea Lavender. Blue-<br>purple   | 15   | 1 25   |         |
| (\$60 M)   | 15   | 1 25   | 8 00    |
| This new plant is rapidly becoming popular, a should not delay. There are never enough blue is very welcome. |      |        |         |
| S. alba. Pure white  | 15   | 1 25   | 8 00    |

| VIA VIA                                   |
|---|
| Milliam                                   |
|   |
|   |
|   |
|   |
| STOKESIA Not every flower will bloom unti |

| STOKESIA.    | Not   | every  | flower | will  | bloom | until |
|--------------|-------|--------|--------|-------|-------|-------|
| frost This o | na da | oc and | ctarte | in In | no    |       |

| Thermopsis Caroliniana. Yellow                    | 15 | 1 | 25 |    |   |
|---|----|---|----|----|---|
| Thymus serphyllum, var. citriodorus. Lemon        |    |   |    |    |   |
| thyme   | 15 | 1 | 25 |    |   |
| Tradescantia Virginica. Spiderwort. Blue or       |    |   |    |    |   |
| white   | 15 | 1 | 25 |    |   |
| Valeriana officinalis. Garden Heliotrope          | 15 | 1 | 25 | 10 | 0 |
| Veronica longifolia subsessilis. Blue Jay Flower. |    |   |    |    |   |
| Blue  |    |   |    |    |   |

Per 10 \$1 25 1 00 Per 100 \$10 00 8 00 15 15 Vinca Minor. Trailing Blue Myrtle or Periwinkle.....

Both the blue and the white should be used extensively as cover planting in shady places.

| V. minor, var. alba. White (Above is \$60 M)          |    | 1 75 | 15 00 |
|---|----|------|-------|
| V. minor plena. Double purple                         | 20 | 1 75 | 15 00 |
| Yucca filamentosa. Adams Needle. White, 2 yrs. trans. | 25 | 2 00 | 15 00 |



A garden where flowers are more important than the design. Have you not a piece of land you wish to make into a flower garden this fall?



PEACH ORCHARD. Probably one of the greatest hindrances to successful fruit raising is lack of cultivation. Plant vegetables between the rows and the trees are more apt to receive attention.

### **FRUITS**

#### How to Start and Maintain a Home Orchard

You can have fruit in about eighteen months with Peaches and small fruits, and four to six years with Pears and Apples. You can gain but little by getting larger trees. Few, if any, are obtainable from nurserymen. You have got to establish the trees on your place before they will bear fruit, and it will take as long with a tree 8 ft high and  $1\frac{1}{2}$  inch in diameter as with a tree 4 or 5 feet high and  $\frac{3}{4}$  inch in diameter. Commercial growers find they get results just as quickly with even smaller trees. The important question is, not when you can get the first fruit, but when you can get the first peck of fruit from a tree.

Dwarf Apples and Dwarf Pears are grafted on roots which retard the growth and induce earlier bearing. However the advantage is slight except on very limited areas under high culture, and Long Island is not yet so crowded as to make the practice necessary.

Varieties for Long Island have been carefully tested in this establishment for the past sixty years. Like the size of the tree planted, the variety is less important than the cultivation. We have selected varieties which we consider good for home use on Long Island to cover the season.

The cultivation is 90 per cent. of the work in having fruit, pruning and spraying the balance. Many fruit trees fail to reach satisfactory development because they are set in the grass and let alone, or there is a little circle kept free of grass; this is only a fraction of the root-area. Extensive experiments in England and elsewhere show that grass appears to have a deleterious influence on fruit trees greater than the amount of food required. Whatever the reason, the fact remains that satisfactory orchards are plowed, harrowed or cultivated two or three times a month during the summer. The latter half of the summer may be devoted to the growing of crimson clover or hairy vetch to be plowed under the next year for manure. The value of cultivating is not primarily to kill weeds, but to conserve moisture and aërate the soil, helping the bacteria to make the plant-food available. The dust-mulch, to hold moisture, is especially essential on Long Island because of the porous subsoil.

The way to start a fruit orchard for home use is to plant the trees in rows 15 to 30 feet apart, and cultivate them with a horse so as to stir the surface soil 3 inches deep once every ten days from April to August or September. If you plant them in grass, you may plan to keep a circle around each tree cultivated, but it will not be done thoroughly by hand. The circle will not be wide enough, the ground will be scraped  $\frac{1}{2}$  inch deep once in three weeks, just enough to keep away the weeds. The soil will become baked and hard, allowing the ground to dry rapidly.

Planting.—In planting, cut off bruised and broken roots, dig a hole wide enough to spread out the roots, and pack

#### FRUITS - Continued

the earth firmly. Cut back the top severely, nearly or quite to a bare pole. Let new branches start out to form the new framework of the tree close to the ground and avoid having them opposite because they are more liable to split when heavily laden. Many fruit trees die because the full top is left on and the roots cannot support it. Few have the courage to prune because they think they are throwing away a year's growth.

Pruning.—Pruning fruit trees is a practical subject for large commercial growers. For the home orchard it is of less importance. Keep the trees headed low, so they may be thoroughly sprayed. Keep the 'tops open so that the sunlight reaches all parts of the foliage and gives the fruit a good color. Head back Peach trees to keep them so that the limbs will not be long and break down. Thin out the fruit in early summer to improve the size and flavor.

With Raspberries and Blackberries, cut out the old wood after the fruit has ripened, cut out all the young suckers as they appear during the summer except a few for next year's bearing, and cut these back during the summer to keep them from getting too high.

With Currants and Gooseberries, trim out a few of the oldest branches.

With Grapes, cut back every winter, leaving 2 to 4 buds about every foot along the arms, and when the arms get old and rough, replace with a young shoot. Spray Grapes several times during the summer with Bordeaux mixture to keep off mildew and rot. Put paper bags over the young clusters to keep off fungus, and keep away the birds."



The new way of growing fruit is to plant dwarfs trained on trellies. No tall ladders to climb, easy to prune, spray, and pick the fruit.



It takes courage to properly prune a newly set tree. The tree will be larger and bear earlier if severely cut back. Cut apple trees back like picture and peach trees to a cane. The two principal causes of dead trees are lack of pruning and lack of pruning and lack of water. Conserve water by cultivating the ground 3 inches deep once in two weeks.

#### APPLES

Do not veto planting apples because you must wait two or three years. They will be sure to repay you for waiting. Varieties starred can be supplied in dwarf form. Plant 10-15 feet apart.

| *Red Astr<br>Sweet Bou | achan   |
|------------------------|---------|
| Sweet Bot              | .5      |
|                        | 1000    |
|                        |         |
| 1 C                    |         |
| 湯水                     | ANNA AN |
|                        |         |
| 100                    |         |

APPLE. Bright, clean fruit is the reward for the proper care. Feed your trees, cultivate often and spray, and get your dividends in a better harvest

| Daily Haivest   | • / / /              | Tenow, acid. Late only and early nugust.     |
|---|----------------------|--|
| *Yellow Transparent   |                      | Earliest apple. Yellow, acid. July 20.       |
| *Red Astrachan  |                      | Red, sour. August. Excellent dessert.        |
|   |                      |  |
| · ·   |                      | Yellow streaked, juicy, acid. August 15.     |
|   | *Gravenstein         | Yellow streaked. August and September.       |
|   |                      | Dark red, sub-acid. October-November.        |
|   |                      | Bears early.                                 |
|   | Fall Pippin          | Yellow, acid. October-November.              |
|   | *McIntosh            |  |
|   | Fameuse              | Crimson, acid. November.                     |
|   | Newtown Pippin       | Dull green, delicious flavor. January-May.   |
|   | Roxbury Russet       |  |
|   | *Baldwin             | Red, juicy and rich. November-April.         |
|   | Spitzenburg          |  |
| G b State   |                      | Green, rich, sub-acid. November-February.    |
|   |                      | Red and yellow, juicy aromatie. October-     |
|   |                      | January.                                     |
| ing."   | Transcendent (Crab)  | Yellow, red cheek. September.                |
| APPLE. Bright, clean fruit is the   | ` '                  |  |
| reward for the proper care. Feed your   | Apples, 5-7 ft. high | Each, \$ .75 Per 10, \$6.00 Per 100, \$50.00 |
| trees, cultivate often and spray, and<br>get your dividends in a better harvest | Apples, Dwarf        |  |

#### **PEARS**

Those starred succeed especially as dwarfs and require little or no pruning. Their use is commended where areas are limited or early fruiting is an important consideration. They can be planted as close as ten feet.

#### **PEACHES**

Peaches planted in the fall in certain locations may freeze back to the trunk. Really, this is not serious. but few have the courage to do it. They should be cut back that far, anyway. Ripening about in order named.

| Carman Large, white                      | , spicy. July.                 |
|--|--------------------------------|
| Belle of Georgia Large, white,           |                                |
| Champion Large, white,                   | juicy. August.                 |
| Mountain Rose Medium, wh                 | ite, prolific. August.         |
| Crawford's Early Large, yellov           | v. September.                  |
| Old Mixon White. Exce                    | ellent for canning. September. |
| Stephens Rareripe Large, red sl          | cin, flesh white. October.     |
| Elberta Large, yellow                    | , juicy and fine flavor.       |
| Crawfords Late Large, yellow             | , red at the stone.            |
| Stump the World White, juicy             | and high flavored.             |
| Chairs Choice Large yellow,              | , firm, good quality.          |
| Globe Large, yellov                      | v, sweet and delicious.        |
| Price, 4-6 ft. high, 1 year Each, \$0.25 | Per 10, \$2.00 Per 100, \$18.0 |

#### **PLUMS**

Those starred are Japanese Plums, peculiarly early and productive, but not always equal to the European Plums in quality. They are inclined to overbear, remedied by proper pruning or thinning of fruit.

|  | " 1  | The same   | 11 C. 20             | AFF      |
|--|--|--|----------------------|----------|
| n  | - 3  | 2000   | 3 5 5 5 5            | Acres 1  |
| b.   | 7  | AND THE REAL PROPERTY.   | No.                  | 52       |
| 14   | 0%   | LAND TO S  |                      |          |
| with Olive   |  | 記録では   |                      | 28       |
| 2000   |  | 100 July 100 |                      | 100      |
| 15 X 15 15   | 100  | Sale   | <b>医护</b> 心 法        |          |
| <b>可以在1000年代</b>   | Chica  | 1  | 2                    | 1        |
| OF THE PARTY IN  |  |  |                      | 4 25     |
| The second second  | 1  | 产进 一   |                      |          |
| APT TO ARE   | 184.97   | de 13/4  | *                    | -        |
| <b>建工作工业</b>   | 1  |  | 1300                 |          |
| <b>经发展的</b>  |  | 1  | J 26.48              | 0.48     |
| A STORY  |  |  |                      | 3004     |
|  | 000  | S. Parent  |                      | 0000     |
| THE STATE OF THE S | No.  |  | W.A                  |          |
|  | 1  | Maria 1  |                      |          |
| <b>在一条加拿大</b>  | and the  |  |                      |          |
| TO TO A A  | 3000   |  | Car All              | 10-22    |
| 医学学"上茶"  |  |  | de                   | 100      |
| The state of   |  | 100  | 01/6                 | 94 - I   |
|  |  | The same of  | 1000                 |          |
| A TOUR   | - The same   |  | 1                    | NIN      |
| Mary Mary  | 102  | and the said   | 30 3 SE              |          |
| 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | SAD  |  | 4                    | -        |
| PRINCE OF THE PARTY.   | the state of   |  |                      |          |
|  |  | N " 12   |                      | 7        |
| THE NAME OF THE PARTY OF THE PA | 1  | 10 M   | 100                  |          |
| THE BOY THE  | <b>**</b>  | The State  |                      |          |
| A CANADA   | F 200 W  | 400000   | <b>本</b> 學一定         |          |
| A CON  | A 18   | 1  |                      | 177 H    |
|  | A 26   | A SOLE   | TARE.                | 100 A    |
| State of the state | 7  | 7.373  |                      |          |
| A STATE OF THE PARTY OF THE PAR | . C. W.  | 1000   | 100                  | 15.4     |
| THE REAL PROPERTY.   | 处 製器   | ALL S  | TO FEE               | and a    |
| 国际教育 经公司   |  | Action 18 to | <b>与这个</b>           | No.      |
| The state of the s | 7  | <b>**</b> **********************************   | AL PE                |          |
| and the same   | 4  |  | 7                    | 6.46     |
| and the state of t | 4  | The state of   |                      | 240      |
| The second of  | (Sold Section )  | Barban Bo  | A STATE              | 100      |
|  | 1  | A  |                      | 165.62   |
|  | 900  | 3  | 6. 41.               |          |
| (c) )/=  |  | 137  | Se 18 1 19           |          |
|  | DA ANDREA  |  | ALC: NO.             |          |
|  | 3 25   | 198  | 10 100               | 1201     |
|  |  | 100  | 7 34                 | 200      |
| I hadred   |  | 1 11 10  | 4 3 3                | 3 100    |
| William Control  | N. ES  | 14. 人。   | 1650                 | Wal.     |
|  | 7  |  |                      | *        |
|  |  |  | Sales of the Control |          |
|  |  | A James  | 1 - 1                | · 大大     |
|  | A SECTION OF   | The same   |                      | 17. 4    |
|  | Charles Miles  | -  | W 124                | * p5     |
| to diving a set  | A STATE OF THE PARTY OF THE PAR | TASA   | A . A . Was          |          |
| THE SHALL SHALL  | 73 7   | F. 17 1 18   | The state of         | . # . 15 |
| 新 · · · · · · · · · · · · · · · · · · ·  | The same   | 48 th 19   | The second           | Trans.   |
| y aligh  | THE PROPERTY.  | 1. 7.35  | A. S.                | ditte.   |
| 1  | AND COME .   | . 77   | and the state of     | 4.19     |
|  |  |  |                      |          |
|  |  |  |                      |          |

| *Abundance. *Apple *Burbank. *Wickson. *October Purple. German Prune. Green Gage. | Reddish purple, finest flavor. Late August. Yellow, red cheek, rich and sugary. Late August. Maroon-red, firm good quality. Reddish purple, late, good quality. Purple, sweet. Green. sweet and rich. |
|---|---|
| LombardBradshaw   | Dark red, pleasant, but not rich, productive.   |
| Price, 5-6 ft. high   | Each, \$0.50 Per 10, \$4.00 Per 100, \$35.00  |

#### QUINCE

| Champion and Orange |   | Yellow, good | quality, long keeping. |
|---------------------|---|--------------|------------------------|
| Price, 3-5 ft. high | E | Each, \$0.50 | Per 10, \$4.00         |

#### **GRAPES**

| Pocklington. | Golden, juicy and sweet.                          |
|--------------|---|
| Moores Early | Large, black, good flavor.                        |
| Delaware     | Small, light red, exceedingly sweet and aromatic. |


Fruits 27



Opening a prize package. Hardly a prize package either, for the contents are sure to be good and useful. Bags are a protection from insects and birds.

#### GRAPES -- Continued.

| GRAFES—Continued. |   |
|-------------------|---|
| Niagara           | Large, pale yellow, sweet, vigorous, and pro- |
|                   | ductive.                                      |
| Worden.           | Large black, sweet and early.                 |
| Moores Diamond.   | Large white, juicy, vigorous and productive.  |
| Concord           | Large blue-black, sweet, extremely hardy,     |
|                   |   |
| Salem             | Red, large bunch, and large berry, sweet.     |
|                   | Each Per 10 Per 100                           |
| Price, 2 yr.      | \$0.20 \$1.50 \$10.00                         |





GOOSEBERRIES. Large and regular crops of gooseberries with ordinary care.

# Cherries

There is a very general hunger for cherries. They are easy to grow. The principal trouble is the birds. If you plant several trees the birds will leave you some. The late varieties like Downers Late Red ripen the same time as the mazzard cherries which grow wild and the birds do not trouble them so much.

When planted cherries should be cut back more severely than apples or pears.

The Early Richmond, Montmorency and Morrello are the sour pie-cherries, a distinct species making a smaller tree. Most of the others are commonly known as Ox-heart cherries.

| Governor Wood             | Large, heart-shaped, yellow marked with red; sweet, juicy.  |
|---------------------------|---|
| Coe's Transparent         | Medium size; amber color, with a red cheek; sweet. Ripens early.  |
| Black Tartarian           | Stands preeminent amongst the varieties for family use. The flavor is sweet and the quality is of the best. Fruit very large, nearly black. |
| Downer's Late Red         | Medium size; red and amber. This variety is late and the fruit hangs on the tree after it is ripe without decaying.                         |
| Rockport                  | Large; clear red, shaded with amber; Ripens early.  |
| Yellow Spanish            | Very large, often an inch in diameter; waxen yellow, with a light red cheek; flesh firm, and of fine, rich flavor.                          |
| Napoleon                  | Very large, heart-shaped; pale yellow, shaded with deep red; Ripens after midseason.  |
| Windsor                   | Large; mottled red; very firm and juicy of good quality.  |
| Mercer                    | A very dark red cherry; productive and early.   |
| Schmidt's                 | The largest of all the black Bigarreau Cherries. Large, round; red, changing to nearly black when ripe. Flesh very juicy and melting;       |
| Early Richmond            | acid. Quite early. (English Pie Cherry).  |
| Montmorency               | Large; bright red; moderately sour. A good  |
| Morello (English Morello) | bearer which fruits young.  Dark red. Flavor a rich acid, making it desirable only for cooking.   |
| Price 5-6 ft. high        | Per 10 Per 100  |



Spraying. Ten dollars for a spraying outfit will probably be as good an investment as you ever made. It means more and better fruit.

#### FRUITS - Continued

#### **GOOSEBERRIES**

They thrive in any garden soil, and are very satisfactory for home use.

Downing. . . . . Medium, pale green, productive.

Industry. Large, dark red, vigorous and productive. Chautauqua. Large, sweet, prolific.

Each, \$0 25 Per 10, \$2 00 Per 100, \$15 00

#### **CURRANTS**

Easily grown and reliable. Keep all wood over two years cut out. The currant worm is easily controlled by hellebore powder.

..... Dark red, acid, fine for jelly. Fays Prolific. Red, long bunch of large fruit.
White Grape. White, excellent, sweet.
Black Naples. Black, small, musky, good for jams.

Price ..... Each, \$0 15 Per 10, \$1 00 Per 100, \$7 50




CURRANTS. If you plant currants in the fall you can usually look for a little fruit the next summer

#### **MISCELLANEOUS**

|                         | Each | Per 10 | Per 100 |
|-------------------------|------|--------|---------|
| Raspberries.            | \$ 8 | \$ 50  | \$4 00  |
| Blackberries.           | 8    | 50     | 4 00    |
| Asparagus, 2 yrs        |      | 15     | 1 00    |
| Rhubarb, divided roots. | 20   | 1 50   |         |
| Hops                    |      | 1 50   |         |
| Sage, Broad-leaved.     | 25   | 2 00   |         |
| Thyme                   |      | 2 00   |         |
| Horse-Radish.           | 15   | 1 00   |         |
|                         |      |        |         |

### Tubs and Pots





Automobile collisions around sharp curves will be few, if planting is kept low. Barberry is excellent. So is Indian Currant, Stephanandra, Rosa Rugosa, Mugho Pine, Common Juniper, and Yew. Where terraces or banks are necessary, use Honeysuckle or Trailing Roses.

### Some Insects and Fungus to Expect on Long Island, and How to Overcome Them.

San Jose Scale on fruit trees, currants, double-flowering fruits, and Japanese quince. Spray with lime-sulphur solution or scalecide when dormant, perferably both in November and during the winter. Codling Moth—a worm in apple, pear and quince. Spray with arsenate of lead and Bordeaux mixture immediately after the blossoms fall, and ten days later. Currant Worm. Hellebore, dry or sprinkled on with water. Tent Caterpillar. Burn with kerosene torch. Grape Rot and Mildew. Bordeaux mixture when the buds first swell and at intervals later. Brown Rot on torch. Grape Rot and Mildew. Bordeaux mixture when the buds first swell and at intervals later. Brown Rot on peach and plum. Summer spraying with lime and sulphur. Apple Maggot, or Raliroad Worm. Destroy all infested fruit. Cucumber, Muskmelon, and Celery. Spray every ten days with Bordeaux mixture. Rose Aphis and Leaf Hopper. Spray with kerosene emulsion or tobacco-water. The Fall Web-Worm. Webs may be cut off, or the trees sprayed with arsenate of lead. Rhododendron Lace-Wing Fly, see page 57. Elm-Leaf Beetle, see page 8. Hickory Borer, see page 95. Chestnut Bark Disease, see page 95. Apple and Peach Borer, see page 87. The page references are to "Trees for Long Island," our descriptive catalogue.

See Annual Report of New York State Entomologist, Albany, for locust leaf miner, which is browning the foliage, and can be controlled by spraying with arsenate of lead in May; two lined chestnut borer which is killing some Oak trees. The trees should be cut and burned before the beetles come out. The same remedy applies to the White Birch borer and the

Before spraying, get literature. Write to the Department of Agriculture, Washington, D. C., the Director of the New York State Agricultural Experiment Station, Geneva, N. Y.; and the Cornell College of Agriculture, Ithaca, N. Y.

For materials, The Grasselli Chemical Co., 60 Wall St., New York City, The Sherwin-Williams Co., 50 Church St.

New York City, and Bowker Insecticide Co., Boston, Mass., B. G. Pratt Co., 50 Church St., N. Y.

For pumps, The Deming Co., Salem, Ohio; E. C. Brown Co., Rochester, N. Y.; Field Force Pump Co., Lockport

### How to Plant and Care for a Tree

Size of the Hole. Dig the hole the full width of the roots. Do not bend them around. The tendency is to dig too deep. Dig deeper in the centre for the central roots and keep the side roots from 4 to 12 inches below the surface.

Good Soil. If good soil is needed, dig  $1\frac{1}{2}$  to 2 feet deep and as much wider as you wish, and fill in with good soil before placing the tree.

Trimming. Cut back severely; you will get a bigger tree. A general rule is to cut the previous year's shoots to one to three buds and thin out the balance to one-half. With Oaks and Beeches, cut still closer, cutting off the branches  $\frac{3}{8}$  to  $\frac{1}{2}$  inch in diameter, but leaving some big buds. With shrubs, take out the oldest branches and leave the young graceful shoots.

PLANTING. Set the tree in the hole the same depth as it was before. Shovel mellow earth around the centre and pack it between the roots with a packing stick. Spread out the side roots, cover with earth and trample.

Watering. Water helps to work the soil between the roots. Watering is not necessary, however, in autumn and early spring, as there are always rains enough. In the late spring, watering is very advantageous, especially if the buds are starting.

Manure. "Should manure be put in the hole?" is often asked. Not unless it is rotted. Mix it with the soil. Fresh manure near the roots may rot them. The best way is to put the manure on the top. Nature keeps a layer of decaying leaves 4 inches deep the year round. Do the same with manure. If the manure is unsightly, cover it with soil.

Commercial fertilizer, bone-meal, wood-ashes and nitrate of soda are useful, and small quantities may be applied once a year or oftener.

Care During Summer. Keep the surface cultivated 3 inches deep once in two weeks, the same as a cornfield. Eighty per cent. of the planters fail to get the best results because they neglect this point. They deceive themselves. They keep a little circle, perhaps half the width of the roots, scraped bare of weeds and grass, but the

ground is hard, and not hoed 3 inches deep and loose. The hard ground allows the moisture to dry out. The closely shaven lawn does the same.

If the trees fail to start full growth by June, they can be cut back more severely, but first examine the soil and see that it is damp and mellow.

SUMMER WATERING, should be looked after once in two weeks. If needed, give at least 1 inch of water. Next day, stir the earth 3 inches deep, to prevent it from baking and drying out again.

HEELING IN. This means to plant temporarily. Pack the earth between the roots and, if they are to stay several days and the soil is dry, give plenty of water.

#### APPROXIMATE SIZES OF HOLES

#### DECIDUOUS TREES

|          |           |           | Depth of |           |         |
|----------|-----------|-----------|----------|-----------|---------|
| Diam. of | Spread of | Spread of | Diam. of | centre of | Depth   |
| trunk    | branches  | roots     | hole     | hole      | at side |
| 2 in.    | 5 ft.     | 5 ft.     | 5 ft.    | 12 in.    | 6 in.   |
| 4 in.    | 8 ft.     | 8 ft.     | 8 ft.    | 15 in.    | 6 in.   |
| 6 in.    | 12 ft.    | 12 ft.    | 12 ft.   | 15 in.    | 6 in.   |
| 8 in.    | 16 ft.    | 16 ft.    | 16 ft.   | 15 in.    | 6 in.   |
| 10 in.   | 22 ft.    | 22 ft.    | 22 ft.   | 18 in.    | 6 in.   |
| 14 in.   | 30 ft.    | 30 ft.    | 30 ft.   | 18 in.    | 6 in.   |
| 18 in.   | 35 ft.    | 35 ft.    | 35 ft.   | 20 in.    | 8 in.   |
| 22 in.   | 40 ft.    | 35 ft.    | 35 ft.   | 20 in.    | 8 in.   |

#### EVERGREENS ::

| Height Spread of Diam. of Diam. of cen       | tre of |
|--|--------|
| of tree branches ball hole                   | hole   |
| 5 ft. 2 ft. $-1\frac{1}{2}$ ft. $-3$ ft.     | 15 in. |
| 8 ft. 5 ft3 ft. 3-5 ft.                      | 18 in. |
| 10 ft. 6 ft. $3-4\frac{1}{2}$ ft. $4-6$ ft.  | 20 in. |
| 14 ft. 8 ft. $4-5$ ft. $5\frac{1}{2}-8$ ft.  | 20 in. |
| 18 ft. 10 ft. $4\frac{1}{2}$ -6 ft. 6-10 ft. | 20 in. |
| 22 ft. 12 ft. 5-7 ft. 7-11 ft.               | 20 in. |

Cedars require holes of the narrowest diameter

## Certificate of Inspection of Rursery Stock

This is to certify, that the stock in the nursery of Isaac Hicks & Son, Westbury, County of Nassau, State of New York, was duly examined in compliance with the provisions of section 305 of the Agricultural Law, and was found to be apparently free from any contagious or infectious disease or diseases, or the San Jose Scale or other dangerously injurious insect pest or pests. This certificate expires September 1, 1913.

#### CALVIN J. HUSON,

Dated, Albany, N. Y., September 3, 1912.

Commissioner of Agriculture.

# NOW IS THE TIME TO

CONSIDER CONSULT

CONSIDER the planting problems you might just as well dispose of as not.

 ${\hbox{CONSULT}}\,\,$  us if you wish, as to varieties appropriate for your various purposes and soil.

CONCLUDE to visit our nurseries and make your selections or if you prefer, mail your order and it will have immediate attention, or phone us if you wish.



# HICKS NURSERIES

WESTBURY,

NASSAU COUNTY, LONG ISLAND, NEW YORK

Telephone 68 Westbury

YOU SHOULD HAVE OUR DESCRIPTIVE CATALOGUE ON FILE AND OUR FULL PRICE LIST, TOGETHER WITH OUR EVERGREEN EDITIONS.