







Alle 700









GARDENING.

WASHBURN & CO.'S

AMATEUR CULTIVATOR'S GUIDE

TO THE

Flower and Kitchen Garden:

CONTAINING A DESCRIPTIVE LIST OF

TWO THOUSAND VARIETIES

01

FLOWER AND VEGETABLE SEEDS;

ALSO A LIST OF

FRENCH HYBRID GLADIOLUS.



HORTICULTURAL HALL.

RAISED AND IMPORTED BY

WASHBURN AND COMPANY,
SEED MERCHANTS,

HORTICULTURAL HALL, No. 100, TREMONT STREET, BOSTON, MASS.

CONTENTS.

PAGE.	PAGE.
Agricultural Seeds, in quantity 126	Lilies, Japan 2d page of cover
Annuals, Sowing and Cultivation of 4	Lilium Auratum see cut
Biennials and Perennials, Culture of 3	Mushroom Spawn
Collection of Flower-Seeds, by mail 12	Novelties for 1866-67
Collection of French and German Flower-	Novelties for 1869
Seeds	Ornamental Tree-Seeds
Collection of Vegetable-Seeds, by mail 127	Rare Seeds and Novelties
Collection of Kitchen-garden Seeds 127	Seeds for Hedges
Clover-Seeds	Special Directions for Cultivators of Flowers 6
Culinary Roots, Plants, &c 129	Summer Flower-Garden
Facilities for forwarding Seeds by mail 12	Strawberry-Seeds
Flower-Seeds	To our Amateur Friends
Flower-Gardens, Plans of 8	Tree-Seeds
Fruit-Seeds	Tobacco-Seed
Great Inducements for forming Clubs 12	Tritomas
Grain and Grass Seeds	Tigridias
Gladiolus, French Hybrid 149	Tuberoses
Hotbeds, Preparation of	
Horticultural Books 2d page of cover Introductory 2	Zea, or Japanese Maize
	Dea, or Japanese Lines 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Lawn-Grass	

BOOKS FOR FARMERS AND OTHERS.

FOR SALE BY WASHBURN & CO.

Any of these books will be forwarded by mail, post-paid, on receipt of price.

Allen's (L. F.) Rural Architecture \$1 50	Garden Vegetables, and how to raise them.
Allen's (R. L.) American Farm-Book . 1 50	By Fearing Burr 2 50
Allen's (R. L.) Diseases of Domestic Ani-	Garden Flowers, and how to cultivate them.
mals 1 00	By Edward S. Rand, Jr 3 00
American Bird-Fancier 30	Gardening for Profit. By Peter Henderson 1 50
	Candening for the Cauth Double late W'1
American Pomology, by Dr. J. A. Warder 3 00	Gardening for the South. By the late Wil-
American Rose-Culturist 30	liam N. White 2 00
American Weeds and Useful Plants 1 75	Grasses and Forage-Plants. By Charles
Bement's Rabbit-Fancier 30	
Bommer's Method of making Manures . 25	Gregory on Squashes, paper 30
Book of Evergreens (J. Hoopes) 3 00	Harris's Insects Injurious to Vegetation,
Breck's New Book of Flowers 1 75	cloth \$4.00: extra 6 00
Bulbs: A Treatise on Hardy and Tender	TT C-1
Bulbs and Tubers. By Edward	Hunter and Trapper 1 00
Sprague Rand, Jr 3 00	Leuchar's how to build Hothouses 1 50
Buist's Flower-garden Directory 1 50	My Vineyard at Lakeview 1 25
Buist's Family Kitchen-Gardener 1 00	Norton's Scientific Agriculture 75
	Onion Culture 20
Cobbett's American Gardener	Our Farm of Four Acres, paper, 30 c. cloth 60
Cole's (S. W.) American Fruit-Book 75	Pardee on Strawberry-Culture
Country Life. By R. M. Copeland 5 00	Peat and Its Uses. By Prof. S. W. Johnson 1 25
Cultivation of Flowers for the Parlor and	Quinby's Mysteries of Bee-Keeping 1 50
Garden. By Edward Sprague Rand,	Dandalla Chan Husbandan
	Randall's Sheep-Husbandry 1 50
Esq 3 00	Richardson on the Dog, paper 30 c. cloth . 60
Dadd's (Geo. H.) Modern Horse-Doctor . 1 50	Rivers's Miniature Fruit-Garden 1 00
Dana's Muck Manual 1 25	Saunders's Domestic Poultry, paper 40 c.
Darwin's Variation of Animals and Plants	1 1
2 Volumes 6 00	Skilful Housewife
Dog and Gun (Hooper's) paper, 30 c. cloth 60	Stewart's (John) Stable-Book 1 50
Downing's Fruit and Fruit-Trees of Amer-	The Book of Roses. By Francis Park-
ica 3 00	man 3 00
Draining for Profit and Health, by G. E.	
Women In	
Waring, Jr 1 50	The Culture of the Grape. By W. C.
Eastwood on Cranberry	Strong 3 00
Elliott's Western Fruit-Grower's Guide . 1 50	Tobacco-Culture 25
Field's (Thomas W.) Pear-Culture 1 25	The Field and Garden Vegetables of
Flav-Culture	
Flax-Culture 50	America. By Fearing Burr, Jr 5 00
French's Farm Drainage 1 50	Warder's Hedges and Evergreens 1 50
Fuller's Grape-Culturist	Woodward's Country Homes 1 50
Fuller's Small-Fruit-Culturist	Woodward's Graperies, &c 1 50
Fuller's Strawberry-Culturist 20	
Culturist 20	

SUMMER FLOWER-GARDEN:

CONTAINING

BRIEF DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL, AND PERENNIAL FLOWER-SEEDS.



NNUAL flowers are not only among the most beautiful ornaments of the summer flower-garden, but the ease with which they are cultivated, and the summer nower-garden, but the ease with which they are cultivated, and the long time they remain in bloom, give them the highest claim to our attention and care. Without them, however much we may admire the various showy bedding plants, a continuous and uninterrupted display of flowers, from spring till frost, cannot well be obtained; and when we add the charm of novelty, and the still greater one of variety, we have only enumerated a few of the claims of these most desirable and effective ornaments of the gardens of "the million."

In consequence of their simple culture, and the small amount of trouble they give to the amateur, as well as their comparative inexpensiveness for their rich array of beauty, they are yearly becoming more generally grown. Bedding-plants are charming objects; but the yearly propagation required for geraniums, verbenas, &c., the labor of potting and watering, and the expense of wintering them, are not within every one's means; but a few dollars expended in seeds, and a little pleasant labor in the sunny days of early spring, will give an amount of real enjoyment beyond belief. The most desolate garden may be made a scene of beauty in scarcely more than a month's time. Annuals are not what they were in former days. The skill of the hybridizer in the production of new varieties, and the diligence of the enthusiastic florist in the selection of the finest plants, have entirely changed the character of many of these flowers; and, if to this we add the new acquisitions from Japan, how could we well make up a summer-garden without them? What should we do without the grand Pœony-flowered Asters, the brilliant double Zimias, the boldly-marked and rich-colored Petunias, the Double Portulacas, — like miniature roses, — the Heddewiggi pink, the Tropæolum, &c. ? These give an entire new feature to our annuals, to be cherished by every lover of beautiful flowers.

We therefore make no apology for giving a few brief hints on the cultivation of these, as well as some of the biennials and perennials, equally important in the decoration of the flower-border.

ANNUALS.

Among florists and gardeners, the term "annual" is given to those plants which are sown in the spring, bloom and seed in the summer, and soon afterwards perish. A few are included among annuals, like the Marvel of Peru, &c., because they flower the first year; but they are only annual as regards treatment. By cultivators they have been divided into three classes; viz., Hardy, Half-hardy, and Tender Annuals, — a very convenient classification; and as such we shall treat of them

HARDY ANNUALS.

These are so called because they do not require any artificial heat at any period of their growth, and are capable of enduring any ordinary weather from April to November; a frosty morning, not unusual in the former month, or even in May, doing them no injury, if advanced beyond the seedleaf. Many of them may be sown in autumn; and the young plants will make their appearance early in spring, and flower stronger than when it is deferred till April.

THE SOIL AND ITS PREPARATION.

The best soil for annuals, and indeed for most flowering plants, whether biennials or perennials, is a light, rich loam, neither too sandy nor too stiff. In such they grow readily, and attain to great perfection of bloom, with but little care; but it is hardly necessary to say that few persons have just such a soil, nor is it possible often for the cultivator to have much choice. He must take such soil as such a soil, nor is it possible often for the cultivator to have much choice. He must take such soil as he has, and make the most of it; and, by the application of proper manures, or sand or clay, he can bring it to such a condition as to answer all the purposes of a flower-garden. Moving large masses of soil is very expensive; and writers who advise the addition of rich loam seem not to be aware of the difficulty of procuring it, or the expense and labor attending the same. For the complete garden of the wealthy, this may and should be done; but the mass of cultivators need not fear of obtaining good results without it. Deep and thorough trenching in the atumn, if possible, and the application of very old decayed manure or leaf-mould, will give the amateur a well-prepared and

suitable soil. If the situation of the garden is low or damp, first of all, it should be well drained; for, in addition to the injury from excessive moisture, such soils are cold, and the young plants are injured by early frosts, when they would escape damage in one of the opposite character: neither should the situation be too dry, as, in this case, the plants would suffer in summer, and present a meagre in place of a vigorous bloom. Where the soil is too light, a thin layer of clay, if to be had, spread over the surface in the autumn, and dug in, after being pulverized by the winter frosts, in the spring, is the best remedy. This, with the use of old manure, —that which has lain a year or more, and been frequently turned over till it becomes thoroughly decayed, —will keep the garden in good condition. No unvarying rules can be given: much must be left to the judgment of the amateur. He must understand that the soil of a good garden should be deep, well pulverized, friable, and rich; and if the opposite, to make it as near that as possible.

When the flower-garden is to be a speciality, — a piece of ground set apart for that object, and laid out in geometrical order, and all the beds edged with box or thrift,—then more pains ought to be taken; and those who are about to do this, if they have not the requisite information, will consult something more than a catalogue. Our hints are intended for the mass of the people who love flowers,—who have but little leisure,—and do not wish to incur great expense in the gratification of

their taste.

PERIOD FOR SOWING.

This must depend much upon the season, as well as the locality. Our Northern springs are so variable, that no definite period can be named. As a general rule, the proper time to commence sowing is about the middle of April, though a few sorts may be planted as soon as the ground can be got ready; and, for a succession, the sowing should be continued until June. In the Southern States, of course, January, February, or March will be the time to sow, as they correspond with April, May, and June of the North. The Californian annuals, now so numerous and so ornamental, are very hardy, and should be sown early, as they get well established before the heat of summer. To avoid all danger of injury, the sowing may be deferred till the last of April; but, when a little labor is of no consideration, the sowing may be made earlier, and in case of failure to grow, or subsequent injury from frost or wet, another sowing may be made when the weather is more favorable. Because we recommend April, it is not to be understood the sowing must be made at that time. The only object is to obtain a vigorous growth and early bloom. If sown in any part of May, they will flower later but abundantly throughout the latter part of summer.

MODE OF SOWING.

This must be varied according to the style of the garden and the variety to be sown. Many of the most showy and beautiful annuals are very impatient of removal; and these must be sown where they are to remain and flower. Such are the lupins, Sweet Pea, Eschscholtzia, Poppies, &c. Indeed, most of the tap-rooted annuals will not bear transplanting. Other annuals which may be transplanted, and some of which flower stronger for removal, may either be sown in the places where they are to bloom, or in prepared beds, from whence they are to be transplanted to the flower-garden. Is small gardens, undoubtedly the best way is to sow where they are to remain, thinning out the superfluous plants; this gives the least trouble: but in larger gardens, or where there are beds of early spring bulbs to be filled, the safest and best plan is to sow in well-prepared beds, and, when the young plants are of proper size, to transplant to the flower-garden.

Never sow seeds when the ground is very wet, particularly early in the spring. Select a time when the soil is neither wet nor dry. The sowing must be left to the taste of the cultivator, and the extent of surface. If there are vacant beds, the seeds may be sown in rows across the bed; but if in the border, where there are only limited spaces among the perennials or bulbs, they may be planted in masses or groups, in which mode we think annuals produce the greatest effect. Our

be planted in masses or groups, in which mode we think annuals produce the greatest effect. Our plan has always been to mark out a circle a foot or more in diameter, and level the ground evenly and piad has always been to make the active a work indices in additional relationship to the proper depth, in which the seeds are thinly sown, covering them lightly, and again pressing the earth upon the seeds with the back of the trowel. If the soil should happen to be too wet, or stiff and adhesive, fill the drill with some light, sandy loam, and make firm, as

before ordered.

And here we should remark that great care should be exercised in covering the seeds. It is the And here we should remark that great care should be exercised in covering the seeds. It is the great error to cover too deep; and the cause of more than half of the complaints against seedmen of selling old and worthless seeds comes from inexperience or want of judgment in sowing. No rule can be given in this respect; but, as a general guide, all large seeds, such as Sweet Peas, Lupins, &c., may be sown half an inch deep,—smaller, less; and for the smallest, such as Clarkia, Pinks, &c., a covering of one-sixteenth of an inch suffices. If sown too deep, they are longer in germinating, and are liable to decay. Avoid the general error of sowing the seeds too thick, as it causes an elongated and feeble growth, which no subsequent thinning will entirely remedy.

If the weather should be warm, or the soil very dry, it will be advisable to give a slight watering.

If the weather should be warm, or the soil very dry, it will be advisable to give a slight watering with a watering-pot with a fine rose. It is not often that seeds planted in April need watering; but later in the season they frequently require it. Use water of the same temperature of the soil; or, it warmer, it will do no harm. The waterings should be given early in the afternoon, and repeated every few days, as, when the seeds begin to swell, they are more susceptible of injury from drought, and the young plants often perish when it is neglected. A good plan with very small seeds is to cover them with an inverted flower-pot, being careful to remove it before the young seedlings appear above the surface, otherwise they will be drawn up weakly, and are likely to be injured by the hot sun or a cool night. Seeds vary in their period of germination. Some will be above ground in a week, while others require two or three weeks.

As soon as the seedlings have made three or four leaves, and are an inch high, they should be thinned out. If they are kinds which will bear removal, they may be replanted in vacant spaces in the border. No rule can be given for thinning. Tall-growing plants with spreading branches will require more room than slender-growing dwarf kinds; and in this the cultivator must be guided by the Catalogue. Stir the soil around the plants from time to time; and, if they appear crowded, a

second thinning will be of great benefit to those that remain. If the growth is not strong, from the nature of the soil, apply occasionally a very small amount of guano or bone-dust.

TRANSPLANTING.

Presuming that many cultivators will sow their seeds in prepared beds, whence the plants are to be removed to the borders to bloom, it is necessary that the work should be carefully performed to insure success. Transplanting should, if possible, always be done in cloud weather, and towards evening. If the soil is dry, the plants will require a light watering to settle the earth around the roots; and, if warm sunny days succeed the operation, they will root all the better to have a little the roots; and, it warm sunny days succeed the operation, they will root all the better to have a little shade for a day or two, which may be done by spreading an old newspaper over them, or covering with a mat, removing either at night. All large-growing plants should be transplanted singly; but many of the smaller may be removed in patches, without any trouble, if the soil is previously well watered. We have found very little difficulty in moving Zinnias, Asters, and smaller plants, after they have begun to bloom. After the plants are established, they will need no other care than to the up the taller-growing sorts to stakes to prevent the wind and rains from beating them down to the ground, and injuring their blossoms.

HALF-HARDY ANNUALS.

We have already remarked that half-hardy annuals are those that require the aid of artificial heat to assist germination; but it should be remarked that this is not absolutely necessary if the sowing is deferred until the ground is warm, — say the last of May. This is exemplified in the Portulaca, which sows itself: but the plants never appear above ground till June; and those who do not wish the trouble of sowing seed early should plant in open ground in May. But to gain time, and insure an early and abundant bloom, it is best to plant early, and assist the growth by a gentle artificial heat. Some of the most magnificent annuals are embraced in this class, of which the Aster, Zinnia, and Balsam are examples. The cheapest, most convenient, and simplest mode of doing this is the ordinary hotbed of stable manure, which gives a gentle bottom-heat quite sufficient for any of this class. Its construction is simple, and generally understood by most owners of a garden; but, as there may be some of our remarks, observing, however, that it is so valuable an aid in the forwarding of flowers as well as vegetables, that no one having a garden can well dispense with it.

Presuming that the bed is made and all ready for use, the seeds may be sown on the prepared soil, just the same as in the open ground, and afterwards transplanted to the borders; but, as this

Presuming that the bed is made and all ready for use, the seeds may be sown on the prepared soil, just the same as in the open ground, and afterwards transplanted to the borders; but, as this is often attended with many failures in inexperienced hands, it is the safest to sow the seeds in pots or pans; if in neither of these, in shallow boxes. The pots should be about four or five inches in diameter, and should be perfectly clean. The soil should consist of a uniform compost of light, sandy loam, enriched with some fine leaf-mould, avoiding any raw or crude manures, which are certain to injure the young plants. Put in a few crocks at the bottom of each pot for drainage, and fill to the brim with the compost, giving the pot one or two gentle knocks on the bottom to settle the earth, which should be within half an inch of the rim. Level the surface by gently pressing it with the bottom of a pot, or a circular piece of wood made for the purpose, as this will not only be beneficial to the seeds, but assist in distributing them more evenly and regularly over the soil. Observe the same rules in regard to covering that we have already named. Some kinds will need nothing more than a thin sprinkling of earth just to fairly cover the seeds; and kinds will need nothing more than a thin sprinkling of earth just to fairly cover the seeds; and each pot should have the surface again gently pressed down: a slight watering with a very fine rose will complete the operation of sowing.

When all the pots are filled and planted, and marked as they should be with the name of each, and date of sowing, upon a neat label, remove them at once to the hotbed or frame, and place them perfectly level, so that each pot may receive its proper proportion of water evenly over the surface. If there are but a few pots, and a greenhouse is at hand, they may have a place on a sunny shelf near the glass, shading them during the middle of the day. Shading will also be necessary in the hotbed. The temperature should not exceed 75° or 80°, or the seeds will germinate too quick, and be drawn up weakly. As the seedlings appear above ground, give air by tilting the sashes at the back. Give water as the pots require it (which is usually once a day), and always of the same temperature of the bed, and be careful in the operation not to wash away or destroy the young and slender seedlings. During cold nights, a mat may be thrown over the frame, which will prevent the loss of heat, and maintain a more even temperature. As some of the seeds will make their appearance before others, those that appear above ground should be placed together towards the back of the frame, where they can have a greater abundance of air and be more freely watered than the others. As the plants acquire a proper size, they should be thinned out so as not to injure those that remain; and then, when farther advanced, should be transplanted into four-inch pots,—one, three, or five plants in each, according to the variety,—using a compost similar to that in

those that remain; and then, when farther advanced, should be transplanted into four-inch pots, —one, three, or five plants in each, according to the variety, —using a compost similar to that in which they were sown, replacing the pots in the bed, and shading slightly till they are well established, and able to bear the full sun. Those that are later in vegetating should be treated in the same manner, until all are transplanted, unless it is such kinds as will not bear removal safely; and must be allowed to remain in the pot in which they were sown, thinning them out, so that not more than three or five plants are left. The Cypress-vine, Thunbergia, &c., are of this character.

By the middle of May, the seedlings will be ready for transferring to the beds or borders where they are to bloom; but, before this is done, the plants should be "hardened off," as it is termed, in order to prepare them for the change. This is effected by gradually giving the plants more air, and when the weather is favorable, both day and night, removing the sashes wholly during the day; or, if more convenient, removing them to a cold frame, where they can be fully exposed in the day; or, if more convenient, removing them to a covering of mats. Much must be left to the judgment of the cultivator and the amount of available space, the object being to prevent the plants from being injured by a too sudden exposure to the open air. Proceed in transplanting as we have already recommended under that head for hardy annuals.

already recommended under that head for hardy annuals.

TENDER ANNUALS.

We have stated that the classification of hardy, half-hardy, and tender annuals, was a convenient one; but really there is scarcely an annual but will grow freely in our climate in the open ground in summer. The term tender has been applied by English gardeners because the plants do not attain full perfection unless grown in pots in the greenhouse. Such are the Globe Amaranth, Balsam, Egg-plant, &c. All the tender annuals, therefore, may be treated in the same manner as the halfhardy, and with equal success.

BIENNIALS AND PERENNIALS.

Biennial and perennial plants are almost indispensable additions to the flower-garden, displaying their blossoms both early and late, succeeding and even flowering with the spring bulbs, and continuing long after the frost has destroyed the hardiest annuals. They are also so easily cultivated,

tinuing long after the frost has destroyed the hardiest annuals. They are also so easily cultivated, and require so little care for their great amount of beauty, that they must be ranked as the most permanent and showy objects of the flower-border. We only need name the Larkspur, Phlox, Lychnis, Coreopsis, Saxifrage, &c., as a few among the many imposing and elegant groups. Biennials are those plants that generally do not flower until the second year, and, after blooming, die. These include, however, many splendid species, such as the Foxglove, Canterbury Bells, Sweet Williams, Hollyhocks, &c. Perennials are plants which generally do not bloom until the second year, but continue to bloom for years in succession, and may be propagated, after once obtained, by division of the roots, growing more vigorously and flowering better if divided and replanted every three or four years.

planted every three or four years.

The proper time for sowing the seeds of hardy kinds is in April or May, at the period of sowing the hardy annuals, in order to obtain a good strong growth the first year, and a greater abundance of flowers the second; but the sowings may be continued with success as late as August, after which the plants will not become strong enough to flower the following year. Whether the seeds are sown in beds or in the border, the young plants should be thinned out, and afterwards transplanted, just as we have directed for hardy annuals, only giving them more room, and encouraging a vigorous growth by hoeing, watering, &c. On the approach of severe frosty weather, protect the plants with a light covering of leaves or coarse manure, and the succeeding year they will blossom in great profusion.

SPECIAL DIRECTIONS TO AMATEUR CULTIVATORS.

In addition to the preceding remarks, which are given as the results of our own practice for many years, and which, we think, are adequate for all general purposes, the following special directions are added for the guidance of amateurs in the treatment of many of the more choice and new flowers enumerated in our Catalogue. If carefully followed, it is hoped they will remove all causes of failure in the attempt to cultivate many of the most beautiful plants.

FRENCH AND GERMAN ASTERS.— These now justly admired and most beautiful annuals should be sown in puts, pans, or boxes, in a well-prepared soil, and placed in an exhausted hotbed or cold frame, watering them gently till the plants are an inch high; when, after hardening off by gradual exposure to the air, they should be transplanted into the open ground in a light, rich soil gradual exposure to the air, they should be transplanted into the open ground in a light, rich soil, placing them in rows six inches apart, shading for a few hours in the middle of the day, until well rooted. In the course of two or three weeks, they will have become stout and stocky, and ready for replanting out where they are to flower. Before transplanting, give the bed a good watering; then with a trowel take each plant up separately and carefully, and remove it to the bed or border; finish with another liberal watering, which must be repeated if the weather is dry; they will soon take root, however, and will make a rapid growth. Before the flowers expand, tie each plant up to a neat stick, and, if the soil is not rich, apply a light sprinkling of guano. The first week of lune is the best period for final planting. June is the best period for final planting.

ZINNIAS may be treated precisely like the Aster. The double varieties, in eight distinct colors, are superb ornaments of the garden.

EPACVISES, HEATHS, AZALEAS, and RHODODENDRONS should be planted in boxes or pans, well drained, and filled with light, very sandy loam, with a small quantity of peat. Make the earth firm, and give a thorough watering before sowing. Cover the surface with a little sand, upon which the seed should be thinly scattered, covering with the least possible quantity of fine sand. Place the pans or boxes in the greenhouse, where they can be wholly shaded from the mid-day sun, and lightly damp the surface when dry. The young plants will make their appearance in three or four weeks; and, when strong enough to handle easily, transplant into boxes an inch or two apart, and gradually harden them off, so as to remove to frames or the open air.

CALCEOLARIAS, CINERARIAS, and CHINESE PRIMROSE, require similar treatment. The seeds of the former are so minute, that they are liable to be destroyed by covering; and complaints are frequent of the failure to make the seed grow. If the following directions are carefully observed, an abundance of the party many contractions.

of the failure to make the seed grow. If the following directions are carefully observed, an abundance of plants may be easily raised:—

The seed should be sown in pots prepared in the following manner: The pot to be half filled with drainage, over that rough siftings of the mould, and the surface covered with soil as fine as possible, half of which should be composed of silver sand. When prepared thus, it should be watered with a fine rose, immediately after which sow the seed carefully without any covering of soil. The pots should then be placed under a close frame or hand-glass, in a shady part of the garden (no artificial heat being required). In large establishments, of course, they may have propagating or other

houses that will do, where the same kind of moist temperature could be obtained; but any exposure to the sun must be carefully guarded against by mats or paper. If the situation is of the proper temperature, they will require watering but very seldom. Directly the seedings are strong enough, they must be pricked off in pots prepared as before, and placed in the same situation. From the store-pots they will require to be potted off singly; after this they will grow very rapidly. Through the winter, the plants will thrive well on the shelves near the glass, in the greenhouses; and, to obtain fine specimens they must be shifted freely till the flower-statik have started and should almost be smoked with tobacco directly the green-fly appears, as no plants in cultivation so readily suffer from this insect as the Calceolaria.

It is necessary to remark, that one of the most frequent causes of the appearance of these injurious insects is the plant becoming root-bound; to avoid which evil, it is important that it should frequently be reported during the growing season.

ACACIAS of all kinds should have scalding water poured over the seeds, and be allowed to soak for twelve or twenty-four hours: they should then be planted in pots, in light, rich, sandy soil, covering one-fourth of an inch deep, and placed in the hotbed or greenhouse.

GLOBE AMARANTH, LINUM, and CYPRESS-VINE seeds should be soaked in tepid water for twelve hours to insure a quick germination. Rub the seeds with a little dry sand when ready for

sowing.

LILIUMS of all kinds should have their seed planted immediately they are gathered, if possible, as they vegetate sooner. They remain good, however, for three or four years, but, when sown in spring, do not often vegetate until the second year.

CYCLAMENS should be sown in the greenhouse or hotbed, in pans of light rich soil, well drained. Transplant singly into pots, and keep them constantly growing the first year.

STOCKS of the winter-flowering varieties should be sown in July, and pricked off singly into small pots, shifting them as they require it, and keeping them in cold frames as long as it can be safely done.

CANNA-SEEDS have a hard, horny covering, and require to have the seed soaked in warm water for ten or twelve hours, planting them in hotbed while the heat is brisk and strong. Transfer to the open ground June 1st, and take up the roots before hard frosts.

GLOXINIAS and ACHIMENES require to be grown in pots in the greenhouse, or a warm frame. The soil should be light and rich, —leaf-mould, loam, and sand.

Ferns are easily raised from the spores (or seeds) with a little care. Sow in pots which should be half filled with a good drainage of crocks, and the remainder, to within a inch of the rim, with coarse sandy peat or leaf-mould; make the surface smooth, and cover with a thin layer of sand; on this sprinkle the spores. Set the pot in a pan of water in a warm, shady part of the greenhouse, and cover with a pane of glass. In a month or two, the plants will be ready to pot off singly in small pots. pots.

THE CONSTRUCTION AND MANAGEMENT OF HOTBEDS.

We have already alluded to the importance of a hotbed for the successful growth of many of the half-hardy annuals and more delicate greenhouse plants. Though most or all kinds of seeds may be raised in a frame without bottom heat, yet this can only be done so late in the season, when the weather has become warm, that many of the annuals are late in blooming, and the greenhouse plants do not ripen and mature their wood, and are therefore ill adapted to winter well. It is to obviate this that the hotbed is recommended to all amateurs. It is so easily made, and at such slight expense, that it will well repay all who would secure an abundance of flowers early in the season. season.

SITUATION OF THE BED. — This should be in a warm position, fully exposed to the sun, facing the east or south, and sheltered by a fence or hedge on the west or north. The soil should, if possible, be light and dry, as in this case the bed can be sunk a foot or more in the ground; but, if damp or cold, it should be built upon the surface.

MAKING THE BED. — Manure fresh from the stable is best. This should be thrown over and thoroughly shaken up with the fork, making it into a conical heap. In this state it should be allowed to remain four or five days, at the end of which time it should be turned over, shaking it allowed to remain four or five days, at the end of which time it should be turned over, shaking it up as before. At the end of another three or four days, it will be ready to make up the bed. Lay out the ground six inches larger than the frame, and put down a stake at each corner. The frame may be of any size; but the most convenient is nine by three feet, which will take three lights three by six feet, the ordinary size, which can always be had ready made. Proceed to build up the bed to the height of two and a half or three feet, making it rather firm, and watering, if the manure is dry. When the bed is finished, put on the lights, and let it stand to settle and shaust the violent heat. In a day or two add three or four inches of light sandy loam, spreading it evenly over the bed. If the seeds are to be sown in the soil of the bed, two or three more inches should be added; but if in pots, no addition will be necessary.

The pots being ready, and sown with the various seeds, should be put into the frame, shading them during the day, and regulating the temperature, by tilting the lights at the back, both night and day, and covering at night with mats. Plunge the pots in the soil, and, with proper care, the seeds will soon be above the soil. A thermometer placed in the bed will be the safest guide to the inexperienced. It should not rise above 85° in the day, nor sink below 60° at night. As the heat declines, linings of fresh manure should be applied around the outside of the bed; but, ordinarily for each their inext present.

narily, for seeds this is not necessary.

The length or number of the frames is immaterial; but they should be nine to twelve inches deep at the front, and fifteen to eighteen inches at the back. This will give a good slope to carry off the rain. Cold frames are simply the hotbed-frame set upon a warm spot of ground, covering it at night to keep in the warmth accumulated during the day.

THE FLOWER-GARDEN.




The arrangement of a flower-garden must depend so much upon the taste or fancy of the cultivator, that it is very difficult-to lay down any rules applicable to general use. All we can do to aid the inexperienced is to give such plants as display correct principles in their general features, which will serve as a guide in grounds of smaller or larger extent. Of course, we have reference to flower-gardens, or spots of ground set apart for annuals, bedding-plants, or bulbs, as any thing more extensive would be beyond the scope of a catalogue.

Where the flower-garden already exists, and is laid out in beds or borders for miscellaneous plants, all the information necessary to the amateur will be found in our preceding remarks, except that, perhaps, in reference to the disposition of colors. If, however, the form is not a fanciful one, or one laid out in the true principles of the geometrical style, it may be remodelled upon some plan which will combine the merits of those we now annex.

the merits of those we now annex.

Commencing with the simplest form of ground, where there is no pretension to artistic display, the two following will be found well adapted for annuals or bedding-plants, or the two combined.

In the first plan (No. 1), the ground may be arranged as follows: In the centre may be double Zinnias, if a grand display is desired; but if not, then Zinnias, Marigolds, Asters, and similar tall-growing annuals, placing the tallest in the centre. The eight small beds adjoining the centre one may be planted in alternate colors, or mixed, with Clintonia, Portulaca, Verbenas, Pansies, Agrostemma, Lobelias, &c. The four larger beds may be planted in four different colors, or mixed, or in the ribbon style; in the latter case using Perilla Nankinensis for the centre row, and other decided colors for the outer rows, which should be dwarf at the edge. The four corner-beds may be filled with Mignonette, Sweet Alyssum for the fragrance, or with other more showy plants.





No. 1.

No. 2.

The second plan (No. 2) admits of a greater display, and particularly if masses of one color are desired. The centre may be filled with any tall plants of one color; viz., Zinnias, Asters, Marigolds, or Balsams. Two of the four oval beds may be Portulaca, scarlet and white, or golden and scarlet; the other two with blue and white Lobelia, or crimson and white Candytuft. Two of the four large beds between the oval ones may be planted with Tropæolums in two colors, and the other two with crimson and variegated Petunias. The four small beds may be planted with Abronia umbellata, Nolana, Phlox Drummondii, and Linum Grandiflora. The four oval corner-beds may be planted with ornamental foliaged-plants, Perilla in two, and Coleus Verschafteit in the other two. Four of the small corner-beds may be filled with Mignonette and Alyssum, and four with Dianthus

Heddiwiggi. These may be varied to suit the fancy of the possessor with the newest annuals described in the Catalogue, selecting them according to colors, and height of growth. All the beds should be edged with box or thrift. The extent of ground is thirty-two feet square.

For more artistic and complete grounds, we add two plans from two of the most elegant flower-

gardens of England.

The first plan (No. 3) is extensive and elaborate in design, and evinces artistic skill and arrangement of a high order. The length of the garden is a hundred and sixty feet, and the width seventy-two feet. The walks are of gravel, and the beds are all edged with box. It may be

(₩ 28 filled with bedding-plants or with annuals; and, supposing the amateur to desire a mixture of the two, the following is an appro-priate list, Scarlet Geraniums and Verbenas being the most effective of bedding-plants:

Verbena (blue).
 Verbena (white).
 Pansies, of the fine showy sorts.

Portulaca (white).

Tom Thumb Geranium.

5. Tom I humb 6. Verbena (striped).

 Portulaca (golden).
 Campanula Carpatica, with Tree Rose in the centre.

The same.

Tom Thumb Geranium. 10.

Portulaca (white). Verbena (striped). II. 12.

13. Portulaca (golden).
14. Pansies of the fine showy sorts.

15. Verbena (white). 16. Verbena (blue).

Ageratum.

18. Heliotrope.

Tom Thumb Geranium. IQ. Verbena, Sunset (rose). 20.

21. Portulaca (golden).
22. Portulaca (scarlet).
23. Same as No. 8.
24. Geranium, Lucia Rosea (pink).

25. Tom Thumb Geranium. 26. Tom Thumb Geranium.

27. Geranium, Lucia Rosea (pink). 28. Portulaca (scarlet).

29. Tom Thumb Geranium.

30. Heliotrope.

31. Verbena, Sunset.

32. Portulaca (golden).

33. Ageratum.

34. Same as No. 8. 35. Vase, or Statue. If a vase, to be filled with Verbenas, Petunias, &c. If a statue, to be surrounded with a circle of Oxalis Floribunda.

But, when it is intended to be filled with

annuals, this may easily be done by substi-tuting Candytuft, Alyssum, Eschecholtzia, Lobelia, Agrostemma, Petunias, Dwarf Con-

volvulus, Clarkias, &c.

The last plan which we give (No. 4) is a copy of the flower-garden of the Duchess of Bedford, at Camden Hill, near London. In harmony of arrangement, it stands very high; and, offering as it does a great variety in the disposition of the beds, it contains, in an eminent degree, the two great elements of a select garden, — harmony and variety. "Two things," says a well-known writer, "are necessary to the beauty of a flower-garden, — harmony and variety. Harmony consists in agreeableness of form, likeness of size, and relation of color: variety is the

of size, and relation of color: variety is the indefinite diversity of vegetative existence. If there is variety merely, the garden is strange, extraordinary, fantastic; it is not fine. If harmony alone is displayed, then it is monotonous, dull, and wearisome. But in the happy combination of the two resides its power to awaken agreeable sensations, and impart delight. This union is well exemplified in this plan."

No scale is given; but we suppose the ground to contain a circle of one hundred fees,—about fifty feet to the inch. The plants employed, annuals and bedding-plants, would be as follows, according to the numbers:—

as follows, according to the numbers:

CENTRE.

- Sweet Alyssum (white).
 Lobelia (blue).
 Verbenas (purple).

- Portulaca (yellow).
 Anagallis (blue).
 Verbenas (scarlet).

FIRST CIRCLE.

- Lobelia (blue).
 Eschscholtzia (yellow).
 Portulaca (scarlet).
- 10. Nierembergia Gracilis (white).
 11. Verbena (deep purple).
 12. Portulaca (yellow).


- 13. Lobelia (blue). 14. Verbena (scarlet).
- 14. Verbena (scarce).
 16. Portulaca (yellow).
 17. Linium Grandiflorum (crimson).
- 17. Linium Grandmorum (18. Sweet Alyssum (white)

SECOND CIRCLE.

- 19. Petunia (purple). 20. Cacalia Coccinea
- 21. Convolvulus Minor (blue).

- 22. Anagallis (blue).
 23. Sanvitalia Procumbens (yellow).
 24. Verbena (lilac).

- 25. Verbena (scarlet).
- 26. Ageratum Albiflorum (white). Nemophila Insignis.
- 28. Godetia Lepida (lilac).
- 29. Gilia Capitata.
- 30. Enothera Drummondii.



THIRD CIRCLE.

- 31. Linum Grand. Rubrum (scarlet).
 32. Clarkia Elegans (lilac).
 33. Clintonia Elegans (blue).
 34. Eschscholtzia (yellow).
 35. Coreopsis Burridgii (yellow and brown).
 36. Verbena (scarlet).

43. Petunia (white). 44. Lobelia (blue). 45. Eschscholtzia (yellow). 46. Petunia (purple). Geranium (scarlet). 47. Geranium (scarlet).
48. Senecio or Jacobæa (purple).

- 37. Candytuft (white).38. Eutoca Viscida (blue).39. Arctotis (yellow).
- 40. Phlox Drummondii Alba (white).
- 41. Geranium (scarlet).
 42. Candytuft (crimson).

FOURTH CIRCLE

- 49. Verbena (purple).
 50. Portulaca (yellow).
 51. Candytuft (white).
 52. Verbena (scarlet).
 53. Convolvulus Minor (blue).
 54. Enothera Drummondii (yellow).

FIFTH CIRCLE.

- 55. Phlox Drummondii (rose).
- 56. Bartonia Aurea (yellow).

- 57. Asters (white). 58. Salvia (scarlet). 59. Double Peony Aster (blue). 60. Double Zinnia (yellow).
- 61. Petunia (purple). 62. Candytust (white).

 - 63. Double Zinnia (scarlet).
 64. Geranium (scarlet).
 65. Double Asters (blue).
 66. Double Zinnia (scarlet).

TO OUR AMATEUR FRIENDS AND CUSTOMERS.

AFTER the publication of our Catalogues for thirty years, during which period immense additions have been made to the list of Flowers and Vegetables, we now present our friends with a full and complete list of the accumulations of so long a time, with accurate descriptions of all that are really valuable, or worthy of cultivation. In doing this, we embrace the opportunity to offer a few friendly and familiar remarks.

From the small catalogue of a few hundred varieties, through the exertions of zealous florists, collectors, and skilful men, the number has been increased to thousands; while, during the same time, the cultivators of beautiful flowers have increased in a very much greater ratio. Hence the demand now of something more than a mere list of names to enable the inexperienced to obtain some knowledge of what they desire to plant, and the opportunity of making a judicious selection from the great number which are so well worthy a place in every garden. This has been almost impossible in the limits of an ordinary catalogue; and, to furnish the information really needed, it has now assumed the form of "The Cultivator's Guide to the Flower and Kitchen Garden."

Having enumerated in our Catalogues, from year to year, all these additions in a brief manner, we deem it quite unnecessary to say they have been heretofore, or that our present one is, without a rival, or is not surpassed by any one of the kind. This we leave to our amateur friends, who can carefully compare our Guide with others, either at home or abroad. Neither shall we speak of its truthfulness or beauty. Thirty years have, we trust, been quite sufficient to establish the former: the latter can easily be detected at a single glance. It is not the result of one or ten years' experience in the growth of the numerous varieties, but of THIRTY YEARS devoted to the cultivation of every flower or vegetable embraced in these pages.

As regards the freshness of our seeds, or their quality, we have nothing to add. Our numerous customers throughout the country know us too well to ask any additional guaranty than that of the many years we have labored to place before them all the treasures of the flower-garden or conservatory, selected from the best sources in Europe and our own country, or grown or originated by us. Our long correspondence with the cultivators of England, France, Germany, and Prussia, has enabled us to be the first to possess every thing new, whenever introduced. The novelties described in our present Catalogue are nearly three times the number of those enumerated by any dealer in America.

We do not think it necessary to add that our stock is obtained without regard to price; for no really beautiful and first-class flower-seed can be had at a low rate. This is impossible. All who know any thing of the growth of seeds, know that the finest Double Asters, Zinnias, Petunias, Portulacas, &c., are so sparingly produced, that the supply is quite insufficient for the demand. Every lover of flowers cannot afford to procure the highest-priced seeds; and those who cannot are content with those of moderate excellence at a reasonable rate. Because they are cheap, it does not follow they should be rubbish, as is too often the case. It is often difficult to distinguish between those of moderate excellence and the so-called choice varieties.

Our seeds are put up in packages, with our name upon each, and a brief description of their quality, and the usual time of sowing. These are sent by mail, when desired, at the prices named, and postage paid, to any part of the United States or Canada; except peas, beans, corn, and potatoes, for which an additional remittance of 8 cents for every pound is required. When large orders are received, the seeds will be securely packed, and will be forwarded by express. All our orders are intended to be filled as soon as received; but, in the busiest season, it is impossible, with the very large quantity of orders, to prevent the delay of a few days.

COMMENDATIONS. — To attempt the publication of the numerous commendatory letters would fill several pages of our Catalogue. Gratifying as this would be to us, we are compelled to omit even the briefest extracts from the hundreds of letters expressing the satisfactory manner in which their orders have been executed, and the pleasure derived from the cultivation of our seeds.

COLLECTIONS OF FLOWER-SEEDS, BY MAIL, FREE OF POSTAGE TO PURCHASERS.

In order to more extensively disseminate our choice varieties of Flower-seeds throughout the country, giving those who reside at a distance the same facilities for procuring them as those who have the opportunity to make personal application, we put up select assortments expressly for sending by mail, giving particular attention to this department of our trade. The low rate of postage enables us to supply distant customers with all the choicest seeds upon the same terms as those who are near the market. Orders may be forwarded to us with the understanding that the seeds we furnish are of the very best quality, and the selection such as will gratify every purchaser. Our collections are made up with great care, and all the varieties, unless those entirely new, are such as we have seen and cultivated ourselves, and can confidently recommend; many of the superb double varieties being such as have been raised from the fine flowers, specimens of which have obtained the highest prizes of the Massachusetts Horticultural Society.

· ·	
No. 1 contains twenty-four varieties of choice and beautiful Annuals	\$1.00
No. 2 contains twenty-four varieties of the finest hardy Biennials and Perennials	1.00
No. 3 contains ten varieties of extra fine Annuals and Perennials, including the beautiful	1.00
French Asters, Double Camellia Balsams, Double German Stocks, and other	
choice flowers	1.00
No. 4 contains five varieties of very select flowers, including the best large English Pansies,	
Carnations, new Verbenas, new Double Zinnias, etc.	1.00
No. 5 contains one hundred varieties of Annuals, Biennials, and Perennials, including new	
and choice varieties	5.00
No. 6 contains fifty varieties of Annuals, Biennials, and Perennials	2.50
No. 7 contains twenty varieties of hardy Annuals, Biennials, and Perennials, for autumn	3-
sowing, in August and September	1.00
No. 8. contains fifteen different and choice kinds of greenhouse-plant seeds	3.00
Plant Cook	3.00

The seeds in these assortments are all of our own selection. Purchasers who had rather make a selection from the Catalogue can do so, and a proportionate discount will be made.

FORMATION OF CLUBS.

The extensive distribution of our seeds is an especial object. Our Catalogue has been prepared with much labor; and it has been our constant aim to make it a complete and safe guide to the cultivator, both in the selection of varieties and their growth. As an additional inducement to individuals who desire to possess a large collection, or for the formation of clubs for the same object, we offer to send by mail, free of postage, to any address in the United States, on receipt of the amount of the order, seeds selected as follows:—

Purchasers	remitting	\$1.00	may select	seeds at	Catalogue	prices,	amounting	to \$1.15
66	"	2.00	***	46			"	2.35
66	66	3,00	66	66		66	66	3.65
66	66	4.00	66	66		66	. 66	4.95
ee .	66	5.00	66	66		66	66	6.25
66	66	10.00	66	66		46	66	13.00
66	66	20,00	46	66		66	66	27.00
⁽¹⁾ 66	66	30.00	46	66		66	66	41.50

Persons desiring us to make their selections may rely upon our sending only those which are really showy and handsome, and easy to cultivate. We believe that our experience will enable us to make selections that cannot fail to give entire satisfaction to any lady or gentleman who may send us their orders.

In sending orders for seeds by mail, it will be only necessary to give the date of the Catalogue from which the selection is made, and the numbers, instead of the names, of the varieties. The name of the person to whom they are to be sent, and the names of the Town and State, should be so plainly written, that there may be no mistaking a single letter. We often receive letters containing money, the signatures of which are so indistinct as to make it almost impossible to decide where and to whom the seeds are ordered to be sent.

The above prices apply only to flower and garden seeds in packets; for prices by ounce and pound, see vegetable-seed department, in this Catalogue. Prices to dealers on application.

Address,

WASHBURN & CO.,

HORTICULTURAL HALL, BOSTON, MASS.

AMATEUR CULTIVATOR'S GUIDE

TO THE FLOWER GARDEN.

To aid in making selections of seeds, the botanical name is given, and the popular name when there is such, together with the natural order to which it belongs, as indicative of the general character of the flower. These, with the full remarks, will enable the amateur to make a judicious selection.

In giving orders for seeds, it is preferable to mention the numbers; but, as the numbers are often changed, it is absolutely necessary to give the date of Catalogue.

FLOWER SEEDS.



ABRONIA UMBELLATA.


ABRONIA. NAT. ORD., Nyctaginiacea.

A charming plant, with verbena-like heads of sweet-scented flowers. Very effective in beds, rock-work, or in baskets suspended in a conservatory; growing freely in any light, rich soil, and flowering from August to October.


Abronia Umbellata, rosy-lilac, half-hardy annual; from California. Half ft. high . \$0.10

13

14	AMATEUR CULTIVATOR'S GUIDE
NO.	ABUTILON. NAT. ORD., Malvaceæ.
	These flowers are extremely beautiful for the conservatory: they are natives of Brazil, and half shrubby, with vine-like leaves and bell-shaped flowers, being richly veined and striped, of a wax-like appearance. Many of the varieties succeed well in the open ground during the summer. Half-hardy.
2 3 4 5 6 7 8	Abutilon Alphonse Karr. Orange, veined with crimson. Very fine. 5 feet. \$0.25 — Beranger. Yellow, striped with brown. 6 feet
9	Mixed
	ABOBRA. NAT. ORD., Cucurbitaceæ. A rare and extremely pretty tuberous perennial climbing Cucurbitaceæ, with elegant cut glossy dark-green foliage, and small oval vivid scarlet fruits. Suitable for planting out during summer, forming beautiful garlands.
10	Abobra Virdiflora
	ACACIA. NAT. ORD., Leguminosæ. In praise of this class of ornamental shrubs, it is almost impossible to speak too highly: they are not only of invaluable use for greenhouse decoration, but also, during summer, they will be of equal service in the flower garden, where their beautiful foliage and neat habit alone cannot fail to render them very attractive. They are all remarkably fine in foliage; but a lophantha and longiflora are pre-eminently so. Acacia Julibrissin is half-hardy and elegant, with tassel-like tufts of rosy flowers. Previous to sowing, soak the seed in water at 120° for six hours. Greenhouse shrubs.
11	Acacia Albicans. White, with beautiful silvery foliage; from Mexico. 5 feet
12	— Armata. Golden ball-like flowers. 5 feet
13	Asparagoides. Yellow, very choice; from New Holland. 6 feet
15	— Cultriformis. Yellow; from New Holland. 5 feet
16	- Coccinea. The most novel of the Acacias; color, bright rose, fine foliage. 5 ft25
18	— Capensis. Yellow. 5 feet
19	— Douglassii. Yellow, graceful, and distinct; from North America. 5 feet25
20	Grandis. Golden yellow, a most beautiful species; from New Holland. 6 feet25
21	- Ixiophylla. Golden yellow, a very graceful and handsome species; from Swan River. 6 feet
22	Julibrissin (silk-tree). A hardy and elegant shrub, with tassel-like tufts of beautiful rosy flowers; from Persia. 5 feet
23	- Longifolia. Yellow, foliage long and slender; from New South Wales. 5 feet25
24 25	 Lophantha. Yellow, beautiful foliage; from New South Wales. 5 feet Nematophyila. Bright yellow; a splendid acquisition, called one of the best of its
20	class, flowering freely nearly the whole year; fine habit. 6 feet
26 27	 Trinervata. Fine yellow; from New Holland. 5 feet
	6 feet
	ACANTHUS. NAT. ORD., Acanthacea.
	These deserve a place in every collection, from their stately appearance, and the legend of their leaves having given the first idea of the capital of the Corinthian order of architecture. They require a good sandy loam, and plenty of room. Hardy perennials.
	Acanthus Mollis. White; from Italy. 3 feet



ABOBRA VIRIDIFLORA. See page 14.



40.	PRICE
ACHILLEA. NAT. ORD., Composite.	PRICE
Balonging to the genus known under their English name of Milfoil. Hardy perennial.	
30 Achillea Filipendula. Yellow; from Caspian Sea. 5 feet	\$0.05
ACHIMENES. NAT. ORD., Gesneracea.	
These are among the most beautiful plants for the decoration of a greenhouse or conserved tory during the summer, being of dwarf, compact, branching habit, and flowering abundant throughout the whole season. Grown in masses, in large pots or pans, they form supe objects for exhibition. Their culture is simple. After flowering, water should be gradual withheld, and allowed to remain in a dry state until they commence growing again.	142
31 Achimenes. Mixed. Saved from one of the largest collections in Europe	25
ACROCLINIUM. NAT. ORD., Compositæ.	
An elegant new annual from Swan River, producing beautiful everlasting flowers reserbling the Rhodanthe Manglesii, but much larger; should be grown in every collection; for winter bouquets, flowering in any garden soil. Hardy annuals.	n- ne
32 Acrolinium Atroroseum. Deep rose-color. 1 foot	10
33 — Roseum. Light rose, 1 foot	10
ACONITUM (MONKSHOOD). NAT. ORD., Ranunculacea.	
A common border plant, commonly known as Monkshood, growing freely in any situatio Hardy perennial; from Europe.	n.
35 Aconitum Napellis. Mixed, blue and white. 2 feet	05
ADIANTUM. NAT. ORD., Cryptogamia,	
36 Adiantum (Maiden Hair). Mixed. A beautiful species of fern	50
*	50
AGERATUM. NAT. ORD., Compositæ.	
Valuable plants for large beds or borders, and very useful for pot culture. Very good for bouquets. Hardy annuals.	or
37 Ageratum Mexicanum. Light-blue; from Mexico. 11 feet	10
38 — Odoratum (fragrant). Much like the Mexicanum; from Mexico	05
40 - Albiflorum Nanum. Dwarf, white; fine for pots	10
41 — Cœruleum Nanum. Dwarf-blue; fine for pots or open ground	10
43 — Superbum. Dark-blue, fine	10
A C A D A NIDITUS (Assess I a) N O III	
AGAPANTHUS (African Lily). Nat. Ord., Hemerocalidacea. A highly ornamental plant, with large, handsome heads of bloom; very effective feparterres, terraces, gravel-walks, or by the side of lakes and ponds; will not bear hard from	or :;
may be kept in the cellar during the winter. 44 Agapanthus Umbellatus. Blue; half-hardy bulb; from Africa. 2 feet	25
AGROSTEMMA. NAT. ORD., Caryophyllacea.	
Commonly called Rose Campion. Are perfectly hardy, very easily raised from seeds, an will well repay the little care they require. The flowers are produced on long stems, bloon ing freely throughout the season. Hardy perennial. For annual varieties, see Viscaria.	d 1-
45 Agrostemma Coronaria. Deep crimson; from Russia. 2 feet	.05
45 Agrostemma Coronaria. Deep crimson; from Russia. 2 feet	.05
46 — Alba. White; from Russia. 2 feet	.05

16 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
48 Agrostis Dulcis. Fine; from Greece \$0.10
49 — Effusus. Fine; from Europe
50 — Nebulosa. One of the most graceful and elegant; from Europe
51 — Plumcsa. Rare; from Europe
ALONSOA. NAT. ORD., Scrophularinea.
These plants are very ornamental, either in the greenhouse, or grown as annuals in the open border during the summer, flowering freely from June until frost. Tender perennials.
52 Alonsoa Grandiflora (large flowered). Deep scarlet. 2 feet
53 — Incisifolia (cut foliage). Orange scarlet. 2 feet
54 — Warszewiczi. Bright crimson; from Chili. 1½ feet
ALSTRŒMERIA. NAT. ORD., Amaryllidacea.
This is a genus of tuberous-rooted plants, with beautiful flowers; requiring to be grown in a sheltered position to have them in perfection. Half-hardy perennials.
55 Alstræmeria Van Houtte. Finest hybrids. 1½ feet
ALYSSUM. NAT. ORD., Crucifera.
One of the most useful, free-flowering little plants either for growing in pots, on rock- work, or the open border, the annuals varieties blooming nearly the whole summer.
56 Alyssum Argenteum. Yellow, silvery foliage; from Switzerland. Hardy perennial. 1 ft05
57 — Benthamii. White, fine hardy annual. 1 foot
58 — Saxatile. Yellow, very showy, hardy perennial. 1 foot
59 — Sweet (Maritima). A well-known fragrant little annual, from England. 1 foot
60 — Wiersbeck's. White and yellow, half-hardy perennial
AMARANTHUS. NAT. ORD., Amarantacea.
Ornamental foliaged plants, of an extremely graceful and interesting character, producing a striking effect, whether grown for the decoration of the conservatory or out-door flower-garden. If the seeds are sown early, and planted out the last of May or in June, in rich soil, they make exceedingly handsome specimens for the centre of beds, or mixed flower or shrubbery borders. Half-hardy annuals.
61 Amaranthus Melancholicus. New. A beautiful novelty, rivalling the Perrilla Nan-
kinensis for groups and edgings; of dwarfer habit than the latter, and of a lively
blood-red-colored foliage
62 — Caudatus (Love Lies Bleeding). Very pretty; from East Indies. 3 feet
63 — Hypochondriacus (Prince's Feather). Red; from East Indies. 3 feet
64 — Monstrosus. Very large and showy; from East Indies. 3 feet
66 — Tricolor (Joseph's Coat). An old favorite, the chief beauty of which consists in its
beautiful yellow, scarlet, and green variegated leaves. 2 feet
AMMOBIUM. NAT. ORD., Composita.
A fine everlasting plant, valuable for making dried winter bouquets; pretty for the garden.
67 Ammobium Alatum. White; from New Holland. Hardy annual. 2 feet
ANAGALLIS. NAT. ORD., Primulacea.
This is a class of beautiful trailing plants, that will be found highly ornamental for bedding purposes, as they bloom all the season. The Anagallis is also an old favorite for growing in greenhouses, presenting an extremely graceful appearance when cultivated in pots or vases. Hardy annuals.
68 Anagallis India (Indian Pimpernel). Blue, trailing; from Nepaul. Half foot
69 — Carnea. Flesh-color. Half foot
70 — Coccinea. Scarlet. Half foot
71 — Grandiflora Cœrulea. Splendid large flowers; blue. Half foot
72 — Rubra. Beautiful red. Half foot
74 — Garibaldii. Rich vermilion; rare. Half foot





AQUILEGIA GLANDULOSA. See page 93.

NO. PRICE
75 Anagallis Grandiflora Memoria dell' Etna. New; large flowers, bright scarlet. Half ft. \$0.10
76 — Napoleon III. Rich crimson maroon. Half foot
78 — Philippii. Large; blue. Half foot
79 — Mixed (India varieties). Good
80 — Mixed (Large-flowered varieties). Very fine
ANCHUSA. NAT. ORD., Boraginea.
Coarse growing plants, natives of the south of Europe, remarkable for their intensely blue
flowers. Hardy perennials.
81 Anchusa Arvalis. Blue. 2 feet
82 — Italica. Delicate blue. 2 feet
ANEMONE. NAT. ORD., Ranunculacea.
All the plants belonging to this genus are beautiful, and well deserving of cultivation;
succeed well in any light soil. Hardy perennials.
83 Anemone Coronaria. Mixed from selected flowers. Half foot
84 — Pulsatilla (Pasque Flower). Violet
ANTHOXANTHUM. NAT. ORD., Graminea.
85 Anthoxanthum Gracile. A very pretty ornamental grass, from Sicily. Hardy annual. Half foot
ANTIRRHINUM (SNAPDRAGON). NAT. ORD., Scrophulariacea.
The Snapdragon, or Antirrhinum, is one of our most showy and useful border plants. Amongst the more recently improved varieties of this valuable genus are large, finely shaped
flowers, of the most brilliant colors, with beautifully marked throats; will bloom the first
season from seed, and are very effective in beds or mixed borders. Half-hardy perennials.
86 Antirrhinum Majus Album. Pure white. 2 feet
87 — Brilliant. Crimson and white. 2 feet
88 — — Delila. Carmine, white throat. 2 feet
89 — Firefly. Orange, scarlet, and white. 2 feet
90 — Galathea. Crimson, yellow, and white. 2 feet
92 — Henry IV. Bright cinnamon. 2 feet
93 — Papilionaceum. Bright scarlet and white; splendid. 2 feet
94 — Variegata. Beautiful, striped. 2 feet
95 — Nanum Album. Dwarf; pure white. 1 foot
96 — Aureum Striatum. Striped. 1 foot
97 — Kermesina Splendens. Crimson. 1 foot
99 — Firefly. Orange, scarlet, and yellow. 1 foot
100 — Extra fine, mixed
101 — Good, mixed
AQUILEGIA (COLUMBINE). NAT. ORD., Ranunculacea.
This pretty and interestingly varied genus of plants scarcely meets with the amount of
appreciation it deserves; it is an extremely showy and ornamental early summer flowering
herbaceous plant, combining the most curious forms with the most beautiful and striking colors; succeeds in any garden soil. Hardy perennials.
102 Aquilegia Alba Pleno. New; double, white, fine
103 — Caryophylloides. White, variously striped with reddish crimson; a beautiful
double variety. I foot
104 — Formosa. Double; crimson and orange. 1½ feet
105 — Rosea. Beautiful rose-color; double. 2 feet
106 — Rubro. Fine, crimson; double. 1½ feet
107 — Glandulosa. Blue and white. 1 foot
108 — Siberica. Violet; double. 1 foot
III — Finest Mixed
112 — Good Mixed
3

18	AMATEUR CULTIVATOR'S GUIDE
NO.	PRICE
	ARABIS. NAT. ORD., Cruciferæ.
	An exceedingly early spring-flowering plant, contrasting beautifully in ribbons with the yellow Alyssum; valuable for rock-work, edging, &c., succeeding well in any good garden soil. Hardy perennial.
113	Arabis Alpina. Pure white; from Switzerland. Three-quarters foot \$0.10
	ARBUTUS (STRAWBERRY-TREE). NAT. ORD., Ericacea.
	A handsome, nearly hardy, evergreen shrub, covered during October and November with pearl-like blossoms and strawberry fruit.
114	Arbutus Unedo. From Ireland. 10 feet
	ARCTOCTIS. NAT. ORD., Compositæ.
	Handsome, showy, free-flowering plants, of close, compact, dwarf habit, with large beautiful flowers in the style of Gazania Splendens; continuing in bloom the whole summer, and growing freely in any rich soil. Half-hardy perennials.
115	Arctoctis Grandiflora. Pale-yellow, dark-crimson centre; from Cape of Good Hope. Half foot
116	
	ARALIA. NAT. ORD., Araliacea.
117	Aralia Papyrifera (Chinese Rice-paper plant). Greenhouse shrub from China. 4 feet25
	ARGEMONE. NAT. ORD., Papaveracea.
4	Exceedingly showy, free-flowering border plant, with large, poppy-like flowers; succeeding well in any common garden soil. Hardy annual.
	Argemone Grandiflora. White. 2 feet
119	
	- Oranga
	THE RESIDENCE OF THE PARTY OF T
	THE TRANSPORT OF THE PARTY OF T
	THE COLUMN TO TH
	ASCLEPIAS TUBEROSA. (See next page.)
	ARMERIA. NAT. ORD., Plumbaginacea.
	Useful, hardy perennials; adapted for rock-work, edging, or culture in pots. Half-hardy
100	perennials.
	Armeria Dianthoides. Delicate rose. Half foot
121	Torinosa. Nose and winte, 1 100t.

Dwarf Chyrsanthemum-flowered. This is a valuable late variety, coming in after many other varieties are gone. They grow very uniform in height. The flowers are from three to four inches in diameter, blooming so profusely as to completely hide the foliage; very good for pot-culture; splendid mixture. . . .

20 AMATEUR CULTIVATOR'S GUIDE	
NO.	ICE
136 Aster Peony-Globe. A very early variety, of branching habit; color very distinct, and	
	0.25
137 - Pyramidal. This is a very popular variety of the Aster, growing very uni-	
form in height and shape. The form of flower resembles an inverted pyramid.	
Some are quilled, others not; a fine mixture	.10
138 — Globe-quilled. This is a fine old variety. The flowers are formed in the shape	
of a half-ball. Mixed	.10
139 — Giant Emperor. This is a comparatively new variety. The flowers are very	
double, and of immense size. It does not flower so freely as many other varieties. In favorable cases it produces four to six flowers, of which the chief blossom is	
often four inches in diameter; a good variety of colors. Mixed	
139½ — Imbricated Pompon. One of the most pleasing styles; of pyramidal growth,	.25
with medium-sized flowers of the most perfect form, very double and densely	
imbricated. Six colors mixed	.10
140 — Porcupine, or Hedgehog. The flowers are composed of long, quilled, curious-	
looking petals: hence the name. Mixed	.10
141 - Reid's Improved Quilled. One of the finest quilled varieties. Mixed	.10
142 — Ranunculus-flowered. This is a small flowered variety, very double, imbricated,	
surrounded by a range of green leaves; not quite as showy as many other varie-	
ties, yet we consider it quite an acquisition; valuable for bouquets. Finest	
mixed	.10
143 — Rose-flowered. A new class, of great merit, about two and a half feet high, of	
robust growth, fine habit, and profuse bloomers. The flowers are as large as	
Peony Asters, beautifully imbricated, of oval form, and very double. In habit,	
height of plant, and form of flower, intermediate between the Tall Chrysanthemum and Peony Perfection Asters, and which will become a favorite class. The	
colors are carmine, carmine and white, dark-blue, deep-lilac, deep-purple, deep	
purple-white, bright crimson tipped with white, white tinted blush, crimson, and	. 1
crimson and white. Mixed	.25
144 — Dwarf Turban, or Chessboard. Leaves of dark-brown tint, with flowers of a	
deep rose with white; an interesting species	.25
1441 - Victoria. This beautiful kind forms a new class, allied to the Giant Emperor, but	
superior to that in habit of plant and form of flower. The plant is very robust,	
about one and three-quarters feet in height, bearing itself without assistance of a	
stick, forming a handsomely branched-compact bush, crowned with from ten to	
twenty large and smaller flowers, half of them of the size of the largest Giant Em-	
peror Asters, which are of a beautiful globular form, regularly imbricated. It	
has, besides, the great superiority over the Giant Emperor Aster of being per-	
fectly constant in height, and fulness of flower, and, in consequence, of great value for bedding	25
	.25
Persons wishing any of the above Asters in separate colors are referred to the collections under the head of Assortments.	
ASTRAGALUS. NAT. ORD., Leguminosa.	
A showy, beautiful, and useful herbaceous plant, succeeding in any common garden soil.	
Hardy perennial.	
145 Astragalus purpureus; deep-red, a pretty trailer; from south of France	.10
146 — Galegiformis; yellow, with pretty foliage; from Siberia. 3 feet	.10
ANTHANASIA. NAT. ORD., Composite.	
147 Anthanasia Annua (African Daisy); yellow; from Barbary. Hardy annual. 1 foot .	.10
AUBERGINE (EGG-PLANT). NAT. ORD., Solanacea.	
The varieties enumerated are the eatable fruited kinds so extensively grown about our	
cities. The white and scarlet are sometimes grown in pots, and are very interesting, being covered in autumn with beautiful egg-shaped fruit. The scarlet variety is a great novelty. They succeed in a warm southern location. Half-hardy annuals.	
148 Aubergine, White-fruited. From France. 1½ feet	.05
149 — Purple-fruited. Large; from France. 11 feet	.05

NO. PRICE
150 Aubergine, Scarlet-fruited. Very striking and handsome; from France. 11 feet, \$0.10
151 — Striped. New, very ornamental; from Guadeloupe. 12 feet
A TIPLOTT A N O D
AURICULA. NAT. ORD., Primulacea.
A well-known garden favorite of great beauty, succeeding best in a northern aspect. Half-
hardy perennial.
152 Auricula Alpine. This is the most hardy of all the Auricula. Mixed
153 — Extra German. Saved from German prize varieties. Mixed. Half foot25
154 — English Prize. From named flowers. Half foot
AZALEA. NAT. ORD., Ericacea.
Beautiful flowering plants, requiring very careful treatment. All the species should be
grown in peat, leaf-mould, and a very sandy loam.
155 Azalea Indica. Saved from finest named collection; greenhouse shrubs. 4 feet
156 — Pontica. Saved from a fine collection. Hardy shrub. 4 feet
BALSAM. NAT. ORD., Balsaminacea.
and the second s
Magnificent conservatory or out-door plants, producing their gorgeous masses of beautiful brilliant colored flowers in the greatest profusion; when grown in pots, and large specimens
are desired, they should be shifted into ten or twelve inch pots, using the richest and freest
brilliant colored flowers in the greatest profusion: when grown in pots, and large specimens are desired, they should be shifted into ten or twelve inch pots, using the richest and freest compost at command, and liberally supplied with manure-water; for out-door decoration, the soil should be of the richest possible character. Tender annuals.
158 Balsams, Camellia-flowered, or Blotched. A beautiful collection of ten colors, mixed;
very double. 2 feet
159 — Double Tall. Twelve fine colors, mixed. 2 feet
160 — Double Dwarf. Twelve fine colors, mixed. 1 foot
161 Improved Rose-flowered. A finely imbricated variety; flowers two inches in
diameter; superb; twelve colors, mixed. 2 feet
162 — Rose-spotted. Six varieties, mixed. 2 feet
163 — Chamois. New and rare. 2 feet
184 — Aurora-colored. Very striking and beautiful. 2 feet
IPP D.I. V.H.
ICC Fachalla Talanca Angliana II
107 0 111 0 1 7 11 11 11 11 11 11
100
The above Balsams may be relied upon as being first-class in all respects. For collec-
tions, see page of Assortments.
BARTONIA. NAT. ORD., Loasea.
169 Bartonia Aurea (golden). (See engraving.) Flowers yellow, about an inch and a half
across, which have quite a metallic lustre when the sun shines upon them; very
showy. 2 feet
170 — Nuda. This is a perfect gem. It grows two to three feet high, and is literally cov-
ered with its large white flowers, of the most delicate texture, surpassing even the
finest lace-work. The flowers are two and a half inches in diameter, and pro-
duced in great abundance all the season; a perfectly hardy perennial, from North
BALLOON VINE (CARDIOSPERMUM). NAT. ORD., Sapindacea.
A very pretty climbing plant, remarkable for an inflated membraneous cansule, from which
it derives the name of Balloon Vine. It answers either for the greenhouse or open ground.
Hall-hardy annual.
171 Cardiospernum Halicacabum. White; from India. 5 feet
BAPTISIA. NAT. ORD., Leguminosa.
172 Baptisia Australis. A handsome border plant, of the easiest culture; flowers blue. Hardy
the state of the s
BELLIS (DOUBLE DAISY). NAT. ORD., Composite.
A well-known perennial. Many elegant varieties have been raised by saving the seeds
from the handsomest kinds. They are admirable plants for making edgings, &c. Half-hardy perennial.
173 Bellis Perennis. Good. Mixed. one-quarter foot
Lxtra Fine. Saved from named flowers

44	AMATEUR COLITIVATOR'S GUIDE
NO.	PRICE
	BELVIDERE. NAT. ORD., Chenopodiacea.
175	A pretty, cypress-like plant, sometimes called summer-cypress; fine for a cemetery. Belvidere. Hardy annual, from Egypt
	BILLBERGIA. NAT. ORD., Bromeliacea.
176	A magnificent stove-plant, with long, graceful, delicate green foliage, beautiful zebrastriped flowers, extremely handsome and showy, succeeding best in sandy peat and loam. Billbergia Zebrina. Scarlet and purple; beautiful; one and a half feet; from Rio Janeiro. 1½ feet
	BEGONIA. NAT. ORD., Begoniacea.
	A magnificent genus of ornamental greenhouse plants, as remarkable for the varied and beautiful foliage of many of its varieties as for the splendor and profusion of the flowers of others. Should be grown in sandy peat and loam. Begonia, Mixed. Several of the most choice sorts mixed
-	
	BARTONIA AUREA. (See preceding page.)
	BIGNONIA. NAT. ORD., Bignoniacea.
i	A highly ornamental greenhouse climber, producing its gorgeous flowers in panicles and in the greatest profusion.
178	Bignonia Tweedieana. Yellow, half-hardy shrub
	BLUMENBACHIA. NAT. ORD., Loasea.
179	Blumenbachia Insignis. Quite handsome; flowers white; from Montevideo. Three-quarters foot
	BOSSIÆA. NAT. ORD., Leguminosæ.
	Handsome, free-flowering, and beautiful genus of greenhouse plants. Succeeds best in a compost of turf, loam, and peat.
180	Bossiæa Biloba, Three feet high; from New Holland



BOCCONIA FRUTESCENS.

BOCCONIA. NAT. ORD., Papaveracea.

A new and beautiful foliaged greenhouse plant, and one of the rarest plants yet introduced for the decoration of beds and lawns in summer. 182 Bocconia Frutescens. A splendid novelty; very rare .

BRACHYCOME. NAT. ORD., Compositæ.

A beautiful free-flowering, dwarf-growing plant, covered, during the greater portion of the summer, with a profusion of pretty cineraria-like flowers, very effective in edgings, small beds, rustic baskets, or for pot-culture; succeeding in any light, rich soil. Half-hardy annuals.

- 183 Brachycome Iberidifolia (Swan-River Daisy). Blue; from Swan River. Half foot . . . 10 184 - Albiflora. White; from Swan River. Half foot10 - Finest Mixed .IO
 - BRIZA (QUAKING-GRASS). NAT. ORD., Graminea.

A very useful ornamental grass, fine for dried bouquets. Hardy annual. 186 Briza Maxima. Fine; from Cape of Good Hope . .05

187 - Gracilis (slender). From Cape of Good Hope BRYZOPYRUM. NAT. ORD., Graminea.

A very pretty dwarf variety of the ornamental grasses; good for dried bouquets.

- 188 Bryzopyrum Siculum. Distinct and beautiful; hardy annual; from North America . . 10
- BROMUS. NAT. ORD., Graminea.

189 Bromus Bryzoporoides. A very pretty variety of ornamental grass; from south of Europe. Hardy annual

BROWALLIA. NAT. ORD., Scrophulariacea.

Very handsome profuse-blooming plants, covered with rich, strikingly beautiful flowers during the summer and autumn months; growing freely in any rich soil. Half-hardy

- 190 Browallia Cerviakowskii. Blue, with white centre; beautiful. 12 feet. 191 - Demissa. Light-blue and orange centre; from South America. 11 feet 192 — Elata Cerulea. Upright; blue; from Peru. 11/2 feet . . .
- Alba. White; from Peru. 11/2 feet - Grandiflora. Sky-blue; large-flowered. 11 feet.

24 AMATEUR CULTIVATOR'S GUIDE
24 AMATEUR COLITIATOR'S GOIDE
NO. PRICE
CACALIA (TASSEL-FLOWER). NAT. ORD., Composita.
A beautiful annual, with a profusion of scarlet tassel-shaped flowers from July to October. 195 Cacalia Coccinea. Orange, scarlet, flowering in clusters, very pretty; from South
America. 13 feet
196 — Aurea. Golden yellow variety of above
CALANDRINIA. NAT. ORD., Portulacea.
Very beautiful dwarf-growing plants, usually treated as tender annuals, though of perennial duration if protected in winter: they are a blaze of beauty wherever the sun shines upon them. They succeed well in a light, rich soil.
197 Calandrinia Lindleyana. Small red flowers, suitable for edging. Half foot
198 — Grandiflora. Fine rosy-lilac flowers from July to October, very showy, and of easy
culture. 2 feet
CACTUS. NAT. ORD., Cactacea.
An extremely curious and interesting genus, many of the varieties producing magnificent flowers of the most brilliant and striking colors; succeeds best in sandy loam, mixed with lime rubbish and a little peat or rotten dung. Greenhouse perennial.
200 Cactus, Mixed. A choice collection; from Africa
CALCEOLARIA. NAT. ORD.; Scrophulariacea.
Plants of a highly decorative character; an indispensable ornament for the drawing-room or conservatory. The shrubby variety is sometimes grown for in-door and sometimes for out-door decoration. They succeed in any light, rich soil. Half-hardy perennials.
201 Calceolaria Hybrida. Mixed. Saved from a named collection
202 — Superba Grandiflora. Extra fine, spotted and striped, large-flowered; saved from the prize flowers from the London Exhibition of the past season;
superb. 1 foot
203 — Nana. A new dwarf variety from Germany, beautifully marked, close, com-
pact habit, free-bloomer; one of the best; mixed, saved from a prize collection. Three-quarters foot
204 — Rugosa. A fine, shrubby variety for bedding
205 — Tigrini. New; spotted and striped of the above; very fine
206 — Scabious-leaved (Scabiosœfolia). Clear, sulphur-yellow flowers, in great profusion; fine. 2 feet
CALENDULA (CAPE MARIGOLD). NAT. ORD., Composita.
A very showy, free-flowering genus of plants, producing a pretty effect in beds or mixed bor- ders, and growing freely in almost any soil. Hardy annuals,
207 Calendula Hybrida. White. 1 foot.
208 — Pluvialis. White, large flowers. 1 foot
210 — Ranunculoides. Ranunculus-flowered
211 — Officinalis Superba. New variety of pot marigold, golden orange, with black eye, beautifully imbricated; fine
212 — Sulphurea. New sulphur-colored pot marigold; very double and beautiful 10
CALLA. NAT. ORD., Aruces.
A very handsome plant, either as an aquatic or for the ornamentation of the drawing-room
or conservatory. Half-hardy perennial.
213 Calla Æthiopica. White; from Cape of Good Hope. 2 feet
CALLIRHOE. NAT. ORD., Malvacea.
Too much cannot be said in praise of this beautiful summer-flowering annual; from two to three feet in height, with green sub-digitate leaves and leafy stems, terminating in large panicled racemes of rich violet or purple crimson close-petalled flowers, with white centre, each from one to one and a half inches in width, and partially cupped; commences to bloom when about six inches high, and continues to yield a succession of its numerous attractive flowers throughout the summer and autumn till hard frost, forming an elegant object for
groups, beds, or single specimens, of the easiest culture.
214 Callirhoe Involucrata. A trailing, hardy perennial, of great beauty; from Rocky Mountains; flowers are much like the Portulaca in form and color
0

-3
NO. PRICE
215 Callirhoe Pedata. Rich violet-purple, with white eye, from North America. 2 feet \$0.10
216 — Nana. Like the above, only dwarf. 2 foot
217 — Verticillata. A very pretty creeper; flowers similar to C. Pedata, but double
the size
CALLIOPSIS, or COREOPSIS. NAT. ORD., Composita.
This genus is amongst the most showy, free-flowering, and beautiful of hardy annuals. The tall varieties are very effective in mixed borders and fronts of shrubberies; and the dwarf kinds, from their close, compact habit of growth, make fine bedding plants, and are valuable for edgings; while the different varieties make very pretty ribbons. Hardy annuals,
218 Calliopsis Bicolor Tinctoria. A well-known favorite, the flowers having a dark-crim-
son, brown centre, with yellow rays. 2½ feet
2½ feet
220 — Atropurpurea. Yellow centre, surrounded by a circle of dark-purple, be-
yond which, to the extremity of the petals, it is a fine red, scarlet color. 2 feet10
221 — Cardaminifolia Hybrida. Brilliant yellow; growth, pyramidal; compact and free-
flowering plant. 11 feet
222 — Atrosanguinea. Blood-red, flower very fine. 1½ feet
223 — Coronata. Rich yellow; disk encircled with crimson spots; handsome; from Texas. 1½ feet
Texas. 1½ feet
225 — Filifolia (thread-leaved). Yellow, neat foliage
226 — Burridge's. A new and exceedingly beautiful annual; flowers rich brown,
tipped with bright orange; very showy. 2 feet
CATTICIPOA N O C
CALLICHROA. NAT. ORD., Composita.
227 Callichroa Platyglossa. Pretty light-yellow flowers in abundance; from California.
I foot
A KOO IN
A A A A A A A A A A A A A A A A A A A
THE THE THE PARTY AND THE PART
LETY'S
The second second
a broker 1
CALAMPELIS SCABRA.
August ages Agreem
CALAMPELIS. NAT. ORD., Bignoniacea.
228 Calampelis Scabra. A very pretty climbing plant from Chili, with orange-colored
flowers; very fine. 10 feet
CALLISTACHYS. NAT. ORD., Leguminosa.
A handsome greenhouse evergreen shrub, with beautiful spikes of flowers. It is easy of culture, thriving in sandy peat and loam.

229 Callistachys Lanceolata. Yellow; beautiful; from New Holland. 6 feet .

NO. CAMELLIA. NAT. ORD., Ternstromiaceæ.

PRICE

Favorite winter and spring-flowering plants of great beauty. The amateur, in sowing seed saved from the following choice sorts, has a fair chance of raising some valuable varieties; succeed in sandy peat and loam. Half-hardy shrubs.

230 Camellia Japonica, Mixed. From a choice named collection of double flowers . \$0.50

CAMPANULA. NAT. ORD., Campanulaceæ.

The Campanulas are strictly biennial plants by pot-culture, and, without exception, some of the finest of all garden plants for decoration in conservatory, greenhouse, and flower-garden. By good culture in pots, the tall varieties assume a magnificent effect, attaining five to seven feet or more in height, with lateral flower racemes from the base, four to five feet in length. The beautiful white variety forms a most striking contrast. By good arrangement, a rich and imposing effect can be formed, altogether unequalled by any other plants.

231 Campanula Loreii. Fine, with large, expanded blue blossoms, which continue to be produced in succession through the summer; will grow in almost any situation; should be well thinned, so that the plants will be eight or ten inches apart; desirable for edging, or bedding, en masse. Half foot.



CANARY-BIRD FLOWER.

CANARY-BIRD FLOWER. NAT. ORD., Tropaclacea.

The popular name of this pretty little annual alludes to the supposed resemblance of the flower to a bird with its wings expanded, the spur of calyx representing the head, and the two upper petals the wing; blooms from June to October; from Mexico.

NO. CANDYTUFT. NAT. ORD., Crucifera.	CE
All the Candytufts are of the easiest culture, thriving in almost any soil or situation, and deserve to be cultivated more extensively in every flower-garden; very good for pot-culture. Hardy annuals.	
248 Candytuft Fragrans (Iberis odorata). Flower white, pinnated foliage; from Crete.	
010 01 (1 1) 711. 11 0.	.05
	.05
D. L. C.	.05
252 — Rose (rosea). Rose-colored. 1 foot	.05
	.05
254 — Perennial (sempervirens). White. 1 foot	.05
CANTERBURY BELLS. NAT. ORD., Campanulacea.	
The Canterbury Bells have long been known among our most ornamental garden plants. Their large bell-shaped flowers, which are freely produced throughout the summer, render them strikingly effective. As they are strictly biennials, it will be necessary to sow the seed every year. Hardy biennials.	
	.05
200	.05
0.00	.05
0.1 1 11111 73 6	.05
non Di Di C	.05
	.05
262 — — Mixed. Above single varieties	.05
CANNABIS. NAT. ORD., Articacea.	
263 Cannabis Gigantea (Giant Hemp). A very ornamental plant for shrubbery-borders.	
Hardy annual; from India. 10 feet	05
CASSIA. NAT. ORD., Leguminosæ.	
A genus of highly ornamental and exceedingly useful free-flowering shrubs, for conserva- tory or greenhouse decoration; growing freely out of doors during the summer months; suc-	
ceeding best in a mixture of loam and peat. Greenhouse shrubs. 264 Cassia falcata superba. Yellow; from Buenos Ayres. 3 feet	.25
265 — Grandiflora. Yellow, flowering profusely during autumn and winter; from China.	23
	.25
	.25
267 — Marylandica. Yellow; from North America. 4 feet	.25
CANNA (INDIAN SHOT). NAT. ORD., Marantacea.	
These stately species of plants are highly ornamental in flower-gardens, producing a rich and Oriental effect by their large, broad, massive foliage, and rich crimson and scarlet flowers. Though perennial, if sown early, they will make luxuriant growth, and bloom the first season. In late autumn, they should be carefully potted, and allowed to mature their bloom in the greenhouse or parlor, and afterwards preserved in a cool, dry cellar. In spring, again start them into growth, and replant them in the open air last of May or first of June. Before sowing, soak the seed in water at 125° for about twelve hours.	
268 Canna Acharis. Dark-red; from Mendoza 5 feet	10
269 — Angustifolia Nana Pallida. Light-red; a dwarf variety; from South America.	
	20
	10
	25
	10
	05
OHO FILE DI C C D C	10
0	10
278 — Indica. Red; from Indica. 2 feet	25 05

NO.



CANNA

280 Canna Leptophylla. Ruby; handsome foliage; from Laguna. 4 feet . . .

281	_	Muelleri. Scarlet; flowers large and fine. 3 feet
282		Mutabilis. Changeable; from Brazil. 5 feet
283		Musæfolia Hybrida. Red foliage, resembling a small banana. 2 feet25
284		Napalensis. Clear yellow; large flowers; very pretty; from Nepaul. 3 feet25
285		Sanguinea Chatei. Deep red, dark foliage, and stems very large. 6 feet
286		Sellowii. Scarlet; from Africa. 5 feet
287		Warczewiczii. Brilliant red, with variegated foliage; one of the best for masses;
		from Central America. 3 feet
288		Zebrina. Beautiful, zebra-striped foliage. 3 feet
289		Finest Mixed
		CARNATION (DIANTHUS). NAT. ORD., Caryophyllacea.
	A ma	agnificent class of popular favorites, most of them deliciously fragrant, and with colors
	extrem	ely rich and beautiful. The seed we offer may be relied upon as being the finest,
, '	n Eur	ing been selected expressly for us from some of the best collections of prize varieties ope, producing mostly all double flowers. Hardy perennial.
		ation Pink. Good; mixed; for border-culture
		- Fine German. A good selection from a named collection

Sardinian. From choice double varieties . . .

The state of the s	
NO.	PRICE
293 Carnation Pink. Choice Bizarres and Flakes. Saved, from stage flow	ers;
extra	\$0.50
294 — Perpetual, or Tree. Fine German; from selected flower. 12 feet.	• • 50
295 — Extra Fine. Saved from prize-flowers; splendid	50
CATANANCHE. NAT. ORD., Compositæ.	
Exceedingly showy, free-flowering, hardy perennials, succeeding in any garden soil.	
296 Catananche Bicolor. White; violet centre; from south of Europe. 2 feet.	05
297 — Cærulea. Blue, with purple centre; from south of Europe. 2 feet	05
298 — Lutea. Yellow; hardy annuals. I foot	05
CATCHFLY (SILENE). NAT. ORD., Caryophyllacea.	
A showy, free-flowering plant, for beds, borders, or ribbons; succeeds in any garden Hardy annual.	soil.
299 Catchfly Lobels. Red; from England. 12 feet	05
300 — Alba. White; from England. 11/2 feet	05
301 — Flesh. New; flesh-color; from England. 12 feet	05



CELOSIA. NAT. ORD., Amarantacea.

Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-looking flowers (see engraving, which represents a

NO. PRICE
side-shoot of Aurea Pyramidalis). Celosia Argentea, however, produces its flowers in spikes, like a Gomphrena (Globe Amaranthus), but much longer; and, if gathered when young, they are valuable for winter bouquets. Plants of the Celosia flower freely if planted out in June in a warm, sheltered situation. Grown in pots, they are the most elegant of greenhouse and conservatory plants, where, with a little management, they may be had in flower the whole winter, growing freely in rich loamy soil. Half-hardy annuals.
greenhouse and conservatory plants, where, with a little management, they may be had in
flower the whole winter, growing freely in rich loamy soil. Half-hardy annuals.
302 Celosia Argentea. Silvery white, shaded with bright rose; very handsome. 3 feet \$0.10
303 — Aurea Pyramidalis. Magnificent golden-feathered plant; can be most strongly
recommended. 3 feet
ing, differing only in color. 3 feet
CENTRANTHUS. NAT. ORD., Valerianacea.
Very pretty, free-flowering, compact-growing plants; very effective in beds, ribbons, or as an edging; grows freely in any garden soil. Hardy annuals.
305 Centranthus Long-tubed (Macrosiphon). Rose-color, very pretty. 1 foot
306 — Alba. White variety of the above. I foot
307 — Nanus. A dwarf variety, pink flower. Half foot
308 — Carneus. Flesh-color. 1 foot
CENTAUREA. NAT. ORD., Composita.
Very showy, free-flowering border-plants, succeeding in any common garden soil. Hardy annuals.
309 Centaurea, American. A large-growing species; flower pink
310 — Depressa. Bright-blue, with deep-red centre; from Caucasus. 1 foot
311 — Rosea. Rose; pink centre. 1 foot
312 — Cyanus (Bachelor's Button). Well-known, showy plants, in great variety of colors; of easiest culture
313 — Macrocephala. Orange-yellow flowers; hardy perennial. 3 feet
314 — Montana. Blue; hardy perennial. 1½ feet
CENIA. NAT. ORD., Composita.
315 Cenia Turbinata. Dwarf annual, with yellow, daisy-like flowers
CERASTIUM. NAT. ORD., Caryophyllacee.
316 Cerastium Tomentosum. Flower white, with silvery leaves; dwarf. Hardy peren-
nial. Half foot
317 Cerinthe Gymnandra. Yellow and brown tubulous flower. Hardy annual. 1 foot . 10
318 — Luteei. Yellow flower; tubes quite curious. Hardy annual
CENTAURIDUM. NAT. ORD., Compositæ.
3 19 Centauridum Drummond's. Very pretty free-growing plant; from Texas. 2 feet 10
CESTRUM. NAT. ORD., Solanaceæ.
A genus of handsome plants for conservatory or greenhouse decoration; covered during the months of November and December with a profusion of beautiful tube-shaped blossoms; grows freely in rich loam and peat. Greenhouse shrub.
320 Cestrum Auranticum. Bright-orange; very pretty; from Guatemala. 3 feet
321 — Parquii. Pale-yellow; from Chili. 3 feet
CHÆNOSTOMA. NAT. ORD., Scrophulariaceæ.
Neat, compact little plants; pretty for edgings, rustic or rock-work. Half-hardy annuals.
322 Chænostoma Fastigiatum. Rose-color; from Cape Good Hope. Three-quarters
foot
323 — Polyanthum. Lilac; from Cape of Good Hope. Half foot
CHÆNESTES. NAT. ORD., Solanacea.
CHENESTES. NAT. ORD., Solanacee. A beautiful greenhouse shrub, with handsome foliage and very showy tube-shaped flow-
CHÆNESTES. NAT. ORD., Solanacea. A beautiful greenhouse shrub, with handsome foliage and very showy tube-shaped flowers. It does well planted out against a wall in summer. 324 Chænestes Lanceolata. Bright-scarlet; from Quindiu. 5 feet

NO. PRICE CHAMZEROPS. NAT. ORD., Palmacea.
325 Chamærops Humilis (Fan Palm). A very ornamental palm, from six to ten feet high,
and highly effective either for decorating the conservatory in winter, or the lawn in summer. It is so hardy it may be easily wintered in the cellar . \$0.10
CHENOPODIUM. NAT. ORD., Chenopodiacea.
326 Chenopodium Atriplicis. Flowers small, clustered, covered, as well as the young leaves and shoots, with a glittering, purple meal, which renders the plant very
ornamental. Hardy annual. 3 feet
CHELONE. NAT. ORD., Scrophulariacea.
An elegant summer-flowering, hardy herbaceous plant, adapted for a bed, group, or mass, with erect, slender, attenuated flower-stems rising two or three feet in height, having racemes of a bright-scarlet, Pentstemon-like flower-tubes, from one to two inches in length, forming a beautiful and effective object in borders, pleasure-grounds, &c. Hardy perennial.
327 Chelone Barbata. Scarlet; from Mexico. 3 feet
CHLORA. NAT. ORD., Gentianæ.
A novelty of considerable promise, with glossy, oblong, handsome foliage, and a profusion
of bright-yellow flowers. Half-hardy annual.
329 Chlora Grandiflora. A new annual, highly recommended. 14 feet
CHLORIS. NAT. ORD., Graminea.
A fine species: singularly elegant perennial grass, nine to twelve inches in height, with
flower-scapes or stems, having slender flower-spikes or rachis radiating horizontally from the extremities of each scape like the concentric spokes of a wheel. Half-hardy annual.
330 Chloris Radiata. From East India. 1 foot
CHRYSURUS. NAT. ORD., Graminea.
Very pretty ornamental grass, suitable for dried bouquets. Hardy annual.
221 Change August From Laught Half foot
,
CHINESE PRIMROSE (PRIMULA). NAT. ORD., Primulaceæ.
A charming, profuse-flowering plant, indispensable for winter and spring decoration, and a universal favorite. Our seeds are selected with great care from one of the finest collections in Europe. Greenhouse perennial.
332 Chinese Primrose, Purple. Half foot
333 — White. Half foot
334 — Fringed. Purple; saved from only finest-fringed flowers
335 — — White. Same as above
337 — Fringe-striped. White, striped with red
338 — Kermesina Splendens. New and rare, flowers very large, bright velvet-
like and crimson, with yellow eye. Half foot
339 — Grandiflora. This is one of the finest; flowers large, various colors, beau-
tifully fringed; saved from prize flowers. Half foot
ored flowers. Three-quarters foot
341 — Macrophyilla. Remarkable new variety, with long, massive foliage, and
beautiful large flowers, of great substance, beautiful form, and finely fringed, of a
rich purplish-carmine, with pentagonal, large yellow eye, surrounded by a brown
zone; very conspicuous and splendid acquisition; comes true from seed
342½ — Extra, Mixed. All the best varieties mixed
CHOROZEMA. NAT. ORD., Leguminoseæ.
A splendid profuse-flowering genus of shrubs, whose rich-colored blossoms and graceful habits render them remarkably effective objects for conservatory or greenhouse decoration; succeed best in sandy peat and loam. Greenhouse shrubs.
343 Chorozema, Mixed. Including several fine varieties



CHRYSANTHEMUM POMPONE.

CHRYSANTHEMUM. NAT. ORD., Composita.

The following are the tall, double-flowered annual Chrysanthemums, which, when well grown, are amongst the most showy and effective of summer-flowering border-plants. They are also very effective in large pots for placing about terraces. The dwarf kinds make showy bedding-plants.

345	Unry	santhemum, Double-white. Extra line hardy annual; from Sicily. 2 leet. \$0.05
'346	-	— Quilled. Extra fine
347	_	- Yellow; extra fine hardy annual; from Sicily. 2 feet
348		Tricolor. Yellow and white; very showy; from Barbary. 1 foot
349	-	Burridgeanum. Crimson, with white centre; extra fine hardy annual; from Bar-
e		bary. I foot
350		Venustum. White, with crimson centre; fine hardy annual; from Barbary .10
351		Mixed. The above varieties mixed
		9

The Chrysanthemum Indicum and Indicum Nanum are well-known varieties, so extensively grown for late fall flowers. No garden should be without them. The seed we offer has been saved from the very finest new varieties, and will give a good proportion of double flowers.

353 — Nanum, Double-mixed (Dwarf Pompone). Half-hardy perennial; from China r foot

CIMICIFUGA. NAT. ORD., Ranunculacea.

CINERARIA. NAT. ORD., Composita.

A well-known favorite free-flowering plant, which may be had in splendid bloom through the greater portion of the year, and, from the richness and diversity of its colors, is one of the most valuable of our early spring flowers. Succeeds best in a light, rich, free, and open soil. Half-hardy perennial.



CINERARIA.

CIRSIUM. NAT. ORD., Compositæ. 359 Cirsium Pulcherrimum. Yellow, fine border; perennial. 3 feet
CLEMATIS. NAT. ORD., Ranunculaceæ. A handsome class of climbers, very desirable for growing against a wall or trellis. Seeds of this tribe require some time to germinate. Hardy perennials. 360 Clematis Flammula. White; very fragrant. 25 feet
A handsome class of climbers, very desirable for growing against a wall or trellis. Seeds of this tribe require some time to germinate. Hardy perennials. 360 Clematis Flammula. White; very fragrant. 25 feet
of this tribe require some time to germinate. Hardy perennials. 360 Clematis Flammula. White; very fragrant. 25 feet
361 — Paniculata, White. 10 feet
362 — Cirrhosa. A new variety, perfectly hardy; a very rapid climber, literally cover-
ing itself with large bunches of white sweet-scented flowers. 25 feet
363 — Crispa. Light-blue, well-shaped flowers
364 — Virginica (Traveller's Joy). White
CLITORIA. NAT. ORD., Leguminosa.
Splendid free-flowering greenhouse climbers, with large, elegant pea-shaped flowers, of great beauty, particularly adapted and very effective for training on trellis-work, wire globes, or any of the numerous contrivances on which plants of this character may be grown for greenhouse or conservatory decoration. Though perennials, they bloom the first year.
365 Clitoria Coelestis. Sky-blue; from East Indies
366 — Gesnatia. Pale-blue, shaded with white; from East Indies
367 — Atro-cœrulea (new). Dark-blue; from East Indies
368 — Ternatea. Blue and white; from East Indies
369 — Alba. White; from East Indies
370 — Grandiflora. New large-flowered white :
371 — Atro-corules. Dark-blue; from East Indies

NO. PRICE
CLARKIA. NAT. ORD., Onagracea.
A beautiful tribe of favorite plants, with pretty, cheerful-looking flowers, growing freely and blooming profusely under almost any circumstances; and when planted in a rich soil, and properly attended to, they rank amongst the most effective of bedding-plants. Some of the new varieties are very good for pots, as well as the garden. Hardy annuals.
372 Clarkia Elegans. Rosy-purple. 1½ feet
373 — Rosea. A light rose-color. 1½ feet
375 — Pulchella Grandiflora. Deep-rose. 1½ feet
376 — Alba. Pure white; fine
377 — Flore Pleno. Rich magenta flower; double; a very important addition
to the many pretty varieties of the genus. 12 feet
378 — Marginata. Rosy-crimson, edged with pure white. 1½ feet
379 — Integripetala (whole-petaled). Rosy-crimson flowers; large and very hand-
some. 1½ feet
380 — Pulcherrima. Rose-violet; very beautiful color. 1½ feet
Three-quarters foot
382 — Mixed. Good; mixed
CLARY (SALVIA). NAT. ORD., Labiata.
· · · · · · · · · · · · · · · · · · ·
383 Clary, Mixed. Purple and red topped ornamental foliage; fine for mixed borders. Hardy annuals
CLEOME. NAT. ORD., Capparidaceæ.
384 Cleome Grandiflora Rosea. Purplish-rose flowers, in large spikes; very free-flower-
ing. 3 feet
CLIANTHUS. NAT. ORD., Leguminosæ.
A genus of magnificent free-flowering greenhouse shrubs, with elegant foliage and brilliantly colored, singularly shaped flowers, which are produced in clusters, and have a splendid effect. Clianthus Magnificus and Clianthus Puniceus blossom freely out of doors in summer, against a trellis or south wall; Clianthus Dampierii succeeds best planted in the border of a greenhouse, and is one of the most magnificent plants of recent introduction; seeds sown in spring flower the first year; succeeds best in sandy peat or loam. Greenhouse shrubs.
384 Clianthus Dampierii. Brilliant scarlet, with intense black spot in the centre of the
flower. One of the most magnificent flowers in cultivation. Very rare 50
385 — Magnificus (Glory-Pea). A beautiful scarlet-flowering shrub, with elegant foliage; from New Zealand. 4 feet
CLINTONIA. NAT. ORD., Labeliaceæ.
A pretty little plant, of neat, compact growth, with flowers resembling the Lobelia, and exceedingly beautiful; produces a fine effect in rustic baskets, rock-work, vases, boxes, or as an edging; succeeds best in light, rich soil. Half-hardy annual.
386 Clintonia Elegans. Light-blue; from Columbia. Half foot
337 — Pulchella. Blue, yellow, and white; dwarf; and very pretty; from Columbia. Half foot
333 — Atropurpurea Grandiflora. Violet-purple; centre yellow, margined with white;
from Columbia. Quarter foot
339 — Azurea Grandiflora. Azure, blue, yellow, and white centre. Half foot
COBÆA. NAT. ORD., Polem miaceæ.
390 Cobæa Scandens. A rapid-growing climbing plant, with large purple bell-shaped flow-
ers, finely adapted for bedding out in summer; seeds should be sown early to
secure well-established plants by the time the season arrives for planting out.
Tender perennial. 20 feet
COCKSCOMB. NAT. ORD., Amarantaceæ.
Highly ornamental, curious-looking flowers, for decoration of the flower-house, drawing- room, and garden; all the varieties are remarkably attractive, producing a fine effect when grown in pots and mixed with other plants, either on the stage of a greenhouse, or planted in some warm situation out of doors. The following sorts have been saved from combs-re- markable for their size and symmetry. Half-hardy annuals.
, and the same symmetry, transmitty and and

NO. PRICE
391 Cockscombs, Mixed Varieties
392 — Dwarf Crimson. Brilliant and large; saved from a prize collection. Three-
quarters foot
393 — Yellow. Same as above, except color
394 — New Giant. Very large, brilliant-red rose; beautiful rose-dwarf. Three-quarters
foot
395 — Spicata Rosea. Silvery-white and rose. 1½ feet
COLLINSIA. NAT. ORD., Scrophulariacea.
California annuals of great beauty, remarkably attractive in beds, mixed borders, or ribbons. Hardy annuals.
396 Collinsia Bicolor. Purple and white; beautiful; from Canada. 1 foot
397 — Alba. White; a charming variety. 1 foot
398 — Atrorubens. Red, purple, and white; pretty; from California. 1 foot
399 — Grandiflora. Blue, white, and lilac; beautiful; from Columbia
400 — Multicolor. Crimson, lilac, and white. 1 foot
401 — Marmorata. White and rose, marbled. 1 foot
COLLOMIA. NAT. ORD., Polemoniacea.
402 Collomia Scarlet. Flowers in clusters; from Chili. 11 feet
403 — Grandiflora. Saffron color; from North America. 1½ feet
To an and more color, non recent reneral replaces a second
COMMELINA. NAT. ORD., Commelinacea.
Very pretty free-flowering tuberous-rooted plants, with rich blue flowers, succeeding in
any rich soil. Half-hardy perennial, but flowering the first year.
404 Commelina Cœlestis. Sky-blue; Mexico. 1½ feet
405 — Alba. White; extremely beautiful; from Mexico. 1½ feet
400 — Variegata. Blue and white, striped
CONOCLINIUM. NAT. ORD., Compositæ.
A greenhouse evergreen shrub, with beautiful, large clusters of Ageratum-like flowers; succeeds in a light, rich soil. Greenhouse shrubs.
407 Conoclinium lanthinum. Pale-blue; very handsome; from Brazil. 2 feet
CONVOLVULUS. NAT. ORD., Convolvulacea.
A beautiful, free-flowering, and remarkably showy class of plants, with exceedingly hand- some, rich-colored flowers, producing in beds and mixed borders an unusually brilliant effect, either in distinct colors, ribboned or mixed beds. Half-hardy annuals.
408 Convolvulus Minor Tricolor. Rich violet-purple, with white centre; trailer
409 — Splendens. Rich violet; white centre
410 — Striped. Blue; beautifully striped with white; trailer
411 — Alba. White; beautiful trailer
412 — Good Mixed
413 — Flora Pleno. A new double variety; from France
414 — Monstrosus. Deep violet-purple; extremely large and handsome trailer
415 — Subcœruleus. Dove-color; trailer; very pretty; from Levant
416 — Cantabricus Stellatus. Flower of a beautiful pink, with pure white double star in the centre, and are produced in the greatest profusion. It forms a splendid
bedding-plant, and is exceedingly elegant in hanging-baskets
417 — Mauritanicus. A beautiful creeper, with silvery foliage and lovely blue flowers;
fine for hanging-baskets and rock-work
418 — Mixed. Good assortment of colors
419 — Extra Mixed. All the finest varieties
CONVOLVULUS (MAJOR). NAT. ORD., Convolvulacea.
(See Morning Glory.)


COLUMBINE. NAT. ORD., Ranunculacea.

Columbine in varieties. (See Aquilegia.)

36 AMATEUR CULTIVATOR'S GUIDE
NO. COSMANTHUS. NAT. ORD., Hydrophyllacea.
A neat little plant, with prettily fringed flowers of a somewhat spreading habit.
420 Cosmanthus Fimbriatus. Lilac and white. Hardy annual; from North America.
1 foot
COSMIDIUM. NAT. ORD., Composita. 421 Cosmidium Burridgeanum. An elegant annual; grows about two feet high, with
421 Cosmidium Burridgeanum. An elegant annual; grows about two feet high, with beautiful Coreopsis-like flowers, with remarkable rich crimson, brown centre,
and golden-orange, yellow border. Admirably adapted for brilliant-colored
groups or marginal lines
COSMEA. NAT. ORD., Composita.
422 Cosmea Grandiflora. A hardy annual, with large lilac flowers of Dahlia form. 2 feet .05
423 — Atropurpurea. Purplish-crimson. 2 feet
COIX. NAT. ORD., Graminacea.
424 Coix Lachryma (Job's Tears). A very curious ornamental grass, having seeds which
have the appearance of large tears; from East Indies
COWSLIP. NAT. ORD., Primulacea.
Favorite, early, free-flowering plants, which should be extensively grown for filling the
beds and borders of spring flower-gardens. Hardy perennial. 425 Cowslip, New Giant. Mixed; very large. Three-quarters foot
426 - Fine mixed. From Britain. Three-quarters foot
CUCUMIS (ORNAMENTAL CUCUMBER). NAT. ORD., Cucurbitacea.
which, if the soil be rich, is truly marvellous. Treat the same as the cucumber, and train
A most interesting tribe of plants, remarkable for luxuriance and rapidity of growth, which, if the soil be rich, is truly marvellous. Treat the same as the cucumber, and train against a wall or trellis, or in any way that may be desired. Cucumis Flexuosus, commonly known as the Snake Cucumber, is most singularly interesting in its fruit. Half-hardy
annuals.
427 Cucumis Acutangulus. Curious forms
429 — Dipsacus. Pale-yellow; Teasle-like; fine
430 — Flexuosus (Snake Cucumber). Very peculiar, growing three feet long
431 — Melochito. Variegated; brown and yellow
433 — Mixed. The above mixed
CUCURBITA (ORNAMENTAL GOURDS). NAT. ORD., Cucurbitacea.
The tribe of Cucurbita or Gourds are well known as producing some of the most curiously
shaped of all fruits, and being, like the Cucumis, of extremely rapid growth, are very desirable for covering trellis-work of arbors, &c., the varied and fantastic forms of the fruit add-
ing a peculiar charm to the luxuriance of the foliage.
434 Cucurbita Digitata. A rapid grower, with fine-cut foliage marbled with white. The fruits are a beautiful dark-green striped with white. A splendid variety
435 — Leucantha Longissima. A curious variety, from four to six feet long
436 — Melopepo Variegata. A small variety; green and yellow
437 — Maxima. Green and yellow
438 — Powder-horn. Powder-horn-shaped
(For other varieties, see Gourds.)
CUPHEA. NAT. ORD., Lythracea.
A highly ornamental and exceedingly beautiful genus of profuse-blooming plants, equally
valuable for the ornamentation of the flower-house, drawing-room, and flower-garden. If sown early, they can be used for bedding-plants the first year.
440 Cuphea Galcottiana. A new species, with flowers nearly black; remarkable
441 — Platycentra. Well-known variety; flowers scarlet, black, and white; fine for pot-
culture
442 — Strygulosa (coarse-haired). Scarlet and yellow
444 — Zimapani. A new variety, with large violet-red flowers

. .

NO. PRICE
CYCLANTHERA. NAT. ORD., Cucurbitacea.
Curious bird-shaped gourds, of a very ornamental character; rapid climbers; thrives in any rich soil in a warm situation. Very desirable for covering arbors, trellis-work, &c. Half-hardy annuals.
445 Cyclanthera Explodens. An elegant new climber, as hardy and as fast a grower as the
Cyclanthera Pedata, with handsome foliage, and pretty oval-shaped fruits, explod-
ing with a loud noise when ripe, and thus distributing their seeds \$0.25
446 — Pedata. Graceful slender-habited climbing-plants, with pendant branches of elegant balloon-like seed-pods; a novel plant, of easy culture. 15 feet
CYCLAMEN. NAT. ORD., Primulaceæ.
Few plants present a more gay appearance in the early spring months than the Cyclamen. From November to May, they enliven the greenhouse with their singularly shaped and various-colored flowers, often in such masses as to eclipse many more stately and conspicuous objects; yet, with such decorative qualities, they are but sparingly cultivated. Half-hardy perennial.
447 Cyclamen Africanum (Macrophyllum). White and rose; fine foliage; from Africa.
Three-quarters foot
448 — Hederæfolium. Exceedingly pretty; from Britain. Half foot
TT 10 C
450 — Vernum. A splendid variety
451 — Mixed
CYTISUS. NAT. ORD., Leguminoseæ.
An extremely useful free-flowering, ornamental tribe of shrubs, equally valuable for the decoration of the conservatory, drawing-room, and flower-garden; succeeding in any ordinary soil. Greenhouse shrubs.
452 Cytisus Attleyanus. A splendid shrub
453 — Ramosissimus Superbus. Beautiful yellow; from Spain . °
CYPRESS VINE (IPOMEA QUAMOCLIT). NAT. ORD., Convolvulaceæ.
454 Cypress Vine, Scarlet. A tender, climbing annual, with graceful foliage and scar-
let flowers; seed should not be planted in open ground before the last of
May or first of June. 15 feet
455 — White. Variety of the preceding
456 — Resea. Rose-color
2000



LILIPUTIAN OR BOUQUET DAHLIA. (See next page.)




DATURA WRIGHTII (one-fifth natural size).

DATURA. NAT. ORD., Solanacea.

A tribe of highly ornamental plants, producing large, sweet-scented, trumpet-shaped flowers of the most attractive character, and succeeding in most any rich soil. The roots may be preserved in and through the winter in a dry cellar. Half-hardy perennials.

NO. PR	ICE
462 Datura, Wright's, or Meteloides (Datura Wrightii). A beautiful plant, producing	
flowers which are of extraordinary size, pure white at the centre, and passing im-	
perceptibly to a lilac-blue at the border. The roots can be taken up in the au-	
tumn, and preserved through the winter, in the same manner as the Dahlia. 2 to	
	0.10
463 — Carthageniensis. A new variety; comes highly recommended, and described	
as having very large flowers; white. 3 feet	.IO
464 — Humilis Flore Pleno. Double-yellow	.25
465 — Chlorantha. A magnificent new variety, producing a profusion of deep	
golden-yellow flowers, very large, double, and sweet-scented; in bloom a long	
time. 2 feet	.25
466 — Fastuosa Alba. Double-white. 2 feet	.10
467 — Violacea. Violet-double. 2 feet	.10
•	
DELPHINIUM. NAT. ORD., Ranunculacea.	
A highly ornamental genus of splendid profuse-flowering plants, of an unusually high	
A highly ornamental genus of splendid profuse-flowering plants, of an unusually high decorative character. When planted in large beds or groups, their gorgeous spikes of flow-	
ers, of almost endless shades, from pearl-white to the very richest and deepest blue, render	
them the most conspicuous and striking objects in the flower-garden or pleasure-ground. They delight in a deep, highly enriched soil. With the exception of Delphinium Cardio	-
petalum, they are all hardy perennials.	
468 Delphinium, Chinese. Finest mixed; one of the most desirable of the tribe. 2½ ft	.05
469 — Cardiopetalum. Deep-blue; heart-shaped. Hardy annual; from Pyrenees.	.03
	.05
470 — Coelestimum Grandiflorum. Celestial blue; long spikes; very handsome. 3 feet	.25
471 — Elatum (Bee Larkspur). Blue. 3 feet	.05
472 — Formosum. New flowers; large color; exquisite blue, with white; will flower	
the first season from seeds; finest of the tribe. 2 feet	.IO
473 — Grandiflorum. Dark-blue; fine	.10
474 — Hybridum. Fine mixed. 3 feet	.IO
475 — Intermedia. Blue; a fine variety. 3 feet	.05
476 — Iveryanum. Deep-blue; extra. 3 feet	.10
477 Perfecta Plena. Light-blue	.10
478 — Punicea. Reddish-purple. 3 feet	.25
479 — Wheelerii. Fine-blue. 3 feet	,10
480 — Hendersonii. Splendid, large blue flowers; extra fine. 21/2 feet	.10
481 — Atroviolaceum. Dark-violet.	.10
The state of the s	
DIGITALIS (FOXGLOVE). NAT. ORD., Scrophulariacea.	
The Digitalis are too well known to need description. They are all useful and ornamental	
for general nower-garden purposes, and may be introduced into the suruborry with the	
for general flower-garden purposes, and may be introduced into the shrubbery with fine effect, as their tall, spire-like spikes, crowned with their large thimble or bell-shaped flowers, will contrast finely with the green foliage of the shrubs. They are all hardy biennials,	
from three to four feet high.	
482 Digitalis, Good Mixed. A fine assortment of colors	.05
483 — Extra Mixed. All the newest kinds. 3 feet	.10
484 — Grandiflora. Large-flowered; yellow. 3 feet	.10
485 — Purpurea. Common purple variety. 3 feet	.05
486 — Alba. Pure white. 3 feet	.05
487 — Ferruginea. Brown. 2 feet	.10
488 — Aurea, Golden, 3 feet	.05
489 — Lutea. Yellow. 3 feet	.05
490 — Gloxinioides. New and beautiful gloxinia-shaped flowers; extra spotted. 3 feet	.10
491 — Cantua. White, tipped with black	.10
492 — Hybrida. Pink; new and fine	.10
DIDYMOCARDIG (N Onn. Control	
DIDYMOCARPUS, NAT. ORD., Cyriandacea.	
Exceedingly pretty greenhouse plant, flowering in bunches; succeeding best in light peaty soil.	
493 Didymocarpus Humboldtianus. Blue; very pretty	.50
Too Didyinooai puo fiumbolictianus. Dide, very pietry	.50

PRICE



DIDISCUS CÆRULEA.

DIDISCUS. NAT. ORD., Umbellifera.


DIANTHUS. NAT. ORD., Caryophyllacea.

A magnificent genus, which embraces some of the most popular flowers in cultivation. The Carnation, Picotee, Pink, and Sweet William, all "household words," belong to this genus. The Chinese varieties may be considered the most beautiful and effective of our hardy annuals; the double and single varieties, with their rich and varied colors, in beds or masses, are remarkably attractive; while the recently introduced species, Dianthus Heddewigii and Dianthus Laciniatus, with their large and rich-colored flowers, three to four inches in diameter, close, compact habit, and profusion of bloom, are unsurpassed for effectiveness in beds and mixed borders.

495	Dianthus Caryophyllus. (See Carnation Pink)	5
496	- Barbatus. (See Sweet William)	5
497	- Atrorubens. Dark-red; handsome; hardy biennial; flowers first year from seed.	
	r foot	0
498	- Chinensis (Indian Pink). Mixed biennials of great beauty; blooms the first year	
	from seed; perfectly hardy, and flowers strong the second year. The colors are	
	exceedingly rich; crimson and darker shades of that color, approaching to black,	
۰	are often combined in the same flower, with edgings of white, pink, and other	
	colors; about one foot high, and of the easiest culture	5
499	- Fine Double, Mixed. Same as above; selected from finest double flowers	0
500	— Alba. Double-white; very fine	0
501	- Marginata. White and rose-striped	0
502	- Albus Pictus. White-marbled, with rose; beautifully fringed. Hardy	
	annual	0
503	- Heddewig's. A most beautiful new variety. The whole plant is scarcely	
	one foot high, and very bushy; whilst always thirty or forty flowers are at once	
	in blossom. The flowers are very large, from two to three inches in diameter, of	
	a most beautiful shape, and of a variety and brilliancy of solors quite unsurpassed	
	in pinks, from white mottled with rose, and purplish-red with dark centre, to vel-	
	vety carmine-crimson, dark blood-red, and mottled and shaded with maroon and	
	velvety-black. Hardy annual	0
504	, , , , , , , , , , , , , , , , , , , ,	
	having beautiful double flowers, instead of the single. Hardy annual	25

NO. PRICE
505 Dianthus Chinensis Laciniatus. A beautiful variety. The colors are pure white, flesh,
rose, various shades of red, carmine, violet, purple, and rich maroon, some being
selfs, others striped and spotted; all very delicately cut or fringed. Hardy ann. \$0.10 Laciniatus, fl. pl. A double variety of the preceding; very fine
506 — Laciniatus, fl. pl. A double variety of the preceding; very fine
508 — Alba. White, hardy perennial; from Britain
509 — Rubra. Pink; very fine; hardy perennial
510 — Hispanicus. Finest mixed; from Spain. Hardy annual
511 - Hybridus Corymbosus. A beautiful new hybrid; large double flower
512 — Moschatus (double garden-pink). Finest double-mixed; hardy perennial
513 — Plumarius (Pheasant-eye Pink). White or pink, with dark eye. The flowers are
deeply fringed or feathered; very fragrant. Hardy perennial
514 — Veitchii (Veitchs Hybrid). Beautiful cluster of flowers; pure white, with crimson centre. Hardy perennial
centre. Hardy perennial
crimson flowers, 1 foot
516 — Garnierianus (Garnier's Pink). A beautiful upright-growing variety, flowering
freely through the summer; mixed colors. 12 feet
517 — Guttatus. Red and white; very dwarf; fine for edgings
518 — Incarnatus. Rich crimson-scarlet
DODECATHEON (AMERICAN COWSLIP). NAT. ORD., Primulacea.
519 Dodecatheon Media. A pretty little border-plant, with flowers similar to the Cyclamen.
Mixed; red and white. 1 foot
DOLICHOS (HYACINTH BEAN). NAT. ORD., Leguminosa.
Beautiful climbing-plants; flowers in clusters; treatment much the same as the common bean. Tender annuals.
520 Dolichos Lablab. Purple; from East Indies
521 — Alba. White; from East Indies
522 — Mixed. The above varieties mixed
523 — Giganteus. A hardy ornamental climber; from East Indies
DICTAMNUS (FRAXINELLA). NAT. ORD., Rutacea.
A very fine hardy perennial. The leaves have a very pleasant smell, like lemon-peel,
when rubbed. The seeds often remain in the ground several months before vegetating.
524 Dictamnus Alba. White; from south of Europe. 2 feet
525 — Rubra. Crimson; from south of Europe. 2 feet
FCCREMOCARPUS. NAT. ORD., Bignoniacea.
(See Calampelis Scabra.)
EGG-PLANT. NAT. ORD., Solanacea.
(See Aubergine.)
ERYSIMUM. NAT. ORD., Crucifera.
Very showy, free-flowering, handsome hardy annuals; very effective in beds, mixed bor-
ders, or ribbons; succeed in any light, rich soil. Hardy annuals.
526 Erysimum Arkansanum. Sulphur-yellow; very handsome; from North America.
1½ feet
527 — Barbarianum Variegatum. Yellow foliage; prettily variegated. 1½ feet
EUCALYPTUS (GUM-TREE). NAT. ORD., Myrtaceæ.
A tall and handsome fast-growing greenhouse shrub, suitable for conservatory decoration;
thrives in peat and sandy loam. 529 Eucalyptus Floribunda. White: from Holland, 10 feet
EPACRIS. NAT. ORD., Epacridacea.
A well-known genus of extremely beautiful and interesting plants, flowering most pro- fusely during the winter. Greenhouse shrub.
530 Epacris, Fine Mixed. Saved from a splendid collection
6 0

564 Eucnide Bartonoides. Primrose; from Mexico





NO EUPATORIUM. NAT. ORD., Compositæ.	RICE
A pretty class of herbaceous plants, with bunches of showy flowers. Hardy perennials.	
565 Eupatorium Argeratoides. White; fine for border	0.10
566 — Fraserii. White; from Carolina. 13 feet	.10
567 — Corymbosum. Blue; from Europe. 1 foot	.10
568 — Aromatica. White; large heads. 2 feet	.10
569 — Superbum. White; new species; fine. 2 feet	.10
ETERNAL FLOWERS. NAT. ORD., Composita.	
(See Helichrysum and Xeranthemum.)	
EUPHORBIA. NAT. ORD., Euphorbiacea.	*
571 Euphorbia Variegata. A very pretty variegated foliaged plant. Tender annual	
	.05
FENZLIA. NAT. ORD., Polemoniaceæ.	
A splendid, profuse-blooming, neat little plant of dwarf growth, very effective in small beds, vases, or rustic baskets or boxes for conservatory or window decoration; remains in flower the whole summer; thrives best in a light, rich soil, and requires to be well supplied with moisture.	
572 Fenzlia Dianthiflora. Rosy-lilac, crimson centre, with yellow anthers; hardy annual; from California. 1½ feet	.25
FERNS. NAT. ORD., Polypodiacea.	
This graceful and magnificent tribe is too well known and highly appreciated to need description. From the seeds we offer, the amateur has the certainty of raising many elegant	
and graceful varieties. Delights in peaty, sandy soil. 573 Ferns Adiantums. Fine mixed	
574 — Pteris Argyrea. Beautifully variegated with silver	.25
575 — Golden and Silver. Finest Mixed	.25
576 — Mixed. Choicest greenhouse and stove varieties	.25
FABIANA. NAT. ORD., Solanacea.	3
A handsome Erica-like greenhouse shrub, a profuse bloomer, and of the easiest culture. Thrives best in sandy peat.	7
577 Fabiania Imbricata. White; from Chili. 2 feet	.25
FEVERFEW (PYRETHRUM). Composita.	
Handsome, free-flowering, highly ornamental plants, producing a fine effect in the mixed flower and shrubbery borders. Succeeds in any rich soil.	- 17
578 Feverfew, Double White. A beautiful bedding plant, blooming all the season; half-	
hardy. I foot	.10
FLOS ADONIS. NAT. ORD., Ranunculacea.	
580 Flos Adonis. Handsome foliage, with blood-red flowers; very pretty. Hardy annual.	.05
FORGET-ME-NOT. NAT. ORD., Boraginaca.	
(See Myosotis.)	
FRAXINELLA. NAT. ORD., Rutacea.	1
(See Dictamnus.)	-
FOXGLOVE. NAT. ORD., Scrophulariacea.	
(See Digitalis.)	
FRENCH HONEYSUCKLE. NAT. ORD., Leguminosa.	
584 French Honeysuckle (Hedysarum) Mixed. A fine border-plant; red and white mixed;	
from Italy. Hardy perennial. 3 feet	.05
FUCHSIA. NAT. ORD., Onagraceæ.	
These beautiful plants are natives of South America, and have, until lately, been treated as greenhouse plants; but the greater number are now considered among the more ornamental of our hardy exotics; they grow freely in the open ground, and enliver our flowergardens during the whole summer with their beautiful flowers. Half-hardy perennials.	3.
585 Fuchsia. From named varieties; superb	.50
586 — Good Mixed. Including many fine varieties	.25

44 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
FUNKIA (DAY LILY). NAT. ORD., Liliaceæ.
587 Funkia Cœrulea. Very showy hardy border-plant, with blue flower. 11/2 feet . \$0.10
588 — Liliastrum. Lilac-variegated foliage. 1½ feet
590 — Sieboldil. Light-blue; fine. 1½ feet
GAILLARDIA. NAT. ORD., Compositæ.
Showy and universally admired plants, and among the gayest ornaments of summer flowering annuals; of the easiest culture. Will thrive in almost any garden-soil or situation, and fine for masses. Hardy annual.
59 I Gaillardia Picta (painted). Orange, red, and yellow; fine. 1 foot
592 — Alba Marginata. White-edged; fine
593 — Picta Coccinea. Scarlet; very showy
594 — Grandiflora Hybrida. Rich crimson and yellow flowers; very large
596 — Wellsiana. Yellow and red; fine. 1½ feet
597 — Mixed. The above varieties mixed
CATTRA NATIONE Guarmania
GAURA. NAT. ORD., Onagraria.
A plant of light and graceful habit, with spikes of white and red-tinted flowers; a profuse bloomer. Half-hardy annual.
600 Gaura Lindheimerii. Very pretty. 2 feet
GALEGA (GOAT'S RUE). NAT. ORD., Leguminosa.
Very pretty pea-shaped flower; of easy culture. Hardy perennial.
601 Galega Lilacina. Fine lilac, 2 feet
602 — Orientalis. White. 2½
603 — Officinalis. White. 3 feet
GARDOQUIA. NAT. ORD., Labiata.
A pretty dwarf-growing plant, continuing in bloom for several months; well worth culti-
vating on account of its large, showy flowers. Hardy perennial. 604 Gardoquia Betonicoides. Pink; from Mexico. 3 feet
GERANIUM (PELARGINIUM). NAT. ORD., Geraniaceæ.
There are few plants more easily grown, or that better repay the care of the cultivator, than geraniums, or, as they are more properly called, pelargonums. The seeds we offer are selected with great care from some of the finest collections in Europe, and may be depended upon as being the finest in every respect. Half-hardy perennials.
605 Geranium, Good Mixed
606 — Finest Mixed. Saved from the finest fancy varieties
607 — French Hybrids (Odiers). New spotted varieties; very fine
608 — Scarlet. Very fine for bedding and pot-culture
ing varieties
GESNERA. NAT. ORD., Gesneracea.
Showy hothouse plants, generally with scarlet flowers: they require a light, rich soil.
611 Gesnera, Finest Mixed. A fine collection, embracing an assortment of colors
GEUM. NAT. ORD., Rosacea.
Very showy, long-blooming, hardy plants; succeed best in a sandy loam. Har ly perennial.
612 Geum Coccineum. Scarlet; from Chili, 2 feet
613 — Superbum. Scarlet; a fine variety; from Chili. 2 feet
614 — Grandiflora. A fine, large-flowered variety
macrophymum. A mic new variety
GENTIANA. NAT. ORD., Gentianaceæ.
Very useful perennials. Gentiana Acaulis, which has large, deep-blue gloxinia-shaped flowers, if grown in deep, rich loam, makes a splendid edging in early summer: all the small kinds make interesting rock-plants.

			-
NO.			PRICE
616.	Gent	tiana Acaulis. Beautiful blue; from Wales. One-quarter foot	\$0.05
617		Asclepiadea (swallow-wort). Blue; fine; from Australia. One-quarter foot	05
618	-	Cruciata. Dark-blue; flowers in cluster	05
619	-	Mixed. Above varieties mixed	10



GAILLARDIA.

GAZANIA. NAT. ORD., Composita.

Amongst the most effective of bedding plants; its brilliantly colored and strikingly marked flowers are produced in great abundance, and are very effective for beds or ribboning; very beautiful. Half-hardy perennial.

GILIA. NAT. ORD., Polemoniacea.

This is a very pleasing family of annuals; may be sown at any time, and will bloom in almost any situation. The flowers are disposed in panicles or clusters; and, from its neat growth, it is admirably adapted for culture either in masses or detached patches. The three-colored variety is the prettiest, and lasts the longest in bloom. Hardy annual.

1	620}	Gilia	Achillæfolia	. Lilac; fr	om Calife	ornia.	121	foot			٠.			.10
-	621	-	- Alba.	A very fine	variety,	with	pure	white	flow	rers				.10
	622	-	California.	Pale-lilac.	11 feet									.05

46 ÅMATEUR CULTIVATOR'S GUIDE	-
NO. PR	ICR
	0.05
624 — Laciniata. A distinct variety, blooming in the corymbose form; blue. Three-	
quarters foot	.25
625 — Tricolor. Yellow eye, surrounded by a purple ring bordered by pale-blue. 1 ft	.05
626 — Rosea. Flowers, rosy-tinted. Three-quarters foot	.05
GLADIOLUS. NAT. ORD., Iridacea.	4
627 Gladiolus Gandavensis, Mixed. The seeds we offer of this beautiful summer-flowering	9
bulb were saved from an amateur collection of prize varieties, and may be relied upon as being of superior quality. Half-hardy bulbs. We would also call atten-	
tion to our list of Gladiolus and summer-flowering bulbs	.25
GLOBE AMARANTHUS. NAT. ORD., Amarantacea.	
The Globes are well known, and much admired for their ornamental effect in the garden, and are highly prized for their heads of flowers, which, if gathered before they are too far advanced, will retain their beauty for several years. The seeds are rather slow to vegetate	
in the open ground, the orange in particular, which seldom starts without bottom heat,	71
and then very reluctantly. Tender annual.	
628 Globe Amaranthus (Gomphrena). Crimson; fine. 2 feet	.05
631 — White. From India, 2 feet	.05
632 — Orange (Hoveyii). From New Mexico. 2 feet	.05
633 — Flesh-color. From India. 2 feet	.05
GLOXINIA. NAT. ORD., Gesneracea.	80
A superb genus of stove-plants, producing in great profusion beautiful flowers of the richest and most beautiful. Thrives best in sandy peat and loam. Hothouse bulbs.	
634 Gloxinia Erecta. Saved from a fine collection	.50
635 — Finest Hybrid. From finest-named flowers	.50
	.25
GNAPHALIUM. NAT. ORD., Compositæ. Fine everlasting flowers, useful for making dry bouquets; will grow in any common garden	
soil. Half-hardy annual.	
637 Gnaphalium Fætidum. Yellow. 2 feet	.10
GODETIA. NAT. ORD., Onagræceæ.	-
All the varieties of Godetia are well worth growing, and indeed no garden can be said to	
be complete without them: their profuseness of bloom and delicate tints of color have long rendered them universal favorites.	
638 Godetia Alba. Pure white. 1½ feet	.05
639 — Bifrons. Rose-lilac, blotched with carmine	.05
640 — Insignis. Red lilac-purple blotches	.03
642 — Rubicunda. Rosy-lilac, with ruby centre	.05
643 — Splendens. This is a very fine variety, differing from the preceding; larger,	
brighter color	.25
644 — The Bride. Cup-shaped blossom of pure white, with a broad and brilliant crimson ring at base of corolla	45
645 — Mixed. The above mixed; choice	.25
646 — — Mixed. Fine mixed	.05
GOURDS. NAT. ORD., Cucurbitacea.	
The tribe of Gourds is known as producing some of the most curiously shaped of all	
fruits, and, being of extremely rapid growth, are very desirable for covering the trellis-work of arbors, &c. the varied and fantastic forms of the fruit adding a peculiar charm to the luxuriance of the foliage. Tender annual.	•
647 Gourds, Bottle. A very useful variety	.05
648 — Pear-shaped. Two-colored ,	.05
	.10
-33	.10
2 440	.Io

TO THE FLOWER GARDEN.	47
NO.	RICE
653 Gourds, Powder-horn	0.10
654 — Orange. In the form of an orange	.10
655 — Mixed. The above mixed	.10
GRAMMANTHES. NAT. ORD., Crassulacea.	
A charming, profuse-flowering class of miniature plants, with beautiful star-shaped flowers, delighting in warm, sunny situations, and especially effective in rock-work, rustic-baskets, or edging. Half-hardy annual.	
656 Grammanthes Gentianoides. Rich orange-scarlet; from Cape of Good Hope. 1 ft. 657 — Cinnabarina. Crimson-scarlet. Quarter foot	.25
657 — Cinnabarina. Crimson-scarlet. Quarter foot	.25
GYNERIUM (PAMPAS GRASS). NAT. ORD., Graminaceæ.	
Gynerium Argenteum (Pampas Grass). This is, without exception, the most stately growing species of grass known. In stature it rivals the Bamboo, attaining, in its native plains (South America), from ten to fifteen feet in height. Splendid specimens, 10 feet high, with ten to twenty spikes of flowers, were exhibited last year at the exhibition of the Massachusetts Horticultural Society. In northern latitudes, it should be protected in winter by removing to the cellar or cold frame. South of Washington it will probably prove hardy. Half-hardy perennial. (See our engraving)	
GRANGEA. NAT. ORD., Graminacea.	3 4.
661 Grangea Maderaspatana. A beautiful variety of ornamental grass. 1 foot	
	10
GYPSOPHILA. NAT. ORD., Caryophyllacea.	
A pretty, free-flowering, elegant little plant, best adapted for rustic rock-work, and edging; succeeding in any garden soil. 662 Gypsophila Elegant (Cypsophila Elegans). Small, starry, purple and white flowers.	,
Hardy annual. 1 foot	.05
663 — Rose-colored. A variety of the preceding, with rose-colored flowers. Hardy annual. 1 foot	.05
664 - Muralis. Beautiful dwarf plant, neat and pretty, with small flowers, which com-	
pletely cover the plant. Hardy annual. Half foot	.10
665 — Paniculata. White, in large panicles. Hardy perennial	.10
666 — Rockyana. Hardy perennial. r foot	.10
668 — Steveni. White; in corymbs; fine for bouquets. Hardy perennial. 2 feet.	.10
HABROTHAMNUS. NAT. ORD., Solanacea.	3
Exceedingly handsome greenhouse shrubs, with beautiful bunches of brilliant-colored flowers of a waxy appearance, especially useful for winter and spring decoration of the conservatory or drawing-room. Half-hardy shrubs. 669 Habrothamnus Elegans. Beautiful carmine; from Mexico. 6 feet	
669 Habrothamnus Elegans. Beautiful carmine; from Mexico. 6 feet	.25
	3
HARDENBERGIA. NAT. ORD., Leguminosæ. A very pretty and ornamental greenhouse climber, producing a profusion of splendid peashaped flowers, especially suited for pillars, rafters, or wire globes. Succeeds best in peat	7.
and loam. Greenhouse shrub.	
671 Hardenbergia Comptoniana. 20 feet	.25
672 — Lindleyana. Blue; from Swan River. 20 feet	.25
674 — Lucida. Dark-violet. 20 feet	.25
675 — Makoyana. Blue; from Swan River. 20 feet	.25
HEARTSEASE. NAT. ORD., Violacea.	5
(See Pansy.)	
HAWKWEED. NAT. ORD., Composite.	1
677 Hawkweed, Golden (Crepis Barbata). An old but beautiful annual, of the easiest culture; begins to bloom in July, and continues till frosts; covered with flowers, the	
rays of light yellow finely contrasted with the brilliant purple-brown centre. 1 ft.	.05 °

		Grandamina -1 Gran	
		free-flowering. 1½ feet	
704		Atrococcineum Nanum. Very dwarf; dark-scarlet; very fine. 12 feet 10	
		Borussorum Rex. New; white variety; very free-flowering	
		Brachyrhynchum. Yellow; fine. 4 feet	
707	_	Bracteatum. Yellow	
708	-	— Album. White	
700		Nanum Vallow dwarf	

709	_	- Nanum.	Yellow dwa	urf .			,					.IQ
710	-	Compositum I	Maximum.	One o	f the	finest	of t	he class	; flowers	very	double,	
		° and a large v	ariety of colo	rs mixe	ed							.10

		****	er Caulii	/ time;		I I TT TILLE ,	Tonge min	ALLELL	ason					
712	-	-	Brunen	un, Fl.	PI.	Fine orange	-scarlet a	nd da	ark r	eddis	h-bro	wn		.10
713	-		Luteum	, FI. P	١.	Double, yello	w .						:	.1
mr. 4			-	-										

HYACINTH-BEANS. NAT. ORD., Leguminosæ. (See Dolichos.)

PRICE



DOUBLE HOLLYHOCK.

HOLLYHOCK. NAT. ORD., Malvacea.

The great improvement that has been made in this fine old flower within a few years has now placed it among the nost popular flowers of the day; its stately growth and magnificent spikes of flowers being among the most attractive objects of the garden. It flowers the second and third year after sowing, and then dies, unless it is kept up by cuttings, or divisions of root. Seeds sown in January will produce plants which will flower the same year. Hardy perennial.

	-	hock, Chinese, Annual. Fine double: several beautiful colors; mixed. 21 ft. \$0.10
741		Mixed (Althea Rosea). Fine varieties. Seventy-five per cent of the plants may
		be expected to be double
742		Extra Fine Mixed. Saved from the finest new English and Scottish named sorts .25
7/12		Splandid Collections See page of accortments

HYDROLEA. NAT. ORD., Hydrolacea.

HYPERICUM. NAT. ORD., Hypericaceæ.

Very interesting and ornamental greenhouse shrubs, requiring only the usual greenhouse

Elegant free-flowering climbers, of graceful habit; succeeds best in loam and peat.

Greenhouse climber.

743 Incarvillea Sinensis. White trumpet-flowers, shaded with rose; from China. 20 feet. .25

ICE-PLANT. Nat. Ord., Ficoidiaceæ.

A most singular, trailing plant, with thick fleshy leaves that have the appearance of being covered with crystals of ice; very ornamental for rock-work, or mixing with other plants in conservatory or flower-garden.

IMPATIENS. NAT. ORD., Balsaminacea.

Handsome, showy border-plants; succeeds in light, rich soil. Half-hardy annual.

NO.

PRICE



IBERIS TENOREANA.

IBERIS. NAT. ORD., Crucifera.

Profuse-blooming, pretty little plants, especially adapted for rookeries, old stumps, or rustic baskets. They come into flower amongst our earliest spring plants, and, for a long time, continue a dense mass of beauty; succeed in any garden-soil. Hardy perennials.

752 | Iberis Candidissima. New; beautiful; pure white. Half foot

753		Semperflorens. Fine, white; from Sicily. Half foot	.05
754			.05
755		0 711. 11 77100	.05
756			.05
		INDIGOFERA. NAT. ORD., Leguminosæ.	
1	A ger	nus of elegant free-flowering greenhouse shrubs, of easy culture, thriving in sandy nd peat.	
757	Indig	ofera Australis. Pink; from New South Wales. 3 feet	.25
758	-	Cytisoides. Red; from China. 3 feet	.25
759		Sylvatica. Rose and lilac. 3 feet	.25
		T1 4 1 T 21 0	.25
761		Mixed	.25
	0	IRIS. NAT. ORD., Iridacea.	
762	Iris /	Anglica. Fine mixed	.25

'IPOMEA (CONVOLVULUS). NAT. ORD., Convolvulacea.

A genus of beautiful climbing plants, which, for the adornment of the conservatory and greenhouse, or for warm, sheltered situations out of doors, are pre-eminently beautiful, many of them combining marvellously brilliant colors with pure white margins, and varying in shade from the most intense violet-blue to the most delicate cerulean. All the varieties are splendid, and should be extensively cultivated. The perennial species are invaluable for greenhouse decoration. Tender annual.

TO THE FLOWER GARDEN. 53
NO. PRICE
KAULFUSSIA. NAT. ORD., Composita.
A beautiful little annual, resembling an Aster, the ray florets of which curl curiously back after it has been expanded a short time. Half-hardy annual.
804 Kaulfussia Amelloides. Blue; from Cape of Good Hope. Half foot \$0.05 805 — Alba. White. Half foot
806 — Atroviolacea. A beautiful, showy, intense violet-colored variety. Superb 10
KENNEDYA. NAT. ORD., Leguminosæ.
These climbers are among the most striking of greenhouse ornaments, and deserve more extensive cultivation than has hitherto been extended to them, as few plants are more serviceable for greenhouse decoration. Their bright colors impart a most cheerful appearance during the early part of the season; and, if trained round fanciful wire shapes, a peculiarly interesting effect is produced. Steep the seed in warm water for six hours before sowing. Greenhouse shrub.
807 Kennedya Comptoniana. Blue; from New Holland. 12 feet
808 — Longiracema. Pink and scarlet; from New South Wales. 3 feet
809 — Marryattea. Scarlet; from Australia. 4 feet
810 — Ovata. Purple; from New Holland. 6 feet
811 — Alba. White; from New Holland. 6 feet
812 — Hotundifolia. Scarlet; from New South Wales. 5 feet
KOLREUTERIA. NAT. ORD., Sapindacea.
A middle-sized deciduous tree; a native of China; very ornamental from its large va- riously divided foliage, and its conspicuous terminal compound spikes of rich yellow flower.
814 Kolreuteria Paniculata. Yellow. 7 feet
KALMIA. NAT. ORD., Ericacea.
815 Kalmia Latifolia. A beautiful hardy shrub. White and pink. 4 feet
LANTANA. NAT. ORD., Verbenaceæ.
A remarkably handsome free-flowering genus of plants, with brilliantly colored flowers constantly changing in hue; very effective either for pot-culture, or for bedding purposes when planted out, except in dry soil. The plants will bloom more profusely, if retained in their pots, and plunged where intended to flower.
816 Lantanas, Mixed varieties. Saved from a named collection
LARKSPUR (DELPHINUM). NAT. ORD., Ranunculaceæ.
One of the generally cultivated and ornamental genus of plants, combining unusual richness with an endless variety of colors, all of which are extremely beautiful and pleasing. The flowers are produced in the greatest profusion; and the plants, in beds, masses, or ribbons, are strikingly effective: indeed, few plants are so generally useful and valuable for their decorative qualities, either in the garden or when cut for vases. The great difficulty has hitherto been the procuring of seeds which would yield double flowers. To this object we have given special attention, and now offer seed saved only from such varieties as are really to be depended upon, and worthy of a place in every garden. For the guidance of amateurs we may simply notice that the stock-flowered Larkenur is of the same habit as the
tall stock-flowered variety is the same style as the branching, but with more compact spikes,
old Dwarf Rocket, but has longer spikes, and much larger and more double flowers; the tall stock-flowered variety is the same style as the branching, but with more compact spikes, and larger and more double flowers. The tall-growing varieties scattered in shrubbery-borders produce a charming effect when backed by green foliage of the shrubs. Hardy annuals.
817 Larkspur Dwarf Rocket. A fine mixture; saved from a fine collection. 1 foot
818 — Tall Rocket. Same as preceding, except being taller. 2½ feet
819 — Hyacinth-flowered. Finest mixed
820 — Dwarf Stock-flowered. A very desirable variety; saved from a beautiful collec-
tion
821 — Tall Stock-flowered. Mixed; very fine
822 — Pyramidal. Mixed; a splendid mixture
823 — New Mauve-color. Very fine
825 — German Branching. A good variety colors

54 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
LATHYRUS (PERBNNIAL PEA). NAT. ORD., Leguminosæ.
Showy, free-flowering plants, growing in any common soil; very ornamental on trellis-
work, old stumps, or for covering fences or walls. Hardy perennials.
826 Lathyrus Latifolius. Red; from England. 5 feet
828 — Grandiflorus. Large-flowered. 5 feet
LAVENDULA (LAVENDER). NAT. ORD., Labiata.
A genus of plants chiefly cultivated on account of the delicious fragrance of their flowers. They succeed in any garden soil. Hardy perennial.
830 Lavendula Spica. Lilac; from Europe. 2 feet
LAVATERA. NAT. ORD., Malvacea.
Very showy, profuse-blooming, handsome plants; exceedingly effective when used as a background to other plants. Hardy annuals.
831 Lavatera Rosea. Rose-color; fine. 2 feet
832 — Alba. White; fine. 2 feet
LAGERSTREMIA. NAT. ORD., Lythraceæ,
A splendid greenhouse shrub, with exceedingly handsome flowers, sometimes called the Bride of India.
833 Lagerstræmia Indica. Lilac; from East Indies. 5 feet
834 — Barclayana
835 — Rosea
LEPTOSIPHON. NAT. ORD., Polemoniacea.
A charming tribe of the most beautiful of our hardy annuals. Nearly allied to the Gilia,
and requiring the same treatment.
836 Leptosiphon Androsaceus. Mixed; from California
837 — Aureus. Golden-yellow; from California. Half foot
838 — Luteus. Primrose; orange centre. Half foot
All TYTEL & CLUC ! TO IC
841 — Hybridus. New French Hybrids. This we consider the finest of them all, em-
bracing all the colors from dark-maroon, orange, lilac, purple, crimson, violet,
golden-yellow, and white; of compact growth. One-third foot
LIATRIS. NAT. ORD., Composita.
A hardy perennial, found in many parts of the United States, growing in meadows and
moist places.
842 Liatris Spicata. Flowers bright-purple, on stems from three to five feet
843 — Scariosa (Gay Feather). A showy variety, with purple flowers
844 — Pumila. Purple; large-flowered
LILIUM. NAT. ORD., Lilacea.
The Lily stands pre-eminent among all flowering bulbs. Stately in habit, varied in color, highly fragrant, perfectly hardy, easily cultivated, and blooming from June until frost, they
can claim, as they fully deserve, a prominent place in the largest or smallest garden. The
seeds often lie dormant several months before vegetating. Succeeds well in a mixture of loam, peat, and silver-sand.
846 Lilium Giganteum. The tallest and most magnificent of the lilies, growing ten feet high,
with spikes of white trumpet-shaped flowers, with carmine streaks25
847 — Lancifolium Hybridium (Japan Lily). Finest mixed
848 — Auratum. The new golden-banded Lily. This superb Lily has flowers twelve
inches in diameter; pure white, with a yellowish band through the centre of each petal, and covered with brownish dots. It is deliciously fragrant; one stem often
produces six to ten of its immense blossoms. We have a few well-ripened seeds
of the above, which we offer. Ten seeds
Very heaviful charge prefere blooming dwarf-growing plants; clightly fragrant; nare
Very beautiful, showy, profuse-blooming, dwarf-growing plants: slightly fragrant; particularly effective and valuable as edgings, succeeding in any soil or situation, but delighting most in a moist soil; from California. Hardy annuals.

NO. PRICE
PRICE
849 Limnanthes Douglassii. Pale-yellow, bordered with white. Half foot \$0.05
850 — Alba. White variety; fine. Half foot
851 — Rosea. Rose-color. Half foot
852 — Sulphurea odorata. Sulphur-color; fragrant. 1 foot
LINARIA. NAT. ORD., Scrophulariacea.
A handsome, free-flowering genus of snapdragon-like plants, remarkable for the beauty
A handsome, free-flowering genus of snapdragon-like plants, remarkable for the beauty and variety of their colors; well adapted for and very effective in beds, or ribbons, rockwork, woodland-walks, &c. Succeeding in any garden soil. Hardy annual.
853 Linaria Macroura (Long-horned). Yellow; resembling, when in full bloom, a small
compact bush of blossoms. I foot
854 — Purpurea. Purple dwarf. Half foot
856 — Triornithophora. Red, purple, and yellow; one of the finest. 1 foot
857 — Speciosa. Very showy; purple flowers. Half foot
858 — Bipartita Splendida. New; rich-purple; beautiful
859 — Lutea. New; brilliant-yellow
860 — Finest Mixed
LINDHEIMERIA. NAT. ORD., Composita.
861 Lindheimeria Taxana. A very pretty little plant, having a vanilla-like odor. Yellow;
fine. Hardy annual. 2 feet
LISIANTHUS. NAT. ORD., Gentianea.
When well grown, this is a splendid plant for greenhouse or conservatory decoration. Its
When well grown, this is a splendid plant for greenhouse or conservatory decoration. Its flowers are extremely handsome, and of rich dark-blue, which few greenhouse plants possess. Succeeds best in a sandy peat, with a very little loam. Winter in a warm greenhouse, and
re-pot in spring.
862 Lisianthus Russellianus. Rich-blue, shaded with purple; from Mexico. 2 feet
LINUM. NAT. ORD., Linaceæ.
A genus of the most beautiful, free-flowering plants, amongst which stands, distinguished for its brilliant-colored flowers, Linum Grandiflorum Coccineum, being one of the handsomest, most effective, and showy bedding-plants we have; for, whilst its habit of growth is slender and delicate, it produces a profusion of beautiful, saucer-shaped flowers, of a rich scarlet-crimson, with crimson-black centre. Linum Flavum is a well-known favorite, while Linum Luteum Corymbiflorum is distinguished for its bunches of beautiful straw-colored blossoms, and contrasts beautifully with Linum Grandiflorum Coccineum. The whole genus deserves general cultivation. Most of the varieties make nice pot-plants.
somest, most effective, and showy bedding-plants we have: for, whilst its habit of growth is
slender and delicate, it produces a profusion of beautiful, saucer-shaped flowers, of a rich
Linum Luteum Corymbiflorum is distinguished for its bunches of beautiful straw-colored
blossoms, and contrasts beautifully with Linum Grandiflorum Coccineum. The whole
genus deserves general cultivation. Most of the varieties make nice not-plants
genus deserves general cultivation. Most of the varieties make nice pot-plants. 863 Linum Grandiflorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers.
genus deserves general cultivation. Most of the varieties make nice pot-plants. 833 Linum Grandiflorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot
853 Linum Grandinorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot
853 Linum Grandinorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot 854 — Album. Beautiful white variety. 1 foot 10 865 — Purpureum. A new variety, with rich purple flowers, similar to the above 10
853 Linum Grandiflorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot
853 Linum Grandinorum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot
853 Linum Grand Horum Coccineum. Brilliant-scarlet, with crimson centre; from Algiers. 1 foot
1 foot
1 Foot
rifot
1 foot

NO. PRICE
varieties of Lobelia Ramosa are preferred, which, though larger in bloom, are neither so elegant nor compact. Lobelia Speciosa is the finest of all, from its intense dark-blue color, with a clear white spot, and its dark-colored foliage. The varieties of Lobelia Gracilis are the best adapted for rock-work, pots, or suspended baskets, to droop over. The seeds of Lobelias, being very small, cover very slightly when sown. A light rich soil is suitable for all the varieties.
876 Lobelia Cardinalis (Cardinal Flower). A well-known native variety, with scarlet flow-
ers; one of the finest. Hardy perennial. 2 feet
877 — Hybridia Grandiflora. A new hybrid variety; very fine. Hardy perennial25
878 — Erinus. Flower deep-blue; a fine bedder. Half-hardy perennial. Half foot
880 — Compacta. Dark-blue, with white centre; compact growth. Half-hardy
annual. Half foot
881 — Grandiflora. Large-flowered variety; dark-blue. Half-hardy annual 10
882 — Marmorata. Marble, blue and white. Half foot
883 — — Superba. A new variety, with large blue flowers; very fine. Half-bardy annual. Half foot
884 — Rosea. Pretty rose-colored flowers. Half foot
885 — Ramosoides. Dark-blue; dwarf-branching. Half foot
886 — Speciosa. New. The most effective of all the varieties, yielding a long
succession of its extremely rich and beautiful intense azure-blue flowers; fine for pots. Half-hardy annual. Quarter foot
887 — Paxtoniana. A beautiful variety of the species; fine habit, with profuse
bloom of pure white, with sky-blue belt; the largest flower and best habit in the
tribe; a beautiful bedding-plant. Half-hardy annual. Half foot
888 — Formosa. Beautiful; dark-blue. Half foot
889 -— Gracilis. A delicate-growing variety; dark-blue. Half-hardy annual. Half ft
891 — Compacta. Blue and white; fine. Half foot
892 — Ramosus. Branching; fine dark-blue. Half foot
893 — Alba. White; branching. Half foot
894 — Nana Nona. A dwarf variety; fine. Half foot
895 — Rubra. Red; fine. Half foot
- 1 rigonicaulis. A new very fine variety; light-blue flowers. Half-hardy annual .25
LOPEZIA. NAT. ORD., Onagracea.
A superb greenhouse plant, flowering in beautiful bunches during the winter.
897 Lopezia Miniata. Deep-peach; from Mexico. 2 feet
LOVE-LIES-BLEEDING. NAT. ORD., Amarantacea.
898 Love-lies-bleeding (Amaranthus Caudatus). An old and well-known annual, with
blood-red flowers, which hang in pendant spikes, and at a little distance look like
streams of blood. 3 to 4 feet
LOVE-IN-A-MIST. NAT. ORD., Ranunculacea.
(See Nigella.)
LOTUS. NAT. ORD., Leguminosæ.
An exceedingly ornamental genus of plants, with pea-shaped flowers. Half-hardy annuals.
899 Lotus Jacobæus. Dark-brown; fine for pot-culture; from Cape Verde Islands. 2 feet .10
900 — Luteus. Yellow; from Cape Verde Islands. 2 feet
LOPHOSPERMUM. 'NAT. ORD., Scrophulariacea.
An elegant and highly ornamental genus of climbers, with handsome and showy foxglove- like flowers; very effective for conservatory, greenhouse, or garden decoration, and may be used with advantage for hanging baskets; will bloom the first season from seed. Half- hardy perennials.
901 Lophospermum Coccineum. Red
902 — Hendersonii. Rose

NO. PRICE



LOPHOSPERMUM SCANDENS.

903	Loph	ospermun	n Sca	ndens.	Purpl	le				•	•		\$0.10	
904		— Cli	ftoni.	Dark	rose								25	
906		Punctatu	m. A	splend	lid new	spot	ted	variety					10	
		Mixed.												

LUPINS. NAT. ORD., Leguminosa.

A splendid genus of the most ornamental, beautiful, and free-flowering of garden plants, with long, graceful spikes of bloom; colors, rich and varied. Many of the varieties are of stately, robust growth, which makes them exceedingly valuable for mixed flower and shrubbery borders, while the dwarf varieties make neat, trim bedding-plants. Among the most distinguished, we may mention Lupinus Hartwegii and varieties; Lupinus Hybridus and varieties [Lupinus Hybridus]. In Margiesii L. M

distinguished, we may mention Lupinus Hartwegii and varieties; Lupinus Hybridus and varieties, L. Menziesii, L. Magnificus, L. Pubescens Elegans, and L. Subcarnosus.
908 Lupins, Garden. Large, blue. 11/2 feet
909 — Vellow. 1½ feet
910 — Rose-colored
911 — — White. 1½ feet
912 — Mixed
913 — Affinis. Blue, white, and purple; very pretty; from California. Hardy annual.
1½ feet
914 — Alba-coccineus. New; rosy-red half way of the spike, from thence to the apex
pure white. Showy
915 — Dunnetti Atroviolacea. A rich party-colored variety; violet, brown, and yellow 10
916 — Cruickshankii. Blue, white, and yellow; from Peru. 3 feet
917 — Hartwegii, Albus. Pure white. 2 feet
918 — — Coelestinus. Sky-blue. 1½ feet
919 — Rosea. Rose-color. 11 feet
920 - Hybridus Insignis. Purple, white, and yellow, changing to purple-lilac. Hardy
annual. 2 feet
921 — Superbus. Lilac, white, red, and yellow. Hardy annual
•
923 — Menziesii. Sulphur-yellow

32	
NO. PRICE	2
MARVEL OF PERU. NAT. ORD., Nyetaginiacea.	
957 Marvel of Peru. Splendid varieties mixed, including all the finest sorts; very picturesque and diversified colors, finely contrasted with its dark-green, glossy foliage, and densely branching habit; blooming throughout the summer and autumn months. 2 feet	5
MATNA OD MATTOWS No On Mil	
MALVA OR MALLOWS. NAT. ORD., Malvacea. Showy free-flowering border-plants; succeeding in any garden-soil. Hardy annuals.	
959 Malva Capensis. Red and white; from Cape of Good Hope. 2 feet	5
960 — Coccinea. Purple; from south of Europe. 2 feet	
961 — Zebrina. White and purple, striped	
962 — Moschata. Rose-foliage; musk-scented	5
Will a wi	
THE THE TANK	
A STATE OF THE STA	
The state of the s	

MACHÆRANTHERA TANACETIFOLIA (one-fifth natural size).	
MACHÆRANTHERA. NAT. ORD., Composite.	
A pretty little dwarf free-flowering plant; flowers resembling Michaelmas Daisy. Hard	
annual. 963 Machæranthera Tanacetifolia. Blush-purple, with golden-yellow centre. 1 foot	
MARTYNIA (UNICORN PLANT). NAT. ORD., Pedaliacea.	
Handsome tropical annuals, remarkable for the size of their flower compared with the leaves; requires a light rich soil and a warm situation. The young fruit, or seed-pods, and considered fine for the size of their flower compared with the leaves; requires a light rich soil and a warm situation.	
considered line for picking. Tender annual.	
964 Martynia Angularis. Purple; from Brazil. 2 feet	
965 — Cramiolaria. White; from Brazil. 2 feet	
967 — Lutea. Yellow; from Brazil. 2 feet	
A beautiful dwarf-growing plant, well adapted for beds or edging. Half-hardy perennial.	

MAURANDYA. NAT. ORD., Scrophulariacea.

969 - Capensis. Double. White; very fine. Three-quarters foot

The most graceful and free-flowering of soft-wooded climbers, whether for the ornamentation of the conservatory and greenhouse, or for pillars, trellis-work, and verandas in the flow er-garden. The effect produced by the profusion of elegant and varied-colored flowers is strikingly beautiful. Blooms the first season from seed. Half-hardy perennial.

PRICE



MAURANDYA BARCLAYANA.

971	Maurandya Antirrhinum. Pale-violet, 10 feet	0.10
	mii ii	.IO
973	- Alba. White. 10 feet	.IO
974	— Coccinea. Scarlet. 10 feet	.IO
975	— Rosea. Rose. 10 feet	.10
976		.10
977		.10
978		oI.
	- Rosea. Rose. 10 feet	or.
980	— Mixed. Above mixed	.IO
	MELAMPODIUM. NAT. ORD., Composita.	
982	Melampodium Macranthum. A pretty border-plant. Yellow. 2 feet	.10
	MESEMBRYANTHEMUM. NAT. ORD., Ficoidea.	
	A brilliant and profuse-flowering tribe of extremely pretty dwarf-growing plants; strikingly effective in beds, edging, rock-work rustic baskets or vases in warm supply situa-	
	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry	
	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual.	
983	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot	.05
983 984	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot	.05
983 984 985	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot	.05
983 984 985 986	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot	.05
983 984 985 986 987	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot	.05
983 984 985 986 987 988	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Vellow. 1 foot — Crystallium (Ice-plant). White. Half foot	.05 .05 .05 .05
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum. Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre	.05 .05 .05 .05
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum. Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre	.05 .05 .05 .05
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum. Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre	.05 .05 .05 .05
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum. Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre . — Album. White, with purple centre . — Mixed. Above, mixed . MELALIEUCA. NAT. ORD., Myriacea. A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness	.05 .05 .05 .05
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum.* Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre . — Album. White, with purple centre . — Mixed. Above, mixed . MELLALIEUCA. NAT. ORD., Myrtacea. A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness of their foliage, and the beauty of their flowers, which are produced on gracefully drooping	.05 .05 .05 .05
983 984 985 986 987 988 989 990	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Vellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. 1 foot — Pinnatifidum. Yellow. 1 foot — Pomeridianum. Bright yellow, large-flowered — Tricolor. Rosy-pink, purple centre — Album. White, with purple centre — Mixed. Above, mixed MELALEUCA. Nat. Ord., Myriacea. A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness of their foliage, and the beauty of their flowers, which are produced on gracefully drooping branches.	.05 .05 .05 .05 .05 .10
983 984 985 986 987 988 989	ingly effective in beds, edging, rock-work, rustic baskets, or vases, in warm, sunny situations; also for indoor decoration if grown in pots, boxes, or pans. Succeeds best in dry loamy soil. Half-hardy annual. Mesembryanthemum Capitatum. Yellow. 1 foot — Crystallium (Ice-plant). White. Half foot . — Glabrum. Smooth yellow. Three-quarters foot . — Pinnatifidum. Yellow. 1 foot . — Pomeridianum. Bright yellow, large-flowered . — Tricolor. Rosy-pink, purple centre . — Album. White, with purple centre . — Mixed. Above, mixed . MELALEUCA. NAT. ORD., Myrtacea. A genus of very desirable greenhouse or conservatory plants, remarkable for the neatness of their foliage, and the beauty of their flowers, which are produced on gracefully drooping branches. Melaleuca Hypericifolia. Scarlet; from New South Wales .	.05 .05 .05 .05

NO.

PRICE



MANDEVILLEA SUAVEOLENS (one-fifth natural size).

MANDEVILLEA. NAT. ORD., Apocynacea.

MELIA. NAT. ORD., Meliacea.

A very ornamental tree, continuing in bloom the whole summer; thrives best in peat, loam, and sand.

METROSIDEROS. NAT. ORD., Myrtacea.

9931 Melia Azederach. Blue; from Syria. 30 feet

. .25

A splendic greeehouse shrub, with beautiful bottle brush-like flowers; succeeds in peat

and loam.

994 Metrosideros Lanceolata. Red; from New Holland. 10 feet

MICROPUS. NAT. ORD., Composita.

A new everlasting flower, of much promise. Half-hardy annual.

995 Micropus Supinus. An interesting novelty

MIMOSA (SENSITIVE-PLANT). NAT. ORD., Leguminosa.

MIMULUS (MONKEY-FLOWER). NAT. ORD., Scrophulariacea.

A genus of extremely handsome, profuse-flowering plants, with singularly shaped and brilliantly colored flowers, which are distinguished by their rich and strikingly beautiful markings. Seeds sown in spring make fine bedding-plants for summer blooming, while seed sown in autumn produces very effective early-flowering greenhouse plants. Half-hardy perennials.

997 Mimulus Cardinalis (Monkey-Flower). Very showy, with brilliant scarlet flowers; blooms readily the first year from seed. Fine for bedding. Three-quarters ft. . . 10

MUSK-PLANT. NAT. ORD., Scrophulariaceæ.
(See Mimulus Moschatus.)

NO. PRICE
NASTURTIUM (TROPÆOLUM MAJUS). NAT. ORD., Tropæolaceæ.
This is a well-known ornamental annual, of easy cultivation. It flowers best in a light soil. It looks well, trained to a trellis or over a wall. The flowers are rich orange, shaded with crimson and various colors. The variety with crimson or blood-colored flowers makes a fine contrast with orange. The seeds are used as a substitute for capers, and the flowers sometimes eaten as salads. Half-hardy annuals.
1020 Nasturtium Carneum. Flesh-color. 10 feet
1021 — Majus. Bright-orange. 10 feet
1022 — Atrosanguineum. Dark-crimson. 10 feet
1023 — Shillingii. Spotted-yellow, with dark spots on each petal. 10 feet
1024 — Schenermanni. Straw-color, striped with brown; fine
NASTURTIUM (TROPÆOLUM MINOR). NAT. ORD., Tropæolacea.
The dwarf-improved varieties of the Nasturtium are among the most useful and beautiful of garden favorites for bedding, massing, or ribboning, and rank with the Geranium, Verbena, and Calccolaria. Their close compact growth, rich-colored flowers, and the freedom with which they bloom, all combine to place them in the category of first-class bedding-plants. The Tom Thumb varieties are distinguished favorites, as are also the old crimson and the new Crystal-palace Gem. Half-hardy annuals.
1025 Nasturtium Dwarf Crimson. Very fine for groups. 1 foot
1026 - Scarlet. Brilliant. 1 foot
1027 — Spotted. Yellow, with dark spots. I foot
1028 - Tom Thumb, Scarlet. A beautiful variety, dwarf and compact; quite as rich
in color and as effective as the Tom Thumb Geraniums; fine for pots or vases.
1 foot
1029 — Yellow. A variety similar to the last mentioned, with yellow flow-
ers. I foot
1030 — Beauty. Yellow, blotched with crimson; fine. 11/2 feet 10
1031 — Crystal-palace Gem. A new sulphur-color, spotted with maroon;
a splendid bedding variety. I foot
1032 — Pearl. Creamy-white; a fine variety
1033 — New Hybrid. Saved from the finest-named varieties, producing
flowers of various shades, - buff, yellow, crimson, maroon, in great profusion;
beautifully blotched and marbled °
NEMESIA. NAT. ORD., Scrophulariacea.
Exceedingly pretty and profuse-blooming plants. Nemesia Compacta and Alba should
be grown in every garden. Half-hardy annual.
1034 Nemesia Floribunda. White and yellow; sweet-scented
1035 - Versicolor Compacta. Blue and white. 3 feet
1036 — — Alba. Pure white. Three-quarters foot
1037 — Insignis. New; light-blue. Three-quarters foot
1033 — — La Superbe. Light-rose; fine. Three-quarters foot
* NEDTITM (OFFICE OFFI ASSUMPTION
NERIUM (OLEANDER). NAT. ORD., Apocynaceæ.
A class of splendid double-flowering evergreen shrubs, of a highly ornamental character; fine for conservatory decoration, or placing on lawns and terraces during the summer; growing in any light, rich soil. Half-hardy shrubs.
1039 Nerium Oleander. Rosy-pink; double; from Italy. 6 feet
1040 — Variegata. Scarlet and white; from Italy. 6 feet
NICOTIANA (TOBACCO-PLANT). NAT. ORD., Solanaceæ.
These are strong-growing, fine-foliaged plants. They are very effective for large shrub- bery borders, and the leaves of some varieties are valuable for fumigating purposes. Tender annuals.
1041 Nicotiana Glauca. Yellow; native of America
1042 — Glutinosa. Scarlet; from Peru. 3 feet
1043 — Vincæflora. White; very pretty; from South America. 2 feet
NIGELLA (LOVE-IN-A-MIST). NAT. ORD., Ranunculacea.
A genus of very interesting, compact-growing, free-flowering plants, with curious-looking flowers and seed-pods. From the extraordinary motion manifested by the stamens, this

NO	•												PRICE
	genus Spain.	has received th Hardy annual	e above s	ingular r	names.	Grow	s fr	ely in	any ga	rden	soil.	From	n
104	4 Nig	ella Damascer	a. Blue;	fine .									\$0.05
104	5 -	Nana.	A dwarf	variety;	flowers	blue	and	white;	double				05
104	6 —	- Hispanica.	Blue; ver	y showy									05
104	7 —	- Alba.	Pure whi	te.									05



NEMOPHILA MACULATA.

NEMOPHILA. NAT. ORD., Hydrophyllacea.

This is, perhaps, the most charming and generally useful genus of dwarf-growing hardy annuals. All the varieties have a neat, compact, and uniform habit of growth, with shades and colors the most strikingly beautiful, so that ribboned, sown in circles, or arranged in any style which the fancy may suggest, the effect is pleasing and very striking. They are also very useful for pot-culture. Hardy annual.

1048	Nem	ophila	Atomar	ia. W	hite, v	vith bl	ue spots	. I foot	t .				i.		.05
			Oculata												.10
			idalis.												.05
			Marmo												.05
1052		Insign	is. Brig	ght-blu	е .										.05
1053		_	Alba.	White.	z foc	t.						•			.05
1054			Margina	ita. S	ky-blu	e, edge	ed with	white							.05
1055			Grandif	ora.	Bright	-blue,	with wh	ite cent	re. I	foot					.05
1056		-	Striata.	Blue	and w	hite.	r foot								.05
1057		Macu	lata. W	hite;	large p	urple s	spots.	foot							.05
1058			Variega	ta. V	Vhite,	veined	with 1	ilac, and	d blot	ched v	vith v	violet;	folia	age	
		finel	y variega	ted; v	ery effe	ctive.	z foot								.TO
1059		-	Good N	lixed											.05





NO.	NIEREMBERGIA. NAT. ORD., Solanacea.
ed	Profuse-blooming, elegant, and charming little plants, exceedingly valuable for small beds, lging and rustic baskets or vases. Half-hardy perennials.
1060	Nierembergia Gracilis. White, veined with lilac; from Uraguay. Half-foot . \$0.29
	NOLANA. NAT. ORD., Nolanaceæ.
W	Very pretty trailing-plants, after the character of the Convolvulus Minor; fine for rock- ork, hanging-baskets, old stumps, &c. succeeds best in a light rich soil. Hardy annuals.
1062	Nolana Atriplicifolia. Blue, violet, and yellow; from Peru. Half foot
1063	— Alba. White; yellow centre
1065	Prostata. Fine blue, streaked with black; from Peru
	NYMPHÆA. NAT. ORD., Nymphaceæ.
	Beautiful hardy aquatics, thriving in rich loamy soil at the bottom of ponds or lakes.
1066	Nymphæa Alba. White; a magnificent variety; from England. 3 feet2
	NYCTERINIA. NAT. ORD., Scrophulariacea.
bl of	Neat compact little plants, covered with pretty, sweet-scented, star-shaped flowers; valua- e for edgings, rock-work, stumps, or small beds; succeeds in a light rich soil. From Cape Good Hope. Half-hardy perennials.
1067	Nycterinia Capensis. White; yellow centre. Half foot
1068	Selaginoides. Pink; yellow centre. Half foot
1000	
ar	Bold, showy plants, with rich-colored flowers and curious acorn-like centres; succeeds in ny common garden-soil. From Texas. Half-hardy perennial.
1070	Obeliscaria Pulcherrima. Rich velvety-crimson, edged and tipped with yellow.
1071	— Aurantiaca. Yellow. 2 feet
	ENOTHERA. NAT. ORD., Onagracea,
	, 3
sr in O	A magnificent genus; one of the most useful and beautiful either for beds, borders, edggs, or rock-work. All the varieties are free-flowering, and most of them perennials. The ost remarkable of the perennial kinds are Œnothera Grandiflora Lamarckiana, with superbikes of large flowers; Œnothera Macrocarpa, splendid for beds or edging, flowers six ches in diameter; Œnothera Acaulis, flowers silvery-white; and Œnothera Missouriensis, f the annual varieties, Œnothera Drummondii Nana and Œnothera Bistorta Veitchii sucedi in any good soil.
1072	Enothera Acaulis. A large-flowered variety, with silvery-white blossoms; from Chili .rd
1073	— Biennis Hirsutissima. Crimson-orange; from California. Half-hardy annual.
1074	- Bistorta Veitchii Grandiflora. Pure yellow; crimson-spotted; from California.
1075	Half-hardy annual. r foot
1073	from Peru. Half-hardy perennial. 1 foot
1076	- Cinnabarina. Rich-orange; yellow throat, stained with rich salmon. Half-
1077	hardy perennial
	hardy annual. 1 foot
1078	 Grandiflora Lamarckiana. Bright-yellow; the most effective and strikingly beautiful of this splendid genus; flowers three to four inches in diameter, and pro-
	duced in the greatest profusion; an exceedingly ornamental plant for mixed bor-
1050	ders. 3 feet
1079 1080	 Jarmesii. Bright-yellow flowers; large, and produced in great profusion. 2 feet .rc Macrocarpa. Rich yellow. Hardy perennial
1801	— Taraxacifolia. Pure white. Hardy perenna. 1 foot
1082	- Lutea. Yellow. Hardy perennial. I foot
1083	Tetraptera. Silvery-white; very handsome






OKO S CONTO
OF TOWN
ŒNOTHERA LAMARCKIA (one-tenth natural size).
1084 Enothera Undulata. Primrose; from Peru. Hardy perennial. 1½ feet \$0.05 1085 — Fruticosa. A very fine perennial species; rich yellow flowers; numerous; open in sunshine (diurnal). 2 feet
1036 — Glauca. Flowers deep, rich yellow; very free-flowering. Hardy perennial10
ONOPORDON. NAT. ORD., Compositæ.
1087 Onopordon Tauricum. A noble thistle-like plant, of very ornamental character; thrives well in any soil; flower purple. Hardy perennial. 6 feet
OXALIS. NAT. ORD., Oxalidacea.
Elegant flowering-plants, particularly adapted for the greenhouse or parlor, where they bloom in mid-winter.
1089 Oxalis Rosea. A very neat, erect-growing plant, six to nine or twelve inches high, with small, medium-sized leaves, and numerous conspicuous clusters of bright rose-colored, salver-shaped flowers
1090 — Tropæoloides. Yellow. Tender annual. Quarter foot
OATS (AVENA SENSITIVA). NAT. ORD., Gramineæ.
A very curious genus of ornamental grasses; fine for dried bouquets; suitable for mixed borders. Hardy annual.
1091 Oats Animated. Curious. 2 feet

NO.

OXYURA. NAT. ORD., Compositæ.

PRICE

1092 Oxyura Chrysanthemoides. A showy, free-flowering plant, with beautiful fringed flowers; golden-yellow; from California \$0.05



ENGLISH PANSIES. - PRIZE VARIETIES.

PANSY (HEARTSEASE OR VIOLA TRICOLOR). NAT. ORD., Violacea.

The Pansy, or Heartsease, is a general favorite and old acquaintance with every one who has any thing to do with a flower-garden. It begins to open its modest but lively flowers as soon as the snow clears off in the spring, and continues to enliven the garden till snow comes again. The flowers are in the greatest perfection in May and June: the burning sun of summer is unfavorable for their greatest beauty, but in autumn they are fine again. The Pansy is properly a biennial, but can be perpetuated by cuttings or division of the roots. Seeds sown in August, in the open borders, will come up readily in a few weeks. The seeds should be slightly covered with fine soil, if covered at all, as half the seeds sown rot in the ground from being covered too deep. As soon as they expand the second set of leaves, they should more than the fall; the buds should be picked off during the summer, which will make the plants bushy and compact. They require to be covered during the winter with evergreen boughs or a cold frame. The following seeds were selected by some of the most celebrated European florists from prize collections, and we can recommend them as first-class in every respect.

1093	Pansy	, Good Mixed .										.05
1094		Fine Mixed .										.10
1095	_	Extra Mixed.	Saved	from	named	flowers,	from	English	prize	collection;	the	
		finest in habit o	of plant.	size.	form, a	nd subst	ance o	f flower.	Supe	erb	٦.	. 50

NO.			PRICE
109	6 P	ansy	, Extra German. These were selected by a celebrated German florist, and may
			be depended upon as very fine
109	7 —	_	New. Large-flowered, margined; fancy
109	8 -		Auriculaflora. Brown, rose-margined; fine
109	9 . —		Atropurpurea. Pure, dark, velvety-crimson
110	0 -		- Marginata Alba. Velvety-crimson, with white eye, and margined 25
110	1 -	_	- Aurea. Velvety-crimson, with golden ground, and margined
110	2 —	_	Pelargonæflora. Each petal having a large maroon blotch on white ground;
			yellow eye
110	3 -		Picturata. Dark-maroon, marbled with bronze
110			Mixed. Above six varieties mixed. These varieties form a new class of FANCY
			Pansies, with unusually large flowers, conspicuous by their brilliancy and novelty
			of colors. They have the valuable property of resisting almost the greatest
			summer heat, and flowering most profusely. We offer the above as a superior
			strain obtained by careful selection
11.0	5 -		Pure White. Constant and fine
11 0		-	Golden-Yellow. Constant and fine
11.0	-		Dark-Blue. Constant and fine
11 0	-	_	Light-Blue. Constant and fine
110	-		Bronze-colored. Constant and fine
111	0 -		Fancy Striped. Constant and fine
111	1 -	_	Rose Marbled. Constant and fine
111	2 -		Violet. White margined. Constant and fine
Ш	3 —		Mixed. Above varieties mixed
111	1 -		Faust, or King of the Blacks. Flower, black; fine bedding variety
			PAMPAS-GRASS. NAT. ORD., Graminacea.
			(See Gynerium.)
]	PAPAVER (PERENNIAL POPPY). NAT. ORD., Papaveracea.
	A	high	
	of a	high n im	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-
	ive.	Pa	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect- paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work.
111	ive. Har	Pa dy p	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work.
111	ive. Har	Pa dy p apav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work errennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
	ive. Har 6 Pa	Pa dy p apav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work ereronial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har 6 Pa 7 —	Pa dy p apav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work ereronial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har 6 Pa 7 —	Pa dy p apav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work ereronial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har 6 Pa 7 — 8 — 9 —	Pardy papav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work ererennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har 6 Pa 7 — 8 — 9 —	Pardy paragrapav	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work. erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 111	ive. Har A Cons	Pardy	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effective genus repaired in a discontinuous properties. And is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har A cons	Pardy paravarante	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-plantation and shrubbery borders, are unusually effect-plantary. It is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 111	ive. Har 6 Pa 7 — 8 — 9 — A cons	sple serva	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111	ive. Har 6 Pa 7 — 8 — 9 — A cons	sple serva	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-plantation and shrubbery borders, are unusually effect-plantary. It is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 111	ive. Har 6 Pa 7 — 8 — 9 — A cons	sple serva	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 111	ive. Har 6 Pa 7 — 8 — 9 — A cons 0 Pa 1 — 2 —	Paddy p	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet05 Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet10 Nudicaule. Bright-yellow: from Siberia. 1 foot
111 111 111	ive. Har 6 Pa 7 — 8 — 9 — A cons 0 Pa 1 — 2 — A flow	Paddy papav sple serva assif	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 111 112 112	A flow bulk	Paddy papav	nly ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-plantation and shrubbery borders, are unusually effect-plantation and shrubbery borders, are unusually effect-plantation. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet05 Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet10 Nudicaule. Bright-yellow: from Siberia. 1 foot
111 111 112 112 112	ive. Har for Part of P	Paddy papav	representation of the current of the
111 111 111 112 112	ive. Har for Part of P	Paddy papav	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 112 112 112	ive. Har for the H	Paddy papav	representation of the current of the
111 111 112 112 112	ive. Har 66 P2 - 88 - 99 - A cons 00 P2 - 22 - A flow bulk 33 P4 4	Paddy p	remense size, which, in select plantation and shrubbery borders, are unusually effecting aver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work. However, and handsome. 2 feet
111 111 112 112 112	A flow bulk a Para A A inia	splesservaassif	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-plantary nudicaule is a dwarf-growing variety, and is especially adapted for rock-work erennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet
111 111 112 112 112	A flow bulk a Para A A inia	splesservaassif	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work. errennial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet05 Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet10 Nudicaule. Bright-yellow: from Siberia. 1 foot
111 111 112 112 112 112	A flow bulk a Para A A inia	splesservaassif	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work eremial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet05 Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet10 Nudicaule. Bright-yellow: from Siberia. 1 foot
111 111 112 112 112 112	AA consol Paragraph A flow bulk 3 Paragraph A A inia	sple serva	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work. However, and handsome. 2 feet
111 111 112 112 112 112	AA consol Paragraph A flow bulk 3 Paragraph A A inia	sple serva	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work. However, and handsome. 2 feet
111 111 112 112 112	Harris Ha	sple servassif	rely ornamental and strikingly effective genus of plants, with brilliant colored flowers mense size, which, in select plantation and shrubbery borders, are unusually effect-paver Nudicaule is a dwarf-growing variety, and is especially adapted for rock-work eremial. er Bracteatum. Bright orange-crimson; large and handsome. 2 feet05 Involucratum Maximum. Brilliant orange-scarlet; from Levant. 3 feet10 Nudicaule. Bright-yellow: from Siberia. 1 foot


TO THE FLOWER GARDEN.

	_
NO. PRIC	CE
1126 Sweet Peas, Black. From Ceylon. 6 feet \$0.0	05
1100 B 1 B 0 1 10 1	05
	05
0 14 7 0 1 (6)	05 05
0 1 0 1 0 1 0 1	05
	05
100 1 10 1 VII.II 10 .	05
	05 05
	-3
PELARGONIUM. NAT. ORD., Geraniacea.	
A genus of indispensable and beautiful greenhouse plants: whether for the adornment of the conservatory or the drawing-room, they stand unrivalled. Greenhouse perennial.	
1136 Pelargonium. Finest mixed. From named prize flowers	25
(For other varieties, see Geranium.)	
PENSTEMON. NAT. ORD., Scrophulariacea.	
A genus of well-known and highly ornamental hardy herbaceous plants, with long, grace-	
ful spikes of fine-shaped and richly-colored flowers. One of the most effective and free- flowering of border and bedding plants; succeeds in any light soil.	
1100 O 11 11 D 1 1 11 1 1 1 1 1 1 1 1 1 1 1	10
0 1 0 1 1 1 1 1 1 1 1 1	10
	25
1100 1 111 D (C) 11 C (1 C)	25
	10
STATE OF TAXABLE A	10
1145 — Finest Mixed	10
PERILLA. NAT. ORD., Labiata.	
Among the recent introductions of ornamental-foliaged plants for flower-garden decoration, the Perilla deserves a more than ordinary share of attention. Its habit of growth is neat and shrubby, whilst its foliage is a deep mulberry or blackish purple, and forms a fine contrast to the silvery foliage of Cineraria Maritima, or the lively green of other plants. Half-hardy annual.	
1146 Perilla Nankinensis. Leaves, a deep mulberry or purplish-black; from China. 2 feet	05
PETUNIA. NAT. ORD., Solanaceæ,	
A highly ornamental and profuse-flowering, easily cultivated garden favorite, equally effective and beautiful whether grown in pots for the decoration of the greenhouse and sitting-room window, or planted out in beds or mixed borders. The brilliancy and variety of its colors, combined with the duration of its blooming period, render it invaluable. Seeds	
sown in spring make fine bedding-plants for summer and autumn display; succeeds in any rich soil. Half-hardy perennials.	
1147 Petunia Phœnicia (the original variety). Flowers small; deep purple	05
	25
	10
	25 25
	10
	25
1154 — Flore Pleno. These are fecundated with great care, and are sure to produce a	0.5
	25 10
	10
1157 — — Rosea. Rose-colored	10
	10
	10

NO. PRICE
PHASEOLUS (SCARLET-RUNNER BEANS). NAT. ORD., Leguminosæ.
This is a popular climbing annual, with spikes of showy scarlet flowers, and a variety with white flowers. They are extensively grown to cover arbors, walls, or to form screens, for which purpose they are admirably adapted on account of their vigorous and rapid
growth. Hardy annuals.
1161 Phaseolus Coccinea. Brilliant scarlet
1162 — Painted Lady. A beautiful variety
1163 — Alba. White
PHLOX DRUMMONDII. NAT. ORD., Polemoniacea.
This magnificent genus of plants is unrivalled for richness and brilliancy of colors, pro- fusion and duration of blooming. They are unsurpassed for bedding or pot culture, and produce a splendid effect in mixed borders. No garden should be without these beautiful plants. Succeeds best in light rich soil. Hardy annuals.
1164 Phlox Drummondii Alba. White
1165 — — Oculata. Pure white, with purple eye
1166 — Marmorata. Marbled
1167 — Louis Napoleon. Dark-crimson
1168 — Leopoldii. Purple; white eye
1169 — Queen Victoria. Violet; white eye
1171 — Chamois Rose. Delicate rose
1172 — Coccinea. Pure deep scarlet
1173 — — Striata. Scarlet, striped with white
1174 — Radowitsky. Deep rose, striped with white
1175 — Variabilis. Light-blue marbled
1176 — Good Mixed
1177 — Finest Mixed. Including all the best varieties
1178 — Perennial Mixed. Saved from a collection of upwards of one hundred varieties, embracing all those splendid new varieties introduced during the last
five years by the French and English florists, of which the produce may be ex-
pected to be fully equal or superior to the original
,
PINK. NAT. ORD., Caryophyllacea.
A well-known and highly valued plant, remarkable as well for its great beauty and delightful fragrance as for its easy culture and accommodating habit, growing freely and flowering profusely either in pots, in the greenhouse, or in the open border; succeeding best in a rich loamy soil. Hardy perennial.
1180 Pinks (Florist or Paisley). Finest mixed. From a named collection
1181 — Pheasant-eye. White or pink, with dark eye. The flowers are deeply fringed or
feathered; very fragrant
(For other varieties, see Dianthus.)
PICOTEE PINK. NAT. ORD., Caryophyllacea.
Favorite and well-known plants of great beauty, combining with the most perfect form the richest and the most beautiful colors. They have a delicate perfume, are easily cultivated, and bloom profusely, growing freely in any light rich soil. The seed we offer has been saved from flowers possessing all the requisite characteristics which constitute a first-class flower. Hardy perennial.
1182 Picotee Pink. Good mixed
1183 — Perpetual, or Tree. Saved from stage flowers. 12 feet
PITTOSPORUM. NAT. ORD., Pittosporacea.
A handsome genus of exceedingly ornamental shrubs; thrives in peat and loam. Green-
house shrubs. 1184 Pittosporum Undulatum. White and yellow; from New South Wales. 3 feet
1100 D 1 1 D 37 G 1 377 1 A .
PODOLEPIS. NAT. ORD., Composita.
A genus of pretty, graceful, free-flowering plants, succeeding best in a light, rich soil, and producing a fine effect in beds or mixed borders. Half-hardy annuals. 1186 Podolepis Chrysantha. Yellow; from New South Wales. 1 foot
1186 Podolepis Chrysantha. Yellow; from New South Wales. 1 foot
· · · · · · · · · · · · · · · · · · ·

NO.			PRICE
1187 Podolepis Gracilis. Pink; from New South Wales. 1 foot.			
1188 — Alba. White; from New South Wales. 1 foot.			
11881 Affinis. Yellow; new variety; the largest flowering kind			10








PHYGELIA CAPENSIS.

PHYGELIUS. NAT. ORD., Scrophulariacea.

 $\bf A$ handsome free-flowering plant, with large, richly-marked, tubular blossoms; succeeds in light rich soil. Half-hardy perennial.

NO.		PRICE
	POINCIANA. NAT. ORD., Leguminosea.	
	A very elegant and ornamental genus of greenhouse shrubs, requiring a good rich soil.	
1190	Poinciana Gilliesii. Yellow; from South America. 10 feet	\$0.10
	- Pulcherrima. Orange; from East Indies. 10 feet	
1192	Regia. Crimson; from Madagascar. 10 feet	25
	POLYGALA. NAT. ORD., Polygalacea.	
d	A very handsome genus of greenhouse evergreen shrubs, which may be grown out loors in summer; thrives best in peat and loam.	of

Polygala Speciosa. Purple; from Cape of Good Hope. 6 feet .





DOUBLE PORTULACA.

PORTULACA. NAT. ORD., Portulacea.

In praise of these charming flowers it is impossible to speak too highly: and it may be safely affirmed that a garden without them is devoid of its brightest ornaments; for the Portulacas are unsurpassed for brilliancy and richness of color. They are adapted for beds, clumps, edgings, pots, vases, or rock-work. The plants should stand at least eight inches distant from each other. Easily transplanted.

1197	Port	laca Splendens. Rich crimson; showy. Half foot	.05
1198		Thellusonii. Splendid scarlet. Half foot	.05
1199		Aurea. Yellow. Half foot	.05
1200	_	Alba. A pure white; fine. Half foot	.05
1201		Thorburnii. Deep orange. Half foot	.05
		Rosea. Fine rose. Half foot	
1203	_	Caryophylloides. Carnation-striped; white and crimson; superb. Half foot	.10
1204		Striata. Light yellow; gold-striped; fine	.10

NO. PRICE
1205 Portulaca Grandiflora Flore Pleno. Saved from double-flowering plants, reproducing
a large proportion of double, in white, blood-red, purple, &c., resembling roses; one of the finest new plants introduced for a long time; rare. (See illustration) \$0.25
1206 — Blensonii. Vermilion; fine
POLYANTHUS. NAT. ORD., Primulacea.
This gay and profuse-flowering hardy plant is too well known to need description. The
seeds which we offer may be expected to produce the richest and most varied color. Hardy perennial.
1207 Polyanthus (Primula elatior). Good mixed
POTENTILLA. NAT. ORD., Rosacea.
These are very handsome herbaceous plants, and from their hardiness and showy character are exceedingly useful and ornamental. They may be employed to advantage in filling up vacant nooks and corners. Even in single plants, and in all situations, their neatness of foliage and long duration in bloom render them objects of much beauty. Hardy perennials.
1209 Potentilla Atrosanguinea. Dark red; from Nepaul. 11/2 feet
1210 — Hopwoodiana, Rose, 1½ feet
1211 — Aurea. Orange-color; from the Alps. Half foot
1213 — Pedata. Fine yellow. 1 foot
1214 — Macrantha. White; from Switzerland. 1 foot
1215 — Mixed. Finest mixed
POPPY. NAT. ORD., Papaveracea.
A tribe of remarkably showy, free-flowering plants, producing a rich and effective display in large mixed borders, in shrubberies, or select plantations; grows freely in any soil. Hardy annuals.
1216 Poppy, Carnation (Papaver somniferum). Finest mixed; double. 2 feet
1217 — French. Finest dwarf-mixed; double. 1 foot
1218 — German. Finest mixed; double
1219 — Peony-flowered. Fine mixed; double
PRIONIUM. NAT. ORD., Graminea.
The rare Silver Grass-Tree, in appearance, and habit of growth, like a Pandanus.
1221 Prionium Palmita. Rare and beautiful
PRINCE'S FEATHER. NAT. ORD., Amarantacea.
Ornamental plants, with elegant plumes of rich-colored flowers; succeeds well in any good garden soil. Hardy annuals.
1222 Prince's Feather (Amaranthus). Large-flowered; crimson; from Nepaul. 2 feet
PRIMULA. NAT. ORD., Primulacea.
A very beautiful greenhouse plant, of various colors. All these are particularly valuable as forming near little plants, and flowering all winter. Greenhouse perennials.
(See Chinese Primrose.)
PUNICA. NAT. ORD., Myrtacea.
Certainly amongst the handsomest of shrubs. Under the shelter of a south wall, they flower profusely throughout the summer. Succeeds best in strong rich loam. Half-hardy shrubs.
1224 Punica Granatum (Pomegranate). Waxy scarlet; from south of Europe25
PYRETHRUM. NAT. ORD., Composita.
Handsome, free-flowering, highly ornamental plants, producing a fine effect in the mixed flower and shrubbery borders. Hardy perennial.
1225 Pyrethrum Delehayi. New; crimson; fine. 11/2 feet
1226 — Duchess of Brabant. Rosy-purple. 1½ feet
1227 — Gloire de Nimy. Bright crimson. 1½ feet
AV

AMATEUR CULTIVATOR'S GUIDE

NO.					PRICE
1228	Pyrethrum Themistori. Reddish rose; orange centre.	11 feet			\$0.10
1229	- Album. Double white. 12 feet				25
1230	- Finest Mixed		_		25



RHODANTHE MACULATA. (For full-sized flower, see engraving on page 75.)

RHODANTHE. NAT. ORD., Compositæ.

Charming everlasting flowers, of great beauty, equally valuable for the decoration of the conservatory and flower-garden. Its neat, compact growth makes it a suitable plant for bedding or ribboning, while its bright-colored flowers, elegant style of growth, and profuse blooming, render it an object of universal admiration. The flowers, if gathered when young, make valuable winter bouquets. Succeeds best in a light rich soil, and a warm, sheltered situation. Half-hardy annuals.

1231 Rhodanthe Manglesii. One of the prettiest of all the everlasting flowers; neat, unique, and beautiful; small, erect branching plant, with numerous semi-double, daisy-like flowers, of rich rose-color, suffused with white, retaining their transparency and beauty for a considerable period. x foot

. TO





RHODANTHE MACULATA (full size of flower).

1232 Rhodanthe Maculata. This splendid novelty is larger in all its parts than Rho-
danthe Manglesii; about two feet high, very robust, and more hardy; fine,
glossy, heart-shaped foliage, of graceful bearing, with flowers from one and a half
to two inches in diameter, of a bright, deep, rosy carmine, rendered more bril-
liant by a broad, velvety, blackish, purple-crimson belt, surrounding the bright-
yellow disk; in brilliancy of color, and graceful habit, far surpassing Acroclinium
Roseum. From Australia
1233 — Atrosanguinea. New dwarf; densely-branching species, with longer and
more pointed leaves than Rhodanthe Maculata, with flowers of a dark, purplish-
crimson; very brilliant
Maculata. This is one of the finest everlasting flowers introduced for a long
time. When cut in the bud, and placed under a glass, it makes a beautiful orna-
ment
RHODODENDRON. NAT. ORD., Ericacea.
A well-known and magnificent genus of free-flowering evergreen shrubs; should occupy a prominent place in every garden; thrives best in peaty soil. Hardy shrubs.
1235 Rhododendron. Finest mixed varieties, from choice named flowers
RIVINA. NAT. ORD., Phytolacea.
An exceedingly ornamental shrub when fruiting, 'The berries of this genus form the principal portion of the food of the American nightingale. Grows freely in any light soil. Greenhouse shrub.
1236 Rivina Humilis. White fruit, in bunches; from West Indies. 2 feet
RICINUS (CASTOR-OIL BEAN). Euphorbiaceæ.
A magnificent and highly ornamental genus. The picturesque foliage and stately growth,
combined with brilliant-colored fruit, of the new varieties, impart to select plantations, shrub-
beries, and mixed-flower borders, quite an Oriental aspect. In the gardens round Paris, they form one of the principal features of attraction; and if planted out and grown as single
specimens on our lawns and pleasure-grounds, as an ornamental foliaged plant, they would
form a new and striking feature. Half-hardy annuals.
1237 Ricinus Africanus Hybridus. Rose-colored hybrid; very handsome; new. 7 feet25 1238 — Giganteus. Plant and leaves of enormous size; new. 12 feet25
1239 — Insignis. New; splendid. 7 feet
1240 — Major (Castor-oil Bean). Very ornamental foliage. 6 to 8 feet
1241 — Sanguineus. A very stately growing plant, seven feet high, with large and
highly ornamental foliage of Oriental aspect, with clusters of red fruit. 6 feet 10

NO.	PRICE
SALVIA. NAT. ORD., Labiata.	
Strikingly ornamental plants for conservatory and out-door decoration, growing freely any light rich soil, and producing a magnificent effect in beds, ribbons, or edgings, who their beautiful spikes of bloom are produced in the greatest profusion. They all bloom the first season from seed. Half-hardy annual.	in ere the
1272 Salvia Coccinea. Small, bright scarlet flowers, very pretty for beds; from South Ame	\$0,10
1273 * - Splendens. A fine scarlet variety; from South America. 2 feet .	10
1274 — Pumila. A dwarf dark-red variety; forming a dwarf, compact, handsome bus fine for bedding. 1½ feet	h;
1275 — Romeriana. Deep crimson; fine. 2 feet	10
The following varieties are very fine for the conservatory or autumn flowering; remarka for their spikes of rich-colored flowers. Half-hardy perennials.	ble
1276 — Amabilis. Lavender-blue; from South America. 2 feet	10
1277 — Argentea. Fine large silvery foliage, of great substance; from Crete. a feet	10
1278 - Aurea. Yellow; from Cape of Good Hope	10
1279 — Patens. Splendid deep blue; from Mexico. 3 feet	25
1280 — Splendens. Beautiful scarlet. 3 feet	25
1281 — Azurea. Fine azure-blue. 2 feet	25
1283 — Tenorii. Blue, Hardy perennial	05
1284 — Rosea	05
SAPONARIA. NAT. ORD., Caryophyllacea.	
One of the best and longest blooming of all dwarf annuals, producing masses of mine cross-shaped blossoms; admirable for bedding.	ute
1285 Saponaria Calabrica. Bright rosy-pink; from Calabria. Half foot	10
1287 — Rosea. Rose-colored. Half foot	10
1288 — Alba. Pure white. Half foot	10
SCABIOUS (MOURNING BRIDE). NAT. ORD., Dipsacea.	
"The Scabious blooms in sad array, A mourner in her spring."	
A hardy ornamental plant, suitable for borders. It may be sown at any time in Mand will produce its flowers from July to October. There is a great variety in the flow of different plants: some of them are almost black, others a dark puce-purple, and vaous shades, down to lilac; they are produced in heads. Hardy annuals.	ers iri-
1289 Scabiosa Atropurpurea. A mixture of the finest dark colors. 2 feet	05
1290 - New Dwarf. Mixed; very fine. I foot	05
1291 — Dwarf, Scarlet. Very fine. 1 foot	05
1292 — Carmine. I foot	05
1293 — Candidissima. Pure white; very desirable. 1 foot	05
1294 — Starry. The blooms of this, if picked early, are well adapted for winter bouques 1295 — Ochroleuca. Light-yellow. Hardy perennial	10
1296 — Tartarica. Blue. Hardy perennial	10
SCHINUS. NAT. ORD., Teribinthacea.	
An elegant, ornamental, and highly fragrant greenhouse shrub, with beautiful bunches	of
waxy, currant-like fruit. The plant forms a desirable drawing-room ornament, and is easi cultivated; seeds sown in spring make handsome autumn plants. It succeeds out of doc in summer.	ors
1297 Schinus Molle (Pepper Shrub). From Peru. 6 feet	25
SCOTANTHUS. NAT. ORD., Leguminosa.	
A beautiful fast-growing annual climber, with elegant foliage, covered with pure wh flowers, imitating those of Mandevillea suaveolens, and splendid oblong scarlet fruits.	
1298 Scotanthus Tubiflorus. A magnificent novelty	25
SCHIZANTHUS. NAT. ORD., Scrophulariacea.	
Elegant slender-branched annuals, with very conspicuous lobed or cut-petaled flow of white, lilac, purple, and rich red, orange, and violet-crimson spots and marks, very p turesquely blended; well adapted for either garden or pot-culture. For winter flowerin they should be sown in August, and grown in pots. Half-hardy annuals	ers ic- ig,

78 AMATEUR CULTIVATOR'S GUIDE	
NO. PP	ICE
1000 0 1: 41 0 1 1 1 7 1	0.05
1200 0 111 7 12 1 1	.05
1301 — Grandiflorus Occulatus. Various shades, with blue centre; fine new variety.	
1200 11 11 71 1 1 77	.10
1000	.05
1204 D. 1. 111 D. 111 C. 1	.05
	.05
120** 0 1 84* 1	.05
1000	.05
SEDUM (STONE-CROP). NAT. ORD., Crassulacea.	-
A useful and exceedingly interesting genus of pretty little plants, growing freely on rock or rustic work, also on ornamental mounds, old walls, &c., where, during summer, they expand their brilllant star-shaped flowers in the greatest profusion. Hardy perennial.	
4200 O. J. O. J. Di . C. AC'. O C.	.10
1310 — Kamtschatkense. Orange; from Kamtschatka. Half foot	.10
,1311 — Mixed	.05
SIDA. NAT. ORD., Malvacea.	-
Handsome, free-flowering, easily cultivated greenhouse plants. Succeed well in any	
rich soil.	
1010 P. I. T. T. T. C.	.25
1214 Indian William control doub and a Come Tudio . Cont	.25
40 4W 841 1	.25
SCHIZOPETALON. NAT. ORD., Cruciferea.	777
1316 Schizopetalon Walkerii. White, fragrant; pretty for pots or edging. Hardy annual.	
TT-16 foot	.10
SILENE, or CATCHFLY. NAT. ORD., Caryophyllacea.	
Among the tribe of Silenes will be found some of the brightest ornaments of the flower-	
garden, either in respect to brilliancy of color, or length of duration in bloom; fine for beds, borders, or ribbons. Hardy annuals.	
1010 1 1 1 1 1 1 1 1 1 1 1 1	.05
1210 Alba White Garant Gat	.05
1320 — Pseudo Atocion. Rosy-pink flower, with white centre; very free-blooming	.05
	.05
	.05
1004 Carlos Distance in TV 100	.05
SNAPDRAGON (ANTIRRHINUM). NAT. ORD., Scrophulariacea.	
The Snapdragon, or Antirrhinum, is one of our most showy and useful border-plants.	
The Snapdragon, or Antirrhinum, is one of our most showy and useful border-plants. Amongst the more recently improved varieties of this valuable genus are large, finely shaped flowers, of the most brilliant colors, with beautifully marked throats; will bloom the first season from seed, and are very effective in beds or mixed borders. Half-hardy perennials.	
(See Antirrhinum.)	
SOLANUM. NAT. ORD., Solanaceæ.	1
A genus of most beautiful ornamental fruit-bearing plants, some of them among the most interesting of greenhouse shrubs. Others are the most valuable of ornamental climbers.	
	.10
1327 — Capsicastrum. Miniature orange-tree, covered with a profusion of scarlet fruit	
all winter; fine for parlor or conservatory. Half-hardy perennial	or.
1328 — Giganteum. Scarlet fruit	.25

NO. PRICE
1329 Solanum Heteroganum. Large; black-fruited; from East Indies. 14 feet . \$0.10
1330 — Laciniatum Elegans. A beautiful shrub, producing a large quantity of blue
flowers, with bunches of orange-colored fruit; fine. Half-hardy
1331 — Jasiminoides. Flower white, in clusters; fine. Greenhouse climber. 30 feet25 1332 — Cabiliense Argenteum. Yellow fruit, with silvery three-lobed fruit. Shrub25
1332 — Cabiliense Argenteum. Yellow fruit, with silvery three-lobed fruit. Shrub25 1333 — Texanum. Waxy scarlet fruit, of great beauty; from Texas. 2 feet25
SPERGULA. NAT. ORD., Caryophyllacea.
Extremely neat, moss-like plants, of a beautiful, lively green, largely used as a substitute
for grass on lawns, which they quickly cover, and require no further attention than rolling and keeping free from weeds: are found to thrive best on a stiff soil.
1334 Spergula Pilifera. From Corsica. One-eighth foot
SPHENOGYNE. NAT. ORD., Composita.
A very showy, free-flowering plant; very effective for beds, mixed borders, edging, or ribbons. Hardy annual.
1335 Sphenogyne Speciosa. Bright yellow; black centre; from South America. 1 foot05
SPRAGUEA. NAT. ORD., Portulacea.
A charming plant, resembling the Calandrina, with Amaranthus-like flowers; extremely graceful and beautiful; very effective as an edging, and valuable for rock-work; delighting in a rish loansy soil. Half-hardy annual.
1336 Spraguea Umbellata. New; white, shaded and spotted with purple; from California.
Three-quarters foot
STATICE. NAT. ORD., Plumbaginaceæ.
A magnificent genus of beautiful greenhouse and out-door plants, remarkable alike for variety of their foliage and the brilliancy and beauty of their flowers. The hardy kinds are splendid for rock-work and the flower-borders, while the half-hardy make fine conservatory plants. Half-hardy perennial.
1337 Statici Armeria. Suitable for edging. Half foot
1338 — Bonduellii. Deep golden-yellow; from Levant. 1½ feet
1339 — Formosa. Rose-color; fine. 1 foot
1340 — Fortuni. White and yellow; from China. 1 foot
1342 — — Alba. White; from China
1343 — Rosea Superba. Bright rose; fine
1344 — Halfordii. A beautiful greenhouse variety. 2 feet
1345 — Texana. Red. Hardy annual
STOCKS (GERMAN, FRENCH, AND ENGLISH). NAT. ORD., Crucifera.
The Stock Gillyflower is one of the most popular, beautiful, and important of our garden favorites; and whether for bedding, massing, edging, or ribboning, it is unsurpassed, either for brilliancy and diversity of color, or profusion and duration of bloom.
The Ten-week Stock is the most universally cultivated, and usually blooms ten to twelve weeks after being sown. They grow from six to fifteen inches high, and when cultivated in
rich soil, and occasionally watered with weak guano water, throw out an immense quantity of lateral spikes of bloom, so that each plant forms a perfect bouquet; and it would, indeed,
be difficult to surpass the grand effect produced in beds or ribbons by these exquisite gems.
1347 Stocks, Ten-week. Large-flowered, comprising only the finest and most distinct colors,
yielding fifty per cent of double flowers; mixed
1349 - New Large-flowered Pyramidal. The most popular stock in cultivation;
very choice; received from one of the most celebrated florists in Germany.
Twenty brightest and most distinct colors mixed
1350 — Good Mixed. A great variety of colors
1352 — — Scarlet
1353 — Purple
1354 — Carmine
1355 — Wallflower-leaved. Mixed

80 AMATEUR CULTIVATOR'S GUIDE
NO. PRICE
1356 Stocks, Ten-week, New Hybrid. Mixed between the rough and smooth-leaved varieties; very fine
1357 — Dwarf German (saved from pot-plants). This is one of the finest. Fifteen colors mixed
1358 — Miniature. A dwarf variety, growing four inches high; fine for edgings; finest mixed.
1359 — Semperflorens, or Perpetual. A fine variety, remaining in flower a long
time; finest mixed
and a half feet; unsurpassed for bedding purposes; finest mixed
The Intermediate or autumn-flowering varieties, if sown early in spring, will bloom the same autumn. For winter-flowering, they should be sown in June. They are also valuable for early spring-blooming, for which purpose they should be sown the last of July or in August, and kept from hard frost during winter. Plants treated in this way, and planted out in beds in May, make a rich display during the early summer months. The Emperor, or perpetual-flowering. This magnificent class of Stocks may be treated in the same manner as the Intermediate, and used for the same purposes. They frequently last several years, if protected from frost; hence its name, — Perpetual.
1367 Intermediate, or Autumn-flowering Stock. Finest (twelve distinct colors) mixed
1369 — New Large-flowering. Finest mixed; superb
The Brompton and Giant Cape are generally called Winter Stocks on account of their not flowering the first year. The former is robust and branching. The latter possesses the characteristics so much esteemed by some; viz., immense pyramidal spikes of bloom.
1371 Brompton, or Winter Stocks. Finest mixed
1373 — — Rose-color. Dwarf; beautiful
1374 — — Dark Blue. Dwarf; beautiful
habit of which is extremely robust; foliage is exceedingly strong-growing, and of a most striking green, by which the lively colors produce the greatest effect;
finest mixed
STIPA. NAT. ORD., Graminacea.
1377 Stipa Gigantea. Fine ornamental grass
1379 — Capitata. Ornamental grass
STEVIA. NAT. ORD., Composite.
Mexican perennials, with tufts of very pretty white or pinkish flowers, which should be grown in sandy peat; fine for pots or borders. Tender perennials. 1380 Stevia Purpurea. Purple. 2 feet
1381 — Serrata. White; the variety usually grown for cutting. 2 feet
SUTHERLANDIA. NAT. ORD., Leguminosæ. An exceedingly beautiful little greenhouse shrub, with handsome Clianthus-like flowers;
succeeds best in peat and loam. 1382 Sutherlandia Frutescens. Scarlet; from Cape of Good Hope. 3-feet
1383 — Speciosa Coccinea. A splendid new flowering shrub, with racemes of dark-red flowers, much like Clianthus
SULTAN. NAT. ORD., Compositæ.
Handsome border annual, of easy culture; native of Persia, with fragrant flowers from July to September.
1384 Sultan Sweet. White. 2 feet
1386 — Yellow. Fine. 2 feet

NO.

SUNFLOWER. NAT. ORD., Composita.

PRICE

(See Helianthus.)

SWEET WILLIAMS. NAT. ORD., Caryophyllacea.

A useful and well-known tribe of plants, perfectly hardy, and easily raised from seed; a bed of fine varieties presenting a rich sight; it sports into endless varieties; viz., pink, purple, crimson, scarlet, white, variously edged, eyed, and spotted. Our seeds were saved from the finest-named varieties, together with Hunt's (a celebrated English amateur), which we can confidently recommend as superior to any thing ever before offered in this country. Hardy perennials.

SWEET ALYSSUM. NAT. ORD., Crucifera.

(See Alyssum.)



TAGETES SIGNATA PUMILA (full size of the flower).


TAGETES. NAT. ORD., Compositæ.

Elegant free-flowering plants, with pretty foliage; very effective in mixed borders; succeeds best in a light rich soil. Half-hardy annuals.

1392 Tagetes Signata Pumila. (See cut.) An elegant new dwarf variety, about one foot high; and, when full grown, the plant will measure two feet in diameter, forming a beautiful compact bush, completely covered with flowers, and continuing in bloom until hard frost sets in. Recommended as one of the most showy plants for borders and dwarf beds yet introduced; of the easiest culture. Plants should stand at least two and a half feet apart.

11





	TAGETES SIGNATA PUMILA (full-grown plant, reduced to one-tenth of its natural size).	
1394 1395	Tagetes Lucida. Deep yellow; from South America. 1 foot	.10
	TACSONIA. NAT. ORD., Passiflorea.	
1396	Tacsonia Ignea. This is a splendid orange-scarlet-colored "Passion-flower," like con- servatory climbing shrub; showing the unequalled vermilion tint of the Genesera Cinnabarinna, each blossom being relieved by contrast with a circle or band of purple filaments in the centre	.50
	THALICTRUM. NAT. ORD., Ranunculacea,	
1398	Thalictrum Aquilegiafolium. Light purple. Hardy perennial	.25
	THALIA. NAT. ORD., Marantacea.	
t	A curious and interesting aquatic plant, which should be planted in light rich soil, about we feet beneath the surface of the water.	
1400	Thalia Dealbata. Black and white; from South Carolina	.25
	TOURNEFORTIA. NAT. ORD., Boraginea.	
6	A very pretty plant, flowers of which resemble the Heliotrope, but without its fragrance; ne either for pot or garden culture. Half-hardy annual.	
		.10
	TRIFOLIUM. NAT. ORD., Leguminosa.	

Remarkably showy plant, with large handsome flowers; grows freely in any soil. Hardy


TRITOMA. NAT. ORD., Hemerocallidacea.

Splendid half-hardy, evergreen, herbaceous plants, forming large, robust, stemless leaf crowns, from the centre of which their tall flower-stems, three to five feet in height, are produced in summer and autumn, with large dense-flowered terminal racemes of rich pendant orange-red and scarlet tubulous flowers, each raceme a foot or more in length.

orange-red and scarlet tubulous flowers, each raceme a foot or more in length.

They are admirably adapted for bedding out; and the numerous terminal flame-colored blossoms form a stately distant or mediate effect. They thrive in any rich light garden soil. On approach of winter, they should be taken up and placed in the greenhouse or cellar, for replanting out again in spring.

1405 Tritoma Uvaria. Finest mixed





THUNBERGIA ALATA.

THUNBERGIA. NAT. ORD., Acanthacea.

Extremely ornamental climbers; much admired; very free bloomers; good for trellis, stems of trees, and in the greenhouse, or out of doors in summer in a warm situation. Tender annuals.

1406	Thunbergia Alata. Winged, buff, with dark eye. 4 to 6 feet	0.05
1407	- Alba. White, with dark eye. 4 to 6 feet	.05
1408	- Aurantiaca. Bright orange; dark eye. 4 to 6 feet	.05
		.10
		.05
1411	- Americana. Clear buff. 4 to 6 feet	.10
1412	— Mixed. All the above mixed	.10
	TIGRIDIA. NAT. ORD., Tridacea.	
1/112	Tigridia Pavonia (Tiger Flower). Red and yellow, spotted with dark crimson-purple.	
1413		
		.25
1414	— Conchiflora. Bright yellow, spotted with crimson	.25

TROPÆOLUM. NAT. ORD., Tropæoleæ.

The following varieties, as hybrids from Tropæolum Lobbianum, are unsurpassed by any collection ever offered. They are all of the easiest culture, and flower profusely the first year. Though not in all cases perpetuating their respective kinds true from seed, they nevertheless often produce still more beautiful ones, and among them varieties of the perpetual-flowering, which are invaluable for decoration in the greenhouse or conservatory, and for boundaring which are bouquets in winter.

In the greenhouse or conservatory they may be had in bloom the greater part of the year;

rustic baskets, or trailing from vases, their elegance of form and brilliancy of color render					
+	hem necul	liarly valuable.			
	-	·			
1415	Tropæo	olum Lobbianum. Orange. 4 feet			
1416	-	- Caroline Schmidt. Deep scarlet. 6 feet			
1417		- Duc de Malakoff. Straw color; edged rose, spotted with red. 6 feet25			
1418		- Brilliant. Dark scarlet. 6 feet			
1419		- Schultzi. Deep carmine; foliage dark green; fine. 4 feet			
1420		Flamula Grandiflora. Yellow; beautifully streaked with carmine; very			
		choice. 6 feet			
1421		- Geant des Batailles. Brilhant crimson. 6 feet			
1422		- Garibaldii. Fine orange, shaded with scarlet. 6 feet			
1423		- Duc de Vicence. Sulphur, with vermilion spots. 6 feet			

PRICE


NO.



TROPÆOLUM LOBBIANUM.

1424	Tropæolum Lobbianum Duc de Luynes. Dark crimson \$	0.25
1425	— Masiliense. Deep carmine	.25
1426	- Monsieur Turuell. Orange-yellow, striped with vermilion; flower very	
		.25
1427	- Monsieur Calmet. Lemon, spotted with crimson; very beautiful	.25
1428	- Napoleon III. Orange yellow, striped with vermilion. 6 feet	.25
1429	- Peraguanum. Scarlet, with black spots; very fine. 6 feet	.25
1430	- Roi des Noirs. Nearly black. 4 feet	.25
1431	- Tricolor Grandiflora. Carmine; spotted. 4 feet	.25
1432	- Triomphe de Gand. Fine orange-scarlet. 4 feet	.25
1433	Du Prado. Yellow-scarlet flamed. 4 feet	.25
1434	- Versicolor. Orange-striped. 4 feet	.25
1435	- Victor Emmanuel. Brilliant carmine and gold. 4 feet	.25
1436	Zanderii. Vivid scarlet; one of the strongest growing varieties. 4 feet .	.25
1437	Lillie Schmidt. Scarlet. 6 feet	.25
1438	- Von Humboldt. Fine orange-shaded. 6 feet	.25
1439	- Mixed. Finest varieties	.25
	The following are beautiful tuberous varieties for the greenhouse:	
1440	Tropæolum Brachyceras. Yellow and red; fine foliage; splendid trailer	.25
1441	Pentaphyllum. Scarlet and green; delicate foliage; fine for open borders .	.25
1442	— Jarattii. Scarlet and yellow	.25
1443	- Tricolorum. Scarlet, yellow, and black	.25

NO. PRICE
TYDÆA. NAT. ORD., Gesneraceæ.
A stove plant of great beauty. Greenhouse perennial.
1444 Tydæa Hybrida. Very fine
VALERIAN. NAT. ORD., Valeriancea.
Perennial plants; mostly natives of Europe; will grow in almost any soil. The dwarf
species are very suitable for rock-work.
1445 Valeriana Rubra. Red. 11/2 feet
1446 — Alba. White. 1\frac{1}{2} feet
VENIDIUM. NAT. ORD., Compositæ.
An exceedingly showy plant, with large handsome flower, having a very gay appearance
in beds or mixed borders; thrives best in turfy loam. Half-hardy annual.
1447 Venidium Calendulaceum. Deep orange; rich brown centre; from Cape of Good
Hope. 1 foot
VENUS'S LOOKING-GLASS. NAT. ORD., Campanulacea.
A free-flowering, pretty little plant, of nice habit of growth, especially adapted for beds,
ribbons, or edgings; grows well in any garden soil. Hardy annual.
1448 Venus's Looking-Glass (Campanula). Finest mixed; from south of Europe. Half foot, .05
VALLOTA. NAT. ORD., Amaryllidaceæ.
A splendid bulbous-rooted plant, allied to the Amaryllis and Lily. It blooms in August,
throwing up its strong stems about one foot high, with from five to eight brilliant scarlet lily-like flowers; very ornamental for bedding out in summer or for culture in pots.
1449 Vallota Purpurea Superba. Fine
VENUS'S NAVELWORT. NAT. ORD., Boraginacea.
A very pretty little plant, useful for ribbons, and forms a neat edging to shrubbery borders, &c. grows freely in every soil. Hardy annual.
1450 Venus's Navelwort (Cynoglossum Linifolius). White; from Portugal. 12 feet
VERONICA. NAT. ORD., Scrophulariaceæ.
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion.
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet10
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet. 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot 10 1454 — Alba. White variety of preceding 10 1455 — Andersonii. Lilac and white; greenhouse shrub. 2 feet 10 1456 — Austriaca. Blue. Hardy perennial
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot
A genus of the most beautiful and showy evergreen shrubs, producing their handsome spikes of flowers in the greatest profusion. 1451 Veronica Glauca (New). Blue; very fine; from England. Hardy perennial. 2 feet 10 1452 — Devoniana. Red and white. Half-hardy shrub. 2½ feet 10 1453 — Syriaca. Bright blue and white; fine for pot-culture, edgings, vases, or rock-work. Half-hardy annual. Half foot



BASKET OF VERBENAS.

1469	Verb	ena H	ybrida Auri	culæflora.	A splend	lid nov	elty, lar	ge and	welli	formed	; bloo	ms in	
		vari	ous shades, v	vith a distinc	t eye of	white	or rose,	and 1	proper	rly cal	led Au	ricu-	
		1æfl	ora, as the d	isk comes nea	ar the P	olyant	hus and	Auric	ula. 1	Extra f	ine mis	red, \$	0.50
1470			Coccinea.	From most	brilliant	scarle	et flower	s.					.25
1471		-	Cœrulea.	Deep-blue;	fine .								.25
		V	TOLA	TRIC	OLO	R.	NAT.	ORD.	Vio	laceæ.			

(Car Danner Handard)

(See Pansy or Heartsease.)

VINCA. NAT. ORD., Apocynacea.

VICTORIA REGIA. NAT. ORD., Nymphacea.

One of the most beautiful of all the aquatic plants, which requires a house for its special use. To succeed in growing them from seed, keep the pot immersed in water until the seed vegetates, when it should be repotted in a large pot, and sunk in a pond or fountain about one foot below the surface of the water. From the River Amazon.

Viscaria Burridgii. White. 11/2 feet .

VISCARIA. NAT. ORD., Caryophyllaceæ.

A genus of remarkably pretty profuse-flowering plants, producing a striking effect in beds, ribbons, or mixed borders; growing freely in any good garden-soil. Hardy annual.

.05

 1478
 — Coali Rosea (Rose of Heaven). Bright rose, with white centre; from Levant.

 1½ feet '.
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .</td

VIMINARIA. NAT. ORD., Leguminosæ.

Exceedingly curious plants, with leafless stems, which very much resemble a bundle of twigs; these are covered with handsome flowers, giving the plant a very striking and remarkable appearance. Greenhouse shrubs.

TO THE FLOWER GARDEN.	87
NO.	PRICE
WALLFLOWER. NAT. ORD., Crucifera.	
A useful and ornamental class of plants; very fragrant. Half-hardy perennial.	
1488 Wallflower. Good mixed	\$0.05
1490 — Double. Finest German; mixed	10
(For separate colors, see Collections.)	
S STEP	
	3
2	~
	2
The state of the s	= 1
THE STATE OF THE S	3
SHAP THE	TO THE COLUMN
WIGANDIA CARACASANA.	
WIGANDIA. NAT. ORD., Hydroleacea.	
1491 Wigandia Caracasana. Greenhouse perennial	25
WHITLAVIA. NAT. ORD., Hydrophyllaceæ.	
A very handsome free-flowering plant, suitable for beds and borders; from Calif Hardy annual.	ornia.
1492 Whitlavia Grandiflora. Violet-blue. 1 foot	05
XERANTHEMUM. NAT. ORD., Compositæ.	
A fine everlasting flower, good for winter bouquets. Hardy annual. 1493 Xeranthemum Double. Purple. 2 feet	10
1 1700 Actuationalli Double. Turple. Fleet	



DOUBLE ZINNIA.

ZINNIA. NAT. ORD., Compositæ.

A grand genus of autumn-flowering plants, combining the greatest richness and diversity of color with unequalled profusion and duration of bloom.

Among the novelties of recent introduction, the New Double Zinnia has proved a most important acquisition. Its splendid double flowers rival, in beauty, size, and form, moderate size dahlias.

1499 Zinnia Elegans. Mixed. 2 feet . 1500 — Double. Mixed (see engraving). No new annual has excited so much attention as this. First introduced by Messrs. Vilmorin, Andriex, & Co., Paris, 1860; and since that time has been much improved in size, form, and color. The seed we offer was saved only from the finest double flowers, and will produce a large per-

centage of double-flowering plants. Finest mixed . . .

. .25



MEXICAN ZINNIA.

Α	Zinni	a Dou	ble Au	ırea.	Splend	id double	; golde	n-yellov	v : ricl	h .				\$0.10
В		_	Cocci	nea.	Double	; scarlet								10
C			Carm	ine.	Beautifu	l light ros	e or ca	rmine;	full do	ouble				10
D			Violad	cea.	Very da	rk crimson	n-purpl	e; full d	double				-	10
150 1		Mexi	cana.	This	proves 1	to be a n	ew and	desiral	ole spe	ecies.	It is	s a ne	at dw	varf
		plan	t of co	mpact	habit, s	carcely or	e foot	high, m	uch b	ranche	ed, w	ith n	umer	ous
		flow	er-head	ds, ab	out two	inches ac	ross, th	he ray f	florets	being	of	a full	orai	nge
		colo	r in the	cent	re, and p	aler at the	margi	ns. It	is offe	red in	son	ne lis	ts un	der
		the	name o	f Zini	nia Haag	eana, and	also A	urea and	Sanv	italia l	Mexi	cana		10
					Forsons			alla atia						

(For separate colors, see Collections.)

SPLENDID ASSORTMENTS

OF

FRENCH AND GERMAN FLOWER-SEEDS.

We invite the attention of our numerous customers to the following list of assortments of flower-seeds. They have all been selected expressly for us, by our special correspondents in France and Germany, from the various noted flower-seed growers, whose well-known reputation is a sure guaranty of their superior excellence, both as regards distinctness of color, and freshness of seed. We have no hesitation in recommending them as equal, if not superior, to any to be obtained in Europe. Our Asters are, many of them, of our own growth; and the best guaranty we can give of their extra quality is the award of the highest premium of the Massachusetts horticultural Society for the best thirty flowers exhibited in 1865, and EVERY YEAR but FOUR for the previous twenty years; and this, too, in competition with the choicest French seeds.

ASTERS.

NO.	PRICE
150 11	Truffaut's Peony Flowered Aster. Sixteen splendid varieties; distinct colors . \$1.50
1502	Truffaut's Peony Pyramid Flowered. Twelve splendid varieties, of the most beau-
	tiful colors
1502	Eight splendid varieties; distinct colors 1.00 Six splendid varieties, of the most beautiful colors
1503	
1505	— Perfection. Twelve splendid varieties, of the most beautiful colors
1506	Dwarf Large-flowering Peony. Six superb varieties, of the most beautiful colors . 1.00
15061	Impricated Pompone. Twelve splendid varieties
1507	Iruffaut's Imbrique Pompone. Ten splendid varieties, of the most beautiful colors, 1.00
1508	New Dwarf Chrysanthemum-flowered. Ten splendid varieties, of the most beau-
1500	tiful colors
1509 1510	New Giant Emperor. Ten splendid varieties, of the most beautiful colors 1.50 New Cocardeau, or Crown-flowered. Six beautiful varieties, of the most splendid
1310	1
1511	Globe-flowered Pyramidal. Twelve superb varieties, of the most beautiful colors . 1.00
1512	Double Globe Quilled. Twelve splendid varieties, of the most beautiful colors
1513	Ranunculus-flowered. Eight superb varieties, of the most beautiful colors
1514	Reid's Improved Quilled. Eight splendid varieties, of the most beautiful colors . 1.00
151 5 151 6	Double Dwarf Aster. Twelve splendid varieties, of the most beautiful colors
1310	colors
1517	Boltze's New Miniature Bouquet Pyramid. Five superb varieties, of the most beau-
	tiful colors
1518	New Peony Globe. Seven superb varieties, of the most beautiful colors
1519	New Rose-flowered. Twelve superb varieties, of the most beautiful colors 1.50
1520	Porcupine, or Hedgehog. Nine superb varieties, of the most beautiful colors75
	BALSAMS.
1521	Double Camellia-flowered Balsams. Ten splendid varieties, of the most beautiful
	colors
1522	Double Dwarf Balsams. Ten splendid varieties, of the most beautiful colors
1523	Double Spotted Rose-flowered Balsams. Twelve splendid varieties, of the most
1524	beautiful colors
1327	in quality. Twenty-five seeds of each
15241	New Rose-flowered. Eight splendid varieties
	GERMAN STOCKS.
1525	Dwarf Early Flowering. Sixteen varieties
13233	beautiful colors
1526	Large-flowered Improved Dwarf Ten-weeks Stocks. Six splendid varieties, of the
	most beautiful colors
1527	New Large-flowered Pyramidal Ten-weeks Stocks. Twelve splendid varieties, of
15271	the most beautiful colors

1	NO.	PRICE
1	528	Dwarf Pyramidal Ten-weeks Stocks. Twelve splendid varieties, of the most beau-
	020	tiful colors
-	529	Miniature, or Lilliputian Ten-weeks Stocks. Six splendid varieties, of the most
1	530	beautiful colors
•	330	colors
-1	53 I	Giant, or Tree Ten-weeks Stocks. Ten splendid varieties, of the most beautiful
	532	New Early Autumn-flowering Stocks. Eight splendid varieties, of the most
	334	beautiful colors
ı	533	Giant Cape Stocks. Five splendid varieties, of the most beautiful colors 50
- !	534	Brompton Stocks. Twelve splendid varieties, of the most beautiful colors 1.00
ı	535	Giant Cape Stocks. Five splendid varieties, of the most beautiful colors
1	536	Emperor, or Perpetual Stocks. Eight splendid varieties, of the most beautiful
		colors
	537 538	Semperflorens, or Perpetual. Eight splendid varieties, of the most beautiful colors, 1.00 New Hybrid. Hybrid between the Wall-flower and the rough leaves. Six splendid
	330	
-1	539	New Robust. A beautiful acquisition. Six splendid varieties, of the most beautiful
		colors
		T A THE CONTROL
		LARKSPURS.
- 1	540	Double Dwarf Rocket Larkspur. Ten splendid varieties, of the most beautiful
		colors
	54 I 542	Double Tall Rocket Larkspur. Eight splendid varieties, of the most beautiful colors, 50 Double Branching Larkspur. Eight splendid varieties, of the most beautiful colors. 50 Double Hyacinth-flowered Larkspur. Ten splendid varieties, of the most beautiful
	543	Double Branching Larkspur. Eight splendid varieties, of the most beautiful colors50 Double Hyacinth-flowered Larkspur. Ten splendid varieties, of the most beautiful
		colors
		VARIOUS COLLECTIONS.
1	545	
1	546	Antirrhinum Majus Nanum. Five splendid varieties; dwarf; the most beautiful colors, .75
	547	Acacia Twenty-five splendid varieties, of the most beautiful colors 3.00
i		
	548	Twelve splendid varieties, of the most beautiful colors
- 1	549	Twelve splendid varieties, of the most beautiful colors
1	549 550	Twelve splendid varieties, of the most beautiful colors
1	549 550 55 I	Twelve splendid varieties, of the most beautiful colors
1 1	549 550 551 552 553	Twelve splendid varieties, of the most beautiful colors
1 1 1	549 550 551 552 553 553	Twelve splendid varieties, of the most beautiful colors
1 1 1 1	549 550 551 552 553 553 554	Twelve splendid varieties, of the most beautiful colors
1 1 1 1	549 550 551 552 553 553 554 555	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 553 554 555 556 557	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 554 555 556 557 558	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 554 555 556 557 558 559	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 554 555 556 557 558	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 5554 5556 557 558 559 559 560 561	Twelve splendid varieties, of the most beautiful colors
	549 550 551 552 553 553 555 555 556 557 558 559 559 560 562	Twelve splendid varieties, of the most beautiful colors 3.00 — Twenty-five splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Pollox, Drummondii. Twelve splendid varieties, of the most beautiful colors 1.50 Pollox, Drummondii. Twelve splendid varieties, of the most beautiful colors 1.50
	549 550 551 552 553 553 555 556 557 558 559 559 561 562 563	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twenty-four varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Heartsease, or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Potunia. Eight splendid varieties, of the most beautiful colors 1.50 Potunia. Eight splendid varieties, of the most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 The most beautiful colors 1.50 The most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50 The most beautiful colors 1.50 The most beautiful colors 1.50 Poppies. Twelve splendid varieties, of the most beautiful colors 1.50
	549 550 5552 5553 \frac{1}{2} 5554 5556 5559 \frac{1}{2} 5560 62 5663 5665	Twelve splendid varieties, of the most beautiful colors Canna. Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Capsicum. Six splendid varieties, of the most beautiful colors Convolvulus Major. Ten splendid varieties, of the most beautiful colors Everlasting Flower. Twenty-four varieties Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors I.00 Gladiolus. Six splendid varieties, of the most beautiful colors Twenty-five splendid varieties, of the most beautiful colors Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Tolollyhock. Eight varieties Pleartsease. or Pansies. Eight splendid varieties, of the most beautiful colors Petunia. Eight splendid varieties, of the most beautiful colors Tolorumonoidi. Twelve splendid varieties, of the most beautiful colors Tolorumonoidi. Twelve splendid varieties, of the most beautiful colors Toporulaca. Eight splendid varieties, of the most beautiful colors Toporulaca. Eight splendid varieties, of the most beautiful colors
	549 5551 5552 5553 5554 5556 5557 5559 5560 5563 5564 5566 5566 5566	Twelve splendid varieties, of the most beautiful colors Canna. Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Capsicum. Six splendid varieties, of the most beautiful colors Convolvulus Major. Ten splendid varieties, of the most beautiful colors Everlasting Flower. Twenty-four varieties Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Loo Gladiolus. Six splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Eight varieties Tolollyhock. Eight varieties Tololus. Eight splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the
	549 5551 5552 5553 5554 5555 5556 5559 5560 5563 5563 5566 5666 5666 5666 5666 5666 5666 5666 5666 5666 5666 5	Twelve splendid varieties, of the most beautiful colors Canna. Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Capsicum. Six splendid varieties, of the most beautiful colors Convolvulus Major. Ten splendid varieties, of the most beautiful colors Everlasting Flower. Twenty-four varieties Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors Loo Gladiolus. Six splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Eight varieties Tolollyhock. Eight varieties Tololus. Eight splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the most beautiful colors Tolollyhock. Twelve splendid varieties, of the
	549 550 551 553 553 5554 5556 5559 5560 5662 5663 5666	Twelve splendid varieties, of the most beautiful colors Canna. Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Six splendid varieties, of the most beautiful colors Convolvulus Major. Ten splendid varieties, of the most beautiful colors Loo Coxcomb Twelve splendid varieties, of the most beautiful colors Loo Capsicum. Six splendid varieties, of the most beautiful colors Loo Cavacomb Twelve splendid varieties, of the most beautiful colors Loo Cavacomb Twelve splendid varieties, of the most beautiful colors Loo Gladiolus. Six splendid varieties, of the most beautiful colors Loo Gourds. Twenty-five splendid varieties, of the most beautiful colors Twelve splendid varieties, of the most beautiful colors Tobulyhock. Twelve splendid varieties, of the most beautiful colors Loo Petunia. Eight varieties Type theartsease, or Pansies. Eight splendid varieties, of the most beautiful colors Topopies. Twelve splendid varieties, of the most beautiful colors Topopies. Twelve splendid varieties, of the most beautiful colors Double. Four splendid varieties, of the most beautiful colors Loo Salpfglossis. Eight splendid varieties, of the most beautiful colors Swect Peas. Eight splendid varieties, of the most beautiful colors Socabiosa. Eight splendid varieties, of the most beautiful colors Socabiosa. Eight splendid varieties, of the most beautiful colors
	549 5551 5552 5553 5554 5555 5556 5559 5560 5563 5563 5566 5666 5666 5666 5666 5666 5666 5666 5666 5666 5666 5	Twelve splendid varieties, of the most beautiful colors
	549 550 5552 5553 1	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Heartsease, or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Potulaca. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.00 Sucabiosa. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Solanum. Twelve splendid varieties, of the most beautiful colors 5.50 Solanum. Twelve splendid varieties, of the most beautiful colors 1.50 Iponea. Half-hardy and tender. Twelve splendid varieties, of the most beautiful colors 1.50 Iponea. Half-hardy and tender. Twelve splendid varieties, of the most beautiful colors 1.50 Iponea.
	549 550 555 555 555 555 555 555 55	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 Salpīglossis. Eight splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Solanum. Twelve splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50
	549 550 555 553 555 555 555 555 555	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 Salpīglossis. Eight splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Solanum. Twelve splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50 Lagohea. Eight splendid varieties, of the most beautiful colors 1.50
	549 550 555 553 553 555 555 555 555	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.00 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Gladiolus. Six splendid varieties, of the most beautiful colors 1.00 Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Salpīglossis. Eight splendid varieties, of the most beautiful colors 1.00 Salpīglossis. Eight splendid varieties, of the most beautiful colors 1.00 Salpīglossis. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50
	549 550 555 555 555 555 555 555 55	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxoomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxoomb Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 Double. Four splendid varieties, of the most beautiful colors 1.00 Salpfglossis. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Jacobea. Eight splendid varieties, of the most beautiful colors 1.50 Jacobea. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the
	549 550 555 555 555 555 555 555 55	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Potulaca. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect
	549 550 553 555 5	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Potulaca. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.00 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.00 Swect
	549 5551 5552 5553 5555 5555 5555 5555 5555 5556 662 5555 5566 663 664 665 665 667 667 677 677 677 677	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 7.5 Hollyhock. Twelve splendid varieties, of the most beautiful colors 7.5 Hollyhock. Eight varieties 7.5 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 7.5 Hollox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Phlox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Portulaca. Eight splendid varieties, of the most beautiful colors 7.5 Double. Four splendid varieties, of the most beautiful colors 7.5 Salpidossis. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Four splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Six splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, o
	549 55555331 5555555555555555555555555555	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 7.5 Hollyhock. Twelve splendid varieties, of the most beautiful colors 7.5 Hollyhock. Eight varieties 7.5 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 7.5 Hollox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Phlox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Portulaca. Eight splendid varieties, of the most beautiful colors 7.5 Double. Four splendid varieties, of the most beautiful colors 7.5 Salpidossis. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Four splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Six splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, o
	549 5551 5552 5553 5555 5555 5555 5555 5555 5556 662 5555 5566 663 664 665 665 667 667 677 677 677 677	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 7.5 Hollyhock. Twelve splendid varieties, of the most beautiful colors 7.5 Hollyhock. Eight varieties 7.5 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 7.5 Hollox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Phlox, Drummondii. Twelve splendid varieties, of the most beautiful colors 7.5 Portulaca. Eight splendid varieties, of the most beautiful colors 7.5 Double. Four splendid varieties, of the most beautiful colors 7.5 Salpidossis. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.5 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Four splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 7.50 Double. Six splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, of the most beautiful colors 7.50 Double. Eight splendid varieties, o
	549 55513 55553 55555 5555 5555 5555 55555 55555 55555 55555 55555 55555 55555 55555 55555	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 1.50 Convolvulus Major. Ten splendid varieties, of the most beautiful colors 1.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flower. Twenty-four varieties 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 Gourds. Twenty-five splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Heartsease. or Pansies. Eight splendid varieties, of the most beautiful colors 1.50 Petunia. Eight splendid varieties, of the most beautiful colors 1.50 Portulaca. Eight splendid varieties, of the most beautiful colors 1.50 Double. Four splendid varieties, of the most beautiful colors 1.50 — Double. Four splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Swect Peas. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 1.50 — Dwarf. Eight splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of t
	549 5550 1255553	Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 3.00 — Twelve splendid varieties, of the most beautiful colors 1.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Capsicum. Six splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 5.50 Coxcomb Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 Gladiolus. Six splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 — Twelve splendid varieties, of the most beautiful colors 1.50 Helichrysum. Eight splendid varieties, of the most beautiful colors 1.50 Hollyhock. Twelve splendid varieties, of the most beautiful colors 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight varieties 1.50 Hollyhock. Eight splendid varieties, of the most beautiful colors 1.50 Potulaca. Eight splendid varieties, of the most beautiful colors 1.50 Potulaca. Eight splendid varieties, of the most beautiful colors 1.00 Superiors. Twelve splendid varieties, of the most beautiful colors 1.00 Superiors. Eight splendid varieties, of the most beautiful colors 5.50 — Double. Four splendid varieties, of the most beautiful colors 1.00 Sweet Peas. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Scabiosa. Eight splendid varieties, of the most beautiful colors 5.50 Double. Six splendid varieties, of the most beautiful colors 5.50 Double. Eight splendid varieties, of the most beautiful colors 5.50 Corors 6.50 Corors 6.50 Corors 7.50 Cor

NOVELTIES OF 1866-7,

· AND OTHER

CHOICE AND RARE FLOWERS.

NO.	PRICE
1586	Arbronia Fragrans. This beautiful plant is a native of the Rocky-Mountain country,
	and can hardly be surpassed for beauty and elegance. It is a hardy perennial, of
	trailing habit, sending up immense numbers of flowers of a pure white color, in
	clusters resembling the Snowball. It opens its flowers towards evening, which pos-
	sess a delightful fragrance. In bloom from June to September. Seeds per packet \$0.25
1587	Abutilon Venosum Striatum. Greenhouse plant; striped
1588	Acacia Balsamea. Yellow: fine
1589	— Dolibriformis. Yellow
1590	- Drummondii. New and beautiful
1591	— Excelsa. White
1592	- Floribundus. Very free flowering
1593	— Glandulosa. Yellow
1594	— Longiflora Magnifica. Superb
1595	— Miesnerii. Yellow; new; very fine
1596	- Spectabilis. Deep golden yellow; very showy and beautiful
1597	- Adonis Vernalis Grandiflora Superba. A beautiful variety, with larger flowers
	than Adonic Vernalis: bright vellow with large dark-brown centre Perennial



24 A F 30 A S S S S S S S S S S S S S S S S S S
The state of the s
AGROSTEMMA CŒLI ROSA, DWARF-FRINGED.
Agrostemma Cœli Rosa, Dwarf-fringed. A fine variety of Agrostemma Cœli Rosa, of dwarf, compact growth (eight to ten inches high), thickly branched, vigorous, and
of dwarf, compact growth (eight to ten inches high), thickly branched, vigorous, and
free-blooming; flowers a fresh and lively rose-color, with a very white centre. The borders of the petals are finely fringed, giving to the whole plant a delicate and
graceful aspect. Hardy appual
Coli Rosa Hybrida Flore Pleno. A new double variety of this very pretty plant, producing a profusion of densely-double flowers. A great acquisition
plant, producing a profusion of densely-double flowers. A great acquisition
Anthemis Purpurea. Dwarf bushy species, with very numerous flower-heads; ray
flowers, yellow above and brown underneath



BOCCONIA JAPONICA. See page 94.



NO.	PRICE
1602	Andropogon Argenteum. A beautiful perennial grass, growing several feet high, with silver green foliage
1603	Formosum. A new perennial grass from India, said to exceed in dimensions any ornamental grass at present in cultivation, and producing a majestic effect
1604	any ornamental grass at present in cultivation, and producing a majestic effect25
1604	Antirrhinum Majus Pumilum Quadricolor. A most beautiful Liliput variety, brilliant crimson, scarlet, white, and yellow
1605	Mains Tom Thumb A very handsome dwarf Antirrhinum or Snardragon of
1606	compact globular growth, with bright vermilion-colored flowers
1606	compact globular growth, with bright vermilion-colored flowers 10 Anemome Species Nova Pontica. Described as a very beautiful alpine plant; native of the subalpine regions of the Pontic Mountains 50
1607	— Japonica, Honorine Jobert. A vigorous, beautiful, and effective hardy perennial, with splendid large pure white flowers
1608	Apropappus Rubiginosus. A showy autumn-flowering annual, about three feet high,
1000	Aplopappus Rubiginosus. A showy autumn-flowering annual, about three feet high, with lanceolate incised foliage, producing, in September, large terminal corymbs of
	yellow flowers, each nearly two inches in diameter
1609	Aquilegia Siberica Reddish Violet. A fine variety, with upright double flower, of a
1610	pretty reddish-purple tinge: plant compact, and a profuse bloomer .25 Glandulosa. A splendid and newly-introduced species from Siberia. The plant is more dwarfish in its habits than the common Columbine. The flowers are large
	is more dwarfish in its habits than the common Columbine. The flowers are large
	and rich sky blue, the inside and margin of the corolla pure white; about one foot high. (See cut.)
1611	Hybrida Lucida. A beautiful hybrid; remarkably free flowering, with handsome foliage; flowers large, brilliant bronze scarlet, yellow margined. Perennial
1612	
1012	— Spectabilis. A new species, with large flowers of a bright blue, shaded red, with green-bordered sepals and golden-yellow margined corolla. Perennial
1613	— Siberica Violacea. Fine new variety, with upright double flowers of a pretty
1614	reddish-violet tinge; plant compact, and a profuse bloomer. Hardy perennial Siberica Rubro Violaceo Pleno. A fine, compact, full-blooming variety, with
1017	erect, double, rich, reddish-violet flowers. Perennial
1615	- Vulgaris Fl. Albo Pleno. Pure white double Columbine
1615	Arundo Donax Fol. Variegatis. A very ornamental reed-like plant, growing six feet high, with broad lance-shaped foliage of the deepest green, beautifully striped with
	white
1616	Asters. The continued effort and rivalry among the French and German growers of
	Asters has resulted in great improvements in this beautiful and popular tribe of annual flowers; more than forty different classes or styles of this flower are now
	annual flowers: more than forty different classes or styles of this flower are now described in their catalogues, an indication of its great and increasing popularity.
	In fiabit of plant, form of flower, variety and brilliancy of colors, they now far excel
	those in cultivation a few years since. The following includes the newest and most desirable, among which, it will be
1617	noticed, are many entirely novel in style and color: —
1017	New Victoria Carmine Rose. Flower as large as the Emperor Asters, with ten to twenty flowers; brilliant carmine, fine form
1618	New Victoria Snow White, one foot in height; flowers three to four inches in
1619	diameter, very double and of the purest white New Large-flowered Dwarf Bouquet. A beautiful class, growing in bouquet
1015	 New Large-flowered Dwarf Bouquet. A beautiful class, growing in bouquet form, with full and perfect double flowers, of a great variety of exceedingly brilliant
	colors, and lasting unusually long in bloom; handsome branching habit, and finely
1620	adapted for edgings or dwarf-groups, beds, &c. Twelve varieties mixed
	midal nosegay form: very striking and heautiful colors, carmine, crimson violet
1621	rose, &c., all having white centres. Eight varieties mixed
1622	New Pagent Perfection, of vigorous upright growth, with very large full double
	rose, &c., all having white centres. Eight varieties mixed — Brilliant Deep Blood-red, with pure white centre — New Pæony Perfection, of vigorous upright growth, with very large full double flowers four inches or more in diameter, of the most perfect form, not showing an open centre to the last stage of bloomies. Twelve varieties mixed
1623	open centre to the last stage of blooming. Twelve varieties mixed
1020	dwarf, bushy habit, not over fifteen inches high, closely set with beautiful globular
	flowers of most brilliant colors; the earliest flowering class, and extremely showy.
1624	Six varieties mixed New White-centred Pyramidal. Very distinct and splendid, with pure white
	New White-centred Pyramidal. Very distinct and splendid, with pure white petals in the centre, surrounded by lavender, rose, violet, or carmine, producing a novel and very picturesque effect. Collection of six varieties
1625	novel and very picturesque effect. Collection of six varieties
1626	- New White Centre, Globe-flowered. Very showy, of spreading habit, with
1627	fine double flowers, the following varieties separate:
1628	— Uark Violet. With white centre
1629	- Light Blue. With white centre
1630	Rose. With white centre Boltze's New Bouquet. These novel and pretty varieties grow about eight
1001	inches high, are very double, rich, and free flowering, very fine for pots, beds, or
1632	groups. The two following separate:
1633	Carmine. With white, new and very fine
1634	- New Hedge-hog or Crown
1635	Carmine Rose. With white centre, extra double

NO.	PR	ICE
2101		
	Asters. New Hedge-hog or Crown, — Light Violet. With white centre, extra double	
1636	Light Violet. With white centre, extra double	.25
1637	- Truffaut's Pæony-flowered French Asters. These are unsurpassed for size,	
	beauty, and general effect, and too well known to need a description. Collection of	
1620	ten splendid varieties	1.50
1638	New Large-flowered Dwarf German. A new and highly improved variety,	,
	growing only eight inches high, and very branching, with large double flowers, finely imbricated	.ro
1639	- New Pæony-flowered la Superbe. This is the largest Pæony-flowered Aster;	
1000	height two feet, with magnificent flowers, five inches in diameter; brilliant rose color	.10
1640	height two feet, with magnificent flowers, five inches in diameter; brilliant rose color Boltze's New Miniature Bouquet. Of pyramidal growth, eight inches in height,	
	constant in habit extremely pretty, and very free blooming: mixed colors	.10
1641	- Pæony-flowered Globe. Snow white; new and fine	.10
1642	Aubrietia Græca. An admirable little spring-bloomer; can be strongly recommended	
	Pagony-flowered Globe. Snow white; new and fine Aubrietia Græca. An admirable little spring-bloomer; can be strongly recommended as a most desirable plant, either for borders or beds, in early spring, blooming for	
	several weeks in succession	.50
1643	Bartonia Nuda. This is a perfect gem: it grows two to three feet high, and is literally	
	covered with its large white flowers of the most delicate texture, surpassing even the	
	finest lace-work. The flowers are two and a half inches in diameter, and produced	0.5
1644	in great abundance all the season. A perfectly hardy perennial. Per packet. Begonia Pearcei (Veitch). A beautiful species introduced from South America, with	.25
1044	large bright yellow flowers borne on slender stems, well above the leaves, the upper	
	sides of which are of a dark velvety green, traversed by pale, straw-colored veins.	
	while the under side is of a dull red. Greenhouse plant	.50
1645	sides of which are of a dark velvety green, traversed by pale, straw-colored veins, while the under side is of a dull red. Greenhouse plant Bryonopsis, Erythrocarpa. Splendid climber, with beautiful scarlet fruits marbled	
	with white. Annual	.25
1646	Blitum Capitatum. Scarlet-fruited strawberry blite	.05
1647	Bisnaja Major. A very handsome hardy annual, growing about two and a half feet	
	high, with deep-green, finely cut foliage, and dense umbels of white flowers, elegantly	
1640	disposed, producing a grand effect in groups or masses Bocconia Japonica (B. Yokuhoma). This noble plant, recently introduced from Japan,	.25
1040	and not yet in the trade, has been an object of unusual admiration in the German	
	gardens. Allied to the fine Bocconia Cordata, it surpasses this in point of beauty, of	
	robust, free growth, habit of plant, size, shape, coloring of leaves, and showiness of	
	flower-spikes. It is perfectly hardy, requiring no protection in winter; of luxuriant	
	growth, forming a bush five to six feet in height, which is decorated, from the month of August, by beautiful pyramidal spikes of flowers, two to three feet or more in length. The beautiful, deeply serrated leaves, in the way of oak-leaves, are large, of	
	of August, by beautiful pyramidal spikes of flowers, two to three feet or more in	
	length. The beautiful, deeply serrated leaves, in the way of oak-leaves, are large, of	
	an obtuse, cordate form, of a sombre green above, glaucous below. As a single object	
	on the lawn, or grouped together, its effect is exquisite. It is a grand acquisition.	
10.40	(See our engraving of the plant.)	.50
1049	Calliopsis Diversifolia. A very pretty dwarf, hardy plant about a foot high, covered with golden-yellow flowers, which have a reddish-brown centre, and slightly marbled	
	margin. Perennial	.25
1650	Callirhoe Involucrata. A trailing hardy perennial of great beauty; from the Rocky	3
	Callirhoe Involucrata. A trailing hardy perennial of great beauty; from the Rocky Mountains. In bloom from May to September. The flowers rise singly, on stems	
	six to ten inches high, and vary in color from bright rose to the deepest crimson. In	
	size and color resembles the Portulacas. Per packet	.25
1651	Calceolaria New-spotted. Saved from a superb collection of new-spotted sorts Pinnata. Yellow; half-hardy annual. 1½ feet	.50
1652	— Pinnata. Yellow; half-hardy annual. 13 feet	.10
1653	Campanula Attica. A charming Grecian annual, forming compact plants about one foot in diameter, covered with deep-blue bell-shaped flowers; well suited to sunny	.10
	exposures	.10
1654	- Rhomboidea Soldanelliflora Plena. A beautiful novelty. The petals of the	.10
1004	handsome, pale azure-blue double flowers, are finely cut or fringed, and the blossoms	
	are borne on graceful, drooping, slender branches. Perennial	.25
1655	- Medium, Flore Roseo. Pink flowering Canterbury Bell. A new and very fine	
	variety, with bright pink flowers; a real novelty in color of this favorite and popular	
10-0	flower, and considered a most valuable introduction	.25
1656		06
1077	rennial. Flowers the first year from seed	.26
1657	Canna Bihorelli. A new dwarf variety with large dark-red leaves and large dark-red flowers	.50
1658		.50
1000	the rich tints of its stem and leaves either of the others, and more nearly approaching	
	the rich deep coloring of the Dracæna, having that dark bronzy metallic lustre pe-	
	the rich deep coloring of the Dracæna, having that dark bronzy metallic lustre pe- culiar to many of the tropical ornamental-leaved plants. Its growth is rapid, its	
	aspect stately, and attaining the height of eight feet, terminated with spikes of scarlet flowers, is a superb object. (See engraving)	
	flowers, is a superb object. (See engraving)	.25
1659	Celosia Pyramidalis Nana Aurantica. Annual: from Cochin-China: erect, from tifteen	
	to eighteen inches; leaves oval, acuminated, bright green; trusses of flower-spikes pyramidal of a brilliant buff yellow. Fine novelty for forming masses which will contain the property beautiful unit to fellowing.	
		.25
1660	— Pyramidalis versicolor. Annual; from Cochin-China; two to three feet high,	.23
.000	bushy from the bottom, with oval acuminated leaves of red brown; all the spikes ter-	
	minated by bright carmine trusses before opening, passing gradually to violet car-	
	mine	.25

NO.		RICE
1661	Celosia Pyramidalis Versicolor Var Hybrida Foliis Atrobruneis. A variety believed to be a hybrid of C. Versicolor and C. Nana Aurantica. It is distinct from the former	
	to be a hybrid of C. Versicolor and C. Nana Aurantica. It is distinct from the former	
	by its darker colored leaves, and its flower-trusses, which have a tinge of orange. A pretty foliaged plant, which will produce a great effect in beds	
1662	Cedronella Cana. A fragrant foliaged plant, with long spikes of deep purple flowers,	.25
	retaining the purple hue of the calyxes for a long time after the flowers have fallen;	
	allied to Gardoquia Betonicoides; flowering abundantly the first season if sown early.	
1000	Hardy perennial Cerastium Biebersteini. Handsomer than Cerastium Tomentosum, more compact in	.25
1663	habit, with larger leaves, of a dazzling, snowy whiteness. Six inches high. Peren-	
	nial	.25
1664	Chamæpeuce diacantha. A beautiful, silvery, spiny, herbaceous plant, of magnificent effect as single specimens on the lawn. Was much admired during the past summer	
	effect as single specimens on the lawn. Was much admired during the past summer	***
1665	at the Sub-tropical Gardens, at Battersea Park. Half-hardy perennial. Chrysanthemum. Dunnetti, New Double Golden. A seedling from the annual. Chrysanthemum tricolor, with flowers as double as Truffaut's Pæony Aster; color	.50
	Chrysanthemum tricolor, with flowers as double as Truffaut's Pæony Aster; color	
	bright golden yellow, similar in habit and bloom to the C. Dunnetti; double white;	
1666	introduced in 1865. Annual. Per packet — Carinatum annulatum. A remarkably fine new variety of this popular annual;	.50
1000	flowers orange, bordered with a broad scarlet ring; a beautiful design	.25
1667	- Louise Honoraty. Charming miniature, raised from the Pompon tribe; but so	,
0	widely different that we consider it a forerunner to an entirely different class of sum- mer-flowering Chrysanthemums. This plant forms perfectly round tufts, from ten to twelve inches high, by fifteen to eighteen through. The small flowers, of purplish	
	twelve inches high, by fifteen to eighteen through. The small flowers, of purplish	
	rose, shading off to white towards the centre, are produced in such quantity that the	
1668	whole plant forms a single bouquet Japonicum, flore pieno. New double Japanese fancy varieties. This new	.50
1000	— Japonicum. flore pteno. New double Japanese fancy varieties. This new tribe of Chrysanthemum is particularly recommended, as, from its sportive character.	
	tribe of Chrysanthemum is particularly recommended, as, from its sportive character, we feel convinced that the plants raised from seeds will always vary in the shape and	
1669	color of their flowers, constantly producing new varieties	.50
1008	 Carinatum Atrococcineum. Blooming in the most various shades, from light scarlet to dark blood-red. Very beautiful. Hardy annual 	.10
1670	Carinatum Purpureum. Beautiful crimson and purple-violet flowers; very fine.	
1671	Hardy annual Tricolor Dunnetti Flore Pleno. The flowers are of snowy whiteness, and its	.25
10/1	great charm consists in being as perfectly double as the Truffaut's Pæony Aster.	
	Hardy annual	.10
1672	Cineraria Argentea Vera. A handsome, silvery, shrubby species Burgæi. With very handsome leaves and flowers	.50
1673 1764	Papyracea. A new and beautiful large-leaved species, with flower-stems four	.50
	feet high	.50
1675	Clianthus Dampieri Alba. A new and remarkable variety, with large white flowers, delicately marked with a scarlet line around each petal	
1676	Clarkia Pulchella Alba Tom Thumb. A very compact and beautiful variety.	.50
16761	- Integrinetala Alba Tom Thumb A new and exceedingly dwarf and com-	3
	pact-growing variety of the entire-petalled Clarkia, producing a profusion of	
	effect, either for bedding, edging, and ribboning. This variety has been selected	
	pact growing variety of the entire-petalled Clarkia, producing a profusion of snow-white flowers, which are exceedingly showy, and of the highest decorative effect, either for bedding, edging, and ribboning. This variety has been selected with great care, and will be found very constant in its character. Height, eight	
10703	inches	.25
16763	- Integripetala FI. Albo Pleno. A new double variety, highly recommended by the raisers of this new acquisition	،25
1677	- Integripetala Flore Pleno. A magnificent double variety. The blossoms are	
	very large, of a rich magenta color, and are produced in the greatest profusion.	
1677	Hardy annual Clematis Erecta. White; one of the best hardy perennials. Three feet	.10
1678	- Florida. White; hardy climber; fragrant; hardy. Ten feet	.10
1679	Cosmidium Engelmani. A very handsome annual from Mexico, forming compact	
1680	plants a foot high, with neat linear foliage, and intense-yellow flowers Coreopsis Philadelphica. Hardy perennial, which flowers the first year. Its large	,10
		.25
1681 1682	Auriculata. Bright orange; fine; hardy perennial. Three feet	01.
		10
1683	Coccinea Indica. Highly ornamental, with scarlet fruit. One foot Cucurbita Melanocarpa. Hardy and handsomest gourd for covering verandas, &c. Very rapid grower, with fine foliage, and beautiful, marbled, glossy green, and silvery-	.25
1684	Cucurbita Melanocarpa. Hardy and handsomest gourd for covering verandas, &c.	
	white striped fruit	.15
1685	- Melo-pepo-capensis. A variety of gourd, producing extraordinary large fruit.	.25
1686	- Argyrosperma. A new Mexican gourd, with fruit of a depressed spherical form,	
	having large, handsome, white seeds; eatable, with the flavor of a hazel-nut; an addition to the dessert. Ten seeds	.00
1687	outumer opsis mackenin. A nanusonic cucuronaccous plant, with green mult of the	. 50
1600	size of a cedar-cone, with light-green and white stripes	.00
1688	Cytisus Glabratus. Very beautiful, with large golden-yellow flowers; very fragrant r Dahlia Imperialis. A splendid foliaged species, with white bell-shaped flowers, borne	.00
		.00

NO.	PRICE
1090	Datura Huberiana fl. pl. New varieties, mixed. A beautiful species; of robust habit, with very large, double flowers, in many new colors; white, violet, carmine,
	lilac, rose, &c. also one of the finest foliaged plants
1691 1692	- Ceratocauli. Very large blush flowers. 3 feet
	large trumpet-shaped flowers
1693	Delphinium Chinensis Pumilum, Dark Blue. A new color of this valuable acquisi-
	sition sent out last season. Early from seed the first year; about one foot high, with large, rich, blue flowers, abundantly produced. Hardy perennial
1694	Chinense Pumilum Cæruleum. Beautiful dwarf variety; dark blue; hardy
1695	perennial. Froot
1696	— Cœlestis. Beautiful; light blue; hardy perennial. \$ foot
1697	Hendersonii. Fine; blue; very large flowers and spikes; hardy perennial. 2 ft10
1698	— Azureus. A hardy perennial variety, growing two to three feet high, with spikes of delicate white flowers, tinged with pale blue. Native of Western Iowa and
	Nebraska. Seeds per packet
1699	- Menziesii. A very fine variety, growing one to two feet high, with dense spikes
	of flowers of the deepest blue. Perfectly hardy. Native of Nebraska. Seeds per packet
1700	Desmanthus Brachylobus. A hardy perennial, with beautiful fern-like foliage, and
	white globular clusters of flowers of considerable beauty. New and rare. Seeds
1701	per packet
., 01	Pink, with white flowers striped with lilac and crimson
1702	Heddewigh Strictus Grandiflorus ti bi Phre-white double flowers with
1703	broad crimson stripes, very striking and beautiful
	and each petal marked with a dark spot, like a Paisley Pink
1705	Caryonhyllus Double Dwarf Mixed. This new, and too little known, species is
	commendable on account of its compact and bushy habit, and the abundance of its double flowers, variously colored. The flower-stems are pretty nearly equal in
	neight (about twelve to inteen inches), and stand close to each other, making the
1706	whole plant look like a bunch of flowers
	- Dentosus Hybrid. Very pretty, but exceedingly sportive; new species; new varieties are found every year in the seedlings; flowers single, semi-double, or
	double; plants blooming very freely and perpetually through the whole summer and
1707	autumn: the finest are easily preserved by propagating from cutting — Heddewigii Nanus Flore Albo Pleno (Benary). This is a new, double, white variety of the beautiful Heddewigii Pink. It is of quite compact, dwarfish habit,
	variety of the beautiful Heddewigii Pink. It is of quite compact, dwarfish habit,
	resembling Dianthus Heddewigii fl. pl.; and nearly, without exception, constant from seed, which it produces very sparingly
1708	from seed, which it produces very sparingly Cincinnatus. A new species from Japan, of the size of Dianthus Heddewigii,
1=00	and with deeply-fringed petals. Superh
1709	Digitalis Tomentosa. Herbaceous plant, very distinct from D. purpurea; its flowers are more erect, of dark purple color, spotted with bright carmine
1710	- Winterii. Rich amber color; dense tall spikes; hardy biennial. 4 feet 10
1711	Egg Plant. Giant White. A new variety. Fruit, three times larger than those of the
1712	— Giant Striped. The fruits of this are equally of extraordinary size, and their
	variegation very constant. Like the foregoing, it will be more effective when plant-
	ed as a single specimen than in masses, as it is desirable that the curious fruits of these two varieties are well exposed to view. A highly-ornamental, half-hardy
	onnual ar
1713	Emberhium Coccineum. A magnificent greenhouse climber, with brilliant scarlet
1714	flowers; clusters like Bignonia Venusta
	grass, rivalling the Pampas, growing twelve feet high. The violescens is a new and
1715	superb variety Erythraea Ramosissima. Fine rose-flowered Gentianeæ, forming dwarf, compact,
1713	bushy plants, suitable for edgings and dwarf beds
1716	Geranium Scarlet Tom Thumb. A very fine dwarf; habited, compact-growing variety, attaining only to the height of six or eight inches, and very desirable and admirable
	for helts edgings and hedding purposes.
1717	Gilia Achillæfolia fl. rosea. A new rose-colored variety of this well-known annual25
1718	Gilia Achillæfolia fl. rosea. A new rose-colored variety of this well-known annual25 — Agregata. A hardy biennial of great beauty, growing two to three feet high; flowers, scarlet, dotted with maroon. Very desirable; from Utah Territory. Seeds
	per packet
1719	Gloriosa Plantii. Greenhouse plant, with red flowers. 3 feet
1720 1721	Gourd Bonnet. 10 feet
1722	— Ostrich Egg. 10 feet
1723 1724	— Siphon, 10 feet
1725	Godetia Reptans. New dwarf carmine rose, with purple spots, very profuse, blooming
	and pretty
1726	Reptans Alba. A charming variety, of dwarf habit, blooming in profusion; flowers pure white, with crimson blotch at the base of each petal





IPOMEA VOLUBILIS. Madame Anne. See page 97. SANVITALIA PROCUMPENS.

See page 100.



BALSAM SOLFERINO.
See page 146.



NO.	P	RICE
172	7 - Lindleyana Flore Pleno. A startling novelty in this much-admired tribe or	
172	annual plants, the first double variety which has been produced. Rich rosy purple.	.10
172	9 - Rosea Alba Tom Thumb. New dwarf rose; hardy annual. 1/2 foot	.10
173 173	Grevillea Thelemanni Splendens. A splendid species, with nowers the blood-red Gunneri Scabra. Large, ornamental foliage: greenish-white; half-hardy perennial.	.50
173	2 feet	.10
173	Pampas Grass, the tall, silvery flower-spikes tinted with rosy crimson	.50
1/3	with white flowers; very pretty for edgings and dwarf beds	.10
173	4 Helipterum Corymbifforum. A handsome, everlasting flower; from Australia; with	
173	silvery leaves, and white, star-like blossoms in corymbs. Hardy annual. Hibiscus Cannabinus. A biennial species, growing five feet high, with finely-cut foliage, and an elegant addition to the flower-border; flowering the first year from	.50
173	seed; white, with purple throat	. 50
	light-yellow, fragrant flowers; elegant for planting out in summer. Five seeds.	1.00
173	umbels of flowers	.25
173	8 Imperiata Sacchariflora. A magnificent, hardy grass, quite recently introduced from Amoor, with graceful curved foliage, forming a fine bush about three feet high, throw-	
	ing out numerous flower-spikes about five feet in height, bearing glittering, silvery	
	ing out numerous flower-spikes about five feet in height, bearing glittering, silvery plumes of flowers; extremely pretty. The leaves are lively green, with a broad, silvery line down the middle; and the habit and bearing of the plant are quite as	
	handsome as Gynerium Argenteum, while it has the superiority of flowering very	
173	handsome as Gynerium Argenteum, while it has the superiority of flowering very freely, and standing any degree of frost without the slightest protection. John School Sch	.25
174	striped red on a white ground	.25
	leaves and rosy-carmine flowers, remaining the whole day expanded. A lovely, extremely-full-blooming climber	
174	 Coptica. A beautiful climber; deep-lanceolated leaves; flowers, handsome rose 	.50
174	with white, standing well in bouquets. 2 Iris Kæmpferi. A magnificent new species; from Japan; received the Certificate of	.50
174	Merit from the Massachusetts Horticultural Society, 1865; hardy perennial. 2 ft Gracilis. Light blue; hardy perennial. 2 feet	.25
174	4 — Pumila. Very beautiful; saved from forty new varieties	.50
1/4	5 Lagenaria Sphœrica. New Ornamental Gourd. Flowers large, snowy white, with bright yellow stamens; fruit, the size of an orange, smooth, of a dark-green color, marbled all over with white. Per packet	0.5
174	6 Lathyrus Mauritanicus. A new and pretty perennial and climbing species, with crimson flowers	.25
174	7 - Cæruleus Coccineus. A sweet pea, with a dark-red blotch on each petal	.25
1748	B Linum Macrayi. A plant newly introduced from Chili; dwarf habit; with large, orange- colored flowers. P	.50
1749	D Lilium Colchichum. A very beautiful and attractive Lily; flowers, fine primrose- yellow; in form, resembling those of the favorite Lilium Longiflorum. 10 seeds	
1750	Aurantiacum. Fine vellow, 3 feet	. 50
1751 1752	 Eximium. Beautiful white; large trumpet-shaped flowers. 2 teet Auratum, Golden Striped Lily. This new and magnificent species of Lily, lately 	.25
	introduced from Japan; spoken of by Dr. Lindley as follows: "If ever a flower	
	merited the name of glorious, it is this, which stands far above all other Lilies, whether we regard its size, sweetness, or its exquisite arrangement of color. Imagine	
	upon the end of a purple stem, not thicker than a ramrod, and not above two feet	
	ing, somewhat crisp parts, rolled back at their points, and having an ivory-white	
	ing, somewhat crisp parts, rolled back at their points, and having an ivory-white skin, thinly strewn with purple points or studs, and oval or roundish, prominent purple stains. To this add, in the middle of each of the six parts, a broad stripe of	
	light satin-yellow, losing itself gradually in the ivory skin. Place the flower in a situation where side-light is cut off, and no direct light can reach it, except from	
	above, when the stripes acquire the appearance of gentle streamlets of Australian	
	gold, and the reader who has not seen it may form some feeble notion of what it is. It should be sown in pots, and placed under a shaded glass in gentle heat, using	
	very light loam, covering one-fourth inch deep; requires a number of months to	4.0
1753	vegetate. (See cut.) Lobelia "Snow-flake." This variety is a pure white-flowered form of the well-known	.50
	Lobelia Ramosa, being similar in its style of growth, and large-sized bloom, forming a very elegant and effective plant for pot-culture, and also for groups in the flower-	
	borders	.50
1754	 Erinus Compacta Alba. Pretty variety; of compact, low habit of growth; a pro- fuse and continuous bloomer; flowers, pure white; finely adapted for pot-culture, 	
1755	small groups, or edgings Erinus Grandiflora Stellatus. New; brilliant blue, with white eye; hardy	.25
1756	annual. ½ foot	.25
1/30	— Siphilitica, Blue; hardy annual. 2 feet	.10

NO.	· · · · · · · · · · · · · · · · · · ·	RICE
		LLE
1757	Lupinus Mutabilis Roseus. A most beautiful variety, of a bright, rosy-carmine color, both buds and flowers; whereas the old kind is white in bud, changing into lilac red	0.4
1758	going out of flower. A most beautiful showy variety — Hybridus Atrococineus. The most showy Lupin ever introduced. Large, handsome spikes of bloom; color, bright crimson scarlet, with white tip	.25
1759	 handsome spikes of bloom; color, bright crimson scarlet, with white tip Cruickshankii Hybrid. One of the finest annual Lupins. Flowers very fragrant, presenting various shades of color on the same spike; at first of a lovely blue, tinged with white, and yellow in the centre, afterwards changing to purple; very ornamental for groups or for cut flowers 	.25
1760	- Cruikshankii Variegated. Hardy annual. 2 feet	.05
1761 1762	 Pubescens Elegans. Violet rose; hardy annual. 2 feet Lychnis Haageana, Hybrida Mixed. A beautiful perennial, with large flowers of sparkling color; the color ranging from the brightest scarlet to blood red, purple, orange, white, or flesh-color Grandiflora Gigantea. New; with flowers of double the size of the beautiful 	.05
1763	orange, white, or flesh-color	.25
	Lychnis riaageana, in all the colors of white, chamois, rose, scarlet, occ.	. 50
1764	Machæranthera Glabra. A neat, hardy perennial, diffusely branched, and covered with Aster-like violet flowers with a vellow centre more than an inch in diameter	
4	Machæranthera Glabra. A neat, hardy perennial, diffusely branched, and covered with Aster-like, violet flowers, with a yellow centre more than an inch in diameter, and standing out in corymbs. Sown early, it flowers the first year. One and a half	
1765	to two teet high	.25
1703	the centre; a native of the Cape of Good Hope. Per packet	.50
1756	like Malope Grandinora. Flowers abundantly the first season, in the open ground,	.25
1767	and blooms in the greenhouse all winter. A valuable acquisition Lateritia. A trailing perennial, with dark-green leaves, the whole plant covered	
	with rosy Nankin flowers. Half-hardy, blooming abundantly the second year. Elegant for rock-work	.25
1768	gant for rock-work Marigold Dwarf. Dark velvet; double; fine; rich colored	.10
1769 1770	Maurandya Emeryana. Bright pink; half-hardy annual. 10 feet	.10
	black, on coming to maturity; fine for trellises; the fruit makes fine pickles.	.25
1771	 Cucumerina. A species of Cucurbitacea, from China, with smooth foliage and yellow flowers; fruit very smooth, of the thickness of the finger, and about one and a half inches long; can be pickled like Gherkins 	.25
1772	a half inches long; can be pickled like Gherkins Mimulus, New Double Spotted. This beautiful variety is a fine acquisition for culture in	
1773	pots, and remarkable for its double flowers, which are brilliant yellow, spotted, striped, and mottled with crimson; and remain in bloom much longer than the single sorts — Pardinus (Tigrinus) Flore Plene, Superb Double. A new strain, obtained	.50
1775	by the horists of Prussia, having all the variety of colors of the single, and come so	
	true from seed that there is but a small percentage of single flowers. These are quite equal to any of the English varieties, and are now for the <i>first time</i> offered as	
1000	the most beautiful vet produced	.50
1774	a foot high, with large leaves of a brilliant green, blotched with black. The large,	
	handsome flowers are curiously mottled, and marked in all the rich coloring peculiar to this tribe of plants	2-
1775	— Cupreus Hybridus. Of the great variety of Mimulus, none can surpass this for richness and diversity of color, and free blooming. The plants are dwarf, bushy,	.25
	richness and diversity of color, and free blooming. The plants are dwarf, bushy, and vigorous; with large, fine-shaped flowers, spotted, stained, marbled, speckled,	
1990	and blotched in the most striking manner Mirabilis Jalapa Foliis Variegatis Tricolor. Dwarf; tricolored variety; very beautiful	.25
1776	Mirabilis Jalapa Foliis Variegatis Tricolor. Dwarf; tricolored variety; very beautiful Mukia. Scabrella. Another pretty climber, with lobed, heart-shaped, small leaves, and	.25
	small scarlet berries	.25
1778	Myosotidium Nobile. The rare New-Zealand Forget-me-not, with broad, ovate-cordate, thick, fleshy leaves; subglobose racemes of deep azure; purple-eyed flowers, measur-	
	ing five inches across. A magnificent acquisition	1.00
1779	Nasturtium, Tom Thumb Rose. An entirely new color in Nasturtiums; habits similar	
	to scarlet Tom Thumb Nasturtium; color, the exact counterpart of Trentham Rose Geranium.	.25
1780	Nemophila Oculata Grandiflora. A seedling from the popular Maculata. The flowers	
1781	are of the circumference of a crown-piece. Very showy — Discoidalis Elegans. Maroon, bordered with white; half-hardy annual.	.05
1782	Vittata. Chocolate; broad, white margin; hardy annual	.05
1783	Nierembergia Frutescens. An entirely new species, from the Andes; introduced by the	
	Botanical Garden of Bordeaux. A hardy, small, shrub-like perennial; it forms a very graceful, rounded bush, its straight and upright stems branching at the top in every	
	direction, and throwing out a profusion of thread-like, drooping branchlets, covered from May to October with an immense quantity of very pretty white and purple flowers, larger than those of N. Gracilis. It is nearly hardy, and deserves to become	
	flowers, larger than those of N. Gracilis. It is nearly hardy, and deserves to become	
	a general layorite, both for the open garden in summer, and greenhouse in winter.	.50
1784	Nicotiana Macrophylla Var. Gigantea. Purple-Flowered. The most remarkable of all the Nicotianas now cultivated. Its leaves are much larger than those of any	
	other variety; it grows six to eight feet high; and the plants are crowned with immense bunches or corymbs of large purple flowers. The general habit of the plant,	
	mense bunches or corymbs of large purple flowers. The general habit of the plant,	
	its huge foliage, and stately aspect, give it the advantage over most other ornamental- leaved plants, for lawns or groups in the flower-garden. (See engraving.)	.25

NO.	PRI	CE
1785	Nymphia Cærulea. Elegant blue lily; greenhouse plant	25
1786 1787	Nolana Lasciniatus. New; large blue flowers; from Chili; hardy annual. 1 foot Onothera Drummondi Nana Alba. Similar in habit and flower to the Œ. Drummondii Nana, but with beautiful pearly-white blossoms. Exceedingly fine	.05
1707	dii Nana, but with beautiful pearly-white blossoms. Exceedingly fine	25
1788	- Macrantha. Large yellow nowers; nardy annual. 2 leet	10
1789 1790	 Odorata. Sweet-scented, yellow flowers; hardy annual. 1 foot. Rosea. Small rose-colored flowers; hardy annual. 1 foot 	.05
1791	Onopordum Arabicum. An immense ornamental-foliaged biennial, attaining ten feet	.05
	in height, and thirty feet in circumference at the base. The glaucous cottony leaves	
	are large and spiny, rendering the plant striking and attractive. Of magnificent	
1792	aspect on the lawn Orobus Niger. Dark purple; hardy perennial. 1 foot	
1793	Verna. A fine early-flowering variety, with rare flowers; hardy perennial. 1 ft.	.10
1794	— Alba. The same, with white flowers; hardy perennial. I foot.	.10
1795	Flaccida. With grass-like foliage and rose flowers; hardy perennial. 1/2 foot.	.10
1796 1797		.10
1798	Passiflora Acerifolia. A new perennial Passion-flower, with beautiful maple leaves,	. 10
1000	and small bluish-white flowers	.25
1799	Palafoxia Hookeriana. This new Texas plant is one of the finest of recent acquisitions.	
	It is much dwarfer and more branching than Palafoxia Texana, and the flowers—which have very much broader florets—are larger, and of a bright rosy-crimson	
	which have very much broader florets—are larger, and of a bright rosy-crimson color, with a dark centre. It is an annual, and will flourish finely in light and dry soils, and blooms throughout the summer. Messrs, Hovey & Co. were awarded the CERTIFICATE OF MERIT of the Massachusetts Horticultural Society, for the exhibitions of the Massachusetts Horticultural Society.	
	soils, and blooms throughout the summer. Messrs. Hovey & Co. were awarded the	
	tion of superb specimens in 1865	.25
1800	Pea, Scarlet Invincible. A beautiful new variety; flowers intense scarlet, very free.	.10
1801	Pennisetum Longistylum. An ornamental grass; half-hardy annual. 2 feet	.10
1802 1803	- Puhescens Light numle: hardy perennial vil feet	.10
1804	Torreyi. Superb, with long spikes of scarlet flowers; hardy perennial. 11/2 feet	.10
1805	- Wrightii With spikes of flame-colored flowers 2 feet	.10
1806	Grandiflorus. This is the finest of the genus, and is perfectly hardy. It grows two to three feet high, blooms in June and July, and is a decided acquisition to our hardy perennials. It is a native of the Platte Valley, Nebraska. Seeds per packet — Cobasi. A new and hardy variety from the Rocky Mountains. Grows two feet	
	hardy perennials. It is a native of the Platte Valley, Nebraska. Seeds per packet	.25
1807	- Cobæi. A new and hardy variety from the Rocky Mountains. Grows two feet	
	ligh, with nowers of a delicate purple; throat dotted with maroon. One of the	
1808	finest of the genus. Seeds per packet Barbatus. A line variety, with scarlet flowers, blooming in succession all the	.25
	 Barbatus. A fine variety, with scarlet flowers, blooming in succession all the season. Grows two to three feet high, and is perfectly hardy. Seeds per packet. Petalostemon Violacum. Grows two to three feet high; flowers in dense spikes of a 	.25
1809	Petalostemon Violacum. Grows two to three feet high; flowers in dense spikes of a	
	rich violet-purple color. In bloom most of the season. Native of Iowa and Nebraska. Seeds per packet	.25
1810	- Candidum. This is precisely like the above, except in color of its flowers, which	123
4011	are pure white Seeds now probest	.25
1811	Penicellaria Spicata. Ornamental grass, from Africa; annual; stems four feet high, with large broad leaves; spikes, or panicles, long, almost cylindrical, large and compact, containing thousands of flowers, which are succeeded by white flowery grains, useful as food for poultry. Beautiful plant for growing in isolated tufts	
	compact, containing thousands of flowers, which are succeeded by white flowery	
	grains, useful as food for poultry. Beautiful plant for growing in isolated tufts.	.25
1812		
	grance. The flowers are nearly half an inch in diameter, of a bright vellow, so	
	foot across, with opposite linear foliage; remarkable for its strong, citron-like fra- grance. The flowers are nearly half an inch in diameter, of a bright yellow, so abundant as to completely cover the surface of the plant. This fine acquisition re- ceived a certificate from the Floral Committee of the Royal Horticultural Society	
	ceived a certificate from the Floral Committee of the Royal Horticultural Society of London	25
1813	Petunia Multiflora. A small-flowered variety; red, with dark centre; flowering most	.25
	abundantly. Constant from seed, and fine for bedding	.25
1815	Picturata. Dwarf; large-flowered, velvety-scarlet crimson, marbled with	25
1816	white; a beautiful variety Hybrida Coronata. A most magnificent dwarf, compact variety; with beautiful,	.25
	regularly-formed flowers of great substance, of a brilliant, velvety purplish crimson,	
1817	with five broad, pure white stripes . — Inimitable Marmorata. A beautiful variety; flowers marbled and blotched	.10
1818	Phycella Corusca. A magnificent, free-flowering amaryllidaceous plant, with lily-like	. 50
	crimson-scarlet flowers, standing in many-flowered umbels. It may be grown in pots,	
	or planted in the spring in the open ground, like Amaryllis Formosissima. Per	* 00
1819	Phlox Drummondii Isabellina. A very fine new variety, producing constant, pale-yel-	1.00
	low flowers, entirely new and distinct in color	.25
1820		
1821	flowers in spikes, much resembling the Salvia in form. Pink, Sarah Howard. A new white monthly Pink, with slender foliage and stems;	.25
	two feet high; loaded with flowers the whole autumn. The flowers are medium size,	
1922	double, pure white, and very beautiful Potentilla Hybrida, Double. These are improved and beautiful varieties of this well-	.50
1022	known hardy perennial; flowers, Ranunculus-formed, and of brilliant and various	
	colors	.25

NO.	· ·
	PRICE
1823 1824	Polemonium Cæruleum. Blue; handsome; hardy perennial. 1 foot
1825	Portulaca Grandiflora. A magnificent collection, saved by one of the best German growers; all from the most beautiful double flowers; in six distinct colors, — alba,
	growers; all from the most beautiful double flowers; in six distinct colors, — alba,
1826	alba striata, aurantiaca, splendens, Thellusoni, Thorburni. Each separate
1827	
	offering to amateurs the choicest varieties of Chinese Primrose, unequalled by any yet produced, comprising a proportion of double flowers. These seeds were re-
	ceived directly from the celebrated London growers, who received one special and
	ceived directly from the celebrated London growers, who received one special and three first-class certificates in 1866, from the Royal Horticultural Society. The fol-
	lowing is a description of these flowers, taken from the Gardener's Chronicle: — "This strain of Primula is a remarkable one. The flowers are large, full, and
	frilled: and in color, vary from white, through shades of pale flesh-color, to blush
	of deepest hue; and from that again to the carmine-rose of Mr. Benary's Carmi-
	nata; and on, through the ordinary rose-tint, to a very dark purple rose; the pale
	frilled; and in color, vary from white, through shades of pale flesh-color, to blush of deepest hue; and from that again to the carmine-rose of Mr. Benary's Carminata; and on, through the ordinary rose-tint, to a very dark purple rose; the pale ones especially are also remarkable for a large, yellow, star-like eye, sometimes measuring fully five-eighths of an inch across, the flowers themselves being about
	two inches. Some others are spiashed and naked with rose, on a white ground;
	and both pure white, and flesh-tinted white, as well as rose, and rosy purple, full, double flowers were amongst those sent for inspection."
	Our collection comprises five distinct colors, viz., white, deep blush, purple, lilac, striped, and deep carmine rose, and their intermediate shades, beautifully fringed; large, and producing immense trusses of flowers, thrown well up above the
	lilac, striped, and deep carmine rose, and their intermediate shades, beautifully
	foliage. Another valuable property of them is, that, from each bloom being spe-
	cially hybridized, a proportion of beautiful double flowers may be expected. Sealed
1828	Packets Chinensis Fimibriata Punctata. Splendid variety; with large bouquets of
	flowers, finely fringed; brilliant crimson, spotted with white 50 — Polyantha. The tall English Oxlip, in various colors; very pretty and interesting;
1829	Polyantha. The tall English Oxlip, in various colors; very pretty and interesting;
1830	spring-flowering; hardy perennial Ranunculus Asiaticus Superbissimus. It is with great pleasure that we bring before
	our amateurs and lovers of healitiful plants this rare class of garden Kanunculus as
	one of the greatest acquisitions; supplying the place of the Persian tuberous sorts, — so elegant, but so difficult to grow. This is grown as a biennial, flowering freely the second year; producing unusually large double varieties, of an unsurpassed bril-
	the second year; producing unusually large double varieties, of an unsurpassed bril-
	liancy of colors, of all shades, of white, yellow, rose, crimson, blood-red, scarlet, purple, &c. The plants are very vigorous in growth, and very profuse bloomers, and have claimed universal admiration. Good seeds are now offered, which will
	and have claimed universal admiration. Good seeds are now offered, which will
	produce but a small percentage of single flowers
1832	Reseda Crystallina. A very interesting species; similar in habit to Reseda Odorata (Mignonette), but with larger capsules, or seed-pods, which are covered with trans-
	parent granulations or crystals, in the manner of the Ice-plant
1833	parent granulations or crystals, in the manner of the Ice-plant
1834	Bryncocarpa Dissecta. A nne. nargy climber: with nandsomely divided tollage, and
	bearing small, conical, brilliant, orange-colored fruits
1835	Welwitschi. One of the Gourd family; very ornamental, with thick, five-lobed
1836	Sanvitalia Procumbens ri. Pi. New Double Sanvitalia. A novelty of last year,
	which has proved to be one of the most beautiful acquisitions. We cultivated it
	extensively last year, and the dense masses of perfectly double flowers, like Pompon Chrysanthemums attracted unusual attention. It is without doubt the only dwarf,
	compact plant of a yellow color, suited to beds and masses of low growth. The seeds are saved from the finest flowers, and will give from 80 to 90 per cent of
	seeds are saved from the finest flowers, and will give from 80 to 90 per cent of
1837	double blossoms. (See engraving.) Salvia Splendens Compacta. Dwarf flowered Splendid Salvia. A new French
	variety, distinguished from the old Splendens by its more tufted and compact habit,
	its dwarfer growth, and by the spikes of flowers, which are more numerous, bloom earlier, and more dense on the stems. Its brilliant color and abundance of flowers
1000	render it one of the most attractive and effective plants for the summer garden25
1838	— Graciliflora. Annual, one foot in height, habit of S. Roemeriana; flowers fine violet red, and very abundant and showy
1839	— Sibthorpi. Hardy perennial, with fine large leaves, and long spikes of lilac-blue
1040	flowers. Very ornamental
1840	— Splendens Compacta. A new, dwarf, compact-growing variety, of the old beautiful species
1841	Gracilitora. A new species, with long flowers of a rosy-hlac color. Very delicate25
1842	— Chionantha. A hardy perennial, with large white flowers on pyramidal spikes, about two feet in height
1843	Salpiglossis Hybrida Grandiflora. (Vilmorin.) These fine annuals have been greatly
	improved by careful calaction and cultivation and their flowers are unparallaled for
1844	size, shape, and color
	roundish, glossy leaves, above which rise the pretty light-yellow flowers in great
1845	profusion; extremely pretty Hypnoides. Grows in moss-like tufts; hardy perennial. 1 foot
	The state of the s

NICOTIANA MACROPHYLLA GIGANTEA. See p. 98.





NO.	·	RICE
1846	Savifaga Habrers (London Pride) Pink : heautiful : hardy poronnial - fort	
1847	Saxifraga Umbrosa (London Pride). Pink; beautiful; hardy perennial. 1 foot. — Rotundifolia. White; hardy perennial. 1 foot. Scabiosa Nana Fl. Pl. Varieties (Benary). New, double, dwarf Scabious. This beautiful novelty will be found a valuable improvement of the well-known Dwarf	.10
1848	Scapinsa Nana FI PI Varieties (Renary) New double dwarf Scaping This	.10
	beautiful novelty will be found a valuable improvement of the well-known Dwarf	
	Scabious. The flowers, which have all the beautiful varieties of colors of this	
	tribe, are perfectly double, and form round, globular heads; the petals are shorter,	
	so that the stamens become almost invisible, making the flower resemble a double	
	Pompon Chrysanthemum. It is of a dwarfer and more compact habit than the old	
	varieties, and will prove a most valuable acquisition	.25
1849		5
	with large handsome blooms of a rich crimson purple, with black eye	.25
1850	- Grandiflorus Albus. A very showy and beautiful variety, with large, pure-white	-
	flowers, with sulphur eye	.25
1851	- Retusus Nana. A most desirable variety of this ornamental greenhouse or half-	
	hardy annual, forming a compact well-branched plant, with a profusion of rich red	
	blossoms. A very effective plant for pot-culture and conservatory decoration.	.25
1852	Schizostylis Coccinea. A new African plant, which appears to be a rival to the Gladio-	
	lus, resembling it, not only in general habit, but in the brilliancy of its long spikes	
	of broad open flowers, varying from deep rosy crimson to vivid scarlet, and measur-	
	ing two inches across. It appears quite hardy, and blooms in the autumn, remaining	
	long in nower. It is easily cultivated, and will be very valuable for the open garden	
1853	or for greenhouse decoration. The flowers are striking and brilliant	.50
1854	Sedum Denticulata. Rose; fine; hardy perennial. ½ foot	.10
1855	Silene Alpestris. White; hardy perennial. 1 foot Pendula Ruberrima. A very remarkable variety, worthy of general cultivation,	.05
.000	as vigorous and free-flowering as Silene Pendula; but its flowers are of a deeper	
	crimson tinge, and its stems, leaves, and petals of a brownish-purple color, which	
	extends also to the calix, and imparts to the whole plant a very peculiar and striking	
	aspect	.25
1856	Saxifraga. Charming little miniature species, very fine for borders or rock-works.	**3
	Its foliage, of a shining green, resembles a fine, short grass, and is dotted with numer-	
	ous pretty, white flowers; grows two to four inches in height	.25
1857	Solanum Fontanesianum. An annual species, with large canary-yellow flowers, deeply-	5
	ous pretty, white flowers; grows two to four inches in height Solanum Fontanesianum. An annual species, with large canary-yellow flowers, deeply- cut foliage, and spinous fruits of the size of a walnut	.25
1858	Reclinatum. Similar to Lasciniatum, with large azure-blue flowers	.25
1859	Sonchus Macranthus. A splendid foliaged plant, with leaves above eighteen inches	
	in length, throwing out its flower-spikes more than six feet in height, set with double	
	flowers two inches in diameter. Highly valuable and ornamental	.50
1860	Pinntus. A beautiful foliaged plant, with thin glossy leaves very finely cut	.05
1000	dark, green, and glossy, beautifully spotted with white; very showy for groups or scattered on grass-plats; biennial, flowering second year, from seeds	
	cark, green, and glossy, beautifully sported with white; very snowy for groups or	
1861	Stock Large-flowered Canary. Yellow; splendid new variety; hardy annual 1 ft.	.25
1862	Stock Large-flowered Canary. Yellow; splendid new variety; hardy annual 1 ft Aurora-Colored. Yellow, tinted with rose; hardy annual. 1 ft	.25
1863	- New Rose-flowered Autumnal. Rose-shaped, double flowers; fine for pot-	.10
	culture. I foot	25
1864	- Ten Week, New, Tall, Large-Flowering, Giznt German Bomb. This, is	.25
	without doubt, the most perfect stock ever produced, and, well-grown, forms a compact	
	and giant plant. Its immense truss, and long duration of flowering, make it a most	
	useful variety, either for the garden or bouquet	.50
1865	Statice I housest. A splendid novelty of 1867; of dwarf, bushy habit, with spreading	-
	heads of nowers, the corollas of which are white, with porcelain-blue calyces: very	
1000	fine for bedding. Per packet	.25
1866	Stipa Elegantissima. An extremely elegant grass from Australia, one and a half feet	
	high; with silvery, feathered flower-stalks; beautiful for bouquets. Perennial;	
1067	flowering the first year from seed	.50
1867	Trachetium Cæruleum Carmine. A beautiful pink variety of this old but greatly admired plant; of a dwarfer and more comment growth.	-
1868	mired plant; of a dwarfer and more compact growth Tropæoleum, King Theodore. A new variety, selected from King of Tom Thumb,	.25
1000		
	having the same bluish-green foliage, and novel blossoms of an intense black; forms a fine contrast with the scarlet	25
1869	- Lobbi Crown Prince of Prussia. A splendid acquisition of strong habit;	.25
	flowers, brilliant scarlet: said to surpass all others	.50
1370	 Lilli Schmidt Crimson. A bright crimson variety of the Lilli Schmidt King of Tom Thumbs. Magnificent. The lustrous, blue-green foliage, contrasting vividly with the intense scarlet of the blossoms, produces an unequalled 	.25
1371	- King of Tom Thumbs. Magnificent. The lustrous, blue-green foliage, con-	
	trasting vividly with the intense scarlet of the blossoms, produces an unequalled	
	Diaze of brilliance, and the plant must become a universal favorite	.25
1872	Tritoma Uvaria Grandiflora. One of the finest summer and late-autumn flowering	
	herbaceous plants known, forming magnificent groups in flower-gardens, borders, &c., and admirably adapted for single specimens. The very brilliant orange-red and	
	and admirably adapted for single specimens. The very brilliant orange-red and	
	name-colored, sceptre-like flower-heads, three to four feet high, elevated above the	
	foliage, are unequalled for effect in masses or for border decorations. The plants should be lifted, and placed in a frame or cellar during winter. Per packet	
1873	Should be lifted, and placed in a frame or cellar during winter. Per packet	.50
10/3	Tricyrtis Hirtus Nigra. A new and distinct Japan plant; growing about three feet high; foliage, resembling Lilium Lancifolium; flowers, nearly black, and lily-shaped; new, curious, and beautiful.	
	shaped the curious and beautiful	.50
		200

NO.	PR	ICE
1874	Verbena Montana. This is another gem, truly: it has the habit of the common Verbena, but is perfectly hardy, and blooms more profusely. The plant literally covers	
	itself with its bright, rose-colored flowers, from early in May until winter sets in. A	25
1875	native of the gold regions of Colorado Territory. Seeds per packet Veronica Perfoliata. A fine greenhouse plant, two feet high, with glaucous-green leaves and purple blossoms; free blooming	.25
1876	Viscaria Cardinalis. A seedling Viscaria, of an exceedingly brilliant and showy character; color brilliant magenta (a new color in Viscarias); the foliage, a bright lively	.50
	green, contrasts electively with the very brilliant bloom, of which there is a pro-	
	fusion. In its way, this Viscaria is quite as important an introduction as was the Linum, to which it is a suitable companion.	.23
1877 1878	Purpurea. Purple; new; fine; hardy annual r foot	.13
1879	Violet. The Czar. A new, very large, and beautiful variety of the Violet. The leaves are large; and the flowers, which are of the deepest blue violet, are borne on very	
	long foot-stalks (five to six inches in length), and are nearly twice as large and much	
	September, and continues flowering until May, even during the frost and under the snow. "The Gardener's Chronicle" says that, "in point of size and vigor, it eclipses all that have preceded it." Mr. Graham, the originator of the variety, writes us that "it is in great demand among the flower-dealers in Covent-Garden Market, and that he has made heaps of money with it." It has been awarded numerous first-class certificates. Our plants have been in flower-since last Sentember and the	
	eclipses all that have preceded it." Mr. Graham, the originator of the variety, writes	
	and that he has made heaps of money with it." It has been awarded numerous	
	few seeds we now offer were raised from the original plants obtained of Mr. Graham.	.50
1380	Viola Cornuta. One of the finest of all known Violets for summer and autumn decoration. A neat, compact, perennial, herbaceous plant. Six to nine inches high, with	
	small heart-shaped leaves; and yielding a succession of conspicuous, delicate, light-mauve-blue flowers as large as the leaves, in succession, from April to October. A	
	beautiful plant for clumps or edgings, forming a rich, compact mass of green foliage, set off by the profusion of deep purple, mauve-color, and violet blossoms. The seed	
	vegetates best if sown early in a cold frame, and the young plants removed to the border where they are to bloom	50
1881	Wallflower, Brown's Early. This variety is commendable, and deserves to be preferred	.50
	to the old variety, its spikes of flowers being longer and thicker, the flowers larger, more numerous, and blooming more regularly; at the same time, very good either for cut flowers or for bedding out	
1382	· Waitzia Corymbosa. Another very fine annual species of Everlasting; of bushy, com-	.25
	pact habit, growing about one foot high, and as much in diameter, each branch terminating in clusters of elegant flowers of a deep amaranth color, with small	
	yellow disk; succeeds well in light soil in the open ground, blooming from August to October. Also fine for pot-culture	.25
1383	 Acuminata Citrina. A fine Australian Everlasting, of bushy, compact growth, twelve inches high, with narrow foliage, bearing numerous terminal corymbs of flowers, each flower an inch across, and in all the various shades of yellow 	
1334	Albo Furpurea. A variety of the former, with amaranth-colored flowers, in the	.25
	various shades from crimson to purplish-red, with a yellow disk. Both are suited to pot-culture, and, if planted in the open ground, require a light sandy soil Corymbosa Sulphurea. A beautiful yellow variety of the amaranth-colored	.50
1835	Corymbosa Sulphurea. A beautiful yellow variety of the amaranth-colored species sent out last year, but much more showy	.25
1886	species sent out last year, but much more showy Grandiflora. Resembling the W. Aurea, but more robust in habit, and with larger flowers. A very fine Everlasting, which received a first-class certificate from the Royal Horticultural Society of London Whitlayia Gloxingides. An elegant powelty of the same habit as W. Grandiflora and	
1887	the Royal Horticultural Society of London Whitlavia Gloxinoides An elegant novelty of the same habit as W. Grandiflora, and	.50
-	produces a multitude of Gloxinia-like flowers; the tube of the corolla being pure white, and the limb of upper portion a delicate light blue.	.25
1888	Wigandia Vigieri. A splendid acquisition, obtained from seed, by far surpassing W. Caracasana in beauty. Leaves much larger, of a lovely green, glaucous underneath.	3
1889	Seeds of easy growth	.50
2000	Xeranthemum Annuum. Caryophylloides. Double Striped. (Benary.) A really striking variety of this well-known Everlasting; the densely double flowers are white and pink-like, striped and sprinkled rose, red, crimson, and purple. This new	
	variety will prove an invaluable acquisition for dried bouquets, as the colors remain	
•	unaltered. It is strongly recommended for bedding and grouping, as it is very double, and just as profuse blooming as the other varieties of this Everlasting; of a regular compact, tabit; and units correction to other varieties of this Everlasting; of a	M.C.
1890	Zea. The new striped Japanese Maize. One of the most valuable acquisitions.	.50
	regular, compact habit, and quite constant in character Zea. The new striped Japanese Maize. One of the most valuable acquisitions. Among ornamental-foliaged plants of rapid growth and immediate effect, the new Striped Japanese Maize holds the most conspicuous place. It is a native of Japan. It appears to be a variety of Maize but different most constitution of the plant of the	
	Indian Corn. It grows from five to six feet high and has alternate foliage: the foliage	
	is about four feet long, and two to three inches wide. The variegation does not show itself until the fourth or fifth leaf: it then begins to show its true character of	
	is about four feet long, and two to three inches wide. The variegation does not show itself until the fourth or fifth leaf: it then begins to show its true character of great white stripes, and in a short time the long wavy and gracefully recurved leaves become evenly and perfectly striped or ribboned with alternate colors of clear	
	edges. In general appearance, it approaches the beautiful Arundo Donax Variegata.	
	For groups on the lawn, or for a back row in the flower-border, nothing can be more imposing, effective, and grand.	.25

AMATEUR CULTIVATOR'S GUIDE

TO THE VEGETABLE GARDEN.

In again presenting our Catalogue of VEGETABLE SEEDS, we embrace the opportunity to add that our stock, as heretofore, has been selected with a view to secure only the freshest and most reliable seeds. Most of the staple seeds are raised expressly for us by experienced growers; and such as are imported are purchased from the most reliable seedsmen in Europe, with whom we have received only such as we could with perfect confidence recommend. It is our invariable rule to test all our seeds ourselves, and never to send out any thing but what we are certain will vegetate freely, and prove true to name. Nothing causes greater disappointment than poor seeds; for not only is the season lost if they fail to grow, but an inferior crop will not pay for the trouble of planting. American-grown seeds always have our preference; but some kinds it is impossible to obtain in sufficient quantity to fill our orders, and those are obtained only from reliable dealers abroad.

only from reliable dealers abroad.

Our prices are affixed by the ounce, quart, and packet; but no quantity is sold less than the ounce or quart at these prices: when less is ordered, they will be supplied in packets at that rate. All the kinds can be supplied by the pound or bushel at the lowest market rate for prime seeds.

Prices of seeds vary, to some extent, from the time of harvesting to the time of planting, and we do not feel bound by these prices unless orders are sent in early. We can only advise our customers to give their orders in good season to secure the most favorable terms.

VEGETABLE SEEDS.

Artichoke (CYNARA SCOLYMUS).

German, Artischoke. - French, Artichaut. - Spanish, Alcachofa.

The Artichoke is a native of the south of Europe, and is principally cultivated in the gardens of the French, by whom it is considered more as a luxury than as a profitable esculent. There are two varieties, the Globe and the Green: The former is so called from its globular head, of a dull purplish tint. The scales are turned in at the top more than the other varieties, and it is preferred; as the scales or edible parts are thicker, and possess more flavor. The Green is more hardy and prolific, the scales are more open, and the plant better adapted for culture in cold climates, than the former. The heads, in their immature state, and before their blue thistle-like flowers open, are cut, and boiled in salt and water. The edible part is merely the fleshy substance on the bottom of the scales, which, to make palatable, has to be dipped in a nicely prepared sauce of butter and spices. They are frequently eaten as salad in a raw state.

CULTURE. — The Artichoke may be grown from seed or offset suckers, separated early in spring. The best way to obtain a supply from seed is to sow the seeds in April in a bed of good rich earth, or it may be planted in drills one inch deep and about twelve inches apart. It should be transplanted the following spring to a permanent place. Either in beds or drills, plants should stand two feet apart each way, requiring a deep, rich, moist loam; also should be protected with leaves or straw during winter.

Large Globe. A very large sort, much esteemed, and most generally cultivated. Heads or buds very large, nearly round, and with a dusky-purplish tint. Per pkt., 10 . 50 Green, or Common. Heads large, of a conical or oval form; scales deep green, thick, and fleshy; pointed at the tips, and turned outwards. Per pkt., 10 50

Asparagus (Asparagus Officinalis).

German, Spargel. - French, Asperge. - Spanish, Esparrago.

This universal vegetable is supposed to be a native of Great Britain, where it is found on the banks of sandy soil contiguous to the sea, growing luxuriantly under the salt breezes. There are, it is said, several varieties of Asparagus; but the difference mainly arises from the nature of the soil.

CULTURE. — Sow the seed early in spring one inch deep, and three or four inches apart, in rows one foot apart. When two years old, they may be transplanted into permanent beds, the plants placed a foot apart in each direction, and at least four inches beneath the surface.

To make it "Giant," be particular to select for the bed warm rich soil. Trench it at leighteen inches deep, working in six inches or more depth of well-rotted manure. Every fall or the bed with manure, and in spring dig it in lightly, care being taken not to disturb the roots. Fine Asparagus beds may be formed by sowing the seed where it is to remain. With this enview, sow the seed in beds prepared as directed above. Sow the seed in rows lengthwise, twinches apart. When a year old, thin out the plants to one foot apart.	d in elve
Giant Purple Top. Sprout white; top, as it breaks ground, purple; grows to a good size;	oz.
Green Top. When grown under same treatment as Giant Purple Top, it is generally	10
English Bean (FABA VULGARIS).	
German, Gartenbohne French, Feve de Marais Spanish, Haba.	
The following varieties are much grown in England, but find little favor in this country.	han
CULTURE. — Sow as early as the ground will admit, in rows two feet apart, and three incapart in the rows. They will come sooner into bearing if the tops of the plants are pinched off soon as they are in full bloom. Succeed best in a deep, strong, loamy soil. By Mail, 8 cents a pint extra. per	f as
Early Mazagan. This variety, though originally from Mazagan, on the coast of Africa, is one of the hardiest sort now in cultivation. Stems from two to three feet high;	
Long Podded. This variety grows from three to four feet high; remarkably productive, and	35
Broad Windsor. This familiar sort is much esteemed and extensively cultivated, remaining	10
Beans, Dwarf or Bush (PHASEOLUS VULGARIS).	
German, Bohne French, Haricot Spanish, Frijolenano.	
The plants of this class vary from a foot to two feet in height. They require no stake or pole	for
their support. Culture. — Drop the beans two or three inches apart, in rows two and a half feet apart; p.	lant
CULTURE. — Drop the beans two or three inches apart, in rows two and a half feet apart; p. in light rich soil; hoe often, never when the vines are wet, or they will rust. All varieties of be are very sensitive to frost and cold, and should not be planted before the middle of spring. As the	ans
require but about six weeks to make green pods, they can all be sown as late as July.	
By Mail, 8 cents a pint extra. Fixellant for string or shall; one of the earliest	r qt. 40
Early Turtle Soup. Much esteemed, when dry, for cooking	30
Early Valentine. Long tender pod; an excellent string-bean	40 40
Early China. Red eye; one of the most productive	40
Early Half-moon. Large and productive	40 30
Red Bush Cranberry. One of the best string-beans	50
Refugee, or Thousand to One. A favorite string with many; very productive White Kidney, or Royal Dwarf. Late and productive Dwarf Horticultural, or Zebra. Excellent, green or dry 4	30 to
Dwarf Horticultural, or Zebra. Excellent, green or dry	10
Beans, Pole, or Running (PHASEOLUS VULGARIS).	
German, Stanger Bohne French, Haricots a rames Spanish, Judias.	
As a class, these are less hardy than the dwarfs, and are not usually planted so early in the son. The common practice is to plant in hills three feet or three and a half apart, with a stak pole to run upon. By Mail, 8 cents a pint extra.	sea- e or
	r qt.
excellent variety; may be used as a snap, or, when more advanced, shelled, as the	50
Red Cranberry. This is one of the oldest and most familiar of garden beans; excellent as a	50
White Cranberry. Similar to the preceding, but not as prolific	50
White Case Knife is the most prolific of the running varieties. As a shelled bean, it is of excellent quality in its green state, and, when ripe, farinaceous and well-flavored	
in whatever form prepared	50
Indian Chief, or Wax. One of the best varieties for general cultivation, either for snaps or shelled; remarkable for its fine, tender, succulent, and richly colored pods, which	
	75
Beans, Flowering-Runners (Phaseolus Multiflorus).	
German, Grosse Bunte Bohne. — French, Haricot d'Espagne. — Spanish, Judia Vastago d'Espana.	
per	r qt.
Scarlet-Runner. A very prolific variety; fine for covering arbors, trained over pales, up the walls of cottages, which they enliven by the brightness of their blossoms, at the same time yielding a supply of wholesome and nutritious food.	
the same time yielding a supply of wholesome and nutritious food	50





MARBLEHEAD MAMMOTH DRUMHEAD CABBAGE. See page 131.



CABBAGE. EARLY SCHWEINFURTH. See page 130.

White-Runners. A variety of the Scarlet-Runner. The plants are less vigorous, and the flower and seeds pure white. As a shell-bean, either green or ripe, they are considered superior to the scarlet, and often seen in our markets under the name of Lima, from which they may be distinguished by their greater thickness, and more rounded form. Painted Lady. A sub-variety of the Scarlet-Runner, with variegated flowers; the upper petals being scarlet, the lower white	50 60
Beans, Lima (Phaseolus Lunatus).	
German, Bohne von Lima. — French, Haricot de Lima. — Spanish, Haba Vastago de Lin	na.
Large Lima. This is one of the latest, as well as the most tender, of all garden beans. Little will be gained by very early planting, as the seeds are not only liable to decay before wegetating, but the plants suffer greatly from cold, damp weather; the best time being from the first to the middle of May. In planting, be sure to place the	er qt.
eye downwards, or otherwise it might not come up. Small Lima, Carolina, Sewee, Sieva, or Saba. This is one of the most productive of all varieties. The beans, in their green or ripe state, are similar to the Lima, and are nearly as delicate and rich flavored. It is from two to three weeks earlier than the large Limas.	75 75
T7 4 (D	
Beet (Beta Vulgaris).	
German, Runkle Rube. — French, Betterave. — Spanish, Bettaraga.	
CULTURE.—Beets are always raised from seeds. For early use, sowings are sometimes in November; but the general practice is to sow the seed in April, as soon as the frost is out or ground, or as soon as the soil can be worked. For use in autumn, the seed should be sown about middle or twentieth of May; and for the winter-supply, from the first to the middle of Lay out the ground in beds five or six feet in width, and of a length proportionate to the sequined; spade or fork the soil deeply and thoroughly over; rake the surface smooth even; and draw the drills across the beds fourteen inches apart, and about an inch and a h depth. Sow the seeds thickly enough to secure a plant for every two or three inches, and to the depth of the drills. Should the weather be warm and wet, the young plants will appear in or ten days. When they are two inches in height, they should be thinned to five or six i apart. The surplus plants will be found an excellent substitute for Spinach, if cooked and s in a like manner. The after-culture consists simply in keeping the plants free from weeds, an earth in the spaces between the rows loose and open by frequent hoeing.	of the ut the June. upply and alf in cover eight nches
Early Flat Bassano. An Italian variety; generally considered the earliest of garden beets,	0. 0.0.
being from seven to ten days earlier than the Early Turnip Blood. Flesh	
winter use unless sown quite late. Per pkt., 5 Early Turnip Blood. One of the best varieties for general use. Flesh deep blood-red, sometimes circled and rayed with paler red; remarkably sweet and tender. Per	20
Pkt., 5 Early Vellow Turnip, or Orange. A sub-variety of the Blood Turnip, differing principally in color, and to some extent in form, which is less compress. Flesh yellow,	15
comparatively close grained, sweet and tender. Per pkt., 5	15
Long Blood Red. One of the most popular of winter beets. The seed should not be sown	
before the middle of June, as the roots, when large, are frequently tough and fibrous. Per pkt., 5	15
Long Smooth Dark Blood. This is an improved variety of the common Long Blood.	. 5
riesh dark blood-red, sweet, tender, and the granted, with but lew side roots,	
tine winter beet it sown late. Per pkt., 5.	15
Henderson's Pineapple. Short top, medium size. Flesh very deep blood-red, fine grained, sweet, tender, and of excellent quality. Per pkt., 10 Carter's St. Osyth. Medium sized, good shape, short top, rich deep blood-red color; fine	30
flavor Day nist wa	30
White Sugar. A large variety, grown extensively for feeding stock, although the young	
White Sugar. A large variety, grown extensively for feeding stock, although the young roots are tender, sweet, and well flavored. Per pkt., 5. Nutting's New Dwarf Red. A new English variety, said to be one of the best. Per pkt., 10. Long Red Mangel Wurzel. A large variety, grown principally for feeding stock. When	10
voing, is sometimes used for the table. Flesh white, zoned and clouded with	
different shades of red; is hardy, and keeps well. Per pkt., 5	10 、
Yellow Globe. A large, round, orange-colored variety; excellent quality, which keeps better than the Long Red, and produces better crops on shallow ground. Per	
pkt., 5	10
Swiss Chard, or Silver. This variety of beet, sometimes called Sea-Kale Beet, is culti-	
vated for its leaf-stalks, which are served up much like Asparagus, and for its	
leaves cooked as Spinach. If cut often, new and more tender stalks will be reproduced. Per pkt., 5	15
New Perpetual Spinach. Leaves large, of good color; flavor superior to Spinach, for	
which it is used as a substitute. In use the whole season. Per pkt., 10.	25

Borecole, or Kale (Brassica Oleracea Acephala). German, Blatter Kohl. — French, Chou vert. — Spanish, Breton.

Borecole, German Greens, or Scotch Kale, is a very delicate vegetable. It is essential to its per-

fection that it be acted upon by the frost before it is cut for the kitchen. The part used are the tops or crown of the plant, with any of the side sprouts. It boils well, and is tender and sweet. CULTURE.—The seeds are sown at the time of sowing the seeds of the Cabbage or Cauliflower, and in the same manner: early plants may be started in a hotbed, or the seed may be sown in the open ground in May. In transplanting, treat the plants same as young cabbages, setting them more or less remote, according to the size or habit of the variety; requires a light rich soil. per oz.
Green Curled Scotch. This is one of the most popular varieties. It is very hardy, and is much improved by frost. Per pkt., 10. Dwarf Curled Kale, or German Greens. This is a very hardy and comparatively low-growing variety; the leaves are finely curled. A fine variety for winter and spring use when planted in a light cellar, or other protection from the severity of the weather. In the Southern and Middle States, it stands well in the open beds. Per pkt., 10. 15
Tall Green Curled. A fine hardy and productive variety; height two and a half feet. Per pkt., 10 Cottager's Kale. A new English variety. It is exceedingly hardy, of excellent flavor, and very productive. It should be planted in March, in a frame, and transplanted early about three feet apart; requires a light rich soil. Per pkt., 10 Carter's Improved Garnishing. This will produce more than twenty varieties, some of which are worthy of a place in a greenhouse, being quite equal in color to the new Coleus. The colors vary from rich crimson to white laced and fringed Per pkt., 10 Ragged Jack. A very fine English variety. Per pkt., 10
Brussels Sprouts (Brassica Oleracea Var).
German, Kopf, Kohl, Gruner French, Chou de Bruxelles.
Cultivated for the small heads, which are produced in great numbers on the main stem of the plant, and are in perfection in the autumn. They are very tender, and of fine flavor after early frosts. Sow in seed-beds in May; transplant and cultivate as directed for Cabbage. per oz.
Roseberry. A new and superior English variety; one of the best. Per pkt. 10
New Feather-Stem Savoy. A true hybrid, possessing the growth and habit of Brussels Sprouts. A delicate and delicious vegetable, requiring same treatment as Brussels Sprouts. Per pkt., 10
Broccoli (Brassica Oleracea Botrytis)
German, Brocoli, Spargel-kohl. — French, Chou Brocoli. — Spanish, Broculi.
In its structure and general habit, the Broccoli resembles the Cauliflower. It is very hardy, and surer to head, but inferior in flavor.
CULTURE. — The seeds should be sown in hotbeds in April, or in open ground in May, in a very deep rich soil, on an open exposure, where the plants grow much stronger than near trees of fences. Sow the seeds tolerably thick on the surface. If dry, tramp them down, and rake in lightly. If drought continues, give the beds a few waterings till the plants appear, which will be in two or three weeks. Transplant in June or July, when the weather is moist, in rows two feet apart, and twenty inches in the row. Their further culture is to keep them clear of weeds by hoeing and stirring the ground. When they have advanced in growth, draw some earth to their stems, which greatly promotes their luxuriance.
Early Purple Cape. This has a close compact head of a purple color, and, in favorable seasons, comes as large as a Cauliflower. Hardy, and of excellent flavor. Per
White Cape. Later than the preceding, and should be planted here, at the North, early in April. The heads, when perfected, are large and white and compact, resembling the Cauliflower. Per lkt. 10.
Chappell's Large Cream-Colored. A very large and fine sort; flower cream-yellow; very early. Per pkt., 10 Snow's Superb White Winter. This is a dwarf variety. The leaves are broad, with short stems; the heads are large, white, very compact; considered by many equal to the Cauliflower. Per pkt., 25 Walcheren. Comparatively new, and so closely resembling a Cauliflower as to be scarcely
Grange's Autumn. A fine fall variety; close compact head; one of the best. Per pkt., 10, 75 Adam's Early White. A fine variety; strong and robust grower, with a compressed head,
so as to render it invisible when ready for cutting; and this protects it from rain, and effect of frost; heads large and pure white. Per pkt., 10

Cabbage (Brassica Oleracea Capitata).

German, Kopfkohl. - French, Chou Pomme. - Spanish, Repollo.

One of the most popular vegetables grown.

CULTURE. — The Cabbage can be cultivated by the most simple and easy means. It grows in most soils, and produces its beneficial heads nine months in the year. The ground must be rich, or made so by a good coat of manure, as they have strong tapering roots. Digging or ploughing deep is very essential. To produce a constant succession of the Cabbage, it is necessary to plant at a number of times; also different varieties. For early use, sow in hotbeds in February or March; and for winter, the seeds may be sown in the open ground in May or June. When five or six inches high, transplant to from twelve to thirty inches apart. The plants should not be allowed to stand too thickly transplant at this causes them to grow weak and feeble.

six inches high, transplant to from twelve to thirty inches apart. The plants should not be allowed to stand too thickly together, as this causes them to grow weak and feeble.

WINTERING CABBAGES. — If you have not a dry, airy, vegetable cellar nor open shed to spare for burying them, take a sheltered part of the garden, and bury the roots, stalks, and part of the head, in the earth; over which, in severe weather, place a good sprinkling of straw and a few boards. In southern latitudes, this is unnecessary: there they can withstand the climate.

The plants, before heading, are used extensively at the South for greens, under the name of Collards. We recommend the Sugar-loaf for this purpose; but any early cabbage will answer.

and the recommend the sugar roll of the purpose, but my energy and the month	
Early York. One of the oldest, most familiar, and, as an early market sort, one of the most	Z.
popular, of all the kinds now cultivated. The head is of rather less than medium	
size, roundish-ovoid, close, and well-formed, of a deep or ash green color; tender	
and well-flavored. Per pkt., 5	
Early Sugar-loaf. Conical heads, with leaves erect; of a peculiar ashy or bluish-green	
hue; spoon-shaped; a fine variety for the Northern States, but in the South it loses its flavor and tenderness; said to be more affected by the heat than most	
and an existing Day what are	
Early Wakefield. An English variety, similar in form to the Early York, and nearly as	
early; grows to a good size; a favorite with market-gardeners. Per pkt., 10 . 40	
Early Champion. Very early; dwarf and compact heads. Per pkt., 10	
Early Drumhead, or Battersea. This is a round, flat-headed variety, of excellent qual-	
ity; one of the latest among the early sorts. Per pkt., 5	
Green Glazed. Heads large, rather loose and open. Its texture is coarse and hard:	
extensively grown in warm latitudes, where it appears to be less liable to the	
attacks of the cabbage-worm than any other sort. Per pkt., 5	
Large York. This is a larger variety than the Early York, which it somewhat resembles.	
The head is broader, and more firm and solid; a favorite at the South, as it bears	
the heat well; two weeks later than Early York. Per pkt., 5	
Large Late Drumhead. Heads very large; round, sometimes flattened a little at the top;	
close and firm; very hardy, and keeps well for a winter cabbage. Per pkt., 5 . 40 Large French Oxheart. A French variety, which is taking the place of many others,	
as it comes in after the Early York. It is tender, forms its heads readily, and	
well-flavored; a fine intermediate sort. Per pkt., 10	
Little Pixle. A comparatively new variety; makes a small delicate-navored head; one of	
the very earliest and best. Per pkt., 10	
Large Bergen, or Great American. Head remarkably large, round, flattened at the top; compact; one of the largest and latest of all the Cabbages, and, when not fully	
perfected before being harvested, has the reputation, if reset in earth in the cellar, of	
heading, and increasing in size, during the winter. It is a popular market sort.	
Plants should stand three feet apart. Per pkt., 10	
Stone Mason. This variety was originated by Mr. John Mason, of Marblehead, Mass.	
It is characterized for its sweetness and for its reliability for forming a solid head.	
It is also an excellent variety for extreme northern latitudes. Under good cultiva- tion, nearly every plant will set a good head. Per pkt., 10	
Mason's Drumhead. Large, round, solid heads; a very popular market Cabbage. Per	
pkt., 10	
Marblehead Mammoth Drumhead. One of the largest of the Cabbage family; produced	
from the Mason or Stone Mason; in good soil, and with proper culture, will average	
thirty pounds per head. Per pkt., 25	
Pomeranian. An intermediate variety; heads are of medium size; has the form of an elongated cone, and is very regular and symmetrical; quite solid. Per pkt., 10.40	
Premium Flat Dutch. A low-growing variety; heads large, bluish-green, round, solid,	
broad and flat on the top, and often tinted with red and brown. As a winter vari-	
ety, it has no superior. Per pkt., 10	
Red Dutch, or Pickling. This sort is used mostly for pickling, and often cut in shreds	
and served as a salad; medium size, oblong shape, and very solid; of a deep-red or purple color. Per pkt., 10	
Winnigstadt. This is a German variety, somewhat similar to the Oxheart, but more regular;	
conical; heads very full and solid. It is an intermediate variety, which comes in	
after the Early York. All things considered, this is one of the best for general	
cultivation. Per pkt., 10	

SAVOY.

None of the Cabbages are hardier or more easily cultivated. They should be sown early, and, when the seedlings are five or six inches high, transplanted or thinned out to three feet apart. The Savoys have more of the delicious richness of the Cauliflower than any of the Cabbages.

per oa
Drumhead Savoy. Head large, round, compact, yellowish at the centre, and a little flat- tened; in the form of the common Drumhead, which it nearly approaches in
size; excellent for winter. Per pkt., 10
medium size; does not make as firm a head as some, but, being very tender, the
inner leaves will be found very good for the table. Per pkt., 10
pkt., 25.
Victoria Savoy. A new variety, highly recommended. Per pkt., 10
, and a second s
Cauliflower (Brassica Oleracea Botrytis).
German, Blumen Kohl French, Choufteur Spanish, Coliflor.
This very delicate vegetable was first introduced into England from the Island of Cypress, and is classed among the most delicious of vegetables.
Culture. — The proper seasons for sowing seeds are, for the early spring or summer crop, between the 8th and 20th of September; and for the late autumn crop, about the 1st of April. The plants, as soon as they are two or three inches high, should be planted out in a bed of rich light earth, three inches apart each way, so as to grow firm and stocky, to remove to their final place of growth. For the purpose of growing them to perfection, use a bed of the richest light earth, two feet deep, made very rich, with well-decomposed manure, surrounded by a frame covered with glass or shutters. Lift the plants carefully with a trowel from where they were transplanted, and plant them eighteen inches apart each way into the pit or frame prepared for it; give a gentle watering, and press the soil down firmly. The frame should be surrounded with straw or litter of some kind; also the glass or shutters should be covered with mats or dry straw in severe weather, observing to give plenty of air on mild and pleasant days to prevent the plants from drawing or damping off at the neck; should be kept well watered; soap-suds is beneficial. For a late autumn crop they require no particular care or skill, and not much labor, simply keeping them free from weeds, and the ground stirred frequently.
Early Paris. Heads rather large, white, and compact; leaves large, stalk short; a very
early sort; should be planted in spring; one of the best. Per pkt., 15 3.00 Early London. A well-known variety; good for general use. Per pkt., 10
Early Dutch. An intermediate variety, coming in after the above; heads large, white, and compact; fine. Per pkt., 10
Carter's Dwarf Mammoth. A very early hardy variety, of dwarf and compact habit,
with a firm white head; larger than the Walcheren; stand dry weather; said to be one of the finest. Per pkt., 25.
forcing and open ground; very dwarf, leaves small, heads large and very firm;
pure white. Per pkt., 25. Stadtholder. A large strong-growing variety, with compact heads, considered by many
superior to the Walcheren; fine for market. Per pkt., 15
Large Asiatic. A large and well-known variety; one of the best. Per pkt, 10
Le Normand. A French variety; heads large, compact, and fine flavor; a superior variety in all respects. Per pkt. 25
Hovey's Early American. One of the earliest and best varieties. Per pkt., 15
Large White French. An excellent variety, coming in after the earliest sorts. Per pkt., 10. 75 Waite's Alma. A new variety, represented as being of large size and firm. Per pkt., 15. 1.25
Clarena t (Deurona Caraira)

German, Mohre. - French, Carotte. - Spanish, Zanahoria.

The Carrot in its cultivated state is a half-hardy biennial. It is generally served at table boiled with meats; it also makes an excellent ingredient for soups. As an agricultural root, it is not surpassed for feeding cattle.

CULTURE. - The Carrot flourishes best in a good, light, well-enriched loam. If possible, the CULTURE.—The Carrot flourishes best in a good, light, well-enriched loam. If possible, the ground should be stirred to the depth of twelve to fifteen inches, incorporated with a liberal application of well-rotted compost, and well pulverizing the soil in the operation. The surface should next be levelled, cleared as much as possible of stones and hard lumps of earth, and made mellow and fiable; in which state, if the ground contains a sufficient moisture to color the surface when stirred, it will be ready for the seed. This may be sown from the 1st of April to the 20th of May: early sowing succeeds best. The drills should be one inch in depth, and from twelve to fifteen inches apart. The plants should stand from four to five inches apart.

HARVESTING.—The roots attain their full size in the autumn of the first year. When large quantities are raised for stock, they are generally placed in the cellar in bulk, without packing; but the finer sorts, when intended for the table, are usually packed in earth or sand, in order to retain their freshness and flavor: with ordinary precaution, they will remain sound and fresh until May or June.

per o
Early Horn. A very early variety, and as a table Carrot is much esteemed, both on account
of the smallness of its heart, and the tenderness of its fibres. As the roots are
manus ab aut it mill manus mall am ab all am a sile Dan alle .
very short, it will grow well on shallow soils. Per pkt., 5
Orange Intermediate. Size medium; skin bright orange-red; flesh orange-yellow. Sweet,
well flavored, and, while young, excellent for the table. Per pkt., 5
Long Orange. A well-known standard sort. Roots long, thickest at or near the crown,
and tapering regularly to a point; one of the best for table or field-culture, and
required a views doon goil Downlet -
Improved Long Orange. Similar to the above in form, but is larger, and of a deeper
colony or ange. Statuta to the above in form, but is larger, and or a deeper
color; one of the best for general cultivation. Per pkt., 5
Altringham. Flesh bright and lively, crisp and breaking in its texture; the heart, in pro-
portion to the size of root, smaller than that of the Long Orange. A fine variety
Per pkt., 5
Large Orange Belgian. Similar to above, except in color. Per pkt., 5

Celery (APIUM GRAVEOLENS).

German, Seleri. - French, Celeri. - Spanish, Apio.

Celery is one of the most popular salads used in this country. Succeeds well throughout the Northern and Middle States, and, in the vicinity of some of our large cities, is produced of remarkable size and excellence.

Culture. — The seed should be sown in hotbeds in March, or in the open ground the last of April or first of May; but, when sown in the open ground, it vegetates very slowly, often remaining in the ground several weeks before it comes up. A bushel or two of stable manure put in a hole in the ground, against a wall or any fence facing south, and covered with a rich fine mould three or four inches deep, will bring the seed up much sooner. Sufficient plants for any family may be started in a large flower-pot or two, placed in a sitting-room, giving them plenty of air and moisture. As soon as the young plants are about three inches high, prepare a small bed in the open ground, and make it rich, and the earth fine. Here set out the plants for a temporary growth, placing them four inches apart. This should be done carefully; and they should be gently watered once, and protected for a day or two against the sun. A bed ten feet long and four feet wide will contain three hundred plants, and, if well cultivated, will more than supply the table of a common-sized family from October to May. In this bed the plants should remain till the beginning or middle of July, when they should be removed into trenches. Make the trenches a foot or fifteen inches deep, and a foot wide, and not less than five feet apart. Lay the earth taken out of the trenches into the space in the middle, between the trenches, so that it may not be washed into them by heavy rains; for it will, in those cases, injure the crop by covering the heart of the plants. At the bottom of the trench put some good, rich, but well-digested, compost manure; for if too fresh the Celery will be rank and pipy, or hollow, and will not keep nearly as long or well. Dig this manure in well, making the earth fine and light; then take up the plants from the temporary bed, and set them out carefully in the bottom of the trenches, six or eight inches apart.

BLANCHING. — When the plants begin to grow, hoe on each side and between them with a small hoe. As they grow up, earth their stems; that is, put the earth up against the stems, but not too much at a time, and always when the plants are dry. Be particular and not allow the soil to get between the stems of the outside leaves and the inner one, as it is injurious to the plants. In frosty weather, they should be protected by covering the tops of the trenches well with dry litter; this should not be allowed to remain longer than is absolute's necessary: it is well to cover the whole with boards to shed the rain.

White Solid. Large, strong-growing variety; clear white, solid, and crisp. One of the best	er oz.
for market or general use. Per pkt., 10	30
Seymour's Superb White. A large-sized, vigorous-growing variety. Stalks white, round, very crisp, and perfectly solid; considered one of the best. Per pkt., 10	
Boston Market. A medium-sized, white variety; hardy, crisp, succulent, and mild-flavored.	30
A variety much grown by market-gardeners about Boston. Per pkt., 25.	50
Cole's Crystal White. A fine variety for general use; dwarf, solid, crisp, and fine flavored.	
Per pkt., 10 Cole's Defiance Red. This is a comparatively new sort; medium-sized, solid, dark-red color.	30
Per pkt., 10	35
Per pkt., 10 Cole's Superb Dwarf Red. One of the best; dwarf, crisp, and fine flavored. Per pkt., 10,	35
nood's Dwart Imperial. A stout-growing, very compact, solid, and hardy variety, of supe-	
rior flavor, and distinct habit. Per pkt., 25. Sealey's Leviathan Celery. A very large, solid, white variety; highly recommended.	
Per pkt., 10	35
Per pkt., 10 Laing's Improved Mammoth Red. This is considered the largest variety yet produced;	
specimens under good cultivation having attained the extraordinary weight of eight to ten pounds, and, at the same time, perfectly solid. It is nearly perennial in its	
habit, as it will not run to seed the first season. Color bright red; flavor unsur-	
passed, if equalled. Per pkt. 10	40
Nonesuch Red (Ivery's). A very late variety; remaining ht for use late in the spring.	
Very fine flavor; solid and crisp; one of the best. Per pkt., 10	40
grown largely for market; excellent for soups or stewing. Per pkt., 10.	40
Turner's Incomparable. Dwarf white variety, of stiff, close habit; solid, crisp, and juicy.	7-
Said to keep in good order later in the season than any other variety; highly	
recommended. Per pkt., 10	40

	AMAILOR COLITATORS COLDE	
	per oz.	
	Carter's Incomparable Dwarf Dark Crimson. This is a new variety, highly recommended; of very dwarf habit; exceedingly solid; of a deep crimson color. Per	
	pkt., 25. Furkish Giant Solid. One of the largest white sorts, and considered by many superior to	
1	the common White Solid. Per pkt. 10	
	22 (2	
	Chervil (Scandix Cerifolium).	
	German, Gartenkerbel. — French, Cerfeuil.	
1	Is a warm, mild, and aromatic plant. A native of Europe, and, in olden times, of great repute. After being boiled, it was eaten with oil and vinegar, and considered a panacea for courage, comfor of the heart, and strength to the body. It is much cultivated by the French and Dutch, who use he tender leaves in soups and salads as we use Parsley, and is considered by many to be a milder und more agreeable ingredient.	
1	CULTURE. — Chervil is an annual plant, and should be sown in March, April, and May, in drills about a quarter of an inch deep, and nine inches apart. Cover lightly, and press the soil firm with he foot; rake evenly, and give a gentle watering in dry weather. The leaves are fit for use where wo to four inches high. Cut them off close; they will come up again, and may be gathered in successive themselved the account.	1
	ession throughout the season. Per oz Chervil. Per pkt., 10	
	Chicory (Cichorium Intybus).	
1	A hardy perennial, introduced from Europe, often abounding as a troublesome weed in our pastures and mowing-lands; is much used in Europe as a substitute for coffee, and large quantities of the prepared root are annually exported to this country for the same purpose. It may be raised to good advantage, and will pay a large profit, as its culture is simple. In the fall, the root require to be taken up and cut in small pieces, and put where they will dry, requiring the same treatment used for drying apples. When required for use, it should be roasted and ground like coffee Persons who suffer from the deleterious effects of coffee, will find, by adding a portion of this, the difficulty removed, and the flavor of the coffee greatly improved; requires similar treatment to	
'	Carrots.	
	au 90 10010u, 01 001001 u.s. p	
	Corn, Indian (ZEA MAIS).	
	German, Welschcorn French, Mais Spanish, Maiz.	
	per qt. Adams's Early. Much grown for early use and the market; very early. Per pkt., 10 . 25	,
	Early White. One of the earliest of the table varieties; of low growth. Per pkt., to . 25	
	Early Burlington. A very early variety, much grown for the market; the ear good size: an excellent table variety. Per pkt., 10 Darling's Extra Early Sugar is early, very tender, and sugary; yields well, produces little fodder, ears near the ground, and is one of the best sorts for early use, as it seldom, if ever, fails to perfect its crops. This we consider the best for early use. Per	
	Red Cob Sweet. Medium; early; usually twelve, but sometimes fourteen rowed; quality	
	good; cob red; kernels large. Per pkt., 10 30 Burr's Improved Sweet. An improved variety of the twelve-rowed Sweet. The ears are	
	from twelve to sixteen rowed, and, in good soils and seasons, often measure eight	
	or ten inches in length, and nearly three inches in diameter; cob white; hardy, productive, tender, and sweet; the best for general use. Per pkt., 10	
1	best. Per pkt., 10	
1	Stowell's Evergreen Sweet. This variety is intermediate in its season, and, if planted at the same time with the earlier kinds, will keep the table supplied till October.	
	It is hardy and productive, very tender and sugary, remaining a long time in a	
	fresh condition, and suitable for boiling. Per pkt., io	
	State. Per pkt., 10	
	and sweet. Per pkt., 10 Old Colony Sweet. A remarkably sweet and delicious sort, with twelve to twenty rowed	
	ears; one of the best. Per pkt., 10	
	Nonparent, or represent. A line parching variety. I or part, 10	
	King Philip, or Brown. Very productive, and is recommended as one of the best field sorts	
	King Philip, or Brown. Very productive, and is recommended as one of the best field sorts now in cultivation. In good soil and favorable seasons, the yield per acre is from sevents five to pinety bysels's sometimes reaches as high as a hundred and ten	
	King Philip, or Brown. Very productive, and is recommended as one of the best field sorts now in cultivation. In good soil and favorable seasons, the yield per acre is from seventy-five to ninety bushels; sometimes reaches as high as a hundred and ten searly Dutton, or Golden Sioux. One of the handsomest of the field varieties; productive, and of good quality	

Cress, or Peppergrass (Lepidium Sativum)

German, Kresse. - French, Cresson. - Spanish, Mastruco.

The leaves, while young, have a warm, pungent taste, and are eaten as a salad, either separately, or mixed with Lettuce or other salad-plants.

CULTURE. — Sow rather thick in shallow drills, and at short intervals during the season. The Water-cress requires to be grown on the edge of a running stream or brook where it does not fixed too hard during the winter.

		p	er o
Curled. A well-known sort. Per pkt., 5			10
Broad-leaved. A coarse variety, with broad spatulate leaves; sometimes grown	ı for	feeding	
poultry; also used for soups. Per pkt., 5			10
Henderson's Australian. Fine piquant flavor; for salads. Per pkt., 10 .	1		25
Water. This is an aquatic plant, with small oval leaves and prostrate habit.			-3
	T 110	icaves	
are universally used and eaten as an early spring salad. Per pkt., 10			50

Corn Salad, or Fettieus (Valeriana Locusta).

Cucumber (Cucumis Sativus).

German, Gurke. - French, Concombre. - Spanish, Cohombro.

CULTURE, in the open air, is of the simplest character. Merely dig out a hole about a foot wide and deep; fill it with rich sandy soil; raise it above the surface about six inches. The hills should be six feet feet apart each way. Any time in May sow a few seeds therein, and the result is certain. It the weather be warm, they will grow in a few days. If the nights are cold, protect them. There is frequently a little bug which preys upon the tender leaves: if so, soot and wood-ashes, sprinkled over them while wet with the dew, will retard the progress of the depredator. As soon as the vines have made three rough leaves, nip the points off to make them branch out: they will fruit sooner by it. Three vines to one hill is quite enough. To have young fruit in February and March is rather a nice operation; but any one who can command a few loads of warm horse manure can have them from April to October. That the amateur cultivator may have the article either for family use or for sale, a few hints may be in place on forcing cucumbers. Prepare a frame, following the instructions laid down in the first part of this work for hotbeds. After the beds are in order, put in a good quantity of good, light, rich loam, — none better than the surface of the woods. In two or three days, the earth will be sufficiently warm for sowing the seeds. If the plants are to be removed into other frames, sow them in pots; if not to be removed, sow them in a hill made in the centre of the bed by placing a barrowful of soil in it. Cover the sash at night with straw mats, or any similar protection, and surround the beds with litter or boards to protect if from the pricing winds. The seeds vegetate quickly, and soon grow into strong plants. During their growth, admit air every day at the back of the frame, giving as much light as possible to the young plants. If the soil or plants appear dry, give them water in the forencom which has been kept in the bed during the night that it may be in a warm state,—the requisite temperature of the bed at nig

10 100		
Farly	Russian. This is a comparatively new variety, resembling in some respects the Early	er oz.
Larry	Cluster; fruit from three to four inches long, an inch and a half in diameter;	
	generally produced in pairs; flesh tender, crisp, and well flavored; comes into	
	use ten days in advance of the Early Cluster, and makes a fine small pickle. Per	
		25
Early	pkt. 10 Cluster. A very popular early Cucumber, producing its fruit in clusters near the root	
	of the plant. Its usual length is about five inches; skin prickly; flesh white, seedy,	
	tender, and well flavored; comes in about ten days later than the Early Russian.	
	Per pkt., 5. Frame. One of the oldest of the garden sorts, justly styled a standard variety; fruit	15
Larly	Frame. One of the oldest of the garden sorts, justly styled a standard variety; fruit	
	straight and well formed; flesh greenish-white, rather seedy, but tender, and of an	
Early.	agreeable flavor; a few days later than the Early Cluster. Per pkt., 5 White Spine. One of the best table sorts, and greatly prized by market-men on ac-	15
Larry	count of its color, which never changes to yellow. The fruit is of full medium size,	
	straight, and well-formed; skin deep green; prickles white; flesh white, tender,	
	crispy, and of remarkably fine flavor; very productive, and good for forcing; some-	
	times known under the name of New-York Market. Per pkt., 5	20
Long	Green Prickly. This is a large-sized variety, and somewhat later than the White	
	Spine; skin dark green, changing to yellow as the fruit approaches to maturity;	
	flesh white, somewhat seedy, but crisp, tender, and well-flavored; hardy and pro-	
	ductive; makes a good pickle if plucked while young; well deserving of cultiva-	
Evina	tion. Per pkt., 5 Long Green Turkey. A distinct and well-defined variety; when full grown, some-	20
LAtra	times measuring nearly eighteen inches in length; form long and slender, with but	
	few seeds; flesh remarkably firm and crispy; very productive and excellent. Per	
	pkt., 10	25
		-

	per oz.
	Haage's White Cylindric. A new long white variety; very prolific bearer, and recom-
1	mended as a most valuable acquisition. Per pkt., 25.
	Haage's Striped Giant. One of the largest and longest varieties; green, with yellow
	stripes; new and fine. Per pkt., 25.
	Long Green Smooth. A very long-growing variety. Flesh greenish-white, firm, and crisp; flavor good. A German variety, twenty to twenty-four inches in length.
	Charlwood's Ridge. An English variety, highly recommended; productive, and good fla-
	vored. Per pkt., 10.
	Stockwood Ridge. A very productive black-spined variety, having three to four fruit,
	twelve to eighteen inches long, at each joint; one of the best. Per pkt., 10 50
	New-Jersey Hybrid. Very productive, and good average growth of fruit; about twenty
	inches. Per pkt., 15.
	Giant of Arnstadt. One of the very best, and of fine quality. Per pkt., 25. White Giant of Arnstadt. A new and beautiful snow-white variety, growing twenty to
	twenty-four inches long. Per pkt., 25.
	West-India Gherkins. Used only for pickles. Per pkt., 15 50
	English Gherkins. Fine for the table, or pickles. Per pkt., 10 50
	ENGLISH FRAME VARIETIES.
	per pkt.
	Berkshire Champion
	Carter's Champion, selected
	Cuthill's Black Spine
	Cuthill's Highland Mary
	Carter's White Spine
	Minster Abbey
	Lynch's Conqueror of the West
	Star of the West
	Sion_House Improved
	Sir Colin Campbell
	Surprise
*	Stilwell's Matchless
	Kenyon's Favorite
	Walker's Rambler
	Napoleon III
	Roman Emperor
	General Grant (for forcing). A new and superb variety, either for exhibition or the table;
	perfect in form, solid and crisp, and of a most agreeable flavor. Many specimens were grown the past season, averaging twenty-four to thirty inches in length; suc-
	ceeds well in the open ground
	ceeds with in the open ground
	Egg-Plant (Solanum Melongena).
	German, Cierpflanze. — French, Aubergine. — Spanish, Berengena.
	The Egg-Plant was introduced from Africa, and is called by some the Guinea Squash. It is
	generally cultivated, and is becoming more so every year. They are cut into thin slices, and fried,
	and have a taste very similar to oysters: others use them in stews and soups.
	CULTURE. — Sow in hotbed very early in spring; transplant, when two inches high, into a second
	hotbed; if that is not done, thin to four inches apart. Do not plant out till the weather becomes
	settled and warm. Keep plants watered for a few days if hot when put out. Where hotbeds are not
	convenient, a few plants can be started in flower-pots or boxes, and, when planted out, must have a deep rich soil, and full exposure to the sun. Till and hoe same as for Cabbages.
	per oz.
	The state of the s

Early Long Purple. Earliest, hardy, and most productive; of superior quality. Per pkt., 10, 75
New-York Improved Purple. One of the largest and best varieties. Oval-shaped, of a
dark-purple color; fine flavored. Grown extensively for the market. Per pkt., 10 1.00
White-fruited. Fruit milk-white, egg-shaped, varying from three to five inches in length,
and from two and a half to three inches in diameter; grown principally for ornament.

and from two and a half to three inches in quanteter, grown penalty.

Per pkt., 5.

Scarlet-fruited. A highly ornamental variety. In general appearance, it resembles the common Egg-Plant; but the fruit, which is about the size of a hen's egg, is of a most beautiful scarlet: principally cultivated for 'its peculiar, richly colored, and ornamental fruit, which makes a fine garnish. Per pkt., 10.


Gaudaloupe Striped. Fruit nearly ovoid; smaller than the large purple; skin white streaked, and variegated with red. Per pkt., 10.


Pekin New Black. A new variety, from Pekin, China, producing very remarkable, large, round fruit, weighing six to eight pounds each. Per pkt., 25.

Endive (CHICORIUM ENDIVIA).

German, Endivien. - French, Chicorée. - Spanish, Endvia.

The garden Endive is a native of Northern China, and has been cultivated in Europe the past three centuries for a winter salad. The French are particularly fond of it, using it raw, pickled,





fried, and boiled, esteeming it exceedingly wholesome in every form. It agrees with every consti-

tution.

CULTURE. — For the early crop, sow about the 1st of July. It will do on the ground where early Cabbages or Peas have come off, by giving it a coat of manure. Draw drills the depth of the hoe, one foot apart, and sow therein; sprinkle a little earth in the bottom of the drill, sufficient to cover the seed, which will be up in a few days. If dry weather ensue, water once or twice till the plants get hold. Thin them out, when about two inches high, to ten inches apart; hoe freely, and keep clear of weeds. Being grown in these shallow drills, they are more easily earthed up, and grow better in warm, dry weather. When the leaves have attained about eight inches long, they are fit for blanching; for this purpose a dry day must be chosen. Gather up the leaves in your hand, in a close and rounded form; see that there is no earth or litter in their centre. Tie them up with a close and rounded form; see that there is no earth or litter in their centre. Tie them up with a close at the content of the property of the content of t piece of cotton-twist or matting, which is to go several times round the plant, causing it to close at the top to prevent the rain from penetrating to and injuring its centre; then draw a little earth round its base for support. If the leaves are not perfectly dry when tied up, they will rot, or become so stained as to be unfit for the table. They will take about ten days in warm, and twenty days in cool weather to blanch for use: a judgment may thus be formed of the quantity to be tied up at a time. For late crops, sow about the end of July.

Easily blanched; very hardy, and well adapted for winter use. One of the Green-curled.

White-curled, or Ever-blanched. Leaves pale yellowish-green, nearly white when young; long, rather narrow; lobed, cut, and beautifully frilled or curled. Not so hardy as the Green. Per pkt., 10

Broad-leaved Batavian. Leaves yellow-green, large, long, and broad; thick and fleshy.

Chiefly used in stews, soups, &c. Called, by the French, Chicoree Scarolle. Per 35

pkt., 10 Fine Curled, or Moss. A new variety, with very fine curled leaves, much resembling moss. Per pkt., 10.

Kohl-Rabi, or Turnip-rooted Cabbage.

German, Kohl-rabiuber. - French, Chou-rave. - Spanish, Col de nabo.

The Kohl-Rabi is a vegetable intermediate between the Cabbage and the Turnip. The stem, just above the surface of the ground, swells into a round fleshy bulb, in form not unlike a turnip; on the top, and about the surface of this bulb, are put forth its leaves, which are similar to those of the Swedish Turnip. The part chiefly used is the turnip-looking bulb, formed by the swelling of the stem. This is dressed and eaten with sauce or with meat, as turnips usually are. While young, the flesh is tender and delicate, possessing the combined flavor of the Cabbage and Turnip.

CULTURE. — Cultivate same as Cabbage; only that, in earthing up the plant, be careful not to cover the globular part. They should not be used before they have attained their full growth.

per oz. 40 40 25 25 new. Per pkt., 10.

Leek (ALLIUM PORRUM).

German, Lauch. - French, Poireau. - Spanish, Puerro.

This is a branch of the Onion family, —a native of the north of Europe; is very hardy, and, from its mild qualities, is preferred by many families to the Onion. History records it as having been cultivated many hundred years. The Welsh indulge in Leeks on their patron St. David's Day, in commemoration of a victory which they obtained over the Saxons, which they attributed to the Leeks they wore, by order of St. David, to distinguish them in battle.

CULTURE. — There is no part of the garden too rich for Leeks. They require the best ground, well worked, and manured the full depth of the spade. Sow the seed thinly on a small bed of light rich ground, in drills six inches apart and half an inch deep; rake it evenly, and give it a beat

with the back of the spade.

When they come up, they should stand an inch apart; if thicker, thin them out. When grown to about eight inches high, they will be of sufficient size to plant out. As we have remarked, choose the best ground, draw thereon drills a foot apart, and as deep as the hoe will go. When ready, the plants are to be taken up from the seed-bed. Shorten their roots to about an inch from the plant, and cut two inches or more from the extremity of the leaves. Both these operations are done for convenience and neatness in planting. Dibble them in the drills eight inches apart, and as deep as the plant will admit of, not to cover the young leaves pushing from its centre. Choose most or cloudy weather for the operation; but, if dry, give the plants a copious watering. Hoe the ground frequently, to keep down weeds, and, as the plants are observed to grow, draw the soil around them. By good culture, they will be fit for use early in October. On the approach of severe frost, lift sufficient for winter use, and store them away in earth or sand.

Large London is hardy, and of good quality. It is more generally cultivated in this country, than any other variety. Per pkt., 10

Broad Scotch, or Flag. This variety is remarkably hardy, and well suited for open culture; large and strong-growing, with broad leaves growing on two sides. Per

Lettuce (LACTUCA SATIVA).

German, Lattich. - French, Laitue. - Spanish, Lechuga.

The Lettuce is generally divided into two classes; viz., Cabbage Lettuces and Cos Lettuces. The Calbage have round heads and broad-spreading leaves; the Cos varieties have long heads, and upright, oblong leaves.

CULTURE.—A very rich soil is necessary to produce fine head Lettuce. Its crisp and tender quality-depends very much on a luxuriant and vigorous growth. The earliest sowing may be made in February or March, under glass with slight heat. Keep the plants thin, and admit plenty of air to the frame every fine day. For later supplies, sow in the open ground as soon as the season will permit: transplant or thin out the plants gradually to a foot apart, and keep well cultivated. The Cos Lettuces are excellent if grown very early in the spring, but run to seed quickly in hot weather. The large Cabbage kinds are best, and most suitable for summer crops.

210 10180 000000000000000000000000000000	er cz.
Early-curled Silesia. Standard sort; very early; the best for forcing and the first spring	11 . 2.
sowing; makes a loose head; tender, and of excellent flavor. Per pkt., 10	40
Early Tennisball. One of the oldest and most esteemed of the Cabbage Lettuce. The	40
head is below medium size; dark-green; very solid if grown in cool weather;	
one of the earliest and best. Per pkt., 10	40
Early Royal Cape, or Summer Cape. Head roundish, usually well-formed, and moder-	70
ately close and firm; good size; as a summer Lettuce, is one of the best. Per	
pkt., 10	40
Early Drumhead, or Malta. Head remarkably large, somewhat flattened, compact; pale	40
green without, and white at the centre; crisp and tender; fine summer variety.	
Per pkt., 5	25
Boston Curled. A new variety; one of the best for general cultivation. The elegant	
frilling of the leaves, and fine form, make it very attractive; flavor very fine. Per	
	40
Royal Summer Cabbage. Head medium-sized, round, somewhat flattened, firm, and	
close. Per pkt., 5	30
Large India. Heads large and compact, similar to the Curled Silesia, but is less curled,	
and whiter; sometimes tinted with brown; heads round, crispy, and fine flavor;	
very popular as a market variety; one of the best for summer culture. Per	
pkt., 10	40
Wheeler's Tom Thumb. A new English variety; very dwarf and compact; excellent	
flavor; crisp and refreshing. Per pkt., 10	50
Ivery's Nonesuch. A new English variety, highly recommended as a summer variety. Per	
pkt., 10	40
Brown Dutch. A very hardy sort, enduring the winter with less protection than most	
other varieties; heads medium size, rather long, and loose; good flavor; gener-	
ally sown in the autumn. Per pkt., ro Hammersmit's Hardy Green. A very popular old variety. It is considered the hardiest	40
sort in cultivation, and is one of the best for growing in winter or forcing. Per	
pkt., 10	40
Victoria Cabbage. An excellent early and hardy variety; is larger than Tennisball; heads	40
freely, and is crisp and well-flavored; should be planted early. Per pkt., 10	40
White Paris Cos. This variety is grown mostly by London and Paris market-gardeners;	40
tender, brittle, and mild-flavored. Per pkt., 10	40
Green Paris Cos. Considered one of the best of the Cos Lettuce. It has a tender, brittle	40
leaf; some days earlier than the White Cos. Per pkt., 10	40
Large Spotted, or Tigered. A new and tender variety, with large spotted leaves. Per	4-
pkt., 10.	
Blood-red. Very tender variety, with red leaves; new. Per pkt., 10	50
Perpignan. A fine variety, forming large solid heads, with very crisp and tender leaves;	
new. Per pkt., 10	50
No Plus Ultra. Very large, firm head; tender, and keeps well. Per pkt., 10	50
Carter's Giant Brown Cos. Per pkt., 25.	
Dunnett's Giant Black-seeded Brown Cos. Per pkt., 25.	

The last three are new English varieties, said to be very large, criso, and good-flavored varieties of Lettuce, with fine broad leaves, which turn in well; all of them are late varieties, coming in some three weeks after the common sorts.

Martynia (Martynia Proboscidia).

A hardy annual plant, with a strong branching stem two feet and a half high. The leaves are large, heart-shaped, entire, or undulated, downy, viscous, and emit a peculiar musk-like odor when bruised or roughly handled. The young pods are the parts of the plants used. These are produced in great abundance, and should be gathered when about half grown, or while tender and succulent: after the hardening of the flesh, they are worthless. They are used for pickles, and by many are considered superior to the Cucumber, or any other vegetable employed for that purpose.

CULTURE. — The Martynia is of easy culture. As the plants are large and spreading, they should be two and a half feet apart in each direction. The seeds may be sown in April or May, in the open ground, where they are to remain; or the seeds may be sown earlier in a hotbed, and transplanted.





WHITE JAPAN MELON.

CITRON-MELON (see p. 114).

Melon, Musk Varieties (Cucumis Melo).

German, Melone. - French, Melon. - Spanish, Melon.


The Melon, in some character, is to be found in all tropical countries; but the finest varieties are supposed to have come from Persia and Afghanistan. The delicious flavor and perfume make it very popular in all countries where the climate will admit of its cultivation.

CULTURE. — Plant in hills six feet apart each way, eight or ten seeds in each, and thin out to three or four plants when in a state of forwardness. To grow good melons, the hills should be

prepared by digging out the soil from one and a half to two feet deep, and two or the according to the richness of the land. Add a very liberal quantity of the best decomendation, and mix well with the soil, filling up a little above the general level. By this melons may be raised on almost any soil. Seeds should not be put into the hills until becomes settled and warm.	nposed stal is mode, go I the weath	ad, ble ood her
Christiana. This variety originated in Beverly, Mass.; form roundish; size rather skin yellowish green; flesh yellow, sweet, juicy, and of good quality; one best; ripens very early. Per pkt., 10 Green Citron. Fruit nearly round, but flattened slightly at the ends; medium size	of the	
green, quite thick, and of the richest and most sugary flavor; comes in ear makes a very popular market variety. Per pkt., 5. Nutmeg. Fruit oval, good size, thickly netted; flesh light-green, rich, sweet, meltin highly perfumed; one of the finest. Per pkt., 5.	ng, and	
 Pineapple. Form roundish, inclining to oval; flesh green, melting, sweet, and perlearly and productive. Per pkt., 5 Skillman's Fine-netted. This variety much resembles the Pineapple; flesh green, melting, and excellent; the earliest of all the green-fleshed varieties. Per 	fumed; . 20	
Persian. Long, oval-shaped; skin very thin and delicate; flesh extremely tender and sweet, and flows copiously, with a cool juice, which renders them very ful. Per pkt., 10 Allen's Superb. A new variety of the Nutmeg; flesh green and sweet. Per pkt., 1	r, rich,	
Beechwood. Medium-sized; dark-green; flesh very sweet; late; suitable for grow frames under glass. Per pkt., 25. Large Vellow Cantelope. An oval variety; good-sized; skin yellow, marble	ving in	•
green; flesh salmon-colored, sweet, highly perfumed, and of good flavor and productive. Per pkt., 5 Large Musk. This is a very large, long oval shape; deeply ribbed; flesh very thic low, sweet, and juicy, with musky flavor; very early and productive. Per	k, yel- pkt., 5 20	
New White Japan. A new variety from Japan, and decidedly the sweetest skinned of the Musk Melon; color of fruit cream-white; flesh thick; size m and nearly round. Per pkt., to Trentham Hall. An English variety; green-fleshed; sweet; suitable for cultival	thin- nedium	
frames. Per pkt., 25. Carter's Excelsion. A new English prize variety, said to be the best green-fleshed w		

Per pkt., 25.

Turner's Scarlet Gem. An English frame variety. Per pkt., 25.



MOUNTAIN-SWEET WATER-MELON.

Water-Melon (Cucurbita Citrullus).

German, Wassermelone. - French, Melon d'Eau. - Spanish, Sandia.

The Water-melon is purely a tropical fruit, greatly appreciated for its refreshing coolness and delicious flavor.

CULTURE.—They require a light sandy soil, not over rich. Plant them in hills, as directed for Melons, giving them more room, as their vines extend much farther. The seeds should be two years old before planting. If they are wanted of a large size, three or four fruit from each plant will be sufficient; and, when one fruit only is taken, they will grow to from twenty to thirty pounds' weight each. It will injure the flavor of the fruit if they are grown near to other varieties of the Melon.

	er oz
Wountain Sweet. A large, long, oval variety; skin striped and marbled with different	
shades of green; flesh scarlet, and quite solid to the centre; very sweet and deli-	
cious. A fine market sort. Per pkt., 5	15
Mountain Sprout, or Long Carolina. Resembling the preceding in most respects. A	
favorite market sort. Very fine quality, and productive. Per pkt., 5	20
Black Spanish. Form oblong; size large; skin very dark or blackish green; flesh deep-	
red, fine-grained, very sugary, and of excellent flavor. Hardy and productive;	
one of the best for general cultivation. Per pkt., 5	20
ice-cream. A very large pale-green sort; form nearly round; flesh white, very sweet, ten-	
der, and of remarkably fine flavor. Per pkt., 5	15
Orange. Form oval, of medium size; flesh red, not fine grained, but tender, sweet, and of	
good quality. When in its mature state, the rind separates readily from the flesh,	
in the manner of the peel from the flesh of an orange. Per pkt., 10	40
Citron. Employed in making sweetmeats and preserves; form round, medium size; flesh	
white, very solid. (See engraving on p. 113.) Per pkt., 5	20
Apple-pie Melon. This is a new Japanese variety, said to be an excellent substitute for	
	20
Apple-seeded. A rather small, nearly round sort; derives its name from its small, peculiar	
seeds. Flesh bright red to the centre, sweet, tender, and well-flavored; keeps a	
long time after being gathered. Per pkt., 10	40

Mustard (SINAPIS VAR).

German, Seuf. - French, Moutard. - Spanish, Mostaza.

Mustard-seed is too widely known and appreciated to need description. It is useful both in its natural state and manufactured, and is considered wholesome in all its various methods of preparation. It is very refreshing when, in its green state, mixed with salads, and for that purpose alone is worthy of cultivation.

CULTURE. — This salad is cultivated in the same manner as recommended for Cress, — at all times of the year, sowing every week or two either in beds or drills, or, for early use, in hotbeds, or boxes in the windows of a warm room. The seeds should be covered very slightly, and frequently watered, as moisture is indispensable to its growth. A bed three feet wide and twenty feet long, having the plants four or six inches apart, will produce a sufficiency of seed for every domestic purpose.

Nasturtium, or Indian Cress (TROPÆOLUM).

German, Kresse Indianische. - French, Capucine Grande. - Spanish, Capuchina.

There are many curious varieties of the Cress, though none so beautiful as the common Nasturtium. It has a sharp, warm taste, and is frequently used in salads. The green seeds are frequently pickled in vinegar, and are very palatable.

CULTURE. — Sow the seed thinly, in rows or patches an inch deep, about the end of March or first of April. They will thrive almost anywhere if the ground is rich. They are peculiarly adapted to trellis-work, and form a rich, showy, and enlivening appearance.

per oz.

Okra, or Gombo (Hibiscus Esculentus).
German, Essbarer Hibiscus French, Gombo Spanish, Quibombo.
This plant is cultivated, to some extent, as a vegetable: served in the same manner as Asparagus. The green seed-pods are used in soups, and deemed a luxury. It is becoming very popular since its introduction to us from the West Indies.
CULTURE. — The seeds are sown thinly, on dry, warm soil, in shallow drills two feet apart, about the same as the Lima Bean. Cover the seeds lightly. After the plants are up, thin them out to nine inches apart; hoe freely, and draw a little earth to the stems as they continue to grow. Gather the pods when quite green and about an inch and a half long.
Long Green. Pods long and ribbed. Per pkt., 5
Onion (Allium Cepa).
German, Zwiebel French, Ognon Cebolla.
No vegetable is more extensively known and cultivated than the Onion. It has been the common seasoning for soups and meats of all nations from the earliest period to the present. In cookery it is indispensable.
Culture. — The soil in general cannot be too rich for this vegetable; and, however good it may be, it requires more or less manure for every crop: unlike most vegetables, it succeeds well when cultivated on the same land for successive years, provided it is liberally supplied with nutrition. Previous to sowing, the ground should be thoroughly spaded over, or deeply ploughed, and the surface made smooth and even. The seed should be sown as early in spring as the soil may be in good working condition. Sow in drills fourteen inches apart, and half an inch in depth. When the plants are three or four inches high, thin them out to two inches apart. If the weather is moist, the thinnings may be transplanted into other ground. They, too, will attain full size; but observe, in planting, to put the roots only under ground. To grow Onions for pickling, sow the seed thinly in March or April. No further culture is required, except hand-weeding, as their thickness in the bed will prevent their growing large, and will cause them to come to maturity sooner. The seed should be thoroughly dried; for when stored in a damp state it is liable to generate heat, and consequently to lose its vitality.
Early Red. A sub-variety of the Large Red Wethersfield, and the earliest of the Red Onions. Form and color nearly the same as Large Red; close-grained, mild, and a good keeper. Very productive. Per pkt., 10 Large Red Wethersfield. Large-sized, skin deep purplish-red; flesh purplish-white; moderately fine grained, and stronger flavored than that of the yellow and earlier red varieties. Very productive, and one of the best to keep; the variety mostly grown at Wethersfield. Per pkt., 5. Danvers Vellow. A very fine variety, originated from South Danvers, Mass. Above the medium size; globular in form; skin yellowish-brown; flesh white, sugary, comparatively mild and well-flavored. Very productive; one of the most popular for general cultivation. Per pkt., 5. Vellow Dutch, or Silver-skin. One of the oldest varieties; and, as a market variety, probably better known and more generally grown in this country than any other. Flesh white, fine-grained, mild, sugary, and well-flavored. Per pkt., 5. White Portugal, or Spanish. A very large, flat onion. Skin loose, of a mild flavor, fine early winter use, but decays early. Per pkt., 10. Top, or Button Onion. Bulbs large, a little flattened; producing, instead of seeds, a number of small bulbs or onions about the size of filberts, which serve as a substitute for seeds in propagation. The bulbs are liable to decay, and should be kept in a cool, dry place, away from frost. Potato Onion. Producing a quantity of young bulbs on the parent root, which should be planted in rows, in April, three inches deep (below the surface) and six inches apart: the rows should be eighteen inches apart. Keep them free from weeds, and earth them up like potatoes as they continue to grow; when grown, may be treated as other onions.
Orache, or Mountain Spinach (Atriplex Hortensis).
German, Garten Melde French, Aroche Spanish, Armuelle.
CULTURE. — This plant flourishes best in rich soil, in open ground. Manure well, and it will reward you for your trouble by its abundant produce. Sow the seed in drills five or six inches asunder; when the plants are sufficiently strong, thin them out to six inches apart. The thinnings may be replanted, and occasionally watered until established. Gather the leaves br use while young and tender. per oz.
Orache, or Mountain Spinach. Per pkt., 5

Parsley (APIUM PETROSELINUM).

German, Petersilie. - French, Persil. - Spanish, Peregil.

The garden Parsley is a very useful and pleasant vegetable. Its seasoning flavor for soups and stews is very agreeable to many. It may be preserved by drying it till crisp, in summer; then rub it fine between the hands, and put in bottles for winter use.

CULTURE.—Sow it in drills half an inch deep, early in April. These drills may form an edging round any compartment of vegetables, or along the walks. When the plants are three or four inches high, thin them to six inches apart; to keep a young stock constantly for use, cut down about a third part at a time. Root out the plain-leaved, should any appear. Keep it.only from severe frost, and it will grow the whole winter. For this object, select a warm spot of ground, light and rich; sow it early in the season; cut them all over in September; surround the bed, early in November, with boards, and cover with mats or shutters; glass is much better, if it can be obtained. By this process a sufficient sumply will be always othainable. process, a sufficient supply will be always obtainable.

Plain Parsley. The leaves of this sort are plain, or not curled; but it is better flavored than the curled for soups, &c. Requires a slight protection, during the winter, of straw, pine-boughs, or leaves. Per pkt., 5.

Curled, or Double. A fine dwarf variety, tender; leaves yellowish-green, and beautifully crimped and curled. Fine for garnishing dishes for the table. Per pkt., 5.

Hamburg, or Rooted. The roots are principally used for flavoring soups. Per pkt., 10.

Dunnett's Selected. A new English variety, superior for garnishing. Per pkt., 10.

Dickson Extra, or Triple-curled. A new and fine English variety. 30 30

Parsnip (Pastinaca Sativa).

German, Pastinake. - French, Panais. - Spanish, Pastinaca.

The Parsnip is a biennial plant, similar to the Onion, Turnip, and Carrot in duration. It is both wholesome and nourishing, and desirable for winter and spring use.

CULTURE. - It succeeds well in a rich, sandy loam. Sow early in the spring, in drills tolerably deep; scatter the seeds thinly, and cover evenly with the rake. After the appearance of the seed, the soil must be stirred with the hoe frequently, until the leaves cover the ground: they will stand any severity of frost. One ounce of seed is sufficient to supply a family.

Long Smooth. Roots long, white, smooth, and regularly tapering to the end; free from side-roots. Tops small, slightly tinged with red at the crown. Very hardy, keeping through the winter where grown without any protection; one of the best for general

Hollow Crown. Roots oblong, ending somewhat abruptly with a small top root; grows mostly below the surface Best garden variety. Per pkt., 5.

The Student. A new variety, of delicious flavor, ennobled from the Wild Parsnip by Prof. Buckman, of the Royal Agricultural College, Cirencester, England. A great accusition.

quisition. Per pkt., 5.

Abbott's Improved Crown. A new and superior English variety. Per pkt., 10

Peas (PISUM SATIVUM).

German, Erbse. - French, Pois. - Spanish, Guizante:

The Pea is a hardy annual plant, of great antiquity as a culinary vegetable, and is familiar in the domestic cookery of every country. much in flavor and quality. There are numerous varieties; consequently they differ

CULTURE. — Peas, for an early crop, should be sown as soon as the ground is in working condition. The soil for their reception should be light, dry, and well sheltered. Mild manure, such as leaf-mould, has a beneficial effect; but for many of the varieties the soil can hardly be too rich. For general crops, the ground should be well manured the previous year, which causes them to yield more abundantly. They are usually planted in double rows three or four feet apart, and covered to the depth of two and a half or three inches. This is the average depth, though some contend that greater depth prevents the premature decay of the vines. The height of the Pea depends much upon the moisture and richness of the ground. The method of planting Peas in the hills with Potatoes of an early variety has been found successful. In dry weather, soak the Peas a few hours before planting. Pour water into the drills, when the ground is dry, before sowing the seed, which will cause them to grow at once, should the season continue dry. A pint of the small-seeded sorts will sow a row about sixty feet in length; and the same quantity of larger varieties, being sown much thinner, will make a row of nearly a hundred feet. The crop should be gathered as it becomes fit for use. If even a few of the pods begin to ripen, young pods will not only cease to form, but those partly advanced will cease to enlarge. Peas, ordered by mail are subject to an extra charge of 8 cents per pint, for Postage. 8 cents per pint, for Postage. Early Dan O'Rourke (Pure).

8 cents per pint, for Postage.

Early Dan O'Rourke (Pure). One of the earliest varieties in cultivation; pods well filled;

of good size and quality; of the finest flavor; grows about three feet high

Early Emperor. This variety grows somewhat taller, and is a few days earlier, than the

Prince Albert. The pods and peas are also somewhat larger. It is an abundant

bearer; an excellent variety to come in after the above.

Carter's First Crop, or Sutton's Kingleader. This is a new English variety, introduced

by Carter & Co., of London. It has proved to be the earliest Pea grown; also

vary wellife; beight two and a half feet. as cents per half nitt. 35 30

very prolific; height two and a half feet. 25 cents per half-pint.

Hovey's Extra Early. Unequalled in earliness; very productive; two and a half feet 20 40

n	er qt.
Early Kent. A very popular early Pea; fine pods; two and a half feet	30
Early Dillestone. This is undoubtedly one of the earliest Peas known; seven or eight days	30
earlier than the Dan O'Rourke; fine flavor; good size, and one of the best.	
Drew's New Dwarf. This fine Pea is remarkable for its dwarf and branching growth,	50
forming a bush one foot high and one foot broad; consequently, only about one	
plant to each foot of row is required. It is medium in earliness, and extremely	
plant to each look of row is required. It is included in earliess, and extremely	
productive, each plant producing, with good culture, forty or fifty pods of rich,	
fine-flavored, large Peas	1.00
McLean's Little Gem. A dwarf, prolific, green wrinkled Marrow; habit similar to Beck's	
Gem or Tom Thumb, and is a first early; a great acquisition; height one foot.	90
McLean's Advancer. A dwarf green wrinkled Marrow of fine flavor; long pods, well	
filled up; very prolific; nearly as early as the Dan O'Rourke; a comparatively	
new variety	90
McLean's Princess Royal. A very prolific, long-podded, early variety, of fine sugary	1
flavor; one foot high; pods large, well filled; very productive	50
McLean's Prolific. A dwarf early variety, coming in after the Dan O'Rourke; white	
wrinkled, with the Marrow flavor	50
Early Prince Albert. An old well-known variety; early and productive; three feet	
Early Washington. A standard sort; very early and prolific; three feet	30
	30
Early Hill. Large full pods; good bearer; three feet	30
Tom Thumb (Beck's Gem). Plants of remarkably low growth, seldom exceeding nine	
inches in height; stout and branching; pods about two and a half inches in	
length, containing five or six peas, which are of a creamy-yellor : flavor;	
very productive. It may be cultivated in rows ten inches apart stick re-	
quired	75
Bishop's New Dwarf Long-podded. Stems about two feet high; pods nearly straight,	,,,
almost cylindrical, containing six or seven white peas; very early; an abundant	
bearer, and of excellent quality	40
Carter's Surprise. A new variety of the Blue Surprise; pods large, very productive, and	40
fine quality; an excellent market variety. Half-pint pkts., 25	
Alliance or Fugoria Plant shout three feet in height with nels grown foliage t nels	50
Alliance, or Eugenie. Plant about three feet in height, with pale-green foliage; pods	
single or in pairs, three inches long, containing five or six peas. When ripe, the	
peas are of medium size, cream-colored, and much shrivelled and indented; the	,
earliest white wrinkled Marrow Pea in cultivation	60
Climax, or Napoleon. Plants about three and a half feet high; of robust growth; pods	
three inches long, containing five or six peas. When ripe, these are of medium	
size, pale blue or olive, and, like Eugenie, much wrinkled and indented; the	
earliest of the blue wrinkled Marrow Peas	60
Champion of England. A standard sort, considered by all to be the best grown for gen-	
eral crop; of delicious flavor; very productive, and growing from three to four	
feet	40
Champion of Scotland. This we consider one of the best for main crop; of real, buttery	40
flavor; very productive, and of large size	50
Die Imperial This is considered by more see a tendent and	50
Blue Imperial. This is considered by many as a standard sort; very hardy, and yields	
abundantly; of good quality and size	30
Missouri Marrowfat. This Pea is of American origin; very productive; of good quality,	
and well deserving of cultivation; about ten days earlier than the common Mar-	
rowfat; large pods; a excellent market variety, growing from three to five feet.	30
Large White Marrowfat u excellent and profitable sort; a little later than the preced-	
ing; pods large and full; very productive, growing from three to five feet	25
Black Eye Marrowfat. An excellent variety, growing about three feet high; pods large	
and full; a prolific bearer, and can be recommended as one of the best of the Mar-	
rowfat varieties	25
Victoria Marrowfat. A fine late variety; sweet, and of rich marrowfat flavor; very pro-	-3
lific; three to five feet	50
Dwarf Marrowfat. A very early sort, with large full pods; rich flavor; very productive;	30
two feet	00
Veitch's Perfection. A new variety, of superior flavor and sweetness; large pod, and a	30
great begans on of the best for feet	
great bearer; one of the best; five feet	50
Sugar Pea. Eatable pods or string pea; three feet	90

Pepper (CAPSICUM).

German, Pfeffer. - French, Piment. - Spanish, Pimiento.

Capsicum or Pepper is a tender annual, much esteemed for its seasoning qualities. In all the various methods of preparation, it imparts vitality and promotes digestion. It is extensively used for pickling.

CULTURE. — The plants are always propagated from seed. Sow in a hotbed, early in April, in shallow drills six inches apart, and transplant to the open ground when summer weather has commenced. The plants should be set in warm mellow soil, in rows sixteen inches apart, and about the same distance apart in the rows; or, in ordinary seasons, the following simple method may be adopted for a small garden, and will afford an abundant supply of peppers for family use: When all danger from frost is past, and the soil is warm and settled, sow the seeds in the open ground, in drills three-fourths of an inch deep, and fourteen inches apart; and, while growing, thin out the plants to ten inches apart in the rows. Cultivate in the usual manner, and the crop will be fit for use early in September.

p	er oz
Cayenne. The pods of this variety are quite small, cone-shaped, coral red when ripe, in-	
tensely acrid, and furnish the cayenne pepper of commerce. Per pkt., 10	50
Cherry. The pods or fruit erect, nearly globular or cherry-form, and, at maturity, of a deep	
rich, glossy, scarlet color, remarkable for its intense piquancy. Per pkt., 10.	50
Squash. Fruit compressed, more or less ribbed; skin smooth and glossy; flesh thick, mild,	
	50
Sweet Mountain, or Mammoth. Similar to the preceding in form and color, but much	
larger; fine for pickling. Per pkt., 10	50
Sweet Spanish. Though one of the largest varieties, it is also one of the earliest; flesh	
sweet, mild, and pleasant; used for salads and pickling. Per pkt., 10	50

Potato (Solanum Tuberosum).

German, Kartoffel. - French, Pomme de Terre.

CULTURE. — A sandy loam is better calculated for the Potato than a heavy or very clayey soil. Though any soil will do, it must be observed that the roots produced in a light one are more dry and sweeter than those grown in a heavy soil. The finest Potatoes are grown in a new, light, rich loam. If the soil is heavy, the manure used should be composed of well-decayed leaves, horse-manure, and ashes, well blended and mixed together before using. A good crop can seldom be raised if this article is sparingly laid on. Sets for planting should be cut at least one week before planting, and spread out thin on a floor to dry. Another important consideration is, whether small tubers or large ones should be employed for making sets. Large tubers, however, are preferable, for the following reasons: In all plants, large buds tend to produce large shoots; and small or weak buds, the reverse. Now, the eyes of Potatoes are true buds, and in small tubers they are comparatively weak: they consequently produce weak shoots, and the crop from such is inferior to that obtained from plants originating from large tubers furnished with stronger eyes. The part of the Potato planted is not a matter of indifference. It was found, by an experiment made in the garden of the Horticultural Society, that sets taken from the points of the tubers yielded at the rate of upwards of three tons per acre more than was obtained from employing the opposite end of the tubers.

Potatoes are usually planted either in hills or ridges, the former method being the most common in this country. As soon as the plants are fairly started above the arrace, hoeing and surface stirring should be commenced. The earth should gradually be drawn about the hills, or along the ridges, at each successive hoeing, and every encouragement given to the side-roots to extend themselves; for, nearly at their extremities, the tubers are formed: so that deeply stirring the ground between the hills or ridges tends to their extension. But this treatment must not be carried beyond a certain stage in the growth of the plant, or after the tubers have reached a considerable size, as the extremities of the roots might be seriously injured. In the preservation of Potatoes, it is of the first importance that they be excluded from light. In a state of complete darkness, they should, therefore, be placed, the day they are taken out of the ground. Drying has a bad effect on the skin of the Potato.

Early Handsworth. A new variety lately received from England, which is believed to be the earliest of any in cultivation; superior either for the superior states for the supe the earliest of any in cultivation; superior either for forcing, or culture in the open tive; tubers of medium size, roundish; flesh white, of excellent flavor. A superior market variety Early Sovereign. A favorite early variety, of excellent quality; very productive, and a good keeper Extra Early White. An early and well-known variety. Very productive, and of good Early Wendall. One of the largest of the early. Very productive, of uniformly good quality; keeps well; one of the best for general cultivation

Jackson White. Flesh perfectly white when cooked, remarkably dry, mealy, farinaceous, and well-flavored. A good keeper, commands the highest market-price, and, every 2.50 2.50 thing considered, must be classed as one of the best, and recommended for general cultivation A new variety; from Ireland. A handsome medium-sized Potato, very flow-ery, and of good flavor. Prolific, good keeper, and, all things considered, one of the best for general cultivation . Davis's Seedling. For general cultivation, this variety is probably one of the most profitable sorts known, as it yields abundantly, even with ordinary cultivation. It is of good quality and fine flavor; flesh nearly white, slightly tinged with pink when cooked.

Goodrich's Early. One of the largest and earliest varieties; two weeks earlier than the Jackson White, and one of the most productive, — two hundred and fifty bushels having been grown to the acre. Per pk., 1.50.

Goodrich's Garnet Chili. This variety is healthy, yields abundantly, and is greatly superior to many sorts for table use, and might be profitably grown for farm purposes. 3.00 2,00 Cuzco. White flesh, good size and flavor. A most abundant bearer; keeps well; good for a general crop 2.00 A seedling of the Garnet Chili, a little earlier than that variety; has a firm, crisp Calico.

Above prices subject to variation.


New White Peach-blow. A decided improvement upon the well-known Jersey Peachblow. Flesh white, floury, of most excellent quality. Cannot be too strongly

3.00


2.00

flesh; cooks white and dry


recommended; a first-rate market variety



POTATO CLIMAX. See page 142.



POTATO EARLY ROSE. See page 143.



Pumpkin (Cucurbita Pepo).

German, Kurbis. - French, Courge. - Spanish, Calabaza.

We cannot think of admitting this vegetable into the precincts of a garden where there are Cucumbers, Melons, and others of similar class. It would mix with and contaminate the quality of the more valuable sorts; besides, they would occupy more space than most could allow, as many of the varieties attain enormous size.

CULTURE. — Pumpkins are not so particular in regard to soil as Melons or Cucumbers, but, in other respects, are cultivated in a similar manner, though on a much larger scale. They are generally raised on cultivated farms, between hills of Indian Corn, and may be planted with success in fields, by themselves.

Radish (RHAPHANUS SATIVUS).

German, Rettig Radies. - French, Radis, Rave, Petite Rave. - Spanish, Rabano.

The Radish is a hardy annual plant, much esteemed for its grateful relish, and is extensively cultivated for its roots. Its excellence consists in being succulent, mild, crisp, and tender; and the roots should be eaten before they are overgrown, which makes them tough and thready. The seed-pods are excellent for pickling if gathered while young and green.

CULTURE.— For early crops, sow in spring, as soon as the ground can be worked, in light rich soil; for later crops, a deep, moist soil is preferable. Sow the seed thinly in drills, covering them with about a quarter of an inch of fine earth. If space is limited, the seed may be sown with Onions or Lettuce; they are said to be much less affected by the maggot if grown with the former. The plants should be frequently and copiously watered in dry weather, which tends to their rapid growth, thus securing its excellent qualities. For very early use, sow on gentle hotbeds.

Rhubarb (RHEUM HYBRIDUM.)

German, Rhubarber. - French, Rhubarbe. - Spanish, Ruibarbo Bastardo.

CULTURE. — Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition, and the deeper it is stirred, the better. Sow in drills an inch deep. Thin out to six inches apart. In the fall, trench a piece of ground, and manure it well; then transplant the young plants into it three feet apart each way. Cover with leaves or litter the first winter, and give a dressing of coarse manure every fall. To procure an immediate crop, plant roots which are already grown.

Salsify, or Oyster Plant (TRAGOPOGON PORRIFOLIUS).

German, Bocksbart. - French, Salsifis. - Spanish, Ostra vegetal.

The Salsify is a hardy biennial plant, and is principally cultivated for its roots, which are long and tapering, and, when grown in good soil, measure twelve or fourteen inches in length. It is considered wholesome and nutritious. When cooked, the flavor resembles that of the oyster, and is a good substitute for it: whence the popular name.

CULTURE. — This plant succeeds best in a light well-enriched soil, which, previous to sowing, should be stirred to the depth of twelve or fourteen inches. Sow the seed in drills half an inch deep, and ten inches apart, early in the spring. Thin them out, when an inch high, to four or six inches apart. Keep the ground clear of weeds, giving them the general culture of carrots. They are perfectly hardy, and may remain out all winter. Store a quantity for winter's use, packed in earth or said. Those are manying in the ground should be due before compencing growth in swing. earth or sand. Those remaining in the ground should be dug before commencing growth in spring.

per oz. Salsify, or Oyster Plant. Per pkt., 10 . . 25

Scorzonera, or Black Salsify (Scorzonera Hispanica).

German, Schwarzwurzel. - French, Scorzonere. - Spanish, Escorzonera.

per oz. Cultivated like the common Oyster Plant, which it much resembles in its mode of growth.

It is also prepared for the table in the same manner. Per pkt., 10

Sea Kale (CRAMBE MARITAMA).

German, Selkohl Meerkohl. - French, Crambe Maritime. - Spanish, Breton de mar.

This plant is found growing on the seacoast of Europe, particularly in England. It is closely ased to the Cabbage, and can be obtained with very little trouble. The mode of dressing this related to the Cabbage, and can be obtained with very little trouble. The mode vegetable for the table is the same as that for Asparagus, which it much resembles.

CULTURE. - The seeds may be sown in April, in drills an inch and a half deep, and fourteen or sixteen inches asunder. The soil must be previously well enriched, and thoroughly trenched. Let the plants remain until the following spring, then transplant them in rows three feet apart, and eighteen inches apart in the rows. The earth should be occasionally stirred when the rains have run the surface together. Late in the fall, cover the crowns of the plants with a few inches of earth, making a ridge over the rows about a foot and a half high. After the cutting is over in the spring, level the earth into trenches, adding a good coat of strong manure.

Sea Kale. Per pkt., 10 30

Spinach (Spinacia Oleracea).

German, Spinat. - French, Epinard. - Spanish, Espinaca.

Spinach is very hardy, and consequently a very important vegetable for cold climates. It is extremely wholesome and palatable.

CULTURE. — Spinach is best developed and most tender when grown in rich soil. It should be heavily manured and deeply trenched. Sow early in March for summer crop, in drills, which method renders the cultivation and the gathering of the produce more convenient. Encourage the growth with frequent hoeing, which draws the moisture to the roots. For a succession, a few seeds of the summer varieties may be sown, at intervals of a fortnight, from April to August. Sow from of the summer varieties may be sown, at intervals of a forting it, from April to August. Sow from the middle of August to the beginning of September, for the winter crop, in a light sandy soil, on raised beds, which enables it better to stand the severe frost. This, too, must be well manured, and deeply trenched. Scatter the seed thinly in drills as for the summer varieties, one to three inches deep, from twelve to eighteen inches apart, and cover them with the finest of the soil. the plants as soon as they are strong enough to draw, leaving them about nine inches apart in the Two ounces of seed will plant five drills, each forty feet long.

Round or Summer. Leaves large, thick, and fleshy; rounded at the ends; a little crimped; in general use for early planting. Per pkt., 5.

Fall, or Pricky. Leaves seven or eight inches long; halbert-shaped; thin in texture, and nearly erect; one of the hardiest, and most generally used for fall planting. Per pkt., 5 Lettuce-leaved. Leaves large, thick, dark green, and of superior quality; should be sown in the spring. Per pkt., 10


New Zealand. A large-growing variety, requiring a warm rich soil. Its superiority over other varieties consists in the fact that it grows luxuriantly, and produces leaves of the greatest succulency, in the hottest weather. Per pkt., 10 30 Flander's. A very hardy and productive variety, of superior quality.

Squash (Cucurbita Melo Pepo).

German, Kurbiss. - French, Courge. - Spanish, Calabasa tontanera.

The several varieties of the Squash are very useful in this and other warm climates, as they can be grown to perfection in the summer. It is in general use from June to August, and the late varieties the whole winter until May. It is extensively cultivated in this vicinity for the market.

CULTURE. - Any good enriched soil is adapted to the growth of the Squash. They only thrive well in a warm temperature, as all the varieties are tender annuals; and the seed should not be well in a warm temperature, as all the varieties are tender annuals; and the seed should not be sown in spring until all danger from frost is past, and the ground is warm and thoroughly settled. The hills should be made from eight to ten inches in depth, manured well, and covered about three-fourths of an inch deep. Reep the earth about the plants loose and clean, removing the surplus vines from time to time, allowing not more than three plants to a hill. The custom of cutting or nipping off the leading shoots of the running varieties is now practised to some extent, with the impression that it both facilitates the formation of fruitful laterals and the early mutring of the fruit. Whether the amount of product is increased by the process, is not yet determined.




TURBAN SQUASH.

YOKOHAMA SQUASH.

	per or
Early Egg, or Apple. Skin yellowish-white; thin; flesh dry and well-flavored in its green	1
state; fruit small. Per pkt., 5.	20
Early Yellow Bush Scolloped. An early, flat, scollop-shaped sort; color yellow; flesh	
pale yellow, tolerably fine-grained and well-flavored; very productive. Per pkt., 5,	15
Early White Bush Scollopek. This is a sub-variety of the Early Yellow Bush. The plant	
has the same dwarf habit, and the fruit is nearly of the same size and form. Per	
Early Summer Bush Crookneck. This is generally esteemed as one of the finest of the	15
Early Summer Bush Crookneck. This is generally esteemed as one of the finest of the	3
summer varieties; color bright yellow; skin very warty, thin, and easily broken;	;

flesh dry and well-flavored; should be used while young. Fer pkt., 5.

Boston Marrow. Form ovate; skin thin; when ripe, bright orange; flesh rich salmonyellow, very dry, fine-grained, and for sweetness and excellence unsurpassed; a
very popular variety in the Boston market; a fall and winter variety. Per pkt., 5,



HUBBARD SQUASH. Hubbard. This is a superior variety, and the best winter Squash known; flesh bright	
Fall or Winter Crookneck. The kind most generally cultivated in New England for fall and winter use; flesh salmon-red, very close-grained, dry, sweet, and fine-flavored;	25 15
sidered, is one of the best of the Crooknecks for general cultivation; very prolific. Per pkt., 5. Honolulu Nectarine. Productive, and of good quality; keeps well. Per pkt., 10 Valparaiso, or Lima Cocoanut. A large-growing winter variety; a good variety for fall and winter use. Per pkt., 5 Custard. Skin or shell creamy-white; flesh pale yellow, not remarkable for solidity or fine-	15 25 20 20

Moore's Vegetable Cream. A new English variety of the Vegetable Marrow, introduced by Thomas Moore, Esq., Secretary of the Royal Horticultural Society, and recommended as a most valuable acquisition. Per pkt., 25.

Turban, or Turk's Cap. A superior late-growing variety. At the blossom-end, the fruit

suddenly contracts to an irregular, cone-like point or termination; of a greenish color, striped with white, and thus in form and color somewhat resembling a turban; whence the name; flesh orange-yellow, thick, nne-grained, sugary, and well-flavored. (See engraving, p. 121.) Per pkt., 10.

Yokohoma. A new variety from Japan; finest-grained of all the Squashes, with a rich Marrow flavor. (See engraving, p. 121.) Per pkt., 15.

40

Tomato (Solanum Lycopersicum).

German, Liebesapfel. - French, Tomate. - Spanish, Tomate.

There is no vegetable on the catalogue that has obtained such popularity in so short ε time as the one now under consideration. It may be served in various ways, and, in nearly every form, is highly esteemed.

CULTURE. — The Tomato is raised from seeds, which should be sown in a hotbed in March, or in pots in a warm window. They should be started as early and forwarded as rapidly as possible, whether by hotbed or open-air culture. When about two inches high, they should be transplanted, in single plants, to warm, light, rich soil. Water freely at the time of transplanting. Shelter from the sun for a few days, or until they are well established. If sown in the open ground, select a sheltered situation, pulverize the soil finely, and sow in drills. This may be done the last of March or first of April. When the plants are three or four inches high, transplant to where they are to remain as hefore directed. remain, as before directed.

remain, as before unected.	
Early Apple-shaped. A very early and productive variety; round, smooth, and of medium	er oz.
size. Per pkt., 10 Large Smooth Red. Fruit somewhat flattened, inclining to globular in its general outline; medium size; skin deep rich crimson; flesh bright pink or rose color; one of the	30
best for general cultivation. Per pkt., 5. Lester's Perfected. Of recent introduction; regular form; large size; flesh firm and	25
well-flavored. Per pkt., 10 Large Red. A very early variety, of large size; skin bright red; flesh pink or rose color. Per pkt., 5.	40
Pear-shaped. A small, red, pyriform or pear-shaped variety; fine for preserving. Per pkt., 10	
Large Vellow. A sub-variety of the Red Pear-shaped, with a clear, semi-transparent, yellow skin and yellow flesh; little used except for preserving and pickles. Per pkt. 5,	35
Red Plum. Remarkable for its symmetry, and for its uniform size. It is hardy and productive; used principally for preserving and pickles. Per pkt., 10	_
Yellow Plum. Similar to above, except in color, which is bright yellow. Per pkt., 10 Cherry. A small variety, growing in clusters. Per pkt., 20	35 40
Grape. A quite small red variety, growing in long clusters, like grapes, and useful for preserves; a new variety. Per pkt., 10	40
French Tree (Tomato de Laye). A new French variety, growing erect, in tree form; very ornamental, as well as large, and one of the best flavored. Per pkt., to	50
Fejee Island. Fruit large, bright red, sometimes ribbed; often smooth and well-filled to the centre. Per pkt., 10.	30
White Tomato. Similar to the Large Red, except in color. Per pkt., 10. Early York. One of the very earliest varieties; of good size, productive, and excellent	5-
flavor. Per pkt., to Cook's Favorite. A comparatively new variety; medium size, oval form, fair skin, deep- crimson, very productive, and excellent flavor; one of the best for general cultiva-	40
tion. Per pkt., 10 Tilden's New Seedling. This new and valuable variety was originated by Mr. Tilden, or	40
Iowa. It is rather dwarf in its habit, and has distinct and peculiar foliage. The fruit is large, roundish, or roundish-oval, in shape; skin smooth, glossy, and of a bright-red color; flesh remarkably solid. It ripens early, bears abundantly, keeps a longer time after being gathered, and bears carriage better, than any other	0
variety. Five hundred bushels were produced on an acre by Mr. Tilden. Per pkt., 10	50
Strawberry, or Ground Cherry (<i>Physalis Albekengi</i>). This, though called a Tomato, is a distinct species; excellent for preserves, having a peculiar delicate strawberry flavor. Per pkt., 10	
navon. Lei pati, 10	50
Turnip (Brassica Rapa).	

German, Steckrube. - French, Navet. - Spanish, Nabo comun.

This is a wholesome and useful plant both for man and beast, and highly deserving of cultiva-tion. It has become in some countries an extensive field-crop.

CULTURE. — All the sorts are propagated by seeds, which should be sown where the plants are to remain, as they do not generally succeed well when transplanted. Sow as early as the ground will allow, in drills fourteen inches apart and half an inch in depth. The young plants should be thinned to five or six inches asunder. When the bottoms begin to enlarge, remove the earth gently to the depth of an inch and a half, and apply wood-ashes. The sowing for the winter's supply is made in August. One thing must be observed, — to have the ground always fresh dug before sow-

ing. Turnips must be harvested before severe freezing weather; for, though comparatively very hardy, few of the varieties will survive the winters of the Northern States in the open ground. Cut the leaves off to about half an inch from the bulb; collect the latter and put them in a dry pit or cellar; cover with straw and earth over all. Thus protected, they will keep fresh till February. The seed will retain its vitality for three years if kept in a dry place. If it is two years old, soak it in water twenty-four hours before sowing.

in water twenty-four hours before sowing.	
	er oz.
Early White Flat Dutch, or Spring Turnip. Size medium; of quick growth, juicy, and of excellent quality; may be used either in spring or fall. Per pkt., 5.	
Early Snowball. Round; white; a fine early variety. Per pkt., 5	10
White-top, Strap Leaf. This is an early variety, which is fast taking the place of the old	10
early Dutch; considered one of the best for market, or table use. Per pkt., 5	10
Purple-top, Strap Leaf. This variety has the form and character of the White-top, Strap	
Laf, except in color. These two kinds are the best for spring or fall sowing, and	
for all garden culture, where they may be grown fair and free from worms, if not	
sown too early in the fall; flesh fine-grained, and rich and buttery flavored. Per pkt., 5	10
Vellow Malta. A beautiful, very symmetrical, small-bulbed, early variety; skin very	10
smooth, bright orange-yellow; flesh gale yellow, fine-grained, and well-flavored.	
Per pkt., 5	PO
Yellow Aberdeen. A hardy and productive variety; flesh pale yellow, tender, and sugary;	
keeps well. Per pkt., 5	10
	10
Orange Jelly. A superior variety, of quick growth and fine flavor; flesh bright yellow. Per	
pkt. 5	10
Robertson's Golden Stone. Smooth and symmetrical; skin bright yellow; flesh firm,	
sweet, and well-flavored; remarkably hardy, and keeps well; one of the best for	
winter use. Per pkt., 5	10
flesh white and coarse-grained, but sweet. Per pkt., 5	10
Long White Tankard. This variety is recommended for its earliness and productiveness,	10
but must be considered a field rather than a table variety. Per pkt., 5.	10
Red Top Tankard. Similar to above, except in color. Per pkt., 5	10
Long White, or Cow Horn. An excellent variety; grows quickly to a good size; flesh	
white, fine-grained, and sweet. It keeps well, and is esteemed by many the best of all for culinary purposes; to have it keep well, gather before severe frosts. Per	
mlat at	10
Long White French, or Sweet German. One of the very best for winter or spring use,	
either for the table or for feeding stock. The flesh is firm, sweet, and of excellent	
flavor; none better for keeping; should be sown in June. Per pkt., 5	10
RUTA-BAGA, OR SWEDE TURNIP,	
Skirving's Purple-top. This is a superior variety, hardy and productive; flesh yellow, of	
solid texture, sweet and well-flavored. It is a good keeper. Per pkt., 5 Early Stubble Swede. This is recommended for its quick growth, and is well adapted for	10
late sowing. Flesh firm, and well-flavored; very productive. Per pkt., 5	10
White's Eclipse, or Hybrid. A comparatively new variety, and excellent for early feeding	
Tames the and well descend Described	10
Laing's Improved Purple-top. A superior variety, hardy and productive. Flesh yellow	
solid, and well-flavored; one of the best. Per pkt., 5	10

AROMATIC, POT, AND SWEET HERBS.

The generality of Aromatic, Pot, and Sweet Herbs, may be raised from seed sown early in spring. As only a small quantity of these are necessary for family use, they may occupy a corner by themselves. They thrive best in a mellow, free soil, and care should be exercised to harvest them at the proper time. The greater part of the following-named Herbs are Lerennial, and will multiply from the seed they drop, or from partings from the roots. The offsets, roots, or young plants, thus raised, should be planted at suitable distances from each other. The beds should be kept free from weeds, and, as the herbs come into flower, cut them on a dry day, and spread them in a shady place to dry for use. The best method for preserving them is to rub them through a sieve when thoroughly dry, and pack them in tin boxes. Be careful to put them in a dry place. Price, per pkt., 10; by the ounce on application.

Angelica.
Anise.
Balm, Lemon.
Basil, Sweet.
Borage.
Bene Plant.
Burnet.
Cardoon.
Caraway.
Chervil.
Chiccory.

Coriander.
Corn Salad.
Cumin.
Camelina.
Dandelion.
Dill.
French Sorrel.
Hyssop.
Horehound.
Lavender.

Pennyroyal.
Pot Marigold.
Rosemary.
Rue.
Sage.
Saffron.
Summer Savory.
Sweet Marjoram.
Sweet Fennel.
Thyme.

VEGETABLE & AGRICULTURAL SEEDS, &c.

PRICES OF SOME LEADING ARTICLES BY THE POUND OR BUSHEL.

Beans. per bush.	Melon (Water). per lb.
Early Mohawk . \$8.00	Mountain Sweet \$1.50
Early China	Black Spanish 2.00
Early Vellow Six-weeks 8.00	Mountain Sprout 2.00
Early Valentine	Melon (Musk). per lb.
Early valentine	Nutmag
White Marrow 6.00	Nutmeg 1.50 Jenny Lind Early 2.00 Green Citron
Horticultural Pole 9.00	Jenny Lind Early 2.00
Indian Chief 14.00	0.001 011011 1.30
Large Lima	Large Yellow Musk 1.50
Case-knife	Christiana 3.00
Dutch Runners 12.00	Large Cantelope 1.50
Beets. per lb.	Onion. per lb.
	Large Yellow 6.00
Early Blood Turnip	Yeilow Danvers 6.00
Long Blood 1.50	1171 1. Th
White Sugar	Large Red
	Par nip. per lb.
Mangel Wurzel	White Dutch
Mangel Wurzel, Yellow Globe	White Dutch
Cabbage. per 10.	Par sley. per lb. Extra Curled 1.50
Early York 2.50	Extra Curled 1.50
Cabbage. per lb. Early York 2.50 Early Oxheart 3.00 Farly Wakefield 5.00	Peas. per bush.
	Early Dan O'Rourke 7.50
Mason's Early Drumhead 6.00	Early Emperor 6.00
Stone Mason Drumhead 6.00	Early Kent 7.00
Winningetadt F.00	B'ue Imperial 6.50
Large Drumhead (American) 4.00 Large Drumhead (imported) 2.00	Champion of England 10.00
Large Drumbead (imported)	Missouri Marrowfat 5.00
Premium Flat Dutch (American 5.00	
Const Claba Carrow (American)	
Green Globe Savoy (American) . 4.00	Black-eyed Marrowiat 4.50
Red Dutch 4.00	Victoria Marrowfat 9.00
Carrot. per 10.	Pumpkin. per lb.
Early Horn 1.50	Large Cheese
Early Horn	Large Yellow Field
Long Orange . 1.50 Large White Field . 1.00 Long Yellow Altringham . 1.25 Cauliflower.	Radish. per lb.
Long Yellow Altringham 1.25	Scarlet Turnip 1.25
Cauliflower.	Early Olive-shaped 1.25
Half-early Paris per lb. 30.00	Long Scarlet 1.00
Le Normand per oz. 2.50 Large White French per lb. 8.00 Walcherin	Spinach. per lb.
Large White French per lb. 8.00	
Walcherin	
Translitution	Calsify
Celery. White Solid per lb. 4.00	
White Solid per lb. 4.00	Salsify
Red Solid	Squash. per lb.
Boston Market per oz50 per lb.	Early White Bush 1.25
per lb.	Summer Crookneck 1.25
Chiccory (for coffee) 1.25	Winter Crookneck 1.50
per lb.	Boston Marrow 2.00
Chinaga Sugar-cane	_ Hubbard 2.00
Corn ner one hundred eats.	Tomato, per lb.
Darling's Early. Shelled, 6.00 bush. 4.00 Red-cob Sweet. Shelled, 5.00 . 4.00 Assylum Sweet. Shelled, 6.00 . 5.00	Early Red, or Apple 4.00
Red-coh Sweet Shelled 5.00	Large Smooth Red
Accelum Sweet Shelled 600	Large Smooth Red
Assylum Sweet. Shelled, 6.00 5.00	
Stowell's Evergreen. Shelled, 6.00 . 5.00	Large Yellow 4.00 Pear shaped 4.00
Burr's Improved Sweet. Shelled, 6.00. 5.00	Pear shaped 4.00
Cucumber. per lb.	lurn p. per ib.
	Early White Dutch 1.00
Early Short Prickly 1.50	Extra Early White-top 1.00
Early White-spined 2.00	Red-top, Strap-leaf 1.00
Early Chart Prickly 1.50 Early White-spined 2.00 Long Green 2.00	
Kohl Rabi. per lb.	Long White French
T3 1 TYPE '4-	Long Yellow French 1.00
Purple	Golden Ball
Lettuce. per lb.	
Farly Silesia	
Early Silesia 3.00	Yellow Swedish, or Ruta-baga
Drumhead 3.00	Purple-top Ruta-baga 1.00
White Cabbage 4.00	Laing's Improved Ruta-baga . 1.00
Large India 5.00	Laing's Improved Ruta-baga 1.00 White Sweet German 1.00
Butter 4.00	Fine American Ruta-baga 1.00
	CONTRACT TO STATE OF THE PARTY
1	
TOBACC	O STED

TOBACCO SEED.

Connecticut Seed-leaf.			35 .				per lb.	\$3.50
Havana True (imported).	Per pk	t., 20					per oz.	1.00
Maryland. Per pkt., 10					•		**	.50
Virginia. Per pkt., .							**	.50

COMPLETE ASSORTMENTS OF VEGETABLE SEEDS,

FOR ONE YEAR'S SUPPLY,

Selected by us with particular regard to the wants of every purchaser, and containing only the most popular and approved sorts, such as we can confidently recommend, and such as we are sure will give the most perfect satisfaction.

These Collections are always on hand, and can be sent by express, or No. 5 by mail, at the shortest notice, upon receipt of the price named.

ARTICLES.	No. 1, for \$20, contains	No. 2, for \$10, contains	No. 3, for \$5, contains	No. 4, for \$3, contains	No. 5, for \$2, contains
Peas. Early Dan O'Rourke	3 quarts	3 pints	1 pint	pint pint pint pint pint	packet
Dwarf Blue Imperial	2 quarts	1 quart	1 pint	pint	
Champion of England	2 quarts	ı quart	1 pint	a pint	packet
Dwarf Marrowfat	2 quarts	ı quart	1 pint 1 pint	packet	
Horticultural (pole)	1 quart	ı pint	i pint	pacitot	
Early Long Yellow Six-weeks	1 quart	1 pint	pint pint	packet	
Early China	2 quarts	1 quart	½ pint	packet	
Beets. Early Blood Turnip	2 ounces	1 ounce 2 ounces	dounce dounce	packet dounce	packet
Long Blood	2 ounces	1 ounce	ounce	packet	packet
Brussels Sprouts	1 ounce	1 ounce	packet	packet	Passes
Broccoli. Early Purple Cape	½ ounce	packet	packet	packet	
Carrois. Early Holli	2 ounces	1 ounce	d ounce	packet	
Long Orange Caulinower. Half-early Paris	4 ounces	2 ounces packet	1 ounce packet	packet packet	packet packet
Cabbage. Early York	1 ounces		dounce	packet	packet
Winningstadt	11 ounces	a ounce	packet	packet	2
Premium Flat Dutch	1½ ounces	a ounce	d ounce	packet	packet
Red Dutch .	½ ounce	packet	packet	packet	
Celery. Seymour's White Solid	1 ounce 1 quart	1 pint	packet a pint	packet packet	packet
Large Twelve-rowed Sugar	2 quarts	1 quart	i pint	packet	
Stowell's Evergreen	1 quart	ı pint	½ pint	packet	
Cress. Fine Curled	2 ounces	1 ounce	1 ounce	4 ounce	packet '
Cucumber. Extra Early Russian .	1 ounce	2 ounce	4 ounce	packet	
Early White Spine Leek. London Flag	2 ounces	l ounce	dounce	packet	packet
Endive. Green Curled	1 ounce	1 ounce	ounce	packet	
Lettuce. Early Curled Silesia	1 ounce	Jounce	1 ounce	packet	packet
Early Tennisball	1 ounce	1 ounce	packet	packet	packet
Large India	½ ounce	ounce	packet	1	
Musk-melon. Nutmeg	1 ounce 2 ounces	ounce 1 ounce	d ounce	d ounce	packet packet
White Japan	packet	packet	packet	4 ounce	packet
Water-melon. Mountain Sweet	2 ounces	1 ounce	ounce	1 ounce	packet
Citron (for preserves)	1 ounce	packet	packet		
Union. Yellow Danvers	2 ounces	1 ounce	ounce lounce	packet dounce	packet packet
Okra. Long Green	2 ounces	1 ounce	dounce	packet	packet
Parsley. Double Curled Extra	1 ounce	1 ounce	dounce	packet	packet
Parsnip. Large Dutch	4 ounces	2 ounces	1 ounce	ounce 2	packet
Student	packet	packet	packet	leat	maliat
Radish Long Scarlet Short-ton	3 ounces	dounce	packet 1 ounce	packet dounce	packet packet
Pepper. Large Squash Radish. Long Scarlet Short-top . Olive-shaped	3 ounces	1 ounces	l ounce	dounce	packet
	3 ounces	1 ounces	dounce	dounce	packet
Spinach. Round, or Summer	6 ounces	3 ounces	1 ounce	ounce	packet
Prickly, or Winter	6 ounces	3 ounces	1 ounce packet	ounce packet	packet
Hubbard	2 ounces	1 ounce	ounce	packet	packet ~
Boston Marrow	2 ounces	1 ounce	ounce	packet	1.10.100
_ Winter Crookneck	1 ounce	1 ounce	packet	packet	
Tomato. Early Red	1 ounce	ounce	dounce dounce	packet	packet
Large Red Smooth	r ounce packet	packet	packet	packet	packet
Turnip. Red Top Strap-leaved	4 ounces	2 ounces	1 ounce	1 ounce	packet
Turnip. Red Top Strap-leaved	2 ounces	1 ounce	dounce		
Sweet German	2 ounces	1 ounce	dounce	1 ounce	packet
Egg-plant. Large Round Purple . Sweet and Pot Herbs.	ounce	4 ounce	packet	packet	packet
Sweet Marjoram	packet	packet	packet	packet	packet
Caraway	packet	packet	packet	packet	Facility
Summer Savory	packet	packet	packet		
Sage	packet	packet	packet	packet	packet
Thyme	packet packet	packet			
2000mary	packet	Pacact		127	
				121	

Agrostis Stolonifera.

GRASS SEEDS.

(Creeping Bent Grass.) This variety is well adapted for moist places,

- which sometimes overflow; fine for lawns or permanent pastures on account of its per bushel \$6 on Vulgaris. us Pratens's. (Meadow Fox-tail.) A very useful variety for pastures; closely resembling Timothy, but may be distinguished from it as naving one palea only; grows Alopecurus Pratensis. quickly and very early, succeeding best in meadow land
 Anthoxanthum Odoratum. (Sweet-Scented Vernal Grass.) This is one of the earliest spring,
 as well as one of the latest in the autumn, and is almost the only grass that is fragrant. It yields but a moderate crop, yet it should be planted freely on account of its quality for feeding green, or cut for hay avescens. (Yellow Oat Grass.) Suitable for dry meadows and pastures; should be cultivated with other grass: Sweet Vernal and Crested Dog's-tail are best adapted; Avena Flavescens. useful for fodder Bromus Schraderi. (Rescue Grass.) A ver: valuable variety for general cultivation, espe-Bromus Schraderi. (Rescue Grass.) A very valuable variety for general cultivation, especially for dry grounds, yielding two crops each season; is much liked by cattle in green state. Native of Australia

 Cynosurus Cristatus. (Crested Dog's-tail.) A fine variety for permanent pastures or lawns; forms a close turf, rather fine foliage; succeeding best on dry and gravelly soils; the seed-stocks are dry and wiry, but the foliage is much liked by cattle

 Dactylis Glomerata. (Orchard Grass.) This is one of the most valuable and widely-known of all the pasture-grasses. Its rapidity of growth, the luxuriance of its aftermath, and its power of enduring the cropping of cattle, commend it highly. It should be fed close to prevent it running to seed, when it loses a large proportion of its nutritive matter. All kinds of stock eat it greedily when green; well adapted for growing under matter. All kinds of stock eat it greedily when green; well adapted for growing under Festuca Durinscula. (Hard Fescue.) A fine variety, suitable for lawns and pastures; growing well in most any kind of soil, particularly dry soils; fine foliage, adapted for sheep-grazing; should be planted with Festuca Pratensis and Poa Trivialis.

 Pratensis. (Meadow Fescue.) One of the most common of the Fescue grasses, said to be the Randall grass of Virginia. An excellent pasture-grass, forming a very considerable portion of the turf of old pastures and fields. In addition to its qualities as a pasture-grass, it is said to make a very good quality of hay; much relished by cattle. Thriving in any soil
 - the Thriving in any soil
 Ovina. (Sheep Fescue) This is much used by the English for sheep-pastures; yields
 but a moderate crop, and is only recommended for sheep-pastures, as they are very
 - fond of it. It improves the flavor of mutton very much.

 Loliacea. (Darned Spike Fescue.) This variety is nearly allied to the tall Fescue, and possesses much the same qualities. It grows naturally in moist rich meadows, forming
- possesses much the same qualities. It grows naturally in moist rich meadows, forming a good permanent pasture-grass.

 Holcus Lanatus. (Meadow Soff Grass.) This beautiful grass grows best in moist fields and peaty soil; productive, and of easy cultivation, but cattle are not very fond of it; only recommended for planting on poor peaty soil, where other grasses will not succeed. 75

 Lolium Perenne. (English Rye Grass.) A very valuable variety for permanent pasture; best adapted for moist land. Very nutritious (per bushel, 500)

 Italicum. (Italian Rye Grass.) This variety has been lately introduced. Said to be superior to the perennial Rye Grass; excellent for early sheep-feeding. per bushel, 500

 Phleum Pratense. (Timothy or Herds-grass.) This well-known variety is highly recommended for hay-crops. Thriving best on moist peaty or loamy soils of medium tenacity. It grows very readily, and yields large crops. It should be cut in the blossom, or directly after: it is much relished by horses and cattle, while it possesses a large amount of nutritive matter in comparison with other grasses. Market price.
- a large amount of nutritive matter in comparison with other grasses. Market price.

 Poa Trivialis. (Rough-stalked Meadow Grass.) This is a valuable grass to cultivate in moist, sheltered soils, possessing very considerable nutritive qualities; exceedingly relished by cattle, horses, and sheep; when sown with other varieties, it yields more than an average crop
- Nemoralis. (Wood Meadow Grass.) This is certainly to be classed among the good shaded pasture-grasses, furnishing a fine succulent and very nutritive herbage which cattle are very fond of; much recommended for pleasure-grounds, particularly
- thesis. (Kentucky Blue Grass, or June Grass.) This is an early grass, very common in the soils of New England and the West, and highly recommended for lawns; grows well in dry gravelly soils; very nutritive for all kinds of grazing-stock. Per bushel, Pratensis. from \$4.00 to \$8.00.

GRASS SEED FOR LAWNS.

One of the most pleasing features connected with a garden is a well-kept lawn; but, to secure this most desirable object, much depends upon the selection of such grasses as will present a fresh and luxuriant verdure throughout the season. For this purpose, a mixture of several kinds of the finer grasses is most suitable. These we can supply ready mixed, of the best sorts, and proper proportions of each. The quantity usually sown is two bushels per acre. Per bushel, \$6.00; 20 cents per qt. Extra fine French, best adapted for dry soil, 30 cents per qt.

GRAIN AND GRASS SEEDS.

The prices of these are variable; but purchasers may depend on having them at the lowest market rates and of the best quality.

market rates and or the b	cot quartey.	
Barley.	Hungarian Grass.	Fowl Meadow Grass.
Bedford Oats.	Chinese Sugar Cane.	Orchard Grass.
Buckwheat.	Canada Corn.	Perennial Rye Grass.
Spring Wheat.	Dutton "	Meadow Foxtail Grass
Winter Wheat,	King Philip Corn.	Sweet Vernal Grass.
Spring Rye.	Herds Grass, or Timothy.	Italian Rye Grass.
Winter Rye.	Northern Red-top Grass.	Northern Red Clover.
Broom Corn.	Southern Red-top Grass.	Southern Red Clover.
Field Peas.	Rhode-Island Bent Grass.	White Dutch Clover.
Spring Vetches.	Fine-top, or Dew-grass.	Lucerne, or French Cl
Flax-seed.	Millet.	Kentucky Blue Grass,

Rye Grass. oxtail Grass. nal Grass. e Grass. Red Clover. Red Clover. ch Clover. r French Clover. Blue Grass, ext. clean.

FRUIT SEEDS.

Apple Seed .		. lb.	\$0.50	Peach Pits .		bush. \$2.0	0
Cherry Pits .			.50	Plum Pits .		lb5	0
Currant Seed .		. Oz.	.75	Pear Seed .		" 30	0
Gooseberry Seeds		. 66	1 25	Quince Seed .		" 4.0	0
Grape (Hothouse)		. "	1.00	Raspberry Seed		oz7	5

STRAWBERRY SEED.

Saved from our large collection of over forty varieties, embracing all the best European and American kinds in cultivation. Mixed seed. Per pkt., \$0.25.

ORNAMENTAL TREE SEEDS.

Norway Spruce (Abies Excelsa)	\$1.50 OZ.	\$0.20
European Silver Fir (A bies Pectinata)	1.50	.20
Norway Maple (Acer Platanoides)	1.50 "	,20
Sugar Maple (Acer Saccharinum)	1.50 "	.25
Tree of Heaven (Ailanthus Glandulosa)	2.50 "	.30
Shelbark (Carva Alba)	. qt.	
Ornamental Thorn (Cratagus Coccineus)	1.25 OZ.	
Burning Bush (Euonymus Americana)	3.00 "	.50
Salisburia (Ginko Biloba)	100 seeds,	
European Mountain Ash (Fraxinus Excelsior)	1.25 OZ.	
Red Cedar (Juniperus Virginiana)	•75	.1;
Scotch Larch (Larix Europa)	2.50 "	.25
'Tulip Tree (Liriodendron Tulipifera)	2.00 "	.30
Magnolia (Magnolia Acuminata)	4.00 "	.40
Scotch Pine (Pinus Sylvestris)	2.50 "	.25
Austrian Pine (Pinus Austriaca)	3.00 "	.25
White Pine (Pinus Strobos)	4.00 "	.40
Yellow Locust (Robinia Pseudo Acacia	1.00 "	.15
American Arbor Vitæ, clean seed (Thuja Occidentalis)	7.00	.60
American Elm (Ulmus Americana)	4.00 "	.40
Yellow Wood (Virgilia Lutea)		2.00
Many other varieties of Tree and Shrub Seeds can be supplied on seasonable	application	l.

SEEDS FOR HEDGES.

Honey Locust, or Three-thorned Acacia (Gledits	chia.	Irrac	anth	us)			10.	50.75	
Buckthorn (Rhamnus Catharticus) .								66	1.25	
Osage Orange (Maclura Aurantiaca) .								66	1.25	
American Arbor Vitæ (Thuja Occidentali	s) .							oz.	.50	

CULINARY ROOTS, PLANTS, &c.

Asparagus Roots, Giant. One year old	. hund.	\$1.00
Two years old	46	1.50
Garlie	. lb.	.40
Shallots. A species of onion, esteemed for its fine flavor	66	.40
	1 1.	
Potato Onions. Early, and mild flavor	. bush.	3.00
Top or Tree Onions. Valuable for pickling	. "	6.00
Rhubarb. Myatt's Victoria. Very large; a popular variety	. doz.	2.00
- Myatt's Linnæus. Large, very tender, and excellent	. 66	2.00
- Prince Albert. Early and fine	. "	3.00
— Downing's Mammoth. Extra large and tender	. "	3 00
— Cahoon's Mammoth. One of the largest; very tender	. "	2.06
- Champagne. Large; tender; fine flavor	. 66	3.00
Chinese Potato		1.00

Tomato, Cabbage, Cauliflower, Celery, Pepper, Sweet Potato, and Egg-Plants, &c., of different varieties, supplied, in their season by the hundred or thousand, at reasonable prices.

NOVELTIES AND SPECIALITIES

FOR 1867 AND 1868.


VEGETABLE SEEDS.

Bean.	
Giant Wax. Recently introduced, and differing essentially from the old German Wax Bean, being of a more robust growth and more productive. The pods are from six to nine inches in length, and from three-fourths to one inch in breadth; the beans, when ripe, are of a reddish color. Mr. A. L. Felton, a highly successful vegetable-grower near Philadelphia, who has grown them for several seasons, estimates the yield at about one-half peck of pods to the pole, of three plants. The pods, when fit for use, are of a clear, waxy color, perfectly stringless, and, when cooked, are as tender as marrow, and truly delicious.	per pkt.
Brussell Sprouts.	
Dwarf Cabbage. A variety with a shorter stem, sprouts somewhat larger and closer set than the old variety	.10
Simon's Early. An improvement on other early kinds; and is now superseding the Bassano, being quite as early, and of a blood-red color; smooth and turnipshaped. Considered a most valuable variety for the market	10
Broccoli	
Carter's Summer. A new variety, with enormous, close, white heads, coming at a time when it will be most valuable, — between the late Broccoli, and the Cauliflower. This variety is very distinct from all other sorts in seeds, foliage, and heads	25
Borecole, or Kale.	
Abergeldie. A dwarf-curled Kale, of extreme beauty, good color, delicate mellow flavor, and as double as a fine curled Parsley. This is a valuable winter green, and will be found a very useful and extremely handsome garnish	25
Cabbage.	
Foltler's Improved Brunswick. The Earliest, Shortest-stemmed, and very best Drumhead yet offered. The Boston market-gardeners all use it in preference to any other; and, to show how highly it is esteemed in this market, we will state that it sold readily at \$5 00 per ounce the past season, and all were well satisfied that it is the best variety for either early or late planting. Every plant produces a good head, — when fully grown, weighing from twenty to thirty pounds, — and requiring only ordinary cultivation. The quality is excellent. Mr. JOHN STONE, of Marblehead, Mass., the originator of the well-known Stone-mason Drumhead, allows us to state that he considers it far superior to any Drumhead he has ever seen. He has raised good-sized heads the past season in eighty-five days from planting the seed. We warrant our stock the purest in	
the country. Five for \$1.00. Early Schweinfurth. A very remarkable and valuable variety, both for earliness and	25
large size; adapted chiefly for summer and autumn use. (See cut.) Per oz., 50. Early Pancalier Joulin Savoy. A very good variety, with a head of medium size, and	10 *
very early; indeed, the earliest of all Savoys	10

	per pkt.
Marblehead Mammoth Drumhead. The largest Cabbage in the world.	
This (the Mammoth) is, without doubt, the largest variety of the Cabbage family in the world, being the result of the extreme of high culture. In form this	
variety differs, the head being sometimes nearly hemispherical, at other times	
nearly flat. Under high culture it is compact and hard. Its size is indeed	
nearly flat. Under high culture it is compact and hard. Its size is indeed macmmoth, ranging from that of a half-bushel measure up to that of a two-bushel basket, and even larger. They have been grown, and, when stripped	
bushei basket, and even larger. They have been grown, and, when stripped	
of all waste leaves, could not be got into a two-bushel basket, having a greater diameter by two inches! Mr. Alley, the originator of this Cabbage, has grown	
the measuring seventy inches or nearly six feet in circumference, when measuring the measuring seventy inches or nearly six feet in circumference.	
them measuring seventy inches, or nearly six feet in circumference, when measured around the solid head! The weight of these Cabbages is proportional to	
their size, averaging, by the acre, under the high culture of our Marblehead	
tarmers, about thirty bounds a plant. The Cappage that, for size, took the first	
premium of the Massachusetts Horticultural Society at the exhibition of 1860,	
premium of the Massachusetts Horticultural Society at the exhibition of 1860, was of this variety, weighing over forty pounds. Of the famous crop of Mr. Seth Hathaway, grown in 1856, the largest Cabbage weighed sixty-two	
pounds.	
Cultivate in rows four feet apart, and allow about four feet between the	
plants. For early marketing, start in a hotbed; for winter use, plant in latitude	
of Boston by the 23d of May. Price, Mammoth Marblehead, \$1.00 per oz Cannon Ball. An early variety; round, and the hardest headed of all cabbages	25
Cannon Ball. An early variety; round, and the hardest headed of all cabbages	25
Cauliflower	
Cauliflower.	
Lemaitre. A fine variety of the half-early Paris Cauliflower, producing a large, firm	
head, very white, and of superior quality; much esteemed by the Par's market-	
gardeners; stem short.	15
Boston Market. The seed of this celebrated Cauliflower was saved by one of the suc- cessful Boston market-gardeners, and can be relied upon as the best, in every	
respect, for family or market purposes	15
respect, for many or mander purposed v	-3
Carrot.	
Improved White Green-Top Orthe. An improved variety of the white Belgium Carrot,	
with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops.	10
to a father blank point. It is easily puried out, and yields very large crops	10
Celery.	
Boston Market. A favorite variety in the Boston market; remarkable for its tender,	
crisp, and succulent stems, and its peculiarly mild flavor. It is extensively cul-	
tivated by the market-gardeners around Boston, and surpasses any other variety for its great excellence	15
101 110 81011 01100110110 1 1 1 1 1 1 1	-3
Cucumber.	
General Grant. One of the newest and best varieties. It is perfect in form, solid, crisp,	
and most agreeable flavor; grows from twenty to thirty inches long; very hardy,	
and succeeds well in the open ground. It is a most desirable variety for exhi-	
bition or for the table	25
Bedfordshire Surprise. One of the most popular English varieties; black spine; grow-	
ing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground.	
succeeds wen in the open ground	25
Corn.	
Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought	
into Boston market, full kernelled, sweet, and delicious. Received the premium of the Massachusetts Horticultural Society, in 1867, as the best early corn. Cul-	
tivated almost exclusively by Boston market-gardeners	15
Early Dwarf Sugar. A very valuable sort for early use, and also for planting in succes-	-3
Early Dwarf Sugar. A very valuable sort for early use, and also for planting in succession. The kernel is sweet and tender, and white before maturity; dull yellowish-	
white when rine	10
Red Sweet. This is a new variety, produced by crossing the old red with the white.	
tender that a person without teeth can eat it. It is also of large size sweet and	
mellow or fat. When in eating order it is pink, but turns to a bright red when	
The producer says that it is superior to any other variety for the table, so tender that a person without teeth can eat it. It is also of large size, sweet, and mellow or fat. When in eating order it is pink, but turns to a bright red when dry. Should not be cooked until the ears are well filled. We have secured	
	25
the entire stock of this rare novelty	
the entire stock of this fare novelty.	
the entire stock of this rare novelty	15
Corn Salad.	
the entire stock of this fare novelty.	
Corn Salad. Striped-Leaved. A striped-leaved variety, quite a novelty for the kitchen-garden	
Corn Salad. Striped-Leaved. A striped-leaved variety, quite a novelty for the kitchen-garden	
Corn Salad. Striped-Leaved. A striped-leaved variety, quite a novelty for the kitchen-garden	*0
Corn Salad. Striped-Leaved. A striped-leaved variety, quite a novelty for the kitchen-garden	10


Egg Plant.	non miss
Pekin New Black. An entirely new and distinct kind, from China. The plant grows erect and handsome, attaining the height of two to three feet; with rich, dark, bronzy-purple foliage, very ornamental. The fruits are round, or globular, of a deep purple, almost black, weighing four to eight pounds each; skin, smooth and glossy. Exceedingly prolific, and as early as the long purple. The flesh is white, fine grained, and more delicate flavored than the old varieties. Specimens exhibited by us at the annual exhibition of the Massachusetts Horticultural Society, September, 1867, attracted great attention, and were awarded a	per pkt.
prize	25
Lettuce.	
Bossin. Said to be the best Cabbage Lettuce in cultivation; in shape, color, and quality,	
it resembles the Batavian Lettuce	25
Melons.	
Achapesnorricher. A handsome green-fleshed variety from Ionian Islands, of very fine	
flavor Carter's Excelsior. An English variety, said to be one of the best green-fleshed sorts. Turner's Scarlet Gem. A fine scarlet-fleshed variety, highly esteemed for growing in	25 25
Princes Alexandra. Another English variety. A new hybrid, of globular shape, very evenly quartered and netted; pale-green colored flesh, with very little pulp in	25
the centre, delicate pine-apple flavor, highly recommended Trentham Hall. An English variety, green-fleshed, sweet, suitable for cultivating in frames	25 25
	-5
Peas.	per qt.
Drew's New Dwarf. This is the greatest acquisition yet made, and has proved one of the most valuable introductions to the numerous variety of Peas. It grows only on foot high, branching profusely, and forming an erect, dense bush. The pea is of the largest size, of a bluish tinge, slightly shrivelled, and as sweet and deliciou as the Champion of England, without the tough skin of that variety; medium early. It is very productive, and a most valuable and extra fine pea. A single row planted one foot anart, will fell the row a foot wide and one foot high	e e s s
row, planted one foot apart, will fill the row a foot wide and one foot high Sutton's Ringleader. A new, extra early pea, imported from London, and recommended by Messrs. Sutton & Son as the earliest pea in England, and also as a very prolife variety	
McLean's Little Gem. A dwarf, prolific, green, wrinkled marrow; habit similar to the very early Tom-Thumb Pea, and is a first early. This pea is a great acquisition The chief fault hitherto in early peas has been want of flavor; but this valuable variety has all the sugary flavor of the late wrinkled peas, coupled with a first early pea. Height, one foot	t 90
peas, in well-filled pods, and plenty of them; marked by the Royal Horticultura	1
Society as being a very profuse bearer McLean's Wonderful. This is recommended as the best dwarf late pea in cultivation remarkable for its large, well-filled pods, fine, sugary flavor, and great productive ness. Height, two feet	
ness. Height, two feet Prolific Early Long Pod. This valuable variety was raised by Thomas Laxton of Stamford, England. Some pods (in a green state) were exhibited at Marl Lane, London, last June, averaging eleven and twelve peas in a pod; and the were pronounced by several eminent members of the London seed-trade to be a exceedingly fine variety. For a second early pea, there is no pea of a similar clas in cultivation to equal it; and we feel every confidence that it will be in genera cultivation in a very few years. The pea has the same habit and character a Dickson's favorite, excepting that the pods are nearly double the size. Price, pe	y n
pkt., containing & pint, 50 cents	. 1.50
The following are extracts from some English testimonials:— "I have also personally tested, and can confidently recommend, the new pea as a fix second early variety." (Signed) M. MATHESON	st-class
Gardener to Marquis of "I consider it decidedly an improvement upon all other early peas." (Signed) GEO. ABBOTT One of the Committee of the Stamford Horticultural S	
"I grow a great number of peas, but have seen none to be compared to Mr. Laxton's."	
(Signed) C. CLARK. Superintendent Stamford Horticultural Society Exhi	
The Peabody. A very dwarf, prolific, branching, late variety; of the Tom-Thumb habit height, fifteen inches; good flavor, and very productive. The Peabody is a late variety than the Dwarf Waterloo, to which it forms a good succession. Per pkt. containing ½ pint, 50 cents	





•	
Dwarf Waterloo, Late Branching Marrow. A dwarf variety of tall Royal Victoria of Waterloo Marrow; of Tom-Thumb habit; height, fifteen inches; the most valuable dwarf pea for general and late cropping ever offered; very dwarf, good flavor, and very productive. Per pkt., containing a pint, 50 cents	
Carter's First Crop. This early variety is imported direct from Messrs. Carter & Co. London, who say it is the earliest pea in cultivation, an excellent bearer, and can be recommended for cultivation without sticks	80
Dickson's First and Best. A new English variety, remarkably productive, and recommended as one of the very earliest peas in England	
waite's Caractacus. A very early sort, carefully selected from the well-known Dar O'Rourke. It has a very strong constitution, and is represented to be severa days earlier	1
Peppers.	
Long Red Arabian. Very pretty; new variety of the Long Red Capsicum; fruits upright, a little smaller than the ancient varieties, but produced in greater quantity, and	per pkt.
of a more pleasing shape. Monstruosus or Grossum. A new, remarkably fine variety, growing to very large size; highly recommended for stuffing	15
The state of the s	
Potatoes.	
The following English varieties, some of them never before offered in this country, have come very popular in Europe, we have imported a few of the following sorts, which we offer to our patrons, with their descriptions, as received from England:—	e shall
Confederate. The tubers are of a large oval or oblong form; eyes numerous, but not deeply set; skin, yellowish-white and very smooth; flesh, white when cooked; good quality; very prolific. Mr. C. N. Bracket, Chairman of the Vegetable Committee Massachusetts Horticultural Society, raised, last season, from eight	r peck.
Ash Top Fluke. Recommended as a second early sort. Very handsome tubers, and, when boiled, is very mealy and of most excellent flavor. Keeps well; wherever	1.50
shown in England, always considered the best	2.00
Kidney Potatoes yet introduced for main crop Pheasant Eye. A very early sort; highly recommended as being very prolific; floury and fine flavored.	1.50
Wheeler's Milky White. A very fine seedling, coming in after the early varieties; of delicious flavor; color, as white as milk; very highly recommended	1.50
Sutton's Early Race-Horse. Another English variety, but a few days later than the preceding; productive, and of extra fine quality, excellent for forcing. A trial the past season authorizes us to recommend this with the greatest confidence. Our	1.50
stock of this variety is quite limited. Carter's Champion Early Forcing. Said to be the earliest frame potato in cultivation, of exceeding fine flavor, with scarcely any haum, and therefore very suita-	1.50
Prince of Wales, or Red Regent. From the original stock, which took the first prize	1.50
at the Birmingham show, and also several distinguished prizes in other parts of the country, including the first prize at the Worcestershire Agricultural Show, as the best seed potato for general and field culture. It is one of the finest and	
most productive	1.50
The following popular American varieties we can supply from the original stocks, prices su variation:—	bject to er bush.
Goodrich's Early. A very early and prolific variety, often yielding a crop of three hundred bushels per acre. Skin and flesh, white; eyes, smooth; solid and sound to the core, keeping well. Price, 50 cts, per peck	\$2.00
The Harrison. A winter variety, large, smooth, with full eyes, white skin, and flesh sound and healthy; an admirable keeper; always solid to the heart, of first quality, and enormously productive. Average yield, on good rich soil, 400 bushels	<i>p</i> =100
per acre. Per pk., 75	2.00
per acre. Per pk., 75 A fine late winter variety, very hardy and productive; slightly coppery color, oval, very smooth and handsome; flesh, white; table qualities, superior. Under	
Dr. Gray's cultivation, it is said to yield at the rate of 400 bushels to the acre, being more productive than its parent, the Rusty Coat. Per pk., 75 Heffron. A long, smooth tuber of flesh color, with full eyes and white flesh, ripening in	2,00
Heffron. A long, smooth tuber of flesh color, with full eyes and white flesh, ripening in early autumn; has proved entirely free from disease, and is equalled in productiveness only by the Harrison. For table-use it has few equals. Per pk., \$1.00.	3.00
Early Sebec, or Boston Market. A large and superior early variety; flesh white, nearly smooth; white skin, fine grained, and keeps late; quality good, as an early or	
late variety; lately introduced from Maine, preferred by Boston market-gar-	2.00
Colebrook Seedling. A large purple or light-red variety; very productive and of fine quality; keeping late in the season; highly recommended. Per pk., 75 cents.	2.00

per bush. The Calico is a kidney-shaped white variety, with splushes of red near the stem, white fleshed, very handsome and prolific, entirely hardy, and is a very fine sort for early winter use. It is a seedling of the Garnet Chili Cooks white and dry for a new seedling, and promises well; very productive, yielding at the rate of 400 dushels to the acre. Per pk., \$1.00 POTATOES BY MAIL. — To Parties residing at a distance from Railroads and Express Offices, we will send a package containing four pounds of either the above varieties by mail, postpaid, for one dollar; six packages for five dollars. No less than one dollar's worth, or more than one kind in a package, will be sent by mail. "Raphanus Caudatus," Or Edible Podded Raddish. This valuable new vegetable belongs to the Radish tribe; but, unlike that esculent, the seed-pods (not the root) are eaten: these are very curious, attaining an immense size in a wonderfully short time, sometimes growing as much as three inches in a night. It is a native of Java, where it is ing as much as three inches in a night. It is a native of Java, where it is known under the name of Mougri, and is much used in some parts of India, for salading, &c. It can be sown in the open air, or in pots, and then transferred to the ground; and will grow in almost any soil, care being taken that the plants stand two to three feet apart, to allow room for the growth of the pods. This vegetable can be used in various ways; indeed, it may be regarded as one of the most useful that have been introduced for many years. The seed, when sown, easily vegetates, and in about eight weeks the plants flower profusely, and then produce extraordinary siliquas (pods), which are very remarkable from their attaining the enormous length of about two feet. These pods have a most agreeattaining the enormous length of about two feet. These pous have a most agree-able flavor, and when about half grown can be eaten in the same way as roots of the common Radish, which they greatly resemble in taste, but are far superior in delicacy of flavor. In salads they will be highly-estimated; for, added to their other merits, they possess the excellent advantage of being easily digested; they also make a good pickle, for which purpose they are well adapted. It is, however, when the pods are boiled that they are most delicious, eating like 25 Radish. White-Tipped Scarlet Turnip. This is a new variety, which will prove more acceptable than our white-tipped Scarlet Olive-shaped Radish, on account of its round root; and we have no doubt it will soon be a great favorite with all market and vegetable gardeners 15 New French Breakfast. A new, quick-growing variety. Oval form; color scarlet, tipped with white; fine flavored. Very ornamental in appearance; much esteemed by the French. Excellent for forcing 15 Squash. Mammoth Prize. This is a far superior variety to any hitherto introduced, surpassing all competitors at the Massachusetts Horticultural Exhibition, and to which the Prize Silver Medal was awarded for 1866-67. Weight, 165 lbs.; described by Mr. Meehan in "Gardener's Monthly," p. 378, as a perfect monster in size. (See illustration.) 25 Danna's Selected. This is an improved variety of the Canada Crookneck, the very best of its class Sunflower. New Mammoth Russian. This is a new variety; and, under ordinary cultivation, the heads grow to the enormous size of twenty inches in diameter. The seeds are large, exhibited at the Massachusetts Horticulturál Exhibition, and highly commended by the Committee for ornamental purposes. For planting in shrubberies, it is a desirable acquisition. Salad oil of superior quality is extracted from it. To poultry-keepers it is invaluable for its extraordinary productiveness. Price, to the trade, on application . Ł. 10 Tomato. Keyes's Early Prolific. Leaves large, long, and quite entire, not lobed as in other kinds: in the growth is dwarf, compact, vigorous, and strong. The Tomatoes are of medium size, round, of brilliant color, quite smooth, and free from wrinkles of any kind, perfectly solid, and of excellent flavor. They are borne in large compact clusters from ten to twenty each, and from seven to twenty clusters on each vine. The introducers claim that it possesses the peculiar and valuable quality of ripening thirty days earlier than any other variety. (See illustration.) Superior. The fruit is of a beautiful deep-red color. In form it is round, slightly flattened, and without a crease or wrinkle. Smoothness of the surface is not only one of its most remarkable, but one of its most desirable characteristics. This freedom from creases or wrinkles prevents the great waste usual with almost every other variety. It is of a medium size, and the flesh almost 10 Maupay's Superior.



TILDEN'S TOMATO. See page 135.

		1	
		11 1 1 C	per pkt.
		as solid as a beefsteak. In proof of their solidity, it is not improper to state,	
		that, although not of extraordinary size, the average weight is from nine to twelve ounces each. It has very few seeds, and, from the solidity of its flesh.	
		comparatively little water. One bushel will make as much catsup, or fill as many	
		cans, as two bushels of the ordinary kind, besides being possessed of a flavor that	
		is unapproachable. For marketing purposes, they possess the great advantage	
		of not only being solid, but of having a thick skin, or rind, which protects them	
		from bruising and mashing in transportation. Another great advantage of this	
		thick skin is, that it admits of their being peeled or skinned for the table with-	10
		out scalding, which is always troublesome, and, at the same time, takes away	
		the desired freshness and flavor, when desired for slicing cold. It can be peeled	
		in half the time usually required for the common varieties. As an evidence of	
		the superiority of these Tomatoes for marketing purposes, they commanded ready	
		sale at \$2.00 per bushel, when others were offered at \$1.00; and this without any	
-	ilden's.	care having been taken to select them. 50 cents per ounce	10
	iiden s.		
		ed specimens before the Massachusetts Horticultural Society, which have attracted much attention. Our seeds have been raised by ourselves, and selected	
		from the largest, smoothest, and handsomest specimens, taken from plants raised	
		from seeds received direct from Mr. Tilden, the originator.	
		The plants are rather dwarfer in habit than the common Tomato, and the fruit	
		sets nearer the root; and it is the earliest of all the large-growing Tomatoes,	
		and continues in bearing until the vines are killed by frost. The fruit varies	
		from round to roundish-oval, which is the general form of the main crop, and is	
		free from the warty protuberances which disfigure ordinary sorts. Color, light	
		brilliant scarlet, with a glossy skin. Flesh solid, light red, less watery than	
		other kinds, and of good flavor. But its greatest excellence consists in its re-	
		markable keeping qualities, and the ease with which it may be handled without injury, rendering it altogether the most valuable variety for the market.	
		Per oz., 50 cents	10
E	reka.	A new and fine variety, from Mr. Perriam, of Chicago, who alludes to it as fol-	10
		lows: "I consider it superior to any thing I have ever tried; dwarf, early,	
		bush-shape, and prolific	15
Ti	ee, or	Erect. This remarkable and excellent variety, introduced three years ago, is	
		still one of the best, — the fruit being very large and smooth; and the plants,	
701		from their erect, compact growth, highly ornamental	10
8.1	ne Foar		
		vicinity of Philadelphia. It is stated to be, without exception, the most beautiful variety; is of a bright-scarlet color, cuts as solid as a well-ripened apple, and	
		almost entirely free from seeds, which are deposited mostly on one side of the	
		fruit. It is quite early, and a good cropper. Recommended as being the most	
		perfect and the most desirable of the whole class	15
N.	ew Cali	fornian Whortleberry. A remarkable and curious acquisition, with fruits, in	-5
		size and color, exactly like the whortleberry	50
Si	ms's E	arly Cluster. A new English variety, introduced the past season, described as	
		follows: Mammoth variety of the Cherry Tomato, very early, of extremely	
		robust habit, requiring little support; fruit, very large and smooth, in grape-like	
		bunches, averaging from four to twenty fruits. This variety was raised by Mr. Sims, gardener to — Weddowson, Esq., Dulwich Common, and is much	
		recommended. • • • • • • • • • • • • • • • • • • •	7.00
C	dar Hi	Il Early. A new American variety, in high repute among the New-York market-	15
0,	, , , , , , , , ,	gardeners; said to be very early; large size, solid, and productive	15
		8	
		Tumin	
		Turnip.	per lb.
C	rter's	Imperial Hardy Swede. The very best Swede in Cultivation. Price,	her m.
0		per oz., 10 cents	1.00
		MUSHROOM SPAWN.	

DIRECTIONS FOR GROWING MUSHROOMS. — The only conditions required for the healthy growth of Mushrooms are a mass of short dung, heated to from fifty-five to sixty degrees, and lumps of Spawn about the size of walnuts, six inches apart, just beneath the surface; the whole covered with an inch thickness of good light friable earth, and three or four inches of straw, or litter of any kind, to keep in the very moderate warmth. This can be managed in any dark cupboard or cellar; and the size of the bed is immaterial.

Take of horsed-grouping from the stable without the straw as much as will make the head the

and the size of the bed is immaterial.

Take of horse-droppings from the stable, without the straw, as much as will make the bed the size you want it, a foot thick: put this anywhere out of the weather, away from the light and draught. Let this be pressed, but not hard; and in a few days, when it is nice and warm on thrusting the hand in, get the Spawn, and break the cakes in small pieces and put them in all over the dung, even with the surface: upon this being patted down smooth, but not hard, it will require from half an inch to an inch of earth all overit. Pat it down to keep it in its place, and put some loose hay or straw over it. When it approaches dryness, it must be sprinkled with water with the chill off, enough to wet the earth, but not the dung. Sooner or later, according to the attention paid to these several points, you will have Mushrooms, and plenty of them.

Best Mill-track Mushroom Spawn, per pound, 15 cents; 8 pounds for \$1.00

RARE FLOWERS

AND

NOVELTIES FOR 1868.

Particular care has been taken that the selection should be of the purest character. We cannot affirm the accuracy of the various descriptions, having tested but few of them; but the reputation of the growers, from whom we import, is to us the best assurance that satisfaction will surely follow. Our patrons, wishing novelties, will please send their orders early, as our stock of some of the varieties is limited.

For cultural direction, see respective headings in body of the Guide.

NO.		PRIC
1891	Antirrhinum Multiflorum. Hybrid of A. Rupestris and A. Majus, with rose and	
	white flowers, which are not so large as those of the latter, but in such a quantity	
	that the plant, & foot in height, is entirely covered with them. Very hardy, and	
	always in bloom	.25
1892	always in bloom Aphanostephus Ramosissimus. A half-hardy annual; from Texas; four inches in	5
	height; much branched; the flower-head with a yellow disk, and violet-blue ray	
	florets; of a close, carpet-like growth; blooms profusely throughout the summer.	.25
1893	Artemisia spec. ex St. Petersburgh. Ornamental plant of exceedingly rapid growth,	3
	reaching in the first months of summer the height of four or five feet; of pyramidal	
	habit, and with light-green, needle-like foliage, by which the plant receives the	
	gracious appearance of an elegant Conifer. Like A. Annua, introduced to the	
	trade some years ago, this sort is as proper for beds as for being isolated on grass-	
	plots, and will prove a very valuable acquisition for every garden	.25
1894	Artemisia Japonica. Very large plant; of the same habit as the common Artemisia.	-5
	which it resembles in many respects, but is more fragrant. It is rather a plant for	
	the lawn than the flower garden, and succeeds in the poorest and stoniest of soils.	.25
1895	Ablopappus Rubiginosus (Haplopappus). A Compositæ from Mexico; annual; from	
	3 to 3½ feet high; well branched from the middle of its height, with small, den-	
	tated leaves, and bearing a large truss of bright-yellow or orange flowers, producing together a fine effect. This plant reminds us, by its habit and growth, of the	
	cing together a fine effect. This plant reminds us, by its habit and growth, of the	
	Aster (Michaelmas Daisy), with which it will form a nice contrast, flowering, as	
	it does, about the same time (August and September). In fact, a fine plant for	
	borders Bidens Warscewicziana var. Pinnata. Herbaceous Compositæ from the mountains	.25
1896	Bidens Warscewicziana var. Pinnata. Herbaceous Composite from the mountains	
	of South America, 3½ to 4½ feet high. The stems, which are very much branched,	
	terminate in flowers with an orange disc, and white petals. Being a very free	
	flowerer, and of rather tall habit, it will be a desirable plant for large flower-	
1007	gardens, especially for public parks, &c	.25
1097	and will be found very ornamental for winter decoration and for bouquets	
1808	Calceolaria Extra Choice Hybridised. Saved from the finest-formed and most	.25
1030		
	beautifully maraca nomera from Mar. W. Dull's concention	.50



1899 Celosia. Coccinea Pyramidalis. Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-

NO.	•	PRICE
*****	1 1 0 0 1 1 0 1 1 0 1 1 1 0 1 1 1 0 1 1 1 0 1 1 1 1 0 1	INICE
	looking flowers; and, if gathered when young, they are valuable for winter bouquets. Plants of the Celosia flower freely if planted out in June in a warm, sheltered	
	situation. Grown in pots, they are the most elegant of greenhouse and conserva-	
	tory plants, where, with a little management, they may be had in flower the whole	
1900	winter, growing freely in rich loamy soil. Half-hardy annuals Collinsia Verna. This is a most elegant plant, which, for freshness of its fine, half pure-	25
	white, and half tender-blue flowers, and the earliness of its blooming, deserves to	
1901	white, and half tender-blue flowers, and the earliness of its blooming, deserves to become a general favorite. Fine for pot-culture Centaurea Moschata Atropurpurea. It agrees, in almost every point, with the	.25
1301	variety hitherto cultivated; but its tint is a deep purple, closely verging on crimson.	
	variety hitherto cultivated; but its tint is a deep purple, closely verging on crimson. "The Gardener's Chronicle," Oct. 12, 1867, says, "A very fine variety, and quite the control of the purple of	
	distinct in color from any we have previously seen Instead of the pale purple of the ordinary kind, this is of a deep, rich, port-wine color, rather paler in the	
	centre when fully blown. It is quite an acquisition among ornamental annuals.".	.25
1902	centre when fully blown. It is quite an acquisition among ornamental annuals." Centaures Pseudo-Depressa. This plant is scarcely more than half the height of C. Depressa, and has much smaller seeds. The ray-florets are of a fine blue, the	
	Depressa, and has much smaller seeds. The ray-norets are of a fine blue, the central ones being of a reddish-purple	.25
1903	- Species de Teneriffe. Herbaceous Compositæ of 1½ feet in height, with thick	.23
	leaves, the edges of which are slightly spinous; the flowers resemble those of	
1904	C. Cyanus, but are much larger, and of a fine azure-blue Cineraria Extra Choice Hybridised. Saved from Mr. W. Bull's superb collection	.25
	of the best varieties in cultivation	.50
1905	Cerinthe Aspera. The finest species of Honeywort; produces an abundance of	
	of the best varieties in cultivation Cerinthe Aspera. The finest species of Honeywort; produces an abundance of snow, yellow flowers, the tube of which is black at its base. In general habit, it closely agrees with the other species of the genus, but the seed is somewhat	
1000	larger	.25
1906	flower-spike, highly recommended for its sweet scent	.25
1907	Chrysanthemum Carinatum Hybridum fl. pl. The Chrysanthemum New Golden	.~3
	Double and Dunnettii fl. pl., offered to the trade last year, are completed by the	
	Chrysanthemum Carinatum Hybridum fl. pl. The Chrysanthemum New Golden Double and Dunnetti fl. pl., offered to the trade last year, are completed by the new varieties above. The flowers of the greater part of them are very double, and will prove a fine acquisition; the different shades of the flowers in orange,	
4000	scarlet, rose, and red-brown, are very pretty	.25
1908	Chenopodium Scoparium. A fine annual; very useful for edgings, on account of its dwarf, compact habit	25
1909	Cucurbita Florida. A very useful gourd, on account of its curiously-shaped seeds	.25
1910	and handsome fruit	.50
1910	has heretofore been only a pale pink; the variety now offered is a pure white, and	
	has heretofore been only a pale pink; the variety now offered is a pure white, and from its habit and color will be found a desirable novelty for mixed borders and	
1911	back-grounds	.25
	 Integripetala Carnea, Tom Thumb. A delicate, flesh-colored variety of the whole-petalled section of Clarkias, with compact, Tom-Thumb habit Pulchella Marginata, Double. The most elegant Clarkia ever yet brought be- 	.25
1912	— Pulchella Marginata, Double. The most elegant Clarkia ever yet brought be-	
	fore the public; the flowers are very double; color, bright magenta; the extremity of each petal marked with a beautiful, broad, white margin. We offer this with the greatest confidence, fully believing it will supersede all other varieties of	
	the greatest confidence, fully believing it will supersede all other varieties of	
	Clarkia, beautiful though they are, both as border-flowers, and also for making bouquets. This variety will not produce single or semi-double flowers	.25
1913	Dianthus Heddewegii Illacina. Excellent for borders and little beds, and is to be	3
	highly recommended for its long continuance in bloom. The flowers produce a	25
1914	fine effect by their pure lilac color	.25
1915	Delphinium Gardinale. A beautiful scarlet Delphinium Desmodium Gyrans. This very curious sensitive plant attains, out of seeds, its maturity in the first season; the small side leaflets move up and down all along.	
	It is a very interesting plant for the close spectator of vegetable life	.50
1916	Eschscholtzia Dentata Sulphurea.	.25
1917	— Aurantiaca. This and the preceding are two new varieties of Eschscholt-	
	zias, which are of great curiosity and importance; they may be justly ranked as a new section of Eschscholtzias. The flowers take the form of a Maltese cross, each petal having its edges lapped upon itself, and is intersected by a mark of deeper	
	petal having its edges lapped upon itself, and is intersected by a mark of deeper	
	color running up the centre; the edges are very curiously jagged or toothed. From the peculiar construction of the petals, the blossoms of these varieties (un-	
10.0	like all other Eschscholtzias) are always open	.25
1918	- Crocea Striata. A striped Eschscholtzia is a great novelty. The color of the flower is composed of alternate stripes of deep orange and sulphur, from the base	
	to the circumference of the petals, which produces a very elegant appearance. Echinosistis Lobata. Of all the "Cucurbitacea," one of the best, beautiful, white,	.25
1919	Echnosistis Lobata. Of all the "Cucurbitacea," one of the best, beautiful, white,	
1920	scented flowers, standing well out in clusters Egg Plant, Green. Introduced by Mr. Bourret, from Thibet. A very fine fruit,	.50
	often growing a foot in length	.25
1921	- Ribformed. A strong-growing variety, fine foliage, with a dark violet tint, about two inches in diameter; the fruit, violet color, often attains the weight from	
	flowers 4 to 6 lbs., ribbed-formed after the style of some kinds of melons	.25
1922	Eryngium Bromeliæfolium. Fine herbaceous plant, of which seed has been ob-	50
	tained for the first time	.50
	18	

NO.		PRICE
1923	Felicia Angustifolia. From New Holland, and one of the best acquisitions horticulture has made lately; it is a low shrub from two to three feet high, narrow foliage, the branches terminating in flowers of a yellow disc, and petals of a beautiful purple-violet. As to the habit, it is almost an Aster; and in color it resembles the beautiful Cinerarias. This lovely shrub flowers in spring, and will be appeared to the habit of the service of	
	beautiful purple-violet. As to the habit, it is almost an Aster; and in color it resem-	
	bles the beautiful Cinerarias. This lovely shrub flowers in spring, and will be ap-	
	preciated highly in the North, where it will take a place in every greenhouse collection	.50
1924		.50
1925	Gloxinia, Extra Choice Hybridised. This seed has been saved from the splendid	.50
1926	new varieties offered by Mr. W. Bull Gomphrena Globosa, Aurantiaca Isabellina. Yellowish-white flowers, constant.	.25
1927	Helianthus Grandiflorus Plenissimus. Compositæ, annual, 4 to 5 feet high, much resembling H. Californicus, but a quite new variety, distinct from its gigantic growth.	
	The flowers are twice as large as those of H. Californica and as double. When	
1928	perfectly grown, they have the appearance of a globe	.25
1920	beauty H. Argophyllus; excellent plant, recommended for the abundance of its	0
1000	flowers	.25
1929	 Maximiliani. Herbaceous Compositæ, from Mexico, from 4 to 5 feet high, with orange-yellow flowers, and narrow lanceolated leaves; picturesque and interesting 	
	plant, which will be more effective if planted in groups than singly	.25
1930	— Rigidus, or Harpalium Rigidum. Herbaceous Compositæ, from North America; in strong bushes, from 6 feet to 9 feet and more in height, with oval, coarse	
	leaves, flowering at the end of each branch; blooms of the same shape as the Sun-	
	flower, but only averaging 4 inches in size; a picturesque plant of some value for	.25
1931	public parks, which succeeds in any soil. Hypericum Calycinum Repens. This is a very useful plant for growing in exposed	223
1932	situations, as well as deep shady places, under evergreens Heracleum Platzænium. This fine plant will prove a valuable acquisition for orna-	.25
	menting lawns and the garden: leaves, of large size, and elegantly lobate,	
1022	The seed germinates very slowly, sometimes requiring a year Heartsease, Large-Flowering, Stained. These may be considered as an extra fine	.25
1933	selection of the popular, large-nowering Pansies; the interior petals of which are	
400.0	spotted with very large and showy stains; said to be remarkable	.50
1934	Impatiens Balsamina Abrosanguinea Plenissima. A new and fine dark-red, very double variety of the Balsam	.50
1935	- Solferino. A splendid new variety; the finest; white-striped, and blotched with	
	lilac and scarlet, like carnations; very double	.50
	New Ipomæas (with self-colored foliage).	
1936	Hederacea Alba Grandiflora Intus Rosea. Handsome white flower, with dark-rose	
	throat. Single seed	.50
1937	— Alba Grandiflora Intus Rosea Semi-Plena. Of the same form and color as the foregoing; a few petas, tongue-shaped, which appear from the corolla to trans-	
	form the flower into a semi-double one, which is seldom seen in this family.	
1938	Single seed Atrocarminea Grandiflora Alba Marginata. Handsome variety, with brilliant	.50
1930	carmine flowers, edged pure white. Single seed	.50
1939	Atrocarminea Grandiflora Azurea Marginata. With brilliant carmine flowers, edged with clear azure-blue. Single seed	
1940	— Atrolilacea Grandiflora Azurea Marginata. With dark-lilac flowers, edged	.50
	with bright azure-blue. Single seed	.50
	New Ipomæas (with variegated foliage).	
333	Te attach much importance to this new section, and find them worthy of recommend	lation
We b	beg to state that we have tried them carefully, and found them to come true from seed	For
this r	eason, as well as the curious combination and richness of color of their flowers, we have	eve no
	ation to place them in the first rank of novelties for this season. Grandiflora Alba Picta Carminea (with silver-marbled leaves). Heart-shaped	
1941	leaves, largely marbled with silver-gray; flowers white, dotted with brilliant	
10.45	carmine. Single seed	.50
1942	— Alba Picta Lilacina (with golden-marbled leaves). Heart-shaped leaves, largely marbled with silver-gray; white flowers, spotted with clear lilac. Single	
10.40	sand	ro.
1943	Hederacea Grandiflora Atrocarminea Intus Alba (with silver-marbled leaves). Tri-lobed leaves, largely marbled, silver-gray; flowers dark carmine, with large, white throat. Single seed. Ixodia Alata. Soft-wooded shrub from New Holland, we everlasting flower; five	
1044	with large, white throat. Single seed	.50
1944	Ixodia Alata. Soft-wooded shrub from New Holland, with everlasting flower; five feet high; short, dark-green leaves; flowers resembling those of Ammobium	
	Alatum	.25
1945	Leavenworthia Aurea. Pretty, cruciferous annual; from Arkansas; of very dwarf habit; single flowers, about half an inch across, with white petals, stained at the	
	base with deep yellow. It has been treated as a nair-nardy annual, and blooms in	
	May and June	.25

NO.		PRICE
		PRICE
1946	Lobelia, New Herbaceous, Choice Mixed. A beautiful class of perennials, becoming very popular, containing several new colors, among which are carmine, rose,	
1947	magenta, ruby; great acquisition Marigold, Dwarf French, New Golden. A pure golden, dwarf, French Marigold; very double and constant. The habit is dwarf and compact, and the flowers are so	.50
10.47	very double and constant. The habit is dwarf and compact, and the flowers are so	
	double as to have the appearance of miniature African Marigolds. This variety is a suitable companion and contrast to Dunnett's New Orange French Mari-	
1948	Myosotis Azorica var. Coelestina. A new variety of the well-known general favorite,	.25
1340	M. Azorica. The flowers are sky-blue, nearly turquoise-blue; very constant, and of the same habit as the type. This variety, offered here for the first time, will	
	of the same habit as the type. This variety, offered here for the first time, will be welcome in every flower-garden	.25
1949	Melothria Cucumerina. A small Cucurbitaceæ, from China; fine glossy foliage.	
1950	flowers yellow, the fruit sometimes used in vinegar for pickles Mimulus Duplex Flowering, Choice Mixed. Saved from the best and most distinct	.25
	varieties; which received a first-class certificate, when exhibited before the Floral Committee of the Royal Horticultural Society	.50
1951	Nemophila Discoidalis Argentea. A charming little variety, with silvery-white	
1952	blossoms spotted with chocolate; particularly adapted for rockeries or pots Discoidalis Nigra. A perfectly black blossom in any flower must be a great	.25
	novelty; the blossom of this Nemophila, when young, is a pure jet black from centre to circumference	25
1953	Nierembergia Frutescens. Soft-wooded shrub, a native of the mountainous districts	.25
	or Unit; 2½ feet high, stem straight, well branched, same foliage as N Gracilis, but of a more elegant habit; the flowers also are of the same color, but a little	
1954	of Chili; 2½ feet high, stem straight, well branched, same foliage as N Gracilis, but of a more elegant habit; the flowers also are of the same color, but a little larger and more open; worthy of recommendation Cenothera Drummondii Lacinæfolia. This Ænothera distinguishes itself by the	.25
1904	vigorous growth, and by the strongly laciniated leaves, which are linear and some-	
1955	what elongated ('onstant	.25
1956	Pelargonium, Fancy. Saved from the newest and best varieties in cultivation. — lvy-Leaved. These Ivy-leaved Pelargoniums are extremely useful, from their graceful, drooping growth, for vases, rustic, or suspending baskets; their rich, wax-	.5-
	like foliage alone is ornamental; but, added to that, they have pretty flowers, and	
1957	the different varieties present a contrast and charm attained by few other plants . Nosegay. The varieties in this class, from their giving huge trusses, and in the	.50
1958	greatest profusion, are admirably adapted for bedding purposes — Spotted. This strain of Pelargonium seeds has been obtained by hybridising	.50
1930	the attractive French kinds with the best varieties of the most eminent English	
	growers. It is believed that this will produce finely-formed flowers of good sub- stance, rich and varied colors, clearly and purely defined spots, and free blooming.	.50
1959	 stance, rich and varied colors, clearly and purely defined spots, and free blooming. Tricolor Varieties. The seed now offered was saved from distinctly-marked varieties; which, having been carefully hybridised, may be expected to yield a 	
	good proportion of this deservedly popular section	.50
1960	 White Variegated Section. As with the preceding, this may be expected to produce plants of the variegated class, which for decorative purposes are considered 	
1961	superior to any other class Zonal. The seeds may be expected to produce the following colors: scarlet,	.50
1301	white, pink, cerise, rose carmine, blush, salmon, rose-pink, orange, scarlet,	
Th	&c., &c	.25
hybri	e above Pelargoniums are Mr. W. Bull's growing (imported direct from him), all extra dised; and are believed to be superior, in every respect, to any ever before offered in	in this
count	try. Pelargonium Lateripes Grandiflorum. Leaves of this variety have a brown margin;	
1302	flower large, salmon color. A fine plant, in flower from May to October. Very	
1963	useful for ribbons and borders, said to surpass all others of this class Pentstemon Glabrum. Flowers large, in clusters; bright blue, shaded to the centre,	.50
1964	with lilac . Extra Choice Hybridised. This seed was saved by Mr. W. Bull from his cele-	.50
	brated collection, and is believed to be superior	.50
1965	Phalacraea Wendlandi. For bedding purposes this surpasses the old Ageratum, better color and sweet scented	.25
1966	Phyllanthus Spec. Nova. A very pretty plant for decoration, flowering in five or six weeks from planting, foliage very ornamental, flowers freely from the axels of the	100
1967	Primula Chinensis Erecta Alba. A very strong-growing variety, throwing the	.25
1968	flowers well out from the fine foliage. Flowers beautifully fringed. White. Fimbriata Marginata Lilacina. A new variety of this family; flowers,	1.00
	fine imbricated white and lilac shaded; the leaflets are narrow, bordered with	1.00
1969	- Erecta Flore Pleno Alba. A beautiful variety of the double white	
1970	Saxifraga Fortunei. This is an exceedingly handsome Japanese plant; it produces	1.00
	the coryllos of white howers, at a season when howers are very scarce, viz.,	
10=	September, October, and November; being an easily cultivated plant, it is an exceedingly desirable introduction	.50
1971	Salvia Lupuliniflora. A splendid new variety; flowers blue, with white centre .	.25

NO.		PRICE
1972	Sphenogyne Speciosa Aurea	.25
1973	Sphenogyne Speciosa Aurea ———————————————————————————————————	
	orange, the other a bright sulphur. The colors are pure and well contrasted, and will prove far more effective than the original S. Speciesa, from which they are	
	quite distinct	.25
1974	Silene Orientalis. A very showy and effective annual; compact habit, and every	
	stem crowned with a corymb of very large, delicate pink flowers, forming a mass	
1975	of bloom of great elegance	.10
	is a great acquisition. Compact habit foliage dark green ovate acuminate the	
	blossoms rich orange-scarlet, with yellow throat; remaining in flower a long	
1976	Stock, Florist Variety, White. This is a new variety, and is superior to any thing and flowering and flowering and flowering. When the very useful for bouquets, requires greenhouse culture, rare. Stock, Florist Variety, White. This is a new variety, and is superior to any thing ever before offered; very strong-growing, flowers large, well-branched; growing and flowering a long time; fragrant; will produce 90 per cent of double flowers. We can recommend this variety with confidence to parties growing for market, with productive recommends the variety with confidence to parties growing for market,	1.00
1070	ever before offered; very strong-growing, flowers large, well-branched; growing	
	and flowering a long time; fragrant; will produce 90 per cent of double flowers.	
	either for plants or cut flowers	.25
1977	- Scarlet. Same as the preceding; scarce	.50
1978	Tagetes Palula Aurea Nana fl. pl. Marigold Dwarf, French; new; pure golden;	
1070	very double, and constant. Thladiantha Dubia. The male plant only of this elegant hardy perennial climber,	.25
1979	Thladiantha Dubia. The male plant only of this elegant hardy perennial climber, which produces clusters of fine yellow flowers, was known until lately; but the	
	female plant, of recent introduction, which bears abundantly fruit the shape and	
	size of an egg, will allow all amateurs of fine climbers to cultivate. The fruit,	50
1980	Tropæolum Tom Thumb Cæruleo Rosea. The greatest novelty of the season. A	.50
	when ripe, takes a deep scarlet shade, giving a fine effect to the whole plant Tropwolum Toum Thumb Cæruleo Rosea. The greatest novelty of the season. A Nasturtion, with the free-blooming, compact habit of all the Tom-Thumb Nastur-	
	tions; the flowers, which are thrown well above the foliage, are of brilliant rose, shaded, underlaid with a peach-blue, a color never before seen in Nasturtions.	
	This variety has been very much admired by the many visitors to our seed-farms	
	during the past season, in consequence of the decided novelty of color; and we	
	consider this the first step towards a perfectly blue Nasturtion, in the same man-	
	ner as Beaton's Indian Yellow Geranium is towards a perfectly Yellow Geranium. This splendid novelty is quite distinct from, and infinitely superior to, the Rose	
	Tom-Thumb Nasturtion, introduced by us last season	.50
1981	Tom-Thumb Nasturtion, introduced by us last season. — Lilli Schmidt, Tom Thumb. A Tom-Thumb variety of T. Lilli Schmidt;	
	a very profuse bloomer, with intensely-bright scarlet flowers; flowers, very large,	
	the petals overlapping each other so as to form very perfect flowers. The formation of the flowers of the <i>Lilli-Schmidt</i> section of Tropæolums is quite distinct from	
	the ordinary / om- / humb Nasturtion, the nowers being smaller and more periect	
	in form. The present novelty partakes of the good qualities of both sections, having the beautiful form and intense color of the former, with the compact and	
	free-blooming habit of the latter	.50
1982	- Pyramidalis. An annual Tropæolum, growing in the form of a dwarf pyramid,	
	or sugar-loaf, which is covered with a quantity of bright scarlet flowers; this variety is quite constant, and the habit very novel	.50
1983	Trichosanthes Coccinea. The whole class is very curious and interesting; but this,	J
	with its bright scarlet flowers and fine foliage, surpasses them all. The seeds are	
	larger and strongly marked. It is very striking and prominent among other plants.	.25
1984	Veronica Imperialis. A great improvement in this class: flowers fine purple, very	-
1005	large; fine, glossy foliage. Viscaria Elegans Picta. The gem of the season, and certainly the most elegant	.25
1985	Viscaria ever offered to the public. The centre of the flower is dark crimson.	
	Viscaria ever offered to the public. The centre of the flower is dark crimson, gradually merging into a bright scarlet, belted with a pure-white margin; from the	
	neat habit, profusion of flowers, and brilliant appearance, this Viscaria will become a	
1986	great favorite, both as a border flower, and also for pots or beds Viola Tricolor Maxima Inimitable. A very large, fine flower; fancy margin; raised	.25
	by an amateur, who has devoted many years to the Pansy; very highly recom-	
1987	mended Cornuta Mauve Queen. One of the most attractive bedding and border	.50
1907	plants in cultivation, continuing in one mass of bloom throughout the early spring,	
	summer, and autumn months; no plant can be more welcome or valuable for	
1988	bedding purposes	.25
1900	compact habit; dark-green, glossy foliage; blooms profusely throughout the	
1000	season	.50
1989	- The Czar. A new and very large and beautiful variety of the violet; with single flowers of the deepest blue, and possessing unusual vigor and hardiness;	
	the leaves are large, and the flowers are borne on very long footstalks (five to six	
	the leaves are large, and the flowers are borne on very long footstalks (five to six inches in length), and are nearly twice as large and much sweeter than the old Russian violet. It is so hardy that it commences blooming in September, and	
	Russian violet. It is so hardy that it commences blooming in September, and continues flowering until May, even during the frost and under the snow	.50
	, and the state of	

NOVELTIES AND SPECIALTIES

FOR 1869.

VEGETABLE SEEDS.

Asparagus.

Per pkt.

Conover's Colossal. A European variety, introduced several years since, which, by a careful selection of seeds from the most vigorous shoots, has been wonderfully improved both in size and quality, in point of which it surpasses all other varieties in cultivation. Specimens were exibited the past season by Mr. Conover, which were grown alongside the best "Oyster Bay" varieties, and received the same care and treatment, which attained four times the size of that popular variety. Though but two years from the seed, many of the plants produced twenty to thirty sprouts, averaging from two to four inches in circumference, and were ready for cutting one year in advance of the ordinary varieties. Packets containing ½ ounce each. See cut

Beans.

Carter's Champion Runner. A gigantic variety of Scarlet Runners, having pods nearly double the size of the old variety: it is more robust in growth and is an extraordinary cropper .

Cabbage.

Early Wyman. This is the best and most profitable early-market cabbage grown.

It originated with Mr. John Wyman of Arlington, about ten years since, and has not been disseminated to any extent.

It heads early in the season, is of large size, and first quality, and brings the highest price of any early cabbage brought into the Boston market, selling readily last season by the thousand, at \$18 per hundred; but a limited quantity

This cabbage took the first prize on the 11th of July last, at the exhibition of the Massachusetts Horticultural Society, as it has on several previous occasions.

Bates's Early Bronze Field. Mr. C. Bates of Kingston, Mass., has spent twenty years of labor and care in producing this valuable variety of corn, obtaining the following results :-

> It is a cross between the Whitman, or Smutty White, and Early Canada. A rapid-growing and early-maturing corn, of low growth, small stalk, throwing its strength into the corn; ears growing very near the ground; cob small; corn large and well-filled; color bronze, or a blending of yellow and white with a slight trace of red; very productive, yielding large crops even on poor soil; dwarf, averaging from root to top of spindle, from four to five feet.


> > By years of labor we now obtain A corn with fodder small, but large in grain; Long, slim cob, with eight full rows around; Top very low, earing near the ground; Thus filling the crib and not the mow;
> > Having more corn for horse than tops for cow.

This corn is highly recommended for all latitudes, particularly Northern, on account of the above-mentioned qualities,—early maturity, large yield of grain, and small amount of stalk. The favorable reports, together with the good impressions received on visiting Mr. Bates's corn-crib, has induced us to secure the entire stock; and we now offer it, in large or small quantities, at the following prices in feed git. prices: - (see cut.)


One Quart, by mail, postpaid, \$1.00. One Bushel (express to be paid by the purchaser), \$12.00; Five Bushels, \$50.00.

Farmers' Club Sweet. Comes to table in seventy to seventy-five days; ears of the best table size, with eight regular rows; kernels large, and of a pearly-white at all times; delightfully tender, sweet, and of unsurpassed creamy flavor, and retains those qualities longer than any other variety; should be boiled no more than twenty minutes. The stalk and leaves are of medium size, and heavily marked with purple. It is a very noticeable and distinct variety. Highly recommended by Solon Robinson, Thos. Mecham, M. C. Weld, Donald G. Mitchell, and Chas. L. Flint	.50
	.50
Dandelion.	
Large-leaved (improved). Improvement of the common Dandelion: its leaves are larger erect, almost entire, or at least much less denticulated	25
Thick-leaved (improved). This is also an improved variety of the common Dandelion, its leaves are smaller and more denticulated, but more numerous than in the preceding variety, more thickly set, and forming in the centre almost a bunch. These two varieties will, we have no doubt, soon supersede everywhere the old one, which has become in the last ten years one of our best and most-asked-for winter and spring salads.	.25
Gourd.	
Bonnet or Dish-Cloth (Luffa Acutangula). One of the most interesting and probably useful members of the family of Cucurbitaceæ, and one but little known, is the Bonnet Gourd; and so new that it is worthy of a place in every garden, whether cultivated for its graceful and handsome foliage, its rich-colored flower, or its curious fruit. The principal use of this Gourd is for the curious membrane of	
rious fruit. The principal use of this Gourd is for the curious membrane of fibrous material, which has been used in the South during the rebellion to manufacture a kind of bonnet (whence its name); and from its snowy-white color, and curious appearance, is quite a novelty: for any washing purposes, it cannot be excelled, as it is soft and pliable in water like a sponge; as a substitute for	
hair-gloves, for frictional purposes, it has no equal; requires about the same treatment as the melon.	.25
Melon.	
Persian Water. New Watermelon, introduced by the celebrated traveller Bayard Taylor,	
brought by him from the Caspian Sea, and heretofore entirely unknown in this country. It is globular and elliptical in form, of pale green color, with dark	
stripes; flesh crimson, and remarkably firm texture, with only half an inch of rind; a peculiarity of this melon is, that it can be taken off the vine to ripen, and will keep till winter. It grows to a very large size	.25
The Alton Large Nutmeg. This melon is said to combine more desirable qualities than any other now before the public.	
any other now before the public. Its great productiveness, beauty, size, and firmness of flesh, made it unequalled as a shipping variety; while its delicious flavor and long-bearing season render it worthy a place in every garden. Melons of this variety sold the past season in the Chicago market for double any other variety	.25
Onion.	
Red Sallon. In shape and size this new variety resembles the Maderia Onion; but its color is of a darker red, it has a stronger onion-flavor, and keeps much better. Very fine variety.	.25
Pea.	
Laxton's Supreme. A variety raised from LAXTON'S PROLIFIC crossed with LITTLE GEM. The plant grows about 3½ ft. in height, and is quite as early as DANIEL O'ROURE, a great advantage in a Pea of such high-class quality. The editor of "The Gardener's Chronicle" says it is "a grand Pea: the sample sent exhibited remarkably fine large full pods" The Royal Horticultural Society of England describe this as "a grand Pea, a Green Marrow of excellent quality, with very long well-filled curved pods." It has received a first-class certificate from the Royal Horticultural Society, also at every other place	
that it has been exhibited	.50
Imperial Wonder Pea (Carter's). A fine large wrinkled variety, habit resembling Veitch's Perfection, but coming in three weeks later	.50
Climax. The Climax is a seedling of the Early Goodrich, and originated with Mr. D. S.	
"It has a stout, erect stalk; large leaves; tuber about medium size; smooth, cylindrical form, swelled out at centre; eyes shallow, but strongly defined; skin considerably netted or russet, tough, white; flesh entirely white, solid, heavy, brittle, and never hollow; boils through quickly, with no hard core at centre; is mealy, of floury whiteness, and of superior table-quality. It is equally productive with the Early Rose, but a few days later; earlier than the Early Goodrich; while its keeping qualities are as good as the Peachblow's."	
We have made arrangements for a portion of the stock, which we offer to our patrons, fully confident of its good quality. Price \$3.00 per pound, by mail,	
postpaid.	





WORCESTER OR RIELLY POTATO. See page 143.



BRESEE PROLIFIC, OR No. 2. See page 143.

Bresee's Prolific (or No. 2). This remarkable variety originated with Albert Bresee, Esq., of Hubbardston, Vt., who was also the originator of the justly-celebrated Early Rose; both varieties being produced from the same seed-ball of the Garnet Chili.

net Chili.

The vines of Bresse's Prolific are of medium height, quite bushy, somewhat spreading; large leaves; have produced no seed-balls; tubers large, regular in shape, and very smooth, slightly oblong, somewhat flattened; skin dull white, inclined to be russeted; eyes but little depressed, and slightly pinkish; flesh white; cooks quickly, is very mealy, and of excellent quality; yield very large, often exceeding a kundred-fold; matures about three weeks later than the Early Rose, and will prove a most valuable variety for field-culture. A silver medal was awarded to this variety at the annual exhibition of the Massachusetts Horticultural Society last September. Price \$2.00 per pound by mail, prostraid postpaid.

Early Rose.

This new and popular potato has proved all that was claimed for it when offered for the first time the past spring. It is very productive, yielding from fifty to ninety fold with common culture; two weeks earlier than the Goodrich, and to ninety fold with common culture; two weeks earlier than the Goodrich, and a very strong grower. Tubers quite smooth, nearly cylindrical, varying to flattish, largest at the centre, tapering gradually towards each end. Skin a dull rose color, flesh white, and one of the best-flavored varieties in cultivation; highly recommended for early marketing on account of its large and uniform size and productiveness. It has been awarded special prizes at the Massachusetts Horticultural and the New-York State Agricultural Societies. On account of the popularity of this potato, there are many being offered as the Early Rose which are worthless in comparison; therefore, only purchase of reliable Rose which are worthless in comparison: therefore, only purchase of reliable parties that have a reputation at stake.

A large and fine stock of this popular Potato, grown from the original stock,

A large and line stock of this popular rotato, grown from the original stock, and warranted genuine.

One pound, \$1.00; three pounds, \$2.00, by mail, postpaid. One peck (15 lbs.), \$5.00; \$1 buls. (85.00; 1 buls.), \$5.00; 1 buls. (165 lbs.), \$4.00.

Prices to the trade, in larger quantities, will be given upon application. The freight on all packages by express, boat, or railroad, to be paid by the purchaser. No charge for packages or cartage.

or Rielly. This valuable variety has not been well-known until the past season, when Mr. B. HARRINGTON of Lexington (who had grown it for a number of years), induced by his high opinion of its value, and the united testimony of all who had ever grown or eaten it, challenged a trial in quality with any seedling, old or new, from any State in the Union. Last September, at the Annual Dinner of the Committee of the Massachusetts Horticultural Society, a trial took place at the Parker House, Boston. There were present many distinguished horticulturists: among them Col. M. P. Wilder, Charles Downing, Esq., Hovey Breck, President Hyde, B. K. Bliss, Albert Bresee (originator of the famous Early Rose), besides all the various Committee, numbering about forty present. Among those offered for trial was the Early Rose and several other varieties, considered by their respective friends the best. But it was the unanimous decision that the Worcester was the best table-potato offered. It proved to be very mealy, dry, and of the most delicate flavor; free from any earthy taste; fair size; form inclined to roundish; color light pink; flesh very white; skin thin; eyes deep; and of superior baking quality. Another characteristic of this variety is, that it will be found dry and mealy when but two thirds grown. For twenty years it has stood the test of disease much better than other varieties. They mature in ninety days from planting. Yield varies according to the season. This valuable variety has not been well-known until the past seaaccording to the season.

The Potato from which the cut was taken was one of a lot dug Nov. 1, from a meadow soil, all of which were sound and healthy, while other varieties

growing near were more or less attacked with disease.

Below are a few of the many testimonials received: -

From Hon. Marshall P. Wilder.

Boston, Nov. 20, 1868. DEAR SIR, — Please receive my thanks for the Worcester Seedling Potatoes. As a table-potato, it is certainly of first quality.

From the Editor of the Hartford Times, November, 1868.

We have found them to be "We have received the Worcester Seedling Potatoes from you. superior to any we have tried for several years; and we have tested about all of the best sorts.

From H. S. Goodale, Editor of the Berkshire Courier, Nov. 12, 1868.

"We tried the quality of the Worcester Seedling with the Rose and many other famous seedlings, and found it so decidedly the best, that nearly all others seemed coarse and earthy, and inferior in delicacy of flavor and fineness in grain, —a little to my disappointment, as I have quite a little stock of Rose in store. A gentleman from New York visiting with me claimed he could tell the Worcester from any other variety by smell. He was blindfolded, and, to my surprise, I found that he invariably could; also others, without confusion."

After much care, we have succeeded in securing a stock of this Potato, which we shall offer at the following prices:—

Four Pounds, by mail, postpaid, \$1.00. One peck (express to be paid by purchaser), \$3.00; One Bushel, \$10.00; One Barrel, \$20.00.

Upon receipt of \$5.00, we will mail, postpaid, to any address in the United States or British Provinces, ONE POUND EACH of the CLIMAX, BRESEE'S PROLIFIC, WORCESTER, and the EARLY Ross. Orders will be booked in the order in which they are received, and the potatoes forwarded on and after April 1, when they will be free from danger of frost. They can be forwarded earlier if desired, at the risk of the purchaser. No orders will be accepted unless accompanied with the

cash.

The prices of above Potatoes variable according to the market.

Squash.

Per pkt.

Lungren. The plants of this new variety attain a length of twelve or fifteen feet, and are remarkably healthy and vigorous. The leaves are singularly variegated with yellow, the depths of color varying in different plants from pale yellow to bright orange, and differing also in the amount of variegations as the season progresses. The color is most profuse at the base of the leaf, and is distributed thence in serrated stripes, towards, but not reaching, the borders.

presses. The color is most profuse at the base of the leaf, and is distributed thence in serrated stripes, towards, but not reaching, the borders. The fruit is bottle-formed, much resembling the "Puritan;" entirely white, about one foot in length, eight inches in its greatest diameter, and weighs from eight to ten pounds. The stem is thick, short, and fleshy. The flesh is pale yellowish-white, thick, fine-grained, dry and sweet, and peculiarly free from the strong flavor common to many varieties. It cooks well, early or late in the season, and even before it has attained its full size, and is also a good keeper.

Among the numerous kinds now cultivated, there are few superior to it for

Among the numerous kinds now cultivated, there are few superior to it for pies, and there are certainly few more mild and delicate.

In a trial-growth last season, the plants suffered little, if any, from bugs, and they entirely escaped the attacks of the borer

Strawberries.


Alpine, FOR TABLE-DECORATION. Berry-bearing plants have been very much sought after of late years for table-decoration; and, in our anxiety to procure novelties, we may perhaps sometimes have overlooked really useful materials already in our possession. I think this may be truly said with regard to the Alpine Strawberry; for what can be more interesting and pretty for the table, during December and the two following months, than a few pots of these, nicely fruited, placed in vases or otherwise, according to the taste of the decorator? For this purpose, I select in May or June nice little plants of last year's runners, and plant them in seventy-twos. I then plunge them in an open border, exposed to the sun, but never allow them to suffer for want of water. They have an occasional watering with liquid-manure. The flowers are cut off as they appear, until it is thought necessary to allow them to fruit. They are transferred to the fruiting-pots (forty-eights) in August, and placed with the general stock for forcing. The Alpine forces better than any other strawberry we have, requiring but little heat to bring it into fruit. An early vinery just started is a capital place for it. — W. Robbins, in Florist and Pomologist.

 25

The Unrivalled Prize, "General Grant." We take great pleasure in announcing to the public that we have secured the entire stock of this justly celebrated Tomato. It originated in the garden of an amateur, who, after growing it for a number of years in connection with all the leading sorts, became convinced that it was far superior to any other, and that it should be widely disseminated; and for this purpose it was put into our hands. In consideration of the many disappointments experienced in the introduction of new varieties, we have given it a thorough trial of two years; and it has far exceeded our expectations, ever attracting great attention wherever exhibited, taking the first prize above all others at the Massachusetts Horticultural Society's Exhibitions the past two years. We feel the fullest confidence that too much cannot be said in its praise. We believe it the nearest approach to perfection of any thing of the kind yet offered,

combining more superior qualities.

Size above the medium, three to four inches in diameter, growing in clusters; form round, slightly flattened, very regular, symmetrical, and rarely ribbed or wrinkled; color brilliant glossy crimson; flesh unusually firm, solid, and free from water, weighing from ten to twenty pounds more per bushel than other varieties; skin remarkably fine, smooth, and shining, coloring well up to the stem,—a quality very desirable to those preparing them for the table; very productive, and of the finest flavor: bears carriage well, and keeps in good condition a long time after being gathered, retaining its goodness, and free from wilting. It will be found to ripen uniformly, and as early as, if not earlier than, other varieties. Our whole stock of seed has been grown for us by Mr. C. N. Brackett, Chairman of the Vegetable Committee of the Massachusetts Horticultural Society, and saved only from the most perfect fruit; and we are warranted in saying that it cannot fail to give satisfaction in every instance.



ASPARAGUS. CONOVER'S COLOSSAL, See page 141.



CORN.
Bates' Early Bronze Field.
See page 141.



TOMATO HOOP TRAINING.



We offer the following testimonials from practical parties, — gentlemen whose judgment in such matters is fully reliable.

From Andrew S. Fuller, Author of Small-Fruit Culturist.

We have had an opportunity of testing this temato the past season, and believe it will prove to be one of the very best varieties in cultivation.

From J. F. C. Hyde, President of Massachusetts Horticultural Society.

I have known the General Grant Tomato now for two years, and last season raised a few tomatoes of this variety. I think it is the smoothest and every way the handsomest variety I have ever seen: it is quite solid, equal in this respect to any other variety. I have regarded it as a great acquisition to our list of tomatoes.

From C. N. Brackett, Chairman of the Vegetable Committee, Mass. Horticultural Society.

Gents. — I have given the new tomato, "General Grant," a fair trial of two seasons, in connection with a dozen or more of the new varieties recently introduced, such as the Cook's Favorite, Tilden, Valentia Cluster, Keyes, Eureka, Maupay, Foard, Cedar Hill, &c., and find it surpasses them all in earliness, productiveness, and all the qualities which I consider requisite in a first-class market variety; and can heartily recommend it. No person, I think, who makes any of the above-named varieties his standard of excellence, will, after giving this variety one season's trial, grow any other. Its extraordinary beauty, and singular richness of color, command the attention of the most careless observer.

From C. Bates of Kingston, Originator of Bates's Early Tomato.

The General Grant Tomato I have tried with several other varieties; viz., Cedar Hill Foard, Tilden, Keyes, Bates's Early. The General Grant beat all in earliness except Bates's Early: with that it was about "neck and neck." But for beauty of form, color, and compact flesh, it stands head and shoulders above all the rest. Planted the 15th of May; fruit ripe 6th of August.

From George Hill, Esq., Arlington, Mass.

Have grown the General Grant Tomato the past year, and consider it one of the very best in every respect. It ripens with me earlier than the Cedar Hill, Keyes, and Boston Market; of fair size, very solid and heavy, uniform, and fine flavored.

CAUTION.

On account of the immense popularity of this variety, we find that parties are offering for sale a spurious seed, desiring to obtain large prices for the common sorts. We would therefore recommend parties purchasing only those sealed packets bearing our name, as none other can be genuine.

Price per packet, 25 cts.; 5 packets, \$1.00. Prices to the trade on application.

Alsike Clover.

This variety is a native of Alsike, Sweden; perfectly hardy; does not heave in winter or spring from frost; stands drouth well; and is in every respect superior to the common red variety; highly recommended for sheep. Per lb. .75

Latakia Tobacco.

Per pkt.

The Best Smoking Tobacco in the World. Introduced by Baynard Taylor, the well-known traveller, from the East, where it is esteemed the most delicate-flavored tobacco known. It is quite distinct from the American tobacco, having a soft glossysurfaced leaf, quite unlike the coarse foliage of the Virginia tobacco. Cultivated precisely like the American, in rich soil

Rare Tree-Seeds.

Among which are the Palma Regia, or Royal Palm; Pitheeolobium Montanum; Umbrella Tree: Algerba (beautiful tree, delicate foliage); Kukui (Oandlenut); Acacia; Braziliana (seed-pods three feet long); Carthartocarpus; Fistula; Seligua Dulce (St. John's Bread)

California Evergreens or Conifera.

Pinus Coulteri, Pinus Insignis, Pinus Lambertiana, Pinus Ponderosa, Muricata, Fremontiana, Picea Grandis, Cupressus Marcrocarpus, Sequoi Gigantea (Big Tree of California)

NOVELTIES AND SPECIALTIES

FOR 1869.

RARE FLOWERS.

1990 Antirchinum Majus Dwarf. Purplish red and yellow. This is one of those new, fine dwarf varieties of Antirchinum Majus, producing a large, bushy plant, with numerous large spikes of very showy flowers, from 10 to 12 inches high, very valuable for borders, &c.



ANTIRRHINUM MAJUS DWARF.

- Schiller. This variety of new form is splendid in its formation; each individual plant will make a show for itself; pyramidal; the leaves round, the stock regular and ornamental, the flowers splendid, double, and well set 11 feet in height; 1991 Aster Schiller. mixed colors

 | Paony Perfection. This new and fine variety was produced from the New Giant Emperor and Paony Perfection. The flowers not only reach, but surpass, the enormous dimensions of the Giant Emperor Aster. They are, however, dissimilar to the preceding; flowers perfectly double, like the Paony-flowered; color brilliant dark rose.

 | 1993 | Balsam double Solferino. This is one of the best varieties of double Balsams, with fine white flowers, striped, stained, and spotted with crimson; very showy

 | 1994 | Begonia Semperflorens. Very fine variety; one of the best for out-door cultivation; flowers very abundant; white leaves, rather small, fleshy, of a brilliant green, making a fine contrast with the flowers. Plant, bushy, compact, about 12 inches high; in bloom during the whole summer; very valuable for borders in the open ground, as well as a pot-plant. The leaves have the flavor of sorrel, and are often eaten. mixed colors

- often eaten 1995 Calandrinia speciosa alba. Too much cannot be said in praise of this novelty, which is a pure white variety of the popular C. Speciosa. The very dwarf habit of this variety, in conjunction with the pure white of the flowers, must necessarily
- make it very useful for the edgings of beds, rockeries, and also a pot-plant.

 1996 Campanula celtidifolia. This new variety, introduced from the Caucasus by Mr.


 Balansa, has, sown early in spring, produced, after three or four months vegeta-
- tion, a very fine bushy plant, the ramifications of which bear pretty large five-dented flowers of a tender blue; very fine aspect.

 1997 Candytuft dwarf lilac. Dwarf variety of the old lilac Candytuft, interesting for its small bushy size; very good plant





ROSE BALSAM. (Natural Size). See page 21,



CHAMÆROPS EXCELSA. See page 147.



CANDYFUFT, VERY DWARF WHITE. Per pkt. 1998 Candytuft very dwarf white. Iberis offinnis (Vilmorins). First-class novelty (annual and biennial); from 4 to 7 inches high, producing large compact bushes, 7 to 9 inches large; finely-cut leaves, which are, when the plant is in bloom, almost completely covered with a multitude of brilliant white flowers, slightly sweet-scented, very valuable for borders

1999 Chamærops Excelsa. This fine palm, which has attracted so much attention in the south of France, where it stands the winter without protection, is considered a valuable addition to this class of plants. See cut .

2000 Convolvulus Minor Unicaulus. This variety is the result of at least ten years' careful selection. It has a single upright stem without a branch; the strength of the whole plant is directed to one point; and the result is a compact head of flower-buds in great profusion, which expand into blossoms of immense size, of a very rich purplish-blue color, and continues in bloom through the whole season 2001 Dianthus Heddewegii diadematus fl. pl. (Double Diadem-Pink). Lorenz. This is a striking novelty of wonderful beauty. It differs from the D. Heddewegii, being more luxuriant, compact, and dwarfish; jits flowers have a diameter of each, 2 to 4 inches. They are regular densely double, and have all tints, from lilac, crimson, and purple, to the deepest black purple, having very often a velvet-like 2002 Eschscholtzia alba rosea. Splendid new variety of this general favorite, which merits the greatest attention. Its tender blossoms are tinged at the exterior of a rosy pink color, verging sometimes to crimson lake. From the disposition of the flowers to remain closed during the greater part of the day, this color is a very striking one; but the effect of the rose-colored buds half open is also There is great hope that this variety will become later a quite most charming. red Eschscholtzia . 2003 Godetia Versicolor Grandiflora. A charming rock-plant received from Texas, producing a profusion of flowers in great variety of color, and as large in size as G. The Bride. This annual appears to be identical with G. reptans, excepting that the flowers are three times as large, and the habit is more procumbent: altogether we can strongly recommend this showy annual for rockwork, and all purposes of a similar nature . 2004 Helichrysum apiculati m. This very neat everlasting resembles the plant sold under the name of H. stritum, but has broader foliage and much larger flowers. Native from Australia 2005 Lobelia erecta birolor. A lovely new variety of the upright Lobelias, its pretty flowers tinged half white, half blue
2006 Lupinus spec. ex. Texas litasinus (supranosus, subcarnosus.) New variety of this favorite Lupin, with lilac flowers lus repens. Distinct species, with slender trailing stems with ovate foliage; flowers of pale lilac-purple color, the lower lip prettily spotted with orange on flowers of pale lilac-purple color, the lower lip prettily spotted with orange on flowers. 2007 Mimulus repens. yellow ground. Best suited for pot-culture, blooming during the summer months 2008 Myosotis azorica alba. The sky-blue variety of the popular M. azorica was intro-duced the past season. We now offer the pure white one, a delicious middle, duced the past season. We now offer the pure write one, a uniform between the deep dark-blue and sky-blue varieties

2009 Myosotis oblonoata. This Forget me-not, highly to recommend, is in all its portions larger and more vigorous than M. alpestris, but has its flowers of the same fine blue tint. Blooming already the first year if care is taken to sow it early.

2010 Nasturtion Golden Kinn of Tom Thumbs. This variety is similar in habit to the well-known scarlet King of Tom Thumbs, introduced some years since, and which has given the greatest satisfaction. The variety now offered for the first duced the past season. which has given the greatest satisfaction. The variety now offered for the first time has deep golden flowers, thrown well above the dark-colored foliage, and

will form a suitable companion and contrast to its predecessor: it will, without

Per pkt.

doubt, prove a very valuable bedding-plant, as it stood the late dry summer remarkably well 2011 Oxalis Valdiviana. A showy hardy Oxalis, introduced by the late Mr. R. Pearce. Quite hardy, of compact growth, throwing its bloomspikes well above the foliage. The flowers are sweet-scented, of a bright yellow color, produced in bunches of large size, and continuing a long time to bloom. Contrasts admira-

bly when bedded out with other plants.

2012 Palava flexuosa. Highly recommended, newly introduced from Bolivia by Mr. R.
Pearce. 15 to 18 inches high, branching freely, it produces its charming flowers, of an inch in diameter, in the greatest profusion. Its leaves are very neat and graceful. The color of the flowers is of a bright rosy pink; the base of the sepals and petals is almost black, producing a dark eye, contrasting most beau-tifully with the other portions of the flower. For open-air and pot-culture, pro-ducing its numerous flowers throughout the greater portion of the summer and early autumn. Received the first prize at the Great International Horticultural

early autumn. Received the first prize at the Great International Moritcultural Exhibition at London, 1866.

2013 Petunia Hybrid striped large flowering. Mixed. First-class novelty, with large red, violet, purple, or crimson flowers, covered with large stains, spots or striped, of a pure white, often star-shaped



POTENTILLA HYBRYDA FLORE PLENO.

- 2014 Potentilla Hybrida flore pleno. This fine perennial is a great improvement on the old varieties, producing a large proportion of double and semi-double flowers 2015 Phlox Drummondii Heyholdi. The New True Scarlet Phlox (Benary). There is already in our gardens a bright variety of much value, known under the name of Pariety of the property of the party of the
- of P. scarlet (coccinea); but its flowers, though of a very brilliant color, are far of being the true scarlet, and only of a radiant, bright dark-crimson tint. The flowers of this new variety offered here are of the pure true scarlet, with a slight tinge of copper-color. The Phloxes, among which we have a good portion of distinct tender and bright tints, belong to our best and most useful Annuals; but this new variety will be use the first place expressions. this new variety will have the first place everywhere, between the most striking of them; and for composing whole true scarlet groups of it, it will be highly welcome. It is quite constant, of dwarf, compact habitus, one of the best ac-
- weicone. It is quite constant, or awart, compact nabitus, one of the best acquisitions of modern horticulture, and the very completement of Phloxes . \$
 2016 Rodanthe Manglesi major. A very great improvement of the old and much-admired R. Manglesi, having the giant and robust habit of R. maculata
 2017 Viscaria oculata perfection dwarf (Vilmorins). This is a remarkably fine novelty, very dwarf (6 to 8 inches high), very bushy and compact; exceedingly floriferous; flowers rosy white, slightly shaded lilac with a purplish stain in the curre. Variety of Viscaria oculata Dunnettii

 2018 Zinnia aleases experied. A put periotates (Ranyary). This pay variety differs in parts.
- 2018 Zinnia elegans pumila fl. pl. varietates (Benary). This new variety differs in nothing from the other double Zinnias on account of the brilliant tints and doubleness of its flowers. It is of great value, attaining only a height of 1 to 14 foot, and being a precious acquisition for ribbon borders and low groups by this exceedingly agreeable height in comparison of the older varieties having a height of 2 to 2½ feet. Of compact growth
- 2019 Zinnia elegans alba semi-pleno. Ever since the introduction of the double varieties, which proved such acquisition to our numerous effective annuals, the want of a white variety has been much regretted by all lovers of this popular flower: we have therefore much pleasure in offering this novelty, being the first step towards obtaining a perfect double flower
- 2020 Zinnia tagetiflora fl. pl. varietates. Of neat and gracious habitus, as fine colored as Z. elegans fl. pl., being pompon-like, double, as Asters and Chrysanthemums,
- 2021 Zinnia Ghresbreghti; or, Zinnia Haaqeans Hybrida. A charming acquisition, dwarf in habit, similar to Zinnia Mexicana, of various colors, useful for bedding in groups, borders, &c.

GLADIOLUS.

Splendid French and Belgian Hybrids of Gandavensis.

THE new hybrid productions of the Gladiolus Gandavensis are, without doubt, the most superb flowering-bulbs in cultivation, producing their magnificent, long, and densely-flowered spikes of bloom, varying from white to rich salmon, and brilliant carmine, to the most intense scarlet or crim-A single bulb will often give two or three stems of bloom, and a succession of flowers will be produced for two months. These splendid flowering-bulbs are now considered unsurpassable ornaproduced for two findings. These spicials howering baths are now considered disappasants to our ments, and one of the finest features of the flower-garden. Having made large additions to our stock from the most extensive growers in Europe and the United States, we are enabled to offer to our patrons the largest and best-selected collection ever offered in America.

General Treatment.—The bulbs should be planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the middle of the course of frost is over the planted as soon as the ground is fairly dried in the course of frost is over the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the planted as soon as the ground is fairly dried in the ground is fairly dried in the ground is ground in the ground is ground in the ground is

GENERAL TREATMENT.—The bulbs should be planted as soon as the ground is fairly dried in the spring, and all danger of frost is over; planting may be made every two weeks until the middle of June to secure a succession of bloom. Plant the bulbs from two to four inches deep, according to their size; the soil should be enriched with well-decomposed manure, and well pulverized. ing to their size: the soil should be enriched with well-decomposed manure, and well pulverized. The Gladiolus show to the best advantage when planted in beds four feet wide, setting the bulbs three-fourths of a foot apart each way. The plants should be well staked, and the boom will be magnificent. When the frost has killed the leaves, or before, if the leaves, by turning yellow, show the ripening of the buib, the bulb should be taken up, dried rapidly in full sunlight, the new bulbs separated from the old, and the flowering bulbs (the stocks being cut off about an inch from the crown of the buib) put up in paper bags, carefully labelled. Should be kept during the winter in a dry, cool cellar, free from frost.

A discount of five per cent from catalogue prices will be made when one dozen varieties are ordered, ten per cent on two dozen varieties, and fifteen per cent on fifty varieties. The whole col-

lection 20 per cent.

Purchasers will please state whether we may substitute, in the event of our being out of the varieties ordered.

Forwarded by mail to any address in the Union, post-paid, at catalogue prices,

NEW VARIETIES FOR 1869.

Offered for the First Time in this Country.

	PF	RICE.
Antonius.	Fine spike of large, well-opened, perfect flowers, cherry colored, slightly tinged	
	with orange, blazed with carminate-red; very fine pure white stains; charming	
		\$1.00
Argus. Lo	little plant ng spike of large, well-opened flowers, glittering fire-red; centre and lower divis-	
	ions very pure white; admirable, brilliant plant.	3.50
Circe. Fin	e spike of large, well-opened perfect flowers, of a fine rose slightly tinged with	
	lilac, largely blazed with bright carmine; centre well lighted; very fine plant .	1.75
Cornelie.	Handsome spike of large light-cherry-colored flowers; centre very transparent,	
	bright-cherry-colored, darkening towards the border	1 75
Fenelon.	I'all plant, with long and large spikes of large well-opened flowers of a tender	
	rose tinged with violet and blazed with bright carmine; very fine, vigorous vari-	
H 372	ety . igorous plant; very long spikes of very large, perfect flowers, of a light amaranth,	2.50
nomer. V	gorous plant; very long spikes of very large, periet nowers, of a light amaranth,	
Janny Lind	blazed with very bright purple; magnificent plant (perfection) Fine long spike of handsome flowers of a tender rose, blazed with bright car-	4 00
Jenny Linu.	minate-cherry color; centre transparent; charming variety.	
Mme. Desn	ortes Very vigorous plant; very large and wide spike; flowers very large, well-	2.00
miner beap	opened, of a very pure white; the inferior divisions slightly striped with violet;	
	splendid variety	4.00
Mme. Dom!	splendid variety brain Small, vigorous plant; very long spike of large, perfect, well-inserted	4.00
	flowers of a carminate violet, blazed with bright purple; well-lighted in the cen-	
	and a stranger of the stranger	3.50
Mary Stuars	t. Very vigorous plant; very long spike of large, well-opened, and well-inserted	3.5-
	flowers, white, very slightly tinged with rose, and blazed with very bright, car-	
	minate, cherry color; first-rate variety (perfection)	4.00
Michel-Ang	e. Vigorous; long spike of large well-opened flowers; dark crimson, slightly	
	blazed with brownish purple on the superior divisions; centre well lighted; white	
	stains; first-rate variety, as well for its peculiar color, as for the elegant inser-	
	tion of the flowers on the spike, which makes them resemble Lilies	8.00
Mr. Legouv	e. Vigorous plant; very long and wide spike; flowers very large, perfect, very	
	bright fire-red; the superior divisions divided by a white line; on the inferior	
	divisions a pure white stain; plant of a grand effect	4.00
	740	

Picciola. Very handsome, vigorous plant; fine spike; flowers of a fine rose, glazed and											
blazed with very bright carminate re	ose; centre well lighted; stains very large,										
Racine, Very fine, tall plant; very long spike of	cherry-colored flowers, tinged with violet:										
centre white, well-lighted, striped wi	cherry-colored flowers, tinged with violet; th pure white.										
Romulus. Long spike of pretty large flowers, ve stain; large white lines on the inferior	ery brilliant brownish red; large pure white or divisions; very showy variety 1.50										
Thomas Metawen. Flowers large, well-shaped,	violet tinged with rose; centre very well-										
fine variety	the divisions carminate dark violet; very										
Van Dyck. Amaranth-red, striped with white;	very fine shade; vigorous, medium-sized										
plant	1.00										
GENERAL COLLECTION.											
Anais. Middle-sized flower; good shape,	Comtesse de Bresson. Deep blush-										
white, slightly tinged with lilac; very	pink in centre, shaded with crimson;										
large sulphur-white stains, broadly striped with lilac-carmine; very striking	outside petals veined with white; two lower petals striped with purple										
plant (dwarf) \$1.75	Couranti Fulgens. Bright-crimson: fine20										
Apollon. Large flower of a perfect shape;	De Candolle. Cherry, flamed with scarlet,										
rosy-lilac, with a large stain of light- rose, finely striped with white in the	and blotched with violet										
centre 1.00	flamed with carmine, and blotched with										
Alexander. Flower large, well shaped, very fine bright red	Dap ine. Light-cherry, with darker										
Amabilis. Bright vermilion, stained with	stripes, and stained with bright-carmine .30										
Adonis. Light-cherry, yellow throat,	Uiana. Light-salmon, variegated with										
Adonis. Light-cherry, yellow throat, with light-yellow spots	rose, and blotched with light-carmine, on white ground.										
Aglae. Rose-colored salmon, beautifully	Duc de Malakoff. Orange-red, on yel-										
Aristote. Light-rose, with purplish	lowish-white ground; fine 80 Danæ. Delicate straw-color, with violet										
crimson stripes											
Achitle. Bright-red, striped with white75 Archimede. Large, rich, flamed salmon-	Doctor Andry. Very bright orange; fine25 Don Juan. Vivid blush-pink; petals beautifully mottled with deep crimson,										
red, opening carmine	beautifully mottled with deep crimson,										
Belle Gabrielle. Very fine lilac-rose, slightly marked with bright-rose; per-	and veined with pure white										
fect form; large flowers 1.00	violet; lower striped with white 1.00										
Berenice. Beautiful rose, striped with	Edith. Large flower; carnation-rose,										
red, with purple-carmine colored-spots30 Bertha Habourdin. Pure white, with	Egerie. Orange-rose; petals slightly										
beautiful large carmine stain	marked with carmine										
Brenchleyensis. Deep scarlet; fine20 Bernard de Jussieu. Flower large, wide,	Emma. Clear carmine; dwarf										
perfect ground violet, shaded and tinted	white, and spotted scarlet and white . 2.00										
with cherry-color and purple; stains purple on white ground; new and al-	Endymion. Rose; beautiful										
most indescribable color 3.50	and carmine blotches										
Brilliant. Large flower, good shape:	Eldorado. Fine clear yellow, striped with										
purple-red, very fine color . 1.50 Charubini. Large flower, perfect shape;	Eugene Scribe. Flower very large and										
white ground, largely blazed with car-	Euqene Scribe. Flower very large and wide, perfect, tender-rose, blazed with										
minate-violet	carminate-red										
Calypso. Rose-striped, blotched with	perfect, white, slightly blazed with lilac										
Canari. Light-yellow, striped with rose	or bluish-violet, spike very long 3.00 Emilie White, blazed with rose, with a										
Ceres. Pure white, blotched with pur-	dark-brown stain 2.00										
plish-rose; large flower	Flavia. Very bright red, a color little darker than Napoleon III.										
with chamois; blazed and striped with	Fuiton Vermilion. Velvet; very bright,										
carmine . 1.00 Charles Michel. Bright-vermilion, spot-	spotted with purple; magnificent . 1.25										
ted with purplish-violet	Fanny Rouget. Rosy-flesh color, striped with rosy carmine										
Chitaaubriand. Clear cherry; a mag-	Florian. Cherry-rose, with large violet										
Clamance. Satin-like rose, with large	spots, the centre petals lined with white .35 Fulgens. Deep rich fiery scarlet25										
bright-carmine stains; very large flower35	Galathee. White, beautifully spotted										
Comts de Mornv. Dark cherry-red, blotched with white, and striped with	with carmine										
purple	with carmine; large flower										

Rohe. Very tender leak-color, beautifully striped with color striped with violet spotted and striped with violet spotted and striped with violet striped and blazed with like; very mice dusry plant ine; slightly suffissed with rose, violet in the centre spike, pure white, white stains with rose violet stains spike, pure white, will large, very dark cammane-violet stains and with purple with rose striped and stained with purple with rose striped and stained with purple with rose and very prime plant. La Fiancee. Flower large, rose, blazed with camine; lower divisions light yellow such and very pure white, small, bluish-violet stains. La Fiancee. Flower large, perfect, cerry-colored red, slightly tinted with roange Lord Graville. Strawcolor, stained with deep yellow, and striped with red a Quintinis. Beautiful light-orange Lady Franklin. Large flower, good shape, striated with carmine; lower divisions light very long and wery largely blazed with carmine; lower divisions light very long of the dealth of the colored red, slightly tinted with roange Lord Graville. Straw color, stained with deep yellow, and striped with red La Quintinis. Beautiful light-orange Lady Franklin. Large flower, good shape, striated with carmine; very large flower, white centre with white lines and wery large flower, white centre with shaded with manter, blotched with white white white conditions and striped with violet language to the color of the color				
Robe. Very kender flesh-color, beautifully striped with fiel lake Helnen. White, slightly tinged with hilac, spotted and striped with rose striped of the centre. White slightly tinged with hilac is very nice dwary plant Imperatrice. White, slightly suffused with pink, spotted with bright-carmine imperatrice. White, slightly suffused with prink, spotted with bright-carmine imperatrice. White, slightly suffused with rose; tviolet in the centre. You have been done in the centre of cache per seven white in the control of the co		PRICE.		RICE.
Hey white a sightly winged with lilac, apotted and striped with violet Hector. Delicate rose, sometimes striped Henrietta. Large, well-shaped flower, white-tinted and blazed with bright-tarmine. Imperatrice & Large ine. White, slightly suffused with pink, spotted with bright-tarmine to limperatrice. Eugenie. White, slightly suffused with pink, spotted with bargine volet sabella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate-violet stains. He with rose; striped and stained with purple year of the carmine with the spike, pure white, with pure white; very shown plant. La Favorite. Flower large, perfect, cherry-colored drawn by plant with dearnine; lower divisions light yellow. As a proposed with carmine; lower divisions light yellow. Light-red, white ground, with deep yellow, and striped with red La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, with darminet-rose (drawn?). Louis Van Hauthe. Brilliant red, white ground, very large white blotch on lower petals and with very large white blotch on lower petals. Andame Gudlere. Bright-carmine, shaded with carmine, and very large with farmers on the throat shaded with deprose, and striped with carmine and white, with large marbled with rores as the throat shaded with degrees and winds and with red carmine and with carmine and white carmine and white with carmine and white stripes and violet spots. Madame Periers. Pure white, lionce and with rose of large and wild-epoped flower, with armant, and striped with carmine and white stripes and violet spots. Madame Wilmorit. (Conclet.) Fight-move, and striped with carmine and white stripes and a with rores. White, slightly streaked with rose, very large and wild-epoped flower, large purple stains, white centre of each petals. Rose, flame with deproved and with rose and the throat shaded with degree and violet spots. Madame Periers. Pure white, lionce and the control of the propose and striped with carmine and white stripes and violet spots. Madame Periers. Pure wh	Greuze. Cherry-red, blazed with purple;	0-		.30
Hey white a sightly winged with lilac, apotted and striped with violet Hector. Delicate rose, sometimes striped Henrietta. Large, well-shaped flower, white-tinted and blazed with bright-tarmine. Imperatrice & Large ine. White, slightly suffused with pink, spotted with bright-tarmine to limperatrice. Eugenie. White, slightly suffused with pink, spotted with bargine volet sabella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate-violet stains. He with rose; striped and stained with purple year of the carmine with the spike, pure white, with pure white; very shown plant. La Favorite. Flower large, perfect, cherry-colored drawn by plant with dearnine; lower divisions light yellow. As a proposed with carmine; lower divisions light yellow. Light-red, white ground, with deep yellow, and striped with red La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, with darminet-rose (drawn?). Louis Van Hauthe. Brilliant red, white ground, very large white blotch on lower petals and with very large white blotch on lower petals. Andame Gudlere. Bright-carmine, shaded with carmine, and very large with farmers on the throat shaded with deprose, and striped with carmine and white, with large marbled with rores as the throat shaded with degrees and winds and with red carmine and with carmine and white carmine and white with carmine and white stripes and violet spots. Madame Periers. Pure white, lionce and with rose of large and wild-epoped flower, with armant, and striped with carmine and white stripes and violet spots. Madame Wilmorit. (Conclet.) Fight-move, and striped with carmine and white stripes and a with rores. White, slightly streaked with rose, very large and wild-epoped flower, large purple stains, white centre of each petals. Rose, flame with deproved and with rose and the throat shaded with degree and violet spots. Madame Periers. Pure white, lionce and the control of the propose and striped with carmine and white stripes and violet spots. Madame Periers. Pure wh	growing very strong; very fine	.80		
Helene. White, slightly tinged with illac, spotted and striped with violet henrietta. Large, well-shaped flower, white-tinted and blazed with like; very white-tinted and blazed with blaze; very imperatrice. White, slightly suffised with pink, spotted with bright-carmine may be soline. Blash, spotted with tarmine violet stains. Spike, pure white, white same violet stains apike, pure white, will arge, very dark carminate-violet stains. A spike, spike spike, spike stains with rose; striped and stained with purple of spots of an every showy spike, light-red and ribboned with pure white; very showy plant. Le Titlen. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant with carmine; lower divisions light yellow. Laft francee. Flower large, perfect, cherry-colored red, sightly tinted with orange. Lady Franklin. Large flower, spots shape with white armine and white carmine, and very largel blazed with carmine, and very large white blotch on lower petals, white stained with fine rose in the throat shaded with fine sea from the lower petals. Madame Basswille. Large cherry-colored flower, with purple stains, white centre white, blotched with prose in the short of each pet with rose in the throat shaded with carmine and white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white stripes and violet spots. Madame Paillett. Cimamon, with white s	ly strined with fine lake	.25		•75
Hortor. Delicate rose, sometimes striped Monrielta. Large, well-shaped flower, with teinted and blazed with like, slightly suffused with properties. Eugenie. White, slightly suffused with rose striped and stained with purples and striped with rose. Stower large, perfect, cherry-colored red, with volet. Large flower, perfect, cherry-colored red, with volet. Large flower, perfect, cherry-colored red, with volet. Large flower, perfect, cherry-colored red, with volet. Large flower is perfect, cherry-colored red, with volet. Large flower, perfect, cherry-colored red, with carmine: lower divisions light yellow. Large flower is more perfect, perry showy plant. La Favorite. Flower large, perfect, cherry-colored red, slightly tinged with rose, flower large, perfect, cherry-colored red, slightly tinged with rose, flower large, perfect, cherry-colored red, slightly tinged with rose, flower large, light lilac-rose, some perfect form the perfect form of the pe	Helene. White, slightly tinged with lilac.	•33	with vermilion, and biotched with ama-	
Herofer Large, well-shaped flower, white-tinted and blazed with hikaci very nice duary plant in sightly suffised more article. Large well-shaped flower, white-tinted and blazed with birthic-armine imperatrice Eugenie. White, flamed with rose, violet in the centre spike, pure white, will large, very dark carminate-violet stains. Herofer with rose, violet in the centre spike, pure white, will large, very dark carminate-violet stains. Herofer and strined with pure white, will large, very dark carminate-violet stains. Herofer and ribboned with pure white; very showy plant. Le Titlen. Large flower, very fine plant. La Favorite. Flower large, rose, bladed with will carmine; lower divisions light yell-a flower divisions. Herofer dark with carmine; lower divisions light yell-a flower divisions light yell-a flower divisions. Lagitated with carmine, and very large flower with depression of the control of the read o	spotted and striped with violet	•35	ranth. Superb	2.00
mice dwarf plant with pink, spotted with bright-carmine with pink, spotted with bright-carmine with pink, spotted with bright-carmine with rose, violet in the centre with pink, spotted with bright-carmine with rose, violet in the centre with soline. Blush, spotted with carmina with carminate violet stains. Jean d'Arc. White, wery slightly tinged with rose is striped and stained with purple white; very showy plant. Large cherry colored red, slightly tinted with rose in a very showy spike, light-red and very brilliant; very fine plant. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine yellow, and striped with rose with dearnine. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose finely striated with carmine are one with carmine and with carmine and with carmine and very large flower, and perfect form. Adame Bassaville. Large cherry-colored fred, slightly tinted with orange blazed with carmine trose (davar) locally large flower, and perfect form. La Guintinie. Beautiful light-orange lady franklin. Large flower, sord shape, white slightly tinged with rose finely striated with carmine are one with carmine and white, with large purple blotches on a yellowish-white ground, very large with eight of the with carmine and white, with large purple stains, white centre with carmine and white, striped in the centre with orange and wiled perfect, tenery large flower, and perfect form. La Guintinie. Beautiful light-orange land with carmine and whith the with carmine and whith the with carmine and whith carmine and whith the stripes and violet spots. Madame Periney. Perfect, white ground and the carmine and whith, striped in the centre with the carmine and whith striped with with every large flower, and perfect form. La Guintinie leautiful light-orange land with orange land with ground land with deep land land land land land land land land	Hector. Delicate rose, sometimes striped	.20	Mazeppa. Orange-rose, blotched with	
mice dwarf plant with pink, spotted with bright-carmine with pink, spotted with bright-carmine with pink, spotted with bright-carmine with rose, violet in the centre with pink, spotted with bright-carmine with rose, violet in the centre with soline. Blush, spotted with carmina with carminate violet stains. Jean d'Arc. White, wery slightly tinged with rose is striped and stained with purple white; very showy plant. Large cherry colored red, slightly tinted with rose in a very showy spike, light-red and very brilliant; very fine plant. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine yellow, and striped with rose with dearnine. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose finely striated with carmine are one with carmine and with carmine and with carmine and very large flower, and perfect form. Adame Bassaville. Large cherry-colored fred, slightly tinted with orange blazed with carmine trose (davar) locally large flower, and perfect form. La Guintinie. Beautiful light-orange lady franklin. Large flower, sord shape, white slightly tinged with rose finely striated with carmine are one with carmine and white, with large purple blotches on a yellowish-white ground, very large with eight of the with carmine and white, with large purple stains, white centre with carmine and white, striped in the centre with orange and wiled perfect, tenery large flower, and perfect form. La Guintinie. Beautiful light-orange land with carmine and whith the with carmine and whith the with carmine and whith carmine and whith the stripes and violet spots. Madame Periney. Perfect, white ground and the carmine and whith, striped in the centre with the carmine and whith striped with with every large flower, and perfect form. La Guintinie leautiful light-orange land with orange land with ground land with deep land land land land land land land land	Henrietta. Large, well-shaped flower,		yellow and striped with red	.30
Imperatrice. White, slightly suffused with pright carmine to Eugenie. White, flamed with rose, violet in the centre. Isoline. Blush, spotted with carmine violet Isabella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate violet stains. Jean d'Arc. White, very slightly tinged with rose is striped and stained with pure white; very shown plant. Le Titlen. Large flower; perfect shape; disposed in a very showy spike, light-red and verblomed with upre white; very showy plant. La Fiancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, derry-colored red, slightly tinted with orese, with existing the very large, and wide, perfect, chrery-colored red, with rose loss of light rose, slightly stained with rose with very showy spike, spired with with the stripes and violet spots. And ame Basseville. Large cherry-colored flower, with purple blotched with rose. In the thorat shaded with damaranth, and striped with white. Madame Goudere. Bright-carmine, shaded with fine rose in the throat shaded with deep-rose, and striped with white stripes and violet spots. Madame Periner, Verlowsh white, stained with carmine to were with violet, stained with violet and carmine very large flower, and perfect form. John Madame Vallet Straw-color, stained with violet and carmine very large flower, and perfect down, with white lines and perfect down, spike spiral with violet stains; very fine very slead with violet and carmine very large and wide, perfect, derry violet stained. The very slage and wide, perfect, derry vishous light very large, and wide, perfect,	white-tinted and blazed with lidac; very		Mons. Diouet. Tender-rose, shaded with	
with pink, spotted with bright-carmine of Imperatrice Eugenie. White, flamed with rose, violet in the centre. White, so what has been been been been been been been bee	nice dwarf plant	1.00	carmine; large nower	.20
Imperatrice Eugenie. White, flamed with rost voited in the centre. Isoline. Blush, spotted with carmine violet slasbella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate violet stains. Jean d'Arc. White, very slightly tinged with rose is striped and stained with purple of Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant. Le Titien. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant. La Fancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. Leonora. Flower large, perfect, therry-colored red, slightly tinted with orange. Lord Grant-life. Straw-color, stained with deep very leony and the carmine with carmine and very largely blazed with carminet lower divined with violet. Le Poussin. Light-red, white ground, very large white blotch on lower petals with violet. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Madame de Vatry. Yellowish-white, with large mapting to a divide peried, with violet, very large and wide, perfect, derived and red with order large, lower large, lept with violet, developed and very large flower, with white limes and violet spots. Madame Basseville. Large cherry-colored flower, with purple blotched with rose. In the thorat shaded with deep rose, and striped with carminet every large flower, with purple blotched with rose. In the thorat shaded with deep rose, and striped with carmine with carmine deach petal with deep rose, and striped with white carmine with carmine deach petal with violet, striped in the centre of the proper large, perfect, very large and wide, perfect, derry large, and wide, perfect, the with violet, and perfect derive large, perfect, very large and wide, perfect, terd wi		20	colored tint	
soline. Blush, spotted with carmine violet Isabella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate-violet stains. Jean d'Arc. White, very sightly tinged with rose is striped and stained with pure ple. Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant. La Favorite. Flower large, perfect, shape: dischard in a very showy spike, light reed and very brilliant; very fine plant. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety. La Ouintime. Beautiful light-orage clord granvile. Straw-color, stained with deep yellow, and striped with rose. Indeed with deep yellow, and striped with rose that carmine, and very largely blazed with carmine. Beautiful light-orage clord granvile. Straw-color, stained with carmine and very largely blazed with carmine and very largely blazed with carmine and very largely strated with carmine, and very largely strated with carmine and very largely strated with carmine and very largely strated with carmine and very large stray of the strated with carmine and very largely stray of the stray of		.20		.20
Isoline. Blush, spotted with carmine violet Isabella. Middle-sized flower, very fine spike, pure white, with large, very dark carminate-violet stains. Jean d'Arc. White, very slightly tinged with rose; striped and stained with purple with violet and ribboned with pure white; very showy plant. Le Titten. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant. La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, cherry-colored red, slightly tunted with roage. Low Lord Granville. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange. Lady Franklin. Large flower, soid shape, white slightly tinged with rose, finely straited with carmine; ower divisions light yellow shriet with violet. Le Poussin. Light-red, white ground, very large white blotch on lower petals. Laila. Peach-pink, stained with liac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with carmine and with garning to a dull white, with large marbled veins of lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with rose. Madame Basseville. Large flower, striped mith carmine, striped in the control of the properties of th	with rose, violet in the centre	1.50	perfect, cherry-colored red, with very	
Isabella Middle-sized flower, very fine spike, pure white, with large, very dark carminate-violet stains Jean d'Arc. White, very slightly tinged with rose; striped and stained with purple Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant Lord Byron. Very brilliant scarlet, stained with carmine; provided with rose, larged flower; perfect shaped in a very showy spike, light-red with carmine; lower divisions light yellow. La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, cherry-colored red, slightly tinted with orange. Lord Granvile. Straw-color, stained with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with red. La Quintine. Beautiful light-orange with deep yellow, and striped with carmine and villed with orange. Lord with violet La Quintine. Beautiful sight-orange with deep yellow, and striped with every large light lilac-rose, spike yellow, spike, laghtly sightly blazed with very large light lilac-rose, spike yellow, spike, laghtly sightly sig	Isoline. Blush, spotted with carmine violet	.30	large, pure-white stains	2.00
spike, pure white, with large, very dark carminate-voilet stains with rose; striped and stained with purple with rose; striped and stained with purple of the stains is striped and stained with purple of the stains. Years of the stains is very flage white stripes and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with carmine is lower divisions light yellow and striped with rose with striped in the carmine and very pure white, small, bluish-violet stains; yever fine yellow, and striped with rose, finely striated with carmine, and very largely blazed with carmine and very largely blazed with carmine and very largely blazed with very largel white blotch on lower petals. Large cherry-colored froet, with purple blotched with violet lee Poussin. Light-red, white ground, very large white blotch on lower petals. Salia. Peach-pink, stained with liac. Madame Basseville. Large cherry-colored froety, with purple blotches on a yellowish-white ground, striped with carmine and very large flower, shaded with carmine and very large flower, with purple blotches on a yellowish-white ground, striped with carmine and white, striped in the centre of each petal. Madame Basseville. Cinnamon, with white turples and violet spots. Madame Bourdin. Rose, flamed with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Bright-rose, with white throat shaded with deep-rose, and striped in the centre of each petal. Madame Vilmorin. (Souchet.) Bright-rose, with white throat shaded with deep-rose, and striped in the tramine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Bright-rose, with white throat shaded with carmine and white, striped in the centre of each petal. Madame Vilmorin.	Isabella. Middle-sized flower, very fine		Mozart. Flower large, very wide, spike	
Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant Le Titien. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety Leonora. Flower large, perfect, cherry-colored red, slightly tinted with orange with deep yellow, and striped with red. La Quintinie. Beautiful light-orange clady Franklin. Large flower, good shape, white slightly tinged with rose, light-red, white ground, very large white blotch on lower petals. Laila. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madams de Vatry. Yellowish-white, stained with more. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pomage. Rose, spotted with amaranth, and striped with the rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pereire. Pure white, long carmine, shaded with fine rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Vimorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Patillett. Cinnamon, with white trypes and violet spots Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with white, carmine, shaded with white, carmine, shaded with white, centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with rose. Madame Purtado. Rose, changing to pink, flamed with	spike, pure white, with large, very dark		spreading bright rose slightly tinted	
Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant Le Titien. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety Leonora. Flower large, perfect, cherry-colored red, slightly tinted with orange with deep yellow, and striped with red. La Quintinie. Beautiful light-orange clady Franklin. Large flower, good shape, white slightly tinged with rose, light-red, white ground, very large white blotch on lower petals. Laila. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madams de Vatry. Yellowish-white, stained with more. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pomage. Rose, spotted with amaranth, and striped with the rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pereire. Pure white, long carmine, shaded with fine rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Vimorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Patillett. Cinnamon, with white trypes and violet spots Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with white, carmine, shaded with white, carmine, shaded with white, centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with rose. Madame Purtado. Rose, changing to pink, flamed with	carminate-violet stains	1.50	with violet, very largely blazed with very	
Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant Le Titien. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety Leonora. Flower large, perfect, cherry-colored red, slightly tinted with orange with deep yellow, and striped with red. La Quintinie. Beautiful light-orange clady Franklin. Large flower, good shape, white slightly tinged with rose, light-red, white ground, very large white blotch on lower petals. Laila. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madams de Vatry. Yellowish-white, stained with more. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pomage. Rose, spotted with amaranth, and striped with the rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Pereire. Pure white, long carmine, shaded with fine rose in the throat. Madame Herinca, Yellow white, changing to a dull white, with large marbled with rose. Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Vimorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Patillett. Cinnamon, with white trypes and violet spots Madame Purtado. Rose, changing to pink, flamed with carmine and white, striped in the centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with frose. Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with white, carmine, shaded with white, carmine, shaded with white, centre of each petal Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with rose. Madame Purtado. Rose, changing to pink, flamed with	Jean d'Arc. White, very slightly tinged		dark carmine; very large, pure-white	
Lord Byron. Very brilliant scarlet, stained and ribboned with pure white; very showy plant Le Titten. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety La Fiancee. Flower large, perfect, cherry-colored red, slightly inted with orange. Lord Granville. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely blazed with carmine, and very largely blazed with carmine and white, stained with lilac. Louis Van H butte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Ladia. Peach-pink, stained with lilac. Ladia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a sight orange-inted ground grant and very large light carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled with rose. Madame Poreire. Pure white, long carminate-rose striped on the lower petals with carmine and white, striped with with the control of lilac. Madame Purtado. Rose, changing to pink, finamed with carmine and white, striped with with the carmine and white, striped with with carmine and white, striped with carmine and white, striped in the carmine and white, striped in		-	Mitan White slightly tinted with year	3.00
and ribboned with pure white; very showy plant Le Titten. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, rose, blazed with carmine; lower divisions light yellow. La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety Leonera. Flower large, perfect, cherry-colored red, slightly tinted with orange. Lord Granville. Straw-color, stained with deep yellow, and striped with road. La Quintinie. Beautiful light-orange with slightly tinged with rose, finely blazed with carmine, and very largely blazed with carmine and very large white blotch on lower petals. Laiga. Peach-pink, stained with liac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madame Coudere. Fright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbid veins of lilac. Madame Leable. Pure white, log carminate rose stripes on the lower petals. Madame Goudere. Bright-carmine stains on yellow ground and carmine stains on yellow ground sign pure white, yery slender, and very slightly blazed with very tender lilac. Soon with the yet yellow ground in proper wis lightly blazed with very tender lilac. Soon with the yet yellow ground in proper wis lightly blazed with very tender lilac. Soon with the yet yellow ground in proper wishing the yet yellow ground in proper wishing the yet yellow ground in proper wishing proper wishing the yellow ground in proper wishing the yellow ground in proper wishing the yellow ground in proper wishing the	Lord Rycon Very brilliant scarlet stained	.50	largely blazed with red - large forms	
showy plant Le Titten. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant La Favorite. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety La Fiancee. Flower large, perfect, cherry-colored red, slightly lunted with orange. Lo Lord Granville. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely strated with carmine, and very largely blazed with carmine and very large white blotch on lower petals. Lefla. Feach-pink, stained with lifac. Madame Basseville. Large cherry-colored flower, with purple blotches on a sight orange-inted ground very large white with carmine; very large flower, with purple blotches on a sight orange-inted ground policy with white throat shaded with fine rose in the throat whadame Herincq Yellow white, changing to a dull white, with large marbled with rose. Madame Domage. Rose, spotted with amaranth, and striped with with amaranth, and striped with with the rose and carmine spots and stripes. Madame Pereire. Pure white, long carminate-rose file of the properties, and the properties,			and perfect form.	2.00
Le Titien. Large flower; perfect shape; disposed in a very showy spike, light-red and very brilliant; very fine plant. La Favorite. Flower large, rose, blazed with carmine: lower divisions light yellow. La Fiancee. Flower large, perfect, cherry-colored red, slightly tinted with orange. Lord Granv. He. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange and yery long of the public with early larged with deep yellow, and striped with rose, finely strated with carmine, and very largely blazed with carmine, and very largely blazed with carmine, and very largely blazed with carminate-rose (dwarf). Louis Van Houtle. Brilliant red, blotched with-violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Yellowish-white, stained with fine rose in the throat. Madame Binder. Pure white, long carminate-rose stripes on the lower petals. Madame Coudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Purlated. Rose, changing to a dull white, with large marbled veins of lilac. Madame Purlated. Rose, changing to a dull white, with large marbled veins of lilac. Madame Purlate. Citinate of the purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with stripes on the lower petals is a darker shade; spots of a violet-carmine on a sight orange-timed ground. Song the proposed with fine rose in the throat. Madame Purlate. Climamon, with white throat shaded with amarantl, and striped with white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose (Light Purlate and willopened flower, upperfect, every large of the petal with carmine and white, striped in the centre of each petal. Madame Vilmorin.		1.50		2.50
disposed in a very showy spike, light-red and very brilliant; very fine plant. La Favorite. Flower large, pose, blazed with carmine; lower divisions light yellow. La Fiancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety very fine variety. Le Norma. Middle-sized flower, spike spread ling, pure white, very slender, and very largely colored red, slightly tinted with orange very fine variety line with deep yellow, and striped with red. La Quintinie. Beautiful light-orange lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely slazed with carminate-rose (dauxf). Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac Madame Purtado. Rose, changing to pink, flamed with carmine manding to a dull white, with large marbled veins of lilac Madame Paillett. Cimamon, with white stripes and violet spots Madame Perier. Pure white, large purple stains, white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white throat shaded with deep-purple stains, white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white throat shaded with deep-purple stains, white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white throat shaded with deep-purple stains, white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white throat shaded with deep-purple stains, white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white centre of each petal Madame Vimorin. (Souchet.) Bright-rose, with white throat shaded with explained wit	Le Titien. Large flower; perfect shape;	.,,,	with white	.40
and very brilliant; very fine plant. La Favorite. Flower large, pose, blazed with carmine; lower divisions light yellow. La Fiancee. Flower large, perfect, very pure white, small, buish-violet stains; very fine variety. Leonora. Flower large, perfect, cherry-colored red, slightly tinted with orange with deep yellow, and striped with red with deep yellow, and striped with red. La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carmine and every large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white with lange marbled veins of lilac. Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Poreire. Pure white, loisend with rose. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Wilmorin. (Souchet.) Brightrose, tinged with violet and carmine and white, striped in the centre of each petal with carmine and white, striped in the centre of each petal with carmine and white stripes on the lower petals stains. Will be striped with carmine and white stripes and violet spots. Madame Poreire. Pure white, large purple stains, white centre of each petal with carmine and white stripes in the centre of each petal with carmine and whi	disposed in a very showy spike, light-red		Neptune. Beautiful red, with carmine	
La Fiancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety perfect, very pure white, small, bluish-violet stains; very fine variety perfect, very pure white, small, bluish-violet stains; very fine variety perfect, cherry-colored red, slightly tinted with orange with deep yellow, and striped with red. La Quintinie. Beautiful light-orange lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminet-rose (avasr). Leight-red, white ground, evry large white blotched with violet with wite with ground, striped with well and an an advery large flower, with ground, striped with white. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white white stained with carmine; very large flower, Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white with increase in the throat. Madame Herinca Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Pornage, perfect, very large flower, spike spreading, pure white, very slenger ling, and with very tender lilac. 3.00 Noemi. Flower large, perfect, very slightly blazed with very tender lilac. 3.00 Noemi. Flower large, perfect with very slightly blazed with very showy. 2.00 Dacar Flower large, perfect, very slightly blazed with carmine and very large flower, white slightly tinged with purple stains, white. 2.50 Madame Basseville. Large cherry-colored flower, with stripes on the lower petals. 3.50 Madame Pornage white long care and well-opened flower, with stripes on the lower petals. 3.50 Madame Pornage with belotched with with termine and striped with white. 3.50 Madame Pornage with elance of a darker shade; spots of a violet-carmine on a slight orange-tinted ground. 3.50 Penelops. White, slightly tinged with very large light carmine tains and carminate striped with carmine and vinte, slightly tinged with very larg	and very brilliant; very fine plant.	1.75	spots and stripes	.25
La Fiancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety very fine very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, well shaped, very brill nt, bright cherry-color, stains white very large flower, spike spreading of spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac very brill nt, bright cherry-color, stains white very large white very large white heavy large light variety large. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, well shaped, very oppose of the learn very large white very large spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, well shaped, very light cherry-color, stains white, and with violet and search purity lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, light lilac. Spike very long of sear. Flower large, well shaped with remained with violet and sale with violet an	La Favorite. Flower large, rose, blazed		Nemesis. Vivid-rose, with white lines	
La Fiancee. Flower large, perfect, very pure white, small, bluish-violet stains; very fine variety Leonora. Flower large, perfect, cherry-colored red, slightly tinted with rorange. Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminate-rose (dwarf) Louis Van Houte. Brilliant red, blotched with violet and striped with white very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white white with carmine in the throat. Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Coudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white. Madame Parliett. Cinnamon, with white stripes and violet spots. Madame Parliett. Cinnamon, with white stripes and violet spots. Madame Parliett. Cinnamon, with white stripes and violet spots. Madame Parliett. Cinnamon, with white stripes and violet spots. Madame Parliett. Cinnamon, with white stripes and violet spots. Madame Preire. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with carmine and white stripes on white, slightly streaked with rose, violetish-purple blazed with carmine and white warria Dumortier. White, slightly streaked with rose, violetish-purple blazed with carmine, slightly blazed with carmine and white warria and white stripes on the lower petals. Madame Vilmoria. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white stripes and violet spots. And the provided with carmine and white stripes and violet spots. And the provided with carmine and white stripes and violet spots. And the provided with carmine and white stripes on the lower petals. S			Names Middle wined flavors and	-35
slightly blazed with very tender lilac. Leonora. Flower large, perfect, cherry-colored red, slightly tinted with orange. Lord Granville. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely straked with carminate-rose (dwarf) Leonora. Flower large, light lilac-rose, spike very long Oscar. Flower large, well shaped, very light lilac-rose, spike very long Oscar. Flower large, well shaped, very light lilac-rose, spike very long Oscar. Flower large, well shaped, very light lilac-rose, spike very long Oscar. Flower large, well shaped, very light lilac-rose, spike very long oscillation. Oscar flower liphing with stream of each petal shaded with lilac-rose, spike very long oscillation. Oscar flower liphing w		1.75		
Very fine variety Leonora. Flower large, perfect, cherry- colored red, slightly tinted with orange. Lord Granville. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange or Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carmine the cose (dwarf) Louis Van Houtte. Brilliant red, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madame Goudere. Bright-carmine, shaded with fine rose in the throat shadade with fine rose in the throat Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Paillett. Cinnamon, with white stripes and violet spots Madame Paillett. Cinnamon, with white stripes and violet spots Madame Paillett. Cinnamon, with white stripes and violet spots Madame Pereire. Pure white, large purple stains, white centre Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal Madame Vilmorin. (Souchet.) Bright- rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with fire rose, finely Spike very long Oscar. Flower large, well shaped, very brillnt, bright cherry-color, stains white, Spike very long Oscar. Flower large, well shaped, very brillnt, bright cherry-color, stains white, Color late of pink, red, with rose, finely Spike very long Oscar. Flower large, ellth vilte, darf, very showy. Oracle. Brilliant cherry-rose; fine. Ophin. Yellow, blotched with prink; lover pases with stripes of a darker shade; spots of a violet-carmine on a slight orange. Lælias. Bright cherry-color, stains white, storillnt, bright cherry-color, stains white, story late of the file. Osiris. Brilliant cherry-rose; fine. Ophin. Yellow, blotched with prink; lover pases of a violet-carmine on a slight or	pure white small bluish-violet stains:		slightly blazed with very tender lilac	2.00
Leonora. Flower large, perfect, cherry-colorored red, slightly tinted with orange. Lord Granv.ile. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange white slightly tinged with rose, finely striated with carmine, and very largely blazed with carmineate-rose (dwarf). Louis Van Houtte. Brilliantred, blotched with violet and very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white with farmine; very large flower, madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Preriere. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, skightly streaked with rose, violetish-purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, skightly streaked with rose, violetish-purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white white iteration and white striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, well shaped, ver	very fine variety	3.00	Noemi. Flower large, light lilac-rose,	3.00
colored red, slightly tinted with orange. Lord Granwille. Straw-color, stained with deep yellow, and striped with red. La Quintinie. Beautiful light-orange. Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminate-rose (dwarf) Louis Van Houtte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Madame Binder. Pure white, long carminate-rose stripes on the lower petals. Madame Binder. Pure white, iong carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled weins of lilac. Madame Parlett. Cinnamon, with white stripes and violet spots. Madame Parlett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Precipe. White, slightly straked with from rose, with white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with stripes of a darker shade; spots of a violet-carmine on a slight orange-time ground a slight orange-time ground a slight orange-time ground striped with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Precipe with carmine and white came and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with stripes of a darker shade; spots of a violet-carmine on a slight orange-time ground a striped with carmine striped with carmine stains. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal.	Leonora. Flower large, perfect, cherry-	3	spike very long	1.00
with deep yellow, and striped with red. La Quintimie. Beautiful light-orange. Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminate-rose (dwarf). Louis Van Houtte. Brilliantred, blotched with violet. Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Madame de Vatry. Yellowish-white, stained with carmine; very large flower, Madame Binder. Pure white, long carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Turtado. Rose, spotted with amaranth, and striped with white. Madame Furtado. Rose, changing to pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots.	colored red, slightly tinted with orange .	1.00	Oscar. Flower large, well shaped, very	
with deep yellow, and striped with red. La Quintimie. Beautiful light-orange. Lady Franklin. Large flower, good shape, white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminate-rose (dwarf). Louis Van Houtte. Brilliantred, blotched with violet. Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white. Madame de Vatry. Yellowish-white, stained with carmine; very large flower, Madame Binder. Pure white, long carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Turtado. Rose, spotted with amaranth, and striped with white. Madame Furtado. Rose, changing to pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots.	Lord Granville. Straw-color, stained		bril'nt, bright cherry-color, stains white,	2.50
Lady Franklin. Large dower, good shape, white slightly tinged with rose, finely striated with carminae, and very largely blazed with carminae rose (dviarf). Louis Van Houte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Prefere. Pure white, large purple stains, white centre of each petal. Madame Prefere. Pure white, large purple stains, white centre of each petal. Madame Profice. White, slightly streaked with rose, violeticarmine, so constitution on a slight orange-tinted ground. Peneloppe. White, slightly tinged with stripes of a darker shade; spots of a violet-carmine on a slight orange-tinted ground. Peneloppe. White, slightly tinged with stripes of a darker shade; spots of a violet-carmine on a slight orange-tinted ground. Peneloppe. White, slightly tinged with carmine and striped with carmine and striped with rose. So Carnation, flaked with rose; orange with very large and with earnine stains elevationally tinted with rose, very large with earnine stains elevationally tinted with rose, very large with carmine and white, with large marbled very large with violet and stained with white; very good variety. Rossini. Flower large, perfect, very long spike, dark amaranth-red, lined and stained with white; very good variety. Rossini. Flower large, perfect, very long spike, dark amaranth-red, lined and stained w	with deep yellow, and striped with red .		Osiris. Brilliant cherry-rose; fine	.30
white slightly tinged with rose, finely striated with carmine, and very largely blazed with carminate-rose (divarf) Louis Van Houtte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white Madame de Vatry. Vellowish-white, stained with carmine; very large flower, Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Pomage. Rose, spotted with amaranth, and striped with white Madame Paillett. Cinnamon, with white stripes and violet spots Madame Pereire. Pure white, large purple stains, white centre of each petal Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white white earne of each petal Madame Vilmorin. (Souchet.) Brightrose, with stripes of a darker shade; spots of a violet-carmine on a slight orange-tinted ground. Penelops. White, slightly tinged with pink; lower petals spellow tinted, and striped with trose, striped with tarmine. Pegasus. Carnation, flaked with rose; lower petals shaded with maron. Penelops. White, slightly tinged with the pink; lower petals spellow; lower petals shaded with maron. Penelops. White, slightly tinged with the pink; lower petals spellow; lower petals shaded with maron. Pegasus. Carnation, flaked with rose; lower petals shaded with maron. Pegasus. Carnation, flaked with rose; lower petals shaded with foarmine stains (extra). Princess Alice. Flower very large and white, charming shade; first-rate drowrf plant rose; very large white stains; new and charming shade; first-rate drowrf plant rose; very large and well-opened flower, unexceptionable shape and upright habit; white, with very l	La Quintinie. Beautiful light-orange .	.60		
blazed with carminate-rose (dwarf) Louis Van Houtte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white with extained with carmine; very large flower, stained with carmine; very large flower, Madame Binder. Pure white; long carminate-rose stripes on the lower petals and well-opened flower, unexceptionable shape and upright habit; white with vers of aliac Madame Coudere. Bright-carmine, shaded with fine rose in the throat weight of the veins of lilac Madame Lesseble. Pure white, blotched with rose. Madame Furtado. Rose, spotted with amaranth, and striped with white Madame Furtado. Rose, changing to pink, lower petals shaded with fine rose in the throat Madame Furtado. Rose, spotted with amaranth, and striped with white Madame Periere. Pure white, large purple stains, white centre of each petal Madame Pabluetti. Cinnamon, with white stripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Princes Ciotnide. Beautiful salmonrose; very large white stains; newand to with carmine and white stripes and violet spots Madame Princes Marie de Carmbridge. Very large and well-opened flower, unexceptionable shape and upright habit; white with very large lighty streaked with wine; Princess Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose; very large white stains; newand to dearning shade; first-rate druary plant rose; very large white stains; newand to dearning shade with wine; Madame Furtado. Rose, changing to good shape, dispos	Lady Franklin. Large flower, good shape,			
blazed with carminate-rose (dwarf) Louis Van Houtte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white with extained with carmine; very large flower, stained with carmine; very large flower, Madame Binder. Pure white; long carminate-rose stripes on the lower petals and well-opened flower, unexceptionable shape and upright habit; white with vers of aliac Madame Coudere. Bright-carmine, shaded with fine rose in the throat weight of the veins of lilac Madame Lesseble. Pure white, blotched with rose. Madame Furtado. Rose, spotted with amaranth, and striped with white Madame Furtado. Rose, changing to pink, lower petals shaded with fine rose in the throat Madame Furtado. Rose, spotted with amaranth, and striped with white Madame Periere. Pure white, large purple stains, white centre of each petal Madame Pabluetti. Cinnamon, with white stripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Pabluetti. Cinnamon, with white tripes and violet spots Madame Princes Ciotnide. Beautiful salmonrose; very large white stains; newand to with carmine and white stripes and violet spots Madame Princes Marie de Carmbridge. Very large and well-opened flower, unexceptionable shape and upright habit; white with very large lighty streaked with wine; Princess Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose; very large white stains; newand to dearning shade; first-rate druary plant rose; very large white stains; newand to dearning shade with wine; Madame Furtado. Rose, changing to good shape, dispos	ctriated with carmine and very largely			.50
Louis Van Houtte. Brilliantred, blotched with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white white Madame de Vatry. Yellowish-white, stained with carmine; very large flower, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white sharia Dumortier. White, slightly streaked with rose on a slight orange-tinted ground . so a slight orange-tinted ground . so but the white, lower petals yellow tinted, and striped with maron . so lower petals shaded with maron . so sharie of Cambridge. Very large and well-opened flower, unexceptionable shape and upirplic habit; white, with very large and with estains; new and charming shade; first-rate dwarp plant Princes Hoperia. Flower very large and with rose, very large white stains; new and charming shade; first-rate dwarp plant Princes Hoperia. Flower very large with continued with rose, very large white stains; new and charming shade; first-rate dwarp plant Princes Hoperia. So	blazed with carminate-rose (dayarf)	2.00	darker shade: spots of a violet-carmine	
with violet Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white white Madame de Vatry. Yellowish-white, stained with armine; very large flower, Madame Binder. Pure white, long carminate-rose stripes on the lower petals. Madame Coudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac Madame Perieg. Pure white, blotched with rose. Madame Purtado. Rose, spotted with amaranth, and striped with white armine and white carmine. Madame Paillett. Cinnamon, with white tripes and violet spots Madame Periere. Pure white, large purple stains, white centre of each petal Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal Madame Rabourdin. Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white with rose, vivil white throat shaded with deep-rose, and striped with carmine and white with rose with white throat shaded with deep-rose, and striped with carmine and white with rose with white throat shaded with deep-rose, and striped with carmine and white with rose with carmine and white with rose with white throat shaded with deep-rose, and striped with carmine and white with rose with carmine and white with rose with white throat shaded with deep-rose, and striped with carmine and white with rose with carmine with very large and well-opened flower, unexceptionable shape and upright habit; white, with very large light-carmine stains (extra). Princess Maics. Flower very large and wide, perfect, tender lilac, slightly tinted with rose, very large white stains; new and to with rose, very large white stains; new and wide, perfect, tender lilac, slightly tinted with rose, very large with very large and wide, perfect, tender lilac, slightly tinted with rose, with very large light-c	Louis Van Houtte. Brilliant red, blotched	2.00	on a slight orange-tinted ground	.30
Le Poussin. Light-red, white ground, very large white blotch on lower petals. Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white		.20	Penelope. White, slightly tinged with	
Lælia. Peach-pink, stained with lilac. Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white watry. Yellowish-white, stained with carmine; very large flower, Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Coudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Domage. Rose, spotted with amaranth, and striped with white with rose. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Preriere. Pure white, large purple stains, white centre of each petal. Madame Preriere. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose. Madame Precipt very large and wile-opened flower, unexceptionable shape and upright built; with vice and with rose, very large and wide, operfect, tender lilac, slightly tinted with rose, very large and wide, perfect, tender lilac, slightly tinted with rose, very large and wide, perfect, tender lilac, slightly tinted with rose, very large and wide, operfect, tender lilac, slightly tinted with rose, very large and wid	Le Poussin. Light-red, white ground,		pink; lower petals yellow tinted, and	
Madame Basseville. Large cherry-colored flower, with purple blotches on a yellowish-white ground, striped with white white with carmine; very large flower, Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Lesseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white tripness Untitude. Brilliam red; limit amaranth, and striped with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white waria Dumortier. White, slightly streaked with rose, violetish-purple	very large white blotch on lower petals .		striped with carmine	∙35
ored flower, with purple blotches on a yellowish-white ground, striped with white white white white with armine yery large flower, stained with carmine; very large flower, shadame Binder. Pure white; long carminate-rose stripes on the lower petals shaded with fine rose in the throat and white weins of lilac with fine rose in the throat shaded with fine rose in the throat shaded with rose. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac so whadame Leseble. Pure white, blotched with rose whadame Purtado. Rose, spotted with amaranth, and striped with white stripes and violet spots stripes and violet spots stripes and violet spots stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal stripes and wild stripes and violet sains, white centre of each petal stripes with white throat shaded with deep-rose, and striped with carmine and white stripes and violet sains, white centre of each petal striped in the centre of each petal striped with carmine and white with white throat shaded with deep-rose, and striped with carmine and white with stream and white with stripes and violet sains, white centre of each petal striped in the centre of each petal with white throat shaded with deep-rose, and striped with carmine and white with stripes and well-opened flower, unexceptionable shape and upright habit; white, with very large light-carmine stains (extra). 3.50 Princes Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose, very large white stains; new and charming shade; first-rate dwarf plant rose; very large white stains (have for with voie; very large with stains (extra). 5.75 Madame Perice, Yellow white, same dwarf line, stained with over large perfect, very long spike, dark amaranth-red, lined with carmine; very large with stained with wine; very good variety. 8.80 Reverend Berkeley. Large flowers, of a good shape, disposed in a large spike: light rose, tinged with violet and carminate striped on w	Madama Bassaville Large sharms and	.30	lower netals shaded with marcon	20
yellowish-white ground, striped with white	ored flower with purple blotches on a	1		
Madame de Vatry. Yellowish-white, stained with carmine; very large flower, minate-rose stripes on the lower petals			Princesse Marie de Cambridge. Verv	.20
madame Coudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Pornage. Rose, spotted with amaranth, and striped with white pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Precire. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep rose, and striped with carmine and white shriped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep rose, and striped with carmine and white, slightly streaked with rose, violetish-purple		.80	large and well-opened flower, unexcep-	
Madame Goudere. Bright-carmine, shaded with fine rose in the throat. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white tripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Preriere. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep rose, and striped with carmine and white shriped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep rose, and striped with carmine and white, slightly streaked with rose, violetish-purple	Madame de Vatry. Yellowish-white,		tionable shape and upright habit; white,	
Madame Binder. Pure white; long carminate-rose stripes on the lower petals. Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white to pink, flamed with carmine. Madame Purtado. Rose, changing to pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre of each petal. Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal. Madame Rinder. Pure white, large purple stains, white centre of each petal. Madame Wilmorin. (Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white stripes and wide, perfect, tender lilac, slightly tinted with rose, very large with estains; have and with carmine shade; first-rate dwarf plant princess Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose, very large with carmine shade; first-rate dwarf plant princes; very large with carmine. Princess Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose, very large with carmine shade; first-rate dwarf plant princes; very large with carmine. Princess Alice. Flower very large and wide, perfect, tender lilac, slightly tinted with rose, very large with carmine shade; first-rate dwarf plant princess Clotntide. Beautiful salmon rose; very large with carmine shade; first-rate dwarf plant with rose; very large with carmine shade; first-rate dwarf plant with rose; very large with carmine. Princess Alice. Flower lilac, slightly with rose, vightly straked with carmine, shade; first-rate dwarf plant with rose; very large with carmine shade; first-rate dwarf plant with rose; very large with carmine shade; first-rate dwarf plant with rose; very large with carmine shade; first-rate dwarf plant with rose; very large with carmine shade; first-rate dwarf plant with rose; v	stained with carmine; very large flower,	-75	with very large light-carmine stains	
minate-rose stripes on the lower petals . Madame Coudere. Bright-carmine, shaded with fine rose in the throat	Madame Binder. Pure white; long car-	-11	(extra)	3.50
shaded with fine rose in the throat		.75		
Madame Herincq Yellow white, changing to a dull white, with large marbled veins of lilac. Madame Lessele. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white to pink, flamed with carmine of particular stripes and violet spots. Madame Periere. Pure white, large purple stains, white centre of each petal. Madame Rabourdin. Rose, flamed with carmine and white, stripes and violet spots. Madame Periere. Pure white, large purple stains, white centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white whar is perported by the control of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white stripes with violet carmine; very large with violet carmine; very large on white ground. Reine Victoria Pure white, stained with violet carmine; very large with violet carmine; very large. Raphael. Deep and vermilion. Rembrandt. Very bright deep scarlet. Shakspeare. White, slightly streaked with carminate, or sy lightly blazed with carminate, or sy lightly streaked with rose, violetish-purple.	shaded with fine rose in the threat	20		
ging to a dull white, with large marbled veins of lilac. Madame Leseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white to pink, flamed with carmine Madame Furtado. Rose, changing to pink, flamed with carmine Madame Paillett. Cinnamon, with white stripes and violet spots Madame Pereire. Pure white, large purple stains, white centre of each petal Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deep-rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple		.20	charming shade: first-rate dwarf plant	4.00
veins of lilac Madame Leseble. Pure white, blotched with rose. Madame Domage. Rose, spotted with amaranth, and striped with white Domage. Rose, changing to pink, flamed with carmine Domage. Rose, spotted with Carmine Premices de Montrouge. Brilliant red; Madame Paillett. Cinnamon, with white stripes and violet spots Madame Pereire. Pure white, large purple stains, white centre Of acade petal Madame Vilmorin. (Souchet.) Bright- rose, with white throat shaded with deep- rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple Tose; very large Tose; very large Premices de Montrouge. Brilliant red; dwarf Rossini. Flower large, perfect, very long spike, dark amaranth-red, lined and stained with white; very good wariety. Reverend Berkeley. Large flowers, of a good shape, disposed in a large spike: light rose, tinged with violet and carminate striped on white ground Madame Pullett. Cinnamon, with white carmine and white, striped in the centre of each petal So Madame Precire. Pure white, large purple stains, white centre of each petal So Madame Large purfect, very long as joe. Rossini. Flower large, perfect, very long spike, dark amaranth-red, lined and stained with white; very good wariety. Reverend Berkeley. Large flowers, of a good shape, disposed in a large spike: light rose, tinged with violet and carminate striped on white ground So Replaced with carmine end with carmine in the carmine	ging to a dull white, with large marbled	1	Princess Clothilde. Beautiful salmon-	4.50
Madame Domage. Rose, spotted with amaranth, and striped with white to pink, flamed with carmine . 200 Madame Paillett. Cinnamon, with white stripes and violet spots	veins of lilac	.20	rose; very large	1.00
with rose. Madame Domage. Rose, spotted with amaranth, and striped with white. Madame Furtado. Rose, changing to pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre. Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple	Madame Leseble. Pure white, blotched		Prince Imperial. Blush-white, blotched	
maranth, and striped with white . 1.75 Madame Furtado. Rose, changing to pink, flamed with carmine . 2 00 Madame Paillett. Cinnamon, with white stripes and violet spots	with rose	.80	with carmine	.40
Madame Furtado. Rose, changing to pink, flamed with carmine. Madame Paillett. Cinnamon, with white stripes and violet spots. Madame Pereire. Pure white, large purple stains, white centre. Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal. Madame Vilmorin. (Souchet.) Brightrose, with white throat shaded with deeprose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple	Madame Domage. Rose, spotted with		Premices de Montrouge. Brilliant red ;	4
mink, flamed with carmine	amaranth, and striped with white	1.75		.30
Madame Paillett. Cinnamon, with white stripes and violet spots		2.00	snike dark amaranth-red lined and	
Madame Pereire. Pure white, large purple stains, white centre		2 00	stained with white: very good variety	3.50
Madame Pereire. Pure white, large purple stains, white centre		.40	Reverend Berkeley. Large flowers, of	3.30
madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal	Madame Pereire. Pure white, large	45	a good shape, disposed in a large spike:	
Madame Rabourdin. Rose, flamed with carmine and white, striped in the centre of each petal	purple stains, white centre	1.00	light rose, tinged with violet and car-	
carmine and white, striped in the centre of each petal	Madame Rabourdin. Rose, flamed with		minate striped on white ground	1.50
Madame Vilmorin. (Souchet.) Bright- rose, with white throat shaded with deep- rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple Baphael. Deep and vermilion		.0	Reine Victoria Pure white, stained	
rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple Streaked with rose, violetish-purple blazed with carminate, rose, large rosy	Madama Vilmonin (Cauchat) Prints	1.50	Ranhael Deen and vermilion	
rose, and striped with carmine and white Maria Dumortier. White, slightly streaked with rose, violetish-purple Streaked with rose, violetish-purple blazed with carminate, rose, large rosy	rose with white throat shaded with deep-		Rebecca. White, shaded with lilac	
Maria Dumortier. White, slightly streaked with rose, violetish-purple blazed with carminate, rose, large rosy		1.00	Rembrandt. Very bright deep scarlet	
streaked with rose, violetish-purple blazed with carminate, rose, large rosy	Maria Dumortier. White, slightly	2.00	Shakspeare. White, very slightly	.,,,
	streaked with rose, violetish-purple		blazed with carminate, rose, large rosy	
Claims on a constant of the co	stains on a streaked ground	.80		2.00

	RICE.	PRICE.
Sulphureus. Sulphur-yellow	.50	shape; red slightly tinged with light
Solfateree. Rich Jonquil-yellow; large	1.00	orange color, finely striated with car-
Stephenson. Large; fine form; superb		minate-red on white ground; very bril-
spikes, cherry-carmine, lined with white	1.00	lant color 2.00
	1.00	Triamphe d'Enghein Dich formed
Sir William Hooker. Very large and		Triomphe d'Enghein. Rich-flamed
well-opened flower; perfect shape, light-		crimson
cherry color, rose-carmine stain on pure		Velleda. Soft rose, blotched with lilac50
white ground; plant of a great effect .	2,00	Vesta. Pure white, with violet-carmine
Sterli. Flower large, well shaped;		spots on yellow ground
ground white, slightly tinted with yellow		Vulcain. Very rich velvety scarlet-pur-
and rose, and blazed with carminate-red.		
Thelie There I and Diazed with Carinnate-red.	2.50	ple, with violet shades in the centre50
Thalia. Flower large, perfect, white,		
blazed with white striated with carmine;		OTHER SORTS OF GLADIOLUS.
very fine, vigorous plant	1.00	OTHER COMTO OF GENEROLOG.
Thunberg. Flower very large, perfect,		Gandavensis (the original variety). Ver-
lightly orange-colored cherry-red; stains		million, shaded with yellow \$0.10
pure white, very large	- 0	Ramosus (original variety). Rose and
The Man Town	1.75	
Thos. Moore. Large flower, good shape;		white
very fine carminate-rose on white ground,		Pisittacinus. Yellow and brown
blazed and stained with light carmine .	3.00	Floribundas. White, with rosy stripe
Thos. Paxton. Large flower; perfect		along the centre of each petal
_ ingo monor, portour		

CHOICE MIXED VARIETIES.

We have a fine collection of mixed varieties, saved from seedlings, and others where the names have been lost, which we offer at \$2.00 per doz., by mail, postpaid. By the hundred, prices on ap-

Gladiolus Lyonii.

Cardinalis habit. Flowers large spreading petals of good form: color pure white, vividly flaked with bright scarlet; very free bloomer, and altogether a most exquisite variety. Spikes of bloom were exhibited at the Rose show at the Massachusetts Horticultural Society last June, attracting great attention; highly recommended for pot culture. Price \$1.50 each.

Tigridias.

A genus of Mexican bulbs, grows about one and a half feet high, producing flowers of the most exquisite beauty: the flowers large, about four inches across, of singularly curious shape, and the color of each variety gorgeous, and purely contrasted. No flower can exceed it in beauty. In bloom from July to the first of October. In autumn, take up the bulbs, and keep them in a dry place, away from frost, until the time of planting in the spring.

Conchiflora. Orange and golden-yellow, spotted with black. 12½ cents each; \$1.25 per doz. Pavonia. Richest scarlet, tinged and spotted with pure yellow. 12½ cents each; \$1.25 per doz.

Tigridias by mail, postpaid, at the above prices.

Double Tuberoses.

The Tuberose is one of the most delightfully fragrant and beautiful of summer-flowering bulbs, The Tuberose is one of the most delightfully fragrant and beautiful of summer-flowering bulbs, throwing up small spikes of double white flowers, two to three feet high, which remain in bloom a long period. The bulbs may be planted from February to May. When they are needed very early, they may be planted in the greenhouse or hot-bed in February or March; and, for a succession of flowers, in April and May In planting, remove the useless, small offsets around the main root, and place a single tuber in a pot four or five inches wide. Use good loam and leaf mould, with good drainage. Start them slowly, upon a temperate heat, in the hot-bed or forcing-pit, cr later in the season in a frame. Water slightly at first; and, when the bulbs begin to grow, increase the quantity. Those started early should be supplied with a good bottom heat till May, when they may be shifted into pots six or seven inches wide. By the first of June, all may be plunged out in a warm border, staking each plant to prevent their being broken by the wind. On the approach of cool weather, in September, those remaining in bloom should be removed to the conservatory or cool weather, in September, those remaining in bloom should be removed to the conservatory or parlor, where they will continue in flower for a long period.

Fine bulbs, \$1.50 to \$2.00 per dozen; bulbs started in pots in May, \$3.00 per dozen.

Vallota.

A splendid bulbous-rooted plant, allied to the Amaryllis. It blooms in August, throwing up its strong stems about one foot high, with from five to eight brilliant, scarlet, lily-like flowers; very ornamental for bedding out in summer, or cultivation in pots and vases.

Purpurea, each \$0.75.

Tritoma.

Splendid, half-hardy, evergreen, herbaceous plants, forming large, robust, stemless, leaf-crowns, from the centre of which their tall flower-stems, three to five feet in height, are produced in summer and autumn, with large, dense-flowered terminal racemes of rich pendent, orange-red and scarlet tubulous flowers; each raceme a foot or more in length.

They are admirably adapted for bedding out; and the numerous terminal, flame-colored blossoms form a stately distant or mediate effect. They thrive in any rich light garden-soil. On approach of winter, they should be taken up, and placed in the greenhouse or cellar for replanting out again in spring.

Uvaria	glaucescens		٠.			\$0.50	Uvaria	Rooperi					. 5	\$1.00	0
**	grandiflora					1,00	**	scrotina						.2	<



LILIUM AURATUM. (One-half its natural size.)

Lilium Auratum, Golden-Striped Lily. This new and magnificent species of Lily, lately introduced from Japan, is spoken of by Dr. Lindley as follows: "If ever a flower mented the name of 'glorious,' it is this, which stands far above all other Lilies, whether we regard its size, sweetness, or its exquisite arrangement of color. Imagine upon the end of a purple stem, not thicker than a ramrod, and not above two feet high, a saucer-shaped flower at least ten inches in diameter, composed of six spreading, somewhat crisp parts, rolled back at their points, and having an ivory-white skin, thinly strewn with purple points or studs, and oval, or roundish, prominent purple stains. To this add, in the middle of each of the six parts, a broad stripe of light satinyellow, losing itself gradually in the ivory skin. Place the flower in a situation where side-light is cut off, and no direct light can reach it, except from above, when the stripes acquire the appearance of gentle streamlets of Australian gold, and the reader who has not seen, it may form some feeble notion of what it is."

We have the pleasure to inform our friends that we have secured a very fine stock of this

We have the pleasure to inform our friends that we have secured a very fine stock of this beautiful plant, which we shall offer at greatly reduced prices.

Very strong flower	ing	bulk	os,			\$1.50 each,		\$12.00 per dozen	1.
Second size bulbs,						1.00 "		9.00 " "	
Third " "						.75 "		6.00 " "	











