

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

aS21
.R44A7
No. 35

United States
Department of
Culture

Cultural
Research
Office
35

May 1985

Behavioral Chemicals Produced by *Heliothis* Species

Bibliographic Data Base, 1964–83

**United States
Department of
Agriculture**



National Agricultural Library

9521
R44A7
10.35

United States
Department of
Agriculture

Agricultural
Research
Service

ARS-35

May 1985

Behavioral Chemicals Produced by *Heliothis* Species

Bibliographic Data Base, 1964–83

By
M.N. Inscoe, Chemist
D.W. Bushman, Biological Aide
and
R.L. Ridgway, Laboratory Chief
Insect Chemical Ecology Laboratory
Beltsville, MD 20705

U.S. DEPARTMENT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY

FEB 2 1987

CATALOGING PAGE

CONTENTS

Introduction	1
Scope	2
Sources	3
Organization	3
Keywords	3
Uses	6
References cited	6
Citations	8
Author index	36
Subject index	41

ACKNOWLEDGMENTS

The authors wish to acknowledge the advice and assistance of Elizabeth Smith and John Stetka, Current Awareness Literature Service, National Agricultural Library (NAL), in implementing the FAMULUS program; Charles N. Bebee, Leader, Training and Education, NAL, for conducting an initial literature search; and Ronald E. Stinner, Department of Entomology, North Carolina State University, for making available a print-out of relevant material from his computer file on Heliothis spp.

Copies of this publication may be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161

ARS has no additional copies for free distribution.

Behavioral Chemicals Produced By *Heliothis* Species:
Bibliographic Data Base, 1964-1983

M. N. Inscoe, D. W. Bushman, and R. L. Ridgway

INTRODUCTION

The rapid worldwide increase in the volume of scientific publications is causing scientists increasing difficulty in locating pertinent literature references and maintaining current reprint files. Few scientists now have sufficient time to make comprehensive literature searches in the library, and maintenance of files of index cards or punched cards is excessively cumbersome and time consuming. These methods are being superseded by computerized systems, including bibliographic update services such as the Current Awareness Literature Service of the National Agricultural Library (NAL) (Anonymous, 1984) and bibliographic documentation systems that permit on-line searching, such as AGRICOLA, the bibliographic data base of NAL (Gilreath, 1984; Longo and Machado, 1981). These systems aid in locating pertinent citations, but a method of organizing the information obtained from the citations thus located is also necessary.

FAMULUS, a data base management system developed for indexing and retrieving citations in reprint files of research scientists and made available through NAL (Burton et al., 1969, revised 1971; Cittadino et al., 1977; Burton, 1981; Ashley, 1981; Stetka, 1983) can be used to develop a personal computerized information system. Among the large numbers of software programs that have become available for use on personal computers (Taylor, 1984) are text-oriented data base management programs, suitable for bibliographical data files (Jacobson, 1984); such software, judiciously selected, could also be used for the development of personal bibliographic data bases.

Through careful indexing of the citations in personal reprint files, such an information system can be used to develop specialized bibliographies for individual needs. A bibliography thus generated (e. g., Kulhavy and Johnson, 1983) is not always of general interest, but it can be extremely valuable for a specialized audience having interests in a specific field and can eliminate much duplication of effort.

Using FAMULUS, a specialized data base on behavioral chemicals produced by *Heliothis* species was developed to support several ongoing research projects. This data base can be used in various ways to organize and index available information on the subject. A major application has been the generation of this bibliography, which was prepared to facilitate communication with cooperators and other interested scientists in the United States and throughout the world.

Behavioral chemicals from Heliothis species provide a particularly appropriate subject for a specialized bibliography because of the economic importance of the genus and the diversity of the behavioral chemicals associated with the different members of the genus.

Heliothis species are found worldwide and many of the known species are economically important pests of a wide variety of crops (Reed, 1982). The corn earworm, H. zea (Boddie), the tobacco budworm, H. virescens (F.), and the Old World bollworm, H. armigera (Hübner), in particular, are considered major pests of corn, legumes, vegetables, and other crops. Much has been written about these insects; a comprehensive computer-generated bibliography on H. zea and H. virescens, published in 1978 (Kogan et al., 1978), contained 5178 citations. Similarly, the literature dealing specifically with Heliothis pheromones is increasing rapidly, as evidenced by the 221 citations in this bibliography.

Scope

This bibliography includes citations dealing specifically with compounds emitted by Heliothis species that affect the behavior of conspecific insects or insects of other species, as well as with synthetic analogs of such compounds. However, the listings are not limited to chemical aspects; the role of these compounds in studies of insect behavior and ecology is also covered. Since a major requirement in the identification of a behavioral chemical is a suitable bioassay, reports on insect behavior, particularly mating behavior, are also included.

The largest group of citations, by far, is made up of those dealing with sex attractant pheromones emitted by the adult females. This is a broad area that covers subjects such as isolation and identification of the pheromones, synthetic pheromone analogs, the role of pheromones in mating behavior, interspecific attraction or other interspecific interaction, the behavior elicited by individual pheromone components, the use of pheromone traps in monitoring and detection, and potential applications of pheromones in pest management.

Other types of compounds that are produced by Heliothis species and affect insect behavior are also included. Chief among these are the kairomones, which attract or stimulate parasitoids or predators to search for eggs, larvae, or adults.

Since coverage is limited to insect-produced compounds or their synthetic analogs, the area of plant-host interactions is beyond the scope of this bibliography; and plant-derived chemicals, such as feeding stimulants and feeding deterrents, are not covered. Also omitted are papers on various synthetic chemicals, such as oviposition attractants.

Sources

Citations for this bibliography were obtained from personal files, computer-generated Current Awareness reference listings provided by NAL, a literature search made by C. Bebee of NAL; subsequent searches of AGRICOLA; and computer output supplied by Dr. Stinner from his computer-based searchable file. Coverage is through 1983, but citations obtained from an AGRICOLA update in July 1984 and by scanning a few specific journals (Ann. Entomol. Soc. Amer., Can. Entomol., Environ. Entomol., J. Chem. Ecol., J. Econ. Entomol., and J. Insect Physiol.) through the June 1984 issues are included. Whenever possible, hard copy of each citation was obtained for indexing purposes.

Organization

The information presented in each entry includes a computer-assigned entry number, authors' names, date of publication, title of citation, publication, NAL call number, and keywords. The citations are listed alphabetically by author; alphabetization was done by computer on FAMULUS, but in a few cases, where citations by a given author appeared out of sequence because of the inconsistent use of "Jr.", the order was changed. Underlining that was omitted in making entries in FAMULUS was inserted in the final version of the text.

Keywords

A restricted vocabulary was used in assigning keywords for use in generating the subject index; each term was used with a very specific meaning, as described below. In assigning keywords, an attempt was made to consider four general areas for each citation: the research approach(es) used; the subject(s) of the research, the insect or insects mentioned in the citation, and any pertinent compounds mentioned by name. The combination of keywords from these four categories listed for each citation allows for varying degrees of selectivity in using this bibliography.

The following is an alphabetical listing of the keywords used, with an explanation of the specific meaning attached to each one or the conditions under which each is assigned to a citation:

analysis -- studies involving chemical analytical methodology.

behavior -- reports on the actions of live insects (in the laboratory or field) in response to experimental or natural stimuli.

bioassay -- any test or study done in the laboratory that involves live insects (excluding electrophysiological studies).

cage test -- any test done outside the laboratory, but in a restrictive environment such as a field cage, greenhouse, or wind tunnel.

control strategy -- the citation deals with chemical mediation of insect behavior as a tool in insect management programs.

degradation product -- substance(s) produced by the chemical degradation of compounds dealt with in this bibliography.

disruptant -- compound(s) causing a reduction in mating or mating behavior by interfering with mating communication. In the citations, these compounds are denoted by terms such as mating disruptant, deterrent, or inhibitor.

electrophysiology -- studies in which electrophysiological techniques such as electroantennograms (EAG) are used.

field test -- any test done with live insects outside the laboratory in an unrestricted environment (cf. cage test).

formulation -- a combination of active and inactive ingredients that forms a system to deliver active ingredients to the environment.

hybrid -- the behavior and progeny associated with interspecific matings.

identification -- studies in which specific compounds are chemically identified.

interspecific interaction -- studies in which natural or synthetic pheromone components or live insects were found to attract or repel insects of other species.

irradiation -- the use of irradiation to produce sterile insects or the effect of such treatment on insects or their behavior.

isolation -- studies in which behaviorally active compounds are isolated from insects, by means such as extraction or concentration of volatiles, and are partially purified and characterized (through bioassay, EAG, etc.) but not necessarily identified chemically.

kairomone -- a compound or compounds, produced by an insect, that elicits in a receiver of another species a behavioral or physiological response that is favorable to the receiver, but not to the emitter.

male pheromone -- a pheromone produced by the males of a given species, rather than by the females.

migration -- the dispersal of insects, excluding dispersal within a limited local environment such as dispersal within a greenhouse or dispersal within a single field.

monitoring -- field studies in which insect population levels or movements are examined by traps baited with natural or synthetic pheromones. This keyword is also used for citations dealing with survey or detection.

morphology -- studies of the morphology of a given insect in relation to pheromone production or reception.

parasitoid -- an insect that, in at least one stage of its development, lives in close association with an insect of another species and derives its energy from this insect,

and in so doing, kills the host insect. This keyword excludes insects that are strictly predaceous.

phylogeny -- the systematics of a given insect.

physiology -- studies of the physiology of a given insect

population density estimation -- studies in which a method for estimating population densities is given and tested in such a way that actual numerical estimates are presented in the study.

sex pheromone -- this term is used here specifically for a compound or mixture of compounds emitted by a female insect that mediates the sexual behavior of receiving male insects of the same species. A citation that refers to the use of live females or crude extracts of females as bait in traps is assigned this keyword.

sex pheromone analog -- a synthetic compound that is similar in structure to a sex pheromone component of a given species and that elicits similar behavior in receiving insects of that species (often referred to as a parapheromone in the citations).

sex pheromone precursor -- a compound found in an insect that is a proven or putative intermediate in the biosynthesis of a pheromone.

synthesis -- studies which present a synthetic route to a chemically identified compound.

synthetic sex pheromone -- a synthetic compound or mixture of compounds identical in structure to one or more components of the natural sex pheromone of a given insect species.

trap design -- studies in which the efficacy of different trap designs is tested.

trapping -- studies which specifically examine the use of live insects, extracts of live insects, or synthetic compounds for trapping insects in the field. Many references that mention the use of trapping have not been assigned this keyword because the trapping was not the focus of the research.

vapor distribution -- studies in which the atmospheric distribution of various compounds is analyzed after the compounds have volatilized from a source.

In addition to the terms listed above, the keywords also list specific insects and compounds. All insects mentioned in a citation are not necessarily listed; rather, only those insects that have some involvement with Heliothis behavioral compounds are included. When the authors of a citation have used an insect name other than that in general use (e. g., Helicoverpa armigera, Heliothis obsoleta, or Heliothis punctiger), the more familiar name is also listed.

The compounds listed for a given citation are those that are specifically mentioned by name; Chemical Abstracts nomenclature

is used. As with insect names, all compounds mentioned in a citation are not necessarily listed, only those that have relevance as behavioral chemicals of Heliothis. Those chemicals that are not mentioned by name in a citation but are referred to in a manner sufficiently specific to allow no uncertainty as to the compounds involved are also listed. For example, "the 7-component pheromone of H. virescens" refers to a specific mixture of compounds, and all seven compounds are included in the keywords when that phrase is used. However, no compounds are listed for those citations that refer to "synthetic pheromone" or "pheromone trap" without specifying the components of the pheromone mixture or giving a specific literature reference.

Uses

In addition to aiding scientists involved specifically with Heliothis pheromones, the material in this bibliography will be of interest to scientists working in various areas of basic research, such as studies of biosystematics or mechanisms of olfaction, as well as in applied research, in projects aimed at delineating pathways of migration, improvement of methodology for detection or monitoring, and development of effective management strategies.

References cited

Anonymous. 1984. Current Awareness Literature Service User's Guide. Fourth Edition. United States Department of Agriculture, National Agricultural Library, Information Systems Division, Beltsville, MD. March 1984.

Ashley, T. R. 1981. FAMULUS: A reprint classification system for the research scientist. Bull. Entomol. Soc. Am. 27: 161-165.

Burton, H. D. 1981. FAMULUS revisited: Ten years of personal information systems. J. Am. Soc. Inform. Sci. 32: 440-443.

Burton, H. D.; Russell, R. M.; Yerke, T. B. 1969; revised, 1971. FAMULUS: A computer-based system for augmenting personal documentation efforts. USDA Forest Service Res. Note PSW-193.

Cittadino, M. L.; Giese, R. L.; Caswell, J. V. 1977. Three computer-based bibliographic retrieval systems for scientific literature. BioScience 27: 739-742.

Gilreath, C. L. 1984. AGRICOLA User's Guide. 1984 Revision. United States Department of Agriculture, National Agricultural Library. PB85-100618.

Jacobson, B. 1984. Choosing and using a data base management program. Creative Computing 10 (9):S1-S16.

Kogan, J. Sell, D. K., Stinner, R. E., Bradley, J. R., Jr., Kogan, M. 1978. A Bibliography of Heliothis zea (Boddie) and Heliothis virescens (F.) (Lepidoptera: Noctuidae). International Agricultural Publications. INTSOY Series Number 17. International Soybean Program INTSOY, College of Agriculture, University of Illinois at Urbana-Champaign, in cooperation with Illinois Natural History Survey, North Carolina State University at Raleigh.

Kulhavy D. L., Johnson, P. C. 1983. Southern Pine Beetle: Annotated Bibliography, 1868-1982. Center for Applied Studies, School of Forestry, Stephen F. Austin State University, Nacogdoches, TX.

Longo, R. M. J., and Machado, U. D. 1981. Characterization of databases in the agricultural sciences. J. Am. Soc. Inform. Sci. 32: 83-91.

Reed, W., Ed. 1982. International Workshop on Heliothis Management. ICRISAT (International Crops Research Institute for the Semi-Arid Tropics). ICRISAT Center, Patancheru, A. P., India.

Stetka, J. 1983. FAMULUS Reference Manual: A Personal Documentation System. USDA National Agricultural Library Information Systems Division, Beltsville, MD.

Taylor, A. L., III. 1984. The wizard inside the machines: Software is the magic carpet to the future. Time, April 16, p. 56.

CITATIONS

1. Adler, V. E.; Jacobson, M. 1972. Electrophysiological responses of four species of pest Lepidoptera to synthetic acetates and alcohols. *J. Econ. Entomol.* 65: 1582-1585. 421 J822 electrophysiology; sex pheromone; sex pheromone analog; H. virescens; (Z)-11-hexadecen-1-ol; (Z)-11-tetradecen-1-ol; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-11-tetradecen-1-ol acetate; (Z)-9-tetradecen-1-ol acetate
2. Agee, H. R. 1969. Mating behavior of bollworm moths. *Ann. Entomol. Soc. Am.* 62: 1120-1122. 420 EN82 behavior; H. zea
3. Aubrey, J. G., Jr.; Boudreaux, H. B.; Grodner, M. L.; Hammond, A. M. 1983. Sex pheromone-producing cells and their associated cuticle in female Heliothis zea and H. virescens (Lepidoptera: Noctuidae). *Ann. Entomol. Soc. Am.* 76: 343-348. 420 EN82 morphology; H. zea; H. virescens
4. Beevers, M.; Lewis, W. J.; Gross, H. R., Jr.; Nordlund, D. A. 1981. Kairomones and their use for management of entomophagous insects. X. Laboratory studies on manipulation of host-finding behavior of Trichogramma pretiosum Riley with a kairomone extracted from Heliothis zea (Boddie) moth scales. *J. Chem. Ecol.* 7: 635-648. QD415.A1J6 bioassay; behavior; kairomone; parasitoid; Trichogramma pretiosum; H. zea
5. Berger, R. S.; McGough, J. M.; Martin, D. F. 1965. Sex attractants of Heliothis zea and H. virescens. *J. Econ. Entomol.* 58: 1023-1024. 421 J822 bioassay; behavior; sex pheromone; H. zea; H. virescens
6. Boness, M.; Eiter, K.; Disselnkotter, H. 1977. Studies on sex attractants of Lepidoptera and their use in crop protection. *Pflanzenschutz-Nachrichten Bayer* 30: 213-236. 464.8 H67AE field test; sex pheromone analog; H. virescens; H. zea; H. armigera; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecen-1-ol acetate; (Z)-9-tetradecen-1-ol
7. Bourdouxhe, L. 1980. Study of changes in Heliothis armigera flights with synthetic pheromone traps in Senegal. *Plant Protection Bull.* 28: 107-109. 421 P692 monitoring; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal
8. Bourdouxhe, L. 1982. Comparaison de deux types de pieges pour le piegeage sexuel de Heliothis armigera au Senegal. (Comparison of two kinds of trap for sex trapping of Heliothis armigera in Senegal.) *Plant Protection Bull.* 30: 131-136. 421 P692 field test; trap design; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal

9. Brader-Breukel, L. M. 1970. Lutte contre Diparopsis watersi (Roths.) et Heliothis armigera (Hb.), attraction sexuelle et chimiosterilisation. (Combating Diparopsis watersi (Roths.) and Heliothis armigera (Hb.): Sexual attraction and chemosterilization.) Coton Fibres Trop. 25: 505-508. 73.8 C82 control strategy; trapping; sex pheromone; H. armigera
10. Bues, R.; Poitout, H. S. 1980. Le piégeage sexuel comme méthode d'avertissement dans différentes régions de France pour trois espèces de Lépidoptères Noctuidae (Mamestra brassicae L.; Scotia segetum Schiff.; Helicoverpa armigera Hbn.). (Sexual trapping used in various areas in France for monitoring of three noctuid lepidopteran species (Mamestra brassicae L.; Scotia segetum Schiff.; Helicoverpa armigera Hbn.).) In: Les Pheromones Sexuelles et les Mediateurs Chimiques Chez les Insectes: Utilisation en Lutte Integree. Colloques INRA 3: 117-122. S539.7.C6 monitoring; synthetic sex pheromone; H. armigera; Helicoverpa armigera
11. Buleza, V. V.; Apasov, S. G.; Myttus, E. R.; Tashiykova, T. M.; Kovaleva, A. S. 1982. (Field trials of the sex pheromone of the scarce bordered straw moth Helicoverpa armigera.) Doklady Akad. Nauk SSSR 267: 237-239; English version, Doklady Biol. Sci. Akad. Nauk SSSR 267: 542-544 (1984). 511 P444A; 511 P444AEB field test; synthetic sex pheromone; trap design; behavior; H. armigera; Helicoverpa armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; hexadecanal; (Z)-9-tetradecenal; (Z)-11-hexadecen-1-ol; hexadecanol
12. Buleza, V. V.; Myttus, E. R.; Kovaleva, A. S.; Kagan, M. Z.; Kravchenko, V. D.; Apasov, S. G. 1983. (Flight of the corn earworm Helicoverpa armigera to components of the sex pheromone. Doklady Akad. Nauk SSSR 272: 244-247; English version, Doklady Biol. Sci. Akad. Nauk SSSR 272: 502-504 (1984). 511 P444A; 511 P444AEB field test; trapping; synthetic sex pheromone; sex pheromone analog; sex pheromone; disruptant; H. armigera; Helicoverpa armigera; (Z)-11-hexadecenal; (Z)-11-tetradecenal; (Z)-9-hexadecenal; (Z)-11-hexadecen-1-ol; hexadecanol; hexadecanal
13. Callahan, P. S. 1964. Evidences for the electromagnetic (far infrared) theory of communication in the Noctuidae, Lepidoptera, with special reference to the corn earworm, Heliothis zea. Southern Corn Improvement Conf. Rept. 19: 42-43. 59.9 S087 behavior; H. zea
14. Carlson, D. A.; McLaughlin, J. R. 1982a. Diolefin analog of a sex pheromone component of Heliothis zea active in disrupting mating communication. Experientia 38: 309-310. 475 EX7 field test; disruptant; sex pheromone analog; sex pheromone; H. zea; H. virescens; (Z)-1,12-heptadecadiene; (Z)-11-hexadecenal
15. Carlson, D. A.; McLaughlin, J. R. 1982b. Disruption of mating communication in Heliothis zea: Synthesis and tests of olefinic analogs of a sex pheromone component. Protection Ecol. 4:361-369. S589.7.P7 field test; synthesis; disruptant; sex pheromone analog; sex pheromone; H. zea; H. virescens; (Z)-1,12-heptadecadiene; (Z)-5-hexadecene; (Z)-5-heptadecene

16. Caro, J. H.; Freeman, H. P.; Bierl-Leonhardt, B. A. 1979. Determination of (Z)-9-tetradecen-1-ol formate, a Heliothis spp. mating disruptant, in air by electron-capture gas chromatography following photolytic cleanup. J. Agric. Food Chem. 27: 1211-1215. 381 J8223 disruptant; sex pheromone analog; H. zea; H. virescens; (Z)-9-tetradecen-1-ol formate
17. Caro, J. H.; Glotfelty, D. E.; Freeman, H. P. 1980. (Z)-9-Tetradecen-1-ol formate: Distribution and dissipation in the air within a corn crop after emission from a controlled-release formulation. J. Chem. Ecol. 6: 229-239. QD415.A1J6 field test; vapor distribution; disruptant; sex pheromone analog; H. zea; H. virescens; (Z)-9-tetradecen-1-ol formate
18. Carpenter, J. E.; Pair, S. D.; Sparks, A. N. 1984. Trapping of different noctuid moth species by one trap baited with two lures. J. Ga. Entomol. Soc. 19: 120-124. QL461.G4 field test; trapping; disruptant; interspecific interaction; synthetic sex pheromone; sex pheromone; H. zea; H. virescens; Spodoptera frugiperda; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; (Z)-11-hexadecen-1-ol; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-9-dodecen-1-ol acetate
19. Carpenter, J. E.; Sparks, A. N. 1982a. The specificity of Heliothis zea pheromone components in eliciting precopulatory responses from H. zea male moths. J. Ga. Entomol. Soc. 17: 87-93. QL461.G4 cage test; behavior; synthetic sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
20. Carpenter, J. E.; Sparks, A. N. 1982b. Effects of vision on mating behavior of the male corn earworm. J. Econ. Entomol. 75: 248-250. 421 J822 cage test; behavior; synthetic sex pheromone; H. zea
21. Carpenter, J. E.; Sparks, A. N.; Gueldner, R. C. 1982. Effects of moth population density and pheromone concentration on mating disruption of the corn earworm in large screened cages. J. Econ. Entomol. 75: 333-336. 421 J822 cage test; disruptant; synthetic sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
22. Carpenter, J. E.; Sparks, A. N.; Raulston, J. R. 1979. Competitiveness of Heliothis hybrid vs. H. virescens females for H. virescens males in Georgia tobacco. J. Ga. Entomol. Soc. 14: 65-69. QL461.G4 cage test; hybrid; behavior; sex pheromone; H. virescens; H. subflexa; H. subflexus
23. Cross, J. H.; Mitchell, E. R.; Tumlinson, J. H.; Burnett, D. E. 1980. Selection of a polyethylene tubing formulation of (Z)-9-tetradecen-1-ol formate and its use in disrupting pheromone communication in Heliothis zea (Boddie). J. Chem. Ecol. 6: 771-779. QD415.A1J6 bioassay; field test; formulation; disruptant; sex pheromone analog; sex pheromone; H. zea; (Z)-9-tetradecen-1-ol formate

24. Dunkelblum, E.; Gothilf, S.; Kehat, M. 1980. Identification of the sex pheromone of the cotton bollworm, Heliothis armigera, in Israel. Phytoparasitica 8: 209-211. SB599.P53 identification; sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; hexadecanal; hexadecanol
25. Dunkelblum, E.; Gothilf, S.; Kehat, M. 1981. Identification of sex pheromones from Heliothis armigera, Spodoptera littoralis, and Plusia chalcites. (Abstract) Phytoparasitica 9: 77. SB599.P53 identification; sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; hexadecanal; hexadecanol
26. Dzhumakulov, T.; Yuldashev, A. M.; Abduvakhabov, A. A. 1982. (Synthesis of one of the sex pheromones of Heliothis levre, cis-tetradec-9-en-1-ol acetate.) Khim. Pridod. Soedin. 1982: 538-539; English translation, Chem. Natural Cpds. 18: 516-517 (1983). QD241.K45; QD241.K453 synthesis; synthetic sex pheromone; H. levre; H. zea; H. armigera; (Z)-9-tetradecen-1-ol acetate
27. Eldumiati, I. I.; Levengood, W. C. 1972. Summary of attractive responses in Lepidoptera to electromagnetic radiation and other stimuli. J. Econ. Entomol. 65: 291-292. 421 J822 cage test; sex pheromone; H. zea
28. Enkorlin (Enkerlin), D. 1977. Influencia de diferentes tratamientos en estado de larva y pupa sobre la respuesta de adultos del gusano de la yema del tabaco Helionthis (sic) virescens (Fabricius) a diferentes fuentes de atraccion. (Influence of different treatments of larvae and pupae on the response of adults of tobacco budworm Heliothis virescens (Fabricius) to different sources of attraction.) Informe Investigacion, 1975-1976, 81-82. 102 M7 62 trapping; sex pheromone; H. virescens
29. Flint, H. M.; McDonough, L. M.; Salter, S. S.; Walters, S. 1979. Rubber septa: A long lasting substrate for (Z)-11-hexadecenal and (Z)-9-tetradecenal, the primary components of the sex pheromone of the tobacco budworm. J. Econ. Entomol. 72: 798-800. 421 J822 field test; formulation; sex pheromone; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
30. Gaston, L. K.; Fukuto, T. R.; Shorey, H. H. 1966. Sex pheromones of noctuid moths. IX. Isolation techniques and quantitative analysis for the pheromones, with special reference to that of Trichoplusia ni (Lepidoptera: Noctuidae). Ann. Entomol. Soc. Am. 59: 1062-1066. 420 EN82 isolation; analysis; sex pheromone; H. virescens; H. zea
31. Gaston, L. K.; Shorey, H. H. 1964. Sex pheromones of noctuid moths. IV. An apparatus for bioassaying the pheromones of six species. Ann. Entomol. Soc. Am. 57: 779-780. 420 EN82 bioassay; sex pheromone; H. zea; H. virescens
32. Gentry, C. R.; Lawson, F. R.; Hoffman, J. D. 1964. A sex attractant in the tobacco budworm. J. Econ. Entomol. 57: 819-821. 421 J822 bioassay; cage test; sex pheromone; H. virescens

33. Goodenough, J. L.; Snow, J. W. 1973. Increased collection of tobacco budworm by electric grid traps as compared with blacklight and sticky traps. *J. Econ. Entomol.* 66: 450-453. 421 J822 field test; trap design; sex pheromone; H. virescens
34. Gothilf, S.; Galun, R.; Jacobson, M. 1979. Sex pheromones of Lepidoptera. Final Report, Binational Science Foundation Project No. 253. SB933.5. G68 identification; bioassay; field test; electrophysiology; sex pheromone; synthetic sex pheromone; sex pheromone analog; disruptant; H. armigera; (Z)-11-hexadecenal; (Z)-11-tetradecenal; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecenal
35. Gothilf, S.; Kehat, M.; Dunkelblum, E.; Jacobson, M. 1979. Efficacy of (Z)-11-hexadecenal and (Z)-11-tetradecenal as sex attractants for Heliothis armigera on two different dispensers. *J. Econ. Entomol.* 72: 718-720. 421 J822 field test; synthetic sex pheromone; formulation; H. armigera; (Z)-11-hexadecenal; (Z)-11-tetradecenal
36. Gothilf, S.; Kehat, M.; Jacobson, M.; Galun, R. 1978a. Screening pheromone analogues by EAG technique for biological activity on males of Earias insulana, Heliothis armigera, and Spodoptera littoralis. *Environ. Entomol.* 7: 31-35. QL461.E532 electrophysiology; field test; disruptant; sex pheromone analog; synthetic sex pheromone; sex pheromone; H. armigera; (Z)-9-tetradecen-1-ol formate; (Z)-11-hexadecenal; (Z)-11-tetradecenal; (Z)-9-tetradecen-1-ol
37. Gothilf, S.; Kehat, M.; Jacobson, M.; Galun, R. 1978b. Sex attractants for male Heliothis armigera (Hbn.). *Experientia* 34: 853-854. 475 EX7 bioassay; field test; electrophysiology; synthetic sex pheromone; sex pheromone analog; behavior; H. armigera; (Z)-11-hexadecenal; (Z)-9-tetradecenal; (Z)-11-tetradecenal
38. Grant, G. G.; Slessor, K. N.; Szittner, R. B.; Morse, D.; Meighen, E. A. 1982. Development of a bioluminescence assay for aldehyde pheromones of insects. II. Analysis of pheromone glands. *J. Chem. Ecol.* 8: 923-933. QD415.A1J6 analysis; sex pheromone; H. zea; (E)-11-tetradecenal
39. Grichanov, I. Y. 1983. (The nuptial behavior of the cotton bollworm Heliothis armigera.) *Zool. Zh.* 62: 707-713. 410 R92 behavior; sex pheromone; H. armigera
40. Griffith, P. H.; Susskind, C. 1970. Electromagnetic communication versus olfaction in the corn earworm moth, Heliothis zea. *Ann. Entomol. Soc. Am.* 63: 903-905. 420 EN82 morphology; H. zea
41. Gross, H. R., Jr.; Carpenter, J. E.; Sparks, A. N. 1983. Visual acuity of Heliothis zea (Lepidoptera: Noctuidae) males as a factor influencing the efficiency of pheromone traps. *Environ. Entomol.* 12: 844-847. QL461.E532 field test; trap design; synthetic sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal

42. Gross, H. R., Jr.; Lewis, W. J.; Jones, R. L.; Nordlund, D. A. 1975. Kairomones and their use for management of entomophagous insects. III. Stimulation of Trichogramma achaeae, T. pretiosum, and Microplitis croceipes with host-seeking stimuli at time of release to improve their efficiency. J. Chem. Ecol. 1: 431-438. QD415.A1J6 bioassay; field test; cage test; behavior; parasitoid; kairomone; Trichogramma achaeae; Trichogramma pretiosum; Microplitis croceipes; H. zea; tricosane
43. Gross, H. R., Jr.; Lewis, W. J.; Nordlund, D. A. 1981. Trichogramma pretiosum: Effect of prerelease parasitization experience on retention in release areas and efficiency. Environ. Entomol. 10: 554-556. QL461.E532 bioassay; field test; behavior; kairomone; parasitoid; Trichogramma pretiosum; H. zea
44. Gueldner, R. C.; Nordlund, D. A.; Lewis, W. J.; Thean, J. E.; Wilson, D. M. 1984. Kairomones and their use for management of entomophagous insects. XV. Identification of several acids in scales of Heliothis zea moths and comments on their possible role as kairomones for Trichogramma pretiosum. J. Chem. Ecol. 10: 245-251. QD415.J1A6 bioassay; behavior; parasitoid; Trichogramma pretiosum; H. zea; hexanoic acid; heptanoic acid; octanoic acid; nonanoic acid; 2- (or 3-)furancarboxylic acid; phenylacetic acid; benzoic acid; sorbic acid; 4-hydroxybenzoic acid
45. Haile, D. G.; Snow, J. W.; Goodenough, J. L. 1973. Reduced capture of tobacco budworm and corn earworm males in electric grid traps baited simultaneously with virgin females of both species. J. Econ. Entomol. 66: 739-740. 421 J822 field test; disruptant; sex pheromone; interspecific interaction; H. virescens; H. zea; Luecania humidicola
46. Hardee, D. D. 1977. Managing and monitoring boll weevils and tobacco budworms with grandlure and virelure. Proc. Beltwide Cotton Prod. Mech. Conf. 1977: 78-79. 72.9 C8292 monitoring; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
47. Hartstack, A. W. 1982. Modeling and forecasting Heliothis populations in the USA. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 51-60. SB945.H27I5 1981 control strategy; population density estimation; monitoring; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
48. Hartstack, A. W.; Hendricks, D. E.; Lopez, J. D.; Stadelbacher, E. A.; Phillips, J. R.; Witz, J. A. 1979. Adult sampling. Southern Coop. Series Bull. 231: 105-131. 100 G29S0 trap design; migration; synthetic sex pheromone; sex pheromone; H. zea; H. virescens
49. Hartstack, A. W.; Hollingsworth, J. P.; Hendricks, D. E.; Buck, D. R. 1978. Some factors affecting pheromone baited trap catches. Folia Entomol. Mex. 39/40: 142-143. 421 F712 monitoring; trap design; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal

50. Hartstack, A. W., Jr.; Hollingsworth, J. P.; Witz, J. A.; Buck, D. R.; Lopez, J. D.; Hendricks, D. E. 1978. Relation of tobacco budworm catches in pheromone baited traps to field populations. *Southwestern Entomol.* 3: 43-51. QL461.S65 field test; monitoring; synthetic sex pheromone; trap design; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
51. Hartstack, A. W.; King, E. G.; Phillips, J. R. 1983 Monitoring and predicting Heliothis populations in southeast Arkansas. Proc. Beltwide Cotton Prod. Res. Conf. 1983:187-190. SB249.N6 monitoring; population density estimation; migration; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecenal; (Z)-9-tetradecenal; tetradecenal; (Z)-11-hexadecen-1-ol
52. Hartstack, A. W., Jr.; Lopez, J. D.; Klun, J. A.; Witz, J. A.; Shaver, T. N.; Plimmer, J. R. 1980. New trap designs and pheromone bait formulations for Heliothis. Proc. Beltwide Cotton Prod. Res. Conf. 1980: 132-136. SB249.N6 field test; trap design; formulation; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecenal; (Z)-9-tetradecenal; tetradecenal; (Z)-11-hexadecen-1-ol
53. Hartstack, A. W.; Lopez, J. D.; Muller, R. A.; Sterling, W. L.; King, E. G.; Witz, J. A.; Eversull, A. C. 1982. Evidence of long range migration of Heliothis zea (Boddie) into Texas and Arkansas. *Southwestern Entomol.* 7: 188-201. QL461.S65 field test; migration; trapping; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecenal; (Z)-9-tetradecenal; tetradecenal; (Z)-11-hexadecen-1-ol
54. Hartstack, A. W.; Witz, J. A. 1981. Estimating field populations of tobacco budworm moths from pheromone trap catches. *Environ. Entomol.* 10: 908-914. QL461.E532 field test; population density estimation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
55. Hartstack, A. W.; Witz, J. A.; Buck, D. R. 1979. Moth traps for the tobacco budworm. *J. Econ. Entomol.* 72: 519-522. 421 J822 field test; trap design; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
56. Hartstack, A. W.; Witz, J. A.; Hollingsworth, J. P.; Ridgway, R. L.; Lopez, J. D. 1976. MOTHZV-2: A computer simulation of Heliothis zea and Heliothis virescens population dynamics. U. S. Dept. of Agriculture, Agric. Res. Service, Southern Region. ARS-S-127. August, 1976. aS21.A75U53 population density estimation; Heliothis virescens; Heliothis zea
57. Hendricks, D. E. 1974. Tobacco budworm: Effects of cobalt 60 irradiation on female attractiveness and mating frequency. *J. Econ. Entomol.* 67: 610-612. 421 J822 cage test; bioassay; irradiation; sex pheromone; H. virescens

58. Hendricks, D. E. 1976. Tobacco budworm: Disruption of courtship behavior with a component of the synthetic sex pheromone. *Environ. Entomol.* 5: 978-980. QL461.E532 cage test; disruptant; synthetic sex pheromone; sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
59. Hendricks, D. E. 1980. Low-frequency sodar device that counts flying insects attracted to sex pheromone dispensers. *Environ. Entomol.* 9: 452-457. QL461.E532 field test; monitoring; synthetic sex pheromone; sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
60. Hendricks, D. E. 1982. Polyvinyl chloride capsules: A new substrate for dispensing tobacco budworm (*Lepidoptera*: Noctuidae) sex pheromone bait formulations. *Environ. Entomol.* 11: 1005-1010. QL461.E532 field test; formulation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
61. Hendricks, D. E. 1983. Formulation and field bioassay of tobacco budworm sex pheromone components impregnated in PVC plastic dispensers, in surrogate and rod forms. *Proc. 10th Internatl. Symp. on Controlled Release of Bioactive Materials*. San Francisco, CA. July 24-27, 1983. pp. 231-233. field test; formulation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal
62. Hendricks, D. E.; De La Rosa, H. H.; Guerra, A. A. 1977. Attractiveness of tobacco budworm females altered by oral chemosterilants and dietary additives. *J. Chem. Ecol.* 3: 127-131. QD415.A1J6 cage test; sex pheromone; H. virescens
63. Hendricks, D. E.; Graham, H. M.; Fernandez, A. T. 1970. Mating of female tobacco budworms and bollworms collected from light traps. *J. Econ. Entomol.* 63: 1228-1231. 421 J822 field test; behavior; H. virescens; H. zea
64. Hendricks, D. E.; Graham, H. M.; Guerra, R. J.; Perez, C. T. 1973. Comparison of the numbers of tobacco budworms and bollworms caught in sex pheromone traps vs. blacklight traps in lower Rio Grande Valley, Texas. *Environ. Entomol.* 2: 911-914. QL461.E532 field test; trap design; sex pheromone; H. virescens; H. zea
65. Hendricks, D. E.; Graham, H. M.; Raulston, J. R. 1973. Dispersal of sterile tobacco budworms from release points in northeastern Mexico and southern Texas. *Environ. Entomol.* 2: 1085-1088. QL461.E532 field test; migration; trapping; sex pheromone; irradiation; H. virescens
66. Hendricks, D. E.; Hartstack, A. W.; Raulston, J. R. 1977. traps for cabbage looper and tobacco budworm survey. *Environ. Entomol.* 6: 556-558. QL461.E532 field test; cage test; trapping; synthetic sex pheromone; formulation; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal

67. Hendricks, D. E.; Hartstack, A. W.; Shaver, T. N. 1977. Effect of formulations and dispensers on attractiveness of virescure to the tobacco budworm. *J. Chem. Ecol.* 3: 497-506. QD415.A1J6 cage test; field test; formulation; monitoring; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
68. Hendricks, D. E.; Hollingsworth, J. P.; Hartstack, A. W., Jr. 1972. Catch of tobacco budworm moths influenced by color of sex-lure traps. *Environ. Entomol.* 1: 48-51. QL461.E532 field test; trap design; sex pheromone; H. virescens
69. Hendricks, D. E.; Leal, M. P. 1973. Catch of adult tobacco budworms influenced by height of sex lure traps. *J. Econ. Entomol.* 66: 1218-1219. 421 J822 field test; trap design; sex pheromone; H. virescens
70. Hendricks, D. E.; Perez, C. T.; Guerra, R. J., Jr. 1975. A mechanism to automatically bait electric grid insect traps with sex pheromone. *J. Chem. Ecol.* 1: 311-315. QD415.A1J6 cage test; trap design; sex pheromone; H. virescens
71. Hendricks, D. E.; Perez, C. T.; Guerra, R. J. 1980. Effect of nocturnal wind on performance of two sex pheromone traps for noctuid moths. *Environ. Entomol.* 9: 483-485. QL461.E532 field test; trap design; synthetic sex pheromone; sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
72. Hendricks, D. E.; Perez, C. T.; Guerra, R. J. 1982. Disruption of Heliothis spp. mating behavior with chemical sex attractant components. *Environ. Entomol.* 11: 859-866. QL461.E532 field test; disruptant; synthetic sex pheromone; sex pheromone; interspecific interaction; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
73. Hendricks, D. E.; Shaver, T. N. 1975. Tobacco budworm: Male pheromone suppressed emission of sex pheromone by the female. *Environ. Entomol.* 4: 555-558. QL461.E532 cage test; male pheromone; sex pheromone; H. virescens
74. Hendricks, D. E.; Tumlinson, J. H. 1974. A field cage bioassay system for testing candidate sex pheromones of the tobacco budworm. *Ann. Entomol. Soc. Am.* 67: 547-552. 420 EN82 bioassay; cage test; sex pheromone; behavior; H. virescens
75. Hendry, L. B.; Kostelc, J. G.; Hindenlang, D. M.; Wichmann, J. K.; Fix, C. J.; Korzeniewski, S. H. 1976. Chemical messengers in insects and plants. *Recent Adv. Phytochem.* 10: 351-384. QK865.A1R analysis; kairomone; Trichogramma evanescens; parasitoid; H. zea; tricosane

76. Henneberry, T. J.; Bariola, L. A.; Flint, H. M.; Lingren, P. D.; Gillespie, J. M.; Kydonieus, A. F. 1981. Pink bollworm and tobacco budworm mating disruption studies on cotton. In: Management of Insect Pests with Semiochemicals: Concepts and Practice. E. R. Mitchell, Ed. Plenum Press, NY. pp. 267-283. SB933.3.M36 field test; disruptant; synthetic sex pheromone; sex pheromone analog; sex pheromone; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-tetradecenal; (Z)-9-tetradecen-1-ol formate; tetradecanol formate; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; tetradecanal; (Z)-11-hexadecen-1-ol
77. Henneberry, T. J.; Gillespie, J. M.; Bariola, L. A.; Flint, H. M.; Butler, G. D., Jr.; Lingren, P. D.; Kydonieus, A. F. 1982. Mating disruption as a method of suppressing pink bollworm (Lepidoptera, Gelechiidae) and tobacco budworm (Lepidoptera, Noctuidae) populations on cotton. In: Insect Suppression with Controlled Release Pheromone Systems. A. F. Kydonieus and M. Beroza., Eds., CRC Press, Boca Raton, FL. Vol. 2, pp. 75-98. SB933.5.I48 v. 2 control strategy; field test; disruptant; sex pheromone analog; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-hexadecen-1-ol formate; tetradecanol formate
78. Hollingsworth, J. P.; Hartstack, A. W.; Buck, D. R.; Hendricks, D. E. 1978. Electric and nonelectric moth traps baited with the synthetic sex pheromone of the tobacco budworm. U. S. Dept. of Agriculture, Agric. Res. Service, Southern Region. ARS-S-173. February, 1978. aS21.A75U53 field test; trap design; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
79. Jacobson, M. 1982. The potential role of natural product chemistry research in Heliothis management. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 233-239. SB945.H27I5 1981 control strategy; monitoring; trapping; disruptant; trap design; formulation; sex pheromone; synthetic sex pheromone; sex pheromone analog; H. zea; H. virescens; H. armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecen-1-ol acetate
80. Jefferson, R. N.; Rubin, R. E.; McFarland, S. U.; Shorey, H. H. 1970. Sex pheromones of noctuid moths. XXII. The external morphology of the antennae of Trichoplusia ni, Heliothis zea, Prodenia ornithogalli, and Spodoptera exigua. Ann. Entomol. Soc. Am. 63: 1227-1238. 420 EN82 morphology; H. zea
81. Johnson, D. R. 1983. Relationship between tobacco budworm (Lepidoptera: Noctuidae) catches when using pheromone traps and egg counts in cotton. J. Econ. Entomol. 76: 182-183. 421 J822 monitoring; population density estimation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol

82. Jones, R. L.; Lewis, W. J.; Beroza, M.; Bierl, B. A.; Sparks, A. N. 1973. Host-seeking stimulants (kairomones) for the egg parasite, Trichogramma evanescens. Environ. Entomol. 2: 593-596. QL461.E532 isolation; identification; bioassay; cage test; field test; kairomone; parasitoid; Trichogramma evanescens; H. zea; docosane; tricosane; tetracosane; pentacosane
83. Jones, R. L.; Lewis, W. J.; Bowman, M. C.; Beroza, M.; Bierl, B. A. 1971. Host-seeking stimulant for parasite of corn earworm: Isolation, identification, and synthesis. Science 173: 842-843. 470 SCI2 isolation; identification; synthesis; bioassay; kairomone; Microplitis croceipes; parasitoid; H. zea; 13-methylhentriacontane
84. Kaae, R. S.; McLaughlin, J. R.; Shorey, H. H.; Gaston, L. K. 1972 Sex pheromones of Lepidoptera. XXXII. Disruption of intraspecific pheromone communication in various species of Lepidoptera by permeation of the air with looplure or hexalure. Environ. Entomol. 1: 651-653. QL461.E532 field test; disruptant; sex pheromone analog; sex pheromone; H. zea; H. virescens; (Z)-7-dodecen-1-ol acetate; (Z)-7-hexadecen-1-ol acetate
85. Kaae, R. S.; Shorey, H. H.; McFarland, S. U.; Gaston, L. K. 1973. Sex pheromones of Lepidoptera. XXXVII. Role of sex pheromones and other factors in reproductive isolation among ten species of Noctuidae. Ann. Entomol. Soc. Am. 66: 444-448. 420 EN82 field test; sex pheromone; interspecific interaction; H. zea; H. virescens; H. phloxiphaga
86. Karpenko, C. P.; Proshold, F. I. 1977. Fertility and mating performance of interspecific crosses between Heliothis virescens and H. subflexa backcrossed for three generations to H. subflexa. Ann. Entomol. Soc. Am. 70: 737-740. 420 EN82 bioassay; hybrid; H. virescens; H. subflexa
87. Kehat, M.; Gothilf, S.; Dunkelblum, E.; Greenberg, S. 1980. Field evaluation of female sex pheromone components of the cotton bollworm, Heliothis armigera. Entomol. Exp. Appl. 27: 188-193. 421 EN895 field test; synthetic sex pheromone; sex pheromone; H. armigera; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; (Z)-11-hexadecen-1-ol; hexadecanal; (Z)-9-tetradecenal; tetradecanal
88. Kehat, M.; Gothilf, S.; Dunkelblum, E.; Greenberg, S. 1982. Sex pheromone traps as a means of improving control programs for the cotton bollworm, Heliothis armigera (Lepidoptera: Noctuidae). Environ. Entomol. 11: 727-729. QL461.E532 monitoring; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal
89. Klun, J. A.; Bierl-Leonhardt, B. A.; Plimmer, J. R.; Sparks, A. N.; Primiani, M.; Chapman, O. L.; Lepone, G.; Lee, G. H. 1980. Sex pheromone chemistry of the female tobacco budworm moth, Heliothis virescens. J. Chem. Ecol. 6: 177-183. QD415.A1J6 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol

90. Klun, J. A.; Leonhardt, B. A.; Lopez, J. D., Jr.; LaChance, L. E. 1982. Female Heliothis subflexa (Lepidoptera: Noctuidae) sex pheromone: Chemistry and congeneric comparisons. Environ. Entomol. 11: 1084-1090. QL461.E532 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; hybrid; H. subflexa; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; hexadecanol acetate
91. Klun, J. A.; Plimmer, J. R.; Bierl-Leonhardt, B. A.; Sparks, A. N. 1980. Sex attractant for tobacco moths. U. S. Patent No. 4,219,542. Aug. 26, 1980. identification; bioassay; field test; sex pheromone; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
92. Klun, J. A.; Plimmer, J. R.; Bierl-Leonhardt, B. A.; Sparks, A. N.; Chapman, O. L. 1979. Trace chemicals: The essence of sexual communication systems in Heliothis species. Science 209: 1328-1330. 470 SCI2 identification; field test; sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
93. Klun, J. A.; Plimmer, J. R.; Bierl-Leonhardt, B. A.; Sparks, A. N.; Primiani, M.; Chapman, O. L.; Lee, G. H.; Lepone, G. 1980. Sex pheromone chemistry of female corn earworm moth, Heliothis zea. J. Chem. Ecol. 6: 165-175. QD415.A1J6 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
94. Klun, J. A.; Plimmer, J. R.; Sparks, A. N.; Leonhardt, B. A. 1980. Sex attractant for corn earworm moths. U. S. Patent No. 4,216,202. Aug. 5, 1980. identification; bioassay; field test; sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
95. Konyukhov, V. P.; Kovalev, B. G.; Sattar-Zade, N. R. 1983. (Isolation and identification of components of the sex pheromone of the corn earworm, Heliothis armigera Hb.) Bioorg. Khim. 9: 1422-1428; English translation, Soviet J. Biorg. Chem. 9: 782-787 (1984). QD415.A1S62; QD415.A1S6 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-11-tetradecenal; (Z)-11-hexadecen-1-ol; (Z)-11-tetradecen-1-ol; (Z)-11-hexadecen-1-ol acetate
96. Kravchenko, V. D. 1981 (Night activity of Helicoverpa armigera butterflies.) Zool. Zh. 60: 1640-1644. 410 R92 behavior; sex pheromone; H. armigera; Helicoverpa armigera

97. Kydonieus, A. F.; Gillespie, J. M.; Barry, M. W.; Welch, J.; Henneberry, T. J.; Leonhardt, B. A. 1982. Formulations and equipment for large volume pheromone applications by aircraft. In: Insect Pheromone Technology: Chemistry and Applications. B. A. Leonhardt and M. Beroza, Eds. ACS Symp. Ser. No. 190. American Chemical Society, Washington, D. C. pp. 175-191. QD1 A45 field test; formulation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
98. Kydonieus, A. F.; Kitterman, R. L. 1981. Compositions comprising n-tetradecyl formate and their use in controlling insects. U. S. Patent No. 4,272,520. June 9, 1981. field test; sex pheromone analog; disruptant; formulation; H. zea; H. virescens; H. armigera; tetradecanol formate
99. Lam, J. J., Jr.; Baumhover, A. H. 1982. Nocturnal response of Heliothis virescens (Lepidoptera: Noctuidae) to artificial light and sex pheromones. Environ. Entomol. 11: 1032-1035. QL461.E532 field test; behavior; trapping; sex pheromone; H. virescens
100. Laster, M. L. 1972. Interspecific hybridization of Heliothis virescens and H. subflexa. Environ. Entomol. 1: 682-687. QL461.E532 hybrid; phylogeny; H. virescens; H. subflexa
101. Laster, M. L.; Martin, D. F.; Pair, S. D. 1977. Mating incidence of male Heliothis virescens, hybrid and backcross males from H. subflexa X H. virescens crosses. Ann. Entomol. Soc. Am. 70: 293-295. 420 EN82 bioassay; hybrid; behavior; H. virescens; H. subflexa
102. Laster, M. L.; Martin, D. F.; Pair, S. D. 1978. The attraction of wild Heliothis virescens males to sex pheromone traps baited with H. virescens and backcross females. Environ. Entomol. 7: 19-20. QL461.E532 field test; hybrid; sex pheromone; H. virescens; H. subflexa
103. Laster, M. L.; Martin, D. F.; Pair, S. D.; Furr, R. E. 1978. Infusion of hybrid Heliothis male sterility into H. virescens populations in field cages. Environ. Entomol. 7: 364-366. QL461.E532 cage test; behavior; hybrid; H. virescens; H. subflexa
104. Laster, M. L.; Smith, J. W. 1982. Studies to estimate the density of the Heliothis virescens overwintered population and to determine the dispersal and response to pheromone traps of the natural and released insects. Proc. Beltwide Cotton Prod. Res. Conf. 1982: 195-197. SB249.N6 field test; monitoring; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecenal; (Z)-9-tetradecenal; tetradecenal; (Z)-11-hexadecen-1-ol
105. Leadbetter, G.; Plimmer, J. R. 1979. An improved preparation of some insect sex attractants: Synthesis and separation of geometrical isomers by formation of urea complexes. J. Chem. Ecol. 5: 101-108. QD415.A1J6 synthesis; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal

106. Leonhardt, B. A.; Moreno, D. S. 1982. Evaluation of controlled release laminate dispensers for pheromones of several insect species. In: Insect Pheromone Technology: Chemistry and Applications. B. A. Leonhardt and M. Beroza, Eds. ACS Symposium Series No. 190, American Chemical Society, Washington, D. C., pp. 159-173. QD1.A45 field test; formulation; synthetic sex pheromone; sex pheromone analog; H. zea; H. virescens; tetradecanal; (Z)-11-hexadecenal; (Z)-11-hexadecen-1-ol
107. Lewis, W. J.; Beevers, M.; Nordlund, D. A.; Gross, H. R., Jr.; Hagen, K. S. 1979. Kairomones and their use for management of entomophagous insects. IX. Investigations of various kairomone-treatment patterns for Trichogramma spp. J. Chem. Ecol. 5: 673-680. QD415.A1J6 field test; bioassay; cage test; behavior; kairomone; parasitoid; Trichogramma pretiosum; H. zea
108. Lewis, W. J.; Brazzel, J. R. 1966. Biological relationships between Cardiochiles nigriceps and the Heliothis complex. J. Econ. Entomol. 59: 820-823. 421 J822 bioassay; field test; behavior; Cardiochiles nigriceps; parasitoid; H. virescens; H. zea
109. Lewis, W. J.; Jones, R. L. 1971. Substance that stimulates host-seeking by Microplitis croceipes (Hymenoptera: Braconidae), a parasite of Heliothis species. Ann. Entomol. Soc. Am. 64: 471-473. 420 EN82 bioassay; behavior; kairomone; Microplitis croceipes; parasitoid; H. zea; H. virescens; H. subflexa
110. Lewis, W. J.; Jones, R. L.; Nordlund, D. A.; Gross, H. R., Jr. 1975. Kairomones and their use for management of entomophagous insects. II. Mechanisms causing increase in rate of parasitization by Trichogramma spp. J. Chem. Ecol. 1: 349-360. QD415.A1J6 bioassay; cage test; field test; kairomone; behavior; Trichogramma spp.; parasitoid; H. zea; tricosane
111. Lewis, W. J.; Jones, R. L.; Nordlund, D. A.; Sparks, A. N. 1975. Kairomones and their use for management of entomophagous insects. I. Evaluation for increasing rates of parasitization by Trichogramma spp. in the field. J. Chem. Ecol. 1: 343-347. QD415.A1J6 field test; kairomone; parasitoid; Trichogramma spp.; H. zea; tricosane
112. Lewis, W. J.; Nordlund, D. A.; Gross, H. R., Jr.; Jones, R. L.; Jones, S. L. 1977. Kairomones and their use for management of entomophagous insects. V. Moth scales as a stimulus for predation of Heliothis zea (Boddie) eggs by Chrysopa carnea Stephens larvae. J. Chem. Ecol. 3: 483-487. QD415.A1J6 bioassay; cage test; behavior; kairomone; Chrysopa carnea; H. zea
113. Lewis, W. J.; Nordlund, D. A.; Gueldner, R. C.; Teal, P. E. A.; Tumlinson, J. H. 1982. Kairomones and their use for management of entomophagous insects. XIII. Kairomonal activity for Trichogramma spp. of abdominal tips, excretion, and a synthetic sex pheromone blend of Heliothis zea (Boddie) moths. J. Chem. Ecol. 8: 1323-1331. QD415.A1J6 bioassay; cage test; field test; behavior; kairomone; synthetic sex pheromone; parasitoid; Trichogramma spp.; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal

114. Lewis, W. J.; Sparks, A. N.; Redlinger, L. M. 1971. Moth odor: A method of host-finding by Trichogramma evanescens. J. Econ. Entomol. 64: 557-558. 421 J822 bioassay; behavior; kairomone; parasitoid; Trichogramma evanescens; H. zea
115. Lingren, P. D.; Greene, G. L.; Davis, D. R.; Baumhover, A. H.; Henneberry, T. J. 1977. Nocturnal behavior of four lepidopteran pests that attack tobacco and other crops. Ann. Entomol. Soc. Am. 70: 161-167. 420 EN82 cage test; behavior; H. virescens
116. Lingren, P. D.; Raulston, J. R.; Sparks, A. N.; Proshold 1979. Tobacco budworm: Nocturnal behavior of laboratory-reared irradiated and native adults in the field. U. S. Dept of Agriculture, Agricultural Research Results. ARR-W-5. field test; behavior; sex pheromone; H. virescens
117. Lingren, P. D.; Raulston, J. R.; Sparks, A. N. 1982. Interception of native male tobacco budworm by barriers of released laboratory-reared sterile females. Environ. Entomol. 6: 217-221. QL461.E532 field test; behavior; control strategy; sex pheromone; H. virescens
118. Lingren, P. D.; Raulston, J. R.; Sparks, A. N.; Wolf, W. W. 1982. Insect monitoring technology for evaluation of suppression via pheromone systems. In: Insect Suppression with Controlled Release Pheromone Systems. A. F. Kydonieus and M. Beroza., Eds., CRC Press, Boca Raton, FL. Vol. 1, pp. 171-193. SB933.5.I48 v. 1 control strategy; monitoring; field test; cage test; trapping; disruptant; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
119. Lingren, P. D.; Sparks, A. N.; Raulston, J. R. 1982. The potential contribution of moth behavior research to Heliothis management. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 39-47. SB945.H27I5 1981 control strategy; behavior; H. zea; H. virescens
120. Lingren, P. D.; Sparks, A. N.; Raulston, J. R.; Wolf, W. W. 1978. Applications for nocturnal studies of insects. Bull. Entomol. Soc. Am. 24: 206-212. 423.9 EN8 field test; behavior; trap design; sex pheromone; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
121. Lingren, P. D.; Wolf, W. W. 1982. Nocturnal activity of the tobacco budworm and other insects. In: Biometeorology in Integrated Pest Management. J. L. Hatfield and I. J. Thomason, I. J., Eds. Academic Press, NY. pp. 211-228. SB950.A2B57 field test; behavior; sex pheromone; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal

122. Lloyd, E. P.; McKibben, G. H.; Leggett, J. E.; Hartstack, A. W. 1983. Pheromones for survey, detection, and control. In: Cotton Insect Management with Special Reference to the Boll Weevil. R. L. Ridgway, E. P. Lloyd, and W. H. Cross, Eds. Agric. Handbook No. 589. Agric. Res. Service, U. S. Department of Agriculture, Washington, DC. pp. 179-205. 1 Ag84Ah no.589 control strategy; field test; trapping; trap design; sex pheromone; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecenal; tetradecanal
123. Lopez, J. D., Jr.; Hartstack, A. W., Jr. 1983. Tobacco budworm (Lepidoptera: Noctuidae): Emergence from overwintering, with notes on predation by vertebrates. J. Econ. Entomol. 76: 278-282. 421 J822 monitoring; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecenal; tetradecanal
124. Lopez, J. D., Jr.; Shaver, T. N.; Hartstack, A. W., Jr. 1981. Evaluation of dispensers for the pheromone of Heliothis zea. Southwestern Entomol. 6: 117-122. QL461.S65 field test; formulation; synthetic sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
125. Martin, D. F.; Laster, M. L.; Proshold, F. I.; Lingren, P. D.; Pair, S. D.; Raulston, J. R.; Smith, J. W.; Sparks, A. N.; Stadelbacher, E. A. 1984. Tobacco budworm: Behavioral studies of the sterile hybrid backcross in field releases in Puerto Rico. Environ. Entomol. 13: 701-707. QL461.E532. field test; hybrid; behavior; H. virescens; H. subflexa
126. McDonough, L. M.; George, D. A.; Landis, B. J. 1970. Partial structure of two sex pheromones of the corn earworm, Heliothis zea. J. Econ. Entomol. 63: 408-412. 421 J822 isolation; bioassay; sex pheromone; sex pheromone analog; H. zea; (Z)-7-tetradecen-1-ol acetate; (Z)-7-tetradecen-1-ol
127. McLaughlin, J. R.; Mitchell, E. R. 1982. Practical development of pheromones in Heliothis management. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 309-318. SB945.H27I5 1981 monitoring; disruptant; synthetic sex pheromone; sex pheromone analog; formulation; H. armigera; H. zea; H. virescens; H. punctigera; H. subflexa; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-7-hexadecen-1-ol acetate; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecen-1-ol acetate
128. McLaughlin, J. R.; Mitchell, E. R.; Cross, J. H. 1981. Field and laboratory evaluation of mating disruptants of Heliothis zea and Spodoptera frugiperda in Florida. In: Management of Insect Pests with Semiochemicals: Concepts and Practice. E. R. Mitchell, Ed. Plenum Press, NY. pp. 243-251. SB933.3.M36 field test; disruptant; formulation; synthetic sex pheromone; sex pheromone analog; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecen-1-ol formate

129. Meighen, E. A.; Slessor, K. N.; Grant, G. G. 1981. A bioluminescent assay for aldehyde sex pheromones of insects. *Experientia* 37: 555-557. 475 EX7 analysis; sex pheromone; H. virescens; H. zea; (Z)-11-hexadecenal
130. Mitchell, E. R. 1976. Attraction of Atethmia repanda males to Heliothis zea females. *Fla. Entomol.* 59: 210. 420 F662 field test; sex pheromone; interspecific interaction; H. zea; Atethmia repanda
131. Mitchell, E. R. 1976. Recent advances in the use of sex pheromones for control of insect pests. *Proc. Internatl. Controlled Release Pesticide Symp.* August 22-24, 1977. Oregon State Univ., Corvallis, OR. R. L. Goulding, Ed., pp. 41-67. SB950.A1I51 control strategy; disruptant; synthetic sex pheromone; sex pheromone analog; formulation; H. zea; (Z)-9-tetradecen-1-ol formate; (Z)-11-hexadecenal
132. Mitchell, E. R.; Baumhover, A. H.; Jacobson, M. 1976. Reduction of mating potential of male Heliothis spp. and Spodoptera frugiperda in field plots treated with disruptants. *Environ. Entomol.* 5: 484-486. QL461.E532 field test; disruptant; sex pheromone analog; synthetic sex pheromone; sex pheromone; H. virescens; H. zea; (Z)-9-tetradecen-1-ol formate; (Z)-11-hexadecenal; (Z)-9-tetradecenal
133. Mitchell, E. R.; Hamilton, E. W.; Masuda, S. 1978. A 12-volt DC power pack for electrocutor grid traps. *Fla. Entomol.* 61: 189-191. 420 F662 field test; trap design; sex pheromone; H. zea
134. Mitchell, E. R.; Jacobson, M.; Baumhover, A. H. 1975. Heliothis spp.: Disruption of pheromonal communication with (Z)-9-tetradecen-1-ol formate. *Environ. Entomol.* 4: 577-579. QL461.E532 field test; disruptant; sex pheromone analog; sex pheromone; H. virescens; H. zea; (Z)-9-tetradecen-1-ol formate
135. Mitchell, E. R.; Jacobson, M.; Baumhover, A. H. 1978. (Z) 9-Tetradecenyl formate and its use as a communication disruptant for Heliothis. U. S. Patent No. 4,083,995, Apr. 11, 1978. field test; disruptant; sex pheromone analog; H. virescens; H. zea; (Z)-9-tetradecen-1-ol formate
136. Mitchell, E. R.; McLaughlin, J. R. 1982. Suppression of mating and oviposition by fall armyworm and mating by corn earworm in corn, using the air permeation technique. *J. Econ. Entomol.* 75: 270-274. 421 J822 field test; disruptant; sex pheromone analog; sex pheromone; H. zea; (Z)-9-tetradecen-1-ol formate
137. Mitchell, E. R.; Tumlinson, J. H.; Baumhover, A. H. 1978. Heliothis virescens: Attraction of males to blends of (Z)-9-tetradecen-1-ol formate and (Z)-9-tetradecenal. *J. Chem. Ecol.* 4: 709-716. QD415.A1J6 field test; disruptant; interspecific interaction; sex pheromone analog; synthetic sex pheromone; sex pheromone; H. virescens; H. zea; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecenal; (Z)-11-hexadecenal; (Z)-7-dodecen-1-ol formate

138. Mitchell, E. R.; Tumlinson, J. H.; Copeland, W. W.; Hines, R. W.; Brennan, M. M. 1974. Tobacco budworm: Production, collection, and use of natural pheromone in field traps. *Environ. Entomol.* 3: 711-713. QL461.E532 field test; cage test; sex pheromone; behavior; H. virescens
139. Mueller, T. F.; Harris, V. E.; Phillips, J. R. 1984. Theory of Heliothis (Lepidoptera: Noctuidae) management through reduction of the first spring generation: A critique. *Environ. Entomol.* 13: 625-634. QL461.E532. control strategy; migration; monitoring; synthetic sex pheromone; H. zea; H. virescens
140. Nesbitt, B. F.; Beevor, P. S.; Hall, D. R.; Lester, R. 1979. Female sex pheromone components of the cotton bollworm, Heliothis armigera. *J. Insect Physiol.* 25: 535-541. 421 J825 identification; field test; electrophysiology; sex pheromone; synthetic sex pheromone; interspecific interaction; H. armigera; H. peltigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; hexadecanal; (Z)-11-hexadecen-1-ol; hexadecanol; (E)-11-hexadecenal
141. Nesbitt, B. F.; Beevor, P. S.; Hall, D. R.; Lester, R. 1980. (Z)-9-Hexadecenal: A minor component of the female sex pheromone of Heliothis armigera (Hüner) (Lepidoptera, Noctuidae). *Entomol. Exp. Appl.* 27: 306-308. 421 EN895 identification; sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-11-hexadecen-1-ol; hexadecanal; hexadecanol
142. Nettles, W. C., Jr.; Burks, M. L. 1975. A substance from Heliothis virescens larvae stimulating larviposition by females of the tachinid, Archytas marmoratus. *J. Insect Physiol.* 21: 965-978. 421 J825 isolation; bioassay; kairomone; Archytas marmoratus; parasitoid; H. virescens
143. Nordlund, D. A.; Lewis, W. J.; Gross, H. R., Jr.; Beevers, M. 1981. Kairomones and their use for management of entomophagous insects. XII. The stimulatory effects of host eggs and the importance of host-egg density to the effective use of kairomones for Trichogramma pretiosum Riley. *J. Chem. Ecol.* 7: 909-917. QD415.A1J6 bioassay; cage test; field test; kairomone; behavior; Trichogramma pretiosum; parasitoid; H. zea
144. Nordlund, D. A.; Lewis, W. J.; Gross, H. R., Jr.; Harrell, E. A. 1974. Description and evaluation of a method for field application of Heliothis zea eggs and kairomones for Trichogramma. *Environ. Entomol.* 3: 981-984. QL461.E532 field test; kairomone; parasitoid; Trichogramma evanescens; H. zea; tricosane
145. Nordlund, D. A.; Lewis, W. J.; Jones, R. L.; Gross, H. R., Jr. 1976. Kairomones and their use for management of entomophagous insects. IV. Effect of kairomones on productivity and longevity of Trichogramma pretiosum Riley (Hymenoptera: Trichogrammatidae). *J. Chem. Ecol.* 2: 67-72. QD415.A1J6 bioassay; kairomone; Trichogramma pretiosum; parasitoid; H. zea

146. Nordlund, D. A.; Lewis, W. J.; Jones, R. L.; Gross, H. R., Jr.; Hagen, K. S. 1977. Kairomones and their use for management of entomophagous insects. VI. An examination of the kairomones for the predator Chrysopa carnea Stephens at the oviposition sites of Heliothis zea (Boddie). J. Chem. Ecol. 3: 507-511. QD415.A1J6 bioassay; behavior; kairomone; Chrysopa carnea; H. zea
147. Nordlund, D. A.; Lewis, W. J.; Todd, J. W.; Chalfant, R. B. 1977. Kairomones and their use for management of entomophagous insects. VII. The involvement of various stimuli in the differential response of Trichogramma pretiosum Riley to two suitable hosts. J. Chem. Ecol. 3: 513-518. QD415.A1J6 bioassay; behavior; kairomone; parasitoid; Trichogramma pretiosum; H. zea
148. Nordlund, D. A.; Sauls, C. E. 1981. Kairomones and their use for management of entomophagous insects. XI. Effect of host plants on kairomonal activity of frass from Heliothis zea larvae for the parasitoid Microplitis croceipes. J. Chem. Ecol. 7: 1057-1061. QD415.A1J6 bioassay; behavior; kairomone; parasitoid; Microplitis croceipes; H. zea
149. Pair, S. D.; Laster, M. L.; Martin, D. F. 1977. Hybrid sterility: Mating dynamics of backcross progeny from crosses of Heliothis subflexa and H. virescens. Ann. Entomol. Soc. Am. 70: 665-668. 420 EN82 bioassay; behavior; hybrid; H. virescens; H. subflexa
150. Piccardi, P.; Capizzi, A.; Cassani, G.; Spinelli, P.; Arsur, E.; Massardo, P. 1977. A sex pheromone component of the Old World bollworm Heliothis armigera. J. Insect Physiol. 23: 1443-1445. 421 J825 identification; synthesis; electrophysiology; field test; sex pheromone; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal
151. Plimmer, J. R.; Leonhardt, B. A. 1983. Formulation of insect pheromones: Application rates and persistence. Pesticide Chemistry: Human Welfare and the Environment. J. Miyamoto and P. C. Kearney, Eds. (Proc. 5th Internatl. Congr. Pesticide Chem., Kyoto, Japan. Aug. 29-Sept 4, 1982.) Pergamon Press, Oxford. Vol. 4, pp. 233-236. SB951.I562 1982 v.4 analysis; formulation; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; tetradecanal
152. Pope, M. M.; Gaston, L. K.; Baker, T. C. 1982. Composition, quantification, and periodicity of sex pheromone gland volatiles from individual Heliothis virescens females. J. Chem. Ecol. 8: 1043-1055. QD415.A1J6 identification; sex pheromone; H. virescens; (Z)-11-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-hexadecenal; (Z)-7-hexadecenal
153. Raina, A. K. 1983. Role of sex pheromones in insect reproduction (Abstract). In: Abstracts Internatl. Conf. Natural Products as Regulators of Insect Reproduction. Jammu, India, Oct. 1983. p. 26. analysis; sex pheromone; interspecific interaction; physiology; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal

154. Raina, A. K.; Klun, J. A. 1984a. Neuro-hormonal control of sex pheromone production in Heliothis zea. In: Insect Neurochemistry and Neurophysiology. A. B. Borkovec and T. J. Kelly, Eds. Plenum Publishing Corp., New York. pp. 467-469. QL495.I535 1983 bioassay; isolation; physiology; sex pheromone; H. zea
155. Raina, A. K.; Klun, J. A. 1984b. Brain factor control of sex pheromone production in the female corn earworm moth. Science 225: 531-533. 470 SCI2 bioassay; isolation; physiology; sex pheromone; (Z)-11-hexadecenal; H. zea
156. Raulston, J. R. 1979. Heliothis virescens migration. In: Movement of Highly Mobile Insects: Concepts and Methodology. R. L. Rabb and G. G. Kennedy, Eds. N. C. State Univ., University Graphics, Raleigh, N. C. pp. 412-419. SB945.L63M6 field test; monitoring; migration; sex pheromone; H. virescens
157. Raulston, J. R.; Graham, H. M.; Lingren, P. D.; Snow, J. W. 1976. Mating interaction of native and laboratory-reared tobacco budworms released in the field. Environ. Entomol. 5: 195-198. QL461.E532 field test; behavior; irradiation; sex pheromone; H. virescens
158. Raulston, J. R.; Lingren, P. D.; Sparks, A. N.; Martin, D. F. 1979. Mating interaction between native tobacco budworms and released backcross adults. Environ. Entomol. 8: 349-353. QL461.E532 field test; behavior; hybrid; monitoring; sex pheromone; H. virescens
159. Raulston, J. R.; Lopez, P. P.; Gonzales, G. E.; Houghtaling, J. E. 1983. Tobacco budworm: Behavioral effects of dispensing virelure or seven-component pheromone in small cotton plots. Environ. Entomol. 12: 738-743. QL461.E532 field test; behavior; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
160. Raulston, J. R.; Snow, J. W.; Graham, H. M.; Lingren, P. D. 1975. Tobacco budworm: Effect of prior mating and sperm content on the mating behavior of females. Ann. Entomol. Soc. Am. 68: 701-704. 420 EN82 cage test; field test; behavior; sex pheromone; H. virescens
161. Raulston, J. R.; Sparks, A. N.; Lingren, P. D. 1980. Design and comparative efficiency of a wind-oriented trap for capturing live Heliothis spp. J. Econ. Entomol. 73: 586-589. 421 J822 field test; trap design; synthetic sex pheromone; sex pheromone; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-tetradecenal
162. Raulston, J. R.; Wolf, W. W.; Lingren, P. D.; Sparks, A. N. 1982. Migration as a factor in Heliothis management. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 61-73. SB945.H27I5 1981 field test; monitoring; migration; sex pheromone; synthetic sex pheromone; H. zea; H. armigera; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol

163. Reed, W., Ed. 1982. International Workshop on Heliothis Management. ICRISAT (International Crops Research Institute for the Semi-Arid Tropics). 1982. Proceedings of the International Workshop on Heliothis Management, 15-20 November 1981, ICRISAT Center, Patancheru, A. P., India SB945.H27I5 1981 control strategy; monitoring; behavior; synthetic sex pheromone; hybrid; phylogeny; physiology; migration; Heliothis spp.
164. Roach, S. H. 1975. Heliothis zea and H. virescens: Moth activity as measured by blacklight and pheromone traps. J. Econ. Entomol. 68: 17-21. 421 J822 monitoring; field test; trap design; sex pheromone; disruptant; H. zea; H. virescens
165. Roelofs, W. L.; Hill, A. S.; Cardé, R. T.; Baker, T. C. 1974. Two sex pheromone components of the tobacco budworm moth, Heliothis virescens. Life Sci. 14: 1555-1562. 442.8 L62 identification; electrophysiology; bioassay; field test; sex pheromone; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-tetradecenal
166. Roltsch, W. J.; Mayse, M. A. 1984. Population studies of Heliothis spp. (Lepidoptera: Noctuidae) on tomato and corn in southeast Arkansas. Environ. Entomol. QL461.E532 field test; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
167. Rothschild, G. H. L. 1978. Attractants for Heliothis armigera and H. punctigera. J. Austral. Entomol. Soc. 17: 389-390. 420 EN823 field test; synthetic sex pheromone; sex pheromone analog; H. armigera; H. punctigera; (Z)-11-hexadecenal; (Z)-9-tetradecenal; (Z)-11-hexadecen-1-ol acetate; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecen-1-ol; (Z)-9-tetradecen-1-ol acetate
168. Rothschild, G. H. L.; Nesbitt, B. F.; Beever, P. S.; Cork, A.; Hall, D. R.; Vickers, R. A. 1982. Studies of the female sex pheromone of the native budworm, Heliothis punctiger. Entomol. Exp. Appl. 31: 395-401. 421 EN895 identification; electrophysiology; field test; sex pheromone; synthetic sex pheromone; H. punctigera; H. punctiger; (Z)-11-hexadecenal; (Z)-11-hexadecen-1-ol acetate; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecenal; (Z)-11-tetradecenal; hexadecanal
169. Rothschild, G. H. L.; Wilson, A. G. L.; Malafant, K. W. 1982. Preliminary studies on the female sex pheromones of Heliothis species and their possible use in control programs in Australia. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 319-327. SB945.H27I5 1981 monitoring; field test; trap design; synthetic sex pheromone; sex pheromone analog; H. armigera; H. punctigera; (Z)-11-hexadecenal; (Z)-11-hexadecen-1-ol acetate; (Z)-9-tetradecenal; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecen-1-ol acetate

170. Saad, A. D.; Scott, D. R. 1981. Repellency of pheromones released by females of Heliothis armigera and H. zea to females of both species. Entomol. Exp. Appl. 30: 123-127. 421 EN895 bioassay; behavior; sex pheromone; H. armigera; H. zea
171. Sattar-Zade, N. R.; Konyukhov, V. P.; Mamedova, S. R.; Kovalev, B. G. 1980. (Use of sexual attractant of Heliothis armigera.) Khim. Sel's. Khoz. 18 (12): 12-13 385 K524 field test; synthetic sex pheromone; H. armigera; (Z)-11-hexadecenal; (Z)-11-tetradecenal
172. Sauls, C. E.; Nordlund, D. A.; Lewis, W. J. 1979. Kairomones and their use for management of entomophagous insects. VIII. Effect of diet on the kairomonal activity of frass from Heliothis zea (Boddie) larvae for Microplitis croceipes (Cresson). J. Chem. Ecol. 5: 363-369. QD415.A1J6 bioassay; behavior; kairomone; parasitoid; Microplitis croceipes; H. zea
173. Sekul, A. A.; Sparks, A. N.; Beroza, M.; Bierl, B. A. 1975. A natural inhibitor of the corn earworm moth sex attractant. J. Econ. Entomol. 68: 603-604. 421 J822 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; disruptant; H. zea; (Z)-11-hexadecenal
174. Shani, A. 1982. Field studies and pheromone application in Israel. Abstracts, Third Israeli Meeting on Pheromone Research: 18-22. monitoring; field test; disruptant; synthetic sex pheromone; H. armigera
175. Shaver, T. N. 1983. Environmental fate of (Z)-11-hexadecenal and (Z)-9-tetradecenal, components of a sex pheromone of the tobacco budworm (Lepidoptera: Noctuidae). Environ. Entomol. 12: 1802-1804. QL461.E532 analysis; degradation product; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
176. Shaver, T. N.; Hendricks, D. E.; Hartstack, A. W., Jr. 1981. Dissipation of virescure, a synthetic pheromone of the tobacco budworm, from laminated plastic and cigarette filter dispensers. Southwestern Entomol. 6: 205-210. QL461.S65 field test; formulation; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
177. Shaver, T. N.; Ivie, G. W. 1982. Degradation products (Z)-11-hexadecenal and (Z)-9-tetradecenal, components of a sex pheromone of the tobacco budworm. J. Agric. Food Chem. 30: 367-371. 381 J8223 identification; degradation product; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
178. Shaver, T. N.; Lopez, J. D., Jr. 1982. Effect of pheromone components on mating and trap catches of Heliothis spp. in small plots. Southwestern Entomol. 7: 181-187. QL461.S65 field test; disruptant; sex pheromone; synthetic sex pheromone; sex pheromone analog; interspecific interaction; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal; (Z)-9-hexadecenal; (Z)-9-tetradecen-1-ol formate; (Z)-7-hexadecenal; (Z)-11-hexadecen-1-ol; hexadecanal; tetradecanal

179. Shaver, T. N.; Lopez, J. D., Jr.; Hartstack, A. W., Jr. 1982. Effects of pheromone components and their degradation products on the response of Heliothis spp. to traps. J. Chem. Ecol. 8: 755-762. QD415.A1J6 field test; degradation product; disruptant; sex pheromone analog; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
180. Shorey, H. H.; Gaston, L. K. 1965. Sex pheromones of noctuid moths. V. Circadian rhythm of pheromone-responsiveness in males of Autographa californica, Heliothis virescens, Spodoptera exigua, and Trichoplusia ni (Lepidoptera: Noctuidae). Ann. Entomol. Soc. Am. 58: 597-600. 420 EN82 bioassay; behavior; sex pheromone; H. virescens
181. Shorey, H. H.; Gaston, L. K. 1967. Sex pheromones of noctuid moths. XII. Lack of evidence for masking of sex pheromone activity in extracts from females of Heliothis zea and H. virescens (Lepidoptera: Noctuidae). Ann. Entomol. Soc. Am. 60: 847-849. 420 EN82 bioassay; sex pheromone; H. zea; H. virescens
182. Shorey, H. H.; Gaston, L. K.; Roberts, J. S. 1965. Sex pheromones of noctuid moths. VI. Absence of behavioral specificity for the female sex pheromones of Trichoplusia ni versus Autographa californica, and Heliothis zea versus H. virescens (Lepidoptera: Noctuidae). Ann. Entomol. Soc. Am. 58: 600-603. 420 EN82 bioassay; sex pheromone; behavior; interspecific interaction; H. zea; H. virescens
183. Shorey, H. H.; McFarland, S. U.; Gaston, L. K. 1968. Sex pheromones of noctuid moths. XII. Changes in pheromone quantity as related to reproductive age and mating history, in females of seven species of Noctuidae (Lepidoptera). Ann. Entomol. Soc. Am. 61: 372-376. 420 EN82 bioassay; sex pheromone; physiology; H. zea; H. virescens
184. Snow, J. W.; Jones, R. L.; North, D. T.; Holt, G. G. 1972. Effects of irradiation on ability of adult male corn earworms to transfer sperm, and field attractiveness of females mated to irradiated males. J. Econ. Entomol. 65: 906-908. 421 J822 field test; irradiation; sex pheromone; physiology; H. zea
185. Snow, J. W.; Lewis, W. J.; Sparks, A. N. 1970. Mating of normal and sterilized colonized and native corn earworms with emphasis on failure of pairs to separate after copulation. J. Econ. Entomol. 63: 1873-1876. 421 J822 bioassay; behavior; irradiation; H. zea
186. Snow, J. W.; Raulston, J. R.; Guillot, F. S. 1976. Mating tables: A method of studying the mating and the competitive behavior of Lepidoptera and Diptera in the field. Ann. Entomol. Soc. Am. 69: 751-752. 420 EN82 cage test; behavior; H. zea; H. virescens
187. Snow, J. W.; Sparks, A. N.; Lewis, W. J. 1972. Seasonal capture of corn earworm adults in light traps near Tifton, Georgia, compared with captures in traps baited with virgin females. J. Ga. Entomol. Soc. 7: 85-89. QL461.G4 monitoring; field test; trap design; sex pheromone; H. zea

179. Sparks, A. B. 1979. An introduction to the status, current knowledge, and research on movement of selected Lepidoptera in south-eastern United States. In: Movement of Highly Mobile Insects: Concepts and Methodology. R. L. Rabb and G. G. Kennedy, Eds. N. C. State Univ., University Graphics, Raleigh, N. C. pp. 382-385. SB945.L63M6 monitoring; migration; sex pheromone; H. zea; H. virescens
189. Sparks, A. N.; Carpenter, J. E.; Klun, J. A.; Mullinix, B. G. 1979. Field responses of male Heliothis zea (Boddie) to pheromonal stimuli and trap design. J. Ga. Entomol. Soc. 14: 318-325. QL461.G4 field test; trap design; sex pheromone; synthetic sex pheromone; behavior; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
190. Sparks, A. N.; Raulston, J. R.; Carpenter, J. E.; Lingren, P. D. 1982. The present status and potential for novel uses of pheromone to control Heliothis. In: Proc. Internatl. Workshop on Heliothis Management (Patancheru, India, November 1981), W. Reed, Ed. ICRISAT Center (Internatl. Crops Res. Inst. for the Semi-Arid Tropics), Patancheru, India. pp. 291-307. SB945.H27I5 1981 bioassay; cage test; field test; monitoring; trap design; disruptant; sex pheromone; synthetic sex pheromone; sex pheromone analog; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-tetradecen-1-ol formate; tetradecanol formate
191. Sparks, A. N.; Raulston, J. R.; Lingren, P. D.; Carpenter, J. E.; Klun, J. A.; Mullinix, B. G. 1979. Field response of male Heliothis virescens to pheromonal stimuli and traps. Bull. Entomol. Soc. Am. 25: 268-274. 423.9 EN8 field test; synthetic sex pheromone; trap design; sex pheromone; behavior; H. virescens (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
192. Stadelbacher, E. A. 1983 Lethal mating between male bollworm and female tobacco budworm adults induced by field applications of individual components of Heliothis pheromones. Proc. Beltwide Cotton Prod. Res. Conf. 1983:203-205. SB249.N6 field test; disruptant; interspecific interaction; sex pheromone; synthetic sex pheromone; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
193. Stadelbacher, E. A.; Barry, M. W.; Raina, A. K.; Plimmer, J. R. 1983. Fatal interspecific mating of two Heliothis species induced by synthetic sex pheromone. Experientia 39: 1174-1176. 475 EX7 bioassay; field test; disruptant; sex pheromone; synthetic sex pheromone; interspecific interaction; H. zea; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol

194. Stadelbacher, E. A.; Laster, M. L.; Pfrimmer, T. R. 1972. Seasonal occurrence of populations of bollworm and tobacco budworm moths in the central Delta of Mississippi. *Environ. Entomol.* 1: 318-323. QL461.E532 monitoring; sex pheromone; H. zea; H. virescens
195. Steck, W.; Underhill, E. W.; Chisholm, M. D. 1982. Structure-activity relationships in sex attractants for North American noctuid moths. *J. Chem. Ecol.* 8: 731-754. QD415.A1J6 sex pheromone; H. ononis; H. phloxiphaga; H. subflexa; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecenal; (Z)-9-tetradecenal; tetradecenal; (Z)-11-hexadecen-1-ol
196. Strand, M. R.; Vinson, S. B. 1982. Behavioral response of the parasitoid Cardiochiles nigriceps to a kairomone. *Entomol. Exp. Appl.* 31: 308-315. 421 EN895 bioassay; behavior; kairomone; parasitoid; Cardiochiles nigriceps; H. virescens
197. Strand, M. R.; Vinson, S. B. 1983. Host acceptance behavior of Telenomus heliothidis (Hymenoptera: Scelionidae) toward Heliothis virescens (Lepidoptera: Noctuidae). *Ann. Entomol. Soc. Am.* 76: 781-785. 420 EN82 bioassay; behavior; kairomone; parasitoid; Telenomus heliothidis; H. virescens
198. Tahhan, O.; Hariri, G. 1982. Preliminary study of trapping Heliothis armigera (Hb.) with pheromones at ICARDA, Syria. *Internat'l. Chickpea Newsltt.* (6): 19-20. SB351.C45I52 monitoring; synthetic sex pheromone; H. armigera
199. Taylor, A. W. 1982. Field measurements of pheromone vapor distribution. In: *Insect Pheromone Technology: Chemistry and Applications*. B. A. Leonhardt and M. Beroza, Eds. ACS Symposium Series No. 190, American Chemical Society, Washington, D. C., pp. 193-207. QD1.A45 field test; vapor distribution; formulation; disruptant; H. zea; (Z)-9-tetradecen-1-ol formate
200. Teal, P. E. A.; Carlisle, T. C.; Tumlinson, J. H. 1983. Epidermal glands in terminal abdominal segments of female Heliothis virescens (F.) (Lepidoptera: Noctuidae). *Ann. Entomol. Soc. Am.* 76: 242-247. 420 EN82 analysis; morphology; H. virescens
201. Teal, P. E. A.; Heath, R. R.; Tumlinson, J. H.; McLaughlin, J. R. 1981. Identification of a sex pheromone of Heliothis subflexa (Gn.) (Lepidoptera: Noctuidae) and field trapping studies using different blends of components. *J. Chem. Ecol.* 7: 1011-1022. QD415.A1J6 identification; bioassay; field test; sex pheromone; synthetic sex pheromone; H. subflexa; H. zea; H. virescens; hexadecenal; (Z)-9-hexadecenal; (Z)-11-hexadecenal; (Z)-7-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol; (Z)-11-hexadecen-1-ol
202. Teal, P. E. A.; McLaughlin, J. R.; Tumlinson, J. H. 1981. Analysis of the reproductive behavior of Heliothis virescens (F.) under laboratory conditions. *Ann. Entomol. Soc. Am.* 74: 324-330. 420 EN82 bioassay; behavior; sex pheromone; H. virescens

203. Teal, P. E. A.; McLaughlin, J. R.; Tumlinson, J. H.; Rush, R. R. [A.] 1982. A sex attractant for Platysenta videns (Gn.) similar to the sex pheromone of Heliothis virescens (F.). Fla. Entomol. 65: 583-584. 420 F662 field test; interspecific interaction; synthetic sex pheromone; sex pheromone; H. virescens; Platysenta videns; (Z)-11-hexadecenal; (Z)-9-tetradecenal; hexadecanal; tetradecanal
204. Teal, P. E. A.; Tumlinson, J. H.; McLaughlin, J. R.; Heath, R.; Rush, R. A. 1984 (Z)-11-Hexadecen-1-ol: A behavior modifying chemical present in the pheromone gland of female Heliothis zea (Lepidoptera: Noctuidae). Can. Entomol. 116: 777-779. 421 C16 identification; field test; synthetic sex pheromone; sex pheromone; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-11-hexadecen-1-ol
205. Teich, I. 1981. The use of pheromones for the control of cotton insect pests. (Abstract) Phytoparasitica 9: 220. SB599.P53 disruptant; synthetic sex pheromone; H. armigera
206. Tingle, F. C.; Mitchell, E. R. 1978. Response of Heliothis virescens to pheromonal components and an inhibitor in olfactometers. Experientia 34: 153-154. 475 EX7 bioassay; behavior; synthetic sex pheromone; disruptant; sex pheromone analog; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal; (Z)-9-tetradecen-1-ol formate
207. Tingle, F. C.; Mitchell, E. R. 1981. Relationships between pheromone trap catches of male tobacco budworm, larval infestations, and damage levels in tobacco. J. Econ. Entomol. 74: 437-440. 421 J822 monitoring; synthetic sex pheromone; H. virescens; (Z)-11-hexadecenal; (Z)-9-tetradecenal
208. Tingle, F. C.; Mitchell, E. R. 1982a. Disruption of pheromone communication of the tobacco budworm in tobacco fields treated with pheromone components. J. Econ. Entomol. 75: 50-56. 421 J822 field test; cage test; disruptant; sex pheromone; synthetic sex pheromone; interspecific interaction; H. virescens; H. zea; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-9-tetradecenal; (Z)-11-hexadecen-1-ol
209. Tingle, F. C.; Mitchell, E. R. 1982b. Effect of synthetic pheromone on parasitization of Heliothis virescens (F.) (Lepidoptera: Noctuidae) in tobacco. Environ. Entomol. 11: 913-916. QL461.E532 field test; disruptant; synthetic sex pheromone; behavior; parasitoid; Cardiochiles nigriceps; Pristomerus spinator; Archytas marmoratus; Apanteles marginiventris; Eucelatoria rubentis; Netalia sayi; H. virescens; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-9-tetradecenal; (Z)-11-hexadecen-1-ol
210. Tingle, F. C.; Mitchell, E. R.; Baumhover, A. H. 1978. Sex pheromone specificity in Heliothis. J. Chem. Ecol. 4: 471-479. QD415.A1J6 field test; cage test; bioassay; hybrid; sex pheromone; synthetic sex pheromone; behavior; interspecific interaction; disruptant; H. zea; H. virescens; H. subflexa; (Z)-11-hexadecenal; (Z)-9-tetradecenal

211. Tumlinson, J. H. 1979. Recent discoveries in insect pheromone chemistry. In: *Advances in Pesticide Science, Part 2*, H. Geissbuhler, Ed., Pergamon Press, Oxford, 1979. pp. 315-322. SB951.I562 cage test; bioassay; disruptant; sex pheromone analog; synthetic sex pheromone; sex pheromone; interspecific interaction; *H. virescens*; *H. zea*; (Z)-11-hexadecenal; (Z)-9-tetradecen-1-ol formate; (Z)-9-tetradecenal; (Z)-7-dodecen-1-ol formate; (Z)-9-hexadecenal; (Z)-7-tetradecen-1-ol formate
212. Tumlinson, J. H. 1982. The chemical basis for communication between the sexes in *Heliothis virescens* and other insect species. In: *Les Mediateurs Chimiques Agissant sur le Comportement des Insectes. Colloques INRA 7*: 193-201. S539.7.C6 identification; behavior; field test; trapping; sex pheromone; synthetic sex pheromone; *H. virescens*; *H. subflexa*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-hexadecen-1-ol; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-7-hexadecen-1-ol acetate
213. Tumlinson, J. H.; Heath, R. R.; Teal, P. E. A. 1982. Analysis of chemical communications systems of Lepidoptera. In: *Insect Pheromone Technology: Chemistry and Applications*. B. A. Leonhardt and M. Beroza, Eds. ACS Symp. Ser. No. 190. American Chemical Society, Washington, D. C. pp. 2-25. QD1 A45 identification; bioassay; field test; interspecific interaction; sex pheromone; behavior; *H. virescens*; *H. subflexa*; *H. zea*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol; (Z)-9-hexadecen-1-ol acetate; (Z)-7-hexadecen-1-ol acetate
214. Tumlinson, J. H.; Hendricks, D. E.; Mitchell, E. R.; Doolittle, R. E.; Brennan, M. M. 1975. Isolation, identification, and synthesis of the sex pheromone of the tobacco budworm. *J. Chem. Ecol.* 1: 203-214. QD415.A1J6 identification; synthesis; cage test; field test; sex pheromone; synthetic sex pheromone; *H. virescens*; (Z)-11-hexadecenal; (Z)-9-tetradecenal
215. Tumlinson, J. H.; Teal, P. E. A. 1982. The sophisticated language of insect chemical communication. *J. Ga. Entomol. Soc.* 17(4, suppl. 2): 11-23. QL461.G4 identification; bioassay; field test; behavior; sex pheromone; synthetic sex pheromone; formulation; kairomone; parasitoid; *Trichogramma* spp.; *H. virescens*; *H. zea*; *H. subflexa*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-7-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol

216. Tumlinson, J. H.; Teal, P. E. A.; Heath, R. R. 1981. Chemical ethology: A holistic approach to the study of insect pheromones. In: Application of Biorational Substances and Natural Enemies. Proc. First Japan/USA Symp. on Integrated Pest Management, Tsukuba, Japan, Sept. 29-30, 1981. pp. 19-31. identification; field test; bioassay; behavior; interspecific interaction; synthetic sex pheromone; sex pheromone; *H. virescens*; *H. subflexa*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol; (Z)-9-hexadecen-1-ol; (Z)-11-hexadecen-1-ol acetate; (Z)-9-hexadecen-1-ol acetate; (Z)-7-hexadecen-1-ol acetate
217. Vetter, R. S.; Baker, T. C. 1983. Behavioral responses of male *Heliothis virescens* in a sustained-flight tunnel to combinations of seven compounds identified from female sex pheromone glands. J. Chem. Ecol. 9: 747-759. QD415.A1J6 bioassay; behavior; synthetic sex pheromone; sex pheromone; *H. virescens*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol
218. Vetter, R. S.; Baker, T. C. 1984. Behavioral responses of male *Heliothis zea* moths in sustained-flight tunnel to combinations of 4 compounds identified from female sex pheromone gland. J. Chem. Ecol. 10: 193-202. QD415.A1J6 bioassay; synthetic sex pheromone; sex pheromone; behavior; *H. zea*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal
219. Vinson, S. B.; Jones, R. L.; Sonnet, P. E.; Bierl, B. A.; Beroza, M. 1975. Isolation, identification and synthesis of host-seeking stimulants for *Cardiochiles nigriceps*, a parasitoid of tobacco budworm. Entomol. Exp. Appl. 18: 443-450. 421 EN895 identification; synthesis; bioassay; kairomone; *Cardiochiles nigriceps*; parasitoid; *H. virescens*; methylhentriacontanes; methyldotriacontanes; methyltritriacontanes
220. Wolf, W. A.; Bjostad, L. B.; Roelofs, W. L. 1981. Correlation of fatty acid and pheromone component structures in sex pheromone glands of ten lepidopteran species. Environ. Entomol. 10: 943-946. QL461.E532 identification; sex pheromone precursor; *H. zea*; *H. virescens*; (Z)-11-hexadecenoic acid; (Z)-9-tetradecenoic acid
221. Zvirgzdins, A.; Henneberry, T. J. 1983. *Heliothis* spp.: Sex pheromone trap studies. Proc. Beltwide Cotton Prod. Res. Conf. 1983: 176-180. SB249.N6 field test; trapping; formulation; sex pheromone; synthetic sex pheromone; *H. virescens*; *H. zea*; (Z)-11-hexadecenal; (Z)-9-hexadecenal; (Z)-7-hexadecenal; hexadecanal; (Z)-9-tetradecenal; tetradecanal; (Z)-11-hexadecen-1-ol

AUTHOR INDEX

- Abduvakhabov, A. A.
 26
 Adler, V. E.
 1
 Agee, H. R.
 2
 Apasov, S. G.
 11, 12
 Arsuru, E.
 150
 Aubrey, J. G., Jr.
 3
 Baker, T. C.
 152, 165, 217, 218
 Bariola, L. A.
 76, 77
 Barry, M. W.
 97, 193
 Baumhover, A. H.
 99, 115, 132, 134, 135, 137,
 210
 Beevers, M.
 4, 107, 143
 Beevor, P. S.
 140, 141, 168
 Berger, R. S.
 5
 Beroza, M.
 82, 83, 173, 219
 Bierl, B. A.
 82, 83, 173, 219
 Bierl-Leonhardt, B. A.
 16, 89, 91-93
 Bjostad, L. B.
 220
 Boness, M.
 6
 Boudreaux, H. B.
 3
 Bourdouxhe, L.
 7, 8
 Bowman, M. C.
 83
 Brader-Breukel, L. M.
 9
 Brazzel, J. R.
 108
 Brennan, M. M.
 138, 214
 Buck, D. R.
 49, 50, 55, 78
 Bues, R.
 10
 Buleza, V. V.
 11, 12
 Burks, M. L.
 142
 Burnett, D. E.
 23
 Butler, G. D., Jr.
 77
 Callahan, P. S.
 13
 Capizzi, A.
 150
 Cardé, R. T.
 165
 Carlson, D. A.
 14, 15
 Carlysle, T. C.
 200
 Caro, J. H.
 16, 17
 Carpenter, J. E.
 18-22, 41, 189-191
 Cassani, G.
 150
 Chalfant, R. B.
 147
 Chapman, O. L.
 89, 92, 93
 Chisholm, M. D.
 195
 Copeland, W. W.
 138
 Cork, A.
 168
 Cross, J. H.
 23, 128
 Davis, D. R.
 115
 De La Rosa, H. H.
 62
 Disselnkotter, H.
 6
 Doolittle, R. E.
 214
 Dunkelblum, E.
 24, 25, 35, 87, 88
 Dzhumakulov, T.
 26

Eiter, K.
 6
 Eldumiati, I. I.
 27
 Enkorlin (Enkerlin), D.
 28
 Eversull, A. C.
 53
 Fernandez, A. T.
 63
 Fix, C. J.
 75
 Flint, H. M.
 29, 76, 77
 Freeman, H. P.
 16, 17
 Fukuto, T. R.
 30
 Furr, R. E.
 103
 Galun, R.
 34, 36, 37
 Gaston, L. K.
 30, 31, 84, 85, 152, 180-183
 Gentry, C. R.
 32
 George, D. A.
 126
 Gillespie, J. M.
 76, 77, 97
 Glotfelty, D. E.
 17
 Gonzales, G. E.
 159
 Goodenough, J. L.
 33, 45
 Gothilf, S.
 24, 25, 34-37, 87, 88
 Graham, H. M.
 63-65, 157, 160
 Grant, G. G.
 38, 129
 Greenberg, S.
 87, 88
 Greene, G. L.
 115
 Grichanov, I. Y.
 39
 Griffith, P. H.
 40
 Grodner, M. L.
 3
 Gross, H. R., Jr.
 4, 41-43, 107, 110, 112,
 143-146
 Gueldner, R. C.
 21, 44, 113
 Guerra, A. A.
 62
 Guerra, R. J.
 64, 71, 72
 Guerra, R. J., Jr.
 70
 Guillot, F. S.
 186
 Hagen, K. S.
 107, 146
 Haile, D. G.
 45
 Hall, D. R.
 140, 141, 162
 Hamilton, E. W.
 133
 Hammond, A. M.
 3
 Hardee, D. D.
 46
 Hariri, G.
 198
 Harrell, E. A.
 144
 Harris, V. E.
 139
 Hartstack, A. W.
 47-56, 66-68, 78, 122-124,
 176, 179
 Heath, R. R.
 201, 204, 213, 216
 Hendricks, D. E.
 48-50, 57-74, 78, 176, 214
 Hendry, L. B.
 75
 Henneberry, T. J.
 76, 77, 97, 115, 221
 Hill, A. S.
 165
 Hindenlang, D. M.
 75
 Hines, R. W.
 138
 Hoffman, J. D.
 32
 Hollingsworth, J. P.
 49, 50, 56, 68, 78
 Holt, G. G.
 184

Houghtaling, J. E.
 159
 Ivie, G. W.
 177
 Jacobson, M.
 1, 34-37, 79, 132, 134, 135
 Jefferson, R. N.
 80
 Johnson, D. R.
 81
 Jones, R. L.
 42, 82, 83, 109-112, 145,
 146, 184, 219
 Jones, S. L.
 112
 Kaae, R. S.
 84, 85
 Kagan, M. Z.
 12
 Karpenko, C. P.
 86
 Kehat, M.
 24, 25, 35-37, 87, 88
 King, E. G.
 51, 53
 Kitterman, R. L.
 98
 Klun, J. A.
 52, 89-94, 154, 155, 189,
 191
 Konyukhov, V. P.
 95, 171
 Korzeniowski, S. H.
 75
 Kostelc, J. G.
 75
 Kovalev, B. G.
 95, 171
 Kovaleva, A. S.
 11, 12
 Kravchenko, V. D.
 12, 96
 Kydonieus, A. F.
 76, 77, 97, 98
 LaChance, L. E.
 90
 Lam, J. J., Jr.
 99
 Landis, B. J.
 126
 Laster, M. L.
 100-104, 125, 149, 194
 Lawson, F. R.
 32
 Leadbetter, G.
 105
 Leal, M. P.
 69
 Lee, G. H.
 89, 93
 Leggett, J. E.
 122
 Leonhardt, B. A.
 90, 94, 97, 106, 151
 Lepone, G.
 89, 93
 Lester, R.
 140, 141
 Levengood, W. C.
 27
 Lewis, W. J.
 4, 42-44, 82, 83, 107-114,
 143-147, 172, 185, 187
 Lingren, P. D.
 76, 77, 115-121, 125, 157,
 158, 160-162, 190, 191
 Lloyd, E. P.
 122
 Lopez, J. D., Jr.
 48, 50, 52, 53, 56, 90, 123,
 124, 178, 179
 Lopez, P. P.
 159
 Malafant, K. W.
 169
 Mamedova, S. R.
 171
 Martin, D. F.
 5, 101-103, 125, 149, 158
 Massardo, P.
 150
 Masuda, S.
 133
 Mayse, M. A.
 166
 McDonough, L. M.
 29, 126
 McFarland, S. U.
 80, 85, 183
 McGough, J. M.
 5
 McKibben, G. H.
 122
 McLaughlin, J. R.
 14, 15, 84, 127, 128, 136,
 201-204
 Meighen, E. A.
 38, 129

Mitchell, E. R.
 23, 127, 128, 130-138, 206-
 210, 214
 Moreno, D. S.
 106
 Morse, D.
 38
 Mueller, T. F.
 139
 Muller, R. A.
 53
 Mullinix, B. G.
 189, 191
 Myttus, E. R.
 11, 12
 Nesbitt, B. F.
 140, 141, 168
 Nettles, W. C., Jr.
 142
 Nordlund, D. A.
 4, 42-44, 107, 110-113, 143-
 148, 172
 North, D. T.
 184
 Pair, S. D.
 18, 101-103, 125, 149
 Perez, C. T.
 64, 70-72
 Pfrimmer, T. R.
 194
 Phillips, J. R.
 48, 51, 139
 Piccardi, P.
 150
 Plimmer, J. R.
 52, 89, 91-94, 105, 151, 193
 Poitout, H. S.
 10
 Pope, M. M.
 152
 Primiani, M.
 89, 93
 Proshold
 116
 Proshold, F. I.
 86, 125
 Raina, A. K.
 153-155, 193
 Raulston, J. R.
 22, 65, 66, 116-120, 125,
 156-162, 186, 190, 191
 Redlinger, L. M.
 114
 Reed, W., Ed.
 163
 Ridgway, R. L.
 56
 Roach, S. H.
 164
 Roberts, J. S.
 182
 Roelofs, W. L.
 165, 220
 Roltsch, W. J.
 166
 Rothschild, G. H. L.
 167-169
 Rubin, R. E.
 80
 Rush, R. A.
 203, 204
 Saad, A. D.
 170
 Salter, S. S.
 29
 Sattar-Zade, N. R.
 95, 171
 Sauls, C. E.
 148, 172
 Scott, D. R.
 170
 Sekul, A. A.
 173
 Shani, A.
 174
 Shaver, T. N.
 52, 67, 73, 124, 175-179
 Shorey, H. H.
 30, 31, 80, 84, 85, 180-183
 Slessor, K. N.
 38, 129
 Smith, J. W.
 104, 125
 Snow, J. W.
 33, 45, 157, 160, 184-187
 Sonnet, P. E.
 219
 Sparks, A. N.
 18-22, 41, 82, 89, 91-94,
 111, 114, 116-120, 125, 158,
 161, 162, 173, 185, 187-191
 Spinelli, P.
 150
 Stadelbacher, E. A.
 48, 125, 192-194
 Steck, W.
 195

Sterling, W. L.
53
Strand, M. R.
196, 197
Susskind, C.
40
Szittner, R. B.
38
Tahhan, O.
198
Tashiykova, T. M.
11
Taylor, A. W.
199
Teal, P. E. A.
113, 200-204, 213, 215, 216
Teich, I.
205
Thean, J. E.
44
Tingle, F. C.
206-210
Todd, J. W.
147
Tumlinson, J. H.
23, 74, 113, 137, 138, 200-
204, 211-216
Underhill, E. W.
195
Vetter, R. S.
217, 218
Vickers, R. A.
168
Vinson, S. B.
196, 197, 219
Walters, S.
29
Welch, J.
97
Wichmann, J. K.
75
Wilson, A. G. L.
169
Wilson, D. M.
44
Witz, J. A.
48, 50, 52-56
Wolf, W. A.
220
Wolf, W. W.
118, 120, 121, 162
Yuldashev, A. M.
26
Zvirgzdins, A.
221

SUBJECT INDEX

- analysis
30, 38, 75, 129, 151, 153, 175, 200
- Apanteles marginiventris
209
- Archytas marmoratus
142, 209
- Atethmia repanda
130
- behavior
2, 4, 5, 11, 13, 19, 20, 22, 37, 39, 42-44, 63, 74, 96, 99, 101, 103, 107-110, 112-117, 119-121, 125, 138, 143, 146-149, 157-160, 163, 170, 172, 180, 182, 185, 186, 189, 191, 196, 197, 202, 206, 209, 210, 212, 213, 215-218
- benzoic acid
44
- bioassay
4, 5, 23, 31, 32, 34, 37, 42-44, 57, 74, 82, 83, 86, 89-91, 93-95, 101, 107-110, 112-114, 126, 142, 143, 145-149, 154, 155, 165, 170, 172, 173, 180-183, 185, 190, 193, 196, 197, 201, 202, 206, 210, 211, 213, 215-219
- cage test
19-22, 27, 32, 42, 57, 58, 62, 66, 67, 70, 73, 74, 82, 103, 107, 110, 112, 113, 115, 118, 138, 143, 160, 186, 190, 208, 210, 211, 214
- Cardiochiles nigriceps
108, 196, 209, 219
- Chrysopa carnea
112, 146
- control strategy
9, 47, 77, 79, 117-119, 122, 131, 139, 163
- degradation product
175, 177, 179
- detection, see monitoring
- disruptant
12, 14-18, 21, 23, 34, 36, 45, 58, 72, 76, 77, 79, 84, 98, 118, 127, 128, 131, 132, 134-137, 164, 173, 174, 178, 179, 190, 192, 193, 199, 205, 206, 208-211
- docosane
82
- (Z)-7-dodecen-1-ol acetate
84
- (Z)-9-dodecen-1-ol acetate
18
- (Z)-7-dodecen-1-ol formate
137, 211
- electrophysiology
1, 34, 36, 37, 140, 150, 165, 168
- Eucelatoria rubentis
209
- field test
6, 8, 11, 12, 14, 15, 17, 18, 23, 29, 33-37, 41-43, 45, 50, 52-55, 59-61, 63-69, 71, 72, 76-78, 82, 84, 85, 87, 89-95, 97-99, 102, 104, 106-108, 110, 111, 113, 116-118, 120-122, 124, 125, 128, 130, 132-138, 140, 143, 144, 150, 156-162, 164-169, 171, 173, 174, 176, 178, 179, 184, 187, 189-193, 199, 201, 203, 204, 208-210, 212-216, 221
- formulation
23, 29, 35, 52, 60, 61, 66, 67, 79, 97, 98, 106, 124, 127, 128, 131, 151, 176, 199, 215, 221
- 2- (or 3-)furancarboxylic acid
44
- Helicoverpa armigera
10-12, 96
- Heliothis armigera
6-12, 24-26, 34-37, 39, 79, 87, 88, 95, 96, 98, 127, 140, 141, 150, 162, 167, 169-171, 174, 198, 205
- Heliothis levre
26
- Heliothis ononis
195
- Heliothis peltigera
140
- Heliothis phloxiphaga
85, 195
- Heliothis punctiger
168
- Heliothis punctigera
127, 167-169

- Heliothis subflexa
22, 86, 90, 100-103, 109, 125,
127, 149, 195, 201, 210, 212,
213, 215, 216
- Heliothis subflexus
22
- Heliothis virescens
1, 3, 5, 6, 14-18, 22, 28-33,
45-55, 56-74, 76-79, 81, 84-87,
89-92, 97-106, 108, 109, 115-
120-122, 123, 125, 127, 129,
132, 134, 135, 137-139, 142,
149, 151-153, 156-162, 164-166,
175-183, 186, 188, 190-197,
200-203, 206-217, 219-221
- Heliothis zea
2-6, 13-21, 23, 26, 27, 30, 31,
38, 40-45, 47, 48, 51-53, 56,
63, 64, 72, 75, 76, 79, 80, 82-
85, 87, 89, 90, 92-94, 98, 106-
114, 119, 120, 122, 124, 126-
137, 139, 143-148, 151, 153-
155, 161, 162, 164-166, 170,
172, 173, 178, 179, 181-190,
192-195, 199, 201, 204, 208,
210, 211, 213, 215, 218, 220,
221
- Heliothis spp.
163
- (Z)-1,12-heptadecadiene
14, 15
- (Z)-5-heptadecene
15
- heptanoic acid
44
- hexadecanal
11, 12, 18, 19, 21, 24, 25, 41,
51-53, 60, 61, 72, 76, 77, 79,
81, 87, 89-94, 104, 113, 118,
122-124, 127, 128, 140, 141,
152, 159, 162, 166, 168, 178,
179, 189-193, 195, 201, 203,
204, 212, 213, 215-218, 221
- hexadecanol
11, 12, 24, 25, 140, 141
- hexadecanol acetate
90
- (Z)-7-hexadecenal
18, 19, 21, 41, 51-53, 60, 61,
72, 76, 77, 79, 81, 87, 89-94,
104, 113, 118, 122-124, 127,
128, 152, 159, 162, 166, 178,
179, 189-193, 195, 204, 212,
213, 215-218, 221
- (Z)-9-hexadecenal
11, 12, 18, 19, 21, 24, 25, 41,
51-53, 60, 61, 72, 76, 77, 79,
81, 87-94, 104, 113, 118, 122-
124, 127, 128, 140, 141, 152,
159, 162, 166, 178, 179, 189-
193, 195, 201, 204, 208, 209,
211-213, 215-218, 221
- (E)-11-hexadecenal
140
- (Z)-11-hexadecenal
7, 8, 11, 12, 14, 18, 19, 21,
24, 25, 29, 34-37, 41, 46, 47,
49-55, 58-61, 66, 67, 71, 72,
76-79, 81, 87-95, 97, 104-106,
113, 118, 120-124, 127-129,
131, 132, 137, 140, 141, 150-
153, 155, 159, 161, 162, 165-
169, 171, 173, 175-179, 189-
193, 195, 201, 203, 204, 206-
218, 221
- (Z)-5-hexadecene
15
- (Z)-11-hexadecenoic acid
220
- (Z)-9-hexadecen-1-ol
201, 212, 213, 215, 216
- (Z)-11-hexadecen-1-ol
1, 11, 12, 18, 51-53, 60, 72,
76, 77, 79, 81, 87, 89-92, 95,
104, 106, 118, 122, 123, 140,
141, 152, 159, 162, 166-168,
178, 179, 190-193, 195, 201,
204, 208, 209, 212, 213, 215-
217, 221
- (Z)-7-hexadecen-1-ol acetate
84, 127, 201, 212, 213, 215,
216
- (Z)-9-hexadecen-1-ol acetate
1, 90, 127, 201, 212, 213, 215,
216
- (Z)-11-hexadecen-1-ol acetate
1, 90, 95, 127, 167-169, 201,
212, 213, 215, 216
- (Z)-9-hexadecen-1-ol formate
77
- hexanoic acid
44
- hybrid
22, 86, 90, 100-103, 125, 149,
158, 163, 210
- 4-hydroxybenzoic acid
44

identification
 24, 25, 34, 82, 83, 89-95, 140,
 141, 150, 152, 165, 168, 173,
 177, 201, 204, 212-216, 219,
 220
 interspecific interaction
 18, 45, 72, 85, 130, 137, 140,
 153, 178, 182, 192, 193, 203,
 208, 210, 211, 213, 216
 irradiation
 57, 65, 157, 184, 185
 isolation (chemical)
 30, 82, 83, 126, 142, 154, 155
 kairomone
 4, 42, 43, 75, 82, 83, 107,
 109-114, 142-148, 172, 196,
 197, 215, 219
Luecania humidicola
 45
 male pheromone
 73
 methyldotriacontanes
 219
 13-methylhentriacontane
 83
 methylhentriacontanes
 219
 methyltritriacontanes
 219
Microplitis croceipes
 42, 83, 109, 148, 172
 migration
 48, 51, 53, 65, 139, 156, 162,
 163, 188
 monitoring
 7, 10, 46, 47, 49-51, 59, 67,
 79, 81, 88, 104, 118, 123, 127,
 139, 156, 158, 162-164, 169,
 174, 187, 188, 190, 194, 198,
 207
 morphology
 3, 40, 80, 200
Netalia sayi
 209
 nonanoic acid
 44
 octanoic acid
 44
 parasitoid
 4, 42-44, 75, 82, 83, 107-111,
 113, 114, 142-145, 147, 148,
 172, 196, 197, 209, 215, 219
 pentacosane
 82
 phenylacetic acid
 44
 phylogeny
 100, 163
 physiology
 153-155, 163, 183, 184
Platysenta videns
 203
 population density estimation
 47, 51, 54, 56, 81
Pristomerus spinator
 209
 sex pheromone (female)
 1, 5, 9, 12, 14, 15, 18, 22-25,
 27-34, 36, 38, 39, 45, 48, 57-
 59, 62, 64, 65, 68-74, 76, 79,
 84, 85, 87, 89-96, 99, 102,
 116, 117, 120-122, 126, 129,
 130, 132-134, 136-138, 140,
 141, 150, 152-158, 160-162,
 164, 165, 168, 170, 173, 178,
 180-184, 187-195, 201-204, 208,
 210-218, 221
 sex pheromone analog
 1, 6, 12, 14-17, 23, 34, 36,
 37, 76, 77, 79, 84, 98, 106,
 126-128, 131, 132, 134-137,
 167, 169, 178, 179, 190, 206,
 211
 sex pheromone precursor
 220
 sorbic acid
 44
Spodoptera frugiperda
 18
 survey, see monitoring
 synthesis
 15, 26, 83, 105, 150, 214, 219
 synthetic sex pheromone
 7, 8, 10-12, 18-21, 26, 29, 34-
 37, 41, 46, 48-50, 52-55, 58-
 61, 66, 67, 71, 72, 76-79, 81,
 87-91, 93, 95, 97, 104-106,
 113, 118, 120-124, 127, 128,
 131, 132, 137, 139, 140, 150,
 151, 159, 161-163, 166-169,
 171, 173-179, 189-193, 198,
 201, 203-212, 214-218, 221
Telenomus heliothidis
 197
 tetracosane
 82

tetradecanal
18, 51-53, 60, 61, 72, 76, 77,
79, 81, 87, 89-92, 104, 106,
118, 122, 123, 151, 152, 159,
162, 166, 178, 179, 190-193,
195, 203, 212, 213, 215-217,
221

tetradecanol formate
76, 77, 98, 190

(Z)-9-tetradecenal
11, 18, 29, 34, 37, 46, 47, 49-
55, 58-61, 66, 67, 71, 72, 76-
79, 81, 87, 89-92, 97, 104,
105, 118, 120-123, 127, 132,
137, 152, 153, 159, 161, 162,
165-169, 175-179, 190-193, 195,
203, 206-217, 221

(E)-11-tetradecenal
38

(Z)-11-tetradecenal
12, 34-37, 95, 168, 171

(Z)-7-tetradecen-1-ol
126

(Z)-9-tetradecen-1-ol
6, 36, 167

(Z)-11-tetradecen-1-ol
1, 95

(Z)-7-tetradecen-1-ol acetate
126

(Z)-9-tetradecen-1-ol acetate
1, 6, 26, 79, 127, 167, 169

(Z)-11-tetradecen-1-ol acetate
1

(Z)-7-tetradecen-1-ol formate
211

(Z)-9-tetradecen-1-ol formate
6, 16, 17, 23, 34, 36, 76, 79,
127, 128, 131, 132, 134-137,
169, 178, 190, 199, 206, 211

(Z)-9-tetradecenoic acid
220

trap design
8, 11, 33, 41, 48-50, 52, 55,
64, 68-71, 78, 79, 120, 122,
133, 161, 164, 169, 187, 189-
191

trapping
9, 12, 18, 28, 53, 65, 66, 79,
99, 118, 122, 212, 221

Trichogramma achaeae
42

Trichogramma evanescens
75, 82, 114, 144

Trichogramma pretiosum
4, 42-44, 107, 143, 145, 147

Trichogramma spp.
110, 111, 113, 215

tricosane
42, 75, 82, 110, 111, 144


vapor distribution
17, 199

NATIONAL AGRICULTURAL LIBRARY



1022312646

NATIONAL AGRICULTURAL LIBRARY



1022312646