THURSDAY, JANUARY 2, 1975

WASHINGTON, D.C.

Volume 40 ■ Number 1

PART II:

Section 1

(Section 2 begins on page 491)



DEPARTMENT OF TRANSPORTATION

Federal Aviation
Administration

14 CFR PARTS 71, 73, AND 75

Compilation of Regulations

FEDERAL REGISTER

Title 14—Aeronautics and Space

CHAPTER I-FEDERAL AVIATION ADMINISTRATION, DEPARTMENT OF **TRANSPORTATION**

[Airspace Docket No. 74-WA-36]

PART 71—DESIGNATION OF FEDERAL AIRWAYS, AREA LOW ROUTES, CONTROLLED AIRSPACE, AND REPORTING POINTS

PART 73-SPECIAL USE AIRSPACE

PART 75—ESTABLISHMENT OF JET ROUTES AND AREA HIGH ROUTES **Compilation of Regulations**

The purpose of this compilation is to combine all amendments and pending amendments issued in 1974 to Parts 71, 73 and 75 of the Federal Aviation Regulations which

ments issued in 1974 to Parts 71, 73 and 75 of the Federal Aviation Regulations which have been published by the Administrator of the Federal Aviation Administration in the Federal Register prior to December 5, 1974. Pending amendments are listed below the appropriate sections and include the effective dates and Federal Register citations.

Minor editorial corrections have been included to clarify existing airspace descriptions; however, no substantive changes or revsion of airspace designations have been effected thereby. Therefore, compliance with the notice and public procedure requirements of 5 U.S.C. 553 is unnecessary and for that reason this docket may be made effective immediately.

In consideration thereof, this action is effective 0901 G.m.t., December 5, 1974. (Secs. 307(a), 313, Federal Aviation Act of 1958 (49 U.S.C. 1348(a), 1354); sec. 6(c), Department of Transportation Act (49 U.S.C. 1655(c)))

Issued in Washington, D.C., on December 5, 1974.

EDWARD J. MALO, Acting Chief, Airspace and Air Traffic Rules Division.

[FR Doc.74-29842 Filed 12-31-74;8:45 am]

TITLE 14 - AERONAUTICS AND SPACE CHAPTER I - PEDERAL AVIATION ADMINISTRATION

SUBCHAPTER E - AIRSPACE
PARTS 71, 73, 75

DESIGNATION OF FEDERAL AIRWAYS, AREA LOW ROUTES,
CONTROLLED AIRSPACE, AND REPORTING POINTS,

	SPECIAL USE AIRS	PACE, JET ROUTES, AREA HIGH I	OUTES
		TABLE OF CONTENTS	
Sec.		SUBPART A - GENERAL	
71.1	Applicability.		
71.3			
71.5	Extent of Federal Airways		
71.6	Extent of area low routes.		
71.7	Control areas. Continental Control Area.		
	Control Zones.		
	Terminal Control Areas.		
71.13	Transition Areas.		
	Positive Control Areas.		
	Reporting Points.		
71.19	Bearings; radials; miles.	B - COLORED FEDERAL AIRWAYS	
	SUBPART	- COLORED FEDERAL AIRWAYS	
71,10	l Designation.		
71.10	3 Green Federal Airways	Page 3	05
	5 Amber Federal Airways.	Page 3	
	7 Red Federal Airways.	Page 3	
71.10	9 Blue Federal Airways.	Page 3	06
	SUBPAR	T C - VOR FEDERAL AIRWAYS.	
	1 Designation.		
	3 Domestic VOR Federal Airways. 25 Alaskan VOR Federal Airways.	Page 3	
	7 Hawaijan VOR Federal Airways.	Page	
	The same of the sa		
	SUBPART D -	CONTINENTAL CONTROL AREA	
21 10	3 Beatminted comme tooluded	Page 3	42
/1.13	il Restricted areas included.	rage .	,43
	SUBPART E - CONTROL	AREAS AND CONTROL AREA EXTER	ISTONS.
71.16	31 Designation of Control Areas Associated	with Jet Routes Outside the	
71 16	3 Designation of Additional Control Areas	_	
	55 Designation of Control Area Extensions		
	SUB	PART F - CONTROL ZONES	
71 1	71 Designation.	Page	354
/1.1	/ Designation.		
	SUBP	ART G - TRANSITION AREAS.	
71.1	81 Designation.	Page	441
	SUBPART	H - POSITIVE CONTROL AREAS.	
71.1	93 Designation of Positive Control Areas.	Page	620
	SUBP	PART I - REPORTING POINTS.	
71.2	01 Designation. 03 Domestic Low Altitude Reporting Points	Page	621
71 2	07 Domestic High Altitude Reporting Point	S. Page	
71.209 Other Domestic Reporting Points.		Page	
71.21	11 Alaskan Low Altitude Reporting Points.	Page Page	
71.21	3 Alaskan High Altitude Reporting Points.	Page	
71.21	5 Hawaiian Reporting Points.		
	SU	BPART J - AREA LOW ROUTES	444
71.3	01 Designation	Page	640
		K - TERMINAL CONTROL AREAS	
		Page	640
71.4	Ol Designation.		
73	SPECIAL USE AIRSPACE		652
75.10	OO JET ROUTES		705 724
75 4	OO AREA HIGH ROUTES	PAGE	162

75.400 AREA HIGH ROUTES

SUBPART A - GENERAL

§ 71.1 Applicability.

- (a) The airspace assignments described in Subparts B and C are designated as Federal airways. (b) The airspace assignments described in Subparts B through I are designated as control areas,
- the continental control area, control zones, transition areas, positive control areas, and reporting points, as described in the appropriate subpart.

 (c) The airspace assignments described in Subpart K of this part are designated as terminal control areas.

 - (d) The airspace assignments described in Subpart J are designated as area low routes.

§ 71.3 Classification of Federal Airways.

Federal airways are classified as follows:

- (a) Colored Federal airways:
 - (1) Green Federal airways.
 - (2) Amber Federal airways.
 - (3) Red Federal airways.
 - (4) Blue Federal airways.
- (b) VOR Federal airways.

§ 71.5 Extent of Federal airways.

- (a) Each Federal airway is based on a centerline that extends from one navigational aid or intersection to another navigational aid (or through several navigational aids or intersections) specified for that airway.
 - (b) Unless otherwise specified in Subpart B or C -
- (1) Each Federal airway includes the airspace within parallel boundary lines 4 miles each side of the centerline. Where an airway changes direction, it includes that airspace enclosed by extending the boundary lines of the airway segments until they meet.
- (2) Where the changeover point for an airway segment is more than 51 miles from either of the navigational aids defining that segment, and -
 - (1) The changeover point is midway between the navigational aids, the airway includes the airspace between lines diverging at angles of 4.5° from the centerline at each navigational aid and extending until they intersect opposite the changeover point; or
 - (ii) The changeover point is not midway between the navigational aids, the airway includes the airspace between lines diverging at angles of 4.5° from the centerline at the navigational ald more distant from the changeover point, and extending until they intersect with the bisector of the angle of the centerlines at the changeover point; and between lines connecting these points of intersection and the navigational aid nearer to the changeover point.
- (3) Where an airway terminates at a point or intersection more than 51 miles from the closest associated navigational aid it includes the additional airspace within lines diverging at angles of 4.5° from the centerline extending from the associated navigational aid to a line perpendicular to the centerline at the termination point.
- (4) Where an airway terminates, it includes the airspace within a circle centered at the specified navigational aid or intersection having a diameter equal to the airway width at that point. However, an airway does not extend beyond the domestic/oceanic control area boundary.
- Unless otherwise specified in Subpart B or C (1) Each Federal airway includes that airspace extending upward from 1,200 feet above the surface of the earth to, but not including, 18,000 feet MSL, except that Federal airways for Hawaii have no upper limits. Variations of the lower limits of an airway are expressed in digits representing hundreds of feet above the surface (AGL) or mean sea level (MSL) and, unless otherwise specified, apply to the segment of an airway between adjoining navigational aids or intersections; and
- (2) The airspace of a Federal airway within the lateral limits of a transition area has a floor coincident with the floor of the transition area.
- (d) One or more alternate airways may be designated between specified navigational aids or intersections along each VOR Federal airway described in Subpart C. Unless otherwise specified, the centerline of an alternate VOR Federal airway and the centerline of the corresponding segment of the main VOR Federal airway are separated by 15°.
 - (e) A Federal airway does not include the airspace of a prohibited area.

§ 71.6 Extent of area low routes.

- (a) Each area low route is based on a centerline that extends from one waypoint to another waypoint (or through several waypoints) specified for that area low route. An area low route does not include the airspace of a prohibited area. All mileages specified in connection with area low routes are nautical miles.
- (b) Unless otherwise specified in Subpart J, the following apply:
 (1) Except as provided in subparagraph (2) of this paragraph, each area low route includes, and is limited to, that airspace within parallel boundary lines 4 or more miles on each side of the route centerline as described in the middle column of the following table, plus that additional airspace outside of those parallel lines and within lines drawn outward from those parallel lines at angles of 3.250, beginning at the distance from the tangent point specified in the right-hand column of the following table:

	PEDERAL REGISTER	303
Miles from reference facility	Miles from centerline	Wiles from tengent and a
to tangent point	to parallel lines	Miles from tangent point along parallel lines to
	- Parada aanoo	working of 2 con and
Less than 17	4	vortices of 3.25° angles 51.
17 to, but not including 27	4	50.
27 to, but not including 33	4	49.
33 to, but not including 38	4	
38 to, but not including 43	4	48.
43 to, but not including 47	4 .	47.
47 to, but not including 51	4	46.
51 to, but not including 55	4	45.
55 to, but not including 58	4	44.
58 to, but not including 61	4	43.
61 to, but not including 63	4	42.
63 to, but not including 66	4	41.
66 to, but not including 68	4	40.
68 to, but not including 70	4	39.
70 to, but not including 72	4	38.
72 to, but not including 74	4	37.
74 to, but not including 76	4	36.
76 to, but not including 78	4	35.
78 to, but not including 79	4	34.
79 to, but not including 81	4	33.
81 to, but not including 83	4	32.
83 to, but not including 84	4	31.
84 to, but not including 86	4	30.
86 to, but not including 87	4	29.
87 to, but not including 88	4	28.
88 to, but not including 89	4	27. 26.
89 to, but not including 91	4	25.
91 to, but not including 92	4	24.
92 to, but not including 93	4	23.
93 to, but not including 94	4	22.
94 to, but not including 95	4	21.
95 to, but not including 96	4	19.
96 to, but not including 97	4	18.
97 to, but not including 98	4	17.
98 to, but not including 99	4	15.
99 to, but not including 100	4	13.
100 to, but not including 101	4	11.
101 to, but not including 102	4	8.
102 to, but not including 105	4	0 (i.e., at tangent point).
105 to, but not including 115	4.25	O (i.e., at tangent point).
115 to, but not including 125	4.50	O (i.e., at tangent point).
125 to, but not including 135	4.75	0 (i.e., at tangent point).
135 to, but not including 145	5.00	O (i.e., at tangent point).
145 to, but not including 150	5.25	O (i.e., at tangent point).
		we tangon positivi

(2) Each area low route, whose centerline is at least 2 miles, and not more than 3 miles from the reference facility, includes, in addition to the airspace specified in subparagraph (1) of this paragraph, that airspace on the reference facility side of the centerline that is within lines connecting the point that is 4.9 miles from the tangent point on a perpendicular line from the centerline through the reference facility, thence to the edges of the boundary lines described in subparagraph (1) of this paragraph, intersecting those boundary lines at angles of 5.15°.

(3) Where an area low route changes direction, it includes that airspace enclosed by extending the boundary lines of the route segments until they meet.

(4) Where the widths of adjoining route segments are unequal, the following apply:

(1) If the tangent point of the narrower segment is on the route centerline, the width of the narrower segment includes that additional airspace within lines from the lateral extremity of the wider segment where the route segments join, thence toward the tangent point of the narrower route segment, until intersecting the boundary of the narrower segment.

(ii) If the tangent point of the narrower segment is on the route centerline extended, the width of the narrower segment includes that additional airspace within lines from the lateral extremity of the wider segment where the route segments join, thence toward the tangent point until reaching the point where the narrower segment terminates or changes direction, or until intersecting the boundary of the narrower segment.

(5) Where an area low route terminates, it includes that airspace within a circle whose center is the terminating waypoint, and whose diameter is equal to the route segment width at that waypoint, except that an area low route does not extend beyond the domestic/oceanic control area boundary.

- (6) Each area low route includes that airspace extending upward from 1,200 feet above the surface of the earth to, but not including, 18,000 feet MSL, except that area low routes for Hawaii have no upper limits. Variations of the lower limits of an area low route are expressed in digits representing hundreds of feet above the surface (AGL) or mean sea level (MSL) and, unless otherwise specified, apply to the route segment between adjoining waypoints used in the description of the route.
- (7) The airspace of an area low route within the lateral limits of a transition area has a floor coincident with the floor of the transition area.

 δ 71.7 Control areas. Control areas consist of the airspace designated in Subparts B, C, E, and J, but do not include the continental control area. Unless otherwise designated, control areas include the airspace between a segment of a main VOR Federal Airway and its associated alternate segments with the vertical extent of the area corresponding to the vertical extent of the related segment of the main airway.

§ 71.9 Continental Control Area

The Continental Control Area consists of the airspace of the 48 contiguous States, the District of Columbia and Alaska, excluding the Alaska peninsula west of longitude 160°00'00" W., at and above 14,500 feet M.S.L., but does not include -

(a) The airspace less than 1,500 feet above the surface of the earth; or

(b) Prohibited and restricted areas, other than restricted area military climb corridors and the restricted areas listed in Subpart D of this part.

§71.11 Control Zones

The control zones listed in Subpart F of this part consist of controlled airspace which extends upward from the surface of the earth and terminates at the base of the continental control area. Control zones that do not underlie the continental control area have no upper limit. A control zone may include one or more airports and is normally a circular area with a radius of 5 miles and any extensions necessary to include instrument approach and departure paths.

§71.12 Terminal Control Areas

The terminal control areas listed in Subpart K of this part consist of controlled airspace extending upward from the surface or higher to specified altitudes, within which all aircraft are subject to operating rules and pilot and equipment requirements specified in Part 91 of this chapter. Each such location is designated as a Group I, Group II, or Group III terminal control area, and includes at least one primary airport around which the terminal control area is located.

§ 71.13 Transition Areas.

The transition areas listed in Subpart G consist of controlled airspace extending upward from 700 feet or more above the surface of the earth when designated in conjunction with an airport for which an approved instrument approach procedure has been prescribed; or from 1,200 feet or more above the surface of the earth when designated in conjunction with airway route structures or segments. Unless otherwise specified, transition areas terminate at the base of the overlying controlled airspace.

§ 71.15 Positive Control Areas.

The positive control areas listed in Subpart H consist of controlled airspace within which there is positive control of aircraft.

§ 71.17 Reporting Points.

(a) The reporting points listed in Subpart I consist of geographic locations, in relation to which the position of an aircraft must be reported in accordance with §91.125.

(b) Unless otherwise designated, each reporting point applies to all directions of flight. In any case where a geographic location is designated as a reporting point for less than all airways passing through that point, or for a particular direction of flight along an airway only, it is so indicated by including the airways or direction of flight in the designation of geographical location.

(c) Unless otherwise specified, place names appearing in the reporting point descriptions indicate VOR or VORTAC facilities identified by those names.

§ 71.19 Bearings: Radials: Miles.

(a) All bearings and radials in this Part are true, and are applied from point of origin.

(b) Except as otherwise specified and except that mileages for Federal airways are stated as nautical miles. all mileages in this Part are stated as statute miles.

SUBPART B - COLORED FEDERAL AIRWAYS

§ 71.101 Designation.

The airspace assignments described in this subpart are designated as Colored Federal Airways.

§71.103 Green Federal Airways.

G-7 From Fort Davis, Alaska, RBN, Norton Bay, Alaska, RBN; 46 miles, 57 miles, 55 MSL, Galena, Alaska, RBN; IMT Galena RBN 089° and Chena, Alaska, RBN 269° bearings; Chena RBN. AMENDMENTS 2/28/74 39 F. R. 1272 (Changed) AMENDMENTS 9/12/74 39 F. R. 20586 (Changed) Corr: 39 F. R. 26718

G-8 From Shemya, Alaska, RBN, 20 AGL Adak, Alaska, RBN; 20 AGL Nikolski, Alaska, RBN; 20 AGL Driftwood Bay, Alaska, RBN; 20 AGL INT Fort Randall, Alaska, RBN 255° and Cape Sarichef, Alaska, RBN 344° bearings; 20 AGL Fort Randall RBN; 20 AGL Naknek River, Alaska, RBN; Big Mountain, Alaska, RBN; Kachemak, Alaska, RBN; Wildwood, Alaska, RBN; INT of a bearing of 034° from Wildwood RBN and a bearing of 266° from Campbell Lake, Alaska, RBN; Campbell Lake RBN; INT Campbell Lake RBN 026° and Skwentna, Alaska, RBN 111° bearings; Glenallen, Alaska, RBN; INT Glenallen RBN

052° and Nabesna, Alaska, RBN 252° bearings; Nabesna RBN.

AMENDMENTS 3/28/74 39 F. R. 3670 (Changed)

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)
AMENDMENTS 6/20/74 39 F. R. 10116 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74) AMENDMENTS 9/12/74 39 F. R. 26718 (Changed)

G-9 From Oscarville, Alaska, RBN 35 miles, 125 miles, 55 MSL, Sparrevohn, Alaska, RBN; 24 miles, 29 miles. 53 MSL, 14 miles, 10,500 MSL, 42 miles, 12,500 MSL, to Campbell Lake, Alaska, RBN.

G-11 From INT Fort Randall, Alaska, RBN 041° and Port Moller, Alaska, RBN 313° bearings, 20 AGL via Port Heiden, Alaska, RBN; 174 Miles 85 MSL, 37 miles 20 AGL, to Woody Island, Alaska, RBN.

AMENDMENTS 6/20/74 39 F. R. 10115 (Rewritten) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

AMBER FEDERAL AIRWAYS

§71.105 Amber Federal Airways.

A-1 From Sandspit, British Columbia, Canada, RBN via Sitka, Alaska, RBN; 31 miles 12 AGL, 50 miles 48 MSL, 112 miles 20 MSL, Ocean Cape, Alaska, RBN; INT Ocean Cape RBN 283° and Hinchinbrook, Alaska, RBN 106° bearings; Hinchinbrook RBN; INT Hinchinbrook RBN 286° and Campbell Lake, Alaska, RBN 122° bearings; Campbell Lake RBN; Squentna, Alaska, RBN; Puntilla Lake, Alaska, RBN; Farewell, Alaska, RBN; Takotna River, Alaska, RBN; 24 miles 12 AGL, 53 miles, 55 MSL, 46 miles 40 MSL, North River, Alaska, RBN; 52 miles 12 AGL, 51 miles 25 MSL, to Fort Davis, Alaska, RBN. The airspace within Canada is excluded. AMENDMENTS. 2/28/74 39 F. R. 1272 (Changed)

AMENDMENTS 3/28/74 39 F. R. 3670 (Changed)

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

AMENDMENTS 9/12/74 39 F. R. 20586 (Rewritten) Corr: 39 F. R. 26718

A-2 From Burwash, Yukon Territory, Canada, RR, 88 miles; 40 miles, Nabesna, Alaska, RBN; Delta Junction, Alaska, RBN; Chena, Alaska, RBN; Bettles, Alaska, RBN: 69 miles, 166 miles 95 MSL, Browerville, Alaska, RBN. The airspace within Canada is excluded. AMENDMENTS 7/18/74 39 F. R. 19775 (Changed) AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

A-3 From the Bettles, Alaska, RBN, 59 miles, 76 miles 95 MSL, Deadhorse, Alaska, RBN.

A-10 From the Pennfield Ridge. New Brunswick, Canada, REN to the Forest City, New Brunswick, Canada, REN, excluding the portion within Canada.

A-15 From Ethelda, British Columbia, Canada, RBN 112 miles; 26 miles; Nichols, Alaska, RBN; 42 miles 52 MSL Petersburg, Alaska, RBN; Coghlan Island, Alaska, RBN; Haines, Alaska, RBN; Burwash, Yukon Territory, Canada, RR; Nabesna, Alaska, RBN; Delta Junction, Alaska, RBN; Chena, Alaska, RBN; Chandalar Lake, Alaska, RBN; 30 miles 12 AGL, 60 miles 95 MSL, Put River, Alaska, RBN; Oliktok, Alaska, RBN. The airspace within Canada is excluded. (Joins

Canadian high level airway No. 502),

AMENDMENTS 2/28/74 38 F. R. 34728 (Changed) AMENDMENTS 7/18/74 39 F. R. 19775 (Changed)

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

FEDERAL REGISTER

RED FEDERAL AIRWAYS

§71.107 Red Federal Airways.

R-27 From Summit, Alaska, RBN; Julius, Alaska, RBN; Chena, Alaska, RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

R-39 From Oscarville, Alaska, RBN; Aniak, Alaska, RBN; 25 miles, 89 miles, 55 MSL, Takotna River, Alaska, RBN; 28 miles, 64 miles, 45 MSL, Minchumina, Alaska, RBN; Julius, Alaska, RBN; Chena, Alaska, RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

R-40 From Woody Island, Alaska, RBN; 27 miles, 24 miles, 35 MSL, 29 miles, 55 MSL, Kachemak, Alaska, RBN; to Campbell Lake, Alaska, RBN.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)
AMENDMENTS 6/20/74 39 F. R. 10116 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

R-50 From Galena, Alaska, RBN, Bear Creek, Alaska, RBN; Chena, Alaska, RBN. AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

R-75 From Vancouver, British Columbia, Canada, RBN via White Rock, British Columbia, Canada, RBN; Abbotsford, British Columbia, Canada, RBN; Cultus Lake, British Columbia, Canada, RBN; to Princeton, British Columbia, Canada, RBN, excluding the portion within Canada,

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

R-99 From Big Mountain, Alaska, RBN Iliamna, Alaska, RBN; INT Iliamna RBN 145° and Big Mountain RBN 080° bearings.

R-103 From Wildwood, Alaska, RBN; INT of a bearing of 112° from Wildwood RBN and the southwest course Anchorage, RR; 49 miles, 58 miles, 85 MSL, Wessels, Alaska, RBN.

AMENDMENTS 6/20/74 39 F. R. 10116 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)
AMENDMENTS 7/18/74 39 F. R. 19775 (Changed)

BLUE FEDERAL AIRWAYS

§71.109 Blue Federal Airways.

B-12 From Takotna River, Alaska, RBN, 24 miles, 54 miles, 55 MSL, Galena, Alaska, RBN; 68 miles, 88 miles, 55 MSL, Kotzebue, Alaska, RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

B-19 From Fish Hook, Fla., RBN, INT Fish Hook RBN 037° and Perrine, Fla., RBN 232° bearings; Perrine RBN.

B-25 From INT Hinchinbrook, Alaska, RBN 206° and Wessels, Alaska, RBN 296° bearing; Hinchinbrook RBN; 11 miles, 21 miles 55 MSL, 28 miles, 90 MSL, INT Hinchinbrook RBN 026° and Glenallen, Alaska, RBN 171° bearings; Glenallen, RBN; Delta Junction, Alaska, RBN.

AMENDMENTS 3/28/74 39 F. R. 3670 (Rewritten) AMENDMENTS 7/18/74 39 F. R. 19775 (Changed)

PENDING AMENDMENT

B-25 From INT Hinchinbrook, Alaska, NDB 206° and Wessels, Alaska, NDB 296° bearing via Hinchinbrook NDB; 38 miles 12 AGL, 12 miles 95 MSL, 60 miles 12 AGL Glenallen NDB; Delta Junction, Alaska, NDB.

AMENDMENTS 1/2/75 39 F. R. 37055 (Rewritten)

B-26 From Campbell Lake, Alaska, RBN, via Talkeetna, Alaska, RBN; Summit, Alaska, RBN; INT Summit, RBN 007° and Chena, Alaska, RBN 218° bearings; Chena RBN; Fort Yukon, Alaska, RBN; 86 miles, 75, 115 MSL, Barter Island, Alaska, RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

B-27 From Woody Island, Alaska, RBN, 45 miles 12 AGL, 68 miles 95 MSL, Naknek River, Alaska, RBN; 53 miles, 84 miles, 70 MSL, Oscarville, Alaska, RBN; 46 miles, 173 miles, 30 MSL, Fort Davis, Alaska, RBN; 35 miles, 89 miles, 55 MSL, Kotzebue, Alaska, RBN.

AMENDMENTS 2/28/74 39 F. R. 1272 (Changed)
AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

B-38 From Prince Rupert, British Columbia, Canada RBN, Nichols, Alaska, RBN; 42 miles, 52 MSL, Petersburg, Alaska, RBN; Sisters Island, Alaska, RBN; Haines, Alaska, RBN; Whitehorse, Yukon Territory, Canada, RR. The airspace within Canada is excluded.

AMENDMENTS 2/28/74 38 F. R. 34728 (Changed) AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

B-40 From the Haines, Alaska RBN, Robinson, Yukon Territory, Canada, RBN, excluding the portion within Canada.

B-79 From Sandspit, British Columbia, Canada, RBN; Nichols, Alaska, RBN; 42 miles, 99 miles 55 MSL Sitka, Alaska, RBN; Sisters Island, Alaska, RBN; Cape Spencer, Alaska, RBN; INT Cape Spencer, RBN, 273° and Ocean Cape, Alaska, RBN 139° bearing. The airspace in Canada is excluded.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)
AMENDMENTS 9/12/74 39 F. R. 20586 (Changed) Corr: 39 F. R. 29341

SUBPART C - VOR FEDERAL AIRWAYS

§ 71.121 Designation

The airspace assignments described in this subpart are designated as VOR Federal airways. Unless otherwise specified, place names appearing in the descriptions indicate VOR or VORTAC navigational facilities identified by those names.

§71.123 Domestic VOR Federal Airways.

V-1 From Jacksonville, Fla., Charleston, S. C.; Myrtle Beach, S. C.; Wilmington, N. C.; Kinston, N. C., including a W alternate via INT Wilmington 352° and Kinston 214° radials; Cofield, N. C.; Norfolk, Va., including an east alternate segment from Kinston to Norfolk via the intersection of Kinston 0500 and Norfolk 209° radials; Cape Charles, Va.; INT Cape Charles 006° and Salisbury, Md., 206° radials; Salisbury; Waterloo, Del.; INT Waterloo 024° and Coyle, N. J., 216° radials; to coyle, excluding the airspace below 2,000 feet MSL outside the United States between Starfish INT and Charleston, S. C. The portion within R-5002 is excluded.

V-2 From Seattle, Wash., Ellensburg, Wash., including a south alternate via INT Seattle 123° and Ellensburg 274° radials; Moses Lake, Wash.; Spokane, Wash., including a north alternate from Seattle to Spokane via Wenatchee, Wash., and Ephrata, Wash.; Mullan Pass, Idaho, including a north alternate via INT Spokane 0730 and Mullan Pass 291° radials, and also a south alternate, via 1NT Spokane 109° and Mullan Pass 260° radials; 5 miles, 53 miles, 91 MSL, Missoula, Mont.; 6 miles, 84 MSL, Drummond, Mont.; 11 miles, 84 MSL, Helena, Mont.; INT Helena 119° and Bozeman, Mont., 338° radials; Bozeman; INT Bozeman 128° and Livingston, Mont., 261° radials; Livingston; 11 miles, 25 miles, 85 MSL, Billings, Mont., including an N alternate from Helena, 21 miles, 10 miles 105 MSL, 115 MSL INT Helena 089° and Billings 301° radials, 35 miles 100 MSL, to Billings, excluding the airspace between the main and this N alternate; 19 miles, 79 miles, 49 MSL, Miles City, Mont., including an N alternate from Billings, 19 miles, 49 MSL INT Billings 057° and Miles City 269° radials, 42 miles, 49 MSL, to Miles City; 24 miles, 90 miles, 55 MSL, Dickinson, N. Dak.; 10 miles, 60 miles, 38 MSL, Bismarck, N. Dak., including an N alternate from Dickinson, 10 miles 38 MSL INT Dickinson 078° and Bismarck 290° radials, 42 miles, 49 MSL, Miles City; 24 miles, 49 MSL, Miles City; 24 miles, 49 miles, 49 MSL, 10 miles, 50 miles, 60 miles, 38 MSL, Bismarck, N. Dak., including an N alternate from Dickinson, 10 miles 38 MSL INT Dickinson 078° and Bismarck 290° radials, 42 miles, 49 MSL, Miles City, Mont. 28 miles, 38 MSL, to Bismarck; 14 miles, 62 miles, 34 MSL Jamestown, N. Dak., including an N alternate from Bismarck 14 miles, 65 miles, 34 MSL, Jamestown; 7 miles, 43 miles, 28 MSL, Fargo, N. Dak., including an N alternate from Jamestown 7 miles, 46 miles, 28 MSL, Fargo; Alexandria, Minn., including a N alternate, Minneapolis, Minn.; Nodine, Minn., including a N alternate; Lone Rock, Wis., including a south alternate via INT Nodine 150° and Lone Rock 286° radials; Madison, Wis.; Milwaukee, Wis.; Muskegon, Mich., including a S alternate via INT Milwaukee 102° and Muskegon 252° radials; Lansing, Mich., including a Salternate from Muskegon to Lansing via INT Muskegon 154° and Grand Rapids, Mich., 284° radials and Grand Rapids (7 miles wide, 3 miles north and 4 miles south of centerline Grand Rapids to Lansing; Salem, Mich., including a N alternate via INT Lansing 091° and Salem 308° radials;

INT Salem 083° and Aylmer, Ont., Canada 260° radials; Aylmer; INT Aylmer 087° and Buffalo, N. Y., 259° radials; Buffalo; Rochester, N. Y., including a north alternate via 1NT of Buffalo 045° and Rochester 273° radials; Syracuse, N. Y., including a N alternate via 1NT Rochester 064° and Syracuse 283° radials; Utica, N. Y.; Albany, N. Y.; 1NT Albany 094° and Gardner, Mass., 284° radials; Gardner; Boston,

Mass. The airspace within Canada is excluded.

V-3 From Key West, Fla., INT Key West 086° and Miami, Fla., 205° radials; INT Miami 205° and Biscayne Bay, Fla., 262° radials; Biscayne Bay; Palm Beach, Fla., including an E alternate via INT Biscayne Bay 021° and Palm Beach 166° radials; Vero Beach, Fla., including an E alternate via INT Palm Beach 358° and Vero Beach 143° radials; Ormond Beach, Fla.; INT Ormond Beach 334° and Jacksonville, Fla., 159° radials; Jacksonville; Brunswick, GA.; Savannah, GA.; Vance, S. C.; Florence, S. C.; Pinehurst, N. C.; Raleigh, N. C., including an E alternate from Florence to Raleigh via Fayetteville, N. C., excluding the airspace between the main and this alternate airway; INT Raleigh 016° and Flat Rock, Va., 214° radials; Flat Rock; Gordonsville, Va.; Linden, Va.; Front Royal, Va.; Martinsburg, W. Va.; Westminster, Md.; Modena, Pa.; Solberg, N. J.; Carmel, N. Y.; Hartford, Conn.; INT Hartford 044° and Boston, Mass., 251° radials; Modena, Pa.; Solberg, N. J.; Carmel, N. Y.; Hartford, Conn.; INT Hartford 044° and Boston, Mass., 251° radials; Pease, INT Pease 004° and Augusta, Maine, 228° radials; Augusta; Bangor, Maine; INT Bangor 039° and Houlton, Maine, 203° radials; Houlton; Presque Isle, Maine. The portion outside the United States has no upper limit except that the portion of the E alternate between Jacksonville and Savannah extends up to but does not include 18,000 feet MSL. The airspace within R-2902B is excluded.

V-4 From Neah Bay, Wash., RBN, Port Angeles, Wash.; INT Port Angeles 0900 and Seattle, Wash., 3290 radials; Seattle; Yakima, Wash., including a south alternate from Seattle to Yakima via INT Seattle 163° and Olympia, Wash., 084° radials and INT Olympia 084° and Yakima 305° radials, excluding the airspace between the main and this alternate airway; Pendleton, Oreg.; Baker, Oreg; Boise, Idaho, including a south alternate; INT Boise 130° and Burley, Idaho, 292° radials; Burley, including a north alternate from Boise 25 miles, 25 miles 90 MSL, 95 MSL INT Pocatello, Idaho, 286° and Burley 323° radials, Burley, excluding the airspace between the main and this alternate airway; Malad City, Idaho; 35 miles, 58 miles, 115 MSL, Rock Springs, Wyo., including an S alternate from Malad City, 20 miles, 68 miles 115 MSL, via Fort Bridger, Wyo., to Rock Springs, excluding the airspace between the main and this S alternate; 20 miles, 39 miles, 95 MSL, Cherokee, Wyo.; Laramie, Wyo.; Denver, Colo., including a north alternate from Laramie to Denver via Gill, Colo.; INT Denver 103° and Thurman, Colo., 275° radials; Thurman, Colo.; 50 miles, 65 MSL, Goodland, Kans.; Hill City, Kans.; INT Hill City 097° and Salina, Kans., 284° radials; Salina, including a S alternate via Hays, Kansas.; Topeka, Kans., including a S alternate via INT Salina 095° and Topeka 236° radials; Kansas City, Mo., including a N alternate and also a S alternate via 1NT Topeka 099° and Kansas City 231° radials; Hallsville, Mo.; St. Louis, Mo., including a N alternate; Troy, Ill.; Centralia, Ill.; Evansville, Ind., including a S alternate; Louisville, Ky., including a N alternate via INT Evansville 068° and Louisville 280° radials; Lexington, Ky., including a N alternate via INT Louisville 081° and Lexington 303° radials and also a S alternate via INT Louisville 114° and Lexington 251° radials; Newcombe, Ky.; Charleston, W. Va.; Elkins, W. Va., including a S alternate via INT Charleston 083° and Elkins 228° radials; Kessel, W. Va.; Front Royal, Va.; to Armel, Va. The airspace within R-6705 is excluded. AMENDMENTS 11/7/74 39 F. R. 30346 (Changed)

PENDING AMENDMENT

In V-4: "INT Denver 103° and Thurman, Colo., 275° radials; Thurman, Colo.; 50 miles 65 MSL, Goodland, Kans.;" is deleted and "INT Denver 103° and Thurman, Colo., 274° radials; Thurman, Colo.; including a north alternate via INT Denver 088° and Thurman 292° radials; 50 miles, 65 MSL, Goodland, Kans.;" is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 38637 (Changed)

V-5 From Jacksonville, Fla.; 1NT Jacksonville 319° and Alma, Ga., 148° radials; Alma; Dublin, Ga., Athens, Ga.; 1NT Athens 339° and Anderson, S. C., 274° radials; 1NT Anderson 274° and Chattanooga, Tenn., 127° radials; Chattanooga; Nashville, Tenn., including an east alternate via 1NT Chattanooga 332° and Nashville 117° radials; Bowling Green, Ky.; New Hope, Ky., including an east alternate from Nashville to New Hope via 1NT Nashville 034° and New Hope 202° radials; Louisville, Ky.; Cincinnati, Ohio; Appleton; Ohio; Mansfield, Ohio; Cleveland, Ohio; London, Ont., Canada. The airspace within Canada is excluded.

V-6 From Oakland, CA.; INT Oakland 039° and Sacramento, CA., 212° radials; Sacramento, including a south alternate via INT Oakland 077° and Sacramento 194° radials; Lake Tahoe, CA.; Reno, NV., including a N alternate from Sacramento to Reno via INT Sacramento 038° and Reno 257° radials; Lovelock, Nev., including a south alternate from Reno to Lovelock via Hazen, Nev.; Battle Mountain, Nev., including a north alternate; INT Battle Mountain 062° and Wells, Nev., 256° radials; Wells; 5 miles, 40 miles, 98 MSL, 85 MSL Lucin, Utah; 43 miles, 85 MSL, Ogden, Utah; 11 miles, 50 miles, 105 MSL, Fort Bridger, Wyo.; Rock Springs, Wyo.; 20 miles, 39 miles 95 MSL, Cherokee, Wyo.; 39 miles, 27 miles 95 MSL, Medicine Bow, Wyo.; INT Medicine Bow 106° and Sidney, Nebr., 291° radials; Sidney; 13 miles, 26 miles, 57 MSL, North Platte, Nebr.; Grand Island, Nebr.; Omaha, Nebr.; Des Moines, Iowa, including a S alternate; Iowa City, Iowa, including a S alternate via INT Des Moines 112° and Iowa City 252° radials; Cordova, Ill.; INT Cordova 087° and DuPage, Ill., 255° radials; to DuPage. From INT Chicago Heights, Ill., 358° and South Bend, Ind., 271° radials; South Bend, Ind.; INT South Bend 092° and Waterville, Ohio, 288° radials; Waterville; Cleveland, Ohio, including a S alternate via INT Waterville 108° and Cleveland 252° radials; Youngstown, Ohio, including a north alternate via INT Cleveland 081° and Youngstown 285° radials; Clarion, Pa.; Philipsburg, Pa.; Selinsgrove, Pa.; Allentown, Pa., excluding the portion within R-4803 and R-4813

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed) AMENDMENTS 4/25/74 39 F. R. 6606 (Changed) PENDING AMENDMENT

In V-6 "Cordova, Ill.; INT Cordova 087° and DuPage, Ill., 255° radials;" is deleted and "Davenport, Iowa; INT Davenport 087° and DuPage, Ill., 255° radials;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41518 (Changed)

V-7 From Miami, Fla.; via INT of Miami 279° and Fort Myers, Fla., 121° radials; Fort Myers, including an east alternate from Miami via INT of Miami 316° and Fort Myers 096° radials to Fort Myers; Lakeland, Fla.; Cross City, Fla.; Greenville, Fla.; Dothan, Ala.,

including a W alternate from Cross City to Dothan via INT Cross City 287° and Marianna, Fla., 141° radials and Marianna; INT Dothan 333° and Montgomery, Ala., 129° radials; Montgomery; INT Montgomery 308° and Birmingham, Ala., 177° radials; Birmingham; including an east alternate via INT of Montgomery 357° and Birmingham 139° radials; Muscle Shoals, Ala., including an E alternate via INT of Birmingham 358° and Muscle Shoals 122° radials and also a W alternate via INT Birmingham 298° and Muscle Shoals 178° radials; Graham, TN.; Nashville, TN.; Central City, Ky.; including an east alternate; Evansville, Ind.; INT Evansville 015° and Lewis, Ind., 198° radials; Lewis; Terre Haute, Ind., including a W alternate from Evansville to Terre Haute via INT Evansville 360° and Terre Haute 217° radials; Lafayette, Ind.; Chicago Heights, Ill.; INT Chicago Heights 358° and Green Bay, WI., 166° radials, including an east alternate via INT Chicago Heights 013° and Milwaukee, WI., 137° radials to the INT Milwaukee 137° and Chicago-O'Hare 019° radials; Green Bay, WI.; Menominee, MI.; Marquette, Mich.; including an east alternate via Escanaba, Mich. The airspace below 2,000 feet MSL outside the United States is excluded. The portion outside the United States has no upper limit.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed) AMENDMENTS 8/15/74 39 F. R. 20193 (Changed)

Corr: 39 F. R. 25314

V-8 From INT Seal Beach, Calif., 266° and Los Angeles, Calif., 236° radials; Seal Beach; Ontario, Calif.; 35 miles, 7 miles wide (3 miles SE and 4 miles NW of centerline) Hector, Calif.; Goffs, Calif.; INT Goffs 033° and Morman Mesa, Nev., 196° radials; Morman Mesa, including a N alternate from Seal Beach to Morman Mesa via Pomona, Calif., Daggett, Calif., and Las Vegas, Nev.; Bryce Canyon, Utah, Hanksville, Utah, including a south alternate; Grand Junction,

Colo., including a south alternate via INT of Hanksville 087° and Grand Junction 232° radials and also a north alternate from Bryce Canyon to Grand Junction via INT Bryce Canyon 048° and Grand Junction 259° radials; 33 miles, 130 MSL Kremmling, Colo., including a south alternate from Grand Junction 33 miles, 21 miles, 127 MSL, 120 MSL INT Grand Junction 074° and Kremmling 228° radials, 28 miles, 120 MSL, 130 MSL to Kremmling; 9 miles 130 MSL, 29 miles 144 MSL, 11 miles 127 MSL, Denver, Colo.; Akron, Colo.; including a south alternate via Denver 103° and Akron 242° radials; Hayes Center, Nebr., including a north alternate via INT Akron 063° and Hayes Center 276° radials and also a south alternate via INT Akron 094° and Hayes Center 246° radials; Grand Island, Nebr., including a N alternate via INT Hayes Center 059 and Grand Island 273° radials, and also a Salternate; Omaha, Nebr.; Des Moines, Iowa; Iowa City, Iowa; Cordova, II1.; INT Cordova 087° and Joliet, 111., 291° radials; Joliet; Chicago Heights, II1.; Goshen, Ind.; Findlay, Ohio; Mansfield, Ohio; Briggs, Ohio; Bellaire, Ohio;

INT Bellaire 1078 and Grantsville, Md., 2850 radials; Grantsville; Martinsburg, W. Va.; to Washington, D. C., including a north alternate from Grantsville to the INT of Hagerstown, Md., 1570 and the Martinsburg 1300 radials via Hagerstown. The portion outside the United States has no upper limit.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

PENDING AMENDMENT

In V-8, "Akron, Colo.; including a south alternate via Denver 103° and Akron 242° radials;" is deleted and "Akron, Colo.; including a south alternate via Denver 103° and Akron 241° radials;" is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 38637 (Changed)

PENDING AMENDMENT

In V-8 "Cordova, Ill.; INT Cordova 087° and Joliet, Ill., 291° radials;" is deleted and "Davenport, Iowa; INT Davenport 087° and Joliet, Ill., 291° radials;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41518 (Changed)

V-9 From Leeville, La., via INT Leeville, 333° and New Orleans, La., 181° radials; New Orleans; McComb, Miss., including an E alternate from New Orleans to McComb via Picayune, Miss.; Jackson, Miss., including an E alternate and also a W alternate; Memphis, Tenn., including an E alternate and also a W alternate; Memphis, Tenn., including an E alternate and also a W alternate; Malden, Mo., including a W alternate; Farmington, Mo.; St. Louis, Mo., including a W alternate; Capital, Ill.; Pontiac, Ill.; Joliet, Ill.; INT Joliet 329° and Milwaukee, Wis., 209° radials; Milwaukee; including a W alternate from Pontiac via Pontiac 346° and Milwaukee 209° radials; Oshkosh, Wis.; Green Bay, Wis.; Iron Mountain, Mich., including an east alternate from Green Bay to Iron Mountain via Menominee, Mich.; Houghton, Mich.; including an E alternate via Marquette, Mich., and also a west alternate from Green Bay to Houghton via Rhinelander, Wis.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed) Corr: 39 F. R. 6056

PENDING AMENDMENT In V-9 all after "Houghton, Mich.;" is deleted and "including an E alternate via Marquette, Mich." is substituted.

AMENDMENTS 1/30/75 39 F. R. 41838 (Changed)

V-10 From Pueblo, Colo., 18 miles, 48 miles, 60 MSL, Lamar, Colo.; Garden City, Kans.; Dodge City, Kans.; Hutchinson, Kans., including a N alternate via INT Dodge City 060° and Hutchinson 296° radials excluding the airspace between the main and alternate airway; Emporia, Kans.; Kansas City, Mo., including a N alternate Emporia to Kansas City via Topeka, Kans.; Kirksville, Mo.; Burlington, Iowa; Bradford, Ill.; to Chicago, O'Hare, Ill. From INT Chicago Heights, Ill., 358° and South Bend, Ind., 271° radials; South Bend; Litchfield, Mich.; Carleton, Mich.; INT Jefferson, Ohio, 279° and Youngstown, Ohio, 320° radials; Youngstown; INT Youngstown 116° and Clarion, Pa., 222° radials; Revloc, Pa. The airspace within Canada is excluded.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed) Corr: 39 F. R. 1577

V-11 From Brookley, AL.; Greene County, MS., including a west alternate from Brookley via Mobile, AL., to Greene County; Laurel, Miss.; including an east alternate from the INT of Mobile 356° and Greene County 142° radials via the INT of Mobile 356° and Laurel 109° radials to Laurel; Jackson, MS. From Memphis, Tenn., Dyersburg, Tenn., including a W alternate via INT Memphis 001° and Dyersburg 235° radials, and an E alternate via the INT Memphis 045° and Dyersburg 182° radials; Cunningham, Ky., including an E alternate; Evansville, Ind., including an east alternate;

Indianapolis, Ind., including an E alternate from Evansville to Indianapolis via INT Evansville 046° and Bloomington, Ind., 205° radials, Bloomington, INT of Bloomington 025° and Indianapolis 185° radials; Marion, Ind., Fort Wayne, Ind., Salam

Ind.; Fort Wayne, Ind.; Salem, Mich.; 6-miles wide to INT Salem 052° and Windsor, Ont., Canada 335° radials.

AMENDMENTS 1/31/74 38 F. R. 33588 (Changed)

V-12 From Gaviota, Calif., Santa Barbara, Calif.; INT Santa Barbara 109° and Fillmore, Calif., 268° radials; Fillmore; Palmdale, Calif.; 38 miles, 6 miles wide, Hector, Calif.; 12 miles, 38 miles, 85 MSL, 14 miles, 75 MSL, Needles, Calif.; 45 miles, 34 miles, 95 MSL, Prescott, Ariz.; Winslow, Ariz.; 30 mi. 85 MSL Zuni, N. Mex.; Albuquerque, N. Mex., including a south alternate via INT Zuni 104° and Albuquerque 253° radials; Otto, N. Mex.; Anton Chico, N. Mex., including a Salternate from Albuquerque to Anton Chico via INT Albuquerque 103° and Anton Chico 249° radials; Tucumcari, N. Mex.; Amarillo, Tex., including a south alternate and also a north alternate via INT Tucumcari 071° and Amarillo 286° radials; Gage, Okla., including a north alternate from Amarillo to Gage via Borger, Tex., and INT Borger 061° and Gage 249° radials, and also a south alternate via INT Amarillo 072° and Gage 215° radials; Anthony, Kans.; Wichita, Kans., including a N alternate from Gage to Wichita via INT Gage 025° and Wichita 250° radials and also a Salternate via Anthony 060° and Wichita 190° radials; Emporia, Kans., including a N alternate via INT Wichita 037° and Emporia 259° radials; INT Emporia 050° and Topeka, Kans., 099° radials; INT Topeka 099° and Blue Springs, Mo., 268° radials; Blue Springs; Columbia, Mo.; Maryland Heights, Mo., including a Salternate from INT Macon, Mo., 202° and Columbia 273° radials to INT Hallsville, Mo., 134° and Columbia 102° radials via Jefferson City, Mo.; Troy, III.; Bible Grove, III.; Lewis, Ind.; Shelbyville, Ind.; Richmond, Ind.; Dayton, Ohio; Appleton, Ohio, including a N alternate from Dayton to Appleton via INT Dayton 068° and Rosewood, Ohio, 083° radials; Newcomerstown, Ohio; Allegheny, Pa.; Johnstown, Pa.; Harrisburg, Pa., including a Salternate from Johnstown to Harrisburg via St. Thomas, Pa.

V-13 From McAllen, Tex., via Harlingen, Tex.; INT Harlingen
033° and Corpus Christi, Tex., 178° radials; 27 miles standard width, 37 miles 7 miles wide (3 miles E and 4
miles W of centerline), Corpus Christi; including a W alternate from Harlingen via INT Harlingen 006° and Corpus
Christi 193° radials; 34 miles standard width, 37 miles 7 miles wide (4 miles E and 3 miles W of centerline).
Corpus Christi; INT Corpus Christi 039° and Palacios, Tex., 241° radials; Palacios;
Humble, Tex., Lufkin, Tex.; including an east alternate from Humble via Daisetta, Tex., to Lufkin;
Shreveport, La., including an E alternate; Texarkana, Ark., including a W alternate via INT Shreveport 275°
and Texarkana 184° radials; Rich Mountain, Okla.; Fort Smith, Ark.; INT Fort Smith 006° and Fayetteville, Ark.,
190° radials; Fayetteville, including a W alternate from Rich Mountain to Fayetteville via INT Rich Mountain
006° and Fayetteville 205° radials; Neosho, Mo.; Butler, Mo.; Kansas City, Mo., including an E alternate via
INT Butler 013° and
Kansas City 157° radials; Lamoni, Iowa; Des Moines, Iowa, including a W alternate; Mason City, Iowa, including
a W alternate from Des Moines to Mason City via Fort Dodge, Iowa, excluding the airspace
between the main and this W alternate; Farmington, Minn.; Grantsburg, Wis., including a W alternate from
Mason City to Grantsburg via INT Mason City 349° and Minneapolis, Minn., 188° radials and Minneapolis,
excluding the airspace between the main and W alternate; Duluth, Minn., including an E alternate; 36 miles,
35 MSL Thunder Bay, Ontario, Canada. The airspace outside the United States is excluded.

AMENDMENTS 1/31/74 38 F. R. 33392 (Changed) AMENDMENTS 4/25/74 39 F. R. 6057 (Changed) V-14 From Roswell, N. Mex., via Lubbock, Tex.; Childress, Tex., including a S alternate via INT Lubbock 086° and Childress 229° radials; Hobart, Okla.; Oklahoma City, Okla., including a S alternate via INT Hobart 076° and Oklahoma City 202° radials; Tulsa, Okla., including a N alternate via INT Oklahoma City 037° and Tulsa 261° radials, and also a S alternate via INT Oklahoma City 079° and Tulsa 228° radials; Neosho, Mo., including a N alternate and also a S alternate via INT Tulsa 087° and Neosho 223° radials; Springfield, Mo., including a S alternate via INT Neosho 074° and Springfield 210° radials; Vichy, Mo., including a N alternate; St. Louis, Mo., including a N alternate and also a S alternate via INT of Vichy 069° and St. Louis 219° radials; Vandalia, III., including a N alternate via INT of St. Louis 062° and Vandalia 273° radials; Terre Haute, Ind.; Indianapolis, Ind., including a S alternate via INT of Terre Haute 079° and Indianapolis 230° radials; Muncie, Ind.; Findlay, Ohio; Cleveland, Ohio; Jefferson, Ohio, Erie, Pa., including a N alternate from Cleveland to Erie via INT Cleveland 049° and Jefferson 279° radials; Dunkirk, N. Y.; Buffalo, N. Y. including a N alternate from Erie to Buffalo via INT Erie 043° and Buffalo 259° radials; Geneseo, N. Y., Georgetown, N. Y.; INT Georgetown 093° and Albany, N. Y. 270° radials; Albany; INT Albany 094° and Gardner, Mass., 284° radials; Gardner; INT Gardner 128° and Boston, Mass., 251° radials; Boston. The airspace within R-5207 and Canada is excluded.

AMENDMENTS 4/25/74 39 F. R. 6606 (Changed)

V-15 From Scholes, Tex., via Hobby, Tex.; Humble, Tex.; Navasota, Tex.; College Station, Tex., including a west alternate from Hobby to College Station via INT Hobby 290° and College Station 151° radials; Waco, Tex., including a W alternate via INT College
Station 307° and Waco 173° radials; Scurry, Tex.; Blue Ridge, Tex., including an east alternate via INT Scurry 023° and Blue Ridge 153° radials; Ardmore, Okla.; Okmulgee, Okla., including an E alternate; INT Okmulgee
048° and Neosho, Mo., 223° radials; Neosho. From Kansas City, Mo., St. Joseph, Mo.; INT St. Joseph 343° and Neola, Iowa, 157° radials; Neola; INT Neola 322° and Sioux City, Iowa, 159° radials; Sioux City; INT Sioux City 340° and Sioux Falls, S. Dak., 169° radials; Sioux Falls, including an E alternate; Huron, S. Dak., including a west alternate from Sioux Falls to Huron via Mitchell, S. Dak.; Aberdeen, S. Dak., including a W alternate; 18 miles, 89 miles, 42 MSL, Bismarck, N. Dak.; Minot, N. Dak.

V-16 From Los Angeles, Calif., Ontario, Calif.; Palm Springs, Calif.; Blythe, Calif.; 21 miles, 60 miles.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed)

55 MSL, Buckeye, Ariz.; Phoenix, Ariz.; INT Phoenix 161° and Casa Grande, Ariz., 105° radials; Tucson, Ariz.; Cochise, Ariz., including a S alternate via INT Tucson 122° and Cochise 257° radials; Columbus, N. Mex.; El Paso, Tex., including a N alternate via INT Columbus 075° and El Paso 286° radial; Salt Flat, Tex.; Wink, Tex.; Wink 066° and Big Spring, Tex., 260° radials; Big Spring, including a S alternate from Wink to Big Spring via Midland, Tex.; Abilene, Tex.; Millsap, Tex.; Acton, Tex.; Scurry, Tex., including a south alternate; Quitman, Tex.; Texarkana, Ark., Pine Bluff, Ark.; Memphis, Tenn., including a Salternate; Jacks Creek, Tenn., including a Nalternate via INT Memphis 045° and Jacks Creek 260° radials; Graham, Tenn., including a S alternate from Memphis to Graham via INT Memphis 078° and Graham 238° radial; Nashville, Tenn., including a north alternate from Jacks Creek to Nashville via INT Jacks Creek 049° and Nashville 286° radials; INT Nashville 102° and Hinch Mountain, Tenn., 285° radials; Hinch Mountain; including a south alternate via INT Nashville 117° and Hinch Mountain 268° radials, and a north alternate via INT Nashville 085° and Hinch Mountain 301° radials; Knoxville, Tenn., including a S alternate via INT Hinch Mountain 100° and Knoxville 243° radials; Holston Mountain, Tenn., including a S alternate from Knoxville to Holston Mountain via Snowbird, Tenn.; Pulaski, Va., including a N alternate from Knoxville to Pulaski via INT Knoxville 050° and Blackford, Va., 246° radials and Blackford; Roanoke, Va.; Lynchburg, Va.; including a S alternate via INT Pulaski 094° and Lynchburg 253° radials; Flat Rock, Va.; Richmond, Va.; INT Richmond 039° and Patuxent, Md., 228° radials; Patuxent; Kenton, Del.; Millville, N. J.; Coyle, N. J.; Kennedy, N. Y.; Deer Park, N. Y.; Riverhead, N. Y.; Norwich, Conn.; Boston, Mass. The airspace within Mexico and the airspace below 2,000 feet MSL outside the United States is excluded.

V-17 From Brownsville, Tex., via Harlingen, Tex.; McAllen, Tex.; 29 miles 12 AGL, 34 miles 25 MSL, 37 miles 12 AGL; Laredo, Tex.; Cotulla, Tex.; INT Cotulla 041° and San Antonio, Tex., 202° radials; San Antonio, including a E alternate via INT Cotulla 041° and San Antonio 183° radials to San Antonio via INT San Antonio 042° and Austin, Tex., 229° radials; Austin, including an east alternate via INT San Antonio 057° and Austin 173° radials; and also including a west alternate via INT San Antonio 002° and Austin 244° radials; Waco, Tex., including an east alternate via INT Austin 041° and Waco 173° radials; Acton, Tex.; Bridgeport, Tex.; Duncan, Okla. INT Duncan 011° and Oklahoma City, Okla., 180° radials; Oklahoma City; Gage, Okla., including a W alternate via INT Oklahoma City 282° and Gage 153° radials; Garden City, Kans., including a W alternate from Gage to Garden City via Liberal, Kans.; Goodland, Kans.

AMENDMENTS 4/25/74 39 F. R. 6057 (Changed) AMENDMENT# 9/12/74 39 F. R. 25314 (Changed) V-18 From Millsap, Tex.; via greater Southwest, Tex.; INT Greater Southwest 090° and Quitman, Tex., 260° radials; Quitman; Shreveport, La., including a S alternate via INT Quitman 109° and Shreveport 246° radials; Monroe, La., including a N alternate and also a S alternate via INT Shreveport 117° and Monroe 268° radials; Jackson, Miss., including a N alternate and also a S alternate; Meridian, Miss., including a S alternate; Tuscaloosa, Ala.; Birmingham, Ala.; Talladega, AL.; INT Talladega 083° and Rex, GA., 270° radials; Rex.; INT Rex 090° and Augusta, GA. 278° radials; Augusta, including a north alternate from Birmingham to Augusta via Rome, GA., INT Rome 060° and Anderson, S. C., 274° radials, INT Anderson 274° and Athens 339° radials, Athens, and INT Athens 109° and Augusta 294° radials; INT Augusta 103° and Charleston, S. C., 296° radials; Charleston, including a S alternate from Augusta to Charleston via INT Augusta 148° and Allendale, S. C., 273° radials, and Allendale, excluding the airspace within R-6004.

In V-18 "Monroe, La., including a N alternate and also a S alternate via INT Shreveport 117° and Monroe 268° radials;" is deleted and "Monroe, La., including a N alternate and also a S alternate;" is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 39261 (Changed)

V-19 From Newman, Tex., via INT Newman 286° and Truth or Consequences, N. Mex., 159° radials; Truth or Consequences; INT Truth or Consequences 028° and Socorro, N. Mex., 189° radials; Socorro; Albuquerque, N. Mex., including a W alternate via INT Socorro 343° and Albuquerque 199° radials, and also an E alternate via INT Socorro 015° and Albuquerque 160° radials; INT Albuquerque 036° and Santa Fe, NM., 245° radials; Santa Fe, including a west alternate via INT Albuquerque 019° and Santa Fe 268° radials; Las Vegas, N. Mex.; Cimarron, N. Mex., Pueblo, Colo., including an E alternate via INT Cimarron 053° and Pueblo 176° radials; Kiowa, Colo., including an east alternate; Denver; Cheyenne, Wyo.; Casper, Wyo., including an E alternate from Cheyenne to Casper via INT Cheyenne 002° and Douglas, Wyo., 152° radials and Douglas; 5 miles, 45 miles 71 MSL, Crazy Woman, Wyo.; Sheridan, Wyo., including an E alternate; 21 miles, 35 miles 75 MSL, Billings, Mont., including an E alternate from Sheridan 21 miles, 38 miles, 75 MSL, to Billings; 38 miles, 72 MSL INT Billings 347° and Lewistown, Mont., 104° radials; Lewistown; Great Falls, Mont., including a W alternate via INT Lewistown 274° and Great Falls 122° radials.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed)

V-20 From Reynosa, Mex., via McAllen, Tex.; INT McAllen 038° and Corpus Christi, Tex., 178° radials; 10 miles 8 miles wide, 37 miles 7 miles wide (3 miles E and 4 miles W of Centerline), Corpus Christi; INT Corpus Christi 054° and Palacios, Tex., 226° radials; Palacios; Hobby, Tex.; Beaumont, Tex.; Lake Charles, La.; including a north alternate via INT Beaumont 056° and Lake Charles 272° radials; Lafayette, La., including a N alternate via INT Lake Charles 064° and Lafayette 285° radials;
New Orleans, La., including a S alternate from Lafayette to New Orleans via Tibby, La.; INT New Orleans 070° and Gulfport, Miss., 247° radials; Gulfport; Mobile, Ala., including a N alternate from New Orleans to Mobile via Picayune, Miss., excluding the airspace between the main and this N alternate; INT Mobile 048° and Monroeville, Ala., 231° radials; Monroeville, including a 6-mile wide S alternate via INT Mobile 063° and "Caroeville 216° radials; Montgomery, Ala.; Tuskegee, Ala.; Columbus, Ga.;
INT Columbus 068° and Athens, Ga., 192° radials; Athens; Anderson, S. C.; Spartanburg, S. C., including a north alternate from Montgomery to Spartanburg via INT Montgomery 028° and Talladega, Ala. 083° radials, INT Chattanooga, Tenn., 190° and Rome, Ga., 252° radials, Rome, INT Rome 060° and Toccoa, Ga., 258° radials, and Toccoa; Greensboro, N. C.; South Boston, Va.; INT of Mobile 048° and Monroeville, Ala., 231° radials; Monroeville, including Richmond, Va.; INT of Mobile 048° and Monroeville, Ala., 231° radials; INT Patuxent, Md., 228° and Nottingham, Md., 174° radials; Nottingham. The airspace on the main airway above 14,000 feet MSL from McAllen to 49 miles northeast and the airspace within Mexico is excluded.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed) AMENDMENTS 4/25/74 39 F. R. 6057 (Changed)

V-21 From INT Seal Beach, Calif., 250° and Los Angeles, Calif., 207° radials; Seal Beach; Ontario, Calif.; 35 miles, 7 miles wide (3 miles SE and 4 miles NW of centerline), Hector, Calif.; Boulder City, Nev., including a W alternate from INT Hector 226° and Daggett, Calif., 187° radials to INT Daggett 062° and Hector 047° radials via Daggett; Morman Mesa, Nev.; 30 miles, 52 miles, 95 MSL Milford, Utah, including an E alternate via INT of Morman Mesa 059° and Cedar City, Utah, 197° radials to Cedar City, to Milford, excluding the airspace between the man and this E alternate airway; Delta, Utah; Fairfield, Utah; Salt Lake City, Utah; Ogden, Utah; Malad City, Idaho; Pocatello, Idaho; Idaho Falls, Idaho; INT of Idaho Falls, 030° and DuBois, Idaho, 157° radials; DuBois; Dillon, Mont.; Whitehall, Mont.; Helena, Mont.; Great Falls, Mont.; Cut Bank, Mont., including a W alternate Helena direct Cut Bank; INT Cut Bank 348° radial and the United States/Canadian border.

V-22 From Kansas City, Mo.; to Ottumwa, Iowa.

AMENDMENTS 1/31/74 38 F. R. 31675 (Added)

V-23 From San Diego, Calif., Oceanside, Calif.; 24 miles, 6 miles wide, Seal Beach, Calif.; 6 miles wide, INT Seal Beach 287° and Los Angeles, Calif., 138° radials; Los Angeles; Gorman, Calif., Bakersfield, Calif.; Fresno, Calif.; 53 miles, 6 miles wide, Linden, Calif.; Sacramento, Calif., including a W alternate from Fresno to Sacramento via Los Banos, Calif., and Stockton, Calif.; INT Sacramento 346° and Red Bluff, Calif., 158° radials; Red Bluff; 58 miles, 95 MSL Fort Jones, Calif.; Medford, Oreg., including an east alternate via INT Fort Jones 041° and Medford 157° radials; Eugene, Oreg.; Portland, Oreg., including an east alternate and including a west alternate from Fort Jones to Portland via INT Fort Jones 340° and Roseburg, Oreg., 174° radials, Roseburg, INT Roseburg 355° and Corvallis, Oreg., 195° radials, Corvallis, and Newberg, Oreg.; 20 miles, 45 MSL INT Portland 350° and Seattle, Wash., 197° radials; 21 miles, 45 MSL, Seattle, including an east alternate from Portland to Seattle via direct radials; Paine, Wash.; Bellingham, Wash.; via INT Bellingham 290° radial to the United States/Canadian border.

V-24 From Aberdeen, S. Dak., Watertown, S. Dak., including a N alternate; Redwood Falls, Minn.; Rochester, Minn.; Lone Rock, Wis., including a S alternate from Rochester to Lone Rock via Waukon, Iowa.

V-25 From San Diego, Calif., Los Angeles, Calif., including an E alternate from INT Los Angeles 138° and Seal Beach, Calif., 186° radials, via Seal Beach, 6 miles wide, to INT Seal Beach 287° and Los Angeles 138° radials; INT Los Angeles 261° and Ventura, Calif., 144° radials; 6 miles wide, Ventura; 6 miles wide, INT Ventura 331° and Santa Barbara, Calif., 109° radials; Santa Barbara; Paso Robles, Calif., Salinas, Calif., including an E alternate via INT Paso Robles 342° and Salinas 131° radials; INT Salinas 310° and Woodside, Calif., 158° radials; Woodside; San Francisco, Calif.; INT San Francisco 304° and Point Reyes, Calif., 161° radials; Point Reyes; INT Point Reyes 352° and Ukiah, Calif., 147° radials; 28 miles, 24 miles, 85 MSL, 18 miles, 75 MSL, Red Bluff, Calif.; 53 miles, 95 MSL INT Red Bluff 015° and Klamath Falls, Oreg., 181 radials; 19 miles, 95 MSL, Klamath Falls; 21 miles, 77 miles, 90 MSL, Redmond, Oreg.; The Dalles, Oreg.; Yakima, Wash., including an east alternate via INT The Dalles 051° and Yakima 183° radials; Ellensburg, Wash., including a west alternate via INT Yakima 305° and Ellensburg 191° radials; Wenatchee, Wash. The airspace below 2,000 feet MSL outside the United States

and the airspace more than 3 miles NE of the airway centerline between Seal Beach and INT of Seal Beach 287° and Los Angeles 138° radials is excluded. The airspace within R-2511, R-2520, and W-289 is excluded. The airspace within R-2519 more than 3 statute miles west of the airway centerline, and the airspace within R-2519 below 5,000 feet MSL is excluded. The portion outside the United States has no upper limit.

V-26 From Cherokee, Wyo.; 37 miles, 52 miles, 111 MSL,
Casper, Wyo.; 14 miles, 25 miles 75 MSL, 92 miles 90 MSL, Rapid City, S. Dak.; 43 miles, 35 MSL Philip, S. Dak.;
56 miles, 35 MSL, Pierre, S. Dak., including a north alternate; 26 miles, 41 miles, 35 MSL, Huron, S. Dak.;
Redwood Falls, Minn., including
a S alternate; Flying Cloud, Minn.; INT Flying Cloud 081° and Eau Claire, Wis., 271° radials; Eau Claire,
including a south alternate from Redwood Falls to Eau Claire via Farmington, Minn.; Wausau, Wis.; Green Bay,
Wis.; INT Green Bay 116° and White Cloud, Mich., 302° radials; White Cloud; Lansing, Mich.; Salem, Mich.;

INT Salem 139° and Cleveland, Ohio, 309° radials; Cleveland. The airspace within Canada is excluded.

V-27 From San Diego, Calif., INT San Diego 319° and Santa Catalina, Calif., 099° radials; Santa Catalina; 6 miles wide, Ventura, Calif.; 6 miles wide, INT Ventura 331° and Fillmore, Calif., 268° radials; INT Fillmore 268° and Gaviota, Calif., 143° radials; Gaviota; San Luis Obispo, Calif.; INT San Luis Obispo 308° and Big Sur, Calif., 157° radials; Big Sur; INT Big Sur 325° and Point Reyes, Calif., 161° radials; Point Reyes; INT Point Reyes 352° and Ukiah, CA., 147° radials; Ukiah; Fortuna, CA., including a west alternate from Ukiah 17 miles, 77 miles, 53 MSL, Fortuna, excluding the airspace between the main and the west alternate; Crescent City, CA., including a west alternate from Fortuna to Crescent City, excluding the airspace between the main and the west alternate; 31 miles, 32 miles, 59 MSL, North Bend, Oreg.; Newport, Oreg.; 39 miles, 30 miles, 45 MSL, Astoria, Oreg.; including an east alternate via INT of Newport 016° and Astoria 157° radials; Hoquiam, Wash., including a west alternate via INT Astoria 309° and Hoquiam 182° radials; Seattle, Wash., including an east alternate from Astoria to Seattle via Olympia, Wash., and INT Olympia 010° and Seattle 249° radials. The airspace below 2,000 feet MSL outside the United States between San Diego and Santa Catalina, the airspace within R-2516, R-2520, and W-289, the airspace within R-2519 more than 3 statute miles west of the airway centerline, and the airspace within R-2519 below 5,000 feet MSL, is excluded. The portion outside the United States has no upper limit.

V-28 From Oakland, Calif., INT Oakland 077° and Linden, Calif., 246° radials; Linden; INT Linden 046° and Reno, Nev., 208° radials; Reno.

V-29 From Snow Hill, Md., Salisbury, Md.; Kenton, Del., including a West alternate via INT Salisbury 340° and Kenton 217° radials; New Castle, Del.; Modena, Pa.; Pottstown, Pa.; East Texas, Pa.; Wilkes-Barre, Pa.; Binghamton, N. Y.; Syracuse, N. Y.; Watertown, N. Y.; INT Watertown 033° and Massena, N. Y., 241° radials; Massena. The airspace within R-4006 is excluded.

V-30 From Milwaukee, Wis., INT Milwaukee 102° and Pullman, Mich., 303° radials; Pullman, including a S alternate via INT Milwaukee 121° and Pullman 282° radials; Litchfield, Mich.; Waterville, Ohio; Cleveland, Ohio; Akron, Ohio; Clarion, Pa.; Philipsburg, Pa.; Selinsgrove, Pa.; East Texas, Pa.; INT East Texas 103° and Solberg, N. J., 255° radials; Solberg.

V-31 From INT Patuxent River, Md., 036° and Nottingham, Md., 128° radials; Nottingham. From Baltimore, Md.; Harrisburg, Pa.; Selinsgrove, Pa.; Williamsport, Pa.; Elmira, N. Y.; INT Elmira 357° and Rochester, N. Y., 125° radials; Rochester.

V-32 From Battle Mountain, Nev.; Elko, Nev.; Bonneville, Utah, including a north alternate from Elko to Bonneville via Wells, Nev.; 37 miles, 85 MSL, Salt Lake City, Utah; 17 miles, 45 miles, 105 MSL, Fort Bridger, Wyo.

V-33 From Cofield, N. C.; 1NT Cofield 007° and Harcum, Va., 187° radials; Harcum; INT Harcum 003° and Nottingham, Md., 174° radials; Nottingham. From Baltimore, Md., Harrisburg, Pa.; Philipsburg, Pa.; Keating, Pa.; Bradford, Pa.; Buffalo, N. Y.

V-34 From Kleinburg, Ont., INT Kleinburg 113° and Rochester, N. Y., 309° radials; Rochester, including a south alternate via INT of Kleinburg 133° and Rochester 289° radials; Ithaca, N. Y.; Hancock, N. Y.; Carmel, N. Y.; INT Carmel 093° and Riverhead, N. Y., 046° radials. The airspace within Canada and R-5207 is excluded.

V-35 From Key West, Fla., INT Key West 086° and Bimini, Bahamas, 215° radials; INT Bimini 215° and Miami, Fla., 147° radials; Miami; INT

of Miami 279° and Fort Myers, FL., 137° radials; Fort Myers, including a west alternate from the INT of Miami 147° and Biscayne Bay, Fl. 262° radials, via INT of the Biscayne Bay 262° and Fort Myers 137° radials, to the INT of the Miami 279° and Fort Myers 137° radials; St. Petersburg, Fla., including a W alternate; INT St.

Petersburg 350° and Cross City, Fla., 168° radials; Cross City, including an E alternate via Gainesville, Fla., and also a W alternate via INT St. Petersburg 316° and Cross City 185° radials; Greenville, Fla.; Albany, Ga.; Macon, Ga.;

Athens, Ga.; Anderson, Sugarloaf Mountain, N. C.; Holston Mountain,
Tenn., including a west alternate via INT Sugarloaf Mountain 301° and Holston Mountain 209° radials; Blackford,

Va.; Charleston, W. Va., including an E alternate via Bluefield, W. Va.; INT Charleston 051° and Elkins, W. Va., 264° radials; Clarksburg, W. Va.; Morgantown, W. Va.; Indian_Head, Pa.; Johnstown, Pa., including a west alternate from Morgantown to Johnstown via INT Morgantown 010° and Johnstown 260° radials; Tyrone, Pa.; Philipsburg, Pa.; Stonyfork, Pa.;

N. Y.; Syracuse, N. Y. The airspace below 2,000 feet MSL outside the United States is excluded. The portion outside the United States has no upper limit.

AMENDMENTS 2/28/74 38 F. R. 35450 (Changed) AMENDMENTS 6/20/74 39 F. R. 13073 (Changed)

V-36 From Toronto, Ont., via INT Toronto 141° and Buffalo, N. Y., 312° radials; Buffalo, including a S alternate via INT Toronto 172° and Buffalo 294° radials, excluding the airspace between the main and this S alternate; Elmira, N. Y.; Lake Henry, Pa.; INT Lake Henry 136° and Sparta, N. J., 290° radials; Sparta; Kennedy, N. Y. The airspace within Canada is excluded.

V-37 From Savannah, Ga., Allendale, S. C.; Columbia, S. C.; Fort Mill, S. C.; Pulaski, Va., Elkins, W. Va.; Morgantown, W. Va.; INT Morgantown 336° and Ellwood City, Pa., 177° radials; Ellwood City; Erie, Pa.; Toronto, Ont., Canada. The airspace within Canada is excluded.

AMENDMENTS 7/18/74 39 F. R. 16439 (Changed)

V-38 From Iowa City, Iowa, Moline, Ill.; Joliet, Ill.; Peotone, Ill.; Fort Wayne, Ind.; Findlay, Ohio; INT Findlay 131° and Appleton, Ohio, 312° radials; Appleton; Zanesville, Ohio; Parkersburg, W. Va.; Elins, W. Va.; Gordonsville, Va.; Richmond, Va.; Harcum, Va.; Cape Charles, Va.

V-39 From Myrtle Beach, S. C., 27 MSL Fayetteville, N. C., excluding the airspace at and above 6,000 feet MSL. From Pinehurst, N. C., South Boston, Va.; Gordonsville, Va.; Linden, Va.; including an E alternate via Casanova, Va.; Front Royal, Va.; Martinsburg, W. Va.; Lancaster, Pa.; to East Texas, Pa. From Gardner, Mass., Concord, N. H.; INT Concord 052° and Augusta, Maine, 228° radials; Augusta; Millinocket, Maine; Presque Isle, Maine;
Mont Joli, Quebec, Canada, excluding the portion within Canada.

V-40 From Cleveland, Ohio, Briggs, Ohio; INT Briggs 077° and Youngstown, Ohio, 177° radials.

V-41 From INT Briggs, Ohio, 077° and Youngstown, Ohio, 177° radials; Youngstown.

V-42 From Flint, Mich.; via INT Flint 133° and Windsor, Ont., 320° radials; Windsor; Cleveland, Ohio; Akron, Ohio, including an E alternate from Windsor, Ont., Canada, to Akron via INT Windsor 134° and Akron 312° radials. The airspace within Canada is excluded.

- V-43 From Appleton, Ohio, via Tiverton, Ohio; Briggs, Ohio; Youngstown, Ohio; including a west alternate from Tiverton via INT Tiverton 040° and Akron, Ohio, 233° radials; Akron to Youngstown; including an E alternate from Briggs via INT Briggs 057° and Youngstown 177° radials to Youngstown; to Erie, Pa.
- V-44 From Maryland Heights, Mo.; Centralia, III.; Samsville, III.; Nabb, Ind.; Falmouth, Ky.; York, Ky.; Parkersburg, W. Va.; Morgantown, W. Va.; Martinsburg, W. Va.; Baltimore, Md.; INT Baltimore 094° and Kenton, Del., 262° radials; Kenton; INT Kenton 086° and Atlantic City, N. J., 236° radials; Atlantic City; INT Atlantic City 048° and Deer Park, N. Y., 209° radials; Deer Park. The airspace within R-4001 and the airspace below 2,000 feet MSL outside the United States is excluded. The airspace within R-5002 more than 3 nmi W of the airway centerline above 9,000 feet MSL is excluded.
- V-45 From New Bern, N. C., Kinston, N. C.; Raleigh-Durham, N. C.; INT Raleigh-Durham 275° and Greensboro, N. C., 105° radials; Greensboro; INT Greensboro 334° and Hickory, N. C., 049° radials; Pulaski, Va.; Bluefield, W. Va.; Charleston, W. Va. From INT Waterville, Ohio. 085° and Cleveland, Ohio, 335° radials; Waterville; Jackson, Mich.; Lansing, Mich.; Saginaw, Mich.; Alpena, Mich., including a west alternate via INT Saginaw 353° and Alpena 232° radials; Saulte Ste. Marie, Mich. The airspace within R-5502 is excluded.
- V-46 From Deer Park, N. Y., Riverhead, N. Y.; Hampton, N. Y.; 1NT Hampton 083° and Nantucket, Mass., 255° radials; Nantucket. The airspace below 2,000 feet MSL outside the United States is excluded.
- V-47 From Evansville, Ind., Nabb, Ind.; Cincinnati, Ohio; Rosewood, Ohio; Findlay, Ohio, including a W alternate via INT Rosewood 309° and Findlay, Ohio, 218° radials; Waterville, Ohio; INT Waterville 353° and Salem, Mich., 197° radials; Salem; to the INT Salem 021° and Flint, Mich., 088° radials.
- V-48 From Ottumwa, Iowa, Burlington, Iowa; Peoria, III.; Pontiac, III.
- V-49 From Birmingham, Ala.; Decatur, Ala.; including an east alternate via INT Birmingham 013° and Decatur 130° radials and a west alternate via INT Birmingham 335° and Decatur 205° radials; Graham, Tenn.; INT Graham 006° and Bowling Green, Ky., 230° radials; Bowling Green, including an east alternate from Decatur to Bowling Green via Nashville, Tenn.; Mystic, Ky.; Nabb, Ind.
- V-50 From Pawnee City, Nebr., St. Joseph, Mo.; Kirksville, Mo.; Quincy, Ill.; Capital, Ill.; Decatur, Ill.; Terre Haute, Ind.; Indianapolis, Ind.; Dayton, Ohio, including a N alternate from Indianapolis to Dayton via Muncie, Ind.
- V-51 From Key West, Fla., INT Miami, Fla., 222° and Biscayne Bay, Fla. 262° radials; Biscayne Bay; Miami; INT of Miami 343° and Pahokee, Fla., 169° radials; Pahokee; INT Pahokee 009° and Vero Beach, Fla., 193° radials; Vero Beach, including an east alternate from Biscayne Bay to Vero Beach via INT Biscayne Bay 348° and Vero Beach 178° radials; Ormond Beach, Fla.; INT Ormond Beach 344° and Jacksoville, Fla., 159° radials; Jacksonville; INT Jacksonville 319° and Alma, Ga., 148° radials; Alma, including an E alternate; Dublin, Ga.; Athens, Ga.; INT Athens 339° and Harris, Ga., 149° radials; Harris; Hinch Mountain, Tenn., including a west alternate from the INT Anderson, S.C., 274° and Athens 339° radials to Hinch Mountain via INT Anderson 274° and Hinch Mountain 160° radials; Livingston, Tenn.; Louisville, Ky., including an E alternate and also a W alternate from Livingston to Louisville via INT Livingston 333° and New Hope, Ky., 165° radials and New Hope; Nabb, Ind.; Shelbyville, Ind.; INT Shelbyville 313° and Lafayette, Ind., 136° radials; Lafayette; Chicago Heights, Ill. The airspace within R-2902A and R-2902B is excluded.
- V-52 From Des Moines, Iowa; Ottumwa, Iowa; Quincy, Ill.; St. Louis, Mo.; Troy, Ill.; INT Troy 099° and Evansville, Ind., 311° radials; Evansville, Ind.
- V-53 From Charleston, S. C., INT Charleston 296° and Columbia, S. C., 153° radials; Columbia; Spartanburg, S. C.; Sugarloaf Mountain, N. C.; Holston Mountain, Tenn.; Whitesburg, Ky.; Lexington, Ky.; Louisville, Ky.; INT Louisville 333° and Indianapolis, Ind., 170° radials; Indianapolis; INT Indianapolis 312° and Lafayette, Ind., 159° radials; Lafayette; INT Lafayette 313° and Peotone, Ill., 152° radials; to Peotone.

 The airspace within R-3401B is excluded.

AMENDMENTS 4/25/74 39 F. R. 7780 (Changed) AMENDMENTS 6/20/74 39 F. R. 13258 (Changed) V-54 From Waco, Tex., Scurry, Tex.; Quitman, Tex.; Texarkana, Ark.; INT
Texarkana 052° and Little Rock, Ark., 235° True radials; Little Rock, including a N alternate via INT
Texarkana 037° and Hot Springs, Ark., 225° radials and Hot Springs; Memphis, Tenn., including a N alternate;
Muscle Shoals, Ala., including a N alternate via INT Memphis 078° and Muscle Shoals 293° radials and also a
S alternate via Holly Springs, Miss., and INT Holly Springs 099° and Muscle Shoals 255° radials; Huntsville,
Ala., including a N alternate via INT Muscle Shoals 067° and Huntsville 282° radials; Chattanooga, Tenn.,
including a N alternate and also a S alternate via Huntsville 097° and Chattanooga 229° radials; Harris, Ga.;
Spartanburg, S. C., Fort Mill, S. C.

V-55 From Dayton, Ohio; Fort Wayne, Ind.; Goshen, Ind.; South Bend, Ind.; Keeler, Mich.; Pullman, Mich.; Muskegon, Mich.; INT Muskegon 327° and Green Bay, Wis., 116° radials; Green Bay; Stevens Point, Wis.; INT Stevens Point 281° and Eau Claire, Wis., 107° radials; Eau Claire; Grantsburg, Wis.; Brainerd, Minn.; 13 miles, 29 miles, 27 MSL, Park Rapids, Minn.; 7 miles, 58 miles, 30 MSL, 31 miles, 28 MSL, Grand Forks, N. Dak.

V-56 From Meridian, Miss., Kewanee, Miss.; Craig, Ala.; Montgomery, Ala.; Tuskegee, Ala.; Columbus, Ga., including a south alternate from Montgomery to Columbus via INT Montgomery 090° and Columbus 219° radials; Macon, Ga.; Augusta, Ga.; Columbia, S. C., including a south alternate via INT of Augusta 103° and Columbia 236° radials; Florence S. C.; Fayetteville, N. C., 41 miles 15 MSL, INT Fayetteville 098° and New Bern, N. C., 256° radials; New Bern.

PENDING AMENDMENT

In V-56, "Craig, Ala.;" is deleted and "Cahaba, Ala.;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 40847 (Changed)

V-57 From Lexington, Ky., to Falmouth, Ky.

V-58 From Philipsburg, Pa.; Williamsport, Pa.; INT Williamsport 079° and Lake Henry, Pa., 265° radials; Lake Henry; Pawling, N. Y.; Hartford, Conn.; INT Hartford 130° and Providence, R. I., 212° radials.

V-59 From Pulaski, Va., Beckley, W. Va.; Parkersburg, W. Va.; Newcomerstown, Ohio; Briggs, Ohio.

V-60 From Albuquerque, N. Mex., via Otto, N. Mex., including a S alternate via INT Albuquerque 103° and Otto 253° radials; Las Vegas, N. Mex.

V-62 From Gallup, N. Mex.; INT Gallup 089° and Santa Fe, N. Mex., 268° radials; Santa Fe; Anton Chico, N. Mex.; Texico, N. Mex.; Lubbock, Tex.; Abilene, Tex.; INT Abilene 096° and Acton, Tex., 264° radials; Acton.

V-63 From Blue Ridge, Tex., via McAlester, Okla.; Fayetteville, Ark., Springfield, Mo.; Hailsville, Mo.; Quincy, III.;
Burlington, Iowa; Moline, III.; Cordova, III.; Rockford, III.; Janesville, Wis.; Milwaukee, Wis.
PENDING AMENDMENT
In V-63 "Cordova, III.;" is deleted and "Davenport, Iowa;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41518 (Changed)

PENDING AMENDMENT

In V-63 "Milwaukee, Wis." is deleted and "Milwaukee, Wis.; Oshkosh, Wis.; Stevens Point, Wis.; Wausau, Wis.; Rhinelander, Wis., to Houghton, Mich." is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41838 (Changed)

V-64 From Los Angeles, Calif., 7 miles wide (3 miles E and 4 miles W of centerline) INT Los Angeles 185° and Seal Beach, Calif., 266° radials; Seal Beach; Thermal, Calif.; Blythe, Calif. The portion outside the United States has no upper limit.

V-65 From INT Kansas City, Mo., 231° and St. Joseph, Mo., 178° radials; St. Joseph; Lamoni, Iowa.

317

V-66 From San Diego, Calif., Imperial, Calif.; 13 miles, 24 miles, 25 MSL, Yuma, Ariz.; 12 miles, 35 MSL INT Yuma 089° and Gila Bend, Ariz. 261° radials; 46 miles, 35 MSL, Gila Bend; Tucson, Ariz.; Douglas, Ariz.; INT Douglas 064° and Columbus, N. Mex., 277° radials; Columbus; El Paso, Tex., including a N alternate via INT Columbus 075° and El Paso 286° radials; 6 mi. wide, INT El Paso 109° and Hudspeth 287° radials; 6 mi. wide, Hudspeth; Pecos, Tex.; Midland, Tex.; Hyman, Tex.; INT Hyman 074° and Abilene, Tex., 251° radials; Abiline; INT Abilene 066° and Bridgeport, Tex., 248° radials; Bridgeport; Blue Ridge, Tex., including a north alternate via INT Bridgeport 069° and Blue Ridge 285° radials; Sulphur

Springs, Tex.; Texarkana, Ark., including a north alternate via INT Sulphur Springs 060° and Texarkana 272° radials, and also a south alternate via INT Sulphur Springs 090° and Texarkana 240° radials. From Tuscaloosa, Ala., Brookwood, Ala.; LaGrange, Ga.; INT LaGrange 112° and Columbus, Ga., 068° radials; INT

Columbus 068° and Athens,

Ga., 192° radials; Athens; Fort Mill, S. C.; Raleigh-Durham, N. C., including a south alternate from Athens, Ga., to Raleigh-Durham via INT Athens 092° and Greenwood, S. C., 240° radials, Greenwood and Pinehurst, N. C.; Franklin, Va.; INT Franklin 087° and Norfolk,

Va., 226° radials; Norfolk, excluding the airspace above 13,000 feet MSL

from the INT of Tucson, Ariz., 122° and Cochise, Ariz., 257° radials to the INT of Douglas, Ariz., 064° and Columbus, NM., 277° radials.

AMENDMENTS 9/12/74 39 F. R. 25229 (Changed)

V-67 From Cunningham, Ky.; Marion, Ill.; Centralia, Ill.; INT Centralia 010° and Vandalia, Ill., 162° radials; Vandalia; Capital, Ill.; Burlington, Iowa; Iowa City, Iowa; Cedar Rapids, Iowa; Waterloo, Iowa; Rochester, Minn., including an east alternate.

V-68 From Albuquerque, N. Mex., via INT Albuquerque 120° and Corona, N. Mex., 311° radials; Corona, including a N alternate via INT Albuquerque 103° and Corona 328° radials and also a S alternate via INT Albuquerque 160° and Corona 278° radials; 41 mi. 65 MSL, Roswell, N. Mex., including an N alternate 85 MSL INT Corona 124° and Roswell 335° radials, Roswell; Hobbs, N. Mex., including a S alternate; INT Hobbs 120° and Midland, Tex., 312° radials; Midland, including a S alternate via INT Hobbs 136° and Midland 283° radials; San Angelo, Tex., including a S alternate via INT Midland 128° and San Angelo 278° radials; Junction, Tex., including a S alternate via INT San Angelo 181° and Junction 310° radials: San Antonio, Tex., including a south alternate via INT Junction 144° and San Antonio 290° radials.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed)

V-69 From Shreveport, La., via INT Shreveport 087° and EI Dorado, Ark., 218° radials; El Dorado, including a W alternate via INT Shreveport 087° and El Dorado 233° radials; Pine Bluff, Ark.; INT Pine Bluff 040° and Walnut Ridge, Ark., 187° radials; Walnut Ridge; Farmington, Mo.; INT Farmington 351° and Troy, Ill., 233° radials; Troy; Capital, Ill.; Pontiac, Ill.; Joliet, Ill.; Kedzie, Ill., RBN.

PENDING AMENDMENT

In V-69 "Shreveport 087° and El Dorado, Ark., 218° radials; El Dorado, including a Walternate via INT Shreveport 087° and El Dorado 233° radials;" is deleted, and "Shreveport 084° and El Dorado, Ark., 218° radials; El Dorado, including a Walternate via INT Shreveport 084° and El Dorado 233° radials;" is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 39261 (Changed)

V-70 From Corpus Christi, Tex., via INT Corpus Christi 054° and Palacios, Tex., 226° radials, Palacios; Scholes, Tex.; Sabine Pass, Tex.; Lake Charles, La.; Lafayette, La.; Baton Rouge, La., including a N alternate via INT Lafayette 012°

and Baton Rouge 264° radials; Picayune, Miss.; Greene County, Miss.; Monroeville, Ala.; INT Monroeville 073° and Eufaula, Ala., 258° radials; Eufaula; Vienna, Ga.; Allendale, S. C., including a north alternate from Eufaula to INT Dublin 101° and Allendale 247° radials, via Macon, Ga., and Dublin, Ga.

V-71 From Baton Rouge, La., Natchez, Miss., including an E alternate via INT Baton Rouge 026° and Natchez 156° radials; Monroe, La., including an E alternate from Natchez to Monroe via INT Natchez 335° and Monroe 103° radials; El Dorado, Ark.; Hot Springs, Ark.; INT Hot Springs 358° and Harrison, Ark., 176° radials; Harrison; Springfield, Mo., including a W alternate from Hot Springs to Springfield via Fayetteville, Ark., excluding the airspace between the main and this W alternate; Butler, Mo.; Kansas City, Mo.; INT Kansas City 310° and Pawnee City, Nebr., 122° radials; Pawnee City; INT Pawnee City 334° and Lincoln, Nebr. 146° radials; Lincoln; Columbus, Nebr.

PENDING AMENDMENT

In V-71 all before "Hot Springs, Ark.;" is deleted and "From Baton Rouge, La., via Natchez, Miss., including an E alternate via INT Baton Rouge 026° and Natchez 156° radials; Monroe, La., including a W alternate and also an E alternate via INT Natchez 341° and Monroe 105° radials; El Dorado, Ark.;" is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 39261 (Changed)

V-72 From Fayetteville, Ark., Dogwood, Mo.; Maples, Mo.; Farmington, Mo.; Centralia, Ill.; Bible Grove, Ill.; INT Bible Grove 015° and Vandalia, Ill., 075° radials. From Rosewood, Ohio, Mansfield, Ohio; INT Mansfield 098° and Akron, Ohio, 233° radials; Akron; Youngstown, Ohio; Tidioute, Pa.; Bradford, Pa.; INT Bradford 078° and Elmira, N. Y., 252° radials; Elmira; Binghamton, N. Y., Rockdale, N. Y.; Albany, N. Y.; Cambridge, N. Y.; INT Cambridge 063° and Keene, N. H., 336° radials.

V-73 From Wichita, Kans., Hutchinson, Kans.; INT Hutchinson 025° and Salina, Kans., 184° radials; Salina, including an east alternate from Wichita to Salina via INT Wichita 356° and Salina 169° radials.

V-74 From Garden City, KS.; Dodge City, KS.; Anthony, KS.; Pioneer, OK., including a north alternate via INT Anthony 091° and Pioneer 327° radials; Tulsa, OK., including a N alternate via INT Pioneer 094° and Tulsa 319° radials; Fort Smith, AR., including a N alternate via INT Tulsa 087° and Fort Smith 318° radials and a S alternate from Pioneer to Fort Smith via Okmulgee, OK.; 6 miles, 7 miles wide (4 miles north and 3 miles south of centerline)
Little Rock, Ark., including a N alternate and also a S alternate via INT Fort Smith 133° and Little Rock 278° radials; Pine Bluff, Ark., including a N alternate via INT Little Rock 137° and Pine Bluff 006° radials.

V-75 From Morgantown, W. Va.; Bellaire, Ohio; Briggs, Ohio; Cleveland, Ohio.

V-76 From Lubbock, Tex., via INT Lubbock 188° and Big Spring, Tex., 286° radials; Big Spring, including a N alternate from Lubbock direct to Big Spring, excluding the airspace between the main and this N alternate; Hyman, Tex.; San Angelo, Tex.; Llano, Tex.; Austin, Tex., including a south alternate via INT Llano 134° and Austin 279° radials; and also a north alternate via INT Llano 096° and Austin 314° radials; Industry, Tex., including a north alternate via INT Austin 090° and Industry 305° radials; INT Industry 101° and Hobby, Tex., 290° radials; Hobby, including a S alternate from Industry to Hobby via Eagle Lake, Tex.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed)

V-77 From San Angelo, Tex., via Abilene, Tex.; Wichita Falls, Tex., including an E alternate; INT Wichita Falls 028° and Oklahoma City, Okla., 202° radials; Oklahoma City, including an E alternate from Wichita Falls to Oklahoma City via INT Wichita Falls 047° and Duncan, Okla., 248° radials, Duncan, INT Duncan Oll° and Oklahoma City 180° radials; Pioneer, OK., including an E alternate via INT Oklahoma City 037° and Pioneer 186° radials; INT Pioneer 327° and Wichita KS., 225° radials; Wichita; INT Wichita 037° and Topeka, Kans., 236° radials; Topeka; St. Joseph, Mo.; Lamoni, Iowa; Des Moines, Iowa; Newton, Iowa; to Waterloo, Iowa. The airspace within R-5601 is excluded.

V-78 From Huron, S. Dak., Watertown, S. Dak., including a Salternate; Darwin, Minn.; Minneapolis, Minn.; Eau Claire, Wis.; Rhinelander, Wis.; Iron Mountain, Mich.; Escanaba, Mich.; Schoolcraft County, Mich.; Pellston, Mich.; to Alpena, Mich.

V-79 From Hobbs, N. Mex., via INT Hobbs 073° and Lubbock, Tex., 188° radials; Lubbock.

V-80 From Akron, Colo., North Platte, Nebr.

V-81 From Midland, Tex., via Lubbock, Tex.; Plainview, Tex.; Amarillo, Tex., including an east alternate via INT Plainview 025° and Amarillo 163° radials; Dalhart, Tex., including a west alternate via INT Amarillo 301° and Dalhart 157° radials; Tobe, Colo.; Pueblo, Colo.; Colorado Springs, Colo.; Denver, Colo.

V-82 From Baudette, Minn., Bemidji, Minn.; 20 miles, 51 miles, 29 MSL, Brainerd, Minn.; Minneapolis, Minn.; Farmington, Minn.; Rochester, Minn.; Nodine, Minn.; Dells, Wis.; INT Dells 097° and Timmerman, Wis., 322° radials; 6 mi. wide Timmerman.

V-83 From Carlsbad, N. Mex., via Roswell, N. Mex.; 40 miles, 85 MSL Corona, N. Mex., including an E alternate INT Roswell 335° and Corona 124° radials, 85 MSL Corona; Otto, NM., Santa Fe, NM., including an east alternate via INT Otto 019° and Santa Fe 117° radials; Taos, NM.; Alamosa, Colo.; INT Alamosa 074° and Pueblo, Colo., 191° radials; Pueblo; Colorado Springs; Colo.; Kiowa, Colo.

V-84 From Bradford, Ill.; INT Bradford 033° and Chicago-O'Hare, Ill., 269° radials; Northbrook, Ill.; Pullman. Mich.; Lansing, Mich.; Flint, Mich.; Peck, Mich.; London, Ont., Canada; Buffalo, N. Y.; Geneseo, N. Y.; INT Geneseo 091° and Syracuse, N. Y., 242° radials; Syracuse. The airspace within Canada is excluded.

V-85 From Medicine Bow, Wyo., via Casper, Wyo., including a west alternate via INT Medicine Bow 336° and Casper 216° radials; 29 miles, 48 miles 77 MSL, to Riverton, Wyo.

V-86 From Butte, Mont., Whitehall, Mont.; Bozeman, Mont.; INT Bozeman 128° and Livingston, Mont., 261° radials; Livingston; 11 miles, 25 miles, 85 MSL, Billings, Mont.; 32 miles, 35 miles, 75 MSL, Sheridan, Wyo.; 20 miles, 45 miles, 70 MSL, 63 miles, 80 MSL, Rapid City, S. Dak.

V-87 From San Francisco, CA., INT San Francisco 359° and Napa, CA., 182° radials; Napa; INT Napa 004° and Maxwell, Calif., 188° radials; Maxwell; Red Bluff, Calif.

V-88 From Tulso, Okla., INT Tulsa 0440 and Springfield, Mo., 2610 radials; Springfield; Vichy, Mo., including a south alternate from INT Springfield 058° and Forney (AAF), Mo., 266° radials; Forney (AAF), INT Forney (AAF) 046° and Vichy 216°

radials; INT Vichy 091° and St. Louis, Mo., 171° radials, excluding that portion within R-4501A.

V-89 From INT Denver, Colo., 2070 and Kiowa, Colo., 2460 radials; Denver; Cheyenne, Wyo., including an east alternate from Denver to Cheyenne via Gill, Colo., and INT Gill 003° and Cheyenne 131° radials; Chadron, including an E alternate from Cheyenne to Chadron via Scottsbluff, Nebr.

V-90 From Litchfield, Mich., via INT Litchfield 081° and Windsor, Ont., Canada, 265° radials; Windsor; INT Windsor 083° and Dunkirk, N. Y., 266° radials; Dunkirk, including a N alternate from INT Windsor 083° and Dunkirk 266° radials to Dunkirk via Aylmer, Ont. The airspace within Canada is excluded.

V-91 From Riverhead, N. Y., INT Riverhead 3440 and Pawling, N. Y., 1390 radials; Pawling; INT Pawling 3420 and Albany, N. Y., 181° radials; Albany; Glens Falls, N. Y.; INT Glens Falls 032° and Burlington, Vt., 187° radials; Burlington; Plattsburgh, N. Y.; St. Eustache, Quebec, Canada. The airspace within Canada is excluded.

V-92 From Joliet, IL., Chicago Heights, IL.; Goshen, IN.; Waterville, OH.; Mansfield, OH.; Tiverton, OH.; Newcomerstown, OH.; Bellaire, OH.; INT Bellaire 107° and Grantsville 285° radials; Grantsville; Front Royal, VA.

V-93 From Patuxent River, Md., INT Patuxent 013° and Baltimore, Md., 122° radials; Baltimore; Lancaster, Pa.; including an E alternate via the INT of Baltimore 034° and Lancaster 181° radials; Wilkes-Barre, Pa.; Lake Henry, Pa.; Pawling, N. Y.; Chester, Mass.; Keene, N. H.; Concord, N. H.; Kennebunk, Maine; INT Kennebunk 045° and Bangor, Maine, 220° radials; Bangor; Princeton, Maine; INT Princeton 0570 radial and the United States/Canadian border.

V-94 From Blythe, CA.; INT Blythe 094° and Gila Bend, AZ., 299° radials; Gila Bend; Casa Grande, AZ.; 55 miles, 74 miles, 95 MSL, San Simon, AZ.; Deming, NM.; Newman, Tex., including a S alternate via INT Deming 119° and Newman 271° radials; Salt Flat, Tex., including a north alternate via INT Newman 091° and Salt Flat 312° radials; Wink, Tex.; Midland, Tex.; Hyman, Tex.;

Tuscola, Tex.; Acton, Tex.; Scurry, Tex.; Gregg County, Tex.; Elm Grove, La.; Monroe, La. The airspace within R-5103A is excluded.

PENDING AMENDMENT In V-94 all after "Elm Grove, La.;" is deleted and "Monroe, La.; Greenville, Miss., including a W alternate; INT Greenville 036° and Memphis, Tenn., 205° radials; to Memphis. The airspace within R-5103A is excluded." is substituted therefor.

AMENDMENTS 1/2/75 39 F. R. 39261 (Changed)

V-95 From Gila Bend, Ariz., INT Gila Bend 096° and Phoenix, Ariz., 204° radials; Phoenix; 49 miles, 40 miles, 95 MSL, Winslow, Ariz., including a west alternate from Phoenis, INT Phoenix 006° and Winslow 224° radials; 52 miles, 95 MSL, Winslow; 66 miles, 39 miles, 125 MSL, Farmington, N. Mex. From Gunnison, Colo., 15 miles, 125 MSL, 12 miles, 145 MSL, 22 miles, 157 MSL, 23 miles, 135 MSL, 9 miles, 128 MSL, Kiowa, Colo.

V-96 From Indianapolis, Ind., Kokomo, Ind.; Fort Wayne, Ind.; Waterville, Ohio; Windsor, Ontario, Canada, excluding the portion within Canada.

V-97 From Miami, Fla.; La Belle, Fla.; St.

Petersburg, Fla.; Tallahassee, Fla., including a west alternate from St. Petersburg to INT St. Petersburg 331° and Cross City, Fla., 201° radials via INT St. Petersburg 316° and Cross City 201° radials; Albany, Ga.; INT Albany 352° and Atlanta, GA., 180° radials; Atlanta; INT Atlanta 003° and Knoxville, TN., 197° radials;

Knoxville; London, KY., including an E alternate via INT Knoxville 013° and London 141° radials; Lexington, Ky.; Cincinnati, Ohio, including a W alternate via INT Lexington 327° and Cincinnati 192° radials, and also an E alternate from London to Cincinnati via INT London 004° and Lexington 107° radials and Falmouth, Ky.; Shelbyville, Ind., INT Shelbyville 313° and Lafayette, Ind., 136° radials; Lafayette, including a W alternate from Shelbyville to Lafayette via Indianapolis, Ind., and INT Indianapolis 344° and Shelbyville 313° radials and INT Shelbyville 313° and Lafayette 136° radials; to Chicago Heights, Ill. From Northbrook, Ill.; Janesville, Wis.; Janesville; INT Janesville 294° and Lone Rock, Wis., 147° radials; Lone Rock; Nodine, Minn.; Minneapolis, Minn. The

airspace below 2,000 feet MSL outside the United States is excluded.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

V-98 From INT Litchfield, Mich., 126° and Carleton, Mich., 249° radials; Carleton; Windsor, Ont., Canada; London, Ontario, Canada; Toronto, Ontario, Canada; Stirling, Ontario, Canada; Maseena, N. Y.; St. Jean, Quebec, Canada. The airspace within Canada is excluded.

V-99 From Bridgeport, Conn.; to Hartford, Conn.

V-100 From Medicine Bow, Wyo., Scottsbluff, Nebr.; Alliance, Nebr.; Ainsworth, Nebr.; O'Neill, Nebr.; Sioux City, Iowa; Fort Dodge, Iowa; Waterloo, Iowa; Dubuque, Iowa; Rockford, Ill.; INT Rockford 080° and Northbrook, Ill., 292° radials; Northbrook; INT Northbrook 095° and Keeler, Mich., 271° radials; Keeler; Litchfield, Mich.; Carleton, Mich.

AMENDMENTS 3/28/74 38 F. R. 23393 (Changed)

V-101 From Vernal, Utah, 25 miles, 25 miles 120 MSL, 22 miles 145 MSL, 20 miles 125 MSL, Salt Lake City, Utah; Ogden, Utah;
61 miles, 26 miles, 109 MSL, Burley, Idaho; INT Burley 323° and Pocatello, Idaho, 286° radials.

V-102 From Salt Flat, TX., via Carlsbad, NM., including a south alternate via INT Salt Flat 085° and Carlsbad 220° radials; Hobbs, NM.; Lubbock, TX.; Guthrie, TX.; Wichita Falls, Tex., including a S alternate via INT Guthrie 103° and Wichita Falls 247° radials.

V-103 From Greensboro, N. C., Roanoke, Va.; Elkins, W. Va.; Clarksburg, W. Va.; Bellaire, Ohio; INT Bellaire 327° and Akron, Ohio, 181° radials; Akron, Ohio; INT Akron 312° and Windsor, Ontario, Canada 134° radials; INT Windsor 134° and Salem, Mich., 117° radials; Salem. The airspace within Canada is excluded.

V-104 From Ottawa, Ontario, Canada, INT Ottawa 095° and Massena, N. Y., 330° radials; Massena; Plattsburgh, N. Y. The airspace within Canada is excluded.

V-105 From Tucson, AZ., INT Tucson 298° and Casa Grande, AZ., 145° radials; Casa Grande; Phoenix, AZ.; Prescott, Ariz.; 25 miles, 22 miles, 85 MSL, Boulder City, Nev.; Las Vegas, Nev., including an E alternate from Prescott, 25 miles, 85 MSL INT Prescott 319° and Peach Springs, Ariz., 134° radials, 8 miles, 85 MSL, Peach Springs, INT Peach Springs 305° and Las Vegas 081° radials, to Las Vegas; INT Las Vegas 266° and Beatty, Nev., 142° radials; 17 miles, 105 MSL Beatty; 105 MSL Coaldale, Nev.; 82 miles 110 MSL, to Reno, Nev., including an east alternate from Coaldale, 110 MSL via Mina, Nev., 110 MSL INT Mina 300° and Reno 135° radials, Reno.

V-106 From Johnstown, Pa.; INT Johnstown 068° and Selinsgrove, Pa., 259° radials; Selinsgrove; INT Selinsgrove 067° and Wilkes-Barre, Pa., 237° radials; Wilkes-Barre; Lake Henry, Pa., Pawling, N. Y.; Barnes, Mass.; Gardner, Mass.; Manchester, N. H.; Kennebunk, Maine.

V-107 From Los Angeles, Calif., INT Los Angeles 061° and Santa Monica, Calif., 093° radials; Santa Monica; INT Santa Monica 276° and Fillmore, Calif., 163° radials; Fillmore, including a W alternate from Los Angeles to Fillmore via INT Los Angeles 291° and Fillmore 163° radials, and Ventura, Calif.; Avenal, Calif.; Los Banos, Calif.; Oakland, Calif., including an E alternate via INT Los Banos 317° and Oakland 110° radials; Point Reyes, Calif.; INT Point Reyes 306° and Ukiah, Calif., 172° radials. The airspace within R-2519 more than 3 statute miles W of Ventura 155° and 331° radials, the airspace within R-2519 below 5,000 feet MSL, and the airspace within R-2520 is excluded. The portion outside the United States has no upper limit.

V-108 From San Francisco, Calif., INT San Francisco 304° and Sausalito, Calif., 232° radials; Sausalito; INT Sausalito 052° and Linden, Calif., 269° radials; Linden. From Colorado Springs, Colo.; Hugo, Colo., including a south alternate via INT Colorado Springs 153° and Hugo 249° radials; 74 miles, 65 MSL, Goodland, Kans.; Hill City, Kans.

V-109 From Los Banos, CA., Stockton, CA.; INT Stockton 267° and Oakland, CA., 077° radials; Oakland.

V-110 From Deming, N. Mex., Truth or Consequences, N. Mex.

V-111 From Big Sur, Calif., Salinas, Calif.; INT Salinas 0260 and Los Banos, Calif., 3170 radials.

V-112 From Astoria, Oreg., 44 miles; 15 miles, 6-mile wide, Portland, Oreg.; The Dalles, Oreg.; INT of The Dalles 101° and Pendleton, Oreg., 254° radials; Pendleton; 53 miles, 28 miles, 45 MSL, Spokane, Wash., including a W alternate from Pendleton via Pasco, Wash., 35 miles, 35 MSL INT Pasco 035° and Spokane 221° radials; 6 miles 35 MSL, to Spokane, and an east alternate from Pendleton via INT Pendleton 090° and Walla Walla, Wash., 215° radials, Walla Walla, 22 miles, 48 miles, 45 MSL, to Spokane; 47 miles, 105 MSL Cranbrook, British Columbia, Canada, excluding the portion within Canada.

V-113 From San Luis Obispo, Calif., Paso Robles, Calif.; Priest, Calif.; Los Banos, Calif.; Stockton, Calif.; Linden, Calif.; INT Linden 046° and Reno, Nev. 208° radials; Reno; 42 miles, 24 miles, 115 MSL, 95 MSL Sod House, Nev.; 67 miles, 95 MSL, 85 MSL Rome, Oreg.; 61 miles, 85 MSL, to Boise, Idaho.

V-114 From Amarillo, Tex., via Childress, Tex., including a S alternate; Wichita Falls, Tex., including a S alternate via INT Childress 1200 and Wichita Falls 2620 radials; INT Wichita Falls 1170 and Blue Ridge, Tex., 285° radials; Blue Ridge; Quitman; Tex.; Gregg County, Tex.; Alexandria, La., including a north alternate from Gregg County to Alexandria via Shreveport, La., and INT Shreveport 176° and Alexandria 302° radials; INT Baton Rouge, LA., 307° and Lafayette, LA., 042° radials; 7 miles wide (3 miles north and 4 miles south of centerline) Baton Rouge; New Orleans, LA., including a north alternate from Alexandria to New Orleans via INT Alexandria 1090 and New Orleans 3120 radials, excluding

the portion within R-3801B, R-3801C and R-3801D.

AMENDMENTS 5/23/74 39 F. R. 11258 (Changed)

V-115 From Crestview, Fla., INT Crestview 001° and Montgomery, Ala., 204° radials; Montgomery; INT Montgomery 308° amd Birmingham, Ala., 177° radials; Birmingham; Chattanooga, Tenn., including an E alternate via INT Birmingham 097° and Gadsden,

Ala., 233° radials, Gadsden and INT Gadsden 042° and Chattanooga 214° radials; Knoxville, Tenn., including a West alternate via INT Chattanooga 028° and Knoxville 243° radials; Whitesburg, Ky.; Charleston, W. Va.; Parkersburg, W. Va.; Newcomerstown, Ohio; INT Newcomerstown 038° and Franklin, Pa., 239° radials; Franklin; Tidioute, Pa.; Jamestown, N. Y.; Buffalo, N. Y.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed)

V-116 From Kansas City, Mo., Macon, Mo.; Quincy, Ill.; Peoria, Ill.; to Joliet, Ill. From INT Keeler, Mich. 256° and Knox, Ind., 335° radials; Keeler; Jackson, Mich.; INT Jackson 084° and Salem, Mich., 254° radials; Salem; Windsor, Ontario, Canada; INT Windsor 100° and Erie, Pa., 275° radials; Erie; Bradford, Pa.; Stonyfork, Pa.; Lake Henry, Pa.; INT Lake Henry 109° and Deer Park, N. Y., 296° radials; Deer Park. The airspace within Canada is excluded.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

V-117 From Parkersburg, W. Va.; Bellaire, Ohio; INT Bellaire 044° and Newcomerstown, Ohio, 099° radials.

V-118 From Medicine Bow, Wyo., 23 miles 85 MSL, Laramie, Wyo.; Cheyenne, Wyo.

V-119 From Newcombe, Ky., Henderson, W. Va.; Parkersburg, W. Va.; INT Parkersburg 067° and Indian Head, Pa., 254° radials; Indian Head; Clarion, Pa.; Bradford, Pa.; Wellsville, N. Y.; Geneseo, N. Y.; Rochester, N. Y.

V-120 From Mullan Pass, Idaho, 5 miles, 55 miles, 95 MSL, 43 miles, 125 MSL, Great Falls, Mont., Lewistown, Mont., including a N alternate INT Great Falls 074° and Lewistown 308° radials; 41 miles, 72 miles, 85 MSL, Miles City, Mont., 48 miles, 109 miles, 90 MSL, 38 MSL Dupree, S. Dak.; 60 miles, 38 MSL, Pierre, S. Dak.; Mitchell, S. Dak.; Sioux Falls, S. Dak.; Mason City, Iowa; to Waterloo, Iowa, including a north alternate.

V-121 From Medford, Oreg., INT Medford 352° and Roseburg, Oreg., 127° radials; Roseburg; North Bend, Oreg.; Eugene, Oreg.; Redmond, Oreg.; including a N alternate via Eugene 069° and Redmond 281° radials; Kimberly, Oreg.; Baker, Oreg.; to McCall, Idaho.

AMENDMENTS 5/23/74 39 F. R. 11417 (Changed) AMENDMENTS 10/10/74 39 F. R. 28518 (Changed)

V-122 From Crescent City, Calif., Medford, Oreg.; 22 miles, 75 MSL INT Medford 1170 and Klamath Falls, Oreg., 282° true radials; 6 miles, 75 MSL Klamath Falls; 21 miles, 90 MSL Lakeview, Oreg.; to Rome, Oreg.

AMENDMENTS 5/23/74 39 F. R. 11258 (Changed)

V-123 From INT Baltimore, Md., 2230 and Kenton, Del., 2620 radials; INT Kenton 2620 and Woodstown, N. J., 230° radials; Woodstown; INT Woodstown 043° and Robbinsville, N. J., 239° radials; Robbinsville; INT Robbinsville 044° and LaGuardia, N. Y., 209° radials; LaGuardia; INT LaGuardia 034° and Carmel, N. Y., 188° radials; Carmel.

AMENDMENTS 5/23/74 39 F. R. 11417 (Changed)

PENDING AMENDMENT V-123 "From INT Baltimore, Md., 223° and Kenton, Del., 262° radials; INT Kenton 262° and Woodstown, N. J., 230°

radials; Woodstown;" is deleted and "From INT Washington, D. C., 065° and Baltimore, Md., 197° radials; via INT Washington, D. C., 065° and Woodstown, N. J., 230° radials; Woodstown;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 40848 (Changed)

V-124 From Blue Ridge, Tex., via Paris, Tex.; Hot Springs, Ark.; Little Rock, Ark.; Memphis, Tenn.

V-125 From Anthony, Kans., Hutchinson, Kans.

V-126 From Chicago Heights, Ill., Goshen, Ind.; Waterville, Ohio; Cleveland, Ohio; Jefferson, Ohio; Erie, Pa.; Bradford, Pa.; Stonyfork, Pa.; Lake Henry, Pa.; Huguenot, N. Y.

V-127 From Capital, Ill., INT Capital 0130 and Bradford, Ill., 1590 radials; Bradford; Polo, Ill.; Rockford, Ill.

V-128 From Peotone, Ill., via INT Peotone 152° and Indianapolis, Ind., 312° radials; Indianapolis; INT Indianapolis 137° and Cincinnati, Ohio, 290° radials; Cincinnati; York, Ky.; Charleston, W. Va.; Casanova, Va.

AMENDMENTS 1/31/74 38 F. R. 33588 (Changed) AMENDMENTS 4/25/74 39 F. R. 7780 (Changed)

V-129 From Capital, Ill., Peoria, Ill.; Cordova, Ill.; Dubuque, Iowa; Waukon, Iowa; Nodine, Minn.; Eau Claire, Wis.; Duluth, Minn.; Hibbing, Minn., including an E alternate; 24 miles, 47 miles,
30 MSL, International Falls, Minn., including a W alternate from Hibbing, 24 miles 30 MSL INT Hibbing 325° and International Falls 182° radials, 25 miles, 30 MSL, to International Falls; INT International Falls 335° radial and the United States/Canadian border.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)
PENDING AMENDMENT
In V-129 "Cordova, Ill.;" is deleted and "Davemport, Iowa;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41518 (Changed)

V-130 From Albany, N. Y., Hartford, Conn.; Norwich, Conn.; INT Norwich 090° radial and Providence, R. I., ILS localizer S course.

V-131 From McAlester, Okla., via Okmulgee, Okla.; Tulsa, Okla.; Chanute, Kans.; Topeka, Kans.

V-132 From Cheyenne, Wyo.; Akron, Colo.; 17 miles, 49 miles, 59 MSL, Goodland, Kans.; 50 miles, 97 miles, 65 MSL, Hutchinson, Kans.; INT Hutchinson 078° and Chanute, Kans., 294° radials; Chanute; INT Chanute 100° and Springfield, Mo., 276° radials; Springfield; INT Springfield 058° and Forney, Mo., 266°; Forney; INT Forney 086° and Maples, Mo., 052° radials, excluding that portion within R-4501A.

V-133 From Fort Mill, S. C., Barretts Mountain, N. C.; Charleston, W. Va.; Zanesville, Ohio; Tiverton, Ohio; Mansfield,

Ohio; INT Mansfield 346° and Salem, Mich., 139° radials; Salem; Flint, Mich.; Saginaw, Mich.; Traverse City, Mich., Escanaba, Mich.; Marquette, Mich.; Houghton, Mich.; 10 miles, 26 MSL Thunder Bay, Ontario, Canada. The airspace within Canada is excluded.

AMENDMENTS 4/25/74 39 F. R. 6606 (Changed) AMENDMENTS 7/18/74 39 F. R. 17431 (Changed)

V-134 From Fairfield, Utah, via Price, Utah; Grand Junction, Colo.; 33 miles 12 AGL, 21 miles 127 MSL, 16 miles 120 MSL, 123 miles 12 AGL to Denver, Colo.; including a south alternate from INT Kremmling, Colo. 135° and Denver 257° radials via INT Kremmling 135° and Denver 232° radials to Denver.

V-135 From Yuma, Ariz., Blythe, Calif.; Parker, Calif.; 5 miles, 24 miles, 55 MSL, Needles, Calif.; Goffs, Calif.; 84 miles, 105 MSL Beatty, Nev.; 105 MSL INT Beatty 326° and Tonopah, Nev., 198° radials; to Tonopah, excluding the airspace above 9,000 feet MSL between Yuma and Parker. The airspace within R-4807 is excluded.

V-136 From Pulaski, Va., INT Pulaski 094° and South Boston, Va., 295° radials; South Boston; Raleigh-Durham, N. C.

V-137 From Imperial, Calif., INT Imperial 350° and Thermal, Calif., 122° radials; Thermal; Palm Springs, CA.; Palmdale, CA.; Gorman, CA.; Avenal, CA.; Priest, CA.; Salinas, CA., excluding the airspace above 7,000 feet MSL, between Imperial and the intersection of the Thermal 122° and the Julian, CA., 055° radials. The airspace within R-2521 is excluded.

V-138 From Riverton, Wyo., 35 mi. 80 mi. 107 MSL, 16 mi. 85 MSL, via Medicine Bow; Cheyenne, Wyo., including a N alternate via INT Medicine Bow 106° and Cheyenne 330° radials; Sidney, Nebr. From Grand Island, Nebr., 1200 feet AGL INT of Grand Island 099° and Lincoln, Nebr., 267° true radials; 1,200 feet AGL Lincoln; 1,200 feet AGL INT of Lincoln 040° and Neola, Iowa, 253° true radials; Neola; Fort Dodge, Iowa.

V-139 From Wilmington, N. C., New Bern, N. C.; Cofield, N. C.; INT Cofield 077° and Norfolk, Va., 209° radials; Norfolk; Cape Charles, Va.; Snow Hill, Md.; Sea Isle, N. J.; INT Sea Isle 050° and Hampton, N. Y., 223° radials; Hampton; INT Hampton 059° and Providence, R. I., 212° radials; Providence; 6 miles wide, Whitman, Mass.; INT Whitman 041° and Manchester, N. H., 130° radials; Kennebunk, Maine. The airspace below 2,000 feet MSL outside

the United States, the airspace below 3,000 feet MSL between the Kennedy, N. Y., 087° and 141° radials, and the airspace within R-6604 are excluded.

V-140 From Amarillo, Tex., via Sayre, Okla., including a N alternate via INT Amarillo 072° and Sayre 288° radials; Kingfisher, Okla.; INT Kingfisher 072° and Tulsa, Okla., 261° radials; Tulsa; Fayetteville, Ark., including a N-alternate via INT Tulsa 059° and Fayetteville 284° radials; Harrison, Ark., Walnut Ridge, Ark.; Dyersburg, Tenn.; Nashville, Tenn., Livingston, Tenn., including a south alternate via INT Nashville 085° and Livingston 232° radials; London, Ky., including a north alternate from Nashville to London via INT Nashville 049° and London 258° radials; Whitesburg, Ky., Bluefield W. Va.; INT of Bluefield 071° and Montebello, Va., 250° radials; Montebello; to Casanova, Va.

V-141 From Nantucket, Mass., Hyannis, Mass.; Boston, Mass.; INT Boston 015° and Manchester, N. H. 117° radials; Manchester; Concord, N. H.; Lebanon, N. H., including an east alternate via INT Concord 022° and Lebanon 103° radials; Burlington, Vt.; Massena, N. Y.

V-142 From INT Atlanta, Ga., 117° and Augusta, Ga., 263° radials; to Augusta.

V-143 From Fort Mill, S. C., Greensboro, N. C.; Lynchburg, Va.; Montebello, Va.; Front Royal, Va.; Martinsburg, W. Va.; Lancaster, Pa.; including an S alternate via Westminster, Md.; Pottstown, Pa.; Yardley, Pa.

V-144 From Peotone, Ill., via Fort Wayne, Ind.; Findlay, Ohio; INT Findlay 131° and Appleton, Ohio, 312° radials; Appleton; Zanesville, Ohio; Morgantown, W. Va.; Kessel, W. Va.; to Linden, Va.

AMENDMENTS 4/25/74 39 F. R. 7780 (Changed)

V-145 From Utica, N. Y., 1NT Utica 303° and Watertown, N. Y., 171° radials; Watertown; 1NT Watertown 358° radial and the United States/Canadian border.

V-146 From Pawling, N. Y., Putnam, Conn.; Providence, R. I.; Martha's Vineyard, Mass.; Nantucket, Mass.

V-147 From INT New Castle, Del., 058° and Pottstown, Pa., 143° radials; Pottstown; East Texas, Pa.; Wilkes-Barre, Pa.; Elmira, N. Y.; Geneseo, N. Y.; Rochester, N. Y.

V-148 From Denver, Colo.; INT Denver 174° and Kiowa, Colo., 273° radials; Kiowa; Thurman, Colo.; 65 MSL INT Thurman 067° and Hayes Center, Nebr., 246° radials; Hayes Center, Nebr.; North Platte, Nebr.; 21 miles, 84 miles 49 MSL, O'Neill, Nebr.; 10 miles, 62 miles, 35 MSL, Sioux Falls, S. Dak.; Redwood Falls, Minn., including a S alternate, Minneapolis, Minn.

V-149 From INT Allentown, Pa. 147° and Solberg, N. J., 227° radials; Allentown, Pa.; Lake Henry, Pa.

V-150 From San Francisco, Calif., INT San Francisco 304° and Sausalito, Calif., 232° radials; Sausalito; Sacramento, Calif.

V-151 From Providence, R. I., Gardner, Mass.; Keene, N. H.; Lebanon, N. H., including a W alternate via INT Keene 336° and Lebanon 214° radials; Montpelier, Vt., including an E alternate via Lebanon 005° and Montpelier 112° radials; Burlington, Vt.

AMENDMENTS 11/7/74 39 F. R. 30345 (Changed)

V-152 From St. Petersburg, Fla., Orlando, Fla., including a N alternate via INT St. Petersburg 040° and Orlando 258° radials, and also a S alternate via Lakeland, Fla.; Ormond Beach, Fla., including a S alternate via INT Orlando 049° and Ormond Beach 161° radials.

V-153 From INT Sparta, N. J., 194° and Stillwater, N. J., 110° radials; Stillwater; Lake Henry, Pa.; Hancock, N. Y.; Georgetown, N. Y.; Syracuse, N. Y.

V-154 From Macon, Ga.; Dublin, Ga.; Savannah, Ga.

V-155 From Augusta, Ga., Chesterfield, S. C.; Pinehurst, N. C.; Raleigh-Durham, N. C.; Lawrenceville, Va.; INT Lawrenceville 0340 and Flat Rock, Va.; 1710 radials; Flat Rock; to Brooke, Va. The airspace within R-6602 is excluded.

V-156 From Moline, Ill., Bradford, Ill.; Peotone, Ill.; INT Peotone 098° and Knox, Ind.; 238° radials; Knox; South Bend, Ind.

V-157 From Key West, Fla., Miami, Fla.; La Belle, Fla., including a W alternate from INT Miami 222° and Fort Myers, Fla., 137° radials to La Belle via INT Fort Myers 137° and La Belle 162° radials; Lakeland, Fla.; Ocala, Fla.; Gainesville, Fla.; Taylor, Fla.; Waycross, Ga.; Alma, Ga.; Allendale, S. C.; Vance, S. C.; Florence, S. C. From Kinston, N. C., Rocky Mount, N. C.; Lawrenceville, Va.; Richmond, Va.; INT Richmond 039° and Patuxent, Md., 228° radials; Patuxent; Kenton, Del.; New Castle, Del.; Robbinsville, N. J.; Colts Neck, N. J.; to Kingston, N. Y. The airspace within §-6602 is excluded.

V-158 From Waterloo, Iowa, Dubuque, Iowa; Polo, Ill. The airspace within R-3302 is excluded.

V-159 From Miami, Fla., INT Miami 343° and Palm Beach, Fla., 222° radials; Palm Beach; INT Palm Beach 326° and Vero Beach, Fla., 178° radials; Vero Beach; Orlando, Fla., including an E alternate via INT Vero Beach 341° and Orlando 123° radials; Ocala, Fla.

Cross City, Fla.; Greenville, Fla.; including an east alternate from Ocala to Greenville via Gainesville, Fla., excluding that airspace above 7,000 feet MSL between Gainesville and Greenville;

Albany, Ga.; Eufaula, Ala.; Tuskegee, Ala.; Birmingham, Ala.; INT Birmingham 298° and Hamilton, Ala., 122° radials; Hamilton; Holly Springs, Miss., including an east alternate from Birmingham to Holly Springs via INT Birmingham 313° and Holly Springs 099° radials; Memphis, Tenn., including a west alternate from Hamilton to Memphis via INT Hamilton 273° and Memphis 136° radials; Walnut Ridge, Ark.; Dogwood, Mo.; Springfield, Mo.; Blue Springs, Mo.; Kansas City, Mo.; St. Joseph, Mo.; INT St. Joseph 328° and Omaha, Nebr., 155° radials; Omaha; Sioux City, Iowa, including a west alternate via INT Omaha
320° and Sioux City 174° radials; Yankton, S. Dak.; Mitchell, S. Dak.

AMENDMENTS 7/18/74 39 F. R. 18425 (Changed)

V-160 From Denver, Colo.; INT Denver 045° and Sidney, Nebr., 230° radials; Sidney.

V-161 From Bridgeport, Tex., via Ardmore, Okla.;
Okmulgee, Okla.; Tulsa, Okla.; Oswego, Kans.; Butler, Mo.; Blue Springs, Mo.; INT Blue Springs 016° and Lamoni, Iowa, 174° radials; Lamoni; Des Moines, Iowa; Mason City, Iowa; Rochester, Minn., including a W alternate via INT Mason City 023° and Rochester 243° radials; INT Rochester 356° and Minneapolis, Minn., 116° radials; Minneapolis; Brainerd, Minn.; Grand Rapids, Minn.; 15 miles, 59 miles 30 MSL, International Falls, Minn.; to Winnipeg, Manitoba, Canada, excluding the portion within Canada.

V-162 From INT Clarksburg, W. Va., 135° and Elkins, W. Va., 092° radials; Clarksburg. From INT Martinsburg, W. Va., 130° and Harrisburg, Pa., 204° radials; via Harrisburg; East Texas, PA., including a S alternate via INT Harrisburg 087° and East Texas 225° radials; Allentown, PA.; Huguenot, NY.; INT Huguenot 032° and Pawling, NY., 259° radials to Pawling. The airspace within R-5802 is excluded.

V-163 From Matamoros, Mex., via Brownsville, Tex.; INT of
Brownsville 358° and Corpus Christi, Tex., 178° radials; 27 miles standard width, 37 miles 7 miles wide (3 miles
E and 4 miles W of centerline), Corpus Christi; including a W alternate from Brownsville via INT of Brownsville
338° and Corpus Christi 193° radials; 34 miles standard width, 37 miles 7 miles wide (4 miles E and 3 miles W
of centerline), to Corpus Christi;
Three Rivers, Tex., including a west alternate via INT Corpus Christi 296° and Three Rivers 165° radials; INT
Three Rivers 345° and San Antonio 168° radials; San Antonio, including a west alternate; INT San Antonio 002°
and Lometa, Tex., 173° radials; Lometa, including a W alternate from San Antonio to Lometa via INT San Antonio
334° and Llano, Tex., 180° radials and Llano; Millsap, Tex., including an E alternate from Lometa to
Millsap via Acton, Tex.; Bridgeport, Tex.; Ardmore, Okla.; INT
Ardmore 342° and Oklahoma City, Okla., 154° radials; to Oklahoma City, including a W alternate via INT
Ardmore 327° and Oklahoma City, 180° radials.
The airspace within Mexico is excluded.

AMENDMENTS 4/25/74 39 F. R. 6057 (Changed)

V-164 From Buffalo, N. Y., Wellsville, N. Y.; Stonyfork, Pa.; Williamsport, Pa.; INT Williamsport 129° and East Texas, Pa., 315° radials; East Texas.

FEDERAL REGISTER

V-165 From San Diego, Calif., INT San Diego 270° and Oceanside, Calif., 177° radials; Oceanside; 24 miles, 6 miles wide, Seal Beach, Calif.; 6 miles wide, INT Seal Beach 287° and Los Angeles, Calif., 138° radials; Los Angeles; INT Los Angeles 357° and Lake Hughes, Calif., 154° radials; Lake Hughes; INT Lake Hughes 344° and Bakersfield, Calif., 137° radials; Bakersfield; Porterville, Calif.; INT Porterville 339° and Fresno, Calif., 140° radials; Fresno; 68 miles, 50 miles, 131 MSL, Reno, Nev.; 40 miles, 7 miles, 115 MSL, 87 miles, 135 MSL, Lakeview, Oreg.; 5 miles, 72 miles, 90 MSL, Redmond, Oreg.; 16 miles, 19 miles, 95 MSL, 24 miles, 75 MSL, 12 miles, 65 MSL, Newberg, Oreg.; 32 miles, 45 MSL INT Newberg 355° and Olympia, Wash., 195° radials; Olympia; INT Olympia 010° and Seattle, Wash., 249° radials; Seattle.

V-166 From Parkersburg, W. Va., Clarksburg, W. Va.; Kessel, W. Va.; Martinsburg, W. Va.; Westminster, Md.; New Castle, Del.; Woodstown, N. J.; Sea Isle, N. J.

V-167 From Hancock, N. Y.; INT Hancock 120° and Kingston, N. Y., 274° radials; Kingston; INT Kingston 100° and Hartford, Conn., 268° radials; Hartford; INT Hartford 081° and Providence, R. I., 270° radials; Providence; INT Providence 101° and Hyannis, Mass., 224° radials; Hyannis. The airspace below 2,000 feet MSL outside the United States is excluded.

V-168 From Birmingham, Ala., to INT Birmingham 113° and Talladega, Ala., 179° radials; LaGrange, Ga.

V-169 From Tobe, Colo., 69 MSL Hugo, Colo.; 38 miles, 67 MSL, Thurman, Colo.; Akron, Colo.; Sidney, Nebr.; Scottsbluff, Nebr.; Chadron, Nebr.; Rapid City, S. Dak.; Dupree, S. Dak.; Bismarck, N. Dak. The airspace within R-4701 is excluded.

V-170 From Aberdeen, SD., Sioux Falls, SD.; Worthington, MN.; Fairmont, MN.; Rochester, MN.; Nodine, MN., Dells, WI.; INT Dells 097° and Milwaukee, WI., 307° radials; Milwaukee; INT Milwaukee 102° and Pullman, Mich., 303° radials; Pullman; Salem, Mich. From Erie, Pa., Bradford, Pa.; Slate Run, Pa.; Selinsgrove, Pa.; Ravine, Pa.; INT Ravine 125° and Modena, Pa., 318° radials; Modena. The airspace within R-5802 is excluded.

V-171 From Louisville, Ky., Lewis, Ind., including an E alternate from Louisville to Lewis via INT Louisville 312° and Bloomington 153° radials, and Bloomington; Danville, Ill.; Peotone, Ill.; Joliet, Ill.; Rockford, Ill.; Lone Rock, Wis.; Nodine, Minn.; INT Nodine 298° and Farmington, Minn., 124° radials; Farmington; Darwin, Minn.; Alexandria, Minn.; INT Alexandria 321° and Grand Forks, N. Dak., 152° radials; Grand Forks; Roseau, Minn.

V-172 From Denver, Colo., INT Denver O61° and Hayes Center, Nebr., 276° radials; INT Hayes Center 276° and North Platte, Nebr. 245° radials; North Platte; INT North Platte 073° and Wolbach, Nebr., 266° radials; Wolbach; Neola, Iowa; Newton, Iowa; Cedar Rapids, Iowa; Polo, Ill.; Chicago-O'Hare, Ill.; INT Chicago-O'Hare 091° and South Bend, Ind., 290° radials; South Bend.

V-173 From Capital, IL., via INT Capital 058° and Peotone, IL., 218° radials; INT Peotone 218° and Roberts, IL., 008° radials; INT Roberts 008° and Joliet, IL., 067° radials; Kedzie, IL., RBN.

V-174 From York, Ky., Henderson, W. Va.; Elkins, W. Va.; Linden, Va.; 1NT Linden 1040 and Casanova, Va., 3480 radials.

V-175 From Malden, Mo.; Vichy, Mo.; Hallsville, Mo., including a west alternate via INT Vichy 321° and Hallsville 183° radials; Macon, Mo.; Kirksville, Mo.; Des Moines, Iowa; Sioux City, Iowa; Worthington, Minn.; Redwood Falls. Minn.

PENDING AMENDMENT In V-175 "Redwood Falls, Minn." is deleted and "Redwood Falls, Minn.; Alexandria, Minn." is substituted.

AMENDMENTS 1/2/75 39 F. R. 39261 (Changed)

V-176 From Pontiac, Mich., to INT Pontiac 100° and Windsor, Ontario, Canada, 057° radials, excluding the portion within Canada.

V-177 From DuPage, Ill., via Janesville, Wis.; Madison, Wis.; Stevens Point, Wis., including a west alternate via Dells, WI.; Wausau, WI., 32 miles, 99 miles, 50 MSL, Duluth, MN.; Ely, MN.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

V-178 From Vichy, Mo.; Farmington, Mo.; Cunningham, Ky., including a south alternate; Central City, Ky.; New Hope, Ky.; Lexington, Ky.; Bluefield, W. Va.

V-179 From Dublin, Ga., via INT Dublin 329° and Atlanta, Ga., 117° radials; to INT Atlanta 117° and Augusta, Ga., 263° radials.

V-181 From Kirksville, Mo., Lamoni, Iowa; Omaha, Nebr.; Norfolk, Nebr.; Yankton, S. Dak.; Sioux Falls, S. Dak., including a W alternate via INT Yankton 016° and Sioux Falls 230° radials; Watertown, S. Dak., including an east alternate; 34 miles, 24 miles, 34 MSL, Fargo, N. Dak., including an east alternate; Grand Forks, N. Dak., including an east alternate via INT Fargo 004° and Grand Forks 152° radials; Pembina, N. Dak.; INT Pembina 356° radial and the United States/Canadian border.

V-182 From Portland, Oreg., The Dalles, Oreg.; Baker, Oreg.

V-183 From Santa Barbara, Calif., Bakersfield, Calif.

V-184 From Erie, Pa., Tidioute, Pa.; INT Tidioute 154° and Philipsburg, Pa., 296° radials; Philipsburg; Harrisburg, Pa.; INT Harrisburg 132° and Modena, Pa., 274° radials; Modena; INT Modena 120° radial and Philadelphia, Pa., International Airport ILS localizer 256° course; Woodstown, N. J.; Millville, N. J.; Atlantic City, N. J.

V-185 From Savannah, Ga.; Augusta, Ga.; Greenwood, S. C.; Sugarloaf Mountain, N. C.; Snowbird, Tenn.; INT Snowbird 301° and Knoxville, Tenn., 069° radials; Knoxville, including an E alternate from Sugarloaf Mountain to Knoxville via INT Sugarloaf Mountain 329° and Knoxville 069° radials. The airspace within R-6004 is excluded.

V-186 From Fillmore, Calif., Van Nuys, Calif.; Ontario, Calif.

V-187 From Albuquerque, N. Mex., via Farmington, N. Mex.; including an E alternate via INT Albuquerque 345° and Farmington 138° radials; 50 miles, 62 miles 115 MSL, Grand Junction, Colo., including a west alternate from Farmington, Cortez, Colo., Dove Creek, Colo., 17 miles, 28 miles 115 MSL, to Grand Junction, excluding the airspace between the main and west alternate; 75 miles, 50 miles, 112 MSL, Rock Springs, Wyo., including a west alternate from Grand Junction 45 miles 103 MSL, 14 miles 85 MSL, Vernal, Utah, 20 miles, 110 MSL, Rock Springs, excluding the airspace between the main and this west alternate; 20 miles, 37 miles 95 MSL, INT Rock Springs 026° and Riverton, Wyo., 180° radials; Riverton; Boysen Reservoir, Wyo.; 9 miles, 78 miles, 105 MSL, Billings, Mont., including a west alternate from Boysen Reservoir, 9 miles, 56 miles, 91 MSL, via Cody, Wyo., Billings, excluding the airspace between the main and this west alternate; 40 miles, 75 MSL INT Billings 317° and Great Falls, MT., 122° radials; Great Falls; Missoula, MT.; Lewiston, ID.; Pasco, WA.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed)

V-188 From Carleton, Mich., Jefferson, Ohio; Tidioute, Pa.; Slate Run, Pa.; Williamsport, Pa.; Wilkes-Barre, Pa.; INT Wilkes-Barre 094° and Sparta, N. J., 290° radials; Sparta. The airspace within Canada is excluded.

V-189 From Rocky Mount, N. C., Franklin, Va.; Hopewell, Va.

V-190 From Phoenix, Ariz., 54 miles, 19 miles, 95 MSL, 59 miles, 115 MSL St. Johns, Ariz., including a north alternate via INT Phoenix 051° and St. Johns 263° radials; Albuquerque,

N. Mex., including a south alternate via INT St. Johns 085° and Albuquerque 229° radials; Las Vegas, N. Mex.;

19 mi., 72 mi. 90 MSL, Dalhart, TX.; 14 mi., 36 mi. 60 MSL, Gage, OK.; INT Gate 059° and Pioneer, OK., 280° radials; Pioneer; INT Pioneer 094° and Bartlesville, OK., 256° radials; Bartlesville; INT

Bartlesville 075° and Oswego, Kans., 233° radials; Oswego; INT Oswego 085° and Springfield, Mo., 261° radials; Springfield; Maples, Mo.; Farmington, Mo., Marion, Ill.; Evansville, Ind.

AMENDMENTS 3/28/74 39 F. R. 3929 (Changed)

V-191 From Troy, Ill.; Decatur, Ill.; Roberts, Ill.; INT Roberts 008° and Joliet, Ill., 067° radials; Northbrook, IL.; INT Northbrook 332° and Milwaukee, WI., 182° radials; Milwaukee; Oshkosh, WI.; Stevens Point, WI.; Wausau, WI.; Rhinelander, WI., including an E alternate from Oshkosh direct to Rhinelander; Ironwood, Mich., including an east alternate; Duluth, Minn.

PENDING AMENDMENT In V-191 all after "Milwaukee;" is deleted and "Oshkosh, Wis.; Rhinelander, Wis.; Ironwood, Mich.; including an east alternate; to Duluth, Minn." is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41838 (Changed)

V-192 From Champaign, Ill.; Terre Haute, Ind.

V-193 From INT Pullman, Mich., 243° and South Bend, Ind., 310° radials; Pullman; INT Pullman 029° and White Cloud, Mich., 168° radials; White Cloud; Traverse City, Mich., including a W alternate via Manistee, Mich.; Pellston, Mich.; Sault Ste. Marie, Mich.

V-194 From Lafayette, La., via Baton Rouge, La.; McComb, Miss.; INT McComb 055° and Meridian, Miss., 221° radials; Meridian. From Liberty, N. C., via Raleigh-Durham, N. C.; Rocky Mount, N. C.; Cofield, N. C.; Norfolk, Va., INT Norfolk 001° and Harcum, Va., 075° radials; INT Harcum 075° and Snow Hill 211° radials.

AMENDMENTS 8/15/74 39 F. R. 20193 (Changed)

V-195 From Oakland, Calif., INT Oakland 004° and Williams, Calif., 191° radials; Williams; INT Williams 002° and Red Bluff, Calif., 158° radials; Red Bluff; Fortuna, Calif.

V-196 From Utica, N. Y., Saranac Lake, N. Y.; Plattsburgh, N. Y.

V-197 From Ontario, Calif.; Pomona, Calif.; Palmdale, Calif.; INT Palmdale 314° and Bakersfield, Calif., 137° radials; Bakersfield, excluding the airspace more than 3 miles northeast of the centerline from Palmdale to 30 miles northwest.

V-198 From San Simon, Ariz., Columbus, N. Mex.; El Paso, Tex., 6 mi. wide, INT El Paso 109° and Hudspeth, Tex., 287° radials; 6 mi. wide, Hudspeth; 29 mi., 38 mi. 82 MSL, INT Hudspeth 109° and Fort Stockton, Tex., 284° radials; 18 mi. 82 MSL, Fort Stockton; 20 mi., 116 mi. 55 MSL, Junction, Tex.; San Antonio, Tex.; Eagle Lake, Tex.; Hobby, Tex.; INT Hobby 090° and Sabine Pass, Tex., 265° radials; Sabine Pass; White Lake, La.; Tibby, La.; Harvey, La., 69 miles, 33 miles, 25 MSL, Brookley; INT Brookley 056° and Crestview 266° radials; Crestview; Marianna, Fla.; Tallahassee, Fla.; Greenville, Fla.; Taylor, Fla.; to Jacksonville, Fla.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed) AMENDMENTS 11/7/74 39 F. R. 32902 (Changed)

V-199 From San Francisco, Calif. INT San Francisco 304° and Ukiah, Calif., 172° radials; Ukiah; 17 miles, 23 miles 85 MSL, 18 miles 75 MSL, Red Bluff, Calif. The portion outside the United States has no upper limit.

V-200 From Ukiah, Calif., Williams, Calif.; Reno, Nev. From Fairfield, Utah, 10 miles, 35 miles 125 MSL, Myton, Utah; 30 miles 79 MSL, 31 miles, 98 MSL Meeker, Colo.; 37 miles, 26 miles, 140 MSL, 130 MSL, Kremmling, Colo.; 9 miles, 130 MSL, 29 miles, 144 MSL, 11 miles, 127 MSL, Denver, Colo.

V-201 From INT Los Angeles, Calif., 207° and Long Beach, Calif., 250° radials; Los Angeles; Palmdale, Calif. The portion outside the United States has no upper limit.

V-202 From Cochise, Ariz., via San Simon, Ariz.; Silver City, N. Mex.; Truth or Consequences, N. Mex.

V-203 From Norwich, Conn., Chester, Mass.; INT Chester 293° and Albany, N. Y., 139° radials; Albany; Saranac Lake, N. Y.; Massena, N. Y.; St. Eustache, Quebec, Canada. The airspace within Canada is excluded.

V-204 From Hoquiam, Wash., Olympia, Wash.; INT Olympia 114° and Yakima, Wash., 271° radials; Yakima.

V-205 From Sparta, N. J.; INT Sparta 023° and Pawling, N. Y., 238° radials; Pawling; INT Pawling 076° and Boston, Mass., 251° radials; to Boston.

V-206 From Blue Springs, Mo., INT Blue Springs 056° and Kirksville, Mo., 225° radials; Kirksville; to Ottumwa, Iowa.

AMENDMENTS 1/31/74 38 F. R. 31675 (Changed)

V-207 From Denver, Colo., Gill, Colo.; including a W alternate via INT Denver 359° and Gill 224° radials; to Scottsbluff, Nebr.

AMENDMENTS 1/31/74 38 F. R. 31675 (Changed)

V-208 From Los Angeles, Calif., 7 miles wide (3 miles E and 4 miles W of centerline) INT Los Angeles 185° and Santa Catalina, Calif., 355° radials; 7 miles wide (3 miles E and 4 miles W of centerline) Santa Catalina; Oceanside, Calif.; Julian, Calif.; Thermal, Calif. Twentynine Palms, Calif.; 20 miles, 24 miles 73 MSL, Needles, Calif.; Peach Springs, Ariz. From Myton, Utah, 79 MSL, via Vernal, Utah, 25 miles, 105 MSL, Cherokee, Wyo. The airspace within R-2503 and the airspace below 2,000 feet MSL outside the United States is excluded. The portion outside the United States has no upper limit.

V-209 From Mobile, Ala., INT Mobile 356° and Hattiesburg, Miss., 080° radials; 10 mi.; 6 mi. wide Kewanee, Miss.; 7 mi. wide (4 mi. on N, 3 mi. on S and within 4.5° of centerline) Brookwood, Ala.; Birmingham, Ala.

V-210 From Los Angeles, Calif., INT Los Angeles 083° and Pomona, Calif., 240° radials; Pomona; INT Daggett, Calif., 229° and Hector, Calif., 263° radials; Hector; Goffs, Calif.; 13 miles, 23 miles 71 MSL, 85 MSL, Peach Springs, Ariz.; Grand Canyon, Ariz.; Tuba City, Ariz.; 10 mi. 90 MSL, 91 mi. 105 MSL, Farmington, N. Mex.; Alamosa, Colo., including a south alternate via INT Farmington 086° and Alamosa 232° radials; INT Alamosa 074° and Lamar, Colo., 250° radials; 40 miles, 51 miles, 65 MSL, Lamar; 13 miles, 79 miles, 55 MSL, Liberal, Kans.; INT Liberal 137° and Oklahoma City, Okla., 282° radials; Oklahoma City; INT Oklahoma City 109° and Okmulgee, Okla., 241° radials; Okmulgee. From Indianapolis, Ind., Muncie, Ind.; Rosewood, Ohio; Tiverton, Ohio; Briggs, Ohio; INT Briggs 044° and Akron, Ohio, 088° radials; INT Akron 088° and Youngstown, Ohio, 116° radials; INT Youngstown 116° and Clarion, Pa., 222° radials; Revloc, Pa.; INT Revloc 096° and Harrisburg, Pa., 289° radials; Harrisburg; Lancaster, Pa.; INT Lancaster 095° and Pottstown, Pa., 143° radials.

V-211 From INT Alamosa, Colo., 232° and Durango, Colo., 110° radials via Durango; INT of Durango 286° and Cortez. Colo.. 115° radials: Cortez. Colo., excluding the airspace below 1,200 feet above the surface.

V-212 From San Antonio, Tex., via INT San Antonio 089° and Industry, Tex., 233° radials; Industry; Navasota, Tex.; Lufkin, Tex.; Alexandria, La.; McComb, Miss.

V-213 From Myrtle Beach, S. C., INT Myrtle Beach 031° and Rocky Mount, N. C., 191° radials; Rocky Mount; Hopewell, Va.; INT Hopewell 019° and Brooke, Va., 132° radials; Patuxent River, Md.; Kenton, Del.; Woodstown, N. J.; INT Woodstown 043° and Robbinsville, N. J. 239° radials; Robbinsville.

V-214 From Kokomo, Ind., via Marion, Ind.; Muncie, Ind.; Richmond, Ind.; INT Richmond 097° and Appleton, Ohio, 236° radials; INT Appleton 236° and Zanesville, Ohio, 274° radials; Zanesville; Bellaire, Ohio; INT Bellaire, 108° and Indian Head, Pa., 254° radials; Indian Head; Martinsburg, W. Va.

AMENDMENTS 8/15/74 39 F. R. 20369 (Changed)

V-215 From INT Muskegon, Mich., 208° and Pullman, Mich., 261° radials; Muskegon: White Cloud. Mich.; to Gaylord, Mich.

V-216 From Lamar, Colo., Hill City, Kans.; Mankato, Kans.; Pawnee City, Nebr.; Lamoni, Iowa; Ottumwa, Iowa; Iowa City, Iowa; INT Iowa City 062° and Janesville, Wis., 240° radials; Janesville; INT Janesville 076° and Muskegon, Mich., 252° radials; Muskegon; Saginaw, Mich.; Peck, Mich., including a southern alternate via INT Saginaw 131° and Peck 270° radials; Kleinburg, Ont., Canada. The airspace within Canada is excluded.

V-217 From Chicago-O'Hare, IL.; INT Chicago-O'Hare 019° and Milwaukee, WI., 137° radials; INT Chicago Heights, 111., 358° and Milwaukee 121° radials; Milwaukee; Green Bay, Wis.; Rhinelander, Wis.; Duluth, Minn.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

V-218 From Grand Rapids, Minn., via Minneapolis, Minn.; Waukon, Iowa; to Rockford, Ill. From Keeler, Mich., via Lansing, Mich.; Pontiac, Mich.; to INT Pontiac 112° and Windsor, Ont., Canada, 320° radials.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

V-219 From Hayes Center, Nebr., INT Hayes Center 059° and Wolbach, Nebr., 251° radials; Wolbach; Norfolk, Nebr.; Sioux City, Iowa; Fairmont, Minn.; Mankato, Minn.; Farmington, Minn.

V-220 From Kremmling, Colo., 12 miles, 130 MSL, 32 miles, 147 MSL, 8 miles, 115 MSL INT Kremmling 081° and Denver, Colo., 334° radials; Akron, Colo., INT Akron 094° and McCook, Nebr., 264° radials; McCook; INT McCook 072° and Grand Island, Nebr., 241° radials; Kearney, Nebr.; Hastings, Nebr.; Columbus, Nebr.

V-221 From Bible Grove, III., via INT Bible Grove 087° and Bloomington, Ind., 253° radials; Bloomington; Shelbyville, Ind.; Muncie, Ind.; Fort Wayne, Ind.; Litchfield, Mich.; Jackson, Mich.; INT Jackson 084° and Salem, Mich., 254° radials; Salem; INT Salem 083° and Erie, Pa., 290° radials; Erie. The airspace within Canada is excluded.

V-222 From El Paso, Tex., via Salt Flat, Tex.; Fort Stockton, Tex.; 20 miles, 116 miles, 55 MSL, Junction, Tex.; INT Junction 112° and San Antonio, Tex., 334° radials; San Antonio; INT San Antonio 074° and Industry, Tex., 264° radials; Industry; INT Industry 101° and Humble 259° radials; Humble; Beaumont, Tex.; Lake Charles, La.; McComb, Miss.; Hattiesburg, Miss.; Monroeville, Ala.; Montgomery, Ala.; LaGrange, Ga.; to INT LaGrange 053° and Rome.

Ga., 157° radials. From Norcross, Ga., via INT Norcross 042° and Anderson, S. C., 274° radials Toccoa, Ga.; Sugarloaf Mountain, N. C.; Barretts Mountain, N. C.; Lynchburg, Va.; INT Lynchburg 058° and Brooke, Va., 230° radials; Brooke; to INT Brooke 045° and Richmond, Va., 009° radials; including an N alternate from Lynchburg via Gordonsville, Va.

AMENDMENTS 7/18/74 39 F. R. 17431 (Changed)

V-223 From Flat Rock, Va.; to INT Flat Rock 005° and Brooke, Va., 300° radials.

V-224 From Marquette, Mich.; to Schoolcraft County, Mich.

V-225 From Key West, Fla., 30 miles, 72 miles, 17 AGL, Fort Myers, Fla., including an E alternate from Key West, 30 miles, 77 miles 17 AGL to Fort Myers; La Belle, Fla.; Vero Beach, Fla. The portion of V-225 E alternate outside the United States has no upper limit.

V-226 From INT Franklin, Pa., 175° and Clarion, Pa., 222° radials; Clarion, Pa.; Keating, Pa.; Williamsport, Pa., Wilkes-Barre, Pa.; Stillwater, N. J.; INT Stillwater 110° and Sparta, N. J., 194° radials.

V-227 From Lafayette, Ind., via Roberts, Ill; Pontiac, Ill.; to Rockford, Ill.

AMENDMENTS 3/28/74 38 F. R. 33393 (Rewritten)

V-228 From Northbrook, Ill., INT Northbrook 111° and South Bend, Ind., 290° radials; South Bend, including a N alternate via INT Northbrook 095° and South Bend 310° radials.

V-229 From Kennedy, N. Y.; Madison, Conn.; Hartford, Conn.; INT Hartford 044° and Gardner, Mass., 150° radials; Gardner.

V-230 From INT Big Sur, Calif., 325° and Salinas, Calif., 281° radials; Salinas; Los Banos, Calif., including a south alternate via INT Salinas, Calif., 100° and Los Banos, Calif., 245° radials; Fresno, Calif.; Friant, Calif. The portion outside the United States has no upper limit.

V-231 From Missoula, MT., to Kalispell, MT.

V-232 From INT of the Cleveland, Ohio, 024° and the Chardon, Ohio, 281° radials, via Chardon; Franklin, Pa.; Keating, Pa.; Milton, Pa.; to INT Milton 099° and Stillwater, N. J., 172° radials.

AMENDMENTS 4/25/74 39 F. R. 6606 (Rewritten)

V-233 From Capital, IL., via Roberts, IL.; Knox, IN.; Goshen, IN.; Litchfield, MI.; Lansing, MI.; Mount Pleasant, Mich.; INT Mount Pleasant 351° and Gaylord, Mich., 207° radials; Gaylord; to Pellston, Mich.; including a west alternate from Mount Pleasant to Pellston via Traverse City, Mich.

V-234 From Anton Chico, N. Mex.; INT Anton Chico 067° and Dalhart, Tex., 243° radials; Dalhart; Liberal, Kans.; 32 miles, 74 miles, 65 MSL, Hutchinson, Kans.; Emporia, Kans.; Butler, Mo.; Vichy, Mo.; INT Vichy 091° and Centralia, III., 253° radials; Centralia.

V-235 From Fairfield, Utah, 10 miles, 15 miles, 135 MSL, 46 miles, 125 MSL, Fort Bridger. From Rock Springs, Wyo., 20 miles, 41 miles, 95 MSL, 37 miles, 107 MSL, to Casper, Wyo.

V-236 From INT Bonneville, Utah, 084° and Ogden, Utah, 235° radials; Ogden.

V-237 From Needles, Calif., 25 miles, 24 miles 71 MSL, Boulder City, Nev.; INT Boulder City 347° and Las Vegas, Nev., 081° radials; Las Vegas.

V-238 From Maples, Mo.; Troy, Ill.

V-239 From Forney, Mo., INT Forney 358° and Hallsville, Mo., 183° radials; Hallsville.

V-240 From New Orleans, La., via INT New Orleans 085° and Harvey, La., 065° radials; INT Brookley, Ala., 246° and Mobile, Ala., 224° radials; to Mobile.

V-241 From Mobile, Ala., via Crestview, Fla.; INT Crestview 076° and Dothan, Ala., 232° radials; Dothan; Eufaula, Ala.; Columbus, Ga.; to the INT Columbus 019° and Rome, Ga., 157° radials, including a W alternate from Dothan via INT Dothan 002° and La Grange, Ga., 191° radials; and La Grange.

AMENDMENTS 10/10/74 39 F. R. 28419 (Changed)

V-243 From Jacksonville, FL., INT Jacksonville 319° and Waycross, GA., 126° radials; Waycross; Vienna, GA., including an E alternate via Alma, Ga., and INT Alma 320° and Vienna 104° radials; INT Vienna 305° and La Grange, Ga., 112° radials; La Grange; INT La Grange 342° and Chattanooga, Tenn., 190° radials; Chattanooga; Bowling Green, Ky.; Lewis, Ind.

V-244 From Oakland, CA., INT Oakland 077° and Stockton, CA., 267° radials; Stockton, including a S alternate INT Oakland 110° and Stockton 246° radials; 76 miles, 51 miles 145 MSL, Coaldale, Nev.; Tonopah, Nev.; 40 miles 115 MSL Wilson Creek, Nev.; 28 miles 115 MSL, Milford, Utah, Hanksville, Utah; 63 miles, 13 miles 140 MSL, 36 miles 115 MSL, Montrose, Colo.; Gunnison, Colo.; 33 miles, 122 MSL, 27 miles, 155 MSL, Pueblo, Colo.; 18 miles, 48 miles, 60 MSL, Lamar, Colo.; 20 miles, 116 miles 65 MSL, Hays, Kans.; Salina, Kans. The airspace within R-2531 is excluded.

V-245 From Alexandria, La., via Natchez, Miss.; Jackson, Miss.; Columbus, Miss., excluding the airspace at and above 8,000 feet MSL from Jackson to Columbus.

V-246 From Nodine, Minn., INT Nodine 055° and Stevens Point, Wis., 255° radials; to Stevens Point.

V-247 From Douglas, Wyo., 90 miles 75 MSL, to Crazy Woman, Wyo.

V-248 From Paso Robles, Calif., Avenal, Calif.; Bakersfield, Calif.

V-249 From Sparta, N. J., INT Sparta, N. J., 0230 and DeLancey, N. Y., 1310 radials; DeLancey; Utica, N. Y.

V-250 From O'Neill, Nebr.; Yankton, S. Dak.; Worthington, Minn.; Mankato, Minn.

V-251 From Decatur, Ill., via Champaign, Ill.; Danville, Ill.; Lafayette, Ind.

V-252 From Buffalo, N. Y., Geneseo, N. Y.; Binghamton, N. Y.; Huguenot, N. Y.

V-253 From Fairfield, Utah, INT Fairfield 326° and Salt Lake City; 265° radials; 24 miles, 85 MSL Bonneville; 5 miles, 85 MSL, 90 MSL Lucin, Utah; 14 miles, 90 MSL 19 miles, 105 MSL, Twin Falls, Idaho; Boise, Idaho; 42 miles; 99 MSL McCall, Idaho; 11 miles 99 MSL, 33 miles 115 MSL, Lewiston, Idaho; Pullman, Wash.; Spokane, Wash.

V-254 From Bemidji, Minn., to Roseau, Minn.

V-255 From Garden City, Kans., to Hays, Kansas.

V-257 From Pheonix, Ariz., Prescott, Ariz.; INT Prescott 003° and Grand Canyon, Ariz., 211° radials; Grand Canyon; 38 miles 12 AGL, 40 miles 125 MSL, 26 miles 12 AGL, Bryce Canyon, Utah; INT Bryce Canyon 338° and Delta, Utah, 186° radials,
Delta; 39 miles, 105 MSL INT Delta 004° and Malad City, Idaho, 179° radials; 20 miles, 118 MSL, Malad City;
Pocatello, Idaho; DuBois, Idaho; Dillon, Mont.; Butte, Mont.; 22 miles, 85 MSL INT Butte 002° and Helena, Mont.,
272° radials; INT Helena 272° and Great Falls, Mont., 222° radials; Great Falls; 73 miles, 56 MSL, Havre, Mont.
The airspace within R-6401 and R-6403 is excluded.

AMENDMENTS 1/31/74 38 F. R. 33588 (Changed)

V-258 From Charleston, W. Va., Beckley, W. Va.; INT Beckley 125° and Roanoke, Va., 288° radials; Roanoke; INT Roanoke 145° and Danville, Va., 320° radials; Danville.

FEDERAL REGISTER

V-259 From Fort Mill, S. C., Holston Mountain, Tenn.

V-260 From Charleston, W. Va., Rainelle, W. Va.; Roanoke, Va., Lynchburg, Va.; Flat Rock, Va.; Richmond, Va.; Hopewell, Va.; INT Hopewell 128° and Norfolk, Va., 296° radials; Norfolk,

V-262 Fort Peoria, Ill., Bradford, Ill.; Jollet, Ill.; Kedzie, Ill., RBN.

Y-263 From Cimarron, N. Mex., Tobe, Colo., 54 miles, 69 MSL, Lamar, Colo.; 17 miles, 63 MSL Hugo, Colo.; Gill, Colo. From Pierre, S. Dak., Aberdeen, S. Dak.

V-264 From Los Angeles, Calif., INT Los Angeles 061° and Pomona, Calif., 269° radials; 6 miles wide, Pomona; Twentynine Palms, Calif., including a S alternate from Los Angeles to Twentynine Palms via Ontario, Calif., and Palm Springs, Calif.; 17 miles, 28 miles 55 MSL, Parker, Calif. From Prescott, Ariz.; Winslow, Ariz.; St. Johns, Ariz.; 55 miles, 25 miles, 115 MSL, Socorro, N. Mex.; Corona, N. Mex.; 15 miles, 35 miles 105 MSL, Tucumcari, N. Mex.

V-265 From INT Washington, D. C., 043° and Westminster, Md., 179° radials; via Westminster; Harrisburg, Pa.; Phillipsburg, Pa.; Keating, N. Y.; Bradford, Pa.; Jamestown, N. Y.; Dunkirk, N. Y.

V-266 From Barretts Mountain, N. C., South Boston, Va.; Lawrenceville, Va.; Franklin, Va.; INT Franklin 087° and Norfolk Va., 226° radials; Norfolk.

AMENDMENTS 7/18/74 39 F. R. 17431 (Changed)

V-267 From Biscayne Bay, Fla., Miami, Fla.; INT of Miami 343° and Pahokee, Fla., 169° radials; Pahokee; Orlando, Fla.; including an east alternate from Miami to Orlando via Palm Beach, Fla., and INT Palm Beach 326° and Orlando 162° radials; Jacksonville, Fla., including an E alternate from Orlando to INT Ormond Beach, Fla., 308° and Jacksonville 174° radials via Ormond Beach; INT Jacksonville 334° and Dublin, Ga., 137° radials; Dublin; Athens, Ga.; INT Athens 339° and Harris, Ga., 149° radials; Harris; Knoxville, Tenn.

AMENDMENTS 7/18/74 39 F. R. 18425 (Changed)

V-268 From INT Grantsville, Md., 086° and Martinsburg, W. Va., 297° radials; Hagerstown, Md.; Westminster, Md.; Baltimore, Md.; INT Baltimore 094° and Kenton, Del., 262° radials; Kenton; Kenton 086° and Sea Isle, N. J., 050° radials. The airspace within R-4001 and the airpace below 2,000 feet MSL outside the United States is excluded.

V-269 From Ely, Nev., 125 MSL to INT Ely 007° and Bonneville, Utah, 272° radials. From Wells, Nev., Twin Falls, Idaho; Burley, Idaho; Pocatello, Idaho.

PENDING AMENDMENT

V-269 From Ely, Nev., 125 MSL INT Ely 007° and Bonneville, Utah, 272° radials; Wells, Nev.; Twin Falls, Idaho; Burley, Idaho; to Pocatello, Idaho.

AMENDMENTS 1/30/75 39 F. R. 40581 (Rewritten)

V-270 From Erie, Pa., Jamestown, N. Y.; Wellsville, N. Y.; Elmira, N. Y.; Binghamton, N. Y.; DeLancey, N. Y.; Chester, Mass.

V-271 From Muskegon, Mich., Manistee, Mich.; to Escanaba, Mich.

V-272 From Dalhart, Tex., via Borger, Tex.; Sayre, Okla.; Oklahoma City, Okla., including a N alternate via INT Sayre 070° and Oklahoma City 282° radials and also a S alternate via INT Sayre 101° and Oklahoma City 242° radials; to McAlester, Okla.

V-273 From INT Sparta, N. J., 133° and Solberg, N. J., 051° radials; Sparta; INT Sparta 331° and Hancock, N. Y., 148° radials; Hancock; Georgetown, N. Y.; 6 mi. wide, Syracuse, N. Y.

V-274 From Pullman, Mich., Grand Rapids, Mich.; Saginaw, Mich.

V-275 From Cincinnati, Ohio, INT Cincinnati 006° and Dayton, Ohio, 207° radials; Dayton, including a W alternate from Cincinnati to Dayton via INT Cincinnati 336° and Richmond, Ind., 190° radials, and Richmond; INT Dayton Oll° and Salem, Mich., 197° radials; Salem.

V-276 From Erie, Pa., via Franklin, Pa.; Clarion, Pa.; Tyrone, Pa.; INT Tyrone 096° and Ravine, Pa., 279° radials Ravine; Yardley, Pa.; Robbinsville, N. J.; INT Robbinsville 112° and Sea Isle, N. J., 050° radials. The airspace below 2,000 feet MSL outisde the United States is excluded.

V-277 From Rosewood, Ohio, Fort Wayne, Ind.; Keeler, Mich.

V-278 From Texico, N. Mex., via Plainview, Tex.; Guthrie, Tex.; Bridgeport, Tex.; Blue Ridge, Tex.; Paris, Tex.; Texarkana, Ark.; Monticello, Ark.; Greenville, Miss.; Greenwood, Miss.; Columbus, Miss.; Birmingham, Ala.,

from Columbus to Birmingham via INT Columbus 082° and Tuscaloosa, Ala., 304° radials, and Tuscaloosa, excluding the airspace between the main and this alternate airway.

AMENDMENTS 9/12/74 39 F. R. 23052 (Changed)

V-279 From the Columbus, Ohio, RBN, INT Findlay, Ohio, 146° and Rosewood, Ohio, 045° radials; 7 miles wide (4 miles northeast and 3 miles southwest of the centerline) to Findlay.

V-280 From Ciudad Juarez, Mex., via El Paso, Tex.; INT El Paso 070º and Pinon, N. Mex., 219º radials; Pinon; Roswell, N. Mex.; INT
Roswell 063º and Texico, N. Mex., 216º radials; Texico, including a south alternate via INT Roswell 080º and
Texico 216º radials; INT Texico 021º and Amarillo, Tex., 252º radials; Amarillo, including a south alternate
from Texico to Amarillo via INT Texico 044º and Amarillo 252º radials; Gage,Okla.; INT Gage 025º
and Hutchinson, Kans., 234º radials; Hutchinson;
INT Hutchinson 062º and Topeka, Kans., 236º radials; Topeka; INT Topeka 064º and Kansas City, Mo., 274º radials;
Kansas City. The airspace within Mexico is excluded.

V-281 From Albany, Ga., via INT Albany 013° and Macon, Ga., 331° radials to the INT Macon 331° and Atlanta, Ga., 117° radials.

AMENDMENTS 12/5/74 39 F. R. 36573 (Rewritten)

V-282 From Saranac Lake, N. Y., St. Eustache, Quebec, Canada. The airspace within Canada is excluded.

V-285 From Indianapolis, Ind., via Kokomo, Ind.; including an E alternate via INT Indianapolis 038° and Kokomo 182° radials; Goshen, Ind.; South Bend, Ind.; Kalamazoo, Mich.; INT Kalamazoo 014° and Grand Rapids, Mich., 167° radials; Grand Rapids; to White Cloud, Mich.

AMENDMENTS 1/31/74 38 F. R. 33588 (Rewritten) Corr: 39 F. R. 1578

V-286 From INT Linden, Va., 273° and Casanova, Va., 284° radials via Casanova; INT Casanova 142° and Brooke, Va., 300° radials; Brooke; to Cape Charles, Va.

V-287 From Medford, Oreg., North Bend, Oreg.; Newberg, Oreg., including a west alternate from North Bend to Newberg via Newport, Oreg., and including an east alternate from Medford to the INT Corvallis, Oreg., 352° and Newberg 204° radials via Roseburg, Oreg., INT Roseburg 003° and Eugene, Oreg., 187° radials, Eugene, and Corvallis; Portland, Oreg., including an east alternate via INT Newberg 069° and Portland 196° radials; 20 miles, 51 miles, 45 MSL. Olympia, Wash.; INT Olympia 010° and Seattle, Wash., 329° radials; INT Seattle 329° and Port Angeles, Wash., 090° radials; Port Angeles, Neah Bay, Wash., REN. The airspace within Canada is excluded.

V-288 From Lucin, Utah, 50 miles, 85 MSL, INT Lucin 080° and Fort Bridger, Wyo., 278° radials; 17 miles, 50 miles, 105 MSL, Fort Bridger.

V-289 From Beaumont, Tex., via INT Beaumont 323° and Lufkin, Tex., 161° radials; Lufkin, including an E alternate; Gregg County, Tex.; Texarkana, Ark.; Fort Smith, Ark.; Harrison, Mo.; Dogwood, Mo.; INT Dogwood 026° and Vichy, Mo., 239° radials; to Vichy.

V-290 From Rainelle, W. Va., Montebello, Va.; Flat Rock, Va. From Franklin, Va., Elizabeth City, N. C.

V-291 From Albuquerque, N. Mex.; Gallup, N. Mex., including a north alternate via INT Albuquerque 303° and Gallup 089° radials; Winslow, Ariz.; Flagstaff, Ariz.; including a N alternate from Winslow to Flagstaff via INT Winslow 292° and Flagstaff 063° radials.

V-292 From Sparta, N. J.; INT Sparta 082° and Carmel, N. Y., 232° radials; Carmel; Hartford, Conn.; Putnam, Conn.; INT Putnam 043° and Boston, Mass., 251° radials; Boston.

V-293 From Bryce Canyon, Utah; Cedar City, Utah; 37 miles, 108 MSL Wilson Creek, Nev.; 5 miles, 108 MSL, 37 miles, 115 MSL, Ely, Nev.; 125 MSL Elko, Nev.; 28 miles, 57 miles, 99 MSL, Twin Falls, Idaho; 37 miles, 33 miles, 87 MSL, 76 miles, 113 MSL, 99 MSL McCall, Idaho.

V-294 From Des Moines, Iowa, INT Des Moines 086° and Cedar Rapids, Iowa, 238° radials; Cedar Rapids; Cordova, Ill.

PENDING AMENDMENT

In V-294 "Cordova, Ill." is deleted and "to Davemport, Iowa." is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 41518 (Changed)

V-295 From Biscayne Bay, Fla., INT Biscayne Bay 021° and Vero Beach, Fla., 143° radials; Vero Beach, INT Vero Beach, 296° and Orlando, Fla., 162° radials; Orlando; INT Orlando 283° and Ocala, Fla., 156° radials; Ocala; Cross City, Fla.; to Tallahassee, Fla. The portion cutside the United States has no upper limit.

AMENDMENTS 2/28/74 38 F. R. 35450 (Changed)

 $V-296\,$ From Fort Mill, S. C.; 27 MSL INT Fort Mill 093° and Fayetteville, N. C., 267° radials; 27 MSL Fayetteville; Wilmington, N. C.

AMENDMENTS 8/15/74 39 F. R. 20193 (Changed)

V-297 From Johnstown, Pa.; INT Johnstown 315° and Clarion, Pa., 222° radials; INT Clarion 269° and Youngstown, Ohio, 116° radials; Akron, Ohio; INT Akron 298° and Carleton, Mich., 120° radials; Carleton; INT Carleton 334° and Saginaw, Mich., 182° radials; Saginaw; INT Saginaw 353° and Pellston, Mich., 164° radials; Pellston. The airspace within Canada is excluded.

V-298 From Yakima, Wash., INT Yakima 129° and Pasco, Wash., 276° radials; Pasco; Pendleton, Oreg., 74 miles, 43 miles 115 MSL, 99 MSL via McCall, Idaho; 41 mi. 99 MSL, 89 mi. 145 MSL, Dubois, Idaho; 68 mi., 130 MSL Dunoir, Wyo.; 62 miles 135 MSL, Boysen Reservoir, Wyo.; 9 miles, 34 miles 105 MSL, Casper, Wyo., including a south alternate from Dunoir 43 miles 130 MSL, 15 miles 110 MSL, via Riverton, Wyo., 19 miles, 48 miles 77 MSL, to Casper, excluding the airspace between the main and this south alternate. The airspace within R-6715 is excluded.

NOTE: Delete exclusion on next change.

V-299 From Los Angeles, Calif., INT Los Angeles 291° and Fillmore, Calif., 163° radials; Fillmore; Gorman, Calif. The portion outside the United States has no upper limit.

V-300 From Victoria, British Columbia, Canada, RR to Vancouver, British Columbia, Canada. From Thunder Bay, Ontario, Canada, Sault Ste. Marie, Mich.; Wiarton, Ontario, Canada, including a N alternate. From Sherbrooke, Quebec, Canada, 86 miles 52 MSL, Millincoket, Maine; Fredericton, New Brunswick, Canada. The airspace within Canada is excluded.

V-301 From Point Reyes, Calif., Santa Rosa, Calif.; Williams, Calif.

V-302 From Augusta, Maine, INT Augusta 1230 and Bangor, Maine, 1920 radials.

V-303 From Hot Springs, Ark., Fort Smith, Ark.

V-304 From Amarillo, Tex., via Borger, Tex.; Liberal, Kans., including a W alternate via INT Borger 354° and Liberal 234° radials; 15 miles, 79 miles 55 MSL, Lamar, Colo.

V-305 From El Dorado, Ark., Little Rock, Ark.

V-306 From Junction, Tex., via INT Junction 099° and Austin, Tex., 279° radials; Austin; Navasota, Tex.; INT Navasota 084° and Daisetta, Tex., 283° radials; Daisetta; including a south alternate from Navasota via Humble, Tex.; to Daisetta; Lake Charles, La., including a south alternate from Daisetta to Lake Charles via Beaumont.

V-307 From Chanute, Kans., Emporia, Kans., INT of Emporia 336° and Pawnee City, Nebr., 193° radials; Pawnee City; Omaha, Nebr., including a west alternate via INT Pawnee 003° and Omaha 226° radials.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

V-308 From INT Kenton, Del., 217° and Sea Isle, N. J., 256° radials, via Sea Isle; INT Sea Isle 050° and Hampton, N. Y. 223° radials; Hampton;

INT Hampton 059° and Norwich, Conn., 177° radials; Norwich; Putnam, Conn.; INT Putnam 043° and Boston, Mass., 251° radials; Boston. The airspace below 2,000 feet MSL that lies outside the United States and the airspace below 3,000 feet MSL between Kennedy, N. Y., 087° and 141° radials is excluded.

V-309 From Charleston, W. Va.; INT Charleston 0340 and Morgantown, W. Va., 2840 radials; Bellaire, Ohio.

V-310 From Louisville, Ky., London, Ky.; Holston Mountain, Tenn.; INT Holston Mountain 104° and Greensboro, N. C., 280° radials; Greensboro; INT Greensboro 105° and Raleigh-Durham, N. C., 275° radials; Raleigh-Durham; Rocky Mount, N. C.; Elizabeth City, N. C.

V-311 From Norcross, Ga., via INT Norcross 042° and Anderson, S. C., 274° radials; Anderson; Greenwood; S. C.; Columbia, S. C.

V-312 From Woodstown, NJ., INT Woodstown 065° and Coyle, NJ., 264° radials; Coyle; INT Coyle 090° and Sea Isle, NJ., 050° radials. The airspace within R-5002, the airspace below 2,000 feet MSL outside the United States, and the airspace above 8,000 feet MSL between Woodstown and Coyle is excluded.

V-313 From Malden, Mo., Cape Girardeau, Mo.; Centralia, III.; Decatur, III.; Pontiac, III.

V-314 From Quebec, Province of Quebec, Canada, 99 miles 55 MSL, Millinocket, Maine; Princeton, Maine; St. John, New Brunswick, Canada. The airspace within Canada is excluded.

V-315 From Paris, Tex., Rich Mountain, Okla.

AMENDMENTS 1/31/74 38 F. R. 33392 (Changed)

V-316 From Jronwood, Mich.; Marquette, Mich.; 15 miles, 100 miles 40 MSL, Sault Ste. Marie, Mich.; Sudbury, Ontario, Canada. The airspace within Canada is excluded.

V-318 From Quebec, Province of Quebec, Canada, 81 miles 65 MSL, 26 miles 85 MSL, Houlton, Maine. The airspace within Canada is excluded.

V-319 From Boysen Reservoir, Wyo., Worland, Wyo.; Cody, Wyo.

V-320 From Peck, Mich., Toronto, Ont., Canada. The airspace within Canada is excluded.

V-321 From Columbus, Ga., via LaGrange, Ga.; INT LaGrange 342° and Gadsden, Ala., 122° radials; Gadsden; INT Gadsden 333° and Huntsville, Ala., 149° radials; Huntsville.

V-322 From Concord, N. H., INT Concord, 022° and Berlin, N. H., 161° radials; Berlin, N. H.; Sherbrooke, Quebec, Canada. The airspace within Canada is excluded.

V-323 From Macon, Ga., to INT Macon 331° and Atlanta, Ga., 117° radials.

V-325 From Columbia, S. C.; Athens, Ga.; Norcross, Ga. From INT Gadsden, Ala., 094° and Rome, Ga., 135°. radials via Gadsden; Muscle Shoals, Ala., including an E alternate via INT Gadsden 318° and Decatur, Ala., 130° radials, and Decatur.

V-326 From Fillmore, Calif., INT Fillmore 163° and Van Nuys, Calif., 270° radials; Van Nuys.

V-327 From Phoenix, Ariz.; Flagstaff, Ariz.

V-328 From Dubois, Idaho, Jackson, Wyo.; Big Piney, Wyo.; 53 miles 95 MSL, Rock Springs, Wyo.

V-329 From INT Crestview, Fla., 091° and Eglin, Fla., 003° radials, INT Eglin 003° and Montgomery, Ala., 188° radials; Montgomery.

- V-330 From INT Boise, Idaho, 130° and Mountain Home, Idaho, 084° radials; INT Mountain Home 084° and Burley, Idaho, 323° radials. From Idaho Falls, Idaho, Jackson, Wyo.
- V-331 From Whitesburg, Ky., Newcombe, Ky.
- V-333 From INT Rome, Ga., 135° and Gadsden, Ala., 094° radials via Rome; Chattanooga, Tenn.; Hinch Mountain, Tenn.; Lexington, Ky.
- V-334 From San Jose, CA., INT San Jose 0220 and Sacramento, CA., 1940 radials; Sacramento.
- V-335 From St. Louis, Mo.; INT St. Louis 1710 and Marion, Ill., 2900 radials; Marion.
- V-336 From Ellensburg, Wash., to Ephrata, Wash.
- V-337 From INT Briggs, Ohio, 077° and Youngstown, Ohio, 177° radials; Akron, Ohio; INT Akron 328° and Windsor, Ontario, Canada, 116° radials; Windsor; 29 miles 7 miles wide (3 miles east and 4 miles west of centerline), INT Windsor 335° and Saginaw, Mich., 131° radials; Saginaw; Mount Pleasant Mich.; White Cloud, Mich., excluding the portion within Canada.
- V-339 From Whitesburg, Ky., Falmouth, Ky.
- V-341 From Cedar Rapids, Iowa, Dubuque, Iowa; Madison, Wis.; INT Madison 042° and Oshkosh, Wis., 208° radials; to Oshkosh.
- V-342 From Vancouver, British Columbia, Canada, INT Vancouver 090° and Princeton, British Columbia, Canada, 244° radials; Princeton, excluding the airspace within Canada.
- V-343 From Dubois, Idaho, Bozeman, Mont., 51 miles, 34 miles, 103 MSL, 84 MSL Drummond, Mont.
- V-345 From Dells, Wis., INT Dells 321° and Eau Claire, Wis., 134° radials; to Eau Calire.
- V-346 From St. Georges, Quebec, Canada, to Millinocket, ME., excluding the portion within Canada.
- V-347 From Ironwood, Mich., to Houghton, Mich.
- V-349 From Bellingham, WA., to Williams Lake, British Columbia, Canada. The airspace within Canada is excluded.
- V-351 From Vancouver, British Columbia, Canada, INT Vancouver 090° and Princeton, British Columbia, Canada, 231° radials; Carmi, British Columbia, Canada, excluding the airspace within Canada.
- V-352 From St. Georges, Quebec, Canada, to Houlton, ME., excluding the portion within Canada.
- V-353 From Jackson, Mich., via INT Jackson 0290 and Flint, Mich., 2280 radials; to Flint.
- V-355 From Bridgeport, Tex.; Wichita Falls, Tex.
- V-357 From Baker, OR.; via Walla Walla, WA.; Moses Lake, WA.; INT of Moses Lake 285° and Wenatchee, WA., 132° radials; to Wenatchee.
- V-358 From Waco, Tex., via Greater Southwest, Tex.; to Ardmore, Okla.
- AMENDMENTS 3/28/74 39 F. R. 1975 (Added)
- V-359 From Nuevo Laredo, Mex., to Laredo, Tex., excluding the airspace within Mexico.

V-365 From Burley, Idaho, via INT Burley 042° and Idaho Falls, Idaho, 248° radials; Idaho Falls; to INT Idaho Falls 030° and Dubois, Idaho, 100° radials.

V-371 From Lafayette, Ind., to Knox, 1nd.

V-375 From Roanoke, Va., via Gordonsville, Va.; including a N alternate via the INT Roanoke 035° and Montebello, Va., 250° and Montebello, Va.; to INT Gordonsville 034° and Casanova, Va., 142° radials.

V-376 From Richmond, Va.; to INT Richmond 009° and Nottingham, Md., 238° radials. The airspace within R-6612 is excluded.

V-377 From Kessel, W. Va., via INT Kessel 0550 and Hagerstown, Md., 2670 radials; Hagerstown; to Harrisburg, Pa.

V-378 From Baltimore, Md., via INT Baltimore 0340 and Modena, Pa., 2360 radials; to Modena.

V-379 From Nottingham, Md.; to Kenton, Del.

V-420 From Green Bay, Wis.; Traverse City, Mich.; Gaylord, Mich.; to Alpena, Mich.

V-421 From Zuni, N. Mex., via Gallup, N. Mex.; Farmington, N. Mex.; Durango, Colo.; Gunnison, Colo.

V-422 From Chicago Heights, 111., 1NT Chicago Heights 117° and Knox, Ind., 276° radials; Knox; Wolflake, Ind.; 1NT Wolflake 096° and Findlay, Ohio, 289° radials; Findlay.

V-423 From Williamsport, Pa., Binghamton, N. Y.; Ithaca, N. Y.; INT Ithaca 357° and Syracuse, N. Y., 210° radials; Syracuse.

V-424 From Blue Springs, Mo., INT Blue Springs 078° and Macon, Mo., 236° radials; Macon.

V-425 From Brookley, Ala., INT Brookley 357° and Mobile, Ala., 048° radials.

V-426 From St. Louis, Mo., to 1NT of St. Louis 062° radial and Troy, III., direct radial to Decatur, III.

V-428 From Elmira, N. Y., Ithaca, N. Y.; Georgetown, N. Y.; Utica, N. Y.

V-429 From Cape Girardeau, Mo., Marion, III.; INT Marion Ollo and Bible Grove, III., 2070 radials; Bible Grove; Mattoon, III.; Champaign, III.; Roberts, III.; Joliet, III.; INT Joliet 3510 and DuPage, III., 1850 radials; DuPage; INT DuPage 3460 and Oshkosh, Wis., 1870 radials; to Oshkosh.

AMENDMENTS 3/28/74 38 F. R. 33393 (Changed)

V-430 From Cut Bank, Mont., 10 miles, 74 miles 55 MSL, Havre, Mont.; 14 miles, 100 miles 50 MSL, Glasgow, Mont.; INT Glasgow 100° and Williston, N. Dak., 263° radials, 22 miles, 33 miles 55 MSL, Williston; Minot, N. Dak.; Devils Lake, N. Dak.; Grand Forks, N. Dak.; Bemidji, Minn., including a north alternate via Thief River Falls, Minn.; Grand Rapids, Minn.; Duluth, Minn., including a N alternate from Grand Rapids, to Duluth via Hibbing, Minn., excluding the airspace between the main and this N alternate airway; Ironwood, Mich.; Iron Mountain, Mich.; to Escanaba, Mich.

V-431 From Boston, Mass., INT Boston 015° and Gardner, Mass., 097° radials; Gardner, Keene, N. H., Glens Falls, N. Y.; INT Glens Falls 286° and Albany, N. Y., 350° radials.

V-432 From Thermal, Calif., Parker, Calif.

V-433 From INT Baltimore, Md., 223° and Kenton, Del., 262° radials, via INT Kenton 262° and New Castle, Del., 222° radials; New Castle; Yardley, Pa.; INT Yardley 059° and La Guardia, N. Y., 231° radials; La Guardia; INT La Guardia 049° and Bridgeport, Conn., 015° radials; INT Bridgeport 015° and Hartford, Conn., 280° radials.

PENDING AMENDMENT
V-433 "From INT Baltimore, Md., 223° and Kenton, Del., 262° radials; via INT Kenton 262° and New Castle, Del., 222° radials; New Castle;" is deleted and "From INT Washington, D. C., 065° and Baltimore, Md., 197° radials; via INT Washington, D. C., 065° and New Castle, Del., 222° radials; New Castle;" is substituted therefor.

AMENDMENTS 1/30/75 39 F. R. 40848 (Changed)

- V-434 From Ottumwa, Iowa, Moline, Ill.; Peoria, Ill.; Champaign, Ill.; Indianapolis, Ind.
- V-435 From Rosewood, Ohio, via INT Rosewood 041° and Cleveland, Ohio, 252° radials; to Cleveland.

AMENDMENTS 4/25/74 39 F. R. 6606 (Rewritten)

- V-437 From Ormond Beach, Fla., 37 miles, 76 miles 75 MSL, Savannah, Ga.; Charleston, S. C.; Florence, S. C.
- V-439 From Dickinson, N. Dak., 13 miles, 62 miles, 40 MSL, Williston, N. Dak.
- V-441 From St. Petersburg, Fla., INT St. Petersburg 010° and Ocala, Fla., 213° radials; Ocala, including an E alternate via INT St. Petersburg 040° and Ocala 171° radials.
- V-442 From Hector, Calif., 12 miles, 38 miles 85 MSL, 14 miles 75 MSL, INT Needles, Calif., 272° and Goffs, Calif., 163° radials; INT Goffs 163° and Parker, Calif., 333° radials; Parker.
- V-443 From INT Newcomerstown, Ohio, 099° and Bellaire, Ohio, 044° radials; Newcomerstown, Ohio, Tiverton, Ohio; Cleveland, Ohio, including an E alternate via INT Tiverton 028° and Cleveland 138° radials; INT Cleveland 049° and Aylmer, Ont., Canada, 205° radials; Aylmer. The airspace within Canada is excluded.
- V-445 From La Guardia, N. Y., INT La Guardia 034° and Hartford, Conn., 245° radials.
- V-446 From Troy, Ill., INT Troy 099° and Centralia, Ill., 056° radials; Samsville, Ill.
- V-447 From Montpelier, Vt., INT Montpelier 020° and Sherbrooke, Quebec, Canada, 217° radials; Sherbrooke. The airspace within Canada is excluded.
- V-448 From Portland, Oreg., Yakima, Wash., including a south alternate; Moses Lake, Wash., including a south alternate via the INT of the Yakima 129° and Ephrata, Wash., 203° radials to the INT of the Ephrata 203° and Moses Lake 238° radials; Spokane, Wash., 45 miles, 21 miles 75 MSL, 20 miles 80 MSL, Kalispell, Mont.
- V-449 From Lake Henry, Pa.; DeLancey, N. Y.; Albany, N. Y.
- V-450 From Green Bay, Wis.; Muskegon, Mich.; INT Muskegon 094° and Flint, Mich., 280° radials; Flint; INT Flint 088° and Peck, Mich., 237° radials.
- V-451 From INT Whitman, Mass., 177° and Providence, R. I., 118° radials, Whitman; Boston, Mass.
- V-452 From Newport, OR.; Eugene, OR., via Klamath Falls, OR.; to Reno, NV.
- V-454 From Monroeville, Ala., INT Monroeville 073° and Eufaula, Ala., 258° radials; INT Eufaula 258° and Columbus, Ga., 219° radials; Columbus; INT Columbus 068° and Athens, Ga., 192° radials; INT Athens 192° and Greenwood, S. C., 240° radials; Greenwood. Fort Mill, S. C.; Liberty, N. C.; Lawrenceville, Va.; Hopewell, Va.
- V-455 From New Orleans, La., via Picayune, Miss.; Hattiesburg, Miss., including an E alternate from New Orleans to Hattiesburg via INT New Orleans 070° and Gulfport, Miss., 247° radials, Gulfport, INT Gulfport 344° and Hattiesburg 171° radials, and also a W alternate from New Orleans to Hattiesburg via INT New Orleans 357° and Hattiesburg 221° radials; 6 mi. wide, Meridian, including a W alternate via INT Hattiesburg 010° and Meridian 221° radials.
- V-458 From Santa Catalina, Calif., via Oceanside, Calif., Julian, Calif.; INT Julian 130° and Imperial, Calif., 272° radials; Imperial; 13 miles, 24 miles, 25 MSL, Yuma, Ariz., excluding the airspace within R-2503 and below 2,000 feet MSL outside the United States. The portion outside the United States has no upper limit.
- V-459 From Seal Beach, Calif., Lake Hughes, Calif.; Porterville, Calif., Friant, Calif.; INT Friant 319° and Linden, Calif., 124° radials; Linden.
- V-460 From Julian, Calif., INT Julian 055° and Blythe, Calif., 272° radials; Blythe.

- V-461 From Gila Bend, Ariz., Buckeye, Ariz.
- V-463 From Norcross, Ga., to Harris, Ga.
- V-464 From Dunkirk, N. Y., Geneseo, N. Y.
- V-465 From Elko, Nev., Wells, Nev.; 12 miles; 30 miles, 115 MSL, 20 miles, 90 MSL, 36 miles, 115 MSL, 24 miles, 95 MSL, Malad City, Idaho; 39 miles, 53 miles 124 MSL, Jackson, Wyo.; Dunoir, Wyo.; 14 miles, 45 miles, 137 MSL, Billings, Mont. From Miles City, Mont., Williston, N. Dak., including an E alternate.
- V-467 From INT Kenton, Del., 217° and Sea Isle, N. J., 256° radials; INT Sea Isle 256° and Millville, N. J., 216° radials; Millville; INT Millville 037° and LaGuardia, N. Y., 209° radials; LaGuardia; Hartford, Conn.
- AMENDMENTS 5/23/74 39 F. R. 11417 (Changed)
- V-469 From Danville, Va., via Lynchburg, Va.; INT Lynchburg 347° and Elkins, W. Va., 142° radials; to Elkins.
- V-471 From INT Princeton, Maine, 208° and Bangor, Maine, 132° radials; Bangor; Millinocket, Maine; Houlton, Maine; INT Houlton 085° and the United States/Canadian border.
- V-472 From Elizabeth City, N. C., via INT Elizabeth City 243° and Kinston, N. C., 029° radials; Kinston.
- V-474 From INT Morgantown, W. Va., 010° and Johnstown, Pa., 260° radials; Indian Head, Pa.; St. Thomas, Pa.; INT St. Thomas 088° and Modena, Pa., 274° radials; Modena; INT Modena 095° and Woodstown, N. J., 043 radials.
- V-475 From La Guardia, N. Y.; INT La Guardia 049° and Madison, Conn., 269° radials; Madison; Norwich, Conn.; Providence, R. I.; INT Providence 013° and Boston, Mass., 223° radials; Boston.
- V-477 From Humble, Tex., via Leona, Tex.; including a west alternate via Navasota, Tex.; Scurry, Tex., including a W alternate via INT Leona 330° and Scurry 182° radials.
- V-478 From Falmouth, Ky., Newcombe, Ky.; Beckley, W. Va.
- V-483 From Carmel, N. Y.; DeLancey, N. Y.; Rockdale, N. Y.; INT Rockdale 325° and Syracuse, N. Y. 100° radials; Syracuse.
- V-484 From INT Twin Falls, Idaho, 007° and Burley, Idaho, 323° radials, Twin Falls, 49 miles, 34 miles 114 MSL, Salt Lake City, Utah; 25 miles, 31 miles, 125 MSL, Myton, Utah; 14 miles, 79 MSL, 33 miles, 100 MSL, Grand Junction, Colo.; Gunnison, Colo., including a south alternate from Grand Junction to Gunnison via Montrose, Colo.; 13 miles, 112 MSL, 131 MSL INT Gunnison 110° and Alamosa, Colo., 339° radials; Alamosa.
- V-485 From Ventura, Calif., 0 miles wide, INT Ventura 331° and Fellows, Calif., 142° radials; Fellows; Priest, Calif.; INT of Priest 322° and San Jose, Calif., 139° radials; San Jose. The airspace within W-289 and R-2520, the airspace within R-2519 more than 3 statute miles W of the airway centerline and the airspace within R-2519 below 5,000 feet MSL is excluded.
- V-487 From INT LaGuardia, N. Y., 034° and Carmel, N. Y., 188° radials; Carmel; Pawling, N. Y.; Cambridge, N. Y.; INT Cambridge 002° and Glens Falls, N. Y., 032° radials; Burlington, Vt.; INT Burlington 359° and St. Jean, Quebec, Canada, 158° radials; St. Jean. The airspace within Canada is excluded.
- V-489 From Sparta, N. J.; INT Sparta 023° and Kingston 238° radials; Kingston, N. Y.; Albany, N. Y.; Glens Falls, N. Y.; Plattsburgh, N. Y.
- V-490 From Utica, N. Y., Cambridge, N. Y.; Manchester, N. H.; INT Manchester 117° and Boston, Mass., 015° radials.
- V-492 From St. Petersburg, Fla., La Belle, Fla.; INT La Belle 101° and Palm Beach, Fla., 272° radials; Palm Beach, including a north alternate from La Belle to Palm Beach via INT La Belle 043° and Palm Beach 298° radials.
- V.493 From Livingston, Tonn., Lexington, Ky.; York, Ky.; Appleton, Ohio; Waterville, Ohio; Carleton, Mich.; INT Carleton 334∘ and Mt. Pleasant, Mich., 142∘ radials; to Mt. Pleasant.

V-494 From Ukiah, Calif., INT Ukiah 147° and Santa Rosa, Calif., 325° radials; Santa Rosa; Sacramento, Calif.; INT Sacramento 038° and Lake Tahoe, Calif., 249° radials; Lake Tahoe; INT Lake Tahoe 078° and Hazen, Nev., 244° radials; Hazen.

V-496 From Utica, N. Y., via Glens Falls, N. Y.; to Lebanon, N. H.

AMENDMENTS 11/7/74 39 F. R. 30346 (Rewritten)

V-497 From Kimberly, Oreg., 49 miles, 65 MSL, The Dallas, Oreg.

V-499 From Lancaster, Pa., to Binghamton, N. Y.

AMENDMENTS 4/25/74 39 F. R. 7576 (Added) Corr: 39 F. R. 9820 (Eff. date changed to 5/23/74)

V-500 From Portland, Oreg., Newberg, Oreg.; 41 miles, 70 MSL Kimberly, Oreg.; 30 miles, 71 miles, 105 MSL, Boise, Idaho; 25 miles, 25 miles, 90 MSL, 26 miles, 95 MSL 22 miles, 25 miles, 70 MSL, Pocatello, Idaho.

V-501 From Martinsburg, W. Va., via Hagerstown, Md.; St. Thomas, Pa.; Philipsburg, Pa. From Wellsville, N. Y.; INT Elmira, N. Y., 357° and Geneseo, N. Y., 091° radials.

V-516 From Liberal, KS., Anthony, KS.; Pioneer, OK.; Oswego, KS.

V-518 From Fillmore, Calif., INT Fillmore 102° and Ventura, Calif., O61° radials; INT Ventura O61° and Palmdale, Calif., 233° radials; Palmdale.

V-520 From Portland, Oreg., via The Dalles, Oreg.; Pasco, Wash.; Walla Walla, Wash.; to Lewiston, Idaho.

V-524 From Laramie, Wyo., INT Laramie 069° and Scottsbluff, Nebr., 254° radials; Scottsbluff; 18 miles, 93 miles, 54 MSL, North Platte, Nebr.

V-530 From Texico, N. Mex., Childress, Tex.

V-536 From North Bend, Oreg., INT North Bend 023° and Corvallis, Oreg., 235° radials; Corvallis; Redmond, Oreg., 32 miles, 58 miles, 71 MSL, Pendleton, Oreg.; Walla Walla, Wash.; Pullman, Wash.; 27 miles, 85 MSL Mullan Pass, Idaho; 5 miles, 34 miles, 96 MSL Kalispell, Mont.; 20 miles, 41 miles, 115 MSL, Great Falls, Mont.

V-538 From Twentynine Palms, Calif., INT Twentynine Palms 043° and Goffs, Calif., 200° radials; 23 miles 95 MSL, 21 miles 75 MSL, Goffs; Las Vegas, Nev. The airspace within R-2501E is excluded.

§71.125 Alaskan VOR Federal Airways.

V-307 From Sandspit, British Columbia, Canada, via Annette Island, Alaska; 42 miles, 12 AGL, 99 miles 55 MSL, 31 miles 12 AGL, to Biorka Island, Alaska. The airspace within Canada is excluded.

AMENDMENTS 7/18/74 39 F. R. 17850 (Rewritten)

V-309 From Prince Rupert, British Columbia, Canada RBN, Annette Island, Alaska. The airspace within Canada is excluded.

V-317 From Ethelda Bay, British Columbia, Canada, RBN Annette Island, Alaska, including a west alternate via INT Sandspit, British Columbia, Canada, 039° and Annette Island 167° radials; 42 miles, 52 MSL Level Island, Alaska, including a west alternate via INT Annette Island 311° and Level Island 164° radials; Sisters Island, Alaska; INT Sisters Island 272° and Yakutat, Alaska, 139° radials; 86 miles, 20 MSL Yakutat; Johnstone Point, Alaska; INT Johnstone Point 286° and Anchorage, Alaska 117° radials; Anchorage, including a south alternate via INT Johnstone Point 271° and Anchorage 130° radials. The airspace within Canada is excluded.

AMENDMENTS 5/23/74 39 F. R. 11418 (Changed)

V-347 From Fairbanks, Alaska, Chandalar Lake, Alaska, RBN.

V-427 From King Salmon, Alaska, 042° 103 miles, 29 miles 135 MSL; INT King Salmon 042° and Anchorage, Alaska, 246° radials; 32 miles 135 MSL, 15 miles 120 MSL, 15 miles 105 MSL, to Anchorage.

V-428 From Biorka Island, Alaska, via Sisters Island, Alaska; Haines, Alaska, RBN; to Whitehorse, Yukon Territory, Canada. The airspace within Canada is excluded.

AMENDMENTS 7/18/74 39 F. R. 17850 (added)

V-436 From King Salmon, Alaska, INT King Salmon 068° and Kenai, Alaska, 217° radials; Kenai, including an east alternate from King Salmon to Kenai via INT King Salmon 068° and Kenai 217° radials, and Homer, Alaska; Anchorage, Alaska; Talkeetna, Alaska; Nenana, Alaska; Chandalar Lake, Alaska RBN.

PENDING AMENDMENT
In V-436, "Chandalar Lake, Alaska, RBN." is deleted and "Chandalar Lake, Alaska, RBN; to Deadhorse, Alaska." is substituted.

AMENDMENTS 1/2/75 39 F. R. 36111 (Changed)

V-438 From Kodiak, Alaska, 27 miles, 24 miles, 35 MSL, 29 miles, 55 MSL, Homer, Alaska, including a west alternate from Kodiak 27 miles, 24 miles, 35 MSL, 33 miles, 55 MSL, to Homer; INT Homer 027° and Anchorage, Alaska, 198° radials; Anchorage; Big Lake, Alaska; Fairbanks, Alaska; 54 miles, 31 miles, 65 MSL, Fort Yukon, Alaska, including an east alternate from Fairbanks 54 miles, 34 miles, 65 MSL, to Fort Yukon and a west alternate. PENDING AMENDMENT
In V-438, "to Fort Yukon and a west alternate." is deleted and "to Fort Yukon and a west alternate; 89 miles, 52 miles 95 MSL, 27 miles 75 MSL to Deadhorse, Alaska." is substituted.

AMENDMENTS 1/2/75 39 F. R. 36111 (Changed)

V-440 From Seattle, Wash., Victoria, British Columbia, Canada. From Sandspit, British Columbia; 83 miles; 115 miles, 35 MSL, Biorka Island, Alaska; 31 miles, 50 miles 48 MSL, 108 miles, 20 MSL, Yakutat, Alaska; 50 miles, 105 miles, 75 MSL, Middleton Island, Alaska; 56 miles, 48 miles, 80 MSL, Anchorage, Alaska, including a south alternate from Middleton Island, 56 miles, 85 MSL INT Middleton Island, 298° and Anchorage 163° radials; to Anchorage, excluding the airspace between the main and this south alternate; McGrath, Alaska; 23 miles, 54 miles, 55 MSL, 46 miles, 40 MSL, Unalakleet, Alaska; 52 miles, 51 miles, 25 MSL, Nome, Alaska. The airspace within Canada is excluded.

V-444 From Bettles, Alaska, Fairbanks, Alaska, including a south alternate via INT Bettles 155° and Fairbanks 307° radials; Big Delta, Alaska; Northway, Alaska; Burwash, Yukon Territory, Canada. The airspace within Canada is excluded.

V-452 From Nome, Alaska, via Moses Point, Alaska; 47 miles, 57 miles, 55 MSL, Galena, Alaska; Nenana, Alaska.

V-453 From King Salmon, Alaska, Dillingham, Alaska, including a south alternate; 38 miles, 60 MSL INT Dillingham 308° and Bethel, Alaska, 143° radials; 50 miles, 60 MSL, Bethel.

V-456 From Cold Bay, Alaska, 20 AGL King Salmon, Alaska, 053° 93 miles, 9 miles 125 MSL; INT King Salmon 053° and Kenai, Alaska, 239° radials, 46 miles 125 MSL, 10 miles 115 MSL, Kenai; Anchorage, Alaska; Big Lake, Alaska; Gulkana, Alaska; Northway, Alaska.

V-462 From Dillingham, Alaska, 35 miles, 45 MSL, 42 miles 100 MSL, 85 miles 135 MSL, 15 miles 120 MSL, 15 miles 105 MSL, to Anchorage, Alaska.

V-473 From Level Island, Alaska, to Biorka Island, Alaska, via INT Level Island 277° and Biorka Island 127° radials.

V-480 From Bethel, Alaska, 105 miles, 89 miles, 55 MSL, McGrath, Alaska, 28 miles, 64 miles, 45 MSL, Nenana, Alaska; Fairbanks, Alaska.

V-481 From Johnstone Point, AK., via Gulkana, AK., to Big Delta, AK.

V-481 From Johnstone Point, Alaska, via Gulkana, Alaska, including an E alternate; Big Delta, Alaska; to Fort Yukon, Alaska.

AMENDMENTS 1/2/75 39 F. R. 36111 (Rewritten)

FEDERAL REGISTER

V-488 From Galena, Alaska, INT Galena 074° and Tanana, Alaska, 260° radials; Tanana, including a south alternate; Fairbanks, Alaska.

V-498 From McGrath, Alaska, 24 miles, 54 miles, 55 MSL, Galena, Alaska; 68 miles, 88 miles, 55 MSL, Kotzebue, Alaska.

V-504 From Nenana, Alaska, Bettles, Alaska.

V-504 From Nenana, Alaska; via Bettles, Alaska, NDB; to Deadhorse, Alaska.

AMENDMENTS 1/2/75 39 F. R. 36111 (Rewritten)

V-506 From INT Kodiak, Alaska, 107° radial and northwest boundary Anchorage Oceanic Control Area at latitude 57°28" N., longitude 150°32" W.; 37 miles, 20 MSL, Kodiak; 45 miles, 68 miles, 95 MSL; King Salmon, Alaska; 51 miles, 84 miles, 70 MSL, Bethel, Alaska; 47 miles, 173 miles, 30 MSL, Nome, Alaska, including a west alternate; 35 miles, 90 miles, 55 MSL, Kotzebue, Alaska, including a west alternate.

V-508 From Middleton Island, Alaska, 56 miles, 58 miles, 85 MSL, Kenai, Alaska.

V-510 From McGrath, Alaska, INT McGrath 123° and Big Lake, Alaska, 294° radials; Big Lake.

PENDING AMENDMENT

V-515 From Gulkana, Alaska, via INT of Gulkana Ollo and Big Delta, Alaska, 1610 radials; to Big Delta.

AMENDMENTS 1/2/75 39 F. R. 36111 (Added)

§71.127 Hawaiian VOR Federal Airways.

V-1 HAWAII From INT Upolu Point, Hawaii, 093° and Hilo, Hawaii 336° radials, INT Upolu Point 093° and Hilo 013° radials; Hilo.

V-2 HAWAII From South Kauai, Hawaii, Lihue, Hawaii, INT Lihue 130° and Honolulu, Hawaii, 269° radials; Honolulu; Lanai, Hawaii, including a south alternate; INT Lanai 107° and Upolu Point, Hawaii, 305° radials; Upolu Point; INT Upolu Point 093° and Hilo, Hawaii, 336° radials; Hilo. The airspace within R-3104 is excluded.

V-3 Hawaii From INT Kamuela, Hawaii, 245° and Upolu Point, Hawaii, 211° radials, Kamuela; INT Kamuela 068° and Hilo, Hawaii, 336° radials.

V-4 HAWAII From INT Lihue, Hawaii, 186° and Koko Head, Hawaii, 254° radials, 54 miles, 35 MSL, Koko Head; 15 miles, 25 MSL INT Koko Head 065° and Upolu Point, Hawaii, 002° radials.

V-5 Hawaii From Kona, Hawaii, INT Kona 338° and Maui, Hawaii, 179° radials, including a west alternate via INT Kona 323° and Maui 179° radials.

V-6 HAWAII From INT Molokai, Hawaii, 067° and Maui, Hawaii 331° radials, Maui; INT Maui 080° and Hilo, Hawaii, 336° radials; Hilo.

V-7 HAWAII From Kona, Hawaii, INT Kona 323° and Lanai, Hawaii, 140° radials; Lanai; Molokai, Hawaii.

V-8 HAWAII From INT Honolulu, Hawaii, 179° and Molokai, Hawaii, 262° radials, Molokai; 30 miles, 25 MSL INT Molokai 067° and Upolu Point, Hawaii, 010° radials.

V-9 HAWAII From INT Lanai, Hawaii, 223° and Honolulu, Hawaii, 179° radials, 78 mi. 35 MSL, Honolulu. The airspace above FL-300 within W-321B is excluded.

V-11 HAWAII From INT Kona, Hawaii, 323° and Upolu Point, Hawaii 211° radials; Upolu Point; INT Upolu Point 349° and Maui, Hawaii, 080° radials; Maui; INT Maui 331° and Molokai, Hawaii, 091° radials; Molokai; INT Molokai 262° and Honolulu, Hawaii, 179° radials.

V-12 HAWAII From INT Lihue, Hawaii, 195° and Honolulu, Hawaii, 269° radials, 38 miles, 35 MSL, Honolulu; Koko Head, Hawaii, 14 miles, 25 MSL INT Koko Head 050° and Maui, Hawaii, 012° radials.

V-13 HAWAII From Lihue, Hawaii, INT Lihue 145° and Honolulu, Hawaii, 269° radials; INT South Kauai, Hawaii, 133° and Koko Head, Hawaii 254° radials; Koko Head, 14 miles, 25 MSL, INT Koko Head 050° and Molokai 015° radial and the Honolulu FIR/Oceanic CTA.

V-14 HAWAII From INT South Kauai, Hawaii, 271° radial and longitude 161°20'00" W.; 50 MSL longitude 159°42'00" W.; South Kauai; INT South Kauai 133° and Koko Head, Hawaii, 254° radials; Koko Head.

V-15 HAWAII From INT South Kauai, Hawaii, 288° radial and longitude 161°15'00" W.; 50 MSL longitude 159°42'00" W.; South Kauai; Honolulu, Hawaii; Koko Head, Hawaii; Molokai, Hawaii, Maui, Hawaii; INT Maui 095° and Hilo, Hawaii, 336° radials; Hilo; to INT Hilo 099° radial and the Honolulu FIR/Oceanic CTA.

V-16 HAWAII From Honolulu, Hawaii, INT Honolulu 179° and Lanai, Hawaii, 285° radial; Lanai; Upolu Point, Hawaii; INT Upolu Point 108° and Hilo, Hawaii, 013° radials; Hilo.

V-17 HAWAII From INT Lanai, Hawaii, 1180 and Maui, Hawaii, 2010 radials; Maui.

V-19 HAWAII From Hilo, Hawaii, to INT Hilo 013° and Maui, Hawaii, 086° radials.

V-20 HAWAII From Honolulu, Hawaii, INT Honolulu 1340 and Kona, Hawaii, 3080 radials; Kona.

V-21 HAWAII From INT Honolulu, Hawaii, 179° and Lanai, Hawaii, 285° radials; Lanai; INT Lanai 107° and Hilo, Hawaii, 013° radials; to INT Upolu Point 093° radial and the Honolulu FIR/Oceanic CTA.

V-22 Hawaii From Maui, Hawaii, 1NT Maui 095° and Hilo, Hawaii, 321° radials; Hilo; to INT Hilo 078° radial and the Honolulu FIR/Oceanic CTA,

V-23 HAWAII From Upolu Point, Hawaii; INT Upolu Point 277° and Honolulu, Hawaii, 134° radials.

V-24 HAWAII From Lanai, Hawaii; Maui, Hawaii; to INT Maui 086° radial and the Honolulu FIR/Oceanic CTA.

V-25 HAWAII From Hilo, Hawaii, to INT Hilo 356° radial and the Honolulu FIR/Oceanic CTA.

SUBPART D - CONTINENTAL CONTROL AREA

§ 71.151 Restricted areas included.

The airspace of the following restricted areas at or above 14,500 feet MSL and 1500 feet or more above the surface of the earth is continental control area:

```
R-2102 Fort McClellan, Ala.
R-2103 Fort Rucker, Ala.
                                                                       AMENDMENTS 8/30/74 39 F. R. 31627 (Added)
R-2104A Huntsville, Ala.
 R-2202A Big Delta, Alaska
 R-2203A Eagle River, Alaska
 R-2203B Eagle River, Alaska
R-2205A Yukon, Alaska
R-2211 Blair Lakes, Alaska
R-2301 Ajo, Arizona.
  R-2303A Fort Huachuca, Arizona.
  R-2303B Fort Huachuca, Arizona.
  R-2304 Gila Bend, Arizona.
 R-2305 Gila Bend, Arizona.
R-2306A Yuma West, Ariz.
 R-2306B Yuma West, Ariz.
R-2306C Yuma West, Ariz.
 R-2307 Yuma, Arizona
R-2308A Yuma East, Ariz.
R-2308B Yuma East, Ariz.
 R-2401 Fort Chaffee, Ark.
                                                                             AMENDMENTS 1/3/74 38 F. R. 31287 (Added)
 R-2402 Fort Chaffee, Ark.
R-2403A Little Rock, Ark.
R-2403B Little Rock, Ark.
  R-2501N Bullion Mountains, Calif.
   R-2501S Bullion Mountains, Calif.
R-2501E Bullion Mountains, Calif.
  R-2502 Fort Irwin, Calif.
  R-2503
               Camp Pendleton, Calif.
              China Lake, Calif.
  R-2505
  R-2507
  R-2507 Chocolate Mountains, Calif
R-2508 California Complex.
R-2509 Cuddeback Dry Lake, Calif.
              Chocolate Mountains, Calif.
  R-2510 El Centro, Calif.
R-2512 Holtville, Calif.
  R-2513 Hunter-Liggett, Calif.
  R-2515 Muroc Lake, Calif.
  R-2519 Point Mugu. California
R-2521 Salton Sea, Calif.
R-2524 Trona, Calif.
R-2532 Blythe, Calif.
R-2534A Point Arguello, Calif.
  R-2534B Point Arguello, Calif.
  R-2601 Fort Carson, Colo.
R-2602 Fort Carson, Colo.
  R-2901A Avon Park, Fla.
   R-2901B Avon Park, Fla.
   R-2902A Cape Kennedy, Fla.
   R-2902B Cape Kennedy, Fla.
   R-2903B Stevens Lake. Fla.
R-2907 Lake George, Fla.
               Pinecastle, Fla.
   R-2910
    R-2914 Valnaraiso. Fla.
    R-2915A Eglin AFB, Fla.
   R-2915B Eglin AFB, Fla.
R-3004 Fort Gordon, Ga.
    R-3005A Fort Stewart. Ga.
   R-3005B Fort Stewart. Ga.
R-3202 Sailor Creek, Idaho.
                                                                              AMENDMENTS 6/20/74 39 F. R. 13258 (Added)
   R-3401A Atterbury Reserve Forces Training Area, Ind.
    R-3403 Jefferson Proving Ground, Ind.
R-3602 Manhattan, Kans.
              Fort Campbell, Ky. Fort Campbell, Ky.
    R-3702
     R-3703
    R-3704 Fort Knox, Ky.
R-3801D Camp Claiborne, La.
    R-3803 Fort Polk. La.
    R-3804A Fort Polk, La.
R-3804C Fort Polk, La.
R-4001 Aberdeen, Md.
    R-4002 Bloodsworth Island, Md.
```

R-4005 Patuxent River, Md.

FEDERAL REGISTER

```
R-4006 Patuxent River, Md.
          No Man's Land Island, Mass.
R-4105
R-4201 Camp Grayling, Mich.
R-4207
            Upper Lake Huron, Mich.
R-4301 Camp Ripley, Minn.
R-4305
            Lake Superior, Minn.
R-4401 Camp Shelby, Miss.
R-4501A Fort Leonard Wood West, Mo.
R-4803 Fallon, Nev.
R-4804 Twin Peaks, Nev.
R-4806
            Las Vegas, Nev.
R-4810 Desert Mountains, Nevada
R-4812 Sand Springs, Nev.
R-4813 Carson Sink, Nev.
R-4816N Dixie Valley, Nev.
R-4816S Dixie Valley, Nev.
R-5103 McGregor, N. Mex.
R-5104A Melrose, N. Mex.
R-5104B Melrose, N. Mex.
 R-5107A White Sands Proving Grounds, N. Mex.
 R-5107C White Sands Proving Grounds, N. Mex.
R-5107D White Sands Proving Grounds, N. Mex.
R-5107E White Sands Proving Grounds, N. Mex.
 R-5107F White Sands Proving Grounds, N. Mex.
 R-5107G White Sands Proving Grounds, N. Mex.
 R-5109A White Sands, N. Mex.
R-5109B White Sands, N. Mex.
R-5306A Cherry Point, N. C.
R-5306B Cherry Point, N. C.
 R-5306C Cherry Point, N. C.
R-5306D Cherry Point, N. C.
R-5306E Cherry Point, N. C.
R-5111A Elephant Butte, N. Mex. (East)
R-5111B Elephant Butte, N. Mex. (West)
 R-5113 Socorro, N. Mex.
 R-5113 Socorro, N. Mex.
R-5201 Camp Drum, N. Y.
R-5203 Oswego, N. Y.
R-5314 Fort Bragg, N. C.
R-5314 Dare County, N. C.
R-5502 La Carne. Ohio
R-5503 Wilmington, Ohio
  R-5504 Wilmington, Ohio
R-5601B Fort Sill, Okla.
  R-5601C Fort Sill, Okla.
 R-5701 Boardman, Oreg.
R-6001 Fort Jackson, S. C.
R-6102 Badlands, S. Dak.
   R-6302A Fort Hood. Texas
   R-6302B Fort Hood. Texas
   R-6302C Fort Hood. Texas
R-6303 Matagorda Island, Tex.
  R-6312 Cotulla, Texas
  R-6402 Dugway Proving Ground, Dugway, Utah
   R-6404A Hill AFB Rangs South, Utah
   R-6404B Hill AFB Range North, Utah
   R-6404C Hill AFB Range East, Utah
  R-6405 Wendover, Utah
R-6406 Wendover, Utah
                                                          AMENDMENTS 12/28/73 38 F. R. 35449 (Added)
  R-6407 Dugway Proving Ground, Dugway, Utah
  R-6409 Green River. Utah
R-6413 Green River, Utah
  R-6602 Camp Pickett, Va.
                                                                    AMENDMENTS 1/3/74 38 F. R. 31288 (Added)
   R-6604 Chincoteague Inlet, Va.
  R-6606 Pendleton, Va.
   R-6609 Tangier Island, Va.
    R-6611 Dahlgren Complex, Va.
    R-6613
               Dahlgren Complex, Va.
                Yakima, Wash.
    R-6714
   R-6901 Camp McCoy, Wis.
R-6903 Sheboygan, Wis.
R-6904 Volk Field, Wis.
   R-7001 Guernsey, Wyo.
```

SUBPART E - CONTROL AREAS AND CONTROL AREA EXTENSIONS

§ 71.161 Designation of control areas associated with jet routes outside the continental control area.

Unless otherwise specified, the airspace centered on each of the following jet route segments has a vertical extent identical to that of a Jet Route and a lateral extent identical to that of a Federal airway and is designated as a control area. Unless otherwise specified, the place names appearing in the descriptions indicate VOR or VORTAC facilities identified by those names.

Jet Route No. 37 From Hobby, Tex., to INT of Hobby 0900 and New Orleans, La., 2570 radials.

J-41 From Key West, Fla., to Tallahassee, Fla.

Jet Route No. 42 Robbinsville, N. J., to Hampton, N. Y.

J-43 From St. Petersburg, Fla., to Tallahassee, Fla.

Jet Route No. 53 from Key West, Fla., to Miami, Fla.

Jet Route No. 55 from Sea Isle, N. J., to Putnam, Conn.

Jet Route No. 58 from New Orleans, La., to Sarasota, Fla.

Jet Route No. 62 From Nantucket, Mass., to the INT of the Nantucket 089° radial and the western boundary of the New York Oceanic Control Area.

Jet Route No. 63 From Kennedy, N. Y., to TUNNA INT.

Jet Route No. 79 From Ormond Beach, Fla., to Charleston, S. C.

Jet Route No. 86 From Humble, Tex., to Sarasota, Fla.

Jet Route No. 97 From Nantucket, Mass., to the INT of the Nantucket 157° radial and the western boundary of the New York Oceanic Control Area.

Jet Route No. 103 From Ormond Beach, Fla., to Savannah, Ga.

Jet Route No. 111 From Nome, Alaska, to SNOUT INT.

Jet Route No. 115, King Salmon, Alaska, to 160° W.

Jet Route No. 121: Norfolk, Va., to Hampton, N. Y.; Providence, R. I., to INT of Providence 045° and Boston, Mass., 066° radials.

Jet Route No. 122, from Galena, Alaska, to Nome, Alaska.

Jet Route No. 123, From INT of Kodiak, Alaska, 107° radial and the NW boundary Anchorage Oceanic Control Area at latitude 57°28' N., longitude 150°32' W., to Kotzebue, Alaska.

Jet Route No. 125, From Kodiak, Alaska, to Anchorage, Alaska.

Jet Route No. 129, Nome, Alaska, to Kotzebue, Alaska.

Jet Route No. 133, From Annette Island, Alaska, to Anchorage, Alaska.

Jet Route No. 150 From Hampton, N. Y., via Hyannis, Mass., to INT of Hyannis 068° and Boston, Mass., 097° radials.

PENDING AMENDMENT

Jet Route No. 150 From Robbinsville, N. J., via Hampton, N. Y.; Hyannis, Mass.; to the INT of Hyannis 068° and Boston, Mass., 097° radials.

AMENDMENTS 1/30/75 39 F. R. 41520 (Rewritten)

Jet Route No. 153 From Sea Isle, N. J., to SHADS INT.

Jet Route No. 174 - From Hampton, N. Y., via Hyannis, Mass., to HERIN INT.

Jet Route No. 501, from Oakland, Calif., to Anchorage, Alaska.

Jet Route No. 502, from the United States/Canadian border to Annette Island, AK.

Jet Route No. 573 from Providence, R. I., to Kennebunk, Maine

§ 71.163 Designation of additional control areas.

Unless otherwise specified, each control area designated below has a lateral extent identical to that of a Federal airway and extends upward from 700 feet (until designated from 1,200 feet or more) above the surface of the earth, except that the airspace of a control area within the lateral limits of a transition area has a floor coincident with the floor of the transition area.

Control 1141

That airspace within tangent lines from the circumference of a 5-mile radius circle centered at latitude 42° 23'23" N., longitude 70°59'10" W., to a 15-mile radius circle centered on the midway point of a direct line between latitude 42°23'23" N., longitude 70°59'10" W., and the Yarmouth, Nova Scotia, Canada, RBN to a 5-mile radius circle centered on the Yarmouth RBN and that airspace from 18,000 feet MSL to flight level 260 inclusive bounded by a line from: latitude 42°33'35" N., longitude 70°03'45" W.; thence to latitude 42°42' 30" N., longitude 60°30'00" W.; thence to latitude 42°39'00" N., longitude 60°30'00" W.; thence to latitude 42°39'00" N., longitude 60°30'00" W.; thence to latitude 42°38'00" N., longitude 70°03'45" W.; thence to point of beginning; and that airspace extending upward from 2,000 feet MSL bounded by a line from: latitude 42°33'35" N., longitude 70°03'45" W.; thence to latitude 42°23'45" N., longitude 70°03'45" W.; thence to the point of beginning; excluding the portion under the jurisdiction of Canada, the portion within the confines of Federal airways and the Boston, Mass., transition area, the portion below 2,000 feet MSL west of the 60°30'00" W., meridian of longitude and the portion below 5,500 feet MSL east of the 60°30'00" W., meridian of longitude.

Control 1142

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered at latitude 42°21'30" N., longitude 70°41'25" W., to a 15-mile radius circle centered at latitude 42°02'00" N., longitude 68°00'00" W., and that airspace within lines drawn from latitude 42°16'00" N., longitude 68°00'00" W., thence to latitude 42°14'00" N., longitude 67°00'00" W., thence to latitude 41°52'00" N., longitude 67°00'00" W., thence to latitude 41°46'00" N., longitude 68°00'00" W., excluding the portion within the Boston Transition area, the airspace below 5,500 feet MSL E of longitude 68°00'00" W., and the airspace below 2,000 feet MSL W of longitude 68°00'00" W., except that airspace within the confines of Federal airways.

Control 1143

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered on the Nantucket, Mass., RBN to a 15-mile radius circle centered at the midway point on a direct line between the Nantucket RBN and the Yarmouth, Nova Scotia, Canada, RBN to a 5-mile radius circle centered on the Yarmouth RBN excluding that portion below 2,000 feet except that airspace within the confines of Federal airways.

Control 1144

That airspace in the vicinity of Nantucket, Mass., within an area bounded by a line beginning at latitude 41°06'00"

N., longitude 70°09'10" W., to latitude 41°25'35" N., longitude 70°09'35" W., to latitude 41°26'00" N., longitude 69°15'00" W., to latitude 41°46'00" N., longitude 68°00'00" W., to latitude 41°06'00" N., longitude 68°00'00" W., to the point of beginning, excluding the portion below 2,000 feet MSL except that airspace which lies within the confines of Federal airways.

Control 1145

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered on the Nantucket, Mass., RBN to a 15-mile radius circle centered on the INT of a rhumb line between the Nantucket RBN and the Kindley AFB, Bermuda RBN and the W boundary of the New York

Oceanic Control Area, excluding the portion lelow 2,000 feet except that airspace within the confines of Federal airway.

Control 1146

That airspace within a 5 NM radius circle centered on the Nantucket, Mass., RBN and that airspace bounded by a line drawn from the tangent of the 5 NM radius circle centered on Nantucket RBN to latitude 42°05'20" N., longitude 68°00'00" W., thence to latitude 42°19'00" N., longitude 68°00'00" W., thence to latitude 43°00'00" N., longitude 67°00'00" W., thence to latitude 41°52'00" N., longitude 67°00'00" W., thence to latitude 41°46'00" N., longitude 68°00'00" W., thence to latitude 41°46'00" N., longitude 68°00'00" W., thence to the tangent of the 5 NM radius circle centered on the Nantucket RBN excluding that airspace outside the United States below 2,000 feet MSL W of longitude 68°00'00" W., and below 5,500 feet MSL E of longitude 68°00'00" W.

Control 1147

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered at Lat. 40°18'30" N, Long. 73°45'00" W, to the circumference of a 15-mile radius circle centered at the INT of the 137° bearing from the Newark, N. J., RBN and the W boundary of the New York Oceanic Control Area, and that airspace bounded by a line beginning at latitude 40°02'15" N., longitude 73°13'45" W.; to latitude 40°05'45" N., longitude 73°09'15" W.; to latitude 39°26'35" N., longitude 72°24'25" W.; to the point of beginning. That airspace below 2,000 feet outside the confines of Federal airways is excluded.

That airspace within tangent lines drawn from the circumference or 5-mile radius circles centered on the Rainbow, N. J., RBN and at the INT of Rainbow RBN 135° bearing and the Atlantic Ocean-U. S. Coastline to a 15-mile radius circle centered on the INT of Rainbow RBN 135° bearing and the west boundary of the New York Oceanic Control area at latitude 37°43'00" N., longitude 73°00'00" W., and that airspace which is within 5 miles southwest of and parallel to the Sea Isle, N. J., VORTAC 134° radial, extending from Sea Isle to a point 40 miles southeast of Sea Isle. That airspace below 2,000 feet outside the United States is excluded.

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered on the Norfolk. Va.. VORTAC 088° radial at Long. 75° 32' 00" W. to the circumference of a 15-mile radius circle centered on the Norfolk, Va., VORTAC 088° radial on the west boundary of the New York Oceanic Control Area at Lat. 36° 57' 30" N.. Long. 73° 00' 00" W.. excluding the portion below 2,000 feet MSL outside the United States.

That airspace within a 5-nmi radius of the Carolina Beach, N. C., RBN (Lat. 34°06'22" N, Long. 77°57'42" W), within a 5-nmi radius of the Bimini, Bahamas, RBN (Lat. 25°42'32" N. Long. 79°16'33" W), within a 23-nmi radius of Lat. 29°53'15" N, Long. 78°39'15" W, within tangent lines drawn from the E and W sides of the Carolina Beach and Bimini 5-nmi radius area to the E and W sides of the 23-nmi radius area centered at Lat. 29°53'15" N, Long. 78°39'15" W. excluding that portion below 2.000 feet MSL outside the United States and that portion below 7.000 feet MSL within the Nassau, Bahamas, control area. The airspace above FL 430 south of latitude 30°36'50" N., and north of a line from latitude 29°06'30" N., longitude 79°09'10" W.; to latitude 29°20'00" N., longitude 78°20'20" W. is excluded.

Control 1151

That airspace N of Lat. 27°00'00" N. within tangent lines drawn from the circumference of a 25-mile radius circle centered at a point midway on a direct line between the Carolina Beach, N. C., RBN and the Nassau, British West Indies, RBN and circles 5 miles in radius centered on the Carolina Beach RBN and the Nassau RBN, excluding the airspace below 2,000 feet MSL outside the United States.

Control 1152

That airspace east of Charleston, S. C., bounded by a line beginning at: Latitude 33°02'00" N., longitude 80°03'35" W., thence to latitude 32°54'35" N., longitude 79°40'00" W., thence to latitude 32°50'35" N., longitude 79°23'00" W., thence to latitude 32°36'15" N., longitude 78°26'35" W., thence to latitude 32°36'15" N., longitude 78°26'35" W., thence to latitude 32°15'00" N., longitude 77°00'00" W., thence to latitude 31°55'10" N., longitude 76°57'00" W., thence to latitude 31°41'49" N., longitude 76°56'12" W., thence to latitude 32°35'55" N., longitude 76°56'12" W., thence to latitude 32°35'55" N., longitude 79°16'45" W., thence to latitude 32°49'40" N.,

longitude 80°03'50" W., thence to latitude 32°52'25" N., longitude 80°03'45" W., thence to latitude 32°53'45" N., longitude 80°07'15" W., thence to the point of beginning, excluding the portion below 2,000 feet MSL outside the United States.

Control 1153

That airspace extending upward from 1,200 feet above the surface within 5 miles each side of the Dinsmore, Fla., RBN (lat. 30°27'53" N., long. 81°48'06" W.) 090° bearing, including the additional airspace within lines diverging at angles of 50 from the centerline extending from the RBN to the western boundary of the New York Oceanic CTA/FIR boundary, excluding the portion below 2,000 feet MSL outside the United States.

That airspace extending upward from 5,000' MSL bounded on the east by VOR Federal airway No. 199; on the south by a line extending from latitude 38°03'25" N., longitude 123°11'45" W.; to latitude 38°00'00" N., longitude 123°23'00" W.; to latitude 37°50'00" N., longitude 124°24'30" W.; to latitude 37°40'00" N., longitude 125°23'30" W.; on the west by the Oakland Oceanic Control Area; and on the north by a line extending from latitude 38°50'00" N., longitude 126°11'05" W.; to latitude 38°52'00" N., longitude 125°52'30" W.; to latitude 39°00'00" N., longitude 123°56'30" W.; to latitude 39°02'55" N., longitude 123°22'00" W.

That airspace extending upward from 5,000 feet MSL within 5 miles each side of the San Luis Obispo, Calif., VORTAC 242° radial, including the additional airspace within lines diverging at angles of 5° from the centerline at the VORTAC, extending from the U. S. coastline to the Oakland Oceanic CTA/FIR boundary.

Control 1156

That airspace extending upward from 5,000 feet MSL within 5 miles each side of the San Diego, Calif., VORTAC 262° radial, including the additional airspace within lines diverging at angles of 5° from the centerline at the VORTAC, extending from the VORTAC to its intersection with Control 1177.

That airspace within 5 miles either side of a line extending from the Kennedy, N. Y., VORTAC via the INT of the Kennedy VORTAC 080° and the Nantucket, Mass., VORTAC 255° radials, to the Nantucket VORTAC and within lines diverging from the Kennedy VORTAC to points of tangency to a 9.5-mile radius circle centered at the INT of the Kennedy VORTAC 980° and the Nantucket VORTAC 255° radials; within the circumference of the circle and within lines tangent to that circle converging to the Nantucket WORTAC, excluding the airspace below 2,000 feet MSL outside the United States.

That airspace W of San Francisco, Calif., bounded by a line extending from latitude 37°40'00" N., longitude 125°23'30" W., to latitude 37°50'00" N., longitude 124°24'30" W., to latitude 38°00'00" N., longitude 123°23'00" W., to latitude 38°03'25" N., longitude 123°11'45" W., thence via the W edge of V-199 and V-27 to latitude 37°09'20" N., longitude 122°34'50" W., to latitude 36°16'00" N., longitude 124°26'00" W., to the point of beginning, excluding the portion below 2,500 feet MSL. The portion within W-513 is excluded between the hours of 0800 and 2000 p.s.t., Monday through Friday, and below 3,000 feet MSL within W-513 between the hours of 2000 and 0800 p.s.t., Monday through Friday.

Control 1176

That airspace extending upward from 2,000 feet MSL, within lines 5 miles each side of the Santa Barbara, Calif., VORTAC 247° radial, including the additional airspace between lines beginning adjacent to the VORTAC and diverging at angles of 5° from the parallel lines, extending from the VORTAC to the east boundary of the Oakland Oceanic Control Area, excluding the portion east of longitude 120°30'00" W.

Control 1177

That airspace SW of Los Angeles, Calif., bounded by a line beginning at Lat. 33°25'50" N, Long. 118°28' 50" W, thence to Lat. 33°19'00" N, Long. 118°21'45" W, thence to Lat. 32°44'30" N, Long. 119°07'00" W, thence to Lat. 31°41'00" N. Long. 120°15'00" W. thence to Lat. 31°18'40" N. Long. 121°11'30" W. thence to Lat. 31°54'00" N, Long. 121°34'30" W, thence to Lat. 32°10'45" N, Long. 120°16'15" W, thence to Lat. 32° 52'15" N, Long. 119°12'30" W, thence to point of beginning excluding the airspace below 5,000 feet MSL.

Control 1181

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered on the Weeksville, N.C., RBN to a 10-mile radius circle centered on the INT of the 133° bearing from the Weeksville RBN and the W boundary of the New York Oceanic Control Area, excluding the portion below 2,000 feet which extends outside the United States.

Control 1217

That airspace within tangent lines drawn from the circumference of a 5 mile-radius circle centered on the Woody Island, Alaska, RBN to the circumference of a 10-mile radius circle centered at the INT of the 107° bearing from the Woody Island RBN with the NW boundary of the Anchorage Oceanic Control Area. The airspace below 2,000 feet MSL outside the United States is excluded.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

That airspace within tangent lines drawn from the circumference of a 5-mile radius circle centered on the Kachemak, Alaska, RBN to the circumference of a 10-mile radius circle centered at the INT of the 118° bearing from the Kachemak RBN with the NW boundary of the Anchorage Oceanic Control Area.

AMENDMENTS 6/20/74 39 F. R. 10116 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

Control 1230

That airspace extending from the Portland, Fla., RBN to the INT of the Portland RBN 275° bearing and the

boundary of the Miami Oceanic control area, excluding the airspace below 2,000 feet MSL outside the United States, and the airspace within W-168.

That airspace extending upward from 2,000 feet MSL bounded by a line beginning at latitude 28°41'20" N., longitude 80°35'20" W., to latitude 29°08'35" N., longitude 79°00'00" W., thence to latitude 24°40'00" N., longitude 79°00'00" W., thence to latitude 24°00'00" N., longitude 78°00'00" W., thence to latitude 24°00'00" N., longitude 80°48'20" W., thence northward 3 nautical miles longitude 80°56'30" W., to latitude 24°45'40" N., longitude 80°48'20" W., thence northward 3 nautical miles from and parallel to the shoreline to point of beginning; excluding the airspace within the Nassau control

That airspace extending upward from 2,000 feet MSL bounded on the north by V-35; on the east by a line 15 nautical miles east of and parallel to the 189° bearing from the Marathon, Fla., radio beacon; on the south by lat. 24°00°00" N.; on the west by a line 5 nautical miles west and parallel to the 189° bearing from the Marathon radio beacon extending from lat. 24°00°00" N. to lat. 24°25°00" N.; thence west via lat. 24°25°00" N. to the arc of a 35-statute mile radius circle centered at the Key West, Fla., VORTAC, thence counterclockwise via the arc to V-35.

Control 1234

That airspace extending upward from 2,000 feet above the surface within an area bounded by a line beginning at: latitude 58°07'00" N., longitude 160°00'00" W.; to latitude 53°30'00" N., longitude 160°00'00" W.; to latitude 51°24'00" N., longitude 167°49'00" W.; to latitude 50°08'00" N., longitude 176°34'00" W.; to latitude 51°05'00" N., longitude 173°44'00" E.; to latitude 51°30'00" N., longitude 170°00'00" E.; to latitude 54°49'00" N., longitude 170°00'00" E.; to latitude 54°49'00" N., longitude 170°12'30" E.; to latitude 54°23'00" N., longitude 174°30'00" E.; to latitude 53°36'00" N., longitude 176°47'00" W.; to latitude 54°33'00" N., longitude 169°58'00" W.; to latitude 56°39'00" N., longitude 164°25'00" W.; to latitude 57°46'00" N., longitude 161°46'00" W.; thence to point of beginning. The portion within R-2204 is excluded.

Control 1235

That airspace extending upward from 14,500 feet MSL to FL 450 within the area bounded by a line beginning at latitude 53°30'00" N., longitude 160°00'00" W.; to latitude 56°00'00" N., longitude 153°00'00" W.; to latitude 59°09'00" N., longitude 147°18'00" W.; thence clockwise via the arc of a 172-mile radius circle centered on the Anchorage, Alaska, VORTAC to latitude 58°50'00" N., longitude 151°58'00" W.; thence clockwise via the arc of a 172-mile radius circle centered on the King Salmon, Alaska, VORTAC to longitude 160°00'00" W.; thence to point of beginning, excluding the portion that lies within the Continental Control Area, Control 1217, Control 1218, Federal airways and the Kodiak, Alaska, transition area.

Control 1236

That airspace extending upward from 14,500 feet MSL to FL 450 within the area bounded by a line beginning at: latitude 60°00'00" N., longitude 170°00'00" W.; to latitude 61°00'00" N., longitude 165°00'00" W.; to latitude 60°00'00" N., longitude 160°00'00" W.; to latitude 57°00'00" N., longitude 160°00'00" W.; to latitude 57°00'00" N., longitude 160°00'00" W.; to latitude 60°00'00" N., longitude 160°00'00" W.; thence to the point of beginning, excluding the portion that lies within the Continental Control Area, Control 1234, Control 1483 and Control 1400.

Control 1310

That airspace within 4 nautical miles each side of a direct line extending from the Anchorage, Alaska, VORTAC to the Middleton Island, Alaska, VORTAC, including the additional airspace between lines diverging at 4.5° angles from the centerline, extending SE from the Anchorage VORTAC and NW from the Middleton Island VORTAC and which terminate at the intersecting points midway between Anchorage and Middleton Island; thence within 16 miles each each side of a line extending from the Wessels, Alaska, RBN to the Sandspit, British Columbia, Canada, RBN; including that airspace between lines diverging at 5° angles from the centerline, extending southeast from the Wessels, Alaska, RBN and northwest from the Sandspit RBN, and which terminate at the intersecting points midway between Wessels and Sandspit, excluding the portion within Canada, and the airspace below 2,000 feet MSL outside the United States.

AMENDMENTS 7/18/74 39 F. R. 19775 (Changed)

Control 1316

That airspace within 5 miles each side of the Los Angeles, Calif., VOR 264° radial extending from the VOR to the Oakland Oceanic Control Area boundary and between lines diverging at an angle of 5° from the 264° radial extending from the Los Angeles VOR to the Oakland Oceanic Control Area boundary, excluding the airspace below 5.000 feet MSL within W-289.

Control 1386

That airspace within 5 miles either side of the Orlando, Fla., VOR 071° radial, extending from the VOR to Control 1150 and between lines diverging at an angle of 4.5° from the centerline at the Orlando VOR excluding the airspace below 14,000 feet MSL and above FL 430 between the E boundary of R-2902B and the W boundary of control 1150.

Control 1400

That airspace within 5 miles either side of the 263° bearing from the Naknek River, Alaska, RBN extending from the RBN to the Anchorage Oceanic Control Area and between lines diverging at an angle of 5° from the Naknek River RBN to the E boundary of the Anchorage Oceanic Control Area, excluding the airspace below 2.000 feet MSL outside the United States.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

That airspace within 5 miles either side of the 248° bearing from the Naknek River, Alaska, RBN extending from the RBN to longitude 160°00'00" W., and between lines diverging at an angle of 5° from the Naknek River 248° bearing, extending from the RBN to longitude 160°00'00" W., excluding the airspace below 2,000 feet MSL outside the United States.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

That airspace extending upward from 2,000 feet MSL bounded on the north by Control 1152; on the east by Control 1150; on the south by Control 1153, and on the west by a line 3 nautical miles from and parallel to the shoreline.

Control 1412

That airspace extending upward from 2,000 feet MSL bounded on the north by Control 1153; on the east by Control 1150; on the south by a line extending from latitude 29°21'30" N., longitude 79°08'05" W., westerly to latitude 28°49'00" N., longitude 80°41'00" W.; and on the west by a line 3 nautical miles from and parallel to the shoreline.

Control 1415

That airspace within parallel boundary lines 4 nmi each side of the Fortuna, Calif., VOR 270° radial including the additional airspace within lines diverging at angles of 4.5° from the centerline extending to the E boundary of the Oakland Oceanic Control Area, excluding the portion below 5,000 feet MSL W of longitude 124°30'00" W.

Control 1416

That airspace within 5 miles each side of the Fortuna, Calif., VORTAC 3260 radial and the additional area between lines diverging at angles of 5° each side of the 326° radial, extending from the VORTAC to the Gateway Hemlock INT, excluding the airspace below 5,000 feet MSL which lies outside the continental limits of the United States.

Control 1418

That airspace extending upward from 2,000 feet MSL centered on the Hoquiam, Wash., VORTAC 232° radial, 10 nmi in width at the VORTAC with each edge diverging at an angle of 5° with the centerline, extending from the VORTAC to the E boundary of the Oakland Oceanic Control Area and excluding the portion within W-460.

Control 1419

That airspace extending upward from 2,000 feet MSL within lines 5 miles each side of the Newport, Oreg., VORTAC 237° radial, including the additional airspace between lines beginning adjacent to the VORTAC and diverging at angles of 5° from the parallel lines, extending from the VORTAC to the E boundary of the Oakland Oceanic control area, excluding the portion within the Newport, Oreg., transition area.

Control 1445
That airspace S of the United States-Canadian border and the Vancouver Flight Information Region within lines tangent to the circumference of a 5-mile radius circle centered on the Neah Bay, Wash., RBN and the circumference of a 15-mile radius circle centered at Lat. 48°40'00" N, Long. 125°17'30" W, excluding the portion below 5,000 feet MSL. The portion within W-601 is excluded.

Control 1483

That airspace within 5 miles each side of the 237° bearing from the Oscarville, Alaska, RBN; extending RBN to the E boundary of the Anchorage Oceanic Control Area, and between lines diverging at a 5° angle from the 237° bearing extending from the Oscarville RBN to the E boundary of the Anchorage Oceanic Control area and excluding the airspace below 2,000 feet MSL outside the United States.

Control 1485

That airspace extending upward from FL-230 bounded by a line beginning at latitude 68°00'00" N., longitude 168°58'23" W.; to latitude 72°00'00" N., longitude 158°00'00" W.; to latitude 72°00'00" N., longitude 141°00'00" W.; to latitude 68°00'00" N., longitude 141°00'00" W.; to the point of beginning.

Control 1486

That airspace within 5 miles each side of the Ukiah, Calif., VOR 300° radial and the additional area between lines diverging at angles of 5° either side of the 300° radial extending from the VOR to the eastern boundary of the Seattle Oceanic Control Area; excluding the airspace below 5,000 feet MSL which lies outside the continental limits of the United States.

That airspace extending upward from 14,500 feet MSL; to FL 450, within the area bounded by a line beginning at latitude 59°08'30" N., longitude 147°16'00" W., counterclockwise via the arc of a 172-mile radius centered on the Anchorage VORTAC to latitude 60°14'10" N., longitude 145°29'30" W., thence southeastward 3 nmi from and parallel to the U. S. coastline to latitude 54°40'00" N., longitude 132°56'00" W., thence to latitude 54°14'00" N., longitude 134°57'00" W., thence along the eastern boundary of the Anchorage Oceanic control area to the point of beginning. The portion within Control 1310 and the portion within Canada is excluded.

Control 1488

That airspace extending upward from 5,500 feet MSL to flight level 410 within 4 nautical miles each side of the Key West, Fla., VOR 244° radial and within 5 statute miles each side of the Fish Hook, Fla., RBN 245° bearing including the additional airspace between lines diverging at 4.5° from the centerline at the VOR and 5° at the RBN, extending from the VOR/RBN to the Miami Oceanic Area boundary and latitude 24°00'00" N.

Control 1489

That airspace extending upward from 2,000 feet MSL bounded on the south by latitude 27000'00" N., on the east-northeast by Miami and New York Oceanic CTA/FIR boundaries and Control 1152, and on the west-northwest by Control 1150.

Barnegat, N. J.

That airspace extending upward from 2,000 feet MSL bounded on the northeast by the southwest boundary of Control 1147, on the southeast by the New York Oceanic CTA/FIR, on the southwest by the northeast boundary of Control 1148, on the northwest by the east boundary of Victor Airway 139, on the north by latitude 39° 44'00" N.

Bethany Beach, Del.

That airspace extending upward from 2,000 feet MSL bounded on the west by a line 3 nautical miles east of and parallel to the U. S. shoreline; on the northeast by the southwest boundary of Control 1148; and on the south by latitude 38°00'00" N.

Bozeman, Mont.

From Bozeman, Mont., VOR, 10,700 MSL Livingston, Mont., VORTAC.

Browerville/Barter Island, Alaska

From the Browerville, Alaska, RBN, 12 AGL Lonely, Alaska, RBN; 12 AGL Oliktok, Alaska, RBN; 12 AGL Deadhorse Alaska, RBN; 12 AGL Barter Island, Alaska, RBN.

Brunswick, Maine

That airspace extending upward from 2,000 feet MSL W of longitude 69°30'00" W. and from 5,500 feet MSL E of longitude 69°30'00" W., bounded on the W and N by the Portland, Maine, and the Bangor, Maine, transition areas; on the E by the W boundary of the Moncton Flight Information Region; on the S by the N boundary of Control 1141: and on the SW between latitude 42°40'10" N., longitude 70°30'00" W., and latitude 42°45'00" N., longitude 70°37'00" W., by a line 3 nautical miles from and parallel to the U. S. shoreline.

AMENDMENTS 6/20/74 39 F. R. 14695 (Rewritten)

Gulf of Mexico

That airspace extending upward from 1,200 feet MSL bounded by a line beginning at a point 3 nautical miles offshore at latitude 25°58'30" N., longitude 97°05'20" W., thence northward 3 nautical miles from and parallel to the shoreline to latitude 27°32'00" N., longitude 82°48'00" W., to latitude 27°43'00" N., longitude 83°45'30" W., to latitude 27°35'00" N., longitude 83°45'00" W., thence west along the north boundary of the Miami and Houston Oceanic Control Area to latitude 26°00'00" N., longitude 96°00'00" W., to point of beginning; excluding that airspace east of Corpus Christi, Tex., beginning at a point 3 nautical miles offshore at latitude 27°49'00" N., thence to latitude 27°45'30" N., longitude 96°51'00" W., to latitude 27°28'20" N., longitude 96°45'30" W., to latitude 27°14'30" N., longitude 96°55'30" W., to latitude 27°23'00" N., longitude 97°06'00" W., to a point 3 nautical miles offshore at latitude 27°11'20" N.

AMENDMENTS 8/15/74 39 F. R. 22251 (Added)

Hog Island, Va.

That airspace extending upward from 2,000 feet MSL bounded on the north by latitude 38°00'00" N.; on the northeast by the southwest edge of Control 1148; on the east by the New York Oceanic CTA/FIR; on the south by the north edge of Control 1149; on the west by longitude 75°30'00" W., and on the northwest by a line 3 nautical miles southeast of and parallel to the shoreline to the point of beginning.

Kirkeville Mo

From Kirksville, Mo., VORTAC 12 AGL to Moline, 111., VORTAC, and from Kirksville VORTAC 45 MSL to St. Louis, Mo., VORTAC.

Myrtle Beach, S. C.

That airspace east of Myrtle Beach, S. C., extending upward from 2,000 feet MSL bounded on the east by Control 1150, on the south by Control 1152, and on the west and north by a line 3 nautical miles from and parallel to the shoreline.

Nantucket, Mass.

That airspace extending upward from 2,000 feet MSL bounded on the north by a line extending from lat. 410 1 Al'space develor a grant arrange and the state of the s east by a line extending from lat. 41°00'00" N., long. 68°00'00" W. southwesterly to lat. 39°53'30" N., long. 68°57'00" W.; on the southwest by a line extending from lat. 39°53'30" N., long. 68°57'00" W. northwesterly to point of beginning.

Narragansett, R. I.

That airspace extending upward from 3,000 feet MSL bounded on the north by the south boundary of Control 1169; on the east by the southwest boundary of Control 1145, on the south by the New York Oceanic CTA/FIR, on the southwest by the northeast boundary of Control 1147, on the west by longitude 72°30'00" W., excluding those portions within the Fire Island, N. Y., South Island, N. Y., and Nantucket, Mass., transition areas.

Omak, Wash.

That airspace extending upward from 5,500 feet MSL within 5 miles each side of a line extending from the Omak RBN to the Ephrata, Wash., VOR.

From the Ottumwa, Iowa, VORTAC 12 AGL 26 miles, 50 MSL to Kansas City, Mo., VORTAC.

Patchogue, N. Y.

That airspace extending upward from 3,000 feet MSL bounded on the north by the south boundary of Control 1169, on the east by longitude 72°30'00" W., on the southwest by the northeast boundary of Control 1147; on the northwest by the east boundary of Victor Airway 139 excluding those portions within the Fire Island, N. Y., and South Island, N. Y., transition areas.

Pendleton, Va.

That airspace extending upward from 2,000 feet MSL bounded on the north by the south edge of Control 1149; on the east and southeast by the New York Oceanic CTA/FIR; on the southwest by the northeast edge of Control 1181; and on the west by longitude 75°30'00" W.

Rattlesnake, Wyo.

That airspace extending upward from 8,500 feet MSL bounded on the north by V-298S, on the east by Casper, Wyo., 1,200-foot transition area, on the south and southwest by a line 4 NM south and southwest and parallel to the Casper ILS west course and Riverton, Wyo., VOR 0990 radial and on the west by the Riverton, Wyo., 1,200foot transition area.

San Francisco, California

That airspace extending upward from 5,000 feet MSL bounded on the north by the Seattle ARTCC flight advisory area, on the east by the west edge of V-27W and V-199 to a point 3 nautical miles offshore, then via a line 3 nautical miles west of and parallel to the shoreline, on the south by the Santa Barbara Control Area and on the west by the Oakland Oceanic CTA/FIR boundary.

Santa Barbara, Calif.

That airspace extending upward from 5,000 feet MSL bounded on the northwest by a line extending from lat. 340 30'00" N., long. 123°15'00" W., to lat. 35°26'30" N., long. 121°03'40" W., on the northeast by a line 3 nautical miles southwest of and parallel to the shoreline, on the southeast by a line 5 nautical miles southeast of and parallel to the Santa Catalina 048° and 228° true radials and the northwest boundary of Warning Area W-291, and on the southwest by the Oakland Oceanic CTA/FIR boundary.

Sault Ste. Marie, Mich.

That airspace extending upward from 1,200 feet AGL within 4 nautical miles each side of a direct line extending from the Thunder Bay, Ontario, Canada, RBN to the Sault Ste. Marie, Mich., RBN, including the additional airspace between lines diverging at 4.5° from the centerline at the Thunder Bay and Sault Ste. Marie RBNS and extending until they meet. Also that airpsace

extending upward from 1,200 feet AGL in an area bounded by a line beginning at lat. 46°48'45" N., long. 84° 33'00" W., to lat. 46°33'00" N., long. 85°01'40" W., to lat. 47°00'00" N., long. 86°25'30" W., to lat. 47°19' 40" N., long. 86°10'10" W., thence to the point of beginning. The airspace within Canada is excluded.

AMENDMENTS 8/15/74 39 F. R. 22944 (Changed)

Sidney, Mont.

That airspace extending upward from 1,200 feet AGL within 4 nautical miles each side of a direct line extending from latitude 47°41'00" N., longitude 104°06'15" W., to latitude 48°06'45" N., longitude 105°36'00" W.

Wilmington, N. C.

That airspace extending upward from 2,000 feet MSL bounded on the northeast by Control Area 1181, on the southeast by the New York Oceanic CTA/FIR boundary, on the south by Control Area 1152, on the west by Control Area 1151, and on the northwest by a line 3 nautical miles from and parallel to the shoreline.

Zuni, N. Mex.

From the Zuni, N. Mex., VORTAC 12,500 feet MSL to INT of Zuni VORTAC 226° and St. Johns, Ariz., VORTAC 247° radials.

71.165 Designation of control area extensions.

Unless otherwise specified, each control area extension designated below extends upward from 700 feet above the surface of the earth, except that the airspace of a control area extension within the lateral limits of a transition area has a floor coincident with that of the transition area.

Eniwetok Island

That airspace extending upward from 700 feet above the surface within a 50-nmi radius of the Eniwetok RBN (Lat. 11°21'00" N., Long. 162°20'00" E).

SUBPART F - CONTROL ZONES

§ 71.171 Designation.

The parts of airspace described below are designated as control zones.

Abbotsford, British Columbia, Canada

That airspace bounded on the north by lat. 49°05'15" N., on the east by long. 122°15'40" W., on the south by lat. 48°57'30" N., and on the west by long. 122°33'45" W., excluding the portion outside the United States.

Within a 5-mile radius of the center, lat. 39°28'00" N., long. 76°10'00" W. of Phillips AAF; within 3 miles each side of the 029° bearing from the Aberdeen RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN. This control zone is effective from 0600 to 2200, hours, local time, Monday through Friday, excluding Federal legal holidays.

Aberdeen, SD.

Within a 5-mile radius of Aberdeen Municipal Airport (latitude 45°27'00" N., longitude 98°25'00" W.) and within 3 miles each side of the Aberdeen WORTAC 131° radial, extending from the 5-mile radius zone to 8 miles southeast of the VORTAC; within 2 miles each side of the Aberdeen VORTAC 3120 radial, extending from the 5mile radius zone to 9 miles northwest of the VORTAC.

Abilene, TX. (Municipal Airport)

Within a 5-mile radius of Abilene Municipal Airport (latitude 32°24'42" N., longitude 99°40'53" W.); within 2.5 miles west and 3 miles east of the Abilene ILS localizer north course, extending from the 5-mile radius zone to 6.5 miles north of the airport; within 2.5 miles west and 3 miles east of the Abilene ILS localizer south course extending from the 5-mile radius zone to 7.5 miles south of the airport; and within 2 miles each side of the Abilene VORTAC 1120 radial, extending from the 5-mile radius zone to the VORTAC, excluding the portion within the Abilene, TX, (Dyess AFB), control zone.

Abilene, Tex. (Dyess AFB)

That airspace within a 5-mile radius of Dyess AFB (latitude 32°25'10" N., longitude 99°51'15" W.); within 2 miles each side of the Dyess ILS localizer S course, extending from the 5-mile radius zone to 7.5 miles S of the OM; within 2 miles each side of the Tuscola VOR 350° radial, extending from the 5-mile radius zone to 2 miles N of the VOR; and within 2 miles each side of the Abilene VORTAC 353° radial, extending from the 5-mile radius zone to 8 miles N of the VORTAC.

Adak, Alaska

Within a 5-mile radius of the NS Adak Airport (latitude 51°52'59" N., longitude 176°38'54" W.); within 2 miles each side of the 054° bearing from the Adak RBN, extending from the 5-mile radius zone to 8 miles northeast of the RBN, and within 2 miles each side of the Navy Adak TACAN 067° radial, extending from the 5-mile radius zone to 8 miles northeast of the TACAN.

Akron, Colo.

Within a 5-mile radius of Akron-Washington County Airport (latitude 40°10'30" N., longitude 103°12'45" W.) and within 4 miles each side of the Akron VORTAC 123° radial, extending from the 5-mile radius zone to 11 miles southeast of the VORTAC.

Akron, Ohio (Akron-Canton Airport)

Within a 5.5-mile radius of the center, lat. 40°54'58" N., long. 81°26'32" W. of Akron-Canton Airport, Akron, Ohio, excluding the portion subtended by a chord drawn between the points of INT of the 5.5-mile radius zone with the Akron, Ohio (Akron Municipal Airport), control zone.

Akron, Ohio (Akron Municipal Airport)

Within a 5.5-mile radius of the center, lat. 41°02'18" N., long. 81°28'01" W. of Akron Municipal Airport, Akron, Ohio, excluding the portion subtended by a chord drawn between the points of INT of the 5.5-mile radius zone with the Akron, Ohio (Akron-Canton Airport), control zone.

Within a 5-mile radius of NAS Alameda (Lat. 37°47'10" N, Long. 122°19'00" W), excluding the portion subtended by a chord drawn between the points of INT of this radius with the radius of the Oakland, Calif. control zone.

Alamogordo, N. Mex.

Within a 5-mile radius of the Holloman Air Force Base Airport (latitude 32°51'04" N., longitude 106°06'05" W.); within 2 miles each side of the Holloman VOR 015° radial extending from the 5-mile radius zone to 8 miles north of the VOR; within 2 miles each side of the extended centerline of Runway 3 extending from the 5-mile radius zone to 4.5 miles northeast of the northeast end of Runway 3; within 2 miles each side of the extended centerline of Runway 15 extending from the 5-mile radius zone to 4.5 miles south of the south end of Runway 15; within 2 miles each side of the extended centerline of Runway 21 extending from the 5-mile radius zone to 4.5 miles southwest of the southwest end of Runway 21; within 2 miles each side of the Holloman TACAN 349° radial extending from the 5-mile radius zone to 17.5 miles north of the TACAN; and within 2 miles each side of the VOR 350° radial extending from the 5-mile radius zone to 8 miles north of the VOR; excluding that portion within a 2-mile radius of the Alamogordo Municipal Airport (latitude 32°50'27" N., longitude 105°59'17" W.) and within a 2-mile radius of the Midway Airport (latitude 32°52'04" N., longitude 105°59'26" W.). The portion of this control zone within R-5107D extends upward to 22,000 feet MSL.

This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information

Manual.

Alamosa, Colo.

Within a 5-mile radius of Alamosa Municipal Airport (latitude 37°26'15" N., longitude 105°51'40" W.); within 3.5 miles each side of the Alamosa VORTAC 127° and 335° radials extending from the 5-mile radius zone to 11.5 miles southeast of the VORTAC; within 3 miles each side of the 013° bearing from the Frontier Airlines NDB (latitude 37°26'36" N., longitude 105°51'12" W.) extending from the 5-mile radius zone to 10 miles northeast of the NDB; and within 2 miles each side of the Alamosa VORTAC 186° radial extending from the VORTAC to 10 miles south of the VORTAC. This control zone is effective during the specific dates and times established in advance by a notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Albany, Ga. (Albany-Dougherty County Airport)

Within a 5-mile radius of Albany-Dougherty County Airport (1at. 31°32°07" N., long. 84°11'41" W.); within 2.5 miles each side of Albany VORTAC 143° radial, extending from the 5-mile radius zone to 1 mile southeast of the VORTAC.

Albany, N. Y.

Within a 5-mile radius of the center 42°44'40" N., 73°48'15" W. of Albany County Airport, Albany, N. Y.; within 3.5 miles each side of the Albany VORTAC 354° radial extending from the 5-mile radius zone to 11.5 miles north of the VORTAC and within 3 miles each side of the Albany VORTAC 182° radial extending from the 5-mile radius zone to 11.5 miles south of the VORTAC.

Albuqueruqe, N. Mex.

Within a 5-mile radius of Albuquerque International Airport (latitude 35°02'42" N., longitude 106°36'02" W.); within 2 miles each side of the extended centerline of Runway 35, extending from the 5-mile radius zone to 7 miles north of the north end of Runway 35; within 2 miles each side of the extended centerline of Runway 17, extending from the 5-mile radius zone to 5 miles south of the south end of Runway 17; and within 2 miles each side of the Albuquerque VORTAC 090° radial, extending from the 5-mile radius zone to the VORTAC.

Alexandria, La. (England AFB)

That airspace within a 5-mile radius of England AFB (latitude 31°19'40" N., longitude 92°33'05" W.); within 2 miles each side of the 318° bearing from the England RBN, extending from the 5-mile radius zone to the RBN; within 2 miles each side of the Alexandria VORTAC 151° and 331° radials, extending from the 5-mile radius zone to 1.5 miles southeast of the VORTAC; within 2 miles each side of the Alexandria VORTAC 327° radial, extending from the 5-mile radius zone to 11.5 miles northwest of the VORTAC; within 2 miles each side of the extended centerline of Runway 14, extending from the 5-mile radius zone to 6 miles northwest of the airport; within 2 miles each side of the extended centerline of Runway 18, extending from the 5-mile radius zone to 5.5 miles north of the airport; and within 2 miles each side of the extended centerline of Runway 36, extending from the 5-mile radius zone to 6.5 miles south of the airport.

This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's

Information Manual.

Alexandria, La. (Esler Regional Airport)

Within a 5-mile radius of Esler Regional Airport (latitude 31°23'45" N., longitude 92°17'40" W.), and within 3 miles each side of the Esler VOR 338° radial extending from the 5-mile radius zone to 8.5 miles north of the VOR.

Alexandria, Minn.

Within a 5-mile radius of Alexandria Municipal Airport (latitude 45°52'00" N., longitude 95°23'40" W.); and within 2 miles each side of the Alexandria VORTAC 231° radial, extending from the 5-mile radius zone to 2 miles southwest of the VORTAC.

That airspace within a 5-mile radius of the Alice International Airport (latitude 27°44'30" N., longitude 98°01'40" W.); within 2 miles each side of the Alice VOR 153° radial, extending from the 5-mile radius zone to 8 miles southeast of the VOR; within 2 miles each side of the Alice VOR 270° radial, extending from the 5-mile radius zone to 8 miles west of the VOR; and within 2 miles each side of the 134° bearing from latitude 27°44'20" N., longitude 98°01'46" W., extending from the 5-mile radius zone to 8 miles southeast of latitude 27°44'20" N., longitude 98°01'46" W.

Allentown, Pa.

Within a 5.5-mile radius of the center, 40°39'16" N., 75°26'11" W. of Allentown-Bethlehem-Easton Airport, Allentown, Pa., extending clockwise from a 042° bearing to a 103° bearing from the airport; within a 6.5mile radius of the center of the airport, extending clockwise from a 103° bearing to a 209° bearing from the airport; within a 5.5-mile radius of the center of the airport, extending clockwise from a 2090 bearing to a 291° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 291° bearing to a 042° bearing from the airport; within a 1.5-mile radius of the center, 40°34'13" N., 75° 29'19" W. of Allentown-Queen City Municipal Airport, Allentown, Pa.; within 2 miles each side of the Allentown-Bethlehem-Easton Airport localizer southwest course extending from the localizer to 1 mile northeast of the OM; within 3 miles each side of the Allentown-Bethlehem-Easton Airport localizer northeast course, extending from the localizer to 12.5 miles northeast of the localizer; within 3.5 miles each side of the Allentown VORTAC 178° and 358° radials, extending from 1 mile south to 5 miles north of the VORTAC.

Alliance, Nebr.

Within a 5-mile radius of Alliance Municipal Airport (latitude 42°02'45" N., longitude 102°48'30" W.); within $2\frac{1}{2}$ miles each side of the Alliance VOR 3040 radial, extending from the 5-mile radius zone to 6 miles northwest of the VOR; within 2½ miles each side of the Alliance VOR 150° radial, extending from the 5-mile radius zone to 6 miles southeast of the VOR; and within 3 miles each side of the 142° bearing from Alliance Municipal Airport, extending from the 5-mile radius zone to 9 miles southeast of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Alma, Ga.

Within a 5-mile radius of Bacon County Airport (lat. 31°32'17" N., long. 82°30'33" W.); within 3 miles each side of Alma VORTAC 146° and 334° radials, extending from the 5-mile radius zone to 8.5 miles southeast and northwest of the VORTAC. This control zone is effective from 0600 to 2200 hours, local time, daily.

Alpena, Mich.

That airspace within a 5-mile radius of Phelps-Collins Airport, Alpena, Mich. (latitude 45004'50" N., longitude 83°33'35" W.); within 3 miles each side of the 360° bearing from the Alpena RBN, extending from the 5-mile radius to 8 miles north of the Alpena RBN; within 3 miles each side of the Alpena VORTAC 3460 radial, extending from the 5-mile radius to $7\frac{1}{2}$ miles north of the VORTAC; within 3 miles each side of the Alpena VORTAC 305° radial, extending from the 5-mile radius to 7 miles northwest of the VORTAC; and within 3 miles each side of the Alpena VORTAC 1860 radial, extending from the 5-mile radius to 7 miles south of the VORTAC. control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Alton, Ill.

Within a 5-mile radius of Civic Memorial Airport (latitude 38°53'30" N., longitude 90°03'00" W.); within 2½ miles each side of the 104° bearing from Civic Memorial Airport, extending from the 5-mile radius zone to 5½ miles east of the airport; and within 3 miles each side of the 0090 bearing from Civic Memorial Airport; extending from the 5-mile radius zone to 7 miles north of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Altus, Okla.

Within a 5-mile radius of the Altus AFB (latitude 34°39'40" N., longitude 99°16'30" W.); within 2 miles each side of the Altus AFB ILS localizer S course, extending from the 5-mile radius zone to 1.5 miles S of the OM; and within 2 miles each side of the Altus AFB TACAN 185° radial, extending from the 5-mile radius zone to 9 miles S of the TACAN, excluding that airspace within a $1\frac{1}{2}$ mile radius of the Altus, Okla., Municipal Airport, (latitude 34°41'57" N., longitude 99°20'21" W.).

Amarillo, Tex.
That airspace within a 5-mile radius of the Amarillo Air Terminal (latitude 35°13'10" N., longitude 101°42'40" W.): within 2 miles each side of the Amarillo VORTAC 221° radial. extending from the 5-mile radius zone to the VORTAC; and within 2 miles each side of the extended centerline of the Amarillo AFB/Air Terminal Runway 21, extending from the 5-mile radius zone to 4.5 miles SW of the lift-off end of the runway.

Anaheim, Calif. (Disneyland Heliport)

Within a 3-mile radius of Disneyland Heliport (latitude 33° 48' 40" N., longitude 117° 55' 30" W.), excluding that airspace within the Fullerton and Long Beach, Calif., airport control zones. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time thereafter will be continuously published in the Airman's Information Manual.

Anchorage, Alaska (Anchorage International Airport)

Within a 5-mile radius of the Anchorage International Airport (latitude 61°10'16" N., longitude 149°58'48" W.); within 2.5 miles each side of the Campbell Lake RBN 209° bearing extending from the 5-mile radius zone to 8.5 miles southwest of the RBN; within 2 miles each side of the Anchorage VORTAC 079° radial extending from the 5-mile radius zone to the VORTAC; and within 2 miles each side of the Anchorage ILS localizer west course extending from the 5-mile radius zone to the OM; excluding the portion within the Anchorage (Merrill Field/ Elmendorf AFB) control zone.

Anchorage, Alaska (Bryant AAF)

Within a 3-mile radius of Bryant AAF (latitude 61°16'N., longitude 149°40' W.), excluding the portion west of longitude 149°43' W. This control zone is effective from 0700 to 2100 hours, local time, daily,

Anchorage, Alaska (Merrill Field/Elmendorf AFB)

Within a 3-mile radius of Merrill Field (latitude 61°13' N., longitude 149°51' W.); within a 5-mile radius of Elmendorf AFB (latitude 61°15' N., longitude 149°49' W.); within 2 miles each side of the Elmendorf ILS localizer W course extending from the 5-mile radius zone to the OM, excluding the portion within the Anchorage (Bryant AAF) Control Zone.

Anderson, Ind.

Within a 5-mile radius of Anderson Municipal Airport (lat. 40°06'30" N., long. 85°36'55" W.) and within 3.5 miles either side of the 298° bearing from Anderson Municipal Airport, extending from the 5-mile radius to 7.5 miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Anderson, S. C.

Within a 5-mile radius of Anderson County Airport (latitude 34°29'40" N., longitude 82°42'30" W.); within 1.5 miles each side of Anderson VORTAC 039° radial, extending from the 5-mile radius zone to 1.5 miles northeast of the VORTAC.

Antak, Alaska

Within a 5-mile radius of the Anjak Airport (latitude 61°35' N., longitude 159°32' W.); and within 2 miles each side of the 230° and 140° bearings from the Aniak RBN, extending from the 5-mile radius zone to 14 miles SW and 8 miles SE of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Ann Arbor, Mich.

Within a 5-mile radius of the Ann Arbor, Mich. Airport (latitude 42°13'22" N., longitude 83°44'40" W.); excluding that portion which overlies the Detroit, Mich., Willow Run Airport control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Annette Island, Alaska

Within a 5-mile radius of the Annette Island Airport (latitude 55°02'34" N., longitude 131°34'14" W.); within 3 miles each side of the Annette Island VORTAC 170° radial, extending from the 5-mile radius zone to 12 miles south of the VORTAC, and within 2 miles each side of the Annette Island VORTAC 311° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC.

Within a 5-mile radius of Anniston-Calhoun County Airport (latitude 33°35'23" N., longitude 85°51'20" W.); within 1.5 miles each side of Talladega VOR 085° radial, extending from the 5-mile radius zone to the VOR; within 1 mile each side of the ILS localizer SW course, extending from the 5-mile radius zone to the

Appleton, Wis.

Within a 5-mile radius of Outagamie County Airport (latitude 44°15'35" N., longitude 88°31'15" W.); and within 2½ miles each side of the 1350, 2850 and 0160 bearings from Outagamie County Airport, extending from the 5-mile radius zone to 5½ miles southeast, west, and north of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Arcata, Calif.

Within a 5-mile radius of Arcata Airport (latitude 40°58'45" N., longitude 124°06'25" W.); and within 2 miles each side of the 219° bearing from the Arcata RBN, extending from the 5-mile radius zone to 8 miles SW of the RBN.

Ardmore, Okla.

Within a 5-mile radius of Ardmore Municipal Airport (latitude 34°18'00" N., longitude 97°00'50" W), within 2 miles either side of the Ardmore VOR 053° radial extending from the 5-mile radius zone to the VOR, and within 2 miles either side of the 085° bearing from the Springton RBN extending from the 5-mile radius zone to the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Asheville, N. C.

Within a 5-mile radius of Asheville Municipal Airport (lat. 35°26'04" N., long. 82°32'25" W.); within 2.5 miles each side of the 340° bearing from Broad River RBN, extending from the 5-mile radius zone to 2 miles north of the RBN; within 2 miles each side of Runway 16/34 extended centerlines, extending from the 5-mile radius zone to the Broad River and Biltmore RBNs.

Aspen, Colo.

Within a 5-mile radius of the Aspen-Pitkin County (Sardy Field) Airport (lat. 39°13'30" N., long. 106° 52'09" W.); within 3 miles each side of the 316° bearing from the Aspen Airport, extending from the 5-mile radius to 8.5 miles northwest of the Aspen Airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual.

Astoria, Oreg.

Within a 5-mile radius of Clatsop County Airport, Astoria, Oreg. (latitude 46°09'25" N., longitude 123°52'38" W.), within 2 miles each side of the Astoria VOR 268° radial, extending from the 5-mile radius zone to 8 miles W of the VOR, and within 4.5 miles each side of the Astoria VOR 309° radial, extending from the 5-mile radius zone to 16 miles NW of the VOR.

AMENDMENTS 10/10/74 39 F. R. 29341 (Rewritten); Corr: 39 F. R. 33506

Athens, Ga.

Within a 5-mile radius of Athens Municipal Airport (lat. 33°56'54" N., long. 83°19'37" W.); within 3 miles each side of Athens VORTAC 076° and 192° radials, extending from the 5-mile radius zone to 8.5 miles east and south of the VORTAC.

Atlanta, Ga.

Within a 5-mile radius of The William B. Hartsfield Atlanta International Airport (latitude 33°38' 35" N., longitude 84°25'25" W.); within 2 miles each side of Atlanta ILS Runway 33 localizer southeast course, extending from the 5-mile radius zone to 1 mile northwest of the LOM; within 2 miles each side of Rex, Ga., VORTAC 264° and 271° radials, extending from the 5-mile radius zone to 1 mile west of the VORTAC; within 2 miles each side of Atlanta ILS Runway 9L localizer west course, extending from the 5-mile radius zone to the LOM; within 2 miles each side of Atlanta ILS Runway 8 localizer west course, extending from the 5-mile radius zone to 1.5 miles east of the LOM.

AMENDMENTS 1/23/74 39 F. R. 4570 (Changed)

Atlanta, Ga. (Fulton County Airport)

Within a 5-mile radius of Fulton County Airport (latitude 33°46'35" N., longitude 84°31'15" W.); within 2.5 miles each side of the 276° bearing from Bankhead RBN, extending from the 5-mile radius zone to 7.5 miles west of the RBN.

Atlanta, Ga. (Dobbins AFB/NAS Atlanta)

Within a 5-mile radius of Dobbins AFB/NAS Atlanta (latitude 33°54'40" N., longitude 84°31'00" W.); within 2 miles each side of the 105° bearing from Lost Mountain RBN, extending from the 5-mile radius zone to 1 mile southeast of the RBN; within 1.5 miles each side of Norcross VORTAC 265° radial, extending from the 5-mile radius zone to 30 miles west of the VORTAC; within 2 miles each side of Runway 29 extended centerline, extending from the 5-mile radius zone to 6 miles east of the runway end; within 1.5 miles each side of NAS Atlanta TACAN 301° radial, extending from the 5-mile radius zone to 7 miles northwest of the TACAN; excluding the portion within Atlanta, Ga. (Fulton County Airport) control zone. This control zone is effective from 0700 to 2300 hours, local time, daily.

Atlantic City, N. J.

Within a 5-mile radius of the center latitude 39°27'22" N., longitude 74°34'41" W. of NAFEC Atlantic City Airport, Atlantic City, N. J.; within 3 miles each side of the Atlantic City VORTAC 303° radial, extending from the 5-mile radius zone to 8.5 miles northwest of the VORTAC; within a 3-mile radius of the center latitude 39°21'35" N., longitude 74°27'28" W. of Atlantic City Municipal-Bader Field, Atlantic City, N J.; within 2 miles each side of the Atlantic City VORTAC 136° radial, extending from the VORTAC to the 3-mile radius zone and within 1.5 miles each side of a 283° bearing from a point latitude 39°21'43" N., longitude 74°27'46" W., extending from said point to 5.5 miles west.

AMENDMENTS 8/9/74 39 F. R. 28612 (Changed)

Augusta, Ga.

Within a 5-mile radius of Bush Field (latitude 33°22'10" N., longitude 81°57'55" W.); within 2 miles each side of Augusta ILS localizer south course, extending from the 5-mile radius zone to 0.5 miles north of the LOM; within a 5-mile radius of Daniel Field (latitude 33°27'55" N., longitude 82°02'25" W.); within 2 miles each side of Augusta VORTAC 135° radial, extending from the 5-mile radius zone to 2 miles southeast of the VORTAC.

Augusta, Maine

Within a 5-mile radius of the center (44°19'15" N., 69°47'45" W.), of Augusta State Airport, Augusta, Maine; within 3.5 miles each side of the Capital City, Maine RBN (44°20'18" N., 69°48'42" W.) 333° bearing, extending from the 5-mile radius zone to 10.5 miles northwest of the RBN and within 3.5 miles each side of the Augusta VORTAC 328° radial, extending from the 5-mile radius zone to 10.5 miles northwest of the VORTAC.

Austin, Tex. (Robert Mueller Municipal Airport)

Within a 5-mile radius of Robert Mueller Municipal Airport (latitude 30°17'55" N., longitude 97°42'00" W.); within 1.5 miles each side of the Austin VORTAC 304° radial extending from the 5-mile radius zone to 6 miles northwest of the Austin VORTAC; and within 1.5 miles each side of the Austin VORTAC 329° radial extending from the 5-mile radius zone to 6 miles northwest of the Austin VORTAC.

Austin, Tex. (Bergstrom AFB)

Within a 5-mile radius of Bergstrom AFB (latitude 30°11'45" N., longitude 97°40'35" W.); within 2 miles each side of the Bergstrom ILS localizer S course, extending from the 5-mile radius zone to the LOM, excluding that portion within the Austin, Tex. (Robert Mueller Municipal Airport) control zone.

Baker, Oreg.

Within a 5-mile radius of Baker Municipal Airport (latitude 44°50°25" N., longitude 117°48'35" W.), and within 3 miles each side of the Baker VORTAC 318° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC. This control zone is effective during specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 6/30/74 39 F. R. 23993 (Changed)

Bakersfield, CA.

Within a 5-mile radius of Meadows Field, Bakersfield, CA. (latitude 35°25'40" N., longitude 119°03'05" W.), within 1 mile each side of the Bakersfield ILS localizer northwest course, extending from the 5-mile radius zone to 11.5 miles northwest of the Bakersfield LOM and within 2 miles each side of the Bakersfield ILS localizer southeast course, extending from the 5-mile radius zone to the Bakersfield LOM.

Baltimore, Md.

Within a 5-mile radius of the center 39°10'26" N., 76°40'12" W. of Baltimore Washington International

Airport, Baltimore,

Md.; within a 5.5-mile radius of the center of the airport, extending clockwise from a 200° bearing to a 304° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 304° bearing to a 125° bearing from the airport; within 3.5 miles each side of the Baltimore Washington Inter-

ILS localizer west course, extending from the 5-mile radius to 9 miles west of the localizer; within 3.5 miles each side of the centerline of Baltimore Washington International Airport runway 10, extended to 8.5 miles east of the end of the runway; within 2 miles each side of the Baltimore Washington International Airport ILS localizer southeast

course, extending from the localizer to 4.5 miles southeast of the localizer; within 2 miles each side of the Baltimore VORTAC 314° radial, extending from the VORTAC to 10.5 miles northwest of the VORTAC.

Bangor, Maine

Within a 5-mile radius of the center, lat. 44°48'28" N., long. 68°49'41" W. of Bangor International Airport, Bangor, Maine; within 2.5 miles each side of the Bangor, Maine, VORTAC 318° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC; within a 1-mile radius of the center, lat. 44°53'56" N., long. 69°01'12" W. of Levant Private Landing Area, West Levant, Maine; within 3.5 miles each side of the Bangor ILS localizer southeast course, extending from the 5-mile radius zone to 11.5 miles southeast of the OM.

Bartlesville, Okla.

Within a 5-mile radius of the Phillips Airport (latitude 36°45'46" N., longitude 96°00'38" W.), excluding the area north of latitude 36°46'00" N., and east of longitude 95°58'30" W. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Baton Rouge, La.

Within a 5-mile radius of Ryan Airport (latitude 30°31'55" N., longitude 91°09'00" W.), within 1 mile each side of the Baton Rouge ILS localizer southeast course extending from the 5-mile radius zone to 6.5 miles southeast of Ryan Airport, and within 2 miles each side of the Baton Rouge WORTAC 071° radial extending from the 5-mile radius zone to 1 mile east of the VORTAC.

Battle Creek, Mich.

Within a 5-mile radius of Kellogg Field (latitude 42°18'31" N., longitude 85°14'57" W.) within 2 miles each side of the Battle Creek VORTAC 050°, 117° and 215° radials extending from the 5-mile radius zone to 8 miles NE, SE and SW of the VORTAC; and within 2 miles each side of the Kellogg Field ILS localizer SW course extending from the 5-mile radius zone to 5 miles SW of the approach end of runway 4. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/3/74 38 F. R. 31673 (Rewritten)

Within a 5-mile radius of Beaufort MCAS (lat. 32028'40" N., long. 80043'20" W.); within 3.5 miles each side of Beaufort MCAS TACAN 037° radial, extending from the 5-mile radius zone to 6.5 miles northeast of the TACAN; within 2.5 miles each side of the 042° bearing from Beaufort MCAS RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN. This control zone is effective from 0700 to 2300 hours, local time, daily.

Beaumont, Tex.

Within a 7-mile radius of Jefferson County Airport (latitude 29°57'05" N., longitude 94°01'10" W.).

Beckley, W. Va.

Within a 6.5-mile radius of the center, lat. 37046'54" N., long. 81007'27" W. of Raleigh County Memorial Airport, Beckley, W. Va., and within 3 miles each side of the Beckley VOR 284° radial extending from the 6.5-mile radius zone to 8.5 miles west of the VOR.

Bedford, Mass.

Within a 5-mile radius of Hanscom Airport (latitude 42°28'04" N., longitude 71°17'23" W.); within 2 miles each side of the Bedford ILS localizer W course extending from the 5-mile radius zone to 8 miles W of the LOM; within 2 miles each side of the extended centerline of Runway 23 extending from the 5-mile radius zone to 6 miles SW of the lift-off end of the runway; within 2 miles each side of the extended centerline of Runway 5 extending from the 5-mile radius zone to 6 miles NE of the lift-off end of the runway; and within a 1-mile radius of Erickson Airport (latitude 42°27'50" N., longitude 71°31'00" W.).
This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates and

times established by a Notice to Airmen which thereafter will be continuously published in the Airman's

Information Manual.

Beeville, Tex.

That airspace within a 5-mile radius of NAAS Chase Field, Beeville, Tex. (latitude 28°21'50" N., longitude 97°39'40" W.); within 2 miles each side of the NAAS Chase TACAN 129° and 321° radials extending from the 5-mile radius zone to 7 miles SE and NW of the TACAN.

Belleville, Ill.

Within a 5-mile radius of Scott AFB, Belleville, Ill. (latitude $38^{\circ}32'30''$ N., longitude $89^{\circ}51'05''$ W.), and within 2 miles each side of the 317° bearing from the Belleville RBN, extending from the 5-mile radius zone to 5.5 miles SE of the SE end of Scott AFB Runway 31.

Bellingham, Wash.

Within a 5-mile radius of Bellingham International Airport (latitude 48°47'40" N., longitude 122°32'13" W.); within 2 miles each side of the Bellingham VORTAC 169° radial extending north from the 5-mile radius zone to 3 miles south of the VORTAC.

AMENDMENTS 9/12/74 39 F. R. 25314 (Rewritten)

Bemidji, Minn.

Within a 5-mile radius of Bemidji Municipal Airport (latitude 47°30'30" N., longitude 94°55'55" W.); within 12 miles each side of the Bemidji VORTAC 138° radial, extending from the 5-mile radius zone to the VORTAC; and within $3\frac{1}{2}$ miles each side of the 262° bearing from Bemidji Municipal Airport, extending from the 5-mile radius zone to 8 miles west of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Benton Harbor, Mich.

Within a 5-mile radius of Ross Field (latitude 42°07'40" N., longitude 86°25'40" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Bethel, Alaska

Within a 5-mile radius of the Bethel Airport (latitude 60°46'54" N., longitude 161°50'05" W.); within 3 miles each side of the Bethel compass locator (ET) 023° bearing, extending from the 5-mile radius zone to 8.5 miles northeast of the compass locator; within 3 miles each side of the Bethel VORTAC 007° radial, extending from the 5-mile radius zone

to 8.5 miles north of the VORTAC; and within 3 miles each side of the Bethel VORTAC 2140 radial, extending from the 5-mile radius zone to 9 miles southwest of the VORTAC.

Bettles, Alaska

Within a 5-mile radius of the Bettles Airport (latitude 66°54'57" N., longitude 151°31'31" W.); within 4 miles each side of the Bettles RBN 214° bearing extending from the 5-mile radius zone to 8.5 miles southwest of the RBN; and within 3 miles each side of the Bettles VORTAC 227° radial extending from the 5-mile radius zone to 9.5 miles southwest of the VORTAC.

Big Delta, AK.

That airspace within a 5-mile radius of the Allen AAF, Fort Greeley, AK., (latitude 63°59'37" N., longitude 145°43'08" W.) and within 4.5 miles each side of the Big Delta VORTAC 040° radial extending from the 5-mile radius zone to 11 miles northeast. This control zone is effective from 0600 to 2200 hours local time daily, or during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Big Spring, Tex.

That airspace within a 5-mile radius of Webb AFB, Big Spring, Tex. (latitude 32°12'51" N., longitude 101° 31'24" W.); within a 5-mile radius of Howard County Airport, Big Spring, Tex. (latitude 32°18'05" N., longitude 101°26'20" W.); within 2 miles each side of the Big Spring VORTAC 190° radial extending from the Webb AFB 5-mile radius zone to 1 mile S of the VORTAC; within 2 miles each side of the Big Spring VORTAC 151° radial extending from the Howard County Airport 5-mile radius zone to the VORTAC; within 3 miles each side of the Webb VORTAC 007° radial extending from the Webb AFB 5-mile radius zone to 8 miles N of the VORTAC; and within 3 miles each side of the Webb VORTAC 177° radial extending from the Webb AFB 5-mile radius zone to 8 miles S of the VORTAC. This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information

AMENDMENTS 7/18/74 39 F. R. 16339 (Rewritten)

Billings. Mont.

Within a 5-mile radius of Logan Field Airport (latitude 45°48'25" N., longitude 108°31'55" W.); within 4 miles each side of the Billings ILS west localizer course extending from the 5-mile radius zone to 8 miles west of the OM; within 3.5 miles each side of the Billings VORTAC 267° radial extending from the 5-mile radius zone to 8 miles west of the VORTAC; within 2 miles each side of the Billings VORTAC 005° radial extending from the 5mile radius zone to 12 miles east of the VORTAC; and within 2 miles each side of the Billings ILS east localizer course extending from the 5-mile radius zone to Lockwood NDB.

Biloxi, Miss.

Within a 5-mile radius of Keesler AFB (lat. 30°24'39" N., long. 88°55'26" W.); within 3 miles each side of the 036° bearing from Keesler RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN; within 1.5 miles each side of Keesler TACAN 050° and 200° radials, extending from the 5-mile radius zone to 7 miles northeast and southwest of the TACAN; excluding the portion west of long. 89°00'00" W. This control zone is effective from 0600 to 2300 hours, local time, daily.

AMENDMENTS 7/15/74 39 F. R. 26020 (Changed)

Binghamton, N.Y.

Within a 5-mile radius of the center of Broome County Airport, Binghamton, N.Y., 42°12'35" N., 75°58'46" W.: within 2 miles each side of the Binghamton VOR 066° radial extending from the 5-mile radius zone to the VOR and within 2 miles each side of the airport ILS localizer SE course extending from the 5-mile radius zone to 2 miles SE of the OM.

Birmingham, Ala.

Within a 5-mile radius of Birmingham Municipal Airport (latitude 33°33'50" N., longitude 86°45'30" W.); within 2 miles each side of Birmingham ILS localizer southwest course, extending from the 5-mile radius zone to 1 mile northeast of the OM; within 3 miles each side of the O560 and 2360 bearings from Roebuck RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN.

Bismarck, N. Dak.

Within a 52-mile radius of Bismarck Municipal Airport (latitude 46°46'40" N., longitude 100°45'05" W.); and within 2 miles each side of the Bismarck ILS localizer southeast course, extending from the 52-mile radius zone to 1 mile northwest of the OM.

Bloomington, Ill.

Within a 5-mile radius of Bloomington Normal Airport (latitude 40°28'55" N., longitude 88°55'40" W.); and within 2½ miles each side of the Bloomington VOR 043°, 103°, and 319° radials, extending from the 5-mile radius zone to 62 miles northeast, east and northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Bloomington, Ind.

Within a 5-mile radius of Monroe County Airport (latitude 38°08'35" N., longitude 86°37'00" W.); within 3 miles each side of the Bloomington VORTAC 181° radial, extending from the 5-mile radius zone to $10\frac{1}{2}$ miles south of the VORTAC; within 3 miles each side of the Bloomington VORTAC 062° radial, extending from the 5-mile radius zone to 11 miles northeast of the VORTAC; within 3 miles each side of the Bloomington VORTAC 341° radial; extending from the 5-mile radius zone to 10½ miles north of the VORTAC; and within 3 miles each side of the Bloomington VORTAC 236° radial, extending from the 5-mile radius zone to 9½ miles southwest of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Bluefield, WV.

Within a 5.5-mile radius of the center, lat. 37°17'45" N., long. 81°12'29" W., of Mercer County Airport, Bluefield, WV.; within a 7.5-mile radius of the center of the airport, extending clockwise from a 079° bearing from the airport to a 1250 bearing from the airport; within a 10-mile radius of the center of the airport, extending clockwise from a 170° bearing from the airport to a 239° bearing from the airport; within 3 miles each side of the Bluefield VORTAC 047° radial, extending from the 5.5-mile radius zone to 9.5 miles northeast of the VORTAC and within 4.5 miles each side of the Bluefield VORTAC 224° radial, extending from the 5.5-mile radius zone to 17 miles southwest of the VORTAC.

Blythe, Calif.

Within a 5-mile radius of Blythe Airport (Lat. 33°37'15" N, Long. 114°43'00" W).

Within a 5-mile radius of Blytheville AFB (latitude 35°57'50" N., longitude 89°56'40" W.), within 3 miles each side of the Blytheville VOR 357° radial extending from the 5-mile radius zone to 8.5 miles north of the VOR, and within 1.5 miles each side of the Blytheville TACAN 185° radial extending from the 5-mile radius zone to 5.5 miles south of the TACAN.

Boise, Idaho

Within a 5-mile radius of the Boise Air Terminal (latitude 43°33'55" N., longitude 116°13'35" W.); within 2 miles each side of the Boise VORTAC 304° radial, extending from the 5-mile radius zone to 12 miles northwest of the VORTAC; within 2 miles each side of the Boise VORTAC 319° radial, extending from the 5-mile radius zone to 12 miles northwest of the VORTAC and within 2 miles each side of the Boise VORTAC 114° radial, extending from the 5-mile radius zone to 12 miles southeast of the VORTAC; and within 2 miles west and 5 miles east of the Boise VORTAC 179° radial extending from the 5-mile radius zone to 7 miles south of the VORTAC.

Boston, Mass.

Within an 8-mile radius of the Logan International Airport (latitude 42°21'55" N., longitude 71°00'05" W.).

Bowling Green, Ky.

Within a 5-mile radius of Bowling Green-Warren County Airport (lat. 36057'47" N., long. 86025'07" W.); within 4.5 miles each side of Bowling Green VORTAC 2060 radial, extending from the 5-mile radius zone to 10 miles southwest of the VORTAC.

Bozeman, Mont.

Within a 7-mile radius of Gallatin Field (latitude 45°46'50" N., longitude 111°09'20" W.).

Bradford, Pa.

Within a 5-mile radius of the center 41°48'09" N., 78°38'27" W. of Bradford Regional Airport; Bradford, Pa.; within 3.5 miles each side of the Bradford, Pa., VORTAC 139° radial, extending from the VORTAC to 10 miles southeast of the VORTAC.

Brainerd, Minn.

Within a 5-mile radius of Brainerd-Crow Wing County Airport latitude 46°23'55" N., longitude 94°08'15" W.; within 2½ miles each side of the 043° bearing from the Brainerd-Crow Wing County Airport extending from the 5-mile radius zone to 5½ miles northeast of the airport; and within 2½ miles each side of the 313° bearing from the Brainerd-Crow Wing County Airport extending from the 5-mile radius zone to 5½ miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Bremerton, Wash.

Within a 5-mile radius of Kitsap County Airport (latitude 47°29'35" N., longitude 122°45'35"W.), within 3 miles each side of the 209° bearing from the Kitsap RBN (latitude 47°29'48" N., longitude 122°45'36" W.) extending from the 5-mile radius to 8 miles SW of the RBN, and within 2 miles each side of the 028° bearing from the Kitsap RBN extending from the 5-mile radius zone to 7 miles northeast of the RBN. This control zone will be effective during the times established in advance by a Notice to Airmen and continuously published in the Airman's Information Manual.

AMENDMENTS 8/15/74 39 F. R. 20191 (Rewritten)

Bridgeport, Conn.

That airspace within a 5.5-mile radius of the center, latitude 41°09'48" N., longitude 73°07'34" W. of the Igor I. Sikorsky Memorial Airport, Bridgeport, Conn., extending clockwise from a 008° bearing to a 058° bearing from the airport; within a 5-mile radius of the center of the airport, extending clockwise from a 058° bearing to a 276° bearing from the airport; within a 5.5-mile radius of the airport extending clockwise from a 276° bearing to a 311° bearing from the airport and within a 6-mile radius of the center of the airport extending clockwise from a 311° bearing to a 008° bearing from the airport. This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates and times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

AMENDMENTS 8/15/74 39 F. R. 23251 (Rewritten)

Brookings, S. Dak.

That airspace within a 5-mile radius of Brookings, S. Dak., Municipal Airport (latitude 44°18'12" N., longitude 96°48'40" W.); within 2.5 miles each side of the Brookings VOR 316° radial extending from the 5-mile radius zone to 7 miles northwest of the VOR and within 2.5 miles each side of the Brookings VOR 118° radial extending from the 5-mile radius zone to 8.5 miles southeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual.

Broomfield, Colo.

That airspace within a 5-mile radius of Jeffco Airport (latitude 39°54'30" N., longitude 105°06'50" W.). This control zone shall be effective during the specific dates and/or times established in advance by a Notice to Airmen and continuously published in the Airman's Information Manual.

Brownsville, Tex.

That airspace overlying the United States within a 5-mile radius of Brownsville International Airport (latitude 25°54'25" N., longitude 97°25'25" W.), within 2 miles each side of the Brownsville VORTAC 071° radial extending from the 5-mile radius zone to 8 miles east of the VORTAC, and within 2 miles each side of the Brownsville ILS localizer northwest course extending from the 5-mile radius zone to the OM.

Brunswick, Ga. (Malcolm-McKinnon Airport)

Within a 5-mile radius of Malcolm-McKinnon Airport (latitude 31°09'05" N., longitude 81°23'20" W.); within 1.5 miles each side of the Brunswick VOR 022° radial, extending from the 5-mile radius zone to the VOR, excluding the portion within a 1.5-mile radius of Brunswick Municipal Airport (latitude 31°11'10" N., longitude 81°28'50" W.).

AMENDMENTS 8/1/74 39 F. R. 13527 (Changed)

Brunswick, ME.

Within a 5-mile radius of NAS Brunswick (latitude 43°53'35" N., longitude 69°56'20" W.); within 2 miles each side of the Navy Brunswick VOR 166° radial, extending from the 5-mile radius zone to 8 miles south of the VOR; within 2 miles each side of the 166° bearing of the Navy Brunswick UHF RBN (latitude 43°53'42" N., longitude 69°56'49" W.), extending from the 5-mile radius zone to 8 miles south of the RBN; within 2 miles each side of the Navy Brunswick TACAN 008° radial, extending from the 5-mile radius zone to 8 miles north of the TACAN, excluding that airspace within a 1-mile radius of Topsham Airport; Topsham, ME., (latitude 43°56'55" N., longitude 69°59'50" W.).

Buffalo, N. Y.

Within a 5-mile radius of the center, 42°56'20" N., 78°43'50" W., of Greater Buffalo International Airport, Buffalo, N. Y.; within 2 miles each side of the Greater Buffalo International Airport northeast localizer course extending from the 5-mile radius zone to the OM; within 2 miles each side of the Greater Buffalo International Airport southwest localizer course extending from the 5-mile radius zone to the OM; and within 2 miles each side of the Buffalo VORTAC 096° radial extending from the 5-mile radius zone to 6 miles east of the VORTAC excluding the portion within a 1-mile radius of Buffalo Airpark, 42°51'45" N., 78°43'00" W.

Burbank, Calif.

Within a 5-mile radius of Hollywood-Burbank Airport, Calif. (latitude 34°12'15" N., longitude 118°21'30" W.), excluding the portion west of a line from latitude 34°16'00" N., longitude 118°25'55" W., to latitude 34°09' 25" N., longitude 118°25'40" W., and the portion within a l-mile radius of Whiteman Airpark, Pocoima, Calif. (latitude 34°15'35" N., longitude 118°24'45" W.).

Burley, Idaho

Within a 5-mile radius of Burley Municipal Airport (latitude 42°32'30" N., longitude 113°46'20" W.); within 3.5 miles each side of the Burley WORTAC 121° radial, extending from the 5-mile radius zone to 17.5 miles southeast of the VORTAC; within 3 miles each side of the Burley WORTAC 323° radial, extending from the 5-mile radius zone to 6 miles northwest of the WORTAC; within 3 miles each side of the Burley WORTAC 3010 radial, extending from the 5-mile radius zone to 8.5 miles northwest of the VORTAC; and within 1.5 miles each side of the 036° bearing from the Burley Municipal Airport extending from the 5mile radius zone to 8 miles northeast of the airport.

Burlington, Iowa

Within a 5-mile radius of Burlington Municipal Airport (latitude 40°46'55" N., longitude 91°07'40" W.); within 3 miles each side of the 293° radial of the Burlington WORTAC extending from the 5-mile radius zone to 2 miles northwest of the VORTAC.

Burlington, Vt. Within a 5-mile radius of the center, 44°28'15" N., 73°09'10" W., of the Burlington International Airport, Burlington, Vt.;

within 2 miles each side of the Burlington ILS localizer northwest course extending from the 5-mile radius zone to the LOM; within 2 miles each side of the Burlington VOR 021° radial extending from the 5-mile radius zone to the VOR.

PENDING AMENDMENT

Burlington, Vt.

Within a 7-mile radius of the center, 44°28'17" N., 73°09'13" W., of the Burlington International Airport, Burlington, Vermont.

AMENDMENTS 1/2/75 39 F. R. 39717 (Rewritten)

Butte, MT.

Within a 5-mile radius of the Silver Bow County Airport, Butte, MT. (latitude 45°57'15" N., longitude 112° 29°50" W.) and within 2 miles each side of the Butte VORTAC 115° radial extending from the 5-mile radius zone to the VORTAC. .

Calverton, N. Y.

Within a 5-mile radius of Peconic River Plant (Grumman) Airport, Calverton, N. Y. This control zone shall be effective from 0800 hours local time to sunset, Monday through Saturday.

AMENDMENTS 1/3/74 38 F. R. 31519 (Changed) AMENDMENTS 8/15/74 39 F. R. 22416 (Rewritten)

Camp Douglas, Wis.

Within a 5-mile radius of Volk Field, Camp Douglas, Wis. (latitude43°56'25" N., longitude 90°15'20" W.). and within 2 miles each side of the Volk Field VORTAC 092° radial extending from the 5-mile radius zone to 12 miles E of the VORTAC. This control zone shall be effective during the specific dates and/or time established by a Notice to Airmen and continuously published in the Airman's Information Manual.

Camp Pendleton, Calif.

Within a 3-mile radius of Camp Pendleton, MCALF (latitude 33°18'04" N., longitude 117°21'06" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Camp Springs, Md.

Within a 5-mile radius of Andrews AFB, Camp Springs, Md. (latitude 38°48'40" N., longitude 76°52'05" W.), within 2 miles E of the extended centerline of the Andrews AFB Runway 19-L and 2 miles W of the Andrews AFB

ILS localizer S course, extending from the 5-mile radius zone to the OM, within 2 miles each side of the . Andrews AFB ILS localizer. N course, extending from the 5-mile radius zone to the OM, excluding the portion within a 1-mile radius of Hyde Field, Clinton, Md. (latitude 38°45'00" N., longitude 76°56'00" W.), and excluding the portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Washington, D. C., control zone:

Cape Girardeau, Mo.

Within a 5-mile radius of Cape Girardeau Municipal Airport (latitude 37°13°30" N., longitude 89°34°10" W.), within 22 miles each side of the Cape Girardeau VOR 1940, 0360 and 2790 radials, extending from the 5-mile radius to 62 miles south-northeast and west of the VOR.

Carbondale, Ill.
Within a 5-mile radius of the Southern Illinois Airport (latitude 37°46'45" N., longitude 89°15'00" W.) and within 3 miles either side of the 338° bearing from the Southern Illinois Airport, extending from the 5-mile radius zone to 8 miles north of the airport; and within 3 miles either side of the 2500 bearing from the Southern Illinois Airport extending from the 5-mile radius zone to 8 miles west of the airport. This control zone is effective during specific dates and times established in advance by Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual.

Carlsbad, N. Mex.

Within a 5-mile radius of Cavern City Air Terminal (latitude 32°20'20" N., longitude 104°15'45" W.), and within 3.5 miles each side of the Carlsbad VOR 337° and 157° radials extending from the 5-mile radius zone to 10 miles southeast of the VOR

Casper, Wyo.

Within a 5-mile radius of Casper Air Terminal (latitude 42°54'25" N., longitude 106°27'50" W.); within 2' miles each side of the Casper WORTAC 216° radial, extending from the 5-mile radius zone to 26 miles southwest of the WORTAC; within 3 miles each side of the ILS localizer west course, extending from the 5-mile radius zone to 10 miles west of the OM; within 4 miles each side of the Casper 216° radial, extending from the 5-mile radius zone to the VORTAC.

Cedar City, Utah

Within a 5-mile radius of Cedar City Municipal Airport (latitude 37°42'05" N.. longitude 113°05'52" W) and within 2 miles on each side of the Cedar City VOR 195° radial extending from the 5-mile radius zone to the VOR.

Cedar Rapids, Iowa

Within a 5-mile radius of Cedar Rapids Municipal Airport (latitude 41°53'05" N., longitude 91°42'35" W.); within 3 miles each side of the Cedar Rapids VORTAC 0940 radial, extending from the 5-mile radius zone to 10 miles east of the VORTAC; and within 3 miles each side of the Cedar Rapids VORTAC 264° radial, extending from the 5-mile radius zone to 9 miles west of the WORTAC.

Chadron, Nebr.

Within a 5-mile radius of Chadron Municipal Airport (lat. 42050'00" N., long. 103005'50" W.); and within 2 miles each side of the 0100 bearing from the Chadron Municipal Airport, extending from the 5-mile radius zone to 8 miles north of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Chambles, Ga.

Within a 5-mile radius of De Kalb-Peachtree Airport (latitude.33°52'30": N., longitude 84°18'10" W.); within 1.5 miles each side of Norcross VORTAC 2420 radial, extending from the 5-mile radius zone to 1 mile southwest of the VORTAC. This control zone is effective from 0700 to 2300 hours, local time, daily.

Within a 5-mile radius of the University of Illinois-Willard Airport (latitude 40°02'25" N., longitude 88º16'35" W.); within 2 miles each side of the Champaign VORTAC 123°, 237° and 328° radials, extending from the 5-mile radius zone to 12 miles southeast, southwest, and northwest of the VORTAC; and within 2 miles each side of the University of Illinois-Willard Airport ILS localizer southeast course, extending from the 5-mile . radius zone to the OM.

Chandler, Ariz.

Within a 5-mile radius of Williams AFB (latitude 33°18'30" N., longitude 111°39'27" W.), within 3 miles each side of the Chandler VORTAC 130° radial, extending from the 5-mile radius zone to 9 miles SE of the VORTAC. within 2 miles each side of the Chandler VORTAC 3190 radial, extending from the 5-mile radius zone to 9 miles NW of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 2/28/74 38 F. R. 35299 (Rewritten) AMENDMENTS 10/10/74 39 F. R. 28147 (Changed)

Chantilly, Va.

Within a 5.5-mile radius of the center, 38°56'40" N., 77°27'24" W., of Dulles International Airport; within a 6-mile radius of the center of the airport extending clockwise from a 063° bearing to a 160° bearing from the airport; within 2.5 miles each side of the Dulles International Airport runway IR ILS localizer course, extending from the 5.5-mile radius zone to 0.5 miles north of the OM; within 2 miles each side of the extended centerline of Dulles International Airport runway 30, extending from the west end of runway 30 to 5.5 miles west and within 3.5 miles each side of the Dulles International Airport runway 19R ILS localizer course, extending from the 5.5-mile radius zone to 10 miles north of the OM.

AMENDMENTS 9/12/74 39 F. R. 26630 (Rewritten)

Chanute, Kans.

Within a 5-mile radius of Chanute Martin Johnson Airport (latitude 37°40'05" N., longitude 95°29'10" W.).

Within a 5-mile radius of Charleston AFB/Municipal Airport (lat. 32°53'55" N., long. 80°02'20" W.); within 3.5 miles each side of Charleston VORTAC 0180 and 3320 radials, extending from the 5-mile radius zone to 10 miles north and northwest of the VORTAC; within 2.5 miles each side of Charleston VORTAC 135° radial, extending from the 5-mile radius zone to 5.5 miles southeast of the VORTAC; within 3.5 miles each side of Charleston VORTAC 211° radial, extending from the 5-mile radius zone to 10.5 miles southwest of the VORTAC.

Within a 5.5-mile radius of the center, 38°22'22" N., 81°35'35" W., of Kanawha Airport, Charleston, W. Va.; within a 6-mile radius of the center of the Kanawha Airport, extending clockwise from a 319° bearing to a 229° bearing from the airport; within 2 miles each side of the extended centerline of Runway 5, extending from the 5.5-mile radius to 6.5 miles northeast of the lift-off end of Runway 5; within 1.5 miles each side of the extended centerline of Runway 14, extending from the 5.5-mile radius to 6.5 miles southeast of the lift-off end of Runway 14; within 2 miles each side of the Charleston VORTAC 0810 radial, extending from the 5.5-mile radius to 2 miles east of the VORTAC; within 2 miles each side of the extended centerline of Runway 23 extending from the 5.5-mile radius to 6.5 miles southwest of the lift-off end of Runway 23 and within 2 miles each side of the extended centerline of Runway 32, extending from the 5.5-mile radius to 6.5 miles northwest of the lift-off end of Runway 32.

Charlotte, N. C.

Within a 5-mile radius of Douglas Municipal Airport (latitude 35°12'53" N., longitude 80°56'18" W.); within 3 miles each side of Charlotte VORTAC 003° radial, extending from the 5-mile radius zone to 8.5 miles north of the VORTAC; within 2 miles each side of Charlotte VORTAC 0580 radial, extending from the 5-mile radius zone to 6 miles northeast of the VORTAC; within 2 miles each side of Charlotte VORTAC 223° radial, extending from the 5-mile radius zone to 6.5 miles southwest of the VORTAC; within 2 miles each side of Charlotte ILS localizer southwest course, extending from the 5-mile radius zone to 1 mile northeast of the OM.

Charlotte Amalie, St. Thomas, V. I. (Harry S. Truman Airport)

Within a 6-mile radius of Harry S. Truman Airport (lat. 18°20°26" N., long. 64°58'11" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the FAA publication International NOTAMS.

Charlottesville, VA.

Within a 5-mile radius of the center, lat. 38008'25" N., long. 78027'09" W., of Charlottesville-Albemarle Airport, Charlottesville, VA., and within 2.5 miles each side of the 022° bearing from the Charlottesville RBN, extending from the 5-mile radius zone to 2 miles north of the RBN.

Chattanooga, Tenn.

Within a 5-mile radius of Lovell Field (latitude 35°02'05" N., longitude 85°12'10" W.); within 2 miles each side of Chattanooga ILS localizer north course, extending from the 5-mile radius zone to 2.5 miles southwest of Daisy RBN; within 1 mile each side of Chattanooga ILS localizer south course, extending from the 5-mile radius zone to 0.5 mile north of Chattanooga VORTAC 263° radial.

Cherry Point MCAS, N. C.

The airspace within a 5-mile radius of Cherry Point MCAS (latitude 34°54'30" N., longitude 76°53'00" W.); within 1.5 miles each side of the 316° bearing from Cherry Point RBN, extending from the 5-mile radius zone to 1.5 miles northwest of the RBN.

Chesterfield (Spirit of St. Louis), Mo.
Within a 5-mile radius of Spirit of St. Louis Airport (latitude 38°39'35" N., longitude 90°38'45" W.); within 32 miles each side of the Maryland Heights, Mo., VORTAC 3100 radial, extending from the VORTAC to 92 miles northwest of the VORTAC; and within 5 miles each side of the Maryland Heights VORTAC 2410 radial extending from the VORTAC to 142 miles SW of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Chevenne, Wyo.

Within a 5-mile radius of Cheyenne Municipal Airport (latitude 41°09'20" N., longitude 104°48'30" W.) and within 2 miles each side of the Cheyenne ILS localizer E course, extending from the 5-mile radius zone to the OM.

Chicago, Ill. (Midway Airport)

Within a 5-mile radius of Chicago Midway Airport (latitude 41°47'04" N., longitude 87°45'12" W.); and within 2 miles each side of the Chicago Midway ILS localizer SE course extending from the 5-mile radius zone to 8 miles SE of the Kedzie RBN; and within 2 miles each side of the Chicago Midway ILS localizer NW course extending from the 5-mile radius zone to the OM.

Chicago, Ill. (Meigs Airport)

Within a 3-mile radius of Meigs Airport (latitude 41°51'30" N., longitude 87°36'30" W.) from 0600 to 2400 hours, local time, daily.

Chicago, Ill. (O'Hare International Airport)

Within a 5-mile radius of O'Hare International Airport (latitude 41°58'57" N., longitude 87954'25" W.); within 2 miles each side of the O'Hare International Airport runway 14R and 14L ILS localizer courses, extending from the 5-mile radius zone to 7 miles northwest of the airport; and within 2 miles each side of the O'Hare International Airport runway 32R and 32L ILS localizer courses, extending from the 5-mile radius zone to 7 miles southeast of the airport.

Chico, Calif.

Within a 5-mile radius of Chico Municipal Airport (latitude 39°47'45" N., longitude 121°51'25" W.) and within 2 miles each side of the Chico VOR 316° radial, extending from the 5-mile radius zone to 8 miles northwest of the VOR, excluding the portion within a 1-mile radius of Ranchaero Airport, Chico, Calif. (latitude 39°43'10" N., longitude 121°52'10" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Within a 5-mile radius of the Childress Municipal Airport (latitude 34°25'55" N., longitude 100°17'45" W.) and within 2 miles each side of the Childress VOR 182° radial, extending from the 5-mile radius zone to 8 miles S of the VOR.

China Lake, Calif.

Within a 5-mile radius of NAF China Lake (latitude 35°41'15" N., longitude 117°41'35" W.) and within 2 miles each side of the NAF China Lake TACAN 350° and 148° radials extending from the 5-mile radius zone to 8 miles N and SE of the TACAN.

Within a 5-mile radius of NASA Wallops Station Airport, Chincoteague, Va. (latitude 37°56'15" N., longitude 75°28'15" W.) and within 2 miles each side of the Snow Hill, Md., VOR 181° radial, extending from the 5-mile radius zone to 2.5 miles south of the VOR. This control zone is effective from 0730 to 1730 hours, local time, Monday through Friday, excluding Federal legal holidays.

Chino, Calif.

Within a 3-mile radius of Chino, Calif., Airport (lat. 33°58'30" N., long. 117°38'10" W.) and within 1.5 miles each side of the Ontario, Calif., VORTAC 303° radial, extending from the 3-mile radius area to 1 mile northwest of the VORTAC. This control zone shall be effective during the specific dates and times published in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Christiansted, St. Croix, V. I.

Within a 5-mile radius of Alexander Hamilton Airport (latitude 17°42'13" N., longitude 64°47'54" W.); within 3 miles each side of the St. Croix VOR 068° and 248° radials, extending from the 5-mile radius zone to 8.5 miles east of the VOR; within 3 miles each side of the 208° bearing from the Christiansted REN, extending from the 5-mile radius zone to 8.5 miles southwest of the REN. This control zone is effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the FAA publication, International NOTAMs.

Cincinnati, Ohio

Within a 5-mile radius of Cincinnati Municipal-Lunken Field Airport (latitude 39°06'14" N., longitude 84°25'18" W.) within 2 miles each side of Runway 20L ILS localizer northeast course, extending from the 5-mile radius zone to 6.5 miles northeast of the airport; and within 1.5 miles each side of the 227° bearing from Lunken RBN, extending from the 5-mile radius zone to the RBN.

Clarksburg, WV.

Within a 5.5-mile radius of the center, lat. 39°17'44" N., long. 80°13'46" W. of Benedum Airport; within 3 miles each side of the Clarksburg VOR 219° radial, extending from the 5.5-mile radius zone to 8.5 miles southwest of the VOR; and within 2.5 miles each side of the Benedum Airport ILS localizer northeast course, extending from the 5.5-mile radius zone to 1 mile southwest of the OM. This control zone is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be published continuously in the Airman's Information Manual.

AMENDMENTS 5/21/74 39 F. R. 17850 (Changed)

Cleveland, Ohio (Burke-Lakefront Airport)

Within a 5-mile radius of the Burke-Lakefront Airport (latitude 41°31'02" N., longitude 81°41'04" W.); within 2 miles each side of the Burke-Lakefront ILS localizer northeast course, extending from the 5-mile radius zone to the OM, excluding the portion overlying the Cleveland, Ohio (Cleveland-Hopkins International Airport) control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Cleveland, Ohio (Cleveland-Hopkins International Airport)

Within a 5-mile radius of the Cleveland-Hopkins International Airport (latitude 41°24'37" N., longitude longitude 81°50'56" W.).

Cleveland, Ohio (Cuyahoga County Airport)

Within a 5-mile radius of the Cuyahoga County Airport (latitude 41°34'00" N., longitude 81°29'30" W.); within 2½ miles each side of the 050° bearing from the Cuyahoga County RBN extending from the 5-mile radius zone to 5 miles northeast of the RBN, excluding the portion within the Cleveland, Ohio (Burke-Lakefront Airport) control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will, thereafter, be continuously published in the Airman's Information Manual.

Clinton, Okla. (Clinton-Sherman Airport)

Within a 5-mile radius of Clinton-Sherman Airport (latitude 35°20'25" N., longtiude 99°12'00" W.), and within 2 miles each side of the extended centerline of Clinton-Sherman Runways 17 and 35 extending from 7 miles north to 6 miles south of the ends of the runways. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Clovis, N. Mex.

Within a 6-mile radius of Cannon AFB, N. Mex. (latitude 34°23'01" N., longitude 103°18'58" W.); within 2 miles each side of the Cannon AFB TACAN 040° radial extending from the 6-mile radius zone to 9.5 miles northeast of the TACAN; within 2 miles each side of a 045° bearing from latitude 34°18'45" N., longitude 103°24'32" W., extending from the 6-mile radius zone to latitude 34°18'45" N., longitude 103°24'32" W.; within 2 miles each side of the Cannon AFB TACAN 230° radial extending from the 6-mile radius zone to 9.5 miles southwest of the TACAN, and within 2 miles each side of the Cannon AFB TACAN 232° radial extending from the 6-mile radius zone to 7 miles southwest of the TACAN. This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Cocoa (Patrick AFB), FL.

Within a 5-mile radius of Patrick AFB (lat. 28014'21" N., long. 80036'28" W.).

Cody, Wyo.

Within a 5-mile radius of the Cody Municipal Airport, Cody, Wyo. (latitude 44°31'09" N., longitude 109°01'25" W.), and within 1.5 miles each side of the Cody, Wyo., WOR 202° radial, extending from the 5-mile radius zone to the WOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Cold Bay, Alaska

Within a 5-mile radius of the Cold Bay Airport (latitude 55°12'06" N., longitude 162°43'28" W.); within 3 miles each side of the 338° bearing from the Fort Randall, Alaska, RBN, extending from the 5-mile radius zone to 13.5 miles north of the RBN, and within 5 miles west and 2.5 miles east of the Cold Bay VORTAC 150° radial, extending from the 5-mile radius zone to 18 miles south of the VORTAC.

AMENDMENTS 6/20/74 39 F. R. 10115 (Changed) Corr: 39 F. R. 15259 (eff. date changed to 7/18/74)

College Station, Tex.

Within a 5-mile radius of Easterwood Field, College Station, Tex. (latitude 30°35'00" N., longitude 96°22'00" W.), within 2 miles each side of the College Station VOR 287° radial extending from the 5-mile radius zone to 8 miles west of the VOR, within 2 miles each side of the College Station VOR 307° radial extending from the 5-mile radius zone to 9 miles northwest of the VOR, and within 2 miles each side of the College Station VOR 107° radial extending from the 5-mile radius zone to 10 miles east of the VOR.

Colorado Springs, CO.

Within a 6-mile radius of Peterson Field, Colorado Springs, CO. (latitude 38°48'35" N., longitude 104°42' 20" W.); within 2 miles each side of the Colorado Springs ILS localizer north course, extending from the 6-mile radius zone to 7 miles north of the localizer; within 2 miles each side of the Colorado Springs VORTAC 205° radial extending from the 6-mile radius zone to the VORTAC.

Colorado Springs, Colo...

Within a 3-mile radius of USAF Academy Airstrip (latitude 38°58'15" N., longitude 104°49'00" W.). This control zone is effective from sunrise to 30 minutes after sunset.

Columbia, No. (Regional Airport)

Within a 5-mile radius of Columbia Regional Airport (latitude 38948149" N., longitude 92013'12" W.).

Columbia, S. C.

Within a 5-mile radius of Columbia Metropolitan Airport (lat. 33°56'25.9" N., long. 81°07'11.2" W.); within 2 miles each side of Columbia ILS localizer west course, extending from the 5-mile radius zone to 1.5 miles east of the LOM.

Columbus, Ga. (Lawson AAF)

Within a 5-mile radius of Lawson AAF (lat. 32°20'20" N., long. 84°59'35" W.); within 2 miles each side of the 213° bearing from Lawson RBN, extending from the 5-mile radius zone to 6.5 miles southwest of the RBN; within 2 miles each side of Lawson VOR 339° radial, extending from the 5-mile radius zone to 1 mile south of the Columbus LOM; excluding the portion within Columbus Metropolitan Airport control zone.

Columbus, Ga. (Columbus Metropolitan Airport)

Within a 5-mile radius of Columbus Metropolitan Airport (lat. 32°30.55"N., long. 84°56'25" W.); within 1.5 miles each side of Columbus IIS localizer northeast course, extending from the 5-mile radius zone to the intersection of the Columbus VOR 102° radial; within 1.5 miles each side of Columbus VOR 149° radial, extending from the 5-mile radius zone to 1 mile southeast of the VOR; within 2 miles each side of Runway 5 extended centerline, extending from the 5-mile radius zone to 6 miles southwest of the runway end; within 2 miles each side of Runway 12 extended centerline, extending from the 5-mile radius zone to 6 miles northwest of the runway end.

Columbus, Miss.

Within a 5-mile radius of Columbus AFB, Miss. (latitude 33°38'38" N., longitude 88°26'39" W.); within 1.5 miles each side of the ILS localizer northwest course, extending from the 5-mile radius zone to 1.5 miles southeast of the LOM; within 1.5 miles each side of the Caledonia TACAN 141° and 312° radials, extending from the 5-mile radius zone to 6.5 miles southeast and northwest of the TACAN.

Columbus, Nebr.

Within a 5-mile radius of the Columbus Municipal Airport (latitude 41°26'50" N., longitude 97°20'25" W.), and within 2 miles each side of the Columbus VOR 340° and 141° radials, extending from the 5-mile radius zone to 8 miles N and SE of the VOR, and within 2 miles each side of the 330° bearing from the Columbus RBN, extending from the 5-mile radius zone to 8 miles NW of the RBN. This control zone shall be effective during the times established by a Notice to Airmen and continuously published in the Airman's Information Manual.

Columbus, OH. (Bolton Field)

Within a 3-mile radius of Bolton Field (latitude 39°54'07" N., longitude 83°08'12" W.) and 2 miles either side of the 213° bearing from the airport extending from the 3-mile radius to 4 miles southwest of the airport excluding a 1-mile radius of Columbus Southwest Airport (latitude 39°54'45" N., longitude 83°11'00" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airman. The effective date and time will, therefore, be continuously published in the Airman's Information Manual.

Columbus, Ohio (Lockbourne AFB)

Within a 5.5-mile radius of the center, lat. 39°49'00" N., long. 82°56'00" W. of Lockbourne AFB, Columbus, Ohio; within 1.5 miles each side of the Lockbourne TACAN 042° radial, extending from the 5.5-mile radius zone to 7 miles northeast of the TACAN; within 1.5 miles each side of the Lockbourne TACAN 229° radial, extending from the 5.5-mile radius zone to 6 miles southwest of the TACAN; within a 1.5-mile radius of center, lat. 39°53' ll" N., long. 82°57'53" W. of South Columbus Airport, Columbus, Ohio.

Columbus, Ohio (Ohio State University Airport)

Within a 5-mile radius of the Ohio State University Airport (latitude 40°04'40" N., longitude 83°04'30" W.); within 3 miles each side of the 273° and 090° bearings from the airport extending from the 5-mile radius zone to 8½ miles west and east of the airport, excluding that portion within the Columbus, Ohio (Port Columbus International Airport) control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Columbus, Ohio (Port Columbus International Airport)

Within a 6-mile radius of the center lat. 39°59'41" N., long. 82°53'08" W. of Port Columbus International Airport, Columbus, Ohio; within 2 miles each side of the 094° bearing from the Grandview LOM, extending from the 6-mile radius zone to 2 miles east of the Grandview LOM and within a 1-mile radius of the center, lat. 39°55'00" N., long. 82°54'00" W. of Price Field, Columbus, Ohio, excluding the portion that coincides with the Columbus, Ohio (Lockbourne AFB), control zone.

Concord, Calif.

Within a 3-mile radius of Buchanan Field, Concord, Calif. (latitude 37°59'20" N., longitude 122°03'20" W.). within 2 miles each side of the Concord VOR 188° radial extending from the 3-mile radius zone to the VOR, effective from 0700 to 2300 hours, local time daily.

Concord, N. H.

Within a 5-mile radius of the center, 43°12'16" N., 71°30'07" W., of Concord Municipal Airport, Concord, New Hampshire; within 1.5 miles each side of the 337° bearing from the Epson, New Hampshire, NDB, 43°07'05" N., 71°27'13" W., extending from the 5-mile radius zone to the Epson NDB.

Cordova, Alaska

Within a 5-mile radius of the Cordova (mile 13) airport, latitude 60°29'33" N., longitude 145°28'36" W.; within 2 miles each side of the 233° bearing from the Cordova (CDV) NDB extending from the 5-mile radius zone to the intersection of the 233° bearing from the Cordova (CDV) NDB and the Hinchinbrook, Alaska, RBN 106° bearing and within

2 miles each side of the Cordova localizer east course extending from the 5-mile radius zone to 10 miles east of the localizer.

AMENDMENTS 3/28/74 39 F. R. 3670 (Changed)

Corpus Christi, Tex.

Within a 5-mile radius of the Corpus Christi International Airport (latitude 27°46'20" N., longitude 97°30'20" W.); within 2 miles each side of the Corpus Christi VORTAC 202° radial, extending from the 5-mile radius zone to the VORTAC; and within 2 miles each side of the Corpus Christi ILS localizer NW course, extending from the 5-mile radius zone to the OM.

Corpus Christi, Tex. (NALF Cabaniss Field)

Within a 5-mile radius of NALF Cabaniss Field (latitude 27°42'06" N., longitude 97°26'17" W.) excluding that airspace designated as the Corpus Christi (CRP) and Navy Corpus Christi (NGP) control zones. This control zone will be effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Effective hours, local time, will be: 0600-2200 Monday through Friday.

Corpus Christi NAS, Tex.

Within a 5-mile radius of NAS Corpus Christi (latitude 27°41'30" N., longitude 97°17'15" W.); within 2 miles each side of the Navy Corpus VOR 010° radial, extending from the 5-mile radius zone to the VOR; within 2 miles each side of the Navy Corpus RBN 315° bearing extending from the 5-mile radius zone to the RBN; within 2 miles each side of the Navy Corpus TACAN 326° radial, extending from the 5-mile radius zone to 6 miles northwest of the TACAN; and within 2 miles each side of the Navy Corpus TACAN 119° radial, extending from the 5-mile radius zone to 6 miles southeast of the TACAN.

Cortez, Colo.

Within a 5-mile radius of Cortez-Montezuma County Airport, Cortez, Colo., (latitude 37°18'15" N., longitude 108°37'35" W.) and within 3 miles each side of the Cortez VOR 210° and 004° radials, extending from the 5-mile radius zone to 8 miles north of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Corvallis, Oreg.

Within a 5-mile radius of Corvallis Municipal Airport (latitude: 44°29'50" N., longitude 123°17'10" W.), within 3 miles each side of the Corvallis VOR 090° radial, extending from the 5 mile radius zone to 8 miles east of the VOR and within 3.5 miles each side of the Corvallis VOR 180° radial extending from the 5-mile radius zone to 10 miles south of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Cotulla. Tex:

That airspace within a 3-mile radius of Cotulla Municipal Airport (latitude 28°27'15" N., longitude 99° 13'05" W.) and within 2 miles each side of the Cotulla VOR 266° radial extending from the 3-mile radius zone to 11 miles west of the VOR.

AMENDMENTS 8/15/74 39 F. R. 20785 (Rewritten)

Covington, Ky.

Within a 5-mile radius of Greater Cincinnati Airport (lat. 39002'56" N., long. 84039'41" W.); within 1.5 miles each side of Runway 36 ILS localizer south course, extending from the 5-mile radius zone to the LOM; within 4.5 miles each side of Cincinnati VORTAC 2230 radial, extending from the 5-mile radius zone to 10.5 miles southwest of the VORTAC; within 1.5 miles each side of Runway 18 ILS localizer north course, extending from the 5-mile radius zone to Addyston LOM.

Crescent City, Calif.

Within a 5-mile radius of Jack McNamara Field, Crescent City (lat. 41046'50" N., long. 124014'00" W.), within 3 miles each side of the Crescent City VORTAC 3250 radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC and within 1.5 miles each side of the Crescent City VORTAC 1800 radial, extending from the 5-mile radius zone to 5.5 miles south of the WORTAC.

This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Creatview, Fla.
Within a 5-mile radius of Bob Sikes Airport (lat. 30°46'47" N., long. 86°31'21" W.); within 1.5 miles each side of Crestview VORTAC 1090 radial, extending from the 5-mile radius zone to 0.5-mile east of the VORTAC.

Within a 5-mile radius of the Crossville Memorial Airport (latitude 35°57'05" N., longitude 85°05'05" W.) and within 2 miles each side of the Hinch Mountain VORTAC 3340 radial extending from the 5-mile radius zone to 1.5 miles northwest of the VORTAC.

Cut Bank, Mont.

Within a 5-mile radius of Cut Bank Airport (latitude 48°36'41" N., longitude 112°22'45" W.); within 32 miles each side of the Cut Bank VORTAC 150° radial extending from the 5-mile radius zone to 10 miles southeast of the VORTAC.

Dalhart, Tex.

That airspace within a 5-mile radius of Dalhart Municipal Airport latitude 36°01'10" N., longitude 102°33'10" W.).

Dallas, Tex. (Addison Airport)

That airspace within a 5-mile radius of Addison Airport (latitude 32°58'05" N., longitude 96°50'05" W.); and within 2 miles each side of the Addison VOR 334° radial, extending from the 5-mile radius zone to 6 miles NW of the VOR; excluding the portion S of a line from latitude 32°59'30" N., longitude 96°55'30" W., through latitude 32°56'30" N., longitude 96°51'30" W., to latitude 32°54'00" N., longitude 96°46'30" W. This control zone is effective from 0600 to 2200 hours, local time, daily.

38 F. R. 30103 (eff. date changed to 1/13/74) .

Dallas, Tex. (Love Field)
That airspace bounded by a line beginning at latitude 32°53'15" N., longitude 96°59'35" W.; thence northeast to latitude 32°56'30" N.; thence clockwise along the arc of a 5-mile radius circle centered at Addison Airport (latitude 32°58'05" N., longitude 96°50'05" W.) to latitude 32°59'30" N., longitude 96°55'30" W., through latitude 32°56'30" N., longitude 96°51'30" W., and continuing southeast along a line to latitude 32°54'00" N., longitude 96°46'30" W. until interception of the arc of a 5-mile radius circle centered at Addison Airport, southeast of Addison Airport; then clockwise along the arc of the 5-mile radius centered at Addison Airport to interception with and then clockwise along the arc of a 5-mile radius circle centered at Love Field (latitude 32°51'00" N., longitude 96°50'50" W.) to longitude 96°49'30" W., southeast of Love Field; thence south along longitude 96°49'30" W. to and counterclockwise along the arc of a 5-mile radius circle centered at Redbird Airport (latitude 32°40'50" N., longitude 96°52'00" W.) until interception with and then northeast along a line drawn between latitude 32°39'35" N. longitude 96°54'15" W., and longitude 96°53'30" W. and the arc of a 5-mile radius circle centered at Love Field, southwest of Love Field; thence clockwise along the arc of a 5-mile radius circle centered at Love Field to latitude 32°40' 40" N., west of Love Field, to point of beginning; within 2 miles each side of the Love Field runway 31L ILS localizer southeast course, extending from the Love Field 5-mile radius zone to the OM; and excluding that airspace within the Dallas-Fort Worth, Tex. (Regional Airport), control zone.

Corr: 38 F. R. 30103 (eff. date changed to 1/13/74)

Dallas, Tex. (NAS Dallas)

Within a 6-mile radius of NAS Dallas (lat. 32°44'00" N., long. 96°58'05" W.); within a 5-mile radius of Redbird Airport (lat. 32°40'50" N., long. 96°52'00" W.); excluding the portion within the Dallas-Fort Worth, Tex. (Regional Airport), and Dallas, Tex. (Love Field), control zones; and excluding the portion east of a line from latitude 32°37'00" N., longitude 96°56'00" W., to latitude 32°39'35" N., longitude 96°54'15" W., to latitude 32048'00" N., longitude 96053'45" W.

Corr: 38 F. R. 30103 (eff. date changed to 1/13/74)

Dallas, Tex. (Redbird Airport)

That airspace within a 5-mile radius of Redbird Airport (latitude 32°40'50" N., longitude 96°52'00" W.); and within 3.5 miles each side of the 165° bearing from the Redbird RBN extending from the 5-mile radius zone to 10 miles south of the RBN; excluding the portion west of a line from latitude 32°37'00" N., longitude 96° 56'00" W., to latitude 32°39'35" N., longitude 96°54'15" W., to latitude 32°48'00" N., longitude 96°53'49" W. This control zone is effective from 0600 to 2200 hours, local time, daily.

38 F. R. 30103 (eff. date changed to 1/13/74)

Dallas-Fort Worth, Tex., Regional Airport

Within a 5-mile radius of Dallas/Fort Worth Regional Airport (lat. 32°53'53" N., long. 97°02'24" W.); within 2.5 miles west and 3.5 miles east of the runway 17R/35L ILS localizer courses extending from the 5-mile radius zone to the OMs, and within 2.5 miles each side of the runway 31 ILS localizer course extending from the 5-mile radius zone to the OM.

Corr: 38 F. R. 30103 (eff. date changed to 1/13/74)

Danbury, Conn.

Within a 5-mile radius of the center latitude 41°22'15" N., longitude 73°29'00" W., of the Danbury Airport, Danbury, Conn., and within 2 miles each side of the Carmel VORTAC 038° radial extending from the 5-mile radius area to the Carmel WORTAC. This control zone is effective from 0800 to 2000 hours local time daily or during the specific dates and times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airmen's Information Manual.

Danville, Ill.

That airspace within a 5-mile radius of Vermillion County Airport (lat. 40°11'54" N., long. 87°35'49" W.). This control zone is effective during the specific dates and times established in advance by a Notice to The effective date and time will thereafter be continuously published in the Airman's Information Airmen. Manual.

Danville, Va.

Within a 5-mile radius of the center, lat. 36°34'30" N., long. 79°20'11" W., of Danville Municipal Airport, Danville, Va.; within 3 miles each side of the Danville, Va., WOR 044° radial, extending from the 5-mile radius zone to 8.5 miles northeast of the VOR; within 3 miles each side of the Danville, Va., VOR 208° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR. This control zone is effective from 0600 to 2200 hours, local time, daily.

Davenport, Iowa

Within a 5-mile radius of Davenport Municipal Airport (latitude 41°36'40" N., longitude 90°35'20" W.); within 3 miles each side of the 224° bearing from the Davenport RBN, extending from the 5-mile radius zone to 62 miles southwest of the REN; and within 2 miles each side of the Cordova VOR 2200 radial, extending from the 5-mile radius zone to 1 mile southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

PENDING AMENDMENT

Davemport, Iowa

Within a 5-mile radius of Davemport Municipal Airport (latitude 41°36'40" N., longitude 90°35'20" W.); within 3 miles each side of the 224° bearing from the Cody RBN, extending from the 5-mile radius zone to 62 miles southwest of the RBN; and within 2 miles each side of the Davemport VOR 220° radial, extending from the 5-mile radius zone to 1 mile southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/30/75 39 F. R. 41517 (Rewritten)

Dayton, Ohio (James M. Cox-Dayton Municipal)

Within a 5-mile radius of the center, 39°53'57" N., 84°12'45" W. of James M. Cox-Dayton Municipal Airport. Dayton, Ohio, excluding that airspace within a 1-mile radius of the center, 39°54'52" N., 84°18'45" W. of . Studebaker Farms Airport, Union, Ohio.

Dayton, OH. (Wright-Patterson AFB)

Within a 5-mile radius of Wright-Patterson AFB (latitude 39049'25" N., longitude 84002'55" W.); within a 6-mile radius of the Springfield Municipal Airport (latitude 39°50'22" N., long:tude 83°50'21" W.); within 3 miles each side:of the 055° bearing from the airport extending from the 6-mile radius zone to 9 miles northeast and within 3 miles each side of the 243° bearing from the airport extending from the 6-mile radius zone to 8.5 . miles southwest.

Daytona Beach, Fla.

Within a 5-mile radius of Daytona Beach Regional Airport (lat. 29°10'49" N., long. 81°03'23" W.); within a 5-mile radius of Municipal Airport, Ormond Beach, Fla. (lat. 29°18'00" N., long. 81°06'49" W.); within 5 miles each side Ormond Beach VORTAC 256° radial, extending from the 5-mile radius zone to 8.5 miles west of the VORTAC.

Deadhorse, Alaska

Within a 5-mile radius of the Deadhorse Airport (latitude 70°11'40" N., longitude 148°28'05" W.); within a 5-mile radius of the Prudhoe Bay Airport (latitude 70°15'05" N., longitude 148°20'13" W.); within 3.5 miles each side of the Deadhorse VOR 255° radial extending from the 5-mile radius zone to 9.5 miles W of the VOR; within 3.5 miles each side of the Deadhorse VOR 081º radial extending from the 5-mile radius zone to 8.5 miles E of the VOR; within 3 miles each side of the Prudhoe Bay NDB 0750 bearing extending from the 5-mile radius zone to 8.5 miles E of the NDB; and within 3 miles each side of the Prudhoe Bay NDB 2590 bearing extending from the 5-mile radius zone to 8.5 miles W of the NDB.

AMENDMENTS 4/25/74 39 F. R. 12998 (Changed) AMENDMENTS 7/18/74 39 F. R. 19449 (Rewritten)

Within a 5-mile radius of Decatur Airport (latitude 39°50'05" N., longitude 88°51'50" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Del Rio, Tex.

Within a 5-mile radius of Laughlin AFB (latitude 29°21'35" N., longitude 100°46'35" W.) within 3 miles each side of the Laughlin VORTAC 305° radial extending from the 5-mile radius zone to 7 miles northwest of the VORTAC; within 3 miles each side of the Laughlin VORTAC 315° radial extending from the 5-mile radius zone to 14 miles northwest of the VORTAC; within 3 miles each side of the Laughlin VORTAC 148° radial extending from the 5-mile radius zone to 12 miles southeast of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 3/28/74 39 F. R. 3929 (Rewritten)

Deming, N. Mex. Within a 5-mile radius of Deming Municipal Airport (lat. 32º15'40" N., long. 107º43'10" W.). Denver, Colo.

Within a 9-mile radius of Stapleton International Airport (latitude 39°46'30" N., longitude 104°52'40" W.), within a 9-mile radius of Buckley ANGB Airport (latitude 39°42'05" N., longitude 104°45'10" W.), and within 4 miles each side of the Buckley ANGB VOR 152° radial extending from the 9-mile radius zone to 14 miles southeast of the VOR, excluding the portion within a 1-mile radius of Skyline Airport (latitude 39°46'37" N., longitude 104°36'57" W.).

Des Moines, Iowa

Within a 5-mile radius of Des Moines Municipal Airport (latitude 41°32°10° N., longitude 93°39°27° W.); and within 1 mile each side of the Des Moines ILS localizer northwest course, extending from the 5-mile radius zone to 11½ miles northwest of the CM.

Detroit, Mich. (Metropolitan Wayne County Airport)

Within a 5-mile radius of Detroit Metropolitan Wayne County Airport (latitude 42°13'07" N., longitude 83°20'55" W.); within 2 miles each side of the Detroit Metropolitan Wayne County Airport ILS localizer southwest course, extending from the 5-mile radius zone to the OM; within 2 miles each side of the Detroit Metropolitan Wayne County Airport ILS localizer northeast course, extending from the 5-mile radius zone to the OM; and within 2 miles each side of the Detroit Metropolitan Wayne County Airport ILS east course, extending from the 5-mile radius zone to the OM, excluding the portion west of a line between the points of intersection of the 5-mile radius zone and the Detroit, Mich. (Willow Run) control zone.

AMENDMENTS 5/23/74 39 F. R. 11085 (Changed)

Detroit, Mich. (Willow Rum Airport)

Within a 5-mile radius of Willow Run Airport (latitude 42°14'05" N., longitude 83°31'45" W.), within 2 miles each side of the Willow Run VOR 237° radial, extending from the 5-mile radius zone to 8 miles SW of the VOR, within 2 miles each side of the Willow Run Airport ILS localizer SW course, extending from the 5-mile radius zone to the OM, excluding the portion subtended by a chord drawn between the points of INT of the 5-mile radius zone with the Detroit, Mich. (Metropolitan Wayne County Airport) control zone.

Detroit, Mich.

Within a 5-mile radius of the Detroit City Airport (latitude 42°24'35" N., longitude 83°00'35" W.), within 2 miles each side of the Detroit City Airport ILS localizer NW course extending from the 5-mile radius zone to 6 miles NW of the approach end of the Detroit City Airport Runway 15; and within 2 miles each side of the Windsor, Ontario, Canada VOR 320° radial extending from the 5-mile radius zone to the United States/Canadian border.

Devils Lake, N. Dak.

Within a 5-mile radius of the Devils Lake Municipal Airport (latitude 48°06'55" N., longitude 98°54' 30" W.); within 3½ miles each side of the Devils Lake VORTAC 134° radial extending from the 5-mile radius zone to 10 miles southeast of the VORTAC; within 3½ miles each side of the Devils Lake VORTAC 324° radial extending from the 5-mile radius zone to 10 miles northwest of the VORTAC; and within 3 nautical miles each side of the 026° bearing from the Devils Lake Municipal Airport extending from the 5-mile radius zone to 7 miles northeast of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Dickinson, N. Dak.

Within a 5-mile radius of Dickinson Municipal Airport (latitude 46°47'51" N., longitude 102°47'49" W.) and within 3 miles each side of the Dickinson VORTAC 013° radial extending from the 5-mile radius area to 8 miles north of the VORTAC.

Dillingham, Alaska

Within a 5-mile radius of the Dillingham Airport (latitude 59°02'30" N., longitude 158°30'28" W.); within 2 miles each side of the Dillingham VORTAC 025° radial extending from the 5-mile radius zone to 13.5 miles northeast of the Dillingham VORTAC and within 2 miles each side of the Dillingham VORTAC 205° radial extending from the 5-mile radius zone to 9 miles southwest of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the U. S. Government Flight Information Publication, Supplement Alaska.

Dodge City, Kans.

Within a 5-mile radius of Dodge City Municipal Airport (latitude '37045'42" N., longitude 99057'51" W.).

Dothan, Ala.

Within a 5-mile radius of Dothan Airport (latitude 31°10°10° N., longitude 85°27'30° W.); within 4.5 miles each side of Dothan VORTAC 157° radial, extending from the 5-mile radius zone to 10.5 miles SE of the VORTAC; within 3.5 miles each side of Dothan VORTAC 331° radial, extending from the 5-mile radius zone to 7.5 miles NW of the VORTAC.

Douglas, Ariz,

Within a 5-mile radius of Bisbee-Douglas International Airport (latitude 31°28'00" N., longitude 109°36' 10" W.) and within 2 miles each side of the Douglas VORTAC 333° radial, extending from the 5-mile radius zone to 11.5 miles northwest of the VORTAC.

Dover, Del.

Within a 5-mile radius of the center, lat. 39°07'30" N., long. 75°28'00" W. of Dover AFB, Dover, Del.; within 3 miles each side of the Dover TACAN 178° radial, extending from the 5-mile radius zone to 6.5 miles south of the TACAN; within 3 miles each side of the Dover TACAN 012° radial, extending from the 5-mile radius zone to 6.5 miles north of the TACAN; within 3 miles each side of the Dover TACAN 132° radial, extending from the 5-mile radius zone to 6.5 miles southeast of the TACAN.

Du Bois, Pa.

Within a 5-mile radius of the center, 41°10'42" N., 78°53'50" W., of Du Bois-Jefferson County Airport, Du Bois, Pa.; within 3 miles each side of the Du Bois-Jefferson County Airport ILS localizer northeast course, extending from the 5-mile radius zone to 8.5 miles northeast of the OM; and within 2.5 miles each side of the Clarion, Pa., VORTAC 086° radial, extending from the 5-mile radius zone to 23 miles east of the Clarion, Pa., VORTAC.

AMENDMENTS 7/18/74 39 F. R. 17850 (Rewritten) Corr: 39 F. R. 19450

Dubuque, Iowa

Within a 5-mile radius of Dubuque Municipal Airport (latitude 42°24'10" N., longitude 90°42'32" W.); within 3 miles each side of the Dubuque VORTAC 321° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC; and within 3 miles each side of the Dubuque VORTAC 126° radial, extending from the 5-mile radius zone to 8 miles southeast of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Northan. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Duluth, Minn.

Within a 6.5-mile radius of Duluth International Airport (latitude 46°50'30" N., longitude 92°11'25" W.); and within 3 miles each side of the Duluth VORTAC 197° radial extending from the 6.5-mile radius zone to 11 miles south of the VORTAC.

Durango, Colo.

Within a 5-mile radius of La Plata Field (latitude 37°09'12" N., longitude 107°45'04" W.) and within 3 miles each side of the Durango VOR 224° radial, extending from the 5-mile radius zone to 8 miles southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Dyersburg, Tenn.

Within a 5-mile radius of the Dyersburg Municipal Airport (latitude 36°00'00" N., longitude 89°24'20" W.); within 1.5 miles each side of the Dyersburg VORTAC 258° radial, extending from the 5-mile radius zone to the VORTAC, effective from 0600 to 2200 hours local time daily.

Eagle, Colo.

That airspace within a 3.5-mile radius of the Eagle County Airport (latitude 39°38'18" N., longitude 106°54'51" W.) and within 3 miles north and 2.5 miles south of the 093° bearing from the Eagle, Colo., RBN (latitude 39°38'37" N., longitude 106°54'36" W.), extending from the 3.5-mile radius zone to 6 miles east of the RBN.

Eastover, S. C.

Within a 5-mile radius of McEntire ANGB (lat. 33°55'26" N., long. 80°48'14" W.); within 2 miles each side of McEntire ANG TACAN 138° radial, extending from the 5-mile radius zone to 7 miles southeast of the TACAN.

East St. Louis, Ill.

Within a 5-mile radius of the Bi State Parks Airport (latitude 38°34'30" N., longitude 90°10'00" W.) and within 3 miles each side of the 129° bearing from the airport extending from the 5-mile radius area to 8 miles southeast. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Eau Claire, Wis.

Within a 5-mile radius of Eau Claire Municipal Airport (latitude 44°51'50" N., longitude 91°29'10" W.); within 2½ miles each side of the 304° bearing from Eau Claire Municipal Airport extending from the 5-mile radius zone to 5½ miles northwest of the airport; within 2½ miles each side of the 041° bearing from the Eau Claire Municipal Airport, extending from the 5-mile radius zone to 5½ miles northeast of the airport; and within 2½ miles each side of the 274° bearing from the Eau Claire Municipal Airport, extending from the 5-mile radius zone to 5½ miles west of the airport.

Edwards AFB, Calif.

Within an 8-mile radius of Edwards AFB (latitude 34°54'20" N., longitude 117°52'55" W.).

Eglin AFB, Fla.

Within a 5-mile radius of Eglin AFB (lat. 30°29'07" N., long. 86°31'35" W.); within 3 miles each side of the ILS localizer southeast course, extending from the 5-mile radius zone to 8.5 miles southeast of the LMM; within a 3-mile radius of Destin-Fort Walton Beach Airport (lat. 30°23'57" N., long. 86°28'47" W.); within 2 miles each side of the extended centerline of runway 14/32, extending from the 3-mile radius zone to 4 miles southeast of the airport.

Eglin AF Aux No. 3 (Duke Field), Fla.

Within a 5-mile radius of Eglin AF Aux No. 3 (Duke Field); (latitude 30°39'01" N., longitude 86°31'25" W.). The portion within a 5-mile radius of Bob Sikes Airport (latitude 30°46'47" N., longitude 86°31'21" W.) is excluded. This control zone is effective from 0930 to 1730 hours, local time, Monday; 0730 to 2300 hours, local time, Tuesday through Friday, and 0900 to 1700 hours, local time, Saturday and Sunday; excluding Federal legal holidays.

AMENDMENTS 7/15/74 39 F. R. 26887 (Changed)

Eglin AF Aux No. 9 (Hurlburt Field), Fla.

Within a 5-mile radius of Eglin AF Aux No. 9 (Hurlburt Field) (lat. 30°25'42" N., long. 86°41'05" W.); within 2 miles each side of the Eglin VOR 285° radial, extending from the 5-mile radius zone to 1 mile west of the VOR; excluding the portion within Eglin AFB control zone.

El Centro, Calif.

Within a 5-mile radius of NAF El Centro (latitude 32°49'20" N., longitude 115°40'15" W.); within a 5-mile radius of Imperial County Airport, El Centro, Calif. (latitude 32°50'10" N., longitude 115°34'30" W.); within 2 miles each side of the Imperial VORTAC 297° radial, extending from the NAF El Centro 5-mile radius zone to the VORTAC, and within 2 miles each side of the Imperial VORTAC 327° radial, extending from the Imperial County 5-mile radius zone to the VORTAC.

El Dorado, Ark.

That airspace within a 5-mile radius of Goodwin Airport, El Dorado, Ark. (latitude 33°13'05" N., longitude 92°48'45" W.).

Elizabeth City, N. C.

Within a 5-mile radius of CGAS Elizabeth City (latitude 36°15'35" N., longitude 76°10'20" W.); within 3 miles each side of Elizabeth City VOR 195° radial, extending from the 5-mile radius zone to 8.5 miles south of the VOR; within 2.5 miles each side of Elizabeth City VOR 357° radial, extending from the 5-mile radius zone to 8.5 miles north of the VOR. This control zone is effective from 0700 to 2200 hours, local time, daily,

AMENDMENTS 8/15/74 39 F. R. 30839 (Changed)

Elkhart, Ind.

Within a 5-mile radius of the Elkhart Municipal Airport (latitude 41°43'11" N., longitude 85°59'41" W.), within 2 miles each side of the 264° bearing from the airport extending from the 5-mile radius zone to 8 miles west, excluding that airspace within a 1-mile radius of the Mishawaka Pilots Club Airport (latitude 41°39' 25" N., longitude 86°02'05" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 4/25/74 39 F. R. 5484 (Added)

Elkins, W. Va.

Within a 5-mile radius of the center, lat. 38°53'20" N., long. 79°51'24" W. of Elkins-Randolph County-Jennings Randolph Field,

Elkins, W. Va., and within 3 miles each side of the Ollo bearing from the Randolph County RBN, extending from the 5-mile radius zone to 8.5 miles north of the RBN. This control zone is effective from sunrise to sunset, daily.

AMENDMENTS 2/19/74 39 F. R. 6058 (Changed)

Elko, Nev.
Within a 5-mile radius of Elko Municipal Airport (Lat. 40°49'35" N, Long. 115°47'20" W).

Elmira, N.Y.

Within a 5-mile radius of the center of Chemung County Airport, Elmira, N.Y., 42°09'37" N., 76°53'35" W.: within 2 miles each side of the Elmira VOR 057° radial extending from the 5-mile radius zone to the VOR; within 2 miles each side of the airport ILS localizer NE course extending from the 5-mile radius zone to 2 miles NE of the OM; within 2 miles each side of the centerline of Runway 1 extended northerly from the 5-mile radius zone for 3 miles: "thin 2 miles each side of the centerline of Runway 10 extended easterly from the 5-mile radius zone for 1 mile: within 2 miles each side of the centerline of Runway 19 extended southerly from the 5-mile radius zone for 2 miles and within 2 miles each side of the centerline of Runway 28 extended westerly from the 5-mile radius zone for 4 miles.

El Monte, Calif.

Within a 3-mile radius of El Monte Airport (latitude 34005'05" N., longitude 118002'00" W.) and within 2 miles each side of the Pomona VORTAC 2710 radial, extending from the 3-mile radius zone to 8 miles west of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

El Paso, Tex.

That airspace bounded by a line beginning at latitude 31°45'15" N., longitude 106°26'30" W.; thence clockwise along the arc of a 5-mile radius circle centered at the El Paso International Airport (latitude 31°48'35" N., longitude 106°22'55" W.) to latitude 31°52'10" N., longitude 106°26'00" W.; to latitude 31°56'20" N., longitude 106°26'00" W.; thence clockwise along the arc of a 7-mile radius circle centered at latitude 31°50'55" N., longitude 106°22'45" W.; to latitude 31°47'30" N., longitude 106°16'45" W.; thence clockwise along the arc of a 6-mile radius circle centered at the El Paso International Airport; to latitude 31°43'15" N., longitude 106°22'20" W.; thence via the United States/Mexican Border to point of beginning. PENDING AMENDMENT

El Paso, Tex.

That airspace bounded by a line beginning at latitude 31°45'45" N., longitude 106°27'43" W.; thence clockwise along the arc of a 6-mile radius circle centered at the El Paso International Airport (latitude 31048'35" N., longitude 106°22'55" W:) to latitude 31°49'46" N., longitude 106°28'34" W.; thence clockwise along the arc of a 6-mile radius circle centered at latitude 31°50'55" N., longitude 106°22'45" W.; to latitude 31°55'12" N., longitude 106°26'00" W.; to latitude 31°56'20" N., longitude 106°26'00" W.; thence clockwise along the arc of a 7-mile radius circle centered at latitude 31°50'55" N., longitude 106°22'45" W.; to latitude 31°47'30" N., longitude 106°16'45" W.; thence clockwise along the arc of a 6-mile radius circle centered at the El Paso International Airport; to latitude 31°43'15" N., longitude 106°22'20" W.; thence via the United States/Mexican border to point of beginning.

AMENDMENTS 1/30/75 39 F. R. 41966 (Rewritten)

El Toro, CA.

Within a 5-mile radius of MCAS El Toro (latitude 33°40'34" N., longitude 117°43'50" W.); within 3.5 miles west and 3 miles east of the E1 Toro VOR 1750 radial extending from the 5-mile radius zone to 12 miles south of the VOR, excluding the portions within the Santa Ana, CA. (Orange County), and Santa Ana (MCAS), CA., control zones. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Emporia, Kansas

Within a 5-mile radius of the Emporia Kansas Municipal Airport (latitude 38°20'00" N., longitude 96°11'15" W.); and 1.5 miles either side of the 010° bearing from the airport extending from the 5-mile radius to 6 miles north.

Enid, Okla.

That airspace within a 5-mile radius of Vance AFB (latitude 36°20'20" N., longitude 97°55'00" W.); and within 2 miles west and 5 miles east of the Vance AFB ILS localizer south course extending from the 5-mile radius zone to the OM; and within 2 miles each side of the Vance AFB VORTAC 1880 radial, extending from the 5-mile radius zone to 8 miles south of the VORTAC; and within 2 miles each side of the Vance AFB VORTAC 345° radial, extending from the 5-mile radius zone to 5.5 miles north of the VORTAC; and within 2 miles west and 3 miles east of the Vance AFB 17R/35L runway centerline, extending from the 5-mile radius zone to 6.5 miles north of Vance AFB; and within a 5-mile radius of Enid Woodring Municipal Airport (latitude 36°22'45" N., longitude 97°47'30" W.) and within 2 miles each side of the Woodring VOR 355° radial, extending from the 5-mile radius zone to 8 miles north of the VOR; and within 2 miles each side of the Woodring VOR 185° radial, extending from the 5-mile radius zone to 8 miles south of the VOR. This control zone is effective during the dates and times published in the Airman's Information Manual.

Ephrata, Wash.

Within a 5-mile radius of Ephrata Municipal Airport (latitude 47°18'27" N., longitude 119°30'38" W.) and within 3 miles each side of the Ephrata VORTAC 043° and 223° radials, extending from the 5-mile radius zone to 8 miles northeast of the VORTAC. This control zone is effective during specific dates and times established in advance by Notice to Airmen: The effective date and time will thereafter be continously published in the Airman's Information Manual.

AMENDMENTS 4/5/74 39 F. R. 11993 (Changed)

Erie, Pa.

Within a 5-mile radius of the center, lat. 42°04'53" N., long. 80°10'43" W. of Erie International Airport, Erie, Pa.; within a 6-mile radius area of the center of the airport, extending clockwise from a 060° bearing to a 235° bearing from the airport; within a 9.5 mile radius of the center of the airport, extending clockwise from a 090° bearing to a 175° bearing from the airport; within 3.5 miles each side of the Erie ILS localizer NE course extending from the 5-mile radius area to 8 miles NE of the OM.

AMENDMENTS 7/18/74 39 F. R. 18769 (Rewritten) Corr: 39 F. R. 27900 - eff. date changed to 9/12/74%

Escanaba, Mich.

Within a 5-mile radius of Escanaba Municipal Airport (latitude 45°43'25" N., longitude 87°05'40" W.); within 2 miles each side of the Escanaba VORTAC 007°, 101°, and 266° radials, extending from the 5-mile radius zone to 8 miles north, east, and west of the VORTAC; and within 2 miles each side of the 349° bearing from Escanaba Municipal Airport, extending from the 5-mile radius zone to 11 miles north of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Eugene, Oreg.

Within a 5-mile radius of Mahlon-Sweet Field (latitude 44°07'25" N., longitude 123°13'05" W.), within 3 miles each side of the Eugene VORTAC 008° radial, extending from the 5-mile radius zone to 8 miles north of the VORTAC, and within 2.5 miles each side of the Eugene VORTAC 172° radial, extending from the 5-mile radius zone to 9 miles south of the VORTAC.

Evansville, Ind.

Within a 5-mile radius of Dress Memorial Airport (latitude 38°02'15" N., longitude 87°32'00" W.); and within 2 miles each side of the Evansville ILS localizer northeast course; extending from the 5-mile radius zone to 1 mile southwest of the OM.

Everett, Wash.

Within a 5-mile radius of the Snohomish County Airport (Paine Field), Wash. (latitude 47°54'40" N., longitude 122°16'50" W.), and within 3 miles each side of the Paine VOR 356° radial, extending from the 5-mile radius zone to 8 miles north of the VOR. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Fairbanks, Alaska (Eielson AFB)

Within a 5-mile radius of Eielson AFB (latitude 64°39'55" N., longitude 147°05'55" W.); within 2 miles each side of the Eielson localizer S course extending from the 5-mile radius zone to the Eielson outer marker; and within 2 miles SW and 3 miles NE of the Eielson TACAN 324° radial extending from the Eielson 5-mile radius zone to 6 miles NW of the TACAN.

AMENDMENTS 7/18/74 39 F. R. 19449 (Rewritten)

Fairbanks, Alaska (Fairbanks International/Fort Wainwright AAF).

Within a 5-mile radius of Fairbanks International Airport (latitude 64°49'09" N., longitude 147°51'14" W.); within a 5-mile radius of Fort Wainwright AAF (latitude 64°50'13" N., longitude 147°36'52" W.); within 2 miles each side of the Fairbanks localizer NE course, extending from the Fairbanks 5-mile radius zone to the outer marker; within 2 miles each side of the Fairbanks localizer SW course, extending from the Fairbanks 5-mile radius zone to 5 miles SW of the localizer antenna (latitude 64°48'11" N., longitude 147°53'01" W.); and within 2 miles each side of the Chena, Alaska, RBN 089° bearing, extending from the Fort Wainwright 5-mile radius zone to 5 miles E of the RBN.

AMENDMENTS 7/18/74 39 F. R. 19449 (Rewritten) AMENDMENTS 9/12/74 39 F. R. 20586 (Changed) Fairfield, Calif.

Within a 5-mile radius of Travis AFB, Fairfield, Calif. (latitude 38°15'45" N., longitude 121°55'35" W.), and within 2 miles each side of the Travis VOR 220° radial, extending from the 5-mile radius zone NE to the VOR and 18 miles SW of the VOR.

Fairmont, Minn.

Within a 5-mile radius of Fairmont Municipal Airport (latitude 43038'41" N., longitude 94025'04" W.); within 22 miles each side of the 1320 bearing from the Fairmont Municipal Airport, extending from the 5-mile radius some to 62 miles southeast of the airport, and within 22 miles each side of the 319° bearing from the Fairmont Municipal Airport, extending from the 5-mile radius zone to 62 miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Fallon, Nev.

Within a 5-mile radius of NAAS Fallon (latitude 39°25'10" N., longitude 118°42'00" W.); within 2 miles each side of the NAAS Fallon TACAN 139° radial, extending from the 5-mile radius zone to 8 miles SE of the TACAN, and within 2 miles NE and 2.5 miles SW of the Fallon TACAN 296° radial, extending from the 5-mile radius zone to 5.5 miles NW of the TACAN.

Falmouth, Mass.

Within a 5-mile radius of Otis AFB, Falmouth, Mass. (latitude 41°39'30" N., longitude 70°31'35" W.); within 2 miles each side of the extended centerline of Runway 5, extending from the 5-mile radius zone to 6 miles NE of the end of Runway 5; within 2 miles each side of the Otis TACAN 030° radial, extending from the 5mile radius zone to 8 miles NE of the TACAN; within 2 miles each side of the extended centerline of Runway 14, extending from the 5-mile radius zone to 5 miles SE of the end of Runway 14; within 2 miles each side of the Otis TACAN 139º radial, extending from the 5-mile radius zone to 7 miles SE of the TACAN; within 2 miles each side of the extended centerline of Runway 23, extending from the 5-mile radius zone to 5 miles SW of the end of Runway 23; within 2 miles each side of the Otis TACAN 224° radial, extending from the 5-mile radius zone to 8 miles SW of the TACAN; within 2 miles each side of the extended centerline of Runway 32, extending from the 5-mile radius zone to 5 miles NW of the end of Runway 32; within 2 miles each side of the Otis TACAN 299° radial, extending from the 5-mile radius zone to 7 miles NW of the TACAN.

Farewell, Alaska

"Within a 5-mile radius of the Farewell Airport (latitude 62°30' N., longitude 153°52'30" W.); and within 3.5 miles each side of the 306° bearing from the Farewell RBN extending from the 5-mile radius some to 8.5 miles northwest of the RBN. This control zone is effective from 0745 to 1545 local time daily, or during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication, Supplement Alaska.

Fargo, N. Dak.

Within a 7-mile radius of Hector Field (lat. 46°54'57" N., long. 96°48'53" W.); and within 2 miles each side of the Fargo VORTAC 009° radial, extending from the 7-mile radius zone to the VORTAC.

Farmingdale, N. Y.

Within a 5-mile radius of the center, 40°43'45" N., 73°24'45" W., of Republic Airport, Farmingdale, N. Y.; within 2 miles each side of the Babylon, N. Y., RBN 1580 bearing extending from the 5-mile radius zone to 7 miles south of the RBN and within 1.5-mile radius of the center, 40044'45" N., 73029'35" W., of Grumman-Bethpage Airport. This control zone shall be in effect from 0700 to 2300 hours, local time, daily. PENDING AMENDMENT

Farmingdale, N. Y.

Within a 5-mile radius of Republic Airport, Farmingdale, N. Y., (latitude 40°43'45" N., longitude 73°24'50" W.), extending clockwise from 065° bearing to the 270° bearing and within a 6-mile radius extending clockwise from the 270° to the 065° bearing from the airport. This control zone shall be in effect from 0700 to 2300 hours, ·local time, daily,

AMENDMENTS 1/2/75 39 F. R. 39261 (Rewritten)

Farmington, N. Mex.

Within a 5-mile radius of Farmington Municipal Airport (lat. 36044'28" N., long. 108013'39" W.); and within 3 miles each side of the Farmington VORTAC 0860 and 2670 radials extending from the 5-mile radius zone to 8 miles east of the Farmington, N. Mex., VORTAC.

Within a 5.5-mile radius of Drake Field (latitude 36000'13" N., longitude 94010'12" W.), within 3 miles each side of the Drake VOR 325° radial extending from the 5.5-mile radius zone to 8 miles northwest of the VOR; and within 2 miles each side of the Fayetteville ILS localizer north course 349° bearing extending from the 5.5-mile radius zone to 11.5 miles

north of the localizer site (latitude 35°59'37.5" N., longitude 94°10'02" W.).

1

Fayetteville, NC.

Within a 5-mile radius of Fayetteville Municipal Airport (Grannis Field) (lat. 34059'22" N., long. 78052' 52" W.); within 3 miles each side of Fayetteville VOR 015°, 080° and 233° radials, extending from the 5-mile radius zone to 8.5 miles north, east, and southwest of the VOR; excluding the portion within Simmons AAF control zone.

Findley, OH.

Within a 5-mile radius of the Findlay Airport (latitude 41°00'40" N., longitude 83°40'30" W.) excluding that portion within a 1-mile radius of the Lutz Airport (latitude 40°57'42" N., longitude 83°35'43" W.) within 3 miles each side of the 179° bearing from the Findlay Airport extending from the 5-mile radius zone to 8.5 miles south of the airport; within 3 miles each side of the 063° bearing from the Findlay Airport extending from the 5-mile radius zone to 8.5 miles northeast of the airport; within a 5-mile radius of Bluffton Flying Service Airport (latitude 40°53'09" N., longitude 83°52'04" W.) and within 2 miles each side of the Findlay VORTAC 231º radial extending from the 5-mile radius zone to the Findlay, OH. Airport 5-mile radius zone.

Flagstaff, Ariz. (Pulliam Airport) Within a 7-mile radius of Pulliam Airport (latitude 35008'16" N., longitude 111040'17" W.) and within 2 miles each side of the Flagstaff VOR 127° radial, extending from the 7-mile radius zone to 10 miles southeast of the VOR.

Flint, Mich.

Within a 5-mile radius of Flint, Mich., Bishop Airport (latitude 42°57'55" N., longitude 83°44'30" W.), and within 2 miles each side of the Flint VORTAC 052° 075°, 187°, 219°, 280° and 351° radials extending from the 5-mile radius zone to 8 miles NE, E, S, SW, W, and N of the VORTAC.

Within a 5-mile radius of Florence City-County Airport (lat. 34°11'17" N., long. 79°43'28" W.); within 3.5 miles each side of Florence VORTAC 049° and 229° radials, extending from the 5-mile radius zone to 8 miles northeast of the VORTAC.

AMENDMENTS 3/13/74 39 F. R, 11085 (Changed)

Fort Belvoir, Va.

Within a 3-mile radius of the center, 38°42'55" N., 77°10'50" W., of the Davison AAF, Fort Belvoir, Va.; within 2 miles each side of the centerline of Runway 32 extended from the 3-miles radius zone to 5 miles northwest of the end of the runway; within 2 miles each side of the centerline of Runway 14 extended from the 3-mile radius zone to 5 miles southeast of the end of the runway.

Fort Bragg, N. C.

Within a 5-mile radius of Pope AFB (latitude 35°10'15" N., longitude 79°00'55" W.), excluding the portion within R-5311 and the portion southeast of a line extending from latitude 35°11'15" N., longitude 78°56'05" W., to latitude 35°05'55" N., longitude 79°00'50" W.

Fort Carson, Colo.

Within a 5-mile radius of Butts Army Airfield (latitude 38°40'46" N., longitude 104°45'41" W.), excluding the portion within the Colorado Springs, Colo., control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Fort Devens, Mass.

Within a 4-mile radius of the center, 42°34'15" N., 71°36'20" W., of Devens AAF, Fort Devens, Mass.; within a 1-mile radius of the center 42°38'30" N., 71°39'15" W., of Groton Airport, Groton, Mass.; within 2 miles each side of the 315° bearing from the Devens, RBN (42°34'05" N., 71°36'19" W.), extending from the 4-mile radius zone to 8 miles northwest of the RBN excluding that portion within a 1-mile radius of the center 42°31'30" N., 71°39'55" W., of Shirley Airport, Shirley, Mass. This centrol zone is effective from 0700 to 1900 hours, local time, Monday through Friday.

Fort Dodge, Iowa

Within a 5-mile radius of Fort Dodge Municipal Airport (latitude 42°33'05" N., longitude 94°11'10" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual,

Fort Eustis, Va.

Within a 5-mile radius of the center, lat. 37°07'45" N:, long. 76°36'45" W., of Felker AAF, Fort Eustis, Va., and within 3 miles each side of the 323° bearing from the Felker AAF RBN, extending from the 5-mile radius zone to 8.5 miles northwest of the RBN, excluding the portion that coincides with the Newport News, Va., control zone. This control zone is effective from 0600 to 2300 hours, local time, daily.

381

FEDERAL REGISTER

Fort Buachuca, AZ.

Within a 5-mile radius of Libby AAF, Fort Huachuca, AZ. (latitude 31°35'00" N., longitude 110°20'30" W.), within 5 miles each side of the Libby AAF VOR 093° radial, extending from the VOR to 12 miles east of the VOR. This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Fort Knox. Ky.

Within a 5-mile radius of Godman AAF (lat. 37°54'27" N., long. 85°58'21" W.); within 3 miles each side of the 354° bearing from Fort Knox RBN, extending from the 5-mile radius zone to 8.5 miles north of the RBN; within 3 miles each side of Fort Knox VOR 001°, 052°, 172° and 324° radials, extending from the 5-mile radius zone to 8.5 miles north, northeast, south, and northwest of the VOR.

Fort Lauderdale, Fla.

Within a 5-mile radius of Fort Lauderdale-Hollywood International Airport (lat. 26°04'26" N., long. 80°09'10" W.); within 3 miles each side of Fort Lauderdale VOR 084°, 276° and 306° radials, extending from the 5-mile radius zone to 8.5 miles east, west, and northwest of the VOR.

Fort Lauderdale, Fla. (Executive Airport)

Within a 5-mile radius of Fort Lauderdale Executive Airport (lat. 26°11'41" N., long. 80°10'15" W.); within 2 miles each side of the 083° bearing from Tropic RBN (lat. 26°11'08" N., long. 80°17'49" W.), extending from the 5-mile radius zone to 1.5 miles east of the RBN; excluding the portion within Fort Lauderdale-Hollywood International Airport (lat. 26°04'26" N., long. 80°09'10" W.)

control zone and

the portion northeast of a line 3 miles southwest of and parallel to Pompano Beach VOR 319° radial, and the portion east of Fort Lauderdale Executive Airport, north of a line 1 mile north of and parallel to the extended centerline of Runway 8/26.

This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 6/20/74 39 F. R. 17431 (Changed) Corr: 39 F. R. 20191

Fort Leavenworth, Kansas

Within a 5-mile radius of Sherman AAF, Leavenworth, Kansas (latitude 39°22'00" N., longitude 94°54' 45" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 33765 (Rewritten)

Fort Leonard Wood, Mo.

Within a 4-mile radius of Forney AAF (latitude 37°44'30" N., longitude 92°08'25" W.); within 3 miles each side of the Forney AAF VOR 323° radial extending from the 4-mile radius zone to 7½ miles northwest of the VOR; and within 3 miles each side of the 146° bearing from the Forney AAF RBN extending from the 4-mile radius zone to 7½ miles southeast of the Forney AAF RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 33766 (Rewritten)

Fort Lewis, Wash.

Within a 5-mile radius of Gray AAF, Fort Lewis, Wash. (latitude 47°04'55" N., longitude 122°34'55" W.), excluding the portions within the Tacoma, Washington (McChord AFB) control zone and the portion east of a line 2 miles west of and parallel to the McChord AFB VOR 182° radial. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Fort Meade, MD.

Within a 5-mile radius of the center 39°05'04" N., 76°45'37" W. of Tipton AAF, Fort Meade, MD., and within 3 miles each side of a line bearing 091° from the Fort Meade RBN (lat. 39°05'04" N., 76°45'37" W.) extending from the 5-mile radius zone to 8 miles east of the RBN excluding that airspace that coincides with the Baltimore, MD., control zone and a 1-mile radius centered on Beltsville, MD. (USDA), Airport (39°01'27" N., 76°49'21" W.). This control zone shall be in effect from 0700 to 2200 hours, local time Monday through Friday and 0800 to 1600 hours, local time Saturdays, Sundays, and Federal holidays.

Fort Myers, Fla.

Within a 5-mile radius of Page Field (lat. 26°35'09" N., long. 81°51'51" W.); within 3 miles each side of Fort Myers VORTAC 126°, 213°, and 318° radials, extending from the 5-mile radius zone to 8.5 miles southeast, southwest, and northwest of the VORTAC.

Fort Ord, Calif.

Within a 5-mile radius of the Fritzsche AAF (latitude 36°40'55" N., longitude 121°45'40" W.), excluding the portion SW of a chord drawn between the points of INT of 5-mile radius circles centered on the Monterey Peninsula Airport and Fritzsche AAF, and the portion E of a chord drawn between the points of INT of 5-mile radius circles centered on the Salinas Municipal Airport and Fritzsche AAF.

This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Fort Polk, La.

That airspace within a 5-mile radius of Polk AAF (latitude 31°02'40" N., longitude 93°11'25" W.); within 2 miles each side of the 160° bearing from the Polk AAF RBN, extending from the 5-mile radius zone to 9 miles SE of the south fan marker; and within 2 miles each side of the 340° bearing from the Polk AAF RBN, extending from the 5-mile radius zone to 7 miles NW of the north fan marker. This control zone is effective during the dates and times established in advance by publication of Special Notices in the Airman's Information Manual.

Fort Riley, Kansas

Within a 5-mile radius of Marshall AAF, Fort Riley, Kansas (latitude 39°03'15" N., longitude 96°45'50" W.); within 2 miles each side of the Fort Riley VOR 042° radial extending from the 5-mile radius zone to the VOR; and within 2 miles each side of the 216° bearing from the Fort Riley RBN extending from the 5-mile radius zone to 8 miles SW of the RBN, excluding the portion within R-3602 and the portion bounded on the NE by the 318° bearing from the Fort Riley RBN and on the SE by a line 2 miles NW of and parallel to the Fort Riley VOR 042° radial. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 33765 (Rewritten)

Fort Rucker, Ala.

Within a 7-mile radius of latitude 31°18'30" N., longitude 85°42'20" W.; within 3 miles each side of Cairns, Ala., VOR 233° radial, extending from the 7-mile radius zone to 8.5 miles southwest of the VOR; within 2 miles each side of Cairns AAF Runway 36 extended centerline, extending from the 7-mile radius zone to 5 miles south of the runway end; within 3 miles each side of the 242° bearing from Lowe, Ala., NDB, extending from the 7-mile radius zone to 8.5 miles southwest of the NDB; within 3 miles each side of Hanchey, Ala., VOR 358° radial, extending from the 7-mile radius zone to 8.5 miles north of the VOR; within a 2-mile radius of Blackwell Field, Ozark, Ala. (latitude 31°25'50" N., longitude 85°37'10" W.); within a 2-mile radius of Hooper, Ala. Army Stage Field (latitude 31°12'50" N., longitude 85°41'20" W.); excluding the portion within a 1.5-mile radius of Allen, Ala., Army Stage Field (latitude 31°13'50" N., longitude 85°38'40" W.), and the portion within R-2103.

Fort Smith; Arke:

Within a 5-mile radius of Fort Smith Municipal Airport (latitude 35°20'10" N., longitude 94°22'05" W.), within 2 miles each side of the Fort Smith VORTAC 238° radial extending from the 5-mile radius zone to the VORTAC, within 2 miles each side of the Fort Smilth ILS localizer east course extending from the 5-mile radius zone to the OM, and within 2 miles each side of the Fort Smith ILS localizer west course extending from the 5-mile radius zone to the Peno Bottoms REN (latitude 35°19'21" N., longitude 94°28'28" W.).

Fort Stewart, Ga.

Within a 5-mile radius of Lyle H. Wright AAF (latitude 31°53'20" N., longitude 81°33'45" W.); within a 1.5-mile radius of Liberty County Airport (latitude 31°47'22" N., longitude 81°38'15" W.); within 2 miles each side of the 049° bearing from Allenhurst RBN, extending from the 5-mile radius zone to the RBN; within 3 miles each side of Wright TVOR 242° radial, extending from the 5-mile radius zone to 8.5 miles SW of the TVOR.

Fort Wayne, Ind.

Within a 5-mile radius of Baer Field (latitude 40°58'45" N., longitude 85°11!25" W.); within 3 miles each side of the Fort Wayne VORTAC 229° radial, extending from the 5-mile radius zone to 8½ miles southwest of the VORTAC; within 3 miles each side of the Fort Wayne VORTAC 320° radial, extending from the 5-mile radius zone to 8½ miles northwest of the VORTAC; within 3 miles each side of the Fort Wayne VORTAC 038° radial, extending from the 5-mile radius zone to 8½ miles northeast of the VORTAC; and within 3½ miles each side of the Fort Wayne VORTAC 265° radial, extending from the 5-mile radius zone to 10 miles west of the VORTAC.

Fort Worth, Tex. (Carswell AFB)

That airspace within a 5-mile radius of Carswell AFB (latitude 32°46'20" N., longitude 97°26'30" W.); within 2 miles each side of the Carswell AFB TACAN 358° radial extending from the TACAN to 14 miles north; within 2 miles each side of the Carswell ILS localizer S course extending from the 5-mile radius zone to 9 miles south of the airport; within 2 miles each side of the Carswell AFB TACAN 194° radial extending from the TACAN to 11.5 miles south;

excluding the portion east of longitude 97°24'00" W.

Fort Worth, Tex. (Meacham Field)

That airspace within a 5-mile radius of Meacham Field (latitude 32°49'00" N., longitude 97°21'35" W.); within a 5-mile radius of Carswell AFB (latitude 32°46'20" N., longitude 97°26'30" W.); and within 2 miles each side of the Meacham Field ILS localizer S course, extending from Meacham Field to 6 miles S; excluding the portion W of longitude 97°24'00" W.

Fort Yukon, Alaska

Within a 5-mile radius of Fort Yukon Municipal Airport (latitude 66°34'16" N., longitude 145°14'59" W.) and within 3 miles south and 4.5 miles north of the Fort Yukon 076° radial extending from the 5-mile radius zone to 10.5 miles east of the Fort Yukon VORTAC and within 3 miles each side of the Fort Yukon VORTAC 214° radial extending from the 5-mile radius zone to 8.5 miles southwest of the VORTAC. This control zone is effective from 0800 to 1700 hours local time daily or during the specific days and times established in advance by Notice to Airmen. The effective times will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

AMENDMENTS 5/23/74 39 F. R. 17097 (Changed)

Franklin, Pa.

Within a 5-mile radius of the center, lat. 41°22'45" N., long. 79°51'40" W. of Chess-Lamberton Airport, Franklin, Pa.; within 3 miles each side of the Franklin, Pa. VOR 360° and 180° radials extending from the 5-mile radius zone to 8.5 miles north of the VOR.

This control zone is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 5/23/74 39 F. R. 11874 (Changed)

Fresno, Calif. (Chandler Municipal Airport)

Within a 5-mile radius of Chandler Municipal Airport (latitude 36°43'55" N., longitude 119°49'05" W.); within 2 miles each side of the 232° bearing from the Chandler RBN extending from the 5-mile radius zone to 8 miles SW of the RBN and within 2 miles each side of the Fresno VORTAC 185° radial, extending from the 5-mile radius zone to 1.5 miles S of the VORTAC, excluding the portion within the Fresno (Fresno Air Terminal) control zone. This control zone will be effective from 0700 to 2300 hours, local time daily.

Fresno, Calif. (Fresno Air Terminal).

Within a 5-mile radius of Fresno Air Terminal (latitude 36° 46' 25" N., longitude 119° 42' 35" W.), within 2 miles each side of the Fresno VORTAC 143° radial, extending from the 5-mile radius zone to 15 miles SE of the VORTAC, and within 2 miles each side of the Fresno VORTAC 150° radial, extending from the 5-mile radius zone to the VORTAC.

Fullerton, Calif.

Within a 3-mile radius of Fullerton Municipal Airport (latitude 33°52'20" N., longitude 117°58'45" W.), excluding the portion within the Long Beach, Calif., control zone. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Gage, Okla.

Within a 5-mile radius of the Gage Municipal Airport (latitude 36°17'45" N., longitude 99°46'30" W.), and within 2 miles each side of the Gage VORTAC 118° radial, extending from the 5-mile radius zone to the VORTAC.

Gainesville, Fla.

Within a 5-mile radius of Gainesville Municipal Airport (lat. 29°41°22" N., long, 82°16'28" W.); within 1.5 miles each side of Gainesville VORTAC 034° radial, extending from the 5-mile radius zone to the VORTAC.

Galena, Alaska

Within a 5-mile radius of the Galena Airport (latitude 64°44'10" N., longitude 156°56'00" W.); within 2 miles each side of the Galena VORTAC 089° radial extending from the 5-mile radius zone to 8 miles E of the VORTAC; and within 2 miles each side of the Galena VORTAC 269° radial extending from the 5-mile radius zone to 14 miles W of the VORTAC.

Galesburg, Ill.

Within a 5-mile radius of Galesburg, Ill., Municipal Airport (latitude 40°56'24" N., longitude 90°25'46" W.); within 2 miles each side of the Galesburg VOR 019° radial extending from the 5-mile radius zone to 8 miles N of the VOR; and within 2 miles each side of the Galesburg VOR 214° radial extending from the 5-mile radius zone to 8 miles SW of the VOR. This control zone shall be effective during the times established by a Notice to Airmen and published continuously in the Airman's Information Manual.

Gallup, N. Max.

That airspace within a 5-mile radius of the Senator Clarke Field (latitude 35°30°35" N., longitude 108°47° 00" W.), within 3.5 miles each side of the Gallup, N. Mex., VORTAC 242° and 062° radials extending from the 5mile radius zone to a point 10.5 miles southwest of the VORTAC.

Galveston, Tex. Within a 5-mile radius of Scholes Field, Galveston, Tex., (Lat. 29015'55" N., long. 94051'35" W.); and within 2 miles either side of the Scholes VORTAC 1190 radial extending from the 5-mile radius zone to the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Garden City, :Kans.

Within a 5-mile radius of the Garden City Municipal Airport (latitude 37°55'49" N., longitude 100°43'40" W.), and within 2 miles each side of the 1440 bearing from the Holcomb RBN, extending from the 5-mile radius zone to 2 miles southeast of the RBN; and within 2½ miles each side of the 004° radial of the Garden City VORTAC extending from the 5-mile radius zone to 8 miles north of the VORTAC; and within 22 miles each side of the 1710 radial of the Garden City VORTAC extending from the 5-mile radius zone to 5 miles south of the VORTAC.

Gary, Ind.

Within a 5-mile radius of Gary Municipal Airport (latitude 41°36'54" N., longitude 87°24'37" W.). This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Glasgow, Mont. (Glasgow AFB)

Within a 5-mile radius of Glasgow AFB (latitude 48°25'21" N., longitude 106°31'55" W.); within 2 miles each side of the Cherry Creek TACAN 2920 radial extending from the 5-mile radius zone to 7 miles northwest of the TACAN; and within 22 miles north and 2 miles south of the Cherry Creek TACAN 1250 radial extending from the 5-mile radius zone to 7 miles southeast of the TACAN. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Glasgow, Mont.

Within a 5-mile radius of Glasgow International Airport (latitude 48°12'50" N., longitude 106°37'10" W.); within 22 miles each side of the 342° bearing from Glasgow International Airport, extending from the 5-mile radius zone to 5½ miles north of the airport; within 2½ miles each side of the Glasgow VOR 327º radial, extending from the 5-mile radius zone to 52 miles northwest of the VOR; and within 22 miles each side of the Glasgow VOR 127° radial, extending from the 5-mile radius zone to 52 miles southeast of the VOR.

Glens Falls, N. Y.

Within a 5-mile radius of the center, latitude 43°20'32" N., longitude 73°36'35" W., of Warren County Airport, Glens Falls, N. Y., extending clockwise from a 3570 bearing to a 2750 bearing from the airport; within : an 11-mile radius of the center of the airport extending clockwise from a 2750 bearing to a 8070 bearing from the airport; within a 7.5-mile radius of the center of the airport extending clockwise from a 307° bearing to a 3570 bearing from the airport; within 2 miles each side of the Glens Falls VORTAC 0050 radial extending from the VORTAC to 5.5 miles north of the VORTAC; and within 4 miles each side of the Glens Falls VORTAC 1720 radial extending from the VORTAC to 12.5 miles south of the VORTAC.

Glenview, Ill.

Within a 5-mile radius of NAS Glenview (latitude 42°05'30" N., longitude 87°49'20" W.); within 2 miles each side of the Northbrook, Ill., VOR 1620 and 1400 radials extending from the Chicago, Ill., (O'Hare International Airport), and the Glenview; Ill., 5-mile radius zones to 32 miles south and 32 miles southeast of the VOR; two miles north and four miles south of the Northbrook VOR 071° radial, extending from 1 mile east to 6 miles east of the VOR; within 2 miles each side of the Northbrook VOR 0700 radial, extending from 6 to 11 miles east of the VOR; within 2 miles each side of the 062° bearing from the Haley AAF, Fort Sheridan, Ill., REN, extending from the RBN to 7 miles northeast of the RBN; within 2 miles each side of the 002° bearing from NAS Glenview RBN, extending from the 5-mile radius zone to 12 miles north of the RBN; and within 2 miles each side of the NAS Glenview TACAN 005° radial, extending from the 5-mile radius zone to 8 miles north of the TACAN, excluding the area that overlies the Chicago, Ill. (O'Hare International Airport) control zone.

AMENDMENTS 2/14/74 39 F. R. 9430 (Changed)

Goldsboro, N. C.

Within a 5-mile radius of Seymour Johnson AFB (latitude 35°20°20" N., longitude 77°57'50" W.); within 2 miles each side of Seymour Johnson TACAN 073° radial, extending from the 5-mile radius zone to 4.5 miles east of the TACAN; within 2 miles each side of Seymour Johnson TACAN 253° radial, extending from the 5-mile radius zone to 8.5 miles west of the TACAN; within 2 miles each side of the ILS localizer west course. extending from the 5-mile radius zone to 1 mile east of the LOM.

Goodland, Kans,

Within a 5-mile radius of Renner Field-Goodland Municipal Airport (latitude 39°22'10" N., longitude 101° 41'55" W.).

Grand Canyon, Ariz. (Grand Canyon National Park Airport)

Within a 5-mile radius of Grand Canyon National Airport (lat. 35°57'16" N., long. 112°08'37" W.) and within 3 miles each side of the Grand Canyon VOR 211º radial, extending from the 5-mile radius zone to 6 miles southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Grand Forks, N. Dak.(International Airport)

Within a 5-mile radius of Grand Forks International Airport (latitude 47°57'05" N., longitude 97°10'35" W.), within 2.5 miles each side of the Grand Forks VORTAC 012° radial, extending from the 5-mile radius zone to 6.5 miles north of the VORTAC and within 3 miles each side of the Grand Forks VORTAC 173° radial, extending from the 5-mile radius zone to 8 miles south of the VORTAC.

Grand Forks, N. Dak. (Grand Forks Air Force Base)

Within a 5-mile radius of Grand Forks AFB (latitude 47°57'40" N., longitude 97°24'00" W.), within 2 miles each side of the Red River VOR 360° radial extending from the 5-mile radius zone to 1 mile NE of the VOR, and within 2 miles each side of the Red River TACAN 004° radial, extending from the 5-mile radius zone to 7 miles N of the TACAN.

Grand Island, Nebr.

Within a 5-mile radius of Grand Island County Airport (latitude 40°58'03" N., longitude 98°18'30" W.); within 3 miles each side of the Grand Island VORTAC 303° radial, extending from the 5-mile radius zone to 82 miles northwest of the VORTAC; and within 3 miles each side of the Grand Island VORTAC 360° radial, extending from the 5-mile radius zone to 82 miles north of the WORTAC.

Grand Junction, Colo.

Within a 5-mile radius of Walker Field, Grand Junction, Colo. (lat. 39°07'05" N. Long. 108°31'10" W). and within 2 miles either side of the Grand Junction ILS localizer NW course extending from the 5-mile radius zone to 8 miles NW of the localizer.

Grand Rapids, Mich.
Within a 5-mile radius of Kent County Airport (latitude 42°52'50" N., longitude 85°31'25" W.).

Grandview, Mo.

Within a 5-mile radius of Richards-Gebaur AFB (latitude 38°50°50' N., longitude 94°33°20" W.); within 22 miles each side of the Richards-Gebaur AFB ILS localizer south course, extending from the 5-mile radius zone to 1 mile south of the OM; and within 21 miles each side of the Richards-Gebaur AFB TACAN 1950 radial, extending from the 5-mile radius zone to 52 miles south of the TACAN, excluding the area north of latitude 38°52° 30" N., and west of longitude 94°35°50" W. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Grant County, Wash.

Within a 5-mile radius of Grant County Airport, Moses Lake, Wash. (latitude 47°12'35" N., longitude 119°18' 50" W.); within 2 miles each side of the Ephrata VORTAC 156° radial, extending from the 5-mile radius zone to 3 miles southeast of the VORTAC and within 2 miles each side of the Moses Lake ILS localizer south course, extending from the 5-mile radius zone to the Moses Lake VOR, excluding the portion within the Ephrata, Wash. control zone. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Great Falls, Mont. (International Airport)

Within a 5-mile radius of the Great Falls International Airport (latitude 47°29'00" N., longitude 111°22' 00" W.) within 3½ miles each side of the Great Falls VORTAC 225° radial, extending from the 5-mile radius zone to 10 miles southwest of the VORTAC; within 3½ miles each side of the Great Falls VORTAC 045° radial, extending from the 5-mile radius zone to 19 miles northeast of the VORTAC.

Great Falls, Mont. (Malmstrom Air Force Base)

Within a 5-mile radius of the Malmstrom AFB (latitude 47°30'05" N., longitude 111°11'20" W.); within 32 miles each side of the Malmstrom AFB VOR 037° radial, extending from the 5-mile radius zone to 152 miles northeast of the VOR; within 32 miles each side of the Malmstrom AFB TACAN 227° radial, extending from the 5-mile radius zone to 7 miles southwest of the TACAN; excluding those portions within the Great Falls International Airport control zone.

Green Bay, Wis.

That airspace within a 5-mile radius of Austin-Straubel Airport, Green Bay, Wis., (latitude 44029' 16" N., longitude 88°07'49" W.).

Greensboro, N. C.

Within a 5-mile radius of Greensboro/High Point/Winston-Salem Regional Airport (latitude 36°05'36" N, longitude 79°56'34" W.); within 2 miles each side of Greensboro VORTAC 035° radial, extending from the 5-mile radius zone to 12 miles northeast of the VORTAC; within 2 miles each side of Greensboro ILS localizer northwest course, extending from the 5-mile radius zone to 1 mile southeast of the LOM.

Greenville, Miss.

Within a 5-mile radius of the Greenville Municipal Airport (latitude 33°29'05" N., longitude 90°59'06" W.); within 3 miles each side of the Greenville VOR 358° radial extending from the 5-mile radius zone to 8.5 miles N of the VOR, effective from 0700 to 2200 hours, local time, daily.

Greenville, S. C.

Within a 5-mile radius of Greenville Municipal Downtown Airport (lat. 34°50'54" N., long. 82°21'01" W.); within a 5-mile radius of Donaldson Center Airport (lat. 34°45'17" N., long. 82°22'30" W.); excluding the portion within a 5-mile radius of Greenville-Spartanburg Airport (lat. 34°53'45" N., long. 82°13'04" W.); effective from 0700 to 2300 hours local time daily.

Within a 5-mile radius of the Greenwood Leflore Airport (latitude 33°29'30" N., longitude 90°04'50" W.); within 2.5 miles each side of the Greenwood VORTAC 081° radial, extending from the 5-mile radius zone to 1.5 miles east of the VORTAC.

Greenwood Village, Colo.

That airspace within a 5-mile radius of the Arapahoe County Airport (latitude 39°34'28" N., longitude 104° 51'02" W.), and within 2.5 miles each side of the 335° bearing from the Englewood RBN extending from the 5mile radius zone to 5 miles northwest of the RBN, excluding that airspace within the Denver, Colo., control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airmen's Information Manual.

Greer, S. C. (Greenville-Spartanburg Airport)

Within a 5-mile radius of Greenville-Spartanburg Airport (lat. 34°53'45" N., long. 82°13'04" W.); within 1 mile each side of Greenville-Spartanburg ILS localizer northeast course, extending from the 5-mile radius zone to 6.5 miles northeast of the airport; within a 5-mile radius of Donaldson Center Airport (lat. 340 45' 17" N., long. 82°22'30" W.); within a 5-mile radius of Greenville Municipal Downtown Airport (lat. 34°50' 54" N., long. 82°21'01" W.); excluding the portion within Greenville control zone.

Within a 5-mile radius of Grissom AFB (latitude 40°38'55" N., longitude 86°09'10" W.); within 22 miles each side of the Grissom AFB TACAN 053° radial extending from the 5-mile radius zone to 7 miles northeast of the TACAN; within 3½ miles each side of the Grissom AFB VOR 230° radial extending from the 5-mile radius zone to 103 miles southwest of the VOR.

AMENDMENTS 9/12/74 39 F. R. 26717 (Added)

Within a 4-mile radius of the center 41°19'50" N., 72°02'50" W. of Trumbull Airport, Groton, Connecticut, within 2 miles each side of the Trumbull VOR 047° radial extending from the 4-mile radius zone to 7 miles NE of the VOR; within 2 miles each side of the Trumbull VOR 190° radial extended from the 4-mile radius zone to 6.5 miles south of the VOR. Excluding that portion within a 1-mile radius of the center 41°15'15" N., 72° 02'00" W. of the Elizabeth New York Airport. This control zone is effective from 0600 to 2300 hours daily, local time, and during specific dates and times established in advance by a Notice to Airmen.

Guam Island (Anderson AFB)

Within a 5-mile radius of Anderson AFB (latitude 13°35'00" N., longitude 144°55'00" E.); within 2 miles each side of the Anderson TACAN 066° radial, extending from the 5-mile radius zone to 9 miles NE of the TACAN, and within 2 miles NW and 4 miles SE of the Anderson VOR 064° radial, extending from the 5-mile radius zone to the Guam Island (NAS Agana) 5-mile radius zone.

Guam Island (NAS Agana)

Within a 5-mile radius of NAS Agana (latitude 13°29'00" N., longitude 144°47'00" E); within 4 miles each side of Agana VORTAC 244°R. (245° T.), extending from the 5-mile radius zone to 8 miles southwest of the VORTAC, and within 1 mile northwest and 2 miles southeast of the Guam RBN 026° bearing, extending from the 5-mile radius zone to 2 miles northeast of the RBN.

Gulfport, MS.

Within a 5-mile radius of Gulfport Municipal Airport (lat. 30°24'28" N., long. 89°04'05" W.); within 3.5 miles each side of Gulfport VORTAC 050°, 129°, 213° and 319° radials, extending from the 5-mile radius zone to 9.5 miles northeast, southeast, southwest and northwest of the VORTAC; excluding that portion within the Biloxi, MS., control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Gulkana, Alaska

Within a 5-mile radius of the Gulkana Airport (latitude 62°09'19" N., longitude 145°27'08" W.); within 3.5 miles each side of the Gulkana VORTAC 346° radial extending from the 5-mile radius zone to 11.5 miles N of the VORTAC; and within 3 miles each side of the Gulkana VORTAC 181º radial extending from the 5-mile radius zone to 8.5 miles S of the VORTAC.

AMENDMENTS 11/7/74 39 F. R. 30110 (Rewritten)

Hagerstown, Md. Within a 5-mile radius of the center, 39°42'27" N., 77°43'50" W., of Hagerstown Regional Airport, Hagerstown, Md.; and

within 2 miles each side of the Hagerstown VOR 084° and 239° radials extending from the 5-mile radius zone to 5.5 miles SW of the VOR. This control zone is effective from 0600 to 2100 hours local time, daily.

AMENDMENTS 1/17/74 39 F. R. 2080 (Changed)

Hampton Roads, Va.

Within a 5-mile radius of Langley AFB, Hampton Roads, Va., (latitude 37°05'05" N., longitude 76°21'25" W.), within 2.5 miles NW and 2 miles SE of the Langley AFB Runway 7 ILS localizer course, extending from the 5-mile radius zone to the OM, within 2 miles each side of the Langley AFB TACAN 078° radial, extending from the 5-mile radius zone to 6 miles E of the TACAN.

Within a 5-mile radius of Harlingen Industrial Airport (latitude 26°13'37" N., longitude 97°39'12" W.); and within 2 miles each side of the Harlingen VOR 117° radial, extending from the 5-mile radius zone to 1 mile southeast of the VOR. This part-time control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual. Tentative dates and times will be: From 0600 to 2200 local time of a daily basis.

Harrisburg, Pa.

Within a 6.5-mile radius of the center, 40°12'59" N., 76°51'03" W., of Capital City Airport, Harrisburg, Pa.: within 2 miles each side of the extended centerline of Capital City Airport Runway 26, extending from the west end of Runway 26 to 6.5 miles west of the west end of Runway 26; within 2 miles each side of the Harrisburg, Pa., VORTAC 100° radial, extending from the 6.5-mile radius zone to 2.5 miles east of the VORTAC; excluding the portion that coincides with the Middletown, Pa., control zone east of the direct lines described as follows: a line bearing 028° from a point 40°12'23" N., 76°48"38" W., extending from said point to the point of intersection with the Harrisburg, Pa., 6.5-mile radius zone and a line bearing 1910 from a point 40°12'23" N., 76°48'38" W., extending from said point to the point of intersection with the Harrisburg, Pa., 6.5-mile radius zone.

AMENDMENTS 6/20/74 39 F. R. 16118 (Rewritten)

Harrison, Ark.

Within a 5-mile radius of Boone County Airport (latitude 36°15'55" N., longitude 93°09'14" W.), within a 7.5-mile radius of the airport extending from the Harrison VOR 165° radial clockwise to the 230° radial, and within 1.5 miles each side of the Harrison VOR 140° radial extending from the 5-mile radius zone to the VOR. Hartford, Conn.

Within a 5-mile radius of Hartford-Brainard Airport (lat. 41°44'10" N., long. 72°39'02" W.); within a 5-mile radius of Rentschler Field, East Hartford, Connecticut (lat. 41°45'10" N., long. 72°37'25" W.); within 3.5 miles each side of the Brainard (ADQ) NDB (lat. 41°42'51" N., long. 72°36'48" W.) 130° bearing from the NDB extending from the 5-mile radius zone to 7 miles southeast of the NDB; within 4.5 miles each side of the Hartford, Connecticut, VORTAC 327° radial extending from the 5-mile radius zone to the VORTAC; within 2 miles each side of the Hartford VOR 334° radial extending from the 5-mile radius zone to the VOR; within 2 miles each side of the 182° bearing from the Brainard NDB extending from the 5-mile radius zone to 7 miles south of the NDB and within 2 miles each side of the Hartford VOR 327° radial extending from the 5-mile radius zone to the VOR. This control zone is effective from 0700 to 2300 hours local time daily, and during specific dates and times established in advance by a Notice to Airmen.

Corr: 39 F. R. 11177

Hastings, Nebr.

Within a 5-mile radius of Hastings, Nebr., Municipal Airport (latitude 40°36'20" N., longitude 98°25'30" W.). within 2 miles each side of the 338° bearing from Hastings Municipal Airport extending from the 5-mile radius zone to 9.5 miles N of the airport, and within 2 miles each side of the 143° bearing from Hastings Municipal Airport extending from the 5-mile radius zone to 8 miles SE of the airport. The control zone shall be effective during the time established by a Notice to Airmen and continuously published in the Airman's Information Manual.

Havre, Mont.

Within a 5-mile radius of City-County Airport (latitude 48°32'45" N., longitude 109°45'40" W.); within 3 miles each side of the Havre VOR 080° radial, extending from the 5-mile radius zone to 7 miles east of the VOR: and within 3 miles each side of the Havre VOR 287° radial, extending from the 5-mile radius zone to 7 miles west of the VOR.

Hays, Kansas

within a 5-mile radius of Hays Municipal Airport (latitude 38°50'45" N., longitude 99°16'30" W.); and within 2 miles each side of the Hays, Kansas, VOR 162° radial, extending from the 5-mile radius zone to 8 miles south of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Hayward, Calif.

Within a 5-mile radius of Hayward Air Terminal (latitude 37°39'30" N., longitude 122°06'45" W.), excluding the portion within the Oakland, Calif., control zone. This control zone is effective from 0600 to 0000 hours, local time, daily.

Within a 5-mile radius of the center (40°59'13" N., 75°59'36" W.) of Hazleton Municipal Airport, Hazleton, Pa.; within a 5.5-mile radius of the center of the airport extending clockwise from a 0400 bearing to a 0900 bearing from the airport; within 1.5 miles each side of the Hazleton VOR 0820 radial, extending from the 5-mile radius zone to the VOR; within 2 miles each side of the Hazleton VOR 0840 radial, extending from 7 miles east of the VOR to 13.5 miles east of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 9/12/74 39 F. R. 27899 (Changed)

Helena, MT.

Within a 5-mile radius of Helena County-City Airport (latitude 46°36°27" N., longitude 111°58°45" W.); within 2½ miles each side of the Helena VORTAC 102° radial extending from the 5-mile radius zone to 4½ miles east of the VORTAC,

Hibbing, MN.

That airspace within a 5-mile radius of Chisholm-Hibbing Airport (latitude 47°23'10' N., longitude 92°50' 15" W.); within 2 miles each side of the Hibbing VORTAC 3130 radial extending from the 5-mile radius zone to 15 miles northwest of the VORTAC; within 12 miles each side of the Hibbing VORTAC 3130 radial extending from the 5-mile radius zone to the VORTAC.

Hickory, N. C. Within a 5-mile radius of Hickory Municipal Airport (latitude 35°44'30" N., longitude 81°23'20" W.); within 2.5 miles each side of the 042° bearing from Hickory RBN (latitude 35°44'00" N., longitude 81°23'30" W.), extending from the 5-mile radius zone to 8.5 miles northeast of the RBN; within 2 miles each side of Hickory VOR 222° radial, extending from the 5-mile radius zone to the VOR.

Hillsboro, Oreg.

Within a 5-mile radius of Portland-Hillsboro Airport (latitude 45°32'15" N., longitude 122°56'46" W.); within 2 miles each side of the Newberg VORTAC 007° radial, extending from the 5-mile radius area to 8 miles south of the airport; and within 2 miles each side of the 039° bearing from the airport, extending from the 5-mile radius area to 9.5 miles northeast of the airport. This control zone will be effective during the time established in advance by a Notice to Airmen and continuously published in the Airman's Information Manual.

AMENDMENTS 10/10/74 39 F. R. 29340 (Rewritten); Corr: 39 F. R. 33506

Hilo, Hawaii

Within a 5-mile radius of General Lyman Field, Hilo, Hawaii (lat. 19043'15" N., long. 155002'55" W.), and within 3.5 miles each side of the Hilo VORTAC 0900 radial, extending from the 5-mile radius zone to 10 miles east of the VORTAC.

Hobart, Okla.

Within a 5-mile radius of the Hobart Municipal Airport (latitude 34° 59' 20" N., longitude 99° 02' 55" W.) and within 2 miles each side of the Hobart VOR 003° radial, extending from the 5-mile radius zone to the VOR.

Hobbs, N. Mex.

That airspace within a 5-mile radius of the Lea County Airport (latitude 32°41'19" N., longitude 103°13' 01" W.), and within 3.5 miles each side of the Hobbs VORTAC 222° radial, extending from the 5-mile radius zone to 10.5 miles SW of the VORTAC.

AMENDMENTS 8/15/74 39 F. R. 20785 (Rewritten)

Hollywood, Fla.

Within a 3-mile radius of the North Perry Airport (latitude 26°00'06" N., longitude 80°14'24" W.); excluding the portion which coincides with the Fort Lauderdale and Miami, Fla., control zones. This control zone is effective during the specific dates and time established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Homer, Alaska

Within a 5-mile radius of the Homer Airport (latitude 59°38'43" N., longitude 151°28'31" W.); within 2 miles each side of the 266° bearing from the Kachemak NDB extending from the 5-mile radius zone to 4.5 miles W of the NDB; and within 1.5 miles each side of the Homer localizer SW course extending from the 5-mile radius zone to 11 miles SW of the localizer antenna site (latitude 59°39'08" N., longitude 151°27'22" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the U. S. Flight Information Publication Supplement Alaska.

AMENDMENTS 11/7/74 39 F. R. 30110 (Rewritten)

Homestead, Fla.

Within a 5-mile radius of Homestead AFB (lat. 25°29'15" N., long. 80°23'00" W.); within 2 miles each side of the ILS localizer southwest course, extending from the 5-mile radius zone to 1.5 miles northeast of the OM.

Honolulu, Hawaii

Within a 5-mile radius of Honolulu International Airport (latitude 21°19'35" N., longitude 157°55'45" W.); within a 5-mile radius of NAS Barbers Point (latitude 21°18'35" N., longitude 158°04'30" W.); within 2 miles each side of the Honolulu VORTAC 089° radial, extending from the VORTAC to the Honolulu 5-mile radius zone; within 3 miles northwest and 4.5 miles southeast of the Honolulu VORTAC 242° radial, extending from the NAS Barbers Point 5-mile radius zone to 13 miles southwest of the Honolulu VORTAC.

Honolulu, Hawaii (Wheeler AFB)

Within a 3-mile radius of Wheeler AFB (latitude 21°29'00" N., longitude 158°02'30" W.), excluding the portion within R-3109. This control zone is effective from 0600 to 2200 hours, local time, daily.

Hopkinsville, Ky.

Within a 5-mile radius of Campbell AAF (lat. 36°40'23" N., long. 87°29'27" W.); within 1.5 miles each side of Campbell TACAN 053° radial, extending from the 5-mile radius zone to 5.5 miles northeast of the TACAN; within 1.5 miles each side of the 224° bearing from Campbell RBN, extending from the 5-mile radius zone to 0.5 mile southwest of the RBN; within a 5-mile radius of Outlaw Field, Clarksville, Tenn. (lat. 36°37'15" N., long. 87°24'52" W.); within 3 miles each side of Clarksville VOR 171° radial, extending from the 5-mile radius zone to 8.5 miles south of the VOR.

Hoquiam, Wash.

Within a 5-mile radius of Bowerman Field, Hoquiam, Wash. (lat. 46°58'15" N., long. 123°56'05" W.), within 1.5 miles each side of the Hoquiam VORTAC 081° radial, extending from the 5-mile radius zone to the VORTAC and within 4 miles each side of the 081° radial, extending from the 5-mile radius zone to 20 miles east of the VORTAC.

Hot Springs, Ark.

Within a 9-mile radius of Memorial Field (latitude 34°28'40" N., longitude 93°05'45" W.), and within 3 miles each side of the 248° bearing from the Hot Springs RBN extending from the 9-mile radius zone to 8.5 miles west of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Hot Springs, Va.

Within a 6-mile radius of the center, lat. 37°57'04" N., long. 79°50'02" W. of Ingalls Field, Hot Springs, Va. This control zone is effective during the specific days and times established in advance by a Notice to Airmen. The effective times will thereafter be published in the Airman's Information Manual.

AMENDMENTS 10/10/74 39 F. R. 29341 (Changed)

Houghton', Mich.

Within a 6-mile radius of Houghton County Memorial Airport (latitude 47°10'06" N., longitude 88°29'20" W.); within 3 miles each side of the 020° bearing from the Calumet RBN, extending from the 6-mile-radius zone to 6½ miles north of the RBN.

Houlton, Maine

Within a 4-mile radius of the center, 46°07'25" N., 67°47'40" W., of Houlton International Airport, Houlton, Maine, and within 2 miles each side of the Houlton VOR 016° radial extending from the 4-mile radius zone to 2 miles north of the VOR, excluding the airspace within Canada.

Houston, Tex. (Ellington AFB)

Within a 5-mile radius of Ellington AFB (latitude 29°36'25" N., longitude 95°09'20" W.), within a 3-mile radius of Clear Lake City Stolport (latitude 29°33'27" N., longitude 95°08'21" W.), within 2 miles each side of the Ellington VOR 209° radial extending from the 5-mile radius zone to 7 miles southwest of the VOR, within 2 miles each side of the Ellington TACAN 213° radial extending from the 5-mile radius zone to 7 miles southwest of the TACAN, within 2 miles each side of the Hobby VORTAC 142° radial extending from the William P. Hobby Airport (latitude 29°38'40" N., longitude 95°16'30" W.) 5-mile radius zone to 11.5 miles southeast of the VORTAC, and within 2 miles each side of the Hobby VORTAC 126° radial extending from the William P. Hobby Airport 5-mile radius zone to 13.5 miles southeast of the VORTAC, excluding the portions within the Houston, Tex. (William P. Hobby), control zone.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed)

Houston, Tex. (Intercontinental Airport)

That airspace within a 5-mile radius of Houston Intercontinental Airport (latitude 29°58'51" N., longitude 95°20'30" W.), within 2 miles each side of the Humble VORTAC 337° radial extending from the 5-mile radius zone to 8 miles N of the VORTAC, within 2 miles each side of the Houston Intercontinental ILS localizer W course extending from the 5-mile radius zone to the OM, and within 2 miles each side of the Houston Intercontinental ILS localizer E course extending from the 5-mile radius zone to 7.5 miles E of the airport.

Houston, Tex. (William P. Hobby)

That airspace within a 5-mile radius of William P. Hobby Airport (latitude 29°38'40" N., longitude 95°16'30" W.); within 2 miles each side of the Houston William P. Hobby ILS localizer SW course extending from the 5-mile radius zone to the OM, within 2 miles each side of the Houston William P. Hobby ILS localizer NE course extending from the 5-mile radius zone to

the Pasadena RBN, within 2 riles each side of the Hobby VORTAC 306° radial extending from the 5-mile radius zone to 6 miles NW of the VORTAC, within 2 miles each side of the Hobby VORTAC 025° radial extending from the 5-mile radius zone to 6 miles NE of the VORTAC, within 2 miles each side of the Hobby VORTAC 239° radial extending from the 5-mile radius zone to 6 miles SW of the VORTAC, within 2 miles each side of the Hobby VORTAC 142° radial extending from the 5-mile radius zone to 11.5 miles SE of the VORTAC, and within 2 miles each side of a 223° bearing from the Hobby DF station (latitude 29°38'48" N., longitude 95°16'42" W.) extending from the 5-mile radius zone to 8 miles SW of the DF station, excluding the portion E of a line from the intersecting point of 5-mile radius circles centered on William P. Hobby Airport and Ellington AFB (latitude 29°36'25" N., longitude 95°09'20" W.) NE of William P. Hobby Airport, through the intersecting point of such 5-mile radius circles SE of William P. Hobby Airport, to latitude 29°32'00" N., longitude 95°15'00" W.

AMENDMENTS 2/28/74 38 F. R. 35449 (Changed)

Huntington, W. Va.

Within a 6-mile radius of the center, latitude 38°22'00" N., longitude 82°33'20" W. of Tri-State Airport (Walker-Long Field), Huntington, West Virginia, and within 3.5 miles each side of the Tri-State Airport (Walker-Long Field) ILS localizer east course, extending from the 6-mile radius zone to 4.5 miles east of the Shoals, West Virginia, FM.

AMENDMENTS 3/28/74 39 F. R. 3669 (Rewritten)

Huntsville, Ala.

Within a 5-mile radius of Huntsville-Madison County Airport (latitude 34°38'19" N., longitude 86°46'25" W.); within 2 miles each side of the Huntsville ILS localizer north course, extending from the 5-mile radius zone to 2.5 miles south of Capshaw REN; within 2 miles each side of the Huntsville VOR 217° radial, extending from the 5-mile radius zone to 0.5 mile southwest of the VOR; within a 5-mile radius of Redstone AAF (latitude 34°40'29" N., longitude 86°40'54" W.); within 2 miles each side of the 352° bearing from Whitesburg REN extending from the 5-mile radius zone to the REN; within 2 miles each side of the 356° bearing from Redstone REN, extending from the 5-mile radius zone to 2 miles north of the REN; within 2.5 miles each side of Runway 35 extended centerline, extending from the threshold to 5.5 miles south; within 2.5 miles each side of Runway 17 extended centerline, extending from the threshold to 6 miles north.

Huron, S. Dak.

Within a 5-mile radius of Howes Municipal Airport (latitude 44°23'05" N., longitude 98°13'35" W.); and within 1½ miles each side of the Huron VOR 134° radial, extending from the 5-mile radius zone to the VOR.

Hutchinson, Kans.

Within a 5-mile radius of Hutchinson Municipal Airport (latitude 38003'56" N., longitude 97051'37" W.).

Hyannis, Mass.

Within a 5-mile radius of the center, 41°40'10" N., 70°16'45" W., of Barnstable Municipal Airport, Hyannis, Mass., and within 2 miles each side of the Hyannis VORTAC 227° radial, extending from the 5-mile radius zone to 10.5 miles southwest of the VORTAC. This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates and times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

Idaho Falls, Idaho

Within a 5-mile radius of Fanning Field, Idaho Falls, Idaho (latitude 43°31'05" N., longitude 112°04'05" W.); within a 1-mile radius of Rigby, Idaho, Airport (latitude 43°38'45" N., longitude 111°55'45" W.); within 3.5 miles each side of the Idaho Falls VOR 223° radial extending from the 5-mile radius zone to 10.5 miles southwest of the VOR; within 4 miles each side of the Idaho Falls VOR 030° radial, extending from the 5-mile radius zone to 11 miles northeast of the VOR.

Iliamna, Alaska

Within a 5-mile radius of the Iliamna Airport (latitude 59°45'12" N., longitude 154°54'54" W.); and within 2.5 miles each side of the 209° bearing from the Iliamna RBN, extending from the 5-mile radius zone to 9.5 miles southwest of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the U. S. Government Flight Information Publication, Supplement Alaska.

Imperial Beach, Calif. Within a 3-mile radius of NAS Imperial Beach (latitude 32°34'00" N., longitude 117°06'50" W.); that airspace W of NAS Imperial Beach within the arc of a 6-mile radius circle centered in the Imperial Beach TACAN, extending counterclockwise from a line 2 miles north of and parallel to the Imperial Beach TACAN 288° radial to the United States/Mexican Flight Information Region Boundary, excluding the portion under the jurisdiction of Mexico; and that airspace east of a NAS Imperial Beach within the arc of a 6-mile radius circle centered on the Imperial Beach TACAN, extending clockwise from a line 2 miles north of and parallel to the Imperial Beach TACAN 065° radial to the United States/Mexican Border, excluding the portion east of longitude 117°01'00" W., when the San Diego, Calif. (Brown Field) control zone is effective.

Indianapolis, Ind.

Within a 5-mile radius of Indianapolis Municipal (Weir-Cook) Airport (latitude 39°43'35" N., longitude 86°17'05" W.); within 2 miles each side of the Indianapolis runway 4L ILS localizer southwest course, extending from the 5-mile radius zone to 1 mile northeast of the OM; within 2 miles each side of the Indianapolis runway 31L ILS localizer southeast course, extending from the 5-mile radius zone to 1 mile northwest of the OM; and within 2½ miles each side of the Indianapolis runway 22R ILS localizer northeast course, extending from the 5-mile radius zone to 14½ miles northeast of the OM.

International Falls, Minn.

Within a 5-mile radius of International Falls Airport (latitude 48°33'55" N., longitude 93°24'05" W.); within 2½ miles each side of the International Falls VOR 129° radial extending from the 5-mile radius zone to 7 miles southeast of the VOR; and within 2½ miles each side of the International Falls VOR 320° radial, extending from the 5-mile radius zone to 7 miles northwest of the VOR, excluding the portion outside the United States.

Iron Mountain, Mich.

Within a 7-mile radius of Ford Airport (latitude 45°48'57" N., longitude 88°06'56" W.); within 3 miles each side of the Iron Mountain VORTAC 192° radial, extending from the 7-mile radius zone to 8 miles south of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/3/74 38 F. R. 31825 (Rewritten)

Ironwood, Mich.

Within a 5-mile radius of Gogebic County Airport (latitude 46°31'25" N., longitude 90°07'50" W.); within 3 miles each side of the Ironwood VORTAC 108° radial, extending from the 5-mile radius zone to 12½ miles east of the VORTAC; and within 3½ miles each side of the Ironwood VORTAC 254° radial, extending from the 5-mile radius zone to 10½ miles west of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Islip, N. Y.

Within a 5-mile radius of the center, 40°47'50" N., 73°06'01" W. of Islip-MacArthur Airport, Islip, N. Y.; within a 6-mile radius of the center of the airport extending clockwise from a 260° to 076° bearing from the airport; within 4 miles each side of the Islip-MacArthur Airport ILS localizer northeast course, extending from the localizer to a point 8.5 miles northeast of the localizer.

AMENDMENTS 4/25/74 39 F. R. 5484 (Rewritten)

Ithaca, N. Y.

Within a 5-mile radius of the center, 42°29′29″ N., 76°27′30″ W., of Tompkins County Airport, Ithaca, N. Y., extending clockwise from a ·196° bearing to a 329° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 329° bearing to a 081° bearing from the airport; within a 10-mile radius of the center of the airport, extending clockwise from a 081° bearing to a 137° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 137° bearing to a 170° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 170° bearing to a 196° bearing from the airport; within 3 miles each side of the Ithaca, N. Y., VORTAC 305° radial, extending from the VORTAC to 8.5 miles northwest of the VORTAC. This control zone is effective during specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be published continuously in the Airman's Information Manual.

AMENDMENTS 12/27/73 38 F. R. 31673 (Rewritten) AMENDMENTS 2/19/74 39 F. R. 6058 (Changed)

Jackson, Mich.

Within a 5-mile radius of Reynolds Airport, Jackson, Mich. (latitude 42°15'30" N., longitude 84°27'40" W.), within 2 miles each side of the Jackson VOR 044° radial, extending from the 5-mile radius zone to 8 miles northeast of the VOR, within 2 miles each side of the Jackson VOR 238° radial, extending from the 5-mile radius zone to 8 miles southwest of the VOR, within 2 miles each side of the Jackson VOR 306° radial, extending from the 5-mile radius zone to 8 miles northwest of the VOR, and within 2 miles each side of the Jackson VOR 141° radial, extending from the 5-mile radius zone to 8 miles southeast of the VOR.

Jackson, Miss.

Within a 5-mile radius of Allen C. Thompson Field (latitude 32°18'40" N., longitude 90°04'35" W.); within 2.5 miles each side of Jackson VORTAC 157° and 160° radials, extending from the 5-mile radius zone to 20 miles SE and S of the VORTAC; within a 5-mile radius of Hawkins Field (latitude 32°20'10" N., longitude 90°13'15" W.); within 3 miles each side of the 008° bearing from Hawkins RBN, extending from the 5-mile radius zone to 8.5 miles N of the RBN; within 1.5 miles each side of the Jackson VORTAC 195° radial, extending from the 5-mile radius zone to 0.5 mile S of the VORTAC; within a 5-mile radius of Bruce Campbell Field (latitude 32°26'15" N., longitude 90°06'05" W.).

Jackson, Tenn.

Within a 5-mile radius of McKellar Field (latitude 35°35'55" N., longitude 88°54'55" W.); within 2.5 miles each side of the McKellar VOR 206° radial, extending from the 5-mile radius zone to 6.5 miles southwest of the VOR.

Jacksonville, Fla. (Craig Municipal Airport)

Within a 5-mile radius of Craig Municipal Airport (lat. 30°20'15" N., long. 81°31'00" W.); excluding the portion northeast of a line connecting the two points of intersection with a 5-mile radius circle centered on NS Mayport (lat. 30°23'25" N., long. 81°25'15" W.) control zone.

Jacksonville, Fla. (International Airport)

Within a 5-mile radius of Jacksonville International Airport (lat. 30°29'26" N., long. 81°41'19" W.); within 2 miles each side of the ILS localizer west course, extending from the 5-mile radius zone to 1.5 miles east of the LOM.

Jacksonville, Fla. (NAS Jacksonville)

Within a 5-mile radius of NAS Jacksonville (lat. 30°14'00" N., long. 81°40'30" W.); within 3 miles each side of Navy Cecil VOR 084° radial, extending from the 5-mile radius zone to the NAS Cecil Field (lat. 30°13'00" N., long. 81°52'45" W.) control zone.

Jacksonville, Fla. (NAS Cecil Field)

Within a 5-mile radius of NAS Cecil Field (lat. 30°13'00" N., long. 81°52'45" W.); within 3.5 miles each side of Navy Cecil VOR 285° radial and the 285° bearing from Navy Cecil RBN, extending from the 5-mile radius zone to 11.5 miles west of the VOR and RBN; within 2 miles each side of Navy Cecil TACAN 184° radial, extending from the 5-mile radius zone to 14 miles south of the TACAN; within 1.5 miles each side of Navy Cecil TACAN 355° radial, extending from the 5-mile radius zone to 5.5 miles north of the TACAN.

Jacksonville, N. C.

Within a 5-mile radius of New River MCAS (latitude 34°42'25" N., longitude 77°26'35" W.); within 2 miles each side, expanding to 3 miles each side of the 051° bearing from New River RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN; within 3 miles each side of the 226° bearing from New River RBN, extending from the RBN to 8.5 miles southwest of the RBN; within 2 miles each side of New River TACAN 236° radial, extending from the 5-mile radius zone to 9.5 miles southwest of the TACAN. This control zone is effective from 0700 hours, local time, to sunset, Monday through Friday; 0700 to 1200 hours, local time, Saturday; 1600 to 2000 hours, local time, Sunday, and closed on holidays.

Jacksonville, N. C. (Albert J. Ellis Airport)

Within a 5-mile radius of Albert J. Ellis Airport (lat. 34°49'49" N., long. 77°36'42" W.); within 3 miles each side of the 045° and 220° bearings from Onslow RBN (lat. 34°49'43" N., long. 77°36'51" W.) extending from the 5-mile radius zone to 8.5 miles northeast and southwest of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 10/10/74 39 F. R. 29587 (Added)

Jamestown, N. Y.

Within a 5-mile radius of the center, 42°09'07" N., 79°15'26" W., of Chautauqua County Airport, Jamestown, N. Y.; within 2 miles each side of the Jamestown, N. Y., VOR 071° and 251° radials extending from the 5-mile radius zone to the VOR and within 2 miles each side of a 053° bearing from the Jamestown, N. Y., RBN (42°11'02" N., 79°11'15" W.) extending from the 5-mile radius zone to 7 miles northeast of the RBN. This control zone is effective during specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be published continuously in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 34111 (Changed) AMENDMENTS 2/19/74 39 F. R. 6057 (Changed)

Jamestown, N. Dak.

Within a 5-mile radius of Jamestown Municipal Airport (latitude 46°55'55" N., longitude 98°40'40" W.); within 3 miles each side of the Jamestown VORTAC 140° radial, extending from the 5-mile radius zone to 7.5 miles southeast of the VORTAC; and within 3 miles each side of the Jamestown VORTAC 308° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC.

Janesville, Wis.

Within a 5-mile radius of the Rock County Airport (latitude 42°37'12" N., longitude 89°02'28" W.); within 3 miles each side of a 125° bearing from the Rock County Airport extending from the 5-mile radius zone to $6\frac{1}{2}$ miles southeast of the airport; and within 3 miles each side of a 321° bearing from the Rock County Airport extending from the 5-mile radius zone to $6\frac{1}{2}$ miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Jefferson, Ohio

Within a 5-mile radius of the Ashtabula County Airport (latitude 41°46'40" N., longitude 80°41'45" W.); within 3 miles each side of the Jefferson, Ohio VORTAC 242° radial extending from the 5-mile radius zone to 8.5 miles SW of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 10/10/74 39 F. R. 27899 (Added)

Jefferson City, MD.

Within a 5-mile radius of the Jefferson City Memorial Airport (latitude 38°35'33" N., longitude 92°09'39" W.), and within 2 miles each side of the Jefferson City VOR 308° radial, extending from the 5-mile radius zone to 8 miles northwest of the VOR, and within 2.5 miles each side of the 118° bearing from the Jefferson City RBN facility (latitude 38°33'20" N., longitude 92°04'40" W.) and 2.5 miles each side of the 124° bearing from the Jefferson City RBN, extending from the 5-mile radius zone to 16 miles southeast of the VOR. This control zone shall be effective during the times established by Notice to Airmen and continuously published in the Airman's Information Manual.

Johnston Island, Johnston Ktoll

Within a 5-mile radius of the Johnston Island AFB, Johnston Atoll (latitude 16°44'19" N., longitude 169°31'12" W.); within 2 miles each side of the extended centerline of runway 05, extending from the 5-mile radius zone to 6.5 miles NE of the Johnston Island RBN, and within 2 miles each side of the 241° bearing from the Johnston Island RBN, extending from the 5-mile radius zone to 12 miles SW of the RBN.

Johnstown, Pa.

'Within a 5.5-mile radius of the center, lat. 40°19'00" N., long. 78°50'00" W. of Johnstown-Cambria County Airport, Johnstown, Pa.; within 3.5 miles each side of the Johnstown VORTAC 044° radial, extending from the 5.5-mile radius zone to 10 miles northeast of the VORTAC; within 3 miles each side of the Johnstown VORTAC 216° radial, extending from the 5.5-mile radius zone to 8.5 miles southwest of the VORTAC, and within 3.5 miles each side of the Johnstown VORTAC 320° radial, extending from the 5.5-mile radius zone to 10.5 miles northwest of the VORTAC. This control zone is effective from 0700 to 2400 hours, local time, daily.

AMENDMENTS 10/1/74 39 F. R. 34513 (Changed)

Jonesboro, Ark.

Within a 5-mile radius of Jonesboro Municipal Airport (latitude 35°49'50" N., longitude 90°38'55" W.) and within 3 miles each side of the Jonesboro VOR 048° radial extending from the 5-mile radius zone to 8 miles northeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Joplin, Mo.

Within a 5-mile radius of the Joplin Municipal Airport (latitude 37°09'05" N., longitude 94° 29' 55" W.).

Juneau, Alaska

Within a 5-mile radius of Juneau Municipal Airport (latitude 58°21'30" N., longitude 134°35'00" W.), and within 2 miles each side of the Juneau localizer W course, extending from the 5-mile radius zone to 2 miles W of the Coghlan Island, Alaska, RBN.

Kahului, Hawaii

Within a 5-mile radius of Kahului Airport (latitude 20°54'05" N., longitude 156°26'05" W.); within 4 miles each side of the Maui VORTAC 038° radial, extending from the 5-mile radius zone to 14 miles northeast of the VORTAC; within 2 miles each side of the Maui VORTAC 201° radial, extending from the 5-mile radius zone to 11 miles south of the VORTAC and within 2 miles each side of the extended centerline of Runway 2/20, extending from the 5-mile radius zone to 11 miles south of the VORTAC. This control zone is effective from 0600 to 2200 hours, local time, daily or during the specific date or time established by a Notice to Airmen, which thereafter will be continually published in the Pacific Chart Supplement.

Kalamazoo, Mich ..

Within a 5-mile radius of the Kalamazoo Municipal Airport (latitude 42°14'07" N., longitude 85°33'10" W.; within 2 miles each side of the Kalamazoo VOR 001°, 167° and 229° radials, extending from the 5-mile radius zone to 7 miles north, south, and southwest of the VOR, and within 2 miles each side of the Kalamazoo ILS localizer south course, extending from the 5-mile radius zone to the OM. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Kalispell, Mont.

Within a 5-mile radius of the Glacier Park International Airport (latitude 48°18'49" N., longitude 114° 15'16" W.); within 2 miles each side of the 035° bearing from the Smith Lake NDB (latitude 48°06'26" N., longitude 114°27'37" W.); extending from the 5-mile radius zone to 4 miles northeast of the NDB (12.5 miles southwest of the airport).

Kaneohe, Hawaii

Within a 5-mile radius of MCAS Kaneohe (latitude 21°27'30" N., longitude 157°46'30" W.).

Kansas City, Mo.

Within a 5-mile radius of the Kansas City Municipal Airport (latitude 39°07'20" N., longitude 94°43' 30" W.) and within 1.5 miles either side of the 031° radial of the Riverside, Missouri, VOR extending from the 5-mile radius zone to 6 miles NE of the VOR; and within 1.5 miles either side of the 215° radial of the Riverside, Missouri, VOR extending from the 5-mile radius zone to 6 miles SW of the VOR; and within 2 miles either side of the 353° radial of the Riverside, Missouri, VOR extending from the 5-mile radius zone to 10.5 miles N of the VOR, excluding that area which overlies the Kansas City International Airport control zone.

Corr: 39 F. R. 792

Kansas City, Mo. (International Airport)

Within a 5-mile radius of the Kansas City International Airport (latitude 39°18'05" N., longitude 94°43'37" W), and within 2 miles either side of the Rwy 9 ILS localizer west course extending from the 5-mile radius zone to the Rondell OM; and within 2 miles either side of the Rwy 19 ILS localizer north course extending from the 5-mile radius zone to 12 miles north of the Wyandotte OM; and within 1.5 miles either side of the 268° radial of the Kansas City VORTAC extending from the 5-mile radius zone to the VORTAC; and within 2 miles either side of the Rwy 1 ILS localizer south course extending from the 5-mile radius zone to 1.5 miles south of the Wyandotte OM.

Ke-ahole, Kona, Hawaii

Within a 5-mile radius of the Ke-ahole Airport (latitude 19°44'35" N., longitude 156°03'00" W.) and within 1.5 miles each side of the Kona VORTAC 340° radial, extending from the 5-mile radius zone to the VORTAC. This control zone is effective from 0600 to 2200 hours, local time, daily.

Kearney, Nebr.

Within a 5-mile radius of Kearney Municipal Airport (latitude 40°43'45" N., longitude 98°59'55" W.); within 3½ miles each side of the Kearney VOR 194° radial, extending from the 5-mile radius zone to 10½ miles south of the VOR; and within 3½ miles each side of the Kearney VOR 360° radial, extending from the 5-mile radius zone to 11½ miles north of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Kenai, Alaska

Within a 5-mile radius of the Kenai Municipal Airport (latitude 60°34'21" N., longitude 151°14'44" W.), and within 2 miles northwest and 2.5 miles southeast of the Kenai VORTAC 031° radial, extending from the 5-mile radius zone to 8.5 miles northeast of the VORTAC.

Ketchikan, Alaska

Within a 3-mile radius of the Ketchikan Airport (lat. 55°21'09" N., long. 131°42'22" W.) extending clockwise from the 316° bearing to the 136° bearing from the airport; with a 4-mile radius of the Ketchikan Airport extending clockwise from the 136° bearing to the 316° bearing from the airport; and within 1 mile each side of the Ketchikan localizer northwest/southeast courses extending from the radius zone to 8 miles northwest and 5.5 miles southeast of the Ketchikan localizer. This control zone is effective from 0600 to 2200 hours local time daily, or during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Key West, Fla.

Within a 5-mile radius of Key West International Airport (lat. 24°33'22" N., long. 81°45'35" W.); within 3 miles each side of the 268° bearing from Fish Hook RBN, extending from the 5-mile radius zone to 8.5 miles west of the RBN; within 4 miles each side of Key West VORTAC 300° radial, extending from the 5-mile radius zone to 8.5 miles northwest of the VORTAC; within a 5-mile radius of Key West NAS (Boca Chica) (lat. 24°34' 30" N., long. 81°41'15" W.); within 3.5 miles each side of the 251° bearing from Key West NAS UHF RBN, extending from the 5-mile radius zone to 10.5 miles west of the RBN.

Killeen, Tex.

Within a 5-mile radius of Fort Hood AAF (lat. 31°08'15" N., long. 97°42'50" W.); within a 4-mile radius of Killeen Municipal Airport (lat. 31°05'10" N., long. 97°41'05" W.); within 3 miles each side of the Hood VOR 219° radial extending from the 4-mile radius zone to 8 miles southwest of the VOR; within a 5-mile radius of Robert Gray AAF (lat. 31°04'20" N., long. 97°49'45" W.); within 3.5 miles each side of the 341° bearing from the Gray RBN (lat. 31°07'18" N., long. 97°51'02" W.) extending from the 5-mile radius zone to 11 miles north of the RBN.

King Salmon, Alaska

Within a 5-mile radius of the King Salmon, Alaska, airport (latitude 58°40'43" N., longitude 156°38'50" W.), within 2.5 miles each side of the King Salmon VORTAC 312° and 132° radials, extending from the 5-mile radius zone to 12.5 miles northwest of the VORTAC; and within 2 miles each side of the King Salmon VORTAC 132° radial, extending from the 5-mile radius zone to 11.5 miles southeast of the VORTAC.

Kingsville, Tex.

Within a 5-mile radius of NAAS Kingsville (North) (latitude 27°30'10" N., longitude 97°48'25" W.); within 2 miles each side of the Kingsville TACAN 321° radial, extending from the 5-mile radius zone to 8 miles NW of the TACAN; within 2 miles each side of the Kingsville UHF RBN 321° bearing, extending from the 5-mile radius zone to 8 miles NW of the UHF RBN; within 2 miles each side of the Kingsville TACAN 187° radial, extending from the 5-mile radius zone to 7 miles S of the TACAN; within 2 miles each side of the Kingsville UHF RBN 187° bearing, extending from the 5-mile radius zone to 7 miles S of the UHF RBN.

Kinston, N. C.

Within a 5-mile radius of Stallings Field (lat. 35°19'36" N., long. 77°37'02" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Kirksville, Mo.

Within a 5-mile radius of Clarence Cannon Memorial Airport (lat. 40°05'45" N., long. 92°32'50"W.). This control zone will be effective initially during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Klamath Falls, Oreg.

Within a 5-mile radius of Kingsley Field (latitude 42°09'29" N., longitude 121°43'57" W.), within 4 miles east and 2 miles west of the Klamath Falls VORTAC 171° radial extending from the 5-mile radius zone to 8.5 miles south of the VORTAC, and within 2 miles each side of the Klamath Falls VORTAC 332° radial, extending from the 5-mile radius zone to 11 miles northwest of the VORTAC.

Knoxville, Tenn. (Downtown Island Airport)

Within a 5-mile radius of Downtown Island Airport (lat. 35°57'45" N., long. 83°52'30" W.); excluding the portion within the Knoxville control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/3/74 38 F. R. 31673 (Rewritten)

Knoxville, Tenn.

Within a 5-mile radius of McGhee-Tyson Airport (latitude 35°48'40" N., longitude 83°59'35" W.); within 2 miles each side of Knoxville ILS localizer southwest course, extending from the 5-mile radius zone to 1 mile northeast of the LOM; within 1.5 miles each side of Knoxville VORTAC 220° radial, extending from the 5-mile radius zone to 1.5 miles southwest of the VORTAC.

Kodiak, Alaska

Within a 5-mile radius of the Kodiak Airport (latitude 57°45'02" N., longitude 152°29'19" W.), and within 3 miles north and 3.5 miles south of the Kodiak VORTAC 072° and 252° radials extending from the 5-mile radius zone to 9.5 miles east of the VORTAC.

Kokomo, Ind.

Within a 5-mile radius of Kokomo Municipal Airport (latitude 40°31'45" N., longitude 86°03'30" W.); within 3 miles each side of the Kokomo VOR 039° radial extending from the 5-mile radius zone to 7 miles northeast of the VOR; and within 3 miles each side of the Kokomo VOR 129° radial extending from the 5-mile radius zone to 7 miles southeast of the VOR, excluding the portion overlying the Grissom AFB control zone. This control zone is effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 9/12/74 39 F. R. 26717 (Rewritten)

Kotzebue, AK.

Within a 5-mile radius of Wien Memorial Airport, Kotzebue, AK. (latitude 66°53'02" N., long. 162°36'05" W.) within 3 miles each side of the 048° bearing from the Kotzebue RBN extending from the 5-mile radius zone to 7 miles northeast of the RBN; within 3 miles each side of the Kotzebue VORTAC 278° radial extending from the 5-mile radius zone to 10 miles west of the VORTAC; and within 3 miles each side of the Kotzebue VORTAC 0900 radial extending from the 5-mile radius zone to 8 miles east of the VORTAC.

This control zone is effective from 0800 to 2400 hours local time daily, or during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously

published in the Flight Information Publication Supplement Alaska.

Kwajalein Island, Marshall Islands

Within a 5-mile radius of the Bucholz AAF (lat. 08°43'32" N., long. 167°44'03" E.); within 2.5 miles each side of the Kwajalein TACAN 248° radial, extending from the 5-mile radius zone to 6 miles west of the TACAN; and within 3.5 miles each side of the 078° bearing from the Kwajalein RBN, extending from the 5-mile radius zone to 11 miles east of the RBN.

La Crosse, Wis.

That airspace within a 5-mile radius of La Crosse Municipal Airport (latitude 43°52'38" N., longitude 91°15' 21" W.); within 3 miles each side of the La Crosse VOR 322° radial extending from the 5-mile radius zone to 112 miles northwest of the VOR; and within 22 miles each side of the La Crosse VOR 1850 radial extending from the 5-mile radius zone to 5½ miles south of the VOR; and within 2 miles each side of the La Crosse ILS localizer north course, extending from the 5-mile radius zone to 9 miles north of the airport.

Lafayette, Ind.

Within a 5-mile radius of Purdue University Airport (latitude 40°24'45" N., longitude 86°56'06" W.). This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual .

Lafavette, La.

That airspace within a 5-mile radius of Lafayette, La., Airport (latitude 30°12'00" N., longitude 91°59'40" W.); within 2 miles each side of the Lafayette ILS localizer N course extending from the 5-mile radius zone to 1 mile S of the OM.

Lake Charles, La.

That airspace within a 5-mile radius of Lake Charles Municipal Airport (latitude 30°07'30" N., longitude 93°13'20" W.), within 2 miles each side of the Lake Charles WORTAC 259° radial extending from the WORTAC to 13 miles W of the VORTAC, within 2 miles each side of the Lake Charles ILS localizer NW course extending from the 5-mile radius zone to the OM, and within 2 miles each side of the Lake Charles ILS localizer SE course extending from the 5-mile radius zone to 7.5 miles SE of the airport.

Lakehurst, N. J.

Within a 5-mile radius of the center 40002'00" N., 74021'00" W. of NAS Lakehurst, Lakehurst, N. J.; within 3 miles each side of the 0500 bearing from the Navy Lakehurst UHF RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN. This control zone is effective from 0700 to 2300 hours, local time, daily.

ake Tahoe, Calif. ' Within a 5-mile radius of Lake Tahoe Airport (latitude 38°53'30" N., longitude 119°59'50" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual.

Lanai, HI

Within a 5-mile radius of Lanai Airport (lat. 20047'30" N., long. 156057'00" W.). This control zone is effective during specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Pacific Chart Supplement.

Lancaster, Calif. (Fox Field)

Within a 5-mile radius of General William J. Fox Airfield (lat. 34044'26" N., long. 118013'04" W.), and within 2 miles each side of the Palmdale WORTAC 3110 radial extending from the 5-mile radius zone to the Palmdale, Calif., 5-mile radius zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Lancaster, Pa.

Within a 5-mile radius of the center 40°07'16" N., 76°17'47" W. of Lancaster Airport, Lancaster, Pa.; within 3 miles each side of the Lancaster VORTAC 260° radial extending from the 5-mile radius zone to 8.5 miles west of the VORTAC and within 3 miles each side of the Lancaster VORTAC 128° radial extending from the 5-mile radius zone to 8.5 miles southeast of the VORTAC. This control zone shall be in effect 0700 to 2300 hours, local time, daily.

Lansing, Mich.

Within a 5-mile radius of Capital City Airport, Lansing, Mich. (latitude 42°46'40" N., longitude 84°35'20" W.).

Laramie, Wyo.

Within a 5-mile radius of General Brees Field, Laramie, Wyo. (latitude 41°18'50" N., longitude 105°40'25" W.); within 4 miles each side of the Laramie VORTAC 301° radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC.

Laredo, Tex.

Within a 5-mile radius of Laredo International Airport (latitude 27°36'56" N., longitude 99°31'12" W.), within 1.5 miles each side of the Laredo ILS localizer northwest course extending from the ILS localizer site (latitude 27°36'12.6" N., longitude 99°30'50.2" W.) to 7 miles northwest; within 1.5 miles each side of the Laredo VORTAC 325° radial extending from the Laredo International Airport to 9.5 miles southeast, excluding that portion outside the United States. This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Las Vegas, N. Mex.

Within a 5-mile radius of the Las Vegas Municipal Airport (lat. 35°39'20" N., long. 105°08'30" W.), within 3.5 miles each side of the Las Vegas, N. Mex., VORTAC 025° radial extending beyond the 5-mile radius zone to a point 11 miles northeast of the VORTAC; and within 3.5 miles each side of the Las Vegas, N. Mex., VORTAC 220° radial extending beyond the 5-mile radius zone to a point 10 miles southwest of the VORTAC.

Las Vegas, Nev. (McCarran Field)

Within a 5-mile radius of McCarran Field (latitude 36°05'05" N., longitude 115°09'00" W.); within 2 miles southeast and 3 miles northwest of the Las Vegas VORTAC 032° radial extending from the 5-mile radius zone to 6.5 miles northeast of the VORTAC; within 2 miles northwest and 3 miles southeast of the Las Vegas VORTAC 214° radial extending from the 5-mile radius zone to 6 miles southwest of the VORTAC; and within 2 miles each side of the Las Vegas VORTAC 268° radial extending from the 5-mile radius zone to 6.5 miles west of the VORTAC.

Las Vegas, Nev. (Nellis AFB)

Within a 5-mile radius of Nellis AFB (Lat. 36°14'10" N, Long. 115°02'00" W), and within 2 miles SE and 3 miles NW of the Las Vegas VORTAC 032° radial, extending from the 5-mile radius zone to 6.4 miles SW of the airport.

Latrobe, Pa.

Within a 5-mile radius of the center, lat. 40°16'39" N., long. 79°24'14" W. of Latrobe Airport, Latrobe, Pa.; within 2 miles each side of the Latrobe Airport localizer northeast course extending from the 5-mile radius zone to 1.5 miles southwest of the Latrobe RBN lat. 40°22'32" N., long. 79°16'19" W.; and within 1.5 miles each side of the Latrobe Airport localizer southwest course extending from the 5-mile radius zone to 17.5 miles southwest of the Latrobe RBN. This control zone shall be effective from 0700 to 2200 hours, local time, daily.

AMENDMENTS 2/19/74 39 F. R. 6057 (Changed)

LaVerne, Calif.

Within a 3-mile radius of Brackett Field (latitude 34°05'30" N., longitude 117°47'00" W.), within 2 miles each side of the Pomona VOR 179° radial, extending from the 3-mile radius zone to 3 miles south of the VOR. This control zone shall be effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Lawton, Okla.

Within a 5-mile radius of Lawton Municipal Airport (latitude 34° 34'15" N., longitude 98°24'55" W.) and within a 3-mile radius of latitude 34°38'18" N., longitude 98°24'06" W.; excluding the portion within R-5601A.

Lebanon, N. H.

Within a 5-mile radius of the center, 43°37'41" N., 72°18'21" W., of Lebanon Regional Airport, Lebanon, NH.; within 3.5 miles each side of the Lebanon VOR 231° and 051° radials extending from the 5-mile radius zone to 8.5 miles northeast of the VOR; within 2 miles each side of the Lebanon VOR 103° radial extending from the VOR to 3.5 miles east of the VOR and within 2 miles each side of the Lebanon VOR 134° radial extending from the VOR to 4 miles southeast of the VOR; within 2 miles either side of the centerline of runway 18 extended 5.5 miles from the end of the runway, within 2 miles each side of the centerline of runway 7 extending 6 miles from the end of the runway.

Lemoore, Calif.

Within a 6-mile radius of NAS Lemoore (latitude 36° 20' 00" N., longitude 119° 57' 04" W.); within 2 miles each side of the Lemoore TACAN 336° and 356° radials, extending from the 6-mile radius zone to 8 miles NW and N of the TACAN, and within 2 miles each side of the Lemoore TACAN 156° radial, extending from the 6-mile radius zone to 8 miles SE of the TACAN.

Lewisburg, W. Va.

Within a 6-mile radius of the center, lat. 37°51'35" N., long. 80°23'55" W. of Greenbrier Valley Airport, Lewisburg, W. Va., extending clockwise from a 110° bearing from the airport to a 275° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 275° bearing from the airport to a 040° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 040° bearing from the airport to a 110° bearing from the airport and within 3 miles each side of the Greenbrier Valley Airport ILS localizer southwest course, extending from the 6-mile radius arc to 8.5 miles southwest of the OM.

This control zone is effective during the specific days and times established in advance by a Notice to Airmen. The effective times will thereafter be published in the Airman's Information Manual.

AMENDMENTS 9/12/74 39 F. R. 27315 (Changed)

Lewiston, Idaho

Within a 5-mile radius of Lewiston-Nez Perce County Airport (lat. 46°22'29" N., long. 117°00'52" W.); and within 3 miles each side of the Lewiston-Nez Perce ILS localizer course, extending from the 5-mile radius zone to 16.5 miles east of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Lewistown, Mont.

Within a 5-mile radius of the Lewistown Municipal Airport (latitude 47°02'39" N., longitude 109°28'15" W.) and within 1.5 miles each side of the Lewistown VORTAC 090° radial, extending from the 5-mile radius zone to the VORTAC.

Lexington, Ky.

Within a 5-mile radius of Blue Grass Airport (lat. 38°02'16" N., long. 84°36'16" W.); within 1.5 miles each side of the ILS localizer northeast course, extending from the 5-mile radius zone to 5 miles northeast of the runway end.

AMENDMENTS 6/16/74 39 F. R. 17929 (Changed)

Liberal, Kansas

Within a 5-mile radius of Liberal Municipal Airport (latitude 37°02'35" N., longitude 100°57'45" W.); within 2 miles each side of the Liberal VORTAC 025° radial, extending from the 5-mile radius zone to 8 miles NE of the VORTAC; and within 2 miles each side of the Liberal VORTAC 153° radial, extending from the 5-mile radius zone to 8 miles SE of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Lihue, Hawaii

Within a 5-mile radius of Linue Airport (latitude 21°58'55" N., longitude 159°20'40" W.) and within 2 miles each side of the Linue VORTAC 130° radial, extending from the 5-mile radius zone to 9 miles southeast of the VORTAC.

Limestone, Maine

Within a 5-mile radius of the center, 46°57'05" N., 67°53'10" W., of Loring AFB, Limestone, Maine, excluding the portion outside of the United States; within 2 miles each side of the Loring TACAN 168° radial extending from the 5-mile radius zone to 6.5 miles south of the TACAN; and within 2 miles each side of the Loring TACAN 348° radial extending from the 5-mile radius zone to 7 miles north of the TACAN.

Lincoln, NE.

Within a 6-mile radius of Lincoln Airport (latitude 40°50°58" N., longitude 96°45'31" W.); and within 1.5 miles each side of the 325° track angle from the Runway 14 threshold extending from the 6-mile radius to 7 miles northwest of the Lincoln Airport; and within 2 miles each side of the Lincoln ILS localizer north course extending from the 6-mile radius to 14 miles north of the Lincoln Airport; and within 2 miles either side of the Lincoln VORTAC 015° radial extending from the 6-mile radius to 8 miles north of the Lincoln VORTAC; and within 2 miles each side of the Lincoln VORTAC 187° radial extending from the 6-mile radius to 13 miles south of the Lincoln VORTAC excluding the airspace within a 1-mile radius of Arrow Airport (latitude 40°52' 00" N., longitude 96°39'15" W.).

Little Rock, Ark. (Adams Field)

Within a 5-mile radius of Adams Field (latitude 34°43'45" N., longitude 92°13'45" W.), within 1.5 miles each side of the ILS localizer southwest course extending from the 5-mile radius zone to the LOM, and within 3.5 miles each side of the ILS localizer northeast course extending from the 5-mile radius zone to 12 miles northeast of the airport excluding the portion within the Little Rock, Ark. (Little Rock AFB), control zone.

Little Rock, Ark. (Little Rock AFB)

Within a 5-mile radius of Little Rock AFB (latitude 34°55'05" N., longitude 92°08'45" W.), within 1.5 miles each side of the ILS localizer northeast course extending from the 5-mile radius zone to 1.5 miles west of the OM, within 1.5 miles each side of the Jacksonville TACAN 076° radial extending from the 5-mile radius zone to 6.5 miles east of the TACAN, within 2 miles each side of the extended centerline of Runway 24 extending from the 5-mile radius zone to 6 miles southwest of the airport, and within 1.5 miles each side of the Jacksonville TACAN 241° radial extending from the 5-mile radius zone to 7 miles southwest of the TACAN.

Livermore, Calif.

Within a 3-mile radius of Livermore Municipal Airport (latitude 37°41'38" N., longitude 121°49'02" W.). This control zone is effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continually published in the Airman's Information Manual.

Livingston, Mont.

That airspace within a 5-mile radius of Mission Field Airport (latitude 45°41'45" N., longitude 110°26'40" W.) and within 3 miles each side of the Livingston, Mont., VORTAC 340° radial, extending from the 5-mile radius zone to 8 miles north of the VORTAC.

London, Ky.

Within a 5-mile radius of Corbin-London War Memorial Airport (lat. 37°05'15" N., long. 84°04'38" W.); within 2 miles each side of London VOR 030° radial, extending from the 5-mile radius zone to 10 miles northeast of the VOR within

3 miles each side of London VOR 202° radial, extending from the 5-mile radius zone to 8.5 miles south of the VOR.

Long Beach, Calif.

Within a 5-mile radius of Long Beach Municipal Airport (latitude 33°49'07" N., longitude 118°09'04" W.) within a 5-mile radius of NAS Los Alamitos, Calif. (latitude 33°47'30" N., longitude 118°02'50" W.); within 2 miles each side of the Long Beach 1LS localizer NW course, extending from the Long Beach 5-mile radius zone to 5 miles NW of the localizer, excluding the portion within a 1-mile radius of Sunset Beach, Calif. Airport (latitude 33°43'08" N., longitude 118°02'13" W.).

Longview, Tex.

That airspace within a 5-mile radius of Gregg County Airport, Longview, Tex. (latitude 32°23'05" N., longitude 94°42'45" W.); within 2 miles each side of the Gregg County VORTAC 313° radial extending from the 5-mile radius zone to 7 miles NW of the VORTAC, within 2 miles each side of the Gregg County VORTAC 149° radial extending from the 5-mile radius zone to 9 miles southeast of the VORTAC, within 2 miles each side of the Gregg County ILS localizer NW course extending

from the 5-mile radius zone to 0.5 mile SE of the OM, and within 2 miles each side of the Gregg County ILS localizer SE course extending from the 5-mile radius zone to 6 miles SE of the airport.

Los Angeles, Calif. (Hawthorne Municipal Airport)

Within a 3-mile radius of the Hawthorne Municipal Airport (latitude 33°55'20" N., longitude 118°20'05" W.), and within 2 miles on each side of the Los Angeles VOR 096° radial extending from the 3-mile radius zone to 4 miles E. of the lift-off end of Runway 7, excluding the portion N. of latitude 33°55'30" N. and W. of longitude 118°21'40" W. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Los Angeles, Calif. (Los Angeles International Airport)

Within a 5-mile radius of the Los Angeles International Airport (latitude 33°56'25" N., longitude 118°24'10" W.); within a 3-mile radius of the Hawthorne Municipal Airport, Los Angeles, Calif. (latitude 33°55'20" N., longitude 118°20'05" W.); within 2 miles each side of the Los Angeles Runway 25L ILS localizer east course, extending from the 5-mile radius zone to the Lima OM; within 2 miles each side of the Los Angeles VOR 096° radial, extending from the Hawthorne 3-mile radius zone to 4 miles E of the lift-off end of Hawthorne Municipal Airport Runway 7, excluding the portion N of a line extending from latitude 34°00'43" N., longitude 118°23'30" W., to latitude 33°58'03" N., longitude 118°28'58" W., and excluding the portion within the Hawthorne Municipal Airport control zone.

Louisville, KY. (Bowman Field)

Within a 5-mile radius of Bowman Field (lat. 38°13'40" N., long. 85°39'47" W.); within 1.5 miles each side of Louisville VOR 331° radial, extending from the 5-mile radius zone to the VOR; excluding the portion within Standiford Field control zone and the portion west of a line 1.5 miles east of and parallel to the Standiford Field ILS localizer north course.

Louisville, KY. (Standiford Field)

Within a 5-mile radius of Standiford Field (lat. 38°10'33" N., long. 85°44'12" W.); within 1.5 miles each side of the ILS localizer north course, extending from the 5-mile radius zone to the arc of a 5-mile radius circle centered on Bowman Field; within 1.5 miles north and 2 miles south of the ILS localizer east course, extending from the 5-mile radius zone to 1 mile east of the VOR; within 1.5 miles each side of the ILS localizer south course, extending from the 5-mile radius zone to the LOM; within 1.5 miles each side of the ILS localizer west course, extending from the 5-mile radius zone to 1 mile east of the Nabb VOR 206° radial; within 2 miles each side of Louisville VOR 301° radial, extending from the 5-mile radius zone to the VOR; excluding the portion within Bowman Field control zone east of a line 1.5 miles east of and parallel to Standiford Field ILS localizer north course and the portion north of a line 1.5 miles north of and parallel to Standiford Field ILS localizer east course.

Lubbock, Tex. (Lubbock Regional Airport)

That airspace within a 5-mile radius of Lubbock Regional Airport (latitude 33°39'33" N., longitude 101°49'41" W.); within 2 miles each side of the Lubbock VORTAC 123° radial, extending from the Lubbock 5-mile

radius zone to the VORTAC; within 2 miles each side of the Lubbock VORTAC 124° and 116° radials, extending from the Lubbock 5-mile radius zone to 11.5 miles southeast of the VORTAC; and within 2 miles each side of the Lubbock ILS localizer north course, extending from the 5-mile radius zone to the OM.

Lubbock, Tex. (Reese AFB)

That airspace within a 5-mile radius of Reese AFB, Tex. (latitude 33°35'56" N., longitude 102°02'36" W.); within 2 miles each side of the Lubbock VORTAC 227° radial extending from the Reese AFB 5-mile radius zone to the VORTAC, within 2 miles each side of the Reese AFB TACAN 016° radial extending from the Reese AFB 5-mile radius zone to 8 miles north of the TACAN, within 2 miles each side of the Reese AFB ILS localizer north course extending from the Reese AFB 5-mile radius zone to 8 miles north of the TACAN, and within 2 miles each side of the Reese AFB TACAN 167° radial extending from the 5-mile radius zone to 9.5 miles south of the TACAN, excluding that portion which lies within the Lubbock Regional Airport control zone. This control zone is effective during the dates and times published in the Airman's Information Manual.

Lufkin Tex.

That airspace within a 5-mile radius of Angelina County Airport (latitude 31°14'05" N., longitude 94°45'00" W.), within 2 miles each side of the Lufkin VOR 337° radial extending from the 5-mile radius zone to the VOR, and within 2 miles each side of the 153° bearing from the Lufkin DF station (latitude 31°13'57" N., longitude 94°45'15" W.) extending from the 5-mile radius zone to 8 miles SE of the DF station.

Lynchburg, VA.

Within a 5.5-mile radius of the center lat. 37°19'37" N., long. 79°12'04" W. of Lynchburg Municipal-Preston Glenn Field, Lynchburg, VA.; within 3 miles each side of the Lynchburg, VA., VORTAC 021° and 201° radials extending from the 5.5-mile radius zone to 1 mile south of the VORTAC; within 2 miles each side of the Lynchburg, VA., VORTAC 023° radial extending from the 5.5-mile radius zone to 13 miles northeast of the VORTAC and within a 1.5-mile radius of the center lat. 37°22'40" N., long. 79°07'21" W. of Falwell Airport, Lynchburg, VA. This control zone is effective from 0700 to 2300 hours, local time, daily.

MacDill AFB, Fla.
Within a 5-mile radius of MacDill AFB (lat. 27°50'57" N., long. 82°31'18" W.); within 1.5 miles each side of MacDill AFB TACAN 216° radial, extending from the 5-mile radius zone to 6 miles southwest of the TACAN; within a 5-mile radius of Peter O. Knight Airport (lat. 27°54'55" N., long. 82°27'05" W.); excluding the portion within Tampa, Fla. (International Airport), control zone.

Macon, Ga.

Within a 5-mile radius of Lewis B. Wilson Airport (latitude 32°41'35" N., longitude 83°38'50" W.); within 2 miles each side of Runway 5 extended centerline, extending from the 5-mile radius zone to 5.5 miles southwest of the runway end; within 3 miles each side of Macon WORTAC 316° and 325° radials, extending from the 5-mile radius zone to 8.5 miles northwest of the WORTAC; within a 5-mile radius of Robins AFB (latitude 32°38'30" N., longitude 83°35'30" W.); within 3 miles each side of Macon WORTAC 140° radial, extending from the 5-mile radius zone to 11.5 miles southeast of the WORTAC.

Madison, Wis.

That airspace within a 5½-mile radius of the Truax Field Airport (latitude 43°08'15" N., longitude 89°20' 10" W.); within 2½ miles each side of the Madison VOR 359° radial extending from the 5½ mile radius to 6 miles north of the VOR; and within 2½ miles each side of the Madison VOR 134° radial extending from the 5½-mile radius to 6 miles southeast of the VOR.

Manchester, N. H.

Within a 5-mile radius of the center, lat. 42°56'00" N., long. 71°26'21" W. of Grenier Field-Manchester Municipal Airport, Manchester, N. H.; within 2.5 miles each side of the 157° bearing from the Derry RBN, lat. 42°52'12" N., long. 71°23'52" W., extending from the 5-mile radius zone to 8.5 miles south of the RBN and within 2.5 miles each side of the Manchester VORTAC 325° radial, extending from the 5-mile radius zone to 13 miles northwest of the VORTAC. This control zone is effective from 0600 to 2400 hours, local time, daily or during the specific dates and times established in advance by a Notice to Airmen, which thereafter will be continuously published in the Airman's Information Manual.

Manhattan, Kans.

Within a 5-mile radius of the Manhattan, Kans., Municipal Airport (latitude 39°08'35" N., longitude 96°40'05" W.), and within 2 miles each side of the Manhattan VOR 046° radial, extending from the 5-mile radius zone to 8 miles NE of the VOR, and within 2 miles each side of the Manhattan VOR 147° radial, extending from the 5-mile radius zone to 11 miles SE of the VOR, and within 2 miles NE and 3 miles SW of the 127° bearing from the McDowell Creek RBN, extending from the 5-mile radius zone to 10 miles SE of the RBN, excluding the Fort Riley, Kans. control zone and the portion within R-3602. The control zone shall be effective during the times established by a Notice to Airmen and published continuously in the Airman's Information Manual.

Manistee, Mich.

Within a 5-mile radius of Manistee Blacker Airport (latitude 44°16'25" N., longitude 86°15'00" W.); within 2 miles each side of the Manistee VOR 274° radial, extending from the 5-mile radius zone to 13 miles west of the VOR; and within 2 miles each side of the Manistee VOR 099° radial, extending from the 5-mile radius zone to 8 miles east of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Manitowoc, Wis.

Within a 5-mile radius of Manitowoc, Wis., Municipal Airport (latitude 44°07'30" N., longitude 87°40'45" W.), within 2 miles each side of the Manitowoc VOR 343° radial extending from the 5-mile radius zone to 8 miles north of the VOR, and within 2 miles each side of the Manitowoc VOR 176° radial extending from the 5-mile radius zone to 8 miles south of the VOR. This control zone shall be effective during the times established by Notice to Airmen and continuously published in the Airman's Information Manual.

Mankato, Minn.

Within a 5-mile radius of Mankato Municipal Airport (lat. 44°13'25" N., long. 93°55'06" W.); within 2 miles each side of the Mankato VOR 166° radial, extending from the 5-mile radius zone to 8 miles south of the VOR; within 3 miles each side of the Mankato VOR 329° radial, extending from the 5-mile radius zone to 8 miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mansfield, Ohio

Within a 5-mile radius of the Mansfield Lahm Municipal Airport (latitude 40°49'15" N., longitude 82°30'45" W.) and within 2 miles each side of the Mansfield Lahm Municipal Airport localizer northwest course extending from the 5-mile radius zone to 4.5 miles northwest of the localizer.

Marion, Ill.

Within a 5-mile radius of the Williamson County Airport (latitude 37°45'15" N., longitude 89°00'40" W.), within 2 miles each side of the Marion VOR 014° radial extending from the 5-mile radius zone to 8 miles N of the VOR, and within 2 miles each side of the Marion VOR 209° radial extending from the 5-mile radius zone to 8 miles SW of the VOR. This control zone shall be effective during the times established by a Notice to Airmen and continuously published in the Airman's Information Manual.

Marion, Ind.

Within a 5-mile radius of Marion Municipal Airport (latitude 40°29'25" N., longitude 85°40'40" W.), and within 2 miles each side of the Marion VOR 042°, 155° and 211° radials extending from the 5-mile radius zone to 8 miles northeast, southeast, and southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Marquette, Mich. (K. I. Sawyer AFB)

Within a 5-mile radius of K, I. Sawyer AFB (latitude 46°21'15" N., longitude 87°23'40" W.); within 2 miles each side of the K. I. Sawyer AFB ILS localizer S course extending from the 5-mile radius zone to the LOM; within 2 miles each side of the K. I. Sawyer AFB TACAN 183° radial extending from the 5-mile radius zone to 8 miles S of the TACAN; and within 2 miles each side of the K. I. Sawyer TACAN 015° radial extending from the 5-mile radius zone to 8 miles N of the TACAN.

Marquette, Mich. (Marquette County Airport)

Within a 5-mile radius of Marquette County Airport (latitude 46°32'03" N., longitude 87°33'35" W.); within 2 miles each side of the Marquette VOR 084° and 250° radials, extending from the 5-mile radius zone to 8 miles E and W of the VOR.

Martha's Vineyard, Mass.

Within a 4-mile radius of Martha's Vineyard Airport (latitude 41°23'35" N., longitude 70°36'50" W.); within 2 miles each side of the Martha's Vineyard VOR 055° radial, extending from the 4-mile radius zone to 8 miles NE of the VOR; within 2 miles each side of the 040° bearing from the Edgartown RBN, extending from the 4-mile radius zone to 8 miles NE of the RBN. This control zone is effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Martinsburg, Pa.

Within a 5-mile radius of the center, lat. 40°17'51" N., long. 78°19'10" W. of Blair County Airport, Martinsburg, Pa., extending clockwise from a 090° bearing to a 137° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 137° bearing to a 163° bearing from the airport; within a 10-mile radius of the center of the airport, extending clockwise from a 163° bearing to a 258° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 258° bearing to a 323° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 323° bearing to a 065° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 065° bearing to a 090° bearing from the airport and within 3 miles each side of the Altoona, Pa., VOR 026° radial, extending from the VOR to 8.5 miles northeast of the VOR.

Martinsburg, WV.

Within a 5.5-mile radius of the center lat. 39°24'03" N., long. 77°59'09" W. of Martinsburg Municipal Airport, Martinsburg, WV.; within a 9.5-mile radius of the center of the airport, extending clockwise from a 230° bearing from the airport to a 269° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 269° bearing to a 285° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 285° bearing to a 315° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 315° bearing to a 003° bearing from the airport.

Marysville, Calif. (Beale AFB)

Within a 5-mile radius of Beale AFB (latitude 39°08'10" N., longitude 121°26'05" W.), within 2 miles each side of the Beale VOR 162° radial, extending from the 5-mile radius zone to 4 miles south of the VOR, and within 2 miles each side of the Beale TACAN 347° radial, extending from the 5-mile radius zone to 8 miles north of the TACAN.

Marysville, Calif. (Yuba County Airport)

Within a 5-mile radius of Yuba County Airport (latitude 39°05'50" N., longitude 121°34'00" W.); within 2 miles each side of the Marysville VOR 153° radial, extending from the 5-mile radius zone to 8 miles SE of the VOR and within 2 miles each side of the Marysville VOR 343° radial, extending from the 5-mile radius zone to 8 miles NW of the VOR, excluding the portion within the Beale AFB control zone.

Mason City, Iowa
Within a 5-mile radius of Mason City Municipal Airport (latitude 43°09'25" N., longitude 93°19'54" W.).

Massena, N. Y.

Within a 5-mile radius of the center, 44°56'10" N., 74°50'50" W., of Richards Field, Massena, N. Y.; within 2 miles each side of the Massena VOR 284° radial extending from the 5-mile radius zone to the VOR excluding the airspace within Canada.

Mattoon, Ill.

Within a 5-mile radius of Coles County Memorial Airport (lat. 39°28'45" N., long. 88°16'51" W.); within 4.5 miles each side of the Mattoon VOR 228° radial extending from the 5-mile radius zone to 11.5 miles southwest of the VOR; and within 3 miles each side of the Mattoon VOR 063° radial, extending from the 5-mile radius area to 8.5 miles northeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mayaguez, P. R.

Within a 5-mile radius of Mayaguez Airport (lat. 18'15'26" N., long. 67'08'58" W.); within 3 miles each side of Mayaguez VOR 252° radial, extending from the 5-mile radius zone to 8.5 miles west of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the FAA publication, International NOTAMs.

Mayport, Fla. (NS Mayport)

Within a 5-mile radius of NS Mayport (lat. 30°23'25" N., long. 81°25'15" W.); within 3 miles each side of the 057° bearing from the Navy Mayport RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN, excluding the portion southwest of a line connecting the two points of intersection with a 5-mile radius circle centered on Craig Municipal Airport (lat. 30°20°15" N., long. 81°31'00" W.).

McAlester, Okla.

Within a 5-mile radius of McAlester Municipal Airport (Lat. 34°53°05" N. Long. 95°46'55" W).

McAllen, Tex.

Within a 5-mile radius of Miller International Airport (latitude 26°10'40" N., longitude 98°14'25" W.); within 3 miles each side of the McAllen VOR 095° radial extending from the 5-mile radius zone to 10 miles east of the VOR and within 2 miles south and 1.5 miles north of the McAllen VOR 321° radial extending from the 5-mile radius zone to 6 miles northwest of the VOR, excluding the portion outside the United States.

McComb, Miss.

Within a 5-mile radius of McComb-Pike County Airport (lat. 31°10'35" N., long. 90°28'08" W.); within 2 miles each side of McComb VORTAC 234° radial, extending from the 5-mile radius zone to the VORTAC.

McCook, Nebr.

That airspace within a 5-mile radius of McCook Municipal Airport (latitude 40°12'25" N., longitude 100°35'25" W.); within 2 miles each side of the 120° bearing from McCook Municipal Airport, extending from the 5-mile radius zone to 8 miles southeast of the airport; and within 2 miles each side of the 324° bearing from McCook Municipal Airport, extending from the 5-mile radius zone to 8 miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

McGrath, AK.

That airspace within a 5-mile radius of the McGrath Airport (latitude 62°57'15" N., longitude 155°36'06" W.) and within 5 miles northeast and 3 miles southwest of the McGrath VORTAC 123° radial extending from the 5-mile radius zone to 10 miles southeast of the VORTAC; and within 4 miles each side of the McGrath VORTAC 008° radial extending from the 5-mile radius zone to 13 miles north of the VORTAC.

Medford, Oreg.

That airspace within a 5-mile radius of the Medford-Jackson County Airport (latitude 42°22'15" N., longitude 122°52'20" W.), and within 2 miles W and 3 miles E of the Medford ILS localizer N course, extending from the 5-mile radius zone to 3 miles N of the OM.

Melbourne, Fla.

Within a 5-mile radius of the Melbourne Regional Airport (lat. 28°06'01" N., long. 80°38'00" W.); within 3 miles each side of the Melbourne VOR 100° and 262° radials, extending from the 5-mile radius zone to 8.5 miles east and west of the VOR; within 3 miles each side of the 267° bearing from the Satellite RBN, extending from the 5-mile radius zone to 8.5 miles west of the RBN; excluding the portion within the Cocoa (Patrick AFB), Fla. control zone.

Memphis, Tenn.

Within a 5-mile radius of the Memphis International Airport (latitude 35°03'00" N., longitude 89°58'15" W.); excluding the portion within a 1-mile radius of Desoto Air Park, Horn Lake, Miss. (latitude 34°59'15" N., longitude 90°01'55" W.).

Memphis, Tenn. (NAS) .

Within a 5-mile radius of Memphis NAS (lat. 35°21'15" N., long. 89°52'10" W.). This control zone is effective during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Menominee, Mich.

Within a 5-mile radius of Menominee County Airport (latitude 45°07'20" N., longitude 87°38'15" W.); within 3 miles each side of the Menominee VOR 349° radial, extending from the 5-mile radius zone to 7 miles north of the VOR; and within 3 miles each side of the 320° bearing from Menominee County Airport, extending from the 5-mile radius zone to 7 miles northwest of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Merced, Calif.

Within a 5-mile radius of Castle Air Force Base, Merced, Calif. (latitude 37°22'45" N., longitude 120°34'00" W.); within a 5-mile radius of Merced Municipal Airport (latitude 37°17'10" N., longitude 120°30'55" W.); and within 2 miles each side of the Castle TACAN 310° radial, extending from the Castle 5-mile radius circle to 6 miles NW of the TACAN.

Meridian, Miss. (Key Field)

Within a 5-mile radius of Key Field (latitude 32°19'58" N., longitude 88°45'05" W.); within 2 miles each side of the 011° and 012° bearings from Lauderdale RBN, extending from the 5-mile radius zone to 0.5 miles north of the RBN; within 2 miles each side of Meridian VORTAC 145° radial, extending from the 5-mile radius zone to 11.5 miles southeast of the VORTAC.

Meridian, Miss. (NAS Meridian)

Within a 5-mile radius of NAS Meridian (lat. 32°33'27" N., long. 88°33'33" W.); within 3.5 miles each side of the 021° bearing from NAS Meridian UHF REN, extending from the 5-mile radius zone to 10.5 miles north of the RBN; within 1.5 miles each side of NAS Meridian TACAN 069° and 359° radials, extending from the 5-mile radius zone to 6 miles east and north of the TACAN; within 2 miles each side of NAS Meridian TACAN 194° radial, extending from the 5-mile radius zone to 9.5 miles south of the TACAN; within 2 miles each side of Runways 18L and 27 extended centerline, extending from the 5-mile radius zone to 4 miles north and east of the runway ends; within 2 miles each side of Runway 36L extended centerline, extending from the 5-mile radius zone to 5 miles south of the runway end.

This control zone is effective from 0600 to 2400 hours, local time, Monday through Friday; 0700 to 1700 hours, local time, Saturday, and 1200 to 2200 hours, local time, Sunday and Federal legal holidays.

Miami, Fla. (Dade-Collier Training and Transition Airport)

Within a 5-mile radius of Dade-Collier Training and Transition Airport (latitude 25°51'46" N., longitude 80°53'50" W.).

AMENDMENTS 6/20/74 39 F. R. 17431 (Changed)

Miami, Fla. (International Airport)

Within a 5-mile radius of Miami International Airport (lat. 25°47'34" N., long. 80°17'10" W.); within 2 miles each side of Miami VORTAC 139° radial, extending from the 5-mile radius zone to 10 miles southeast of the VORTAC; within 1.5 miles each side of Runway 9L ILS localizer west course, extending from the 5-mile radius zone to 1 mile east of Portland RBN; within 1.5 miles each side of Runway 27L ILS localizer west course, extending from the 5-mile radius zone to 1 mile east of Miami VORTAC 161° radial.

Miami, Fla. (Opa Locka Airport)

Within a 5-mile radius of Opa Locka Airport (latitude 25°54'26" N., longitude 80°16'48" W.); within 2 miles each side of the Miami VORTAC 110° radial, extending from the 5-mile radius zone to 5.5 miles east of the VORTAC; excluding the portion which coincides with the Miami (International Airport) control zone. This control zone is effective during the specific dates and times established in advance by a N-tice to Airmen. The effective date and time will thereafter by continuously published in the Airman's Information Manual.

Miami, Fla. (Tamiami Airport)

Within a 5-mile radius of the Tamiami Airport, Fla. (latitude 25°38'51" N., longitude 80°25'59" W.).

Middletown, Pa.

Within a 6-mile radius of the center, 40°11'34" N., 76°45'48" W., of the Harrisburg International Airport-Olmsted Field, Middletown, Pa.; within a 7-mile radius of the center of the airport, extending clockwise from a 228° bearing to a 293° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 005° bearing to a 033° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 033° bearing to a 098° bearing from the airport; within 2 miles each side of the extended centerline of Harrisburg International Airport-Olmsted Field Runway 13, extending from the southeast end of Runway 13 to 6 miles southeast of the southeast end of Runway 13; excluding the portion that coincides with the Harrisburg, Pa., control zone west of direct lines described as follows: a line bearing 028° from a point 40°12'23" N., 76°48'38" W., extending from said point to the point of intersection with the Harrisburg, Pa., 6.5-mile radius zone and a line bearing 191° from a point 40°12'23" N., 76°48'38" W., extending from said point to the point of intersection with the Harrisburg, Pa., 6.5-mile radius zone.

AMENDMENTS 6/20/74 39 F. R. 16118 (Added)

Midland, Tex.

Within a 5-mile radius of Midland Regional Air Terminal (latitude 31°56'25" N., longitude 102°12'10" W.), and

within 2 miles each side of the Midland ILS localizer NW course, extending from the 5-mile radius zone to 7 miles NW of the airport.

Midway Island

Within a 5-mile radius of Midway NS (Henderson Field) (lat. 28°11'55" N., long. 177°22'50" W.) and within 2.5 miles northwest and 4.5 miles southeast of the 240° bearing from the Midway RBN, extending from the 5-mile radius zone to 10.5 miles southwest of the RBN.

Miles City, Mont.

Within a 5-mile radius of Miles City Airport (latitude 46°25'40" N., longitude 105°53'10" W.); within 3 miles each side of the 252° bearing from the Horton RBN, extending from the 5-mile radius zone to 8 miles west of the RBN; within 3 miles each side of the Miles City VORTAC 225° radial, extending from the 5-mile radius zone to 8 miles southwest of the VORTAC.

Millville, N. J.

Within a 5-mile radius of the center, 39°22'00" N., 75°04'45" W. of Millville Municipal Airport, Millville,

Milton, Fla. (NAS Whiting Field (North))

Within a 5-mile radius of NAS Whiting Field (North) (latitude 30°43'15" N., longitude 87°01'45" W.); within 2 miles each side of the Navy Whiting TACAN 309° radial, extending from the 5-mile radius zone to 6.5 miles northwest of the TACAN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

Milwaukee, Wis. (General Mitchell Field)

Within a 5-mile radius of General Mitchell Field (latitude 42°56'51"N., longitude 87°53'58" W.).

Milwaukee, Wis. (Timmerman Airport)

Within a 5-mile radius of Timmerman Airport (latitude 43°06'40" N., longitude 88°02'00" W.); and within 3 miles each side of Timmerman VOR 336° radial, extending from the 5-mile radius zone to 6½ miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mineral Wells, Tex.

Within a 5-mile radius of Mineral Wells Airport (latitude 32°46'59" N., longitude 98°03'34" W.) and within 3 miles each side of the 140° bearing from the Mineral Wells RBN, extending from the 5-mile radius zone to 8 miles SE of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 3/28/74 39 F. R. 4570 (Rewritten)

Minneapolis, Minn.

Within a 5-mile radius of Minneapolis-St. Paul International Airport (latitude 44°53'05" N., longitude 93°13' 15" W.); within 2 miles each side of the Minneapolis MSP-ILS localizer front course extending from the 5-mile radius zone to 1½ miles northwest of the MS-OM; within 2 miles each side of the Minneapolis APL-ILS localizer front course, extending from the 5-mile radius zone to one-half mile southwest of AP-OM.

Minneapolis, Minn. (Crystal Airport)

Within a 5-mile radius of Crystal Airport (latitude 45°03'45" N., longitude 93°21'10" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen, effective date and time will thereafter be continuously published in the Airman's Information Manual.

Minneapolis, Minn. (Flying Cloud)

Within a 5-mile radius of Flying Cloud Airport (latitude 44°49'30" N., longitude 93°27'45" W.); within 21/2 miles each side of the Flying Cloud VOR 2920 radial, extending from the 5-mile radius zone to 7½ miles west of the VOR; and within 2½ miles each side of the Flying Cloud VOR 1790 radial extending from the 5-mile radius zone to 6½ miles south of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and times will thereafter be continuously published in the Airman's Information Manual.

Minot, N. Dak. (International Airport)

Within a 5-mile radius of Minot International Airport (latitude 48°15'40" N., longitude 101°16'45" W.); within 4 miles each side of the Minot VORTAC 129° radial, extending from the 5-mile radius zone to 9 miles southeast of the VORTAC; within 4 miles each side of the Minot VORTAC 260° radial, extending from the 5-mile radius zone to 9½ miles west of the VORTAC; within 4 miles each side of the Minot VORTAC 327° radial, extending from the 5-mile radius zone to 9½ miles northwest of the VORTAC; and within 4 miles each side of the Minot VORTAC 0970 radial, extending from the 5-mile radius zone to 81 miles east of the VORTAC, excluding the portion which overlies the Minot AFB control zone.

Minot, N. Dak. (Minot AFB)

Within a 5-mile radius of Minot AFB (latitude 48°24'55" N., longitude 101°21'25" W.); within 21 miles each side of the Deering TACAN 113° radial, extending from the 5-mile radius zone to 7 miles southeast of the TACAN; and within $2\frac{1}{2}$ miles each side of the Deering TACAN 303° radial, extending from the 5-mile radius zone to 7 miles northwest of the TACAN.

Miramar, Calif.
Within a 5-mile radius of NAS Miramar (Lat. 32°52'30" N, Long. 117°08'15" W) and within 2 miles either side of the NAS Miramar TACAN 078° radial extending from the 5-mile radius zone to 12 miles E of the TACAN, excluding the area S of Lat. 32049'30" N.

Missoula, Mont.

Within a 5-mile radius of the Johnson-Bell Airport (latitude 45°54'54" N., longitude 114°05'14" W.); within 3 miles each side of the Missoula VORTAC 312° radial extending from the 5-mile radius zone to 16.5 miles northwest of the VORTAC; within 5 miles each side of the Missoula VORTAC 302° radial extending from the VORTAC to 11 miles northwest of the VORTAC; within 2 miles each side of the Missoula VORTAC 172° radial extending from the 5-mile radius zone to 10.5 miles southeast of the VORTAC.

AMENDMENTS 11/7/74 39 F. R. 30345 (Rewritten)

Mitchell, S. Dak.

Within a 5-mile radius of Mitchell Municipal Airport (latitude 43°46'25" N., longitude 98°02'30" W.); within 3 miles each side of the Mitchell VOR 149° radial, extending from the 5-mile radius zone to 7½ miles southeast of the VOR; and within 3 miles each side of the Mitchell VOR 300° radial, extending from the 5-mile radius zone to 7½ miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mobile, Ala. (Bates Field)

Within a 5-mile radius of Bates Field (latitude 30°41'17.7" N., longitude 88°14'26.6" W.); within 1.5 miles each side of Mobile VORTAC 1130 radial, extending from the 5-mile radius zone to 2 miles southeast of the VORTAC.

Mobile, Ala. (Aerospace Airport)

Within a 5-mile radius of Mobile Aerospace Airport (latitude 30°37'08.5" N., longitude 88°03'57.2" W.); within 3.5 miles each side of Brookley VORTAC 150° radial, extending from the 5-mile radius zone to 10 miles southeast of the VORTAC. This control zone is effective from 0800 to 1900 hours, local time, daily.

Modesto, Calif.

Within a 5-mile radius of the Modesto City-County Airport, Modesto, Calif. (latitude 37°37'35" N., longitude 120°57'15" W.); within 2 miles each side of the Modesto VOR 302° radial, extending from the 5-mile radius zone to 8 miles northwest of the VOR; within 2 miles each side of the Modesto VOR 1220 radial, extending from the 5-mile radius zone to 8 miles southeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Moline, Ill.

Within a 5-mile radius of Quad City Airport (latitude 41°26'50" N., longitude 90°30'40" W.); and within 2 miles each side of the Quad City ILS localizer west course, extending from the 5-mile radius zone to the OM.

Molokai, Hawaii

Within a 5-mile radius of the Molokai Airport (latitude 21°09'25" N., longitude 157°05'55" W.), and within 2 miles each side of the Molokai VORTAC 268° radial, extending from the 5-mile radius zone to 3½ miles west of the

VORTAC. This control zone is effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Pacific chart supplement.

Monroe, La.

That airspace within a 5-mile radius of Selman Field, Monroe, La. (latitude 32°30'30" N., longitude 92°02'20" W.).

Monterey, Calif.

Within a 5-mile radius of the Monterey Peninsula Airport (latitude 36°35'20" N., longitude 121°51'00" W.), and within 2 miles each side of the 317° bearing from the Monterey ILS LMM, extending from the 5-mile radius zone to 7 miles NW of the LMM, excluding the portion within the Fort Ord, Calif., control zone.

Montgomery, Ala.

Within a 5-mile radius of Dannelly Field (latitude 32°18'00" N., longitude 86°23'36" W.); within 1.5 miles each side of Dannelly Field ILS localizer west course, extending from the 5-mile radius zone to 1.5 miles east of the LOM; within 2.5 miles each side of Montgomery VORTAC 311° radial, extending from the 5-mile radius zone to 15.5 miles northwest of the VORTAC; within a 5-mile radius of Maxwell AFB (latitude 32°22'48" N., longitude 86°21'55" W.); within 2 miles each side of Maxwell TACAN 333° radial, extending from the 5-mile radius zone to 8.5 miles northwest of the TACAN.

Montpelier, Vt.

Within a 6-mile radius of the center, lat. 44°12'15" N., long. 72°33'45" W., of Edward F. Knapp (Barre-Montpelier) State Airport, Barre-Montpelier, Vt.; within 3 miles each side of the Montpelier VOR 163° radial extending from the 5-mile radius zone to 8 miles south of the VOR; within 2 miles each side of the centerline of Runway 23 extending from the 5-mile radius zone to 8 miles southwest of the end of Runway 23.

Montrose, Colo.

That airspace within a 5-mile radius of the Montrose County Airport (latitude 38°29'55" N., longitude 107°53'35" W.), and within 4 miles each side of the Montrose, Colo., VOR 313° radial extending from the 5-mile radius zone to 14 miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Morgantown, W. Va.

Within a 5.5-mile radius of the center, lat. 39°38'34" N., long. 79°55'01" W., of Morgantown Municipal Airport-Walter L. Hart Field,

Morgantown, W. Va., extending clockwise from a 220° bearing to a 030° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 030° bearing to a 040° bearing from the airport; within a 14.5-mile radius of the center of the airport, extending clockwise from a 040° bearing to a 075° bearing from the airport; within a 10-mile radius of the center of the airport, extending clockwise from a 075° bearing to a 105° bearing from the airport; within a 9-mile radius of the center of the airport, extending clockwise from a 105° bearing to a 140° bearing from the airport; within a 10-mile radius of the center of the airport, extending clockwise from a 140° bearing to a 202° bearing from the airport; within a 7.5-mile radius of the center of the airport, extending clockwise from a 202° bearing to a 220° bearing from the airport and within 2 miles each side of the 168° bearing from the Bobtown RBN, extending from the 5.5-mile radius arc to the RBN.

Corr: 39 F. R. 2080

Morristown, N. J.

Within a 5-mile radius of the center, 40°47'58" N., 74°24'56" W., of Morristown Municipal Airport, Morristown, N. J., extending clockwise from a 339° bearing to a 229° bearing from the airport; within a 6-mile radius of the center of Morristown Municipal Airport, extending clockwise from a 229° bearing to a 339° bearing from the airport and within 3 miles each side of a 204° bearing from the Chatham, N. J., RBN, extending from the 5-mile radius zone to 8.5 miles southwest of the RBN, excluding a 1-mile radius of the center, 40°41'28" N., 74°32' 08" W., of Somerset Hills Airport, Basking Ridge, N. J. This control zone is effective from 0630 to 2230 hours, local time, daily.

AMENDMENTS 1/3/74 38 F. R. 31518 (Rewritten)

Mosinee, Wis.

Within a 5-mile radius of Central Wisconsin Airport (latitude 44°46'35" N., longitude 89°40'00" W.); within 1½ miles each side of the Wausau, Wis., VOR 219° radial, extending from the 5-mile radius zone to the VOR; within 3½ miles each side of the 242° bearing from Central Wisconsin Airport extending from the 5-mile radius zone to 10½ miles west of the airport; and within 3½ miles each side of the 087° bearing from Central Wisconsin Airport, extending from the 5-mile radius zone to 10½ miles east of the airport, excluding the portion which overlies the Wausau, Wis., control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Moultrie, Ga.

Within a 5-mile radius of Moultrie-Thomasville Airport (lat. 31°04'58" N., long. 83°48'15" W.); within 3 miles each side of Moultrie VOR 031° radial, extending from the 5-mile radius zone to 8.5 miles northeast of the VOR; within 2 miles each side of Moultrie VOR 199° radial, extending from the 5-mile radius zone to 11.5 miles south of the VOR; within 3 miles each side of Moultrie VOR 230° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR; within a 5-mile radius of Spence AF Auxiliary Field (lat. 31°08'15" N., long. 83° 42'15" W.). This control zone ie effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mountain Home, Idaho

within a 5-mile radius of Mountain Home AFB (latitude 43°02'35" N., longitude 115°52'05" W.); within 2 miles each side of the extended centerline of Runway 12, extending from the 5-mile radius zone to 7.5 miles SE of the SE end of Runway 12; within 2 miles each side of the extended centerline of Runway 30, extending from the 5-mile radius zone to 7.5 miles NW of the NW end of Runway 30; within 2 miles each side of the Mountain Home TACAN 129° radial, extending from the 5-mile radius zone to 7 miles SE of the TACAN, and within 2 miles each side of the Mountain Home TACAN 321° radial, extending from the 5-mile radius zone to 7 miles NW of the TACAN.

Mountain View, Calif. (Moffett Field NAS)

Within a 5-mile radius of Moffett Field NAS (latitude 37°24'55" N., longitude 122°02'50" W.), within a 3-mile radius of Palo Alto, Calif. Airport (latitude 37°27'40" N., longitude 122°06'50" W.) within 2.5 miles southwest and 2 miles northeast of the Moffett TACAN 157° radial, extending from the 5-mile radius zone to 8 miles southeast of the TACAN and within 2 miles each side of the San Jose VOR 319° radial, extending from the VOR to 8 miles northwest of the VOR, excluding the portion southeast of a line from latitude 37°25'45" N., longitude 121°56'35" W. to latitude 37°19'30" N., longitude 122°00'10" W., and the portion within the Palo Alto control zone when it is effective.

Mount Clemens, Mich.

Within a 5-mile radius of Selfridge AFB (latitude 42°36'30" N., longitude 82°50'15" W.); within 2 miles each side of the Selfridge AFB ILS localizer north and south courses, extending from the 5-mile radius zone to 8 miles north and south of Selfridge AFB, and within 2 miles each side of the Selfridge AFB TACAN 353° radial, extending from the 5-mile radius zone to 8 miles north of the TACAN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and time will, hereafter, be continuously published in the Airman's Information Manual.

Mount Vernon, Ill.

Within a 5-mile radius of Mount Vernon-Outland Airport (latitude 38°19'20" N., longitude 88°51'35" W.); within 2 miles each side of the Mount Vernon VOR 046° radial, extending from the 5-mile radius zone to 8 miles northeast of the VOR; and within 2 miles each side of the Mount Vernon VOR 227° radial extending from the 5-mile radius zone to 17 miles southwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Mincie. Ind.

Within a 5-mile radius of Delaware County-Johnson Field (latitude 40°14'26" N., longitude 85°23'43" W.); within $2\frac{1}{2}$ miles each side of the Muncie VOR 125° radial, extending from the 5-mile radius zone to $6\frac{1}{2}$ miles southeast of the VOR; within $2\frac{1}{2}$ miles each side of the Muncie VOR 017° radial, extending from the 5-mile-radius zone to $6\frac{1}{2}$ miles north of the VOR; and within $3\frac{1}{2}$ miles each side of the Muncie VOR 320° radial, extending from the 5-mile-radius zone to 10 miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Muscle Shoals, Ala.

Within a 5-mile radius of Muscle Shoals Airport (latitude 34°44'41" N.. longitude 87°36'39" W.).

Muskegon, Mich.

Within a 5-mile radius of Muskegon County Airport (lat. 43°10'16" N., long. 86°14'09" W.); within 1.5 miles each side of the Muskegon VORTAC 272° radial, extending from the 5-mile radius zone to 1 mile west of the VORTAC; and within 1.5 miles each side of the ILS back course extending from the 5-mile radius zone to 10.5 miles northwest of the Muskegon County Airport ILS OM.

Myrtle Beach, S. C.

Within a 5-mile radius of Myrtle Beach Airport (latitude 33°48'40" N., longitude 78°43'30" W.); within 3 miles each side of Myrtle Beach VORTAC 054° radial, extending from the 5-mile radius zone to 8.5 miles northeast of the VORTAC; within 3 miles each side of the Myrtle Beach VORTAC 220° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Myrtle Beach AFB, S. C.

Within a 5-mile radius of Myrtle Beach AFB (latitude 33°40'45" N., longitude 78°55'45" W.); within 1.5 miles each side of Conway TACAN 355° radial, extending from the 5-mile radius zone to 6.5 miles north of the TACAN; within 1 mile each side of Conway TACAN 348° radial, extending from the 5-mile radius zone to 6.5 miles north of the TACAN. This control zone is effective from 0700 to 2300 hours, local time, daily.

AMENDMENTS 5/23/74 39 F. R. 18425 (Changed) Corr: 39 F. R. 20586

Nantucket, Mass.

Within a 4-mile radius of Nantucket Memorial Airport, Nantucket, Mass. (latitude 41°15'15" N., longitude 70°03'40" W.), and within 2 miles each side of the Nantucket VORTAC 045° radial, extending from the 4-mile radius zone to 8 miles NE of the VOR.

Napa, Calif.

Within a 3-mile radius of Napa County Airport (latitude 38°12'55" N., longitude 122°16'45" W.), from 0700 to 2300 hours, local time, daily,

Nashville, Tenn.

Within a 5-mile radius of Nashville Metropolitan Airport (lat. 36°07'36" N., long. 86°40'50" W.); within 3.5 miles each side of Nashville VORTAC 109° radial, extending from the 5-mile radius zone to 10 miles east of the VORTAC; within 1.5 miles each side of the ILS localizer south course, extending from the 5-mile radius zone to the LOM; excluding the portion within a 1-mile radius of Cornelia Fort Airpark (lat. 36°11'45" N., long. 86°42'00" W.).

Needles, Calif.

Within a 5-mile radius of Needles Airport (latitude 34°46'05" N., longitude 114°37'30" W.).

Nenana, Alaska

Within a 5-mile radius of the Nenana Airport (latitude 64°32°56" N., longitude 149°04'24" W.); and within 4 miles each side of the 132° bearing from the Julius RBN extending from the 5-mile radius zone to 8.5 miles southeast of the RBN. This control zone is effective during the specific days and times established in advance by Notice to Airmen. The effective times will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Newark, N. J.

Within a 5-mile radius of the center, 40°41'40" N., 74°10'02" W., of Newark International Airport, Newark, N. J., extending clockwise from a 030° bearing to a 263° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 263° bearing to a 342° bearing from the airport; within a 5.5-mile radius of the center of the airport, extending clockwise from a 342° bearing to a 030° bearing from the airport; within 2 miles each side of the Newark International Airport Runway 4L ILS localizer course, extending from the 5-mile radius to 2.5 miles northeast of the Chelsea OM and within 3 miles each side of the Kennedy VORTAC 283° radial extending from 22 miles to 29 miles northwest of the VORTAC.

New Bedford, Mass.

Within a 5-mile radius of the New Bedford Municipal Airport (latitude 41°40'37" N., longitude 70°57'34" W.). This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates and times established in advance by a NOtice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

New Bern, N. C.

Within a 5-mile radius of Simmons-Nott Airport (latitude 35°04'20" N., longitude 77°02'35" W.); within 2.5 miles each side of New Bern VOR 210° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR.

Newburgh, N. Y.

Within a 5-mile radius of the center 41°30′05″ N., 74°05′40″ W., of Stewart Airport, Newburgh, N. Y., extending clockwise from a 066° bearing to a 209° bearing from the airport; within a 5.5-mile radius of the center of the airport, extending clockwise from a 209° bearing to a 249° bearing from the airport; within a 5-mile radius of the center of the airport, extending clockwise from a 249° bearing to a 315° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 315° bearing to a 066° bearing from the airport; within 3 miles each side of the Stewart VOR (41°30′28″ N., 74°05′53″ W.) 325° radial, extending from the VOR to 15 miles northwest of the VOR and within 4.5 miles each side of the Stewart VOR 085° radial, extending from the VOR to 11.5 miles east of the VOR, excluding the portion that coincides with the Poughkeepsie, N. Y., control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 34111 (Rewritten)

New Haven, Conn.

That airspace within a 5-mile radius of the center, latitude 41°15′51" N., longitude 72°53′15" W. of the Tweed-New Haven Airport, New Haven, Conn., extending clockwise from a 079° bearing to a 237° bearing from the airport; within a 5.5-mile radius of the center of the airport extending clockwise from a 237° bearing to a 357° bearing from the airport; and within a 6-mile radius of the center of the airport, extending clockwise from a 357° bearing to a 079° bearing from the airport. This control zone is effective from 0600 to 2400 hours, local time, daily or during the specific dates and times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

AMENDMENTS 8/15/74 39 F. R. 23251 (Rewritten)

New Orleans, La. (New Orleans Airport)

Within a 5-mile radius of New Orleans Airport (latitude 30°02'20" N., longitude 90°01'25" W.). excluding the portion W of longitude 90°04'03" W.

New Orleans, La. (New Orleans International Airport-Moisant Field).

Within a 5-mile radius of New Orleans International Airport (latitude 29°59'25" N., longitude 90°15'15" W.); within 2 miles each side of the New Orleans ILS localizer W course extending from the 5-mile radius zone to 2 miles E of the LOM; within 2 miles each side of the New Orleans VORTAC 085° radial extending from the VORTAC to 7 miles E; within 2 miles each side of the New Orleans VORTAC 243° and 063° radials extending from the 5-mile radius zone to 1 mile NE of the VORTAC, excluding that portion E of longitude 90°04'03" W.

New Orleans, La. (NAS New Orleans-Alvin Callender Field)

That airspace within a 5-mile radius of NAS New Orleans-Alvin Callender Field (latitude 29°49'40" N., longitude 90°01'25" W.); within 2 miles each side of the 241° bearing from the Navy New Orleans RBN, extending from the 5-mile radius zone to 12 miles SW of the RBN, within 2 miles each side of the 131° bearing from the Navy New Orleans RBN, extending from the 5-mile radius zone to 12 miles SE of the RBN, and within 2 miles each side of the Harvey VOR 053° radial extending from the 5-mile radius zone to 6 miles NE of the VOR.

Newport News, Va.

Within a 5-mile radius of the center, lat. 37°07'51" N., long. 76°29'35" W., of Patrick Henry International Airport, Newport News, Va., excluding the portion that coincides with the Hampton Roads, Va., control zone.

AMENDMENTS 8/9/74 39 F. R. 28612 (Changed)

New York, N. Y. (Ia Guardia Airport)
Within a 5-mile radius of the center, 40°46'36" N., 73°52'24" W. of Ia Guardia Airport; within 1.5 miles each side of a line bearing 124° from a point 40°46'20" N., 73°51'34" W., extending from said point to 5 miles southeast of said point.

AMENDMENTS 1/3/74 38 F. R. 31518 (Rewritten)

New York, N. Y. (John F. Kennedy International Airport)
Within a 5-mile radius of the center, 40°38'25" N., 73°46'41" W., of John F. Kennedy International Airport;
within the area bounded by a line beginning at 40°36'16" N., 73°52'32" W., to 40°37'10° N., 73°54'55" W.; to
40°42'19" N., 73°51'07" W., to 40°41'23" N., 73°48'48" W., to the point of beginning; within 1.5 miles each
side of the Kennedy VORTAC 106° radial, extending from the 5-mile radius zone to 6.5 miles east of the VORTAC;
within 1.5 miles each side of the Kennedy VORTAC 207° radial, extending from the 5-mile radius zone to 5 miles
southwest of the VORTAC; within 1.5 miles each side of the Kennedy VORTAC 134° radial, extending from the 5mile radius zone to 5 miles southeast of the VORTAC.

Niagara Falls. N. Y. Within a 5-mile radius of Niagara Falls International Airport (latitude 43°06'20" N., longitude 78°56'55" W.), and within 2 miles each side of Niagara Falls ILS localizer E course, extending from the 5-mile radius zone to the OM, excluding the portion outside the United States.

Nome, Alaska

Within a 5-mile radius of the Nome Airport (latitude 64°30'46" N., longitude 165°26'31" W.); within 2.5 miles each side of the Fort Davis RBN 101° bearing extending from the 5-mile radius zone to 6 miles east of the RBN; within 3 miles north and 4 miles south of the Nome VOR 107° and 287° radials, extending from the 5-mile radius zone to 8.5 miles east of the VOR.

AMENDMENTS 2/28/74 39 F. R. 1007 (Rewritten)

Norfolk, Nebr.

Within a 5-mile radius of Karl Stefan Memorial Airport (latitude 41°59'05" N., longitude 97°26'10" W.); and within 2 miles each side of the Norfolk VOR 022°, 144°, 195° and 318° radials, extending from the 5-mile radius zone to 8 miles southeast, south, northwest and northeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Norfolk, Va. (Norfolk Regional)

Within a 5-mile radius of the center, 36°53'45" N., 76°12'15" W., of Norfolk Regional Airport, Norfolk, Va., excluding the northwest portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Norfolk, Va. (NAS Norfolk), control zone.

Norfolk, Va. (NAS Norfolk)

Within a 5-mile radius of the center, 36°56'15" N., 76°17'15" W. of NAS Norfolk, Norfolk, Va., excluding the southeastern portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Norfolk, Va. (Norfolk Regional), control zone.

North, S. C.

Within a 5-mile radius of North AFAF (latitude 33°36'30" N., longitude 81°05'00" W.) and within 2 miles each side of the North AFAF TACAN 234° radial extending from the 5-mile radius zone to 8 miles SW of the TACAN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

North Bend, Oreg.

Within a 5-mile radius of North Bend Municipal Airport (latitude 43°25'00" N., longitude 124°14'45" W.); within 2 miles each side of the North Bend WORTAC 044° radial, extending from the 5-mile radius zone to 6.5 miles northeast of the VORTAC; within 2 miles each side of the North Bend VORTAC 111° radial, extending from the 5-mile radius zone to 4.5 miles east of the VORTAC; and within 3 miles each side of the 241° bearing from the Empire LOM (latitude 43°23'42" N., longitude 124°18'33" W.), extending from the 5-mile radius zone to 7 miles southwest of the LOM.

North Philadelphia, Pa.

Within a 5-mile radius of the center, 40°04'49" N., 75°00'45" W., of North Philadelphia Airport, Philadelphia, Pa., extending clockwise from a 030° bearing to a 252° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 252° bearing to a 030° bearing from the airport, excluding the north portion subtended by a chord drawn between the points of intersection of the 6-mile radius zone with that portion of the Willow Grove, Pa., control zone 5-mile radius zone centered on Warminster NAF.

AMENDMENTS 11/7/74 39 F. R. 33310 (Rewritten)

North Platte, Nebr.

Within a 5-mile radius of Lee Bird Field (latitude 41°07'35" N., longitude 100°41'50" W.); within 2 miles each side of the North Platte VOR 029° radial, extending from the 5-mile radius zone to the VOR; within 2 miles each side of the 186° bearing from the Bignell RBN, extending from the 5-mile radius zone to 8 miles south of the RBN; and within 2 miles each side of the 131° bearing from Lee Bird Field, extending from the 5-mile radius zone to 10 miles southeast of the airport.

Northway, Alaska

Within a 5-mile radius of Northway Airport (latitude 62° 57' N., longitude 141° 55' W.), and within 2 miles each side of Nabesna, Alaska, RBN 307° bearing extending from the 5-mile radius zone to 8 miles NW of the RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

Norwood, Mass.

Within a 5-mile radius of the center (42°11'20" N., 71°10'15" W.) of Norwood Memorial Airport, Norwood, Mass.; within 3 miles each side of the 154° bearing and 334° bearing from the Stoughton, Mass., RBN (42°07'10"N., 71°07'41" W.) extending from the 5-mile radius zone to 8 miles southeast of the RBN and within 2 miles each side of the Whitman VORTAC 311° radial extending from the 5-mile radius zone to 2 miles northwest of the VORTAC, excluding the portion within the South Weymouth, Mass., control zone. This control zone is effective daily from 0800 to 2000 hours, local time, or during the specific times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

Oakland, Calif.

Within a 5-mile radius of Metropolitan Cakland International Airport (latitude 37°43'15" N., longitude 122°13'20" W.) excluding the portion subtended by a chord drawn between the points of INT of this radius with the radius of the NAS Alameda, Calif., control zone; within a 5-mile radius of Hayward Air Terminal, Hayward, Calif. (latitude 37°39'30" N., longitude 122°06'45" W.), excluding the portion within the Hayward control zone when it is effective.

Oceana, Va.

Within a 5-mile radius area of the center, lat. 36°50'00" N., long. 76°01'45" W. of NAS Oceana (Soucek Field); within 2 miles each side of the Navy Oceana TACAN 225° radial extending from the 5-mile radius zone to 10 miles southwest of the TACAN; within 3.5 miles each side of a 187° bearing from the Navy Oceana RBN extending from the 5-mile radius zone to 9 miles south of the RBN and within a 3-mile radius of the center of lat. 36°42'15" N., long. 76°08'00" W. of ALF Fentress.

Ogden, Utah (Hill AFB)

Within a 5-mile radius of Hill AFB (latitude 41°07'25" N., longitude 111°58'20" W.); within a 5-mile radius of Ogden Municipal Airport (latitude 41°11'45" N., longitude 112°00'35" W.), excluding the portion within the Ogden (Ogden Municipal Airport) control zone when it is effective.

Ogden, Utah (Ogden Municipal Airport)

Within a 5-mile radius of Ogden Municipal Airport (latitude 41°11'45" N., longitude 112°00'35" W.), excluding the portion S of a line extending from latitude 41°08'10" N., longitude 112°04'00" W., to latitude 41°11'00" N., longitude 111°55'00" W., from 0600 to 2200 hours, local time, daily.

Oklahoma City, Okla. (Tinker AFB)

That airspace within a 5-mile radius of Tinker AFB (latitude 35°24'50" N., longitude 97°23'35" W.); within 2 miles each side of the Tinker AFB VOR 357° radial extending from the 5-mile radius zone to 8 miles north of the VOR; within 2 miles each side of the Tinker AFB TACAN 001° radial extending from the 5-mile radius zone to 9.5 miles north of the TACAN; within 2 miles each side of the Tinker AFB ILS south course extending from the 5-mile radius zone to the OM; within 2 miles each side of the Tinker AFB VOR 187° radial extending from the 5-mile radius zone to 8 miles south of the VOR; and within 2 miles each side of the Tinker AFB TACAN 187° radial extending from the 5-mile radius zone to 8 miles south of the VOR; and within 2 miles each side of the Tinker AFB TACAN 187° radial extending from the 5-mile radius zone to 6 miles south of the TACAN.

Oklahoma City, Okla. (Wiley Post Airport)

Within a 5-mile radius of Wiley Post Airport (latitude 35°32'05" N., longitude 97°38'40" W.) within 2 miles each side of the Wiley Post ILS localizer north course extending from the 5-mile radius zone to the OM (latitude 35°37'33" N., longitude 97°38'50" W.); within 2 miles each side of the Oklahoma City VORTAC 050° radial extending from the 5-mile radius zone to the VORTAC; and excluding the portion S of a line extending through latitude 35°26'33" N., longitude 97°46'21" W., and latitude 35°28'00" N., longitude 97°36'05" W.

AMENDMENTS 6/20/74 39 F. R. 12860 (Rewritten)

Oklahoma City, Okla. (Will Rogers World Airport)

Within a 5-mile radius of Will Rogers World Airport (latitude 35°23'45" N., longitude 97°36'30" W.); within 3 miles each side of the Oklahoma City runway 17R ILS localizer north course, extending from the 5-mile radius zone to the Tulakes, Okla., RBN; within 2 miles southwest and 3.5 miles northeast of the Oklahoma City VORTAC 105° radial extending from the 5-mile radius zone to the VORTAC; and within 3 miles each side of the Oklahoma City runway 35R ILS localizer south course extending from the 5-mile radius zone to the LOM (latitude 35°18' 36" N., longitude 97°35'17" W.), excluding that portion which coincides with the Oklahoma City (Wiley Post) control zone.

Olathe, Kans.

Within a 5-mile radius of the Johnson County, Kansas Airport (lat. 38°51'00" N., long. 94°44'15" W.); and within 2½ miles each side of the 183° bearing from Johnson County Airport, extending from the 5-mile radius zone to 6½ miles south of the airport. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Olympia, Wash.

Within a 5-mile radius of Olympia Municipal Airport (latitude 46°58'15" N., longitude 122°54'00" W.); within 4 miles each side of the Olympia VORTAC 195° radial, extending from the 5-mile radius zone to 10.5 miles south of the VORTAC, and within 2 miles each side of the Olympia VORTAC 010° radial, extending from the 5-mile radius zone to 5.5 miles north of the VORTAC. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Omaha, Nebr. (Eppley Field)

Within a 5-mile radius of Eppley Field (latitude 41°18'00" N., longitude 95°53'35" W.); and within 2 miles each side of the Eppley Field ILS localizer NW course extending from the 5-mile radius zone to 8 miles NW of the OM: and within 2 miles each side of the Eppley Field ILS localizer SE course extending from the 5-mile radius zone to 7 miles SE of the airport; and within 2 miles each side of the Omaha VORTAC 318° radial extending from the 5-mile radius zone to a point 7 miles SE of the airport.

Omaha, Nebr. (Offutt AFB)

Within a 5-mile radius of Offutt AFB (latitude 41°07'20" N., longitude 95°54'35" W.); within 2 miles each side of the Offutt AFB TACAN 307° radial, extending from the 5-mile radius zone to 7 miles northwest of the TACAN; within 2 miles each side of the Offutt AFB VOR 310° radial, extending from the 5-mile radius zone to 1 mile northwest of the VOR; and within 2 miles each side of the Offutt AFB 1LS localizer southeast course, extending from the 5-mile radius zone to the OM.

Ontario, Calif.

Within a 5-mile radius of Ontario International Airport (latitude 34°03'25" N., longitude 117°36'30" W.); within 2 miles each side of the Ontario ILS localizer east course extending from the 5-mile radius zone to 3 miles east of the OM, and within a 3-mile radius of Chino, Calif., and within 1.5 miles each side of the Ontario, Calif., VORTAC 303° radial, extending from the 3-mile radius zone to 1 mile NW of the VORTAC, excluding the portion within the Chino control zone when it is effective.

Orlando, Fla. (Herndon Airport)

Within a 5-mile radius of Orlando (Herndon Airport) (lat. 28°32'40" N., long. 81°19'55" W.); within 3 miles each side of Orlando VORTAC 125° and 315° radials, extending from the 5-mile radius zone to 8.5 miles southeast and northwest of the VORTAC; excluding the portion south of a line connecting the two points of intersection with a 5-mile radius circle centered on McCoy AFB (lat. 28°25'55" N., long. 81°19'15" W.).

Orlando, Fla. (McCoy AFB)

Within a 5-mile radius of McCoy AFB (lat. 28°25'55" N., long. 81°19'15" W.); within 2 miles each side of Orlando VORTAC 175° radial, extending from the 5-mile radius zone to 13.5 miles south of the VORTAC; excluding the portion within Orlando (Herndon Airport) (lat. 28°32'40" N., long. 81°19'55" W.) control zone.

Oscoda, Mich.

Within a 5-mile radius of Wurtsmith AFB (latitude 44°27'00" N., longitude 83°24'00" W.); within 2 miles each side of the Wurtsmith AFB VOR 240° radial extending from the 5-mile radius zone to 8 miles SW of the VOR; within 2 miles each side of the Wurtsmith AFB VOR 056° radial extending from the 5-mile radius zone to 12 miles NE of the VOR; within 2 miles each side of the Wurtsmith AFB TACAN 232° radial extending from the 5-mile radius zone to 8 miles SW of the TACAN and within 2 miles each side of the Wurtsmith AFB TACAN 064° radial extending from the 5-mile radius zone to 8 miles NE of the TACAN.

Oshkosh, Wis.

Within a 5-mile radius of Wittman Field (latitude 43°59'25" N., longitude 88°33'20" W.); within 3 miles each side of the Oshkosh VOR 275° radial extending from the 5-mile radius zone to 9½ miles west of the VOR; and within 3 miles each side of the Oshkosh VOR 182° radial extending from the 5-mile radius zone to 9½ miles south of the VOR.

Ottumwa, Iowa

Within a 5-mile radius of Ottumwa Municipal Airport (Lat. 41°06'25" N, Long, 92°26'50" W) and within 2 miles either side of the Ottumwa VORTAC 309° radial extending from the 5-mile radius zone to the VORTAC.

Owansboro, Ky.

Within a 5-mile radius of Owensboro-Daviess County Airport (lat. 37°44'31" N., long. 87°09'57" W.); within 3 miles each side of Owensboro VOR 222° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR; within 3 miles each side of Owensboro VOR 352° radial, extending from the 5-mile radius zone to 8.5 miles north of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Oxnard, Calif. (Ventura County Airport)

Within a 5-mile radius of Ventura County Airport (latitude 34º12'02" N., longitude 119º12'10" W.). This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information

Paducah, Ky.

Within a 5-mile radius of Barkley Field (lat. 37003'45" N., long. 88046'23" W.); within 3 miles each side of the 234° bearing from Paducah RBN, extending from the 5-mile radius zone to 8.5 miles southwest of the RBN; within 3 miles each side of Cunningham VORTAC 0450 radial, extending from the 5-mile radius zone to 11 miles northeast of the VORTAC.

Palacios, Tex.

That airspace within a 5-mile radius of Palacios Municipal Airport (latitude 28°43'35" N., longitude 96°15'15" W.) and within 2 miles each side of the 323° bearing from the Palacios DF station (latitude 28°43'22" N, longitude 96°15'07" W.) extending from the 5-mile radius zone to 8 miles northwest of the DF station.

Palm Beach, Fla.

Within a 5-mile radius of Palm Beach International Airport (lat. 26°41'05" N., long. 80°05'35" W.); within 3 miles each side of the Palm Beach VORTAC 275° radial, extending from the 5-mile radius zone to 8.5 miles west of the VORTAC; excluding that airspace within a 1.5-mile radius of Palm Beach County Park (Lantana) Airport (lat. 26°35'35" N., long. 80°05'10" W.).

Palmdale, Calif.

Within a 5-mile radius of Air Force Plant No. 42, Palmdale, Calif. (latitude 34037'45" N., longitude 1180 04'54" W.), within 3 miles each side of the ILS localizer east course, extending from the 5-mile radius zone to 7.5 miles east of the LOM, and within 2 miles south of and parallel to the Palmdale VORTAC 0990 radial. extending from the 5-mile radius zone to 8 miles east of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Palm Springs, Calif.

Within a 5-mile radius of Palm Springs Airport (latitude 33°49'36" N., longitude 116°30'18" W.), and within 2 miles each side of the Palm Springs VOR 120° and 300° radials, extending from 3.5 miles SE to 3 miles NW of the VOR. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Palo Alto, Calif.

Within a 3-mile radius of Palo Alto Airport (latitude 37°27'39" N., longitude 122°06'50" W.) excluding the portion southeast of a line extending from latitude 37°25'14" N., longitude 122°08'30" W. to latitude 37°26'30" N., longitude 122°05'43" W. to latitude 37°29'10" N., longitude 122°04'08" W. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Palomar, Calif.

Within a 3-mile radius of Palomar Airport (latitude 33007'40" N., longitude 117016'45" W.) and within 1.5 miles each side of the Oceanside VORTAC 134° radial, extending from the 3-mile radius zone to 4.5 miles southeast of the VORTAC. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Panama City, Fla.

Within a 5-mile radius of Panama City-Bay County Airport (latitude 30°12'41" N., longitude 85°40'57" W.); within 3 miles each side of the Panama City VOR 0590, 1520 and 3100 radials, extending from the 5-mile radius zone to 8.5 miles northeast, southeast and northwest of the VOR; excluding that portion within the Tyndall AFB control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Paris, Tex.

That airspace within a 5-mile radius of Cox Field, Paris, Tex. (latitude 33°38'17" N., longitude 95°26'54" W.) and within 2 miles each side of the Paris, Tex., VOR 357° radial extending from the 5-mile radius to the VOR. The control zone shall be effective during the times established by a Notice to Airmen and published continuously thereafter in the Airman's Information Manual.

Parkersburg, W. Va.

Within a 5-mile radius of the center, lat. 39°20'44" N., long. 81°26'16" W. of Wood County (Gill Rob Wilson Field) Airport, Parkersburg, W. Va.

Pasco, Wash.

That airspace within a 5-mile radius of the Tri-Cities Airport (latitude 46°15'50" N., longitude 119°06'53" W.), within 4 miles each side of the Pasco ILS localizer northeast course extending from the 5-mile radius zone to 10 miles northeast of the OM (46°18'41" North Latitude, 119°03'00" West Longitude) and within 3 miles each side of the Pasco VOR 131° radial, extending from the 5-mile radius zone to 8 miles southeast of the VOR, excluding that portion within a 1-mile radius of Vista Airport, Kennewick, Wash. (latitude 46°13'10" N., longitude 119°12'55" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Paso Robles, Calif.

Within a 5-mile radius of Paso Robles County Airport (latitude 35°40'15" N., longitude 120°37'35" W.).

Patuxent River, Md.

Within a 5-mile radius of the center, 38°17'15" N., 76°24'30" W., of NAS Patuxent River Airport, Patuxent River, Md.; within 2 miles each side of the Patuxent River VORTAC 043° radial, extending from the 5-mile radius zone to 7 miles northeast of the VORTAC; within 2 miles each side of the Patuxent River VORTAC 234° radial extending from the 5-mile radius zone to 7.5 miles southwest of the VORTAC; within 2 miles each side of the Patuxent River LF REN 233° bearing extending from the 5-mile radius zone to 7 miles southwest of the RBN; within 2 miles each side of the Patuxent River VORTAC 139° radial, extending from the 5-mile radius zone to 12 miles southeast of the VORTAC; within 2 miles each side of the Patuxent River UHF RBN 139° bearing extending from the 5-mile radius zone to 12 miles southeast of the RBN; within a ½-mile radius of the center, 38°13'30" N., 76°26'30" W., of Park Hall, Md., Airport; and within a ½-mile radius of the center, 38°21'40" N., 76°24'15" W., of Chesapeake Ranch Airpark.

Pellston, Mich.

Within a 5-mile radius of Emmet County Airport (latitude 45°34'09" N., longitude 84°47'45" W.); within 2½ miles each side of the 132° bearing from Emmet County Airport, extending from the 5-mile radius zone to 5½ miles southeast of the airport; and within 5 miles each side of the Pellston VORTAC 238° radial extending from the airport to 21 miles southwest of the VORTAC.

Pendleton, Oreg.

Within a 5-mile radius of Pendleton Airport (latitude 45°41'42" N., longitude 118°50'25" W.), and within 2 miles each side of the Pendleton VORTAC 273° radial, extending from the 5-mile radius zone to 2 miles W of the VORTAC.

Pensacola, Fla.

Within a 5-mile radius of Pensacola Regional Airport (lat. 30°28'25" N., long. 87°11'20" W.); within 3 miles each side of the ILS localizer south course, extending from the 5-mile radius zone to 8.5 miles south of Pickens RBN.

AMENDM: VTS 12/14/73 38 F. R. 33391 (Changed)

Pensacola, Fla. (NAS Saufley Field)

Within a 5-mile radius of NAS Saufley Field (lat. 30°28'15" N., long. 87°20'30" W.); within 3 miles each side of the 214° bearing from NAS Saufley RBN, extending from the 5-mile radius zone to 8.5 miles southwest of the RBN; within 3 miles each side of the Saufley VOR 234° radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR; excluding the portions within the Pensacola, Fla., and Pensacola NAS, Fla., control zones. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously

published in the Airman's Information Manual.

Pensacola, NAS, Fla.

Within a 5-mile radius of Forrest Sherman Field (lat. 30°20'53" N., long. 87°19'04" W.); within 3 miles each side of the 134° bearing from NAS Pensacola LF RBN, extending from the 5-mile radius zone to 8.5 miles southeast of the RBN; within 3 miles each side of the 174° bearing from NAS Pensacola UHF RBN, extending from the 5-mile radius zone to 8.5 miles south of the RBN; within 1.5 miles each side of NAS Pensacola TACAN 193° and 235° radials, extending from the 5-mile radius zone to 6.5 miles southwest of the TACAN.

Peoria, Ill.

Within a 5-mile radius of the Greater Peoria Airport (lat. 40°39'47" N., long. 89°41'22" W.) and within 4.5 miles each side of the Greater Peoria Airport ILS localizer northwest course, extending from the 5-mile radius zone to 17.5 miles northwest of the airport.

Philadelphia, Pa.

Within a 5-mile radius of the center, 39°52'31" N., 75°14'20" W. of Philadelphia International Airport, Philadelphia, Pa.; within a 6-mile radius of the center of the airport extending clockwise from a 2640 bearing to a Ollo bearing from the airport, within 2 miles each side of the New Castle, Del., VORTAC 0550 radial extending from 18.5 miles northeast to 22.5 miles northeast of the VORTAC; within 1.5 miles each side of the Philadelphia International Airport Runway 9L ILS localizer course, extending from the 5-mile radius zone to 1.5 miles east of the Chester OM.

Philipsburg, Pa.

Within a 5-mile radius of the center, 40°53'00" N., 78°05'15" W., of Mid-State Airport, Philipsburg, Pa., extending clockwise from a 248° bearing to a 031° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 031° bearing to a 098° bearing from the airport; within a 5mile radius of the center of the airport, extending clockwise from a 098° bearing to a 187° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 187° bearing to a 248° bearing from the sirport; and within 4 miles each side of a 327° bearing from a point 40°53'09" N., 78°05'06"W., extending from said point to a point 8.5 miles northwest.

Phoenix-Litchfield, Ariz.

Within a 4-mile radius of Phoenix-Litchfield Airport (latitude 33°25'25" N., longitude 112°22'30" W.), excluding the portion within the Phoenix, Ariz. (Luke Air Force Base) control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Phoenix, Ariz. (Luke AFB)

Within a 5-mile radius of Luke AFB (latitude 33°32'05" N., longitude 112°22'55" W.) within 2 miles each side of the Luke TACAN 058° radial, extending from the 5-mile radius zone to 6 miles northeast of the TACAN, and within 2 miles each side of the Luke TACAN 209° radial, extending from the 5-mile radius zone to 6.5 miles southwest of the Luke TACAN. This control zone is effective from 0600 to 0000 hours local time daily.

Phoenix, Ariz. (Sky Harbor Airport)

Within a 5-mile radius of Sky Harbor Airport (latitude 33°26'10" N., longitude 112°00'45" W.); and within 2 miles each side of the Phoenix VORTAC 090° and 270° radials, extending from the 5-mile radius zone to 2 miles E and 13 miles W of the VORTAC.

Pierre, S. Dak.

Within a 5-mile radius of the Pierre Municipal Airport (latitude 44°22'50" N., longitude 100°17'15" W.); and within 1 mile each side of the Pierre ILS localizer northwest course extending from the 5-mile radius zone to 6 miles northwest of the airport.

Pine Bluff, Ark.

That airspace within a 5-mile radius of Grider Field (latitude 34°10'35" N., longitude 91°55'55" W.) and within 2 miles each side of the Pine Bluff VORTAC 186° radial, extending from the 5-mile radius zone to 10.5 miles south of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 3/29/74 39 F. R. 11529 (Rewritten)

Pittsburgh, Pa. (Allegheny County)

Within a 5-mile radius of the center lat. 40°21'17" N., long. 79°55'48" W. of Allegheny County Airport, Pittsburgh, Pa., and within 3.5 miles each side of the 257° bearing from the Cecil RBN extending from the 5-mile radius zone to 8.5 miles west of the RBN.

Pittsburgh, Pa. (Greater Pittsburgh International Airport)

Within an 8-mile radius of the center, lat. 40°29'37" N., long. 80°13'54" W. of Greater Pittsburgh International Airport, Pittsburgh, Pa., excluding a 1-mile radius area of the center lat. 40°35'30" N., long. 80°17'30" W. of Aliquippa-Hopewell Airport, Aliquippa, Pa.

Plainview, Tex.

Within a 3-mile radius of the Hale County Airport, Plainview, Tex. (latitude 34° 10° 10" N., longitude 101° 43' 00" W.) and within 2 miles each side of the Plainview VOR 034° radial, extending from the 3-mile radius zone to the VOR. from 0600 to 2200 hours local time. daily.

Plattsburgh, N. Y.

Within a 5-mile radius of the Plattsburgh AFB (Lat. 44°39'05" N, Long. 73°28'10" W); within a 5-mile radius of the Clinton County Airport (lat. 44°41'10" N, long. 73°31'10" W.); within 2 miles either side of the Valcour, New York TACAN 338° radial extending from the Clinton County Airport 5-mile radius zone to 12 miles N of the TACAN.

Pocatello, Idaho

Within a 5-mile radius of Pocatello Municipal Airport (latitude 42°54'35" N., longitude 112°35'25" W.), and within 3 miles each side of the Pocatello VORTAC 252° radial, extending from the 5-mile radius zone to 8.5 miles west of the VORTAC;

that airspace within 5 miles each side of the Pocatello VORTAC 225° radial extending from the 5-mile radius to $10\frac{1}{2}$ miles southwest of the VORTAC excluding that airspace within a 1-mile radius of the American Falls Airport (latitude $42^{\circ}48'00''$ N., longitude $112^{\circ}49'30''$ W.), American Falls, Idaho.

Point Barrow, Alaska

Within a 5-mile radius of the Point Barrow AFS Airport (latitude 71°20'21" N., longitude 156°37'45" W.); within a 5-mile radius of the Wiley Post-Will Rogers Memorial Airport (latitude 71°17'11" N., longitude 156°46' 15" W.); within 3 miles each side of the Point Barrow RBN (PTR) 051° bearing extending from the 5-mile radius zone to 10 miles northeast of the RBN (PTR); within 2.5 miles each side of the Wiley RBN (IEY) 090° bearing, extending from the 5-mile radius zone to 10 miles each side of the Wiley RBN (IEY) 226° bearing, extending from the 5-mile radius zone to 10 miles southwest of the RBN; and within 2.5 miles each side of the Wiley RBN (IEY) 270° bearing, extending from the 5-mile radius zone to 10.5 miles west of the RBN.

Point Mugu, Calif.

Within a 5-mile radius of NAS Point Mugu (lat. 34°07'05" N., long. 119°07'20" W.) and within the arc of a 12-mile radius circle centered on the Point Mugu TACAN, extending clockwise from the 200° radial to the 252° radial, excluding the portion within the Oxnard, Calif. (Ventura County Airport), control zone when it is effective.

Pompano Beach, Fla.

Within a 5-mile radius of Pompano Beach Airpark (latitude 26°15'00" N., longitude 80°06'30" W.); within 3 miles each side of Pompano Beach VOR (latitude 26°14'52" N., longitude 80°06'32" W.) 319° radial, extending from the 5-mile radius zone to 8.5 miles northwest of the VOR; excluding the portion southwest of a line 3 miles southwest of and parallel to Pompano Beach VOR 319° radial, and the portion east of Fort Lauderdale Executive Airport, south of a line 1 mile north of and parallel to the extended centerline of Runway 8/26.

This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 6/20/74 39 F. R. 13526 (Added); Corr: 39 F. R. 17431 Corr: 39 F. R. 19942

Ponca City, Okla.

Within a 5-mile radius of the Ponca City Municipal Airport (latitude 36° 43' 40" N., longitude 97° 05' 50" W.); within 2 miles each side of the 225° bearing from the Ponca City RBN, extending from the 5-mile radius zone to 8 miles SW of the RBN, and within 2 miles each side of the 359° bearing from the Ponca City RBN, extending from the 5-mile radius zone to 12 miles N of the RBN.

Ponce. P. R.

Within a 5-mile radius of the Mercedita Airport, Ponce, P. R. (latitude 18°00'40" N., longitude 66°33'50" W.); within 3.5 miles each side of the Ponce VOR 111° radial, extending from the 5-mile radius zone to 8½ miles east of the VOR. This control zone is effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the FAA publication International NOTAMs.

Pontiac. MI.

Within a 5-mile radius of the Oakland-Pontiac Airport (latitude 42°39'53" N., longitude 83°25'01" W.); within 3 miles each side of the Pontiac VORTAC 116° and 272° radials, extending from the 5-mile radius zone to 8.5 miles west of the VORTAC. This control zone is effective from 0600 to 2400 hours local time, daily.

Portland, Maine

Within a 5-mile radius of the center (43°38'50" N., 70°18'30" W.) of Portland International Jetport, excluding the portion within a 1-mile radius of Oak Knoll Airport, Scarboro, Maine (43°35'21" N., 70°22'03" W.). This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates

This control zone is effective from 0700 to 2300 hours, local time, daily or during the specific dates and times established by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

Portland, Oreg.

Within a 5-mile radius of Portland International Airport (lat. 45°35'21" N., long. 122°35'36" W.); within a 5-mile radius of the Portland-Troutdale Airport (lat. 45°33'00" N., long. 122°23'49" W.); within 2 miles each side of the Portland VORTAC 180° radial, extending from the 5-mile radius zone to 3.5 miles south of the VORTAC; within 2.5 miles each side of the Portland runway 10R ILS localizer west course, extending from the 5-mile radius zone to 1 mile west of the OM (lat. 45°37'28" N., long. 122°41'43" W.) and within 3 miles each side of the 119° and 299° bearings from the Lake LOM (lat. 45°32'38" N., long. 122°27'49" W.) extending from the 5-mile radius to 8 miles southeast of the LOM, excluding the portion within the Troutdale control zone when it is effective.

Portsmouth, N. H.

Within a 5-mile radius of Pease AFB, Portsmouth, N. H. (latitude 43904'40" N., longitude 70049'25" W.). within 2 miles each side of the centerline of Runway 16 extended from the 5-mile radius zone to 6 miles SE of the end of the runway; within 2 miles each side

of the Pease AFB TACAN 142° radial, extending from the 5-mile radius zone to 8 miles SE of the TACAN; within 2 miles each side of the Pease AFB TACAN 332° radial, extending from the 5-mile radius zone to 8 miles NW of the TACAN.

Poughkeepsie, N. Y.

Within a 5-mile radius of the center, 41°37'36" N., 73°52'59" W., of Dutchess County Airport, Poughkeepsie, N. Y., within 3.5 miles each side of the Kingston, N. Y., VORTAC 025° radial, extending from the VORTAC to 9.5 miles northeast of the VORTAC; within 2 miles each side of the Kingston, N. Y., VORTAC 230° radial, extending from the 5-mile radius zone to 10.5 miles southwest of the VORTAC; and within 3.5 miles each side of the Kingston, N. Y., VORTAC 050° radial, extending from the VORTAC to 10.5 miles northeast of the VORTAC.

AMENDMENTS 9/12/74 39 F. R. 26716 (Changed)

Prescett, Ariz.

Within a 6-mile radius of Prescott Municipal Airport (latitude 34°39°10" N., longitude 112°25°15" W.).

Presque Isle, Maine

Within a 5-mile radius of Northern Maine Regional Airport (latitude 46°41'30" N., long. 68°02'30" W.); within 3.5 miles each side of the Presque Isle localizer course extending from the 5-mile radius zone to 10 miles south of the LOM; within 2 miles each side of the Presque Isle VORTAC 158° radial extending from the 5-mile radius zone to the Presque Isle VORTAC. This control zone is effective from 0800 to 2000 hours, local time, Sunday through Friday; 0800 to 1730 hours, local time, Saturday or during the specific dates and times established in advance by a Notice to Airmen which thereafter will be continuously published in the Airman's Information Manual.

AMENDMENTS 5/14/74 39 F. R. 17221 (Changed)

Providence, R. I.

Within a 5-mile radius of Theodore Francis Green State Airport, Providence, R. I., (Lat. 41043'30" N. Long. 71°25'48" W). and within 2 miles either side of the Providence ILS localizer SW course extending from the 5-mile radius zone to the OM.

Pueblo, Colo.

Within a 5-mile radius of Pueblo Memorial Airport (latitude 38°17'30" N., longitude 104°30'00" W.); within 2 miles each side of the Pueblo ILS localizer west course, extending from the 5-mile radius zone to the LOM; within 4 miles each side of the Pueblo VORTAC 081° radial, extending from the 5-mile radius zone to 9 miles east of the VORTAC.

Pullman, Wash.

Within a 5-mile radius of Pullman-Moscow Regional Airport (latitude 46°44'40" N., longitude 117°06'30" W.) and within 2 miles each side of the Pullman VOR 047° radial, extending from the 5-mile zone to the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Quantico, Va.

Within a 5-mile radius of the center, lat. 38°30'15" N., long. 77°18'15" W. of Quantico MCAS (Turner Field), Quantico, Va.; and within 3.5 miles each side of the 2010 bearing from the Marine Quantico UHF RBN, extending from the 5-mile radius zone to 11.5 miles south of the RBN. This control zone is effective from 0700 to 1800 hours, local time, Thursday through Monday; from 0700 to sunset plus 2 hours and 45 minutes, local time, Tuesday

AMENDMENTS 10/10/74 39 F. R. 30110 (Changed)

Quincy, Ill.

That airspace within a 5-mile radius of Quincy Municipal Airport (latitude 39°56'35" N., longitude 91°11'40" W.), within 2 miles each side of the Quincy VORTAC 034° radial, extending from the 5-mile radius zone to the VORTAC, and within 2 miles each side of the Quincy VORTAC 035° radial extending from the 5-mile radius zone to 12 miles northeast of the airport.

Raleigh, N. C.

Within a 5-mile radius of Raleigh-Durham Airport (latitude 35°52'21" N., longitude 78°47'02" W.); within 3.5 miles each side of Raleigh VORTAC 0340 and 2310 radials, extending from the 5-mile radius zone to 10.5 miles northeast and southwest of the VORTAC.

Rapid City, S. Dak. (Ellsworth AFB)

Within a 5-mile radius of Ellsworth AFB (latitude 44°08'45" N., longitude 103°06'15" W.); and within 2½ miles each side of the Ellsworth AFB TACAN 322° radial, extending from the 5-mile radius zone to 7 miles northwest of the TACAN, excluding the portion which overlies the Rapid City, S. Dak. (Regional Airport) control zone.

Rapid City, S. Dak. (Regional Airport)

Within a 5-mile radius of Rapid City Regional Airport (latitude 44°02'30" N., longitude 103°03'20" W.); within 3 miles each side of the Rapid City VOR 155° and 335° radials, extending from the 5-mile radius zone to 8 miles southeast of the VOR; and within 3 miles each side of the Ellsworth AFB TACAN 129° radial, extending from the Rapid City, S. Dak. (Ellsworth AFB), 5-mile radius zone to 8 miles southeast of the TACAN, excluding the portion north of a line between the INTs of the 5-mile radius zone and the Rapid City, S. Dak. (Ellsworth AFB), 5-mile radius zone.

Rawlins, Wyo.

Within a 5-mile radius of Rawlins Municipal Airport (latitude 41°48'15" N., longitude 107°12'05" W.) and within 2 miles each side of the 269° bearing from the Sinclair RBN extending from the 5-mile radius zone to the radiobeacon.

Reading, Pa.

Within a 5-mile radius of the center, 40°22'39° N., 75°57'57" W., of Reading Municipal-General Carl A. Spaatz Field, Reading, Pa., extending clockwise from a 160° bearing to a 030° bearing from the airport; within a 5.5-mile radius of the center of the airport, extending clockwise from a 030° bearing to a 160° bearing from the airport; within 4.5 miles each side of the Reading Municipal-General Carl A. Spaatz Field ILS localizer south course, extending from the 5-mile radius zone and 5.5-mile radius zone to 8.5 miles south of the OM; within 4 miles each side of a 161° bearing from a point 40°22'32" N., 75°57'57" W., extending from said point to 8.5 miles south.

Red Bluff, Calif.

Within a 5-mile radius of Bidwell Airport, Red Bluff, Calif. (latitude 40°09'15" N., longitude 122°14'50" W.), and within 2 miles each side of the Red Bluff VORTAC 167° radial, extending from the 5-mile radius zone to 8 miles S of the VORTAC.

Redding, Calif.

Within a 5-mile radius of Redding Municipal Airport (latitude 40°30'35" N., longitude 122°17'30" W.), and within 2 miles west and 4 miles east of the Redding VOR 192° radial extending from the 5-mile radius zone to 8 miles south of the VOR, excluding the portions within a 1-mile radius of Redding Sky Ranch Airport (latitude 40°30'00" N., longitude 122°22'35" W.) and Enterprise Sky Park (latitude 40°34'26" N., longitude 122°19'30" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Redmond, Oreg.

Within a 5-mile radius of Roberts Field, Redmond, Oreg. (latitude 44°15'10" N., longitude 121°08'55" W.), and within 1.5 miles each side of the Redmond VORTAC 269° and 089° radials extending from the 5-mile radius zone to 1 mile west of the VORTAC.

Redwood Falls, Kinn.

Within a 5-mile radius of Redwood Falls Municipal Airport (latitude 44°32'45" N., longitude 95°04'45" W.).

Renton, Wash.

That airspace bounded by a line beginning at latitude 47°32'10" N., longitude 122°12'40" W.; thence clockwise along an arc of a 3-mile radius circle centered on the Renton Municipal Airport (latitude 47°29'35" N., longitude 122°12'50" W.) to latitude 47°27'59" N., longitude 122°09'46" W., to latitude 47°27'38" N., longitude 122°09'24" W., to latitude 47°26'24" N., longitude 122°12'06" W., thence counterclockwise via an arc of a 5-mile radius circle centered on Seattle-Tacoma International Airport (latitude 47°26'50" N., longitude 122°18'30" W.) to latitude 47°27'00" N., longitude 122°11'50" W., to latitude 47°28'09" N., longitude 122°13'33" W., to latitude 47°31'27" N., longitude 122°13'33" W., thence to point of beginning. This control zone is effective from 0700 to 2300 hours local time daily.

Rhinelander, Wis.

Within a 5-mile radius of Rhinelander-Oneida County Airport (latitude 45°38'00" N., longitude 89°27'30" W.); within 2½ miles each side of the Rhinelander VORTAC 220° radial extending from the 5-mile radius zone to 6½ miles southwest of the VORTAC; and within 2½ miles each side of the Rhinelander VORTAC 322° radial extending from the 5-mile radius zone to 6½ miles northwest of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Richmond, Va.

Within a 5.5-mile radius of the center, lat. 37°30'16" N., long. 77°19'11" W. of Richard Evelyn Byrd International Airport, Richmond, Va.; within 3.5 miles each side of the Richmond VORTAC 3420 radial extending from the 5.5-mile radius zone to 10 miles north of the VORTAC; within 3.5 miles each side of the Richmond VORTAC 359° radial extending from the 5.5-mile radius zone to 10 miles north of the VORTAC; within 3 miles each side of the Richmond VORTAC 0650 radial extending from the 5.5-mile radius zone to 8.5 miles northeast of the VORTAC; within 3.5 miles each side of the Richmond VORTAC 1340 radial extending from the 5.5-mile radius zone to 10 miles southeast of the VORTAC; and within 2 miles each side of the Richmond VORTAC 137° radial extending from the 5.5-mile radius zone to 10 miles southeast of the VORTAC.

Riverside, Calif. (March AFB).

Within a 5-mile radius of March AFB (latitude 33°52'50" N., longitude 117°15'30" W.); within 2 miles each side of the March AFB VOR 329° and 149° radials, extending from the 5-mile radius zone to 1 mile SE of the VOR, and within 2 miles each side of the March AFB TACAN 325° radial, extending from the 5-mile radius zone to 5 miles NW of the TACAN.

Riverside, Calif. (Municipal Airport)

Within a 3-mile radius of the Riverside Municipal Airport (latitude 33°57'05" N., longitude 117°26'30" W.), within 2 miles each side of the Riverside VOR 292° radial, extending from the 3-mile radius zone to 4.5 miles W of the VOR; within 2 miles each side of the Riverside VOR 103° radial, extending from the 3-mile radius zone to 7 miles E of the VOR; and within 2 miles each side of the Riverside VOR 108° radial, extending from the 3-mile radius zone to 5 miles E of the VOR, excluding the portion within a 1-mile radius of the Riverside Fla-Bob Airport (latitude 33°59'20" N., longitude 117°24'35" W.), and the portion that coincides with the Riverside, Calif. (March AFB), control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Riverton, Wyo.

Within a 5-mile radius of Riverton Municipal Airport (latitude 43°03'45" N., longitude 108°27'15" W.) within 2 miles each side of the Riverton VOR 291° radial, extending from the 5-mile radius zone to 8 miles west of the VOR, within 3 miles each side of the Riverton VOR 123° radial, extending from the 5-mile radius zone to 8 miles southeast of the VOR. This control zone is effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Roanoke, Va.

Within a 7-mile radius of the center, 37°19'30" N., 79°58'35" W., of the Roanoke Municipal Airport, Roanoke, Va.; within an 8-mile / whus of the center of the airport, extending clockwise from a 237° bearing to a 258° bearing from the airport; within a 13.5-mile radius of the center of the airport, extending clockwise from a 2580 bearing to a 3020 bearing from the airport; within a 10.5-mile radius of the center of the airport, extending clockwise from a 3020 bearing to a 3360 bearing from the airport; within a 9-mile radius of the center of the airport, extending clockwise from a 336° bearing to a 007° bearing from the airport and within 2.5 miles each side of the Roanoke Municipal Airport ILS localizer southeast course, extending from the localizer to 2 miles southeast of the OM.

Rochester, Minn.

Within a 5-mile radius of Rochester Municipal Airport (latitude 43°54'25" N., longitude 92°29'45" W.); within 2 miles each side of the Rochester ILS localizer southeast course, extending from the 5-mile radius zone to the OM; and within 2 miles each side of the Rochester VOR 029° radial, extending from 1 mile northeast of the VOR to 15 miles northeast of the VOR.

Rochester, N. Y.

Within a 5-mile radius of the center, 43°07'10" N., 77°40'15" W., of the Rochester Monroe County Airport, Rochester, N. Y.; within 2 miles each side of the Rochester VOR 168° radial, extending from the 5-mile radius zone to 7 miles southeast of the VOR; within 2 miles each side of the Rochester VOR 280° radial, extending from the 5-mile radius zone to 8 miles west of the VOR; within 2 miles each side of the Rochester VOR 026° radial extending from the 5-mile radius zone to 7 miles northeast of the VOR; within 2 miles each side of the Rochester VOR 214° radial extending from the 5-mile radius zone to 7 miles southwest of the VOR and within 2 miles each side of the Rochester ILS localizer east course extending from the 5-mile radius zone to the OM.

Rockford, Ill.

Within a 5-mile radius of the Greater Rockford Airport (latitude 42°11'50" N., longitude 89°05'45" W.), within ? miles each side of the Rockford ILS localizer S course, extending from the 5-mile radius zone to the OM, and within 2 miles each side of the Rockford VORTAC 117° radial, extending from the 5-mile radius zone to the VORTAC.

Rock Springs, Wyo.
Within a 5.5-mile radius of the Rock Springs-Sweetwater County Airport (latitude 41°35'45" N., longitude 109.04'00" W.); within 3 miles each side of the Rock Springs ILS localizer east course, extending from the 5.5 radius zone to 9 miles east of the OM, and within 3.5 miles each side of the Rock Springs VORTAC 104º radial, extending from the 5.5 radius zone to 11.5 miles east of the VORTAC.

Rocky Mount, N. C.

Within a 5-mile radius of Rocky Mount-Wilson Airport (lat. 35°51'17" N., long. -77°53'34" W.).

Rome, N. Y.

Within a 5-mile radius of the center, 43°13'45" N., 75°25'00" W., of Griffiss AFB, Rome, N. Y., and within 2 miles each side of bearing 135°/315° from a point 43°10'08" N., 75°19'08" W. extending from the 5-mile radius zone to 6 miles southeast of said point; within 2 miles each side of the Griffiss TACAN 306° radial extending from the 5-mile radius zone to 8

miles NW of the TACAN; within 2 miles each side of a bearing 142° from the Rome, N. Y., ILS OM, extending from the OM to 4 miles SE of the OM.

AMENDMENTS 3/28/74 39 F. R. 3670 (Changed)

Roosevelt Roads, P. R.

Within a 5-mile radius of NS Roosevelt Roads (lat. 18°15'05" N., long. 65°38'35" W.); within 3 miles each side of the 052° bearing from Roosevelt Roads RBN, extending from the 5-mile radius zone to 8.5 miles northeast of the RBN.

Roswell, N. M.

That airspace within a 6-mile radius of the Roswell Industrial Air Center Airport (latitude 33°17'59" N., longitude 104°31'48" W.); within 2 miles each side of the extended centerline of runway 3 extending from the 6-mile radius zone to the LOM; and within 2 miles each side of the extended centerline of runway 21 extending from the 6-mile radius zone to 6 miles southwest of the lift-off end of runway 21.

Russell, Kans.

Within a 5-mile radius of Russell Municipal Airport (latitude 38°52'20" N., longitude 98°48'45" W.).

Sacramento, Calif. (Sacramento Metropolitan Airport)

That airspace within a 5-mile radius of the Sacramento Metropolitan Airport (latitude 33°41'43" N., longitude 121°36'01" W.), and within 2 miles each side of the Sacramento Metropolitan Airport localizer (latitude 38°40'32" N., longitude 121°36'02" W.) N and S courses, extending from the 5-mile radius zone to 6 miles north and south of the airport; and including that airspace adjoining the McClellan AFB and Sacramento Municipal Airport control zones between latitude 38°41'43" N. and the Sacramento VORTAC 351° T radial.

Sacramento, Calif. (Sacramento Municipal)

Within a 5-mile radius of Sacramento Municipal Airport (latitude 38°30'45" N., longitude 121°29'35" W.), within 2 miles each side of the Sacramento VORTAC 033° radial, extending from the 5-mile radius zone SW to the VORTAC and that airspace NE of the Sacramento Municipal Airport, extending from the Sacramento Municipal 5-mile radius zone to the McClellan AFB and Mather AFB 5-mile radius zones, bounded on the SE by the Sacramento 064° radial and on the NW by a line 2 miles NW of and parallel to the Sacramento 033° radial.

Sacramento, Calif. (Nather AFB)

Within a 5-mile radius of Mather AFB (latitude 38°33'10" N., longitude 121°18'05" W.) within 2 miles each side of the Mather TACAN 048° radial, extending from the 5-mile radius zone to 7 miles northeast of the TACAN, excluding the portion subtended by a chord drawn between the points of intersection of the Mather AFB 5-mile radius zone with the Sacramento, Calif. (McClellan AFB) 5-mile radius zone.

Sacramento, Calif. (McClellan AFB)

Within a 5-mile radius of McClellan AFB (latitude 38°39'45" N., longitude 121°24'10" W.), within 2 miles E and 2.5 miles W of the McClellan TACAN 004° radial, extending from the 5-mile radius zone to 8 miles N of the TACAN, excluding the portion subtended by a chord drawn between the points of intersection of the McClellan AFB 5-mile radius zone with the Sacramento, Calif. (Mather AFB), 5-mile radius zone.

Saginaw, Mich.

That airspace within a 5-mile radius of Tri-City Airport (latitude 43°31'55" N., longitude 84°04'50" W.) and within 2½ miles each side of the Saginaw, Mich. VORTAC 030°, 146°, 233°, and 310° radius extending from the 5-mile radius zone to 6½ miles northeast, southeast, southwest, and northwest of the VORTAC.

St. Charles, Ill.

Within a 3-mile radius of Du Page County Airport, St. Charles, Ill. (latitude 41°54'45" N., longitude 88°14'35" W.); and within 2 miles either side of the Du Page VOR 069° radial, extending from the 3-mile radius zone to the VOR.

St. Joseph, Mo.

Within a 5-mile radius of the Rosecrans Memorial Airport (latitude 39°46'23" N., longitude 94°54'31" W.); within 2 miles each side of the St. Joseph ILS localizer S course, extending from the 5-mile radius zone to the OM; and within 2 miles each side of the St. Joseph VORTAC 175° radial, extending from the 5-mile radius zone to the VORTAC.

St. Louis, Mo.

Within a 5-mile radius of St. Louis International Airport (latitude 38044'50" N., longitude 90021'55" W.); within 2 miles each side of the St. Louis International Airport Runway 24 ILS localizer southwest course, extending from the 5-mile radius zone to 102 miles southwest of the OM; within 2 miles each side of the St. Louis VORTAC 142° radial; extending from the 5-mile radius zone to 7 miles northwest of the northwest end of the St. Louis International Airport Runway 12R; within 2 miles each side of the St. Louis International Airport Runway 12R IIS localizer northwest course, extending from the 5-mile radius zone to the Runway 12R OM; and within 2 miles each side of the St. Louis International Airport Runway 12R ILS localizer southeast course, extending from the 5-mile radius zone to 6 miles southeast of the Runway 12R localizer.

St. Paul, Minn.

Within a 5-mile radius of St. Paul Downtown Airport (Holman Field) latitude 44°56'10" N., longitude 93° 03'40" W.), excluding the portion which overlies the Minneapolis, Minn., control zone and excluding the area within a 1-mile radius of South St. Paul Municipal Airport (Fleming Field) (latitude 44°51'25" N., longitude 93° 01'55" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

St. Petersburg, Fla. (Albert-Whitted Airport)

Within a 5-mile radius of the Albert-Whitted Airport (lat. 27045'53" N., long. 82037'39" W.); within 1.5 miles each side of the St. Petersburg VORTAC 1590 radial, extending from the 5-mile radius zone to 1 mile south of the WORTAC, excluding the portion within the St. Petersburg and MacDill AFB control zones. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

St. Petersburg, Fla.

Within a 5-mile radius of St. Petersburg Clearwater International Airport (lat. 27°54'33" N., long. 82°41' 19" W.); within 2.5 miles each side of St. Petersburg VORTAC 3430 radial, extending from the 5-mile radius zone to 6 miles northwest of the VORTAC.

Saipan Island

Within a 5-mile radius of Kobler Field (latitude 15007'30" N., longitude 145042'29" E.); within 3.5 miles each side of the Saipan RBN (latitude 15°07'32" N., longitude 145°41'58" E.) 254° bearing, extending from the 5-mile radius zone to 12 miles southwest of the RBN, and within 2 miles each side of the extended centerline of the east/west runway, extending from the 5-mile radius zone to 6.5 miles east of the Kobler Field. This control zone is effective from 0800 to 1630 hours, local time, daily.

Within a 5-mile radius of McNary Field, Salem, Oreg. (latitude 44°54'35" N., longitude 123°00'05" W.) and within 2 miles each side of the Salem ILS localizer SE course, extending from the 5-mile radius zone to the LOM.

Salina, Kansas

Within a 5-mile radius of Salina Municipal Airport (latitude 38°47'40" N., longitude 98°39'30" W.); within 12 miles each side of the Salina VORTAC 192° radial, extending from the 5-mile radius zone to the VORTAC and within 2 miles each side of the Salina ILS localizer S course, extending from the 5-mile radius zone to 2½ miles N of the OM.

Salinas, Calif.

Within a 5-mile radius of the Salinas Municipal Airport (latitude 36°39'40" N., longitude 121°36'20" W.), and within 2 miles NE and 3 miles SW of the Salinas VORTAC 319° radial, extending from the 5-mile radius zone to 6 miles NW of the VORTAC, excluding the portion within the Fort Ord, Calif., control zone.

Salisbury, Md.

Within a 5-mile radius of the center, lat. 38°20'21" N., long. 75°30'41" W. of Salisbury-Wicomico County Airport, Salisbury, Md.; within 3.5 miles each side of the Salisbury WORTAC 209° radial, extending from the 5-mile radius zone to 10.5 miles southwest of the WORTAC; within 3.5 miles each side of the Salisbury WORTAC 0520 radial, extending from the 5-mile radius zone to 9.5 miles northeast of the WORTAC; within 1 mile each side of the Salisbury-Wicomico County Airport localizer northwest course, extending from the 5-mile radius zone to 5.5 miles northwest of the localizer; and within 3.5 miles each side of the Salisbury VORTAC 1320 radial, extending from the 5-mile radius zone to 10.5 miles southeast of the VORTAC.

Salt Lake City, Utah

Within a 5-mile radius of the Salt Lake International Airport (latitude 40°47'10" N., longitude 111°58'00" W.) and within 2.5 miles each side of the Salt Lake City VORTAC 003° radial extending from the 5-mile radius zone to 2 miles north of the VORTAC,

San Angelo, Tex.

Within a 5-mile radius of Mathis Field, San Angelo, Tex., (latitude 31°21'35" N., longitude 100°29'40" W.); within 2 miles each side of the San Angelo VOR 065° radial, extending from the 5-mile radius zone to 8 miles NE of the VOR; within 2 miles each side of the San Angelo ILS localizer NE course, extending from the 5-mile radius zone to 8 miles NE of the INT of the ILS localizer NE course and the San Angelo VOR 311° radial and within 2 miles each side of the San Angelo ILS localizer SW course, extending from the 5-mile radius zone to 6.5 miles SW of the airport.

San Antonio, Tex. (International Airport)

That airspace within a 5-mile radius of San Antonio International Airport (latitude 29°31'50" N., longitude 98°28'12" W.); within 2 miles each side of the San Antonio VORTAC 184° radial extending from the 5-mile radius zone to 1 mile south of the VORTAC; within 2 miles each side of the San Antonio ILS localizer northwest course extending from the 5-mile radius zone to 1 mile southeast of the OM, within 2 miles each side of the San Antonio ILS localizer northeast course extending from the 5-mile radius zone to 6 miles northeast of the airport, and within 2 miles each side of the San Antonio ILS localizer southeast course extending from the 5-mile radius zone to 7 miles southeast of the localizer, and within 2 miles each side of a 132° bearing from the LOM extending from the 5-mile radius zone to 15.5 miles southeast of the LOM.

San Antonio, Tex. (Kelly AFB)

That airspace within a 5-mile radius of Kelly AFB (latitude 29°22'57" N., longitude 98°34'25" W.); within 2 miles each side of the Kelly AFB ILS localizer N course extending from the 5-mile radius zone to 1 mile S of the OM, and within 2 miles each side of the Kelly AFB TACAN 341° radial extending from the 5-mile radius zone to the TACAN.

San Antonio, Tex. (Randolph AFB)

That airspace within a 5-mile radius of Randolph AFB (latitude 29°32'09" N., longitude 98°16'57" W.); within 2 miles each side of the LaVernia, Tex., VOR 329° and 338° radials, extending from the 5-mile radius zone to 1 mile northwest of the VOR, within 2 miles each side of the Randolph AFB TACAN 323° radial extending from the TACAN to 8 miles northwest, and within 2 miles each side of the Randolph AFB TACAN 156° radial extending from the TACAN to 8 miles southeast.

San Antonio, Tex. (Stinson Field)

Within a 3-mile radius of Stinson Field (latitude 29° 20' 15" N., longitude 98° 28' 20" W.), and within 2 miles each side of the Stinson WOR 346° radial, extending from the 3-mile radius zone to the VOR, excluding the portion within the Kelly AFB control zone. This control zone is effective from 0700 to 2300 hours, local time, daily.

San Bernardino, Calif. (Norton AFB)

Within a 5-mile radius of the Norton AFB (latitude 34°05'45" N., longitude 117°14'05" W.), and within 2 miles N and 2.5 miles S of the ILS localizer SW course extending from the 5-mile radius zone to 2 miles NE of the OM, excluding the portion within a 1-mile radius of the Redland, Calif., Municipal Airport (latitude 34°05'05" N., longitude 117°08'35" W.).

San Carlos, Calif.

Within a 3-mile radius of the San Carlos Airport (latitude 37°30'40" N., longitude 122°14'50" W.). This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and times will thereafter be continuously published in the Airman's Information Manual.

San Clemente Island, Calif.

Within a 5-mile radius of NALF San Clemente (latitude 33°01'20" N., longitude 118°35'15" W.) extending upward from the surface to and including 5,000 feet MSL, excluding that airspace beyond 3 NM from and parallel to the shoreline. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airmen's Information Manual.

San Diego, Calif. (Brown Field)

Within a 3-mile radius of Brown Field Municipal Airport (latitude 32°34'22" N., longitude 116°58'47" W.), excluding that airspace west of longitude 117°01'00" W., and south of the United States/Mexican Border. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

San Diego, Calif. (Lindbergh Field)

Within a 5-mile radius of Lindbergh Field, San Diego, Calif. (latitude 32° 43' 58" N., longitude 117° 11' 14" W.); and within 2 miles each side of the Lindbergh ILS localizer E course, extending from the 5-mile radius zone to 7 miles east of the airport, excluding the portion S of a line extending from latitude 32°43'22" N., longitude 117°16'20"

W., to latitude 32° 43' 22" N., longitude 117° 12' 23" W., to latitude 32° 41' 02" N., longitude 117° 07' 25" W.; and the portion N of latitude 32° 47' 00" N.

San Diego, Calif. (Montgomery Field)

Within a 3-mile radius of Montgomery Field (latitude 32°49'00" N., longitude 117°08'20" W.), excluding those portions within the NAS Miramar and San Diego (Lindbergh Field) control zones. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

San Diego, Calif. (NAS North Island)

Within a 5-mile radius of NAS North Island (latitude 32° 42' 00" N., longitude 117° 12' 35" W.); within the arc of a 10-mile radius circle centered on the North Island TACAN, extending clockwise from a line 2 miles N of and parallel to the TACAN 120° radial to the 162° radial, excluding the portion N of a line from latitude 32° 43' 22" N., longitude 117° 17' 20" W., to latitude 32° 43' 22" N., longitude 117° 12' 23" W., to latitude 32°41'02" N., longitude 117°07'25" W., and the portion within the NAS Imperial Beach, Calif., control zone.

San Diego, Calif. (San Diego County-Gillespie Field)

Within a 3-mile radius of San Diego-Gillespie Field (latitude 32°49'26" N., longitude 116°58'18" W.) and within 1 mile each side of a 102° bearing from the end of Runway 27R, extending from the 3-mile radius zone to 5 miles east of the airport. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 9/12/74 39 F. R. 26888 (Rewritten)

San Francisco, Calif.

Within a 7-mile radius of the San Francisco International Airport (Lat. 37°37°07" N, Long. 122°22' 35" W, including the airspace bounded on the SW by the San Francisco 7-mile radius zone and on the N and NE by the Oakland and NAS Alameda control zones, excluding the portion within the Oakland control zone.

San Jose, Calif.

Within a 5-mile radius of San Jose Municipal Airport (latitude 37°21'35" N., longitude 121°55'30" W.), excluding the portion NW of a line from latitude 37°25'45" N., longitude 121°56'35" W. to latitude 37°19'30" N., longitude 122°00'10" W.

San Jose, Calif. (Reid-Hillvjew Airport)

That airspace within a 3-mile radius of the Reid-Hillview Airport (latitude 37°19'55" N., longitude 121° 49'10" W.), excluding that portion within the San Jose control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

San Juan, P. R. (International Airport)

Within a 5-mile radius of Puerto Rico International Airport (lat. 18°26'48" N., long. 66°00'07" W.); within a 3-mile radius of Isla Grande Airport (lat. 18°27'33" N., long. 66°05'55" W.); within 5 miles each side of the San Juan VORTAC 058° radial, extending from the VORTAC to 13 miles northeast of the VORTAC; within 3.5 miles each side of the San Juan VORTAC 086° radial, extending from the 5-mile radius zone to 11 miles east of the VORTAC; within 2 miles each side of the ILS localizer west course, extending from the 5-mile radius zone to 1 mile east of the San Pat RBN.

San Rafael, Calif.

Within a 5-mile radius of Hamilton AFB, San Rafael, Calif. (latitude 38°03'35" N., longitude 122°30'35" W.), within 2 miles SW and 2.5 miles NE of the Hamilton AFB TACAN 140° radial, extending from the 5-mile radius area to 9 miles SE of the TACAN, and within 2 miles each side of the Hamilton AFB TACAN 305° radial extending from the 5-mile radius zone to 12 miles NW of the TACAN. This control zone is effective from 0700 to 2300 hours, local time

AMENDMENTS 1/31/74 39 F. R. 1578 (Changed)

Santa Ana, Calif. (MCAS)

Within a 5-mile radius of MCAS Santa Ana (latitude 33°42'22" N., longitude 117°49'35" W.) and within a 5-mile radius of Orange County Airport, Santa Ana, Calif., (latitude 33°40'10" N., longitude 117°52'15" W.) excluding the portion within a 1-mile radius of Mile Square MCOLF, and that portion east and south of a line from latitude 33°43'55" N., longitude 117°47'00" W. to latitude 33°41'15" N., longitude 117°48'10" W., to latitude 33°42'30" N., longitude 117°56'40" W. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Santa Ana, Calif. (Orange County Airport)

Within a 5-mile radius of Orange County Airport (latitude 33°40'32" N., longitude 117°52'15" W.) and within a 5-mile radius of MCAS Santa Ana (latitude 33°42'22" N., longitude 117°49'35" W.) excluding the portion within a 1-mile radius of Mile Square MCOLF, that portion east of a line extending from latitude 33°43'55" N., longitude 117°47'00" W. to latitude 33°36'10" N., longitude 117°50'20" W. and that portion within the Santa Ana, Calif. (MCAS) control zone during the time it is effective. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Santa Barbara, Calif.

Within a 5-mile radius of Santa Barbara Municipal Airport (latitude 34°25'35" N., longitude 119°50'20" W.); within 2 miles each side of the Santa Barbara ILS localizer west course, extending from the 5-mile radius zone to the OM.

Santa Fe, N. Mex.

Within a 6.5-mile radius of the Santa Fe County Municipal Airport (latitude 35°37'00' N., longitude 106°05' 25" W.).

Santa Maria, Calif.

Within a 5-mile radius of Santa Maria Public Airport (latitude 34°53'55" N., longitude 120°27'20" W.); within 1.5 miles each side of the Santa Maria VOR 1330 radial, extending from the 5-mile radius zone to 11.5 miles southeast of the VOR. This control zone is effective from 0700 to 2200 hours local time daily.

Santa Monica, Calif.

Within a 3-mile radius of Santa Monica Municipal Airport (latitude 34°00'57" N., longitude 118°27'00" W.); within 2 miles each side of the Santa Monica VOR 231° radial, extending from the 3-mile radius zone to 3 miles SW of the VOR; within 2 miles each side of the Santa Monica VOR 056° radial, extending from the 3-mile radius zone to 5 miles NE of the VOR, excluding the portion S of a line extending from latitude 34°00'43" N., longitude 118°23'30" W., to latitude 33°58'03" N., longitude 118°28'58" W. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective dates and time will thereafter be continuously published in the Airman's Information Manual.

Santa Rosa, Calif.

Within a 5-mile radius of Sonoma County Airport (latitude 38°30'30" N., longitude 122°48'45" W.) and within a 1-mile radius of Santa Rosa Coddington Airport (latitude 38°28'30" N., longitude 122°44'25" W.). This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Sarasota, Fla.

Within a 5-mile radius of Sarasota-Bradenton Airport (lat. 27°23'47" N., long. 82°33'15" W.); within 3 miles each side of Sarasota VORTAC 050° and 302° radials, extending from the 5-mile radius zone to 8.5 miles northeast and northwest of the VORTAC; within 5 miles each side of Sarasota VORTAC 142° radial, extending from the 5-mile radius zone to 8.5 miles southeast of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Sault Ste. Marie, Mich. (Kincheloe AFB)

Within a 5-mile radius of Kincheloe AFB (latitude 46°15'00" N., longitude 84°28'00" W.); within 2 miles each side of the Kincheloe AFB TACAN 143° radial, extending from the 5-mile radius zone to 8 miles southeast of the TACAN; within 2 miles each side of the Kincheloe AFB TACAN 337° radial extending from the 5-mile radius zone to 8 miles northwest of the TACAN; and within 2 miles each side of the Kincheloe AFB ILS localizer northwest course, extending from the 5-mile radius zone to the OM.

Sault Ste. Marie. Mich. (Municipal Airport)

Within the United States within a 5-mile radius of Sault Ste. Marie Municipal Airport (latitude 46°28'40" N.. longitude 84°21'55" W.), and within 2 miles each side of the 129° bearing from the Sault Stc. Marie RBN extending from the 5-mile radius zone to 8 miles SE of the RBN excluding the portion W of a line between the IMTs of the 5-mile radius and the Sault Ste. Marie, Ontario, Canada, control zone.

Sault Ste. Marie, Ontario, Canada

Over the United States within a 5-mile radius of the Sault Ste. Marie Airport (latitude 46°29'00" N., longitude 84°31'00" W.), and within 2 miles each side of the Sault Ste. Marie ILS localizer NW course extending from the 5-mile radius zone to the OM, excluding the portion east of a line between the INTs of the 5-mile radius and the 5-mile radius of the Sault Ste. Marie, Mich., control zone.

Savannah, Ga.

Within a 5-mile radius of Savannah Municipal Airport (lat. 32°07'35" N., long. 81°12'05" W.); within a 5-mile radius of Hunter AAF (lat. 31000'35" N., long. 81008'45" W.).

AMENDMENTS 11/7/74 39 F. R. 33309 (Rewritten) Corr: 39 F. R. 36323

Schenectady, N. Y.

Within a 5-mile radius of the center 42°51'15" N., 73°55'55" W. of Schenectady County Airport, Schenectady, N. Y.; within 2.5 miles each side of a 037° bearing from the Hunter RBN (42°51'13" N. 73°56'07" W.) extending from the 5-mile radius zone to 8.5 miles northeast of the RBN; within 2.5 miles each side of the Schenectady VOR (42°51'05" N., 73°56'05" W.) 030° radial extending from the 5-mile radius zone to 8.5 miles northeast of the WOR; within 2 miles each side of the extended centerline of Runway 28, extending from the 5-mile radius zone to 9 miles west of the end of the runway and within 2 miles each side of the extended centerline of Runway 33, extending from the 5-mile radius zone to 5 miles northwest of the end of the runway, excluding the portion that coincides with the Albany, N. Y., control zone. This control zone is effective from 0700 to 2300 hours, local time, daily.

Scottsbluff, Nebr.

Within a five-mile radius of the Scottsbluff County Airport (latitude 41°52'34" N., longitude 103°35'53" W.): and within two miles each side of the Scottsbluff VORTAC 259° radial extending from the five-mile radius zone to the VORTAC; and within two miles each side of the ILS localizer northwest course extending from the fivemile radius zone to seven miles northwest of the airport.

AMENDMENTS 6/20/74 39 F. R. 14584 (Rewritten)

Scottsdale, Ariz.

Within a 5-mile radius of the Scottsdale Airport (latitude 33°37'05" N., longitude 111°54'55" W.). This control zone will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously established and published in the Airman's Information Manual.

AMENDMENTS 8/15/74 39 F. R. 20192 (Added)

Seattle, Wash. (King County International Airport (Boeing Field))

That airspace bounded by a line beginning at latitude 47°34'10" N., longitude 122°12'40" W., to latitude 47°32'10" N., longitude 122°12'40" W., thence clockwise via an arc of a 3-mile radius circle centered on Renton Municipal Airport (latitude 47°29'35" N., longitude 122°12'50" W.) to latitude 47°27'59" N., longitude 122° 09'46" W., to latitude 47°27'38" N., longitude 122°09'24" W., to latitude 47°26'24" N., longitude 122° 12'06" W., thence counterclockwise via an arc of a 5-mile radius circle centered on Seattle-Tacoma International Airport (latitude 47°26'50" N., longitude 122°18'30" W.) to latitude 47°27'00" N., longitude 122°11'50" W., to latitude 47°28'09" N., longitude 122°13'33" W., to latitude 47°29'20" N., longitude 122°13'33" W., to latitude 47°29' 20" N., longitude 122°23'10" W., thence clockwise along

an arc of a 5-mile radius circle centered on King County International Airport (Boeing Field) latitude 47°31'45" N., longitude

122018'00" W.) to point of beginning; within 2 miles each side of the 1500 bearing from the Magnolia LOM, extending from the 5-mile radius arc to 2 miles southeast of the Magnolia LOM, excluding the portion within the Seattle, Wash. (Seattle-Tacoma International Airport), control zone, and the portion within the Renton, Wash., control zone when the Renton control zone is effective.

Seattle, Wash. (Seattle-Tacoma International Airport)

That airspace bounded by a line beginning at latitude 47°29'20" N., longitude 122°13'33" W., thence to latitude 47°28'09" N., longitude 122°13'33" W., thence to latitude 47°27'00" N., longitude 122°11'50" W., thence clockwise along the arc of a 5-mile radius circle centered on Seattle-Tacoma International Airport (latitude 47°26'50" N., longitude 122°18'30" W.) to latitude 47°29'20" N., longitude 122°23'10" W., thence to point of beginning, and within 2 miles each side of the 360° bearing from the Seattle-Tacoma ILS LOM, extending from the 5-mile radius arc to the LOM.

Sedalia, Mo. Within a 5-mile radius of Whiteman AFB, Sedalia, Mo. (latitude 38° 43' 50" N., longitude 93° 33' 00" W.); within 2 miles each side of the Whiteman WOR 010° radial, extending from the 5-mile radius zone to 2 miles N of the VOR, and within 2 miles each side of the Whiteman TACAN 185° radial, extending from the 5-mile radius zone to 7 miles S of the TACAN.

Selma, Ala.

Within a 5-mile radius of Craig AFB (lat. 32°20'30" N., long. 86°59'15" W.); within 2 miles each side of the ILS localizer southeast course, extending from the 5-mile radius zone to 0.5 mile southeast of the LOM; within 1.5 miles each side of Cahaba VORTAC 320° radial, extending from the 5-mile radius zone to 5 miles northwest of the VORTAC. This control zone is effective from 0600 to 1800 hours, local time, Monday through Thursday; 0600 to 2000 hours, local time, Friday; 0900 to 1600 hours, local time, Saturday; 1000 to 1600 hours, local time, Sunday, and closed on holidays.

AMENDMENTS 1/16/74 39 F. R. 3551 (Changed) AMENDMENTS 8/16/74 39 F. R. 30839 (Changed)

Shemya, Alaska

Within a 5-mile radius of the Shemya Airport (latitude 52°42'50" N., longitude 174°06'57" E.); within 2 miles each side of the 104° bearing from the Shemya REN, extending from the REN to 12 miles east of the REN, and within 2 miles each side of the 284° bearing from the Shemya REN, extending from the REN to 8 miles west of the The portion within R-2204 is excluded.

Sheridan, Wyo.

Within a 5-mile radius of the Sheridan County Airport (latitude 44°46'25" N., longitude 106°58'15" W.); within 4 miles each side of the Sheridan VORTAC 312° and 327° radials, extending from the 5-mile radius zone to 11.5 miles northwest of the VORTAC; and within 4 miles each side of the Sheridan VORTAC 1400 radial extending from the 5-mile radius zone to 242 miles southeast of the VORTAC,

Shreveport, La. (Barksdale AFB)

That airspace within a 5-mile radius of the Shreveport Downtown Airport (latitude 32°32'25" N., longitude 93°44'40" W.); within a 5-mile radius of Barksdale AFB (latitude 32°30'05" N., longitude 93°39'45" W.); within 2 miles each side of the Shreveport Downtown VOR 318° radial extending from the 5-mile radius zone to 5.5 miles NW of the VOR, within 2 miles each side of the Elm Grove VOR 330° radial extending from the 5-mile radius zone to 0.5 of a mile NW of the VOR, within 2 miles each side of the Barksdale TACAN 156° radial extending from the 5-mile radius zone to 7.5 miles SE of the TACAN, excluding the portion within the Shreveport, La. (Shreveport Regional Airport) control zone; and excluding the portion within the Shreveport, La. (Downtown Airport), control zone during the hours the Shreveport, La. (Downtown Airport), control zone is effective.

Shreveport, La. (Downtown Airport)

That airspace within a 5-mile radius of Shreveport Downtown Airport (latitude 32°32'25" N., longitude 93°44' 40" W.), and within 2 miles each side of the Shreveport Downtown VOR 313° radial extending from the 5-mile radius zone to 5.5. miles NW of the VOR, excluding the portion SE of a direct line between the two intersecting points of a 5-mile radius circle centered on Downtown Airport and Barksdale AFB (latitude 32°30'05" N., longitude 93°39'45" W.) and the portion within the Shreveport, La. (Shreveport Regional Airport) control zone. This control zone is effective from 0600 to 2200 hours, local time, daily.

Shreveport, La. (Shreveport Regional Airport)

That airspace within a 5-mile radius of the Shreveport Regional Airport (latitude 32°26'45" N., longitude 93°49'25" W.); and within 2 miles each side of the Greater Shreveport ILS localizer SE course, extending from the 5-mile radius zone to 6 miles SE of the airport.

Sidney, Nebr.

Within a 5-mile radius of Sidney Municipal Airport (lat. 41°05'55" N., long. 102°58'55" W.); within 2 miles each side of the Sidney VORTAC 128° radial, extending from the 5-mile radius zone to 8 miles southeast of the VORTAC; and within 2 miles each side of the Sidney VORTAC 3210 radial, extending from the 5-mile radius zone to 8 miles northwest of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Silver City, N. Mex.

Within a 5-mile radius of Silver City-Grant County Airport (latitude 32°38'25" N., longitude 108°09'15" W.), and within 3 miles each side of the Silver City VOR 141° radial extending from the 5-mile radius zone to 9 miles southeast of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Simmons Army Air Field, N. C.

Within a 5-mile radius of Simmons AAF (latitude 35°07'55" N., longitude 78°57'05" W.); within 3 miles each side of Simmons VOR 085° radial, extending from the 5-mile radius zone to 8.5 miles east of the VOR; excluding the portion northwest of a line extending from latitude 35°11'15" N., longitude 78°56'05" W. to latitude 35°05'55" N., longitude 79°00'05" W.

Sioux City, lowa

Within a 5-mile radius of Sioux City Municipal Airport (latitude 42°24'03" N., longitude 96°22'55" W.); and within 2½ miles each side of the Sioux City VORTAC 140° and 320° radials, extending from the 5-mile radius zone to 6 miles southeast of the VORTAC.

Sioux Falls, S. Dak.

Within a 5-mile radius of Joe Foss Field (latitude 43°34'55" N., longitude 96°44'35" W.); within 2 miles each side of the Sioux Falls VORTAC 156° radial extending from the 5-mile radius zone to 10 miles southeast of the VORTAC.

Sitka, Alaska

Within a 5-mile radius of the Sitka Airport (lat. 57°02'55" N., long. 135°21'45" W.); within 2 miles each side of the Biorka Island VORTAC 029° and 209° radials, extending from the 5-mile radius zone to 2 miles southwest of the VORTAC; within 2 miles each side of the Sitka RBN 027° and 207° bearings, extending from the 5-mile radius zone to 2 miles southwest of the RBN; and within 2.5 miles each side of the localizer northwest course, extending from the 5-mile radius zone to 14 miles northwest of the localizer.

AMENDMENTS 1/31/74 38 F. R. 33392 (Rewritten)

South Bend, Ind.

Within a 5-mile radius of Michiana Regional Airport, South Bend, Ind. (Lat. 41°42'15" N., Long. 86°18' 50" W).

AMENDMENTS 11/6/74 39 F. R. 41518 (Changed)

South Weymouth, Mass.

Within a 5-mile radius of South Weymouth NAS (latitude 42°08'55" N., longitude 70°56'25" W.); within 2 miles each side of the 337° bearing from the South Weymouth RBN extending from the 5-mile radius zone to the RBN; within 2 miles each side of the South Weymouth TACAN 165° radial extending from the 5-mile radius zone to 6 miles S of the TACAN; and within 2 miles each side of the South Weymouth TACAN 073° radial extending from the 5-mile radius zone to 6 miles E of the TACAN.

This control zone is effective from 0700-2300 hours, local time, Monday through Thursday; 0700-2400 hours, local time, Friday; 0001-2400 hours, local time, Saturday; 0001-2300 hours, local time, Sunday; or during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Spartanburg, S. C.

Within a 5-mile radius of Spartanburg Downtown Memorial Airport (latitude 34°54′55″ N., longitude 81°57′32″ W.); within 2 miles each side of Spartanburg VORTAC 196° radial, extending from the 5-mile radius zone to the VORTAC; within 3 miles each side of the 237° bearing from Fairmont RBN, extending from the 5-mile radius zone to 8.5 miles southwest of the RBN; excluding the portion within the Greer (Greenville-Spartanburg Airport), S. C. control zone. This control zone is effective from 0600 to 2200 hours, local time, daily.

Spokane, Wash. (Fairchild AFB)

Within a 5-mile radius of Fairchild AFB (latitude 47°36'55" N., longitude 117°39'20" W.); within 2 miles each side of the Runway 23 extended centerline, extending from the 5-mile radius zone to 4 miles southwest of the liftoff end of Runway 23; and within 4 miles northwest and 4.5 miles southeast of the Spokane VORTAC 048° and 228° radials extending from 3 miles northeast to 8 miles southwest of the VORTAC, excluding the portion east of a line extending from latitude 47°30'19" N., longitude 117°34'45" W., to latitude 47°40'57" N., longitude 117°36'00" W.

Spokane, Wash. (Felts Field)

That airspace within a 5-mile radius of Felts Field (latitude 47°41'00" N., longitude 117°19'20" W.); within 2 miles northwest and 4.5 miles southeast of the Spokane VORTAC 060° radial, extending from the 5-mile radius zone to 11 miles northeast of the VORTAC, and within 2 miles each side of the 086° bearing from the Fort LOM, extending from the 5-mile radius zone to the LOM, excluding the portion within the Spokane, Wash. (International) control zone.

Spokane, Wash. (International)

Within a 5-mile radius of the Spokane International Airport (latitude 47°37'35" N., longitude 117°32'05" W.), within 2 miles each side of the Runway 21 centerline extended, extending from the 5-mile radius zone to 6 miles southwest of the lift-off end of Runway 21, and within 2 miles northwest and 4.5 miles southeast of the Spokane VORTAC 060° radial, extending from the VORTAC to 11 miles northeast of the VORTAC, excluding the portion west of a line extending from latitude 47°30'19" N., longitude 117°34'45" W., to latitude 47°40'57" N., longitude 117°36'00" W.

Springfield, Ill.

That airspace within a 5-mile radius of Capital Airport (latitude 39°50'35" N., longitude 89°40'35" W.); within 2 miles each side of the Capital ILS localizer southwest course, extending from the 5-mile radius zone to the OM; within 2 miles each side of the Capital VORTAC 040° radial, extending from the 5-mile radius zone to 12 miles northeast of the VORTAC; within 2 miles each side of the Capital VORTAC 036° radial, extending from the 5-mile radius zone to 7 miles northeast of the VORTAC; and within 2 miles each side of the Capital VORTAC 058° radial, extending from the 5-mile radius zone to 8 miles northeast of the VORTAC.

Springfield, Mo.

Within a 5-mile radius of the Springfield Municipal Airport (latitude 37° 14' 35" N., longitude 93° 23' 20" W.) and within 2 miles W and 2.5 miles E of the Springfield WORTAC 2000 radial. extending from the 5-mile radius zone to the VORTAC.

Stockton, Calif.
Within a 5-mile radius of Stockton Municipal Airport (latitude 37°53'39" N., longitude 121°14'14" W.); within 2 miles each side of the Stockton VORTAC 321° radial, extending from the 5-mile radius zone to the WORTAC, and within 2 miles each side of the Stockton ILS localizer SE course, extending from the 5-mile radius zone

Sumter, S. C.

Within a 5-mile radius of Shaw AFB (lat. 33°58'15" N., long. 80°28'19" W.); within 1.5 miles each side of Shaw AFB TACAN 033° radial, extending from the 5-mile radius zone to 6.5 miles northeast of the TACAN: within 2 miles east side of Shaw AFB TACAN 2130 radial, extending from the 5-mile radius zone to 8.5 miles southwest of the TACAN.

AMENDMENTS 1/2/74 38 F. R. 35299 (Changed)

Syracuse, N. Y.

Within a 5-mile radius of the center, latitude 43°06'50" N., longitude 76°06'35" W., of Syracuse Hancock International Airport extending clockwise from a 200° bearing to a 160° bearing from the airport; within a 6.5-mile radius of the center of the airport extending clockwise from a 160° to a 200° bearing from the airport; within 2.5 miles each side of the Syracuse Hancock International Airport Runway 10 ILS localizer back course extending from the localizer to a point 5 miles west of the localizer and within 1.5 miles each side of the Syracuse VORTAC 300° radial extending from the 5-mile radius area to the VORTAC excluding that airspace within a 0.5-mile radius of the center, lat. 43°10'45" N., long. 76°07'30" W. of Michael Field, Cicero, N. Y.

Tacoma, Wash, (McChord AFB)

Within a 5-mile radius of McChord AFB (latitude 47°08'20" N., longitude 122°28'30" W.), excluding the portion SW of a line extending from latitude 47°09'12" N., longitude 122°35'15" W., to latitude 47°04'15" N., longitude 122°31'15" W.; within 2 miles each side of the McChord AFB VOR 182° radial, extending from the 5-mile radius zone to 7.5 miles S of the VOR.

Tacoma, Wash. (Tacoma Industrial Airport)

Within a 5-mile radius of Tacoma Industrial Airport (latitude 47°15'55" N., longitude 122°34'40" W.). excluding the portion E of a line 2 miles E of and parallel to the 009° bearing from the Gray AAF RBN; within 2 miles each side of the 009° bearing from the Gray AAF RBN, extending from the 5-mile radius zone to 1 mile N of the RBN, excluding the portion within the McChord AFB control zone, and within 2 miles each side of the 187° bearing from the Crescent RBN (latitude 47°21'29" N., longitude 122°33'41" W.), extending from the 5-mile radius zone to 1 mile S of the RBN. The control zone will be effective during the times established in advance by a Notice to Airmen continuously published in the Airman's Information Manual.

Talkeetna, Alaska

Within a 5-mile radius of Talkeetna Airport (latitude 62°19'20" N., longitude 150°05'20" W.). This control zone is effective from 0800 to 2400 hours local time daily, or during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Tallahassee, Fla.

Within a 5-mile radius of Tallahassee Municipal Airport (lat. 30°23'59" N., long. 84°21'22" W.); within 1.5 miles each side of the Tallahassee VORTAC 1750 radial, extending from the 5-mile radius zone to 1.5 miles south of the VORTAC; within 1 mile each side of the ILS localizer north course extending from the 5-mile radius zone to 1.5 miles south of the Joseph Intersection.

Tampa. Fla. (International Airport)

Within a 5-mile radius of Tampa International Airport (lat. 27°58'59" N., long. 82°31'38" W.); within 1.5 miles each side of St. Petersburg VORTAC 064° radial, extending from the 5-mile radius zone to 1 mile northeast of the VORTAC; excluding the portion within St. Petersburg control zone and the portion southeast of a line 2 miles north of and parallel to MacDill AFB ILS localizer northeast course.

Tanana, Alaska

That airspace within a 5-mile radius of the Ralph M. Calhoun Memorial Airport (latitude 65°10'30" N., longitude 152°06'32" W.)

and within 3.5 miles each side of the 251° bearing from the Bear Creek radio beacon, extending from the 5-mile radius zone to 11.5 miles west of the RBN, effective 0545 to 2145 hours, local time, daily or during the specific dates and times established in advance by Notice to Airmen. The effective date and time would thereafter be continuously published in the Flight Information Publication Supplement Alaska.

Temple, Tex.

That airspace within a 5-mile radius of the Draughon-Miller Airport, Temple, Tex. (latitude 31°09'10" N., longitude 97°24'25" W.); and within 2 miles each side of the Temple, Tex., VOR 348° radial extending from the 5-mile radius zone to 11.5 miles N of the VOR. This control zone is effective during the dates and times published in the Airman's Information Manual.

Terre Haute, Ind.

Within a 5-mile radius of Hulman Field (latitude 39°27'00" N., longitude 87°18'40" W.); within 2 miles each side of the Terre Haute ILS localizer southwest course, extending from the 5-mile radius zone to the OM; within 2 miles each side of the Terre Haute VORTAC 051° radial, extending from the 5-mile radius zone to 12 miles northeast of the VORTAC; and within 2 miles each side of the Terre Haute VORTAC 230° radial, extending from the 5-mile radius zone to 19 miles southwest of the VORTAC.

Teterboro, N. J.

Within a 5-mile radius of the center, 40°50'57" N., 74°03'47" W. of Teterboro Airport, Teterboro, N. J.; within 3.5 miles each side of the Teterboro Airport ILS localizer southwest course, extending from the 5-mile radius zone to 11 miles southwest of the OM; excluding the portion that coincides with the Newark, N. J., control zone.

Texarkana, Ark.

That airspace within a 5-mile radius of the Texarkana, Ark., Municipal Airport (latitude 33°27'20" N., longitude 93°59'15" W.); and within 2 miles each side of the 129° radial of the Texarkana VORTAC extending from the 5-mile radius zone to 0.5 mile SE of the VORTAC.

Thermal, CA.

Within a 5-mile radius of Thermal Airport (latitude 33°37'40" N., longitude 116°09'45" W.).

Thief River Falls, Minn.

Within a 5-mile radius of Thief River Falls, Minn., Municipal Airport (latitude 48°03'58" N., longitude 96°11'06" W.), within 2 miles each side of the 138° bearing from Thief River Falls Municipal Airport extending from the 5-mile radius zone to 8 miles SE of the airport, and within 2 miles each side of the 305° bearing from Thief River Falls Municipal Airport extending from the 5-mile radius zone to 8 miles NW of the airport. This control zone will be effective during the times designated by a Notice to Airmen and continuously published in the Airman's Information Manual.

Titusville, Fla.

Within a 5-mile radius of TI-CO Airport (latitude 28°30'42" N., longitude 80°48'00" W.); excluding the portion within R-2902A. This control zone is effective during the specific dates and times established in advance by a notice to airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Toledo, Ohio

Within a 5-mile radius of the center of Toledo Express Airport, Toledo, Ohio 41°35'15" N., 83°48'23" W.; within 2 miles each side of the airport ILS localizer SW course extending from the 5-mile radius zone to OM; within 2 miles each side of the airport ILS localizer NE course extending NE from the 5-mile radius zone for 7.5 miles from the localizer and within 2 miles each side of the Waterville VOR 318° radial extending from the 5-mile radius zone to 7 miles northwest of the VOR.

Tonopah, Nev.

Within a 5-mile radius of Tonopah Airport (latitude 38003'30" N., longitude 117005'00" W.) and within 3.5 miles each side of the Tonopah VORTAC 1150 radial, extending from the 5-mile radius zone to 10 miles southeast of the VORTAC.

Topeka, Kans. (Forbes AFB)

Within a 5-mile radius of Forbes AFB (latitude 38°57'10" N., longitude 95°39'50" W.), within 2 miles each side of the Forbes AFB TACAN 321° radial extending from the 5-mile radius zone to 6 miles NW of the TACAN, and within 2 miles each side of the Forbes AFB ILS localizer SE course, extending from the 5-mile radius zone to 1 mile SE of the OM, excluding the portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Topeka, Kans. (Philip Billard Airport) control zone.

Topeka, Kans. (Philip Billard Airport)

Within a 5-mile radius of Philip Billard Airport (latitude 39°04'09" N., longitude 95°37'18" W.), within 2 miles each side of the Topeka VORTAC 219° radial extending from the 5-mile radius zone to the VORTAC, and within 2 miles each side of the Philip Billard Airport ILS localizer SE course, extending from the 5-mile radius zone to 11 miles SE of the SE end of the Philip Billard Airport Runway 31, excluding the portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Topeka, Kans. (Forbes AFB) control zone.

Torrance, CA.

Within a 3-mile radius of Torrance Municipal Airport (latitude 33°48'10" N., longitude 118°20'20" W.), within 2 miles each side of the Los Angeles VORTAC 150° radial, extending from the 3-mile radius zone to 7 miles southeast of the VORTAC, and within 1 mile each side of the Torrance localizer course extending from the 3-mile radius zone to 5 miles southeast of the lift-off end of Runway 11L. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Traverse, City, Mich.

Within a 5-mile radius of Cherry Capital Airport (latitude 44°44'35" N., longitude 85°34'55" W.); and within 3 miles each side of the Traverse City VORTAC 158° and 338° radials, extending from the 5-mile radius zone to 8 miles south of the VORTAC.

Trenton, N. J.

Within a 5-mile radius of Mercer County Airport, Trenton, N. J. (latitude 40° 16' 33" N., longitude 74° 48' 55" W.); within 2.5 miles N and 2 miles S of the Yardley, Pa., VOR 071° and 065° radials, extending from the 5-mile radius zone to the VOR, excluding the portion within a 1-mile radius of the Morrisville, Pa., Airport (latitude 40°12'00" N., longitude 74°48'55" W.).

Tri-City, Tenn.

Within a 5-mile radius of Tri-City Municipal Airport (latitude 36°28'30" N., longitude 82°24'20" W.); within 2 miles each side of Tri-City ILS localizer Northeast course, extending from the 5-mile radius zone to the OM; within 3 miles each side of the 042° and 222° bearings from Boone RBN, extending from the 5-mile radius zone to 11 miles southwest of the RBN.

Trinidad, Colo.

Within a 5-mile radius of Los Animas County Airport (latitude 37°15'35" N., longitude 104°20'21" W.), and within 2 miles each side of the 352° bearing from the Trinidad, Colo., RBN extending from the 5-mile radius zone to 8 miles north of the RBN.

Troutdale, Oreg.

That airspace bounded on the north by a 5-mile radius area centered on the Portland-Troutdale Airport (lat. 45°33'30" N., long. 122°23'49" W.), on the south and east by a line parallel to and 3 miles southwest and hortheast of the 119° bearing from the Lake LOM (lat. 45°32'38" N., long. 122°27'49" W.), extending from the LOM to 8 miles southeast, and on the west by the 154° radial of the Portland VORTAC. This control zone shall be effective from 0700 to 2300 hours, local time daily.

Troy, Ala.

Within a 5-mile radius of Troy Municipal Airport (latitude 31°51'40" N., longitude 86°00'45" W.); within 2 miles each side of the ILS localizer west course, extending from the 5-mile radius zone to the OM; within 3 miles each side of the 197° radial of the Troy VOR, extending from the 5-mile radius zone to 8.5 miles south of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Truth or Consequences, N. Mex.

That airspace within a 5-mile radius of Truth or Consequences Municipal Airport (latitude 33°14'10" N., longitude 107°16'15" W.), and within 3.5 miles either side of the Truth or Consequences, N. Mex., VORTAC 013° and 193° radials extending from the 5-mile radius zone to a point 9.5 miles north of the VORTAC.

Tucson, Ariz. (Davis-Monthan AFB)

Within a 5-mile radius of Davis-Monthan AFB (latitude 32°10'00" N., longitude 110°53'00" W.) excluding the portion subtended by a chord drawn between the points of INT of the Davis-Monthan 5-mile radius zone and the Tucson International 5-mile radius zone, and within 2 miles SW and 2.5 miles NE of the Davis-Monthan ILS Localizer SE course, extending from the 5-mile radius zone to the OM.

Tucson, Ariz. (Tucson International Airport)

Within a 5-mile radius of Tucson International Airport (latitude 32°07'05" N., longitude 110°56'32" W.); within 3 miles each side of the Tucson VORTAC 2730 radial extending from the 5-mile radius zone to 15 miles west of the VORTAC; within 2 miles each side of the extended centerline of Runway 21L extending from the 5-mile radius zone to 5 miles southeast of the lift-off end of Runway 12L; within 2 miles northeast and 2.5 miles southwest of the extended centerline of Runway 30R extending from the 5-mile radius zone to 15.5 miles northwest of the lift-off end of Runway 30R, and within 2 miles southeast and 3 miles northwest of the extended centerline of Runway 21 extending from the 5-mile radius zone to 6.5 miles southwest of the lift-off end of Runway 21, excuding the portion subtended by a chord drawn between the points of INT of the Tucson International Airport 5-mile radius zone with the Davis Monthan-AFB 5-mile radius zone.

Tucumcari, N. Mex.

That airspace within a 6-mile radius of the Tucumcari Municipal Airport (latitude 35°10'50" N., longitude 103° 35'15" W.); within 2.5 miles each side of the Tucumcari, N. Mex., VORTAC 033º radial extending beyond the 6mile radius zone to a point 6.5 miles northeast of the VORTAC; and within 2.5 miles each side of the Tucumcari, N. Mex., VORTAC 0780 radial extending beyond the 6-mile radius zone to a point 6.5 miles east of the VORTAC.

Tulsa, Okla.

That airspace within a 5-mile radius of the Tulsa International Airport (latitude 36°12'00" N., longitude 95°53'15" W.); within 2 miles each side of the Tulsa ILS localizer N course, extending from the 5-mile radius zone to 1 mile S of the OM; within 2 miles each side of the Tulsa ILS localizer S course, extending from the 5-mile radius zone to 0.5 mile N of the OM; and within 2 miles each side of the Tulsa VORTAC 268° Radial, extending from the 5-mile radius zone to the VORTAC.

Tulsa, Okla. (Riverside Airport)

Within a 5-mile radius of Riverside Airport (latitude 36°02'19" N., longitude 95°59'00" W.), within 2 miles each side of the Glenpool TVOR 349° radial extending from the 5-mile radius zone to the TVOR and within 2.5 miles each side of the Tulsa VORTAC 223° radial extending from the 5-mile radius zone to 21 miles southwest of the VORTAC. This control zone is effective during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/31/74 38 F. R. 28649 (Rewritten) AMENDMENTS 7/18/74 39 F. R. 15099 (Rewritten) AMENDMENTS 10/10/74 39 F. R. 27316 (Rewritten)

Tupelo, MS.

Within a 5-mile radius of C. D. Lemons Municipal Airport (lat. 34015'32" N., long. 88045'32" W.); within 3 miles each side of Tupelo VOR 2140 radial, extending from the 5-mile radius zone to 8.5 miles southwest of the VOR. This control zone is effective from 0700 to 2130 hours, local time, Monday through Friday; 0700 to 2000 hours, local time, Saturday, and 1100 to 2130 hours, local time, Sunday.

Tuscaloosa, Ala,

Within a' 5-mile radius of Van De Graaff Airport (lat. 33°13'16" N., long. 87°36'39" W.); within 1.5 miles each side of the ILS localizer southwest course, extending from the 5-mile radius zone to 0.5 mile northeast of the OM.

Twin Falls, Idaho

Within a 5-mile radius of the Twin Falls City-County (Joslin Field), Idaho Airport (latitude 42°28'54" N., longitude 114°29'11" W.) within 5 miles each side of Twin Falls VORTAC 086° and 281° radials, extending from the 5-mile radius zone to 10.5 miles east and 10.5 miles west of the VORTAC. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter by continuously published in the Airman's Information Manual.

Tyler, Tex.

That airspace within a 5-mile radius of Pounds Field, Tyler, Tex. (latitude 32°21'15" N., longitude 95°23' 55" W.); within 2 miles each side of the Pounds Field ILS localizer NW course extending from the 5-mile radius zone to 0.5 mile SE of the OM, and within 2 miles each of the Pounds Field ILS localizer SE course extending from the 5-mile radius zone to 6 miles SE of the airport.

Tyndall AFB, Fla.

Within a 5-mile radius of Tyndall AFB (latitude 30°04'15" N., longitude 85°34'30" W.); within 1.5 miles each side of the Tyndall AFB TACAN 308° radial, extending from the 5-mile radius zone to 6.5 miles northwest of the TACAN.

Unalakleet, Alaska

Within a 5-mile radius of Unalakleet Airport (lat. 63°53'12" N., long. 160°47'42" W.); within 3.5 miles each side of the Unalakleet 225° radial, extending from the VORTAC to 12.5 miles southwest of the VORTAC, and within 3.5 miles each side of the North River, Alaska, RBN 290° bearing, extending from the 5-mile radius zone to 8.5 miles west of the RBN. This control zone is effective during the specific dates and times established in advance

by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Flight Information Publication Supplement Alaska.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

Utica, N. Y.

Within a 5-mile radius of the center, lat. 43°08'45" N., long. 75°22'55" W. of Oneida County Airport, Utica, N. Y.; within 2 miles each side of the 317° bearing from the Clay RBN, extending from the 5-mile radius zone to 3 miles northwest of the RBN; within 2 miles each side of the Utica VORTAC 306° radial, extending from the 5-mile radius zone to 1 mile northwest of the VORTAC, excluding the portion within the Rome, N. Y., control zone.

PENDING AMENDMENT

Valdez, Alaska

Within a 3-mile radius of the Valdez Municipal Airport, latitude 61°07'58" N., longitude 146°14'24" W. This control zone is effective from 0800 to 1600 local time daily from mid-October to mid-May, and from 0600 to 2200 local time daily from mid-May to mid-October or during specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the U. S. Government Flight Information Publication Supplement Alaska.

AMENDMENTS 1/2/75 39 F. R. 40491 (Added)

Valdosta, GA, (Moody AFB)

Within a 5-mile radius of Moody AFB (lat. 30°58'01" N., long. 83°11'27" W.); within 1 mile each side of the ILS localizer N course, extending from the 5-mile radius zone to 1 mile north of the OM; within 3 miles each side of Moody VOR 007° radial, extending from the 5-mile radius zone to 8.5 miles north of the VOR; within 3 miles each side of the Moody VOR 178° radial, extending from the 5-mile radius zone to 8.5 miles south of the VOR. This control zone is effective from 0700 to 2300 hours, local time, Monday through Thursday; from 0700 to 2130 hours, local time, Friday; from 0900 to 1600 hours, local time, Saturday and from 1000 to 1600 hours, local time, Sunday; excluding Federal legal holidays.

AMENDMENTS 1/16/74 39 F. R. 3552 (Changed) AMENDMENTS 3/12/74 39 F. R. 10427 (Changed)

Valdosta, Ga. (Valdosta Municipal Airport)

Within a 5-mile radius of Valdosta Municipal Airport (lat. 30°46'58" N., long. 83°16'44" W.).

Vandenberg AFB, Calif.

Within a 5-mile radius of Vandenberg AFB, Lompoc, Calif. (latitude 34°43'50" N., longitude 120°34'30" W.); within 2 miles each side of the Vandenberg AFB ILS localizer southeast course, extending from the 5-mile radius zone to 2.5 miles northwest of the OM, and within a 1-mile radius of Lompoc Airport (latitude 34°39'55 N., longitude 120°27'55" W.), excluding that portion within R-2516.

This control zone is effective from 0700 to 2300 hours local time daily.

Van Nuys, CA.

Within a 5-mile radius of Van Nuys Airport (latitude 34°12'30" N., longitude 118°29'15" W.), within 2.5 miles each side of the 350° radial of the Van Nuys VOR/DME facility extending from the 5-mile radius zone to 9.5 miles north of the facility, excluding the portion east of a line from latitude 34°16'00" N., longitude 118°25' 55" W. to latitude 34°09'25" N., longitude 118°25'40" W.

Vernal, Utah

Within a 5-mile radius of Vernal Airport (latitude 40°26'30" N., longitude 109°30'50" W.), and within 3 miles each side of the Vernal VOR 157° radial, extending from the 5-mile radius zone to 8.5 miles S of the VOR. This control zone will be effective during the times established in advance by a Notice to Airmen and continuously published in the Airman's Information Manual.

Vero Beach, Fla.

Within a 5-mile radius of Vero Beach Municipal Airport (lat. 27°39'05" N., long. 80°24'51" W.).

Vichy, MO.

Within a 5-mile radius of the Rolla National Airport (latitude 38°07'40" N., longitude 91°46'10" W.); and within 3 miles each side of the 067° radial of the Vichy VORTAC extending from the 5-mile radius zone to 62 miles northeast of the Vichy VORTAC.

Victoria, Tex.

Within a 5-mile radius of the Victoria County-Foster Airport (lat. 28°51'10" N., long. 96°55'20" W.) and within 3 miles each side of the Victoria, Tex., VOR 313° radial extending from the 5-mile radius zone to 10.5 miles northwest of the VOR.

Victorville, Calif.

Within a 5-mile radius of George AFB, Victorville, Calif. (latitude 34°35'45" N., longitude 117°22'55" W.) and within 2 miles each side of the 005° radial of the George TACAN (latitude 34°35'40" N., longitude 117°23'20" W.) extending from the 5-mile radius zone to 9 miles north of the TACAN. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual AMENDMENTS 7/18/74 39 F. R. 18424 (Rewritten)

AMENDMENTS 10/10/74 39 F. R. 28976 (Rewritten)

Visalia, Calif.

Within a 4-mile radius of the Visalia Municipal Airport (latitude 36°19'10" N., longitude 119°23'35" W.), and within 2 miles each side of the Visalia VOR 123° radial, extending from the 4-mile radius zone to the VOR, excluding the portion within a 1-mile radius of Green Acres Airport, Visalia, C-lif. (latitude 36°20'20" N., longitude 119°19'30" W.). This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously in the Airman's Information Manual.

Waco, Tex.

That airspace within a 5-mile radius of Waco-Madison Cooper Airport (latitude 31°36'40" N., longitude 97°13'40" W.); within 2 miles each side of the Waco VORTAC 330° radial extending from the 5-mile radius zone to 8 miles northwest of the VORTAC; within 2 miles each side of the Waco ILS localizer north course extending from the 5-mile radius zone to the OM and within a 5-mile radius of James Connally Airport (latitude 31°38'00" N., longitude 97°04'00" W.).

AMENDMENTS 3/18/74 39 F. R. 10117 (Added)

AMENDMENTS On Publ: 4/22/74 39 F. R. 14195 (Rewritten)

AMENDMENTS On Publ: 4/22/74 35 F. R. 14155 (Rewr

Waimea-Kohala, Hawaii

Within a 5-mile radius of the Waimea-Kohala Airport (latitude 20°00'17" N., longitude 155°40'16" W), and within an area 2 miles on the northwest side and 3 miles on the southeast side of the Kamuela VOR 063° radial, extending from the 5-mile radius zone to 9 miles northeast of the Kamuela VOR. This control zone is effective during times established in advance by a Notice to Airmen. The effective times will thereafter be continuously published in the Pacific Chart Supplement.

Wake Island

Within a 5-mile radius of Wake Island Airport (lat. 19°16'50" N., long. 166°38'30" E.); within 3.5 miles each side of the Wake Island VORTAC 307° radial, extending from the 5-mile radius zone to 11.5 miles northwest of the VORTAC; within 3.5 miles each side of the 281° bearing from the Wake Island RBN (AXX), extending from the 5-mile radius zone to 11.5 miles west of the RBN; within 3.5 miles each side of the 101° bearing from the Wake Island RBN (AWK), extending from the RBN to 11.5 miles east of the RBN; and within 4.5 miles each side of the Wake Island VORTAC 111° radial, extending from the 5-mile radius zone to 20.5 miles east of the VORTAC.

Walla Walla, Wash.

Within a 5-mile radius of Walla Walla City-County Airport (latitude 46°05'35" N., longitude 118°17'20" W.), within 3 miles each side of the Walla Walla VOR 215° radial, extending from the 5-mile radius zone to 8 miles southwest of the VOR and that airspace within an arc of a 14-mile radius circle centered on the Walla Walla VOR extending clockwise from a line 4 miles west to a line 4 miles southeast of and parallel to the Walla Walla VOR 354° and 036° radials.

Washington, D. C.

Within a 5-mile radius of the center, 38°51'07" N., 77°02'23" W., of Washington National Airport; within 1.5 miles each side of the Washington National Airport ILS localizer south course, extending from the 5-mile radius zone to 1 mile south of the OM; within 2 miles each side of the Washington National Airport ILS localizer south course, extending from the 5-mile radius zone to the OM; within 2.5 miles each side of the extended centerline of Washington National Airport Runway 15, extending from the 5-mile radius zone to 5 miles southeast of the southeast end of the runway; within 2.5 miles each side of the extended centerline of Washington National Airport Runway 33, extending from the 5-mile radius zone to 5 miles northwest of the northwest end of the runway; within 1.5 miles each side of the Washington VOR 320° radial, extending from the 5-mile radius zone to 6.5 miles northwest of the VOR; within 2.5 miles each side of the Washington VOR 3260 radial, extending from the 5-mile radius zone to 5.5 miles northwest of the VOR; within 2.5 miles each side of a 190° bearing from 38°55'13" N., 76°57'50" W., extending from said point to 5 miles south; excluding the portion within P-56, the east portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone with the Camp Springs, Md., control zone, the portion of the southeast extension described by reference to the extended centerline of Washington National Airport Runway 15 that coincides with the Camp Springs, Md., control zone and the portion of the north extension described by reference to a 190° bearing from 38°55'13" N., 76°57'50" W., that coincides with the Camp Springs, Md., control zone. AMENDMENTS 12/5/74 39 F. R. 35569 (Rewritten)

Materloo, Iowa

Within a 5-mile radius of Waterloo Municipal Airport (lat. 42°33'20" N., long. 92°24'00" W.); within 2½ miles each side of the Waterloo, Iowa, VORTAC 078° radial extending from the 5-mile radius zone to 6 miles east of the VORTAC; and within 2½ miles each side of the Waterloo, Iowa, VORTAC 194° radial extending from the 5-mile radius zone to 6½ miles south of the VORTAC; and within 3½ miles each side of the Waterloo, Iowa, VORTAC 001° radial extending from the 5-mile radius zone to 10½ miles north of the VORTAC; and within 3½ miles each side of the Waterloo, Iowa, VORTAC 316° radial extending from the 5-mile radius zone to 10½ miles northwest of the airport.

Watertown, N. Y.

That airspace within a 5-mile radius of the center 43°59'20" N., 76°01'20" W. of Watertown International Airport, Watertown, N. Y., and within 3 miles each side of the Watertown, N. Y., VOR 211° radial, extending from the 5-mile radius zone to 8 miles southwest of the VOR.

Watertown, S. Dak.

Within a 5-mile radius of Watertown Municipal Airport (latitude 44°54'51" N., longitude 97°09'16" W.); within 1.5 miles each side of the Watertown VORTAC 001° radial, extending from the 5-mile radius zone to 2.5 miles north of the VORTAC; and within 1 mile each side of the Watertown VORTAC 181° radial, extending from the 5-mile radius zone to 10.5 miles south of the VORTAC.

Wausau, Wis.

Within a 5-mile radius of the Wausau Municipal Airport (latitude $44^{\circ}55'35''$ N., longitude $89^{\circ}37'35''$ W.); and within $2\frac{1}{2}$ miles each side of the 142° bearing from the Wausau Municipal Airport extending from the 5-mile radius zone to 6 miles southeast.

Wenatchee, Wash.

Within a 5-mile radius of Pangborn Field, Wenatchee, Wash. (lat. 47°24'00" N., longitude 120°12'30" W.) and within 3 miles each side of the Wenatchee VOR 124° radial extending from the 5-mile radius zone to 8 miles southeast of the VOR, excluding the airspace within a 1-mile radius of Fancher Field, Wash. (latitude 47°26' 55" N., longitude 120°16'40" W.).

Westfield, Mass.

Within a 5-mile radius of the center 42°09'25" N., 72°42'50" W. of Barnes Municipal Airport, Westfield, Mass.; within 3 miles each side of the Barnes VOR 012° radial, extending from the 5-mile radius zone to 10 miles north of the VOR; and within 2 miles each side of the Runway 33 centerline extended from the 5-mile radius zone to 7.5 miles northwest of the end of the runway, excluding the portion which coincides with the Westover, Mass., control zone. This control zone is effective from 0700 to 2300 hours, local time, daily.

Westhampton Beach, NY.

Within a 5.5-mile radius of Suffolk County Airport (lat. 40°50'39" N., long. 72°37'49" W.), excluding that portion within the Calverton, NY., control zone. This control zone shall be in effect from 0700 to 2300 hours, local time, daily.

PENDING AMENDMENT

West Memphis, Ark.

Within a 5-mile radius of the Municipal Airport, West Memphis, Ark. (latitude 35°08'24" N., longitude 90°14' 00" W.); within 3 miles each side of the 351° bearing from the West Memphis RBN (latitude 35°08'20" N., longitude 90°14'02" W.), extending from the 5-mile radius zone 8 miles north of the RBN; and within 3 miles each side of the 186° bearing from the West Memphis RBN, extending from the 5-mile radius zone to 8 miles south of the RBN. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

AMENDMENTS 1/30/75 39 F. R. 41518 (Added)

Westover, Mass.

Within a 5-mile radius of the center, 42°11'40" N., 72°32'15" W., Westover AFB, Chicopee Falls, Mass.; within 2 miles each side of the Westover ILS localizer NE course extending from the 5-mile radius zone to 10 miles NE of the OM; within 2 miles each side of Chicopee TACAN 028° radial extending from the 5-mile radius zone to 8 miles NE of the TACAN and within 2 miles each side of the Westover AFB TACAN 221° radial extending from the 5-mile radius zone to 6 miles SW of the TACAN.

Wayers Cave. Va.

Within a 5-mile radius of the center (lat. 38°15'49" N., long. 78°53'46" W.), of Shenandoah Valley Airport, Weyers Cave, Va., and within 3.5 miles each side of the Shenandoah Valley Airport ILS localizer southwest course, extending from the 5-mile radius zone to 11.5 miles southwest of the OM. This control zone is effective during the specific days and times established in advance by a Notice to Airmen. The effective times will thereafter be published in the Airman's Information Manual.

AMENDMENTS 9/12/74 39 F. R. 26630 (Changed)

FEDERAL REGISTER

Wheeling, W. Va.

Within a 5-mile radius of Wheeling-Ohio County Airport (latitude 40° 10' 25" N., longitude 80° 38' 55" W.); within 2 miles each side of the Wheeling VOR 216° radial, extending from the 5-mile radius zone to the VOR, and within 2 miles each side of the Wheeling ILS localizer SW course, extending from the 5-mile radius zone to the OM.

Whidbey Island, Wash.

Within a 5-mile radius of Ault Field, Whidbey Island, Wash. (latitude 48°21'10" N., longitude 122°39'20" W.), within 2 miles each side of the Whidbey Island TACAN 351° radial, extending from the 5-mile radius zone to 6 miles north of the TACAN, and within 2 miles each side of the 283° bearing from the Whidbey Island RBN, extending from the 5-mile radius zone to 8 miles west of the RBN.

White Plains, N. Y.

Within a 5-mile radius of the center, 41°04'00" N., 73°42'33" W., of Westchester County Airport, White Plains, N. Y., extending clockwise from a 055° bearing to a 305° bearing from the airport; within a 6-mile radius of the center of the airport extending clockwise from a 305° bearing to a 055° bearing from the airport; and within 2 miles each side of the extended centerline of Runway 16, extending from the southeast end of Runway 16 to 4 miles southeast of the southeast end of Runway 16.

AMENDMENTS 9/12/74 39 F. R. 26630 (Rewritten)

Wichita, Kans. (McConnell AFB)

Within a 5-mile radius of McConnell AFB (latitude 37°37'25" N., longitude 97°16'00" W.); within 2 miles west and 4 miles east of the McConnell AFB TACAN 008° radial, extending from the 5-mile radius zone to 7 miles north of the TACAN; and within 2 miles each side of the McConnell AFB TACAN 199° radial, extending from the 5-mile radius zone to 6 miles south of the TACAN, excluding the portion subtended by a chord drawn between the points of INT of the 5-mile radius zone with the Wichita, Kans. (Wichita Municipal), control zone.

Wichita, KS. (Wichita Municipal)

Within a 5-mile radius of the Wichita, KS., Municipal Airport (latitude 37°39'09" N., longitude 97°25'47" W.); and within 2 miles each side of the Wichita Municipal Airport ILS localizer north course, extending to 7.5 miles north, excluding that portion subtended by a chord drawn between the points of INT of the 5-mile-radius zone of the Wichita, KS., (McConnell AFB), 5-mile-radius control zone.

Wichita Falls, Tex.

That airspace within a 5-mile radius of Sheppard AFB/Municipal Airport, Wichita Falls, Tex., (latitude 33°58'55" N., longitude 98°29'35" W.); within 2 miles each side of the Wichita Falls VORTAC 092° radial extending from the 5-mile radius zone to the VORTAC; within 2 miles each side of the ILS localizer SE course extending from the 5-mile radius zone to the OM; within 2 miles each side of the Sheppard TACAN 333° radial extending from the 5-mile radius zone to 7.5 miles N of the TACAN, and within 2 miles each side of the Sheppard TACAN 163° radial extending from the 5-mile radius zone to 7 miles S of the TACAN.

Wilkes-Barre, Pa.

Within an 8-mile radius of the center, lat. 41°20'18" N., long. 75°43'29" W. of Wilkes-Barre-Scranton Airport, extending clockwise from a 235° bearing to a 355° bearing from the airport; within an 11-mile radius of the center of the airport, extending clockwise from a 355° bearing to a 025° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 025° bearing to a 050° bearing from the airport; within a 12-mile radius of the center of the airport, extending clockwise from a 050° bearing to a 210° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 210° bearing to a 235° bearing from the airport; within 3.5 miles each side of the Wilkes-Barre-Scranton Airport ILS localizer southwest course extending from the 0M to 6 miles southwest of the 0M and within 4-miles each side of the Wilkes-Barre-Scranton Airport ILS localizer northeast course extending from the localizer to a point 11.5 miles northeast of the localizer.

Williamsport, Pa.

Within a 6-mile radius of the center, 41°14′32″ N., 76°55′12″ W. of Williamsport-Lycoming County Airport, extending clockwise from a 099° bearing to a 145° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 145° bearing to a 172° bearing from the airport; within a 6.5-mile radius of the center of the airport, extending clockwise from a 172° bearing to a 203° bearing from the airport; within a 14.5-mile radius of the center of the airport, extending clockwise from a 203° bearing to a 241° bearing from the airport; within a 12.5-mile radius of the center of the airport, extending clockwise from a 241° bearing to a 270° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 312° bearing from the airport; within a 13-mile radius of the center of the airport, extending clockwise from a 312° bearing to a 350° bearing from the airport; within an 11-mile radius of the center of the airport, extending clockwise from a 358° bearing from the airport; within an 11.5-mile radius of the center of the airport, extending clockwise from a 358° bearing from the airport; within an 11.5-mile radius of the center of the airport, extending clockwise from a 004° bearing from the airport; within a 13-mile radius of the center of the airport, extending clockwise from a 004° bearing to a 099° bearing from the airport; and within 4 miles each side of the Williamsport-Lycoming County Airport ILS localizer east course, extending from the MM to 8.5 miles east of the MM.

AMENDMENTS 7/18/74 39 F. R. 18427 (Rewritten)

Williston, N. Dak. (Sloulin Airport)

Within a 5-mile radius of the Sloulin International Airport (latitude 48°10'35" N., longitude 103°38'10" W.); within 1½ miles each side of the Williston VOR 136° radial, extending from the 5-mile radius zone to 1½ miles southeast of the VOR; and within 2 miles each side of the 126° bearing from the Sloulin International Airport, extending from the 5-mile radius zone to 10 miles southeast of the airport.

Willoughby, OH.

Within a 5-mile radius of the Lost Nation Airport (latitude 41°40'45" N., longitude 81°23'45" W.); within 4 miles each side of the 088° bearing from the Lost Nation RBN extending from the 5-mile radius zone to 12 miles east of the RBN; within 3 miles each side of the 268° bearing from the RBN extending from the 5-mile radius zone to 8.5 miles west of the RBN; within 3 miles each side of the 050° radial of the Lost Nation TVOR extending from the 5-mile radius zone to 8.5 miles northeast of the TVOR; excluding the portion within the Cleveland, OH. (Cuyahoga County Airport), control zone. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will, thereafter, be continuously published in the Airman's Information Manual.

Willow Grove, Pa.

Within a 5-mile radius of the center, 40°12'00" N., 75°08'55" W. of Willow Grove NAS, Willow Grove, Pa., extending clockwise from a 347° bearing to a 253° bearing from the airport; within a 5.5-mile radius of the center of the airport, extending clockwise from a 253° bearing to a 347° bearing from the airport; within 3 miles each side of the Willow Grove TACAN 136° radial, extending from the TACAN to 7 miles southeast of the TACAN; within 3.5 miles each side of the Willow Grove TACAN 325° radial, extending from the 5-mile radius and 5.5-mile radius zones centered on Willow Grove NAS to 8.5 miles northwest of the TACAN; within 3.5 miles each side of a 330° bearing from the Willow Grove RBN, extending from the 5-mile radius and 5.5-mile radius zone centered on Willow Grove NAS to 10 miles northwest of the RBN; within a 5-mile radius of the center, 40°12'15" N., 75°04'30" W. of Warminster NAF, Warminster, Pa.; within 1.5 miles each side of the Yardley VORTAC 244° radial, extending from the 5-mile radius zone centered on Warminster NAF to 2 miles southwest of the VORTAC; within 3 miles each side of the Warminster TACAN 083° radial, extending from the 5-mile radius zone centered on Warminster NAF to 6 miles east of the TACAN, excluding the south portion subtended by a chord drawn between the points of intersection of the 5-mile radius zone centered on Warminster NAF with the North Philadelphia, Pa., control zone 6-mile radius zone and excluding that portion of the control zone southeast extension described by reference to the Willow Grove TACAN 136° radial that coincides with the North Philadelphia, Pa., control zone. This control zone is effective from 0700 to 2400 hours, local time, Monday through Friday; and 0001 to 2400 hours, local time, Saturday and Sunday or during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information

AMENDMENTS 11/7/74 39 F. R. 33310 (Rewritten)

Wilmington, Del.

Within a 6-mile radius of the center 39°40'42" N., 75°36'27" W., of the Greater Wilmington Airport, Wilmington, Del.; within 3.5 miles each side of the New Castle, Del., VORTAC 281° radial extending from the 6-mile zone to 9.5 miles west of the VORTAC and within 3.5 miles each side of the New Castle VORTAC 114° radial extending from the 6-mile radius zone to 9.5 miles southeast of the VORTAC.

Wilmington, N. C.
Within a 5-mile radius of New Hanover County Airport (latitude 39°16'15" N., longitude 77°54'05" W.).

Windsor Locks, Conn.
Within a 5-mile radius of the center lat. 41°56'19" N., long. 72°41'00" W., of Bradley International Airport, Windsor Locks, Conn.; within 3.5 miles each side of the Bradley International Airport ILS localizer southwest course, extending from the 5-mile radius zone to 11.5 miles southwest of the OM; within 2 miles each side of the centerline of Runway 19 extended from the 5-mile radius zone to 6 miles

S of the end of the runway; within 2 miles each side of the centerline of Runway 15 extended from the 5-mile radius zone to 6 miles SE of the end of the runway within 2 miles each side of the centerline of Runway 6 extended from the 5-mile radius zone to 5 miles from the end of the runway; within 2 miles each side of the centerline of Runway 1 extended from the 5-mile radius zone to 6 miles from the end of the runway.

Wink. Tex.

Within a 3-mile radius of the Winkler County Airport (latitude 31°46'45" N., longitude 103°12'05" W.): within 2 miles each side of the Wink VOR 161° radial, extending from the VOR to 5 miles south of the airport.

Winona, Minn.

Within a 5-mile radius of the Winona Municipal-Max Conrad Field (latitude 44°04'37" N., longitude 91°42'22" W.); within 2½ miles each side of the 319° bearing from Winona Municipal-Max Conrad Field, extending from the 5-mile radius area to 6 miles northwest of the airport and within 3 miles each side of the 107° bearing from the Winona Municipal-Max Conrad Field extending from the 5-mile radius area to 6½ miles east of the airport. This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Winslow, AZ.

Within a 6-mile radius of Winslow Municipal Airport (latitude 35°01'15" N., longitude 110°43'15" W.), and that airspace within an arc of an 8.5-mile radius circle centered on Winslow VORTAC, extending clockwise from a line 3.5 miles south of and parallel to the Winslow 277° radial to a line 3.5 miles north of and parallel to the Winslow 292° radial.

Winston-Salem, N. C.

Within a 5-mile radius of Smith Reynolds Airport (lat. 36°08'01" N., long. 80°13'22" W.); within 2 miles each side of Winston-Salem ILS localizer southeast course, extending from the 5-mile radius zone to the LOM.

Worcester, Mass.

Within a 5-mile radius of Worcester Municipal Airport (Lat. 42°16'05" N, Long. 71°52'20" W).

Worland, Wyo.

Within a 5-mile radius of Worland Municipal Airport (latitude 43°58'10" N., longitude 107°56'50" W.), and and within 3.5 miles each side of the Worland VOR 352° radial, extending from the 5-mile radius zone to 12 miles north of the VOR

Worthington, Minn.

That airspace within a 5-mile radius of Worthington Municipal Airport (latitude 43°39'17" N., longitude 95° 35'01" W.). This control zone shall be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Wrightstown, N. J. (McGuire AFB)

Within a 5-mile radius of McGuire AFB (latitude 40°00'55" N., longitude 74°35'25" W.), within 2 miles each side of the McGuire VOR 350° radial extending from the 5-mile radius zone to 7 miles N of the VOR; within 2 miles each side of the McGuire VOR 051° radial extending from the 5-mile radius zone to 7 miles NE of the VOR; within 2 miles each side of the McGuire VOR 180° radial extending from the 5-mile radius zone to 6 miles S of the VOR; and within 2 miles each side of the McGuire AFB ILS localizer SW course extending from the 5-mile radius zone to the OM.

Yakima, Wash.

Within a 5-mile radius of the Yakima Municipal Airport (latitude 46°33'55" N., longitude 120°32'25" W.), within 4 miles north and 2 miles south of the Yakima ILS localizer east course, extending from the 5-mile radius zone to 4 miles east of the Donald OM, and within 2.5 miles each side of the Yakima ILS localizer west course, extending from the 5-mile radius zone to 18.5 miles west of the Donald OM.

Yakutat, Alaska

Within a 5-mile radius of Yakutat Airport (latitude 59°30'10" N., longitude 139°39'40" W.); within 2 miles each side of the Yakutat VORTAC 147° radial, extending from the 5-mile radius zone to 8 miles southeast of the VORTAC; and that airspace bounded on the northeast by a line 2 miles northeast of and parallel to the 315° bearing from the Ocean Cape, Alaska, RBN, on the east and southeast by the 5-mile radius zone, on the south by a line 3 miles south of and parallel to the 283° bearing from the Ocean Cape, Alaska, RBN, and on the west and northwest by the arc of an 8-mile radius circle centered on the Ocean Cape, Alaska, RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Cnanged)

Yankton, S. Dak.

That airspace within a 5-mile radius of Chan Gurney Municipal Airport (latitude 42°54'45" N., longitude 97° 23°15" W.); within 2½ miles each side of the Yankton VOR 321° radial extending from the 5-mile radius to 7 miles northwest of the VOR. This control zone is effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Youngstown, Ohio

Within a 5-mile radius of the center, lat. 41°15'28" N., long. 80°40'34" W. of Youngstown Municipal Airport, Youngstown, Ohio; within 2 miles each side of the extended centerline of Runway 5, extended from the 5-mile radius zone to 6 miles northeast of the center of the airport; within 2 miles each side of the extended centerline of Runway 14, extended from the 5-mile radius zone to 5.5 miles southeast of the center of the airport; within 2 miles each side of the extended centerline of Runway 23, extended from the 5-mile radius zone to 5.5 miles southwest of the center of the airport and within 1 mile each side of the Youngstown Municipal Airport localizer northwest course, extended from the 5-mile radius zone to 5.5 miles northwest of the center of the airport.

Yuma, Ariz.

Within a 5-mile radius of Yuma MCAS/Yuma International Airport (latitude 32°39'10" N., longitude 114°36' 20" W.); within 2 miles each side of the Yuma VORTAC 181° radial, extending from the 5-mile radius zone to 2 miles south of the VORTAC, and within 2.5 miles each side of the Yuma TACAN (latitude 32°38'48" N., longitude 114°36'46" W.) 037° radial, extending from the 5-mile radius zone to 8 miles northeast of TACAN.

Zanesville, Ohio
Within a 5-mile radius of the Zanesville Municipal Airport (latitude 39° 56' 40" N., longitude 81° 53' 20" W.);
within 2 miles each side of the Zanesville RBN 210° bearing, extending from the 5-mile radius zone to 7 miles
SW of the RBN; and within 2 miles each side of the Zanesville VOR 222° radial, extending from the 5-mile
radius zone to 7 miles SW of the VOR; excluding that airspace within a 1-mile radius of the Riverside Airport,
Zanesville, (latitude 39° 59' 10" N., longitude 81° 59' 00" W.).

SUBPART G - TRANSITION AREAS

§ 71.181 Designation.

The parts of airspace described below are designated as transition areas.

Aberdeen, Md.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center, lat. 39°28'00" N., long. 76°10'00" W. of Phillips AAF; within a 9.5-mile radius of the center of the airport, extending clockwise from a 260° bearing to a 010° bearing from the airport and within 3.5 miles each side of the 029° bearing from the Aberdeen RBN, extending from the RBN to 11.5 miles northeast of the RBN.

Aberdeen, SD.

That airspace extending upward from 700 feet above the surface within a 15½-mile radius of the Aberdeen VORTAC; and within 5½ miles southwest and 9½ miles northeast of the Aberdeen VORTAC 131° radial, extending from the 15½-mile radius area to 21½ miles southeast of the VORTAC, and within 3½ miles southwest and 5 miles northeast of the Aberdeen VORTAC 312° radial, extending from the 15½-mile radius area to 22 miles northwest of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within a 22½-mile radius of the Aberdeen VORTAC; and within 6 miles northeast and 9½ miles southwest of the Aberdeen VORTAC 312° radial, extending from the 22½-mile radius area to 29 miles northwest of the VORTAC.

Abilene, Tex.

That airspace extending upward from 700 feet above the surface within a 23-mile radius of latitude 32°25'10" N., longitude 99°51'15" W., and within 8 miles east and 5 miles west of the Abilene ILS localizer south course extending from the OM to 12 miles south.

Ada, Okla.

That airspace extending upward from 700 feet AGL within a 5-mile radius of the Ada Municipal Airport (latitude 34°48'20" N., longitude 96°40'15" W.) and within 3.5 miles each side of the 139° bearing from the Ada RBN (latitude 34°48'30" N., longitude 96°40'23" W.) extending from the 5-mile radius area to 8.5 miles southeast of the RBN.

Adak, Alaska

That airspace extending upward from 700 feet above the surface within the arc of a 15-mile radius circle centered on the NS Adak Airport (latitude 51°52'59" N., longitude 176°38'54" W.), extending clockwise from the 033° bearing to the 090° bearing from the airport; and that airspace extending upward from 1,200 feet above the surface within 5 miles each side of the Navy Adak TACAN 250° radial extending from the TACAN to 12 miles West of the TACAN.

Adrian, Mich.

That airspace extending upward from 700 feet above the surface within a $6\frac{1}{2}$ -mile radius of the Lenawee County Airport (latitude 41°52'10" N., longitude 84°04'30" W.); and within 3 miles each side of the 221° bearing from the Lenawee County Airport, extending from the $6\frac{1}{2}$ -mile radius area to 8 miles southwest of the airport.

Aguadilla, P. R.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of Borinquen Airport (lat. 18029'45" N., long. 67008'00" W.); within a 10-mile radius of Mayaguez Airfield (lat. 18015'26" N., long. 6708'58" W.).

AMENDMENTS 1/30/74 39 F. R. 5187 (Changed)

Ahoskie, N. C.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Tri-County Airport (lat. 36°17'56" N., long. 77°10'26" W.); within 2 miles each side of Cofield VORTAC 253° radial, extending from the 5-mile radius area to 8 miles west of the VORTAC.

AMENDMENTS 11/7/74 39 F. R. 31881 (Changed)

Aiken, S. C.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Aiken Municipal Airport (latitude 33°39'10" N., longitude 81°41'25" W.); within 3 miles each side of the 048° bearing from Aiken RBN (latitude 33°39'06" N., longitude 81°40'38" W.), extending from the 8-mile radius area to 8.5 miles northeast of the RBN.

Ainsworth, Nebr.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Ainsworth Municipal Airport (latitude 42°34'40" N., longitude 99°59'15" W.); and within 3 miles each side of the 344° bearing from Ainsworth Municipal Airport, extending from the 7-mile radius area to 8 miles north of the airport; and that airspace extending upward from 1,200 feet above the surface within 42 miles east and 92 miles west of the 1640 and 344° bearings from Ainsworth Municipal Airport, extending from 4 miles south to 18½ miles north of the airport.

Akron, Colo.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Akron-Washington County Airport (latitude 40°10°30" N., longitude 103°12'45" W.), and that airspace extending upward from 1,200 feet above the surface within 10 miles northeast and 7 miles southwest of the Akron VORTAC 1230 and 3030 radials, extending from 20 miles southeast to 10 miles northwest of the VORTAC.

Akron, Ohio
That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, lat. 40°54'58" N., long. 81°26'32" W. of Akron-Canton Airport, Akron, Ohio, and within 5 miles each side of the Akron-Canton Airport south localizer course extending from the Akron-Canton Airport 8.5-mile radius area to 11.5 miles south of the Akron-Canton Runway 1 OM; within a 10-mile radius area of the center, lat. 41002'18" N., long. 81°28'01" W. of Akron Municipal Airport, Akron, Ohio; within 5 miles each side of the Akron VORTAC 255° radial extending from the Akron Municipal Airport 10-mile radius area to the VORTAC; within a 6-mile radius of the center, lat. 41°12°35" N., long: 81°14°55" W. of Portage County Airport, Ravena, Ohio; within 1.5 miles each side of the Akron VORTAC 340° radial extending from the Portage County Airport 6-mile radius area to the VORTAC; within a 5-mile radius area of the center of lat. 41°08'45" N., long. 81°25'00" W. of Andrew W. Paton of Kent State University Airport, Kent, Ohio; within a 7-mile radius of the center, lat. 41°08'06" N., long. 81°45'36" W. of Freedom Field, Medina, Ohio, and within 4.5 miles south and 6.5 miles north of the Medina, Ohio, RBN (lat. 41°08'29" N., long. 81°38'46" W.) 084° and 264° bearings extending from 5.5 miles west to 11.5 miles east of the RBN.

Alabama

That airspace extending upward from 1,200 feet above the surface within the boundary of the State of Alabama, including that airspace within 3 nautical miles from and parallel to the shoreline of Alabama, excluding the portion within R-2101.

AMENDMENTS 8/30/74 39 F. R. 31627 (Changed)

Alabaster, Ala.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Shelby County Airport (latitude 33°10'40" N., longitude 86°47'00" W.).

Alamogordo, N. Mex.

That airspace extending upward from 700 feet above the surface within a 11-mile radius of the Holloman AFB Airport (latitude 32°5104" N., longitude 106°06'05" W.); within 4 miles east and 6 miles west of the Holloman AFB TACAN 349° radial extending from the 11-mile radius area to 17.5 miles north of the TACAN; within 2 miles east and 6 miles west of the extended centerline of Runway 15 extending from the 11-mile radius area to 12.5 miles south of the south end of Runway 15.

This transition area will be effective during the specific dates and times established in advance by a Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's Information Manual.

Alamosa, Colo. That airspace extending upward from 700 feet above the surface within 10 miles northeast and 9 miles southwest of the Alamosa VORTAC 335° and 155° radials extending from 20 miles northwest to 12 miles southeast of the VORTAC; and within 2 miles northwest and 6 miles southeast of the Alamosa VORTAC 2000 radial extending

from the VORTAC to 16 miles southwest of the VORTAC.

That airspace extending upward from 1,200 feet above the surface within 13 miles northeast and 9.5 miles southwest of the Alamosa VORTAC 335° radial extending from the VORTAC to 31 miles northwest of the VORTAC; within 5 miles each side of the Alamosa VORTAC 018° radial extending from the VORTAC to 45 miles northeast of the VORTAC; within 5 miles each side of the Alamosa VORTAC 065° radial extending from the VORTAC to 37 miles northeast of the VORTAC; within 5 miles each side of the Alamosa VORTAC 080° radial extending from the VORTAC to 56 miles east of the VORTAC; within 4.5 miles northeast and 9.5 miles southwest of the Alamosa VORTAC 127° radial extending from the VORTAC to 19 miles southeast of the WORTAC; and within 5 miles each side of the Alamosa VORTAC 2000 radial extending from the VORTAC to 37 miles southwest of the VORTAC.

That airspace extending upward from 12,000 feet MSL within 5 miles each side of the Alamosa VORTAC 2000

radial extending from 37 to 54 miles southwest of the VORTAC.

Albany, Ga.

That airspace extending upward from 700 feet above the surface within a 9.5-mile radius of Albany-Dougherty County Airport (lat. 31°32'07" N., long. 84°11'41" W.); within 2 miles each side of Albany VORTAC 143° radial, extending from the 9.5-mile radius area to the VORTAC; within a 5.5-mile radius of Sylvester Airport (lat. 33'25" N., long. 83°53'33" W.); within 3 miles each side of the 194° bearing from Sylvester RBN (lat. 31°33' 27" N., long. 83°53'34" W.), extending from the 5.5-mile radius area to 8.5 miles south of the RBN.

AMENDMENTS 4/15/74 39 F. R. 13526 (Changed)

Albany, N. Y.

That airspace extending upward from 700 feet above the surface within the area bounded by a point on the Albany VORTAC 007° radial 23 miles north of the VORTAC, thence clockwise along the arc of a 23-mile radius circle centered on the Albany WORTAC to its point of intersection with the Albany WORTAC 037° radial, thence southwest along the Albany VORTAC 037° radial to a point 12 miles northeast of the VORTAC, thence clockwise along the arc of a 12-mile radius circle centered on the Albany VORTAC to its point of intersection with the arc of a 9-mile radius circle centered on the Schenectady VOR (42°51'05" N., 73°56'05" W.), thence clockwise along the arc of the 9-mile radius circle centered on the Schenectady WOR to its point of intersection with a line 2 miles south and parallel to the extended centerline of the Schenectady County Airport Runway 28, thence west along this parallel line to its point of intersection with the arc of a 13-mile radius circle centered on the Schenectady VOR, thence clockwise along the arc of this 13-mile radius circle to its point of intersection with the Schenectady VOR 342° radial, thence north along a line bearing 356° from this point to the point of intersection of this line and the arc of a 19-mile radius circle centered on the Schenectady VOR, thence clockwise along the arc of the 19-mile radius circle centered on the Schenectady VOR to its point of intersection with the arc of a 23-mile radius circle centered on the Albany VORTAC; within a 6.5-mile radius of the center lat. 43°03'00" N., long. 73°51'30" W., of Saratoga County Airport, Saratoga Springs, N. Y., and within 5 miles each side of the Cambridge VORTAC 278° radial, extending from 43 miles west of the Cambridge VORTAC to the 6.5-mile radius area.

That airspace extending upward from 1,200 feet above the surface bounded by a line beginning at lat. 44°00' 00" N., long. 73°47'00" W.; to lat. 44°00'00" N., long. 73°16'00" W.; to lat. 43°47'00" N., long. 72°39'00" W.; to lat. 43°11'00" N., long. 72°39'00" W.; to lat. 42°02'00" N., long. 73°16'00" W.; to lat. 42°01'00" N., long. 74°30'00" W.; to lat. 43°11'00" N., long. 74°30'00" W.; to point of beginning.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the University of Ohio Airport (latitude 39°12'38" N., longitude 82°13'53" W.).

Albert Lea, Minn.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of the Albert Lea Airport (latitude 43°40'52" N., longitude 93°22'04" W.); within 3 miles each side of the 356° bearing from the Albert Lea Municipal Airport extending from the 52-mile radius to 8 miles north of the airport.

Albertville, Ala.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Albertville Municipal Airport (latitude 34°13'54" N., longitude 86°15'08" W.); within 3 miles each side of the 048° bearing from Saratoga RBN (latitude 34°15'00" N., longitude 86°13'25" W.), extending from the 6.5-mile radius area to 8.5 miles northeast of the RBN.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the center 39°46'40" N., 74°56'55" W., of Albion Airport, Albion, N. J., and within 2 miles each side of the Millville VORTAC 003° radial extending from the 5-mile radius area to the VORTAC, excluding the portion that coincides with the Millville, N. J., transition area. This transition area is effective from sunrise to sunset, daily.

Albuquerque, N. Mex.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of Albuquerque International Airport (latitude 35°02'42" N., longitude 106°36'02" W.) and within a 10.5-mile radius of Alameda Airport (latitude 35°11'30" N., longitude 106°40'00" W.).

AMENDMENTS 5/23/74 39 F. R. 9539 (Rewritten)

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Thomas C. Russell Field Airport (latitude 32°55'15" N., longitude 85°57'45" W.); within 3 miles each side of the 181° bearing from the Alexander City RBN (latitude 32°53'10" N., longitude 85°57'30" W.), extending from the 5-Alexander City, Ala. mile radius area to 8.5 miles south of the RBN.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Alexandria Airport (latitude 40°13'25" N., longitude 85°38'15" W.) excluding the portion which overlies the Anderson, Ind., transition area.

Alexandria, La.

That airspace extending upward from 700 feet above the surface within a 16-mile radius of England AFB (latitude 31°19'40" N., longitude 92°33'05" W.), within a 7-mile radius of Esler Regional Airport (latitude 31°23'45" N., longitude 92°17'40" W.), and within 4 miles each side of the Esler VOR 155° radial extending from the Esler Regional Airport 7-mile radius area to 17 miles southeast of the VOR.

Alexandria, Winn.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Alexandria Municipal Airport (latitude 45°52'00" N., longitude 95°23'40" W.); and within 2 miles each side of the Alexandria VORTAC 231° radial, extending from the 7-mile radius area to the VORTAC.

Algona, Iowa

That airspace extending upward from 700 feet above the surface within a six mile radius of the Algona Municipal Airport (latitude 43°04'30" N., longitude 94°16'15" W.); and within two miles each side of the 182° bearing from the Algona Municipal Airport, extending from the five-mile radius area to seven miles south of the airport.

AMENDMENTS 6/20/74 39 F. R. 14584 (Added) AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Allegan, Mich.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Padgham Field Airport (latitude 42°31'55" N., longitude 85°49'45" W.); and within 2½ miles each side of the 072° radial of the Pullman VORTAC, extending from the 7-mile radius area to 22 miles east of the VORTAC, excluding the portion which overlies the Battle Creek, Michigan 700-foot floor transition area.

Allendale, S. C.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Allendale County Airport (latitude 35°59'30" N., longitude 81°16'05" W.); within 2.5 miles each side of Allendale VOR 329° radial, extending from the 6-mile radius area to 8.5 miles northwest of the VOR.

Allentown, Pa.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of the center, 40° 39'16" N., 75°26'11" W. of Allentown-Bethlehem-Easton Airport, Allentown, Pa., extending clockwise from a 311° bearing to a 001° bearing from the airport; within a 16.5-mile radius of the center of the airport, extending clockwise from a 028° bearing from the airport; within a 12.5-mile radius of the center of the airport, extending clockwise from a 028° bearing from the airport; within a 12.5-mile radius of the center of the center, 40°34'13" N., 75°29'19" W. of Allentown-Queen City Municipal Airport, Allentown, Pa.; within 3.5 miles each side of the Allentown-Bethlehem-Easton Airport localizer southwest course, extending from the OM to 11 miles southwest of the OM; within 4.5 miles west and 6.5 miles east of the Allentown VORTAC 358° radial extending from the VORTAC to 17.5 miles north of the VORTAC; within 5 miles each side of the East Texas VORTAC 103° and 283° radials, extending from 1 mile east of the VORTAC to 8.5 miles west of the VORTAC; within 5 miles each side of the East Texas VORTAC; within a 15-mile radius of the Allentown VORTAC extending clockwise from the Allentown VORTAC 358° radial to the Allentown VORTAC 104° radial; within 5 miles each side of the Allentown-Bethlehem-Easton Airport localizer northeast course, extending from the localizer to 16 miles northeast of the localizer.

Alliance, Nebr.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of Alliance Municipal Airport (latitude 42°02'45" N., longitude 102°48'30" W.); and within 3 miles each side of the 142° bearing from Alliance Municipal Airport, extending from the 10-mile radius area to 11 miles southeast of the airport; and that airspace extending from 1,200 feet above the surface within $4\frac{1}{2}$ miles southwest and $9\frac{1}{2}$ miles northeast of the 142° bearing from Alliance Municipal Airport, extending from the airport to $21\frac{1}{2}$ miles southeast of the airport; within $4\frac{1}{2}$ miles northeast and $9\frac{1}{2}$ miles southwest of the Alliance VOR 304° radial, extending from the VOR to $18\frac{1}{2}$ miles northwest of the VOR; within $4\frac{1}{2}$ miles southwest and $9\frac{1}{2}$ miles northeast of the Alliance VOR 150° radial, extending from the VOR to $18\frac{1}{2}$ miles southeast of the VOR; and within 4 nautical miles each side of a line extending from Alliance Municipal Airport to Chadron, Nebr., Municipal Airport (latitude 42°50'10" N., longitude 103°05'50" W.), excluding the area which overlies the Scottsbluff, Nebr., transition area.

Alliance, Ohio

• That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, lat. 40059'00" N., long. 81002'30" W. of Miller Airport, Alliance, Ohio, and within a 5.5-mile radius of the center, lat. 40054'22" N., long. 81000'02" W. of Tri-City Airport, Sebring, Ohio.

Alma, Ga.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Bacon County Airport (lat, 31°32'17" N., long. 82°30'33" W.). This transition area is effective from 0600 to 2200 hours, local time, daily.

Alma, Mich.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Gratiot Community Airport (latitude 43°19'25" N., longitude 84°41'40" W.); and within 2 miles each side of the 278° bearing from Gratiot Community Airport, extending from the 6-mile radius area to 8 miles west of the airport.

Almyra, AR,

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Almyra Municipal Airport (latitude 34°24'30" N., longitude 91°27'30" W.).

That airspace extending upward from 700 feet above the surface within a 17-mile radius of Alpena VORTAC; within $9\frac{1}{2}$ miles west and $4\frac{1}{2}$ miles east of the 360° bearing from the Alpena RBN, extending from the 17-mile radius area to $18\frac{1}{2}$ miles north of the RBN; within $9\frac{1}{2}$ miles west and $4\frac{1}{2}$ miles east of the 346° radial of the Alpena VORTAC extending from the 17-mile radius area to $18\frac{1}{2}$ miles north of the VORTAC; within $9\frac{1}{2}$ miles southwest and $4\frac{1}{2}$ miles northeast of the 305° radial of the Alpena VORTAC extending from the 17-mile radius area to $18\frac{1}{2}$ miles northwest of the VORTAC; and within $9\frac{1}{2}$ miles east and $4\frac{1}{2}$ miles west of the Alpena VORTAC 1860 radial extending from the 17-mile radius area to 182 miles south of the VORTAC.

Alva, Okla.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Alva Municipal Airport (latitude 36°46'00" N., longitude 98°40'00" W.); within 2 miles each side of the 170° bearing from the Alva RBN (latitude 36°46'47" N., longitude 98°40'34" W.), extending from the 5-mile radius area to 8 miles south of the

Amarillo, Tex.

That airspace extending upward from 700 feet above the surface within a 20-mile radius of Amarillo Air Terminal (latitude 35°13'10" N., longitude 101°42'40" W.).

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Souther Field (lat. 32°07'00" N., long. 84°11'30" W.); within 3 miles each side of the 041° bearing from Souther RBN (lat. 32°06' 39" N., long. 84º11'07" W.), extending from the 6.5-mile radius area to 8.5 miles northeast of the RBN.

Ames, Iowa

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of Ames Municipal Airport (latitude 41°59'25" N., longitude 93°37'05" W.), and within 3 miles each side of the 127° bearing from Ames Municipal Airport, extending from the 5½-mile radius area to 7 miles southeast of the airport.

Anchorage, Alaska

That airspace extending upward from 700 feet above the surface within an 18-mile radius of the Anchorage International Airport (latitude 61°10'16" N., longitude 149°58'48" W.); that airspace extending upward from 1,200 feet above the surface within an 85-mile radius of the Anchorage VORTAC; and that airspace extending upward from 14,500 feet MSL within a 172-mile radius of the Anchorage VORTAC, excluding the portions within the United States, Federal Airways, Control 1218, Control 1310, the Cordova, Alaska, and Middleton Island, Alaska, control area extensions, the King Salmon, Alaska, transition area, and the Anchorage Oceanic Control Area.

Anderson, Ind.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Anderson Municipal Airport (lat. 40°06'30" N., long. 85°36'55" W.) and within 4 miles each side of the 298° bearing from the airport, extending from the 8.5-mile radius to 12 miles northwest of the airport; excluding the airspace that overlies the Muncie transition area.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Anderson County Airport (latitude 34°29'40" N., longitude 82°42'30" W.).

Andover, N. J.

That airspace extending upward from 700 feet above the surface within a 10.5-mile radius of the center, 41° 00'00" N., 74044'00" W. of Aeroflex-Andover Airport, Andover, N. J., extending clockwise from a 0530 bearing to a 103° bearing from the airport, within a 9.5-mile radius of the center of the airport, extending clockwise from a 103° bearing to a 174° bearing from the airport; within an 8.5-mile radius of the center of the airport extending clockwise from a 174° bearing to a 225° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 225° bearing to a 295° bearing from the airport; within a 6mile radius of the center of the airport, extending clockwise from a 295° bearing to a 053° bearing from the airport; within 1.5 miles each side of the Stillwater, N. J., VORTAC 083° radial, extending from the 7-mile radius area to the Stillwater, N. J., VORTAC.

That airspace extending upward from 1200 feet above the surface bounded by a line beginning at: 41°19'00" N., 74°33'00" W.; 40°49'00" N., 74°37'00" W.; 40°48'00" N., 75°00'00" W.; 40°56'16" N., 75°11'04" W.; 41°31'00" N., 75°07'00" W. to point of beginning.
AMENDMENTS 1/3/74 38 F. R. 31519 (Changed)

Aniak, Alaska

That airspace extending upward from 700 feet above the surface within 5 miles NW and 8 miles SE of the 230° bearing from the Aniak REN extending from 8 miles SW to 18 miles SW of the REN; and that airspace extending upward from 1,200 feet above the surface within 7 miles NE and 8 miles SW of the 140° and 320° bearings from the Aniak REN extending from 7 miles NW to 18 miles SE of the RBN.

Annette Island, Alaska

That airspace extending upward from 700 feet above the surface within a 14-mile radius of the Annette Island VORTAC; within 5 miles southwest of the 331° bearing from the Gravina Island RBN, extending from the 14-mile radius area to 8 miles northwest of the RBN; and that airspace extending upward from 1,200 feet above the surface within 6 miles northeast and 9 miles southwest of the Nichols, Alaska, RBN 331° bearing, extending from the RBN to 28 miles NW of the RBN; and within 14 miles northeast and 22 miles southwest of the Annette Island VORTAC 150° radial, extending from the VORTAC to 30 miles southeast of the VORTAC: excluding the portion outside the United States.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

Anniston, Ala.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of Anniston-Calhoun County Airport (latitude 33°35'23" N., longitude 85°51'20" W.); within a 12-mile radius of Talladega Municipal Airport (latitude 33°34'07" N., longitude 86°03'36" W.); within 9.5 miles southeast and 4.5 miles northwest of Talladega VORTAC 223° radial, extending

from the 12-mile radius area to 18.5 miles southwest of the WORTAC; within 9.5 miles south and 4.5 miles north of the Talladega VORTAC 252° radial, extending from the 12-mile radius area to 18.5 miles west of the VORTAC: within an 8-mile radius of St. Clair County Airport,
Pell City, Ala. (lat. 33°33'22" N., long. 86°14'58" W.); excluding the portion within R-2101.

Anthony, Kans.

That airspace extending upward from 1,200 feet above the surface bounded on the northwest by V-12, on the northeast by V-74, and on the south by the Kansas/Oklahoma State line.

Apalachicola, Fla.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Apalachicola Municipal Airport (lat. 29°43'45" N., long. 85°01'45" W.); within 3 miles each side of the 322° bearing from Apalachicola RBN, extending from the 6.5-mile radius area to 8.5 miles northwest of the RBN.

Appleton, Wis.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Outagamie County Airport (latitude 44°15'35" N., longitude 88°31'15" W.); excluding the portions which overlie the Green Bay, Wis., 700-foot floor transition area.

Arcata, Calif.

That airspace extending upward from 700 feet above the surface within 2 miles each side of the 3230 bearing from the Arcata, Calif., RBN, extending from the RBN to 7.5 miles northwest of the RBN; that airspace bounded on the north by latitude 40°57'00" N., on the northeast by a line 2 miles northeast of and parallel to the ILS localizer southeast course, on the south by latitude 40°45'00" N., on the southwest by a line 2 miles southwest of and parallel to the 129° and 309° bearings from the Murray Airport latitude 40°48'18" N., longitude 124006'52" W., on the west by a line 1 mile west of and parallel to the 2190 bearing from the Arcata, Calif. RBN; that airspace extending upward from 1,200 feet above the surface, bounded on the north by latitude 41º16' 00" N., on the east and south by a line 9 miles northeast of and parallel to the 333° and 153° bearings from the Arcata, Calif., RBN to latitude 40°34'00" N., latitude 40°22'00" N., longitude 124°12'00" W., thence to latitude 40°22'00" N., longitude 124°30'00" W., on

the west by longitude 124°30'00" W., within 9 miles each side of the Fortuna, Calif., VORTAC 1100 radial, extending from the VORTAC to 61 miles east of the VORTAC, and that airspace within an arc of a 28-mile radius circle centered on the Fortuna, Calif., VORTAC extending counterclockwise from the northeast edge of V-27 to the south edge of V-195.

Ardmore, Okla.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Ardmore Municipal Airport (latitude 34°18'00" N., longitude 97°00'50" W.); within a 5-mile radius of the Downtown Ardmore Airport (latitude 34°09'30" N., longitude 97°08'00" W.); within 2 miles each side of the Ardmore VOR 233° and 053° radials, extending from the 7-mile radius area to 8 miles SW of the VOR; within 2 miles N and 8 miles S of the 265° and 085° bearings from the Ardmore REN, extending from 3 miles E to 8 miles W of the REN.

Arkadelphia, Ark.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Arkadelphia Municipal Airport (latitude 34°06'15" N., longitude 93°03'45" W.), and within 3.5 miles each side of the 216° bearing from the Arkadelphia RBN (latitude 34003'19" N., longitude 93006'17" W.) extending from the 6.5-mile radius area to 11.5 miles southwest of the RBN.

Ankangas

That airspace extending upward from 1,200 feet above the surface within the boundary of the State of

Arkansas City/Winfield, Kans.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Strother Field that airspace extending upward from 700 feet above the surface within a 7-mile radius of Strother field (latitude 37°10'10" N., longitude 97°02'25" W.); and within 5 miles each side of the 175° bearing from Strother Field. extending from the 7-mile radius area to 15 miles south to the airport.

Artesia, N. Mex.

That airspace extending upward from 700 feet above the surface within a 9.5-mile radius of the Artesia Municipal Airport (lat. 32°50'58" N., long. 104°28'02" W.); and within 3.5 miles each side of the Artesia NDB (lat. 32°51'11" N., long. 104°27'34" W.) 152° bearing, extending from the 9.5-mile radius area to 12 miles south of the NDB; within 3.5 miles each side of the Artesia, N. Mex., NDB 296° bearing extending from the 9.5mile radius area to 12 miles northwest of the NDB.

Asheboro, N. C.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the Asheboro Municipal Airport (latitude 35°39'18" N., longitude 79°53'41" W.).

Asheville, N. C.

That airspace extending upward from 700 feet above the surface within 7 miles east and west of the 160° and 340° bearings from Biltmore RBN, extending from 7 miles north of Biltmore RBN to 12 miles south of Broad River to 18.5 miles south of the RBN; within 3 miles each side of the 339° bearing from Biltmore RBN, extending from the VORTAC to Broad River RBN; within 3 miles each side of the 339° bearing from Biltmore RBN, extending from the RBN to 8.5 miles north of the RBN.

Ashland, Kv.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Ashland-Boyd County Airport (lat. 38°33'00" N., long. 82°44'15" W.); within 2.5 miles each side of York VORTAC 116° radial, extending from the 8-mile radius area to 0.5 mile east of the VORTAC; excluding the portion within Huntington, W. Va., transition area.

That airspace extending upward from 700 feet above the surface within a $5\frac{1}{2}$ -mile radius of the Ashland County Airport (latitude 40°54'11" N., longitude 82°15'21" W.); within 3 miles each side of the 002° bearing from the airport extending from the 51-mile radius area to 12 miles north of the airport, excluding that portion which overlies the Mansfield, Ohio, transition area.

AMENDMENTS 1/31/74 38 F. R. 34728 (Added)

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of the center (lat. 37.42'27" N., long. 77.26'11" W.) of Hanover County Municipal Airport, Ashland, VA., and within 2.5 miles each side of the Richmond, VA., VORTAC 336° radial, extending from the 5.5-mile radius area to 22 miles northwest of the VORTAC.

Ashland, Wis.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the John F. Kennedy Memorial Airport (lat. 46°32'59" N., long. 90°55'05" W.).

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

Aspen, Colo.

That airspace extending upward from 1,200 feet above the surface within the area bounded by a line beginning at latitude 39°41'00" N., longitude 107°12'30" W., to latitude 39°31'30" N., longitude 107°25'00" W., to latitude 39°17'30" N., longitude 107°09'00" W., to latitude 39°10'24" N., longitude 106°56'04" W.; thence clockwise via a 5-mile arc from the Aspen-Pitkin County Airport (latitude 39°13'30" N., longitude 106°52'09" W.) to latitude 39°16'33" N., longitude 106°48'12" W., to latitude 39°27'30" N., longitude 107°01'00" W. to point of beginning.

Astoria, Oreg.

That airspace extending upward from 700 feet above the surface within 2 miles each side of the Astoria VOR 309° radial, extending from the arc of a 5-mile radius circle centered at the Clatsop County Airport, Astoria, Oreg. (latitude 46°09'25" N., longitude 123°52'40" W.) to 8 miles NW of the Fort Stevens FM (latitude 46°12'31" N., longitude 123°57'51" W.), and within 2 miles each side of the Astoria VOR 347° radial, extending from the arc of a 5-mile radius circle centered at the Clatsop County Airport to 8 miles N of the VOR; within 4.5 miles north and 9.5 miles south of the Astoria VOR 2680 radial, extending from the western edge of V-27 to a point 18.5 miles west of the VOR; and that airspace extending upward from 1,200 feet above the surface within 6 miles NE and 5

miles southwest of the Astoria, Oreg., VOR 147° and 327° radials, extending from 7 miles southeast to 13 miles northwest of the VOR; within 9 miles south and 2 miles north of the Astoria VOR 268° radial; extending from the VOR to 13 miles west of the VOR; within 5 miles northeast and 8 miles southwest of the Astoria VOR 309° radial, extending from the Fort Stevens fan marker to 12 miles northwest of the fan marker and within 8 miles northeast and 6 miles southwest of the Astoria VOR 309° radial extending from the Fort Stevens fan marker to 20 miles northwest of the fan marker.

That airspace extending upward from 4,500 feet MSL bounded on the northwest by the southeast edge of V-27E. on the east by the west edge of V-165, and on the south by the north edge of V-112.

Athens, Ga.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Athens Municipal Airport (latitude 33°56'54" N., longitude 83°19'37" W.).

Athens, Tenn.

That airspace extending upward from 700 feet above the surface within a 10.5-mile radius of McMinn County Airport (lat. 35°23'45" N., long. 84°33'45" W.).

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Jones Municipal Airport (latitude 32°10'00" N., longitude 95°50'00" W.) and within 3.5 miles each side of the 176° bearing from the Athens RBN (latitude 32°09'35" N., longitude 95°49'50" W.) extending from the 5-mile radius to 11.5 miles south of the RBN.

Atlanta, Ga.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of The William B. Hartsfield Atlanta International Airport (latitude 33°38'35" N., longitude 84°25'25" W.); within 4.5 miles north and 9.5 miles south of the 091° bearing from Bruce RBN, extending from the 15-mile radius area to 18.5 miles east of the RBN; within 9.5 miles northeast and 4.5 miles southwest of Atlanta ILS Runway 33 localizer southeast course, extending from the 15-mile radius area to 18.5 miles southeast of the LOM; within 9.5 miles south and 4.5 miles north of Atlanta ILS Runway 9L localizer west course, extending from the 15-mile radius area to 18.5 miles west of the LOM; within a 10-mile radius of Fulton County Airport (latitude 33°46'35" N., longitude 84°31'15" W.); within an 11.5-mile radius of Dobbins AFB/NAS Atlanta (latitude 33°54'40" N., longitude 84°31'00" W.); within 4 miles each side of the NAS Atlanta TACAN 301° radial, extending from the 11.5-mile radius area to 11.5 miles northwest of the TACAN; within an 8.5-mile radius of De Kalb-Peachtree Airport (latitude 33°52'30" N., longitude 84°18'10" W.); within a 6.5-mile radius of Falcon Field Airport, Peachtree City, GA. (latitude 33°21'23" N., longitude 84°34'07" W.); within a 6.5-mile radius of Griffin-Spaulding County Airport, Griffin, Ga. (latitude 33°13'30" N., longitude 84°16'30" W.).

AMENDMENTS 5/23/74 39 F. R. 9650 (Changed) Corr: 39 F. R. 12337

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Atlanta Municipal Airport (latitude 33°06'10" N., longitude 94°11'40" W.) and within 3 miles each side of the 237° bearing from the NDB (latitude 33°06'13" N., longitude 94°11'25" W.) extending from the 5-mile radius area to a point 8 miles southwest of the NDB.

AMENDMENTS 2/28/74 39 F. R. 1831 (Added) AMENDMENTS 11/7/74 39 F. R. 31626 (Rewritten)

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Atlantic Municipal Airport (latitude 41°24'20" N., longitude 95°02'45" W.); and within 5 miles NE and 8 miles SW of the 313° bearing from the Atlantic, Iowa, RBN, extending from the RBN to 12 miles NW.

Atlantic City, N. J.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the center, 39°27'25" N., 74°34'45" W. of Atlantic City Municipal (Pomona) Airport, Atlantic City, N. J., and the airspace bounded on the SW by the Atlantic City VORTAC 176° radial to 3 NM offshore; on the SE by a line 3 NM offshore; and on the NE by the Atlantic City VORTAC 112° radial, within 8 miles SW and 5 miles NE of the Atlantic City ILS localizer NW course extending from the 12-mile radius area to 12 miles NW of the OM.

Atterbury, Ind.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Bakalar AFB (latitude 39°15'50" N., longitude 85°53'55" W.) and within 2 miles each side of the 044° bearing from the AFB, extending from the 6-mile radius zone to 12 miles NE of the AFB.

Auburn, Ala.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Auburn-Opelika Airport (lat. 32°37°00" N., long. 85°26'00" W.); within 2 miles each side of the extended centerline of runway 18/36, extending from the 5-mile radius area to 6 miles N of the runway end; within 5 miles each side of Tuskegee VORTAC 056° radial, extending from the 5-mile radius area to the VORTAC; within 5 miles cach side of Columbus VORTAC 270° radial, extending from the 5-mile radius area to 11.5 miles W of the VORTAC; excluding the portion that coincides with the Columbus, Ga., transition area.

Auburn, Ind.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Auburn-De Kalb Airport (latitude 41°18'25" N., longitude 85°04'00" W.); and within 2½ miles each side of the Fort Wayne, Ind., VORTAC 016° radial, extending from the 5-mile radius area to the arc of a 17-mile radius circle centered on Bear Field (latitude 40°58'50" N., longitude 85°11'25" W.).

Auburn, Maine

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the center, 44°02' 55" N., 70°17'00" W. of Auburn-Lewiston Municipal Airport; within 3 miles each side of the 215° and 035° bearing from the New Gloucester, Maine RBN, 43°59'14" N., 70°19'29" W., extending from the 5-mile radius area to 9 miles southwest of the RBN; and within 2 miles each side of the 049° bearing from the New Gloucester, Maine RBN extending from the RBN to 12 miles northeast of the RBN.

Audubon, Iowa

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Audubon Municipal Airport (latitude 41°42'30" N., longitude 94°55'00" W.).

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Augusta, Ga.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Bush Field (latitude 33°22'10" N., longitude 81°57'55" W.); within 9.5 miles west and 4.5 miles east of Augusta ILS localizer south course, extending from the 11-mile radius area to 18.5 miles south of the LOM; within 9.5 miles southwest and 4.5 miles northeast of Augusta VORTAC 321° radial, extending from the 11-mile radius area to 18.5 miles northwest of the VORTAC; within 9.5 miles west and 4.5 miles east of the 166° and 346° bearings from Emory RBN, extending from the 11-mile radius area to 18.5 miles north of the RBN; excluding the portion within R-6004.

Augusta, Maine

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the center (44019'15" N., 69047'45" W.), of Augusta State Airport, Augusta, Maine, within 4.5 miles northeast and 9.5 miles southwest of the Capital City, Maine RBN (44020'18" N., 69048'42" W.) 3330 bearing, extending from the Capital City RBN to 18.5 miles northwest of the RBN and within 4.5 miles northeast and 9.5 miles southwest of the Augusta VORTAC 3280 radial, extending from the Augusta VORTAC to 18.5 miles northwest of the VORTAC.

PENDING AMENDMENT

Augusta, Maine

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the center of the Augusta State Airport (latitude 44°19'N., longitude 69°48'W.) and within 6.5 miles northeast and 9.5 miles southwest of the 328° bearing extending 24 miles northwest of the airport.

AMENDMENTS 1/2/75 39 F. R. 37357 (Rewritten)

Aurora, Nebr

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Aurora Municipal Airport (latitude 40°53'34" N., longitude 97°59'37" W.); and within 2 miles each side of the 110° radial of the Grand Island VOR, extending from the 5-mile radius to 7 miles west of the airport, excluding that portion which overlies the Grand Island, Nebraska, transition area.

AMENDMENTS 1/3/74 38 F. R. 32437 (Added) Corr: 38 F. R. 33972 Corr: 39 F. R. 2353

Aurora, Oreg.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Aurora State Airport (latitude 45°15'00" N., longitude 122°46'10" W.) and within 2.5 miles each side of the 126° radial of the Newberg VORTAC, extending from the 5-mile radius area to the VORTAC; that airspace extending upward from 1,200 feet above the surface within 9.5 miles southwest and 4.5 miles northeast of the 306° radial of the Newberg VORTAC, extending from the VORTAC to 18.5 miles northwest of the VORTAC.

Austin, Minn.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Austin Municipal Airport (latitude 43°40'00" N., longitude 92°56'00" W.); within 3 miles each side of the Austin VOR 350° radial extending from the 5-mile radius to 8 miles north of the VOR; and within 3 miles each side of the Austin VOR 175° radial extending from the 5-mile radius to 8 miles south of the VOR; and that airspace extending upward from 1,200 feet above the surface within a 21½-mile radius of the Austin Municipal Airport; excluding the portions which overlie the Rochester, Minn., Albert Lea, Minn., and Mason City, Iowa, transition areas.

Austin, Tex.

That airspace extending upward from 700 feet above the surface within a 16-mile radius of Robert Mueller Municipal Airport (latitude 30°17'55" N., longitude 97°42'00" W.); within 2 miles each side of the Bergstrom ILS localizer south course, extending from the 16-mile radius area to 12 miles south of the LOM.

Babylon, N. Y.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Republic Airport, rmingdale, N. Y. (latitude 40°43'45" N., longitude 73°24'45" W.); within 4.5 miles northeast and 6.5 miles Farmingdale, southwest of the Republic Airport ILS localizer northwest course, extending from the OM (latitude 40046'35" N., longitude 73°28'59" W.) to 11.5 miles northwest of the OM; within 2 miles each side of the 158° bearing from the Babylon RBN extending from the Republic Airport 8-mile radius area to 8 miles S of the RBN; within

2 miles each side of the 165° bearing from the Babylon RBN extending from the Republic Airport 8-mile radius area to 8 miles S of the RBN: and within an 8-mile radius of Grumman Bethpage Airport, Bethpage, N. Y. (latitude 40°44'45" N., longitude 73°29'35" W.); within a 5-mile radius of Deer Park Airport, Deer Park, N.Y. (latitude 40°45'31" N., longitude 73°18'35" W.); and within 2 miles each side of the Deer Park VORTAC 007° radial extending from the 5-mile radius area to 8 miles N of the VORTAC, excluding the portion within the Islip, N. Y., and New York, N. Y., PENDING AMENDMENT transition areas.

Babylon, N. Y.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of Republic Airport, Farmingdale, N. Y. (latitude 40°43'45" N., longitude 73°24'50" W.); within 4.5 miles northeast and 6.5 miles southwest of the Republic Airport ILS localizer northwest course, extending from the outer marker (latitude 40°46'35" N., longitude 73°28'59" W.) to 11.5 miles northwest of the outer marker; within 3.5 miles each side of a 155° bearing from the Babylon, N. Y., radio beacon extending from the 10-mile radius area to 11.5 miles southeast of the radio beacon; within 3.5 miles each side of a 165° bearing from the Babylon, N. Y., radio beacon extending from the 10-mile radius area to 11.5 miles southeast of the radio beacon; within a 9.5-mile radius of Grumman-Bethpage Airport (latitude 40°44'45" N., longitude 73°29'30" W.). AMENDMENTS 1/2/75 39 F. R. 39261 (Rewritten)

Bad Axe, MI.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Huron County Airport (latitude 43°47'00" N., longitude 82°59'00" W.); within 3 miles each side of the 023° and 215° bearings from the Huron County Airport extending from the 5-mile radius area to 8 miles northeast and southwest of the airport.

Bainbridge, Ga.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Decatur County Industrial Airport (latitude 30°58'15" N., longitude 84°38'00" W.); within 3 miles each side of Bainbridge VOR (latitude 30°58'30" N., longitude 84°37'10" W.) 092° and 352° radials, extending from the 6.5-mile radius area to 8.5 miles east and north of the VOR; within a 6.5-mile radius of Commodore Decatur Airport (latitude 30°54' 55" N., longitude 84°36'16" W.); within a 6.5-mile radius of Donalsonville Airport (latitude 31°01'00" N., longitude 84°52'30" W.).

AMENDMENTS 11/7/74 39 F. R. 31627 (Added)

Baker, Oreg.

That airspace extending upward from 1,200 feet above the surface within 8 miles northeast and 6 miles southwest of the Baker VORTAC 1380 and 3170 radials extending from 14 miles southeast to 16 miles northwest of the VORTAC and within 10 miles west and 5 miles east of the Baker VORTAC 345° radial, extending from the VORTAC to the south edge of V-298.

Bakersfield, CA.

That airspace extending upward from 700 feet above the surface within 4.5 miles each side of the Bakersfield ILS localizer southeast course, extending from an arc of a 5-mile radius circle centered on Meadows Field, Bakersfield, CA. (latitude 35.25'40" N., longitude 119.03'05" W.) to 7 miles southeast of the IOM, within 4.5 miles each side of the Bakersfield VORTAC 144° radial, extending from an arc of a 5-mile radius circle centered on Meadows Field to 17.5 miles southeast of the VORTAC, within 4.5 miles each side of the Bakersfield ILS localizer northwest course, extending from an arc of a 5-mile radius circle centered on Meadows Field to 17.5 miles southeast of the VORTAC, within 4.5 miles each side of the Bakersfield ILS localizer northwest course, extending from an arc of a 5-mile radius circle centered on Meadows Field to 21.5 miles pack side of the Bakersfield WARTAC 2300 radial extending from miles northwest of the LOM and within 4.5 miles each side of the Bakersfield VORTAC 338° radial, extending from the VORTAC to 13 miles north of the VORTAC; that airspace extending upward from 1,200 feet above the surface bounded on the north by latitude 36°00'00" N., on the east by longitude 118°45'00" W., on the south by latitude 35°05'00" N., and on the west by a line extending from latitude 35°05'00" N., longitude 120°05'00" W. to latitude 35°43'50" N., longitude 120°05'00" W. to latitude 35°43'50" N., longitude 120°05'00" W. to latitude 36°00'00" N., longitude 119°30'00" W.

Baltimore, Md.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, 39°10' 26" N., 76°40'12" W., of Baltimore Washington International Airport, Baltimore, Md.; within a 15-mile radius

Baltimore WORTAC extending clockwise from the Baltimore WORTAC 230° radial to the 342° radial; within 3.5 miles each side of the centerline of Baltimore Washington International Airport runway 10, extended to 8.5 miles east of the end of the runway; within 4.5 miles north and 6.5 miles south of the Baltimore Washington International Airnort ILS

localizer west course, extending from the OM to 11.5 miles west of the OM; within an 8.5-mile radius of the center 39°19'45" N., 76°25'00" W., of Martin Marietta Airport, Baltimore, Md., within an 18-mile radius of the center of Martin Marietta Airport, extending clockwise from a 241° bearing to a 335° bearing from the airport; within a 12.5-mile radius of the center of Martin Marietta Airport, extending clockwise from a 3350 bearing to a 013° bearing from the airport; within an 11-mile radius of the center of Martin Marietta Airport, extending clockwise from a 013° bearing to a 027° bearing from the airport; within a 9-mile radius of the center of Martin Marietta Airport, extending clockwise from a 0270 bearing to a 0530 bearing from the airport; within 3.5 miles each side of the 1320 bearing from the Martin RBN 39018'15" N., 76022'45" W., extending from the 8.5-mile radius area to 11.5 miles southeast of the RBN; within a 6.5-mile radius of the center 39005'04" N., 76°45'37" W., of Tipton AAF, Fort Meade, Md., and within 3 miles each side of the 091° bearing from the Fort Meade, Md., RBN, 39°05'04" N., 76°45'37" W., extending from the 6.5-mile radius area to 8.5 miles east of the RBN

Bangor, Maine

airspace extending upward from 700 feet above the surface within an 8.5 mile radius arc of the center. lat. 44°48'28" N., long. 68°49'41" W. of Bangor International Airport, Bangor, Maine, extending clockwise from 245° to 093°; within a 12-mile radius arc of Bangor International Airport, extending clockwise from 093° to 245°; within 3 miles each side of the Bangor, Maine, VORTAC 318° radial, extending from the VORTAC to 9 miles northwest of the VORTAC; within 4.5 miles northeast and 9.5 miles southwest of the Bangor International Airport ILS localizer southeast course, extending from the OM to 18.5 miles southeast of the OM; within a 5-mile radius of the center, lat. 44°57'15" N., long. 68°40'30" W. of De Witt Field-Old Town Municipal Airport, Old Town, Maine; within 1.5 miles each side of the Bangor VORTAC 052° radial extending from the De Witt Field-Old Town Municipal Airport 5-mile radius area to the VORTAC; within 4 miles each side of the Bangor VORTAC 0500 radial, extending from the De Witt Field-Old Town Municipal Airport 5-mile radius area to 25.5 miles northeast of the VORTAC; within 3.5 miles each side of the 028° bearing and the 208° bearing from the Old Town, Maine, RBN lat. 45°00'24" N., long. 68°38'02" W., extending from the De Witt Field-Old Town Municipal Airport 5-mile radius area to 10.5 miles northeast of the RBN; within 2 miles each side of the De Witt Field-Old Town Municipal Airport runway 22 centerline extended from the De Witt Field-Old Town Municipal Airport 5-mile radius area to 6 miles south of the end of the runway; within 2 miles each side of the De Witt Field-Old Town Municipal Airport runway 33 centerline extended from the De Witt Field-Old Town Municipal Airport 5-mile radius area to 6 miles northwest of the end of the runway; within 2 miles each side of the De Witt Field-Old Town Municipal Airport runway 15 centerline extended from the De Witt Field-Old Town Municipal Airport 5-mile radius area to 5 miles southeast of the end of the runway. and that airspace

extending upward from 1,200 feet above the surface bounded by a line beginning at latitude 44°20'10" N. longitude 67°56'00" W., to latitude 44°18'30" N., longitude 67°56'00" W., to latitude 43°52'00" N., longitude 69°00'00" W., to latitude 43°48'00" N., longitude 69°03'00" W., to latitude 43°48'00" N., longitude 69°03'00" W., to latitude 43°48'00" N., longitude 69°03'00" W., to latitude 43°50'00" N., longitude 69°03'00" N., long

longitude 69° 18' 00" W., to latitude 43° 59' 00" N., longitude 69° 16' 00" W., to latitude 44° 09' 00" N., longitude 69° 39' 00" W., thence clockwise via the arc of a 14-mile radius circle centered on the Augusta, Maine. VOR to latitude 44° 09' 00" N., longitude 69° 57' 00" W., to latitude 44° 03' 00" N., longitude 70° 06' 00" W., to latitude 43° 50' 00" N., longitude 70° 12' 00" W., to latitude 43° 55' 00" N., longitude 70° 28' 00" W.. to latitude 44° 05' 00" N., longitude 70° 23' 00" W., to latitude 44° 12' 00" N., longitude 70° 10' 00" W., to latitude 44° 16' 00" N., longitude 70° 14' 00" W., to latitude 44° 39' 00" N., longitude 69° 47' 00" W.. to latitude 44° 50' 00" N., longitude 69° 47' 00" W., to latitude 45° 12' 00" N., longitude 69° 23' 00" W., to latitude 45° 24' 00" N., longitude 68° 55' 00" W., to latitude 45° 30' 00" N., longitude 68° 31' 00" W.. to latitude 45° 27' 00" N., longitude 68° 20' 00" W., to latitude 45° 33' 00" N., longitude 68° 16' 00" W., to latitude 45° 38' 00" N., longitude 67° 40' 30" W., thence via the United States/Canadian border latitude 44°47'45" N., longitude 66°53'00" W., thence by a line 3-nautical miles from and parallel to the U. S. shoreline to the point of beginning.

AMENDMENTS 6/20/74 39 F. R. 14695 (Changed)

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Baraboo-Wisconsin Dells Airport (latitude 43°31'21" N., longitude 89°46'22" W.).

PENDING AMENDMENT

Baraboo, Wis. That airspace extending upward from 700 feet above the surface within an 11-mile radius of Baraboo-Wisconsin Dells Airport (latitude 43°31'30" N., longitude 89°46'15" W.) and within an 11-mile radius of the Reedsburg Airport (latitude 43°31'44" N., longitude 89°59'06" W.). AMENDMENTS 1/30/75 39 F. R. 41519 (Rewritten)

Bardstown, Ky.

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of Samuels Field (lat. 37°48'55" N., long. 85°29'58" W.); within 3 miles each side of the 022° bearing from Bardstown RBN (lat. 37°50' 52" N., long. 85°29'00" W.), extending from the 5.5-mile radius area to 8.5 miles north of the RBN.

Bar Harbor, ME.

That airspace extending upward from 700 feet above the surface within a 12.5-mile radius of the center (lat. 44°26'56" N., long. 68°21'42" W.) of the Bar Harbor Airport excluding that airspace previously designated as the Bangor, ME., 700-foot transition area. Within 4.5 miles west and 9.5 miles east of the Bar Harbor ILS localizer course extending from the 12.5-mile radius to 11.5 miles north of the Surry (BH) NDB.

Barnesville, Ohio

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center, lat. 400 00'10" N., long. 81011'30" W., of the Bradfield Airport, Barnesville, Ohio.

Barnwell, S. C.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Barnwell County Airport (lat. 33°15'26" N., long. 81°23'06" W.); within 3 miles each side of the 009° bearing from Barnwell RBN (lat. 33°15'31" N., long. 81°22'43" W.), extending from the 6.5-mile radius area to 8.5 miles north of the RBN; excluding the portion within R-6004.

Bartlesville, Okla.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Phillips Airport (latitude 36°45'46" N., longitude 96°00'38" W.); within 5 miles each side of the Bartlesville VORTAC 176° radial extending from the 9-mile radius to 21½ miles south of the VORTAC; and within 3½ miles each side of the Bartlesville VORTAC 354° radial extending from the 9-mile radius to 12 miles north of the VORTAC; that airspace which lies within the State of Kansas extending upward from 1,200 feet above the surface within 9½ miles west and 4½ miles east of the 354° radial of the Bartlesville VORTAC extending from the VORTAC to 18½ miles north of the VORTAC.

Bastrop, La.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Morehouse Memorial Airport (latitude 32°45'25" N., longitude 91°52'50" W.) and within 2 miles each side of the Monroe VORTAC 030° radial extending from the 5-mile radius area to 19 miles northeast of the VORTAC, and within 3 miles each side of the 159° bearing from the NDB (latitude 32°45'28" N., longitude 91°52'53" W.) extending from the 5-mile radius area to 8 miles southeast of the NDB.

AMENDMENTS 3/28/74 39 F. R. 1975 (Rewritten)

Batavia, NY.

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of the center lat. 43°01'45" N., long. 78°10'15" W. of Genesee County Airport, Batavia, NY., and within 2.5 miles each side of the Rochester, NY., VORTAC 257° radial, extending from the 5.5-mile radius area to 19.5 miles west of the VORTAC.

Batesville, Ark.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the Batesville Regional Airport (latitude 35°43'50" N., longitude 91°38'25" W.).

Baton Rouge, La.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Ryan Airport (latitude 30°31'55" N., longitude 91°09'00" W.), within 2 miles each side of the Baton Rouge ILS localizer southeast course extending from the 7-mile radius area to 7.5 miles southeast of Ryan Airport, within 5 miles northeast and 8 miles southwest of the Baton Rouge ILS localizer northwest course extending from the 0M to 12 miles northwest, within 2 miles each side of the Baton Rouge VORTAC 071° radial extending from the 7-mile radius area to the VORTAC, and within 2 miles each side of the Baton Rouge VORTAC 068° radial extending from the 7-mile radius area to 7.5 miles east of the airport.

Battle Creek, Mich.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of Kellogg Field, Battle Creek, Mich. (latitude 42° 18' 35" N., longitude 85° 14' 55" W.), within 8 miles NW and 5 miles SE of the Battle Creek ILS localizer NE course extending from the 12-mile radius area to 12 miles NE of the OM, within a 13-mile radius of Kalamazoo Airport (latitude 42° 14' 07" N., longitude 85° 33' 10" W.); within 8 miles W and 5 miles E of the Kalamazoo ILS localizer N course extending from the 13-mile radius area to 17 miles N of the airport; within a 4-mile radius of Haines Field, Three Rivers, Mich. (latitude 41° 57' 30" N., longitude 85° 35' 30" W.), and within 8 miles NW and 5 miles SE of the 034° bearing from Haines Field. extending from the 4-mile radius area to 12 miles NE of the airport.

Battle Mountain, Nev.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Lander County Airport (latitude 40036'03" N., longitude 116052'25" W.) and within 5 miles each side of the Battle Mountain VORTAC 218° radial, extending from the VORTAC to 16 miles southwest of the VORTAC; that airspace extending upward from 1.200 feet above the surface within 5 miles southeast and 9.5 miles northwest of the Battle Mountain 218° radial extending from the VORTAC to 23 miles southwest of the VORTAC, and within 6.5 miles south and 9 miles north of the Battle Mountain VORTAC 077° and 257° radials, extending from 8 miles west to 18.5 miles east of the VORTAC.

Baudette. Minn.

That airspace extending upward from 700 feet above the surface within a 52-mile radius of Baudette International Airport, Baudette, Minn. (latitude 48°43'.15" N., longitude 94°36'00" W.); within 3 miles each side of the 106° bearing from the Baudette International Airport extending from the 52-mile radius area to 8 miles east of the airport; and that airspace extending upward from 1,200 feet above the surface within $4\frac{1}{2}$ miles south and 9½ miles north of the 1060 and 2860 bearing from the Baudette International Airport, extending from 6 miles west to 18½ miles east of the airport; and within 5 miles each side of the 2860 bearing from Baudette International Airport, extending from the airport to 12 miles west of the airport, excluding the portion outside the United States.

Baxley, Ga.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Baxley Municipal Airport (lat. 31°42'50" N., long. 82°23'25" W.); within 2 miles each side of Alma VORTAC 029° radial, extending from the 5-mile radius area to 8 miles north of the VORTAC.

That airspace extending upward from 700 feet above the surface within a. 5-mile radius of Bay City Municipal Airport (lat. 28°58'23" N., long. 95°51'48" W.), excluding that portion within a 1-mile radius of Bay City Airport (lat. 28°58'41" N., long. 95°56'22" W.).

Bay Minette, Ala.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Bay Minette Municipal Airport (lat. 30°52'20" N., long. 87°49'30" W.).

Bay St. Louis, Miss.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Stennis International Airport (lat. 30°22'15" N., long. 89°27'16" W.).

Beatrice, Nebr.

That airspace extending upward from 700 feet above the surface within a six-mile radius of the Beatrice Municipal Airport (latitude 40°18'01" N., longitude 96°45'16" W.); and within five-miles each side of the Beatrice VOR 325° radial extending from the six-mile radius to 14 miles northwest of the VOR; that airspace extending upward from 1200 feet above the surface within twelve miles southwest and five miles northeast of the Beatrice VOR 325° radial extending from the VOR to 23 miles northwest of the airport excluding that portion which overlies the Lincoln, Nebraska, transition area.

AMENDMENTS 6/20/74 39 F. R. 14583 (Rewritten)

Beaufort, S. C.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Beaufort MCAS (lat. 32°28'40" N., long. 80°43'20" W.); within 5 miles each side of Beaufort MCAS TACAN 037° radial, extending from the 8.5-mile radius area to 8.5 miles northeast of the TACAN.

Beaumont, Tex.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Jefferson County Airport (latitude 29°57'05" N., longitude 94°01'10" W.), within a 5-mile radius of Beaumont Municipal Airport (latitude 30°04'15" N., longitude 94°13'00" W.), within 3 miles each side of the Beaumont ILS localizer southeast course extending from the 7-mile radius area to 13.5 miles southeast of the approach end of Jefferson County Airport Runway 29, and within 2.5 miles each side of the Beaumont ILS localizer northwest

course extending from the 7-mile radius area to the 5-mile radius area.

Beaver Falls, Pa.

That airspace extending unward from 700 feet above the surface within a 6-mile radius of the center 40°46'21" N., 80°23'37" W. of Beaver County Airport, Beaver Falls, Pa., and within 2 miles each side of the Elwood City, Pa. VOR 248° radial extending easterly from the 6-mile radius area to the VOR.

Beckley, W. Va.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of the center, lat. 37º46'54" N., long. 81º07'27" W. of Raleigh County Memorial Airport, Beckley, W. Va.; within a 14-mile radius of the center of Raleigh County Memorial Airport, extending clockwise from the 025° bearing to the 215° bearing from the airport and within 4.5 miles north and 9.5 miles south of the Beckley VOR 284° radial, extending from the VOR to 18.5 miles west of the VOR.

Bedford, Ind.

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of Virgil I. Grissom Municipal Airport (lat. 38°50'25" N., long. 86°26'45" W.); within 5 miles each side of the Bloomington, Ind., VORTAC 156° radial, extending from the 6½-mile radius area to 35 miles southeast of the VORTAC; and within 3 miles each side of the 302° bearing from Virgil I. Grissom Municipal Airport, extending from the 6½-mile radius area to 8 miles northwest of the airport.

Beeville, Tex.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of NAS Chase Field (lat. 28°21'50" N., long. 97°39'40" W.); within 2 miles each side of the NAS Chase TACAN 129° and 321° radials extending from the 7-mile radius area to 10 miles northwest and southeast of the TACAN; within 2 miles each side of the 3390 bearing from the NAS Chase RBN extending from the 7-mile radius area to 12 miles north of the RBN; within a 6.5-mile radius of Beeville Municipal Airport (lat. 28°22'00" N.. long. 97°48'00" W.).

Bellaire, Mich.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Antrim County Airport (latitude 44°59'15" N., longitude 85°12'00" W.); and within 3 miles each side of the 198° bearing from Antrim County Airport, extending from the 11-mile radius area to 14 miles south of the airport.

Bellefontaine, Ohio

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Bellefontaine Airport (latitude 40°24'45" N., longitude 83°44'10" W.) and within 3 miles each side of the 049° bearing from the airport extending from the 6-mile radius area to 13 miles northeast of the airport.

Belleville, Ill.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Scott AFB, Belleville, Ill. (latitude $38^{\circ}32'30''$ N., longitude $89^{\circ}51'05''$ W.), and within 2 miles each side of the 317° bearing from the Belleville RBN, extending from the 7-mile radius area to the RBN.

Belleville, Kansas

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Belleville Municipal Airport (latitude 39°49'00" N., longitude 97°39'00" W.); within 3 miles each side of the 356° bearing from the Belleville Municipal Airport, extending from the 5-mile radius to 8 miles north of the airport and within 5 miles each side of the 269° bearing from the Belleville Municipal Airport, extending from the 5-mile radius to 17 miles west of the airport; and that airspace extending upward from 1,200 feet above the surface within 4.5 miles west and 9.5 miles east of the 356° bearing of the Belleville Municipal Airport extending from the airport to 18.5 miles north of the airport; and within 5 miles north and 9.5 miles south of the 269° bearing extending from the Belleville Municipal Airport to 22 miles west of the airport; and within 5 miles each side of the 269° bearing of the Belleville Municipal Airport from the 22-mile extension to the Mankato VOR. AMENDMENTS 11/7/74 39 F. R. 32980 (Added)

Bellingham, Wash.

That airspace extending upward from 700 feet above the surface bounded on the east by longitude $122^{\circ}15'00''$ W., on the south by latitude 48°52'00" N., on the west and north by the United States/Canada border, and within 4.5 miles each side of the Bellingham VORTAC 169° radial, extending from 21.5 to 24 miles south of the VORTAC; and within 3.5 miles north and 8 miles south of the 288° bearing from Lummi NDB (latitude 48°47'38" N., longitude 122032'08" W.) extending from the NDB 11.5 miles west of the NDB.

Belzoni, Miss.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Belzoni Municipal Airport (latitude 33°08'40" N., longitude 90°30'55" W.).

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Bemidji Municipal Airport (latitude 47°30'30" N., longitude 94°55'55" W.); within 5 miles each side of the Bemidji VORTAC 135° radial, extending from the 7-mile radius area to 19½ miles southeast of the VORTAC; within 5 miles each side of the Bemidji VORTAC 318° radial, extending from the 7-mile radius area to 8 miles northwest of the VORTAC; and within $4\frac{1}{2}$ miles north and $9\frac{1}{2}$ miles south of the 262° bearing from Bemidji Municipal Airport, extending from the airport to 182 miles west of the airport; and that airspace extending upward from 1,200 feet above the surface within a 13-mile radius of Bemidji VORTAC, extending from the 318° radial, clockwise to the 014° radial; within a 232-mile radius of Bemidji VORTAC extending from the 014° radial clockwise to the 285° radial; within $4\frac{1}{2}$ miles northeast and $9\frac{1}{2}$ miles southwest of the Bemidji VORTAC 318° radial, extending from the VORTAC to $18\frac{1}{2}$ miles northwest of the VORTAC; and within $4\frac{1}{2}$ miles southwest and $9\frac{1}{2}$ miles northeast of the Bemidji VORTAC 135° radial, extending from the $23\frac{1}{2}$ -mile radius area to 30 miles southeast of the VORTAC.

Bend, Oreg.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Bend Municipal Airport (latitude 44°05'35" N., longitude 121°12'00" W.) and within 2 miles each side of the Redmond VORTAC 334° and 154° radials, extending from the 5-mile radius area to 1 mile northwest of the VORTAC; that airspace extending upward from 1,200 feet above the surface within 5 miles southwest and 8 miles northeast of the Redmond VORTAC 334° radial, extending from the VORTAC to 12 miles northwest of the VORTAC.

Bennettsville, S. C.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Bennettsville Airport (latitude 34°37'45" N., longitude 79°43'57" W.).

Bennington, Vt.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the center 42°53'30" N., 73°14'50" W. of Bennington State Airport, Bennington, Vt., and within 2 miles each side of the Cambridge, N. Y., VOR 145° radial, extending from the 5-mile radius area to the VOR. This transition area is effective from sunrise to sunset, daily.

Benson, Minn.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Benson Municipal Airport (latitude 45°20'00" N., longitude 95°39'00" W.); and within 3 miles each side of the 323° bearing from Benson Municipal Airport extending from the airport to 8 miles northwest of the airport.

Benton Harbor, Mich.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Ross Field (latitude 42°07'40" N., longitude 86°25'40" W.), and within 2 miles each side of the ILS back course and Keller, Mich., VORTAC 266° radial extending from the 7-mile radius area to 12 miles west of the airport.

Berkeley Springs, WV.

That airspace extending upward from 700 feet above the surface within a 14.5-mile radius of the center (lat. 39°41'30" N., long. 78°09'45" W.) of Potomac Airpark, Berkeley Springs, WV., extending clockwise from the 062° bearing to the 167° bearing from the airport; within a 22.5-mile radius of Potomac Airpark, extending clockwise from the 167° bearing to the 215° bearing from the airport; within a 21.5-mile radius of Potomac Airpark, extending clockwise from the 266° bearing from the airport; within a 15.5-mile radius of Potomac Airpark, extending clockwise from the 266° bearing to the 304° bearing from the airport; within a 19.5-mile radius of Potomac Airpark, extending clockwise from the 304° bearing to the 342° bearing from the airport; within a 21.5-mile radius of Potomac Airpark, extending clockwise from the 342° bearing to the 023° bearing from the airport; within a 23.5-mile radius of Potomac Airpark, extending clockwise from the 023° bearing to the 062° bearing from the airport; within 2.5 miles each side of the Hagerstown VOR 268° radial, extending from the 14.5-mile radius to 1 mile west of the VOR, excluding the portion within the Hagerstown, MD., and and Martinsburg, WV., transition areas.

Berlin. N.H.
That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center,
44°34'35" N., 71°10'40" W. of Berlin Municipal Airport, Berlin, N. H.; within 2 miles each side of the
Berlin Municipal Airport Runway 18 centerline, extended from the 8.5-mile radius area to 12 miles south of
the end of the runway; within 2 miles each side of the Berlin Municipal Airport Runway 36 centerline,
extended from the 8.5-mile radius area to 20.5 miles north of the end of the runway and within 4.5 miles west
and 9.5 miles east of the Berlin, N. H. VOR (44°38'05" N., 71°11'12" W.) 355° radial, extending from the 8.5mile radius area to 18.5 miles north of the VOR.

That airspace extending upward from 1,200 feet above the surface beginning at 44°54′00" N., 71°10′00" W. to 44°50′00" N., 71°07′30" W.; to 44°50′30" N., 71°02′00" W.; to 44°40′00" N., 71°00′30" W. to 44°31′00" N.. 70°55′00" W. to 44°29′00" N., 71°03′00" W. to 44°22′00" N., 71°02′00" W. to 44°13′00" N., 71°45′00" W. to 44°25′00" N., 71°52′00" W. to 44°36′00" N., 71°20′00" W. to 44°47′00" N., 71°28′00" W. to point of beginning.

Bethel, Alaska

That airspace extending upward from 700 feet above the surface within 3 miles each side of the Bethel WORTAC 007° radial, extending from the north control zone extension to 11.5 miles north of the WORTAC; from the southwest control zone extension to 11.5 miles southwest of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within a 20-mile radius of the Bethel WORTAC; and within 9.5 miles northwest and 4.5 miles southeast of the 023° bearing from BET localizer (latitude 60°46'08" N., longitude 161°50'39" W.) extending from the 20-mile radius area to 26 miles northeast of the BET localizer.

Biddeford, Maine

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Biddeford, Maine, Airport (lat. 43°27'55" N., long. 70°28'25" W.) extending clockwise from the 270° bearing to the 180° bearing; within a 10-mile radius extending from the 180° bearing clockwise to the 270° bearing excluding that airspace previously designated as the Sanford, Maine, 700-foot transition area.

Big Delta, AK.

That airspace extending upward from 700 feet above the surface within 9.5 miles each side of the Big Delta VORTAC 2200 and 0400 radials extending from 2 miles southwest to 18.5 miles northeast of the Big Delta VORTAC; and within a 16.5-mile radius of the Big Delta VORTAC extending clockwise from the 309° radial to the 006° radial.

Big Mountain, Alaska

That airspace extending upward from 1,200 feet above the surface within 5 miles northwest and 7.5 miles southeast of the 049° and 229° bearings from the Big Mountain RBN, extending from 7 miles northeast to 13 miles southwest of the RBN.

Big Piney, Wyo.

That airspace extending upward from 700 feet above the surface within 5.5 miles southwest and 9.5 miles northeast of the Big Piney VOR 134° and 314° radials, extending from 4.5 miles northwest to 19 miles southeast of the VOR, and that airspace extending upwards from 1,200 feet above the surface within 9 miles southwest and 13.5 miles northeast of the Big Piney 134° and 314° radials, extending from 11.5 miles northwest to 24.5 miles southeast of the VOR.

Big Rapids, Mich.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Roben-Hood Airport latitude 43°43'13" N., longitude 85°29'52" W.) and within 5 miles each side of the White Cloud VOR 047° radial extending from an 8-mile radius area to the VOR, excluding the portion overlying the Reed City transition area.

Big Sandy, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Ambassador Field (latitude 32°35'00" N., longitude 95°03'45" W.), and within 2 miles each side of the Gregg County VORTAC 303° radial extending from the 5-mile radius area to 15 miles northwest of the VORTAC.

Big Spring, Texas

That airspace extending upward from 700 feet above the surface within a 23-mile radius of latitude 32°12'55" N., longitude 101°31'06" W.

That airspace extending upward from 700 feet above the surface within a 29-mile radius of Logan Field Airport (latitude 45.48.25" N., longitude 108.31.55" W.); that airspace extending upward from 1,200 feet above the surface within a 36-mile radius of Logan Field Airport; that airspace extending upward from 6,700 feet MSL within a 46-mile radius of the Billings VORTAC extending from the Billings VORTAC 008° radial clockwise to the 057° radial, excluding the portion that overlies V-2N; that airspace extending upward from 6,700 feet MSL within a 58-mile radius of the Billings VORTAC extending from the Billings VORTAC 057° radial clockwise to the southwest edge of V-19/86 excluding the portion that overlies V-2 and V-2N; that airspace extending upward from 10,700 feet MSL within a 58-mile radius of the Billings VORTAC extending from the southwest edge of V-19/86 clockwise to the Billings VORTAC 192° radial excluding the portions that overlie VOR Federal airways; that airspace extending upward from 8,200 feet MSL within a 46-mile radius of the Billings VORTAC extending from the Billings VORTAC 1920 radial clockwise to the northwest edge of V-465 excluding the portions that overlie VOR Federal airways; that airspace extending upward from 8,700 feet MSL within a 46-mile radius of the Billings VORTAC extending from the west edge of V-465 clockwise to the south edge of V-2/86; that airspace extending upward from 7,700 feet MSL within a 58-mile radius of the Billings VORTAC extending from the south edge of V-2/86 clockwise to the southwest edge of V-2N excluding that portion of V-2/86 that has a 1,200-foot AGL floor; that airspace extending upward from 6,700 feet MSL within a 58mile radius of the Billings VORTAC extending from the north edge of V-2N clockwise to the Billings VORTAC 0080 radial excluding those portions of V-187 and V-19 that have 1,200-foot AGL floors.

Binghamton, N.Y.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center of Broome County Airport. 42°12'35" N.. 75°58'46" W.: within 2 miles each side of the Binghamton VOR 066°-246° radial extending SW from the 7-mile radius area for 8 miles from the VOR: within 2 miles each side of the airport ILS localizer SE course extending from the 7-mile radius area to the Nimmons RBN.

Birch Hollow, Va.

That airspace extending upward from 700 feet above the surface within an area 7 miles east of and parallel to and 14 miles west of and parallel to the Martinsburg, W. Va., 140° radial extending between the Martinsburg, W. Va., VORTAC and latitude 39°01'10" N., longitude 77°27'42" W.

AMENDMENTS 5/14/74 39 F. R. 17221 (Changed)

Birmingham, Ala.

That airspace extending upward from 700 feet above the surface beginning at the intersection of a line 2 miles west of and parallel to the extended centerline of Runways 18/36 north of the Birmingham Municipal Airport and the arc of a 17-mile radius circle centered at Birmingham Airport surveillance radar antenna site (latitude 33°34'24" N., longitude 86°45'23" W.); thence clockwise along this arc to the intersection of the 270° bearing from the radar antenna site; thence east along the 270° bearing from the radar antenna site to the intersection of the arc of a 13-mile radius circle centered at the radar antenna site; thence clockwise along this arc to a line 2 miles northeast of and parallel to the Birmingham VORTAC 313° radial; thence southeast along this line to the intersection of the arc of a 10-mile radius circle centered at the radar antenna site; thence clockwise along this arc to the intersection of a line 2 miles west of and parallel to the extended centerline of Runways 18/36; thence north along this line to the point of beginning; within 5 miles each side of Birmingham ILS localizer southwest course, extending from the 17-mile radius area to 11.5 miles southwest of the OM.

Bishop, Calif.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Bishop VOR (latitude 37°22'37" N., longitude 118°21'56" W.); that airspace extending upward from 1,200 feet above the surface within 8 miles southwest and 12 miles northeast of the Bishop VOR 156° and 336° radials, extending from 10 miles northwest to 22 miles southeast of the VOR; that airspace extending upward from 12,500 feet MSL within 5 miles each side of the Bishop VOR 341° radial extending from the VOR to V-244, within 5 miles each side of a direct course between the Bishop VOR and Lida Intersection, 42 miles 12,500 feet MSL, 10,500 feet MSL Lida Intersection, and within 5 miles each side of a direct course between Bishop VOR and Beatty, Nev., VOR 80 miles 12,500 feet MSL, 10,500 feet MSL Beatty.

Bismarck, N. Dak.

That airspace extending upward from 700 feet above the surface within a 17-mile radius of Bismarck VORTAC; within a 20-mile radius of Bismarck VORTAC, extending from the Bismarck VORTAC 152° radial clockwise to the Bismarck VORTAC 182° radial; within 4½ miles north and 9½ miles south of the Bismarck VORTAC 105° radial extending from the 17-mile radius area to 18½ miles east of the VORTAC; and within 4½ miles southwest and 9½ miles northeast of the Bismarck IIS localizer southeast course, extending from the 17-mile radius area to 18½ miles southeast of the 0M;

and within $4\frac{1}{2}$ miles northeast and $9\frac{1}{2}$ miles southwest of the Bismarck ILS localizer northwest course extending from the 17-mile radius area to 32 miles northwest of the OM.

that airspace extending upward from 1200 feet above the surface within a 22½-mile radius of the Bismarck VORTAC, extending from the Bismarck VORTAC 290° radial clockwise to the Bismarck VORTAC 082° radial and within a 33-mile radius of the Bismarck VORTAC extending from the Bismarck VORTAC 082° radial clockwise to the Bismarck VORTAC 290° radial.

AMENDMENTS 6/20/74 39 F. R. 13968 (Changed)

Blacksburg, Va.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the center, 37°12'25" N., 80°24'30" W., of VPI Airport, Blacksburg, Va.; within 4 miles northwest and 3 miles southeast of the Pulaski VORTAC 064° radial, extending from the 6-mile radius area to 3 miles northeast of the Pulaski VORTAC; within 2 miles each side of the Runway 8 centerline extended from the 6-mile radius area to 7 miles east of the end of the runway; and within 2 miles each side of the Runway 30 centerline extended from the 6-mile radius area to 11 miles northwest of the end

of the runway, excluding the portion within the Dublin, Va., transition area.

Blackstone, Va.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Blackstone AAF-Allen C. Perkinson Municipal Airport (latitude 37°04'30" N., long. 77°57'45" W.). This transition area is effective from sunrise to sunset, daily. AMENDMENTS 1/3/74 38 F. R. 31288 (Rewritten) AMENDMENTS 12/5/74 39 F. R. 42341 (Changed)

Blanding, Utah

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Blanding, Utah, airport (latitude 37°34'50" N., longitude 109°28'55" W.) and within 3.5 miles each side of the 188° bearing from the Blanding, Utah RBN (latitude 37°31'03" N., longitude 109°29'31" W.) extending from the 6-mile radius area to 11.5 miles south of the RBN; that airspace extending upward from 1,200 feet above the surface within 9.5 miles east and 5 miles west of the 188° and 008° bearings from the Blanding RBN extending from 18.5 miles south to 7 miles north of the RBN, and within 5 miles each side of a direct line between the Blanding RBN and the Dove Creek, Colo., VORTAC excluding that portion within R-6410 during the times that R-6410 is in use.

Block Island, R. I.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Block Island State Airport (lat. 41°10'05" N., long. 71°34'40" W.).

Bloomington, Ill.

That airspace extending upward from 700 feet above the surface within a $6\frac{1}{2}$ -mile radius of Bloomington Normal Airport; and within 3 miles each side of the Bloomington VOR 043°, 103°, and 319° radials, extending from the $6\frac{1}{2}$ -mile radius area to 8 miles northeast, east and northwest of the VOR.

Bloomington, Ind.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Monroe County Airport (latitude 39°08'25" N., longitude 86°37'00" W.); within 5 miles each side of the Bloomington VORTAC 062° radial, extending from the 7-mile radius area to 14 miles northeast of the VORTAC; within 5 miles each side of the Bloomington VORTAC 181° radial, extending from the 7-mile radius area to 12 miles south of the VORTAC; within 5 miles each side of the Bloomington VORTAC 341° radial, extending from the 7-mile radius area to 12 miles north of the VORTAC; and within 3 miles each side of the Bloomington VORTAC 236° radial, extending from the 7-mile radius area to $10\frac{1}{2}$ miles southwest of the VORTAC.

Bloomsburg, Pa.

That airspace extending upward from 700 feet above the surface within a 7.5-mile radius of the center of Bloomsburg Municipal Airport, Bloomsburg, Pa., lat. 40°59'45" N., longitude 76°26'30" W., and within 3 miles each side of the Milton, Pa., VORTAC 099° radial extending from the 7.5-mile radius area to the VORTAC.

Bluefield, WV.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of the center, lat. 37°17'45" N., long. 81°12'29" W., of Mercer County Airport, Bluefield, WV.; within a 14.5-mile radius of the center of the airport, extending clockwise from a 078° bearing to a 113° bearing from the airport; within a 17-mile radius of the center of the airport, extending clockwise from a 113° bearing to a 195° bearing from the airport; within a 23.5-mile radius of the center of the airport, extending clockwise from a 195° bearing to a 248° bearing from the airport and within 3.5 miles each side of the Bluefield VORTAC 047° radial, extending from the 11-mile radius area to 11 miles northeast of the VORTAC.

Blythe, Calif.

That airspace extending upward from 700 feet above the surface within 3 miles each side of the Blythe VORTAC 264° radial, extending from the VORTAC to 9 miles W of the VORTAC; that airspace extending upward from 1,200 feet above the surface within 9.5 miles S and 4.5 miles N of the Blythe VORTAC 264° radial, extending from the VORTAC to 18.5 miles W of the VORTAC; within 4.5 miles NW and 9.5 miles SE of the Blythe VORTAC 066° radial, extending from the VORTAC to 28 miles NE of the VORTAC; within 9 miles N and 10 miles S of the Blythe VORTAC 094° radial, extending from the VORTAC to 36 miles E of the VORTAC excluding the airspace within R-2306B and R-2308A, and that airspace within an arc of an 18-mile radius circle centered on the Blythe Airport (latitude 33°37'15" N., longitude 114°43'00" W.), extending clockwise from longitude 114°30'00" W. to the S edge of V-16.

AMENDMENTS 1/3/74 38 F. R. 31674 (Rewritten)

Blytheville, Ark.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Blytheville AFB (latitude 35°57'50" N., longitude 89°56'40" W.), excluding the portion within the Manila, Ark., transition area, within a 5-mile radius of Blytheville Municipal Airport (latitude 35°56'15" N., longitude 89°49'45" W.), within 4 miles east and 7 miles west of a 005° bearing from the Hicks RBN (latitude 35°57'52" N., longitude 89°49'35" W.), extending from the RBN to 12 miles north, and within 2 miles each side of the extended centerline of Blytheville AFB Runways 17 and 35 extending from the 8.5-mile radius area to 12 miles north and south of the airport; and that airspace extending upward from 1,200 feet above the surface within the States of Kentucky and Missouri south of a line beginning on the Arkansas/Missouri State line at latitude 36°26'25" N., thence to latitude 36°20'00" N., longitude 89°59'00" W., to latitude 36°20'00" N., longitude 89°34'00" W., to latitude 36°20'00" N., longitude 89°34'00" W., to latitude 36°28'00" N., longitude 89°34'00" W., to latitude 36°38'30" N., longitude 89°39'00" W., to point of beginning excluding the portion within the Tennessee transition, the State of Kentucky transition area and the portion extending upward from 5,000 feet MSL within Federal airways.

Boise, Idaho

That airspace extending upward from 700 feet above the surface bounded by a line beginning at latitude 43°56' 00" N., longitude 116°33'00" W., direct to latitude 43°51'15" N., longitude 116°25'00" W., thence via a 21.5radius arc, centered on the Boise VORTAC, clockwise to longitude 116°14'00" W., direct latitude 43°45'00" N., longitude 116°14'00" W., direct latitude 43°31'00" N., longitude 115°52'00" W., direct latitude 43°20'00" N., longitude 115°58'00" W., direct latitude 43°25'00" N., longitude 116°25'00" W., direct latitude 43°42'00" N., longitude 116°57'00" W., thence to point of beginning; that airspace extending upward from 1,200 feet above the surface within a 35-mile radius arc from Boise VORTAC extending clockwise from V-253 to V-4N, within a 40-mile radius arc of Boise VORTAC extending clockwise from the southeast edge of V-113 to V-500, that airspace 8 miles each side of Boise VORTAC 269° radial extending from the 40-mile radius arc to 57 miles west of the VORTAC, within 8 miles northeast and 11 miles southwest of the Boise VORTAC 295° radial, extending from the 40-mile radius arc to 75 miles northwest of the VORTAC, that airspace northwest of Boise bounded on the northwest by the McCall VORTAC 223° radial, on the east by the west edge of V-253 on the southwest by V-4; that airspace southeast of Boise extending upward from 9,000 feet MSL extending from the 35-mile arc bounded on the north by V-500, on the east by the southwest edge of V-293, on the south by the north edge of V-330 and on the southwest by the northeast edge of V-4; that airspace northeast of Boise extending upward from 11,500 feet MSL, bounded on the northeast by the southwest edge of V-293, on the south by the north edge of V-500, on the southwest by the 35-mile radius arc and on the west by the east edge of V-253.

Bonneville, Utah.

That airspace SE of Bonneville extending upward from 1,200 feet above the surface bounded by a line extending from latitude 40°30'00" N., longitude 112°30'00" W., to latitude 40°35'00" N., longitude 113°00'00" W., thence via longitude 113°00'00" W., to the S edge of V-32, thence via the S edge of V-32 to longitude 112°56'30" W., thence via longitude 112°56'30" W., to latitude 40°40'00" N., thence to point of beginning; and that airspace extending upward from 8,500 feet AMSL bounded on the S by latitude 40°35'00" N., on the W by longitude 113°51'00" W., on the N by the S edge of V-32 and on the E by longitude 113°00'00" W.

Boone, Iowa

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Boone Municipal Airport (latitude 42°03'00" N., longitude 93°50'45" W.); and within 3 miles each side of the 338° bearing from Boone Municipal Airport, extending from the 5-mile radius area to 8 miles north of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Borger, Tex.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Hutchinson County Airport, Borger, Tex., (latitude 35°41'55" N., longitude 101°23'40" W.), within 2 miles each side of the Borger, Tex., VOR 185° and 005° radials extending from the 7-mile radius area to 8 miles N of the VOR.

Boston, Mass.

That airspace extending upward from 700 feet above the surface bounded by a line beginning at: latitude 42°53'00" N., longitude 71°05'00" W., to latitude 42°52'00" N., longitude 71°02'45" W., to latitude 42°44'00" N., longitude 71°05'30" W., to latitude 42°49'45" N., longitude 70°54'00" W., to latitude 42°48'15" N., longitude 70°55'30" W., to latitude 42°43'00" N., longitude 70°46'00" W., to latitude 42°30'00" N., longitude 70°48'00"W., to latitude 42°30'00" N., longitude 70°48'00"W., to latitude 42°14'00" N., longitude 70°38'00" W., to latitude 41°59'00" N., longitude 70°48'00" W., to latitude 42°13'00" N., longitude 71°10'00" W., to latitude 42°13'00" N., longitude 71°10'00" W., to latitude 42°13'00" N., longitude 71°21'00" W., to latitude 42°21'00" N., longitude 71°25'00" W., to latitude 42°22'00" N., longitude 71°47'00" W., to latitude 42°27'00" N., longitude 71°55'00" W., to latitude 42°45'00" N., longitude 71°38'25" W., to latitude 42°43'00" N., longitude 71°36'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°38'00" N., longitude 71°20'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°30" N., longitude 71°20'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°38'00" N., longitude 71°20'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°38'00" N., longitude 71°20'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°30'0 N., longitude 71°20'00" W., to latitude 42°40'00" N., longitude 71°35'00" W., to latitude 42°30'0 N., longitude 71°35'00" W., to latitude 42°30'00" N., longitude 71°35'00" W., to latitude 42°30'00" N., longitude 71°35'00" W., to latitude 42°30'00" N., longitude 71°35'00" W., to latitude 42°30'00 N., longitude 71°35'00" W., to latitude 42

that airspace extending upward from 1,200 feet above the surface bounded by a line beginning at:

Latitude 42°53'00" N., longitude 71°05'00" W. to latitude 42°45'00" N., longitude 70°37'00" W. to latitude 42°44'25" N., longitude 70°37'15" W., thence along a line 3 nautical miles from and parallel to the shoreline to latitude 42°41'20" N., longitude 70°30'100" W. to latitude 42°15'20" N., longitude 70°30'100" W. to latitude 42°13'20" N., longitude 70°56'30" W. to latitude 42°04'00" N., longitude 70°56'30" W. to latitude 42°04'00" N., longitude 71°19'00" W. to latitude 41°56'35" N., longitude 71°26'00" W., thence counterclockwise along the arc of a 27-m11e radius circle centered on the NAS Quonset Point VOR to latitude 41°47'45" N., longitude 71°46'40" W. to latitude 41°55'00" N., longitude 71°59'00" W. to latitude 42°05'00" N., longitude 72°00'00" W. to latitude 42°43'00" N., longitude 71°40'00" W. to latitude 42°43'00" N., longitude 71°15'00" W. to the point of beginning, excluding the portion within the Taunton, Mass., transition area; and that airspace extending upward from FL 200 to FL 300, inclusive, east of Boston bounded by a line beginning at:

Latitude 42°24'30" N., longitude 70°15'30" W. to latitude 42°27'50" N., longitude 70°04'00" W. to latitude 42°25'30" N., longitude 70°04'00" W. to latitude 42°21'30" N., longitude 69°46'00" W. to latitude 42°21'30" N.,

longitude 69°30'00" W. to the point of beginning.

AMENDMENTS 4/25/74 39 F. R. 8318 (Changed)

Boulder Junction, Wis.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of Boulder Junction Airport (latitude 46°08'15" N., longitude 89°38'45" W.); and within 3 miles each side of the 049° bearing from the Boulder Junction Airport, extending from the 5½-mile radius area to 8 miles northeast of the airport.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

Bowie, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Bowie Municipal Airport (latitude 33°36'15" N., longitude 97°46'27" W.), and within 2 miles each side of the Bridgeport VORTAC 359° radial extending from the 5-mile radius area to 31 miles north of the VORTAC.

Bowling Green, Ky.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Bowling Green-Warren County Airport (lat. 36°57'47" N., long. 86°25'07" W.); within 4.5 miles each side of Bowling Green VORTAC 206° radial, extending from the 11-mile radius area to 11 miles southwest of the VORTAC.

Boyne Falls, Mich.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Boyne Mountain Airport (latitude 45°10'03" N., longitude 84°55'30" W.); and within 4½ miles west and 9½ miles east of the 176° bearing from the Boyne Mountain Airport extending from the airport to 17½ miles south of the airport excluding that position which overlies the Gaylord, Mich., Bellaire, Mich., and Grayling, Mich., transition areas.

Bozeman, Mont,

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Gallatin Field (latitude 45°46'50" N., longitude 111°09'20" W.) and within 5.5 miles northeast and 9.5 miles southwest of the Bozeman ILS northwest localizer course extending from the 11-mile radius area to 28 miles northwest of Gallatin Field,

and that airspace extending upward from 9,000 feet MSL within 6 miles northeast and 10 miles southwest of the Bozeman VOR 338° radial extending from 10 miles northwest of the Bozeman VOR to 37.5 miles northwest of the VOR.

Bradford, Pa.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the center, 41° 48°09' N., 78°38'27" W., of Bradford Regional Airport, Bradford, Pa.; within 3.5 miles each side of the Bradford Regional Airport ILS localizer southeast course, extending from the OM to 11.5 miles southeast of the OM; within 5 miles each side of the Bradford, Pa., WORTAC 139° radial, extending from the VORTAC to 11.5 miles southeast of the VORTAC; within 5 miles each side of the Bradford, Pa., WORTAC 316° radial, extending from the VORTAC to 18.5 miles northwest of the VORTAC.

Brainerd, Minn.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Brainerd-Crow Wing County Airport (latitude 46°23'55" N., longitude 94°08'15" W.); within 3 miles each side of the 120° radial of the Brainerd VORTAC extending from the 7-mile radius area to 7½ miles southeast of the VORTAC; within 5 miles each side of the Brainerd VORTAC 302° radial extending from the 7-mile radius area to 21 miles northwest of the VORTAC; within 3 miles each side of the 198° bearing from Brainerd-Crow Wing County Airport, extending from the 7-mile radius area to 1½ miles south of the airport; and within 3 miles each side of the 043° bearing from the Brainerd-Crow Wing County Airport, extending from the 7-mile radius area to 7½ miles northeast of the airport; and that airspace extending upward from 1,200 feet above the surface within a 31½-mile radius of the VORTAC north of parallel 46°30' and west of V-161.

Breckenridge, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Stephens County Airport (latitude 32°43'01" N., longitude 98°53'34" W.) and within 3.5 miles each side of the 004° bearing from the Breckenridge RBN (latitude 32°44'50" N., longitude 98°53'27" W.) extending from the 5-mile radius area to 11.5 miles north of the RBN.

Brewton, Ala.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Brewton Municipal Airport (lat. 31°03'00" N., long. 87°04'00" W.); within 5 miles each side of Crestview, Fla., VORTAC 303° radial, extending from the 6.5-mile radius area to 16 miles northwest of the VORTAC.

Bridgeport, Conn.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of the center, latitude 41°09'48" N., longitude 73°07'34" W., of the Igor I. Sikorsky Memorial Airport, Bridgeport, Conn., extending clockwise from a 013° bearing to a 055° bearing from the airport within a 8.5-mile radius of the center of the airport extending clockwise from a 055° bearing to a 248° bearing from the airport; within an ll-mile radius of the center of the airport extending clockwise from a 248° bearing to a 291° bearing from the airport; within a 12.5-mile radius of the center of the airport extending clockwise from a 2910 bearing to a 326° bearing from the airport; within a 13.5-mile radius of the center of the airport, extending clockwise from a 326° bearing to a 013° bearing from the airport; within 6.5 miles northwest and 4.5 miles southeast of the Bridgeport, Conn., VOR 042° radial extending from the Bridgeport, Conn., VOR to 17.5 miles northeast of the Bridgeport, Conn., VOR; within an 8.5-mile radius of the center, latitude 41°15'51" N., longitude 72°53' 15" W., of the Tweed-New Haven Airport, New Haven, Conn.; within 5 miles southeast and 5 miles northwest of the Hartford, Conn., VORTAC 222° radial extending from 32 miles southwest of the Hartford, Conn., VORTAC to 14 miles southwest of the Hartford, Conn., VORTAC; within 5 miles northeast and 5 miles southwest of the Pawling, N. Y., VORTAC 138° radial extending from 31 miles southeast to 44 miles southeast of the Pawling, N.Y., VORTAC; within 5 miles northwest and 5 miles southeast of the Carmel, N. Y., VORTAC 065° radial extending from the Carmel, N. Y., VORTAC to 28 miles northeast of the Carmel, N. Y., VORTAC; within 5 miles north and 5 miles south of the Carmel, N. Y., VORTAC 093° radial extending from the Carmel, N. Y., VORTAC to 28 miles east of the Carmel, N. Y., VORTAC. That airspace extending upward from 1,200 feet above the surface bounded by a line beginning at: latitude 41°31'00" N., longitude 73°30'00" W., to latitude 41°31'00" N., longitude 73°20' 00" W., to latitude 41°49'00" N., longitude 73°16'00" W., to latitude 41°31'00" N., longitude 72°46'00" W., to latitude 41°18'00" N., longitude 72°30'30" W., to latitude 41°00'00" N., longitude 72°45'00" W., to latitude 41°00'00" N., longitude 73°33'00" W., to latitude 41°10'00" N., longitude 73°33'00" W., to latitude 41° 20'00" N., longitude 73°23'00" W., to latitude 41°25'00" N., longitude 72°30'00" W., to point of beginning.

AMENDMENTS 8/15/74 39 F. R. 23251 (Rewritten)

Brigham City, Utah

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Brigham City Airport (latitude 41°32'30" N., longitude 112°03'30" W.), and within 4.5 miles each side of the 205° T (188°M) bearing from the Brigham City RBN (latitude 41°30'58" N., longitude 112°04'38" W.) extending from the 5-mile radius area to 8 miles southwest of the RBN.

Broken Bow, Nebr.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of Broken Bow Municipal Airport (latitude 41°26'05" N., longitude 99°38'25" W.); and within 3 miles each side of the 321° bearing from Broken Bow Municipal Airport, extending from the 52-mile radius area to 8 miles northwest of the airport; and that airspace extending upward from 1,200 feet above the surface within 42 miles southwest and 9½ miles northeast of the 321° and 141° bearings from Broken Bow Municipal Airport; extending from 6 miles southeast to 18 miles northwest of the airport.

Brookhaven, Miss.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Brookhaven Municipal Airport (lat. 31°36'20" N., long. 90°24'00" W.).

Brookings, S. Dak.

That airspace extending upward from 700 feet above the surface within a 9.5-mile radius of the Brookings, S. Dak., Municipal Airport (latitude 44°18'12" N., longitude 96°48'40" W.); within 4.5 miles northeast and 9.5 miles southwest of the Brookings VOR 316° radial extending from the 9.5-mile radius area to 18.5 miles northwest of the VOR; within 9.5 miles southwest of the Brookings VOR 300° radial extending from the 9.5-mile radius area to 18.5 miles northwest of the VOR; and that airspace extending upward from 1,200 feet above the surface within 4.5 miles southwest and 9.5 miles northeast of the Brookings VOR 118° radial extending from the 9.5-mile radius area to 18.5 miles southeast of the VOR.

Brownfield, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Brownfield, Tex.. Terry County Airport (latitude 33°10'29" N., longitude 102°11'29" W.) and within 3.5 miles each side of a 2000 bearing from the Brownfield nondirectional beacon (latitude 33°10'45" N., longitude 102°11'30" W.) extending from the 5-mile radius area to 8 miles south of the radio beacon.

Brownsville, Tex.

That airspace overlying the United States extending upward from 700 feet above the surface within a 7-mile radius of the Brownsville International Airport (latitude 25°54'25" N., longitude 97°25'25" W.).

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Brownwood Municipal Airport (latitude 31°47'40" N., longitude 98°57'25" W.); and within 2 miles each side of the Brownwood VOR 360° and 180° radials, extending from the 6-mile radius area to 8 miles N of the VOR.

Brunswick, Ga.

That airspace extending upward from 700 feet above the surface within an 8.5mile radius of Malcolm-McKinnon Airport (lat. 31°09'05" N., long. 81°23'20" W.); within a 5-mile radius of Jekyll Island Airport (lat. 31°04'00" N., long. 81°25'40" W.); within 5 miles each side of Brunswick VOR 215° radial, extending from the Malcolm-McKinnon Airport 8.5-mile and Jekyll Island Airport 5-mile radius areas to 8.5 miles south of the VOR; excluding the portion outside the continental limits of the United States.

AMENDMENTS 8/1/74 39 F. R. 13527 (Changed)

Brunswick, ME.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of NAS Brunswick (lat. 43°53'35" N., long. 69°56'20" W.); within 2 miles each side of the Navy Brunswick VOR 166° radial, extending from the 9-mile radius area to 12 miles south of the VOR.

Bryan, Ohio

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center that airspace extending upward from 700 feet above the surface within a 7-mile radius of the center (41°28'05" N., 84°30'25" W.) of Williams County Airport, Bryan, Ohio; within 2 miles each side of the Runway 25 centerline extended from the 7-mile radius area to 7 miles west of the end of the runway and within 2 miles each side of a 068° bearing from the Bryan, Ohio, REN (41°28'47" N., 84°27'58" W.) extending from the REN to 8 miles east of the REN, excluding the portion which coincides with the Defiance, Ohio, transition area.

Bryce Canyon, UT.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Bryce Canyon Airport (latitude 37°42'00" N., longitude 112°09'30" W.) and within 2 miles each side of the Bryce Canyon, UT., VORTAC 085° radial, extending from the 5-mile radius area to the VORTAC; and that airspace extending upward from 1,200 feet above the surface within 8 miles southeast and 9½ miles northwest of the Bryce Canyon VORTAC 240° and 060° radials, extending from 18½ miles southwest to 13 miles northeast of the VORTAC.

Buffalo, N. Y.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the center, 42°56'20" N., 78°43'50" W., of Greater Buffalo International Airport; within 2 miles each side of the Buffalo VORTAC 096° radial extending from the 8-mile radius area to 8 miles east of the VORTAC; within 8 miles northwest and 5 miles southeast of the Greater Buffalo International Airport northeast localizer course extending from the OM to 12 miles northeast of the OM; within 2 miles each side of the Greater Buffalo International Airport southwest localizer course extending from the 8-mile radius area to 8 miles southwest of the OM; within the arc of a 12-mile radius circle from 052° to 112° clockwise, centered on a point, 42°56′26″ N., 78°44′11″ W.; within an 8-mile radius of the center, 43°06′20″ N., 78°56′55″ W., of Niagara Falls International Airport; within 8 miles north and 5 miles south of the Niagara Falls International Airport localizer east course extending from the OM to 12 miles east of the OM; within 2 miles each side of the Niagara Falls International Airport localizer east course extending from the OM to the intersection of the localizer course and the Buffalo, N.Y. VORTAC 034° radial; within a 5.5-mile radius of the center latitude 43°01'15" N., longitude 78°29'08" of Akron Airport, Akron, N. Y.; within 2.5 miles each side of the Buffalo, N. Y., VORTAC 0520 radial, extending from the 5.5-mile radius area to 17.5 miles northeast of the VORTAC; and within a 5-mile radius of Buffalo Airpark Airport, 42°51'45" N., 78°43'00" W.;

and that airspace extending upward from 1,200 feet above the surface bounded by a line beginning at latitude 43°21'00" N., longitude 78°00'00" W., to latitude 43°06'00" N., longitude 78°21'00" W., to latitude 42°32'00" N., longitude 78°021'00" W., to latitude 42°32'00" N., longitude 78°52'00" W., to latitude 42°37'00" N., longitude 78°52'00" W., to latitude 42°37'00" N., longitude 79°15'00" W., to latitude 42°41'00" N., longitude 79°19'30" W., thence via the United States/Canadian border to longitude 78°00'00" W., thence south along longitude 78°00'00" W., to the point of beginning, excluding the

portion outside the United States.

Buffalo, Wyo.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Buffalo, Wyo., Airport (latitude 44°22'48" N., longitude 106°43'02" W.) and within 4.5 miles each side of the Crazy Woman, Wyo., VORTAC 3320 radial, extending from the 6-mile radius area to 12 miles northwest of the VORTAC; that airspace extending upward from 1,200 feet above the surface within 9.5 miles northeast and 5.5 miles southwest of the Crazy Woman VORTAC 332° radial, extending from 4 miles to 30 miles northwest of the VORTAC.

Bunkie, LA.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Bunkie Municipal Airport (latitude 30°57'25" N., longitude 92°14'02" W.).

Burbank, Calif.

That airspace extending upward from 700 feet above the surface bounded by a line beginning at latitude 34° 14' 00" N., longitude 118° 27' 00" W.; to latitude 34° 14' 00" N., longitude 118° 15' 00" W.; to latitude 34° 12' 00" N., longitude 118° 15' 00" W.; to latitude 34° 12' 00" N., longitude 117° 59' 00" W.; to latitude 33° 56' 00" N., longitude 117° 59' 00" W.; to latitude 33° 56' 00" N., longitude 118° 07' 00" W.; to latitude 34° 00' 00" N., longitude 118° 07' 00" W.; to latitude 34° 00' 00" N.,

longitude 118° 15' 00" W.; to latitude 34° 05' 00" N., longitude 118° 15' 00" W.; to latitude 34° 05' 00" N., longitude 118° 33' 00" W.; to latitude 34° 02' 30" N., longitude 118° 33' 00" W.; to latitude 34° 02' 30" N., longitude 118° 53' 30" W.; to latitude 34° 21' 30" N.,

longitude 118° 53' 00" W.: to latitude 34° 30' N.. longitude 118° 27' 00" W.: thence to point of beginning; and that airspace extending upward from 1,200 feet above the surface bounded by a line

beginning at latitude 34° 30' 00" N.. longitude 118° 50' 00" W.; to latitude 34° 30' 00" N., longitude 118° 45' 00"W.: thence N along longitude 118° 45' 00" W. to the S boundary of V-137. thence along the S boundary of V-137 to longitude 118° 20' 00" W.: to latitude 34° 30' 00" N., longitude 118° 20' 00" W.; to latitude 34° 30' 00" N., longitude 117° 43' 00" W.: to latitude 34° 10' 00" N.. longitude 117° 43' 00" W.; to latitude 34° 10' 00" N.. longitude 117° 43' 00" W.; to latitude 34° 10' 00" N.. longitude 117° 59' 00" W.; to latitude 34° 05' 00" N.. longitude 117° 59' 00" W.; to latitude 34° 05' 00" N.. longitude 118° 33' 00" W.: to latitude 34° 00' 00" N.. longitude 118° 33' 00" W.; to latitude 34° 00' 00" N., longitude 118° 50' 00" W.: thence to point of beginning.

That airspace extending upward from 700 feet above the surface within 5.5 miles each side of the Burley VORTAC 1210 radial extending from the VORTAC to 27 miles southeast of the VORTAC; within 5.5 miles each side of the Burley VORTAC 2920 radial, extending from the VORTAC to 17 miles west of the VORTAC; within that airspace bounded on the southwest by a line parallel to and 9.5 miles southwest of the Burley VORTAC 323° radial, on the northwest by an arc of a 53-mile radius circle centered on Burley VORTAC, on the north by the north edge of V-500, on the east by a line parallel to and 4.5 miles east of Burley VORTAC 344° radial; and within 2.5 miles southeast and 6 miles northwest of the 036° bearing from Burley Municipal Airport, extending 9.5 miles northeast of the Burley Municipal Airport;

and that airspace extending upward from 1,200 feet above the surface within 8 miles south of the Burley VORTAC 0740 radial extending from the VORTAC 19 miles east; within 10 miles southeast of the 223° radial extending from the VORTAC 19 miles southwest; that airspace southeast of Burley bounded on the north by V-4, on the southeast by a 33.5-mile arc centered on the Burley Airport, on the southwest by northeast edge V-101; that airspace northeast of Burley bounded on the north by V-500, on the east by an arc of a 23-mile radius circle centered on Pocatello, Idaho, VORTAC, on the south by V-269 and on the west by V-365; and that airspace north of Burley bounded on the west by a line parallel to and 8 miles northwest of the centerline of V-365 extending from the Burley VORTAC to the south edge of V-500.

Burlington, Iowa

That airspace extending upward from 700 feet above the surface within an 82-mile radius of Burlington Municipal Airport (latitude 40°46'55" N., longitude 91°07'40" W.); and within 2 miles each side of the 293° radial of the Burlington VORTAC extending from the 83-mile radius area to the Burlington VORTAC.

AMENDMENTS 32/5/74 39 F. R. 36572 (Changed)

Burlington, N. C.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Burlington Municipal Airport (latitude 36°02'45" N., longitude 79°28'40" W.); within 3 miles each side of the Greensboro VORTAC 090° radial, extending from the 6.5-mile radius area to 17 miles east of the VORTAC.

Burlington, Vt.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of the center, 44°28'15" N., 73°09'10" W., of Burlington International Airport, Burlington, Vt.; within 2 miles each side of the Burlington VOR 2019

radial extending from the 10-mile radius to 8 miles south of the Burlington VOR; within 8 miles northeast and 5 miles southwest of the Burlington ILS northwest localizer course extending from the 10-mile radius to 12 miles northwest of the Burlington LOM; excluding that airspace that coincides with the Plattsburgh, N. Y., transition

area.
That airspa = extending upward from 1,200 feet above the surface within an area bounded by a line beginning at: 45°00'30" N., 72°00'00" W. to 44°55'00" N., 72°05'00" W. to 11'25'00" N., 72°20'00" W. to 43°55'00" N., 72°16'00" W. to 43°47'00" N., 72°39'00" W., 44°00'00" N., 73°16'00" W. to 44°00'00" N., 74°35'00" W. to 44°42'00" N., 75°05'00" W. to 41°56'00" N., 75°05'00" W. thence easterly along the United States-Canadian Border to the point of beginning.

Burlington, Wis.

That airspace extending upward from 700 feet above the surface within a 61-mile radius of Burlington Municipal Airport (latitude 42°41'20" N., longitude 88°18'05" W.); and within 3 miles each side of the 101° bearing from the Burlington Municipal Airport extending from the 61-mile radius area to 8 miles east of the airport.

Burnet, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Burnet Municipal-Kate Craddock Field (latitude 30°44'34" N., longitude 98°14'24" W.), and within 3.5 miles each side of the 191° bearing from the Burnet REN (latitude 30°44'35" N., longitude 98°14'38" W.) extending from the 5-mile radius area to 10 miles south of the REN.

Burwell, Nebr.

That airspace extending upward from 700 feet above the surface within a 72-mile radius of Burwell Municipal Airport (latitude 41°46'35" N., longitude 99°08'55" W.); and within 3 miles each side of the 330° bearing from the Burwell Municipal Airport, extending from the 72-mile radius area to 8 miles northwest of the airport; and that airspace extending upward from 1,200 feet above the surface within 42 miles northeast and 92 miles southwest of the 330° bearing from the Burwell Municipal Airport, extending from the airport to 182 miles northwest of the airport.

Butler, Mo.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Butler Memorial Airport (latitude 38°17'20" N., longitude 94°20'25" W.); and within 2 miles each side of the Butler, Mo., VORTAC 079° radial, extending from the 5-mile radius area to the VORTAC.

That airspace extending upward from 700 feet above the surface within a 7.5-mile radius of the center, lat. 40°46'45" N., long. 79°57'15" W. of Butler-Graham Airport, Butler, Pa., and within 3.5 miles each side of the 181° bearing from the Butler RBN, lat. 40°41'54" N., long. 79°57'14" W., extending from the 7.5-mile radius area to 11.5 miles south of the RBN.

Butte, MT.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Butte VORTAC and within 6 miles southwest and 10 miles northeast of the VORTAC 3250 radial, extending from the VORTAC to 11 miles northwest of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within 42 miles southwest and 92 miles northeast of the VORTAC 3250 radial extending from the VORTAC to 18.5 miles northwest of the VORTAC, and within 42 miles west and 92 miles east of the VORTAC 002° radial extending from the VORTAC to 18.5 miles north of the VORTAC, and within 10 miles north and 7 miles south of the Whitehall, Mont., VOR 096° and 276° radials, extending from 20 miles east of 19 miles west of the VOR.

AMENDMENTS 4/24/74 39 F. R. 14502 (Rewritten)

Cadillac. Mich.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Cadillac, Mich., Municipal Airport (latitude 44°16'30" N., longitude 85°25'10" W.); and within 5 miles SE and 8 miles NW of the 238° bearing from Cadillac Airport, extending from the airport to 12 miles SW of the airport, excluding that portion which overlies the Reed City, Mich., transition area.

Cairo, Ill.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of Cairo Airport (latitude 37°03'50" N., longitude 89°13'15" W.); and within 3 miles each side of the 032° bearing from Cairo Airport, extending from the 5½-mile radius to 8 miles northeast of the airport; and that airspace extending upward from 1,200 feet above the surface within 4th miles southeast and 9th miles northwest of the 0320 and 2120 bearings from Cairo Airport extending from 6 miles southwest to 18½ miles northeast of the airport; and within 5 miles each side of the 212° bearing from Cairo Airport, extending from the airport to 12 miles southwest of the airport, excluding the portion which overlies the Sikeston, Mo., transition area, excluding the portion which overlies the State of Illinois.

Calverton, N. Y.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Peconic River Plant (Glumman) Airport., (latitude 40°54'55" N., longitude 72°47'35" W.).

AMENDMENTS 8/15/74 39 F. R. 22416 (Changed)

Cambridge, Md.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, lat. 38°32'16" N., 76°01'47" W. of Cambridge Municipal Airport, Cambridge, Md.; and within 3 miles each side of the 145° bearing from the Cambridge, Md., RBN, 38°32'17" N., 76°01'56" W., extending from the 6.5-mile radius area to 8.5 miles southeast of the RBN.

Cambridge, OH,

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Cambridge Municipal Airport, OH. (Latitude 39°58'33" N., Longitude 81°34'37" W.); and within 3 miles each side of the 214° bearing from the Cambridge Municipal Airport extending from the 5-mile radius to 8 miles southwest.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Harrell Airport (latitude 33°37'00" N., longitude 92°45'45" W.) and within 2 miles each side of the 012° bearing from the Camden RBN (latitude 33°37'15" N., longitude 92°45'45" W.), extending from the 5-mile radius area to 8 miles north of the RBN and 2.5 miles each side of the El Dorado, Ark., VORTAC (33°15'21.7" N., 92°44'37.6" W.) 356° radial extending from the 5-mile radius area to 20 miles north of the El Dorado VORTAC.

AMENDMENTS 5/23/74 39 F. R. 9539 (Rewritten)

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Woodward Field (latitude 34°17'03" N., longitude 80°33'53" W.); within 3 miles each side of the O40° bearing from Camden RBN (latitude 34°17'02" N., longitude 80°33'42.5" W.), extending from the 7-mile radius area to 8.5 miles northeast of the RBN.

Camp Douglas, Wis.

That airspace extending upward from 700 feet above the surface, within a 10-mile radius of Volk Field, Camp Douglas, Wis. (latitude 43°56'25" N., longitude 90°15'20" W.), and within 2 miles each side of the Volk Field VORTAC 092° radial extending from the 10-mile radius to 12 miles E of the VORTAC.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of the McCoy Army Air Field (latitude 43°57'15" N., longitude 90°44'15" W.), excluding that portion that overlies the La Crosse, Wisconsin, transition area.

AMENDMENTS 8/15/74 39 F. R. 20961 (Added)

Camp Pendleton, Calif.

That airspace extending upward from 700 feet above the surface within 4.5 miles southeast and 3 miles northwest of the Camp Pendleton TACAN (latitude 33°18'04" N., longitude 117°21'06" W.) 041° radial, extending from the TACAN to 18 miles northeast of the TACAN;

Camp Ripley, Minn.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Ray S. Miller Army Air Field (latitude 46°05'00" N., longitude 94°21'10" W.).

AMENDMENTS 4/25/74 39 F. R. 6058 (Added)

Cape Girardeau, Mo.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of Cape Girardeau Municipal Airport (latitude 37°13°30" N., longitude 80°84°10" W.) within 4½ miles east and 9½ miles west of the Cape Girardeau VOR 194° radial, extending from the 10-mile radius area to 18½ miles south of the VOR; and within 4½ miles north and 9½ miles south of the Cape Girardeau VOR 279° radial, extending from the 10-mile radius area to 18½ miles west of the VOR, excluding the portion which overlies the Sikeston, Missouri, transition area; and that airspace extending upward from 1,200 feet above the surface within 4.5 miles north and 9.5 miles south of the Cape Girardeau ILS localizer west course, extending from the LOM to 18.5 miles west of the LOM.

Carlsbad, N. Mox.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Cavern City Air Terminal (latitude 32°20'20" N., longitude 104°15'45" W.), and within 3.5 miles each side of the Carlsbad VOR 157° radial extending from the 7-mile radius area to 11 miles southeast of the VOR.

Carroll, Iowa

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of Arthur N. Neu Airport (latitude 4202°50" N., longitude 94047°20" W.); and within 3 miles each side of the 143° bearing from Arthur N. Neu Airport, extending from the 6½-mile radius area to 8 miles southeast of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Carrollton, Ga.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of West Georgia Regional Airport (latitude 33°37'47" N., longitude 85°09'13" W.); within 3 miles each side of the 169° bearing from Carrollton RBN (latitude 33°38'02" N., longitude 85°09'13" W.), extending from the 6.5-mile radius area to 8.5 miles south of the RBN.

Carrollton, Ohio

That airspace extending upward from 700 feet above the surface within an 8½-mile radius of the Carroll County-Tolson Airport (latitude 40°33'45" N., longitude 81°04'30" W.),

Cartereville Ga

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Cartersville Airport (latitude 34°07'30" N., longitude 84°51'00" W.).

AMENDMENTS 8/15/74 39 F. R. 20479 (Added)

Casper, Wyo.

That airspace extending upward from 700 feet above the surface within 4.5 miles north and 9.5 miles south of the Casper ILS localizer west course, extending from the 0M to 18.5 miles west of the 0M within 4 miles each side of the Casper ILS localizer east course, extending from the 5-mile radius zone to 3 miles east of the Casper RBN and within 2 miles each side of the Casper VORTAC 216° radial extending from 26 to 31 miles southwest of the VORTAC;

that airspace extending upward from 1,200 feet above the surface within a 35-mile radius of the Casper RBN and that airspace northwest of Casper extending upward from 11,500 feet MSL, extending from the 35-mile radius area to an arc of a 60-mile radius circle centered on the Casper VORTAC, bounded on the south by the north edge of V-298 and on the east by the west edge of V-19.

Cedar City, Utah

Thar airspace extending upward from 1,200 feet above the surface within 6 miles E and 10 miles W of the Cedar City VCR 184° and 004° radials extending from 8 miles S to 20 miles N of the VCR.

Cedar Rapids, Iowa

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Cedar Rapids Municipal Airport (latitude 41°53'05" N., longitude 91°42'35" W.); within 4½ miles north and 9½ miles south of the Cedar Rapids ILS localizer west course, extending from the OM to 18½ miles west of the OM; and within 4½ miles north and 9½ miles south of the Cedar Rapids VORTAC 264° radial, extending from the VORTAC to 18½ miles west of the VORTAC.

AMENDMENTS 2/26/74 39 F. R. 9820 (Changed) AMENDMENTS 12/5/74 39 F. R. 36572 (Changed) Cedar Springs, Ga.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Great Northern Airport (latitude 31°10'30" N., longitude 85°05'40" W.); within 2 miles each side of the Dothan WORTAC 110° radial, extending from the 5-mile radius area to 15 miles east of the WORTAC.

Cedartown, Ga.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Cornelius Moore Field (lat. 34001'20" N., long. 85008'50" W.); within 3 miles each side of Rome, Ga., VOR 0090 and 1890 radials, extending from the 8.5-mile radius area to 8.5 miles north of the VOR; excluding the portion within Rome, Ga., transition area.

Celina, Ohio

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center, lat. 40° 29°00" N., long. 84°33'59" W., of Lakefield Airport, Celina, Ohio; within 3.5 miles each side of the 262° bearing from the Celina, RBN, lat. 40°28'35" N., long. 84°38'06" W., extending from the 7-mile radius area to 11.5 miles west of the RBN; and within 3.5 miles each side of the 282° bearing from the Celina RBN, extending from the 7-mile radius area to 8.5 miles west of the RBN.

Centerville, Tenn.

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of Centerville Municipal Airport (latitude 35°50°15" N., longitude 87°26'45" W.); within 3 miles each side of Graham, Tenn., VOR 177° radial, extending from the 5.5-mile radius area to 8.5 miles south of the VOR.

Centralia, Ill.

That aircpace extending upward from 700 feet above the surface within a 5-mile radius of Centralia Municipal Airport (latitude 38°30'40" N., longitude 89°05'35" W.); and within 2 miles each side of the Centralia VOR 031° radial, extending from the 5-mile radius area to the VOR.

Centre, Ala.

. That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Centre Municipal Airport (latitude 34°09'40" N., longitude 85°38'05" W.).

AMENDMENTS 1/31/74 38 F. R. 34111 (Added)

Chadron, Nebr.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of Chadron Municipal Airport (latitude 42°50'00" N., longitude 103°05'50" W.), and within 5 miles each side of the Chadron VOR 030° radial, extending from the 14-mile radius area to the VOR; and that airspace extending upward from 1,200 feet above the surface within 5 miles NW and 8 miles SE of the Chadron VOR 030° and 210° radials, extending from 5 miles NE to 14 miles SW of the VOR.

Champaign, Ill.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the University of Illinois-Willard Airport (latitude 40°02'25" N., longitude 88°16'35" W.); within a 5½-mile radius of the Illinois Airport, Urbana, Ill. (latitude 40°08'31" N., longitude 88°12'00" W.) and within 8 miles southeast and 5 miles northwest of the Champaign VORTAC 030° radial extending from the VORTAC to 12 miles northeast of the VORTAC.

Chanute, Kans.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Chanute Martin Johnson Airport (latitude 37°40'05" N., longitude 95°29'10" W.); and that airspace extending upward from 1,200 feet above the surface within $4\frac{1}{2}$ miles northwest and $9\frac{1}{2}$ miles southeast of the Chanute, Kans. VOR 064° and 244° radials, extending from 6 miles northeast to $18\frac{1}{2}$ miles southwest of the VOR.

Chariton, IA.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Chariton Municipal Airport (latitude 41°01'00" N., longitude 93°21'30" W.); and within 3 miles each side of the 352° bearing from the Chariton Municipal Airport extending from the 5-mile-radius area to 8 miles north of the airport.

Charles City, Iowa

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Charles City Municipal Airport (latitude 43°04'15" N., longitude 92°36'15" W.); and within 3 miles each side of the 311° bearing from Charles City Municipal Airport, extending from the 5-mile radius area to 8 miles northwest of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Charleston, S. C.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Charleston AFB/Municipal Airport (latitude 32°53′55″ N., longitude 80°02′20″ W.); within 3.5 miles each side of Charleston VORTAC 018°, 211°, and 332° radials, extending from the 9-mile radius area to 11.5 miles north; southwest and porthwest of the VORTAC; within 3.5 miles each side of Charleston VORTAC 135° radial, extending from the 9-mile radius area to 10.5 miles southeast of the VORTAC; within a 6.5-mile radius of Johns Island Airport (lat. 32°42′00″ N., long, 80°00′00″ W.).

Charleston, WV

That airspace extending upward from 700 feet above the surface within a 14-mile radius of the center, lat. 38°22'22" N., long. 81°35'35" W., of Kanawha Airport, Charleston, W.; within 6.5 miles southwest and 5 miles northeast of a line bearing 321° from a point lat. 38°26'25" N., long. 81°39'50" W., extending from said point to 11.5 miles northwest; within 6.5 miles northeast and 5 miles southwest of a line bearing 141° from a point lat. 38°17'12" N., long. 81°30'30" W., extending from said point to 11.5 miles southeast; and within 8 miles northwest and 5 miles southeast of the Kanawha Airport ILS localizer northeast course, extending from the 14-mile radius area to 13 miles northeast of the OM.

Charlevoix, Mich.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of Charlevoix Municipal Airport (latitude 45°18'17" N., longitude 85°16'08" W.) and within 3 miles each side of the 270° bearing from Charlevoix Municipal Airport, extending from the 5½-mile radius area to 8 miles west of the airport, and within 3 miles each side of the 69° bearing from Charlevoix Municipal Airport, extending from the 5½-mile radius area to 8 miles east of the airport.

Charlotte, Mich.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Fitch H. Beach Airport (latitude 42°34'30" N., longitude 84°48'45" W.); and within 2 miles each side of the Lansing, Mich., VOR 209° radial, extending from the 6-mile radius area to the VOR, excluding the portion which overlies the Lansing, Mich., 700-foot floor transition area.

Charlotte, N. C.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Douglas Municipal Airport (latitude 35°12'53" N., longitude 80°56'18" W.); within 3 miles each side of Charlotte VORTAC 058° radial, extending from the 8.5-mile radius area to 14 miles northeast of the VORTAC; within 9.5 miles west and 4.5 miles east of Charlotte VORTAC 171° radial, extending from the 5.5 NM DME Fix to 24 miles south of the VORTAC; within 9.5 miles northwest and 4.5 miles southeast of Charlotte VORTAC 223° radial, extending from the 5.5 NM DME Fix to 24 miles southeast of Charlotte ILS localizer southwest course, extending from the 10M to 18.5 miles southwest; within a 6.5-mile radius of Gastonia Municipal Airport, N. C. (latitude 35°12'00" N., longitude 81°09'05" W.); within a 6.5-mile radius of Rock Hill Municipal Airport, S. C. (latitude 34°59'05" N., longitude 81°03'30" W.).

Charlotte Amalie, St. Thomas, V. I. (Harry S. Truman Airport)

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Harry S. Truman Airport (lat. 18°20°26" N., long. 64°58°11" W.); that airspace extending upward from 1,200 feet above the surface within a 15-mile radius of Harry S. Truman Airport; within 9.5 miles west and 4.5 miles east of St. Thomas VOR 358° radial, extending from the 15-mile radius area to 18.5 miles north of the VOR.

Charlottesville, VA.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, lat. 38°08°25" N., long. 78°27°09" W. of Charlottosville-Albemarle Airport, Charlottesville, VA., extending clockwise from a 340° bearing to a 072° bearing from the airport; within an 11.5-mile radius of the center of the airport, extending clockwise from a 072° bearing to a 166° bearing from the airport; within a 13-mile radius of the center of the airport, extending clockwise from a 166° bearing to a 233° bearing from the airport; within a 12.5-mile radius of the center of the airport, extending clockwise from a 230° bearing from the airport; within a 19.5-mile radius of the center of the airport, extending clockwise from a 280° bearing to a 340° bearing from the airport and within 3 miles each side of the 202° bearing from the Charlottesville RBN, extending from the 13-mile radius arc to 8.5 miles south of the RBN, excluding the portion that coincides with the Weyers Cavo, VA., transition area.

Chattanooga, Tenn.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of Lovell Field (latitude 35-02'05" N., longitude 85-02'10" W.), extending clockwise from the 0300 to the 2100 bearing from Lovell Field; within a 19-mile radius of Lovell Field, extending clockwise from tho 2100 to the 0300 bearing from Lovell Field; within a 6.5-mile radius of Hardwick Field, Cleveland, Tenn. (lat. 35-13'20" N., long. 84-040'58" W.); within 3 miles each side of the 2240 bearing from Hardwick RBN (lat. 35-09'13" N., long. 84-54'21" W.), extending from the 6.5-mile radius area to 8.5 miles southwest of the RBN.

AMENDMENTS 1/31/74 38 F. R. 32785 (Changed) Corr: 39 F. R. 9820

Cheraw, S. C.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Cheraw Municipal Airport (latitude 34°42'45" N., longitude 79°57'35" W.); within 2 miles each side of the Chesterfield VOR 077° radial extending from the 5-mile radius area to the VOR.

Cherokee, Wyo.

That airspace extending upward from 1,200 feet above the surface within 9 miles south and 6 miles north of the Charakee VORTAC 261° and 081° radials extending to 8 miles east and 19 miles west of the VORTAC.

Cherokee, Wyo.

That airspace extending upward from 1,200 feet above the surface within 9 miles south and 6 miles north of the Cherokee, Wyo., VORTAC 261° radial extending from 8 miles east to 19 miles west of the VORTAC; and that airspace east of the Cherokee VORTAC within an arc of a 37-mile radius circle centered on the Cherokee VORTAC bounded on the north by the north edge of V-26 and on the south by the south edge of V-4, excluding that airspace within the Rawlins, Wyo., transition area.

AMENDMENTS 1/2/75 39 F. R. 37970 (Rewritten)

Cherokee Village, Ark.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Cherokee Village Airport (latitude 36°15'49" N., longitude 91°33'55" W.), within 3.5 miles each side of the 223° bearing from the Cherokee Village RBN (latitude 36°15'55" N., longitude 91°33'45" W.) extending from the 8-mile radius area to 11 miles southwest of the RBN.

Cherry Point MCAS, N. C.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Cherry Point MCAS (latitude 34°54'30" N., longitude 76°53'00" W.); within a 6-mile radius of Beaufort-Morehead City Airport, Beaufort, N. C., (latitude 34°44'00" N., longitude 76°39'45" W.); within 3 miles each side of the 132° bearing from Marine Cherry Point RBN, extending from the 6-mile radius area to the 8.5-mile radius area; excluding the portion within the New Bern, N. C., transition area.

AMENDMENTS 7/18/74 39 F. R. 16877 (Changed)

Chester. Conn.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the center. 41°23'01" N., 72°30'20" W. of Chester Airport, Chester, Conn., and within 2 miles each side of the Madison VOR 062° radial extending from the 5-mile radius to the VOR.

Chester, S. C.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Chester Municipal Airport (lat. 34047'18" N., long. 81011'45" W.).

Chesterfield, Mo.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Spirit of St. Louis Airport (latitude 38°39'35" N., longitude 90°38'45" W.); within 3½ miles each side of the Maryland Heights, Missouri VORTAC 310° radial, extending from the 9-mile radius area to 12 miles northwest of the VORTAC; within 5 miles each side of the Maryland Heights VORTAC 241° radial, extending from the 9-mile radius area to $16\frac{1}{2}$ miles southwest of the VORTAC; and within $2\frac{1}{2}$ miles each side of the Spirit of St. Louis ILS localizer west course, extending from the 9-mile radius area to 8 miles west of the OM, excluding the portion which overlies the St. Louis, Mo., 700-foot floor transition area.

Chesterfield, Va.

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of the center 37° 24'25" N., 77°31'18" W. of Chesterfield County Airport, Chesterfield, Va., and within 2.5 miles each side of the Flat Rock, Va., VORTAC 117° radial, extending from the 5.5-mile radius area to 12.5 miles southeast of the VORTAC.

Cheyenne, Wyo.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of the Cheyenne Municipal Airport (latitude 41°09°20" N., longitude 104°48°30" W.), and within 6 miles southeast and 8 miles northwest of the Cheyenne VORTAC 029° radial, extending from the 14-mile radius area to 14 miles northeast of the VORTAC; that airspace extending upward from 1,200

feet above the surface bounded on the NE by V-6, on the SE by V-207, on the SW by V-4N and on the NW by V-524, and that airspace NW of Cheyenne within 7 miles NE and 10 miles SW of the Cheyenne VORTAC 305° radial, extending from the VORTAC to 47 miles NW of the VORTAC, excluding the portions within the Laramie, Wyo. transition area.

Chicago, Ill.

That airspace extending upward from 700 feet above the surface within an area bounded by a line beginning That airspace extending upward from 700 feet above the surface within an area counted by a line beginning at latitude 42°29'00" N., longitude 88°03'00" W., to latitude 42°29'00" N., longitude 88°03'00" W., to latitude 42°43'00" N., longitude 87°57'00" W., to latitude 42°30'00" N., longitude 87°35'00" W., to latitude 41°35'00" N., longitude 87°35'00" W., to latitude 41°38'00" N., longitude 87°19'00" W., to latitude 41°38'00" N., longitude 87°19'00" W., to latitude 41°33'00" N., longitude 87°10'00" W., to latitude 41°28'00" N., longitude 87°14'00" W., to latitude 41°22'00" N., longitude 87°40'00" W., to latitude 41°22'00" N., longitude 88°30'00" W., to latitude 41°41'00" N., longitude 88°30'00" W., to latitude 41°53'00" N., longitude 88°50'00" W., to latitude 42°01'00" N., longitude 88°01'00" N., longitude 88°25'00" W., to latitude 42°21'00" N., longitude 88°30'00" W., to point of beginning.

AMENDMENTS 9/12/74 39 F. R. 27126 (Rewritten)

Chico, Calif.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Chico Municipal Airport (latitude 39°47'45" N., longitude 121°51'25" W.) and within 2 miles each side of the Chico VOR 316° radial, extending from the 5-mile radius area to 8 miles northwest of the VOR, and that airspace within 2 miles each side of the Chico VOR 165° radial extending from the 5-mile radius area to 12 miles south of the VOR, excluding the portion within a 1-mile radius of the Ranchero Airport (latitude 39043'10" N., longitude 121°52'10" W.

Chicopee Falls, Mass.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the center, 42°11'40" N., 72°32'15" W., of Westover AFB, Chicopee Falls, Mass.; within 7 miles each side of the Chicopee Falls, Mass., ILS localizer NE course extending from the 12-mile radius area to 13 miles NE of the outer marker and within a 10-mile radius of the center, 42°09'25" N., 72°42'50" W. of Barnes Municipal

Airport, Westfield, Mass., and within that airspace bounded by a line beginning at 42°11'50" N., 72°54'10" W. to 42°32'20" N., 72°49'20" W. to 42°30'00" N., 72°32'00" W. to 42°24'45" N.; 72°34'00" W. to 42°24'50" N.; 72°33'25" W. to 42°22'00" N.; 72°34'00" W., thence to the point of beginning; within a 6.5-mile radius of the

center lat. 42°19'45" N., long. 72°37'00" W., of
La Fleur Airport, Northampton, Mass.; within 3.5 miles each side of the Chester, Mass. VOR 082° radial, extending from the 6.5-mile radius area to the Chester, Mass. VOR, excluding the portion which coincides with the Hartford, Conn., transition area.

That airspace extending upward from 1,200 feet above the surface bounded by a line beginning at: $42^\circ55'00''$ N., $72^\circ00'00''$ W. to $42^\circ05'00''$ N., $72^\circ00'00''$ W. to $41^\circ55'00''$ N., $71^\circ59'00''$ W. to $12^\circ02'00''$ N., $72^\circ07'00''$ W. to $42^\circ02'00''$ N., $73^\circ16'00''$ W. to $43^\circ11'00''$ N., $72^\circ39'00''$ W. to $13^\circ05'00''$ N., $72^\circ13'00''$ W. to point of beginning.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Childress Municipal Airport (latitude 34°25'55" N., longitude 100°17'45" W.);

Chillicothe, Mo.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Chillicothe Municipal Airport (latitude 39°46'45" N., longitude 93°30'00" W.); and within 3 miles either side of the 337° bearing from the MHW facility extending from the 5-mile radius to 8.5 miles northwest, and that airspace extending upward from 1,200 feet above the surface 5 miles southwest and 9.5 miles northeast of the 3370 bearing from the Chillicothe MHW facilty extending from 6.5 miles southeast to 18.5 miles northwest of the Chillicothe MHW facility, excluding that portion which overlies the Trenton, Missouri, transition area.

AMENDMENTS 1/3/74 38 F. R. 30736 (Added)

. China Lake NAF, Calif.

That airspace extending upward from 700 feet above the surface within 2 miles each side of the NAF China Lake TACAN 350° radial extending from 8 miles to 12 miles N of the TACAN and within 2 miles each side of the NAF China Lake TACAN 148° radial extending from 8 miles to 11 miles SE of the TACAN.

Chincoteague, Va.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of NASA Wallops Station Airport, Chincoteague, Va. (latitude 37°56'15" N., longitude 75°28'15" W.).

Christiansted, St. Croix, V. I.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Alexander Hamilton Airport (latitude 17°42'13" N., longitude 64°47'54" W.); within 3 miles each side of the 208° bearing from Christiansted REN, extending from the 8.5-mile radius area to 8.5 miles southwest of the RBN; and that airspace extending upward from 1,200 feet above the surface within a 15-mile radius of Alexander Hamilton Airport; within 9.5 miles north and 4.5 miles south of the St. Croix VOR 068° radial, extending from the 15mile radius area to 18.5 miles east of the VOR; within 9.5 miles southeast and 4.5 miles northwest of the 208° bearing from Christiansted RBN, extending from the 15-mile radius area to 18.5 miles southwest of the RBN; within 9.5 miles south and 4.5 miles north of the ILS localizer west course, extending from the 15-mile radius area to 18.5 miles west of the LOM.

Cincinnati, Ohio

That airspace extending upward from 700 feet above the surface within an 11.5-mile radius of Greater Cincinnati Airport (lat. 39002'56" N., long. 84039'41" W.); within 9.5 miles east and 4.5 miles west of Runway 36 ILS localizer south course, extending from the 11.5-mile radius area to 18.5 miles south of the LOM; within 3 miles each side of Runway 9R ILS localizer west course, extending from the 11.5-mile radius area to 8.5 miles west of Burlington RBN; within 5 miles each side of Cincinnati VORTAC 2230 radial, extending from the 11.5mile radius area to 11.5 miles southwest of the WORTAC; within a 12-mile radius of Cincinnati Municipal-Lunken Field Airport (lat. 39°06'14" N., long. 84°25'18" W.); within 3 miles each side of the 044° bearing from Lunken RBN, extending from the 12-mile radius area to 8.5 miles northeast of the RBN; within a 52-mile radius of Clermont

County Airport, Batavia, OH. (latitude 39°04'43" N., longitude 84°12'38" W.); within a 5-mile radius of the Blue Ash Airport, Cincinnati, OH. (latitude 39°14'59" N., longitude 84°23'14" W.) and within 3 miles each side of the 046° bearing from the Blue Ash Airport from the 5-mile radius area to 7 miles portheast.

Circleville, OH,

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the Pickaway County Memorial Airport (latitude 39°31'00" N., longitude 82°58'55" W.) excluding the portion which lies within the Lockbourne AFB transition area.

Claremont, N. H.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Claremont Municipal Airport (latitude 43°22'15" N., longitude 72°22'00" W.); within 6.5 miles south and 4.5 miles north of the Claremont NDB (latitude 43°21'50" N., longitude 72°17'57" W.), 097° and 277° bearings from the NDB, extending from 12 miles east to 6 miles west of the NDB, excluding that portion within the Lebanon, N. H., and Springfield, Vt., transition areas.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Clarinda Municipal Airport (latitude 40°43'30" N., longitude 95°01'30" W.); within 3 miles each side of the 169° bearing from the Clarinda Municipal Airport extending from the 5-mile radius to 8 miles south of the airport; and that airspace extending upward from 1,200 feet above the surface within $4\frac{1}{2}$ miles west and $9\frac{1}{2}$ miles east of the 1690 bearing of the Clarinda Municipal Airport to 182 miles south of the airport.

AMENDMENTS 11/7/74 39 F. R. 32980 (Added)

Clarksburg, WV.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, lat. 39017'44" N., long. 80013'46" W., of Benedum Airport; within 5 miles each side of the Clarksburg VOR 2190 radial, extending from the 8.5-mile radius area to 11.5 miles southwest of the VOR and within 5 miles each side of the Benedum Airport ILS localizer northeast course, extending from the 8.5-mile radius area to 10 miles northeast of the OM.

Clarksdale, Miss.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Fletcher Field (latitude 34°17'45" N., longitude 90°30'50" W.); within 3 miles each side of the 010° and 163° bearings from the Clarksdale RBN (latitude 34°17'33" N., longitude 90°30'57" W.), extending from the 6.5-mile radius area to 8.5 miles north and south of the RBN.

PENDING AMENDMENT

Clearfield, Pa.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, 41° 02'57" N., 78°24'53" W., of Clearfiedl-Lawrence Airport, Clearfield, Pa., within a 10-mile radius of the center of the airport, extending clockwise from a 134° bearing to a 238° bearing from the airport; within an 11.5-mile radius of the center of the airport, extending clockwise from a 238° bearing to a 057° bearing from the airport.

AMENDMENTS 1/30/75 39 F. R. 42342 (Added)

Clemson, S. C.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Clemson-Oconee County Airport (latitude 34:40'22" N., longitude 82:53'07" W.); within 3 miles each side of the 092: bearing from the Oconee RBN (latitude 34:40'25" N., longitude 82:53'13" W.), extending from the 5-mile radius area to 8.5 miles east of the RBN.

Cleveland, Miss.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Cleveland Municipal Airport (1at. 33°45'30" N., long. 90°45'15" W.); within 3 miles each side of the 355° bearing from Renova RBN (1at. 33°48'25" N., long. 90°45'45" W.), extending from the 6.5-mile radius area to 8.5 miles north of the RBN.

471

Cleveland, Ohio

That airspace extending upward from 700 feet above the surface william a 12.5-mile radius of the center (41°24'30" N., 81°51'00" W.), of Cleveland-Hopkins International Airport, Cleveland, Ohio; within 3 miles each side of the Cleveland-Hopkins International Airport Runway 18-R centerline, extended from the 12.5-mile radius area to 14.5 miles south of the end of the runway; within 3 miles each side of the 230° bearing from the Gilbert, Ohio, RBN extending from the 12.5-miles radius area to 5 miles southwest of the RBN; within 3 miles each side of the Cleveland-Hopkins International Airport Runway 28-R centerline, extended from the 12.5-mile radius area to 13 miles west of the end of the runway; within the area bounded by a line beginning at a point on the Cleveland, Ohio, VORTAC 041° radial 20 miles northeast of the VORTAC, thence along a line bearing 052° from this point to its intersection with the arc of a 15-mile radius circle centered on Lost Nation Airport, Willoughby, Ohio (41°41'00" N., 81°23'20" W.), thence clockwise along the arc of the 15-mile radius circle to its intersection with the arc of a 9-mile radius circle centered on Casement Airport, Painesville, Ohio with the arc of a 7.5-mile radius circle centered on Concord Airpark, Painesville, Ohio (41040'00" N., 810 12'00" W.), thence clockwise along the arc of the 7.5-mile radius circle to its point of intersection with a line 2 miles east and parallel to the Chardon WORTAC 350° radial, thence south along this parallel line to its point of intersection with the Chardon WORTAC 0800 radial, thence west along the Chardon WORTAC 0800 radial to the Chardon WORTAC, thence southeast along the Chardon WORTAC 1450 radial to a point 2 miles southeast of the VORTAC, thence southwest along a line 2 miles southeast and parallel to the Chardon VORTAC 2350 radial commencing at the point of intersection of this parallel line and the Chardon VORTAC 1450 radial to the point of intersection with the arc of a 5.5-mile radius circle centered on Chagrin Falls Airport, Chagrin Falls. Ohio (41°25'45" N., 81°19'50" W.), thence clockwise along the arc of the 5.5-mile radius circle to the point of intersection of the 5.5-mile arc with a line bearing 180° from a point 41°25'45" N., 61°19'50" W., thence direct to the intersection of a line bearing 126° from latitude 41°24'35" N., longitude 81°41'25" W., and the arc of a 12.5-mile radius circle centered on the Cleveland-Hopkins International Airport, thence to the point of beginning.

Cleveland, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Cleveland Municipal Airport (latitude 30°21'30" N., longitude 95°00'29" W.), and within 2.5 miles each side of the Daisetta, Tex., VORTAC 298° radial extending from the 5-mile radius to 19.5 miles northwest of the VORTAC.

Clifton, Tenn,

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Hassell Field (lat. 35°23'00" N., long. 87°58'00" W.).

Clinton, Iowa

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Clinton Municipal Airport (latitude 41°49'55" N., longitude 90°19'45" W.); within 2 miles each side of the Cordova VORTAC 043° radial, extending from the 7-mile radius area to the VORTAC; and within 8 miles southwest and 5 miles northeast of the 324° bearing from Clinton Municipal Airport, extending from the airport to 12 miles northwest of the airport.

PENDING AMENDMENT Clinton, Iowa

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Clinton Municipal Airport (latitude 41°49'55" N., longitude 90°19'45" W.); within 2 miles each side of the Davenport VORTAC 043° radial, extending from the 7-mile radius area to the VORTAC; and within 8 miles southwest and 5 miles northeast of the 324° bearing from Clinton Municipal Airport, extending from the airport to 12 miles northwest of the airport.

AMENDMENTS 1/30/75 39 F. R. 41966 (Rewritten)

Clinton, Missouri

That airspace extending upward from 700 feet above the surface within 5 miles of the Golden Valley, Missouri NDB (latitude 38°21'32" N., longitude 93°41'17" W.); and within 3 miles either side of the 054° bearing from the NDB extending from the 5-mile radius to 8 miles northeast of the RBN. AMENDMENTS 9/12/74 39 F. R. 26021 (Added) AMENDMENTS 11/7/74 39 F. R. 32550 (Rewritten)

Clinton, N. C.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Sampson County Airport (lat. 34°58'48" N., long. 78°21'48" W.); within 3 miles each side of the 247° bearing from Clinton RBN (lat. 34°58'31" N., long. 78°21'48" W.), extending from the 6.5-mile radius area to 8.5 miles southwest of the RBN.

Clinton, Okla. (Clinton-Sherman Airport)

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Clinton-Sherman Airport (latitude 35°20'25" N., longitude 99°12'00" W.), and within 8 miles west and 5 miles east of the extended centerline of Clinton-Sherman Runways 17 and 35 extending from the 8-mile radius area to 20 miles north and 18 miles south of the ends of the runways excluding the portion within the Hobart, Okla., and Elk City, Okla., transition areas. This transition area is effective during the specific dates and times established in advance by a

Notice to Airmen. The effective date and time will thereafter be continuously published in the Airman's

Information Manual.

Clinton, Okla. (Clinton Municipal Airport)

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Clinton Municipal Airport (lat. 35°32'15" N., long. 98°56'00" W.), and within 3.5 miles each side of the 171° bearing from the Clinton RBN (lat. 35°32'00" N., long. 98°56'02" W.) extending from the 5-mile radius area to 11.5 miles south of the RBN.

Clintonville, Wis.

That airspace extending upward from 700 fect above the surface within a 9-mile radius of the Clintonville Municipal Airport (latitude 44°36'50" N., longitude 88°43'52" W.).

Cloquet, Minn.

That airspace extending upward from 700 fect above the surface within a 6½-mile radius of the Cloquet-Carlton County Airport (latitude 46°42'10" N., longitude 92°30'20" W.); within 3 miles each side of the 355° bearing from the Cloquet-Carlton County Airport extending from the 61-mile radius to 8 miles north of the airport; within 3 miles each side of the 175° bearing from the Cloquet-Carlton County Airport extending from the 65-mile radius area to 8 miles south of the airpert.

Clovis, N. Mex.

That airspace extending upward from 700 feet above the surface within a 23-mile radius of Cannon AFB, Clovis, N. Mex. (lat. 34°23'01" N., long.103°18'58" W.); within 7.5 miles north and 2 miles south of the Texico VORTAC 254° and 074° radials, extending from the 23-mile radius area to 1.5 miles east of the Texico VORTAC; and within 3.5 miles each side of the Portales NDB (lat. 34°10'45" N., long. 103°22'33" W.) 202° bearings extending from the 23-mile radius area to 12 miles south of the NDB.

Coaldale, Nev.

That airspace extending upward from 10,500 feet MSL within 9 miles northeast and 6 miles southwest of the Coaldale VORTAC 146° and 326° radials, extending from 17 miles southeast to 7 miles northwest of the VORTAC.

Coatesville, Pa.

That airspace extending upward from 700 fect above the surface within a 5-mile radius of the center 39°58' 40" N., 75°51'44" W., of Chester County, G. O. Carlson Airport, Coatesville, Pa., extending clockwise from a 024° bearing to a 231° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 231° bearing to a 024° bearing from the airport; within 3.5 miles each side of a 263° bearing from the Coatesville RBN (39°59'32" N., 75°56'32" W.), extending from the 6-mile radius arc to 11.5 miles west of the RBN; within 4.5 miles south and 6.5 miles north of the Modena VORTAC 095° and 275° radials, extending from 11.5 miles east to 5.5 miles west of the VORTAC; within 5 miles each side of the Modena VORTAC 293° radial extending from the VORTAC to 11 miles northwest of the VORTAC, excluding the portion that coincides with the Toughkenamon, Pa., transition area.

Cochise, Ariz.

That airspace extending upward from 1,200 feet above the surface within 10 miles N and 7 miles S of the Cochise VOR 096° and 276° radials, extending from 9 miles W to 20 miles E of the VOR.

Cochran, Ga.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Cochran Airport (lat. 32°23'45" N., long. 83°16'45" W.); within 2.5 miles each side of Vienna VORTAC 046° radial, extending from the 5-mile radius area to 12.5 miles northeast of the VORTAC.

Cody, Wyo.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the Cody Municipal Airport, Cody, Wyo. (latitude 44°31'09" N., longitude 109°01'25" W.), within 3 miles each side of the Cody VOR 022° and 202° radials, extending from the 8-mile radius area to 8.5 miles north of the VOR; that airspace extending upward from 1,200 feet above the surface within 6 miles west and 9.5 miles east of the Cody VOR 0220 and 202° radials, extending from 2.5 miles south to 18.5 miles north of the VOR.

Coeur D'Alene, Idaho

That airspace extending upward from 700 (feet above the surface within a 5-mile radius of Coeur D'Alene Air Terminal (latitude 47046'30" N., longitude 116049'04" W.) and within 9.5 miles north and 5 miles south of the Post Falls VOR (latitude 47°44'57" N., longitude 116°56'49" W.)073° and 253° radials extending from 6 miles east to 18.5 miles west of the VOR. AMENDMENTS 9/12/74 39 F. R. 25314 (Rewritten)

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Coffcyville, KS., Municipal Airport (latitude 37.05'45" N., longitude 95.34'25" W.); and within 3 miles either side of the 163. bearing from the airport extending from 7 miles to 8 miles south of the airport.

That airspace extending upward from 700 feet above the surface within a 52-mile radius of Colby Municipal Airport (latitude 39°25'30" N., longitude 101°02'40" W.); and within 3 miles each side of the 017° bearing from Colby Municipal Airport, extending from the $5\frac{1}{2}$ -mile radius area to 8 miles north of the airport and that airspace extending upward from 1,200 feet above the surface within $4\frac{1}{2}$ miles east and $9\frac{1}{2}$ miles west of the 017° and 197° bearings from Colby Municipal Airport extending from 5 miles south to 182 miles north of the airport.

Cold Bay, Alaska

That airspace extending upward from 1,200 feet above the surface within a 16.5-mile radius of the Cold Bay VORTAC, extending clockwise from the 253° radial to the 041° radial; within 7 miles southeast of the Cold Bay VORTAC 041° radial, extending from the VORTAC to 16.5 miles northeast of the VORTAC; within 7 miles south of the Cold Bay VORTAC 253° radial, extending from the VORTAC to 16.5 miles west of the VORTAC; within 5 miles west and 11.5 miles east of the Cold Bay VORTAC 335° radial, extending from the VORTAC to 20 miles north of the VORTAC, and within 8.5 miles west and 5 miles east of the Cold Bay VORTAC 150° radial, extending from 18 to 29 miles south of the VORTAC.

Coldwater, Mich.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Branch County, Memorial Airport (latitude 41°56'05" N., longitude 85°02'55" W.), within 2 miles each side of the Litchfield, Mich. VORTAC 239° radial extending from the 5-mile radius area to 8 miles northeast of the airport, and within 2 miles each side of the 209° bearing from the Branch County Memorial Airport extending from the 5-mile radius area to 8 miles southwest of the airport.

College Station, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Easterwood Field (latitude 30°35'19" N., longitude 96°21'54" W.); within 2 miles each side of the College Station VORTAC 107° radial extending from the 5-mile radius area to 18 miles east of the VORTAC; within 3.5 miles each side of the College Station northwest localizer course extending from the 5-mile radius area to 13 miles northwest of the localizer site (latitude 30°35'59" N., longitude 96°21'48.3" W.); within 1.5 miles each side of the southeast localizer course extending from the 5-mile radius area to 7 miles southeast of the localizer site.

Colorado Springs, Colo.

That airspace extending upward from 700 feet above the surface within a 20-mile radius of Peterson Field, Colorado Springs, Colo. (latitude 38°48'35" N., longitude 104°42'20" W.), and within 5 miles west and 8 miles east of the Colorado Springs ILS localizer north course, extending from the 20-mile radius area to 21 miles north of the localizer, excluding the portion west of longitude 104°52'00" W.; that airspace extending upward from 1,200 feet above the surface bounded on the south by latitude 38°30'00" N., on the west by longitude 104°52'00" W., on the north by latitude 39°05'00" N., on the east by the west edge of V-263, on the southeast by the southeast boundary of V-108S and longitude

104°00'00" W.; that airspace northwest of Colorado Springs bounded on the north by latitude 39°05'00" N., on the east by longitude 104°52'00" W. and on the southwest by a line 5 miles southwest of and parallel to the

Colorado Springs VORTAC 307º radial;

that airspace southwest of Colorado Springs bounded on the north by a line beginning at latitude 38°35'00" N., longitude 105°10'00" W., to latitude 38°40'00" N., longitude 104°52'00" W., on the east by longitude 104°52'00" W., on the south by the north edge of V-244 and on the west by longitude 105°10'00" W.; that airspace southwest and northwest of Colorado Springs extending upwards from 11,700 feet MSL bounded on the north by a line beginning at latitude 38°30'00" N., longitude 105°27'00" W., to latitude 38°35'00" N., longitude 105°10'00" W., on the east by longitude 105°10'00" W., on the south by the north edge of V-244 and on the west by longitude 105°27'00" W., and that airspace bounded on the north by latitude 39°05'00" N., on the northeast by a line 5 miles southwest of and parallel to the Colorado Springs VORTAC 307° radial on the east by longitude 104°52'00" W., on the south by latitude 38°55'00" N., and on the west by longitude 105°20'00" W.

Columbia, MO.

That airspace extending upward from 700 feet above the surface and within a 5-mile radius of the E.W. Cotton Woods Memorial Airport (latitude 39°00'15" N., longitude 92°17'45" W.); and within an 8½-mile radius of Columbia Regional Airport (latitude 38°48'49" N., longitude 92°13'12" W.); within 2½ miles each size of the Nallsville, Mo., VORTAC 193° radial extending from the 8½-mile radius area to 10 miles south of the VORTAC; excluding the portion which overlies the Jefferson City, Mo., 700-foot floor transition area; and that airspace extending upward from 1,200 feet above the surface within the area bounded on the east ty V-175, on the north by V-4, on the south by V-234 and on the west by longitude 92°40'00" W., excluding the portions which overlie the Vichy, Mo., and Kaiser, Mo., transition areas.

Columbia, S. C.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of Columbia Metropolitan Airport (lat. 33°56°25.9" N., long. 81°07'11.2" W); within 9.5 miles southwest and 4.5 miles northeast of Columbia VORTAC 147° radial, extending from the 11-mile radius area to 18.5 miles south and 4.5 miles north of Columbia 1LS localizer west course, extending from the 11-mile radius area to 18.5 miles west of the LOM.

Columbus, Ga.

That airspace extending upward from 700 feet above the surface within a 10.5-mile redius of Columbus Metropolitan Airport (lat. 32°30'55" N., long. 84°56'25" W.); within a 10-mile radius of Lewson AAF (lat. 32°20'20" N., long. 84°50'35" W.); within 1.5 miles each side, expanding in which to 5 miles each side of Columbus ILS localizer northeast course, extending from the intersection of the Columbus VOR 102° radial to 11.5 miles northeast; within 9.5 miles southwest and 4.5 miles rortheast of Lawson AAF ILS localizer southeast course, extending from the 10-mile radius area to 12 miles southeast of Louvale RBN; within 9.5 miles southwest and 4.5 miles northeast of Columbus VOR 149° and 329° radials, extending from the 10.5-mile radius area to 18.5 miles northwest of the VOR; within 4 miles each side of Lawson VOR 339° radial, extending from the 10-mile radius area to 20.5 miles north of the VOR.

Columbus, Miss

That airspace extending upward from 700 feet above the surface within a 17.5-mile radius of Columbus AFB (latitude 33°38'38" N., longitude 88°26'39" W.); within an 8-mile radius of Monroe County Airport (latitude 33°52'20" N., longitude 88°28'25" W.); within an 8-mile radius of Columbus-Lowndes County Airport (latitude 33°27'52" N., longitude 88°22'50" W.); within 4.5 miles north and 9.5 miles south of the Columbus VORTAC 281° radial, extending from the

VORTAC to 18.5 miles west; within an 8.5-mile radius of Golden Triangle Regional Airport (lat. 33°26'48" N., long. 88°35'30" W.).

Columbus, Nebr.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Columbus Municipal Airport (latitude 41°26'50" N., longitude 97°20'25" W.), and within 8 miles NE and 5 miles SW of the Columbus VOR 141° radial extending from the VOR to 12 miles SE, and within 8 miles W and 5 miles E of the Columbus VOR 340° radial extending from the VOR to 12 miles N and within 8 miles SW and 5 miles NE of the 330° and 150° bearings from the Columbus RBN extending from 2 miles SE of the RBN to 12 miles NW of the RBN.

Columbus, Ohio

That airspace extending upward from 700 feet above the surface within an 11.5-mile radius of the center, lat. 39°59'41" N., long. 82°53'08" W. of Port Columbus International Airport, Columbus, Ohio; within a 14-mile radius of the center, lat. 39°49'00" N., long. 82°56'00" W. of Lockbourne AFB, Columbus, Ohio; within an 8-mile radius of the center, lat. 40°01'43" N., long. 82°31'32" W. of Mount Vernon Airport, Mount Vernon, Ohio; within an 8-mile radius of the center, lat. 40°01'29" N., long. 82°27'44" W. of Licking County Airport, Newark, Ohio; within a 7-mile radius of the center, lat. 40°01'29" N., long. 82°27'44" W. of Ohio State University Airport, Columbus, Ohio; within the arc of a 25-mile radius circle centered on a point located at lat. 39°59'59" N., long. 82°53'44" W., extending clockwise from the 048° bearing from this point to the 170° bearing from this point and within 3.5 miles each side of the 273° bearing from the Ohio State University RBN, lat. 40°04'47" N., long. 83°04'54" W., extending from the RBN to 11.5 miles west of the RBN; within a 6½-mile radius of Bolton Field (latitude 39°54'07" N., longitude 83°08'12" W.); within a 9-mile radius of Fairfield County Airport (latitude 39°45'21" N., longitude 82°39'27' W.).

AMENDMENTS 12/5/74 39 F. R. 36856 (Changed)

Columbus, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Columbus Airport (latitude 29°43'10" N., longitude 96°33'50" W.).

Colusa, Calif.

That airspace extending upward from 700 feet above the surface within 2 miles E and 3.5 miles W of the Williams, Calif. VORTAC 015 radial, extending from the VORTAC to 11 miles N of the VORTAC; that airspace extending upward from 1,200 feet above the surface bounded on the E by the W edge of V-23, on the S by the N edge of V-200 and on the W by the W edge of V-195.

Commerce, TX.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Commerce Municipal Airport (latitude 33°17'36" N., longitude 95°53'46" W.) and within 2.5 miles each side of the Sulphur Springs, TX., VORTAC 286° radial extending from the 5-mile radius area to 14.5 miles west of VORTAC.

Concord, N. H.

That airspace extending upward from 700 feet above the surface bounded by a line beginning at 43°23'00" N., 71°11'50" W., to 43°09'00" N., 71°11'50" W., to 42°58'50" N., 71°01'00" W., to 42°53'00" N., 71°11'30" W., to 42°47'00" N., 71°09'00" W., to 42°48'00" N., 71°20'00" W., to 42°40'00" N., 71°35'00" W., to 42°43'00" N., 71°36'00" W., to 42°45'00" N., 71°38'25" W., to 42°54'00" N., 71°57'00" W., to 43°06'00" N., 71°47'00" W., to 43°23'00" N., 71°47'00" W., to point of beginning.

That airspace extending upward from 1,200 feet above the surface bounded by a line beginning at $42^\circ53'00"$ N., $71^\circ05'00"$ W. to $42^\circ43'00"$ N., $71^\circ15'00"$ W. to $42^\circ43'00"$ N., $71^\circ40'00"$ W. to $42^\circ55'00"$ N., $72^\circ00'00"$ W. to $43^\circ35'00"$ N., $71^\circ55'00"$ W. to $43^\circ45'00"$ N., $71^\circ09'00"$ W. to point of beginning.

Concord, N. C.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Propst Airport (latitude 35°23'30" N., longitude 80°34'30" W.); within 2.5 miles each side of Charlotte VORTAC 060° radial, extending from the 5-mile radius area to 18 miles northeast of the VORTAC.

Connecticut

That airspace extending upward from 1,200 feet above the surface within the territorial boundaries of the State of Connecticut.

Connellsville, Pa.

That airspace extending upward from 700 feet above the surface within a 5.5-mile radius of the center lat. 390 57'35" N., long. 79°39'25" W. of Connellsville Airport and within 9.5 miles northwest and 4.5 miles southeast of the 230° bearing from the Connellsville, Pa. RBN lat. 39°57'37" N., long. 79°39'16" W., extending from the RBN to 19.5 miles southwest of the RBN, excluding the portion that coincides with the Morgantown, W. Va., transition area.

Connersville, IN.

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of the Mettel Airport (latitude 39°42'00" N.; longitude 85°08'00" W.), and within 3 miles each side of the 015° bearing from the Mettel Airport extending from the 6½-mile radius to 8 miles north of the airport; excluding that airspace designated at Richmond, IN.

Conrad. Wont.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the Conrad Airport (latitude 48°10'10" N., longitude 111°58'30" W.); within 3.5 miles each side of the 060° bearing from the Conrad RBN (latitude 48°11'12" N., longitude 111°55'31" W.) extending from the 9-mile radius area to 12 miles northeast of the RBN; and that airspace extending upward from 1,200 feet above the surface within 9.5 miles northwest and 4.5 miles southeast of the 060° bearing from the Conrad RBN extending from the RBN to 18.5 miles northeast of the RBN.

AMENDMENTS 1/31/74 38 F. R. 31959 (Rewritten)

Cookeville, Tenn.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Putnam County Airport (latitude 36°11'45" N., longitude 85°29'15" W.); within 3 miles each side of the 331° bearing from Cookeville RBN (latitude 36°11'34" N., longitude 85°29'04" W.), extending from the 6.5-mile radius area to 8.5 miles northwest of the RBN.

Cordele, Ga.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Cordelc Airport (latitude 31°59°15" N., longitude 83°46'24" W.).

Cordova, Alaska

That airspace extending upward from 700 feet above the surface within 6 miles northwest and 9.5 miles southeast of the 233° bearing from the Cordova (CDV) NDB extending from the intersection of the 233° bearing from the Cordova (CDV) NDB and Hinchinbrook, Alaska, RBN 106° bearing to 19 miles southwest; that airspace extending upward from 1,200 feet above the surface within 6 miles each side of the Cordova localizer east course extending from the localizer to 40 miles east; and within 5 miles each side of a line extending from the Johnstone Point VORTAC to the Cordova (CDV) NDB.

AMENDMENTS 3/28/74 39 F. R. 3670 (Changed)

Corinth, Miss.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Roscoe Turner Airport (lat. 34°54'30" N., long. 88°36'00" W.); within 3 miles each side of the 185° and 346° bearings from Corinth RBN (lat. 34°54'39" N., long. 88°36'04" W.), extending from the 7-mile radius area to 8.5 miles south and north of the RBN.

Corning, Iowa

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Corning Municipal Airport (latitude 40°59°30" N., longitude 94°45′40" W.); and within 3 miles each side of the 359° bearing from the Corning Municipal Airport, extending from the 5-mile radius to 8 miles north of the airport.

AMENDMENTS 1/3/74 38 F. R. 30737 (Added) Corr: 39 F. R. 4075 AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Corpus Christi, Tex.

That airspace extending upward from 700 feet above the surface within a f-mile radius of the Corpus Christi International Airport (latitude 27°46'20" N., longitude 97°30'20" W.); within a 9-mile radius of NAS Corpus Christi (latitude 27°41'30" N., longitude 97°17'15" W.); within a 4-mile radius of the Sinton Airport (latitude 28°02'25" N., longitude 97°32'34" W.); within 2 miles each side of the Corpus Christi VORTAC 328° radial, extending from the 4-mile radius area to the VORTAC; within 2 miles each side of the Corpus Christi ILS localizer SF course, extending from the 6-mile radius area to 13 miles SE of the airport; within 2 miles each side of the Corpus Christi ILS localizer NW course, extending from the International Airport 6-mile radius area to 8 miles NW of the ON; within 2 miles each side of the Navy Corpus RBN 135° bearing, extending from the NAS Corpus Christi 9-mile radius area to 8 miles SE of the RBN; and within 2 miles each side of the Navy Corpus TACAN 137° and 139° radials, extending from the NAS Corpus Christi 9-mile radius area to 12 miles SE of the TACAN.

Corsicana, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Corsicana Municipal Airport (latitude 32002'00" N., longitude 96024'00" W.) and within 3 miles each side of the Scurry, Tex., VORTAC 1860 radial extending from the 5-mile radius area to 24 miles south of the VORTAC.

Cortez, Colo.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Cortez-Montezuma County Airport, Cortez, Colo., (latitude 37º18'15" N., longitude 108º37'35" W.), within 3.5 miles each side of the Cortez VOR 1840 and 0040 radials extending from the 7-mile radius area to 11.5 miles north of the VOR; that airspace extending upward from 1,200 feet above the surface within 6 miles east and 9.5 miles west of the Cortez VOR 1840 and 0040 radials, extending from 8 miles south to 19 miles north of the VOR, and within 5 miles northeast of and parallel to the Dove Creek VORTAC 1290 radial, extending from the VORTAC to 21 miles southeast of the VORTAC.

Cortland, N. Y.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, 1st, 420 35'30" N., long. 76°13'00" W. of Cortland County Chase Field Airport, Cortland, N. Y., and within 6.5 miles north and 5 miles south of the Georgetown, N. Y., VORTAC 236° radial extending from the 9-mile radius area to the VORTAC.

Corvallis, Oreg.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Corvallis Municipal Airport (latitude 44°29'50" N., longitude 123°17'10" W.) within 4.5 miles each side of the Corvallis VOR 029° radial, extending from the 7-mile radius area to 14 miles northeast of the VOR, within 5 miles each side of the Eugene, Oreg., VORTAC 345° radial, extending from 10 to 17 miles north of the VORTAC, and within 5 miles each side of the Corvallis VOR 1800 radial, extending from the 7-mile radius area to 11 miles south of the VOR excluding that portion overlying the Eugene, Oreg., transition area; that airspace extending upward from 1,200 feet above the surface within 6 miles northwest and 8 miles southeast of the Corvallis VOR 0290 and 2090 radials, extending from 6 miles southwest to 17 miles northeast of the VOR.

Coshocton, Ohio

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the Richard Downing Airport (latitude 40°18'37" N., longitude 81°51'17" W.).

Cotulla, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Cotulla Municipal Airport (latitude 28°27'15" N., longitude 99°13'05" W.); within 2 miles each side of the Cotulla VOR 266° radial extending from the 5-mile radius area to 14 miles west of the VOR; and within 8 miles north and 5 miles south of the Cotulla VOR 086° and 266° radials extending to 5 miles west and 12 miles east of the VOR.

AMENDMENTS 8/15/74 39 F. R. 20785 (Rewritten)

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Covington Municipal Airport (latitude 33°37'54" N., longitude 83°51'07" W.); within 5 miles each side of Rex VORTAC 093° radial, extending from the 6.5-mile radius area to 34 miles east of the VORTAC.

Crawfordsville, 1N.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Crawfordsville Municipal Airport (latitude 39°58'45" N., longitude 86°55'00" W.) and within 3 miles each side of the 217° bearing from the Crawfordsville Municipal Airport extending from the 5-mile radius to 8 miles southwest.

Crescent City, Calif.

That attspace extending upward from 700 feet above the surface within a 5-mile radius of Jack McNamara Field, Crescent City (lat. 40.46.50" N., long. 124.14.00" W.), within 3 miles each side of the Crescent City VORTAC 3250 radial, extending from the 5-mile radius area to 9 miles northwest of the VORTAC and within 4 miles each side of the Crescent City VORTAC 1800 radial, extending from the 5-mile radius area to 10 miles south of the VORTAC; and that mirspace extending upward from 1,200 feet above the surface within 10 miles east and 7 miles west of the Crescent City VORTAC 1800 and 3600 radials, extending from 8 wiles north to 20 miles south of the VORTAC within 5 miles each side of the Crescent City VORTAC 2340 radial, extending from the VORTAC to 12 miles southwest of the VORTAC and within 8 miles northeast and 9.5 miles southwest of the Crescent City WORTAC 3250 radial, extending from the WORTAC to 18.5 miles northwest of the WORTAC and within 9.5 miles southwest and 4.5 miles northeast of the ILS localizer northwest course, extending from the threshold of Runway 11 to 25 miles northwest.

Creston, Ious

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Creston Municipal Airport (latitude 41°01'05" N., longitude 94°21'35" W.); and within 3 miles each side of the 171° bearing from Creston Municipal Airport, extending from the 5-mile radius area to 8 miles south of the airport. AMEDIDARIOTS 12/5/74 39 F. R. 36572 (Changed)

Crestview. Fla.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Bob Sikes Airport

Creve Cosur, Mo.

That airspace extending upward from 700 feet above the surface within 5 miles each side of the St. Louis, Mo., VORTAC 1900 radial, extending from 12 miles south to 25% miles south of the VORTAC, excluding the portions which overlie the Chesterfield, Mo., and St. Louis, Mo., 700-foot floor transition areas

Crookston, Minn.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of the Crookston Municipal Kirkwood Field Airport (latitude 47°50'30" N., longitude 96°37'15" W.); within 3 miles each side of the 303° bearing from the airport extending from the 5½-mile radius area to 8 miles northwest of the airport; within 3 miles each side of the Grand Forks VORTAC 108° radial extending from the 5½-mile radius area to 7½ miles southeast of the airport; and that airspace extending upward from 1,200 feet above the surface within a 55 mile arc southeast of the Grand Forks VORTAC between V-430 and V-171 excluding the portion which overlies the Grand Forks, N. Dak., transition area.

AMENDMENTS 1/31/74 38 F. R. 33588 (Rewritten)

Cross City, Fla.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Cross City Airport (lat. 29°37'45" N., long. 83°36'15" W.); within 3.5 miles each side of Cross City VORTAC 121° radial, extending from the 8-mile radius area to 7.5 miles southeast of the VORTAC.

Crossett, Ark.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Crossett Municipal Airport (latitude 33°10'30" N., longitude 91°52'45" W.); and within 3 miles each side of the 056° bearing from the Crossett RBN (latitude 33°10'30" N., longitude 91°52'45" W.), extending from the 6.5-mile radius area to 8.5 miles northeast of the RBN.

Crossville, Tenn.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the Crossville Memorial Airport (latitude 35°57'05" N., longitude 85°05'05" W.); within 2 miles each side of the Hinch Mountain VORTAC 334° radial, extending from the 6.5-mile radius area to the VORTAC.

AMENDMENTS 12/31/73 38 F. R. 34728 (Changed)

Crows Landing, CA.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Crows Landing ALF (latitude 37°24'35" N., longitude 121°06'40" W.), excluding the portion within a 1-mile radius of Patterson Field, Patterson, CA. (latitude 37°28'05" N., longitude 121°10'06" W.), and that airspace extending upward from 1,200 feet above the surface bounded on the north by latitude 37°38'00" N., on the east by the west edge of V-109, on the southwest by the northeast edge of V-107 and on the west by longitude 121°31'00" W.

Culpeper, Va.

That airspace extending upward from 700 feet above the surface within the arc of a 6.5-mile radius circle centered on Culpeper Municipal Airport (lat. 38°31'20" N., long. 77°51'40" W.) Culpeper, Va., extending clockwise from a 245° bearing to a 090° bearing from the center of the airport; within the arc of a 5.5-mile radius circle centered on Culpeper Municipal Airport, extending clockwise from a 090° bearing to a 245° bearing from the center of the airport and within 2.5 miles each side of the Casanova VORTAC 178° radial, extending from the 6.5-mile radius are to the VORTAC, excluding the portion that coincides with the Midland, Va., transition area.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center (lat. 39°37'02" N., long. 78°45'45" W.) of Cumberland Municipal Airport, Cumberland, Md.; and within 3.5 miles each side of the 022° bearing from the Cumberland RBN (lat. 39°39'00" N., long. 78°44'48" W.) extending from the 8.5mile radius area to 11.5 miles north of the RBN.

Cushing, Okla.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Cushing Municipal Airport (latitude 35°57'00" N., longitude 96°46'30" W.), and within 3.5 miles each side of the 180° bearing from the Cushing RBN (latitude 35°53'24" N., longitude 96°46'30" W.) extending from the 5-mile radius area to 11.5 miles south of the RBN.

Cut Bank, Mont.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Cut Bank Airport (latitude 48°36'41" N., longitude 112°22'45" W.); within 9½ miles northeast and 4½ miles southwest of the Cut Bank VORTAC 150° radial extending from the VORTAC to 18½ miles southeast of the VORTAC; and within a 12-mile radius of the Cut Bank VORTAC extending from a line 5 miles west of and parallel to the Cut Bank VORTAC 172º radial counterclockwise

to a line 5 miles northeast of and parallel to the Cut Bank VORTAC 1500 radial.

Duggett, Calif.

That airspace extending upward from 700 feet above the surface within a 3-mile radius of Barstow-Daggett Airport (latitude 34°51'20" N., longitude 116°47'10" W.); within 2 miles each side of the 050° bearing from Barstow-Daggett Airport extending from the 3-mile radius area to 6 miles NE of the airport, and within 2 miles each side of the 090° bearing from the Barstow-Daggett Airport extending from the 3-mile radius area to 6.5

Dalhart, Texas

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Dalhart Municipal Airport (latitude 36°01'10" N., longitude 102°33'10" W.), and within 2 miles each side of the Dalhart VORTAC 002° radial extending from the 9-mile radius area to 12 miles N of the VORTAC.

Dallas-Fort Worth, Tex.

That airspace extending upward from 700 feet above the surface bounded by a line beginning at lat. 33°11'00" N., long. 97°27'00" W., thence to lat. 33°11'00" N., long. 97°19'00" W., to lat. 33°26'00" N., long. 97°15'00" W., to lat. 33°26'00" N., long. 97°07'00" W., to lat. 33°19'00" N., long. 97°06'00" W., to lat. 33°19'00" N., long. 96°57'00" W., to latitude 33°08'30" N., longitude 96°26'00" W.; to latitude 33°08'30" N., longitude 96°26'00" W.; to latitude 32°44'00" N., longitude 96°26'00" W.; to latitude

32°34'00" N., longitude 96°37'00" W.; to latitude 32°29'00" N., longitude 96°32'00" W.; to latitude 32°25'00" N., longitude 96°38'00" W.; to latitude 32°31'00" N., longitude 96°44'00" W.; to latitude 32°29'00" N., longitude 97°01'00" W.; to latitude

32°23'00" N., longitude 97°05'00" W.; to latitude 32°16'30" N., longitude 97°25'30" W.; to latitude 32°19' 30" N., longitude 97°33'00" W.; thence north along longitude 97°33'00" W. to and clockwise along the arc of a 23-mile radius circle centered at latitude 32°46'20" N., longitude 97°26'30" W.; to latitude 32°55'00" Ni, to latitude 33°13'00" N., longitude 97°56'

00" W.; to latitude 33°15'30" N.; longitude 97°49'00" W.; to point of beginning.

Dalton, Ga.

That airspace extending upward from 700 feet above the surface within a 14.5-mile radius of Dalton Municipal Airport (lat. 34043'00" N., long. 84052'00" W.).

Danbury, Conn.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center latitude 41°22'15" N., longitude 73°29'00" W. of Danbury Airport, Danbury, Conn., extending clockwise from the 018° bearing from the center of the airport to the 288° bearing and within a 13-mile radius from the 288° bearing clockwise to the 018° bearing and within 3.5 miles each side of the Carmel VORTAC 218° radial extending from the 9-mile radius area to 11.5 miles southwest of the Carmel VORTAC, excluding that airspace which coincides with the Bridgeport, Conn., and White Plains, N. Y., 700-foot floor transition areas.

Danielson, Conn.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the center, 41049'10" N., 71054'05" W., of Danielson Airport, Danielson, Conn.; within 2 miles each side of the runway 13 centerline, extended from the 5-mile radius area to 7.5 miles southeast of the end of the runway; within 2 miles each side of the runway 31 centerline, extended from the 5-mile radius area to 7.5 miles northwest of the end of the runway; and within 3 miles each side of the Putnam VORTAC 1970 radial, extending from the 5mile radius area to 2 miles south of the VORTAC.

Danville, Ill.

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of the Vermillion County Airport (lat. 40°11'54" N., long. 87°35'49" W.); and within 2 miles each side of the Danville VORTAC 196° radial extending from the 62-mile radius to the VORTAC.

Danville, Va.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the center, lat. 36°34'30° N., long. 79°20'11° W., of Danville Municipal Airport, Danville, Va.; within 3 miles each side of the Danville, Va., VOR 0440 radial, extending from the 8-mile radius area to 8.5 miles northeast of the VOR and within 3 miles each side of the Danville, Va., VOR 208° radial, extending from the 8-mile radius area to 8.5 miles southwest of the VOR.

Darby, Alaska
That airspace extending upward from 1,200 feet above the surface within 5 miles S and 8 miles N of the 290° bearing from the North River, Alaska, RBN, extending from 32 miles to 52 miles W of the RBN.

AMENDMENTS 9/12/74 39 F. R. 20586 (Changed)

Darlington, S. C.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the Darlington County Airport (latitude 34°26'50" N., longitude 79°53'23" W.).

Davis, Calif.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of University Airport (latitude 38°31'55" N., longitude 121°47'10" W.).

Dayton, Ohio

That airspace extending upward from 700 feet above the surface bounded by a line beginning at: 39°59'00" N., 83°40'00" W. to 39°55'00" N., 83°37'00" W. to 39°45'00" N., 83°43'00" W. to 39°39'00" N., 84°07'00" W. to 39°45'00" N., 84°07'00" W. to 39°45'00" N., 84°17'00" W. to the point of beginning.

Dayton, Ohio (Montgomery County)

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Montgomery County Airport (lat. 39°35'21" N., long. 84°13'21" W.), and within 3 miles each side of the Montgomery County VOR 1450 radial extending from the 6-mile radius area to 8 miles southeast of the VOR; within 3 miles each side of the 027° radial extending from the 6-mile radius area to 8.5 miles northeast excluding the portions which overlie the Middletown and Dayton, Ohio, transition areas.

Daytona Beach, Fla.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the Daytona Beach Regional Airport (lat. 29°10'49" N., long. 81°03'23" W.); within a 6.5-mile radius of Municipal Airport, Ormond Beach, Fla. (lat. 29°18'00" N., long. 81°06'49" W.); within 3 miles each side of Ormond Beach VORTAC extending from the 6.5-mile radius area to 8.5 miles west of the VORTAC.

Deadhorse, Alaska

That airspace extending upward from 700 feet above the surface within 6.5 miles S and 9.5 miles N of the Deadhorse VOR 075° radial extending from the VOR to 20 miles E of the VOR; within 6.5 miles S and 10 miles N of the Deadhorse VOR 255° radial extending from the VOR to 25.5 miles W; and within a 16.5-mile radius of the Deadhorse VOR extending from the 099° radial clockwise to the 231° radial; that airspace extending upward from 1,200 feet above the surface within the area bounded by a line beginning at latitude 69°40'00" N., longitude 153°00'00" W.; to 70°33'00" N., 150°45'00" W.; thence east vla 3 nautical miles offshore to latitude 70°14'00" N., longitude 146°00'00" W.; to 69°00'00" N., 148°00'00" W.; to 68°00'00" N., 148°00'00" W.; to 68° 00'00" N., 153°00'00" W.; thence to point of beginning.

AMENDMENTS 7/18/74 39 F R 19449 (Rewritten)

Decatur, Ill.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Decatur Airport (latitude 39°50'05" N., longitude 88°51'50" W.).

That airspace extending upward from 700 feet above the surface within a 52-mile radius of Decorah Municipal Airport (latitude 43°16'35" N., longitude 91°44'50" W.); and within 3 miles each side of the 122° bearing from Decorah Municipal Airport, extending from the $5\frac{1}{2}$ -mile radius area to 8 miles southeast of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Defiance. Ohio

That airspace extending upward from 700 feet above the surface within a 4-mile radius of the center of Brvan-Defiance Memorial Airport, Defiance, Ohio, 41°20'30" N., 84°25'30" W. and within 2 miles each side of the Defiance RBN 299° bearing extending NW from the 4-mile radius area for 4 miles.

DeLancey, N. Y.

That airsapce extending upward from 1,200 feet above the surface within the area bounded by a line beginning at: 42°40'00" N., 75°30'00" W. to 42°10'00" N., 75°25'00" W. to 42°00'00" N., 75°26'30" W. to 42°00'00" N., 75°00'00" W. to 42°01'00" N., 74°30'00" W. to 43°00'00" N., 74°30'00" W. to point of beginning.

De Land, Fla.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of De Land Municipal/Sidney H. Taylor Field (lat. 29°04'03" N., long. 81°17'00" W.); excluding the portion within Daytona Beach transition area.

PENDING AMENDMENT

Delano, Calif.

That airspace extending upward from 700 feet above the surface within a 3-mile radius of Delano Municipal Airport (latitude 35°44'48" N., longitude 119°14'08" W.) and within 3 miles each side of the Bakersfield VORTAC 336° T radial, extending from the 3-mile radius area to 12 miles NW of the VORTAC.

AMENDMENTS 1/2/75 39 F. R. 40007 (Added)

Delaware

That airspace extending upward from 1,200 feet above the surface within the boundary of the State of Delaware including the offshore airspace within 3 nautical miles and parallel to the shoreline.

Del Rio, Tex.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of latitude 29°23' 00" N., longitude 100°50'15" W., and within 4.5 miles west and 9.5 miles east of the Laughlin VORTAC 148° radial extending from the 12-mile radius area to 22 miles southeast of the VORTAC and within 3 miles west and 6.5 miles east of the Laughlin VORTAC 315° radial extending from the 12-mile radius area to 18 miles northwest of the VORTAC, excluding the portion outside the United States.

AMENDMENTS 3/28/74 39 F. R. 3929 (Rewritten)

Delta, UT.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Delta Municipal Airport (latitude 39°23'00" N., longitude 112°30'35" W.), and that airspace extending upward from 1,200 feet above the surface within 9 miles southeast and 13.5 miles northwest of the Delta VOR 203° and 023° radials, extending from 12 miles northeast to 25.5 miles southwest of the VOR.

Deming, N. Mex.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of Deming Municipal Airport (lat. 32°15'40" N., long. 107°43'10" W.).

Denison, Iowa

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Denison, lowa, Municipal Airport (latitude 41°59'15" N., longitude 95°23'00" W.) and within 2 miles each side of the 115° bearing from Denison Municipal Airport, extending from the 6-mile radius area to 8 miles southeast of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Denver, Colo.

That airspace extending upward from 700 feet above the surface, within an arc of a 22-mile radius circle centered on Stapleton Airport (latitude 39946'30" N., longitude 104°52'40" W.) extending clockwise between the 253° and 078° bearings from Stapleton Airport, within an arc of a 37-mile radius circle centered on Stapleton Airport extending clockwise between the 078° and 160° bearings from Stapleton Airport, within an arc of a 31-mile radius circle centered on Stapleton Airport extending clockwise between the 160° and 194° bearings from Stapleton Airport, and within an arc of a 24-mile radius circle centered on Stapleton Airport extending clockwise between the 194° and 253° bearings from the Stapleton Airport; that airspace extending upward from 1,200 feet above the surface bounded on the north by latitude 40°30'00" N., on the east by longitude 104°00'00" W., on the south by latitude 39°05'00" N., and on the west by longitude 105°20'00" W.; that airspace northeast of Greeley, Colo., extending upward from 7,500 feet MSL bounded on the northeast by V-132, on the SE by V-160, on the south by latitude 40°30'00" N., and on the northwest by V-207, and that airspace east of Denver bounded on the northwest by V-160, on the northeast by V-169, on the south by the east edge of V-263 and latitude 39°05'00"

N., and on the west by longitude 104°00'00" W. excluding the airspace within Federal airways; that airspace west of Denver extending upward from 11,500 feet MSL, bounded on the north by latitude 40°30'00" N., on the east by longitude 105°20'00" W., on the south by latitude 39°05'00" N., on the west by longitude 105°23'00" W.; that airspace extending upward from 12,700 feet MSL bounded on the north by latitude 40°30'00" N., on the east by longitude 105°23'00" W. to latitude 39°20'00" N., thence direct latitude 39°30'00" N., longitude 105°30'00" W., and on the west by longitude 105°30'00" W.; and that airspace extending upward from 13,700 feet MSL bounded on the north by latitude 40°30'00" N., on the east by longitude 105°30'00" W. to latitude 39°30'00" N., thence direct to latitude 39°20'00" N., longitude 105°23'00" W., thence direct latitude 39°05'00" N., longitude 105°23'00" W., thence direct latitude 39°44'00" N., longitude 105°38'00" W., thence direct latitude 39°44'00" N., longitude 105°33'00" W., thence direct latitude 39°44'00" N., longitude 105°33'00" W.

DeQueen. Ark.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Sevier County Airport (latitude 34°02'44" N., longitude 94°23'58" W.) and within 3.5 miles each side of the 269° bearing from the DeQueen NDB (latitude 34°02'39" N., longitude 94°23'59" W.) extending from the 5-mile radius area to a point 10 miles west of the NDB.

De Quincy, LA.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of De Quincy Industrial Airport (latitude 30°26'17" N., longitude 93°28'21" W.) and within 2 miles each side of the Lake Charles VORTAC 313° radial extending from the airport to a point 6 miles southeast.

DeRidder, La.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Beauregard Parish Airport (latitude 30°50'00" N., longitude 93°20'00" W.), and within 3.5 miles each side of the 347° bearing from the DeRidder RBN (latitude 30°50'00" N., longitude 93°20'00" W.) extending from the 5-mile radius area to 11.5 miles north of the RBN.

Des Moines, Iowa

That airspace extending upward from 700 feet above the surface within an 18-mile radius of Des Moines Municipal Airport (latitude 41°32'05" N., longitude 93°39'35" W.).; and that airspace extending upward from 3,500 feet MSL bounded by a line start-

ing at the intersection of longitude 93°30'00" W., and the north edge of V-216; thence southwest along the north edge of V-216 to and north along longitude 95°00'00" W., to and east along the south edge of V-6S to the intersection of the south edge of V-6S and longitude 94°10'15" W.; thence southeast to latitude 40°56'30" N., longitude 93°54'00" W.; thence northeast to latitude 41°01'45" N., longitude 93°30'00" W.; thence south to the point of beginning.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Detroit, Mich.

That airspace extending upward from 700 feet above the surface bounded by a line beginning at latitude 43°00'00" N., longitude 82°25'00" W., on the Canadian boundary to latitude 43°04'00" N., longitude 82°30'00" W., to latitude 42°53'00" N., longitude 83°00'00" W., to latitude 42°45'00" N., longitude 83°50'00" W., to latitude 42°30'00" N., longitude 83°50'00" W., to latitude 42°00'00" N., longitude 83°50'00" W., to latitude 42°00'00" N., longitude 83°50'00" W., to latitude 42°00'00" N., longitude 83°30'00" W., thence east along the 42nd parallel to the Canadian boundary, thence along the Canadian boundary to point of beginning.

Detroit Lakes, MN.

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of Detroit Lakes Airport (latitude 46°49'35" N., longitude 95°53'05" W.); and within 3 miles each side of the 315° bearing from the Detroit Lakes Airport, extending from the 6½-mile radius area to 7½ miles northwest of the airport; and that airspace extending upward from 1,200 feet above the surface within 4½ miles northeast and 9½ miles southwest of the 315° and 135° bearings from the Detroit Lakes Airport, extending from 6 miles southeast of the airport to 18½ miles northwest of the airport; and within 5 miles each side of the 135° bearing of the Detroit Lakes Airport, extending from the airport to 12 miles southeast of the airport excluding the portion that overlies the Fargo, N. Dak., transition area.

Devils Lake, N. Dak.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Devils Lake Municipal Airport (latitude 48°06'55" N., longitude 98°54'30" W.); within 4½ miles southwest and 9½ miles northeast of the Devils Lake VORTAC 134° radial extending from the VORTAC to 18½ miles southeast of the VORTAC; within 4½ miles northeast and 9½ miles southwest of the Devils Lake VORTAC 324° radial extending from the VORTAC to 18½ miles northwest of the VORTAC; within 4½ miles southeast and 9½ miles northwest of the 026° bearing from the Devils Lake Airport extending from the airport to 18½ miles northeast of the airport; and that airspace extending upward from 1200 feet above the surface within a 17½ mile radius of the Devils Lake VORTAC.

Dexter, Mo.

That airspace extending upward from 700 feet above the surface within an $8\frac{1}{2}$ -mile radius of the Dexter Municipal Airport (latitude 36°46'30" N., longitude 89°56'30" W.); and that airspace extending upward from 1,200 feet above the surface within $4\frac{1}{2}$ miles west and $9\frac{1}{2}$ miles east of the 180° bearing from Dexter Municipal Airport extending from the airport to $18\frac{1}{2}$ miles south of the airport, excluding the portion which overlies the Malden, Mo., transition area.

Dickinson, M. Dak.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Dickinson Municipal Airport (latitude 46°47'51" M., longitude 102°47'49" W.); and that airspace extending upward from 1,200 feet above the surface within a 13-mile radius circle centered on the Dickinson WORTAC, extending clockwise from the Dickinson VORTAC 250° radial to the Dickinson WORTAC 093° radial; and within 9.5 miles west and 4.5 miles east of the Dickinson WORTAC 013° radial extending from the WORTAC to 18.5 miles north of the WORTAC.

Dickson, Tenn.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Dickson Municipal Airport (lat. 36°07'47" N., long. 87°25'48" W.).

Dillingham, Alaska

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the Dillingham Airport (latitude 59°02'30" N., longitude 158°30'28" W.); and that airspace within 2.5 miles each side of the Dillingham VORTAC 025° radial extending from the 8.5-mile radius zone to 15.5 miles northeast of the VORTAC and within 2 miles each side of the Dillingham VORTAC 2050 radial extending from the 8.5 mile radius zone to 9 miles southwest of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within 4.5 miles northwest and 9.5 miles southeast of the Dillingham VORTAC 025° and 205° radials extending from 23 miles northeast to 18.5 miles southwest of the VORTAC and within an 18-mile radius of the Dillingham VORTAC extending clockwise from the 056° radial to the 173° radial of the VORTAC.

Dillon, Mont.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Dillon Airport (lat. 45°15'20" N., long. 112°33'10" W.) and within 3 miles each side of the Dillon VORTAC 025° radial, extending from the 6-mile radius zone to 8.5 miles northeast of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within 9.5 miles northwest and 6 miles southeast of the Dillon VORTAC 025° radial, extending from the VORTAC to 24 miles northeast; and that airspace extending upward from 11,700 feet MSL within 7.5 miles west and 10.5 miles east of the Dillon VORTAC 168° and 348° radials extending from 4.5 miles north to 19.5 miles south of the VORTAC.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Dillon County Airport (lat. 34°27'00" N., long. 79°22'00" W.); within 2.5 miles each side of Florence VORTAC 046° radial, extending from the 5-mile radius area to 16 miles northeast of the VORTAC.

District of Columbia

That airspace extending upward from 1,200 feet above the surface within the territorial boundaries of the District of Columbia. The portion within P-56 is excluded.

Dixon, Ill.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Charles R. Walgreen Field, Dixon, Ill. (latitude 41°50°03" N., longitude 89°26°37" W.), and within 2 miles each side of the Polo, Ill., VORTAC 155° radial extending from the 5-mile radius area to the VORTAC.

Dodge City, Kans.

That airspace extending upward from 700 feet above the surface within a 9.5 mile radius of the Dodge City Municipal Airport (latitude 37°45'42" N., longitude 99°57'51" W.); and that airspace extending upward from 1,200 feet above the surface within a 13-mile radius of the Dodge City VORTAC extending clockwise from the 278° radial to the 059° radial of the Dodge City VORTAC, and within a 22-mile radius of the Dodge City VORTAC extending clockwise from the 059° radial to the 278° radial of the Dodge City VORTAC and within 4.5 miles east and 9.5 miles west of the Dodge City VORTAC 341° radial extending from the 13 mile radius area to 18.5 miles north of the VORTAC and within 4.5 miles east of and 9.5 miles west of the Dodge City VORTAC 1603 radial extending from the 22-mile radius area to 30 miles south of the VORTAC.

Dothan, Ala.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of Dothan Airport (latitude 31°19'10" N., longitude 85°27'30" W.); within 5 miles each side of Dothan VORTAC 157° radial, extending from the 8.5-mile radius area to 11.5 miles SE of the VORTAC; within 4.5 miles each side of Dothan VORTAC 331° radial, extending from the 8.5-mile radius area to 10.5 miles NW of the VORTAC; excluding the airspace within a 1,5-mile radius of Headland Minicipal Airport (latitude 31°21'45" N., longitude 85°18'30" W.), the portion that coincides with the Fort Rucker, Ala., transition area, and the airspace within 1.5 miles each side of Dothan WORTAC 350° radial;

within a 6.5-mile radius of Wheelless Airport (lat. 31º13'35" N., long. 85º29'30" W.); excluding the portion

northwest of Dothan VOR 237° radial.

Douglas, Ariz.

That airspace extending upward from 700 feet above the surface within 4.5 miles southwest and 9.5 miles northeast of the Douglas VORTAC 3330 radial extending from the VOR to 18.5 miles northwest of the VORTAC; that airspace extending upward from 1,200 feet above the surface within a 9-mile radius of the Douglas VORTAC, within a 23-mile radius of the Douglas VORTAC extending clockwise from the southwest edge of V-66 to the southeast edge of V-66, and within 5 miles east and 8.5 miles west of the Douglas VORTAC 347° radial extending from the 23-mile radius area to the Cochise VORTAC, excluding the portion within the Cochise, Ariz., transition area.

FEDERAL REGISTER

Douglas, Wyo.

the east by V-169, on the southeast by V-89, on the south by V-100, on the west by V-19E and on the southwest by V-19F and V-247

Dover, Del.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, lat. 39° 07'30" N., long. 75°28'00" W. of Dover AFB, Dover, Del.; within 3.5 miles each side of the Dover TACAN 178° radial, extending from the 9-mile radius area to 10.5 miles south of the TACAN; within 3.5 miles each side of the Dover TACAN 012° radial, extending from the 9-mile radius area to 10.5 miles north of the TACAN; within 3.5 miles each side of the Dover TACAN 132° radial, extending from the 9-mile radius area to 10.5 miles southeast of the TACAN; and within a 5-mile radius of the center, lat. 39°13'04" N., long. 75°35'56" W., of Delaware Airpark, Dover-Cheswold, Del.; and within 6.5 miles north and 4.5 miles south of the Kenton, Delaware VORTAC 078° and 258° radials extending from 5.5 miles west to 11.5 miles east of the VORTAC.

AMENDMENTS 12/5/74 39 F. R. 35569 (Changed)

Dowagiac. Mich.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Cass County Memorial Airport (latitude 41°50'30" N., longitude 86°07'30" W.), and within 2 miles each side of the Keeler, Mich., 181° radial extending from the 5-mile radius area to the Keeler VOR excluding the portion within the Benton, Marbor, Mich., and South Bend, Ind., transition areas.

Doylestown, Pa.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the center (latitude 40°20'20" N., longitude 75°07'20" W.) of Doylestown Airport, Doylestown, Pa.; within 8 miles north-west and 4.5 miles southeast of the 224° bearing and the 044° bearing from the Doylestown, Pa. RBN (latitude 40°19'59" N., longitude 75°07'21" W.), extending from 5.5 miles southwest of the RBN to 11.5 miles northeast of the RBN; within 8 miles northwest and 4.5 miles southeast of the Solberg, N. J. VORTAC 229° radial, extending from 7.5 miles southwest of the VORTAC to 24.5 miles southwest of the VORTAC, excluding the portions which coincide with the North Philadelphis, Pa., Pittstown, N. J. and Readington, N. J. transition areas.

Drow. Miss.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Ruleville-Drew Airport (lat. 33046'39" N., long. 90031'27" W.).

Dublin, Ga.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of Dublin Municipal Airport (lat. 32°33'55" N., long. 82°59'10" W.); within 2.5 miles each side of Dublin VORTAC 069° radial, extending from the 6-mile radius area to 1.5 miles east of the VORTAC.

Dublin, VA.

That airspace extending upward from 700 feet above the surface within an 8-mile radius of the center, lat. 37°08'12" N., long. 80°40'50" W., of New River Valley Airport, Dublin, VA.; within a 23-mile radius of the center of the airport, extending clockwise from a 252° bearing to a 272° bearing from the airport; within a 15.5-mile radius of the center of the airport, extending clockwise from a 272° bearing to a 291° bearing from the airport; within an 18-mile radius of the center of the airport, extending clockwise from a 291° bearing to a 314° bearing from the airport; within a 15.5-mile radius of the center of the airport, extending clockwise from a 314° bearing to a 355° bearing from the airport; within an 11-mile radius of the center of the airport, extending clockwise from a 355° bearing to a 015° bearing from the airport; within a 14.5-mile radius of the center of the airport, extending clockwise from a 015° bearing from the airport; within 5 miles each side of the Pulaski VORTAC 192° radial extending from the VORTAC to 11.5 miles south of the VORTAC, and within 5 miles each side of the 233° bearing from a point lat. 37°08'39" N., long. 80°40' 03" W., extending from said point to a point 16 miles southwest.

Dubois, Idaho

That airspace extending upward from 1,200 feet above the surface within 11 miles east and 7 miles west of the Dubois VOR 170° and 350° radials, extending from 10 miles north to 20 miles south of the VOR.

Du Bois; Pa.

That airspace extending upward from 700 feet above the surface within an 11.5 mile radius of the center, 41° 10'45" N., 78°53'45" W. of Du Bois-Jefferson County Airport and within 3.5 miles each side of the Du Bois ILS localizer northeast course extending from the 11.5-mile radius area to 11.5 miles northeast of the OM.

Dubuque, Iowa

That airspace extending upward from 700 feet above the surface within an 8½-mile radius of the Dubuque Municipal Airport (latitude 42°24'10" N., longitude 90°42'32" W.); and within 3 miles on either side of the Dubuque VORTAC 321° radial, extending from the VORTAC to 8 miles northwest of the airport reference point; and within 3½ miles on either side of the Dubuque VORTAC 131° radial, extending from the VORTAC to 15½ miles southeast of the airport reference point, and that airspace extending upward from 1,200 feet above the surface bounded by a line beginning at latitude 42°05'00" N., longitude 91°00'00" W., thence W. along latitude 42°05'00" N., to and N. along longitude 92°15'00" W., to and counterclockwise along the arc of a 29-mile radius circle centered on the Waterloo, lowa, VORTAC to and E. along the S. edge of V-100, to and clockwise along the arc of a 29-mile radius circle centered on the Dubuque VORTAC, to and SE. along the SW. edge of V-218, to and S. along longitude 89°55'00" W. to and SW along the NW edge of V-216, to 90°08'00" W., and S. to the N. edge of V-172, to and N. along longitude 91°00'00" W., to the point of beginning, excluding the portion which overlies the State of Illinois.

Duluth, Minn.

That airspace extending upward from 700 feet above the surface within a 9-mile radius of Duluth International Airport (latitude 46°50'30" N., longitude 92°11'25" W.); within a 17.5-mile radius of the Duluth International Airport, extending from the Duluth VOR 262° radial clockwise to the Duluth VOR 058° radial; within 4½ miles north and 9½ miles south of Duluth localizer west course, extending from 4 miles east to 18½ miles west of the OM; and within 4½ miles east and 9½ miles west of the Duluth VORTAC 023° radial, extending from the 17.5-mile radius area to 28 miles northeast of the VORTAC; and that airspace extending upward from 1,200 feet above the surface within a 35-mile radius of Duluth International Airport; within 8 miles northwest and 5 miles southeast of the Duluth VORTAC 051° radial, extending from the 35-mile radius area to 41 miles northwest and 9½ miles southeast of the Duluth VORTAC 244° radial, extending from the 35-mile radius area to 41 miles southwest and 9½ miles southeast of the Duluth VORTAC 244° radial, extending from the 35-mile radius area to 41 miles southwest of the VORTAC; excluding the portions which overlie the Hibbing, Minn., and Cloquet, Minn., transition areas; and the State of Wisconsin.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

Duncan, Okla.

That airppace extending upward from 700 feet above the surface within a 5-mile radius of Halliburton Field (latitude 34° 28' 30" N., longitude 97° 57' 30" W.), and within 2 miles each side of the Duncan VOR 157° and 337° radials, extending from the 5-mile radius area to 7 miles SE of the VOR.

Dunkirk, N. Y ..

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the center, 42°29' 30" N., 79°16'30" W., of Dunkirk Municipal Airport, Dunkirk, N. Y., and within a 13.5-mile radius of the center of the airport extending clockwise from a 022° to 232° bearing from the airport.

AMENDMENTS 4/25/74 39 F. R. 5484 (Rewritten)

Durango, Colo.

That alrepace extending upward from 700 feet above the surface within a 7-mile radius of the La Plata Airport (latitude 37009'12" N., longitude 107°45'04" W.), and within 3.5 miles each side of the Durango VOR 224° radial, extending from the 7-mile radius area to 11.5 miles southwest of the VOR; that airspace extending upward from 1,200 feet above the surface within 9.5 miles southeast and 6 miles northwest of the Durango VOR 224° and 044° radials, extending from 8 miles northeast to 25 miles southwest of the VOR.

Durant, Okla.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Eaker Field (latitude 33°56'30" N., longitude 96°24'00" W.), and within 3 miles each side of a 151° bearing from the Durant NDB (latitude 33°56'32" N., longitude 96°23'54" W.) extending from the 5-mile radius area to 9 miles SE of the NDB.

AMENDMENTS 11/7/74 39 F. R. 33311 (Added)

Dyersburg, Tenn.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Dyersburg Municipal Airport (latitude 36°00'00" N., longitude 89°24'20" W.); within 3 miles each side of the Dyersburg VORTAC 078° radial, extending from the 6.5-mile radius area to 8.5 miles east of the VORTAC.

Eagle, Colo.

That airspace extending upward from 1,200 feet above the surface within the area bounded by a line beginning at lat. 39°34'30" N., long. 106°25'00" W.; to lat. 39°45'30" N., long. 106°25'00" W.; to lat. 39°47'00" N., long. 107°05'00" W.; to lat. 39°41'00" N., long. 107°12'30" W.; to lat. 39°27'30" N., long. 107°01'00" W.; to lat. 39°33'30" N., long. 106°53'00" W.; to the point of beginning.

Eagle Lake, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Eagle Lake Airport (latitude 29°36'00" N., longitude 96°19'26" W.); and within 2 miles each side of the Eagle Lake VOR 007° radial extending from the 5-mile radius area to 8 miles N of the VOR.

Eagle Pass, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Eagle Pass Municipal Airport (latitude 28°42'00" N., longitude 100°28'45" W.) and within 3 miles each side of the 089° bearing from the Eagle Pass RBN (latitude 28°42'20" N., longitude 100°29'10" W.) extending from the 5-mile radius area to 8 miles east of the Eagle Pass RBN excluding the portion outside the United States.

AMENDMENTS 10/10/74 39 F. R. 27316 (Added)

Eagle River. Wis.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Eagle River Municipal Airport (latitude 45°55'45" N., longitude 89°16'00" W.); and within 3 miles each side of the 037° bearing from Eagle River Municipal Airport extending from the 5-mile radius area to 7½ miles northeast of the airport.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

East Hampton, N. Y.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the center, 40°57' 36" N., 72°15'05" W., of East Hampton Airport, East Hampton, N. Y., extending clockwise from a 307° bearing to a 044° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 044° bearing to a 092° bearing from the airport; within a 6-mile radius of the center of the airport, extending clockwise from a 092° bearing to a 232° bearing from the airport; and within a 7-mile radius of the center of the airport extending clockwise from a 232° bearing to a 307° bearing from the airport.

AMENDMENTS 6/20/74 39 F. R. 16119 (Rewritten)

Eastman, Ga.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Eastman-Dodge County Airport (latitude 32°12'51" N., longitude 83°07'42" W.).

Easton, MD.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, lat. 38°48'30" N., long. 76°04'30" W. of Easton Municipal Airport, and within 3 miles each side of the 038° bearing from the Easton, MD., RBN, lat. 38°48'25" N., long. 76°04'05" W., extending from the 6.5-mile radius area to 8.5 miles northeast of the RBN.

East St. Louis, Ill.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of the Bi State Parks Airport (latitude 38°34'30" N., longitude 90°10'00" W.) and within 3 miles each side of the 129° bearing from the airport extending from the 7-mile radius area to 8 miles southeast.

East Stroudsburg, Pa.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the center, lat. 41°02'08" N., 75°09'45" W., of Stroudsburg-Pocono Airpark, East Stroudsburg, Pa., extending clockwise from a 337° bearing to a 106° bearing from the airport; within an 8.5-mile radius of the center of the airport, extending clockwise from a 110° bearing from the airport; within an 8-mile radius of the center of the airport, extending clockwise from a 110° bearing to a 177° bearing from the airport; within a 13.5-mile radius of the center of the airport, extending clockwise from a 177° bearing to a 221° bearing from the airport; within an 11-mile radius of the center of the airport, extending clockwise from a 221° bearing to a 258° bearing from the airport; within a 17.5-mile radius of the center of the airport, extending clockwise from a 258° bearing to a 337° bearing from the airport; and within 6.5 miles northwest and 4.5 miles southeast of a 066° bearing from a point 41°05'31" N., 74°59'29" W., extending from said point to 11.5 miles northeast; excluding the portion within the Mount Pocono, Pa., transition area.

East Tawas, MI.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Iosco County Airport (latitude 44018'48" N., longitude 83°25'30" W.), excluding the portion which overlies the Oscoda, Ml., transition area.

Eau Claire, Wis.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of Eau Claire Municipal Airport (latitude 44°51°54" N., longitude 91°29°02" W.) and within 3½ miles each side of the Eau Claire ILS localizer northeast course extending from the 14-mile radius to 18 miles northeast of the airport; within 5 miles each side of the Eau Claire ILS localizor southwest course extending from the 14-mile radius to 15 miles southwest of the airport.

AMENDMENTS 1/31/74 38 F. R. 32128 (Changed)

Ebensburg, Pa.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the center 40°27'40" N., 78°46'25" W., of Ebensburg Airport, Ebensburg, Pa.; within 2 miles each side of the Runway 24 centerline extended from the 6-mile radius area to 6 miles southwest of the end of the runway; within 2 miles each side of the Runway 28 centerline extended from the 6-mile radius area to 7 miles west of the end of the runway and within 2 miles each side of the Revloc, Pa., VORTAC 194° radial extending from the 6-mile radius area to the VORTAC, excluding the portion that coincides with the Johnstown, Pa., transition area.

Edenton, N. C.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Edenton Municipal Airport (latitude 36°01'30" N., longitude 76°33'30" W.); within 3 miles each side of the 218° and 352° bearings from Edenton RBN (latitude 36°01'33" N., longitude 76°33'57" W.), extending from the 6.5-mile radius area to 8.5 miles southwest and north of the RBN.

Edwards AFB, Calif.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of Edwards AFB (latitude 34°54'20" N., longitude 117°52'55" W.), within 2 miles SE and 8 miles NW of the Edwards AFB TACAN 058° radial extending from the 15-mile radius area to 13.5 miles NE of the TACAN.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Effingham County Memorial Airport (latitude 39004'15" N., longitude 88032'15" W.).

Eglin AFB, Fla.

That airspace extending upward from 700 feet above the surface within 9-mile radii of Eglin AFB (lat. 30°29' 07" N., long. 86°31'35" W.), Eglin AF Aux No. 3 (Duke Field) (lat. 30°39'01" N., long. 86°31'25" W.) and Eglin AF Aux No. 9 (Hurlburt Field) (lat. 30°25'42" N., long. 86°41'05" W.); within a 5-mile radius of Destin-Fort Walton Beach Airport (lat. 30°23'57" N., long. 86°28'47" W.); excluding the portions within W-151, Crestview, Fla., transition area, and a 1.5-mile radius of Fort Walton Beach Airport (lat. 30°24'25" N., long. 86°49'40" W.).

AMENDMENTS 11/21/73 38 F. R. 33766 (Changed) AMENDMENTS 4/24/74 39 F. R. 14502 (Changed)

El Campo, Texas

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the El Campo Airpark (latitude 29016'00" N., longitude 96019'30" W.).

El Centro, Calif.

That airspace extending upward from 1,200 feet above the surface within 8 miles each side of the Imperial VORTAC 088° and 268° radials, extending from 15 miles E to 15 miles W of the VORTAC, and within 15 miles W and 5 miles E of the Imperial VORTAC 360° radial, extending from the VORTAC to 25 miles N of the VORTAC, excluding the portion under the jurisdiction of Mexico.

El Dorado, Ark.

That airspace extending upward from 700 feet above the surface within 5 miles southeast and 8 miles northwest of the El Dorado VORTAC 059° radial, extending from the VORTAC to 12 miles northeast; within 5 miles each side of the 239° radial, extending from the VORTAC to 5 miles southwest; and within 2 miles each side of the 236° radial, extending from the VORTAC to 18 miles southwest.

Elizabeth City, N. C.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of CGAS Elizabeth City (latitude 36°15'35" N., longitude 76°10'20" W.); within 3 miles each side of the 127° bearing from Weeksville RBN, extending from the 8.5-mile radius area to 8.5 miles southeast of the RBN; within 8 miles east and 5 miles west of Elizabeth City VOR 195° radial, extending from the 8.5-mile radius area to 12 miles south of the VOR; within 3 miles each side of Elizabeth City VOR 357° radial, extending from the 8.5-mile radius area to 8.5 miles north of the VOR; excluding the portion within R-5301B.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Elizabethtown-Hardin County Airport (lat. 37045'13" N., long. 85053'09" W.); within 2 miles each side of New Hope VOR 3060 radial, extending from the 5-mile radius area to 9 miles northwest of the VOR; excluding the portion within Louisville transition area.

Elk City, Okla.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Elk City Airport (latitude 35°25'40" N., longitude 99°23'45" W.); and within 3.5 miles each side of the Ol5° bearing from the Elk City NDB (latitude 35°25'33" N., longitude 99°23'52" W.) extending from the 5-mile radius area to 8 miles north of the MDB,

Elkhart, IN.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Elkhart Municipal Airport (latitude 41°43'11" N., longitude 85°59'41" W.); and within 2 miles each side of the South Bend, IN., VORTAC 101° radial, extending eastward from the 5-mile radius area to 23 miles east of the VORTAC, and within 2 miles each side of the Goshen, IN., VORTAC 008° radial, extending south from the 5-mile radius area to 5 miles north of the Goshen VORTAC excluding the portion which overlies the South Bend, IN., 700-foot floor transition area.

Elkin, NC.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Elkin Municipal Airport (lat. 36°16'40" N., long. 80°47'12" W.); within 3 miles each side of the 056° bearing from Zephyr RBN (lat. 36°18'47" N., long. 80°43'25" W.), extending from the 6.5-mile radius area to 8.5 miles northeast of the PRN

Elkins, W. Va.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, lat. 38° 53'20" N., long. 79°51'24" W. of Elkins-Randolph County-Jennings Randolph Field, Elkins, W. Va.; within 4 miles each side of the

Elkins VORTAC 098° radial extending from the 6.5-mile radius area to 1.5 miles east of the VORTAC and within 4.5 miles east and 9.5 miles west of the 011° bearing from the Randolph County RBN, extending from the RBN to 18.5 miles north of the RBN. This transition area is effective from sunrise to sunset, daily.

AMENDMENTS 2/19/74 39 F. R. 6058 (Changed)

Elko, Nev.

That airspace extending upward from 700 feet above the surface within 4.5 miles east and 9 miles west of the Elko VORTAC 161° radial, extending from the VORTAC to 19 miles south of the VORTAC; and that airspace extending upward from 1,200 feet above the surface bounded by an arc of a 17-mile radius circle centered on the Elko VORTAC extending clockwise from the 091° to the 258° radial of the Elko VORTAC, and that airspace bounded on the north-west and north by V-6. on the southeast by V-465 and on the south by V-32.

Ellensburg, Wash.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Bowers Field (latitude 47°02'10" N., longitude 120°31'50" W.) and within 5 miles northeast and 9.5 miles southwest of the Ellensburg VORTAC 131° radial, extending from the VORTAC to 18.5 miles southeast of the VORTAC; that airspace extending upward from 1,200 feet above the surface within 7 miles northwest and 10 miles southeast of the Ellensburg VORTAC 064° and 244° radials extending from 9 miles southwest to 20 miles northeast of the VORTAC, and that airspace southeast of Ellensburg within an arc of 16.5-mile radius circle centered on the Ellensburg VORTAC, extending clockwise from the south

edge of V-2 to the Ellensburg VORTAC 114° radial; that airspace extending upward from 9,500 feet MSL bounded on the north by the south edge of V-2S, on the east by the west edge of V-2S west and on the southwest by the

northeast edge of V-4.

Elmira, N.Y.

That airspace extending upward from 700 feet above the surface within a 12-mile radius of the center of Chemung County Airport Elmira, N.Y., 4209'37" N., 76°53'35" W. within 2 miles each side of the Elmira VOR 237° radial extending SW from the 12-mile radius area for 8 miles SW of the VOR; within 5 miles SE and 8 miles NW of the airport ILS NE localizer course extending from the 12-mile radius area to 12 miles NE of the Alpine RBN.

El Pago, Tex.

That airspace extending upward from 700 feet above the surface within a 15-mile radius of the El Paso International Airport (latitude 31°48'35" N., longitude 106°22'55" W.), extending clockwise from the 016° to the 196° bearings from the El Paso International Airport; within 2 miles each side of the Newman, Tex., VOR 040° radial, extending from the 15-mile radius area to 12 miles NE of the VOR, excluding the portion outside of the United States.

PENDING AMENDMENT

El Paso, Tex.

That airspace extending upward from 700 feet above the surface within a 9.5-mile radius of the El Paso International Airport (latitude 31°48'35" N., longitude 106°22'55" W.) extending clockwise from the 261° to the 278° bearings from the El Paso International Airport; within a 9-mile radius of the Biggs AAF (latitude 31°50'55" N., longitude 106°22'45" W.) extending clockwise from the 262° to the 029° bearings from the Biggs AAF; within 2 miles each side of the Newman, Tex., VORTAC 040° radial extending from the 9.5-mile radius area to 12 miles of the VORTAC; within a 15-mile radius of the El Paso International Airport extending clockwise from the 041° to the 161° bearings of the El Paso International Airport; thence via the United States/Nexican border to point of beginning.

AMENDMENTS 1/30/75 39 F. R. 41966 (Rewritten)

El Rico, Calif.

That airspace extending upward from 700 feet above the surface within a 3-mile radius of El Rico Airport (latitude 36°02'43" N., longitude 119°38'44" W.) and within 3 miles each side of the Avenal VORTAC 034° radial, extending from the 3-mile radius area to 24 miles NE of the VORTAC.

AMENDMENTS 8/15/74 39 F. R. 23252 (Added)

Bly, MN.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Ely Municipal Airport (latitude 47°49'26" N., longitude 91°49'45" W.); and within 3 miles each side of the 112° bearing from the Ely Municipal Airport, extending from the 6-mile radius area to 8 miles southeast of the airport, and within 3 miles each side of the 305° bearing from Ely Municipal Airport, extending from the 6-mile radius area to 8 miles northwest of the airport; that airspace extending upward from 1,200 feet above the surface within 9½ miles south and 4½ miles north of the 112° bearing from the Ely Municipal Airport extending from the airport to 18½ miles southeast of the airport, and within 9½ miles southwest and 4½ miles north of the 305° bearing of the Ely Municipal Airport extending from the airport to 18½ miles northwest of the airport excluding the portion which overlies the prohibited areas P-205 and P-204.

Ely, NV.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Ely, NV., VOR, within 5 miles northeast and 9.5 miles southwest of the Ely VOR 303° radial, extending from the VOR to 18.5 miles northwest of the VOR; that airspace extending upward from 1,200 feet above the surface within 6 miles east and 9.5 miles west of the Ely VOR 007° and 187° radials extending from 17 miles north to 2 miles south of the VOR and within 5 miles each side of the Ely VOR 167° radial, extending from the VOR to 21 miles south of the VOR.

Elyria, Ohio

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, 41°20'40" N., 82°10'40" W., of Lorain County Regional Airport and within 3.5 miles each side of the Cleveland VORTAC 300° radial, extending from the 9-mile radius area to 9.5 miles northwest of the VORTAC, excluding the portion that coincides with the Cleveland, Ohio 700-foot transition area.

Emporia, Kansas

That airspace extending upward from 700 feet above the surface within 2 miles either side of the Emporia VORTAC 134° radial, extending from the 5-mile radius of the airport (latitude 38°20'00" N., longitude 96°11' 15" W.); to 8 miles southeast of the VORTAC and 5 miles either side of the 010° bearing from the airport extending from the 5-mile radius to 12.5 miles north, and that airspace extending upward from 1,200 feet above the surface within 5 miles southwest and 8 miles northeast of the Emporia VORTAC 134° radial, extending from the VORTAC to 18.5 miles southeast of the VORTAC.

Emporia, Va.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, (36° 41'30" N., 77°29'30" W.) of Emporia Municipal Airport, Emporia, Va., extending clockwise from a 057° bearing to a 183° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 183° bearing to a 057° bearing from the airport and within 3 miles each side of a 135° bearing from the Emporia RBN (36°40'58" N., 77°28'57" W.) extending from the RBN to 8.5 miles southeast of the RBN.

AMENDMENTS 11/7/74 39 F. R. 33309 (Rewritten)

Endicott, NY.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of the center lat. 42° 04°42° N., long. 76°05°49° W. of Tri-Cities Airport, Endicott, NY.; within a 10.5-mile radius of the center of the airport, extending clockwise from a 020° bearing to a 090° bearing from the airport; within a 12-mile radius of the center of the airport, extending clockwise from a 090° bearing to a 125° bearing from the airport; within a 13-mile radius of the center of the airport, extending clockwise from a 125° bearing to a 235° bearing from the airport; within a 10.5-mile radius of the center of the airport, extending clockwise from a 235° bearing to a 235° bearing to a 263° bearing from the airport and within 3.5 miles each side of the Binghamton, NY., VORTAC 340° radial, extending from the 10-mile radius area to 11.5 miles north of the VORTAC.

Enid, Okla

That airspace extending upward from 700 feet above the surface within 10 miles E and W of Vance AFB runway 17R-35L, extending to 15 miles N and S of Vance AFB (latitude 36°20'20" N., longitude 97°55'00" W.); and within 5 miles W and 8 miles E of the Woodring VOR 355° radial, extending from 2 miles SE of the VOR to 12 miles N of the VOR, and within 5 miles W and 8 miles E of the Woodring VOR 185° radial, extending from the VOR to 12 miles S.

Erie. Pa

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, lat. 42°04′53″ N., long. 80°10′43″ W. of Erie International Airport, Erie, Pa.; within a 15.5-mile radius of the center of the airport extending clockwise from a 074° bearing to a 221° bearing from the airport; within 4 miles each side of the Erie ILS localizer SW course, extending from the 8.5-mile radius area to 11 miles SW of the OM; within 5 miles each side of the Erie VORTAC 054° radial extending from the 8.5-mile radius area to 23.5 miles NE of the VORTAC.

AMENDMENTS 7/18/74 39 F. R. 18769 (Rewritten) Corr: 39 F. R. 27900 - eff. date changed to 9/12/74

Escanaba, Mich.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Escanaba Municipal Airport (latitude 45°43'25" N., longitude 87°05'40" W.); within 8 miles west and 5 miles east of the Escanaba VORTAC 007° radial, within 8 miles north and 5 miles south of the Escanaba VORTAC 101° radial and within 8 miles south and 5 miles north of the Escanaba VORTAC 266 radial, extending from the VORTAC to 12 miles north, east, and west of the VORTAC; and within 8 miles west and 5 miles east of the 349° bearing from Escanaba Municipal Airport, extending from the airport to 15 miles north of the airport; and that airspace extending upward from 1,200 feet above the surface within a 15-mile radius of Escanaba VORTAC, excluding the portion south of parallel 45°45'.

Estherville, Iowa

That airspace extending upward from 700 feet above the surface within a 6½-mile radius of Estherville Municipal Airport (latitude 43°25'00" N., longitude 94°44'45" W.); and within 3 miles each side of the 175° bearing from Estherville Municipal Airport, extending from the 6½-mile radius area to 8 miles south of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Eufaula, Ala.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Weedon Field (latitude 31°57'05" N., longitude 85°07'45" W.); within 3 miles each side of Eufaula VOR 014° radial, extending from the 6.5-mile radius area to 8.5 miles north of the VOR.

Eugene, Oregon

That airspace extending upward from 700 feet above the surface within a 21-mile radius of the Eugene VORTAC; that airspace extending upward from 1200 feet above the surface northeast of Eugene, bounded on the north by V-536, on the southeast by V-121N (proposed), on the southwest by the arc of the 21-mile radius circle, on the northwest by V-23E; that airspace east of Eugene bounded on the north by V-121 (proposed), on the east by latitude 122°30'00" W. on the southwest by V-452 and on the west by the arc of the 21-mile radius circle.

AMENDMENTS 7/18/74 39 F. R. 17849 (Rewritten)

Eunice, La.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Eunice Airport (latitude 30°28'00" N., longitude 92°25'30" W.) and within 2 miles each side of the Lafayette VORTAC 310° radial extending from the 5-mile radius area to 6 miles southeast of the approach end of Runway 34.

Fundala Toy

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Evadale Airport (latitude 30°19'30" N., longitude 94°04'24" W.), and within 2 miles each side of the 150° bearing from the Evadale RBN (latitude 30°24'16" N., longitude 94°07'37" W.), extending from the 5-mile radius area to the RBN.

Evansville, Ind.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of Dress Memorial Airport (latitude 38°02'15" N., longitude 87°31'45" W.); and within 2 miles each side of the Evansville VORTAC 060° radial, extending from the 10-mile radius area to the VORTAC.

Fairbanks, Alaska

That airspace extending upward from 700 feet above the surface within 9.5 miles W and 4.5 miles E of the Eielson localizer S course extending from the Eielson VOR to 18.5 miles S of the VOR; within 2 miles NW and 4.5 miles SE of the Fairbanks localizer NE course, extending from the Fairbanks outer marker to Fox RBN; within 4.5 miles SE and 9.5 miles NW of the Fairbanks localizer NE course extending from Fox RBN to 18.5 miles NE of the RBN; within 4.5 miles NW and 9.5 miles SE of the Fairbanks localizer SW course, extending from 5 miles SW of the localizer antenna (latitude 64°48'11" N., longitude 147°53'01" W) to 18.5 miles SW of the localizer antenna; within 4.5 miles N and 9.5 miles S of the Chena 089° bearing, extending from Chena RBN to 18.5 miles E of the RBN; and that airspace extending upward from 1,200 feet above the surface beginning at latitude 68°00'00" N., longitude 153°00'00" W.; to 68°00'00" N., 144°00'00" W.; to 63°10'00" N., 144°00'00" W.; to 62°38'00" N., 145°41'00" W.; to 62°45'00" N., 148°48'00" W.; to 62°59'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 64°00'00" N., 151°10'00" W.; to 62°00'00" N., 151°10'00" W.; to 62°00'00" N., 151°10'00" W.; to 62°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 63°00'00" N., 150°15'00" W.; to 63°00'00" N., 150

AMENDMENTS 7/18/74 39 F. R. 19449 (Rewritten) AMENDMENTS 9/12/74 39 F. R. 26718 (Changed)

Fairfield, IL.

That airspace extending upward from 700 feet above the surface within a 5½-mile radius of the Fairfield Airport (latitude 38°23'00" N., longitude 88°25'00" W.) and within 3 miles either side of the 179° bearing from the Fairfield Airport extending from the 5½-mile radius to 8 miles south of the airport.

Fairfield, Iowa

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Fairfield-Municipal Airport (latitude 41°03'15" N., longitude 91°58'40" W.); and within 3 miles each side of the 188° bearing from Fairfield Municipal Airport, extending from the 5-mile radius area to 11 miles south of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Fairmont, Minn.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Fairmont Municipal Airport (latitude 43°38'41" N., longitude 94°25'04" W.); within 3 miles each side of the 132° bearing from Fairmont Municipal Airport, extending from the 7-mile radius area to 8 miles southeast of the airport; and within 3 miles each side of the 319° bearing from Fairmont Municipal Airport, extending from the 7-mile radius area to 8 miles northwest of the airport; and that airspace extending upward from 1,200 feet above the surface within 4½ miles southwest and 9½ miles northeast of the 132° bearing from the Fairmont Municipal Airport, extending from the airport to 18½ miles southeast of the airport; excluding the portion in Minnesota.

Fairmont, W. Va.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, 39°26' 50" N., 80°10'00" W., of Fairmont Airport, Fairmont, W. Va., and within 5 miles each side of the Morgantown, W. Va., VORTAC 245° radial extending from the 8.5-mile radius area to 7.5 miles southwest of the VORTAC.

AMENDMENTS 12/5/74 39 F. R. 36856 (Added)

Fairview, Okla.

Within a 5-mile radius of the Fairview, Okla., Municipal Airport (latitude 36°17'12" N., longitude 98°28' 00" W.) and within 3.5 miles either side of the 360° bearing of the Fairview RBN (latitude 36°17'10" N., longitude 98°28'06" W.) extending from the 5-mile radius to 2.5 miles north.

AMENDMENTS 3/28/74 39 F. R. 1975 (Added)

Falfurrias, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Brooks County Airport (latitude 27012'15" N., longitude 98007'15" W.) and within 3 miles each side of the 1630 T bearing from the Brooks County RBN (latitude 27°12'23" N., longitude 98°07'24" W.) extending from the 5-mile radius area to 8 miles southeast of the RBN.

Fallon, Nev.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of NAS Fallon TACAN and within 2 miles NE and 2.5 miles SW of the Fallon TACAN 296° radial, extending from the 11-mile radius area to 15 miles NW of the TACAN; that airspace extending upward from 1,200 feet above the surface beginning at latitude 40°01'00" N., longitude 118°01'00" W.; to latitude 39°51'00" N., longitude 117°58'00" W.; to latitude 39°51'00" N., longitude 117°31'00" W.; to latitude 39°34'00" N., longitude 117°39°30" W.; to latitude 39°18'00" N., longitude 117°47'30" W.; to latitude 39°00'00" N., longitude 117°40'00" W., to point of intersection of a line 8 miles NE of and parallel to the Reno VORTAC 135° radial and the NE edge of V-105E, thence via a line 8 miles NE of and parallel to Reno 135° radial to longitude 119°00'00" W., to latitude 39°42'00" N., longitude 119°00'00" W. to latitude 40°01'00" N., longitude 118°19'00" W., to point of beginning, excluding that airspace below 1,500 feet AGL within R-4816N and that airspace within R-4816S extending upward from 500 feet AGL to and including 2,000 feet AGL which lies N of and within 1 nautical mile from U. S. Highway 50 between the intersections of Highway 50 with longtiude 118°25'30" W. and 118°09'50" W.; that airspace extending upward from 9,500 feet MSL extending from 23 to 44 miles SE of Fallon TACAN bounded on the NE by a line 10 miles NE of and parallel to the Fallon TACAN 139° radial and on the SW by the NE edge of V-105E. The 1,200 foot portion underlying the 9,500 foot MSL portion of the transition area is excluded. AMENDMENTS 6/20/74 39 F. R. 14696 (Rewritten) Carr: 39 F. R. 17538

Falmouth, Mass.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of Otis AFB, Falmouth, Mass. (latitude 41°39'30" N., longitude 70°31'35" W.); within a 6-mile radius of Barnstable Airport, Hyannis, Mass., (latitude 41°40'10" N., longitude 70°16'45" W.); within 5 miles NW and 8 miles SE of the Barnstable Airport ILS localizer NE course, extending from the OM to 12 miles NE of the OM; within a 4-mile radius of the Chatham Airport, Chatham, Mass. (latitude 41°41'20", N., longitude 69°59'25" W.); within a 6-mile radius of Martha's Vineyard Airport, Martha's Vineyard, Mass., (latitude 41°23'35" N., longitude 70°36'50" W.), and within 5 miles NW and 8 miles SE of the Martha's Vineyard VOR 055° radial, extending from the VOR to 12 miles NE of the VOR; within 2 miles each side of the 183° bearing from Edgartown RBN, extending from the 6mile radius area to 8 miles S of the REN; and within a 5-mile radius of the Oak Bluffs Airport, Oak Bluffs, Mass. (latitude 41°26'25" N., longitude 70°34'10" W.); and that airspace extending upward from 1,200 feet above

Mass. (latitude 41°26'25" N., longitude 70°34'10" W.); and that airspace extending upward from 1,200 feet above the surface bounded by a line beginning at latitude 42°13'20" N., longitude 70°08'30" W., thence to latitude 42°10'50" N., longitude 70°03'00" W., to latitude 41°40'29" N., longitude 69°46'32" W., to latitude 41°38'00" N., longitude 69°45'10" W., to latitude 41°21'00" N., longitude 70°00'00" W., to latitude 41°10'25" N., longitude 70°12'50" W., to latitude 41°04'00" N., longitude 70°00'00" W., to latitude 41°10'25" N., longitude 70°42'30" W., to latitude 41°21'00" N., longitude 70°42'30" W., to latitude 41°21'00" N., longitude 70°48'00" W., to latitude 41°21'00" N., longitude 70°48'00" W., to latitude 41°35'30" N., longitude 70°48'00" W., thence to the point of beginning; and that airspace extending upward from 2,000 feet MSL bounded on the N by Control 1142, on the SF by Control 1143, and on the W by a line extending through latitude 41°40'29" N., longitude 69°46'32" W. and latitude 42°10'50" N., longitude 70°03'00" W., excluding the portion within the Nantucket, Mass., transition area.

Farewell, Alaska

That airspace extending upward from 1,200 feet above the surface within 9.5 miles northeast and 5 miles southwest of the Farewell RBN 1260 and 3060 bearings, extending from 6 miles southeast to 18.5 miles northwest of the RBN.



Ely, MN.

That airspace extending upward from 700 feet above the surface within a 6-mile radius of the Ely Municipal Airport (latitude $47^{\circ}49^{\circ}26''$ N., longitude $91^{\circ}49^{\circ}45''$ W.); and within 3 miles each side of the 112° bearing from the Ely Municipal Airport, extending from the 6-mile radius area to 8 miles southeast of the airport, and within 3 miles each side of the 305° bearing from Ely Municipal Airport, extending from the 6-mile radius area to 8 miles northwest of the airport; that airspace extending upward from 1,200 feet above the surface within $9\frac{1}{2}$ miles south and $4\frac{1}{2}$ miles north of the 112° bearing from the Ely Municipal Airport extending from the airport to $18\frac{1}{2}$ miles southeast of the airport, and within $9\frac{1}{2}$ miles southwest and $4\frac{1}{2}$ miles north of the 305° bearing of the Ely Municipal Airport extending from the airport to $18\frac{1}{2}$ miles northwest of the airport excluding the portion which overlies the prohibited areas P-205 and P-204.

Blv. NV.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of the Ely, NV., VOR, within 5 miles northeast and 9.5 miles southwest of the Ely VOR 303° radial, extending from the VOR to 18.5 miles northwest of the VOR; that airspace extending upward from 1,200 feet above the surface within 6 miles east and 9.5 miles west of the Ely VOR 007° and 187° radials extending from 17 miles north to 2 miles south of the VOR and within 5 miles each side of the Ely VOR 167° radial, extending from the VOR to 21 miles south of the VOR.

Elyria, Ohio

That airspace extending upward from 700 feet above the surface within a 9-mile radius of the center, 41°20'40" N., 82°10'40" W., of Lorain County Regional Airport and within 3.5 miles each side of the Cleveland VORTAC 300° radial, extending from the 9-mile radius area to 9.5 miles northwest of the VORTAC, excluding the portion that coincides with the Cleveland, Ohio 700-foot transition area.

Emporia, Kansas

That airspace extending upward from 700 feet above the surface within 2 miles either side of the Emporia VORTAC 134° radial, extending from the 5-mile radius of the airport (latitude 38°20'00° N., longitude 96°11' 15° W.); to 8 miles southeast of the VORTAC and 5 miles either side of the 010° bearing from the airport extending from the 5-mile radius to 12.5 miles north, and that airspace extending upward from 1,200 feet above the surface within 5 miles southwest and 8 miles northeast of the Emporia VORTAC 134° radial, extending from the VORTAC to 18.5 miles southeast of the VORTAC.

Emporia, Va.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the center, (36° 41°30" N., 77°29′30" W.) of Emporia Municipal Airport, Emporia, Va., extending clockwise from a 057° bearing to a 183° bearing from the airport; within a 7-mile radius of the center of the airport, extending clockwise from a 183° bearing to a 057° bearing from the airport and within 3 miles each side of a 135° bearing from the Emporia RBN (36°40'58" N., 77°28'57" W.) extending from the RBN to 8.5 miles southeast of the RBN.

AMENDMENTS 11/7/74 39 F. R. 33309 (Rewritten)

Endicott, NY.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of the center lat. 42° 04°42" N., long. 76°05°49" W. of Tri-Cities Airport, Endicott, NY.; within a 10.5-mile radius of the center of the airport, extending clockwise from a 020° bearing to a 090° bearing from the airport; within a 12-mile radius of the center of the airport, extending clockwise from a 090° bearing to a 125° bearing from the airport; within a 13-mile radius of the center of the airport, extending clockwise from a 125° bearing to a 235° bearing from the airport; within a 10.5-mile radius of the center of the airport, extending clockwise from a 235° bearing to a 263° bearing from the airport and within 3.5 miles each side of the Binghamton, NY., VORTAC 340° radial, extending from the 10-mile radius area to 11.5 miles north of the VORTAC.

Enid, Okla.

That airspace extending upward from 700 feet above the surface within 10 miles E and W of Vance AFB runway 17R-35L, extending to 15 miles N and S of Vance AFB (latitude 36°20'20" N., longitude 97°55'00" W.); and within 5 miles W and 8 miles E of the Woodring VOR 355° radial, extending from 2 miles SE of the VOR to 12 miles N of the VOR, and within 5 miles W and 8 miles E of the Woodring VOR 185° radial, extending from the VOR to 12 miles S.

Erie, Pa.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, lat. 42°04'53" N., long. 80°10'43" W. of Erie International Airport, Erie, Pa.; within a 15.5-mile radius of the center of the airport extending clockwise from a 074° bearing to a 221° bearing from the airport; within 4 miles each side of the Erie ILS localizer SW course, extending from the 8.5-mile radius area to 11 miles SW of the OM; within 5 miles each side of the Erie VORTAC 054° radial extending from the 8.5-mile radius area to 23.5 miles NE of the VORTAC.

AMENDMENTS 7/18/74 39 F. R. 18769 (Rewritten) Corr: 39 F. R. 27900 - eff. date changed to 9/12/74

Escanaba, Mich.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Escanaba Municipal Airport (latitude 45°43'25" N., longitude 87°05'40" W.); within 8 miles west and 5 miles east of the Escanaba VORTAC 007° radial, within 8 miles north and 5 miles south of the Escanaba VORTAC 101° radial and within 8 miles south and 5 miles north of the Escanaba VORTAC 266 radial, extending from the VORTAC to 12 miles north, east, and west of the VORTAC; and within 8 miles west and 5 miles east of the 349° bearing from Escanaba Municipal Airport, extending from the airport to 15 miles north of the airport; and that airspace extending upward from 1,200 feet above the surface within a 15-mile radius of Escanaba VORTAC, excluding the portion south of parallel 45°45'.

Estherville, Iowa

That airspace extending upward from 700 feet above the surface within a 62-mile radius of Estherville Municipal Airport (latitude 43°25'00" N., longitude 94°44'45" W.); and within 3 miles each side of the 175° bearing from Estherville Municipal Airport, extending from the 62-mile radius area to 8 miles south of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Eufaula, Ala.

That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of Weedon Field (latitude 31°57'05" N., longitude 85°07'45" W.); within 3 miles each side of Eufaula VOR 014° radial, extending from the 6.5-mile radius area to 8.5 miles north of the VOR.

Eugene, Oregon

That airspace extending upward from 700 feet above the surface within a 21-mile radius of the Eugene VORTAC; that airspace extending upward from 1200 feet above the surface northeast of Eugene, bounded on the north by V-536, on the southeast by V-121N (proposed), on the southwest by the arc of the 21-mile radius circle, on the northwest by V-23E; that airspace east of Eugene bounded on the north by V-121 (proposed), on the east by latitude 122°30'00" W. on the southwest by V-452 and on the west by the arc of the 21-mile radius circle.

AMENDMENTS 7/18/74 39 F. R. 17849 (Rewritten)

Eunice, La.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Eunice Airport (latitude 30°28'00" N., longitude 92°25'30" W.) and within 2 miles each side of the Lafayette VORTAC 310°. radial extending from the 5-mile radius area to 6 miles southeast of the approach end of Runway 34.

Evadale, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Evadale Airport (latitude 30°19'30" N., longitude 94°04'24" W.), and within 2 miles each side of the 150° bearing from the Evadale RBN (latitude 30°24'16" N., longitude 94°07'37" W.), extending from the 5-mile radius area to the RBN.

Evansville, Ind.

That airspace extending upward from 700 feet above the surface within a 10-mile radius of Dress Memorial Airport (latitude 38°02'15" N., longitude 87°31'45" W.); and within 2 miles each side of the Evansville VORTAC 060° radial, extending from the 10-mile radius area to the VORTAC.

Fairbanks, Alaska

That airspace extending upward from 700 feet above the surface within 9.5 miles W and 4.5 miles E of the Eielson localizer S course extending from the Eielson VOR to 18.5 miles S of the VOR; within 2 miles NW and 4.5 miles SE of the Fairbanks localizer NE course, extending from the Fairbanks outer marker to Fox RBN; within 4.5 miles SE and 9.5 miles NW of the Fairbanks localizer NE course extending from Fox RBN to 18.5 miles NE of the RBN; within 4.5 miles NW and 9.5 miles SE of the Fairbanks localizer SW course, extending from 5 miles SW of the localizer antenna (latitude 64°48'll" N., longitude 147°53'01" W) to 18.5 miles SW of the localizer antenna; within 4.5 miles N and 9.5 miles S of the Chena 089° bearing, extending from Chena RBN to 18.5 miles E of the RBN; and that airspace extending upward from 1,200 feet above the surface beginning at latitude 68°00'00" N., longitude 153°00'00" W.; to 68°00'00" N., 144°00'00" W.; to 63°10'00" N., 144°00'00" W.; to 62°38'00" N., 145°41'00" W.; to 62°45'00" N., 148°48'00" W.; to 62°59'00" N., 150°15'00" W.; to 63°00'00" N., 151°10'00" W.; to 64000'00" N., 153000'00" W.; to point of beginning, excluding the portion within Restricted Areas R-2202B and R-2206.

AMENDMENTS 7/18/74 39 F. R. 19449 (Rewritten) AMENDMENTS 9/12/74 39 F. R. 26718 (Changed)

That airspace extending upward from 700 feet above the surface within a 52-mile radius of the Fairfield Airport (latitude 38°23'00" N., longitude 88°25'00" W.) and within 3 miles either side of the 179° bearing from the Fairfield Airport extending from the $5\frac{1}{2}$ -mile radius to 8 miles gouth of the airport.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Fairfield-Municipal Airport (latitude 41°03'15" N., longitude 91°58'40" W.); and within 3 miles each side of the 188° bearing from Fairfield Municipal Airport, extending from the 5-mile radius area to 11 miles south of the airport.

AMENDMENTS 12/5/74 39 F. R. 36572 (Changed)

Fairmont, Minn.

That airspace extending upward from 700 feet above the surface within a 7-mile radius of Fairmont Municipal Airport (latitude 43°38'41" N., longitude 94°25'04" W.); within 3 miles each side of the 132° bearing from Fairmont Municipal Airport, extending from the 7-mile radius area to 8 miles southeast of the airport; and within 3 miles each side of the 319° bearing from Fairmont Municipal Airport, extending from the 7-mile radius area to 8 miles northwest of the airport; and that airspace extending upward from 1,200 feet above the surface within 4½ miles southwest and 9½ miles northeast of the 132° bearing from the Fairmont Municipal Airport, extending from the airport to 18½ miles southeast of the airport; excluding the portion in Minnesota.

Fairmont, W. Va.

That airspace extending upward from 700 feet above the surface within an 8.5-mile radius of the center, 39°26° 50" N., 80°10'00" W., of Fairmont Airport, Fairmont, W. Va., and within 5 miles each side of the Morgantown, W. Va., VORTAC 245° radial extending from the 8.5-mile radius area to 7.5 miles southwest of the VORTAC.

AMENDMENTS 12/5/74 39 F. R. 36856 (Added)

Fairview, Okla.

Within a 5-mile radius of the Fairview, Okla., Municipal Airport (latitude 36°17'12" N., longitude 98°28' 00" W.) and within 3.5 miles either side of the 360° bearing of the Fairview RBN (latitude 36°17'10" N., longitude 98°28'06" W.) extending from the 5-mile radius to 2.5 miles north.

AMENDMENTS 3/28/74 39 F. R. 1975 (Added)

Falfurrias, Tex.

That airspace extending upward from 700 feet above the surface within a 5-mile radius of Brooks County Airport (latitude 27°12'15" N., longitude 98°07'15" W.) and within 3 miles each side of the 163° T bearing from the Brooks County RBN (latitude 27°12'23" N., longitude 98°07'24" W.) extending from the 5-mile radius area to 8 miles southeast of the RBN.

Fallon, Nev.

That airspace extending upward from 700 feet above the surface within an 11-mile radius of NAS Fallon TACAN and within 2 miles NE and 2.5 miles SW of the Fallon TACAN 296° radial, extending from the 11-mile radius area to 15 miles NW of the TACAN; that airspace extending upward from 1,200 feet above the surface beginning at latitude 40°01'00" N., longitude 118°01'00" W.; to latitude 39°51'00" N., longitude 117°58'00" W.; to latitude 39°51'00" N., longitude 117°58'00" W.; to latitude 39°18'00" N., longitude 117°47'30" W.; to latitude 39°00'00" N., longitude 117°40'00" W., to point of intersection of a line 8 miles NE of and parallel to the Reno VORTAC 135° radial and the NE edge of V-105E, thence via a line 8 miles NE of and parallel to Reno 135° radial to longitude 119°00'00" W., to latitude 39°42'00" N., longitude 119°00'00" W. to latitude 39°42'00" N., longitude 119°00'00" W. to latitude 39°42'00" N., longitude 119°00'00" W., to point of beginning, excluding that airspace below 1,500 feet AGL within R-4816N and that airspace within R-4816S extending upward from 500 feet AGL to and including 2,000 feet AGL which lies N of and within 1 nautical mile from U. S. Highway 50 between the intersections of Highway 50 with longitude 118°25'30" W. and 118°09'50" W.; that airspace extending upward from 9,500 feet MSL extending from 23 to 44 miles SE of Fallon TACAN bounded on the NE by a line 10 miles NE of and parallel to the Fallon TACAN 139° radial and on the SW by the NE edge of V-105E. The 1,200 foot portion underlying the 9,500 foot MSL portion of the transition area is excluded.

AMENDMENTS 6/20/74 39 F. R. 14696 (Rewritten) Corr: 39 F. R. 17538

Falmouth, Mass.

That airspace extending upward from 700 feet above the surface within a 14-mile radius of Otis AFB, Falmouth, Mass. (latitude 41°39'30" N., longitude 70°31'35" W.); within a 6-mile radius of Barnstable Airport, Hyannis, Mass., (latitude 41°40'10" N., longitude 70°16'45" W.); within 5 miles NW and 8 miles SE of the Barnstable Airport ILS localizer NE course, extending from the OM to 12 miles NE of the OM; within a 4-mile radius of the Chatham Airport, Chatham, Mass. (latitude 41°41'20" N., longitude 69°59'25" W.); within a 6-mile radius of Martha's Vinevard Airport, Martha's Vineyard, Mass., (latitude 41°23'35" N., longitude 70°36'50" W.), and within 5 miles NW and 8 miles SE of the Martha's Vineyard VOR 055° radial, extending from the VOR to 12 miles NE of the VOR; within 2 miles each side of the 183° bearing from Edgartown RBN, extending from the 6-mile radius area to 8 miles S of the REN; and within a 5-mile radius of the Oak Bluffs Airport, Oak Bluffs, Mass. (latitude 41°26'25" N., longitude 70°34'10" W.); and that airspace extending upward from 1,200 feet above the surface bounded by a line beginning

the surface bounded by a line beginning at latitude 42°13'20" N., longitude 70°18'30" W., thence to latitude 42°10'50" N., longitude 70°03'00" W., to latitude 41°40'29" N., longitude 69°46'32" W., to latitude 41°38'00" N., longitude 69°45'10" W., to latitude 41°21'00" N., longitude 69°45'10" W., to latitude 41°09'00" N., longitude 70°00'00" W., to latitude 41°10'25" N., longitude 70°12'50" W., to latitude 41°04'00" N., longitude 70°42'30" W., to latitude 41°12'45" N., longitude 70°42'30" W., to latitude 41°21'00" N., longitude 70°48'00" W., to latitude 41°53'30" N., longitude 70°48'00" W., to latitude 41°53'30" N., longitude 70°56'30" W., thence to the point of beginning; and that airspace extending upward from 2,000 feet MSL bounded on the N by Control 1142, on the SE by Control 1143, and on the W by a line extending through latitude 41°40'29" N., longitude 69°46'32" W. and latitude 42°10'50" N., longitude 70°03'00" W., excluding the portion within the Nantucket, Mass., transition area.

Farewell, Alaska

That airspace extending upward from 1,200 feet above the surface within 9.5 miles northeast and 5 miles southwest of the Farewell RBN 126° and 306° bearings, extending from 6 miles southeast to 18.5 miles northwest of the RBN.