

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 Aug 48

B. Code Number: 32 - 32 - 7045
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hardness Testing Machine
shore C type

D. Manufacturer: Kato Kogyo Sho.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source:

- | | | | | |
|------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP |
| (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley | <input type="checkbox"/> | <input type="checkbox"/> |

L. Weight: 8 Kgs. Length: 0.45 Meters
 Width: 0.14 Meters Height: 0.18 Meters

M. Brief Description of Machine Characteristics:

Diamond cone and Standard testing piece, is missing.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15 Aug. 1948
 B. Code Number: 32 - 32 - 7046
(Prefecture) (Plant) (Machine)
 C. Name of Machine: Hardness Tester
 D. Manufacturer: Shore Instrument & M.F.G. Co.
 E. Country in Which Manufactured: U. S. A.
 F. Manufacturer's Model Number: unknown
 G. Age of Machine in Years: mfd. 1925 (Est.)
 H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:
upper & lower handle broken

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 0-140
 (2) _____
 (3) _____
 (4) _____

K. Power Source:

(a) Motor Driven AC DC HP HP
 (b) Belt Driven Cone Pulley

L. Weight: 8 Kgs. Length: 0.45 Meters
 Width: 0.14 Meters Height: 0.12 Meters

M. Brief Description of Machine Characteristics:

Standard test piece defect.

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only | | | | | | | |
| MAKE NO ENTRIES. | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 Aug. 48

B. Code Number: 32 - 32 - 7047
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Resistance Tester

D. Manufacturer: Okai Electric K.K.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: 1

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) B.T Unit 0 - 4000 mmV.

(2) _____

(3) _____

(4) _____

K. Power Source:

(a) Motor Driven AC DC HP

(b) Belt Driven Cone Pulley HP

L. Weight: 4 Kgs. Length: 0.25 Meters
 Width: 0.17 Meters Height: 0.19 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15, Aug, 48
 B. Code Number: 32 = 32 = 7048
(Prefecture) (Plant) (Machine)

C. Name of Machine: Motor

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 10 HP 220 V 60 a
 (2) _____
 (3) _____
 (4) _____

K. Power Source:

(a) Motor Driven

| | | |
|----|---|----|
| AC | X | DC |
| | | |

| | |
|----|----|
| HP | |
| | HP |

(b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|-------------|--------|
| <u>100</u> | Kgs. |
| <u>1.40</u> | Meters |

Length:

| | |
|-------------|--------|
| <u>0.58</u> | Meters |
| <u>0.40</u> | Meters |

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 Aug 48

B. Code Number: 32 -- 32 -- 7049
(Prefecture) (Plant) (Machine)

C. Name of Machine: Current Transformer

D. Manufacturer: Nissin Denki K.K.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd 1935

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |
- GOOD.....(But requires Repairs)
- UNSERVICEABLE (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Current ~~change~~ ratio 300A / 5A
- (2) Voltage 22KV
- (3) Capacity 100 VA
- (4) Frequency 60 Hz

K. Power Source:

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 40 Kgs. Length: 0.42 φ Meters
 Width: _____ Meters Height: 4000 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

0 1 2 3 4 5 6 7

These columns for use by Office Section, GHQ. only MAKE NO ENTRIES

A. Date of Inventory: 15 Aug 48

B. Code Number: 32 -- 32 -- 7050 (Prefecture -- Plant -- Machine)

C. Name of Machine: Current Transformer

D. Manufacturer: Hitachi Electric Co. Ltd

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd 1935

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
GOOD.....(But requires Repairs)
UNSERVICABLE. (Tell why in Par. I, below)

Table with 2 columns: Class, Status. Class 1 has an X.

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) current ratio 300A/5A
(2) voltage 22KV
(3) capacity 100 VA
(4) cycle 60 Hz

K. Power Source:

(a) Motor Driven AC DC HP
(b) Belt Driven Cone Pulley

L. Weight: 40 Kgs. Length: Meters
Width: 0.42 Meters Height: Meters

M. Brief Description of Machine Characteristics:

IBM Code Section grid with columns 0-7 and rows Bk, Bp, Bm, C, D, E, F, G, H, J1, J2, J3, J4, K, M.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 Aug 1948

B. Code Number: 32 -- 32 -- 7051
(Prefecture) (Plant) (Machine)

C. Name of Machine: Band Saw setting Machine

D. Manufacturer: Nissin Kikai M.F.G. Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: 423

G. Age of Machine in Years: mfd. 1941

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 70 r.p.m.

(2) Stroke 140 mm/m

(3) _____

(4) _____

K. Power Source: 220V 60V 3 phase

(a) Motor Driven

| | | | |
|----|-------------------------------------|----|--------------------------|
| AC | <input checked="" type="checkbox"/> | DC | <input type="checkbox"/> |
|----|-------------------------------------|----|--------------------------|

7 HP
 (b) Belt Driven

| | |
|-------------|--------------------------|
| Cone Pulley | <input type="checkbox"/> |
|-------------|--------------------------|

L. Weight: 300 Kgs. Length: 0.62 Meters
 Width: 0.3 Meters Height: 1.24 Meters

M. Brief Description of Machine Characteristics: Motor missing.

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15 Aug 1948
 B. Code Number: 32 -- 32 -- 7052
(Prefecture) (Plant) (Machine)
 C. Name of Machine: Band Sawing Machine
 D. Manufacturer: Nissin Kikai M.F.G. Co.
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: 98
 G. Age of Machine in Years: mfd. 1941
 H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Width of Saw 30 m/m
 (2) Length of Saw 3900 m/m
 (3) 600 r. p. m.
 (4) _____

K. Power Source: 220V 60V 3 phase

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 350 Kgs. Length: 0.92 Meters
 Width: 0.64 Meters Height: 1.69 Meters

M. Brief Description of Machine Characteristics: _____

Motor missing

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | | | |
|---|---|--------|---|---|---|---|---|---------|--|---------|--|---------|---|--------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td>X</td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | | Class 3 | X | | |
| Class 1 | | | | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | | | |
| Class 3 | X | | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>HP</td> <td></td> <td>Cone</td> <td></td> </tr> <tr> <td>HP</td> <td></td> <td>Pulley</td> <td></td> </tr> </table> | | | | | | | | HP | | Cone | | HP | | Pulley | |
| HP | | Cone | | | | | | | | | | | | | |
| HP | | Pulley | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | | | |

A. Date of Inventory: 20 Aug. 1950

B. Code Number: 32 - 32 - 4053
(Prefecture - Plant - Machine)

C. Name of Machine: Surface plate

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: app. 1910 Est.

H. Condition of Machine (Check one below): rusty

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 1000 x 500 x 150 mm
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | |
|----|----|
| AC | DC |
|----|----|

| | |
|----|----|
| HP | HP |
|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 200 Kgs. Length: 1.0 Meters
 Width: 0.5 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics:

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 1948

B. Code Number: 32 - 32 - 4054
(Prefecture) (Plant) (Machine)

C. Name of Machine: Surface plate

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfr. 1910 Est.

H. Condition of Machine (Check one below): rusty

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 1000 X 500 X 150 mm
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | |
|----|----|
| AC | DC |
| | HP |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 200 Kgs. Length: 1.0 Meters
 Width: 0.5 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics:

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug. 1948

B. Code Number: 32 - 32 - 9055
(Prefecture - Plant - Machine)

C. Name of Machine: Surface plate

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd. 1910 Est.

H. Condition of Machine (Check one below): rusty

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 1000 X 500 X 150 mm
- (2) _____
- (3) _____
- (4) _____

K. Power Source: _____

| | | | |
|---|-----------------------------|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input type="checkbox"/> AC <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> Pulley | <input type="checkbox"/> |

L. Weight: 200 Kgs. Length: 1.0 Meters
 Width: 0.5 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| K | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 1948

B. Code Number: 32 - 32 - 7056
(Prefecture - Plant - Machine)

C. Name of Machine: Anvil

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: est. 1910

H. Condition of Machine (Check one below): All surface rusty

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 50kg
- (2) 910 x 360 mm
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | |
|----|----|
| AC | DC |
| | HP |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 50 Kgs. Length: 0.91 Meters
 Width: 0.36 Meters Height: 0.45 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 Aug 1948

B. Code Number: 32 - 32 = 7057
(Prefecture) (Plant) (Machine)

C. Name of Machine: Anvil

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd. 1910 Est.

H. Condition of Machine (Check one below): All surface rusty

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | |
| Class 2 | |
| Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 80kg
- (2)
- (3)
- (4)

K. Power Source:

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 50 Kgs. Length: 0.91 Meters
 Width: 0.38 Meters Height: 0.45 Meters

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug. 48

B. Code Number: 32 - 32 - 7058
(Prefecture) (Plant) (Machine)

C. Name of Machine: Anvil

D. Manufacturer: Unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd 1910 est

H. Condition of Machine (Check one below) :

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable: All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 80 kg

(2) _____

(3) _____

(4) _____

K. Power Source :

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight :

| | |
|----|------|
| 80 | Kgs. |
|----|------|

 Length :

| | |
|------|--------|
| 0.91 | Meters |
|------|--------|

 Width :

| | |
|------|--------|
| 0.36 | Meters |
|------|--------|

 Height :

| | |
|------|--------|
| 0.45 | Meters |
|------|--------|

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 Aug 48

B. Code Number: 32 - 32 - 7059
(Prefecture - Plant - Machine)

C. Name of Machine: Anvil

D. Manufacturer: Unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd. 1910 st

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:
All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 80 kg

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 80 Kgs. Length: 0.91 Meters
 Width: 0.36 Meters Height: 0.45 Meters

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 48

B. Code Number: 32 - 32 - 7060
(Prefecture - Plant - Machine)

C. Name of Machine: Anvil

D. Manufacturer: Unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd. 1910

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|--|
| Class 1 | |
|---------|--|
- GOOD (But requires Repairs)

| | |
|---------|--|
| Class 2 | |
|---------|--|
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 3 | X |
|---------|---|

I. Brief Reasons Why Unserviceable: All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 80 kg
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|----|------|
| 80 | Kgs. |
|----|------|

 Length:

| | |
|------|--------|
| 0.91 | Meters |
|------|--------|

 Width:

| | |
|------|--------|
| 0.36 | Meters |
|------|--------|

 Height:

| | |
|------|--------|
| 0.45 | Meters |
|------|--------|

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 48

B. Code Number: 32 - 32 = 7061
(Prefecture - Plant = Machine)

C. Name of Machine: Anvil

D. Manufacturer: Unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd. 1910 est.

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | X |

I. Brief Reasons Why Unserviceable: All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 80 kg

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven

| | |
|----|----|
| AC | DC |
|----|----|

| | |
|----|----|
| HP | HP |
|----|----|

(b) Belt Driven

| | |
|-------------|--|
| Cone Pulley | |
|-------------|--|

L. Weight:

| | |
|----|------|
| 80 | Kgs. |
|----|------|

 Length:

| | |
|------|--------|
| 0.91 | Meters |
|------|--------|

 Width:

| | |
|------|--------|
| 0.36 | Meters |
|------|--------|

 Height:

| | |
|------|--------|
| 0.45 | Meters |
|------|--------|

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory; 20 Aug 48

B. Code Number: 32 - 32 - 7063
(Prefecture - Plant - Machine)

C. Name of Machine: Arvil

D. Manufacturer: Unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: mfd 1910 est.

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | |
|------------------|----|--------------------------|
| (1) <u>80 kg</u> | J1 | <input type="checkbox"/> |
| (2) | J2 | <input type="checkbox"/> |
| (3) | J3 | <input type="checkbox"/> |
| (4) | J4 | <input type="checkbox"/> |

K. Power Source:

- | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 80 Kgs. Length: 0.91 Meters
 Width: 0.36 Meters Height: 0.45 Meters

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 48

B. Code Number: 32 - 32 - 7064
(Prefecture) (Plant) (Machine)

C. Name of Machine: Auril

D. Manufacturer: Unknown

E. Country in Which Manufactured: Unknown

F. Manufacturer's Model Number: Unknown

G. Age of Machine in Years: mfd. 1910 est.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:
All surface rusty

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 80 kg
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | |
|----|-----|
| AC | DC |
| | 1HP |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|----|------|
| 80 | Kgs. |
|----|------|

 Length:

| | |
|------|--------|
| 2.91 | Meters |
|------|--------|

 Width:

| | |
|------|--------|
| 0.36 | Meters |
|------|--------|

 Height:

| | |
|------|--------|
| 0.45 | Meters |
|------|--------|

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 Aug. 1948

B. Code Number: 32 - 20 - 32 - 7266
(Prefecture) (Plant) (Machine)

C. Name of Machine: Anvil

D. Manufacturer: _____

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below): mfd. 1910 Est. All surface rusty

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | |
| Class 2 | |
| Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) _____
- (2) _____
- (3) _____
- (4) _____

K. Power Source: _____

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight: 80 Kgs. Length: 0.91 Meters
 Width: 0.36 Meters Height: 0.45 Meters

M. Brief Description of Machine Characteristics: _____

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 20 Aug 1948

B. Code Number: 32 - 32 - 7067
(Prefecture - Plant - Machine)

C. Name of Machine: Turbine pump.

D. Manufacturer: Arai Seisakusho.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: KN-MT

G. Age of Machine in Years: mfd. 1941.

H. Condition of Machine (Check one below): motor missing

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Blade 9 Dia 2"
- (2) 1120 r.p.m. manomet. 2070feet.
- (3) Capacity 8 ft³/min.
- (4) Part of Boiler

K. Power Source:

(a) Motor Driven Est. 34HP HP
 AC DC

(b) Belt Driven Cone Pulley

L. Weight: 150 Kgs. Length: 1.38 Meters
 Width: 0.39 Meters Height: 0.43 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | | | | | | | |
|--|------|------|--------|-----|--------|-------|-----|---------|--------|---------|--------|---------|--------|-------|-----|--------|--------|-----|--------|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td>X</td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | | Class 3 | X | | | | | | |
| Class 1 | | | | | | | | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | | | | | | | |
| Class 3 | X | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>K</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | | K | | | | | | | | | | | |
| K | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Weight</td> <td>3000</td> <td>Kgs.</td> <td>Length</td> <td>1.7</td> <td>Meters</td> <td>Width</td> <td>1.3</td> <td>Meters</td> <td>Height</td> <td>2.0</td> <td>Meters</td> </tr> </table> | | | | | | | | Weight | 3000 | Kgs. | Length | 1.7 | Meters | Width | 1.3 | Meters | Height | 2.0 | Meters |
| Weight | 3000 | Kgs. | Length | 1.7 | Meters | Width | 1.3 | Meters | Height | 2.0 | Meters | | | | | | | | |
| M | | | | | | | | | | | | | | | | | | | |

A. Date of Inventory: 25 Aug. 1948

B. Code Number: 32 (Prefecture) 32 (Plant) 7069 (Machine)

C. Name of Machine: Gas Generator Machine

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1941 (est)

H. Condition of Machine (Check one below): much rusty

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) capacity 50kg
- (2)
- (3)
- (4)

K. Power Source:

(a) Motor Driven AC DC HP (b) Belt Driven Cone Pulley

L. Weight: 3000 Kgs. Length: 1.7 Meters
 Width: 1.3 Meters Height: 2.0 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 25 Aug. 1948

B. Code Number: 32 -- 32 -- 1070
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Forging Machine

D. Manufacturer: unknown

E. Country in Which Manufactured: unknown

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1920 (est)

H. Condition of Machine (Check one below): much rusty

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | X |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Foot 1/4 ton (est)

(2) _____

(3) _____

(4) _____

K. Power Source: _____

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight: 3000 Kgs. Length: 5.0 Meters
 Width: 1.3 Meters Height: 2.7 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: Aug 27, 1948

B. Code Number: 32 (Prefecture) 32 (Plant) 2071 (Machine)

C. Name of Machine: Grinder
Bite Grinder

D. Manufacturer: William Belle

E. Country in Which Manufactured: United States of America

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 19.33 (est.)

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 2" x 2.5"

(2) _____

(3) dia of grinder 16"

(4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

(b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|------|------|
| 1000 | Kgs. |
|------|------|

 Length:

| | |
|-----|--------|
| 1.3 | Meters |
|-----|--------|

Width:

| | |
|-----|--------|
| 1.3 | Meters |
|-----|--------|

 Height:

| | |
|-----|--------|
| 1.6 | Meters |
|-----|--------|

M. Brief Description of Machine Characteristics: Bite Grinder

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

A. Date of Inventory: Aug 27, 1948
 B. Code Number: 32 -- 32 -- 7072
 (Prefecture) (Plant) (Machine)
 C. Name of Machine: Electric Welding Machine
Alternating Welder
 D. Manufacturer: Den-gen-sha
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: K-50
 G. Age of Machine in Years: _____
 H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):
 (1) 50KW
 (2) 200V 60 Hz
 (3) _____
 (4) _____

K. Power Source:

| | | | | |
|------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP |
| (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley | | |

L. Weight: 200 Kgs. Length: 0.5 Meters
 Width: 1.9 Meters Height: 1.2 Meters

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: Aug 27, 1948

B. Code Number: 32 -- 32 -- 7093
(Prefecture) (Plant) (Machine)

C. Name of Machine: Motor

D. C. Motor

D. Manufacturer: Sei-dan-sha

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: SE

G. Age of Machine in Years: 1935 est

H. Condition of Machine (Check one below):

| | | |
|---|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 3 HP
- (2) 220V 60Hz
- (3)
- (4)

K. Power Source:

| | | | | |
|------------------|---|-----------------------------|-----------------------------|-----------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP |
| (b) Belt Driven | <input type="checkbox"/> Conc <input type="checkbox"/> Pulley | | | |

L. Weight: 100 Kgs. Length: 0.6 Meters
 Width: 0.5 Meters Height: 0.6 Meters

M. Brief Description of Machine Characteristics:

with two resistors.

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: Aug ²⁷ 1948

B. Code Number: 32 - 32 - 7074
(Prefecture) (Plant) (Machine)

C. Name of Machine: Reducer
Conductive Reduction Apparatus

D. Manufacturer: unknown

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1940 est.

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity Reduction Ratio 1/3
- (2) _____
- (3) _____
- (4) _____

K. Power Source:

- | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 150 Kgs. Length: 1.0 Meters
 Width: 0.5 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|---|---------|--|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _R | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td>X</td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | X | Class 2 | | Class 3 | |
| Class 1 | X | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: Aug 31, 1948

B. Code Number: 32 -- 32 -- 7075
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Electric Welder
A.C. Arc

D. Manufacturer: Osaka Electric Co. Ltd

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1944

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | X |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 10 KW

(2) _____

(3) _____

(4) _____

K. Power Source: 3 phase 220V 60

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|-----|------|
| 300 | Kgs. |
|-----|------|

 Length:

| | |
|-----|--------|
| 0.8 | Meters |
|-----|--------|

 Width:

| | |
|-----|--------|
| 0.7 | Meters |
|-----|--------|

 Height:

| | |
|-----|--------|
| 0.8 | Meters |
|-----|--------|

M. Brief Description of Machine Characteristics: _____

池田分工場追加登録

| | |
|--------------|-----|
| 32-32(E)-147 | 変圧器 |
| 32-32(E)-148 | " |
| 32-32(E)-149 | " |
| 32-32(E)-150 | " |
| 32-32(E)-151 | " |
| 32-32(E)-152 | " |
| 32-32(E)-153 | " |
| 32-32(E)-154 | " |

計 8 台

Iheda Factory 32-32E
Additional Inventory sheets.

WFM

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|---|---------|--|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td>X</td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | X | Class 2 | | Class 3 | |
| Class 1 | X | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 15th June 1948

B. Code Number: 32 (Prefecture) - 32 (E) (Plant) - 147 (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | X |
|---------|---|
- GOOD (But requires Repairs)

| | |
|---------|--|
| Class 2 | |
|---------|--|
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|--|
| Class 3 | |
|---------|--|

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 5 KVA
- (2) P.W. 3450-3300-3150-3000-2850
- (3) S.U. 210-105
- (4) _____

K. Power Source:

- (a) Motor Driven

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 10 Kgs. Length: 0.4 Meters
Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 -- 32 (E) -- 148
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Mitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P. U. 3450-3300-3150-3000-2850

(3) S. U. 210-105

(4) _____

K. Power Source:

| | | | | |
|------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP |
| (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley | | |

L. Weight: 10 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics:

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 -- 32(E) -- 149
(Prefecture) Plant Machine

C. Name of Machine: Transformer
Out Door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P. 4. 3450-3300-3150-3000-2850

(3) S. H. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight: 80 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. Jun. 1948

B. Code Number: 32 = 32 (E) = 150
(Prefecture) Plant Machine

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 5 KVA
- (2) P.U. 3450-3300-3150-3000-2850
- (3) S.U. 210-105
- (4) _____

K. Power Source:

| | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 80 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. Jun. 1948

B. Code Number: 32 -- 32(E) -- 151
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below) :

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 5 KVA
- (2) P.U. 3450-3300-3150-3000-2850
- (3) S.U. 210-105
- (4) _____

K. Power Source :

| | | | | |
|------------------|-------------------------------|---------------------------------|-----------------------------|-----------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP |
| (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley | | |

L. Weight : 12 Kgs. Length : 0.4 Meters
 Width : 0.3 Meters Height : 0.5 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ. only
MAKE NO ENTRIES

A. Date of Inventory: 15th. Jun. 1948
 B. Code Number: 32 - 32(E) - 152
(Prefecture) (Plant) (Machine)

B_K :
 B_P :
 B_M :
 C :
 D :
 E :
 F :
 G :
 H :

C. Name of Machine: Transformer
Out door
 D. Manufacturer: Milachi
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: _____
 G. Age of Machine in Years: 1940
 H. Condition of Machine (Check one below) :

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):
 (1) 5 KVA
 (2) P.U. 3450-3300-3150-3000-2850
 (3) S.U. 210-105
 (4) _____

J₁ :
 J₂ :
 J₃ :
 J₄ :

K. Power Source :

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

K :
 M :

L. Weight : 80 Kgs. Length : 0.4 Meters
 Width : 0.3 Meters Height : 0.5 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. Jun. 1948

B. Code Number: 32 - 32(E) - 153
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 5 KYA
- (2) P.U. 3450-3300-3150-3000-2850
- (3) S.U. 210-105
- (4) _____

K. Power Source:

| | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 10 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15th. Jun. 1948
 B. Code Number: 32 (Prefecture) - 32 (E) (Plant) - 154 (Machine)
 C. Name of Machine: Transformer
Out door
 D. Manufacturer: Osaka Menateki Seizo K.K.
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: J.E.A. 3052
 G. Age of Machine in Years: 1942
 H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Single Phase 15KVA 50Hz
 (2) P.U. 3450-3300-3150-3000-2850
 (3) S.U. 210-105
 (4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|------------|------|
| <u>100</u> | Kgs. |
|------------|------|

 Length:

| | |
|-------------|--------|
| <u>0.55</u> | Meters |
|-------------|--------|

 Width:

| | |
|-------------|--------|
| <u>0.35</u> | Meters |
|-------------|--------|

 Height:

| | |
|------------|--------|
| <u>0.5</u> | Meters |
|------------|--------|

M. Brief Description of Machine Characteristics: _____

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

計十三旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 28 April 48

B. Code Number: 32 32 11
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Hawes Usines Bouhey

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: manufactured 1916

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: Lack of head stock

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 850 mm

(2) center to center 3500 mm

(3) _____

(4) _____

K. Power Source:

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 7000 Kgs. Length: 5.5 Meters
 Width: 2 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics: This machine changed from gun boring machine by SP partial destruction.

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

十三旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 28 April 48

B. Code Number: 32 - 32 - 12
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Nowa Heavy Industry Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: manufactured 1926

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Lack of head stock

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Swing 700 mm

(2) center to center 2,500 mm

(3)

(4)

K. Power Source: 220V 60A

(a) Motor Driven

| | | | |
|----|-------------------------------------|----|--------------------------|
| AC | <input checked="" type="checkbox"/> | DC | <input type="checkbox"/> |
|----|-------------------------------------|----|--------------------------|

15 HP

(b) Belt Driven

| | |
|--------|--------------------------|
| Cone | <input type="checkbox"/> |
| Pulley | <input type="checkbox"/> |

L. Weight: 20,000 Kgs. Length: 6 Meters
 Width: 1.8 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics: This machine changed from gun boring machine by SP partical destruction.

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

弁十三旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 1948

B. Code Number: 32 - 32 - 15
(Prefecture) (Plant) (Machine)

C. Name of Machine: Motor

D. Manufacturer: Hitachi M. F. G. Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: E. F.

G. Age of Machine in Years: mfd 1942

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 200/220^V 50/60[~]
- (2) 1410/1700 r.p.m.
- (3) 15.0/13.5^A
- (4) 5 HP

K. Power Source:

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 50 Kgs. Length: 0.53 Meters
Width: 0.34 Meters Height: 0.32 Meters

M. Brief Description of Machine Characteristics:

This motor was accessory of former 32-32-15 Honing machine which was completely destroyed as SP

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

分十三旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 28 April 48

B. Code Number: 32 32 17
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Monach Co.

E. Country in Which Manufactured: U.S.A.

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: manufactured 1938

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Swing 1,000 mm
- (2) center to center 6000 mm
- (3) _____
- (4) _____

K. Power Source:

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|--|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input checked="" type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|--|

L. Weight: 25,000 Kgs. Length: 2.1 Meters
 Width: 1.6 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics:

This machine changed from gun boring machine by SP partial destruction.

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

分十三旋

| IBM CODE SECTION | | | | | | |
|---|---|---|---|---|---|-----|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | |
| B _K | | | | | | |
| B _P | | | | | | |
| B _M | | | | | | |
| C | | | | | | |
| D | | | | | | |
| E | | | | | | |
| F | | | | | | |
| G | | | | | | |
| H | | | | | | |
| J ₁ | | | | | | |
| J ₂ | | | | | | |
| J ₃ | | | | | | |
| J ₄ | | | | | | |
| K | | | | | | |
| M | | | | | | |

A. Date of Inventory: 28 April 48

B. Code Number: 32 -- 32 -- 19
 (Prefecture Plant Machine)

C. Name of Machine: Lathe

D. Manufacturer: Tokushu Reira Yoko

E. Country in Which Manufactured: China

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: manuf. 1938

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
 - GOOD (But requires Repairs)
 - UNSERVICEABLE. (Tell why in Par. I, below)
- | | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |

I. Brief Reasons Why Unserviceable: lack of head stock and carriage

J. Operating Dimensions (Name each Major-Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Swing 600 mm
- (2) center to center 3000 mm
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|---|
| Cone | X |
| Pulley | |

L. Weight: 4500 Kgs. Length: 573 Meters
 Width: 25 Meters Height: 25 Meters

M. Brief Description of Machine Characteristics:

This machine changed from gun boring machine by sp partial destruction.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _W | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: Aug 31, 1948

B. Code Number: 32 (Prefecture) 32 (Plant) 7076 (Machine)

C. Name of Machine: Electric Welder
A.C. Arc

D. Manufacturer: Osaka Electric Co Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1938 est.

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 10KW
- (2)
- (3)
- (4)

K. Power Source: 3 phase 220V 60Hz

(a) Motor Driven

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

 (b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight: 300 Kgs. Length: 1 Meters
Width: 0.7 Meters Height: 0.8 Meters

M. Brief Description of Machine Characteristics:

池田分工場追加登録

| | |
|--------------|-----|
| 32-32(E)-147 | 変圧器 |
| 32-32(E)-148 | " |
| 32-32(E)-149 | " |
| 32-32(E)-150 | " |
| 32-32(E)-151 | " |
| 32-32(E)-152 | " |
| 32-32(E)-153 | " |
| 32-32(E)-154 | " |

計 8台

1948

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 - 32(E) - 147
(Prefecture Plant Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

(b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|-----------|------|
| <u>22</u> | Kgs. |
|-----------|------|

 Length:

| | |
|------------|--------|
| <u>0.4</u> | Meters |
|------------|--------|

Width:

| | |
|------------|--------|
| <u>0.3</u> | Meters |
|------------|--------|

 Height:

| | |
|------------|--------|
| <u>0.5</u> | Meters |
|------------|--------|

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 - 32(E) - 148
(Prefecture - Plant - Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

(b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|------------|--------|
| <u>80</u> | Kgs. |
| <u>2.3</u> | Meters |

Length:

| | |
|------------|--------|
| <u>0.4</u> | Meters |
|------------|--------|

* Height:

| | |
|------------|--------|
| <u>0.5</u> | Meters |
|------------|--------|

M. Brief Description of Machine Characteristics: _____

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 -- 32(E) -- 149
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out Door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1948

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

(b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight:

| | |
|-----------|------|
| <u>20</u> | Kgs. |
|-----------|------|

 Length:

| | |
|------------|--------|
| <u>0.6</u> | Meters |
|------------|--------|

Width:

| | |
|------------|--------|
| <u>0.3</u> | Meters |
|------------|--------|

 Height:

| | |
|------------|--------|
| <u>0.5</u> | Meters |
|------------|--------|

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 15th Jun. 1948

B. Code Number: 32 - 32 (E) - 150
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KYA

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

 (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|-----------|------|
| <u>26</u> | Kgs. |
|-----------|------|

 Length:

| | |
|------------|--------|
| <u>0.4</u> | Meters |
|------------|--------|

 Width:

| | |
|------------|--------|
| <u>0.3</u> | Meters |
|------------|--------|

 Height:

| | |
|------------|--------|
| <u>0.5</u> | Meters |
|------------|--------|

M. Brief Description of Machine Characteristics: _____

IBM CODE SECTION

0 1 2 3 4 5 6 7

These columns for use by Office Section, GHQ. only
 MAKE NO ENTRIES

B_K :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

B_V :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

B_M :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

C :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

D :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

E :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

F :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

G :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

H :

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | | | |
|--|--|--|--|--|--|--|--|

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. Jun. 1948

B. Code Number: 32 - 32(E) - 151
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 5 KVA
- (2) P.V. 3450-3300-3150-3000-2850
- (3) S.V. 210-105
- (4) _____

K. Power Source:

| | |
|---|--|
| (a) Motor Driven <input type="checkbox"/> AC <input type="checkbox"/> DC <input type="checkbox"/> HP | (b) Belt Driven <input type="checkbox"/> Cone <input type="checkbox"/> Pulley |
|---|--|

L. Weight: 22 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------|---|---|---|---|---|--------------------------------------|---------|---|--|--|--|--|---------------------------------|---------|--|--|--|--|--|--|---------|--|--|--|--|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | | | | | | | | | | | | | | | |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">GOOD.....(Requires only Maintenance)</td> <td style="width: 10%; border: 1px solid black;">Class 1</td> <td style="width: 10%; border: 1px solid black;">X</td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> <td style="width: 10%;"></td> </tr> <tr> <td>GOOD.....(But requires Repairs)</td> <td style="border: 1px solid black;">Class 2</td> <td style="border: 1px solid black;"></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>UNSERVICEABLE. (Tell why in Par. I, below)</td> <td style="border: 1px solid black;">Class 3</td> <td style="border: 1px solid black;"></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | | | | | | GOOD.....(Requires only Maintenance) | Class 1 | X | | | | | GOOD.....(But requires Repairs) | Class 2 | | | | | | UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | | | | | |
| GOOD.....(Requires only Maintenance) | Class 1 | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| GOOD.....(But requires Repairs) | Class 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A. Date of Inventory: 15th Jun 1948

B. Code Number: 32 (Prefecture) 32(E) (Plant) 152 (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Mitsubishi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: _____

G. Age of Machine in Years: 1948

H. Condition of Machine (Check one below):

| | | | | | |
|--|---------|---|--|--|--|
| GOOD.....(Requires only Maintenance) | Class 1 | X | | | |
| GOOD.....(But requires Repairs) | Class 2 | | | | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | | | | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 KVA

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven: AC DC HP

(b) Belt Driven: Cone Pulley

L. Weight: 20 Kgs. Length: 0.4 Meters
Width: 0.3 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. June. 1948

B. Code Number: 32 -- 32(E) = 153
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number:

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | <input checked="" type="checkbox"/> |
| Class 2 | <input type="checkbox"/> |
| Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) KVA
- (2) P.V. 3450-3300-3150-3000-2850
- (3) S.V. 210-105
- (4)

K. Power Source:

| | | | |
|--|-----------------------------|-------------------------------|---------------------------------|
| (a) Motor Driven | | (b) Belt Driven | |
| <input checked="" type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
| <input type="checkbox"/> HP | <input type="checkbox"/> HP | | |

L. Weight: 20 Kgs. Length: 0.4 Meters
 Width: 0.3 Meters Height: 0.3 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15th. Jun. 1948

B. Code Number: 32 -- 32(E) -- 154
(Prefecture) (Plant) (Machine)

C. Name of Machine: Transformer
Out door

D. Manufacturer: Cosaka Denateki Seizo K.K.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: J.E.A. 3252

G. Age of Machine in Years: 1942

H. Condition of Machine (Check one below):

| | | |
|---|---------|-------------------------------------|
| GOOD (Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD (But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Single phase 15KVA 50Hz

(2) P.V. 3450-3300-3150-3000-2850

(3) S.V. 210-105

(4) _____

K. Power Source:

(a) Motor Driven

| | | |
|----|----|----|
| AC | DC | HP |
|----|----|----|

(b) Belt Driven

| | |
|------|--------|
| Cone | Pulley |
|------|--------|

L. Weight: 100 Kgs. Length: 2.55 Meters
 Width: 0.35 Meters Height: 0.8 Meters

M. Brief Description of Machine Characteristics: _____

32-32- 追加登録表

| (A) 登録内容訂正/台 | | | | | (B) 追加登録/台 | |
|--------------------|-----------------|------|------|--------|----------------------------------|-------------------|
| SP 機械部分破壊=引 登録訂正/台 | | | | | ① 6755.6756 近鉄西大寺所在/台 2台 | |
| 8 | 802 | 1630 | 2613 | 2949 | ② 6757.6758 " 小坂 " 2台 | |
| 9 | 811 | 1631 | 2614 | 2950 | ③ 6759 } 進駐軍鉄指学校 | |
| 10 | 812 | 1632 | 2616 | 3642 | 6810 } 所在/返還新規登録/台 52台 | |
| 11 | 816 | 1633 | 2617 | 3824 | ④ 6811 } 進駐軍旋墮学校/ | |
| 12 | 817 | 1635 | 2628 | 3872 | 6855 } 返還新規登録/台 47台 | |
| 15 | 818 | 1649 | 2629 | 3873 | ⑤ 6856 } SP 機械破壊=引 | |
| 17 | 819 | 1650 | 2639 | 3874 | 6924 } 生/追加番号 69台 | |
| 19 | 820 | 1651 | 2640 | 5261 | ⑥ 6925 } 廠内新規追加/分 17台 | |
| 355 | 821 | 1652 | 2642 | (P)121 | 7074 } 151台 | |
| 356 | 822 | 1653 | 2642 | 以上 | ⑦ 7075.7076 伊藤鍛工所所在/台 2台 | |
| 357 | 1338 | 1654 | 2649 | 117台 | | |
| 358 | 1345 | 1680 | 2657 | 116 | | |
| 359 | 1385 | 1683 | 2658 | | | |
| 360 | 1386 | 1690 | 2659 | | | |
| 361 | 1387 | 1691 | 2660 | | | |
| 362 | 1388 | 1694 | 2661 | | | |
| 363 | 1389 | 1697 | 2741 | | | |
| 364 | 1393 | 1698 | 2742 | | | |
| 365 | 1529 | 1699 | 2743 | | | |
| 366 | 1620 | 1700 | 2749 | | | |
| 367 | 1621 | 1703 | 2750 | | | |
| 368 | 1622 | 2407 | 2898 | | | |
| 369 | 1623 | 2408 | 2912 | | | |
| 401 | 1624 | 2409 | 2913 | | | |
| 412 | 1627 | 2410 | 2914 | | | |
| 413 | 1628 | 2411 | 2931 | | | |
| 801 | 1629 | 2418 | 2945 | | | |
| | | | | | (C) SP 機械完全破壊=引/台 | |
| | | | | | 814 | 3877 |
| | | | | | 825 | 2934 |
| | | | | | 826 | 2935 |
| | | | | | 827 | 2938 |
| | | | | | 828 | 4077 |
| | | | | | 823 | 2615 |
| | | | | | 1618 | 2929 |
| | | | | | 1786 | 2951 |
| | | | | | 5613 | (D)91 |
| | | | | | 14 | (D)92 |
| | | | | | 3875 | [(D) 92/1 部分破壊+1] |
| | | | | | 3876 | 7/7/77 化電4x1 |
| | | | | | 以上 22台 | |

439台

323

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: Sept. 9, 1948

B. Code Number: 32 - 32 - 9077
(Prefecture - Plant - Machine)

C. Name of Machine: Electric Winch

D. Manufacturer: Hidachi Manufactory

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: SO-BBH

G. Age of Machine in Years: 1939

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) capacity of 7250 kg up 7250 kg
- (2) size of wire 14 millimeters; length of wire 350m.
- (3) speed of winding up wire 72 m/min
- (4) dia of body 400 mm, width of body 400 mm

K. Power Source: 3 phase 220V 60 Hz

(a) Motor Driven 20 HP
 AC DC HP

(b) Belt Driven Cone
 Pulley

L. Weight: 1000 Kgs. Length: 1.0 Meters
 Width: 0.7 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics:

wire missing

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B ₈ | | | | | | | |
| B ₇ | | | | | | | |
| B ₆ | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 19 July 48

B. Code Number: 32 - 33 - 6759
(Prefecture) (Plant) (Machine)

C. Name of Machine: Welding Machine
Electric, Arc, A.C.

D. Manufacturer: Osaka Electric Co. Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: ABA-M

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input checked="" type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Cap. 10kW Primary voltage 200±20V 60Hz
- (2) secondary rated current 250A, used welding bar 3-7mm
- (3) Secondary current adjusting range 50-250A
- (4) Secondary max. no load voltage 85-185V

K. Power Source:

| | | | | | |
|------------------|--|------------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input checked="" type="checkbox"/> AC | <input type="checkbox"/> DC | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
| | <input type="checkbox"/> 1HP | <input type="checkbox"/> 1HP | | | |

L. Weight: 255 Kgs. Length: 0.95 Meters
 Width: 0.67 Meters Height: 0.75 Meters

M. Brief Description of Machine Characteristics:

Ammeter missing

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

17X = 旋

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES. | | | | | | | |
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48
 B. Code Number: 32 - 32 - 364
 (Prefecture) (Plant) (Machine)
 C. Name of Machine: Engine Lathe
 D. Manufacturer: Shibaura Denki Seisakusho
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: KKI-1
 G. Age of Machine in Years: manufactured in 1941
 H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: metal holder for tool post
Switch damaged, gear missing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) center to center 3000 mm
 (2) swing dia 1700 mm
 (3) _____
 (4) _____

K. Power Source: 220V 60 Hz 1750/860 r.p.m. 4/6p

| | | | |
|--|--------------------------------|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> 1HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input checked="" type="checkbox"/> AC <input type="checkbox"/> DC | <input type="checkbox"/> 1/2HP | <input type="checkbox"/> Pulley | |

L. Weight: 35,000 Kgs. Length: 6.7 Meters
 Width: 2.65 Meters Height: 2.3 Meters

M. Brief Description of Machine Characteristics: SKD Motor useless

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

100 = 77

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|--|---------|--|---------|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _R | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td>X</td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | | Class 3 | X |
| Class 1 | | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | |
| Class 3 | X | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Cone</td> <td></td> </tr> <tr> <td>Pulley</td> <td></td> </tr> </table> | | | | | | | | Cone | | Pulley | | | |
| Cone | | | | | | | | | | | | | |
| Pulley | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 365
 (Prefecture - Plant - Machine)

C. Name of Machine: Engine Lathe

D. Manufacturer: Shibaura Denki Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: KK-I-2

G. Age of Machine in Years: manufactured in 1941

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable: Magnet switch damaged

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) center to center 3000 mm
- (2) swing dia 1700 mm
- (3)
- (4)

K. Power Source: 220 V 60 V

(a) Motor Driven

| | | |
|----|---|----|
| AC | X | DC |
|----|---|----|

| | |
|-------|----|
| 30/15 | HP |
| | HP |

 (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|--------|------|
| 35,000 | Kgs. |
|--------|------|

 Length:

| | |
|-----|--------|
| 6.7 | Meters |
|-----|--------|

 Width:

| | |
|------|--------|
| 2.65 | Meters |
|------|--------|

 Height:

| | |
|-----|--------|
| 2.3 | Meters |
|-----|--------|

M. Brief Description of Machine Characteristics: 30 HP Motor (in 2 turning shop) 60V 220V
special chuck damaged

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

旋 = 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 -- 32 -- 366
(Prefecture) (Plant) (Machine)

C. Name of Machine: Engine Lathe

D. Manufacturer: Ikegai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: K-142

G. Age of Machine in Years: manufactured in 1941

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable: metal holder for tool post missing under parts of headstock damaged

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) center to center 6000 mm
- (2) swing dia 1500 mm
- (3) _____
- (4) _____

K. Power Source: 220 V 60 Hz

- (a) Motor Driven

| | | |
|----|---|----|
| AC | X | DC |
| | | |

30 HP 3 HP
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 35000 Kgs. Length: 113 Meters
Width: 93 Meters Height: 119 Meters

M. Brief Description of Machine Characteristics:

2.5 HP motor useless (for feeding)
carriage feeding apparatus Motor 3HP damaged (separated)

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

775013

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48
 B. Code Number: 32 - 32 - 367
(Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe engine

D. Manufacturer: Bement nils fond Co

E. Country in Which Manufactured: U.S.

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1908

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Tool post and apron feeding handle damaged

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) cutting length 4000
- (2) swing dia. 1300
- (3)
- (4)

K. Power Source: 220 V 60V

- | | | | |
|--|--------------------------------|---------------------------------|--------------------------------------|
| (a) Motor Driven | <input type="checkbox"/> 15 HP | (b) Belt Driven | <input type="checkbox"/> Cone Pulley |
| <input checked="" type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> 7.5 HP | |

L. Weight: 10,000 Kgs. Length: 6.7 Meters
 Width: 2.1 Meters Height: 1.9 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

機 = 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 368
(Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe engine

D. Manufacturer: Ikegai Tekkōsho

E. Country in Which Manufactured: Nippon

F. Manufacturer's Model Number: GBM 3/14

G. Age of Machine in Years: 1941

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Cutting length 5000
- (2) swing dia. 1400
- (3)
- (4)

K. Power Source: 220V 60A

(a) Motor Driven

| |
|---|
| 30HP |
| AC <input checked="" type="checkbox"/> DC |

 (b) Belt Driven

| |
|--------|
| Cone |
| Pulley |

L. Weight: 35,000 Kgs. Length: 11 Meters
 Width: 2 Meters Height: 1.9 Meters

M. Brief Description of Machine Characteristics: Chuck (special holder)

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 26 May 48

B. Code Number: 32 (Prefecture) - 32 (Plant) - 369 (Machine)

C. Name of Machine: Lathe engine

D. Manufacturer: Ikegai Tekkōsho

E. Country in Which Manufactured: Nippon

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1941

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable: Head stock feeding apparatus damaged & change gear missing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) cutting length 6500

(2) swing dia 1400

(3)

(4)

K. Power Source: 220V 60A

(a) Motor Driven AC DC 30 HP 5KW

(b) Belt Driven Cone Pulley

L. Weight: 25,000 Kgs.
 Width: 2 Meters

Length: 10.5 Meters
 Height: 1.9 Meters

M. Brief Description of Machine Characteristics:

5KW motor become to useless.

IBM CODE SECTION

0 1 2 3 4 5 6 7

These columns for use by Office Section, GHQ, only
 MAKE NO ENTRIES

B_K

B_P

B_M

C

D

E

F

G

H

J₁

J₂

J₃

J₄

K

M

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

15X = 15

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 April 48 ^{EX} SP 32-32-401

B. Code Number: 32 32 401
(Prefecture) (Plant) (Machine)

C. Name of Machine: 3 Phase Induction Motor

D. Manufacturer: Shibana electric M.F.G. Co

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: VCK 1K

G. Age of Machine in Years: mfd. 1942

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 125 W 4 pole

(2) 1380 / 1655 r.p.m

(3) 6. A 220 V

(4) _____

K. Power Source:

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 30 Kgs. Length: 0.25 Meters
 Width: 0.15 Meters Height: 0.15 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

成 = 扱

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 412
(Prefecture = Plant = Machine)

C. Name of Machine: Lathe engine

D. Manufacturer: Niigata Jekkōsho

E. Country in Which Manufactured: Nippon

F. Manufacturer's Model Number: 4138

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: tail stock, change gear missing. impossible to other use.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) center to center about 3000

(2) swing 800

(3) _____

(4) _____

K. Power Source: 220V 60A

(a) Motor Driven AC DC 5 HP est. (b) Belt Driven Cone Pulley

L. Weight: 4,000 Kgs. Length: 5.2 Meters
 Width: 1 Meters Height: 1.6 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

15分 = 1枚

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - ~~804~~ 413
(Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe engine

D. Manufacturer: Niigata Tekkōsho

E. Country in Which Manufactured: Nippon

F. Manufacturer's Model Number: 3798

G. Age of Machine in Years: _____

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | X |

I. Brief Reasons Why Unserviceable: motor serviceable only.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) center to center about 8000

(2) swing dia 1700

(3) _____

(4) _____

K. Power Source: 220V 60A

(a) Motor Driven AC DC 7.5 HP HP

(b) Belt Driven Cone Pulley

L. Weight: 20,000 Kgs. Length: 12 Meters
 Width: 1,85 Meters Height: 2 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET
(Metal Working Plants)

75x - 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48
 B. Code Number: 32 - 32 - 801
 (Prefecture Plant Machine)
 C. Name of Machine: Lathe engine
 D. Manufacturer: Ikegai Tekkōsho
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: 1FC
 G. Age of Machine in Years: 1941
 H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: Carriage feed handle missing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):
 (1) swing dia. 1100
 (2) cutting length 7500
 (3) _____
 (4) _____

K. Power Source: 220 V. 60 A.
 (a) Motor Driven 25 HP (b) Belt Driven Cone Pulley
 AC DC _____ HP _____

L. Weight: 20,000 Kgs. Length: 1.1 Meters
 Width: 1.7 Meters Height: 1.8 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

機 - 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| Class 1 | | | | | | | |
| Class 2 <input checked="" type="checkbox"/> | | | | | | | |
| Class 3 <input checked="" type="checkbox"/> | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48
 B. Code Number: 32 (Prefecture) 32 (Plant) 802 (Machine)
 C. Name of Machine: Engine Lathe
 D. Manufacturer: Ikezai Tekkōsho
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: unknown
 G. Age of Machine in Years: 1941
 H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)
 GOOD.....(But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | |
| Class 2 | <input checked="" type="checkbox"/> |
| Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: carriage feed handle missing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) swing dia 1,100mm
 (2) cutting length 7500 "
 (3) _____
 (4) _____

K. Power Source: 220V 60

(a) Motor Driven AC DC HP 20

(b) Belt Driven Conc Pulley

L. Weight: 30.00 Kgs. 1.7 Meters
 Width: _____ Length: 1.1 Meters
 Height: 1.8 Meters

M. Brief Description of Machine Characteristics:

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

成 - 様

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 April 48 Ex. SP 811
 B. Code Number: 32 - 32 - 811
 (Prefecture - Plant - Machine)
 C. Name of Machine: Induction Motor
3 phase
 D. Manufacturer: Hitachi MFG Co.
 E. Country in Which Manufactured: Japan
 F. Manufacturer's Model Number: EF
 G. Age of Machine in Years: _____
 H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) 5 HP 4 poles
 (2) 220 V 60 V
 (3) 1410 ~ 1700 r.p.m
 (4) 150 ~ 135 Amp.

K. Power Source:

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 60 Kgs. Length: 0.45 Meters
 Width: 0.32 Meters Height: 0.32 Meters

M. Brief Description of Machine Characteristics: _____

775013

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

旋盤 - 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48
 B. Code Number: 32 - 32 - 812
 (Prefecture) (Plant) (Machine)
 C. Name of Machine: Lathe engine
 D. Manufacturer: Ikegai Tekkōsho
 E. Country in Which Manufactured: Nippon
 F. Manufacturer's Model Number: unknown
 G. Age of Machine in Years: 1941
 H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable: 25HP Motor cover damaged
Lat Head stock feeding apparatus missing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):
 (1) cutting length 6500
 (2) swing dia. 1300
 (3) _____
 (4) _____

K. Power Source: 220V 60N
 (a) Motor Driven 30HP (b) Belt Driven Cone Pulley
 AC DC 3/2HP

L. Weight: 4500 Kgs. Length: 10.5 Meters
 Width: 2.6 Meters Height: 2 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

城一

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 816
(Prefecture - Plant - Machine)

C. Name of Machine: Lathe

D. Manufacturer: Ikegai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1941

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Cutting length 6 m

(2) Swing 1.3 m

(3)

(4)

K. Power Source: 220 V 60 Hz

(a) Motor Driven 7.5 HP
 AC DC 3 HP

(b) Belt Driven Cone Pulley

L. Weight: 45000 Kgs. Length: 10 Meters
 Width: 2.6 Meters Height: 2 Meters

M. Brief Description of Machine Characteristics:

main motor 3 HP carriage motor 3 HP x 2
7.5 HP motor is unnecessary unnecessary.

775013

城一旋

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 818
(Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Ikegai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1741

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) center to center 6^m

(2) swing dia 1.3^m

(3)

(4)

K. Power Source: 220V 60A

(a) Motor Driven 30 HP
 AC DC 3 HP

(b) Belt Driven Cone Pulley

L. Weight: 45000 Kgs. Length: 10 Meters
 Width: 1.6 Meters Height: 2 Meters

M. Brief Description of Machine Characteristics:

7.5 HP motor is unnecessary. main motor 30 HP,
carriage motor 3HP. There is a feeding rod.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

成 - 旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 818
(Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Ikegai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1941

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: A part of bed is damaged.
Bite metal is damaged, lack of head stock
steady rest.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | |
|-----------------------------|------------------------|
| (1) <u>swing dia</u> | <u>1.5^m</u> |
| (2) <u>center to center</u> | <u>5.5^m</u> |
| (3) | |
| (4) | |

K. Power Source: 220V 60Hz

- | | | | | |
|--|--------------|-----------------|--------|--------------------------|
| (a) Motor Driven | <u>30</u> HP | (b) Belt Driven | Cone | <input type="checkbox"/> |
| AC <input checked="" type="checkbox"/> DC <input type="checkbox"/> | <u>3</u> HP | | Pulley | <input type="checkbox"/> |

L. Weight: 31000 Kgs. Length: 2.6 Meters
 Width: 2.3 Meters Height: 2.1 Meters

M. Brief Description of Machine Characteristics:

7.5 HP motor is unnecessary. There is a feeding rod.
30 HP motor is a 3 phase induction motor that is pole no. changeable.

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

城 - 一 号

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - P20
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Fuyo Steel Plate Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: 1940

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: Lack of metal holder of tool post.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) center to center 4 m

(2) swing dia 300 mm

(3) _____

(4) _____

K. Power Source: 220V 60Hz

(a) Motor Driven 30 HP
 AC DC HP

(b) Belt Driven Cone Pulley

L. Weight: 20000 Kgs. Length: 8 Meters
 Width: 1.7 Meters Height: 1.5 Meters

M. Brief Description of Machine Characteristics: 30 HP motor missing, There is a cross feeding apparatus.

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

TAX - 不

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 April 48 EX-SP 32-32-821

B. Code Number: 32 --- 32 --- 821
(Prefecture) --- (Plant) --- (Machine)

C. Name of Machine: Induction motor

D. Manufacturer: HITACHI M.F.G. Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: EF

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below):

| | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

| | | | | | |
|-----|---------------|----------------|----------------|--|--|
| (1) | <u>20 HP.</u> | <u>3 phase</u> | J ₁ | | |
| (2) | <u>220 V</u> | <u>60 ~</u> | J ₂ | | |
| (3) | | | J ₃ | | |
| (4) | | | J ₄ | | |

K. Power Source:

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 300 Kgs. Length: 0.25 Meters
 Width: 0.75 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: _____

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

糸ノ三旋

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 28 April 48

B. Code Number: 32 (Prefecture) 32 (Plant) 10 (Machine)

C. Name of Machine: Lathe

D. Manufacturer: Ikezai Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: manufactured 1926

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|---|
| Class 1 | X |
| Class 2 | |
| Class 3 | |
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable: lack of lead stock

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Swing 800 mm
- (2) center to center 3000 mm
- (3)
- (4)

K. Power Source: 220 V 60 Hz

- (a) Motor Driven

| | | |
|----|---|----|
| AC | X | DC |
| | | |

22 HP
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 10,000 Kgs. Length: 5.6 Meters
Width: 2 Meters Height: 1.6 Meters

M. Brief Description of Machine Characteristics:

This machine changed from gun boring machine by SP partial destruction

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

城一才

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 15 April 48 EX-SP
32-32-822
 B. Code Number: 32 32 822
(Prefecture) (Plant) (Machine)

C. Name of Machine: Induction motor

D. Manufacturer: Hitachi

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: unknown

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below): not good

- GOOD (Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | |
| Class 3 | X |
- GOOD (But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable: This motor is greatly damaged in the cover by bombing

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 20 HP 3 phase
- (2) 220 V 60 A
- (3)
- (4)

K. Power Source:

(a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|

 (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 300 Kgs. Length: 0.95 Meters
 Width: 0.45 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics:

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 15 Aug. 1948

B. Code Number: 32 - 32 - 1338
(Prefecture - Plant - Machine)

C.P.C. 5846

C. Name of Machine: Engine Lathe

D. Manufacturer: unknown

E. Country in Which Manufactured: Unknown

F. Manufacturer's Model Number: English style

G. Age of Machine in Years: unknown

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|--|
| Class 1 | |
| Class 2 | |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Swing Dia 1500 mm
- (2)
- (3)
- (4)

K. Power Source:

- (a) Motor Driven

| | |
|----|----|
| AC | DC |
| HP | HP |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 2500 Kgs. Length: 2.00 Meters
Width: 1.40 Meters Height: 1.50 Meters

M. Brief Description of Machine Characteristics:

Bed is broken partly
(S.P. Machine)

775013

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

A. Date of Inventory: 26 May 48
 B. Code Number: 32 - 32 = 1305
(Prefecture Plant Machine)
 C. Name of Machine: Hydraulic Press
 D. Manufacturer: Gebuldel Sulchel Co.
 E. Country in Which Manufactured: Switzerland
 F. Manufacturer's Model Number: horizontal type.
 G. Age of Machine in Years: mfd 1920
 H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance) Class 1
 GOOD (But requires Repairs) Class 2
 UNSERVICEABLE. (Tell why in Par. I, below) Class 3

I. Brief Reasons Why Unserviceable: _____

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 220 ton
- (2) dia of piston 1700 mm dia of pump lever 300 mm
- (3) stroke 1700 mm distance from guide to center 1200 mm
- (4) max pressure 120 kg/cm²

K. Power Source: _____
 (a) Motor Driven 1HP 2HP 3HP
 AC DC
 (b) Belt Driven Cone Pulley

L. Weight: 25000 Kgs. Length: 8.4 Meters
 Width: 1.7 Meters Height: 1.2 Meters

M. Brief Description of Machine Characteristics: _____

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉一鋼滓工場

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|--|---------|---|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | |
| B _V | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td>X</td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | X | Class 3 | |
| Class 1 | | | | | | | | | | | | | |
| Class 2 | X | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1306
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Eumko co.

E. Country in Which Manufactured: Germany

F. Manufacturer's Model Number: Vertical type.

G. Age of Machine in Years: mfd. 1941

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance)
- GOOD (But requires Repairs)
- UNSERVICABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 400 ton
- (2) Stroke 1200 mm
- (3) Pressure of feed water 200 kg/cm²
- (4)

K. Power Source:

- (a) Motor Driven: AC DC HP HP
- (b) Belt Driven: Cone Pulley

L. Weight: 20,000 Kgs. Length: 1.5 Meters
 Width: 3.3 Meters Height: 7.3 Meters

M. Brief Description of Machine Characteristics:

Support and controls valve, low pressure tank damaged.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉一銅彈場

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1387
(Prefecture - Plant - Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Osaka Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: horizontal type

G. Age of Machine in Years: mfd 1940

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | | |
|----------------------------|----------------|----|--------------------------|
| (1) <u>Capacity</u> | <u>250 ton</u> | J1 | <input type="checkbox"/> |
| (2) <u>stroke</u> | <u>3100 mm</u> | J2 | <input type="checkbox"/> |
| (3) <u>dia of main ram</u> | <u>420 mm</u> | J3 | <input type="checkbox"/> |
| (4) | | J4 | <input type="checkbox"/> |

K. Power Source:

- | | | | |
|-----------------------------|-----------------------------|---------------------------------|-------------------------------|
| (a) Motor Driven | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone |
| <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> Pulley | |

L. Weight: 60,000 Kgs. Length: 9.9 Meters
Width: 2.2 Meters Height: 2.0 Meters

M. Brief Description of Machine Characteristics:

supporting apparatus damaged, and necessary metal bit

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉一銅理場

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1388
(Prefecture - Plant - Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Nori Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd 1939

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 400 ton
- (2) Dia of main Ram 538 mm
- (3) Stroke 1200 mm
- (4) pressure 220 kg/cm²

K. Power Source:

- (a) Motor Driven IHP HP
- AC DC
- (b) Belt Driven Cone Pulley

L. Weight: 30,000 Kgs. Length: 2.3 Meters
Width: 8.0 Meters Height: 4.1 Meters

M. Brief Description of Machine Characteristics:

Support, valve and handle damaged.

| | | | | | | | |
|----------------|--|--|--|--|--|--|--|
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |

| | | | | | | | |
|----------------|--|--|--|--|--|--|--|
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉-鋼彈場

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1309
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: unknown

E. Country in Which Manufactured:

F. Manufacturer's Model Number: horizontal type

G. Age of Machine in Years: mfd 1920

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | ✓ |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 300 T
- (2) Dia of main ram 364 mm
- (3) stroke 1676 mm
- (4) pressure 250 kg/cm²

K. Power Source:

- (a) Motor Driven

| | |
|--------------------------|--------------------------|
| AC | DC |
| <input type="checkbox"/> | <input type="checkbox"/> |

| | |
|--------------------------|--------------------------|
| HP | HP |
| <input type="checkbox"/> | <input type="checkbox"/> |
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 20,000 Kgs. Length: 1.9 Meters
Width: 1.6 Meters Height: 0.6 Meters

M. Brief Description of Machine Characteristics:

Support apparatus, metal gauge, valve handle damaged.

| | | | | | | | |
|----------------|--|--|--|--|--|--|--|
| B _K | | | | | | | |
| B _V | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

775013

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉一鋼彈

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _{KI} | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1393
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer:

E. Country in Which Manufactured:

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd 1920

H. Condition of Machine (Check one below):

GOOD (Requires only Maintenance)
 GOOD (But requires Repairs)
 UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|-------------------------------------|
| Class 1 | |
| Class 2 | <input checked="" type="checkbox"/> |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 300 ton

(2) Dia of main run 4064 mm stroke 1676 mm

(3) pressure 250 kg/cm²

(4) Dia of sub-run 114 mm

K. Power Source:

(a) Motor Driven HP HP
 AC DC

(b) Belt Driven Cone Pulley

L. Weight: 20000 Kgs. Length: 18 Meters
 Width: 16 Meters Height: 18 Meters

M. Brief Description of Machine Characteristics:

handle of valve and accessory metal damaged by bombing.

杉一振

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|--|---------|---|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td>X</td> </tr> <tr> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | X | Class 3 | |
| Class 1 | | | | | | | | | | | | | |
| Class 2 | X | | | | | | | | | | | | |
| Class 3 | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1529
 (Prefecture - Plant - Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Osaka Kikai

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Horizontal type

G. Age of Machine in Years: mfd 1944

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) 200 kg/cm² 250 ton
- (2) Pressure of main water head 270 mm
- (3) Stroke of " 31 m
- (4) Dia of " 420 mm

K. Power Source:

| | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 10,000 Kgs. Length: 9.1 Meters
 Width: 2.5 Meters Height: 2.2 Meters

M. Brief Description of Machine Characteristics:

(裏面に日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

杉 軟過場

| IBM CODE SECTION | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---------|--|---------|--|---------|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>Class 1</td> <td></td> </tr> <tr> <td>Class 2</td> <td></td> </tr> <tr> <td>Class 3</td> <td>X</td> </tr> </table> | | | | | | | | Class 1 | | Class 2 | | Class 3 | X |
| Class 1 | | | | | | | | | | | | | |
| Class 2 | | | | | | | | | | | | | |
| Class 3 | X | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 52 - 32 - 1621
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Grinding machine
double head type

D. Manufacturer: Tsukamoto Syoji

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number:

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance) Class 1
- GOOD.....(But requires Repairs) Class 2
- UNSERVICEABLE. (Tell why in Par. I, below) Class 3

I. Brief Reasons Why Unserviceable: Bearing & metal part of grinding stone necessary to make

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Driving wheel
- (2) width x inner dia. x outer dia
- (3) 30 x 90 x 160 mm
- (4)

K. Power Source:

- (a) Motor Driven AC DC HP HP
- (b) Belt Driven Cone Pulley

L. Weight: 90 Kgs. Length: 2.5 Meters
 Width: 0.5 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics: Bearing part was decomposed and reassembled

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

杉敷工場

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1622
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Grinding machine
Double head type

D. Manufacturer: Tsukamoto Shoji

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number:

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input checked="" type="checkbox"/> |

I. Brief Reasons Why Unserviceable: need to make grinding bearing and stone clumping metal

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | | | |
|-----|----------------------|--------------------------------|----------------|--------------------------|
| (1) | <u>driving wheel</u> | <u>70 m/m (width)</u> | J ₁ | <input type="checkbox"/> |
| (2) | | <u>160 m/m (outside dia.)</u> | J ₂ | <input type="checkbox"/> |
| (3) | <u>dia. of</u> | <u>90 m/m (innerside dia.)</u> | J ₃ | <input type="checkbox"/> |
| (4) | <u>dia. of stone</u> | <u>about 300 m/m</u> | J ₄ | <input type="checkbox"/> |

K. Power Source:

- | | | | | | | | |
|------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> 1HP | <input type="checkbox"/> 2HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 0.09 Kgs. Length: 0.9 Meters
 Width: 0.5 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics: Pully damaged

775013

杉敷工場

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|--|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only | | | | | | | |
| MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1623
 (Prefecture) (Plant) (Machine)

C. Name of Machine: grinding machine
Double head type

D. Manufacturer: Koyama Shokai

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: 1738

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: need to make grinding bearing
and stone clumping metal

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | | |
|-------------------------------|--|----------------|--|
| (1) <u>dia. of main shaft</u> | <u>80 mm</u> | J ₁ | |
| (2) <u>main shaft</u> | <u>850 r.p.m.</u> | J ₂ | |
| (3) <u>body</u> | <u>5070 X 488 X 844 mm³</u> | J ₃ | |
| (4) | | J ₄ | |

K. Power Source:

- | | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 0.09 Kgs. Length: 0.7 Meters
 Width: 0.5 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics:

need to repair and disassemble bearing parts.

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉 軟 通 場

IBM CODE SECTION

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---|---|---|---|---|---|---|---|

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 26 May 48

B. Code Number: 32 32 1624
(Prefecture) (Plant) (Machine)

C. Name of Machine: grinding machine

D. Manufacturer: Double head type
Koyama Shokai

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: mfd. 1938

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable: need to make grinding
bearing & stone clamping metal

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | | |
|-----|---------------------------|-----------------|----------------|
| (1) | <u>dia. of main shaft</u> | <u>80 mm</u> | J ₁ |
| (2) | <u>main shaft</u> | <u>880 T.F.</u> | J ₂ |
| (3) | | | J ₃ |
| (4) | | | J ₄ |

K. Power Source:

- | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 0.07 Kgs. Length: 0.9 Meters
Width: 0.5 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics: need to disassemble & repair bearing parts.

杉三水匠

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | | | | | | | | | |
|---|---------|---|---|---|---|---|--------------------------------------|---------|--|---------------------------------|---------|---|--|---------|--|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | | | |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | | | | | | | | | |
| B _K | | | | | | | | | | | | | | | |
| B _P | | | | | | | | | | | | | | | |
| B _M | | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | | |
| D | | | | | | | | | | | | | | | |
| E | | | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | | | |
| G | | | | | | | | | | | | | | | |
| H | | | | | | | | | | | | | | | |
| <table border="1"> <tr> <td>GOOD.....(Requires only Maintenance)</td> <td>Class 1</td> <td></td> </tr> <tr> <td>GOOD.....(But requires Repairs)</td> <td>Class 2</td> <td>X</td> </tr> <tr> <td>UNSERVICEABLE. (Tell why in Par. I, below)</td> <td>Class 3</td> <td></td> </tr> </table> | | | | | | | GOOD.....(Requires only Maintenance) | Class 1 | | GOOD.....(But requires Repairs) | Class 2 | X | UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |
| GOOD.....(Requires only Maintenance) | Class 1 | | | | | | | | | | | | | | |
| GOOD.....(But requires Repairs) | Class 2 | X | | | | | | | | | | | | | |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | | | | | | | | | | | | | | |
| J ₁ | | | | | | | | | | | | | | | |
| J ₂ | | | | | | | | | | | | | | | |
| J ₃ | | | | | | | | | | | | | | | |
| J ₄ | | | | | | | | | | | | | | | |
| K | | | | | | | | | | | | | | | |
| M | | | | | | | | | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1627
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Fulding & Plant Co.

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd. 1918

H. Condition of Machine (Check one below):

| | | |
|--|---------|---|
| GOOD.....(Requires only Maintenance) | Class 1 | |
| GOOD.....(But requires Repairs) | Class 2 | X |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 4000 ton
- (2) Distance of main Ram 20"
- (3) " of column 5'-6"
- (4) max daylight between upper & lower head 7'-7"

K. Power Source:

(a) Motor Driven AC DC HP HP

(b) Belt Driven Cone Pulley

L. Weight: 100,000 Kgs. Length: 4.9 Meters
 Width: 3.9 Meters Height: 10 Meters

M. Brief Description of Machine Characteristics:
Pipe & flange destroyed

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉三水圧

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _F | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1628
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Nozato Kosakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

| | |
|---------|---|
| Class 1 | |
| Class 2 | x |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 400 Ton
- (2) Stroke of main Ram 800 m/m
- (3) _____
- (4) _____

K. Power Source:

| | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|--|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input checked="" type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|--|

L. Weight: 20,000 Kgs. Length: 2.7 Meters
 Width: 3 Meters Height: 5.5 Meters

M. Brief Description of Machine Characteristics:

Driving lever destroyed

775013

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

杉三水圧

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 - 32 - 1629
 (Prefecture - Plant - Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Zegingsnode Metal Co.

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: vertical type

G. Age of Machine in Years: mfd. 1903

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)
 - GOOD.....(But requires Repairs)
 - UNSERVICEABLE. (Tell why in Par. I, below)
- | | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Stroke 60" Capacity 1380 ton
- (2) middle Dia of Ram 20"
- (3) " of pushing Ram 12"
- (4) Distance between shaft 39 1/2" width 31"

K. Power Source: stroke 20"

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|--------|------|
| 50,000 | Kgs. |
|--------|------|

 Length:

| | |
|---|--------|
| 3 | Meters |
|---|--------|

 Width:

| | |
|-----|--------|
| 4.5 | Meters |
|-----|--------|

 Height:

| | |
|----|--------|
| 10 | Meters |
|----|--------|

M. Brief Description of Machine Characteristics:

775013

杉三水圧

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 -- 32 -- 1630
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic press

D. Manufacturer: Zigings node metal Co.

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd. 1908

H. Condition of Machine (Check one below):

- | | | |
|---|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 350 ton
- (2) Middle dia of Ram 12 1/2"
- (3) Stroke 60"
- (4) _____

K. Power Source:

- | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|--------------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|--------------------------------------|

L. Weight: 30,000 Kgs. Length: 2.1 Meters
 Width: 1.6 Meters Height: 6.0 Meters

M. Brief Description of Machine Characteristics:

Driving Valves destroyed

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

移三北区

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 48

B. Code Number: 32 -- 32 -- 1131
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Zegingsnode Metal Co.

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: vertical type

G. Age of Machine in Years: mfd. 1908

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |
- GOOD.....(But requires Repairs)
- UNSERVICABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 1350 ton
- (2) Dia of Ram 24". Distance of Column 39 1/2"
- (3) Dia of pushing Ram 12". Dia of side Ram 8"
- (4) stroke 20". width 31"

K. Power Source:

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight:

| | |
|--------|--------|
| 50,000 | Kgs. |
| 4.5 | Meters |

 Length:

| | |
|---|--------|
| 3 | Meters |
|---|--------|

 Height:

| | |
|----|--------|
| 10 | Meters |
|----|--------|

M. Brief Description of Machine Characteristics: driving valve destroyed

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉三水匠

IBM CODE SECTION

0 1 2 3 4 5 6 7

These columns for use by Office Section, GHQ, only
MAKE NO ENTRIES

A. Date of Inventory: 26 May 48

B. Code Number: 32 -- 32 -- 1632
(Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Westlight Rock Engineering Co.

E. Country in Which Manufactured: England

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: supd. 1907

H. Condition of Machine (Check one below):

- | | | |
|--|---------|-------------------------------------|
| GOOD.....(Requires only Maintenance) | Class 1 | <input type="checkbox"/> |
| GOOD.....(But requires Repairs) | Class 2 | <input checked="" type="checkbox"/> |
| UNSERVICEABLE. (Tell why in Par. I, below) | Class 3 | <input type="checkbox"/> |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- | | | |
|---|----|--------------------------|
| (1) <u>Stroke 4'6"</u> <u>Capacity 350 ton</u> | J1 | <input type="checkbox"/> |
| (2) <u>Dia of Ram 12 1/2"</u> <u>Dia of pushing Ram 10"</u> | J2 | <input type="checkbox"/> |
| (3) <u>stroke 12"</u> <u>Height 15'8"</u> | J3 | <input type="checkbox"/> |
| (4) <u>Max. pressure 600 Poud / inch²</u> | J4 | <input type="checkbox"/> |

K. Power Source:

- | | | | | | | | |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|
| (a) Motor Driven | <input type="checkbox"/> AC | <input type="checkbox"/> DC | <input type="checkbox"/> HP | <input type="checkbox"/> HP | (b) Belt Driven | <input type="checkbox"/> Cone | <input type="checkbox"/> Pulley |
|------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------|-------------------------------|---------------------------------|

L. Weight: 30000 Kgs. Length: 2.2 Meters
Width: 2.3 Meters Height: 6 Meters

M. Brief Description of Machine Characteristics: 30.3

Draining valve destroyed

(裏面 = 日本語ノ説明アリ)
INVENTORY SHEET
 (Metal Working Plants)

杉三水正

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ. only MAKE NO ENTRIES | | | | | | | |
| B _K | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| J ₁ | | | | | | | |
| J ₂ | | | | | | | |
| J ₃ | | | | | | | |
| J ₄ | | | | | | | |
| K | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 1948

B. Code Number: 32 - 32 - 1633
 (Prefecture) (Plant) (Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Nozato Kasekusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Vertical type

G. Age of Machine in Years: mfd. 1938

H. Condition of Machine (Check one below):

- GOOD.....(Requires only Maintenance)

| | |
|---------|---|
| Class 1 | |
| Class 2 | X |
| Class 3 | |
- GOOD.....(But requires Repairs)
- UNSERVICEABLE. (Tell why in Par. I, below)

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Stroke 1800 m/m
- (2) Capacity 350 ton
- (3) Normal Pressure 200 kg/cm²
- (4)

K. Power Source:

- (a) Motor Driven

| | | | |
|----|----|----|----|
| AC | DC | HP | HP |
|----|----|----|----|
- (b) Belt Driven

| | |
|--------|--|
| Cone | |
| Pulley | |

L. Weight: 20,000 Kgs. Length: 2.8 Meters
 Width: 1.5 Meters Height: 7 Meters

M. Brief Description of Machine Characteristics: 294

Driving value destroyed

(裏面 = 日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

杉三水庄

| IBM CODE SECTION | | | | | | | |
|---|---|---|---|---|---|---|---|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| These columns for use by Office Section, GHQ, only MAKE NO ENTRIES | | | | | | | |
| B _R | | | | | | | |
| B _P | | | | | | | |
| B _M | | | | | | | |
| C | | | | | | | |
| D | | | | | | | |
| E | | | | | | | |
| F | | | | | | | |
| G | | | | | | | |
| H | | | | | | | |
| I | | | | | | | |
| J | | | | | | | |
| K | | | | | | | |
| L | | | | | | | |
| M | | | | | | | |

A. Date of Inventory: 26 May 1948

B. Code Number: 32 - 32 - 1635
(Prefecture - Plant - Machine)

C. Name of Machine: Hydraulic Press

D. Manufacturer: Kobe Steel Foundry

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: vertical type

G. Age of Machine in Years: mfd. 1940

H. Condition of Machine (Check one below):

- GOOD (Requires only Maintenance) Class 1
- GOOD (But requires Repairs) Class 2
- UNSERVICEABLE. (Tell why in Par. I, below) Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

- (1) Capacity 3000 ton
- (2) Dia of cylinder 820 mm
- (3) stroke 1500 mm
- (4) Pressure 200 Kg/cm²

K. Power Source:

- (a) Motor Driven AC DC HP
- (b) Belt Driven Cone Pulley

L. Weight: 90,000 Kgs. Length: 5 Meters
Width: 4 Meters Height: 200 Meters

M. Brief Description of Machine Characteristics:

use by low pressure water