Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





ALFRED BRIDGEMA

ANNUAL DESCRIPTIVE CATALOGUE OF

FLOWER SEEDS GROWER GRASS DEALER

GARDEN TOOLS AND HORTICULTURAL † BOOKS †

37 EAST NINETEENTH ST. BETWEEN BROADWAY AND FOURTH AVE.

NEW YORK CITY

USEFUL TABLES for GARDENER and FARMER.

Seed for a Given Number of Plants, etc.


Cabbage 3,000 plants.	Marrow Squash r oz. to 30 hills.
Jauliflower 1 " 3,000 "	Asparagus
Celery	Beet
Eggplant I " 2,000 "	Carrot
Endive	Okra
Lettuce 1 " 4 000 "	Onion
Pepper 1 " 2000 "	Onion Sets, Small 1 qt. to 50 "
Tomato 1 " 2,000 "	Parsley 10z.to 150 "
Pole Beans qt. to 150 hills.	Parsnip I " 200 "
Corn 1 " 200 "	Radish
Cucumber 50 "	Salsify
Watermelon I " 30 "	Spinach 1 " 100 "
Muskmelon 1 " 60 "	Turnip 1 " 150 "
Pumpkin	Peas
Early Squash 1 " 50 "	Dwarf Beans 1 " 100 "

Seed Usually Sown upon One Acre.

Plants or Trees for One Acre.

	Number. Distance Apart.		
6 inches by 6 inches	174,240 5 ft by 5 ft	1,	742
ı ft.byı ft	43,560 6 1t. by 6 ft	I	210
1½ ft. by 1½ ft	19.360 8 ft. by 8 ft		68o
2 ft. by 1 ft	21.780 9 ft. by 9 ft		537
2 ft.by 2 ft	10.890 10 ft. by 10 ft		.185
2½ ft. by 2½ ft	. 6,970 12 ft. by 12 ft		302
3 ft. by 1 ft	14,520 16 ft. by 16 ft		170
3 ft. by 2 ft	7.260 20 ft. by 20 ft		110
3 ft. by 3 ft	. 4 840 25 ft. by 25 ft		70
1 ft. by 4 ft	. 2,722 30 ft. hv 30 ft		40

General Remarks.



which are too frequently recommended and sold, to the serious loss and disappointment of planters.

As the profession has always been pursued with a view to a permanent business, great care is taken to preserve an unsullied reputation, by having supplies of all the leading kinds of seeds raised annually by careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision.

The observance of such a system may be considered as a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here only enumerate the leading articles in his collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce Radishes, Salsify, Turnips, etc., being from their nature apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures.

To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young.

In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch.

For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

Boxes, barrels and bags used in packing will be charged for at cost prices. It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

The following are published annually, and mailed free to all applicants: CATALOGUE OF VEGETABLE, FLOWER, GRASS, HERB AND MISCELLANEOUS SEFDS, with brief directions for their care and treatment. (This one.) Ready in January.

Market-Gardeners' Priced Catalogue of Vegetable Seeds, etc. Ready in January.

CATALOGUE OF DUTCH BULBOUS ROOTS. Ready in September. Address all orders plainly to


ALFRED BRIDGEMAN,

37 East Nineteenth Street, NEW YORK.


Novelties and Specialties in FLOWER SEEDS.

ASTERS.

Comet, Snow-White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance



Snowball, or Princess. (Benary.) Flowers pure white; in form they are semi-spherical, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.




A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine, rich blue. Pkt. 25 cts.

COCKSCOMB, "VESUVIUS."

This novelty is the result of careful cultivation extending over a period of many years. The plant is of dwarf habit, and above the beautiful green foliage is elevated the charming comb, of a magnificent fiery red on a golden

yellow ground. The peculiar beauty of this new Cockscomb is seen the best in full sunshine, where the flower much resembles a blaze. This novelty is equally well adapted for the garden or for pot-culture. Pkt. 25 cts.



This new Chrysanthemum is of dwarf, compact, and very regular growth. Its flowers are

produced in great abundance, and are purple scarlet, ornamented inside, with a golden ring. The foliage being yellow, makes it very striking. Pkt. 25 cts.


Ball, or Jewell Aster.

CINERARIA HYBRIDA GRANDI-FLORA SANGUINEA.

An exceedingly fine new variety of the large-flowering class of Cinerarias, the color being of a rich blood red. Pkt. 50 cts.

DATURA CORNUCOPIA. ("HORN OF PLENTY.")

The plant is of a very robust habit. The stem is thick, dark brown-purple, shining as if varnished. The branches are numerous, spreading symmetrically 3 or 4 feet in every direction. The leaves



Cineraria hybrida grandiflora.

are large, of a dark green color. The flowers are trumpet-shaped, measuring 8 to 10 inches in



Hibiscus, Crimson Eye.

length and 5 to 7 across the mouth, and thus form three distinct flowers growing each within the other; the throat and mouth of the corolla are a delicate French white, beautifully contrasted and marbled with royal purple on the outside. Pkt. 10 cts., oz. 75 cts.

HIBISCUS, CRIMSON EYE. (New.)

A robust grower, with dark red stems and foliage. The flowers are of immense size, often measuring ro inches in circumference. The color is of the purest white, with a large spot of deep, velvety crimson in the center of each flower. It will succeed anywhere, and is perfectly hardy, blooming very finely the first year

from seed sown in the open ground. A splendid plant for hardy borders. Pkt. 10 cts.

LOBELIA ERINUS COMPACTA, "GOLDELSE."

This grand novelty, with its golden yellow foliage and deep blue flowers, makes a contrast of charming beauty. Pkt. 20 cts.

SWEET PEA, CUPID.

Foliage very dark green, blossoms pure waxy white, of unequaled substance, and fully as large as Emily Henderson. The plant is about 5 inches high and 12 inches in diameter. The stems are 4 inches long, bearing 2 or 3 blossoms. A very free bloomer; begins to flower as early as May, and continues until November. Pkt. 25 cts., 5 pkts. \$1.

MIGNONETTE, GOLDEN MACHET.

The plants are of strong, compact growth, with large crinkled leaves, and bear long, massive spikes of golden yellow blossoms; excellent for pots or forcing. Pkt. 20 cts.

NASTURTIUM, LILLIPUT.

An entirely new class of Dwarf Nasturtiums; the plant is in every respect smaller than the Tom Thumb. The

the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small cut and bushy foliage, make it one of the prettiest of annuals. Pkt. 25 cts.

PAPAVER GLAUCUM. (TULIP POPPY.)

The plant of this splendid annual grows from 12 to 14 inches high and produces well above the foliage 50 to 60 large and splendid flowers of the most vivid scarlet imaginable. Pkt. 10 cts.



Sweet Pea, Cupid.

Novelties and Specialties in VEGETABLE SEEDS.

ASPARAGUS, COLUMBIAN MAMMOTH WHITE.

This variety is a sport from Conover's Colossal. It produces pure white shoots, and



Thorburn Valentine Wax Bean.

requires no artificial blanching. It is a strong grower, and comes remarkably true from seed. Oz. 10 cts., lb. \$1.

THORBURN VALENTINE WAX BEAN.

This is an improved Extra Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., bus. \$6.

BEET, EXTRA EARLY ECLIPSE.

The tops are very small; roots smooth and globe-shaped; flesh deep crimson, very fine-grained, and remarkably sweet. Oz. 10 cts., lb. 75 cts.

CARROT, HALF-LONG RED CARENTAN.

A new slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 10 cts., lb. 75 cts.

CAULIFLOWER, ERFURT EXTRA EARLY DWARF.

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, GIANT PASCAL.

This new variety is the result of careful selection from the well-known "Golden Self-Blanching" Celery. It partakes of the nutty flavor of that excellent variety, and in taste is not at all bitter or astringent. It grows about 2 feet high, with stalks that are solid, crisp, not stringy, very large, and broader than those of any other. Before blanching it is green, with heart of golden yellow andvery full. It is very easily blanched, requiring only five or six days' earthing up, while its preservative qualities make it a fine shipper. For late winter use. Oz. 25 cts., lb. \$2.

CORN, CHAMPION SWEET.

New. This Corn is, without doubt, the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts.

LETTUCE, BUTTERCUP.

A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.25.

PEAS.

Duke of York. This splendid new wrinkled Pea is the most distinct and valuable that has



been introduced for years. It is of robust growth, very large, long and full podded, and of the highest flavor. Height 3 feet. Qt. 75 cts.

Heroine. This is a medium early, and grows uniformly from 2 to 21/2 feet high. It comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing 9 or 10 large Peas of the finest quality. Qt. 40 cts.

POTATO, PRIDE OF IRELAND.

This new seedling originated with a successful potato-grower in Wisconsin, who says it is a late variety, a very good keeper, and cooks well; skin is very white, with a sort of light, russety netting; the flesh is white and of good quality. It cannot fail to satisfy the grower who wants a heavy yielder. Bus. \$2, bbl. \$4.50.

PUMPKIN, JONATHAN.

This is one of the best crookneck varieties ever introduced. It is a good keeper, of large size, very prolific, and wonderfully smooth and even fleshed, being free from that coarse stringiness which most varieties have. Oz. 10 cts., lb. 75 cts..

RADISHES.

Scarlet Globe. (Benary.) New; excellent for frame, and has short leaves; brilliant red; flesh fine, white, tender and crisp. Oz. 15 cts., lb. \$1.

Chinese Round Scarlet. A new short-top summer or winter-using variety. It grows of medium size; flesh pure white, of mild flavor. Oz. 20 cts.

SALSIFY, MAMMOTH SANDWICH ISLAND.

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH, LONG-STANDING.

Thick, dark green leaves, of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

SQUASH, SIBLEY, or PIKE'S PEAK.


A striking variety, having the stem at the swelled end. The shell is pale green in color. very hard and flinty; flesh solid, thick, a brilliant orange in color, and is possessed of rare edible qualities. It can be had in use from October to March. Oz. 10 cts.

UPLAND CRESS.

A new hardy perennial vegetable, thriving on any soil wet or dry. It is of easy culture, and when once established requires ittle after care. In taste it is very agreeable, having the identical flavor of true water cress. Pkt. 20 cts., oz. \$1.50.

TOMATO, THE WALDORF.

The Waldorf is distinct and decidedly valuable. It is of perfect, uniform shape, smooth, large, and of fine quality; exceptionally solid, and of a very handsome dark, shining rose color; medium in ripening, and very productive. Pkt. 10 cts.



Globe Radishes.

Collections of Select Yegetable Garden Seeds.

STANDARD SORTS for Family	No. 1.	No. 2.	No. 3.	No. 4.	No. 5.
Use, in quantities to suit Small	\$5.	\$9.	\$12.	\$16.	\$20.
or Large Gardens, as follows:	Contains	Contains	Contains	Contains	Contains
BeansEarly Valentine Bush	½ pt.	ı pt.	r qt.	ı qt.	2 qts.
"Black Wax Bush	1/2 21.	ı pt.	ı qt.	2 qts.	2 qts.
"Refugee Bush	½ pt.	rpt.	ı qt.	ıqt.	2 qts.
"Large White Lima Pole	Ipt.	ı pt.	ı qt.	3 pts.	2 qts.
Beet Extra Early Turnip	I OZ.	2 OZ.	4 Oz.	4 oz.	8 oz.
" Early Blood Turnip	I oz.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Ox-Heart	pkt.	½ OZ.	½ OZ.	½ oz.	I OZ.
"Early Winnigstadt	pkt.	1/2 OZ.	½ oz.	I oz.	I OZ.
"Large Late Drumhead	pkt.	½ OZ.	I OZ.	I oz.	I OZ.
"Drumhead Savoy	pkt.	½ oz.	½ oz.	½ oz.	I oz.
"Red, or Pickling	pkt.	pkt.	pkt.	½ oz.	I OZ.
CauliflowerParis Nonpareil	pkt.	¼ oz.	½ oz.	½ oz.	I OZ.
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 oz.	8 oz.
"Long Orange	I oz.	2 OZ.	4 oz.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I oz.	2 OZ.	2 oz.	2 OZ.	4 oz.
Corn Early Sugar	½ pt.	ıpt.	ı qt.	ı qt.	2 qts.
"Mammoth Sugar	½ pt.	ıpt.	ı qt.	2 qts.	2 qts.
"Stowell's Evergreen	½ pt.	ıpt.	ı qt.	2 qts.	2 qts.
Celery Early White Solid	pkt.	½ oz.	I OZ.	I OZ.	I oz.
Cucumber Early Russian	pkt.	I oz.	I OZ.	2 OZ.	4 OZ.
"Long Green	I oz.	I OZ.	2 OZ.	4 oz.	4 oz.
Egg-PlantImproved N. Y. Purple	pkt.	¼ oz.	¼ oz.	½ oz.	½ oz.
EndiveGreen Curled	pkt.	½ oz.	½ oz.	I oz.	I OZ.
Kohlrabi Early White Vienna	pkt.	¼ oz.	½ oz.	I oz.	I OZ.
Kale Green Curled Scotch	pkt.	I oz.	I OZ.	I OZ.	I OZ.
Lettuce Early Curled Silesia	pkt.	½ oz.	½ oz.	I oz.	I OZ.
" Early Tennisball	pkt.	½ oz.	I OZ,	I oz.	I OZ.
"Large Butter-Head	pkt.	½ oz.	I OZ.	I oz.	2 OZ.
LeekLarge Flag	pkt.	½ oz.	I oz.	I oz.	2 OZ.
Melon Orange Christina	pkt.	½ oz.	I OZ.	2 OZ.	4 oz.
"Green Citron (Netted)	pkt.	I oz.	I OZ.	2 OZ.	4 oz.
" Mountain Sweet Water	I OZ.	I oz.	2 OZ.	4 oz.	4 02.
OnionExtra Early Red	½ oz.	I oz.	2 OZ,	2 oz.	4 oz.
"White Portugal	½ oz.	I OZ,	2 OZ.	2 oz.	4 oz.
Peas Carter's "First Crop"	I pt.	I qt.	2 qts.	2 qts.	2 qts.
"Laxton's Alpha	Ipt.	ı qt.	ı qt.	2 qts.	2 qts.
" McLean's Little Gem	Ipt.	I qt.	ı qt.	ı qt.	2 qts.
"McLean's Advancer	Ipt.	I qt.	ı qt.	ıqt.	2 qts.
"Champion of England	ıpt.	I qt.	2 qts.	2 qts.	2 qts.
Parsley Extra Curled	pkt.	I oz.	I OZ.	2 OZ.	4 oz.
PepperSweet Mountain	pkt.	¼ oz.	½ oz.	I OZ.	I oz.
Parsnip Cup, or Guernsey	I OZ.	I oz.	2 OZ.	4 oz.	8 oz.
RadishLong Scarlet	pkt.	2 OZ.	2 OZ.	4 OZ.	4 oz.
"Red Turnip, or Cherry	pkt.	2 OZ.	4 oz.	4 oz.	8 oz.
"Chinese Winter	pkt.	I OZ.	2 OZ.	2 OZ.	2 OZ.
SalsifyLong White	½ oz.	1/2 OZ.	I OZ.	2 OZ.	4 02.
Squash Early Bush	I OZ.	I oz.	2 OZ.	2 OZ.	4 oz.
"Hubbard Winter	I OZ.	I oz.	2 OZ.	4 OZ.	4 OZ.
SpinachRound-Leaved Flanders	4 OZ.	6 oz.	8 oz.	8 oz.	ı lb.
Tomato Early Red Smooth	pkt.	½ oz.	½ oz.	I OZ.	I oz.
"The Trophy	pkt.	½ OZ.	½ oz.	I OZ.	I OZ.
			/ 20		- 020
Turnip White Dutch	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.


General List of VEGETABLE SEEDS.

For the accommodation of very small growers, those seeds priced by the ounce or quart at 30 cents and under may be had put up in 5-cent papers; seeds priced per ounce or quart above 30 cents may be had put up in papers costing not less than 10 cents.

The names printed in smaller Roman type are identically the same or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



Jerusalem Artichoke.

† ARTICHOKE.

Artichaut, Fr. Artichofe, Ger. Alcachofa, Sp.

Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

o de la companya de	Per	oz.
French, or Green Globe	-\$0	40
Jesusalem Artichokeqt., 25 cts	Per.\$1	

ASPARAGUS.

Asperge, Fr. Spargel, Ger. Esparragos, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

_			Per oz.	Per 4 ozs.
Palmetto			\$0 15	\$0 30
Conover's	Cologgal	1h 60c	TO	25

ASPARAGUS ROOTS.

A saving of one to two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

Per 100 Per 1,000


Palmetto, 2 years old......\$1 00 \$6 00

Conover's Colossal, 2 years old. 1 00 6 00



Conover's Colossal Asparagus.

BRIDGEMAN'S SEED CATALOGUE.



Long Yellow Six-Weeks Bean.

† BEANS. Dwarf or Bush.

Haricot, Fr. Bohnen, Ger. Frijole nano, Sp. Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

*Extra Early Valentine\$0 25 \$1 25

*Long Yellow Six-Weeks 25

Per qt. Per 8 qts.

25

I 25

I 25

*Early Mohawk			
Early China Dwarf			
*ExtraEarly Refugee \$0	qt. Per	8	qts.
Golden Refugee			25
*Refugee, or 1,000-to-1.	25	Ι	25
White Kidney, or		_	
Royal	20	1	25
Red Kidney, or French	25	т	25
White Marrowfat			-
	25	1	25
*Yosemite Mammoth Wax	40	2	
	•		50
Crystal White Wax	30	T	75
*Black Wax (with yellow pods)	30	т	50
*Golden or Cream Wax.	_		_
	30		50
*Golden Wax Improved.	30	Ι	50
*Wardwell's Kidney		_	8
Wax			50
Flageolet Wax			00
*Wonder of France Flageolet Improved Green	30	Ι	50
Canadian Wonder	• •	т	50
*Burpee's Bush Lima			50
Dreer's Bush Lima			- 4
			50
Dwarf Horticultural	25	I	25
Turtle Soup, or Black	20	_	-
_	20		
For prices per b	usnei	, 5	see

page 26.

BEANS.

English Dwarf.

Féve de marais, Fr. Garten Bohnen, Ger. Haba commun, Sp.

Plant as early as practicable in spring, inches apart and 2 inches deep, in drills 4 feet apart.

4 reet apart.	Perc	it. P	er8	ate
*Sword Long Pod				
Long Turkey.				
*Broad Windsor (Taylor's)		30	I	50
Green Mazagan		25	I	25
English Horse Bean.				
Green Nonpareil		25	I	25

†BEANS.


Pole or Running.

Haricot á rames, Fr. Stangen Bohnen, Ger. Frijole vastago, Sp.

Pole Beans are more tender, and require rather more care in culture, than the Bush Beans. They succeed best in a rich, sandy loam.



Burpee's Bush Lima Dean.



Eclipse Crimson Turnip Beet.

BEANS, Pole, or Running, continued.

Plant from the middle of May to July, in hills about 4 feet apart each way.

	Per	qt. ŀ	er80	Įts.
*Extra Early Lima	\$0	40	\$2	00
*Dreer's Improved Lima		40	2	00
Large White Lima		40	2	00
*King of the Garden Lima		40	2	00
Early Golden Cluster Wax		50	3	00
*Horticultural, or Wren's Egg.		30	I	75
Small White Lima		40	2	00
Carolina, Saba, Sewee or Sieva.				
White Dutch Case-Knife		30	I	75
*Mont d'Or, or Golden Butter.		40	2	25
Giant Red Wax		40	2	50
Indian Chief (with yellow pods)	40	2	25
Black German Wax, or Algerian.				
White Dutch Runner		30	2	00
Scarlet Flowering Runner		30	2	00
Asparagus, or Yard Long	І	00		

‡BEETS.

Betterave, Fr. Runkelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Per oz. Per 4	ozs.
*Extra Early Turnip\$0 10 \$0	
Early Bassano, or Sugar.	
*Eclipse Crimson Turnip 10	25
Early Blood Turnip 10	25
*Forntian Blood Turnip 10	25

Per o	z. Pe	r 4 ozs.
Dewing's Blood Turnip\$0	10	\$0 25
*Edmand's Early Blood Turnip	10	25
Long Dark Red	10	25
Long Smooth Blood	10	25
Rochester, or Radish.		
*Half-Long Dark, or Pear-Shaped.	15	30
Yellow Turnip, or Orange	IO	25
Silver Swiss Chard	10	25
Victoria Blood-Red Swiss Chard.	15	30
Sea Kale Beet, for greens.		
For prices per lb., see page	26.	

CATTLE BEETS.

		Per 4	ozs.	Per	lb.
White	Imperial Sugar	\$0	15	\$0	40
	French Sugar		15		40

MANGEL WURZELS.

Sow in May and June in rows about 2 feet apart; thin out to 10 inches apart in the rows.

	Per 4	ozs.	Per	ID.
Long Red	\$0	15	\$0	40
Scarcity, or Cattle Beet.				
*Mammoth LongoRed		15		40
*Norbiton Giant Red		15		50
Champion Yellow Globe		15		40
*Golden Tankard		15		50



Golden Tankard Mangel Wurzel.



Early Winnigstadt Cabbage.

BROCCOLI.

Chou Brocolis, Fr. Brocoli, Spargel-Rohl, Ger. Broculi, Sp.

Sow in May and June. This should be transplanted in July, in rows about 2 feet apart each way.

	Per o	oz. Pe	er 4 c	ozs.
*Extra Early White	.\$0	60	\$2	00
*Early Purple Cape		40	I	00
White Cape, or Cauliflower		6о	2	00
Early Walcheren (true) Walcheren Cauliflower.	• • •	50	I	50

BURNET.

Pimpernelle petite, Fr. Simpernell, Ger.
Pimpinela, Sp.

Sow in rows early in spring.

Per oz. Per 4 ozs.\$0 25 \$0 50

BRUSSELS SPROUTS.

Chou de Bruxelles, Fr. Grüner Sproffen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked the small tender heads melt in the mouth like fine cauliflower.

					Per o	z. Pe	er 4 c	zs.
*Improved	Dwarf				\$0	25	\$0	75
Tree or N	1 iniature	Cal	bag	e.				

Roseberry, or French 25 75


CABBAGE.

Chou pommé ou Cabus, Fr. Ropftohl, Ger. Repollo, Sp.


Sow the early varieties in protecting frames in September, or hotbeds early in the spring; sow late kinds about the middle of May; transplant in July in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in rows.

Per 02. Per 402.

	1 61 02		I CI 4	UZ.
)	Early York, or May\$0 2 Early Royal Dwarf.	0	\$0	50
	*Early Oxheart 2 French, Heart-Shaped.	0		50
	*Early Winnigstadt, or Cone 2			75
7	*Early Flat Dutch 3	0	1	00
	Early Summer, or Henderson's.			
	*Jersey Early Wakefield 3 Early Nonpareil, Early Becalan.	0	I	00
	*Selected All-Seasons 2	5		75
	Early Dutch Drumhead 2	_		50
	Early Dutch, or Battersea.	0		50
	*Large Late Flat Dutch 2 Premium Flat Dutch, Excelsior.	5		75
	Large Late Drumhead 2 Large Late Brunswick, or Fottler's.	5		75
	*Henderson's Succession 3.	۵	I	00
	*Autumn King 4	0	I	oo
	*Dwarf Early Ulm Savoy 2	5		75
	*Late Drumhead Savoy 2 Large Globe Savoy.	5		75
	Perfection Curled Savoy 2	5	,	75
	Large Red Drumhead 2	5		75
	Red Dutch, or Pickling 2	5		75
	Marblehead Mammoth 2	0		50
	Large Early Schweinfurt 2			50
	Pomeranian, or Filderkraut 2	0		50
	For prices per lb., see page 26.			



Selected All-Seasons Cabbage.



Half-Long Red Carrot.

CARROTS. Carrotte, Fr. Möhren, Ger. Zanahoria, Sp.

Sow in April for early; middle of June for winter use, in drills about 15 inches apart. Per oz. Per 4 ozs. *Extra Early Forcing\$0 15 \$0 30 Orange Turnip-Rooted. *Early Orange Horn (pointed) 15 Half-Long Red (stump-rooted) ... 10 25 Scarlet Carentan (coreless) 10 25 *Oxheart, or Guerande 15 30 Danvers Orange Intermediate ... 10 25 Long Orange 10 25 Long Scarlet or Surry, Altringham. Long White 10 25 Large White Belgian. For prices per lb., see page 26.

CARDOON.

Cardon, Fr. Cardon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full size, bind the plants together and earth up same as celery.

	-		Per oz.	Per 4 ozs.
Large	Solid	 	 \$0 3	0 \$0 75

†CAULIFLOWER.

Choufleur, Fr. Blumenfohl, Ger. Coliflor, Sp.

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May, and transplanted early in July, is more likely to produce good heads. Sow for early and late, same as Cabbage.

Per pkt. Per ozs.
*Erfurt Extra Early Dwarf \$0 50 \$6 00
Carrara Rock 50
*Early Dwarf Snowball 25 4 00
Per oz. Per 4 ozs.
*Extra Early Paris (fine) \$0 75 \$2 25
Half-Early Paris Nonpareil 60 2 00
*Lenormand's Short-Stemmed 75 2 25 Carter's Extra Dwarf Mammoth.
Early London, or Dutch 40 1 00
Large Late Stadtholder 40 I 00
*Large Algiers (fine late) 75 2 25
Italian, or Autumn Giant 40 1 00

CELERY.

Céleri, Fr. Cellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground, when the plants are from 4 to 6 inches high; transplant into trenches 4 inches deep and 9 wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

apart in the rows.				
I Committee	Per o	z. Per	740	zs.
*Early Dwarf White	.\$0	25	\$0	75
Incomparable Dwarf.				
*Early White Plume		40	I	00
*Golden Heart Half-Dwarf		25		75
Golden Self-Blanching		40	I	25
*Perfection Heartwell		30		75
*Boston Market Dwarf White.		50		
Doston Market Dwarf White.		25		75
*New Giant Pascal		25		75
Large White, or Giant		20		50
*Early Dwarf Red		30		75
Dwarf Crimson, Rose-colored.				, ,
London Large Red		30		75
Sandringham Dwarf White				50
Turnip-Rooted Celery				
Early Erfurt Celeriac.		25		75
Celery Seed (for flavoring) lb. 6	inc.	TO		20
th				



Golden Heart Half-Dwarf Celery.

CHERVIL.

Cerfueil, Fr. Rerbel, Ger. Perrifollo, Sp.

Sow early in spring, and at short intervals.

Per oz. Per 4 ozs.

Curled, or Double....\$0 20 \$0 50

Tuberous-Rooted 20 75



Stowell's Evergreen Sugar Corn.

COLLARD, or COLE-WORT.

Chou, Fr. Blätter=Rohl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

Georgia-Grown Collards\$0 20 \$0 50



Collard, or Colewort.

†SUGAR-CORN.

Mais, Fr. Delichtorn, Ger. Maiz, Sp. Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

Extra Early.			
Per o	qt.	Per 8	qts.
*Extra Early Minnesota \$0	25	\$1	00
*Extra Early Cory	25	I	00
Perry's Hybrid	20	I	00
Early Narragansett	20	I	00
Early Marblehead			co
Second Early.			
*Crosby's Early (fine)	25	I	00
Triumph Early Sugar	25	I	00
Moore's Early Concord	20	I	00
Amber Cream Sugar	20	I	00
*Squantum, or Potter's Sugar	25	I	00
*Ne Plus Ultra	25	I	00
General Crop.			
*Stowell's Evergreen	20	I	00
*Country Gentleman	25	I	00

Per o	ıt.	Per 8	qts.
*Mammoth Sugar (extra fine)\$o Excelsior, Asylum, or Burr's.	25	\$1	00
Egyptian, or Washington Market	25	I	00
Large Eight-Rowed Sugar	20	I	00
Roslyn Hybrid	20	I	00
Black Mexican Sugar	25	I	25
		Per l	ous.
Sweet Fodder (best for soiling)		\$2	00
For prices per bushel, see pa	age	26.	


POP CORN.

		Per qt. Per 8	
Pop, or	Parching	\$0 25 \$I	25

†FIELD CORN.

Pe	er bus.
Early Yellow Canada	
Large White Flint	2 00
Long Orange Flint	2 25
King Philip	2 00
Queen of the Prairie (Dent)	2 00
Golden Beauty (Dent)	2 00
TTT . C . 1 1 1	

We can furnish, also, other varieties for field culture.



Perry's Hybrid Sugar-Corn.



Water Cress.

CORN-SALAD, OR FET-TICUS.

Mâche, Fr. Actersalat, Ger. Canonigos, Sp. Sow in September, and manage same as spinach.

		oz. Per 4 o	
Small-Seeded	\$0	10 \$0	25
Large-Seeded		10	25

†CRESS, OR PEPPER GRASS.

Cresson, Fr. Rrejje. Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

		Per 4 ozs.
Upland Cress	1 50	
*Extra Curled	. 10	\$0 25
Australian or Golden	. 10	25
True Water Cress	. 50	I 50



Nichols' Medium Green Cucumber.

†CUCUMBERS.

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

Per. oz. Pe	r 4 ozs.
*Extra Early Russian \$0 10	\$0 25
Early White Spined 15	30
Short Green, or Boston Pickling. 10	25
Green Prolific, or Pickling 15	25
Early Green Cluster 10	25
Early Short Prickly, Early Frame.	
Improved Long Green 15	30
*Thorburn's Everbearing 10	25




Early Green Cluster Cucumber.

Per	oz.	Per 4 ozs.
Khiva Brown Netted\$0	25	\$0 75
Long White Spined	15	30
New Jersey Hybrid.		
*Tailby's Hybrid	15	30
Long Green Turkey	10	25
W. I. Gherkin, or Burr	20	бо
German White (for forcing)	20	бо
Nichols' Medium Green	10	25

ENGLISH FRAME CUCUMBERS.

	Per pkt.
General Grant	\$0 25
Telegraph	
Duke of Edinburgh	25
Marquis of Lorne	
Also several other English long va	rie-
ties for forcing; each, per pkt	
For prices per lb see page 27	_



Early Long Purple Egg-Plant.

†EGG-PLANT.

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to the open ground.

to the open ground.				
	Per o	z. P	er 4 c	zs.
Early Long Purple	\$0	30	\$1	00
*Improved N. Y. Purple		50	I	25
Large Oval Purple, Round Purpl				
*Early Black Pekin		40	I	00
			Perp	kt.
Long White Chinese			. \$0	10
Scarlet Chinese				10
Striped, or Guadaloupe				10
White Egg-Shaped				10

‡ENDIVE.

Chicorée-Endive, Fr. Endivien, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

as ictuce.	
Per oz. Per 4	OZS.
*Green Curled Summer\$0 20 \$0	50
White Curled 20	50
French, or Moss-Curled 25	бо
*Broad-Leaved 25	60
Batavian, or Escarolle.	
Brussels Chicory (Witloof) 15	25
Wild (for flavoring coffee) 15	30
(Chicory, or Succory, per lb., \$1.)	



Broad-Leaved Endive.

GARLIC.

Ail, Fr. Anoblaud, Ger. Ajo, Sp.
Plant early in spring, in rows 10 inches apart and 2 inches deep.

‡KALE, or BORECOLE.

Chou-rest, Fr. Grüner-Rohl, Ger. Breton, Sp.

Sow Spring Sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

Per o	z. 1	Per 4 ozs.
*Green Curled Scotch\$0	15	\$0 40
*Dwarf Green Erfurt	15	40
Brown, or Purple Curled	15	40
*Curled Siberianper lb., 75 cts		
Hardy German Greens, or Winter Spro	uts.	
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10




† KOHLRABI. (Turnip-Rooted Cabbage.)

Chou-rave, Fr. Rohl-Rabi, Ger. Col de nabo, Sp.

Sow from March to June for transplanting in succession.

	Per oz	. Per 4 ozs.
Early White Vienna	\$o ;	30 \$1 00
Early Purple Vienna		30 1 00



Simpson's Curled Silesian Lettuce.

† LETTUCE.

Laitue, Fr. Lattich, Ger. Lechuga, Sp.

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

			Per 4 ozs
*German Early Head	\$0	25	\$0 75
Early Egg, or Forcing		25	7.5
*Buttercup (fine for forcing)		20	50
*Big Boston (fine for forcing)		25	75
*Simpson's Curled Silesia Early Cut Salad		20	50
Black-Seeded Simpson		15	40
*Early Tennisball (fine) Early Boston Market.	• •	20	50
*Golden Stone Head (fine) Yellow-Seeded Butter.	• •	25	75
Deacon (solid head)		20	50
Early Prize Head		15	40
Black-Seeded Large Butter Turkish Cabbage, or Russian.			50



Golden Stone Head Lettuce.

Per	oz. ł	'er 4 0	zs.
Gray-Seeded Butter \$0	25	\$0	75
*Perpignan, or Summer	20		50
Henderson's New York	20		50
Ice Drumhead (fine) Royal Cabbage, or Maita.	15		40
White Summer Cabbage.	20		50
Stone Cabbage, or Winter Butte	er.		
American Gathering	15		40
Victoria Cabbage	15		40
Red Edged Cabbage.			
*Salamander, or Satisfac-			
tion	20		50
*All-the-Year-Round	20		50
Hanson's Cabbage	20		50
Shotwell's Brown Head	20		50
Hardy Green	15		40
White Paris, or Ice Cos	20		50
Green Paris Cos (Romaine)	20		50
Trianon Self-Closing Cos	20		50
Balloon Cos	20		50
Asiatic Cabbage, or Imperial	15		30
Saxony Cabbage, Grand Admiral.			

For prices per lb., see page 27.



LEEKS.

Poireau, Fr. Lauch, Ger. Puerro, Sp.

Sow from March to May; transplant in rich ground.

Per oz. Per 4 ozs.

*Large American Flag\$0 30 \$0 75

Large Carentan (fine)...... 20 60

† MARTYNIA.

Gemsenhorn, Ger.

Sow in May in open ground, three feet apart each way.

Per oz. Per 4 ozs. Craniollaria (for pickles).....\$0 30 \$0 75

MUSHROOMS.

Champignon, Fr. Champignonbrut, Ger. Seta, Sp.


Per lb.
English Spawnper 8 lbs., \$1..\$0 15
French, in boxes of 3 lbs., each \$1.25...

Printed pamphlets on Mushroom culture sent with all orders for spawn.

†MUSKMELONS.

Melon, Fr. Melonen, Ger. Melon, Sp. Sow in frames for early; open ground in May and June, in hills 6 feet apart each way. way.

*Early White Japan\$0 15 \$0 30 *Early Christina (orange flesh)... 15 30 *Emerald Gem (orange flesh)..... 15 30 *Large Nutmeg (green flesh)..... 15 30 30 The Banquet (rich salmon)..... 15 30 *Early Jenny Lind (green flesh) .. 15 30 Delmonico (large; orange flesh). 15 30



Emerald Gem Muskmelon.


Per	12 F	er 4 ozs.
*Improved Hackensack\$0	15	\$0 30
Bay View (extra large)	15	30
Surprise (new)	15	30
Excelsior Nutmeg (green flesh)		30
*Golden Perfection (yellow flesh)	15	30
Blatimore Market (orange flesh).		30
*Golden Netted Gem	15	30
*Montreal Market (green flesh)	15	30
Pomegranate (for perfume)	25	75
Also English varieties, for culture		
in framesper pkt., 20 cts.		

†WATERMELONS.

Melon d'Eau, Fr. Bassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

	Per oz, Per 4 ozs.
*Early Mountain Sweet	\$0 10 \$0 25
Kolb's Gem	IO 25



Kolb's Gem Watermelon.

Tions of Gent that the form		
Icing or Ice Rind (red flesh)\$0 White-Seeded Ice Cream, Strawberry.	10	er 4 ozs. \$0 25
*Black Spanish (red flesh)	10	25
Phinney's Early (red flesh)	10	25
*Jordan's Gray Monarch		30
Green and Gold	15	30
Ruby Gold	15	30
*Scaly Bark (crimson flesh)	10	25
*Vick's Early (red flesh)	15	30
The Volga (red flesh)	10	25
Orange (scarlet flesh)	15	30
Mammoth Ironclad	10	25
*Striped Gipsy (fine late) Jackson, or Rattlesnake.	10	25
Japan Sculptured (cream flesh)	10	25
Citron for preserves)	10	25

MUSTARD.

Sinapis, Lin. Moutarde, Fr. Genf, Ger. Sow at intervals, spring and autumn.

	Per	oz.	Per 4 d	ozs.
*White, or Yellow	.\$0	05	\$0	15
Black, or Brown		5		15
Chinese (for salad)		10		30



Chinese Mustard.



Early Dwarf Green Okra.

INASTURTIUMS.

Capucine grande, Fr. Rreffen Indianische, Ger. Maranuela, Sp.

Sow in May and June in drills an inch deep.

		. Per 4 ozs.
†Tall (Indian Cress)	 \$0 2	0 \$0 50
Dwarf "	 2	30

OKRA.

Gombo, Fr. Effbarer Sibiscus, Ger. Quimbombo, Sp.

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

		 Per 4 ozs.
*Dwarf White Velvet	\$0 I	0 \$0 25
*Early Dwarf Green	I	0 25
Improved Dwarf Prolific.		
Extra Long Green	I	2 5

ONIONS.

Oignon, Fr. Zwiebeln, Ger. Cebollo, St. Sow seed in rich ground early in spring. in drills one foot apart, and thin to 2 inches apart.

•	Per oz.	Per 4 ozs.
*Extra Early Flat Red	.\$0 20	\$ 0 60
Large Red Wethersfield	. 20	60
*Large Red Globe	. 20	6 o
*Large White Globe	. 30	I 00 g
Yellow Dutch, or Strasburg.	. 15	5¢ \$
*Yellow Danvers, or Globe	. 25	60
*White Portugal	30 in.	I OC

Per oz. Pe	
Queen (New Early White)\$0 25	\$0 75
Prize-Taker (straw-color) 30	75
White Italian Tripoli 25	75
Naples Giant Rocca (late) 20	50
About, Per qt.	Per pk.
Potato Onions\$0 25	\$1 50
White Multiplier 30	2 00
Red Onion Sets 30	2 00
*White Onion Sets 30	2 00
Yellow Onion Sets 25	I 75
Top, or Button Onions 30	2 00
For prices per pound, see page 2	7.

PARSNIPS.

Panais, Fr. Pastinafen, Ger. Pastinaca, Sp. Sow from March to June, in deep, rich ground.


*Long White, or Guernsey\$0	oz. 1 0	Per 4 ozs. \$0 25
Cup, Hollow Crowned, or Sugar.		
Sutton's Student	IO	25

PARSLEY.

Persil, Fr. Peterfilie, Ger. Perejil, Sp.

Sow from March till June, in drills an inch deep and one foot apart.

	Per oz. Pe	r 4 ozs.
Curled, or Double	\$o 10	\$0 25
Champion Moss-Curled	15	30
Carter's Fern-Leaved	10	25
Hamburg, or Rooted	. 10	25



Yellow Globe Danvers Onion.

PEAS.

Pois, Fr. Erbsen, Ger. Guisante, Sp. Extra Early

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, ac-



American Wonder Peas.

cording to height, and 4 inches deep.

Those marked thus (*) are the wrinkled

varieties.	D	0 -	
Bridgeman's Extra Early 2 1/2 . \$0			
Carter's First Crop2½	25	I	25
Sutton's Ringleader, First and Best.			
Daniel O'Rourke2½	25	I	25
Sangster's No. 1, Caractacus.			
Philadelphia Extra Early .2½	25	I	25
*Laxton's Alpha (fine)3	25	I	25
Alaska²½	25	I	25
Rural New Yorker 2½	25	I	25
Kentish Invicta (fine)2½	30	I	50
Prize Taker, Rising Sun.			
*Carter's Premium Gem11/2	30	I	50

*American Wonder 1½ ... 3c



McLean's Little Gem Pea.

Second Early Peas.


Ft. Per	qt. P	er 8 c	qts.
*Heroine2½.\$0	40	\$2	
*McLean's Advancer2½	25	I	25
*Shropshire Hero3	30	1	75
Laxton's Fillbasket3	30	I	75
*Horsford's Market Garden. 2 1/2	25	I	25
*Dwarf Champion2		I	50
*Abundance (sow thin) 1½	25	I	25
*McLean's Little Gem	30	I	50
McLean's Blue Peter	30	I	50
Tom Thumb (Amer.) 7 in	25	I	50

Main Crop and Late Peas.

Main Crop and Late 1	Cus	•	
Ft. Per o	qt. Pe	er 8	qts.
*Champion of England5\$0	25	\$I	25
*Yorkshire Hero3	25	I	25
*Ne Plus Ultra 5	25	I	50
*Juno. Large, straight pods2	35	2	00
*Everbearing (sow thin)21/2		I	25
Pride of the Market 2	35	2	00
*Sander's Marrow5	30	I	50
*Carter's Telephone5	30	I	50
Culverwell's Telegraph4	30	I	75
*Carter's Stratagem2	30	I	50
Blue Imperial	25	I	25
Imperial Marrow.			
White Marrowfat3 Royal Dwarf.	20	Ι	00
Black-Eyed Marrow3	20	I	00
Peruvian Marrow.			

SUGAR PEAS.

Ft. Per qt. Pe	er S qts
Tall Sugar (edible pod)5\$o 30	\$1 75
Wrinkled Sugar "4 40	2 00
Dwarf Sugar "2 40	2 00
For prices per husbel see page	8



Celestial Pepper.

†PEPPERS.

Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground May and June, transplanting to 18 inches apart each way.

	Per oz.	Per 4 ozs.
Squash, or Tomato	\$0 25	\$0 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangces	s). 30	75
*Celestial	30	I 00
Red Cherry	30	I 00
Red Chili, or Red Cluster	30	I 00
Long Red Cayenne	30	I 00
Ruby King	30	I 00
Golden Dawn (new)	25	75
For prices per lb., see pa	age 27.	

POTATOES.

Pomme de Terre, Fr. Kartoffeln, Ger.

Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

	About, per bus.
Beauty of Hebron	\$i 75
Early Rose, or Vermont	I 75
Early Mayflower	1 75
Extra Early (Thorburn)	1 75
Charles Downing	I 75
Early Puritan	I 75

About, per bus. Rural New-Yorker\$1 50 Pride of Ireland (heavy
yielder) 2 00
Clark's No. 1 1 75
White Elephant (fine late). 1 50
Dakota Red 1 50
White Star 1 50
Late Beauty of Hebron 1 75
For prices per barrel, see page 28.

†PUMPKINS.

Potiron, Fr. Kürbijje, Ger. Calabaza, Sp.

Sow in May or June, in hills 6 by 8 feet apart.

Per oz. Per a ozs.

1	*Large	Cheese,	or			
				10	\$0	25
	West	India I	Mam-			
	mot	h		25		75
Mammoth,	or Larg	e Tours		20		60
Jonathan .				IO		25
Connecticut	Field				Per b	


RHUBARB.

Rhubarbe, Fr. Mhabarber, Ger. Ruibarbo, Sp. Sow seed or plant roots in rich ground during April or May.

	Per oz.	Per 4 ozs.
Myatt's Victoria	.\$0 20	\$0 50
Pie-Plant, Wine Plant	Each	Per doz.
Roots (large)	. \$0 20	\$2 00



Northern-Grown Potatoes.



Scarlet Globe Turnip Rauish.

† RADISHES.

Radis, Rave. Fr. Mettige, Ger. Rabanos and Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

utilis all fileli deep and a foot apar	ι.
Per oz.	Per 4 ozs.
*Scarlet Globe Turnip (new)\$0 15	\$ \$0 30
*French Breakfast (fine) 10	25
Red Olive-Shaped, White-Tipped.	
*Early Scarlet Turnip (fine) 10	25
Red Turnip, or Cherry.	
*Early Round Dark Red 10	25
White-Tipped Scarlet Turnip 15	30
New Golden Olive-Shaped 15	30
Early White Olive-Shaped 15	30
Early Scarlet Olive-Shaped 10	25
*Long Scarlet Short-Top 10	25
Beckert's Chartier Long Red 10	25
*Golden Globe (fine)	25
Yellow Summer Turnip 10	25
Gray Summer Turnip 10	25
*White Summer Turnip 10	25
Giant Stuttgart Summer Turnip. 10	25
*Purple Summer Turnip 10	25
*Long Black Spanish 10	25
*Round Black Spanish 10	25
White Spanish, or Fall 15	30
*Scarlet Chinese Winter 10	25
Long White Naples 10	25
Raphanus (edible pods).pkt., 10 cts.	
For prices per lb., see page 28.	

SAGE.

Sauge, Fr. Salbei, Ger.

Sow during the spring.

Per oz. Per 4 ozs. Common (Salvia officinalis)\$0 25 \$0 75

SALSIFY, or OYSTER PLANT.

Salsifis, Fr. Bocksbart, Ger. Ostra Vegetal, Sp.

Sow from April till June, in drills 12 inches apart, and thin out to 6 inches apart in rows.

	Per oz. Per 4 oz					
Long White	. \$0	15 \$0	30			
Mammoth Sandwich Island		20	50			
Scolymus (Salsify sp.)		25	60			

SCORZONERA.

Scorsonére, Fr. Sforzonere, Ger. Escorconera, Sp.

Sow from April till June.

SAVORY.

Bohnenkraut, Ger.

SKIRRET.

Chervis, Fr. Zuckerwurzel, Ger. Cherivia, Sp. Sow from April till June.



Beckert's Long Red Chartier Radish.



Savoy-Leaved Spinach.

SORREL.

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp. Sow during the spring.


Per oz. Per 4 ozs.

*Large-Leaved per lb., \$1.25..\$0 15 \$0 40
Garden Patience Dock 30 60

SPINACH.

Epinard, Fr. Epinat, Ger. Espinaca, Sp. Sow early in the spring, in very rich ground. Also during September and October for winter use in drills 12 inches apart, and ½ inch deep.

4 ozs.	Per	lb.
	\$0	40
15		40
15		40
15		40
15		40
15		40
30	I	00
50	I	00
	4 ozs. 15 15 15 15 15	15 \$0 15 15 15 15



Early White Bush Squash.

†SQUASHES.

Courge, Fr. Rürbis, Ger. Calabozo Tontanera, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

V	Per	oz.	Per 4 ozs.
*Early White Bush	.\$0	IO	\$0 25
Scallop, or Patty-Pan.			
Egg-Plant Bush		10	25
*Early Striped Bush		10	25
Green-Striped Bergen.			
Early Golden Bush			25
*Summer Crookneck Bush		10	25
Early Orange Marrow		15	30
Boston Marrow			30
*Hubbard, or Winter			30
*Sibley, or Pike's Peak		IO	2 5




Essex Hybrid Squash.

•		
Marblehead Marrow\$0	r oz.	Per 4 ozs- \$0 30
*Essex Hybrid		25
*Winter Crookneck		30
Canada Crookneck.		
Turban, or Turk's Cap	OI	25
Fordhook (Long-keeper)	IO	25
*Perfect Gem (Late-running)	10	25
Lima Cocoanut	IO	25
Valparaiso, or Acorn.		
Butman (Winter)	10	25
English Vegetable Marrow	20	50
Mammoth Chili (extra size)	30	60
Patagonian	20	50
Seven Years' Custard, or Butter.		
Brazil Sugar	10	25
For prices per lb., see page	28	

SWEET BASIL.

Basilic, Fr. Basilicum, Ger.

									P	er	oz.	Per	4 (ozs	
Sweet	 	 							. 5	50	40		ŠI	00	3



Mikado Tomato.

SWEET MARJORAM.

Marjolaine, Fr. Marjoran, Ger. Sow during the spring.

TOBACCO SEED.

(Nícotiana tabacum.)

Connecticut Seed-Leaf\$		Per 4	
Imported Havana	. 5	o I	50

THYME.

† TOMATO, or LOVE-APPLE.

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground April and May; transplant in rows 3 or 4 feet apart.

Per oz. Per 4	ozs.
*Ponderosa \$0 50 \$1	25
*Livingston's Perfection 25	75
*Ignotum 25	75
The Lorillard 25	75
Extra Early Conqueror 25	75

Per o	z. Per	4 ozs.
*Mikado (early, large, red) \$0	25	\$0 75
Turner's Hybrid.		
*The Trophy (selected)	25	75
*Dwarf Champion	25	75
*Acme (smooth, dark red)	25	75
Livingston's Beauty	25	75
*Livingston's Favorite	25	75
*Early Ruby (dwarf, com-		
pact)	25	75
Large Red Cherry, or Gem.	25	75
Large Golden Yellow	30	75
Red Pear-Shaped, or Fig	25	75
Yellow Plum	30	75
*Cardinal (brilliant red)	25	75
Table Queen (rich crimson)	25	75
*Carter's Green Gage (fine)	25	75
Strawberry, or Winter	30	75
De Laye, or Tree. pkt. 100.		
For prices per lb., see	page	28.

TURNIPS.

Navet, Fr. Rüben, Ger. Nabo commun, Sp.

- All varieties, 10 cents per ounce.

Sow for early, very early in spring, on fresh, broken up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Rutabaga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

•	Per	oz.	Per	lb.
*Extra Early Milan	\$0	25	\$0	75
Early Flat Dutch .		20		50
White Strap-Leaved				



TWDWINGtit		
TURNIPS, continued. Per oz. Per l	lb.	GRASS SEEDS.
Early White Stone\$0 20 \$0	60	Timothy. 45 lbs. to bus market price
Early Snowball, or Six-Weeks.	50	Phleum pratense.
	75	Creeping Bent Grass. 20 lbs. to bus\$3 50
Small Berlin, or Marrow.	/3	Agrostis stolonifera.
	50	Red Top. 14 lbs. to bus
	50	Rhode Island Bent Grass. 14 lbs. to bus. 3 00
	50	Agrostis canina.
	50	Sweet Vernal Grassper lb., 75 cts
	50	Meadow Fescue. 22 lbs. to bus 4 50
Scotch Yellow.		Festuca pratensis.
	50	Meadow Fox-Tail Grass. 7 lbs. to bus 2 25 Alopecurus pratensis.
Orange Jelly.		Tall Meadow Oat Grass. 13 lbs. to bus. 2 50
White French, or Rock 20 Russian, Hanover, Sweet German.	50	Avena elatior.
V=	50	Orchard Grass. Choice; 14 lbs. to bus. 2 75
Improved Yellow Swede, or Russia.	,	Dactylis glomerata. Sheep's Fescue Grass. 12 lbs. to bus2 50
	50	Festuca ovina.
White Swede, or Russia.		Hungarian Grass. 48 lbs. to busabout 2 00
Long White, Cow Horn 20	50	Panicum Germanicum. Meadow Soft Grass. 7 lbs. to bus 1 25
SWEET, POT AND MEDI	r_	Holcus lanatus.
CINAL HERBS.		Italian Rye Grass. 12 lbs. to bus 2 00
Per packet, 5 to 10 cents.		Lolium Italicum. English Rye Grass. 24 lbs. to bus 2 00
Sow under glass early in spring; about th	ne	Lolium perenne.
end of May transplant to open ground.		Wood Meadow Grass. 14 lbs. to bus 5 50 Poa nemoralis.
Per oz	z,	Kentucky Blue. Best ex. cleaned; 14 lb. 2 50
Anise (Pimpinella Anisum)\$0		Central Park Lawn Grass. 15 lbs. to bus. 3 50
Basil, Sweet (Ocymum basilicum) 4		Extra Finest Mixed Lawn Grass. 15 lbs. 4 50
Borage (Borago officinalis) (for bees) 2		Permanent Pasture Grass 2 50
Balm (Melissa officinalis)		CYOVERS
Coriander (Coriandrum sativum)		CLOVERS.
Castor Oil Plant (Ricinus) .per lb., 50c		Red Clover. Price variable\$0 20
Caraway (Carum carui)		White Clover '' 35
Catnip (Nepeta cataria) 4		Crimson Clover. 15 lbs. per acre 10
Dandelion (Leontodon taraxacum) 4	10	Trifolium incarnatum. Yellow Clover, or Trefoil
Dill (Anethum graveolens) per lb., \$1 1		Lucerne, or Alfalfa Clover
Eucalyptus, or Fever Plant 3	35	Alsike Clover, or Swedish
Fennel, Sweet (Anethum) 1	5	Bokhara Clover 30
Hop Seed (Humulus) 5		
Horehound (Marrubium) 3	30	BIRD SEED, ETC.
Hyssop (Hyssopus officinalis) 3	30	Per qt. Per bus. Canary (best Sicily)\$0 20 \$4 00
Lavender (Lavendula spica) 3	30	Mixed Bird Seed 20 4 00
Majoram, Sweet (Origanum)		Hemp Seed
Rue (Ruta graveolens)		White Millet 30 4 00 Yellow Millet 15 3 00
Rosemary (Rosemarinus officinalis) 5		English Rape (large seeded) 20 4 00
Saffron (Carthamus)		German Rape (small-seeded) 20 4 00
Sage, Common (Salvia officinalis) 2 Savory, Summer (Satureja hortensis) 2		Bird Gravel (for cages) 10 2 00
Savory, Winter (Satureja montana) 4	-5	Rough Rice 15 3 50 Maw, or Poppyper lb., 30 cts.
Tansy (Tanacetum vulgaris) 5		Bird Lettuce '' 50 '' Imperial Egg Food '' 50 ''
Thyme, English (Thymus vulgaris) 5		Imperial Egg Food " 50 "
Thyme, French	0	Mocking-Bird Food per bottle, 4oc. Song Restorerper bottle 25 cts.
Wormwood (Artemesia absinthium) 3		Prices variable.

VARIOUS SEEDS.

Per qt. Per bus.
Flax Seed
Sunflower 10 2 25
Broom Corn 25 3 00
Vetches (for pigeons, etc.) 20 3 00
Per lb.
Chinese Sugar Cane \$0 25
Rural Branching Sorghum 25
Yellow Locust (Robinia) 50
Honey Locust 50
Osage Orange (Maclura) 50
Pearl, or Egyptian Millet 25
Wheat, Rve, Oats, Barley and Buck-

Wheat, Rye, Oats, Barley and Buckwheat; also Tree, Shrub, and Fruit Seeds, Supplied to Order.

INSECTICIDES.

Bordeaux Mixture. For black-rot, downy mildew and anthracnose of grapes, potato blight, potato rot and other fungous diseases. 20-pound packages (50 gallons wash), \$1.

Kerosene Emulsion. For plant-lice of any kind, cabbage worms, scale insects on apple, pear, orange and other trees, 6-gallon buckets (makes 75 gallons wash). \$1.25 per bucket.

HAMMOND'S GRAPE-DUST, for the prevention and destruction of mildew on plants. 5-lb. package, 35 cts.

Ant Destroyer. A non-poisonous powder, which will destroy or drive away black ants from lawns, trees, plants, houses, or other affected localities. 34-lb. can, 50 cts.

Persian Insect Powder.....per lb., 1 00

Flowers of Sulphur	10
Pure Paris Green "	30
White Hellebore "	30
Whale-Oil Soap "	12
Gishurst's Compoundper box,	50

Tobacco Stemsper	100 lbs., \$2	00
Tobacco Dust	per lb ,	10
Tobacco Insecticide Soap	"	50

MISCELLANEOUS.

Grafting Waxper lb., \$	0	40
Raffia (for tying)		25
Cuba Bast (for tying)		25
Lead Wire (for grape-vines)		25
Mats, straw (6 ft. by 6 ft.)each,	1	50
Round Scythe Stones "		15
Indelible Garden Pencils "		10
Pea Trellisper 10-feet lengths,		75
Thermometerseach, 50 cts. to	1	50
Bellows (for insect powder, etc.)each,	I	00
Plant Protectorsper doz., \$2 to	3	00
Elastic Plant-Sprinklerseach,	I	00
Elastic Putty Bulbs (for glazing		
greenhouses, sash, etc.) "	I	00
Canes (useful as Flower Sticks).per 100,	1	25

STANDARD FLOWER POTS.

		p	000	¥00	Per 1	000
21/4	inch	Thumb	\$0	80	\$6	50
3	* *	Gill	1	25	9	00
4	- 11	Half-pint	2	00	20	00
5	**	Pint	2	75	25	00
6	4.6	Quart	4	25	40	00
7		Three-pint	6	50	бо	00
8	4.6	Half-gallon	9	00		
9	**	Gallon	14	50		
10	1.1	Two-gallon	20	00		

SQUARE SEED-PANS.

				Per d	
6	x	6	inches	\$2	00
8	X	8	11	2	50
0	x	10	**	3	00
2	X	12	6.6		50

ROUND SEED or LILY PANS.

			Width				
4	Х	6	inches			\$ I	00
5	х	8	**			1	50
5	x	10	8.6			2	25
-	v	TO	4.4			2	

FRUIT SEEDS.

	Per	lb.
Apple Seed	.\$0	30
Cherry Pits, Mahaleb		30
Pear Seed	. І	50
Ouince Seed	. і	50

Currant Seed, Mixed \$0 40	
Gooseberry Seed, Mixed 75	5
Raspberry Seed, Mixed 50	5
Strawberry Seed, Mixed 50)

VEGETABLE SEEDS, ETC.

By Pound, Bushel or Barrel.

Orders for less than Half-Bushels and Half-Pounds are liable to somewhat higher rates.

		rounds are liable to somewhat higher rates.
BUSH BEANS.	Per bus.	CABBAGE.
Burpee's Bush Lima	\$8 00	Forly Wash and M.
Dreer's Bush Lima	8 00	Early York, or May \$1 50
Extra Early Valentine	4 50	Large Early Oxheart
Long Yellow Six-Weeks	4 50	Early Flat Dutch, or Summer
Early Mohawk	4 50	Early Jersey Wakefield 3 00
Early China Dwarf	4 50	All-Seasons 2 50
Golden Refugee	5 00	rienderson's Succession
Refugee, or 1,000-to-1	. 4 00	Autumn King 3 00
Canadian Wonder	5 00	Early Winnigstadt 2 00
Wonder of France	5 00	Early Dutch, or Drumhead 1 50
White Kidney, or Royal	4 00	Large Late Drumhead 2 50
Red Kidney, or French	4 00	Premium Late Flat Dutch 2 50
White Marrowfat	4 00	Dwarf Early Ulm Savov
Dwarf Horticultural	4 50	Large Late Drumhead Savoy 2 50
Turtle Soup, or Black Spanish	4.00	Red Dutch, or Pickling 2 50
Flageolet Wax	4 00	
Yosemite Mammoth Wax	8 00	CARROTS.
Black Way		Fytra Farly Forcing
Black Wax	6 00	Extra Early Forcing
Golden, or Cream Wax	0 00	Scarlet Carentan (coreless)
Golden Wax Improved		Oxheart, or Guerande
Wardwell's Kidney Wax	5 00	Early Orange Horn (pointed)
		Half-Long Red Orange (stump-rooted). 75
POLE, or RUNNING BEA	INS.	Danvers Orange (true)
Eutro Forly Lima	Per bus.	Improved Long Orange
Extra Early Lima	\$7 00	
Large White Lima (extra size)	7 00	CELERY,
Ving of the Corden Lime	7 00	Early Dwarf White
King of the Garden Lima	7 00	Early White Plume 3 00
Early Golden Cluster Wax	9 00	Boston Market Dwarf White 2 50
Horticultural, or Wren's Egg		Doston Warker Dwarf Wille 2 50
Small White Lima		
		Perfection Heartwell 2 50
White Dutch Case-Knife	6 50	Giant Pascal 200
White Dutch Case-Knife Mont d'Or, or Golden Butter	б <u>5</u> 0	Giant Pascal 2 00 Large White, or Giant
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax	6 50 7 00 7 00	Giant Pascal 2 00 Large White, or Giant
White Dutch Case-Knife Mont d'Or, or Golden Butter	6 50 7 00 7 00	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) . White Dutch Runner	6 50 7 00 7 00 7 00 6 00	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50
White Dutch Case-Knife Mont d'Or, or Golden Butter	6 50 7 00 7 00 7 00 6 00	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax	6 50 7 00 7 00 7 00 6 00	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50
White Dutch Case-Knife Mont d'Or, or Golden Butter	6 50 7 00 7 00 7 00 6 00 6 00 Per lb.	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip	6 50 7 00 7 00 7 00 6 00 6 00 Per lb.	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip	6 50 7 00 7 00 7 00 6 00 6 00 Per lb \$0 75 60	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip	6 50 7 00 7 00 7 00 6 00 6 00 Per 1b. \$0 75 60	Giant Pascal 2 00 Large White, or Giant 1 50 Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00 Golden Self-Blanching 4 50 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 Per lb. . \$0 75 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Dewing's Blood Turnip	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 Per lb. . \$0 75 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Edmand's Early Blood Turnip	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Early Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 60 . 60 . 60 . 60 .	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Early Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER.	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Dewing's Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER. Early Extra Paris	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal 2 00
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER. Early Extra Paris Half Early Paris Nonpareil	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 6 00 . 60 . 60 . 60	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER. Early Extra Paris Half Early Paris Nonpareil Large Late Algiers.	. 6 50 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . Per lb \$0 75 . 60 . 60 . 60 . 60 . 75 . 60 . 75 . 75 . 60 . 75 . 75 . 60 . 75 . 9 00 . 9 00	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER. Early Extra Paris Half Early Paris Nonpareil Large Late Algiers Lenormand's Short-Stemmed	. 6 50 . 7 00 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 60 . 50 75 . 60 . 60 . 60 . 60 . 75 . 75 . 60 . 75 . 75 . 80 . 75 . 80 . 90 . 8 00	Giant Pascal
White Dutch Case-Knife Mont d'Or, or Golden Butter Giant Red Wax Indian Chief (with yellow pods) White Dutch Runner Scarlet Flowering Runner BEETS. Extra Early Turnip Eclipse Crimson Turnip Early Blood Turnip Egyptian Blood Turnip Dewing's Blood Turnip Long Dark Red Half-Long Dark, or Pear-Shaped Yellow Turnip, or Orange Silver Swiss Chard Victoria Blood-Red Swiss Chard CAULIFLOWER. Early Extra Paris Half Early Paris Nonpareil Large Late Algiers.	. 6 50 . 7 00 . 7 00 . 7 00 . 7 00 . 6 00 . 6 00 . 60 . 50 75 . 60 . 60 . 60 . 60 . 75 . 75 . 60 . 75 . 75 . 80 . 75 . 80 . 90 . 8 00	Giant Pascal

CORN SALAD, or FETTICUS.	MUSKMELONS. Per lb.
Round-Leaved Small-Seeded \$0 75 Round-Leaved Large-Seeded 75	Early White Japan
CRESS, or PEPPER GRASS.	Large Nutmeg (green flesh)
Per lb.	Improved Hackensack
Extra Curled	Green Citron (netted)
CUCUMBERS. Per lb.	Montreal Market
Extra Early Russian	WATERMELONS. Per lb.
Early Green Cluster	Early Mountain Sweet \$0 75
Early Short Green	Iceing, or Ice Rind (white-seeded)
Green Prolific (pickling)	Striped Gipsy, or Jackson
Long White-Spined	Black Spanish
Tailby's Hybrid	Scaly Bark
	Mainmoth Honerad
EGG-PLANTS. Per lb.	MUSTARD. Per 1b.
Early Long Purple \$2 50 Improved New York Purple 4 50	White, or Yellow 40 Black, or Brown 40
Early Black Pekin 4 00	Black, of Blown
ENDIVE.	NASTURTIUMS. Per lb.
Green Curled Summer \$1 50	Tall (Indian Cress)
White Curled	Dwarf (Indian Cress) 1 50
French, or Moss Curled	OKRA. Per 1b.
Wild, for flavoring coffee 1 00	Early Dwarf Green
KALE.	Dwarf White Velvet
Green Curled Scotch	onions.
Hardy Curled Siberian (Winter Sprouts) 75	Prices may vary as the season advances.
Spring Sprouts (English) 25	Per lb. Extra Early Flat Red \$2 00
KOHLRABI,	Large Red Wethersfield 2 00
Early White Vienna \$2 50	Large Red Globe 2 00 White Portugal 4 00
Early Purple Vienna 2 50	White Portugal 4 00 Large White Globe (true) 4 00 Prize-Taker (straw-color) 3 00
LEEKS. Per lb.	Yellow Dutch, or Strasburg 2 00
Large American Flag, or Scotch \$2 50	Yellow Danvers, or Globe 2 00
Large Carentan 2 00	PARSLEY. Per lb.
LETTUCE. Per lb.	Curled, or Double (extra) \$0 75
Buttercup (fine for forcing) \$1 25 Big Boston (fine for forcing) 1 50	Champion Moss Curled
German Early Head	Hamburg, or Rooted
Golden Stone Head (fine) 50 Early Egg, or Forcing 50	Plain, or Single
Simpson's Curled Silesia	. PARSNIPS.
Ice Drumhead, or Malta 1 00 Early Tennisball, or Boston Market 1 25	Long White, or Guernsey \$0 60
Black-Seeded Large Butter 1 25	Sutton's Student 60
Perpignan Head, or Summer 1 25 Salamander, or Satisfaction 1 25	PEPPERS. Per lb.
White Summer Cabbage 1 25	Large Squash, or Tomato \$2 50
Hardy Green, or Winter 1 00 Asiatic Cabbage, or Imperial 1 00	Large Bell, or Bull Nose 2 50 Sweet Spanish (for salad) 2 50
White Paris, or Ice Cos	Sweet Mountain (for mangoes) 2 50
Green Paris Cos (Romaine) 1 50	Long Red Cayenne 2 50

PEAS. Per bus.	RADISHES, continued. Per lb.
Bridgeman's Extra Early \$4 50	Early Round Dark Red \$0 75
Carter's First Crop 4 00	White-Tipped Scarlet
Extra Early Daniel O'Rourke 4 50	Golden Olive-Shaped
Philadelphia Extra Early 4 00	Early White Olive-Shaped
Bliss' Everbearing 4 50	Early Scarlet Olive-Shaped
Alaska 4 50	Long Scarlet Short-Top
Carter's Premium Gem 5 00	Beckert's Chartier Long Red
Laxton's Fillbasket 6 00	Golden Globe (fine)
Horsford's Market Garden 4 50	Yellow Summer Turnip
Dwarf Champion 4 50	Gray Summer Turnip 60
Abundance (sow thin) 4 50	White Summer Turnip
Pride of the Market 6 00	Giant Stuttgart Summer Turnip 60
Yorkshire Hero 5 00	Purple Summer Turnip 60
Kentish Invicta 4 50	Long Black Spanish
McLean's Advancer 4 50	Round Black Spanish
Laxton's Alpha 5 00	White Spanish, or Fall 66
McLean's Little Gem 5 50	Scarlet Chinese Winter
American Wonder 7 00	California Mammoth
Carter's Telephone 5 50	Camornia Mammoth /3
Culverwell's Telegraph 6 00	CALCALL OF OXIGINAL DIAME
	SALSIFY, or OYSTER PLANT.
Carter's Stratagem 5 50 Heroine 6 50	Long White
McLean's Blue Peter 5 00	Mammoth Sandwich Island, 1 50
Tom Thumb (American)	Long Black (Scorzonera) 1 50
Tom Thumb (American) 5 00	8 ()
Dwarf Blue Imperial 4 50	SQUASHES. Per lb.
Champion of England 4 00 Black-Eyed Marrowfat 3 00	Early White Bush \$0 75
Black-Eyed Marrowfat 3 00	Early Striped Bush
White Marrowfat 3 00	Early Golden Bush
PUMPKINS. Per lb.	Summer Crookneck
Lanna Change on Die	Boston Marrow
Large Cheese, or Pie	Hubbard, or Winter
Mammoth, or Large Tours 1 00 Connecticut Field per bus., \$4	Essex Hybrid, or Winter
Connecticut Field per bus., \$4.	Marblehead Marrow
POTATOES.	Perfect Gem
Prices may vary as the season advances.	Winter Crookneck
	Mammoth Chili (extra size) 1 50
Beauty of Hebron	English Vegetable Marrow
Charles Downing 4 25	
Extra Early Thorburn 4 00	TOMATOES. Per lb.
Early Rose, or Vermont 4 00	Livingston's Perfection
Clark's No. 1 4 00	Ignotum
Early Mayflower 4 25	Acme (smooth, dark red) 2 50
Early Puritan 4 00	Ponderosa 4 00
Rural New-Yorker 3 75	The Lorillard 2 50
White Elephant (fine late) 3 75	The Trophy (selected) 2 50
Late Beauty of Hebron 4 00	Cardinal (brilliant red) 2 50
Pride of Ireland 4 50	Mikado 2 50
White Star	Livingston's Beauty 2 50
White Star	Dwarf Champion 2 50
RADISHES. Per lb.	Livingston's Favorite 2 50
Scarlet Globe Turnip	Table Queen (rich crimson) 2 50
French Breakfast	Large Golden Yellow 2 50
Early Scarlet Turnip	Yellow Plum 2 50

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants, Chives and Shallots, Egg-Plants, Pepper Plants, Hop-Vine Plants, Horseradish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.


HORT	TICULTURAL	IMPLEMENTS.

	Each	
Bill and Brush Hooks (See No. 156, page 30)	1 50 to \$	2 00
Flower Gatherers, to cut and hold	75 to	I 75
Manure and Hay Forks	75 to	I 25
Ladies' Weeding Forks (1)	25 to	I 25
	r oo to	I 50
Tobacco Fumigators	1 50 to	3 00
Cast Steel Dutch or Push Hoes, 4 to 10-inch	40 to	1 00
Cast Steel Draw or Garden Hoes	60 to	75
	5 oo to 1	
Cast Steel Potato Hook or Prong Hoes	00 10 1	75
Triangular Hoes or Tree Scrapers (16)		50
Improved Hammers and Hatchets		1 00
Cast Steel Grass Hooks and Sickles	50 to	
Cast Steel Grass Plot Edging Knives, 10-inch (9)		75 2 00
Asparagus Knives (19)	onto	
Pruning Knives of all sizes and patterns (186-938)		1 50 2 00
TO 11' TZ ' C . ' ' 1 // /	, 0	2 00
		2 00
Watering Pots, several sizes		2 00
Garden Reels and Garden Lines (18)		I 00
Cast Steel Rakes, with handles		1 00
Wooden, Lawn and Hay Rakes	50 to 35 to	
The Davis Lawn Rake	35 10	50 60
Scythe Rifles and Scythe Stones	10 to	
		25 I 50
Hand Pruning Shears, various sizes and patterns (15)		-
English Bow Slide Hand Pruning Shears		2 50
Improved Pole Pruning Shears.		2 00
Grass Border Shears, for cutting borders (10) 9-inch (\$2.75) 10-inch.		2 75
		3 00
Ladies' Wood-Handled Garden Shears	-	2 75
Spring Grass or Sheep Shears		1 50
English Cast Steel Pruning Saws		1 25
	, ,	2 00
Pole Pruning Saw, with chisel		1 50
		1 50
Improved Scythe Snaths	50 to	3 00 80
Cast Steel Spades, short and long handled	on to	
		50
Cast Steel Shovels, short and long handled		50
Transplanting or Garden Trowels, several sizes (25)		00 0
		1 25
Mole Traps, Olmsted's Improved		50
Mole Traps, English, for frames		50
Giaziers Points, van Reypers		

HORTICULTURAL BOOKS.

All I American Fram Pools (married) to me	Heinrich's Window Flower Garden \$0 75
Allen's American Farm Book (revised) \$2 50	
Allen's American Cattle 2 50	Henderson's Gardening for Pleasure 1 50
Asparagus Culture 50	Henderson's Gardening for Profit 2 00
	Henderson's Hand-Book of Plants 4 00
Bulbs and Tuberous-Rooted Plants 2 00	Tienderson's Hand-Dook of Hants 4 00
Barry's Fruit Garden 2 00	Home Floriculture 1 50
Bridgeman's Gardener's Assistant 2 00	Horticulturist's Rule Book
Charlton's Foreign Grape Grower's Guide 75	Landscape-Gardening (Parsons') 3 50
Downing's Fruit and Fruit Trees of	Our Farm of Four Acres 60
America 5 00	Parsons on the Rose 1 50
Earley's How to Grow Mushrooms 40	Practical Floriculture 1 50
Ellwanger's Treatise on the Rose 1 25	Profits in Poultry, and Their Profitable
Falconer's Mushrooms: How to Grow	Management 1 00
Them	Quinn's Money in the Garden 1 50
Fuller's Hardy Grape Culturist 1 50	Robinson's Ferns in their Homes and Ours 1 50
Fuller's Small-Fruit Culturist 1 50	Secrets of Rose Culture. "Hatton" 50
Fuller's Practical Forestry 1 50	Thomas' American Fruit Culturist 2 00
	continuation at material and continuation

New Publications not listed supplied to order at publisher's prices.



THE PLANET JR. HAND IMPLEMENTS.

The New Planet Jr. No. 3 Hill-Dropping Seed Drill. Sows either in Hills or in Continuous Row.

Until recently there was no such thing as a hill-dropping seeder, the most modern Drills sowing continuously only, but the demand for a machine that could be adjusted to sow in hills was very great. This Drill will sow in a continuous row, in the ordinary way, with the greatest regularity; but its distinctive feature is that it will drop neatly in hills, either 4, 6, 8, 12 or 24 inches apart. It opens the furrow, drops in hills or drills, covers, rolls down and marks the next row, all at one operation. The hopper holds three quarts. The wheel is 13 inches high. It is changed in a moment from hill-dropping to drill work, it has a force feed, sows equally well whether the hopper is full or contains only a paper of seed, and will not injure delicate seed, such as radish, cabbage, etc., which are so often peeled or crushed by Drills having agitators or metal wheels. It is nicely adapted to all conditions of land, working especially well in fresh ground or when planting on a ridge. The plow is adjustable, and opens a very narrow furrow, which is a great advantage for after-cultivation.

This is the first year that this machine.

THE NEW "PLANET JR." HILL-DROPPING SEED I)RILL thoroughly by careful gardeners and nurserymen during the season of 1895, and the manufacturers guarantee it to


The Planet Jr. Combined Hill-Dropping and Fertilizer Drill.

This tool is also new, and as a drill is exactly the same as the machine just described. The fertilizer hopper

This tool is also flew, and as a drift is exactly in holds one peck. The fertilizer can be sown in any quantity necessary, either above or below the seed, as desired, by setting that plow deeper or shallower than the other. The drills may be satisfactorily used also to sow either seed or fertilizer alone. The used also to sow either seed or fertilizer alone. The amount sown is regulated accurately by the dials, and the discharge of both may be stopped and started instantly, either separately or together, thus avoiding all loss at the ends of the row. Like the plain Hill-Dropping Drill, it does not sow when drawn backward, and can quickly be thrown entirely out of gear. This machine will be a great boon to all farmers and market-gardeners. It is thoroughly well made, and guaranteed to do satisfactory work. **Price, \$14**.

The Planet Jr. No. 2 Seed Drill.


This is a simple and most accurate drill, and



This is a simple and most accurate drill, and has been the standard machine for years. It holds two and one-half quarts. It sows all garden seeds accurately at any desired thickness or depth; it opens, drops, covers, rolls down and marks the next row, all at one passage, in the most perfect manner. The continual revolution of the hopper keeps the seed loose, and makes sowing difficult seed, such as carrot, parsnip, beet, salsify, easy and perfect. The machine has no agitators, and hence delicate seed can be sown without danger of injury. It is the best machine on the market, except the Hill-Dropping Drill described above. This machine, with the "Planet Jr." Double Wheel Hoc (see description), makes an excellent combination for market-gardeners, and especially onion growers.

Price, \$6.50.

The Planet Jr. Combined Drill, Wheel Hoe, Cultivator, Rake and Plow.




COMBINED DRILL, WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

This is unquestionably the most popular and perfect machine of its kind made. As a seed drill it is the same as the No. 2, except in size. It holds one quart. It has all the tools shown in cut. All blades are steel, tempered and polished. The Rakes are invaluable for preparing the ground for planting, for covering seeds, first cultivation, etc. The Hoes work closely and safely all rows up to 16 inches wide at one passage, leaving the ground nearly level. The plow opens furrows, covers them, hills, plows to and from, etc. The Cultivator teeth are admirably adapted to deep mellowing of the soil and marking out.

Taken as a whole, this combined tool is the nearest approach to perfection for the uses of a gardener that can well be devised in a single implement. **Price**, \$9.

The Planet Ir. Double-Wheel Hoe, Cultivator Rake and Plow.

This tool is the best for all who raise onions or garden vegetables on an extensive scale. It does the work of six to ten men with ordinary hand hoes. It can be used to straddle the rows or between rows,



Plain Double-Wheel Hoe .- To

DOUBLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

will be offered with only one pair of hoes and without leaf-guards, as the "Planet Jr." Pouble-Wheel Hoe,

\$3.50. This makes a very effective and cheap tool for parties who have limited work or chiefly hoeing.


The Planet Jr. Single-Wheel Hoe, Cultivator, Rake and Plow.

The tool combines lightness, great strength, variety and adjustability of tools. It has all the tools shown in the cut. It is pronounced by practical men without an equal in design and finish, ease of operation, when the strength is the strength of the s variety of adjustment and perfection of work. The form of the hoe insures a forward slanting cut next to the plant, and consequent close work without danger, and at the same time thorough cultivation of the sail. The rules and cultivator teeth in the soil. The rakes and cultivator teeth, in combination with the hoes and plow, enable



SINGLE WHEEL-HOE, CULTIVATOR, RAKE AND PLOW COMBINED.

combilation with the noes and plow, enable the operator to perform almost every variety of work, either in field or garden. A leaf-guard (detachable) is very useful in late hoeing. All rows from 6 to 18 inches apart can be perfectly hoed at one passage. The frame allows every desirable adjustment, is quickly raised and lowered to regulate depth, and the wheel can be attached centrally or at one side of the machine, giving the operator the advantage of hoeing both sides of the row at one passage when desired. **Price**, \$4.50.



"FIRE-FLY" WHEEL GARDEN PLOW.


"Fire-Fly" Wheel Garden Plow.

This tool is intended for those who have but small This tool is intended for those who have but small gardens and a moderate amount of time to spend in them. It enables them to raise vegetables for their family or for market with a minimum expenditure of labor and time, the latter being often the most important item to many who would be glad to grow their own vegetables if they could do it in their spare moments. The moldboard is tempered and polished steel. The depth may be changed as desired very quickly. The low price brings it within reach of all. **Price**, \$2.

The "Fire-Fly" Single-Wheel Hoe, Cultivator and Plow Combined.



The Planet Jr. Grass-Edger.



A cheap, handy and effective Grass Edger is a treasure, and here it is: one with which you can in an hour edge beautifully the walks and the flower and shrub beds of an ordinary half-acre lawn. Think of it; why in the usual way it would take a day. This perfect little tool does either straight or curved work most accurately, edging at the desired augle and at the speed of a mile an hour. It will give more genuine pleasure and satisfaction for a moderate cost and the little time expended in its use than the lawn mower. It should be the constant companion of the mower, and is regarded as invaluable in giving the last touch of neatness to the lawn when the mower has done its best. Strawberry growers will find it a rapid and perfect tool for cutting off surplus runners. For this work the hoe may be used alone with great satisfaction in the vegetable garden, first cutting away from the crop, and then returning the earth. All the "Planet Jr." tools are remarkable for their adaptability to different conditions, the ease with they may be operated, and the long time they remain in good running condition. **Price**, \$5.

FLOWER SEEDS.

GENERAL, DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-Hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth—every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second, and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants that live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as TENDER, HALF-HARDY OF HARDY.

Tender Biennials and Perennials are greenhouse or dwelling-house plants requiring artificial heat to protect them from frost.

Half-Hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures. The use of strong, crude manures should be carefully avoided. In ordinary good soil, an annual dressing of decomposed stable manure, dug in to the depth of about ten inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing. With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York City) hardy kinds may be sown in the open ground about the middle of April, half-hardy during the first week of May, and tender after the middle of May.

The best method to obtain early flowers is to sow seed of the most desirable tender and half hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hot-bed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing. Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The Depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting. As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The Risk and Trouble of transplanting may be avoided by adopting the following method of sowing the seed: Take a package of say twenty varieties, and number the bags from one to twenty; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings, or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk [*] denotes climbing plants.

The (") or (-) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which, see page 56.

The Third Column shows the color of the flower, abbreviated as follows, viz:

```
sul.—sulphur.
                                                     r.-red.
                                   1.-light.
                 cr.-crimson.
h ---blue.
                                                                       tri.-three col'd.
                                                     ro.-rose.
blk .- black.
                  div.-diverse.
                                   li.-lilac.
                                                     saf.-saffron.
                                                                       v.-violet.
bord .- bordered da .- dark.
                                   mar.-marbled.
                                                                       va.-variegated.
                                                     s.—scarlet.
                  gn.-green.
                                   or.-orange.
br.-brown.
                                                     spot.-spotted.
                                                                       w.-white.
                 gol.-golden.
                                   pk.-pink.
bu.-buff.
                                                                      yel .- yellow.
                                                    stri.-striped.
                 gy.-gray.
                                  pur.—purple.
car.—carmine.
```

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denoting trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz:

```
tA.—tender annual.
hhA.—half-hardy annual.
hhB.—hardy annual.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhB.—half-hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

nial and perennial plants will nower the first year from seed, it started early in discount for the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 65.


FLOWER SEEDS.

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany, all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.


For Ornamental Grasses, see page 51; Flower Seeds by Weight, page 65; Index of Common Names, etc., pages 55 and 56.

Flower Seeds Forwarded by Mail, Free of Postage, on Receipt of Prices Annexed.


Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	New Deep Rose	pink	1/2	hhA	IO
Abutilon in vars	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	.4	tP	25
Acacia in vars	Acacia, Fine Mixed	div.	div.	tP	25
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum†	Everlasting Flower, Rose White	rose white	I	hhA hhA	5
—album†	Double Rose	rose	I	hhA	IO
Adlumia cirrhosa	Mountain-fringe Vine	pink	10	hP	10
Adonis æstivalis	Pheasant's-eye	scarlet	1	hA	5
Ageratum Mexicanum	Ageratum, Blue	blue	2	hA	5
nanum	Imperial Dwarf	blue	1/2	hA	5
—album	Dwarf White	white	1/2	hA	5
Lasseauxi	Rose-flowered	rose	Í	hP	5 5 5 5
Agrostemma coronaria	Rose Campion	rose	2	hP	5
—alba	White Campion	white	1 1/2	hP	5 5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	1 1/2	hhA	
linifolia	Rœzl's New	l. s.	I	hhA	Io
Aloysia citriodora Alstræmeria hybrida	Lemon-scented Verbena	white div.	2 2	hhP tP	Io Io
Althea alba fl. pl	Finest Hybrid	white		hB	IO
coccinea fl. pl.	Double Scariet	scarlet	3 3	hB	10
rosea fl. pl	Double Rose	rose	3	hB	IO
lutea fl. pl	Double Yellow	vellow		hB	10
varius fl. pl	Double Mixed	div.	div.	hB	10
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	1	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA	5 5 5 5 5
caudatus†	Love-lies-bleeding	crim.	3	hhA	5
hypochondriacus†	Prince's-feather	crim.	3	hhA	5
Henderi melancholicus	Amaranthus, Variegated	div.	3	hA	
bicolor ruber	Blood Red	red car.&vl.	3 2	hhA hhA	5 5
salicifolius	Fountain Plant	br. &s.	3	hhA	10
nobilis pyramidalis	Rose-spiked		5	hhA	
Ammobium alatum†	Ammobium, Winged	white	11/2	hA	10
Ampelopsis Veitchii*	Japanese Ivy		50	hP	5
Anagallis varius	Pimpernel, Mixed	div.	1	hhA	5
Anchusa Capensis	Cape Alkanet		2	hhP	10




Bridger and Selb Caracoul.							
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.		
Anemone coronaria	Wind flower	div.	I	hP	\$0 05		
pulsatilla	Pasque-flower	violet	I	hP	5		
Antirrhinum hybridum	Snapdragon, Fine Mixed	div.	1 1/2	hhP	5		
Angelonia grandiflora	Angelonia, Sweet-scented	blue	1 1/2	tP	15		
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5		
Aquilegia Siberica	Columbine, Double Violet	violet	1 1/2	hP	10		
chrysantha	Golden-spurred	yellow	2	hP	10		
cœrulea	Large-flowered	b. & w.	2	hP	IC		
Skinneri	Scarlet and Yellow	sc.&yl.	1 1/2	hP	10		
caryophylloides	Striped	striped	1 1/2	hP	10		
varius	Vulgaris and Mixed	div.	2	hP	10		
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	10		
Arctotis breviscapa	Arctotis, Orange, Dark Center		1/2	hhA	IO		
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5		
speciosa	Yellow	yellow	2 1/2	hA	10		
Aristolochia sipho*	Dutchman's-pipe Vine	vel &br.	15	hP	IO		
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25		
Asclepias tuberosa	Swallow-wort	orange	2	hP	5		
Asperula azurea setosa	Asperula, Light Blue	blue	ī	hA	IC		
odorata (Woodruff)	Sweet-scented	white	1/2	hP	10		
st er Chinensis Eugenie.	Aster, Imbricated Pompone	div.	2	hA	IC		
Comet Rose	Comet	rose	2	hA	IC		
—Snow White	White	whit e	2	hA	IC		
Truffaut's White	Pure White	white	1 1/2	hA	IC		
——Blood Red	Dark Red	red	1 1/2	hA	13		
——cœruleus	Black-Blue	blue	1 1/2	hA	IC		
— — Mixed	Pæony-flowered	div.	2	hA	Ic		
Ball, or Jewell	Apple Blossom		2	hA	IC		
Snowball, or Princess	Pure White		1 1/2	hA	25		
Branching	Late Blooming	div.	2	hA	IO		
Cocardeau	Crown-flowered	div.	2	'nΑ	10		
Washington	New Perfection	div.	2	hA	10		
Mignon	Pure White Mignon	white	1 1/2	hA.	15		
-Mignon Mixed	Mixed	div.	I 1/2	hA	15		
Victoria White	Dwarf White	div.	I 1/2	hA	10		
——Mixed	Mixed Victoria	div.	2	hA	IO		
chrysanthemiflorus	Dwarf Bouquet		I 1/2	hA hA	10		
Ried'sM ixed	German Quilled	div.	2	hA			
varius	Biennial Aster	blue	1 1/2	hhB	10		
tenellus	Astragalus, Red-fruited	rose	2	hP	IC		
Athanasia annua	African Daisy	yellow	ī	hA	IC		
Aubrietia deltoides	Rock Plant	lilac	1/2	hP	IC		
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25		
Balsamina impatiens rosea		rose	1 1/2	tP	10		
—kermesina	Double Scarlet	scarlet	11/2	tA	IC		
—albiflora	Double White	white	1 1/2	tA	IC		
-violacea	Double Violet	violet	1 1/2	tA	IC		
-Victoria	Double Striped	striped	11/2	tA	IC		
-Solferino	Double Spotted	spotted		tA	IC		
—camelliaflora	Mixed Double	div.	2	tA	10		
-varius	Mixed Paris	diy.	1 1/2	tA			
Baptisia australis	(Polydaria australis)	blue	2	hP			
Begonia hybrida	Begonia, Single Tuberous-rooted	div.	2	tP	25		
—fl. pl	Double Tuberous-rooted	div.	2	tP	50		
Bartonia aurea	Golden Bartonia	yellow	11/2	hA			
Bellis perennis	Daisy, Finest Double	div.		hhP	2		
-Longfellow	Double Rose	rose	1/2 1/2	hhP	2		
Belvedere Kochia	Summer Cypress	yellow	3	hA			
Bidens atrosanguinea	Dahlia Zimpani			hA	1		
			6	hP	1		
Bocconia Japonica	Bocconia, Oak-leaved	white	0	nr	1 1		
Bocconia Japonica		blue	3/4	hhA	3		
Bocconia Japonica Brachycome iberidifolia	Bocconia, Oak-leaved Daisy, Blue Swan River Mixed		3/4		10		
Bocconia Japonica	Bocconia, Oak-leaved Daisy, Blue Swan River Mixed	blue	3/4 3/4 1 1/2	hhA	10		
Bocconia Japonica	Bocconia, Oak-leaved Daisy, Blue Swan River	blue div. blue white	3/4 3/4	hhA hhA	10		



			Height	Duration	Price
Dotanical Names, etc.	Common Names, etc.	Color.	in Feet.	Hardi- ness.	per Paper.
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	ı	hA	\$0 05
aurantiaca	Orange	orange	I	hA	5
Calandrinia speciosa	Lindley's Calandrinia	red	I	hA	5
—umbellata	Umbel-flowered	crim.	I	hΑ	IO
Calceolaria hybrida grand.	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	1 1/2	tP	25
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	yellow	1 1/2	hA	IO
Calampelis scaber* Calendula pluvialis	(Eccremocarpus) Vine	white	10	tA hA	10
-officinalis	Double Pot	orange	I	hA	5 5
-Meteor	Double Pot	golden	I	hA	5
-Prince of Orange		golden	I	hA	5
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	5
—coronata	Crowned	spotted	1 1/2	hA	5
—Golden Wave	Golden Yellow	yellow	I	hA	5
-atrosanguinea	Crimson	crim.	2	hA	10
Callirrhoe pedata	(Nuttalia grandiflora)	red	2	hhA	10
Campanula medium	Canterbury-bell, Blue	blue	2 1/2	hhB	5
—alba	White	white	2 1/2	hhB	5
—in varieties	Single Mixed	div. white	2 1/2	hhB	5
—alba fl. pl	Double White Double Pink	pink	2 1/2	hhB hhB	IO IO
—rosea fl. pl —varius	Double Mixed	div.	2	hhB	10
speculum	Venus' Looking-glass	div.	3/4	hA	5
earpatica	Carpathian Bell-flower	div.	1/2	hP	5
Candytuft. See Iberis.			/2		
Canna indica	Indian-shot, Scarlet	scarlet	2	hhP	5
Nepalensis	New Yellow	1. & y.	3	hhP	10
Madam Crozy	Scarlet Yellow Border		3	hhP	IO
In varieties	Crozy's Finest	div.	31/2	hhA	IO
Cannabis gigantea	Giant Hemp		10	tA	5
Cardiospermum halica'm*	Balloon-vine	white	10	tA	5
Carduus benedictus	Ornamental Thistle	yellow	3.,	hA	IO
Castilleja indivisa	Scarlet Castilleja Sweet-scented Cedronella	scarlet purple	1 1/2	hhA lıP	25
Cedronella cana Celosia cristata, in vars.†	Cockscomb, Mixed	div.	2	tA	5
—Japonica	New Japan	scarlet	3 2	tA	10
—margaritacea†	Rose-spiked	rose	2	tA	5
-Glasgow Prizet	New Purple	purple	3/4	tA	10
aurea pyramidalist	New Golden	golden	2	tA	10
Triomphe d'Exposit'n		crim.	3	tP	10
kermesina†	Crimson-feathered	crim.	2	tA	10
Centaurea moschata	Sweet Sultan, Purple	purple	2	hA	5
—alba	White	white	2	hA	5
suaveolens	Yellow	yellow	1 1/2	hA	5
in vars	Mixed	div.	div.	hA	5
cyanus —fl. pl	Double Mixed	div.	2	hA	5
—cœruleus	Blue-bottle		2 2	hA hA	5
-rosea · · · · · · · · ·	Rose		2	hA	5
Americana	Centaurea, American		3	hA	5
Clementei	White Cut-leaved	white	I	hhP	10
gymnocarpa	Silver Cut-leaved	purple	1 1/2	hhP	10
candidissima	White-leaved	white	I	hhP	25
Centranthus macrosiphon.	Long-tubed Centranthus	pink	I	hA	5
Cheiranthus cheiri	Wallflower, Bloody	b. & w.	2	hhB	5
—fl. pl	German	div.	div.	hhB	10
Cerastium Biebierstieni	Silver-leaved Rock Plant		1/2	hP	10
mami Sanauca diacantha	Spine-leaved Chamæpeuce	var.	2	hP	10
Chamæpeuce diacantha					
Chelone barbata	Bearded Penstemon	scarlet	din.	hP	10
	Finest Mixed	div.	div.	tP hA	25 5




			Think	Duration	Deter
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	and Hardi- ness.	Price per Paper.
Chrysanthemum Lord Bea-					
consfield	Chrysanthemum, Crimson-edged	crim.	Ī	hA	\$0 10
The Sultan	Maroon, Gold Ring	maro'n	ī	hA	IO
venustum	Crimson	crim.	2	hA	5
varius	Double Annual Mixed	div.	div.	hA	5
frutescens	Paris Daisy, Marguerite	white	I	hA	10
indicum fl. pl	Chinese Artemesia	div.	div.	hhP	IO
Cineraria hybrida grand	Cineraria, Hybrid	div.	2	tP tP	25
—nana in vars —flore pleno	Dwarf Hybrid	div.	I	hhP	25 50
maritima	Dusty-miller	vellow	1 1/2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	5
pulcherrima	Crimson	crim.	1 1/2	hA	10
—alba nana	White	white	3/4	hA	10
varius	Mixed	div.	div.	hA	5
Clematis flammula*	Virgin's-bower	white	IO	hP hhP	10
varius*	Mixed Perennial Clematis Spiderwort or Spider-flower	div.	div.	hA	52
Clianthus puniceus*	Glory Vine, Crimson	crim.	4 6	tP	10
Dampieri*	Dampier's	scarlet	6	tΡ	10
Clitonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	10
—alba	Pure White	white	1/2	tA	10
Cobœa scandens*	Cobea, Climbing	purple	20	tP	10
—alba*	White Climbing	white	10	tP	15
Coccinea indica*	New Scarlet-fruited Gourd	red	6	tA.	10
Cockscomb. See Celosia.	Fine Mixed Coleus	div.	div.	tP	25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	I	hA	5
—alba	White	white	I	hA	5
vera	Sky blue and White	sk-b&w	ī	hA	5
varius	Mixed	div.	r	hA	5
Collomia coccinea	Scarlet Collomia	scarlet	I	hA	5
Commelina cœlestis	Blue Commelina	blue	I ½	hhP	5
Convolvulus majus albus*. —kermesinus*	Morning-glory, White	white scarlet	10	hA hA	5 5
—maculatus*	Spotted	div.	10	hA	5
—varius*	Mixed	div.	IO	hA	5
-azureus superbus*	New Golden	yellow	8	hA	10
mauritanicus	Convolvulus, Bright Blue	blue	tra.	hhP	IO
un caulis	Upright	b.&pur.	1	hA	5
minor albus	White Dwarf	white	tra.	hA	5
—monstrosus	Large-flowering	tri. div.	tra.	hA hA	5
Coroepsis. See Calliopsis.	MINCU DWAIT	arv.	tia.	1171	3
Coronilla in vars	Mixed Coronilla	yellow	div.	tP	25
Cosmidium Burridgeanum.	(Cosmidium bicolor)	cr. & br.	2	hA	10
Cosmos bipinnata purpurea	Cosmos, Purple	purple	4	hA	10
—alba	White	white	4	hA	10
in vars	Mixed(Tolpis barbata)	div. yellow	4	hA hA	5
Crepis barbata	Red Hawkweed	red	I	hA	5
Crucianelia stylosa	Perennial Rock-plant	pink	1/2	hP	10
Cucumus flexuosus*	Melon, Snake		10	tA	10
odoratissimus*	Pomegranate	yellow	Io	tA	5
grossularifolius*	Gooseberry-fruited	yellow	8	tA	10
perennis*	Cucumber Vine		15	tA.	10
Cucurbita aurantiaca*	Gourd, Mock-orange	yellow	10	tA t A	5
melopepo* massue*	Apple-shaped	yellow white	10	tA tA	5
lagenaria*	Bottle	wiite	10	tA	5
Cuphea platycentra	Cigar-plant	tri.	I 1/2	tP	10
Cyclamen Persicum	Cyclamen. Mixed	w.&ro.	1/2	tP	25
—giganteum	Large-flowering	div.	1/2	tP	25
Cyclanthera pedata*	Climbing Cucumber	'i.ellow'	6	hA	10



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	\$0 05
Cytisus scoparius	Scotch Broom	yellow	3	hA	10
Dahlia nanus in vars	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double Large-flowering	div.	4	tP	10
Datura fastuosa alba	Double Stramonium	white	3	hA	5
meteloides	Datura, Wright's	y. & li.	2	hA	10
humilis fl. pl	Double	yellow	2	hhA	IO
Delphinium ajacis, in vars	Larkspur, Mixed Rocket	div.	1	hA	5
consolida in vars	Mixed Branching	div.	2	hΑ	5
imperiale fl. pl	Annual Double	blue	2	hA	IO
Stock-flowered	Rose Scarlet Double	r. scar.	1/2	hΑ	15
Brunonianum	Musk-scented	l. blue	I	hP	25
"Zulil"	Sulphur Yellow	yellow	3	hP	15
Chinensis in vars	Mixed Chinese	div.	2 1/2	hP	5
—formosum	Blue and White	b. & w.	2	hP	10
-cœlestinum	Celestial Blue	blue	2	hP	10
-album grandiflorum	Pure White	white	2	hP	10
nudicaule	New Scarlet	scarlet	1 1/2	hP	10
elatum	Mixed Bee	div.	3	hP	5
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA	10
—atrosanguinea	Double Red	red	3/4	hA	10
-varius	Fine Mixed	div.	dív.	hA	5
—nanus in vars	Double Dwarf	div.	1/2	hA	10
imperalis fl. pl	Pink, Double Imperial	div.	ĭ	hA	10
—nanus in vars	Dwarf Crimson	crim.	1/2	hA	IO
Heddewigi	Mixed Single Japan	div.	ī	hA	10
—fl. pl.	Mourning-cloak	div.	I	hA	10
—diadematus fl. pl	New Diadem	div.	ī	hA	10
—laciniatus	Fringed Japan	div.	1 1/2	hA	10
-striatus fl. pl	New Striped Japan	div.	I	hA	10
deltoides	London Pride or Maiden	pink	3/4	hP	
plumarius	Pheasant's-eye	div.	I	hP	5 5
	Carnation Pink, Mixed	div.	2	hhP	10
caryophyllus in vars —flore pleno	Marguerite	div.	I	hhP	10
—nanus	Double Dwarf Vienna	div.	I	hhP	10
-Grenadin fl. pl	New Scarlet	scarlet	1 1/2	hhP	25
	Tree, or Monthly	div.	2	hhP	25
—perpetual fl. pl punctatus	Pink, Mixed Picotee	div.	2	hhP	25
	Sweet-William, Mixed	div.	I	hP	-
barbatus in vars	Double Mixed	div.	I	hP	5 10
—flore pleno		red	1 1/2	hP	
Dictamnus rubra	Fraxinella, or Gas plant		2	hhA	5 10
Didiscus cœrulea	(Trachimene Hugelia)	blue	div.	tP	3
Dracæna in vars	(Cordyline)	div.		hP	25
Digitalis alba	Foxglove, White	white	3		5
purpurea	Purple	purple	3	hP hP	5
punctata	Spotted	spotted	div.		5
in varieties	Mixed	div.		hP	5
gloxiniæflora	Gloxinia-flowered	div.	21/2	hP	5
Dolichos lablab*	Hyacinth-bean, Purple	purple	10	tA	5
—albus*	White		10	tA	5
Dracocephalum Canadense.	Ralm of Gilead Fine Mixed Echeveria	li &pur.	div.	hhP tP	Io
Echeveria in vars			div.	tP	25
Epacris hybrida	Mixed Hybrid Epacris	div.	div.		50
Erica in varieties	Fine Mixed Heath			tP	25 Io
Erodium moschatum	Musk Geranium		34	hhP	10
Eryngium Leavenworthi†.	Purple Everlasting-flower	purple	2	hA hA	
Erysimum Peroffskianum	Hedge Mustard	orange	I	hA	5
Erythrina crista-galli	Coral-plant	scarlet	4	tP	25
	Chriseis, Californian	yellow	1	hA	5
Eschscholtzia Californica	10 1	1	_	1- A	
-Mandarin	Orange and Scarlet	or.&sc.	I	hA	5
	Orange and Scarlet Orange Rose	or.&sc. orange rose	I	hA hA hA	5 5 5

Botanical Names, etc.	Common Names, ≥tc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper
Schscholtzia varius	Chriseis, Fine Mixed	div.	I	hA	\$0 C
ucalyptus globosus	Fever-and-Ague Plant		IO	tP	1
Supatorium Fraseri	White Eupatorium	white	2	hnP	1
Suphorbia marginata	Snow-on-the-Mountain		2	hhA	
pandurata	Red-striped	lilac (lilac	3	$hhA \mid$	I
Cutoca Wrangeliana	Eutoca, Wrangel's	blue	I	tA tA	
viscida 'enzlia dianthiflora	Bright Blue Three-colored Fenzlia	l.cr.∨	1/2	hhA	1
erns in varieties	Fine Mixed Ferns	div.	div.	hhP	
'uchsia in varieties	Mixed Fuchsias	div.	div.	tP	2
aillardia picta	Gaillardia, Painted	cr. & y.	I	hhA	
—Lorenziana	Mixed	div.	11/2	hhP	1
entiana acaulis	Blue Gentian	blue	1/2	hP	
eum coccineum fl. pl	Double Geum	scarlet	1 1/2	hP	
ilia tricolor	Gilia, Three-colored	3-col.	ı	hA	
nivalis alba	Snow White	white	I	hA	
capitata	Azure Blue	blue	τ	hΛ	
in varieties	Mixed	div.	I	hA	
revillea robusta	Silk Oak	orange	5	t P	1
laucium rubrum	Horned Poppy, Red	red	I	hhP	1
corniculatum	White-leaved	yellow	I	hhP	
Hoxinia, Emperor Fred'k	Scarlet Gloxinia	scarlet	I	tP	
in varieties	Finest Mixed	div.	I	tP	
Podetia, Duchess of Albany	Godetia, White	white	1 1/2	hA	
Lady Satin Rose	Brilliant Rose	rose	1 1/2	hA	
Lady Albemarle	Dark Crimson	crim.	1 1/2	hA	
Somphrena globosa alba† .	Globe Amaranthus, White	white	I	tA	
—kermesina†	Crimson	crim.	I	tA.	
—aurea†	Orange	orange	I	tA.	
—nana compacta†	Rich Red		1/2	tA	
in varieties†	Mixed	div.	I	tA	
ypsophila elegans	Gypsophila, White	white	I	hA	
muralis	Dwarf Rose	rose	1/2	hA	
ledysarum coronarium*	French Honeysuckle	r. & W.	2	hB	
Helianthus annuus	Sunflower, Double Dwarf	yellow	4	hA	
-Oscar Wilde	Yellow, Dark Center Mammoth Russian	gol. y.	4	hA hA	
—giganteum —centrochlorus fl. pl	Green-centered	yellow	9	hA	
-agrophyllus fl. pl	Silvery-foliage	y. & gr. striped	5	hA	
Helichrysum bracteatum;	Eternal Flower, Yellow	vellow	2	hA	
—album†	White	white	2	hA	
macranthum†	Pink	pink	2	hA	
-in varieties†	Mixed	div.	2	hA	
-nanum in varieties†.	Mixed Dwarf	y.& w.	1	hA	
monstrosum fl. pl.†	Mixed Double	div.	2	hA	
Ieliophila Arabiodes	Bright Blue Heliophila		3/4	hhA	
Heliotropium Peruvianum.	Mixed Heliotrope		div.	tP	
Ielipterium Sanfordi†	Everlasting-flower		1 1/2	hhA	
Iesperis matronalis	Mixed Sweet-rocket		2	hB	
Hibiscus Africanus	Bladder Ketmia		I 1/2	hA	
militaris	Rose-mallow	rose	4	hP	
Iollyhock. See Althea.					
Iumea elegans	(Calomeria Aramantoides)	red	6	hhP	
Iumulus Japonicus*	Japan Hop	green	25	hA	
beris amara	Candytuft, White	white	I	hA	
coronaria	Rocket	white	I	hA	
odorata	Fragrant		3/4	hA	
Dunnetti	Dark Crimson		I	hA	
lilacina	Rosy Lilac	lilac	3/4	hA	
Empress	Large White	white	1	hA	
umbellata	Purple	purple	1	hA	
in varieties		div.	1/2	hA	1
nana hybrida	Dwarf Mixed	div.		hA.	

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Impatiens glanduligera	Touch-me-not	red	2	tA	\$0 10
-Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomœa quamoclit*	Cypress-vine, Scarlet	scarlet	10	tA	5
—alba*	White	white	IO	tA	5
coccinea	Star Ipomœa, Scarlet	scarlet	IO	hA	5
—lutea*	Two-colored	s. & y.	10	hA	5.
Ferrandiana*	Ipomœa, Sky-blue	blue	10	hhA	5
grandiflora alba*	Moon-flower	white	10	tA	10
bona-nox*	Good-night	white	6	tA	5
rubro cœrulea*	Azure-blue	r. & b.	.10	tA	10
varius*	Mixed	div.	div.	tA.	10
Leari*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	I 2/	hA	5
kermesina	Crimson	crim.	3/4	hA	10
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	IO
Larkspur. See Delphinium				1, .	
Lathyrus odoratus albus*.	Sweet Peas, White	white	5	hA	.5
—carneus*	Crown Princess	rose	5	hA	5
—Butterfly*	White and Lilac	wh.& li.	5	hA	5.
—pictus*.	Painted Lady	scarlet	5	hA	5
—coccineus*	Invincible	car.	5	hA'	5
—Adonis*	Carmine	Cai.	5	hA	5
-Miss Blanche Ferry*	Rich red, white striped	purple	5 5	hA	5
—purpureus* —niger*	Purple New Black	black	5	hA	5
—Captain Clarke*	Tricolor	3-col.	5	hA	5 5
—Fairy Queen*	White and Rose	w. & ro.	. 5	hA	5
-Princess Beatrice*	Beautiful Rose	rose	5	hA	5
-Countess of Radnor*	Delicate Lavender	lav.	5	hA	5
—Primrose*	Pale Primrose Yellow	yel.	5	hA	5
-Emily Henderson*.	Large White	white	5	hA	5
-Lottie Eckford*	Rose and White, edged blue		5	hA	5
—Eckford's*	New Hybrid	div.	5	hA	5
-varius*	Finest Mixed	div.	5	hA	5
latifolius*	Everlasting Peas	rose	5 8	hP	5
—albus*	_ White	white		hP	10
Lavatera trimestris	Lavatera, Red	red	2	hA	5
Leptosiphon roseum	Leptosiphon, Rose	rose	I	hA	5
Liatris pycnostachya	Kansas Gay-feather	pink	3 3/4	hP	10
Linaria maroccana	Rose Linaria	rose	74 I	hhA	5
bipartita striata	Striped Linaria	div. lilac	tra.	hA hP	10
cymbalaria	Kenilworth Ivy	li. & w.	2	hhA	10
Linum Lewisi variegatum. grandiflorum rubrum.	Flax, Variegated	crim.	1	hhA	10
perenne	Perennial	blue	2	hP	10
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	10
Lobelia gracilis	Lobelia, Slender	l. blue	tra.	hhA	10
—alba	White	white	tra.	hhA	10
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
-Emperor William	Azure-blue	blue	1/2	hhA	10
-Crystal Palace	Blue		I	hhP	10
-Royal Purple	Blue, White Eye		I	hhP	10
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal-flower	scarlet	2	hP	10
Lophospermum in vars*	Mixed Lophospermum		8	tP	10
Lunaria biennis in vars	Honesty, or Satin-flower	br.a.w.	2	hB	5
I mainte ni cono	Sun-dial, Large Rose	rose	2	hA	5
Lupinus pilosus	Yellow		2	hA	5





ERRATUM.

Through an error of the printer, an important omission occurred in our list of Flower Seeds. From Musa Ensete to Myrsiphyllum asparagoides, inclusive, the list should read as follows:

read as follows: y. & br. 10 hhP	10
Abyssinian Danama blue ½ min	25
Musa Ensete Forget me-not, Alpine blue ½ hhP	
Myosotis alpestris Forget me-not, Alphae blue //2 hhp	10
	10
	10
	10
dissitiflora Smilay Vine green	
dissitiflora Large Blue green 6 ttP Myrsiphyllumasparagoides Smilax Vine green 6 ttP	

Botanical Names, etc.	Common Names, atc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Lupinus albus	Sun-dial, White	white	2	hA	\$0 05
hybridus insignis	Dark Red	d. red	2	hA	IO
Cruikshanki	Dark Blue		3	hA	5
tricolor elegans	Three-colored	tri.	.3	hA	5
varius	Mixed	div.	div.	hA	5
polyphyllus	Mixed Perennial	div.	div.	hP	5
Lychnis chałcedonica	Lychnis, Scarlet	scarlet white	3	hP hP	5
—alba Malcomia maritima	White Virginian Stock	red	3/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA	5 5
Malva zebrina	Striped Mallow	w.&pur	2	hA	5
Martynia fragrans	Fragrant Martynia	purple	2	hhA	5
Mathiola annua in vars	Stocks, Ten-Weeks, English	div.	1	hA	5
—fl. pl. mixed	German Large-flowering	div.	I	hA	10
—Snowflake	Double White	white	Ι	hA	25
bicornis	Night-scented	pink	1 1/2	hA	10
glabrum albus	Wallflower-leaved	white	I	hA	Io
—coccineus	Scarlet	scarlet	I	hA	10
—varius	Mixed	div.	I	hA	Io
biennis	Buck's Stock Gilli, Intermediate	scarlet	1 1/4	hhB	Io
—simplicicaulis	White Brompton	white	2	hhB	IO
—incarna purpurea	Purple Queen	purple	2	hhB hhB	IO
—fl. pl. in vars Matricaria eximia	Mixed German Brompton	div. white	ī	hhB	
grandiflora	Matricaria, Quilled Double White	white	1 1/2	hhB	5 5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	10
-rosea*	Rose	rose	8	tA	10
—coccinea*	Scarlet	scarlet	8	tA	Io
albiflora*	White	white	8	tA	IO
varius*	Mixed	div.	8	tA	10
Mesem bryanthemum					
cordifolium	Ice-plant, Annual	white	1/2 1/2 3/4	tA_	5
—variegatum	Variegated foliage	ro. & p.	1/2	hhP	10
glabrum	Dew Plant	red	3/4	hhA	5
Mignonette. See Reseda.	Consitius plant	ninle		tA	_
Mimosa pudica	Sensitive-plant	pink yellow	I 1/2	tA	5
Mimulus moschatus Roezl's	Monkey-flower, Yellow	yellow	1/2	hP	25
cupreus in vars	Hybrid	div.	I	hP	10
hybridus tigrinus	Mixed Spotted	spot.	3/4	tP	IO
—flore pleno	Double Mixed	div.	3/4	tP	25
Mina lobata*	Mexican Climbing Vine	wh.&r.	15	tA	10
Mirabilis jalapa in vars	Marvel of Peru, Mixed	div.	2	hA	5
—longiflora in vars	Scented	div.	2	hA	5
fol. variegatis	Variegated-leaved	div.	2	hA	5
Momordica balsamina*	Balsam-apple	yellow	10	hhA	5
charantia*	Balsam-pear	yellow v.'& br.	10	tP	5
Musa Ensete	Abyssinian Banana	blue	10	hhP	25 25
-Victoria	Dark Blue	blue	1/2	hhP	10
azorica	Blue and White	b. & w.	3/4	hhP	IO
palustris dissitiflora	Large Blue	blue	I	hhP	IO
Myrsiphyllumasparagoides		green	6	tP	IO
Myrtus communis		white	2	tΡ	IO
Nasturtium. See Tropæo-					
lum					
Nemophila discoidalis	Love-grove, Bordered	blk.&w	34	hhA	5
insignis	Bright Blue	blue	3/4 1/2 3/4	hhA	5
—alba	White	white	3/4	hhA	5
C. C	Snotted	div.	34	hhA	5
'maculata	Spotted		.1:		
maculatain varieties	Mixed	div.	div.	hhA	5
'maculata	MixedFlowering Tobacco		dív.		



			Height	Duration	Price
Botanical Names, etc.	Common Names, etc.	Color.	feet.	Hardi- ness.	Paper.
Walena avectuate	T. H. Nelson	h o h11-	<u> </u>	1. 0	
Nolana prostrata Nycterinia Capensis	Trailing Nolana(Nycterinia odorata)	b.&blk. white		hA hhA	\$0 05
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	3/4	hhP	10
Enothera biennis	Evening Primrose, Fragrant	yellow	2	hB.	5 5
bistorta Veitchii	Spotted	y. & cr.	ī	hA	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Orobus niger	Bitter Vetch	purple	I	hΑ	5
Oxalis rosea	Oxalis, Rose	rose	1/2	hhP	IO
delicata	Rosy Salmon	ro.&sal.	1/2	hhP	Id
Valdiviensis	New Sweet	yellow	1/2 1/2 3/4 1/2	hhP	10
Tropæoloides	Yellow-brown foliage		/2	hhA	10
Pansy, or Heart's-ease Papaver Rhœas	See Viola tricolor African Rose	div.	7.1/	hA I	1 _
glaucum	Tulip Poppy	scarlet	I 1/2	hA hA	5
album	Poppy, Double White	white	I ½ 2	hA	10
coccineus	Double Scarlet	scarlet	2	hA	5 5
umbrosum	Rich Vermilion, Black spot	ver.	1 1/2	hA	5
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed	div.	2	hA	10
Mikado	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French	div.	2	hA	5
somniferum fl. pl	Mixed Carnation	div.	2	hA	5
-nudicaule	Iceland Poppy, Mixed	1.1	2	hP	IO
orientale	Red Asiatic Yellow Asiatic	r. & bl.	2	hhP	10
Passiflora, in vars*	Mixed Passion-flower	yellow div.	11/2	hhP tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
-tricolor	Three-colored	div.	div.	tP	25
odorotissimum	Apple-scented	pink	1/2	tP	25
hybridum, in vars		div.	dív.	tP	25
Pentstemon gentianoides	Penstemon, Bicolor	pur.& w	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	10
—in varieties	Mixed	div.	2	hhP	IO
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA	5
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA hhA	5
nyctaginiflora	Striped	striped	tra.	hhA	5 10
Countess of Ellesmere	Rose	ro. & w.	tra.	hhA	10
varius	Mixed	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
— —inimitable	Mixed Blotched	div.	tra.	hhA	25
— —nana compacta	Dwarf Striped	striped	1/2	hhA	IO
— — aurea	Yellow-throated	yellow	tra.	hhA	25
flore pleno	Mixed Double	div.	tra.	hhA	25
fimbriata fl. pl	New Fringed		tra.	hhA	50
Phaseolus multiflorus.* Phlox Drummondii alba	Scarlet Flowering Bean	scarlet	10	hA	5 10
—alba fl. pl	Double White	white white	1	hA	10
—oculata	White, Purple-eyed	white	ĭ	hA	10
-Leopoldiana	Pink, White-eyed	pink	I	hA	Io
-coccinea	Deep Scarlet		I	hA	IO
—Isabellina	Pale Yellow	yellow	I	hA	IO
-Chamois Rose	Light Rose	rose	I	hA	IO
—William I	Red-striped		I	hA	10
-Black Warrior	Dark Red	1	I	hA	10
—marmorata —Princess Royal	Marbled and Striped	div.	I	hA hA	IO
—variabilis	Lilac, White-edged	div.	I	hA	10
—compacta	Dwarf Blood-red	red	1/2	hA	IO
-cuspidata and fim-	Swarr Blood red		12	.111	
briata	Star-shaped, Mixed	div.	I	hA	10
-varius	Fine Mixed	div.	I	nA	5
—grandiflora	Large Mixed	div.	I	hA	10
——splendens			I	hA	IO
Heynnoldi	Brilliant Scarlet	scarlet	1	hA	IO



Papaver. (Shirley Poppy.)



Mathiola. (Stocks.)



Passiflora. (Passion Flower.)



Petunia, Single.



Torenia.



Whitlavia.



Zinnia, Tom Thumb.

DKIDGE	ENANS SEED ON I	MLOG	uE.		49
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Phlox Drummondii hor-					
tensiæflora	Phlox Hydrangea	rose	I	hA	\$C 25
decussata	Mixed Perennial	div.	div.	hP	10
Pinks. See Dianthus.					
Platystemon Californicum.	California Poppy	yellow	I	hA	5
Polemonium cœruleum	Jacob's-ladder, Blue	blue	1/2 1/2	hP	5
album	White	white	1/2	hP	5
Polycalymma Stuarti†	Bicolor Everlasting		1 1/2	hhA	10
Polygala, in varieties Poppies. See Papaver.	Fine Mixed Polygala	div.	div.	tP	25,
Portulaca splendens aurea.	Sun-plant, Yellow	yellow	1/	hA	_
—purpureus	Purple	purple	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hA	5
—albiflora	White	white	1/2	hA	5
—Thellusoni	Scarlet	scarlet	1/2	hA	5· 5
—bicolor	Yellow and Purple	y.&pur.	1/2	hA	5
—aurantiaca	Orange	orange	1/2	hA	5
—rosea	Rose	rose	1/2	hA	5
—caryophylloides	Striped	div.	1/2	hA	5
—varius	Mixed Single	div.	1/2	hhA	5-
—flore pleno Potentilla, in varieties	Mixed Double Mixed Potentilla	div. div.	1/2 I	hhA hP	IO
*Primula elatior, in vars	Mixed Polyanthus	div.	1/2	hhP	IO
auricula	Fine Mixed Auricula	div.	. 1/2	hhP	10
Japonica	Purple Primrose	purple	I	hhP	25 IO
Obconica	Primrose, Everblooming	white	_	tP	25
fimbriata alba	Chinese Primrose, Fringed	white	3/4	tP	25
—rosea	Fringed Rose	rose	3/4 3/4 3/4 3/4	tP	25
—elegantissima	Fringed Spotted		3/4	tP	50
- striata	Fringed Striped	div.	3/4	tP	25
—flore-pleno	Mixed Double		div.	tP tP	50
—varius	Mixed Fringed Mixed Fern-leaved		div.	tP	25
—filicifolia Pyrethrum parthenium	Feverfew, Double	white	I 1/2	hhP	50
auratum	Golden-leaved		2	hhP	10
roseum	Rose-flowered Pyrethrum		2	hP	10
Reseda odorata	Mignonette, Sweet	buff	I	hA	5
—grandiflora	Large Sweet	buff	I	hA	5
—ameliorata	Pyramidal	rose	1 1/2	hA	5
—aurea	Golden Queen		I	hA	IO
—Machet	New Pot	red white	I	hA hA	10
eximea	Parsons' White	crim.	2	hA	5
—gigantea —Miles' Hybrid	New Spiral	buff	1 1/2	hA	5 5
Gabriele, very fine	Robust, Large Spikes	red.	3/4	hA	10
Rhodanthe Manglesit	Everlasting-flower, Rose	rose	I	tA	10
maculata†	Three-colored	y.r.&bk	2	tA	IO
—alba†	New White	white	1 1/2	tA	IO
varius†	Mixed		div.	tA	10
Ricinus sanguineus	Castor-Bean, Red		IO	tA	5
Borboniensis			15	tA	5
Cambodgensis	Ebony Black		10	tA tA	10
giganteus	New Giant	d. red	4	tA	10
Gibsoni varius	3.61 1	div.	div.	tA	5
Rosa in varieties	Fine Mixed Rose	div.	div.	hhP	10
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	IO
Salvia patens	Salvia, Light Blue	blue	ī	tP	25
splendens	Brilliant Scarlet	scarlet	3	tP	10
argentea	Silver-leaved	white	3	hP	10
horminum		purple	I	hA h A	5
Sanvitalia procumbens			tra.	hA hA	5
—flore pleno	New Double		I I	hA	5 5
Saponaria calabrica	Bouncing-Bet	burk	*	111.1	-

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Saxifraga, in varieties	Mixed Saxifraga	div.	tra.	hhP	\$0 10
Scabiosa candidissima	Mourning-bride, White	white	I ½	hA	5
coccinea nana	Carmine	car.	I 1/2	hA	5
varius	Dwarf Mixed	div.	I	hA	5
Schizanthus Grahami	Schizanthus, Red and Orange Pure White	r. & o. white	2	hA hA	5 5
in varieties	Fine Mixed	div.	2	hA	5
Sedum azureum	Stone-crop	yellow	1/2	hP	10
Maximowiczi	New Golden	yellow	1/2	hP	10
Senecio elegans alba	Jacobea, White	white	I	tA	5
—purpurea Silene armeria	PurpleCatchfly, Lobel's	purple pink	I I ½	tA hA	5
—compacta	Rose Purple	l. pur.	1/2	hA	5 5
Solanum capsicastrum	Orange-fruited Solanum		I	tP	10
melongena	Egg-plant, White	white	I	tA	5
-coccineum	Scarlet		3	tA	5
Statice Bonduelli	Statice, Golden	yellow	I	hhP	IO
Suworowi	Rose	rose	I	hhP	IO
incana hybrida	Hybrid Mixed	div.	1 1/2	hP	IO
Stevia serrata	Vanilla-scented Stevia	white	3	tP	IO
Stocks. See Mathiola. Sweet Peas. See Lathyrus.					
Tacsonia ignea*	Passion-flower-like	div.	7.0	tP	0.5
Tagetes patula aurea	Marigold, Double Golden	yellow	10 1	hA	25
—striata fl. pl	Double-striped	y. & br.		hA	5 5
striata	Cloth of Gold	striped	1 1/2	hA	5
pumila	Golden Ring		ı	hA	5
varius fl. pl	French Mixed		I	hA	5
erecta citrina fl. pl	Lemon African	yellow	2	hA hA	5
—aurantiaca fl. pl —Nugget of Gold	Orange African	orange vellow	2	hA	5
El Dorado	Double African	div.	1 1/2	hA	10
signati pumila	Yellow-striped (for edging)	y. & br.		hA	5
Thunbergia Bakeri*	Thunbergia, Pure White		4	hhA	5
aurantiaca*	Orange, Dark-eyed	orange	4	hhA	5
alata*	Buff, Dark-eyed		4	hhA	5
in varieties*	Superb Mixed	1	4,,	hhA tP	5
Torenia edentata	Summer Heliotrope		tra.	hhA	25
Trachelium cœruleum	Blue Trachelium		2	hB	IO
Trichosanthes colubrina*			10.	tP	10
Trifolium odoratum	Sweet-scented Clover	white	3	hA	5
Tropæolum peregrinum *	Canary-bird Flower	yellow	8	hA	10
majus Lobbianum*	Nasturtium, Mixed Perennial		6	tP.	10
Tom Thumb King	Dwarf Carmine		I	hA	5
sulphureum			I	hA hA	5
— —Bronze color — —Pearl			I	hA	5
— Ruby King			I	hA	5 5
——Golden King			(hA	5
- King Theodore.			I	hA	5
— —Empress of India	Dwarf Crimson		I	hA	5
— — varius	Mixed Tom Thumb		I	hA	5
majus Schillingi*			6	hA hA	5
—The Pearl* —Dunnetti*				hA	5 5
-King Theodore*			6	hA	5
-atrosanguineum*			6	hA	- 5
varius*			6	hA	5
Valeriana, in varieties			2	hP	5
Greek	Sweet-scented	white	2	l hP	5

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Venidium calendulaceum	Orange, Brown Center		I	hhA	\$0 10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	IO
—striata	Italian Striped	striped	tra.	hhP	Io
coccinea	Bright Scarlet	scarlet	tra.	hhP	10
—Defiance	Dark Scarlet	d. s.	tra.	hhP	10
—cœrulea	Beautiful Blue	blue	tra.	hhP	10
—Mammoth	Mammoth Mixed	div.	tra.	hhP	10
—in varieties	Finest Mixed	div.	tra.	hhP	10
-varius	Fine Mixed	div.	tra.	hhP	5
tencroides	White Sweet	white	tra.	hA	Io
Veronica Syriaca	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w.&ro.	I	tA	10
—nova	Pure White	white	1	tA	10
rosea	Rose, Dark-eyed	rose	I	t A	IC
varius	Mixed	div.	I	tA.	10
Viola tricolor cœrulea	Pansy, or Heart's-ease, Blue	l. b.	1/2	hhP	10
—Bugnot's	Superb strains	div.	1/2	hhP	25
—Faust	King of the Blacks	black		hhP	10
—alba	White	white	1/2	hhP	10
—Prince	Yellow	yellow	1/2	hhP	10
—striata	Belgian or Fancy	div.	1/2	hhP	2.
-Emperor William	New Dark	b &pur.	1/2	hhP	10
—Odier	Five-blotched	div.	1/2	hhP	25
-Lord Beaconsfield	Violet and Lavender	ì	1/2	hhP	10
-Mahogany-colored		1	1/2	hhP	10
—maxima, in vars	Finest Mixed	div.	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hhP	25
-varius	Fine Mixed	div.	1/2	hhP	10
-Trimardeau	Extra Large Mixed	div.	1/2	hhP	25
odorata, in vars	Mixed Sweet Violet	div.	1/2	hhP	10
Viscaria oculata	Rose-of-heaven, Pink	pk.&s.	I	hA	
elegans picta	Painted	cr. & w.	I	hA	
varius	Mixed	div.	div.	hA]
	l m1 m 110	blue	1	hhP	1 10
Wahlenbergia grandiflora.		vellow	I 2	tA	,
Waitzia grandiflora	777 1 1 777 1 1 1	blue	1	hA	2
Whitlavia grandiflora		w. & b.	_	hA	Id
—gloxinoides		w. a b.	I	tP	
Wigandia Vigieri	7	purple	4	hA	I
Xeranthemum annuum†	White		2	hA	
—album†	D 1	pur.& v.	2	hA	I
imperialis fl. pl†	Dark		1	hA	
varium†	Mixed	1	2	hhP	1
Zauschneria Californica	Scarlet Tubular-flowered	1	I	hhA	2
Zea Japonica		white	5	hA	10
Zinnia elegans alba		scarlet	2	hA	IC
—coccinea		yellow	2	hA	IC
—aurea			2	hA	I
—purpurea			2 2	hA	IC
-violacea			1	hA	10
—grandiflora robusta			2	hA	10
—zebra			2	hA	1
—in vars		div.	2		10
—Tom Thumb	Dwarf Double Mixed		I	hA h A	10
—New Pompon	Double Cone-shaped Mexican Double	div.	I	hA hA	10
Haageana fl. pl	Marriagn Double	rougen	T %	1 11/1	1 (

ORNAMENTAL GRASSES.

Per pkt. Agrostis pulchella (hA) \$0 10	Perpkt. Perpkt. So Stragrostis elegans (Love-Grass) (hA) So Strianthus Ravennæ (hP) 10 Eulalia Japonica (hP) 10 Eulalia Japonica (hP) 10 Gynerium, sp. (Pampas Grass) (hP) 10 Hordeum jubatum (hA) 5 Lagurus ovatus (Hare's-Tail) (hA) 5 Setaria macrochæta (hA) 10 Stipa pennata (Feather-Grass) (hP) 10
Chrysurus aureus (Lamarkia) (hA)	Stipa pennata (Feather-Grass) (hP)

Collections of Flower Seeds.

GERMAN AND FRENCH FLOWER SEEDS.

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.


ASTERS.

Trufaut's French Paony-nowered Perfection, 12 distinct varietiesso	75
Truffaut's Imbricated Pompon French, 12 varieties	75
Quilled Double German, 12 varieties	75
New Dwarf Bouquet German (Boltz), 10 varieties	75
Globe or Uhland German, 10 varieties	75
Dwarf Chrysanthemum-flowered German, 6 varieties	50
Rose-flowered German, extra fine, 8 varieties	75
Cocardeau, or Crown (white center), 6 varieties	50
Giant Emperor German, 8 varieties	75
Betteridge's Prize, 12 varieties	75
New Victoria German, 8 distinct varieties	50
BALSAMS.	
Miniature or Dwarf German, 10 varieties	75
Camellia-flowered, extra double, spotted, 12 varieties	/3
Carnation-Striped, double, 8 fine varieties	
Double Dwarf Camellia-flowered, 6 varieties	75
Double Dwart Cameria-nowered, 0 varieties	75
STOCKS,	
Dwarf German Ten-Weeks, 12 varieties	~ ~
New Large-flowering Dwarf Ten-Weeks, 12 varieties	75
Wallflower-leaved Ten Weeks, 10 superb varieties	75
Wallifower-leaved Tell Weeks, To Super D varieties	75
Perpetual Emperor, 12 varieties	75
winter Large-nowering German, 8 varieties	75
MISCELLANEOUS COLLECTIONS.	
Alpine or Rock Plants, 8 varieties	~ ~
Amaranthus (Ornamental Sorts), 8 varieties	75
Antirrhinum (Snapdragon), 12 varieties	50
Antificial (Columbia) 12 varieties	75
Aquilegia (Columbine), 12 varieties	50
Canna (Dwarf French), 6 varieties	00
Callia (Dwarf French, o varieties	
Calliopsis (Coreopsis), 4 varieties	25
Campanula (Canterbury-bell), 6 varieties.	50
Celosia cristata (Cockscomb), 6 varieties	50
Chrysanthemums, Annual, 12 varieties	50
Climbing or Running Plants, 12 varieties	75
Coleus, Superb Mixed, 12 varieties	
Delphinium (Larkspur), 10 varieties	75
" Candelabra-formed, 6 varieties	60
Dianthus Chinensis (Annual Pinks), 12 varieties	00
Everlasting or Eternal Flower, 12 varieties	00
Ferns, Fine Mixed, 12 varieties	50
Fuchsia, 12 varieties 1	25
Herbaceous Hardy Plants	00
Hollyhocks, German Double, 12 varieties 1	00
Iberis (Candytuft), 8 varieties	40
Ipomœa Vines, 8 varieties	40
Lathyrus (Sweet-Peas), 10 varieties	50
Lupinus (Lupins), 8 varieties	40
Ornamental Grasses, 12 varieties	75
Ornamental-leaved Plants, 12 varieties	00
Pansy or Heart's-ease, 12 distinct varieties I	00
Papaver (Double Poppy), 12 varieties	75

GERMAN AND FRENCH FLOWER SEEDS (Miscellaneous Collections), continued.
Petunia fimbriata fl. pl., 6 varieties\$1 50
"Double, 6 distinct varieties
Single, 6 distinct varieties
Phlox Drummondii, 12 named varieties
Pinks, Carnation, 12 fine varieties
" Perpetual or Tree, 6 fine varieties 1 50
Portulaca, Double, 8 varieties
"Single, 10 varieties 50
Primrose, Fringed Chinese, 6 varieties
Salpiglossis hybrida, 12 varieties
Scabiosa (Sweet Scabious), 10 varieties
Tagetes (French and African Marigold), 8 varieties
Tropæolum (Nasturtium), Tom Thumb, 12 varieties
" Tall or Climbing, 12 varieties 75
" Lobbianum, 8 varieties 50
Verbena hybrida, 6 varieties
Wallflower, German Double, 6 varieties
Zinnia elegans, Double, 8 varieties

SEEDS ADAPTED TO GREENHOUSE CULTURE.

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names, in the descriptions of Flower Seeds.



ABUTILON.

Abutilon, in varieties.
Acacia, in varieties.
Alstrœmeria hybrida.
Angelonia grandiflora.
Azalea Indica.
Begonia hybrida.
Calceolaria, in varieties.
Campanula pyramidalis.
Centaurea Clementei.

"gymnocarpa.
Chorozema, in varieties.
Cineraria hybrida.
Convolvulus mauritanicus.
Coronilla, in varieties.
Cuphea platycentra.
Cyclamen persicum.
Dianthus caryophyllus (Carnation).

Dracæna, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Erodium (Musk Geranium). Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties. Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomœa Leari. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lopezia coronata. Lophospermum, in varieties. Mathiola (Stock Gilly). Maurandia, in varieties. Mimulus (Monkey-flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Solanum ciliatum. capsicastrum. Stevia serrata. Tacsonia ignea. Torenia edentata. Tropæolum Lobbianum, in varieties.

Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE-PLANTS.

(Suitable for Borders and Sub-Tropical Gardening.)

Amaranthus salicifolius. bicolor ruber. " tricolor. 66 Henderi. Aquilegia (Columbine). Bocconia Japonica. Canna (Indian-shot) Cannabis gigantea (Giant Hemp). Carduus benedictus. Celosia cristata (Cockscomb). " Huttonii. Centaurea candidissima. Cineraria maritima. Datura meteloides. Erythrina (Coral-plant). Eryngium Leavenworthi. Euphorbia marginata. " pandurata.
Glaucium (Horned Poppy).

Helianthus (Russian Sunflower). argophyllus. centrochlorus fl. pl. Humea elegans. Liatris (Gay-feather). Martynia fragrans. Nicotiana affinis (Tobacco). Ornamental Grasses. Perilla Nankinensis. Pvrethrum aureum. Musa ensete. Ricinus (Castor-oil Plant). Salvia argentea. Solanum ciliatum. Statice incana. Trifolium odoratum. Wigandia Vigieri. Zea Japonica.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS.

Ageratum, in varieties. Alonsoa, in varieties. Alyssum martimum. Aubrietia deltoidea. Brachycome (Swan River Daisy). Calandrinia umbellata. Callirhoe pedata. Centaurea candidissima. Cineraria maritima. Clintonia elegans. Convolvulus minor. mauritanicus. Eschscholtzia Mandarin. Fenzlia dianthiflora. Gilia tricolor, in varieties. Heliophila Arabioides. Iberis odorata, in varieties. Leptosiphon, in varieties. Linum (Flax). Loasa lateritia. Lobelia gracilis, in varieties. Lophospermum, in varieties.

Malcomia (Virginia Stock). Maurandya, in varieties. Mimulus (Musk Plant). (Monkey-flower). Nemophila (Love-grove). Nierembergia gracilis. Nolana prostrata. Pelargonium, Zonale (Geranium). Petunia, in varieties. Portulaca, in varieties. Reseda odorata (Mignonette). Sanvitalia procumbens. Saponaria (Soapwort). Saxifraga, in varieties. Sedum (Stonecrop). Thunbergia, in varieties. Tropæolum (Nasturtium). Verbena. in varieties. Vinca (Madagascar Periwinkle). Viola tricolor (Pansy). Viscaria (Rose-of-heaven). Zinnia Haageana.

Collections of Flower Seeds.

OUR OWN SELECTION.

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets of	Annuals,	Biennials and		best assorted\$8 c	
100	"	"	"	"	good assorted 4 c	00
50			"	"	best assorted 4 c	00
50	"	"	"	"	good assorted 2 c	00
25	"	"	best assorted			
20	4.6	"	good assorted	1	I C	00
12	"				· · · · · · · · · · · · · · · · · · ·	
10	"	"	good assorted	1		50
12	"				I 5	

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS.

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties Balsamina camelliæflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cynoglossum (Venus'-navelwort). Dianthus Chinensis (Pinks).
"barbatus (Sweet-william). " caryophyllus (Carnation). Delphinium (Larkspur). Didiscus cœrulea. Erysimum (Hedge-Mustard). Gilia, in varieties. Gomphrena (Globe-Amaranthus).

Gypsophila, in varieties. Heliophila Arabioides. Heliotropium (Heliotrope). Hesperis (Sweet-Rocket). Iberis odorata, in varieties. Lathyrus (Sweet-Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist). Petunia hybrida. Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning-bride). Senecio (Jacobea). Silene Armeria (Catch-fly). Smilax asparagoides. Tournefortia (Summer Heliotrope). Tropæolum (Nasturtium), Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES.

ne.

Common Name.	Botanical Nan
African Marigold	Tagetes.
African Daisy	Athanasia.
amethyst	Browallia.
Animated Oats	Avena.
Arabian Primrose	
Armeria	Statice.
Auricula	Primula.
Balsams	Balsamina.
Balsam-apple	Momordica.
Balsam-pear	Momordica.
Balm-of-Gilead	Dracocephalum.
Balloon-vine	Cardiospermum
Banana	Musa.
Beans	Phaseolus.
Bearded Penstemon	Chelone.
Bee Larkspur	
Bladder Ketmia	
Bluebottle	Centaurea.
Bell-flower	Campanula.
Bouncing-Bet	Saponaria.
Blue Hibiscus	Anoda.
Californian Poppy	Platystemon.
Calomeria	Humea.
Candytuft	Iberis.
Canary-bird Flower	Tropæolum.
Canterbury-bells	Campanula.
Cape Marigold	Calendula.
Carnation Pink	
Cardinal-flower	
Castor Bean	Ricinus.

Common Name.	Botanical Name.
Catch-fly	Silene.
China Pink	
Chinese Bell-flower	Abutilon.
Chinese Primrose	Primula.
Chinese Larkspur	Delphinium.
Clary	Salvia hominum.
Climbing Cucumber	Cyclanthera.
Clove Pink	Dianthus.
Cockscomb	Celosia.
Columbine	Aquilegia.
Coral-plant	Erythrina.
Cordyline	Dracæna.
Coreopsis	Calliopsis.
Cowslip	Primula veris.
Cypress-vine	
Daisy	
Dame's-violet	Hesperis. [mum.
Dew-plant	Mesembry anthe-
Dusty-miller	
Dutchman's-pipe	
Eccremocarpus	Calampelis.
Egg-Plant	
Eternal-flower	
Evening Primrose	
Everlasting Peas	
Fever-and-Ague Plant	
Feather-grass	
Flax	
Forget-me-not	MVOSOUS.
Foxglove	Digitalis.

Common Name.	Botanical Name.
Four-o'clocks	Mirabilis.
French Marigold	Tagetes.
Gas-plant	Dictamnus.
Gay-feather	Liatris.
Geranium	Pelargonium.
Gilliflower	Mathiola
Globe Amaranth	
Glory-vine	Clianthus
Gourds	Cucurbita
Hawkweed	Crenic
Heart's-ease	Viola
Heath	Familian
Hedge Mustard	Erysimum.
Hedgehog	Hedysarum.
Hollyhock	
Honesty	Lunaria.
Honeysuckle	Hedysarum.
Horned Poppy	Glaucium.
Hyacinth Bean	Dolichos. [mum
Ice-plant	
Immortal-flower	
Imperial Pink	
Indian-shot	
Jacob's-ladder	Polemonium.
Tapanese Maize	Zea.
Japan Pink	Dianthus.
Job's-tears	Coix (grass).
Joseph's-coat	Amarantus.
Lady's-slipper	Balsamina.
Larkspur	Delphinium.
London Pride	Dianthus.
Love-grove	Nemophila.
Love-grass	Eragrostis.
Love-in-a-mist	Nigella.
Love-in-a-puff	Cardiospermum
Love-lies-bleeding	Amarantus
Maiden Pink	Dianthus
Marigold	
Marvel of Peru	Mirabilie
Marian Donny	Arcomono
Mexican Poppy	Argemone.
Mignonette	Reseda.
Mock-Orange	Cucurbita.
Monkey-flower	wimulus.
Monk's-hood	Aconitum.
Morning-glory	
Mountain Fringe	
Mourning-bride	Scabiosa.
Musk Geranium	Erodium.
Musk-plant	Mimulus.

	Common Name.	Botanical Name.
	Nasturtium	Tropæolum.
	Passion-flower	Passiflora.
	Pasque-flower	Anemone.
	Pheasant's-eye	
	Pheasant's-eye Pink	Dianthus.
	Pinks	Dianthus.
	Polyanthus	Primula,
i	Poppy	Papaver.
	Pot Marigold	Calendula.
	Primrose	Primula.
	Prince's-feather	Amarantus.
	Ouaking-grass	Briza.
j	Rose, African	Papaver Rhœas.
1	Rose-of-Heaven	Viscaria.
1	Rose Campion	Agrostemma.
1	Sage	Salvia.
1	Saffron	Carthamus.
1	Satin Flower	
1	Scotch Broom	Cytisus.
. 1	Sensitive-plant	Mimosa.
8	Silk Oak	Grevillea.
1	Slipperwort	
ı	Snapdragon	
	Sneezewort	Helenium.
}	Spider-flower	Cleome.
1	Stock Gilli	Mathiola.
	Stone-crop	Sedum.
1	Sun-dial	Datura.
	Sunflower	Uolianthus
1	Summer Heliotrope	
1	Swallowwort	
	Swan River Daisy	Brachycome
	Sweet-Clover	Trifolium
1	Sweet-Peas	Lathyrus.
1	Sweet-Rocket	Hesperis.
	Sweet-Sultan	Centaurea.
	Sweet-William	
4	Tassel-flower	Cacalia.
i	Tobacco	Nicotiana.
1	Touch-me-not	Impatiens.
1	Variegated Spurge	Euphorbia.
1	Venus' Looking-glass.	Campanula.
1	Venus'-navelwort	Cynoglossum
	Virginian Stock	Malcomia.
1	Virgin's-bower	Clematis.
	Wallflower	
	Windflower	
(Youth-and-Old-Age	Zinnia.

FINEST MIXED LAWN GRASS.

Per qt., 25 cts.; per peck, \$1.25; per bushel, \$4.50.

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns Cemeteries, etc. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

BULBS No TUBEROUS ROOTS.

The Following are Kept in Stock, or Supplied to Order;

TUBEROUS-ROOTED BEGONIAS.

The Tuberous - Rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1.00 per doz., \$7 per 100.

Double Finest Mixed. 30 cts. each, \$3 per doz., \$22 per 100.

GLADIOLUS, FRENCH HYBRID.

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Named Sorts, as each, to per doz.

Named Sorts. 25 cts. each, \$2 per doz. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

DOUBLE TUBEROSES.

One of the most fragrant and beautiful of summer-flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3 50 per 100.

ASTILBE JAPONICA. (Spiræa Japonica.)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

ASPARAGUS TENUISSIMUS.

One of the grandest acquisitions for decorative purposes. The stems or fronds retain their freshness and rich green color for a long time after being cut. 50 cts. each, \$5 per doz.

AMARYLLIS.

Splendid greenhouse bulbs, and also well suited for house culture.

Atamasco. 20 cts. each, \$2 per doz. Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each. Vittata rubra. 50 cts. each.

CONVALLARIA MAJALIS.

(Lily-of-the-Valley.)

The most charming of spring-flowering plants. Pips, per 100, \$2; large clumps, 50 cts. each; small clumps, 25 cts. each, \$2.25 per dozen.

AMORPHOPHALLUS RIVIERI.

A 'very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

CALLA ETHIOPICA.

(Lily of the Nile.)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

CALADIUMS, FANCY.

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

CALADIUM ESCULENTUM.

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.; extra large bulbs, 50 cts. each, \$4.50 per doz.

DWARF FRENCH CANNAS.

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

CYCLAMEN PERSICUM.

Flowers of elegant and distinct shape and delicate colors. Large bulbs, 30 cts. each, \$3 per doz.

DAHLIAS.

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon and Large-Flowering. Named sorts, 25 cts. each, \$2.25 per doz.

SPECTABILIS, (Bleeding-Heart.)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

ERIANTHUS RAVENNAE.

A fine ornamental grass, similar in habit of growth to the Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 to 50 cts. each.

ERYTHRINA CRISTA-GALLI. (Coral Plant.)

A beautiful tender greenhouse shrub; very ornamental. First size, 50 cts. each, \$4.50 per doz.; second size, 30 cts. each, \$3 per doz.



TUBEROUS BEGONIA.

EULALIA.

Japonica Zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white across the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each. Japonica Var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine

FUNKIA (HEMEROCALLIS). (Day Lily.)

long time. 50 cts. each.

for parlor ornaments, remaining fresh a

Handsome perennial plants. They are quite hardy, and only require a moist soil and shady situation. 30 c. each, \$3 per doz.

HELIANTHUS MULTIFLORUS PLENUS. (Double Golden Sunflower.)

rfactly bardy and flowering

Perfectly hardy, and flowering from July until frost. The flowers are of rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

HYACINTHUS CANDICANS.

A magnificent hardy plant, producing in July and August a flower-stem about four feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

MANETTIA VINE. (Manettia Bicolor.)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

MADEIRA OR MIGNONETTE VINE.

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

LILIUM. (Lily.)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 25 cts. each.

Lancifolium roseum. 25 cts. each.

Tigrinum fl. pl. 25 cts. each.

Tigrinum splendens. 25 cts. each.

MYRSIPHYLLUM ASPARAGOIDES.

(Smilax.)

A very graceful climbing plant; can be used

either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

PEONY, HARDY HERBACEOUS.

Large flowers, ranging from the purest white to the richest crimson, and most attractive. Large roots, 50 cts. each, \$5 per doz.

PAMPAS GRASS.

(Gynerium Argenteum.)

A species of grass from South America, growing about six feet high, with plumes of yellowish white about two feet in length. 30 cts. each, \$3 per doz.

RICHARDIA ALBA MACULATA. (Summer Calla.)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

TIGRIDIA. (Tiger-Flower.)

Extremely handsome, producing many magnificent flowers in the open ground. Conchiflora. 5 cts. each, 50 cts. per doz., \$3.50

per 100.

Pavonia. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

TRITOMA UVARIA GRANDIFLORA. (Red-Hot Poker Plant.)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 c. each, \$3 per doz.

VALLOTTA PURPUREA.

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 50 cts. each, \$5 per doz.

SMALL FRUITS.

FOREIGN GRAPE-VINES FOR VINERIES.

One-Year-Old Vines, \$1; Two-Year-Old Vines, \$2.

Bowood Muscat. Berries very large, of a rich amber color when ripe.

Black Alicante or Black Tokay. A large, showy black grape; fine late variety.

Black Barbarossa. Berries round, very large; a late variety.

Buckland's Sweetwater. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.

Chasselas de Fontainebleau. Berries round and large, juicy and sweet.

Chasselas, White. Berries round; fair-sized bunch.

Charlsworth White Tokay. Berries oval and large; bunch very large, juicy and rich.

Duchess of Buccleugh. Berries round, golden color; an excellent bearer.

Frontignac, White. Berries round, medium size; very rich; a good bearer.

Gros Colman. A very handsome grape; berries and bunches of enormous size; hangs very late.

Hamburg, Black. Large, sweet and juicy; a well-known and leading variety; very fine. Lady Down's Seedling. Berries large, oval, firm, sweet and richly flavored. One of the best late black grapes.

Madresfield Court. Berries very large, black, and of a rich muscat flavor; a superb grape. Mrs. Prince's Muscat. Bunches large; berries medium size, nearly black.

Muscat of Alexandria. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Royal Ascot. Black oval berries; fine flavor.

Trentham Black. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. A late black grape; keeps well.

White Nice. Large bunch, and of very good quality.

HARDY GRAPE-VINES.

Allen's Hybrid. Medium early; amber white; tender and juicy, with a mild Muscat flavor. 75 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75 cts. each.Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor.Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet foxy flavor. Does well everywhere and is always reliable. 50 cents each.

Concord Chasselas. Early, very large, rich amber; free from foxiness. 75 cents each.

Delaware. Early, small, light red; juicy, with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late, reddish lilac, juicy and sweet; very vigorous and very good. 35 cts. each. Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.


El Dorado. A very beautiful grape, clear golden yellow and of best flavor; ripens ten days before Concord. 50 cents each.

Elvira. Medium early; pale green, juicy and sweet. 40 cents each.

Hartford Prolific. Extra-early, large and very productive. Desirable for home use. 50 cents each.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara, Early. Large, white, tender and sweet, bunches very compact; a popular white sort. 50 cents each.



HARDY GRAPE-VINES, continued.

Isabella. Medium-early; large, purplish black; with little pulp. 30 cents each. Lady Washington. White; bunches and berries quite large and of good flavor. 75 cts.

Lindley (Rogers' No.9). Light bronze; berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimac (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cents each. Prentiss. Bunch large; berry of medium size, yellowish green, sometimes tinted rose color. 75 cents each.

STRAWBERRIES.

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barn-yard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

Brandywine (new). Perfect flower. Fruit of large size, quite firm and shapely. Flowers large and thrifty, entirely free from scale or blemish. Season	doz.	Per 100
medium to late	00	\$6 00
of strong growth and exceedingly productive	50	3 00
flavor; the plants do well in most soils and locations	50	3 00
Dayton (new). Bi-sexual. The plants are robust, compact growers; fruit of a crimson color, large in size, uniform in shape, and very productive.	50	3 00
Early to medium	75	4 00
superior quality	75	3 50
season to late	75	3 50
beautiful crimson; season late	50	3 00
productive; blossoms perfect	75	4 50

STRAWBERRIES, continued. Per doz. P Parker Earle. A robust grower, with perfect flowers and good-sized fruit of	Per 100
fine quality; rather late	\$4 00
very large and vigorous 50 Shuckless. The Shuckless is recommended as a strong grower, producing berries of uniform size in great abundance and of best quality. A late	3 00
variety, with perfect flowers	5 00
and shape, quite firm, and of a rich scarlet color; very productive	4 00
crimson color, with large green hull	5 00
quite free from the ground. Medium to late	3 00
RASPBERRIES.	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of the	Per 100
richest-flavored berries \$1 00 \	 \$6 oα
Brandywine. Fruit bright red, very firm and fine-flavored; hardy, and very	
Cuthbert. Fruit red, large and sweet; very hardy I co	6 00
Gregg. A new black-cap of the largest size; very productive, and of excel-	
lent quality	6 00
ered in winter	6 00
bearer; fruit large and of a bright crimson color 1 00	6 00
BLACKBERRIES.	_
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower,	Per 100
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 oo
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 oo 6 oo
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 oo
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 Per 100 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 Per 100 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 Per 100 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 15 00 6 00 15 00 10 00 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 Per 100 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 10 00 15 00 6 c0 10 00 10 00 6 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 15 00 6 00 10 00 10 00 6 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 15 00 6 00 10 00 6 00 Per 100
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 15 00 6 00 15 00 6 00 10 00 10 00 10 00 10 00
Dorchester. Medium fruit; firm, sweet and high-flavored; a vigorous grower, producing large crops	\$6 00 6 00 6 00 6 00 7

SHRUBS NO VINES.

HARDY VINES AND CREEPERS.

Ampelopsis quinquefolia. (Virginia or Strawberry Creeper.) Leaves crimson in autumn; very strong grower. 50 cents each.

"Veitchii. (Japanese Ivy.) Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho. (Dutchman's-pipe.) Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans. (Trumpet-creeper.) Scarlet flowers in August; handsome. 50 cents each.

grandiflora. Very large flowers of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 75 cents each.

- " flammula. (Virgin's-bower.) White; very fragrant. 75 cents each.
- " Jackmanii. Large purple flowers; a great favorite. 75 cents each.
- "paniculata. Japan species. Rapid in growth, covering an immense space in one season; white fragrant star-shaped flowers in great masses during August and September. A valuable climber, 75 cents each.

Hedera helix. (Evergreen Ivy.) Leaves large and luxnriant; a standard vine. 25 to 75 cents each.

" helix tricolor. (Tricolor leaved Ivy.) Leaves green, white and rose! very pretty.
50 cents each.

Humulus lupulus. (Hop-vine.) A rapid grower; very ornamental. 30 cents each.

Hydrangea scandens. (Japan Climbing Hydrangea.) Leaves dark green; ornamental white flowers. A little tender while young. \$1 each.

Lonicera Belgica. (Honeysuckle.) Flowers all summer; very fragrant. 50 cents each.

- "Sinensis. (Chinese Honeysuckle.) Dark green foliage; one of the best. 50 cts.
- " reticulata aurea. (Golden-leaved Japan Honeysuckle.) Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense. (Moonseed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Græca. (Virginia Silk-vine.) Foliage long, narrow and shining. 50 cts. each. Wistaria Sinensis. (Chinese Blue Wistaria.) Flowers pale blue, in June; a superb climber for any place. 75 cents each.

" Sinensis alba. The best white variety. \$1 each

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. albo. (Double White Flowering Almond.) A beautiful early-flowering shrub. 75 cents each.

" fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cents.

Berberis vulgaris. (European Barberry.) A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cents each.

" atropurpurea. A purple-leaved variety of the above. 50 cents each.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each.

Calycanthus Floridus. (Sweet-scented Shrub.) Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica. (White Fringe.) Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

DECIDUOUS HARDY SHRUBS, ETC., continued.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cts. each.

Cornus alba sanguinea. (White-fruited Redstemmed Dogwood) Remarkable in winter for the red color of its branches. 50 cents each.

Cratægus alba plena. (White-flowering Hawthorn.) Foliage and flowers very ornamental. 75 cents each.

" coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low spreading shrub, bearing white flowers. 6oc. each. Cydonia Japonica carnea fl. pl. (Japan Quince.)

Flesh-colored double dowers, produced early in spring. 75 cts. each

rubra grandiflora. (Red Japan Quince.) Large red flowers; very showy. 50 cents each.

Cytisus laburnum. (Golden Chain.) Ornamental leaves; drooping, showy flowers; a small tree. \$1 each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of

the best shrubs in cultivation. 50 cents each.

" gracilis. Dwarf, compact; pure white. 35 cents each.

" scabra. (Rough-leaved Deutzia.) Bearing beautiful white spiral flowers. 50 cts. each Euonymus Americanus. Shining green foliage, scarlet berries; very ornamental in fall 50 cents each.

" latifolius. (Burning-bush). Vigorous-growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea. (Copper Beech). Leaves purple, early in the season. A very ornamental tree. \$1.50 to \$5 each.

" laciniata. (Cut-leaved Beech). Medium growth, cone-shaped and compact, leaves very showy. \$1.50 to \$3 each.

Forsythia viridissima. (Golden Bell.) The best early-flowering shrub. 50 cents each. Genista scoparius. (Scotch Broom.) Yellow; flowers in May. 40 cents each.

Hibiscus Syriacus atrorubens. (Althea, or Rose of Sharon). Very showy purple flowers. 35 cents each.

" foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.


"Thomas Hogg. Large white flowers in summer; a superb plant. 50 cents to \$1 each.

" hortensis. Changeable rose-colored flowers; very popular. 50 cents each.

Lonicera Tatarica. (Upright Honeysuckle.) Pink flowers in May; handsome. 40 cents.

"alba. A pretty upright shrub, producing white flowers in spring. 50 cents each.

Magnolia conspicua. A Chinese tree producing large white flowers early in spring \$2 to \$5 each.



CYDONIA JAPONICA.

DECIDUOUS HARDY SHRUBS, etc., continuea.

Magnolia Soulangeana. Resembling the above, except that the flowers are purple and white. \$1.50 to \$5 each.

Pæonia Moutan. (Tree Pæony.) Very large flowers, of gorgeous colors. \$2 to \$3 each.

Philadelphus coronarius. (Mock-Orange or Syringa.) Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis. (Double White-flowering Plum). Very pretty. 75 cents each.

Ribes aureum. (Missouri Currant.) Shining glabrous leaves; early yellow flowers. 35 cents each.

Rhus cotinus. (Purple-Fringe or Smoke-Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

"glabra laciniata. (Cut-leaved Sumac.) Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Spiræa Billardii. Pink-flowered; a late-blooming species. 50 cents each.

prunifolia fl. pl. (Plum-leaved Spiræa). Double white flowers in spiral form.

40 cents each.

"Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50 cents.

Symphoricarpus racemosus. (Snowberry.) White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris. (Common Lilac.) Purple, sweet-scented flowers. 35 cents each.

" alba. White, sweet-scented; very delicate. 40 cents each.

" Persica. (Persian Lilac). Small-leaved; purple flowers of a different shade. 40 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a small tree of great beauty. 50 cents each.

Viburnum opulus. (Snowball). Flowers white; a well-known shrub. 50 cents each.

" plicatum. (White Japan Snowball). A valuable new shrub. \$1 each.

Weigelia amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

" variegata. Beautiful variegated foliage. 50 cents each.

JAPAN MAPLES.

Striking foliage-plants of dwarf habit, rarely growing over three to six feet high. They have proved quite hardy. A mass of them on the lawn is very effective.

Acer carpinifolium. (Carpinus-leaved.) A very rare species; quite distinct from any other maple. \$3 each.

" Japonicum. Leaves comparatively large, round, fluted or scalloped. \$2.50 each.

" Japonicum aureum. (Golden-leaved.) Foliage shaded in gold and other colors; curious and rare. \$3 each.

" polymorphum. Leaves small, deeply lobed, of lovely tints. \$1.50 each.

" albo variegatum. Finely cut small leaves, variegated with yellow, white and green. \$2 each.

" atropurpurea. Foliage of dark purple tint, very deeply cut; remarkably showy. \$2 each.

" crispum. Cut-leaved, very dwarf, small pointed leaves. \$3 each.

" dissectum. (Cut-leaved Purple.) Dwarf, weeping, graceful form; leaves deeply and finely cut. A choice and ornamental-leaved variety. \$2.50 each.

" reticulatum. Dwarf; deeply lobed leaves; colors finely and is highly ornamental. \$2 each.

" sanguineum. Dwarf; rounded form; deeply lobed leaves of bright rosy purple. \$2 each.

" negundo. (Variegated Ash-leaved Maple.) Leaves white and green. \$1 each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Azaleas, Camellias, etc., Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.

FLOWER SEEDS BY WEIGHT.

For Other Varieties, See Pages 33 to 53.

Per oz.	Per oz.
Ageratum Mexicanum, blue\$0 50	Lathyrus (Sweet Peas), White 20
Aitnea (Hollyhock), Double Mixed I co	Scarlet 20
" Double White 1 25	" Painted Lady 20
Almanim Criscot white 1 25	
Alyssum, Sweet, white 50	1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Amaranthus tricolor 50	Lobelia gracilis, Blue
" salicifolius 1 GO	" speciosa, Crystal Palace 2 00
Aquilegia (Columbine), Mixed 50	" compacta . 3 co
A China to D M: 1	
"German Quilled, Mixed 50	1 10 T = (= 1 - () T : 1 1 C 1 1 1 1
	Malcomia (Virginia Stock), Lilac 30
" Truffaut's Perfection 2 00	Mathiola (Stock, Ten-Weeks), English
" Chrysanthemum-Flowered 3 00	Mixed 75
" Reid's German, White 1 00	" Finest Mixed 3 co
Balsamina (Balsam) Paris, Mixed 50	70
Camellia-Flowered, Mixed 1 00	Mesembryanthemum (Ice Plant) 50
" Double White I oo	Wimosa (Sensitive Plant) 75
" Queen's Double White 1 00	Mimulus (Musk Plant) 3 00
Casalia (Caralata (Tasasa) 121 ann an	Mirabilis (Marvel of Peru) 25
Calendula (Marigold), Double Pot Me-	
	Myosotis (Alpine Forget-Me-Not), Blue 1 00
teor 25	Wyrsiphyllum (Smilax Vine) 75
Calliopsis (Coreopsis) 50	Nemophila insignis, Blue 30
Canna (Indian Shot), Crozy's Mixed 75	" Fine Mixed 25
	ID (D) D 1 M 1
	TO THE ME AND A TO A TO A
Centaurea gymnocarpa 75	Perilla Nankinensis, Purple-Leaved 25
" candidissima 2 00	Petunia, Purple 50
Cheiranthus (Wall-Flower), Double 3 co	" White 50
Cobœa scandens, Purple 75	" Mixed 75
	5 13 No. 13 No. 14 00
Convolvulus major (Morning-Glory) 20	Phlox Drummondi, White 1 00
" minor, Fine Mixed 25	" " Scarlet
Delphinium (Larkspur), Tall Branch-	" Fine Mixed 50
ing 30	Portulaca (Sun Plant), White 50
	" Scarlet 50
	11 751 1
Dianthus Chinensis (Indian Pink),	Milacu
Mixed 50	Double 5 00
" barbatus (Sweet William),	Pyrethrum aureum (Golden Feather) 75
Mixed 30	Reseda (Mignonette, Sw't) per lb. \$1. 20
" Carnation Pink, Common	" Large per lb., 2 25
Mixed 75	
Digitalis (Foxglove), Mixed 50	nuics Spiration 25
Dolichos (Hyacinth Rean) 25	Ricinus (Castor Bean), Fine Mixed 15
Eschscholtzia Californica, Orange 40	" sanguineus, Red 25
Euphorbia, Variegated Leaved 40	Salvia splendens (Mexican Sage) 1 50
Cilia Fina Minad	
Gilia, Fine Mixed 30	
Gomphrena (Globe Amaranthus),	Tagetes (Marigold), French Mixed 50
White 40	" African Mixed 50
" Crimson 40	Thunbergia Vine, Fine Mixed 50
Helianthus (Sunflower), Double Dwarf 25	Trifolium (Sweet Scented Clover) 20
Hibigons Africana (Diada Maria)	Tropæolum (Canary Bird Vine) 50
Hibiscus Africanus (Bladder Ketmia) . 40	
Iberis (Candytust), White	" Nasturtium, Tall, Mixed 20
" White Rocket 25	" Tom Thumb, Mixed 20
" Crimson 30	Verbena, Fine Mixed 1 00
" Purple 30	" Extra Fine Mixed 2 co
" Mixed	Viola (Pansy). Fine Mixed 2 00
" Mixed 25	
Ipomœa (Cypress Vine), Scarlet 40	" Extra Fine Mixed 4 co
" White 40	Zinnia elegans, Double Mixed 40
" Star 50	1

