

60.01.01

1859-60.

VICTORIA.

# ANNUAL REPORT

OF THE

GOVERNMENT BOTANIST AND DIRECTOR OF THE  
BOTANICAL AND ZOOLOGICAL GARDEN.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY HIS EXCELLENCY'S COMMAND.

By Authority:

JOHN FERRES, GOVERNMENT PRINTER, MELBOURNE.

No. 37.



## REPORT.

---

Melbourne Botanical and Zoological Garden,  
SIR, 12th January, 1860.

I have the honor of transmitting to you my general report on the labors in this establishment during the past year, and beg to submit at the same time an outline of the arrangements which I propose for our work during the next season.

Some additions to the cultivated ground have been effected by forming ornamental shrubberies along the northern side of the gardens, and flower borders near the office building, at the palm-house, and at the southern lagoon. The nursery-ground has likewise been considerably enlarged, it being our aim to meet fully the annual demand for young plants by the gardens and reserves of the various public institutions throughout the colony.

Many rare or ornamental plants have been transferred from the nurseries to the main garden. Extensive lines of edgings around the flower borders had to be removed; whilst the attendance to the great *melange* of plants in the now very large space of cultivated ground absorbs alone a considerable amount of attendance and labor. Rows of such umbrageous trees as are suitable to this climate, including Chinese locust trees, white cedars, paulownias, walnuts, &c., were planted in the central part of the garden and along the northern margin of our ground, and with a view of beautifying the banks of the Yarra towards Prince's bridge willow cuttings have been planted around the lagoons of the reserve.

About three hundred and twenty tree-guards of iron are either ready or contracted for, and will be required for the protection of the young trees, which we have reared for lining the walks of the northern ground, and these tree preservers may be used for very many years in establishing successively avenues through our area and the surrounding domains.

Numerous stumps of trees, felled unfortunately before our grounds were set apart to their present purposes, have been removed. A second and larger propagating house has been constructed; a dwelling for the foreman of the northern ground is erected at the western entrance, and also two wooden lodges are built in the southern ground. In anticipation of the arrival of the twenty-four camels and dromedaries from India, ordered at the expense of this establishment, stables have been built in the south reserve, where also a wooden building for the accommodation of smaller animals is raised, and a similar one, already contracted for, will offer additional shelter to the animals in that enclosure. A wooden house for sheltering the Llamas and Angora goats has been constructed in the southern reserve.

The aviary has been completed by adding the other wing; and as soon as the substitution of an iron bridge for the rustic decayed one was effected, the two divisions of the aviary were united, the whole dry and shady space below the bridge thereby becoming available as a secluded spot for brooding birds.

It was found needful to raise a stone wall and causeway on the depressed part of the Yarra banks, near the lagoon, in order to protect the garden against the periodical inundations to which it was subjected through the Yarra floods.

By the application of a small ornamental windmill, it is intended to establish the

requisite current of fresh water from the river to the lake. At the southern ground similar appliances we may be able to adopt this year for forcing Yarra water to the higher parts of our ground until the Yan Yean pipes shall be brought within our reach.

With the advantage of an unlimited supply of water, our plan of enhancing the beauty of this spot by fountains may be realized. Meanwhile cisterns and tanks have been provided at all the principal buildings of the establishment, for collecting as much as possible of the rain water for gardening purposes.

In further reference to the progress of building works throughout the year, I beg to allude to the extensive and substantial fences already erected, or under progress of erection. The close wooden fencing of the northern area was completed in the beginning of last year, thus securing a pasture to many of the herbivorous animals. Of the higher and therefore more salubrious ground of the southern reserve a portion has been enclosed by high wooden fences as grazing ground for various animals, whilst another portion of the reserve by iron fencing has been separated as a paddock for larger graminivorous quadrupeds. A line of superior iron fencing is now in course of construction, to be placed parallel to the northern limits of the above enclosures, and sufficiently distant to admit of the formation of a carriage drive, and a shady promenade.

The Board of Land and Works has been pleased to concur in the use of the reserve between Prince's bridge and the botanic garden, for the additional accommodation of the expected camels, and to sanction also the temporary occupation of two and a half acres at the eastern rise of the Government house reserve, for the more convenient trend of the proposed fence lines.

Further iron and wooden fences have been raised at the northern ground, and near the Yarra foot-bridge.

After the completion of the iron fences, the worn out lines of palings can be removed, and much ground will thereby be added to the nurseries, and space be obtained to cultivate around some of the cottages, a selection of standard varieties of vines and other fruits, which I regret to say, it would be at present hopeless for us to attempt to rear in less guarded localities.

A main walk has been formed through the northern ground, by conveying from the opposite side of the river, the requisite quarry rubble and gravel. Walks have also been laid out, leading to the palm house. Some of the older lines of walk have only been completed this season.

With the formation of the contemplated drive in the reserve, and some additional paths, the extension of the system ground, the raising of islands in the lagoons, the construction of a pavilion, of bowers, grottoes, and rockwork, the principal arrangement of our ground may be considered as decided on; and then a lithographed plan of the whole establishment may be issued, for facilitating the search after certain plants or to serve as a general guide to visitors in the inspection of the gardens.

The main underground drains in the southern grounds have been for the greater part completed during the past year, but many surface gutters are yet to be laid, whenever material for that purpose shall be available; but a complete system of drainage has yet to be introduced into the more recently added northern division of our area.

More than 2000 of our cultivated plants are now furnished with conspicuous metal labels; and since their inscriptions seem to have afforded much desirable information, we may by degrees augment their number.

Although many additional benches have been furnished, they are still inadequate for the accommodation of the visitors, for it is pleasing to record that the recreation which this locality affords is so greatly appreciated. In corroboration of this, I may adduce the fact that seldom less, and often more, than 5000 visitors are counted on Sundays as entering at the principal gates of the southern ground; about half this number visiting simultaneously the northern reserve.

The total of our Sunday visitors to the southern ground during 1859, irrespective of those who enter by the smaller gates, was 160,220; the number of visitors at the northern ground during seven months was 41,035. The aggregate of visitors during week days may be regarded as nearly equal to that of the Sundays, so that probably the total has rather exceeded than fallen short of 300,000 during the past year.

Anxious to render the establishment one of not less utility than one of healthful recreation and agreeable information, we have endeavoured to furnish from hence as extensive supplies as possible. Thus, on ninety-one occasions, boughs and flowers for decoration have been furnished for public festivals, and not less than 20,438 plants, 2406 cuttings, and 44,572 papers of seeds have been distributed, either to public gardens and reserves, or to donors entitled to supplies by reciprocation, or in our maintaining or initiating an interchange with similar institutions abroad; and means have been adopted to render similar supplies available next season. Besides several thousand lots of seeds gathered in the establishment have been re-sown in this garden.

A list is added to this document of such plants as were imported or raised during the season; and although some contained in the catalogue of the previous year are lost, particularly many of the annual plants, which are always an uncertain possession, there are also still many other young plants cultivated, which, on account of having been received without accurate appellations, could not yet be examined and enumerated. The total of the species in our possession may therefore be approximately estimated at 4500, numerous additional varieties uncounted.

The curator, Mr. Dallachy, was engaged from July, 1858, till February, 1859, in collecting plants and seeds on the rivers Murray and Darling, the collections formed having proved not only valuable for adding to our varieties of such ornamental plants as are calculated to resist the drought, but also as comprising many species previously nowhere under cultivation, and therefore highly acceptable for continuing the interchange with the gardens of Britain, the colonies, and foreign countries.

By this journey the material for the elaboration of the work on our native plants became also augmented, as may be observed by referring to the appended list of new Victorian plants.

We being further desirous of adding to our collections both of cultivated and dried plants, Mr. Augustus Oldfield proceeded to the northern districts of Western Australia, from whence he recently returned after an absence of seventeen months. The phytological features of that part of Australia have not merely the charm of novelty, but furnished also, as was anticipated, a clue to the scientific interpretation of several plants, which under a rather similar clime vegetate in the north western desert of Victoria, and are therefore of importance for the elucidation of our own flora. Dr. Beckler, supported like Mr. Oldfield, only with such slender means as this department could afford, has undertaken the botanical examination of the "brush country" situated within the systema of the rivers McLeay, Hastings, Richmond, and Clarence, and is to accumulate also for our public collections, plants from the hitherto little explored alpine and subalpine ranges, in which these rivers rise, and will thereby afford the means of ascertaining the relation which exists between these plants to those of the Victorian Alps.

Thus it is steadily kept in view to bring into our possession an herbarium as complete as possible for the future elaboration of an universal descriptive work on the vegetation of Australia; and I am gratified to state, that of late a much more general interest has been evinced for investigations into the Australian flora, a work so gigantic, that without the co-operation of circumspect observers in many distant localities, it will be long before it can advance to perfection. Most particularly am I under obligation to W. Woolls, Esq., of Paramatta for contributing an almost complete collection of the plants occurring in his vicinity; to Dr. Milligan and Mr. Oldfield for plants from Tasmania, to Dr. Beckler from subtropical East Australia, to Messrs. Walcott for plants from near Shark's Bay, to Mr.

Charles Stuart for plants from New England, and to Mr. George Maxwell for plants from South Western Australia. Extensive contributions of extra-Australian plants for the herbarium have been received from the United States of North America, presented by Professor Dr. Asa Gray, Mr. Geyer, Dr. Saltwell, Mr. Eaton, United States; Assam plants, presented by Drs. Jos. Hooker and Thomas Thomson; Hong Kong plants, presented by Dr. Hance; and Ceylon plants, presented by Mr. Thwaites. Minor contributions during the year we owe to

Bailey, F., Wellington, New Zealand	Layard, Capt. G., St. Kilda
Bowman, Edw. M., Lower Macquarie	Main, Patr., Bacchus Marsh
Clifton, George, Freemantle	Rusden, G. W.
Cole, Commissioner, Enstone, Murray River	Sandman, Gordon, Ipswich
Coutts, Dr., South Yarra	Shepherd and Co., Sydney
Dallachy, John	Schmidt, E. B., Castlemaine
Donavan, S.	Smith, John Th., M.L.A.
Goodwin, Rev. Th. H., Darling River	Snellgrove, I.
Gregory, A., Brisbane	Sonder, Dr. W., Hamburg
Gregory, F., Perth, Western Australia	Thozet, Rockhampton
Gunn, R., M.L.A., Launceston	Vernon, W., Wooloomooloo
Hardie, E.	Warburton, Major, Adelaide
Hill, W., Brisbane	Wilhelmi, Charles, South Yarra
Jones, Ph. F., Williamstown	Wood, Rev. Jul. Edw., Penola

The total of the botanical specimens received was 10,938.

From this office a distribution of 11,978 dried plants took place during the year, a share being furnished for the enlargement of the herbariums at the Melbourne University, and at the Public Library.

In endeavouring to enrich the collections, or adding to the notes for the botanical works here under progress, I have enjoyed not only the aid of private gentlemen, but also every support from our Government, of New South Wales, and South Australia. Thus His Excellency Sir William Denison was pleased to submit to this office for examination the plants collected during Mr. Gregory's expedition from Moreton Bay to Lake Torrens, while by desire of His Excellency Sir Richard MacDonnell the Honorable Francis St. Dutton transmitted the botanical collections formed during Mr. Babbage's expedition. The same favor was extended to me by T. Chambers, Esq., of Adelaide, in reference to the plants secured during Mr. Stuart's second expedition. The examination of the plants of tropical Australia, entrusted to me by Her Majesty's Home Government, has absorbed the rest of that time which other duties permitted me to devote for the purpose.

The introduction of plants by interchange of Wardian cases was carried on as formerly, the number of cases received being thirty-four, and exactly the same number was shipped from this establishment. The cases which we received, were furnished by the Royal Gardens of Kew, the Botanic Gardens of Adelaide, Brisbane, Buitenzorg, Capetown, Hobarton, Mauritius, Port Natal, Paradenia, and Portland, and by Captain Anderson, of the Chatham Islands; W. F. Bailey, Esq., of Wellington; J. H. Brooke, M.L.A.; Dr. Evans, M.L.A.; Honorable Dr. Featherstone, Wellington; Dr. Hillebrand, Honolulu; W. K. Hulke, Esq., of New Plymouth; A. Rusden, Esq., Foo-Tchow-Foo; W. Woolls, Esq., of Paramatta. In effecting many of these exchanges we were favored with the gratuitous transit of our consignments, and are thus particularly indebted to the Royal Mail Steamers' Company, to many of the mercantile firms of the city and to many commanders of vessels. An active share was taken by many colonists and friends of this establishment abroad, in adding to its horticultural collections, by securing for it seeds, bulbs, &c., as may be demonstrated by the list of donors, which I am much gratified to promulgate.

Abbott, F., Hobarton	Babbage, Hersch., Adelaide
Alain, Pentland Hills	Bailey, F., Wellington
Alleyne, St. Kilda	Balfour, Professor Dr., Edinburgh
Alloo, John, Emerald Hill	Bancroft, Capt., Toorak
Appelius, Erfurth	Bannier, W., Melbourne
Arnold, E., Melbourne	Barker, Mrs., Cape Schanck
Asher, Charles	Barkly, His Excellency Sir Henry
Atkinson, South Yarra	Barry, Honorable Judge

- Bateman, Edward  
 Baynton, G., Darling Downs  
 Begerty, C., St. Kilda  
 Behr, Dr. Herm., San Francisco  
 Beissel, Charles  
 Berlin Botanic Garden  
 Berry, Thomas, Richmond  
 Best, A. F.  
 Beveridge, Peter, Murray River  
 Buist, R., Philadelphia  
 Bosisto, J., Richmond  
 Bowman, Edward M., Macquarie River  
 Brandis, G., Enfield  
 Bremen Botanic Garden  
 Breslau Botanic Garden  
 Brewster, Sandridge  
 Brooke, J. H., M.L.A., Heidelberg  
 Brown, J., Como  
 Bryant, George, South Yarra  
 Buckley, W.  
 Bunce, Daniel, Geelong  
 Buttler, H. S.  
 Calcutta Botanic Garden  
 Chapman, South Yarra  
 Clayton, W., Melbourne  
 Clifton, George, Freemantle  
 Cobham, Mrs., Clifton  
 Cole, Capt. G. W.  
 Cole, T. C., Richmond  
 Coppin, Hcn. George, M.L.C.  
 Cresswell, H. S., South Yarra  
 Dallachy, John  
 Douglass, Mrs., Williamstown  
 Duncan, W.  
 Dunlop, Brighton  
 Dyson, Arthur  
 Eavus, Dr., M.L.A.  
 Falconer, T. J., Sydney  
 Farrel, J.  
 Fawcett, J. W.  
 Fergusou, W., Heidelberg  
 Ferguson, Capt., Williamstown  
 Fischer, L., Bugle Range, South Australia  
 Fisher, W. C., Melbourne  
 Fitzallen, E., Little River  
 Francis, George, Adelaide  
 Francis, J. G., M.L.A.  
 Franke, Gustave, Collingwood  
 Freeman, Heathcote  
 Gaulston, E. B., Melbourne  
 Gayet, Henry  
 Gell, St. Kilda  
 Glasgow Botanic Garden  
 Goodall, Harry, Snapper Point  
 Goodwin, Rev. Th. H., Darling River  
 Gray, Professor Dr. Asa, Boston  
 Greces, Dr. A.  
 Gregory, A., Brisbane  
 Greigg, Miss  
 Grosse, Fr., South Yarra  
 Hall, W.  
 Hanee, Dr., Hong Kong  
 Handside, G.  
 Harris, Ch.  
 Harvey, Captain of *Harvest Home*  
 Hellicar, St. Kilda  
 Henderson and Son, London  
 Henty, Fr., Portland  
 Hill, W., Brisbane  
 Hillebrand, Dr. W., Honolulu  
 Hooker, Sir W., Kew  
 Horne, G. S. W., M.L.A.  
 Howarth, Boroondara  
 Howitt, Dr. G.  
 Ick, Edw.  
 Johnson, B. and S., Preston  
 Kay, Capt., South Yarra  
 Kerr, Rob., St. Kilda  
 Lamford, Edw., Castlemaimie  
 Lamoile, Mrs., Toorak  
 Lang, Th., Ballarat  
 Launceston Horticultural Society  
 Law, Will.  
 Lee, George  
 Lee, Parkin  
 Leetch, Connolly  
 London Horticultural Society  
 Madras Botanic Garden  
 Martley J. F., South Yarra  
 Mason, Leonard, Lucknow, Gipps Land  
 Maxwell, George, Albany, Western Australia  
 Mitchell, W.  
 Moore, C. Sydney  
 Moore, Dublin  
 Moore, Thomas, Chelsea  
 Morrison, George, Buenos Ayres  
 Morrison, Thomas  
 Mueller, Dr. F.  
 Mulliken, Samuel  
 Murray, Andrew  
 Murray, W., San Francisco  
 McArthur, D. C.  
 McGowan, S. W.  
 McKenzie, Port Albert  
 Newenham, H. H., North Melbourne  
 Owen, Adelaide  
 Parker, Mrs. K., Sydney  
 Perry, Darling River  
 Pestell, William  
 Phelps, Joseph, Murrumbidgee  
 Pittman, Joseph, Prahran  
 Politz, St. Kilda  
 Portland Botanic Garden  
 Ralston, Mrs., South Yarra  
 Rickards, J. R.  
 Richie, South Yarra  
 Roberts, S.  
 Roope, Honorable, M.L.C.  
 Ross, Murray River  
 Russell, J., Richmond  
 Russell, Mrs. John, Richmond  
 Rutherford, Mrs.  
 Salkeld, Mrs., Richmond  
 Sangster, South Yarra  
 Sayee, Melbourne  
 Schott, Dr., Vienna  
 Scott, James, Hawthorn  
 Scott, W. C., Melbourne  
 Seidel, Geelong  
 Selwin, Alfred  
 Sewell, Dr.  
 Shepherd and Co., Messrs., Sydney  
 Sloane, J.  
 Smith and Adamson, South Yarra  
 Smith, John Thomas, M.L.A.  
 Smith, Rev. James, Delhi  
 Smith, Mrs.  
 Snellgrove, Edward H.  
 Standish, London  
 Stiff, John, Geelong  
 Stuart, Charles, Clifton  
 Thozet, Rockhampton  
 Thwaites, G. H. K., Paradenia  
 Timburg, R., St. Kilda  
 Turnbull and Buchanan, Sealers' Cove  
 Turnbull, South Yarra  
 Tyler, South Yarra  
 Vause, Richard, Port Natal  
 Veitch, James, jun., Chelsea  
 Vernon, W., Sydney  
 Wadsworth, R., South Yarra  
 Valeott, P., Champion Bay  
 Walker, S. J.  
 Ward, James  
 Weidenbach, Max., Adelaide  
 White, George, Geelong  
 Wilhelm, Charles, South Yarra  
 Williams, Rev. Thomas  
 Wills, Mrs. T., Collingwood  
 Wilson, W., Canterbury  
 Wood, Rev. Jul. Edw., Penola  
 Woods, T. F., Angastown  
 Woolls, W., Paramatta  
 Wright, J.  
 Wright, barrister  
 Young, Sir Henry, Tasmania

The animals of the menagerie are at present all in a healthy condition. They comprise Angora goats, fat-tail sheep, Llama-alpacas, 13 fallow deer, with 3 fawns, a Sumatra deer, Ceylon elk, several kangaroos and emus, koalas, an ichneumon, monkeys of various species, a considerable variety of singing birds, of which the canaries, goldfinches, and linnets have reared broods, whilst the thrushes are nesting; Californian quail, which also increased; native companions, 16 black and 6 white swans, English and silver pheasants, Murray pheasants, Australian eagles, hawks, and several other smaller animals.

Some eagles and waterhens have been shipped for interchange to the Zoological Society of London. An importation of South African game, through the friendly co-operation of the Government of the Cape Colony, may be soon expected.

Contributions towards the menagerie have been gratefully received from the following donors:—

Allan, T. M., Warrnambool	Murett, Robert
Baker, C., Collingwood	Nash, R., St. Kilda
Baxter, Rev., Kew	Newell, Hooper and Stevens
Beamish, Rev. Dr. J. T., Warrnambool	Parson, J. G., Brighton
Berse, Samuel	Pensou, R., Prahran
Butler, A. E., Geelong	Pendergast, W. E., Saupper Point
Cameron, Hugh, Prahran	Perkins, G. B., Brighton
Cave, Capt., of the <i>Panama</i>	Perry, R. D., Melbourne
Clow, Rev. Mr.	Pritchard, Capt., of <i>Camilla</i>
Coppin, Honorable G., Richmond	Riches, Capt. C. F., of <i>Gazehound</i>
Craig, S. K., Enfield, Middlesex	Riley, Thomas, Sandridge
Cropper, W., St. Kilda	Robertson, Dr., Queenscliff
Cumberland, B.	Roope, Honorable Mrs.
Embling, Dr., M.L.A.	Russell, Mrs. Lydia, Emerald Hill
Frazer, Hugh, Welshpool	Salkeld, Richmond
Degraves, Will.	Sewell, Dr.
Haselgrave, Brighton	Slade, Lieut., R.N.
Heape, Charles	Simpson, Queenscliff
Hick, George	Smith and Adamsou, South Yarra
Hooper, Mrs.	Smith and Clare
Hugham, Allan, Avoca	Thompson, Henry
Isaacs, B.	Topp, Miss Alice, South Yarra
Johnson, Hon. G. W., Kyneton	Toose, R. F., Richmond
Keith, Archibald	Wadsworth, R., South Yarra
Kelly, Will, Lancelet	Webber, F. B., Gardiner's Creek
Khull, Miss Mary, Toorak	Wehl, Dr. Edward, Mount Gambier
Lamoile, Toorak	Wild, Miss
Layard, Capt., St. Kilda	Wilson, Edw., London
Mallett, D., South Yarra	Winglesworth.

The canary birds having considerably increased in number, a trial was made under the sanction of the committee for carrying out the original design, to naturalize foreign singing birds, by setting them at liberty in our shrubberies; the experiment seemed at first to be attended with success, but gradually, although well provided with food, the number of the liberated birds decreased, and at last they entirely disappeared. In an attempt to naturalize the more hardy thrushes, we may anticipate to be more successful, particularly if at the proper season, the birds are at once transferred to suitable spots in the forest ranges, or perhaps to some of the islands. Of thrushes, not less than forty-six were obtained through the extreme liberality of Edward Wilson, Esq., and the disinterested zeal, the circumspect care, and patient perseverance of that gentleman, for the introduction of the treasures of the animal kingdom into this country, cannot receive a sufficiently high eulogium. To his exertions, supported by some friends of the colonies in Britain, we owe principally the donation of our Llama-alpaca flock, and we shall probably be soon indebted to him for rendering the salmon a denizen of the Australian rivers; some pheasants were likewise received from Mr. Wilson, of which five were transferred to Phillip Island, where Mr. McHaffy declared himself ready to bestow every care on them and their offspring. The Angora goats have increased by four, the Llama-alpacas by seven; the fleece of one of the former yielded approximately, 8 lbs. of wool, that of a young superior animal of the latter, 4½ lbs., although some of the large llamas furnished a greater weight of coarser wool; this supply falls considerably short of the produce obtained from some of the genuine alpacas of the government's flock in New South Wales, two of the best animals having respectively furnished 12

and 18 lbs. of wool; great gratitude is therefore due to the enlightened rulers of that colony, for their liberality in adding a pure alpaca ram to our flock, with a view to the improvement of the breed, the fleece of ours being otherwise scarcely of any mereantile value. Should, as might be expected, the Angora goats thrive in many of the scrubby grassless districts of our ranges, where neither sheep nor cattle prosper, an inestimable addition will be made to the pastoral resources of the colony, and many districts now unoecupied, may become thereby available for settlement. Both Angora goats and alpacas, it may be added, prove here remarkably prolific.

For the temporary reeception of future importations of fish, especially salmon, a series of tanks is now under construction, through whieh, by the appliance of mill-work, a constant current of river water will be secured; for although it is intended to locate the principal supply of salmon ova at once after arrival in the elevated and artificially protected shallows of rivers rising in our Alps, it will be still desirable that also an attempt should be made to hatch them on our ground, and to rear some of the young fish for experiment, and eventual distribution to other localities of this country.

To these manifold obligations has been added by the military officers another, deserving of high praise, namely, the frequent attendance of the excellent regimental band at the gardens.

A few weeks of the previous summer were devoted by the Government botanist to researches into the vegetation of the mountains along the McAllister river. The tributaries of the latter stream were found on that occasion to traverse a country of rather extensive fertility and, to judge by its physical aspect, of auriferous formation. Some botanical novelties, enumerated in the appendix, were discovered and secured for the herbarium. In this journey, the main range of the South Western Alps was ascertained to extend in an almost semi-elliptical line from Mount Wellington to Mount Useful, at an elevation varying from 4000 to 5000 feet, only the northern part of this mountain tract, encircling the sources of the McAllister, being more depressed and somewhat broken. From several high mountains, then ascended for the first time, bearings were secured to elevations included in the trigonometrical survey. From the more elevated western portion of these mountains, now designated on the chart as the Barkly Ranges, a leading spur will in all probability be found to extend to the hitherto unapproached alpine elevations of Mount Baw Baw.

This question which I left during my first visit unsolved I am anxious to set at rest during the next season. Mount Wellington, inasmuch as it can be reached by a path accessible to horses from the Avon Ranges, may be regarded as the southern key of the Australian Alps, from whence along the crest of the main ramifications of the high land a journey with horses seems possible in most directions. Otherwise, the dense underwood of the less lofty ranges, stretching between the alpine tract and the low land, frustrates any attempt to traverse the country between the Yarra sources and Gipps Land without cutting previously tracks through the jungle, whereas the main range, at elevations exceeding 4000 feet, is usually destitute of these impediments.

It is my duty to bear, on this occasion, public acknowledgement to the generous aid which in performing this journey I experienced from Angus McMillan, Esq., M.L.A., the discoverer of Gipps Land, who not only provided six horses and almost all other requisites for this excursion, but also facilitated it, whilst sharing in it, by his intimate knowledge of the surrounding country. The botanical examination of Victoria, although now for the greater part completed, has yet to be extended to the country towards Lake Hindmarsh, to Mount Baw Baw, and to the most eastern part of the colony about Cape Howe.

Ten numbers of the *Fragmenta Phytographiae Australiae* are issued, comprising the diagnoses of nearly 500 new or rare plants contained in our collection. This publication is illustrated by ten plates drawn by Messrs. Becker and Schoenfeld; whilst to botanical science in general it furnishes a series of new observations, it affords the opportunity of publicly

expressing my thanks for many contributions received by us; and it will, moreover, be useful as a work of reference to the herbarium.

Of the *Plants Indigenous to the Colony of Victoria*, about half the first volume is printed, and twenty-eight lithographic illustrations are prepared for it. This work is intended as a continuation of the series of quarto volumes published by Dr. J. Hooker, under the authority of the Lords Commissioners of the Admiralty. Arrangements have been entered into for issuing the first volume in 1860.

In the publication of that part of the work referring to cryptogamic plants, I enjoy the valuable aid of the Rev. Mr. Berkeley and Mr. E. Hampe, who have made those branches of botany referring to cellular plants the subjects of long and careful inquiry.

For the information of those interested in the progress of knowledge of Australian vegetation, I may be permitted to state, that of any apparently uncommon plant, even the smallest fragments, such as can be easily pressed into an ordinary note-book, and be transmitted in a letter, will be acceptable; and that even specimens of the common plants, particularly of the interior districts, are of value to ascertain the range of the various species over the country. Such specimens should, whenever possible, be procured both in flower and fruit.

Beyond the frequent application to this office for the systematic determination of indigenous plants, also not rarely wishes are expressed for information on uses and qualities of vegetable productions, or on plants desirable for introduction—questions which receive, I need not state, the promptest and fullest attention I am able to give them. More extensive information may be expected will be gained when once the building now under progress, intended as a museum of economic botany, is filled with a systematic assortment of such raw and artificial materials, obtained from the vegetable kingdom, as are introduced into manufactures, medicine, or domestic use. The numerous fascicles of classified dried plants will be removed from the small office-building to the museum as soon as the necessary fittings are completed, and we may trust that the opening of one of the richest collections of Australian plants, and an extensive herbarium from other parts of the globe, will materially tend to diffuse knowledge, and add to the attractions of this establishment.

I have the honor to be,

Sir,

Your most obedient and humble servant,

FERD. MUELLER,

*Government Botanist and Director of the  
Botanical and Zoological Garden.*

The Honorable the Chief Secretary,  
&c., &c., &c.

FIFTH  
SYSTEMATIC INDEX OF THE PLANTS OF VICTORIA,  
COMPRISING THOSE COLLECTED IN 1859 ;

BY FERDINAND MUELLER, M.D., PH. D.,  
GOVERNMENT BOTANIST.

DICOTYLEDONEÆ.

THALAMIFLORÆ.

*Cruciferæ, Jussieu.*

\**Senebiera, Poiret.*

*S. Coronopus, Poiret.*

*Capparideæ, Jussieu.*

*Busbeekea, Endlicher.*

*B. Mitchelli, Ferd. Mueller.*

*Diosmeæ Jussieu.*

*Eriostemon, Smith.*

*E. lamprophyllus, Ferd. Mueller.*

*E. lepidotus, Sprengel.*

*Malvaceæ, Jussieu.*

*Lawrennia, Hooker.*

*L. glomerata, Hooker.*

*Buettneriaceæ, Brown.*

*Corethrostylis, Endlicher.*

*C. Schulzenii, Ferd. Mueller.*

*Caryophylleæ.*

*Colobauthus, Bartling.*

*C. Billardieri, Fenzl.*

CALYCIFLORÆ.

*Euphorbiaceæ, Jussieu.*

\**Euphorbia Peplus, Linné.*

*Halorogæ, Brown.*

*Haloragis, Forster.*

*H. odontearpa, Ferd. Mueller.*

*Leguminosæ, Jussieu.*

*Acacia, Willdenow.*

*A. sphacelata, Benth.*

*Swainsona, Salisbury*

*S. proeumbens, Ferd. Mueller.*

*Compositæ, Vaillant*

*Calotis, Brown.*

*C. cymbacantha, Ferd. Mueller.*

*C. plumulifera, Ferd. Mueller.*

*Eurybia, Cassini.*

*E. adenophora, Ferd. Mueller.*

Pachysurus, Steetz.

*P. multiflorus, Turezaninow.*

Rhytidohlamys, Sonder.

*R. Mitchelli, Sonder.*

Ozothamnus, Brown.

*O. decurrens, Ferd. Mueller.*

*Goodeniaceæ, Brown.*

Goodenia, Smith.

*G. Macmillani, Ferd. Mueller.*

Scaevola, Linné.

*S. apterantha, Ferd. Mueller.*

Dampiera, Brown.

*D. ovalifolia, Brown.*

*Epacridæ, Brown.*

Lissanthe, Brown.

*L. depressa, Ferd. Mueller.*

Leucopogon, Brown.

*L. Woodsii, Ferd. Mueller.*

*L. exarrhenus, Ferd. Mueller.*

*L. juniperinus, Brown.*

COROLLIFLORÆ.

*Loganiaceæ, Endlicher.*

Logania, Brown.

*L. nuda, Ferd. Mueller.*

*Asclepiadæ, Brown.*

Rhyneharrhena, Ferd. Mueller.

*R. quinquepartita, Ferd. Mueller.*

*Scrophularinæ, Brown.*

Anthocereis, Labillardière.

*A. amblyantha, Ferd. Mueller.*

*Solanaceæ, Jussieu.*

Solanum, Linné.

*S. simile, Ferd. Mueller.*

*Myoporinæ, Brown.*

Eremophilæ, Brown.

*E. Sturtii, Brown.*

*Labiatae, Jussieu.*

Prostanthera, Labillardière.

*P. decaisnata, Ferd. Mueller.*

Tenerium, Linné.

*T. trifidum, Schlechtendal.*

MONOCHLAMYDEÆ.

*Proteaceæ, Brown.*

Adenanthes, Brown.

*A. terminalis, Brown.*

*Amarantaceæ, Jussieu.*

Euxolus, Rafinesque.

*E. enervis, Ferd. Mueller.*

Trichinium, Brown.

*T. semilanatum, Lindley.*

*Salsolaceæ.*

Maireana, Moquin.

*M. stelligera, Ferd. Mueller.*

Arthroenemum, Moquin.

*A. triandrum, Ferd. Mueller.*

*Polygonaceæ, Jussieu.*

Muehlenbeckia, Meisner.

*M. stenophylla, Ferd. Mueller.*

*Thymelæ, Jussieu.*

Pimelæ, Banks and Solander.

*P. striata, Meisner.*

MONOCOTYLEDONEÆ.

*Smilacinae, Brown.*

Ripogonum, Forster.

*R. album, Brown.*

*Irideæ, Jussieu.*

\*Trichonema, Ker.

*\*T. erueiatum, Ker.*

*Aphyllanthaceæ, Endlicher.*

Laxmannia, Brown.

*L. graeilis, Brown.*

*Gramineæ, Jussieu.*

Danthonia, Candolle.

*D. bipartita, Ferd. Mueller.*

Neuraeline, Brown.

*N. paradoxa, Brown.*

# CATALOGUE

OF THE

PLANTS ADDED DURING 1859 TO THOSE UNDER CULTIVATION IN THE  
MELBOURNE BOTANIC GARDEN.

<i>ABELIA uniflora</i> , R. Br.	<i>Anemone italicica</i> , Retz. <i>officinalis</i> , L.	<i>BAECKIA diosmifolia</i> , Schauer. <i>limifolia</i> , Rudge.
<i>Abrus precatorius</i> , L.	<i>Andromeda speciosa</i> , Mehx.	<i>Banksia coecinea</i> , R. Br.
<i>Abutilon avicinnae</i> , Gaertn.	<i>Ancilema acuminata</i> , R. Br.	<i>grandis</i> , Willd.
<i>Bedfordianum</i> , Hook	<i>Anthemis segetum</i> , L.	<i>Baptisia alba</i> , Hook
<i>insigne</i> , Planch.	<i>Anisanthus cunonia</i> , Sweet	<i>Anstralis</i> , R. Br.
<i>Acaea amoena</i> , Wendl.	<i>Anoda Dilleniana</i> , Cav.	<i>leucantha</i> , Torr and Gr.
<i>Arabica</i> , Willd.	<i>hastata</i> , Cav.	<i>perfoliata</i> , R. Br.
<i>chordophylla</i> , F. Muell.	<i>Anona reticulata</i> , Sieb.	<i>Barbarea orthoceras</i> , Ledl.
<i>cuneifolia</i> , F. Muell.	<i>squamosa</i> , L.	<i>praecox</i> , R. Br.
<i>falcata</i> , Willd.	<i>Ansonia angustifolia</i> , Mehx.	<i>stricta</i> , Andr.
<i>grandis</i> , Henfrey	<i>Anthemis altissima</i> , L.	<i>vulgaris</i> , R. Br.
<i>leucocephala</i> , Link.	<i>arabica</i> , W.	<i>Bauhinia purpurea</i> , Willd.
<i>leucophylla</i> , Lindl.	<i>arvensis</i> , L.	<i>Begonia Malabarica</i> , Lam.
<i>pravissima</i> , F. Muell.	<i>anisiaca</i> , Jaqu.	<i>Natalensis</i> , Hooker.
<i>prominens</i> , Cunn.	<i>Chia</i> , L.	<i>Belladonna blanda</i> , Sweet.
<i>stenophylla</i> , Cunn.	<i>Marschalliana</i> , W.	<i>Berberis dealbata</i> , Lindl.
<i>trinervata</i> , Sieb.	<i>Anthocercis amblyantha</i> , F. Muell.	<i>glumacea</i> , Lindl.
<i>Acantholimon venustum</i> , Boiss.	<i>Anthoxanthum odoratum</i> , L.	<i>Berberis Japonica</i> , Spreng.
<i>Acanthophippium bicolor</i> , Lindl.	<i>Anthyllis barba jovis</i> , L.	<i>Sibirica</i> , Pall.
<i>Achillea decolorans</i> , Schrad.	<i>Araea Japonica</i> , Thunb.	<i>Bidens grandiflora</i> , Balb.
<i>Acnida cannabina</i> , L.	<i>Schäfflera</i> , Spreng.	<i>Bignonia incarnata</i> , Aubl.
<i>Adansonia digitata</i> , L.	<i>Arbutus microphylla</i> , Forst.	<i>Blitum capitatum</i> , L.
<i>Gregorii</i> , F. Muell.	<i>procera</i> , Dougl.	<i>virgatum</i> , L.
<i>Adenophora Lamarcii</i> , Fisch.	<i>Arctotis breviscapa</i> , Thunb.	<i>Bolbophyllum pygmaeum</i> , Lindl.
<i>suaveolens</i> , Rehb.	<i>grandiflora</i> , Jaqu.	<i>Borrago officinalis</i> , L.
<i>Æsenlus glabra</i> , Willd.	<i>Ardisia pumila</i> , Blume	<i>Bossiae paucifolia</i> , Benth.
<i>Agathæa Bergeriana</i> , D. C.	<i>Areca horrida</i>	<i>spinescens</i> Meisner.
<i>Agrostemma flos jovis</i> , L.	<i>rubra</i> , Borg.	<i>Brachycome calocarpa</i> , F. Muell.
<i>parviflora</i> , Cav.	<i>Argyreia nitida</i> , Choiss.	<i>pachytera</i> , Turoz.
<i>Alchemilla arvensis</i> , Lam.	<i>Argyrodendron trifoliolatum</i> , F.	<i>trachyearpa</i> , F. Muell.
<i>Alfredia cernua</i> , Cass.	<i>Muell.</i>	<i>Brachypterus scandens</i> , Benth.
<i>stenocephala</i> , Kar. & Kis.	<i>Aristea spiralis</i> , Vahl.	<i>Brassica Mesopotamica</i> , Bernh.
<i>Aloe ciliaris</i> , Haw.	<i>Aristolochia</i>	<i>oleracea</i> , L.
<i>suecotrina</i> , Haw.	<i>semperfervens</i> , L.	<i>Briza maxima</i> , L.
<i>Alphitonia excelsa</i> , Reiss.	<i>Aristolochia racemosa</i> , J. Hook.	<i>Bromus unioloides</i> , H. B. K.
<i>Alsophila Colensoi</i> , J. Hook.	<i>Arthrolonium ebraeicum</i> , D. C.	<i>velutinus</i> , Schrad.
<i>Althæa nudiflora</i> , Ldl.	<i>repandum</i> , D. C.	<i>Browallia elata</i> , L.
<i>Sieberii</i> , Hort.	<i>Artocarpus integrifolia</i> , L. fil.	<i>Bullbine Fraserii</i> , Kunth.
<i>Amaranthus gracilis</i> , Desf.	<i>Aselepias incarnata</i> , L.	<i>Buxus Balearica</i> , Lam.
<i>hypochondriacus</i> , L.	<i>Asparagus racemosus</i> , Willd.	
<i>lividus</i> , L.	<i>seandens</i> , Thunb.	<i>CÆSALPINA coriaria</i> , Willd.
<i>polygamus</i> , L.	<i>Asperula angustifolia</i>	<i>Sepiaria</i> , Roxb.
<i>retroflexus</i> , L.	<i>montana</i> , W. K.	<i>Sappan</i> , L.
<i>speciosus</i> , Don.	<i>tinctoria</i> , L.	<i>tortnosa</i> Roxb.
<i>trieolus</i> , L.	<i>Astelia Banksii</i> , A. Cunn.	<i>Cæsia parviflora</i> , R. Br.
<i>Amaryllis laticeps</i> , Herb.	<i>Aster Chinensis</i> , L.	<i>Calamintha alpina</i> , Benth.
<i>Amberboa odorata</i> , D. C.	<i>tenellus</i> , L. fil.	<i>Calandrinia</i> .
<i>Amblyolepis setigera</i> , Sweet.	<i>Tradescantii</i> , Lindl.	<i>calyptata</i> , J. Hook.
<i>Amorpha fragrans</i> , Sweet.	<i>Astragalus depressus</i> , L.	<i>compressa</i> , Schrad.
<i>Ampelopsis hederacea</i> , D. C.	<i>maximus</i> , W.	<i>discolor</i> , Schrad.
<i>Amsineckia intermedia</i> , F. and M.	<i>Astroloma denticulatum</i> , R. Br.	<i>lingulata</i> , D. C.
<i>Anacyclus clavatus</i> , Pers.	<i>Atriplex patulum</i> , L.	<i>umbellata</i> , Gill.
<i>pedunculatus</i> , Pers.	<i>roseum</i> , L.	<i>Calceolaria petiolaris</i> , Cav.
<i>tomentosus</i> , D. C.	<i>spongiosum</i> , F. Mueller.	<i>pinnata</i> , L.
<i>Anagallis indica</i> , Wight	<i>Venetum</i> , W.	<i>scabiosæfolia</i> , Sims.
<i>latifolia</i> , L.	<i>Averrhoa Carambola</i> , Adans.	<i>Calendula arvensis</i> , L.
<i>Anchusa Agardhii</i> , Lehm.	<i>Azalea crispiflora</i> , Hook.	<i>officinalis</i> , L.
<i>incarnata</i> , Schrad.	<i>Azolla pinnata</i> , R. Br.	<i>Tragus</i> , L.

Calliopsis Drummondii, Dou.	Citharexylou cyanocarpum, Hook & Arn.	Dianthus atropurpureus, Boyle
Callistemon brachyandrus, Lindl. lanceolatus, D. C.	Citrus trifoliata, L.	Gardnerianus, M. B.
paludosus, F. Muell.	Clarkia pulchella, Pursh.	monspessulanus, L.
speciosus, D. C.	Clematis aristata, R. Br.	prolifer, L.
Callitricha verna, L.	coerulea, Lindl.	Seguerii, Vill.
Calophyllum Inophyllum, L.	florida, Thubg.	Dillwynia seabra, Sehltd.
Calostemma luteum, Lindl.	lanuginosa, Lindl.	Dimorpholepis australis, As. Gray.
Calotis erinacea, Steetz.	mauritiana, Lam.	Diosma alba, Thunb.
Calycanthus grandiflora.	montana, Buchan	Diphyllea eynosa, Michx.
Calycotrichix glabra, R. Br.	pedicellata, Tw.	Dipsacus azureus, Schrenk.
Calyptrocalyx spicatus, Blume.	pedunculata, Arrab.	Disemma coecineca, D. C.
Campanula latifolia, D. C. persicifolia, L.	Clerodendron Bungei, Steud.	Diuris corymbosa, Lindl.
Canavalia Baueriana, Endl. rosea, D. C.	Clethra arborea, Ait.	Dodonaea acerosa, Lindl.
Canna. gigantea, Desf.	Cochlearia officinalis, L.	eratoarpa, Eidl.
Sellowii, L. R.	Cocos nucifera, L.	triquetra, Andr.
Capparis iucaneseens, D. C.	Coix lacryma, L.	Dolichos Lablab, W.
Capsicum annuum, W. erasiforme, W.	Colutea media, W.	fabaformis, Herit.
Cardamine hirsuta, L. lacinata, F. Muell.	Convolvulus Siculus, L.	Dracaena umbraculifera, Jaqu.
Carduncellus caeruleus, D. C.	Coprosma spathulata, A. Cunn.	Dregea virgata, Eckl. Zeyh.
Carissa acuminata, A. D. C.	Cordyline stricta, Steud.	Duboisa myoporoides, R. Br.
Caryophyllus aromaticus, L.	Coreopsis Drummondii, Torr. & Gr.	
Cassia alata, L. faleata, Dun.	Coronilla Eunerus, L.	EARINA autumnalis, Hook. fil.
glauca, Lam.	grandiflora, Boiss.	mueronata, Lindl.
grandiflora, Desf.	Correa decumbens, F. Muell.	Ecbalium agreste, Rehb.
grandis, W.	Cotoneaster buxifolia, Wall.	Echeveria bracteolata, Lk. Klolseh
platypoda, Brown	thymifolia, Hort.	and Otto.
purpurea, Roxb.	Crambe filiformis, Jaqu.	Echinocactus electraeanthus, Lehm
Roxburgii, D. C.	Craspedia pleiocephala, F. Muell.	Eyriesii, Turp.
schiniifolia, A. D. C.	Crinum aquatimum, Burch.	hexadrophorus, Lehm.
smaragdina, MeFd.	Crotalaria Mitellii, Benth.	Linkü, Lehm.
Cassinia Vauvilliersii, Hook. fil. subtropica, F. Muell.	Cryptaudra ericifolia, Tm.	multiplex, Hort. Berol.
Castanea Americana, G. Don.	Crypsostemma hypochondriaea,	stellatus, Seheidw.
Casuarina equisetifolia, Fost. muicata, Roxb.	R. Br.	Echinopsilon sclerolænoides, F.
stricta, Ait.	Cupania anacardioides, Rieb.	Muell.
Ceanotus dentatus, Torr and Gr. divaricatus, Nutt.	Cyanotis nodiflora, Benth.	Echium amicum, F. and M.
Celastrus recurvatus, E. & Z.	Cydonia Sinensis, Thouin.	salmanticum, Lagase.
Celtis Tournefortii, Lam.	Cymbidium albuciflorum, F. Muell.	vulgare, Brot.
Cenia turbinata, P. T.	suave, Brown	Ekebergia Capensis, Sparn.
Centaurea orientalis, L. ovina, Pall.	Cynara horrida, Ait.	Elaeis guinensis, W.
salicifolia, L.	Cynodon Dactylon, L.	Elaeodendron australe, Vent.
Seabiosa, L.	Cynoglossum stamineum, Desf.	erectum, Jaqu.
suavoleens, W.	Cyperus virens, Mehx.	Emilia sagittata, D. C.
Centranthus Calcitrappa, Dufr. macrosiphon, Boiss.	Cytisus Alschingerii, Vis.	Epilobium montanum, L.
Cephalandra quinque loba, Schrad.	capitatus, Jaqu.	Eragrostis Purshii, Schrad.
Crastium perfoliatum, L.	chrysobothrys, Fisch.	Erechtites hispidula, Rich.
Cereus Chilensis, Colla. einerascens, D. C.	ruthenicus, Fisch.	Eremophila divaricata, F. Muell.
giganteus, Engelm.	sessilifolius, L.	oppositifolia, R. Br.
grandiflorus, Mill.	DACTYLIS Altaica, Bess.	Erigeron armeriaefolium, Turez.
Pitajaya, D. C.	Dais cotinifolia, L.	Eriodendron anfractuosum, D. C.
strigosa, T. Dyck.	Dalbergia melanoxyton, Guill &	Eriostemum lepidotus, Sprgl.
tortuosus, Tweed.	Pers.	salicifolium, Ventim.
Tweedii, Hook.	scandens, Roxb.	Erodium Arabicum, Deeaissn.
Chaenostoma polyanthum, Benth.	Damasonium Australe, Sal.	hymenodes, Herit.
Chamaecyparis thurifera, Endl.	Dampiera Cunninghamii, Vriese	Eruca sativa, Lam.
Chenopodium album, L. ambrosioides, L.	Datura cratocaulon, Ortega	vesicaria, Cav.
ficifolium, Tm.	fastuosa, L.	Ervum Ervilia, L.
Quinoa, W.	ferox, L.	hirsutum, L.
urbicum, L.	humilis, Desf.	monanthos, L.
Chilianthus dyssophyllus, D. C.	Daviesia acicularis, Tm.	tetraspermum, L.
Chironia linoides, L.	cordata, Tm.	Eryngium ovinum, Cunn.
Chrysanthemum coronarium, L.	eorymbosa, Tm.	Erythraea Indica, Lem.
Chrysurus eynosuroides, Pers.	Delphinium azureum, Mehx.	Eucalyptus amygdalina, Lab.
Cicer arietinum, L.	intermedium, Ait.	etriodora, Hook.
Cichorium endivia, L.	staphis agria, L.	dumosa, A. Cunn.
Cirsium laniflorum, Bbst. lanceolatum, Seop.	Deudorix Cunninghamii, Lindl.	Eugenia apieulata, D. C.
Cistus incanus, L. parviflorus, Lam.	gracilicaule, F. Muell.	Eulophia macrostachya, Lindl.
No. 37, c.	linguiforme, Sm.	Euodia erythrococca, F. Muell.
	monophyllum, F. Muell.	Eupatorium Fraseri, Poir.
	pungentifolium, F. Muell.	Euphorbia Chamaesyce, L.
	Shepherdii, F. Muell.	bupleurifolia, Jaqu.
	teretifolium, R. Br.	pyrifolia, Lam.
	tetragonum, F. Muell.	unciata, D. C.
	Denhamia xanthosperma, F.	Eurybia adenophora, F. Muell.
	Muell.	decurrens, D. C.
	Desfontainea spinosa, R. and P.	Exocarpus aphylla, R. Br.
	Desmodium canadense, D. C.	glandulacea, Mig.
	gyraeus, L.	
	Dianella Archeri, J. Hook.	
	Tasmanica, J. Hook.	

- Ficus capensis*, Thubg.  
*Flindersia xanthoxylo*, F. M.  
*Fourcroya tuberosa*, Ait.  
*Fuchsia serratifolia*, R. and P.  
*Fumaria glabellata*, Gasparini,  
*macrosepala*, Boiss.
- GAILLARDIA aristata*, Pursh.  
*Galega biloba*, Sweet.  
*Galinsoga dentata*, Rehb.  
*Galium divaricatum*, Lam.  
*gracile*, M. K.  
*sacharatnum*, All.  
*Galpinia splendens*, Mackay.  
*Garcinia Cochinchinensis*, Choiss.  
*Mangostaua*, L.  
*Garrya elliptica*, Dougl.  
*Fadenii*, Hook.  
*Gaura Lindheimeri*, Engelm.  
*Gelasine azurea*, Herb.  
*Genista*.  
*elata*, Wenderoth  
*lusitanica*, Bois.  
*racemosa*, Hort.  
*triaugularis*, W.  
*Geranium aeemonaeifolium*, Herit.  
*lucidum*, L.  
*palustre*, L.  
*Sibiricum*, L.  
*Gilia Beirichiana*, Bouché  
*leptosiphon*, Steud.  
*tenuiflora*, Benth.  
*Gladiolus cuspidatus*, Jaqu.  
*undulatus*, L.  
*Gloriosa Plautii*, Hook.  
*Gnaphalium polyccephalum*, W.  
*Godetia bifrons*, Hook.  
*Gomphocarpus fraticosus*, Brown.  
*Gouiopteris pennigera*, J. Sm.  
*Goodenia amplexans*, F. Muell.  
*Graptophyllum hortense*, Nees.  
*Gratiola pedunculata*, R. Br.  
*Grewia hirsuta*, Vahl.  
*Grevillea Chrysodendron*, R. Br.  
*pterisperma*, Ferd. Mueller.  
*Gynnogramme ealomelanos*, Kaulf.  
*Gyrostemou cotinifolius*, Desf.
- HACKEA pugioniformis*, Cav.  
*Halleria lucida*, L.  
*Harpulia Hillii*, F. M.  
*Hedychium lanceolatum*, Schum.  
*and Thoni.*  
*Heimia myrtifolia*, Cham. and  
*Schltd.*  
*Helonium autumnale*, L.  
*tenuifolium*, Nutt.  
*Helianthus argophyllus*, Torr and  
*Gr.*  
*Helichrysum Behrii*, F. M.  
*maritimum*, D. C.  
*obtusifolium*, Sond and Muell.  
*Heliopsis buphtalmoides*, Dun.  
*Helipterum polyphyllum*, Muell.  
*Hemitelia capensis*, R. Br.  
*Heterodendron oleifolium*, Desf.  
*Heterolepis decipiens*, Cass.  
*Hexaglottis virgata*, Sweet.  
*Hibiscus Abelmoschus*, L.  
*Camerouii*, Knowl and Weste.  
*Humboldti*, Colla.  
*hakefolius*, Giordan.  
*Lindleyanus*, Wall.  
*palustris*, L.  
*pedunculatus*, Thubg.  
*tiliaeus*, L.  
*vesicarius*, Cav.  
*Hieracium tementosum*, All.  
*Hippocratea ciliata*, D. C.  
*Holcus lanatus*, L.
- Hyoscyamus agrestis*, Kit.  
*Albus*, L.  
*Hypericum hircinum*, L.  
*involutum*, Choiss.  
*monogynum*, L.  
*Hypochaeris glabra*, L.
- IBERIS Forscierii*, Jordan  
*Ilex crassifolia*, Hook.  
*Cassine*, Ait.  
*Dohoon*, Wall.  
*dipyrena*, Wall.  
*laurina*, H. B. Kunth.  
*microcarpa*, Lindl. and Paxt.  
*vomitoria*, Ait.  
*Indigofera Dejua*, Hamilt.  
*enncaphylla*, L.  
*monophylla*, D. C.  
*Iodium floribundum*, Lindl.  
*Ipomoea*.  
*digitata*, L.  
*polyanthes* R. S.  
*Roxburghii*, Stend.  
*Iris sambucina*, L.  
*Exora acuminata*, Roxb.
- JAMBOSA Malaccensis*, D. C.  
*Jatropha paudurefolia*, And.  
*Jonesia asoca*, L.  
*Juniperus sphærica*, Lindl. & Paxt.  
*thurifera*, L.
- KENNEDYA Baumannii*, Meissn.  
*Kingia Australis*, R. Br.  
*Kleinia ficoides*, Haw.  
*Kochia lanosa*, Ldl.  
*sedifolia*, F. Muell.
- LACTUCA sonchifolia*, W.  
*Lambertia formosa*, Sm.  
*Lappa major*, Gaertn.  
*tomentosa*, All.  
*Lapsana intermedia*, Bbst.  
*Lardizabal biternata*, R. and P.  
*Lasthenia Californica*, Desf.  
*Latania Borbonica*, Lam.  
*Lathyrus aphaca*, L.  
*Armitageanus*, West.  
*lusitanicus*, Mart.  
*Nissolia*, L.  
*palustris*, L.  
*purpureus*, Desf.  
*sylvestris*, L.  
*verticillatus*  
*Laurelia aromatica*, Poir.  
*Lavatera Cachemeriana*, Cambes.  
*Cretia*, L.  
*maritima*, Gouan.  
*Leonurus cardiaca*, L.  
*villosus*, Desf.  
*Leopardanthus seandens*, Blume.  
*Leptocyanus LaTrobei*, F. Muell.  
*sericeus*, F. Muell.  
*Leptorrhynchus rhytidanthe*,  
*Benth.*  
*Leptospermum flavescens*, Sm.  
*Leucopogon rotundifolius*, R. Br.  
*Leucosidium Arekansauum*, D.C.  
*Leuzea Australis*, D. C.  
*Lilium cordifolium*, Thuubg.  
*Linaria minor*, Desf.  
*spartea*, Lk. Hfmsgg.  
*spinosa*, Desf.  
*vulgaris*, Mill.  
*Linnm angustifoliun*, Huds.  
*decumbens*, Desf.  
*flavum*, L.  
*grandiflorum*, Desf.  
*Lissanthe subulata*, R. Br.  
*Livistonia Chinensis*, R. Br.
- Lobelia amplexicaulis*, Vriesc.  
*piuifolia*, L.  
*Lonicera Standishii*, Hort.  
*Lotus aristatus*, D. C.  
*gracilis*, W. K.  
*Lupinus albus*, L.  
*arboreus*, Tims.  
*Douglasii*, Agahra.  
*Ehrenbergii*, Schltld.  
*lucidus*, J nth.  
*Nootkensis*, Don.  
*perennis*, L.  
*rivularis*, Liidl.  
*tomentosus*, D. C.  
*varius*, L.  
*Lychnis viscosa*, L.  
*Lycium Australe*, F. Muell.  
*Capense*, Mill.  
*Lycodium gracillimum*, Kze.  
*Lycopsis arvensis*, L.  
*Lysimachia nummularia*, L.  
*Lythrum tenellum*, Thunb.
- MACROZAMIA Pauli Guilielmi*,  
*F. Mueller.*  
*Preissii*, Miq.  
*Magnolia umbrella*, Desr.  
*Malva cretica*, Cav.  
*Mauritiana*, L.  
*microcarpa*, Desf.  
*moschata*, L.  
*peruviana*, L.  
*Tournefortiana*, L.  
*Mandragora vernalis*, Bertol.  
*Mangifera Indica*, L.  
*Manila violacea*, Lk.  
*Maranta Indica*, Rose.  
*Marrubium supinum*, L.  
*Marsilea hirsuta*, R. Br.  
*Martynia proboscidea*, Glox.  
*Matricaria discoidea*.  
*nigellæfolia*, D. C.  
*Matthiola annua*, Swt.  
*sinuata*, R. B.  
*Maurandia antirrhiniflora*, H. B.  
*Medicago Catalonica*, Schrank.  
*denticulata*, W.  
*falcata*, L.  
*Gracea Hornem.*  
*uummularia*, D. C.  
*orbicularis*, W.  
*polycarpa*, W.  
*Melaleuca acuminata*, F. Muell.  
*liuarifolia*, Sm.  
*minor*, Smith.  
*Melilotus albus*, Desr.  
*leucanthus*, Roch.  
*gracilis*, D. C.  
*officinalis*, Z.  
*Melicope ternata*, Forst.  
*Melicytus laevoelatus*, J. Hook.  
*Melissa Caroliniana*, Benth.  
*Menceylon tinctorium*, Koenig.  
*Mentha gracilis*, R. Br.  
*Menziesia politifolia*, Juss.  
*Mesembryanthemum bicolor*, Z.  
*depressum*, Haw.  
*longum*, Haw.  
*spectabile*, Haw.  
*Mesua Roxburghii*, Wight.  
*Metrosideros florida*, Sm.  
*lucida*, Menz.  
*Mierauthea ericoides*, Desf.  
*Mierotis porrifolia*, Spreng.  
*Miliusa montana*, Gardn.  
*Monenyanthes gnaphalioides*, As.  
*Gr.*  
*Monoploca leptopetala*, F. Muell.  
*Monopsis debilis*, Prsl.  
*Morgania glabra*, R. Br.  
*Muckia mierantha*, F. Muell.

- Muehlenbeckia Australis*, Meisn.  
  *stenophylla*, F. Muell.
- Mussaenda arcuata*, Lam.
- Myosotis sylvatica*, Ehrh.
- Myristica moschata*, Thunb.
- Myrsime salicina*, Heward.
- Myrtus tenuifolia*, Sm.
- NASTURTIUM officiale*, R. Br.
- Nelumbium speciosum*, W.
- Neptunia gracilis*, Benth.
- Nicotiana Nepalensis*, Lk. & Otto.
- Nigella coeruleata*, D. C.  
  *hispanica*, L.
- Nonea lutea*, D. C.
- Nuphar luteum*, Sm.
- Nymphaea blanda*, Meyer.  
  *guinensis*, Schuhm & Thouin.  
  *Lotus*, W.
- OBELISCARIA columnaris*, D. C.  
  *primata*, Cass.  
  *pulcherrima*, D. C.
- Oenothera Frascerii*, Pursh.  
  *glauca*, Mchx.  
  *pumila*, L.  
  *purpurea*, Curt.  
  *Romanzowii*, Ldb.  
  *striata*, Ldb.  
  *taraxacifolia*, Swt.  
  *tetraptera*, Cav.
- Ononis antiquorum*, L.  
  *hircina*, Jaqu.  
  *repens*, L.  
  *spinosa*, L.
- Onopordon Acanthium*, L.  
  *arabicum*, L.  
  *heteracanthum*, Mey.
- Ornithopus compressus*, L.  
  *isthmocarpus*, Cosson.
- Orobus augustifolius*, L.  
  *caneensis*, L.  
  *coccineus*, Mill.  
  *sylvaticus*, L.
- Ortegia hispanica*, Loeffl.
- Ourisia macrophylla*, Hook.
- Oxyanthus hirsutus*, D. C.
- Oxystelma esculentum*, R. Br.
- PALIURUS Australis*, Gaertn.
- Panatia athrixiooides*, Sond. &  
  Muell.
- Panax papyrifer*, Hook.  
  *quinquefolius*, L.
- Panicum miliaceum*, L.  
  *placatum*, Lam.
- Papaver croceum*, Ledeb.
- Passiflora incarnata*, W.
- Pelargonium barbatum*, Jaqu.  
  *scandens*, Ehrh.
- Pentstemon Murraryanum*, Hook.  
  *pulchellus*, Lindl.  
  *pubescens*, Ait.  
  *Torreya*, Benth.
- Pernetia inueronata*, Gaud.
- Phajus Australis*, F. Muell.
- Phalaenopsis grandiflora*, Lindl.
- Phalaris Americana*, Ell.
- Pharbitis hispida*, Choiss.  
  *heterophylla*, Choiss.
- Phaseolus multiflorus*, L.  
  *vulgaris*, L.
- Philadelphus Zeyherii*, Schrad.
- Phlomis fruticosa*, L.
- Phoenocoma prolifera*, Don.
- Phygelius Capeensis*, E. May
- Phyllea olcifolia*, Vent.  
  *paniculata*, W.
- Phyllanthus calycinus*, Lab.  
  *crenulatus*, F. Muell.
- Physalis Alkekengii*, L.
- Physochlæna grandiflora*, Miers.
- Phytolacea acinosa*, Rxbg.  
  *decandra*, L.  
  *dioica*, L.
- Phyteuma limonifolia*, Sibth.
- Picridium arabicum*, Hochst.
- Pieris pauciflora*, W.
- Pinus alba*, Ait.  
  *austriaca*, Tratt.  
  *californica*, Loiseleur.
- cedrus*, L.  
  *cembra*, L.  
  *deodara*, Rxbgh.
- Freemontiana*, Endl.  
  *jezoensis*, Sieb. & Zucc.
- Lambertia*, Dougl.
- Laricio*, Poir.
- Larix*, L.  
  *maerophylla*, Lindl.
- Mughus*, Jaqu.
- miricata*, Don.
- patula*, Cham.
- pyrenaica*, Lap.
- Russelliana*, Lindl.
- Sabiniana*, Dougl.
- Piper excelsum*, Forst.  
  *grandifolium*, H. B.  
  *nigrum*, L.
- Piptanthus Nepalensis*, D. Don.
- Pittosporum cornifolium*, A. Cunn.
- Plantago alpestris*, Lam.  
  *amplexicaulis*, Cav.  
  *ciliata*, Desf.
- cordata*, Lam.
- coronopus*, L.
- Cynops*, L.
- Hookeriana*, F. and M.  
  *major*, Z.
- serpentina*, Lamb.
- Pleurandra juniperina*, Lab.
- Pocockia cretica*, Ter.
- Poa ramigera*, F. Muell.
- Podocarpus Chiliua*, Rich.  
  *coriacea*, Rich.  
  *maerophylla*, Don.  
  *nucifer*, Lond.
- Podolepis affinis*, Sond.
- Podospermum calcitrapæfolium*,  
  D. C.
- Polemonium lacteum*, Lehm.
- Polygalymma Stuartii*, Sond. and  
  Muell.
- Polycarpon alsinifolium*, D. C.
- Polygonum Orientale*, L.
- Polygonum irioides*, Poir.
- Pomaderris*.
- parvifolia*, Hook.
- Porana elegans*, Follinger.
- Portulaca Thellussoni*, Lindl.
- Potamogeton natans*, L.  
  *obtusifolius*, M. K.
- Potentilla argentea*, L.  
  *Garriepensis*, Eckl.
- insignis*, Royle.
- Morrisonii*, D. C.
- pedata*, W.
- pilosa*, W.
- Thomasii*, D. C.
- Prionium Palmata*, E. Mey.
- Prockia serrata*, W.
- Prosopis strombulifera*, Benth.
- Prunus Mahaleb*, L.
- Psidium polycarpum*, Lamb.
- Psoralea acaulis*, Stev.  
  *eriantha*, Benth.  
  *involucrata*, Thubg.  
  *tenax*, Lindl.
- Psychotria expansa*, Blume.
- Ptelea trifoliata*, L.
- Pteris umbrosa*, R. Br.
- Pterocarpus Dalbergioides*, Roxb.
- Pterostylis Banksii*, R. Br.  
  *squamata*, R. Br.
- Pyrenaria lasiocarpa*, Blume.
- Pyrethrum tenuifolium*, W.
- Pyrus Aria*, Ehrh.
- QUERCUS coulterifolia*, H. B.  
  *heterophylla*, Melix.  
  *inversa*, Lindl. and Paxt.
- lanata*, Sm.
- macrophylla*, Nee.
- pseudo-coccifera*, Desf.
- virens*, Ait.
- RANUNCULUS arvensis*, L.  
  *rivularis*, Banks.
- sessiliflorus*, R. Br.
- Reseda alba*, L.  
  *lutea*, L.  
  *luteola*, L.
- Rhagodia spinoseens*, R. Br.
- Rheum crassinervum*, Mart.  
  *hybridum*, Ait.  
  *tartarium*, L.
- Rhipogonum scandens*, Forst.
- Rhododendron argenteum*, J.  
  *Hook.*
- barbatum*, Wallich.
- cinnabrinum*, J. Hook.
- Falconerii*, J. Hook.
- fulgens*, Hook.
- Griffithianum*, Wight.
- lepidotum*, Wallich.
- Maddenii*, J. Hook.
- Wightii*, J. Hook.
- Rhodolia Championi*, Hook.
- Rhodostemon gardenioides*, Scheidw.
- Rhus toxicodendron*, L.  
  *typhinum*, L.  
  *viminale*, Vahl.
- Ricinocarpus Mitchellii*, Sond.
- Tasmannicus*, Sond. and Muell.
- Robinia Carragana*, L.  
  *tortuosa*, Hogg.
- viscosa*, Vent.
- Roelea odoratissima*, D. C.
- Rosa Fortuneana*, Hook.
- Rudbeckia speciosa*, W.
- Rumex alpinus*, L.  
  *cordifolius*, Hornem.  
  *giganteus*, Ait.  
  *hamatus*, Trevis.  
  *longifolius*, H. B.  
  *maximus*, Schreb.  
  *nemolapathum*, Whlg.
- orientalis*, Bruh.
- sanguineus*, L.
- Ruseus aculeatus*, L.
- SACCOLABIUM calcaratum*, F.  
  Muell.
- Hillii*, F. Muell.
- Salix Helix*, Sm.  
  *Humboldtiana*, W.
- Salpiglossis picta*, Swt.
- Salsola Australis*, R. Br.
- Salvia Africana*, L.  
  *asperifolia*, Benth.  
  *mollis*, Don.  
  *oblongata*, Vahl.  
  *patula*, Desf.
- Roemeriana*, Scheele.
- Santalum obtusifolium*, R. Br.
- Saracha biflora*, R. P.
- Sarcopetalum Harveyanum*, F.  
  Muell.
- Saxifraga cordifolia*, Haw.  
  *ligulata*, Wall.
- Scaevola Hookerii*, F. Muell.

Schizanthus Grahamii, Hook.	<i>Spiraea barbata</i> , Wall.	<i>Trigonella cancellata</i> , Desf.
Schotia tamarindifolia, Afz.	<i>opulifolia</i> , L.	<i>coerulea</i> , Sering.
Scirpus lacustris, L.	<i>trilobata</i> , L.	<i>crassipes</i> , Boiss.
Scolopendrium officinarum, L.	<i>Sponia crassifolia</i> , G. Don.	<i>Tritonia crocata</i> , Ker.
Scorpiurus subvillosum, Swz.	<i>Stachys Bridgesii</i> , Benth.	<i>Tropaeolum aduncum</i> , Sm.
Sclerostylis atalantoides, Wight and Arn.	<i>grandiflora</i> , Benth.	<i>Triorieyne tenella</i> , R. Br.
Seropularia sambucifolia, W.	<i>setifera</i> , C. A. Mey.	<i>Tydea gigantea</i> , Decaisne.
Scutellaria splendens, Lk. and Otto	<i>sibirica</i> , Link.	
Senebiera coronopus, Pers. didyma, Pers.	<i>Stangeria paradoxa</i> , T. Moore.	 <b>UNONA</b> zeylanica, Hook and Thoms.
Senecio Australis, W. Cunninghamii, D. C.	<i>Stapelia grandiflora</i> , Mass.	Uvaria micrantha, Hook and Thoms.
Gregorii, F. Muell. undulatus, Thmbg.	<i>hirsuta</i> , L.	
viscosus, L.	<i>Stenocarpus salignus</i> , R. Br.	 <b>VERBASCUM</b> Blattaria, L.
Setaria Germanica, Beauv.	<i>Stenochilus longifolius</i> , R. Br.	<i>phœnicium</i> , L.
Sida aurita, Wall. mollis, Ort.	<i>Stenopetalum sphærocarpum</i> , F.	<i>thapsiforme</i> , Schrad.
Sidalcea malvaeflora, As. Gr.	<i>Muell.</i>	<i>thapsus</i> , L.
Silene, hispida, Desf. inflata, Sm.	<i>Sterculia platanifolia</i> , L. fil.	<i>Veronica orientalis</i> , Ait.
noctiflora, L.	<i>Stevia Eupatoria</i> , W.	<i>Verticordia Fontanesii</i> , D. C.
nocturna, L.	<i>Stewartia Malachodendron</i> , L.	<i>Viburnum lucidum</i> , Mill.
petraca, W. K.	<i>Stipa flavescens</i> , Lab.	<i>macrocephalum</i> , Fortun.
viscosa, Pers.	<i>Strelitzia Reginae</i> , Ait.	<i>Vicia bithynica</i> , L.
Silybum marianum, Gaertn.	<i>Streptocarpus polyanthus</i> , Hort.	<i>cassubica</i> , L.
Sinapis hispida, Schousl.	<i>Strophanthus aurantiacus</i> , Hort.	<i>eracea</i> , L.
Sisymbrium australangulum, D. C. austriacum, Jaqu.	<i>Stylophorum diphyllum</i> , Nutt.	<i>disperma</i> , D. C.
Trio, L.	<i>Succowia Balearica</i> , D. C.	<i>ferruginea</i> , Bess.
officinale, L.	<i>Swietenia Mahagoni</i> , L.	<i>hirsuta</i> , Fisch.
polyceratum, L.	<i>Syciospermum gracile</i> , A. Gr.	<i>hybrida</i> , L.
Thalianum, Gaud.	<i>Sycios bryoniaefolia</i> , Moris.	<i>onobrychoides</i> , L.
Sisyrinchium laxum, Otto.	<i>Syringa Chinensis</i> , W.	<i>purpurea</i> , Stev.
Smilax aspera, L. mauritanica, Poir.	 <b>TAGETES</b> lucida, Cav.	<i>sativa</i> , L.
Solandia grandiflora, Sw.	<i>patula</i> , L.	<i>svylvatica</i> , L.
Solanum aggregatum, Jaqu. Balbisi, Dunal.	<i>Taraxacum officinale</i> , Willd.	<i>sordida</i> , W. R.
cerasiferum, Dunal.	<i>Tephrosia grandiflora</i> , Pers.	<i>triflora</i> , Tenor.
discolor, R. Br.	<i>purpurea</i> , Pers.	<i>Vicusseuxia tristis</i> , Ecklon.
heterandrum, Pussh.	<i>Tetragonolobus siliqueus</i> , Roth.	<i>Vigna Sinensis</i> , Benth.
lacunarium, F. Muell.	<i>Tetranema mexicanum</i> , Benth.	<i>Viola hederacea</i> , Lab.
Lycopersicum, L.	<i>Tetratheca thymifolia</i> , Sm.	<i>Sieberii</i> , Hook.
macranthum, Dunal.	<i>Therogerion tenuifolius</i> , Sond.	<i>Vittadenia cuneata</i> , D. C.
sinense, Blauco.	<i>Thermopsis lanceolata</i> , R. Br.	
villosum, Lam.	<i>Thespesia populnea</i> , Correa.	 <b>WEINMANNIA</b> trichosperma, Cav.
Sparmannia Africana, L. fil.	<i>Thysanotus paniculatus</i> , R. Br.	<i>Wickstromia viridiflora</i> , Meisn.
Spartium linifolium, Desf. scoparium, W.	<i>Tournefortia heliotropioides</i> ,	<i>Widdringtonia eupressoides</i> , Endl.
Spilanthes oleraceus, L.	<i>Hook.</i>	
Sphaerolobium vincinum, Sm.	<i>Tradescantia virginica</i> , L.	 <b>XERANTHEMUM</b> cylindraceum.
Sphenogyne adoniflora, D. C. anthemoides, R. Br.	<i>Trichinium spathulatum</i> , R. Br.	<i>Xeropetalum tiliaceum</i> , Endl.
	<i>Trichomanes reniforme</i> , Forst.	
	<i>Trichouenia cruciatum</i> , Ker.	 <b>ZICHYNA</b> coccinea, Benth.
	<i>Trifolium angustifolium</i> , L.	<i>Zygophyllum Billardieri</i> , D. C.
	<i>filiforme</i> , L.	<i>crenatum</i> , F. Muell.
	<i>globosum</i> , L.	<i>Morgiana</i> , L.
	<i>latinum</i> , Sebast.	<i>Zizyphus vulgaris</i> , Lam.
	<i>spinosum</i> , L.	
	<i>striatum</i> , L.	
	<i>subterraneum</i> , L.	
	<i>vesiculosum</i> , L.	