DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr., Hq Shimane MG Team, APO 317, Subj: "Retention of Installed Items", dtd 24 Oct 1947

CMGR 386.3 5th Ind D/WN/ltn

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 28 November 1947

TO: Commanding General, Eighth Army, APO 343

Paragraph 3, 2nd indorsement complied with. Recommend retention of 3-75 KVA transformers for proper maintenance of reparation items in the Osaka Military Arsenal, Iwami Factory, Gotsu Machi, Shimane Ken.

1 Incl:
listed in error

S/Russell C. Snyder
T/RUSSELL C. SNYDER
Colonel, FA
Adjutant

AG 386.3 (MG-Pe) 6th Ind 19 Dec. 1947

Headquarters Eighth Army, APO 343

TO: Commanding Officer, Chugoku Military Government Team, APO 317

Request, as contained in paragraph 5, 4th indorsement, is approved. Submit reports as required by paragraph 4, letter this headquarters, file AG 386.3 (MG-P), subject, "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dated 30 July 1947.

BY COMMAND OF MAJOR GENERAL RYDER:

S/Herbert D. Landers, Jr.
for T/R. Schafer
Lt. Col., AGD
Asst. Adj. Gen.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr, Hq Shimane MG Team, APO 317, subj: "Retention of Installed Items", dtd 24 Oct 47.

CMGR 386.3 7th Ind D/WN/mkn

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 27 December 1947

TO: Commanding Officer, Shimane Military Government Team, APO 317

Forwarded for compliance with 6th Ind. Report stated as required in paragraph 4 should read as required by paragraph 6 of letter Headquarters, Eighth Army, file AG 386.3 (MG-P), subject: "Stocks-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dated 30 July 1947.

BY ORDER OF COLONEL SNYDER:

S/ Jerry W. Tom
T/ JERRY W. TOM
1st Lt, USAF
Adjutant

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947 YES ___ NO ___

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 13 Sept. 1946

B. Code Number: 36 — 1 (1) — 9
(Prefecture — Plant — Machine) — Bk

Bp

C. Name of Machine: Power unit with 3 transformer — Bm

Indoor -- Self Cool — C

D. Manufacturer: Sudo Denki Co. — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: x 1170, 1169, 1168 — F

G. Age of Machine in Years: Mfd. 1942 — G

H. Condition of Machine (Check one below): — H

GOOD	(Requires only Maintenance)	Class 1 x
GOOD	(But requires Repairs)	Class 2
UNSERVICEABLE.	(Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 150 K.V.A. Rating Continuous — J1

(2) Primary Voltage 3450 V — J2

(3) Secondary Voltage 220 V — J3

(4) Frequency 60 cycle 1 Phase Oil Volum 550 litre — J4

K. Power Source: — K

(a) Motor Driven

AC		DC			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 1,200 Kgs.
Width: 1.1 Meters
Length: 1.1 Meters
Height: 1.7 Meters

M. Brief Description of Machine Characteristics: — M

Including 3 transformer of each single phase in "-" connection and switch gear equipment. The data on the above lines "J&L" are for each transformer.

Reel #3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

登　錄　票

A. 日　附：

B. 符號番號：
（縣 — 工場 — 機械）

C. 機　種：

D. 製造者名：

E. 製 造 國：

F. 型　式：

G. 設備經過年數：

H. 機械狀態：

使用可能	一　級	
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1)

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：　瓲　長　サ：　米　巾：　米　高　サ：　米

M. 機械ノ特徴：

Eighth Army Printing Plant Bonyeon
4530

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

AUTHORIZED FOR OPERATION AS OF 30 JUNE 1947 YES ___ NO ___

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 13 Sept. 1946

B. Code Number: 36 (Prefecture) — 1 (1) (Plant) — 98 (Machine)

C. Name of Machine: Power Unit with 3 Transformer Out-door-self cool

D. Manufacturer: Osaka Transformer Co.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: #712294, 712297, 712293

G. Age of Machine in Years: Mfd. 1938

H. Condition of Machine (Check one below):

GOOD	(Requires only Maintenance)	Class 1 X
GOOD	(But requires Repairs)	Class 2
UNSERVICEABLE.	(Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 50 KVA Rating Continuous

(2) Primary Voltage 3450 V

(3) Secondary Voltage 210 V

(4) Frequency 60 cycle 1 Phase Oil Volume 280 litre

K. Power Source:

(a) Motor Driven — AC ___ DC ___ ___ HP

(b) Belt Driven — Cone ___ Pulley ___

L. Weight: 900 Kgs.
Width: 0.7 Meters
Length: 0.8 Meters
Height: 1.1 Meters

M. Brief Description of Machine Characteristics:

Including 3 transformers of each single phase in * - * connection and switch gear equipment. The data on the above lines "J&L" are for each transformer.

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

Bk | Bp | Bm | C | D | E | F | G | H | J1 | J2 | J3 | J4 | K | M

Incl #4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

登　錄　票

A. 日　　附：

B. 符號番號：
（縣 — 工場 — 機械）

C. 機　　種：

D. 製造者名：

E. 製 造 國：

F. 型　　式：

G. 設備經過年數：

H. 機械狀態：

使用可能	一　級	
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1)

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：　　瓲　　長　サ：　　米　　巾：　　米　　高　サ：　　米

M. 機械ノ特徴：

Eighth Army Printing Plant-Bushyaa
4550

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr Hqs Shimane MG Team, APO 317, SMGT 386.3, Subj: "Stocks Piles and Installed Materials and Supplies in Reparations Plants", dtd 14 January 1948

CMGR 386.3 (D-No) 1st Ind

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 22 January 1948

TO: Commanding Officer, Shimane Military Government Team, APO 317

1. Basic letter and attached report is returned for resubmission in compliance with inclosure 1, to Operational Directive No.89 dated 20 November 1946 as amended by Radio Headquarters, Cite DX 99854.

2. Radio Headquarters Cite DX 99854 states that complete information as required by letter, Headquarters Eighth Army, file AG 386.3 (MG-P) Subject: Stocked piled and installed material and supplies in reparation plants, Laboratories, Military Arsenals and Naval Arsenals, will be forwarded by local Military Government teams direct to Headquarters Eighth Army, Attention Military Government Section, Procurement Division and to the Consignees concerned.

3. Copies of correspondence which is in your files is inclosed to assist in making out required report. Report of shipments will be checked and the machine numbers will be correctly listed.

BY ORDER OF COLONEL SNYDER:

JERRY W. TOM
1st Lt, USAF
Adjutant

3 Incls added
Incl 2- Letter Hqs 8th Army file AG 386.3(MG-P) dated 30 July 47
Incl 3- Letter Shimane Mil Govt Team dated 24 Oct 1947
Incl 4- Radio Hqs 8th Army Cite DX 99854

36-1 Sec II Box 68

67
JAN 26
1927

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

FCW/cs

SMGT 386.3

14 January 1948

SUBJECT: Stocks Piled and Installed Materials and Supplies in Reparations Plants.

THRU: Channels

TO: Supreme Commander for The Allied Forces, APO 500, (Attention Military Government Section)

Forwarded herewith, in compliance with Par 6, ltr Headquarters 8 Army, file AG 386.3 (MG-P), Subj: "Stocks piled and Installed Materials and supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals, dtd 30 July 47, information list of Reparations Machinery which was shipped on P/D to BCOF in November and December 1947, from Iwami Plant, Osaka Arsenal.

Clayton L Mausert

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

1 Incl:
1. Machinery list as dated above (in Trip)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317 FCW/cs

24 October 1947

SUBJECT: Retention of Installed Items.

THROUGH: Commanding Officer, Chugoku Mil Gov't Region, APO 317.

TO : Commanding General, Hdqs Eighth Army, APO 343.

1. Reference: (a) letter your Hdqs dated 30 July 1947, serial # AG 386.3 (MG-P), subject, "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals & Naval Arsenals".

(b) letter your Hdqs dated 7 August 1947, serial # AG 386.3 (MG-Em), subject, Reparations Equipment Released to the Occupation Forces".

2. All items listed in inclosure to reference 1 a, with the exception of three (3) 1 Ph 75 KVA transformers, are being readied for shipment.

3. Temporary permission has been granted by this Hdqs, with the approval of Chugoku Mil Gov't Region, for the above mentioned items of equipment to be retained at the plant. These items are necessary for proper maintenance of reparation items.

4. Recommend that these items be permitted to remain in this plant.

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

Dist:
1-Section file
1-Central file
1-Chugoku Mil Gov't Region
3-Eighth Army

Incl- a 3

3124

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

LOCATED AT: Osaka Military Arsenal, Iwai Factory, Getsu-Machi, Shimane-Pref. 65-SHMG-1/b

Nomenclature	Unit	Quantity	Weight kg	Consignee
Transformer, Single Phase 25 KVA	pcs	1	600	BCOF
Transformer, Single Phase 50 KVA	pcs	3	2,100	BCOF
Transformer 3 Phase 90 KVA	pcs	1	800	BCOF
Motor 3 Phase 1/2 HP	pcs	3	210	BCOF
Motor 3 Phase 3 HP	pcs	4	360	BCOF
*Transformer 1 Phase 50 KVA	pcs	11	8,700	BCOF
*Transformer 3 Phase 100 KVA	pcs	1	1,200	BCOF
*Transformer 1 Phase 100 KVA	pcs	3	2,700	BCOF
*Transformer 1 Phase 25 KVA	pcs	3	1,800	BCOF
*Transformer 1 Phase, 7.5 KVA	"	5	4,000	BCOF
*Transformer 1 Phase, 150 KVA	"	3	3,000	BCOF

*Installed

BCOF

CONSIGNEE CODE:

Engineer Base Stores Depot
BCOF
Hiro Station, Hiro

HQ BCOF
ETAJIMA

Incl #1

IN CRE.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

LOCATED AT: Osaka Military Arsenal Iwai Factory, Gomtsu-machi
Shimane-Ken - 65-SHMG-1/c

Nomenclature	Unit	Quantity	Weight kg	Consignee
Electric Motor 5 HP	pcs	6	480)	YED
Electric Motor 7.5HP	pcs	1	100)	

CONSIGNEE CODE:

YED Receiving Officer
Yokohama Engineer Depot
Chiwaka Station, Yokohama

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr Hq Shimane Military Gov't Team, APO 317, dtd 24 Oct. 1947
Subject: "Retention of Installed Items.

AG 386.3 4th Ind. FCW/cs

Hq Shimane Mil Gov't Team APO 317, Shimane Honshu, 24 Nov. 1947 Att(MG)

THRU: Commanding Officer, Chugoku Mil Gov't Region,
APO 317, Kure, Honshu

TO: Commanding General, Eighth Army APO 343

1. Correct KVA rating of five (5), one (1) Phase Transformers located at Iwami Plant Osaka Arsenal, Gotsu-cho, Naka-gun are Seventy-Five (75) KVA, not Seven point Five (7.5).

2. There are no (7.5) Transformers in the Plant.

3. Three of the above mentioned transformers are installed at the plant and are absolutely required for operation and upkeep of the premises. The remaining Two (2), 75 KVA Transformers are now crated for shipment to consignee as is all other equipment called for on PD with the exception of:

a. (1) Transformer Single Phase
25 KVA unrepairable

b. (1) Transformer 3 Phase
90 KVA unrepairable

4. All lother items on P/D will be shipped to consignee on 30 November 1947. The two above listed transformers will not be included as per previous instructions regarding unrepairable items.

5. Request the three (3) 75 KVA transformers be permitted to remain in plant as per basic communication.

Incl
(1) Copy of Pd in Dup.

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

Dist
1-Section file
1-Central file
3-Forward.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr., Hq Shimane MG Team, APO 317, Subj: "Retention of Installed Items", dtd 24 Oct 1947

CMGR 386.3 5th Ind D/WN/ltn

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 28 November 1947

TO: Commanding General, Eighth Army, APO 343

Paragraph 3, 2nd indorsement complied with. Recommend retention of 3-75 KVA transformers for proper maintenance of reparation items in the Osaka Military Arsenal, Iwami Factory, Gotsu Machi, Shimane Ken.

S/Russell C. Snyder
T/RUSSELL C. SNYDER
Colonel, FA
Adjutant

1 Incl:
listed in error

AG 386.3 (MG-Pe) 6th Ind 19 Dec. 1947

Headquarters Eighth Army, APO 343

TO: Commanding Officer, Chugoku Military Government Team, APO 317

Request, as contained in paragraph 5, 4th indorsement, is approved. Submit reports as required by paragraph 4, letter this headquarters, file AG 386.3 (MG-P), subject, "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dated 30 July 1947.

BY COMMAND OF MAJOR GENERAL RYDER:

S/Herbert D. Landers, Jr.
for T/R. Schafer
Lt. Col., AGD
Asst. Adj. Gen.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr, Hq Shimane MG Team, APO 317, subj: "Retention of Installed Items", dtd 24 Oct 47.

CMGR 386.3 7th Ind D/WN/mkn

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 27 December 1947

TO: Commanding Officer, Shimane Military Government Team, APO 317

Forwarded for compliance with 6th Ind. Report stated as required in paragraph 4 should read as required by paragraph 6 of letter Headquarters, Eighth Army, file AG 386.3 (MG-P), subject: "Stocks-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals", dated 30 July 1947.

BY ORDER OF COLONEL SNYDER:

S/ Jerry W. Tom
T/ JERRY W. TOM
1st Lt, USAF
Adjutant

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

SHC/cs

Matsue, Honshu
12 August 1948

SMGT 386.3(RCI)

SUBJECT: Request for Permission to Remove "Certain Released Materials" from The Iwami Plant, Osaka Arsenal, Gotsu.

THRU: Liaison Section, Shimane Prefectural Government.

TO: Japanese Government Railway, Hiroshima Division Office.

36-1
IV B

1. Permission is hereby granted for the removal of the Materials as listed in inclosure one (1) attached, from the Iwami Plant, Osaka Arsenal.

2. Passes to enter the Arsenal for the Personnel involved in the removal, may be secured at this Headquarters on written request.

1 Incl.
Inventory of Released Items.

CLAYTON L. MAUSERT
Lt. Col, TC
Commanding

44

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

SHC/cs

Matsue, Honshu
11 August 1948

SMGT 386.3(RCI)

SUBJECT: Transportation of "Certain Materials" from The Iwami Plant, Osaka Arsenal, Gotsu.

THRU: Liaison Section, Shimane Prefectural Office

TO: The Construction Board, Matsue Office, Shimane Prefectural Government (Attention Mr Fujiro Hara).

1. References:

a. Letter, file Shimane Prefectural Government Liaison Section (7 Dec 46) subject: Request for Permission to Remove released materials from Iwami Plant, Osaka Arsenal.

b. Inventory list (Inclsoure 2 attached) of articles released.

2. Information obtained from the Liaison Section, Shimane Prefectural Office, discloses that the materials were released to the Home Ministry on 7 December 1946. (Releasing Officer, Robert Lemon, 1st Lt. FA. Enemy Property Officer).

3. The files of the Headquarters do not contain receipt from the Home Ministry for the release of subject materials.

4. Request immediate receipt be returned to this Headquarters, enabling us to properly dispose of the Basic request.

Arthur E Lounsbery
for CLAYTON L. MAUSERT
Lt Col, TC
Commanding

2 Incls:
1. Request for Permission to remove materials.
2. Inventory of Released Materials.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Shimane Prefectual Government
Liaison Section

Matsue
31 July 1948

SUBJECT: Apprication on Permission of Transportation of Remaining Iron Materials, etc., in Iwani Plant. Osaka Arsenal.

TO : Commanding Officer, S.M.G.T.
Attention, R.I.C. Section

We are herewith forwarding to you a letter from the Director, Hiroshima Railway Division requesting the permission of transportation as attached.
Your prompt attention is much appreciated.

FOR THE CHIEF OF LIAISON SECTION

Kiyoshi Wada

KIYOSHI WADA
Chief Clerk,
Liaison Section, S.P.G.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOVERNMENT RAILWAY
HIROSHIMA RAILWAY DIVISION OFFICE

SUBJECT: RE-APPLICATION ON PERMISSION OF TRANSPORTATION OF IRON MATERIALS, etc., IN IWAMI MANUFACTORY, FORMER OSAKA ARSENAL.

TO : Commanding Director,
Matsue Military Government Team.

Concerning transportation of iron materials and others remaining in Iwami Manufactory, Former Osaka Arsenal, Gotsu-machi, Shimane Prefecture. We have applied for permission by the letters on above subject dated 7 Dec. '46 and dated 21 Jan. '47.

Altering the items applied for their transport and the working plan as attached, we should like to re-apply for your permission.

Your expeditation on permission will be much appreciated.

(N.B.) With the change of working condition at actual places, number of working days and working persons were changed followingly.

T. Ostuki,
Director,
Hiroshima Railway Division.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOVERNMENT RAILWAY
HIROSHIMA RAILWAY DIVISION OFFICE

S.16

1. Items to be transported.

ITEM	QUALITY SIZE LENGTH		NUMBER	LOCATION
Cartridge case steel plate	14.5x1550x4480	kg.	198.000	cover of anti-craft ditch
Welding rod	for the use of gas	"	1.785	storehouse
Steel plate for RA style 10 Cm howitzer				"
Steel plate for TA shot	0.4x75x480	"	840	"
Yellow copper plate	22x500 mm	"	1.060	"
Yellow copper plate	misc. sizes	"	40	"
Zinc galvanized iron plate	4 mm	"	1.000	"
Tin lump		"	2.808	"
Lead tube	25 mm x 1000 mm	m	4	"
Lead covered cable	misc sizes	"	60	"
Misc. wires	"	kg	300	"
Bronze scrap		"	3.600	siding in the yard
Bronze scrap		"	30.000	"
I Beam steel		"	7.372	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOVERNMENT RAILWAY
HIROSHIMA RAILWAY DIVISION OFFICE

2. Working plan

A. Working days:

60 days covering from the day when the permission was given.

B. Responsible person:

Assistant master, Iwami Gotsu Branch Office, Hiroshima Storehouse, Accounting and Supplies Department, Hiroshima Railway Division.

Mr. Sunao Nakasu

C. Assistant:

Iwami Gotsu Branch Office clerks

Mr. Masao Ogata and others, totaling 6.

D. Transporting workmen:

Supplied from Japan Express Company - 50 persons.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE PREFECTURAL GOVERNMENT
MATSUE, HONSHU

11 August 1948

SUBJECT: Receipt for Materials Released from Iwami Plant, Osaka Arsenal on 7 December 1948.

TO: Commanding Officer, Shimane Military Government Team, APO 317, Matsue, Honshu

Receipt is hereby acknowledged of the Materials listed on inclosure 1 attached, released to the Home Ministry of the Japanese Central Government on 7 December 1946.

Shoichi Heirou

for FUJIRO HARA
Gov. Shimane Prefecture
Rep. The Construction Board.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

FCW/cs

SMGT 386.3

14 January 1948

SUBJECT: Stocks Piled and Installed Materials and Supplies in Reparations Plants.

THRU: Channels

TO: Supreme Commander for The Allied Forces, APO 500, (Attention Military Government Section)

Forwarded herewith, in compliance with Par 6, ltr Headquarters 8 Army, file AG 386.3 (MG-P), Subj: "Stocks piled and Installed Materials and supplies in Reparation Plants, Laboratories Military Arsenals and Naval Arsenals, dtd 30 July 47, information list of Reparations Machinery which was shipped on P/D to BCOF in November and December 1947, from Iwami Plant, Osaka Arsenal.

36-1

1 Incl:
1. Machinery list as dated above (in Trip)

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

43

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

REPORT OF SHIPMENT

26 December 1947
1110 Gotsu-machi
Naka-gun, Shimane-Pref.

TO: Headquarters 8th Army Shimane Military Government

Name of Plant
Iwami Plant of Osaka Army Arsenal

MEMO: No AG 386.3 (MG-P92)
65-SHMG-1/6

SIR; Herewith we are submitting the Shipment Report as follow.

Inventory Code of No.	Item	Type	Quantity	Number of Package	Transp.	Date and RW Stating of Shipment	Distination.	Remark
36-1(1)-98	Transf.	Single phase 50 KVA	1	1	R.W.	Gotsu-Station 26 Nov.1947	Hiro-Station Hiro-City	
" -98	"	"	"	"	"	"		
" -97	"	25 KVA	"	"	"	"		
" -98	"	50 KVA	"	"	"	" 27 Nov.	"	
" -199	"	"	"	"	"	"	"	
" -203	"	"	"	"	"	"	"	
" -717	"	"	"	"	"	"	"	
" -202	"	"	"	"	"	"	"	
" -204	"	"	"	"	"	"	"	
" -95	"	25 KVA	"	"	"	"	"	
" -96	"	"	"	"	"	"	"	
" -200	"	50 KVA	"	"	"	" 28 Nov.	"	
" -201	"	"	"	"	"	"	"	
" -705	"	"	"	"	"	"	"	
" -706	"	"	"	"	"	"	"	
" -707	"	"	"	"	"	"	"	
" -718	"	"	"	"	"	"	"	
" -793	"	3 phase 100 KVA	"	"	"	" 6 Dec.	"	
" -794	"	Single phase 100 KVA	"	"	"	"	"	
" -29	"	"	"	"	"	"	"	
" -30	"	"	"	"	"	"	"	
" - 9	"	150 KVA	"	"	"	" 8 Dec.	"	
" - 9	"	"	"	"	"	" "	"	
" - 9	"	"	"	"	"	"	"	
" -854	"	75 KVA	"	"	"	"	"	
" -863	"	"	"	"	"	"	"	
" -755	Electric Motor	1/2 HP.	"	"	"	" 8 Dec.	"	
" -756	"	"	"	"	"	"	"	
" -29(S)	"	"	"	"	"	"	"	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Inventory Code of No.	Item	Type	Quantity	Number of Package	Transp.	Date and RW Stating of Shipment	Distination.	Remark
36-1(1)-13(S)	Elect. Motor	3 H.P.	1	1	R.W.	Gotsu-Station 3 Dec. 1947	Hiro-Station Hiro-City	
" 14(S)	"	"	"	"	"	"	"	
" 15(S)	"	"	"	"	"	"	"	
" 30(S)	"	"	"	"	"	"	"	
" 757	"	5 H.P.	"	"	"	"	Yokohama-Station	
" 758	"	"	"	"	"	"	Yokohama City	
" 749	"	"	"	"	"	"	"	
" 760	"	"	"	"	"	"	"	
" 761	"	"	"	"	"	"	"	
" 762	"	"	"	"	"	"	"	
" 759	"	7½ H.P.	"	"	"	" 8 Dec.47	"	

The supply goods to deliver up the Nippon Express Co. Ltd., is end to packed up by the date to write upon is with regard to Memo AG-386.3(MG-P92)

It is writen "29(S)" to code of number the Scrap Machines to possible operation the motor that dependen it there.

The Head Offical the Gotsu Branch
of The Hiroshima State Property Bareaun.

S/ Miyoshi Yamashita

We hereby certify that the abovementioned cargo has been received.

28th December 1947
The Nippon Express Co. Ltd.
Iwami Gotsu Branch Office

K. Inoue, Manager

C O P Y

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

FCW/cs

25 October 1947

SUBJECT: Removal of Installed Items in Reparation Plant.

THROUGH: Matsue Branch, Hiroshima Finance Office, Matsue, Shimane-ken.

TO: Mr. Miyoshi Yamashita, Custodian, Iwami Plant, Osaka Arsenal, Gotsu-cho, Naka-gun.

36-1

1. All machines and transformers, with the exception of the three (3) transformers (75 KVA 1 Ph.) now in use, will be made ready for shipment as soon as possible.

2. This office will be notified by the General Contractors as to shipping date of each item, route and consignee.

FOR THE COMMANDING OFFICER:

F. C. WIGGINS
Major, CMP
Commerce & Industry
Officer

Dist:
1-Section file
1-Central file
1-Hiroshima Finance Office
3-Forward

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OSAKA MILITARY ARSENAL 36-1
IWAMI PLANT
Section IV. C. Dispersal Areas

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS

IVC

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
31 JAN. 1947	REVIEW ON INVESTIGATION OF IWAMI PLANT, EX-OSAKA ARMY ARSENAL.	SHIMANE PREF. GOVT. LIAISON SECTION. BASIC.
- MAY 1947	REPORT ON SUPERVISION OF INDEMNITY EQUIPMENTS (EX-MILITARY INSTALLATION). LATTER HALF OF APR. 47	FINANCE BUREAU, SHIMANE BRANCH. BASIC
- JUN. 1947	" " " " (" " ") LATTER HALF OF MAY 47.	" " " " " "
- JUN. 1947	" " " " (" " ") FIRST HALF OF JUN. 47.	" " " " " "
- JUL. 1947	" " " " (" " ") LATTER HALF OF JUN. 47.	" " " " " "
- JUL. 1947	" " " " (" " ") FIRST HALF OF JUL. 47.	" " " " " "
- AUG. 1947	" " " " (" " ") LATTER HALF OF JUL. 47.	" " " " " "
- AUG. 1947	" " " " (" " ") FIRST HALF OF AUG. 47.	" " " " " "
- SEP. 1947	" " " " (" " ") FIRST HALF OF SEP. 47.	" " " " " "
- NOV. 1947	" " " " (" " ") LAST HALF OF OCT. 47.	" " " " " "
- DEC. 1947	" " " " (" " ") FIRST HALF OF DEC. 47	" " " " " "
10 JAN. 1948	REPORT ON CUSTODY AND MAINTENANCE OF REPARATION PLANT (MILITARY ARSENAL) FROM JAN. 1 TO 10. 48	GOTSU SUB-BRANCH, MATSUE DISTRICT BRANCH, H.F.B. BASIC
25 JAN. 1948	REPORT ON REPARATION PLANT CUSTODY. FROM JAN. 16 TO 25. 48	" " " " " " " " "
15 FEB. 1948	CUSTODY OF REPARATION PLANT (ARMY ARSENAL) FIRST HALF OF FEB. 48	" " " " " " " " "
15 MAR. 1948	HALF-MONTHLY REPORT CONCERNING TO DOES THE CUSTODIAL AND THE PRESERVATION OF REPARATION PLANT (ARMY ARSENAL). FIRST DECADE OF MAR. 48	GOTSU BRANCH, HIROSHIMA STATE PROPERTY BUREAU BASIC.
15 MAY 1948	REPORT ON MAINTENANCE OF REPARATION PLANT. FIRST HALF OF MAY. 48	GOTSU BRANCH, H.F.B. BASIC.
8 JUL. 1948	SPECIFIC DEFICIENCIES NOTED AT OSAKA MILITARY ARSENAL, 36-1(1), GOTSU, SHIMANE PREF.	—
29/30 NOV. 1949	INSPECTION OF REPARATIONS PLANTS, IN COMPLIANCE WITH O.D. 51.	C. C. A. R.
23 March 1950	Inspection of Reparation Plant at Osaka Army Arsenal Gotsu Plant Code No. 36-1(1)	C.C.A.R.
5 June 1950	Action Taken for Points indicated by Mr. Grafton, SCAP - Gotsu Reparations Branch, Shimane Pref.	Chugoku Finance Bureau
19 Oct. 50	Inspection of Osaka Mil. Arsenal for Confirmation of the Extent of typhoon damage and correctness of the report.	C.C.A.R.

V

V.- INSPECTION REPORTS.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
ECONOMICS SECTION

D/RGS/hk

CCAR 319.1

19 October 1950

SUBJECT: Report of Field Trip, Gotsu-machi, Naka-gun, Shimane Prefecture, 18 October 1950

TO : Chief
Economics Section

PREPARED BY: E. Kawamura, Distribution and Industry Division

1. REFERENCE:

O.D. 11

2. PURPOSE:

A conference with Gotsu Finance officials and inspection of Osaka Mil. Arsenal (Iwami Plant Mil. Ars. 36-1) for confirmation of the extent of typhoon damage and correctness of the reports.

3. BACKGROUND:

An application had been submitted to this headquarters from Gotsu Finance Office for the use of Reparations Fund to repair the damage done by Kezia typhoon.

4. DISCUSSIONS:

a. Damage originally estimated and results revealed after spot inspection.

Classification	Extent of damaged originally claimed	Revealed after spot check
Building (Roof and siding)	80 tsubo	Approx. 84 tsubo of roof, sidings and windows require repair.
(Galvanized iron sheets,	56 tsubo	Blg. No.9, No.48, No.49)
(Slate	24 "	Blg. No.1)
Boundary wall	32 meters	No expenditure is necessary as there are sufficient lumbers, boards and labor.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Classification	Extent of damaged originally claimed	Revealed after spot check
Window panes (Size, 1 sq. feet @ ¥65.00)	150 sheet	No cost is involved as there are sufficient number of tin plates that can be cut and applied by using the guards.
Maintenance required on machines	50	No cost is involved as there are adequate materials and labor.

NOTE: The following items have been used for temporary maintenance by the 15 guards on duty and some office personnel.

Items	Quantity
Greese	38 kg.
Kerosene	36 "
Machine Oil	28 "

Some temporary repair of roofs (15 tsubo) and boundary wall has been also done to date.

b. Status of materials

Roof:

Classification	Quantity claimed	Total amount claimed	Unit price	Revealed after spot check
Galvanized iron sheet	160 sheet	¥30,318.72	1 ton (approx. 200 sheets) @¥47,373.00	There are old and/or substitute materials in the area
Coal tar	40 kg.	¥204.00	@¥5.10	600 kg. on hand
Nail	25 "	¥953.75	@¥38.15	
Glass for windows	150 sheet	¥9,750.00	@¥65.00	Some boards and tin plates can be substituted

Boundary Wall:

Classification	Quantity claimed	Total Amount claimed	Unit price	Revealed after spot check
Lumber	10 koku	¥13,000	@¥1,300	Plenty scrap lumber in the area
Nail	(included in the above)			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

c. Information regarding the land, 36-01(1).

Mr. Yamashita reported that Japanese Government pays from Reparations Fund to Shimane Chemical K.K. a total of ¥177,653 per month for the rental of the present Reparations designated area which had originally belonged to Shimane Chemical K.K. but it was rented to the Japanese Army for the former arsenal area during the war.

The payment of the rental started from January 1946. However, the amount of rental have varied as follows:

Date	Monthly rental	Remarks	
Jan 1946 - Sep 1946 (from 9 May 1944 according to Shimane Chemical K.K.)	¥58,100.00	Blg.site, Land	19,313.00 tsubo 61,345.05
Oct 1946 - Sep 1948	¥79,411.65	Blg.site Land	9,949.29 35,439.45
Oct 1948 - to date	¥177,653.00	" "	" "

Rayon K.K.: Date of release of the land presently used by Nippon May 15, 1946

Blg. site, 3,081.17 tsubo
Land area, 19,313.41 "

Date of release of the land presently used by Shimane Prefectural Government: July 20, 1948

Blg. site, 9,364 tsubo
Land area, 25,906 "

NOTE: A conference with Shimane Chemical K.K. officials later revealed that there has been no delayment in the past with regard to the payment of rental to the Shimane Chemical K.K.

5. CONCLUSION:

a. Adequate maintenance can be accomplished by the use of materials on hand and the guards on duty without expending any extra money.

b. Enough lumbers are available to repair the 9 places of boundary wall by using the guards on duty. The total length of the wall damaged was originally estimated at 320 meters.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

c. Overestimation and application for materials which they have on hand such as in the case of coal tar were in evidence.

6. RECOMMENDATIONS

It was recommended to the officials that:

a. They study CAS/SCAP Memorandum to the Japanese Reparation Agency 387.6 (22 Sept 1950) CAS-EM dated 22 September 1950 for the utilization of the guards in order to economize repair cost.

b. They endeavor to economize and limit the extent of cost to the minimum in view of the heavy tax burden on the nation.

c. Approval was given to the extent of repair as follows:

Blg.	Nature of repair	Area to be repaired
No. 1	Repair of roof	24 tsubo
	" windows	4 "
No. 9	" roof only	20 "
No. 48	" siding "	11 "
No. 49	" roof "	25 "
Total		84 tsubo

NOTE: Excepting nails and glasses, they have all the materials required for the repair on hand.

As much substitute materials as possible be utilized to the maximum.

d. The unit cost per tsubo for the repair of roofs, sidings and windows be ¥200 and they accomplish the projected repair within the limit of ¥16,800 thus reducing the previously claimed repair cost of ¥110,750 by ¥93,950.

e. They resubmit a corrected cost estimate to this headquarters by 23 October 1950 with a statement that the materials to be purchased are not available from reparations stocks.

R. G. STRADLEY
Chief, Distribution and
Industry Division

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU
HIROSHIMA FINANCE BUREAU.

SYM/th

KFL No. O-91

5 June 1950

To : Chugoku Civil Affairs Region
Attn. Economic Section

Subject: Actions taken for Points indicated by Mr. Grafton, SCAP - Gotsu Reparations Branch, Shimane Prefecture

1. Transmitted herewith is a report on actions taken by the Finance Bureau for the points indicated by Mr. Grafton, SCAP and Mr. Stradley, CCAR at their inspection of Gotsu Reparations Branch, Chugoku Finance Bureau in Shimane Prefecture on 9 March and 23 March 1950 respectively.

2. The above for your file.

36-110 Sec. IV

Shizuso Yamanaka

SHIZUSO YAMANAKA
Chief of Liaison Section,
Chugoku Finance Bureau

Enclosure:
As indicated in para 1 above.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Chugoku Finance Bureau

Serial Number : Chu Zai Bai 93 May 25, 1950

Commanding Officer,
Chugoku Civil Affairs Region

Sir :

Subject: Disposition of points indicated at time of inspections of reparation facilities.

Inspection of Gozu Property Custodian Branch which is under the jurisdiction of this Bureau was made by Mr. Grafton of GHQ on March 9, 1950 and by Mr. Stradley of Chugoku Civil Affairs Region on March 20, Disposition of points indicated at time of inspections are hereby reported as per enclosure No. 1 and No.2.

Yours truly

K. Onaga

Kintaro Onaga
Vice Director

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Encl 1.

Points indicated and its disposition at time of inspection of Gozu Property Custodian Branch made by Mr. Crafton of GHQ on March 9, 1950.

Points indicated	Disposition
a. Sign Book	Has been changed as attached form.
b. Necessity of possession of blue print of evaluation sheet.	Have asked Finance Ministry to submit subject blue print with our letter Hiro Zai Bai 306 on March 29.
c. Correction of evaluation sheet.	Application for cancellation is submitted to Finance Ministry.
d. Letter of release of AU.	Original letter of release was found at Liaison Section. of Shimane Prefecture after investigation and was explained by reparation Section Chief Mr. Hamaoka at Matsue.
e. Numbering of transformer on iron tower.	Has been numbered. (No. 1176)
f. None numbered pump and motor in pump room. (for use of drinking water within the premises)	Application to move in subject pump and motor was submitted to Civil Affairs Region with our letter Hiro Zai Go No. 116.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Encl 2.

Points indicated and its disposition at time of inspection of Gozu Property Custodian Branch of GHQ on March 23, 1950.

Points Indicated	Disposition
a. Opening and shuting of windows, broken glass of windows and removal of machines.	Shuted all possible windows. Removable machines near windows that could not be shut was moved. Budget has been requested for repair of windows which machines under them could not be removed.
b. Scrap down of stoker in boiling room	Application for scrap down has been submitted to GHQ and further steps are impossible till approved by GHQ.
c. Consolidation of various oils.	Various oils has all been consolidated in No. 35 bldgs and various coal tars in No 33 bldgs.
d. Reduction of Guards	Studying ways to reduce as much as possible.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SIGN BOOK

NAME: _____

BELONGING: _____

_____

RANK: _____

DATE & HOURS OF ENTRY: _____

DATE & HOURS OF DEPARTURE: _____

BUSINESS: _____

NAME OF SUITE _____

BELONGING: _____

RANK: _____

REMARKS: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FIELD TRIP REPORT

R.G. STRADLEY

23 March 1950

1. Purpose:

Inspection of reparation plant at Osaka Army Arsenal Gotsu Plant Code No. 36-1(1).

2. Background:

Surveillance in accordance with O.D. 51.

3. Discussion:

937 items were orignally inventoried for reparation out of which the following are to be deducted.

11 items released from reparations custody as of 15 July 1948.

137 items destroyed as Special Purpose machines according to letter by Shimane Military Government Team, serial number 386.3.

51 items removed by C.I.C. according to SCAPIN 1946 dated 2 December 1948 subject (Centralization of Looted Machinery)

1 air compresser removed to Shimane C.I.C. Code Number 36-1(1)-798.

29 items removed on P.D. (including 5 non inventoried transformers) by letter M.G.P. 92 dated 30 June 1947.

239 items were added on evaluation out of which 5 were removei on P.D. (36-1(1)-972,973,974,975,976)

The following are code numbers and location of dispersed machinery which were released on 15 July 1948 at dispersed area.

36-1(12)- 1 to 2	Hamada Railroad Bureau Engine Section
36-1(15)- 1	Hamada Railroad Maintenance Section
36-1(6)- 1 to 15	Gotsu Technical School.
36-1(13)- 1	Iwami Metal Industrial Co. Ltd.
36-1(14)- 1	Ishida Machine Works.
36-1(1) -481	Eisaku Matsumori Food Processing Plant.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

36-1(1)- 798, 799, 802, 803, 804, 805, 806, 807, 808, 848.	Nippon Rayon Manufacturing Co. Gotsu Cho.
36-3(8)- 1 to 6	Saito Electric Factory.
36-3(11)- 1 to 3	Enjo Iron Works.
36-3(16)- 1 and 2	Yoneda Iron Works.
36-6(3)) 36-4(3)) 1 to 93	Shinju Plant Daiwa Cotton Spinning Mill.
36-4(5) - 1 to 22	Imaichi Technical School
36-4(7) - 1 to 12	Ishibashi Heavy Industrial Makata Plant.
36-4(9) - 1 to 3	Kitai Iron Works.
36-4(4) - 1 to 42	Izumo Zoki and Zosen
36-4(18)- 7, 8, 9.	Shimane Bicycle Metal Plating Co. Ltd.
36-4- 3726, 3727 3728, 3729	Nakashima Sewing machine Works.

The plant has submitted application to Chugoku Civil Affairs Region for the installation of a motor and pump borrowed from Shimane Chemical Industrial Co. Ltd. to pump water out of well.

The plant is applying for 400,000 yen for maintenance work and 100,000 yen for building repair work. 214,100 yen for maintenance was approved.

They now have on hand the following maintenance materials.

40 kan of coal tar
800 liter of machine oil
400 liter of mobile oil
200 liter of kerosene.

4. Conclusion:

Reduction of guard staff is desired maintenance of equipment is only fair.

5. Recommendation:

The chief of the Gotsu Branch Finance Bureau was adviced

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

to move the reparation machines away from places where the roof leaks and also to consolidate the maintenance materials and other item concerning reparation custody with other reparation items so that lands and buildings unnecessary for storage of reparation equipment may be released. It was also pointed out that he had excess number of guards and office workers.

RGS

R.G. STRADLEY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SUBJECT: Field Trip to Tsuyama, Tottori, Matsue and Gotsu

PURPOSE: Inspection of Reparations Plants, Dsipersal Areas and Shipbuilding in compliance with O.D. 51, dated 27 September 1949.

The Gunze Silk Co. in Tsuyama (Code No. 31-1) was inspected on 23 November 1949. Plant was not in operation at the time due to electricity cot-off. Seven (7) wood-working machines were released at this location in 1947 by CCAT. Company officials did not know name of person effecting release. Verbal authority was given for their release and no letter available in their files. At time of their release machines were not numbered due to instructions from ken Government Commerce and Industry Section. Four (4) machines are in temporary use-verbal authority given by a Capt. Green (CCAT) on 27 September 1949. Twenty-eight (28) machines are in authorized use-verbal permission given 25 February 1949 after application was submitted. Copy of application was available. Code Nos. of temporary use machines are:

31-01-3
31-01-7
31-01-56
31-01-62

A count of all machinery in authorized use showed no discrepancies, although two of the machines appeared in need of cleaning.

Kawasaki Zoki K.K. (Code No. 41-3) inspected on 24 November 1949. Two (2) Special Purpose machines were not competely destroyed due to instructions from TCAT. Machines now have new inventory numbers (41-3-116), (41-3-117). Three (3) temporary use machines (switchborads) in use for one year. Plant authorities said a letter from TCAT authorizing temporary use of these machines was on record in Prefectural Office. Check revealed no letter on file. Plant authorities did however have copy of application sent to TCAT asking temporary use of these machines. Fifty (50) items included in the inventory are under the custody of Finance Bureau including one (1) transformer in temporary use.

Ten (10) machines from Maeda kikai Seisakusho dispersal area (Code No. 41-9b) and eight (8) machines from Chiyogawa Seisakujo dispersal area (Code No. 41-9c) have been consolidated in plant 41-3. Authority for moving given by TCAT, One lathe from the latter area a CPC machine has already been sent to Osaka. Both dispersal areas visited and found to contain no reparations machinery. Chiyogawa Seisakujo Company no longer in operation. Former location is occupied by small firm manufacturing charcoal fuel.

Sanin kogyo K.K. (Code No. 41-1) inspected on 25 November 1949. One machine is in temporary use (Code No. 41-1-214) verbal authority given in September 1949 by TCAT. Copy of application to TCAT asking temporary use of machine is on record in company file. Seventy-one (71) machines are in authorized use. Approval given 24 March 1948 by Capt Moxley, TCAT. Copy of application listing machines and his signed approval are on record. One machine in authorized use (Code No. 41-1-294) fire fighting apparatus appeared rusted, disassembled and in general poor condition. Machine would be of little or no use in case of fire. Other machinery in authorized use appeared to be well maintained.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

The Ishimatsu Shipbuilding Company located at Karo-Tottori City, visited on 25 November 1949. The above is a wooden shipbuilding yard which employs about 60 persons. At the time of inspection three 25 ton trawlers were under construction. One trawler of 28 tons waa recently launched and is now receiving deck fittings. Of the four slipways at this yard, two are large enough for the construction of 150 ton wooden vessels.

Ishikei Shipbuilding Company located at Karo-Tottori City visited on 25 November 1949. Only 30 or 35 persons are employed at this yard. Yard has threeslipways, two of which were being used in the construction of one 10 and one 20 ton wooden ships. However, one slipway is large enough for the construction of a 100 ton wooden vessel.

Shinko Kogyo K.K. (Code No. 41-4) inspected on 26 November 1949. Two Special Purpose machines at this location only partially destroyed and given new code numbers-41-4-288, 41-4-289. 148 machines in authorized use-written authority from TCAT for their use on record in company office. Twenty-nine (29) machines at this location are under the custody of Finance Bureau bearing the following code numbers. Machines are in authorized use:

41-9d-60
41-9d-63 to 41-9d-66
41-9d-72 to 41-9d-73
41-9d-75 to 41-9d-85
41-9d-92
41-9d-94 to 41-9d-97
41-9d-102 to 41-9d-104
41-9d-112 to 41-9d-114

Seven (7) Special Purpose machines at the above location under custody of Finance Bureau were only partially destroyed and given the following new code numbers:

b

41-9d-115
41-9d-116
41-9d-117
41-9d-118
41-9d-119
41-9d-120
41-9d-121

Machinery in use was checked and found to be in good condition.

Shinko Kogyo K.K. (Code No. 41-5) also inspected on 26 November 1949. One machins in authorized use (41-5-24) moved to plant 41-4 together with six (6) machines in authorized use under Finance Bureau custody-41-9e-115, 116, 134, 135, 175, 176. Authority for moving machinery given in letter from TCAT. The machines listed herein were located and checked at 41-4. Fifty-three (53) machines at 41-5 were released from reparations by letter of TCAT dated 5 December 1947. A total of eighty-four (84) machiners at this location are under custody of Finance Bureau.

Meiji Kikai Seisakushe (Code No. 41-2) inspected on 26 November 1949. Four (4) machines are in temporary use by permission of Lt. Halvatgis, TCAT. Machines have been in use for five months. Twenty-five (25) machines are in authorized use. Five (5) transformers which Lt. Halvatgis placed in authorized use are not marked "U". Lt promised letter forthcoming for their use but as yet not received. Lt said it would be alright to use them Copy of application to TCAT for their use, dated 23 April 1949 is on record. Code Nos. of the five machines are:

41-2-72
41-2-73

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Meiji Kikai Seisakusho (Code No. 41-2) Cont'd)

41-2-74
41-2-75
41-2-76

Twenty-five (25) machines in authorized checked. Found to be properly marked and in good condition.

Nippon Soda K.K. (Code No. 41-9f) inspected on 27 November 1949. Forty-four (44) machines were on reparations in this area but were released by letter of TCAT dated 25 July 1949. However, upon checking machinery, two machines were found in operation which were not included in the original 44 released. Plant officials said these were overlocked, afterwards said machines were in temporary use since February 1948 authorized by TCAT. Code Nos. of the two machines are: 41-9f-277,41-9f-285.

Tanigawa Bussan-Dispersal Area. Only one (1) machine was on reparations at this area and it has been released from custody by letter of TCAT dated 25 July 1949. Machine is class 3, now in operation. Tanigawa Bussan is small plant employing about 50 persons. Found to be busy in the manufacture of farm implements.

Ishibashi Zosen Tekko Sho-Dispersal Area (Code No. 41-8A) in spected on 27 November 1949. Only twelve (12) reparations machines at this location-all in dead storage. Machines stored in good enclosure. Code numbers listed below.

41-8a-1
41-8a-2
41-8a-3
41-8a-4
41-8a-5
41-8a-6
41-8a-7
41-8a-8
41-8a-9
41-8a-10
41-8a-11
41-8a-12

The Ishibashi Shipbuilding Company was inspected at the same time. Construction of wooden vessels and engine repair are done here. At present engine repair work on fishing vessels is more prominent than shipbuilding. Two wooden vessels of 30 ton each are being built at present. Of the three slipways available for ship construction, each can be used for the building of 200 ton vessels.

Nippon Hassoden K.K. (Matsue) (Code No. 36-2) inspected on 28 November 1949. Seventy-one (71) reparations machines at this plant all in operation under SCAPIN 1131. An application for authorized use of all machinery was made 20 March 1947 to commerce & Industry Ministry. Nippon Hassoden at Hiroshima gave instructions to use machines. Plant was checked and found in excellent condition.

The Fukushima Shipbuilding Company at Matsue inspected on 28 November 1949. This yard capable of building 5 wooden vessels. Has facilities for building two of 100 ton each. At present the keel is laid for two 50 ton fishing vessels. Two 25 ton fishing vessels were recently launched and are now being outfitted. In addition to shipbuilding, small oil tanks and hatches are built here. Company employs 150 persons.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

The Mitsue Shipbuilding Company at Matsue inspected on 28 November 1949. Large size wooden shipbuilding yard, has six slipways, four of which are being used at present in construction of 30 ton trawlers. Wooden ships of 250 tons can be built in each slipway. Company is at present experiencing difficulty in turning completed vessels over to owners due to the latter's shortage of funds.

(0) Osaka Military Arsenal-Iwami Plant Gotsu (Code No. 36-1(1)) inspected on 29-30 November 1949. Area containe all dead storage equipment. Thirty-six (36) machines have been removed under Ltr. Hq. 8A dated 30 June 1947. Destinations of these machines was given as Hiro and Yokohama. Of the 36 removed, 7 have been returned. Code Nos. of these are as follows:

36-1(1)-749
36-1(1)-757
36-1(1)-758
36-1(1)-759
36-1(1)-760
36-1(1)-761
36-1(1)-762

The above 7 machines were located at the plant and checked. Eleven (11) machines were released from custody on 15 July 1949 and sent to Nippon Rayon Co. Their code numbers are: 36-1 (1)-481,798, 799, 802, 803, 804, 805, 806, 807, 808, 848, Six (6) machines were placed in temporary use by Capt Conduict SCAP on 17 March 1948. These machines were used to perform maintenance on dead storage machinery and are now no longer in use. All machinery appeared in excellent condition. Whareheuses where items are stored are in good shape and repairs, where necessary, have been made in places to prevent rain leakage on stored equipment.

In every plant where machinery was in temporary use the custodians were informed of the fact that in the future there will be no more temporary use of reparations equipment. Instructions were given them to apply for autherized use of machines in temporary use. Custodians were instructed that a copy of application requesting authorized use of machinery now in temporary use was desired in this office by 31 December 1949. Furhher, if the application which was sent to SCAP was not returned by 31 January 1949 machinery would automatically go into dead storage.

ROBERT P. LORD, DAC
Economic Section
CCAR

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

Specific Deficiencies Noted at Osaka Military Arsenal, 36-1(1), Gotsu, Shimane Pref.

Inspection Made 8 July 1948

Bldg. 1

Large sub-assemblies for press #23 lying on floor, unnumbered.
Parts for machine #260 lying in corner, unnumbered.
Extensive switch system in wall, #890, designated EX.
Gears with teeth clogged by dirt in #10 elec. furnace gearbox.
Parts for new furnaces #6 and #7 widely separated, unnumbered.
Spindle dry and rusty on motor #28.

Bldg. 2

Large hydraulic press -- no code number.
Cylinder walls dry in piston pump #124.
Another large hydraulic press without code number. (Custodian thinks this is a sister press to #164 nearby. In addition one large sub-assembly is on floor between the two presses. It is unnumbered and could belong to either press.)
Electric panel board #851 marked EX.
Assorted transformers and switch gear in this bldg., all market EX.
45 HP motor in middle of floor. Marked EX.
Waste box in sump of large air compressor is marked #176; should be marked #173.
Countershaft #920 is rusting.
Many spare spindles and shafts are lying in group at end of bldg; should be distributed and placed next the machines to which they belong.

Bldg. 4

Bull gear (spare) for press #444 should have code number affixed.
Standard speed reducer #443 is marked SP.

Bldg. 5

More panels and switch gear marked EX.
Large clock marked EX.

Bldg. 6

Large generators #781 and #709: main assemblies separated and mixed and without code numbers.
Switch gear for above generators is separated from them; has not been marked with a code number.
Large air cleaning and blowing equipment, #872, #873, #874, #875, marked EX.

Bldg. 7

Drill press CPC 4615 standing in puddle of water.
4 chain hoists stuck to pallets in congealed tar which had been poured over them as a preservative.
pile of switch gear in corner, unnumbered.

Bldg. 9

Crates of electric furnace resistance coils here. Should be placed beside proper furnaces and assigned the furnace code number.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. 14
Wall lockers marked EX.
Oil and rags constituting fire hazard.
440-volt motor and large blower #858, marked EX.
Bench grinder -- no code number.

Bldg. 35
Six steam operated rice cookers, #879, marked EX.

Bldg. 34
Additional food mills and motors marked EX.

Bldg. 35
A considerable number of telephones, fractional horsepower motors, and electric hand tools are stored here. This is not a deficiency but since these items are not covered by code numbers it would be easy for the evaluation team to skip them. It might be well to assign them a code number at once.

Bldg. 42
4 2-ton highway trucks are here. Three are in poor condition, one of which is inventoried. The fourth truck is in excellent condition but is not inventoried. The custodian stated that all four trucks belonged to the arsenal.

Near Front Gate
Steam line running from Eiko Sangyo, through the arsenal, to Shimane Chemical appears to have not been used by arsenal during the war. A considerable amount of this line has been taken as arsenal property by BCOF and stored in Kure. This is not a reparations deficiency, but the taking of the pipe may constitute a preemption which the Shimane Team should have investigated.

Outside Arsenal Office
Transformer on high tension pole; no code number.

Main Arsenal Yard
Large electric sub-station with all equipment marked EX.
Numerous electric and steam line towers marked EX.
Small gauge railroad not inventoried.
Parts for standard 100-ton press #527, marked SP.
Head for another large press carries two complete reparations numbers: CPC 6041 and 36-1(1)-584
Three entire deep well pumping facilities, #876, #877, #878, all marked EX.

Foundry in Eiko Sangyo Yard
About 50 crucibles not included in integrated facility inventory.
Maintenance unusually poor. Machines dirty, shafts dry and rusting.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOTSU BRANCH
Hiroshima Finance Bureau

May 15, 1948

File: GOKAN#43

SUBJECT: Report on Maintenance of Reparation Plant.

TO: Capt. Condict, Commerce & Industry Officer,
Shimane Military Government Team.

36-1
V

Subject report is submitted herewith.

(1) Period: First half of May 1948.

(2) Reporting items: (a) Inventory of reparation facilities

None during the present period.

(b) Inspection:

No inspector visited here.

(c) Repair and Improvement:

Code Number	Name of Machine	Repair or Improvement	Former Class	Class after repair
36-1(1)-233	Pressure increase hydraulic press	Overhauled and cleaned as provided for.	1	1
36-1(1)-234	Vertical hydraulic press	"	2	2
36-1(1)-259	"	"	1	1
36-1(1)-585	"	"	1	1
36-1(1)-586	"	"	1	1
36-1(1)-587	"	"	1	1
36-1(1)-588	"	"	1	1
36-1(1)-589	"	"	1	1
36-1(1)-590	"	"	1	1
36-1(1)-778	Energy presserving machine	"	3	3
36-1(1)-623	~~machine~~ Knee type horizontal milling machine	"	1	1
36-1(1)-355	Tool grinder	"	2	2
" 442	Washing machine	"	1	1
" 631	Tool grinder	"	2	2
" 708	Sand disposal machine	"	1	1
" 744	Feed pump	"	1	1
" 752	Blower	"	1	1
" 782	Blower	"	1	1
" 783	Blower	"	1	1
" 836	Steam feed pump	"	1	1
" 837	"	"	1	1
" 927	Main spindle	"	1	1
" 928	"	"	1	1
" 122	Motor hydraulic pump	"	1	1
" 124	"	"	1	1
" 126	Hydraulic pump	"	1	1
" 137	Motor hydraulic pump	"	1	1
" 253	Pressure increasing hydraulic p press	"	1	1
" 596	Vertical hydraulic press	"	1	1
" 662	Eccentric press	"	1	1
" 12	Feed pump	"	1	1
" 209	Electric furnace	"	1	1
" 362	Conduction Motor	"	1	1
" 365	"	"	1	1

OVER

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

36-1(1)-377	Conduction Motor	Overhauled and cleaned as provided for	1	1
" 393	"	"		
" 417	"	"	1	1
" 427	"	"	1	1
" 434	"	"	1	1
" 455	"	"	1	1
			1	1

(ハ)賠償施設の登録票

本期間中に於ける右該報告事項はありません

(ニ)検閲

本期間中に来所せられたる検閲官なし

(ホ)進捗状況

本月上期に於て機械の補修保全手入及建家補修を実施せしものは次の通りであります

登録番號	機種	補修状況	右級の調査事	右級の補修事
36-101-233	増圧水圧機	一級手入要領に基き分解手入を実施す	1	1
36-101-234	竪型水圧プレス機	〃	2	2
36-101-259	〃	〃	1	1
36-101-585	〃	〃	1	1
36-101-586	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

23 5 13

江営笑43號

在糸賦務局江津営賦支所
支所長 山下三喜
15. May. 1948

糸根軍政部商工係主任
Capt. S.H. Condict.

賠償工場(軍工廠)管理保全状況報告

標記のことについて下記の通り報告いたします

下 記

一、期 間
昭和二十三年五月一日

二、報告事項
(イ)賠償施設の登録票
本期間中に於ける右該報告事項はありません

(ロ)検 閲
本期間中に来所せられたる検閲官なし
(ハ)進捗状況

〃 355	雑工具研磨盤		〃	2	2
〃 442	洗浄機		〃	1	1

36-101-631	雑工具研磨盤		〃	2	2
〃 708	砂濾理機械		〃	1	1
〃 744	給水ポンプ		〃	2	2
〃 752	送風機		〃	1	1
〃 782	〃		〃	1	1
〃 783	〃		〃	1	1
〃 836	蒸気給水ポンプ		〃	1	1
〃 837	〃		〃	1	1
〃 927	原　　軸		〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

登録番号	機種	補修状況	調査後の等級	補修後の等級
36-111-587	竪型水圧プレス機	一般手入要領に基き分解手入を実施す	1	1
〃 588	〃	〃	1	1
〃 589	〃	〃	1	1
〃 590	〃	〃	1	1
〃 778	蓄勢機	〃	3	3
〃 623	動滕型横フライス盤	〃	1	1
〃 355	雑工具研磨盤	〃	2	2
〃 442	洗浄機	〃	1	1

36-111-631	雑工具研磨盤	〃	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

〃 596	立型水圧プレス機	〃	1	1
〃 662	エキセントリックプレス	〃	1	1

36-141-12	給水ポンプ	〃	1	1
〃 209	電気炉	〃	1	1
〃 362	誘導電動機	〃	1	1
〃 365	〃	〃	1	1
〃 377	〃	〃	1	1
〃 393	〃	〃	1	1
〃 417	〃	〃	1	1
〃 427	〃	〃	1	1
〃 434	〃	〃	1	1
〃 455	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

登録番号	機種	補修状況	調査後の等級	補修後の等級
36-(11)-928	原軸	一般手入要領に基き分解手入を実施す	/	/
〃 122	電動水圧ポンプ	〃	/	/
〃 124	〃	〃	/	/
〃 126	水圧ポンプ	〃	/	/
〃 137	電動水圧ポンプ	〃	/	/
〃 253	増圧水圧機	〃	/	/
〃 596	竪型水圧プレス機	〃	/	/
〃 662	エキセントリックプレス	〃	/	/

36-(11)-12	給水ポンプ	〃	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

THE HEAD OFFICIAL OF GOTSU BRANCH
OF THE HIROSHIMA STATE PROPERTY BAREAU.

Do, Kan, 20Kth

15. March, 1948.

SUBJECT : Half-Mouthly report concerning to does the Castodial and the Preservation of Reparation Plant (Army Arsenal)

TO : The Commance Official of Shimane Military Government Team.
Capt, S. H. Condict.

36-1

1. Term :-

The first decade of, March, 1948.

2. Report item:-

A. The Iron scrap approximalely 795 Metric tons of located in Iwami Plant, Osaka Arsenal "this letter" in accordance with removal permit of (Headquaters Shimane Military Government Team APO317, 27, Decemb, 1947, "Removal of Scrap Iron, Gotsu Plant, Osaka Arsenal" Maj. F.C. Wiggins. CMP, RC & I Office, it there as to remove shipped as from 13, Feb. 1948.

B. It to suspend remove shipped in accordance with suspence instruction from Shimane-Pref, General Official.

C. The Quantity to done reported of that there remove shipping.

3. Inspection :

Date of			

B. It to suspend remove shipped in accordance with suspence instruction from Shimane-Pref, General Official.

C. The Quantity to done reported of that there remove shipping.

3. Inspection:

Date of Inspection	Name of Inspector	Suite	Inspection item
28. Feb. 1948.	Shimane Military Governmet Team LT. N.M. LAING. 2/N.Z.E.F.	B.C.D.F. HQS. Kure. SGT. CONYNGHAM. J. B.	Inspection of Reparation Machine. (Inspection of looted Machine)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

4. Operative work item.

The Machine and Equipment has been to done operation repair on the first decade of March.

Code of Number	Name of Machine	Repair item	Old Class	New Class
36-1(1)-99	Electric Furnace	Newly-Made of Nicrhom wire-metal and it to done repaired.	/	/
" 235	"	"	/	/
" 236	"	"	/	/
" 167	Electric hydraulic pump	Newly-made of a the trochometer set and Oil pump. Driven-pulley. Every Nat. Change of packing. Safety plant and Oil pump to repaired. Same part of pipe—missing.	/	/
" 142	Feed pump.	Change of packing. Metal to slinding repaired.	/	/
" 473	Blower	It have done repaired. Forward tube is missing.	/	/
" 6	Electric furnace.	Counter-shaft of Electric resistance plant. Automatic conveying plant and lare. Spring. Cover. Angle is missing. Other that more missing Erery Bolt.	/	3
" 7	"	"	/	3
" 23	Crank press.	The Repair is to done operative with on General operation direction.	/	/
" 86	"			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

			conveying plant and lare. Spring. Cover. Angle is missing. Other that more missing Erery Bolt.	1	3
〃	7	〃	〃	1	3
〃	23	Crank press.	The Repair is to done operative with on General operation direction.	1	1
〃	86	〃	〃	2	2
〃	34	Friction press.	〃	1	1
〃	640	Engine lathe	〃	1	1
〃	641	〃	〃	2	2
〃	663	〃	〃	1	1
〃	664	〃	〃	1	1
〃	665	〃	〃	1	1
〃	666	〃	〃	1	1
〃	667	〃	〃	1	1
〃	668	〃	〃	1	1
〃	675	〃	〃	1	1
〃	636	Vertical(Knee type) Milling Machine	〃	1	1
〃	637	Horizontal Milling Machine.	〃	1	1
〃	638	〃	〃	1	1
〃	642	Shaper	〃	1	1
〃	643	Bench drilling machine	〃	2	2
〃	657	Double housing planer	〃	1	1
〃	661	〃	〃	1	1
〃	686	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 77 5013

Code of Number	Name of Machine	Repair item	Old Class	New Class
36-111-679	Sensitive and Automatic feed upright drilling machine	The Repair is to done operative with on General operation direction.	2	2
〃 660	Radial drilling machine	〃	/	/
〃 685	Sawing machine	〃	/	/
〃 4	Power unit with 3 transformer	〃	/	/
〃 45	Induction Motor	〃	/	/
〃 63	〃	〃	/	/
〃 65	〃	〃	/	/
〃 66	〃	〃	/	/
〃 109	〃	〃	/	/
〃 127	〃	〃	/	/
〃 129	〃	〃	/	/
〃 131	〃	〃	/	/
〃 135	〃	〃	/	/
〃 143	〃	〃	/	/
〃 146	〃	〃	/	/
〃 149	〃	〃	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

〃	138	〃	〃	/	/
〃	143	〃	〃	/	/
〃	146	〃	〃	/	/
〃	149	〃	〃	/	/

THE HEAD OFFICIAL OF GOTSU BRANCH
OF THE HIROSHIMA STATE PROPERTY BAREAU.

Miyoshi Yamashita

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

証による大政陸軍造兵廠石見製造所内に在る屑鉄約275㌧の
搬出は2月13日より実施中の処 島根縣庁總務課長より搬出中
止命令来り依って搬出を中止す

B. 搬出量は別書類にて報告済

3. 検　　閲

検閲年月日	検閲官氏名	随行員	検閲要旨
昭和 23. 2. 28	島根軍政部 陸軍中尉 ライング、エヌ	呉中国地区情報部 軍曹 コングハム、ブラン	賠償機械の手入保守検査 (特に没収機械の手入保守検査)

4. 進捗状況

3月上期に於て機械設備の補修手入を実施せし
ものは次の通りです

登録番号	名　称	補　修　状　況	調査時の等級	補修後の等級
36-111-99	電気炉	ニクロム線綴金具新調 ニクロム線切断個所三ヶ所修理完了	/	/
〃 235	〃	〃	/	/
〃 236	〃	〃	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

廣島財務局 受 23.3.20

江管第104號

廣島財務局江津管財支所
支所長　山下三美
15. 3. 1948.

島根軍政部商工係主任
エス. エッチ. コンディスト大尉殿

賠償工場(軍工廠)管理保全状況報告

標記のことについて下記の通り報告いたします

下記

1. 期間

昭和23年3月上期

2. 報告事項

A. 島根軍政部商工係主任ウィギンス少佐の持出許可証による大阪陸軍造兵廠石見製造所内に在る屑鉄約700屯の搬出は2月13日より実施中の処島根縣庁總務課長より搬出中止命令来り依って搬出を中止す

B. 搬出量は別書類にて報告済

〃	663	〃	〃	1	1
〃	664	〃	〃	1	1
〃	665	〃	〃	1	1
〃	666	〃	〃	1	1
〃	667	〃	〃	1	1
〃	668	〃	〃	1	1
〃	675	〃	〃	1	1
〃	636	竪フライス盤	〃	1	1
〃	637	横フライス盤	〃	1	1
〃	638	〃	〃	1	1
〃	642	形削盤	〃	1	1
〃	643	卓上ボール盤	〃	2	2
〃	657	門型平削盤	〃	1	1
〃	661	〃	〃	1	1
〃	686	〃	〃	1	1
〃	658	竪削盤	〃	1	1
〃	680	〃	〃	1	1
〃	681	〃	〃	1	1
〃	679	竪ボール盤	〃	2	2
〃	660	ラヂアルボール盤	〃	1	1
〃	685	鋸盤	〃	1	1
〃	4	変圧装置	〃	1	1
〃	45	誘導電動機	〃	1	1
〃	63	〃	〃	1	1
〃	65	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

登録番号	名称	補修状況	調査時の等級	補修後の等級
36-111-167	電動水圧ポンプ	回転メータ取付台、オイルポンプ、伝導ブーリ新調、各種バルブ分解修理、パッキング及パネ取替、自動安全装置、オイルポンプ分解修理、給水パイプ、締付ナット及袋ナット新調取付、冷却用給水パイプの一部及ロット左し	/	/
〃 142	給水ポンプ	分解修理(バルブーパッキング取替、メタル摺合せ修理、附属電動機分解修理、	/	/
〃 473	送風機	分解修理 附属電動機焼損 送風管装置一部なし	/	/
〃 6	電気炉	減速装置中間軸なし、自動搬送装置スクリュー部ルール並ばネなし、下部ニクロム線カバー(大来)取ホロカバー及取付用アングルなし、其他組立用各種ホールト欠品多し	/	3
〃 7	〃	〃	/	3
〃 23	直柱式プレス	一般的手入要領に基き実施するものとす	/	/
〃 86	クランクプレス	〃	2	2
〃 34	摩擦プレス	〃	/	/
〃 640	普通旋盤	〃	/	/
〃 641	〃	〃	2	2
〃 663	〃	〃	/	/
〃 664	〃	〃	/	/
〃 665	〃	〃	/	/
〃 666	〃	〃	/	/
〃 001	〃	〃	/	/
〃 668	〃	〃	/	/
〃 675	〃	〃	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

登録番号	名称	補修状況	調査時の等級	補修後の等級
36-111-66	誘導電動機	一般的手入要領に基き手入を実施す	/	/
〃 109	〃	〃	/	/
〃 127	〃	〃	/	/
〃 129	〃	〃	/	/
〃 131	〃	〃	/	/
〃 133	〃	〃	/	/
〃 135	〃	〃	/	/
〃 143	〃	〃	/	/
〃 146	〃	〃	/	/
〃 149	〃	〃	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOTSU-BRANCH,
Matsue District Office of
Hiroshima Finance Bureau

File: Gokan #176

15 February 1948

TO : Capt. Shaw J.C., Commerce and IndustryOfficer,
Shimane Military Government Team.

SUBJECT: Custody of Reparation Plant (Army Arsenal)

1. Report covers the first half of February 1948

2. (A) Report

361
V

(a) Will you please iustruct us how the inventories of destructed machines should be desposed of? Also it is desired to get instructions whether additional inventories should be made or not for the remained accessaries.

(b) Will you please instruct us whether the inventories of CPC Machines should be cancelled or not?
As to CPC Machines it was reported to you on Feb 2, 1948.

(B) Inspection

DATE	INSPECTOR	FOLLOWER	PURPOSE
From Jan 17 to Jan 23	Engineer Taniguchi Chugoku M.G.R.		Guidance of S.P.Machine destruction
Jan 28	Pfc Wojciechowski Shimane MGT	Mr. Sutani Shimane MGT	Checking of Code Number especially doubled coding on Machines.
Jan 1	Sgt Hocie JJ Chugoku MGR	Engineer Taniguchi Chugoku MGR	Destraction work of S.P.Machine
Feb 3	- " -	- " -	Check the result of destructed machine and condition of C.P.C. Machine

(C) Repair and cleaning of machines

It is reported below

Code Number	Name	Work	Class before repair	Class After repair
36-1(1)-252	Vertical hydraulic	Overhauled and cleaned in accordance with the general maintenance regulation,	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Work	Class before repair	Class after repair
36-1(1)-255	Vertical hydraulic press	Overhauled and cleaned in accordance with the general maintenance regulation	1	1
" 256	"	"	1	1
" 257	"	"	1	1
" 258	"	"	1	1
" 403	Thread Milling Machine	"	1	1
" 404	"	"	1	1
" 401	"	"	1	1
" 402	"	"	1	1
" 405	"	"	1	1
" 406	"	"	1	1
" 407	"	"	1	1
" 408	"	"	1	1
" 409	"	"	1	1
" 411	"	"	1	1
" 412	"	"	1	1
" 413	"	"	1	1
" 414	"	"	1	1
" 415	"	"	1	1
" 416	"	"	1	1
" 598	External cylindrical	"	1	1
" 599	" grinder	"	1	1
" 600	"	"	2	2
" 601	"	"	2	2
" 602	"	"	2	2
" 603	"	"	2	2
" 604	"	"	2	2
" 605	"	"	2	2
" 606	"	"	2	2
" 626	"	"	2	2
" 629	Internal cylindrical grinder	"	2	2
627	Special tool and cutter grinder	"	1	1
" 617	Knee type vertical milling machine	"	1	1
" 618	"	"	1	1
" 619	"	"	1	1
" 620	"	"	1	1
" 624	"	"	1	1
" 13	Compressed air reservoir	"	1	1
" 14	"	"	1	1
" 125	Vertical hydraulic Press	Packing of Piston changed, Attached change valve overhauld and repaired. Valve fitted.	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Work	Class before repair	Class after repair
36-1(1)-128	Vertical hydraulic press	Packing of Piston changed, attached change valve overhauld and repaired, valve fitted.	1	1
" 132	"	- " -	1	1
" 136	"	Packing of piston changed. Attached change valve overhauld, valve fitted, Spring renewed.	1	1
" 145	"	Packing of Piston changed. Attached change valve and valve fit overhauld and repaired.	1	1
" 148	"	Cotton packing of piston changed. Attached change valve overhauled, valve fitted and repaired.	1	1
" 151	"	- " -	1	1
" 154	"	Cotton packing of piston changed Cylinder and leather packing of piston changed. Packing ground and sheet fit repaired. Binding nut and knock renewed.	1	1
" 528	Cut off machine	Bear~~ing~~ring for vertical movement shaft of circular saw (damaged) exchanged. with the reserved one. One holding seat metal fit bolt renewed. Pipe for cooling water and electric motor are missing.	1	1
" 632	Bench drilling machine	The following parts renewed Handle for vertical movement spindle. Conduction pully, intermediate pully binding screw and handle. Shifting fork.	2	2
" 635	Sensitive Automatic feed vertical drilling machine	The following parts renewed Key of conduction pully, Collar of speed change cone pulley. Handle fit bolt	1	1
" 682	Sensitive drilling machine	The following parts renewed Bush for change movement of handle of spindle. Handle for vertical movement. Fit bolt of clutch ~~off~~ for vertical movement spindle.	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Work	Class before repair	Class after repair
36-1(1)-683	Sensitive automatic vertical drilling machine	The following parts renewed Spindle move change handle fitting bolt. Spindle vertical move connection gear key. Clutch for move change is broken. Automatic worm gear is worn out only operation by hand drive is possible.	2	2
" 168	Electric arc welder	~~Only operation by hand drive is possible~~ Overhauled and repaired	1	1
" 174	Feed pump	Body and attach electric motor was overhauled, cleaned and repaired	1	1
" 177	"	- " -	1	1
" 487	Cartridge case renecker	Pipe fitting part's packing changed.	1	1
" 677	Movable blast furnace	Change handle fit repaired. Bearing ~~ring~~ for fan shaft. Bolt for fan fit renewed. Attached electric motor is missing.	2	2
" 447	Centrifugal water extractor	Blake part and pulley fitted and repaired. Attached motor shaft cut and repaired. Key screw cut and improved.	1	1

D. Miscellanious

(a) Shipment of pipe by P.D. was finished.

(b) The destruction of S.P.Machines was completed on Jan. 31, 1948, on which another report was submitted.

Miyoshi Yamashita
Chief of Gotsu Branch,
Matsue District Office of
Hiroshima Finance Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOTSU SUB-BRANCH
of
MATSUE DISTRICT BRANCH,
HIROSHIMA FINANCE BUREAU

25 Jan. 1948

TO : Shimane Military Government Team

THRU : Matsue District Branch Director

SUBJECT: Report on Reparation Plant Custody

1. The report covers from Jan. 16 to Jan 25 1948.

2. Reporting items

a. Guard: Guard house, which is planned for the purpose of completion of guard, has been completed by 80 percent.

b. Inspection:

Date	Inspector	Accompanied	Purpose
Jan. 16, 1948	S/Sgt Cannell S.S. C & I Sec. SMGT	Takehiko Taniguchi	Plant inspection, Supervision of S.P. Machine destruction
Jan. 23, 1948	Mr. S.C.Carey C & I Sec. CMGR	"	"

d. Repair and cleaning: See attached paper

e. (I) 80 percent of steel pipe, shipment, which was instructed by P.D, was finished. Detailed report will be submitted later.

(II) S. P. Machine destruction:

The destruction was planned to start on the 1st of February, but by the directives of Shimane Military Government Team it was started on 17th of January. It was done by means of hammer, changing the former project.

S/Sgt cannell of Shimane Military Glvernment Team, Mr. Carey of Chugoku Military Government Region and Enginaer Taniguchi came to supervise and guide the destruction. It was completed by 73 percent on Jan. 24.

Code Number		Name	Repair	Class before repair	Class after repair
36-1(1)-37		Friction Spindle press	Spindle vertical movement regulation clutch part has been overhauled and repaired. The part has been renewed and fixed. Bolt for handle has been renewed. Parts of shifting fork renewed or repaired. Guide fitting bolt has been renewed and fixed.	1	1
"	35	"	One shaft metal holder of turning plate is broken. All shifting fork parts are missing. Design has been drawn.	2	2
	645	Chair Block	Overhauled, repaired and cleaned.	1	1
"	646	"	"	1	1
"	647	"	Chain and hoil cover have newly made. Friction leather has been changed. Other parts have been overhauled and repaired.	1	1
"	648	"	Pulley chain block fitting hacker is missing.(Designed) other parts have been overhauled and repaired	1	1
"	651	"	Chain and hoil cover have been renewed. Friction leather has been overhauled and repaired	1	1
"	652	"	Chain hoil shaft repaired. Chain reserve fitting hacker has been made and fixed.	1	1
"	654	"	Chain hoil cover has been made and fixed. Friction leather has been changed and overhauled and repaired.	1	1
"	842	"	Chain hoil cover has been made. Friction leather has been changed and overhauled and repaired. Chain block reserve fitting hacker has been made and fixed.	1	1
"	838	"	Chain hoil shaft has been repaired. Chain hacker reserve has been fixed and repaired	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Repair	Class before repair	Class after repair
36-1(1)-93	Vertical hydraulic press	Leather packing and cotton packing have been changed. Oil feed pipe and one part of flanger are missing	1	1
" -89	"	Leather packing and cotton packing have been changed. Ram fitting bolt (one) has been made.	1	1
" -91	"	Leather packing and cotton packing have been changed	1	1
" -121	"	Leather packing and cotton packing have been changed attached Exchange valve has been overhauled and repaired. Exchange valve, handle, snap metal have been made or repaired.	1	1
" -123	"	Leather packing and cotton packings changed. Attached exchange valve has been overhauled and repaired	1	1
" -92	Oil pressure pump	All parts have been dismantled and repaired. Attached electric motor has been overhauled and repaired.	1	1
" -19	Hydraulic Press	Leather packing and cotton packing have been changed. A part of water pipe is missing.	1	1
" -22	"	Leather packing and cotton packing have been changed. A part of water pipe is missing. Packing of exchange valve piston has been changed. Handle pin fitting has been repaired.	1	1
" -536	Engine lathe	Main shaft and swivelling speed change handle have been fixed. Bolt, spool, selay handle, worm cross feed handle have been made and fixed. Leading screw was changed and the screw cutting is impossible.	2	2
" -25	Electric Air Compressor	Cylinder and piston have been overhauled and repaired valger packing has been exchanged. Attached motor has been overhauled and repaired.	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Repair	Class before repair	Class after repair
36-1(1)-527	Straight side press	Accessories have been cleaned.	1	1
" -711	Horizontal Press	All parts have been overhauled and repaired. Switch handle is missing. Attached motor has been overhauled & repaired	2	2
" -260	Friction Press	Lever of ram vertical movement clutch and fitting table are missing. All accessories have been cleaned. Main shaft for friction board, attached motor and conduction pulley are missing.	1	1
" -15	Straight side press	Exchange valve for compressed air for clutch switch of starting cluch does not operate. Ram regulating handle is damaged. Attached motor has been overhauled and repaired. Attached air compressor is damaged. Electric motor is missing.	1	1
" -16	"	Starting clutch does not operate. Box of exchange valve for compressed air for clutch switch is broken. Ram regulating handle is missing. Attached electric motor and electric air compressor have been overhauled and repaired. One piston ring is missing. Electric motor has been overhauled and repaired. This machine can work	1	1
" -780	Vertical hydraulic press	Overhauled and cleaned according to the general repair and cleaning regulation	1	1
" -563	Engine lathe	- " -	1	1
" -564	"	- " -	1	1
" -565	"	- " -	1	1
" -566	"	- " -	1	1
" -567	"	- " -	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

Code Number	Name	Repair	Class before repair	Class after repair
36-1(1)-568	Engine Lathe	Overhauled and cleaned according to the general repair and cleening regulation.	1	1
" -569	"	- " -	1	1
" -570	"	- " -	1	1
" -451	Hoist	- " -	1	1
" -452	"	- " -	1	1
" -453	"	- " -	1	1
" -454	"	- " -	1	1
" -525	"	- " -	1	1
" -692	"	- " -	1	1
" -702	Selection Machine	- " -	3	3
" -713	Sand preparing machine	- " -	3	3
" -770	Wurnvhinh Tank	- " -	1	1
" -798	Kneadling machine	- " -	1	1
" -799	Dehydraulic Machine	- " -	1	1
" -800	Electric Analysis Machine	- " -	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

Code Number	Name	Repair	Class before repair	Class after repair
36-1(1)-26	Miscellaneous Grinder	Overhauled and cleaned according to the general repair and cleaning regulation.	1	1
" -32	"	- " -	1	1
" -44	"	- " -	1	1
" -83	"	- " -	1	1
" -286	"	- " -	1	1
" -541	"	- " -	1	1
" -542	"	- " -	1	1
" -543	"	- " -	3	3
" -828	Portable Grinder	- " -	1	1
" -829	"	- " -	1	1
" -830	"	- " -	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

監守員の見張り詰所の増築も八分通り完成致しました.

(ロ)検　閲

検閲年月日	検閲官氏名	隨行員	検閲要旨
昭和二〇年 一月一六日	広島軍政部 商工係 エス・エス・キャネル 軍曹	中國地区軍政部 技術員谷口武彦	工場視察 特に「SP機械破壊実施 指導立會検閲
昭和二〇年 一月二〇日	中國地区軍政部 商工係軍属 エス・C・ケーリー	仝上	仝上

(ハ)進捗状況

今月下期に於て機械施設の補修手入を実施せしものは次の通りです.

登録番號	名稱	補修状況	調査時の等級	補修後の等級
26-111-27	摩擦プレス	スピンドル以下周辺調節クランク軸受調整修理部品新調取付把手用ボールト新規使用部品新調取付修理ワイヤー取付ボールトの本新調取付	1	1
26-111-25	〃	回転軸メタル支持金一ヶ所損ヶ所ボス部品全部新製圖面調整す.	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

23.1.29
491

江管第151号
昭和23年1月25日

江津管財支所長

経由 松江地方部長殿
色部 管財部長

賠償工場(軍工廠)管理保全状況報告

標のことについて下記の通り報告致します

下記

1 期内
昭和23年1月下期

2 報告事項
(1) 賠償施設の管理監守
管理監守の万全を期せんが為のねてからの計画中でありました
監守員の見張り詰所の増築も八分通り完成致しました
(2) 検閲

検閲年月日	検閲官氏名	随行員	検閲要旨

26—111—823	〃	チェーンホイル軸、修理、取付 チェーンハウー 予備品取付修理 完了」	/	/

26—111—93	型直水圧プレス	皮パッキング及綿パッキング入替」 給油パイプ及フランヂー部欠	/	/
26—111—89	〃	皮パッキング及綿パッキング入替」 ラム、取付ボールト 1本新調取付」	/	/
26—111—91	〃	皮パッキング及綿パッキング入替	/	/
26—111—121	〃	皮パッキング及綿パッキング入替」附属 支換弁分解、修理完了」 支換弁、把手、当り金具新調 修理」	/	/
26—111—123	〃	皮パッキング及綿パッキング入替」 附属支換弁 分解 修理」	/	/
26—111—92	油圧ポンプ	各部分解 修理 手入」 附属電動機 分解、修理	/	/
26—111—19	増圧水圧機	皮パッキング及綿パッキング入替」 給水パイプー部欠」	/	/
26—111—22	〃	皮パッキング及綿パッキング入替」 給水パイプー部欠」支換弁のピストン パッキング入替」把手ピン取付修理 完了」	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36—111—645	チェンブロック	各部分解修理手入完了す.	/	/
36—111—646	〃	〃	/	/
36—111—647	〃	チェンホイルカバー欠なるを新調取付 摩擦用皮取替其他分解修理完了す.	/	/
36—111—648	〃	滑車付チェンブロック取付用ヘツカー並に 吊鉤其他分解修理手入完了	/	/
36—111—651	〃	チェンホイルカバー 新調取付 摩擦用皮取替分解修理 完了	/	/
36—111—652	〃	チェンホイル軸 修理取付 チェン予備品取付ヘツカー新調取付	/	/
36—111—654	〃	チェンホイルカバー 新調取付 摩擦用皮取替分解修理	/	/
36—111—842	〃	チェンホイルカバー 新調取付 摩擦用皮取替分解修理 チェン予 備品取付ヘツカー新調取付	/	/
36—111—838	〃	チェンホイル軸 修理 取付 チェン ヘツカー 予備品取付修理 完了	/	/

[illegible]	竪型水圧プレス	皮パッキング及綿パッキング入替	/	/

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36—111—16	〃	空気交換ポンプ(被覆)ラバー(接着)把手(附属電動機、ベルト電動空気圧縮機冷却修理)ベルト電動機冷却修理 使用可	1	1

36—111—560	竪型水圧プレス	一般手入頻繁ニ分解手入実施ス	1	1
36—111—563	普通旋盤	〃	1	1
36—111—564	〃	〃	1	1
36—111—565	〃	〃	1	1
36—111—566	〃	〃	1	1
36—111—567	〃	〃	1	1
36—111—568	〃	〃	1	1
36—111—569	〃	〃	1	1
36—111—570	〃	〃	1	1
36—111—451	ホイスト	〃	1	1
36—111—452	〃	〃	1	1
36—111—453	〃	〃	1	1
36—111—454	〃	〃	1	1
36—111—525	〃	〃	1	1
36—111—692	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36-111-506	普通旋盤	主軸回転速度切換把手取付 ボール、スポール、ミレー把手、ヨーム横送り把手新調取付 親ネジ切換のため ネジ切不能	2	2
36-111-25	電動空気圧縮機	シリンダー、ピストン分解修理 バルブ、パッキング入荷 附属電動機分解修理	1	1
36-111-527	直柱プレス	各部附属品整理手入	1	1
36-111-711	横型プレス機	各部分解修理手入 南内用把手 なし 附属電動機分解修理完了	2	2
36-111-260	摩擦プレス	ラム上下用クラッチ部レバー各ヶ取付台欠 使用ヶ所各部附属品整理手入す 摩擦板用主軸、附属電動機、摩擦プーリ欠	1	1
36-111-15	直柱プレス	起動用クラッチ部クラッチ用開用圧縮空気交換弁不能 ラム調整用把手部破損 附属電動機分解修理 附属空気圧縮機破損 電動機欠	1	1
36-111-16	〃	起動のクラッチ部不能 クラッチ用開用圧縮空気交換弁ボックス破損 ラム調整用把手欠 附属電動機、空気圧縮機分解修理 ストリンガー一本欠 電動機分解修理 使用可	1	1

36-111-780	竪型水圧プレス	一般手入領域内分解手入実施す	6	1
36-111-560	普通旋盤	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

36—111—843	〃	〃	3	3
36—111—828	携帯研磨盤	〃	1	1

36—111—827	〃	〃	1	1
36—111—830	〃	〃	2	2

(二) 其の他

(1) 「PD」により搬出の鋼管は当支所より八分通り搬出終了するも詳細報告は追って報告します.

(2) SP機械破壊報告　SP機械破壊作業は最に提出計画してる2月1日より実施の予定なりしも高根軍政部の命令にて1月17日より破壊計画を変更し「ハンマー」にて強行的に実施す.本作業の指導監督のため高根軍政部よりヤヤネル軍曹、中國軍政部よりはケリー軍属岩口技術官の滞在指導あり24日現在にて73%の進捗を見る.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36-111-702	陶土磁	一般的手動ミキサー	3	3
36-111-710	砂処理機	〃	3	3
36-111-770	焼入槽	〃	1	1
36-111-798	捏和機	〃	1	1
36-111-799	水分離機	〃	1	1
36-111-800	電気分析器	〃	1	1
36-111-26	雑二見研磨盤	〃	1	1
36-111-32	〃	〃	1	1
36-111-44	〃	〃	1	1
36-111-83	〃	〃	1	1
36-111-286	〃	〃	1	1
36-111-544	〃	〃	1	1
36-111-542	〃	〃	1	1
36-111-543	〃	〃	1	1
36-111-828	携帯研磨盤	〃	3	3
36-111-827	〃	〃	1	1
36-111-830	〃	〃	1	1
36-111-831	〃	〃	2	2

(二) 其の他

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

41

GOTSU SUB-BRANCH
of
Matsue District Branch of
Hiroshima Finance Bureau

Jan. 10, 1948

File Number: Gokan No.140

To : Commanding Officer, Shimane Military Government Team

THRU : Director of Matsue District Branch of
Hiroshima Finance Bureau

36-1

Subject: Report on Custody and Maintenance of Reparation Plant (Military Arsenal)

1. Report covers from Jan. 1 to 10.

2. Reporting matters

a. Inventory: The Application for revision of class of 22 reparation machine was submitted, but as it was not approved by Shimane Military Government Team, the class was not changed.

b. Inspection: Date: Jan. 5, 1948
Inspector: M/Sgt Cunningham, Shimane Military Gov't Team
Interpreter: T.Sutani
Inspection: Inspection of Plant, especially Shipment of articles in the Memorundam AG3683(MG-P92).

c. The improvement and cleaning of machine and facilities during the reporting period is stated in the attached paper.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Repair	Former Class	Class after repair
36-1(1)-419	Buffing Machine	Main spindle cutting fit repaired. 4 bolts for metal cover fit and shifting fork parts newly made.	3	1
36-1(1)-423	"	"	2	1
36-1(1)-424	"	"	2	1
36-1(1)-433	"	"	2	1
36-1(1)-422	"	"	1	1
36-1(1)-430	"	"	1	1
36-1(1)-225	"	"	1	1
36-1(1)-226	"	"	1	1
36-1(1)-227	"	"	2	1
36-1(1)-229	"	"	2	1
36-1(1)-228	"	"	2	1
36-1(1)-230	"	"	1	1
36-1(1)-231	"	"	1	1
36-1(1)-238	"	"	2	1
36-1(1)-110	"	"	2	1
36-1(1)-111	"	"	2	1
36-1(1)-112	"	"	2	1
36-1(1)-113	"	"	2	1
36-1(1)-114	"	"	2	1
36-1(1)-115	"	"	2	1
36-1(1)-116	"	"	2	1
36-1(1)-117	"	"	2	1
36-1(1)-118	"	"	2	1
36-1(1)-119	"	"	2	1
36-1(1)-690	Electric Winch	Starting cluch male screw and stop handle newly made. attached electric motor was overhauled and repaired	1	1
36-1(1)-20	Vertical hydraulic press	Overhauled and cleaned according to regulation	1	1
36-1(1)-138	"	"	1	1
36-1(1)-141	"	"	1	1
36-1(1)-465	Eccentric Press	"	1	1
36-1(1)-90	Oil Pump	"	2	2
36-1(1)-94	"	"	2	2
36-1(1)-419	Buffing Machine	"	2	2
36-1(1)-424	"	"	1	1
36-1(1)-423	"	"	1	1
36-1(1)-430	"	"	1	1
36-1(1)-432	"	"	1	1
36-1(1)-433	"	"	1	1
36-1(1)-456	"	"	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code Number	Name	Repair	Former Class	Class after repair
36-1(1)-457	Buffing Machine	Overhauled and cleaned	2	2
36-1(1)-458	"	according to regulation	2	2
36-1(1)-459	"	"	2	2
36-1(1)-51	Cutting offlathe	"	1	1
36-1(1)-612	Relieving lathe	"	1	1
36-1(1)-448	Engine lathe	"	1	1
36-1(1)-449	"	"	1	1
36-1(1)-450	"	"	1	1
36-1(1)-543	"	"	1	1
36-1(1)-544	"	"	1	1
36-1(1)-545	"	"	1	1
36-1(1)-546	"	"	1	1
36-1(1)-547	"	"	1	1
36-1(1)-548	"	"	1	1
36-1(1)-550	"	"	1	1
36-1(1)-552	"	"	2	2
36-1(1)-553	"	"	1	1
36-1(1)-554	"	"	2	2
36-1(1)-555	"	"	1	1
36-1(1)-556	"	"	1	1
36-1(1)-557	"	"	1	1
36-1(1)-558	"	"	1	1
36-1(1)-559	"	"	1	1

検閲年月日	検閲官氏名	随行員	検閲要旨
昭和33年1月5日	島根軍政部 商工係次席 セシル・イ・ カニングアム 主席軍曹	須谷通譯官	工場視察 特に双モランダム AG 3683(MG中佐) に関する搬出状況検査の為め

(ハ)進捗状況

本月上期に於て機械施設の補修手入を実施せしものは次の通りです

登録番号	名称	補修状況	調査時の等級	補修後の等級
36-1(1)-419	ベッド盤	主軸メタル切削摺合修理す メタルカバー取付ボルト四本並皮等部品新調修理す	3	1
36-1(1)-423	〃	〃	2	1
36-1(1)-424	〃	〃	2	1
36-1(1)-433	〃	〃	2	1
36-1(1)-422	〃	〃	1	1
36-1(1)-430	〃	〃	1	1
36-1(1)-225	〃	〃	1	1
36-1(1)-226	〃	〃	1	1
36-1(1)-227	〃	〃	2	1
36-1(1)-229	〃	〃	2	1
36-1(1)-228	〃	〃	2	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

広島財務局 受 23.1.15 付 松江地方部

江管第140号
昭和23年1月10日

江津管財支所長

経由 松江地方部長殿
鳥取軍政部司令官殿

賠償工場(軍工廠)管理保全状況報告

首標のことについて下記の通り報告致します

下記

1 期間
昭和23年1月上期

2 報告事項

(イ) 賠償施設の登録票
登録等級変更を12月25日に25台分提出したるも1月8日島根軍政部より今右の変更を認めずとの通達あり従って本25台分も従来等級のまゝ計

(ロ) 検閲

検閲年月日	検閲官氏名	随行員	検閲要旨
昭和23年1月5日	島根軍政部 商工係次席 セシル・イ・カニングアム 主席軍曹	須谷通譯官	工場視察 特収モランダム AG383(MG中佐)に関する撤去状況検査の為

(ハ) 進捗状況

36—1(1)—690	電気ウインチ	走行クラッチ部ニ口旋行並停止用ハンドル新調ス附属電動機分解修理ス	1	1

36—1(1)—20	竪型水圧プレス機	一般手入要領ニ基キ分解手入ヲ実施ス	1	1
36—1(1)—138	〃	〃	1	1
36—1(1)—141	〃	〃	1	1
36—1(1)—445	エキセントリックプレス	〃	1	1
36—1(1)—90	油圧ポンプ	〃	2	2
36—1(1)—94	〃	〃	2	2
36—1(1)—419	ベルト盤	〃	2	2
36—1(1)—423	〃	〃	1	1
36—1(1)—424	〃	〃	1	1
36—1(1)—430	〃	〃	1	1
36—1(1)—432	〃	〃	1	1
36—1(1)—433	〃	〃	1	1
36—1(1)—456	〃	〃	2	2
36—1(1)—457	〃	〃	2	2
36—1(1)—458	〃	〃	2	2
36—1(1)—459	〃	〃	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36-1(1)-230	〃	〃	1	1
36-1(1)-231	〃	〃	1	1
36-1(1)-238	〃	〃	2	1
36-1(1)-110	〃	〃	2	1
36-1(1)-111	〃	〃	2	1
36-1(1)-112	〃	〃	2	1
36-1(1)-113	〃	〃	2	1
36-1(1)-114	〃	〃	2	1
36-1(1)-115	〃	〃	2	1
36-1(1)-116	〃	〃	2	1
36-1(1)-117	〃	〃	2	1
36-1(1)-118	〃	〃	2	1
36-1(1)-119	〃	〃	2	1
36-1(1)-690	電気ウインチ	起動クラッチ部ニロ雄ネジ並停止用ハンドル新調す附属電動機分解修理す	1	1

36-1(1)-20	竪型水圧プレス機	一般手入要領に基き分解手入を実施す	1	1
36-1(1)-138	〃	〃	1	1
36-1(1)-141	〃	〃	1	1
36-1(1)-446	エキセントリックプレス	〃	1	1
36-1(1)-90	油圧ポンプ		2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36-1(1)-541	突切検盤	〃	1	1
36-1(1)-612	二番取検盤	〃	1	1
36-1(1)-448	普通検盤	〃	1	1
36-1(1)-449	〃	〃	1	1
36-1(1)-450	〃	〃	1	1
36-1(1)-543	〃	〃	1	1
36-1(1)-544	〃	〃	1	1
36-1(1)-545	〃	〃	1	1
36-1(1)-546	〃	〃	1	1
36-1(1)-547	〃	〃	1	1
36-1(1)-548	〃	〃	1	1
36-1(1)-550	〃	〃	1	1
36-1(1)-552	〃	〃	2	2
36-1(1)-553	〃	〃	1	1
36-1(1)-554	〃	〃	2	2

36-1(1)-555	普通旋盤	一般手入要領に基き分解手入を実施す	1	1
36-1(1)-556	〃	〃	1	1
36-1(1)-557	〃	〃	1	1
36-1(1)-558	〃	〃	1	1
36-1(1)-559	〃	〃	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

36-1(1)-541	突切横盤	〃	1	1
36-1(1)-612	二番取横盤	〃	1	1
36-1(1)-448	普通横盤	〃	1	1
36-1(1)-449	〃	〃	1	1
36-1(1)-450	〃	〃	1	1
36-1(1)-543	〃	〃	1	1
36-1(1)-544	〃	〃	1	1
36-1(1)-545	〃	〃	1	1
36-1(1)-546	〃	〃	1	1
36-1(1)-547	〃	〃	1	1
36-1(1)-548	〃	〃	1	1
36-1(1)-549	〃	〃	1	1
36-1(1)-550	〃	〃	1	1
36-1(1)-552	〃	〃	1	1
36-1(1)-553	〃	〃	2	2
36-1(1)-554	〃	〃	1	1
36-1(1)-555	〃	〃	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Rec'd

Read 19 Jan. 1948 Kat

FINANCE BUREAU
SHIMANE BRANCH

Matsue, Dec. 1947.

~~FROM:~~ TO. Commerce & Industry Section,
Shimane Military Government Team.

SUBJECT: Report on supervision of Indemnity Equipment.
(Ex-military Institution)

With reference to the subject matter, we submit you report as follows:

(A) Term of this report: First half of December, 1947.

36-1

1. The registration-cards for indemnity equipment.
There is no item concerning this matter which requires a report during this period.

2. Inspection
No inspector visited the factory during this period.

3. Repairing condition: As per attached statement.

(B) Other matters:
We report that a member of the Hiroshima Economic Stabilization office and 7 others came to our Gotsu office on December 9th, 1947, and made investigations on the following reasons, and we add for your reference that this is an intermediate report, as detailed investigations are now going on.

1. Object: To make investigations regarding hoarded and concealed goods.
2. Names of inspectors:
Kaoru Kondo, member of the Hiroshima Economic Stabilization office.
Shinakichi Nomoto, member of the House of Representatives.
Hisayoshi Odakusa, Prefectural Crime Prevention Section.
and 5 others.

3. Term of investigations:
From Dec. 9th to Dec. 10, 1947 - 2 days.

4. Outline:
a) On December 6th at about 14 o'clock, a party of Hoarded and Concealed goods Disclosure Committee visited our Gotsu Office, but as they had no permit for entering the office, we did not allow them to do so, and told them to apply at Shimane Military Government Team.
b) On December 9th, they came back to our Gotsu office with a permit for entering the office, and so we permitted their entrance and let them start with the investigations.
c) The motive of investigations:
Due to the presentation of material that scraps of copper are buried under the ground at the time of the ex-arsenal.

d) Place:
At the back of the Central Dining Room in the compound of the Gotsu Branch of Finance Bureau.

e) The result of investigations:
As a result of investigations, lasting fot two days, about 15 tons of scraps of copper were excavated from the above-mentioned place. Investigations were conducted at several other places, but nothing particular was found out.

f) The details concerning other items are now under investigations.

Chief of the Matsue
Local Office of
Hiroshima Finance Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reg'd No.	Name of machine	Repairing Condition	Class at time of inspection.	Class after repairing.
36-(-)-793	Transformer	Overhauled carried out based upon general maintenance outline	1	1
36-(1)-794	-do-	-do-	1	1
36-(1)-795	-do-	-do-	1	1
36-(1)-797	Switch-Board	-do-	1	1
36-(1)-827	Sclerometer	-do-	2	2
36-(1)-440	Wash Mill	-do-	2	2
36-(1)-168	Elec. Arc Welder	-do-	1	1
36-(1)-470	Oil Setting-Off Machine	-do-	1	1
36-(1)-471	Switch Board	-do-	1	1
36-(1)-472	-do-	-do-	1	1
36-(1)-475	Transformer	-do-	1	1
36-(1)-476	-do-	-do-	1	1
36-(1)-478	-do-	-do-	1	1
36-(1)-479	-do-	-do-	1	1
36-(1)-480	-do-	-do-	1	1
36-(1)-481	-do-	-do-	1	1
36-(1)-482	-do-	-do-	1	1
36-(1)-577	Oil Setting-Off Machine	-do-	1	1
36-(1)-578	-do-	-do-	1	1
36-(1)-579	Switch Board	-do-	1	1
36-(1)-580	-do-	-do-	1	1
36-(1)-581	Oil Setting-Off Machine	-do-	1	1
36-(1)-582	Switch Board	-do-	1	1
36-(1)-583	-do-	-do-	1	1
36-(1)-694	Elec. Welder	-do-	3	3
36-(1)-696	Switch Board	-do-	1	1
36-(1)-698	Induction Motor	-do-	1	1
36-(1)-705	Transformer	-do-	1	1
36-(1)-706	-do-	-do-	1	1
36-(1)-707	-do-	-do-	1	1
36-(1)-768	Stoker	Dust-coal feed screw 'Suriawase' and connecting tool renewed. Gear 'Peteate' repaired. Shaft and bolt for fixing cover renewed. 'Haneshindashi' of fan, tearing-off part of transmitting shaft and busing repaired.	1	1
36-(1)-769	-do-	Gear key for transmitting shaft and knocking renewed. 'Haneshindashi' of fan and bolt for cover-fixing renewed.	1	1
36-(1)-366	Hydraulic Press	Piston 'Suriawase' and leather packing changed. Bolt for fixing pistonrod 'Daido' and water-sucking valve renewed and installed.	1	1
36-(1)-254	Hydraulic Intensifier	The packing of piston changed. 2 bolts renewed.	1	1
36-(1)-426	Friction Press	Bolt of handle for lifting and lowering main shaft, and metal fittings for belt shifter renewed.	1	1
36-(1)-367	Vertical Hydraulic Pressing Machine	Piston packing changed. Handle of exchange valve repaired and fixed.	2	2
36-(1)-361	Excentric Press	Binding bolt of tool fixing bed renewed. Spring of clutch of automatic stopping equipment renewed. Belt shifting installation repaired. Bolt renewed. Fly-wheal missing.	2	2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reg'd No.	Name of Machine	Repairing condition	Class at time of inspection.	Class after repairing.
36-(1)-425	Eccentric Press	Spring of clutch of automatic stopping equipment renewed. Belt shifter repaired. Bolt-collar renewed.	1	1
36-(1)-724	Blower	2 pcs. of oil-ring renewed. Machine overhauled.	1	1
36-(1)-714	-do-	Metal rubbing repaired. 10 bolts for fixing fan-cover renewed. Machine overhauled.	2	2
36-(1)-736	-do-	Machine and motor overhauled. Sucking pipe missing.	1	1
36-(1)-737	-do-	Motor fixing bolt renewed. Machine overhauled.	1	1
36-(1)-731	-do-	Both machine and motor overhauled. Sucking pipe missing.	1	1
fan 36-(1)-576	-do-	Fan metal 'Suriawase' and 'Hane-shindashi' overhauled. Motor missing.	1	1
36-(1)-721	-do-	Fan metal 'Suriawase' and 'Hane-shindashi' overhauled. 2 pcs. of bolts for fixing cover renewed.	2	1
36-(1)-526	Motor Hot Compressor	Piston 'Suriawase' and safety valve broken. Fixing tool renewed. Bolt and 2 nipples for flange of pneumatic reservoir renewed.	1	1
36-(1)-639	Various tool Grinder	Both machine and motor overhauled.	1	1
36-(1)-466	Motor	Overhauled and assembled.	1	1
36-(1)-488	-do-	-do-	1	1
36-(1)-356	Buffing Machine	Metal 'Suriawase' and belt shifter renewed and overhauled. Motor pulley missing.	21	1
36-(1)-357	-do-	-do-	2	1
36-(1)-358	-do-	Shaved and worked up both main shaft and metal. Rubbing repaired. Belt shifter renewed. Motor pulley missing.	2	1
36-(1)-359	-do-	-do-	2	1

The End.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

~~10W~~

FINANCE BUREAU
SHIMANE BRANCH

Matsue, Nov. 1947.

TO : Commerce & Industry Section,
Shimane Mil. Govt. Team.

SUBJECT: Report on the supervision of indemnity factory.
(ex-military installation.)

We report on the above subject as follows:

A) Term of this report: The last half of October, 1947.

B) Reporting items:

a) Registration-cards of indemnity equipment:
There is nothing to report on this item during this period.

b) Inspection:
No inspector visited the plant during this period.

c) The machines which were repaired or removed during this period are as per statement attached.

Takeo Osaki
The Head of Matsue Local
Office of Hiroshima
Finance Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

S T A T E M E N T

Reg'd No.	Kind of Machine:	Repairing Condition:	Class at time of inspection:	Class after repairing:
36-1(1)-927	Shafts	As these were additionally registered, they were put together according to the sizes, and are being kept in order in No.6 house.	1	1
36-1(1)-928	-do-	-do-	1	1
36-1(1)-838	Chainblock	Due to inconvenience for keeping and watching in the present shed (detached office), the machine was removed to the warehouse in the factory.	2	2
36-1(1)-839	-do-	-do-	3	3
36-1(1)-840	-do-	-do-	3	3
36-1(1)-841	-do-	-do-	3	3
36-1(1)-842	-do-	-do-	1	1
36-1(1)-902	Motor	-do-	1	1
36-1(1)-903	-do-	-do-	3	3
36-1(1)-904	-do-	-do-	3	3
36-1(1)-905	-do-	-do-	1	1
36-1(1)-906	-do-	-do-	1	1
36-1(1)-907	-do-	-do-	3	3
36-1(1)-908	-do-	-do-	1	1
36-1(1)-909	-do-	-do-	1	1
36-1(1)-910	-do-	-do-	3	3
36-1(1)-911	-do-	-do-	1	1
Accessories	-do-	-do- 20 pces.	1	1
	Vice	-do- 5 pces.	1	1
36-1(1)-843	Miscellaneous Tool Grinder	-do-	3	3
36-1(1)-844	Portable Grinder	-do-	3	3
36-1(1)-845	-do-	-do-	3	3
36-1(1)- 25	Electric Air Compressor	Overhauled based upon general maintenance outline.	1	1
36-1(1)- 37	Friction Press	-do-	1	1
36-1(1)- 89	Vertical Hydraulic Pressing Machine	-do-	1	1
36-1(1)-111	Buffing Plate	-do-	2	2
36-1(1)-112	-do-	-do-	2	2
36-1(1)-113	-do-	-do-	2	2
36-1(1)-114	-do-	-do-	2	2
36-1(1)-115	-do-	-do-	2	2
36-1(1)-116	-do-	-do-	2	2
36-1(1)-117	-do-	-do-	2	2
36-1(1)-118	-do-	-do-	2	2
36-1(1)-119	-do-	-do-	2	2
36-1(1)-121	Vertical Hydraulic Pressing Machine	-do-	1	1
36-1(1)-207	-do-	-do-	2	2
36-1(1)-227	Buffing Plate	-do-	2	2
36-1(1)-228	-do-	-do-	2	2
36-1(1)-259	Vertical Hydraulic Pressing Machine	-do-	1	1
36-1(1)-260	Friction Press	-do-	1	1
36-1(1)-218	Induction Motor	-do-	1	1
36-1(1)-219	-do-	-do-	1	1
36-1(1)-232	-do-	-do-	1	1
36-1(1)-246	-do-	-do-	1	1
36-1(1)-247	-do-	-do-	1	1
36-1(1)-262	-do-	-do-	1	1
36-1(1)-274	-do-	-do-	1	1
36-1(1)-285	-do-	-do-	1	1
36-1(1)-287	-do-	-do-	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reg'd No.	Kind of Machine	Repairing Condition:	Class at time of inspection:	Class after repairing:
36-1(1)-296	Induction Motor	Overhauled based upon general maintenance outline.	1	1
36-1(1)-314	-do-	-do-	1	1
36-1(1)-622	Column & Knee Type Horizontal Milling Machine	-do-	1	1
36-1(1)-140	Hydraulic Intensifier	Spindle attached to water feeding pipe stop-valve broken, and renewed. A part of feeding pipe missing, water feeding pipe cock broken, and meter missing.	1	1
36-1(1)-122	Motor Hydraulic Pump	3 pcs. of packing grand, 4 pcs. of valve, leather packing, 5 pcs. of knock of pistonrod and fixing bolt, etc., renewed. Rubbing of piston repaired. Other parts overhauled.	1	1
36-1(1)-735	Hammer Machine	Rubbing of piston repaired. Oil-ring renewed. Oil feeding pipe soldered for repair. Oil-pump and other parts overhauled.	1	1
36-1(1)-734	-do-	Oil feeding pipe soldered for repair. Oil-pump and other parts overhauled.	1	1
36-1(1)-150	Hydraulic Pump	3 pcs. of suction valve, leather packing, 2 pcs. of knock of piston-rod and 6 pcs. of cotter pin renewed. Every part overhauled. Induction shaft metal and crank-shaft metal worn out and require renewal. (drawing made).	1	1
36-1(1)-153	Hydraulic Pump	Leather packing, 2pcs. of knock of pistonrod, 6 pcs. of cotter pin and 2 pcs. of suction valve renewed. Rubbing of crank metal and piston repaired.	1	1
36-1(1)-147	-do-	3 pcs. of suction valve, leather packing, knock of pistonrod and 6 pcs. of cotter pin renewed. Metal for induction-shaft missing. (drawing made). Every part overhauled. But on account of metal missing, operation impossible.	1	2
36-1(1)-144	-do-	3 pcs. of suction valve, 4 pcs. of cotter pin of pistonrod and leather packing renewed. Fitting bed of piston guide broken. 2 out of 6 water vessels unusable. Every part overhauled.	1	2

The End.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FINANCE BUREAU
SHIMANE BRANCH

Matsue, Sept. 1947.

TO : Commerce & Industry Dept.,
Shimane Military Government Team.

SUBJECT: Report on the supervision of indemnity equipment (ex-military installation).

With regard to the subject matter, we report as follows:

A) Term of this report: The first half of September, 1947.
B) Reporting items:
a) All the registration-cards are now being prepared to be presented in compliance with your request under date of Sept. 8th, 1947.

b) No inspector has visited the plant during this term.

c) Repair has been made to the machine equipment during this term as per attached report.

C) Others:
a) Material cast iron tubes and 3 others in indemnity plant kept in our Gotsu Branch are now prepared, having been taken to pieces, to be forwarded to Hiro Station in Hiroshima Prefecture, as we have received copy of PD issued by the Eighth Army Headquarters under date of August 31st, 1947, from both Shimane Prefectural Government and the Sanyo Bussan.

b) The material (steel plate) against PD reported previously was packed by the Nikken themselves and was sent out on Sept. 11th. But as to the instruments and machines against the memorandum, even preparation to convey in sections has not yet been started. Consequently, we are now under request to the Nikken to expedite the work.

c) The breaking up of the lodging house (4 buildings) which was recently released was commenced on Sept. 10th and the work is going on at present. One building has completely been taken down up to now.

Takeo Osaki

The Head of Matsue
Local Financial Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT

Reg'd No.	Kind of Machine	Repairing Condition	Class at the time of inspection	Class after repairing
36-(1)-128	Vertical Hydraulic Pressing Machine	Key for exchange valve handle renewed. Packing grand and sheet installed. (No leather packing).	1	1
36-(1)-132	-do-	Fixing part of exchange valve handle repaired. Bolt renewed. Packing grand and sheet installed. (No leather packing).	1	1
36-(1)-136	-do-	Exchange valve overhauled. Bolt renewed. Packing grand and sheet installed. (No leather packing).	1	1
36-(1)-145	-do-	-do-	1	1
36-(1)-148	-do-	-do-	1	1
36-(1)-151	-do-	-do-	1	1
36-(1)-182	-do-	Exchange valve and every part overhauled. Simple missing parts completely replenished.	1	1
36-(1)-183	-do-	-do-	1	1
36-(1)-185	-do-	-do-	1	1
36-(1)-184	-do-	Exchange valve overhauled. Attached exchange valve not good. No water supply tube. Every part overhauled. Simple missing parts completely replenished.	1	1
36-(1)-401	Screw Milling Machine	Every movable part overhauled. Change gear adjusted only 'isshu' rotation.	1	1
36-(1)-402	-do-	-do-	1	1
36-(1)-405	-do-	-do-	1	1
36-(1)-406	-do-	-do-	1	1
36-(1)-407	-do-	-do-	1	1
36-(1)-408	-do-	Every movable part overhauled. Attached motor fixing bolt renewed.	1	1
36-(1)-409	-do-	-do-	1	1
36-(1)-410	-do-	-do-	1	1
36-(1)-411	-do-	Regular maintenance, based on the general maintenance outline, carried out.	1	1
36-(1)-412	-do-	-do-	1	1
36-(1)-165	Air Holder	-do-	1	1
36-(1)-166	-do-	-do-	1	1
36-(1)- 28	Induction Motor	-do-	1	1
36-(1)- 31	-do-	-do-	1	1
36-(1)- 45	-do-	-do-	1	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reg'd No.	Kind of Machine	Repairing Condition	Class at the time of inspection.	Class after repairing.
36-(1)- 63	Induction Motor	Regular maintenance, based on the general maintenance outline, carried out.	1	1
36-(1)- 65	-do-	-do-	1	1
36-(1)- 66	-do-	-do-	1	1
36-(1)- 87	-do-	-do-	1	1
36-(1)- 95	Transformer	-do-	1	1
36-(1)- 96	-do-	-do-	1	1
36-(1)- 97	-do-	-do-	1	1
36-(1)- 98	-do-	-do-	1	1
36-(1)-169	-do-	-do-	1	1
36-(1)-170	-do-	-do-	1	1
36-(1)-172	Switch Board	-do-	1	1
36-(1)-175	-do-	-do-	1	1
36-(1)-109	Induction Motor	-do-	1	1
36-(1)-127	-do-	-do-	1	1
36-(1)-129	-do-	-do-	1	1
36-(1)-131	-do-	-do-	1	1
36-(1)-133	-do-	-do-	1	1
36-(1)-135	-do-	-do-	1	1
36-(1)-143	-do-	-do-	1	1
36-(1)-146	-do-	-do-	1	1
36-(1)-149	-do-	-do-	1	1
36-(1)-152	-do-	-do-	1	1
36-(1)-155	-do-	-do-	1	1

The End.