



X-B

HARVARD UNIVERSITY.



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY.

23257.

H. A. Hagen library.

March 29, 1904.

ENUMERATIO

INSECTORUM.

IN

MUSEO

GUST. JOH. BILLBERG.

Reg. Svec. Judicii Decasterii cameralis Consiliarii,

Reg. Ord. de Stella polari Equitis.

Acadd. et Societt. Svec. et exter. Membri.

Typis GADELIANIS, 1820.

107 107 10
100 000 000 000
100 000 000 000

MCZ LIBRARY
HARVARD UNIVERSITY
CAMBRIDGE, MA 02138

1501
2

Explicatio Signaturæ Auctorum.

- Act. berol.* — Acta Berolinensia. *Frer.* — Fourcroy.
Act. Holm. — Acta Helmiensia. *Frl.* — Froelich.
Act. Mose. — Acta Moscovita. *Frsch.* — Frisch.
Act. Petrop. — Acta Petropolitana. *Frsk.* — Forskål.
Ach. — Acharius. *Frstr.* — Forster.
Ahr. — Ahrens. *Frstrm.* — Forstroem (Mss.)
Auct. — Auctorum. *Fsch.* — Fischer.
Auct. coet. — Auctorum coetorum. *Fsl.* — Fuesly.
Auct. pler. — Auctorum plerumque. *Gffr.* — Geoffroy.
Bchst. — Bechstein. *Ghl.* — Gyllenhal.
Buul. — Bonuelli. *Gldesch.* — Gleditsch.
Bnsd. — Bonsdorff. *Gml.* — Gmelin.
Brhm. — Brahm. *Grn.* — Germar.
Brkh. — Borkhausen. *Grvh.* — Gravenhorst.
Brng. — Brongiart. *Grvv.* — Gronovius.
Brun. — Brown. *Gtz.* — Goetze.
Bsc. — Bosc. *Hbn.* — Hübner.
Bxt. — Baxter. *Hbst.* — Herbst.
Cdrh. — Cederhjelm. *Hffms.* — Hoffmannsegg.
Chrst. — Christius. *Hlw.* — Helwig.
Clrv. — Clairville. *Hpp.* — Hoppe.
Cqvb. — Coqvebert. *Hrm.* — Hermann.
Cr. — Creuz. *Hrr.* — Harrer.
Crm. — Cramer. *Hrrs.* — Harris.
Cvr. — Cuvier. *Hwth.* — Haworth.
Cznp. — Czenpinski. *Ill.* — Illiger.
Dfr. — Dufour. *Jrn.* — Juvine.
Dftsch. — Duftschmidt. *Kglu.* — Kugelan.
DGr. — De Geer. *Klg.* — Klug.
Dhl. — Dahl. *Kln.* — Klein.
Dld. — Daldorff. *Kuck.* — Knock.
Dlm. — Dalman. *Krb.* — Kirby.
DlTr. — Dela Tour. *Lch.* — Leach.
Dnv. — Donovan. *Lchrt.* — Laicharting.
Dr. — Drury. *Lchtst.* — Lichtenstein.
Drpn. — Draparnaud. *Ljg.* — Ljung.
Drth. — Dorthes. *Linn.* — v. Linné.
Dum. — Dumeril. *Lmb.* — Lambert.
Ed. enc. — Encyclopedia of Edinburgh. *Lmk.* — La Marck.
Eg. — Auctor hujus operis. *Lplt.* — Lepeletier.
Fbr. — J. C. Fabricius. *Lsp.* — Laspeyres.
O. Fbr. — Otto Fabricius. *Lsk.* — Leske.
Flln. — Fallén. *Ltr.* — Latreille.
Mgn. — Meigen.
Mgrl. — Megerley v. Mühlfeld.
Mll. — Moil.
Musg. — Montagu.

Mrkl. — Marklin (Mss.)
Mrsh. — Marsham.
Mrt. — Martyn.
Müll. — Müller.
Mülln. — Müllern.
Ntz. — Nitzsch.
Ochs. — Ochsenheimer.
O. Fbr. — Otto Fabricius.
Ok. — Oken.
Olf. — Olfers.
Olv. — Olivier.
Pall. — Pallas.
Pkl. — Paykull.
Plst. — Palisot de Beauvois.
Pnt. — Pennant.
Pnz. — Panzer.
Prsl. — Preysler.
Ptgn. — Petagna.
Qv. — Qvensel.
Rchb. — Reichenbach.
Rhn. — Rehn.
Rmur. — Roemer.
Rmur. — Reaumur.
Rs. — vide *Ed. enc.*
Rrs. — Rossi.
Ry. — Ray.
Schff. — Schaeffer.
Schh. — Schoenherr.
Schll. — Schaller.
Schllb. — Schellenberg.
Schn. — Schneider.
Schröb. — Schreber.
Schrk. — Schrank.
Sep. — Scopoli.
Sh. — Shaw.
Slbb. — Slabber.
Sln. — Sloane.
Slz. — Sulzer.
Spn. — Spence.
Spnl. — Spinola.
Stll. — Stoll.
Sturm. — Sturm.
Stv. — Stoven.
Stw. — Stewart.
Swdr. — Swederus.
Thg. — Thunberg.
Trt. — Turton.
Uddm. — Uddman.
Vll. — de Villers.
Vt. — Voet.
Wbr. — Weber.
Wdm. — Wiedeman.
Wlck. — Walckenaer.
Wlff. — Wolff.
Zuck. — Zincken genant Sommer.

INSECTA.

I. Subclassis ELYTROPTERA;

Alis superioribus crustaceis seu coriaceis.

I. Ordo Coleoptera:

Elytris crustaceis: sutura recta; maxilla nuda, libera, palpigera.

I. Tribus Pentamera:

Tarsis omnibus quinque articlatis.

I. Legio Saprophagi:

Palpis quatuor.

I. *Cohors*: antennis plus minusve clavatis.

I. Natio Lucanides:

antennarum capitulo pectinato l. lateraliter fisso.

1. *Divisio antennis non fractis.*

GENUS PASSALUS Auct. pler. — LUCANUS Linn. Scp. Oliv. Hbst. DGr. Prz. Lsk. — SCARABAEUS Linn. — CUPES Vt. — DZRMESTES BFWN. — SINODENDRON et SCARITES olim Fbr.

* <i>Thoracis dorso canaliculato</i>	dentatus Gvadel.	355.
interruptus Amer. 1. 3. 331.	cornutus Columb.	352.
convexus 333.	barbatus, Guian.	—

2. *Divis. antennis fractis.*

G. LUCANUS Auct. — PLATYCERUS Gffr. Frer. Schff. — SCARABAEUS Linn. Müll.

Cervus ♂♂ Svec. 1. 5. 318.	Ibex Brasil.	... Eg. 1.
var. b. ♂♂ — 321.	Paralellip-	
Elaphus ♂ Columb. 322.	pedus ♂♂ Svec.	325.
Capreolus ♂♀ — 323.	var. b. ♂♂ —	... Eg. 2.
	var. c. ♂♀ —	326.

G. PLATYCERUS Ltr. Gffr. Lmk. Rs. Schh. Ghl. — LUCANUS Linn. Thg. Prz. Pkl. Schrk. Oliv. Hbst. — SCARABAEUS Linn. — CARABUS Uddm.

Tenebrioides ♂♂ Svec. 1. 3. 329.	Caraboides c. ♂ Svec.	330.
var. b. ♂♀ — ... Eg. 3.	var. c. ♂♀ —	—
Caraboides ♂♀ — 329.	var. f. ♀ —	... Eg. 4.
var. b. ♀ — 330.		

G. LAMPRIMON Ltr. Rs. Schh. — LUCANUS Sehrr. — LETHRUS Fbr.

G. AESALUM Fbr. Ltr. Prz. Dfftschm. Ill. Ghl. Schh. — LUCANUS PRZ. Scarabaeoides ♂♀ Svec. 1. 3. 331.

2. Nat. Scarabæides.

antennarum capitulo lamellato l. horizontaliter fisso.

1. *Divis. antennis 11 articulatis.*

G. OLETHRUS Eg. LETHRUS Auct. pler. — BULBOCEROS Ach. — SCARABAEUS Fall. — CLUNIFES Act. Berol. cephalotes ♂♀ Eur. Austr. 1. 1. 1.]

G. SCARABAEUS Auct. pler. — GEOTRUFES Ltr. Dum. Lmk. — TYPHOCUS et SCARABAEUS Lch. Rs.

* <i>Thorace cornuto.</i>	Typhocus ♂♀ Svec.	25.
Dispar ♂♀ Ross. Austr. 1. 1. 22.	var. b. —	—
var. b. ♀ —	Momus ♂♀ Ind. Or.	24.
	var. b. ♂ —	... Eg. 6.

Quadridens ♂♀ —	24.	Hypocrita Germ.	27. var. <i>b.</i>
mobilicornis ♂♀ Svec.	24.		præc. Schh.
var. <i>b.</i> Germ.	... Eg. 7.	Sylvaticus Svec.	27.
** <i>Thorace mutico.</i>		laevigatus Barbar.	28.
Stercorarius Svec.	26.	vernalis Svec.	27.
var. <i>b.</i> —	... Eg. 8, 9.	var. <i>b.</i> Germ.	... Eg. 12.
var. <i>c.</i> —	... — 10.	pygmaeus Afr.	28.
var. <i>d.</i> —	... — 11.	chrysmeloides	Germ. 1. 3. 212.
var. <i>c.</i> —	... — 11.		

2 *Divis. antennis 10 articulis.*

G. AEGIALEA Ltr. Rs. — PSAMMODIUS Ghl. — APHIDIUS Fbr. Ill. Strm. Schn. Pnz. Schh. — SCARABÆUS Linn. Fbr. Pkl. Hbst. Rss. Frsl. Moll. Sep.

Arenaria Svec.	1. 1. 88.	porcata Svec.	87.
var. <i>b.</i> —	... Eg. 13.	impudica Ind. Occ.	—
elevata —	84.	rugosa Svec.	... Eg. 14.
Sabulei —	86.	sulcicollis —	88.
var. <i>b.</i> —	... Ghl.	Vulnerata —	88.
Stercorator Ind. Occ.	87.	Caesa —	88. a.
♣ TROY Auct. pler. — LUCANUS Mrsh. — SCARABÆUS Linn. Gffr. DGr.			
Olv. Fbr. — SILEHA Linn.			
horridus Ind. Or.	1. 1. 119.	gemmatus Seneg.	117.
denticulatus —	120.	sabulosus Svec.	117.
luridus Cap. b. Sp.	119.	arenosus —	118. hispidus Schh.
suberosus Brasil.	118.	scaber —	118. arenarius. —

G. SINODENDRUM Auct. pler. — LUCANUS Mrsh. — SCARABÆUS Linn. Gffr. DGr. Olv.

cylindricum ♂♀ Svec. | var. *b.* ♂♀ ... Eg. 15.

G. ORYCTES Ltr. Ill. Rs. — GEOTRUPES Fbr. Schh. Ghl. — SCARABÆUS Linn. Gffr. DGr. Olv.

* <i>Thorace armato.</i>		Faurus ♀ Barb.	... Eg. 16.
Hercules ♂ Amer.	1. 1. 1.	Bons ♂♀ Afr. austr.	8.
Caucasus ♂ Ind. Or.	10.	Nasicornis ♂♀ Svec.	15.
Centaurus ♂ —	4.	var. <i>b.</i> ♂♀ —	... Ghl.
Gideon ♂♀ —	5.	Corydon ♂♀ Hispan.	15.
Ganymedes ♂ Guin.	4.	** <i>Thorace inermi.</i>	
Oromedon ♂ Ind. Or.	3.	Rhinoceros ♂♀ Asiae.	16.
Sylvanus ♂ Brasil.	14.	Silenus ♂♀ Eur. Austr.	17.

♣ GEOTRYPES Auct. pler. — SCARABÆUS Linn. Vt. Hbst.

* <i>Capite cornuto.</i>		picens ♂♀ Ind.	20.
Scorticorium.	1. 1. 23.	** <i>Capite inermi.</i>	
punctatus ♂♀ Ital.	18.	lugubris ♂♀ Amer.	21.
Monodon ♂♀ Hung.	18.	Talpa ♂♀ —	—

G. PHILEURUS Ltr. Rs. — GEOTRUPES Schh. Fbr. — SCARABÆUS Linn. Vt. Gtz.

Didymus Amer. 1. 1. 19.

♣ HEXODUS Ltr. Fer. Olv. Hbst. Schh.

G. RUTELA Ltr. Rs. Schh. — SCARABÆUS Linn. DGr. CETONIA et MELOLONTA Fbr.

* <i>Scutello breve.</i>		Versicolor Brasil.	... Eg. 17.
† <i>unguibus binis aequalibus.</i>		glauca —	150.
Lineola Amer. 1. 3. 158.		var. <i>b.</i> —	... Eg. 18.
var. <i>b.</i> —		Caesarea N. Holl.	149.
var. <i>c.</i> —		** <i>Scutello magno.</i>	
striata Gvadel.	153.	emarginata Brasil.	156.
rufipes Sierr. Leon.	154.	Chrysis Amer.	155.
†† <i>unguibus binis inaequalibus.</i>		lucida Gvadel.	156.
punctata Columb.	151.	fucata Amer.	158.
		capucina Ind.	157.

G. MELOLONTHA Auct. pler. — SCARABÆUS Linn. DGr. Sep. Schrk. Gffr. etc.

* *Unguibus pedum omnium parium, apice simplicis, medio dente acuto armato.*

† *Antennarum clava lamellis, plusquam tribus: ♂ — 71.5; ♀ 7, 6 l. 4.*

Fullo ♂♀ Svec. 1. 5. 163.
 var. b. Germ. Eg. 19.
 var. c. — — — — — 20.
 vulgaris ♂♀ Svec. 165.
 var. b. ♂♀ — — — — — 167.
 Hippocastani ♂♀ — — — — — 167.
 var. b. ♂♀ — — — — — 169.
 pilosa ♂♀ Eur. austr. 169.
 var. b. ♂♀ — — — — —
 meridionalis ♂ — — — — — Austr.
 occidntialis ♂ Ind. Occ. 169.
 opaca ♀ — — — — — Eg. 21.
 tomentosa ♂♀ Ind. Or. 168.
 Aloplex ♂ Cap b. Sp. — — — — —

†† *Antennarum clava in utroque sexu triphylla.*

rorida ♀ Sumatr. 170.
 mucida ♂♀ Ind. 171.
 immaculata — — — — —
 var. ♂♀ Ind. Or. 172.
 Globator ♂♀ Cap b. Sp. 171.
 Aphediiua Eg. 22.
 Atra Eur. Austr. 176.
 Gröndahli Cap b. Sp. Eg. 23.
 Aenea ♂ Brasil. Eg. 24.
 Aeqvinocialis ♂♀ Hung. 172.
 assimilis ♂♀ Austr. 177.
 solstitialis ♂♀ Svec. 174.
 Falleni ♂ — — — — — 175.
 ruficornis ♂♀ Eur. Austr. 176.
 aestiva ♂ — — — — —
 Aprilina Austr. Carn. 178.
 hirticollis Afic. 173.
 cylindrica Ind. Or. 174.

** *Ungulis omnibus apice bifidis.*
 brunnea ♂♀ Svec. 178.
 ferruginea Stier. Leon. 183.
 radiata Amboin. 182.
 mutabilis ♂♀ Tranqveb. 181.
 variabilis ♂♀ Eur. 179.
 versicolor ♂♀ Sier. Leon. 181.
 rauca var. — — — — — 183.
 Ruricola Eur. 181.
 villosula Lusitan. 185.
 splendidula Sumatr. 181.
 proboscidea Afric. 185.
 subspinosa Ins. Amer. 186. an hu-
 jus Gen.?

*** *Ungulis aut omnibus simplici- bus, aut tantum Ungulo cer- torum Parium uno apice bifidis.*

geminata Amer. 187.
 barbata Ind. Occ. Brasil. — — — — —
 Scarabaeina Ind. Or. — — — — —
 Forströmi Brasil. Eg. 25.
 mixta Afr. Aeqv. 190.
 antiqva Ind. Or. 196.
 marginata Amer. 190.
 dorsalis Tranqveb. 197.
 lurida — — — — — 193.
 elata Tranqveb. 197.
 signata Jamaic. 189.
 atriceps Brasil. Calen. 190. Eg. Ni-
 grocephala Schh. 190.
 erythrocephala Cerom. 190.
 immaculata Amer. 190.
 pallescens Ind. Or. 191.
 Lundi Amer. Eg. 25.
 errans Hung. Lusit. } 191.
 Ross. Merid. }
 Atriplicis Barbar. 190.
 Lanigera Columb. } 151. T. D
 504.
 Viridis Ind. Or. Chin. 196.
 bicolor Cap b. Sp. 197.
 Aurata Carniol. } 193.
 Austr. }
 Vitae Eur. Austr. — — — — —
 Julii Eur. — — — — —
 var. c. Svec. — — — — — Ghl. a.
 var. f. — — — — —
 var. k. — — — — — Ghl. M.
 — — — — — Frischii.
 var. l. — — — — —
 var. r. Eur. — — — — —
 var. t. — — — — —
 var. u. Svec. — — — — —
 var. v. — — — — — Ghl. c.
 var. x. — — — — — Ghl. b.
 var. y. Eur. — — — — —
 penicillata Eg. 27.
 Horticola Svec. 200.
 var. b. — — — — —
 var. c. — — — — —
 var. d. — — — — — Eg. 23.
 Floricola Eur. Austr. } 201.
 Barbar. }
 Austriaica Eur. 202.
 var. b. — — — — — 205.
 Fruticola — — — — — 204.
 Arvicola Ross. Merid. 203.
 Crucifer Eur. 205.
 Agricola — — — — — 204.
 pygmaea Eg. 29.

G. HOPLA Eg. HOPLIA Ill. Ltr. Rs. Ghl. Schh. — MELOLONTHA olim.

* *Antennis novem articulatis.*
 formosa Eur. Austr. 1. 5. 158.
 squamosa — — — — —
 var. b. — — — — — 159.
 argentea — — — — — 160. pulve-
 rulenta b Schh.

** *antennis 10 articulatis.*
 pulverulenta Eur. 160.

G. AMPHICOMA Ltr. Rs. Schh. — MELOLONTHA olim.

vitata Ind. 1. 5. 143. | Bombylius Barbar. 148.

- Vulpes* Ross. Merid. 147.
var. *g.* — — — — —
- G. GLAPHYRUS** Ltr. Rs. Schh. — *MELOLONTHA* olim.
G. ANISONYX Ltr. Rs. Schh. — *MELOLONTHA* olim.
longipes Cap. b. Sp. 145. crinitum. | Sparmanni Cap. b. Sp. . . . Eg. 31.
Ursula — — — — — | pilosum — — — — — 146.
proboscideum Cap. b. Sp. 146. | abbreviatum — — — — — 208. Melolontha.
- G. TRICHIDIUS** Eg. — *MELOLONTHA* olim.
dentipes Cap. b. Sp. 1. 3. 207. | Gonagra Cap. b. Sp. 208.
aurantiacus Eg. 32. |
- G. CREMASTOCHILUS** Knck. Ltr. Rs.
G. TRICHIVS Ltr. Pbr. Rs. Ghl. Schh. — *CETONIA* Oliv. — *SCARABÆUS*
Auct. coet.
Eremita ♂♀ Svec. 1. 3. 99. | var. *c.* Svec. — — — — — 103.
variabilis ♂♀ — — — — — 102. | var. *d.* — — — — — — — — — — —
var. *z.* ♂♀ — — — — — Eg. 33. | Delta Columb. 106.
nobilis ♂♀ — — — — — 100. | limbatus Ind. Or. — — — — —
var. *z.* ♂♀ — — — — — } Eg. 34, 35. | hemipterus ♂♀ Eur. med. 107.
var. *c.* — — — — — } | var. *z.* — — — — — — — — — — —
fasciatus — — — — — 103. | nigripes — — — — — Cap. b. Sp. 109.
var. *z.* — — — — — — — — — — — | stigmaticus — — — — — — — — — — —
- G. PACHYPUS** Eg. — *TRICHIVS* ol.
Crassipes Cap. b. Sp. 1. 3. 130.
- G. GOLIATHUS** Ltr. — *CETONIA* ol.
- G. CETONIA** Auct. pler. — *SCARABÆUS* Linn.
* *Excutellata* (an propr. Gen.?). Morio Eur. Austr. 123.
Chinensis Chin. 1. 3. 112. | var. *z.* — — — — — — — — — — —
var. *z.* — — — — — Eg. 35. | var. *c.* — — — — — Eg. 44.
pulla Ind. Or. 115. | Cardul. Hisp. — — — — — 124.
Bajula Brasil. — — — — — 116. | cornuta Cap. b. Sp. 125.
confusa — — — — — Eg. 37. | Geotrupina — — — — — 112.
Graculus Amer. — — — — — 116. | flavomaculata — — — — — 129.
nitida Columb. 114. | Gagates Sierr. Leon. 135.
atromaculata Tranqueb. 132.
Inda Ind. Or. 132.
hebraea Afr. 125.
Carnitex Afr. Merid. 125.
carmelita — — — — — 124.
marginata Guin. 128.
sinuata Cap. b. Sp. 129.
colorata — — — — — — — — — — —
signata — — — — — 127.
elata Guin. 131.
Afzelii Sierr. Leon. 132.
interrupta Seneg. 130.
irrorata Cap. b. Sp. 141.
versicolor Ind. Or. 131.
mixta Sumatr. 136.
cinerascens Cap. b. Sp. 141.
hirta Eur. Austr. 139.
stictica Svec. 140.
var. *z.* — — — — — — — — — — —
- ** *Scutellata*.
† *Thorace ad basin transverso*.
fascicularis Cap. b. Sp. 126.
aulica Afr. Mer. — — — — —
semipunctata C. b. Sp. 132.
marmorata Svec. 122.
maculata Coromand. 157.
aenea Svec. 119.
var. *z.* — — — — — Eg. 38.
var. *c.* — — — — — var. *c.* Ghl.
var. *d.* Svec. var. *b.* Ghl.
var. *e.* Germ. 120. metalli. ca Schh.
hispanica Hisp. Eg. 39.
aurichalcea Surattae 136.
aurata Svec. 117.
var. *z.* — — — — — Eg. 40.
var. *c.* — — — — — — 41.
var. *d.* — — — — — — 42.
cuprea Suria. 133.
affinis Germ. 120.
fastuosa Eur. Austr. — — — — —
var. *z.* — — — — — Eg. 43.
resplendens Chinae 133.
pubescens Cap. b. Sp. 123.
capensis — — — — — — — — — — —
- 11 punctata Eg. 45.
marginalis Cap. b. Sp. 141.
haemorrhoidalis C. b. Sp. 138.
†† *Thorace baseos rotundato*.
cruenta Cap. b. Sp. 143.
††† *Thorace baseos producto* (an propr. Gen.?)
Zebra Jayae. 158.

3. *Divis. antennis 9 articulatis.*

G. APHODIUS Auct. pler. — SCARABÆUS Linn. Oliv. Mrsh.

* <i>Capite tuberculato aut linea e-</i> <i>locata instructo.</i>	punctato Svec.	Ghl. prodromus b.
Fosser Svec. 1. 1. 66.	lividus Ind. occ.	76.
var. b. — 67.	nitidulus Svec.	78.
Scrutator Eur. austr. —	var. b. —	. . . Ghl.
conjugatus Austr. —	Merdarius —	85.
analis Ind. or. 66.	var. b. —	. . . Eg. 54.
Sorex Chinac. 65.	* <i>capite mucico.</i>	
foeteus Svec. 57.	rufipes Svec.	79.
var. b. —	var. b. —	. . . Ghl.
var. c. —	2 punctatus Eur. austr.	79.
var. d. —	depressus Svec.	86.
finetarius — 71.	var. d. —	— Eg. 55.
var. b. — . . . Eg. 46.	var. e. —	— nigripes Schh.
Lapponum — 72.	var. f. —	— — b.
Scybalarius — 68.	var. g. —	— — c.
var. b. —	var. h. —	31. lutarius.
obscurus — 69.	lutarius —	— immundus Schh.
erraticus — 72.		. . . Eg. 56.
var. b. — . . . Ghl.	var. b. —	. . . Eg. 57.
subterraneus — 70.	Haemorrhoum Canton.	. . . Eg. 58.
var. b. — . . . Ghl.	assimilis Javae	. . . Eg. 58.
terrestris — 69.	marginellus Coromand.	81.
var. b. — . . . Ghl.	Pecari Hung.	86.
Ijungstedti Javae.	contaminatus Svec.	82.
haemorrhoidalis Svec. 78.	prodromus —	31. consputus Schh.
var. b. —	var. b. —	. . . Eg. 59.
granarius — 77.	Sphacclatus —	31. consputus b. Schh.
carbonarius — a prae-	var. b. —	. . . Ghl.
Granum — 77. granarius Schh.	Sus —	85.
putridus — 73.	var. b. —	. . . Ghl.
tristis — 78.	var. c. —	. . . Eg. 60.
plagiatus — 84.	testudinarius —	85.
var. b. —	var. b. —	. . . Eg. 61.
niger —	villosus —	85.
2 maculatus — 70.	Scrofa —	85.
piceus — 74. inquina-	sanguinolentus Germ.	85. 4 pustulatus b. Schh.
maculatus — Strm.	4 maculatus Svec.	85. 4 pustulatus Schh.
Porcus Germ. 70.	4 guttatus —	82. 4 maculatus Schh.
sticticus Svec. 69. Prodromus Schh.	var. b. —	. . . Eg. 62.
hirtipennis — . . . Ghl. prodromus var. c.	var. c. —	. . . Ghl. a.
inquinatus — 74.	var. d. —	. . . Eg. 63.
var. b. —	foetidus —	83.
var. c. —	var. b. —	. . . Eg. 64.
tessulatus — 75.	var. c. —	. . . Ghl. b.
var. b. — . . . Eg. 43.	var. d. —	. . . Eg. 65, 66.
var. c. — . . . — 49.	var. e. —	. . . Ghl. c.
ceuspurcatus — 75.	var. f. —	. . . Ghl. c.
var. b. — . . . Eg. 50.	var. g. —	83.
sordidus — 75.	psillus —	. . . Eg. 67.
var. b. —	var. b. —	. . . Ghl. Granum var. c.
var. c. —	var. c. —	. . . Eg. 63.
var. d. — . . . Eg. 51.	exaratus —	. . . Eg. 63.
rufescens — 76.	limbatus St. Barthol.	. . . Erstrm.
var. b. —	arenarius Svec.	88. a.
var. c. — . . . Eg. 52.	var. b. —	. . . Eg. 69.
discoideus — . . . Eg. 53.		

G. ONITIS Auct. pler. — SCARABÆUS Linn. Oliv.

anguculatus Seneg. 1. 1. 31.	Junius Cap. b. Sp.	29.
------------------------------	--------------------	-----

Onitis Sphinx Ind. or.	31.	Clinias		
var. <i>b.</i>	—	Vandelli	Lusit.	50.
Damoetus ♂♀	—	festivus	Asiae	... Stv.
Moeris Eur. or.	50.	Menalcas ♂♀	Ross.	52.
Aygulus Ind. or.	29.	cinctus	Chinae	55.
var. <i>b.</i>	—	pallipes ♂♀	Corom.	52.
granulosus	—	flavipes ♂♀	Germ.	52.
Lophus	50.	var. <i>b.</i> ♂♀	—	... Eg. 72.
striatus	... Eg. 71.	scriptus ♀	—	... Eg. 73.

G. COPRIAS Eg. COPRIS Auct. pler. — SCARABÆUS Linn. DGr. Oliv.

Hamadryas ♂♀ C. b. Sp.	1. 1. 37.	Nisus ♂♀	Cajenn.	45.
Bucephalus ♂♀ Ind. or.	42.	Orientalis ♂ Ind. or.	—	—
Molossus ♂♀ Chin.	43.	Fidius ♂ Amer.	55.	—
var. <i>b.</i>	—	carmelita ♂ Gvin.	40.	—
var. <i>c.</i>	—	hispana ♂♀ Eur. austr.	50.	—
Mimas ♂ Amer.	45.	var. <i>b.</i> ♂♀	Barbar.	44. Panis-
Jasius ♂ —	51. Onitis	Sabaenus ♂♀ Corom.	51.	scus.
Carolina ♂♀	46. Schh.	Bison ♂♀ Eur. austr.	50.	Onitis
Patroclus ♂	44.	Jachus ♂ Cap. b. sp.	51.	Schh.
Nemestrius ♂♀ C. b. sp.	51.	Harpax ♂ Gvineae	55.	—
Castor ♂♀ Cap. b. sp.	... Eg. 75.	Carnifex ♂♀ Amer.	49.	—
Pollux ♂♀	... Eg. 76.	Micans ♂♀ Brasil.	... Eg. 77.	—
Iunaris ♂♀ Svec.	57.	reflexa ♂♀ Chin.	44.	—
var. <i>b.</i> ♂♀	59.	var. <i>b.</i> Ind. or.?	... Eg. 78.	—
Stimon ♂♀ Ins. Gorée	40.	Troglodytes Cap. b. sp.	... Eg. 79.	—
Tullius ♂♀ Ind. or.	45.			

G. ONTHOPHAGUS Ltr. Rs. — COPRIS olim.

* *Thorace armato.*

Bonasmus ♂♀ Ind. or.	1. 1. 42.	Glama	Ind. or.?	... Eg. 85.
var. <i>b.</i> ♂♀	... Eg. 80.	aeneus	Tranqveb.	—
Seniculus ♂♀ Tranqveb.	36.	mutans	Germ.	53.
var. <i>b.</i>	—	Hubneri	—	54.
Eygargus Cap. b. sp.	... Eg. 81.	Sturmi	—	... Eg. 84.
Camelus Germ.	41.	Taurus Svec.	—	46.
Gazella Gvin.	48.	var. <i>b.</i>	—	... Eg. 85.
Austriacus { Finl. }	—	var. <i>c.</i> Germ.	—	... Eg. 86.
Vacca —	47.	Capra —	—	47.
Medius Svec.	48.	var. <i>b.</i>	—	... Eg. 87.
afinis Germ.	—	Tragus Chin.	—	49.
Oryx Chin.	49.	Aegagrus Canton.	—	... Eg. 88.
Sagittarius —	42.	Gnu —	—	... Eg. 89.
Antilope Ind. or.	49.	Axis —	—	... Eg. 90.
Ibex —	48.	Schraeberi Svec.	—	55.
lucidus Germ.	40.	Cervus Ind. or.	—	48.
Coenobita —	51.	ovatus Svec.	—	56.
fracticornis Svec.	52.	furcatus Eur. austr.	—	54.
var. <i>b.</i>	—	Rupicapra Canton.	—	... Eg. 91.
nuchicornis —	51.	var. <i>b.</i>	—	... Eg. 92.
var. <i>b.</i>	—	Dorcas —	—	... Eg. 95.
Lemur Germ.	40.	Aries —	—	... Eg. 94.
Tarandus Ind. or.	40.	pusillus Ind. or.	—	57.
		Ovis —	—	... Eg. 95.
		Hircus Canton.	—	... Eg. 96.

G. ATEUCHUS Vbr. Fbr. III. Ltr. Rs. Schh. — COPRIS Gffr. — ACTINOPHORUS Sturm. — SCARABÆUS Linn. DGr.

sacer Eur. Austr. 1. 1. 54.	—	Impi-	striatus	... Eg. 98.
var. <i>b.</i>	—	us Hbst.	variolosus Eur. austr.	59.
sanctus Tranqveb.	59.		semipunctatus Barb.	—
Collaris	... Eg. 97.		intricatus Cap. b. Sp.	—
laticollis Chin.	58.		morbillosus Gvin.	—

G. GYMNOPIEURUS III. Rs. — ATEUCHUS Ltr. Fbr.

gibbosus Amer. 1. 1. 60.		Pillularius Eur. austr.	62.
sinuatus Chin. 63.		Cantharus —	65. Pillula-
			rius.

ymnopleurus Geof.	scabratus Cap b. sp. 61.
iroae Eur. austr. 62.	fulgidus Ind. or. 60. a G.
squalidus Bras. 55.	Leei dist. 60.
flagellatus { Cap. b. Sp. } 61.	smaragdulus Amer. 60.
Leei { Eur. austr. } 61.	triangularis Surin. 61.
Leei Ind. or. 60.	capistratus —
Koenigii Tranqveb. 61.	

4. *Divis. Antennis 3 articulatis.*

G. SISYPHUS Lit. Rs. — ATEUCHUS Ill. Fbr. — COPRIS Gffr. — SCARABÆUS Linn. Oliv.
 Schaefferi Gall. Germ. 1. 1. 61.

3. Nat. Histerides.

Antennarum capitulo compresso subfoliato.

G. HISTER Auct. — ATTELABUS Gffr.

* <i>Thorace longitudinaliter striato.</i>	** <i>Thorace striis longitudinalibus nullis.</i>
† <i>Thoracis lateribus bistriatis.</i>	† <i>Corpore ovato.</i>
] <i>Elytris stria marginali.</i>] <i>Elytris striis dorsalibus quinque.</i>
inaequalis Eur. As. Afr. 1. 1. 83.	frontalis Svec. 98.
major { Eur. austr. } 83.	fulvicornis Ind. occ. 97.
barbatus { Barbar. } 83.]] <i>Elytris striis dorsalibus quatuor minusve.</i>
4 maculatus Svec. . . . Eg. 99.	[<i>Stria suturali a quarto dorsali remota.</i>
var. b. — —	semipunctatus Eur. Afr.
var. c. — —	boreal. 91.
chinensis { Ind. or. } 83.	nitidulus Svec. 90.
unicolor { Chin. } 83.	var. b. — —
impressus Svec. 89.	elegans Cap. b. Sp. . . . } Pkl.
var. b. — 90. Fbr.	[[<i>Stria suturali quarta dorsali antice conjuncto.</i>
Cadaverinus — 92. brunneus Ghl.	rugifer Svec. . . . Ghl.
var. b. — —	Cyanellus — . . . Eg. 102.
var. c. — —	metallicus — 95.
Merdarius { Eur. austr. } 92.	aeneus — 94.
Columb. — —	var. b. — —
binotatus Hispan. . . . Eg. 100.	similis — . . . Eg. 105.
]] <i>Elytris stria marginali nulla.</i>	rotundatus — 96.
4 notatus Svec. 92.	var. b. — —
var. b. — —	[[[<i>Elytris stria suturali nulla.</i>
sinuatus — 93.	punctatus Svec. 96.
var. b. — —	pygmaeus — 97.
bis 6 striatus — 89. Parvus Ghl.]] <i>Elytris striis dorsalibus nullis.</i>
var. b. — . . . Ghl.	Scaber { Hisp. } 91.
†† <i>Thoracis lateribus unistriatis.</i>	Barbar. } 91.
] <i>Elytris stria marginali nulla.</i>	Globosus Svec. 97.
bimaculatus Svec. 94.	minutus — —
12 striatus — 90.	†† <i>Corpore oblongo.</i>
var. b. — . . . 14 striatus Ghl.] <i>Elytris striis nullis.</i>
]] <i>Elytris stria marginali.</i>	picipes Svec. 99.
purpurascens Svec. 95.]] <i>Elytris striatis.</i>
var. b. — . . . Eg. 101.	flavicornis Svec. 99.
var. c. — — totus brunneus.	var. b. — —
Carbonarius — 90.	angustatus — —
Stercorarius — —	var. b. — . . . Pkl.
Fimetarius Germ. 95. Sinuatus Schll.	var. c. — —
	oblongus — 98.

Hister *** <i>Thorace sulcato.</i>	vulneratus Svec.	99.
† <i>Sulco utrinque unico, longitudi-</i>	†† <i>Thorace sulcis longitudinalibus.</i>	
<i>nali.</i>	sulcatus Eur. austr.	96.
caesus Svec.	striatus	—
G. HOLOLEPTA Pkl. — HISTER Auctororum.		
plana Eur. austr. 1. 1.	var. <i>b.</i>	Svec. . . . Pkl.
depressa Svec.	var. <i>d.</i>	— . . . —

4. Nat. Sphæridiides.

Antennarum capitulo compresso perfoliato.

1. *Diris, pedibus gressoriis; articulo tarsorum basali secundo non brevior.*

G. SPHAERIDIUM Auct. pler. — DERMESTES Linn. DGR. Mrsh.

Scarabaeoides Svec. 1. 1.	100.	var. <i>b.</i>	Svec.	102.	ferru-
var. <i>b.</i>	—	—	—	—	gineum Schh.
var. <i>d.</i>	—	— margi-	hemorrhoidale	—	102.
		natum Ghl.	var. <i>b.</i>	—	—
var. <i>e.</i>	—	—	atomarium	—	—
var. <i>f.</i>	—	—	obsoletum	—	— atomari-
var. <i>g.</i>	—	—			um 1. 2. 6. Schh.
5 maculatum Ind. or.	101.		Haemorrhoum	—	1. 2. 6.
oblongum	—	Trstrm.	terminatum	—	1. 1. 254.
unipunctatum ♂♂ Svec.	105.		var. <i>b.</i>	—	103. Navipes
melanocephalum	—	102.			Schh.
var. <i>b.</i>	—	—	var. <i>d.</i>	—	—
var. <i>e.</i>	—	—	minutum	—	105.
var. <i>d.</i>	—	—	lugubre	—	103.
var. <i>f.</i>	—	—	litorale	—	— Ghl.
pygmaeum	—	—	var. <i>b.</i>	—	—

2. *Diris, pedibus natatoriis; articulo tarsorum basali secundo brevior.*

G. HYDROUS Lch. Rs. — HYDROPHILUS olim.

piceus Svec.	1. 2. 1.	olivaceus Corom.	3.
ater Amer.	2.		

G. HYDROPHILUS Auct. pler. — DYTISCUS Linn.

Caraboides Svec.	1. 2. 2.	var. <i>c.</i>	Svec.	7.
ellipticus Guin.	3.	var. <i>d.</i>	—	—
colaris Amer.	5.	var. <i>e.</i>	—	—
elongatus	—	—	—	—
lateralis Amer.	3.	Eg. 104.	bicolor	—
violaceus	—	—	griseus	—
fucipes Svec.	4.	Scarabaeoides Schh.	helicocephalus	—
tarsatus Javae.	—	Eg. 105.	capensis Cap. b. Sp.	—
melanocephalus Svec.	7.	—	pygmaeus Ind. occ.	9.
var. <i>b.</i>	—	—	arbus Svec.	—
			marginellus b. Ill.	—
			minutus	—

G. HYDROBIUS Lch. Rs. — DYTISCUS Linn. — HYDROPHILUS Auct. pler.

Globulus Svec.	5.	subrotundus Amer.	5.
Seminulum	—	similis	—
liridus	—	gibbus Canton.	—
orbicularis	—	—	—

G. LIMNEBIUS Lch. Rs. — HYDROPHILUS Mrsh. Ghl.

truncatillus Svec.	1. 2. 9.	var. <i>b.</i>	Svec.
--------------------	----------	----------------	-------

G. SPERONEUS Fbr. Ltr. Ghl. Schh. Rs. — HYDROPHILUS Ill. Mrsh.

emarginatus Svec.	1. 2. 1.	var. <i>b.</i>	Svec.	—
-------------------	----------	----------------	-------	---

S P H A E R I D I I D E S .

9

G. HELOPHORUS Lch. Rs. — HYDROPHILUS DGr. Mrsh. — ELOPHORUS Auct. pler.

aquaticus	Svec.	1. 2. 39.	var. <i>δ</i> .	Svec.	59.
fennicus	—	40.	var. <i>c</i> .	—	—
congener	—	. . . Eg. 111.	elongatus	—	41.
nubilus	—	40.	var. <i>δ</i> .	—	—
griseus	—	—	brevis	—	—
granularis	—	39.			

G. OCHTEBIUS Lch. Rs. — HYDRAENA Ltr. Ill. — HYDROPHILUS Mrsh. — ELOPHORUS Pkl.

pygmaeus	Svec.	1. 2. 42.	marinus	Svec.	42.
----------	-------	-----------	---------	-------	-----

G. HYDRAENA Kgl. Lch. Rs. — HYDROPHILUS Mrsh. — ELOPHORUS Ghl.

minima	Svec.	1. 2. 42.	longi-	var. <i>δ</i> .	Svec.	42.
			palpis	Schh.	—	—
			minutissima	—	—	—

5. Nat. Sarrotriides.

Clava antennarum 8 articulata.

G. SARROTRIUM Fbr. Ill. Rs. — HISPA Linn. Mrsh. — TENEBRIO DGr. — ORTHOCERUS Ltr.

muticum	Svec.	1. 2. 111.
---------	-------	------------

6. Nat. Gyrinides.

Clava antennarum multiarticulata.

G. HETERO CERUS Bsc. Fbr. Ill. Ltr. Mrsh. Rs.

marginatus	Svec.	1. 2. 150.	var. <i>c</i> .	Svec.	150.
var. <i>δ</i> .	—	—			

G. PARNUS Fbr. Ill. Mrsh. Rs. — DERMESTES Gffr. — ELATER Ass. — DRYOPS Oliv. Lam. Ltr.

Prolifericornis	Svec.	1. 2. 116.	acuminatus	Germ.	116.
auriculatus	—	—			

G. MACRONYCHUS Müll.

G. GYRINUS Auct.

americanus	Amer.	1. 2. 38.	Natator	Svec.	37.
australis	N. Holl.	—	dorsalis	—	38.
spinosus	Corom.	—	marinus	—	—
chinensis	Chinae	. . . Eg. 112.	Villosus	—	39.
striatus	Afr.	38.	nitidulus	Ind. or.	38.
rufipes	Austr.	59.	minutus	Svec.	—
bicolor	Svec.	38.			

G. GEORYSSUS Ltr. — PIMELIA Pkl. Fbr. Schh.

pygmaeus	Svec.	1. 1. 136.	var. <i>δ</i> .	Svec.	Ghl.
----------	-------	------------	-----------------	-------	------

7. Nat. Byrrhides.

Clava antennarum extrorsum crassiore.

G. NOSCDENDRUM Ltr. Rs. — BYRRHUS Oliv. — SPHAERIDIUM Fbr. Puz.

fasciulare	Gall.	1. 1. 113.
------------	-------	------------

G. CHELONITES Eg. — CHELONARIUM Fbr. Ltr. Rs.

G. BYRRHUS Auct. — CISTELA Gffr. Mrsh. — DERMESTES DGr.

Gigas	Austr.	1. 1. 110.	var. <i>δ</i> .	Svec.	110.
Pillula	Svec.	—	var. <i>c</i> .	—	—
			var. <i>d</i> .	—	—

Byrrhus fasciatus	Svec. 1. 1. 111.	var. <i>δ</i> .	Svec.	112.
var. <i>b</i> .	—	var. <i>c</i> .	—	—
var. <i>c</i> .	—	murinus	—	—
var. <i>d</i> .	—	var. <i>δ</i> .	—	—
var. <i>e</i> .	—	aeveus	—	113.
var. <i>f</i> .	—	ater	—	—
dorsalis	—	semistriatus	—	112.
var. <i>δ</i> .	—	setiger	Germ.	113.
varius	— 112.	picipes	Svec.	112.
		orbicularis.		
G. SCAPHIDIUM. Oliv. Pkl. Fbr. Ltr. Rs. Mrsh. Ghl.				
4 maculatum	Svec.	immaculatum	Gall.	
G. SCAPHISOMA Lch. — SCAPHIDIUM Auct. coet.				
agaricinum	Svec.	Armadillo	Svec.	
var. <i>δ</i> .	—	longicorne	—	
atomarium	—			
G. ANTHRENUS Auct. — BYRRHUS Linn. Mrsh. — DERMESTES DGr.				
Scrophulariae	Svec. 1. 2. 114.	Verbasci	Svec.	116.
var. <i>δ</i> .	—	hirtus	—	117.
Pimpinellae	—	var. <i>b</i> .	—	—
Museorum	— 115.			
G. TRIKAGUS Kglh. Ghl. — THROSCUS Ltr. Rs. — DERMESTES Fbr. Pkl. Ill. — ELATER Linn. Oliv. Gffr.				
Dermestoides	Svec. 1. 2. 96.			

8. Nat. Ptinides.

Clava antennarum articulis 3 majoribus elongatis.

G. ANABIUS Eg. — ANOBIUM Auct. — PTINUS Linn. DGr. Mrsh. — BRUCHUS Gffr.				
* <i>Elytris punctato striatis.</i>		pusillus	Svec.	106.
pertinax	Svec. 1. 1. 101.	** <i>Elytris vage-punctatis.</i>		
	—	tessellatus	Svec.	101.
rufipes	— 102.	reticulatus?	Austr.	102. Cis—?
var. <i>δ</i> .	—	mollis	Svec.	104.
striatus	— 103.	var. <i>δ</i> .	—	—
var. <i>δ</i> .	—	var. <i>c</i> .	—	—
		nitidum	Schh.	—
paniceus	— 105.	Abietis	—	—
minutus	— v. praec.	var. <i>δ</i> .	—	—
		abietinus	—	105.
G. RHISTRUM Eg.				
lineatum	Bras.	Eg. 113.		
G. DORCATOMA Pkl. Ltr. Fbr. Rs.				
Dresdensis	Svec. 1. 2. 114.	var. <i>c</i> .	Svec. Ghl.
var. <i>δ</i> .	—	Eg. 114.		
G. SANDALUS Knch.				
G. PTILINUS Auct. — ANOBIUM Ill. — SERRO CERUS Kglh. — PTINUS Linn. Mrsh.				
pectinicornis	Svec. 1. 2. 112.	var. <i>c</i> .	Svec. Ghl.
var. <i>δ</i> .	—	pectinatus	— Ghl.
G. GIBBIUM Scp. Ltr. Rs. — BRUCHUS Gffr. — SCOTIAS Czup. — PTINUS Auct. coet.				
Scotias	Eur. med. 1. 1. 110.			
G. PTINUS Auct. — BRUCHUS Gffr.				
imperialis	Svec. 1. 2. 109.	crenatus	Svec.	109.
elegans	— 106.	germannus	—	107. Fun ♀ Schh.
Fur	— 107.	rufipes	—	106. elegans ♀ Schh.
var. <i>δ</i> .	—			

- G. XYLETINUS Ltr. Rs. — PTILINUS Ill.
 serricornis Svec. . . . Eg. 115. | Cantoniensis Canton . . . Eg. 116.
 castaneus Eg. 115.

9. Nat. Dermestides.

Clava antennarum oblonga: articulus approximatis.

- G. ATTAGENUS Ltr. (Hist.) Lch. Rs. — MEGATOMA Ltr. (Gen.) Hbst. —
 DERMESTES Auct. coet.
 undatus Svec. 1. 2. 87.

- G. MEGATOMA Hbst. Ltr. Rs. — DERMESTES Auct. coet.
 Pellio Svec. 1. 2. 86. | Serra Svec. 94.
 var. *b.* — — | subfasciata — 87.
 var. *c.* — — | trifasciata — 88.
 Schaefferi — 85. | Gloriosae Ind. or. 115. Anthre-
 emarginata — 94. | 2 fasciata Cap. b. Sp. 88.
 nus Schh.

- G. DERMESTES Auct.
 cadaverinus St. Hel. 1. 2. 85. | murianus Svec. 90.
 Vulpinus Svec. 89. | tessellatus — 91.
 Felinus Terrae Diem. 90. | lanianus — —
 Lupulus Canton. . . . Eg. 117. | affinis — —
 Lardarius Svec. 83. | macellarius Germ. — lanianus
 var. *b.* — — | Schh.

- G. BYTURUS Ltr. Ghl. — Ips Oliv. — DERMESTES Gffr. DGr. Fbr.
 tomentosus Svec. 1. 2. 95. | var. *c.* Svec. 95.
 var. *b.* — —

- G. CRYPTOPHAGUS Hbst. Pkl. Ghl. Rs — Ips Oliv. Ltr. — DERMESTES
 Auct. coet.

- * *Margine thoracis dentato* l. cre-
 nato. var. *b.* Svec. 98.
 Lycopodi Svec. 1. 2. 97. | palleus — 99.
 var. *b.* — — | ferrugineus . . . Eg. 118.
 fumatus — — | seminiger — 99.
 Scanicus — — | ater — —
 var. *b.* — — | var. *b.* — —
 Abietis — 98. | fenestralis — — Fimeta-
 crenatus — — | rii Schh.
 serratus. — — | fuscipes — 100.
 bimaculatus — — | pusillus — —
 Schönherri — — | var. *b.* — —
 Caricis — . . . Ghl. | hirtus — —
 globulus — —
 atomus — —
 ** *Margine thoracis integro*. (an
 propr. Gen.?) Forströmi St. Enstache 100.
 silaceus Svec. 1. 2. 98.

10. Nat. Silphaedes.

Clava antennarum ovata perfoliata.

- G. ENGIS Pkl. Fbr. Ghl. Rs. — Ips Hbst. — EROTYLUS Oliv. — DACNE Ltr.
 sanguinicollis Svec. } Fbr. | var. *b.* Svec. . . . Ghl.
 humeralis — —

- G. TRIPLAX Pkl. Fbr. Oliv. Rs. Ghl. — SILPHA Linn. Mrsh.
 russica Svec. Linn. nigri- aenea Svec. Fbr.
 pennis Fbr. rufipes — —
 bicolor — Ghl. punctata — . . . Eg 119.

- G. TRITOMA Fbr. Oliv. Ltr. Ghl. Rs.
 2 pustulata Svec. Fbr. | connata Austr. Fbr.

G. IPS Fbr. Hbst. Ghl. Rs. — NITIDULA Ill.

abbreviata	Sumatr.	Fbr.	4 punctata	Svec.	Hbst, Ghl.
var. <i>b.</i>	Javæ.	... Eg. 120.	4 notata	—	Fbr.
4 pustulata	Svec.	Fbr.	4 guttata	—	Ghl.
var. <i>b.</i>	—	... Eg. 121.	var. <i>b.</i>	—	

G. NITIDULA Auct.

punctatissima	Svec.	1. 2. 142.	rufipes	Svec.	136. obscura
grisea	—	— varia Schh.	var. <i>b.</i>	—	... Eg. 122.
—	—	— Fbr.	limbata	—	
varia	—	—	obsolata	—	137.
marginata	—	136.	var. <i>b.</i>	—	
depressa	—	142. sordida Ghl.	var. <i>c.</i>	—	
Colon	—	143.	var. <i>d.</i>	—	
var. <i>b.</i>	—	—	variegata	—	138.
discoidea	—	144.	pygmaea	—	
10. guttata	—	141.	oblonga	—	
var. <i>b.</i>	—	—	pusilla	—	
2 pustulata	—	135.	aestiva	—	
			silacea	—	137.

G. CYCHRAMUS Kglm. — STRONGYLUS Hbst. (Nom. Gen. Helminth.) — NITIDULA Auct. coet.

* <i>Elytris vage punctatis.</i>			atra	Svec.	139.
strigata	Svec.	1. 2. 141.	glabrata	—	140.
imperialis	—	—	var. <i>b.</i>	—	... Eg. 124.
lutea	—	139.	var. <i>c.</i>	—	... Eg. 125.
Colon	—	— 4 punct. Schh.	nigromaculatus	Brasil.	... Eg. 126.
pubescens	Gall. merid.	... Eg. 123.	chrysomeloides	Eur. mer.	209. Litura c. Schh.
* <i>Elytris punctatv striatis.</i>			scutellatus	Svec.	208.
ferruginea	Svec.	138.	pectoralis	—	—
var. <i>b.</i>	—	—	Litura	Eur. mer.	—

G. CERCUS Ltr. — NITIDULA Olim.

fervida	Svec.	1. 2. 139.	var. <i>b.</i>	Svec.	145.
rufipes	—	144.	var. <i>c.</i>	—	—
var. <i>b.</i>	—	—	var. <i>d.</i>	—	—
pediculária	—	144.	testacea	Germ.	—
var. <i>b.</i>	—	... Eg. 127.	subrogosa	Svec.	145.
olivacea	—	—	erytropa	—	—
aenea	—	145.			

G. CATHAERETES Hbst. Ill. Rs. — BRACHYPTERUS Kglm. — STRONGYLUS Hbst. NITIDULA Oliv. — DERMESTES Auct. coet.

2 maculatus	Svec.	1. 2. 147.	Urticae	Svec.	148.
hemipterus	Ins. amer.	—	2 Pustulatus	—	149.
dimidiatus	—	—	var. <i>b.</i>	—	—
pulicarius	Svec.	148. gravidus Schh.	pedicnarius	—	—

G. COLOBICUS, Ltr. Rs. — NITIDULA Rss. — DERMESTES Fbr. Pkl. rugosus Sierr. Leon. 1. 2. 143. Peltis — Schh.

G. PELTIS Kgl. Ill. Pkl. Fbr. — THYMALUS Ltr. Rs. — OSTOMA Lckrt.

grossa	Svec.	1. 2. 152.	oblonga	Svec.	153.
var. <i>b.</i>	—	—	dentata	—	154.
ferruginea	—	—	limbata	—	—

G. NECROPHORUS Fbr. — NECROPHAGUS Rs. — DERMESTES Gffr. — SILPHA Auct. coet. — VESPILLO Gldtsch.

grandis	Columb.	1. 2. 119.	curvipes	Germ.	... Strm.
Germanicus	Svec.	117.	Mortuorum	Svec.	121.
Humator	—	118.	var. <i>b.</i>	Finl.	... Eg. 128.
Vespillo	—	119.			

G. NECRO.

- G. NECRODES Lch. — SILPHA Auct. coet. — NECROPTERUS Thg.
 littoralis Svec. 1. 2. 122. | var. c. Svec. 122.
 var. b. — — | sultinamensis Surin. 121.
- G. SILPHA Auct. — PELTIS Gff. — SILPHA, OICHOPTOMA, THANATOPHE-
 LUS Lch.
- * *Thorac antice integro.* | var. b. Svec. 129.
 reticulata Svec. 1. 2. 127. | ** *Thorac antice emarginato.*
 laevigata — 126. | carinata Svec. 124.
 obscura — 125. | 4 punctata — 131.
 tristis — — | thoracica — 123.
 var. b. — — | americana Columb. —
 nitida — Eg. 129. | lapponica Svec. 129.
 coracina — Eg. 129. | rugosa — 128.
 nigrina — . . . — 130. | punctata Cap b. sp. . . . Eg. 132.
 grossa — . . . — 131. | sinuata Svec. 130.
 atrata — 127. | dispar — —
 var. b. — — | var. b. — —
 opaca — 129. | assimilis Hisp. . . . Eg. 135.
- G. CATOPS Fbr. Pkl. Ghl. — CHOLEVA Ltr. Spn. Rs. — PTOMOPHAGUS Ill. —
 MORDELLA Frst. Mrsh. — HELOPS Pnz. — CISTELA Olv. Fbr. —
 LUPERUS Frl. — DERMESTES Rss. DGr. — MYCETOPHAGUS Kglu.
- fornicatus Svec. DGr. serice- | truncatus Svec. Ill.
 us Fbr. | fuscus — Pbz.
 agilis — Fbr. | elongatus — Pkl.
- G. MYLAECHUS Ltr. Rs. — CATOPS Pkl. Ghl. — CHOLEVA Spn.
 brevicornis Svec. . . . Pkl.
- G. AGYRTES Frl. Ltr. Rs. Ghl. — MYCETOPHAGUS Fbr. Pkl. Pnz.

II. Nat. Scydmaenides.

Clava antennarum extrorsum crassiore.

- G. MASTIGUS Hoffmng. Ltr. Hlv. Rs. Schh. — PRINUS Fbr. Olv.
 dentatus Cap. b. sp. 1. 2. 59.
- G. SCYDMAENUS Ltr. Rs. Schh. — ANTHICUS Fbr. — PSELAPHUS Ill. Pkl.
 Hellvigi Svec. 1. 2. 59.

12. Nat. Micropeplides.

Clava antennarum uniaarticulata.

- G. MICROPEPLUS Rs. — STAPHYLINUS Fbr. Olv. Pkl. — NITIDULA Mrsh.
 HISTER Krb. — OMALIUM Ghl.
- Porcatus Svec. . . . Fbr. | sulcatus Germ. . . . Hbst, an
 diversus?

2. Con. *Antennis extrorsum crassioribus 1. filiformibus; elytris dimidiatis.*

13. Nat. Staphylinides.

Corpore elongato, elytris abbreviatis.

1. *Diris. Palpis anterioribus 4 articulatis.*

1. *Subdivis. Articulis ultimis securiformibus aequalibus.*

- G. ASTRAPAEUS Gryh. Lsr. Rs. — STAPHYLINUS Auct.
 Ulmi Ital. . . . Gryh.

2. *Subdivis. Articulis ultimis ovatis aequalibus.*1. *Manipula: Thorace postice rotundato.*

G. STAPHYLINUS Auct.

* <i>Thorace antice latiore, sub e-</i> <i>marginato.</i>	maurorufus —	.. . } Grvh.
maxillosus Svec. Linn. Eg. 134.	attenuatus —	.. . } Grvh.
** <i>Thorace antice latiore truncato.</i>	+++ <i>Soriebus thoracis</i> } <i>dorsalibus</i> <i>4 punctatis.</i>	
* hirtus Svec. Linn.	aceneus Svec.	Grvh.
* nebulosus — Fbr.	var. <i>b.</i> —	Ghl.
* murinus — Linn.	nitidus —	Fbr.
* pubescens — Fbr.	decorus —	Grvh.
*** <i>Thorace antice truncato vic-</i> <i>latores.</i>	politus —	Linn.
oleus Svec.	carbonarius —	Grvh.
cyaneus — } Fbr.	cephalotes —	Grvh.
similis — }	varius —	varians Grvh.
morio — } Grvh.	marginatus —	Grvh.
brunnipes — } Fbr.	obscurus Germ.	Grvh.
erythropus — }	fuscipes Svec.	Pkl.
	subfuscus —	Ghl.
	alipes —	Grvh.
	tricolor Grvh.	
aeneocephalus —	+++ <i>Seriebus thoracis dorsalibus</i> <i>5 punctatis.</i>	
var. <i>b.</i> —	ventralis Svec.	Grvh.
var. <i>c.</i> —	quisquiliarius —	Ghl.
erythropterus —	ochropus —	
var. <i>b.</i> —	sangvinolentus —	Grvh.
	2 pustulatus —	
var. <i>c.</i> —	opacus —	
castanopterus —	var. <i>b.</i> —	Ghl.
stercorarius —	var. <i>c.</i> —	
	cephalus Fbr.	
var. <i>b.</i> —	agilis —	Grvh.
	varians —	
*** <i>Thorace rotundato vel semi-</i> <i>orbiculato, antice subtruncato.</i>	++++ <i>Seriebus thoracis dorsalibus</i> <i>6 punctatis.</i>	
† <i>Disco thoracis unipunctato.</i>	fulvipes Svec.	Grvh.
splendens Svec.	micans —	
laminatus —	
	++++ <i>Seriebus thoracis dorsali-</i> <i>bis multipunctatis.</i>	
†† <i>Seriebus Thoracis dorsalibus</i> <i>2 vel 3 punctatis.</i>	**** <i>Thorace oblongo ovato.</i>	
tristis Svec.	nanus Svec.	Grvh.
molochinus —	longiceps —	Ghl. e.
variabilis —	ochraceus —	lengatus Grvh.
var. <i>b.</i> —	
var. <i>c.</i> —	elytris —	Fbr.
var. <i>c.</i> —	Cyaneis Eg.	Grvh.
	
coeruleoescens —	Pkl. e.
canariensis Mader.	legans Grvh.
affinis Canton.	Pkl. pal-
scitus Svec.	mula Grvh.
laevigatus —	Pkl. al-
	nitidus —	ternans Grvh.
	Pkl., Grvh.	
	var. <i>b.</i> —	
	var. <i>c.</i> —	

2. *Manipula: Thorace postice truncato; antennis extrorsum cras-*
sioribus.

G. HOMALIUM Grvh. Ltr. Rs. — STAPHYLINUS Auct.

* <i>Thorace foveolato.</i>	Viburni Svec.	Ghl.
rivulare Svec.	var. <i>b.</i> —	
var. <i>b.</i> —	** <i>Thorace non foveolato.</i>	
caesum —	deplautum Svec.	Ghl.
oxyacanthae —	pygmaeum —	
planum —	luridum —	

G. PROTINUS Ltr. Rs. — STAPHYLINUS Auct. — OMALIUM Ghl. Grvh. — SILPHA Fbr. Schh. — DERMESTES Fbr. — CATRETES Ghl. Schh.

borealis	Svec. . . .	} Pkl.	ophthalmicus	Svec. . . .	} Pkl. pallidum Grvh.
consimilis	— . . .		Sorbi var. <i>δ</i> .	— . . .	
piceus	— . . .	} Ghl.	brachypterus	— 1. 2. 150.	} Pkl.]
assimilis	— . . .		depessus	— . . .	
tectus	— . . .	} Pkl.			
Ranunculi	— 1. 1. 3 2. Silpha minuta.				

G. TACHINUS Grvh. Ltr. Ghl. — OXYPORUS Fbr. — STAPHYLINUS Auct. coet. — TACHYPORUS Grvh.

<i>* Corpore latiore toto subciliter punctulato.</i>		var. <i>δ</i> .	Svec. . . .	Ghl. immaturus Grvh.
subterraneus	Svec. . . . Linn.	collaris	Svec.	} Grvh.
2 pustulatus	— . . . Grvh.	var. <i>δ</i> .	—	
marginatus	— . . . Fbr.	var. <i>c</i> .	—	
humeralis	— . . .	Silphoides	— . . .	Linn.
var. <i>δ</i> .	— . . .	<i>** Corpore angustiori; thorace e-lytrisque non totis punctulatis.</i>		
dubius	— . . . Ghl. rn.	analis	Svec. . . .	} Fbr.
	— . . . Ghes var. Grvh.	merdarius	— . . .	
pallens	— . . . Ghl.	cernuus	— . . .	} Grvh.
rufipes	— . . . Linn.	striatus	— . . .	
var. <i>δ</i> .	— . . .	atricapillus	— . . .	Fbr.
var. <i>d</i> .	— . . .	3 maculatus	— . . .	Pkl. mo-
pullus	— . . .			lauocephalus Grvh.
himetarius	— . . .	pygmaeus	— . . .	Pnz. var. Grvh.
marginellus	— . . . Fbr.			

3. *Manipula*: Thorace postice truncato; antennis filiformibus.

G. ANTHOPHAGUS Grvh. Rs. Ghl. — CARABUS Pnz. Mrsh. Fbr. — STAPHYLINUS Auct.

caraboides	Svec. . . . Linn. ab-	alpinus	Svec. . . .	Fbr. Staphylinus —
var. <i>δ</i> .	— . . . brevatus Fbr.	plagiatus	— . . .	} bi-color.
var. <i>c</i> .	— . . .	obscurus	— . . .	
var. <i>d</i> .	— . . . Ghl.			

G. PINOPHILUS Grvh.

5. *SUBDIRIS*. *Articulis ultimis palporum subuliformibus aequalibus.*

1. *Manipula*: Thorace brevi.

G. TACHYPORUS Grvh. Ltr. Rs. Ghl. — OXYPORUS Fbr. — STAPHYLINUS Auct.

<i>* Corpore brevior, antice obtuso.</i>		cellaris	Svec.	} Fbr.
chrysomelinus	Svec. . . . Linn.	2 Pustulatus	—	
var. <i>δ</i> .	— . . . Oliv.	<i>** Corpore elongato, antice attenuato.</i>		
marginatus	— . . . Grvh.	lepidus	Svec. . . .	} Grvh.
var. <i>δ</i> .	— . . . Hypnorum Fbr.	var. <i>δ</i> .	— . . .	
analis	— . . . Fbr.	var. <i>c</i> .	— . . .	} Pkl. punctostriatus var.
ruficollis	— . . .			
nitidulus	— . . .	splendidus	— . . .	Grvh.
pubescens	— . . .			

G. OXYTELUS Grvh. Ltr. Ghl. — STAPHYLINUS Auct.

<i>* Thorace unisulcato.</i>		<i>** Thorace sulcis pluribus.</i>		
3 cornis	Svec. . . . Grvh.	carinatus	Svec. . . .	Grvh.
fracticornis	— . . . Pkl.	var. <i>δ</i> .	— . . .	Ghl.
Talpa	— . . . Ghl.	piceus	— . . .	Grvh.
crassicollis	Germ. . . . Strm.	var. <i>δ</i> .	— . . .	} Ghl.
arenarius	Svec. . . . Pkl.	var. <i>c</i> .	— . . .	
cornutus	— . . .	depessus	— . . .	Grvh.]
morsitans	— . . . Gray.			

G. ALEOCHARA Kuch. Grvh. Ltr. Rs. Ghl. — STAPHYLINUS Auct.				
* <i>Capite exserto, remoto.</i>		var. <i>b.</i>	Svec. . . . Pkl. Bo-	
sulcata Svec. . . .	} Grvh.	atramentaria —	leti var. Grvh.	
var. <i>b.</i> — . . . sulcatella			. . . Ghl.	
nigra — . . .]] <i>Thorace convexo.</i>		
var. <i>b.</i> — . . . picea.			Fungi Svec. . . . Grvh.	
rivularis — . . .		var. <i>b.</i> — . . . Ghl.		
* <i>Capite sessili.</i>		Pumilio —	} Grvh.	
† <i>Thorace longitudinis fere latitudinis.</i>		cinnamomea —		
] <i>Thorace convexo.</i>		nana — . . . Pkl.		
collaris Svec. . . . Grvh.		Boleti — Linn.		
lunulata — . . . cincta	} Grvh.	obuscata — . . .	} Grvh.	
var. <i>b.</i> — . . . lucida				alternans — . . .
pulchra Germ. . . . Strm.		*** <i>Capite retracto, thorace multo minore.</i>		
circellaris Svec. . . .	} Grvh.	† <i>Elytris subquadratis, ad apicem extus sinuato emarginatis.</i>		
analis —			minuta Svec. Grvh.	
reptans — . . .			†† <i>Elytris brevissimis transversis integris.</i>	
teres — . . .			fuscipes Svec. . . .	} Grvh.
] <i>Thorace depresso.</i>		tristis —		
canaliculata Svec. . . . Fbr.		2 punctata —	} Grvh.	
angustula — . . .	} Ghl.	caruivora —		
var. <i>b.</i> — . . .			lanuginosa — . . .	} Ghl.
atra — . . .	} Grvh.	laevigata — . . .		
elongatula — . . .			fumata — . . . Grvh.	
terminalis — . . .		var. <i>b.</i> — . . .	} Ghl.	
Qvisquiliarum — . . . Ghl.		var. <i>c.</i> — . . .		
†† <i>Thorace transverso.</i>		nitida — . . . Grvh.		
] <i>Thorace depresso.</i>		2 lineata — . . . Ghl.		
limbata Svec. . . . Grvh.				
socialis — . . . Pkl. Boleti Grvh.				

G. LOMECHUSA Grvh. Ltr. Rs. Ghl. — ALEOCHARA Grvh. — STAPHYLINUS Fbr. Pkl.

strumosa Svec. . . .	Fbr. Grvh.	* emarginata Svec. . . .	Fbr. Grvh.
paradoxa —		dentata —	

2. *Manipula: Thorace elongato.*

G. LATHROBIUS Eg. LATHROBIUM Ltr. Rs. Ghl. — PAEDERUS Grvh. Fbr. Oly. Pkl. Pnz. — STAPHYLINUS Linn. Mrsh.

elongatus Svec. . . . Linn.	} Grvh.	quadratus Svec. . . . Pkl.		
var. <i>b.</i> — . . . Pkl.			var. <i>c.</i> — . . . Ghl. ter-	
fulvipennis — . . . Fbr.	} Grvh.	fracticornis — . . . Grvh.		
var. <i>c.</i> — . . . Ghl.			var. <i>b.</i> — . . . Ghl.	
brunnipes — . . . Fbr.			longulus — . . . Grvh.	

4. *Subdivis. Articulis Palporum ultimis inaequalibus.*

G. OXYPORUS Fbr. Oly. Lam. Grvh. Ltr. Rs. Ghl. — STAPHYLINUS Auct. coet.

maxillosum Germ. . . . Fbr.	} Mannerheimi Finl. . . . Eg. 138.
rutus Svec. . . . Linn.	

2. *Divis. Palpis anterioribus 3 articulatis.*

1. *Subdivis. Articulo ultimo antennarum cylindrico.*

G. CALLICERUS Grvh.

2. *Sub.*

2. *Subdivis. Articulò ultimo antennarum ovato.*

1. *Manipula*: Articulo ultimo palporum posteriorum ovato.

G. STENUS Ltr. Cvr. Lmk. Fbr. Pkl. Grvh. Rs. Ghl. — PAEDERUS Oliv. — STAPHYLINUS Auct. coet.

* *Abdomine marginato.*

** *Abdomine immarginato.*

coerulescens Svec.	Ghl. 2 gut.	cicendeloides Svec.	} Grvh.
guttatus —	tatus var. Grvh.	oculatus —	
Juno —	} Fbr.	clavicornis Germ.	
Boops —	Gryh.	buphtalmus Svec.	
		tarsalis —	
		2 notatus —	Ljg.
		circularis —	Grvh.

G. EVAESTHETUS Grvh. Ghl.

2. *Manip.*: Articulo ultimo palporum posteriorum acuminato.

G. PAEDEERUS Fbr. Oliv. Ltr. Pkl. Lmk. Grvh. Rs. Ghl. — STAPHYLINUS Linn. DGr. Mrsh.

riparius Svec.	Linn.	orbiculatus Svec.	Fbr.
ruicollis —	Fbr.	angustatus —	—

3. *Con.*: *antennis moniliformibus l. filiformibus; elytris integris.*

14. Nat. Clerides.

Corpore oblongo convexo.

G. ENOPLIUM Ltr. Rs. Schh. — TILLUS Oliv. Prz. Fbr. — DERMESTES Rss. Groendahl Javae . . . Eg. 139.

G. TILLUS Oliv. Fbr. Mrsh. Ltr. Schh. Ghl. — CLERUS Fbr. Oliv. Ill. Ptgñ. — CHRYSOMELA Linn. — ATTELABUS VII. Gml. — LAGRIA Fbr. Hbst. — CRIOCERIS Müll.

elongatus ♂♀ Svec. 1. 2. 45. | unifasciatus Eur. Austr. 46.

G. OPILUS Ltr. Rs. — CLERUS Gffr. DGr. Oliv. — NOTOXUS Fbr. Schh. Ghl. — EUPOCUS Ill. — ATTELABUS Linn.

mollis Svec. 1. 2. 52. | indicus Javae 53.

G. CLERUS Gffr. DGr. Fbr. Oliv. Schh. Ghl. — TANASIMUS Ltr. Rs. — CLEROIDES Schff. — ATTELABUS Linn.

Mutillarius Germ. 1. 2. 42. | Formicarius Svec. 45.
var. ♂. — . . . Eg. 140. | var. ♂. — . . . Eg. 141.

G. TRICHODES Hbst. Fbr. Schh. — CLERUS Gffr. Oliv. Lmk. Ltr. Rs. — ATTELABUS Linn. VII. Gml.

Apiarius Eur. 1. 2. 48.		Ammios Africae 48.
alvearius — 49.		8 punctatus Hisp. 47.

G. RYSSODES.

exaratus . . . Strm.

15. Nat. Cucujides.

Corpore valde depresso.

G. TROGOSITA Auct. pler. — TENEBRIO Linn. Mrsh. Rss. — PLATYCURUS Gffr.

coerulea Eur. Austr. 1. 1. 135.		mauritanica Svec. 135. Caraboi-
ferruginea . . . Eg. 142.		var. ♂. = =

G. DENDROPHAGUS Schh. Ghl.

orenotus Svec. 1. 3. 53.

G. CUCUJUS Auct. pler. — CANTHARIS Linn. — COLYDIUM Hbst. — SILPHA Prsl. — BRONTES Fbr.

sangvinolentus	Svec.	1. 3. 53. de- pressus.	monilis	Svec.	54.
Dermestoides	Svec.	54.	var. <i>♂</i> .	—	—
var. <i>♂</i> .	—	—	impressus	—	. . . Eg. 144.
dentatus	—	. . . Eg. 143.	testaceus	—	55.
muticus	—	54.	minimus	—	—
			Amygdali	Eur. Austr.	. . . Eg 145.

16. Nat. Telephorides.

Corpore praesertim elytris molliusculis.

G. LYCUS Fbr. Oliv. Lmk. Rs. Schh. — LAMPYRIS Gff. Mrsh. — CANTHARIS Linn.

latissimus	♂♀	Sier. Leon.	1. 3. 71.	proboscideus	♂	Sierr. Leon.	72.
rostratus	♀	Cap. b. sp.	72.	analis	—	Ind. Or.	73.
dentipes	♂	—	—	praenustus	—	Tranqveb.	—
palliatius	♀	Afr.	71.	Sanguineus	♂♀	Svec.	74.

G. HOMALIZUS, Eg. — OMALISUS Auct. pler.

aurora	♂♀	Svec.	1. 3. 76.	humeralis	♂	Carol.	76.
minutus	♂♀	—	75.	unifasciatus	♂	Amer. . . .	Eg. 146.
affinis	♂	—	75.	laevigatus	♀	—	77.
suturalis	♀	Eur. med.	75.	limbatus	♂	—
bicolor	♂	Africae	77.				

G. POGONOCERUS Fsch. Schh.

G. AMYDETES Hfms.

G. PHENGODES Hfms.

G. LAMPYRIS Auct.

Triangulum	Brasil.	. . . Eg. 147.	splendidula	♂♀	Finl.	61.
Heritieri	Gvadel.	. . . Frstrm.	japonica	Jap.,	Cap. b. sp.	64.
ignita	Amer.	1. 3. 67.	vespertina	Ind. Or. chin.	—	—
conspicua	♀	C. b. sp.	62.	capensis	Cap. b. sp.	63.
pyralis	Amer.	—	italica	Eur. austr.	64.	—
noctiluca	♂♀	Svec.	59.			

G. DRILUS Oliv. Lmk. Ltr. Rs. Schh. — PRILINUS Fbr. Gffr. — CANTHARIS Mrsh.

flavescens Eur. Austr. 1. 2. 113.

G. TELEPHORUS Schff. DGr. Oliv. Lmk. Ltr. Rs. — CANTHARUS Ry. — CANTHARIS Auct. coet.

anticus	Germ.	. . . Mrk.	alpinus	Svec.	64.
fuscus	Svec.	1. 2. 60. Cantha- ris — Schh.	lividus	—	62.
rusticus	—	61.	assimilis	—	63.
dispar	—	—	var. <i>c.</i>	—	—
pellucidus	—	65.	rufus	—	—
var. <i>♂</i> .	—	—	lituratus	—	—
violaceus	—	64.	var. <i>♂</i> .	—	—
nigricans	—	65.	var. <i>c.</i>	—	—
obscurus	—	64.	clypeatus	—	72.
lateralis	—	65.	fuscicornis	—	71.
elongatus	—	66.	melanurus	—	70.
paludosus	—	67.	melanocephalus	E. austr.	69.
ater	—	—	pectoralis	Sumatr.	71.
thoracicus	—	—	pilosus	Svec.	63.
var. <i>♂</i> .	—	—	pallidus	—	62.
brevipennis	—	70.	var. <i>♂</i> .	—	—
ruficollis	Eur. med.	69.	testaceus	—	72.

G. MALTHINUS Ltr. Rs. Schh. — TELEPHORUS Oliv. DGr. — CANTHARIS Auct. coet.

flaveolus Svec. 1. 2. 73. flavus. | 2 Guttulus Svec. 74.

- Malthinus
 2 Guttulus var. *b.* Svec. 1. 2. 74. | var. *b.* Svec. 74.
 2 Guttatus — — — | minimus Svec. 75. marginatus.
 brevicollis — — —
- G. MALACIUS Eg. — MALACHIUS Fbr. Oliv. Lmk. Ltr. Rss. Cdrh. Schh.
 Ghl. Fllh. — TELEPHORUS Schff. DGr. Gffr. Vt. Duv. — CANTHARIS Auct. coet.
- | | | | | | |
|----------------|------------|-----------|----------------|---------|-----|
| aeneus | Svec. | 1. 2. 76. | fasciatus | Svec. | 81. |
| 2 pustulatus | — | 77. | var. <i>c.</i> | Germ. | — |
| viridis | — | 78. | pulicarius | Svec. | — |
| var. <i>b.</i> | — | — | Cardiacae ♂♀ | — | 80. |
| sanguinolentus | — | — | flavipes ♂♀ | — | — |
| viridipennis | Cap b. sp. | — | thoracicus | Galliae | 79. |
| Javanica | Javae | — | ruficollis | Germ. | 78. |
| Billbergi | Cap b. sp. | 79. | | | |
- G. DASYTES Pkl. Fbr. Ltr. Rs. Schh. Ghl. — MELYRIS Oliv. Lmk. Ill. —
 LAGRIA Fbr. Ptgn. — HISP Auct. — DERMESTES Linn. — CANTHARIS Scp.
- | | | | | | |
|--------------|----------------|-----------|---------------|-------------|----------|
| ater | Svec. | 1. 3. 11. | viridescens | — | Eg. 148. |
| 2 pustulatus | — | 12. | thalassimus | Hisp. | Eg. 149. |
| niger | — | — | Coeruleus | Svec. | 14. |
| floralis | — | 13. | nobilis | Eur. austr. | — |
| nigricornis | — | 15. | aeneus | — | 13. |
| metallicus | Barb. Lusit. > | — | erythropterus | — | Eg. 150. |
| | | | linearis | Svec. | 16. |
- G. MELYRIS Auct. pler. — LAGRIA Fbr. — CRYPTOCEPHALUS Gml.
 abdominalis Ind. 1. 2. 82. | viridis Cap b. sp. 85.
- G. ZYGIA Fbr. Oliv. Rs. Ltr. Schh.
- G. HYLECOETUS Ltr. Rs. Schh. — LYMEXYLON Fbr. Oliv. Pkl. Pnz. Ghl. —
 HORIA Fbr. Gml. Rmr. — LYTTA Hbst. Vt. — CANTHARIS Auct. coet.
- | | | | | | |
|--------------|-------|-----------|----------------|-------|-----|
| Dermestoides | Svec. | 1. 3. 44. | var. <i>b.</i> | Svec. | 45. |
| Marci | — | 45. | | | |
- G. LYMEXYLUM Fbr. Oliv. Pkl. Ltr. Rs. Ghl. Schh. — CANTHARIS Linn. —
 ELATEROIDES Schff. — PTEROPHORUS Hbst.
- | | | | | | |
|--------|-------|-----------|--|--|--|
| navale | Svec. | 1. 3. 46. | | | |
|--------|-------|-----------|--|--|--|
- G. ATRACTOCERUS Plst. Ltr. Rs. — LYMEXYLON Fbr. — NECYDALIS Linn.
 Gml. — MACROGASTER Thg. — CANTHARIS Gml.
- Necydaloides Gvin. > 1. 3. 47.
 Brasil. >
- G. CUPES Fbr. Ltr. Rs. Cqvb. Ill. Schh. — HISP Auct.
- G. CYPHON Fbr. Pkl. Ghl. Rs. Schh. — ELODES Ltr. — GALLERUCA Fbr. —
 CISTELA Pnz. Oliv. Rss. — LAMPYRIS Linn. Gml. — CRIOCERIS Mrsh. — CANTHARIS Thg.
- | | | | | | |
|----------------|-------|------------|----------------|-------|------|
| melanura | Svec. | 1. 2. 321. | griseus | Svec. | 322. |
| var. <i>b.</i> | — | — | var. <i>b.</i> | — | — |
| var. <i>c.</i> | — | — | var. <i>c.</i> | — | — |
| var. <i>d.</i> | — | — | Padi | — | — |
| lividus | — | — | var. <i>b.</i> | — | — |
| pubescens | — | 322. | | | |
- G. SCIRTES Ill. — CYPHON Pkl. Fbr. Ghl. Schh. — ELODES Ltr. — CHRYSOMELA Linn. Mrsh. — GALLERUCA Fbr. — ALTICA Fbr. Pnz. Mill. Gml.
- | | | | | | |
|--------------|-------|------------|--|--|--|
| hemispherica | Svec. | 1. 2. 323. | | | |
|--------------|-------|------------|--|--|--|
- G. ATOPA Pkl. Fbr. Ghl. Schh. Rs. — CHRYSOMELA Linn. — CISTELA Oliv. — CRIOCERIS Mrsh. DASCILLUS Ltr.
- | | | | | | |
|---------|-------|------------|----------------|-------|------|
| cervina | Svec. | 1. 2. 331. | var. <i>b.</i> | Svec. | 331. |
|---------|-------|------------|----------------|-------|------|
- G. CEBRIO Fbr. Ltr. Pnz. Rs. Schh. Oliv. Plst. — ELATER Oliv. — CISTELA Fbr. — CRYPTOCEPHALUS Gml. — TENEBRIO Rss.
- Gigas Eur. Austr. 1. 2. 331.

17. Nat. Elaterides.

Sterno resiliente; corpore haud convexo, elytris duris.

G. PYROPHORUS Eg. — ELATER OL.

Noctilucus Amer. 1. 3. 267.

| luminosus Ins. Amer. 269.

G. ELATER Auct.

* Ore porrecto;

† Fronte inaequali.

] Thorace ocellifero,

oculatus Amer. 1. 3. 271.

luscus Columb. —

Myops Carol. —

]] Thorace latitudine longiore,
lateribus rotundatis.

porcatus Amer. 1. 3. 276.

striatus —

fuscipes Ind. Or. 272.

pubescens — . . . Eg. 151.

cribrarius — . . . Eg. 132.

rufus Svec. 274.

ignitus Brasil. 269.

signifer . . . Eg. 153.

castaneus Svec. 290.

var. b. — . . . au ♂?

haematodes — 299.

suturatus — . . . Eg. 164.

latus — 291. ?

impressus — 285.

var. b. —

melancholicus Svec. 284.

pectinicornis — 285.

aeruginosus — 286.

var. b. — . . . Eg. 155.

impregnatus — . . . Eg. 156.

metallicus — 285.

tessellatus — 281.

assimilis —

hirtus — 277.

fulvipes — 287.

var. b. —

var. c. —

ruficaudis — 288. sub fu-

scus Hrr.

discolor — . . . Eg. 157.

var. b. — . . . Eg. 158.

nigritus — . . . Eg. 159.

afinis — 278.

var. b. —

nigripes — 282.

Equiseti — 305.

costalis — 310.

2 pustulatus — 315.

riparius — 510.

amplicollis St. Bart. 509.

griseus Canton. . . . Eg. 160.

holofericus Svec. 280.

Scrutator — 290.

var. b. —

cruciatus —

var. b. — . . .

var. c. —

var. d. — . . .

atomarius — 282.

]]] Thorace latitudine vic lon-
giore.

conspersus Svec. 282.

fasciatus —

var. b. — . . . Eg. 161.

lepidopterus — 283.

murinus — 279.

aeneus — 285.

var. b. — a. ped.

var. c. — . . . a. thor.

var. d. — . . . Id. ped.

var. e. — obsc.

var. f. — coer. . . a. thor.

var. g. — . . . a. thor.

var. h. — nigro-

var. i. — scente aeneus.

var. j. — . . . Id. ped.

var. k. — obsc.

var. l. — . . . Elytr.

var. m. — thoraceque virid.

var. n. — . . . Id. ped.

var. o. — obsc.

var. p. — . . . coerule-

var. q. — scens.

var. r. — Id. ped.

var. s. — obsc.

var. t. — . . . coerule-

var. u. — scente Violaceus.

var. v. — . . . Id. ped.

var. w. — obsc.

var. x. — . . . n. thor.

var. y. — virid. ped. obsc.

var. z. — . . . n. thor.

var. aa. — obsc. ped. rubr.

var. ab. — . . . nigre-

var. ac. — sente aeneus.

var. ad. — . . . Id. ped.

var. ae. — obsc.

]]]] Thorace elongato lateribus
parum rotundatis.

cupreatus Eg. 162.

crenatus Eg. 163.

cinctus Svec. 297.

Vittatus — 288.

var. b. — a. thor. concol.

var. c. — subfuscus Schh.

var. d. — Id. var. b.

var. e. — Thor. ang.

var. f. — postice testac.

var. g. — . . . thorace

var. h. — concol., Elytr. ferrug.

Longicollis Svec. 507.

var. b. —

Elater

Elater bruniceps	Eg. 164.	equestrus	Germ.	512.
rufipennis	— 165.	nigrinus	Svec.	296.
castanipes Ind. Occ.	1. 3. 294.	atratus	Canton. Eg. 175.
flavipes Columb.	—	confinis	Svec. — 174.
cylindricus Svec.	281.			
niger Linn.?	—			
Quercus —	307.	** <i>Ore deflexo</i> ;		
minutus —	308.	† <i>thorace hemisphaerice globoso.</i>		
serraticornis —	—	Metallurgus	Eg. 175.
Bructeri —	310.	canaliculatus	Eg. 176.
rivularius. —	—	obscurus	Svec.	304.
]]]]] <i>Thorace lineare lateribus</i>		var. <i>b.</i>	— Eg. 177.
<i>rectis.</i>		var. <i>c.</i>	—	304.
linearis Svec.	292.	var. <i>d.</i>	— Eg. 178.
var. <i>b.</i>	—	Segetis	—	304.
var. <i>c.</i>	—	Sputator	—	—
borealis —	293.	var. <i>b.</i>	—	—
†† <i>Fronte aequali.</i>		cruentatus	—	314.
ferruginens Svec.	274.	carinatus	— Eg. 179.
sanguineus —	299.	pygmaeus	—	314.
var. <i>b.</i>	—	alini	—	—
var. <i>c.</i>	—	var. <i>b.</i>	— Eg. 180.
<i>praeustus.</i>	501.	limbatus	—	309.
<i>elongatus.</i>	301.	var. <i>b.</i>	—	—
<i>tulus.</i>	—	var. <i>c.</i>	—	—
Ephippium —	301.	†† <i>thorace antice angustiore, la-</i>		
balteatus —	303.	<i>titudine vix longiore.</i>		
tristis —	295.	fugax Svec.	298.	
angulatus Amer.	311.	var. <i>b.</i>	—	
castaneocollis	Eg. 166.	brunneus —	—	
pallescens	167.	var. <i>b.</i>	—	
pallipennis Svec.	168.	apicalis —	Eg. 181.
elegans Ins. Amer.	306.	marginatus —	—	296.
dorsatus Cant.	Eg. 169.	var. <i>b.</i>	—	—
bimaculatus Eur. austr.	313.	incarnatus	Eg. 182.	
unifasciatus St. Barth.	315.	cerimtes	Eg. 183.	
var. <i>b.</i>	—	fuscus St. Barthel.	Eg. 184.	
albomaculatus	Eg. 170.	memnonius Svec.	Eg. 185.	
thoracicus Svec.	297.	Niger Fabr.		
ruficollis —	—	††† <i>thorace elongato, lateribus</i>		
var. <i>b.</i>	—	<i>parum rotundatis.</i>		
pulchellus —	311.	aterrimus Svec.	278.	
var. <i>c.</i>	—	olivaceus Canton.	Eg. 186.	
var. <i>d.</i>	—	bicolor Lusit. Barb.	293.	
var. <i>e.</i>	—	cantoniensis Canton	Eg. 187.	
4-pustulatus —	315.	Gröndahli	Eg. 188.	
var. <i>b.</i>	—			

G. EUCNEMIS? Ahr. Schh.

18. Nat. Buprestides.

Sterno non resiliente; corpore convexo; elytris duris.

G. PFILODACTYLA Schh. III. — CEROPHYTUM Ltr. Ed. enc. — MELASIS Oliv. Ltr. Pnz. — CISTELA Schh.

nitida Amer. 1. 3. 267.

G. MELASIS Oliv. Fbr. Lmk. Ed. enc. Ghl. Schh. — ELATER Auct. Buprestoides Svec. 1. 2. 115. flabellicornis Schh.

G. TRACHYS Fbr. Ghl. Ed. enc. Schh. — BUPRESTIS Auct.

tessellata Carol.	1. 5. 265.	pusilla Trauqueb.	267.
pygmaea Svec.	—	nana Svec.	—
minuta —	—	Troglodytes Austr.	265.
var. <i>b.</i>	—		

*) Au propr. Gen.

G. APHANISTICUS Ltr. Ed. enc. — BUPRESTIS ol.

* <i>Elytris muticis.</i>		Hyperici	Germ.	259.
2 guttatus	Svec. 1. 3. 245.	Filum	Hung.	—
var. b.	—	pusillus	Svec.	—
viridis	—			
var. b.	—	** <i>Elytris spinosis.</i>		
var. c.	—	armata	Sumatr.	215.
olivaceus	—	var. b.	—	—
var. b.	—	var. c.	—	—

G. BUPRESTIS Auct.

* *Scutello punctiforme*;† *thorace antice angustato, lateribus paullo rotundatis.*

gigantea	Amer. Bengal.	>	1. 3. 215.
amaragdina	Brasil.	Eg. 189.
unicolor	Marocc.		255.
punctatissi-			
ma	Sierr. Leon.		216.
splendida	Svec.		250.
elegans	Cap. b. sp.		253.
suturalis	Brasil.	Eg. 190.
angularis	—		232.
fastuosa	Columb.		215.
virginicensis	Virgin.		250.
Mariana	Svec.		219.
rustica	—		221.
var. b.	—	Eg. 191.
var. c.	—	Eg. 192.
var. d.	—		—
var. e.	—	>	222. var. b.
var. f.	Finl.	Eg. 193.
flavomaculata	Svec.		225.
3 guttata	—		222.
var. b.	—	Eg. 194.
decostigma	Germ.		256.
tarda	Svec.		237.
var. b.	—	— obscure	—
		— coerulea.	—
		— nigra	—
var. c.	—	— nigra	—
appendiculata	—		257.
†† <i>lateribus thoracis dilatatis.</i>			
umbrosa	Guinea		219.
melancholica	Ind. Or.		—
acuminata	Svec.		261.
berolinensis	—		—
var. b.	—		217.
aenea	—		—
conspersa	—		—
cuprea	Cap. b. sp.		251.
var. b.	—	— thorace	—
		igneo-metallico.	—
fusca	Cap. b. sp.		251.
lugubris	Eur. med.		252.
Tenebrionis	Svec.		253.
tenebricosa	Eur. austr.		254.
cariosa	Eur. austr.		253.
††† <i>thorace globoso.</i>			
novemmaculata	Eur. austr.		255.

Var. b. Eur. austr. 235.
var. c. — — —** *Scutello transverso*;† *apice rotundato.*

austriaca	Austr.		221.
micans	Eur. austr.		218.
rutilans	Eur. med.		223.

†† *apice acuto.*

3 cuspidata	Corom.		225.
antiqua	Lusitan.		224.
dorsalis	—	Eg. 195.
algerica	Algir.	Eg. 196.
punctatostri-			
ata	Sierr. Leon.	Eg. 197.
			an3 cuspid.
			Eg. 198.
exarata	—		—
laticollis	Barbar.		265.
undata	Germ.		254.
Rubi	Eur. austr.		—
elata	Germ. Ital.		259.

*** *Scutello hastato.*

scutellaris Sumatr. 249.

**** *Scutello triangulare*;† *lateribus thoracis dilatatis.*

impressa	Ind. Or.		235.
chryso stigma	Svec.		234.
affinis	—		235.
4 punctata	—		257.
Manca	Eur. austr.		241.
cyanicor-			
nis	♂♀	—	—
Salicis	—		262.
Saliceti	Lusit.		—
nitida	Eur. austr.		—
nitidula	Svec.		261.
var. b.	—		—

†† *lateribus thoracis fere reetis.*

Umbellatarum	Austr.		250.
Funerula	Lusit. Alg.		—
capitata	Columb.		260.
serrata	Guin.		237.

***** *Scutello lineare elongato.*

2 vittata Cap. b. sp. 212.

F. EUCHLORIS Eg. — BUPRESTIS ol.

* *Thorace antice angustiore.*
Ignita Ind. Or. 1. 5. 228.
ocellata — —
mutabilis — —

** *Thoracis lateribus rotundatis.*
imperialis Nov. Holl. 250.

G. STERNOXUS Eg. — BUPRESTIS ol.

* *Lobo thoracis baseos scutelli.*
forme;

Lasios Cap. b. sp. 243.
hirta Afr. septentr. 249.
tomentosa Cap b. sp. —

† *sterno porrecto.*

** *Basi thoracis truncata.*

Chrysis Ind. Or. 1. 3. 227.
 var. *b.* — —
sternicornis — 226.
interrupta Senegal. 225.

taeniata Eur. austr. 238.
ruficauda Cap b. sp. 240.
cylindrica Lusit. 239.
Tubulus Carol. 240.
adpersula Lusit. 265.

†† *sterno mutico.*

parvula var. *b.* Lus. Germ. —

fascicularis Cap b. sp. 247.
hirsuta — 248.

2. Legio Entomophagi.

Falpis sex.

19. Nat. Dyticides.

Pedibus natatoriiis.

G. DYTICUS Gffr. Ill. Ltr. Lch. — DYTICUS Auct. coet.

latissimus ♂♀ Svec. 1. 2. 10.
limbatus ♂♀ Ind. Or. —
marginalis ♂♀ Svec. 11.
 var. *b.* — —
lapponicus ♂ — 12.
dimidiatus ♂♀ — 13.
costalis ♂♀ Surin. —
Boeseli ♂♀ Eur. austr. —
oblongatus ♂♀ — — Eg. 199.
lateralis ♂♀ Tranqveb. 15.
punctulatus ♂♀ Svec. 12.
striato punctatus ♂♀ — — Eg. 200.
sulcatus ♂ Svec. 14.
 var. *b.* ♂♀ — — Ghl.
2 lineatus ♂ — 16.
cinereus ♂♀ — —
zonatus ♂♀ — —

var. *b.* ♂ Svec. ... Eg. 202.
Hybneri ♂♀ — 19.
transversalis ♂♀ — 20.
stagnalis ♂♀ — —
fasciatus ♀ Ind. Or. 15.
 var. *b.* ♂ — — ... Eg. 202.
griseus ♂♀ — — 17. sticti-
 cus ♂. Schh.
Vittatus ♂ — — 16.
striatus ♂♀ Svec. 15.
 var. *b.* ♂♀ — — ... Ghl.
fuscus ♂♀ — — 15.
dolabratus ♂♀ — —
capensis ♀ Cap. b. sp. ... Eg. 205.
cantonensis ♀ Canton. ... Eg. 204.
serricornis ♂♀ Svec. ... Ghl.

G. COLYMBETES Chr. Ed. enc. — DYTICUS Ltr. — DYTICUS Auct. coet.

* *Thorace atro.*
ater Svec. 1. 2. 19.
 var. *b.* — — ... Ghl.
fuliginosus — 17.
calidus Amer. 20.
carbonarius Svec. 17.
 var. *b.* — — ... Ghl.
fenestratus — 18.
 var. *b.* — — ... Ghl.
chalconotus — 19.
 var. *b.* — — ...
 var. *c.* — — ...
guttiger — — ... } Ghl.
angustior — — ... }
 var. *b.* — — ... }
guttatus — 19.
confinis — — ... Ghl.

paludosus Svec. 22.
 var. *b.* — — ... Ghl.
congener — 22.
affinis — 19.
uliginosus — 23.
femoralis — 22.
 var. *b.* — — ... Ghl.
 ** *Thorace discolor.*
fuscipennis Svec. 13.
collaris — 23. adpersus?
conspersus — 22. pulve-
 ratus Strm.
notatus — 22.
adpersus — 23.
agilis — —

Colymbetes			var. <i>d.</i>	Svec.	Eg. 206.
2 punctatus	Svec.	1. 2. 18.	abbreviatus	—	—	20.
maculatus	—	21.	arcticus	—	—	25.
var. <i>β.</i>	—	—	oblongus	—	—	—
var. <i>c.</i>	—	Eg. 205.			
G. LACOPHILUS Lch. Ed. enc. — DYTISCUS Auct. coet.						
minutus	Svec.	1. 2. 24.	var. <i>c.</i>	Svec.	—	24.
var. <i>β.</i>	—	—	infuscatus	St. Barthel.	Frstr.
G. NOTERUS Clrv. Ltr. Ed. enc. — DYTISCUS Ltr. — DYTISCUS Auc. coet.						
crassicornis	Svec.	1. 2. 24.				
G. HYDROPORUS Clrv. Ed. enc. — HYPHYDRUS Ill. Dum. — DYTISCUS Auct. coet.						
griseopunctatus	Svec.	1. 2. 33.	dorsalis	Svec.	—	33.
			var. <i>β.</i>	—	—	—
var. <i>β.</i>	—	Eg. 207.	planus	—	35.
alpinus	—	24.	var. <i>β.</i>	—	Ghl.
var. <i>β.</i>	—	Eg. bi-	var. <i>c.</i>	—
			dent.	Ghl.	—
				Laponum	—
depressus	—	34.	Erythroce-		
var. <i>β.</i>	—	phalus	—	—	35.
var. <i>c.</i>	—	Eg. 208.	6 pustulatus	—	34.
picipes	—	51.	var. <i>β.</i>	—	—	—
lineatus	—	52.	nigrita	—	—	36.
var. <i>β.</i>	—	25.	var. <i>β.</i>	—	Ghl.
			maeus.	—	—	36.
granularis	—	36.	tristis	—	—	—
irroratus	Canton.	Eg. 209.	var. <i>β.</i>	—
Macklini	Svec.	Ghl.			
G. HYPHYDRUS Ill. Clrv. Ed. enc. — HYDRACHNA Fbr. — DYTISCUS Auct. coet.						
ovatus	Svec.	1. 2. 29.	sublineatus	Canton.	Eg. 211.
inaequalis	—	—	confluens	Svec.	—	30.
var. <i>β.</i>	—	—	pictus	—	—	32.
reticulatus	β.	—	decoratus	—	Ghl.
assimilis	—	30.	geminus	—	—	32.
G. PELOBIUS Schb. Lch. Ed. enc. — HYGROBIA Clrv. — HYPHYDRUS Ltr. — HYDRACHNA Fbr. — DYTISCUS Auct. coet.						
Hermannii	Eur. austr.	1. 2. 27.				
G. HALIPLUS Ltr. Ed. enc. — HOPLITUS Clrv. — CNEMODITUS Ill. — DYTISCUS Auct. coet.						
ferrugineus	Svec.	1. 2. 26.	marginepun-			
var. <i>β.</i>	—	—	ctatus	Germ.	—	27.
			Fbr.	lineatopennis	Svec.
elevatus	—	27.	lineatocollis	—	—	27.
impresus	—	26.	obliquus	—	—	—
var. <i>β.</i>	—	Ghl.			
G. LIMNAEUS Eg. — LIMNIUS Ill. Müll. Ghl. Mgrl. Ed. enc. Schb. — DYTISCUS Pnz. — CHRYSOMELA Mrsh. — ELMIS Ltr.						
Volckmari	Svec.	1. 2. 117.	tuberculatus	Svec.	—	117.
aeneus	—	—	cupreus	—	—	—
subviolaceus	Germ.	Strm.			

20. Nat. Carabides.

Pedibus gressoriis; maxillis arcuatis inermibus.

1. *Divisio tibiis anticis internè non excisis.*

G. SCOLYTUS Eg. — SCOLYTUS Fbr. Clrv. Pkl. Schb. Ghl. — OMOPHRON Ltr. Ed. enc. — CARABUS Auct. coet.						
flexuosus	Ind. Or.	1. 1. 249.	limbatus	Svec.	—	249.
labiatus	Carol.	—				G. CY.

G. CYCHRUS Fbr. PKI. Ltr. Ed. enc. Schh. III. Pnz. Strm. — TENEBRIO		Linn. Müll. — CARABUS Auct. coet.	
rostratus Svec. 1. 1. 165.	var. <i>♂</i> .	attenuatus Germ. 165.	
G. PROCRUSTES Bnrl. Strm. — CARABUS Auct. coet.			
coriaceus ♂♀ Svec. 1. 1. 167.			
G. CARABUS Auct.			
scabrosus ♀ Carniol. 1. 1. 167.	— scabr.	var. <i>c.</i> ♀ Svec. 172.	var. <i>♂</i> .
Tauricus ♀ Taur.		var. <i>d.</i> ♀ —	... Eg. 217.
caelatus ♂♀ Carniol. 168.		Iusitanicus Lusit. 170.	
Intricatus ♂♀ Svec. 170.	cya-neus.	morbillosus ♂♀ Svec. 175.	Eg. 218.
mingeus ♂ Kislar. 173.		granulatus ♂♀ —	176. cancell.
purpuratus ♂ Svec. ... Strm.		var. <i>♂</i> ♂♀ —	... Ghl.
purpurascens ♂♀ Germ. 169.		var. <i>c.</i> ♂♀ —	... Eg. 219.
Scheidleri ♂♀ Austr. 172.		cancellatus ♂♀ —	175. granul.
Catenulatus ♂♀ Svec. 169.		var. <i>c.</i> ♀ —	... Ghl.
nemorialis ♂♀ — 171.		monilis Germ. 170.	
var. <i>♂</i> ♂♀ —	... Ghl.	nodulosus ♂♀ Hung. —	
hortensis ♂♀ — 171.	gemmat.	convexus ♂♀ Svec. 173.	
clathratus ♂♀ — 176.		glabratus ♂♀ —	163.
var. <i>♂</i> ♂♀ —	... Ghl.	Violaceus ♂♀ —	
Hoppei Germ. ... Strm.		Germari ♂♀ Germ. ... Strm.	
Agrestis ♂♀ — 172.		Megerlei ♀ Guin. 168.	
Gyllenhalii ♂ Svec. ... Eg. 214.		exaratus ♀ Kislar. 173.	
Osbecki ♂♀ — 172.		auronitens ♂♀ Svec. 174.	
arvensis ♂♀ —		auratus ♂♀ —	
var. <i>♂</i> ♂♀ —	... Eg. 215.	nitens —	176.
		var. <i>♂</i> —	... Eg. 220.
G. STENODERIS Eg. — CARABUS ol.			
irregularis Germ. 1. 1. 172.		Creutzeri Carniol. 172.	
G. CALOSOMA Wbr. Fbr. Ltr. Schh. Ghl. — CARABUS Auct. coet.			
Sycophanta Svec. 1. 1. 217.		Inquisitor Svec. 227.	
var. <i>♂</i> —	... <i>elytris</i>	calidum Ins. Amer. 226.	
	... <i>cupreis</i> .	alternans —	
reticulatum —	228.	Indagator Svec. —	
G. NEBRIA Ltr. Ghl. Ed. enc. Strm. — CARABUS Auct. coet. — ALPOEUS Bnrl.			
livida Svec. 1. 1. 180.	sabulosus.	nigricollis Svec. ... Eg. 221.	
var. <i>♂</i> —		erythrocephala —	Strm. ?
brevicollis Svec. — 196.		rubicunda Algir. 186.	
Gyllenhalii —		impunctata Finl. ... Eg. 222.	
var. <i>♂</i> —	... Ghl.	Helwigi Germ. 179.	
G. BLETHISA Bnrl. Strm. — NEBRIA Ed. enc. Ltr. Ghl. — CARABUS Auct.			
multipunctata Svec. 1. 1. 185.		borealis Svec. 186.	
var. <i>♂</i> —	... Ghl.	var. <i>♂</i> —	
		var. <i>c.</i> —	... Ghl.
G. LEISTUS Frl. Clrv. Strm. — POGONOPHORUS Ltr. Ghl. Ed. enc. —			
MANTICORA Irr. — CARABUS Auct. coet.			
coeruleus Germ. ... Strm.		var. <i>♂</i> Svec. 256.	
rufescens Svec. 256.	spini-labris Ghl.	var. <i>c.</i> —	

2. *Divis. Tibiis anticis interne excisis.*

1. *Su b d i v i s. Ultimo articulo palporum labialium et maxillarium reliquis aequali.*

1. *Manipula: Labro haud producto;*

G. LORICERA Ltr. Ed. enc. Strm. — CARABUS Auct. coet.
pilicornis Svec. 1. 1. 193.

- G. PANAGAEUS Ltr. Ed. enc. Ghl. Strm. — CARABUS Auct. coet.
 Crux Svec. 1. 1. 209.
- G. TENEUS Eg. — CARABUS ol.
 4notatus Ind. Or. 1. 1. 189. | 4 signatus Ind. Or. . . . Eg. 225.
- G. LAMPRUS Eg. — LAMERIAS Bnrl. — LEBIA et BADISTER Strm. — ECHLIMATUS Lch. Ed. enc. — LEBIA Ltr. Ghl. — BRACHINUS Clrv. — CARABUS Auct. coet.
 crux Svec. 1. 1. 210. | cyanocephala Svec. 203.
 chlorocephala — 209.
2. *Manipula*: Labro producto.
1. *Particula* Elytris truncatis.
- G. DROMAEUS Eg. — DROMIUS Bnrl. — LEBIA Ghl. — CARABUS Auct. coet.
 Foveola Svec. . . . Ghl. | truncatellus Svec. 1. 1. 195.
- G. RHISOPHILUS Eg. — RISOPHILUS Ed. enc. Lch. — LEBIA Ltr. Ghl. — CARABUS Auct. coet.
 atricapillus Svec. 1. 1. 213. | var. *z*. Svec. . . . Eg. 224.
 fasciatus — 189.
- G. AGRA Fbr. Ltr. Ed. enc. Schh.
- G. ODACANTHA Pkl. Fbr. Ltr. Ed. enc. Ghl. Schh. — ATTELABUS Linn. — CAEABUS Oliv.
 melanura Svec. 1. 1. 256. | cyanocephala Canton. 237.
 2 fasciata Amer. 237.
- G. DRYPTA Ltr. Fbr. Ed. enc. Schh. — CICENDELA Oliv. — CARABUS Auct. coet.
 longicollis . . . Eg. 223. | emarginata Eur. austr. 1. 1. 257.
- G. GALERITA Fbr. Ltr. Ed. enc. Schh. — CARABUS Auct. coet.
- G. ZUPHIUM Ltr. Ed. enc. — GALERITA Fbr. Clrv. Schh. — CARABUS Auct. coet.
 Olens Ital. 1. 1. 229.
- G. LEBIA Ltr. Ghl. Ed. enc. — CARABUS Auct. coet.
 4 maculata Svec. 1. 1. 217. | pulchella Canton. . . . Eg. 226.
- G. DEMETRIUS Bnrl. — LEBIA Ghl. — CARABUS Auct. coet.
 agilis Svec. 1. 1. 218. Car. 4 macul. | var. *d* Svec. 213. var. *f*.
 var. *z*. — — var. *d*. fenestratus — — var. *c*.
 var. *e*. | var. *z*. — — . . . Eg. 227.
- G. POLYSTICHUS Bnrl. — GALERITA Fbr. Schh. — CARABUS Auct. coet.
 fasciolatus Ital. 1. 1. 229.
- G. CYMINDIS Ltr. Ed. enc. Ghl. — TARUS Clrv. — CARABUS Auct. coet.
 humeralis Svec. 1. 1. 184. Car. humerosus. | lineatus Hisp. . . . Eg. 223.
 angularis — . . . Ghl. | flavomaculatus St. Barth. . . . Frstr.
 vaporariorum — 184. Car. humeralis, basalis Ghl. | dorsatus Canton. . . . Eg. 229.
- G. APTENUS Eg. — APTINUS Bnrl. — BRACHINUS Fbr. Schh. Pnz. — CARABUS Ill.
 mutillatus Austr. 1. 1. 230.
- G. BRACHYNUS Clrv. Wbr. Fbr. Ltr. Ghl. Schh. — CARABUS Auct. coet.
 nigripennis Cap b. sp. 1. 1. 230. | complanatus Ind. Or. 229. 2 maculatus.
 fumans Amer. — — | var. *z*. — — complanatus.
 crepitans Svec. — — | var. *c*. — 230. 2 macul. var. *z*.
 solopeta Gall. 231.

2. Partic. Lytris apice rotundatis.

- G. GRAPHIPTERUS Ltr. Ed. enc. — CICENEELA DGr. — ANTHIA Fbr. Schh. — CARABUS Auct. coet.
- | | | |
|---------------------------|--|--------------------------|
| multiguttatus 1. 1. 255. | | tomentosus Ind. Or. 256. |
| trilineatus Cap. b. sp. — | | |
- G. ANTHIA Fbr. Vbr. Ltr. Ed. enc. — CARABUS Auct. coet.
- | | | |
|----------------------------------|--|-------------------------------------|
| maxillosa Cap. b. sp. 1. 1. 252. | | clongata C. b. sp. 255. 10 gutt. c. |
| marginata — . . . Eg. 250. | | var. c. — . . . Eg. 251. |
| thoracica — 252. | | var. d. — . . . Eg. 252. |
| sexguttata Ind. Or. 253. | | var. e. — 252. 10 guttata. |
| sexmaculata Barb. 254. | | |
- G. CALISTUS Bnml.
- G. SCARITES Auct. pler. — TENEBRIO Linn.
- | | | |
|-------------------------|--|---------------------------------|
| Gigas Afric. 1. 1. 127. | | sabulosus Barb. 191. Car. Obes. |
| depressus Amer. 126. | | |
| sulcatus 127. | | laevigatus Ital. 127. |
| quadratus Guin. — | | subterraneus Eur. austr. — |
| | | arvensis Amer. . . . Eg. 255. |
- G. CLIVINA Ltr. Ed. enc. Ghl. — SCARITES ol.
- | | | |
|-----------------------------------|--|--------------------------|
| Fossor Svec. 1. 1. 128. arenarius | | thoracica Svec. 128. |
| var. b. — — | | var. b. — . . . Eg. 254. |
- G. DYSHIRIUS Bnml. — SCARITES ol.
- | | | |
|---------------------------|--|-------------------|
| arcticus Svec. 1. 1. 128. | | gibbus Svec. 128. |
|---------------------------|--|-------------------|
- G. MORION Ltr. Ed. enc.
- G. APOTAMUS Hfms. Ltr. Ed. enc. — SCARITES Rss. Schh. Clrv.
- | | | |
|------------------------------|--|--|
| rufus Eur. austr. 1. 1. 128. | | |
|------------------------------|--|--|
- G. PEREUS Bnml.
- G. BROSCUS Bnml. Strm. — HARPALUS Ghl. — SCARITES Oliv. Ill. Pnz. — CARAEUS Auct. coet.
- | | | |
|-------------------------------|--|----------------------------------|
| atratus . . . Eg. 255. | | consobrinus Svec. . . . Eg. 258. |
| cephalotes Svec. 1. 1. 190. | | Frater Germ. 195. aethiops |
| rugosus . . . Eg. 256. | | aterrimus Svec. 206. |
| globosus Marocc. 194. | | var. b. — . . . Eg. 239. |
| maurus Germ. 179. | | punctatostriatus . . . Eg. 240. |
| megacephalus Cap. b. sp. 191. | | calydonius Ital. 192. |
| similis . . . Eg. 257. | | |
- G. DIXUS Eg. — DITOMUS Bnml. Strm. — CARABUS Auct. pler.
- | | | |
|-----------------------------------|--|-------------------------|
| Bucephalus Eur. austr. 1. 1. 191. | | pallidus . . . Eg. 241. |
| interruptus Orient. — | | |
- G. SIAGONA Ltr. Ed. enc. — CUCUJUS Fbr. Schh.
- | | | |
|-----------------------------|--|---------------------------------|
| rufipes Ind. Or. 1. 1. 192. | | var. b. Ind. Or. . . . Eg. 242. |
| 3. 33. | | |
- G. LICINUS Ltr. Ed. enc. Ghl. Strm. — CARABUS Auct. coet.
- | | | |
|-----------------------------------|--|----------------------|
| Silphoides Eur. austr. 1. 1. 194. | | depressus Svec. 194. |
| cassidens — — | | etruscus Ital. 212. |
- G. PELOR Bnml.
- Spinipes ♂ Hung. 1. 1. 145.
- G. ABAX Bnml. Strm. — HARPALUS Ghl. — CARABUS Auct. pler.
- | | | |
|---------------------------------|--|--------------------------------|
| basistriatus . . . Eg. 243. | | ovalis ♂ Germ. — } Strm. |
| parallellus ♂♀ Svec. — Dfischm. | | carinatus ♂♀ — |
| striola ♂♀ — 1. 1. 192. | | sulcicollis var. b. Svec. 193. |
- G. PTEROSTICHUS Bnml. Strm. — CARABUS Auct. pler.
- | | | |
|-----------------------------|--|----------------------|
| metallicus Germ. 1. 1. 195. | | Valensii Austr. Dh1. |
| fossulatus Eur. austr. 177. | | var. b. — — |

- G. MELOPS Bnrl. Strm. — CARABUS Auct. pler.
 elatus Germ. 1. 1. 195. | rugicollis Eg. 244.
 Melas — 179. a Br. Ma. |
 uro valde diversus.
- G. LAEMOSTENUS Bnrl. — HARPALUS Ghl. — SCARITES Pnz. — CARABUS Auct. coet.
 Terricola Svec. 1. 1. 178. | fasciatopunctatis Austr. 178.
 subcyanens — 183. | cornutus Eg. 246.
 Janthinus Eg. 245.
- G. STOMIS Clrv. Ed. enc. Strm. Bnrl. — HARPALUS Ltr. Ghl. — CARABUS Auct. coet.
- G. SPHODRUS Clrv. Ed. enc. — HARPALUS Ltr. Ghl. — CARABUS Auct. coet. — PLATYSMA Strm.
 Leucophthalmus Svec. 1. 1. 180. Car. | melanaris Svec. 178.
 planus. | flavicornis — 182.
 niger — 179.
- G. PLATYSMA Bnrl. Strm. — HARPALUS Ghl. — CARABUS Auct. coet.
 lepidum Svec. 1. 1. 194. | nigratum Svec. 208.
 var. b. — } Ghl. | tenebroides Eg. 247.
 var. c. — } | interruptum Eg. 248.
 var. d. — — | pallicornis Eg. 249.
 var. e. — — | anthracinum Svec. 207.
 var. f. — — | var. b. — Ghl.
 var. g. — Ghl. | puncticolle — 188.
 cupreum — 200. | var. b. — Eg. 250.
 var. b. — — | dorsatum Eg. 251.
 var. c. — . . . Ghl. | Thunbergi Cap. b. sp. 183.
 var. d. — . . . } Ghl. d. | Vernale Svec. 217.
 var. e. — — | var. b. — Eg. 252.
 var. f. — 200. var. d. | rufipes — 188.
 var. g. — . . . Ghl. e. | var. b. — —
 var. h. — . . . Ghl. f. | sinuatum Barth. . . . Frstrm.
 var. i. — 200. var. c. | pubescens Svec. 190.
 var. k. — . . . Ghl. g. | var. c. — —
 oblongopunctatum Svec. 186.
- G. HARPALEUS Eg. — HARPALUS Ltr. Ed. enc. Ghl. Strm. — CARABUS Auct. coet.
 posticus Ind. Or. 1. 1. 197. | chlorophanus Germ. 203. a praec.
 spinipes Svec. 181. Car. Au- | distinctus.
 licus. | striatocollis Svec. . . . Eg. 257.
 var. b. — Eg. 253. | latus — 202.
 var. c. — Eg. 254. | var. b. — Ghl.
 ruficornis — 181. | torridus — 202. alpinus
 var. b. — — | var. |
 var. c. — — | alpinus — 202.
 var. d. — — | var. b. — Eg. 258.
 aeneus — 205. } Ghl. a | fulva — 214.
 var. b. — — | var. b. — —
 var. c. — } Ghl. b | apricaria — —
 var. d. — } | var. b. — —
 var. e. — 203. var. b. | planostriatus Barthel. . . . }
 var. f. — — var. f. | Barthelemensis — } Frstrm.
 var. g. — Ghl. c. | flavilabris — 209.
 var. i. — Eg. 255. | discopunctatis — Frstrm.
 var. k. — Eg. 256. | rubripes Svec. 203.
 sabucicola Austr. 197. | var. b. — —
 caffer Germ. Dtsch. | var. d. — 182. } Car. pi-
 tardus Svec. 199. | var. e. — — } cicorn.
 binotatus — 198. | germanus Germ. 212.
 azureus — Ghl. | vaporarium Svec. 215.
- G. CALATHUS Bnrl. — HARPALUS Ghl. — CARABUS Auct. coet.
 prochryseus Eg. 259. | cisteloidea Svec. 195.
 frigidus Germ. 1. 1. 193. | var. b. — 195.
 Calathus

- Calathus fuscus Svec. 195. | melanocephalus Svec. 195.
 var. *b.* — | var. *b.* —
 fulvipes — 182. | apicalis Cant. Eg. 251.
 var. *b.* — Eg. 260.
- G. OODES Bnnl. — HARPALUS Ghl. — CARABUS Auct. coet.
 helopioides Svec. 1. 1. 203.
- G. ZABRUS Clrv. Ed. enc. Bnnl. Strm. — HARPALUS Ltr. Ghl. — CA-
 RABUS Auct. coet.
 gibbus Svec. 1. 1. 193. | trifoveolatus Svec. Eg. 262.
- G. AMARA Bnnl. — HARPALUS Ghl. — CARABUS Auct. coet.
 Virescens Eg. 263. | plebeja var. *b.* Svec. Ghl.
 viridula Canton. Eg. 264. | communis — 261.
 acuminata Svec. 203. | var. *b.* — } Ghl.
 var. *b.* — ... cupreus. | var. *d.* — }
 var. *c.* — ... eryno- | brunnaeus — } Ghl.
 var. *d.* — ... violaceus. | var. *b.* — }
 similatus — ... Ghl. | coloratus Eg. 265.
 vulgaris — 201. | bifrons — ... Ghl.
 trivialis — ... Ghl. | tibialis — 203.
 colorata Eg. 266.
- G. CHLAENIUS Bnnl. Strm. — HARPALUS Ghl. — CARABUS Auct. coet.
 croesus Guin. 1. 1. 187. | Schranki Germ.
 cinctus Corom. — | nigricornis Svec. 198.
 festivus Austr. — | var. *b.* —
 spoliatus Marocc. — | var. *d.* — Eg. 267.
 dimidiatus Ital. 199. | holisericeus — 198.
 206. | Vestitus — 203.
- G. ANCHOMENUS Bnnl. — PLATYNUS Strm. — HARPALUS Ghl. — CA-
 RABUS Auct. coet.
 angusticollis Svec. 1. 1. 185. | var. *b.* Svec. Eg. 268.
- G. AGONUM Bnnl. Strm. — HARPALUS Ghl. — CARABUS Auct. coet.
 marginatum Svec. 1. 1. 207. | metallipenne Cant. Eg. 269.
 viduum — | albipes Svec. 190.
 var. *b.* — ... Ghl. | var. *b.* — Eg. 270.
 parumpunctatum — 206. | var. *c.* — Eg. 271.
 sexpunctatum — | rotundatum — 214.
 var. *b.* — | 4 punctatum — 219.
 var. *c.* — ... Ghl. | picipes — 211.
 austriacum Austr. 205.
- G. SYNUCHUS Ghl.
 vivalis Svec. 1. 1. 214. | Javensis Javae Eg. 272.
- G. BADISTER Clrv. Ltr. Ed. enc. — AMELYCHUS Ghl. — CARABUS. Auct.
 coet.
 lunatus Eur. 1. 1. 124. | vespertinus Svec. 217.
 2 pustulatus Svec. 211.
- G. ECTENES Eg. — DOLICHUS Bnnl. Strm. — HARPALUS Auct. coet.
 prasinus Svec. 1. 1. 215. | oblongus Svec. 190.
 var. *b.* —
- G. TRECHUS Clrv. Ltr Ed. enc. — HARPALUS Ghl. — CARABUS Auct. coet.
 tempestivus Germ. 1. 1. 224. | var. *b.* Svec. 216.
 meridianus Svec. 216. | var. *c.* —
 Vaporarium — Carab. | var. *d.* — Eg. 273.
 dorsalis. | collaris — 219.
- G. BEMBIDIUM Ed. enc. Ltr. Ghl. — CICENDELA Linn. Mrsh. — ELA-
 PHRUS Fbr. Ill. Oliv. Schh. — OXYDROMUS Frl. Clrv. —
 CARABUS Auct. coet.
 flavipes Svec. 1. 1. 247. | velox Svec. 247. Elaphr. im-
 pressum.

Bembidium ve-		Guttula Svec.	235.
lox var. <i>δ</i> .	Svec. 1. 1. 247.	2 guttatum —	—
striatum <i>δ</i> .	B. depressum Ghl.	ustulatum —	222.
var. <i>c</i> Eg. 274.	var. <i>δ</i> .	—
Andrieae —	224. Carab.	var. <i>c</i> Ghl.
	pallidipennis.	articulatum —	222. subglo-
2 punctatum —	223.	uanum —	220. tristis
var. <i>δ</i> Ghl.		var.
celer —	223.	4 striatum — Schrk.
var. <i>δ</i> Ghl.	var. <i>δ</i> .	220. tristis.
rufipes —	223.	paludosum —	— tristis
var. <i>δ</i> Ghl.		var.
rupte tre —	222.	secale —	219.
var. <i>δ</i> .	—	var. <i>δ</i> .	—
var. <i>c</i> Ghl.	var. <i>c</i> Ghl.
4 guttatum —	221.	bis 2 guttatum Afr. aequin.	189.
maculatum —	— subglo-	chinense Cant. Eg. 276.
	bosus.	pygmaeum Svec.	224.
var. <i>δ</i> Eg. 275.	fasciatum —	189.
Doris —	224.	pallipes? Amer.	208.
var. <i>δ</i> .	— minutus.		
assimile — Ghl.		
G. NOTIOPHILUS Dum. Ed. enc. —		CICENDELA Linn. Mrsh. — ELA-	
PHRUS Fbr. Ltr. Ill. Schh.			
aquaticus. Svec.	1. 1. 248.	var. <i>c</i> .	Svec. 248.
var. <i>δ</i> .	—		
G. ELAPHRUS Fbr. Ltr. Dum. Ill. Ed. enc. —		CICENDELA Linn. Mrsh.	
uliginosus Svec.	1. 1. 246.	riparius Svec.	246.
var. <i>δ</i> .	—	var. <i>δ</i> Eg. 277.
var. <i>c</i> Ghl.	var. <i>c</i> Eg. 278.

21. Nat. Cicendelædes.

Pedibus gressoriis; maxillis ungue apicali corneo armatis.

G. COLLURIS Eg. — COLLYRIS Fbr. Schh. — COLLIURIS Ltr. Ed. enc. —		CICENDELA Oliv.	
longicollis Siam.	1. 1. 236.	var. <i>δ</i> .	Siam. Eg. 279.
G. CICENDELA Auct. — BUPRESTIS Gffr.			
1 punctata Jav.	1. 1. 244.	ocellata Eur. austr.
chrysis Amer.	—	minuta Ind.	246.
abdominalis Carol.	242.	argentata Amer.	245.
suturalis Ind. occ.	245.	lurida Cap. b. sp.	241.
var. <i>δ</i> Eg. 280.	flexuosa Hisp.	242.
albella Brasil. Eg. 281.	var. <i>δ</i> Eg. 282.
capensis Cap. b. sp.	242.	longipes Tranqueb.	245.
catena Ind. or.	245.	maura <i>δ</i> . Barbar.	281.
2 ramosa —	244.	5 fasciata Amer.	245.
4 lineata —	—	var. <i>δ</i> Eg. 283.
germanica Germ.	242.	affinis Ind. occ. Eg. 284.
campestris Svec.	238.	intermedia Javæ Eg. 285.
maroccana Marocc.	239.	sinuata Germ.	240.
10 guttata Javæ.	245.	hybrida Svec.	239.
littoralis Barbar.	241.	sylvatica —	240.
G. MEGACEPHALA Ltr. Ed. enc. —		GNATHO Ill. — CICENDELA Auct.	
coet.			
chinensis Canton.	1. 1. 242.	carolina Carol.	238.
aurulenta Sumatr.	244.		
G. MANTICOBA Fbr. Oliv. Lmk. Ltr. Ed. enc. Schh. —		CARABUS DGr. —	
CICENDELA Thg. Clrv.			
maxillosa Cap. b. sp.	1. 1. 166.		

2. Trib. Heteromera.

Tassis 4 anticis 5-articulatis, posticis 4-articulatis.

I. Legio Inalata.

Alis plerumq̄ deficientibus.

3. Coh.: *mento angustiore.*

22. Nat. Blapsides.

Palpis capitatis.

G. BLAPS Auct. — TENEBRIO Linn. Gffr.

Gages ♂♀	Eur. austr. 1. 1. 145.		obtusa ♂♀	Svec.	144.
mortisaga ♂♀	Svec. 144.		cylindrica	Columb.	145.

G. MISOLAMPUS Ltr. Ed. enc. — PINELIA Hbst.

23. Nat. Scaurides.

Palpis filiformibus.

G. SEPIDIUM Auct.

rugosum	Cap. b. sp. 1. 1. 180.		barbarum	...	Eg. 287.
reticulatum	— 130.		costale	...	Eg. 288.
tricuspidatum	Arab. 129.		acuminatum	Cap. b. sp. 130.	
scabrosium	... Eg. 286.		vittatum	— —	
elongatum	130.				

G. SCAURUS Auct. — PINELIA Rss.

sulcatus	Eur. austr. 1. 1. 226.		punctatus	Marocc.	126.
striatus	— —		atratus	Aegypt.	—
rugosus	... Eg. 289.				

G. STENOSIS Hbst. — AKIS Fbr. — TAGENIA Ltr. Ed. enc. — RHINOMACER Rss.

angustata	Svec. 1. 1. 141.		pumila	...	Eg. 290.

2. Coh.: *mento lato.*

24. Nat. Pimeliædes.

Thorace subglobo.

G. LEPTODERIS Eg. — AKIS Auct.

collare Eur. austr. 1. 1. 139.

G. TENTYRIA Ltr. Ed. enc. — AKIS Fbr. — PINELIA Olv.

orbiculata	Eur. austr. 1. 1. 140.		punctata	Tang.	140.
glabra	Aegypt. —		laevigata	Ind. or.	141.

G. MOLURIS Ltr. Ed. enc. — TENEBRIO DGr. — PINELIA Auct. coet.

striata	Ind. Or. 1. 1. 145.		laevigata ♂♀	Hung.	145.

G. PINELIA Auct. — TENEBRIO Linn. Gffr.

Rysoo	Barbar. 1. 1. 133.		muricata	Hisp.	132.
tuberculata	Ital. —		percata	Cap. b. sp.	—
variolosa	Air. —		hirta	—	... Eg. 291.
echinata	Eur. austr. —		longipes	Aegypt.	132.
			canaliculata	Gunn.	135.

G. PHYMATIUM Eg. — PINELIA Auct.

maculata	Cap b. sp. 1. 1. 135.		echinata	Cap b. sp.	134.
minuta	— —				

25. Nat. Erosiides.

Antennis capitatis.

1. *Divis. Thorace convexo.*

- G. ACANTOPHORUS Eg. — ERODIUS Auct. pler. — TENEBRIO Linn.
 bilineatus Senegal. 1. 1. 124. | gibbus Arab. 124.
 costatus Cap. b. sp. 135. Pimelia.
- G. ZOPHOSJS Ltr. — ERODIUS olim.
 minutus Orient. 1. 2. 125. | Dytiscoides Germ. 125.

2. *Divis. thorace depresso.*

- G. CHIROSCELIS Lmk. Ltr. Ed. enc. Schh.

26. Nat. Acides.

Thorace depresso, late marginato.

- G; ACIS Eg. — TENEBRIO Linn. — PIMELIA Oliv. — AKIS Auct. pler.
 gibba Ind. or. 1. 1. 132. | trilineata 138.
 grossa Barbar. 139. | acuminata Eur. austr. —
 lanata Eg. 292 | spinosa —
 sericeolineata Eg. 295. | reflexa Orient. —
- G. EURYCHORA Hbst. Fbr. Ltr. Ed. enc. Schh. — PIMELIA Oliv.
 ciliata Cap. b. sp. 1. 1. 137.
- G. MACHLA Hbst. — ASIDA Ltr. Ed. enc. — TENEBRIO Gffr. — OPA-
 TRUM Fbr. Oliv. Schh. — PIMELIA Pnz.
 nodulosa 1. 1. 124. | fusca Risip. 121.
 orientala Orient. 125. | grisea Ital. —
- G. HEGETER Ltr. Ed. enc. — BLAPS Oliv. — PLATYNOTUS Fbr. Schh. —
 TENEBRIO Linn.
 striata Ind. or. 1. 1. 142. | silphoides Maur. 154.
 reticulata Corom. 141. | marginata . . . Eg. 294.
- G. PLATYNOTUS Auct. pler. — BLAPS ol.
 dentipes Cap. b. sp. 1. 1. 145. | crenatus Ind. or. 142.
 rugosus Maur. — | exaratus Cap. b. sp. 147.
 serratus — —

2. Legio Alata.

Alis instructa.

1. *Co H.: ore non restrato;*1. *Phal.* mandibulis bifidis.

27. Nat. Tenebrionides.

Antennis moniliformibus.

- G. OPATRUM Auct. pler. — SILPHA Linn. — TENEBRIO Gffr.
 Thunbergi Cap. b. sp. . . . Eg. 295. | arenarium Svec. 123.
 crenatum Ind. or. 1. 1. 122. | foveolatum Eg. 297.
 simplex Cap. b. sp. 125. | subterraneum Ind. Or. 125.
 depressum Ind. or. 122. | tessellatum Eg. 298.
 Sparmanni Cap. b. sp. . . . Eg. 296. | pictum Austr. 123.
 sabulosum Svec. 121. | canaliculatum Tranqveb. 124.
 gibbum — 122. | tibiale Svec. 125.

G. PEDI.

G. PEDINUS Ltr. Ed. enc. — TENEBRIO Linn. Giff. Mrsh. — ELAPS Fbr.
Hbst. Schh. — HELOPS Oliv. Strm. Schh. — OPATRUM Ill.

caraboides	Germ.	1. 1. 165.	quisquilius	Svec.	165. glaber.
aethiops	Amer.	162.	laticollis	—	146.
femorialis	Germ.	146.	tibidens	Afric.	147.
gibbosus	Eg. 299.	punctatus	Barthel.	146.
cafreus	Cafir. Eg. 500.	piceicornis	—	161.
clathratus	Barthel.	147.			
	Cajenn.	147.			

G. TENEBRIO Auct.

obscurus	Svec.	1. 1. 149.	nitidulus	Ind. or.	149.
Molitor	—	148.	Afzelii	Sierr. Leon. Eg. 502.
var. <i>b.</i>	— Eg. 501.	congener	Eg. 503.
loripes	—	148.	lusitanica	Lusit.	155.
curvipes	Germ.	—	nigrita	166. Helops.	—

G. UPIS Fbr. Pkl. Ed. enc. Hbst. — TENEBRIO Ltr. Schh.

Socius	Brasil. Eg. 504.	sinuatus	Guin.	161.
Morio	Ins. Amer.	1. 1. 160.	unicolor	Eg. 505.
cupreus	Guin.	148.	ceramoides	Svec. Fbr.

28. Nat. Helopides.

Antennis filiformibus.

G. HELAEA Ltr. — TENEBRIO Linn. — MYLARIS Pall. — HELOPS Auct.
coet.

Metallica	Brasil.	1. 1. 158.	femorata	Brasil. Eg. 507.
lanipes	Eur. austr.	159.	marginata	Guin.	159.
fasciculata	Ind. or.	160.	haemorrhoidalis	Brasil.	160.
quisquilius	Eur. austr.	162.	Freyreisi	— Eg. 508.
castanea	Brasil. Eg. 506.	Violacea	—	159.
rufipes	Nov. Holl.	161.	Nordenskjöldi	Finl. Eg. 509.

G. HELOPS Auct. — TENEBRIO Linn.

obliquatus	Carol.	1. 1. 162.	Hottentotta	Gall.	162.
ater	Svec.	161.	micans	Columb.	159.
undatus	Cajen.	162.			

G. HALLOMENUS Hlw. Pkl. Ltr. Ed. enc. Schh. Ghl. — DIRCAEA Fbr. —
SERROPALPUS et DINOPHORUS Ill.

humeralis	Svec.	1. 5. 51.	var. <i>b.</i>	Svec.	51.
fuscus	—	—	affinis	—	—

G. ORCHESIA Ltr. Schh. — DIRCAEA Fbr. Ed. enc. — HALLOMENUS Pkl.
Hlw. Ill. Ghl. — MEGATOMA Hbst. — MORDELLA Mrsh. —
SERROPALPUS Ill. — ANASPIS Ltr. — DERMESTES Paz.

29. Nat. Hypophlaeides.

Antennis subclavatis.

G. PYTHO Ltr. Fbr. Ed. enc. Schh. Ghl. — TENEBRIO Linn. — CUCUJUS
Pkl.

depressus	Svec.	1. 5. 55.	var. <i>d.</i>	Svec.
var. <i>b.</i>	—	var. <i>e.</i>	—
var. <i>c.</i>	—	var. <i>f.</i>	—
					Ghl.

G. BORUS Hbst. Ghl. — TROGOSITA Fbr. Pkl. Oliv. Schh. — TENEBRIO
Linn.

Corticalis	Svec.	1. 1. 155.	picipes	calcar	Mader.	152.
elongatus	Sumatr.	Fbr.	thoracica	Svec.	156.

G. HYPOPHLOCUS

rufipes	Amer.	} Fbr.	bicolor	Svec.	} Fbr.
castaneus	Svec.		fasciatus	—	
Fraxini	—	} Pkl.	bicornis	Gall.	
suturalis	—		depressus	Svec.	

G. PHALERIA Ltr. Ed. enc. — TENEBRIO ol.

culinaris	Svec.	1. 1. 150.	nigricornis	Svec.	151. pallens [♂] .
purpurascens	Eur. austr.	154.	pallens	—	— ^α .
mauritanica	Ins. Amer.	152.	ferruginea	Tanger.	—
chrysomelina	Eur. austr.	—	castanea	Ind.	153.

G. TOXICUM Ltr. Ed. enc.

30. Nat. Tetratomædes.

Antennis clavatis.

G. TETRATOMA Hbst. Fbr. Pkl. Ed. enc.

G. ANISOTOMA Knch. Ill. Fbr. — LEIODES Ltr. Ed. enc. — SPHAERIDIUM Oliv. — TETRATOMA Hbst. Puz.

cinnamomea	Germ.	1. 1. 106.	ferrugineum	Svec.	106
abdominale	Svec.	107.	brunneum ♂.	—	... Ghl.
humerales	—	106.	Globus	—	107.
var. ♂.	—	107. globosum.	staphylæum	—	... Ghl.
castaneum	—	—	atrum	—	107.
piceum ♂.	—	106 amata.	nigripenne	—	—

G. TRACHYSCELIS Ltr. Ed. enc. — MYCETOPHAGUS Fbr.

31. Nat. Diaperides.

Antennis extrorsum crassioribus.

G. DIAPERIS.

Boleti	Svec.	Linn.	plicicornis	Barthel.	Frstrm.
Hydni	Carol.	} Fbr.	aenea	Finl.	Fbr.
violacea	Svec.		var. ♂.	—	Ghl. bicolor
cupraria	Sumatr.	Fbr. Helops.	nigripennis	Barthel.	Frstrm.

G. EUSTROPHUS Ltr. Ed. enc. — MYCETOPHAGUS Fbr.
dermestoides Germ. Fbr.

G. COSSYPHUS Auct.

planus	Tranqveb.	1. 3. 58.	depressus	Maurit.	58.
Hoffmanseggi	Lusit.	—	—	—	—

G. CLYPEASTER Andr. Ok. — COSSYPHUS Ghl. Schh.

pusilla	Svec.	1. 3. 69.
---------	-------	-----------

G. ELEDONA Ltr. Ed. enc. — ELEDMA Ltr. — BOTITOPHAGUS Ill. Fbr.
Ghl. — OPATRUM Oliv. Mesh. — DIAPERIS Oliv.

agricola	Svec.	Ill.	armata	Austr.	Puz.
----------	-------	------	--------	--------	------

G. BOLITOPHAGUS Ill. Fbr. Ghl. — OPATRUM Fbr. — SILPHA Linn.
reticulatus Svec. Ill. crenatus Fbr. var. ♂. Svec. Linn.

G. EPITRAGUS Ltr. Ed. enc.

metallicobrunneus	Brasil.	Eg. 510.
-------------------	---------	----------

G. CNODALUM Fbr. Ltr. Ed. enc.

2. Phal. mandibulis simplicibus.

32. Nat. Lachnædes.

Antennis apice moniliformibus.

G. NILIO Ltr. Ed. enc. — AEGITHUS et COCCINELLA Fbr.

- G. MELANDRYA Fbr. Ltr. Ed. enc. — HELOPS Fbr. — CHRYSOMELA
Linn. — SERROPALPUS Ill. Bsc. — TENEBRIO Schll.
caraboides Svec. Linn. | ruficollis Finl. Fbr.
canaliculata — Fbr.
- G. LACHNA Eg. — LAGRIA Fbr. Oliv. Lmk. Ed. enc. Schh. — CHRYSO-
MELA Linn. — CANTHARUS Gffr. — TENEBRIO DGr.
hirta ♂♀ Svec. 1. 5. 9. | metallica Barb. Lusit. 15. Dasytes —
lata Maurit. Lusit. — | Violacea Eg. 311.
collaris Javae 11. | Villosa Afr. 8.
rugosa Sumatr. 8.

33. Nat. Pyrochoædes.

Antennis pectinatis.

- G. DENDROIDES Ltr. Ed. enc.
G. PYROCHROA Auct. pler. — CANTHARIS Linn.
coccinea Svec. 1. 5. 68. | pectinicornis Svec. 69.
rubens — — 69.

34. Nat. Cistelædes.

Antennis filiformibus subserratis.

- G. STEROPES Stv.
G. CALOPUS Fbr. Oliv. Pkl. Ltr. Ed. enc. — CERAMBYX Linn. DGr.
seraticornis Svec. 1. 3. 410. | aeneus Svec. 411.
testaceus — — 411.
- G. SERROPALPUS Auct. pler. — DIRCAEA Fbr.
striatus Svec. 1. 3. 47.
- G. XYLITA Pkl. — SCRAPTIA Ltr. Ed. enc. — DIRCAEA Fbr. Pnz. Ghl.
Schh. — SERROPALPUS Ill. Illw. — LYMEXYLON Pnz.
laevigata Svec. 1. 3. 48. discolor. | fuscula Svec. 49.
ferruginea — — 49. | 5 guttata — —
- G. DIRCAEA Fbr. Ghl. Ed. enc. Schh. — HYPULUS Pkl. — SERROPALPUS
Ill. — HELOPS et NOTOXUS Pnz. — ETILINUS Kglu. Schn. —
ELATER Qvs. Rhn.
4 guttata Svec. 1. 3. 49. | 2 fasciata Svec. 50.
rufipes — — | quercina — —
- G. ALLECULA Ill. Pnz. Fbr. Ghl. — EROTYLUS Fbr. Pnz. Hbst. — CRY-
PTOCEPHALUS Gml. — CISTELA Auct. coet.
Morio Svec. 1. 2. 558. | pallicornis Amer.
- G. DINOPHORUS Ill. — MYCETOPHILA Ghl. — CISTELA Auct. pler.
linearis Svec. 1. 2. 356. | scapularis Svec. 356.
axillaris — — | brevis — —
2 pustulata — —
- G. CONOPALPUS Ghl. Schh.
G. CISTELA Auct. pler. — CHRYSOMELA Linn. — MORDELLA Gffr.
coerulea Barb. 1. 2. 334. | Lepturoides Svec. 335.
ruficollis Eur. austr. — | pieipes Dan. —
festiva (ap. b. sp. 357. | murina Svec. 335.
nigripennis Gall. 334. | var. b. — —
fulvipes Svec. — | var. c. — Eg. 312.
var. b. — — | var. d. — Eg. 313.
sulphurea — — 335. | Barthelemea Barthel. . . . Trstirn-
ceramboides — — 352. | chinensis Canton. . . . Eg. 314.

35. Nat. Mordellædes.

Antennis serratis.

G. RIRIPHORUS Bsc. Fbr. Pkl. Oliv. Ltr. Ed. enc. Schh. Pkl. Ghl. — MORDELLA Auct. coet.

bimaculatus	Eur. austr.	1. 5. 81.	paradoxus ♂♀	Svec.	79.
ferugineus	Ind. or.	79.	var. ♂.	— Eg. 315.
flabellatus	Ital.	80.			

G. PELECOTOMA Stv. Schh. — RIRIPHORUS Pkl. Ghl.

G. MORDELLA Auct.

aculeata	Svec.	1. 5. 82.	atomaria	Svec.	81.
var. ♂.	—	—	abdominalis	—	86.
fasciata	—	85.	humeralis	—	—
variegata, c.	—	84.	pumila	—	85.
var. e.	—	—			

G. ANASPIS Ltr. Gffr. Schh. — MORDELLA Auct. coet.

frontalis	Svec.	1. 3. 87.	var. ♂.	Svec. Eg. 316.
var. ♂.	—	—	var. c.	— Eg. 317.
lateralis	—	88.	flava	—	89.
var. ♂.	—	—	var. ♂.	—	—
thoracica	—	—			

36. Nat. Meloïdes.

Antennis variformibus.

G. NOTOXUS Gffr. Oliv. Ill. Ltr. Ed. enc. — MELOË Linn. Duv. — ANTHICUS Pkl. Fbr. Schh. Ghl.

Monocerus	Svec.	1. 2. 54.	cornutus	—	55.
-----------	-------	-----------	----------	---	-----

G. ANTHICUS Pkl. Fbr. Lch. Ed. enc. — NOTOXUS Ill. Ltr. — LYTTA Mrsh.

violaceus Eg. 318.	var. ♂.	Svec.	58.	
fulvicollis	Amer.	1. 2. 55.	2 maculatus	—	57.
antherinus	Svec.	56.	punctulatus	— Eg. 319.
var. ♂.	—	—	humeralis	— Eg. 320.
ater	—	—	pedestris	Ital.	56.
floralis	—	57.	hirtellus	Germ.	58.
rufipes	—	58.			

G. MELOË Auct.

Proscarabaens	Svec. Linn.	var. ♂.	Svec. Ghl.
var. ♂.	— Ghl. tecta Pnz.	majalis	— Fbr. scabros. Ill.
Violaceus	— Ill. Proscar. Fbr.	brevicollis	— Fbr.

37. Nat. Mylabrides.

Antennis extrorsum crassioribus.

G. CERECOMA Gffr. Schff. Fbr. Oliv. Ltr. Ed. enc. Schh. — MELOË Linn. Schaefferi ♂♀ Eur. austr. 1. 5. 16. | Schreberi ♂♀ Eur. austr. 16.

G. MYLABRIS Auct. pler. (*) — MELOË Linn.

* *Apice elytrorum nigro*;† *apice antennarum nigro*.

Sidae	Cap. b. sp.	1. 3. 30.	Lavateræ	Cap. b. sp.	50.
var. ♂.	Ind. or.	—	Cichorii	China	31.
var. c.	—	—	var. ♂.	—	—
var. d.	—	—	var. c.	—	—
var. e.	—	—	var. d.	—	—
pustulata	—	—	Tiffensis	Tifl.	—
			Schoenherri	Cap. b. sp.	—
			Punctum	Ind. or.	—

Mylabris

*) Vide Monographism Mylabridum auctoris.

Mylabris affinis Afr. 1. 3. 32.		†† <i>apice antennarum colorato.</i>	
Thunbergi Ins. Franc. —		oculata Cap. b. sp. 37.	
4 fasciata <i>b.</i> Cap. b. sp. —		var. <i>b.</i> — — —	
Gyllenhali — — —		var. <i>d.</i> — — —	38.
var. <i>b.</i> — — —		Afzelii, <i>b.</i> Sierr. Leon. —	
Fuestini Eur. austr. —		var. <i>c.</i> — — —	
var. <i>b.</i> — — —	53.	var. <i>e.</i> — — —	
axillaris — — —		Hermanniae Guin. —	
variabilis — — —		5 fasciata — — —	
var. <i>b.</i> — — —		2 fasciata — — —	
var. <i>c.</i> — — —		lunata Cap. b. sp. 39.	
var. <i>e.</i> Monsp. . . . Eg. 321.		var. <i>b.</i> — — —	
4 punctata Eur. austr. 54.		var. <i>e.</i> — — — Eg. 325.
var. <i>b.</i> — — —		var. <i>f.</i> — — — Eg. 326.
var. <i>c.</i> — — —			
var. <i>d.</i> — — —		** <i>Apice elytrorum colorato;</i>	
var. <i>e.</i> — — —		† <i>antennis nigris.</i>	
2 punctata — — —		3 maculata Eur. austr. 39.	
1½ punctata Sibir. —		var. <i>b.</i> Ross. austr. 40.	
var. <i>b.</i> — — —	56.	Paykulli, <i>b.</i> Barbar. —	
Coecca Cap. b. sp. —		10 punctata Ross. austr. —	
var. <i>d.</i> — — —		maculata <i>b.</i> Orient. —	
var. <i>e.</i> — — — Eg. 322.	var. <i>c.</i> Ross. austr. —	
var. <i>f.</i> — — — Eg. 323.	crocata — — —	41.
capensis — — —	36.	griseuscens — — —	—
Swartzii Sierr. Leon. —		algorica Afr. Ital. —	
flexuosa Hung. —		var. <i>b.</i> Eur. austr. 42.	
var. <i>b.</i> — — —			
var. <i>c.</i> — — —		†† <i>antennis apice vel totis coloratis.</i>	
var. <i>d.</i> — — — Eg. 324.	Olivieri — — —	42.
minuta Sibir. 56.			

38. Nat. Horiædes.

Antennis moniliformibus.

G. TETRAONYX Ltr. Ed. enc.	
G. HORIA Fbr. Oliv. Ltr. Ed. enc.	
G. CISSITES Ltr. Lch. Ed. enc. — HORIA Fbr. Oliv. Ltr.	
G. OENAS Ltr. Ed. enc. — MELOË Linn. — LYTTA Fbr. — CANTHARIS Oliv.	
afer Barb. Lusit. 1. 3. 29.	crassicornis Austr. 29.

39. Nat. Cantharides.

Antennis filiformibus longioribus.

G. HAPALUS Eg. — SITARIS Ltr. — APALUS Auct. pler. — MELOË Linn. — PYROCHROA DGr. — CERAMBYX Uddm.			
6 maculatus Brasil. . . . Eg. 327.		2 maculatus Finl. 1. 2. 34.	
G. NEMOGNATHA Ill. Ltr. Ed. enc. — ZONITIS Fbr.			
2 fasciata Hung. 1. 2. 340.		atra Hung. 340.	
rostrata Barbar. —		villosa Eg. 328.	
G. CANTHARIS Gffr. DGr. Lmk. Ltr. Ed. enc. — LYTTA Fbr. Mrsh. Ghl. Schh. — MELOË Linn.			
dubia Sibir. 1. 3. 26.		erythrocephala Ross. austr. 25.	
atrata Columb. —		syriaca Eur. austr. 23.	
oculata Guin. —		var. <i>b.</i> — — —	
cinerea Columb. —		ruficollis Ind. or. 24.	
albomarginata Brasil. . . . Eg. 329.		vesicatoria Svec. 20.	
discoidea — Eg. 330.		var. <i>b.</i> — — —	
2 lineata — Eg. 331.		sericea Eg. 332.	
Vittata Amer. 24.		Segetum Barbar. 22.	
Gigas Guin. 22.			

G. ZONITIS Fbr. Ltr. Ed. enc. — APALUS Oly.
 praeusta Ital. 1. 2. 539. | bicolor Javac Eg. 333.
 fulvipennis 340.

2. *Con. Ore subrostrato.*

40. Nat. Dryopides.

Antennis filiformibus.

G. DRYOPS Fbr. Phz. Schh. — OEDEMEIRA Oly. Ltr. — LAGRIA Fbr. Gml. —
 CANTHARIS Schh. — PELECINA Ill.

2 punctata ♀ Austr. 1. 3. 8. | clavipes ♀ Hung. 8.

G. OEDEMEIRA Ltr. Oly. Ed. enc. — NECYDALIS Auct. pler.

* <i>elytris sublinearibus.</i>		coerulea Svec. Linn. cyanea Fbr.
testacea Germ.	Fbr.	viridissima — Linn. thalassina Fbr.
pallida Canton.	Eg. 334.	viridis — DGr. viridissima Fbr.
melanura ♂♀ Svec.	Eg. Lepturoides Thg.	
var. ♂.	— Linn. nigripes Fbr.	var. ♂. — Ghl.
vittata Barthel.	} Frstrm.	** <i>elytris postice attenuatis.</i>
piceicornis —		marginata Eur. austr. Fbr.
thoracica Carol.	} Fbr.	Podagrariae ♂♀ Svec. } Linn.
fulvicollis Finl.		flavescens — } Mrsh.
Violacea	Eg. 335.	lurida —

G. STENOSTOMA Ltr. Ed. enc. — LEPTURA Fbr. — OEDEMEIRA Ltr.

G. MYCTERUS Clrv. Oly. Ed. enc. — RHINOMACER Fbr. Ltr. — MYLABRIS
 Schff.

curculionoides Eur. austr. Fbr. | var. ♂. Eur. austr. Eg. 336.

41. Nat. Salpingides.

Antennis extrorsum crassioribus.

G. SALPINGUS Ill. Ghl. Ed. enc. — CURCULIO Linn. DGr. Mrsh. — AN-
 THREBUS Fbr. Pkl. Phz. Clrv. — RHINOSIMUS Ltr. — TEM-
 NOCERUS Thg.

ruficollis Svec. Linn. Roboris Fbr. | ater Svec. Pkl.
 planirostris — Fbr.

3. Trib. Tetramera.

Tarsis omnibus 4-articulatis.

I. Legio Rhynchophora.

Capite rostrato: ore apicali.

1. *Con. antennis non fractis.*

42. Nat. Bruchides.

Rostro lato; antennis filiformibus.

G. RHINOMACER Oly. Fbr. Ed. enc. — RHYNCHITES Ghl. — ANTHREBUS
 Pkl. Ltr. — ATTELABUS Ill.

attelaboides Svec. Fbr. | lepturoides Austr. Fbr.
 var. ♂. — Eg. 337.

G. BRUCHUS Auct. pler. — CURCULIO Linn. — MYLABRIS Gflr.

Umbellatarum Barbar. Fbr. | serratus Sierr. Leon. Oly.

Bruchus Pisi	Eur. austr.	Fbr.	imbricornis	Lusit.	
granarius	Svec.	Linn.	seminarius	Svec.	Linn.
Loti	—	Pkl.	pectinicornis	Chin.	—
Cisti	—	Fbr.	variegatus	Cant.	Eg. 338.
scutellaris	—	Fbr.	serraticornis	Barthel.	Fbr.
Cardui, ♂.	Lusit.	Stv.	fuscus	Jayae	Eg. 339.

43. Nat. Anthribides.

Rostro lato; antennis clavatis.

G. MACROCEPHALUS Oliv. — ANTRIBUS Auct. coet.					
Coffeae	Ind. or.	Fbr.	punctatostriatus		Eg. 341.
undulatus	—	Eg. 340.	scriptus	Brasil.	Eg. 342.
longicornis	Ind. or.	Fbr.			
G. ANTRIBUS Auct. pler. — MACROCEPHALUS Oliv. — CURCULIO Linn.					
Mrsh. — AMELYCERUS Thg.					
scabrosus	Svec.	Fbr.	varius	Svec.	Fbr.
G. PLATYRHINUS Clrv. Ed. enc. — ANTRIBUS Hbst. Gffr. Pkl. Ltr. Ghl.					
Pnz. — MACROCEPHALUS Oliv. — CURCULIO Bnsd. Linn.					
griseus	Nov. Holl.	Fbr.	niveorostri	Svec.	Fbr.
latirostris	Svec.	—	incanus	Cant.	Eg. 343.
albinus	—	Linn.	maculatus	Jayae	Eg. 344.
albirostris	—	Fbr.	longirostris	—	Eg. 345.
dorsalis	—	Thg.			

44. Nat. Attelabides.

Rostro subcylindraceo, deflexo, longo.

G. APODERUS Oliv. Ltr. Ed. enc. — ATTELABUS Linn. Fbr. Pkl. — CURCULIO Mrsh. DGr.					
Coryli	Svec.	Linn.	var. c.	Svec.	Ghl.
var. ♂.	—	excoriatoruber DGr.	var. d.	—	Avellanae Linn.
G. ATTELABUS Auct. pler. — CURCULIO DGr. — CHYPHUS Thg.					
curculionoides	Svec.	Linn.	var. ♂.	Svec.	Eg. 346.
G. RHYNCHITES Hbst. Ltr. Ed. enc. Ghl. Thg. — CURCULIO Linn. DGr.					
Mrsh. — ATTELABUS Fbr. Pkl. Pnz. Clrv. — PLATYRHYNCHUS Thg.					
Betuleti	Svec.	Ghl.	cupreus	Svec.	Linn.
var. ♂.	—	Fbr. Curc. Betulae Linn.	var. ♂.	—	Ghl.
var. d.	—	Ghl.	acqvatus	—	Linn.
Populi	—	—	coeruleocephalus	—	Mrsh.
var. ♂.	—	Linn.	Betulae	—	Ghl.
pubescens	Germ.	Fbr.	var. ♂.	—	Linn.
Bacchus ♂♀	Svec.	Linn.	alliariae	—	—
purpureus	—	—	minutus	—	Hbst.
			nanus	—	Pkl.
G. MECORHIS Es. — RHYNCHITES ol.					
azurea	Sumatr.	Eg. 347.	hungarica	Hung.	Fbr.

45. Nat. Brachycerides.

Rostro crasso, brevi.

G. RHAMPHUS Clrv. Ed. enc. — RYNCHAEUS Ghl.					
pulicarius	Svec.	Hbst.			
G. BRACHYCERUS Auct. pler. — CURCULIO Linn. DGr.					
* Thorace spinoso.			Uva	Cap. b. sp.	Fbr.
apterus	Ind. or.	Linn.	obtusa	—	Eg. 349.
globosus	—	Fbr.	** Thorace subspinoso.		
var. ♂.	—	obesus Fbr.	barbarus	Afric.	Linn.
tuberculosis	Cap b. sp.	Eg. 348.			

Brachycerus	Eur. austr.	Fbr.	*** <i>Thorax inermis</i> .	
undatus	Cap. b. sp.	Eg. 350.	Spectrum	Cap. b. sp. } Fbr.
abbreviatus	—	Eg. 351.	retusus	—
rugosus	—	—	—	—
cornutus	Ind. or.	Linn.	—	—

46. Nat. Brentiides.

Rostrum porrecto longiore.

G. EPISUS Eg. — BRACHYCERUS ol.				
rostratus	Afr. aequin.	Fbr.		
G. BRENTHUS Auct. pler. — CURCULIO Linn. DGr.				
* <i>Femoribus anticis dentatis</i> .			speciosus	Barthel. Frstrm.
dispar ♀	Amer. Linn. maxill.	Hbst.	abruptus ♀	Eg. 355.
anchorago ♂♀	—	—	lineatus ♂♀	Eg. 354.
canaliculatus ♂	—	Fbr.	** <i>Femoribus inermis</i> .	
diversus ♂♀	—	Eg. 352.	obtusus.	Amer. Fbr.
G. CYLAS Fbr. — BRENTUS Oliv. Fbr.				
formicarius	Tranqueb.	Fbr.		
G. ANTLIARHIS Eg.				
haustellata.		Hbst.		
G. APIUS Eg. — APION Hbst. Ltr. Ed. enc. Thg. Ghl. Grm. — CURCULIO Linn. Mrsh. — RHINOMACER Giff. Clrv. — ATTELABUS Fbr. Oliv.				
* <i>Rostrum subulato</i> .			flavipes	Svec. Fbr.
Pomona Svec.	Fbr.		var. ♂.	— Grm.
Cracca ♂♀	—	Linn.	apricans	— Grm. flavipes ♂. Pkl.
** <i>Rostrum cylindraceo l. filiforme</i> .			haematodes	— Krb. frumentarium Ghl.
† <i>Antennis basalibus</i> ;			frumentarius	— Linn.
] <i>nigripedes</i> .				
vicinus	Svec.	Krb. Loti Ghl.] <i>nigripedes</i> ;	
Hookeri	—	—	[<i>elytris oblongis</i> .	
aeneus	—	Fbr.	tristis	Svec. Grm.
basicornis	—	Krb. Alliariae Hbst.	curtirostris	— Krb. brevirostris Ghl.
radiolus	—	— aterrimum Ghl.	Sedi	— Grm.
] <i>flavipedes</i> .			angustatus	— Ghl.
fuscirostris	Svec.	Fbr.	violaceus	— Krb. Fagi, var. Linn.
vernalis	—	—	marchicus	— violaceus Ghl.
rufirostris	Eur. austr.	—	Astragali	— Pkl.
pallipes	Svec.	Ghl.	aterrimus	— Linn?
†† <i>Antennis mediis</i> ;			[<i>elytris subglobosis</i> .	
] <i>flavipedes</i> .			Lathyri	Svec. Krb.
Fagi	Svec.	Linn.	Pisi	— Fbr.
Viciae	—	Pkl.	punctiger	— Ghl.
			Sorbi	— Fbr.

2. *Co H. antennis fractis.*

47. Nat. Calandrædes.

Antennis basi insertis.

G. CORDYLE Thg. — RHYNOPHORUS Hbst. — CALANDRA Clrv. Ltr. Fbr. Ed. enc. Ghl. — CURCULIO Auct. coet.				
longipes	Ind. or.	Fbr.] Palmarum	Amer. Linn.
				Cordyle

Cordyle Phoenicis	Guin.	Fbr.		picca	Asise.	Hbst.
ferruginea	Brasil.	—		abbreviata	Germ.	Fbr.
Schach	Sumatr.	—		punctatostriatus	—	Eg. 357.
ciliata	—	Eg. 355.		rubromaculata	—	Eg. 358.
crenata	Brasil.	Eg. 356.				
G. CALANDRA Auct. pler. — RHYNCOPHORUS Hbst. — CURCULIO ol.						
granarius	Svec.	Linn.		Oryzae	Orient.	Linn.
var. <i>b.</i>	—	Eg. 359.		var. <i>b.</i>	—	Eg. 361.
var. <i>c.</i>	—	Eg. 360.		ferrugineus	Barthel.	Fstrm.

48. Nat. Curculionides.

Antennis medio *l.* apici rostri insertis.

1. *Divis. Rostro capite thoraceque longiore.*

1. *Subdivis. corpore oblongo.*

G. COSSONUS Clrv. Fbr. Ltr. Ed. enc. Ghl. Thg. Grm. — CURCULIO Pkl. Hbst.						
corticalis	Amer.	Fbr.		var. <i>b.</i>	Svec.	Pkl. <i>b.</i>
piceus	Cap b. sp.	Eg. 362.		platyrhynchus	—	Eg. 363.
linearis	Svec.	Fbr.				
G. LIXUS Ltr. Fbr. Ed. enc. Ghl. Grm. Thg. — CURCULIO Auct. coet.						
paraplecticus	Svec.	Linn.		piceicornis	—	Eg. 365.
confinis	—	Eg. 364.		angvinus	Germ.	Linn.
pulverulentus	Austr.	Fbr.				
G. PHOXUS Eg. — Lixus ol.						
cylindroides	Cap. b. sp.	Sprm.		Bardanae	Germ.	Fbr.
pulvereus	—	Eg. 366.		ascanii	Eur. austr.	—
var. <i>b.</i>	—	Eg. 367.		Pica?	Ins. Franc.	—
rubricornis	Canton.	Eg. 368.		truncatulus	Ind. or.	—
G. RHINA Ltr. Ed. enc. — Lixus Fbr. — CURCULIO Auct. coet.						
barbrirostris	Brasil.	Fbr.		verrirostris	Brasil.	Ill.
G. AMERHIS Eg.						
3 maculata	Brasil.	Eg. 369.		albo irrorata	Brasil.	Eg. 371.
luteo irrorata	—	Eg. 370.		marginata	—	Eg. 372.
G. RHINOBATUS Mgrl. Grm. — RHYNCHAENUS ol.						
Cynarae	Afric.	Fbr.		Jaceae	Germ.	Fbr.
Onopordi	—	—		Rhamni	—	Hbst.
Scolymi	Eur. austr.	—		Struvei	—	Eg. 373.
Sturnus	Germ.	}>Hbst.		ater	—	Eg. 374.
	Finl.					
G. LIPARUS Oliv. Ed. enc. Grm. — RHYNCHAENUS Fbr. — CURCULIO Linn.						
Ltr. Mrsh.						
glabratus	Germ. Fbr. an Dirus	Hbst?		coracinus	—	Eg. 375.
germannus	Svec. Linn.	tusco macu-		nigritus	—	Eg. 376.
		latus Ghl.		pullus	—	Eg. 377.
anglicanus	— Mrsh. germanus	Ghl.				
G. LEPYRUS Grm. — RHYNCHENUS ol.						
2 notatus	Svec.	Fbr.		var. <i>b.</i>	Svec.	Pkl. <i>b.</i>
var. <i>b.</i>	—	Eg. semicolon.		var. <i>c.</i>	—	Eg. 378.
colon	—	Linn.		3 guttatus	Germ.	Fbr.
G. HYLOBIUS Grm. — RHYNCHENUS ol.						
* <i>Temoribus muticis.</i>						
ocularis	Barbar.	Fbr.		var. <i>c.</i>	Svec.	Eg. 380.
arcticus	Svec.	Pkl.		ocellifer	Germ.	Eg. 381.
var. <i>b.</i>	—	Eg. 379.		ducatus	—	Eg. 382.
				Pineti	Svec.	Eg. 383.
				var. <i>b.</i>	—	Eg. 384.

Hylobius							
** <i>Femoribus dentatis.</i>							
Abietis	Svec.	Linn.				var. <i>δ.</i>	Svec. Eg. 385.
						Pinastri	Ghl.
G. PISSODES Grm. — RHYNCHAENUS ol.							
Pini	Svec.	Linn.				var. <i>δ.</i>	Svec. Ghl. Palmes Hbst.
Hercyniae	—	Hbst.				Piniphilus	— Hbst.
notatus	—	Fbr.					
G. NOTARHIS Grm. — RYNCHAENUS Fbr. Ghl. — CURCULIO Auct. pler-							
2 maculatus	Svec.	Fbr.				Nereis	Svec. Pkl.
aethiops	—	—				var. <i>δ.</i>	— Eg. 386.
var. <i>δ.</i>	—	Ghl.				indigena	— Hbst.
acridulus	—	Linn.				var. <i>δ.</i>	— Ghl.
var. <i>δ.</i>	—	Ghl. Punctum	Fbr.			var. <i>c.</i>	—
Festucae	—	Hbst.				var. <i>d.</i>	— Eg. 387.
G; BAGOUS Grm. — SIBINIA Grm. — RYNCHAENUS ol.							
scanicus	Svec.	Fbr. 5 macul.				carpini	Svec. Fbr.
		Linn.?				picrostris	—
2 punctatus	—	Linn.				var. <i>δ.</i>	— Ghl. cinerascens
2 nodulus	—	Hbst.					— Mrsh.
Intulenti	—	Ghl.				Sii	Germ. Eg. 388.
Tigris	Amer.	Fbr.					
G. RHYNCHAENUS Auct. pler. — HYPERA Grm. — CURCULIO Linn. DGr. etc.							
punctatus	Svec.	Fbr.				Polygoni	Svec. Fbr.
var. <i>δ.</i>	—	Ghl. austriacus				var. <i>δ.</i>	— Linn.
		Hbst.				tigrinus	— Eg. 391.
Miles	—	Pkl. suspisiosus				Plantaginis	— Fbr.
		Hbst.				var. <i>δ.</i>	— Ghl.
var. <i>δ.</i>	—	Eg. 389.				Trifoliii	— Hbst.
elongatis	—	Pkl.				var. <i>δ.</i>	— Ghl.
pedestris	—	Pkl.				var. <i>c.</i>	— 3lineatus
Viciae	—	Ghl.					— Mrsh.
Pollux	—	Fbr.				picipennis	— Eg. 392.
Rumicis	—	Linn.				haemorrhoidalis	Svec. Hbst posticus Ghl.
var. <i>δ.</i>	—	Ghl. acetosae Pnz.				Suillus	Ind. occ. Fbr.
var. <i>c.</i>	—	Pkl. <i>δ.</i>				Avenae	Svec. Eg. 393.
var. <i>d.</i>	—	— <i>c.</i>				Nigrirostris	— Hbst.
adpersus	—	Hbst.				var. <i>d.</i>	— Fbr. 4.
var. <i>δ.</i>	—	Eg. 390.				sqvameus	Canton. Eg. 394.
variabilis	—	Hbst.					
G. BARIS Grm. — MACDALIS Grm. — RYNCHAENUS Ghl. Fbr. — LIXUS Fbr.							
* <i>Femoribus muticis.</i>				cupirostris Germ. Fbr. Attelabus — an hujus generis?			
Atriplicis	Svec.	Fbr. a sequente	diversa.				
T. album	—	Linn.		** <i>Femoribus dentatis.</i>			
Artemisiae	—	Fbr.		violacea	Svec.	Linn.	
Pruni	—	Linn.		var. <i>δ.</i>	—	Pkl. <i>δ.</i>	
Rhina	—	Ghl.		phlegmatica	—	Hbst.	
var. <i>δ.</i>	—	—		stygia	—	Mrsh. Cerasi	Fbr.
cylindra	—	Pkl.		carbonaria	—	Linn.	
ferruginea	—	Eg. 395.		atrata	—	Hbst.	
nigrina	—	Hbst.		semicylindrica	—	Ghl.	
G. GRYPUS Grm. — RHYNCHAENUS ol.							
Eqvisei	Svec.	Fbr.		Brassicae	Germ.	Fbr.	
C. DORYTOMUS Grm. — RHYNCHAENUS ol.							
vorax	Svec.	Fbr.		Pomorum	Svec.	Linn.	
Tremulae	—	Pkl.		var. <i>δ.</i>	—	Ghl. incurvus	
var. <i>δ.</i>	—	Ghl. taeniatus	Hbst.			— Pnz.	
tortrix	—	Linn.		pectoralis <i>δ.</i>	—	— melanophthalmus	Pkl.
var. <i>δ.</i>	—	Pkl. <i>δ.</i>		taeniatus	—	Fbr.	
affinis	—	—		majalis	—	Ghl.	
var. <i>δ.</i>	—	Ghl.					

G. TANYSPHYRUS Grm. — RHYNCHAENUS ol.

Beccabungae	Svec.	Fbr.	var. <i>β</i> .	Svec.	Ghl.	Salicariae	Fbr.
Lythri	—	—	Lemnae	—	—	—	Fbr.

G. TYCHIUS Grm. — RHYNCHAENUS ol.

annulatus	Ind. or.	Linn.	fasciatus	Barthel.	Eg.	599.
Lapathi	Svec.	—	dorsalis	Svec.	Fbr.	—
var. <i>b</i> .	—	Eg. 596.	5 punctatus	—	Linn.	—
stigma	Ind. or.	Fbr.	var. <i>β</i> .	—	Ghl.	—
var. <i>c</i> .	—	Eg. Piger Hbst.	var. <i>c</i> .	—	Eg.	400.
trilobus	—	Eg. 597.	venustus	—	Hbst.	—
luteus	—	Eg. 598.	Sisymbrii	—	Fbr.	—

G. ANTHONOMUS Grm. — RHYNCHAENUS ol.

Druparium	Svec.	Linn.	var. <i>β</i> .	Svec.	Ghl.	perforator
pubescens	—	Pkl.	—	—	—	Hbst.
var. <i>β</i> .	—	Ghl.	collinus	—	—	—
testaceus	—	Eg. 401.	Rubi	—	Fbr.	—
obsoletus	Germ.	Strm.	Antirrhini	—	Pkl.	—
varians	Svec.	Hbst.	—	—	—	—

G. ORCHESTES Hbst. Ill. Oly. Ed. enc. — RAMPHUS Thg. — RHYNCHAENUS ol.

* *Femoribus muticis.*

Salicis	Svec.	Linn.
2 fasciatus	—	Pkl.
var. <i>β</i> .	—	Eg. 402.
Jota	—	Fbr.
Populi	—	—
Saliceti	—	—
pulicarius	—	Hbst.

** *Femoribus dentatis.*

Fagi	Svec.	Linn.
pilosus	—	Fbr.
Illicis	—	—
scutellaris	—	—
Alni, <i>β</i> .	—	Pkl. <i>β</i> .
Quercus	—	Linn. Viminalis
var. <i>β</i> .	—	Eg. 403.

2. *Subdivis. corpore ovato.*

G. BALANINUS Grm. — RHYNCHAENUS ol.

Nucum	Svec.	Linn.	villosus	Svec.	Fbr.
var. <i>β</i> .	—	Ghl. Glandium	salicivorus	—	Hbst.
—	—	Mrsh.	var. <i>β</i> .	—	Ghl. curvatus
—	—	—	—	—	Mrsh.

G. EURHIN Ill.

cupratus	Brasil.	Ill.	Lamella	Amer.	Fbr.
metallinus	Ins. Amer.	Fbr.	Hebes	Bengal.	—
var. <i>β</i> .	—	Eg. 404.	depressus	Brasil.	Eg. 405.
Mangiferae	Ind. or.	Fbr.	—	—	—

G. CRYPTORHIS Eg. — CRYPTORHYNCHUS Ill. Ed. enc. — RHYNCHAENUS ol.

Herbstii	Svec.	Eg.	Pericarpus	var. <i>β</i> .	Svec.	Ghl. interstitialis	Rchb.
—	—	—	Fbr.	—	—	Fbr.	—
inconspicuum	—	Hbst.	4 tuberculatus	—	—	Fbr.	—
pericarpium	—	Linn. Castor	Comari	—	—	Hbst.	—
—	—	Fbr.	variabilis	—	—	Eg.	406.

G. OROBITES Grm. — CRYPTORHYNCHUS ol.

Teter	Eur. austr.	Fbr.	cepicolla	—	Eg.	407.
Pseudacori ♂	Germ.	—	floralis	Svec.	Fbr.	—
Campanulae	Svec.	Linn.	var. <i>β</i> .	—	Ghl.	—
Viscaria	—	—	depressicollis	—	—	—
signatus	—	Pnz.	Geranii	—	Pkl.	—
globosus	—	Fbr.	assimilis	—	Fbr.	—
rubicundus	—	Pkl.	Erysimi	—	—	—
Quercus	—	Fbr.	var. <i>β</i> .	—	Ghl.	—
var. <i>c</i> .	—	Ghl. melano-	contractus	—	Mrsh.	—
—	—	rhyngchus	Cocchleariae	—	Ghl.	—
cupreus	Brasil.	—	—	—	—	—

G. CRYPTORHYNCHUS Ill. Ed. enc. Grm. — RHYNCHAENUS ol.

abbreviatus	Germ.	Fbr.	5 maculatus	Svec.	Fbr.
Echii	—	—	var. <i>β</i> .	—	Eg. cruciger
—	—	—	—	—	Hbst.

Cryptorhynchus			Boraginis	Svec.	Fbr.
var. c.	Svec.	Eg. 408.	sulcicollis	—	Pkl.
Graminis	—	Ghl.	tugulosus	—	Hbst.
Linariae	—	Pnz.	var. c.	—	Ghl.
Litorea	—	Fbr.	Troglodytes	—	Fbr.
marginatus	—	Pkl.	var. b.	—	Ghl.
didymus	—	Fbr.	Qvercicola	—	Fbr.
pollinarius	—	Frst.	Crux	Germ.	—
G. CIONUS Clrv. Ltr. Ed. enc. Grm. — RHYNCHAENUS ol.					
Scrophulariae	Svec.	Linn.	var. b.	Svec.	Eg. 409.
var. b.	—	Ghl.	Solani	—	Fbr.
var. c.	—	Verbasci	Fraxini	—	—
Thapsus	—	Fbr. Scroph. b.	var. b.	—	Ghl. rectangu-
		Linn.			lus Hbst.
hortulanus	—	Mrsh.	Blattariae	Eur. austr.	Fbr.

2. *Divis. Rostro longitudinem capitis vix superante.*1. *Subdiv. corpore ovato.*

G. TRACHYPHLOEUS Grm. — CURCULIO ol.					
erinaceus	Austr.	Fbr.	var. b.	Svec.	Ghl. hispidulus
scabriculus	Svec.	Linn.			Hbst.
G. STROPHOSOMA Eg. — CURCULIO ol.					
crucifrons	Cap. b. sp.	Eg. 40.	var. d.	Svec.	Ghl. trunculu
pilosum	Svec.	Hb. t.			Bnsd.
pilosellum	—	Ghl.	geminatum	—	Fbr.
limbatum	—	Fbr.	globatum	Germ.	Hbst.
coryli	—	—	cruciferum	Svec.	Eg. 411.
var. b.	—	Ghl. cervinus	hirsutulum	—	Fbr.
var. c.	—	obesus	var. b.	—	Ghl. echinatus
		Mrsh.			Bnsd.
G. BARYNOTUS Grm. — CURCULIO ol.					
maurus	Svec.	Ghl. sulcatus	var. b.	Svec.	Ghl. lepidotus
laevigatus	—	Fbr.			Hbst.
valgus	Ind. occ.	—	frontalis	Cap. b. sp.	Eg. 415.
canariensis	Mader.	Eg. 412.	austriacus	Austr.	Strm.
hispanus	Hisp.	Eg. 413.	raucus	—	Fbr.
obscurus	Svec.	Fbr.	setosus	—	—
var. b.	—	Eg. 414.	scutellatus	Brasil.	Eg. 416.
mercurialis	—	Fbr.	globosus	Germ.	Strm.
G. CURCULIO Auct.					
gemmatus	Eur. austr.	Fbr.	picipes	Svec.	Fbr.
var. b.	—	Eg. chloro	var. b.	—	Eg. 418.
		phanus ol.	rugifrons	—	Ghl.
sulcatus	Svec.	Fbr.	ovatus	—	Linn.
aeneopunctat.	—	Ghl. sulcatus	var. b.	—	Ghl. pabulinus
Ligustici	—	Linn.			Pnz.
var. b.	—	Ghl.	muricatus	—	Fbr.
var. c.	—	Eg. 417.			
G. LIOPHLOEUS Grm. — CURCULIO ol.					
nubilus	Svec.	Fbr.	var. c.	Svec.	Ghl.
var. b.	—	Ghl. chrysopterus	morio	—	Hbst.
		Hbst.			
G. PLINTHUS Grm. — CURCULIO ol.					
Variolosus	Germ.	Fbr.?			

2. *Subdiv. corpore oblongo.*

G. PSALIDIUM Ill. — CURCULIO ol.					
maxillosum	Hung.	Hbst.			
G. MECOCERUS Eg. — CURCULIO ol.					
Görtzensis	Austr.	Fbr.	planatus	Ins. Chorso	Fbr.
					Mecc.

Mecocerus orbicularis Austr. Fbr.	tenebricosus Svec. Hbst.
caudatus Germ. Eg. 419.	atratus Cap. b. sp. Sprm.
ater Svec. Hbst.	atroapterus Svec. DGr.
fastigiatus —	geniculatus Eg. 420.
	Mastrich Eg. 421.
G. ENTIMUS Grm. — BRACHYRHINUS Ltr. — CURCULIO Auct. coet.	
imperialis Brasil. Fbr.	splendidus Brasil. Fbr.
var. b. — Eg. 422.	var. b. — Eg. 424.
var. c. — Eg. 425.	aurifer Jamaic. Fbr.
G. CHRYSOLOPUS Grm. — CONIATUS Grm. — CURCULIO ol.	
Spengleri Ind. occ. Linn.	Forströmi Barthel. Eg. 426.
Tamarisci Afr. Eur. austr. Fbr.	Schönherri Brasil. Eg. 427.
spectabilis Guin. —	Rohrii Amer. Fbr.
gibbosus Brasil. Eg. 425.	
G. HIPPORHIS Eg. — BRONCHUS Grm. — CURCULIO ol.	
Pillularia Cap. b. sp. Fbr.	crispata Cap. b. sp. Fbr.
nubilosa — Eg. 428.	glandifer —
verrucosa Afr. Linn.	rugulosa — Eg. 429.
nodulosa Cap. b. sp. Sprm.	caffer Caffr. Sprm.
capensis — Linn.	
G. EPIMECES Eg. — LIXUS Ltr. — CURCULIO Auct. pler.	
perlatus Chin. Fbr.	marmoratus Germ. Fbr.
verrucicollis — Eg. 450.	var. b. — Eg. tigrinus
sulcistrotris Svec. Linn.	— Pnz.
3 sulcatus — Hbst.	albidus Svec. Fbr.
nebulosus — Linn.	cinereus Ind. or. Hbst. an Por-
glaucus — Fbr.	culus Sprm.?
obliquus Germ. —	filiformis Eur. austr. Fbr.
alternans — Hbst.	costatus Eur. med. —
roridus Austr. Fbr.	
G. ALCEIS Eg. — CURCULIO ol.	
longimana Brasil. Fbr.	
G. BRACHYRHINUS Ltr. — CURCULIO ol.	
niveus Amer. Fbr.	var. b. Svec. Ghl.
zaiscus — Oliv.	fulvicornis — Fbr.
lateralis —	caninus —
Thunbergi — Eg. 451.	var. b. — Ghl. flavescens
sqvamosus Ind. or. Fbr.	— Mrsh.
var. b. — Eg. 452.	lineatus — Linn.
var. c. — Eg. 453.	var. b. — DGr.
var. d. — Eg. 454.	var. c. — Pkl. c.
— Eg. 455.	var. d. — Ghl. chloro-
rulentus Fbr.	— pus Linn.
var. e. — Eg. 454.	lineellus — Linn. Fn. 2274.
var. f. — Eg. 455.	var. b. — Ghl.
pollinosus Austr. Fbr.	var. e. — Eg. 458.
flavescens Amer. —	tibialis — Hbst. Sulcifrons
viridis Svec. Linn.	— Thg.
Groendahli Canton. Eg. 456.	hispidulus — Fbr.
terruiginus — Eg. 457.	viridicollis —
curvipes Ind. or. Fbr.	var. b. — Ghl.
ruficornis Svec. Linn.	flavipes Germ. Hbst.
flavipes — DGr.	sinuatus — Fbr.
parvulus — Fbr.	Gyllenhali Svec. Eg. Rhynch.
var. b. — Ghl.	costatus Ghl.
var. c. —	
undatus — Fbr.	
G. POLYDRUSUS Grm. — CURCULIO ol.	
Pyri Svec. Linn.	var. b. Svec. Ghl. argent. Mrsh.
var. b. — Ghl.	var. c. —
var. c. — alneti Fbr.	var. d. —
argentatus — Linn.	var. e. —

Polydrusus smaragdinus	Germ.	Mzrl. an Sericeus Ghl.?	cervinus	Svec.	Linn.
var. <i>β</i> .	—	—	var. <i>β</i> .	—	Ghl. maculosus Hbst.
micans	Svec.	Fbr.	var. <i>c</i> .	—	—
var. <i>β</i> .	—	Ghl.	oblongus	—	Linn.
mali	—	Fbr.	var. <i>β</i> .	—	Pkl. <i>β</i> .
var. <i>β</i> .	—	Ghl. Padi Bnsd.	var. <i>c</i> .	—	Ghl. rufescens
var. <i>c</i> .	—	Eg. 439.	vespertinus	Germ.	Mrsh. aératus Knch. Strm.
var. <i>d</i> .	—	Ghl. fulvipes Fbr.			
G. THYLACITES Grm. — CURCULIO ol.					
squamatus	—	Eg. 440.	incanus	Svec.	Linn.
lusitanicus	Lusit.	Fbr.	brunnescens	Canton.	Eg. 441.
palliatius	—	—	hirticornis	Svec.	Hbst.
G. RHYNCOLUS Cr. Grm. — HYLELINUS Fbr. — COSSONUS Ghl. — CURCULIO Auct. pler.					
ater	Svec.	Linn. Chloropus Fbr.	lignarius	Svec.	Mrsh.
G. RHINOCYLLUS Grm. — CURCULIO Rss.					
Thaumaturgus	Eur. austr.	Rss.	odontalgicus	—	Hbst.

49. Nat. Bostricidae.

Capite parum rostrato.

G. HYLURGUS Ltr. Ed. enc. — Ips DGr. Mrsh. — SCOLYTUS Oliv. — HYLELINUS Ghl. — BOSTRICUS Auct. coet.					
Ligniperda	Svec.	Pkl.	var. <i>c</i> .	Svec.	Ghl.
Piniperda	—	Fbr.	var. <i>d</i> .	—	—testaceus Fbr.
var. <i>β</i> .	—	Linn.			
G. BOSTRYCHUS Auct. pler. — HYLELINUS et APATE Fbr. Pkl. — TOMICUS Ltr. Ed. enc. — DERMESTES Linn. — Ips DGr. — SCOLYTUS Oliv.					
Pinastri	Svec.	Bckst. Typographus Fbr.	var. <i>c</i> .	Svec.	Ghl. micrographus DGr.
var. <i>β</i> .	—	Ghl.	monographus	—	Fbr.
var. <i>c</i> .	—	Eg. 442.	bidens	—	—
typographus	—	Linn. 8dentat. Pkl.	var. <i>β</i> .	—	Pkl. calcographus Pkl.
var. <i>β</i> .	—	Ghl.	Calcographus	—	Ghl.
Laricis	—	Fbr.	var. <i>β</i> .	—	—
var. <i>β</i> .	—	Ghl.			
G. TOMICUS Ltr. Ed. enc. — APATE Fbr. — BOSTRYCHUS ol.					
micrographus	Svec.	Eg. villosus Fbr.	var. <i>β</i> .	Svec.	Ghl. melanoceph. Hbst.
var. <i>β</i> .	—	Linn.	var. <i>c</i> .	—	— Fbr.
Fabricii	—	Eg. micrographus Fbr.	asperatus	—	—
dispar ♀	—	Fbr.	Tiliae	—	Ill.
domesticus	—	Linn.	var. <i>β</i> .	—	Ghl.
lineatus	—	Olv.	cinereus	—	Hbst.
			pusillus	—	Ghl.
G. PLATYPUS Hbst. Ltr. — SCOLYTUS Pnz. — BOSTRYCHUS ol.					
cylindricus	Eur. med.	Fbr.			
G. COPTOGASTER Ill. — ERKOPTOGASTER Hbst. — HYLELINUS Fbr. — SCOLYTUS Gfr. Schff. Oliv. Ltr. Ed. enc.					
Destructor	Svec.	Fbr. Scolytus.	Polygraphus	Svec.	Linn.
var. <i>β</i> .	—	Pnz.	Pygmaeus	—	Fbr.
Fraxini	—	Fbr.			
G. HYLELINUS Fbr. Ltr. Ghl. — SCOLYTUS Oliv. — BOSTRYCHUS Pkl.					
orenotus	Svec.	Fbr.	var. <i>β</i> .	Svec.	Ghl.
palliatius	—	Ghl. ater Pkl.	ater	—	Fbr.
var. <i>β</i> .	—	Trifol. Müll.	var. <i>β</i> .	—	Ghl.
angustatus	—	Hbst. var.			

G. PHLOEOTRIBUS Ltr. Ed. enc. — HYLESINUS ol.
aeneopennis Amer. Fbr.

2. Leg. Platyprosopa.

Capite non rostrato.

50. Nat. Apatides.

Clava antennarum perfoliata L. serrata

G. APATE Auct. pler. — LIGNIPERDA Hbst. — BOSTRICHUS Ltr. Oliv. Ed.
enc. — DERMESTES Linn.

* <i>Elytris retusis</i> .		sinuata	Gall.	Fbr.
Monacha	Ind. occ.	Fbr.		
Monicator				
Francisca	Ind. occ.	Fbr.		
carmelita	—	—		
hamata	Germ.	—		
muricosa		Eg. 445.		
picea	Sierr. Leon.			
		** <i>Elytris integris</i> .		
		capucina	Svec.	Linn.
		Osbecki	—	Eg. 444.
		elongata	—	Pkl. linearis Kgl.
		substriata	—	—
		ferruginea	Ind. occ.	Frstrm.

G. PSOA Auct. — DERMESTES Rss.
Wiennensis Germ. Fbr.

G. CORYNETES Auct. pler. — CLERUS Ill. — NECROBIA Ltr. Oliv. — DER-
MESTES Linn.

violaceus	Svec.	Linn.	flavipes	Ins. Sula	Eg. 445.
fulvipes	Barthel.	Frstrm.	abdominalis	Ind. or.	Fbr.
rufipes	Afr.	Fbr.	ruficollis	—	Thg.

51. Nat. Paussides.

Clava antennarum solida.

G. PAUSSUS Auct.

52. Nat. Cerapterides.

Antennis flabelliformibus.

G. CERAPTERUS Swdr. Dny. Ltr. Ed. euc.

G. PTYOCERUS Thg.

G. RIPIDIUS Thg.

53. Nat. Cerylonides.

Antennis 10-articulatis.

G. CIS Ltr. Ed. enc. Ghl. — ANOBIUM Auct. pler. — DERMESTES Scop. —
HYLESINUS Fbr. — PTINUS Mrsh.

Boleti	Svec.	Fbr.	mandibularis	Svec.	Ghl.
var. <i>β</i> .	—	Ghl. variabilis	2 dentatus	—	Mrsh.
micans	—	Fbr.	perforatus	—	Ghl.
hispidus	—	Pkl.	vestitus	—	Eg. 446.
nitidus	—	Fbr.	fronticornis	—	Eg. 447.
var. <i>β</i> .	—	Pnz.			

G. NEMOZOMA Ltr. Ed. enc. Ghl. — Ips Oliv. — COLYDIUM Hlw. Hbst.
Paz. — DERMESTES Linn.

G. CERYLON Ltr. Ed. enc. — RHYZOPHAGUS Hbst. — LYCTUS Auct. pler.
histeroides Svec. Fbr. | picipes Svec. Hbst.
var. *β*. — Ghl.

G. MONOTOMA Hbst. — CERYLON Ltr. — LYCTUS Auct. pler.
Juglandis Svec. Fbr.

54. Nat. Lyctides.

Antennis 11 articulatis.

1. *Divis. antennis subclavatis.*

- G. DITOMA Ltr. Ed. enc. — BITOMA Hbst. Ltr. Ghl. — LYCTUS Fbr. —
Ips Oliv. — MONOTOMA Pnz. — SYNCHITA Hlw.

crenata	Svec.	Fbr.	var. c.	Svec.	Ghl.
var. <i>β</i> .	—	Ghl.	lunata	—	Fbr.

G. LEPTOPHAGUS Eg. — MYCETOPHAGUS Pnz. Ltr. Ghl. Hlw. — Ips Fbr.
Pnz. — DERMESTES Linn. Thg. Schh. — CRYPTOPHAGUS
Hbst. Pkl. Müll. — SILPHA Mrsh.

2 fasciatus	Svec.	Fbr.	punctatus	Svec.	Fbr.
var. <i>β</i> .	—	Ghl. marginalis	fumatus	—	Linn. 1. 2. 9 ^t . Schh.
		Pnz.	testaceus	—	Fbr.

2. *Divis. antennis extrorsum crassioribus.*

- G. MYCETOPHAGUS Auct. pler. — CARABUS et CHRYSOMELA Linn. —
BOLETARIA Mrsh.

4 maculatus	Svec.	Fbr.	variabilis	Svec.	Hlw. piceus Fbr.
var. <i>β</i> .	—	Ghl.	var. <i>β</i> .	—	Ghl.
atomarius	—	Fbr.	multipunct.	—	—
var. <i>β</i> .	—	Ghl.	var. <i>β</i> .	—	—
var. <i>c</i> .	—	Eg. 443.	fulvicollis	—	Fbr.

G. RHYZOPHAGUS Hbst. Ghl. — LYCTUS Pkl. Fbr. Pnz. — TRITOMA
Thg. — SYNCHITA Hlw. — Ips Oliv.

ferrugineus	Svec.	Pkl.	parvulus	Svec.	Pkl.
var. <i>β</i> .	—	Ghl.	dispar	—	—
terebrans	—	Fbr.	var. <i>β</i> .	—	— <i>c</i> .
depressus	—	—	var. <i>c</i> .	—	— <i>d</i> .
var. <i>β</i> .	—	Ghl.	var. <i>d</i> .	—	Ghl.
politus	—	Fbr.	var. <i>e</i> .	—	—

G. LYCTUS Fbr. Pkl. Ed. enc. Ghl. — Ips Oliv. — BITOMA Hbst. — SIL-
PHA Linn. — SYNCHITA Hlw. — DERMESTES Thg.

canaliculatus	Svec.	Fbr.	contractus	Svec.	Fbr.
---------------	-------	------	------------	-------	------

G. COLYUS Eg. — COLYDIUM Ltr. Fbr. Hbst. Pkl. Ghl. — TRITOMA Thg. —
Ips Oliv. Rss.

elongatus	Svec.	Fbr.	var. <i>β</i> .	Svec.	Pkl. filiforme Fbr.
-----------	-------	------	-----------------	-------	---------------------

G. MERYX Ltr. Ed. enc.
G. SILVANUS Ltr. Ghl. — LYCTUS Kgl. Müll. — Ips Oliv. — DERMESTES
Fbr. Linn. Pnz. — COLYDIUM Fbr. Pkl. Hbst. — TENE-
BRIO DGr.

unidentatus	Svec.	Fbr.	6-dentatus	Svec.	Fbr. Surinamen- sis Linn.
-------------	-------	------	------------	-------	------------------------------

G. LATHRIDIUS Hbst. Ed. enc. — DERMESTES Pkl. Linn. — CORTICARIA
Mrsh. — Ips Oliv. — TENEBRIO DGr.

longicornis	Svec.	Hbst.	gibbosus	Svec.	Ghl.
lardarius	—	DGr. quadra- tus Hbst.	serratus	—	Pkl.
minutus	—	Linn. porcatus	linearis	—	—
		Hbst. marginatus Pkl.			

55. Nat. Prionides.

Antennis setaceis aut moniliformibus.

1. *Divis. Tarsis subtus non spongiosis.*

- G. BRONTES Fbr. Schh. — ULEIOTA Ltr. Ed. enc. — CUCUVIUS Oliv.
Hbst. — CERAMBYX Linn.
planatus Svec. 1. 3. 57. flavipes. | var. *b.* Svec. 57.
G. PARANDRA Ltr. Ed. enc. Schh.

2. *Divis. Tarsis subtus spongiosis.*

- G. SPONDYLIS Auct. pler. — CERAMBYX DGr. — ATTELABUS Linn.
Buprestoides Svec. Linn.
G. PASSANDRA Dim. Schh.
G. PRIONUS Auct. pler. — CERAMBYX Linn. Mrsh. DGr. etc.
Faber ♂♀ Svec. 1. 3. 336. | brevicornis ♀ Columb. 339.
Thomae Ins. Thom. 343. | Depsarius Svec. 337.
palmatus Guin. 344. | Scabricornis Germ. —
coriarius ♂♀ Svec. 339. | cylindricus Columb. 344.
G. MEGAGNATHUS Eg. — PRIONUS ol.
spinibarbis Amer. 1. 3. 343. | serratus Eg. 449.
G. DRYTOMUS Eg. — PRIONUS ol.
Stigma Ins. Mar. pacif. 1. 3. 392.

56. Nat. Cerambycides.

Antennis in caveola oculorum insertis.

- G. ACROCINUS Ill. Schh. — MACROPUS Thg. — ACANTHOCINUS Hfms. —
PRIONUS Oliv. — LAMIA Auct. pler.
longimanus Amer. 1. 3. 347. | flexuosus Brasil. Eg. 451.
var. *b.* — Eg. 450. |
G. CTENODES Oliv. Ltr. Schh.
G. LAMIA Auct. pler. — CERAMBYX Linn. DGr. etc.
Rubus Ind. or. 1. 3. 369. | Sartor Svec. 385.
var. *b.* — Eg. im- | Textor — 370.
maculata. | Lugubris Eur. austr. 371.
8 maculatus Tranqveb. 369. | var. *b.* — Eg. 456.
Punctator Ind. or. 386. | tristis — 371.
Reticulator — 387. | var. *b.* — Eg. 457.
Oculator Cap. b. sp. 388. | Curculionides Svec. 591.
Capensis — — Myops Finl. —
var. *b.* — — varia Svec. 379.
Aethiops — 390. | Nubila Eur. austr. 384.
Hottentotta — 389. | brevis Ins. Amer. 380.
var. *b.* — Eg. 452. | tenebricosus Eg. 458.
Houzanna — Eg. 453. | aedilis Svec. 573.
imperialis- | grisea — 574.
regalis Guin. 375. | atomaria Germ. 379.
scabrata Ind. or. 370. | praemorsa Ind. occ. 382.
laevipennis Eg. 454. | compressa Guin. —
porphyrea Eg. 455. | maculosa Barthel. Erstrm.
Ferrugator Cap. b. sp. 389. | Banksii Cap. b. sp. 392.
Obscurator Guin. 383. | Araneaeformis Amer. 380.
irrorata Ind. or. 375. | nebulosa Svec. 375.
Dentator Carol. 386. | hispida — 376. fasci-
barbicornis Guin. 370. | cularis.
scalaris Amer. 387. | hispidula — 377. hispida.
Sutor Svec. 384. | pillosa — 378.

G. DORCADIUM Schh. — LAMIA ol.

Morio	Eur. austr.	1. 3. 398.	Glycyrrhizae	Sibir.	396.
var. <i>b.</i>	—	—	cruciatum	Taur.	397.
carinatum	Sibir.	—	lineatum	Eur. austr.	399.
variegatum	— Eg. 459.	var. <i>b.</i>	—	—
Fuliginator	Eur. austr.	398.	var. <i>c.</i>	—	—
var. <i>b.</i>	Rose.	399. cineraria.	var. <i>d.</i>	— Eg. 460.
pubescens	Algir.	401.	vittigerum	Germ. Eg. 461.

G. TETRAOPES Dlm. Schh. — LAMIA ol.

Tornator	Columb.	1. 3. 401.	var. <i>b.</i>	Columb.	401.
----------	---------	------------	----------------	---------	------

G. SAPERDA Auct. pler. — CERAMBYX Linn.

* <i>Elytris dentatis</i>	—	—	var. <i>b.</i>	Svec. Eg. 470.
emarginata	Brasil.	1. 3. 419.	Scalaris	—	423.
scripta	Ins. Franc.	420.	var. <i>b.</i>	— Eg. 471.
isabellina	Cant. Eg. 462.	var. <i>c.</i>	— Eg. 472.
undatofasciata	Brasil. Eg. 463.	Halodendri	Sibir.	359.
2 dentata	Javac	419.	+++ <i>thorace elongato</i>	—	—
** <i>Elytris integris</i>	—	—	longipes	Cap. b. sp.	554.
† <i>thorace subquadrato</i>	—	—	clavicornis	—	—
Grisator	Tranqveb.	585.	6-punctata	—	—
hirticornis	Algir. Eg. 464.	fasciulicornis	Brasil. Eg. 473.
testacea	Eur. austr.	437.	hirtula	— Eg. 474.
punctator	Cant. Eg. 465.	cantharina	Svec.	410.
†† <i>thorace cylindraceo</i>	—	—	brunnea	—	—
Carcharias ♂♀	Svec.	422.	+++ <i>thorace orbiculato</i>	—	—
var. <i>b.</i>	— Eg. 466.	Oculata	Svec.	424.
lineatocollis	Eur. austr.	431. Cardui	var. <i>b.</i>	Finl.	—
Cardui	Svec.	432.	confinis	Germ. Eg. 475.
populnea	—	433.	linearis	Svec.	426.
hirtutula	— Eg. 467.	erythrocephala	Eur. austr.	429.
annulata	Amer.	435.	var. <i>b.</i>	—	—
viridipennis	— Eg. 468.	Ephippium	—	438.
suturalis	Barbar.	432.	maculicollis	Canton. Eg. 476.
roridus	—	424. irrorata Fbr. non Linn.	violacea	Eur. austr.	437.
punctata	Svec.	434.	virescens	—	435.
var. <i>b.</i>	— Eg. 469.	nigricornis	Svec.	432.
var. <i>c.</i>	Germ.	Eg. Schydlii Strm.	cylindrica	—	427.
Tremulae	Svec.	434.	Lineola	Eur. austr.	439.
			signipes	— Eg. 477.

G. GNOMA Fbr. Schh. — CERAMBYX et SAPERDA Oly. Pall.

G. TRACHYDERES Dlm. Schh. — CERAMBYX ol.

succinctus	Brasil.	1. 3. 364.	signatus	Brasil.	366.
------------	---------	------------	----------	---------	------

G CERAMBYX Auct.

moschatus	Svec.	1. 3. 348.	speciosus	Sierr. Leon.	555.
var. <i>b.</i>	—	—	ater	Cap b. sp.	—
var. <i>c.</i>	— Eg. 478.	Cerdo	Svec.	555.
ambrosiacus	Cancas.	350.	Heros	—	356.
var. <i>b.</i>	—	—	alpinus	—	358.
latipes	Cap. b. sp.	555.	fasciatus	Tranqveb.	360.
compressipes	— Eg. 479.	Koehlerii	Eur. austr.	359.
bivittatus	Brasil. Eg. 480.	Badensis	—	—
vittatus	—	351.	4 maculatus	Amer.	405.) Steno-
festus	Sierr. Leon.	—	10 punctatus	Ins. Am.	406.) chorus-
virens	Amer.	350.	festivus	Amer.	402.)
Albitarsis	Ind. or.	—			

G. STENOCHORUS Fbr. Ed. enc. Schh. — CERAMBYX Linn. Ltr. Oly. etc.

strigosus	Sierr. Leon.	1. 3. 407.	spiniicornis	Ins. Amer.	404.
irroratus	Jamaic.	404.	glabratus	—	405.
spiniger	— Eg. 481.	flavipes	— Eg. 482.

G. CALLIDIUM Auct. pler. — CERAMBYX Linn. Oliv. Mrsh. etc.

* <i>Femoribus clavatis.</i>		<i>ametystinum</i> Germ. 447.	<i>rufipes</i> Fbr.
<i>Bajulus</i>	Svec. 1. 3. 440.	<i>pusillum</i> Eur. austr.	450.
var. <i>b.</i>	— Eg. 485.	<i>pygmaeum</i> Svec.	—
var. <i>c.</i>	— 442. Kalmii?	** <i>Femoribus simplicibus.</i>	
var. <i>d.</i>	— Eg. 484.	<i>strepens</i> Eur. austr.	} 455.
<i>clavipes</i>	— 445.	Afr. Asiae.	
<i>violaceum</i>	— —	<i>sericeum</i> Barbar.	448.
var. <i>b.</i>	— Eg. 485.	<i>rusticum</i> Svec.	449.
<i>dilatatum</i>	— 448.	var. <i>b.</i>	— Eg. 487.
<i>coriaceum</i>	— —	<i>griseum</i> Barbar.	451.
<i>femoratum</i>	— 446.	<i>striatum</i> Svec.	455.
<i>luridum</i>	— 453.	<i>costatum</i> Finl. Eg. 498.
var. <i>b.</i>	— —	<i>rugicolle</i> Eg. 489.
var. <i>c.</i>	— —	<i>puncticolle</i> Canton. Eg. 490.
<i>impressum</i>	— —	<i>maculatum</i> Cap. b. sp.	456.
<i>castaneum</i>	— 454.	<i>brevicolle</i>	442.
<i>variable</i>	— 442.	<i>undatum</i> Svec.	456.
var. <i>b.</i>	— —	var. <i>b.</i>	—
var. <i>c.</i>	— —	var. <i>c.</i>	—
var. <i>d.</i>	— Eg. 486.	var. <i>d.</i>	—
var. <i>e.</i>	— 442. var. <i>d.</i>	var. <i>e.</i>	—
var. <i>f.</i>	— — var. <i>e.</i>		
<i>sanguineum</i>	— 452.		
<i>ruficolle</i> Eur. austr.	444.		

G. CLYTUS Auct. pler. — CERAMBYX Linn. — LEPTURA Linn. Dr. Frstr. Vt. Schrk. etc.

<i>4 punctatus</i> Eur. austr.	1. 3. 470.	<i>floralis</i> Eur. austr.	460.
<i>glaucus</i> Ind. or.	468.	<i>bidens</i> Ind. or.	471.
<i>rusticus</i> Svec.	461.	var. <i>b.</i>	— 469. annularis.
var. <i>b.</i>	— Eg. 491.	<i>Herbsti</i> Eur. austr.	— Verbasci.
var. <i>c.</i>	— 461. atoma- rius Fbr.	<i>Verbasci</i> Svec.	— ornatus.
<i>colonus</i> Columb.	468.	<i>plebejus</i> —	466.
<i>sempunctatus</i> Hung.	} 462.	<i>3 fasciatus</i> Eur. austr.	469.
Georg.		var. <i>b.</i>	— Eg. 494.
<i>arcuatus</i> Svec.	—	<i>mysticus</i> Svec.	471.
var. <i>b.</i>	— Eg. 492.	<i>massiliensis</i> Eur. austr.	} 466.
<i>detritus</i> —	468.	Afr. Asiae	
var. <i>b.</i>	— Eg. 495.	<i>alni</i> Svec.	458.
<i>flexuosus</i> Columb.	470.	<i>unifasciatus</i> Gall. Ital.	457.
<i>Arietis</i> Svec.	464.	<i>Osbecki</i> Svec. Eg. 495.
var. <i>b.</i>	— 466. antilepe.		

G. NOREMNUM Eg.

Brasiliensis Brasil. . . . Eg. 496.

57. Nat. Lepturides.

Antennis setaceis inter oculos insertis.

G. RHAGIUM Fbr. Ed. enc. Knch. Schh. — CALOPUS Fbr. — STENOCHORUS Fbr. Ill. Oliv. — LEPTURA Linn. DGr. Mrsh. Ltr. Lckrt. — CERAMBYX Linn. Pall. Ltr. Gtz. Schiff. Beckst.

<i>2 fasciatum</i> Eur. austr.	1. 3. 414.	var. <i>c.</i> Svec.	478.
var. <i>b.</i>	— Eg. 497.	var. <i>d.</i>	—
var. <i>c.</i>	— Eg. 498.	var. <i>e.</i>	—
<i>mordax</i> Svec.	412.	<i>Cursor</i> ♂♀	— 415.
<i>Inqvisitor</i> —	—	<i>Lamed</i> —	— 489.
<i>Indagator</i> —	415.	var. <i>b.</i>	—
var. <i>b.</i>	—	<i>4 maculata</i> —	— 488.
<i>cyaneum</i> Columb.	411.	var. <i>b.</i>	—
<i>meridianum</i> Svec.	478.	<i>spadicæa</i> —	— 489.
var. <i>b.</i>	—		

G. LEPTURA Auct.

* <i>Angulo suturale elytrorum api-</i>		smaragdula	Germ. As.	485.
<i>ce acuto.</i>		var. <i>b.</i>	—	—
<i>scutellata</i>	Svec.	var. <i>f.</i>	—	—
<i>atrata</i>	—	<i>clathrata</i>	Germ. Strm.
<i>pubescens</i>	—	<i>virens</i>	Svec.	472.
var. <i>c.</i>	—			
<i>impar</i> ♂♀	—	** <i>Apice elytrorum rotundato.</i>		
		6 <i>maculata</i>	Svec.	491.
<i>tomentosa</i>	—	var. <i>b.</i>	— Eg. 500.
<i>sanguinolenta</i>	—	var. <i>c.</i>	—	491. var. <i>b.</i>
<i>melanura</i> ♂♀	—	8 <i>maculata</i>	Germ.	489.
<i>maculicornis</i>	—	var. <i>b.</i>	— Eg. 501.
<i>strigilata</i>	—	<i>interrogationis</i>	Svec.	490.
var. <i>b.</i>	Lappon.	var. <i>b.</i>	—	—
<i>villica</i>	Svec.	var. <i>c.</i>	—	—
4 <i>fasciata</i>	—	var. <i>d.</i>	—	—
<i>calcarata</i>	—	<i>erratica</i>	Germ.	—
<i>attenuata</i>	—	<i>nigripes</i>	Svec.	478.
var. <i>b.</i>	—	<i>lurida</i>	Germ.	485.
<i>Zebra</i>	Columb.	var. <i>b.</i>	— Eg. 502.
6 <i>guttata</i>	Svec.	<i>laevis</i>	Svec.	475.
var. <i>b.</i>	—	<i>livida</i>	—	476.
var. <i>c.</i>	—	<i>praeusta</i>	—	487.
<i>nigra</i>	—	<i>unipunctata</i>	—	473.
<i>rufipes</i>	Germ. As.	<i>unifasciata</i>	Germ. Strm.
<i>femorata</i>	—	2 <i>fasciata</i>	Eur. austr.	475.
<i>Virginea</i>	—	7 <i>punctata</i>	Hung.	492.
var. <i>b.</i>	—	<i>ruficornis</i>	Svec.	486.
var. <i>c.</i>	—	<i>collaris b.</i>	—	—
		var. <i>a.</i>	—	—

G. NECYDALIS Auct. pler. — MOLORCHUS Schh. — LEPTURA Gffr.
glaucescens Eur. austr. 1. 3. 501. | *atra* Eur. austr. 502. *dispar. b.*
var. *b.* — Eg. 503. | *cocrulea* Afr. orient. Linn.
praeusta Barbar. 602.

G. MOLORCHUS Auct. pler. — NECYDALIS Linn. DGr. Ltr. etc. — GY-
MNOPTERION Schrk. | Umbellatarum Svec. 500.
major Svec. 1. 3. 498. *abbreviata.* |
minor — 499. *dimidiata.*

58. Nat. Lemædes.

Corpore elongato: thorace cylindraco.

G. MESOPS Eg.

hirticornis Eg. 504.

G. MEGALOPUS Fbr. Ed. enc. — ANTIPIUS DGr?

G. ORSODACHNA Ltr. Schh. Ghl. — CROCERIS Fbr. Pkl. — LEMA Ill. — GALLERUCA Fbr.

<i>chlorotica</i>	Svec.	1. 2. 287.	<i>fulvi-</i>	var. <i>e.</i>	Svec.	287.
			<i>collis</i> Ill.	Betulae	—	286.
var. <i>b.</i>	— Ghl.		var. <i>b.</i>	— Ghl.
var. <i>c.</i>	—	287.		var. <i>c.</i>	— Eg. 505.

G. SAGRA Auct. pler. — CHRYSOMELA Linn. — TENEBRIO DGr. Slz.
femorata Ind. or. 1. 2. 542. | var. *c.* Ind. or. 342. *purpurea.*
var. *b.* — — *splendida.*

G. DONACIA Auct. pler. — LEPTURA Linn. DGr. Mrsh. Pall. etc.

* <i>Femoribus posticis dentatis.</i>		<i>aqvatica</i>	Svec.	91	<i>dentipes</i> — fa-
<i>crasipes</i>	Svec.	var. <i>b.</i>	—	—	<i>sciata</i> Hpp.
var. <i>b.</i>	—	var. <i>c.</i>	—	—	
<i>bidens</i>	—	<i>Sagittariae</i>	—	92.	
var. <i>b.</i>	—	var. <i>b.</i>	—	—	
var. <i>c.</i>	—	var. <i>c.</i>	—	—	
		<i>91. denta-</i>			
		<i>ta Hpp.</i>			

Dona.

Donacia						
Lemnae <i>l.</i>	Svec.	1. 3. 98.	margi- nata Hpp.	var. <i>f.</i>	Svec.	93. c. Nym- pheae Fbr.
obscura	—	—	—	var. <i>g.</i>	—	— <i>f.</i> armata Pkl.
impressa	—	—	—	violacea	—	95.
var. <i>l.</i>	—	—	—	discolor	—	—
var. <i>c.</i>	—	—	—	var. <i>l.</i>	—	—
pustulata	— Eg. 506.	—	pallipes	— Strm.
sericea	—	95. Linn.	—	** <i>Femoribus muticis.</i>		
var. <i>l.</i>	—	discolor Pnz. ♂	—	Menyanthidis	Svec.	96.
var. <i>c.</i>	—	93. d. Festu- cae Fbr.	—	simplex	—	—
var. <i>d.</i>	—	— <i>a.</i> Fbr.	—	linearis	—	97.
var. <i>e.</i>	—	— <i>l.</i> micans Pnz.	—	var. <i>l.</i>	—	— Typhae Brhm.
		— <i>c.</i> discolor Pnz. ♀	—	var. <i>c.</i>	—	—
			—	Hydrocharidis	—	—
			—	purpurea	— Eg. 507.

G. APELMA Eg. — DONACIA ol.

Equiseti	Germ.	1. 3. 98.		var. <i>l.</i>	Svec.	98.
Zosteræ	Svec.	—				

G. LEMA Fbr. Schh. Ghl. — CRIOCERIS Fbr. Pkl. Gffr. Oliv. Lmk. Ed. enc. — AUCHENIA Thg. Mrsh. — CHRYSOMELA Linn. DGr. etc.

merdigora	Svec.	1. 2. 279.	rufina	Javæ	284.
brunnea	—	280.	var. <i>l.</i>	— Eg. 509.
var. <i>l.</i>	— Eg. 508.	tranquebarica	Cant.	282.
12 punctata	—	280.	melanopa	Svec.	285.
4 punctata	—	281.	subspinosa	—	—
nigricornis	Cayen.	285.	cyanea	—	284.
melanura	Tranqueb.	282.	var. <i>l.</i>	—	—
campestris	Eur. austr.	285.	cyanea	Ind. or.	—
Asparagi	Svec.	282.	var. <i>l.</i>	—	—
marginella	Brasil.	285.	aeneopennis	Brasil. Eg. 510.

59. Nat. Chrytocephalides.

Antennis ante oculos insertis, capite verticali.

G. CHLAMYS Knch. Ltr. Ed. enc. — CLYTHRA Fbr. Oliv. Cqvb. III.

strumosa Brasil. Eg. 511.

G. CLYTHRA Fbr. Schh. Lchrt. Pnz. — CHRYTOCEPHALUS Fbr. Rss. Prsl. Gml. — BUPRESTIS Scop. — MELOLONTHA Müll. — CHRYSOMELA Linn. DGr. Brhm. Ptgn. etc.

longipes	Germ.	1. 2. 345.	Koenigii	Tranqueb.	352.
5 punctata	Eur. austr.	344.	8 punctata	Barbar.	348.
decora	Ind. or.	348.	4 maculata	Svec.	349.
lurida	— Eg. 512.	Scopolina	Eur. austr.	350.
6 punctata	— Eg. 513.	var. <i>l.</i>	—	—
6 maculata	Eur. austr.	344.	nigromaculata	Brasil. Eg. 515.
4 punctata	Svec.	—	intersecta	Sierr. Leon.	345.
taxicornis	—	347.	brunnea	Amer.	351.
confinis	— Eg. 514.	Lentisci	Afr.	349.
3 dentata	Svec.	347.	bicolor	Amer.	352.
humeralis	Eur. austr.	346.	cyanea	Svec.	351.
longimana	Svec.	347.	var. <i>l.</i>	— Eg. 516.
pallens	Chinae	351.	aurita	Germ.	349.
maxillosa	Cap. b. sp.	348.	bucephala	—	352.
macropus	Eur. austr.	— Dorych- nii,	affinis	Svec.	349.
			Hordei	Barbar.	353.
fasciata	Guin,	344.	concolor	Eur. austr.	—

G. CRYPTOCEPHALUS Auct.

* <i>Elytris punctatis</i> .			
laetus	Germ.	1. 2.	354.
6 notatus	Barbar.	—	—
3 notatus	Ital.	358.	tricolor
			Rss.
14 punctatus		...	Eg. 517.
cordiger	Svec.	357.	
variabilis	—	—	—
var. c.	—	—	—
var. d.	—	—	—
var. e.	—	—	—
variegatus	—	359.	
var. b.	—	—	—
var. c.	—	—	—
var. d.	—	...	Eg. 518.
var. e.	—	359.	
6 punctatus	—	—	—
var. b.	—	—	—
var. c.	—	—	—
Coryli	—	358.	
var. b.	—	—	—
var. c.	—	—	—
Pini	—	369.	
var. b.	—	—	—
sericeus	—	361.	
var. b.	—	—	—
var. c.	—	—	—
var. d.	—	—	—
var. e.	—	—	—
violaceus	—	360.	
nitens	—	362.	
var. b.	—	...	Eg. 519.
nitidulus	—	363.	
var. c.	—	...	Eg. 520.
var. d.	—	...	Eg. 521.
labrosus	—	...	Eg. 522.
haemorrhoidalis	Eur. austr.	368.	
aeneus	Cap. b. sp.	...	Eg. 523.
flavipes	Svec.	364.	
4 pustulatus	—	379.	
var. b.	—	...	Ghl.
paracentesis	Eur. austr.	352.	Cly-
			thra —
var. b.	—	367.	Histrio.

G. EUMOLPUS.

* <i>Elytris chrysopraseis</i> .			
ignitus	Cajen.	1. 2.	234.
igneus	Brasil.	...	Eg. 532.
fulgidus	Amer.	254.	
nitidus	Ind. or.	—	—
nitens	—	...	Eg. 533.
oblongus	Brasil.	...	Eg. 534.
compressicornis	Guin.	235.	
auratus	Columb.	—	—
sumptuosus	Ins. Trind.	—	—
Gyllenhali	—	...	Eg. 535.
aeneus	Ind. or.	236.	
Latreillei	—	...	Eg. 536.
Sturmi	Canton.	...	537.
** <i>Elytris violaceis</i> .			
asiaticus	Ross.	234.	
Thunbergi	—	...	Eg. 538.

var. c.	Eur. austr.	367.	tristis
var. d.	—	—	—
** <i>Elytris punctato seriatis</i> .			
4 signatus	—	...	Eg. 524.
venustus b.	Columb.	354.	
pallidus	—	...	Eg. 525.
discoideus	—	...	Eg. 526.
dispar	Svec.	355.	
var. b.	—	...	Eg. 527.
var. c.	—	355.	b.
var. d.	—	—	c.
var. f.	—	—	e.
var. g.	—	—	f.
vittatus	Eur. austr.	363.	
5 fasciatus	Chin.	359.	
congestus	Carol.	360.	
var. b.	—	...	Eg. 528.
6 pustulatus	Eur. austr.	366.	3 gut-
			tatus.
10 punctatus	Svec.	—	
var. b.	—	—	—
var. c.	—	—	c. f.
var. e.	—	—	... Ghl.
var. f.	—	...	Eg. 529.
Moraei	Svec.	365.	
Hübneri	Germ.	—	—
flavilabris	Svec.	364.	
frontalis	—	365.	
punctiger	—	364.	
marginellus	—	369.	
pallirrons	—	—	—
labiatus	—	363.	
interruptofasciatus	Germ. . .	Strm.	
Hieroglyphicus	Eur. austr.	367.	
lituratus	Carol.	362.	
Rhoemi	Eur. austr.	...	Eg. 530.
marginatus	Germ.	355.	
minutus	Svec.	370.	
var. b.	—	—	—
bilineatus	—	363.	
var. b.	—	...	Ghl. c.
var. c.	—	...	b.
var. d.	—	...	Eg. 531.

Schönherrii	—	...	Eg. 539.
Benghalensis	—	235.	Cyane-
	us, a quo	diversus.	
Gründali	Canton.	235.	
praetiosus	Germ.	—	—
Cyaneus	Amer.	234.	
nitidulus	—	236.	
*** <i>Elytris varicoloribus</i> .			
nigrinus	Amer.	235.	
obscurus	Svec.	—	—
arenarius	Germ.	237.	
Lepidopterus	—	...	Strm.
variabilis	Amer.	236.	
globulus	—	...	Eg. 540.
vittatus	Canton.	...	Eg. 541.
Lundi	Javae	...	Eg. 542.
Vitis	Eur. austr.	236.	

60. Nat. Chrysomelædes.

Antennis ante oculos insertis; capite subhorizontali.

I. *Divis. Pedibus simplicibus.*1. *Subdivis. articulis antennarum 4 ultimis compressis.*

G. COLASPIS Fbr. Lér. Schh. Ed. enc. — GALLERUCA, CRYPTOCEPHALUS, CHRYSOMELA et EROTYLUS Fbr. — CHRYSOMELA Linn. — EUMOLPUS Schn. — COLCHOLAMPUS Bsch.

flavicornis	Cajen.	1. 2. 231.	barbara	Barb.	232.
sericea	Cap. b. sp.	—	laevigata	Amer.	—
rufipes	—	232.	metallica	Ind. or.	233.
ulema	—	... Ill.	fulvipes	Amer.	232.
fuscicornis	—	... Eg. 543.	fulva	—	—
obscura	Amer.	232.	testacea	Brasil.	... Eg. 545.
tenebricosa	Gall. austr.	... Eg. 544.	Melanops	Canton.	... Eg. 546.

2. *Subdivis. artic. antennarum 4 ultim. subglobosis.*

G. HELODES Pkl. Fbr. Oliv. Ed. enc. Schh. Ghl. — PRASOCURIS Ltf. — CHRYSOMELA Linn. Mrsh. Hlw. etc.

elongata	Cap. b. sp.	1. 2278.	impressa	—	... Eg. 547.
Phelandrii	Svec.	277.	Beccabungae	Svec.	278.

G. CHRYSOMELA Auct.

* *Elytris punctato-striatis;*† *corpore ovato.*

Betulae Svec. 1. 2. 268. cochleariae.

var. b.	—	—
var. c.	—	... Ghl.
alternans	Ins. Amer.	240.
geminata	Svec.	244.
Litura	—	242.
var. b.	—	—
var. c.	—	... Ghl.
lurida	Eur. austr.	253.
pardalina	Cap. b. sp.	246 guttata.

†† *corpore oblongo.*

Lamina	Svec.	245.
bicolor	Germ.	243.
splendidula	Sumatr.	261.
americana	Amer.	260.
marginata	Svec.	263.
var. b.	—	... Ghl.
analis	—	263.
var. b.	—	—
var. c.	—	—
aucta	—	264.
marginuella	—	—
var. b.	—	—
var. c.	—	—
var. d.	—	—
vitellinae	—	266.
var. b.	—	... Ghl.
var. c.	—	— c.
var. d.	—	— b.
10 notata	—	254 rufipes.
viminalis	—	... Ghl. Puz.
var. c.	—	254 a.
var. d.	—	256. 6 punctata.
var. e.	—	—
var. f.	—	... Ghl.
var. g.	—	253 b.

var. h.	Svec.	265 c.
var. i.	—	— f.
var. k.	—	— c.
var. l.	—	... tota picea.
var. m.	—	255 f.
Fredricsdahlensis	Svec.	237 affinis.
var. c.	—	—
var. d.	—	—
var. e.	—	... Eg. 548.
var. f.	—	... Eg. 549.
pallida	Svec.	256 dispar.
var. b.	—	... Ghl.
var. c.	—	256 b.
var. d.	—	... Ghl.
var. e.	—	... —
var. g.	—	256 d.
var. i.	—	— c.

** *Elytris irregulariter punctatis*† *corpore oblongo.*

Adonidis	Austr.	246.
var. b.	—	—
Tremulae	Svec.	251.
grossa	Ital.	—
Populi	Svec.	250.
var. b.	—	... Ghl.
semistriata	Brasil.	250.
Philadelphica	Pensylv.	241.
20 punctata	Eur. austr.	205.
undatofasciata	Javæ	... Eg. 530.
Lapponica	Svec.	258.
var. b.	—	... Ghl.
var. c.	—	258 b.
cerealis	—	259.
var. b.	—	... Eg. 551.
var. c.	—	... Eg. 552.
var. d.	—	259 b.
var. e.	—	... Eg. 553.
var. f.	—	... Eg. 554.
fastuosa	—	260.
var. b.	—	—

Chrysomela							
fastuosa var. c.	Svec.	...	Eg. 556.	rugosa	Afr.	239.	
Bulgariensis	—	249.		nigrita	Algir.	242.	
acnea	—	248.		coriaria	Svec.	239.	
var. b.	—	—		var. b.	—	...	Ghl.
var. c.	—	...	Eg. 556.	var. c.	—	...	Eg. 569.
chryso-præsea	Hisp.	...	Eg. 567.	glabrata	Eur. austr.	238.	
tristis	Eur. austr.	248.		coerulea	—	...	Sturm.
Sapphira	Ind. or.	247.		gibba	—	...	Dhl.
vittata	Amer.	240.		vulgata	Germ.	...	vulgatis-
Graminis	Svec.	247.				...	sima Schrk.
var. b.	—	...	Ghl.	haemorrhoidalis	—	...	Schn.
var. c.	—	...	Ghl.	Goettingensis	Svec.	242.	
fulgida	Austr.	247.		haemoptera	—	243.	Hotten-
gloriosa	Ital.	261.				...	totta.
testaceipes	—	...	Eg. 558.	obscura	—	...	Eg. 570.
Raphani	Svec.	245.		var. b.	—	...	Eg. 571.
metallica	—	...	Thg.	collaris	—	255.	
senegalensis	Senegal.	254.		var. b.	—	—	
cupraea	Svec.	248.	ruficaudis DGr.	var. c.	—	...	Eg. 572.
var. b.	—	—	a.	Varians	—	249.	
var. c.	—	—	b.	var. b.	—	—	centau-
var. d.	—	—	c.			...	rii Fbr.
var. e.	—	...	Eg. 559.	var. c.	—	...	
cantonensis	Canton.	...	Eg. 560.	var. d.	—	...	
orichalcea	—	...	Hbst.	var. e.	—	...	Ghl.
fucata	Ital.	266.		var. f.	—	...	
var. b.	—	—		violacea	—	250.	
micans	—	...	Eg. 561.	Ebraea	Cap. b. sp.	274.	
similis	—	...	Eg. 562.	infuscata	Canton.	...	Eg. 475.
purpurea	—	...	Eg. 563.	var. b.	—	...	Eg. 574.
atropurpurea	—	...	Eg. 564.	polita	Svec.	252.	
Armoriacæ	Svec.	268.		var. b.	—	—	
Polygoni	—	258.		staphylea	—	251.	
cincta	—	...	Eg. 565.	var. b.	—	...	Ghl.
limbata	—	262.		var. c.	—	...	Eg. 575.
var. b.	—	—		lusitanica	—	244.	
sangvinolenta	—	—		Banksii	Lusit.	—	
var. b.	—	...	Eg. 566.	var. b.	—	...	Eg. 576.
lateralis	—	...	Eg. 567.	Sparmanni	Afr.	...	Eg. 577.
†† corpore ovato.	—	—		globosa	Germ.	245.	
Rossia	—	263.		gibbosa	Amer.	240.	
violaceovittata	—	...	Eg. 568.	Sophiæ	Svec.	269.	
tenebricosa	Eur. austr.	253.		betulina	—	...	Eg. 578.
				pulchra	—	...	Eg. 579.
				thoracica	Guin.	240.	

G. DORYPHORA Ill. Oliv. Ltr. Ed. enc. — CHRYSOMELA ol. — COCCINELLA Thg. Hbst. — EROTYLUS Fbr.

Sapphirina	Ind. or.	1. 2. 258.		pallida	...	Eg. 581.
ignita	Brasil.	...	Eg. 580.			

G. PAROPSIS Oliv. Ltr. Ed. enc. — NOTOCLEA Mrsh.

5. Subdiv. Artic. antennarum omnibus aequalibus.

G. ISOSOMA Eg. — ADORIUM, CRIOCERIS, GALLERUCA ET CHRYSOMELA ol.						
1. punctatum	Ind. or.	1. 2. 238.		lusitanica	Lusit. Hisp.	Eg. 582.
affinis	Javæ	239.		mutabilis, var. c.	Sierr. Leon. Schll.	271.
grandis	Ind. or.	238.		bivittata	Amer.	271.
concolor	Javæ	251.		innuba	Ins. Amer.	—

G. ADORIUM Fbr. Ltr. Schh. — OIDES Wbr.

10 punctatum	Canton	1. 2. 230.		2 punctatum	Cap. b. sp.	230.
var. b.	—	...	Eg. 585.			

61. Nat. Criocerides.

Antennis inter oculos insertis.

G. CRIOCERIS Auct. pler. — AUCHENIA Mrsh. — GALLERUCA Pnz. — CRYPTOCEPHALUS Gml.

abrupta, var. <i>δ</i> .	Amer.	1. 2. 271.	fucata	Barthel.	274.
capita	Cajen.	271.	elata	Amer.	271.
bioculata	Cap. b. sp.	274.	4 notata	Sumatr.	274.
caminea	Carol.	—	signata	— Eg. 584.

G. GALLERUCA Auct. pler. — ADIMONIA Schrk. Lchrt. — CHRYSOMELA Linn. DGr. etc.

grossa	— Eg. 585.	var. <i>δ</i> .	Svec.	293.
Tanaceti	Svec.	1. 2. 290.	Nymphaeae	—	295.
testacea	Cap. b. sp.	288.	var. <i>δ</i> .	— Eg. 587.
rustica	Svec.	290.	var. <i>c</i> .	— Ghl.
var. <i>δ</i> .	— Pkl. a	Viburni	—	296.
interrupta	—	290.	Capreae	—	297.
tumida	Cap. b. sp.	297.	var. <i>δ</i> .	—	—
ferruginea	Amer.	291.	Lineola	—	296.
ventralis	— Eg. 586.	var. <i>δ</i> .	—	—
sanguinea	Svec.	299.	Calmariensis	—	— Lythri.
var. <i>δ</i> .	—	—	var. <i>δ</i> .	—	—
tomentosa	Carol. 290. Baccharidis.	—	tenella	—	299.
Ulmii	Svec. 298. Calmariensis.	—	var. <i>δ</i> .	—	—

G. ADIMUS Eg. — ADIMONIA Schrk. Lchrt. Ed. enc. — GALLERUCA ol.

oblongus	Ind. or.	1. 2. 295.	4 maculatus	Germ.	294.
var. <i>δ</i> .	— Eg. 588.	fuscus	— Eg. 597.
unicolor	Bengal.	295.	palliatius	Tranqv. Cant.	298.
Coffeae	Javae	296.	nigricornis	Germ.	295.
caesicollis	Canton. Eg. 589.	marginella	Amer.	299.
ventralis	— Eg. 590.	geniculatus	— Eg. 598.
brunneus	— Eg. 591.	Lavsoniae	Ind. or.	295.
praestustus	Javae Eg. 592.	fuscicornis	— Eg. 599.
cincta ♂♂	Tranqv. veb. Eg. 593.	Bassiae	Ind. or.	295.
var. <i>δ</i> .	— Eg. 594.	Aethiops	— Eg. 600.
distinctus	— Eg. 595.	cupreatus	— Eg. 601.
guttatus	Canton. Eg. 596.	Alni	Svec.	292.

G. LYPERUS Eg. — LYPERUS Gfr. Olv. Ltr. Ed. enc. — CRIOCERIS Fbr. Pkl. Thg. Schh. — GALLERUCA Pnz. Ghl. — AUCHENIA Mrsh. — PTINUS Fbr. CHRYSOMELA Linn.

flavipes	Svec.	1. 2. 275.	rufipes	Svec.	275.
var. <i>δ</i> .	—	—	var. <i>δ</i> .	—	—

2. *Divis. pedibus saltatoris.*

G. HALTICA Auct. pler. — LEMA et CRIOCERIS Fbr. — CHRYSOMELA ol.

* <i>Elytris vage punctatis</i> l. <i>laevigatis</i> ;	—	—	var. <i>δ</i> .	Svec.	312.
† <i>thorace laevi.</i>	—	—	Euphorbiae	—	—
8 guttata	Brasil.	1. 2. 317.	parvula	Svec.	312.
crucifer	Ind. occ. Eg. 602.	atra	—	313.
var. <i>δ</i> .	— Eg. 603.	Nemorum	—	—
elegans	— Eg. 604.	flexuosa	—	314.
glabrata	Jamaic.	317.	var. <i>δ</i> .	—	—
vittata	— Eg. 605.	var. <i>c</i> .	—	—
bicolor	Amer.	317.	var. <i>d</i> .	—	—
indica	Ind. or.	301.	4 pustulata	—	307.
fuscicornis	Svec.	306.	holsatica	—	311.
rubricollis	— Eg. 606.	var. <i>δ</i> .	—	—
Lepidii, var. <i>δ</i> .	Svec.	312.	Anchusae	—	315.
coerulea	—	—	lurida	—	309.
—	—	—	var. <i>δ</i> .	— Rss.
—	—	—	pratensis	—	309.

<i>Haltica</i>							
pratensis var. c.	Svec.	Ghl.	var. <i>δ</i> .	Svec.)
atricilla	—	1. 2.	308.	var. c.	—	Ghl.
var. <i>δ</i> .	—	Ghl.	var. d.	—)
tabida	—	—	311.	aridella var. c.	—	315.	<i>δ</i> .
Verbasci var. <i>δ</i> .	—	—	309.	var. d.	—	—	c.
melanocephala var. <i>δ</i> .	Svec.	309.		semiaenea	—	305.	
Nasturtii	Svec.	Ghl.	var. c.	—	Eg. 610.
var. <i>δ</i> .	—	309.		Modeeri	—	304.	
testacea	—	—	305.	chrysanthemii	—	305.	
var. <i>δ</i> .	—	Eg. 607.	Echii	Germ.	320.	
				Rubi	Svec.	314.	
†† <i>thorace transversim sulcato.</i>				†† <i>thorace transversim sulcato.</i>			
restituta	Amer.	—	319.	Volkameriae	Amer.	311.	
dorsata	Ind. or.	Eg. 603.	rußpes	Svec.	307.	
mercurialis	Svec.	—	320.	femorata	—	Eg. 611.
oleracea	—	—	319.	advena	Ins. Amer.	320.	
var. <i>δ</i> .	—	Ghl.	nitidula	Svec.	305.	
var. c.	—	—	319.	helxines	—	—	
** <i>Elytris punctato-striatis;</i>				var. <i>δ</i> .	—	—	
† <i>thorace laevi.</i>				var. c.	—	—	
cyannipennis	—	Eg. 609.	var. f.	—	—	
Napi	Svec.	—	301.	var. g.	—	—	
Hyoscyami	—	—	—	var. i.	—	—	
chrysocephala	—	—	302.	var. k.	—	—	
var. <i>δ</i> .	—	Ghl.	var. m.	—	—	
Spergulae	—	Ghl.	St. crucis	Ins. St. Cruc.	311.	
dentipes	—	—	315.	pubescens	Germ.	315.	

62. Nat. Hispædes.

Habitum oblongo; thorace quadrato.

G. HISPÆ Auct. pler. — CRIOCERIS Oliv. Fror. Gffr. Rmr. Slz.

* *spinosa.*

atra	Svec.	1. 3. 1.
testacea	Enr. austr.	2.
erinacens	Tranqveb.	—

** *inermes.*

vittata	Carol.	5.
sauguinicollis	Amer.	3.

G. ALURNUS Fbr. Ltr. Ed. enc. — HISPÆ Oliv.

limbata Brasil. Eg. 612.

63. Nat. Cassidædes.

Habitum clypeiformi; thorace semicirculari.

G. HIMATIDIUM Ill. Ed. enc. — IMATIDIUM Fbr. Ltr. Schh.

G. STOLAS Eg. — CASSIDA ol.

grossa	Amer.	1. 2. 226.	binodosa	Brasil.	Eg. 616.
variegata	—	—	marginata	Ind. or.	222.	
bidens	Brasil.	225.	var. <i>δ</i> .	—	Eg. 617.
6 pustulata	—	229.	suturata	—	Eg. 618.
var. <i>δ</i> .	—	lateralis	Amer.	227.	
violacea	Ind. or.	gibba	Cajen.	218.	
tetrastigma	—	228.	cuprea	—	228.	
Plyctacna	Cajen.	—	brachiata	Amer.	217.	
Discors	Amer.	—	cribraria	—	219.	
metallica	Brasil.	Eg. 615.			

G. CASSIDA Auct.

* *corpore ovato.*

Javensis	Javæ	Eg. 619.	Crux	Cajen.	220.	
dissimilis	Cant.	Eg. 620.	quadrata	Amer.	218.	
variabilis	Ind. or.	Eg. 621.	Soror	Canton.	Eg. 622.
St. Crucis	Ind. occ.	Hbst.	circumdata	Ind. or.	218.	
15 punctata	Sumatr.	1. 2. 221.		Annulus	Cajen.	218.	
miliaris	Ins. Helen.	222.		judaicæ	—	216.	
nicans	Sumatr.	221.		obscura	Ind. or.	217.	

Cassida.

** *corpore oblongo.*

spiniger	Brasil. Eg. 623.	rubiginosa	—	211.
clatrata	— Eg. 624.	var. <i>δ.</i>	—	209. viridis.
3 punctata	— Eg. 625.	viridis	— Ghl.
austriaca	Anstr.	212.	var. <i>δ.</i>	—	210. equestris.
murraea	Svec.	215.	thoracica	— Eg. 627.
ferruginea	—	214.	atrata	Anstr.	212.
azurea	Hung.	212.	pallida	Svec.	220.
nebulosa	Svec.	215.	obsoleta	—	215.
var. <i>δ.</i>	—	—	var. <i>δ.</i>	—	—
var. <i>c.</i>	— Eg. 626.	nobilis	—	219.
maculata	—	215. murraea	var. <i>δ.</i>	—	—
		var. <i>d.</i>	minuta	— Eg. 628.
Vibex	—	211.	viridula	—	220.

64. Nat. Erotylides.

Corpore gibboso; thorace transverso.

G. EROTYLUS	Fbr. Oliv. Ltr. Ed. enc. Hbst. Ill. Schh. — CHRYSOMELA ol. — COCCINELLA Hbst. — CRYPTOCEPHALUS Gml.
fasciatus	var. <i>δ.</i> Amer. 1. 2. 327. testaceus Brasil. Eg. 629.
var. <i>c.</i>	—
G. AEGITHUS	Fbr. Ed. enc. — EROTYLUS Ill. Schh. — CHRYSOMELA ol. surinamensis Amer. 1. 2. 328.
G. LANGURIA	Ltr. Ed. enc. TROGOSITA Fbr. — COLYDIUM Schh.
G. PHALACRUS	Ill. Pkl. Ltr. Ed. enc. Schh. Ghl. — DERMESTES Mrsh. Schrk. Scp. — ANISOTOMA Ill. Pnz. Fbr. — SPHAERIDIUM ol.
chinensis	Canton. Eg. 630. aeneus Svec. 109.
fimetiarius	Svec. 1. 1. 108. corrh. bicolor —
	scus. var. <i>δ.</i> — Ghl.
corruscus	— 109. testaceus — 109.
Millefolii	— mandibularis Ind. occ. Eg. 651.
G. AGATHIDIUM	Ill. Ltr. Ed. enc. ANISOTOMA ol.
varium	Germ. Strm. minutum Germ. Strm.
punctulum	— — minutissimum — Eg. 652.

4. Trib. Trimer a.

Tarsis 3-articulatis.

65. Nat. Coccinellædes.

Antennis thorace brevioribus.

G. SCYMNUS	Hbst. Kgl'n. Thg. Ed. enc. — TRITOMA Pnz. — COCCINELLA Auct. pler.
Abietis	Svec. 1. 2. 205. thoracicus Amer. 207.
discoldeus	— ater Svec. 207.
var. <i>δ.</i>	— nigrinus —
var. <i>c.</i> Eg. 633. maura Maurit. Eg. 636.
var. <i>d.</i> Eg. 634. orbicula Ind. or. 205.
flavilabris	— 204. reppensis Svec. 194.
2 verrucatus	— 205. var. <i>δ.</i> —
parvulus	— 206. Brassiliensis Brasil. Eg. 637.
var. <i>δ.</i>	— chinensis Canton. Eg. 638.
analis	—
G. CHILOCORUS	Lch. Ed. enc. — COCCINELLA ol.
unicolor	Javæ 1. 2. 151. 2 pustulata Svec. 195.
rufipes	Canton. Eg. 639. var. <i>δ.</i> —

Chilocorus

2 pustulata var. c. Svec. ... Eg. 640.	4 pustulata Svec. 198. 4 verrucata.
renipustulata — 197.	

G. COCCINELLA Auct.

*corpore orbiculari.

Congener Javae Eg. 641.	
oculata Columb. 1. 2. 196.	
var. b. — Eg. 642.	
2 plagiata Chin. 196.	
4 plagiata Ind. or. 195.	
var. c. — — —	
var. d. — — —	
var. e. — Eg. 643.	
ochrocephalus Javae Eg. 644.	
lineatipes Canton. Eg. 645.	
nitidula Ins. Amer. 194.	
fulvipes Eg. 646.	
aurita Eur. austr. 194.	
bicolor Canton. Eg. 647.	
nigrifrons Javae Eg. 648.	
Russica Ross. 200.	
undatofasciata Chin. Eg. 649.	
var. b. — Eg. 650.	
var. c. — Eg. 651.	
canina Cap b. sp. 203.	
12 verrucata — 200.	
vulpina Ind. or. — a C. l. n. nata certe distincta.	
var. b. Ind. or. Eg. 652.	
innata Ins. Helen. 200.	
Versicolor Chin. 182.	
var. b. — Eg. 653.	
9 maculata Nov. Holl. 177.	
9 signata Javae Eg. 654.	
suturalis Ind. or. 157.	
var. b. — Eg. 655.	
var. c. — Eg. 656.	
vittata Guin. 157.	
5 maculata Amer. 156. 3 lineata connectens Ins. Eustac. 157.	
bis 2-punctata Cant. Eg. 667.	
var. b. — Eg. 658.	
discolor Ind. or. 152.	
var. b. — Eg. 659.	
var. c. — Eg. 650.	
marginata Amer. 151.	
immaculata Ins. Amer. 151.	
var. b. — Eg. 661.	
var. c. Brasil. Eg. 662.	
impunctata Svec. 153.	
micans Ind. or. Eg. 663.	
globosa Svec. 153.	
var. b. — Eg. 664.	
var. c. — Eg. 665.	
var. f. — 153 c.	
var. i. — Eg. 666.	
var. k. — 153 f.	
var. l. — Eg. 667.	
var. m. — 153 g. 22 punct. Fbr.	
var. n. — 153 h.	
var. o. — i.	
var. q. — Eg. 668.	
var. r. — 153 k.	
var. s. — l.	
bis 4 punctata Ind. or. 186.	
5 notata Brasil. Eg. 669.	

lineola Ins. Amer. 190.	
var. b. — Eg. 670.	
12 punctata Svec. 180	
var. b. — — —	
var. c. — — —	
var. d. — — —	
var. e. — — —	
14 pustulata — 200.	
var. b. — — —	
var. c. — — —	
iridea Cap. b. sp. 184.	
pupillata Chinae	
albolineata Ind. or. 168.	
var. b. — Eg. 671.	
albicollis Canton. Eg. 672.	
pubescens Canton. 203.	
flavomarginata — Eg. 673.	
10 guttata Svec. 190.	

**corpore oblongo.

ocellata Svec. 195. oblongoguttata.	
var. b. — — —	
var. c. — Eg. 674.	
var. d. — Eg. 675.	
var. e. — 182. ocellata.	
var. f. — b, c, d.	
var. g. — e.	
var. h. — g.	
var. i. — f.	
var. k. — Eg. 676.	
var. l. — Eg. 677.	
var. m. — Eg. 678.	
var. n. — Eg. 679.	
var. o. — 183. h.	
borealis Columb. 181.	
chrysomelina Air. —	
capensis Cap. b. sp. —	
28 punctata Tranqueb. 185.	
var. b. — Eg. 680.	
marginopunctata Svec. 156.	
var. b. — — —	
var. c. — Eg. 681.	
7 punctata Svec. 172.	
var. b. — — —	
var. g. — — —	
5 punctata — 171.	
var. b. — — —	
var. c. — Eg. 682.	
5 cincta Chinae 169.	
variegata — Eg. 683.	
var. b. — Eg. 684.	
var. c. — Eg. 685.	
var. d. — Eg. 686.	
var. e. — Eg. 687.	
cingulata Tranqueb. 170.	
fasciatopunctata Eg. 688.	
3 fasciata Svec. 170.	
arcuata Chin. —	
Sobriua Eg. 689.	
hyperborea Svec. 159.	
var. b. — — —	
var. d. — — —	

Coccinella					
hyperborea	var. z.	Svec. 159.	var. v.	Svec. Eg. 698a
	var. h.	—	var. x.	— Eg. 699a
Hieroglyphica	Svec.	163.	var. y.	—	167. u.
	var. b.	—	var. z.	—	— v.
	var. c.	—	var. aa.	—	—
	var. d. Eg. 690.	var. bb.	—	—
	var. e. Eg. 691.	var. ce.	—	} x, y, z, 4
	var. f. Eg. 692.	var. dd.	—	—
	var. g. Eg. 693.	tigrina	—	202.
	var. h. Eg. 694.	var. b.	—	—
bothnica	—	168.	16 guttata	—	192.
	var. b. Eg. 695.	var. b.	— Eg. 700a
rivularis	Cap. D. sp.	163.	14 guttata	—	191.
conglobata	b. Svec.	186 b.	var. b.	—	— bis 7 gutt.
	var. c.	—	var. c.	— Eg. 701a
	var. d.	—	var. d.	— Eg. 702.
	var. e.	—	bis 6 guttata	—	191.
	var. f.	—	var. b.	— Eg. 703a
	var. g.	—	18 guttata	—	193.
	var. h.	—	var. b.	—	— d.
	var. i.	—	var. c.	—	— c.
	var. k.	—	var. d.	—	— b.
	var. l.	—	var. e.	—	— s.
	var. m.	—	dispar	—	159. t.
impustulata	b.	188.	var. b.	—	— r.
	var. c.	—	var. c.	—	— q.
	var. d.	—	var. d.	—	— p.
	var. e.	—	var. e.	— Eg. 704.
	var. f.	—	var. i.	—	161. k.
	var. g.	—	var. k.	—	— g.
	var. h.	—	var. l.	— Eg. 705a
	var. i.	—	var. m.	—	161. h.
	var. k.	—	var. o.	—	— f.
variabilis	—	164.	var. p.	—	— e.
	var. d.	—	var. q.	—	— i.
	var. e.	—	var. r.	—	— d.
	var. h.	—	var. s.	—	— c.
	var. k.	—	var. t.	—	— b.
	var. l. Eg. 696.	var. u.	—	— a.
	var. m.	164. l.	var. v.	—	163. hume-
	var. n.	— m.	var. x.	—	ralis.
	var. o.	— n.	var. y.	—	— b.
	var. p. Eg. 697.	var. aa.	—	— d.
	var. q.	167. o.	var. bb.	— Eg. 706.
	var. t.	— r, s.	22 punctata	—	185.
	var. u.	— t.			

G. SPILOTA Eg. — COCCINELLA ol.					
19 punctata	Svec.	1. 2. 185.	var. e.	Svec.	175.
	var. b. Eg. 707.	var. f.	— Eg. 712.
arctica	—	199.	var. h.	—	175. g.
10 maculata	Amer.	178.	var. i.	—	— h.
aricana	Afr.	—	var. k.	—	— i.
7 maculata	Svec. Eg. 708.	11 punctata	—	178.
	var. b. Eg. 709.	var. b.	—	—
	var. c.	174. a.	var. f.	— Eg. 713.
	var. e.	— b.	var. g.	— Eg. 714.
	var. g.	— f.	var. h.	—	179. f.
	var. i. Eg. 710.	var. i.	— Eg. 715.
	var. k.	174. 13 punctata.	var. m.	—	180. i.
	var. l.	— b.	M. nigrum	—	152.
	var. m.	— c.	var. b.	—	— b.
	var. o.	— e.	var. c.	—	— g.
	var. p. Eg. 711.	var. d.	— Eg. 716.
mutabilis	b.	175.	var. e.	—	152. c.
	var. c.	—	var. f.	— Eg. 717.

66. Nat. Endomychides.

Antennis thorace longioribus.

- G. EUMORPHUS Wbr. Ltr. Fbr. Ed. enc. Schh. — EROTYLUS III.
 immarginatus Sumatr. 1. 2. 329. | coccineus Brasil. Eg. 718.
- G. ENDOMYCHUS Pkl. Fbr. Ed. enc. — TENEBRIO Mrsh. Uddm. VII.
 Mtr. — CHRYSOMELA Linn. DGr.
 coccineus Svec. 1. 2. 323.
- G. LYCOPERDINA Ltr. Ed. enc. Schh. — ENDOMYCHUS. ol. — SILPHE
 Linn. — TENEBRIO Mrsh.
- | | | | |
|----------------|--------------------|----------------|------|
| Bovistae Svec. | 1. 2. 324. immacu- | cruciata Svec. | 324. |
| | lata. | | |
| succincta — | — 4 pustulata. | | |
- G. DASYCERUS? Brng. Wdm.

67. Nat. Pselaphides.

Elytris abbreviatis.

- G. CHENNIUM Ltr. Ed. enc.
- G. PSELAPHUS Hbst. Pkl. III. Pnz. Ltr. Rchb. — ANTHICUS Fbr. — STA-
 PHYLINUS Linn.
 sanguineus Svec. Linn. | haematicus Germ. Rchb.
- G. CLAVIGER Pral. Pnz. III. Ltr. Müll.
 foveolatus Svec. Müll. testaceus Pnz.

456 Genera

2. Ordo Orthoptera:

Elytris coriaceis aut membranaceis; sutura subrecta; maxilla galea obtusa tecta.

I. Tribus Placoda:

Elytris abbreviatis; tarsi 3-articulatis.

I. Nat. Forficulædes.

Corpore lineari, apice forcipitato.

GENUS LABIDURA Lch. Ed. enc. — FORFICULA ol.

gigantea	Eur. austr.	Fbr.	var. c.	Eur. austr.	Eg. 2.
var. b.	—	Eg. 1.	pallipes	Javæ	Eg. 3.

G. FORFICULA Auct.

avicularia	Svec.	Linn.	planata	Javæ	Eg. 5.
var. b.	Hisp.	Eg. 4.	marginata	—	— 6.

G. LABIA Lch. Ed. enc. — FORFICULA ol.

minor	Svec.	Linn.
-------	-------	-------

2. Trib. Dermatoda:

Elytris coriaceis decussatis; tarsi anticis 5—posticis 4 articulatis.

2. Nat. Blattædes.

Corpore depresso.

G. BLATTA Auct.

Maderæ	Ins. Maderæ	Hbst.	latissima		Hbst.
gallica	Gall.	Fbr.	ægyptiaca ♀	Aegypt.	Linn.
americana	Amer.	Linn.	variegata ♀		Eg. 8.
var. b.	—	Eg. 7.	cincta	Amer.	Fbr.
australasie	Austral.	Fbr.	albiifrons	Brasil.	Eg. 9.
erythrocephala	Cap. b. sp.	—	germanica	Svec.	Linn.
capensis	—	Thg.	lapponica	—	—
indica	Ind. or.	Fbr.	hemiptera	Germ.	Fbr.
orientalis ♂♀	Orient.	Linn.			

G. THEREA Eg. — BLATTA ol.

Petiveriana	Ind. or.	Linn.	pubescens	Javæ	Eg. 12.
lateralis	Brasil.	Eg. 10.	hirtella		— 13.
pacifica	Maurit.	— 11.			

3. Trib. Plectæoda:

Elytris longitudinaliter plicatis; tarsi diversis.

3. Nat. Mantidides.

Tarsi 5 articulatis.

1. *Divis. Pedibus anticis non raptoribus.*

G. PHASMA Lichtst. Fbr. Ltr. Lch. Ed. enc. — SPECTRUM Stll. Lmk. — MANTIS Fbr.

filiformis	Amer.	Hbst.
------------	-------	-------

G. SPECTRUM Stll. Lmk. Lch. Ed. enc. — PHASMA Fbr. Ltr. — MANTIS Fbr.

G. PHYLLIUM Ill. Ltr. Ed. enc. — SPECTRUM Stll. — PHASMA Lichtst. Lmk. MANTIS Linn. Fbr. Oliv. Duv. etc.

siccifolium	Ins. Molucc.	Linn.
-------------	--------------	-------

2. *Divis. Pedibus anticis raptoribus.*

G. EMPUSA Ill. Ltr. Ed. enc. — MANTIS Auct. pler.
Gongylodes Afr. Asiae Linn.

G MANTIS Auct.

Javanica	Javæ	Eg. 14.	hyalina	Amer.	DGr.
Oratoria	Eur. austr.	Linn.	monacha	Cap. b. sp.	Fbr.
Simulacrum	Amer.	Fbr.	marginata	Ind. occ.	Plst.
sancta	Eur. austr.	—	grisea	—	Fbr.
praecaria	Amer.-Afr.	Linn.	intruscata	—	Eg. 16.

4. Nat. Locustædes.

Tarsis 4 articulatis.

G. LOCUSTA DGr. Oliv. Lmk. Ltr. Fbr. Ed. enc. — GRYLLOS Linn. Pall.
etc.

* Capite non producto.

citriolia	Ind.	Linn.
cristiger	—	Eg. 16.
lamellosa	—	— 17.
indica	Ind. or.	— 18.
viridissima	Linn.	Linn.
curvicauda	Surin.	DGr.
griseocens	—	Eg. 19.
verucivora	Svec.	Linn.
var. b.	—	Eg. 20.

brachyptera	Svec.	Linn.
griseoptera	Hisp.	DGr.
Pupa	Aethiop.	Linn.

** Capite acute producto.

lanceolata	Sierr. Leon.	Fbr.
cornuta	Surin.	DGr.
tuberculata	—	—
hispanica	Hisp.	Eg. 21.
flavo-ensata	—	— 22.

5. Nat. Gryllides.

Tarsis 3 articulatis.

1. *Divis. Thorace distincto.*

G. TRUXALIS Fbr. Oliv. Lmb. Ltr. — ACRYDIUM DGr. — GRYLLOS Linn.
Dr. etc.

nasutus	Afr.	Linn.
hispanicus	Hisp.	Eg. 23.
conicus	N. Holl.	Fbr.
hungaricus	Hung.	—
vittatus	Chin.	—
tenuis	—	Eg. 24.

pallescens	—	Eg. 25.
brevicornis	Amer.	Linn.
crenulatus	Tranqueb.	Fbr.
viridulus	—	Eg. 26.
rubrescens	—	— 27.

G. GRYLLOS Auct.

* Thorace verrucoso.

Spumans	Cap. b. sp.	Thg.
morbillosus	—	Linn.
var. b.	—	Eg. 28.
scabiosus	Tranqueb.	Fbr.

** Thorace carinato.

cristatus	Arab.	Linn.
serratus	Cap. b. sp.	—
serripes	Ind. or.	Fbr.
vocans	N. Holl.	—
brunnescens	—	Eg. 29.
nebulosus	—	— 30.
migratorius	Eur.	Linn.
irroratus	—	Eg. 31.
catenulatus	—	Eg. 32.
lineatus	Surin.	— flavo-
		fasciatus DGr.
affinis	—	Eg. 33.
tartaricus	Afr.	Fbr.
flavicornis	Chin.	—
viridis	—	Eg. 34.

crassipes	Hisp.	Eg. 35.
brunneus	—	— 36.
Fasciola	—	— 37.
littea	Austr.	— pictus Lch.
indica	Chin.	Eg. 38.
parvula	—	— 39.
pygmaea	—	— 40.
stridulus	Svec.	Linn.
crasus	—	Eg. 41.
maculosus	Hisp.	— 42.
pedestris	Svec.	Linn.
crux	—	Eg. 43.
grossus	—	Linn.
flaveola	Hisp.	Eg. 44.
viridulus	Svec.	—
apricarius	—	—
luteus	—	Linn.
punctiger	—	Eg. 45.
guttulus	—	Linn.

*** Thorace laevi.

virescens	—	Eg. 46.
-----------	---	---------

Gryllus

Gryllus
 **** *Thorace scabro.*
 coeruleus Svec. Linn. | cinereus Svec. Eg. 47.
 | hyalinus — — 48.

G. PNEUMORA Thg. Ltr. Ed. enc. — ACRYDIUM DGr. Oliv. — GRYLLUS ol.
 variolosa Cap. b. sp. Linn. | papillosa Cap. b. sp. Thg.

2. *Divis. Thorace scutelliformi producto; elytris nullis.*

G. ACRIDIUM Auct. pler. — ACHETA Lmk. — TETRIX Ltr. — GRYLLUS
 Linn. DGr. etc.

2. punctatum Svec. Linn. | subulatum Svec. Linn.
 var. b. — Eg. 49. | var. b. — Eg. 53.
 var. c. — — 50. | pustulatum — 54.
 var. d. — — 51. | marginatum — 55.
 var. e. — — 52.

6. Nat. Achetædes.

Tarsis 5-articulatis, elytris horizontalibus.

1. *Divis. Pedibus anticis simplicibus.*

G. ACHETA Auct. pler. — GRYLLUS Linn DGr. etc.

monstrosa Ind. Linn. 2 maculata Ind. or. DGr.
grossa — Eg. 56. brunripes — Eg. 58.
dônestica Svec. Linn. grisea — 59.
assimilis Ind. occ. Fbr. collaris Javæ — 60.
capensis Cap. b. sp. — lineata — 61.
var. b. — — Eg. 57.

2. *Divis. Pedibus anticis palmatis.*

G. XYA Ill. — TRIDACTYLUS Oliv. Ltr. Ed. enc. — ACHETA Cqvb. — GRYL-
 LUS Linn.

G. GRYLLOTALPA Rss. Ltr. Ed. enc. — ACHETA Fbr. — GRYLLUS Linn.
 vulgaris Svec. Linn. | didactyla Cajen. Ed. enc.

3. Ordo Hemiptera:

Elytris crustaceis coriaceis, *l.* membranaceis: sutura obliqua; ore subrostrato *l.* rostrato.

I. Tribus Heterata:

Elytris crustaceis *l.* coriaceis apice membranaceis; sutura obliqua.

I. Legio Aquatica:

Antennis brevissimis sub oculis insertis.

I. Natio Nepædes.

Corpore depresso; tarsis anticis tibiis unitis.

1. *Divis. Antennis 3 articulatis.*

G. RANATRA Fbr. Schllb. Ltr. Ed. enc. — HEPA Gffr. — NEPA Auct. coet.

linearis	Svec.	Linn.	elongata	Tranqvæb.	Fbr.
filiformis	Tranqvæb.	Fbr.			

G. NEPA Auct.

grandis	Amer.	Linn.	rubra	Ind. or.	—
grossa?	Guin.	Fbr.	cinerea	Svec.	Linn.
fusca	Ind. or.	Linn.	ovata		Eg. 1.

G. HEPA Gffr. — NEPA ol.

rustica	Corom.	Fbr.	annulata	Corom.	Fbr.
---------	--------	------	----------	--------	------

2. *Divis. Antennis 4 articulatis.*

G. NAUCORIS Gffr. Fbr. Oliv. Ltr. Ed. enc. — NEPA Auct. coet.

cimicioides	Svec.	Linn.
-------------	-------	-------

2. Nat. Notonectædes.

Corpore depresso, tarsis omnibus distinctis 2 articulatis.

G. NOTONECTA Auct. pler. — NEPA DGr.

minutissima	Svec.	Linn.	americana	Amer.	Fbr.
nivea	Ind. or.	Fbr.	turgata	Svec.	—
javanica	Javæ	Eg. 2.	glauca	—	Linn.

G. SIGARA Fbr. Schrk. Schllb. — NOTONECTA Linn. — NEPA DGr. — CORIXA Gffr. Oliv. Lmk. Ltr. Ed. enc.

coleoptrata	Svec.	Linn.	minor	Germ.	Strm.
striata	—	—	palliceps	—	—
marginata	—	Eg. 3.	alpinis	Svec.	Eg. 3.
pallipes	—	— 4.			

3. Nat. Galgulides.

Corpore orbiculato — ovato; tarsis omnibus distinctis 2 articulatis.

G. GALGULUS Ltr. Ed. enc. — NAUCORIS Fbr.

G. BELOSTOMA Ltr. Ed. enc.

G. PELOGONUS Ltr. Ed. enc.

2. Leg. Terrestria.

Antennis exsertis distinctis.

4. Nat. Hydrometrædes.

Rostrum brevi; pedibus longissimis.

- G. HYDROMETRA Ltr. Lmk. Fbr. Ed. enc. — AQUARIUS Schllb. — Cr.
MEX Linn. Gffr. — GERRIS Flln.
Stagnorum Svec. Linn.
- G. VELIA Ltr. Ed. enc. — HYDROMETRA Fbr. Wlf. — CIMEX Rss.
Rivulorum Alsat. Fbr. | currens Svec. Fbr.
- G. AQUARIUS Schllb. — HYDROMETRA Fbr. — GERRIS Ltr. Ed. enc. —
CIMEX Linn. DGr. Gffr. etc.
lacustris Svec. Linn. | Paludum Svec. Fbr.

5. Nat. Acanthiædes.

Labro prominente; pedibus gressoriis.

- G. LEPTOPUS Dfr. Ltr. Ed. enc.
- G. SALDB Fbr. — ACANTHIA Ed. enc. — LYCAEUS Flln. — CIMEX Auct.
Coet.
leucocephalus Svec. Linn. | atra Svec. Fbr.
grylloides — — | pallicornis — Flln.
- G. ACANTHIA Schrk. Ltr. Ed. enc. — SALDA Fbr. Flln. Wlf. — CIMEX
Linn. DGr. Gffr.
sylvestris Svec. Linn. | pallipes Svec. Fbr.
saltatoria — — | striata Austr. —
littoralis — — | zosteræ Svec. —

6. Nat. Cimicides.

Rostrum 3—2 articulo.

- H. ARADUS Fbr. Prz. Ed. enc. Wlf. — ACANTHIA Schrk. Wlf. — Co-
REUS Schllb. — CIMEX Linn. DGr. Gffr.
rugosus Svec. Linn. | corticalis Svec. Linn.
laevis — Fbr. | betulinus — Flln. Be-
brevicollis — Flln. | tulae Fbr.
Betulae — Linn.
- G. CIMEX Auct. pler. — ACANTHIA Fbr. Flln.
lectularius Svec. Linn.
- G. TINGIS Fbr. Ltr. Ed. enc.
* *Thorace mutico.*
2 maculata Germ. Wlf. | crassicornis Svec. Flln. clavicor-
nis Fbr.
** *Thorace carinato;*
† *antennis pilosis.*
Pyri Svec. Fbr. | †† *antennis mediis.*
foliacea — Flln. | carinata Germ. Strm.
| parvula Svec. Flln.
| Humuli — Fbr.
| Cardui — Linn.
- G. PHYMATA Ltr. Lch. Ed. enc. — SYRTIS Fbr.
- G. SYRTIS Fbr. Wlf. — MACROCEPHALUS Sydr. Ed. enc. — ACANTHIA
Schllb. Wlf.
- G. REDUVIUS Fbr. Oliv. Lmk. Ltr. Wlf. Ed. enc. Flln. — CIMEX Linn.
DGr. Gffr. etc.
subapterus Svec. Fbr. | sanguineus Hisp. Fbr.

Reduvius					
obscurus	Javæ	Eg. 6.	singularis	Ind. or.	Eg. 8.
cruentus	Gall.	Fbr.	nigripennis	—	Fbr.
annulatus	Svec.	Linn.	sanctus	—	—
personatus	—	—	villosus	Barbar.	—
fasciocolis	Javæ	Eg. 7.	2 maculatus	Brasil.	Eg. 9.
G. NABIS Ltr. Ed. enc. REDUVIUS Wlff. Fbr. — CIMEX DGr.					
Gigas	Ind. or.	Fbr.			
G. ZELUS Fbr. Ltr. Ed. enc. — CIMEX Linn. DGr.					
bifidus	Chin.	Fbr.	collaris	Ind. or.	Fbr.
G. PETALOCIRUS Lch. Ed. enc. — PETALOCHEIRUS Plst. — REDUVIUS Ltr.					

7. Nat. Coreides.

Antennis 4 articulatis; rostro 4 articulo.

G. PACHYCERA Eg. — CAPSUS Fbr. — LYGAEUS Schllb. Pnz.					
Spissicornis	Svec.	Fbr.			
G. MYODOCHA Ltr. — CIMEX DGr.					
G. BERYTUS Fbr. Ed. enc. Wlff. — NEIDES Ltr. — GERRIS Flln. — CIMEX Linn. Gffr. etc.					
tipularius	Svec.	Linn.	clavipes	Svec.	Fbr.
G. EMESA Fbr.					
G. GRRIS Fbr. Schllb. Flln. Wlff. — PLOJARIA Scp. Ltr. Ed. enc. — CIMEX Linn. Gffr. etc.					
vagabundus	Svec.	Linn.			
G. MIRIS Fbr. Flln. — CIMEX Linn. DGr. Gffr.					
pabulinus	Svec.	Fbr.	var. <i>b.</i>	Svec.	} Flln.
icrus	—	—	var. <i>c.</i>	—	
var. <i>b.</i>	—	Flln. va-	var. <i>d.</i>	—	
		gans Fbr.	longicornis	—	—
ruficornis	—	Flln.	lateralis	—	Linn.
holsatus	—	Fbr.	ferrugatus	—	—
virens	—	Linn.	dolabratus	—	—
laevigatus	—	—			
G. ALYDUS Fbr. — LYGAEUS Fbr. — CIMEX Stll. Linn. etc.					
arcuatus	Ind. or.	Fbr.	sangvinoleatus		Eg. 11.
serripes	Nov. Holl.	—	calcaratus	Svec.	Linn.
alpinus	—	Eg. 10.			
G. CAPSUS Fbr. Ltr. Ed. enc. Wlff. — LYGAEUS Wlff. — CIMEX Linn.					
clavatus	Svec.	Linn. 2 fasci-	umbratilis	Svec.	Fbr.
		atus Fbr.	flavomaculatus	—	—
danicus	—	Fbr.	ater	—	Linn.
aegypticus	Aegypt.	Linn.	var. <i>b.</i>	—	Flln.
ruficollis	Barbar.	Fbr.	var. <i>d.</i>	—	Eg. 12.
gothicus	Svec.	—	var. <i>e.</i>	—	Eg. 13.
var. <i>b.</i>	—	—	var. <i>f.</i>	—	Eg. 14.
G. LYGAEUS Fbr. Wlff. Ltr. Ed. enc. Flln. — COREUS Flln. — CIMEX Linn. DGr. etc.					
Indus	Guin.	Fbr.	socius	Hisp.	Eg. 22.
viridescens	—	Eg. 15.	Hyoscyami	Svec.	Linn.
Fasciola	Javæ	— 16.	anicus	Amer.	Fbr.
marginellus	—	— 17.	var. <i>b.</i>	—	Eg. 23.
variabilis	Brasil.	— 18.	Boerhaaviae	Guin.	Fbr.
var. <i>b.</i>	—	— 19.	cingulatus	Nov. Holl.	—
var. <i>c.</i>	—	— 20.	var. <i>b.</i>	Ind. or.	Eg. 24.
ruficollis	—	— 21.	var. <i>c.</i>	—	— 25.
haemorrhoidal.	Cajen.	Linn.	var. <i>d.</i>	—	Koenigii Fbr.
erudelis	Cap. b. sp.	Fbr.	festivus	Guin.	—
					Lygaeus

Lygaeus			var. <i>δ</i> .	Svec.	Flln. fascia-
Slaubuschii	Chin.	Fbr.			tus Fbr.
capensis	Cap. b. sp.	Eg. 26.	var. <i>d</i> .	—	— austri-
satralis	Amer.	Linn.			cus Fbr.
augur	Ind. or.	Fbr.	minutus	—	Linn.
ocellaris		Eg. 27.	Chenopodii, <i>δ</i> .	—	Flln.
sanguineus		— 28.	var. <i>c</i> .	—	— 4 pun-
caruifex	Cap. b. sp.	Fbr.	pabulinus	—	ctatus Fbr.
distinctus		Eg. 29.	contaminatus	—	Fbr. non Flln.
marginatus		Eg. 30.	rugicollis	—	Flln.
militaris	Orient.	Fbr.	nassatus	—	—
civilis	Tranqueb.	—	striatus	—	Fbr.
equestris	Svec.	Linn.	Populi	—	Linn. Mi-
var. <i>δ</i> .	—	Eg. 31.	Tiliae	—	ris — Fbr.
apterus	—	Linn.	tunicatus	—	Linn.
var. <i>δ</i> .	—	Fbr.	ferrugatus	—	Fbr.
variegatus		Thg.	6 guttatus	—	—
affinis		Eg. 32.	semiflavus	—	—
elegans	Ind. or.	Wlf.	var. <i>δ</i> .	—	Wlf.
similis		Eg. 33.			Eg. uni-
confinis		— 34.	var. <i>c</i> .	—	fasciatus Fbr.
2 guttatus		— 35.	var. <i>d</i> .	—	Flln <i>δ</i> .
saxatilis	Eur. austr.	Linn.	var. <i>e</i> .	—	— <i>c</i> .
maculatus	Brasil.	Eg. 36.	var. <i>f</i> .	—	Eg. 45.
dissimilis	—	— 37.	fulvomaculatus	—	— 46.
semirosea		— 38.	var. <i>δ</i> .	—	Flln.
truncatus		— 39.	var. <i>c</i> .	—	—
albomaculatus		— 40.	var. <i>d</i> .	—	—
pilosus	Ind. or.	Thg.	var. <i>e</i> .	—	Eg. 47.
planatus		Eg. 41.	var. <i>f</i> .	—	— 48.
punctiger		— 42.	Ulmi	—	Linn. Mi-
hyalinus		— 43.			ris — Fbr.
lineatus		— 44.	melanocephalus	—	Linn.
Urticae	Svec.	Fbr.	Coryli	—	—
Pini	—	—	pratensis	—	—
Nubilus	—	Flln.	var. <i>b</i> .	—	Eg. 49.
nebulosus	—	—	var. <i>c</i> .	—	— 50.
agrestis	—	Fbr.	var. <i>d</i> .	—	— 51.
sylvaticus	—	—	var. <i>e</i> .	—	— 52.
Rolandri	—	Linn.	campestris	—	Linn.
Abietis	—	— fer.	rufipennis	—	Flln.
var. <i>δ</i> .	—	Linn.	2 notatus	—	Eg. 53.
sylvestris	—	—	flavovarius	Svec.	Fbr.
podagricus	—	Fbr.	Alni	—	—
rusticus	—	Flln.	sanguineus	—	—
Nemorum	—	Linn.	Filicis	—	Linn.
G. MYCTIS Lch — LYGAEUS ol.			valgus	Cap. b. sp.	Linn.
tibialis	Brasil.	Eg. 54.	cinnamomeus	—	Eg. 55.
grossipes	Tranqueb.	Fbr.	lineatus	—	— 56.
Tragus	Chin.	—	dimidiatus	—	— 57.
curvipes	Air. eqvin.	—	armatus	—	— 58.
tenebrosus	Ind. or.	—			
G. COREUS Fbr. Lmk. Ltr. Wlf. Ed.			enc. Flln. —	CINEX Linn. Gffr. etc.	
marginatus	Svec.	Linn.	crassicornis	Svec.	Linn.
Scapha	Germ.	Fbr.	clavicornis	Tang.	Fbr.
paradoxus	Cap. b. sp.	—	magnicornis	Svec.	—
sanguineus	Hisp.	—	hirticornis	Barbar.	—
rhombeus	Atr.	Fbr.	laevigatus	Javae	Eg. 60.
quadratus	Svec.	—	trispinosus	—	— 61.
denticulatus	—	Eg. 59.	spinosissima	—	— 62.

8. Nat. Cydnides.

Scutello magno, sed alis non obtegento; antennis 3 articulatis.

G. HALYS Fbr. Wlf. — CIMEX Auct. pler.

* *Thorace utrinque spinoso.*serrata Guin. Fbr.
dentata Ind. or. —** *Thorace mutico.*

mucorea Chin. Fbr. Fullo Thg.

G. SYMMYSIS Eg. — CIMEX ol.

nigrita Javae Eg. 63.

G. AELIA Fbr. Fln. — CIMEX Auct. pler.

aurantiaca Javae Eg. 64.
versicolor — 65.
flavescens — 66.intermedia Javae Eg. 67.
acuminata Svec. Linn.

G. PENTATOMA Oliv. Ltr. Ed. enc. — CIMEX Auct. coet.

* *Thorace mutico.*pallescens Ind. occ. Eg. 68.
lutescens — 69.
ferrugineum — 70.
atrum — 71.
torquatum Ind. Fbr.
viridulum —
prasinum Svec. Linn.
dissimile — Fbr.
juniperinum — Linn.
smaragdulum Ins. Mader. Fbr.
dumosum Svec. Linn.
elevatum Eg. 72.
punctigerum Hisp. — 73.
costale — 74.
annulatum Svec. Fbr.
Baccarum — Linn.
sphaecolatum — Fbr.
lituratum —
agathinum Germ. —
griseum Svec. Linn.
var. *b.* — Fln. in.

rubrofasciatum Tranqueb. Fbr.

** *Thorace utrinque spinoso.*Thoracicum Ind. or. Thg.
bidens Svec. Linn.
rufipes —
nigricorne — Fbr.
var. *b.* — Eg. 75.
var. *c.* — 76.
var. *d.* — 77.
angusticolle — 78.
haemorrhoidale Svec. Linn.
viridirostre — Eg. 79.
dimidiatum — 80.
Ferrugator Svec. Fbr. 2 spinus
Wlf.
Ypsilon Surin. Linn.
scutellare Canton. Eg. 81.
ruficorne — 82.
punctatum Svec. Linn.
spiniferum Brasil. Eg. 83.

G. EDESSA Fbr. Wlf. — CIMEX ol.

* *Thorace utrinque spinoso.*Cervus Cajen. Fbr.
Ursus Eg. 84.var. *b.* Ind. or. Eg. 85.aurantia Javae Fbr.
picea Eg. 86.
fusca Javae — 87.
limbata — 88.
perspicua Cajen. Fbr.
Janus Ins. Amer. —** *Thorace inermi.*papillosa Afr. Fbr.
nigripes Ind. or. —

G. CYDNUS Fbr. Ed. enc. Fln. Wlf. — PENTATOMA Ltr. — CIMEX Auct. coet.

decornis Eg. 89.
ornatus Svec. Linn.
festivus Eur. austr. —
var. *b.* — Eg. 90.
var. *c.* — 91.
var. *d.* — 92.
fimbriatus Chin. Fbr.
tenebrosus Eg. 93.
umbrinus Svec. Wlf.
perlatus — Fbr.albomarginatus Germ. Fbr.
spinipes Eg. 94.
flavicornis Eur. austr. Fbr.
oleraceus Svec. Linn.
coeruleus —
biguttatus —
bicolor —
morio —
tristis — Fbr.

9. Nat. Tetryædes.

Alis scutello obtectis; antennis 5 articulatis.

G. TETRYA Fbr. Wlff. Lch. Ed. enc. Flin. — SCUTELLERA Ltr. — CIMEX Linn. Dr. etc.

scarabaeoides	Svec.	Linn.	Maura	Svec.	Linn.
lineata		Eg. 96.	annulata		Eg. 102.
fuliginosa	Svec.	Fbr.	punctulata		— 103.
oblonga	Javæ	Eg. 96.	nigrolineata	Germ.	Linn.
testacea		— 97.	semipunctata	Eur. austr.	Fbr.
scabrosa	Cap. b. sp.	— 98.	guttata	Cap. b. sp.	Eg. 104.
Hottentotta	Orient.	Fbr.	Lundi	Guin.	Fbr.
var. <i>b.</i>	—	Eg. 99.	Nigellæ	Barbar.	—
var. <i>c.</i>	—	— 100.	Druryi	Amer.	—
var. <i>d.</i>	—	— 101.	var. <i>b.</i>	—	Eg. 105.

G. SCUTELLERA Lmk. Ltr. Lch. Ed. enc. — TETRYA Fbr. — CIMEX Linn. Gml. Wlff. etc.

Stollî	Ind. or.	Wlff.	var. <i>b.</i>	Asiae	Eg. 107.
Stockerus	Chinae	Fbr.	dispar	Chin.	Fbr.
var. <i>b.</i>	—	Eg. 106.	var. <i>b.</i>	—	Eg. 108.
signata	Senegal.	Fbr.	var. <i>c.</i>	—	— 109.
nobilis	Asiae	—			

G. CANOPUS Fbr. ?

monstrosus		Eg. 110.	arenatus	Nov. Holl.	Fbr.
albolineatus	Eur. austr.	Fbr.			

G. THYREOCORIS Schrk. Lch. Ed. enc. — SCUTELLERA Ltr. — TETRYA Fbr. — CIMEX Auct. coet.

cribraria	Ind. or.	Fbr.	impressa	Amer.	Fbr.
Groendahli	—	Eg. 111.	Leachi	Javæ	Eg. 114.
Afzelii	Sierr. Leon.	— 112.	Vahlî	Orient.	Fbr.
Sparrmanni	Cap. b. sp.	— 113.			

2. Trib. Strepsata:

Elytris brevissimis-subcorneis, sutura subrecta.

10. Nat. Stylopides.

Mandibulis distinctis.

G. STYLOPS Krb. Lch. Ed. enc.

G. XENOPS Rss. Krb. Lch. Ed. enc.

3. Trib. Homata:

Elytris coriaceis l. membranaceis alis tegentibus; sutura subrecta.

II. Nat. Tettigonides.

Antennis 6 articulatis ocellisq. 3.

G. TETTIGONIA Fbr. Ed. enc. Flin. — CICADA Linn. DGr. Ltr. etc.

* Elytris hyalinis.

grossa	Brasil.	Fbr.	chinensis	Canton.	Eg. 116.
atrata	Chin.	—	capensis	Cap. b. sp.	Fbr.
Fraxini	Eur. austr.	—	Orni	Eur. austr.	Linn.
septendecim	Amer.	Linn.	var. <i>b.</i>	—	Eg. 117.
fornicata	Ind.	—	tenebricosa		— 118.
fusco maculata		Eg. 115.	villosa	Cap. b. sp.	Fbr.
Tibicen	Amer.	Linn.	haematodes	Svec. Austr.	Linn.
viridis	—	Fbr.	aestuans	Barbar.	Fbr.

Tettigonia			2 guttulus	Eg. 119.
** <i>Elytris opacis</i> ,			intermedia	Eg. 120.
testacea	Tranqveb.	Fbr.	affinis	Ind. or.
sangvinolenta	Sumatr.	—	stridula	Cap. b. sp.
				Linn.

12. Nat. Cicadædes.

Antennis 3 articulatis ocellisque 2.

1. *DIVIS. Articulis 2 antennarum basalibus capite brevioribus.*
- G. LYSTRA** Fbr. — CICADA Auct. pler.
lanata ♂♀ Ind. Fbr.
- G. FLATA** Fbr. Ed. enc. — CICADA Auct. pler.
Phalaenoides Amer. Linn. | interrupta Amer. Eg. 122.
maculata Eg. 121. | atrata
- G. TETTIGOMETRA** Ltr. Ed. enc. — FULGORA Paz.
- G. FULGORA** Auct.
Laternaria Amer. Linn. | nervosa Javae Eg. 124.
candelaria Chin. — | noctivida Surin. Linn.
micans Brasil. ? Eg. 123. | planirostris Svec. Eg. 125.
- G. CIXIUS** Lch. Ed. enc. — DELPHAX Flln. — FLATA Fbr. — FULGORA Ltr. — CICADA Auct. coet.
nervosus Svec. Linn. | Cynosbatis Svec. Fbr.
var. b. — Eg. 126. | var. b. — Eg. 128.
var. c. — — 127.
- G. ISSUS** Fbr. Ed. enc. Flln. — FULGORA Ltr. Oliv. — CICADA VII.
coleoptratus Svec. Fbr. | Grylloides Svec. Fbr.
4 punctatus Ins. Amer. —

2. *DIVIS. Articulis eisdem longitudine capitibus, aut longioribus.*

- G. ASIRACA** Ltr. Ed. enc. — DELPHAX Fbr.
- G. DERBE** Fbr. — CICADA Stll.
- G. DELPHAX** Fbr. Ltr. Ed. enc. Flln. — CICADA Auct. pler.
minuta Svec. Fbr.

3. *DIVIS. Antennis inter oculos insertis.*1. *Subdiv. basi thoracis antorsum curvata.*

- G. CERCOPIS** Fbr. Ltr. Schrk. Flln. — TETTIGONIA Oliv. — CICADA Auct. coet.
- | | | | | | |
|------------------------------|---------------------|--|--|-------|------------------------|
| * <i>Elytris dilatatis</i> , | | | var. c. | Svec. | Eg. 136. |
| Nigrolineata | Eg. 129. | | var. f. | — | — 137. |
| punicia | — 130. | | var. g. | — | — 138. |
| rubra | Seneg. Fbr. | | var. h. | — | — 139. |
| praestusta | Eg. 131. | | var. i. | — | grisea Fbr. |
| sangvinolenta | Eur. austr. Fbr. | | var. l. | — | lineata — |
| var. b. | Eg. 132. | | var. p. | — | lateralis |
| cruenta | Surin. Fbr. | | | | Flln. |
| maculata | Afr. aeqvin. | | var. q. | — | Linn. |
| Salicis | Svec. DGr. | | var. s. | — | Eg. 140. |
| cincta | — Thg. | | var. t. | — | leucocephala Fbr. |
| coleoptrata | — Linn. | | | | |
| var. b. | — Eg. 135. | | | | |
| var. c. | — — 1 fasciata Fbr. | | ** <i>Elytris capite vix latioribus.</i> | | |
| Spumaria | — Linn. gibba Fbr. | | lineata | Svec. | Linn. abbreviata Flln. |
| var. b. | — — 2 fasciata — | | campestris | — | — |
| var. c. | — — Eg. 134. | | exclamationis | — | Thg. |
| var. d. | — — 135. | | | | |
- G. LEDRA**

G. LEDRA Fbr. Ltr. Ed. enc. — **CICADA** Linn. Gfr. — **MEMBRACIS** Oliv. Lmk. Schrk.

aurita Svec. Linn.

G. MEMBRACIS Fbr. — **CICADA** Oliv.

*					
** <i>Cetnu thoracis protenso.</i>			squamigera	—	DGr.
ensata	Amer.	Fbr.	angulicornis	—	Eg. 141.
			cultrata	—	Fbr.

G. CENTROTUS Fbr. — **MEMBRACIS** Ltr. Ed. enc. — **CICADA** Auct. pler.

* <i>Thorace 3 cornuto.</i>			productus		Eg. 142.
spinus	Brasil.	Fbr.	subcornutus		—, 143.
** <i>Thorace 2 cornuto.</i>			*** <i>Thorace spinoso.</i>		
punctatus	Brasil.	Fbr.	pilosus		Eg. 144.
cornutus	Svec.	Linn.	**** <i>Thorace inermi.</i>		
Taurus	Ind. or.	Fbr.	Genistae	Eur. austr.	Fbr.

G. DARNIS Fbr. — **MEMBRACIS** Cqvb. — **CICADA** Still.

* <i>Thorace baurito.</i>			** <i>Thorace inermi.</i>		
			lateralis	Amer.	Fbr.
			picta	—	Cqvb.

2. *Subdiv. basi thoracis transversa.*

G. CICADA Auct. pler. — **TETTIGONIA** Oliv. Lmk.

* <i>Capite angulatim attenuato prominente.</i>			6 guttata	Brasil.	Fbr.
cuspidata	Svec.	Fbr.	sanguinolenta	Amer.	—
var. b.	—	Eg. 145.	superba		Eg. 151a
var. c.	—	— 146.	ferruginea		— 152.
rustica	—	Fbr.	2 guttulus	Brasil.	— 153.
transversa	—	—	*** <i>Capite antice rotundato.</i>		
2 fasciata	—	—	cruentata	Svec.	Pnz.
var. b.	—	Flln.	agrestis	—	Flln.
affinis	—	—	plebeja	—	—
var. b.	—	—	virescens	—	Fbr.
			apicalis		Eg. 151.
* <i>Capite angulatim prominente crassiusculo.</i>			4 punctata	Svec.	Flln.
signata	Brasil.	Eg. 147.	elegans	Brasil.	Eg. 155.
interrupta	Svec.	Linn.	Rosae	Svec.	Linn.
Viridis	—	—	flavescens	—	Fbr.
var. b.	—	Eg. 148.	puchella var. b.	—	Flln.
albella	—	— 149.	var. c.	—	Eg. 156.
abdominalis	—	Fbr.	var. d.	—	— 157.
bella	—	Eg. 150.	punctata var. c.	—	Flln.
undata	Svec.	DGr. vit-tata Fbr.	Ulmi	—	Linn.
			vittata	—	—
			Tiliae	—	Gfr.
			maculata	—	Eg. 153.

G. JASSUS Fbr. Flln. Ed. enc. — **TETTIGONIA** Ltr. Oliv. Lmk. — **CICADA** Linn.

* <i>Capite transverso.</i>			Gyllenhali	Svec.	Flln.
irroratus		Eg. 159.	var. b.	—	Eg. 163.
virens	Svec.	— 160.	** <i>Capite antice prominente.</i>		
lineatus	—	Fbr.	fructicola	Svec.	Flln.
affinis	—	Eg. 161.	var. b.	—	—
Populi	—	Linn. fulgidus Fbr.	var. c.	—	Eg. 164.
var. b.	—	Flln. corylli Linn.	var. d.	—	v. c. Flln.
var. c.	—	—	var. e.	—	v. d. —
lituratus	—	—	var. f.	—	Eg. 165.
var. b.	—	Eg. 162.	var. g.	—	— 166.
			var. h.	—	— 167.
			fuscomaculatus	—	— 168.

13. Nat. Chermides.

Antennis 11—10 articulatis.

- ♁. CHERMES Auct. pler. — PSYLLA Gffr. Oly. Lmk. Ed. enc.
 Fraxini Svec. Linn.
 ♁. LIVIA Ltr. Ed. enc. — DIRAPHIA Ill.

14. Nat. Tripsides.

Antennis 8 articulatis.

- ♁. THRIPS Auct.
 Physapus Svec. Linn.

15. Nat. Aphidides.

Antennis 7—6 articulatis.

- ♁. APHIS Auct.
 Rosae Svec. Linn.
 ♁. ALEYRODES Ltr. Lmk. Ed. enc. — TINEA Linn. — PHALAENE Gffr.

16. Nat. Coccides.

Antennis indeterminate articulatis, sed tarsi uni-unguiculatis.

- ♁. DORTHESIA Bsc. Ltr. Ed. enc. — COCCUS Dr. Fbr. Oly. Linn. etc.
 Urticae Eur. austr. Linn. — dubius et characias Fbr.
 ♁. COCCUS Auct.
-

2. Subclassis ASTEGOPTERA:

Alis non tectis.

I. Ordo Lepidoptera:

Alis plerumque squamoso-imbricatis; lingua spirali filiformi,
rare nulla.

I. Tribus Ephemerina:

Alis quiescentium erectis; antennis extrorsim crassioribus, l. capitatis.

I. Nat. Papilionides.

Tibiis posterioribus apice tantum calcaratis; tarsis distincte
unguiculatis.

I. *Divis. Pedibus omnibus 6 gressoriis;*

1. *Subdivis. alis inferioribus pro abdomine excisis.*

G. AMARYSSUS Dim. — PAPILIO Auct. coet.

**Ecaudati.*

Panthis, ♂.	Amboin.	Linn. Re-
		mus Fbr.
Minos	Ind. or.	Crn. Aste-
		nous Fbr.
Priamus	Amboin.	Linn.
Polymnestor ♂	Ind. or.	Fbr.
Memnon	—	Linn.
var. c.	—	Eg. Andro-
		geos Crm.
Protenor	Surin.	Fbr.
Laomedon	Chin.	—
Aeneas ♀	Amer.	Linn.
Zacynthus	Brasil.	Fbr.
Belus	—	— var.

***Caudati.*

Hector	Asiae	Linn.
Polydorus	Javae	Fbr.
var. b.	—	Eg. Crm.
Polytes	Asiae	Linn.
Helenus ♂♀	—	—
Paris	Chin.	—
Ulysses ♂	Asiae	—
Pammon	—	—
var. b.	—	Eg. Klm.
var. c.	—	— 1.
var. d.	—	— Cyrus Fbr.

****Subcaudati.*

Adrastes	Eg. 2.
Phorbanta Cajen.	Linn.

G. PAPILIO Auct. pler. — PTEOURUS Scp. — PIERIS Schrk. — PRIN-
CERES Hbn.

**Alis superioribus attenuatis.*

Sarpedon	Asiae	Linn.
Polydamas	Amer.	—
Thoas	—	Columb. Fbr.

Podalirius	Eur. austr.	Linn.
Machaon	Svec.	—
Xuthus	Ind. or.	—
Agamemnon	Asiae	Fbr.

***Alis subtrigonis caudatis.*

Alcibiades	Tranqueb.	Fbr.
Protesilaus	—	Columb. } Linn.
	Ind. occ.	

****Alis trigonis ecaudatis.*

Demolaeus	Cap. b. sp.	Linn.
Epius	Ind. or.	Fbr.

G. EUGRAPHIS Dim. (Mss.) ZERYNTHIA Ochs. — THAIS Fbr. Ltr. — AN-
GYREUS Scp. — PIERIS Schrk. — PAPILIO Auct. coet.

Hypsipyle Eur. austr. Fbr.

G. THERIUS Dim. (mss.) — DORRIS Fbr. Ochs. Dim. Ed. enc. — PAR-
NASSIUS Ltr. — ARGUS et BATTUS Scp. — PIERIS Schrk. —
PAPILIO Auct. coet.

Apollo	Svec.	Linn.
var. b.	—	Dim.
var. c.	—	—

var. d.	Svec.	Dim.
Mnemosyne	—	Linn.

2. *Subdiv. alis inferioribus pro abdomine canalem formantibus:*1. *Manip. Alis subtrigonis.*

G. GLYCESTHA Dlm. (Mss.) — GANORIS Dlm. — PONTIA Fbr. Ed. enc. —
PIERIS Ltr. Schrk — BATTUS et ASCIA Scp. — MANCIPIUM
Hbn. — PAPILO Auct. coet.

Crataegi	Svec.	Linn.	Coronea	Surin.	Fbr.
Hyparite	Ind. or.	—	var. <i>z</i> .	—	Eg. 3.
Pasithoë ♂♀	Asiae	—	—	—	—

G. CEPORA Dlm. (Mss.) — GANORIS Dlm. — PONTIA Fbr. Ed. enc. Ochs. —
PIERIS Ltr. Schrk. — BATTUS et ASCIA Scp. — MANCIPIUM
Hbn. — PAPILO Auct. coet.

Meliades	Columb. } Ind. occ. }	Eg. Monu- ste Fbr.	Rapae ♂♀ Napi ♂♀	Svec.	Linn.
Belides	—	Eg. 4.	Coronus	Chinae	Fbr.
Amymone	—	— 5.	Daplidice ♂♀	Svec.	Linn.
Brassicæ ♂♀	Svec.	Linn.	Cardamines ♂♀	—	—
Gliciria	Chiu. } Crm. Liciria	Hbst.	Eupheno ♂	Eur. austr.	—
—	—	—	Eucharis	Ind. or.	Fbr.
—	—	—	Glaucippe	—	Linn.
—	—	Eg. 6.	—	—	—

G. GANYRA Dlm. (Mss.) — GANORIS Dlm. — COLIAS Fbr. Ltr. Ed. enc. —
PIERIS Schrk. — ARGYREUS et BATTUS Scp. — PAPILO Auct.
coet.

Leucippe	Amboin.	Fbr.	Albula	Surin.	Crm.
Edusa	Eur. austr.	—	Monuste ♂	Ind. or.	Linn. Alcy- one Crm.
var. <i>z</i> .	—	Eg. 7.	—	—	—
—	—	Linn.	Gnoma	—	Crm.
Hyalæ	Svec.	—	Minna	Ind. or.	Hbst.
Paleno	—	—	Amaryllis	—	Fbr.
Garamantis	—	Eg. 8.	Alcmeone	Amer.	—
Hecabe	Ind. or.	Linn.	Scylla	Javæ	Linn.
Dione	—	Eg. 9.	Hersilia	Amer.	Crm.
Sabba	Barthel.	Fstrm.	Eubule	Carol.	Linn.
Charis	—	—	Carna	Barthel.	Fstrm.
Nise	Ind. or.	Crm.	Trite	Surin.	Linn.
Proterpia	Jamaic.	Fbr.	—	—	—
Elathea	Amer.	—	—	—	—

G. GONRPTERA Eg. — GONOPTERYX Lch. Ed. enc. — COLIAS Fbr. Ltr. —
PIERIS Schrk. — GANORIS Dlm. — PAPILO Auct. coet.

Rhemni ♂♀	Svec.	Linn.	Cleopatra	Eur. austr. } Afr. septentr. }	Fbr.
-----------	-------	-------	-----------	-----------------------------------	------

2. *Manip. alis oblongis.*

G. LEPTIDEA Eg. — PONTIA Fbr. Ltr. etc.

Sinapis	Svec.	Linn.
---------	-------	-------

G. ACAPTERA Eg. — PAPILO Dr.

(Typus: *Papilio crisis*.)

2. *Divis. Pedibus 2 anticis spuris, 4 posterioribus gressoriis.*1. *Subdiv. alis inferioribus margine interiore distantibus.*1. *Manip. alis rotundatis.*

G. NECTARIA Dlm. (Mss.) — IDEA Fbr. — PAPILO Auct.

G. EUDAEMON Dlm. (Mss.) — EUPLOEA Fbr. Ochs. — BATTUS Scp. —
DANAUS Ltr. — LIMNAS Hbn. — PAPILO Auct. coet.

Midasus	Ind. or.	Linn.	Mulciber	Ind. or.	Crm.
var. <i>b</i> .	—	Eg. 10.	Panope	Ind.	Linn.
var. <i>c</i> .	—	— 11.	dissimilis	Asiac	—
Claudius	Tranqueb.	Fbr.	assimilis	Chin.	—
similis	Ind.	Linn.	Plexippus	Amer.	—
var. <i>z</i> .	—	Eg. 12.	—	—	—

Eudae.

Eudaemon					
Hegesippus	Sumatr.	Fbr.	Chrysippus	Ind. or.	Linn.
Eriippus	Chin.	—	Alcippus	Amer.	Fbr.

2. *Manip. alis oblongis.*

G. EPIMETES Eg. — HETERA et MECHANITIS Fbr. — HYMENTIS Ill. — PAPILO Auct.

Sebethis	Brasil.	Eg. Ceres	Fbr.	Syra	Eg. 15.
Aaede		Eg. 13.		Polyrania	Amer. Linn.
Isabella	Surin.	Crm.		Psidii	Ind. —
Calliope	Ind.	Linn.		Diaphanus	Virgin. Fbr.
Nyctimene		Eg. 14.			

G. LAPARUS Eg. — MECHANITIS Fbr. — PAPILO Auct.

Sara	Guin.	Fbr.	Phyllis	Surin.	Fbr.
Doris	Surin.	Linn.	Melpomene	Ins. Amer.	Lina.

G. CALORNIS Dlm. (Mss.) — ACRAEA Fbr. — PAPILO Auct.

Euterpe	Amer.	Linn.	Rosalia	Surin.	Fbr.
Susanna	Afr.	Fbr.	Thalia	Ind. or.	Linn.

G. PSELNA Dlm. (Mss.) — HAETERA Fbr. — PAPILO. ol.

2. *Subdiv. alis inferioribus margine interiore pro abdomine canalem formantibus.*

1. *Manip. alis inferioribus rotundatis.*

G. PHILAEETHRIA Dlm. (Mss.) — PAPILO Auct.

<i>*Alis inferioribus caudatis.</i>			<i>**Alis ecaudatus.</i>		
Hippona	Surin.	Fbr. Fabius	Dido	Amer.	Linn.
		Hbst.	Phaerusa	Ind. cr.	—
			Julia	Fbr. Alcylene	Crm.

G. ARGYREA Eg. — ARGYREUS Scp. — ARGYNNIS Fbr. Ed. enc. Ochs. Dlm. — NYMPHALIS Ltr. — DRYAS Hbn. — PAPILO Auct. coet.

Vanillae	Amer.	Linn.	Selene	Svec.	Linn.
Lathonia	Svec.	—	Euphrosyne	—	—
Niobe	—	—	Pales	—	Fbr.
Adippe	—	—	Gersemi	—	Eg. 16.
Aglaja	—	—	Ino	—	Ochs.
Paphia	—	—	Thore	—	Hbn.
Cynara	Orient.	Fbr.	Amathusia	—	Fbr.
Niphe	Chinae	Linn.	Treja	—	Thg.
Pharantha	Ind. or.	Fbr.	Frigga	—	—
Aphirape	Svec.	Ochs.			

G. MELLICTA Eg. — MELITAEA Fbr. Ochs. Ed. enc. Dlm. — BATTUS et GRAPHIUM Scp. — NYMPHALIS Ltr. — LEMONIAS Hbn. — PAPILO Auct. coet.

Matura	Svec.	Linn. Matura.	Parthenie	Ochs. Dictyn.
Artemis	—	Fbr.		na Fbr.
Cinxia	—	Linn.	Rinda	Svec. Eg. 17.
Didyma	—	Fbr.	Nanna	— 18.
Dictynna	—	Ochs.	Lucina	— Linn.
Athalia	—	Matura Fbr.		

G. NYTHA Eg. — HIPPARCHIA Fbr. — PAPILO Auct. coet.

Alis inferioribus subtus ocellatis.* *Alis inferioribus subtus mar-*

Hyperbius	Afr.	Linn.	Alcyone	Ross. austr.	Fbr.?
Medea	Germ.	Fbr.	Dorcetis		Eg. 20.
Enthea		Eg. 19.	Semels	Svec.	Linn.
Clytus	Afr.	Linn.	Hippolyte	—	Ochs.
Maera	Svec.	—	Hermione	Eur. austr.	Linn.

Nytha.	Germ.	Linn.	Fidia	Afr.	Linn.
Briseis	—	Fbr.	Gerda.	Svec.	Eg. 21.
Fauna	—	—	—	—	—
G. EREBA Dlm. — HIPPARCHIA Fbr. Ed. enc. Ochs. — SATYRUS Ltr. —					
MANIOLA Schrk. — NYMPHALIS Ltr. — PAPILIO Auct. coet.					
* <i>Alis inferior. subtus marmoratis.</i> Pasiphaë Germ. Esp. Salomæ Fbr.					
Circe	Eur. austr.	Fbr.	Ida	—	—
Ligea	Svec.	Linn.			
var. <i>b.</i>	—	Dlm.			
Medusa	—	Fbr.	** <i>Alis inferior. subtus ocellatis.</i>		
Embla	Lappon.	Qvs. Ethus	Hyperanthus	Svec.	Linn.
		Fbr.	var. <i>b.</i>	—	Dlm. Arete Fbr.
var. <i>b.</i>	—	Dlm. Grie.			Linn.
		la Fbr.	Megaera	—	—
Gefion	—	Qvs. Manto	Egeria	—	—
		Fbr.	Diomeda	—	Eg. 24.
Columbina	Amer.	Fbr.	Davus	Svec.	Linn.
Hlina	Svec.	Eg. 22.	var. <i>b.</i>	—	Dlm.
Norna	Lappon.	Thg.	Pamphilus	—	Linn.
Hilda	—	Qvs.	var. <i>b.</i>	—	Eg. 25.
Bore	—	Ochs. For.	Arcania	—	Linn.
		tunatus Fbr.	Hero	—	— Sabaeus Fbr.
Janira ♂♀	Svec.	Linn.	Iphis	—	Ochs. Hero Fbr.
Perseis	—	Eg. 23.			
Tithonius	Germ.	Linn.			
G. SETODOCIS Eg. — HIPPARCHIA Fbr. Ochs. Dlm. — NYMPHALIS Ltr.					
ARGUS Scp. — MANIOLA Schrk. — OREAS Hbn. — PAPILIO Auct. coet.					
Lisandra	Chinae	Crn.	Periboea	Surin.	Fbr.
Dejanira	Svec.	Linn.	Phedra	Eur. austr.	Linn.
Marpesse	—	Eg. 26.	Ocirrhoe	Surin.	Fbr.
Mineus	Chinae	Linn.			
G. POLYCHROA Eg. — PAPIRIO ol.					
Obrinus	Ind. or.	Linn.	Ancaeus	Ind. or.	Linn.
G. DIAETHRIA Eg. — PAPIRIO ol.					
Clymena	Brasil.	Fbr.			
G. AGAPETES Eg. — HIPPARCHIA Fbr. Lch. Ed. enc. — SATYRUS Ltr.					
PAPIRIO Auct. coet.					
Galathea	Eur. austr.	Linn.	Lachesis	Eur. austr.	Hbst.
G. PHILONOMA Eg. — NEPTIS Fbr. — PAPIRIO ol.					
G. LIMONETES Eg. — LIMONITIS Dlm. — LIMENITIS Fbr. Ed. enc.					
Ochs. — NAJAS Hbn. — PAPIRIO Auct. coet.					
Populi	Svec.	Linn.	Leucothoë	Asiae	Linn.
var. <i>b.</i>	—	Eg. 27.	Erosine	Ind. or.	Crn.
Sibilla	Eur. austr.	Linn.	Tipha	—	Linn.
Camilla	Anstr.	—	Cytherea	—	—
Lucilla	—	Fbr.			
G. ZONAGA Eg. — BIBLIS Fbr. — PAPIRIO ol.					
Bibli.	Amer.	Fbr.			
G. AEOLA Eg. — APATURA Fbr. Ed. enc. Ochs. — NYMPHALIS Ltr. —					
ARGUS Scp. — MANIOLA Schrk. — POTAMIS Hbn. — PAPIRIO Auct. coet.					
Iris	Eur. austr.	Linn.	var. <i>b.</i>	Javæ	Eg. 29.
Ilia	—	Fbr.	Lasinassa	Asiae	Fbr.
var. <i>b.</i>	—	Rsl. Iris.	var. <i>b.</i>	—	Eg. Alcithoë
var. <i>c.</i>	—	Hbst. Iris rube-			Crn.
		sceus.	Bolina	Ind. or.	Linn.
Chariclo	Javæ	Eg. 28.			
G. EUGRAMMA Eg. — CETHOSTIA Fbr. — PAPIRIO ol.					

- G. ASCIA** Scp. — BRASSOLIS Fbr. — PAPILIO ol.
 Gripus Ind. or. Fbr. | Antilope Javae Eg. 31.
 Callirhoë — — — | var. b. — — 32.
 Cassiae Amer. Linn. | var. c. — — Crm.
 Calisto Afr. Fbr. | — — — — —
- G. AEROPETES** Eg. — BRASSOLIS Fbr. — PAPILIO ol.
 Licas Surin. Fbr. | Tulbaghia Cap. b. sp. Linn.
- G. ARESTA** Dlm. (Mss.) — MELANITIS Fbr. — PAPILIO ol.
 Amestris Ind. or. Fbr. | Asterie Ind. or. Linn.
 Idalia ♀ — — — | Eg. Ida Hbst. Cloantha Cap. b. sp. Crm.
 Ariadne Javae Linn. Cortina Hbst. | Laomedea Ind. or. Linn.
- G. CUPHA** Eg. — PAPILIO ol.
 Erymanthis Chinae Fbr.
- G. PHILOCALA** Eg. — CYNTHIA et VANESSA Fbr. — PAPILIO ol.
 Feronia Ind. or. Linn. | Atalaatha Svec. Linn.
 Amphinome Amer. — — — | Prorsa Eur. austr. —
 Orithya Ind. occ. — — — | Levana — — —
 Genoveva Surin. Crm. | Polynice Ind. or. Fbr. Götzi-
 Oenone ♂♀ Asiae Linn. | — — — — — us Hbst.
 Cardui Svec. — — — | Ilithya — — — Fbr.
 Huntera ♂ Amer. Fbr. | — — — — —
- G. AGLAIS** Dlm. — VANESSA Fbr. Ed. enc. Ochs. — NYMPHALIS Ltr. —
 BATTUS et GRAPHIUM Scp. — HAMADRYAS Hbn. — PAPILIO
 Auct. coet.
- Hippochus Amboin. Crm. | Almana Asiae Linn.
 Arsinous Javae Hbst., an | Limonias ♂♀ Ind. or. —
 — — — — — | JO Svec. —
 — — — — — | — — — — —
- Triangulum Eur. austr. Fbr. | Antiopa — — —
 C. album Svec. Linn. | Charonia Ind. or. Fbr.
 Urticae — — — | Orsis Brasil. Dr.
 V. album — — — | Jatrophae Amer. Linn.
 Polychloros — — — | — — — — —
- G. CHILEA** Dlm. (Mss.) — LIBYTHEA Fbr. — HECAERGE Ochs. — NYMPHALIS Ltr. — PAPILIO Auct. coet.
2. *Manip. alis inferior. intus elongatis.*
- G. COLOBURA** Eg. — PAPILIO ol.
 Dirce Ind. or. Linn.
- G. TANAOPTERA** Eg. — HETERA Fbr. — PAPILIO ol.
 Amatheia Amer. Linn. | Leda ♂♀ Afr. Linn.
 Europa ♂♀ — — — | Banksii Nov. Holl. Fbr.
- G. MITOCERUS** Eg. — AMATHUSIA Fbr. — PAPILIO ol.
 Phidippus Ind. or. Linn.
- G. AERODES** Dlm. (Mss.) — MORPHO Fbr. — PAPILIO ol.
 Idomeneus Amer. Linn.
- G. HELIORNIS** Dlm. (Mss.) — MORPHO Fbr. — PAPILIO ol.
 Epistrophus Amer. Fbr. | Helenor Surin. Crm.
 Menelaus — — — | Achilles Amer. Linn.
 Nestor — — — | — — — — —
- G. POLYURA** Eg. — PAPHIA Fbr. — CHARAXES Ochs. — NYMPHALIS
 Ltr. — PAPILIO Auct. coet.
- Jasius Afr. septentr. Linn. | Pyrrhus Ind. or. Linn.

2. Nat. Zephyriides.

Tibiis posterioribus apice tantum calcaratis: tarsi tenuissime unguiculatis.

1. *Divis. Pedibus anticis ♂ spuriiis, ♀ gressoriis.*

- C. EUGLYPHUS Dlm. (Mss.) — ERYCINA Fbr. — PAPILO Auct. pler.
Chiron Ind or. Fbr.
G. HADOTHERA Eg. — DANIS Fbr. — PAPILO Auct. pler.
G. MYRINA Fbr. — PAPILO Auct. pler.
G. EROTION Dlm. (Mss.) — HELICOPIS Fbr. — PAPILO Auct. pler.
Cupido Amer. Linn.

2. *Divis. Pedibus omnibus gressoriis.*

- G. CALLOPHRYS Eg. — HESPERIA Fbr. — PAPILO ol.
* *Alis 3 caudatis.* Arges Canton. Eg. 33.
** *Alis 2 caudatis.* Rubi Svec. Linn.
Vulcanus Ind. or. Fbr.
G. ZEPHYRIUS Dlm. (Mss.) — THECLA Fbr. — ZEPHYRUS Ochs. Dlm. —
POLYOMMATUS Ltr. — PAPILO ol.
* *Alis caudatis.* Amyntas Austr. Fbr.
Betulae Svec. Linn. Boetica Eur. austr. Linn.
Pruni — Hesiodus Ind. or. Fbr.
Quercus — ** *Alis ecaudatis.*
Cerasi Austr. Fbr. Taurus Barthel. Frstrm.
W. album Svec. Hbn.
G. CYANIRIS Dlm. — LYCAENA Fbr. Ochs. — HESPERIA Fbr. — POLY-
OMMATUS Ltr. — RUSTICUS Hbn. — PAPILO ol.
* *Alis inferior. subtus absque fascia fulvo-maculari.* * *Alis inferior. subtus fascia fulvo-maculari.*
Arion Svec. Linn. Corydon Svec. Thg.
Erebus Germ. Fbr. Eumedon — Ochs.
Argianus Svec. Dlm. Argiolus Adonis — Fbr.
Fbr. Alexis — Ochs.
Cyllarus — Icharius —
Argiolus — Linn. Agestis —
Dorylas Austr. Fbr. Optileto — Fbr.
Damon — Linn. Argus — Linn.
Alsus Svec. — Lajus Corom. Crm.
Lysimon. Lusit. Hbn. Milon Canton. Eg. 54.
Battus Svec. Fbr.
G. HEODES Dlm. — ZEPHYRUS Ochs. Dlm. — LYCAENA Fbr. — POLYO-
MATUS Ltr. — HESPERIA et PAPILO ol.
Thyra Guin. Linn. Arcas Cap. b. sp. Fbr.
Helle Svec. Fbr. Chryseis Svec. —
Orus Cap. b. sp. Crm. Virgaureae — Linn.
Garbas Svec. Fbr. Hiere Austr. Fbr.
Phlaeas — Linn. Phryxus Cap. b. sp. Eg. 35.
G. EULEPIS Dlm. (Mss.) — NYMPHIDIUM Fbr. — LEMONIAS Ill. — PA-
PILIO et HESPERIA ol.
Athamas Eg. 36.
G. ACHNA Eg. — HELIAS Fbr.

3. Nat. Hesperiaëdes.

Tibiis posterioribus in medio et apice calcaratis.

- G. HELIOPETES Eg. — PAPILO Crm.
Cramerii Surin. — Eg. Crm. niveus.
- G. ADOPOEA Eg. — PAMPHILA Fbr. — HESPERIA et PAPILO ol.
Linea Svec. Fbr. | Sator Eg. 37.
- G. HYLEPHILA Eg. — PAMPHILA Fbr. HESPERIA et PAPILO ol.
Comma Svec. Linn. | Satyrus Eg. 33.
Phylæus Ind. occ. Dr. | Sylvanus Svec. Fbr.
Comanus Barthel. Frstrm.
- G. HESPERIA Fbr. Ltr. Ochs. Dlm. etc. — PAMPHILA Fbr. — PAPILO ol.
Paniscus Svec. Fbr. | Malvae Svec. Linn.
var. *β*. — Eg. 39. | Tages — —
Spio Ind. or. Linn. | Aracanthus Austr. Fbr.
Fritillum Svec. Ochs. | Philémon Amer. —
Malvarum — — Malvae Fbr.
- G. TAPINA Dlm. (Mss.) — EMESIS Fbr. — HESPERIA et PAPILO ol.
- G. AIDES Eg. — THYMELE Fbr. — HESPERIA ol.
Epithus Surin. Fbr. | Prôteus Amer. Linn.
Phocas Amer. —
- G. AGARISTA Lch. — PAPILO ol.
- G. CYDRUS Dlm. (Mss.) — URANIA Fbr. — HESPERIA et PAPILO ol.
Leilus Amer. Linn.
- G. ACACERUS Eg. — CASTNIA Fbr. — HESPERIA et PAPILO ol.
- G. AILUS Eg. — ZELIMA Fbr. — HESPERIA et PAPILO ol.]

2. Trib. Scotina.

Alis quiescentium subhorizontalibus; antennis prismaticis, l. fusiformibus.

4. Nat. Zygænides.

Palpis elongatis.

- G. ATYCHIA Hfms. III. — NOCTUA Hbn. — SPHINX Auct. coet.
- G. AGLAOPS Ltr. Dlm. — PROCRIS Fbr. Ltr. — ZYGAENA Rss. Pnz. Schrk.
Wick. — PHALAENA Gfr. — INO Lch. Ed. enc. — SPHINX
ADSCITA DGr. — SPHINX Auct. coet.
Statice Svec. Linn. | Pruni Eur. austr. Fbr.
- G. CHARIDEA Dlm. (Mss.) — GLAUCOPIS Fbr. — SPHINX Auct. pler.
Pugione Amer. Linn. | Morta Eg. 41.
Stromacho — — Eg. 40. | Gamelia — 42.
Polymena Chinae Linn. | Lactinea ♂♀ Ind. or. Crm.
Letho Afr. Fbr.
- G. ZYGAENA Fbr. Rss. Pnz. Schrk. Ochs. Dlm. etc. — ANTHROCERA
Scp. — SPHINX ADSCITA DGr. — SPHINX ol.
Trifolii Svec. Ochs. | Scabiosae — Ochs.
Lonicerae — — Pythia Eur. faustr. Fbr.
Filipendulae — Linn. | Peucedani Eur. austr. Hbn.
var. *β*. — Dlm. | Onobrychis — Fbr.

Zygaena fausta	Eur. austr.	Linn.		Lavandulæ Gall. austr.	Fbr.	
				Caifra Afr.	Linn.	
G. SYNTOMA	Eg. —	SYNTOMIS Ill.	Ltr. —	AMATA Fbr. —	ZYGAENA	
	Rss. —	SPHINX ol.				
Phegea	Eur. austr.	Linn.		Nemesis	Eg. 44.	
Sperbius	Chinae	Fbr.		annulata Nov. Holl.	Fbr.	
Cerbera	Eur. austr.	Linn.		Thelebus Chinae	—	
Adrastea		Eg. 45.				
G. CHARMONA	Dim. (Mss.) —	GLAUCOPIS et ZYGAENA	Fbr. —	PHALAE-		
		NA Crm. —	SPHINX ol.			
pectinicornis	Ins. Amer.	Linn.		Erichito Chinae	Eg. Glaucopis	
var. <i>δ</i> .		Eg. 45.		Panthona —	Fbr., Crm.	
G. THYRIS	Hfms. Ill.	Ltr. Hbn.	Ochs. —	SPHINX Auct.	pler.	
Fenestrina	Eur. austr.	Fbr.				
G. STYGEA	Drpn. Ltr.	Ochs. —	BOMBYX Hbn.			
G. AEGOCERA	Ltr. —	PHALAEANA Crm. —	BOMBYX Fbr.			
G. SESIA	Fbr. Rss. Lsp. Cvr.	Ochs. Schrk. Dim. etc. —	TEOCHILUM			
	Scp. —	AEGERIA Fbr. Ed. enc. —	SPHINX ol.			
Tipulaeformis	Svec.	Linn.		Sphegiaeformis	Svec.	Lsp.
Culiciformis	—	—		Rhingiaeformis	Ital.	Hbn.
Vespaformis	—	—		Asiliformis	—	Fbr.
Hylaeiformis	—	—		Cantonensis	Canton.	Eg. 46.
Crabroniformis	Eur. austr.	Fbr.		Apiformis	Svec.	Linn.
Scholiaeformis	Svec.	Lsp.				

5. Nat. Sphingides.

Palpis brevibus.

G. HEMERIA	Dim. (Mss.) —	MACROGLOSSUM Scp. —	SESLIA Fbr. Ed.			
	enc. —	HEMARIS Dim. —	BOMBYLIUS Hba. —	SPHINX Auct.		
		coet.				
Fusiformis	Svec.	Linn.		Hylas Chin.	Linn.	
Bombyliiformis	—	Fbr.		Pandora Ind. or.	Fbr.	
Hegemona	—	Eg. 47.		Stellatarum Svec.	Linn.	
G. MACROGLOSSA	Ochs. —	HEMARIS Dim. —	MACROGLOSSUM Scp. —			
		SESLIA Fbr. —	SPHINX ol.			
Oenothrae	Germ.	Fbr.				
G. DILINA	Dim. —	LAOTHOË Fbr. Ed. enc. —	SMERINTHUS Ltr. Ochs. —			
		SPECTRUM Scp. —	AMORPHA Hbr. —	SPHINX ol.		
Tiliae	Svec.	Linn.		Populi	Svec.	Linn.
ocellata	—	—				
G. DILEPHILA	Ochs. —	EUMORPHA Hbn. —	SPHINX ol.			
Labruscae	Amer.	Linn.		Tisiphono		Eg. 50.
Nerii	Eur. austr.	—		didyma Amer.	Fbr.	
Euphorbiae	Svec.	—		Hespera Ind. or.	—	
Galii	—	Fbr.		Medea Afr. aeqvin.	—	
lineata	Eur. austr.	—		Verpertilio Eur. austr.	—	
var. <i>δ</i> .	—	Eg. Koech-		Porcellus Svec.	Linn.	
		lini Fsl.		Elpenor	—	
Oldenlandiae	Ind. or.	Eg. 48.		Gnoma Ind. or.	Fbr.	
Lycetus	—	Fbr.		Clotho Cap. b. sp.	—	
Celerio	Eur. austr.	Linn.		Alecto Ind. or.	Linn.	
Megaera	Javae	Eg. 49.		Eumenas	Eg. 51.	
G. SPHINX	Auct.					
Elle	Surin.	Linn.		var. <i>δ</i> .	Svec.	Eg. 52.
Pinastri	Svec.	—		var. c.	—	53.

Sphinx				Convolvuli	Svec.	Linn.				
Alope	Amer.	Fbr.		Ligustri	—	—				
Carolina	—	Linn.		Hasdrubal	Surin.	Crn.				
G. SPECTRUM	Scp.	—	ACHERONTIA	Ochs.	—	MANDUCA	Hbn.	—	SPHINX	ol.
Atropos	Svec.	Linn.		Charon	Javæ	Eg.	54.			

3. Trib. Nycterina:

Alis quiescentium plerumque deflexis; antennis ad apicem sensim angustioribus.

I. Legio Haplochila:

Palpis simplicibus.

1. *Cohors*: corpore proportionaliter crasso.

6. Nat. Bombycides.

Lingva nulla.

1. *Divis. antennis ciliatis.*

G. COSSUS Fbr. Ltr. Cvr. Ed. enc. Ochs. — HEPIALUS Schrk. — TERE-
DO Hbn. — BOMBYX ol.

ligniperda ♂♀ Svec. Fbr. — Bombyx Cossus Linn.

G. AEGOLIA Eg. — ZENZERA et ZEUZERA Ltr. Ed. enc. — COSSUS Fbr.
Ochs. etc. — NOCTUA Linn.

Aesculi ♀ Svec. Linn.

G. HEPIALUS Fbr. Ltr. Schrk. Ed. enc. — HEPIOLUS Ill. Hbn. Ochs. —
NOCTUA Linn.

Humuli	Svec.	Linn.		Inpulinius	Svec.	Linn.
sylvinus	—	—	—	Crux Fbr.	—	—
				hectus	—	—

2. *Divis. Antennis utriusque sexus pectinatis.*

G. ATTACUS Linn. — BOMBYX Auct. pler.
Atlas Asiae, Amer. Linn.

G. APOCOPIS Eg. — ATTACUS Crm.
(*Typ. Argulata.*)

G. MECEURA Eg. — ACTIAS Lch. — BOMBYX Auct.
Luna Columb. Linn.

G. AGLIA Ochs — ECHIDNA Hbn. — BOMBYX ol.
Cytherea Cap. b. sp. Fbr. | Tau Svec. Linn.

G. NYCTAON Dlm. (Mss.) — SATURNIA Schrk. Ed. enc. Ochs. — HE-
REA Hbn. — BOMBYX Fbr. Ltr. — ATTACUS Linn.

Pavonia Svec.? Dlm. Linn. major. | Pavonula Svec. Dlm. Linn. minor.
Pavonia Svec. — — media.

G. BOMBYX Auct.
Mori ♂♀ Eur. austr. Flin.

G. ENDROMIS Ochs. — DORVILLIA Lch. — DIMORPHA Hbn. — Bom-
BYX ol.

Versicolor Svec. Linn. | ochracea Eg. 55.

- G. HYPOGYMNA Hbn. — LARIA Schrk. Ed. enc. LIPARUS Ochs. — LEUCOMA Hbn. — BOMBYX ol.
- | | | | | | | |
|-----------|---------|---------|--|----------|-------|---------|
| Monacha | Svec. | Linn. | | Salicis | Svec. | Linn. |
| Dispar ♂♀ | — | — | | auriflua | — | Fbr. |
| Morio | — | — | | albula | Javæ | Eg. 57. |
| Punctum | Sumatr. | Eg. 56. | | | | |
- G. OREGYIA Ochs. — LARIA Schrk. Ed. enc. — DASYCHIRA Hbn. — BOMBYX ol.
- | | | | | | | |
|-----------|-------|-------|--|------------|-------------|----------------------|
| pubibunda | Svec. | Linn. | | antiqua | Svec. Linn. | } an propr.
Gen.? |
| fascelina | — | — | | Gonostigma | — | |
- G. CERURA Schrk. Ed. enc. — HARPYIA Ochs. — ANDRIA Hbn. — BOMBYX ol.
- | | | | | | | |
|---------|-------------|-------|--|---------|-------|-------|
| elegans | Cap. b. sp. | Fbr. | | Furcula | Svec. | Linn. |
| Vinula | Svec. | Linn. | | | | |
- G. HARPYA Ochs. — BOMBYX ol.
- | | | | | | | |
|------|-------|-------|--|---------|-------|------|
| Fagi | Svec. | Linn. | | trepida | Svec. | Fbr. |
|------|-------|-------|--|---------|-------|------|
- G. NOTODONTA Ochs. — Ptilodon Hbn. — LARIA Schrk. Ed. enc. — BOMBYX ol.
- | | | | | | | |
|-------------|-------|-------|--|----------|-------|------------------------|
| Dromedarius | Svec. | Linn. | | bicolora | Svec. | Fbr. |
| Ziczac | — | — | | camelina | — | Linn. an huj.
Gen.? |
| Dictæa | — | — | | | | |
- G. EUCHILA Eg. — BOMBYX ol.
- | | | | | | | |
|---------|-------|-------|--|--|--|--|
| palpina | Svec. | Linn. | | | | |
|---------|-------|-------|--|--|--|--|
- G. PYGAERA Ochs. — LARIA Schrk. Ed. enc. — MELALOPHA Hbn. — BOMBYX ol.
- | | | | | | | |
|-------------|-------|-------|--|-----------|-------|-------|
| Anastomosis | Svec. | Linn. | | reclusa | Svec. | Erkh. |
| Curtula | — | — | | bucephala | — | Linn. |
- G. PHYLLOMA Eg. — GASTROPACHA Ochs. — LASIOCAMPA Schrk. etc. — BOMBYX ol.
- | | | | | | | |
|-----------------|-------|-------|--|-----------|-------|-------|
| Illicifolia ♂♀ | Svec. | Linn. | | Pini ♂♀ | Svec. | Linn. |
| Betulaefolia ♂♀ | — | Fbr. | | Potatoria | — | — |
| Qvercifolia ♂♀ | — | Linn. | | | | |
- G. LASIOCAMPA Schrk. Ltr. Ed. enc. — GASTROPACHA Ochs. — BOMBYX ol.
- | | | | | | | |
|-------------|-------|-------|--|----------|-------------|---------|
| Trifolii ♂♀ | Svec. | Fbr. | | Capensis | Cap. b. sp. | Fbr. |
| Qvercus ♂♀ | — | Linn. | | undata | — | Eg. 58. |
| Dumcti ♂♀ | — | — | | Rubi ♂♀ | Svec. | Linn. |
- G. GASTRIS Dlm. (Mss.) — GASTROPACHA Ochs. — LASIOCAMPA Schrk. etc. — BOMBYX ol.
- | | | | | | | |
|--------------|-------|-----------|--|------------|-------------|-------|
| simillis | | Eg. 59. | | Pithycampa | Eur. austr. | Fbr. |
| Populi | Svec. | Linn. | | Catax | Svec. | Linn. |
| Crataegi | — | — Fbr. et | | Laestris | — | — |
| | | Mali Fbr. | | Castrensis | — | — |
| processionea | — | Linn. | | Neustria | — | — |

7. Nat. Arctiædes.

Liugva brevi; antennis ♂ pectinatis ♀ ciliatis.

- G. EUPREPIA Ochs. — ARCTIA Schrk. Ltr. Ed. enc. — HYPERCOMPA Hbn. — BOMBYX ol.
- | | | | | | | |
|------------|-------|-------|--|-------------|-------|-------|
| mendica | Svec. | Linn. | | Lubricipeda | Svec. | Linn. |
| Menthastri | — | Fbr. | | | | |
- G. ARCTORNIS Grm. — ARCTIA Schrk. Ed. enc. — BOMBYX et NOCTUA ol.
- | | | | | | | |
|------------|-------|-------|--|----------|-------|-------|
| luctifera | Germ. | Fbr. | | aulica | Svec. | Linn. |
| fuliginosa | Svec. | Linn. | | purpurea | — | — |
- Arctornis

Arctornis					
Militaris	Asiae	Linn.	var. c.	Svec.	Eg. 61.
Hebe	Svec.	—	lectrix	Chinae	Linn.
Caja	—	—	var. ð.	—	Eg. 62.
var. ð.	—	Eg. 60.	villica	Eur. austr.	Linn.
G. CALIMORPHA Ltr. Ed. enc. — BOMBYX ol.					
alienata	Sierr. Leon.	Fbr.	Plantaginis	Svec.	Linn.
Dominula	Germ.	Linn.	Hera	Eur. austr.	—
decora	Cap. b. sp.	—	argentea	Barthel.	Frstrm.
formosa	Sierr. Leon.	Fbr.	Russula	Svec.	Linn.
lapponica	Lapp.	Thg.	var. ð.	—	Eg. 63.
G. PSYCHE Schrk. Ltr. Ochs. — CANEPHORA Hbn. — BOMBYX ol.					
atra	Svec.	Linn.	viciella	Ochs.	Eg. 64.

8. Nat. Noctuædes.

Lingua spiraliter elongata.

1. *Divis. Thorace laevi;*1. *Subdiv. alis patulis.*G. NOTHUS Eg. — URANIA Fbr. — PAPILIO ol.
(Typ. Papilio Linnus, Patroclus etc.)

G. BYAS Dim. (Mss.) — EREBUS Ltr. Ed. enc. — NOCTUA ol.

odorus	Surin.	Linn.	crepuscularis	Amer.	Linn.
Bubo	Chinae	—	Latona	Guin.	Crm.
Ulula	Ind.	Fbr.	spiralis	Javæ	Fbr.

2. *Subdiv. alis incumbentibus.*

G. LEPTOPHARA Eg. — NOCTUA ol.

G. EUDOCIMA Eg. — NOCTUA ol.
Salaminia Ind. or. Fbr.

G. ELYGEA Eg. — NOCTUA ol.

Camilla	Ind. or.	Eg. 65.	fullonica	Ind. or.	Linn. Diosco-
Ancilla	—	Air.	materna	—	reæ Fbr.
					Linn.

G. LYGEPHILA Eg. — OPHIUSA Ochs. — ASCALAPHA Hbn. — NOCTUA ol.

Tirrhaca	Cap. b. sp.	Fbr. auricu-	lusoria	Germ.	Linn. Bombyx —
		laris Hbn.	rubiginosa	Svec.	Scp.

G. LEUCANIA Ochs. — HELIOPHILA Hbn. — NOCTUA ol.

virens	Svec.	Linn.	Comma*	Svec.	Linn.
pallens	—	—	L. album	—	—
var. ð.	—	Eg. 66.			

G. CNEPHATA? Eg. — SIMYRA? Ochs. — NOCTUA ol.

G. CHARANYCA Eg. — CARADRINA Ochs. — NOCTUA ol.

Quercus	Svec.	Fbr.	4 punctata	Svec.	Fbr. cubicularis
					Ochs.

G. ORTHOA Eg. — ORTHOSIA Ochs. — NOCTUA ol.

vaccinii	Svec.	Linn.	lappona	Svec.	Thg.
var. ð.	—	Ochs.	carnea	—	—
Litura	—	Linn.	stabilis	—	Brkh.
blanda?	—	Fbr.	instabilis	—	Fbr.

G. NELOPA Eg. — BOMBYX ol.

muudana	Svec.	Linn.			
---------	-------	-------	--	--	--

3. *Subdiv. alis deflexis.*

G. PSEPHEA	Eg.	—	NOCTUA ol.				
	(Typ. Noct. Caricæ)	Fbr.					
G. NONAGRIA	Ochs.	—	NOCTUA ol.				
Typhæ	Svec.	—	Brkh.				
G. HELIOTHIS	Ochs.	—	NOCTUA ol.				
dipsacea	Svec.	—	Linn.				
G. ECTYPA	Eg.	—	EUCLIDIA Ochs. Hbn.	—	NOCTUA ol.		
Glyphica	Svec.	—	Linn.	—	Mi	Svec.	Linn.
var. <i>δ.</i>	—	—	Eg. Triquetra	Fbr.			
G. BREPHA	Hbn.	—	BREPHOS Ochs.	—	NOCTUA ol.		
Parthenias	Svec.	—	Linn.	—	var. c. Svec.	Eg. Bombyx vi-	
var. <i>δ.</i>	—	—	Eg. 67.			dua	Fbr.

2. *Divis. Thoræ cristato;*1. *Subdiv. alis incumbentibus.*

G. TRIPHAENA	Ochs.	—	NOCTUA ol.				
Janthina	Germ.	—	Fbr.	—	Orbona	Svec.	Fbr.
Fimbria	—	—	Linn.	—	consequa	—	Hbn.
Cytherea	Svec.	—	Fbr.	—	Pronuba	—	Linn.
Subsequa	—	—	Hbn.				
G. NYCHOPHILA	Eg.	—	HYBLÆA Fbr.				
Saga	Ind. or.	—	Fbr.	—	var. <i>δ.</i>	Ind. or.	Eg. 68.
G. CATOCALA	Schrk. Ochs.	—	BLEPHARA Hbn.	—	NOCTUA ol.		
* <i>Alis inferioribus lutescentibus.</i>					var. <i>δ.</i>	Svec.	Eg. 69.
Hymenæa?	Eur. austr.	—	Fbr.	—	electa	—	Brkh.
paranympha	—	—	Linn.	—	nupta	—	Linn.
nymphagoga	—	—	Brkh.	—	var. <i>δ.</i>	—	Ochs. concubi-
							na Brkh.?
** <i>Alis inferior. rubrescentibus.</i>					elocata	Germ.	Brkh.
promissa	Svec.	—	Fbr.	—	*** <i>Alis inferior. atrescentibus.</i>		
pacta	—	—	Linn.	—	Fraxini	Svec.	Linn.
sponsa	—	—	—				
G. AMPHIPYRA	Ochs.	—	PYROPHILA Hbn.	—	NOCTUA ol.		
Tragopoginis	Svec.	—	Linn.	—	pyramidea	Svec.	Linn.
cinnaomea	—	—	Brkh.				
G. MORMO	Ochs.	—	LEMUR Hbn.	—	NOCTUA ol.		
Maura	Maurit.	—	Linn.	—	popularis	Svec.	Fbr. Bombyx
typica	Svec.	—	venosa	—			Brkh.
			Brkh.				
G. HADA	Eg.	—	HADENA Schrk. Ochs.				
Lucipara	Svec.	—	Linn.	—	protea	Svec.	Brkh.
distincta	—	—	Eg. 70.	—	dentina	—	Fbr.
Convergens	Svec.	—	Fbr.	—	scripta	—	Linn.
Genistæ	—	—	Brkh.	—	meticulosa	—	—
G. NOCTUA	Auct. pler.	—	AGROTIS Ochs. Hbn.	—	GRAPHIPHORA Hbn.		
gothica	Svec.	—	Linn. Nuastrum	—	suffusa	Svec.	Fbr.
			Fbr.	—	Segetum	—	Hbn. fuscosa
Triticæ	—	—	pratincola	—	Exclamationis	—	Linn.
			Brkh.	—	tristis	—	Fbr.
fumosa	—	—	Fbr.	—	lucernea	—	Linn.
var. <i>δ.</i>	—	—	Ochs.	—			
Obelisca	—	—	Hbn.	—			

- G. GRAPHIPHORA Hbn. Ochs. — NOCTUA ol.
 Baja Svec. Fbr. | Signum Svec. Fbr. Sigma Hbn.
 Augur — — | C. nigrum — Linn. Nunatrum
 congener — — | Eg. 71. | Brkh.
 depuncta! — — | Linn. | plecta — —
- G. ACHLYA Eg. — TETHEA Ochs. — BOMBYCIA Hbn. — NOCTUA ol.
 flavicornis Svec. Linn. | subtusa Svec. Fbr.
 Oo — — | retusa — Linn.
- G. POECILIA Ochs. — JASPIDIA Hbn. — NOCTUA ol.
 Perla Svec. Fbr. | Strigula Svec. Brkh. Receptri-
 la Hbn.
- G. LEPTOSTOLA Eg. — COLOCASIA Ochs. — NOCTUA ol.
 Coryli Svec. Linn. Bombyx —
- G. CALYPTRA Ochs. — NOCTUA ol.
 Libatrix Svec. Linn. Bombyx ol. | ornata Eg. 72.
- G. LACANOBIA Eg. — MAMESTRA Ochs. — NOCTUA ol.
 Chenopodii Svec. Fbr. | var. *δ*. Svec. Ochs. Spinaciae
 Brassicae — — | Linn. | Brkh.
 Pisi — — | Persicariae — Linn.
 Oleraceae — — | W. Latinum — Esp.
- G. PHILOSTOLA Eg. — MYTHIMNA Ochs. — NOCTUA ol.
 turca Svec. Linn. | ferrago Svec. Fbr.
 conica — —
- G. AMPHIPOEA Eg. — APAMEA Ochs. — NOCTUA ol.
 nictitans Svec. Linn. | ocula Svec. Fbr.
 epustulata — — | basilinea — Linn.
 didyma — — | Brkh. | graminis — Linn.
- G. ACHATIS Eg. — ACHATIA Hbn. — TEOCHEA Ochs. — NOCTUA ol.
 Atriplicis Svec. Linn. | Spreta Svec. Fbr. Bombyx —
2. *Subdiv. alis deflexis.*
- G. POLIA Ochs. — NOCTUA ol.
 advena Svec. Fbr. | filigramma Svec. Esp.
 tincta — Brhm. occulta | polymita — Linn.
 — — Fbr. | Chi — —
 occulta — — | Linn. | Celsia — — Bombyx —
 angulata — — | DGr. | an hujus Gen.?
 dysodea — — | Hbn.
- G. ZETEOLYGA Eg. — MISELIA Ochs. — NOCTUA ol.
 bimaculosa Svec. Linn. | albimacula Svec. Brkh.
 Oxyacanthae — — | annulata — Fbr.
 Oleagina — — | Fbr. Bombyx
- G. EPISEMA Ochs. — NOCTUA ol.
 coeruleocephala Svec. Linn.
- G. ACRONYCTA Ochs. — APETALA Hbn. — NOCTUA ol.
 Megacephala Svec. Fbr. | Tridens Svec. Fbr.
 Aceris — — | Linn. | Psi — Linn.
 Euphrasiae — — | Brkh. | leporina — —
 Rumicis — — | Linn. | unipuncta — — Eg. 73.
 virens — —
- G. DIPHTHERA Hbn. Ochs. — NOCTUA ol.
 ludifica Svec. Linn. | runica Svec. Fbr.
 aprilina — — | Fbr. | alpina Lapon.
- G. THYATIRA Ochs. — NOCTUA ol.
 Batis Svec. Linn.

- G. CATEPHIA Ochs. — NOCTUA ol.
- G. ANTHOPHILA Hbn. Ochs. — NOCTUA ol.
- G. ERASTRIA Ochs. — EROTYLA Hbn. — NOCTUA ol.
- | | | | | | | |
|-----------|-------|-------|--|-------------|-------|-------|
| argentula | Germ. | Brkh. | | Sulphuralis | Svec. | Linn. |
| uncana | Svec. | Linn. | | hamalis? | — | Thg. |
- G. TYTA Eg. — ACONTIA Ochs. — NOCTUA ol.
- | | | | | | | |
|---------|-------|------|--|--|--|--|
| italica | Svec. | Fbr. | | | | |
|---------|-------|------|--|--|--|--|
- G. ANARTA Ochs. — NOCTUA ol.
- | | | | | | | |
|-----------|-------|-------|--|-----------|-------|--------------------|
| cordigera | Svec. | Thg. | | Arbuti | Svec. | Fbr. Heliaca Brkh. |
| Myrtilli | — | Linn. | | Melaleuca | — | Thg. |
- G. PLUSIA Hbn. Ochs. — NOCTUA ol.
- | | | | | | | |
|-----------------|-------|------------------|--|-----------------|-------|---------|
| divergens | Svec. | Fbr. | | var. <i>♂</i> . | Svec. | Eg. 74. |
| interrogationis | — | Linn. | | Chrysitis | — | Linn. |
| Gamma | — | — | | Festucæ | — | — |
| Jota | — | — | | Concha | — | Fbr. |
| Lamina | — | Fbr. Aemula Hbn. | | | | |
- G. ABROSTOLA Ochs. — PLUSIA Hbn. — NOCTUA ol.
- | | | | | | | |
|-----------|-------|-------|--|-------------|-------|------|
| Triplasia | Svec. | Linn. | | Asclepiadis | Svec. | Fbr. |
|-----------|-------|-------|--|-------------|-------|------|
- G. CUCULLIA Schrk. Ochs. — TRIBONOPHORA Hbn. — NOCTUA ol.
- | | | | | | | |
|------------|-------|-------|--|------------|-------|-------|
| Verbasci | Svec. | Linn. | | Artemisiae | Svec. | Fbr. |
| Chamomillæ | i | — | | Absinthii | — | Linn. |
| umbratica | — | Linn. | | Abrotani | — | Fbr. |
| Tanacetii | — | Fbr. | | | | |
- G. ABROMIAS Eg. — XYLENA Hbn. Ochs. — NOCTUA ol.
- | | | | | | | |
|-------------|-------|-------|--|----------------|-------|-------|
| hepatica | Svec. | Linn. | | Pinastri | Svec. | Linn. |
| polyodon | — | — | | trigonalis | — | — |
| rurea | — | Fbr. | | rivularis | — | Fbr. |
| lateritia | — | Brkh. | | perspicillaris | — | Linn. |
| petrificata | — | Fbr. | | Linariae | — | Fbr. |
| putris | — | Linn. | | Delphinii | — | Linn. |
| exoleta | — | — | | | | |
- G. CERASTIS Ochs. — GLAEA Hbn. — NOCTUA ol.
- | | | | | | | |
|----------|-------|-------|--|-------------|-------|-------|
| Vaccinii | Svec. | Linn. | | satellitica | Svec. | Linn. |
|----------|-------|-------|--|-------------|-------|-------|
- G. COSMIA Hbn. Ochs. — NOCTUA ol.
- | | | | | | | |
|-----------|-------|-------|--|---------|-------|------|
| affinis | Svec. | Linn. | | fulvago | Svec. | Hbn. |
| trapezina | — | — | | | | |
- G. XANTHA Eg. — XANTHIA Hbn. Ochs. — NOCTUA ol.
- | | | | | | | |
|-----------------|-------|------------------|--|---------|-------|-------|
| Cerago | Svec. | Fbr. | | Aurago | Svec. | Fbr. |
| var. <i>♂</i> . | — | Ochs. flavescens | | Citrago | — | Linn. |
| | | Brkh. | | Prunago | — | — |
| Flavago | — | Fbr. silago Hbn. | | rufina | — | Linn. |
- G. CNEPHOZETA Eg. — GORTYNA Ochs. — NOCTUA ol.

2. *Cohors*: corpore proportionaliter gracili.

9. Nat. Phalænædes.

Alis patentibus horizontalibus.

1. *Divis. Antennis ciliatis.*

- G. URAPTERA Eg. — OURAPTERYX Lch. Ed. enc. — GEOMLETRA Linn.
Hbn. etc. — PHALAENA Auct. pler.
- | | | | | | | |
|-----------|----------|---------|--|------------|-------|-------|
| Caudata | | Eg. 75. | | sambucaria | Svec. | Linn. |
| strigaria | Ind. or. | Fbr. | | pusillata | — | W. v. |
- Uraptera

notata	Svec.	Linn.	bupleuraria	Austr.	Fbr. aestiva-
Vernaria	—	—			ria Hbn.
G. PHALÆNA Auct. pler. — ABRAXAS Lch. Ed. enc. — GEOMETRA					
	Linn.	Hbn.			
Rhamnata	Svec.	Fbr.	propugnata	Svec.	Fbr.
dubitata	—	—	designata	—	Brkh.
prunata	—	Linn.	undulata	—	Linn.
chenopodiata	—	—	viridata	—	—
4 fasciata	—	—	emarginata	—	—
ericata	—	—	populata	—	—
strigilata	—	Fbr.	comitata	—	—
paludata	—	Thg.	bilineata	—	—
templaria	—	—	adatinata	—	Hbn.
variata	—	Thg.	crataegata	—	Linn.
centumnotata	—	Fbr.	grossulariata	—	—
juniperata	—	Linn.	dealbata	—	—
fluctuata	—	—	ornata	—	Fbr.
ocellata	—	—	remutata	—	Linn.
marginata	—	—	immorata	—	—
albicillata	—	—	brumata	—	—
hastata	—	—	pyraliata	—	—
tristata	—	—	didymata	—	—
clathrata	—	—	flaviata	—	—
aversata	—	—	brunneata	—	Fbr.
var. <i>β</i> .	—	Eg. grisata	similata	—	Thg.
		Fbr.?	plagiata	—	Linn.
obliquata	—	Thg.	chaerophyllata	—	—
G. ERICHLA Eg. — HERMINIA Ltr. Ed. enc. — PYRALIS Linn. Hbn.					
	etc.	—	etc.	—	—
proboscidalis	Svec.	Linn.	vertilabris	Eur. austr.	Fbr.
tenticularis	—	—	rostralis	Svec.	Linn.
barbalis	—	—	frumentalis	—	—
<i>2. Divis. Antennis pectinatis.</i>					
G. CILIX Lch. Ed. enc. — PLATYPTERYX Ltr. — BOMBYX ol.					
compressa	Svec.	Fbr.			
G. DREPANA Schrk. — PLATYPTERYX Ltr. Lsp. — PHALÆNA Fbr.					
laccinaria	Svec.	Linn.	falcataria	Svec.	Linn.
falcata	—	Fbr.	cultraria	—	—
G. GEOMETRA Linn. Hbn. Hwth. etc. — PHALÆNA Auct. pler.					
dolabraria	Svec.	Linn.	alniaria	Svec.	Linn.
Vespertaria	—	—	syringaria	—	—
elingvaria	—	—	bidentaria	—	—
G. DASYPHARA Eg. — BISTON Lch. Ed. Enc. — PHALÆNA Ltr. Fbr. —					
	GEOMETRA	Hbn. Hwth.	Linn.	etc.	
consobrinaria	Svec.	Hbn.	prodromaria	Svec.	Fbr.
betularia	—	Linn.	hirtaria	—	Linn.
G. PHAOPHYGA Eg. — BUPALOS Lch. — GEOMETRA Linn. Hbn. etc. —					
	PHALÆNA	Auct. pler.			
pinaria	Svec.	Linn.	atomaria	Svec.	Linn.
var. <i>β</i> .	—	Eg. 76.	fuscaria	—	Thg.
var. <i>c</i> .	—	— 77.	lichenaria	—	Fbr.
var. <i>d</i> .	—	— 78.	Vauvaria	—	Linn.
var. <i>e</i> .	—	— 79.	fagaria	—	Thg.
var. <i>f</i> .	—	— 80.	sacraria	Afric.	Fbr.
G. TRIBACIS Eg. — PHALÆNA Auct. — GEOMETRA Linn. etc.					
purpuraria	Svec.	Linn.	striataria	Svec.	vinh.
punctaria	—	—	lactearia	—	—
pennaria	—	—	margaritata	—	—
crotaria	—	Fbr.			

G. LEPTORNIS Eg. — HIPPARCHUS Lch. Ed. enc. — GEOMETRA Linn.
Hbn. — PHALAENA Auct. pler.

papilionaria	Svec.	Linn.	pulveraria	Svec.	Linn.
prunaria	—	—	vibicaria	—	—
var. <i>β</i> .	—	Eg. 81.	pusaria	—	—
var. <i>c</i> .	—	— 82.	melanaria	—	—

10. Nat. Tortricides.

Alis late triangularibus, margine exteriori dilatato.

1. *Divis. Palpis porrectis.*

G. LIRA Eg. — NOLA Lch. — PYRALIS Hbn. Ltr.

G. EANA Eg. — PYREALIS et TORTRIX ol.

Govana	Svec.	Linn.	Penziana	Svec.	Thg.
niveana	—	Fbr.	litterana	—	Fbr.
Solandriana	—	Linn.	ungvicella	—	Linn.
Uddmanniana	—	—			

G. AETHES Eg. — PYRALIS Fbr. Ltr. — TORTRIX ol.

Zoegiana	Svec.	Linn.	ciliana	Svec.	Hbn.
var. <i>β</i> .	—	— hamana.	cruciana	—	Linn.
Gerningiana	—	Fbr.	Smeathmanniana	—	Fbr.

2. *Divis. Palpis erectis.*

G. TORTRIX Auct. pler. — PYRALIS Ltr. Fbr. etc. — TORTRIX ol.

Operana	Svec.	Linn.	Bergmanniana	Svec.	Linn.
Rosana	—	—	Forskohliana	—	—
var. <i>β</i> .	—	Eg. 83.	Gnomana	—	—
var. <i>c</i> .	—	— 84.	Hejseana	—	Fbr.
ameriana	—	Linn.	Paykulliana	—	—
Branderiana	—	—	Holmiana	—	Linn.
var. <i>β</i> .	—	— fuscana ol.	Schreberiana	—	—
var. <i>c</i> .	—	Eg. 85.	compositella	—	Fbr.
Lecheana	—	Linn.	strobilella	—	Linn.
arcuana	—	—	Schumacheriana	—	Fbr.
xylosteana	—	—	Salicella	—	Linn.
ministrana	—	—	pomonella	—	—
Loeflingiana	—	—	chlorana	—	—

G. BENA Eg. — PYRALIS Fbr. Ltr. etc. — TORTRIX ol.

Fagana	Svec.	Fbr.	sylvana	Svec.	Fbr.
prasinana	—	Linn.			

G. PALLA Eg. — PHALAENA, PALLIUM DGr. — PYRALIS Fbr. Ltr. —
TORTRIX ol.

viridana	Svec.	Linn.	Schalleriana	Svec.	Linn.
avellana	—	—	Lundana	—	Fbr.
coryllana	—	Fbr.	fasciana	—	—
Christjerna	—	Linn.	Woeberana	—	—
ramella	—	—	Lediana	—	Linn.
Latreilleana	—	Fbr. <i>an taedel-</i>	tripunctana	—	Fbr.
		<i>la Linn.?</i>	cynosbatella	—	Linn.
Rivellana	—	Fbr.	Brynnichana	—	—
nubilana	—	Hbn.	Populella	—	—
undana	—	Fbr.	Foenella	—	—
Wiedemanella	—	—	dorsana	—	Fbr.
Petiverella	—	Linn.	Mitterbackiana	—	—
Baummanniana	—	Fbr.	Rhedicella	—	Linn.
decussana	—	—			

G. TEBENNA Eg. — PYRALIS Fbr. — TINEA ol.

Bjerkandrella	Svec.	Thg.	Scopolella	Svec.	Linn.
---------------	-------	------	------------	-------	-------

G. PIESTA Eg. — PYRALIS Fbr. Ltr. — TORTRIX ol.

Heracleana	Svec.	Linn.	Yeatiana	Svec.	Fbr.
Brasiliensis	Brasil.	Eg. 86.	Koekeritziana	—	Linn.
deplana	Svec.	Linn.	Ahlstroemeriana	—	—
depressana	—	Fbr.	Quercana	—	Fbr.
cinerella	—	Linn.			

G. SIMAETHIS Lch, Ed, enc. — PYRALIS Ltr. — TORTRIX ol.

II. Nat. Lithosides.

Alis elongatis sub-incumbentibus.

1. *Divis. Antennis distantibus.*

G. EUIMATA Eg. — PHALAENA Crm.

Alcephron Ind. or. Crm.

G. LITHOSIS Eg. — LITHOSTIA Fbr. Ltr. Ed. enc. Ochs. etc. — BOMBYX et NOCTUA ol.

Quadra	Svec.	Linn.	nigropunctata	Canton.	Eg. 88.
var. <i>β</i> .	—	Fbr.	roscida	Austr.	Fbr.
irrorella	—	Linn.	Jacobeae	Svec.	Linn.
var. <i>β</i> .	—	Eg. 87.			

G. HYPERCOMPA Hbn. — LITHOSTIA Fbr. Ltr. Ed. enc. etc. — NOCTUA ol.

rubricollis	Svec.	Linn.	complana	Svec.	Linn.
lutarella	—	—	var. <i>β</i> .	—	Mesomella.
unita	Germ.	—	var. <i>c</i> .	—	Eg. 89.

G. CALLOPIS Eg. — HYPERCOMPA Hbn. — BOMBYX et NOCTUA ol.

grammica	Svec.	Linn.	var. <i>β</i> .	Ind. occ.	Eg. 91.
elegans	—	Eg. 90.	var. <i>c</i> .	—	92.
pulchella	Eur. austr.	Linn.	Cribrum	Svec.	Linn.
ornatrix	Ind. occ.	—			

G. HYPONOMEUTA Ltr. Ed. enc. — TINEA ol.

margaritifera	—	Eg. 95.	padella	Svec.	Linn.
evonymella	Svec.	Linn.	plumbella	—	Fbr.

G. NEMAPOGON Schrk. — TINEA ol.

pusiella	Svec.	Linn.	occultella	Svec.	Linn.
iraxinella	—	Brkd.	2 punctella	—	Fbr.
lappella	—	Linn.	obscurella	—	—
betulinella	—	Fbr.	Wilckella	—	Linn.
granella	—	Linn.	pectinella	—	Fbr.
Loevenhoeckella	—	—	porrectella	—	Linn.
punctella	—	—	cinctella	—	—
stipella	—	—	Lyonnetella	—	—
stigmatella	—	Fbr.			

G. TRAGOCERA Eg. — TINEA ol.

flavella	Svec.	Fbr.	Geoffroyella	Svec.	Linn.
bractella	—	Linn.	Grandaevela	—	—

G. OECOPHORA Ltr. — NEMAPOGON Schrk. — ALUCITA Oly. — TINEA ol.

Linnella	Svec.	Clrk.	Forsterella	Svec.	Fbr.
Roesella	—	Linn.	leucateila	—	Linn.
Schefferella	—	—	argentella	—	—
Fuesslyella	—	Fbr.	Goedartella	—	—
Frischella	—	Linn.	var. <i>β</i> .	—	Eg. 94.
laminella	—	—	var. <i>c</i> .	—	— 95.
rubiella	—	—	Clerckella	—	Linn.
Blancardella	—	Fbr.	Rayella	—	—
elongella	—	Linn.	Gallipennella	—	—
Jungiella	—	—	Gemella	—	Linn.
Syvederella	—	Thg.	Ekebladiella	—	Brk.
Thunbergella	—	Fbr.	curvella	—	—

Oecophora					
Klemanella	Svec.	Fbr.	gleichella	Svec.	Fbr.
alnifoliella	—	—	calthella	—	Linn.

2. *Divis. Antennis approximatis.*

G. ADELA Ltr. — NEMOPHORA Hfms. — NEMAROGON Schrk. — ALUCITA Fbr. — TINEA ol.

Reaumurella	Svec.	Linn.	fasciella	Svec.	Linn.
DeGeerella	—	—	Podarella	—	—
Sulzella	—	—	Swammerdamella	—	—
cuprella	—	—	Panzerella	—	Fbr.

G. BROSIS Eg. — TINEA ol.
muscatella Svec. Fbr.

12. Nat. Alucitædes.

Alis usque ad basin fissis.

G. ALLUCITA Linn. et Auct. pler. — PTEROPHORUS Gffr. Fbr. DGr. etc.

didactyla	Svec.	Linn.	migadactyla	Svec.	Fbr.
leucodactyla	Amer.	Fbr.	psorodactyla	—	Linn.
rhododactyla	Svec.	—	tesseradactyla	—	—
tridactyla	—	Linn.	pentadactyla	—	—
tetradactyla	—	—	monodactyla	—	—

G. PTEROPHORUS Gffr. Fbr. Wlkr. Ed. enc. — ORNEODES Ltr. — ALUCITA ol.

hexadactylus Svec. Linn.

2. Leg. Diplochiloda:

Palpis duplicis aut 4.

13. Nat. Pyralidides.

Alis quiescentium triangulum depressum formantibus.

G. SCOPULA Schrk.

Lemnata	Svec.	Linn.	duplaris	Svec.	Linn.
Nymphaeata	—	—	mitialis	—	Fbr.
Urticata	—	—	sanguinalis	—	Linn.
Stratiolata	—	—	porphyralis	—	Fbr.
Potamogata	—	—	reticularis	—	Linn.
Tyres	Ind. or.	Crn.	purpuralis	—	—
Hyalinata	Amer.	Linn.	cingulata	—	Fbr.
margaritalis	Svec.	Fbr.	atralis	—	—
Verticalis	—	Linn.	sticticalis	—	Linn.

G. AGLOSSA Ltr.

pingvinalis Svec. Linn.

G. PYRAUSTES Eg. — PYRAUSTA Schrk.

sapphirina	Ind. or.	Eg. 96.	forficalis	Svec.	Linn.
trinalis	Svec.	—	glaucinalis	—	—
ocellaris	—	Thg. sericea- lis Fbr.?	Mygdon	Surin.	Crn.

G. PYRALIS Linn.

farinalis Svec. Linn. | sordialis Svec.

14. Nat.

14. Nat. Crambides.

Alis elongatis subconvolutis.

- | | | | | | |
|--|-------|--------------------|---------------|--------------------------|------------------------|
| G. GALLERIA Fbr. Ltr. Ed. enc. — TINEA ol. | | | | | |
| mellonella | Svec. | Linn. cereaua | alvearia | Svec. | Fbr. |
| | | | Fbr. | | |
| G. CRAMBUS Fbr. Ltr. Ed. enc. — TINEA ol. | | | | | |
| colonellus | Svec. | Linn. | griseus | Ins. mar. | } Eg. 9 ^m . |
| sociellus | — | — | | pacif. | |
| Hortorum | — | — | | | |
| G. CHILUS Eg. — CHILO Znck. — CRAMBUS Fbr. Ltr. Ed. enc. — TINEA ol. | | | | | |
| <i>* Alis acuminatis.</i> | | | | <i>*** Alis obtusis.</i> | |
| mucronellus | Svec. | Fbr. | culmellus | Svec. | Linn. |
| | | | pinetellus | — | — |
| <i>** Alis retusis.</i> | | | | | |
| pascuellus | Svec. | Linn. | margaritellus | — | — |
| ensigerellus | — | Znck. hamella Thg. | falsellus | — | Fbr. |
| pratellus | — | Linn. | aquilellus | — | Znck. culmella Fbr. |
| G. PHYCIS Fbr. Znck. etc. — TINEA ol. | | | | | |
| Vinetorum | Svec. | Fbr. | Turionella | Svec. | Linn. |
| Abietella | — | — | Gelatella? | — | — |
| G. EUDONIA Dlm. — CHILO Znck. — CRAMBUS Fbr. Ltr. etc. — TINEA ol. | | | | | |
| Mercuriella | Svec. | Linn. | | | |

15. Nat. Tineædes.

Alis fere in cylindrum convolutis.

- | | | | | | |
|--|-------|----------------|--------------|-------|---------------------|
| G. HYPSOLOPHA Eg. — YPSOLOPHUS Fbr. — ALUCITA Ltr. — TINEA ol. | | | | | |
| Vittella | Svec. | Linn. non Fbr. | sarcitella | Svec. | Linn. |
| ustulata | — | Fbr. | asperella | — | — |
| dorsata | — | — | costella | — | Fbr. |
| sylvella | — | Linn. | seqvella | — | Linn. |
| xylostella | — | — | bicostella | — | — |
| dentata | — | Fbr. | rhomboidella | — | — |
| G. EUPLOCAMUS Ltr. Ed. enc. — PYRALIS Hbn. — TINEA ol. | | | | | |
| hortella | Svec. | | aristella | Svec. | Linn. |
| minutella | — | | pedella | — | — |
| Ephippiana | — | Fbr. | | | |
| G. TINEA Auct. | | | | | |
| flavifrontella | Svec. | Fbr. | parentella | | |
| pellionella | — | Linn. | laterella | Svec. | Thg. |
| Vestianella | — | — | Ferella | — | — |
| rupella | — | Fbr. | | | |
| G. ATHRIPS Eg. — PYRALIS Fbr. — TINEA ol. | | | | | |
| trapezella | Svec. | Linn. | cucullatella | Svec. | Linn. an Pha-laena? |
| Mouffetella | — | — | | | |
| sapitella | — | — | | | |

2. Ordo Neuroptera:

Alis exsqvatis, venis nervosis; ore maxilloso.

I. Tribus Lophiæcera:

Alis deflexis nervis pilosis *z.* hispidis; antennis ætaceis.

I. Natio Leptocerides.

Antennis longissimis.

6. LEPTOCERUS Lch. Ed. enc. — PHRYGANEÆ ol.

niger	Svec.	Linn.	filosa	Svec.	Linn.
azureus	—	—	bimaculatus	—	—
marginatus	—	—	Waeneri	—	—
longicornis	—	—			

6. ODONTOCERUS Lch. Ed. enc.

2. Nat. Phryganæædes.

Antennis longitudine corporis.

6. SIMBLIS Eg. — SEMBLIS Fbr. — PERLA Gffr. — PHRYGANEÆ et HEMEROBIUS ol.

Phalaenoides Svec. Linn.

6. PHRYGANEÆ Auct.

Grandis	Svec.	Linn.	reticulata	Svec.	Linn.
striata	—	—	bimaculata	—	—
grisea	—	—	ciliaris	—	—
saltatrix	—	—			

6. LIMNEPHILUS Lch. — PHRYGANEÆ ol.

pilosus	Svec.	Fbr.	flavus	Svec.	Linn.
villosus	—	—	umbrosus	—	—
flavicornis	—	—	flavilaterus	—	—
rhombicus	—	Linn.	fuscus	—	—

6. ATHRIPODES Eg. — PHRYGANEÆ ol.

variegata	Svec.	DGr.	albifrons	Svec.	Linn.
minuta	—	Linn.			

2. Trib. Nemæcera:

Antennis filiformibus, non subulatis.

I. Legio Trimeræ:

Tarsis 3 articulatis.

3. Nat. Psocides.

Tarsis 2—3 articulatis; alis inferioribus superioribus angustioribus.
z. apteri.

6. PSYLLA Gffr. — HEMEROBIUS Linn. — TERMES Linn. DGr. — Psocus Fbr. Ltr. Cqvb.

pulsatoria Svec. Linn.

6. PSOCUS Auct. pler. — HEMEROBIUS Linn.

flavicans	Svec.	Linn.	6 punctatus	Svec.	Fbr.
fasciatus	—	Fbr.	farinosus	—	

4. Nat. Termides.

Tarsis 3 articulatis; alis aequalibus.

- G. TERMES Auct. pler. — PERLA DGr.
 fatalis Amer. Asiae Linn. | flavicollis Barbar. Fbr.

2. Leg. Tetramera:

Tarsis 4 articulatis.

5. Nat. Raphidiædes.

Ocellis 5 in triangulum positis.

- G. RHAPHIDIA Auct.
 Ophiopsis Svec. Linn. | var. *♂*. Svec. Eg. notata Fbr.
 Mant.

3. Leg. Pentamera:

Tarsis 5 articulatis.

6. Nat. Mantispedes.

Pedibus anterioribus raptoribus.

- G. MANTISPA Ill. Ltr. — MANTIS Fbr. Pall. Oly. — RAPHDIA Auct.
 coet.

7. Nat. Hemerobiides.

Palpis quatuor.

1. *DIVIS. Ocellis nullis distinctis.*

- G. AEOLOPS Eg. — CHRYSOPA Lch. Ed. enc. — HEMEROBIUS ol.
 viridis Svec. DGr. chrysops | alba Svec. Linn.
 Linn. | capitata — Fbr.
 Perla — Linn.
- G. HEMEROBIUS Auct.
 Phalaenoides Svec. Linn. | fuscatus Svec. Fbr.
 nitidulus — Fbr. | Humuli — Linn.
 hirtus — Linn. | lutescens — Fbr.
- G. OSMYLUS Ltr. Ed. enc. — HEMEROBIUS ol.

2. *DIVIS. Ocello unico.*

- G. SIALIS Ltr. — SEMBLIS Fbr. — HEMEROBIUS Gfr. DGr. Oly.

3. *DIVIS. Ocellis 3 triangulariter positis.*

- G. CHAULIODUS Eg. — CHAULIODES Ltr. Plst. — SEMBLIS Fbr. — HE-
 MEROBIUS ol.
- G. CORYDALIA Eg. — CORYDALIS Ltr. Plst. Ed. enc. — HEMEROBIUS
 Fbr. Oly. — RAPHDIA Linn.

8. Nat. Némurædes.

Alis inferioribus superioribus latioribus.

- G. DIURA Eg. — SEMBLIS Fbr. — PERLA Gffr. DGr. Olv. Lmk. Ltr. —
 PHRYGANEA Linn.
 bicaudata Svec. Linn.
- G. NEMURA Ltr. — PERLA Gffr. DGr. — SEMBLIS Fbr. — PHRYGANEA
 Linn.
 nebulosa Svec. Linn. | lutaria Svec. Linn.

9. Nat. Panorpædes.

Capite rostrato exserto.

- G. BITTACUS Eg. — BITTACUS Ltr. Ed. enc. — PANORPA ol.
 hyaemalis Svec. Linn.
- G. PANORPA Auct.
 communis Svec. Linn. | germanica Svec. Linn.
- G. NEMOPTERA Ltr. — PHYSAPUS Ed. enc. — PANORPA ol.

10. Nat. Myrmeleontides.

Tarsis 5 articulatis; antennis apice crassioribus.

- G. ASCALAPHUS Auct. pler. — LIBELLOIDES Schff. — MYRMELEON Linn.
 barbarus Eur. austr. Afr. Fbr. | longicornis Ital. Linn. Italicus Fbr.
- G. FORMICALEO Gffr. Lch. Ed. enc. — MYRMELEON ol.
 Formicarius Svec. Linn. | Formica Lynx Afr. Amer. Linn.
- G. MYRMELEON Auct.
 Libelluloides Cap. b. sp. Linn.

3. Trib. Raphiocera:

Antennis subulatis.

II. Nat. Libellulædes.

Tarsis 5 articulatis.

- G. LIBELLULA Auct.
 quadrimaculata Svec. Linn. | vulgata Svec. Linn.
 depressa — — | cancellata — —
 flaveola — — | ferruginea Chinae Fbr.
 rubricunda — —
- G. CORDYLA Eg. — CORDYLA Lch. Ed. enc. — LIBELLULA ol.
 aenea Svec. Linn. | carolina Carol. Linn.
- G. CORDYLEGASTER Lch. Ed. enc. — ASTHMA Ltr. — LIBELLULA ol.
 annulatus Svec. Ltr.
- G. GOMPHUS Lch. Ed. enc. — LIBELLULA ol.
 vulgatissimus Svec. Linn.
- G. AESCHNA Fbr. Ed. enc. III. — LIBELLULA ol.
 forcipata Svec. Linn. | grandis Svec. Linn.
- G. ANAX Lch.

G. CALEPTERYX Lch. — AGRION Fbr. Ltr. — LIBELLULA ol.						
Virgo	Svec.	Linn.		var. c.	Svec.	Linn.
var. b.	—	—		var. d.	—	—
G. LESTES Lch. Ed. enc.						
G. AGRION Fbr. Ltr. — LIBELLULA ol.						
Puella	Svec.	Linn.		var. c.	Svec.	Linn.
var. b.	—	—		var. d.	—	—

I2. Nat. Ephemerædes.

Tarsis 4 articulatis.

G. EPHEMERA Auct.						
melanocephala	Ind. or.?	Eg. 1.		marginata	Svec.	Linn.
vulgata	Svec.	Linn.		vespertina	—	—
G. CLOEA Eg. — CLOEON Lch. Ed. enc. — EPHEMERA ol.						
diptera	Svec.	Linn.		Arbogae	Svec.	Eg. 2.
G. BAETIS Lch. Ed. enc. — EPHEMERA ol.						
nigra	Svec.	Linn.		culiciformis	Svec.	Linn.
hovaria	—	—		bioculata	—	—

3. Ordo Hymenoptera:

Alis membranaceis plerumque hyalinis; ore maxilloso aut haustellato.

I. Subordo Tetraptera:

Alis quatuor; maxillis compressis.

I. Tribus Anygmatoidea:

Anni absque aculeo punctorio.

I. Legio Phytophaga:

Abdomine sessili.

I. Natio Siricidae.

Labio integro.

G. SIREX Auct. pler. — UROCERUS Gffr. Schff. Oliv. Lmk. Ltr. Lch. Ed.
enc. — ICHNEUMON DGr. Scp.

Gigas	Svec.	Linn.	Noctilio	Svec.	Fbr.
Mariscus	—	—	Spectrum	—	Linn.
Juvenis	—	—			

G. ORYSSUS Ltr. Fbr. Cqvb. Jrn. Lmk. Klq. Pnz. Ed. enc. — SPHEX Scp.

G. TREMEX Ltr. Ed. enc. — SIREX Fbr. Jrn. Klq.

G. XIPHYDRA Ltr. Fbr. Spnl. Ed. enc. — HYPONOTUS Klq. — UNOCERUS Jrn. — SIREX Linn.

Camelus	Svec.	Linn.	emarginatus	Svec.	Fbr.
---------	-------	-------	-------------	-------	------

G. CEPHA Eg. — CEPHUS Ltr. Fbr. Pnz. Ed. enc. — ASTATUS Klq. — TRACHELUS Jrn. — SIREX Linn.

tabida	Svec.	Fbr.
--------	-------	------

G. AGAUM Dlm.

(Typ. A. paradoxum in Act. Holm. 1818.)

2. Nat. Tenthredinidae.

Labio trifido.

G. LYDA Fbr. Spnl. Lch. — PAMPHILIUS Ltr. Oliv. — CEPHALEJA Jrn. — PSEN Schrk. — TENTHREDO ol.

erythrocephala	Svec.	Linn.	pratensis	Svec.	Fbr.
sylvatica	—	—	Saltuum	—	Linn.
vafra	—	—	flava	—	—
Betuli	—	—	haemorrhoidalis	—	Fbr.
campestris	—	—			

G. TARPA Fbr. Lch. — MEGALADONTES Ltr. Spnl. — CEPHALEJA Jrn. — DIPRION Schrk.

Cephalotes ♀	Svec.	Fbr.
--------------	-------	------

G. CLADUIS Ltr. Ill. Ed. enc. — TENTHREDO ol.

G. PRISTIPHORA Ltr. Ed. enc. — PTERONIS Jrn. — TENTHREDO ol.

G. NEMATUS Jrn. Ltr. Ed. enc. Lch. — CRAESUS Lch. — TENTHREDO ol.

septentrionalis	Svec.	Linn.	lutens	Svec.	Fbr.
fuscipes	—	Mrkl.	assimilis	—	Ghl.

G. TENTHREDO Auct. pler. — DOLERUS Jrn. Ltr. Ed. enc. Lch.

Inteicornis	Svec.	Fbr.	Pentandrae	Svec.	DGr.
var. <i>b.</i>	—	Eg. flavicornis Fbr.	viridis	—	Linn.
pavida	—	Fbr.	Salicis	—	—
abietis	—	Linn.	var. <i>b.</i>	—	Eg. interrupta Fbr.?
germanica	—	Fbr.	Rapae	—	Linn.
livida ♂♀	—	Linn. ♀ carbo naria.	Cerasi	—	—
var. <i>b.</i>	—	Eg. rufiventris Fbr.	nassata	—	—
var. <i>c.</i>	—	— maura Fbr.	rufipes	—	—
gonagra	—	Fbr.	Florula	—	Mrkl.
atra	—	Linn.	stigma	—	Fbr.
nigra	—	—	viridi dorsata	—	DGr.
lateralis	—	Fbr.	tenera	—	Mrkl.
Capreae	—	Linn.	Saliceti	—	—
Morio	—	Fbr.	Ribesii	—	—
12 punctata	—	Linn.	fulvipes	—	Linn.
Punctum	—	—	pulverata	—	DGr.
Mesomela	—	— vaga Fbr.	Equiseti	—	Ghl.
			Eglanteriae	—	Fbr.

G. ALLANTUS Jrn. Lch. — EMPHYIUS Lch. — TENTHREDO ol.

6 annulatus	Germ.	Strm.	cinctus	Svec.	Fbr.
Gyllenhali	Svec.	Mrkl.	rusticus	—	— notata Pnz.
Schrophulariae	—	Linn.	Crabro	Germ.	Strm.
marginellus	—	Fbr.	albocinctus	—	—
3 cinctus	—	—			

G. CIMBEX Fbr. Oliv. Spnl. Ltr. Ed. enc. — CRABRO Gffr. — CLAVELARIA Lmk. Lch. — TRICHIOSOMA, ZARAEA, ABIA et AMASIS Lch. Lmk. — TENTHREDO ol.

femorata	Svec.	Linn.	tristis	Svec.	Fbr.
Lucorum	—	—	Vittellinae	—	Linn.
lutea	—	—	fasciata	—	—
Amerinae	—	—	obscura	—	—
axillaris	—	—			

G. PERGA Lch.

G. PTERYGOPHORUS Klg. Lch.

G. LOPHYRUS Ltr. Ed. enc. Lch. — PTERONUS Jrn. — HYLOTOMA Fbr. — TENTHREDO ol.

Frutetorum	Svec.	Fbr.	Pini	Svec.	Linn.
Juniperi	—	Linn.			

G. HYLOTOMA Fbr. Ltr. Spnl. Lch. — CRYPTUS Jrn. Lch. — ARGE Schrk. — TENTHREDO ol.

ustulata	Svec.	Linn.	fuscipes	Svec.	Linn.
enodis	—	—	nitens	—	—
coerulescens	—	Fbr.	segmentaria	—	Pnz.

G. ATHALIA Lch. — DECATOMA Mrkl. — HYLOTOMA et TENTHREDO ol.

Spinarum	Svec.	Fbr.	ovata	Svec.	Linn.
Rosae	—	Linn.	Ephippium	—	Fbr.
annulata	—	Fbr.			

G. STERICTIPHORA Eg. — HYLOTOMA ol.

(Typ. Hylotoma furcata Fbr.)

2. Leg. Pupophaga:

Abdomine pedunculato.

3. Nat. Evaniædes.

Antennis filiformibus minus quam 20 articulatis.

G. EVANIA Fbr. Oliv. Lmk. Jrn. Pnz. Ed. enc. — ICHNEUMON DGr. — SPHEX Linn.

appendigastor	Svec.	Linn.	pygmaea	Amer.	Fbr.
minuta	—	Fbr.			

G. FOENUS Fbr. Ltr. Jrn. Pnz. Ed. enc. — GASTERUPTION Ltr. — ICHNEUMON ol.

Jaculator	Svec.	Linn.	Assector	Svec.	Linn.
-----------	-------	-------	----------	-------	-------

G. PELECINUS Plst. Ltr. Ed. enc.

G. AULACUS Jrn. Spul. Ed. enc.

4. Nat. Ichneumonides.

Antennis filiformibus plus-quam 20 articulatis.

G. PRIONOPUS Eg. — STEPHANUS Pnz. Jrn. Ill. Ltr. Ed. enc. — BRACON Fbr. Pnz.

G. ANOMALUM Jrn. — XORIDES Ltr. Ed. enc. — CRYPTUS Fbr.

G. PIMPLA Fbr. — ICHNEUMON ol.

* *Antennis luteis.*†† *scutello concolore.*** *Antennis nigris;*† *scutello albo.*

persvasoria	Svec.	Linn.	Manifestator	Svec.	Linn.
vagatoria	—	—	Segmentator	—	Fbr.
			Sumatrensis	Sumatr.	Eg. t.
			Extensor	Svec.	Linn.
			resinella	—	—
			Accusator	—	Fbr.

G. CRYPTUS Fbr. — ICHNEUMON ol.

* *Antennis annulatis;*† *scutello concolore.*†† *scutello thorace concolore.*

Reluctator	Svec.	Linn.	Compunctor	Svec.	Linn.
Restaurator	—	Fbr.	Enervator	—	Fbr.
Profligator	—	—	Mandator	—	—
Incubitor	—	Linn.	Titillator	—	Linn.
			Turionellæ	—	—

†† *scutello albido.*

Armatorius	Svec.	Fbr.	Ruspator	—	Fbr.
Motatorius	—	—	cinctus	—	Linn.
			globatus	—	—
			glomeratus	—	—
			Ovulorum	—	—
			Aphidum	—	—

** *Antennis concoloribus;*† *scutello albido.*

G. METOPIUS Pnz. — PELTASTES Ill. — ICHNEUMON ol.

G. HALOMYA Eg. — ALOMYA Pnz.

G. ICHNEUMON Auct.

* *Antennis concoloribus nigris;*† *scutello concolore.*†† *scutello albido.*

inanitus	Svec.	Linn.	Cynips	—	—
			J. oculator	Fbr.	—
Delusor	—	Linn.			
Rutilator	—	—			
Corruscator	—	—			

luctatorius	Svec.	Linn.
vaginatorius	—	—
designatorius	—	—
fusorius	—	—
deliratorius	—	—
fossorius	—	—

Ichneu.

Ichneumon

** <i>Antennis fasciatis</i> ;					
† <i>scutello albido.</i>					
sugillatorius	Svec.	Linn.	suratorius	Svec.	Linn.
molitorius	—	—	qvastorius	—	—
pedatorius	—	—	ambulatorius	—	—
raptorius	—	—	pisorius	—	—
sarcitorius	—	—	†† <i>scutello concolore.</i>		
crispatorius	—	—	Comitator	Svec.	Linn.
extensorius	—	—	Annulator	—	Fbr.
			Sputator	—	—

G. OPHION Fbr. — ICHNEUMON ol.

* <i>Antennis luteis.</i>			*** <i>Antennis nigris</i> ;		
luteus	Svec.	Linn.	Latrator	Svec.	Fbr.
ramidulus	—	—	Inculcator	—	Linn.
glaucopertus	—	—	Falcator	—	Fbr.
circumflexus	—	—	Nidulator	—	—
** <i>Antennis fasciatis</i> ;			Pugillator	—	Linn.
Clavator	Svec.	Fbr.	Moderator	—	—

G. BANCHUS Fbr. — ICHNEUMON ol.

* <i>Antennis nigris.</i>			** <i>Antennis luteis.</i>		
Venator	Svec.	Linn.			
Gravidator	—	—			

G. ACAENITUS Ltr. Ed. enc.

G. BRACON Jrn. Fbr. Pnz. Ill. Spnl. Ltr. Ed. enc. — VIPIO Ltr.					
Desector	Svec.	Linn.	Denigrator	Svec.	Linn.
Nominator	—	Fbr.			

G. AGATHIS Ltr. Ed. enc. — ICHNEUMON Jrn. — BRACON Spnl. Fbr.

G. BESSUS? Eg. — BASSUS Fbr.

* <i>Antennis luteis.</i>			†† <i>scutello albido.</i>		
** <i>Antennis totis nigris</i> ;			*** <i>Antennis fasciatis</i> ;		
† <i>scutello thorace concolore.</i>			†† <i>scutello albido.</i>		
Prærogator	Svec.	Linn.	†† <i>scutello concolore.</i>		

G. HAPSIS Eg. — JOPPA Fbr.

G. ADONTA Eg. — SALIUS Fbr.

G. CEROPALES Fbr. — MICROGASTER Ltr. Ill. Spnl. Ed. enc. — CRYPTUS Fbr. — BASSUS Pnz. — ICHNEUMON ol.					
maculata	Svec.	Linn.			

G. SIGALPHUS Ltr. Spnl. Ed. enc. — SPHAEROPIYX Hffms. — CRYPTUS et ICHNEUMON Fbr. — CHELONUS Jrn. Pnz. Ill. — BRACON Jrn.					
---	--	--	--	--	--

G. ALYSIA Ltr. Ed. enc. — CRYPTUS Fbr. — BASSUS Pnz. — BRACON Jrn. — CECHENUS Ill.					
--	--	--	--	--	--

5. Nat. Cynipsides.

Antennis clasatis s. extorsum crassioribus rectis.

G. IBALIA Ltr. Ill. Ed. enc. — BANCHUS Fbr. — SIGARIS Pnz. — CYNIPES Jrn.					
---	--	--	--	--	--

G. CYNIPS Auct. pler. — **DIPLOLEPIS** Gffr. Oliv. Pnz. Ed. enc.

Rosse	Svec.	Linn.	Amerinae	Svec.	Linn.
Glechomae	—	—	Quercus tojae	—	Fbr.
Quercus folii	—	—	Quercus radialis	—	—
Quercus petioli	—	—	Quercis gemmae	—	—
Fagi	—	—	aptera	—	Fbr.
Salicis strobili	—	—			

G. FIGITES Ltr. Jrn. — **CYNIPS** Rss.

G. EUCHARIS Fbr. Ltr. Pnz. Spnl. — **CYNIPS** Oliv. — **ICHNEUMON** Rss. — **CHALCIS** Jrn.

6. Nat. Diplolepidides.

Antennis clavatis s. extrorsum crassioribus fractis.

1. *Divis. Thoracis segmento anteriore subquadrato;*

1. *Subdiv. tibiis posterior. curvatis.*

G. LEUCOPUS Fbr. Oliv. Pnz. Jrn. III. Spnl. Ltr. Ed. enc. — **CYNIPS** DITR. — **VESPA** SZ. Chrst.

G. CHALCIS Fbr. Oliv. Pnz. Jrn. III. Ltr. — **SPHEX** et **VESPA** Linn.

2. *Subdiv. tibiis posterior. rectis.*

1. *Manipula.* Mandibulis 5—4 dentatis; antennis 8 articulatis et ultra.

G. EURYTOMA Ill. Ltr. — **ICHNEUMON** DGr. — **CYNIPS** Fbr. Schrk. — **DIPLOLEPIS** Fbr. — **EUCHARIS** Fbr. Pnz. — **CHALCIS** Jrn. — **FIGITES** Spnl.

G. DIPLOLEPIS Fbr. Ill. Spnl. — **CYNIPS** Gffr. Schff. Fbr. Oliv. Wlck. Ltr. — **ICHNEUMON** Linn. — **CLEPTES** Fbr. — **CHALCIS** Cvr. Lmk. Jrn.

Bedeguaris Svec. Linn.

2. *Manip. antennis 6—7 articulatis*

G. EULOPHUS Ed. enc. Gffr. Oliv. Ltr. — **ICHNEUMON** Linn. DGr. etc. **DIPLOLEPIS** Fbr. Spnl. — **CLEPTES** Fbr. — **CYNIPS** Chrst. Jrn. — **CHALCIS** Lmk. Jrn.

3. *Manip. mandibulis 2 dentatis.*

G. CLEONYMUS Ltr. Ed. enc. — **DIPLOLEPIS** Fbr. Spnl. — **ICHNEUMON** DGr. Rss.

G. HARPAXIBIUS Eg. — **SPALANGIA** Ltr. Spnl.

2. *Divis. Thoracis segmento anteriore angusto transverso;*

1. *Subdiv. Mandibulis subquadratis.*

G. PERILAMPUS Ltr. — **DIPLOLEPIS** Fbr. Ill. Pnz. Spnl. — **CHALCIS** Rss. Cvr. Lmk. Jrn. — **CYNIPS** Wlck. Oliv.

G. PTEROMALUS Swdr. Ltr. — **DIPLOLEPIS** Fbr. Spnl. — **CLEPTES** Fbr. — **CYNIPS** Oliv. **ICHNEUMON** Ol.

Gallarum	Svec.	Linn.	Cynipidis	Svec.	Linn.
Puparum	—	—	subcutaneus	—	—

2. *Subdiv. mandibulis acuminatis.*

G. ENCYRTUS Ltr. Ed. enc. — **ICHNEUMON** Rss. — **MIRA** Schlb.

- G. PLATYGASTER Ltr. Ed. enc. — SCELIO Ltr.
 G. SCELIO Ltr. Ed. enc.
 G. TELIAS Ltr.

7. Nat. Psilides.

Abdomine compresso aut depresso.

1. *Divis. Thoracis segmento anteriore transverso arcuato;*1. *Subdiv. antennarum articulo basali elongato.*

- G. SPARASION Ltr. — CERAPHRON Jrn.
 G. CERAPHRON Jrn. Spnl. Ltr.
 G. ANTHEON Jrn. Ltr.
 G. PSILUS Jrn. Pnz. Spnl. Ed. enc. — DIAPRIS Ltr. — CHALCIS Fbr. —
 ICHNEUMON VII. Rss.
 G. CINETUS Jrn. — BELYTA Jrn. Ltr. Ed. enc.

2. *Subdiv. Antennarum articulo basali non elongato.*

- G. PROCTOTRUPES Ltr. Spnl. Ed. enc. — CODRUS Jrn. Pnz. — ERIODO-
 RUS Wlck.
 G. HELORUS Ltr. Jrn. Ed. enc. — SPHEX Pnz.

2. *Divis. Thoracis segmento anteriore elongato subquadrato.*

- G. GONATOPUS Klg. — DRYINUS Ltr. Ed. enc.
 G. BETHYLUS Ltr. Fbr. Ed. enc. — OMALUS Jrn. — CYRAPHRON Pnz.

8. Nat. Chrysidides.

Abdomine ovato l. subcylindrico.

1. *Divis. Thorace antice attenuato 4 segmentario.*

- G. CLEPTES Auct. pler. — CHRYSIS Oliv. — ICHNEUMON Rss., Wlck. —
 VESPA Gffr. — SPHEX Linn. VII.
 Semiaurata Svec. Linn.

2. *Divis. Thorace semicylindrico 3 segmentario.*1. *Subdiv. Metathorace in scutellum producto;*1. *Manip. abdominis segmento 2:0 latiore.*

- G. ELAMPUS Spnl. Ltr. Ed. enc. — CHRYSIS Fbr. Jrn. — HEDYCHRUM
 Pnz. Lplt.
 G. STILBUM Spnl. Ltr. Ed. enc. — CHRYSIS ol.
 splendidum Tranqveb. Fbr.

2. *Manip. abdominis segmentis 3-4 latioribus.*

- G. PARNOPES Ltr. Fbr. Spnl. Ill. Lplt. Ed. enc. — CHRYSIS ol.

2. *Subdiv. Metathorace in scutellum non producto.*

- G. EUCHRAEUS Ltr. Ed. enc. — CHRYSIS ol.

G. CHRYSIS Auct. pler. — VESPA Gffr.

fulgida	Svec.	Linn.	viridula	Svec.	Fbr.
ignita	—	—	coerulipes	—	—
bidentata	—	—	austriaca	—	—

G. HEDYCHRUM Ltr. Puz. Ed. Enc. — CHRYSIS ol.

auratum	Svec.	Linn.	cyaneum	Svec.	Linn.
---------	-------	-------	---------	-------	-------

2. Trib. Nygmatoða:

Ann focminarum l. neutrorum aculeo punctorio instructo.

I. Legio Apepalephora:

Pedibus posterior. non pollinigeris.

1. *Cohors* Ocellis non distinctis; Foemineis. Neutrisque soepe apteris.

9. Nat. Formicædes.

♂ et ♀ alatis, Neutris apteris.

G. FORMICA Auct.

hereuleana	♂♀♂	Svec.	Linn.	flava	♂	—	Fbr.
ruficornis	♂	Ind. or.	Fbr.	Cospitum	♂♀♂	—	Linn.
fusca	♂	Svec.	Linn.	Tuberum	♂♀	—	Fbr.
rubra	♂♂	—	—	Acervorum	♂	—	—
obsoleta	♂♀	—	—				

G. MYRMA Eg. — FORMICA ol.

Carinata	N. Chalced.	Fbr.	Hystrix	Eg. 2.
militaris	Afr. aequin.	—		

G. LASIUS Fbr. — FORMICA ol.

niger	Svec.	Linn.
-------	-------	-------

G. POLYERGUS Ltr. Spnl. Ed. enc. — FORMICA Jrn.

G. PONERA Ltr. Ill. Ed. enc. — FORMICA Auct. coet.

G. ATTA Fbr. Ill. Ltr. Jrn. Ed. enc. — FORMICA ol.

G. MYRMICA Ltr. Spnl. Ed. enc. — MANICA Jrn. — MYRMICIA Fbr. — FORMICA Auct. coet.

G. CRYPTOCERUS Fbr. Ltr. Ill. Ed. Enc. — FORMICA Linn. Oliv. — MANICA Jrn.

10. Nat. Mutillædes.

♂ alati, ♀ apterae.

1. *DIVIS. Tibiis simplicibus.*

G. LABIDUS Ltr. Jrn. Ed. enc.

G. DORYLUS Fbr. Jrn. Ill. Oliv. Ltr. Ed. enc.
nigricans ♂ Guin. Fbr.

2. *DIVIS.*

2. *Divis. Tibiis spinosis;*1. *Subdiv. segmentibus abdominis 2 anterior. nodiformibus.*

G. APTEROGYNA Ltr. Ed. enc.

2. *Subdiv. segmento abdominis tantum primo nodiformibus;*1. *Manip. palpis maxillaribus longitudine maxillae l. ultra.*G. MUTILLA Auct plur. — SPHEX DGR. — APIS Chrst. Hrrs.
europea ♀ Svec. Linn. | formicaria ♀ Svec. Linn.

G. METHOCA Ltr. Ed. enc. — MUTILLA Jur.

G. MYRMOSA Ltr. Jur. Pnz. Ed. enc. — MUTILLA Res — HYLAEUS Fbr.

G. SCLERODERMUS Klg. Ltr. Ed. enc.

2. *Manip. palpis maxillaribus maxilla brevioribus.*

M YRMECODES Ltr. Ed. enc. — TIPHA Fbr.

2. *Coh. Ocellis distinctis; Foeminis alatis.*I. *Phalanx alis superioribus expansis.*1. *Sect. pedibus posterioribus corpore toto longioribus.*

II. Nat. Sphecides.

Abdomine elongato-pedunculato.

1. *Div. Maudibulis interne denticulatis;*1. *Subdiv. Antennis medio capitis insertis.*G. SPHEX Auct. pler. — ICHNEUMON Giff — PROAPIS DGR. — PEPsis
Fbr. Spnl. — CHLORION Fbr.sabulosa Svec. Linn. | cyanogaster Svec. Eg. 4.
crythropoda — Eg. 3.G. AMMOBIA Eg. — AMOPHILA Krb. Ltr. Ed. enc. — PEPsis Fbr.
Spnl. — MISCUS Jrn. — SPHEX Auct. coet.*) *Abdomine thorate duplo lon-* | praetiosa Eg. 5.
giore. sericea Ins. Mar. parif. Fbr.
**) *Abdomine longitudine thora-* | argentata Hisp. —
cis. arenaria Svec. —2. *Subdiv. antennis prope os insertis.*

G. DRYINUS Fbr. — PRONAEUS Ltr. Ed. enc. — PEPsis Plst.

G. CHLORIUM Fbr. Ltr. Pnz. Ed. enc. — SPHEX CVI. Chrst. — PEP-
sis III — AMPULEX Jrn.

elegans Eg 6. | compressum Malebar. Fbr.

G. DOLICHURUS Ltr. Ed. enc. — PISON Jrn. — POMPILUS Spnl.

G. PISON Jrn. Ltr. Ed. enc. — TRACHYBULUS Ltr. — ALYSON Spnl.

G. TRYPOXYLON Auct. pler. — APIUS Jrn. — SPHEX ol.
figulus Svec. Linn.

2. *Divis. Mandibulis internis edentulis.*

- G. PSEN Ltr. Jrn. Puz. III. Spnl. — PELOPOEUS et TRYPOXYLON Fbr.
 G. CEMONUS Jrn. Ed. enc. — PSEN Puz — PEMPHREDON Fbr. —
 STIGMUS Ltr. | unicolor Germ. Puz.
 pallipes Germ. Puz.
 G. PODIUM Fbr. Ltr. Ed. enc.
 G. PELOPOEUS Fbr. Ltr. Puz. Spnl. Ed. enc. — PEPsis III. — SCE-
 LITHRON Kglh. — SPHEX Auct. Coet.
 nigrotarsis Eg. 7. | Spiritex Eur. austr. Aegypt. Linn.
 violaceus Cap. b. sp. Fbr. Pepsis — Madraspatana Malabar. Fbr.

12. Nat. Pompilides.

abdomine breviter petiolati s. ad basin acuminato.

- G. PEPsis Fbr. Ltr. Ed. enc. — POMPIlus Jrn. III. — SPHEX ol.
 G. CEROPALES Ltr. Fbr. Jrn. Puz. Spnl. — ICHNEUMON Giff. Oliv. —
 POMPIlus Puz. III. — EVANIA Oliv. VII. Rs. Cvr.
 G. CRYPTOCHILUS Eg. — CAYROCHEILUS Puz.
 G. POMPIlus Fbr. Puz. Jrn. III. Wlck. Spnl. Ed. enc. — ICHNEUMON
 Giff. — SPHEX ol.

Capensis Cap. b. sp.	Linn.	assimilis	Brasil. Eg. 10.
brunneus	Eg. 3.	iuscus	Svec. Eg. viaticus Fbr.
rubicornis	Amer. Fbr.	fuscescens	Svec. Eg. iuscus —
caffrens Cap. b. sp.	Eg. 9.	niger	— Fbr.
coeruleus	Linn.	gibbus	— —
fauciata	Frstrm.	variabilis	— Rss. rufipes Fbr.

2. *Sect. pedibus corpore brevioribus.*

13. Nat. Lirraedus.

Antennis prope os insertis; oculis ad marginem usque capitis elongatis.

1. *Divis. Mandibulis intus non emarginatis;*1. *Subdiv. Antennis extrorsum crassioribus.*

- G. GORYTES Ltr. III. Spnl. Ed. enc. — MELLINUS Fbr. Wlck. — OXY-
 BELUS Fbr. — ARRACTUS Jrn. Puz. — SPHEX Rss. — VESPA
 Linn. Giff.
 G. NYSSON Ltr. Jrn. Puz. III. Spnl. Ed. enc. — CRABRO Fbr. Oliv. Rss.
 — OXYBELUS, POMPIlus et MELLINUS Fbr. — SPHEX VII.
 G. OXYBELUS Auct. pler. — SPHEX Schff. — CRABRO Oliv. Rss. —
 VESPA Linn. VII. Chrst.

2. *Subdiv. antennis filiformibus.*

- G. NITELA Ltr. Ed. enc.
 G. ASTATA Ltr. Spnl. Ed. enc. — SPHEX VII. Rss. — DIMORPHA Jrn.
 Puz. III.

2. *Divis. mandibulis intus emarginatis.*

- G. GONIUS Jrn. Puz. — PALARUS Ltr. Ed. enc. — PHILAEUS Fbr. —
 CRABRO Rss.
 flavipes Svec. Fbr.

- G. LARRA Fbr. et Auct. pler. — LIRIS Fbr. III. — SPHEX VII. Rss.
 G. LYROPS III. Ltr. Ed. enc. — PACHYTES Phz. — LARRA Fbr. Jm. —
 LIRIS Fbr. — ANDRENA Rss.
 G. DINETUS Jm. Phz. III. Ltr. Ed. enc. — SPHEX Schiff. — POMPILUS
 Fbr. — CRAERO Rss.
 G. MICROPHUS Jm. Ltr. Ed. enc.

14. Nat. Mellinides.

antennis prope os insertis; oculis non ad marginem capitis elongatis.

1. Divis. Antennis filiformibus.

- G. LESTICA Eg. — SPHEX Linn. VII. — VESPA Linn. Gffr. — CRAERO
 Auct. pler.

subterranea	Svec.	Fbr.	fossoria	Svec.	Linn.
pellata	—	—	6 cluata	—	Ibr.
cribraria	—	Linn.	alata	Germ.	Phz.
clypeata	—	—	dimidiata	—	—

G. STIGMUS Jm. Phz. III. Spnl. Ltr. Ed. enc.
 G. PEMPHREDON Ltr. Fbr. Spnl. Ed. enc. — CEMONUS Jm. Phz. III.
 leucostomus Svec. Linn. geniculatus Svec. Fbr.
 G. MELLINUS Fbr. Phz. Jm. III. Spnl. — SPHEX DGr. Cvf. VII. —
 VESPA ol.

mustacels	Svec.	Linn.	arvensis	Svec.	Linn.
campestris	—	—	—	—	—

 G. ALYSON Jm. Phz. Ltr. — POMPILUS Fbr.

2. Divis. Antennis apice crassioribus.

- G. CIRCERIS Ltr. III. Spnl. Ed. enc. — SPHEX Schiff. VII. Rss. —
 BEMBEX et CRAERO, Rss. — PHILANTHUS Fbr. Jm. Phz. —
 VESPA Gffr. Oliv. Hrrs.
 arparia Svec. Linn.
 G. PHILANTHUS Auct. pler. — VESPA Gffr. VII. — SPHEX Schiff. —
 CRAERO Rss. — SIMBLEPHILUS Jm.

15. Nat. Scolirodes.

Antennis medio capitis insertis; segmento primo thoracis arcuato.

1. Divis. Antennis corpore brevioribus.

1. Subdiv. palpis longis.

- G. TIPHIA Fbr. Phz. III. Jm. Spnl. Ed. enc. — SPEEX Scp. Chrst. —
 BETHYLUS Phz.
 femorata Svec. Fcr.
 G. TENGYRA Ltr.

2. Subd. palpis brevibus.

- G. MYSEA Eg. Mizine Ltr. III. Spnl. Ed. enc. — PLESIA Jm. — EBIS
 Fbr. — TIPHIA Fbr. Phz. — SARYGA Jm. Phz. — SCOLIA Rss.
 G. MERIA Jm. Ltr. Ed. enc. — BETHYLUS Fbr. — TIPHIA Rss. TACHUS
 Jm. Spnl.

G. SCOLIA Fbr. Ltr. Ed. enc.					
metallipennis		Eg. 11	2. Cincta	Amer.	Fbr.
fluvifrons	Ital.	Fbr.	var. <i>b.</i>		Eg. 12.
Hortorum	Hisp.	—	signata		Eg. 15.
4. maculata	Columb.	—	affinis		— 14.
2. maculata	—	—	6 guttata?	Hafn.	Fbr. Hellus —

2. *Divis.* Antennis longitudine corporis.

G. SAPYGA Ltr. Jrn. Kglu. III. Spnl. Ed. enc. — HELLUS Fbr. Pnz. et					
	ELIS Fbr. —	SPHEX VII. —	VESPA Gffr —	APIS Linn.	
interrupta	Ital.	Fbr.	Prisma	Germ.	Fbr.
6 punctata	Germ.	—			

G. POLYCHRUM Spnl. Ltr. Ed. enc.

G. THYNNUS Fbr. Siz. Ltr. Jrn. Dav. Ed. enc.

16. Nat. Bembicides.

antennis medio capitis insertis; segmento thoracis primo lineari.

G. STIZUS Ltr. Jrn. Spnl. Ed. enc. — BEMBEX Oliv. Fbr. — LARRA III. Fbr. — LIRIS et SCOLIA Fbr. — SPHEX VII. — MELLINUS Puz.

G. MONEDULA Ltr. Pnz. Ed. enc. — VESPA Linn. DGr. — BEMBEX Oliv. Jrn. — SICTIA III.

BEMBEX Auct. pler. — VESPA Siz. — APIS Linn. VII. Christ. rostrata Svec. Linn. | signata Amer. Linn.

17. Nat. Vespædes.

antennis filiformibus; apice mandibulae oblique truncato.

G. VESPA Auct.					
crabro	Svec.	Linn.	rufa	—	Linn.
vulgaris	—	—	norvegica	—	Fbr.
Svecica	—	Eg. 15	affinis	Chiuro	—
germanica	—	Fbr.	cincta	[Traugveb.	—
saxonica	—	—	calida	Svec.	Linn.
helsatica	—	—			

G. POLISTES Ltr. Fbr. III. Spnl. Ed. enc. — VESPA Auct. coet. gallica Eur. Austr. Linn. | hebraea Ind. or. Fbr. marginalis Cap. b. sp. Fbr.

2. *Phal.* Atis superioribus longitudinaliter plicatilibus.

18. Nat. Eumenides.

antennis filiformibus; apicibus mandibularum rostriforme-congestis.

G. ODYNERUS Ltr. Ed. enc. — VESPA Pnz. Fbr.					
4. fasciatus	Svec.	Fbr.	3. fasciatus	Svec.	Fbr.
6. fasciatus	—	—	2. fasciatus	—	Linn.
5. fasciatus	—	—	2. punctatus	—	Fbr.
spinipes	—	Linn.	bidens	—	Linn.
murarius	—	—	sinuatus	—	Fbr.
4. cinctus	—	Fbr. O. spinipis ♀			

G. EUMUNES

- G. EUMENES Ltr. Fbr. Ed. enc.
 pyriformis Chinae Fbr. | pomiformis Ital. Fbr.
 arcuata N. Holl. — | coarctata Svec. Linn.
- G. ZETHUS Fbr. Ltr. Ed. enc.
- G. SYNAGRIS Ltr. Fbr. Ed. enc. — VESPA Oliv. Jrn.
- G. RHYNCIUM Eg. — RYCHIUM Spnl. — ODYNEBUS Ltr. — VESPA Fbr.
 parietinum Svec. Linn. | auctum Svec. Fbr.
- G. PTEROCHILUS Klg. Pnz. Ed. enc.
- G. DISCOELIUS Ltr. Ed. enc. — VESPA Pnz.
- G. CERAMIUS Ltr.

19. Nat. Masaridides.

antennis clavatis.

- G. MASSARIS Eg. — MASARIS Fbr. Ltr. Ed. enc.
 vespiformis Barbar. Fbr.
- G. CHELONITES Ltr. Fbr. III. Spnl. Pnz. Ed. enc. — MASARIS Jrn.
 Cvr. Lmk. — CHRYSIS Rss. — CIMBEX Oliv. — VESPA VII.

2. Leg. Pepalephora:

Pedibus pollinigeris.

20. Nat. Anthrenædes.

Lacinia intermedia labri marginato-cordata seu auriculato-subhastata.

1. *Divis. Apicè labri dilatato subcordato;*

- G. COLLETES Ltr. III. Spnl. Klg. Ed. enc. — ANDRENA Fbr. Jrn. —
 HYLAEUS Fbr. — EVODIA Pnz. — MELITTA * a, b. Krb. —
 APIS ol.

- G. PROSOPIS Jrn. Fbr. III. Pnz. Spnl. Klg. Ed. enc. — HYLAEUS Ltr.
 Cvr. Wick. — ANDRENA Oliv. — VESPA Rss. — APIS ol.
 annulata Svec. Linn. | similis Svec. Fbr.
 albipes — Fbr. | labiata — —

2. *Divis. Lacinia intermedia labri acuto-lanceolata.*1. *Subdiv. lacinio intermedia labri incurva l. subrecta.*1. *Minip. incurva, capite duplo longiore.*

- G. NOMIA Ltr. Ed. enc. — MEGILLA Fbr. — LASIUS Jrn. Pnz. — ME-
 LITTA (* * b) Krb.

- G. HYLAEUS Fbr. III. Spnl. Klg. Ed. enc. — APIS Linn. VII. Rss. —
 ANDRENA Oliv. Pnz. Jrn. Spnl. — HALICTUS Ltr. — ME-
 LITTA (* * b) Krb.

leucopus	Austr.	Krb.		leucozonia	Austr.	Krb.
villosula	Eur.	anstr.	—	—	—	—

2. *Minip. subrecta, brevior.*

- G. SPHECODES Ltr. — SPHEX Linn. VII. Rss. Ed. enc. — APIS Gffr. —
 PROSOPIS DGr. — NOMADA Fbr. — ANDRENA Oliv. Pnz.
 Jrn. Spnl. — DICHROA III. Klg. — MELITTA * * a, Krb.

gibbus	Svec.	Fbr.
--------	-------	------

2. *Subdiv. labro reflexo.*

- G. MELITTA Krb. (** c.). — ANDRENA Ltr. Pnz. — CILISSA Lch.
 G. ANTHRENA Eg. — ANDRENA Auct. pler. — MELITTA ** c. Krb. —
 APIS ol.
- | | | | | | |
|------------|-------|-------|-------------|-------|-------|
| albicans | Germ. | Krb. | retusa | Svec. | Linn. |
| fulvonigra | — | Strm. | cineraria | — | — |
| flaripes | — | Pnz. | cunicularis | — | — |
| helvola | Svec. | Linn. | floreata | — | Fbr. |
- G. DASYPODA Ltr. Fbr. Pnz. III. Spnl. Klg. Ed. enc. — ANDRENA
 Rss. — TRACHUSA Jrn. — APIS Chrst. — MALITTA * * c.
 Krb.

2I. Nat. Apides.

Lacinia intermedia labri elongata filiforme.

1. *Divis. Articulis 2 tarsorum basalibus elongatis reliquis
 latioribus;*1. *Subdiv. palpis aequalibus.*

- G. SYSTROPHA III. Klg. Ed. enc. — APIS Schff. Rss. — EUCERA Sep.
 — ANDRENA Oliv. — HYLAEUS Fbr. — CERATINA Jrn.
 — ANTHIDIUM Pnz.
 G. PANURGUS Pnz. Spnl. Ltr. Ed. enc. — APIS Scp. — DASYPODA III.
 Fbr. — ERIOPS Klg. — APIS * a. Krb.

2. *Subdiv. palpis inaequalibus.*

- G. ROPHITES Spnl. Ltr. Ed. enc.
 G. CHELOSTOMA Ltr. Ed. enc. — HYLAEUS Fbr. — ANTHOPHORA III.
 Fbr. — ANTHIDIUM Pnz. — TRACHUSA Jrn. — APIS
 Linn. VII. Krb. (** c. 2.)
- | | | | | | |
|-------------|-------|-------|-------------------|---------|-----------|
| florisomnis | Svec. | Linn. | maxillosa | Svec. | Linn. ab. |
| Rybyensis | — | — | Heriad. truncorum | diverta | |
- G. HERIADES Spnl. Ltr. Ed. enc. — ANTHOPHORA Fbr. III. Klg. —
 ANTHIDIUM Pnz. — TRACHUSA Jrn. — APIS Linn. Krb.
 (* * c. 2.)
 Truncorum Svec. Linn.
- G. STELIS Pnz. Ed. enc. — ANTHOPHORA III. — MEGACHILE Ltr. Wick.
 — TRACHUSA Jrn. — GYRODROMA Klg. — APIS Krb. (* * c. 1.)
- G. ANTHIDIUM Fbr. Pnz. Klg. Ltr. Ed. enc. — ANTHOPHORA III. — ME-
 GACHILE Ltr. Wick. — TRACHUSA Jrn. — APIS ol. et
 Krb. (** c. 2.)
- | | | | | | |
|-----------------|-------|-------|------------|-------|------|
| manicatum | Svec. | Linn. | rotundatum | Svec. | Fbr. |
| var. δ . | — | Fbr. | | | |
- G. OSMIA Pnz. Spnl. Ltr. Ed. enc. — ANTHOPHORA Fbr. III. Klg. —
 MEGACHILE Wick. — TRACHUSA Jrn. — HOPLITIS et AMELYS
 Klg. — APIS ol. et Krb. (* * c. 2.)
- | | | | | | |
|-----------------|-------|-------|-----------------|-------|-------|
| coerulescens | Svec. | Linn. | bitornis | Svec. | Linn. |
| var. δ . | — | — | var. δ . | — | — |
| auncea | Germ. | Fbr. | aenea | | rufa |

G. MEGACHILE Ltr. Wlck. Spnl. Ed. enc. — ANTHOPHORA Fbr. III.
Pnz. Klg. — TRACHUSA Jrn. — XYLOCOPA et CENTRIS Fbr.
— APIS ol. et Krb. (** c. 2.)

centuncularis Svec. Linn. | lagopoda Svec. Linn.

G. COELIOXYS Ltr. Ed. enc. — ANTHOPHORA Fbr. III. Klg. — MELEA-
CHILE Wlck. — TRACHUSA Jrn. — ANTHIDIUM Pnz. —
HERIADES Spnl. — APIS ol. (** c. 1.) Krb.

conica Svec. Linn. | 4 dentata Svec. Linn.

G. AMMOBATES Ltr. Ed. enc.
rufiventris Svec.

G. PHILEREMUS Ltr. Ed. enc. — EPEOLUS Fbr.
G. NOMADA Auct. pler. — APIS ol. et Krb. (* b.)

ruficoruis Svec. Linn. | Fabriciana Svec. Linn.
striata — Fbr.

G. EPEOLUS Auct. pler. — APIS ol. et Krb. (** b.)
variegatus Svec. Linn.

G. BIASTES Pnz. — PASITES Jrn. Spnl. Ed. enc. — NOMADA Fbr. — AN-
THOPHORA Ill.

G. OXAEA Klg. Ltr. Ed. enc.

G. CHOCISA Jrn. Ltr. Ed. enc. — THYREUS Pnz. — MELECTA Fbr. III.
Klg. — NOMADA Rss.

Historio Ind. or. Fbr.

G. MELECTA Ltr. Pnz. Fbr. III. Spnl. Ed. enc. — CHOCISA Jrn. — SYM-
MORPHA Klg. — APIS ol. et Krb. (** a.)

G. CFRATINA Ltr. Jrn. Spnl. Ed. enc. — PROSOPIS Fbr. — MEGILLA
Fbr. III. — PITHIUS Klg. — CLAVICERA Wlck. — APIS
VII. Rsa. Krb. (* d. 2.)

Acervorum Svec. Linn. | fasciata Ind. or. Fbr.

G. XYLOCOPA Auct. pler. — BOMBUS et CENTRIS Fbr. — APIS ol. et
Krb. (** d. 2.)

Morio	Brasil.	Fbr.		trepida	Brasil.	Fbr.
flavilabris		Eg. 16.		aestuans	Amer.	Linn.
fuscoalata		— 17.		africana	Afr. aequin.	Fbr.
violacea	Amer.	Linn.		Brasilianorum	Amer.	Linn.
dorsalis		Eg. 18.				

2. *Dorsis. Articulo tarsorum primo elongato reliquisque latiore.*

1. *Subdiv. tibiis posterior. articuloque basali tarsorum
sparsè pilosis.*

1. *Manip. tibiis posterior. bispinosis.*

G. BOMBUS Auct. pler. — BREMUS Jrn. — APIS ol. et Krb. (** e 2.)

Soroensis	Svec.	Fbr.		terretris	Svec.	Linn.
var. b.	—	Eg. 19.		Hortorum	—	—
subtraneus	—	Linn.		Sylvarum	—	—
Dubamelli	Germ.	Krb.		apricus	—	Fbr.
rupestris	Svec.	Fbr.		equestris	—	—
lapidarius	—	Linn.		Agiorum	—	—
alpina	—	—		Hypnorum	—	Linn.
var. b.	—	Eg. 20.		Mniurum	—	Fbr.
Pratorum	—	Fbr.		Muscorum	—	Linn.
cryptarum	—	—		Lucorum	—	—
underatus	—	—		senilis	—	Fbr.

G. EUGLOSSA Auct. pler. — CENTRIS Fbr. — BOMBUS Jrn. — APIS Linn.

2. *Manip. tibiis posterior, inermibus.*

G. APIS Auct.

mellifica ♂♂ Svec. Linn.

G. MELIPONA III: Ltr. Ed. enc. — TRIGONA Jrn. — APIS Fbr.

G. TRIGONA Jrn. Ltr. Ed. enc. — MELIPONA III. Klg. — APIS et CENTRIS Fbr.

2. *Subdiv. tibiis posterior, articuloque basali tarsorum valde hirsutis;*

1. *Manip. palpis maxillaribus uniarticulatis.*

G. EPICHARIS Klg. III. Ltr. Ed. enc. — CENTRIS et HYLOCOPA Fbr. — APIS Oliv. — BOMBUS III. — ACANTHOPUS Klg.

2. *Manip. palpis maxillaribus 4 articulatis vel ultra.*

G. CENTRIS Fbr. Ed. enc. — MEGILLA III. — LASIUS Jrn. — TRACHUSA et HENISSIA Klg. — APIS Linn.

cornuta Barbar. Fbr. | bicincta Ind. or. Fbr.
versicolor Ins. Amer. —

G. SAROPODA Ltr. Ed. enc. — MEGILLA III. Pnz. HELIOPHILA Klg. — APIS Krb.

G. LASIUS Jrn. — ANTHOPHORA Ltr. Spnl. Ed. etc. — PODALIRIUS Wick. — CENTRIS Fbr. Pnz. — MEGILLA III. Klg. Fbr. — APIS Oliv. es Krb. (**d. 2.)

G. MELITTURGA Ltr. Ed. enc.

G. EUCERA Auct. pler. — APIS Linn. et Krb. (**d. 1.) longicornis Svec. Linn.

G. MACROCERA Ltr. Ed. enc. — EUCERA Pnz.

2. Subordo DIPTERA.

Alis 2 cum rudimentis plerumque 2 aliarum; ore haustellato.

2. Trib. Proboscida:

Ore proboscideo.

I. Leg. Holigarta.

Antennis parum articulatis.

I. *Coh.* Haustello setis duabus:

I. Nat.

I. Nat. Muscædes.

Proboscide retractili, apice dilatata; corpore non filiforme.

1. *Divis. Proboscide palpisque vix conspicuis;*

G. OESTRUS Auct.

Bovis	Svec.	Linn.	Eqvi Fbr.	nasalis	Svec.	Linn.	veterinus Fbr.
Tarandi	—	—		Trompe	—	—	
haemorrhoidalis	—	—					

2. *Divis. Proboscide palpisque distinctis.*1. *Subdiv. alis divaricatis.*1. *Manip. Antennis setigeris.*

G. TACHINA Fbr. Mgn. — ECHINOMYIA Ltr. Dum. — MUSCA Auct. pler.

fera	Svec.	Linn.	grossa	Svec.	Linn.
tessellata	—	Fbr.	tremula	—	—

G. GYMNOSOMA Mgn. — OCYPTERA Ltr. — TACHINA Fbr. — MUSCA Auct. pler.

capitata	Svec.	DGr.	rotundata	Svec.	Linn.
----------	-------	------	-----------	-------	-------

G. OCYPTERA Ltr. Fbr. — CYLINDROMYIA Mgn. — MUSCA Auct. pler.
Brassicaria Svec. Fbr.

G. ERIOTHRIX Mgn. — OCYPTERA Ltr. Fbr. — MUSCA Auct. pler.

lateralis	Svec.	Fbr.	olivacea	Germ.	Hffms.
pubera	—	Linn.			

G. THEREVA Fbr. Vlck. Mgn. Pnz. — PHASIA Ltr. — CONOPS Linn. — MUSCA Schiff. — SYRPHUS Rss.

G. MUSCA Auct.

meridiana	Svec.	Linn.	cadaverina	Svec.	Linn.
earnaria	—	—	cornicina	—	Fbr.
lardaria	—	Fbr.	Vespillo	—	—
maculata	—	Linn.	corvina	—	—
domestica	—	—	vulpina	—	—
mortuorum	—	—	testacea	—	—
vomitorea	—	—	canina	—	—
Caesar	—	—			

G. EXORISTA Mgn. — OCYPTERA Ltr. — MUSCA Auct. pler.

Larvarum	Svec.	Linn.	tessellata	Svec.	Mgn.	marmorata Fbr.
Radicum	—	—				

G. METOPIA Mgn. — MUSCA Auct. coet.

G. ANTHOMYIA Ill. Mgn. Ltr. — MUSCA Auct. coet.

nitens	Germ.	Vdm.	decipiens	Germ.	Vdm.
leucostoma	—	Mgn.	trigveta	—	Mgn.
Angliae	—	Hffms.	serrata	Svec.	Fbr.
conica	—	Vdm.			

G. MELANOPHORA Mgn. — TEPHRITIS Fbr. — MUSCA Auct. pler.
grossificationis Svec. Linn.

G. LISPE Ltr. — MUSCA DGr.

G. OCHITERA Ltr. — TEPHRITIS Fbr. — MACROCHIRA Mgn. — MUSCA DGr.

Mantis Svec. DGr. manicata Fbr.

G. DICTYA Fbr. — PLATYSOMA Ltr. Mgn. — MUSCA Schrk. VII.

G. TEPHRITIS Ltr. III. Fbr. — TAYPETA Mgn. — MICROPEZA Lir. — MUSCA Auct. coet.

Cerasi	Svec.	Linn.		4 punctata	Svec.	Linn.
Cardui	—	—		Rosae	—	Fbr.
solstitialis	—	—		parietina	—	Linn.
Arnicæ	—	—		Putris	—	—
vibrans	—	—				

G. DACUS Fbr. — TEPHRITIS Ltr. — MUSCA ol.

Hyoscyami	Svec.	Linn.		Tussilaginis	Svec.	Fbr.
Dauci	—	Fbr.		Germinationis	—	Linn.
stylatus	—	—				

G. MICROPEZA Mgn. Ltr. — TEPHRITIS Fbr. CALOBATA Fbr. III. Ltr. — MUSCA Auct. coet.

cynipsea Svec. Linn.

2. *Manip.* Antennis absqve seta.

G. SCENOPINUS Ltr. Fbr. Flin. — NEMOTELUS DGr. Pnz. — CONA Schlb. — MUSCA Auct. coet.

fenestralis	Svec.	Linn.		senilis	Svec.	Fbr.
rugosa	—	Fbr.				

G. CHRYSOMYZA Flin.

2. *Subdiv. alis incumbentibus.*

G. SEPEDON Ltr. — SCATOPHAGA et BACCHA Fbr. — SYRPHUS Pss. — MULIO Schlb. — MUSCA Pnz.

sphegeus

G. SCATOPHAGA Fbr. III. — TETANOCERA Dinn. Ltr. — DICTYA Ltr. Mgn. — MUSCA Auct. coet.

finetaria	Svec.	Linn.		rufifrons	Svec.	Fbr.
ustulata	Germ.	Hffms		umbrarium	—	Linn.
marginipunctata	—	—		urticae	—	—
flava	Svec.	Fbr. Tephritis Sc.				
		— pnncticornis Wdm.				

G. OSCINIS Ltr. Fbr. — SCATOPHAGA et TEPHRITIS Fbr. — CHLOROPS et CHAMAEMYIA Mgn. III. Pnz. — OTITES Ltr. — MUSCA Auct. coet.

lineata	Svec.	Fbr.		Frit	Svec.	Linn.
---------	-------	------	--	------	-------	-------

G. LAUXANIA Ltr. Fbr. Pnz.

G. TICHODARTHA Eg. — MOSILLUS Ltr. — MUSCA ol.

G. PYROPE III. — SCATOPHAGA Ltr. Mgn. — MUSCA Auct. coet.

Scyballaria	Svec.	Linn.		stercoraria	Svec.	Linn.
-------------	-------	-------	--	-------------	-------	-------

G. THYREOPHORA Mgn. III. Ltr. — MUSCA Fbr. Pnz.

furcata	Svec.	Fbr.
---------	-------	------

G. SPHAEROCERA Ltr.

G. PHORA Ltr. — TRINEURA Mgn. — TEPHRITIS Fbr. — NODA Schlb. — MUSCA Gfr.

2. Nat. Diopsides.

[Proboscide retractili; corpore filiforme.

- G. LOXOCERA Mgn. Ill. Ltr. Fbr. — STAPHUS Rss. — MUSCA Auct. coet.
 Ichneumonea Svec. Fbr.
- G. CALOBATA Mgn. Ill. Ltr. Fbr. — MUSCA Cvr. Wick. Schlb.
 Petronella Svec. Linn. | Subsultans Svec. Linn.
- G. ACHIAS Fbr. Ltr.
- G. DIOPSIS Auct.

3. Nat. Conopsides.

Proboscide brevissima siphunculiforme; abdomine cylindrico apice attenuato l. breve trigono.

1. *Divis. Corpore elongato subcylindrico.*

- G. CONOPS Auct. pler. — ASILUS Gffr. Schff. — EMPIS Sep.
 * *Abdomine subpetiolato.* * * *Abdomine sessili.*
- | | | | | | |
|--------------|-------|-------|-------------|-------|-------|
| nigra | Svec. | DGr. | vesicularis | Svec. | Linn. |
| rufipes | — | Fbr. | flavipes | — | — |
| macrocephala | — | Linn. | aculeata | — | — |

G. ZODION Ltr. — MYOPA Fbr.

G. MYOPA Auct. pler. — CONOPS Linn. VII. — ASILUS Gffr. — SICUS Sep. — STOMOXOIDEUS Schff. — STOMOXYS Fbr.

- | | | | | | |
|----------|-------|-------|------------|-------|-------|
| buccata | Svec. | Linn. | ferruginea | Svec. | Linn. |
| dorsalis | — | Fbr. | atra | — | — |
| testacea | — | Linn. | femorata | — | Ebr. |

2. *Divis. corpore breve trigono.*

G. STOMOXYS Auct. pler. — CONOPS Linn. Schrk. VII. — EMPIS Sep. — SIPHONA Mgn. — MUSCA DGr.

- | | | | |
|------------|-------|----------|-------|
| calcitraus | Svec. | irritans | Svec. |
|------------|-------|----------|-------|

G. BUCENTES Ltr. — MUSCA DGr.

4. Nat. Stratiomydides.

Palpis extrorsum crassioribus erectis.

1. *Divis. Antennis setigeris.*

- G. SARGUS Fbr. Mgn. VII. Schlb. Ltr. Flin. — NEMOTELUS DGr. —
 Musca Auct. coet.
- | | | | | | |
|-----------|-------|-------|---------|-------|------|
| cuprarius | Svec. | Linn. | politus | Svec. | Fbr. |
|-----------|-------|-------|---------|-------|------|
- G. VAPPO Ltr. Fbr. — NEMOTELUS Puz. — SARGUS Flin. — PACHYGASTER Mgn.
- | | | |
|------|-------|------|
| ater | Svec. | Fbr. |
|------|-------|------|
- G. OXYCERA Mgn. Ill. Ltr. — STRATIOMYS Auct. pler. — SARGUS Ltr. —
 Musca oi.
- | | | | | |
|------------|-------|-------|------------|------|
| pantherina | Svec. | Linn. | trilineata | Fbr. |
|------------|-------|-------|------------|------|

2. *Divis. Seta antennarum apicali nulla.*

- G. NEMOTELUS Auct. pler. — STRATIOMYS Rss. — MUSCA Linn. VII.
 G. EPHIPIUM Ltr. — STRATIOMYS Auct. pler. — CLITELLARIA Mgn. III.
 G. HERMETIA Ltr. Fbr. — NEMOTELUS DGr. — MUSCA Linn.
 G. XYLOPHAGUS Mgn. Fbr. — ZYLOPHAGUS Ltr. — NEMOTELUS DGr. —
 ACTINA Mgn. — STRATIOMYS Fbr. — BERIS Ltr. — ASI-
 LUS Schlb.
 maculata Svec. Fbr.
 G. BERIS Ltr. — STRATIOMYS Gffr. Fbr. Pnz. Wlck. Flln. — ACTINA
 Mgn. III. — MUSCA ol.
 clavipes Svec. Fbr.
 G. ODONTOMYA Ltr. Mgn. III. — STRATIOMYS Auct. pler. — MUSCA
 Linn. VII.
 furcata Svec. Fbr. Pauthaleou } trigina Svec. Fbr. nigrita
 Flln. } Flln.
 Microleon — Linn. } argentata — —
 Hydroleon — — } viridula — —
 G. STRATIOMYS Auct. pler. — HIRTEA Sep. — MUSCA ol.
 chamaeleon Svec. Linn.

2. *Coh. Haustello setis sex.*

5. Nat. Tabanides.

Palpis cylindrico-cônicis porrectis.

1. *Divis. Alis divaricatis.*

- G. TABANUS Auct.
 bovinus Svec. Linn. | autumnalis Svec. Linn.
 tarandinus — — | bromius — —
 tropicus — — | rusticus — —
 africanus Sivr. Leon. | paganus — Fbr.
 borealis Svec. Fbr. | Vituli — —
 G. HAEMATOPOTA Mgn. III. Ltr. Fbr. Flln. — TABANUS Auct. coet.
 pluvialis Svec. Linn.
 G. HEPTATOMA Mgn. III. Ltr. Fbr. — TABANUS Auct. coet.
 G. CHRYSOPS Mgn. III. Ltr. Fbr. Flln. — TABANUS Auct. coet.
 coecutiens Svec. Linn. | lugubris Svec. Linn.
 viduatus — Fbr. |

2. *Divis. Alis incumbentibus.*

- G. CAENOMYA Ltr. — STRATIOMYS Schff. Pnz. — SICUS Fbr. Wlck.
 Mgn. III. Schlb. — TABANUS VII. — MUSCA Sep. VII.

3. *Coh. Haustello setis 4.*

6. Nat. Anthracides.

Capite thoraci appresso, ejus altitudine.

G. PANGONIA

G. PANGONIA Ltr. Fbr. — TANYGLOSSA Mgn. — BOMBYLIUS Oliv. — TA.
BANUS Linn. Rss.

G. NEMESTRINA Ltr. — RHYNCOCEPHALUS Act. Mosc.

G. CYTHEREA Fbr. Mgn. — MULIO Ltr.

G. ANTHRAX Auct. pler. — NEMOTELUS Schff. DGr. Oliv. — BIBIO Rss.
— MUSCA ol.

Morio	Svec.	Linn.	sinnatus		aethiops	Svec.	Fbr.
			Flln.		Hottentotta	—	Linn.
afra	—	Fbr.	mordo		sabaucus	—	Fbr.
maura	—	Linn.			ornatus	Germ.	Hfms.
fenestratus	—	Flln.	Asilus Mo- rio Linn.				

7. Nat. Bombyliides.

Capite thoraci appresso, illo humiliori.

1. *DIVIS. Proboscide apice incrassata.*

G. CYLLENIA Ltr.

G. PLOAS Ltr. Fbr. — BOMBYLIUS Oliv. — CONOPHORUS Mgn.

2. *DIVIS. Proboscide longissima apite subacuminata.*

G. BOMBYLIUS Auct. — ASILUS Gffr.

major	Svec.	Linn.		minor	Svec.	Linn.
medius	—	—		minimus	—	Fbr.
ater	—	—				

G. PHTHIRIA Mgn. Ltr. — VOLUCELLA Fbr. Flln.

G. USIA Ltr. — VOLUCELLA Fbr. Mgn. — BOMBYLIUS Rss.

8. Nat. Henopides.

Abdomine quasi vasiculoso.

1. *DIVIS. Proboscide siphunculiforme sub corpore inflexa.*

G. PANOPS Lmk. Ltr.

G. CYRTUS Ltr. — EMPIS VII. — ACROCERA Mgn. Fbr.

2. *DIVIS. Proboscide inconspicua.*

G. ACROCERA Ltr. Mgn. — NEMOTELUS Schff. — SYRPHUS Pnz.
Aizelii Sierr. Leon. Eg. 21.

G. HENOPS Auct. pler. — OGEODES Ltr. — NEMOTELUS Schff. — SYR-
PHUS Pnz.

Falleni Svec. Eg. gibbosus Fbr.

9. Nat. Syrphides.

Proboscide elongata bilabiata retractili.

1. *Divis. Alis divaricatis.*1. *Subdivis. Antennis capite medio brevioribus.*

G. SYRPHUS Auct. pler. — PTEROCERA Mgn. — CONOPS Scp. — VOLUCELLA Gffr. Schf. Ltr. — MUSCA ol.

mystacea	Svec.	Linn.	plumatus	pelluceus	Svec.	Linn.
bombyleus	—	—	Flln.	inanis	—	—

G. SERICOMYA Ltr. — SYRPHUS Fbr. Flln. — MUSCA Linn. DGr.
Lappona Svec. Linn. Laponum Flln.

G. HELIOPHILUS Mgn. III. — SYRPHUS Pnz. Flln. — ERISTALIS Ltr.
Fbr. — MUSCA ol.

G. VOLUCELLA Gffr. — SYRPHUS Fbr. Flln.
intricarius Svec. Linn. | Arbustorum Svec. Linn.

G. ERISTALIS Ltr. Fbr. — SYRPHUS Auct. pler. — ELOPHILUS Mgn. III.
Ltr. — CONOPS Scp. — MUSCA ol.

tenax	Svec.	Linn.	aenea	Svec.	Fbr.
floreus	—	—	sepulchralis	—	Linn.
Nemorum	—	—	tristis	—	Fbr.
pendulus	—	—	transfuga	—	Linn. lineata
Cryptarum	—	Fbr.			Fbr.
rhicornis	—	—			—

G. BLERA Eg. — ERISTALIS Flln. — SYRPHUS Fbr. Ltr. — MUSCA ol.
fallax Svec. Linn. | Coemiteriorum Svec. Linn.

G. SCAEVA Fbr. Mgn. Flln. — SYRPHUS Auct. pler. — CONOPS Scp. —
MUSCA ol.

* abdomine dilatato.			laetus	Svec.	Fbr.
pyrastrii	Svec.	Linn.	** abdomine multoties longiore		
Ribesii	—	—	quam lato.		
2 fasciata	—	Fbr.	mellina	Svec.	Linn.
glauca	—	Linn.	menthastrii ♂♀	—	— ♂ scripta
nectarea	—	Fbr. balteata	scalaris	—	Fbr.
		DGr.			

G. DONES Eg. — DOROS Mgn. III. — SYRPHUS Auct. pler. — SCAEVA
Flln. — MUSCA ol.

* abdomine elongato depressiu- sculo.			** abdomine clavato.		
festivus	Svec.	Linn.	conopseus	—	—

2. *Subdiv. Antennis longitudine capitis vel ultra.*

G. CERIA Auct. pler. — SYRPHUS Rss. Pnz. — MUSCA ol.

G. MULIO Fbr. Schlb. Flln. — CHRYSOTOXUM Mgn. Ltr. — SYRPHUS Rss.
Pnz. Wlck. — MUSCA ol.

arcuatus	Svec.	Linn.	2 cinctus	Svec.	Linn.
----------	-------	-------	-----------	-------	-------

2. *Divis. Alis incumbentibus.*1. *Subdiv. Antennis longitudine capitis vel ultra.*

G. MICRODON Mgn. Flln. — APHRITIS Ltr. — MULIO Fbr. Schlb. —
STRATIOMYS Pnz. — MUSCA ol.

mutabilis	Svec.	Linn.	fasciolatus	Svec.	Linn.
-----------	-------	-------	-------------	-------	-------

G. CALICERA Eg. — CALLICERA Mgn. Pnz. Ltr. — BIBIO Fbr. — SYRPHUS Rss.

G. PSARUS Ltr. Fbr. — MUSCA Gffr.

- G. PARAGUS Ltr. — SCAEVA et MULIO Fbr. — SYRPHUS Pnz.
2. Subd. Antennis capite brevioribus.
- G. MERODON Mgn. Fbr. III. Ltr. — MILESIA Ltr. Flin. — SYRPHUS
 Auct. pler. — MUSCA ol.
 femorata Svec. Linn. | podagrica Svec. Linn.
- G. SPYLOMYA Mgn. — HELIOPHILUS Mgn. — MILESIA Ltr. Fbr. Flin.
 — SYRPHUS et MUSCA Auct. coet.
 Diophtalma Svec. Linn. | Vespiformis Svec. Linn.
- G. MILESIA Ltr. Fbr. Flin. — ERISTALIS Fbr. — EUMERUS Mgn. — Co.
 nors Sep. — SYRPHUS Auct. pler. — MUSCA ol.
 annulata Svec. Fbr. | pipiens Svec. Linn.
 seguis — Linn.
- G. CHRYSOGASTER Mgn. — PEPIZA Elln. — SYRPHUS Pnz. — ERISTA-
 LIS Fbr. — MUSCA ol.
 noctiluca Svec. Linn. | fumipeunis Germ. Hffms.
- G. PIPUNICULUS Ltr. — MUSCA Bsc.
- G. RHINGIA Auct. pler. — VOLUCELLA Gffr. — CONOPS Schrk. VII. Linn.
 — MUSCA ol.
 rostrata Svec. Linn.

IO. Nat. Mydasides.

Palpis retractilibus, proboscide bilabiata breviter canaliculata.

- G. MYDAS Fbr. Ltr. — NEMOTELUS DGr. — MUSCA Dr.
- G. BIBIO Auct. pler. — THEREVA Ltr. — TABANUS Gffr. — NEMOTELUS
 DGr. Oliv.
 plebeia Svec. Linn. ♀ nobilitata | var. *b.* Svec. Flin. flavipes Fbr.
 Fbr. | lugubris — Fbr.
 anilis — —

II. Nat. Rhagionides.

Palpis proboscide exsertioribus; alis divaricatis.

1. Divis. Proboscide inflexa.

- G. SICUS Ltr. Flin. — TACHYDROMYIA Mgn. Fbr. — EMPIS Pnz. — CA-
 LOEATA Fbr. MUSCA ol.
 flavipes Svec. Fbr. | arrogans Svec. Linn. cimicoides
 Fbr.

2. Divis. Proboscide subporrecta.

- G. PACHYSTOMUS Ltr. — RHAGIO Pnz.
- G. LEPTIS Fbr. Flin. — ASILUS Gffr. — RHAGIO Fbr. et Auct. pler. —
 NEMOTELUS DGr. — MUSCA ol.
 Scolopacea Svec. Linn.
- G. RHAGIO Auct. pler. — ATHERIX Fbr. Pnz. — SCIARA Fbr. — LEP-
 TIS Flin. — MUSCA ol.
 Diadema Svec. Linn.

- G. ATERIX Mgn. Ltr. — RHAGIO Ltr. — NEMOTELUS DGr.
G. ORTHOCHILE Ltr.

12. Nat. Dolichopides.

Palpis proboscide brevioribus; alis incumbentibus.

- G. PLATYPEZA Mgn. Flin. — DOLICHOPUS Auct. pler.
ungulata Svec. Linn.
G. DOLICHOPUS Ltr. Fbr. Wick. Flin. — NEMOTELUS DGr. — MUSCA ol.
nobilitatus Svec. Linn. | chrysozygus Germ. Wdm.
germanus Germ. Wdm. | pallipes Svec. Fbr.
G. CALOMYA Eg. — CALOMYA Mgn. Flin. — DOLICHOPUS Fbr. Ltr.
Wick. — MUSCA ol.

13. Nat. Asilides.

Capite transverso thoraci collo exserto adnexo.

1. *Divis. Tarsis pulvillis duobus.*

- G. LAPHYRA Eg. — LAPHRIA Mgn. III, Ltr Fbr. Flin. — ERAX Scop. — ASILUS Auct. pler.
gibbosa Svec. Linn. | gilva Svec. Linn.
lava — — | marginata — —
Ephippium — Fbr. | rufipes — — Flin.
G. ASILUS Auct.
crabroniformis Svec. Linn. | forcipatus Svec. Linn.
germanicus — — | tibialis — — Fbr.
G. DIOCTRIA Mgn. III, Ltr. Fbr. Flin. — ERAX Scop. — ASILUS Auct. pler.
oelandica Svec. Linn. | frontalis Svec. Fbr. flavripes L. Flin.
G. DASYPOGON Mgn. III, Fbr. Flin. — ERAX Scop. — ASILUS Auct. pler.
cinctus Svec. Fbr. hirtellus Flin. | teutonius Svec. Linn.
G. LEPTOGASTER Mgn. Flin. — GONYPS Ltr. — ASILUS DGr.
tipuloides Svec. Linn.

14. Nat. Empidides.

Capite hemisphaerico thoraci collo exserto adnexo.

- G. EMPIS Auct.
borealis Svec. Linn. | nigripes Svec. Fbr.
livida — — | pennipes — — Linn.
stercorea — — | minuta * — — Fbr.
cinerea — — Fbr.
G. HYBOS Mgn. Fbr. Ltr. Flin. — ACROMYIA Euml. — STOMOXYS et DIOCTRIA Fbr.

2. Leg. Polyarta:

Antennis multiarticulatis.

15. Nat.

15. Nat. Hirteædes.

Antennis brevissimis crassis.

1. *Divis. Ocellis tribus.*

1. *Subdiv. Antennis 9. articulatis.*

G. HIRTEA Fbr. Wick. Schlb. Mgn. III. Puz. — BIBIO Gffr. Schff. Oliv.
Ltr. Lmk. — TIPULA ol.

Marci	Svec.	Linn.	Pyri	Svec.	Fbr.
hortulana	—	—	brevicornis	—	Linn.
febrilis	—	—	Johannis	—	—
Pomonaæ	—	Fbr.			

G. DILOPHUS Mgn. Ltr. III. — HIRTEA Fbr. — BIBIO Oliv. Ltr.

2. *Subdiv. antennis 11 articulatis.*

G. PENTHETRIA Mgn. Ltr.

G. SCATOPS Auct. pler. — TIPULA DGr. — CBRIA Scp.

G. CORDYLA Mgn. Ltr.

2. *Divis. Ocellis nullis.*

G. ATRACTOCERA Mgn. — SIMULIUM Ltr. — CULEX Linn. VII. — TIPULA DGr. VII. — BIBIO Oliv. Fall. — SCATHORSE Fbr. — HIRTEA Schlb.

16. Nat. Sciarædes.

Antennis gracilibus, capite multo longioribus. arcte connexis;
ocellis tribus.

G. MYCETOPHILA Mgn. III. Ltr. — SCIARA Fbr. — TIPULA Scp. DGr.
VII. — MUSCA VII.

G. SCIARA Fbr. III. Mgn. — MACROCERA Mgn. — MOLOBRUS Ltr. —
MUSCA VII. — TIPULA ol.
Thomæ Svec. Linn.

G. CEROPLATUS Auct.

G. ANISOPUS Mgn. III. — SCIARA Fbr. — TIPULA Rmr. Scp. — RHY-
PHUS Ltr.

G. PLATYURA Mgn. III. — ASINDULUM Ltr. — TIPULA Fbr.

17. Nat. Agaonides.

Antennis capite multo longioribus, articulis ultimis tantum ver-
ticillatis.

G. AGAON Dlm.

(*Typ. Ag. paradoxum* Act. Holm.)

18. Nat. Tipulædes.

Antennis gracilibus, capite longioribus, villosis, pectinatis *l.* serratis;
ocellis nullis.

1. *Divis. Alis deflexis.*

G. CTENOPHORA Mgn. III. Ltr. Fbr. — TANIPTERA Ltr. — TIPULA Auct. pler.

4 maculata	Svec.	Linn.		pectinicornis	Svec.	Linn.
atrata	—	—		variegata	—	—
flaveolata	—	Fbr.				

G. PEDICIA Ltr. — LIMONIA Mgn. — TIPULA Auct. pler.

rivosa	Svec.	Linn.		triangularis	Svec.	Fbr.
--------	-------	-------	--	--------------	-------	------

G. TIPULA Auct. — LIMONIA Mgn.

Hortorum	Svec.	Linn.		annulata	Svec.	Linn.
pratensis	—	—		ocellaris	—	—
lunata	—	—		regulationis	—	—
oleracea	—	—		cinerea	—	Fbr.
crocata	—	—		fuscata	—	Linn.
turcica	—	Fbr.		lutescens	—	Fbr.

G. NEPHROTOMA Mgn. Ltr. — TIPULA Fbr.

G. PTYCHOPTERA Ltr. Mgn. III. Fbr. — TIPULA Auct. coet.

contaminata	Svec.	Linn.		nigra	Svec.	Linn.
-------------	-------	-------	--	-------	-------	-------

2. *Divis. Alis incumbentibus.*

G. TRICHOCERA Mgn. — LIMONIA Ltr. etc.

G. LIMONIA Mgn. III. Ltr. — TIPULA Auct. pler.

6 punctata	Svec.	Fbr.
------------	-------	------

G. ERIOPTERA Mgn. — LIMONIA Ltr. etc.

G. HEXATOMA Ltr.

19. Nat. Culicides.

Antennis gracilibus, capite longioribus, ♂ valde plumosis l. verticillato-pilosis; ocellis nullis.

1. *Divis. Alis incumbentibus.*

G. CULEX Auct.

pipiens	Svec.	Linn.		flavescens	Svec.	Fbr.
annulatus	—	Fbr.		pulicaris	—	Linn.
trifurcatus	—	Linn.		eqvinus	—	—

G. CORETHRA Mgn. III. Ltr. — CHIRONOMUS Fbr. — TIPULA DGr.

G. CHIRONOMUS Mgn. Ltr. III. Fbr. — TIPULA Auct. pler.

plumosus	Svec.	Linn.		viridulus	Svec.	Linn.
tendens	—	Fbr.		pusillus	—	Fbr.
littoralis	—	Linn.		cantans	—	— pedel-
monilis	—	—				la DGr.

G. CERATOPOGON Mgn. III. Ltr. Phz. — CHIRONOMUS Fbr. — TIPULA Linn. Schlb.

rufipes	Svec.	Linn.		Arundineti	Svec.	Linn.
---------	-------	-------	--	------------	-------	-------

G. CECIDOMYA Ltr. III. — OLIGOTROPHUS Ltr. — CHIRONOMUS Fbr. — TIPULA DGr.

2. *Divis. Alis deflexis.*

G. TANYPUS Mgn. III. Ltr. — CHIRONOMUS Fbr. — TIPULA Linn. DGr.

maculatus	Svec.	DGr.
-----------	-------	------

G. PSYCHODA Ltr. Fbr. — Bibio Giff. Oliv. — TINEARIA Schlb. — TRI-
CHOPTERA Mgn. — TIPULA Auct. coet.

Phalaenoides Svec. Linn. | hirta Svec. Linn.

G. CNIPS Eg. — CULICOIDES Ltr.

2. Trib. Aproboscidea:

Proboscide nulla.

20. Nat. Hippoboscædes.

Capite a thorace sutura transversa distincta.

G. ORNITHOMYA Ltr. — HIPPOBOSCA ol.

Hirundinis Svec. Linn.

G. HIPPOBOSCA Auct.

eqvina Svec. Linn.

G. MELOPHAGUS Ltr. — HIPPOBOSCA ol. *)

ovina Svec. Linn.

*) An potius ad Subclassem : *Aptera*, referendus?

3. Subclassis APTERA:

Alis in utraque sexu nullis; ore maxilligero, haustellato vel rostrato.

I. Ordo Phthiroida:

Corpore articulado: pedibus 6.

I. Tribus Gnathota:

Ore: maxillis labio connatis.

I. Legio Thysanura:

Cauda setifera.

I. Natio Lepismædes.

Cauda setis tribus exsertis.

G. LEPISMA Auct. pler. — SETOURA BRWN. — FORBICINA Gffr. Lmk.
saccharina Svec. Linn.

G. FORBICINA Gffr. Ed. enc. Lch. — MACHILIS Ltr. Lch. — LEPISMA
Linn. Oliv.

G. PAETHROBIUS Lch. Ed. enc.

2. Nat. Podurædes.

Cauda furcata sub abdomine inflexa.

G. PODUBA Auct.

G. SMINTHYRUS Ltr. Ed. enc. — PODURA Auct. coet.

2. Leg. Anoplura:

Cauda absque seta.

3. Nat. Nirmides.

Tarsis ungvibus duobus aequalibus instructis.

G. NIRMUS Hrm. Olf. Lch. — RICINUS DGr. Oliv. Lmk. Ltr. — PEDI-
CULUS Auct. coet. — PHILOPTERUS Ntz.

Cornicis Svec. Ltr.

2. Trib. Antliota:

Ore: haustello breve.

4. Nat. Pediculides.

Tarsis ungue simplici instructis.

G. PTIRUS Ltr. Ed. enc. — PEDICULUS Auct. coet.
Pubis Svec. Linn.

G. PHILOPTERUS

P E D I C U L I D E S.

125

G. PHILOPTERUS Ntz. — PEDICULUS ol.

Corvi	Svec.	Linn.		Maleagris	Svec.	Linn.
Hirundinis	—	—		Gallinae	—	—
Anseris	—	—		Columbae	—	—
Anatis	—	—		Pavonis	—	—
Picae	—	—		Tetraonis	—	—

G. TBICHODECTES Ntz. — PEDICULUS ol.

Canis	Svec.	Ntz.		Equi	Svec.	Linn.
-------	-------	------	--	------	-------	-------

G. LIOTHEUM Ntz. — PEDICULUS ol.

Falconis?	Svec.	Ntz.
-----------	-------	------

G. PEDICULUS Auct.

humans	Svec.	Linn.		Vestimenti	Svec.	Eg. humans

G. HAEMATOPINUS Lch. — PEDICULUS Auct. pler.

Suis	Svec.	Linn.
------	-------	-------

3. Trib. R h y c h o t a:

Ore: rostro tubuloso bivalvi.

5. Nat. Pulicides.

Vagina Rostri 3 articulata.

G. PULEX Auct.

irritans	Svec.	Linn.		penetrans	Amer.		Linn.
segnis	—	Schh.			Ind. occ.		

2. Ord. Arachnoida:

Capite thoraceque coalitis, absque antennis.

1. Trib. Sympagisoma:

Pedibus in corpore indiviso.

1. Leg. Hexapoda:

Pedibus sex.

2. *Coh.* ore in capite.

1. Nat. Leptides.

Palpis rostroque conspicuis.

G. CARIS Ltr. Ed. enc. — ACARUS Gffr.
vespertilionis Svec. Linn.

G. LEPTUS Ltr. Ed. enc. — PEDICULUS Scp. — ACARUS Fbr. Sh. —
TROMBIDIUM Hrn.

G. OCYPETE Ltr. Ed. enc.

2. Nat. Astomatides.

Rostro nullo.

G. ASTOMA Ltr. Ed. enc.

G. CELLULARIA Ed. enc.

2. *Coh.* ore in dorso thoracis.

3. Nat. Nycteribiædes.

G. NYCTERIBIA Ltr. — PHTHIRIDIUM Hrn. Olf. Lch. — CELERIPES
Mntg.

2. Leg. Octopoda:

Pedibus Octo.

4. Nat. Hydrachnides.

Ore absque mandibulis; pedibus natatoriis.

G. LIMNOCHARIS Ltr. — TROMBIDIUM Fbr. — ACARUS Linn. Gffr.
DGr.
holosericea Svec. Linn.

G. HYDRACHNA Miill. Oly. Ltr. — TROMBIDIUM et ATAX Fbr. — ACA-
RUS ol.

G. ELYAES Eg. — ELYAIS Ltr. Lmk. — TROMBIDIUM Fbr. — ACA-
RUS ol.

5. Nat. Bdellædes.

Ore absque mandibulis; pedibus ambulatoriis.

1. *Divis. Palpis obscuris.*

- G. SARCOPTES Ltr. Ed. enc. — ACARUS Auct. coet.
 G. BDELLA Ltr. Lmk. Ed. enc. — SCIRUS Hrm. — ACARUS Linn. Fbr.
 G. SMARIS Ltr. Ed. enc. — ACARUS Schrk. — TROMBIDIUM Hrm.
 G. CHEULETUS Ltr. Ed. enc. — ACARUS Schrk.

2. *Divis. Palpis rostroque obscuris.*

- G. UROPODA Ltr. Ed. enc. — ACARUS DGr. Dnv. Sh.

3. *Divis. Palpis rostroque distinctis.*

- G. ARGAS Ltr. Ed. enc. — RHYNCHOPRION Hrm. — ACARUS Fbr.
 G. IXODES Ltr. Ed. enc. — CYNORHAESIES Hrm. — ACARUS Auct. pler.
 Ricinus Svec. Linn. | reduvius Svec. Linn.
 G. ACARUS Auct.

6. Nat. Acarides.

Ore mandibulis; pedibus gressoriis.

- G. ORIBATA Ltr. Ed. enc. — NOTASPIS Hrm. — ACARUS Auct. pler.
 G. GAMASUS Ltr. Ed. enc. — TROMBIDIUM Hrm. — ACARUS Auct. pler.
 coleopterarum Svec. Linn.
 G. CHELOPUS Ltr.
 vespartilionis
 G. ERYTHRAEUS Ltr. Ed. enc. — TROMBIDIUM Hrm. — ACARUS DGr.
 G. TROMBIDIUM Auct. pler. — ACARUS Linn.
 holosericeum Svec. Linn.

2. Trib. Diechisoma:

Abdomine a thorace distincto.

1. Leg. Adiopoda:

Pedibus non cursoriis, in thorace insertis.

7. Nat. Atypides.

Mandibulis prominentibus; annu verrucoso.

- G. MYGALE Ltr. Wick. Ed. enc. — ARANEA Auct. coet.
 avicularia Svec. Linn.
 G. ATYPUS Ltr. Ed. enc. — OLETERA Wick. — ARANEA Hrm.
 G. ERIODON Ltr. Ed. enc. — MISSULENA Wick.

8. Nat. Araneædes.

Mandibulis perpendicularibus; anu verrucoso.

1. *Divis. Oculis sex.*

- G. SEGESTRIA Ltr. Wlck. Ed. enc. — ARANEA Auct. pler.
 G. DYSDERA Ltr. Wlck. Ed. enc. — ARANEA Auct. pler.

2. *Divis. Oculis octo.*

- G. FILISTATA Ltr. Ed. enc. — ARANEA ol.
 G. DRASSUS Wlck. Ltr. Ed. enc. — GNAPHORA Ltr. — ARANEA ol.
 G. CLOTHO Wlck. Ltr. Ed. enc.
 G. CLUBIONA Ltr. Wlck. Ed. enc. — ARANEA ol.
 * *Maxillis basi incrassatis.* | ** *Maxillis basi parum incras-*
 Anthrax Svec. DGr. | *satis, medio impressula trans-*
 epimelas Germ. Hhn. | *versa.*
 pallens — — | *** *Maxillis minima incrassatis.*
 G. ARANEA Auct. — AGELENA et TECANERIA Wick.
 domestica Svec. Linn.
 G. ARGYRONETA Ltr. Wlck. Ed. enc. — ARANEA ol.

9. Nat. Pholcides.

Ocnlis octo; maxillis elongatis, apice non dilatatis.

- G. SCYTHODES Ltr. Wlck. Ed. enc.
 G. THERIDION Ltr. Wlck. Ed. enc. — LATRODECTUS Wlck. — ARANEA ol.
 G. PHOLCUS Wlck. Ltr. Ed. enc. — ARANEA Gfr. Scp.

10. Nat. Epirædes.

Oculis octo non circuliforme insertis; maxillis apice dilatatis.

- G. ULOBORUS Ltr. Ed. enc.
 G. TETRAGNATHA Ltr. Wlck. Ed. enc. — ARANEA Linn. Fbr. Oliv.
 G. ZINYPHIA Ltr. Wlck. Ed. enc. — ARANEA Linn. DGr.
 G. EPIRA Ltr. Wlck. Ed. enc. — ARANEA Auct. coet.
 palustris Germ. Hhn. | maxillosa Germ. Hho.

11. Nat. Episenides.

Oculis octo circuliforme insertis.

- G. EPISINUS Wlck. Ltr. Ed. enc.
 G. MICROMMATA Ltr. Ed. enc. — SPARASSUS Wlck. — ARANEA ol.
 G. THOMISUS Wlck. Ltr. Ed. enc. — ARANEA ol.
 Pini Svec. Hhn. | aureolus Germ. Wlck.

12. Nat.

12. Nat. Ctenides.

Oculis octo, hexagoniforme insertis.

- G. OXYOPES Ltr. Ed. enc. — SPHARUS Wlck.
 G. STORENA Wlck Ltr. Ed. enc.
 G. CTENUS Wlck. Ltr. Ed. enc.

13. Nat. Lycosædes.

Oculis octo; pedibus 4 longioribus.

- G. LYCOSA Ltr. Wlck. Ed. enc. — ARANEA ol.
 G. DOLOMEDES Ltr. Wlck. Ed. enc. — ARANEA ol.

2. Leg. Diopoda:

Pedibus cursoriis.

14. Nat. Eresides.

Oculis octo.

- G. ERESUS Wlck. Ltr. Ed. enc. — ARANEA VII, Rss. Oliv.
 G. SALTICUS Ltr. Ed. enc. — ATTUS Wlck. — ARANEA ol.
 lapidicosus Germ. Hhn. | pictus Germ. Hhn.
 Pinastris — —

3. Trib. Enarthrosoma:

Corpore distincte articulado.

15. Nat. Phalangides.

Mandibulis cheliferis; abdomine sessili anu absqve verrucis.

1. *DIVIS. Oculis in tuberculo communi.*

- G. GALEODES Lmk. Oliv. Ltr. Ed. enc. — SOLEUGA Fbr. Hbst. — PHALANGIUM Pall.
 G. PHALANGIUM Auct. pler. — OPILIO Hbst.

2. *DIVIS. Oculis non in tuberculo aut pedunculo communi*

- G. HYPHANTES Eg. — SIRO Ltr. Ed. enc. — PHALANGIUM Him.
 G. TROGULUS Ltr. Ed. enc. — PHALANGIUM ol.
 G. NYMPHON Fbr. Lmk. Ltr. Ed. enc. — PYGNOCONUM Fbr. — PHALANGIUM Linn. Mtg. Trt.

16. Nat. Tarantulædes.

Palpis spinosis; mandibulis simplieter uncinatis; pedibus anterior. longis antenniformibus.

- G. TARANTULA Brwn. Fbr. Ed. enc. — PHRYNUS Oliv. Lmk. Herm. Ltr.
Hbst. — PHALANGIUM Linn. Pall.
reniformis Amer. Linn.
- G. THELYPHRONUS Ltr. Ed. enc. — TARANTULA Fbr. — PHALANGIUM
Linn. Pall.
caudatus Ind. or. Linn.

17. Nat. Scorpionides.

Palpis et mandibulis cheliferis; pedibus aequalibus.

- G. OBISIUM Lch.
- G. CHELIFER Auct. pler. — SCORPIO Fbr. — OBISUM III: Wlck. ^U
PHALANGIUM Linn.
cancroides Svec. Linn.
- G. SCORPIO Auct. — et BUTHUS Lch.
- | | | | | | |
|------------------|--------------|-------|--|------------|----------------------------|
| * Ocellis sex. | | | | | |
| maurus | Afr. | Linn. | | europæus | Eur. austr. Linn. non Ltr. |
| ** Ocellis octo. | | | | americanus | Amer. Linn. Ltr. |
| Ater | Ind. | Linn. | | occitanus | Eur. anstr. Ltr. |
| Rottentotta | Sierr. Leon. | Fbr. | | | |

3. Ord. Carcinoïda:

Capite antennato thorace abdomineqve coalitis, vel multi articulatis.

I. Trib. Entomotraca:

Corpore tegumento membranaceo, corneo, clypeato 2. bivalvi.

I. Leg. Gymnota:

Corpore testa nulla oblecto.

I. Nat. Pycnogonides.

Capite a thorace distincto.

G. PYCNOGONUM Auct. pler. — PHALANGIUM Mntg. Gml.
Balaenarum Eur. Linn.

G. PROXICHILUS Ltr. — PYCNOGONUM O. Fbr. — PHALANGIUM Mntg.
Gml.

2 Nat. Zoïdes.

Capite indistincto.

1. *Divis. Oculis sessilibus.*

G. CEPHALOPS Eg. — CEPHALOCULUS Lmk. — POLYPHEMUS Ed. enc.
Ltr. Müll. — MONOCULUS DGr.

G. ZOË Bsc. Ltr. Ed. enc. — MONOCULUS Stbb.

2. *Divis. Oculis pedunculatis.*

G. BRACHIOPODA Lmk. Ltr. Ed. enc. — APUS Schff. — CANCER Linn.
— GAMMARUS Fbr.

stagnalis Svec. Linn.

3. Nat. Cyclopides.

Capite thorace coadnuato.

G. AMIMONES Müll. — CYCLOPS Müll. Ltr. Ed. enc. Lmk. — MONOCULUS
Linn. Fbr. Duv. etc.

2. Leg. Ostracoda:

Testa bivalvi.

4. Nat. Lynceides.

Oculis confluentibus, quasi oculo unico.

1. *Divis. Oculo unico.*

G. CYTHERE Müll. Ltr. Ed. enc. — MONOCULUS Fbr.

G. CYPRIS Ltr. Müll. Ed. enc. — MONOCULUS Linn. Fbr. C^{2m}

G. DAPHNIA Ltr. Müll. Lmk. Ed. enc. — PULEX Schff. — MONOCULUS Auct. coot.

2. *Divis. Oculis duobus.*

G. LYNCEUS Ltr. Ed. enc. — MONOCULUS Fbr.

3. Leg. Thecata:

Testa clypeiforme.

5. Nat. Apodes.

Clypeo simplici.

1. *Divis. Ore mandibulis:*

G. MONOPS Eg. — APUS Ltr. Ed. enc. Cvr. — APOS Sep. — LIMULUS Müll. Lmk. — MONOCULUS Fbr. Linn. — BINOCULUS Gffr. Apus Svec. Linn.

2. *Divis. Ore absque mandibulis.*

G. BINOCULUS Gffr. Ltr. — ANGULUS Müll. Jn. Ed. enc. — MONOCULUS Fbr. Cvr.

G. CALIGUS Müll. Ed. enc. Ltr.

6. Nat. Limulides.

Testa duplici corpore toto obtegente.

G. LIMULUS Fbr. Ed. enc. — MONOCULUS Linn.
Cyclops Ind. or. Fbr.

2. Trib. Malacostraca:

Corpore tegumento corneo calcareo.

1. Leg. Brachyura:

Cauda corpore brevior, apice absque pinna.

7. Nat. Cancerides.

Testa transversa obcordata, orbiculata vel quadrata.

1. *Divis. Margine testae antico rotundato, postico truncate.*

1. *Subdiv. Pedibus posticis natatoriis.*

G. PODOPHTALMUS Lmk. Ltr. Ed. enc. — FORTUNUS Fbr.

G. LUPA Lch. — FORTUNUS Fbr. Lmk. Ltr. Esc.
tranquebarica Ind. or. Fbr.

G. CANCER Auct. pier. — CARCINON Lch. — FORTUNUS Fbr.
moenas Svec. Linn.

G. FORTUNUS

- G. PORTUNUS Fbr. Dld. Ltr. Ed. enc. — CANCEE ol.
 G. PORTUMNUS Lch. — PORTUNUS Fbr. — CANCER ol.
 2. *Subdiv. Pedibus omnibus ambulatoriis.*
 G. DROMIA Dld. Fbr. Ltr. Ed. enc. — CANCER ol.
 Rumphii Ind. or. Fbr. C. Dromia Linn.
 G. CALAPPA Dld. Lmk. Fbr. Ltr. Ed. euc. — CANCER ol.
 fornicata Amer. Fbr. C. calap- | tuberculata Mar. pacif. Fbr.
 pa Linn. | Linn.
 G. HEPATUS Ltr. Ed. euc. — CALAPPA Fbr. — CANCER ol.
 G. CARCINUS Eg. — CANCER Auct. pler.
 G. MICIPPA Lch. — MAJA Lmk. — CANCER ol.
 2. *Divis. Testa subcordata quadrata aut orbiculata.*
 G. OCYPODE Lmk. Ltr. Ed. enc. — GONEPLA Lch. — CANCER ol.
 Uca Ind. or. Linn. ceratophthal- | quadrata Jamaicae Fbr.
 ma Fbr. | vocans — Linn.
 G. GRAPSUS Ltr. Ed. enc. — ALPHEUS Dld. — CANCER ol.
 pictus Ins. Amer. Ltr. C. Grap- | porcellanus Traugveh. Fbr.
 sus Linn. | minutus Ins. Franc. Linn.
 G. PLAGUSIA Ltr. Ed. enc. — GRAPSUS Lmk. — ALPHEUS Dld. — CAN-
 CER ol.
 G. PINNOTHERES Ltr. Ed. enc.
 Mytilorum

8. Nat. Inachides.

Testa subovata vel triangulari.

1. *Divis. Pedibus tarsi conicis.*

- G. LEUCOSIA Fbr. Ltr. Ed. enc. — EBALIA, NURSIA, PHILYRA, PER-
 SEPHONA, MYRA, ILIA, ARCANIA et IHHIS Lch. — CAN-
 CER ol.
 septemspinosa Ind. or. Fbr.
 G. IXA Lch. — LEUCOSIA et CANCER ol.
 G. PARTHENOPE Dld. Fbr. — MAJA Ltr. Lmk. — CANCER ol.
 horrida Svcc. Linn.
 G. INACHUS Dld. Fbr. — MAJA Lmk. Ed. enc. — CANCER ol.
 G. LEPTOPODIA Lch. — CANCER ol.
 lougipes Ind. or. Linn.
 G. LIBINIA Lch. — INACHUS et CANCER ol.
 G. LISSA Lch. — INACHUS et CANCER ol.
 chiragra Mar. medit. Fbr.
 G. MACROPUS Ltr. — MACROPEDIA Lch. Ed. enc. — INACHUS Fbr. —
 CANCER ol.

- G. LITHODES Ltr. Lch. Ed. enc. — INACHUS Dld. Fbr. — MAJA Lmk.
CANCER ol.
- G. CORYSTES Ltr. Ed. enc. — AIBUNEA Fbr. — CANCER ol.
- G. MICTYRIS Ltr. Lch. Ed. enc.
- G. DORIPPE Dld. Lmk. Ltr. Fbr. Ed. enc. — CANCER ol.
2. *DIVIS.* *Pedibus aliquibus natatoriis, articulo ultimo com-*
presso l. foliato.
- G. ORITHYA Dld. Fbr. Ltr. Ed. enc.
- G. MATUTA Dld. Lmk. Fbr. Ltr. Lch. Ed. enc. — CANCER DGr.
Victor Malab. Fbr.
- G. RANINA Lmk. Ltr. Ed. enc. — CANCER ol.

2. Leg. Macroura:

Cauda corpore longiore, apice pinnaegera.

9. Nat. Latronides.

Lamellis caudae apicis lateralibus ab intermedia distantibus.

- G. ALBUNEA Dld. Lmk. Fbr. Ltr. Ed. enc. — CANCER ol.
- G. REMIPES Ltr. Ed. enc. — HIPPA Fbr.
- G. HIPPA Lmk. Fbr. Ltr. Ed. enc. — CANCER ol.
- G. SYMMETHIS Fbr.
- G. LATRO Eg. — FAGURUS Fbr. Ltr. Ed. enc. — EMERITA GRIV. — CAN-
CER ol.
Bernhardus Svec. Linn. Diogenes Amer. Linn.
araucaeformis ocean: bor. Fbr.

10. Nat. Sagaritides.

Lamellis caudae apicis lateralibus cum intermedia conniventibus.

2. *DIVIS.* *Pedibus 2 anticis majoribus, at aliis fere consimilibus.*
- G. SAGARITIS Eg. — SCYLLARUS Dld. Lmk. Ltr. Fbr. Ed. enc. — ASTA-
CUS Pnnt. — CANCER ol.
orientalis Ind. or.
- G. PALINURUS Fbr. Ltr. Ed. enc. — ASTACUS Fbr. Pnnt. — CANCER ol.
2. *DIVIS.* *Pedibus 2 anticis manibus didactylis; posticis minutis.*
- G. PLATYCHELES Eg. — PORCELLANA Lmk. Bsc. Fbr. Ltr. Ed. enc. —
CANCER ol.
- G. GALATHEA Dld. Lmk. Fbr. Ltr. Ed. enc. — ASTACUS Pnnt. — CAN-
CER ol.

II. Nat. Astacides.

Lamellis caudae apicis lateralibus cum intermedio in flabellum con-
niventibus.

1. *Divis. Pedibus aliquis natatoris coeteris compressis l. foliatis.*

1. *Subdiv. Manibus didactylis.*

G. ASTACUS Auct. pler. — CANCER ol.

* <i>Chelis sex.</i>			** <i>Chelis quatuor.</i>			
Gammarus	Svec.	Linn.		norvegicus	NORV.	Linn.
fluviatilis	—	—				

G. THALASSINA Ltr. Ed. enc. Lch.

G. UPOGEBIA Lch. Ed. enc. — CANCER ol.

G. CALLIANASSA Lch. Ed. enc.

G. ALPHEUS Fbr. Ltr. Ed. enc. — CRANGON Dld.

G. PENEUS Dld. Bsc. Fbr. Ltr. Ed. enc.

G. POSIDON Fbr.

G. PALAEMON Dld. Lmk. Fbr. Ltr. Ed. enc. — ASTACUS Pnnt. —
ATHANAS Lch. — CANCER ol.

Squilla Svec. Linn.

2. *Subdiv. Manibus monodactylis.*

G. CRANGON Fbr. Ltr. Ed. enc. — ASTACUS Pnnt. — CANCER ol.

G. ATYA Lch.

2. *Divis. Pedibus simplicibus.*

G. PRAUNUS Lch. Ed. enc. — CANCER ol.

12 Nat. Saonides.

Oculis pedunculatis segmento corporis caput subsequente majori.

G. SAO Eg. — SQVILLA Fbr. Ltr. Ed. enc. — CANCER ol.
Mantis Svec. Linn.

G. MYSIS Ltr. Ed. enc. — CANCER ol.

3. Leg. Gasterura:

Segmentibus corporis omnibus fere aequalibus.

13. Nat. Gnathiædes.

Cauda lamellis 2. latere utroque cum intermedia caudam natatoriam
formantibus; pedibus 10.

G. GNATHIA Lch. Ed. enc. — CANCER ol.

14. Nat. Amphithoides.

Cauda a corpore non distincta.

1. *Divis. Pedibus 10.*

G. PHRONIMA Ltr. — CANCER Fysk.

2. *Divis. Pedibus 14.*

1. *Subdiv. Antennis superioribus pedunculo inferiorum brevioribus.*

G. TALITRUS Bsc. Ltr. Lch. Ed. enc. — ONISCUS Pall. — GAMMARUS Fbr. — CANCER ol.

2. *Subdiv. Antennis inferioribus brevioribus.*

G. ORCHESTIA Ed. enc. — ORCHESTES Lch. — PULEX Bxt. — TALITRUS Ltr. — CANCER Mntg.

G. AMPHITHOË Lch. — GAMMARUS Fbr. Ltr. Ed. enc. — CANCER ol.
Locusta Svec. Linn.

G. MAERA Lch. Ed. enc. — CANCER Mntg.

G. MELIA Eg. — MELITA Loh. Ed. enc. — GAMMARUS Mntg.

G. LEUCOTHOË Lch. Ed. enc. — CANCER Mntg.

15. Nat. Corophiides.

Cauda stylis 4. bifidis; pedibus 14. pari antico pollice mobili.

G. COROPHIUM Ltr. Ed. enc. — ONISCUS Pall. — GAMMARUS Fbr. — ASTACUS Punt. — CANCER ol.

16. Nat. Caprellædes.

Corpore 6. articulato; pedibus 3. et lamellis segmentorum 2-5 latere utroque 2.

G. CAPRELLA Ltr. Ed. enc. — ONISCUS Pall. — ASTACUS Punt. — CANCER Linn.

G. CYANOGLUS Ltr. — PANOPE Lch. Ed. enc. — Pycnogonum Fbr. — ONISCUS Linn.

17. Nat. Apseudides.

Corpore 6 caudaque 6 articulatis; pedibus 14.

G. APSEUDES Ltr. Ed. enc. — CANCER Mntg.

3. Trib. Polytoma:

Corpore segmentibus 7 et ultra pedigeribus composito.

2. Leg. Tetracera:

Antennis plerumque 4; segmento anali lamellis vel stylis instructo.

18. Nat. Asellides.

Antennis distinctis.

1. *Divis. Lamellis caudae unaquaque lamina duplici.*

G. CUBARIS

G. CUBARIS Eg. — *Asellus* Ltr. Ed. enc. — *IDOTEA* Fbr. — *ENTOMOMON*
 Kln. — *ONISCUS* ol.
 aquaticus Svec. Linn.

G. STENOSOMA Lch. — *IDOTEA* Ltr. Ed. enc. — *ONISCUS* ol.

G. IDOTEA Ltr. Lch. Ed. enc. — *CYMOTHOA* Fbr. *ONISCUS* ol.
 Entomon Svec. Linn.

2. *DIVIS. Cauda 1-2.*

G. ANTHURA Lch. Ed. enc. — *ONISCUS* Mtng.

G. CYMOTHOA Fbr. Ltr. Ed. enc. — *ONISCUS* ol.

G. SPHAEROMA Ltr. Ed. enc. — *CYMOTHOA* Fbr. — *ONISCUS* Pall.

G. NESEA Lch. Ed. enc. — *ONISCUS* ol.

CAMPECOPEA Lch. Ed. enc. — *ONISCUS* Mtng.

19. Nat. Oniscides.

Antennis obscuris vel nullis.

G. BOPYRUS Ltr. Bsc. Ed. enc. — *MONOCULUS* Fbr. — *ONISCUS* Mtng.

G. LIGIA Ltr. Fbr. Ed. enc. — *CYMOTHOA* Fbr. — *ONISCUS* Linn. Cvr.
 Fbr. Pnz.

G. PHILOSCIA Ltr. Ed. enc. — *ONISCUS* Fbr. Cvr. Sep.

G. ONISCUS Auct.
Asellus Svec. Linn.

G. PORCELLIO Ltr. Ed. enc. — *ONISCUS* ol.

H. ARMADILLO Ltr. Ed. enc. — *ONISCUS* ol.
 vulgaris Svec. Ltr. O. Armadil- | pulchellus Svec. Fuz.
 lc Linn.

2. Leg. Dicera:

Antennis 2; segmentibus omnibus corporis, capitis anusque exceptis,
 pedigeris.

1. *Coh.* Antennis 7 articulatis.

20. Nat. Julides.

Maxillis nullis, autcum labio coalitis; segmento unoquoque tetrapodo.

1. *DIVIS. Corpore crustaceo.*

G. GLOMERIS Ltr. Lch. Ed. enc. — *CLOPORTE* Oliv. — *JULUS* Stw. —
ONISCUS VII. Pnz. Fbr. Sep.
 Zonatus Svec. Pnz.

G. CRIXUS Lch. — *GLOMERIS* Ltr. Ed. enc. — *JULUS* Linn. Fbr.

G. JULUS Auct.

Julus	Ind.	Linn.		sabulosus	Svec.	Linn.
carnifex	Tranqv.	Fbr.		niger	—	Lch.
terrestris	Svec.	Linn.				

G. CRASPEDOSOMA Lch. — JULUS ol.

* segmentibus medio dilatatis.		** segmentibus postice productis.
		polydesmoides

G. POTYDESMUS Ltr. Lch. Ed. enc. — JULUS ol.

complanatus	Svec.	Linn.
-------------	-------	-------

2. *Divis. Corpore molli.*

G. POLYXENUS Ltr. Lch. Ed. enc. — SCOLOPENDRA Linn. Fbr.

2. *Col.* Antennis 14 articulatis et ultra.

21. Nat. Scolopendrides.

Maxillis 2 distinctis; segmento unoquoque dipodo.

1. *Divis. Pedibus segmentis ntriusque 2 paribus.*

G. SCUTIGERA Lmk. Ltr. Ed. enc. — CERMATIA III. Lch.

2. *Divis. Pedibus in segmento utroque unicae paris.*

G. CNIZUS Eg. — SCOLOPENDRA Auct. pler.

* segmentibus transverso quadratis.		morsitans	Ind. or.	Linn.
Gigas Amer. Lch.		*** segmentis alternatim transverso et oblongo quadratis.		
** segmentis oblongo quadratis.		alternans	Ind. or.	Lch.

G. CRYPTOPS Lch. — SCOLOPENDRA DRV.

G. SCOLOPENDRA Auct. pler. — LITHOBIVS Lch. Ed. enc.		
forficata	Svec.	Linn.

G. GEOPHILUS Lch. Ed. enc. — SCOLOPENDRA Auct. pler.		
electrica	Svec.	Linn.

