

the first time in the history of the world, the people of the United States have been compelled to make a choice between two political parties.

The party which has been chosen, is the party of the people, and it is the party of the people that I shall support.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.


I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.

I do not care whether we have a black or a white government, so long as we have a government.











30

10

6









CATALOGUE

OF

ORNAMENTAL TREES AND SHRUBS,

HERBACEOUS AND GREENHOUSE PLANTS,

CULTIVATED AND FOR SALE BY

THOMAS HOGG,

Nurseryman and Florist,

AT THE

NEW-YORK BOTANIC GARDEN IN BROADWAY,

Near the House of Refuge.

LIBRARY
NEW YORK
BOTANICAL
GARDEN.

NEW-YORK:

PRESS OF G. P. SCOTT & CO.—NASSAU-STREET.

1834.

+SB
115
T48
1834

NEW YORK
BOTANICAL
GARDEN

ORNAMENTAL TREES.

ACACIA julibrissin
Acer dasycarpum
 — negundo
Ailanthus glandulosa
Æsculus hippocastanum
Amygdalus persica pl.
Arabia spinosa
Broussonettia papyrifera
Catalpa syringæfolia
Cercis siliquastrum
Cytisus laburnum
Gleditschia triacanthos
Gymnoclaudus canadensis
Juglans regia
Koelreuteria paniculata
Liriodendron tulipifera
Maclura aurantiaca
Magnolia tripetala
 — glauca
 — maerophylla

Magnolia obovata
 — cordata
 — conspicua
Morus alba
Pinus larix
 — balsamea
Populus alba
 — dilatata
 — balsamifera
Prunus padus
 — cerasus pl.
Pyrus malus pl.
Salix babylonica
 — annularis
 — vitellina
 — viminalis
Sorbus aucuparia
Tilia platyphyllea
Thuya orientalis
Ulmus montanus

ORNAMENTAL SHRUBS.

Æsculus macrostachya
Amorpha fruticosa
Artemesia abrotanum
Amygdalus pumila pl.
Berberis sps. nova
Buxus suffruticosa
 — balearica
 — arborescens
 — variegata
Bignonia radicans
 — grandiflora
Calycanthus floridus
 — præcox
Ceanothus americanus
Chionanthus virginica
Clematis floridus pl.
 — vitalba
 — viticella pl.

Colutea arborescens
Corchorus japonica
Cornus sanguineus
Coronilla emerus
Cratægus oxyantha
 — — 2 dbl. flow. var.
Cydonia japonica
 — — alba
Daphne mezereum
Diervilla humilis
Diospyros virginiana
Dirca palustris
Euonymus americanus
 — angustifolius
 — latifolius
Genista tinctoria
Gordonia pubescens
Halesia diptera

<i>Halesia tetraptera</i>	Red four seasons
<i>Hibiscus syriacus</i>	White four seasons
— <i>purpurea</i> pl.	White moss
— <i>rosea</i> pl.	Red moss
— <i>variegata</i> pl.	<i>Fleur de Parade</i>
<i>Hydrangea hortensis</i>	Unique or White Provence
<i>quercifolia</i>	Dutch Provence
<i>Hypericum mexicanum</i>	Queen
<i>Hippophaë canadensis</i>	<i>Ranunculus</i>
<i>Hedera helix</i>	Striped <i>rosa mundi</i>
<i>Jasminum officinale</i>	<i>St. Francis</i>
<i>Ilex aquifolium</i>	Single white Scotch
— 6 varieties	Single red do
<i>Ligustrum vulgaris</i>	Double white do
<i>Lonicera tatarica</i>	red do
— <i>alba</i>	blush do
<i>flexuosa</i>	<i>Stadtholder</i>
<i>japonica</i>	Single sweetbriar
<i>etrusca</i>	Double red sweetbriar
<i>flava</i>	<i>Tuscany</i>
<i>pubescens</i>	Blush monthly
<i>sempervirens</i>	<i>Shell</i>
<i>percyclenum</i>	<i>Duprina</i>
— <i>belgicum</i>	Velvet
<i>Lycium barbarum</i>	Cabbage Provence
<i>Morus multicaulis</i>	Giant
<i>Philadelphus coronarius</i>	Pyramidal
<i>inodorus</i>	<i>Harrisonia dbl. yellow</i>
<i>Rhododendron maximum</i>	For other garden roses, see <i>China</i> roses in the Greenhouse Catalogue.
— <i>album</i>	<i>Spartium scoparium</i>
<i>Rhus cotinus</i>	<i>Spirea hypericifolia</i>
<i>Robinia hispida</i>	<i>Staphylea trifoliata</i>
<i>Rosa ferox</i>	<i>Symphoria racemosa</i>
<i>bracteata</i>	<i>Syringa vulgaris</i>
<i>rubifolius</i>	— <i>lilacina</i>
	— <i>alba</i>
	<i>chinensis</i>
	<i>persica</i>
	— <i>laciniata</i>
Garden Varieties.	
Blush Belgic	
Watson's blush	
Dwarf burgundy	
Burning coal	
Cinnamon	
Hundred leaved	
Maiden's blush	
	<i>Thuya orientalis</i>
	<i>Viburnum opulus roseum</i>
	<i>Wisteria sinensis</i>
	<i>frutescens</i>

PERENNIAL HERBACEOUS PLANTS.

<i>Acacia brachyloba</i>	<i>Campanula grandiflora</i>
<i>Aconitum napellus</i>	<i>persicifolia alba</i> pl.
<i>Actaea spicata</i>	<i>— cerulea</i> pl.
<i>rubra</i>	<i>pyramidalis alba</i>
<i>racemosa</i>	<i>— cerulea</i>
<i>Adonis vernalis</i>	<i>ucranica</i>
<i>Agrostemma Floscuculi</i> pl.	<i>urticifolia alba</i> pl.
<i>Allium cernuum</i>	<i>cerulea</i> pl.
<i>moly</i>	<i>medium cerulea</i>
<i>Althea rosea</i>	<i>— alba</i>
— 10 double varieties	
<i>Alyssum saxatile</i>	<i>Cassia marylandica</i>
<i>Amaryllis lutea</i>	<i>Catananche cerulea</i>
<i>Amsonia salicifolia</i>	<i>Chelone barbata</i>
<i>latifolia</i>	<i>Lyoni</i>
<i>Anemone nemerosa</i> pl.	<i>Chrysanthemum indicum</i>
<i>hepatica alba</i>	— 20 varieties
— <i>cerulea</i> pl.	
— <i>rubra</i> pl.	
<i>thalictroides</i> pl.	<i>Clematis integrifolia</i>
<i>pulsatilla</i>	<i>erecta</i>
<i>hortensis</i>	<i>cerulea</i>
— several varieties	and other sps.
<i>Anthemis nobilis</i> pl.	<i>Coreopsis grandiflora</i>
<i>Anthericum liliastrum</i>	<i>lanceolata</i>
<i>Antirrhinum majus</i>	<i>tenuifolia</i>
<i>Aquilegia canadensis</i>	<i>Coronilla coronata</i>
<i>vulgaris</i>	<i>Convallaria majalis</i>
— 6 double varieties	<i>Crocus vernus</i>
<i>Aristolochia siphonopetala</i>	— numerous varieties
<i>pubescens</i>	<i>Cynoglossum omphaloides</i>
<i>Arabus grandiflorus</i>	<i>Cypripedium humile</i>
<i>Asarum virginicum</i>	<i>pubescens</i>
<i>canadense</i>	<i>parviflorum</i>
<i>Asclepias tuberosa</i>	<i>spectabile</i>
<i>Baptisia australis</i>	<i>Commelina virginicum</i>
<i>Bellis perennis</i>	<i>Delphinium elatum</i>
— <i>alba</i> pl.	<i>grandiflorum</i> pl.
— <i>rubra</i> pl.	<i>sinensis</i>
<i>prolifera</i>	<i>tricorne</i>
<i>grandiflora</i>	<i>Dianthus deltoides</i>
<i>Betonica grandiflora</i>	<i>hortensis</i>
<i>Caltha palustris</i> pl.	<i>chinensis</i>
	<i>barbatus</i>
	<i>plumarius</i>
	<i>Dictamnus rubra</i>

<i>Dictamnus alba</i>	<i>Iberis sempervirens</i>
<i>Digitalis lanata</i>	<i>Lathyrus perennis</i>
<i>lutea</i>	<i>Lilium canadense</i>
<i>purpurea</i>	<i>candidum</i>
<i>— alba</i>	<i>tigridum</i>
<i>Dodecatheon Meadia</i>	<i>pomponicum</i>
<i>— alba</i>	<i>martagon</i>
<i>Dracocephalum virginicum</i>	<i>— several varieties</i>
<i>Echinops ritro</i>	<i>Linum alpinum</i>
<i>Echium italicum</i>	<i>Lobelia cardinalis</i>
<i>Erinus alpinus</i>	<i>syphilitica</i>
<i>Erythrina herbacea</i>	<i>fulgens</i>
<i>Erythronium dens canis</i>	<i>splendens</i>
<i>Eschscholtzia californica</i>	<i>Lupinus perennis</i>
<i>Eupatorium celestinum</i>	<i>polyphyllus</i>
<i>Fritillaria imperialis</i>	<i>Lychnis chalcedonica</i>
<i>—several var.</i>	<i>Lysimachia nummularia</i>
<i>latifolia</i>	<i>verticillata</i>
<i>Gentiana Catesbeia</i>	<i>Lythrum salicaria</i>
<i>cruciata</i>	<i>— tomentosum</i>
<i>ochroleuca</i>	<i>Leucojum vernum</i>
<i>Geranium ibericum</i>	<i>æstivum</i>
<i>pratense</i>	<i>Melissa grandiflora</i>
<i>sanguineum</i>	<i>Mitella diphylla</i>
<i>Geum coccineum</i>	<i>Monarda didyma</i>
<i>Galandia aristata</i>	<i>mollis</i>
<i>Helianthus multiflorus pl.</i>	<i>Muscari moschatum</i>
<i>Heliopsis laevis</i>	<i>comosum</i>
<i>Hemerocallis cerulea</i>	<i>racemosum</i>
<i>disticha</i>	<i>botryoides</i>
<i>flava</i>	<i>Narcissus poeticus</i>
<i>fulva pl.</i>	<i>jonquilla</i>
<i>japonica</i>	<i>tazetta</i>
<i>Hibiscus moscheutos</i>	<i>biflorus</i>
<i>palustris</i>	<i>moschatus</i>
<i>speciosus</i>	<i>pseudo narcissus</i>
<i>Hyacinthus orientalis</i>	<i>angustifolius</i>
<i>— several var.</i>	<i>majus</i>
<i>Hydrophyllum canadense</i>	<i>Œnothera Fraseri</i>
<i>Hyssopus officinalis</i>	<i>Orobus niger</i>
<i>Iris cuprea</i>	<i>Ornithogalum pyramidalis</i>
<i>lurida</i>	<i>umbellatum</i>
<i>pseudacorus</i>	<i>Paeonia edulis</i>
<i>florentina</i>	<i>— siberica</i>
<i>sambucina</i>	<i>— Whiteleji</i>
<i>xiphium</i>	<i>— Humei</i>
<i>xiphioides</i>	<i>— fragrans</i>
and 7 other species	<i>officinalis</i>

<i>Paeonia</i> <i>arietina</i>	<i>Rheum</i> <i>hybridum</i>
— <i>andersonii</i>	2 varieties
— <i>oxoniensis</i>	<i>Sanguinaria</i> <i>canadense</i>
<i>tenuifolia</i>	<i>Saxifraga</i> <i>crassifolia</i>
<i>Papaver</i> <i>bracteata</i>	<i>Sedum</i> <i>telephium</i>
<i>orientalis</i>	<i>ternatum</i>
<i>cambricum</i>	<i>Sempervivum</i> <i>globiferum</i>
<i>Pardanthus</i> <i>chinensis</i>	<i>Sideritis</i> <i>hyssopifolia</i>
<i>Penstemon</i> <i>angustifolia</i>	<i>Spigelia</i> <i>marylandica</i>
<i>atropurpurea</i>	<i>Spirea</i> <i>lobata</i>
<i>campanulata</i>	<i>philependula</i> pl.
<i>digitalis</i>	<i>ulmaria</i> pl.
<i>obovata</i>	— <i>folia variegata</i>
<i>Phalaris</i> <i>arundinacea</i> <i>picta</i>	<i>Statice</i> <i>armeria</i>
<i>Phlomis</i> <i>samea</i>	<i>latifolia</i>
<i>Phlox</i> <i>acuminata</i>	<i>Thymus</i> <i>citridorus</i>
<i>divaricata</i>	<i>Tradescantia</i> <i>virginica</i>
<i>corymbosa</i>	— <i>alba</i>
<i>paniculata</i> <i>alba</i>	— <i>cerulea</i>
<i>suaveolens</i>	<i>Tulipa</i> <i>gesneria</i>
<i>stolonifera</i>	— numerous varieties
<i>subulatus</i>	<i>Tyrilla</i> <i>cordata</i>
<i>verna</i>	<i>Valeriana</i> <i>rubra</i>
<i>Podophyllum</i> <i>peltatum</i>	<i>Verbena</i> <i>pinnatifida</i>
<i>Podylaria</i> <i>australis</i>	<i>aubletia</i>
<i>Polemonium</i> <i>album</i>	<i>Verbascum</i> <i>pyramidalis</i>
<i>cerulea</i>	<i>Veronica</i> <i>spicata</i>
<i>Potentilla</i> <i>formosa</i>	<i>virginica</i>
<i>atrosanguinea</i>	<i>chamædrys</i>
<i>Primula</i> <i>vulgaris</i>	<i>gentianoides</i>
— <i>lilacino</i> pl.	<i>Viola</i> <i>grandiflora</i>
— <i>lutea</i> pl.	<i>tricolor</i>
— <i>rubra</i> pl.	<i>pedatum</i>
<i>auricula</i>	and other species
— several varieties	<i>Vinca</i> <i>major</i>
<i>polyanthus</i>	<i>minor</i>
— several varieties	— <i>variegata</i>
<i>Pulmonaria</i> <i>virginicum</i>	<i>Viscaria</i> <i>vulgaris</i>
<i>Rudbeckia</i> <i>purpurea</i>	<i>alba</i>
<i>hirta</i>	<i>Yucca</i> <i>filamentosa</i>
<i>Ranunculus</i> <i>acris</i> pl.	<i>flaccida</i>

DAHLIAS OR GEORGINAS.

Antoinette *w*
 Mountain of Snow *w*
 Blush Lilac

Theodore *l*
 A la mode *l*
 Gloriosa rosea *r*

Well's triumph royal	<i>r</i>	Hogg's atro sanguinea	<i>c</i>
Squibb's pure yellow		Gen. Washington	<i>c</i>
Well's Dwarf yellow		Columbus	<i>p</i>
Barnardiæ	<i>r</i>	Count Pulaski	<i>p</i>
Beauty of Hertford	<i>r</i>	Minerva	<i>r</i>
Romulus	<i>s</i>	Hogg's triumph royal	<i>c</i>
Scarlet turban		Noblesse	<i>c</i>
Wheeler's March. of Bath	<i>s</i>	Earl of Hopedoun	<i>c</i>
Sol	<i>s</i>	Surpassee toute	<i>s</i>
Lindleyana	<i>c</i>	Polish hero	<i>c</i>
Fulgida perfecta	<i>c</i>	Miss Ellen	<i>p</i>
Man of Kent	<i>p</i>	Mars	<i>s</i>
Coronation	<i>m</i>	Miss Mary	<i>r</i>
Hall's Mogul	<i>m</i>	Nonpareil	<i>r</i>
Hoogylief	<i>y</i>	Trafalgar	<i>c</i>
Claudius Cæsar	<i>s</i>	Tecumseh	<i>m</i>
Cramoisie vivé	<i>c</i>	Sir Wm. Pervis	<i>r</i>
Floribunda	<i>m</i>	Barclayana	<i>m</i>
Crimson Globe		Augustus Rivinus	<i>p</i>
Hibernian	<i>r</i>	Lord Polwarth	<i>p</i>
Brunge's fine	<i>p</i>	President	<i>m</i>
Mount Vesuvius	<i>m</i>	Hogg's perfecta	<i>c</i>
Lewick's incomparable	<i>w</i> and <i>r</i>	Mutabilis 2 colors	
Floribunda nana	<i>p</i>	Col. Trumbull 2 colors	
Phœnix	<i>c</i>	Sovereign	<i>m</i>
Wood's verricus	<i>p</i>		
Maria Louisa	<i>r</i>		
Turner's shaded seedling	3 cols.		
Abellino	<i>y</i> and <i>r</i>		
Miller's defiance	<i>p</i>		
Princess Augusta	<i>w</i> and <i>p</i>		
Splendida	<i>r</i>		
Painted lady	<i>w</i> and <i>p</i>		
Hogg's Invincible	<i>m</i>		

The letters annexed to the varieties designate their colors, viz., *w.* White, *y.* Yellow, *c.* Crimson, *l.* Lilac, *r.* Rose, *rd.* Red, *p.* Purple, *s.* Scarlet, *m.* Maroon.

Early in the Spring, there will be an addition to the above, of fifty of the finest and best varieties from England, such as have held the highest rank in that country for the last two years.

GREENHOUSE AND HOOTHOUSE PLANTS.

Acacia armata		Acacia alata	
nilotica		saligna	
pulchella		suaveolens	
verticillata		taxifolia	
acanthocarpa		puminervis	
longifolia		falcata	
myrtifolia		conspicua	
decurrens		venusta	

<i>Acacia julibrissin</i>	<i>Amaryllis Braziliensis</i>
<i>lophantha</i>	<i>Fothergilla</i>
<i>vera</i>	<i>psittacina coburgia</i>
<i>farnesiana</i>	<i>rubra pleno</i>
<i>decipiens</i>	<i>striatifolia</i>
<i>dealbata</i>	<i>pulverulenta</i>
<i>vernicaflua</i>	<i>Anagallis monella</i>
<i>leucaphylla</i>	<i>Antholyza ethiopica</i>
<i>prostrata</i>	<i>cardinalis</i>
<i>linearis</i>	<i>Anemone nemerosa pl.</i>
<i>pubescens</i>	<i>thalictroides pl.</i>
<i>Agapanthus umbellatus</i>	<i>Arbutus unedo</i>
<i>subalba</i>	<i>Arctotis aureola</i>
— fol. var.	<i>argentea</i>
<i>Agave americana</i>	<i>fastuosa</i>
— fol. var.	<i>Ardisia colorata</i>
<i>Ageratum celestium</i>	<i>solonacea</i>
<i>sps. nova</i>	<i>elegans</i>
<i>Allium inodorum</i>	<i>crenulata</i>
<i>Aloe soccotrina</i>	<i>Aristea cyanea</i>
<i>variegata</i>	<i>major</i>
<i>retusa</i>	<i>Aristolochia siphon</i>
<i>lingua</i>	<i>pubescens</i>
<i>margaritifera</i>	<i>Asarum arifolium</i>
— minor	<i>Asclepias currisavica</i>
<i>mitriformis</i>	— <i>alba</i>
<i>latifolia</i>	<i>linearis</i>
<i>obliqua</i>	<i>arborea</i>
<i>verrucosa</i>	<i>salicifolia</i>
<i>nigricans</i>	<i>Aster argophyllum</i>
<i>Alonsoa urticifolia</i>	<i>Atragene capensis</i>
<i>linearis</i>	<i>Aucuba japonica</i>
<i>Alstromeria ligtu</i>	<i>Azalea indica</i>
<i>pelegrina</i>	— <i>purpurea</i>
<i>Simsii</i>	— <i>alba</i>
<i>Amaryllis belladonna</i>	<i>phenicea</i>
<i>atamasco</i>	<i>Banksia grandis</i>
<i>crispa</i>	<i>spinulosa</i>
<i>formosissima</i>	<i>marcescens</i>
<i>Johnsonii</i>	<i>latifolia</i>
<i>purpurea</i>	<i>Baronia alata</i>
<i>reginæ</i>	<i>Beaufortia decussata</i>
<i>sarniensis</i>	<i>Begonia evansiana</i>
<i>vittata</i>	<i>argyrostigma</i>
<i>rutilla</i>	<i>Bignonia pandora</i>
<i>hybrida</i>	<i>jasminifolia</i>
<i>formosa</i>	<i>venusta</i>

<i>Bletia tankervillæ</i>	<i>Camellia myrtifolia</i>
<i>Bossiæ ovata</i>	<i>Welbankiana</i>
<i>Bonapartia juncea</i>	<i>rubicaulis</i>
<i>Bouvardia triphylla</i>	<i>hexangularis</i>
<i>Brunsvigia falcata</i>	<i>conchiflora</i>
<i>Josephinæ</i>	<i>fimbriata</i>
<i>Brunia nodiflora</i>	<i>corallina</i>
<i>Buddleia globosa</i>	<i>punctata</i>
<i>Burchellia capensis</i>	<i>excelsa</i>
<i>Buxus balearicus</i>	<i>Pressii</i>
<i>Cacalia urticulata</i>	<i>splendens</i>
<i>Cactus flagelliformis</i>	<i>coccinea</i>
<i>grandiflorus</i>	<i>eclipsis</i>
<i>mammilarus</i>	<i>insignis</i>
<i>speciosus</i>	<i>spectabile</i>
<i>speciosissimus</i>	<i>sesanqua rosea pl.</i>
<i>triangularis</i>	<i>oleifera</i>
<i>tetragonus</i>	<i>gloriosa</i>
<i>truncatus</i>	<i>althæflora</i>
<i>Jenkinsonii</i>	<i>rosa sinensis</i>
<i>Longii</i>	<i>fulgida</i>
<i>stellata</i>	<i>speciosa</i>
<i>Braziliensis</i>	<i>imbricata</i>
<i>vivipera</i>	<i>intermedia</i>
<i>Akermania</i>	<i>anemoneflora alba</i>
<i>cochinillifera, & oth. sps.</i>	<i>eximia</i>
<i>Calceolaria rugosa</i>	<i>Floyii</i>
<i>Calla ethiopica</i>	<i>Wardii</i>
<i>Callicarpa americana</i>	<i>Hosackii</i>
<i>Callicoma serrata</i>	<i>Campanula pyramidalis</i>
<i>Callistachys ovata</i>	— <i>alba</i>
<i>Caltha palustris pl.</i>	<i>Canna indica</i>
<i>Calostemma lutea</i>	<i>limbata</i>
<i>Callothamnus villosus</i>	<i>Capsicum baccatum</i>
<i>quadrifida</i>	<i>Casuarina paludosa</i>
<i>Calycanthus præcox</i>	<i>muricata</i>
<i>Camellia japonica</i>	<i>Cassia multiglandulosa</i>
<i>alba simplex</i>	<i>corymbosa</i>
<i>rubra pleno</i>	<i>Ceratonia siliqua</i>
<i>alba do</i>	<i>Cestrum diurnum</i>
<i>carnea do</i>	<i>nocturnum</i>
<i>variegata do</i>	<i>laurifolium</i>
<i>atro rubens</i>	<i>Chamærops palmetto</i>
<i>anemoneflora</i>	<i>Cheirostemon plantanioides</i>
<i>mutabilis</i>	<i>Cheiranthus Cheiri</i>
<i>pæoniflora</i>	— several var.
<i>flavescens</i>	<i>incanus</i> , several var.

<i>Chorizema nana</i>	<i>Cycas revoluta</i>
<i>ilicifolia</i>	<i>Cyclamen persicum</i>
<i>rhombeum</i>	<i>album</i>
<i>Chrysanthemum indicum</i>	<i>— alba, intus, rubrum</i>
— 20 var.	<i>roseum</i>
<i>Cineraria cruenta</i>	<i>coum</i>
<i>lanata</i>	<i>europaeum</i>
<i>Cistus salvifolius</i>	<i>hederæfolium</i>
<i>ladaniferus</i>	<i>Cymbidium sinense</i>
<i>albidus</i>	<i>aloifolium</i>
<i>Citrus aurantium</i>	<i>hyacinthinum</i>
— <i>aureo</i> var.	<i>Cynoglossum omphaloides</i>
— <i>argenteo</i> var.	<i>Cyrtanthus obliquus</i>
<i>sanguinea</i>	<i>Daphne odora</i>
<i>aromaticum</i>	— <i>argenteo striata</i>
<i>myrtifolia</i>	<i>cneorum</i>
<i>nobilis</i>	<i>collina</i>
<i>tangieriana</i>	<i>Datura arborea</i>
<i>sinensis</i>	<i>Dianella cerulea</i>
<i>crispus</i>	<i>divaricata</i>
<i>acida</i>	<i>sps. nova</i>
<i>decumanus</i>	<i>Dianthus deltoides</i>
<i>medica</i>	<i>caryophyllus</i>
<i>limonum</i>	— several varieties
<i>Clematis calycina</i>	<i>Dichorisandria thyrsiflora</i>
<i>cerulea</i>	<i>Dillenia speciosa</i>
<i>cirrhosa</i>	<i>Dionea muscipula</i>
<i>florida</i> pl.	<i>Diosma alba</i>
<i>Clethra arborea</i>	<i>cupressina</i>
<i>Cobea scandens</i>	<i>fragrans</i>
<i>Combretum comosum</i>	<i>capitata</i>
<i>purpureum</i>	<i>Daviesia mimosoides</i>
<i>Convallaria japonica</i>	<i>Dolichos lignosus</i>
<i>Coronilla glauca</i>	<i>Dombeya ferruginea</i>
<i>valentina</i>	<i>Doryanthes excelsa</i>
<i>Correa alba</i>	<i>Dracæna ferrea</i>
<i>speciosa</i>	<i>australis</i>
<i>pulchella</i>	<i>Edwardsia microphylla</i>
<i>viridiflora</i>	<i>Echium candicans</i>
<i>Cornus capitata</i>	<i>Elichrysum sesamoides</i>
<i>Cotyledon orbiculata</i>	<i>Epaeris grandiflora</i>
<i>Cratægus glabra</i>	<i>Eranthemum pulchellum</i>
<i>Crassula coccinea</i>	<i>strictum</i>
<i>versicolor</i>	<i>Erica mediterranea</i>
<i>falcata</i>	<i>vulgaris</i>
<i>Cunonia capensis</i>	<i>arborea</i>
<i>Cupressus australis</i>	<i>baccans</i>

<i>Erica nigritta</i>	<i>Gordonia lasianthus</i>
<i>Plukenetii</i>	<i>Gorteria pavonia</i>
<i>decumbens</i>	<i>rigens</i>
<i>blanda</i>	<i>Gompholobium</i> sps.
<i>alba</i>	<i>Goodyrea discolor</i>
<i>Eriobotrya japonica</i>	<i>Grislea tomentosa</i>
<i>Erpetion reneiforme</i>	<i>Hemanthus coccineus</i>
<i>Erythrina herbacea</i>	<i>Hakea saligna</i>
<i>cristigalla</i>	<i>ceratophylla</i>
<i>Eschscholtzia californica</i>	<i>microcarpon</i>
<i>Eucomis punctata</i>	<i>Heliotropium peruvianum</i>
<i>striata</i>	<i>grandiflorum</i>
<i>Eugenia jambos</i>	<i>Hibbertia volubilis</i>
<i>caffra</i>	<i>Hibiscus rosa sinensis</i>
<i>Eupatorium elegans</i>	<i>rubra</i> pl.
<i>Euphorbia</i> sps. <i>nova</i>	<i>roseus</i> pl.
<i>hetrophylla</i>	<i>variegatus</i> pl.
<i>Eucalyptus pulvissue</i>	<i>flavus</i> pl.
<i>Eutaxia myrtifolia</i>	<i>luteus</i> pl.
<i>Exacum viscosum</i>	<i>manihot</i>
<i>Fabricia laevigata</i>	<i>pilosus</i>
<i>Ferraria tigridia</i>	<i>Hoitzia coccinea</i>
<i>Ficus australis</i>	<i>Hopea tinctoria</i>
<i>elastica</i>	<i>Hovea Celsii</i>
<i>nitida</i>	<i>Hoya carnosa</i>
<i>carica</i>	<i>Hydrangea hortensis</i>
<i>repens</i>	<i>Hypericum monogynum</i>
<i>vestita</i>	<i>Illicium floridanum</i>
<i>Fuchsia coccinea</i>	<i>Indigofera cytisoides</i>
<i>gracilis</i>	<i>Iris fimbriata</i>
<i>conica</i>	<i>Isopogon anemonefolius</i>
<i>tenella</i>	<i>anethifolius</i>
<i>macrostemma</i>	<i>Ixia conica</i>
<i>thymifolia</i>	<i>carmosina</i>
<i>Gardenia lucida</i>	<i>coccinea</i>
<i>florida</i> pl.	<i>maculata</i>
<i>— major</i>	<i>viridis</i>
<i>radicans</i>	<i>crocata</i>
<i>Gelsemium nitidum</i>	<i>erecta</i>
<i>Gladiolus Meriana</i>	<i>grandiflora</i>
<i>psittacina</i>	<i>sulphurea</i>
<i>floribunda</i>	<i>polystachya</i>
<i>and other species</i>	<i>tuberosa</i>
<i>Gloriosa superba</i>	<i>and other sps.</i>
<i>Gloxinia speciosa</i>	<i>Ixora coccinea</i>
<i>maculata</i>	<i>Jasminum grandiflorum</i>
<i>Gnaphalium glomeratum</i>	<i>azoricum</i>

<i>Jasminum revolutum</i>	<i>Magnolia Soulangiana</i>
<i>gracile</i>	<i>Maranta zebrina</i>
<i>sambac</i>	<i>bicolor</i>
<i>— plenum</i>	<i>Marica Northiana</i>
<i>undulatum</i>	<i>cerulea</i>
<i>tosecanum</i>	<i>Maurandya Barclayiana</i>
<i>Justicia pieta</i>	<i>Mellaleuca densa</i>
<i>speciosa</i>	<i>diosmafolia</i>
<i>Kennedia rubicunda</i>	<i>linarifolia</i>
<i>bimaculata</i>	<i>hypericifolia</i>
<i>monophylla</i>	<i>pubescens</i>
<i>coccinea</i>	<i>staphyloides</i>
<i>Kæmpferia rotunda</i>	<i>leucadendron</i>
<i>Lachenalia luteola</i>	<i>Melastoma malabathrica</i>
<i>tricolor</i>	<i>Melianthus major</i>
<i>quadricolor</i>	<i>Mesembryanthemum deltoides</i>
<i>Lasiopetalum purpureum</i>	<i>spectabile</i>
<i>Lagerstrœmia indica</i>	<i>acinaciforme</i>
<i>— purpurea</i>	<i>linguaforme</i>
<i>Lambertia formosa</i>	<i>includens</i>
<i>Lantana camara</i>	<i>Metrosideros lanceolata</i>
<i>nivea</i>	<i>linearifolius</i>
<i>Laurus nobilis</i>	<i>grandiflorus</i>
<i>pubescens</i>	<i>Mimosa latispinosa</i>
<i>Leptospermum baccans</i>	<i>Mimulus moschatus</i>
<i>scoparium</i>	<i>sylvestris</i>
<i>Liparia spherica</i>	<i>luteus</i>
<i>Ligustrum japonicum</i>	<i>Monsonia speciosa</i>
<i>Lillium japonicum</i>	<i>Myrtus communis</i>
<i>longiflorum</i>	<i>boetica</i>
<i>suaveolens</i>	<i>belgica</i>
<i>concolor</i>	<i>— pleno</i>
<i>Linum trigynum</i>	<i>— argen. striata</i>
<i>Lobelia pinifolia</i>	<i>tenuifolia</i>
<i>Lophospermum erubescens</i>	<i>tomentosus</i>
<i>Lupinus polyphyllus</i>	<i>australis</i>
<i>arborea</i>	<i>densa</i>
<i>Lychnis coronata</i>	<i>Myrsine retusa</i>
<i>chalcedonica</i>	<i>Narcissus bulbicodium</i>
<i>Magnolia obovata</i>	<i>Nandina domestica</i>
<i>conspicua vel Yulan</i>	<i>Nerium oleander</i>
<i>fuscata</i>	<i>— variegata pl.</i>
<i>pumila</i>	<i>— fol. variegata</i>
<i>grandiflora</i>	<i>— splendens</i>
<i>exoniensis</i>	<i>Olea fragrans</i>
<i>obtusifolia</i>	<i>— rubra</i>
<i>Thompsoniana</i>	<i>europea</i>

Ophiopogon japonica	Pelargonium tristum
Oxalis asinina	ardens
caprina	ignescens
convexula	flavum
elongata	pavonia
flabellifolia	rutilla
lutea	gloriosa
hirta	latilobium
purpurea	decorum
rosacea	macranthon
tetraphylla	Washingtonii
versicolor	Bauburiensis
constantinople	Peckii
and other sps.	Pepperii
Oxyanthus speciosus	Jacksonii
Pæonia moutan	Hosackii
— rosea	Daveyanum
— papaveracea	Dutchess of Glo'ster
Pancratium maritimum	Franklinii
carolinianum	Commander in Chief
illyricum	Youngii
littorale	Robinsonii
caribbeaum	Smithii
Passiflora alata	Eclipse
cerulea	echinitum
cerulea racemosa	Blakeanum
edulis	Admiral Codrington
incarnata	Navarino
princeps	Juliet
quadrangularis	Daphne
Herbertiana	Mollifolium
laurifolia	Ursinum
racemosa	Urbanum
Pelargonium radiata	Clintonæ
capitatum	Dissimile
citrodora	Laxulum
Zonale	Ramigerum
Blucher	quercifolium superbum
Bath scarlet	Brown's Lady Gore
Waterloo	Belle Gabrielle
Purple bouquet	Glorianum
Silver edged	Princess Augusta
fragrans	Russelianum
odoratissimum	Rubinum
quercifolium	Fastuosum
tomentosum	Speculum
peltatum	Pœulifolium

Pelargonium Weljaes Sidney
 Richesianum
 Drakeii
 Angustum
 Devere
 Yeatmanianum
 Copliæ
 Hammattiae
 Lady Ann Bingham
Involucratum superbum
 Lady Maryboro'
 Affiné
 Instratum
 Translucens
 Palkii
 Reuben Apsley
Cucullatum majus
 Lady Nugent
Recurvifolium
Spectabile striatum
Nervosum
Rotundilobium
 Queenii
 Jenkinsonii
 Juno
Hetromallum
Penstemon diffusa
 campanulata
Persoonia linearis
Phlomis fruticosa
Phœnix dactylifera
Phormium tenax
Phyllcea ericoïdes
 plumosa
Pistacia terebinthus
Pittosporum tobira
 undulatum
Platylodium 3 sps. nova
Plumbago capensis
Podylaria sericea
Polyanthos tuberosus
Polygala myrtifolia
 speciosa
Pomaderris apetala
 sps. nova
Primula auricula
 polyanthus

Primula vulgaris
 —— rubra pl.
 —— lutea pl.
 —— lilacina pl.
 veris
 sinensis
 —— alba
Protea argentea
 mellifera
 levisamus
Psidium pyrifera um
Pterospermum acerifolium
Punica granatum
 —— major pl.
 —— alba pl.
Rhododendron ponticum
 —— roseum
 —— variegatum
 dauricum
 arboreum
 ferruginum
 Catawbiense
 several hybrids
Rhipsalis salicornoides
Rosa indica pl.
 maxima
 minima
 minor
 alba
 speciosa
 odoratissima
 sanguinea
 purpurea
 odorata
 —— lutea
 atrorubens
 Lawrenceana
 bracteata
 Grevillia
 Banksia
 —— lutea
Baursaultia
 microphylla
 multiflora
 —— alba
 noisettiana
 —— purpurea

Rosa centifolia odorata	Tagetes lucidum
moschata	'Tecoma capensis
Adamsonia	'Templetonia retusa
Jacksonia	'Thea bohea
Clintonia	viridis
Hibbertia	'Thunbergia alata
Lisle	fragrans
Amaranthe	coccinea
Pompone	grandiflora
Belle Chinoise	'Tradescantia rosea
Belle de Vibert	discolor
Belle de Monza	'Tritoma uvaria
Duc de Berri	'Tristenia conferta
Florence tea	'Trœpaleum majus pl.
Lafayette	'Tussilago fragrans
Gigantea	'Urania speciosa
Rosmarinus officinalis	'Ulex europea
Ruellia formosa	'Veltheimia viridifolius
Sabina	'Verbena tryphyllea
anisophylla	chamœdrifolia
Rubus rosafolius	aubletia
Ruscus racemosus	'Viburnum Laurustinus
Santolina tomentosa	lucidum
Salvia splendens	rugosum
formosa	odoratum
azurea	'Virgilia capensis
coccinea	'Vinca rosea
Saxifraga rotundifolia	— alba
Schinus terebinthifolius	'Viola odoratissima pl.
Sedum aizoon	— alba pl.
Sempervivum globiferum	'Volkamaria japonica
arboreum	'Wisteria sinensis
Senecio elegans pl.	'Xeranthemum fulgidum
maritima	argenteum
Serissa foetida pl.	'Yucca aloifolium
Solanum pseudo capsicum	angustifolia
Spharolobium viminium	'Zamia spiralia
Sterculia platanifolia	'Zygophyllum Fabago
Stokisia cyanea	morgysina
Strelitzia reginæ	'Zephyranthes atamasco
Streptocarpus Rhexii	candida
Strophanthus dichotomus	rosea
Struthiola imbricata	lutea
Stylium adnatum	carinata
fruticosum	
Swansonia galigafolia	'Zinziber officinale


Gooseberry and Currant bushes, Grape Vines, Strawberry Plants, Asparagus, Rhubarb, Artichoke and Sea Kale Roots, Macluras, Hawthorns, Honey Locust, and Privet for hedges, also Box Wood for edgings.

The Proprietor has not thought it best to publish a Price Catalogue, as the prices of plants vary according to their rarity and size ; he is, however, determined to sell at the lowest possible rates for which they can be afforded.

Orders punctually and carefully attended to, and plants packed so that they may be sent with safety to any part of the Union.

Letters to be addressed to Thomas Hogg, care of Alexander Smith, Seedsman, 388 Broadway, New-York.





71 Jefferson Ave
Brooklyn N.Y.
April 17-1916

Dr. R. L. Breton

Dear Sir

After I sent you the book and catalogue, I found that I had another catalogue of my grandfather's, of much earlier date and as it might also be of interest to you I send it also. The New York Botanic Garden was at the southeast corner of 23rd street and Broadway where the hotel Bartholdi

Photocopied onto alkaline paper - 8/13/90
Original in NYBG archives.

now stands.

Thos. Hogg Jr. was my grandfather, who accompanied Dr. Torrey on many of his botanical trips, especially in New Jersey, which was then a rich field for botanical research. The Thos. Hogg whom you know was my very dear uncle, who was as interested in the Torrey blood.

I received your very kind acknowledgegment.

Very truly yours

Henry C. Fletcher














THOMAS HOGG - ORNAMENTAL TREES AND SHRUBS +SB.15.T48 1834