DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 37 OF 89 SHEETS

DATE April-21 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				178,238					172,878	383	254
5	14	15	62.6	549	Counter Feed Lever Feed Handle Accuracy	Missing Missing Missing Out of Order	7 1 1 36	45	504		
5	14	15	62.6	549	Counter Accuracy	Missing Out of Order	7 23	30	519		
5	14	15	626	500	Counter Accuracy	Missing Out of Order	7 40	47	453		
				1,498 179,836					1,476 174,354	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co Ltd. Yamaguchi Fa
C LOCATION No 217, Shimo-Unoye Yamaguchi, Yamaguchi Prefe
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Miscellaneous Equipment.
F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	108011	
174	8	100	LATHE - Turret - Single Purpose - C.S.D - Cone Type Spindle -	450	L. 1 W. H.
			No. of Step 1		
			Spindle Speed 350 R.P.M.		
			Swing Over Bed 240 m.m.		
			Swing Over Carriage 200 m.m.		
			Max. Distance Spindle Flange To Turret Face 200 m.m.		
			Chucking Capacity 20 m.m.		
			No. of Tool Holes 7		
175	8	105	LATHE - Turret - Single Purpose - C.S.D - Cone Type Spindle -	450	L. 1 W. H.
			No. of Steps 2.		
			Spindle Speeds 259 to 345 R.P.M.		
			Swing Over Bed 240 m.m.		
			Swing Over Carriage 200 m.m.		
			Max. Distance Between Spindle Flange to Turret Face 250 m.m		
			Chucking Capacity 10 m.m.		
			No. of Tool Holes 7		
176	8	108	LATHE - Turret - Single Purpose - C.S.D - Cone Type Spindle -	360	H. 1 W. H. 5
			No. of Steps 2		
			Spindle Speeds 259 to 345 R.P.M.		
			Swing Over Bed 240 m.m.		
			Swing Over Carriage 200 m.m.		
			Max. Distance Between Spindle Flange to Turret Face 350 m.m.		
			Chucking Capacity 25 m.m.		
			No. of Tool Holes 7		
177	8	162	MILLING MACHINE - Knee - Vertical - I.M.D. - Spindle Speeds 12 to 420 R.P.M	3,100	L. 18 W. 12 H. 18
			Spindle Hole Taper B.S. NO. 14		
			Longitudinal, Cross and Vertical Feeds 300 × 500 × 400 m.m.		
			Size Working Surface 300 × 1,000 m.m.		
			Motor: A.C. - Induction - Cage type - 5 H.P., 3phases, 1,700 R.P.M.		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 4360
Cumulative-Total 12,371

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...uchi Factory
...hi Prefecture.

...ment.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
108011					229,513	228,843		297,267				
450	L. 100 W. 50 H. 50	Osaka Tomiya Works Japan.	1937		820	SH (E) 820	97.5	799	25	14	15	62.6
450	L. 110 W. 50 H. 50	Osaka Tomiya Works. Japan.	1937		900	SH (E) 900	97.5	877	25	14	15	62.6
360	H. 110 W. 40 H. 50	Osaka Tomiya Works. Japan.	1937		900	SH (E) 900	97.5	877	25	14	15	62.6
3,100	L. 180 W. 120 H. 180	Koa Machine Co. Japan.	1936		13,500	SH (E) 13,500	147.3	19,885	25	13	15	59.2
4960					16,120	16,120		22,438				
5310					245,633	244,963		319,705				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 38 OF 89 SHEETS

DATE April-21- 1948

										NON-REMOVABLE	
Expectancy	13 Future Life	14 Salvage Value	15 Depreciation Factor	16 Depreciated Value	17 Other Deductions	18 Reason For Other Deductions	19 Deduction Yen	20 Total Extra Deduction Yen	21 Total Depreciated Value	22 Non-Removable Equipment	23 Non-Removable Value
				179,836					174,354	383	254
	14	15	62.6	500	Accuracy	Out of Order	21	21	479		
	14	15	62.6	549	Counter Accuracy	Missing. Out of Order	7 36	43	506		
	14	15	62.6	549	Counter Accuracy	Missing. Out of Order	7 36	43	506		
	13	15	59.2	11,771	Motor Vice	Missing. Missing.	152 21	173	11,598		
				13,369					13,089		
				193,205					187,443	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd., Yamaguchi Fac
C LOCATION No. 217 Shimo-Unoriya, Yamaguchi, Yamaguchi Prefec
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Miscellaneous Equipment
F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	112,371	
178	8	165	MILLING MACHINE - Knee-Vertical-I.M.D.-Spindle Speeds 150 to 900 R.P.M. Spindle Hole Taper B.S. No. 7 Longitudinal, Cross and Vertical Feeds 150 × 350 × 450 m.m. Size Working Surface 300 × 600 m.m. Motor: A.C.-Induction-Cage Type-2 H.P., 3phases, 1750 R.P.M.	1,300	L. W. H.
179	8	169	MILLING MACHINE - Knee-Vertical-C.S.D.-Spindle Speeds 19 to 360 R.P.M. Spindle Hole Taper B.S. No. 6 Longitudinal, Cross and Vertical Feeds 250 × 170 × 300 m.m. Size Working Surface 400 × 150 m.m.	360	L. W. H.
180	8	171	MILLING MACHINE - Knee-Vertical-I.M.D.-Spindle Speeds 12 to 420 R.P.M. Spindle Hole Taper B.S. No. 14 Longitudinal, Cross and Vertical Feeds 300 × 500 × 400 m.m. Size Working Surface 1000 × 300 m.m. Motor: A.C.-Induction-Cage Type-5 H.P., 3phases, 1,200 R.P.M.	3,100	L. W. H.
181	8	170	MILLING MACHINE - Knee-Horizontal-Universal-I.M.D.- Spindle Speeds 16 to 372 R.P.M. Spindle Hole Taper B.S. No. 14 Longitudinal, Cross and Vertical Feeds 350 × 600 × 600 m.m. Size Working Surface 1600 × 250 m.m. Degrees of Table Turning 80° Motor: A.C.-Induction-Cage Type-5 H.P., 3phases, 1,700 R.P.M.	2,800	L. W. H.
182	8	163	MILLING MACHINE - Horizontal-Universal-C.S.D.- No. of Steps 3 Spindle Speeds 32 to 316 R.P.M. Spindle Hole Taper B.S. No. 7 Longitudinal, Cross and Vertical Feeds 200 × 700 × 550 m.m. Size of Working Surface 830 × 250 m.m. Degrees of Table Turning 70°	800	L. W. H.
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)			Page-Total	8,360	
			Cumulative-Total	120,731	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

uchi Factory.
hi Prefecture.

nt

PLANT EVALUATION

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
11,371					245,633	244,963		319,705				
1,300	L. 140 W. 80 H. 150	Okuma Iron Works Japan.	1936		5,150	SH (E) 5,150	147.3	7,585	25	13	15	59.2
360	L. 70 W. 80 H. 130	Unknown Japan	1937		4,000	SH (E) 4,000	97.5	3,900	25	14	15	62.6
3,100	L. 180 W. 150 H. 170	Koa Machine Co. Japan	1936		13,500	SH (E) 13,500	147.3	19,885	25	13	15	59.2
2,800	L. 180 W. 180 H. 150	Unknown. Japan.	1936		15,500	SH (E) 15,500	147.3	22,831	25	13	15	59.2
800	L. 140 W. 130 H. 150	Unknown. Japan.	1935		4,000	SH (E) 4,000	149.5	5,980	25	12	15	55.6
60					42,150	42,150		60,181				
91					287,783	287,113		379,886				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 39 OF 89 SHEETS

DATE April - 21 - 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			193,205					187,443	383	264
13	15	59.2	4,490	Motor Vice (3) V-Belt	Missing. Missing Missing	71 26 3	95	4,395		
14	15	62.6	2,441	Counter Vice (2) Clost Door	Missing. Missing. Missing.	29 17 9	55	2,386		
13	15	59.2	11,771	Vice Motor	Missing Missing.	21 113	134	11,637		
13	15	59.2	13,515	Vice.	Missing.	21	21	13,494		
12	15	55.8	3,336	Counter Pulley Spindle Shaft. Vice. Handle. Arm	Missing. Missing. Missing. Missing. Missing Missing	27 12 7 19 2 8	75	3,261		
			35,553					35,173		
			228,758					222,616	383	264

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co Ltd, Yamaguchi Factor
C LOCATION No. 217, Shimo-Unoya, Yamaguchi, Yamaguchi Prefe
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Miscellaneous Equipment
F TYPE OF FACILTY

1	2	3	4	5	
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packin Len Wi Hei (c
			BROUGHT FORWARD	120,731	
183	8	164	MILLING MACHINE - Horizontal-Universal-C.S.D- No of Steps 4	270	L. W.
			Spindle Speeds 19 TO 360 R.P.M.		H.
			Spindle Hole Taper B.S. No. 6		
			Longitudinal, Cross and Vertical Feeds. 100 x 300 x 300 m.m.		
			Size Working Surface 540 x 160 m.m.		
			Degree of table Turning 40°		
184	8	166	MILLING MACHINE - Horizontal-Universal-C.S.D- No. of Steps 3	1,300	L. W.
			Spindle Speeds 13 to 340 R.P.M.		H.
			Spindle Hole Taper B.S. No. 11		
			Longitudinal, Cross and Vertical Feeds. 200 x 600 x 500 m.m.		
			Size Working Surface 850 x 240 m.m.		
			Degrees of Table Turning 60°		
185	8	167	MILLING MACHINE - Horizontal-Universal-C.S.D- No. of Steps 3	270	L. W.
			Spindle Speeds 19 to 360 R.P.M.		H.
			Spindle Hole Taper B.S. No. 6		
			Longitudinal. Cross and Vertical Feeds 100 x 200 x 350 m.m.		
			Size Working Table 550 x 150 m.m.		
			Degrees of Table Turning 40°		
186	8	168	MILLING MACHINE - Horizontal-Universal-C.S.D- No. of Steps 3	360	L. W.
			Spindle Speeds 19 to 360 R.P.M.		H.
			Spindle Hole Taper B.S. No. 6		
			Longitudinal, Cross and Vertical Feeds 100 x 350 x 500 m.m.		
			Size Working Surface 650 x 180 m.m.		
			Degrees of Table Turning 40°		
187	8	175	MILLING MACHINE - Horizontal-Universal-C.S.D- No. of Steps 3	1,500	L. W.
			Spindle Speeds 13 to 340 m.m.		H.
			Spindle Hole Taper B.S. NO. 14		
			Longitudinal, Cross and Vertical Feeds. 200 x 650 x 550 m.m.		
			Size Working Surface 800 x 240 m.m.		
			Degrees of Table Turning 90°		
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)			Page-Total	3,700	
			Cumulative-Total	124431	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory
Prefecture
t

PLANT EVALUATION

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15
ght (kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
731					282,783	287,113		379,886				
270	L. 80 W. 90 H. 100	Unknown. Japan.	1935		1,400	SH (E) 1,400	149.5	2,093	25	12	15	55.8
300	L. 150 W. 130 H. 150	Unknown. Japan.	1935		3,800	SH (E) 3,800	149.5	5,681	25	12	15	55.8
270	L. 70 W. 80 H. 100	Akioka Machine Works Japan.	1937		1,200	SH (E) 1,200	97.5	1,170	25	14	15	62.6
260	L. 110 W. 110 H. 120	Akioka Machine works. Japan.	1937		630	SH (E) 630	97.5	614	25	14	15	62.
300	L. 110 W. 110 H. 130	Unknown Japan.	1936		4,000	SH (E) 4,000	147.3	5,892	25	13	15	59.-
30					11,030	11,030		15,450				
31					298,813	298,143		395,336				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 40 OF 89 SHEETS

DATE April - 22 - 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				228,758					222,616	383	254
25	12	15	55.8	1,167	Counter Vice.	Missing. Missing.	25 15	40	1,127		
25	12	15	55.8	3,169	Vice Pulley. Handle (2) Feed Parts	Missing Missing. Missing. Missing	19 12 2 4	37	3,132		
25	14	15	62.6	732	Vice	Missing.	15	15	717		
25	14	15	62.6	384	Vice. Gear Cover	Missing. Missing.	15 4	19	365		
25	13	15	59.2	3,488	Counter Handle Vice Spindle (2) Gear Shafts	Missing. Missing Missing Missing Missing	29 2 19 7 3	60	3,428		
				8,940					8,769		
				237,698					231,385	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory
C LOCATION No. 217, Shimo-Unoryo, Yamaguchi, Yamaguchi Prefecture
D INDUSTRIAL GROUP Aircraft.
E SECTION OF EVALUATION Miscellaneous Equipment.
F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Leng Widt Heig (c m
			BROUGHT FORWARD	124431	
188	8	176	MILLING MACHINE - Horizontal-Universal-C.S.D. Single Purpose -	130	L. 5 W. 4
			No. of Steps 2		H. 5
			Spindle Speeds 210 to 330 R.P.M		
			Longitudinal, Cross and Vertical Feeds 50 × 100 × 250 m.m.		
			Size of Working Surface 400 × 120 m.m		
			Degrees of Table Turning 15°		
189	8	177	MILLING MACHINE - Horizontal-Universal-C.S.D. Single Purpose -	130	L. 50 W. 4
			No. of Steps 2		H. 5
			Spindle Speeds 210 to 330 R.P.M.		
			Longitudinal, Cross and Vertical Feeds 50 × 150 × 200 m.m.		
			Size Working Surface 400 × 120 R.P.M.		
			Degrees of Table Turning 15°		
190	8	178	MILLING MACHINE - Horizontal-Universal-C.S.D. Single Purpose -	130	L. 50 W. 40
			No. of Steps 3		H. 50
			Spindle Speeds 117 to 340 R.P.M.		
			Longitudinal, Vertical and Cross Feeds 150 × 150 × 200 m.m.		
			Size Working Surface 100 × 430 m.m.		
			Degrees of Table Turning 30°		
191	8	179	MILLING MACHINE - Horizontal-Universal-C.S.D. Single Purpose -	130	L. 50 W. 40
			No. of Steps 2		H. 50
			Spindle Speeds 210 to 330 R.P.M.		
			Longitudinal, Cross and Vertical Feeds 50 × 50 × 250 m.m.		
			Size Working Surface 400 × 120 m.m.		
			Degrees of Table Turning 30°		
192	8	180	MILLING MACHINE - Horizontal-Universal-C.S.D. Single Purpose -	130	L. 50 W. 40
			Spindle Speeds 270 to 330 R.P.M.		H. 50
			No. of Steps 2		
			Longitudinal, Vertical and Cross Feeds 50 × 250 × 50 m.m.		
			Size Working Surface 350 × 120 m.m.		
			Degrees of Table Turning 30°		
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)				Page-Total	650
				Cumulative-Total	125,081

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory
fecture

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
24431					298,813	298,143		395,336				
130	L. 50 W. 40 H. 50	Unknown. Japan.	1937		1,250	SH (E) 1,250	97.5	1,218	25	14	15	62.6
130	L. 50 W. 40 H. 50	Unknown. Japan.	1937		1,250	SH (E) 1,250	97.5	1,218	25	14	15	62.6
130	L. 50 W. 40 H. 50	Unknown. Japan.	1937		1,250	SH (E) 1,250	97.5	1,218	25	14	15	62.6
130	L. 50 W. 40 H. 50	Unknown. Japan.	1937		1,250	SH (E) 1,250	97.5	1,218	25	14	15	626
130					6,250	6,250		6,090				
24561					305,063	304,393		401,426				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 41 OF 89 SHEETS

DATE April -22- 1948

										NON-REMOVABLE	
13	14	15	16	17	18	19	20		21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen		Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			237,698						231,385	383	254
14	15	62.6	762	Coulter-Automatic	Missing.	29	53		709		
				Feed Rod.	Missing	24					
14	15	62.6	762	Counter-Automatic	Missing.	29	56		706		
				Feed Rod	Missing	24					
				Feed Gear	Missing	3					
14	15	62.6	762	Counter.	Missing.	29					
				Handle.	Missing.	2	31		731		
14	15	62.6	762	Counter.	Missing.	29	29		733		
14	15	62.6	762	Counter.	Missing.	29					
				Feed Gear.	Missing.	3	32		730		
			3,810						3,609		
			241,508						234,994	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor

C LOCATION No. 217 Shime-Uoore, Yamaguchi Yamaguchi Prefectur

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Leng Wid Heig (c
			BROUGHT FORWARD	12,081	
193	8	181	MILLING MACHINE- Horizontal - C.S.D - No. of Step 1	270	L. 5 W. 4
			Spindle Speed 300 R.P.M.		H. 7
			Spindle Hole Taper M.T. No. 3		
			Longitudinal, Cross and Vertical Feeds. 100 x 150 x 250 m.m.		
			Size of Working Table 120 x 450 m.m.		
			Degrees of Table Turning 50°		
194	8	235	MILLING MACHINE- Horizontal - C.S.D - No. of Steps 3 -	2,700	L. 11 W. 12
			Spindle Speeds 19 to 360 R.P.M.		H. 2
			Spindle Hole Taper B.S. 7		
			Longitudinal, Cross and Vertical Feeds 300 x 500 x 450 m.m.		
			Size Working Table 850 x 190 m.m.		
			Degrees of Table Turning 40°		
195	8	159	SHAPER- Horizontal - C.S.D - Length of Stroke 700 m.m	1,800	L. 14 W. 10
			Vertical Travel of Head 350 m.m		H. 14
			Size of Table and Travell 380 x 390 m.m. and 840 m.m.		
			Width of Jaws 330 m.m.		
196	8	161	SHAPER- Horizontal - C.S.D - Length of Stroke 600 m.m	800	L. 13 W. 10
			Vertical Travel of Head 290 m.m.		H. 1
			Size of Table and Travell 380 x 305 m.m. and 610 m.m.		
197	8	145	SLOTTER- C.S.D - Length of Stroke 100 m.m. Dia. of Table 300 m.m.	1,000	L. 8 W. 7
			Table Travell 300 m.m.		H. 1
			Distance Column to Tool 200 m.m.		
198	8	141	CUTOFF MACHINE- I.M.D - Max Dia. of Stock 100 m.m. -	900	L. 1 W.
			Dia. of Wheel Bor 25 m.m.		H. 1
			Dia of Emery Wheel 400 m.m.		
			Thickness of Wheel 5 m.m.		
			Motor: A.C. - Induction - Cage Type		
			5 H.P. 3 phases, 1,700 R.P.M.		
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)				Page-Total	7,470
				Cumulative-Total	19,551

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
12,081					305,063	304,393		401,426				
270	L. 55 W. 40 H. 70	Unknown. Japan.	1936		800	SH (E) 800	147.3	1,178	25	13	15	59.
2,700	L. 110 W. 120 H. 220	Unknown. Japan.	1937		2,300	SH (E) 2,300	97.5	2,242	25	14	15	62.6
1,800	L. 140 W. 100 H. 140	Ota Iron Works. Japan.	1936		4,800	SH (E) 4,800	147.3	7,070	25	13	15	59.
800	L. 130 W. 100 H. 120	Hayashiken Co. Japan.	1936		1,500	SH (E) 1,500	147.3	2,209	25	13	15	59.
1,000	L. 80 W. 70 H. 120	Unknown. Japan.	1937		2,600	SH (E) 2,600	97.5	2,535	25	14	15	62.
900	L. 130 W. 70 H. 100	Yamashita Iron Works. Japan.	1936		2,000	SH (E) 2,000	147.3	3,946	25	13	15	59.
2,020					14,000	14,000		18,180				
41					319,063	318,393		419,606				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 42 OF 89 SHEETS

DATE April - 22 - 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			241,508					234,994	383	254
13	15	59.2	697	Accuracy	Out of Order	32	45	652		
				Feed screw.	Missing.	10				
				Handle	Missing.	3				
14	15	62.6	1,403	Counter.	Missing.	29	29	1,374		
13	15	59.2	4,185	Feed Handle	Missing	3	3	4,182		
13	15	59.2	1,307	Cover	Missing	3	3	1,304		
14	15	62.6	1,586	Pulley.	Missing.	4	12	1,574		
				Worm Shaft	Missing	5				
				Counter	Missing	3				
13	15	59.2	1,744					1,744		
			10,922					10,830		
			252,430					245,824	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 115-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory
C LOCATION No. 217, Shime-Unoya, Yamaguchi, Yamaguchi Prefect
D INDUSTRIAL GROUP Aircraft
E SECTION OF EVALUATION Miscellaneous Equipment
F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	132,441	
199	8	149	CUTOFF AND SAWING MACHINE- Hack-C.S.D-	570	L. 11 W. 4
			Dia of Bor 100m.m. Stroke 150m.m.		H. 8
200	8	150	CUTOFF AND SAWING MACHINE- Hack-C.S.D-	270	L. 11 W. 4
			Dia of Bor 100m.m. Stroke 200m.m.		H. 8
201	8	151	CUTOFF AND SAWING MACHINE- HACK-C.S.D-	180	L. 12 W. 3
			Dia. of Bor 150m.m. Stroke 200m.m.		H. 7
202	8	146	CUTOFF MACHINE- Lathe Type (Specialized) Bolt Cutting -C.S.D.-	400	L. 12 W. 5
			Dia. of Bor 150m.m.		H. 7
203	8	147	CUTOFF MACHINE- Lath Type (Specialized) Bolt Cutting -C.S.D-	400	L. 10 W. 5
			Dia. of Bor 150m.m.		H. 7
204	8	148	CUTOFF MACHINE- LATHE Type (Specialized) Bolt Cutting -C.S.D-	400	L. 10 W. 5
			Dia. of Bor 150m.m.		H. 7
205	8	234	CUTOFF MACHINE- Lathe Type (Specialized) Bolt Cutting -C.S.D.-	330	L. 11 W. 4
			Swing 310m.m. Bed Length 1,200m.m.		H. 7
206	8	144	GROOVING MACHINE- C.S.D.-Dia. of Bor 160m.m Swing 300m.m.	1,000	L. 13 W. 4
			Stroke 150m.m. Bed Length 1,000 m.m.		H. 11
207	8	152	TAPPING MACHINE- Nut-Lathe Type-C.S.D- Dia of Threading 20m.m.	60	L. 9 W. 2
			Swing 240 m.m. Bed Length 1,000 m.m.		H. 5
208	8	153	TAPPING MACHINE- Nut- Vertical- C.S.D.- Drilling Machine Type-	90	L. 6 W. 2
			Dia. of Threading 6m.m., Swing 230m.m Spindle to Table 400 m.m.		H. 8
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)			Page-Total	3700	
			Cumulative-Total	136241	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...i Factory
...chi Prefecture.
...nt

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation
Brought forward					319,063	318,393		419,606				
370	L. 110 W. 40 H. 80	Unknown. Japan.	1937		500	SH (E) 500	97.5	487	25	14	15	62.
270	L. 110 W. 40 H. 80	Unknown Japan.	1937		500	SH (E) 500	97.5	487	25	14	15	62.
180	L. 120 W. 30 H. 70	Unknown. Japan.	1936		500	SH (E) 500	147.3	736	25	13	15	59.
400	L. 120 W. 50 H. 70	Osaka Tomiya Works. Japan.	1937		600	SH (E) 600	97.5	585	25	14	15/15	62
400	L. 100 W. 50 H. 70	Osaka Tomiya Works. Japan.	1937		600	SH (E) 600	97.5	585	25	14	15	62
400	L. 100 W. 50 H. 70	Osaka Tomiya Works. Japan.	1937		600	SH (E) 600	97.5	585	25	14	15	62
230	L. 110 W. 40 H. 70	Unknown. Japan.	1936		350	SH (E) 350	147.3	515	25	13	15	59
1,000	L. 130 W. 40 H. 110	Okuma Works. Japan.	1936		1,400	SH (E) 1,400	147.3	2,062	25	13	15	59
60	L. 90 W. 25 H. 50	Unknown. Japan.	1936		100	SH (E) 100	147.3	147	25	13	15	59
90	L. 60 W. 25 H. 80	Unknown Japan.	1936		100	SH (E) 100	147.3	147	25	13	15	59
3700					4,250	4,250		6,336				
Carried forward					324,313	323,643		425,942				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 43 OF 89 SHEETS

DATE April-22- 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				252,430					245,824	383	254
25	14	15	62.6	304					304		
25	14	15	62.6	304	Cone	Missing	18	18	304		
25	13	15	59.2	435	Pulley	Missing	9	9	435		
25	14	15	62.6	366					366		
25	14	15	62.6	366	Worm Gear Arm.	Missing Missing	3 9	12	354		
25	14	15	62.6	366	Arm. Bracket Handle	Missing Missing Missing	9 2 1	12	354		
25	13	15	59.2	304	Counters Bearing Bracket. Handle.	Missing Missing. Missing.	4 3 2	9	295		
25	13	15	59.2	1,220	Counter	Missing	21	21	1,199		
25	13	15	59.2	87					87		
25	13	15	59.2	87	Chuck.	Missing.	4	4	83		
				3,839					3,781		
				256,269					249,605	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachikawa Industrial Co Ltd, Yamaguchi Factory
C LOCATION No 217 Shimo-Unoriya Yamaguchi, Yamaguchi Prefecture
D INDUSTRIAL GROUP Aircraft
E SECTION OF EVALUATION Miscellaneous Equipment
F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Size Length Width Height (cm)
			BROUGHT FORWARD	13624	
209	8	154	TAPPING MACHINE - Nut - Vertical - C.S.D - Drilling Machine Type - Dia. of Threading 6 m.m, Swing 230 m.m. Spindle to Table 400 m.m.	90	L. 60 W. 25 H. 80
210	8	155	TAPPING MACHINE - Nut - Vertical - C.S.D - Drilling Machine Type - Dia. of Threading 6 m.m, Swing 230 m.m. Spindle to Table 400 m.m.	90	L. 60 W. 25 H. 80
211	8	156	TAPPING MACHINE - Nut - Turret Type - C.S.D - Dia of Threading 90 m.m. Swing 340 m.m. Distance Chuck to Tail Stock 300 m.m. Bed Length. 1,000 m.m.	900	L. 130 W. 70 H. 110
212	8	157	TAPPING MACHINE - Nut - Turret Type - C.S.D - Dia. of Threading 90 m.m. Swing 340 m.m. Distance Chuck to Tail Stock 300 m.m. Bed Length 1,000 m.m.	900	L. 130 W. 70 H. 110
213	8	158	TAPPING MACHINE - Nut - Turret Type - C.S.D - Dia. of Threading 90 m.m. Swing 340 m.m. Distance Chuck to Tail Stock 300 m.m. Bed Length 1,000 m.m	900	L. 130 W. 70 H. 110
214	8	220	WIRE EXTENDING MACHINE - Straightening and Cutting - C.S.D - Max. Dia. of Workable Stock 5 m.m. H.P. Required ½ H.P.	130	L. 70 W. 40 H. 60
215	8	213	PLATE STRAIGHTENING MACHINE - Press Type - C.S.D - Max. Workable Table Size 350 × 400 m.m. Gap Table to Spindle 150 m.m.	900	L. 180 W 60 H. 100
216	8	219	SAND BLAST - Size of Working Chamber 1.2M3 Dia. of Nozzle 20 m.m. Max. Pressure of Blast 5 KG/CM2 Material : Iron Plate	130	L. 80 W. 80 H. 90

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 4040
Cumulative-Total 140,291

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...i Factory.
...i Prefecture.
...t

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
1362					324,313	323,643		425,942				
90	L. 60 W. 25 H. 80	Unknown Japan.	1936		100	SH (E) 100	147.3	147	25	13	15	59.2
90	L. 60 W. 25 H. 80	Unknown Japan.	1936		100	SH (E) 100	147.3	147	25	13	15	59.2
900	L. 130 W. 70 H. 110	Unknown Japan.	1936		3,750	SH (E) 3,750	147.3	5,523	25	13	15	59.2
900	L. 130 W. 70 H. 110	Unknown. Japan.	1936		3,750	SH (E) 3,750	147.3	5,523	25	13	15	59.2
900	L. 130 W. 70 H. 110	Unknown. Japan.	1936		3,750	SH (E) 3,750	147.3	5,523	25	13	15	59.2
130	L. 70 W. 40 H. 60	Tadoroki Works. Japan.	1936		1,350	SH (E) 1,350	147.3	1,988	25	13	15	59.2
900	L. 180 W. 60 H. 100	Akitsu Press Works. Japan.	1936		650	SH (E) 650	147.3	957	25	13	15	59.2
130	L. 80 W. 80 H. 90	Unknown Japan.	1937		750	SH (E) 750	97.5	731	25	14	15	62.6
4040					14,200	14,200		20,539				
5391					338,513	337,843		446,481				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 44 OF 89 SHEETS

DATE April - 22 - 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			256,269					249,605	383	254
13	15	59.2	87	Chuck.	Missing.	4	4	83		
13	15	59.2	87	Chuck.	Missing	4	4	83		
13	15	59.2	3,269	Counter Crutch Pin	Missing Missing.	20 1	21	3,248		
13	15	59.2	3,269	Counter	Missing	20	20	3,249		
13	15	59.2	3,269	Counter Crutch Pin	Missing Missing.	20 1	21	3,248		
13	15	59.2	4,176					4,176		
13	15	59.2	566	Foot Lever Handle. Facing Table	Missing. Missing. Missing	3 2 5	10	556		
14	15	62.6	457	Nozzle Hose. Cock	Missing. Missing. Missing.	6 4 3	13	444		
			12,180					12,087		
			268,449					261,692	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor
C LOCATION No. 217, Shima-Unoriya Yamaguchi, Yamaguchi Prefect
D INDUSTRIAL GROUP Aircraft.
E SECTION OF EVALUATION Miscellaneous Equipment.
F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Leng Wid Heig (c
			BROUGHT FORWARD	140291	
217	8	218	CENTRIFUGAL SEPARATOR - C.S.D - Dia. 400m.m.	90	L. 8 W. 4
			Depth 230 m.m.		H. 5
			R.P.M. of Cage 100		
218	8	186	COMPRESSOR - Horizontal - Reciprocating - Air - Single Acting - I.M.D. -	4,500	L. 2 W. 1
			Capacity 8.5 M³/min (at no-Load)		H. 14
			Pressure 100 Lbs/inch²		
			Stroke 254 m.m.		
			Cylinder Dia. 254 m.m.		
			No. of Cylinder 1		
			R.P.M. 285		
			Motor: Evaluated in Building No. 5 of Miscellaneous Equipment Section.		
			Not Including Air Reserver.		
219	8	269	BLUE PRINTER - Arclight - Automatic - I.M.D. - Length, Width and Height of	400	L. 15 W. 9
			Printing Chamber, 1,200 x 300 x 500 m.m.		H. 15
			Motor: A.C. - Induction - Cage Type		
			3 H.P., 3 phases, 1,410 R.P.M.		
220	8	200	TESTING MACHINE - Strength of Materials - Compression and Tension -	70	L. 3 W. 3
			Capacity 50,000 Kg-Cm.		H. 13
			Without Hydraulic Pump and Press.		
221	8	201	TESTING MACHINE - Wheel Brake Tester - Special Type -	700	L. 1 W. 1
			Capacity 15,000 Kg-cm.		H. 7
			Hydrolic Pressure - Manual		
222	8	363	(2) SURFACE PLATES - Web Type - Length, Width and Thickness	2,800	L. 2 W.
			2,100 x 900 x 100 m.m.		H.
223	8	364	(3) SURFACE PLATES - Web Type - Length, Width and Thickness	2,100	L. 1 W.
			1,200 x 900 x 100 m.m.		H.

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total	10,660
Cumulative-Total	160,951

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...i Factory.
... Prefecture

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
140291					338,513	337,843		446,481				
90	L. 80 W. 40 H. 50	Unknown Japan.	1936		525	SH E 525	147.3	773	30	18	10	64.6
4,500	L. 230 W. 130 H. 140	Riken Forging Co. Japan.	1945		7,500	E 7,500	52.5	3,937	30	27	10	91.0
400	L. 150 W. 90 H. 150	Sendagi Co. Japan.	1936		2,500	SH E 2,500	147.3	3,682	30	18	10	64.6
70	L. 35 W. 35 H. 130	Takasago-Nori Testing Machine Co. Japan.	1936		2,000	SH E 2,000	147.3	2,946	30	18	10	64.6
700	L. 180 W. 130 H. 70	Tachiarai Co. Japan.	1936		750	SH E 750	147.3	1,104	30	18	10	64.6
2,800	L. 210 W. 90 H. 20	Unknown Japan.	1936		700	SH E 700	147.3	1,031	25	13	15	59.3
2,400	L. 120 W. 90 H. 30	Unknown Japan.	1936		600	SH E 600	147.3	883	25	13	15	59.3
14,660					14,575	14,575		14,346				
140,951					353,088	352,418		460,837				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 45 OF 89 SHEETS

DATE April - 22 - 1948

13	14	15	16	17	18	19	20	21	NON-REMOVABLE 22	NON-REMOVABLE 23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			268,449					261,692	383	254
18	10	64.0	494	Belt Shifter Leg.	Broken	24	6	488		
27	10	91.0	3,582					3,582		
18	10	64.0	2,356	Controller Motor.	Missing Missing.	29 121	150	2,206		
18	10	64.0	1,885	Testing Tower Pump and Oil Accessories	By War Damage	1,591	1,591	294		
18	10	64.0	706	(2) Gears. Wire Rope. Cylinder.	Missing. Missing Missing.	44 1 20	65	641		
13	15	59.2	610					610		
13	15	59.2	522					522		
			10,155					8,343		
			278,604					270,035	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER US-1

B NAME OF PLANT Tachibana Industrial Co. Ltd. Yamaguchi Factory

C LOCATION No. 217 Shimo-Unoke, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Leng Wid Heig (c
			BROUGHT FORWARD	150,951	
224	8	365	SURFACE PLATE - Web Type - Length Width and Thickness 2,400 × 1,200 × 100 m.m	2,300	L. 24 W. 1 H. 1
225	8	366	SURFACE PLATE - Web Type - Length, Width and Thickness. 690 × 690 × 100 m.m.	400	L. 6 W. 6 H. 1
226	8	367	(4) SURFACE PLATES - Web Type - Length, Width and Thickness. 990 × 600 × 100 m.m.	1,700	L. 9 W. 6 H. 9
227	8	368	SURFACE PLATE - Web Type - Length, Width and Thickness. 750 × 600 × 100 m.m.	350	L. 7 W. 6 H. 1
228	8		(39) SEWING TABLES - Wooden - Length, Width and Height of Surface. 1,700 × 450 × 250 m.m.	390	L. 1 W. 4 H. 16
229	8		(12) VICE TABLES - Wooden - Length, Width and Height of Surface. 3,800 × 1,200 × 800 m.m.	1,200	L. 9 W. 1 H. 3
230	8		(7) WORKING TABLES - Wooden - Length, Width and Height of Surface. 1,800 × 1,000 × 750 m.m.	105	L. 5 W. 1 H. 1
231	13	375	FURNACE - Electric - Resistance - Heat Treatment - Multiple Unit Type - Size of Chamber 0.3 M3 Single Phase 35 K.V.A. Temperature 1,200°C Tranceformer: Single Phase 60 Cycles. Primary 100V. Secondary 25 to 110V. No. of Taps 13	45	L. 6 W. H.
			NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)	Page-Total 6,490	
				Cumulative-Total 157,441	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.
ment.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
159,751					353,088	352,448		460,837				
2,300	L. 240 W. 120 H. 10	Unknown. Japan.	1936		400	SH(E) 400	147.3	589	25	13	15	59.
400	L. 69 W. 69 H. 10	Unknown. Japan.	1936		100	SH(E) 100	147.3	147	25	13	15	59.
1,700	L. 99 W. 60 H. 40	Unknown. Japan.	1936		480	SH(E) 480	147.3	707	25	13	15	59.
350	L. 75 W. 60 H. 10	Unknown. Japan.	1936		80	SH(E) 80	147.3	117	25	13	15	59.
390	L. 170 W. 45 H. 100	Unknown. Japan.	1944		702	(E) 702	69.3	486	20	16	0	80.
1,200	L. 960 W. 120 H. 380	Unknown. Japan.	1944		840	(E) 840	69.3	582	20	16	0	80.
105	L. 525 W. 100 H. 180	Unknown. Japan.	1944		210	(E) 210	69.3	145	20	16	0	80.
45	L. 60 W. 47 H. 70	Unknown Japan.	1937		300	SH(E) 300	97.5	292	20	9	10	50.
6,490					3,112	3,112		3,065				
157,441					356,200	355,530		463,902				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 46 OF 89 SHEETS

DATE April - 22 - 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				278,601					270,035	383	254
25	13	15	59.2	348					348		
25	13	15	59.2	87					87		
25	13	15	59.2	418					418		
25	13	15	59.2	69					69		
20	16	0	80.0	388					388		
20	16	0	80.0	465					465		
20	16	0	80.0	116					116		
20	9	10	50.5	147	Blocks of Oven	Broken.	32	32	115		
				2,038					2,006		
				280,642					272,041	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiaraj Industrial Co. Ltd., Yamaguchi Factory.

C LOCATION No. 217, Shimo-Unoriye, Yamaguchi, Yamaguchi Prefectu

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing S Leng Widt Heig (c m
			BROUGHT FORWARD	157,441	
232	17	376	WEIGHTER – Platform – Beam – Max. Weighing Capacity 50kg.	50	L.75, W. H.94.
233	17	377	WEIGHTER – Platform – Beam – Max. Weighing Capacity 25kg.	40	L.55, W. H.50.
234	17	385	WEIGHTER – Balance Scales – Max. Weighing Capacity 30kg.	10	L.35, W. H.42
235	17	378	ELECTRIFICATION – For Buttery – Vulo Type – Ampere 48. Primary 100 V. Cycles 60. Secondary 4V.	2	L.30, W. H.40
236	17	379	MICROPHONE – With Stand.	10	L.80, W. H.10.
237	17	380	TIME RECORDER – Mechanical Operation.	30	L.30, W. H.69.
238	17	381	(2) PRINTERS – Lithograph – Manual. Size of Printing 200 x 300 m.m.	10	L.55, W. H.25.
239	17	382	(3) MIMEOGRAPH – Manual – Size of Printing 250 x 350 m.m.	15	L.55, W. H.50.
240	17	383	(5) TELEPHONES – Wall Telephone	20	L.50. W. H.20
241	17	384	(2) TELEPHONES – Desk Telephone	4	L.20, W. H.40
242	17	386	EXTINGUISHER – Portable – Plunger Type – Manual	10	L.112, W. H.50
243	17		(4) TRACING BOADS – Size of Surface 1,220 x 910 m.m.	40	L.122, W. H.12
244	19	387	(2) PORTABLE DRILLING MACHINES – Electric – ¼ H.P. – 100 V. – Single phase Drill Capacity 13 m.m.	8	L.30 W.36 H.36
245	19	299	MOTOR – A.C. – Induction – Cage Type – 3 H.P., 60 Cycles, 3 phases, 220 V, R.P.M. 1,700	120	L.140 W.25 H.30
246	19	300	MOTOR – A.C. – Induction – Cage Type – 3 H.P. 60 Cycles, 3 phases, 220 V. R.P.M. 1145	120	L.40 W.25 H.30

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 489

Cumulative-Total 157,930

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
150,441					356,200	355,530		463,902				
50	L.75, W.45 H.94.	Unknown. Japan.	1936		85	SH (E) 85	1473	125	30	18	10	64.0
40	L.55, W.50 H.50.	Unknown. Japan.	1936		60	SH (E) 60	147.3	88	30	18	10	64.0
10	L.35, W.38 H.42	Unknown. Japan.	1936		70	SH (E) 70	147.3	103	30	18	10	64.0
2	L.30, W.30 H.40	Unknown.	1937		180	SH (E) 180	975	175	(E) 15	4	10	34.0
		Japan.										
10	L.80, W.10 H.10.	Unknown. Japan.	1944		80	(E) 80	69.3	55	20	16	10	82.0
30	L.30, W.40 H.69.	Unknown. Japan.	1944		70	(E) 70	69.3	48	10	6	10	64.0
10	L.55, W.40 H.25.	Unknown. Japan.	1936		100	SH (E) 100	147.3	147	(E) 20	8	0	40.0
15	L.55, W.40 H.50.	Unknown. Japan.	1936		180	SH (E) 180	147.3	265	(E) 20	8	0	40.0
20	L.50, W.40 H.20	Unknown. Japan.	1936		400	SH (E) 400	147.3	589	20	8	10	46.0
4	L.20, W.20 H.40	Unknown. Japan.	1936		200	SH (E) 200	147.3	294	20	8	10	46.0
10	L.112, W.91 H.50	Unknown Japan.	1936		15	SH (E) 15	147.3	22	(E) 20	8	0	40.0
40	L.122, W.91 H.12	Unknown. Japan.	1945		30	(E) 30	52.5	15	20	17	0	85.0
8	L.30 W.30	Unknown.	1944		400	(E) 400	69.3	277	25	21	15	86.4
	H.30	Japan.										
120	L.40 W.25	Meidensha Co.	1936		130	SH 130	147.3	(ES) 191	20	8	10	46.0
	H.30	Japan.										
120	L.40 W.25	Yasukawa Denki Works.	1936		130	SH 130	147.3	(ES) 191	20	8	10	46.0
	H.30	Japan.										
489					2,130	2,130		2,585				
150,930					358,330	357,660		466,487				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 47 OF 89 SHEETS

DATE April -23- 1948

										NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			280,642					272,041	383	254
18	10	64.0	80					80		
18	10	64.0	56					56		
18	10	64.0	65					65		
4	10	34.0	59	Coil	Burned	3	3	56		
16	10	82.0	45					45		
6	10	64.0	30	Clock	out of order	5	5	25		
8	0	40.0	58					58		
8	0	40.0	106	(2) Rollers.	Missing.	12	12	94		
8	10	46.0	270	Coils	Corroding.	15	15	255		
8	10	46.0	135	Coils	Corroding	6	6	129		
8	0	40.0	8					8		
17	0	85.0	12					12		
21	15	86.4	239	Coil	Burned	17	17	222		
8	10	46.0	87					87		
8	10	46.0	87					87		
			1,337					1,279		
			281,979					273,320	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 465-1

B NAME OF PLANT Tachiarai Industrial Co Ltd. Yamaguchi Factory

C LOCATION No. 217. Shimo-Unoriya, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	42,930	
247	19	301	MOTOR - A.C. - Induction - Cage Type - 3H.P. 60cycles, 3phase, 220 V. R.P.M. 1.120 For Bending Machine Item No. 2	120	L.2 W.2 H.3
248	19	388	WEIGHTER - Platform - Beam. Max. Weighing Capacity 90 Kg.	65	L.55. W. H.70
249	19	389	WEIGHTER - Platform - Beam. Max. Weighing Capacity 100Kg.	70	L.60. W. H.75.
250	19	393	WEIGHTER - Platform - Beam. Max. Weighing Capacity 90Kg.	65	L.75. W. H.85
251	19	390	TURBIN PUMP - Horizontal - I.M.P - Discharge 3 M³/min. Motor: A.C. - Induction - Cage Type 2H.P. 3phase, R.P.M. 2840	100	L.60 W. H.30
252	19	391	(2) WELDING BURNERS - Acetylen Gas.	11	L.55. W. H.12
253	19	392	(6) TORCH LAMPS - Capacity 0.12 M³	6	L.150. W. H.90
254	20	196	HEAT TREATMENT EQUIPMENT - Consisting of: Solt Bath Furnase - Electric (Resistance) 35 K.V.A., Temperature 600°C. Dia. and Depth of Bath 600×350 m.m One Charge Capacity 20Kg. Switch Gear - (1) Panel Material marble, Indoor Type Consisting of: (1) Volt Meter 0 to 4,500 V. (2) Potential Transformer for Primary Current 3,000V. for Secondary Current 110V. (1) Ampere Meter 0 to 100 A. (2) Current Transformer for Primary Current 100A for Secondary Current 5A. (1) Integrating Watt Meter 3,000 V. 5 A. (1) O.C.B. No. of Poles 3, 100A, Manual.	1,800	L.13 W.13 H.15

CONTINUE TO NEXT PAGE

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 2,237

Cumulative-Total 160,167

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory
Prefecture.
t.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
1,930					358,330	357,660		466,487				
120	L.40 W.25 H.30	Meidensha Co. Japan.	1936		130	SH 130	147.3	(ES) 191	20	8	10	46.9
65	L.55. W.50 H.70	Unknown Japan.	1936		100	SH (E) 100	147.3	147	30	18	10	64.0
70	L.60, W.55 H.75.	Unknown Japan.	1936		120	SH (E) 120	147.3	176	30	18	10	64.0
65	L.75. W.40 H.85	Boeho Doryoka Co. Japan.	1937		150	SH (E) 150	97.5	146	30	19	10	67.0
100	L.60 W.25 H.30	Unknown Japan.	1936		550	SH (E) 550	147.3	810	25	13	10	56.8
11	L.55, W.12 H.12	Unknown Japan.	1945		25	(E) 25	52.5	13	25	22	15	89.8
6	L.150, W.90 H.90	Unknown Japan.	1944		150	(E) 150	69.3	103	(E) 10	6	15	66.0
1,800	L.130 W.130 H.150	Ushio Mfg. Works. Japan.	1935		3,900	SH (E) 3,900	149.5	5,830	25	12	10	53.2
2,237					5,125	5,125		7,416				
4,167					363,455	362,785		473,903				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 48 OF 89 SHEETS

DATE April -23- 1948

										NON-REMOVABLE	
	13	14	15	16	17	18	19	20	21	22	23
Depreciation Factory	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				281,979					273,320	383	254
9	8	10	46.9	87					87		
20	18	10	64.0	94					94		
20	18	10	64.0	112					112		
20	19	10	67.0	97					97		
35	13	10	56.8	460					460		
35	22	15	89.8	11					11		
20	6	15	66.0	67					67		
35	12	10	53.2	3,101					3,101		
				4,029					4,029		
				286,008					277,349	383	254

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory

C LOCATION No. 217 Shimo-Umoto Yamaguchi Yamaguchi Prefect

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)
			BROUGHT FORWARD	160,167	
			(3) Transformer – Indoor Type Self Cooled, Single phase 12 K.V.A. Connection Delta. Voltage – Primary 3,500 V. Secondary 100 V. Temperature 35°C, 60 cycles. Non-Removable Equipmet and Valuel		
255	21	310	MOTOR – A.C. – Indaction – Cage Type – 3 H.P., 60 cycles, 3 phases, 220 V. R.P.M. 1,100	70	L. 40 W. 25 H. 30
256	21	311	MOTOR – A.C. – Induction – Cage Type – 2 H.P., 60 Cycles, 3 phases, 220 V. R.P.M. 1,700	70	L. 20 W. 20 H. 15
257	22	216	BOILER – Fire Box – Horizontal – Lancashire – Working Pressure 50 Lb/inch² Fuel Coal, Hand Fired. No. of Drum. 1. Dia. and Length 2,340 × 9,000 m.m. Body only (Without Accesories and Attachments)	13,000	L. 900 W. 240 H. 200
258	27	268	TRANSFORMER – Outdoor Type – Self Cooled – Single phase – 60 K.V.A. Connection Star. Voltage : Primary 3,300 V. Secondary. 220 V. Temperature 35°C, 60 cycles	110	L. 60 W. 40 H. 80
259	28	257	TRANSFORMER – Outdoor Type – Self Cooled – Single Phase – 20 K.V.A. Connection Star. Voltage : Primary 3,150 V. Secondary 220 V. Temperature 35°C, 60 Cycles.	50	L. 30 W. 30 H. 40

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 13,300

Cumulative-Total 173,467

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

i Factory
hi Prefecture,
t.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
40167					363,455	362,785		473,903				
			1943									
70	L. 40 W. 25 H. 30	Yasukawa Denki Co. Japan.	1936		130	SH 130	147.3	(ES) 191	20	8	10	46.0
70	L. 20 W. 20 H. 15	Meidensha Co. Japan.	1936		100	SH 100	147.3	147	20	8	10	46.0
13,000	L. 900 W. 240 H. 240	Unknown Japan.	1936		12,000	SH (E) 12,000	147.3	17,676	20	8	10	46.0
110	L. 60 W. 40 H. 80	Unknown Japan.	1937		920	SH 920	97.5	(ES) 897	30	19	10	67.0
50	L. 30 W. 30 H. 40	Hitachi Mfg. Co. Japan.	1936		270	SH 270	147.3	(ES) 397	30	18	10	64.0
2[illegible]0					13,420	13,420		18,308				
[illegible]67					376,875	376,205		493,211				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 49 OF 87 SHEETS

DATE April - 23 - 1948

										NON-REMOVABLE	
12 Expectancy	13 Future Life	14 Salvage Value	15 Depreciation Factor	16 Depreciated Value	17 Other Deductions	18 Reason For Other Deductions	19 Deduction Yen	20 Total Extra Deduction Yen	21 Total Depreciated Value	22 Non-Removable Equipment	23 Non-Removable Value
				286,008					277,349	383	254
										(E) 254	(E) 129
20	8	10	46.0	87	Coil	Burned	16	16	71		
20	8	10	46.0	67	Coil	Burned	12	12	55		
20	8	10	46.0	8,130					8,130		
30	19	10	67.0	600					600		
20	18	10	64.0	254					254		
				9,138					9,110	254	129
				295,146					286,459	637	383

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor

C LOCATION No. 217. Shimo-Unoya Yamaguchi. Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Miscellaneous Equipment

F TYPE OF FACILTY

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	173,467	
260	28	258	TRANSFORMER - Outdoor Type - Self Cooled - Single Phase - 20K.V.A.	50	L. 30 W. 30
			Connection Star		H. 40
			Voltage : Primary 3,150V.		
			Secondary, 220V.		
			Temperature 35°c, 60 Cycles		
261	28	259	TRANSFORMER - Outdoor Type - Self Cooled - Single Phase - 20K.V.A.	50	L. 30 W. 30
			Connection Star.		H. 40
			Voltage : Primary 3,150V.		
			Secondary 220V.		
			Temperature 35°c, 60 cycles		

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 100

Cumulative-Total 173,567

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

chi Factory
Prefecture

ipment

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
73467					376,875	376,205		493,211				
50	L. 30 W. 30 H. 40	Hitachi Mfg. Co. Japan.	1936		270	SH 270	147.3	(ES) 397	30	18	10	64.0
50	L. 30 W. 30 H. 40	Osaka Transformer Co. Japan.	1936		270	SH 270	147.3	(ES) 397	30	18	10	64.0
100					540	540		794				
73567					377,415	376,745		494,005				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 50 OF 89 SHEETS

DATE April-23- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Period Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			295,146					286,459	637	383
18	10	64.0	254					254		
18	10	64.0	254					254		
			508					508		
			295,654					286,967	637	383

SECTION 3-402/MMDG NO. 775013

SUPPLIES SECTION

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 454

B NAME OF PLANT Tachikawa Industrial Co. Ltd, Yamaguchi Factory

C LOCATION No. 217 Shimo-Unoya, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Supplies

F TYPE OF FACILTY

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Leng Wid Heig (c
			BROUGHT FORWARD		
1	19		(71) HAND VICES - Chucking Capacity 20m.m. Width 30 m.m.	71	L.50, H.100
2	19		(13) DIES - Size 4m.m. pitch @ 25 m.m.	6	L.5, H.26
3	19		(94) FILES - Assorted - Slender - TIP - Flat - Finish - Length 100 m.m.	7.6	L.25, H.11
4	19		(407) FILES - Setting - Slender TIP - Round - Finish - Length 100 m.m.	11.7	L.25, H.10
5	19		(1,244) FILES - Setting - Flat - Finish - Length 60 m.m.	6.6	L.20. H.15
6	19		(130) FILES - Setting - Slender TIP - Round - Length 90 m.m.	7	L.25, H.10
7	19		(195) FILES - Setting - Slender TIP - Three Square - Finish - Length 60 m.m.	1.8	L.18, H.6.
8	19		(198) FILES - Setting - Slender TIP - Half Round - Finish - Length 190 m.m.	13	L.26, H.30
9	19		(190) FILES - Setting - Flat - Middle - Length 80 m.m.	7.4	L.20. H.8
10	19		(219) FILES - Setting - Slender TIP - Square Finish - Length 80 m.m.	7.5	L.21, H.10
11	19		(213) FILES - Setting - Slender TIP - Three Square - Rough - Length 100 m.m.	9	L.22, H.12

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 148.6

Cumulative-Total 148.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
71	L.50, W.20 H.100	Unknown Japan.	1944		1,928	(E) 1,928	69.3	1,336				
6	L.5, W.5 H.26	Unknown Japan.	1944		52	(E) 52	69.3	36				
7.6	L.25, W.8 H.11	Unknown Japan.	1944		188	(E) 188	69.3	130				
11.7	L.25, W.18 H.10	Unknown Japan.	1944		814	(E) 814	69.3	564				
6.6	L.20. W.10 H.15	Unknown Japan.	1944		2,488	(E) 2,488	69.3	1,724				
7	L.25, W.10 H.10	Unknown Japan.	1944		260	(E) 260	69.3	180				
1.8	L.18, W.6 H.6	Unknown Japan.	1944		390	(E) 390	69.3	270				
13	L.26, W.30 H.30	Unknown Japan.	1944		396	(E) 396	69.3	274				
7.4	L.20, W.11 H.8	Unknown Japan.	1944		380	(E) 380	69.3	263				
7.5	L.21, W.10 H.10	Unknown Japan.	1944		438	(E) 438	69.3	303				
9	L.22, W.12 H.12	Unknown Japan.	1944		426	(E) 426	69.3	295				
1426					7,760	7,760		5,375				
1426					7,760	7,760		5,375				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 51 OF 89 SHEETS

DATE April - 30 - 1948

										NON-REMOVABLE	
12 Expectancy	13 Future Life	14 Salvage Value	15 Depreciation Factor	16 Depreciated Value	17 Other Deductions	18 Reason For Other Deductions	19 Deduction Yen	20 Total Extra Deduction Yen	21 Total Depreciated Value	22 Non-Removable Equipment	23 Non-Removable Value
				1,336					1,336		
				36					36		
				130					130		
				564					564		
				1,724					1,724		
				180					180		
				270					270		
				274					274		
				263					263		
				303					303		
				295					295		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AUTHORIZED USE SEC

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ED USE SECTION

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industial Co. Ltd. Yamaguchi Factory

C LOCATION No. 217, Shime-Uoaya, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop

L

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD		
1	1	U 182	MECHANICAL PRESS - Inclinable - Vertical - Crank - I.M.D. -	2,100	L. 11 W. 1
			Pressure 30 M.T.		H. 2
			Max. Distance Between Spindle to Table 280 m.m.		
			Length and Width of Table 500 x 370 m.m.		
			Motor; A.C. - Induction - Cage Type 3H.P. 3phase, R.P.M. 1,700		
2	1	U 183	MECHANICAL PRESS - Inclinable - Vertical - Crank - C.S.D. -	1,800	L. 11 W. 1
			Pressure 30 M.T.		H. 17
			Max. Distance Between Spindle to Table 150 m.m.		
			Length and Width of Table 600 x 350 m.m.		
3	1	U 184	MECHANICAL PRESS - Inclinable - Vertical - Crank - C.S.D. -	1,800	L. 11 W. 1
			Pressure 30 M.T		H. 1
			Max. Distance Between Spindle to Table 150 m.m.		
			Length and Width of Table 600 x 350 m.m.		
4	1	U 279	MANUAL PRESS - Hand-Operating - Pressure 0.2 M.T.	450	L. 16 W. 6
			Max. Distance Between Spindle to Table 650 m.m.		H. 10
			Distance Between Column 1,650 m.m.		
			Length and Width of Table 1,200 x 1,200 m.m.		
5	1	U 135	DRILLING MACHINE - Vertical - Bench - Single I.M.D. - Manual Feed	70	L. 6 W. 2
			Drill Capacity 8mm x 50 mm Swing 300 mm		H. 8
			Spindle Speed 565 to 5,100 R.P.M. No. of Speeds 4		
			Size of Table 300 x 300 m.m.		
			CONTINUE TO NEXT PAGE		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 6820

Cumulative-Total 6,820

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
2,700	L. 110 W. 120 H. 220	Unknown Japan.	1935		1,750	SH (E) 1,750	149.5	2,616	25	12	15	55.8
1,800	L. 110 W. 110 H. 170	Unknown. Japan.	1935		1,650	SH (E) 1,650	149.5	2,466	25	12	15	55.8
1,800	L. 110 W. 110 H. 70	Unknown. Japan.	1935		1,650	SH (E) 1,650	149.5	2,466	25	12	15	55.8
450	L. 165 W. 60 H. 100	Tachiarai Industrial Co. Japan.	1944		550	(E) 550	69.3	381	25	21	15	86.4
70	L. 60 W. 45 H. 80	Nakatsu Kiko, Co. Japan.	1944		1,100	(E) 1,100	69.3	762	25	21	15	86.4
6,820					6,700	6,700		8,691				
6,820					6,700	6,700		8,691				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 52 OF 89 SHEETS

DATE April -18- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
12	15	55.8	1,459					1,459		
12	15	55.8	1,376					1,376		
12	15	55.8	1,376					1,376		
21	15	86.4	329					329		
21	15	86.4	658	Cover	Missing	3	3	655		
			5,198					5,195		
			5,198					5,195		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory

C LOCATION No. 217 Shima-Unoke, Yamaguchi Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	6,820	
			Max. Distance Spindle to Table 150m.m. Motor: A.C.- Induction - Cage Type -		
			3/4 H.P. 3phases, 220V. R.P.M. 1,800		
6	1	U/137	DRILLING MACHINE - Vertical - Single - I.M.D Automatic Feed	1,300	L. 15 W. 8
			Spindle Speeds 17 to 316 R.P.M.		H. 22
			No. of Speeds 4		
			Drill Capacity 35 x 200 m.m.		
			Swing 440 m.m.		
			Size of Table 560 m.m. Dia.		
			Max. Distance Spindle to Table 800 m.m.		
			Motor: A.C.- Induction - Cage Type -		
			2H.P. 220V. 3phases R.P.M. 1,700		
7	1	U/138	DRILLING MACHINE - Vertical - Single - I.M.D - Automatic Feed.	1,300	L. 15 W. 8
			Spindle Speeds 17 to 316. R.P.M.		H. 22
			No. of Speeds 4		
			Drill Capacity 35 x 200 m.m.		
			Swing 440 m.m.		
			Size of Table 560. m.m. Dia.		
			Max. Distance Spindle to Table 800 m.m.		
			Motor: A.C.- Induction - Cage Type -		
			2H.P. 220V. 3phases R.P.M. 1,700		
8	1	U/139	DRILLING MACHINE - Vertical - Bench - Single I.M.D - Manual Feed	60	L. 70 W. 35
			Spindle Speeds 565 to 5,100 R.P.M.		H. 40
			No. of Speeds 4		
			Drill Capacity 13 x 70 m.m.		
			Swing 300 m.m.		
			Size of Table 200 m.m. Dia.		
			Max. Distance Spindle to Table 250 m.m.		
			Motor: A.C.- Induction - Cage Type		
			1/4 H.P. 220V. 3phase R.P.M. 1,800		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 2,660

Cumulative-Total 9,480

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
6,820					6,700	6,700		8,691				
1,300	L. 150 W. 80 H. 220	Seikenki Works. Japan.	1935		1,250	SH (E) 1,250	149.5	1,868	25	12	15	55.8
1,300	L. 150 W. 80 H. 220	Seikenki Works. Japan.	1935		1,250	SH (E) 1,250	149.5	1,868	25	12	15	55.8
60	L. 70 W. 35 H. 90	Unknown. Japan.	1936		500	SH (E) 500	141.3	736	25	13	15	59.2
3,460					3,000	3,000		4,472				
9,780					9,700	9,700		13,163				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 53 OF 89 SHEETS

DATE April-18- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			5,198					5,195		
12	15	55.8	1,042	Chain.	Broken.	5	5	1,037		
12	15	55.8	1,042					1,042		
13	15	59.2	435					435		
			2,519					2,514		
			7,717					7,709		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory

C LOCATION No. 217 Shimo-Unoiye, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	2,450	
9	1		(2) DRILL CHUCKS - Capacity 13m.m. Accessories for Drilling Machine No. 137, 138, 139.	8	L. 20 W. 16 H. 16
10	1		DRILL CHUCK - Capacity 13.5 m.m. Accessories for Drilling Machine No. 137, 138, 139.	5	L. 15 W. 8 H. 8
11	1		DRILL CHUCK - Capacity 13 m.m. Accessories for Drilling Machine No. 137, 138, 139.	5	L. 15 W. 8 H. 8
12	1	U 205	PUNCHING AND SHEARING MACHINE - Special Type - C.S.D. - Stroke 40 m.m. Max. Width of Shearing 110 m.m. Max. Thickness of Shearing 6 m.m.	450	L. 110 W. 80 H. 80
13	1	U 206	PUNCHING AND SHEARING MACHINE - Special Type - C.S.D. - Stroke 40 m.m. Max. Width of Shearing 70 m.m. Max. Thickness of Shearing 6 m.m.	450	L. 110 W. 80 H. 80
14	1	U 207	SHEARING MACHINE - Square - C.S.D. - Length of Shearing Blade 1,100 m.m. Max. Thickness of Shearing. 3 m.m.	900	L. 23 W. 8 H. 12
15	1	U 208	SHEARING MACHINE - Squar - C.S.D. - Length of Shearing Blade 800 m.m. Max. Thickness of Shearing 3 m.m.	900	L. 13 W. 6 H. 10
16	1	U 284	GRINDER - Bench - Stand and Snagging - C.S.D. Double Wheels. Dia. and Thickness of Wheel 300 x 25 m.m.	27	L. 5 W. 2 H. 3
17	1	U 285	GRINDER - Bench - Stand and Snagging - C.S.D. Double Wheels Dia. and Thickness of Wheel 300 x 25 m.m.	18	L. 4 W. 2 H. 3

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total	2763
Cumulative-Total	12243

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
Page					¥700	¥700		13,163				
8	L. 20 W. 10 H. 10	Unknown Japan	1946		80	(E) 80	9.0	7	25	23	15	93.2
5	L. 15 W. 8 H. 8	Unknown Japan	1946		40	(E) 40	9.0	3	25	23	15	93.2
5	L. 15 W. 8 H. 8	Unknown Japan	1947		130	(E) 130	3.8	4	25	24	15	96.6
450	L. 110 W. 80 H. 80	Ono Iron Works, Japan	1936		2,000	SH (E) 2,000	147.3	2,946	25	13	15	59.2
450	L. 110 W. 80 H. 80	Ono Iron Works, Japan	1936		2,000	SH (E) 2,000	147.3	2,946	25	13	15	59.2
900	L. 230 W. 80 H. 120	Nomo Iron Works Japan	1935		1,150	SH (E) 1,150	149.5	1,719	25	12	15	55.8
900	L. 130 W. 60 H. 100	Yamakawa Press Works Japan	1936		1,200	SH (E) 1,200	147.3	1,767	25	13	15	59.2
27	L. 50 W. 25 H. 30	Unknown Japan	1936		30	SH (E) 30	147.3	44	25	13	15	59.2
18	L. 40 W. 25 H. 25	Unknown Japan	1936		30	SH (E) 30	147.3	44	25	13	15	59.2
2763					6,660	6,660		9,480				
2763					16,360	16,360		22,643				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 54 OF 89 SHEETS

DATE April-18- 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				7,717					7,709		
5	23	15	93.2	6					6		
5	23	15	93.2	2					2		
5	24	15	96.6	3					3		
25	13	15	59.2	1,744					1,744		
25	13	15	59.2	1,744					1,744		
25	12	15	55.8	959					959		
25	13	15	59.2	1,046					1,046		
25	13	15	59.2	26					26		
25	13	15	59.2	26					26		
				5,556					5,556		
				13,273					13,265		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor
C LOCATION No. 217 Shimo-Usoye Yamaguchi, Yamaguchi Prefect
D INDUSTRIAL GROUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	12,243	
18	1	U 286	GRINDER - Bench - Stand and Snagging - L.H.D Single Wheel	36	L. 4 W. 3
			Dia and Thickness of Wheel 300x25 m.m.		H. 3
			Motor: A.C. - Induction - Cage Type		
			½ H.P. 220V. 3 phase c. R.P.M. 1,750		
19	1	U 287	GRINDER - Bench - Stand and Snagging - L.H.D - Double Wheels	36	L. 4 W. 3
			Dia. and Thickness of Wheel 300x25 m.m.		H. 3
			Motor: A.C. - Induction - Cage Type -		
			½ H.P. 220V. 3 phases. R.P.M. 1,750		
20	1	U 66	LATHE - Engine - C.S.D - Cone Typ Spindle - No. of Feeds 12 (0.8 to 12.7 m.m)	2,100	L. 34 W. 11
			Spindle Speeds 26 to 212 R.P.M.		H. 14
			No. of Steps 3		
			Swing Over Bed 680 m.m.		
			Swing Over Carriage 460 m.m.		
			Distance Between Centers 1,900 m.m.		
			Bed Length 3,048 m.m.		
			Gear Change System - Manual.		
21	1	U 74	LATHE - Engine - C.S.D - Cone Type Spindle - No. of Feeds 12 (0.25 to 6 m.m.)	850	L. 21 W. 9
			Spindle Speeds 26 to 350 R.P.M.		H. 11
			No. of Steps 4		
			Swing Over Bed 460 m.m.		
			Swing Over Carriage 320 m.m.		
			Distance Between Centers 850 m.m.		
			Bed Length 1,840 m.m.		
			Gear Change System - Manual		
22	1	U 76	LATHE - Engine - C.S.D. - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.)	630	L. 17 W. 7
			Spindle Speeds 45 to 292 R.P.M.		H. 9
			No. of Steps 4		
			Swing Over Bed 400 m.m.		
			Swing over Carriage 300 m.m.		
			CONTINUE TO NEXT PAGE		
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)			Page-Total	3,642	
			Cumulative-Total	15,885	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

chi Factory
chi Prefecture

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
12,243					16,360	16,360		22,643				
36	L. 40 W. 30 H. 30	Hitachi Works. Japan.	1936		150	SHE 150	149.3	220	25	13	15	59.
36	L. 40 W. 30 H. 30	Hitachi Works. Japan.	1936		150	SHE 150	147.3	220	25	13	15	59.
2,100	L. 340 W. 110 H. 140	Tanaka Iron Works Japan.	1937		5,500	SHE 5,500	97.5	5,362	25	14	15	62.
850	L. 210 W. 90 H. 110	Unknown Japan.	1936		1,450	SHE 1,450	147.3	2,135	25	13	15	59.
630	L. 170 W. 70 H. 90	Kurita Iron Works. Japan.	1936		1,170	SHE 1,170	147.3	1,723	25	13	15	59.
842					8,420	8,420		9,660				
26					24,780	24,780		32,303				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 55 OF 89 SHEETS

DATE April-18- 1948

12	13	14	15	16	17	18	19	20	21	NON-REMOVABLE 22	NON-REMOVABLE 23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				13,273					13,265		
25	13	15	59.2	130					130		
25	13	15	59.2	130					130		
25	14	15	62.6	3,356	(5) Gears	Missing	25	25	3,331		
25	13	15	59.2	1,263	(4) Gears	Missing	20	20	1,243		
25	13	15	59.2	1,020	(4) Gears. (2) Gear Covers.	Missing. Missing	20 7	27	993		
				5,899 19,172					5,827 19,092		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd Yamaguchi Fact

C LOCATION No 217 Shimo-Usuya, Yamaguchi, Yamaguchi Prefe

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Leng Widt Heig (c
			BROUGHT FORWARD	4,894	
			Distance Between Centers 600 m.m. Bed Length 1,540 m.m. Gear Change System - Manual.		
23	1	U 77	LATHE - Engine - C.S.D - Cone Type Spindle - No. of Feeds 10 (0.5 to 12.7 m.m.) Spindle Speeds 48 to 286 R.P.M. No. of Steps 3 Swing Over Bed 340 m.m. Swing Over Carriage 240 m.m. Distance Between Centers 550 m.m. Bed Length 1,220 m.m. Gear Change System - Manual.	370	L. 1 W. H.
24	1	U 78	LATHE - Engine - C.S.D - Cone Type Spindle - No. of Feeds 12 (0.25 to 6 m.m.) Spindle Speeds 45 to 292 R.P.M. No. of Steps 4 Swing Over Bed 400 m.m. Swing Over Carriage 300 m.m. Distance Between Centers 600 m.m. Bed Length 1,540 m.m. Gear Change System - Manual	630	L. 1 W. H.
25	1	U 79	LATHE - Engine - C.S.D - Cone Type Spindle - No. of Feeds 12 (0.25 to 6.5 m.m.) Spindle Speeds 45 to 292 R.P.M. No. of Steps 4 Swing Over Bed 300 m.m. Swing Over Carriage 210 m.m. Distance Between Centers 700 m.m. Bed Length 1,540 m.m. Gear Change System - Manual.	630	L. 1 W. H.
26	1	U 80	LATHE - Engine - C.S.D - Cone Type Spindle - No. of Feeds 12 (0.15 to 4 m.m.) Spindle Speeds 45 to 300 R.P.M. No. of Steps 4	630	L. 1 W. H.
			CONTINUE TO NEXT PAGE		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 2,260

Cumulative-Total 18,44[illegible]

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

~~Shi Factory~~
~~Shi Prefecture~~

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
~~4894~~					24,780	24,780		32,303				
370	L. 140 W. 60 H. 80	Oyama Iron Works, Japan.	1937		1,350	SH (E) 1,350	97.5	1,316	25	14	15	62.6
630	L. 170 W. 70 H. 90	Takura Iron Works, Japan.	1936		1,170	SH (E) 1,170	147.3	1,723	25	13	15	59.2
630	L. 170 W. 70 H. 90	Kurita Iron Works, Japan.	1936		1,170	SH (E) 1,170	147.3	1,723	25	13	15	59.2
630	L. 170 W. 70 H. 90	Nakamura Iron Works, Japan.	1936		1,460	1,460	147.3	2,150	25	13	15	59.2
~~6440~~					~~6,160~~ 29,230	~~6,160~~ 29,230		~~6,912~~ 39,215				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 56 OF 89 SHEETS

DATE April-18- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			19,172					19,092		
14	15	62.6	823	(5) Gears. (2) Gear Covers.	Missing. Missing.	15 7	22	801		
13	15	59.2	1,020	(4) Gears.	Missing.	11	11	1,009		
13	15	59.2	1,029 (3)	(4) Gears. Gear Cover.	Missing. Missing.	11 9	20	1,000		
13	15	59.2	1,277 (3)	(4) Gears. Gear Covers.	Missing. Missing.	11 9	20	1,252		
			4,131 23,307					4,062 23,154		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT ~~Tachikawa Industrial Co Ltd Yamaguchi Factory~~

C LOCATION ~~No 219 Shimo-Usuiya Yamaguchi, Yamaguchi Prefecture~~

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION ~~Authorized Use~~

F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)
			BROUGHT FORWARD	18,154	
			Swing Over Bed 320 m.m. Swing over Carriage 300 m.m. Distance Between Centers 800 m.m. Bed Length 1,540 m.m Gear Change System - Manual.		
27	1	U 81	LATHE - Engine - C.S.Q - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.) Spindle Speeds 25 to 200 R.P.M. No. of Steps 4 Swing Over Bed 500 m.m. Swing Over Carriage 400 m.m. Distance Between Centers 600 m.m. Bed Length 2,300 m.m. Gear Change System - Manual.	930	L. 170 W. 70 H. 90
28	1	U 82	LATHE - Engine - C.S.Q - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.) Spindle Speeds 25 to 300 R.P.M. No. of Steps 4 Swing Over Bed 600 m.m. Swing Over Carriage 440 m.m. Distance Between Centers 1,200 m.m. Bed Length 2,450 m.m. Gear Change System - Manual.	1,400	L. 300 W. 90 H. 110
29	1	U 83	LATHE - Engine - C.S.Q - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.) Spindle Speeds 25 to 300 R.P.M. No. of Steps 4 Swing over Bed 600 m.m. Swing Over Carriage 440 m.m. Distance Between Centers 1,200 m.m. Bed Length 2,450 m.m. Gear Change System - Manual	1,400	L. 300 W. 90 H. 110
30	1	U 84	LATHE - Engine - C.S.Q - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.) Spindle Speeds 25 to 300 R.P.M.	1,400	L. 25 W. 10 H. 11

CONTINUE TO NEXT PAGE

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 6,130

Cumulative-Total 23,284

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

~~Shifactory~~
~~Prefecture~~

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
Brt					29,930	29,930		39,215				
930	L. 170 W. 70 H. 90	Tanaka Iron Works Japan.	1936		1,125	SHE 1,125	147.3	1,657	25	13	15	59.2
1400	L. 300 W. 90 H. 110	Nishimura Co. Japan.	1935		2,700	SHE 2,700	149.5	4,036	25	12	15	55.8
1400	L. 300 W. 90 H. 110	Nishimura Co. Japan.	1935		2,700	SHE 2,700	149.5	4,036	25	12	15	55.8
2400	L. 250 W. 100 H. 110	Nakagawa Co. Japan.	1937		4,100	SHE 4,100	97.5	3,997	25	14	15	62.
6430					10,625	10,625		13,726				
Brt					40,555	40,555		52,941				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 57 OF 89 SHEETS

DATE April - 18 - 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				23,307					23,154		
25	13	15	59.2	980	(5) Gears. (2) Gear Covers.	Missing. Missing.	18 7	25	955		
25	12	15	55.8	2,252	(4) Gears. Gear Covers.	Missing. Missing.	15 3	18	2,234		
25	12	15	55.8	2,252	(4) Gears.	Missing.	15	15	2,237		
25	14	15	62.6	2,502	(4) Gears	Missing.	15	15	21487		
				7,986					7,913		
				31,293					31,067		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor

C LOCATION No. 217 Shimo-Unoryo, Yamaguchi, Yamaguchi Prefecture

D INDUSTRIAL GROUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing S Lengt Widt Heigh (c m
			BROUGHT FORWARD	23,284	
			No. of Steps 4		
			Swing Over Bed 600 m.m.		
			Swing Over Carriage 440 m.m.		
			Distance Between Centers 1,200 m.m.		
			Bed Length 2,450 m.m.		
			Gear Change System - Manual.		
31	1	U 85	LATHE - Engine - C.S.Q - Cone Type Spindle - No. of Feeds 12 (0.8 to 12.7 m.m.)	1,100	L. 25 W. 10
			Spindle Speeds 25 to 300 R.P.M.		H. 11
			No. of Steps 4		
			Swing Over Bed 500 m.m.		
			Swing Over Carriage 440 m.m.		
			Distance Between Centers 1,050 m.m.		
			Bed Length 2,450 m.m.		
			Gear Change System - Manual.		
32	1	U 173	MILLING MACHINE - Knee - Vertical - I. M. D. - Spindle Speeds 65 to 750 R.P.M.	1,800	L. 16 W. 14
			Spindle Hole Taper B.S. No. 11.		H. 15
			Longitudinal, Cross and Vertical Feeds 200 x 550 x 350 m.m.		
			Size Working Table 750 x 250 m.m.		
			Motor: A.C. - Induction - Cage Type - 3H.P. 220v. 3Phases, R.P.M. 1730		
33	1	U 174	MILLING MACHINE - Knee - Vertical - I. M. D. Spindle Speeds 65 to 1260	2,700	L. 23 W. 18
			Spindle Hole Taper B.S. No. 14		H. 22
			Longitudinal, Cross and Vertical Feeds 300 x 700 x 300 m.m.		
			Size Working Table 1,000 x 360 m.m.		
			Motor: A.C. - Induction - Cage Type - 3H.P. 220v. 3Phases. R.P.M. 1730		
34	1	U 172	MILLING MACHINE - Horizontal - Universal - C.S.Q - No. of Steps 4.	1,800	L. 18 W. 15
			Spindle Speeds 20 to 340 R.P.M.		H. 10
			Spindle Hole Taper B.S. No. 11		
			Longitudinal, Cross and Vertical Feeds 400 x 700 x 200 m.m.		
			Size Working Table 800 x 260 m.m.		
			Degrees of Table Turning 40°		
NOTES: No Dittos Allowed in Spaces Crossline All Spaces Not Used (As Shown Above)			Page-Total	7,400	
			Cumulative-Total	39,684	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...hi Factory
...i Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
33,285					40,445	40,445		52,941				
1,100	L. 250 W. 100 H. 110	Yamanaka Iron Works. Japan.	1936		2,380	SH(D) 2,380	147.3	3,505	25	13	15	59.2
1,800	L. 160 W. 140 H. 150	Kyoto Kosakusho. Japan.	1936		12,000	SH(E) 12,000	147.3	17,676	25	13	15	59.2
2,700	L. 230 W. 180 H. 220	Endo Seisaku-Sho-Co Japan.	1936		12,500	SH(E) 12,500	147.3	18,412	25	13	15	59.2
2,800	L. 180 W. 150 H. 140	Unknown Japan.	1936		6,750	SH(E) 6,750	147.3	9,942	25	13	15	59.2
7,400					33,630	33,630		49,535				
40,685					74,185	74,185		102,476				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 58 OF 89 SHEETS

DATE April - 18 - 1948

12	13	14	15	16	17	18	19	20	21	NON-REMOVABLE 22	NON-REMOVABLE 23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				31,293					31,067		
25	13	15	59.2	2,074	(4) Gears. Gear Covers.	Missing. Missing.	15 4	19	2,055		
25	13	15	59.2	10,464					10,464		
25	13	15	59.2	10,899					10,899		
25	13	15	59.2	5,885	Closet Door (2) Gear Covers	Missing Missing	2 8	10	5,875		
				29,322					29,293		
				60,615					60,360		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factory.

C LOCATION No. 217. Shimo-Unoye Yamaguchi. Yamaguchi Prefecture

D INDUSTRIAL GPOUP Aircraft.

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Machine Shop.

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	30,685	
35	1		CIRCULER TABLE - Dia. 375 m.m.	300	L.37. H.5
36	1		CIRCULER TABLE - Dia. 350 m.m.	250	L.35. H.5
37	1		(2) VICES - Parallel - Width 150 m.m. Jaw Capacity 150 m.m.	220	L.73, H.40.
38	1		(2) VICES - Parallel - Width 150 m.m. Jaw Capacity 125 m.m.	60	L.35, H.20
39	1		(2) VICES - Parallel - Width 125 m.m. Jaw Capacity 100 m.m.	40	L.30, H.20
			No. 35, 36, 37, 38, and 39. are Accessories of Milling Maches No. 172, 173, and 174.		
40	1	U 160	SHAPER - Horizontal - I.M.D. - Length of Stroke 400 m.m. Vertical Travell of Head 350 m.m. Sige of Table and Travell 490×465 m.m and 1.000 m.m. Width of Jaw 350 m.m. Motor: A.C. - Induction - Cage Type 5 H.P. 220 V. 3 Phases. R.P.M. 1600	2,100	L. 2 W. H.
41	1		VICE - Parallel - Width 350 m.m. Jaw Capacity. 300 m.m. Accessory for Shaper No. 40	150	L. W. H.
42	1	U 142	CUTOFF AND SAWING MACHINE - Hack - I.M.D. - Dia. of Bor 100 m.m. Stroke 150 m.m. Motor: A.C. - Induction - Cage Type ½ H.P. 220 V. 3 Phases. R.P.M. 1690	630	L. W. H.
43	1	U 143	CUTOFF AND SAWING MACHINE - HACK - I.M.D. - Dia of Bor 150 m.m. Stroke 200 m.m. Motor: A.C. - Induction - Cage Type - 1 H.P. 220 V. 3 Phases, R.P.M. 1700	720	L. W. H.
44	1	U 236	MOTOR - A.C. - Induction. - Cage Type - 7.5 H.P. 3 phases, 220 V. R.R.M. 1,730 60 cycles	190	L. W. H.

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 4260

Cumulative-Total 36,945

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Protecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
70,685					74185	74185		102,476				
300	L.37, W.37 H.5	Unknown Japan.	1944		360	(E) 360	69.3	249	25	21	15	86.
250	L.35, W.35 H.5	Unknown Japan.	1944		300	(E) 300	69.3	207	25	21	15	86.
220	L.73, W.45 H.40.	Unknown Japan.	1944		360	(E) 360	69.3	249	25	21	15	86.
60	L.35, W.13 H.20	Unknown Japan.	1944		240	(E) 240	69.3	166	25	21	15	86.
40	L.30, W.13 H.20	Unknown Japan.	1944		90	90	69.3	62	25	21	15	86.
2,700	L.210 W.140 H.140	Unknown Japan.	1936		3,000	SH (E) 3,000	147.3	4,419	25	13	15	59.
150	L.30 W.30 H.20	Unknown Japan.	1944		360	(E) 360	69.3	249	25	21	15	86.
630	L.120 W.50 H.90	Morita Machine Works. Japan.	1936		500	SH (E) 500	147.3	736	25	13	15	59.
720	L.140 W.50 H.90	Unknown Japan.	1936		1,200	SH (E) 1,200	147.3	1,767	25	13	15	5
190	L.35 W.35 H.40	Hitachi Works Japan.	1936		295	SH 295	147.3	(ES) 434	20	8	10	46
6,260					6,705	6,705		8,538				
76,945					80,890	80,890		111,014				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 59 OF 89 SHEETS

DATE April-18- 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				60,615					60,360		
25	21	15	86.4	215					215		
25	21	15	86.4	178					178		
25	21	15	86.4	215					215		
25	21	15	86.4	143					143		
25	21	15	86.4	53					53		
25	13	15	59.2	2,616	Crank-Cover.	Missing	6	6	2,610		
25	21	15	86.4	215					215		
25	13	15	59.2	435					435		
25	13	15	59.2	1,046					1,046		
20	8	10	46.0	199					199		
				£315					£309		
				65,930					65,669		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd., Yamaguchi Facto
C LOCATION No.217, Shimo-Unoryo, Yamaguchi, Yamaguchi Prefec
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Machine Shop.

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Len Wi Hei (c
			BROUGHT FORWARD	36945	
45	1	U 276	MOTOR - A.C.- Induction- Cage type- 5 H.P. 220V. 3phases. R.P.M. 1,700 60cycles.	170	L. W. H.
46	1	U 324	LINE SHAFTING -	923	L. W. H.
			Driven by Motor Item No. 44		
			Supports : Machin. Item No. 16, 17, 34 and from No. 20 to 31.		
			Consisting of:		
			(7) Shafts - Dia. 43m.m. Total Length 21.000m.m.		
			(6) Pulleys.		
			(8) Pulleys - Wooden		
			(6) Couplings		
			(11) Bearings		
			(1) Shaft - Dia. 38 m.m. Length 4,000m.m.		
			(4) Pulleys		
			(2) Pulleys - Wooden.		
			(3) Bearings		
			(1) Shaft - Dia. 38m.m. Length 2,000m.m.		
			(2) Pulleys		
			(2) Bearings		
			Duck Belt - Width 100 m.m. Length 2%000m.m.		
			Duck Belt - Width 90m.m. Length 21,000 m.m.		
			Duck Belt - Width 75m.m. Length 14,000m.m.		
			Duck Belt - Width 60m.m. Length 21.000m.m.		
			Duck Belt - Width 38m.m. Length 12.000m.m.		
			Driven by Motor Item No. 45		
			Supports : Machines Item No. 2, 3. and From No 12 to No. 15		
			CONTINUE TO NEXT PAGE		

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 1093
Cumulative-Total 37,038

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

R E M O V A B L E

5	6	7	8		9	9 A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
36945					80,890	80,890		114914				
170	L. 30 W. 20 H. 30	Matsushita Denki Werks Japan	1937		250	SH 250	97.5	(ES) 243	20	9	10	50.5
923	L. 160 W. 160 H. 220	Unknown Japan.	1936		1.700	SH (E) 1.700	147.3	2,504	25	13	15	59.2
1093					1,950	1,950		2,747				
38					82,840	82,840		113,761				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 60 OF 89 SHEETS

DATE April - 18 - 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				65,930					65,669		
10	4	10	50.5	122					122		
25	13	15	59.2	1,482					1,482		
				1,604					1,604		
				67,534					67,273		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Facto
C LOCATION No. 217 Shimo-Unoryo, Yamaguchi, Yamaguchi Prefe
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Machine Shop

1	2	3	4	5	
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packi Le W He (c
			BROUGHT FORWARD	37,038	
			Consisting of: (3) Shafts - Dia. 38 m.m. Total Length 18,000 m.m. (6) Pulleys (2) Pulleys - Wooden (3) Couplings (9) Bearings. (1) Shaft - Dia. 38 m.m. Length 1,370 m.m. (2) Pulleys (2) Bearings Duck Belt - Width 90 m.m. Length 20,000 m.m. Duck Belt - Width 60 m.m. Length 20,000 m.m. (4) V-Belts - B.40 (3) V-Belts - B.30		
47	1		Non-Removable Equipment and Value of above Equipments in Machine shop, Item No. 1 to 46.		
48	1	U325	(5) VICES - Parallel - Width 150 m.m. Jaw Capacity 150 m.m.	250	L. 50. H. 30
49	1	U326	SURFACE PLATE - Web Type Size 600 x 750 m.m.	192	L. 70. H. 25
50	1	U327	SURFACE PLATE - Web Type Size 300 x 430 m.m.	56	L. 38. H. 20
51	1		(4) VICE TABLE - Wooden - Length and Width of Surface 3,800 x 6,200 m.m. Height 800 m.m.	400	L. W. H.
52	1		(6) WORKING TABLE - Wooden - Length and Width of Surface 1,800 x 4,000 m.m.	90	L. W. H.
			TOTAL VALUE OF MACHINE SHOP FROM ITEM NO 1 TO ITEM NO. 52	38,026	

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total	988
Cumulative-Total	38,026

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
31,038					82,840	82,840		113,761				
350	L.50. W.50 H.30.	Unknown. Japan.	1944		102	Ⓔ 102	69.3	70	25	21	15	86.4
192	L.70, W.70 H.25.	Unknown. Japan.	1944		72	Ⓔ 72	69.3	49	25	21	15	86.4
56	L.38. W.38 H.20	Unknown. Japan.	1944		60	Ⓔ 60	69.3	41	25	21	15	86.4
400	L.380 W.120 H.320	Unknown. Japan.	1944		268	Ⓔ 268	69.3	185	20	16	0	80.0
90	L.180 W.100 H.450	Unknown. Japan.	1944		162	Ⓔ 162	69.3	112	20	16	0	80.0
2636					83,504	83,504		114,218				
38					664	664		457				
36					83,504	83,504		114,218				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 61 OF 89 SHEETS

DATE April - 18 - 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				67,534					67,273		
										(E) 1,623	(E) 1,070
5	21	15	86.4	60					60		
5	21	15	86.4	42					42		
5	21	15	86.4	35					35		
0	16	0	80.0	148					148		
0	16	0	80.0	89					89		
				67,908					67,647	1,623	1,070
				374					374	1,623	1,070
				67,908					67,647	1,623	1,070

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd., Yamaguchi Factory.
C LOCATION No. 217, Shimo-Unoryo, Yamaguchi, Yamaguchi Prefec
D INDUSTRIAL GPOUP Aircraft.
E SECTION OF EVALUATION Authorized Use.
F TYPE OF FACILTY Foundry.

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	38,026	
53	1	Ex. 317	BLOWER – Fan – Required Power 7.5 H.P. Delivery Volume in 55 M³/min. Delivery Pressure in 1 KG/cm² Suction and Discharge Sige 250 × 250 m.m. Iron Plate Pipe – Dia. 250 m.m. Length 3,000 m.m. R.P.M. 1,700	150	L. W. H.
54	1	U 240	MOTOR – For Blower (Item No. 53) A.C. – Induction – Cage Type – 7.5 H.P. 220 V. 3 phases. R.P.M. 1,700. 60 cycles	180	L. W. H.
55	1	Ex 318	BLOWER – Fan – Required Power ½ H.P. Delivery Volume in 4.5 M³/min. Delivery Pressure in 1 KG/cm² Suction and Discharge Sige 80 × 80 m.m. Iron Pipe – Dia. 80 m.m. Length 3,500 m.m. R.P.M. 3,500	30	L. W. H.
56	1	U 294	MOTOR – For Blower (Item No. 53) A.C. – Induction – Cage Type – ½ H.P. 220 V. 3 Phases. R.P.M. 1,700 60 cycles	40	L. W. H.
57	1	U 319	FURNACE – Melting – Cupola – One Charge Capacity 1 M.T. Material – Outer cast Iron. Inner Fire Briks. Melting Time (pig Iron) 2 Hours.	800	L. W. H.
58	1	U 323	FURNACE – Melting – Crucible – One Charge Capacity of Crucible 54 kg. (Alloy metal) Melting Time 2 Hours Fuel – Coke Size of Heating Floor 1,300 × 1,250 × 1,700 m.m. Chimney – Iron Plate. Dia. 300 m.m. Height 9,000 m.m.	132	L. W. H.

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total	1,332
Cumulative-Total	39,358

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ctory.
Prefecture.

PLANT EVALUATION

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15
eight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
026					83,504	83,504		114,218				
150	L. 100 W. 100 H. 100	Unknown. Japan.	1936		200	SH(E) 200	147.3	294	15	3	10	28.0
180	L. 40 W. 20 H. 30	Mitsubishi Denki Co. Japan.	1936		240	SH. 240	147.3	(ES) 353	20	8	10	46.0
30	L. 35 W. 25 H. 35	Unknown. Japan.	1936		60	SH(E) 60	147.3	88	15	3	10	28.0
40	L. 30 W. 20 H. 20	Mitsubishi Denki Co. Japan.	1936		70	SH 70	147.3	(ES) 103	20	8	10	46.0
300	L. 157 W. 80 H. 80	Haraclayer works. Japan.	1936		350	SH(E) 350	147.3	515	25	13	10	56.8
32	L. 400 W. 30 H. 30	Tachiami Industrial co. Japan.	1947		(E) 8,000	(E) 3,500	3.8	133	25	24	10	94.6
332					8,920	4,420		1,486				
358					92,424	87,924		115,704				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 62 OF 89 SHEETS

DATE April -19- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			67,908					67,647	1,623	1,070
3	10	28.0	82					82		
8	10	46.0	162					162		
3	10	28.0	24					24		
8	10	46.0	47					47		
13	10	56.8	292					292		
24	10	94.6	125					125	136	16
			732					732	136	16
			68,640					68,379	1,759	1,086

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachikawa Industrial Co. Ltd, Yamaguchi Facto
C LOCATION No. 217, Shima Ubara, Yamaguchi, Yamaguchi Pref
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Foundry

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Len Wi Hei (c
			BROUGHT FORWARD	39,358	
59	1	U 320	CHAIN BLOCK - Capacity 1 M.T.	50	L.50, W H.25
60	1	U 321	(2) VICES - Parallel - Width 150 m.m. Jaw capacity 150 m.m.	100	L.50, H.25
61	1	U 322	(2) SURFACE PLATE - Web Type - Length 450 m.m. Width 350 m.m.	100	L.45, H.9
62	1		(2) Pot - For Alloymetal Melting - Material - Iron Thick plate One Charge Capacity 150 kg	60	L.6 W.4 H.4
63	1		(7) SHOVELS - Intrenching Tools. - Length 1000 m.m.	15	L.100, H.50
64	1		(10) MOULDING FRAME - Material Duralmin. Length, Width and Height. 400 x 300 x 150 m.m.	350	L. 15 W, H.
65	1		(2) HAND HAMMERS - Material - Iron Weight 6.25 kg.	14	L.20, H.50
66	1		(5) HAND HAMMERS - Material - Iron. Weight - 0.625 kg.	4	L 10, H.20
			TOTAL VALUE OF FOUNDRY FROM ITEM NO. 53 TO ITEM NO. 66	2025	

NOTES : No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 693
Cumulative-Total 40,051

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

~~i Factory~~
~~bi Prefecture.~~

PLANT EVALUATION

(AUTHORIZED USE)

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
39,358					92,424	87,924		115,704				
50	L.50, W.50 H.25	Unknown. Japan.	1944		45	(E) 45	69.3	31	25	21	10	85.6
100	L.50, W.50 H.25	Unknown. Japan.	1944		36	(E) 36	69.3	24	25	21	15	86.4
100	L.45, W.35 H.9	Unknown. Japan	1944		120	(E) 120	69.3	83	25	21	15	86.4
60	L.60 W.40 H.40	Tachiarai Industrial Co. Japan.	1948		300	(E) 300	3.8	11	5	5	0	(E) 90.6
15	L.100, W.20 H.50	Unknown. Japan	1948		630	SH (E) 630	3.8	23	5	5	0	(E) 90.6
350	L.150. W.60 H.15	Tachiarai Industrial Co. Japan	1948		3,500	(E) 3,500	3.8	133	5	5	0	(E) 90.6
14	L.20, W.10 H.50	Unknown. Japan.	1944		60	(E) 60	69.3	41	5	1	0	20.6
4	L.10, W.4 H.20	Unknown Japan.	1944		75	(E) 75	69.3	51	5	1	0	20.6
625					13,686	9,186		1,883				
673					4,766	4766		397				
51					92,190	92,690		116,101				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 63 OF 89 SHEETS

DATE April - 19 - 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			68,640					68,379	1,759	1,086
21	10	85.6	26					26		
21	15	86.4	20					20		
21	15	86.4	71					71		
5	0	(E) 90.0	9					9		
5	0	(E) 90.0	20					20		
5	0	(E) 90.0	119					119		
1	0	20.0	8					8		
1	0	20.0	10					10		
			1,015					1,015	136	16
			283					283		
			68,923					68,662	1,759	1,086

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor
C LOCATION No. 217 Shimo-Unoaye Yamaguchi, Yamaguchi Prefec
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use.
F TYPE OF FACILTY Wood Working Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	40,051	
67	5	U 117	DRILLING MACHINE - Radial - Single - L.H.O Automatic Feed.	4000	L. 3 W. H. 3
			Spindle Speeds 52 to 575 R.P.M.		
			Drill Capacity 50 × 300 m.m.		
			Max. Distance Spindle to Column 1700 m.m.		
			Max. Distance Spindle to Table 620 m.m.		
			Size of Table 560 × 500 m.m.		
			No. of Speeds 6		
			Motor: A.C. - Induction - Cage Type - 7.5 H.P. 220V. 3phase, R.P.M. 1200		
68	5	U 134	DRILLING MACHINE - Vertical - Single - C.S.D. - Automatic Feed -	550	L. 1 W. H. 1
			Spindle Speeds 11 TO 356		
			No. of Speeds 4		
			Drill Capacity 20 × 60 m.m.		
			Swing 540 m.m.		
			Size of Table 400 m.m. Dia.		
			Max. Distance Spindle to Table 560 m.m.		
69	5	U 136	DRILLING MACHINE - Vertical - Bench - Single - I.M.D. - Automatic Feed: -	70	L. W. H.
			Spindle Speeds 2000 to 18.000 R.P.M.		
			No. of Speeds 3		
			Drill Capacity 13 × 60 m.m.		
			Swing 300 m.m.		
			Size of Table 400 m.m. Dia.		
			Max. Distance Spindle to Table 300 m.m.		
			Motor: A.C. - Induction - Cage Type - ¾ H.P. 220V. 3phases, R.P.M. 1706		
70	5	U 338	(2) PORTABLE DRILLING MACHINE - Electric - I.M.D.	8	L. W.
			¼ H.P. 100V. Single phase.		H.
			Drill Capacity 18 m.m.		
71	5	U 283	GRINDER - Single Purpose - Saw Setting - C.S.D. -	150	L. 1 W.
			Max. Dia. of Emery Wheel 300 m.m.		H. 1

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total	4,778
Cumulative-Total	44,829

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
10,051					97,190	92,690		116,101				
4,000	L. 320 W. 120 H. 350	Minoura Kogyo Co. Japan.	1944		(E) 14,182	(E) 13,572	69.3	9,405	25	21	15	86.4
550	L. 100 W. 70 H. 170	Hirakawa Iron Works. Japan.	1936		570	SH(E) 570	147.3	839	25	13	15	59.2
70	L. 60 W. 40 H. 80	Nakatsu Kiko. Co. Japan.	1944		670	(E) 670	69.3	464	25	21	15	86.4
8	L. 40 W. 30 H. 50	Unknown Japan.	1945		2,000	(E) 2,000	52.5	1,050	25	22	15	89.5
150	L. 180 W. 40 H. 176	Tachiarai Industrial Co. Japan.	1945		200	(E) 200	52.5	105	25	22	15	89.5
778					17,622	17,012		11,863				
10,829					114,812	109,702		127,964				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 64 OF 89 SHEETS

DATE April -19- 1948

12	13	14	15	16	17	18	19	20	21	NON-REMOVABLE 22	23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				68,923					68,662	1,759	1,086
26	21	15	86.4	8,125					8,125	224	140
25	13	15	59.2	496					496		
25	21	15	86.4	400					400		
5	22	15	89.8	942					942		
5	22	15	89.8	94					94		
				10,057					10,057	224.	140
				78,980					78,719	1,983	1,226

(E)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor
C LOCATION No. 217, Shimo-Unoryo, Yamaguchi, Yamaguchi Prefe
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Wood Working Shop.

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Leng Wid Heig (c
			BROUGHT FORWARD	44829	
72	5	Ex 229.	MORTISE - Square Hollow-Virtical-Single-Bit - C.S.D. - Hand Feed. Table Size 250 x 350 m.m. Holl Capacity: 19 x 75 m.m.	90	L. 6 W. 6 H. 7
73	5	Ex 227	TENON - Double Head - C.S.D- Width of Planer 75 m.m. Table Size 570 x 900 m.m. Max. Distance Head to Head. 150 m.m.	450	L. 6 W. 6 H. 36
74	5	Ex. 228	GRINDER - Tool Whet - C.S.D. - Single - Dia. and Thickness of Wheel 300 x 20 m.m. Stroke of Tool Holder 610 m.m.	90	L. 2 W. 4 H. 7
75	5	Ex. 226	LATHE - Wood Working - C.S.D - Cone Type Spindle - No. of Steps 3 Spindle Speeds 50 to 300 R.P.M. Swing Over Bed 120 m.m. Swing Over Carriage 100 m.m. Distance Between Centers 650 m.m. Bed Length 1,300 m.m. Feeds - Manual	540	L. 1 W. H. 1
76	5	Ex. 232	PLANER - Single Head - Automatic Feed - C.S.D - Size and Length of Head 80 Squar x 450 m.m. Knives Per Head 2 Square Head.	360	L. 13 W. 5 H. 5
77	5	Ex. 230	PLANER - Single Head - Manual Feed - C.S.D. - Sige and Length of Head 80 Square x 450 m.m. Knives Per Head 2 Squar Head.	450	L. W. H.
78	5	Ex. 290	PLANER - Single purpose - Grooving - Single Head - C.S.D. - Manual Feed Width of Grooving 25 m.m. Size of Table 600 x 1,000 m.m.	250	L. W. H.

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 2230
Cumulative-Total 47069

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

factory.
Prefecture.

PLANT EVALUATION

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15	
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor	D
4829					114,812	109,702		127,964					
90	L. 60 W. 60 H. 70	Unknown Japan	1936		500	SH(E) 500	147.3	736	30	18	10	64.0	
450	L. 60 W. 60 H. 30	Unknown Japan	1936		750	SH(E) 750	147.3	1,104	30	18	10	64.0	
90	L. 25 W. 40 H. 70	Haradaya Japan	1936		400	SH(E) 400	147.3	589	30	18	10	64.0	
540	L. 130 W. 50 H. 110	Unknown. Japan.	1936		650	SH(E) 650	147.3	957	30	18	10	64.0	
360	L. 130 W. 50 H. 50	Unknown. Japan.	1936		460	SH(E) 460	147.3	677	30	18	10	64.0	
450	L. 130 W. 40 H. 50	Tsuishi Works. Japan.	1936		400	SH(E) 400	147.3	589	30	18	10	64.0	
350	L. 96 W. 60 H. 76	Okamoto Works. Japan.	1937		550	SH(E) 550	97.5	536	30	19	10	67.0	
250					3,710	3,710		5,188					
6469					118,522	113,412		133,152					

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 65 OF ~~89~~ SHEETS

DATE April-19- 1948

12	13	14	15	16	17	18	19	20	21	NON-REMOVABLE 22	NON-REMOVABLE 23
Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				78,980					78,719	1983	1226
30	18	10	64.0	471					471		
30	18	10	64.0	706					706		
30	18	10	64.0	376					376		
30	18	10	64.0	612					612		
30	18	10	64.0	433					433		
30	18	10	64.0	376					376		
30	19	10	620	359					359		
				3,333					3,333		
				82,313					82,052	1,983	1,226

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor

C LOCATION No. 217, Shimo-Unoryo, Yamaguchi, Yamaguchi Prefectu

D INDUSTRIAL GPOUP Aircraft

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Wood Working Shop.

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	47,059	
79	5	Ex. 231	CIRCULER SAW - Floor - C.S.D - Dia. of Saw. 350 m.m. Length of Table 800 m.m.	45	L. W. H.
80	5	Ex 233	CIRCULER SAW - Floor - C.S.D - Dia. of Saw. 750 m.m. Length of Table 800 m.m.	45	L. W. H.
81	5	Ex. 225	BAND SAW - Stationary Table - C.S.D - Dia. and Width of Saw. 800 x 58 m.m.	900	L. W. H.
82			NON-REMOVABLE EQUIPMENT AND VALUE OF WOOD WORKING MACHINE ITEM NO. 71 TO NO. 81		
83	5	U 191	COMPRESSOR - Vertical - Reciprocating - Air - Single Acting - L.M.D - Moving Type. Capacity 2.5 M³/min (at no Load) pressure 75 Lbs/inch² Stroke and Cylinder Size 60x60 m.m. No. of Cylinder 2 R.P.M. 700 Motor: A.C. - Induction - Cage Type - 3H.P. 220V. 3phases R.P.M. 1720 Including Air Reserver.	270	L. W. H.
84	5	U 192	COMPRESSOR - Vertical - Reciprocating - Air - Single Acting - L.M.D - Moving Type. Capacity 1.5 M³/min. (at no Load) Pressure 3 Kg/cm² Stroke and Cylinder Size 65 x 75 m.m. No. of Cylinder 1 R.P.M. 450 Motor: A.C. - Induction - Cage Type - 2H.P. 220V. 3phases R.P.M. 1720 Including Air Reserver.	80	L. W. H.

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 1340

Cumulative-Total 48,399

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
~~1,049~~					118,522	113,412		133,152				
45	L. 80 W. 50 H. 50	Unknown. Japan.	1936		450	SH (E) 450	147.3	662	30	18	10	64.0
45	L. 80 W. 40 H. 50	Unknown Japan.	1936		450	SH (E) 450	147.3	662	30	18	10	64.0
900	L. 100 W. 50 H. 150	Unknown. Japan.	1936 1944		1,500	SH (E) 1,500	141.3	2,209	30	18	10	64.0
270	L. 100 W. 40 H. 50	Meiji Shokai. Japan.	1935		600	SH (E) 600	149.5	897	30	17	10	61.0
80	L. 180 W. 50 H. 120	Sanko Co. Japan.	1935		500	SH (E) 500	149.5	747	30	17	10	61.
~~1,400~~					3,500	3,500		~~4,177~~				
~~1,749~~					122,022	116,912		138,329				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 66 OF 89 SHEETS

DATE April -24- 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				82,313					82,052	1,983	1,226
30	18	10	64.0	423					423		
30	18	10	64.0	423					423		
30	18	10	64.0	1,413					1,413		
										(E) 40	(E) 367
30	17	10	61.0	547					547		
30	17	10	61.0	455					455		
				3,261					3,261	40	367
				85,574					85,313	2,023	1,593

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Facto
C LOCATION No. 212 Shime-Unoryo, Yamaguchi, Yamaguchi Prefect
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY Wood Working Shop.

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Len Wi Hei (c
			BROUGHT FORWARD	48,399	
85	5	U 297	MOTOR - A.C. - Induction - Cage Type - 5 H.P. 220 V. 3 phases. R.P.M. 1,700 60 Cycles	180	L. W. He
86	5	U 297	MOTOR - A.C. - Induction - Cage Type - 3. H.P. 220 V. 3 phases. R.P.M. 1,120. 60 cycles	70	L. W. H.
87	5	U 298	MOTOR - A.C. - Induction - Cage Type - 3 H.P. 220 V. 3 phases. R.P.M. 1720 60 cycles	70	L. W. H.
88	5	U 296	MOTOR - A.C. - Induction - Cage Type - 3 H.P. 220 V. 3 phases. R.P.M. 1,700 60 Cycles.	70	L. W. H.
89	5	U 341	LINE SHAFTING - Driven by Motor Item No. 85 SUPPORTS Item No. 76 to 80 Consisting of: (3) Shafts - Dia. 33 m.m. Total Length 14,420 m.m. (2) Pulleys (5) Pulleys - Wooden. (11) Bearings (1) Shaft - Dia. 30 m.m. Length 1,080 m.m. (2) pulleys - Wooden. (2) Bearings (3) Duck Belts - Width 30 m.m. Total Length 19,200 m.m. (2) Duck Belts - Width 50 m.m. Total Length 12,000 m.m. (5) Duck Belts - Width 60 m.m. Total Length 34000 m.m.	518.2	L. W. H.
			CONTINUE TO NEXT PAGE		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 968.2
Cumulative-Total 49,367.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

...i Factory.
... Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

R E M O V A B L E

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year Made or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
48,399					122,022	116,912		138,329				
180	L. 50 W. 50 H. 50	Hitachi Seisakusho Japan.	1937		250	SH(E) 250	97.5	243	20	9	10	50.
70	L. 40 W. 30 H. 30	Mitsubishi Denki Co. Japan.	1936		130	SH(E) 130	147.3	191	20	8	10	46.
70	L. 40 W. 30 H. 30	Mitsubishi Denki Co. Japan.	1936		130	SH(E) 130	147.3	191	20	8	10	46.
70	L. 40 W. 30 H. 30	Hitachi Works. Japan.	1936		130	SH(E) 130	147.3	191	20	8	10	46.
578.2	L. 800 W. 60 H. 65	Unknown Japan.	1936		450	SH(E) 450	147.3	662	25	13	15	59.
8.2					1,090	1,090		1,478				
7.2					123,112	118,002		139,807				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 67 OF 89 SHEETS

DATE April-19- 1948

										NON-REMOVABLE	
12	13	14	15	16	17	18	19	20	21	22	23
Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason-For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
				85,574					85,313	2,023	1,593
20	9	10	50.5	122					122		
20	8	10	46.0	87					87		
20	8	10	46.0	87					87		
20	8	10	46.0	87					87		
25	13	15	59.2	391					391		
				774					774		
				86,348					86,087	2,023	1,593

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1

B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor

C LOCATION No. 217. Shino-Unoye, Yamaguchi, Yamaguchi Prefec

D INDUSTRIAL GPOUP Aircraft.

E SECTION OF EVALUATION Authorized Use

F TYPE OF FACILTY Wood Working Shop

1	2	3	4	5	6
Item No.	Bldg No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Leng Wid Hei (c
			BROUGHT FORWARD	49.367.2	
			Driven by Motor Item No.88 Supports Item No. 71, 72, 74, and 81. (2) Shafts - Dia. 35 m.m. Total Length 16,000 m.m. (2) Pulleys (4) Pulleys - Wooden. (10) Bearings (1) Duck Belt - Width 50 m.m. Length 8,000 m.m.		
			Driven by Motor Item No. 86 Supports Item No. 68. (1) Shaft - Dia. 50 m.m. Length 6,000 m.m. (1) Pulley (4) pulleys - Wooden. (4) Bearings (1) Duck Belt - Width 50 m.m. Length 5,800 m.m.		
90	5	U 339	(6) VICES - Parallel - Width 150 m.m. Jaw Capacity 150 m.m.	228	L.40. H.50
91	5	U 340	(2) VICES - Parallel - Width 150 m.m. Jaw Capacity 150 m.m.	60	L.40. H.20
92	5	U 343	HAND WATER PUMP - Reciprocating - One Stroke Delivery 0.15 M3 Dia. and Depth 150 x 255 m.m. Saction pipe - Iron, Dia. 50 m.m. Length 5,400 m.m.	10	L. 5 W. H.
			TOTAL VALUE OF WOODWORKING SHOP. FROM Item NO. 67 to 92	9614.2	

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 298

Cumulative-Total 48,665.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
Prefecture.

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
2372					123,112	118,002		139,807				
228	L.40. W.60 H.50	Unknown. Japan.	1944		150	(E) 150	69.3	103	25	21	15	86.4
60	L.40. W.60 H.20	Unknown. Japan.	1944		50	(E) 50	69.3	34	25	21	15	86.4
10	L. 50 W. 15 H. 15	Unknown Japan.	1944		108	(E) 108	69.3	74	25	21	10	85.6
142					26,230	25,620		23,917				
212					308	308		211				
2					123,420	118,310		140,018				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 68 OF 89 SHEETS

DATE April - 19 - 1948

										NON-REMOVABLE	
12 Expectancy	13 Future Life	14 Salvage Value	15 Depreciation Factor	16 Depreciated Value	17 Other Deductions	18 Reason For Other Deductions	19 Deduction Yen	20 Total Extra Deduction Yen	21 Total Depreciated Value	22 Non-Removable Equipment	23 Non-Removable Value
				86,348					86,087	2,023	1,593
25	21	15	86.4	88					88		
25	21	15	86.4	29					29		
25	21	10	85.6	63					63		
				17,605					17,605	264	507
				180					180		
				86,528					86,267	2023	1,593

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 45-1
B NAME OF PLANT Tachiarai Industrial Co. Ltd. Yamaguchi Factor
C LOCATION No. 217, Shimo-Unoye, Yamaguchi, Yamaguchi Prefec
D INDUSTRIAL GPOUP Aircraft
E SECTION OF EVALUATION Authorized Use
F TYPE OF FACILTY FORGING Shop

1 Item No.	2 Bldg No.	3 Inventory No.	4 Name-Type-Specifications Accessories & Spare parts	5 Weight (Kg)	6 Packing Leng Wid Heig (c
			BROUGHT FORWARD	49,662	
93	2	U 194	FORGING MACHINE - Hammer-Spring-C.S.D.-	270	L. 8 W. 5
			Falling Weight 100 kg.		H. 14
			Non-Removable Equipment and Value.		
94	2	U 195	BLOWER - Fan. - C.S.D - R.P.M. 1,725		L. 5
			Delivery Volume 1.2 M³/min.	45	W. 2
			Delivery Pressure 1 kg/cm²		H. 5
			Suction and Discharge Size. 200 x 27 m.m.		
			Including Discharge Pipe - Iron pipe.		
			Dia 27 m.m., Length 4,000 m.m.		
95	2	U 278	MOTOR - A.C. - Induction - Cage Type -		L. 4
			5 H.P. 220 V. 3 phase	170	W. 2
			R.P.M. 1,720 60 Cycles		H. 2
			For Forging Machin Item No. 93		
96	2	U 295	MOTOR - A.C. - Induction - Cage Type -		L. 3
			2 H.P. 220 V. 3 phases.	70	W. 2
			R.P.M. 1,700. 60 Cycles.		H. 2
			For Blower Item No. 94.		
97	2	U 330	LINE SHAFTING -	100	L. 3 W. 2
			Driven by Motor Item No. 95		H. 3
			Supports Item No. 93		
			Consisting of:		
			(1) Shaft - Dia; 32 m.m.		
			Length 3,000 m.m.		
			(3) Pulleys		
			(2) Bearings		
			(2) Duck Belts - Width 65 m.m.		
			total Length 12,000 m.m.		
			(1) Duck Belt - Width 100 m.m.		
			Length 3,000 m.m.		
			Non-Removable Equipment and Value		

NOTES: No Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total 655
Cumulative-Total 50,320

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Factory.
i Prefecture

PLANT EVALUATION

(AUTHORIZED USE)

REMOVABLE

5	6	7	8		9	9A	10	11	12	13	14	15
Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor
2442					123,420	118,310		140,018				
270	L. 80 W. 50 H. 190	Haradaya Works. Japan.	1936		500	SH(E) 500	147.3	736	25	13	15	59.2
			1944									
45	L. 50 W. 25 H. 50	Haradaya Works. Japan.	1936		100	SH(E) 100	147.3	147	15	3	10	28.0
170	L. 40 W. 25 H. 20	Hitachi Seisakusho Japan.	1936		165	SH 165	147.3	(ES) 243	20	8	10	46.0
70	L. 35 W. 25 H. 20	Meidensha Co. Japan.	1936		100	SH 100	147.3	(ES) 147	20	8	10	46.0
100	L. 300 W. 13 H. 20	Unknown. Japan.	1936		180	SH(E) 180	147.3	265	25	13	15	59.2
			1944									
647					1,045	1,045		1,538				
3,089					124,465	119,355		141,556				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 69 OF 89 SHEETS

DATE April -20- 1948

									NON-REMOVABLE	
13	14	15	16	17	18	19	20	21	22	23
Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Removable Equipment	Non-Removable Value
			86,528					86,267	2,023	1,593
13	15	59.2	435					435		
									(E) 137	(E) 90
3	10	28.0	41					41		
8	10	46.0	111					111		
8	10	46.0	67					67		
13	15	59.2	156					156		
									(E) 18	(E) 10
			810					810	155	100
			87,338					87,077	2,178	1,693