

NO. 3

<u>Package Number</u>	<u>Metric Tons</u>	<u>Measurement Tons</u>	<u>Recipient Nations Port of Destination</u>
443	8.320	13.1418	Keelung
437	8.320	13.1418	"
446	8.320	13.1418	"
442	8.320	13.1418	"
399	282	0.6174	"
402	300	0.5292	"
469	410	3.1752	"
401	260	0.7056	"
403	270	0.5292	"
433	2.320	4.6746	"
470	205	0.1764	"
87	290	0.9702	"
397	1.290	2.5578	"
409	1.225	2.0286	"
398	870	1.7640	"
400	460	0.5292	"
404	470	1.1466	"
405	1.226	3.2634	"
52	1.340	3.8808	"
58	1.470	3.5280	"
81	925	2.0286	"
66	1.300	3.9690	"
395	1.800	4.8510	"
37	1.880	2.9106	"
44	1.950	2.7342	"
119	420	0.6174	"
109	120	0.3528	"
93	380	0.6174	"
111	105	0.1764	"
79	110	0.2646	"
72	100	0.3528	"
121	570	0.7938	"
99	1.200	1.5876	"
114	640	0.7938	"
112	185	0.4410	"
406	2.690	6.7914	"
481	1.890	2.2050	"
478	900	1.4112	"
482	1.320	1.2348	"
47	2.150	4.4982	"
63	1.610	3.9690	"
76	430	0.7056	"
89	360	0.5292	"
408	1.670	3.2634	"
485	11280	1.6758	"
473	1.430	4.2336	"
475	2.300	1.9404	"
96	850	1.2348	"
113	440	0.6174	"
117	420	0.2646	"
85	925	2.0286	"
53	1.280	3.8808	"
55	1.470	3.5280	"
57	1.470	3.5280	"

NO. 4

<u>Package Number</u>	<u>Metric Tons</u>	<u>Mesurement Tons</u>	<u>Recipient Nations</u> <u>Port of Destination</u>
49	1.500	4.3218	Keelung
86	925	2.0286	"
50	1.150	2.9988	"
59	1.400	3.5280	"
83	925	2.0286	"
122	1.880	2.9988	"
97	1.450	2.0286	"
410	1.050	4.6746	"
484	704	1.4112	"
480	2.415	2.7342	"
56	1.470	3.5280	"
80	925	2.0286	"
82	925	2.0286	"
67	1.340	3.9690	"
407	3.020	7.4088	"
68	1.300	3.9690	"
62	2.350	4.7628	"
196	2.370	5.8212	"
201	1.360	2.2932	"
77	455	1.0584	"
73	400	0.9702	"
71	450	1.1466	"
54	1.280	3.8808	"
61	1.070	1.6758	"
60	1.150	2.6460	"
116	147	0.3528	"
110	185	0.4410	"
193	2.020	2.0286	"
143	3.950	7.5852	"
65	1.300	3.9690	"
51	1.100	2.5578	"
43	1.950	2.7342	"
100	1.200	1.5876	"
477	5.850	7.7616	"
70	205	0.8820	"
92	560	0.6174	"
476	7.570	8.1144	"
69	165	0.6174	"
91	160	0.2646	"
142	2.400	2.7342	"
411	600	1.2348	"
479	8.910	1.0548	"
74	1.420	2.6460	"
123	1.880	2.9988	"
200	3.650	5.9976	"
144	3.700	2.9988	"
120	1.870	3.9690	"
84	2.925	2.0286	"
199	3.200	9.7020	"
192	3.950	7.5852	"
48	2.450	4.7628	"
64	1.300	3.9690	"
383	710	1.6758	"
394	1.685	3.0870	"

NO. 5

<u>Package Number</u>	<u>Metric Tons</u>	<u>Measurement Tons</u>	<u>Recipient Nations</u> <u>Port of Destination</u>
456	3.294	1.9404	Keelung
457	7.410	3.8808	"
458	5.540	3.5280	"
459	14.415	4.8510	"
461	5.070	10.7604	"
505	893	2.1168	"
503	1.040	4.3218	"
487	4.250	4.9392	"
506	1.270	3.5280	"
504	1.690	6.1740	"

	<u>Tons</u>	<u>Tons</u>	<u>Recipient Nations</u> <u>Port of Destination</u>
104	740	1.2348	Keelung
98	290	1.3528	"
108	2.100	2.6460	"
195	1.200	1.8522	"
202	2.100	1.4994	"
205	140 ^m	1.9404	"
15	2.450	4.3218	"
10	2.500	3.4368	"
130	3.500	6.2622	"
204	1.220	4.3218	"
145	1.750	3.6162	"
42	2.030	2.9106	"
102	1.100	0.8522	"
101	1.250	1.7640	"
31	1.490	2.9988	"
38	1.510	2.9106	"
194	3.950	7.5858	"
32	1.800	2.9988	"
34	1.490	2.9988	"
203	2.050	3.7044	"
131	1.730	2.2932	"
18	2.450	4.3218	"
25	2.050	4.3218	"
8	2.450	3.4398	"
28	1.490	2.9988	"
141	135	0.2646	"
138	345	0.9702	"
135	200 ^m	0.7056	"
139	260	0.7056	"
27	2.050	4.3218	"
29	1.780	2.9988	"
198	3.200	9.7020	"
2	3.720	5.2038	"
127	360	0.6174	"
88	225	0.4410	"
169	320	1.0584	"
128	1.080	1.7640	"
15	2.500	4.3218	"
154	4.156	7.9380	"
11	2.450	5.8212	"
183	1.550	1.2348	"
271	2.580	2.8224	"
186	2.650	4.3818	"
173	32320	1.0584	"
157	320	1.0584	"
175	1.550	1.2348	"
197	575	0.7938	"
133	357	1.4112	"
137	280	1.0584	"
140	101	0.3528	"
24	2.550	3.4398	"
132	1.460	2.2932	"
191	1.560	5.0274	"
99	2.700	3.4398	"
136	100	0.4410	"

<u>Package Number</u>	<u>Metric Tons</u>	<u>Measurement Tons</u>	<u>Receipt Nations Port of Destination</u>
129	135	0.3528	Keelung
6	2.000	3.4348	"
20	2.470	4.3218	"
202	490	0.2348	"
168	295	0.4410	"
176	295	0.4410	"
165	320	1.0584	"
190	235	0.3528	"
189	235	0.3528	"
172	295	0.4410	"
158	230	0.9702	"
162	230	0.9702	"
177	320	1.0584	"
166	230	0.9702	"
387	1.810	2.9988	"
390	1.260	1.7640	"
385	1.450	4.1454	"
396	6.020	9.2610	"
388	3.510	3.9690	"
412	840	1.0584	"
392	1.720	2.8224	"
171	1.550	1.2348	"
185	2.360	5.2038	"
486	3.850	2.0266	"
386	5.920	7.1442	"
291	2.300	2.8224	"
413	1.800	4.6746	"
153	1.190	2.7342	"
187	1.300	2.5578	"
152	8.250	15.3468	"
546	3.600	3.9690	"
545	3.300	3.9690	"
547	2.700	2.8224	"
548	2.700	2.8224	"
544	3.300	3.9690	"
489	962	1.5876	"
491	9.750	6.4386	"
<hr/>			
Total:			"
286 P/K	457.523	557.0310	
<hr/>			
<hr/>			

8. Signature: T. Inano
 For K. INANO
 9. Title: Chief, Sasebo Harbor Control Office,
 Kyushu Maritime Bureau.

PROGRESS REPORT OF INTEGRATED FACILITIES

- 1. Report No: 4
- 2. Allocation No: 1-62
- 3. Period Ending: 12, October, 1949
- 4. Code symbol of plants being reported on: 27-4
- 5. Dismantling, disassembly and packaging:
 - a. Allocation notice completion date: No date
 - b. Present estimated completion date: 12, October, 1949
 - c. Work completed during report period:
 - (1) Dismantling and disassembly: 2 %
 - (2) Packaging: 48 %
 - d. Work completed to date:
 - (1) Dismantling and disassembly: 100 %
 - (2) Packaging: 100 %

- e. Packages completed during report period:
- f. Packages completed to date:

Number	Gross Weight (metric tons)	Gross Volume (meas. tons)
284	625.57	958.65
568	1270.57	2270.01

6. Remarks:

Koichi Furukawa
7. (Signature)

Custodian, Ex-, 21st. Naval Air Depot
8. (Title)

9. Reviewed by:

10. (Signature)

Incl: 284 packing lists

11. (Title)

PROGRESS REPORT OF INTEGRATED FACILITIES

1. Report No: 3
 2. Allocation No: 1-62
 3. Period Ending: 28, September 1949

4. Code symbol of plants being reported on: 27-4

5. Dismantling, disassembly, and packaging:

a. Allocation notice completion date: no date

b. Present estimated completion date: 31, October 1949

c. Work completed during report period:

(1) Dismantling and disassembly: 13 %

(2) Packaging: 57 %

d. Work completed to date:

(1) Dismantling and disassembly: 93 %

(2) Packaging: 52 %

e. Packages completed during report period:

f. Packages completed to date:

Number	Gross Weight (metric tons)	Gross Volume (cubic tons)
215	494.39	1090.558
304	644.70	1311.36

6. Remarks:

Roichi Teraoka
 7. (Signature)

Custodian, Ex-21st. Naval Air Depot
 8. (Title)

9. Reviewed by:

10. (Signature)

57
~~##~~
~~173~~
~~217~~

CHINA

Allocation Notice No. 1-62

Inventory No.	Name of Equipment	P.K. No.	Set No.	Type of package	Whse NO
27-4					
✓ 2541	Transformer 500 KVA	1		Crate 2	#8
✓ 2542	"	2		" 1	"
✓ 2543	"	3		" 2	"
✓ 2270	" 300 KVA	4		" 2	"
✓ 2271	"	5		" 2	"
✓ 2272	"	6		" 1	"
✓ 2273	"	7		" 2	"
✓ 2274	"	8		" 1	"
✓ 2275	"	9		" 1	"
✓ 2276	"	10		" 1	"
✓ 2549	"	11		" 1	"
✓ 2548	"	12		" 2	"
✓ 2553	"	13		" 1	"
✓ 2555	"	14		" 2	"
✓ 2556	"	15		" 1	"
✓ 2557	"	16		" 2	"
✓ 2554	"	17		" 2	"
✓ 2551	"	18		" 1	"
✓ 2552	"	19		" 2	"
✓ 2550	"	20		" 1	"
✓ 2546	"	21		" 2	"
✓ 2547	"	22		" 2	"
✓ 2544	"	23		" 2	"
✓ 2545	"	24		" 1	"
✓ 2215	"	25		" 1	"
✓ 2214	"	26		" 2	"
✓ 2216	"	27		" 1	"
✓ 2218	" 200 KVA	28		" 1	"
✓ 2200	"	29		" 1	"
✓ 2558	"	30		" 2	"
✓ 2559	"	31		" 1	"
✓ 2560	"	32		" 1	"
✓ 2217	"	33		" 2	"
✓ 2222	"	34		" 1	"
✓ 2223	"	35		" 1	"
✓ 2278	"	36		" 1 1/2	"
✓ 2277	"	37		" 1	"
✓ 2279	"	38		" 1	"
✓ 2561	"	39		" 2	"
✓ 2562	"	40		" 2	"
✓ 2563	"	41		" 1	"
✓ 2203	" 180 KVA	42		" 2	"
✓ 2202	"	43		" 1	"
✓ 2292	"	44		" 1	"
✓ 2207	Transformer 150 KVA				
✓ 2206	"	45		" 2	"
✓ 2569	"				
✓ 2570	"	46		" 2	"
✓ 2219	"				
✓ 2221	"	47		" 1	"
✓ 2220	"				
✓ 2571	"				
✓ 2572	"	48		" 1	"
✓ 2573	"				

OK

Inventory No.	Name of Equipment	P.K. No.	Set No.	Type of package	Whse NO
27-4					
✓2589, ✓2588	Transformer, 75 KVA)	(49)	Crate	#8
✓2587	")	(50)	"	"
✓2586, ✓2585	")	(51)	"	"
✓2590, ✓2591	")	(52)	"	"
✓2592, ✓2655	" 50 KVA)	(53)	"	"
✓7966, ✓2665	")	(54)	"	"
✓2664, ✓2658	")	(55)	"	"
✓2666, ✓2659	")	(56)	"	"
✓2660, ✓2661	")	(57)	"	"
✓2662, ✓2663	")	(58)	"	"
✓3920, ✓3921	" 30 KVA)	(59)	"	"
✓2669, ✓2670	")	(60)	"	"
✓2668, ✓2667	")	(61)	"	"
✓2696, ✓2697	")	(62)	"	"
✓2691, ✓2692	")	(63)	"	"
✓2693, ✓2694	")	(64)	"	"
✓2698, ✓2700	")	(65)	"	"
✓2699, ✓2695	")	(66)	"	"
✓2797, ✓2770	")	(67)	"	"
✓2771, ✓2772	")	(68)	"	"
✓2769, ✓7953	")	(69)	"	"
✓7968	")	(70)	"	"
✓2786	")	(71)	"	"
✓2792, ✓2793	" 20 KVA)	(72)	"	"
✓2756, ✓2757	" 100 KVA)	(73)	"	"
✓2758	")	(74)	"	"
✓2636, ✓2644	" 50 KVA)	(75)	"	"
✓2645, ✓2642	")	(76)	"	"
✓2654, ✓2647	")	(77)	"	"
✓2649, ✓2648	")	(78)	"	"
✓2643, ✓2646	")	(79)	"	"
✓2641, ✓2653	")	(80)	"	"
✓2656, ✓2657	")	(81)	"	"
✓2651, ✓2652	")	(82)	"	"
✓2632, ✓2635	")	(83)	"	"
✓2640, ✓2638	")	(84)	"	"
✓2630, ✓2629	")	(85)	"	"
✓2639, ✓2650	")	(86)	"	"
✓3937, ✓3938	Oil Circuit Breaker)	(87)	Box	"
✓3939, ✓3926	")	(88)	"	"
✓3940, ✓3941	")	(89)	"	"
✓3935, ✓3936	")	(90)	"	"
✓3934	")	(91)	"	"

Inventory No	Name of Equipment	P.K. No.	Set No	Type of package	Whse No
27-4					
✓ 3925, ✓ 3927	Oil Circuit Breaker	}	73	Box 1	#8
✓ 3928, ✓ 3924	"				
✓ 7964, ✓ 2843	Transformer, 50 KVA	}	74	Crate 1	"
✓ 7965	"				
✓ 2751, ✓ 2752	" 10 KVA	}	75	Box 2	"
✓ 2753, ✓ 3923	"				
✓ 3922, ✓ 7961	" 15 KVA	}	76	" 1	"
✓ 2759	"				
✓ 7960	" 5 KVA	}	77	" 2	"
✓ 2742, ✓ 2741	" 20 KVA				
✓ 2740	"	}	78	Crate 1	"
✓ 2739, ✓ 2730	"				
✓ 2731	"	}	79	" 1	"
✓ 2732, ✓ 2733	"				
✓ 2734	"	}	80 ✓	" 1	"
✓ 2735, ✓ 2736	"				
✓ 2737	"	}	81 ✓	" 1	"
✓ 2738, ✓ 2729	"				
✓ 2728	"	}	82 ✓	" 1	"
✓ 2727, ✓ 2726	"				
✓ 2725	"	}	83 ✓	" 1	"
✓ 2724, ✓ 2723	"				
✓ 7958	"	}	84 ✓	" 1	"
✓ 4639	Band Saw				
✓ 7976	Transformer, 15 KVA	}	85 ✓	" 1	"
✓ 671	Motor, 7.5 KW				
✓ 623	"	}	86 ✓	" 1	"
✓ 2518	"				
✓ 611	"	}	87 ✓	" 1	"
✓ 628	"				
✓ 7905, ✓ 7904	Motor ✓	}	88	" 2	"
✓ 621	"				
✓ 617	"	}	89	Crate 2	"
✓ 661, ✓ 662	"				
✓ 616	"	}	90	" 1	"
✓ 2479, ✓ 2481	Frequency changer				
✓ 2480, ✓ 2482	"	}	91	" 1	"
✓ 2477, ✓ 2478	"				
✓ 2483, ✓ 2262	"	}	92	" 1	"
✓ 2236	Frequency changer				
✓ 574, ✓ 575	Motor	}	93	" 1	"
		}	94	Box 1	"
		}	95	Crate 1	"
		}	96	Crate 1	"
		}	97	Crate 1	"
		}	98	Crate 1	"
		}	99	Crate 1	"
		}	100	Crate 1	"
		}	101	Crate 1	"
		}	102	Crate 1	"

et

Inventory No	Name of Equipment	P.K. No.	Set No.	Type of package	Whse No
27-4 ✓ 572, ✓ 2484	Motor	103	✓	Crate 2	#8
✓ 587, ✓ 588	Motor	104		Crate 1	"
✓ 2465	Motor	105		Crate 2	"
✓ 2496	Alterating current generator	106		" 2	"
✓ 2537	Motor generator	107		" 2	"
✓ 2538	Motor generator	108		" 1	"
✓ 663, ✓ 2835	Motor	109		Box 1	"
✓ 750, ✓ 7916 ✓ 7921	Motor	110		" 1	"
✓ 275, ✓ 5662	Bench grinder	111		" 1	"
✓ 878 ✓ 875	(2) Port grinder (6) Port drills	112		" 1	"
✓ 874	(270) Port drills	113		" 1	"
✓ 760 ✓ 760	500 Pneumatic hammer #27 "	114 115	1-1/2 1-2/2	" 1 " 2	"
✓ 876 ✓ 758	60 " 7 "	116		" 1	"
✓ 759	171 "	117		" 1	"
✓ 2522, ✓ 5513	Motor pump	118		" 2	"
✓ 2671	Transformer	119		" 1	"
✓ 2840, ✓ 2841 ✓ 2842, ✓ 2856	Transformer 50 KVA	120		Crate 1	"
✓ 2511	DC Generator	121		" 1	"
✓ 3627, ✓ 3628	Hoist	122		" 1	"
✓ 3629, ✓ 3630	Hoist	123		" 1	"
✓ 2857, ✓ 2864	Motor	124		Box 2	"
✓ 6750, ✓ 6749 ✓ 6747, ✓ 6748	Surface plate	125		Paint skid base	"
✓ 6752	Savage black	126		Skid base 2	"
✓ 7938	Motor	127		Box 1	"
✓ 7899	"	128		Crate 1	#4
✓ 3958	Rivet tightener	129		Box 1	"
✓ 201	Milling	130		Crate 1	"
✓ 315	Milling	131		Crate 1	"
✓ 316	Milling	132		Crate 1	"
✓ 8877, ✓ 8878 ✓ 8879	Transformer bushing	133		Box 1	"
✓ 8867, ✓ 8868 ✓ 8869, ✓ 8870 ✓ 8871, ✓ 8872 ✓ 8873	Cooling fins for transformer	134		Crate 2	"

ways
send

OK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4 ✓ ✓8357, 8358 ✓ ✓8359 ✓	Pole switch gear	135		Box	#4
✓8356, 8362 ✓	Pole switch gear	136		"	"
✓547 ✓	Detector	137	2-1/3 ✓	Box	"
✓547 ✓	"	138	2-2/3 ✓	"	"
✓547 ✓	"	139	2-3/3 ✓	"	"
✓582 ✓	Testing machine	140		"	"
✓8337 ✓ ✓6753 ✓	Starter Surface plate	141		"	"
✓6754, 6755 ✓ ✓3634 ✓	Surface plate	142		Skid base	"
✓2232 ✓	Air compressor	143	3-1/2 ✓	Crate	"
✓2232	Motor, rheostat	144	3-2/2 ✓	Crate	"
✓3954 ✓	Sheet metal bending	145		Crate	"
✓447 ✓ 447	Quenching tank	146	4-1/3 ✓	Skid base	" - 2
✓447	Furnace	147	4-2/3 ✓	Box	" - 2
✓447	Switch board	148	4-3/3 ✓	Open crate	" - 2
✓446 ✓ 446	Quenching tank	149	5-1/3 ✓	Skid base	" - 2
✓446	Furnace	150	5-2/3 ✓	Box	" - 2
✓446	Switch board	151	5-3/3 ✓	Open crate	" - 2
✓445	Structure for door	152	6-1/2 ✓	Skid base	"
✓445	Furnace	153	6-2/2 ✓	Box	"
✓442	Control pannel	154	7-1/2 ✓	Skid base	"
✓442	Furnace	155	7-2/2 ✓	Crate	" - 2
✓437	Control pannel	156	8-1/4 ✓	Box	" - 2
✓437	Spot welder	157	8-2/4 ✓	"	"
✓437	Conjunction box	158	8-3/4 ✓	"	"
✓437	Voltage regulator	159	8-4/4 ✓	Crate	" - 2
✓440	Step-up transformer	160	9-1/4 ✓	Box	" - 2
✓440	Spot welder	161	9-2/4 ✓	"	" - 2
✓440	Conjunction box	162	9-3/4 ✓	"	"
✓440	Voltage regulator	163	9-4/4 ✓	Crate	" - 2
✓441	Step-up transformer	164	10-1/4 ✓	Box	" - 2
✓441	Spot welder	165	10-2/4 ✓	"	"
✓441	Conjunction box	166	10-3/4 ✓	"	"
✓441	Voltage regulator	167	10-4/4 ✓	Crate	" - 2
✓433	Step-up transformer	168	11-1/4 ✓	Box	"
✓433	Spot welder	169	11-2/4 ✓	"	"
✓433	Conjunction box	170	11-3/4 ✓	"	" - 2
✓433	Voltage regulator	171	11-4/4 ✓	Crate	"
✓432	Step-up transformer	172	12-1/4 ✓	Box	"
✓432	Spot welder	173	12-2/4 ✓	"	"
✓432	Conjunction box	174	12-3/4 ✓	"	" - 2
✓432	Voltage regulator	175	12-4/4 ✓	Crate	"
✓430	Step-up transformer	176	13-1/4 ✓	Box	"
✓430	Spot welder	177	13-2/4 ✓	"	"
✓430	Conjunction box	178	13-3/4 ✓	"	" - 2
✓430	Voltage regulator	179	13-4/4 ✓	Crate	" - 2
✓430	Step-up transformer				

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓429	Spot welder	180	14-1/4	Box	#4 - 2
✓429	Conjunction box	181	14-2/4	"	" - 2
✓429	Voltage regulator	182	14-3/4	"	" - 2
✓429	Step-up transformer	183	14-4/4	Crate	" - 2
✓434	Welding machine	184		Crate	" - 2
✓439	Welding machine	185	15-1/3	Crate	" - 2
✓439	Control	186	15-2/3	"	" - 2
✓439	Control box	187	15-3/3	"	" - 2
✓4058	Pump motor, base 2 check valves	188		Crate	" - 2
✓4057	Pump ck. valve stand (motor missing)	189		Box	" - 2
✓3964	Roller machine	191		Crate	"
✓3955	Bending machine				
✓4056	Pump ck. valve stand (motor missing)	190		Box	" - 2
✓2240	Compressor	192	16-1/2	Crate	" - 2
✓2240	Motor	193	16-2/2	Crate	" - 2
✓2241	Compressor	194	17-1/2	Crate	" - 2
✓2241	Motor	195	17-2/2	"	" - 2
✓2242	Compressor	196	18-1/2	Crate	" - 2
✓2242	Motor	197	18-2/2	"	" - 2
✓2246	Compressor, motor	198		Crate	" - 2
✓2247	Compressor, motor	199		Crate	" - 2
✓2253	Compressor, pully belt for wheels	200	19-1/3	Crate	" - 2
✓2253	Motor	201	19-2/3	"	" - 2
✓2253	2 Pully wheels	202	19-3/3	Open crate	" - 2
✓3959	Manual press	203		Crate	" - 2
✓4054	Heat T (wahsing tank)	204		Open crate	" - 2
✓4055	Tank	205		Open crate	" - 2
✓7852	32 (10 meter length)	206	20-1/2	No crate	" - 2
✓7852	2 (4 meter length)	207	20-2/2	No crate	" - 2
✓3636, 3635	Surface plate	208		Skid base	" - 2
✓3966	Shear	209		Crate	#5 - 2
✓5417	Manual shears	210		Box	" - 2
✓3975	Press, manual				
✓4023, 4020	Bolt head pushing machine	211		Crate	" - 2
✓4021					
✓3991, 3994	Metal roller	212		Crate	" - 2
✓3996	Bending machine	213		Crate	" - 2
✓4012, 4017	Metal rollers	214		Crate	" - 2
✓4011, 4014	Metal shears	215		Crate	" - 2
✓5737	Metal hand shears	216		Box	" - 2
✓4019	Hand press				

OK

Inventory No	Name of Equipment	P.k. No	Set No	Type of package	Whse No
27-4					
7586 ✓	Air Recevier	246		Skid base	#6 - 2
4043 ✓	Metal rollers	247		Crate	" - 2
2263 ✓	Engine compressor	248		Crate	" - 2
2503 ✓	Marking machine				
5676, 5675 ✓	Wood planner	249		Crate	" - 2
2540 ✓	Furnace	250		Crate	" - 2
5509 ✓	Pump	251		Box	" - 2
2301 ✓	Compressor	252		Crate	" - 2
2502 ✓	Crank press	253		Box	" - 2
7617 ✓	Oil separator	254		Open crate	" - 2
4052 ✓	Metal washing machine	255		Open crate	" 2
4053 ✓	Metal washing machine	256		Open crate	" 2
8604, 8605 ✓	Control pannel	257	- 2	Crate	" -
8606 ✓					
3957 ✓	Riveting machine	258	- 2	Box	" 2
5484 ✓	Pump				
7551-7564 ✓	14 small anvils	259		Box	" 2
7565-7567 ✓	3 large anvils				
5485 ✓	Pump	260		Box	" - 2
7894 ✓	Motor				
7524-7550 ✓	Crisible graphite (21) ✓	261	XXX	Box	" 2
8845-8862 ✓	Asserted meters	262		Box	" 2
8721-8722 ✓	5 volt and 33 amperage meter	263		Box	" 2
8716-8719 ✓					
8728-8732 ✓		263		Box	" 2
8737-8757 ✓					
8759-8761 ✓					
8767, 8768 ✓					
8785-8796 ✓	12 watt meters	264		Box	" 2
8843, 8844 ✓	2 power meters				
8725, 8727 ✓	4 Ammeters	265		Box	" 2
8734, 8735 ✓	4 volt meters				
8771, 8772 ✓	2 volt and current meters				
8774, 8775 ✓	1 W/H meters				
8778, 8781 ✓	2 W/meters				
8783, 8839 ✓	1 Frequency meter				
8840, 8842 ✓	1 miggar				
	1 bridge meter				
7855 ✓	1 Microscope, 29 switch	266		Box	" - 2
9005-9007 ✓	bos, 2 planimeters, 1 intergrating W/meter				
3637, 3551 ✓	Hoist	267		Crate	" 2
3548, 3549 ✓	Hoist	268		Crate	" - 2
3547 ✓	Hoist	269		Crate	" - 2
3621, 3622 ✓	Hoist	270		Crate	#8 - 2
2855 ✓	Grinder	271		Crate	"
2259 ✓	Motor generator set				
7844, 7845 ✓	Mono rail	272		No crate	" 3
7843, 7842 ✓	"				
2795, 2796	20	273		Box	" 3
247A ✓	Boiler	274	22-1-2 ✓		3
247B ✓	PUMP	275	22-2/2 ✓		3

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
✓ 27-4		276	23-1/2	✓ Semi skid	3
✓ 2473	Boiler	277	23-2/2	✓ Box	3
✓ 2296	Pannel	278	24-1/7	✓ Box	2
✓ 2296	Base	279	24-2/7	✓ Skid base	4
✓ 2296	Hoist (elevator	280	24-3/7	✓ Skid base	2
✓ 2296	Weights	281	24-4/7	"	2
✓ 2296	Winch & motor	282	24-5/7	✓ Crate	2
✓ 2296	Floor & structure	283	24-6/7	✓ Open crate	4
✓ 2296	Accessories	284	24-7/7	"	2
✓ 2306	Locomotive crane	285	25-1/2	✓ Open crate	2
✓ 2306	"	286	25-2/2	✓ "	2
✓ 2775	Transformer 30	287		Crate	2
✓ 2773, 2774	"				2
✓ 3632	Hoist	288		Box	2
✓ 7848	10 Mono rail	289		No crating <i>Bunelle</i>	2
✓ 7849	10 Mono rail	290		No crating <i>Bunelle</i>	2
✓ 4922	Surface plate	291		Skid base 1	
✓ 2143	Boiler 35 KVA	292		Skid base	
✓ 2140	" 25 KVA	293		Semi skid	3
✓ 2141	"	294		Semi skid	3
✓ 2142	"	295		Semi skid	2
✓ 7847	(8) Mono rails	296		Semi skid	2
✓ 2138	Boiler	297		Semi skid	3
✓ 2139	Power boiler	298	26-1/2	✓ Semi skid	3
✓ 2139	(2) burner	299	26-2/2	✓ Skid base	2
✓ 5435, 5434	Pumps	300		Crate	2
✓ 5436					
✓ 5439	Tank	301		Skid base	2
✓ 5438	"	302		"	2
✓ 5437	"	303		"	2
✓ 5475	Support structure	304		Skid base	2
✓ 5440	Tank	305		Inside support	2
✓ 5445	Tank	306		Skid base	2
✓ 5444	Tank	307		"	2
✓ 5442	Tank	308		"	2
✓ 5474, 5476	Structure	309		"	2
✓ 5443	Tank	310		"	2
✓ 5446	Tank	311		"	2
✓ 5447	Purification oil tank	312		"	2
✓ 5449	Tank	313		"	2
✓ 5448	Condenser	314		"	2
✓ 5450, 5451	Tank	315		Open crate	2
✓ 5453	Tank	316		Skid	2
✓ 5452, 5459	Pump	317		Crate	2
✓ 5464	Vacuum pump	318		Crate	2
✓ 5455	Tank	319		Skid base	2
✓ 5472	Tank stand	320		Open crate	2
✓ 5473	Tank stand				
✓ 5463, 5454	Filtering press	321		Crate	2
✓ 5456	Tanks	322		Skid base	2
✓ 5457	"	323		"	2
✓ 5458	"	324		"	2
✓ 5461, 5462	Oil separator	325		Crate	2
✓ 5441	Tank	326		Skid base	2
✓ 5460	Tank	327		Skid base	2
✓ 5466, 5467	Steel pipe	328		Semi open	
✓ 5469				crate	
✓ 5468	Steel pipe	329		Semi open crate	2
✓ 5470	"	330		"	2
✓ 5471	"	331		Semi skid	2

CR

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓ 2903-2908	Surface plate	332		Skid base	#5-2
✓ 2923-2929	"	333		"	" - 2
✓ 2884-2887	"	334		"	" - 2
✓ 2888-2891	"	335		"	" - 2
✓ 2913, 2914	"	336		"	" - 2
✓ 2911, 2912	"	337		"	" - 2
✓ 2935, 2883	"	338		"	" 2
✓ 2882, 2881	"				
✓ 2898, 2899	"	339		"	" - 2
✓ 2900, 2902	"				
✓ 2894, 2895	"				
✓ 2901, 2896	"	340		"	" - 2
✓ 2910, 2909	"				
✓ 2892, 2893	"				
✓ 2915, 2916	"	341		"	" - 2
✓ 2897, 2917	"				
✓ 2930-2934	"	342		"	" - 2
✓ 2940	"				
✓ 2941, 2873	"	343		"	" - 2
✓ 2921, 2922	"				
✓ 2918, 2919	"	344		"	" - 2
✓ 2920, 3638	"				
✓ 2936-2938	"	345		"	" - 2
✓ 2942, 3001 (60)	"	346		Crate	" - 2
✓ 3002, 3051	"	347		"	" - 2
✓ 3052-3111	"	348		"	" - 2
✓ 3112-3171	"	349		"	" - 2
✓ 3358-3416	"	350		"	" - 2
✓ 3192-3201	"	351		"	" - 2
✓ 3172-3191	"				
✓ 3203-3206	"				
✓ 3417-3436	"	352		"	" - 2
✓ 3207-3256	"				
✓ 3257-3265	"				
✓ 3356	"	353		"	" - 2
✓ 3266-3314	"				
✓ 3315-3355	"		354		"
✓ 3438-3448	"	355		"	" - 2
✓ 3449-3458	"				
✓ 3459-3468	"				
✓ 3469-3475	"				
✓ 3437, 3357	"				
✓ 6745, 2939	"	356		"	" - 2
✓ 3501, 3493	"	357		Skid base	#6-2
✓ 3500, 3492	"				
✓ 3499, 3498	"				
✓ 3535, 3534	"	358		"	" - 2
✓ 3529, 3524	"				
✓ 3533, 3530	"				
✓ 3528, 3527	"	359		"	" - 2
✓ 3523, 3522	"				
✓ 3526, 3521	"				

OK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4 ✓3536, 3538	Surface Plate	360 ✓		Skid base	#6 - 2
✓3541, 3537	"	361		"	" - 2
✓3516, 3517, ✓3513	"	362 ✓		"	" - 2
✓3487, 3488 ✓3520, 3494 ✓3495, 3496	"	363		"	" - 2
✓3514, 3515 ✓3518	"	364 ✓		"	" - 2
✓3540, 3539	"	365		"	" - 2
✓3503, 3502, ✓3489, 3497 ✓3490, 3491	"	366		"	" - 2
✓3482, 3484 ✓3486, 3485 ✓3479, 3473	"	367		"	" - 2
✓3478, 3480, ✓3477, 3481 ✓3476, 3506	"	368 ✓		"	" - 2
✓3511, 3512 ✓3508	"	369 ✓		"	" - 2
✓3504, 3505 ✓3519, 3507 ✓6746, 6751	"	370		"	" - 2
✓3525, 3531 ✓3532, 3543	"	371 ✓		"	" - 2
3510, 3509 3542	"	372		"	" - 2
✓7846	(1a) 12 meter length	373	27-1/2 ✓	No crate	2
✓7848	(1) 10 " Mono rails (8)	374	27-2/2 ✓	No crate	2
✓2136	Power boiler	375	28-1/2 ✓	Skid base	2
✓2136	Pump, gauge valve	376	28-2/2 ✓	Box	2
✓2135	Power boiler	377	29-1/2 ✓	Skid base	2
✓2135	Pump gauge valve	378	29-2/2 ✓	Box	2
✓2149	Boiler	379	30-1/2 ✓	Skid base	2
✓2149	Pump valve gauge	380	30-2/2 ✓	Box	2
✓2150	Boiler	381	31-1/2 ✓	Skid base	2
✓2150	Pump valves gauge	382	31-2/2 ✓	Box	2
✓2789, 2790 ✓2791	Transformer	383		Crate	#8
✓4843	Electric grinder	384		Box	
✓1194, 1193 ✓1192, 1201 ✓1202, 1203 ✓1204	Buffing machine	385		Crate	"

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4 ✓ ✓ 1221, 1222	Hydraulic press	386 ✓		Crate	#8
✓ 1224	Gear Cutting machine	387 ✓		"	"
✓ 1235	Grinding machine	388 ✓		"	"
✓ 1250	Milling machine				
✓ 1210	Electric drill	389		Box	"
✓ 1208	Milling machine	390 ✓		Crate	"
✓ 4916	Dry oven	391		Box	"
✓ 1125, 1126	Welding	392 ✓		Crate	"
✓ 2425	Pump	393 ✓		Box	"
✓ 1324, 2426, 1334, 1068 ✓	Testing machine	394		Crate	"
	"				
✓ 1189	Magnet (crack detector)	395		Crate	
✓ 1142	Lapping machine	396		Crate	
✓ 1297, 1187	Motor	397		Crate	
✓ 1153	"				
✓ 1151, 1197	Motor	398		Crate	
✓ 3640, 1186	"				
✓ 1184, 1152	"				
✓ 1157, 1158 ✓	Motor	399 ✓		Box	
✓ 1159, 1163 ✓	"				
✓ 1164	"				
✓ 1160, 1162 ✓	"	400 ✓		Box	
✓ 1183, 1181 ✓	"				
✓ 3702, 3703 ✓	"				
✓ 3700, 3701	Motor	401 ✓		Box	
✓ 3699, 3697	"				
✓ 3691, 3690	"				
✓ 3688, 3672 ✓	"	402 ✓		Box	
✓ 3681, 3675 ✓	"				
✓ 3662, 3661 ✓	"				
✓ 3660, 3658 ✓	Motor	403 ✓		Box	
✓ 3657, 3650 ✓	"				
✓ 3645	"				
✓ 2420, 2419	Motor	404		Crate	
✓ 2417	"				
✓ 3839, 3838	Hoist	405		Crate	
✓ 3843	Batteru cart	406		Crate	
✓ 2424	Compressor				
✓ 3841	Battery cart	407		Crate	
✓ 2326	Compressor				
✓ 2351	Motor	408		Crate	
✓ 2330	Compressor	409		"	
✓ 2329	"	410		"	
✓ 2325	"	411		"	
✓ 1252	Grinding machine	412		"	
✓ 2319	Boiler	413		Skid base	
✓ 4719, 4720 ✓	Chemistry balances	414 ✓		Box	
✓ 4718, 4717 ✓	"				

OK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓4819, 4820 ✓	Ammeter	}	✓	Box	
✓4824, 4825 ✓	Voltmeter				
Item 41 ✓	Hight gauge				
✓4706, 4705 ✓	Microscope				
✓4826, 9040 ✓	Ammeter A/C	}	✓	Box	
✓7570	Voltmeter A/C				
✓4827	Ammeter A/C				
✓4812, 4813 ✓	Thermo Electric				
✓4811	Pyrometer				
✓4797	D.C. Meggar				
✓4810	Thermor Ele. Pyrometer				
✓4748	Stop watch				
✓7, 8, 9, 10, 13 ✓	Micrometer				
✓14 ✓					
✓16, 15, 19 ✓	Micrometer	}	✓		
✓18	"				
✓22	Cylinder gauge				
✓20, 23, 24 ✓	Micrometer				
✓25, 26, 27 ✓	"				
✓28, 29, 30 ✓	"				
✓34	Radius gauge				
✓39, 31 ✓	Gauge block (2) sets each set 103 pcs				
✓4693-4695 ✓	(3) Platium crucibles				
✓4686-4688 ✓	(3) "				
Item # 44 ✓	(9) Thermometer				
✓46, 48 ✓	(Brakes)				
✓1816	Microscope				
✓1815	Testing machine				
✓4681, 4682 ✓	Air Hammers	}	✓		
✓1814	P.G. (2)				
✓1812, 1808 ✓	Electric Drill 2 furnace)				
✓1745	Casting machine	}		Crate	
✓1743	"				
✓4680	Crusher				
✓2193, 2192 ✓	Transformer	}			
✓2194	"				
✓1768	Casting machine	}			
✓1744	Casting				
✓2184	Compressor	}		32-1/2 ✓	Crate
✓2184	Motor				
✓1778, 1777 ✓	Motor	}			
✓1811, 3862 ✓	"				
✓4744	Rolling mill	}			
✓4668	Mortar				
✓4710	Balance				
✓4745	Slieve cylindrical				
✓1810, 3861 ✓	Motor	}			
✓3860, 3859 ✓	"				
✓3858, 3857 ✓	"				
✓3856, 3855 ✓	"				
✓3854	"				
✓1791, 1797 ✓	Brinrell Tester	}			
✓1793					

CK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4 ✓ ✓2190, 2187 ✓2196,	Transformer) (432)		Crate	
✓2224 ✓2186, 2185	Transformer Pump	(433) (434)		" "	
✓2191, 2195 ✓2188	Transformer ") (435)		"	
✓2189 ✓	Transformer	(436)		"	
✓1833 ✓1833	Electric furnace Electric pannel	(437) (438)	33-1/2 ✓ 33-2/2 ✓	Crate Crate	
✓1828 ✓1828	Electric furnace Electric pannel	(439) (440)	34-1/2 ✓ 34-2/2 ✓	Crate Crate	
✓1832 ✓1832	Electric pannel Electric furnace	(441) (442)	35-1/2 ✓ 35-2/2 ✓	Crate Crate	
✓1830 ✓1830	Electric furnace Control pan el	(443) (444)	36-1/2 ✓ 36-2/2 ✓	Crate Crate	
✓1831 ✓1831	Control pannel Electric furnace	(445) (446)	37-1/2 ✓ 37-2/2 ✓	Crate Crate	
✓4762, 4763 ✓ ✓4771-4775 ✓ ✓4755-3761 ✓	Knife switches " ") (447)		Box	
✓1779 ✓1784, 1786 ✓1798, 1799 ✓	Testing machine Testing " Testing "	(448) (449) (450)		Crate Crate Box	
✓1740 ✓1740 ✓1740	Shaft Machine 6 accessories	(451) (452) (453)	38-1/3 ✓ 38-2/3 ✓ 38-3/3 ✓	Box Crate Crate	
(Forging Machine)					
✓1842 ✓1842 ✓1842 ✓1842	Fly wheel & accessories Cylinder Base Anvil	(454) (455) (456) (457)	39-1/4 ✓ 39-2/4 ✓ 39-3/4 ✓ 39-4/4 ✓	Open crate Crate Skid base Skid base	
(Forging Press)					
✓1843 ✓1843 ✓1843 ✓1843	Base Anvil Body 'Cylinder) Hammer	(458) (459) (460) (461)	40-1/4 ✓ 40-2/4 ✓ 40-3/4 ✓ 40-4/4 ✓	Skid base Skid base Crate Open crate	
✓4656 ✓4659 ✓4660 ✓3863	Work table for radial drill " Radial drill table Surface plate	(462) (463) (464) (465)		Open crate Open crate Open crate Skid base	
✓1805 ✓1807 ✓2432	Heat treat furnace Heat treat furnace Transformer) (466)		Crate	
✓3864-3894	Surface plate	(467)		Crate	
✓4635, 4636 ✓4637	Electric furnace ") (468)		Box	
✓4644 ✓4644	Blue print machine Rheostat	(469) (470)	41-1/2 ✓ 41-2/2 ✓	Crate Box	
✓1634 ✓1635	Heat tester Testing machine) (471)		Box	2 CK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓2828	Transformer	(472)		Crate	2
✓4929	Surface plate) (473)		Open crate	#3
✓4923-4927	"				
✓2832,2831	Transformer	(474)		Crate	2
✓4928,3715	Surface plate	(475)		Skid base	#4
✓4930	(1) Surface plate) (476)		Crate	#3
✓3708	(1) "		#4		
✓3709	(1) "		"		
✓3713	(1) "		"		
✓3714	(1) "		"		
✓3728-3734	(7) "		"		
✓3735-3755	(21) "		"		
✓3710-3712	(3) Surface plate) (477)		Open crate	"
✓3722-3727	(6) "				
✓3716-3718	(3) Surface plate) (478)		Open crate	"
✓3719-3721	(3) "				
✓3756-3758	(3) Surface plate) (479)		Open crate	"
✓3797,3759	(1) (each number) "				
✓3761,4941	"				
✓3760,3762	(1) each "	(480)		Skid base	"
✓3763-3772	(10) ") (481)		Crate	"
✓3798-3806	(9) "				
✓3807-3821	(15) "	(482)		Crate	"
✓3773-3789	(16) ") (483)		Crate	"
✓4946	(1) "				
✓3790-3796	(7) ") (484)		Crate	"
✓3822-3833	(12) "				
✓4931-4940	(10) ") (485)		Crate	"
✓4942-4945	(4) "				
✓4947-4950	(4) "				
✓4951,4952	(2) "	(486)		Crate	"
4828	(1) Air Grinders)			
4830,4833	(2) Air grinders)			
4837-4842	(5) Air grinder &)			
	(1) Electric grinder)			
9010-9013	(4) vices)			
9017-9022	(6) ")			
9030-9035	(6) ")			
9037,9039	(2) ")			
5014-5015	(2) ")			
5017	(1) ")			
5022-5027	(6) ")			
5029-5031	(3) ")			
5034,5038	(2) ")			
5040,5046	(2) ")			
5050-5052	Wheel heads for Int. Grinder)			
5053-5061	Chain blocks, trolley for Chain Block)	487	42-1/79	Crate

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No.
27-4					
Item No					
✓ 1-5	Spanner (558))			
✓ 6,8-90))			
✓ 11-13	33 squares)			
✓ 15-16	174 hand reamers)			
✓ 43-46))	488	42-2/49 ✓Crate	1
✓ 48-51	End mills (360))			
✓ 52-56	End mills (231))			
✓ 57-62	Plain mills (286))	489	42-3/79 ✓Crate	1
✓ 63-70	(98) Milling cutter)			
✓ 71	(1,959) Dies)			
✓ 72-74	(100) Dies)			
✓ 75-76	Machine Reamer (62))			
✓ 77	(24) Knurling tools)	490	42-4/79 ✓Crate	1
✓ 90-133	Bits (13,894))	491	42-5/79 ✓Crate	1
✓ 420	(1) Radius gauges)			
✓ 422	(10) Thickness gauges)			
✓ 423	(4) Center gauges)			
✓ 424-426	(1,227) Plug gauge)			
✓ 427	(1) Gauge block)			
✓ 455	(15) Steel rules)	492	42-6/79 ✓Box	1
	Grinding wheels				
177 ✓	154 x 6 x 18 (19) ✓)			
181 ✓	175 x 13 x 32 (5) ✓)			
187 ✓	175 x 13 x 32 (9) ✓)			
192 ✓	150 x 10 x 32 (21) ✓)			
206 ✓	154 x 15 x 32 (6) ✓)			
210 ✓	150 x 8 x 13 (8) ✓)			
214 ✓	150 x 13 x 50 (160) ✓)			
215 ✓	150 x 25 x 15 (3) ✓)			
218 ✓	150 x 25 x 15 (8) ✓)			
251 ✓	150 x 12 x 50 (24) ✓)			
253 ✓	152.4 x 12.7 x 31.75 (8) ✓)	493	42-7/79 ✓Box	1
287 ✓	(95) 150 x 8 x 13)			
288 ✓	(3) 155 x 14 x 32)			
289 ✓	(42) 150 x 13 x 50)			
291 ✓	(130) 150 x 13 x 50)			
294 ✓	(23) 150 x 10 x 13)			
317 ✓	(8) 150 x 13 x 13)			
358 ✓	(12) 152 x 13 x 13)			
354 ✓	(12) 152 x 13 x 13)			
359 ✓	(96) 152 x 13 x 13)			
360 ✓	(6) 155 x 13 x 3.2)			
361 ✓	(87) 160 x 20 x 52)			
374 ✓	(9) 152.4 x 12.7 x 31.7)	494	42-8/79 ✓Box	1
220 ✓	(3) 350 x 8 x 160)			
191 ✓	(49) ")			
179 ✓	(22) 300 x 10 x 179)			
195 ✓	(3) 203 x 8 x 51)			
394 ✓	(13) 305 x 130 x 127)			
178 ✓	(3) 200 x 10 x 127)			
182 ✓	(2) 200 x 15 x 32)			
185 ✓	(18) 200 x 20 x 32)			
188 ✓	(3) 200 x 15 x 32)			
190 ✓	(41) 180 x 13 x 32)	495	42-9/79 ✓Box	1

CK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓194	(15)✓177.8 x 19 x 38.1				
✓205	(6)✓180 x 15 x 32				
✓204	(2)✓200 x 15 x 32				
✓207	(6)✓180 x 13 x 32				
✓216	(8)✓180 x 13 x 32				
✓217	(33)✓200 x 20 x 20				
✓239	(36)✓180 x 13 x 32				
✓245	(38)✓180 x 13 x 32				
✓249	(18)✓180 x 20 x 42				
✓250	(9)✓"				
✓252	(25)✓180 x 13 x 40				
✓208	(6)✓"				
		496	42-10/79	Box	1
✓254 ✓	(15)✓200 x 20 x 20				
✓255 ✓	(14)✓200 x 23 x 16				
✓256 ✓	(60)✓180 x 15 x 32				
✓257 ✓	(7)✓200 x 65 x 21				
✓258 ✓	(2)✓200 x 80 x 80				
✓290 ✓	(52)✓180 x 13 x 32				
✓292 ✓	(16)✓177.8 x 12.7 x 31.7				
✓293 ✓	(19)✓180 x 13 x 32				
		497	42-11/79	Box	1
✓299	(38)✓200 x 25 x 32				
✓312	(14)✓200 x 32 x 32				
✓313	(6)✓200 x 64 x 21				
✓314	(2)✓200 x 32 x 32				
✓318	(3)✓185 x 35 x 20				
✓321	(1)✓200 x 32 x 32				
✓323	(1)✓200 x 32 x 32				
✓352	(17)✓180 x 13 x 32				
✓377	(16)✓180 x 20 x 32				
✓378	(37)✓180 x 14 x 32				
		498	42-12/79	Box	1
✓379	(37)✓180 x 14 x 32				
✓380	(84)✓" " "				
✓386	(9)✓200 x 25 x 32				
✓412	(12)✓180 x 32 x 26				
✓419	(10)✓200 x 32 x 32				
✓183	(1)✓205 x 80 x 80				
		499	42-13/79	Box	1
✓212 ✓	(23)✓250 x 30 x 76				
✓213 ✓	(11)✓250 x 30 x 76				
✓260 ✓	(1)✓250 x 28 x 78				
✓413 ✓	(38)✓205 x 32 x 31.8				
✓161 ✓	(18)✓300 x 35 x 31.8				
✓167 ✓	(6)✓300 x 83 x 130				
✓186 ✓	(3)✓255 x 20 x 75				
✓259 ✓	(10)✓255 x 13 x 89				
✓189 ✓	(5)✓305 x 27 x 127				
		500	42-14/79	Box	1
✓211	(31)✓300 x 25 x 127				
✓296	(13)✓300 x 25 x 179				
✓283	(3)✓300 x 80 x 130				
✓295	(14)✓305 x 15 x 127				
✓297	(75)✓350 x 8 x 160				
		501	42-15/79	Box	1
✓319	(1) 305 x 130 x 82				
✓160	(7) 355 x 100 x 229				
✓162	(3) 355 x 130 x 265				
✓163	(6) " " "				
✓164	(9) 355 x 100 x 265				
✓180	(2) 355 x 30 x 130				
✓229	(5) 355 x 130 x 215				
		502	42-16/79	Box	1

CK

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No				
27-4									
✓ 170	(17) Grinding wheels	503	42-17/79	✓ Crate 1					
✓ 171	(3) "								
✓ 228	(19) "								
✓ 230	(1) "								
✓ 261	(1) "								
✓ 262	(5) "								
✓ 263	(6) "								
✓ 231	(1) "								
✓ 232	(2) "								
✓ 265	(2) "								
✓ 270	(30) Grinding wheels					504	42-18/79	✓ Crate 1	
✓ 298	(1) "								
✓ 315	(5) "								
✓ 324	(2) "								
✓ 325	(10) "								
✓ 326	(18) "								
✓ 327	(2) "								
✓ 410	(1) "								
✓ 165	(18) "								
✓ 221	(3) "								
✓ 166	(16) "								
✓ 234	(2) "								
✓ 235	(2) "								
✓ 236	(2) "								
✓ 264	(3) "								
✓ 268	(6) "								
✓ 269	(6) "								
✓ 320	(2) Grinding wheels	505	42-19/79	✓ Crate 1					
✓ 322	(2) "								
✓ 159	(11) "								
✓ 168	(8) "								
✓ 223	(2) "								
✓ 226	(3) "								
✓ 238	(3) "								
✓ 266	(1) "								
✓ 300	(3) "								
✓ 328	(3) "								
✓ 400	(1) "								
✓ 172-173	(3) (3) "								
✓ 273	(1) Grinding wheels	506	42-20/79	✓ Crate 1					
✓ 274	(2) "								
✓ 275	(1) "								
✓ 276	(1) "								
✓ 304	(1) "								
✓ 154	(1) "								
✓ 155	(1) "								
✓ 174	(5) "								
✓ 175	(3) "								
✓ 176	(3) "								
✓ 227	(2) "								
✓ 329	(1) "								
✓ 277	(1) "								
✓ 330	(1) "								
✓ 169	(3) "								
✓ 331	(1) "								
✓ 382	(5) "								
✓ 381	(1) "								
✓ 384	(1) "								
✓ 385	(2) "								
✓ 414	(1) "								

OH

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓150,332 ✓	(3750) (426) Grinding wheels				
✓333,334 ✓	(515) (1020) "				
✓335,336 ✓	(206) (1020) (345) "				
✓337,338 ✓	(1445) (870) "				
✓339,340 ✓	(624) (186) "				
✓341,342 ✓	(681) (67) "	507	42-21/79	Box	
152 ✓	(5016) Grinding wheels	508	42-22/79	Box	
✓225,311 ✓	(2) (24) "				
✓153,184 ✓	(199) (42) Grinding wheels				
✓193,198 ✓	(25) (9) "				
✓246,199 ✓	(35) (4) "				
✓247,200 ✓	(7) (9) "				
✓248,201 ✓	(9) (7) "				
✓285,203 ✓	(62) (6) "				
✓286,209 ✓	(10) (156) "				
✓303,219 ✓	(32) (3) "				
✓310,224 ✓	(39) (2) "				
✓316,240 ✓	(51) (57) "				
✓241,242 ✓	(1) (8) "				
✓243,244 ✓	(8) (17) "	509	42-23/79	Box	
✓157,158 ✓	(96) (33) Grinding wheels				
✓202,281 ✓	(6) (66) "				
✓282,284 ✓	(114) (97) "				
✓301,302 ✓	(54) (48) "				
✓307,308 ✓	(34) (47) "				
✓309,390 ✓	(127) (24) "				
✓391,397 ✓	(47) (6) "	510	42-24/79	Box	
✓345,346 ✓	(2373) (480) "				
✓347,348 ✓	(825) (222) "				
✓349	(1800) "	511	42-25/79	Box	
✓350,351 ✓	(90) (15) "				
✓353,355 ✓	(10) (15) "				
✓356,357 ✓	(30) (54) "				
✓362,363 ✓	(27) (24) "				
✓364,365 ✓	(3) (6) "				
✓367,368 ✓	(9) (3) "				
✓369,370 ✓	(15) (15) "	512	42-26/79	Box	
✓366,371 ✓	(126) (15) "	513	42-27/79	Box	
✓372,373 ✓	(21) (27) "				
✓392,393 ✓	(38) (208) "				
✓396,398 ✓	(6) (9) "				
✓399,402 ✓	(2) (1) "				
✓403,405 ✓	(11) (9) "				
✓406,407 ✓	(3) (2) "	514	42-28/79	Box	
✓408 ✓	(360) Grinding wheels	515	42-29/79	Box	
✓395,409 ✓	(78) (45) "				
✓416	(71) "	516	42-30/79	Box	
✓415,417 ✓	(37) (45) "				
✓418,197 ✓	(200) (7) "				
✓196	(6) "	517	42-31/79	Box	
✓144,145 ✓	(396) (110) Oil stones				
✓146,147 ✓	(29) (1645) "				
✓148,151 ✓	(37) (20) "				
✓344,343 ✓	(159) (218) "				
✓149	(1350) "	518	42-32/79	Box	
✓389	(15) 305 x 130 x 127	519	42-33/79	Box	

CH

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4	OMURA AREA				
✓ 80-93 ✓	Face plate, chuck)	* # 89, 92 do not go to China		
✓ 133-134 ✓	")			
✓ 137-151 ✓	")	520	42-34/79 ✓ Crate	-2
✓ 94-103 ✓	Vices)	521	42-35/79 ✓ Crate	-2
✓ 104-110 ✓	Vices (50))	522	42-36/79 ✓ Crate	-2
✓ 104-110 ✓	Vices (28))	523	42-37/79 ✓ Crate	-2
✓ 112-116 ✓	Vices (99))			
✓ 118-121 ✓	")	524	42-38/79 ✓ Crate	-2
✓ 117 ✓	Vices (96))	525	42-39/79 ✓ Crate	-2
✓ 117 ✓	Vices (95))	526	42-40/79 ✓ Crate	-2
✓ 333-364 ✓	Chain blocks)	527	42-41/79 ✓ Crate	-2
* Except following numbers, 334-335, 342-344, 346-348, 351, 353, 358, 362.					
✓ 1-25 ✓	V blocks)	528	42-42/79 ✓ Crate	2
* Except No. 4, 12.					
✓ 31-41 ✓	C. Clamps)	529	42-43-79 ✓ Box	2
✓ 42-69 ✓	Square clamp)	530	42-44/79 ✓ Box	-2
* Except No. 51, and 53.					
✓ 110-139 ✓	7 drivers, scetyline)		* Except No. 127.	
✓ 169-183 ✓	Gas welder, mallets)	531	42-45/79 ✓ Box	2
* Except No. 175, 176, 177, 178.					
✓ 70-105 ✓	Spanner punches, etc)	532	42-46/79 ✓ Box	2
* Except No. 91 ✓					
✓ 147-155 ✓	Hammers)			
✓ 157-161 ✓	")	533	42-47/79 ✓ Box	2
156 ✓	Hammer carpenters)	534	42-48/79 ✓ Box	2
✓ 162-167 ✓	Mallets)	535	42-49/79 ✓ Box	2
✓ 203-246 ✓	Air guns, Dies)	536	42-50/79 ✓ Box	2
(* Except 204, 206 and 207)					
✓ 247-257 ✓	Hand reamers)	537	42-51/79 ✓ Box	2
* Except No. 255 ✓					
✓ 258-278 ✓	Reamer, band saw)	538	42-52/79 ✓ Box	2
✓ 279-308 ✓	Oil stones grinding wheel)	539	42-53/79 ✓ Box	2
✓ 309-313 ✓	Grinding wheels)			
* Except No. 311 ✓					
✓ 315 ✓	")			
✓ 317-324 ✓	")	540	42-54/79 ✓ Box	2
✓ 314 ✓	Grinding wheels)	541	42-55/79 ✓ Box	2
✓ 316 ✓	")	542	42-56/79 ✓ Box	2
✓ 325-373 ✓	Cutters)	543	42-57/79 ✓ Box	2
✓ 374-378 ✓	Twist drills)	544	42-58/79 ✓ Crate	1
✓ 379-384 ✓	")	545	42-59/79 ✓ Crate	1
* Except No. 380					
✓ 385-392 ✓	")	546	42-60/79 ✓ Crate	1
✓ 393-402 ✓	")	547	42-61/79 ✓ Crate	1
✓ 403-409 ✓	")	548	42-62/79 ✓ Crate	1
✓ 410-451 ✓	Bits)	549	42-63/79 ✓ Box	2
✓ 452-459 ✓	Files)	550	42-64/79 ✓ Crate	2
✓ 460-468 ✓	")	551	42-65/79 ✓ Crate	2
✓ 469-476 ✓	")	552	42-66/79 ✓ Crate	2
✓ 447-495 ✓	")	553	42-67/79 ✓ Crate	2
✓ 496-523 ✓	")	554	42-68/79 ✓ Box	2
✓ 524 ✓	Blades Hack S. w)	555	42-69/79 ✓ Box	2

Inventory No	Name of Equipment	P.K. No	Set No	Type of package	Whse No
27-4					
✓ 525-530	Blades assorted shears	556	42-70/79	Box	2
✓ 535-539	Cissors, etc.				
✓ 540-576	Wood Breast drill				
* Except No. 549, 553, and 575.					
✓ 531-534	Chisels	557	42-71/79	Box	2
✓ 577-665	Assorted supplies	558	42-72/79	Box	2
* Except No. 601, 606, 629, 631, 644, 647-649.					
✓ 4066, 4067	Grinder	559	42-73/79	Crate	2
✓ 4068, 4126	Circular table				
✓ 4073, 4083	Dividing head				
✓ 4105, 4112	Swivel vice				
✓ 4122, 4123	Bench vice				
4128-4132	Lathe dog				
✓ 4138, 4150	Lathe center				
4167-4169	Die head				
✓ 4163, 4171	Drill socket				
✓ 4174-4191	Milling arbor				
4210-4226	Sleeves for collet chuck				
✓ 4262, 4283	Angle plate				
✓ 4245, 4252	Knurling tool holder				
✓ 4370, 4374	✓ 4095-4098				
✓ 4381, 4387, 4394, 4399, 4406, 4435,					
✓ 4464, 4468, 4474, 4476, 4478-4480,					
✓ 4484, 4497, 4513, 4548, 4585, 4590,					
✓ 4592, 4594, 4598, 4596-4597, 4599-4601					
✓ 4-11	Bits	560	42-74/79	✓ Crate	2
✓ 12	Bits	561	42-75/79	✓ Crate	2
✓ 13	Bits	562	42-76/79	✓ Crate	2
✓ 13	Bits	563	42-77/79	✓ Crate	2
✓ 14-52	Bits	564	42-78/79	✓ Crate	2
✓ 53-71 1-3	Velt calipers, vernier calipers, center gauge, drill point gauge, micro-meter stand square, "V" block, screw gauge ring	565	42-79/79	✓ Box	2
✓ 7830 ✓ ✓ 7832 ✓	Power truck) Passenger car)) were delivered to Chinese Council at Nagasaki 17 August 1949 at 1100 hours.			
✓ 7840 ✓	16 (30M length) mono rail	566	43-1/2	✓ Bundle	2
✓ 7840 ✓	16 (30M length) mono rail	567	43-2/2	✓ Bundle	2
✓ 7853 ✓	Rail	568	44-1/2		2
✓ 7853 ✓	Pages, bolt & nuts	569	44-2/2	Box	2
✓ 7838 ✓	6 upright girder	570	45-1/8	✓ Bundle	2
✓ 7838 ✓	"	571	45-2/8	✓ "	2
✓ 7838 ✓	"	572	45-3/8	✓ "	2
✓ 7838 ✓	"	573	45-4/8	✓ "	2
✓ 7838 ✓	"	574	45-5/8	✓ "	2
✓ 7838 ✓	"	575	45-6/8	✓ "	2
✓ 7838 ✓	"	576	45-7/8	✓ "	2
✓ 7838 ✓	"	577	45-8/8	✓ "	2
✓ 7854 ✓	6 Horizontal girder	578	46-1/8	✓ "	2
✓ 7854 ✓	"	579	46-2/8	✓ "	2
✓ 7854 ✓	"	580	46-3/8	✓ "	2
✓ 7854 ✓	"	581	46-4/8	✓ "	2
✓ 7854 ✓	"	582	46-5/8	✓ "	2
✓ 7854 ✓	"	583	46-6/8	✓ "	2
✓ 7854 ✓	"	584	46-7/8	✓ "	2
✓ 7854 ✓	"	585	46-8/8	✓ "	2

Inventory No.	Name of Equipment	P.K. No.	Type of Package	Whee No.	Frans
27-4					
5522	Blower w/motor 3 H.P.	586	Box	2	
8541	Contractor starter	587	Box	2	
8890	Starting reostat				
8550	Switch box				
8720	Ammeter A/C				
8810-8838	Switch boxes				
8549	Motor control	588	Box	2	
8889	Starting rheostat	589	Box	2	
169, 226	Grinding wheels (16)	590	Box	3	
272, 273					
275, 328					
383, 384					
174, 331	Grinding wheels (11)	591	Box	3	
186, 189	Grinding wheels (247)	592	Box	3	
220, 262					
183, 185, 186	Grinding wheels (229)	593	Box	3	
188, 195, 207					
251, 258, 283					
295, 299, 374					
394, 413					
177, 187, 192	Grinding wheels (428)	594	Box	3	
205, 210, 215					
245, 249, 318					
354, 360, 361					
385, 398, 406					
409					
144, 147, 148,	Grinding wheels (1286)	595	Box	3	
157, 158, 282,					
284, 309, 341,					
342, 349, 364,					
366, 368, 369,					
370, 371, 397,					
415, 417					
91, 94, 112, 113 Bits (185)					
114, 128, 130, 132 "					

ALLOCATION NOTICE NO. 1-62Category
of Equipment ARSENAL - INTEGRATED FACILITIES & RESIDUES Segment No. 3Allocated to CHINA From Plant No. 27-4Name of Arsenal 21st NAVAL AIR DEPOT OYURA PLANTInventory Data taken from Lvaluation Report for 27-4 (Residual and Electrical Equipment)

Special Instructions:

1. Dismantling will not be delayed for inspection by claimant's resident engineer.
2. Dismantling will be accomplished under the supervision of a competent Japanese engineer familiar with this type of equipment
3. Shares of cutting tools, accessories and supplies, to be packaged on this allocation notice, are those shares divided and packaged in accordance with letter to Commanding General, Eighth Army, file AG 387.6 (24 Jan 40) GFC/RF, 24 January 1949, subject: "Division into Reparations Shares of Cutting Tools in 21st Naval Air Depot (27-4) and Kawatana Naval Arsenal (27-1)," from General Headquarters, Supreme Commander for the Allied Powers.

Shipping Data:

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 201	Milling Machine, motor 7½ HP	2,000	11,008
✓ 275	Grinding Machine, motor 2 HP	20	90
✓ 315	Milling Machine, motor 5 HP	1,000	7,774
✓ 316	Milling Machine, motor 2 HP	1,000	10,590
✓ 429	Welding machine	1,000	5,707
✓ 430	Welding machine	1,000	6,183
✓ 432)	Welding machines	2,000	13,316
✓ 433)			
✓ 434	Welding machine	600	7,121
✓ 437	Welding machine	1,000	6,658
✓ 439	Welding machine	1,500	6,158
✓ 440	Welding machine	1,000	6,357
✓ 441	Welding machine	1,000	6,629
✓ 442	Heat treating furnace	4,000	4,066
✓ 445	Heat treating furnace	7,000	5,281
✓ 446)	Heat treating furnaces	16,000	11,794
✓ 447)			

Incl. 2³

CT

Allocation Notice No. 1-62Page 2 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 547	Detector, motor 1/2 HP	600	2,253
✓ 572	Motor, 66 HP	100	2,463
✓ 574	Motor, 38 HP	400	966
✓ 575	Motor, 30 HP	600	1,117
✓ 582	Testing machine	40	1,365
✓ 587	Motor, 15 HP	200	627
✓ 588	Motor, 1.5 KW	250	583
✓ 593	Welding machine	300	443
✓ 604	Welding machine	175	645
✓ 611	Motor, 15 HP	200	243
✓ 616	Motor, 75 HP	120	1,170
✓ 617	Motor, 40 HP	200	1,384
✓ 621	Motor, 100 HP	400	1,162
✓ 622	Welding machine	160	421
✓ 623	Motor, 15 HP	150	493
✓ 626	Bending machine *	500	1,428
✓ 628	Motor, 20 HP	200	738
✓ 640	Nail and rivet making machine *	1,000	3,706
✓ 661)	Motors,	1,112	1,724
✓ 662)	1.5 KW		
✓ 663	Motor, 5 HP	50	258
✓ 671	Motor, 1.5 KW	250	583
✓ 679	Honing and lapping machine w/motor, 3 HP	8,000	13,229
✓ 750	Motor, 5 HP	60	268
✓ 758	Hammer, Pneumatic, 7 Pcs.	10.5	382
✓ 759	Hammer, Pneumatic, (171 Pcs. of 511 Pcs)	256.5	9,332
✓ 760	Hammer, Pneumatic, (1000 Pcs of 2900 Pcs)	1,000	6,002
✓ 874	Portable drill, electric w/m 1/4 HP, 20 pcs.	270	18,410
✓ 875	Portable drill, electric, 6pcs	70	458

*motor missing

①①

Allocation Notice No. 1-62Page 3 of 22 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 876	Portable drill, pneumatic, 60 Pcs.	6	3,273
✓ 878	2 Portable grinder, electric 1/2 HP, w/motor	12	273
✓ 1068	Testing machine, Hardness	400	2,013
✓ 1125	Welding machine	318	673
✓ 1126	Welding machine	285	644
✓ 1142	Lapping Machine, w/motor 3 HP, 7.5 HP	4,000	10,463
✓ 1151	Motor, 5 HP	80	159
✓ 1152	Motor, 5 HP	50	245
✓ 1153	Motor, 7.5 W	300	400
✓ 1157	Motor, 5 HP	60	260
✓ 1158	Motor, 5 HP	60	277
✓ 1159	Motor, 5 HP	60	292
✓ 1160	Motor, 7.5 HP	100	332
✓ 1162	Motor, 5 HP	90	277
✓ 1163	Motor, 5 HP	50	282
✓ 1164	Motor, 5 HP	50	273
✓ 1181	Motor, 5 HP	100	151
✓ 1183	Motor, 5 HP	100	164
✓ 1184	Motor, 5 HP	80	98
✓ 1186	Motor, 7.5 W	150	134
✓ 1187	Motor, 7.5 W	800	2,605
✓ 1189	Magnetic Crack Detector	1,000	2,532
✓ 1192	Polishing and buffing machine*	500	4,898
✓ 1193	Polishing and buffing machine, motor 2 HP	500	4,898
✓ 1194	Polishing and buffing machine, motor 2 HP	500	5,511
✓ 1197	Motor, 5 HP	90	41

*motor missing

CH

Allocation Notice No. 1-62

Page 4 of 3 Pages

Inv. No.	Description	Est. Wt. (kg)	Value (1) \$ Yen)
✓ 1201)	Polishing and buffing machines,*	1,500	3,489
✓ 1202)			
✓ 1203)			
✓ 1204	Polishing and buffing machine,*	500	1,163
✓ 1208	Milling machine,*	1,500	3,406
✓ 1210	Portable electric drill, 86 pcs.	170	814
✓ 1221	Hydraulic press	2,500	2,029
✓ 1222	Hydraulic press	2,500	1,915
✓ 1224	Hydraulic press*	1,500	1,462
✓ 1235	Gear cutting*	600	2,297
✓ 1250	Milling machine*	2,500	1,232
✓ 1252	Grinding machine*	900	901
✓ 1297	Motor, 15 HP	170	558
✓ 1324	Testing machine	900	2,470
✓ 1334	Testing machine	100	764
✓ 1634	Testing machine	80	2,656
✓ 1635	Measuring machine	70	9,741
✓ 1740	Testing machine, motors 1 HP, 1/2 HP	2,000	3,162
✓ 1743	Casting machine	2,000	2,700
✓ 1744	Casting machine	2,000	2,850
✓ 1745	Casting machine	2,000	2,703
✓ 1768	Casting machine	500	1,842
✓ 1777	Motor, 7.5 HP	350	601
✓ 1778	Motor, 5 HP	200	279
✓ 1779	Testing machine	150	4,090
✓ 1784	Testing machine	150	1,296
✓ 1786	Testing machine	180	2,130
✓ 1791	Testing machine	100	945

*motor missing

CK

Allocation Notice No. 1-62Page 5 of 35 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 1793	Testing Machine	100	855
✓ 1797	Testing Machine	100	855
✓ 1798	Testing Machine, w/m 1/4 HP	150	1,363
✓ 1799	Testing Machine	150	1,262
✓ 1805	Heat treating furnace	180	683
✓ 1807	Heat treating furnace	180	721
✓ 1808	Heat treating furnace	140	1,025
✓ 1810	Motor, 5 HP	60	296
✓ 1811	Motor, 7.5 HP	85	397
✓ 1812	Portable drill	5	13
✓ 1814	2 Portable grinders, w/m 1/2 HP	10	21
✓ 1815	Testing machine	60	3,598
✓ 1816	Microscope	20	6,816
✓ 1828	Heat treating furnace	5,000	11,820
✓ 1830	Heat treating furnace	7,000	14,223
✓ 1831)	Heat treating furnaces	14,000	29,946
✓ 1832)			
✓ 1833	Heat treating furnace	7,000	13,475
✓ 1842	Forging machine	25,000	14,844
✓ 1843	Forging machine	30,000	20,135
✓ 2135)	Power boilers	12,000	9,520
✓ 2136)			
✓ 2138	Boiler	15,000	6,425
✓ 2139	Boiler	25,000	18,740
✓ 2140	Boiler	20,000	13,386
✓ 2141	Boiler	20,000	13,336
✓ 2142	Boiler	20,000	14,121
✓ 2143	Boiler	35,000	18,652

CR

Allocation Notice No. L-62Page 6 of 75 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 2184	Compressor, w/m 100 HP	2,000	11,038
✓ 2185	Pump	200	1,251
✓ 2186	Pump	200	1,251
✓ 2187	Transformer	1,500	1,160
✓ 2188	Transformer	1,500	1,160
✓ 2189	Transformer	700	681
✓ 2190	Transformer	1,500	1,160
✓ 2191	Transformer	1,500	1,160
✓ 2192	Transformer	750	567
✓ 2193	Transformer	677	474
✓ 2194	Transformer	677	506
✓ 2195	Transformer	1,500	1,031
✓ 2196	Transformer	1,500	1,329
✓ 2200	Transformer	1,050	662
✓ 2202	Transformer	1,676	1,289
✓ 2203	Transformer	1,676	1,360
✓ 2206	Transformer	1,150	1,045
✓ 2207	Transformer	1,150	1,045
✓ 2214)	Transformers	5,478	5,184
✓ 2215)			
✓ 2216)			
✓ 2217)	Transformers	2,100	2,578
✓ 2218)			
✓ 2219)	Transformers	2,040	2,406
✓ 2220)			
✓ 2221)			
✓ 2222)	Transformers	2,100	2,578
✓ 2223)			
✓ 2224	Transformer	3,200	2,039
✓ 2232	Compressor, w/m 100 HP	4,300	9,463
✓ 2240)	Compressor, w/m 100 HP	8,600	16,552
✓ 2241)			
✓ 2242	Compressor, w/m 20 HP	2,200	5,649
✓ 2246	Compressor, w/m 60 HP	3,000	4,751

CK

Allocation Notice No. 1-62Page 7 of 25 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 2247	Compressor, w/m 60 HP	3,000	5,015
✓ 2253	Compressor, w/m 75 HP	4,000	6,404
✓ 2263	Compressor; w/ 5 HP engine	1,000	756
✓ 2270)	Transformers	3,200	3,142
✓ 2271)			
✓ 2272)			
✓ 2273)			
✓ 2274)	Transformers	4,200	2,624
✓ 2275)			
✓ 2276	Transformer	2,100	1,490
✓ 2277)	Transformers	3,000	2,217
✓ 2278)			
✓ 2279	Transformer	1,500	1,108
✓ 2292	Transformer	1,676	1,358
✓ 2296	Jib crane, w/m $7\frac{1}{2}$, 15 KW	10,000	34,066
✓ 2300	Air compressor, w/m 100 HP	7,000	9,286
✓ 2301	Compressor,	7,000	8,888
✓ 2306	Locomotive crane	8,000	31,712
✓ 2319	Boiler	2,000	2,677
✓ 2325	Compressor, w/m 2 HP	400	429
✓ 2326	Compressor, w/m 2 HP	400	495
✓ 2329	Compressor, w/m 10 HP	700	1,411
✓ 2330	Compressor, *	1,000	3,842
✓ 2351	Motor, 100 HP	1,500	3,005
✓ 2417	Pump, *	70	988
✓ 2419	Motor, 10 HP	100	808
✓ 2420	Motor, 5 HP	70	295
✓ 2424	Air compressor, w/m 3 HP	500	554
✓ 2425	Pump,	200	271
✓ 2426	Testing machine	100	402
✓ 2432	Transformer	40	81
✓ 2465	Motor, 100 HP (For Compressor Inv. No. 2301)	1,500	2,942

*motor missing

CK

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 2472	Boiler, w/l pump	25,000	20,102
✓ 2473	Boiler, w/l pump	2,500	19,688
✓ 2476	Air compressor,*	300	206
✓ 2484	Motor, 30 HP	400	728
2495	Motor, 10 HP	200	480
✓ 2502	Press,*	150	1,092
✓ 2503	Marking machine*	50	1,058
✓ 2518	Motor, 12.0 KW	100	371
✓ 2522	Pump, 4 HP	200	559
✓ 2540	Heat treating furnace)	1,000	3,173
✓ 2541	Transformer	3,200	1,728
✓ 2542)	Transformers	6,400	3,456
✓ 2543)			
✓ 2544)	Transformers	4,200	2,148
✓ 2545)			
✓ 2546	Transformer	2,100	1,662
	Transformers (Inv. Nos.)	14,608	13,824
✓ 2547	✓ 2551		
✓ 2548	✓ 2552		
✓ 2549	✓ 2553		
✓ 2550	✓ 2554)		
✓ 2555)			
✓ 2556)	Transformers	5,478	5,184
✓ 2557)			
✓ 2558)			
✓ 2559)	Transformers	3,150	3,867
✓ 2560)			
✓ 2561)			
✓ 2562)	Transformers	4,500	2,706
✓ 2563)			
✓ 2569)	Transformers	2,300	1,462
✓ 2570)			
✓ 2571)	Transformers	2,000	1,058
✓ 2572)			
✓ 2573	Transformer	1,000	529

SHIPPED TO
YOKOHAMA ENG.
MARCA 1948

*motor missing

2478 CK

Allocation Notice No. 1-62

Page 9 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
	Transformers (Inv. Nos. ✓ 2585 ✓ 2588 ✓ 2586 ✓ 2589) ✓ 2587	2,625	3,035
✓ 2590) ✓ 2591) ✓ 2592)	Transformers	2,400	1,272
✓ 2629) ✓ 2630)	Transformers	300	872
✓ 2632	Transformer	150	436
✓ 2635) ✓ 2636)	Transformers	300	872
	Transformers (Inv. Nos. ✓ 2638 ✓ 2645 ✓ 2652 ✓ 2659 ✓ 2639 ✓ 2646 ✓ 2653 ✓ 2660 ✓ 2640 ✓ 2647 ✓ 2654 ✓ 2661 ✓ 2641 ✓ 2648 ✓ 2655 ✓ 2662 ✓ 2642 ✓ 2649 ✓ 2656 ✓ 2663 ✓ 2643 ✓ 2650 ✓ 2657 ✓ 2664 ✓ 2644 ✓ 2651 ✓ 2658 ✓ 2665 ✓ 2666)	4,350	12,660
✓ 2667) ✓ 2668)	Transformers	700	728
✓ 2669	Transformer	263	207
✓ 2670	Transformer	263	264
✓ 2671	Transformer	265	101
	Transformers (Inv. Nos. ✓ 2691 ✓ 2696 ✓ 2692 ✓ 2697 ✓ 2693 ✓ 2698 ✓ 2694 ✓ 2699 ✓ 2695 ✓ 2700)	2,630	3,082
✓ 2723	Transformer	183	220
✓ 2724	Transformer	300	220
✓ 2725	Transformer	183	220
✓ 2726) ✓ 2727)	Transformers	600	440
✓ 2728	Transformer	183	220

OK

Inv. No.	Description	Est. Wt. (kg)	Total (1939 Yen)
✓ 2729)	Transformers	1,200	880
✓ 2730)			
✓ 2731)			
✓ 2732)			
✓ 2733)	Transformers	549	660
✓ 2734)			
✓ 2735)			
✓ 2736	Transformer	300	220
✓ 2737	Transformer	183	220
✓ 2738	Transformer	300	220
✓ 2739	Transformer	183	220
✓ 2740	Transformer	183	220
✓ 2741)	Transformer	600	440
✓ 2742)			
✓ 2751)	Transformers	486	408
✓ 2752)			
✓ 2753) ✓			
✓ 2756)	Transformers	2,190	2,271
✓ 2757)			
✓ 2758)			
✓ 2759	Transformer	440	421
2766	Transformer	440	424
2767)	Transformers	880	848
2768)			
✓ 2769)	Transformers	1,052	1,191
✓ 2770)			
✓ 2771)			
✓ 2772)			
✓ 2773)	Transformers	526	497
✓ 2774)			
✓ 2775	Transformer	263	264
2783	Transformer	263	248
2784	Transformer	263	280
2785	Transformer	263	296
✓ 2786)	Transformers	1,215	892
2787)			
2788)			

AUTHORIZED
use
OMURA
CITY WATER
PUMPING ST.
1949

AUTHORIZED
use
OMURA CITY
WATER SUPPLY
1949

AUTHORIZED
use
OMURA
1949

CM

Allocation Notice No. 1-62

Page 11 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 2789)	Transformers	900	663
✓ 2790)			
✓ 2791)			
✓ 2792)	Transformers	600	441
✓ 2793)			
2794	Transformer	200	150
2795)	Transformers	400	228
2796)			
✓ 2797	Transformer	263	296
✓ 2828	Transformer	1,150	1,045
✓ 2831	Transformer	200	179
✓ 2832	Transformer	200	179
✓ 2835	Motor, AC, 5 HP	120	296
✓ 3640	Motor, AC, 2 HP	360	695
✓ 3645	Motor, AC, 3 KW	110	230
✓ 3650 *	Motor, AC, 3 HP	80	233
✓ 3657	Motor, AC, 1 HP	35	172
✓ 3658	Motor, AC, 2 HP	65	220
✓ 3660	Motor, AC, 2 HP	65	160
✓ 3661	Motor, AC, 2 HP	65	63
✓ 3662	Motor, AC, 2 HP	60	132
✓ 3672	Motor, AC, 1 HP	35	132
✓ 3675	Motor, AC, 1 HP	30	172
✓ 3681	Motor, AC, 1/2 HP.	30	155
✓ 3688	Motor, AC, 1 HP	30	206
✓ 3690	Motor, AC, 1 HP	45	206
✓ 3691	Motor, AC, 1 HP	45	93
✓ 3697	Motor, DC, 1/4 HP	11.5	92
✓ 3699	Motor, AC, 1/2 HP	30	155
✓ 3700	Motor, AC, 1/4 HP	30	44
✓ 3701	Motor, AC, 1/2 HP	35	56
✓ 3702	Motor, AC, 3 HP	55	104

AUT. USE
1949Temp. use
Delete From
Alloc. Sep. 1949

CA

Inv. No.	Description	Est. Wt. (kg)	Total (1939 Yen)
✓ 3703	Motor, AC, 3 HP	40	165
	Surface Plates (Inv. nos.)	10,208	94,845
✓ 3708	✓ 3733 ✓ 3758 ✓ 3784 ✓ 3809		
✓ 3709	✓ 3734 ✓ 3759 ✓ 3785 ✓ 3810		
✓ 3710	✓ 3735 ✓ 3760 ✓ 3786 ✓ 3811		
✓ 3711	✓ 3736 ✓ 3761 ✓ 3787 ✓ 3812		
✓ 3712	✓ 3737 ✓ 3762 ✓ 3788 ✓ 3813		
✓ 3713	✓ 3738 ✓ 3763 ✓ 3789 ✓ 3814		
✓ 3714	✓ 3739 ✓ 3764 ✓ 3790 ✓ 3815		
✓ 3715	✓ 3740 ✓ 3765 ✓ 3791 ✓ 3816		
✓ 3716	✓ 3741 ✓ 3766 ✓ 3792 ✓ 3817		
✓ 3717	✓ 3742 ✓ 3767 ✓ 3793 ✓ 3818		
✓ 3718	✓ 3743 ✓ 3768 ✓ 3794 ✓ 3819		
✓ 3719	✓ 3744 ✓ 3769 ✓ 3795 ✓ 3820		
✓ 3720	✓ 3745 ✓ 3770 ✓ 3796 ✓ 3821		
✓ 3721	✓ 3746 ✓ 3771 ✓ 3797 ✓ 3822		
✓ 3722	✓ 3747 ✓ 3772 ✓ 3798 ✓ 3823		
✓ 3723	✓ 3748 ✓ 3773 ✓ 3799 ✓ 3824		
✓ 3724	✓ 3749 ✓ 3774 ✓ 3800 ✓ 3825		
✓ 3725	✓ 3750 ✓ 3775 ✓ 3801 ✓ 3826		
✓ 3726	✓ 3751 ✓ 3776 ✓ 3802 ✓ 3827		
✓ 3727	✓ 3752 ✓ 3778 ✓ 3803 ✓ 3828		
✓ 3728	✓ 3753 ✓ 3779 ✓ 3804 ✓ 3829		
✓ 3729	✓ 3754 ✓ 3780 ✓ 3805 ✓ 3830		
✓ 3730	✓ 3755 ✓ 3781 ✓ 3806 ✓ 3831		
✓ 3731	✓ 3756 ✓ 3782 ✓ 3807 ✓ 3832		
✓ 3732	✓ 3757 ✓ 3783 ✓ 3808 ✓ 3833		
			✓ 3777)
✓ 3838	Hoist, w/3 motors	600	1,476
✓ 3839	Hoist, w/3 motors	500	536
✓ 3841	Transporter, (lift truck)	1,700	7,857
✓ 3843	Transporter, (lift truck)	1,700	7,386
✓ 3854	Motor, AC, 1/2 HP	15	114
✓ 3855	Motor, AC, 3 HP	40	155
✓ 3856	Motor, AC, 1/2 HP	10	140
✓ 3857	Motor, AC, 1/2 HP	15	114
✓ 3858	Motor, AC, .5 HP	15	201
✓ 3859)	Motors, AC, .5 HP	30	402
✓ 3860)			
✓ 3861	Motor, AC, 3 HP	50	132
✓ 3862	Motor, AC, 3 HP	70	132

OK

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Total (1939 Yr.)</u>
	Surface Plates (Inv. Nos.)	4,955	25,971
✓ 3863	✓ 3871 ✓ 3879 ✓ 3887		
✓ 3864	✓ 3872 ✓ 3880 ✓ 3888		
✓ 3865	✓ 3873 ✓ 3881 ✓ 3889		
✓ 3866	✓ 3874 ✓ 3882 ✓ 3890		
✓ 3867	✓ 3875 ✓ 3883 ✓ 3891		
✓ 3868	✓ 3876 ✓ 3884 ✓ 3892		
✓ 3869	✓ 3877 ✓ 3885 ✓ 3893		
✓ 3870	✓ 3878 ✓ 3886 ✓ 3894)		
✓ 3910	Oxygen Pump, w/m 3 HP	800	731
✓ 3912	Oxygen Pump, w/m 3 HP	800	732
✓ 3914	Oxygen Pump, w/m 3 HP	800	732
✓ 3916	Oxygen Pump, w/m 3 HP	800	732
✓ 3919	Oxygen Pump, w/m 3 HP	800	732
✓ 3920)	Transformers	263	594
✓ 3921)			
✓ 3922	Transformer	200	170
✓ 3923	Transformer	162	137
✓ 3924)	Oil Circuit Breakers	60	358
✓ 3925)			
✓ 3926	Oil Circuit Breaker	40	177
✓ 3927)	Oil Circuit Breakers	60	360
✓ 3928)			
	Oil Circuit Breakers (Inv. Nos.)	320	1,920
✓ 3934	✓ 3938		
✓ 3935	✓ 3939		
✓ 3936	✓ 3940		
✓ 3937	✓ 3941)		
✓ 3954	Sheet bending machine	750	1,104
✓ 3955	Sheet bending machine	450	2,063
✓ 3957	Rivet tightener	100	140
✓ 3958	Rivet tightener	140	155
✓ 3959	Press	1,700	965

CA

Allocation Notice No. 1-62Page 14 of 25 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 3964	Sheet bending machine	400	1,026
✓ 3966	Sheet shearing machine	500	2,432
✓ 3975	Press	300	697
✓ 3991	Bonnet roller	800	1,222
✓ 3994	Bonnet roller	800	1,385
✓ 3996	Sheet bending machine	1,500	1,274
✓ 4011	Sheet shearing machine	700	2,267
✓ 4012	Bonnet roller	800	1,385
✓ 4014	Sheet shearing machine	400	2,164
✓ 4017	Bonnet roller	800	1,279
✓ 4019	Press screw	100	696
✓ 4020	Bolt head pushing machine	200	218
✓ 4021	Bolt head pushing machine	200	230
✓ 4023	Bolt head pushing machine	200	215
✓ 4024	Rivet tightener	700	155
✓ 4029	Rivet tightener	150	177
4039	Paper press	720	546
✓ 4040	Waste oil reclaiming equipment	1,000	1,209
✓ 4041	Sheet bender	1,350	1,003
✓ 4043	Bonnet roller	600	1,385
✓ 4050	Pump, centrifugal	400	257
✓ 4052	Metal washing vessel	800	326

OK

Allocation Notice No. 1-62Page 15 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Lst. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 4053	Metal washing vessel	800	326
✓ 4054)	Metal washing vessel	1,200	552
✓ 4055)	Tank		
✓ 4056)	Pumps, 4	160	566
✓ 4057)			
✓ 4058	Pump, w/m 15 HP	800	1,142
✓ 2236	Frequency changer	2,200	2,706
✓ 2259	Motor generator set	1,400	1,016
✓ 2262	Frequency changer	300	1,640
✓ 2477	Frequency changer	300	1,607
✓ 2478	Frequency changer	300	1,315
✓ 2479	Frequency changer	300	1,329
✓ 2480	Frequency changer	300	1,329
✓ 2481	Frequency changer	300	1,315
✓ 2482	Frequency changer	300	1,233
✓ 2483	Frequency changer	300	1,233
✓ 2496	Alternating current generator	1,625	4,375
✓ 2511	DC generator	600	999
✓ 2537	Motor generator set	1,411	3,987
✓ 2538	Motor generator set	1,411	3,987
✓ 2149	Boiler and pump	3,000	262
✓ 2150	Boiler and pump	3,000	2,790
✓ 4635)			
✓ 4636)	Electric furnaces	75	262
✓ 4637)			
✓ 4639	Band saw sharpener, motor .5 HP 120		604
✓ 4644	Blue printing machine w/motor .5 HP	500	666
✓ 4656	Work table for radial drilling machine	500	571

*motor missing

CK

Allocation Notice No. 1-62Page 16 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Total (1939 Yen)</u>
✓ 4659	Work table for radial drilling machine	200	182
✓ 4660	Work table	150	137
✓ 4668	Mortar	2	35
✓ 4680	Crusher, vertical	800	304
✓ 4681)	Sand rammers	11	157
✓ 4682)			
✓ 4686)	Platinum crucibles	0.11	456
✓ 4687)			
✓ 4688)			
✓ 4693)	Platinum evaporating dishes	0.08	260
✓ 4694)			
✓ 4695)			
✓ 4705	Microscope	9	668
✓ 4706	Microscope	9	818
✓ 4710	Balance	2	131
✓ 4717)	Chemistry balances	40	1,192
✓ 4718)			
✓ 4719)			
✓ 4720)			
✓ 4744	Rolling mill	9	34
✓ 4745	Sieve, cylindrical	1.8	24
✓ 4748	Stop watch	0.5	14
	Knife switches	45	639
	(Inv. Nos.		
	✓ 4755 ✓ 4759 ✓ 4763)		
	✓ 4756 ✓ 4760		
	✓ 4757 ✓ 4761		
	✓ 4758 ✓ 4762		
✓ 4771)	Knife switches	10	210
✓ 4772)			
✓ 4773)			
✓ 4774)			
✓ 4775)			
✓ 4797	DC megger	4	62
✓ 4810	Thermo-electric pyrometer	3	260
✓ 4811)	Thermo-electric pyrometers	6	796
✓ 4812)			
✓ 4813)			

Allocation Notice No. 1-62Page 17 of 25 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Total (1939 Yen)</u>
✓ 4819)	Ammeters	10	70
✓ 4820)			
✓ 4824)	Voltmeters	10	105
✓ 4825)			
✓ 4826)	Ammeters, AC	2	47
✓ 4827)			
✓ 4843	Grinder, valve, bench	98	265
✓ 4916	Electric drying oven	30	53
✓ 4922	Surface plate	2,000	7,660
✓ 4923	Surface plate	200	249
✓ 4924)	Surface plates	700	870
✓ 4925)			
✓ 4926	Surface plate	200	249
✓ 4927	Surface plate	350	435
✓ 4928	Surface plate	1,100	913
✓ 4929	Surface plate	200	166
✓ 4930	Surface plate	80	99
✓ 4931	Surface plate	80	99
✓ 4932)	Surface plates	160	198
✓ 4933)			
✓ 4934	Surface plate	200	166
✓ 4935	Surface plate	70	87
✓ 4936	Surface plate	40	74
✓ 4937	Surface plate	40	74
✓ 4938	Surface plate	50	83
✓ 4939	Surface plate	30	49
✓ 4940	Surface plate	60	99
✓ 4941	Surface plate	1,400	1,162
✓ 4942	Surface plate	80	124
✓ 4943	Surface plate	80	99
✓ 4944	Surface plate	80	99
✓ 4945	Surface plate	80	99

C/R

Allocation Notice No. 1-62Page 18 of 19 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yec)</u>
✓ 4946	Surface plate	30	49
✓ 4947	Surface plate	80	91
✓ 4948)	Surface plates	70	62
✓ 4949)			
✓ 4950	Surface plate	80	91
✓ 4951	Surface plate	1,000	796
✓ 4952	Surface plate	1,000	796
✓ 5414)	Manual presses	160	240
✓ 5415)			
✓ 5417	Manual press	35	45
✓ 5434)	Pumps	3,000	5,042
✓ 5435)			
✓ 5436)			
✓ 5437)	Heating tanks	4,500	3,837
✓ 5438)			
✓ 5439)			
✓ 5440)	Heating tanks	2,400	2,076
✓ 5441)			
✓ 5442	Tank	1,500	2,204
✓ 5443	Tank, sulphuric acid	1,000	1,215
✓ 5444)	Tanks, oil mixing	1,000	1,046
✓ 5445)			
✓ 5446	Tank, potash	300	259
✓ 5447	Tank	2,000	2,542
✓ 5448	Condenser	1,000	977
✓ 5449	Tank, oil	600	519
✓ 5450)	Tanks, oil	900	776
✓ 5451)			
✓ 5452	Pump, oil reciprocating	800	1,622
✓ 5453	Tank, oil purifying	500	533
✓ 5454	Filtrating press	300	273
✓ 5455	Tank, oil	800	692
✓ 5456)	Tanks	1,350	1,167
✓ 5457)			
✓ 5458)			

CA

Allocation Notice No. 1-62Page 19 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 5459	Pump, oil reciprocating	600	1,216
✓ 5460	Oil heating tank	1,100	930
✓ 5461)	Oil separator	400	282
✓ 5462)			
✓ 5463	Control box trap for oil	80	64
✓ 5464	Vacuum pump	950	2,087
✓ 5466	Steel pipe	282	90
✓ 5467	Steel pipe	18	11
✓ 5468	Steel pipe	615	368
✓ 5469	Steel pipe	66	42
✓ 5470	Steel pipe	829	590
✓ 5471	Steel pipe	630	235
✓ 5472	Tank stand	196	112
✓ 5473	Tank stand	416	239
✓ 5474	Tank stand	1,430	823
✓ 5475	Tank stand	1,411	812
✓ 5476	Tank stand	330	190
✓ 5478	Compressor, air, motor 50 HP	2,000	2,905
✓ 5484	Pump *	114	226
✓ 5485	Pump *	114	226
✓ 5486	Pump, water	480	1,230
✓ 5508	Pump *	60	188
✓ 5509	Pump, water, centrifugal *	150	192
✓ 5511	Pump*	300	251
✓ 5513	Pump, reciprocating, water	110	306
✓ 5522	Blower, motor 3 HP	120	165
✓ 5530	Furnace	125	184
✓ 5662	Grinder, snagging, motor .5 HP	30	97
✓ 5675	Planer	500	611

CIT

Inv. No.	Description	Est. Wt. (kg)	Total (1939 Yen)
✓ 5676	Planar	50	50
✓ 5737	Lever	50	59
✓ 6741) ✓ 6742) ✓ 6743) ✓ 6744)	Swage blocks	360	296
✓ 6745	Surface plate	1,500	1,194
✓ 6746	Surface plate	2,000	1,592
✓ 6747	Surface plate	1,000	875
✓ 6748	Surface plate	900	685
✓ 6749) ✓ 6750)	Surface plates	1,800	1,371
✓ 6751	Swage block	800	509
✓ 6752	Surface plate	1,600	1,273
✓ 6753	Surface plate	50	43
✓ 6754	Surface plate	1,500	1,313
✓ 6755	Surface plate	300	262
	Crucibles, graphite (Inv. Nos.)	287	1,104
✓ 7524) ✓ 7530) ✓ 7536) ✓ 7542)			
✓ 7525) ✓ 7531) ✓ 7537) ✓ 7543)			
✓ 7526) ✓ 7532) ✓ 7538) ✓ 7544)			
✓ 7527) ✓ 7533) ✓ 7539) ✓ 7545)			
✓ 7528) ✓ 7534) ✓ 7540) ✓ 7546)			
✓ 7529) ✓ 7535) ✓ 7541)			
✓ 7547) ✓ 7548)	Crucibles, graphite	27	100
✓ 7549) ✓ 7550)	Crucibles, graphite	10	90
	Anvils	350	332
✓ (Inv. Nos.) ✓ 7551) ✓ 7556) ✓ 7561)			
✓ 7552) ✓ 7557) ✓ 7562)			
✓ 7553) ✓ 7558) ✓ 7563)			
✓ 7554) ✓ 7559) ✓ 7564)			
✓ 7555) ✓ 7560)			
✓ 7565) ✓ 7566) ✓ 7567)	Anvils	270	239
✓ 7570	Voltmeter, AC	1	23

CK

Allocation Notice No. 1-62Page 21 of 21 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 7586	Air receiver	2,200	1,796
✓ 7617	Oil separator	800	638
✓ 7818	Hoist	200	383
7830*	Power truck	2,800	250
7832*	Passenger car	900	150
✓ 7838	Girders for hoist	20,200	16,655
✓ 7840	Mono-rail for hoist	7,900	6,478
✓ 7842	Mono-rail for hoist	665	515
✓ 7843	Mono-rail for hoist	665	515
✓ 7844	Mono-rail for hoist	2,000	1,550
✓ 7845	Mono-rail for hoist	2,000	1,550
✓ 7846	Mono-rail for hoist	9,000	7,379
✓ 7847	Mono-rail for hoist	4,300	3,332
✓ 7848	Mono-rail for hoist	1,540	1,193
✓ 7849	Mono-rail for hoist	1,540	1,193
✓ 7852	Rail for runway girder	7,300	6,248
✓ 7853)	Rail for runway girder	10,000)	55,811
✓ 7854)	48 Columns for runway girder	35,000)	
✓ 7855	Microscope	5	912
✓ 7883	Engine-generator set	35	734
✓ 7894	Motor, AC, 7.5 HP	92	219
✓ 7899	Motor, AC, 50 HP	700	715
✓ 7901	Motor, AC, 5 HP	180	1,157
✓ 7904	Motor, AC, 5 HP	180	1,233
✓ 7905	Motor, AC, 5 HP	105	209
✓ 7916	Motor, AC, 1/4 HP	16	58
✓ 7921	Motor, AC, 2 HP	43	96

e/r

Allocation Notice No. 1-62Page 22 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 7938	Motor, AC, 10 HP	200	371
✓ 7953	Transformer	345	369
✓ 7958	Transformer	183	309
✓ 7960	Transformer	90	110
✓ 7961	Transformer	220	209
✓ 7964) ✓ 7965) ✓ 7966)	Transformers	1,350	1,857
✓ 7968	Transformer	260	408
✓ 7976	Transformer	150	270
✓ 8337	Starter	25	90
✓ 8356) ✓ 8357)	Pole oil switches	70	142
✓ 8358) ✓ 8359)	Pole oil switches	78	201
✓ 8362	Pole oil switch	35	71
✓ 8541	Contractor starter	10	67
✓ 8549	Motor control-panel	200	301
✓ 8550	Switch box	150	236
✓ 8604	Switch board	220	442
✓ 8605	Switch board	180	460
✓ 8606	Switch board	150	617
✓ 8716	Ammeter, AC	1	23
✓ 8717) ✓ 8718)	Ammeters, AC	2	44
✓ 8719	Ammeter, AC	1	23
✓ 8720	Ammeter, AC	3	32
✓ 8721	Ammeter, AC	1	22
✓ 8722	Ammeter, AC	1	21
✓ 8725	Ammeter, DC	2	35
✓ 8727	Ammeter, AC and DC	5	142

CIT

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 8728	Ammeter, AC	1	22
✓ 8729	Ammeter, AC	1	22
✓ 8730	Ammeter, AC	1	22
✓ 8731	Ammeter, AC	1	22
✓ 8732	Ammeter, AC	2	22
✓ 8734	Ammeter, AC	1.5	85
✓ 8735	Ammeter, AC	1.5	17
✓ 8737	Ammeter, DC	1	39
✓ 8738	Ammeter, DC	4	23
	Ammeters, AC	15	158
	(Inv. Nos.)		
✓ 8739	✓ 8744		
✓ 8740	✓ 8745		
✓ 8741	✓ 8746		
✓ 8742	✓ 8747		
✓ 8743			
✓ 8748	Ammeter, AC	2	22
✓ 8749)			
✓ 8750)	Ammeters, AC	5	66
✓ 8751)			
✓ 8752)	Ammeters, AC	4	44
✓ 8753)			
✓ 8754	Ammeter, AC	2	22
✓ 8755	Ammeter, AC	2	23
✓ 8756)	Ammeters, AC	3	46
✓ 8757)			
✓ 8759)	Voltmeters, AC	3	44
✓ 8760)			
✓ 8761	Voltmeter, AC	2	23
✓ 8767	Voltmeter, DC	1	36
✓ 8768	Voltmeter, DC	1	39
✓ 8771)	Voltmeters, DC	6	72
✓ 8772)			
✓ 8774	Voltmeter, AC	2	18
✓ 8775	Voltmeter, AC	3	19
✓ 8778	Voltage and Current Meter, DC	5	28

e/f

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 8779	Voltage and Current Meter, DC	9	26
✓ 8780	Integrating watt-hour Meter	5	29
✓ 8781	Indicating watt Meter, DC & AC	6	68
✓ 8783	Indicating watt Meter, AC	15	109
✓ 8785)	Indicating watt meter, AC	4	160
✓ 8786)			
✓ 8787)			
✓ 8788)	Indicating watt meter, AC	6	231
✓ 8789)			
✓ 8790	Indicating watt meter, AC	2	80
✓ 8791)			
✓ 8792)	Indicating watt meter, AC	8	308
✓ 8793)			
✓ 8794)			
✓ 8795	Indicating watt meter, AC	2	77
✓ 8796	Indicating watt meter, AC	2	80
	Switch boxes	145	1,595
	(Inv. Nos.		
✓ 8810	✓ 8817	✓ 8824	✓ 8831
✓ 8811	✓ 8818	✓ 8825	✓ 8832
✓ 8812	✓ 8819	✓ 8826	✓ 8833
✓ 8813	✓ 8820	✓ 8827	✓ 8834
✓ 8814	✓ 8821	✓ 8828	✓ 8835
✓ 8815	✓ 8822	✓ 8829	✓ 8836
✓ 8816	✓ 8823	✓ 8830	✓ 8837
			✓ 8838)
✓ 8839	Frequency meter	3	68
✓ 8840	Megger, DC	10	45
✓ 8842	Bridge megger	7	267
✓ 8843)	Power factor meters	4	150
✓ 8844)			
✓ 8845	Thermo-electric pyrometer	3	260
✓ 8846	Thermo-electric pyrometer	3	261
✓ 8847	Thermo-electric pyrometer	7	297
	Thermo couples	20	140
	(Inv. Nos.		
✓ 8848	✓ 8853		
✓ 8849	✓ 8854		
✓ 8850	✓ 8855		
✓ 8851	✓ 8856		
✓ 8852	✓ 8857)		

OK

Allocation Notice No. 1-62Page 25 of 29 Pages

<u>Inv. No.</u>	<u>Description</u>	<u>Est. wt. (kg)</u>	<u>Value (1939 Yen)</u>
✓ 8858)	Automatic temperature controllers	22	820
✓ 8859)			
✓ 8860	Automatic temperature controller	11	410
✓ 8861	Automatic temperature controller	11	410
✓ 8862	Automatic temperature controller	14	410
	Radiators for transformer	1,050	1,288
	(Inv. Nos.)		
	✓ 8867 ✓ 8871		
	✓ 8868 ✓ 8872		
	✓ 8869 ✓ 8873)		
	✓ 8870		
✓ 8877)	Bushings, insulator with C.T.	300	1,540
✓ 8878)			
✓ 8879	Bushing, insulator	25	136
✓ 8888	Starting rheostat	60	85
✓ 8889	Starting rheostat	250	507
✓ 8890	Starting rheostat	50	69
✓ 8891	Motor starter	20	47
✓ 8896	Starting rheostat	50	80
✓ 8897	Starting rheostat	50	76
✓ 8898)	Starting rheostats	150	80
✓ 8899)			
✓ 8900)			
✓ 8901	Starting rheostat	30	127
✓ 8902	Starting rheostat	50	78
✓ 8903	Starting rheostat	30	129
✓ 8904	Rheostat inductive	40	63
	<u>Oil Reclamation and Purification Equipment</u>		
✓ 8996	Tank, steel	80	53
✓ 8997	Rectifier, valve	200	1,626
✓ 8998 ✓	Tank, steel	30	34
✓ 8999	Electric filtrating equipment	180	865

OK

<u>Inv. No.</u>	<u>Description</u>	<u>Est. Qt. (kg)</u>	<u>Value (1952 Yen)</u>
✓ 9000	Rotary pump set	48	145
✓ 9001	Rotary pump set consisting of 2 rotary general oil pumps	40	273
	1 Bedplate for pumps, motor missing	14	11
✓ 9005)	Planimeters	1.2	99
✓ 9006)			
✓ 9007	Integrating watt-hour meter	3	28
✓ 9009	Switch board	105	399
✓ 9040	Ammeter, AC	1	23

Cutting Tools, Accessories 77,800 825,730
and Supplies (One-half share)
(see Page 1, Special Instructions)

<u>Item No.</u>	<u>Description</u>	<u>Est. Qt.</u>	<u>Value</u>
✓ 7	Micrometer	1	18
✓ 8	Micrometer	1	16
✓ 9	Micrometer	1	21
✓ 10	Micrometer	1	20
✓ 13	Micrometer	3	157
✓ 14	Micrometer	1	26
✓ 15	Micrometer	1	23
✓ 16	Micrometer	1	26
✓ 18	Micrometer	1	25
✓ 19	Micrometer	1	28
✓ 20	Micrometer	1	26
✓ 22	Cylinder gauge	1	64
✓ 23	Micrometer	1	22
✓ 24	Micrometer	1	22
✓ 25	Micrometer	1	25
✓ 26	Micrometer	1	24
✓ 27	Micrometer	1	29
✓ 28	Micrometer	1	33
✓ 29	Micrometer	1	37
✓ 30	Micrometer	1	44

PK

Allocation Notice No. 1-62Page 27 of 29 Pages

<u>Item No.</u>	<u>Description</u>	<u>Est. Wt. (kg.)</u>	<u>Value (1939 Yen)</u>
✓ 31	Depth gauge	1	25
✓ 34	Radius gauge	0.1	1
✓ 39	Gauge block, 2 sets (103 pcs each set)	12	2,050
✓ 41	Height gauge	9	30
✓ 44	9 pcs. thermometers	1	36
✓ 46	Protractor with vernier	0.5	4
✓ 48	8 pcs. air guns	1.5	76
✓ 2840	Transformer	400	421
✓ 2841	Transformer	400	421
✓ 2842	Transformer	400	421
✓ 2843	Transformer	400	375
2844	Transformer	300	207
2845	Transformer	300	207
✓ 2855	Grinding machine, w/motor 1/2 HP	50	160
✓ 2856	Transformer	400	421
✓ 2857	Motor, 5 HP	120	277
✓ 2864	Motor, 1/4 HP	40	150
2865	Motor, 1/4 HP	30	181
✓ 3547)	Hoists, w/motors 1 HP, 3 HP	600	1,974
✓ 3548)			
✓ 3549	Hoist, w/motors .7 HP, 1.5 HP, 2 HP	400	2,030
✓ 3551	Hoist, w/motors 1.5 HP, 2.5 HP, 3.5HP	500	2,453
✓ 3621	Hoist, w/motors .75 HP, 1.5 HP, 2 HP	400	2,338
✓ 3622	Hoist, w/motors .75 HP, 1.5 HP, 2 HP	400	1,411
✓ 3627)	Hoists, w/motors 7 HP, 3 HP	2,100	3,822
✓ 3628)			
✓ 3629)			
✓ 3630	Hoist, w/motors 7 HP, 3 HP	700	1,227
✓ 3632	Hoist, w/motors .75 HP, 1.5 HP, 2 HP	400	1,948
✓ 3634	Surface plate	200	972
✓ 3635)	Surface plates	900	4,359
✓ 3636)			
✓ 3637	Hoist, w/motors .75 HP, 1.5 HP, 2 HP	400	1,362
✓ 3638	Surface plate	300	1,009

AUTHORIZED
USE
1949

SHIPPED TO YOKOHAMA
ENGINEERS
1948

Inv. No. Description Est. Wt. (kg.) Value (1932 Yen)

Inv. No.	Description	Est. Wt. (kg.)	Value (1932 Yen)
Surface plates (Cont'd) Inv. Nos.			
✓ 3405	✓ 3436	✓ 3427	✓ 3438
✓ 3406	✓ 3417	✓ 3428	✓ 3439
✓ 3407	✓ 3418	✓ 3429	✓ 3440
✓ 3408	✓ 3419	✓ 3430	✓ 3441
✓ 3409	✓ 3420	✓ 3431	✓ 3442
✓ 3410	✓ 3421	✓ 3432	✓ 3443
✓ 3411	✓ 3422	✓ 3433	✓ 3444
✓ 3412	✓ 3423	✓ 3434	✓ 3445
✓ 3413	✓ 3424	✓ 3435	✓ 3446
✓ 3414	✓ 3425	✓ 3436	✓ 3447
✓ 3415	✓ 3426	✓ 3437	✓ 3448
✓ 3449	✓ 3450	✓ 3451	✓ 3452
✓ 3453	✓ 3454	✓ 3455	✓ 3456
✓ 3457	✓ 3458	✓ 3459	✓ 3460
✓ 3461	✓ 3462	✓ 3463	✓ 3464
✓ 3465	✓ 3466	✓ 3467	✓ 3468
✓ 3469	✓ 3470	✓ 3471	✓ 3472
✓ 3473	✓ 3474	✓ 3475	
CK	CK	CK	CK
Surface plates (Inv. Nos.)		30,280	140,826

✓ 3476	✓ 3487	✓ 3498	✓ 3509	✓ 3520	✓ 3531
✓ 3477	✓ 3488	✓ 3499	✓ 3510	✓ 3521	✓ 3532
✓ 3478	✓ 3489	✓ 3500	✓ 3511	✓ 3522	✓ 3533
✓ 3479	✓ 3490	✓ 3501	✓ 3512	✓ 3523	✓ 3534
✓ 3480	✓ 3491	✓ 3502	✓ 3513	✓ 3524	✓ 3535
✓ 3481	✓ 3492	✓ 3503	✓ 3514	✓ 3525	✓ 3536
✓ 3482	✓ 3493	✓ 3504	✓ 3515	✓ 3526	✓ 3537
✓ 3483	✓ 3494	✓ 3505	✓ 3516	✓ 3527	✓ 3538
✓ 3484	✓ 3495	✓ 3506	✓ 3517	✓ 3528	✓ 3539
✓ 3485	✓ 3496	✓ 3507	✓ 3518	✓ 3529	✓ 3540
✓ 3486	✓ 3497	✓ 3508	✓ 3519	✓ 3530	✓ 3541
CK	CK	CK	CK	CK	CK
Surface plates (Inv. Nos.)		6,210	30,177		

~~3484~~
~~3541~~

Released 5 March 1948
Nag. Tech. School
Omanaka

3552	3563	3574	3585	3596	3607
3553	3564	3575	3586	3597	3608
3554	3565	3576	3587	3598	3609
3555	3566	3577	3588	3599	3610
3556	3567	3578	3589	3600	3611
3557	3568	3579	3590	3601	3612
3558	3569	3580	3591	3602	3613
3559	3570	3581	3592	3603	3614
3560	3571	3582	3593	3604	3615
3561	3572	3583	3594	3605	3616
3562	3573	3584	3595	3606	3617
					3618
					3619

Total Est. Wt. (kg.) Total Value (1932 Yen)
996,102.29 2,522,098

*These automobiles will be delivered to the Consular Affairs Office in Nagasaki. A delivery receipt for these items will be signed separately at the time of delivery.

4516

BASIC: Ltr, HQ Eighth Army, ACOMEM 386.3, dtd 23 Sep 49, subj:
 "Maximum Weight Limitation for Reparations Packages for China".

AG 004 - BA

1st Ind

SD/yn

Hq I Corps, APO 301.

SEP 29 1949

TO: Chief, Kinki Civil Affairs Region, APO 25
 Chief, Kyushu Civil Affairs Region, APO 24-5
 Chief, Chugoku Civil Affairs Region, APO 248
 Chief, Tokai-Hokuriku Civil Affairs Region, APO 710
 Chief, Shikoku Civil Affairs Region, APO 1050

Forwarded for your information and necessary action.

BY COMMAND OF MAJOR GENERAL COULTER:

A. Seipel
 A. SEIPEL
 Lt Col, AGD
 Asst Adj General



BASIC: Ltr, Hq Eighth Army, AGMBEM 386.3, dtd 23 Sep 49, subj:
"Maximum Weight Limitation for Reparations Packages for China".

AG 004 - BA

1st Ind

SD/yn

Hq I Corps, APO 301.

TO: Chief, Kinki Civil Affairs Region, APO 25
Chief, Kyushu Civil Affairs Region, APO 24-5
Chief, Chugoku Civil Affairs Region, APO 248
Chief, Tokai-Hokuriku Civil Affairs Region, APO 710
Chief, Shikoku Civil Affairs Region, APO 1050

SEP 28 1949

Forwarded for your information and necessary action.

BY COMMAND OF MAJOR GENERAL COULTER:

A. SEIPEL
Lt Col, AGD
Asst Adj General

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General
APO 343

ADGEN 386.3

23 Sep 1949

SUBJECT: Maximum Weight Limitation for Reparations Packages for China

TO : Commanding General
I Corps
APO 301

1. Maximum weight limitation for reparations packages for China whose destination is Keelung, Formosa, is 35 metric tons. No packages over 35 metric tons for China will be transferred to ports until further notice.

2. All packages over 35 metric tons for China now in progress, or which have been completed, will be reported to General Headquarters, Supreme Commander for the Allied Powers. Work on such packages in progress will be discontinued immediately.

BY COMMAND OF LIEUTENANT GENERAL WALKER:

/s/ J. A. O'Brien
/t/ J. A. O'BRIEN
CWO USA
Asst. Adj. Gen.

Chief, Nagasaki Civil Affairs Team
 attn: Mr. Holwick Team

for Information

GENERAL HEADQUARTERS
 SUPREME COMMANDER FOR THE ALLIED POWERS
 CIVIL PROPERTY CUSTODIAN
 APO 500

387.6/540-66 (22 Jul 47)CPC/RP

14 July 1949

MEMORANDUM FOR: REPARATIONS BOARD, JAPANESE GOVERNMENT

SUBJECT: Delivery Permit

1. Reference is memorandum for the Japanese Government, AG 387.6 (22 Jul 47)REP, (SCAPIN 1751 as amended), 22 July 1947, subject, "Responsibility of the Japanese Government for the Packaging, Transfer and Delivery of Equipment and Records Allocated to Claimant Nations under the Reparations Program," from General Headquarters, Supreme Commander for the Allied Powers.

2. The Japanese Government is directed to deliver at the site, unpackaged, automobiles bearing inventory numbers 7830 and 7832, allocated to the Chinese Government at plant 27-4 on allocation notice number 1-62, to Mr. T. Yee Loh, Chief, Consular Affairs Office in Nagasaki, Chinese Mission in Japan. A delivery receipt will be signed separately at the time of delivery by Mr. T. Yee Loh and a representative of the Japanese Government.

3. A representative of the Japanese Government will report, on call, to the Nagasaki Civil Affairs Team, Eighth Army, to receive information as to the exact time of delivery of the two automobiles.

E. C. Miller, Jr.
 E. C. MILLER, JR
 Colonel, Infantry
 Deputy Custodian

Allocated to China.

Additional
Cutting Tools No 1

Item No.	Name of Supplies	Size	Quantity	Wt. kg	Remarks
	Grinding Wheels Cone type	^{Drum Thru. on Hole D.} 115 X 50 X 13 mm	171	85	
	"	90 X 50 X 15	12	3.6	
	"	100 X 50 X 20	7	2.1	
	"	125 X 40 X 32	2	0.9	
	"	100 X 40 X 32	16	4.8	
	"	90 X 35 X 13	12	1.2	
	"	150 X 50 X 32	4	7.4	
	Grinding Wheels Straight Cup type	200 X 65 X 21	2	4	
	"	200 X 32 X 32	4	6	
	"	90 X 40 X 25	15	3	
	"	150 X 50 X 30	7	7	
	Grinding wheels Recessed one side	125 X 27 X 32	1	0.6	
	Grinding wheels Recessed one side type	150 X 20 X 32	3	1.5	
	Grinding wheels Straight	200 X 15 X 32	27	2.3	
	"	150 X 8 X 15	40	12	
	"	205 X 8 X 50	91	24.8	
	Grinding wheels Disk type	150 X 12 X 12	139	21	
	"	160 X 20 X 52	12	4.2	
	"	150 X 12 X 32	15	2.3	
	Grinding wheels Recessed one side	205 X 40 X 32	12	22.8	
	"	100 X 27 X 32	5	1.6	
	"	25 X 25 X 10	18	0.2	
	"	22 X 25 X 10	44	0.4	
	"	30 X 30 X 15	240	6.0	
	"	30 X 30 X 16	262	6.5	
	"	40 X 30 X 15	38	1.9	
	"	510 X 50 X 200	1	16.0	
	"	610 X 60 X 320	1	8.0	
	"	625 X 90 X 305	10	380.0	
	"	185 X 75 X 20	7	8.0	

Allocated to China

No 2

Item No	Name of Supplies	Size	Quantity	Wt kg	Remarks
	Grinding wheels Recessed one side	200 x 25 x 32	8	2.0	
	" Crest type	250 x 150 x 55	3	21.0	
	" Straight cup	180 x 12 x 40	26	18.2	
	"	180 x 13 x 32	90	53.5	
	"	200 x 15 x 32	2	2.1	
	"	185 x 15 x 32	2	11.5	
	"	145 x 8 x 13	5	1.2	
	"	150 x 15 x 25	4	1.7	
	"	200 x 15 x 22	3	2.5	
	"	1035 x 45 x 455	1	45.0	
	"	510 x 60 x 230	2	40.0	
	"	515 x 70 x 500	2	36.0	
	"	480 x 50 x 305	1	15.0	
	"	450 x 50 x 100	1	3.0	
	"	355 x 30 x 125	2	10.2	
	"	305 x 27 x 130	7	23.7	
	"	350 x 8 x 160	5	5.2	
	"	254 x 9.5 x 127	19	12.7	
	"	175 x 12 x 32	20	12.0	
	"	250 x 22 x 27	9	19.3	
	"	255 x 30 x 75	19	55.6	
	"	305 x 12 x 127	195	390.0	
	"	200 x 15 x 32	24	21.6	
	"	150 x 10 x 32	13	5.2	
	"	200 x 25 x 32	4	6.2	
	"	180 x 13 x 32	15	9.9	
	Grinding wheels Recessed two side	180 x 20 x 32	1	0.6	
	"	750 x 25 x 650	2	100.0	
	"	1035 x 25 x 450	0		
	"	510 x 45 x 200	4	60.0	

Omura

China

Page 7

OMURA AREA

Machine Tools & Equipments

Item No.	Inventory No.	Name of Machine Tools & Equipments	Size	Total No.	C	
<i>A1</i>	80 ✓	5808-5811	Chuck Three-Jaw	Max. Jaw Opens 150 mm	4	1
	81 ✓	5812	"	" " " 80 mm	1	1
	82 ✓	5813-5818	"	" " " 130 mm	6	3
	83 ✓	5819-5820	"	" " " 130 mm	2	2
	84 ✓	5821	"	" " " 100 mm	1	1
	85 ✓	5822-	"	" " " 150 mm	1	1
	86 ✓	5823-5824	"	" " " 130 mm	2	2
	87 ✓	5825	Chuck Four-Jaw	" " " 300 mm	1	1
	88 ✓	5826	"	" " " 150 mm	1	1
		5827-5829	Chuck For Lathe	Outside Dia 350 mm	3	0
	90 ✓	5830	Scrl Chuck 3-Jaw	" " " 168 mm	1	1
	91 ✓	5831-5834	"	Dia 165 mm	4	1
	93 ✓	5839-5853	Drill Chuck	Max. Dia of Drill 13mm	15	6
<i>B</i>	94 ✓	5854-5855	Vices Bench	W of Jaw 105 mm	2	2
	95 ✓	5856	"	" " " 92 mm	1	1
	96 ✓	5857-5877	"	" " " 135 mm	21	9
	97 ✓	5878	"	" " " 115 mm	1	1
	98 ✓	5879	"	" " " 135 mm	1	1
	99 ✓	5880-5883	"	" " " 150 mm	4	1
	100 ✓	5884-5920	"	" " " 135 mm	37	19
	101 ✓	5922-5926	"	" " " 160 mm	5	2
	102 ✓	5927-5944	"	" " " 135 mm	18	9
	103 ✓	5945-6004	"	" " " 139 mm	60	30
<i>C</i>	104 ✓	6005-6019	"	" " " 135 mm	15	6
	105 ✓	6020-6021	Pipe Vices	Max. Wring Dia 150 mm	2	2
	106 ✓	6022-6030	Vices Bench	W. of Jaw 135 mm	9	3
	107 ✓	6031-6039	"	" " " 132 mm	9	6
	108 ✓	6040-6072	"	" " " 155 mm	33	15
	109 ✓	6073-6111	Vices Swivelling	" " " 93 mm	39	18
	110 ✓	6112-6166	Vices Leg	" " " 130 mm	55	28
	111 ✓	6167-6169	Vices Univesal	" " " 90 mm	3	0
	112 ✓	5838	Pipe Vice	Nominal Dia 38 mm x 76 mm	1	1
	113 ✓	6170-6171	Pipe Cutters	Dia. of Pipe 40 mm x 120 mm	2	2
<i>D-1</i>	114 ✓	6172-6174	Vices Bench	W. of Jaw 140 mm	3	33
	115 ✓	6175	"	" " " 100 mm	1	1
	116 ✓	6176	"	" " " 130 mm	1	1
<i>E F</i>	117 ✓	6177-6556	"	" " " 130 mm	380	191
	118 ✓	6557-6634	"	" " " 150 mm	78	39
	119 ✓	6635-6728	"	" " " 125 mm	94	46
<i>D-2</i>	120 ✓	6729-6735	"	" " " 150 mm	7	4
	121 ✓	6736-6740	"	" " " 110 mm	5	2
	122 ✓	6741-6756	"	" " " 130 mm	380	191
<i>A-2</i>	133 ✓	6756	Face Plate	Dia 360 mm	1	1
	134 ✓	6757	"	" 305 mm	1	1
	137 ✓	6764	"	" 355 mm	1	1
	138 ✓	6765-6766	"	" 460 mm	2	2
	139 ✓	6767	"	" 400 mm	1	1
	140 ✓	6768-6770	"	" 300 mm	3	0
	141 ✓	6771	"	" 360 mm	1	1
	142 ✓	6772-6773	"	" 300 mm	2	2
	146 ✓	6777	"	" 250 mm	1	1
	147 ✓	6778	"	" 250 mm	1	1
<i>A-3</i>	148 ✓	6779	"	" 260 mm	1	1
	149 ✓	6780	"	" 150 mm	1	1
	150 ✓	6781	"	" 330 mm	1	1
	151 ✓	6782	"	" 440 mm	1	1
	333 ✓	7775	Chain-Block	Cap 2 M.T.	1	1
	337 ✓	7779	"	" 10 M.T.	1	1
	338 ✓	7780-7784	"	" 1 M.T.	5	2
	339 ✓	7785	"	" 1.5 M.T.	1	1
<i>E</i>	340 ✓	7786	"	" 1 M.T.	1	1
	341 ✓	7787	"	" 1.5 M.T.	1	1

crate 529

crate 530

crate 531

crate 532

crate 532

crate 529

crate 535

345 ✓	7791	Chain-Block	Cap 2 M.T.	1	1
349 ✓	7795-7796	"	" 5 M.T.	2	2
350 ✓	7797	"	" 10 M.T.	1	1
352 ✓	7799-7800	"	" 1.5 M.T.	2	2
354 ✓	7803	"	" 0.5 M.T.	1	1
355 ✓	7804-7807	"	" 0.3 M.T.	4	1
356 ✓	7808	"	" 3 M.T.	1	1
357 ✓	7809	"	" 3 M.T.	1	1
359 ✓	7811	"	" 1 M.T.	1	1
360 ✓	7812	"	" 5 M.T.	1	1
361 ✓	7813	"	" 3 M.T.	1	1
363 ✓	7815	"	" 1 M.T.	1	1
364 ✓	7816-7817	"	" 2 M.T.	2	1

Supplies

Item No.	Inventory No.	Name of Machine Tools & Equipments	Size	Total No.	Q
N11 ✓	N11	V-Blocks Box	L. 132mm-139mm	9	6
2 ✓	"	" "	" 140 - 149	6	3
3 ✓	"	" "	" 151 - 155	9	6
5 ✓	"	" "	" 176 - 200	4	1
6 ✓	"	" "	" 210	1	1 Crate
7 ✓	"	" "	" 203	1	1
8 ✓	"	" "	" 155 - 205	4	1
9 ✓	"	" "	" 102 - 152	6	3 536
10 ✓	"	" "	" 38 - 120	5	2
11 ✓	"	" "	" 255	7	4
13 ✓	"	" "	" 175	10	4
14 ✓	"	" "	" 135	5	5
15 ✓	"	" "	" 160	16	7
16 ✓	"	" "	" 135	8	5
17 ✓	"	" Box	" 205	3	3
18 ✓	"	" "	" 205	2	2
19 ✓	"	" "	" 150	21	9
20 ✓	"	" "	" 150	18	9
21 ✓	"	" "	" 150	45	21
22 ✓	"	" "	" 260	4	1
23 ✓	"	" "	" 205	13	7
24 ✓	"	" "	" 210	1	1
25 ✓	"	" "	" 390	1	1
31 ✓	"	"C" Clamps	Working Size 65mm	24	12
32 ✓	"	" "	" 100	24	12
33 ✓	"	" "	" 160	6	3 537
34 ✓	"	" "	" 110	7	4
35 ✓	"	" "	" 210	34	16
36 ✓	"	" "	" 195	48	24 504
37 ✓	"	" "	" 15	1,542	771
38 ✓	"	" "	" 17	651	327
39 ✓	"	" "	" 28	917	458
40 ✓	"	" "	" 90	37	19
41 ✓	"	" "	" 140	47	23
42 ✓	"	Clamps Woo Working	L. 450mm	45	24
43 ✓	"	"	" 910	17	8
44 ✓	"	Square Base			
		Surface Gauges	H. 920	1	1
45 ✓	"	Surface Gauges			
		Square Base	" 680-700	2	2 538
46 ✓	"	"	" 600	1	1
47 ✓	"	"	" 630	2	2 504
48 ✓	"	"	" 360-450	5	2
49 ✓	"	"	" 350	25	13
50 ✓	"	"	" 345	58	28
51 ✓	"	"	" 240	3	0
52 ✓	"	Round Base	" 280	12	6
54 ✓	"	"	" 360	11	5

	55 ✓	N11	Surface Gauges Square Base	L. 330	31	16
	56 ✓	"	"	" 310	17	8
	57 ✓	"	"	" 210	15	9
J-2	58 ✓	"	Round Base	" 320	25	12
	59 ✓	"	"	" 260	35	15
	60 ✓	"	"	" 1000	1	1
	61 ✓	"	Square Base Cutting Nippers	W. of Edge 20mm	36	18
	62 ✓	"	"	" 80	326	164
	63 ✓	"	Squares	Size 250x150 (mm)	73	37
	64 ✓	"	"	" (200-150)x(120-100)	582	291
	65 ✓	"	"	" (76-115)x(100-203)	193	97
	66 ✓	"	"	"(156-203)x(305-400)	27	12
	67 ✓	"	"	"(140-190)x(228-900)	7	4
	68 ✓	"	Squares with Pedestal	H. 920	2	4
	69 ✓	"	"	" 460-610	5	2
	70 ✓	"	Letter Punches Roman	No. of Punches Per set 26	32	17
	71 ✓	"	"	No. of Punch 26	1"	1"
	72 ✓	"	Figure Punches	No. of Punches Per Set 9	231"	114"
K-1	73 ✓	"	"	No. of Punch 9	2"	2"
	74 ✓	"	Center Punches	Dia 5mm-17mm	53	26
	75 ✓	"	"	" 9 - 12	171	84
	76 ✓	"	Hand Vices	W. of Jaw 30	540	270
	77 ✓	"	"	" 25	101	50
	78 ✓	"	"	" 35	28	16
	79 ✓	"	"	" 30	11	5
	80 ✓	"	Spaner Single End, Closed	Size 103	1	1
	81 ✓	"	"	" 60-64	2	2
	82 ✓	"	"	" 25-38	14	8
	83 ✓	"	"	" 22-29	14	8
	84 ✓	"	Spaner Single End, Open	" 32-50	11	5
	85 ✓	"	"	" 17-30	12	6
	86 ✓	"	"	" 6-16	51	24
	87 ✓	"	Spaner Double End, Open	" 30-24	10	4
	88 ✓	"	"	" 9-14	136	67
I-2	89 ✓	"	Spaner L. Type	" 14.5-30	29	14
	92 ✓	"	Spaner Double End	" 60x55 & 47x40	6	3
	93 ✓	"	"	" 35x34 32x27	8	5
	94 ✓	"	Spaner Box	" 7-15	119	59
	95 ✓	"	"	" 16-20	87	42
	96 ✓	"	Die-Holders Round	Bore Dia 20	147	75
	97 ✓	"	"	" 25	150	75
	98 ✓	"	"	" 38	98	50
	99 ✓	"	"	" 51	36	18
	100 ✓	"	Die-Holders Square	Size of Hole 10x18	76	37
	101 ✓	"	"	" 15x29	13	7
	102 ✓	"	"	" 18x44	90	45
	103 ✓	"	"	" 21x50	10	4
	104 ✓	"	"	" 24x61	81	39
	105 ✓	"	"	" 32x80	59	29
	110 ✓	"	Acetylene Nozzles for Welding	Nozzle Dia 1-1.5	782	392
	111 ✓	"	"	" 1-2	207	102

	112 ✓	Nil	Acetylene Nozzles For Welding	Nozzle Dia 1	60	30
	113 ✓	"	" " For Cutting	" 0.2-5	41	20
	114 ✓	"	" " "	" 1-2	55	28
	115 ✓	"	" " "	" 2	61	31
	116 ✓	"	" Gas Holders	" 30	11	5
	117 ✓	"	" " " For Welding	Dia of Flexible Pipe 19-22	4	1
	118 ✓	"	" " " Welding			
	119 ✓	"	For Common Use Acetylene Gas Holders Welding	Dia of Pipe 22	182	92
	120 ✓	"	For Aluminum	" 17	116	59
	121 ✓	"	" " " "	" 22x400	36	18
	122 ✓	"	For Common Use	" 32x660	18	9
	123 ✓	"	For Welding	Dia 30	6	3 540
	124 ✓	"	For Welding	" 30	30	15 804
	125 ✓	"	" " " "	22	18	9
	126 ✓	"	Knurling Tool Holders	L. of Holder 155	20	11
	127 ✓	"	Tool Holders Bit	Size of Hole 18x8	3	0
L-1	128 ✓	"	Reducing Valves For Acetylene	High. Pressure 0-30 kg/cm ²	18	9
	129 ✓	"	" " For Oxygen	High. Pressure 0-200 kg/cm ²	32	17
	130 ✓	"	" " For Acetylene	High. Pressure 0-30 kg/cm ²	4	1
Bot	131 ✓	"	" " For Oxygen	High. Pressures 0-200 kg/cm ²	11	5
	132 ✓	"	Eye-Glasses For Acetyline Welding	Dia of Glass 46mm	97	49
	133 ✓	"	" " " "	" 46mm	92	47
	134 ✓	"	" " " "	" 45mm	306	153
	137 ✓	"	Spray Guns	Size of Nozzle 0.2	6	3
	138 ✓	"	"	" 0.2	7	4
	139 ✓	"	"	" 0.2	14	8
	147 ✓	"	Hammers Wood Working	Dia of Head 35	59	29
	148 ✓	"	"	" 30	66	33
	149 ✓	"	"	" 20	12	6 541
M-1	150 ✓	"	"	" 35	5	2
	151 ✓	"	"	" 30	29	14
	152 ✓	"	"	" 23	92	47 804
M-1 + M2	153 ✓	"	"	" 23	8	5
Bot	154 ✓	"	" Smithing	" 23	6	3
	155 ✓	"	"	Faces Square of Head 85x85	1	1 804
Bot	156 ✓	"	" Carpenter	Dia of Head 19-26	4,522	2,260 (542)
	157 ✓	"	"	" 19-26	2,967	1,482
M-2	158 ✓	"	" Brick-Working	W. of Edge 38	2	2
	159 ✓	"	"	" 19	3	3 541
	160 ✓	"	Rubber Hammers	Dia 50-70	50	26
	161 ✓	"	"	" 42	1,542	771 804
	162 ✓	"	Wooden Mallets Without Handle	" 55-32	4,458	2,229
	163 ✓	"	Wooden Mallets	Dia of Head 50	74	36
N	164 ✓	"	"	" 58	43	21 543
	165 ✓	"	Handles For Wooden Mallets	Length 365	3,000	1,500
Bot	166 ✓	"	"	" 300	400	199 804
	167 ✓	"	"	" 275	200	101
	169 ✓	"	Screw Drivers	W. of Edge 8	16	7
	170 ✓	"	Pliers	L. of Beak 30	211	106
	171 ✓	"	"	" 40	426	213
	172 ✓	"	" Single Blade	Open 14mm	1	1 540
	173 ✓	"	" Chain-Nose	L. of Beak 30	80	39 804
L-2	174 ✓	"	"	Jaw Opens 55	595	297
	179 ✓	"	Tap Wrenches	Size 5x5	250	124
	180 ✓	"	"	" 8x8	153	78
	181 ✓	"	"	" 12x12	138	69
	182 ✓	"	Turnbuckles	Max. Length 670	5	2
	183 ✓	"	"	" 570	84	42

	203 ✓	Nil	Riveters Pneumatic	Piston Dia 15	270	135
	205 ✓	"	Air Guns	Dia of Nozzle 0.2	71	35
	208 ✓	"	Dies	Dia of Thread 12	482	242
	209 ✓	"	"	" 13-20	81	39
	210 ✓	"	"	" 3-13	117	57
	211 ✓	"	"	" 1/4"-1/2"	224	113
	212 ✓	"	"	" 9/16"-3/4"	304	151
	213 ✓	"	"	" 7/8"-2"	16	7
0-1	214 ✓	"	" Round	" 2mm-5.5mm	726	363
	215 ✓	"	" "	" 6	928	463 544
	216 ✓	"	" "	" 7-11	204	102 1304
	217 ✓	"	" "	" 3-20	45	24
	218 ✓	"	" "	" 5/16"-1/2"	38	20
	219 ✓	"	" Heads Coventry Type	Nominal Dia 12.7mm	15	9 ✓
	220 ✓	"	Round Dies	" 1.5-5	1set	1set
0 2	221 ✓	"	Hand Taps	Dia 2.3-5	1,612	805 "
	222 ✓	"	"	" 6-10	1,995	996 "
	223 ✓	"	"	" 11-15	306	153 "
	224 ✓	"	"	" 16-20	135	66 "
	225 ✓	"	"	" 21-28	87	42 "
	226 ✓	"	"	" 30-35	3	3 "
	227 ✓	"	" Metric	" 16-24	14	8 "
	228 ✓	"	" "	" 9-12	46	22 "
	229 ✓	"	" "	" 2-5	65	32 "
	230 ✓	"	" Inch	" 5/16"-11/16"	26	14 "
	231 ✓	"	" Metric	" 6mm-8mm	61	39 "
	232 ✓	"	" Inch	" 1/2"-1/2"	26	14 "
	233 ✓	"	" "	" 9/16"-3/4"	227	113 "
	234 ✓	"	" "	" 13/16"-1 1/8"	21	12 "
	235 ✓	"	" Metric	" 1.5mm	2	2 "
	236 ✓	"	" "	" 1-5	260	131
	237 ✓	"	" "	" 6-10	480	240
	238 ✓	"	" "	" 11-15	200	101 547
	239 ✓	"	" "	" 16-20	43	22
	240 ✓	"	" "	" 21-25	25	13
	241 ✓	"	" "	" 26-30	8	5
	242 ✓	"	" "	" 31-35	4	1
	243 ✓	"	" "	" 36-40	10	4
	244 ✓	"	" Whit Worth	" 5/16"-1/2"	34	16
	245 ✓	"	" "	" 5/8"-7/8"	68	35
	246 ✓	"	" "	" 1 1/8"	6	3 ✓
P-1	247 ✓	"	Hand Reamer	" 11mm-15mm	631	316
	248 ✓	"	"	" 16-20	487	244
	249 ✓	"	"	" 21-25	357	177
P-2	250 ✓	"	"	" 26-30	146	74 545
	251 ✓	"	"	" 31-35	110	56
	252 ✓	"	"	" 36-40	72	36 1304
	253 ✓	"	"	" 41-45	20	11
	254 ✓	"	"	" 50	2	2
	256 ✓	"	" Adjustable	" 9.5-10	2	2
	257 ✓	"	" "	Nominal Dia 40-50	4	1
	258	"	Blades For Wood Planer	L. 610mm	34	16
	259	"	Machine Reamer Taper	Dia 4-10	273	135 546
	260	"	"	" 11-15	437	218
	261	"	"	" 16-20	278	140 1304
	262	"	"	" 21-25	341	170
	263	"	"	" 26-30	91	46
	264	"	"	" 31-35	43	22
	265	"	"	" 36-39	29	14
Q	266	"	" Straight	" 2-5	82	40
	267	"	" "	" 6-10	687	345
	268	"	" Taper	" 6.4	9	3
	269	"	" "	" 7.9-21	7	4
	270	"	Taper Bridge Reamer	" 7-10	26	14
	271	"	"	" 11-15	55	28
	272	"	"	" 16-20	53	26
	273	"	"	" 21-24	62	32
	274	"	"	" 26-30	37	19
	275	"	"	" 31-50	29	14
	276	"	"	" 11.1-12.7	17	8
	277	"	Band Saw Blades Wood Working	L. 4,000-5,000	4	1
	278	"	"	" 5,000	5	2 ✓

	279 ✓	Nil	Oil Stones Flad	L. 100-205	209	104
	280 ✓	"	"	" 110-200	6	3
	281 ✓	"	"	" 110-200	20	11
	282 ✓	"	" Inclined	" 115	98	50
	283 ✓	"	" White	" 150	33	15
	284 ✓	"	Grinding Wheels Carborundum	Dia 150	6	3
	285 ✓	"	"	" 120	158	80
<i>R-1</i>	286 ✓	"	"	" 60	5	2 5H7
	287 ✓	"	"	" 60	5	2 not
	288 ✓	"	"	" 35	30	15
	289 ✓	"	"	" 40	5	2
	290 ✓	"	"	" 24-70	32	17
	291 ✓	"	"	" 450-500	10	4
	292 ✓	"	" 38 Alundum	" 300	37	19
	293 ✓	"	" " " "	" 350	8	5
	294 ✓	"	" " " "	" 160	10	4 5H7
	295 ✓	"	" " " "	" 70-100	6	3 5H7
	296 ✓	"	" " " "	" 25-50	33	15 not
	297 ✓	"	" " " "	" 14-18	53	26
	298 ✓	"	" " " "	" 300	2	2
<i>R-2</i>	299 ✓	"	" White Alundum	" 20-65	31	16
	300 ✓	"	" Carborundum	" 250-303	18	9
	301 ✓	"	" " "	" 15-115	87	42
	302 ✓	"	" " "	" 450-500	12	6
	303 ✓	"	" " "	" 405	9	3
	304 ✓	"	" " "	" 430	1	1
	305 ✓	"	" " "	" 450	1	1
	306 ✓	"	" " "	" 350	2	2
	307 ✓	"	" " "	" 305	1	1
	308 ✓	"	" " "	" 300	24	12
	309 ✓	"	" " "	" 300	246	123 not
<i>S-1</i>	310 ✓	"	" " "	" 260	2	2 5H8
	312 ✓	"	" " "	" 150	9	3
	313 ✓	"	" " "	" 200	2	2
<i>T</i>	314 ✓	"	" " "	" 510	54	27 5H8B
<i>S-2</i>	315 ✓	"	" " "	" 510	4	1 5H8B
<i>U</i>	316 ✓	"	" " "	" 500	55	28 5H8B
	317 ✓	"	" " "	" 500	2	2
	318 ✓	"	" " "	" 200	2	2
	319 ✓	"	" " "	" 200	12	6 5H8
<i>S-3</i>	320 ✓	"	" " "	" 200	8	5 not
	321 ✓	"	" Alundum	" 150	19	10
	322 ✓	"	" Carborundum	" 150	24	12
	323 ✓	"	" Alundum	" 180	11	5
	324 ✓	"	" Carborundum	" 200	6	3
	325 ✓	"	Gear Hob Invalute	Module 15-4	15	6
	326 ✓	"	"	D.P. 6-12	3	3
<i>V1</i>	327 ✓	"	Metal Slitting Cutter	Bore Dia 25.4	38	20 5H1
	328 ✓	"	"	" 25.4	22	10
	329 ✓	"	"	" 25.4	14	8 not
	330 ✓	"	"	Hole Dia 25.4	10	4
	331 ✓	"	"	" 25.4	40	19
	332 ✓	"	"	" 22.5-25.4	31	16
	333 ✓	"	Chaser Gas Pipe	Size of Pipe 15"-4"	237	117
	334 ✓	"	"	" 3/8"-1 3/4"	271	136
	335 ✓	"	End Mill	Dia of Shank 10mm	85	43
	336 ✓	"	"	" 17mm	32	17
	337 ✓	"	"	" 19	21	9
	338 ✓	"	"	" 27	31	16
	339 ✓	"	"	" 27	34	16
	340 ✓	"	"	" 27	12	6
	341 ✓	"	"	" 32	13	7
	342 ✓	"	"	" 35	11	5
	343 ✓	"	Milling Cutter Plain	Bore Dia 32	3	3
	344 ✓	"	"	" 19-25.4	4	1
	345 ✓	"	" Angular	" 25.4	6	3
	346 ✓	"	" Plain	" 20-32	11	5
	347 ✓	"	"	" 20-32	14	8
	348 ✓	"	Knurling Tools	Dia of Hole 5mm	94	46
	349 ✓	"	Side Milling Cutter	Hole Dia 25.4	9	3
	350 ✓	"	"	" 25.4	44	23
	351 ✓	"	"	" 25.4	14	8
	352 ✓	"	"	" 25.4	6	3

	353 ✓	Nil	Side Milling Cutter	Hole Dia	25.4	14	8	
	354 ✓	"	"	"	25.4	5	2	
	355 ✓	"	"	"	25.4-33	53	26	
	356 ✓	"	"	"	25.4-40	21	9	
	357 ✓	"	"	"	25.4-40	23	11	
	358 ✓	"	"	"	25.4-31.75	24	12	
	359 ✓	"	"	"	31.75-38.1	21	9	
	360 ✓	"	"	"	22-25.4	9	3	
	361 ✓	"	T Slot Cutters	Dia of Shank	33	3	3	
	362 ✓	"	"	"	16-19	21	9	
V 2	363 ✓	"	Fish Tail Cutter Straight	"	8-10	125	62	551
	364 ✓	"	"	"	10-18	37	19	
	365 ✓	"	"	"	18	5	2	104
	366 ✓	"	"	"	18	19	10	
	367 ✓	"	" Taper	Size	20-30	74	38	
	368 ✓	"	Pipe Cutters	Dia of Pipe to be				
Box	369 ✓	"	"	Cut	25-100	5	2	
	370 ✓	"	"	"	25-60	2	2	
	371 ✓	"	"	"	25-60	2	2	
	372 ✓	"	"	"	25-60	2	2	
	373 ✓	"	"	"	30-100	2	2	
	374 ✓	"	Milling Cutter Angular	Bore Dia	25.4	10	4	
	375 ✓	"	Twist Drill Straight	C.S. Dia	1-5	160	79	
W	376 ✓	"	"	"	5-10	405	204	552
crate	377 ✓	"	"	"	10-13	168	84	Crates
	378 ✓	"	"	H.S.S. Dia	1-5	120,660	60,330	
X-1	379 ✓	"	"	"	6-10	60,240	30,120	
	380 ✓	"	"	"	11-15	19,960	9,979	
	382 ✓	"	"	C.S. Dia	1-5	92,690	46,346	553
X-2	383 ✓	"	"	"	6-10	46,340	23,171	
	384 ✓	"	"	"	1-5	37,820	18,916	Crates
	385 ✓	"	"	"	6-10	18,870	9,435	
	386 ✓	"	"	"	11-20	4,453	2,227	
	387 ✓	"	"	"	1-10	2,938	1,464	
Y	388 ✓	"	"	"	11-20	480	240	554
crate	389 ✓	"	"	H.S.S. Dia	1-10	5,250	2,625	Crates
	390 ✓	"	"	C.S. Dia	1-10	1,800	900	
	391 ✓	"	" Taper	H.S.S. Dia	1-10	7,110	3,555	
	392 ✓	"	"	"	11-15	17,200	8,599	
	393 ✓	"	"	"	16-20	8,540	4,271	
	394 ✓	"	"	"	21-25	135	69	
Z	395 ✓	"	"	"	26-30	65	32	
	396 ✓	"	" Straight	"	1-15	124	61	555
crate	397 ✓	"	" Taper	"	5-10	220	109	
	398 ✓	"	"	"	5-10	12,181	6,091	Crates
	399 ✓	"	"	"	31-40	22	10	
	400 ✓	"	"	"	41-50	15	9	
	401 ✓	"	"	C.S. Dia	1-10	56,300	28,151	
	402 ✓	"	"	"	11-20	9,207	4,602	
	403 ✓	"	"	"	21-30	2,150	1,076	
a	404 ✓	"	"	"	31-40	34	16	
	405 ✓	"	"	"	1-10	9,984	4,992	556
crate	406 ✓	"	"	"	11-20	11,200	5,599	
	407 ✓	"	"	"	21-30	420	210	Crates
	408 ✓	"	"	"	31-40	12	6	
	409 ✓	"	"	"	11-15	73	37	
	410 ✓	"	"	"	16-20	23	11	
	411 ✓	"	Bit Boring	Size	17x17x146	76	37	
	412 ✓	"	" Inside Threading	"	12x12x185	48	24	
	413 ✓	"	" Diamond Point	"	12x12x100	104	53	557
	414 ✓	"	" Side Rougher	"	12x12x120	67	34	
b 1	415 ✓	"	" Cutting off	"	12x12x100	22	10	Box
	416 ✓	"	" Finishing	"	12x12x110	96	48	
	418 ✓	"	" Thread	"	12x12x120	57	30	
	417 ✓	"	" Round-nose	"	15x15x150	19	10	
	419 ✓	"	" Goose-neck	"	17x17x160	15	9	
	420 ✓	"	Slotting Tool	"	19x19x200	10	4	
	421 ✓	"	Bit	"	12x12x120	550	274	
	422 ✓	"	"	"	8x8x78	900	450	
	423 ✓	"	"	"	8x8x78	1,600	799	
	424 ✓	"	" Side Finisher	"	8x8x78	180	90	
				L	116-120			
				W	12			
				Thk	12	289	145	

Item No.	Description	Size	Length	Width	Thickness
425 ✓	Bit Brass	L 120			
		W 12			
		Thk 12	218		110
426 ✓	" "	L 120			
		W 12			
		Thk 12	107		53
427 ✓	" Side Rougher	L 200			
		W 13			
		Thk 13	34		16
428 ✓	" " "	L 120			
		W 12			
		Thk 12	70		34
429 ✓	" " "	L 120			
		W 12			
		Thk 12	103		52
430 ✓	" Outside Threading	L 120-130			
		W 12			
		Thk 12	288		144
431 ✓	" Cutting-off	L 120			
		W 12			
		Thk 12	400		199
6-3 432 ✓	" Finisher	L 120			
		W 12			
		Thk 12	263		131
433 ✓	" Inside Cutting	L 120-215			
		W 12			
		Thk 12	179		89
434 ✓	" Inside Threading	L 210			
		W 12			
		Thk 12	300		150
435 ✓	" Spring Finisher	L 125			
		W 12			
		Thk 12	96		48
436 ✓	Bit	L 160			
		W 15			
		Thk 15	20		11 557
437 ✓	" Cutting-off	L 170			
		W 16			
		Thk 16	46		22
438 ✓	" Outside Threading	L 160			
		W 16			
		Thk 16	42		21
439 ✓	" Side Finisher	L 160			
		W 16			
		Thk 16	40		19
440 ✓	" Finisher	L 160			
		W 16			
		Thk 16	20		11
441 ✓	" Side Rougher	L 150			
		W 16			
		Thk 16	40		19
442 ✓	" Brass	L 160			
		W 16			
		Thk 16	20		11
443 ✓	" Spring Finisher	L 160			
		W 16			
		Thk 16	20		11
444 ✓	" Inside Finisher	L 230			
		W 16			
		Thk 16	21		12
445 ✓	" " Threading	L 230			
		W 16			
		Thk 16	41		20
446 ✓	" Bent Side Rougher	L 250			
		W 19			
		Thk 19	9		6
447 ✓	" Diamond Point	L 250			
		W 19			
		Thk 19	10		4
448 ✓	" Cutting-off	L 210			
		W 19			
		Thk 19	15		9

	Part No.	Description	Size	L	W	Thk	Weight	Volume	Notes
	449 ✓	Bit Finisher		250	19	19			
B-3	450 ✓	" Side Rougher		260	19	19	11	5	
Pop	451 ✓	" Spring Finisher		260	19	19	10	4	557 Pop
	452 ✓	Files Flat Bastard		407	36	10.5	160	79	
	453 ✓	" " Second Cut		407	35.5	11	60	30	558
	454 ✓	" " Bastard		356	34	10	2,780	1,391	558 Crab
	455 ✓	" " Second Cut		356	34	10	20	11	
C.	456 ✓	" " Bastard		305	29	8.5	160	79	
	457 ✓	" " Second Cut		305	29	8.5	2,400	1,200	
Crab	458 ✓	" " Smooth		305	29	8.5	220	109	
	459 ✓	" " Second Cut		254	25	7.5	1,540	769	
	460 ✓	" " " "		203	23.5	5.2	1,360	679	
	461 ✓	" " Smooth		152	17	4.5	720	360	
	462 ✓	" " " "		102	11.5	3.5	540	270	
d-1	463 ✓	Files Half Round Bastard		457	36	11	100	49	559
	464 ✓	" " " Smooth		457	37	12.5	40	19	
	465 ✓	" " " Bastard		407	35	11	1,660	829	
	466 ✓	" " " Smooth		417	35	11	40	19	
	467 ✓	" " " Bastard		356	32.5	9	1,740	870	559 Crab
d-2	468 ✓	" " " Second Cut		305	30	8.5	2,120	1,061	
	469 ✓	" " " " "		254	26	7	1,440	720	560 Crab
	470 ✓	" " " Smooth		203	21	6.5	1,840	919	
e	471 ✓	" " " "		152	17	5.5	800	401	
	472 ✓	" " " "		102	12.5	4.5	500	251	
	473 ✓	Files Square Bastard		407	18.5	18.5	1,680	840	

	Part No.	Description	Size	L	W	Thk	Weight	Volume	Notes
	474 ✓	Files Square Second Cut		407	18.5	18.5	140	71	
<i>e</i>	475 ✓	" " Bastard		356	15	15	2,260	1,129	
<i>Crates</i>	476 ✓	" " Second Cut		305	13	13	2,300	1,151	
	477 ✓	" " " "		254	10.5	10.5	2,380	1,189	
	478 ✓	" " " "		203	7.5	7.5	2,680	1,339	
	479 ✓	" " " "		152	6.5	6.5	1,380	690	
	480 ✓	" " Smooth		102	4.5	4.5	1,380	690	
	481 ✓	Files Round Bastard		407	17.5	17.5	40	19	
	482 ✓	" " Second Cut		407	17.5	17.5	80	41	<i>561</i>
	483 ✓	" " Bastard		356	16	16	1,640	821	<i>Crates</i>
<i>A.</i>	484 ✓	" " " "		305	11.5	11.5	240	120	
	485 ✓	" " Second Cut		305	11.5	11.5	2,000	1,001	
<i>Crates</i>	486 ✓	" " Bastard		254	9.5	9.5	100	49	
	487 ✓	" " Second Cut		254	9.5	9.5	1,620	810	
	488 ✓	" " " "		203	7.5	7.5	1,020	510	
	489 ✓	" " Smooth		203	7.5	7.5	20	11	
	490 ✓	" " Second Cut		152	5.25	5.25	60	30	
	491 ✓	" " Smooth		102	5	5	200	101	
	492 ✓	Files Triangle Bastard		407	22	22	20	11	
	493 ✓	" " Second Cut		356	18	18	1,380	690	
	494 ✓	Files		305	17	17	2,280	1,140	
	495 ✓	Files Triangle Second Cut		254	16	16	1,600	799	
	496 ✓	" " " "		203	12	12	1,160	581	
	497 ✓	" " " "		152	10	10	640	319	
	498 ✓	" " Smooth		102	7	7	600	300	
	499 ✓	File Brushes		230	40	15	184	91	
<i>g</i>	500 ✓	Files Assorted Second Cut		170			20 set	11 set	
	501 ✓	Files Round Second Cut	Size	254			18	9	
	502 ✓	" " Smooth	"	356			9	3	
	503 ✓	" " Second Cut		356			11	5	
	504 ✓	" " Bastard		356			60	30	
	505 ✓	" " Second Cut		406			12	6	
	506 ✓	Files Square Smooth		203			13	7	
	507 ✓	" " Second Cut		254			9	6	
	508 ✓	" " Smooth		205			60	30	
	509 ✓	" " Second Cut		305			39	21	
	510 ✓	" " " "		356			12	6	
	511 ✓	" " Bastard		356					
				L	15				
				W	15				
				Thk	15		15	9	

542
Boff

	512 ✓ Nil	Files Square Smooth	Size L 406			
			W 18.5			
	513 ✓ "	" " Bastard	Thk 18.5	14	8	
			L 406			
			W 18.5			
	514 ✓ "	Files Flat Bastard	Thk 18.5	143	71	
			L 203			
			W 23.2			
	515 ✓ "	" " Smooth	Thk 5.2	23	11	
			L 203			
			W 23.2			
	516 ✓ "	" W Second Cut	Thk 5.2	36	18	
			L 254			
			W 25			
<i>g</i>	517 ✓ "	Files Triangle Smooth	Thk 7.5	283	142	
			L 152			
			W 10			
	518 ✓ "	" " Bastard	L 152	53	26	
			W 10			
<i>Bot</i>	519 ✓ "	" " Smooth	L 203	11	5	
			W 12			
	520 ✓ "	" " Second Cut	L 203	14	8	
			W 12			
	521 ✓ "	" " " " " "	Size 254	69	36	
	522 ✓ "	Files Half Round Second Cut	14	8		
	523 ✓ "	" " " " Bastard	356	34	16	
			356	78	39	
<i>h</i>	524 ✓ "	Blades Hack Saw	L 530-210	14,600	7,301	563
	525 ✓ "	Blades for Flat Plane Wood Working	L 120	197	98	57
	526 ✓ "	Blades for Side plane Wood Working	135	33	15	
	527 ✓ "	Saw Narrow Blade Wood Working	L 450	8	5	
<i>i-1</i>	528 ✓ "	Saws Double Edge Wood Working	L 250	15	6	564
	529 ✓ "	Blades of Adze Carpenter	W. of Edge 95	2	2	
	530 ✓ "	Chisels	W. of Blend 6-36	52	25	
<i>Bot</i>	531 ✓ "	Flat Chisels	W. 30	115	58	
<i>J</i>	532 ✓ "	Cape Chisels	W. 25	1,850	926	565
	533 ✓ "	" " "	" 25	327	162	
	534 ✓ "	" " "	" 40	234	117	Bot
	535 "	Shears Scissors	L of Beak 52-60	173	86	
	536 "	" " "	" 80-95	52	25	
<i>i-2</i>	537 "	" " "	" 110-130	4	1	564
	538 "	Chisels Hot	D. 25 & 36	53	26	
	539 "	Chisels Flat Wood Working	W. of Edge 25-30	57	27	
	540 ✓ "	" " " " " "	" 11-13	219	108	
	541 ✓ "	" " " " " "	" 5-7	62	32	
<i>(i-1)</i>	542 ✓ "	" " " " " "	" 12-35	87	45	
<i>x-2</i>	543 ✓ "	Chisels Hook Wood Working	" 5	37	19	
	544 ✓ "	" Flat & Round Wood Working	" 10-23	315	159	
<i>x-3</i>	545 ✓ "	" Round Wood Working	" 6-25	343	172	564
	546 ✓ "	Chisels	W. 42	3	3	
	547 ✓ "	"	W. of Edge 40	1	1	Bot
<i>Bot</i>	548 ✓ "	Belt Punches Belt	Dia. 10	68	35	
	549 ✓ "	Belt Clippers	Cap. 6-10	3	0	
	550 ✓ "	"	" 12	1	1	
	551 ✓ "	Gimlets Needle Wood Working	W. of Edge 5-10	44	23	
	552 ✓ "	" Hollow " " "	" 5-10	37	19	
	553 ✓ "	" " " " " "	" 15	16	7	
	554 ✓ "	Planes Flat Wood Working	" 20	29	14	
	555 ✓ "	" " " " " "	" 32-25	33	18	
	556 ✓ "	" Outside Round Wood Working	" 9-16	62	32	
	557 ✓ "	" " " " " "	" 20-25	69	33	
<i>i-3</i>	558 ✓ "	" Inside Round " " "	" 10-20	149	74	
	559 ✓ "	" Radius Wood Working	" 15-25	47	23	
	560 ✓ "	" Side Wood Working	" 20	65	32	
	561 ✓ "	" Groove Wood Working	" 1-16	74	38	
	562 ✓ "	" " " " " "	" 40	48	24	
	563 ✓ "	Snaps Pneumatic Hammer	Dia of Hole 3-10	275	137	
	564 ✓ "	Planes Wood Working Round	W. of Plane 25-55	6	3	
	565 ✓ "	" " " Radins	" 240	33	18	
	566 ✓ "	" " " Corner	" 40	9	3	
	567 ✓ "	" " " Scriber	" 90	8	5	
	568 ✓ "	" " " Groove	" 10	92	47	
	569 ✓ "	" " " " " "	" 25	119	59	
	570 ✓ "	" " " " " "	" 20	78	39	
	571 ✓ "	" " " Side	" 65	87	42	
	572 ✓ "	" " " " " "	" 65	78	39	

574 ✓	N11	Breast Drill Wood Working	Dia 15	1	1
575 ✓	N11	Planes Wood Working Flat	W. 75-80	20	11
576 ✓	"	Ratchet Drills Non-Reversible	Max. Dia of Drill 15	13	7 ✓
577 ✓	"	Thread Ganges Metric	Nominal Pitch 0.5-1	15	6
578 ✓	"	" " "	" " 0.75-1.25	25	13
579 ✓	"	" " "	" " 1-1.75	16	7
580 ✓	"	" " "	" " 1-2	18	9
581 ✓	"	" " "	" " 1-2.5	13	7
582 ✓	"	" " "	" " 1-2.5	14	8
583 ✓	"	" " Plug & Ring	Pitch 1-1.5	21 set	9 set
584 ✓	"	" " " " "	" 1.5-20	6 "	3 "
585 ✓	"	" " With Limit Wickmen	" 0.6-1.0	47	23
586 ✓	"	" " " " "	" 0.75-1.5	50	26
587 ✓	"	" " " " "	" 1.5	12	6
588 ✓	"	" " " " "	" 1.5-2.5	28	13
589 ✓	"	Thickness Ganges	Measuring Range 0.04-1.0	117	57
590 ✓	"	Center Ganges	Angle 60 Degree	20	11
591 ✓	"	" " "	" 60 "	25	13
592 ✓	"	Radius Gauges	For Inside 1-15	55	28
593 ✓	"	Dial " "	M. Unit 1/100 mm	5	2
594 ✓	"	" " "	" 1/1000	1	1 5/8 p
595 ✓	"	Depth " "	" 1/20	1	1
596 ✓	"	" " "	" 1/20	14	8 100 p
597 ✓	"	Angle " "	M. Range 1°-45°	15	6
598 ✓	"	Gear Tooth Gange Involut	Biametral Pitch 6-80	1	1
599 ✓	"	Micrometers Outside	M Range 0-25	4	1
600 ✓	"	" " "	" 50-75	2	2
602 ✓	"	" Thread Outside	Pitch of Thread 0.4-0.6	1	1
603 ✓	"	Improved Level	Size 340x37x73	1	1
604 ✓	"	Iron Level	" 293x23x40	1	1
605 ✓	"	" " "	" 380x22x40	1	1
606 ✓	"	" " "	" 443x22x46	3	0
607 ✓	"	" " "	" 458x23x45	6	3
608 ✓	"	" " "	" 610x45x23	6	3
609 ✓	"	Spirit Levels Precision	" 200x40x200	7	4
610 ✓	"	Vernier Calipers	Unit 1/20 mm	52	25
611 ✓	"	" " "	" 1/20 mm	48	24
612 ✓	"	Calipers Centering	L. 150 mm	120	60
613 ✓	"	" Out Side	" 150-175	210	105
614 ✓	"	" " "	" 300	5	2
615 ✓	"	" Inside	" 150-175	74	38
616 ✓	"	" " "	" 300	5	2
617 ✓	"	" " "	" 185	13	7
618 ✓	"	" " "	" 100	21	12
619 ✓	"	" Out Side	" 230-110	27	12
620 ✓	"	Calipers Inside	" 210-120	48	24
621 ✓	"	Plug Ganges Limit	Limit (-) 0.00-0.07		
			(-) 0.01-0.07	39	21
622 ✓	"	" " "	(-) 0.00		
			(-) 0.01-0.017	21	9
623 ✓	"	" " "	(-) 0.00-0.02		
			(-) 0.01-0.012	27	12
624 ✓	"	Screw Pitch Ganges Meter System	Max. Pitch 2.0-7.0	17	8
625 ✓	"	" " " Inch System	" " 49	7	4
626 ✓	"	Drill Point Ganges	Angle 60°	2	2
627 ✓	"	Inside Dial Gange	Dia. 35-60	1	1
628 ✓	"	Protractor	L. of Blade 200	11	5
629 ✓	"	Beyel-Protractor Universal	" 300	3	0
630 ✓	"	" " Combination Set	" 300	2	2
631 ✓	"	" " " " "	" 500	3	0
632 ✓	"	" " " " "	" 300	8	5
633 ✓	"	" " " " "	" 300	2	2
634 ✓	"	Bevel Protractor	" 80	5	2
635 ✓	"	Scales	Measurement 72"	2	2
636 ✓	"	" " "	" 30"	5	2
637 ✓	"	" " "	" 12"	55	28
638 ✓	"	" Straight	Graduated L. 300 mm	250	124
639 ✓	"	Line Rulers Wood Working	Max Working 210	61	31
640 ✓	"	" " Double Blades	" " "		
		Wood Working	" 210	31	16
641 ✓	"	Line Rulers	" L. 80	40	19
642 ✓	"	Thread Ganges	Pitch of Thread 0.4-2.74	104	53
643 ✓	"	Level Clinometer	Measuring Range 0°-45°	1	1
644 ✓	"	" " "	" " 6°-45°	3	0
645 ✓	"	" " "	" " 0°-45°	1	1
646 ✓	"	" " "	" " 0°-45°	2	2

✓ 650	Nil	Chaser	Pitch 0.6-1.25	94	46
✓ 651	"	Straight Edges	L. 1000 mm	2	2
✓ 652	"	" "	" 890	27	12
✓ 653	"	" "	" 500	11	5
✓ 654	"	" "	" 1800	1	1
✓ 655	"	" " Bow	" 3000	1	1
✓ 656	"	" "	" 700	1	1
✓ 657	"	V-Belts	L(inside) 1730	140	69
✓ 658	"	"	" 1910	5	2
✓ 659	"	"	" 1530	19	9
✓ 660	"	"	" 1900	10	4
✓ 661	"	"	" 1650	97	49
✓ 662	"	"	" 1170	6	3
✓ 663	"	"	" 1170	19	10
✓ 664	"	"	" 5200	50	26
✓ 665	"	Belt's Leather-Link	L 198	1	1

ISAHAYA AREA

Machine Tools & Equipments

Item No.	Inventory No.	Name of Machine Tools & Equipments	Total No.	C
1	27-4-4828 ✓	Air grinder portable	1	1
2	" 4830 ✓	"	1	1 ✓
3	" 4833 ✓	"	1	1 ✓
"	" 4837 ✓	"	1	1 ✓
4	" 4838 ✓	"	1	1 ✓
5	" 4839 ✓	"	1	1 ✓
"	" 4840 ✓	"	1	1 ✓
"	" 4841 ✓	"	1	1 ✓
6	" 4842 ✓	Electric grinder portable	1	1 ✓
99	" 9010 ✓	Vice. parallel bench	1	1 ✓
100	" 9011 ✓	"	1	1 ✓
101	" 9012 ✓	"	1	1 ✓
102	" 9013 ✓	"	1	1 ✓
104	" 9017 ✓	"	1	1 ✓
"	" 9018 ✓	"	1	1 ✓
"	" 9019 ✓	"	1	1 ✓
"	" 9020 ✓	"	1	1 ✓
"	" 9021 ✓	"	1	1 ✓
"	" 9022 ✓	"	1	1 ✓
"	" 9030 ✓	"	1	1 ✓
"	" 9031 ✓	"	1	1 ✓
"	" 9032 ✓	"	1	1 ✓

Item No.	Inventory No.	Name of Machine Tools & Equipments	Total No.	C
104	27-4-9033 ✓	Vice. parallel bench	1	1 ✓
"	" 9034 ✓	"	1	1 ✓
"	" 9035 ✓	"	1	1 ✓
105	" 9037 ✓	"	1	1 ✓
107	" 9039 ✓	Leg vice	1	1 ✓
109	" 5014 ✓	Vice. parallel bench	1	1 ✓
"	" 5015 ✓	"	1	1 ✓
"	" 5017 ✓	"	1	1 ✓
"	" 5022 ✓	"	1	1 ✓
"	" 5023 ✓	"	1	1 ✓
"	" 5024 ✓	"	1	1 ✓
"	" 5025 ✓	"	1	1 ✓
"	" 5026 ✓	"	1	1 ✓
"	" 5027 ✓	"	1	1 ✓
110	" 5029 ✓	"	1	1 ✓
"	" 5030 ✓	"	1	1 ✓
"	" 5031 ✓	"	1	1 ✓
112	" 5034 ✓	"	1	1 ✓
"	" 5038 ✓	"	1	1 ✓
"	" 5040 ✓	"	1	1 ✓
121	" 5046 ✓	Wheel heads for internal grinder	1	1 ✓
123	" 5050 ✓	"	1	1 ✓
124	" 5051 ✓	"	1	1 ✓

Item No.	Inventory No.	Name of Machine Tools & Equipments	Total No.	C
125	27-4-5052 ✓	Wheel heads for internal grinder	1	1 ✓
138	" 5553 ✓	Chain blocks	1	1 ✓
139	" 5554 ✓	"	1	1 ✓
140	" 5555 ✓	"	1	1 ✓
141	" 5556 ✓	Torolley for chain block	1	1 ✓
142	" 5557 ✓	"	1	1 ✓
143	" 5558 ✓	"	1	1 ✓
144	" 5559 ✓	"	1	1 ✓
"	" 5560 ✓	"	1	1 ✓
"	" 5561 ✓	"	1	1 ✓

ISAHAYA AREA

Supplies

Item No.	Name of Tools	Size	Total No.	C
1 ✓	Ring spanner single end	Open size 18 mm	48	24 ✓
"	"	21 mm	134	68
"	"	21 mm	5	2
"	"	23 mm	23	11
"	"	26 mm	5	3
"	"	29 mm	10	6
"	"	41 mm	5	2

Item No.	Name of Tools	Size	Total No.	C
1 ✓	Ring spanner single end	Open size 35 mm	23	11 ✓
"	"	40 mm	5	2
"	"	26 mm	8	5
"	"	38 mm	10	4
"	"	66 mm	2	2
"	"	60 mm	3	1
"	"	40 mm	3	2
"	"	25 mm - 56 mm	44	22
2 ✓	Ring spanner double end	18 mm - 25 mm	34	17 ✓
"	"	21 mm - 26 mm	5	2
"	"	24 mm - 31 mm	1	1
"	"	26 mm - 39 mm	3	1
"	"	26 mm - 30 mm	1	1
"	"	29 mm - 32 mm	6	3
"	"	29 mm - 35 mm	2	2
3 ✓	Spanners radiator	Diann - 29 mm	24	12 ✓
4 ✓	Double end	Open size 6 mm - 52 mm	285	142 ✓
5 ✓	Single end	15 mm - 50 mm	423	212 ✓
6 ✓	Squares	L. 130 mm - 350 mm W. 70 mm - 200 mm	40	21 ✓
8 ✓	Squares with bed	L. 342 mm H. 610 mm Thk of bed 30 mm	8	5 ✓
9 ✓	Squares with bed	L. 425 mm H. 850 mm Thk of bed 30 mm	1	1 ✓

Item No.	Name of Tools	Size	Total No.	C
✓ 11	Squares with bed	L. 200 mm H. 300 mm Thk of bed 30 mm	1	1 ✓
✓ 12	"	L. 150 mm H. 200 mm Thk of bed 30 mm	1	1 ✓
✓ 13	"	L. 140 mm H. 250 mm Thk of bed 20 mm	1	1 ✓
✓ 15	Squares	L. 620 mm W. 350 mm	2	1 ✓
✓ 16	Squares	L. 420 mm W. 230 mm	2	2 ✓
✓ 43	Hand remers	D.mm W.mm L.mm 6 x 35 x 130	10	6 ✓
"	"	9 x 40 x 155	20	9
"	"	9 x 90 x 180	9	6
"	"	9.5 x 40 x 160	140	69
✓ 44	"	11.8 x 45 x 170	27	14 ✓
"	"	12 x 55 x 170	8	4
"	"	12 x 55 x 170	50	24
"	"	13 x 50 x 175	21	12
"	"	13 x 50 x 175	14	6
✓ 45	"	16 x 50 x 200	7	3 ✓
"	"	19 x 55 x 210	18	9
"	"	19 x 55 x 210	3	3
✓ 46	"	25 x 70 x 250	16	9 ✓
✓ 48	End mills	D.mm L.mm 6 x 50	11	6 ✓
"	"	7 x 50	13	6
"	"	8 x 50	11	6
"	"	9 x 50	45	23

Item No.	Name of Tools	Size		Total No.	C
✓ 48	End mills	D.mm	L.mm		
		9 x	60	25	13 ✓
"	"	10 x	50	23	11 ✓
✓ 49	"	12 x	60	24	12
"	"	14 x	60	25	13
"	"	15 x	130	20	9
"	"	16 x	85	80	40
"	"	20 x	80	35	17
"	"	20 x	90	60	30
"	"	20 x	95	25	13
✓ 50	"	30 x	115	41	20 ✓
"	"	30 x	115	38	20
"	"	30 x	115	6	3
"	"	30 x	125	50	25
✓ 51	"	35 x	125	33	16 ✓
"	"	35 x	125	21	11
"	"	40 x	125	23	12
"	"	40 x	145	29	14
"	"	40 x	145	14	7
"	"	40 x	145	19	9
"	"	40 x	155	22	12
"	"	40 x	155	27	12
✓ 52	"	50 x	135	27	15 ✓
"	"	50 x	135	70	34
"	"	45 x	135	36	18

Item No.	Name of Tools	Size	Total No.	C
✓ 52	End mills	D.mm L.mm		
		45 x 135	2	2
✓ 53	"	45 x 240	24	12
✓ 54	"	35 x 125	3	1
"	"	38 x 185	19	10
"	"	40 x 125	22	10
"	"	40 x 125	2	2
"	"	40 x 145	7	4
✓ 55	"	45 x 240	30	15
✓ 56	"	50 x 230	33	16
"	"	50 x 235	20	11
"	"	50 x 235	31	15
"	"	50 x 236	19	9
"	"	50 x 240	27	14
"	"	50 x 240	71	35
"	"	50 x 245	7	4
"	"	50 x 250	5	2
✓ "	"	50 x 250	3	2
✓ 57	Plain milling cutter	D.mm W.mm hole dia mm		
		60 x 80 x 25.4	9	4
✓ 58	"	67.9 x 50 x 30	82	41
"	"	70 x 50 x 30	140	70
"	"	70 x 50 x 30	131	65
"	"	70 x 50 x 30	22	12
"	"	70 x 80 x 40	13	6
"	"	70 x 90 x 25.4	5	3
✓ 59	"	80 x 50 x 30	80	39
"	"	80 x 80 x 40	35	18
✓ 60	"	90 x 50 x 30	19	9
"	"	90 x 80 x 40	2	2
✓ 61	"	100 x 80 x 40	4	4
✓ 62	"	125 x 40 x 40	17	9
"	"	130 x 40 x 40	9	4
✓ 63	Side milling cutter	51.4 x 15.8 x 25.4	1	1
✓ 64	"	70 x 12 x 25.4	6	3
✓ 65	"	80 x 15 x 25.4	48	24
✓ 66	"	100 x 10 x 25.4	1	1
"	"	100 x 19 x 25.4	5	3
"	"	125 x 18 x 25.4	21	12
"	"	127 x 15 x 25.4	4	3
"	"	140 x 20 x 40	1	1
"	"	150 x 10 x 40	2	2
"	"	150 x 20 x 40	6	3
✓ 67	"	110 x 12 x 25.4	5	3
"	"	120 x 6.2 x 25.4	5	2
✓ 68	"	90 x 15 x 25.4	10	4

Item No.	Name of Tools	Size	Total No.	C
✓ 69	Angular milling cutter	(D.mm W.mm hole dia mm) 100 x 12 x 25.4	59	30
✓ 70	Metal slitting cutter	100 x 2.5 x 25.4	7	4
"	"	100 x 3.0 x 25.4	2	2
✓ 71	Dies	7 x 0.5	430	216
"	"	9 x 0.75	386	192
"	"	9 x 1.25	448	225
"	"	10 x 1.0	475	237
"	"	11 x 1.0	524	262
"	"	11 x 1.5	263	131
"	"	10 x 1.5	92	47
"	"	8 x 1.0	430	214
"	"	8 x 1.25	450	225
✓ "	"	8 x 0.75	420	210
72	Inserted tooth cutter	(D.mm W.mm hole dia mm) 70 x 40 x 20	25	13
"	"	85 x 40 x 30	17	8
✓ "	"	90 x 40 x 30	43	22
✓ 73	Fly cutter	D.mm W.mm L.mm 20 x 25 x 200	22	11
"	"	22 x 25 x 230	4	3
"	"	25 x 30 x 175	15	6
✓ 74	Wood raffkey cutter	13 x 60 x 3	17	9
"	"	15 x 65 x 4	28	15
"	"	16 x 70 x 7	18	9
"	"	18 x 110 x 10	10	4
✓ 75	Machine reamers	27 x 70 x 300	5	2
"	"	28 x 70 x 300	17	9
"	"	30 x 75 x 280	4	3
✓ "	"	30 x 75 x 280	10	4
✓ 76	"	30.8 x 80 x 250	34	17
"	"	31 x 75 x 250	34	18
"	"	32 x 75 x 320	20	9
✓ 77	Knuring tools	D.mm Thk mm 20 6	50	24
✓ 90	Bit. inside threading	1 inch	23	12
✓ 91	"	1/2 "	663	332
"	"	3/4 "	1402	700
"	"	5/8 "	97	49
✓ 92	"	1 "	172	86
"	"	1 1/2 "	9	5
✓ 93	Bit. outside threading	3/4 "	27	13
✓ 94	Bit. outside finishing	1/2 "	410	205

Item No.	Name of Tools	Size	Total No.	C
✓ 94	Bit. outside finishing	3/4 inch	505	253
✓ 95	"	1/2 "	223	112
"	"	1 "	627	312
✓ 96	Bit. outside threading	1/2 "	114	57
"	"	5/8 "	57	30
✓ 97	"	1 "	199	99
"	"	1 1/4 "	33	16
✓ 98	Tangalloy	1/2 "	324	162
"	"	3/4 "	1324	662
✓ 99	"	1 "	177	89
"	"	1 1/4 "	181	91
✓ 100	"	1 "	270	135
✓ 101	"	3/4 "	190	94
✓ 102	Bit brass	1/2 "	160	80
"	"	5/8 "	20	10
"	"	3/4 "	1690	845
✓ 108	"	3/4 "	1929	965
✓ 104	"	1 "	118	58
"	"	1 1/4 "	25	13
✓ 105	"	5/8 "	19	10
"	"	3/4 "	195	97
✓ 106	"	1 "	148	75
✓ 107	Bit cutting off	3/8 "	12	6
"	"	3/4 "	669	333
✓ 108	"	1 "	81	42
"	"	1 1/4 "	110	54
✓ 109	"	1 "	25	12
✓ 110	"	3/4 "	15	9
✓ 111	"	5/8 "	8	3
✓ 112	Bit. side finishing	3/8 "	41	21
"	"	1/2 "	1045	522
"	"	5/8 "	23	12
"	"	3/8 "	2142	1071
✓ 113	"	1 "	127	63
"	"	1 1/4 "	45	23
✓ 114	Bit. spring finisher	5/8 - 3/4 "	76	38
✓ 115	"	1 "	150	75
✓ 116	Bit. boring finisher	1/2 "	480	240
"	"	5/8 "	104	52
"	"	3/4 "	2703	1351
✓ 117	"	1 "	220	110
✓ 118	Bit. finisher	1/2 "	21	11
"	"	5/8 "	13	7

Item No.	Name of Tools	Size	Total No.	C
✓ 118	Bit. finisher	3/4 inch	16	7
✓ 119	Bit. boring	1 "	270	135
✓ 120	"	3/4 "	50	25
"	"	1 "	100	50
✓ 121	"	1/2 "	736	369
"	"	5/8 "	4	1
"	"	3/4 "	2558	1280
✓ 122	"	1 "	115	57
✓ 123	Bit. round off	1 "	45	22
✓ 124	"	3/4 "	64	32
✓ 125	Bit. rougher left side	1/2 "	5	3
"	"	5/8 "	7	3
"	"	3/4 "	329	165
✓ 126	"	1 "	341	171
✓ 127	Bit. rougher right side	5/8 "	13	7
"	"	3/4 "	141	69
✓ 128	Side	1/2 "	73	37
"	"	3/4 "	345	173
✓ 129	"	1 "	610	303
✓ 130	"	1/2 "	548	274
"	"	3/4 "	1261	631
✓ 131	Bit side	1 "	633	316
"	"	1 1/4 "	6	3
✓ 132	Bit	5/8 - 3/4 "	72	36
✓ 133	"	1 "	6	3
✓ 144	Oil stone	L.mm W.mm H.mm		
		100 x 12 x 13	790	396
✓ 145	"	120 x 14 x 14	220	110
✓ 146	"	120 x 20 x 9	56	29
✓ 147	"	130 x 12 x 9	3290	1645
✓ 148	"	130 x 15 x 12	75	37
✓ 149	"	130 x 12 x 7	2700	1350
✓ 150	Grinding wheel pencil	D.mm W.mm L.mm		
		8 x 12 x 51	7500	3750
✓ 151	Oil stone	D.mm W.mm H.mm		
		100 x 10 x 15	40	20
✓ 152	"	130 x 12 x 9	10030	5016
✓ 153	"	100 x 10 x 4	400	199
✓ 154	Recessed one side	(R.mm Thk mm Hole dia mm)		
		615 x 60 x 310	1	1
✓ 155	"	610 x 60 x 320	2	1
✓ 157	Recessed one side	24 x 25 x 10	190	96
✓ 158	"	25 x 25 x 10	65	33
✓ 159	Straight	460 x 62 x 192	23	11

CK

Item No.	Name of Tools	Size	Total No.	C
✓160	Cylinder	(D.mm Thk mm Hole dia mm) 355 x 100 x 229	15	7 ✓
✓161	Recessed one side	300 x 35 x 128	36	18 ✓
✓162	Grinding wheel straight	355 x 30 x 127	6	3 ✓
✓163	Straight cup	355 x 130 x 265	12	6 ✓
✓164	"	355 x 100 x 265	19	9 ✓
✓165	Straight	448 x 38 x 203	33	18 ✓
✓166	"	448 x 38 x 203	34	16 ✓
✓167	Recessed two side	300 x 83 x 130	12	6 ✓
✓168	Recessed one side	500 x 50 x 200	15	8 ✓
✓169	Recessed two side	950 x 75 x 315	8	3 ✓
✓170	Cylinder	380 x 230 x 100	35	17 ✓
✓171	"	380 x 100 x 230	5	3 ✓
✓172	"	510 x 195 x 305	5	3 ✓
✓173	"	505 x 195 x 305	6	3 ✓
✓174	Recessed one side	630 x 90 x 305	10	5 ✓
✓175	Straight	605 x 75 x 305	6	3 ✓
✓176	"	605 x 75 x 202	6	3 ✓
✓177	"	154 x 6 x 18	39	19 ✓
✓178	"	200 x 10 x 127	6	3 ✓
✓179	"	300 x 10 x 179	44	22 ✓
✓180	"	355 x 30 x 130	4	2 ✓
✓181	"	175 x 13 x 32	9	5 ✓
✓182	"	200 x 15 x 32	5	2 ✓
✓183	Cylinder	205 x 80 x 80	4	1 ✓
✓184	Straight	100 x 15 x 15	81	42 ✓
✓185	"	200 x 20 x 32	36	18 ✓
✓186	"	255 x 20 x 75	7	3 ✓
✓187	"	175 x 13 x 32	19	9 ✓
✓188	"	200 x 15 x 32	5	3 ✓
✓189	"	305 x 27 x 127	10	5 ✓
✓190	"	180 x 13 x 32	80	41 ✓
✓191	"	350 x 8 x 160	100	49 ✓
✓192	"	150 x 10 x 32	40	21 ✓
✓193	"	105 x 15 x 32	52	25 ✓
✓194	"	177.8 x 19 x 38.1	30	15 ✓
✓195	Special straight	203 x 8 x 51	6	3 ✓
✓196	Straight	130 x 4 x 18	12	6 ✓
✓197	"	83 x 12 x 15	13	7 ✓

Item No.	Name of Tools	Size	Total No.	C
✓198	Straight	(D.mm Thk mm Hole dia mm)		
		77 x 13 x 20	18	9 ✓
✓199	"	101.6 x 19 x 38.1	10	4 ✓
✓200	"	100 x 20 x 32	17	9 ✓
✓201	"	101.6 x 12.7 x 31.75	14	7 ✓
✓202	"	51 x 15 x 13	12	6 ✓
✓203	"	127 x 20 x 32	14	6 ✓
✓204	"	200 x 15 x 32	4	2 ✓
✓205	"	180 x 15 x 32	11	6 ✓
✓206	"	154 x 15 x 32	12	6 ✓
✓207	"	200 x 15 x 23	13	6 ✓
✓208	"	180 x 15 x 32	10	6 ✓
✓209	"	90 x 13 x 18	314	156 ✓
✓210	"	150 x 8 x 13	15	8 ✓
✓211	"	300 x 25 x 127	63	31 ✓
✓212	"	250 x 30 x 76	45	23 ✓
✓213	"	250 x 30 x 76	23	11 ✓
✓214	"	150 x 13 x 50	319	160 ✓
✓215	"	150 x 25 x 15	6	3 ✓
✓216	Special	180 x 13 x 32	17	8 ✓
✓217	Straight	200 x 20 x 20	66	33 ✓
✓218	"	150 x 25 x 15	17	8 ✓
✓219	"	100 x 13 x 13	3	3 ✓
✓220	"	350 x 8 x 160	9	3 ✓
✓221	"	415 x 40 x 55	3	3 ✓
✓223	"	460 x 205 x 138	3	2 ✓
✓224	"	115 x 8 x 13	5	2 ✓
✓225	"	115 x 65 x 23	4	2 ✓
✓226	"	483 x 50 x 305	5	3 ✓
✓227	Recessed one side	610 x 60 x 315	4	2 ✓
✓228	Cylinder	400 x 155 x 230	39	19 ✓
✓229	Straight cup	355 x 130 x 265	9	5 ✓
✓230	Cylinder	380 x 100 x 230	3	1 ✓
✓231	"	380 x 100 x 230	2	1 ✓
✓232	Straight	400 x 50 x 40	2	2 ✓
✓234	Straight	450 x 205 x 240	4	2 ✓
✓235	"	450 x 205 x 38	5	2 ✓
✓236	"	450 x 63 x 190	2	2 ✓
✓238	Recessed one side	500 x 50 x 200	4	3 ✓
✓239	Straight	180 x 13 x 32	75	36 ✓
✓240	"	65 x 14 x 10	114	57 ✓
✓241	"	130 x 15 x 38	1	1 ✓
✓242	Recessed one side	100 x 25 x 32	17	8 ✓
✓243	Straight	115 x 8 x 13	14	8 ✓

Item No.	Name of Tools	Size			Total No.	C
		(D. mm)	Thk mm	Hole dia mm)		
✓244	Straight	101.6 x	19 x	31.75	35	17
✓245	"	180 x	13 x	32	75	38
✓246	"	128 x	13 x	38	70	35
✓247	"	128 x	19 x	38	14	7
✓248	"	105 x	20 x	32	17	9
✓249	"	180 x	20 x	42	39	18
✓250	"	180 x	20 x	42	18	9
✓251	"	150 x	12 x	50	48	24
✓252	Special	180 x	13 x	40	49	25
✓253	Straight	152.4 x	12.7 x	31.75	15	8
✓254	"	200 x	20 x	20	32	15
✓255	"	200 x	23 x	16	26	14
✓256	"	180 x	15 x	32	120	60
✓257	Straight cup	200 x	65 x	21	14	7
✓258	Cylinder	200 x	80 x	80	4	2
✓259	Straight	255 x	13 x	89	19	10
✓260	"	250 x	28 x	78	3	1
✓261	"	360 x	30 x	127	2	1
✓262	"	355 x	30 x	130	11	5
✓263	"	355 x	50 x	130	12	6
✓264	"	410 x	50 x	38	5	3
✓265	"	400 x	50 x	40	3	2
✓266	"	460 x	35 x	200	3	1
✓268	Straight	450 x	38 x	205	10	6
✓269	"	450 x	38 x	203	11	6
✓270	"	360 x	30 x	125	60	30
✓273	"	510 x	60 x	230	1	1
✓274	"	510 x	65 x	240	2	2
✓275	Cylinder	510 x	200 x	305	4	1
✓276	"	510 x	194 x	305	1	1
✓277	Straight	600 x	70 x	305	1	1
✓281	Cylinder	25 x	20 x	10	130	66
✓282	"	30 x	20 x	11	228	114
✓283	Recessed two side	300 x	80 x	130	6	3
✓284	Cylinder	26 x	25 x	16	195	97
✓285	Straight	100 x	6 x	12	124	62
✓286	"	125 x	20 x	32	20	10
✓287	"	150 x	8 x	13	190	95
✓288	"	155 x	14 x	32	6	3
✓289	"	150 x	13 x	50	85	42
✓290	"	180 x	13 x	32	103	52
✓291	"	150 x	13 x	50	259	130
✓292	"	177.8 x	12.7 x	31.75	32	16
✓293	"	180 x	13 x	32	39	19
✓294	Dish	150 x	10 x	13	46	23
✓295	Straight	305 x	15 x	127	27	14
✓296	"	300 x	10 x	179	25	13

Item No.	Name of Tools	Size	Total No.	C
✓ 297	Straight	(D.mm Thk mm Hole dia mm)		
✓ 298	Cylinder	350 x 8 x 160	151	75
✓ 299	Straight	355 x 100 x 230	3	1 ✓
✓ 300	"	200 x 25 x 32	77	38 ✓
✓ 301	Recessed one side	485 x 50 x 305	3	3 ✓
✓ 302	Cylinder	25 x 8 x 8	110	54 ✓
✓ 303	Straight	45 x 35 x 16	97	48 ✓
✓ 304	"	127 x 19 x 32	62	32 ✓
✓ 307	Recessed one side	520 x 70 x 230	1	1 ✓
✓ 308	Cylinder	25 x 22 x 12	68	34 ✓
✓ 309	Recessed one side	25 x 29 x 11	93	47 ✓
✓ 310	Cone	30 x 30 x 10	255	127 ✓
✓ 311	Cone	90 x 32 x 13	78	39 ✓
✓ 312	Recessed one side	"	48	24
✓ 313	Straight cup	200 x 32 x 32	28	14 ✓
✓ 314	Recessed one side	200 x 64 x 21	14	6 ✓
✓ 315	Straight cup	200 x 32 x 32	2	2 ✓
✓ 316	Cone	355 x 130 x 265	11	5 ✓
✓ 317	Straight cup	90 x 31 x 13	102	51 ✓
✓ 318	Recessed one side	152 x 508 x 32	16	8
✓ 319	Recessed two side	185 x 35 x 20	5	3 ✓
✓ 320	Straight	305 x 130 x 82	3	1 ✓
✓ 321	Recessed one side	410 x 52 x 38	3	2 ✓
✓ 322	Straight	200 x 32 x 32	3	1 ✓
✓ 323	Recessed one side	450 x 38 x 205	3	2 ✓
✓ 324	Cylinder	200 x 32 x 32	3	1 ✓
✓ 325	Straight cup	355 x 100 x 230	2	2 ✓
✓ 326	"	355 x 130 x 265	22	10 ✓
✓ 327	"	355 x 100 x 265	36	18
✓ 328	Recessed one side	355 x 100 x 265	4	2 ✓
✓ 329	"	500 x 50 x 200	7	3 ✓
✓ 330	"	610 x 60 x 318	1	1 ✓
✓ 331	"	610 x 60 x 318	1	1 ✓
✓ 332	Pencil	610 x 60 x 318	4	1 ✓
✓ 333	"	D.mm W.mm L.mm 6 x 8 x 48 38 x 7 x 10	850 1030	426 515 ✓

Item No.	Name of Tools	Size			Total No.	C
		D.mm	W.mm	L.mm		
✓334	Pencil	12 x	8 x	53	2040	1020 ✓
✓335	"	20 x	50 x	90	413	206 ✓
✓336	"	55 x	10 x	10	730	365 ✓
✓337	"	13 x	18 x	57	2890	1445 ✓
✓338	"	13 x	12 x	63	1740	870 ✓
✓339	"	10 x	12 x	60	1250	624 ✓
✓340	"	50 x	30 x	90	372	186 ✓
✓341	"	50 x	12 x	10	1360	681 ✓
✓342	"	72 x	20 x	30	136	67 ✓
✓343	Oil stone	(D.mm	Thk mm	Hole dia mm)		
		130 x	12 x	15	435	218 ✓
✓344	"	130 x	12 x	9	320	159 ✓
✓345	Pencil	D.mm	W.mm	L.mm		
		12 x	15 x	50	4744	2373 ✓
✓346	"	12 x	31 x	76	960	480 ✓
✓347	"	70 x	31 x	12	1650	825 ✓
✓348	"	30 x	19 x	72	444	222 ✓
✓349	"	80 x	14 x	30	3600	1800 ✓
✓350	Oil stone	(D.mm	Thk mm	Hole dia mm)		
		130 x	12 x	15	180	90 ✓
✓351	Dish	90 x	13 x	13	30	15 ✓
✓352	Special	180 x	13 x	32	35	17 ✓
✓353	Dish	115 x	13 x	13	22	10 ✓
✓354	"	150 x	13 x	13	21	12 ✓
✓355	"	100 x	13 x	13	33	15 ✓
✓356	"	115 x	13 x	13	58	30 ✓
✓357	"	150 x	13 x	13	107	54 ✓
✓358	"	152 x	13 x	13	26	12 ✓
✓359	"	150 x	13 x	13	190	96 ✓
✓360	"	153 x	13 x	32	14	6 ✓
✓361	"	160 x	20 x	52	174	87 ✓
✓362	Cone	90 x	50 x	15	54	27 ✓
✓363	"	90 x	35 x	14	48	24 ✓
✓364	"	90 x	32 x	14	7	3 ✓
✓365	"	101.6 x	38.1 x	31.75	9	6 ✓
✓366	"	115 x	50 x	13	252	126 ✓
✓367	"	114.3 x	50.8 x	31.75	20	9 ✓
✓368	"	127 x	38.1 x	31.75	5	3 ✓
✓369	"	90 x	50 x	15	29	15 ✓
✓370	"	90 x	45 x	32	31	15 ✓
✓371	"	114 x	50 x	32	31	15 ✓
✓372	"	115 x	50 x	13	43	21 ✓
✓373	"	115 x	50 x	13	54	27 ✓
✓374	"	152.4 x	12.7 x	31.75	15	9 ✓
✓377	Recessed two side	180 x	20 x	32	31	16 ✓
✓378	"	180 x	14 x	32	73	37 ✓
✓379	"	180 x	14 x	32	74	37 ✓
✓380	"	180 x	20 x	32	168	84 ✓

Item No.	Name of Tools	Size	Total No.	C
✓381	Recessed two side	(D.mm Thk.mm Hole dia mm)		
		610 x 50 x 330	3	1 ✓
✓382	"	640 x 50 x 230	9	5 ✓
✓384	"	610 x 50 x 330	1	1 ✓
✓385	"	610 x 50 x 330	4	2 ✓
✓386	"	200 x 25 x 32	17	9 ✓
✓389	Straight	305 x 130 x 127	27	15 ✓
✓390	"	40 x 7 x 12	50	24 ✓
✓391	"	50 x 12 x 15	93	47 ✓
✓392	Special	64 x 13 x 16	77	38 ✓
✓393	"	64 x 13 x 12	415	208 ✓
✓394	"	305 x 130 x 127	25	13 ✓
✓395	Recessed one side	78 x 45 x 22	159	78 ✓
✓396	"	75 x 18 x 20	10	6 ✓
✓397	"	50 x 25 x 16	11	6 ✓
✓398	"	128 x 25 x 30	19	9 ✓
✓399	"	115 x 35 x 50	4	2 ✓
✓400	"	500 x 50 x 200	2	1 ✓
✓402	"	58 x 45 x 16	1	1 ✓
✓403	Straight	75 x 28 x 32	20	11 ✓
✓405	Recessed one side	101.6x25.4x31.75	20	9 ✓
✓406	"	100 x 25 x 32	3	3 ✓
✓407	"	125 x 35 x 51	5	2 ✓
✓408	"	115 x 50 x 50	720	360 ✓
✓409	"	150 x 50 x 30	90	45 ✓
✓410	Straight	360 x 50 x 130	2	1 ✓
✓412	Recessed one side	180 x 332 x 26	23	12 ✓
✓413	"	205 x 32 x 31.8	75	38 ✓
✓414	"	610 x 320 x 60	2	1 ✓
✓415	Tapered one side	64 x 13 x 13	75	37 ✓
✓416	"	67 x 20 x 12	140	71 ✓
✓417	"	68 x 20 x 23	91	45 ✓
✓418	"	68 x 18 x 15	400	200 ✓
✓419	Recessed one side	200 x 32 x 32	21	10 ✓
✓420	Radius gauges	Measuring range 5.5 mm - 13.0 mm	2	1 ✓
✓422	Thickness gauges	Measuring range 0.05 mm - 0.5 mm	16	10 ✓
✓423	Center gauges	Angle 60° L.60 mm	8	4 ✓
✓424	Plug gauges	Measuring range		
	"	4 mm	90	45 ✓
	"	6 mm	60	30 ✓
	"	9 mm	90	45 ✓
	"	10 mm	60	30 ✓
✓425	"	12 mm	168	84 ✓
	"	13 mm	168	84 ✓

Item No.	Name of Tools	Size	Total No.	C
✓ 425	Plug gauges	Measuring range		
"	"	14 mm	180	90 ✓
"	"	15 mm	330	165
"	"	16 mm	300	150
"	"	17 mm	126	63
"	"	18 mm	300	150
"	"	19 mm	177	88
✓ "	"	20 mm	90	45
✓ 426	"	22 mm	90	45 ✓
"	"	23 mm	115	58
"	"	24 mm	18	9
"	"	25 mm	94	46
✓ 427	Combination gauge-block	32 sets	1	1 ✓
✓ 455	Steel rules	Measuring range		
		300 mm	30	15 ✓

CK

21st Naval Air Depot 27-4 at Kamatana

<u>Inventory No.</u>	<u>Name of equipment</u>	<u>Size</u>	<u>No. to China</u>
4066	Grinder (Double head)	200 x 20	1
4067 - 4071 4068	Circular milling table	Dia of table 140 m/m	2
4072	Circular milling table	130 m/m	
4073 - 4092 4073 - 4083	Dividing head	Hight of cents 150 m/m	10
4093 - 4104	Swivel Vice	Width of Jaw 150 m/m	6
4105 - 4118 4105 - 4112	Swivel Vice	100 m/m	8
4119	Swivel Vice	100 m/m	
4120	Swivel Vice	100 m/m	
4121	Swivel Vice	100 m/m	
4122	Bench Vice	Width of jow 130 m/m	1
4123 - 4125 4123		130 m/m	1
4126		150 m/m	1
4127		130 m/m	
4128 - 4137 4128 - 4132	Lathe dogs	13 m/m	5
4138 - 4162 4138 - 4150		18 m/m	13
4163 - 4166 4163		25 m/m	1
4167 - 4170 4167 - 4169	Lathe Center	Taper No. 6	3
4171 - 4173 4171		6	1
4174 - 4209 4174 - 4181		Taper No. 5	18
4210 - 4240 4210 - 4220		5	17
4245 - 4261 4245 - 4252		Taper No. 4	8
4262 - 4304 4262 - 4283		4	22
4305 - 4366 4305 - 4336	Lathe Center	Taper No. 4	32
4367 - 4369		Taper No. 3	
4370 - 4380 4370 - 4370		3	5

<u>Inventory No.</u>	<u>Name of equipment</u>	<u>Size</u>	<u>No. to China</u>
4381 - 4393 4381 - 4387	Lathe Center	Taper No. 3	7
4394 - 4405 4394 - 4399		3	6
4406 - 4463 4406 - 4435	Die head	Capacity 13 m/m	30
4464 - 4473 4464 - 4468	Drill socket	Taper No. 1 x 5	5
4474		3 x 5	1
4475		4 x 5	1
4476		1 x 4	1
4477		3 x 4	
4478 - 4483 4478 - 4480		2 x 4	3
4484 - 4512 4484 - 4497	Milling Arbers	Taper No. 3 - 4	14
4513 - 4584 4513 - 4548	Sleeves for Collet chuck	dia 32 m/m	36
4585	Angle plate	150 x 130 x 130	1
4586		170 x 200 x 150	
4587 - 4589		150 x 130 x 130	
4590		190 x 200 x 150	1
4591		110 x 120 x 120	
4592		150 x 130 x 130	1
4593		180 x 150 x 150	
4594		200 x 180 x 150	1
4595		200 x 180 x 180	
4596 - 4597		200 x 200 x 200	2
4598		300 x 300 x 300	1
4599 - 4604 4599 - 4601	Kniving Tool holder		3

<u>Inventory No.</u>	<u>Name of equipment</u>	<u>Size</u>	<u>No. to China</u>
1	Dies handees	160 - 350	3
2	Tap handles	200 - 400	4
3	Small	70 - 100	9
4	Cutting Bits All face find hed	9 m/m	3,015
5	Cutting Bit	12.7 150	1854
6		12.7 150	1780
7	(Tipeel)	150	21
8		16 mm 150	2607
9		" 150	2406
10		" 150	342
11		19 mm 150	1190
12		" 150	3464
13		" 150	4766
14		25 mm 200	32
15		" 200	312
16		32 mm 200	90
17	Round Section	16 mm 150	250
18		19 mm 150	86
19		19 mm 150	21
20		25 mm 200	10
21	Hand Reamers	5 mm	6

<u>Inventory No.</u>	<u>Name of equipment</u>	<u>Size</u>	<u>China</u>
21 21	Hand Razors	5 mm	6
		6.5 mm	7
		8 mm	12
		9 mm	10
		10 mm	12
		11.5 mm	8
		12.5 mm	12
		15 mm	7
		16 mm	
		15.2 mm	6
		17 mm	1
		18 mm	4
		18.5 mm	1
		17.5 mm	9
		19 mm	2
		20 mm	1
		21 mm	12
		23 mm	3
		24 mm	5
		27.5 mm	
		30 mm	2
22 22		32 mm	1
		35 mm	
		38 mm	1
		41.5 mm	