

# Demystifying Depression

[Wikibooks.org](https://en.wikibooks.org/wiki/Demystifying_Depression)

March 17, 2013

On the 28th of April 2012 the contents of the English as well as German Wikibooks and Wikipedia projects were licensed under Creative Commons Attribution-ShareAlike 3.0 Unported license. An URI to this license is given in the list of figures on page 71. If this document is a derived work from the contents of one of these projects and the content was still licensed by the project under this license at the time of derivation this document has to be licensed under the same, a similar or a compatible license, as stated in section 4b of the license. The list of contributors is included in chapter Contributors on page 67. The licenses GPL, LGPL and GFDL are included in chapter Licenses on page 75, since this book and/or parts of it may or may not be licensed under one or more of these licenses, and thus require inclusion of these licenses. The licenses of the figures are given in the list of figures on page 71. This PDF was generated by the L<sup>A</sup>T<sub>E</sub>X typesetting software. The L<sup>A</sup>T<sub>E</sub>X source code is included as an attachment (`source.7z.txt`) in this PDF file. To extract the source from the PDF file, we recommend the use of <http://www.pdflabs.com/tools/pdftk-the-pdf-toolkit/> utility or clicking the paper clip attachment symbol on the lower left of your PDF Viewer, selecting **Save Attachment**. After extracting it from the PDF file you have to rename it to `source.7z`. To uncompress the resulting archive we recommend the use of <http://www.7-zip.org/>. The L<sup>A</sup>T<sub>E</sub>X source itself was generated by a program written by Dirk Hünninger, which is freely available under an open source license from [http://de.wikibooks.org/wiki/Benutzer:Dirk\\_Huenniger/wb2pdf](http://de.wikibooks.org/wiki/Benutzer:Dirk_Huenniger/wb2pdf). This distribution also contains a configured version of the `pdflatex` compiler with all necessary packages and fonts needed to compile the L<sup>A</sup>T<sub>E</sub>X source included in this PDF file.

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Introduction . . . . .	3
1.2	Medical Disclaimer . . . . .	6
<b>2</b>	<b>What Is Depression</b>	<b>9</b>
2.1	What is Depression? . . . . .	9
<b>3</b>	<b>Normal Neuron Communication</b>	<b>11</b>
<b>4</b>	<b>The Stress System</b>	<b>13</b>
<b>5</b>	<b>The Buildup to a Depression</b>	<b>17</b>
5.1	Early stages . . . . .	18
5.2	Elevated stress hormones . . . . .	19
5.3	Problem aggravates . . . . .	19
5.4	Last stages . . . . .	20
<b>6</b>	<b>Speculation on the Physiology of Depression</b>	<b>21</b>
<b>7</b>	<b>The Recovery Process</b>	<b>23</b>
7.1	The Recovery Process . . . . .	23
<b>8</b>	<b>Recovery Guide</b>	<b>25</b>
8.1	Recovery Guide . . . . .	25
<b>9</b>	<b>General Lifestyle Advice</b>	<b>27</b>
<b>10</b>	<b>Daily Routine</b>	<b>29</b>
<b>11</b>	<b>Tips for Good Sleep</b>	<b>31</b>
<b>12</b>	<b>The Controversy about Antidepressants</b>	<b>33</b>
12.1	The Controversy about Antidepressants . . . . .	33
<b>13</b>	<b>Suicide</b>	<b>35</b>
13.1	Suicide . . . . .	35
<b>14</b>	<b>The Role of Sports</b>	<b>37</b>
14.1	The Role of Sports . . . . .	37
<b>15</b>	<b>Feeling Good vs Actual Improvement</b>	<b>39</b>

---

<b>16</b>	<b>Why Moderate Exercise May Sometimes Help</b>	<b>41</b>
<b>17</b>	<b>Caveats of Treating Depression with Exercise</b>	<b>43</b>
<b>18</b>	<b>A Real World Example</b>	<b>45</b>
<b>19</b>	<b>Depression and Ageing</b>	<b>47</b>
19.1	Depression and Ageing . . . . .	47
<b>20</b>	<b>The Genetic Link</b>	<b>51</b>
20.1	The Genetic Link . . . . .	51
<b>21</b>	<b>Is Depression on the Rise</b>	<b>53</b>
21.1	Is Depression on the Rise? . . . . .	53
<b>22</b>	<b>Quantifying Depression</b>	<b>55</b>
22.1	Quantifying Depression . . . . .	55
<b>23</b>	<b>The Burnout Syndrome</b>	<b>57</b>
23.1	The Burnout Syndrome . . . . .	57
<b>24</b>	<b>Happiness</b>	<b>59</b>
24.1	Happiness . . . . .	59
<b>25</b>	<b>Facing the Prejudice</b>	<b>61</b>
25.1	Facing the Prejudice . . . . .	61
<b>26</b>	<b>Conclusion</b>	<b>63</b>
26.1	Conclusion . . . . .	63
<b>27</b>	<b>References</b>	<b>65</b>
27.1	References . . . . .	65
<b>28</b>	<b>Contributors</b>	<b>67</b>
	<b>List of Figures</b>	<b>71</b>
<b>29</b>	<b>Licenses</b>	<b>75</b>
29.1	GNU GENERAL PUBLIC LICENSE . . . . .	75
29.2	GNU Free Documentation License . . . . .	76
29.3	GNU Lesser General Public License . . . . .	77



# 1 Introduction

## 1.1 Introduction

In order to begin any explanation of the nature of depression, it is advisable to begin by establishing some common terms, distinctions, and popular definitions.

*But most of all what must be stressed are the meanings and differences between them.*

The volume of misconceptions, stereotypes and prejudices that the vast majority of people have concerning the topic of depression in the medical sense is truly astounding.

To begin, we must make a very clear distinction between Depression and Clinical/Bipolar Depression.

*Colloquially, they are used indiscriminately.*

Anyone who has experienced Clinical/Bipolar Depression will tell you that the two are absolutely nothing alike.

- **"Depression"** (used in a non medico-legal sense) as the word is commonly used in day to day jargon refers to momentary bouts of the blues or melancholy.(and this meaning/understanding is not for any form of medico-legal related fields.)
  - Every human being experiences this from time to time, it is completely normal and after a little while without need of medical intervention you will be back to normal.
- **Unipolar/Bipolar Depression** (using as in medico-legal sense) is not anything remotely similar to plain old **"Depression."**

Clinical/Bipolar Depression is a medical condition as true as diabetes (DM Type-II) or cancer (e.g. breast cancer, testicular cancer etc.).

"Normal" depression is psychological whereas Clinical/Bipolar Depression is both psychological and physiological, *it is well documented that drastic alterations occur in the brain as well as other changes occur in the rest of the body.*

The importance of these distinctions is paramount (most important), you cannot gain an understanding of these conditions without it.

I will urge people who are reading this and who are fortunate not to have experienced clinical/bipolar depression, to keep this distinction clear in your minds while reading the rest of this book, any related material, and most of all when interacting with those who are diagnosed.

**Please pay Attention!**

For the remainder of this document for the sake of simplicity when the word "depression" is used it will refer to the medical condition of Clinical or Bipolar Depression, and the term "normal depression" will refer to the everyday non diagnosed human experience.

Now that the most important distinction and definitions are out of the way lets establish some others.

There are two major types of medical depression

1. Clinical Depression
2. Bipolar Disorder

*Clinical Depression is an outdated term but is still commonly used. Similarly Bipolar Disorder(BD) was formerly referred to as Manic Depression, but Manic Depression is still widely used to refer to it.*

The correct terms to use as accepted by the medical community are:

**Major Depressive Disorder(MDD)** or **Unipolar Depression** instead of Clinical Depression, and **Bipolar disorder** instead of Manic Depression.

As I said before there are two major kinds of medical Depression, MDD and Bipolar Disorder.

What's the Difference?

In a nut shell **Bipolar Disorder** is the same as **MDD** except that it has two alternating phases; Depression and Mania.

The experiences are usually the same symptoms that occur with MDD, except that they alternate with Manic Symptoms.

Without going into too much detail at the moment, for our purposes now just think of Mania as the opposite of Depression or an extremely good mood.

*The phrase extreme highs and lows sums it up quite nicely for our purposes. We'll go into a little bit more detail about mania later but I don't want to leave you thinking the Mania is all fun and games. Even though you do have an elevated mood there are some very negative symptoms that also come along with Manic periods which will be explained latter.*

While there are some documented differences between MDD and the depressive phase of Bipolar Disorder, for our understanding they are not relevant and will not be addressed in this book. Both MDD and Bipolar depression are more similar than not, have the same basic symptoms and are usually treated in a similar fashion. Unless otherwise specified when

the term depression is used it refers to both Major Depressive Disorder and the Depressive phase of Bipolar Disorder.

If you've noticed I said that MDD and BP are the two major kinds of medical depression. There is another milder but still medically relevant form of depression known as **dystimia** which we'll touch upon briefly later.

Perhaps then some assume that:

Statistics point out that approximately one out of every six people will have a depression (with varying degrees of seriousness) at least once in their lifetime. The magnitude of this number is all the more shocking if one confronts it with the general ignorance about the problem. Even people well-informed about other health issues will often be caught totally by surprise by a depression. I know, I was one of them. Since our early school years we get tons of information about healthy eating, on the perils of smoking and heavy drinking, on avoiding sunburn, etc., etc. But mental health, largely because of the prejudice surrounding any kind of mental illness, is to a large extent ignored. This is more of a tragedy if one realises how far-reaching are the implications for a person's life and productivity, and most importantly, how depression could be avoided altogether if only people knew how to recognize the early symptoms.

As you read through this document, please always bear in mind that whenever the term *depression* is used it refers specifically to the physical illness more properly described as *clinical depression*<sup>1</sup>. One also finds the very same word *depression* used in the context of other mental disorders (such as *manic depression*<sup>2</sup> <http://www.nimh.nih.gov/publicat/bipolar.cfm>) of which this document does not cover. It is **very important** to keep this distinction in mind. As an example, consider the people who suffer from bouts of melancholy all through their lives. They often describe their subjective feeling as that of being *depressed*. However, when one takes a closer look at more objective indicators, they may not show the symptoms of a clinical depression. This document does not apply to them.

One of the enduring myths about clinical depression is that you can cure it simply by convincing a depressed person that life is good and worth living. Likewise, a depressed person will not be magically cured if all of their problems are suddenly solved. In fact, it was my experience (and that of many others) that the factors which contributed to the depression were long past and resolved. However, they had their physical toll in the brain, and that could not be suddenly undone.

Our misuse of language compounds the problem. All too often a perfectly healthy person (brain-wise, of course) will say that they feel depressed when really all they're experiencing is a passing case of the blues. It is far from my intention to dictate how people should use language, but this example illustrates my case. Curiously, one of the tell-tale symptoms of clinical depression is the inability to have strong emotions, including sadness and the blues.

Another important aspect to remember about depression is that it is not an on/off condition. There is a continuum between a perfectly healthy brain and one from a severely depressed person. I estimate that in modern society, those who could be classified as in perfect mental health are probably the minority. Moreover, just like physical fitness goes through ups and

---

1 <http://en.wikipedia.org/wiki/clinical%20depression>

2 <http://en.wikipedia.org/wiki/manic-depression>

downs throughout a lifetime, the mental health of a typical individual will also fluctuate. It is only when the fluctuation dips significantly low for an extended period that the diagnosis of a depression is typically made. Elaborating further on this note, the good news is that a very large number of people who strictly speaking are not depressed and have largely satisfactory lives, could still feel better and happier if they took better care of their brains. The advice herein contained is also for them.

You may wonder why I have bothered to write such a lengthy description of depression if I advise people to seek professional help anyway. In a sense, you are asking for a *rationale* for this document. Well, I would not have written it if I thought it was irrelevant, dangerous, or simply superfluous- Quite the contrary. I see good reasons that justify it, as follows.

- The focus of the document is an objective description of clinical depression, explaining the physical illness which progressively takes its toll on the brain. If more people were aware of this fact, they would not be as complacent when the first symptoms appear. Moreover, they would feel less stigmatised and reluctant about seeking professional help.
- By being better informed, people would realise the importance of seeking **competent** help. Many General Practitioners and even Psychologists are not properly informed about depression, and they can even inadvertently give their patients plenty of bad advice. Worst of all, the situation can worsen dramatically before the patient even realises what is wrong with the advice they are given. This happens frequently, believe it or not. The only solution is for people to be better informed and able to spot whether or not their GP is competent enough to treat them.
- The enormous cost of health care in affluent societies often translates into health insurers pressuring for the cheaper solution of relying solely on antidepressants. In countries where the GP stands as the *gate-keeper* for specialised treatment, people may find it difficult to convince their GP to send them to a specialist. The result is treatment based largely on medication, with little or no coaching.
- Lifestyle plays a large role in the development of depression. Again, by better understanding the problem from an objective perspective, people will more easily assimilate the need to take good care of their sleep and to avoid overloading their brains.

The remainder of this instalment is structured as follows. I will begin by explaining what exactly is a depression and how the problem develops in the first place. Special attention will be given to a description of the most typical symptoms which accompany each stage of the illness. The next step is more personal: it describes the lifestyle changes I had to make to help my brain recover instead of sinking deeper into the illness.

## 1.2 Medical Disclaimer

Wikibooks contains books on many medical topics<sup>3</sup>; however, **no warranty whatsoever** is made that any of the books are accurate. There is absolutely no assurance that any statement contained or cited in a book touching on medical matters is true, correct, precise, or up-to-date. The overwhelming majority of such books are written, in part or in whole, by

---

<sup>3</sup> <http://en.wikibooks.org/wiki/Subject%3AMedicine>

nonprofessionals. Even if a statement made about medicine is accurate, it may not apply to you or your symptoms.

The medical information provided on Wikibooks is, at best, of a general nature and cannot substitute for the advice of a **medical professional** (for instance, a qualified doctor/physician, nurse, pharmacist/chemist, and so on). **Wikibooks is not a doctor.**

None of the individual contributors, system operators, developers, sponsors of Wikibooks nor anyone else connected to Wikibooks can take any responsibility for the results or consequences of any attempt to use or adopt any of the information presented on this web site.

**Nothing on Wikibooks.org or included as part of any project of Wikimedia Foundation<sup>4</sup> Inc., should be construed as an attempt to offer or render a medical opinion or otherwise engage in the practice of medicine<sup>5</sup>.**

---

4 <http://en.wikipedia.org/wiki/Wikimedia%20Foundation>

5 <http://en.wikipedia.org/wiki/medicine>



## 2 What Is Depression

### 2.1 What is Depression?

Depression is a very real medical condition that involves both psychological and biological factors. It is not simply something that is "in your head". Numerous studies have shown significant changes occur to the anatomy of the brain during the course of depression. Further Depression is a whole body illness not only affecting the brain. Those with depression experience a wide variety of physical and mental symptoms. Strong emphasis should be placed on the fact that depressed mood is only one symptom of many involved in an illness that encompasses many.

According to **World Health Organization (W.H.O)** Depression is a *common mental disorder* that presents with *depressed mood, loss of interest or pleasure, feelings of guilt or low self-worth, disturbed sleep or appetite, low energy, and poor concentration.*



# 3 Normal Neuron Communication

## 3.0.1 Neuron Communication

Communication between neurons relies on molecules called neurotransmitters. Without going into the details of this process, it suffices to say that for a neuron to transmit information to another neuron, it must release a neurotransmitter in the small gap between the two neurons, called a synapse.

More than 300 different neurotransmitters are known to be used in one role or another by the human brain. Three of them in particular, *serotonin*, *dopamine*, and, *norepinephrine* have been identified as playing a major part in the physiology of clinical depression although others may also be important.

In a variety of clinical trials it has been shown that the use of drugs that mimic or affect how neurotransmitters are produced, destroyed, and moved in the brain can have verifiable effects on depression.

For example many popular anti-depressants are SSRIs. They decrease the amount of serotonin that neurons remove from synapses.

Although the effective use of these drugs shows that depression can be affected by physical changes in the Brain no one is sure exactly how these medication are effective.

Depression affects the area of the brain responsible among others for memory, learning, and tasks that require concentration and organisation <http://www.sciam.com/article.cfm?articleID=00083A00-318C-1F30-9AD380A84189F2D7>.



## 4 The Stress System

### 4.0.2 The Stress System: Adrenaline and Cortisol





Figure 1 Figure 4: Chronic stress can diminish your maximum normal capacity.

The stress system relies on two key hormones: *adrenaline* and *cortisol*. In short, adrenaline works in the short term, while cortisol has large momentum and works in the long term. (Adrenaline is also known as *epinephrine* in North America. To be exact, the terms *noradrenaline* and *norepinephrine* are used to refer specifically to the neurotransmitter as opposed to the hormone, since they are different molecules. Moreover, there are many other neurotransmitters involved: check reference <http://www.sciam.com/article.cfm?articleID=00083A00-318C-1F30-9AD380A84189F2D7> for details. The purists will excuse my exclusive use of the word *adrenaline* throughout the text).

It is important to realise that the stress system can also be activated if your brain perceives danger or any kind of threat. In the first stage, this triggers the release of adrenaline into the bloodstream to prepare the body for action. As a result, your heart beats faster, you begin to sweat, your breath becomes shallower, and your senses become more acute [http://en.wikipedia.org/wiki/Stress\\_%28medicine%29](http://en.wikipedia.org/wiki/Stress_%28medicine%29). This is the so-called *fight or flight* response to the stressor event, and was quite adequate during most of our evolution, when these events were quite specific and usually short-term: escaping from a lion, chasing away a rival gang, or facing up to the impudent adolescent trying to woo your mate [http://en.wikipedia.org/wiki/Fight-or-flight\\_response](http://en.wikipedia.org/wiki/Fight-or-flight_response). Problems with chronic stress arise because in a modern society we cannot escape easily from the stressor, be it an overbearing boss, crowded cities, or traffic jams. Furthermore, no matter how hard we try to delude ourselves with the pretence of civilisation, at heart we are still primates, and consequently, factors such as social status also play an important role as sources of stress. Moreover, primates have evolved the capacity to stress up the body in *anticipation* of a possible danger <http://www.sciam.com/article.cfm?articleID=00083A00-318C-1F30-9AD380A84189F2D7>. Again, this was an advantageous adaptation in the context where it evolved, but nothing but trouble for the modern human.

The effect of the stress hormones on the brain is curious and not what you might expect. The initial surge of adrenaline can make you feel good.




**Figure 2** Figure 2: The relationship between adrenaline and cortisol.

Just as your levels of adrenaline start coming down, so rises the amount of cortisol flowing through your veins. Moreover, cortisol has a much larger momentum than adrenaline, which means that even though it builds up slowly, it also takes a long time to go back to normal. And should you constantly be engaging in activities which require adrenaline, so will your levels of cortisol slowly increase. In a sense, you can think of cortisol as a measure of the weighted average of your recent levels of adrenaline. I have tried to capture this feature in Figure 2.

Together with the rise of cortisol and the decrease of adrenaline, come the nasty side-effects of the stress hormones. It is at this moment that you feel bad, anxious, and having lots of negative thoughts. And this is perhaps one of the critical features of stress which flies against common sense: you only feel its bad aspects when your body is *stressing down* and progressing towards a more relaxed state. When you are building up on adrenaline, in effect *stressing up*, you might even be feeling good! This explains what is popularly known as the *adrenaline rush* and the consequent *adrenaline crash*.



Having too much cortisol flowing through your veins has another nasty side-effect: the recovery time from any adrenaline surge increases. In a sense, the relation between adrenaline and cortisol goes both ways: the adrenaline curve influences the cortisol curve, and vice-versa. Figure 3 tries to capture this reaction effect by showing the adrenaline response curve for three individuals subjected to the same physical exercise. Notice how the more serious the depression (which translates into higher levels of cortisol, as you will soon understand), the longer it takes for the body to go back to normal.



**Figure 3** Figure 3: The adrenaline response curve for various degrees of depression.

On the speculation front, recent findings may have implicated neuron death as the physical underpinning of depression. Furthermore, it seems that the opposite process, termed *neurogenesis*, is crucial for the recovery, and happens naturally in healthy individuals [3,6]. Furthermore, evidence indicates that sleep is fundamental for neurogenesis to take place.

## 5 The Buildup to a Depression



**Figure 4** Figure 5: In the last stages of clinical depression, the maximum capacity is virtually nil, and the adrenaline (anxiety) transforms itself into a 'fire'.

At this stage you are in possession of all the ingredients necessary to understand how depression develops. The negative effect of the stress hormones on the maximum normal capacity is the key to comprehend the *buildup* process that makes a depression feed on itself, like a positive feedback<sup>1</sup> mechanism.

Let us go back to Figure 4<sup>2</sup>. Imagine that you would chronically go over your limits, thus forcing your body to constantly rely on the stress hormones to compensate for the lack of serotonin. On the long term, your maximum capacity would therefore be reduced, making it much more likely that you would have to resort to the stress system to compensate. And thus the feedback begins: your maximum capacity is diminished, forcing you to use the stress system all the time; and because of all the stress hormones flowing through your veins, your brain has no chance of recovering, and your maximum capacity diminishes even further.

This may sound very mechanical, but I would say that it is **the key element** that leads to the development of a full-blown clinical depression. Alas, it is also something that most doctors fail to realise. And if you are still clinging to "psychological" notions about the illness, it is time you put them into perspective. Psychology plays a role in the factors that lead to the initial dip of your work capacity, but after a certain stage the problem just feeds on itself, and it is crucial to understand that to avoid falling prey of this downward spiral.

Even though the graphs might give the impression that this is a phenomenon that happens very quickly, in reality the process typically takes many years to develop. Moreover, the progressive increase of the levels of stress hormones in your body provide a very good advance warning, if only you know how to read them. I will now provide a basic description of what to expect (and what to do!) at each stage of the process. Beware that different people have different symptoms, so your mileage may vary.

## 5.1 Early stages

In the very early stages, a depression will not feel like a depression at all. The small amounts of stress hormones could in theory be measured—your blood pressure would be slightly higher than otherwise—but in practise it would be difficult "to extract the signal from the noise". Subjectively, you might feel a bit down and tired, especially during those periods when you are *crashing down* from the adrenaline, but most people would still not say that they feel depressed. Also, you would start sleeping a bit less than usual, and not feeling quite as fresh when you wake up.

The problem is not very serious yet, and I think that most people could recover on their own if they were to simply take a long holiday and to make sure that they sleep well. There is some evidence that **if done properly** moderate amounts of aerobic exercise might help at this stage. However, be sure to read *../The Role of Sports/*<sup>3</sup> section before you decide to embark on any exercise routine. In fact, I would rather advise people not to begin exercising than to risk having them over do it and making their condition worse. I know this flies against some commonly held beliefs, but **sports alone can worsen a depression**. If

---

1 <http://en.wikipedia.org/wiki/positive%20feedback>

2 [http://en.wikibooks.org/wiki/%3AImage%3ADemystifying\\_Depression-Stress\\_Compensation.png](http://en.wikibooks.org/wiki/%3AImage%3ADemystifying_Depression-Stress_Compensation.png)

3 Chapter 14 on page 37

you do not believe now, read carefully both installments of this document and you might understand what I mean.

What a great explanation of depression.

## 5.2 Elevated stress hormones

As the amount of stress hormones increases, you will start feeling some of their nasty side-effects. This is largely person-dependent, but most people start having problems with their digestive system, headaches, and having more frequent nightmares. Since stress depresses the immune system, people also tend to fall sick with infections more often <http://www.econ.uiuc.edu/~hanko/Bio/stress.html>. Only a minority of people suffer from sleep paralysis [http://watarts.uwaterloo.ca/~acheyne/S\\_P.html](http://watarts.uwaterloo.ca/~acheyne/S_P.html), but it is also a good indicator of elevated stress hormones. An objective measure such as blood pressure should be controlled: it will definitely be higher than normal, and a good doctor would not fail to recognise it. At this stage you are very clearly sleeping less than normal, waking up early in the morning, feeling tired and "lazy" about getting up. Subjectively, you should notice that you do not feel things quite as intensively as you used to: you feel empty, morose, and definitely "depressed" most of the time. Other subjective indicators include loss of appetite and sex-drive, feelings of guilt, lowered self-esteem, and detachment from hobbies or friends <http://www.nimh.nih.gov/HealthInformation/Depressionmenu.cfm>.

At this stage you should not be complacent about the problem. **The best thing** you can do is to go see your doctor. **Take also into consideration that you** have been putting too much pressure on your brain. Really do give it a rest: take a long holiday, make sure you sleep well, and be careful not to get any extra responsibilities. Antidepressants are very effective at this stage, especially if combined with minor lifestyle changes. (**And yet another reason why** you should see your doctor!)

## 5.3 Problem aggravates

As the *buildup* towards a depression continues, you get to the point where it is impossible not to notice that there is something definitely wrong. At this point, most people start having serious problems with anxiety, stress, panic attacks, hyperventilation, bouts of psychosis, etc. Your sleep will definitely be a mess, your blood pressure will be high, and your ability to focus at work seriously compromised.

**One should definitely seek professional help at this stage.** In particular, do not make the assumption that your GP will be qualified to treat you. They may, or they may not. Unfortunately, many doctors still do not quite understand what is going on. My experience in this area was quite bad: I spent more than one year jumping from doctor to doctor, with the problem constantly aggravating, and getting all kinds of bad advice. In short, **you need to stop.** Your maximum capacity will probably be so low that you cannot even work full time. Also, specifically ask your doctor for antidepressants. In the country where I live, the Netherlands, this is bit of a taboo subject, so depending on where you live, you might need to convince your doctor not to be stingy and stubborn. Should they suggest that you

start exercising, **just ignore that advice**. It is a very good indicator that they do not have a clue of what is going on. Also, you will need to make changes to your lifestyle. The [../Recovery Guide/4](#) section describes one author's personal experience in that regard.

## 5.4 Last stages

In the last stages, the maximum capacity is practically nil, and the level of stress hormones so high that people cease to be able to function. The stage of a clinical depression is very difficult to describe in words, but I will do my best. The anxiety transforms itself into a "fire" which constantly burns inside your head; you will feel desperate, much more than you ever felt in your life, as if you could never be happy again; and you will definitely be suicidal, to the point of actually planning suicide or even attempting it (with success in many cases, tragically). During this stage, people can barely sleep, if at all.

To an outsider, the fact that a clinically depressed person is pretty much confined to bed is often misinterpreted. People often think that a clinical depression is simply a state of apathy. Quite on the contrary: remember that the blood pressure and heart rate of a depressed person are extremely high. Rather than apathy, depression is an overwhelming fire which will not subside and burns you from the inside.

Unfortunately, it is only at this stage that many people finally concede that they need professional help to treat them. Needless to say, you will need to make drastic changes to your lifestyle if you want to recover. You should also be very patient: it will take a long time before things go back to normal. **Most important of all, a clinical psychiatrist is the proper specialist to accompany you during this period.**

---

4 Chapter 8 on page 25

# 6 Speculation on the Physiology of Depression

## 6.0.1 Speculation on the Physiology of Depression

Some interesting speculations about depression:

- Neuron death in the hippocampus has been implicated in depression <http://www.futurepundit.com/archives/000477.html>
- Neurogenesis (the birth of new neurons) may be necessary for recovery <http://www.americanscientist.org/template/AssetDetail/assetid/14738/page/4?&print=yes>
- Neurogenesis happens continuously in the healthy adult brain
- Most antidepressants require about 2-3 weeks to have an effect
- Stress may diminish neurogenesis
- People under stress may sleep less than usual
- In some cases those recovering from depression sleep more than normal all though the opposite is true in some cases
- Aging mimics several aspects of depression
- As people age, they sleep less, spend less time in deep sleep, and wake up more often [http://helpguide.org/life/sleep\\_aging.htm](http://helpguide.org/life/sleep_aging.htm)
- **Neuron death and birth happens continuously in the adult brain**

At least certain parts of the brain continuously renew themselves. Sleep seems to be fundamental for this renewal process--perhaps neurogenesis happens during sleep.

- **Stress affects sleep, and by consequence, neurogenesis**

There is plenty of speculation concerning the exact mechanism by which stress causes neuron death. Our own conjecture is based on the fact that when under stress, people sleep less than normal. Therefore, rather than directly killing neurons, stress might simply cause the brain to fall behind on its normal regenerative process.

- **Increase in activity fundamental during recovery**

Some studies show how stimulating environments help with neurogenesis <http://www.americanscientist.org/template/AssetDetail/assetid/14738/page/4?&print=yes>. The reason might be similar to recovery from an injured limb: one has to gradually *push the brain* into continuing its recovery.



# 7 The Recovery Process

## 7.1 The Recovery Process

Depending on your age, your general health status, how serious the depression was, and how well the recovery progresses, it typically takes between two months and two years before you can be fully recovered. Do not despair, however, because this certainly does not mean that during all this period you will feel as bad as in the beginning. The first few months are the hardest, but after that things will slowly improve, and little by little you will get your happiness and normality back. Moreover, remember that you only feel the nasty aspects of a depression when you go over your limits: you just have to be patient and to realise that your limits will indeed be very short during an extended period.

As the recovery progresses, you will feel not only that you can perform more concentration intensive activities and during longer periods, but also that your subjective mood improves. At some point you will be able to start working again, only for a couple of hours each day in the beginning, but increasingly more until you can work full time again. Finally, your mood should start approaching normality towards the later stages of the recovery: you should regain the feelings of *fullness*, vibrancy, and what is sometimes called the *elan vital*.



# 8 Recovery Guide

## 8.1 Recovery Guide

There are plenty of people with depression who are not being properly treated. Antidepressants revolutionized medicine's approach to the treatment of depression, and even though they are generally effective and an indispensable tool, sole reliance on drugs neglects valuable lifestyle advice. This is an important consideration for those with all levels of depression.

The first step tried in recovering from depression should be telling someone and then getting help from a doctor if possible.

In order to recover from a depression, one must first understand the problem.

The following three sections cover the different aspects of the lifestyle changes. The first category deals with general advice which one should always have present. The next section deals with the daily routine. Even though more flexible in nature, I quickly realized that there were good reasons behind my counselor's insistence that I followed its guidelines. At last, the third section focuses on tips for good sleep. These are by no means specific to a clinical depression.



# 9 General Lifestyle Advice

## 9.0.1 General Lifestyle Advice

These are just the general tips that might help with depression. It might take a while to get used to them, but in time they will become second nature. Moreover, remember that depression is not an on/off condition: this same advice is also useful for healthy people who wish to remain that way. Obviously, a healthy person does not need to follow them very strictly, but they remain nevertheless good lifestyle advice.

- **Try to avoid stress**

Stress may exasperate depression

- **Exercise**
- **Get Sunshine**
- **Do things you enjoy**
- **Practice relaxation exercises**

Yes, I am referring to stuff like meditation and yoga. They actually work, despite all the silly new-age nonsense that surrounds them. If you cannot stand the airy-fairy aspects, try to find a good expert who does not preach them.

Personally, I found that one of the most relaxing things you can do is to lie in the sunshine. This might not be an option if it is winter and/or you happen to live in a cold country, but if you can, do it as much as is safely possible. (But take into account the usual advice concerning the dangers of catching too much sun, obviously! Like in all things, moderation is the key).

### **Make a conscious effort to do things with pleasure**

This could take a fair amount of brainwashing, but the idea is that before each activity, no matter how small, you think *I love doing this* or *I order myself to feel good, right now*. For best results, say it loudly. Also, only do things when you really feel pleasure in doing them, and do them only for as long as that pleasure remains. Should you lose interest or feel tired, then stop.

### **Take appropriate medication**

If your gut reaction is that antidepressants are evil, consider informing yourself properly. The truth is that modern drugs are quite effective and generally safe (I am referring in particular to SSRIs and more recent classes [http://en.wikipedia.org/wiki/Selective\\_serotonin\\_reuptake\\_inhibitor](http://en.wikipedia.org/wiki/Selective_serotonin_reuptake_inhibitor)). They do have side-effects, but these are usually mild and quite bearable compared with the illness itself. For best results, have a clinical psychiatrist prescribe them to you: they are generally well informed of the different side-effects and

can choose the drug best suited to your case. Also, remember that antidepressants usually require around three weeks before they have an effect. Three weeks are an eternity for someone with a depression, but do not stop taking them just because you do not see an immediate result.

# 10 Daily Routine

## 10.0.2 Daily Routine

I will now make a brief description of the typical daily routine. This advice assumes that the person is in a serious condition, but there are still a few good pointers to extract even for mildly depressed individuals. Also, as the condition improves, one does not need to be as rigorous as in the early stages.

- **Take your time to do the morning activities**

You surely do not want to rev up your body immediately after waking up! Take your time to get up, to shower, to get dressed, and to breakfast. If it takes you less than one hour and a half to perform these activities, then you are doing them too quickly.

- **Take a walk in the morning**

The idea is to have a *qualitative walk*. Pay attention to the colours around you, to the smells, the sounds, the shapes, the people, etc. This will help to diffuse your thoughts, and to avoid the obsessive thinking that accompanies depression. Also, since you must limit physical activity, walking every morning is important for your body to burn excess sugar. Walk for about half an hour, and do not forget: lie down for another half an hour afterwards! (Remember Figure 3<sup>1</sup>: your body will take longer than usual to get back to normal).

- **Find an activity that gives you pleasure**

Like gardening, painting, or bird-watching.

- **Eat properly and avoid heavy meals**

Digestion is also quite demanding on your body, and therefore it is better to have more meals rather than bigger meals. Also, a depression is really a bad time to be thinking of diets. Eat well and make sure you get all your nutrients.

Some people also swear by the importance of drinking water regularly during the day. The rationale is that dehydration is a stress event, thus triggering the physiological reaction we aim to avoid.

- **Have a *siesta***

Even if you cannot sleep, it is important that you lie down for a while until your body is (relatively) rested. We all have a natural dip after lunch, and it is a pity that some modern societies have lost the *siesta* habit.

---

<sup>1</sup> [http://en.wikibooks.org/wiki/%3AImage%3ADemystifying\\_Depression-Adrenaline\\_Response.png](http://en.wikibooks.org/wiki/%3AImage%3ADemystifying_Depression-Adrenaline_Response.png)



# 11 Tips for Good Sleep

## 11.0.3 Tips for Good Sleep

To conclude, I will present just a few tips on how to get a good night's sleep. These are especially important during a depression, but again, they also apply to anyone.

- **No activities before going to sleep**

You must avoid at all cost any adrenaline coming into your system before sleep time. Be especially careful of anything exciting or stressful. Yes, this includes most of television and even reading! Avoid also any physical exercise less than an hour before going to sleep. Always have in mind that a person with a depression will need longer than normal for the body to recover from any physical effort. Even healthy individuals should avoid doing sports at least a couple of hours before going to bed.

- **Follow a steady sleep routine**

Try going to bed always at the same time everyday. We all know how working in shifts and jet-lag affect sleep: do not emulate them by going to bed at random times each day!

- **Give your body time to crash down**

You cannot fall asleep while there is too much adrenaline running through your veins. It can take a while (even hours) before you crash down, and often people lie awake in bed waiting for sleep to come. The problem is that after a while it is very easy to start obsessing about not sleeping, which is a sure way of keeping yourself awake.

The idea is to only get ready for sleep once you have crashed down and feel tired. Before you actually get into bed, just lie there for a while (even with your clothes on), until you feel relaxed and tired.

- **Go to bed early**

There are several reasons why this is a good practise: foremost to be able to wake naturally rather than with an alarm clock; but also to avoid being out of sync with the solar cycle, and to give your body time to crash down.

- **Make your bedroom your sanctuary**

Do not have an office in the same room as where you sleep. Dedicate one room simply for sleeping, and make it as uncluttered as possible.

- **Sleeping Medication**

Sleep is the most important part of your day. If all other methods and tips on how to get a good night's sleep fail; talk to your doctor about taking a low dose sleeping medication.



# 12 The Controversy about Antidepressants

## 12.1 The Controversy about Antidepressants

This is largely country-dependent: in some countries their use is widespread and generates little discussion; in others, many factors contribute to making them practically taboo words. The country where I live, the Netherlands, tends towards the taboo end of the spectrum. The reason has a lot to do with the prevalent (and backwards if you ask me) Calvinist mentality. I know that in other places, such as most of North America and Southern Europe they are much more readily accepted. Your mileage may vary.

The controversy is typically framed in the following ways: doctors nowadays over-prescribe antidepressants, instead of following the psychotherapy route; antidepressants are just a ploy from the evil pharmaceutical multinationals; our societies are drifting towards a "Brave New World" scenario where drugs are used to keep the populace happy and unable to rebel. Well, my personal opinion is that there is some substance to some of these worries, but they are largely exaggerated and fail to acknowledge one very important fact: antidepressants are very effective in treating clinical depression. This is not a matter of opinion: it has been demonstrated in several double-blind clinical trials.

First, on the issue of over-prescription. I would say that they are both over-prescribed and under-prescribed. The problem is that most doctors do not understand depression well, and will prescribe drugs to people whose brains are healthy, and fail to provide them to people who could actually benefit from them. Take people who are mourning, for example. In most cases, these people do not have a depression. Grief is something perfectly normal, and its onset is all too sudden to cause a depression (remember that a depression typically takes *years* to develop). Likewise, consider giving antidepressants to very young people: the brain of a child or even a teenager has such a fantastic ability to repair itself that it takes quite a pounding for a depression to develop. In these cases, antidepressants and all their unavoidable side effects are more likely to hurt than to help. On the other hand, there are people who have minor problems with stress and anxiety, or whose blood pressure is above normal for no apparent reason. They are often simply told that they should watch out for salt in their diets, or to take up yoga or meditation. This advice might help, but only to a certain degree. I suspect that a course of an antidepressant would have a stronger and more lasting effect.

Moving on to the subject of side-effects. Modern antidepressants are generally well-tolerated and safe to use. They do have side-effects, which depending on the drug and the person can be significant enough that people discontinue taking the medication. However, this is yet another issue where proper handling by a competent professional will make a huge difference. What one often finds is that people are given the wrong drug for their case.

Imagine for example an overweight patient being given an antidepressant which increases appetite, or someone who has a satisfactory sex life and is given a drug which upsets their libido. What is required is matching the profile of the patient with the expected side-effects of the drug. Granted, there is plenty of variation among individuals, but the overall pattern is still strong enough that we can categorically say what will be the most likely side-effects of a given antidepressant. A straightforward discussion with a good professional will go a long way towards finding a drug tuned to your particular case, thus minimising the negative side-effects and decreasing the chances of premature discontinuation.

Finally on to the subject of psychotherapy. As someone who had a depression, I can assure you that there is nothing more patronising and irritating than people who bring up the "psychological help". A depressed person will definitely need professional help, but mostly for a proper explanation of the problem, to learn relaxation techniques, to know how to listen to their bodies, and to be coached in the lifestyle changes required for giving their brains a chance to recover. Once they are recovered, perhaps some therapy might be needed to make sure that whatever behavioural patterns which contributed to the development of the illness will not recur. However, and I cannot stress this enough, therapy is not a substitute for medication, and "psychological help" is a misunderstanding.

# 13 Suicide

## 13.1 Suicide

"Suicide is a permanent solution to a temporary problem". There is much wisdom to this sentence, and it is probably the best advice you can give a depressed person. Unfortunately, during that critical stage is difficult for them to visualise the temporary nature of the problem, and suicide is not uncommon. If you have a friend or a loved one going through that stage of a depression, do take the possibility seriously and do what you can to prevent it from happening. In particular, make sure they are being handled by a competent professional. Fortunately, especially if people are young, this stage will not last very long, typically just a few days or weeks.



# 14 The Role of Sports

## 14.1 The Role of Sports

The role played by sports and physical exercise in depression is far more complex than either the *sports good* and *sports bad* mantras would lead one to assume. Moreover, I would say that this is one area where our current understanding of depression is sorely incomplete. Consequently, beware that much of the material in this section is conjectural. I am well aware that most people's gut will be to dismiss my conjectures as pure rubbish, since "everyone knows that sports are good for you". A couple of years ago I would have whole-heartedly agreed with them, but I have learnt otherwise in the meantime. Furthermore, read carefully and you will see that I do not deny that sports can be good for you. I simply add a poignant *however* to the issue of sports and depression.

This issue is complex enough to warrant a number of subsections. I will first make a distinction between the temporary improvement of mood brought by sports, versus the long-term actual improvement of the depression. Second, I will put forth the tentative mechanism of why moderate amounts of exercise can help to recover from depression. Third, I will describe the caveats of doing exercise to recover from a depression. At last, I will describe a real-world example of how sports can be used to make people be more active during a depression, with the drawback that recovery takes longer.

Sports or exercise is challenging for people experiencing depression primarily because of the engagement of mind, body and spirit. For example, persons depressed as a result of sexual trauma have spent an unknown length of time separated intellectually from their body(ies). One exercise that allows for a kind of autonomy while truly strengthening the body and connecting mind and body is lap swimming. Here an individual can focus on breathing as one would while engaged in meditation. There are also various kinds of disguises involved in swimming starting with swim goggles. The combination of the "mask" and the single swim lane results in a safe environment.

Swimming requires regular participation. The outcomes (for me) are still being recognized, but the main effort to connect or to reconnect the mind and the body through a concentrated routine of swimming for exercise are being realized.



# 15 Feeling Good vs Actual Improvement

## 15.0.1 Feeling Good vs. Actual Improvement

*Sports alone can lift up a depression*, says one of the most common pieces of advice about the illness. Unfortunately, this statement is grossly incomplete, often tragically so. If you have properly understood the roles played by adrenaline and cortisol (take a look again at the section on ../The Stress System/<sup>1</sup> to refresh your memory), you already have a glimpse of why this is such misleading advice. Exercise can indeed momentarily *lift up* the subjective feeling of a depressed person, but that is all caused by adrenaline. It is therefore critical to make the distinction between the momentary mood improvement caused by exercise (which is undisputed), and whether it translates into an actual improvement of the underlying depression.

Please refer back to ../The Stress System/<sup>2</sup>. There I have speculated on recent findings which indicate that a process known as *neurogenesis* ("neuron birth") is implicated in recovery from depression. This process takes about three weeks to occur\*, which also happens to be the average time required for antidepressants to have an effect. This coincidence has led some to hypothesise that antidepressants work by stimulating neurogenesis <http://www.biopsychiatry.com/newbraincell/>. The point of this digression is to emphasise that anything which has a positive effect on recovery from depression is likely to require at least three weeks to work and will often take longer to be noticeable. One should therefore be a bit suspicious of any cure which seems to work instantly, as is the case of exercise.

Now the question is: does exercise also have a long-term positive effect on depression, or is it all a short-term illusion?

---

1 Chapter 4 on page 13

2 Chapter 4 on page 13



# 16 Why Moderate Exercise May Sometimes Help

## 16.0.2 Why Moderate Exercise May Sometimes Help

A **moderate** amounts of aerobic exercise seem to help many depressed and healthy individuals.

At last, a word of advice. **If you think you have a depression, you should seek professional help. It might be tempting for some people to try to exercise their way out of a depression,** but chances are you might actually be making your condition worse. See next section for details.



# 17 Caveats of Treating Depression with Exercise

## 17.0.3 Caveats of Treating Depression with Exercise

Looking back on Figure 2<sup>1</sup> from *./The Stress System/*<sup>2</sup>, some people might suggest that a person with a severe depression could avoid the *crashing down* simply by exercising every single day. In a sense, as soon as your body begins to crash, you simply do more exercise to rev it up again. You could therefore reap the positive temporary effects of exercise, and hopefully avoid the negative side. This routine "sort of" works, but is also extremely dangerous, as I will proceed to explain.

The major problem is that having too many stress hormones flowing through veins has a negative effect on sleep. And sleep is crucial for recovery. So people with more severe depressions who exercise every day will not sleep as much as they should, and the recovery will therefore take longer (see next section<sup>3</sup> for a real world example). More seriously, if the amount of exercise is too high, they might even regress. Even more seriously, if the underlying depression worsens, people might be tempted to increase the amount of exercise to compensate, which will quickly lead them into a very dangerous downwards spiral. In a sense, advising a seriously depressed person to exercise is like telling a drunken individual that the best way to avoid a hangover is to keep drinking; or advising a heroin addict that the best way to avoid the withdrawal symptoms is to keep injecting the drug.

This is unfortunately not widely known, but even healthy individuals who exercise too much can develop the symptoms of a depression. This is sometimes referred to as the *athletic overtraining syndrome* [http://watarts.uwaterloo.ca/~acheyne/S\\_P.html](http://watarts.uwaterloo.ca/~acheyne/S_P.html), and by now you should have understood the basic mechanism of why it arises.

---

1 [http://en.wikibooks.org/wiki/%3AImage%3ADemystifying\\_Depression-Cortisol.png](http://en.wikibooks.org/wiki/%3AImage%3ADemystifying_Depression-Cortisol.png)

2 Chapter 4 on page 13

3 Chapter 18 on page 45



# 18 A Real World Example

## 18.0.4 A Real World Example

At last I will provide you a real world example which illustrates the caveats of doing sports during depression. Some companies here in the Netherlands rely on a sports-intensive routine to put people back to work sooner. In basic terms, the routine involves running every single morning for a period between one hour and one hour and a half. The running is performed under controlled conditions, to prevent the heart rate from ever going over 130 beats per minute. If you understood the role of sports in depression, you will also realise just how this scheme works: it basically gets their brains running on adrenaline. This is not entirely harmless, as during the recovery period the people will have elevated heart rate and stress hormones flowing through their veins. Also, with all that adrenaline in their systems, they will not sleep as much as they could, which makes a full recovery last much longer, *up to three years*. The advantage of this scheme? Well, they do begin working (part-time of course) much sooner than otherwise.

At this point you might be wondering how they do not realise what is really happening. Remember that adrenaline is an insidious hormone, which makes one feel good even as it revs up the body, and this scheme requires them to exercise *every single day without exception*. Obviously, the idea is to keep them from crashing down from all that adrenaline, and therefore to prevent them from realising their true status. Also, there is widespread ignorance about depression among Dutch GPs, which makes it all the more unlikely that someone will realise that there is something fishy going on. Personally, I find this scheme to be utterly mad. But then, I am not a Calvinist.


Should you be thinking that this scheme is also a perfectly viable alternative way of curing a depression—one which takes longer, is potentially harmful to the general health, **but** does allow one to become active sooner rather than later—I would even be tempted to agree with you. **However**, I still think that the ultimate choice should reside with each individual person. It is their health we are talking about, after all. These people should be properly informed of all possible alternatives and the implications of each one. This is currently not happening.



# 19 Depression and Ageing

## 19.1 Depression and Ageing

You do not see 60-year olds having the same lifestyle as 20-year olds. Even a 40 or a 30-year old probably would not be able to accommodate for a long time all the intense living and partying of their youth. We naturally accept that our physical abilities decrease slowly with age, and our brains are no different. Mind you, in this context I will speak only of the brain's endurance, not of the general cognitive abilities. Therefore, do not interpret the graph in Figure 9 as "getting dumber with age". (Though it is most likely that cognitive abilities also decrease with age. Luckily, the added experience can in large part compensate for that).



**Figure 5** Figure 9: The maximum normal capacity naturally decreases with age.

Bear in mind that I am largely speculating here, but I would not be surprised if the reason why depression tends to strike first towards the mid 20s (and this is a fact) is related to a dip in the maximum normal capacity which happens after adolescence. Many people simply fail to accommodate for the necessary changes in their lifestyle, and thus find themselves constantly going over their (now slightly diminished) limits.

Still on the speculation front, consider the fact that people tend to sleep less as they get older. Could it be related with the graph in Figure 9? If sleep is indeed fundamental for the brain to repair itself, and if age cuts down the requirements for the maximum normal capacity, it is not too far-fetched to imagine that people would therefore require less sleep as they get older.

Speculations aside, do not look with gloom at the graph. Ageing is not a death sentence as far as feeling well is concerned. People do generally accommodate by making changes

to their lifestyle, and remember that depression only arises should you constantly go over your limits. Furthermore, in percentage terms, the natural decrease might not even be large. (Unfortunately, our current understanding of depression does not yet allow us to make precise quantifications. See the section [../Quantifying Depression](#)<sup>1</sup> for details).

---

1 Chapter 22 on page 55



## 20 The Genetic Link

### 20.1 The Genetic Link

I have not brought up the genetic link up till now, but it is without doubt one of the primary risk factors. Depression seems to run in families, and even after the environmental effects are taken into account, the genetic link is still clearly there <http://www.sciam.com/article.cfm?articleID=00083A00-318C-1F30-9AD380A84189F2D7>. Some studies have shown that approximately one out of every three people have a genetic predisposition to develop a depression. However, like in many other cases, the interplay between genes and environment is also relevant for depression: only about half of those with the genetic predisposition will actually develop the illness. In any case, should you have cases of depression among close blood relatives, do take it as a warning that you too might be at risk.

**Note:** A person is most closely related to their siblings, their parents, and their children. In either case, you share with them approximately 50% of your genes (for which there is variance among the breeding population). Grandparents, grandchildren, aunts, uncles, nephews, and nieces are next: the shared portion is approximately 25%. In these cases, the conditional probability of having a depression knowing that your relative had a depression is higher than the above mentioned absolute probability of about one third. For relatives farther beyond the genetic proximity measure (cousins, etc.), the conditional probability approaches the absolute probability for the general population, and is therefore not quite as relevant as an indicator.



## 21 Is Depression on the Rise

### 21.1 Is Depression on the Rise?

Is the incidence of depression really on the rise? Statistics seem to point that way [http://en.wikipedia.org/wiki/Clinical\\_depression](http://en.wikipedia.org/wiki/Clinical_depression), and considering the risk factors, that should not be altogether surprising. The truth is that many modern hobbies are actually very demanding on the brain. Should a person pull long hours at work and then come home to face an equally demanding hobby, there is a very good chance that they are pushing the brain past its limit.

This is likely to strike a chord with the Kuro5hin crowd: surfing the web and blogging should be seen as work as far as the brain is concerned. In a similar note, *information overload* is not just a fancy buzzword: it is a factor contributing to the development of depression. The list is long: mobile phones, news tickers, instant messaging, etc. We seem to be very good at devising ways to overload our brains.

On a more positive note, if one considers the current understanding of the problem, plus the available means to treat it, making serious clinical depression a thing of the past is well within our reach. What is required? Just getting the message across! Sadly, it may prove difficult to overcome centuries of prejudice surrounding mental illness.




# 22 Quantifying Depression

## 22.1 Quantifying Depression

You will certainly have noticed the lack of scale in all the graphs herein shown. The truth is that research into depression has not yet reached the quantification stage. This is a pity, as much of the prejudice (especially in getting official recognition for the problem) could be avoided if there were tests which could estimate the seriousness of a depression. Which is not to say that such tests are not possible. In fact, in this section I intend to propose the means by which they could be developed.

At this point you might be thinking that blood pressure already provides a fine estimation. This is only partially true. Foremost, several factors other than stress levels have an effect on blood pressure. Furthermore, blood pressure is a static measure, unable to differentiate between the state of *deep depression / low activity* and the state of *mild depression / high activity*. This is an especially crucial distinction in the recovery phase of a depression. (Blood pressure is more reliable during the buildup phase towards a depression precisely because the activity variable tends to be always high, as people struggle to maintain a normal lifestyle).

My suggested test also relies on blood pressure, but adds a dynamic measure of that variable. In short, the idea is to build a graph showing how blood pressure progresses with time as the test subject performs a high-concentration activity. Figure 10 shows what one would be likely to expect from a healthy individual, a mildly depressed one, and one more deeply depressed.



**Figure 6** Figure 10: The blood pressure response curve for three individuals with varying degrees of a depression.

Note that a depressed individual will typically not only have a higher blood pressure at rest, but more importantly, a steeper response curve. This could be the basis for developing an

objective test of the seriousness of a depression. It would also be extremely valuable for tracking the progress of the illness.

The test activity is an open question. I would suggest a test which would require both high concentration and short-term memory. In my personal experience, I noticed that the simple game *Concentration* (the one where you are supposed to pick pairs of cards out of a large set of unturned cards [http://en.wikipedia.org/wiki/Concentration\\_%28game%29](http://en.wikipedia.org/wiki/Concentration_%28game%29)) provokes an almost immediate response. It might be a good candidate for the test.

Obviously, there is a fair amount of noise which makes a precise measurement harder. How well the test subject slept the night before is one variable hard to control. Likewise for the degree to which they are enjoying the activity. Furthermore, other variables such as current medication and time of day would also interfere.

Another advantage of an objective test would be an estimation of how much time would be required until the test subject could be considered cured. I realise that there are several factors interfering with the progress of the illness, but given a large population of test subjects, one could compensate for factors such as age. It is only a matter of statistics, after all. In any case, a rough estimation is a lot better than no estimation at all.

At last, one small note of hope: there is research underway which uses imaging techniques such as fMRI to look directly into the brain and see the changes caused by depression <http://en.wikipedia.org/wiki/fMRI>. Unfortunately, it might take quite a long time before such research is put into practical use. The test I proposed is low-tech, potentially a lot cheaper, and could be developed immediately.

## 23 The Burnout Syndrome

### 23.1 The Burnout Syndrome

There is much talk (at least in the Netherlands) about the so-called *burnout syndrome*. And as is often the case, there is more noise than signal in this discussion. First of all, in medical terms, there is no such thing as a burnout. There are depressions, period. A *burnout* is just a depression whose causes are mostly work-related. Remember that the person's attitude towards the task at hand plays an important role in the biochemistry of the brain. Should you have a job that you find boring and repetitive, or should the surrounding circumstances (overbearing boss, bad corridor atmosphere) make you feel uncomfortable about going to work every day, a depression is likely to develop.

Second, when a person is said to be *burned out*, what they have is a lingering depression from which they have not yet fully recovered. Also, there are plenty of mildly *burned out* individuals who have never received any kind of treatment. They often drone through life for years before the problem is diagnosed.

I made a section out of this issue precisely because the general attitude in this country is to dismiss *burnout* as just a psychological problem, thus being handled with a lot of complacency, or just ignored. This is all the more tragic if one considers the statistics which show the Netherlands to have some of the highest percentages of people affected by this problem. There is indisputably also a psychological component to *burnout*, but it goes far deeper than that.



# 24 Happiness

## 24.1 Happiness



# 25 Facing the Prejudice

## 25.1 Facing the Prejudice

Most of the advice contained in both instalments of this document is based on one very important assumption: society will give you the means to recover. Unfortunately, this is still far from being the case. A seriously depressed person **cannot** constantly go over their limits if their brains are to be given any chance of recovering. Take the practical example of restarting work: one has to build up the activity slowly, in accordance with the increase of the maximum capacity of the brain (remember Figure 6<sup>1</sup> from ../The Recovery Process/<sup>2</sup>). Obviously, this requires some sort of official recognition of the particularities of depression. In theory, this is part of the law and recognised in most civilised countries. In practise, things can be very different.

Do not assume that because you live in an otherwise tolerant and socially-minded society, depression will also be well understood. Bear in mind that other factors come into play, most importantly the fact that cure takes **a long time**, which means it is also very expensive for an employer. Also, the overall stance towards mental illness might be biased by the prevailing religious substrate, influencing attitudes even of non-religious people: take the example of Calvinism here in the Netherlands. All in all, when depression is the subject, do not be surprised when society shows its ugly side. The good old advice of stashing away some six-months worth of salary for a rainy day is very much applicable in the case of depression: you will need it.

Interestingly enough, I see no reason—other than prejudice and bad will—why the state of affairs should remain like this. Take again a look at the section on ../Quantifying Depression/<sup>3</sup>: it is well within our means to devise reliable objective tests to assess the seriousness of a depression and/or to determine when a person is again fit enough to work. Depression itself provides more than enough misery. It is inhumane and cruel that the problem should be compounded by lack of recognition.

---

1 [http://en.wikibooks.org/wiki/%3AImage%3ADemystifying\\_Depression-Recovery.png](http://en.wikibooks.org/wiki/%3AImage%3ADemystifying_Depression-Recovery.png)

2 Chapter 7 on page 23

3 Chapter 22 on page 55



## 26 Conclusion

### 26.1 Conclusion

The moral of the story is fairly straightforward: depression is a physical illness which should be taken seriously and be treated as soon as the first symptoms arise. Like most other ailments, it feeds on ignorance and complacency, which is all the more tragic if one considers that we have the medical knowledge and the means to make it a thing of the past. Humanity has been tormented too much already.



# 27 References

## 27.1 References

1. Wikipedia: Dualism (philosophy of mind)<sup>1</sup>
2. Wikipedia: Cirrhosis<sup>2</sup>
3. Taming Stress<sup>3</sup>
4. Wikipedia: Stress (medicine)<sup>4</sup>
5. Wikipedia: Fight-or-flight response<sup>5</sup>
6. Neurogenesis in the Human Brain: Fact or fiction?<sup>6</sup>
7. Stress and the Immune System<sup>7</sup>
8. Sleep Paralysis Page<sup>8</sup>
9. NIMH: Depression<sup>9</sup>
10. Wikipedia: Selective serotonin reuptake inhibitor<sup>10</sup>
11. NIMH: Bipolar Disorder<sup>11</sup>
12. Why? The Neuroscience of Suicide<sup>12</sup>
13. Nietzsche's Toxicology<sup>13</sup>
14. Wikipedia: Clinical depression<sup>14</sup>
15. Wikipedia: Concentration (game)<sup>15</sup>
16. Wikipedia: Functional magnetic resonance imaging<sup>16</sup>
17. Depression and the Birth and Death of Brain Cells<sup>17</sup>
18. Overtraining<sup>18</sup>

- 
- 1 [http://en.wikipedia.org/wiki/Dualism\\_%28philosophy\\_of\\_mind%29](http://en.wikipedia.org/wiki/Dualism_%28philosophy_of_mind%29)
  - 2 <http://en.wikipedia.org/wiki/Cirrhosis>
  - 3 <http://www.sciam.com/article.cfm?articleID=00083A00-318C-1F30-9AD380A84189F2D7>
  - 4 [http://en.wikipedia.org/wiki/Stress\\_%28medicine%29](http://en.wikipedia.org/wiki/Stress_%28medicine%29)
  - 5 [http://en.wikipedia.org/wiki/Fight-or-flight\\_response](http://en.wikipedia.org/wiki/Fight-or-flight_response)
  - 6 <http://serendip.brynmawr.edu/bb/neuro/neuro00/web1/Wall.html>
  - 7 <http://www.econ.uiuc.edu/~hanko/Bio/stress.html>
  - 8 [http://watarts.uwaterloo.ca/~acheyne/S\\_P.html](http://watarts.uwaterloo.ca/~acheyne/S_P.html)
  - 9 <http://www.nimh.nih.gov/HealthInformation/Depressionmenu.cfm>
  - 10 [http://en.wikipedia.org/wiki/Selective\\_serotonin\\_reuptake\\_inhibitor](http://en.wikipedia.org/wiki/Selective_serotonin_reuptake_inhibitor)
  - 11 <http://www.nimh.nih.gov/publicat/bipolar.cfm>
  - 12 <http://www.sciam.com/article.cfm?articleID=0006AF90-5BC7-1E1B-8B3B809EC588EEDF>
  - 13 [http://www.sciam.com/print\\_version.cfm?articleID=00019A70-0C1C-1F41-BOB980A841890000](http://www.sciam.com/print_version.cfm?articleID=00019A70-0C1C-1F41-BOB980A841890000)
  - 14 [http://en.wikipedia.org/wiki/Clinical\\_depression](http://en.wikipedia.org/wiki/Clinical_depression)
  - 15 [http://en.wikipedia.org/wiki/Concentration\\_%28game%29](http://en.wikipedia.org/wiki/Concentration_%28game%29)
  - 16 <http://en.wikipedia.org/wiki/FMRI>
  - 17 <http://www.biopsychiatry.com/newbraincell/>
  - 18 [http://www.physsportsmed.com/issues/2001/05\\_01/uusitalo.htm](http://www.physsportsmed.com/issues/2001/05_01/uusitalo.htm)



## 28 Contributors

Edits	User
1	Abeaud <sup>1</sup>
49	Adrignola <sup>2</sup>
3	AnThRaX Ru <sup>3</sup>
3	Avicennasis <sup>4</sup>
2	Cometstyles <sup>5</sup>
1	Dan Polansky <sup>6</sup>
2	Darklama <sup>7</sup>
2	Delirium <sup>8</sup>
3	Dirk Hünninger <sup>9</sup>
1	EVula <sup>10</sup>
1	Emperorbma <sup>11</sup>
8	EuropracBHIT <sup>12</sup>
1	Gafromca <sup>13</sup>
1	Ginab <sup>14</sup>
13	Graham87 <sup>15</sup>
1	Guanaco <sup>16</sup>
2	Hagindaz <sup>17</sup>
1	Icestorm815 <sup>18</sup>
1	Jamesday <sup>19</sup>
3	Jclee <sup>20</sup>
1	JesseW <sup>21</sup>

---

1	<a href="http://en.wikibooks.org/w/index.php?title=User:Abeaud">http://en.wikibooks.org/w/index.php?title=User:Abeaud</a>
2	<a href="http://en.wikibooks.org/w/index.php?title=User:Adrignola">http://en.wikibooks.org/w/index.php?title=User:Adrignola</a>
3	<a href="http://en.wikibooks.org/w/index.php?title=User:AnThRaX_Ru">http://en.wikibooks.org/w/index.php?title=User:AnThRaX_Ru</a>
4	<a href="http://en.wikibooks.org/w/index.php?title=User:Avicennasis">http://en.wikibooks.org/w/index.php?title=User:Avicennasis</a>
5	<a href="http://en.wikibooks.org/w/index.php?title=User:Cometstyles">http://en.wikibooks.org/w/index.php?title=User:Cometstyles</a>
6	<a href="http://en.wikibooks.org/w/index.php?title=User:Dan_Polansky">http://en.wikibooks.org/w/index.php?title=User:Dan_Polansky</a>
7	<a href="http://en.wikibooks.org/w/index.php?title=User:Darklama">http://en.wikibooks.org/w/index.php?title=User:Darklama</a>
8	<a href="http://en.wikibooks.org/w/index.php?title=User:Delirium">http://en.wikibooks.org/w/index.php?title=User:Delirium</a>
9	<a href="http://en.wikibooks.org/w/index.php?title=User:Dirk_H%C3%BCnninger">http://en.wikibooks.org/w/index.php?title=User:Dirk_H%C3%BCnninger</a>
10	<a href="http://en.wikibooks.org/w/index.php?title=User:EVula">http://en.wikibooks.org/w/index.php?title=User:EVula</a>
11	<a href="http://en.wikibooks.org/w/index.php?title=User:Emperorbma">http://en.wikibooks.org/w/index.php?title=User:Emperorbma</a>
12	<a href="http://en.wikibooks.org/w/index.php?title=User:EuropracBHIT">http://en.wikibooks.org/w/index.php?title=User:EuropracBHIT</a>
13	<a href="http://en.wikibooks.org/w/index.php?title=User:Gafromca">http://en.wikibooks.org/w/index.php?title=User:Gafromca</a>
14	<a href="http://en.wikibooks.org/w/index.php?title=User:Ginab">http://en.wikibooks.org/w/index.php?title=User:Ginab</a>
15	<a href="http://en.wikibooks.org/w/index.php?title=User:Graham87">http://en.wikibooks.org/w/index.php?title=User:Graham87</a>
16	<a href="http://en.wikibooks.org/w/index.php?title=User:Guanaco">http://en.wikibooks.org/w/index.php?title=User:Guanaco</a>
17	<a href="http://en.wikibooks.org/w/index.php?title=User:Hagindaz">http://en.wikibooks.org/w/index.php?title=User:Hagindaz</a>
18	<a href="http://en.wikibooks.org/w/index.php?title=User:Icestorm815">http://en.wikibooks.org/w/index.php?title=User:Icestorm815</a>
19	<a href="http://en.wikibooks.org/w/index.php?title=User:Jamesday">http://en.wikibooks.org/w/index.php?title=User:Jamesday</a>
20	<a href="http://en.wikibooks.org/w/index.php?title=User:Jclee">http://en.wikibooks.org/w/index.php?title=User:Jclee</a>
21	<a href="http://en.wikibooks.org/w/index.php?title=User:JesseW">http://en.wikibooks.org/w/index.php?title=User:JesseW</a>

54	Jguk <sup>22</sup>
2	Jni <sup>23</sup>
1	JzG <sup>24</sup>
1	Konstable <sup>25</sup>
1	Laurascudder <sup>26</sup>
24	Lonjers <sup>27</sup>
1	MSGJ <sup>28</sup>
4	Mav <sup>29</sup>
1	Mdearden <sup>30</sup>
51	Name of Feather <sup>31</sup>
1	Nathan <sup>32</sup>
2	Neutrality <sup>33</sup>
1	Night Gyr <sup>34</sup>
1	Orioane <sup>35</sup>
1	Pakaran <sup>36</sup>
1	Philosopher <sup>37</sup>
1	Pigsonthewing <sup>38</sup>
1	Recent Runes <sup>39</sup>
1	Robert Horning <sup>40</sup>
2	RobinH <sup>41</sup>
1	Samuel <sup>42</sup>
1	Sj <sup>43</sup>
1	Skier Dude <sup>44</sup>
2	Slowking Man <sup>45</sup>
1	Spangineer <sup>46</sup>

---

22	<a href="http://en.wikibooks.org/w/index.php?title=User:Jguk">http://en.wikibooks.org/w/index.php?title=User:Jguk</a>
23	<a href="http://en.wikibooks.org/w/index.php?title=User:Jni">http://en.wikibooks.org/w/index.php?title=User:Jni</a>
24	<a href="http://en.wikibooks.org/w/index.php?title=User:JzG">http://en.wikibooks.org/w/index.php?title=User:JzG</a>
25	<a href="http://en.wikibooks.org/w/index.php?title=User:Konstable">http://en.wikibooks.org/w/index.php?title=User:Konstable</a>
26	<a href="http://en.wikibooks.org/w/index.php?title=User:Laurascudder">http://en.wikibooks.org/w/index.php?title=User:Laurascudder</a>
27	<a href="http://en.wikibooks.org/w/index.php?title=User:Lonjers">http://en.wikibooks.org/w/index.php?title=User:Lonjers</a>
28	<a href="http://en.wikibooks.org/w/index.php?title=User:MSGJ">http://en.wikibooks.org/w/index.php?title=User:MSGJ</a>
29	<a href="http://en.wikibooks.org/w/index.php?title=User:Mav">http://en.wikibooks.org/w/index.php?title=User:Mav</a>
30	<a href="http://en.wikibooks.org/w/index.php?title=User:Mdearden">http://en.wikibooks.org/w/index.php?title=User:Mdearden</a>
31	<a href="http://en.wikibooks.org/w/index.php?title=User:Name_of_Feather">http://en.wikibooks.org/w/index.php?title=User:Name_of_Feather</a>
32	<a href="http://en.wikibooks.org/w/index.php?title=User:Nathan">http://en.wikibooks.org/w/index.php?title=User:Nathan</a>
33	<a href="http://en.wikibooks.org/w/index.php?title=User:Neutrality">http://en.wikibooks.org/w/index.php?title=User:Neutrality</a>
34	<a href="http://en.wikibooks.org/w/index.php?title=User:Night_Gyr">http://en.wikibooks.org/w/index.php?title=User:Night_Gyr</a>
35	<a href="http://en.wikibooks.org/w/index.php?title=User:Orioane">http://en.wikibooks.org/w/index.php?title=User:Orioane</a>
36	<a href="http://en.wikibooks.org/w/index.php?title=User:Pakaran">http://en.wikibooks.org/w/index.php?title=User:Pakaran</a>
37	<a href="http://en.wikibooks.org/w/index.php?title=User:Philosopher">http://en.wikibooks.org/w/index.php?title=User:Philosopher</a>
38	<a href="http://en.wikibooks.org/w/index.php?title=User:Pigsonthewing">http://en.wikibooks.org/w/index.php?title=User:Pigsonthewing</a>
39	<a href="http://en.wikibooks.org/w/index.php?title=User:Recent_Runes">http://en.wikibooks.org/w/index.php?title=User:Recent_Runes</a>
40	<a href="http://en.wikibooks.org/w/index.php?title=User:Robert_Horning">http://en.wikibooks.org/w/index.php?title=User:Robert_Horning</a>
41	<a href="http://en.wikibooks.org/w/index.php?title=User:RobinH">http://en.wikibooks.org/w/index.php?title=User:RobinH</a>
42	<a href="http://en.wikibooks.org/w/index.php?title=User:Samuel">http://en.wikibooks.org/w/index.php?title=User:Samuel</a>
43	<a href="http://en.wikibooks.org/w/index.php?title=User:Sj">http://en.wikibooks.org/w/index.php?title=User:Sj</a>
44	<a href="http://en.wikibooks.org/w/index.php?title=User:Skier_Dude">http://en.wikibooks.org/w/index.php?title=User:Skier_Dude</a>
45	<a href="http://en.wikibooks.org/w/index.php?title=User:Slowking_Man">http://en.wikibooks.org/w/index.php?title=User:Slowking_Man</a>
46	<a href="http://en.wikibooks.org/w/index.php?title=User:Spangineer">http://en.wikibooks.org/w/index.php?title=User:Spangineer</a>

- 
- 1 Superm401<sup>47</sup>
  - 1 TheDJ<sup>48</sup>
  - 2 Timwi<sup>49</sup>
  - 94 Triddle<sup>50</sup>
  - 1 Uncle G<sup>51</sup>
  - 1 Vacuum<sup>52</sup>
  - 2 Whiteknight<sup>53</sup>
  - 20 Xuenay<sup>54</sup>

---

47 <http://en.wikibooks.org/w/index.php?title=User:Superm401>

48 <http://en.wikibooks.org/w/index.php?title=User:TheDJ>

49 <http://en.wikibooks.org/w/index.php?title=User:Timwi>

50 <http://en.wikibooks.org/w/index.php?title=User:Triddle>

51 [http://en.wikibooks.org/w/index.php?title=User:Uncle\\_G](http://en.wikibooks.org/w/index.php?title=User:Uncle_G)

52 <http://en.wikibooks.org/w/index.php?title=User:Vacuum>

53 <http://en.wikibooks.org/w/index.php?title=User:Whiteknight>

54 <http://en.wikibooks.org/w/index.php?title=User:Xuenay>



# List of Figures

- GFDL: Gnu Free Documentation License. <http://www.gnu.org/licenses/fdl.html>
- cc-by-sa-3.0: Creative Commons Attribution ShareAlike 3.0 License. <http://creativecommons.org/licenses/by-sa/3.0/>
- cc-by-sa-2.5: Creative Commons Attribution ShareAlike 2.5 License. <http://creativecommons.org/licenses/by-sa/2.5/>
- cc-by-sa-2.0: Creative Commons Attribution ShareAlike 2.0 License. <http://creativecommons.org/licenses/by-sa/2.0/>
- cc-by-sa-1.0: Creative Commons Attribution ShareAlike 1.0 License. <http://creativecommons.org/licenses/by-sa/1.0/>
- cc-by-2.0: Creative Commons Attribution 2.0 License. <http://creativecommons.org/licenses/by/2.0/>
- cc-by-2.0: Creative Commons Attribution 2.0 License. <http://creativecommons.org/licenses/by/2.0/deed.en>
- cc-by-2.5: Creative Commons Attribution 2.5 License. <http://creativecommons.org/licenses/by/2.5/deed.en>
- cc-by-3.0: Creative Commons Attribution 3.0 License. <http://creativecommons.org/licenses/by/3.0/deed.en>
- GPL: GNU General Public License. <http://www.gnu.org/licenses/gpl-2.0.txt>
- LGPL: GNU Lesser General Public License. <http://www.gnu.org/licenses/lgpl.html>
- PD: This image is in the public domain.
- ATTR: The copyright holder of this file allows anyone to use it for any purpose, provided that the copyright holder is properly attributed. Redistribution, derivative work, commercial use, and all other use is permitted.
- EURO: This is the common (reverse) face of a euro coin. The copyright on the design of the common face of the euro coins belongs to the European Commission. Authorised reproduction in a format without relief (drawings, paintings, films) provided they are not detrimental to the image of the euro.
- LFK: Lizenz Freie Kunst. <http://artlibre.org/licence/lal/de>
- CFR: Copyright free use.

- EPL: Eclipse Public License. <http://www.eclipse.org/org/documents/epl-v10.php>

Copies of the GPL, the LGPL as well as a GFDL are included in chapter Licenses<sup>55</sup>. Please note that images in the public domain do not require attribution. You may click on the image numbers in the following table to open the webpage of the images in your webbrowser.

---

55 Chapter 29 on page 75

1		GFDL
2		GFDL
3		GFDL
4		GFDL
5		GFDL
6		GFDL



# 29 Licenses

## 29.1 GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc.  
<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program—to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow. TERMS AND CONDITIONS 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer

network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion. 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work. 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary. 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures. 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee. 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

\* a) The work must carry prominent notices stating that you modified it, and giving a relevant date. \* b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices". \* c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it. \* d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate. 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

\* a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange. \* b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge. \* c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b. \* d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements. \* e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying. 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

\* a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or \* b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or \* c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or \* d) Limiting the use for publicity purposes of names of licensors or authors of the material; or \* e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or \* f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way. 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work)

from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10. 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so. 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest had or could give if it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it. 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

## 29.2 GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed. 0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference. 1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a worldwide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on, the exercise of, one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law. 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program. 13. Use with the GNU Affero General Public License.

authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject (The Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardsly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such. 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of the numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version. 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal ef-

fect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.> Copyright (C) <year>
<name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties; any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License. 2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies. 3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you

must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition of the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document. 4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

\* A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission. \* B. List on the Title

Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement. \* C. State on the Title page the name of the publisher of the Modified Version, as the publisher. \* D. Preserve all the copyright notices of the Document. \* E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices. \* F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below. \* G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice. \* H. Include an unaltered copy of this License. \* I. Preserve the section Entitled "History". Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence. \* J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission. \* K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein. \* L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles. \* M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version. \* N. Do not retile any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section. \* O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add an-

other; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version. 5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements". 6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document. 7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate. 8. TRANSLATION

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work. 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL. 2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

\* a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or \* b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

\* a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License. \* b) Accompany the object code with a copy of the GNU GPL and this license document.

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title. 9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it. 10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

\* a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License. \* b) Accompany the Combined Work with a copy of the GNU GPL and this license document. \* c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document. \* d) Do one of the following: o 1) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source. o 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version. \* e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4e, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document. 11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing. ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (C) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with ... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

\* a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License. \* b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

## 29.3 GNU Lesser General Public License

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright © 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below. 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.