


CARL N. STARBUCK
SON
UTICA, N.Y.

1907

DUKE
UNIVERSITY



LIBRARY



Digitized by the Internet Archive
in 2016 with funding from
Duke University Libraries



MILLAR

PLUMBERS AND TINNERS SUPPLIES

MANUFACTURERS SUPPLIES & MACHINERY

CHAS. MILLAR 127-129 & SON COMPANY

Illustrated Catalogue "H"
1907

CHARLES MILLAR & SON COMPANY

SUPPLIES

of every description for

Plumbers, Water Works,
Steam and Gas Fitters,
————— Contractors —————
Engineers and Mill Owners

STEAM AND HOT WATER RADIATORS AND BOILERS,
HOT AIR FURNACES

FACTORIES

LEAD PIPE WORKS, 75 MAIN STREET
UTICA PIPE FOUNDRY CO.'S WORKS, GAS
AND WATER PIPE FOUNDRY, CORNER
GILBERT ST. AND HUTCHINSON AVE.
SOIL PIPE AND SCREWED FITTINGS
FOUNDRY, DWYER AVENUE.

OFFICE AND SALESROOMS

127 AND 129 GENESEE STREET

WAREHOUSES

73, 75 AND 77 MAIN STREET
3, 5, 7 AND 9 SECOND STREET

UTICA, N. Y.

OFFICERS

EDWARD G. WAGNER, PRES. AND TREAS.
CHARLES S. SYMONDS, VICE-PRES.
JOHN A. KERNAN, SECRETARY
A. H. DOBSON, ASST. TREAS.
L. H. BIRDSEYE, GEN'L. MANAGER

DIRECTORS

EDWARD G. WAGNER,
CHARLES S. SYMONDS,
JOHN A. KERNAN,
A. H. DOBSON,
L. H. BIRDSEYE.

To The Trade

In presenting illustrated catalogue of Plumbers', Gas and Steam Fitters', Water Works, Engineers' and Mill Supplies, we wish to express grateful appreciation of the generous patronage extended to our concern for nearly half a century.

This business was established by Charles Millar in 1861, and in 1866 Henry W. Millar was admitted to partnership under the firm name of Charles Millar & Son. In 1883 John L. Murray became a partner, the firm name being unchanged, and continued until January 1st, 1900, when the present company was incorporated under the laws of the State of New York.

In compiling this edition, we have paid especial attention to the matter of Plumbing Supplies and Sanitary Fixtures, illustrating everything, not only those of the highest grade and quality, suitable for the finest residences, institutions, public building, etc., but, also, those of moderate prices, which are daily becoming more universally used.

We are the exclusive selling agents of the Utica Pipe Foundry Co. They not only manufacture superior quality Cast Iron Gas and Water Pipe and Specials, but have a modern foundry, which is exclusively devoted to the making of Cast Iron Soil Pipe and Fittings and Plumbers' Castings, also Cast Screwed Fittings, thus enabling us to furnish these goods, not only of the very best quality, but at the lowest possible rates.

We continue to make the best Lead Pipe in this country, also reliable Solder, Pure Tin Pipe, Tin Lined Lead Pipe and Lead Tubing.

Remember that we carry in our large warehouses full stocks of all these goods, thereby enabling us to make prompt shipments.

Inviting correspondence and soliciting your orders, we are,

Very respectfully,

Charles Millar & Son Co.

This Catalogue Supersedes
all of earlier date . . .

696
80274747
C 07
E 29
1907

Special Notice and Trade Customs.

NOTICE

To avoid errors when ordering, refer to THIS CATALOGUE and specify PAGE and PLATE NUMBERS which designate the articles required.

All lists, discounts and quotations are subject to market changes. We shall endeavor, from time to time, to advise our customers of variations in prices.

TERMS :—Net cash thirty days, unless otherwise agreed upon.

Definite instructions as to route or transportation line and insurance should be given with each order. When no instructions are given, goods will be shipped in the manner we think most suitable, and without insurance.

Boxing and packages will be charged at manufacturers' rates.

For general information, attention is called to the following well established

TRADE CUSTOMS

BREAKAGE—Our responsibility ceases as soon as goods are delivered in good order and condition at railroad depot, or other transportation companies, and a receipt therefor taken. In case of any carelessness or negligence on the part of the carrier, the consignee (who is the real owner) should file claim to recover damages against the transportation company at once, and sign for the goods as received in a damaged condition. We shall always be pleased to assist our customers in establishing claims.

DAMAGES—We guarantee material sold, but only to extent of supplying perfect goods for any found defective, and will not allow any claims for labor or consequential damages. The measure of damage shall be the price of any defective material, such to be returned or otherwise disposed of at our option before credit is rendered.

Claims for corrections or errors must be made within ten days from receipt of goods.

Orders will be executed promptly and carefully; we cannot be responsible for delays arising from accidents, strikes and other causes unavoidable or beyond our control.

Return no goods without first obtaining our consent and shipping instructions.

Goods returned to us otherwise than by error on our part, are subject to deduction from credit for any damage, or loss while in transit, also freight or express charges and a reasonable amount for handling.

Orders for special goods, not suitable for our general stock, cannot be countermanded, after their manufacture has commenced.

Address all correspondence to firm, rather than individuals, thus securing best possible attention.

Charles Millar & Son Co.,
Utica, New York.



Charles Millar



Henry W. Millard



John L. Murray




LEAD PIPE
AND
SOLDER WORKS

CHAS. MILLAR & SON CO.
WAREHOUSE

PIPE SHEDS
CHARLES MILLAR & SON CO.







INDEX

A

Acetylene Gas Burners.....	529
“Acme” Fry Pans.....	652
Acorns, Brass Railing.....	96, 97
“ Malleable Iron, Railing.....	96
Adjustable Bibb Flanges.....	263
“ Curb Boxes.....	568
“ Floor and Ceiling Plates.....	73, 74
“ Pipe Hangers.....	72
“ “ Holders, Closet.....	325
“ Railing Fittings.....	98
“ Roof Flanges.....	556
“ “S” Wrenches.....	600
“ Sink Brackets.....	514
“ Spout Guards.....	636
“ Thimbles for Partitions.....	649
Air Brake Hose.....	218
“ Cocks.....	146, 147
“ Valves, Radiator.....	121-124
“Albany” Greases.....	217
“Alaska” Cover Lifters and Pokers.....	650
“Albany” Steam Traps.....	165
Alberene Stone Kitchen Sinks.....	492
“ “ Laundry Trays.....	482
“ Wash Tray Legs.....	515
“Alert” Double Acting Force Pumps.....	580
Altitude Gauges.....	191
“Always Ready” Wrenches.....	601
Ammonia Fittings.....	137
“ Gauges.....	136
“ Valves.....	136
“Anderson” Steam Traps.....	167
Angle Valves, Brass.....	103, 104
“ “ Hose.....	107
“ “ Iron Body.....	125
“ “ “ with Yoke.....	127
Angles, Stall.....	300
Antimony.....	625
“Armstrong” Pipe Cutters.....	605
“ “ Machines.....	591, 592
“ “ Stocks and Dies.....	594
Asbestos-Metallic Sheet Packing.....	207
Asbestos Cement.....	205
“ Furnace Cement.....	643
“ Lead Joint Runners.....	610
“ Mill Boards, Sheet.....	205
“ Packed Brass Cocks.....	117
“ “ Iron Cocks.....	117
“ Paper, Rolls.....	205
“ Pipe Covering.....	202-204
“ Sheet Packing.....	207
“ Wick Packing.....	210
Ash Cans.....	644
“ Sieves.....	647
“Austin” Steam Separators.....	162
Automatic Air Valves.....	122-124
“ Expansion Tanks.....	184
“ Grease Cups.....	197

B

Babbitt Metal.....	625
Back Pressure Valves, Iron Body.....	132
“ Water Drains.....	557
“ “ Traps.....	555
Backs, Bracket.....	529
“ Sink, Cast Iron.....	514
“ “ Porcelain Enameled.....	501
“ “ Steel.....	507
Bags, Tool.....	612
Ball Cocks.....	254, 450
“B and C” Combination Wrenches.....	600
Bands, Hose.....	222
“ Pipe, Cast Iron, Soil Pipe.....	549
Barbers’ Hot Water Boilers.....	524
“Barnes” Pipe Cutters.....	605
Bars, Towel.....	465-467
Base Fittings, Cast Iron, Drainage.....	62
“ “ “ Flanged.....	48
Bases, Valve Box.....	570
Basin and Shampoo Cocks.....	271
“ Clamps.....	290
“ Cock Couplings.....	257
“ Cocks, Compression.....	256-258
“ “ Doherty.....	277
“ “ Fuller.....	268-270
“ “ Moore’s.....	279
“ “ Telegraph.....	275
“ Gaskets.....	330
“ Overflows and Wastes.....	283
“ Plugs.....	290-292
“ Tees, Cast Iron, Drainage.....	61
“ Washers.....	330
“ Wastes.....	286
“ Wrenches.....	602
Basins, Earthenware.....	459, 460
“ Porcelain Enameled.....	397, 398
Bath Cock Couplings.....	273
“ Supply Pipes.....	286
“ Cocks, Compression.....	260
“ “ Fuller.....	273, 274
“ Gaskets.....	330
“ Mats.....	475
“ Overflows and Wastes.....	282, 283
“ Plugs.....	291, 292
“ Receptors, Shower, Porcelain.....	339
“ “ “ Enameled.....	354
“ Room Cabinets.....	477
“ “ Furnishings.....	464-477
“ “ Interiors.....	332, 333
“ “ Mirrors.....	476
“ “ Stool.....	475
“ Seats.....	474
“ Sprays.....	367
“ Supply and Waste Fixtures.....	280, 281
“ Thermometers.....	473
“ Traps.....	313, 314

INDEX

Bath Tub Decorations	355	Bibbs, Wash Tray, Compression	247-249
“ “ Enamel	372	“ “ “ Fuller	264, 265
“ Washers	330	Bidet, Earthenware	458
“ Wastes	282	Bilge Pumps	585
“ “ and Overflows	282, 283	Bit Braces	618
Baths, Copper-Lined	356	“Blackene” Stove Polish	643
“ Enameled Steel	356	Blind Flanges, Cast Iron	49
“ Porcelain, Foot	338	Block Tin	625
“ “ French Pattern	335, 336	Block Tin Pipe	627
“ “ Oval Pattern	334	Blow-Off Valves, “Huxley”	118
“ “ Sitz	337	Blow Pipes	615
BATHS, PORCELAIN ENAMELED.		Boards, Drain	502
“Albion”	340	“ Stove	646
“Angeles,” Special	350	Boat Pumps	585
Foot	353	Bobs, Plumb	618
“Lorraine”	343	Boiler Brackets, Wrought	516
“Majestic”	342	“ Cement, Asbestos	205
“Monarch”	341	“ Couplings	305, 306
“Occident”	344, 345, 346	“ Covering, Mineral Wool	205
“Ohio,” Special	348	“ Feed Pumps	572
“Perfecto”	347	“ Fittings	305, 306
Sitz	352	“ Stands	516
“Sterling” Special	349	“ Tubes, Wrought	10
“Venice”	351	Boilers, Cooking	652
Baths, Shower	357-364	“ Hot Water, Barbers’	524
“ Steel	356	“ Range, Copper	517-519
“Baxter” Wrenches	601	“ “ Iron	520-522
“B. B.” Ball Cocks	450	“ Steam	169-171
Beam Clamps	70	“ Wash	653
“ Hooks	67	“ Water	169-171
“Beekman” Smoke Machines	621	Bolts, Closet	326
Belt Hooks	216	“ Sink	515, 640
“ Lacings	216	“ Stove	640
“ Punches	620	“ Toilet Room Door	299
Belting, Cotton	215	“ Urinal Stall	296
“ “Gandy”	215	“Borden” Pipe Machines	590
“ Leather	214	Borers, Tap	613
“ “ Round	214	Bossing Sticks	613
“ Rubber	213	Box Plates	529
Belts, Endless, Rubber	213	Boxes, Curb, Adjustable	568
Benders, Pipe	612	“ Grease	615
Bending Pins	614	“ Roadway	569
Bends, Lead	320	“ Service, Water and Gas	568
“ Pipe, Wrought	19	“ Valve, Extension	570
“ Return, Ammonia	137	Boxwood Dressers	613
“ “ Brass	101	Braces, Bit	618
“ “ Cast Iron, Screwed	23, 24	Bracket Backs	529
“ “ Malleable Iron	86	Brackets, Boiler and Tank, Wrought	516
“ Soil Pipe, Cast Iron	538-540	“ Counter Railing	97
“ and Ferrules, Combination	321	“ Gas	526, 527
“Bennor” Traps	307	“ Lavatory	287
“Berryman” Heater, Purifier and Oil		“ Radiator	179
Separator	164	“ Sink	514
Bibb Ends, Hose	224	Branch Tees, Cast Iron	25
“ Flanges, Adjustable	263	Branches, Ventilating, Cast Iron	547
“ Repairs, Compression	267	“ Y, Cast Iron, Drainage	61, 63, 64
“ Seat Dressers	612	“ “ “ Flanged	46
“ Washers	329	“ “ “ Screwed	22, 36
Bibbs, Compression	242-246	“ “ Malleable Iron	86
“ Doherty	276	Brass Closet Pipes	324
“ Fuller	261-263	“ Cocks	114-117
“ Ground Key	230	“ “ Asbestos Packed	117
“ Moore’s	278	“ Expansion Joints	111
“ Self-Closing	275, 276, 278	“ Ferrules	303
“ Telegraph	275	“ Fittings, I. P. Size	100-102
		“ “ Gas	526-532

INDEX

Compass Saws	618	"Crane" Navy Valves	104
Compasses	619	Crank Pin Oilers	196
Compound Lever Ball Cocks	450	"Crescent" Gas Water Heaters	525
" Pressure & Vacuum Gauges	191	" Hydrants & Street Washers	564
Compounds, Pipe Joint	183	Cross Valves, Brass	103
Compression Work	242-260	" " Iron Body	128
Conducting Hose	218	Crosses, Ammonia	137
Conductor Elbows	633	" " Brass	101
" Hooks	636	" " Railing	96
" Pipe	633	" " Cast Iron, Flanged, Standard	45
" Shoes	633	" " " " Long Turn	59
" Strainers	636	" " " " Screwed, Ex. Heavy	36
Connections, Cast Iron, Roof	66	" " " " " Long Turn	40
" " " Tucker	66	" " " " " Standard	22
" Closet	329	" " " " " Soil Pipe	545, 546
" " Rubber	328	" " " " " Malleable Iron	85
" Hose, Fire Department	223	" " " " " " Railing	96, 97
" Service, Lead	241	Cross-over Tees, Malleable Iron	94
" Slip Joint	327	Cross-Overs, Malleable Iron	94
" Urinal	296, 297	"Cudell" Traps	312-315, 323
"Connolly" Saddle Hubs	550	Cups, Burner	529
Continuous Wastes, Lavatory	285	" Drinking Fountain	396
Cooking Utensils	652	" Force, Plumbers'	609
Copper Gaskets	211	" Grease	197
" Ingot	625	" Oil, Brass	194
" Lined Bath Tubs	356	" Soil	615
" Pantry Sinks	489	Curb Boxes, Adjustable	568
" Pipe	99	" Cocks	240
" Range Boilers	517-519	Cut Offs, Rain Water	633
" Sheet	639	Cutters, Gauge Glass	189
" Wire	99	" " Pipe	605, 606
Coppers, Soldering	614	" " Washer	619
Cork Bath Mats	475	Cutting Nippers	604
" Washers	195	" " and Threading Pipe	18
Corner Sinks, Cast Iron	509, 511	" " Pliers	603
Corporation Cocks	241	" " and Threading Pipe, Machines	588-592
Corrugated Copper Gaskets	211	"Cyclone" Exhaust Heads	163
" Iron, Sheets	631	Cylinder Cocks	147
Cotton Belting	215	" " Oil	217
" Waste	210	Cylinders, Pump	583
Counter Brackets, Cast Iron, Railing	97	Cylindrical Glasses	195
Coupling Spanners, Hose	223	D	
Couplings, Ammonia	137	Dairy Pails	654
" Basin Cock	257	Damper Clips, Stove Pipe	648
" Bath Cock	273	" " Regulators	157
" Boiler	305, 306	Dampers, Stove Pipe	648
" Brass	102	"Dart" Unions	92
" Cast Iron	26, 36	"Davis" Steam Pressure Regulators	156
" Drive Pipe	39	Decorations, Bath Tub	355
" Hose	222	"Defender" Lubricators	199
" Malleable Iron	87	"Delany" Traps	308
" Pump Rod	587	"Detroit" Lubricators	200
" Repair, Closet	326	Diagram, Pipe Cutting to order	18
" Sink	515	" " " " Railings erected	97
" Union	91	Diaphragm Pumps	582
" Vent	304	Diaphragms	106, 157
" Water Back	305	Dimension Table, Cast Iron Fittings,	
" Wrought	39	" " " " " Flanged	53-55
Cover Lifters, Stove	650	" " " " " Flanges	52
Covering, Boiler, Asbestos	205	" " " " " Marble and Slate	
" " Mineral Wool	205	" " " " " Slabs	403, 404
" " Pipe, Asbestos	202-204, 205	Discs, Valve	106
" " Felt	202-204		
" " Mineral Wool	205		
Covers, Pot, Cooking	652		
" Sap Bucket	656		

INDEX

Ferrules, Combination	321	Flanges, Drilling, Templates for	51
“ Trap Screw	303	“ Floor, Brass, Railing	96
Files and Rasps	613	“ “ Cast Iron, Standard	34
Filters, Water	560	“ “ Closet	326
Fire Buckets	644	“ “ Malleable Iron, Railing	96, 97
“ Clay Flue Linings	533	“ “ Slip Joint	327
“ Hose	219	“ Roof, Adjustable	556
“ Connections, Siamese	223	Flashing Hooks	636
“ Hydrants	145	Flax Packing	210
Fittings, Ammonia	136, 137	Float Valves, Tank	451
“ Boiler	305, 306	Floor Drains	557
“ Brass	100-102	“ Flange Gaskets	326
“ Cast Iron, Casing	12	“ Flanges, Brass, Railing	96
“ “ “ Drainage	60-66	“ “ Cast Iron, Standard	34
“ “ “ Flanged	6	“ “ Closet	326
“ “ “ Flanged, Long Turn	56-59	“ “ Mall’ble Iron Railing	96, 97
“ “ “ “ Spiral Rivt’d	16, 17	“ “ Slip Joint	327
“ “ “ “ Standard	41-59	“ Plates	73, 74
“ “ “ Gas Mains	4, 5	“ Sleeves, Telescoping	75
“ “ “ Recessed	60-66	“ Strainers	293
“ “ “ Screwed Extra	35-36	Flue Brushes	598
“ “ “ Heavy	35-36	“ Cleaners	598
“ “ “ Screwed, Long Turn	40	“ Linings, Fire Clay	533
“ “ “ “ Standard	20-34	“ Scrapers	597
“ “ “ Soil Pipe	538-554	Flush Pipes, Closet	324
“ “ “ Standard, List of	28-32	Flushing Valves, Tank	451
“ “ “ Sizes	4, 5	Foot Baths, Porcelain	338
“ “ “ Water Mains	301	“ “ “ Enameled	353
“ Closet Stall	534, 535	“ Valves, Iron Body	138
“ Drain Pipe	529-532	“Forbes” Pipe Machines	588
“ Gas Fixture	13	Force Cups, Plumbers’	609
“ Lead Lined, Iron	78-98	“ Pumps	578-580
“ Malleable Iron	96-98	“ “ Plumbers’	609
“ Railing, Brass	96-98	Forges, Portable	623
“ “ Malleable Iron	96-98	“Foster” Ball Cocks	450
“ Sewer Pipe	534, 535	Fountains, Drinking, Man, Horse and	
“ Tin Lined, Iron	296-298, 301	“ “ Dog	559
“ Urinal Stall	366	“ “ Porcelain	394
Fixtures, Shampoo	281	“ “ “ Enameled	395, 396
“ Supply and Waste, Bath, 280, 281	326	Four Way Tees, Cast Iron	21
Flange Gaskets, Floor	102	“ “ “ Malleable Iron	85
“ Unions, Brass	33	Frost Proof Closets	437, 438
“ “ Cast Iron, Ex. Heavy	33	Fry Pans	652
“ “ “ Standard	33	Fuller Repairs	267
“ “ “ Dart”	92	“ Work	261-274
“ “ “ Jefferson”	91	Furnace Cement	643
Flanged Fittings, Cast Iron	6	Furnaces, Melting	624
“ “ “ “ Long Turn	56-59	“ Plumbers’	622
“ “ “ “ Spiral Rivt’d	16, 17	Furnishings, Bath Room	464-477
“ “ “ “ Stand’d	41-59	Fusible Plugs	118
“ “ “ “ Pipe, Cast Iron	6		
Flanges, Bibb, Adjustable	263	G	
“ Brass, Closet	66, 324	“Gandy” Belting	215
“ Cast Iron, Closet	66	Garbage Pails	644
“ “ “ Standard	34	Garden Hose	218, 219
“ “ “ “ Dimensions	52	“ “ Reels	228
“ “ “ “ Flanged Fit-	49, 50	Gas Brackets	526, 527
		“ Fitters Cement	183
		“ “ Lamps	621
		“ “ Torches	621
		“ Fixture Fittings	529-532
		“ Main Fittings, Cast Iron	4, 5
		“ Meter Cocks, Brass	115, 116

INDEX

Gas Pendants	528	Hammers, Machinists'	617
“ Pipe, Cast Iron	3	“ Nail	617
“ “ Wrought	7-9	“ Riveting	617
“ “ Hooks	75	“Hancock” Inspirators	160
“ Pliers	603	Hand Oil Pumps	198, 199
“ Proving Pumps	609	“ Rail Tees, Malleable Iron	96
“ Service Boxes	568	Hanger Rolls	70
“ “ Cocks, Brass	114-116	Hangers, Eaves Trough	635
“ Water Heaters, “Crescent”	525	Hangers, Pipe	69-72
Gasket Tubing	212	“ Sprinkler	71
Gaskets, Basin	330	“H. D.” Ejectors	160
“ Bath	330	Heads, Exhaust	163
“ Copper	211	Heaters, Gas, Monitor	530
“ Floor Flange	326	“ Water	172
“ Sink	330	“ “ Gas, “Crescent”	525
Gaskets and Rings	212	Hemp Packing	209
Gate Hinges, Brass, Railing	96	“Hersey” Water Meters	565
“ “ Malleable Iron, Railing	96	“Hieb’s” Conductor Hooks	636
“ Valves, Brass	112, 113	Hinges, Gate, Brass, Railing	96
“ “ Iron Body	139-143	“ “ Malleable Iron Railing	96
Gates, Water, Iron Body	141	“ Toilet Room Doors	300
Gauge Cocks	148	Hods, Coal	647
“ Glass Cutters	189	Holder, Globe	530
“ “ Washers	187	“ Pipe, Closet	325
“ Glasses	189	“ Soap, Combination	470
Gauges, Altitude	191	“ and Sponge	469
“ Ammonia	136	“ Sponge	469
“ Compound Pressure and Vacuum	191	“ Toilet Paper	472, 473
“ Steam	190	“ Tooth Brush	471
“ Water	188	“ Tumbler	471
“ “ Pressure	190	“ “ Combination	470, 471
“Gem” Circles and Shanks	635	“Holland” Pipe Cutters	606
“ Self Lighters	529	Hollow Ware, Stove	652
German Silver, Roll and Sheet	99	Hook Plates	67
“ “ Pantry Sinks	489	Hooks, Beam	67
“ “ Wire	99	“ Belt	216
Glass Protectors, Sight-Feed	195	“ Chandelier, Malleable Iron	89
“ Towel Bars	465	“ Conductor	636
“ “ Shelves	464	“ Flashing	636
Glasses, Cylindrical	195	“ Pipe, Gas	75
“ Gauge	189	“ “ Soil	556
Globe Holders	530	“ Robe	472
“ Valves, Brass	103, 104	“ “S”	289
“ “ “ Hose	107	“ Shave	613
“ “ Iron Body	125, 126	“ Stall	299
“Globe” Ventilators	643	Hopper Closets	436-438
“Gold Medal” Ball Cocks	450	“ Cocks, Compression	255
Goose Neck Sockets	529	“ “ Fuller	266
“ Necks	451, 529	“ Traps, Cast Iron, Soil Pipe	554
Governors, “Judson”	161	“ “ Earthenware	455
Granite Laundry Trays	483	Hoppers, Earthenware	454, 455
Graphite	217	“ Enameled Iron	439-441
Grates and Overflows, Brass	293	“ Slop	511
“Graves” Range Boilers	520	Hose, Air Brake	218
“Gray’s” Boiler Stands	516	“ Brewers’	218
Grease Boxes	615	“ Conducting	218
“ Cups	197	“ Fire	219
“ Traps	322, 323	“ Garden	218, 219
Greases and Lubricants	217	“ Hydrant	218
Griddles	652	“ Linen	219
Ground Key Work	230-241	“ Mill	219
Guards, Spout	636	“ Steam	218
		“ Suction	218
		“ Wire Winding	218
		Hose Band Pliers	222
		“ Bands	222

H

Half Circle Sinks, Cast Iron 509

INDEX

Hose Bibb Ends	224	Iron Tanks, Closet	444, 445
“ Bushings	224	“ “ Hot Water	523
“ Caps	223	“ Wash Sinks, Factory	392, 393
“ Carts	229	Irons, Round	614
“ Clamps	223	“I. X. L.” Pipe Machines	589
“ Connections, Fire Department	223		
“ Coupling, Spanner	223	J	
“ Couplings	222	Japan, Radiator	182
“ Gate Valves, Brass	107	“Jefferson” Unions	91
“ Menders	222	“Jenkins” Packing	206
“ Nipples	224	Jet Pumps, Steam	160
“ Nozzles	220, 221	Joint Clamps, Steam	77
“ Racks	226	“ Compounds, Pipe	183
“ Reducers	224	“ Runners, Lead, Asbestos	610
“ Reels	227, 228	Jointers, Pipe	610
“ Sprinklers	224	Joints, Expansion, Brass	111
“ Strainers, Suction	224	“ “ Iron Body	134
“ Valves, Brass	107, 108	“ Insertable, “Sisson”	556
“ Washers	329	“Judson” Governors	161
Hot Air Pumping Engines	573		
“ Rolled Sheet Copper	639	K	
“ Water Boilers, Barbers’	524	“Kearsarge” Packing	207
“ “ Tanks, Iron	523	“Kelly” Frost Proof Closets	437
House Force Pumps	578, 579	“ “ Water Closets, Combination	436
Hubs, Saddle, Cast Iron	550	Kettle Ears	642
“ “ Soil Pipe, Cast Iron	548	Kettles, Cooking	652
“Huxley” Valves	104, 118	“ “ Tea	653
Hydrant Cesspools	512	“Kewanee” Unions	92
“ Cocks	238	“Kieley” Pressure Regulating Valves	155
“ Hose	218	“King” Traps	308
“ Repairs, “Total Eclipse”	562, 563	Kitchen Sinks, Cast Iron	508, 509
Hydrants, “Crescent”	564	“ “ Alberene Stone	492
“ Fire	145	“ “ Brown Glazed	493, 494
“ “Total Eclipse”	561	“ “ Porcelain	490
“ Wall	564	“ “ Steel	504-507
Hydraulic Rams	581	Knives, Chipping	613
“ Tubes, Wrought	9	“Knowles” Duplex Pumps	572
I			
“Ideal” Chain Wrenches	602		
“ “ Sap Spouts	655	L	
Increasesers, Cast Iron, Drainage	61	Lace Leather	216
“ “ “ Soil Pipe	548	Lacings, Belt	216
Indicator Posts	144	Ladles, Melting	615
“ Valves, Brass	143	Lamps, Plumbers’	621
“ “ Iron Body	143	Lard Oil	217
“Ingalls” Flue Scrapers	597	Laundry Tray Legs	515
Ingot Copper	625	“ “ Trays, Alberene Stone	482
Injectors	158-160	“ “ Brown Glazed	480, 481
Inlets, Urinal	296, 297	“ “ Granite	483
Insertable Joints, “Sisson”	556	“ “ Porcelain	478
Inspirators, “Hancock”	160	“ “ Enameled	479
Interiors, Bath Room	332, 333	“ “ Water Heaters	172
Iron Body Expansion Joints	134	Lava Tips	529
“ “ Valves	125-133, 138-143	Lavatories, Marble	399-402
“ Cocks	135	“ “ Porcelain	368-371
“ “ Asbestos Packed	117		
“ Hopper Closets	436-438	LAVATORIES, PORCELAIN ENAMELED—	
“ Hoppers	439-441	“Aida”	388
“ Pipe, Cast	2, 3	“Alva”	388
“ “ Wrought	7-9	“Anglo”	382
“ “ “ Lead & Tin Lined	13	“Argus”	381
“ Range Boilers	520-522	“Athena”	382
“ Roofing	631		
“ Sheets	629-631		

INDEX.

LAVATORIES, PORCELAIN ENAMELED—
 "Beverly" 385
 "Copley" 373, 374
 "Crescent" 387
 "Delphi" 391
 "Everett" 386
 "Lenola" 389
 "Lenox" 375
 "Nassau" 384
 "Omar" 390
 "Ophir" 376, 378-380
 "Ortho" 385
 "Othello" 383
 "Thalia" 386
 "Vera" 377
 "Yale" 387
 Lavatory Brackets 287
 " Slabs 403, 404
 " Stops, Compression 251
 " Supply Pipes 285, 286
 " Traps 307-312
 " Wastes 284
 Lawn Sprinklers 225
 Lead Bends 320
 " Furnaces 624
 " Joint Runners, Asbestos 610
 " Lined Iron Fittings 13
 " " Wrought Pipe 13
 " Pig 625
 " Pipe 627
 " " Tin Lined 628
 " " Cutters 606
 " Sash Weights 626
 " Service Connections 241
 " Sheet 628
 " Traps 308, 316-319
 Leather Belting 214
 " Lace and Lacings 216
 Leathers, Plunger 587
 " Valve 587
 Legs, Sink 514
 " Wash Tray 515
 Levels, Pocket, etc 619
 Lifters, Stove Cover 650
 " Water 572
 Lighters, Gas 529
 Line Pipe, Wrought 8
 Linen Hose 219
 Linings, Flue, Fire Clay 533
 Links, Split 289
 Locknut Nipples 38
 Locknuts, Brass 101
 " Cast Iron 28
 " Malleable Iron 88
 Long Screws, Wrought 39
 " Turn Fittings, Cast Iron Screw'd 40
 " " " " Flanged 56-59
 Loops, Chandelier, Malleable Iron 89
 Loose Key Cocks, Urinal, Compression 253
 " " Compression Bibbs 246
 " " " Stops 249
 " Pulley Oilers 197
 Lubricants 217
 Lubricators, Engine 194, 199-201
 "Lynan" Exhaust Heads 163

M

Machinery Oils 217
 Machines, Pipe Cutting & Thread'g 588-592
 " " Tapping 566, 567
 " " Smoke 621
 Machinists' Hammers 617
 " Vises 608
 Malleable Iron Drive Well Caps 587
 " Iron Fittings 78-98
 " " Nipples 38
 " " Pipe Saddles 76
 Mallets, Tinnors 617
 Maple Sugar Utensils 655, 656
 Marble Lavatories 399-402
 " Slabs 403, 404
 " Urinal Stalls 412
 Marlin Wound Hose 218
 "Mason" Pump Pressure Regulators, 154
 " Reducing Valves 154
 Massage Bath Sprays 367
 Mats, Bath 475
 " Sink 503
 "McDaniel" Steam Traps 166
 Measuring Tapes 618
 Medicine Cabinets 477
 Melting Furnaces 624
 " Ladles 615
 Menders, Closet 326
 " Hose 222
 Metals 625
 Meters, Water 565
 "Metropolitan" Injectors 159
 Mica, Sheet 651
 Milk Cans 654
 " Pails 654
 Mill Boards, Asbestos, Sheet 205
 " Hose 219
 "Miller's" Pipe Cutters 606
 " Stocks and Dies 593
 Mineral Wool 205
 Mirrors, Bath Room 476
 Mitres, Eaves Trough 634
 "Mobilene" Packing 207
 "Modern" Copper Range Boilers 518
 Mohair Tubing 530
 "Monash" Pressure Regulators 153
 " Reducing Valves 153
 Monitor Heaters 530
 " Stands 530
 Monkey Wrenches 600
 "Moon" Automatic Grease Cups 197
 "Moore's" Self-Closing Work 278, 279
 Mouth Pieces, Speaking Tube 637
 "Mueller's" Compression Bibbs 242
 " Pipe Tapping Machines 566
 " Reduc'g Valves for Water 152
 " Reversible Ground Key Cocks 239
 "Murray's" Lead Sash Weights 626

N

Nail Hammers 617
 "Nason" Steam Traps 164
 "Nathan's" Oilers 195, 196

INDEX

‘National’ Back Water, Floor and Stable Drains 557
 ‘Newark’ Gauge Glass Cutters 189
 ‘New Duplex’ Water Lifters 572
 ‘New Eclipse’ Pipe Tapping Machines 567
 Nippers, Cutting 604
 Nippers and Pliers, Combined 603
 Nipples, Brass 102
 “ Brass, Soldering 66
 “ Hose 224
 “ Malleable Iron 38
 “ Soldering 304
 “ Wrought Iron 37, 38
 Non-Scalding Valves, Shower Bath 362
 Nozzles, Hose 220, 221
 Nut Wrenches 600
 Nuts, Lock, Brass 101
 “ “ Cast Iron 28
 “ “ Malleable Iron 88
 “ Urinal Connections 296
 “ Waste, Malleable Iron 89

O

Oakum 210
 Offset Reducers, Malleable Iron 94
 Offsets, Cast Iron, Screwed, Standard 24
 “ “ Soil Pipe 546
 “ Slip Joint 327
 ‘Ohliger’ Connections, Closet 329
 Oil Cups, Brass 194
 “ Pumps, Hand 198, 199
 “ Separators 164
 “ Waste Cans 644
 Oilers, Brass 193
 “ Engine 194-196
 “ Engineer’s 193
 “ “ Filler 193
 “ Loose Pulley 197
 “ Nathan’s 195, 196
 “ Railroad 193
 “ Steel 193
 Oils, Machinery, Engine, etc 217
 ‘O. S.’ Distributors 68
 ‘Oster’ Pipe Machines 590
 Outlets, Urinal 297
 Overflows and Grates, Brass 293
 “ “ Wastes, Basin 283
 “ “ “ Bath 282, 283
 “ “ “ Sink 283

P

Packings, Steam 206-210
 Pail Woods 642
 Pails, Chamber 644
 “ Dairy 654
 “ Garbage 644
 ‘Palmer’ Sewer Gas and Back Water Traps 555
 Pans, Fry, ‘Acme’ 652
 “ Stew 652
 Pantry Cocks, Compression 259
 “ “ Doherty 277
 “ “ Fuller 272
 “ “ Moore’s 279

Pantry Sinks, Copper 489
 “ “ German Silver 489
 “ “ Porcelain 491
 “ “ Steel 489
 Paper, Asbestos, Rolls 205
 Paper Holders, Toilet 472, 473
 ‘Penberthy’ Injectors 158
 Pendants, Gas 525
 ‘Pennie’s’ Sewer Gas and Back Water Traps 555
 ‘Perfection’ Cellar Drainers 558
 Perforated Tin 642
 Piece Price List, Malleable Iron Fittings, 79
 Pieces, Extension, Malleable Iron 89
 Pig Lead 625
 Pillars, Brass 529
 Pins, Bending 614
 “ Turn 613
 Pipe, Block Tin 628
 “ Brass 99
 “ Cast Iron, Flanged 6
 “ “ “ Gas 3
 “ “ “ Soil 537
 “ “ “ Water 2
 “ Conductor 633
 “ Copper 99
 “ Drain, Vitrified 534, 535
 “ Lead 627
 “ “ Tin Lined 628
 “ Sewer, Vitrified 534, 535
 “ Spiral Riveted 14, 15
 “ Stove 649
 “ Wrought 7-9
 “ “ Lead and Tin Lined 13
 “ Bands, Cast Iron, Soil Pipe 549
 “ Benders 612
 “ Bends, Wrought 19
 “ Casing, Wrought 11
 “ Cements 183
 “ Clamps, Water 76
 “ Collars, Stove 649
 “ Couplings, Drive 39
 “ Covering, Mineral Wool 205
 “ “ Asbestos 202-204, 205
 “ “ Felt 202-204
 “ Cutters, ‘Armstrong’ 605
 “ “ ‘Barnes’ 605
 “ “ for Cast Iron 606
 “ “ for Lead 606
 “ “ ‘Holland’ 606
 “ “ ‘Miller’s’ 606
 “ “ ‘Saunders’ 605
 “ “ ‘Trimo’ 605
 “ Cutting and Threading 18
 “ “ “ Machines 588-592
 “ Damper Clips, Stove 648
 “ Dampers, Stove 648
 “ Drills 596
 “ Elbows, Stove 648
 “ Hangers 69-72
 “ Holders, Closet 325
 “ Hooks, Gas 75
 “ “ Soil 556
 “ Joint Compounds 183
 “ Jointers 610

INDEX

Pipe Line Melting Furnaces	624	Porcelain Laundry Trays	478
“ Machines	588-592	“ Lavatories	368-371
“ Reamers	596	“ Pantry Sinks	491
“ Rings	71	“ Shower Bath Receptors	339
“ “ Stove	649	“ Slop Sinks	484
“ Saddles	76	“ Urinals	410
“ Straps	75	“ Enameled Basins	397, 398
“ “ Closet	325	“ Enameled Baths	340-353
“ Tapping Machines	566, 567	“ “ Closet Combinations,	
“ Taps	596	“ “ High Tank, 433-435	
“ Vises	607, 608	“ “ Closet Combinations,	
“ Wrenches	599-602	“ “ Low Tank, 428-432	
Pipes, Blow, Plumbers’	615	“ “ Closets, with Vimom-	
“ Flush, Closet	324	“ “ eter	427
“ Hose	220, 221	“ “ Drain Boards	502
“ Supply, Bath Cock	286	“ “ Drinking Fountains	
“ “ Closet	324	“ “	395, 396
“ “ Lavatory	285, 286	“ “ Laundry Trays	479
“ Urinal, Washdown	300	“ “ Lavatories	372-391
“ Vent, Seat	327	“ “ Shower Bath Recep-	
Piston Packings	209	“ “ tors	354
Pitcher Spout Pumps	574	“ “ Sink Backs	501
Plates, Box	529	“ “ Sinks	495-500
“ Ceiling	73, 74	“ “ Slop Sinks	485-487
“ Expansion	67	“ “ Urinals	414
“ Floor	73, 74	“ “ Public	411
“ Hook	67	Portable Forges	623
“ Ring	67	Posts, Indicator	144
“ Tin and Terne	638	Pot Covers, Cooking	652
“ Wall, Malleable Iron	89	Pots, Coffee	653
Pliers, Cutting	603	“ Solder	615
“ Gas	603	“ Tea	653
“ Hose Band	222	Pound Price List, Mall’ble Iron Fittings	78
Pliers and Nippers, Combined	603	Pressure Regulators	151-156
Plugs, Basin	290-292	Price List, Malleable Iron Fittings	78, 79
“ Bath	291, 292	“ “ Sanitary Earthenware	461-463
“ Brass	101	Protectors, Sight-Feed, Glass	195
“ Cast Iron, Extra Heavy	36	Public Urinals, Porcelain Enameled	411
“ “ “ Soil Pipe	548	Pulls, Closet	325
“ “ “ Standard	27	Pump Cylinders	583
“ Drift	613	“ Plungers	586
“ Fusible	118	“ Pressure Regulators	154
“ Sink	291, 292	“ Rod Couplings	587
“ Wash Tray	291, 292	“ Rods	587
Plumb Bobs	618	“ Valves	586
Plumbers’ Chains	289	Pumping Engines, “Ericsson”	573
“ Force Pumps	609	“ “ “Rider”	573
“ Furnaces	622	Pumps, Bilge	585
“ Gas Proving Pumps	609	“ Boiler Feed	571
“ Lamps	621	“ Cistern	574
“ Soil	615	“ Diaphragm, “Edson”	582
“ Tools	612-622	“ Double Acting Force	580
“ Torches	621, 622	“ Duplex, Pressure Pattern	571
Plumbs and Levels	619	“ Force	578-580
Plunger Leathers	587	“ Gas Proving	609
Plungers, Pump	586	“ House, Force	578, 579
Pocket Levels	619	“ Jet, Steam	160
“ Rules	619	“ Oil, Hand	198, 199
Points, Drive Well	584	“ Pitcher Spout	574
Pokers, Stove	630	“ Plumbers’	609
Polish, Stove	643	“ Power, Rotary	580
Pop Safety Valves	149, 150	“ Rams	581
Porcela	372	“ Rotary, Force	580
Porcelain Baths	334-338	“ Set Lengths	575
“ Drinking Fountains	394	“ Standards	576, 577
“ Kitchen Sinks	490	“ Steam	572

INDEX

Pumps, Trench	582																																																																																																																																						
" Well	575-577																																																																																																																																						
Punches, Belt	620																																																																																																																																						
 R 																																																																																																																																							
Racks, Hose	226																																																																																																																																						
" Soap	469																																																																																																																																						
"Radcliffe" Traps	307																																																																																																																																						
Radiator Air Valves	121-124																																																																																																																																						
" Bronze, Powders & Liquids, 182																																																																																																																																							
" Elbow, Union	121																																																																																																																																						
" Valves	119, 120																																																																																																																																						
Radiators, Steam and Water	173-180																																																																																																																																						
Railing Fittings, Brass	96-98																																																																																																																																						
" " Malleable Iron	96-98																																																																																																																																						
" Standards, Closets and Urinals	301																																																																																																																																						
Railroad Milk Cans	654																																																																																																																																						
" " Oilers	193																																																																																																																																						
Rain and Well Water Cocks	240																																																																																																																																						
"Rainbow" Packing	206																																																																																																																																						
Rain Water Cut Offs	633																																																																																																																																						
Rams, Hydraulic	581																																																																																																																																						
R. and L. Elbows, Cast Iron, Screwed,																																																																																																																																							
Standard	20																																																																																																																																						
Range Boiler Stands	516																																																																																																																																						
" " Union Tees	95																																																																																																																																						
" Boilers	517-522																																																																																																																																						
" Closets	405-409																																																																																																																																						
Rasps and Files	613																																																																																																																																						
Ratchet Pipe Cutters	606																																																																																																																																						
" Stocks and Dies	593																																																																																																																																						
Reamers, Pipe	596																																																																																																																																						
Receptors, Shower Bath, Porcelain	339																																																																																																																																						
" " " " Enam.	354																																																																																																																																						
Recessed Fittings, Cast Iron	60-66																																																																																																																																						
Regulators, Damper	157																																																																																																																																						
" " Pressure	151-156																																																																																																																																						
Reducers, Cast Iron, Extra Heavy	36																																																																																																																																						
" " " " Screwed, Stand'd	26																																																																																																																																						
" " " " Soil Pipe	548																																																																																																																																						
" " " " Hose	224																																																																																																																																						
" " " " Offset, Malleable Iron	94																																																																																																																																						
" " " " Taper, Cast Iron, Flanged,																																																																																																																																							
Standard	47																																																																																																																																						
Reducing Couplings, Brass	102																																																																																																																																						
" " " " Malleable Iron	87																																																																																																																																						
" " " " Crosses, Brass	101																																																																																																																																						
" " " " Cast Iron, Flanged,																																																																																																																																							
Standard, 45	45																																																																																																																																						
" " " " Screwed, Ex.																																																																																																																																							
Heavy, 36	36																																																																																																																																						
" " " " Screwed,																																																																																																																																							
Long Turn,																																																																																																																																							
Standard, 40	40																																																																																																																																						
" " " " Screwed,																																																																																																																																							
Stand'd, 22	22																																																																																																																																						
" " " " Elbows, Brass	100																																																																																																																																						
" " " " Cast Iron, Closet	66																																																																																																																																						
" " " " " " Screwed,																																																																																																																																							
Extra Heavy	35																																																																																																																																						
" " " " Cast Iron, Screwed																																																																																																																																							
Long Turn, Stand'd	40																																																																																																																																						
" " " " Cast Iron, Screwed,																																																																																																																																							
Standard	20																																																																																																																																						
	<table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="width: 50%;">Reducing Flanges, Cast Iron, Standard</td> <td></td> </tr> <tr> <td> " " Flanged Fittings</td> <td style="text-align: right;">50</td> </tr> <tr> <td> " " Taper Elbows, Cast Iron</td> <td></td> </tr> <tr> <td> Flanged, Standard</td> <td style="text-align: right;">47</td> </tr> <tr> <td> " " Tees, Brass</td> <td style="text-align: right;">100</td> </tr> <tr> <td> " " " " Cast Iron, Flanged,</td> <td></td> </tr> <tr> <td> Standard 43, 44</td> <td style="text-align: right;">43, 44</td> </tr> <tr> <td> " " " " Screwed, Extra</td> <td></td> </tr> <tr> <td> Heavy</td> <td style="text-align: right;">35</td> </tr> <tr> <td> " " " " Screwed, Long</td> <td></td> </tr> <tr> <td> Turn, Standard, 40</td> <td style="text-align: right;">40</td> </tr> <tr> <td> " " " " Cast Iron, Screwed,</td> <td></td> </tr> <tr> <td> Standard, 21</td> <td style="text-align: right;">21</td> </tr> <tr> <td> " " " " Valves</td> <td style="text-align: right;">151-156</td> </tr> <tr> <td> " " " " Y Branches, Cast Iron, Drain-</td> <td></td> </tr> <tr> <td> age, 63, 64</td> <td style="text-align: right;">63, 64</td> </tr> <tr> <td> " " " " Cast Iron, Flanged</td> <td></td> </tr> <tr> <td> Standard, 46</td> <td style="text-align: right;">46</td> </tr> <tr> <td> " " " " Cast Iron, Screwed</td> <td></td> </tr> <tr> <td> Standard, 22</td> <td style="text-align: right;">22</td> </tr> <tr> <td> " " " " 227, 228</td> <td style="text-align: right;">227, 228</td> </tr> <tr> <td>Reels, Hose</td> <td style="text-align: right;">227, 228</td> </tr> <tr> <td>Registers and Ventilators</td> <td style="text-align: right;">645</td> </tr> <tr> <td>"Reliable" Steam Traps</td> <td style="text-align: right;">166</td> </tr> <tr> <td>Repair Couplings, Closet</td> <td style="text-align: right;">326</td> </tr> <tr> <td>Repairs, Compression Bibbs and Cocks</td> <td style="text-align: right;">267</td> </tr> <tr> <td> " " Fuller Work</td> <td style="text-align: right;">267</td> </tr> <tr> <td> " " " " Total Eclipse" Hydrants and</td> <td></td> </tr> <tr> <td> Street Washers</td> <td style="text-align: right;">562, 563</td> </tr> <tr> <td>Return Bends, Ammonia</td> <td style="text-align: right;">137</td> </tr> <tr> <td> " " " " Brass</td> <td style="text-align: right;">101</td> </tr> <tr> <td> " " " " Cast Iron, Screwed</td> <td style="text-align: right;">23, 24</td> </tr> <tr> <td> " " " " " " Soil Pipe</td> <td style="text-align: right;">538</td> </tr> <tr> <td> " " " " Malleable Iron</td> <td style="text-align: right;">86</td> </tr> <tr> <td>"Rider" Pumping Engines</td> <td style="text-align: right;">573</td> </tr> <tr> <td>Ridging, Roof</td> <td style="text-align: right;">632</td> </tr> <tr> <td>Ring Packings</td> <td style="text-align: right;">209</td> </tr> <tr> <td> " " Plates</td> <td style="text-align: right;">67</td> </tr> <tr> <td> " " Showers</td> <td style="text-align: right;">365</td> </tr> <tr> <td>Rings, Pipe</td> <td style="text-align: right;">71</td> </tr> <tr> <td> " " Stove Pipe</td> <td style="text-align: right;">649</td> </tr> <tr> <td>Riveting Hammers</td> <td style="text-align: right;">617</td> </tr> <tr> <td>Rivets, Tinnere'</td> <td style="text-align: right;">641</td> </tr> <tr> <td>Roadway Boxes</td> <td style="text-align: right;">569</td> </tr> <tr> <td>"Robb" Connections, Closet</td> <td style="text-align: right;">329</td> </tr> <tr> <td>Robe Hooks</td> <td style="text-align: right;">472</td> </tr> <tr> <td>Rod Couplings, Pump</td> <td style="text-align: right;">587</td> </tr> <tr> <td>Rods, Brass</td> <td style="text-align: right;">99</td> </tr> <tr> <td> " " " " Urinal Connections</td> <td style="text-align: right;">296</td> </tr> <tr> <td> " " " " Pump</td> <td style="text-align: right;">587</td> </tr> <tr> <td>Roll Brass</td> <td style="text-align: right;">99</td> </tr> <tr> <td> " " German Silver</td> <td style="text-align: right;">99</td> </tr> <tr> <td>Rolls, Hanger</td> <td style="text-align: right;">70</td> </tr> <tr> <td>"Romeyn" Traps</td> <td style="text-align: right;">311</td> </tr> <tr> <td>Roof Flanges, Adjustable</td> <td style="text-align: right;">556</td> </tr> <tr> <td> " " Ridging</td> <td style="text-align: right;">632</td> </tr> <tr> <td>Roofing Cement</td> <td style="text-align: right;">643</td> </tr> <tr> <td> " " Iron</td> <td style="text-align: right;">631</td> </tr> <tr> <td> " " Steel</td> <td style="text-align: right;">631, 632</td> </tr> <tr> <td> " " Tins and Ternes</td> <td style="text-align: right;">638</td> </tr> <tr> <td>"Root" Bilge Pumps</td> <td style="text-align: right;">585</td> </tr> <tr> <td>Rose Sprinklers</td> <td style="text-align: right;">224</td> </tr> <tr> <td>Rotary Force Pumps</td> <td style="text-align: right;">580</td> </tr> <tr> <td>Round Irons</td> <td style="text-align: right;">614</td> </tr> <tr> <td>Rubber Belting</td> <td style="text-align: right;">213</td> </tr> <tr> <td> " " Closet Connections</td> <td style="text-align: right;">328</td> </tr> <tr> <td> " " Float Valves</td> <td style="text-align: right;">451</td> </tr> </tbody> </table>	Reducing Flanges, Cast Iron, Standard		" " Flanged Fittings	50	" " Taper Elbows, Cast Iron		Flanged, Standard	47	" " Tees, Brass	100	" " " " Cast Iron, Flanged,		Standard 43, 44	43, 44	" " " " Screwed, Extra		Heavy	35	" " " " Screwed, Long		Turn, Standard, 40	40	" " " " Cast Iron, Screwed,		Standard, 21	21	" " " " Valves	151-156	" " " " Y Branches, Cast Iron, Drain-		age, 63, 64	63, 64	" " " " Cast Iron, Flanged		Standard, 46	46	" " " " Cast Iron, Screwed		Standard, 22	22	" " " " 227, 228	227, 228	Reels, Hose	227, 228	Registers and Ventilators	645	"Reliable" Steam Traps	166	Repair Couplings, Closet	326	Repairs, Compression Bibbs and Cocks	267	" " Fuller Work	267	" " " " Total Eclipse" Hydrants and		Street Washers	562, 563	Return Bends, Ammonia	137	" " " " Brass	101	" " " " Cast Iron, Screwed	23, 24	" " " " " " Soil Pipe	538	" " " " Malleable Iron	86	"Rider" Pumping Engines	573	Ridging, Roof	632	Ring Packings	209	" " Plates	67	" " Showers	365	Rings, Pipe	71	" " Stove Pipe	649	Riveting Hammers	617	Rivets, Tinnere'	641	Roadway Boxes	569	"Robb" Connections, Closet	329	Robe Hooks	472	Rod Couplings, Pump	587	Rods, Brass	99	" " " " Urinal Connections	296	" " " " Pump	587	Roll Brass	99	" " German Silver	99	Rolls, Hanger	70	"Romeyn" Traps	311	Roof Flanges, Adjustable	556	" " Ridging	632	Roofing Cement	643	" " Iron	631	" " Steel	631, 632	" " Tins and Ternes	638	"Root" Bilge Pumps	585	Rose Sprinklers	224	Rotary Force Pumps	580	Round Irons	614	Rubber Belting	213	" " Closet Connections	328	" " Float Valves	451
Reducing Flanges, Cast Iron, Standard																																																																																																																																							
" " Flanged Fittings	50																																																																																																																																						
" " Taper Elbows, Cast Iron																																																																																																																																							
Flanged, Standard	47																																																																																																																																						
" " Tees, Brass	100																																																																																																																																						
" " " " Cast Iron, Flanged,																																																																																																																																							
Standard 43, 44	43, 44																																																																																																																																						
" " " " Screwed, Extra																																																																																																																																							
Heavy	35																																																																																																																																						
" " " " Screwed, Long																																																																																																																																							
Turn, Standard, 40	40																																																																																																																																						
" " " " Cast Iron, Screwed,																																																																																																																																							
Standard, 21	21																																																																																																																																						
" " " " Valves	151-156																																																																																																																																						
" " " " Y Branches, Cast Iron, Drain-																																																																																																																																							
age, 63, 64	63, 64																																																																																																																																						
" " " " Cast Iron, Flanged																																																																																																																																							
Standard, 46	46																																																																																																																																						
" " " " Cast Iron, Screwed																																																																																																																																							
Standard, 22	22																																																																																																																																						
" " " " 227, 228	227, 228																																																																																																																																						
Reels, Hose	227, 228																																																																																																																																						
Registers and Ventilators	645																																																																																																																																						
"Reliable" Steam Traps	166																																																																																																																																						
Repair Couplings, Closet	326																																																																																																																																						
Repairs, Compression Bibbs and Cocks	267																																																																																																																																						
" " Fuller Work	267																																																																																																																																						
" " " " Total Eclipse" Hydrants and																																																																																																																																							
Street Washers	562, 563																																																																																																																																						
Return Bends, Ammonia	137																																																																																																																																						
" " " " Brass	101																																																																																																																																						
" " " " Cast Iron, Screwed	23, 24																																																																																																																																						
" " " " " " Soil Pipe	538																																																																																																																																						
" " " " Malleable Iron	86																																																																																																																																						
"Rider" Pumping Engines	573																																																																																																																																						
Ridging, Roof	632																																																																																																																																						
Ring Packings	209																																																																																																																																						
" " Plates	67																																																																																																																																						
" " Showers	365																																																																																																																																						
Rings, Pipe	71																																																																																																																																						
" " Stove Pipe	649																																																																																																																																						
Riveting Hammers	617																																																																																																																																						
Rivets, Tinnere'	641																																																																																																																																						
Roadway Boxes	569																																																																																																																																						
"Robb" Connections, Closet	329																																																																																																																																						
Robe Hooks	472																																																																																																																																						
Rod Couplings, Pump	587																																																																																																																																						
Rods, Brass	99																																																																																																																																						
" " " " Urinal Connections	296																																																																																																																																						
" " " " Pump	587																																																																																																																																						
Roll Brass	99																																																																																																																																						
" " German Silver	99																																																																																																																																						
Rolls, Hanger	70																																																																																																																																						
"Romeyn" Traps	311																																																																																																																																						
Roof Flanges, Adjustable	556																																																																																																																																						
" " Ridging	632																																																																																																																																						
Roofing Cement	643																																																																																																																																						
" " Iron	631																																																																																																																																						
" " Steel	631, 632																																																																																																																																						
" " Tins and Ternes	638																																																																																																																																						
"Root" Bilge Pumps	585																																																																																																																																						
Rose Sprinklers	224																																																																																																																																						
Rotary Force Pumps	580																																																																																																																																						
Round Irons	614																																																																																																																																						
Rubber Belting	213																																																																																																																																						
" " Closet Connections	328																																																																																																																																						
" " Float Valves	451																																																																																																																																						

INDEX

Rubber Mats, Bath	475
“ “ Drain Board	503
“ Packings	206-208
“ Sundries	329, 330
“ Tubing	219
Rules, Pocket	619

S

Saddle Hubs, Cast Iron, Soil Pipe	550
Saddles, Pipe	76
Safety Valves, Brass	110
“ “ Iron Body	131, 132
“ “ Pop	149, 150
Salts, Soldering	614
Sanitary Crosses, Soil Pipe	545, 546
Sanitary Earthenware, Price List	461-463
“ Tees, Soil Pipe	540-542
Sap Buckets and Covers	656
“ Spouts	655
Sash Weights, Lead	626
“Saunders” Pipe Cutters	605
Saws, Compass	618
Scrapers, Flue	597
Screw Drivers	618
Screws, Closet	326
“ Trap, Brass	302
“ Urinal Stall	296
Seat Bumpers	329
“ Dressers, Bibb	612
“ Vent Pipes	327
Seats, Bath	474
“ Closet	446-449
Sectional Lavatories	389-391
Self-Closing Work	275-279
Separators, Oil	164
“ Steam	162
Service Boxes, Water and Gas	568
“ Connections, Lead	241
“ Tees, Malleable Iron	84
Set Length Pumps	575
Sewer Gas Traps	555
“ Pipe and Fittings, Vitrified	534, 535
“ Traps	323, 513
“ Valves	555
Shafting Oilers	195
Shampoo Cocks, Compression	258
“ Fuller	271
“ Fixtures	366
“ Sprays	367
“ and Basin Cocks, Combination, Fuller	271
Shanks and Circles	635
Shave Hooks	613
Sheet Brass	99
“ Copper	639
“ German Silver	99
“ Iron	629-631
“ Lead	628
“ Mica	651
“ Tin, Perforated	642
“ Zinc	639
Shelves, Towel	464
Shoes, Conductor	633
“S” Hooks	289
Shovels, Stove	650

Shower Bath Receptors, Porcelain	339
“ “ “ Enam.	354
“ “ Thermometers	185
“ “ Valves, Non-Scalding	362
“ Baths	357-364
Showers	365, 367
Siamese Connections, Fire Hose	223
Side Edges	613
Siding, Steel	631
Sieves, Ash	647
“ Coal	647
Sight-Feed Protectors, Glass	195
Sill Cocks, Compression	254
Sink Backs, Cast Iron	514
“ “ Porcelain Enameled	501
“ “ Steel	507
“ Bibbs, Compression	246
“ Bolts	515, 640
“ Brackets	514
“ Couplings	515
“ Gaskets	330
“ Legs	514
“ Mats	503
“ Overflows and Wastes	283
“ Plugs	291, 292
“ Strainers	295, 515
“ Traps, Brass	316
“ Wastes and Overflows	283
Sinks, Kitchen, Alberene Stone	492
“ “ Brown Glazed	493, 494
“ “ Cast Iron	508, 509
“ “ Porcelain	490
“ “ Steel	504-507
“ Pantry, Copper	489
“ “ German Silver	489
“ “ Porcelain	491
“ “ Steel	489
“ Porcelain Enameled	495-500
“ Stop, Brown Glazed	488
“ “ Cast Iron	510, 511
“ “ Porcelain	484
“ “ “ Enameled	485-487
“ Wash, Factory	392, 393
“Sisson” Insertable Joints	556
Sitz Baths, Porcelain	337
“ “ “ Enameled	352
Sizes and Weights, Malleable Iron Fittings	80-89
Slabs, Marble	403, 404
“ Slate	403, 404
Slate Urinal Stalls	412, 413
Sleeves, Cast Iron, Soil Pipe	548
“ Floor, Telescoping	75
Slide and Key, Taper	530
Slip Joint Connections	327
“ “ “ Urinal	296
“ “ Elbows	327
“ “ Floor Flanges	327
“ “ Offsets	327
“ “ Washers	329
Slop Hoppers	511
“ Sink Cocks, Combination, Fuller	274
“ Sinks	484-488, 510, 511
“Smith’s” Pipe Vises	607
Smoke Machines	621

INDEX

Smooth-on Compounds	183	Steel Bath Tubs	356
Snap Chains	289	“ Kitchen Sinks	504-507
Snips, Tinner's	620	“ Oilers	193
Soap Dishes	468	“ Pantry Sinks	489
“ Holders, Combination	470	“ Roofing	631, 632
“ Racks	469	“ Siding	631
“ and Sponge Holders	469	“ Sink Backs	507
Sockets, Boiler	306	“ Tool Chests	611
Soil Brushes	615	“ Wrenches	600
“ Cups	615	Stew Pans	652
“ Pipe, Cast Iron	537	Sticks, Bossing	613
“ “ Fittings, Cast Iron	538-554	“ Candle	615
“ “ Hooks	556	“ Stillson” Pipe Wrenches	599
“ “ Jointers	610	Stocks and Dies	593-595
“ Plumbers’	615	Stone Laundry Trays	482
Solder Pots	615	Stool, Bath Room	475
Soldering Coppers	614	Stop and Stop and Waste Cocks, Compression	249, 250
“ Nipples	66, 304	“ “ “ “ “ Cocks, Ground	Key 231-240
“ Salts	614	“ Cocks, Doherty	276
“ Unions	304	“ “ Fuller	266
Solders	625	“ “ Moore’s	278
Spanners, Hose Coupling	223	“ “ Self-Closing	275-279
Speaking Tube Elbows	637	Stoppers, Suction, Basin	290
“ “ Mouth Pieces	637	Stops, Compression, Loose Key	249
“ “ Tees	637	“ Lavatory, Compression	251
“ “ Whistles	637	Stove Boards	646
“ Tubes	637	“ Bolts	640
“Spencer” Damper Regulators	157	“ Cover Lifters	650
Spiders, Stove	652	“ Hollow Ware	652
Spindle Oil	217	“ Pipe	649
Spiral Riveted Pipe	14, 15	“ “ Collars	649
Split Links	289	“ “ Damper Clips	648
Sponge Holders	469	“ “ Dampers	648
Spout Guards	636	“ “ Elbows	648
Spouts, Sap	655	“ “ Rings	649
Sprays, Bath	367	“ Pokers	650
“ Shampoo	367	“ Polish	643
Sprinkler Clips	71	“ Shovels	650
“ Hangers	71	Strainers, Brass	293-295
Sprinklers, Lawn	225	“ Cast Iron	138
“ Rose	224	“ Conductor	636
Stable Cesspools	512, 513	“ Floor	293
“ Drains	557	“ Hose, Suction	224
Stall Fittings	296-298, 301	“ Sink	515
“ Hooks	299	Straps, Pipe	75
Standards, Pump	576, 577	“ “ Closet	325
“ Railing, Closets & Urinals	301	Street Elbows, Brass	100
Stands, Boiler	516	“ “ Malleable Iron	80
“ Monitor	530	“ Washer Repairs, “Total Eclipse”	562, 563
“Star” Pipe Jointers	610	“ Washers, “Crescent”	564
Stays, Chain	288	“ “ “Total Eclipse”	561
Steam Boilers	169-171	“Strong’s” Packing	206
“ Cocks, Brass	114	“Success” Ball Cocks	450
“ Gauge Syphons	148	Suction Hose	218
“ Gauges	190	“ “ Strainers	224
“ Hose	218	“ Stoppers, Basin	290
“ “ Couplings	222	Sundries, Rubber	329, 330
“ Joint Clamps	77	Supplies, Tinner's	617, 620, 629-656
“ Packings	206-210	Supply and Waste Fixtures, Bath	280, 281
“ Pipe, Wrought	7-9	“ Pipes, Bath Cock	286
“ Pumps	572	“ “ Closet	324
“ Separators	162	“ “ Lavatory	285, 286
“ Traps	164-168	“Swift” Lubricators	201
“ Whistle Valves	192		
“ Whistles	192		
Steamers, Thawing	621		

INDEX

Swinging Hose Racks ----- 226
 " " Reels ----- 227
 "S" Wrenches, Adjustable ----- 600
 Syphon Education Range Closets 405, 406
 " " Range Closets ----- 407, 408
 Syphons, Steam Gauge ----- 148
 Syrup Cans ----- 656

T

Table of Dimensions, Cast Iron Fittings,
 Flanged, Standard 53-55
 " " Dimensions, Cast Iron Flanges,
 Standard 52
 " " " Marble and Slate
 Slabs 403, 404
 Tank Brackets, Wrought ----- 516
 " Valve Washers ----- 330
 " Valves ----- 451
 Tanks, Closet, Porcelain Enam. 444, 445
 " " Wood ----- 442, 443
 " Expansion ----- 184
 " Hot Water ----- 523
 Tap Borers ----- 613
 Taper Slide and Key ----- 530
 Tapers, Wax ----- 530
 Tapes, Measuring ----- 618
 Tapping Machines, Pipe ----- 566, 567
 Taps, Pipe ----- 596
 Tea Kettles ----- 653
 " Pots ----- 653
 Tees, Ammonia ----- 137
 " Brass ----- 100
 " Brass, Railing ----- 96
 " Cast Iron, Drainage ----- 61, 63
 " " " Flanged, Base, Standard,
 48
 " " " " Long Turn ----- 58
 " " " " Standard ----- 43
 " " " " Screwed, Extra Heavy 35
 " " " " Long Turn,
 Standard 40
 " " " " Standard ----- 21
 " " " " Soil Pipe ----- 540-542
 " Malleable Iron ----- 82-85
 " " " Cross-Over ----- 94
 " " " Railing ----- 96, 97
 " " " Union ----- 93
 " " " Water Back ----- 95
 " Speaking Tube ----- 637
 " Union, Range Boiler ----- 95
 " Wash Tray ----- 95
 Telegraph Self-Closing Work ----- 275
 Telescoping Floor Sleeves ----- 75
 Templates for Drilling Flanges ----- 51
 Thawing Steamers ----- 621
 Thermometers ----- 185, 473
 Thimbles, Adjustable, for Partitions 649
 Three-Way Cocks, Brass ----- 117
 " " " Iron ----- 117, 135
 Throttle Valves, Brass ----- 109
 " " " Iron Body ----- 133
 Tin, Block ----- 625
 " Perforated Sheets ----- 642
 " Plates ----- 638
 " Lined Iron Fittings ----- 13

Tin Lined Lead Pipe ----- 628
 " " Wrought Pipe ----- 13
 Tinnerns' Rivets ----- 641
 " Snips ----- 620
 " Supplies ----- 617, 620, 629-656
 Tins and Ternes, Roofing ----- 638
 Tips, Lava ----- 529
 "Todd's" Sap Bucket Covers ----- 656
 Toilet Paper Holders ----- 472, 473
 " " Room Door Trimmings ----- 299, 300
 "Toledo" Stocks and Dies ----- 595
 Tool Bags ----- 612
 " Chests, Steel ----- 611
 Tools, Plumbers' ----- 612-622
 Tooth Brush Holders ----- 471
 Torches, Gas Fitters ----- 621
 " Plumbers ----- 621, 622
 "Total Eclipse" Hydrants and Street
 Washers 561-563
 Towel Bars ----- 465-467
 " Shelves ----- 464
 Trap Screw Ferrules ----- 303
 " Screws, Brass ----- 302
 Traps and Ferrules, Combination ----- 321
 " Anti-Syphon ----- 307, 315
 " Back Water ----- 555
 " Bath ----- 313, 314
 " "Bennor" ----- 307
 " Brass ----- 307-312, 316, 322
 " Cast Iron, Drainage ----- 65
 " " " " Soil Pipe ----- 551-554
 " Cellar ----- 511
 " "Clean Sweep" ----- 316
 " "Cudell" ----- 312-315, 323
 " "Delany" ----- 308
 " Drum, Lead ----- 317
 " Elliptic ----- 309
 " Grease ----- 322, 323
 " Hopper, Cast Iron ----- 554
 " " Earthenware ----- 455
 " "King" ----- 308
 " Lavatory ----- 307-312
 " Lead ----- 308, 316-319
 " "Radcliffe" ----- 307
 " "Romeyn" ----- 311
 " Sewer ----- 323, 513
 " " Gas ----- 555
 " Sink, Brass ----- 316
 " Steam ----- 164-168
 " Urinal ----- 293, 298
 Tray Bibbs, Compression ----- 247-249
 " " Fuller ----- 264, 265
 Trays, Laundry ----- 478-483
 Trench Pumps ----- 582
 Trimmings, Toilet Room Door ----- 299, 300
 "Trimo" Basin Wrenches ----- 602
 " " Pipe Cutters ----- 605
 " " Wrenches ----- 599
 Troughs, Eaves ----- 634
 Tub Decorations, Bath ----- 355
 " Enamel, Bath ----- 372
 Tube Expanders ----- 597
 Tubes, Boiler, Wrought ----- 10
 " " Hydraulic, Wrought ----- 9
 " Speaking ----- 637
 Tubing, Gasket ----- 212

INDEX

Tubing, Mohair	530
“ Rubber	219
“ Seamless Drawn, etc.	99
Tubs, Bath, Copper-lined	356
“ “ Enameled Iron	340-353
“ “ Porcelain	334-338
“ “ Steel	356
Tumbler Holders	471
“ “ Combination	470, 471
Turn Pins	613
Twist Leather Belting	214

U

Union Couplings	91
“ Elbows, Boiler	306
“ “ Malleable Iron	93
“ “ Radiator	121
“ Tees, Malleable Iron	93
“ Range Boiler	95
Unions, Ammonia	137
“ Brass	102
“ “Chicago”	91
“ “Dart”	92
“ Flange, Cast Iron, Ex. Heavy	33
“ “ Standard	33
“ “Jefferson”	91
“ “Kewanee”	92
“ Malleable Iron, Standard	90
“ “ Two-Thirds	90
“ Soldering	304
Urinal Cocks, Compression	252, 253
“ “ Doherty	277
“ “ Fuller	267
“ “ Moore’s	279
“ Connections	296
“ Inlets	296, 297
“ Outlets	297
“ Pipes, Washdown	300
“ Stall Fittings	296-298, 301
“ “ Traps	293
“ Stalls, Marble	412
“ “ Slate	412, 413
“ Strainers	295
“ Traps	293, 298
Urinals, Cast Iron	414
“ Earthenware	457, 458
“ Enameled Iron	411, 414
“ Porcelain	410
“ Public	411
“Usudurian” Packing	207
“U. T. K.” Compression Bibbs	242
“ “ Reversible Ground Key Cocks	239

V

Vacuum Gauges	191
Valve Boxes, Extension	570
“ Discs	106
“ Leathers	587
“ Washers, Tank	330
“ Wheels	604

Valves, Air, Radiator	121-124
“ Ammonia	136
“ Angle, Brass	103, 104
“ “ Hose	107
“ “ Iron Body	125
“ “ “ with Yoke	127
“ Back Pressure, Iron Body	132
“ Blow-Off, “Huxley”	118
“ Butterfly, Brass	111
“ “ Iron Body	133
“ Check, Brass	104-106
“ “ Iron Body	129, 130
“ Cross, Brass	103
“ “ Iron Body	128
“ Foot, Iron Body	138
“ Gate, Brass	112, 113
“ “ Iron Body	139-143
“ Globe, Brass	103, 104
“ “ Hose	107
“ “ Iron Body	125
“ “ “ with Yoke	126
“ Hose, Brass	107, 108
“ “ Gate, Brass	107
“ Indicator, Brass	143
“ “ Iron Body	143
“ Iron Body	138-143
“ Pump	586
“ Radiator	119, 120
“ Reducing	151-156
“ Safety, Brass	110
“ “ Iron Body	131, 132
“ “ Pop	149, 150
“ Sewer	555
“ Shower Bath, Non-Scalding	362
“ Tank	451
“ Throttle, Brass	109
“ “ Iron Body	133
“ Water Relief	151
“ Whistle, Steam	192
“ Y, Brass	109, 111
“ “ Iron Body	128
“Vanderman” Pipe Vises	608
Vent Caps, Cast Iron	549
“ Couplings	304
“ Pipes, Seat	327
Ventilating Branches, Soil Pipe	547
Ventilators, “Globe”	643
“ “ and Registers	645
Vises, Machinists’	608
“ Pipe	607, 608
Vitrified Brown Glazed Kitchen Sinks,	
“ “ “ Laundry Trays,	493, 494
“ “ “ Slop Sinks	480, 481
“ “ “ Sewer Pipe and Fittings	488
“ “ “ “	534, 535
“Vulcabeston” Packing	208
“Vulcan” Chain Wrenches	602
“ “ Pipe Vises	608

W

Wall Coils	181
“ Hydrants	564
“ Plates, Malleable Iron	89

INDEX

Wash Boilers 653
 “ Paves 564
 “ Sinks, Factory 392, 393
 “ Tray Bibbs, Compression 247-249
 “ “ Fuller 264, 265
 “ “ Legs 515
 “ “ Plugs 291, 292
 “ “ Tees 95
 Washdown Pipes, Urinal 300
 Washer Cutters 619
 Washers, Basin 330
 “ Bath 330
 “ Bibb 329
 “ Closet 326
 “ Cork 195
 “ Feather Edge 330
 “ Fibre 329
 “ Gauge Glass 187
 “ Leather 329
 “ Rubber 329
 “ Slip Joint 329
 “ Tank Valve 330
 Washout Range Closets 409
 Wash Trays, Alberene Stone 482
 “ “ Brown Glazed 480, 481
 “ “ Granite 483
 “ “ Porcelain 478
 “ “ Porcelain Enameled 479
 Waste Cans 644
 “ Cotton 210
 “ Nuts, Malleable Iron 89
 “ Strainers 294
 Wastes and Overflows, Basin 283
 “ “ Bath 282, 283
 “ “ Sink 283
 “ Basin 286
 “ Bath 282
 “ Lavatory 284
 Water Back Couplings 305
 “ “ Tees, Malleable Iron 95
 “ Boilers 169-171
 “ “ Barbers’ 524
 “ Closets 439-441, 452-456
 “ Columns 186, 187
 “ Filters 560
 “ Gates, Iron Body 141
 “ Gauges 188
 “ Heaters 172
 “ “ Gas, “Crescent” 525
 “ Lifters 572
 “ Main Fittings, Cast Iron 4, 5
 “ Meters 565
 “ Pipe, Cast Iron 2
 “ “ Wrought 7-9
 “ “ Clamps 76
 “ Pressure Gauges 190
 “ Relief Valves 151
 “ Service Boxes 568
 “ Tanks, Iron 523

“Watson” Reducing Valves for Water 151
 “ Steam Pressure Regulators 156

Wax Tapers 530

Weights, Sash, Lead 626

“ Soil Pipe and Fittings 536
 “ and Sizes, Malleable Iron

Fittings 80-89

Weights and Thickness, Cast Iron Gas
 “ “ “ “ “ Pipe 3
 “ “ “ “ “ Water
 “ “ “ “ “ Pipe 2

Well Caps, Drive 587

“ Points, Drive 584

“ Pumps 575-577

Whalebone Flue Brushes 598

Wheels, Valve 604

Whistle Valves, Steam 192

Whistles, Speaking Tube 637

“ Steam 192

Wick Packings 210

“Wilhelmi” Copper Range Boilers 518

Winding Hose, Marlin 218

“ “ Wire 218

Wiping Cloths 615

Wire, Brass 99

“ Copper 99

“ German Silver 99

“ Belt Lacings 216

“ Cloth, Brass 642

“ Flue Brushes 598

“ Wound Hose 218

Wood Drain Boards 502

“ Mats, Sink 503

“ Tanks, Closet 442, 443

Woods, Pail 642

Wool, Mineral 205

“Worthington” Duplex Pumps 571

Wrenches, Adjustable “S” 600

“ All Steel 600

“ “Always Ready” 601

“ Basin 602

“ “Baxter” 601

“ Brass Pipe 599

“ “Bull Dog” 601

“ “B and C” Combination 600

“ Cock 116

“ Coe’s 600

“ “Elgin” Adjustable 601

“ Ideal” 602

“ Monkey 600

“ Nut 600

“ “Stillson” 599

“ “Trimo” 599

“ “Vulcan” 602

“ “Warnock” 599

Wrought Boiler Tubes 10

“ Brackets, Boilers and Tanks 516

“ Couplings 39

“ Long Screws 39

“ Nipples 37, 38

“ Pipe 7-9

“ “Lead and Tin Lined 13

“ “Bends 19

“ “Casing 11

“ Tubes, Hydraulic 9

Y

Yarning Chisels 614

Y Branches, Cast Iron, Drainage 61. 63, 64

“ “ “ “ Flanged Standard,

46

INDEX

Y Branches, Cast Iron, Screwed, Extra " " " " Heavy 36 " " " " Screwed, Standard 22 " " " " Soil Pipe 543, 544, 547 " " Malleable Iron 86	Y Valves, Brass ----- 109, 111 " " Iron Body ----- 128 <h2 style="text-align: center;">Z</h2> "Zero" Frost Proof Closets ----- 438 Zinc, Sheet ----- 639
---	---

CAST IRON
WATER AND GAS PIPE
AND
STEAM SECTION

STANDARD THICKNESS AND WEIGHTS OF CAST IRON WATER PIPE



FIG. H-1

Nominal Inside Diameter, Inches.	Class A 100 Ft. Head 43 Lbs. Pressure			Class B 200 Ft. Head 86 Lbs. Pressure			Class C 300 Ft. Head 130 Lbs. Pressure			Class D 400 Ft. Head 173 Lbs. Pressure			Lead per Joint, Pounds.	Hemp per Joint, Pounds.	Nominal Inside Diameter, Inches.
	Thick- ness, Inches.	Weight per		Thick- ness, Inches.	Weight per		Thick- ness, Inches.	Weight per		Thick- ness, Inches.	Weight per				
		Foot.	Length.		Foot.	Length.		Foot.	Length.		Foot.	Length.			
2	5-16	7	63	2"	Pipe	Lay	9' 0"	---	---	---	---	---	3.25	.14	2
3	13-32	14.5	174	15-32	16.5	198	---	---	---	---	---	---	4.4	.18	3
4	.42	20.0	240	.45	21.7	260	.48	23.3	280	.52	25.0	300	5.5	.21	4
6	.44	30.8	370	.48	33.3	400	.51	35.8	430	.55	38.3	460	8.0	.31	6
8	.46	42.9	515	.51	47.5	570	.56	52.1	625	.60	55.8	670	11.5	.44	8
10	.50	57.1	685	.57	63.8	765	.62	70.8	850	.68	76.7	920	14.5	.53	10
12	.54	72.5	870	.62	82.1	985	.68	91.7	1100	.75	100.0	1200	18.0	.61	12
14	.57	89.6	1075	.66	102.5	1230	.74	116.7	1400	.82	129.2	1550	21.5	.81	14
16	.60	108.3	1300	.70	125.0	1500	.80	143.8	1725	.89	158.3	1900	24.0	.94	16
18	.64	129.2	1550	.75	150.0	1800	.87	175.0	2100	.96	191.7	2300	27.0	1.00	18
20	.67	150.0	1800	.80	175.0	2100	.92	208.3	2500	1.03	229.2	2750	31.5	1.25	20
24	.76	204.2	2450	.89	233.3	2800	1.04	279.2	3350	1.16	306.7	3680	37.0	1.50	24
30	.88	291.7	3500	1.03	333.3	4000	1.20	400.0	4800	1.37	450.0	5400	51.0	2.06	30
36	.99	391.7	4700	1.15	454.2	5450	1.36	545.8	6550	1.58	625.0	7500	75.0	3.00	36
42	1.10	512.5	6150	1.28	591.7	7100	1.54	716.7	8600	1.78	825.0	9900	90.0	3.62	42
48	1.26	666.7	8000	1.42	750.0	9000	1.71	908.3	10900	1.96	1050.0	12600	110.0	4.37	48
54	1.35	800.0	9600	1.55	933.3	11200	1.90	1141.7	13700	2.23	1341.7	16100	130.0	5.25	54
60	1.39	916.7	11000	1.67	1104.2	13250	2.00	1341.7	16100	2.38	1583.3	19000	150.0	6.25	60
72	1.60	1257.5	15000	1.95	1538.3	18460	2.39	1868.3	22420	2.82	2217.5	26610	220.0	9.00	72

All Pipe cast vertically in dry sand in twelve-foot lengths, exclusive of bell, except 2 inch, which are 9 feet long. Other weights furnished when required. All pipes are tested with hydraulic pressure to 300 pounds per square inch.

Weights on Lead and Hemp are approximate.

STANDARD THICKNESS AND WEIGHTS OF CAST
IRON GAS PIPE

FIG. H-2

Nominal Inside Diameter in Inches	STANDARD			EXTRA HEAVY			Nominal Inside Diameter in Inches
	Thickness Inches	Weight Per		Thickness Inches	Weight Per		
		Foot	Length		Foot	Length	
3							3
4	.40	19.0	228	.42	20.0	240	4
6	.43	30.0	360	.47	32.8	394	6
8	.46	42.0	504	.49	45.3	543	8
10	.49	55.8	670	.51	58.7	703	10
12	.54	72.5	870	.57	76.1	913	12
16	.60	108.3	1300	.65	117.2	1406	16
20	.67	150.0	1800	.75	166.7	2000	20
24	.76	204.2	2450	.82	224.0	2688	24
30	.88	291.7	3500	1.00	323.9	3887	30
36	.99	391.7	4700	1.05	442.7	5312	36
42	1.10	512.5	6150	1.26	581.3	6975	42
48	1.26	666.7	8000	1.38	739.6	8775	48

All Pipe cast vertically in dry sand in twelve-foot lengths, exclusive of bell, except 2 inch, which are 9 feet long. Other weights furnished when required. All pipes are tested with hydraulic pressure to 300 pounds per square inch.

CAST IRON PIPE SPECIALS

For Water and Gas Mains



FIG. H-3



FIG. H-4

FIGS. H-3 AND H-4

Size	Weight, Lbs.	Size	Weight, Lbs.
3 x 3 x 3 inches	72	10 x 10 x 6 inches	384
4 x 4 x 4 "	106	10 x 10 x 4 "	335
4 x 4 x 3 "	95	12 x 12 x 12 "	610
6 x 6 x 6 "	195	12 x 12 x 10 "	530
6 x 6 x 4 "	170	12 x 12 x 8 "	500
6 x 6 x 3 "	160	12 x 12 x 6 "	520
8 x 8 x 8 "	315	12 x 12 x 4 "	500
8 x 8 x 6 "	295	14 x 14 x 14 "	760
8 x 8 x 4 "	250	16 x 16 x 16 "	1025
8 x 8 x 3 "	240	18 x 18 x 18 "	1150
10 x 10 x 10 "	435	20 x 20 x 20 "	1300
10 x 10 x 8 "	390	24 x 24 x 24 "	1925

REDUCER



FIG. H-5

REDUCER



FIG. H-6


Size, inches	3 x 2	4 x 3	6 x 4	8 x 6	10 x 8	12 x 10
Fig. H-5—Weight, lbs.	30	50	85	135	175	335
Fig. H-6—Weight, lbs.	25	42	59	90	120	275

NOT ILLUSTRATED

Size, inches	3	4	6	8	10	12
Plugs, weight, lbs.	6	9	17	37	45	55
Caps, weight, lbs.	15	25	36	55	80	110
Sleeves, weight, lbs.	37	52	78	105	175	240
Split Sleeves, weight, lbs.	50	64	110	130	190	240

CAST IRON PIPE SPECIALS

For Water and Gas Mains



Size	Weight, Lbs.	Size	Weight, Lbs.
3 x 3 x 3 inches	73	8 x 8 x 8 inches	300
4 x 4 x 4 "	110	10 x 10 x 10 "	425
6 x 6 x 6 "	205	12 x 12 x 12 "	645

FIGS. H-8 AND H-9

Size	Weight, Lbs.	Size	Weight, Lbs.
3 x 3 x 3 x 3 inches	100	8 x 8 x 8 x 8 inches	400
4 x 4 x 4 x 4 "	140	10 x 10 x 10 x 10 "	570
6 x 6 x 6 x 6 "	290	12 x 12 x 12 x 12 "	780



Size, inches	3	4	6	8	10	12
Fig. H-10—Weight, lbs.	60	90	152	235	285	390
Fig. H-11—Weight, lbs.	42	60	102	145	190	355
Fig. H-12—Weight, lbs.	37	50	85	135	175	280

CAST IRON FLANGED PIPE




FIG. H-13

CAST IRON FLANGED FITTINGS

ELBOW



FIG. H-14

TEE




FIG. H-15

CROSS




FIG. H-16

REDUCER




FIG. H-17

Prices on Cast Iron Flanged Pipe and Fittings on application.

STANDARD WROUGHT
STEAM, GAS AND WATER PIPE



FIG. H-18

List adopted February 15, 1900

BLACK AND GALVANIZED

Nominal Inside Diameter.	Price Per Foot.	Thickness.	Nominal Weight Per Foot.	Number of Threads per inch of Screw.
$\frac{1}{8}$.05 $\frac{1}{2}$.068	0.24	27
$\frac{1}{4}$.05 $\frac{1}{2}$.088	0.42	18
$\frac{3}{8}$.05 $\frac{1}{2}$.091	0.56	18
$\frac{1}{2}$.08 $\frac{1}{2}$.109	0.84	14
$\frac{3}{4}$.11 $\frac{1}{2}$.113	1.12	14
1	.16 $\frac{1}{2}$.134	1.67	11 $\frac{1}{2}$
1 $\frac{1}{4}$.22 $\frac{1}{2}$.140	2.24	11 $\frac{1}{2}$
1 $\frac{1}{2}$.27	.145	2.68	11 $\frac{1}{2}$
2	.36	.154	3.61	11 $\frac{1}{2}$
2 $\frac{1}{2}$.57 $\frac{1}{2}$.204	5.74	8
3	.75 $\frac{1}{2}$.217	7.54	8
3 $\frac{1}{2}$.95	.226	9.00	8
4	1.08	.237	10.66	8
4 $\frac{1}{2}$	1.30	.246	12.49	8
5	1.45	.259	14.50	8
6	1.88	.280	18.76	8
7	2.35	.301	23.27	8
8	2.82	.322	28.18	8
9	3.40	.344	33.70	8
10	4.25	.366	40.00	8
11	4.75	.375	45.00	8
12	5.20	.375	49.00	8

Unless otherwise ordered, black pipe, random lengths, with threads and couplings, will be shipped.

For cut lengths an extra charge will be made above random lengths.

For pipe smoothed on the inside, known as plugged and reamed, an extra charge will be made above regular pipe.

For asphalted pipe an extra charge will be made above black.

LARGE OUTSIDE DIAMETER WROUGHT PIPE

Plain Ends

Revised and Adopted May 1, 1902

Size Outside Diameter	$\frac{1}{2}$ inch Thick	$\frac{5}{16}$ inch Thick	$\frac{3}{8}$ inch Thick	$\frac{7}{16}$ inch Thick	$\frac{1}{2}$ inch Thick
14	3.85	4.80	5.75	6.65	7.60
15	4.15	5.15	6.15	7.15	8.15
16	4.40	5.50	6.60	7.65	8.70
17	4.70	5.85	7.00	8.15	9.25
18	4.95	6.20	7.40	8.60	9.80
20	5.50	6.90	8.25	9.60	10.95
21		7.25	8.65	10.10	11.50
22		7.60	9.10	10.60	12.10
24			9.95	11.60	13.15
26			11.30	13.15	14.95
28			12.15	14.15	16.15
30				15.20	17.65

This pipe will be shipped in random lengths, plain ends, unless otherwise ordered.

For cut lengths an extra charge above random will be made.

For threaded pipe an extra charge above plain end will be made.

LINE PIPE

For Oil, Gas and High Pressure Mains

Nominal Inside Diameter, Inches	Actual Outside Diameter, Inches	Weight Per Foot, Pounds	No. of Threads Per Inch of Screw	Price Per Foot	Nominal Inside Dia- meter, Inches	Actual Outside Diameter, Inches	Weight Per Foot, Pounds	No. of Threads Per Inch of Screw	Price Per Foot
2	2.37	3.61	11 $\frac{1}{2}$	Prices quoted on application.	6	6.62	18.76	8	Prices quoted on application.
2 $\frac{1}{2}$	2.87	5.74	8		7	7.62	23.27	8	
3	3.50	7.54	8		8	8.62	28.18	8	
3 $\frac{1}{2}$	4.00	9.00	8		9	9.68	33.70	8	
4	4.50	10.66	8		10	10.75	40.06	8	
4 $\frac{1}{2}$	5.00	12.34	8		12	12.75	49.00	8	
5	5.56	14.50	8						

Line Pipe of special weight, etc., made to order, and prices and information furnished on application.

EXTRA STRONG WROUGHT PIPE

Size, Inches.	Price Per Foot.	Actual Outside Diameter.	Nominal Inside Diameter.	Thickness.	Nominal Weight Per Foot.
$\frac{1}{8}$.11	.405	.205	.100	.29
$\frac{3}{4}$.11	.540	.294	.123	.54
$\frac{3}{8}$.11	.675	.421	.127	.74
$\frac{1}{2}$.12	.840	.542	.149	1.09
$\frac{3}{4}$.15	1.05	.736	.157	1.39
1	.22	1.315	.951	.182	2.17
$1\frac{1}{4}$.30	1.66	1.272	.194	3.00
$1\frac{1}{2}$.36	1.90	1.494	.203	3.63
2	.50	2.375	1.933	.221	5.02
$2\frac{1}{2}$.81	2.875	2.315	.280	7.67
3	1.05	3.500	2.892	.304	10.25
$3\frac{1}{2}$	1.33	4.000	3.358	.321	12.47
4	1.50	4.500	3.818	.341	14.97
$4\frac{1}{2}$	1.95	5.000	4.280	.360	18.22
5	2.16	5.563	4.813	.375	20.54
6	2.90	6.625	5.750	.437	28.58
7	3.80	7.625	6.625	.500	37.67
8	4.30	8.625	7.625	.500	43.00

DOUBLE EXTRA STRONG WROUGHT PIPE

Size, Inches.	Price Per Foot.	Actual Outside Diameter.	Nominal Inside Diameter.	Thickness.	Nominal Weight Per Foot.
$\frac{1}{2}$.25	.84	.244	.298	1.70
$\frac{3}{4}$.30	1.05	.422	.314	2.44
1	.37	1.315	.587	.364	3.65
$1\frac{1}{4}$.52	1.66	.885	.388	5.20
$1\frac{1}{2}$.65	1.90	1.088	.406	6.40
2	.95	2.375	1.491	.442	9.02
$2\frac{1}{2}$	1.37	2.875	1.755	.560	13.68
3	1.92	3.50	2.284	.608	18.56
$3\frac{1}{2}$	2.45	4.00	2.716	.642	22.75
4	2.85	4.50	3.136	.682	27.48
$4\frac{1}{2}$	3.30	5.00	3.564	.718	32.53
5	3.80	5.563	4.063	.75	38.12
6	5.30	6.625	4.875	.875	53.11
7	6.25	7.625	5.875	.875	62.38
8	7.20	8.625	6.875	.875	71.62

Extra Strong and *Double Extra Strong* will be shipped in random lengths and plain ends unless otherwise ordered.

For pipe fitted with threads and couplings an extra charge will be made above regular.

For cut lengths an extra charge will be made above random.

For galvanized or asphalted an extra charge will be made above black.

EXTRA HEAVY OR HYDRAULIC TUBES

away from Standard,

Special prices given on application.

STANDARD BOILER TUBES

Lap-Welded



FIG. H-19

OF STANDARD GAUGE, NOT OVER 20 FEET LONG
SUBJECT TO CHANGE WITHOUT NOTICE

Actual Diameter Outside Inches	Price Per Foot	Thickness Inches	Thickness Nearest Bgm. W. G. Gauge	Nominal Weight Per Foot Pounds
1	.30	.095	13	.90
1 $\frac{1}{4}$.28	.095	13	1.15
1 $\frac{1}{2}$.27	.095	13	1.40
1 $\frac{3}{4}$.22	.095	13	1.66
2	.20	.095	13	1.91
2 $\frac{1}{4}$.24	.095	13	2.16
2 $\frac{1}{2}$.28	.109	12	2.75
2 $\frac{3}{4}$.34	.109	12	3.04
3	.35	.109	12	3.33
3 $\frac{1}{4}$.40	.120	11	3.96
3 $\frac{1}{2}$.44	.120	11	4.28
3 $\frac{3}{4}$.50	.120	11	4.60
4	.55	.134	10	5.47
4 $\frac{1}{2}$.62	.134	10	6.17
5	.75	.148	9	7.58
6	1.00	.165	8	10.16
7	1.20	.165	8	11.90
8	1.50	.165	8	13.65
9	1.70	.180	7	16.76
10	2.10	.203	6	21.00
11	2.50	.220	5	25.00
12	2.90	.229	4 $\frac{1}{2}$	28.50
13	3.20	.238	4	32.06
14	3.65	.248	3 $\frac{1}{2}$	36.00
15	4.10	.259	3	40.60
16	4.60	.270	2 $\frac{1}{2}$	45.20

EXTRA WIRE GAUGE BOILER TUBES

For extra wire gauge boiler tubes, away from standard not exceeding four wire gauges, one cent for each inch in diameter of tube for each additional gauge will be charged and added to net of invoice.

Tubes more than four wire gauges heavier than standard will be charged by the pound the same as plain end stay tubes, arch pipes, dry pipes and water grates.

LAP-WELDED CASING

SCREW AND SOCKET



FIG. H-20

INSERTED JOINT



FIG. H-21



FIG. H-22

List Adopted February 15, 1900.

Nominal Inside Diameter, Inches.	Actual Outside Diameter, Inches.	Per Foot.	Nominal Weight per Foot, lbs.	Number of Threads per Inch.
2	2 1/4	.23	2.22	14
2 1/4	2 1/2	.29	2.82	14
2 1/2	2 3/4	.32	3.13	14
2 3/4	3	.35	3.45	14
3	3 1/4	.41	4.10	14
3 1/4	3 1/2	.45	4.45	14
3 1/2	3 3/4	.48	4.78	14
3 3/4	4	.56	5.56	14
4	4 1/4	.60	6.00	14
4 1/4	4 1/2	.64	6.36	14
4 1/2	4 3/4	1.00	9.38	14
4 3/4	5	.68	6.73	14
5	5 1/4	1.00	9.39	14
5 1/4	5 1/2	.78	7.80	14
5 1/2	5 3/4	.82	8.20	14
5 3/4	6	1.00	9.86	14
6	6 1/4	1.30	12.80	11 1/2
6 1/4	6 1/2	1.50	15.88	11 1/2
6 1/2	6 3/4	.87	8.62	14
6 3/4	7	1.30	12.49	11 1/2
7	7 1/4	1.05	10.46	14
7 1/4	7 1/2	1.20	12.04	11 1/2
7 1/2	7 3/4	1.40	14.20	11 1/2
7 3/4	8	1.60	16.70	11 1/2
8	8 1/4	1.16	11.58	14
8 1/4	8 1/2	1.35	13.32	14 and 11 1/2
8 1/2	8 3/4	1.70	17.02	11 1/2
8 3/4	9	1.24	12.34	14
9	9 1/4	1.75	17.51	11 1/2 and 10
9 1/4	9 1/2	1.36	13.55	14
9 1/2	9 3/4	1.55	15.41	11 1/2
9 3/4	10	2.10	20.17	11 1/2
10	10 1/4	1.61	16.07	11 1/2
10 1/4	10 1/2	2.00	20.10	11 1/2
10 1/2	10 3/4	2.40	24.38	11 1/2 and 8
10 3/4	11	1.76	17.60	11 1/2
11	11 1/4	2.20	21.90	11 1/2
11 1/4	11 1/2	2.68	26.72	11 1/2
11 1/2	11 3/4	3.05	30.35	11 1/2
11 3/4	12	3.38	33.78	11 1/2
12	12 1/4			

Random lengths with Threads and Couplings will be shipped unless otherwise ordered.

For cut lengths an extra charge will be made above random.

For Galvanized or Asphalted an extra charge will be made above black.

In ordering Casing be careful to state what diameter is wanted outside or inside, and specify if Screw and Socket or Inserted Joints are required.

CASING FITTINGS

Cast Iron

Size, inches	2, $2\frac{1}{4}$, $2\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$	$4\frac{1}{2}$
Elbows, each	1.10	1.35	1.80	1.80	2.50	2.50	3.00
Elbows, Reducing, each	1.40	1.75	2.25	2.25	3.00	3.00	3.75
Elbows, 45°, each	1.60	2.00	2.70	2.70	3.75	3.75	4.00
Tees, each	1.50	2.00	2.50	2.50	3.50	3.50	4.00
Tees, Reducing, each	1.85	2.50	3.00	3.00	4.35	4.35	5.00
Crosses, each	2.20	2.70	3.50	3.50	5.00	5.00	5.70
Crosses, Reducing, each	2.75	3.30	4.35	4.35	6.25	6.25	7.00
Plugs, each	.50	.75	.85	.85	1.35	1.35	1.75
Bushings, each	.60	.80	1.00	1.00	1.50	1.50	1.85
Flange Unions, each	2.25	2.75	3.15	3.15	4.50	4.50	5.00
Locknuts, each	.50	.70	.95	.95	1.25	1.25	1.35
Return Bends, close, each	3.00	4.00	5.00	5.00	6.00	6.50	---
Return Bends, open, each	3.75	4.50	5.75	5.75	8.00	8.00	---
Reducers, each	1.20	1.50	2.00	2.00	2.75	2.75	3.00
Caps, each	.80	1.10	1.30	1.30	1.60	1.60	2.00
Y's, each	3.25	4.50	6.00	6.00	8.00	8.00	9.00

Size, inches	$4\frac{3}{4}$	5	$5\frac{3}{16}$, $5\frac{5}{8}$	$6\frac{1}{4}$, $6\frac{5}{8}$	$7\frac{5}{8}$	$8\frac{1}{4}$, $8\frac{5}{8}$	$9\frac{5}{8}$
Elbows, each	3.00	3.50	4.00	7.00	10.00	13.00	20.00
Elbows, Reducing, each	3.75	4.35	5.00	8.75	12.50	16.00	25.00
Elbows, 45°, each	4.00	4.50	5.50	9.00	13.00	16.00	25.00
Tees, each	4.25	5.00	5.50	10.00	15.00	20.00	25.00
Tees, Reducing, each	5.25	6.25	6.75	12.50	18.75	25.00	30.00
Crosses, each	6.00	7.00	7.80	14.00	20.00	26.00	40.00
Crosses, Reducing, each	7.50	8.75	9.70	17.50	25.00	32.00	50.00
Plugs, each	1.75	2.00	2.40	3.75	5.50	6.50	7.50
Bushings, each	1.85	2.00	2.50	3.75	5.50	6.50	7.50
Flange Unions, each	5.00	5.50	6.50	8.00	10.00	12.00	15.00
Locknuts, each	1.35	1.50	1.90	2.50	3.50	4.00	4.50
Reducers, each	3.00	3.50	4.00	8.00	10.00	12.00	15.00
Caps, each	2.00	2.15	2.35	4.00	4.35	6.00	7.25
Y's, each	9.00	10.00	12.00	17.00	25.00	---	---

Casing fittings with one or more openings for pipe, add 25 per cent.

NOTE.—Sizes shown indicate casing of inside diameter and will be so furnished unless otherwise specified.



FIG. H-23

CASING COUPLINGS

Size, inches	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$
Black, each	.16	.20	.25	.30	.35	.40	.46	.52	.60	.68
Galvanized, each	.23	.28	.35	.42	.50	.57	.65	.73	.85	1.00

Size, inches	$4\frac{1}{2}$	$4\frac{3}{4}$	5	$5\frac{5}{8}$	$6\frac{1}{4}$	$6\frac{5}{8}$	$7\frac{5}{8}$	$8\frac{1}{4}$	$8\frac{5}{8}$
Black, each	.74	.80	.90	1.20	1.35	1.50	1.75	2.25	2.85
Galvanized, each	1.05	1.15	1.30	1.70	1.90	2.15	2.50	3.25	---

SPECIAL REDUCERS

Casing to Pipe

Size, inches	$2\frac{1}{2} \times 2\frac{1}{2}$	$3 \times 2\frac{1}{2}$	$3\frac{1}{2} \times 2\frac{1}{2}$	$4 \times 2\frac{1}{2}$	4×4	$4\frac{1}{2} \times 2\frac{1}{2}$	$5 \times 2\frac{1}{2}$
Each	2.25	2.50	2.75	3.00	3.25	3.25	3.50

Size, inches	$5\frac{3}{16} \times 4\frac{1}{2}$	$6 \times 2\frac{1}{2}$	$6\frac{1}{4} \times 3$	$8\frac{1}{4} \times 3$	$9\frac{5}{8} \times 3$	$11\frac{5}{8} \times 3$
Each	4.00	4.00	5.00	7.00	9.50	13.50



FIG. H-24

For list on sizes not given take list on next larger size.

WROUGHT IRON PIPE AND FITTINGS
Lead and Tin Lined




FIG. H-25

STANDARD LEAD LINED IRON PIPE

TIN LINED IRON PIPE

Size, Inches	Per Foot Lead Lined Iron Pipe	Size, Inches	Per Foot Lead Lined Iron Pipe
1/2	.30	3 1/2	1.55
3/4	.20	4	1.72 1/2
1	.30	4 1/2	2.00
1 1/4	.39 1/2	5	2.69
1 1/2	.48	6	3.28
2	.65 1/2	7	4.83
2 1/2	1.00	8	5.73
3	1.38	9 to 30	*

Size, Inches	Per Foot
1/2 Tin Lined Iron Pipe	\$0.64
3/4 Tin Lined Iron Pipe	.48
1 Tin Lined Iron Pipe	.64
1 1/4 Tin Lined Iron Pipe	.83
1 1/2 Tin Lined Iron Pipe	1.03
2 Tin Lined Iron Pipe	1.27
2 1/2 Tin Lined Iron Pipe	1.80
3 Tin Lined Iron Pipe	2.34
3 1/2 Tin Lined Iron Pipe	2.90
4 Tin Lined Iron Pipe	3.50
5 Tin Lined Iron Pipe	5.00
6 Tin Lined Iron Pipe	8.00
7 Tin Lined Iron Pipe	10.50
8 Tin Lined Iron Pipe	13.80

Brass Pipe Lined with Tin for open work plumbing. Prices furnished on application. Architects and all others wishing these pipes must specify the kind.

*9 to 30 inches, prices furnished on application.

ELBOW




FIG. H-26
TEE

STANDARD LEAD LINED IRON FITTINGS AND TIN LINED IRON FITTINGS

Size, Inches.	Elbows	45° Elbows	Reducing Elbows.	Tees.	Couplings	Reducing Couplings	Unions.
3/4	.22	.22	.22	.25	.17	.18	.37
1	.30	.30	.30	.42	.22	.22	.46
1 1/4	.49	.49	.49	.53	.38	.38	.60
1 1/2	.58	.58	.58	.68	.48	.48	.87
2	.84	.84	.84	.95	.61	.61	1.28
2 1/2	1.25	1.25	1.25	1.60	1.03	1.03	1.95
3	2.09	2.09	2.09	2.62	1.42	1.42	3.90
3 1/2	2.63	2.63	2.63	4.00	1.93	1.93	---
4	4.05	4.05	4.05	5.02	2.53	2.53	---
4 1/2	5.00	5.00	5.00	5.20	3.10	3.10	---
5	5.80	5.80	5.80	6.10	3.90	3.90	---
6	6.50	6.50	6.50	7.50	4.50	4.50	---




FIG. H-27

Information about larger sizes on application.

ROOT SPIRAL RIVETED PIPE

The Bolted Joint Complete and Knocked Down




FIG. H-28

The Flanged Joint as applied to Root Spiral Riveted Pipe



FIG. H-29

For Sizes and Prices see following page.

ASPHALTED PRICE LIST ROOT SPIRAL RIVETED PIPE

All prices and weights are figured per 100 lineal feet in four standard 25 foot lengths and with four complete joints. Shorter lengths and additional joints increase the price. For pressure purposes we do not advise the use of piping lighter in weight than our regular pressure pipe standard.

Diameter in inches	Thick- ness, B. W.Gauge	Approximate Bursting Pres- sure in Lbs. per Sq. In.	PLAIN END PIPE		With A. & R. Flanges, Bolts and Gaskets.		Complete with Root Bolted Joints.	
			Price.	Weight, lbs.	Price.	Weight, lbs.	Price.	Weight, lbs.
3	20	1325	\$30.20	173	\$37.70	200	\$35.08	210
4	20	1000	39.30	230	48.80	267	46.10	281
5	20	795	45.30	285	56.20	331	53.30	347
6	18	930	63.50	437	78.10	492	75.10	526
7	18	790	70.65	507	89.05	579	83.45	600
8	18	690	81.70	577	102.30	658	95.30	674
9	18	620	91.85	650	117.10	756	107.33	760
10	16	740	126.10	922	154.30	1044	150.10	1112
11	16	670	131.95	1012	163.45	1145	157.67	1219
12	16	615	158.05	1108	191.15	1250	184.73	1320
13	14	730	204.65	1533	239.30	1690	235.93	1773
14	14	675	225.85	1660	265.40	1836	260.53	1926
15	14	630	241.95	1780	288.55	1990	283.71	2104
16	14	590	258.05	1910	313.65	2200	308.21	2288
18	14	525	295.30	2130	361.90	2476	348.74	2550
20	14	470	332.55	2355	407.65	2735	386.23	2785
22	12	565	460.25	3327	565.25	3927	520.09	3767
24	12	515	502.54	3630	617.10	4270	570.54	4110

GALVANIZED PRICE LIST ROOT SPIRAL RIVETED PIPE

All prices and weights are figured per 100 lineal feet in five standard 20 foot lengths and with five complete joints. Shorter lengths and additional joints increase the price. For pressure purposes we do not advise the use of piping lighter in weight than our regular pressure pipe standard.

Diameter in inches	Thick- ness, B. W.Gauge	Approximate Bursting Pres- sure in Lbs. per Sq. In.	PLAIN END PIPE		With A. & R. Flanges, Bolts and Gaskets.		Complete with Root Bolted Joints.	
			Price.	Weight, lbs.	Price.	Weight, lbs.	Price.	Weight, lbs
3	20	1325	\$45.00	186	\$55.30	220	\$51.10	232
4	20	1000	59.00	247	72.30	294	67.50	311
5	20	795	70.00	307	85.30	365	80.00	374
6	18	930	93.00	460	113.35	529	107.50	571
7	18	790	104.70	532	130.20	622	120.70	648
8	18	690	120.60	605	149.20	707	137.60	726
9	18	620	135.65	681	171.30	814	154.00	820
10	16	740	178.10	956	217.30	1109	208.10	1194
11	16	670	185.60	1054	229.60	1221	217.75	1313
12	16	615	218.60	1154	264.80	1332	251.95	1419
13	14	730	276.90	1587	337.00	1789	316.00	1887
14	14	675	299.50	1709	365.60	1933	342.85	2052
15	14	630	322.90	1843	400.25	2109	375.10	2248
16	14	590	348.60	1979	442.20	2347	411.30	2452
18	14	525	395.90	2205	505.60	2643	462.70	2730
20	14	470	443.70	2436	564.75	2917	510.80	2971
22	12	565	590.00	3428	759.70	4185	664.70	3978
24	12	515	640.90	3734	820.10	4542	725.90	4334

CAST IRON FLANGED FITTINGS FOR ROOT SPIRAL RIVETED PIPE

TEE, 90° ELBOW, TAPPED DISK, 45° ELBOW AND Y BRANCH




FIG. H-30

BLACK

Diam. Inches.	90° Elbows.	45° Elbows.	Tees.	Crosses and Y Branches	Reducers	A. & R. Bolts and Gask'ets	A. & R. STANDARD.			
							Flanges Loose.	Flanges Attached.	Discs Blank.	Extra for Facing
3	\$1.95	\$1.95	\$2.75	\$4.70	----	.29	.45	.78	.45	.60
4	2.35	2.35	3.45	5.80	\$4.55	.49	.61	.94	.61	.65
5	3.15	3.15	4.85	7.50	5.35	.54	.76	1.10	.76	.70
6	4.30	4.30	6.10	8.90	6.85	.61	.91	1.52	1.12	.75
7	5.45	5.45	7.80	12.10	9.15	.70	1.03	1.95	1.50	.85
8	7.05	7.05	10.30	15.30	10.70	.72	1.17	2.21	1.75	.95
9	9.45	9.45	13.70	18.80	13.70	.87	1.55	2.78	2.25	1.05
10	10.65	10.65	16.40	22.70	15.25	.94	1.80	3.05	2.53	1.15
11	13.75	13.75	20.30	28.10	18.30	1.14	1.93	3.37	3.13	1.25
12	15.75	14.20	22.70	32.80	20.60	1.21	2.07	3.52	3.75	1.40
13	20.00	15.00	26.60	39.10	22.85	1.24	2.33	3.86	4.38	1.55
14	22.00	17.60	31.30	46.10	25.90	1.60	2.59	4.15	5.25	1.75
15	25.80	20.70	37.50	56.30	27.45	1.72	3.11	4.97	5.75	1.95
16	31.30	25.20	47.00	68.80	30.50	2.19	4.14	6.02	6.50	2.15
18	40.70	32.70	70.40	79.80	36.60	2.80	4.75	6.92	8.75	2.40
20	51.60	41.60	90.70	106.35	42.70	3.00	5.24	7.74	11.25	2.60
22	68.80	55.50	98.50	131.40	----	3.57	8.53	11.34	13.75	2.85
24	84.50	68.00	142.90	154.80	----	3.61	9.14	12.26	16.25	3.15

**CAST IRON FLANGED FITTINGS
FOR ROOT SPIRAL RIVETED PIPE**

TEE, 90° ELBOW, TAPPED DISK, 45° ELBOW AND Y BRANCH



FIG. H-31

GALVANIZED

Diam. Inches	90° Elbows	45° Elbows	Tees	Crosses and Y Branches	Reducers	A. & R. Bolts and Gask'ts	A. & R. STANDARD			
							Flanges Loose	Flanges Attached	Discs Blank	Extra For Facing
3	\$2.25	\$2.20	\$3.21	\$5.46	----	.34	.54	.87	.57	.60
4	2.80	2.75	4.10	6.81	5.45	.60	.73	1.06	.76	.65
5	3.75	3.65	5.37	8.60	6.55	.64	.91	1.25	.95	.70
6	5.05	4.90	7.20	10.30	8.35	.75	1.10	1.71	1.43	.75
7	6.45	6.20	9.25	13.95	11.00	.84	1.28	2.20	1.87	.85
8	8.50	8.15	12.20	18.05	12.85	.89	1.45	2.50	2.18	.95
9	11.30	10.90	16.40	22.50	16.60	1.03	1.92	3.15	2.80	1.05
10	12.85	12.40	19.80	26.85	18.75	1.10	2.23	3.50	3.11	1.15
11	16.35	15.90	24.30	33.30	22.25	1.37	2.41	4.00	3.89	1.25
12	18.70	16.75	27.20	39.40	25.20	1.45	2.56	4.50	4.64	1.40
13	24.12	17.80	32.40	47.00	28.00	1.50	2.88	5.40	5.39	1.55
14	27.65	20.80	38.80	58.35	31.70	1.85	3.20	5.85	6.40	1.75
15	31.65	24.55	46.65	70.65	33.85	1.97	3.84	6.94	7.55	1.95
16	39.40	29.35	58.35	85.80	38.10	2.44	5.18	8.46	8.70	2.15
18	50.15	39.60	84.15	100.50	46.20	3.38	5.94	9.57	11.30	2.40
20	65.30	50.00	111.30	133.70	54.00	3.58	6.55	10.60	14.15	2.60
22	87.10	67.40	126.00	168.00	-----	4.15	10.67	15.40	18.30	2.85
24	108.30	83.25	178.60	202.40	-----	4.20	11.43	16.70	21.75	3.15

**STANDARD WROUGHT PIPE
CUTTING PIPE TO ORDER
DIAGRAM SHOWING SCREWED JOINTS**





DIAGRAM SHOWING FLANGED JOINTS



Too much care cannot be exercised in making diagrams—give all measurements from center to center. It is advisable, though not necessary, to state the purpose for which pipe is to be used and pressure it must withstand.

If Flanged Fittings are to be used, state if desired drilled, and if with Bolts and Gaskets complete.

PRICE FOR CUTTING AND THREADING PIPE

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
Per Thread	.06	.06	.06	.06	.06	.06	.08	.10
Size, inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6
Per Thread	.14	.20	.30	.40	.40	.50	.60	.80
Size, inches		7	8	9	10	12	14	15
Per Thread		1.00	1.20	2.00	2.50	3.50	6.50	7.50

PRICE PER CUT, NO THREAD

Size, inches	$\frac{1}{8}$ to 1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Per Cut	.04	.06	.08	.10	.14	.20	.27	.27
Size, inches	$4\frac{1}{2}$	5	6	7	8	9	10	12
Per Cut	.34	.40	.54	.67	.80	1.34	1.67	2.34

CUTTING LOCKNUT THREADS ON WROUGHT PIPE

Size, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Each	.10	.10	.10	.10	.12	.14	.16	.20	.30	.40	.50	.70

THREAD PROTECTORS

Size, inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8	9	10	12
Each	.03	.04	.05	.06	.08	.10	.11	.12	.15	.20	.25	.30	.40

PIPE BENDS

Made From Wrought Iron or Steel Pipe

QUARTER BEND

U BEND





FIG. H-32

FIG. H-33

OFFSET BEND




FIG. H-34

We are prepared to bend large pipe in any desired form within the following limits :

The radius of any bend should not be less than five diameters of the pipe and a larger radius is much preferable. The length "X" of straight pipe at each end of bend should be not less than the following :

2½ inch Pipe X	4 inches	7 inch Pipe X	8 inches
3 inch Pipe X	4 inches	8 inch Pipe X	9 inches
3½ inch Pipe X	5 inches	10 inch Pipe X	12 inches
4 inch Pipe X	5 inches	12 inch Pipe X	14 inches
4½ inch Pipe X	6 inches	14 inch Pipe X	16 inches
5 inch Pipe X	6 inches	15 inch Pipe X	16 inches
6 inch Pipe X	7 inches	16 inch Pipe X	20 inches
18 inch Pipe X			22 inches

These bends can be made of extra heavy, full weight, or commercial weight pipe, according to order.

CAST IRON FITTINGS

R. & L. ELBOW

ELBOW



FIG. H-35



FIG. H-36

REDUCING ELBOW




FIG. H-37

FIGS. H-35 AND H-36—ELBOWS AND R. & L. ELBOWS

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black, R. H., each	.05	.05	.06	.08	.10 1/2	.16	.20	.28	.50	.75
Galvanized, R. H., each	.10	.10	.12	.16	.21	.32	.40	.56	1.00	1.50
Black, R. and L., each	.06	.06	.07	.09	.12	.18	.23	.32	.60	.85
Pitched, each				.10	.13	.20	.25	.35	.65	1.00

Size, inches	3 1/2	4	4 1/2	5	6	7	8	9	10	12
Black, R. H., each	1.05	1.20	1.75	2.00	2.75	4.70	6.75	9.00	13.50	20.00
Galvanized, R. H., each	2.10	2.40	3.50	4.00	5.50	9.40	13.50	18.00	27.00	40.00
Pitched, each	1.35	1.50								

FIG. H-37—REDUCING ELBOWS

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Black, each	.06	.07	.09	.12	.18	.23	.32	.60	.85	1.20
Galvanized, each	.12	.14	.18	.24	.36	.46	.64	1.20	1.70	2.40

Size, inches	4	4 1/2	5	6	7	8	9	10	12
Black, each	1.40	2.00	2.30	3.15	5.40	7.75	10.50	15.50	23.00
Galvanized, each	2.80	4.00	4.60	6.30	10.80	15.50	21.00	31.00	46.00

45° ELBOW



FIG. H-38

SIDE OUTLET ELBOW



FIG. H-39

FIG. H-38—45° ELBOWS

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Black, each	.06	.07	.10	.12	.19	.24	.34	.60	.90	1.25
Galvanized, each	.12	.14	.20	.24	.38	.48	.68	1.20	1.80	2.50

Size, inches	4	4 1/2	5	6	7	8	9	10	12
Black, each	1.45	2.20	2.50	3.45	5.90	8.50	11.25	17.00	25.00
Galvanized, each	2.90	4.40	5.00	6.90	11.80	17.00	22.50	34.00	50.00

FIG. H-39—SIDE OUTLET ELBOWS

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8
Black, each	.18	.24	.30	.48	.60	.84	1.50	2.25	3.15	3.60	5.25	6.00	8.25	14.00	20.00
Galv., each	.36	.48	.60	.96	1.20	1.68	3.00	4.50	6.30	7.20	10.50	12.00	16.50	28.00	40.00

TEE




FIG. H-40

SIDE OUTLET TEE




FIG. H-41

CAST IRON
FITTINGS
TEES

FIG. H-40—TEES

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black, each	.08	.08	.09	.12	.15	.23	.29	.41	.73	1.10
Galvanized, each	.16	.16	.18	.24	.30	.46	.58	.82	1.46	2.20

Size, inches	3 1/2	4	4 1/2	5	6	7	8	9	10	12
Black, each	1.50	1.75	2.55	3.00	4.00	6.80	9.75	13.00	19.50	29.00
Galvanized, each	3.00	3.50	5.10	6.00	8.00	13.60	19.50	26.00	39.00	58.00

FIG. H-41—SIDE OUTLET TEES

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Black, each	.27	.36	.45	.70	.90	1.25	2.25
Galvanized, each	.54	.72	.90	1.40	1.80	2.50	4.50

Size, inches	3	3 1/2	4	4 1/2	5	6	7	8
Black, each	3.25	4.50	5.25	7.65	9.00	12.00	20.00	30.00
Galvanized, each	6.50	9.00	10.50	15.30	18.00	24.00	40.00	60.00

REDUCING TEES

In describing Tees, the run is first named, then the outlet, thus:

$$\frac{1}{2} \text{ T } \frac{3}{8} = \frac{1}{2} \times \frac{3}{8} \times \frac{3}{4}$$




FIG. H-42



FIG. H-43

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Black, each	.10	.14	.17	.27	.33	.47	.83	1.25	1.75
Galvanized, each	.20	.28	.34	.54	.66	.94	1.66	2.50	3.50

Size, inches	4	4 1/2	5	6	7	8	9	10	12
Black, each	2.00	2.95	3.50	4.60	7.80	11.25	15.00	22.50	33.50
Galvanized, each	4.00	5.90	7.00	9.20	15.60	22.50	30.00	45.00	67.00

ECCENTRIC TEE




FIG. H-44

FIG. H-44—ECCENTRIC TEES

These fittings are designed to prevent the accumulation and lodgment of condensation.

Orders must be accompanied with sketch, showing position in which the fitting is to be placed. Prices on application.

CAST IRON FITTINGS

CROSS



FIG. H-45

REDUCING CROSS



FIG. H-46

FIG. H-45—CROSSES

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black, each	.16	.22	.27	.42	.53	.75	1.30	2.00	2.70	3.15
Galvanized, each	.32	.44	.54	.84	1.06	1.50	2.60	4.00	5.40	6.30

Size, inches	$4\frac{1}{2}$	5	6	7	8	9	10	12
Black, each	4.60	5.50	7.25	12.25	17.50	23.50	35.00	52.50
Galvanized, each	9.20	11.00	14.50	24.50	35.00	47.00	70.00	105.00

FIG. H-46—REDUCING CROSSES

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black, each	.18	.25	.30	.46	.60	.83	1.45	2.20	3.00	3.50
Galvanized, each	.36	.50	.60	.92	1.20	1.66	2.90	4.40	6.00	7.00

Size, inches	$4\frac{1}{2}$	5	6	7	8	9	10	12
Black, each	5.10	6.00	8.00	13.50	19.25	26.00	38.50	58.00
Galvanized, each	10.20	12.00	16.00	27.00	38.50	52.00	77.00	116.00

Y BRANCH



FIG. H-47

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Black, each	.20	.28	.34	.54	.66	.94	1.66	2.50
Black, Reducing, each	.23	.33	.40	.62	.76	1.08	1.90	2.90
Galvanized, each	.40	.56	.68	1.08	1.32	1.88	3.32	5.00

Size, inches	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8
Black, each	3.50	4.00	5.90	7.00	9.20	15.60	22.50
Black, Reducing, each	4.00	4.60	6.80	8.00	10.60	18.00	26.00
Galvanized, each	7.00	8.00	11.80	14.00	18.40	31.20	45.00

CAST IRON FITTINGS

RETURN BENDS

CLOSE PATTERN




FIG. H-48

OPEN PATTERN



FIG. H-49

FIG. H-48—CLOSE PATTERN

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center, inches	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$2\frac{1}{4}$	$2\frac{1}{2}$	$3\frac{1}{4}$	$3\frac{3}{4}$	$4\frac{1}{2}$
Black, Right Hand, each	.17	.18	.20	.22	.28	.40	.57	1.20	1.70
Galvanized, Right Hand, each	.34	.36	.40	.44	.56	.80	1.14	2.40	3.40
Black, Right and Left, or Left, each	.20	.21	.23	.26	.33	.46	.66	1.40	1.95

FIG. H-49—OPEN PATTERN

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center, inches	$1\frac{3}{4}$	$1\frac{7}{8}$	$2\frac{3}{8}$	3	$3\frac{1}{2}$	$4\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{1}{2}$
Black, Right Hand, each	.25	.26	.30	.40	.55	.80	1.35	2.20
Galvanized, Right Hand, each	.50	.52	.60	.80	1.10	1.60	2.70	4.40
Black, Right and Left, or Left, each	.30	.30	.35	.46	.64	.92	1.55	2.50

SPECIAL WIDE PATTERN



FIG. H-50

Size, inches	1	1	1	1	1	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{2}$
Center to Center, inches	3	4	5	6	8	4	6	$4\frac{7}{8}$
Black, Right Hand, each	.45	.50	.60	.75	1.00	1.00	1.25	1.30
Galvanized, each	.80	.90	1.10	1.30	1.60	1.75	2.00	2.30

Size, inches	$1\frac{1}{2}$	$1\frac{1}{2}$	2	2	2	4	4
Center to Center, inches	6	8	$4\frac{7}{8}$	6	8	$7\frac{1}{2}$	11
Black, Right Hand, each	1.60	2.00	1.75	2.00	3.50	6.50	7.50
Galvanized, each	2.60	3.25	3.00	3.25	5.00	10.00	11.00

Other sizes special. Prices on application.

CAST IRON FITTINGS

BACK-OUTLET RETURN BEND



FIG. H-51

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Center to Center, inches	$1\frac{1}{8}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{2}$	$3\frac{1}{4}$	$5\frac{1}{2}$	$6\frac{1}{2}$
Black, Right Hand, each	.38	.42	.60	.80	1.15	2.00	3.00
Galvanized, Right Hand, each	.76	.84	1.20	1.60	2.30	4.00	6.00
Black, Right and Left, each	.42	.48	.70	.95	1.30	2.30	3.50

The back outlet of right and left return bends is always tapped right hand.

OFFSET



FIG. H-52

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Black, to offset 4 inches, each	.45	.70	1.00	1.20	1.80	3.00
Galvanized, to offset 4 inches, each	.90	1.40	2.00	2.40	3.60	6.00
Black, to offset 6 inches, each	.67	1.05	1.50	1.80	2.70	4.50
Galvanized, to offset 6 inches, each	1.34	2.10	3.00	3.60	5.40	9.00
Black, to offset 8 inches, each	.90	1.40	2.00	2.40	3.60	6.00
Galvanized, to offset 8 inches, each	1.80	2.80	4.00	4.80	7.20	12.00
Size, inches	3	$3\frac{1}{2}$	4	5	6	
Black, to offset 4 inches, each	4.00	5.00	6.00	8.00	10.00	
Galvanized, to offset 4 inches, each	8.00	10.00	12.00	16.00	20.00	
Black, to offset 6 inches, each	6.00	7.50	9.00	12.00	15.00	
Galvanized, to offset 6 inches, each	12.00	15.00	18.00	24.00	30.00	
Black, to offset 8 inches, each	8.00	10.00	12.00	16.00	20.00	
Galvanized, to offset 8 inches, each	16.00	20.00	24.00	32.00	40.00	

CAST IRON FITTINGS

Branch Tees



FIG. H-53



FIG. H-54



FIG. H-55

All openings in branch tees for circulation are tapped right hand.
 Branch tees for box coils are always tapped left hand in branches and right hand in back inlet.
 1-inch branch tees, 1-inch or 1¼-inch run, are 1¾ inches inside diameter.
 1-inch branch tees, 1½-inch or 2-inch run, are 2¼ inches inside diameter.
 1¼-inch branch tees are all 2¼ inches inside diameter.
 1½-inch branch tees are all 2¾ inches inside diameter.
 2-inch branch tees are all 3¼ inches inside diameter.
 Always order branch tees by size and number.
 1-inch branch tees, 1-inch and 1¼-inch run, are also made 2¼-inch inside diameter at an advanced price.

No. of Branches.	1 IN. BRANCH TEES.			1¼ IN. BRANCH TEES.			1½ IN. BRANCH TEES.			2 IN. BRANCH TEES.		
	2½ in. Center to Center.			3 in. Center to Center.			3½ in. Center to Center.			4½ in. Center to Center.		
	1 in. or 1¼ in. Run.	1½ in. Run.	2 in. Run.	1¼ in. or 1½ in. Run.	2 in. Run.	2½ in. Run.	1½ in. or 2 in. Run.	2½ in. Run.	3 in. Run.	2 in. Run.	2½ in. or 3 in. Run.	3½ in. Run.
2	.90	1.00	1.15									
3	1.05	1.15	1.35	1.65	1.90	2.40	2.70	3.45	3.80	5.25	5.75	6.25
4	1.15	1.30	1.60	2.00	2.40	2.85	3.35	4.15	4.60	6.40	7.00	7.75
5	1.35	1.45	1.85	2.40	2.90	3.55	4.00	5.00	5.50	7.65	8.50	9.25
6	1.60	1.75	2.10	2.80	3.30	3.95	4.65	5.75	6.25	8.80	9.75	10.75
7	1.90	2.20	2.45	3.20	3.90	4.20	5.25	6.50	7.25	10.60	11.75	13.00
8	2.20	2.45	2.75	3.60	4.50	4.95	5.85	7.00	7.75	11.50	12.75	14.00
9	2.65	2.90	3.40	4.30	5.25	6.15	6.50	8.25	9.00	12.25	13.50	15.00
10		3.30	4.00	4.80	5.85	6.85	7.60	9.25	10.00	13.50	15.00	16.50
11		4.50	4.80	5.00	6.25	7.25	8.00	9.75	10.75	14.25	15.75	18.00
12		4.75	5.10	5.25	6.50	7.65	8.50	10.50	11.50	15.00	16.50	20.00
13		5.50	6.00	6.00	7.00	8.25						
14		7.00	7.25	6.75	7.75	9.00						
15		7.50	7.75	7.50	8.50	9.75						
16		8.00	8.25	8.50	9.50	10.75						

All above prices are for No. 1 Tees, Fig. H-53.
 Back or Side Outlets, as shown, are charged as additional Front Outlets. When not otherwise ordered, all openings are tapped right hand.
 Back or Side Outlets larger than the size of run will add 50 per cent. to above prices.
 Unless otherwise ordered, No. 1 Branch Tees, Fig. H-53, will be furnished.

CAST IRON FITTINGS

Reducer



FIG. H-56

Eccentric Reducer



FIG. H-57

FIG. H-56-REDUCERS

Size, inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black, each	.43	.60	.80	1.00	1.35	1.85	2.00	2.70	5.35	6.75	8.35	10.00	15.00
Galvanized, each	.86	1.20	1.60	2.00	2.70	3.70	4.00	5.40	10.70	13.50	16.70	20.00	30.00

FIG. H-57-ECCENTRIC REDUCERS

Size	1	1¼	1½	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black, each	.36	.50	.75	1.00	1.50	2.40	3.00	4.00	5.00	6.00	8.00	9.00	11.00	12.50	14.00	18.00

Bushings




FIG. H-58




FIG. H-59

FIGS. H-58 AND H-59

Size, inches	¼	¼	½	¾	1	1¼	1½	2	2½	3	3½
Black, each	.04	.04	.04	.05	.06	.07	.09	.14	.21	.30	.40
Galvanized, each	.08	.08	.08	.10	.12	.14	.18	.28	.42	.60	.80

Size, inches	4	4½	5	6	7	8	9	10	12
Black, each	.50	.75	.93	1.25	1.87	2.75	3.25	3.75	5.00
Galvanized, each	1.00	1.50	1.85	2.50	3.75	5.50	6.50	7.50	10.00

NOTE.—Bushings reducing one size only, up to and including 2½ inches, are malleable.

Faced Bushing




FIG. H-60

Size, inches	¾	½	¾	1	1¼	1½	2	2½	3	3½	4
Black, Right Hand, each	.08	.09	.11	.13	.17	.22	.32	.48	.70	1.20	1.50

CAST IRON FITTINGS

Eccentric Bushing

REDUCING TWO OR MORE SIZES



FIG. H-61

Size, inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black, each	.27	.42	.60	.80	1.00	1.50	1.85	2.50	3.75	5.50	6.50	7.50	10.00

Plugs



FIG. H-62

COUNTERSUNK



FIG. H-63

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1¼	1½	2	2½	3
Black, each	.02	.02	.02	.02	.03	.04	.05	.07	.10	.18	.25
Galvanized, each	.04	.04	.04	.04	.06	.08	.10	.14	.20	.36	.50
Black, Countersunk, each				.04	.06	.08	.09	.11	.15	.30	.40
Black, Left Hand, each					.06	.08	.09	.11	.15		
Black, Solid, each		.04	.04	.04	.06	.08	.09	.11	.15	.27	.38

Size, inches	3½	4	4½	5	6	7	8	9	10	12
Black, each	.38	.42	.65	.88	1.20	1.85	2.75	3.25	3.75	5.00
Galvanized, each	.76	.84	1.30	1.75	2.40	3.70	5.50	6.50	7.50	10.00
Black, Solid, each	.57	.63	1.00	1.35	1.80	2.80	4.15	5.00	5.75	7.50

Cap



FIG. H-64

Size, inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black, each	.26	.40	.54	.75	.87	1.05	1.20	1.55	2.50	2.85	4.75	5.50	7.00
Galvanized, each	.52	.80	1.08	1.50	1.74	2.10	2.40	3.10	5.00	5.70	9.50	11.00	14.00

CAST IRON FITTINGS

Locknut



FIG. H-65

Size, inches	2	2½	3	3½	4	4½	5	6	7	8	9	10	12
Black, each	.25	.27	.34	.47	.64	.85	.90	1.30	1.70	2.35	2.70	3.00	4.00
Galvanized, each	.50	.54	.68	.94	1.28	1.70	1.80	2.60	3.40	4.70	5.40	6.00	8.00

LIST OF STANDARD SIZES

Elbows

Inches.	Inches.	Inches.	Inches.
¼ x ¼	1½ x ¾	3½ x 2½	6 x 4
⅜ x ⅜	1½ x 1	3½ x 3	6 x 5
½ x ½	1½ x 1¼	3½ x 3½	6 x 6
¾ x ¾	1½ x 1½		
1 x 1	2 x 1	4 x 2	7 x 6
	2 x 1¼	4 x 2½	7 x 7
	2 x 1½	4 x 3	
	2 x 2	4 x 3½	8 x 6
		4 x 4	8 x 8
	2½ x 1½		
1¼ x ½	2½ x 2	4½ x 4	9 x 9
1¼ x ¾	2½ x 2½	4½ x 4½	
1¼ x 1			10 x 10
1¼ x 1¼	3 x 2	5 x 3	
	3 x 2½	5 x 4	12 x 12
	3 x 3	5 x 5	

45° Elbows

Size, inches	¾, 1, 1¼, 1½, 2, 2½, 3, 3½, 4, 4½, 5, 6, 7, 8, 9, 10, 12.
--------------	---

Pitched Elbows

Size, inches	1 x ¾, 1, 1¼ x 1, 1¼, 1½ x 1¼, 1½, 2 x 1½, 2, 2½ x 2, 2½, 3, 3 x 2½, 3½ x 3, 3½, 4.
--------------	---

Right and Left Elbows


Size, inches	¼, ⅜, ½, ¾, 1, 1¼, 1½, 2, 2½, 3.
--------------	----------------------------------

CAST IRON FITTINGS

LIST OF STANDARD SIZES

TEES

In describing Tees, the run is first named, then the outlet, thus :



Inches.	Inches.	Inches.	Inches.
1/4 x 1/4 x 1/4	1 1/4 x 3/4 x 3/4	1 1/2 x 1 1/2 x 1 1/2	2 1/2 x 2 x 1 1/2
3/8 x 3/8 x 1/2	1 1/4 x 3/4 x 1 1/4	1 1/2 x 1 1/2 x 2	2 1/2 x 2 x 3/4
1/2 x 3/8 x 3/8	1 1/4 x 3/4 x 1 1/2	2 x 1 1/2 x 2 1/2	2 1/2 x 2 x 1
1/2 x 1/2 x 1/2	1 1/4 x 3/4 x 2	2 x 3/4 x 1 1/2	2 1/2 x 2 x 1 1/4
1 1/2 x 1/2 x 3/8	1 1/4 x 1 x 1 1/2	2 x 3/4 x 2	2 1/2 x 2 x 2
1 1/2 x 1/2 x 1/2	1 1/4 x 1 x 3/4	2 x 1 x 3/4	2 1/2 x 2 x 2 1/2
1 1/2 x 1/2 x 3/4	1 1/4 x 1 x 1	2 x 1 x 1	2 1/2 x 2 x 3
3/4 x 3/8 x 1	1 1/4 x 1 x 1 1/2	2 x 1 x 1 1/4	2 1/2 x 2 x 1 1/2
3/4 x 3/8 x 3/8	1 1/4 x 1 x 1 1/2	2 x 1 x 1 1/2	2 1/2 x 2 x 3/4
3/4 x 1/2 x 1/4	1 1/4 x 1 x 2	2 x 1 x 2	2 1/2 x 2 x 1
3/4 x 1/2 x 3/4	1 1/4 x 1 1/4 x 1/2	2 x 1 1/4 x 3/4	2 1/2 x 2 x 1 1/4
3/4 x 1/2 x 1	1 1/4 x 1 1/4 x 3/4	2 x 1 1/4 x 1	2 1/2 x 2 x 1 1/2
3/4 x 3/8 x 3/8	1 1/4 x 1 1/4 x 1	2 x 1 1/4 x 1 1/4	2 1/2 x 2 x 2
3/4 x 3/8 x 1/2	1 1/4 x 1 1/4 x 1 1/4	2 x 1 1/4 x 1 1/2	2 1/2 x 2 x 2 1/2
3/4 x 3/4 x 1/2	1 1/4 x 1 1/4 x 1 1/2	2 x 1 1/4 x 2	2 1/2 x 2 x 3
3/4 x 3/4 x 3/4	1 1/4 x 1 1/4 x 2	2 x 1 1/4 x 1/2	2 1/2 x 2 x 3 1/4
3/4 x 3/4 x 1	1 1/2 x 1 1/2 x 1 1/4	2 x 1 1/2 x 3/4	3 x 1 x 4
3/4 x 3/4 x 1 1/4	1 1/2 x 3/4 x 1 1/2	2 x 1 1/2 x 1	3 x 1 1/4 x 3
3/4 x 3/4 x 2	1 1/2 x 3/4 x 3/4	2 x 1 1/2 x 1 1/4	3 x 1 1/2 x 2
1 x 3/8 x 1	1 1/2 x 3/4 x 1	2 x 1 1/2 x 1 1/2	3 x 1 1/2 x 2 1/2
1 x 1/2 x 1 1/2	1 1/2 x 3/4 x 1 1/4	2 x 1 1/2 x 2	3 x 1 1/2 x 3
1 x 1/2 x 3/4	1 1/2 x 3/4 x 1 1/2	2 x 2 x 1 1/2	3 x 2 x 1
1 x 3/4 x 1	1 1/2 x 1 x 1 1/2	2 x 2 x 3/4	3 x 2 x 1 1/4
1 x 3/4 x 1 1/2	1 1/2 x 1 x 3/4	2 x 2 x 1	3 x 2 x 1 1/2
1 x 3/4 x 3/4	1 1/2 x 1 x 1	2 x 2 x 1 1/4	3 x 2 x 2
1 x 3/4 x 1	1 1/2 x 1 x 1 1/4	2 x 2 x 1 1/2	3 x 2 x 2 1/2
1 x 3/4 x 1 1/4	1 1/2 x 1 x 1 1/2	2 x 2 x 2	3 x 2 x 3
1 x 3/4 x 1 1/2	1 1/2 x 1 x 2	2 x 2 x 2 1/2	3 x 2 1/2 x 1
1 x 3/4 x 2	1 1/2 x 1 1/4 x 1/2	2 x 2 x 3	3 x 2 1/2 x 1 1/4
1 x 1 x 3/8	1 1/2 x 1 1/4 x 3/4	2 1/2 x 3/4 x 2 1/2	3 x 2 1/2 x 1 1/2
1 x 1 x 1/2	1 1/2 x 1 1/4 x 1	2 1/2 x 1 x 2 1/2	3 x 2 1/2 x 2
1 x 1 x 3/4	1 1/2 x 1 1/4 x 1 1/4	2 1/2 x 1 1/2 x 2	3 x 2 1/2 x 2 1/2
1 x 1 x 1	1 1/2 x 1 1/4 x 1 1/2	2 1/2 x 1 1/4 x 2 1/2	3 x 2 1/2 x 3
1 x 1 x 1 1/4	1 1/2 x 1 1/4 x 2	2 1/2 x 1 1/2 x 1	3 x 3 x 3/4
1 x 1 x 1 1/2	1 1/2 x 1 1/2 x 1/2	2 1/2 x 1 1/2 x 1 1/4	3 x 3 x 1
1 1/4 x 1/2 x 1 1/4	1 1/2 x 1 1/2 x 3/4	2 1/2 x 1 1/2 x 1 1/2	3 x 3 x 1 1/4
1 1/4 x 1/2 x 1 1/2	1 1/2 x 1 1/2 x 1	2 1/2 x 1 1/2 x 2	3 x 3 x 1 1/2
	1 1/2 x 1 1/2 x 1 1/4	2 1/2 x 1 1/2 x 2 1/2	3 x 3 x 2
			3 x 3 x 2 1/2

CAST IRON FITTINGS

LIST OF STANDARD SIZES

Tees—Continued


Inches.	Inches.	Inches.	Inches.
3 x 3 x 3	4 x 3 x 2 $\frac{1}{2}$	5 x 4 x 4 $\frac{1}{2}$	7 x 7 x 4
3 x 3 x 3 $\frac{1}{2}$	4 x 3 x 3	5 x 4 x 5	7 x 7 x 5
3 x 3 x 4	4 x 3 x 3 $\frac{1}{2}$	5 x 5 x 1 $\frac{1}{4}$	7 x 7 x 6
3 $\frac{1}{2}$ x 1 x 3 $\frac{1}{2}$	4 x 3 x 4	5 x 5 x 1 $\frac{1}{2}$	7 x 7 x 7
3 $\frac{1}{2}$ x 1 $\frac{1}{4}$ x 3 $\frac{1}{2}$	4 x 3 $\frac{1}{2}$ x 2 $\frac{1}{2}$	5 x 5 x 2	8 x 4 x 8
3 $\frac{1}{2}$ x 1 $\frac{1}{2}$ x 3 $\frac{1}{2}$	4 x 3 $\frac{1}{2}$ x 3	5 x 5 x 2 $\frac{1}{2}$	8 x 5 x 5
3 $\frac{1}{2}$ x 2 x 3 $\frac{1}{2}$	4 x 3 $\frac{1}{2}$ x 3 $\frac{1}{2}$	5 x 5 x 3	8 x 5 x 8
3 $\frac{1}{2}$ x 2 $\frac{1}{2}$ x 2	4 x 3 $\frac{1}{2}$ x 4	5 x 5 x 3 $\frac{1}{2}$	8 x 6 x 6
3 $\frac{1}{2}$ x 2 $\frac{1}{2}$ x 2 $\frac{1}{2}$	4 x 4 x $\frac{3}{4}$	5 x 5 x 4	8 x 6 x 7
3 $\frac{1}{2}$ x 2 $\frac{1}{2}$ x 3	4 x 4 x 1	5 x 5 x 4 $\frac{1}{2}$	8 x 6 x 8
3 $\frac{1}{2}$ x 3 x 1 $\frac{1}{2}$	4 x 4 x 1 $\frac{1}{4}$	5 x 5 x 5	8 x 7 x 6
3 $\frac{1}{2}$ x 3 x 2	4 x 4 x 1 $\frac{1}{2}$	5 x 5 x 6	8 x 7 x 8
3 $\frac{1}{2}$ x 3 x 2 $\frac{1}{2}$	4 x 4 x 2	6 x 2 x 6	8 x 8 x 2
3 $\frac{1}{2}$ x 3 x 3	4 x 4 x 2 $\frac{1}{2}$	6 x 2 $\frac{1}{2}$ x 6	8 x 8 x 2 $\frac{1}{2}$
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 1	4 x 4 x 3	6 x 3 x 6	8 x 8 x 3
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 1 $\frac{1}{4}$	4 x 4 x 3 $\frac{1}{2}$	6 x 4 x 4	8 x 8 x 3 $\frac{1}{2}$
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 1 $\frac{1}{2}$	4 x 4 x 4	6 x 4 x 6	8 x 8 x 4
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 2	4 x 4 x 5	6 x 5 x 4	8 x 8 x 4 $\frac{1}{2}$
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 2 $\frac{1}{2}$	4 x 4 x 6	6 x 5 x 5	8 x 8 x 5
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 3	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 1 $\frac{1}{2}$	6 x 5 x 6	8 x 8 x 6
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 3 $\frac{1}{2}$	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 2	6 x 6 x 1	8 x 8 x 7
3 $\frac{1}{2}$ x 3 $\frac{1}{2}$ x 4	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 2 $\frac{1}{2}$	6 x 6 x 1 $\frac{1}{4}$	8 x 8 x 8
4 x 1 x 4	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 3	6 x 6 x 1 $\frac{1}{2}$	9 x 9 x 5
4 x 1 $\frac{1}{4}$ x 4	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 3 $\frac{1}{2}$	6 x 6 x 2	9 x 9 x 7
4 x 1 $\frac{1}{2}$ x 4	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 4	6 x 6 x 2 $\frac{1}{2}$	9 x 9 x 9
4 x 2 x 1 $\frac{1}{2}$	4 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 4 $\frac{1}{2}$	6 x 6 x 3	10 x 8 x 8
4 x 2 x 2	5 x 2 x 5	6 x 6 x 3 $\frac{1}{2}$	10 x 10 x 4
4 x 2 x 2 $\frac{1}{2}$	5 x 2 $\frac{1}{2}$ x 3	6 x 6 x	10 x 10 x 5
4 x 2 x 3	5 x 2 $\frac{1}{2}$ x 4	6 x 6 x 4 $\frac{1}{2}$	10 x 10 x 6
4 x 2 x 4	5 x 2 $\frac{1}{2}$ x 5	6 x 6 x 5	10 x 10 x 8
4 x 2 $\frac{1}{2}$ x 1	5 x 3 x 2	6 x 6 x 6	10 x 10 x 10
4 x 2 $\frac{1}{2}$ x 1 $\frac{1}{2}$	5 x 3 x 2 $\frac{1}{2}$	6 x 6 x 7	12 x 8 x 8
4 x 2 $\frac{1}{2}$ x 2	5 x 3 x 3	6 x 6 x 8	12 x 8 x 10
4 x 2 $\frac{1}{2}$ x 2 $\frac{1}{2}$	5 x 3 x 3 $\frac{1}{2}$	7 x 5 x 5	12 x 12 x 4
4 x 2 $\frac{1}{2}$ x 3	5 x 3 x 4	7 x 5 x 6	12 x 12 x 5
4 x 2 $\frac{1}{2}$ x 4	5 x 3 x 4 $\frac{1}{2}$	7 x 6 x 5	12 x 12 x 6
4 x 3 x $\frac{3}{4}$	5 x 3 x 5	7 x 6 x 6	12 x 12 x 8
4 x 3 x 1	5 x 4 x 2	7 x 6 x 7	12 x 12 x 10
4 x 3 x 1 $\frac{1}{4}$	5 x 4 x 2 $\frac{1}{2}$	7 x 7 x 2 $\frac{1}{2}$	12 x 12 x 12
4 x 3 x 1 $\frac{1}{2}$	5 x 4 x 3	7 x 7 x 3	
4 x 3 x 2	5 x 4 x 4	7 x 7 x 3 $\frac{1}{2}$	

CAST IRON FITTINGS

LIST OF STANDARD SIZES

Crosses

Reducing Crosses are described as follows:



Inches.				Inches.				Inches.			
$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{4}$ x $\frac{1}{4}$	$\frac{1}{4}$ x $\frac{1}{4}$	$2\frac{1}{2}$ x 2	2 x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	$4\frac{1}{2}$ x $4\frac{1}{2}$	$4\frac{1}{2}$ x $4\frac{1}{2}$	$4\frac{1}{2}$ x 2	$4\frac{1}{2}$ x 2
$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{3}{8}$ x $\frac{3}{8}$	$\frac{3}{8}$ x $\frac{3}{8}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x $1\frac{1}{4}$	x $1\frac{3}{4}$	x $1\frac{3}{4}$	5 x 5	x 2	x 2	x 2
$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x 1	x 1	x 1	5 x 5	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$
$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{8}$ x $\frac{3}{8}$	$\frac{3}{8}$ x $\frac{3}{8}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	5 x 5	x 3	x 3	x 3
$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{1}{2}$ x $\frac{1}{2}$	$\frac{1}{2}$ x $\frac{1}{2}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x 2	x 2	x 2	5 x 5	x 4	x 4	x 4
$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$	$\frac{3}{4}$ x $\frac{3}{4}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	5 x 5	x 5	x 5	x 5
1 x 1	x 1	x $\frac{1}{2}$	x $\frac{1}{2}$	$2\frac{1}{2}$ x $2\frac{1}{2}$	x 2	x 2	x 2	6 x 6	x 2	x 2	x 2
1 x 1	x 1	x $\frac{3}{4}$	x $\frac{3}{4}$	3 x 3	x $\frac{3}{4}$	x $\frac{3}{4}$	x $\frac{3}{4}$	6 x 6	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$
1 x 1	x 1	x 1	x 1	3 x 3	x 1	x 1	x 1	6 x 6	x 3	x 3	x 3
$1\frac{1}{4}$ x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $\frac{1}{2}$	x $\frac{1}{2}$	3 x 3	x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	6 x 6	x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$
$1\frac{1}{4}$ x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $\frac{3}{4}$	x $\frac{3}{4}$	3 x 3	x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	6 x 6	x 4	x 4	x 4
$1\frac{1}{4}$ x $1\frac{1}{4}$	x 1	x 1	x 1	3 x 3	x 2	x 2	x 2	6 x 6	x 5	x 5	x 5
$1\frac{1}{4}$ x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	3 x 3	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	6 x 6	x 6	x 6	x 6
$1\frac{1}{2}$ x $1\frac{1}{2}$	x 1	x 1	x 1	3 x 3	x 3	x 3	x 3	7 x 7	x 7	x 7	x 7
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $\frac{1}{2}$	x $\frac{1}{2}$	$3\frac{1}{2}$ x $3\frac{1}{2}$	x 2	x 2	x 2	7 x 7	x 7	x 7	x 7
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $\frac{3}{4}$	x $\frac{3}{4}$	$3\frac{1}{2}$ x $3\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	7 x 7	x 7	x 7	x 7
$1\frac{1}{2}$ x $1\frac{1}{2}$	x 1	x 1	x 1	$3\frac{1}{2}$ x $3\frac{1}{2}$	x 3	x 3	x 3	8 x 8	x 6	x 6	x 6
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $\frac{1}{2}$	x $\frac{1}{2}$	$3\frac{1}{2}$ x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$	8 x 8	x 7	x 7	x 7
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $\frac{3}{4}$	x $\frac{3}{4}$	$3\frac{1}{2}$ x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$	8 x 8	x 8	x 8	x 8
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	4 x 4	x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	9 x 9	x 9	x 9	x 9
$1\frac{1}{2}$ x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	4 x 4	x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	10 x 10	x 7	x 7	x 7
2 x 2	x $\frac{3}{4}$	x $\frac{3}{4}$	x $\frac{3}{4}$	4 x 4	x 2	x 2	x 2	10 x 10	x 8	x 8	x 8
2 x 2	x 1	x 1	x 1	4 x 4	x $2\frac{1}{2}$	x $2\frac{1}{2}$	x $2\frac{1}{2}$	10 x 10	x 10	x 10	x 10
2 x 2	x $1\frac{1}{4}$	x $1\frac{1}{4}$	x $1\frac{1}{4}$	4 x 4	x 3	x 3	x 3	12 x 12	x 8	x 8	x 8
2 x 2	x $1\frac{1}{2}$	x $1\frac{1}{2}$	x $1\frac{1}{2}$	4 x 4	x $3\frac{1}{2}$	x $3\frac{1}{2}$	x $3\frac{1}{2}$	12 x 12	x 10	x 10	x 10
2 x 2	x 2	x 2	x 2	4 x 4	x 4	x 4	x 4	12 x 12	x 12	x 12	x 12

Reducing Couplings

$\frac{1}{2}$ x $\frac{3}{8}$	$1\frac{1}{2}$ x $1\frac{1}{4}$	$2\frac{1}{2}$ x 1	$3\frac{1}{2}$ x 1	$4\frac{1}{2}$ x 2	6 x 4
$\frac{1}{2}$ x $\frac{1}{4}$	$1\frac{1}{2}$ x 1	$2\frac{1}{2}$ x $\frac{3}{4}$		$4\frac{1}{2}$ x $1\frac{1}{2}$	6 x 3
$\frac{3}{4}$ x $\frac{1}{2}$	$1\frac{1}{2}$ x $\frac{3}{4}$	3 x $2\frac{1}{2}$	4 x $3\frac{1}{2}$	$4\frac{1}{2}$ x $1\frac{1}{4}$	6 x $2\frac{1}{2}$
$\frac{3}{4}$ x $\frac{3}{8}$	$1\frac{1}{2}$ x $\frac{1}{2}$	3 x 2	4 x 3		6 x 2
1 x $\frac{3}{4}$	2 x $1\frac{1}{2}$	3 x $1\frac{1}{2}$	4 x $2\frac{1}{2}$	5 x $4\frac{1}{2}$	7 x 6
1 x $\frac{1}{2}$	2 x $1\frac{1}{4}$	3 x $1\frac{1}{4}$	4 x 2	5 x 4	7 x 5
1 x $\frac{3}{8}$	2 x 1	3 x 1	4 x $1\frac{1}{2}$	5 x $3\frac{1}{2}$	7 x 4
	2 x $\frac{3}{4}$		4 x $1\frac{1}{4}$	5 x 3	
	2 x $\frac{1}{2}$		4 x 1	5 x $2\frac{1}{2}$	
$1\frac{1}{4}$ x 1		$3\frac{1}{2}$ x 3		5 x 2	8 x 6
$1\frac{1}{4}$ x $\frac{3}{4}$		$3\frac{1}{2}$ x $2\frac{1}{2}$	$4\frac{1}{2}$ x 4	5 x $1\frac{1}{2}$	8 x 5
$1\frac{1}{4}$ x $\frac{1}{2}$	$2\frac{1}{2}$ x 2	$3\frac{1}{2}$ x 2	$4\frac{1}{2}$ x $3\frac{1}{2}$	5 x $1\frac{1}{4}$	8 x 4
	$2\frac{1}{2}$ x $1\frac{1}{2}$	$3\frac{1}{2}$ x $1\frac{1}{2}$	$4\frac{1}{2}$ x 3		10 x 8
	$2\frac{1}{2}$ x $1\frac{1}{4}$	$3\frac{1}{2}$ x $1\frac{1}{4}$	$4\frac{1}{2}$ x $2\frac{1}{2}$		12 x 10

CAST IRON FITTINGS

LIST OF STANDARD REDUCING SIZES

Eccentric Reducers

Inches.	Inches.	Inches.	Inches.	Inches.	Inches.	Inches.
2 x $\frac{3}{4}$	$3\frac{1}{2}$ x 1	$4\frac{1}{2}$ x $2\frac{1}{2}$	6 x 3	8 x 2	9 x $4\frac{1}{2}$	10 x 8
2 x 1	$3\frac{1}{2}$ x $1\frac{1}{4}$	$4\frac{1}{2}$ x 3	6 x $3\frac{1}{2}$	8 x $2\frac{1}{2}$	9 x 5	10 x 9
2 x $1\frac{1}{4}$	$3\frac{1}{2}$ x $1\frac{1}{2}$	$4\frac{1}{2}$ x $3\frac{1}{2}$	6 x 4	8 x 3	9 x 6	
2 x $1\frac{1}{2}$	$3\frac{1}{2}$ x 2	$4\frac{1}{2}$ x 4	6 x $4\frac{1}{2}$	8 x $3\frac{1}{2}$	9 x 7	12 x 3
	$3\frac{1}{2}$ x $2\frac{1}{2}$		6 x 5	8 x 4	9 x 8	12 x $3\frac{1}{2}$
$2\frac{1}{2}$ x 1	$3\frac{1}{2}$ x 3	5 x $1\frac{1}{2}$		8 x $4\frac{1}{2}$		12 x 4
$2\frac{1}{2}$ x $1\frac{1}{4}$		5 x 2	7 x $1\frac{1}{2}$	8 x 5	10 x $2\frac{1}{2}$	12 x $4\frac{1}{2}$
$2\frac{1}{2}$ x $1\frac{1}{2}$	4 x $1\frac{1}{4}$	5 x $2\frac{1}{2}$	7 x 2	8 x 6	10 x 3	12 x 5
$2\frac{1}{2}$ x 2	4 x $1\frac{1}{2}$	5 x 3	7 x $2\frac{1}{2}$	8 x 7	10 x $3\frac{1}{2}$	12 x 6
	4 x 2	5 x $3\frac{1}{2}$	7 x 3		10 x 4	12 x 7
3 x 1	4 x $2\frac{1}{2}$	5 x 4	7 x $3\frac{1}{2}$	9 x 2	10 x $4\frac{1}{2}$	12 x 8
3 x $1\frac{1}{4}$	4 x 3		7 x 4	9 x $2\frac{1}{2}$	10 x 5	12 x 9
3 x $1\frac{1}{2}$	4 x $3\frac{1}{2}$	6 x $1\frac{1}{2}$	7 x $4\frac{1}{2}$	9 x 3	10 x 6	12 x 10
3 x 2		6 x 2	7 x 5	9 x $3\frac{1}{2}$	10 x 7	
3 x $2\frac{1}{2}$	$4\frac{1}{2}$ x 2	6 x $2\frac{1}{2}$	7 x 6	9 x 4		

Bushings

Inches.	Inches.	Inches.	Inches.
$\frac{1}{2}$ x $\frac{1}{4}$	$2\frac{1}{2}$ x $1\frac{1}{4}$	$4\frac{1}{2}$ x $2\frac{1}{2}$	7 x $4\frac{1}{2}$
$\frac{3}{4}$ x $\frac{1}{4}$	$2\frac{1}{2}$ x $1\frac{1}{2}$	$4\frac{1}{2}$ x 3	7 x 5
$\frac{3}{4}$ x $\frac{3}{8}$	3 x $\frac{3}{4}$	$4\frac{1}{2}$ x $3\frac{1}{2}$	7 x 6
1 x $\frac{1}{4}$	3 x 1	$4\frac{1}{2}$ x 4	
1 x $\frac{3}{8}$	3 x $1\frac{1}{4}$	5 x 2	8 x 2
1 x $\frac{1}{2}$	3 x $1\frac{1}{2}$	5 x $2\frac{1}{2}$	8 x 3
	3 x 2	5 x 3	8 x 4
$1\frac{1}{4}$ x $\frac{1}{4}$	3 x $2\frac{1}{2}$	5 x $3\frac{1}{2}$	8 x 5
$1\frac{1}{4}$ x $\frac{3}{8}$	$3\frac{1}{2}$ x 1	5 x 4	8 x 6
$1\frac{1}{4}$ x $\frac{1}{2}$	$3\frac{1}{2}$ x $1\frac{1}{4}$	5 x $4\frac{1}{2}$	8 x 7
$1\frac{1}{4}$ x $\frac{3}{4}$	$3\frac{1}{2}$ x $1\frac{1}{2}$	6 x 2	9 x 6
$1\frac{1}{2}$ x $\frac{3}{8}$	$3\frac{1}{2}$ x 2	6 x $2\frac{1}{2}$	9 x 7
$1\frac{1}{2}$ x $\frac{1}{2}$	$3\frac{1}{2}$ x $2\frac{1}{2}$	6 x 3	9 x 8
$1\frac{1}{2}$ x $\frac{3}{4}$	$3\frac{1}{2}$ x 3	6 x $3\frac{1}{2}$	
$1\frac{1}{2}$ x 1	4 x 1	6 x 4	10 x 4
2 x $\frac{1}{2}$	4 x $1\frac{1}{4}$	6 x $4\frac{1}{2}$	10 x 5
2 x $\frac{3}{4}$	4 x $1\frac{1}{2}$	6 x 5	10 x 6
2 x 1	4 x 2	7 x 2	10 x 7
2 x $1\frac{1}{4}$	4 x $2\frac{1}{2}$	7 x $2\frac{1}{2}$	10 x 8
	4 x 3	7 x 3	12 x 6
$2\frac{1}{2}$ x $\frac{3}{4}$	4 x $3\frac{1}{2}$	7 x $3\frac{1}{2}$	12 x 8
$2\frac{1}{2}$ x 1	$4\frac{1}{2}$ x 2	7 x 4	12 x 10

CAST IRON FITTINGS

Flange Union

FACED. NO GASKET



FIG. H-66

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Diam. of Flanges, inches	3 1/8	3 1/8	3 3/4	4 1/8	4 3/8	5 1/4	6	6 3/4	7 3/8
Number of Bolts in each	3	3	4	4	4	4	4	4	4
Black, each40	.46	.52	.64	.78	1.00	1.25	1.50	1.80
Galvanized, each80	.92	1.04	1.28	1.56	2.00	2.50	3.00	3.60

Size, inches	4	4 1/2	5	6	7	8	9	10	12
Diam. of Flanges, in.	8 1/8	8 3/4	9 5/16	10 3/4	12	13 1/8	14 1/2	16 1/8	18
No. of Bolts in each..	5	5	5	6	7	8	8	10	10
Black, each	2.10	2.70	3.15	3.95	5.50	7.00	10.00	11.50	16.00
Galvanized, each	4.20	5.40	6.30	7.90	11.00	14.00	20.00	23.00	32.00

Flange Union

EXTRA HEAVY. FACED. NO GASKET.



FIG. H-67

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Diameter of Flanges, inches	3 1/4	3 5/8	4 1/4	4 1/2	5 3/8	6	6 3/4
Number of Bolts in each	4	4	4	4	5	5	6
Black, each70	.80	1.00	1.15	1.50	1.90	2.25

Size, inches	3 1/2	4	4 1/2	5	6	7	8
Diameter of Flanges, inches	7 1/2	8	8 5/8	9 3/8	10 3/4	12	13 3/8
Number of Bolts in each	6	7	8	8	9	10	10
Black, each	2.70	3.15	4.00	4.75	6.00	8.25	10.50

CAST IRON FITTINGS

Flanges

SADDLE

COMMON



FIG. H-68




FIG. H-69

COMMON FLANGES

Size of Pipe in Inches

	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8	9	10	12	14
3	.10																			
3 1/2		.15	.15																	
4			.22	.16	.16															
4 1/2				.25	.22															
5			.30	.30	.30	.35														
5 1/2				.40	.40	.35														
6				.42	.40	.40	.42	.42	.50											
6 1/2							.50	.50	.50											
7							.62	.62	.62											
7 1/2								.75												
8							.90	.90	.90	.90										
8 1/2									1.00	1.00										
9							1.30	1.25	1.15	1.15	1.15	1.15	1.15							
9 1/2												1.25								
10							2.15	2.00	1.80	1.50	1.50	1.50	1.50	1.50	1.50					
11											2.00	1.75	1.75	1.75						
12													2.20	2.20	2.20					
12 1/2													2.20	2.20	2.20					
13														2.80	2.80	2.80				
13 1/2														2.80	2.80	2.80				
14														3.25	3.25	3.25				
15														4.00	4.00	4.00				
16															5.00	5.00	5.00			
17																5.75	5.75			
18																		7.00	7.00	
19																		7.50	7.50	
20																			8.50	8.50

Other sizes made to order.

SADDLE FLANGES made to order. Prices on application.
All flanges furnished not faced or drilled unless otherwise specified.

Drilled Floor Flange



FIG. H-70

Pipe, inches	3/8	1/2	1/2	3/4	3/4	1	1	1 1/4	1 1/4	1 1/2	1 1/2	2
Diameter Flange, in.	3	3	3 1/2	3 1/2	4	4	5	4	5	4 1/2	5	5 1/2
Black, each	.10	.10	.15	.15	.22	.16	.30	.16	.30	.22	.30	.35
Galvanized, each	.20	.20	.30	.30	.44	.32	.60	.32	.60	.44	.60	.70

CAST IRON FITTINGS

Extra Heavy

SUITABLE FOR 150 POUNDS WORKING PRESSURE

ELBOW

REDUCING ELBOW

45° ELBOW



FIG. H-71



FIG. H-72



FIG. H-73

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Fig. H-71—Black, each	.12	.12	.12	.15	.18	.26	.30	.51	.85	1.30
Fig. H-72—Black, Reducing, each	.15	.15	.15	.18	.22	.30	.35	.60	1.00	1.50
Fig. H-73—Black, 45° Elbows, each	.18	.18	.18	.21	.25	.30	.36	.60	.85	1.50

Size, inches	3 1/2	4	4 1/2	5	6	7	8	10	12
Fig. H-71—Black, each	1.65	2.10	2.75	3.40	5.30	7.00	9.25	15.00	28.00
Fig. H-72—Black, Reducing, each	2.00	2.50	3.25	4.00	6.25	8.25	10.75	17.50	32.50
Fig. H-73—Black, 45° Elbows, each	1.90	2.30	3.00	3.65	5.60	8.00	10.50	17.00	30.00

TEE

REDUCING TEES




FIG. H-74




FIG. H-75




FIG. H-76

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Fig. H-74—Black, each	.18	.18	.18	.18	.25	.35	.45	.60	1.30	1.50
Figs. H-75 and H-76—Black, each	.25	.25	.25	.25	.30	.40	.55	.70	1.50	1.75

Size, inches	3 1/2	4	4 1/2	5	6	7	8	10	12
Fig. H-74—Black, each	2.40	3.00	3.75	4.60	6.30	10.50	15.00	22.50	40.00
Figs. H-75 and H-76—Black, each	2.85	3.50	4.50	5.40	7.30	12.50	17.50	26.00	46.00

CAST IRON FITTINGS

Extra Heavy

SUITABLE FOR 150 POUNDS WORKING PRESSURE

CROSS




FIG. H-77

Y BRANCH



FIG. H-78

FIG. H-77—CROSSES

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Black, each	.45	.45	.70	.80	.90	2.00	2.50	3.00
Black, Reducing, each	.55	.55	.80	.95	1.05	2.40	3.00	3.50

Size, inches	4	$4\frac{1}{2}$	5	6	7	8	10	12
Black, each	3.75	5.00	5.50	9.00	12.00	18.00	30.00	60.00
Black, Reducing, each	4.50	6.00	6.50	10.75	14.50	21.50	36.00	72.00

FIG. H-78—Y BRANCHES

Size, inches	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8	10
Black, each	3.30	4.25	4.50	7.00	7.50	12.00	18.00	22.50	37.50

REDUCER



FIG. H-79

CAP




FIG. H-80

BUSHING



FIG. H-81

PLUG



FIG. H-82

Size, inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8	10	12
Fig. H-79—Black, each	.70	.80	1.00	1.25	1.50	2.00	2.10	2.80	4.50	6.00	9.00	11.00

Size, inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8	10	12
Fig. H-80—Black, each	.60	.80	1.00	1.35	1.50	2.00	2.10	2.90	4.30	5.50	9.25	11.00

Size, inches	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8	10	12
Fig. H-81—Black, each	1.25	1.50	1.60	3.00	3.25	3.90	5.00	5.50	10.50	12.00

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Fig. H-82—Black, each	.15	.15	.15	.20	.25	.40	.55	.80

Size, inches	4	$4\frac{1}{2}$	5	6	7	8	10	12
Fig. H-82—Black, each	.90	1.50	1.70	2.50	3.80	4.00	6.50	11.00

WROUGHT IRON NIPPLES

CLOSE

Black

SHOULDER



FIG. H-83



FIG. H-84

Right Hand

LENGTH, INCHES.					EACH.			EACH.									
Close.	Short.	Long.			SIZE.	Close or Short.	Long.	Lengths, Inches.									
		4	5	6				7	8	9	10	11	12				
1	3/4	1 1/8	2	3	1/8	.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19	
	1 1/8	2	3	3 1/2	1/8	.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19	
	1 1/2	2	3	3 1/2	3/8	.04	.06	.07	.08	.10	.12	.14	.15	.17	.18	.19	
	1 3/8	2 1/2	3	3 1/2	1/2	.05	.07	.08	.10	.12	.14	.16	.18	.20	.22	.23	
	1 1/2	2	3	3 1/2	3/4	.06	.09	.11	.13	.17	.18	.20	.22	.24	.26		
	1 5/8	2 1/2	3	3 1/2	1	.08	.13	.15	.18	.23	.25	.28	.31	.34	.36		
	1 3/4	2 1/2	3	3 1/2	1 1/4	.11	.17	.20	.24	.29	.33	.36	.40	.44	.47		
	2	3	3 1/2	4	1 1/2	.13	.20	.25	.29	.36	.40	.45	.50	.54	.59		
	2 1/2	3	3 1/2	4	1 3/4	.18	.27	.32	.38	.50	.54	.59	.65	.72	.77		
	2 3/4	3	3 1/2	4	2	.39	.59	.68	.90	.97	1.06	1.17	1.26	1.35			
	3	3	3 1/2	4	2 1/2	.48	.72	.85	1.08	1.20	1.33	1.45	1.58	1.70			
	3 1/4	4	4 1/2	5	3	.75	1.05	1.30	1.45	1.60	1.75	1.90	2.05	2.20	2.40		
	3	4	4 1/2	5	3 1/2	.85	1.20	1.52	1.69	1.87	2.05	2.22	2.40				
	3 1/2	4	4 1/2	5	4	1.25	1.70	2.25	2.50	2.75	2.95	3.17	3.40				
	3 3/4	4 1/2	5	5 1/2	4 1/2	1.55	2.45	2.58	2.83	3.10	3.35	3.60	3.85				
	4	4 1/2	5	5 1/2	5	1.85	2.90	3.05	3.35	3.70	4.00	4.30	4.65				
	4 1/2	5	5	6	6	3.20	3.60	4.05	4.45	4.90	5.30	5.75	6.15				
	4	5	6	6	7	3.55	4.05	4.55	5.05	5.50	6.00	6.50	7.00				
	5	6	8	8	8	5.25	6.50	7.10	7.75	8.40	9.00						
	5	6	8	8	9	6.75	8.25	8.90	9.70	10.40	11.15						
	5	6	8	8	10	8.00	10.00	10.80	11.75	12.70	13.65						
	5	6	8	8	12												

Nipples made to order from extra heavy pipe at double above list.

Right and Left

LENGTH, INCHES.					EACH.			EACH.									
Close.	Short.	Long.			SIZE.	Close or Short.	Long.	Lengths, Inches.									
		4	5	6				7	8	9	10	11	12				
1	3/4	1 1/8	2	3	1/8	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27	
	1 1/8	2	3	3 1/2	1/8	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27	
	1 1/2	2	3	3 1/2	3/8	.05	.08	.09	.11	.13	.16	.18	.20	.23	.25	.27	
	1 3/8	2 1/2	3	3 1/2	1/2	.07	.10	.11	.13	.16	.18	.21	.24	.27	.29	.31	
	1 1/2	2	3	3 1/2	3/4	.08	.12	.15	.17	.23	.25	.27	.29	.32	.35		
	1 5/8	2 1/2	3	3 1/2	1	.11	.18	.20	.24	.31	.33	.37	.41	.45	.48		
	1 3/4	2 1/2	3	3 1/2	1 1/4	.15	.23	.27	.32	.39	.45	.50	.55	.60	.65		
	2	3	3 1/2	4	1 1/2	.18	.27	.34	.39	.48	.52	.60	.67	.72	.80		
	2 1/2	3	3 1/2	4	1 3/4	.24	.36	.43	.51	.67	.72	.80	.87	.96	1.03		
	2 3/4	3	3 1/2	4	2	.52	.79	.91	1.20	1.30	1.40	1.55	1.68	1.80			
	3	3	3 1/2	4	2 1/2	.65	.96	1.13	1.44	1.60	1.77	1.93	2.10	2.27			
	3 1/4	4	4 1/2	5	3	1.00	1.40	1.75	1.95	2.15	2.35	2.55	2.75				
	3	4	4 1/2	5	3 1/2	1.15	1.60	2.00	2.25	2.50	2.75	3.00	3.25				

Add 60 per cent. to above prices for Galvanized Nipples threaded right and left.

WROUGHT IRON NIPPLES—GALVANIZED
Right Hand

LENGTH, INCHES.						SIZE.	EACH.			EACH.										
Close.	Short.	Long.					Close or Short.	Long.	Lengths, Inches.											
		2	3	4	5				4	5	6	7	8	9	10	11	12			
$\frac{3}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$1\frac{1}{8}$.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34			
1	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$1\frac{1}{4}$.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34			
$1\frac{1}{8}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$1\frac{3}{8}$.06	.11	.12	.15	.17	.21	.24	.26	.29	.31	.34			
$1\frac{3}{8}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$1\frac{1}{2}$.06	.11	.13	.16	.18	.23	.26	.28	.31	.33	.36			
$1\frac{1}{2}$	2	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	$1\frac{3}{4}$.08	.14	—	.18	.21	.26	.29	.32	.35	.38	.41			
$1\frac{5}{8}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	1	.11	.19	—	.24	.28	.34	.38	.42	.47	.51	.55			
$1\frac{3}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$1\frac{1}{4}$.17	.29	—	.32	.38	.45	.51	.57	.63	.69	.75			
2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$1\frac{1}{2}$.21	.35	—	.39	.46	.55	.63	.70	.77	.84	.91			
$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	2	.27	.47	—	.52	.61	.74	.83	.93	1.03	1.13	1.23			
$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	$2\frac{1}{2}$.56	.86	—	1.00	1.26	1.41	1.56	1.71	1.86	2.01				
$2\frac{3}{4}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	3	.70	1.10	—	1.30	1.60	1.80	2.00	2.20	2.40	2.60				
$3\frac{3}{4}$	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$3\frac{1}{2}$	1.20	1.70	—	—	2.10	2.35	2.60	2.85	3.15	3.40				
3	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	4	1.35	1.87	—	—	—	2.30	2.60	2.90	3.20	3.50	3.80			
3	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$4\frac{1}{2}$	1.85	2.60	—	—	—	3.30	3.65	4.05	4.45	4.85	5.25			
$3\frac{1}{2}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	5	2.30	3.15	—	—	—	3.75	4.20	4.60	5.00	5.40	5.85			
$3\frac{3}{4}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	6	2.80	4.25	—	—	—	4.50	5.00	5.55	6.05	6.60	7.15			
4	5	6	—	—	—	7	4.25	4.95	—	—	—	5.65	6.35	7.05	7.75	8.45	9.20			
4	5	6	—	—	—	8	5.00	5.80	—	—	—	6.65	7.50	8.35	9.25	10.10	10.95			

Lock Nut Nipple




FIG. H-85

Made in Special Lengths. Prices quoted upon specifications

R. and L. Nipple—Hexagon Center

MALLEABLE IRON



FIG. H-86

Size, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Black, each	.20	.20	.20	.25	.30	.40	.50	.70

SUPER-EXCELLENT LONG SCREW

MADE FROM EXTRA HEAVY PIPE




FIG. H-87

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard length, inches	3 1/2	4	4 1/2	5	5 1/2	6	6 1/2	7	7 1/2	8	8 1/2	9
Black, each	.30	.35	.40	.55	.75	1.00	1.30	1.70	2.70	3.70	5.40	6.60
Galvanized, each	.35	.40	.50	.66	1.00	1.25	1.60	2.10	3.10	4.70	6.75	8.25

Long Screws longer than standard length made to order at special prices.

Wrought Coupling




FIG. H-88

Drive Pipe Coupling WITH PROTECTING SLEEVE




FIG. H-89

FIG. H-88—WROUGHT COUPLINGS

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black, each	.05	.05	.06	.07	.10	.13	.17	.21	.28	.40	.60
Galvanized, each	.06	.06	.08	.10	.13	.18	.25	.32	.40	.55	.80
Black, R. & L., each	.07	.07	.08	.11	.15	.20	.25	.30	.50	.85	1.20

Size, inches	3 1/2	4	4 1/2	5	6	7	8	9	10	12
Black, each	.80	1.00	1.50	1.65	2.40	3.25	4.25	5.50	7.50	10.00
Galvanized, each	1.05	1.40	2.00	2.25	3.25	---	---	---	---	---
Black, R. & L., each	1.60	2.00	---	---	---	---	---	---	---	---

FIG. H-89—DRIVE PIPE COUPLINGS

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Black, each	.10	.12	.15	.25	.30	.40	.60	.80	1.30	1.50
Galvanized, each	.14	.16	.21	.37	.46	.57	.85	1.15	1.90	2.15
Black, R. & L., each	.15	.18	.23	.38	.45	.70	1.20	1.60	2.60	3.00
Galvanized, R. & L., each	.21	.25	.31	.53	.63	.98	1.70	2.25	3.65	4.20

Size, inches	4 1/2	5	6	7	8	9	10
Black, each	2.00	2.40	2.80	3.85	4.00	5.00	6.00
Galvanized, each	2.85	3.45	4.00	5.55	5.80	7.25	8.75

CAST IRON FITTINGS

LONG TURN, STANDARD WEIGHT

SWEEP ELBOW



FIG. H-90

DOUBLE SWEEP ELBOW



FIG. H-91

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Fig. H-90—Straight, each	.32	.40	.55	.80	1.20	2.25	3.25	3.50
Fig. H-90—Reducing, each	.48	.60	.83	1.20	1.80	3.38	4.88	5.25
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Fig. H-90—Straight, each	5.50	6.50	8.75	13.00	17.00	25.50	30.00	40.00
Fig. H-90—Reducing, each	8.25	9.75	13.13	19.50	25.50	38.25	45.00	60.00
Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Fig. H-91—Straight, each	.64	.80	1.10	1.60	2.40	4.50	6.50	7.00
Fig. H-91—Reducing, each	.96	1.20	1.65	2.40	3.60	6.75	9.75	10.50
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Fig. H-91—Straight, each	11.00	13.00	17.50	26.00	34.00	51.00	60.00	80.00
Fig. H-91—Reducing, each	16.50	19.50	26.25	39.00	51.00	76.50	90.00	120.00

SWEEP TEE



FIG. H-92

DOUBLE SWEEP TEE



FIG. H-93

SWEEP CROSS



FIG. H-94

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Fig. H-92—Straight, each	.48	.60	.82	1.20	1.80	3.40	4.90	5.25
Fig. H-92—Reducing, each	.72	.90	1.23	1.80	2.70	5.10	7.35	7.88
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Fig. H-92—Straight, each	8.25	9.75	13.25	19.50	25.50	38.00	45.00	60.00
Fig. H-92—Reducing, each	12.38	14.63	19.88	29.25	38.25	57.00	67.50	90.00
Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Fig. H-93—Straight, each	.64	.80	1.10	1.60	2.40	4.50	6.50	7.00
Fig. H-93—Reducing, each	.96	1.20	1.65	2.40	3.60	6.75	9.75	10.50
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Fig. H-93—Straight, each	11.00	13.00	17.50	26.00	34.00	51.00	60.00	80.00
Fig. H-93—Reducing, each	16.50	19.50	26.25	39.00	51.00	76.50	90.00	120.00
Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Fig. H-94—Straight, each	.85	1.10	1.50	2.15	3.20	6.00	8.75	9.50
Fig. H-94—Reducing, each	1.28	1.65	2.25	3.23	4.80	9.00	13.13	14.25
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Fig. H-94—Straight, each	15.00	17.50	24.00	35.00	45.00	68.00	80.00	107.00
Fig. H-94—Reducing, each	22.50	26.25	36.00	52.50	67.50	102.00	120.00	160.50

For Galvanized Iron Fittings, double the above lists.

CAST IRON FITTINGS—FLANGED

The new dimension tables will be found much simpler than those heretofore given.

We have eliminated the fractions, and aimed at simplicity, and the tables now given will be found a great convenience to all engineers.

STANDARD FLANGED FITTINGS

We illustrate on the following pages a line of STANDARD FLANGED FITTINGS FROM 2 INCH UPWARD, WHICH ARE SUITABLE FOR A WORKING PRESSURE OF 125 POUNDS.

BREAKING STRENGTH OF STANDARD FLANGED FITTINGS

WE HAVE AT VARIOUS TIMES BROKEN AN ASSORTMENT OF SIZES UNDER HYDRAULIC PRESSURE AND FOUND THAT THE MINIMUM BURSTING POINT ON ANY SIZE WAS 700 LBS. PER SQUARE INCH.

It will seem that this factor of safety is very high, but they not only have to stand the strain due to the working pressure, but are also liable to unusual strains such as water hammer, weight of piping, settling, etc., and for this reason we keep the limit of the working pressure for which we recommend them down to a perfectly safe point.

DIAMETER OF FLANGES. BOLT CIRCLE—SIZE AND NUMBER OF BOLTS

The dimensions of flanges of our Standard Flanged Fittings are the same as those recommended by the American Society of Mechanical Engineers.

SPECIAL TEMPLATES

Flanged Fittings with special diameter of flanges and drilled to special templates, also special companion flanges, will be furnished to order and at an extra price.

MERITS OF CAST IRON THREAD JOINTS

The question of the merits of Cast Iron Thread Joints is constantly arising in comparison with Shrink Flanged Joints.

Tests have been made to determine the holding value of cast iron threads. These tests show that with a thread of half the standard depth of thread the flange will break before the thread will strip.

On a 10 inch flange with five pipe threads engaged instead of ten, the usual number, the flange broke at 650 pounds, but the threads were intact. Other tests made with pipe threads of half the usual length give similar results, so that the ordinary cast iron screw joint is sufficiently strong for ANY STEAM PRESSURE CARRIED TO-DAY, in view of the fact that the more threads there are the more bearing there is to overcome by friction and the more grit there likely will be to obstruct the making of a good joint, so that for ordinary purposes it is a question whether the manufacturers have not been providing considerable more bearing and threads than is desirable.

CAST IRON FITTINGS—FLANGED

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Elbows

90°



FIG. H-95

45°



FIG. H-96

FIG. H-95—90° ELBOWS

Size, Inches.	Center to Face, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	4½	6	\$4.75	\$5.75
2½	5	7	5.00	6.25
3	5½	7½	5.75	7.00
3½	6	8½	6.50	7.75
4	6½	9	7.25	9.25
4½	7	9¼	9.00	11.00
5	7½	10	9.75	11.75
6	8	11	12.00	14.00
7	8½	12½	16.00	19.75
8	9	13½	20.00	23.75
9	10	15	26.00	30.00
10	11	16	32.00	36.00
12	12	19	44.00	50.00
14	14	21	58.00	65.00
15	14½	22¼	72.00	80.00
16	15	23½	84.00	93.00
18	16½	25	108.00	118.00
20	18	27½	135.00	148.00
22	20	29½	160.00	180.00
24	20	32	200.00	220.00

FIG. H-96—45° ELBOWS

Size, Inches.	Center to Face, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	2½	6	\$5.25	\$6.25
2½	3	7	5.50	6.75
3	3	7½	6.25	7.50
3½	3½	8½	7.25	8.50
4	4	9	8.00	10.00
4½	4	9¼	10.00	12.00
5	4½	10	10.75	12.75
6	5	11	13.00	15.00
7	5½	12½	16.00	19.75
8	5½	13½	20.00	23.75
9	6	15	26.00	30.00
10	6½	16	32.00	36.00
12	7½	19	44.00	50.00
14	7½	21	58.00	65.00
15	8	22¼	72.00	80.00
16	8	23½	84.00	93.00
18	8½	25	108.00	118.00
20	9½	27½	135.00	148.00
22	10	29½	160.00	180.00
24	12	32	200.00	220.00

Flanged Fittings will always be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS—FLANGED

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Tees

STRAIGHT



FIG. H-97

REDUCING



FIG. H-98

FIG. H-97—STRAIGHT

Size, Inches.	Center to Face, Inches.	Face to Face, Inches.	Diameter of Flanges Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	4½	9	6	\$7.00	\$8.50
2½	5	10	7	7.25	9.00
3	5½	11	7½	8.25	10.00
3½	6	12	8½	9.50	11.25
4	6½	13	9	10.50	13.50
4½	7	14	9¼	13.00	16.00
5	7½	15	10	14.25	17.25
6	8	16	11	17.50	20.50
7	8½	17	12½	23.00	28.75
8	9	18	13½	29.00	34.75
9	10	20	15	38.00	44.00
10	11	22	16	46.50	52.50
12	12	24	19	64.00	73.00
14	14	28	21	84.00	95.00
15	14½	29	22¼	105.00	117.00
16	15	30	23½	122.00	135.00
18	16½	33	25	155.00	170.00
20	18	36	27½	195.00	215.00
22	20	40	29½	230.00	260.00
24	20	40	32	290.00	320.00

FIG. H-98—REDUCING

Size, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	\$8.00	\$9.50
2½	8.25	10.00
3	9.50	11.25
3½	11.00	12.75
4	12.00	15.00
4½	15.00	18.00
5	16.25	19.25
6	20.00	23.00
7	26.50	32.00
8	33.50	39.00
9	43.50	50.00
10	53.50	60.00
12	74.00	83.00
14	96.00	107.00
15	120.00	132.00
16	140.00	153.00
18	178.00	193.00
20	225.00	245.00
22	265.00	295.00
24	335.00	365.00

Flanged Fittings will always be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS

LIST OF SIZES

STANDARD

FLANGED REDUCING TEES

USUALLY CARRIED IN STOCK

3 x 3 x 2½	6 x 5 x 3	12 x 12 x 10
4 x 4 x 3	7 x 7 x 6	12 x 12 x 8
4 x 4 x 2½	7 x 7 x 5	12 x 12 x 7
4 x 4 x 2	7 x 7 x 4	12 x 12 x 6
4 x 3 x 4	7 x 6 x 5	12 x 12 x 5
5 x 5 x 4	8 x 8 x 6	12 x 10 x 12
5 x 5 x 3	8 x 8 x 5	12 x 8 x 12
5 x 5 x 2½	8 x 8 x 4	12 x 10 x 10
5 x 4 x 5	8 x 6 x 8	14 x 14 x 12
5 x 3 x 3	8 x 6 x 6	14 x 14 x 10
6 x 6 x 5	6 x 6 x 8	14 x 14 x 8
6 x 6 x 4	10 x 10 x 8	14 x 14 x 7
6 x 6 x 3½	10 x 10 x 6	14 x 14 x 6
6 x 6 x 3	10 x 10 x 5	14 x 10 x 10
6 x 6 x 2½	10 x 10 x 4	16 x 16 x 12
6 x 6 x 2	10 x 8 x 10	16 x 16 x 10
6 x 5 x 6	10 x 6 x 10	16 x 16 x 8
6 x 4 x 6	10 x 8 x 8	12 x 12 x 16
6 x 5 x 5	8 x 8 x 10	

The increased demand for flanged fittings is such that we have concluded to carry the above line of reducing fittings in stock.

These, with our special reducing companion flanges, enable us to furnish from stock about every variety of fittings required, except special angles, offsets, etc.

Reducing ribbed flanges are furnished to order. These flanges will always be the same thickness as the regular companion flanges of corresponding outside diameter.

The flanges are always drilled to the template corresponding to the outside diameter unless otherwise ordered.

Customers who desire fittings reduced in this manner will please specify "reduce by flanges if necessary."

CAST IRON FITTINGS—FLANGED

SUITABLE FOR 125 POUNDS WORKING PRESSURE

CROSS



FIG. H-99

STRAIGHT					REDUCING		
Size, Inches.	Face to Face, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.	Size, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	9	6	\$9.50	\$11.50	2	\$11.00	\$13.00
2½	10	7	10.00	12.50	2½	11.50	14.00
3	11	7½	11.50	14.00	3	13.25	15.75
3½	12	8½	13.00	15.50	3½	15.00	17.50
4	13	9	14.50	18.50	4	16.75	20.75
4½	14	9¼	18.00	22.00	4½	20.75	25.00
5	15	10	19.50	23.50	5	22.50	26.50
6	16	11	24.00	28.00	6	27.50	31.50
7	17	12½	32.00	39.50	7	37.00	45.00
8	18	13½	40.00	47.50	8	46.00	53.50
9	20	15	52.00	60.00	9	60.00	68.00
10	22	16	64.00	72.00	10	74.00	82.00
12	24	19	88.00	100.00	12	100.00	112.00
14	28	21	116.00	130.00	14	132.00	146.00
15	29	22¼	144.00	160.00	15	165.00	180.00
16	30	23½	168.00	186.00	16	193.00	210.00
18	33	25	216.00	236.00	18	248.00	268.00
20	36	27½	270.00	296.00	20	310.00	335.00
22	40	29½	320.00	360.00	22	370.00	410.00
24	40	32	400.00	440.00	24	460.00	500.00

Flanged Fittings will always be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS—FLANGED

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Y Branch



FIG. H-100

STRAIGHT				REDUCING		
Size, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.	Size, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
4	9	\$14.50	\$18.50	4	\$16.75	\$20.75
4½	9¼	18.00	22.00	4½	20.75	25.00
5	10	19.50	23.50	5	22.50	26.50
6	11	24.00	28.00	6	27.50	31.50
7	12½	32.00	39.50	7	37.00	45.00
8	13½	40.00	47.50	8	46.00	53.50
9	15	52.00	60.00	9	60.00	68.00
10	16	64.00	72.00	10	74.00	82.00
12	19	88.00	100.00	12	100.00	112.00
14	21	116.00	130.00	14	132.00	146.00
15	22¼	144.00	160.00	15	165.00	180.00
16	23½	168.00	186.00	16	193.00	210.00

Larger sizes made to order. Prices on application.

Flanged Fittings will always be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS—FLANGED

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Reducing Taper Elbow



FIG. H-101

Taper Reducer



FIG. H-102

Size, Inches.	Center to Face, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.	Size, Inches.	Face to Face, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
3½ x 2½	6	8½ x 7	\$13.00	\$15.50				
3½ x 3	6	8½ x 7½	13.00	15.50				
4 x 2	6½	9 x 6	14.50	18.50				
4 x 2½	6½	9 x 7	14.50	18.50				
4 x 3	6½	9 x 7½	14.50	18.50				
5 x 2½	7½	10 x 7	19.50	23.50				
5 x 3	7½	10 x 7½	19.50	23.50				
5 x 4	7½	10 x 9	19.50	23.50				
6 x 3	8	11 x 7½	24.00	28.00				
6 x 3½	8	11 x 8½	24.00	28.00				
6 x 4	8	11 x 9	24.00	28.00				
6 x 5	8	11 x 10	24.00	28.00				
7 x 5	8½	12½ x 10	32.00	39.50				
7 x 6	8½	12½ x 11	32.00	39.50				
8 x 4	9	13½ x 9	40.00	47.50				
8 x 5	9	13½ x 10	40.00	47.50				
8 x 6	9	13½ x 11	40.00	47.50				
10 x 5	11	16 x 10	64.00	72.00				
10 x 6	11	16 x 11	64.00	72.00				
10 x 8	11	16 x 13½	64.00	72.00				
12 x 8	12	19 x 13½	88.00	100.00				
12 x 10	12	19 x 16	88.00	100.00				
14 x 10	14	21 x 16	116.00	130.00				
14 x 12	14	21 x 19	116.00	130.00				
15 x 10	14½	22¼ x 16	144.00	160.00				
15 x 12	14½	22¼ x 19	144.00	160.00				
16 x 12	15	23½ x 19	168.00	186.00				
16 x 15	15	23½ x 22¼	168.00	186.00				

Owing to the variation in lengths and reductions of Flanged Taper Reducers, we are unable to publish dimensions or prices.

Flanged Taper Reducing Elbows not listed above will be made to order at a special price.

Flanged Fittings will always be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS—FLANGED

Base Fittings

SUITABLE FOR 125 POUNDS WORKING PRESSURE

ELBOW



FIG. H-103

Size, Inches.	Center to Face, Inches.	Center to Base, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
4	6 $\frac{1}{2}$	6 $\frac{1}{2}$	9	\$12.00	\$15.00
4 $\frac{1}{2}$	7	6 $\frac{3}{4}$	9 $\frac{1}{4}$	15.00	18.00
5	7 $\frac{1}{2}$	7	10	16.25	19.25
6	8	7 $\frac{1}{2}$	11	20.00	23.00
7	8 $\frac{1}{2}$	8 $\frac{1}{4}$	12 $\frac{1}{2}$	26.50	32.00
8	9	8 $\frac{3}{4}$	13 $\frac{1}{2}$	33.50	39.00
9	10	9 $\frac{1}{2}$	15	43.50	50.00
10	11	10	16	53.50	60.00
12	12	10 $\frac{1}{2}$	19	74.00	83.00
14	14	13 $\frac{1}{2}$	21	96.00	107.00
15	14 $\frac{1}{2}$	14	22 $\frac{1}{4}$	120.00	132.00
16	15	14 $\frac{3}{4}$	23 $\frac{1}{2}$	140.00	153.00

Long Radius Elbows of different dimensions from above made to order at a special price.

TEE



FIG. H-104

Flanged Base Tees made to order. Prices on application.

We furnish the above style of Fittings in all sizes, both SCREWED and FLANGED. They will be found very convenient where it is necessary to support a long vertical line of pipe on a pier of masonry or other foundation.

STANDARD FLANGES

For Flanged Fittings and Valves

SUITABLE FOR 125 POUNDS WORKING PRESSURE

FACED AND DRILLED




FIG. H-105

BLIND FLANGES, FACED



16 inch, O. D. and Smaller
FIG. H-106



19 inch, O. D. and Larger
FIG. H-107

FIG. H-105—THREADED FLANGES

Size, Inches.	Faced, Each.	Faced and Drilled, Each.	Price of Bolts per Set for one Joint.
1 x 4	\$1.00	\$1.25	.25
1 1/4 x 4 1/2	1.05	1.35	.25
1 1/2 x 5	1.10	1.40	.25
2 x 6	1.20	1.50	.25
2 1/2 x 7	1.40	2.00	.25
3 x 7 1/2	1.60	2.25	.25
3 1/2 x 8 1/2	1.80	2.50	.25
4 x 9	2.15	3.00	.35
4 1/2 x 9 1/4	2.50	3.35	.70
5 x 10	2.80	3.65	.70
6 x 11	3.20	4.00	.70
7 x 12 1/2	4.35	5.75	.75
8 x 13 1/2	5.00	6.50	.75
9 x 15	6.75	8.25	1.15
10 x 16	7.75	9.25	1.70
12 x 19	10.50	12.50	1.70
14 x 21	13.75	16.00	2.50
15 x 21	18.00	21.00	2.50
15 x 22 1/4	18.00	21.00	3.30
16 x 23 1/2	22.50	26.00	3.30
18 x 25	27.50	31.00	5.00
20 x 27 1/2	30.00	34.00	6.20
22 x 29 1/2	33.75	39.00	8.40
24 x 32	41.00	46.00	8.40

FIGS. H-106 & H-107—BLIND FLANGES

Size, Inches.	Faced, Each.	Faced and Drilled, Each.
2 x 6	\$1.40	\$1.70
2 1/2 x 7	1.60	2.20
3 x 7 1/2	1.85	2.50
3 1/2 x 8 1/2	2.10	2.80
4 x 9	2.50	3.35
4 1/2 x 9 1/4	2.90	3.75
5 x 10	3.25	4.10
6 x 11	3.70	4.50
7 x 12 1/2	5.00	6.40
8 x 13 1/2	5.75	7.25
9 x 15	7.75	9.25
10 x 16	9.00	10.60
12 x 19	14.00	16.00
14 x 21	17.50	19.75
15 x 21	22.50	25.50
15 x 22 1/4	22.50	25.50
16 x 23 1/2	28.00	31.50
18 x 25	33.00	36.50
20 x 27 1/2	36.00	40.00
22 x 29 1/2	41.00	46.00
24 x 32	50.00	55.00
-----	-----	-----

Flanges furnished faced only, unless otherwise specified

CAST IRON FITTINGS

Reducing Companion Flanges

WITH RIBS FOR STANDARD FLANGED FITTINGS

SUITABLE FOR 125 POUNDS WORKING PRESSURE




FIG. H-108

Size, Inches.	Faced, Each.	Faced and Drilled, Each.	Size, Inches.	Faced, Each.	Faced and Drilled, Each.	Size, Inches.	Faced, Each.	Faced and Drilled, Each.
2 x 7	\$2.10	\$3.00	5x12 $\frac{1}{2}$	\$6.50	\$8.50	14x22 $\frac{1}{4}$	\$27.00	\$31.50
2 x 7 $\frac{1}{2}$	2.40	3.35	6x12 $\frac{1}{2}$	6.50	8.50	10x23 $\frac{1}{2}$	34.00	39.00
2 $\frac{1}{2}$ x 7 $\frac{1}{2}$	2.40	3.35	5x13 $\frac{1}{2}$	7.50	9.75	12x23 $\frac{1}{2}$	34.00	39.00
2 x 8 $\frac{1}{2}$	2.70	3.75	6x13 $\frac{1}{2}$	7.50	9.75	14x23 $\frac{1}{2}$	34.00	39.00
2 $\frac{1}{2}$ x 8 $\frac{1}{2}$	2.70	3.75	7x13 $\frac{1}{2}$	7.50	9.75	15x23 $\frac{1}{2}$	34.00	39.00
3 x 8 $\frac{1}{2}$	2.70	3.75	6x15	10.00	12.25	12x25	41.00	46.00
2 $\frac{1}{2}$ x 9	3.25	4.50	7x15	10.00	12.25	14x25	41.00	46.00
3 x 9	3.25	4.50	8x15	10.00	12.25	15x25	41.00	46.00
3 $\frac{1}{2}$ x 9	3.25	4.50	7x16	11.50	14.00	16x25	41.00	46.00
3 x 9 $\frac{1}{4}$	3.75	5.00	8x16	11.50	14.00	14x27 $\frac{1}{2}$	45.00	51.00
3 $\frac{1}{2}$ x 9 $\frac{1}{4}$	3.75	5.00	9x16	11.50	14.00	15x27 $\frac{1}{2}$	45.00	51.00
4 x 9 $\frac{1}{4}$	3.75	5.00	8x19	15.75	18.75	16x27 $\frac{1}{2}$	45.00	51.00
3 $\frac{1}{2}$ x10	4.25	5.50	9x19	15.75	18.75	18x27 $\frac{1}{2}$	45.00	51.00
4 x10	4.25	5.50	10x19	15.75	18.75	16x29 $\frac{1}{2}$	50.00	58.50
4 $\frac{1}{2}$ x10	4.25	5.50	9x21	20.00	24.00	18x29 $\frac{1}{2}$	50.00	58.50
4 x11	4.75	6.00	10x21	20.00	24.00	20x29 $\frac{1}{2}$	50.00	58.50
4 $\frac{1}{2}$ x11	4.75	6.00	12x21	20.00	24.00	18x32	61.00	70.00
5 x11	4.75	6.00	10x22 $\frac{1}{4}$	27.00	31.50	20x32	61.00	70.00
4 $\frac{1}{2}$ x12 $\frac{1}{2}$	6.50	8.50	12x22 $\frac{1}{4}$	27.00	31.50			

Reducing Flanged Fittings

It is not possible to carry in stock a line of Reducing Flanged Fittings sufficiently large to meet all demands promptly.

These Flanges, used in connection with Straight or Reducing Fittings carried in stock, enable us to fill all orders for reduced sizes very promptly.

CUSTOMERS WHO DESIRE FITTINGS REDUCED IN THIS MANNER WILL PLEASE SPECIFY "REDUCE BY FLANGES IF NECESSARY."

These Flanges will always be the same thickness as the regular Companion Flanges of corresponding outside diameter.

The Flanges are always drilled to the template corresponding to the outside diameter unless otherwise ordered.

CAST IRON FITTINGS

Standard Diameter of Flanges and Templates for Drilling

STANDARD AND LOW PRESSURE FLANGED VALVES, FLANGED
FITTINGS AND FLANGES

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Size, Inches	Diameter of Flanges, Inches	Bolt Circle, Inches	Number of Bolts	Size of Bolts	Length of Bolts for Standard	Length of Bolts for Low Pressure
1	4	3	4	$\frac{7}{16}$	$1\frac{1}{2}$	-----
$1\frac{1}{4}$	$4\frac{1}{2}$	$3\frac{3}{8}$	4	$\frac{7}{16}$	$1\frac{1}{2}$	-----
$1\frac{1}{2}$	5	$3\frac{7}{8}$	4	$\frac{1}{2}$	$1\frac{3}{4}$	-----
2	6	$4\frac{3}{4}$	4	$\frac{5}{8}$	2	-----
$2\frac{1}{2}$	7	$5\frac{1}{2}$	4	$\frac{5}{8}$	$2\frac{1}{4}$	-----
3	$7\frac{1}{2}$	6	4	$\frac{5}{8}$	$2\frac{1}{2}$	-----
$3\frac{1}{2}$	$8\frac{1}{2}$	7	4	$\frac{5}{8}$	$2\frac{1}{2}$	-----
4	9	$7\frac{1}{2}$	4	$\frac{3}{4}$	$2\frac{3}{4}$	-----
$4\frac{1}{2}$	$9\frac{1}{4}$	$7\frac{3}{4}$	8	$\frac{3}{4}$	3	-----
5	10	$8\frac{1}{2}$	8	$\frac{3}{4}$	3	-----
6	11	$9\frac{1}{2}$	8	$\frac{3}{4}$	3	-----
7	$12\frac{1}{2}$	$10\frac{3}{4}$	8	$\frac{3}{4}$	$3\frac{1}{4}$	-----
8	$13\frac{1}{2}$	$11\frac{3}{4}$	8	$\frac{3}{4}$	$3\frac{1}{2}$	-----
9	15	$13\frac{3}{4}$	12	$\frac{3}{4}$	$3\frac{1}{2}$	-----
10	16	$14\frac{1}{4}$	12	$\frac{7}{8}$	$3\frac{3}{4}$	-----
12	19	17	12	$\frac{7}{8}$	$3\frac{3}{4}$	$2\frac{3}{4}$
14	21	$18\frac{3}{4}$	12	1	$4\frac{1}{4}$	3
15	$22\frac{1}{4}$	20	16	1	$4\frac{1}{4}$	3
16	$23\frac{1}{2}$	$21\frac{1}{4}$	16	1	$4\frac{1}{4}$	$3\frac{1}{2}$
18	25	$22\frac{3}{4}$	16	$1\frac{1}{8}$	$4\frac{3}{4}$	$3\frac{1}{2}$
20	$27\frac{1}{2}$	25	20	$1\frac{1}{8}$	5	$3\frac{3}{4}$
22	$29\frac{1}{2}$	$27\frac{1}{4}$	20	$1\frac{1}{4}$	$5\frac{1}{2}$	4
24	32	$29\frac{1}{2}$	20	$1\frac{1}{4}$	$5\frac{1}{2}$	$4\frac{1}{4}$
26	$34\frac{1}{4}$	$31\frac{3}{4}$	24	$1\frac{1}{4}$	$5\frac{3}{4}$	$4\frac{1}{4}$
28	$36\frac{1}{2}$	34	28	$1\frac{1}{4}$	6	$4\frac{1}{2}$
30	$38\frac{3}{4}$	36	28	$1\frac{3}{8}$	$6\frac{1}{4}$	$4\frac{3}{4}$
36	$45\frac{1}{4}$	$42\frac{3}{4}$	32	$1\frac{3}{8}$	$6\frac{1}{2}$	$5\frac{1}{4}$

NOTE.—Flanges, Flanged Fittings, Valves etc., are drilled in multiples of four, so that fittings may be made to face in any quarter and holes straddle center-line.

We will make Fittings, Valves, etc., drilled to any other template desired, but would advise that the Standard Template be used.

CAST IRON FITTINGS

TABLE OF DIMENSIONS

Standard Flanges

SUITABLE FOR 125 POUNDS WORKING PRESSURE




FIG. H-109

2 in. to 20 in. Screwed.




FIG. H-110

22 in. and 24 in. Shrink.

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4
Diameter of Flange A	4	4 $\frac{1}{2}$	5	6	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9
Thickness of Flange B	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{15}{16}$
Diameter of Hub C	1 $\frac{15}{16}$	2 $\frac{5}{16}$	2 $\frac{5}{8}$	3 $\frac{1}{8}$	3 $\frac{5}{8}$	4 $\frac{1}{8}$	4 $\frac{7}{8}$	5 $\frac{3}{8}$
Length of Thread D	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{16}$	1 $\frac{1}{8}$	1 $\frac{3}{16}$	1 $\frac{3}{8}$
Diameter of Hub E	---	---	---	---	---	---	---	---
Length of Hub F	---	---	---	---	---	---	---	---
Size, inches	4 $\frac{1}{2}$	5	6	7	8	9	10	12
Diameter of Flange A	9 $\frac{1}{4}$	10	11	12 $\frac{1}{2}$	13 $\frac{1}{2}$	15	16	19
Thickness of Flange B	$\frac{15}{16}$	$\frac{15}{16}$	1	1 $\frac{1}{16}$	1 $\frac{1}{8}$	1 $\frac{1}{8}$	1 $\frac{3}{16}$	1 $\frac{1}{4}$
Diameter of Hub C	5 $\frac{13}{16}$	6 $\frac{7}{16}$	7 $\frac{9}{16}$	8 $\frac{5}{8}$	9 $\frac{11}{16}$	10 $\frac{5}{8}$	11 $\frac{15}{16}$	14 $\frac{1}{8}$
Length of Thread D	1 $\frac{1}{4}$	1 $\frac{5}{16}$	1 $\frac{7}{16}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2 $\frac{1}{16}$
Diameter of Hub E	---	---	---	---	---	---	---	---
Length of Hub F	---	---	---	---	---	---	---	---
Size, inches	14	15	16	18	20	22	24	
Diameter of Flange A	21	22 $\frac{1}{4}$	23 $\frac{1}{2}$	25	27 $\frac{1}{2}$	29 $\frac{1}{2}$	32	
Thickness of Flange B	1 $\frac{3}{8}$	1 $\frac{3}{8}$	1 $\frac{7}{16}$	1 $\frac{9}{16}$	1 $\frac{11}{16}$	1 $\frac{13}{16}$	1 $\frac{7}{8}$	
Diameter of Hub C	16 $\frac{7}{16}$	16 $\frac{7}{16}$	17 $\frac{1}{2}$	19 $\frac{9}{16}$	21 $\frac{3}{4}$	---	---	
Length of Thread D	2 $\frac{5}{16}$	2 $\frac{5}{16}$	2 $\frac{7}{16}$	2 $\frac{5}{8}$	2 $\frac{3}{4}$	---	---	
Diameter of Hub E	---	---	---	---	---	24 $\frac{1}{4}$	26 $\frac{3}{8}$	
Length of Hub F	---	---	---	---	---	4 $\frac{1}{4}$	4 $\frac{1}{2}$	

CAST IRON FITTINGS

Table of Dimensions No. 1. Standard Flanged Fittings
SUITABLE FOR 125 POUNDS WORKING PRESSURE




FIG. H-111




FIG. H-112




FIG. H-113




FIG. H-114




FIG. H-115




FIG. H-116




FIG. H-117

Reducing Fittings not covered in this Table will be found in Table No. 2

Size of Run	In.	2	2½	3	3½	4	4½	5	6	7	8	9
Outlets	In.	All Reducing Fittings 2 in. to 9 in. Inclusive are the Same Dimensions as Straight Fittings Center to Face										
Face to Face	AA	9	10	11	12	13	14	15	16	17	18	20
Center to Face	A	4½	5	5½	6	6½	7	7½	8	8½	9	10
Center to Face of 45° Ells	C	2½	3	3	3½	4	4	4½	5	5½	5½	6
Center to Base of Base Ells	B	5	5½	5¾	6¼	6½	6¾	7	7½	8¼	8¾	9½
Diameter of Flanges		6	7	7¾	8½	9	9¾	10	11	12½	13½	15
Thickness of Flanges		5/8	11/16	¾	13/16	15/16	15/16	15/16	1	1 1/16	1 1/8	1 1/8
Size of Run	In.	10	12	14	15	16						
Outlets	In.	7 and larger	9 and larger	10 and larger	10 and larger	12 and larger						
Face to Face	AA	22	24	28	29	30						
Center to Face	A	11	12	14	14½	15						
Center to Face of 45° Ells	C	6½	7½	7½	8	8						
Center to Base of Base Ells	B	10	10½	13½	14	14¾						
Diameter of Flanges		16	19	21	22¼	23½						
Thickness of Flanges		1 3/16	1 1/4	1 3/8	1 3/8	1 7/16						

Tees Increasing on the Outlet

Tees having outlets larger than the run will be the same length center to face of all openings as a Tee with all openings of the size of the outlet.

EXAMPLE

A 12 x 12 x 16 inch Tee will be governed by the dimensions of the 16 inch Tee, namely, 15 inches center to face of all openings, and 30 inches face to face.

The face to face dimensions of Flanged Fittings are not changed by a reduction on the run.

CAST IRON FITTINGS

Table of Dimensions No. 2. Standard Flanged Tees and Crosses




FIG. H-118

SUITABLE FOR 125 POUNDS WORKING
PRESSURE

Having Outlet Smaller than
shown on Table No. 1.




FIG. H-119

Size of Run	Inches	10	12	14	15	16
Outlets	Inches	6 and smaller	8 and smaller	9 and smaller	9 and smaller	10 and smaller
Face to Face	AA	18	20	22	23	24
Center to Face	A	9	10	11	11½	12
Center to Face	B	9½	11	13	13½	14
Diameter of Flanges		16	19	21	22¼	23½
Thickness of Flanges		1⅜	1¼	1⅜	1⅜	1⅞

The face to face dimensions of Flanged Fittings are not changed by a reduction on the run.




FIG. H-120

Table of Dimensions. Standard Flanged
Y Branches

SUITABLE FOR 125 POUNDS WORKING
PRESSURE

Size	Inches	2	2½	3	3½	4	4½	5	6	7
Face to Face	In.	10½	12	13	14½	15	15½	17	18	20½
Center to Face, A	In.	8	9½	10	11½	12	12½	13½	14½	16½
Center to Face, B	In.	2½	2½	3	3	3	3	3½	3½	4
Diam. of Flanges	In.	6	7	7½	8½	9	9¼	10	11	12½
Thickness of Flanges	In.	⅝	11⁄8	¾	13⁄8	15⁄8	15⁄8	15⁄8	1	1⅞
Size	Inches	8	9	10	12	14	15	16		
Face to Face	In.	22	24	25½	30	33	34½	36½		
Center to Face, A	In.	17½	19½	20½	24½	27	28½	30		
Center to Face, B	In.	4½	4½	5	5½	6	6	6½		
Diam. of Flanges	In.	13½	15	16	19	21	22¼	23½		
Thickness of Flanges	In.	1⅞	1⅞	1⅞	1¾	1¾	1¾	1¾		

Reducing Y Branches being made to order, we are unable to give dimensions.

CAST IRON FITTINGS—FLANGED

Special Patterns

SUITABLE FOR 125 POUNDS WORKING PRESSURE

SADDLE NOZZLE



FIG. H-121


EXTENSION ELBOW
WITH BASE

FIG. H-122

OFFSET




FIG. H-123

DOUBLE OUTLET TEE




FIG. H-124

RETURN BEND




FIG. H-125

The Special Flanged Fittings as illustrated above are a few of the many that we are called upon to supply.

We have exceptional facilities for supplying Special Fittings of any required design. Estimates promptly furnished.

In ordering or asking for estimates on Special Fittings, it is necessary to give measurements as shown in the illustrations above.

CAST IRON FITTINGS

Extra Long Turn Elbows—Flanged

STANDARD AND EXTRA HEAVY



FIG. H-123

SUITABLE FOR 125 POUNDS WORKING PRESSURE

Size, Inches.	Center to Face, Inches.	Radius, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
4	13 $\frac{3}{4}$	12	9	14.50	18.50
5	14 $\frac{1}{2}$	14	10	19.50	23.50
6	14 $\frac{1}{2}$	14	11	24.00	28.00
7	17 $\frac{1}{2}$	16	12 $\frac{1}{2}$	32.00	39.50
8	15 $\frac{1}{2}$	14 $\frac{1}{2}$	13 $\frac{1}{2}$	40.00	47.50
9	17 $\frac{1}{2}$	16 $\frac{1}{2}$	15	52.00	60.00
10	18	17	16	64.00	72.00
12	24	22 $\frac{1}{2}$	19	110.00	120.00
14	33	32	21	160.00	175.00
15	33	32	22 $\frac{1}{4}$	180.00	200.00
16	33	32	23 $\frac{1}{2}$	200.00	220.00

SUITABLE FOR 250 POUNDS WORKING PRESSURE

Size, Inches.	Center to Face, Inches.	Radius, Inches.	Diameter of Flanges, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
4	14	12	10	14.50	18.50
5	15	14	11	19.50	23.50
6	16	14	12 $\frac{1}{2}$	24.00	28.00
7	17 $\frac{1}{2}$	16	14	32.00	39.50
8	18	16	15	40.00	47.50
9	18	16	16	52.00	60.00
10	18	16	17 $\frac{1}{2}$	64.00	72.00
12	26	24	20	110.00	120.00
14	33	32	22 $\frac{1}{2}$	160.00	175.00
15	33	32	23 $\frac{1}{2}$	180.00	200.00
16	33	32	25	200.00	220.00

Will be furnished faced only, unless otherwise ordered.

Long Radius Elbows of different dimensions from above made to order at a special price.

CAST IRON FITTINGS

Standard Long Turn—Flanged

ELBOW



FIG. H-127

DOUBLE BRANCH ELBOW



FIG. H-128

Size, Inches.	Center to Face, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.	Size, Inches.	Center to Face, Inches.	Face to Face, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	4	\$5.25	\$6.25	2	4	8	\$8.00	\$9.50
2½	4½	5.50	6.75	2½	4½	9	8.25	10.00
3	5	6.50	7.75	3	5	10	9.50	11.25
3½	5½	7.50	8.75	3½	5½	11	11.00	12.75
4	6¼	8.00	10.00	4	6¼	12½	12.00	15.00
4½	6¾	10.00	12.00	4½	6¾	13½	15.00	18.00
5	7½	11.00	13.00	5	7½	15	16.25	19.25
6	8¾	13.25	15.50	6	8¾	17½	20.00	23.00
7	9⅞	17.50	21.00	7	9⅞	19¾	26.50	32.00
8	11¼	22.00	26.00	8	11¼	22½	33.50	39.00
9	12¼	29.00	33.00	9	12¼	24½	43.50	50.00
10	13½	36.00	40.00	10	13½	27	53.50	60.00
12	15	49.00	55.00	12	15	30	74.00	83.00
14	16½	64.00	71.00	14	16½	33	96.00	107.00
15	17¾	80.00	88.00	15	17¾	35½	120.00	132.00
16	18½	94.00	103.00	16	18½	37	140.00	153.00
18	20½	120.00	130.00	18	20½	41	178.00	193.00
20	22¾	150.00	164.00	20	22¾	45½	225.00	245.00
22	24¾	180.00	200.00	22	24¾	49½	265.00	295.00
24	26½	225.00	245.00	24	26½	53	335.00	365.00

Will be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS

Standard Long Turn—Flanged

SINGLE SWEEP TEE



FIG. H-129

DOUBLE SWEEP TEE



FIG. H-130

Size, Inches.	Center to Face, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	4	\$8.00	\$9.50
2½	4½	8.25	10.00
3	5	9.50	11.25
3½	5½	11.00	12.75
4	6¼	12.00	15.00
4½	6¾	15.00	18.00
5	7½	16.25	19.25
6	8¾	20.00	23.00
7	9⅞	26.50	32.00
8	11¼	33.50	39.00
9	12¼	43.50	50.00
10	13½	53.50	60.00
12	15	74.00	83.00
14	16½	96.00	107.00
15	17¾	120.00	132.00
16	18½	140.00	153.00
18	20½	178.00	193.00
20	22¾	225.00	245.00
22	24¾	265.00	295.00
24	26½	335.00	365.00

Size, Inches.	Center to Face, Inches.	With Faced Flanges, Each.	With Faced and Drilled Flanges, Each.
2	4	\$8.00	\$9.50
2½	4½	8.25	10.00
3	5	9.50	11.25
3½	5½	11.00	12.75
4	6¼	12.00	15.00
4½	6¾	15.00	18.00
5	7½	16.25	19.25
6	8¾	20.00	23.00
7	9⅞	26.50	32.00
8	11¼	33.50	39.00
9	12¼	43.50	50.00
10	13½	53.50	60.00
12	15	74.00	83.00
14	16½	96.00	107.00
15	17¾	120.00	132.00
16	18½	140.00	153.00
18	20½	178.00	193.00
20	22¾	225.00	245.00
22	24¾	265.00	295.00
24	26½	335.00	365.00

Will be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS

Standard Long Turn—Flanged

CROSS



FIG. H-131

Size, Inches.	Center to Face, Inches.	With Faced Flanges, each.	With Faced and Drilled Flanges, each.
2	4	\$11.00	\$13.00
2½	4½	12.50	15.00
3	5	15.00	17.50
3½	5½	17.50	20.00
4	6¼	20.00	24.00
4½	6¾	24.00	28.00
5	7½	27.00	31.00
6	8¾	35.00	39.00
7	9¾	45.00	52.00
8	11¼	56.00	64.00
9	12¼	70.00	78.00
10	13½	84.00	92.00
12	15	115.00	127.00
14	16½	150.00	164.00
15	17¾	190.00	205.00
16	18½	220.00	237.00
18	20½	275.00	295.00
20	22¾	350.00	375.00
22	24¾	420.00	460.00
24	26½	520.00	560.00

Will be furnished faced only, unless otherwise ordered.

CAST IRON FITTINGS—DRAINAGE

Elbows

90° LONG TURN



FIG. H-132

90° SHORT TURN



FIG. H-133

45° LONG TURN



FIG. H-134

45° SHORT TURN



FIG. H-136

60°



FIG. H-137

22½°



FIG. H-135

5⅝°



FIG. H-138

11¼°



FIG. H-139

Size, inches	1¼	1½	2	3	4	5	6	7	8	10
Fig. H-132—90° Long Turn	.50	.60	.70	1.30	2.00	3.60	5.20	8.50	10.00	12.00
Fig. H-133—90° Short Turn	.45	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00
Fig. H-134—45° Long Turn	.60	.70	.80	1.45	2.25	4.00	5.75	9.50	11.00	13.50
Fig. H-135—22½°	.40	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00
Fig. H-136—45° Short Turn	.40	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00
Fig. H-137—60°	.45	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00
Fig. H-138—5⅝°	.40	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00
Fig. H-139—11¼°	.40	.50	.60	1.10	1.70	2.60	3.50	6.00	7.00	9.00

Galvanized Fittings, double above list.

CAST IRON FITTINGS—DRAINAGE

Tees

PLAIN TEE



FIG. H-140

BASIN TEE



FIG. H-141

Size, inches	1½	2	2 x 1½	3	3 x 2	4	4 x 2	4 x 3	5	5 x 2
Fig. H-140—Each	.75	.90	.90	1.40	1.40	2.30	2.30	2.30	4.00	4.00
Fig. H-141—Each	\$1.25	1.35	1.35	---	---	---	---	---	---	---

Increaser



FIG. H-142

Size, inches	3 x 2	4 x 2	4 x 3	5 x 2	5 x 3	5 x 4
Fig. H-142—Each	\$1.00	1.50	1.50	2.00	2.00	2.00
Size, inches	6 x 4	6 x 5	7 x 6	8 x 6	8 x 7	
Fig. H-142—Each	\$3.00	3.00	4.00	5.00	5.00	

45° Y Branch




FIG. H-143

Size, inches	1½	2	3	4	5	6	7	8	10
45°, Fig. H-143	.80	1.00	1.70	2.60	3.50	5.50	12.00	15.00	21.00
45°, Double, not illustrated	\$1.30	2.20	3.10	4.25	6.50	15.00	18.00	25.00	

Galvanized Fittings, double above list.

CAST IRON FITTINGS—DRAINAGE

Elbows

90° ELBOW WITH CLEAN-OUT



FIG. H-144

90° BASE ELBOW WITH CLEAN-OUT



FIG. H-145

Size, inches.....	2	3	4	5	6
Fig. H-144—Each	\$1.50	2.50	3.50	5.50	7.50
Fig. H-145—Each	2.00	3.00	4.00	6.75	9.00

90° BASE ELBOW WITH CLEAN-OUT, TO
CONNECT CAST IRON PIPE
TO WROUGHT PIPE

FIG. H-146

45° ELBOW WITH SHOE



FIG. H-147

Size, inches.....	2	3	4 x 3	4	5 x 4	5
Fig. H-146—Each	\$3.50	3.50	4.50	4.50	7.75	7.75

Size, inches.....	6 x 4	6 x 5	6	8 x 6	8
Fig. H-146—Each	\$10.00	10.00	10.00	15.00	15.00

Size, inches.....	2	3	4	5	6
Fig. H-147—Each90	1.50	2.20	3.25	4.25

Galvanized Fittings, double above lists.

CAST IRON FITTINGS—DRAINAGE

Closet Tees

INLETS BOTH SIDES

INLETS BOTH SIDES AND TOP



FIG. H-148

FIG. H-148—CLOSET TEES



FIG. H-149

Size, inches	3	4	5 x 4	6 x 4
With 2 inch inlet right side only	\$3.00	3.50	6.50	8.00
With 2 inch inlet left side only	3.00	3.50	6.50	8.00
With 2 inch inlet both sides	3.50	4.00	7.00	10.00

FIG. H-149—CLOSET TEES

Size, inches	4	5 x 4	6 x 4
With 2 inch inlet right side and top	\$5.50	7.00	9.00
With 2 inch inlet left side and top	5.50	7.00	9.00
With 2 inch inlet both sides and top	6.00	7.50	10.00

45° Y

45° DOUBLE Y

60° Y



FIG. H-150



FIG. H-151



FIG. H-152

Size, inches	2 x 1½	3 x 2	4 x 2	4 x 3	5 x 2	5 x 3
Fig. H-150—45° Y	\$1.00	1.70	2.60	2.60	3.50	3.50
Fig. H-151—45° Double Y	1.30	2.20	3.10	3.10	4.25	4.25
Fig. H-152—60° Y	1.00	1.70	2.60	2.60	4.50	4.50
Size, inches	5 x 4	6 x 2	6 x 4	6 x 5	8 x 4	8 x 6
Fig. H-150—45° Y	\$3.50	5.50	5.50	5.50	15.00	15.00
Fig. H-151—45° Double Y	4.25	6.50	6.50	6.50	18.00	18.00
Fig. H-152—60° Y	4.50	7.00	7.00	7.00	15.00	15.00

Galvanized Fittings, double above list.

CAST IRON FITTINGS—DRAINAGE

90° Y Branch—T Pattern

LONG TURN




FIG. H-153

Size, inches	1½	2	2½	3	4	5	6	7	8	10	
Each	\$1.15	1.35	1.90	2.25	3.50	5.50	7.00	11.50	14.50	20.00	
Size, inches	2x1½	2½x1½	2½x2	3x1½	3x2	4x1½	4x2	4x2½	4x3	5x1½	5x2
Each	\$1.35	1.90	1.90	2.25	2.25	3.50	3.50	3.50	3.50	5.50	5.50
Size, inches	5x3	5x4	6x2	6x3	6x4	6x5	7x4	8x3	8x4	10x4	10x6
Each	\$5.50	5.50	7.00	7.00	7.00	7.00	11.50	14.50	14.50	20.00	20.00

THREE-WAY ELBOW



FIG. H-154

90° DOUBLE Y BRANCH—T PATTERN



FIG. H-155

Size, inches	1½	2	3x2	3	4x2	4	5x4	5	6x5	6
Fig. H-154—Three-way Elbows, each	\$1.00	1.30	2.20	3.10	4.25	4.25	6.50	6.50		
Fig. H-155—90° Double Y Branches, ea.	1.25	1.95	3.00	3.00	4.00	4.00	6.50	6.50	8.50	8.50

Galvanized Fittings, double above list.

CAST IRON FITTINGS—DRAINAGE

Traps

HALF "S"



FIG. H-156

THREE-QUARTER "S"



FIG. H-157

Size, inches	2	3	4	5	6	8
Fig. H-156—Each	\$2.25	3.00	4.50	7.50	14.00	22.00
Fig. H-157—Each	3.50	4.00	6.50	10.00	20.00	32.00

"S"




FIG. H-158

RUNNING



FIG. H-159

Size, inches	2	3	4	5	6	8
Fig. H-158—Each	\$3.50	4.00	6.50	10.00	20.00	32.00
Fig. H-159—Each	2.40	3.50	5.00	8.00	15.00	25.00

Galvanized Fittings, double above list.

CAST IRON FITTINGS—DRAINAGE

CLOSET ELBOW WITH FLANGE



FIG. H-160

CLOSET ELBOW REDUCING




FIG. H-161

CLOSET FLANGE IRON




FIG. H-162

Size, inches	4	4x5	5
Fig. H-160—Closet Elbow, with Flange 10 inch diameter, each	\$2.50		
Fig. H-161—Closet Elbow, Reducing, each		3.70	
Fig. H-162—Closet Flange, Iron, Flange 7 inch diameter, each	1.00		
Fig. H-162—Closet Flange, Iron, Flange 10 inch diameter, each			1.30

CAPPING FOR AIR INLET PIPES



FIG. H-163

TUCKER CONNECTION



FIG. H-164

ROOF CONNECTION



FIG. H-165

FIG. H-163—CAPPINGS FOR AIR INLET PIPES

Size, inches	2	3	4	5
Each	\$1.20	1.30	1.50	2.00

CONNECTIONS

Size, inches	2	3	4	5	6
Fig. H-164 - Tucker, each	.75	1.00	2.50	4.50	6.00
Fig. H-165—Roof, each	.50	.80	1.00	1.20	2.00

CLOSET FLANGE—BRASS



FIG. H-166

BRASS SOLDERING NIPPLE



FIG. H-167

Size, inches	1	1 1/4	1 1/2	2	3	4
Fig. H-166—Closet Flange, Brass, Flange 7 1/2 inch diameter, each						\$3.20
Fig. H-167—Brass Soldering Nipples, each	.42	.63	.84	1.17	2.34	4.00

Galvanized Fittings, double above lists.

CAST IRON FITTINGS

Hook Plate



FIG. H-168

Single Hook



FIG. H-169

Expansion Plate



FIG. H-170

Beam Hook



FIG. H-171

FIGS. H-168 AND H-169—HOOK PLATES

Number of Hooks	1	2	3	4	5	6	7	8	9	10	11	12
For 1 inch Pipe	.09	.18	.23	.26	.32	.38	.48	.59	.65	.70	.85	1.00
For 1 1/4 inch Pipe	.10	.21	.27	.32	.41	.52	.68	.80	.90	1.20	1.35	1.40
For 1 1/2 inch Pipe	.15	.28	.43	.58	.72	.88	1.10	1.25	1.40	1.55	1.65	1.90
For 2 inch Pipe	.22	.43	.65	.90	1.15	1.35	1.75	2.00	2.25	2.50	2.75	3.00

FIG. H-170—EXPANSION PLATES

Number of Hooks	1	2	3	4	5	6	7	8	9	10	11	12
For 1 inch Pipe	.15	.25	.35	.50	.60	.70	.80	.95	1.10	1.35	1.55	1.70
For 1 1/4 inch Pipe	.17	.27	.40	.60	.70	.80	.90	1.15	1.30	1.50	1.70	2.00
For 1 1/2 inch Pipe	.25	.40	.60	.75	.90	1.00	1.25	1.50	1.75	2.00	2.25	2.50
For 2 inch Pipe	.40	.60	.85	1.00	1.35	1.55	2.00	2.45	2.75	3.10	3.60	4.25

FIG. H-171—BEAM HOOKS

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black, each	.13	.15	.18	.22	.24	.35	.65	.90

Ring Plates



FIG. H-172



FIG. H-173

FIGS. H-172 AND H-173

No. of Pipes	1	2	3	4	5	6	7	8	9	10
1 inch, each	.16	.28	.41	.50	.62	.72	.96	1.00	1.20	1.30
1 1/4 inch, each	.21	.35	.50	.62	.75	1.10	1.25	1.40	1.60	1.80

"O. S." DISTRIBUTER

Insures free, positive, uniform circulation. Saves labor, fittings and joints, cutting of floors, beams, etc. Prevents friction; no leaks; keeps risers in line.




FIG. H-174

Positions of tappings are indicated by Figures 1, 2, 3.

Tappings, Inches.

1	2	3
1 x 3/4	x 3/4	
1 x 3/4	x 1	
1 x 1	x 3/4	
1 x 1	x 1	
1 1/4 x 1	x 1	
1 1/4 x 1	x 1 1/4	
1 1/4 x 1 1/4	x 1	
1 1/4 x 1 1/4	x 1 1/4	
1 1/2 x 1 1/4	x 1	
1 1/2 x 1	x 1 1/4	
1 1/2 x 1 1/4	x 1 1/4	

SIZES

Tappings, Inches.

1	2	3
1 1/2 x 1 1/4	x 1 1/2	
1 1/2 x 1 1/2	x 1 1/4	
1 1/2 x 1 1/2	x 1 1/2	
2 x 1 1/4	x 1 1/2	
2 x 1 1/2	x 1 1/4	
2 x 1 1/2	x 1 1/2	
2 x 2	x 2	
2 1/2 x 1 1/2	x 1 1/2	
2 1/2 x 2	x 1 1/2	
2 1/2 x 2	x 2	

PRICES

Size Inches.	Each.
1	.60
1 1/4	.80
1 1/2	.90
2	1.20
2 1/2	2.00

Three-Way Elbow

Used in place of Branch Headers



FIG. H-175

FIG. H-175—THREE-WAY ELBOWS

Size, Inches.	Each.	Size, Inches.	Each.
1 x 3/4	.38	3 x 2 1/2	\$2.25
1 1/4 x 1	.52	4 x 3	3.75
1 1/2 x 1 1/4	.68	5 x 3 1/2	6.75
2 x 1 1/2	.90	5 x 4	6.75
2 1/2 x 2	1.50	6 x 5	9.75

PIPE HANGERS

Ball Joint

No. 1



FIG. H-176

No. 2




FIG. H-177

No. 3



FIG. H-178

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6	7	8	10	12
Fig. H-176—Plain, Ea.	.15	.18	.18	.20	.22	.25	.30	.35	.37	.45	.58	.70	1.05	1.20	1.60	1.90
Fig. H-177—Plain, Ea.	.55	.58	.58	.60	.62	.65	.70	.75	.77	.85	.98	1.10	1.45	1.60	2.00	2.30
Fig. H-178—Plain, Ea.	.30	.33	.33	.35	.37	.40	.55	.62	.70	.83	1.05	1.20	1.55	1.70	2.00	2.30

No. 1 Hangers always sent, unless otherwise specified.
 When ordering No. 2 Hangers, state size of Beam.

Ox Bow




FIG. H-179

Hangers, less chain, per 100	\$7.50
Chain, per 100 feet	4.50

PIPE HANGERS

FIG. H-180

The bar *can be bent* to any desired angle. A great hanger for *soil pipe* work.

HINGE RING AND EXTENSION BAR




FIG. H-180

Size, in.	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Each19	.19	.21	.23	.25	.27	.29	.31	.35	.37
Size, in.	4 1/2	5	6	7	8	9	10	11	12	
Each39	.41	.45	.70	.95	1.20	1.50	1.70	2.00	

Ring and Bolt only, deduct 2 cents from above price.

STEEL DROP FORGED I BEAM CLAMP

(Adjustable to fit I Beams 1 to 6 1/2 inches.)




FIG. H-181

Size.		Each.
No. 1	For Pipe 1/2 to 1 1/2 inclusive25
No. 2	For Pipe 2 to 3 inclusive30
No. 3	For Pipe 3 1/2 to 6 inclusive35
No. 4	For Pipe 7 to 8 inclusive50
No. 5	For Pipe 9 to 12 inclusive70

HANGER ROLLS




FIG. H-182

2 INCH AND SMALLER

Number of Pipes		1	2	3	4	5	6
For 1 inch pipe, 2 1/2 inches center to center, each06	.12	.18	.24	.30	.36	
For 1 1/4 inch pipe, 3 inches center to center, each07	.14	.21	.28	.35	.42	
For 1 1/2 inch pipe, 3 inches center to center, each08	.16	.24	.32	.40	.48	
For 2 inch pipe, 3 1/4 inches center to center, each13	.26	.39	.52	.65	.78	

Above prices for Rolls only, without Rods, Bolts or Flanges.

2 1/2 INCH AND LARGER

Size, inches	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8	10	12	14
Length, end to end	4 3/4	4 3/4	5 1/2	5 1/2	6	6	7 3/4	8	9	11 1/2	14	17 1/2
Weight, lbs.	2	2	3 1/2	3 1/2	4	4	4 1/2	6	7 1/4	12	17 1/2	22
Each15	.18	.21	.21	.24	.24	.27	.36	.44	.72	1.05	1.32

Above prices for Rolls only, without Rods, Bolts or Flanges.

MALLEABLE PIPE RING




FIG. H-183

CAST IRON SPRINKLER CLIP




FIG. H-184

FIG. H-183

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8
Weight lbs. per 100	9 1/4	15 3/4	18	28	35	39	49 1/2	71	84 1/2	91	100	---	---	---
Each	.02	.03	.03	.04	.05	.06	.08	.12	.15	.20	.25	.40	.50	.60

7 and 8 inch are Wrought Iron

FIG. H-184

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Short, each	.09	.09	.10	.11	.12	.15	.35	.39	.47	.60
Long, each	.09	.09	.10	.11	.12	.15	.35	.39	.47	.60
Extra Long, each	---	.20	.22	.24	.25	.32	---	---	---	---

SPRINKLER HANGER



FIG. H-185

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Each	.09	.10	.11	.18	.29	.33	.46

ADJUSTABLE PIPE HANGERS

Brass and Iron




FIG. H-186




FIG. H-187




FIG. H-188

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-186—Plain Iron, per 100	\$5.00	5.00	5.80	6.75	7.50	10.00	14.00
Fig. H-186—Galvanized Iron, per 100	6.50	6.50	7.00	8.00	9.00	12.00	16.00
Fig. H-186—Polished Brass, each	.34	.34	.36	.40	.55	.80	1.10
Fig. H-186—Nickel-plated, each	.36	.36	.38	.45	.60	.90	1.25
Fig. H-187—Galvanized Iron, each	.17	.17	.20	.25	.30	.40	.50
Fig. H-187—Polished Brass, each	.34	.34	.36	.40	.55	.80	1.10
Fig. H-187—Nickel-plated, each	.36	.36	.38	.45	.60	.90	1.25
Fig. H-188—Galvanized Iron, each	.17	.17	.20	.25	.30	.40	.50




FIG. H-189



FIG. H-190

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	4	5	6	7	8
Plain Iron, each	.22	.22	.27	.32	.35	.40	.50	.70	.90	1.10	1.40	1.90	2.50	3.00
Galv. Iron, each	.25	.25	.30	.35	.40	.50	.60	.80	1.00	1.25	1.75	2.25	3.00	3.50
Pol'd Brass, each	.90	.90	1.00	1.15	1.30	1.50	1.70							
N. P., each	1.00	1.00	1.10	1.25	1.40	1.60	1.80							

FIG. H-190

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Polished Brass, each	.90	.90	1.00	1.15	1.30	1.50	1.70
Nickel-plated, each	1.00	1.00	1.10	1.25	1.40	1.60	1.80

NOTE.—Figures H-189 and H-190 are furnished with $\frac{1}{4}$ x 4 Nipple.

FLOOR AND CEILING PLATES

Cast Iron Ceiling Plates

TWO-PART



FIG. H-191

SOLID



FIG. H-192

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6
Fig. H-191—Each		.22	.28	.32	.40	.50	.65	.90	1.00	1.20			
Fig. H-192—Each	.11	.13	.16	.18	.23	.27	.36	.50	.55	.68	.95	.95	1.25

Cast Iron Floor Plates

WITH COLLAR



FIG. H-193

FLAT



FIG. H-194

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6
Fig. H-193—Each	.06	.06	.08	.11	.14	.16	.24	.30	.35	.42			
Fig. H-194—Each	.06	.06	.08	.11	.14	.16	.24	.30	.35	.42	.60	.60	.75

Adjustable Floor and Ceiling Plate

No. 40




FIG. H-195

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
No. 4, Plain, each	.14	.14	.18	.20	.24	.28	.43	.60
No. 40, Nickel-plated, each	.25	.25	.28	.32	.35	.38	.52	.75

FLOOR AND CEILING PLATES

Spun Brass Floor and Ceiling Plates—Nickel-Plated

FLOOR PLATE




FIG. H-196

CEILING PLATE




FIG. H-197

FIGS. H-196 AND H-197

Size, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	.08	.08	.09	.10	.11	.12	.13	.15

RUSSELL'S ADJUSTABLE FLOOR AND CEILING PLATES

Spring Brass—Nickel-Plated




FIG. H-198




FIG. H-199

FIGS. H-198 AND H-199

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Nickel-Brass	.25	.25	.25	.28	.32	.35	.38	.52	.75

Cold Rolled Steel



FIG. H-200




FIG. H-201

FIGS. H-200 AND H-201

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Polished Steel	.12	.12	.15	.18	.20	.24
Nickel-plated Steel	.25	.25	.28	.32	.35	.38

TELESCOPING FIRE PROOF FLOOR SLEEVE

Galvanized Sheet Iron

WITH NEAT CAST IRON FLANGE ON TOP AND BOTTOM

**EASILY
ADJUSTED**



**HAS NO SCREWS,
SLOTS
OR SPRINGS
TO GET
OUT OF ORDER**

FIG. H-202

The Galvanized Sheet Iron Floor Sleeve, as illustrated above, is intended to meet the demands for a cheaper article than Cast Iron Floor Sleeves.

They are so designed that they can be adjusted to the required permanent position, and remain so, without the use of screws, slots or springs, which are liable to get out of order.

Below is a table showing standard sizes and range of each size:

NO. 1

Size of Pipe, inches.....	$\frac{3}{4}$	1	$1\frac{1}{4}$
Minimum Length, inches.....	12	12	12
Maximum Length, inches.....	17	17	17
Each.....	\$1.00	1.10	1.30

NO. 2

Size of Pipe, inches.....	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	8
Minimum Length, inches.....	14	14	14	14	14	14	14	14	14	14	14	14
Maximum Length, inches.....	24	24	24	24	24	24	24	24	24	24	24	24
Each.....	\$1.05	1.20	1.35	1.50	1.80	2.10	2.50	3.00	3.75	4.50	5.25	6.75

Gas Pipe Hook



FIG. H-203

**Pipe Strap
TINNED**



FIG. H-204

FIG. H-203—GAS PIPE HOOKS

Size, inches.....	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Per 100.....	.46	.56	.66	.94	1.20	1.50	1.90	2.50

FIG. H-204—PIPE STRAPS—TINNED

Sizes, $\frac{1}{4}$ inch to 2 inches, per pound.....	.30
---	-----

PIPE SADDLES AND CLAMPS

FOR STEAM, WATER AND GAS CONNECTIONS

Pipe Saddles

SINGLE STRAP




FIG. H-205

DOUBLE STRAP




FIG. H-206

FIG. H-205—CAST IRON

Size of Pipe, inches	2	2½	3	4	4½
Tapped for Pipe, inches	½ to 1	¾ to 1½	¾ to 2	¾ to 2	¾ to 2
Single Strap, each	.80	.85	.90	1.20	1.40
Size of Pipe, inches	5	6	8	10	12
Tapped for Pipe, inches	1 to 2	1 to 2	2 to 3	2 to 4	3 to 4
Single Strap, each	\$1.40	1.70	3.00	---	---

FIG. H-206—MALLEABLE IRON

Size of Pipe, inches	2	3	4	4¼	4½	5	5½
Tapped for Pipe, inches	1 to 1½	1 to 2	1 to 2	1 to 2	1 to 2	1 to 2	1 to 2
Double Strap, each	\$1.00	1.00	1.25	2.00	2.50	2.75	2.75
Size of Pipe, inches		5⅞	6	6	6¼	6¼	7½
Tapped for Pipe, inches		2½ to 4	1 to 2	2½ to 4	1 to 2	2½ to 4	1 to 2
Double Strap, each		\$5.50	2.50	5.75	3.00	5.75	4.50
Size of Pipe, inches		8	8	10	10	12	12
Tapped for Pipe, inches		1 to 2	2½ to 4	1 to 2	2½ to 4	1 to 2	2½ to 4
Double Strap, each		\$4.50	6.50	5.50	6.75	6.25	8.75

Water Pipe Clamp




FIG. H-207

Size of Pipe, inches	3	3	4	4	4
Tapped for Pipe, inches	¾ to 1	1¼ to 2	½ to 1½	2	3
Each	\$1.25	1.50	1.75	2.00	4.00
Size of Pipe, inches	6	6	6	8	8
Tapped for Pipe, inches	½ to 1½	2	3	½ to 3	4
Each	\$2.25	2.50	5.00	5.50	6.00

STEAM JOINT CLAMPS

“Climax”

THE ONLY PRACTICAL DEVICE MADE TO REPAIR LEAKS AT JOINTS WHERE PIPES ARE SCREWED INTO FITTINGS




FIG. H-208

$\frac{3}{4}$ inch Pipe	Each. \$1.50	4 inch Pipe	Each. \$6.00
1 inch Pipe	1.50	$4\frac{1}{2}$ inch Pipe	6.75
$1\frac{1}{4}$ inch Pipe	1.90	5 inch Pipe	7.50
$1\frac{1}{2}$ inch Pipe	2.25	6 inch Pipe	9.00
2 inch Pipe	3.00	7 inch Pipe	10.50
$2\frac{1}{2}$ inch Pipe	3.75	8 inch Pipe	13.00
3 inch Pipe	4.50	10 inch Pipe	18.75
$3\frac{1}{2}$ inch Pipe	5.25	12 inch Pipe	22.50

“Emergency”

AN INEXPENSIVE DEVICE FOR REPAIRING LEAKS AND SPLITS IN PIPE




FIG. H-209

Size of Pipe, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Length over all	$3\frac{3}{4}$	$3\frac{3}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6
Each	.40	.45	.50	.60	.70	.80	1.00	1.25	1.50	2.00

MALLEABLE IRON FITTINGS

Pound Price List

CLASSIFICATION AND PRICE LIST

ADOPTED NOVEMBER 6, 1906.

Class	A	B	C	*D
Black, per lb	.40	.26	.16	.13
Galvanized, per lb	.50	.35	.23	.20
Elbows	$\left. \begin{array}{l} 1 \\ 8 \end{array} \right\} \begin{array}{l} X \\ 1 \\ 4 \\ 3 \\ 8 \end{array} \left. \begin{array}{l} 1 \\ 8 \\ 1 \\ 8 \\ 1 \\ 8 \end{array} \right\}$	$\left. \begin{array}{l} 3 \\ 8 \\ 1 \\ 2 \\ 1 \\ 4 \\ 3 \\ 8 \end{array} \right\} \begin{array}{l} X \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \end{array} \left. \begin{array}{l} 1 \\ 4 \\ 1 \\ 4 \\ 3 \\ 8 \end{array} \right\}$	$\frac{1}{2} X \frac{3}{8}$	$\frac{3}{4}$ and larger
Elbows, R. & L	$\frac{1}{4}, \frac{3}{8}$	$\frac{1}{2}$ and smaller	$\frac{3}{4}$ and 1	$1\frac{1}{4}$ and larger
Elbows, 45°		$\frac{1}{4}$ and $\frac{3}{8}$	$\frac{3}{4}$ to 2 incl.	$2\frac{1}{2}$ and larger
Elbows, Street		and smaller	$\frac{1}{2}, \frac{3}{4}$ to $1 \times \frac{3}{4}$	1 and larger
Elbows, Side Outlet		and smaller	and larger	
Elbows, Drop		and smaller	and larger	
Tees	$\left. \begin{array}{l} 1 \\ 8 \\ 1 \\ 8 \\ 1 \\ 4 \\ 1 \\ 4 \\ 3 \\ 8 \\ 3 \\ 8 \end{array} \right\} \begin{array}{l} 1 \\ 8 \\ X \\ 1 \\ 8 \\ 1 \\ 8 \\ 1 \\ 8 \\ 1 \\ 8 \\ 1 \\ 8 \end{array} \left. \begin{array}{l} 1 \\ 8 \\ 1 \\ 8 \end{array} \right\}$	$\left. \begin{array}{l} 3 \\ 8 \\ 1 \\ 4 \\ X \\ 3 \\ 8 \\ 1 \\ 4 \\ X \\ 3 \\ 8 \\ 1 \\ 4 \\ X \\ 3 \\ 8 \end{array} \right\} \begin{array}{l} 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \end{array} \left. \begin{array}{l} 1 \\ 4 \\ 1 \\ 4 \\ 3 \\ 8 \\ 3 \\ 8 \end{array} \right\}$	$\frac{1}{2}$ reduc.	$\frac{3}{4}$ and larger
Tees, Four Way		$\frac{1}{2}$ and smaller	$\frac{3}{4}$ and larger	
Tees, Drop		and smaller	and larger	
Tees, Service			$\frac{1}{2}, \frac{3}{4}, 1$	1 and larger
Crosses		$\frac{1}{4}, \frac{3}{8}$ and $\frac{1}{2}$	$\frac{3}{4}$ and 1	$1\frac{1}{4}$ and larger
Crosses, Reducing		1 and smaller		$1\frac{1}{4}$ and larger
Return Bends		$\frac{3}{8}$ and $\frac{1}{2}$	$\frac{3}{4}$ and 1	$1\frac{1}{4}$ and larger
Return Bends, R. & L	$\frac{3}{8}, \frac{1}{2}$	$\frac{3}{8}$ and 1	$1\frac{1}{4}$ and larger	
Couplings, R. H		$\frac{3}{8}$ and $\frac{1}{4}$	$\frac{1}{2}$ and $\frac{3}{4}$	1 and larger
Couplings, R. & L		and $\frac{1}{4}$	$\frac{1}{2}$ and $\frac{3}{4}$	1 and larger
Couplings, Reducing	$\left. \begin{array}{l} 1 \\ 8 \\ 3 \\ 8 \end{array} \right\} \begin{array}{l} X \\ 1 \\ 8 \\ 1 \\ 8 \end{array} \left. \begin{array}{l} 1 \\ 8 \\ 1 \\ 8 \end{array} \right\}$	$\left. \begin{array}{l} 3 \\ 8 \\ X \\ 1 \\ 4 \\ 3 \\ 8 \\ 1 \\ 4 \\ X \\ 3 \\ 8 \end{array} \right\} \begin{array}{l} 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \\ X \\ 1 \\ 4 \end{array} \left. \begin{array}{l} 1 \\ 4 \\ 3 \\ 8 \end{array} \right\}$	$\left. \begin{array}{l} 3 \\ 4 \\ X \\ 1 \\ 2 \end{array} \right\} \begin{array}{l} 1 \\ 2 \\ 3 \\ 4 \end{array} \left. \begin{array}{l} 1 \\ 2 \\ 3 \\ 4 \end{array} \right\}$	$1\frac{1}{4}$ and larger
Caps		and $\frac{1}{4}$	$\frac{1}{2}, \frac{3}{4}$ and 1	$1\frac{1}{4}$ and larger
Locknuts		$\frac{1}{4}, \frac{3}{8}$ and $\frac{1}{2}$	$\frac{3}{4}, 1, 1\frac{1}{4}$	$1\frac{1}{2}$ and larger
Extension Pieces		$\frac{3}{8}$ and $\frac{1}{2}$	$\frac{3}{4}$ and larger	
Waste Nuts		and smaller	1 and larger	
Chandelier Hooks		All sizes		
Chandelier Loops		All sizes		
Wall Plates		All sizes		
Y Bends, 45°		$\frac{3}{4}$ and $\frac{1}{2}$	1 and larger	
Pump Rod Sockets	$\left. \begin{array}{l} 3 \\ 8 \\ 3 \\ 8 \\ X \\ 7 \\ 16 \end{array} \right\} \left. \begin{array}{l} 1 \\ 8 \\ 1 \\ 8 \end{array} \right\}$	$\frac{1}{2}$		

* Such fittings in Class D as have one or more openings smaller than $\frac{3}{4}$ to be Class C.

The run of Tees gives the sizes for the purpose of classification; the outlet being larger does not change it.

In ordering be particular to state whether beaded or plain.

An extra charge will be made for fittings not enumerated in standard list.

MALLEABLE IRON FITTINGS

Piece Price List

BLACK

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Cap	.03	.04	.05	.08	.12	.16	.24	.32	.45	.85	1.00	1.20	
Chandelier Hook			.10	.12									
Chandelier Loop			.10	.12									
Coupling, Right Hand	.03	.04	.07	.10	.14	.20	.25	.35					
Coupling, Right and Left	.04	.05	.08	.12	.16	.25	.36	.52					
Couplings, Reducing	.03	.03	.05	.10	.16	.20	.28	.45	.70	1.00	1.50	1.85	
Cross	.08	.10	.12	.20	.30	.40	.60	1.00	1.75	3.00	3.25	5.25	
Drop Elbow	.06	.08	.12	.20	.25								
Drop Elbow, Long		.10											
Drop Tee	.08	.10	.14	.22	.30								
Elbow, Right Hand	.04	.04	.06	.10	.15	.22	.25	.35	.50	.80	1.50	2.25	3.00
Elbow, Right and Left	.05	.07	.12	.17	.25	.30	.40	.65					
Elbow, Side Outlet		.08	.10	.18	.30	.45	.60	1.00					
Elbow, 45°	.08	.10	.12	.18	.26	.36	.54	.82	1.25	2.50	3.25	4.50	
Extension Piece			.06	.09	.12								
Locknut	.02	.03	.04	.05	.07	.09	.11	.18	.40	.50			
Reducer	.03	.03	.05	.10	.16	.20	.28	.45	.70	1.00	1.50	1.85	
Return Bend, Close	{ R. H. R. & L.			.13	.25	.35	.50	.75	1.00				
Return Bend, Open	{ R. H. R. & L.			.15	.30	.45	.60	.90	1.25				
Street Elbow	.10	.10	.12	.20	.25	.40	.55	.90	1.50				
Tee	.07	.07	.08	.11	.15	.25	.30	.45	.60	1.05	1.70	2.50	3.40
Tee, Four Way			.12	.14	.20	.35	.50	.80	1.25				
Wall Plate			.12										
Waste Nut	.04	.05	.06	.08	.10								
Y Branch			.25	.40	.60	.80	1.00	1.70	2.00	3.00	3.50	4.00	

GALVANIZED

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Cap	.04	.05	.08	.12	.17	.24	.38	.52	.76	1.30	1.60	2.00
Coupling, Right Hand	.05	.07	.10	.17	.23	.30	.40	.55				
Coupling, Right and Left	.06	.08	.10	.17	.25	.35	.55	.75				
Couplings, Reducing	.05	.08	.15	.25	.35	.45	.75	1.05	1.65	2.40	3.05	
Cross	.15	.17	.25	.45	.60	.90	1.50	2.75	4.25	5.00	8.00	
Drop Elbow	.12	.20	.35	.40								
Drop Elbow, Long	.18											
Drop Tee	.15	.25	.40	.55								
Elbow, Right Hand	.05	.08	.14	.20	.32	.40	.60	.90	1.35	2.60	3.75	5.00
Elbow, Side Outlet	.10	.15	.24	.45	.70	1.10						
Elbow, 45°	.12	.15	.20	.25	.40	.50	.85	1.35				
Locknut	.03	.04	.05	.07	.10	.14	.20	.30	.55	.70		
Reducer	.05	.08	.15	.25	.35	.45	.75	1.05	1.65	2.40	3.05	
Return Bend, Close, R. H.			.25	.35	.55	.75	1.15	1.65				
Return Bend, Open, R. H.			.25	.45	.70	.90	1.25	2.00	3.50	5.00		
Street Elbow	.12	.12	.15	.28	.35	.55	.80	1.30				
Tee	.09	.10	.16	.20	.38	.50	.70	1.00	1.90	3.00	4.25	5.75
Tee, Four Way			.21	.30	.55	.75	1.20					
Waste Nut	.08	.10	.12	.16	.20							
Y Branch			.38	.60	.90	1.25	1.50	2.50	3.00	4.50		

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

PLAIN



FIG. H-210

BEADED



FIG. H-211

Elbows

NOTE.—Weights on this and following pages are only approximate and are not guaranteed.

Class.	Size.	Weight Plain.	Weight Beaded.	Class.	Size.	Weight Plain.	Weight Beaded.
		Lbs. per 100	Lbs. per 100			Lbs. per 100	Lbs. per 100
A		8	---	D	1½ x ¾	102½	167
A	¼ x ⅛	7½	---	D	1½ x 1	94½	148½
B	¼ x ¼	8½	10	D	1½ x 1¼	101	145
A	⅜ x ⅛	14½	---	D	2 x 1½	105	143
B	⅜ x ¼	14	16	D	2 x 1	---	215
B	1 x ¼	15	16	D	2 x 1¼	176	225
B	1 x 1/2	22½	---	D	2 x 1½	169	240
C	1 x 1/2	19½	25½	D	2	169½	214
C	1 x 3/4	22	23½	D	2½ x 1½	---	388
C	3/4 x 3/8	31	---	D	2½ x 2	---	344
C	3/4 x 1/2	35	40½	D	2½ x 2½	---	407
D	1 x 1/4	33½	39	D	3 x 2	---	438
C	1 x 1/2	47½	59	D	3 x 2½	---	531
D	1 x 3/4	45	61½	D	3	---	620
D	1	42½	63	D	3½ x 3	---	1200
D	1¼ x ¾	83	104½	D	3	---	1000
D	1¼ x 1	88½	97½	D	4 x 3½	---	1250
D	1¼	76	99	D	4	---	1506

Street Elbow



FIG. H-212

Class.	Size.	Weight Beaded.	Class.	Size.	Weight Beaded.
		Lbs. per 100			Lbs. per 100
B		11	D	1¼ x ¾	100
B		16	D	1¼ x 1	107
C		26	D	1½	114
C	¾ x 1/2	44	D	1½ x 1¼	153
C	¾ x 3/4	47	D	1½ x 1½	158
C	1 x 3/4	72	D	2 x 1½	229
D	1	73	D	2	266

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

45° ELBOW



FIG. H-213

SIDE OUTLET ELBOW




FIG. H-214

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Class	B	B	C	C	C	C	C
Weight, Beaded, pounds, per 100	$12\frac{1}{2}$	$16\frac{1}{2}$	31	49	$83\frac{1}{2}$	118	170

FIG. H-214—SIDE OUTLET ELBOWS

Class.	Size.	Weight, Plain, lbs., per 100.	Class.	Size.	Weight, Plain, lbs., per 100.
B	$\frac{3}{8} \times \frac{3}{8} \times \frac{1}{4}$	12	C	1 x1 x $\frac{3}{8}$	48
B	$\frac{3}{8} \times \frac{3}{8} \times \frac{3}{8}$	16	C	1 x1 x $\frac{1}{2}$	$49\frac{1}{2}$
B	$\frac{1}{2} \times \frac{1}{2} \times \frac{3}{8}$	$19\frac{1}{2}$	C	1 x1 x $\frac{3}{4}$	$51\frac{1}{2}$
B	$\frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$	29	C	1 x1 x1	$55\frac{1}{2}$
C	$\frac{3}{4} \times \frac{3}{4} \times \frac{3}{8}$	37	C	$1\frac{1}{4} \times 1\frac{1}{4} \times 1\frac{1}{4}$	$91\frac{1}{2}$
C	$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{2}$	38	C	$1\frac{1}{2} \times 1\frac{1}{2} \times 1\frac{1}{2}$	150
C	$\frac{3}{4} \times \frac{3}{4} \times \frac{3}{4}$	40	C	2 x2 x2	230

Smallest opening is always the side opening.

DROP ELBOW, FEMALE




FIG. H-215

DROP ELBOW, MALE AND FEMALE




FIG. H-216

FIG. H-215—DROP ELBOWS, FEMALE

Class.	Size.	Weight, Plain, lbs., per 100.	Class.	Size.	Weight, Plain, lbs., per 100.
B	$\frac{1}{4} \times \frac{1}{4}$	13	B	$\frac{1}{2} \times \frac{1}{2}$	27
B	$\frac{3}{8} \times \frac{1}{4}$	22	C	$\frac{3}{4} \times \frac{1}{2}$	$40\frac{1}{2}$
B	$\frac{3}{8} \times \frac{3}{4}$	19	C	$\frac{3}{4} \times \frac{3}{4}$	$41\frac{1}{2}$
B	$\frac{1}{2} \times \frac{3}{8}$	27	C	1 x1	56

FIG. H-216—DROP ELBOWS, MALE AND FEMALE

Class.	Size.	Weight, Plain, lbs., per 100.	Class.	Size.	Weight, Plain, lbs., per 100.
B	$\frac{1}{8} \times \frac{3}{8}$	12	B	$\frac{3}{8} \times \frac{3}{8}$	21
B	$\frac{1}{4} \times \frac{3}{8}$	$16\frac{1}{2}$	B	$\frac{1}{2} \times \frac{3}{8}$	$25\frac{1}{2}$

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

Drop Elbows—Flanged

FLANGE RIGHT

FLANGE LEFT



FIG. H-217

FIG. H-217

Class.	Size.	Weight, Plain lbs. per 100.
B	$\frac{1}{4}$ X $\frac{3}{8}$	$14\frac{1}{2}$
B	$\frac{3}{8}$ X $\frac{3}{8}$	$20\frac{1}{4}$

FIG. H-218

Class.	Size.	Weight, Plain lbs. per 100.
B	$\frac{1}{4}$ X $\frac{3}{8}$	$14\frac{1}{2}$
B	$\frac{3}{8}$ X $\frac{3}{8}$	$20\frac{1}{4}$



FIG. H-218

Long Drop Elbow
WITH DROP 2 1-2 INCHES LONG

Class.	Size.	Weight Plain lbs. per 100.
B	$\frac{1}{4}$ X $\frac{3}{8}$	16



FIG. H-219

Class.	Size.	Weight Plain lbs. per 100.
B	$\frac{3}{8}$ X $\frac{3}{8}$	26

PLAIN

Tees

BEADED

In describing Tees, the run is first named, then the outlet, thus:

$$\frac{1}{2} \text{ T } \frac{3}{8} = \frac{1}{2} \text{ X } \frac{3}{8} \text{ X } \frac{3}{4}$$




FIG. H-220



FIG. H-221

Class.	Size.	Weight Plain. lbs. per 100	Weight Beaded. lbs. per 100	Class.	Size.	Weight Plain. lbs. per 100	Weight Beaded. lbs. per 100
A	$\frac{1}{8}$	9	---	C	$\frac{1}{2}$ X $\frac{3}{8}$ X $\frac{3}{4}$	$32\frac{1}{2}$	---
A	$\frac{1}{8}$ X $\frac{1}{4}$	8	---	A	$\frac{1}{2}$ X $\frac{1}{4}$	21	---
A	$\frac{1}{4}$ X $\frac{1}{8}$	$9\frac{1}{2}$	---	C	$\frac{1}{2}$ X $\frac{3}{4}$	$21\frac{3}{4}$	$22\frac{1}{2}$
B	$\frac{1}{4}$	12	$14\frac{1}{2}$	C	$\frac{1}{2}$ X $\frac{3}{8}$	26	32
B	$\frac{1}{4}$ X $\frac{3}{8}$	16	---	C	$\frac{1}{2}$ X $\frac{3}{4}$	$29\frac{1}{2}$	$33\frac{1}{2}$
B	$\frac{3}{8}$ X $\frac{1}{4}$ X $\frac{1}{4}$	15	---	C	$\frac{1}{2}$ X 1	$34\frac{1}{2}$	---
B	$\frac{3}{8}$ X $\frac{1}{4}$ X $\frac{3}{8}$	$18\frac{1}{2}$	---	C	$\frac{1}{2}$ X $1\frac{1}{4}$	75	---
A	$\frac{3}{8}$ X $\frac{1}{8}$	16	---	C	$\frac{3}{4}$ X $\frac{3}{4}$ X $\frac{3}{8}$	29	---
A	$\frac{3}{8}$ X $\frac{1}{4}$	15	---	C	$\frac{3}{4}$ X $\frac{3}{8}$ X $\frac{1}{2}$	$35\frac{1}{2}$	---
B	$\frac{3}{8}$ X $\frac{1}{4}$	$16\frac{1}{2}$	17	C	$\frac{3}{4}$ X $\frac{3}{8}$ X $\frac{3}{4}$	$30\frac{1}{2}$	---
B	$\frac{3}{8}$ X $\frac{1}{2}$	24	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X 1	50	---
B	$\frac{3}{8}$ X $\frac{3}{4}$	27	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X $1\frac{1}{4}$	33	---
B	$\frac{3}{8}$ X 1	---	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X $\frac{3}{8}$	29	---
C	$\frac{1}{2}$ X $\frac{1}{4}$ X $\frac{1}{4}$	$18\frac{1}{2}$	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X $\frac{1}{2}$	34	$38\frac{1}{2}$
C	$\frac{1}{2}$ X $\frac{1}{4}$ X $\frac{1}{2}$	22	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X $\frac{3}{4}$	38	$49\frac{1}{2}$
C	$\frac{1}{2}$ X $\frac{3}{8}$ X $\frac{1}{2}$	20	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X 1	$50\frac{1}{2}$	---
C	$\frac{1}{2}$ X $\frac{3}{8}$ X $\frac{3}{4}$	$24\frac{1}{2}$	---	C	$\frac{3}{4}$ X $\frac{1}{2}$ X $\frac{3}{8}$	$29\frac{1}{2}$	---
C	$\frac{1}{2}$ X $\frac{3}{8}$ X $\frac{1}{2}$	$26\frac{1}{2}$	---	C	$\frac{3}{4}$ X $\frac{1}{4}$	$30\frac{1}{2}$	42

MALLEABLE IRON FITTINGS

TEES—Continued

LIST OF SIZES AND WEIGHTS

Class.	Size.	Weight	Weight	Class.	Size.	Weight	Weight
		Plain.	Beaded.			Plain.	Beaded.
		Lbs. per 100	Lbs. per 100			Lbs. per 100	Lbs. per 100
C	$\frac{3}{4}$ x $\frac{1}{2}$	34	52	D	$1\frac{1}{2}$ x 1 x $\frac{3}{4}$	81	---
D	$\frac{3}{4}$ x 1	41	49	D	$1\frac{1}{2}$ x 1 x 1	91	---
D	$\frac{3}{4}$ x 1	34	59 $\frac{1}{2}$	D	$1\frac{1}{2}$ x 1 x $1\frac{1}{4}$	94	---
D	$\frac{3}{4}$ x $1\frac{1}{4}$	64	---	D	$1\frac{1}{2}$ x 1 x $1\frac{1}{2}$	109	183
D	$\frac{3}{4}$ x $1\frac{1}{2}$	69	---	D	$1\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{3}{4}$	82	---
C	1 x $\frac{3}{8}$ x $\frac{1}{2}$	44 $\frac{1}{2}$	---	D	$1\frac{1}{2}$ x $1\frac{1}{4}$ x 1	91	139
C	1 x $\frac{3}{8}$ x $\frac{3}{4}$	47 $\frac{1}{2}$	---	D	$1\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{1}{4}$	96	164
C	1 x $\frac{3}{8}$ x 1	54	---	D	$1\frac{1}{2}$ x $1\frac{1}{4}$ x $1\frac{1}{2}$	110	174
C	1 x $\frac{3}{8}$ x $1\frac{1}{4}$	67 $\frac{1}{2}$	---	D	$1\frac{1}{2}$ x $\frac{3}{8}$ x 1	85	114 $\frac{1}{2}$
C	1 x $\frac{1}{2}$ x $\frac{3}{8}$	37 $\frac{1}{2}$	---	D	$1\frac{1}{2}$ x $\frac{1}{2}$ x $1\frac{1}{4}$	77 $\frac{1}{2}$	85 $\frac{1}{2}$
C	1 x $\frac{1}{2}$ x $\frac{1}{2}$	42	52	D	$1\frac{1}{2}$ x $\frac{3}{4}$ x 1	91 $\frac{1}{2}$	120 $\frac{1}{2}$
C	1 x $\frac{1}{2}$ x $\frac{3}{4}$	40 $\frac{1}{2}$	---	D	$1\frac{1}{2}$ x 1	102	150
C	1 x $\frac{1}{2}$ x 1	---	---	D	$1\frac{1}{2}$ x $1\frac{1}{4}$	102	155
C	1 x $\frac{1}{2}$ x 1	48	---	D	$1\frac{1}{2}$	126	171
C	1 x $\frac{1}{2}$ x $1\frac{1}{4}$	68	---	D	$1\frac{1}{2}$ x 2	131 $\frac{1}{2}$	212
C	1 x $\frac{3}{4}$ x $\frac{3}{8}$	39 $\frac{1}{2}$	54	D	2 x $\frac{1}{2}$ x 2	250	273
C	1 x $\frac{3}{4}$ x $\frac{1}{2}$	44	58	D	2 x $\frac{3}{4}$ x 2	203	267
D	1 x $\frac{3}{4}$ x $\frac{3}{4}$	38	65	D	2 x 1 x 2	221	273
D	1 x $\frac{3}{4}$ x 1	49	78	D	2 x $1\frac{1}{4}$ x $1\frac{1}{4}$	172	203
D	1 x $\frac{3}{4}$ x $1\frac{1}{4}$	67 $\frac{1}{2}$	---	D	2 x $1\frac{1}{4}$ x $1\frac{1}{2}$	146	232
C	1 x $\frac{1}{4}$ x $\frac{1}{4}$	37	44	D	2 x $1\frac{1}{4}$ x 2	203	270
C	1 x $\frac{3}{8}$ x $\frac{1}{2}$	35	47	D	2 x $1\frac{1}{2}$ x $1\frac{1}{4}$	155	208
C	1 x $\frac{1}{2}$ x $\frac{3}{4}$	41 $\frac{1}{2}$	44	D	2 x $1\frac{1}{2}$ x $1\frac{1}{2}$	169	210
D	1 x $\frac{3}{4}$	50 $\frac{1}{2}$	68 $\frac{1}{2}$	D	2 x $1\frac{1}{2}$ x 2	214	264
D	1	53	75	D	2 x $\frac{3}{8}$	118	124
D	1 x $1\frac{1}{4}$	60 $\frac{1}{2}$	96 $\frac{1}{2}$	D	2 x $\frac{1}{2}$	120	163
D	1 x $1\frac{1}{2}$	109	---	D	2 x $\frac{3}{4}$	107	165
D	$1\frac{1}{4}$ x $\frac{3}{8}$ x 1	83	---	D	2 x 1	130	175
D	$1\frac{1}{4}$ x $\frac{3}{8}$ x $1\frac{1}{4}$	89	---	D	2 x $1\frac{1}{4}$	152	219
D	$1\frac{1}{4}$ x $\frac{1}{2}$ x 1	83	---	D	2 x $1\frac{1}{2}$	154	217
D	$1\frac{1}{4}$ x $\frac{1}{2}$ x $1\frac{1}{4}$	94	---	D	2	197	262
D	$1\frac{1}{4}$ x $\frac{3}{4}$ x $\frac{3}{4}$	67	86	D	2 x $2\frac{1}{2}$	---	350
D	$1\frac{1}{4}$ x $\frac{3}{4}$ x 1	72	---	D	$2\frac{1}{2}$ x 1	---	350
D	$1\frac{1}{4}$ x $\frac{3}{4}$ x $1\frac{1}{4}$	89	124	D	$2\frac{1}{2}$ x $1\frac{1}{4}$	---	300
D	$1\frac{1}{4}$ x 1 x $\frac{3}{8}$	56	---	D	$2\frac{1}{2}$ x $1\frac{1}{2}$	---	300
D	$1\frac{1}{4}$ x 1 x $\frac{1}{2}$	47	---	D	$2\frac{1}{2}$ x 2	---	350
D	$1\frac{1}{4}$ x 1 x $\frac{3}{4}$	65	92	D	$2\frac{1}{2}$	---	500
D	$1\frac{1}{4}$ x 1 x 1	74	103	D	3 x 1	---	450
D	$1\frac{1}{4}$ x 1 x $1\frac{1}{4}$	92	132	D	3 x $1\frac{1}{4}$	---	450
D	$1\frac{1}{4}$ x 1 x $1\frac{1}{2}$	109	---	D	3 x $1\frac{1}{2}$	---	450
D	$1\frac{1}{4}$ x $\frac{3}{8}$	63	89	D	3 x 2	---	500
D	$1\frac{1}{4}$ x $\frac{1}{2}$ x $\frac{3}{4}$	66	89	D	3 x $2\frac{1}{2}$	---	650
D	$1\frac{1}{4}$ x $\frac{3}{4}$	71	96	D	3	---	750
D	$1\frac{1}{4}$ x 1	80	111	D	$3\frac{1}{2}$ x $2\frac{1}{2}$	---	700
D	$1\frac{1}{4}$ x $1\frac{1}{2}$	90	115	D	$3\frac{1}{2}$ x 3	---	850
D	$1\frac{1}{4}$ x 2	89	102	D	$3\frac{1}{2}$	---	1300
D	$1\frac{1}{2}$ x $\frac{1}{2}$ x 1	91	---	D	4 x 2	---	1000
D	$1\frac{1}{2}$ x $\frac{1}{2}$ x $1\frac{1}{2}$	113 $\frac{1}{2}$	---	D	4 x $2\frac{1}{2}$	---	1100
D	$1\frac{1}{2}$ x $\frac{3}{4}$ x $1\frac{1}{4}$	90	---	D	4 x 3	---	1200
D	$1\frac{1}{2}$ x $\frac{3}{4}$ x $1\frac{1}{2}$	114	176	D	4 x $3\frac{1}{2}$	---	1300
D				D	4	---	1450

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

DROP TEE FEMALE



FIG. H-222

DROP TEE MALE AND FEMALE



FIG. H-223

LONG DROP TEE



FIG. H-224
With Drop 2 1/2 Inches Long.

SERVICE TEE



FIG. H-225

FIG. H-222—DROP TEES, FEMALE

Class.	Size.	Drop.	Weight Plain.	Class.	Size.	Drop.	Weight Plain.
			Lbs. per 100.				Lbs. per 100.
B	3/8 X 1/4	X 1/4	20 1/2	C	3/4 X 1/2	X 3/8	37 1/2
B	3/8 X 3/8	X 1/4	21	C	3/4 X 3/4	X 3/4	35
B	3/8 X 3/8	X 3/8	16	C	3/4 X 3/4	X 1/2	34
B	1/2 X 1/4	X 1/2	26 1/2	C	3/4 X 3/4	X 3/8	42
B	1/2 X 3/8	X 1/4	21	C	3/4 X 3/4	X 3/4	49 1/2
B	1/2 X 3/8	X 3/8	27	C	1 X 3/4	X 3/8	46
B	1/2 X 1/2	X 1/4	26 1/2	C	1 X 1	X 3/8	43
B	1/2 X 1/2	X 3/8	16	C	1 X 1	X 1/2	58
B	1/2 X 1/2	X 1/2	33	C	1 X 1	X 3/4	63
B	3/4 X 1/2	X 3/4	31	C	1 X 1	X 1	68

FIG. H-223—DROP TEES, MALE AND FEMALE

Class.	Size.	Drop.	Weight Plain.	Class.	Size.	Drop.	Weight Plain.
			Lbs. per 100				Lbs. per 100
B	1/4 X 1/4	X 3/8	17	C	3/4 X 1/2	X 3/8	33
B	3/8 X 1/4	X 3/8	14 1/2	C	3/4 X 3/4	X 3/8	36
B	3/8 X 3/4	X 3/8	18 1/2	C	1 X 3/4	X 3/8	44
B	1/2 X 3/8	X 3/8	18 1/4	C	1 X 1	X 3/8	37
B	1/2 X 1/2	X 3/8	26				

FIG. H-224—LONG DROP TEES

Class.	Size.	Weight, Plain.
B	3/8 X 3/8 X 3/8	25 1/2

FIG. H-225—SERVICE TEES

Class.	Size.	Weight Beaded.	Class.	Size.	Weight Beaded.
		Lbs. per 100.			Lbs. per 100.
C	1/2 X 1/2	---	D	1 1/2 X 3/4	---
C	3/4 X 3/4	50	D	1 1/2 X 1 1/4	---
C	1 X 3/4	---	D	1 1/2 X 1	---
D	1 X 1	80	D	1 1/2 X 1 1/2	---
D	1 1/4 X 3/4	120	D	2 X 1 1/2	305
D	1 1/4 X 1	125	D	2 X 2	320
D	1 1/4 X 1 1/4	131	D	2 1/2 X 2 1/2	500

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

Side Outlet or Four-Way Tee



FIG. H-226

Class.	Size.	Weights, Lbs. per 100.
B	$\frac{3}{8}$	17
B	$\frac{1}{2}$	28 $\frac{1}{2}$
C	$\frac{3}{4}$	46
C	1	56 $\frac{1}{2}$
C	1 $\frac{1}{4}$	102
C	1 $\frac{1}{2}$	180
C	2	260

Crosses

The Outlets of a Cross are always the same size, and both denoted by the last figure.

CROSS-PLAIN



FIG. H-227

CROSS-BEADED



FIG. H-228

Class.	Size.	Weights, Plain, Lbs. per 100.	Weights, Beaded, Lbs. per 100.	Class.	Size.	Weights, Plain, Lbs. per 100.	Weights, Beaded, Lbs. per 100.
B	$\frac{1}{4}$	13 $\frac{1}{2}$	---	C	1 $\frac{1}{4}$ x $\frac{1}{2}$	69	71 $\frac{1}{2}$
B	$\frac{3}{8}$ x $\frac{1}{4}$	16	---	D	1 $\frac{1}{4}$ x $\frac{3}{4}$	71 $\frac{1}{2}$	86
B	$\frac{1}{2}$ x $\frac{1}{4}$	19 $\frac{1}{2}$	---	D	1 $\frac{1}{4}$ x 1	85	92
B	$\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{1}{4}$	22	---	D	1 $\frac{1}{4}$ x 1 $\frac{1}{4}$	100	115
B	$\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{1}{2}$	23 $\frac{1}{2}$	---	D	1 $\frac{1}{2}$ x 1 $\frac{1}{4}$ x 1 $\frac{1}{4}$	92	---
B	$\frac{1}{2}$ x $\frac{3}{8}$ x $\frac{1}{2}$	25	---	C	1 $\frac{1}{2}$ x $\frac{1}{2}$	85	---
B	$\frac{1}{2}$ x $\frac{1}{4}$	13 $\frac{1}{2}$	---	C	1 $\frac{1}{2}$ x $\frac{1}{2}$	87	94
B	$\frac{1}{2}$ x $\frac{3}{8}$	23 $\frac{1}{2}$	---	D	1 $\frac{1}{2}$ x $\frac{3}{4}$	108	138
B	$\frac{3}{4}$ x $\frac{1}{2}$	29 $\frac{1}{2}$	33 $\frac{1}{2}$	D	1 $\frac{1}{2}$ x 1	100	167 $\frac{1}{2}$
B	$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{1}{2}$	34 $\frac{1}{2}$	---	D	1 $\frac{1}{2}$ x 1 $\frac{1}{4}$	121	155
B	$\frac{3}{4}$ x $\frac{1}{2}$ x $\frac{1}{2}$	26	---	D	1 $\frac{1}{2}$	142	157
B	$\frac{3}{4}$ x $\frac{1}{2}$ x $\frac{1}{2}$	36 $\frac{1}{2}$	---	C	2 x $\frac{1}{2}$	101	200
B	$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{1}{2}$	32	34	D	2 x $\frac{3}{4}$	122	198
B	$\frac{3}{4}$ x $\frac{3}{8}$ x $\frac{1}{2}$	38 $\frac{1}{2}$	39	D	2 x 1	118	215
B	$\frac{3}{4}$ x $\frac{1}{2}$	37 $\frac{1}{2}$	39	D	2 x 1 $\frac{1}{4}$	162	210
C	$\frac{3}{4}$	37	---	D	2 x 1 $\frac{1}{2}$	149	236
B	1 x $\frac{1}{2}$ x $\frac{3}{8}$	39	---	D	2	218	300
B	1 x $\frac{3}{4}$ x $\frac{3}{8}$	50 $\frac{1}{2}$	---	D	2 $\frac{1}{2}$ x 1 $\frac{1}{2}$	---	350
B	1 x $\frac{3}{4}$ x $\frac{1}{2}$	54 $\frac{1}{2}$	---	D	2 $\frac{1}{2}$ x 2	---	400
B	1 x $\frac{3}{4}$ x $\frac{3}{4}$	42	46	D	2 $\frac{1}{2}$	---	550
B	1 x $\frac{1}{2}$	32	49	D	3 x 2	---	600
B	1 x $\frac{3}{4}$	37	58	D	3 x 2 $\frac{1}{2}$	---	800
C	1	59	79	D	3	---	888
D	1 $\frac{1}{4}$ x 1 x $\frac{3}{4}$	73 $\frac{1}{2}$	---	D	3 $\frac{1}{2}$	---	950
D	1 $\frac{1}{4}$ x 1 x 1	83	---	D	4	---	1600
C	1 $\frac{1}{4}$ x $\frac{3}{8}$	65	74				

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

PLAIN



FIG. H-229

BEADED



FIG. H-230

Y Branches

Class	Size	Plain	Weight lbs. per 100
C	2 x 1 1/2 x 1 1/2	Plain	200
C	2 x 1 1/2 x 2	"	290
C	2 1/2 x 2 x 2	"	370
C	2 1/2 x 2 x 2 1/2	"	520
C	2 1/2 x 1 1/2	"	360
C	2 1/2 x 2	"	430
C	2 1/2	"	520
C	2 1/2 x 2 x 1 1/2	"	
C	3 x 2 x 2	"	
C	3 x 2 1/2 x 2	"	
C	3	"	

Class	Size	Beaded	Weight lbs. per 100
B	1 1/2	Beaded	35
B	3/4 x 1 1/2	"	45
B	3/4	"	60
C	1 x 1 1/2	"	
C	1 x 3/4	"	72
C	1	"	95
C	1 1/4 x 1	"	130
C	1 1/4	"	140
C	1 1/2 x 1	"	150
C	1 1/2 x 1 1/4	"	170
C	1 1/2	Pl'n or Be'd'd	215
C	2 x 1	Beaded	190
C	2 x 1 1/4	"	220
C	2 x 1 1/2	Pl'n or Be'd'd	210
C	2	"	290
C	3	Beaded	
C	4	Beaded	

RETURN BENDS

CLOSE PATTERN




FIG. H-231

FIG. H-231—CLOSE PATTERN

OPEN PATTERN



FIG. H-232

FIG. H-232—OPEN PATTERN

Class	Size	Weight lbs. per 100
B	1 1/2	30 1/2
C	3/4	54
C	1	88
D	1 1/4	152
D	1 1/2	228
D	2	333
D	2 1/2	625

Class	Size	Weight lbs. per 100
B	1 1/2	35
C	3/4	104
C	1	134
D	1 1/4	202 1/2
D	1 1/2	251
D	2	454
D	2 1/2	832

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

PLAIN

Reducing Couplings

BEADED




FIG. H-233



FIG. H-234

Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.
A	$\frac{1}{4}$ x $\frac{1}{8}$	6½	D	$1\frac{1}{4}$ x 1	53	D	$2\frac{1}{2}$ x $1\frac{1}{2}$	250
A	$\frac{3}{8}$ x $\frac{1}{8}$	9	C	$1\frac{1}{2}$ x $\frac{3}{8}$	--	D	$2\frac{1}{2}$ x 2	213
B	$\frac{3}{8}$ x $\frac{1}{4}$	7½	C	$1\frac{1}{2}$ x $\frac{1}{2}$	68	D	3 x 1	325
B	$\frac{1}{2}$ x $\frac{1}{4}$	12	D	$1\frac{1}{2}$ x $\frac{3}{4}$	69	D	3 x $1\frac{1}{4}$	338
B	$\frac{1}{2}$ x $\frac{3}{8}$	14	D	$1\frac{1}{2}$ x 1	59	D	3 x $1\frac{1}{2}$	350
B	$\frac{3}{4}$ x $\frac{1}{4}$	21	D	$1\frac{1}{2}$ x $1\frac{1}{4}$	70	D	3 x 2	320
B	$\frac{3}{4}$ x $\frac{3}{8}$	21	C	2 x $\frac{3}{8}$	85	D	3 x $2\frac{1}{2}$	325
C	$\frac{3}{4}$ x $\frac{1}{2}$	22	C	2 x $\frac{1}{2}$	90	D	$3\frac{1}{2}$ x $1\frac{1}{2}$	513
C	1 x $\frac{1}{4}$	33	D	2 x $\frac{3}{4}$	102	D	$3\frac{1}{2}$ x 2	538
C	1 x $\frac{3}{8}$	33	D	2 x 1	125½	D	$3\frac{1}{2}$ x $2\frac{1}{2}$	---
C	1 x $\frac{1}{2}$	36	D	2 x $1\frac{1}{4}$	91	D	$3\frac{1}{2}$ x 3	545
C	1 x $\frac{3}{4}$	31	D	2 x $1\frac{1}{2}$	108½	D	4 x 2	650
C	$1\frac{1}{4}$ x $\frac{3}{8}$	54½	D	$2\frac{1}{2}$ x $\frac{3}{4}$	225	D	4 x $2\frac{1}{2}$	700
C	$1\frac{1}{4}$ x $\frac{1}{2}$	53	D	$2\frac{1}{2}$ x 1	182	D	4 x 3	650
D	$1\frac{1}{4}$ x $\frac{3}{4}$	47	D	$2\frac{1}{2}$ x $1\frac{1}{4}$	225	D	4 x $3\frac{1}{2}$	682



Couplings




FIG. H-235—RIGHT HAND

FIG. H-236—RIGHT AND LEFT

Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.
A	$\frac{1}{8}$	$4\frac{1}{4}$	B	$\frac{1}{4}$	9
B	$\frac{1}{4}$	7	B	$\frac{3}{8}$	13
B	$\frac{3}{8}$	$10\frac{1}{2}$	C	$\frac{1}{2}$	$17\frac{1}{2}$
C	$\frac{1}{2}$	17	C	$\frac{3}{4}$	29
C	$\frac{3}{4}$	25	D	1	$50\frac{1}{2}$
D	1	$40\frac{1}{2}$	D	$1\frac{1}{4}$	72
D	$1\frac{1}{4}$	53	D	$1\frac{1}{2}$	106
D	$1\frac{1}{2}$	80	D	2	152
D	2	127			
D	$2\frac{1}{2}$	250			
D	3	---			
D	$3\frac{1}{2}$	---			
D	4	675			

MALLEABLE IRON FITTINGS

LIST OF SIZES AND WEIGHTS

PLAIN

Caps

BEADED




FIG. H-237




FIG. H-238

Class.	Size.	Weight, Lbs. per 100.	Class.	Size.	Weight, Lbs. per 100.
B	1/4	5	D	1 1/2	70
B	3/8	8	D	2	97
C	1/2	11 1/2	D	2 1/2	219
C	3/4	19	D	3	350
C	1	30	D	3 1/2	575
D	1 1/4	40	D	4	782

HEXAGON

Lock Nuts

ROUND




FIG. H-239



FIG. H-240

Class.	Size.	Weight, Lbs. per 100.	Class.	Size.	Weight, Lbs. per 100.
B	1/4	3	C	1 1/4	27
B	3/8	5 1/2	D	1 1/2	34
B	1/2	7 1/2	D	2	48 1/2
C	3/4	11 1/2	D	2 1/2	107
C	1	19	D	3	139

HEXAGON

Bushings

FACED



FIG. H-241




FIG. H-242

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Black, each	.04	.04	.05	.06	.07	.09	.14	.21
Galvanized, each	.08	.08	.10	.12	.14	.18	.28	.42
Black, Faced, each	.08	.09	.11	.13	.17	.22	.32	.48

MALLEABLE IRON FITTINGS

LIST OF SIZES AND APPROXIMATE WEIGHTS

Chandelier Hooks

MALE



FIG. H-243

FEMALE



FIG. H-244

Chandelier Loops

MALE



FIG. H-245

FEMALE



FIG. H-246

Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.
B	$\frac{3}{8}$	19	B	$\frac{3}{8}$	19	B	$\frac{3}{8}$	$16\frac{1}{2}$	B	$\frac{3}{8}$	$16\frac{1}{2}$
B	$\frac{1}{2}$	$22\frac{1}{2}$	B	$\frac{1}{2}$	$22\frac{1}{2}$	B	$\frac{1}{2}$	$20\frac{1}{2}$			

Waste Nut



FIG. H-247

Wall Plate



FIG. H-248

Extension Piece




FIG. H-249

FIG. H-247—WASTE NUTS

Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.
B	$\frac{1}{4}$	$3\frac{1}{2}$	B	$\frac{3}{4}$	10
B	$\frac{3}{4}$	6	C	1	$13\frac{1}{2}$
B	$\frac{1}{2}$	$7\frac{3}{4}$	C	$1\frac{1}{4}$	17

FIG. H-248—WALL PLATES

Class.	Size.	Weight lbs. per 100.
B	$\frac{3}{8}$	$7\frac{1}{2}$

FIG. H-249—EXTENSION PIECES

Class.	Size.	Weight lbs. per 100.	Class.	Size.	Weight lbs. per 100.
B	$\frac{3}{8}$ x $\frac{3}{8}$	$9\frac{1}{2}$	C	$\frac{3}{4}$ x $\frac{3}{4}$	$22\frac{1}{2}$
B	$\frac{1}{2}$ x $\frac{1}{2}$	15	C	1 x 1	$32\frac{1}{2}$

MALLEABLE IRON UNIONS

STANDARD



FIG. H-250

Standard Unions

Size, inches.....	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black, each18	.18	.20	.22	.27	.33	.46	.58	.75	1.55	2.10	3.65	4.35
Galvanized, each ..	.27	.27	.30	.33	.40	.50	.70	.90	1.15	2.35	3.15	5.50	6.50

TWO-THIRD



FIG. H-251

Two-Third Unions

Size, inches.....	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black, each12	.14	.16	.19	.22	.30	.40	.50	1.00	1.40	2.40	3.00
Galvanized, each18	.20	.22	.25	.35	.50	.60	.75	1.60	2.10	3.70	4.35

JEFFERSON UNION AND FLANGE

Union Coupling




FIG. H-252

Flange Union




FIG. H-253

FIG. H-252—UNION COUPLINGS

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Black, each	.30	.40	.50	.60	.80	1.20	1.60	2.00	3.20	4.80
Galvanized, each	.45	.60	.75	.90	1.20	1.80	2.40	3.00	4.80	7.20

FIG. H-253—FLANGE UNIONS

Size, inches	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6	7	8	9	10
Black, each	.80	1.20	1.60	2.00	3.20	4.80	6.00	7.50	10.00	12.50	15.00	18.00	21.60	28.80

CHICAGO UNIONS

BALL SEAT—GROUND JOINT




FIG. H-254

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Each	.19	.22	.27	.40	.48	.66	.80	1.14	2.10	2.65
Each with Galvanized Ring	.23	.26	.34	.49	.60	.82	1.10	1.40	2.75	3.50

"KEWANEE" BRASS AND IRON UNIONS

Ground Ball Joint

FEMALE




FIG. H-255

MALE AND FEMALE




FIG. H-256

FIGS. H-255 AND H-256

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Black, each	.18	.19	.22	.27	.40	.48	.66	.80	1.14	2.10	2.65	4.30	5.50
Galvanized, each	.22	.23	.26	.34	.49	.60	.82	1.10	1.40	2.75	3.50	6.30	7.50

DART UNIONS

SCREWED




FIG. H-257

Bronze Seats,
Ground
Joints, Ball
Bearings

FLANGED




FIG. H-258

FIG. H-257—SCREWED

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Black, each	.30	.30	.40	.50	.60	.80	1.20	1.60	2.00	3.20	4.80
Galvanized, each	.45	.45	.60	.75	.90	1.20	1.80	2.40	3.00	4.80	6.20

FIG. H-258—FLANGED WITH BOLTS AND NUTS

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Black, each	.60	.80	1.20	1.60	2.00	3.20	4.80	6.00
Size, inches	4	$4\frac{1}{2}$	5	6	7	8	9	10
Black, each	7.50	8.75	10.00	12.50	15.00	18.00	21.60	28.80

MALLEABLE UNION ELBOWS

WITH FEMALE UNION



FIG. H-259

WITH MALE UNION




FIG. H-260

FIG. H-259

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
With Female Union, Black, each	.42	.54	.63	.90	1.05	1.55	2.85
With Female Union, Galvanized, each	.63	.81	.95	1.35	1.58	2.35	4.30

FIG. H-260

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
With Male Union, Black, each	.48	.62	.72	1.05	1.20	1.80	3.30
With Male Union, Galvanized, each	.72	.93	1.08	1.60	1.80	2.70	4.95

MALLEABLE UNION TEES

WITH FEMALE UNION



FIG. H-261

WITH MALE UNION



FIG. H-262

FIG. H-261

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
With Female Union, Black, each	.45	.57	.70	.95	1.15	1.70	3.20
With Female Union, Galvanized, each	.68	.86	1.05	1.45	1.75	2.55	4.80

FIG. H-262

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
With Male Union, Black, each	.52	.65	.80	1.10	1.30	1.95	3.70
With Male Union, Galvanized, each	.78	1.00	1.20	1.65	1.95	2.95	5.55

Female Union Elbows and Tees will be sent, when Male or Female is not specified.

OFFSET REDUCER

MALLEABLE IRON




FIG. H-263

Size, inches.....	1 x 3/4	1 1/4 x 1	1 1/2 x 1 1/4	2 x 1 1/2	2 1/2 x 2	3 x 2 1/2
Black, each.....	.60	.70	.90	1.10	1.80	2.50
Size, inches.....	3 1/2 x 3	4 x 3	4 x 3 1/2	4 1/2 x 4	5 x 4	5 x 4 1/2
Black, each.....	\$3.00	4.00	4.00	5.00	6.00	6.00

These fittings prevent water pockets and can be used to advantage in coils and water backs where air pockets would result from reducing with ordinary fittings.

Cross-Over—Back Outlet

Cross-Over



FIG. H-264

Size, inches.....	1/2	3/4	1
Black, each.....	.20	.30	.45
Galvanized, each.....	.25	.40	.60



FIG. H-265

Size, inches.....	1/2	3/4	1
Black, each.....	.23	.38	.55
Galvanized, each.....	.30	.50	.75

Cross-Over Tee



FIG. H-266

Size, inches.....	1/2	3/4	1
Black, each.....	.35	.50	.75
Galvanized, each.....	.50	.70	1.00

TEES

Wash Tray Tee




FIG. H-267

Size, inches	$\frac{1}{2} \times \frac{3}{4}$
Stand'd Length, Galv., each	.30
Ex. Long Length, Galv. each	.35

Range Boiler Union Tee




FIG. H-268

Galvanized, each	.60
------------------	-----

FLAGG WATER BACK TEE

MALLEABLE IRON

Tee Attached




FIG. H-270

Tee





FIG. H-269

NO. 11	NO. 12
1 in. Inlet	$\frac{3}{4}$ in. Inlet
$\frac{1}{2}$ in. Sediment end	$\frac{1}{2}$ in. Sediment end
$\frac{3}{4}$ in. Union	$\frac{3}{4}$ in. Union
Each	.80

NOTE.—No. 11 will be furnished unless otherwise specified.

RAILING FITTINGS



Railing Fittings will be furnished with all **RIGHT HAND** Threads unless otherwise specified.

An extra charge of 25% will be made for Right and Left, or Left Hand, Fittings.

As the Fittings do not need to be steam or water tight, a satisfactory job can be made by running a Left Hand Tap into any Right Hand Outlet.

Malleable Iron Railing Fittings

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Fig. H-271—Elbow, each	.15	.18	.20	.35	.45	.72	1.00	1.50
Fig. H-272—Elbow, Side Outlet, each	.20	.23	.25	.40	.50	.80	1.15	1.70
Fig. H-273—Tee, each	.20	.23	.25	.40	.50	.75	1.20	1.90
Fig. H-274—Tee, Side Outlet, each	.30	.33	.35	.45	.55	.90	1.40	2.15
Fig. H-275—Cross, each	.30	.33	.35	.45	.58	1.00	1.50	2.25
Fig. H-276—Cross, Side Outlet, each	.35	.38	.40	.50	.65	1.35	1.75	2.60
Fig. H-277—Floor Flange, each	.14	.15	.15	.20	.28	.30	.50	.75
Fig. H-278—Acorn, either Male or Female, each	.16	.18	.20	.25	.35	.90	1.00	1.50
Fig. H-279—Gate Hinge, each	.35	.40	.45	.55	.80	1.00	---	---
Fig. H-280—Hand Rail Tee, each	---	.45	.65	1.00	1.15	1.45	---	---

Galvanized Fittings double the above list prices.

Polished Brass Railing Fittings

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Fig. H-271—Elbow, each	.40	.60	.80	1.20	1.60	2.20	4.00	7.00
Fig. H-272—Elbow, Side Outlet, each	.75	1.00	1.45	1.65	2.05	2.90	6.00	8.50
Fig. H-273—Tee, each	.60	.85	1.10	1.70	2.00	2.75	6.00	8.50
Fig. H-274—Tee, Side Outlet, each	1.05	1.25	1.50	2.00	2.30	3.25	7.00	10.00
Fig. H-275—Cross, each	1.05	1.25	1.50	2.00	2.30	3.25	7.00	10.00
Fig. H-276—Cross, Side Outlet, each	1.20	1.45	1.70	2.12	2.60	3.50	8.00	11.50
Fig. H-277—Floor Flange, each	.26	.35	.40	.70	.95	1.30	2.00	3.00
Fig. H-278—Acorn, either Male or Female, each	.40	.65	.80	.90	1.20	2.50	5.50	7.00
Fig. H-279—Gate Hinge, each	.90	1.30	1.50	1.90	2.25	3.25	---	---

RAILING FITTINGS

45° ANGLE MALLEABLE IRON RAILING FITTINGS



Size, inches	1	1 1/4	1 1/2	2	2 1/2	3
Fig. H-281—Elbow, each	.40	.70	.90	1.44	---	---
Side Outlet, not illustrated, each	.50	.80	1.00	1.60	---	---
Fig. H-282—Elbow, each	.45	.75	.95	1.60	---	---
Side Outlet, not illustrated, each	.55	.85	1.05	1.75	---	---
Fig. H-283—Tee, each	.50	.80	1.00	1.65	---	---
Side Outlet, not illustrated, each	.60	.90	1.10	1.75	---	---
Fig. H-284—Cross, each	.60	.90	1.10	1.75	---	---
Side Outlet, not illustrated, each	.80	1.10	1.25	2.00	---	---
Fig. H-285—Floor Flange, each	.40	.50	.60	.70	1.00	1.25

Always furnished tapped right hand unless otherwise ordered. Right and left or left hand charged at 25 per cent. additional. Angle Railing Fittings can be furnished in Brass. Galvanized Fittings double the above list prices.

CAST IRON COUNTER BRACKET



FIG. H-286

BRASS ACORN CAP



FIG. H-287

FIG. H-286—COUNTER BRACKETS

Size, inches	3/4	1	1 1/4
Each	.25	.30	.50

FIG. H-287—FINISHED BRASS ACORN CAPS

Size, inches	3/4	1	1 1/4
Each	.20	.25	.35

We illustrate below two popular style Railings as erected with these Fittings




FIG. H-288

To construct a railing two pipes high, the upper outlet of all fittings used in lower pipes should be tapped with LEFT-HAND THREAD.

As the fittings are not required to be steam or water tight, a sufficiently clean thread to screw up well and make a good job can be made by running a LEFT-HAND TAP into any outlet tapped RIGHT HAND.

A neat and simple gate can be made by reducing with a bushing the outlets of the fittings on each side of the passageway, and then using a smaller size pipe to slide back and forward inside of the top rail, with a pin to prevent its running back too far. See dotted line in cut, Fig. H-289. Where fittings are required to have both right and left hand outlets, please fully describe which outlets are wanted right hand and which left hand.




FIG. H-289

RAILING FITTINGS

Adjustable Pattern




FIG. H-290




FIG. H-291

Adjustable Railing Fittings—by means of which almost any angle may be obtained in Railings for stairs and other places requiring a deviation from horizontal or perpendicular lines which would otherwise require special patterns to attain the same results.

IRON FITTINGS

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2
Fig. H-290—Each	\$1.10	1.25	1.70	2.25
Fig. H-291—Each	1.30	1.50	2.00	2.50

POLISHED BRASS FITTINGS

Fig. H-290—Each	\$2.75	3.15	4.25	5.65
Fig. H-291—Each	3.25	3.75	5.00	6.25




FIG. H-292




FIG. H-293




FIG. H-294

IRON FITTINGS

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2
Fig. H-292—Each	\$1.50	1.75	2.35	2.75
Fig. H-293—Each	1.30	1.60	2.15	2.50
Fig. H-294—Each	1.50	1.85	2.50	2.75

POLISHED BRASS FITTINGS

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2
Fig. H-292—Each	\$3.75	4.40	5.95	6.90
Fig. H-293—Each	3.25	4.00	5.40	6.25
Fig. H-294—Each	3.75	4.65	6.25	6.90

BRASS AND COPPER PIPE

Iron Pipe Sizes



FIG. H-295

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Inside Diameter	.27	.36	.49	.62	.82
Outside Diameter	$\frac{13}{32}$	$\frac{9}{16}$	$\frac{11}{16}$	$\frac{13}{16}$	$1\frac{1}{16}$
Length, feet	12	12	12	12	12
Approximate Weight, per foot, Brass	.25	.43	.62	.90	1.25
Approximate Weight, per foot, Copper	.26	.45	.65	.95	1.31

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Inside Diameter	1.04	1.38	1.61	2.06	2.46
Outside Diameter	$1\frac{5}{16}$	$1\frac{3}{8}$	$1\frac{7}{8}$	$2\frac{3}{8}$	$2\frac{7}{8}$
Length, feet	12	12	12	12	12
Approximate Weight, per foot, Brass	1.70	2.50	3.00	4.00	5.75
Approximate Weight, per foot, Copper	1.79	2.63	3.15	4.20	6.04

Size, inches	3	$3\frac{1}{2}$	4	5	6
Inside Diameter	3.06	3.50	4.02	5.04	6.06
Outside Diameter	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$5\frac{9}{16}$	$6\frac{5}{8}$
Length, feet	12	12	12	12	12
Approximate Weight, per foot, Brass	8.30	10.90	12.70	15.75	18.31
Approximate Weight, per foot, Copper	8.72	11.45	13.33	16.54	19.23

Prices are net extra in additional to the Base Prices.

Iron Pipe, size	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
Price per lb. advance on base price	.08	.07	.02	.01

Iron Pipe, size	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6
Price per lb. advance on base price	BASE PRICE							.01	.02	.04	.06	.07

Copper Pipe, 4 cents per pound additional.

Write for Prices on

- Seamless Drawn Tubing
- Brazed Tubing
- Nickel Silver Tubing
- Brass Rods
- Roll and Sheet Brass
- Brass and Copper Wire
- Roll and Sheet German Silver
- German Silver Wire, etc., etc.

BRASS FITTINGS

Iron Pipe Thread

ELBOW



FIG. H-296

45° ELBOW



FIG. H-297

SIDE OUTLET ELBOW




FIG. H-298

STREET ELBOW



FIG. H-299

ROUGH

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Elbows, each	.12	.17	.21	.28	.35	.50	.85	1.10	1.50	3.50	4.50	7.00	10.00
Elbows, Reducing, each	.22	.26	.35	.45	.62	1.10	1.40	1.90	4.40	5.65	8.75	12.50	
Elbows, 45°, each	.25	.30	.40	.50	.75	1.25	1.65	2.25	5.25	6.75			
Elbows, Side Outlet, each	.30	.40	.60	.85	1.20	1.60							
Street Elbows, each	.35	.55	.75	1.00	1.80	2.50	3.25						

DROP ELBOW




FIG. H-300

TEE



FIG. H-301

DROP TEE



FIG. H-302

ROUGH

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Drop Elbows, each	.20	.30	.40	.60	.85	1.20	1.90	2.50					
Tees, each	.15	.20	.30	.40	.50	.75	1.00	1.30	1.75	4.00	5.50	9.00	13.00
Tees, Reducing, each	.25	.38	.50	.63	.95	1.25	1.65	2.20	5.00	6.90	11.25	16.25	
Drop Tees, each	.35	.45	.70	1.05									

Finished and Nickel-plated Brass Fittings will be made to order; Nickel-plated at an advance of 20 per cent.

BRASS FITTINGS

Iron Pipe Thread

CROSS

**RETURN BEND
CLOSE PATTERN**

**RETURN BEND
OPEN PATTERN**



FIG. H-303



FIG. H-304



FIG. H-305

ROUGH

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Crosses, each	.20	.30	.40	.50	.60	.80	1.50	2.00	3.50	5.00	7.00	10.00	14.50
Crosses, Reducing, each		.38	.50	.65	.75	1.00	1.90	2.50	4.40	6.25	8.75	12.50	18.00
Return Bends, C. P., each				.56	.70	1.00	1.70	2.20	3.00				
Return Bends, O. P., each				.70	.88	1.25	2.15	2.75	3.75				

LOCKNUT

PLUG

CAP

BUSHING



FIG. H-306



FIG. H-307




FIG. H-308



FIG. H-309

ROUGH

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Locknuts, each	.10	.10	.12	.15	.20	.30	.45	.70	.95	1.50	2.75		
Plugs, each	.09	.10	.12	.15	.20	.28	.40	.50	.90	1.25	2.00	3.00	4.00
Caps, each	.15	.15	.20	.25	.35	.45	.60	.80	1.10	2.00	3.00		
Bushings, each		.10	.12	.14	.21	.38	.50	.67	1.00	1.50	2.50		

Finished and Nickel-plated Brass Fittings will be made to order; Nickel-plated at an advance of 20 per cent.

BRASS FITTINGS

Iron Pipe Thread

NIPPLE



FIG. H-310

COUPLING

FIG. H-311
ROUGH

REDUCER



FIG. H-312

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Nipples, Close, each	.12	.15	.20	.25	.30	.40	.60	.90	1.25	2.50	3.50
Nipples, Long, each	.15	.20	.30	.35	.45	.60	.90	1.25	1.60	3.00	4.50
Couplings, each	.10	.14	.16	.25	.37	.50	.60	.90	1.35	2.40	3.50
Couplings, Right and Left, each	--	.17	.20	.30	.45	.60	.75	1.12	1.75	--	--
Reducers, each	--	.16	.22	.32	.45	.65	.90	1.12	1.85	3.00	4.50

BRASS UNION
WITH GROUND JOINTS

FIG. H-313

BRASS FLANGE UNION
ROUGH

FIG. H-314

FIG. H-313—BRASS UNIONS WITH GROUND JOINTS

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Rough, each	.32	.36	.50	.70	.90	1.25	1.70	2.50	3.60	6.00	7.75

FIG. H-314—BRASS FLANGE UNIONS—ROUGH

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6
Each	\$3.50	3.50	3.75	4.25	5.60	6.50	8.50	10.50	13.50	15.00	20.00	22.00	27.00

Finished and Nickel-plated Brass Fittings will be made to order; Nickel-plated at an advance of 20 per cent.

BRASS VALVES

Steam Metal
Globe, Angle and Cross

CROSS VALVE

GLOBE VALVE



FIG. H-315

ANGLE VALVE



FIG. H-316



FIG. H-317

FIGS. H-315 AND H-316—SCREWED

Size, inches	1/4	1/2	3/4	1	1 1/4	1 1/2	2
Standard, each	.72	.72	.77	1.00	1.26	1.80	2.52
Extra Heavy, each	1.25	1.25	1.45	1.85	2.50	3.50	5.25
Jenkins, each	1.10	1.10	1.25	1.60	2.20	2.80	4.00
Fairbanks, each	1.10	1.10	1.25	1.60	2.20	2.80	4.00
Size, inches	1 1/2	2	2 1/2	3	3 1/2	4	
Standard, each	\$3.50	5.30	10.00	14.40	26.50	36.00	
Extra Heavy, each	7.00	10.50	20.00	27.00	50.00	65.00	
Jenkins, each	5.50	8.75	15.75	22.00			
Fairbanks, each	5.50	8.75	15.75	22.00			

FIGS. H-315 AND H-316—FLANGED

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2
Standard, each	\$4.50	5.00	6.75	8.50	10.50	16.00
Extra Heavy, each		7.75	9.50	13.50	16.50	24.00
Jenkins, each	4.00	5.00	6.00	9.00	11.00	16.50
Fairbanks, each			6.00	9.00	11.00	16.50
Size, inches	2 1/2	3	3 1/2	4	5	6
Standard, each	\$23.00	35.00	50.00	70.00	125.00	200.00
Extra Heavy, each	45.00	65.00	95.00	120.00		
Jenkins, each	25.00	34.00				
Fairbanks, each	25.00	34.00				

FIG. H-317—SCREWED

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard, each	\$1.25	1.25	1.50	2.00	2.50	3.50	5.00	8.00	16.00	24.00	45.00	60.00
Jenkins, each	1.70	2.00	2.25	2.50	3.25	4.75	6.25	9.50	20.00	27.50		

FIG. H-317—FLANGED

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard, each	\$5.25	7.00	9.00	12.00	15.75	22.00	33.00	45.00	75.00	100.00
Jenkins, each	7.00	8.00	9.00	12.00	15.00	23.00	33.00	44.00		

CRANE NAVY VALVES

Globe and Angle

UNION BONNET—BRASS

REGROUNDING WITH GLAND

TESTED TO 250 POUNDS PRESSURE PER SQUARE INCH
SUITABLE FOR A WORKING PRESSURE OF 175 POUNDS

FIG. H-318—SCREWED

Size, inches	1/4	3/8	1/2	3/4	1
Screwed, each	\$1.30	1.50	1.90	2.50	3.50
Size, inches	1 1/4	1 1/2	2	2 1/2	3
Screwed, each	\$5.00	7.00	11.00	20.00	29.00

FLANGED

Size, inches	3/4	1	1 1/4	1 1/2
Each	\$6.00	8.00	11.00	14.00
Diameter of Flanges, inches	3 1/2	4	4 1/2	5
Face to Face, Globe, inches	3 1/16	4 1/8	4 9/16	5 5/16
Center to Inlet or Outlet, Angle, in	2 1/4	2 1/2	2 7/8	3 3/16
Size, inches	2	2 1/2	3	
Each	\$20.00	33.00	48.00	
Diameter of Flanges	6	7	7 1/2	
Face to Face, Globe, inches	6	6 3/4	7 1/16	
Center to Inlet or Outlet, Angle, inches	3 3/4	4 3/16	4 5/8	



FIG. H-318

Huxley Valves




FIG. H-320



FIG. H-319




FIG. H-321




FIG. H-322

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Globe and Angle, Screwed	\$1.10	1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00
Globe and Angle, Flanged	3.50	4.00	4.00	5.00	6.00	9.00	11.00	16.50	25.00	34.00
Globe and Angle Checks, Screwed	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	20.50
Globe and Angle Checks, Flanged				4.75	5.50	7.80	9.80	15.00	22.80	32.40

BRASS VALVES

**HORIZONTAL CHECK VALVE
WITH DRIP COCK
STEAM METAL**



FIG. H-324

**HORIZONTAL CHECK VALVE
STEAM METAL**



FIG. H-323

FIG. H-323—SCREWED

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard, each	.65	.65	.70	.90	1.15	1.60	2.25	3.15	4.75	9.00	13.00	24.00	32.50
Jenkins', each	1.10	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	21.00		

FIG. H-324—WITH DRIP COCKS

Size, inches	1/2	3/4	1	1 1/4	1 1/2
Standard, each	\$2.15	2.55	3.15	4.05	5.40

**VERTICAL CHECK VALVE
STEAM METAL**



FIG. H-325

FIG. H-325—VERTICAL, SCREWED

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard, each	.72	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40	26.50	36.00	
Jenkins, each	1.10	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	21.00		

FIG. H-326—ANGLE, SCREWED

**ANGLE CHECK VALVE
STEAM METAL**



FIG. H-326

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Standard, each	.72	.72	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40	26.50	36.00
Ex. Heavy, each		1.10	1.30	1.65	2.20	3.00	4.75	6.25	9.50	18.50	25.00	47.00	60.00
Jenkins, each	1.10	1.10	1.20	1.30	1.90	2.60	3.60	5.00	7.50	13.50	21.00		

BRASS VALVES

Brass Straight-way Swing Check Valves—Steam Metal

KENNEDY




FIG. H-327

JENKINS



FIG. H-323

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Fig. H-327—Kennedy, each	1.30	1.50	1.75	2.25	3.25	4.25	6.25	12.00	20.00	50.50	55.00
Fig. H-327—Fairbanks', each	1.30	1.50	1.75	2.25	3.25	4.25	6.25	12.00	20.00		
Fig. H-328—Jenkins', each	1.20	1.30	1.90	2.60	3.60	5.00	7.50	14.00	21.00		

Dises

FOR BRASS GLOBE AND ANGLE VALVES. IMPROVED VULCANIZED ASBESTOS RING BRASS HOLDER




FIG. H-329

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4
Each	.13	.14	.07	.09	.10	.12	.18
Size, inches	1 1/2	2	2 1/2	3	3 1/2	4	
Each	.25	.36	.48	.60	1.50	2.00	




FIG. H-330

Prices of 1/8 and 1/4 inch include Spindles, as Disc Holder and Spindle are one piece.

Jenkins' Valve Dises



FIG. H-331

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	
Each	.03	.04	.04	.05	.06	.09	.12	.18	.24	
Size, inches	3	3 1/2	4	4 1/2	5	6	7	8	10	12
Each	.33	.45	.52	.60	.68	.90	.98	1.20	1.75	2.25

DIAPHRAGMS AND VALVE DISCS

Clark's Diaphragms, No. 1	\$1.00
“ “ “ 2	1.50
“ “ “ 3	2.50
Low Pressure Diaphragms	.80
Kiely Regulator Diaphragms, No. 1, for Valves to 2 inch	.75
“ “ “ 3, “ “ 2 1/2 inch to 7 inch	1.00
“ “ Back Pressure Diaphragms No. 6, for Valves to 6 inch	.75
“ “ “ “ 6, “ “ above 6 inch	1.00

BRASS VALVES

Globe and Angle Valves for Fire Hose

**WITH CAPS AND CHAINS. BRASS WHEELS
AND FINISHED ALL OVER**

STEAM METAL

ANGLE PATTERN—SCREWED

Size, inches	2	2½
Standard, Finished all over, each	\$17.50	27.00
Standard, Finished and Plated all over, each	19.50	29.00

ANGLE PATTERN—FLANGED

Size, inches	2	2½
Standard, Finished all over, each	\$22.00	\$33.00
Standard, Finished and Plated all over, each	24.50	36.00

Hose Valves can be furnished with Jenkins' Discs, Rubber Discs, or Leather Discs.




FIG. H-332

Hose Gate Valves

STEAM METAL

**ROUGH BODY, IRON WHEEL,
WITH CAP AND CHAIN**

Size, inches	¾	1	1¼	1½
Kennedy, each.				
Without Cap and Chain.				
Rough Body, with Iron Wheel	\$1.75	\$2.50	\$3.50	\$5.00
Rough Body, with Finished Brass Wheel	3.25	4.05	5.50	7.10
Finished Body, with Finished Brass Wheel	4.50	5.50	7.25	8.75
Finished Body, Nickel-plated all over	4.75	5.90	7.70	10.00
Extra for Cap and Chain, Finished	1.25	1.25	1.35	1.50
Extra for Cap and Chain, Finished and N. P.	1.45	1.45	1.65	1.75
Size, inches	2	2½	3	
Kennedy, each.				
Without Cap and Chain.				
Rough Body, with Iron Wheel	\$7.50	\$14.00	\$20.00	
Rough Body, with Finished Brass Wheel	10.30	18.00	25.00	
Finished Body, with Finished Brass Wheel	13.25	22.00	30.00	
Finished Body, Nickel-plated all over	14.00	23.00	31.50	
Extra for Cap and Chain, Finished	1.75	2.50	3.50	
Extra for Cap and Chain, Finished and N. P.	2.00	3.00	4.25	




FIG. H-333

STANDARD HOSE VALVES

BRASS




FIG. H-334

IRON HANDLE, LOOSE SWIVEL AND LEATHER DISC

Size, inches	1	1¼	1½	2	2½
Rough Body, Plain, each	\$3.15	3.70	4.75	7.00	8.50
Rough Body, Plated all over, each	3.65	4.30	5.50	8.00	9.75

FINISHED BRASS WHEEL, LOOSE SWIVEL AND LEATHER DISC

Size, inches	2	2½
Finished all over, Plain, each	\$11.50	14.50
Finished and Plated all over, each	12.75	16.00

FINISHED BRASS WHEEL, FIBRE DISC

Size, inches	2	2½
Finished all over, Plain, each	\$13.25	16.50
Finished and Plated all over, each	14.50	18.00

These Valves have Chicago Standard Hose Thread, 1 to 2 inch, inclusive. The 2½ inch has the Chicago Fire Department Hose Thread. Will be furnished with other threads than those specified at an extra charge.

BRASS THROTTLE VALVES

STEAM METAL

GATE PATTERN




FIG. H-335




FIG. H-336

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Fig. H-335—Standard, each	\$8.75	10.00	11.50	14.00	20.00	25.00	35.00
Fig. H-336—Standard, each	1.60	1.80	2.50	3.50	5.00	7.50	13.50
Fig. H-336—Heavy Pressure, each	2.50	3.00	4.00	5.00	7.00	10.00	19.00

Brass Y Valves

STEAM METAL




FIG. H-337




FIG. H-338

FIG. H-337—SCREWED

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Standard, each	\$2.00	3.00	4.00	5.00	6.00	8.50	18.00	25.00	
Jenkins, each	\$2.00	2.00	3.00	4.00	5.00	6.50	9.25	18.00	25.00

FIG. H-338—FLANGED

Size, inches	1	1 1/4	1 1/2	2	2 1/2	3
Standard, each	\$8.65	10.75	13.00	19.50	28.00	36.75
Jenkins, each	9.00	11.00	13.00	20.00	28.00	37.00

STANDARD BRASS SAFETY VALVES

GLOBE SCREWED




FIG. H-339

ANGLE SCREWED




FIG. H-340

FIGS. H-339 AND H-340—SCREWED

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Standard, each	\$3.25	3.90	4.70	7.15	9.00	12.50	22.50	33.50
Jenkins', each	4.00	5.00	6.00	9.00	11.00	16.00	---	---

Standard Brass Safety Valves

LOW PRESSURE



FIG. H-341




FIG. H-342




FIG. H-343

FIG. H-341—BALL ON TOP

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
Each	\$1.50	2.25	3.00	4.00	5.50

FIG. H-342—BALL ON TOP. ANGLE PATTERN

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	\$2.25	2.60	3.30	4.50	6.35	8.65

FIG. H-343—WITH BALANCE WEIGHT

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	\$3.00	3.75	5.50	7.75	9.50	12.35

BRASS VALVES

BRASS EUREMA Y VALVE




FIG. H-344

Size, inches.....	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Brass Disc, each.....	.77	1.00	1.26	1.80	2.52	3.50	5.30	10.00	14.40
Jenkins' Disc, each...	\$1.25	1.60	2.20	2.80	4.00	5.50	8.75	15.75	22.00



FIG. H-345

BRASS BUTTERFLY VALVE

Size, inches.....	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Fig. 345—Each..	\$3.10	4.40	5.65	6.75	10.00	13.75	21.00

BRASS EXPANSION JOINT
4 INCH TRAVERSE

Size, inches....	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	\$3.80	4.00	4.90	6.30	7.40	9.10



FIG. H-346

BRASS GATE VALVE

STEAM METAL



FIG. H-347

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Kennedy, Screw Ends	\$1.40	\$1.40	\$1.80	\$2.50	\$3.50	\$5.00	\$7.50
Kennedy, Flanged Ends		3.75	4.50	7.50	9.00	12.00	14.00
Ludlow, Screw Ends	1.40	1.40	1.80	2.35	3.40	4.40	6.25
Ludlow, Flanged Ends		3.40	3.70	4.15	5.70	7.40	11.00
Chapman, Screw Ends	1.35	1.50	1.85	2.55	3.30	4.50	6.70
Chapman, Flanged Ends	2.00	2.50	2.85	4.00	5.00	7.25	10.25
Fairbanks, Screw Ends	1.50	1.65	2.20	2.80	4.00	5.30	7.80
Fairbanks, Flanged Ends	4.25	4.65	5.65	7.50	9.35	14.00	16.00
Jenkins, Screw Ends		2.00	2.50	3.25	4.25	5.25	7.50
Jenkins, Flanged Ends		3.50	4.50	6.00	7.50	10.00	14.00

Size, inches	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
Kennedy, Screw Ends	\$14.00	\$20.00	\$32.00	\$50.00	\$70.00	\$120.00
Kennedy, Flanged Ends	24.00	34.00	45.00	60.00	85.00	135.00
Ludlow, Screw Ends	13.75	15.50	23.50	34.00	52.00	76.00
Ludlow, Flanged Ends	18.75	21.50	30.50	43.00	64.00	88.00
Chapman, Screw Ends	11.35	16.50	30.50	39.00		
Chapman, Flanged Ends	16.35	20.75	38.00	46.25		
Fairbanks, Screw Ends	17.00	23.00				
Fairbanks, Flanged Ends	26.50	35.75				
Jenkins, Screw Ends	14.00	20.00				
Jenkins, Flanged Ends	21.00	28.00				

BRASS GATE VALVE

Quick Opening, Rising Stem and Lever

STEAM METAL




FIG. H-348

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Kennedy, Screw Ends		\$2.80	\$3.25	\$4.50	\$6.00	\$8.00	\$12.00
Kennedy, Flanged Ends							18.50
Ludlow, Screw Ends	\$2.20	2.20	2.60	3.15	4.40	5.40	7.50
Ludlow, Flanged Ends		4.20	4.50	4.95	6.70	8.40	12.25
Chapman, Screw Ends	2.05	2.20	2.55	3.25	4.05	5.50	7.70
Chapman, Flanged Ends	2.70	3.20	3.55	4.70	5.75	8.25	11.25
Jenkins', Screw Ends		2.50	3.20	4.25	5.60	6.80	9.50
Size, inches	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6	
Kennedy, Screw Ends	\$22.00	\$30.00	\$48.00	\$72.00			
Kennedy, Flanged Ends	32.00	45.00	60.00	85.00			
Ludlow, Screw Ends	15.50	17.50	25.50	36.00	\$54.25	\$78.25	
Ludlow, Flanged Ends	20.50	23.50	32.50	45.00	66.25	90.25	
Chapman, Screw Ends	12.65	18.15	32.15	40.65			
Chapman, Flanged Ends	17.45	22.40	39.65	47.90			
Jenkins', Screw Ends	16.25	22.50					

BRASS COCKS

Steam Cocks




FIG. H-349

THREE WAY




FIG. H-350

FIG. H-349

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$
Square or Flat Head, each	.85	.85	1.00	1.25	1.70	2.35	3.70
With Check, each	1.00	1.00	1.15	1.40	1.90	2.55	3.95
Extra Heavy, each	1.30	1.30	1.50	2.00	2.85	4.00	6.75
Size, inches	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	
Square or Flat Head, each	4.85	7.30	14.50	22.50	38.50	50.00	
With Check, each	5.15	7.65	15.00	23.25	39.50	51.50	
Extra Heavy, each	8.50	13.50	25.00	37.00	54.00	75.00	

FIG. H-350—THREE WAY

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Each	\$2.50	3.00	3.75	5.75	7.15	11.00	18.75	26.00	50.00	70.00

Gas Service Cocks

SQUARE HEAD




FIG. H-351

FLAT HEAD




FIG. H-352

FIGS. H-351 AND H-352—SQUARE OR FLAT HEAD

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Each	.75	.75	.85	.95	1.15	1.50	2.25	3.10	5.00	11.00	16.00
With Check, each	.90	.90	1.00	1.10	1.35	1.70	2.50				
Extra Heavy, each	.85	.85	.95	1.05	1.30	1.70	2.60	3.60	6.50	12.00	18.00

For Iron Lever Handle Wrenches, see page 116.

BRASS COCKS

Standard Gas Service Cocks

MALE AND FEMALE




FIG. H-353

T HANDLE



FIG. H-354

FIG. H-353—MALE AND FEMALE

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Each	\$1.00	1.00	1.30	1.40	1.95	3.00	4.25	6.00

FIG. H-354—T HANDLE

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Each	.75	.75	.85	.95	1.15	1.50	2.25	3.10	5.00
With Check, each	.90	.90	1.00	1.10	1.35	1.70	2.50	3.40	5.35

Standard Gas Meter Cocks

WITH UNION




FIG. H-355




FIG. H-356

FIG. H-355

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2
Square or Flat Head, or T Handle, each	\$1.30	1.40	1.95	3.00	4.25	6.00
Extra Heavy, each	1.45	1.60	2.20	3.45	4.95	7.75

FIG. H-356—WITH UNION

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2
Square or Flat Head, or T Handle, each	\$1.40	1.55	2.20	3.40	5.00	7.00
Extra Heavy, each	1.50	1.80	2.50			

For Iron Lever Handle Wrenches, see page 116.

BRASS COCKS

Standard Lock Gas Service Cocks




FIG. H-357




FIG. H-358

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	\$1.30	1.60	2.10	3.50	5.00	7.00

FIG. H-358

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each	\$1.40	1.75	2.30	3.85	5.50	7.75

Standard Lock Gas Meter Cocks




FIG. H-359

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
With Union, each	\$1.50	1.80	2.50	4.00	5.50	8.00
Without Union, each	1.40	1.75	2.30	3.85	5.50	7.75

IRON LEVER HANDLE WRENCH

FOR GAS AND STEAM COCKS



FIG. H-360

Size of Square Hole, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$
Each	.10	.10	.10	.15	.15	.20	.25	.40

BRASS AND IRON COCKS
Vulcanized Asbestos Packed

SCREWED




FIG. H-361

FLANGED




FIG. H-362

FIGS. H-361 AND H-362

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Brass, Screw Ends	\$3.35	3.35	3.35	4.20	5.60	8.00	10.30	16.00
Brass, Flanged Ends					10.50	12.50	14.50	26.00

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2
Iron, Screw and Flanged Ends	\$1.50	1.50	1.45	1.60	2.10	2.50	3.50	4.75

Size, inches	2	2 1/2	3	3 1/2	4	5	6
Iron, Screw and Flanged Ends	\$7.00	12.00	18.00	27.00	30.00	45.00	60.00

BRASS AND IRON THREE-WAY COCKS
Vulcanized Asbestos Packed




FIG. H-363

In "X" Pattern—Any two ports can be open and the third closed; also made so that all three ports can be open—closed.

In "XX" Pattern—All three ports can be open; any two can be open and the third closed; also side port and either line port can be connected. All three ports can be closed.

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
"X" Pattern, Brass, Screwed, or Flanged Ends	\$7.75	14.00	20.50	33.50	45.25	53.50	110.00	140.00
"XX" Pattern, Brass, Screwed or Flanged Ends	4.50	5.75	7.50	10.75	14.00	21.50	36.00	50.50
"X" Pattern, Iron, Screwed or Flanged Ends	2.85	4.75	7.00	12.00	18.00	30.00	45.00	60.00
"XX" Pattern, Iron, Screwed or Flanged Ends	2.85	3.15	4.40	5.95	8.75	15.00	22.50	33.75

HUXLEY BALL COCK OR BLOW-OFF VALVE




FIG. H-364

Made of bronze and adapted for all purposes where a quick, full and straight opening and a positive joint are desired for any working pressure of 200 pounds or less. We know there are others, but none to compare with the Huxley. Should a leak occur, said leak can be stopped by simply adjusting the gland. If in the market for a Valve that can positively be depended upon, order a Huxley, and if found not perfectly satisfactory return to us.

ALL PARTS RENEWABLE AND ADJUSTABLE

Size, inches -----	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Each -----	\$3.35	4.20	5.60	8.00	10.35	16.00	26.50	37.50	50.50	64.00

STANDARD FUSIBLE PLUG




FIG. H-365

These Plugs are made of bronze and filled with pure Banca tin. The construction fulfills the requirements of Sec. 4436 of the U. S. Revised Statutes and in all details with Sec. 26, Rule 2, Regulations of the Board of U. S. Supervising Inspectors of Steam Vessels, and are accepted by all Local Inspectors.

Size, inches -----	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Each -----	.60	.75	1.00	1.50	2.00	3.00

RADIATOR VALVES

WOOD WHEELS

FEMALE



FIG. H-366

WITH UNION



FIG. H-367

LOCK SHIELD



FIG. H-368

FIG. H-366—BRASS DISC

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Plain, each	\$1.75	2.35	3.25	4.35	6.85
Rough Body, Plated all over, each	2.10	2.75	3.70	4.85	7.60
Finished all over, each	2.50	3.25	4.35	5.75	9.00
Finished and Plated all over, each	2.85	3.65	4.80	6.25	9.75

FIG. H-366—JENKINS' DISC

Rough Body, Finished Trimmings, each	\$2.50	3.20	4.50	6.25	10.50
Rough Body, Plated Trimmings, each	2.70	3.50	4.75	6.50	10.75
Rough Body, Plated all over, each	2.85	3.65	4.90	6.75	11.00
Finished Body, each	3.00	3.75	5.25	7.25	11.75
Finished Body, Plated all over, each	3.10	4.00	5.40	7.75	12.25
Jenkins' Discs, each	.10	.12	.18	.25	.36

FIG. H-367—BRASS DISC

Rough Body, Plain, each	\$2.50	3.30	4.40	5.90	9.25
Rough Body, Plated all over, each	2.90	3.75	5.00	6.50	10.00
Finished all over, each	3.40	4.25	5.75	7.75	12.00
Finished and Plated all over, each	3.80	4.70	6.35	8.35	12.75

FIG. H-367—JENKINS' DISC

Rough Body, Finished Trimmings, each	\$3.50	4.30	5.85	7.75	12.60
Rough Body, Plated Trimmings, each	3.75	4.65	6.25	8.00	12.85
Rough Body, Plated all over, each	3.80	4.75	6.40	8.10	13.10
Finished Body, each	4.00	4.80	6.40	8.75	13.85
Finished Body, Plated all over, each	4.25	5.25	7.00	9.25	14.35
Jenkins' Discs, each	.10	.12	.18	.25	.36

FIG. H-368—LOCK SHIELD RADIATOR VALVES

Any of these Radiator Valves can be furnished with Lock and Shield.

List Prices same as Wood Wheel Valves.

Keys extra.

NOTE.—Unless ordered otherwise, all Radiator Valves will be furnished with Right Hand Threads at both ends.

RIGHT HAND VALVE—NO UNION



FIG. H-369

LEFT HAND VALVE—WITH UNION




FIG. H-370

CORNER
RADIATOR
VALVES

Wood Wheel

FIG. H-369—WITHOUT UNION

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Finished Trimmings, each	\$2.75	3.50	5.00	7.00	11.55
Rough Body, Plated Trimmings, each	3.00	3.85	5.25	7.25	11.85
Rough Body, Plated all over, each	3.15	4.00	5.50	7.50	12.10
Finished all over, each	3.40	4.25	5.75	8.00	13.05
Finished and Plated all over, each	3.80	4.75	6.25	8.50	13.60

FIG. H-370—WITH UNION

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Finished Trimmings, each	\$3.85	4.75	6.45	8.55	13.55
Rough Body, Plated Trimmings, each	4.15	5.15	6.90	8.80	14.15
Rough Body, Plated all over, each	4.20	5.25	7.05	8.95	14.45
Finished all over, each	4.50	5.50	7.20	9.55	15.35
Finished and Plated all over, each	4.85	6.00	7.80	9.95	15.95

All Corner Valves are tapped right hand bottom and left hand side.
Valves fitted with Lock and Shield at same List; Keys extra.

QUICK OPENING RADIATOR VALVE

For Hot Water

FIG. H-371—WITHOUT UNION

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Finished Trim'gs	\$1.60	2.25	3.25	4.50	7.00
Rough Body, Plated Trimmings	1.85	2.40	3.60	4.85	7.25
Rough Body, Plated all over	1.95	2.65	3.70	5.00	7.75
Finished all over	2.15	2.85	4.00	5.50	8.50
Finished and Plated all over	2.50	3.25	4.45	6.00	9.25

FIG. H-371—WITH UNION

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Finished Trim'gs	\$2.45	3.25	4.50	6.50	10.00
Rough Body, Plated Trimmings	2.60	3.35	4.90	6.65	10.25
Rough Body, Plated all over	2.85	3.65	5.05	7.10	10.85
Finished all over	3.00	3.85	5.25	7.50	11.50
Finished and Plated all over	3.40	4.30	5.80	8.10	12.35



FIG. H-371

RADIATOR UNION ELBOW




FIG. H-372

Size, inches.....	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Body, Plated all over, each.....	\$2.00	2.50	3.20	4.00	7.00
Finished, Plated all over, each.....	2.40	3.00	3.90	4.85	8.50

RADIATOR AIR VALVES—COMPRESSION




FIG. H-373

FIG. H-374

FIG. H-375

FIG. H-376

FIG. H-377

IRON PIPE THREAD

Size, inches.....	Nickel-plated.	
	$\frac{1}{8}$	$\frac{1}{4}$
No. 1—All Brass, each.....	.35	.40
No. 2—Wood Wheel, each.....	.45	.50
No. 3—Wood Wheel, with Nose, each.....	.70	.75
No. 4—Lock and Shield, each.....	.35	.40
No. 5—Lock and Shield, with Nose, each.....	.57	..

Keys for No. 4 extra ; Nickel-plated, each, net, 6 cents.

MONASH AIR VALVES

Monash Four-Way-Drain Brand of Perfected-Duplex Automatic Air Valves

Notice the four-way-draining attachment extending from the valve nipple into the radiator, thereby clearing the valve of the sediment and water of condensation, returning it to the radiator, thus preventing the flooding of floors and carpets and doing damage to floors and ceilings below.

No. 1 IMPROVED



FIG. H-378

Each.....\$2.00

No. 6 IMPROVED



FIG. H-379

Each.....\$3.00

No. 7 IMPROVED



FIG. H-380

Each.....\$3.00

Perfected-Duplex Brand of Automatic Steam Air Valves

HAVE STOOD THE TEST OF TIME AND ARE NO EXPERIMENT GUARANTEED IN WRITING FOR FIVE YEARS

No. 1



FIG. H-381

Each.....\$1.50

No. 2



FIG. H-382

Each.....\$2.00

No. 3




FIG. H-383

Each.....\$1.50

No. 6



FIG. H-384

Each.....\$2.00

MONASH AIR VALVES

Automatic Steam Air Valves

STAR No. 8



FIG. H-385

Each\$1.25

MO-YO-CO
No. 1




FIG. H-386

Each\$1.00

MO-YO-CO
No. 3




FIG. H-387

Each\$1.00

MO-YO-CO
No. 4



FIG. H-388

Each\$1.25

HOT WATER AUTOMATIC AIR VALVES

For Radiators

MONASH No. 9



FIG. H-389

Each\$3.00

MONASH POSITIVE




FIG. H-390

Each\$3.00

MONASH AIR VALVES

Automatic Steam Air Valves

**SELF CLEANING
NO. 5**



FIG. H-391
Each...\$2.00

**MONASH PAUL
NO. 1**



FIG. H-392
Each...\$2.00

M-Y-C



FIG. H-393
Each...\$2.00

**MONASH NO. 15
AUTOMATIC TANK VENT**



FIG. H-394
Each...\$3.00

Fig. H-394—Monash, No. 15, Automatic Tank Vent is used very largely on closed hot and cold water tanks. Will do away with the necessity of constantly venting a closed tank by hand. This valve is perfectly automatic.


**MIDGET
NO. 2**



FIG. H-395

Per dozen\$8.50

**MONASH
NO. 8**



$\frac{1}{4} \times \frac{1}{2} - \frac{1}{2} \times \frac{1}{4}$
FIG. H-396

Per dozen\$12.00

Jenkins' Bros.




FIG. H-397

Per dozen\$7.50



FIG. H-398

Per dozen\$2.00




FIG. H-399

Fig. H-399— $\frac{3}{8} \times \frac{1}{2}$ Union, \$9.50; $\frac{1}{2} \times \frac{1}{2}$ Union, \$10.00; $\frac{3}{4} \times \frac{1}{2}$ Union, \$10.00 per dozen.

IRON BODY VALVES—BRASS MOUNTED

GLOBE VALVE—PLAIN



FIG. H-400

ANGLE VALVE—PLAIN




FIG. H-401

GLOBE AND ANGLE—SCREWED

Size, inches	1	1¼	1½	2	2½	3	3½	4
Standard, each	\$2.25	2.75	3.50	5.40	7.35	9.80		
Standard, all Iron, (not illustrated), each	5.70	6.00	6.60	7.50	9.40	12.50		
Fairbanks', each			5.00	7.25	11.00	16.00	18.50	23.00
Jenkins', each	3.00	4.00	5.00	7.25	11.00	16.00		
Jenkins', all Iron, (not illustrated), each	3.75	4.00	4.25	5.25	11.00	13.25	15.50	17.50

GLOBE AND ANGLE—FLANGED

Size, inches	1	1¼	1½	2	2½	3	3½	4
Standard, each	\$3.25	3.85	4.80	7.00	9.00	12.50		
Standard, all Iron, (not illustrated), each	6.90	7.25	7.80	9.00	11.50	16.50		
Fairbanks', each			6.00	8.50	13.00	18.00	20.50	25.00
Jenkins', each	4.40	5.40	6.60	8.50	13.00	18.00		
Jenkins', all Iron, (not illustrated), each	4.50	4.75	5.25	6.50	12.50	14.50	16.75	19.25




FIG. H-402

IRON BODY VALVES

Globe Valves with Yoke




FIG. H-403

FIG. H-402—SCREWED

Size, inches	2	2½	3	3½	4	4½
Standard, each	\$7.00	9.00	12.50	15.25	19.00	24.00
Standard, all Iron, (not illustrated), each				27.75	31.80	39.00
Fairbanks', each	10.00	12.00	16.75	19.50	24.00	32.00
Jenkins', each	10.00	12.00	16.75	19.50	24.00	32.00
Jenkins', all Iron, (not illustrated,) each				15.50	17.50	25.75

Size, inches	5	6	7	8	10	12
Standard, each	\$27.00	37.50	63.00	72.00	114.00	170.00
Standard, all Iron, (not illustrated,) each	40.50	52.50	77.00	93.00		
Fairbanks', each	40.00	48.00	80.00	90.00	130.00	185.00
Jenkins', each	40.00	48.00	80.00	90.00	130.00	185.00
Jenkins', all Iron, (not illustrated,) each	27.00	33.25	43.25	52.00		

FIG. H-403—FLANGED

Size, inches	2	2½	3	3½	4	4½	5
Standard, each	\$8.60	10.75	15.00	18.50	22.50	27.50	31.00
Standard, all Iron, (not illustrated) each				29.55	33.70	41.00	44.70
Fairbanks', each	11.75	14.00	18.50	21.50	26.00	34.00	42.00
Jenkins', each	11.75	14.00	18.50	21.50	26.00	34.00	42.00
Jenkins', all Iron, (not illustrated,) each				16.75	19.25	27.50	29.00

Size, inches	6	7	8	10	12	14	16
Standard, each	\$42.00	68.00	77.00	123.00	187.00	350.00	475.00
Standard, all Iron, (not illustrated,) each	57.60	81.00	99.00				
Fairbanks', each	50.00	80.00	90.00	130.00	185.00		
Jenkins', each	50.00	80.00	90.00	130.00	185.00		
Jenkins', all Iron, (not illustrated,) each	35.50	46.25	56.25				

IRON BODY VALVES
Angle Valves with Yoke




FIG. H-404




FIG. H-405

FIG. H-404—SCREWED

Size, inches	2	2½	3	3½	4	4½
Standard, each	\$7.00	9.00	12.50	15.25	19.00	24.00
Standard, all Iron, (not illustrated), each	---	---	---	27.75	31.80	39.00
Fairbanks', each	10.00	12.00	16.75	19.50	24.00	32.00
Jenkins', each	10.00	12.00	16.75	19.50	24.00	32.00
Jenkins', all Iron, (not illustrated), each	---	---	---	15.50	17.50	25.75
Size, inches	5	6	7	8	10	12
Standard, each	\$27.00	37.50	63.00	72.00	114.00	170.00
Standard, all Iron, (not illustrated), each	40.50	52.50	77.00	93.00	---	---
Fairbanks', each	40.00	48.00	80.00	90.00	130.00	185.00
Jenkins', each	40.00	48.00	80.00	91.00	130.00	185.00
Jenkins', all Iron, (not illustrated), each	27.00	33.25	43.25	52.00	---	---

FIG. H-405—FLANGED

Size, inches	2	2½	3	3½	4	4½	5
Standard, each	\$8.60	10.75	15.00	18.50	22.50	27.50	31.00
Standard, all Iron, (not illustrated), each	---	---	---	29.55	33.70	41.00	44.70
Fairbanks', each	11.75	14.00	18.50	21.50	26.00	34.00	42.00
Jenkins', each	11.75	14.00	18.50	21.50	26.00	34.00	42.00
Jenkins', all Iron, (not illustrated), each	---	---	---	16.75	19.25	27.50	29.00
Size, inches	6	7	8	10	12	14	16
Standard, each	\$42.00	68.00	77.00	123.00	187.00	350.00	475.00
Standard, all Iron, (not illustrated), each	57.60	81.00	99.00	---	---	---	---
Fairbanks', each	50.00	80.00	90.00	130.00	185.00	---	---
Jenkins', each	50.00	80.00	90.00	130.00	185.00	---	---
Jenkins', all Iron, (not illustrated), each	35.50	46.25	56.25	---	---	---	---

IRON BODY VALVES

Cross Valves with Yoke




FIG. H-406

SCREWED

Size, inches	2	2½	3	3½
Standard, each	\$8.50	11.75	16.25	20.00
Fairbanks', each	14.00	16.00	21.00	26.00
Jenkins', each	14.00	16.00	21.00	26.00
Size, inches	4	4½	5	6
Standard, each	\$23.50	30.65	35.25	47.25
Fairbanks', each	30.00	42.00	45.00	58.00
Jenkins', each	30.00	42.00	45.00	58.00
Size, inches	7	8	10	12
Standard, each	\$78.00	92.00	162.00	240.00

FLANGED

Size, inches	2	2½	3	3½
Standard, each	\$11.00	14.50	20.00	25.00
Fairbanks', each	17.00	19.00	24.00	29.00
Jenkins', each	17.00	19.00	24.00	29.00
Size, inches	4	4½	5	6
Standard, each	\$28.50	36.00	41.00	54.00
Fairbanks', each	33.00	45.00	48.00	62.00
Jenkins', each	33.00	45.00	48.00	62.00
Size, inches	7	8	10	12
Standard, each	\$85.00	100.00	175.00	265.00

Iron Body Y Valves

SCREWED

Size, inches	2	2½	3	3½
Standard, each	\$10.40	14.80	20.00	28.00
Jenkins', each	11.00	15.00	20.00	28.00
Size, inches	4	5	6	
Standard, each	\$35.00	58.80	70.00	
Jenkins', each	35.00	59.00	70.00	

FLANGED

Size, inches	2	2½	3	3½
Standard, each	\$12.40	17.40	23.00	31.00
Jenkins', each	13.00	18.00	23.00	31.00
Size, inches	4	5	6	
Standard, each	\$38.40	64.00	70.00	
Jenkins', each	38.40	64.00	70.00	



FIG. H-407

"Eurema" Y Valve

Size, inches	2	2½	3	3½	4	4½	5	6	7	8
Brass Disc, each	\$7.00	9.00	12.50	15.25	19.00	24.00	27.00	37.50	63.00	72.00
Jenkins' Disc, each	10.00	12.00	16.75	19.50	24.00	32.00	40.00	48.00	80.00	90.00

IRON BODY VALVES

I. B. Check Valves with Brass Cap

HORIZONTAL




FIG. H-408

ANGLE




FIG. H-409

FIGS. H-408 AND H-409—HORIZONTAL AND ANGLE

Size, inches	2	2½	3	3½	4	4½	5	6
Screwed, each	\$3.60	6.50	8.90	12.25	14.25	19.00	22.00	30.00
Screwed, Jenkins', each	8.00	11.00	14.00	17.00	20.00	25.00	30.00	40.00
Flanged, each	5.25	8.25	11.50	15.50	18.00	22.50	26.00	35.00
Flanged, Jenkins', each	10.00	13.00	16.50	20.00	23.00	28.00	33.00	43.00
Size, inches								
Screwed, each					7	8	10	12
Flanged, each					\$45.00	57.00	105.00	155.00
					50.00	62.00	115.00	175.00

VERTICAL—(Not Illustrated).

Size, inches	2	2½	3	3½	4	4½	5	6	7	8
Screwed, each	\$7.00	9.50	12.50	17.00	21.00	30.00	33.00	40.00	62.00	73.00
Screwed, Jenkins', each	8.00	11.00	14.00	17.00	20.00	25.00	30.00	40.00	65.00	80.00
Flanged, each	8.75	11.50	15.00	20.00	25.00	33.50	37.00	45.00	67.00	78.00
Flanged, Jenkins', each	10.00	13.00	16.50	20.00	23.00	28.00	33.00	43.00	65.00	80.00

HORIZONTAL AND ANGLE

Size, inches	2	2½	3	3½	4
Screwed, Standard, each				\$12.25	14.25
Screwed, Jenkins', each	8.00	11.00	14.00	17.00	20.00

Size, inches	4½	5	6	7
Screwed, Standard, each	\$19.00	22.00	30.00	45.00
Screwed, Jenkins', each	25.00	30.00	40.00	65.00

Size, inches	8	10	12
Screwed, Standard, each	\$57.00	105.00	155.00

Size, inches	3	3½	4	4½
Flanged, Standard, each		\$15.50	18.00	22.50
Flanged, Jenkins', each	\$16.50	20.00	23.00	28.00

Size, inches	5	6	7	8
Flanged, Standard, each	\$26.00	35.00	50.00	62.00
Flanged, Jenkins', each	33.00	43.00	65.00	80.00

Size, inches	10	12	14	16
Flanged, Standard, each	\$115.00	175.00	300.00	425.00

**HORIZONTAL,
IRON CAP BOLTED ON**



FIG. H-410

IRON BODY VALVES

I. B. Bronze Mounted Swing Check Valves

SCREWED




FIG. H-411

FLANGED



FIG. H-412

FIG. H-411—SCREWED

Size, inches	2	2½	3	3½	4	5
Kennedy, each		\$15.00	18.00	24.00	27.00	38.00
Ludlow, each	\$7.00	7.75	9.75	14.50	20.50	25.50
Size, inches	6	7	8	10	12	
Kennedy, each	\$48.00	62.00	75.00	125.00	200.00	
Ludlow, each	31.00	41.50	44.50	77.50	97.00	

FIG. H-412—FLANGED

Size, inches	2	2½	3	3½	4	5
Kennedy, each		\$17.00	21.00	27.00	30.00	42.00
Ludlow, each	\$7.75	8.75	11.00	15.50	21.50	27.00
Size, inches	6	7	8	10	12	
Kennedy, each	\$52.00	67.00	80.00	135.00	220.00	
Ludlow, each	32.50	43.00	46.00	76.50	95.00	

Bell Ends




FIG. H-413

Size, inches	3	4	5	6
Kennedy, each	\$24.00	35.00	48.00	60.00
Ludlow, each	10.25	20.50	25.00	28.50
Size, inches	8	10	12	14
Kennedy, each	\$90.00	160.00	265.00	
Ludlow, each	43.00	73.00	92.00	146.00
Size, inches	16	18	20	24
Kennedy, each	Prices on application			
Ludlow, each	\$160.00	225.00	280.00	390.00

IRON BODY SAFETY VALVE

Brass Mounted

CROSS



FIG. H-414

SCREWED

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Each	\$3.50	4.00	5.00	5.80	7.80	13.25	17.25	23.00
Jenkins' Disc, each	4.50	5.00	7.00	8.00	11.00	17.00	22.00	31.00

Size, inches		4	$4\frac{1}{2}$	5	6	7	8
Each		\$28.75	34.50	41.50	57.75	93.50	132.00
Jenkins' Disc, each		38.00	47.00	55.00	73.00	---	---

FLANGED

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Each	\$5.50	6.75	7.75	10.25	16.00	21.50	27.50
Jenkins' Disc, each	---	---	---	12.25	19.00	25.50	34.00

Size, inches		4	$4\frac{1}{2}$	5	6	7	8
Each		\$34.00	40.00	48.00	65.00	100.00	140.00
Jenkins' Disc, each		42.00	52.00	62.00	80.00	---	---

Angle—(Not Illustrated)

SCREWED

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Standard, each	\$3.50	4.00	5.00	5.80	7.80	13.25	17.25

Size, inches	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5	6	7	8
Standard, each	\$23.00	28.75	34.50	41.50	57.75	93.50	132.00

FLANGED

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Standard, each	\$5.50	6.75	7.75	10.25	16.00	21.50	27.50

Size, inches		4	$4\frac{1}{2}$	5	6	7	8
Standard, each		\$34.00	40.00	48.00	65.00	100.00	140.00

IRON BODY SAFETY VALVE

**LOW PRESSURE
WITH BALANCE WEIGHT**




FIG. H-415

Size, inches	1	1¼	1½	2	2½	3
Globe or Angle Pattern, each.....	\$3.75	5.25	6.50	8.50	14.00	19.00

Iron Body Back Pressure Valves

SCREWED




FIG. H-416

FLANGED




FIG. H-417

FIG. H-416—SCREWED

Size, inches	1½	2	2½	3	3½	4	4½
Standard, each	\$9.00	11.00	13.00	15.00	19.00	22.50	28.50
Jenkins', each	---	8.00	9.00	11.00	14.00	16.00	18.00
Size, inches	5	6	7	8	10	12	
Standard, each	\$33.50	43.00	70.00	85.00	120.00	180.00	
Jenkins', each	24.00	32.00	---	58.00	---	---	

FIG. H-417—FLANGED

Size, inches	1½	2	2½	3	3½	4	4½	5
Standard, each	\$10.50	12.75	15.00	17.50	22.00	26.00	32.00	37.00
Jenkins', each	---	9.00	10.00	13.00	16.00	18.00	22.00	26.00
Size, inches	6	7	8	10	12	14	16	
Standard, each	\$47.00	75.00	90.00	130.00	200.00	350.00	475.00	
Jenkins', each	34.00	---	58.00	---	---	---	---	

STANDARD IRON BODY VALVES
Throttle Valves

GATE




FIG. H-418




FIG. H-419

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3
Fig. H-418—Screwed, each				\$7.00	12.00	15.00
Fig. H-419—Screwed, each	\$10.00	12.50	15.00	22.50	30.00	40.00
Fig. H-419—Flanged, not shown, each	11.00	13.50	16.50	24.00	32.00	42.50
Size, inches	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	6	7
Fig. H-418—Screwed, each	\$18.00	21.00	25.00	30.00	35.00	
Fig. H-419—Screwed, each	50.00	60.00	88.00	106.00	120.00	140.00
Fig. H-419—Flanged, not shown, each	53.00	64.00	91.00	110.00	125.00	145.00

Butterfly Valves

SCREWED



FIG. H-420

FLANGED




FIG. H-421

FIG. H-420—SCREWED


Size, inches	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6
Each	\$6.35	7.00	8.00	9.50	12.00	16.00	18.50	28.50	42.50

FIG. H-421—FLANGED

Size, inches	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	5	6	8	10	12
Each	\$7.50	8.50	9.50	11.50	15.00	19.00	22.00	32.00	47.00	90.00	125.00	160.00

STANDARD EXPANSION JOINTS

IRON BODY—BRASS SLEEVE

FIG. H-422—SCREWED
STANDARD TRAVERSE

Size, in.....	2	2½	3	3½
Traverse, in..	2½	2½	2¾	3
Each.....	\$7.00	8.00	10.00	14.00
Size, in.....	4	5	6	7
Traverse, in..	3¾	4	5	6
Each.....	\$18.00	38.00	45.00	70.00
Size, in.....	8	9	10	12
Traverse, in..	7	7	7	8
Each.....	\$100.00	110.00	160.00	225.00

FIG. H-422—SCREWED. SPECIAL TRAVERSE

Traverse, Size, inches..	2	2½	3	3½	4	5	6	7	8
6 inches, each.....	\$11.00	13.00	17.50	25.00	30.00	45.00	55.00	-----	-----
10 inches, each.....	16.00	19.00	25.00	35.00	42.00	62.00	80.00	100.00	140.00
12 inches, each.....	18.50	22.00	29.00	40.00	48.00	70.00	92.50	115.00	160.00
14 inches, each.....	21.00	25.00	33.00	45.00	54.00	78.00	-----	-----	-----
16 inches, each.....	23.50	28.00	37.00	50.00	60.00	86.00	-----	-----	-----
18 inches, each.....	26.00	31.00	41.00	55.00	66.00	-----	-----	-----	-----




FIG. H-423

FIG. H-423—FLANGED. STANDARD TRAVERSE

Size, inches.....	2	2½	3	3½	4	5	6	7
Traverse, inches.....	2½	2½	2¾	3	3¾	4	5	6
Diameter of Flanges, inches	6	7	7½	8½	9	10	11	12½
Each.....	\$15.00	16.00	18.50	25.00	30.00	48.00	55.00	80.00
Size, inches.....	8	9	10	12	14	15	16	
Traverse, inches.....	7	7	7	8	10	10	10	
Diameter of Flanges, inches	13½	15	16	19	21	22¼	23½	
Each.....	\$110.00	120.00	175.00	250.00	500.00	500.00	600.00	

FIG. H-423—FLANGED. SPECIAL TRAVERSE

Traverse, Size, inches..	2	2½	3	3½	4	5	6	7	8
6 inches, each.....	\$18.00	20.00	25.00	35.00	40.00	55.00	65.00	-----	-----
10 inches, each.....	23.00	26.00	32.50	45.00	52.00	72.00	90.00	112.00	150.00
12 inches, each.....	25.50	29.00	36.50	50.00	58.00	80.00	102.50	127.00	170.00
14 inches, each.....	28.00	32.00	40.50	55.00	64.00	88.00	-----	-----	-----
16 inches, each.....	30.50	35.00	44.50	60.00	70.00	96.00	-----	-----	-----
18 inches, each.....	33.00	38.00	48.50	65.00	76.00	-----	-----	-----	-----

The expansion will average about 1 inch in 50 feet of pipe.



FIG. H-424

STANDARD IRON COCK

SQUARE OR FLAT HEAD

SCREWED

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
All Iron, each	.85	.90	1.05	1.30	1.60	1.95	2.70
With Brass Plug, each	1.25	1.30	1.60	1.90	2.65	3.75	5.25

Size, inches	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	5	6
All Iron, each	\$4.40	6.75	12.00	15.50	32.00	45.00
With Brass Plug, each	8.75	13.00	27.50	36.50	67.00	94.00

FLANGED

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
All Iron, each	\$2.25	2.75	3.25	4.25	6.25
With Brass Plug, each	3.00	3.75	5.00	7.00	10.50

Size, inches	3	$3\frac{1}{2}$	4	5	6
All Iron, each	\$9.50	15.00	19.00	36.00	50.00
With Brass Plug, each	15.75	30.00	40.00	70.00	100.00

STANDARD IRON COCK

Three-way

SQUARE OR FLAT HEAD




FIG. H-425

SCREWED

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
All Iron, each	\$1.65	1.80	2.05	2.65	3.65	5.35
With Brass Plug, each	2.20	2.40	3.10	4.50	6.25	9.75

Size, inches	3	$3\frac{1}{2}$	4	5	6
All Iron, each	\$7.50	14.00	19.00	36.50	52.00
With Brass Plug, each	13.75	30.00	40.00	71.50	100.00

FLANGED

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
All Iron, each	\$3.75	4.25	5.25	7.00	9.00
With Brass Plug, each	4.50	5.25	7.00	9.50	13.25

Size, inches	3	$3\frac{1}{2}$	4	5	6
All Iron, each	\$12.75	20.00	26.00	44.00	60.00
With Brass Plug, each	19.00	36.00	47.00	80.00	108.00

For Iron Lever Handle Wrenches, see page 116.

AMMONIA VALVES

Gland End

GLOBE




FIG. H-426

ANGLE




FIG. H-427

CHECK




FIG. H-428

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Fig. H-426—Globe, each	\$3.00	4.00	5.00	6.50	8.00	9.00	11.80	17.00	22.00	29.00	75.00	94.00
Fig. H-427—Angle, each	3.00	4.00	5.00	6.50	8.00	9.00	11.80	17.00	22.00	29.00	75.00	94.00
Fig. H-428—Check, each	2.15	3.00	3.50	4.50	7.50	8.50	9.50	10.25	15.00	18.50	60.00	70.00

Needle Expansion Valves

GAUGE




FIG. H-431

GLOBE



FIG. H-429

GLOBE, LOCK SHIELD




FIG. H-430

FIGS. H-429 AND H-430

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2
Globe or Angle, each	\$4.50	6.00	7.50	9.75	12.00	13.50	17.70

Lock Shield Valve, 1/2 INCH SIZE ONLY, Globe or Angle, each, 8.50

FIG. H-431—AUTOMATIC LIQUID AMMONIA GAUGES

Furnished in standard length guards and glass tubes for 16 inch center of openings, but can be made to any length, at a slight additional cost.

Size, inches	1/2	3/4	1
Standard, each	\$10.00	12.50	15.00
Extra Heavy, each	12.50	15.00	20.00

AMMONIA FITTINGS

ELBOW



FIG. H-432

Gland End

TEE




FIG. H-433

CROSS




FIG. H-434

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Fig. H-432—Elbows, each	.50	.65	.80	1.05	1.60	2.15	3.05	4.20	6.80	11.00	12.00	14.00
Elbows—Reducing, each	.70	.90	1.05	1.40	2.10	2.70	3.80	5.35	8.30	13.50	15.00	18.00
Fig. H-433—Tees, each	.75	1.05	1.20	1.55	2.50	3.00	4.40	7.75	11.00	15.50	18.00	19.00
Tees, Reducing, each	.95	1.30	1.55	2.05	3.25	3.75	5.40	9.75	13.25	18.75	22.00	24.00
Fig. H-434—Crosses, each	---	1.52	1.80	2.30	4.00	5.00	---	---	---	---	---	---
Crosses, Reducing, each	---	1.75	2.25	3.00	5.00	6.00	---	---	---	---	---	---

Complete as shown

RETURN BEND—DIVIDED PATTERN

RETURN BEND




FIG. H-435




FIG. H-436

BRINE RETURN BEND




FIG. H-437

FIG. H-435 AND H-436—REGULAR AND DIVIDED PATTERNS

Size, inches	3/4	1	1 1/4	1 1/2	1 3/4	2	2	2 1/2	3	4
Center to Center, inches	2 1/2	3 1/2	3 3/4	3 3/4	4 1/4	5 1/8	4 1/4	5 1/4	5 1/4	6 1/2
Each	\$1.50	2.00	3.00	5.00	5.00	6.20	6.20	7.50	9.50	16.75
Divided Pattern Condenser Return Bends, 2 in. only; C. to C., 4 1/4 in., each	---	---	---	---	---	---	---	---	---	9.00

FIG. H-437—BRINE RETURN BENDS

Size, inches	1	1	1	1 1/4	1 1/4	1 1/2	2
Center to Center, inches	3 1/2	4	6	4	6	7	6
Plain, each	.35	.38	.50	.45	.60	.75	.90
Galvanized, each	.70	.76	1.00	.90	1.20	1.50	1.80




FIG. H-438




FIG. H-439

FIG. H-438—COUPLING, AND FIG. H-439—BOYLE UNION

Size, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4
Number of Bolts	2	2	2	2	2	2	3	4	4	4	4	4
Each	.38	.53	.68	.90	1.20	1.50	2.15	2.80	4.80	6.20	9.00	12.00

STANDARD I. B. FOOT VALVES

SCREWED




FIG. H-440

FLANGED



FIG. H-441

PLAIN, WITH STRAINER



FIG. H-442

FOOT VALVES, WITH STRAINERS

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Fig. H-440—Screwed, Painted, each	.42	.42	.42	.48	.62	.82	1.20	1.70	2.50
Fig. H-440—Screwed, Galvanized, each	.60	.60	.60	.75	1.00	1.45	2.00	2.70	3.90
Fig. H-441—Flanged, Painted, each							2.10	2.25	3.00
Fig. H-441—Flanged, Galvanized, each							3.00	3.50	4.50
Size, inches	4	4 1/2	5	6	8	10	12 1/2		
Fig. H-440—Screwed, Painted, each	\$2.75	4.00	4.25	7.00	16.00	29.00	58.00		
Fig. H-440—Screwed, Galvanized, each	4.25	6.00	6.50	10.00	30.00	50.00	90.00		
Fig. H-441—Flanged, Painted, each	3.60	4.75	5.00	8.00	16.50	30.00	60.00		
Fig. H-441—Flanged, Galvanized, each	5.50	7.25	7.50	12.00	32.00	52.00	95.00		

8, 10 and 12 inch are extra heavy, with Faced and Leaded Joints and solid Brass Axles.

PLAIN IRON BODY FOOT VALVE, WITH STRAINER
FIG. H-442

Size, inches	1	1 1/4	1 1/2	2	2 1/2	3
Each	\$1.30	1.40	1.90	2.40	3.30	3.90

CAST IRON STRAINER



FIG. H-443

Size of Pipe, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Screwed, Painted, each	.30	.30	.40	.50	.75	1.00	1.50	2.00
Screwed, Galvanized, each	.40	.40	.50	.75	1.00	1.50	2.00	3.00
Flanged, Painted, each							2.40	2.75
Flanged, Galvanized, each							3.50	4.00
Size of Pipe, inches	3 1/2	4	4 1/2	5	6	7	8	
Screwed, Painted, each	\$3.00	3.75	4.75	4.75	6.50	12.00	12.00	
Screwed, Galvanized, each	4.50	6.00	7.00	7.00	10.00	20.00	20.00	
Flanged, Painted, each	3.90	4.75	6.25	6.25	9.75	18.00	18.00	
Flanged, Galvanized, each	5.25	7.00	9.00	9.00	14.00	25.00	25.00	

All Flanged Strainers are Faced.
Prices of Larger Sizes on application.

IRON BODY BRONZE MOUNTED DOUBLE GATE VALVES



FIG. H-444




FIG. H-445

FIGS. H-444 AND H-445

Size, inches		$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
CHAPMAN	Screwed	\$2.20	2.20	2.35	2.75	3.30	3.75	4.75
	Flanged	---	---	2.85	3.25	4.00	4.50	5.50
LUDLOW	Screwed	---	---	---	---	5.00	5.50	6.00
	Flanged	---	---	---	---	5.50	6.00	6.25
Size, inches		2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5
CHAPMAN	Screwed	\$6.25	9.00	11.75	14.50	17.00	23.50	23.50
	Flanged	6.70	9.00	11.75	15.00	17.50	23.50	23.50
LUDLOW	Screwed	7.00	10.25	12.25	16.50	18.00	23.00	25.00
	Flanged	7.50	10.75	13.25	17.50	18.50	23.50	25.50
KENNEDY	Screwed	10.00	12.00	15.00	18.00	20.00	23.00	25.00
	Flanged	10.00	12.00	15.00	18.00	20.00	23.00	25.00
JENKINS	Screwed	8.00	12.00	15.00	18.00	21.00	29.00	30.00
	Flanged	9.00	13.00	16.00	19.00	22.50	31.00	32.00
Size, inches		6	7	8	9	10	12	
CHAPMAN	Screwed	\$29.50	37.00	45.00	57.00	72.00	101.00	
	Flanged	28.25	34.50	42.50	53.50	67.00	89.00	
LUDLOW	Screwed	30.50	38.00	45.00	---	64.00	82.50	
	Flanged	31.00	38.00	43.50	---	64.50	80.00	
KENNEDY	Screwed	30.00	45.00	55.00	80.00	90.00	125.00	
	Flanged	30.00	45.00	55.00	80.00	90.00	125.00	
JENKINS	Screwed	36.00	50.00	62.00	71.00	85.00	120.00	
	Flanged	38.00	50.00	62.00	71.00	85.00	120.00	

Prices for larger sizes on application.

IRON BODY GATE VALVE

With Sliding Stem and Lever




FIG. H-446

Size, inches	2	2½	3	3½	4	4½	5	6	7	8
KENNEDY.										
Screwed		\$18.00	22.00	25.00	27.00	31.00	34.00	40.00	57.00	69.00
Flanged		18.00	22.00	25.00	27.00	31.00	34.00	40.00	57.00	69.00
LUDLOW.										
Screwed	\$8 25	12.00	14.25	18.50	20.00	25.25	27.25	32.75	40.25	47.25
Flanged	8.75	12.50	15.25	19.50	20.50	25.75	27.75	33.25	40.25	45.75
CHAPMAN.										
Screwed		11.10	13.75	17.75	20.25	27.25	27.25	34.50	42.00	53.75
Flanged		11.35	14.25	18.25	20.75	27.25	27.25	33.25	39.50	51.25
JENKINS.										
Screwed	10.00	14.25	17.50	20.75	24.00		33.25	39.50	53.75	66.00
Flanged	11.00	15.25	18.50	21.75	25.50		35.25	41.50	53.75	66.00

IRON BODY WATER GATE

Bronze Mounted, Bell and Spigot Ends




FIG. H-447

KENNEDY.							
Size, inches	2	3	4	6	8	10	12
Bell Ends	\$10.00	15.00	20.00	30.00	55.00	90.00	125.00
Spigot Ends	Prices on application						
With Sliding Stem and Lever	Prices on application						
Size, inches	14	15	16	18	20	22	24
Bell or Spigot Ends	Prices on application						
With Sliding Stem and Lever	Prices on application						
LUDLOW.							
Size, inches	2	3	4	6	8	10	12
Bell Ends	\$7.00	14.50	17.00	28.00	42.00	60.00	76.00
Spigot Ends	7.25	15.00	17.50	28.75	43.25	62.50	79.50
Add for Slid'g Stem and Lever	1.25	2.00	2.00	2.25	2.25	3.25	4.00
Size, inches	14	15	16	18	20	22	24
Bell Ends	\$129.00	138.00	143.00	205.00	242.00	315.00	375.00
Spigot Ends	127.00	146.00	152.00	217.00	254.00	-----	390.00
CHAPMAN.							
Size, inches	2	3	4	6	8	10	12
Bell Ends	\$9.50	12.75	19.50	29.00	43.00	65.00	87.00
Spigot Ends	9.50	12.75	19.50	29.00	43.00	66.00	90.00
Size, inches	14	15	16	18	20	22	24
Bell Ends	\$114.00	137.00	147.00	193.00	229.00	263.00	337.00
Spigot Ends	117.00	141.00	152.00	199.00	235.00	269.00	343.00
JENKINS.							
Size, inches	2	3	4	6	8	10	12
Bell Ends	\$9.00	15.00	21.00	36.00	62.00	85.00	120.00

Prices for larger sizes on application.

**IRON BODY BRONZE MOUNTED
EXTRA HEAVY GATE VALVE
FOR WORKING PRESSURE UP TO 250 POUNDS**




FIG. H-448

SCREWED

Size, inches	2	2½	3	3½	4	4½
Kennedy		\$35.00	40.00	45.00	50.00	---
Chapman	12.00	21.50	26.50	29.50	35.00	44.50
Ludlow	11.00	15.00	19.50	21.50	24.00	33.00
Size, inches	5	6	7	8	10	12
Kennedy	\$65.00	80.00	100.00	120.00	200.00	300.00
Chapman	52.00	63.50	75.50	90.00	---	---
Ludlow	38.00	49.50	59.00	69.00	---	---

FLANGED

Size, inches	2	2½	3	3½	4	4½
Kennedy		\$35.00	40.00	45.00	50.00	---
Chapman	13.50	22.50	28.50	31.50	37.50	46.50
Ludlow	13.50	19.00	23.50	25.25	28.00	36.00
Size, inches	5	6	7	8	10	12
Kennedy	\$65.00	80.00	100.00	120.00	200.00	300.00
Chapman	54.00	66.50	81.50	96.50	138.00	190.00
Ludlow	41.00	55.00	64.50	73.00	110.00	148.00

Prices for larger sizes on application.

SPECIAL FIRE OR INDICATOR VALVE




FIG. H-449

BRASS—SCREWED

Size, inches	1	1¼	1½	2	2½	3	3½	4
Kennedy			\$9.25	13.75	20.25	27.25	41.00	51.75
Chapman	\$3.80	4.55	5.75	8.20	13.15	18.50	32.75	41.50

BRASS—FLANGED

Size, inches	1	1¼	1½	2	2½	3	3½	4
Kennedy			\$11.25	17.75	24.25	32.25	49.00	59.75
Chapman	\$5.25	6.25	8.50	11.75	18.15	22.75	40.25	48.75

IRON BODY—SCREWED

Size, inches		2	2½	3	3½	4	4½
Kennedy		\$13.75	16.50	20.25	24.00	26.75	30.00
Chapman			\$11.00	13.50	15.50	18.50	21.00

Size, inches		5	6	7	8	10	12
Kennedy		\$32.50	39.00	53.50	65.00	85.00	113.00
Chapman		24.00	30.00	37.50	47.00	70.50	92.00

IRON BODY—FLANGED

Size, inches		2	2½	3	3½	4	4½
Kennedy		\$13.75	17.00	20.75	25.00	27.25	31.00
Chapman			11.25	14.00	16.00	18.75	20.50

Size, inches		5	6	7	8	10	12
Kennedy		\$34.50	41.00	53.50	65.00	85.00	113.00
Chapman		23.50	29.00	36.00	45.00	65.00	84.00




FIG. H-450

INDICATOR POST

“Underwriters”
Approved Weather-
proof Adjustable Post

This Indicator Post is designed expressly for water valves connected with street mains, and for use with valves for fire service in mill and factory yards.

This indicator shows plainly at a glance whether valve is open or closed.

Serious fire damage has often occurred by reason of valve being closed and water accidentally shut off from automatic sprinklers, and continuing shut off unknown to the superintendent or others in charge.

This indicator post can be supplied separate, and can be used on any make of valve.

Always state number of turns to open valve and whether valve opens by turning to the left or right.

Indicator Posts only, each	\$40.00
Wrenches for Top Nut, each	1.00
For increase in depth of trench, for each 6 inches, add
	.80

For Post and Valve complete, add to price of Indicator Post as above given, the price of such style and size of Valve as is to be used.

NOTE.—When ordering give depth of Trench in which Post is to be set, measuring from surface of ground to bottom of connecting pipe.

FIRE HYDRANT




FIG. H-451

Standard Price List for Fire Hydrants

Diameter of Pipe Connection, inches.	Inside Diameter of Stand Pipe, inches.	Diam. of Seat Ring or Gate Opening, in.	One 2 inch Nozzle.	One 2½ inch Nozzle.	Two 2½ inch Nozzles.	Three 2½ inch Nozzles.	Four 2½ inch Nozzles.	Six 2½ inch Nozzles.	One Steamer Nozzle.	One Steamer and one 2½ inch Nozzle.	One Steamer and two 2½ inch Nozzles.	One Steamer and three 2½ inch Nozzles.	One Steamer and four 2½ inch Nozzles.	Frost Case, Standard Length.	For each 6 inches more length of Stand Pipe, add to or deduct from List.	For each 6 inches more Length of Frost Case, add to or deduct from List.	2½ inch Independent Nozzle Gate, each.
8 or 10	10	8	51.25	55.25	53.25	54.00	55.25	51.25	51.25	53.25	55.25	57.25	59.25	11.00	2.25	1.30	4.50
8	8	6	50.00	52.00	50.00	54.00	54.00	50.00	50.00	54.00	56.00	56.00	58.00	7.50	1.00	.90	3.75
6	7	6	40.50	42.50	40.50	44.50	44.50	40.50	40.50	42.50	44.50	46.50	46.50	6.50	.85	.70	3.75
6	6½	4½	35.50	37.50	35.50	37.50	37.50	35.50	35.50	37.50	39.50	39.50	39.50	5.60	.80	.58	3.50
6	5¾	4	31.50	33.50	33.50	33.50	33.50	33.50	33.50	35.50	37.50	37.50	37.50	5.00	.75	.50	3.50
3 or 4	5¾	4	31.00	31.00	33.00	33.00	33.00	33.00	33.00	35.00	37.00	37.00	37.00	4.50	.60	.44	3.50
3 or 4	4½	3	28.00	28.00	28.00	28.00	28.00	28.00	28.00	30.00	32.00	32.00	32.00	4.50	.45	---	---
8 or 10	10	8	17.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---

The above prices are based on our standard length, viz.: five feet from ground surface to bottom of connecting pipe. Frost-cases are furnished if wanted.

Price List of Secondary Gate for Hydrants
Subject to same Discount as Hydrants.

3 in. Connection with 3 in. Valve \$9.25	5 in. Connection with 5 in. Valve \$15.50
4 in. Connection with 4 in. Valve 12.50	6 in. Connection with 6 in. Valve 18.50
4½ in. Connection with 5 in. Valve 15.50	8 in. Connection with 8 in. Valve 27.00

AIR COCKS

FINISHED

T HANDLE SINGLE THREAD




FIG. H-452

Size, inches	1/8	1/4	3/8	1/2
Each	.40	.45	.50	.60

LEVER HANDLE SINGLE THREAD




FIG. H-453

Size, inches	1/8	1/4	3/8	1/2
Each	.55	.60	.65	.75

T HANDLE DOUBLE THREAD




FIG. H-454

T. H. No	18	19	20	21
Size, inches	1/8	1/4	3/8	1/2
Each	.55	.65	.75	.90

LEVER HANDLE DOUBLE THREAD




FIG. H-455

L. H. No	22	23	24	25
Size, inches	1/8	1/4	3/8	1/2
Each	.70	.80	.90	1.05

T HANDLE SINGLE THREAD




FIG. H-456

T. H. No	26	27	28	33
Size, inches	1/8	1/4	3/8	1/2
Single Thread, each	.70	.80	.90	1.00
Double Thread, each	.80	1.00	1.10	1.35

LEVER HANDLE SINGLE THREAD




FIG. H-457

L. H. No	29	30	31	32
Size, inches	1/8	1/4	3/8	1/2
Single Thread, each	.85	.95	1.05	1.15
Double Thread, each	.95	1.15	1.25	1.50

AIR COCKS
FINISHED




FIG. H-458

T. H. No.....	37	38	39
Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$
Each.....	.65	.70	.85




FIG. H-459

L. H. No.....	43	44	45
Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$
Each.....	.80	.85	1.00

Cylinder Cocks—Steam Metal

BIBB END WITH COUPLING




FIG. H-460

Size, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Each.....	\$1.75	2.00	2.50	3.75

STRAIGHT




FIG. H-461

Size, inches	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Each.....	\$1.75	2.00	2.50	3.75

DOUBLE THREAD




FIG. H-462

Size, inches.....	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$
Single Thread, each	\$1.15	1.30	1.85	2.60
Double Thread, each	1.25	1.50	2.10	2.70

COMPRESSION GAUGE COCKS

Wood Wheel

WITHOUT STUFFING BOX

WITH STUFFING BOX




FIG. H-463



FIG. H-464

Cut for Pipe Thread, inches	3/8	1/2	3/4
Fig. H-463—Each	.95	1.00	1.25
Fig. H-464—Each	1.20	1.30	1.45
Fig. H-464—Each, Regrinding	1.05	1.30	1.80

STEAM GAUGE COCK




FIG. H-465




FIG. H-466




FIG. H-467

PRINDLES No. 1




FIG. H-468

1/4 inch each	.75	Each	.90	Each	.90	Each	\$1.50
---------------	-----	------	-----	------	-----	------	--------

Steam Gauge Syphons—Iron

VERTICAL



FIG. H-469

ANGLE



FIG. H-470

Fig. H-469—1/4 inch I. P., ea.	.50
Fig. H-470—1/4 inch I. P., ea.	.50

Weighted Gauge Cocks



FIG. H-471

Size, inches	3/8	1/2	3/4
Each	\$1.00	1.00	1.00

POP SAFETY VALVES

For Stationary and Marine Boilers

IRON CASE AND BEST STEAM METAL




FIG. H-472

Size.	For Boilers, H. P.	Each
2 inches	30 to 40	\$30.00
2½ inches	40 to 75	50.00
3 inches	75 to 100	65.00
3½ inches	100 to 125	80.00
4 inches	125 to 150	100.00
4½ inches	150 to 175	115.00
5 inches	175 to 200	125.00
5½ inches	200 to 225	150.00
6 inches	225 and upwards	180.00
With Lock-Up, add, each		\$2.50

Marine Pop Safety Valve

BOARD OF TRADE STANDARD

Size.	For Boilers, H. P.	Each.
2 inches	30 to 40	\$30.00
2½ inches	40 to 75	50.00
3 inches	75 to 100	65.00
3½ inches	100 to 125	80.00
4 inches	125 to 150	100.00
4½ inches	150 to 175	115.00
5 inches	175 to 200	125.00
5½ inches	200 to 225	150.00
6 inches	225 and upwards	180.00

Full particulars on application.

Always state the pressure valve shall be set at, size of boiler and diameter of base flange.




FIG. H-473

POP SAFETY VALVES

For Portable Farm and Hoisting Engines

BRASS

$\frac{1}{2}$ inch for Boilers, 3 to 6 H. P., each.....	\$10.00
$\frac{3}{4}$ inch for Boilers, 3 to 6 H. P., each.....	10.00
1 inch for Boilers, 3 to 10 H. P., each.....	12.00
$1\frac{1}{4}$ inch for Boilers, 10 to 20 H. P., each.....	15.00
$1\frac{1}{2}$ inch for Boilers, 20 to 30 H. P., each.....	20.00
2 inch for Boilers, 30 to 40 H. P., each.....	30.00



FIG. H-474

PORTABLE AND MARINE VALVES

BRASS

$\frac{3}{4}$ inch for Boilers, 3 to 6 H. P., each.....	\$10.00
1 inch for Boilers, 3 to 10 H. P., each.....	12.00
$1\frac{1}{4}$ inch for Boilers, 10 to 20 H. P., each.....	15.00
$1\frac{1}{2}$ inch for Boilers, 20 to 30 H. P., each.....	20.00
2 inch for Boilers, 30 to 40 H. P., each.....	30.00
$2\frac{1}{2}$ inch for Boilers, 40 to 75 H. P., each.....	50.00
3 inch for Boilers, 75 to 100 H. P., each.....	65.00
$3\frac{1}{2}$ inch for Boilers, 100 to 125 H. P., each.....	80.00

FOR MARINE AND STATIONARY BOILERS

Yacht Style

BRASS

$\frac{3}{4}$ inch, Brass, for 5 H. P. Boilers, each.....	\$10.00
1 inch, Brass, for 5 to 10 H. P. Boilers, each.....	12.00
$1\frac{1}{4}$ inch, Brass, for 10 to 20 H. P. Boilers, each.....	15.00
$1\frac{1}{2}$ inch, Brass, for 20 to 30 H. P. Boilers, each.....	20.00
2 inch, Brass, for 30 to 40 H. P. Boilers, each.....	30.00
$2\frac{1}{2}$ inch, Brass, for 40 to 50 H. P. Boilers, each.....	50.00



FIG. H-475

When ordering, state whether for marine or stationary use.

WATER RELIEF VALVES

BRASS




FIG. H-476

FIG. H-476—BRASS

Size, in.	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
Each	\$10.00	12.00	15.00	20.00
Size, inches	2	$2\frac{1}{2}$	3	
Each	\$30.00	65.00	80.00	

IRON BODY




FIG. H-477

FIG. H-477—IRON BODY

Size, inches	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Screwed, ea.	\$30.00	50.00	65.00	80.00
Flanged, ea.		50.00	65.00	80.00
Size, inches	4	5	6	
Screwed, each	\$100.00	150.00	200.00	
Flanged, each	100.00	150.00	200.00	

In ordering, state pressure to be carried.

All Brass Watson Water Reducing Valves

(Patent applied for)

STANDARD PATTERN

DIAPHRAGM PATTERN

RELIEF VALVE FOR WATER PIPES



FIG. H-478



FIG. H-479



FIG. H-480

Fig. H-478—For reducing pressures 200 pounds or less, to not less than 10 pounds.

Fig. H-479—Will reduce pressure to any lower pressure, on the outlet, from 1 to 15 pounds.

Fig. H-480—To prevent excessive water pressure, for use on steam pumps, cylinders, feed water heaters, or in connection with reducing valve to prevent an accumulation of pressure on the light side.

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Fig. H-478—Each	\$7.00	7.00	8.50	11.50	15.00	25.00	---	---
Fig. H-479—Each	---	14.00	17.00	22.00	28.00	---	---	---
Fig. H-480—Each	6.00	8.00	10.00	12.00	14.00	18.00	24.00	30.00

In ordering, state purpose for which valve is wanted, high pressure and pressure wanted on the reduced side.

REDUCING VALVES FOR WATER

MUELLER




FIG. H-481

FIG. H-482

Size of Pipe.	Each.
$\frac{3}{4}$ inch	\$7.00
1 inch	10.00
$1\frac{1}{4}$ inch	14.00
$1\frac{1}{2}$ inch	20.00

Above 2 inch valves are made with screw sockets or flanges.

FIG. H-481

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
For Iron Pipe	\$10.00	10.00	13.00	17.50	24.00
For Lead Pipe	10.50	10.50	13.70	---	---

Size, inches	2	$2\frac{1}{2}$	3	4
For Iron Pipe	\$40.00	55.00	70.00	90.00

Prices on Regulators from 6 to 20 inch, quoted on application.

With its use, a uniform low pressure is maintained in the house supply pipes regardless of the high pressure in the mains.

All Regulators to 1 inch inclusive are provided with a Relief Valve to relieve the expansion of hot water.


ROSS
SCREWED TOP WITH COUPLINGS

FIG. H-482

MONASH PRESSURE REGULATOR AND REDUCING VALVES

CLASS C-2




FIG. H-483

CLASS C-1




FIG. H-484

Size of Inlet and Outlet, Inches.	Each.	Size of Inlet and Outlet, Inches.	Each.
$\frac{3}{4} \times \frac{3}{4}$	\$43.00	$3\frac{1}{2} \times 3\frac{1}{2}$	\$140.00
1x1	45.00	$\frac{1}{4} \times 4$	165.00
$1\frac{1}{4} \times 1\frac{1}{4}$	50.00	5x5	225.00
$1\frac{1}{2} \times 1\frac{1}{2}$	60.00	6x6	300.00
2x2	75.00	7x7	375.00
$2\frac{1}{2} \times 2\frac{1}{2}$	90.00	8x8	450.00
3x3	115.00	10x10	580.00

Size of Inlet and Outlet, Inches.	Each.	Size of Inlet and Outlet, Inches.	Each.
$1\frac{1}{2} \times 3$	\$94.00	$3\frac{1}{2} \times 7$	\$230.00
2x4	110.00	4x8	275.00
$2\frac{1}{2} \times 5$	130.00	5x10	375.00
3x6	185.00	6x12	500.00

CLASS A




FIG. H-485

FIG. H-485

Size of Inlet and Outlet, Inches.	Each.	Size of Inlet and Outlet, Inches.	Each.
$\frac{3}{4} \times 1$	\$38.00	$3\frac{1}{2} \times 4$	\$87.00
$1 \times 1\frac{1}{4}$	40.00	4x5	105.00
$1\frac{1}{4} \times 1\frac{1}{2}$	44.00	5x6	135.00
$1\frac{1}{2} \times 2$	46.00	6x7	180.00
$2 \times 2\frac{1}{2}$	54.00	7x8	250.00
$2\frac{1}{2} \times 3$	63.00	8x10	340.00
$3 \times 3\frac{1}{2}$	72.00	10x12	450.00

MASON REDUCING VALVE

This valve is designed to reduce and maintain an even steam or air pressure, regardless of the initial pressure. It will automatically reduce boiler pressure for steam heating coils, dry-rooms, paper-making machinery, slashers, dye-kettles, and all places where it is desirable to use lower pressure than that of the boiler.

To increase pressure, turn the key in the direction taken by the hands of a watch.



FIG. H-486

Size.	Each.	Size.	Each.
$\frac{1}{2}$ inch.....	\$18.00	3 inch.....	\$72.00
$\frac{3}{4}$ inch.....	18.00	$3\frac{1}{2}$ inch.....	85.00
1 inch.....	22.00	4 inch.....	100.00
$1\frac{1}{4}$ inch.....	28.00	5 inch.....	135.00
$1\frac{1}{2}$ inch.....	35.00	6 inch.....	180.00
2 inch.....	44.00	8 inch.....	250.00
$2\frac{1}{2}$ inch.....	57.00	10 inch.....	350.00

MASON PUMP PRESSURE REGULATOR

For fire, tank, elevator, air and water-works pumps, or any class of pumping machinery where it is necessary to maintain a constant pressure. The regulator may be instantly adjusted to any pressure desired by simply turning the key as shown in the cut.

These regulators are made in all the pipe sizes; those up to and including 2-inch of the best steam metal; the largest sizes of cast-iron, lined with steam metal. The springs are made of the finest tool steel, tempered.

Each size, up to and including 2-inch, is furnished with couplings.

Size.	Each.	Size.	Each.
$\frac{1}{2}$ inch.....	\$20.00	2 inch.....	\$55.00
$\frac{3}{4}$ inch.....	20.00	$2\frac{1}{2}$ inch.....	68.00
1 inch.....	25.00	3 inch.....	85.00
$1\frac{1}{4}$ inch.....	30.00	$3\frac{1}{2}$ inch.....	100.00
$1\frac{1}{2}$ inch.....	42.00	4 inch.....	115.00




FIG. H-487

KIELEY PRESSURE REGULATING VALVES

**EUREKA LOW PRESSURE
REGULATOR**




FIG. H-488

**KIELEY HIGH PRESSURE
REGULATOR**




FIG. H-489

LOW PRESSURE REGULATING VALVES

For reducing steam, air or gas from the Initial or High Pressure down to any pressure on the reduced side LESS than 15 pounds, and from this point down to as low as one pound.

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Each	\$20.00	22.00	28.00	35.00	44.00	57.00	72.00	85.00
Face to Face, inches	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{3}{4}$	6	$7\frac{1}{2}$	$8\frac{1}{2}$	$9\frac{1}{8}$
Size, inches	4	5	6	7	8	9	10	12
Each	\$100.00	135.00	180.00	225.00	275.00	350.00	350.00	470.00
Face to Face, inches	$10\frac{3}{4}$	$11\frac{3}{4}$	$12\frac{3}{4}$	$13\frac{3}{8}$	$14\frac{5}{8}$	$16\frac{1}{4}$	$16\frac{1}{4}$	$18\frac{1}{2}$

Sizes 2 inch and under have Screwed Ends, $2\frac{1}{2}$ inch and larger Flanged Ends.

HIGH PRESSURE REGULATING VALVES

For reducing steam or air from the Initial or High Pressure down to any pressure on the reduced side ABOVE 15 pounds, that may be desired.

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Each	\$20.00	22.00	28.00	35.00	44.00	57.00	72.00	85.00
Face to Face, inches	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{1}{2}$	$6\frac{1}{4}$	$7\frac{1}{2}$	$8\frac{1}{2}$	$9\frac{1}{2}$
Size, inches	4	5	6	7	8	9	10	12
Each	\$100.00	135.00	180.00	225.00	275.00	350.00	350.00	470.00
Face to Face, inches	$10\frac{1}{2}$	$11\frac{3}{4}$	$12\frac{3}{4}$	$13\frac{3}{4}$	$14\frac{1}{2}$	$16\frac{1}{2}$	$16\frac{1}{2}$	$18\frac{1}{2}$

Sizes 2 inch and under have Screwed Ends, $2\frac{1}{2}$ inch and larger Flanged Ends.

DAVIS STEAM PRESSURE REGULATORS

No. 1




FIG. H-490

Designed for all purposes where there is no pulsation of pressure. Suitable for Steam Heating, Boiling, Drying, Distilling, and all places requiring a constant unvarying pressure below that of Boiler.

No. 2




FIG. H-491

Same as No. 1, with the addition of Oil Cylinder (Dash Pot), which will prevent jumping or chattering under any conditions. For use when there is a pulsation or vibration in Low Pressure Pipes.

Size.	No. 1	No. 2
1 inch, Screwed Ends, each	\$22.00	\$27.00
1 1/4 inch, Screwed Ends, each	24.00	29.00
1 1/2 inch, Screwed Ends, each	25.00	30.00
2 inch, Screwed Ends, each	30.00	36.00
2 1/2 inch, Screwed Ends, each	35.00	42.00
3 inch, Screwed Ends, each	40.00	48.00
3 1/2 inch, Screwed Ends, each	50.00	58.00
4 inch, Screwed or Flanged Ends, 8 1/2 inch diameter, each	60.00	70.00
5 inch, Flanged Ends, 10 inch diameter, each	75.00	90.00
6 inch, Flanged Ends, 12 inch diameter, each	100.00	120.00
7 inch, Flanged Ends, 13 inch diameter, each	135.00	160.00
8 inch, Flanged Ends, 15 inch diameter, each	175.00	200.00
10 inch, Flanged Ends, 18 inch diameter, each	275.00	300.00
12 inch, Flanged Ends, 20 inch diameter, each	400.00	435.00




FIG. H-492 BRASS REGULATORS—MADE SCREWED ENDS ONLY

WATSON'S STEAM PRESSURE REGULATOR

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4
Brass, each	\$14.00	17.00	22.00	28.00	38.00	55.00	70.00	90.00

IRON BODY—BRASS LINED—WITH FLANGES

Also Tapped for Screwing, and can be used either way.

Size, inches	2	2 1/2	3	4	5	6	7	8
Iron Body, each	\$38.00	55.00	70.00	90.00	110.00	150.00	180.00	210.00

SPENCER DAMPER REGULATOR

With New Automatic Lubricating Device




FIG. H-493

For Regulating High or Low Pressure Steam Boilers, Stoker Engines, Blower Engines, Reducing Pressure Valves, etc.

Put up on approval and the best obtainable results guaranteed.

Each\$125.00

Clarke Damper Regulator




FIG. H-494

Number	1	2	3
Each	\$10.00	15.00	25.00
Capacity, horse power.....	5	20	30 and Larger.

Low Pressure Damper Regulator




FIG. H-495

Each\$10.00

Low Pressure Diaphragm




FIG. H-496

Diameter, inches	8	9	9½
Each	\$1.00	1.00	1.10

PENBERTHY AUTOMATIC INJECTOR




FIG. H-497




FIG. H-498

CAPACITY PER HOUR.

Numbers.	Pipe Connection.	1 to 3 ft. Lift. 60 to 85 lbs. Steam Pressure.		Horse Power.	Each.
		Min. Gallons.	Max. Gallons.		
O	$\frac{1}{4}$ inch	40	60	3 to 6	\$15.00
OO	$\frac{3}{8}$ inch	55	80	4 to 8	16.00
A	$\frac{1}{2}$ inch	70	135	8 to 16	18.00
AA	$\frac{1}{2}$ inch	100	180	12 to 22	20.00
B	$\frac{3}{4}$ inch	140	260	17 to 32	25.00
BB	$\frac{3}{4}$ inch	170	355	20 to 45	30.00
C	1 inch	300	475	40 to 65	40.00
CC	1 inch	350	600	45 to 80	45.00
D	$1\frac{1}{4}$ inch	425	800	50 to 100	55.00
DD	$1\frac{1}{4}$ inch	525	1,000	75 to 135	60.00
E	$1\frac{1}{2}$ inch	800	1,400	100 to 180	75.00
EE	$1\frac{1}{2}$ inch	900	1,900	115 to 255	90.00
F	2 inch	1,300	2,400	160 to 320	110.00
FF	2 inch	1,600	3,000	200 to 400	125.00
G	$2\frac{1}{2}$ inch	2,000	3,600	300 to 500	150.00
GG	$2\frac{1}{2}$ inch	2,500	4,200	375 to 600	200.00

When Injectors are ordered by size of the Pipe Connections only, the size having the larger capacity will always be sent.

METROPOLITAN AUTOMATIC INJECTOR

FOR MARINE, STATIONARY AND PORTABLE BOILERS AND TRACTION ENGINES

It is automatic at all working steam pressures. No amount of jarring can stop its working. It will lift the water at comparatively high temperature and cannot blow back in the suction pipe. It can be used as a lifter or non-lifter without any change of tubes. A monkey wrench and screw driver only are required to remove the tubes and regrind the valves.




FIG. H-499

No.	Each.	Pipe.	Gals. per Hr.	Horse Power.	No.	Each.	Pipe.	Gals. per Hr.	Horse Power.
2	\$15.00	3/8	60	4 to 6	8	\$45.00	1	600	65 to 80
3	16.00	3/8	80	6 to 8	9	55.00	1 1/4	800	80 to 100
3 1/2	18.00	1/2	120	8 to 15	10	60.00	1 1/4	1000	100 to 130
4	20.00	1/2	165	15 to 20	11	75.00	1 1/2	1300	130 to 170
5	25.00	3/4	250	20 to 30	12	90.00	1 1/2	1750	170 to 230
6	30.00	3/4	350	30 to 45	13	110.00	2	2300	230 to 300
7	40.00	1	500	45 to 65	14	125.00	2	2850	300 to 375




FIG. H-500

Metropolitan Double Tube High Pressure Injector

Will take water at 120° Fahrenheit with steam pressure of 180 pounds, and hotter water at correspondingly low pressures. It can be used as a lifting or non-lifting injector, or for low steam pressures equally well.

Number.	Each.	Pipe.	Gals. per Hr.	Horse Power.	Drip Funnel.
2 1/2	\$18.00	1/2	120	8 to 15	\$1.00
4 1/2	20.00	1/2	165	15 to 20	1.00
5 1/2	25.00	3/4	250	20 to 30	1.25
6 1/2	30.00	3/4	350	30 to 45	1.25
7 1/2	40.00	1	500	45 to 65	1.50
8 1/2	45.00	1	600	65 to 80	1.50
9 1/2	55.00	1 1/4	800	80 to 100	2.00
10 1/2	60.00	1 1/4	1000	100 to 130	2.00
11 1/2	75.00	1 1/2	1300	130 to 170	2.50
12 1/2	90.00	1 1/2	1750	170 to 230	2.50
13 1/2	110.00	2	2300	230 to 300	3.00
14 1/2	125.00	2	2850	300 to 375	3.00
15 1/2	150.00	2 1/2	3500	375 to 500	3.50

“H-D” EJECTOR OR JET PUMP



FIG. H-501

Size.	Each.	PIPE CONNECTIONS.		Capacity per Hour.	Strainers. Each.
		Steam.	Suction and Delivery.		
No. 1 Brass.	\$8.00	$\frac{3}{8}$	$\frac{1}{2}$	250	.90
No. 2 Brass.	10.00	$\frac{1}{2}$	$\frac{3}{4}$	500	1.00
No. 3 Brass.	15.00	$\frac{3}{4}$	1	960	1.25
No. 4 Brass.	20.00	1	$1\frac{1}{4}$	1,300	1.50
No. 5 Brass.	25.00	$1\frac{1}{4}$	$1\frac{1}{2}$	2,000	2.00
No. 6 Iron.	35.00	$1\frac{1}{4}$	2	4,000	2.75
No. 7 Iron.	45.00	$1\frac{1}{2}$	$2\frac{1}{2}$	8,000	3.75
No. 8 Iron.	55.00	2	3	11,000	5.00
No. 9 Iron.	70.00	$2\frac{1}{2}$	4	15,000	7.00
No. 10 Iron.	175.00	4	6	45,000	----




FIG. H-502

HANCOCK INSPIRATOR

For Feeding Stationary and Portable Boilers

Full directions for connecting and operating accompany each Inspirator. For a lift of 5 ft., 15 lbs. of steam-pressure is required; for a lift of 10 to 15 ft., 20 lbs. pressure is required; for a lift of 15 to 20 ft., 30 lbs. steam-pressure is required; for a lift of 20 to 25 ft., 35 to 40 lbs. steam-pressure is required. No adjustment is necessary for varying steam-pressure; but the quantity of water delivered can be varied by increasing or reducing the steam or water supply.

No. of Insp.	Suc. and Feed.	Steam	Gallons per hour, 60 lbs. pressure.	Each.	No. of Insp.	Suc. and Feed.	Steam.	Gallons per hour, 60 lbs. pressure.	Each.
$7\frac{1}{2}$	$\frac{3}{8}$	$\frac{3}{8}$	60	\$16.00	25	$1\frac{1}{4}$	1	900	\$60.00
$8\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{8}$	90	18.00	30	$1\frac{1}{2}$	$1\frac{1}{4}$	1,260	75.00
10	$\frac{1}{2}$	$\frac{3}{8}$	120	20.00	35	$1\frac{1}{2}$	$1\frac{1}{4}$	1,740	90.00
$12\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	220	25.00	40	2	$1\frac{1}{2}$	2,230	110.00
15	$\frac{3}{4}$	$\frac{1}{2}$	300	30.00	45	2	$1\frac{1}{2}$	2,820	125.00
$17\frac{1}{2}$	1	$\frac{3}{4}$	420	40.00	50	$2\frac{1}{2}$	2	3,480	150.00
20	1	$\frac{3}{4}$	540	45.00	55	$2\frac{1}{2}$	2	3,650	175.00
$22\frac{1}{2}$	$1\frac{1}{4}$	1	720	55.00					

JUDSON GOVERNORS

CLASS B, STANDARD
MEDIUM SPEED




FIG. H-503

CLASS A, SPRING
HIGH SPEED




FIG. H-504

In ordering Governors state which class is wanted, whether Standard or Spring, Plain or Finished, and with or without Improved Angle or Globe Stop Valve.

SIZE OF GOVERNOR DIAM. OF OPENING	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$
Class B, Plain	\$14.00	16.00	18.00	21.00	25.00	30.00	35.00
Class B, Finished	16.00	18.00	20.00	24.00	29.00	34.00	40.00
Class A, Plain	-----	-----	21.00	24.50	29.50	36.00	42.00
Class A, Finished	-----	-----	23.00	27.50	33.50	40.00	47.00
Angle or Globe Stop Valve	-----	-----	-----	6.00	8.00	9.75	11.50
SIZE OF GOVERNOR DIAM. OF OPENING	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$	5
Class B, Plain	\$40.00	45.00	50.00	60.00	71.00	83.00	94.00
Class B, Finished	45.00	51.00	58.00	69.00	81.00	94.00	106.00
Class A, Plain	48.00	53.00	59.00	71.00	83.00	96.00	109.00
Class A, Finished	53.00	59.00	67.00	80.00	93.00	107.00	121.00
Angle or Globe Stop Valve	12.50	15.50	18.00	22.00	25.00	32.00	38.00
SIZE OF GOVERNOR DIAM. OF OPENING	$5\frac{1}{2}$	6	7	8	9	10	
Class B, Plain	\$108.00	122.00	150.00	185.00	215.00	240.00	
Class B, Finished	121.00	136.00	166.00	202.00	235.00	260.00	
Class A, Plain	124.00	140.00	170.00	210.00	241.00	270.00	
Class A, Finished	137.00	154.00	186.00	227.00	261.00	290.00	
Angle or Globe Stop Valve	44.00	50.00	80.00	103.00	140.00	180.00	

All Governors are complete with Speeder, Turned Flanged Pulley and Lever.

In ordering, if we are informed of Speed of Engine and Diameter of Pulley on Engine Shaft from which Governor is driven, will put proper size of Pulley on Governor, otherwise Regular Pulley will be furnished with each Governor. When Stop Valves are ordered, Angle will be sent unless Globe is specified.

INTERCHANGEABLE.—Governors are made in duplicate so that new parts can be readily substituted for those broken or worn.




FIG. H-505




FIG. H-506

**AUSTIN
SEPARATORS**

For Live and Exhaust
Steam

Equal results with upward or downward flow of steam.

Can be connected either right or left hand.

Size, in.	1½	2	2½	3	3½	4	4½	5	6	7	8	10	12
Each	\$30.00	40.00	45.00	50.00	60.00	70.00	75.00	80.00	110.00	125.00	160.00	220.00	250.00

Prices include Connecting Flanges, Water Gauge, Nipple and Straight-way Valve.

**SIZES AND DIMENSIONS
IN INCHES**

Size	1½	2	2½	3	3½	4	4½
A	Se'd Ends		7	7½	8½	9	9¼
B	11	11	13	15¼	16¾	18	20

Size	5	6	7	8	10	12
A	10	11	12½	13½	16	19
B	22¼	25¼	28½	31½	37	40¾




FIG. H-507

**SIZES AND DIMENSIONS
IN INCHES**

Size	1½	2	2½	3	3½	4	
A	Se'd Ends		Se'd Ends	7	7½	8½	9
B	9	9	13¼	15¼	16	18¼	

Size	4½	5	6	7	8	10	12
A	9¼	10	11	12½	13½	16	19
B	19¼	20¾	24¼	27¼	30¼	31	36




FIG. H-508

EXHAUST HEADS



FIG. H-509




FIG. H-510

“CYCLONE”

Prevents spraying of roofs and walls by oil and water from Exhaust Pipes.

Makes the exhaust noiseless.

Size of Exhaust Pipe.	Size of Drip Pipe.	Each.	Size of Exhaust Pipe.	Size of Drip Pipe.	Each.
1 and 1/2 inch	1/2 inch.	\$20.00	10 inch	1 1/2 inch.	\$125.00
2 and 2 1/2 inch	3/4 inch.	25.00	11 and 12 inch	2 inch.	150.00
3 and 3 1/2 inch	1 inch.	30.00	13 inch	2 inch.	175.00
4 and 4 1/2 inch	1 inch.	40.00	14 inch	2 1/2 inch.	200.00
5 inch	1 1/4 inch.	50.00	15 inch	2 1/2 inch.	235.00
6 inch	1 3/4 inch.	60.00	16 inch	2 1/2 inch.	250.00
7 inch	1 3/4 inch.	75.00	17 inch	3 inch.	270.00
8 inch	1 1/2 inch.	90.00	18 inch	3 inch.	300.00
9 inch	1 1/2 inch.	105.00	20 inch	3 inch.	360.00

Small sizes up to 2 1/2 inch are fitted with Standard Threaded Nipples.

Sizes 3 inch to 12 inch are fitted with Standard Flange Unions.

In large sizes the Flange on Exhaust Head is made to conform in diameter and drilling to Flange on the Exhaust Pipe.

“LYMAN”

5 INCH AND SMALLER



FIG. H-511




FIG. H-512

6 INCH AND LARGER



FIG. H-513

All Heads have the same inside construction.

Pipe Size, inches	2 or 2 1/2	3 or 3 1/2	4 or 4 1/2	5	6	7	8	9	10	11 or 12	14
Each	\$25.00	30.00	40.00	50.00	60.00	75.00	90.00	105.00	125.00	150.00	200.00
Approx. Wt., lbs	25	30	45	75	100	125	165	220	240	320	470
Ext. Height, inches	29	33	39	44	48	52	58	63	68	74	86
Ext. Width, inches	17	20	23	26	28	30	34	36	39	43	50
Comp. Flanges, ex				1.75	2.00	2.25	2.50	2.75	3.00	3.50	4.00

**PATTERSON WATER TUBE
BERRYMAN HEATER, PURIFIER
AND OIL SEPARATOR**




FIG. H-514

H. P.	Dimen- sions, in.	Exh't, in.	Feed, in.	Each.	H. P.	Dimen- sions, in.	Exh't, in.	Feed, in.	Each.
40	15x42	3	1	\$100.00	250	26x 80	8	2	\$450.00
50	15x50	4	1	120.00	300	26x 90	10	2	510.00
60	15x56	4	1 1/4	145.00	350	26x100	10	2 1/2	575.00
80	15x68	5	1 1/4	180.00	400	28x102	12	2 1/2	650.00
100	18x68	6	1 1/2	225.00	500	28x114	12	2 1/2	\$25.00
125	18x74	6	1 1/2	270.00	600	36x 98	12	3	1050.00
150	23x76	7	1 1/2	325.00	800	36x114	14	3	1300.00
200	23x88	8	2	375.00	1000	36x130	14	4	1600.00

NOTE.—Diameters are across tube plates. Heights include legs.

This Heater consists of a cast iron shell, a settling chamber and a nest of seamless brass tubes, both ends of each being expanded into an extra thick cast iron tube plate. The water passes through an entire row or bank of tubes at once, thus circulating through the exhaust steam as often as there are rows of tubes in the heater, depending upon its size, and obtaining full benefit from its heat. Impurities must settle to the bottom and may be blown off. This form also gives great strength to what is often the weakest part. By removing the bolts, the settling chamber, tube plate and tubes may be lowered and the interior reached for any purpose, without disturbing the steam pipe or the shell upon its supports.

These Heaters are tested to 200 lbs. hydraulic pressure.

NASON STEAM TRAPS

“NASON”

FOR STEAM PRESSURES 70 LBS. AND LESS




FIG. H-515

“SIDELUG”

FOR STEAM PRESSURES 71 TO 150 LBS.




FIG. H-516

Number of Steam Trap.....	1	2	3	4	5
Size of Pipe Connections.....	1/2	3/4	1	1 1/4	1 1/2
Maximum discharge, lbs. water per minute.....	5	8	12	20	25
Greatest number of sq. ft. of surface to which it should be applied.....	350	900	1400	2000	3500
Greatest number of lineal feet of 1 in. pipe surface to which it should be applied.....	1050	2700	4200	6000	10500
Price, Nason Fig. H-515.....	\$16.00	20.00	27.50	42.50	70.00
Price, Sidelug Fig. H-516.....	16.85	21.30	29.25	45.50	74.75

ALBANY STEAM TRAPS

RETURN TRAP




FIG. H-517

NON-RETURN




FIG. H-518

FIG. H-517—RETURN TRAPS

Size Trap.	Capacity in Lineal Feet of 1 inch Pipe.	Inlet.	Outlet.	Gallons Capacity per Minute.	Each.
No. A1.	15,000 to 30,000	1½ in.	2½ in.	10 to 15	\$200.00
No. 1.	8,000 to 12,000	1½ in.	2 in.	4 to 8	150.00
No. 2.	4,000 to 8,000	1 in.	1½ in.	3 to 6	100.00
No. 0.	500 to 1,000	½ in.	1 in.	½ to 1	50.00

FIG. H-518—NON-RETURN TRAPS

NUMBER	1	2	3
Inlet and Discharge	½ in.	¾ in.	1 in.
For Lineal Feet of 1 in. Pipe } depending on the pressure }	1,000 to 2,000	2,000 to 5,000	5,000 to 8,000
Shipping Weights	50 lbs.	80 lbs.	125 lbs.
Each	\$10.00	\$12.00	\$17.00
Renewals, per set, Valve and Seat	.50	.75	1.00
NUMBER	4	5	6
Inlet and Discharge	1¼ in.	1½ in.	2 in.
For Lineal Feet of 1 in. Pipe } depending on the pressure }	8,000 to 10,000	10,000 to 15,000	15,000 to 30,000
Shipping Weights	200 lbs.	350 lbs.	400 lbs.
Each	\$26.00	\$42.00	\$75.00
Renewals, per set, Valve and Seat	1.25	1.50	2.50

"RELIABLE" STEAM TRAP




FIG. H-519

For small drainage that can be sold at a low price so as to be generally used.

No. 0,	Inlet and Outlet $\frac{3}{4}$ inch, each	-----	\$12.00
	Drains 1,000 feet of 1-inch pipe.		
No. 00,	Inlet and Outlet $\frac{1}{2}$ inch, each	-----	8.00
	Drains 450 feet of 1-inch pipe.		
No. 00	has no wheel valve at B.		
	Both sizes work at from 1 pound to 100 pounds steam pressure only, and no higher.		

McDANIEL EXTRA HEAVY STEAM TRAP




FIG. H-520

McDaniel Steam Traps are made extra heavy, from special patterns. for steam pressure from 100 to 150 pounds. They are all tested to a pressure of 250 pounds to the square inch.

No. of Steam Trap.	Size of Inlet and Outlet Standard Pipe Size.	Drainage Lineal feet of 1-inch Pipe.	Drainage sq. feet of Heating Surface Sq. Ft.	Each.
0	$\frac{3}{4}$ inch	1,000 feet	333	\$24.00
1	1 inch	3,500 feet	1,166	40.00
2	$1\frac{1}{4}$ inch	7,000 feet	2,333	55.00
3	$1\frac{1}{2}$ inch	14,000 feet	4,666	80.00
4	2 inch	20,000 feet	6,666	90.00
5	$2\frac{1}{2}$ inch	25,000 feet	8,333	100.00

THE ANDERSON IMPROVED STEAM TRAP




FIG. H-521

The Anderson Trap will elevate the water or condensation 2 feet for every pound of pressure, hence if there were 20 pounds pressure on the Trap, it would theoretically elevate the water 40 feet; however, as something must be allowed for friction in the Pipes in estimating we usually deduct 5 pounds pressure, hence where 20 pounds pressure shows at the Trap, we would estimate that the Water could be elevated without difficulty 30 feet; of course, where the traps are used on a gravity system on exhaust steam lines, where there is practically no pressure, it is then impracticable to elevate the water.


SIZES AND CAPACITY

Size No. of Trap.....	1	2	3	4	5	6	7
Size of connection.....	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$
Maximum discharge of condensation, per hour in lbs.....	750	1,200	2,000	2,800	4,000	6,000	12,000
Greatest number of square feet of surface that should be applied.....	500	800	1,300	2,350	3,500	5,000	10,000
Greatest number of lineal feet of 1 inch pipe surface that should be applied	1,500	2,500	4,000	7,000	10,000	15,000	30,000
Each.....	\$20.50	22.50	28.00	35.00	50.00	70.00	120.00

NOTE.—When pressure below 30 pounds is to be used, it should be so stated in the order, so as to have the advantage of the large valve outlet of a low pressure trap.

"EMERGENCY" STEAM TRAP


ADAPTED FOR VARYING STEAM PRESSURES UP TO 250 LBS.



Exterior.

FIG. H-522

A
WASTELESS
TRAP
OF
WONDERFUL
CAPACITY



Interior.

FIG. H-523

DISPOSES OF UNUSUAL INFLOWS OF CONDENSATION INSTANTLY WITHOUT WASTE OF STEAM

As its name implies, this Trap is especially adapted for operation in emergencies, for when the inflow is excessive and an ordinary steam trap would be flooded, the Wright Trap, by means of its THREE independent valves, will take care of the surplus water easily. A moment's study of the cut will make its operation entirely plain.

The water enters the Trap, lifting the float and opening the first or center valve slightly if but little water is coming in, but widely in event of a sudden inflow. This one valve alone is equal to the task of taking care of the flow under ordinary conditions, but if the water comes into the Trap faster than one valve can discharge it, the water rises in the trap, carrying the float with it and opening the second valve sufficiently to discharge the surplus water, or wide open, if necessary. The third valve is opened in like manner, providing for the FULL CAPACITY OF INLET PIPE, but it rarely happens that the volume of condensation coming into the Trap is great enough to tax the combined capacity of all three valves. Operating in the manner described, this is practically "Three Steam Traps at the price of one."

THE THREE VALVES are at highest point of Trap, removed from liability of stoppage by dirt and scale. Valve seats are easily reached for renewing by unscrewing iron plug above tube, when they may be readily taken out with an ordinary screwdriver. All working parts are attached to cover and are removable without disturbing piping. A deep water seal, constantly maintained over inlet and outlet, prevents any escape of steam. Float is of copper, round, seamless and reinforced at most essential point. Trap is furnished complete with blow-off valve for disposing of sediment, etc., and water gauge for noting operation.

Size of Trap	No. 1	No. 2	No. 3	No. 4	No. 5	No. 6	No. 7	No. 8
Size of Inlet and Outlet	½"	¾"	1"	1¼"	1½"	2"	2½"	3"
Distance through Inlet and Outlet	11¼"	12"	12¾"	13¾"	15¼"	16½"	18"	19½"
Maximum Discharge, Gallons, per Hour	75	110	180	300	480	720	1200	1680
Intended for Square Feet of Radiating Surface	1330	2000	3330	6660	9000	13300	25750	31000
Intended for Lineal Feet of 1-inch Pipe	4000	6000	10000	20000	27000	40000	77500	93000
Each	\$20.50	22.50	28.00	35.00	50.00	70.00	100.00	130.00

NOTE.—Every trap carefully tested before leaving factory. Results guaranteed.

STEAM AND WATER BOILERS

IDEAL SECTIONAL STEAM AND WATER




FIG. H-524

The headings denote the front measurement of the grate.

48 INCH STEAM			48 INCH WATER			36 INCH STEAM			36 INCH WATER		
No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.
S-48-6	4000	1144.00	W-48-6	6600	1124.00	065	1800	\$640.00	365	2975	\$630.00
S-48-7	4800	1304.00	W-48-7	7925	1284.00	066	2250	770.00	366	3700	750.00
S-48-8	5600	1464.00	W-48-8	9250	1444.00	067	2700	882.00	367	4450	862.00
S-48-9	6400	1624.00	W-48-9	10575	1604.00	068	3150	974.00	368	5200	954.00
S-48-10	7200	1784.00	W-48-10	11875	1764.00	069	3600	1064.00	369	5950	1044.00

30 INCH STEAM			30 INCH WATER			24 INCH STEAM			24 INCH WATER		
No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.
S-30-5	1275	\$182.50	W-30-5	2100	\$472.50	045	900	\$370.00	245	1500	\$360.00
S-30-6	1625	587.50	W-30-6	2675	577.50	046	1100	430.00	246	1825	420.00
S-30-7	1975	692.50	W-30-7	3250	682.50	047	1300	490.00	247	2150	480.00
S-30-8	2325	790.50	W-30-8	3825	780.50	048	1500	550.00	248	2475	540.00

21 INCH STEAM			21 INCH WATER			18 INCH STEAM			18 INCH WATER		
No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.
S-21-5	800	\$340.00	W-21-5	1325	\$330.00	085	500	\$250.00	185	825	\$240.00
S-21-6	1000	400.00	W-21-6	1650	390.00	086	625	287.50	186	1025	277.50
S-21-7	1200	460.00	W-21-7	2000	450.00	087	750	325.00	187	1250	315.00

15 INCH STEAM			15 INCH WATER		
No.	Rating Sq. Ft.	Each.	No.	Rating Sq. Ft.	Each.
S-15-4	300	\$190.00	W-15-4	500	\$180.00
S-15-5	425	227.50	W-15-5	700	217.50
S-15-6	550	265.00	W-15-6	900	255.00
S-15-7	675	302.50	W-15-7	1100	292.50
S-15-8	800	340.00	W-15-8	1300	330.00

For each supply outlet on top of boiler there is a corresponding return inlet on either side of boiler. Extra tappings can be provided if desired.

Do not bush flow pipe outlets—connect all of them full size to the main.

Additional descriptive matter will be furnished upon application.

STEAM AND WATER BOILERS

IDEAL ARCO STEAM



FIG. H-525

IDEAL PREMIER WATER



FIG. H-526

IDEAL ARCO STEAM BOILERS

SOFT COAL			HARD COAL		
No.	Rating, Sq. Ft.	Each.	No.	Rating, Sq. Ft.	Each.
1-19-S	275	\$140.50	2-19-S	350	\$167.00
1-22-S	400	193.00	3-19-S	400	193.00
1-25-S	500	219.50	2-22-S	525	226.00
1-28-S	800	331.00	3-22-S	575	240.00
1-31-S	1000	389.50	2-25-S	625	277.50
1-34-S	1250	462.50	3-25-S	700	300.00
			2-28-S	900	360.50
			3-28-S	1000	389.50
			2-31-S	1275	470.00
			3-31-S	1400	500.00
			2-34-S	1500	530.00
			3-34-S	1650	575.00

The ratings provide that all piping (mains and risers, flow and return), in addition to the direct radiation to be used, shall be figured as radiating surface in estimating the size of Boiler required.

IDEAL PREMIER STEAM BOILERS

SOFT COAL			HARD COAL		
No.	Rating, Sq. Ft.	Each.	No.	Rating, Sq. Ft.	Each.
D-015	200	\$123.00	C-015	225	\$123.00
D-018	250	149.50	C-018	300	149.50
D-021	400	193.00	C-019	350	167.00
D-022	450	206.50	C-020	400	193.00
D-025	500	219.50	C-021	450	206.50
D-026	600	246.00	C-022	500	219.50
D-028	800	331.00	C-024	550	232.50
D-029	900	360.50	C-025	600	246.00
D-032	1050	404.50	C-026	650	287.50
D-033	1200	448.00	C-027	850	346.00
			C-028	925	367.50
			C-029	1000	389.50
			C-031	1100	419.00
			C-032	1200	448.00
			C-033	1300	477.00

When soft coal is to be used for fuel, a size larger Boiler should be selected than would be required for hard coal.

IDEAL ARCO WATER BOILERS

SOFT COAL			HARD COAL		
No.	Rating, Sq. Ft.	Each.	No.	Rating, Sq. Ft.	Each.
1-19-W	450	\$131.50	2-19-W	575	\$158.00
1-22-W	650	184.00	3-19-W	650	184.50
1-25-W	825	210.50	2-22-W	875	217.50
1-28-W	1325	321.00	3-22-W	950	230.00
1-31-W	1650	381.00	2-25-W	1025	270.00
1-34-W	2075	450.00	3-25-W	1150	290.00
			2-28-W	1500	350.50
			3-28-W	1650	380.00
			2-31-W	2100	457.50
			3-31-W	2325	495.00
			2-34-W	2475	525.00
			3-34-W	2725	565.00

In rating Steam Boilers it is understood that an average pressure of 2 lbs. will be maintained at the Boiler. In rating Water Boilers, it is understood that the mean temperature of the water at the Boiler will be 180 degrees Fahrenheit.

IDEAL PREMIER WATER BOILERS

SOFT COAL			HARD COAL		
No.	Rating, Sq. Ft.	Each.	No.	Rating, Sq. Ft.	Each.
D-152	325	\$105.50	C-152	375	\$105.50
D-182	400	140.50	C-182	500	140.50
D-212	650	184.00	C-183	575	158.50
D-213	750	197.00	C-211	650	184.00
D-242	825	210.50	C-212	750	197.00
D-243	1000	237.00	C-213	825	210.50
D-282	1325	321.00	C-241	900	224.00
D-283	1500	350.50	C-242	1000	237.00
D-322	1725	394.50	C-243	1075	277.50
D-323	2000	438.50	C-281	1400	336.00
			C-282	1525	358.00
			C-283	1650	380.00
			C-321	1825	409.00
			C-322	2000	438.50
			C-323	2150	467.50

It is recommended that our Premier Arco or Sectional Boilers be selected as more adaptable for use with soft coal than other types.

PORTABLE BOILERS

IDEAL PORTABLE BOILER



FIG. H-527

IDEAL PORTABLE STEAM BOILERS

No.	Rating, Sq. Ft.	Each.
103	300	\$149.50
104	350	167.00
203	400	193.00
204	450	206.50
205	500	219.50
303	550	232.50
304	600	246.00
305	650	287.50
403	850	346.00
404	1000	389.50
405	1100	419.00
504	1250	462.50
505	1450	506.50
506	1600	565.00

For soft coal use a one size larger boiler than for hard coal.

IDEAL PORTABLE WATER BOILERS

No.	Rating, Sq. Ft.	Each.
13	350	\$101.00
14	400	114.00
15	450	131.50
24	550	153.50
25	625	171.00
26	675	187.50
34	775	204.00
35	875	217.50
36	975	233.50
37	1050	274.00
44	1200	299.50
45	1400	336.00
46	1600	372.50
47	1700	389.50
55	1775	402.00
56	2000	438.50
57	2250	486.00
58	2400	511.50

When soft coal is to be used for fuel, it is advisable to select a Sectional Premier or Arco Boiler.

All boilers should have a substantial covering of asbestos.

PORTABLE WATER HEATERS

IDEAL LAUNDRY WATER HEATER
NO. 2

IDEAL PREMIER JUNIOR
WATER HEATER



FIG. H-528




FIG. H-529

FIG. H-528—IDEAL PREMIER JUNIOR WATER HEATERS

Nos. 0 and 101 are not provided with butterfly doors. No. 101 can be so equipped if specified in ordering. None of the above Heaters has intermediate section.

*Diameter of base at floor line. No fire tools supplied with these Heaters.

When soft coal is to be used for fuel, a size larger Heater should be selected than would be required for hard coal.

The amount of radiation a water heater will supply at manufacturer's established basis of rating can be estimated by dividing the tank capacity in gallons by 1.30, since it is generally accepted that a foot of radiation is equal to a tank capacity of 30 per cent. more expressed in gallons, or 1.30 gallons.

No.	Height, Inches.	*Diameter, Inches.	Diameter Grate, Inches.	Outlets, Inches.	Smoke Collar, Inches.	Capacity, Gallons.	Price Complete.
0	31	18	10	1-1½	5	100	\$38.00
101	33½	18	10¼	1-1½	5	200	53.00
121	41½	24	12	3-1½	6	275	66.50
122	46¾	24	12	3-1½	6	350	81.00
151	47½	27	15	3-2	6	450	100.00
152	55¼	27	15	3-2	7	600	129.00
181	50¼	28	18	3-2	7	750	164.50

FIG. H-529—IDEAL LAUNDRY WATER HEATERS

No.	Height, Inches.	*Widest Diameter, Inches.	Diameter Grate, Inches.	Inlet and Outlet, Inches.	Size Smoke-Pipe, Inches.	Number of Flat Irons.	Tank Capacity, Gallons.	Price Complete.
1A	28	25	10	1	5	15	50	\$30.00
2	33¾	27½	12	1¼	6	20	120	41.00
3	34½	27½	15	1½	6	20	200	53.00

*Measurements given approximate the amount of space occupied by the Heater. No fire tools supplied with these Heaters.

When soft coal is to be used for fuel, a size larger Heater should be selected than would be required for hard coal.

RADIATORS

Rococo Three-Column Ornamental

WITH RIGHT AND LEFT-HAND THREADED NIPPLE CONSTRUCTION

For Steam and Water



FIG. H-530

Each section is 9 1/4 inches wide. Width of legs, 10 inches. All Rococo Radiators made at Detroit Plant are connected with extra heavy right and left hand threaded nipples.

Rococo Ornamental Radiators are made at Detroit Plant in special shapes as follows:

- Carpet feet, for Steam and Water on application
- Circular, for Steam and Water on application
- Corner, for Steam and Water on application
- Curved, for Steam and Water on application
- Dining room, 44-inch Height only, for Steam and Water on application
- Direct-Indirect, 44, 38, 32 and 26-inch Heights, for Steam only on application
- Legs, Detachable High, for Steam and Water on application
- Marble-Tops, Lugs for Steam and Water on application

These Radiators are tapped 2 inches and bushed as per list on page 177. Distance from floor to center of either supply or return tapping is 4 1/2 inches for water; 4 inches for single-pipe Steam; 4 1/2 inches supply, 4 inches return, for Double-pipe Steam.

Top of each Water leg section has 2-inch plug, which can be taken out to make top connection when desired. In Detroit Plant, Rococo Water Radiators distance between centers of upper and lower tappings is—in the 44-inch Height, 35 1/4 inches; 38-inch Height, 31 inches; 32-inch Height, 23 3/4 inches; 26-inch Height, 18 inches; 22-inch Height, 14 1/2 inches; 18-inch Height, 10 1/4 inches.

*In estimating length of Radiator, allow 1/2 inch for each bushing.

SPECIAL TAPPINGS

When so ordered, can tap 1 1/2 inch or smaller at extreme top of first or second section of stack, or at bottom of second section. (See illustration "A," page 177).

When so ordered, can tap for supply and return at bottom of same end, for Steam. (See illustration "C," page 177). Both tappings are 1 1/2 inches or smaller, according to list on page 177. Distance between centers of tappings is 4 1/4 inches (except where Adjustable High Legs are used); distance from floor to center of either tapping is 4 inches.

HEATING SURFACE—SQUARE FEET

No. of Sections.	*Length per Sec. 2 1/2 in.	44-inch Height, 6 sq. ft. per Sec.	38-inch Height, 5 sq. ft. per Sec.	32-inch Height, 4 1/2 sq. ft. per Sec.	26-inch Height, 3 3/4 sq. ft. per Sec.	22-inch Height, 3 sq. ft. per Sec.	18-inch Height, 2 1/4 sq. ft. per Sec.
2	5	12	10	9	7 1/2	6	4 1/2
3	7 1/2	18	15	13 1/2	11 1/4	9	6 3/4
4	10	24	20	18	15	12	9
5	12 1/2	30	25	22 1/2	18 3/4	15	11 1/4
6	15	36	30	27	22 1/2	18	13 3/4
7	17 1/2	42	35	31 1/2	26 1/2	21	15 3/4
8	20	48	40	36	30	24	18
9	22 1/2	54	45	40 1/2	33 3/4	27	20 1/4
10	25	60	50	45	37 1/2	30	22 1/2
11	27 1/2	66	55	49 1/2	41 1/4	33	24 3/4
12	30	72	60	54	45	36	27
13	32 1/2	78	65	58 1/2	48 3/4	39	29 1/4
14	35	84	70	63	52 1/2	42	31 1/2
15	37 1/2	90	75	67 1/2	56 1/4	45	33 3/4
16	40	96	80	72	60	48	36
17	42 1/2	102	85	76 1/2	63 3/4	51	38 1/4
18	45	108	90	81	67 1/2	54	40 1/2
19	47 1/2	114	95	85 1/2	71 1/4	57	42 3/4
20	50	120	100	90	75	60	45
21	52 1/2	126	105	94 1/2	78 3/4	63	47 1/4
22	55	132	110	99	82 1/2	66	49 1/2
23	57 1/2	138	115	103 1/2	86 1/4	69	51 3/4
24	60	144	120	108	90	72	54
25	62 1/2	150	125	112 1/2	93 3/4	75	56 1/4
26	65	156	130	117	97 1/2	78	58 1/2
27	67 1/2	162	135	121 1/2	101 1/4	81	60 3/4
28	70	168	140	126	105	84	63
29	72 1/2	174	145	130 1/2	108 3/4	87	65 1/4
30	75	180	150	135	112 1/2	90	67 1/2
31	77 1/2	186	155	139 1/2	116 1/4	93	69 3/4
32	80	192	160	144	120	96	72
Price List, per Sq. Ft.		.41	.42	.46	.50	.53	.58

RADIATORS

IDEAL, STEAM ONLY




FIG. H-531

Each section is $7\frac{3}{4}$ inches wide.
 Width of legs, $8\frac{1}{2}$ inches.
 Connected at bottom with extra heavy right-hand threaded nipples.
 Ideal Radiators are made in special shapes as follows:

- Circular for Steam only.
- Curved for Steam only.
- Corner for Steam only.
- Concealed Bracket for Steam only.
- Legs, Extra High Solid, for Steam only.
- Marble Top, with Saddles, for Steam only.
- Stairway for Steam only.
- Window for Steam only.

These Radiators are tapped 2 inches, and bushed as per list on page 177.

Distance from floor to center of tapping: single pipe Steam, 4 inches; double pipe Steam, supply $4\frac{1}{2}$ inches, return 4 inches.

*In estimating length of Radiator allow $\frac{1}{2}$ inch for each bushing.

SPECIAL TAPPINGS

When specially ordered, can tap 1 inch or smaller at extreme top of first or second section of stack, or at bottom of second section (see illustration "A," page 177).

When especially ordered, can tap for supply and return at bottom of same end, for steam (see illustration "C," page 177). Both tappings are solid as per regular tapping list. Distance between centers $3\frac{1}{4}$ inches; distance from floor to center of either tapping is $4\frac{1}{2}$ inches. Supply is at right hand as you face tappings.

HEATING SURFACE—SQUARE FEET

No. of Sections.	*Length $2\frac{1}{2}$ in. per Sec.	45 in. Height.	38 in. Height.	32 in. Height.	26 in. Height.	23 in. Height.	20 in. Height.
		5 sq. ft. per Sec.	4 sq. ft. per Sec.	$3\frac{1}{2}$ sq. ft. per Sec.	$2\frac{2}{3}$ sq. ft. per Sec.	$2\frac{1}{3}$ sq. ft. per Sec.	2 sq. ft. per Sec.
2	5	10	8	$6\frac{2}{3}$	$5\frac{1}{3}$	$4\frac{2}{3}$	4
3	$7\frac{1}{2}$	15	12	10	8	7	6
4	10	20	16	$13\frac{1}{3}$	$10\frac{2}{3}$	$9\frac{1}{3}$	8
5	$12\frac{1}{2}$	25	20	$16\frac{2}{3}$	$13\frac{1}{3}$	$11\frac{2}{3}$	10
6	15	30	24	20	16	14	12
7	$17\frac{1}{2}$	35	28	$23\frac{1}{3}$	$18\frac{2}{3}$	$16\frac{1}{3}$	14
8	20	40	32	$26\frac{2}{3}$	$21\frac{1}{3}$	$18\frac{2}{3}$	16
9	$22\frac{1}{2}$	45	36	30	24	21	18
10	25	50	40	$33\frac{1}{3}$	$26\frac{2}{3}$	$23\frac{1}{3}$	20
11	$27\frac{1}{2}$	55	44	$36\frac{2}{3}$	$29\frac{1}{3}$	$25\frac{2}{3}$	22
12	30	60	48	40	32	28	24
13	$32\frac{1}{2}$	65	52	$43\frac{1}{3}$	$34\frac{2}{3}$	$30\frac{1}{3}$	26
14	35	70	56	$46\frac{2}{3}$	$37\frac{1}{3}$	$32\frac{2}{3}$	28
15	$37\frac{1}{2}$	75	60	50	40	35	30
16	40	80	64	$53\frac{1}{3}$	$42\frac{2}{3}$	$37\frac{1}{3}$	32
17	$42\frac{1}{2}$	85	68	$56\frac{2}{3}$	$45\frac{1}{3}$	$39\frac{2}{3}$	34
18	45	90	72	60	48	42	36
19	$47\frac{1}{2}$	95	76	$63\frac{1}{3}$	$50\frac{2}{3}$	$44\frac{1}{3}$	38
20	50	100	80	$66\frac{2}{3}$	$53\frac{1}{3}$	$46\frac{2}{3}$	40
21	$52\frac{1}{2}$	105	84	70	56	49	42
22	55	110	88	$73\frac{1}{3}$	$58\frac{2}{3}$	$51\frac{1}{3}$	44
23	$57\frac{1}{2}$	115	92	$76\frac{2}{3}$	$61\frac{1}{3}$	$53\frac{2}{3}$	46
24	60	120	96	80	64	56	48
25	$62\frac{1}{2}$	125	100	$83\frac{1}{3}$	$66\frac{2}{3}$	$58\frac{1}{3}$	50
26	65	130	104	$86\frac{2}{3}$	$69\frac{1}{3}$	$60\frac{2}{3}$	52
27	$67\frac{1}{2}$	135	108	90	72	63	54
28	70	140	112	$93\frac{1}{3}$	$74\frac{2}{3}$	$65\frac{1}{3}$	56
29	$72\frac{1}{2}$	145	116	$96\frac{2}{3}$	$77\frac{1}{3}$	$67\frac{2}{3}$	58
30	75	150	120	100	80	70	60
31	$77\frac{1}{2}$	155	124	$103\frac{1}{3}$	$82\frac{2}{3}$	$72\frac{1}{3}$	62
32	80	160	128	$106\frac{2}{3}$	$85\frac{1}{3}$	$74\frac{2}{3}$	64
Price List, per Sq. Ft.		.41	.42	.46	.50	.53	.57

RADIATORS

Italian Flue Ornamental

FOR STEAM AND WATER




FIG. H-532

Each section is $8\frac{1}{2}$ inches wide.
 Width at legs $8\frac{1}{2}$ inches.
 Connected with extra heavy right and left-hand threaded nipples.

Italian Flue Radiators are made in special shapes as follows:

- Corner, for Steam and Water.....on application
- Curved, for Steam and Water.....on application
- Legs, Detachable, High, for Steam and Water.....on application
- Marble-Tops, Lugs for, for Steam and Water.....on application

These Radiators are tapped 2 inches, and bushed as per list on page 177.

Distance from floor to center of supply tapping: single-pipe Steam, 4 inches; double-pipe Steam $4\frac{1}{2}$ inches supply, 4 inches return; Water $4\frac{1}{2}$ inches supply and return.

*In estimating length of Radiators allow $\frac{1}{2}$ inch for each bushing.

Leg section of Italian Flue Water Radiator has plug at top, which can be taken out to make top connection when desired. Distance between centers of upper and lower tappings is—in the 38 inch Height, $31\frac{1}{8}$ inches; 32-inch Height, $25\frac{7}{8}$ inches; 26-inch Height, $19\frac{1}{2}$ inches; 20-inch Height, $13\frac{3}{8}$ inches.

SPECIAL TAPPINGS

When so ordered, can furnish special tapping of 1 inch or smaller at extreme top of first or second section of stack or at bottom of second section of stack (see illustration "A" page 177).

When specially ordered, can tap for supply and return at bottom of same end for Steam (see illustration "C," page 177). Both tappings are $1\frac{1}{2}$ inches or smaller as per regular tapping list. Distance between centers $4\frac{1}{2}$ inches (except where adjustable High Legs are used); distance from floor to center of either tapping, 4 inches.

HEATING SURFACE—SQUARE FEET.

Number of Sections.	*Length 3 in. per Section.	HEATING SURFACE—SQUARE FEET.			
		38-in. Height. 7 sq. ft. per Section.	32-in. Height. 5 $\frac{3}{4}$ sq. ft. per Section.	26-in. Height. 4 $\frac{1}{2}$ sq. ft. per Section.	20-in. Height. 3 $\frac{3}{4}$ sq. ft. per Section.
2	6	14	11 $\frac{1}{2}$	9	6 $\frac{1}{2}$
3	9	21	17 $\frac{1}{4}$	13 $\frac{1}{2}$	9 $\frac{3}{4}$
4	12	28	23	18	13
5	15	35	28 $\frac{3}{4}$	22 $\frac{1}{2}$	16 $\frac{1}{4}$
6	18	42	34 $\frac{1}{2}$	27	19 $\frac{1}{2}$
7	21	49	40 $\frac{3}{4}$	31 $\frac{1}{2}$	22 $\frac{3}{4}$
8	24	56	46	36	26
9	27	63	51 $\frac{3}{4}$	40 $\frac{1}{2}$	29 $\frac{1}{4}$
10	30	70	57 $\frac{1}{2}$	45	32 $\frac{1}{2}$
11	33	77	63 $\frac{1}{4}$	49 $\frac{1}{2}$	35 $\frac{3}{4}$
12	36	84	69	54	39
13	39	91	74 $\frac{3}{4}$	58 $\frac{1}{2}$	42 $\frac{1}{4}$
14	42	98	80 $\frac{1}{2}$	63	45 $\frac{1}{2}$
15	45	105	86 $\frac{1}{4}$	67 $\frac{1}{2}$	48 $\frac{3}{4}$
16	48	112	92	72	52
17	51	119	97 $\frac{3}{4}$	76 $\frac{1}{2}$	55 $\frac{1}{4}$
18	54	126	103 $\frac{1}{2}$	81	58 $\frac{1}{2}$
19	57	133	109 $\frac{1}{4}$	85 $\frac{1}{2}$	61 $\frac{3}{4}$
20	60	140	115	90	65
21	63	147	120 $\frac{3}{4}$	94 $\frac{1}{2}$	68 $\frac{1}{4}$
22	66	154	126 $\frac{1}{2}$	99	71 $\frac{1}{2}$
23	69	161	132 $\frac{1}{4}$	103 $\frac{1}{2}$	74 $\frac{3}{4}$
24	72	168	138	108	78
25	75	175	143 $\frac{3}{4}$	112 $\frac{1}{2}$	81 $\frac{1}{4}$
26	78	182	149 $\frac{1}{2}$	117	84 $\frac{1}{2}$
27	81	189	155 $\frac{1}{4}$	121 $\frac{1}{2}$	87 $\frac{3}{4}$
28	84	196	161	126	91
29	87	203	166 $\frac{3}{4}$	130 $\frac{1}{2}$	94 $\frac{1}{4}$
30	90	210	172 $\frac{1}{2}$	135	97 $\frac{1}{2}$
31	93	217	178 $\frac{1}{4}$	139 $\frac{1}{2}$	100 $\frac{3}{4}$
32	96	224	184	144	104
Price List, per Sq. Ft.		.42	.46	.50	.57

RADIATORS

ROCOCO DINING ROOM
MADE IN 44 INCH HEIGHT ONLY,
STEAM AND WATER



FIG. H-533

FIG. H-533

†No. 1 is not made in Water pattern.

These Radiators are tapped 2 inches and bushed as per list on page 177. Oven has two shelves $17\frac{1}{4}$ inches long, $10\frac{1}{2}$ inches wide, with 5 inches space between. Doors are stenciled "R" for Right; "L" for Left—for correct assembling.

The outside width of oven is 12 inches, and this fact should be borne in mind by fitters when arranging for connections so that distance from center of tapping to wall shall not be less than 6 inches.

In estimating LENGTH allow $\frac{1}{2}$ inch for each bushing.

Number.	*Length, Inches.	Heating Surface, square feet.
†1	$22\frac{1}{2}$	$43\frac{1}{2}$
2	$27\frac{1}{2}$	$55\frac{1}{2}$
3	$32\frac{1}{2}$	$67\frac{1}{2}$
4	$37\frac{1}{2}$	$79\frac{1}{2}$
5	$42\frac{1}{2}$	$91\frac{1}{2}$
6	$47\frac{1}{2}$	$103\frac{1}{2}$
7	$52\frac{1}{2}$	$115\frac{1}{2}$
8	$57\frac{1}{2}$	$127\frac{1}{2}$

FIG. H-534

NATIONAL TWO-COLUMN WINDOW
RADIATOR

Window Radiators are made in all heights of Steam patterns as follows:


- Ideal (steam only).
- National Single Column (steam only).
- National Two-Column (steam only).
- Peerless Single Column (steam only).
- Peerless Two Column (steam only).
- Perfection (steam only).

COMBINATION WINDOW
FOR STEAM ONLY



FIG. H-534

SPECIAL DIRECT RADIATOR TAPPINGS



A B C

FIG. H-535

A—Tapping at top of section. B—Top and bottom tapplings, same end, for water. C—Supply and return tapplings at bottom of same end, for steam.

Figures "A" and "C" above show special tapplings which can be furnished, on special order only. Patterns in which these tapplings can be supplied are set forth on preceding pages under tables of dimensions.

While it has been our practice heretofore to furnish certain patterns of slip nipple radiation regularly tapped as in figure "B," hereafter such construction will not be so tapped unless SPECIALLY NOTED ON ORDER. On right and left nipple construction Water Radiators will be furnished with plug at top of each end section, as heretofore. This plug can be removed and bushing for pipe connection inserted if necessary.

STEAM

ONE-PIPE WORK

Radiators containing 24 square feet and under	1 inch.
Above 24, but not exceeding 60 feet	1 1/4 inch.
Above 60, but not exceeding 100 feet	1 1/2 inch.
Above 100 square feet	2 inch.

TWO-PIPE WORK

Radiators containing 48 square feet and under	1 x 3/4 inch.
Above 48, but not exceeding 96 feet	1 1/4 x 1 inch.
Above 96 square feet	1 1/2 x 1 1/4 inch.

WATER

TAPPED FOR SUPPLY AND RETURN

Radiators containing 40 square feet and under	1 inch.
Above 40, but not exceeding 72 square feet	1 1/4 inch.
Above 72 square feet	1 1/2 inch.

Vapor tapplings, top and bottom opposite ends, supply 3/4 inches, return 1/2 inch.

Unless otherwise ordered all openings of Direct Radiators will have right hand threads (except Colonial Wall Radiators where tapped 1 1/2 inch, in which case tapping at one end is right hand and left hand on other end).

All air-valve tapplings of Direct Radiators are regularly made 1/8 inch.

RADIATORS


COLONIAL WALL
FOR STEAM OR WATER

FIG. H-536

(Location of air vent boss determines location of letter indicating tapping hub.)

Extreme width, $2\frac{5}{8}$ inches; or $3\frac{1}{2}$ inches with bracket protection.

SIZES AND MEASUREMENTS

The Colonial Wall Radiator is made in three sizes of sections:

Extra large size, 29 inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains nine square feet of heating surface.

Standard size, 23 inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains seven square feet of heating surface.

Small size, $16\frac{3}{4}$ inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains five square feet of heating surface.

Sections are connected or assembled with $1\frac{1}{2}$ inch right and left hand threaded internal nipples.

On the inside of each of these right and left handed threaded internal nipples are cast two heavy projecting lugs, so that an ordinary piece of $1\frac{1}{8}$ inch bar iron, flattened at one end, the length of nipple, can be inserted to any desired point in the radiator, and by applying wrench to bar the nipple can be screwed or unscrewed and one or more sections may be added to or taken out independently of all the others in the stack. We furnish these bars in 4 ft. length.

DIRECTIONS FOR ORDERING

These sections are made in two styles of tappings—horizontal and vertical. In ordering, it is necessary to state which arrangement of the sections is desired. Where other arrangement of sections is desired, please send sketch showing exactly what is required.

	Per Square Foot.
Extra large size, 29 inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains nine (9) square feet of heating surface	.42
Standard size, 23 inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains seven (7) square feet of heating surface	.42
Small size, $16\frac{3}{4}$ inches long, $13\frac{1}{4}$ inches wide, $2\frac{5}{8}$ inches thick, contains five (5) square feet of heating surface	.42

BRACKETS FOR COLONIAL WALL RADIATORS




FIG. H-537

FOOTED VERTICAL BRACKETS "J"

To fit over a $9\frac{1}{2}$ inch high base-board or skirting, and for supporting Colonial Wall Radiators, erected vertically. With each "J" Bracket we furnish one $\frac{1}{4}$ inch stove bolt and one button which holds the Radiator in position.

Height from floor to center of supply or return end of lowest tapping:

No. J-1 Bracket	$9\frac{1}{2}$ inches
No. J-2 Bracket	$7\frac{1}{2}$ inches
No. J-3 Bracket	$5\frac{1}{2}$ inches

FOOTED HORIZONTAL BRACKETS "K"

To fit over base-board or skirting, and for supporting Colonial Wall Radiators, erected horizontally.

With each "K" Bracket we furnish one $\frac{1}{4}$ inch stove bolt and one button. Height from floor to center of supply or return end of lowest tapping:

No. K-1 Bracket will fit over $11\frac{1}{2}$ inch high base-board or skirting	16 inches.
No. K-2 Bracket will fit over $9\frac{1}{2}$ inch high base-board or skirting	14 inches.
No. K-3 Bracket will fit over $7\frac{1}{2}$ inch high base-board or skirting	12 inches.
No. K-4 Bracket will fit over $5\frac{1}{2}$ inch high base-board or skirting	10 inches.
No. K-5 Bracket will fit over $3\frac{1}{2}$ inch high base-board or skirting	8 inches.
No. K-6 Bracket will fit over $1\frac{1}{2}$ inch high base-board or skirting	6 inches.

BRACKET "L"

Screwed to wall, base-board or wainscoting, and supports radiators set either horizontally or vertically. The "L" Bracket is slotted for four wood screws—not furnished by us. Each section requires for its proper support one "L" and one "M" Bracket.

BRACKET "N"

Is a straight, right-angle Bracket, without offset, for supporting Colonial Wall Radiators erected vertically or horizontally; height from floor to center of end tapping bosses, $5\frac{1}{2}$ inches. With each "N" Bracket we furnish one $\frac{1}{4}$ inch stove bolt and one button.

BRACKET "M"

Screwed to wall, base-board or wainscoting, and intended to be used as a guide or to hold in position radiator supported by Bracket "L" or "O." Each section requires for its proper support one "L" or "O" and one "M" Bracket. The "M" Bracket is slotted for two wood screws—not supplied by us.

BRACKET "O"

Screwed to wall, base-board or wainscoting, and supports underneath section set either horizontally or vertically. Should be used in connection with "M" Bracket for top guide. The "O" Bracket is slotted for four wood screws—not supplied by us.

RADIATORS

Perfection Pin Indirect—Complete Stack




FIG. H-538

Complete Stack (sections are shipped separately unless otherwise ordered).

“Standard” and “Extra Large” sizes are tapped 2 inch, and unless otherwise ordered, will be bushed in accordance with list.

Openings will have 2 inch right hand tapping on one side and 2 inch left hand tappings on the other. Connected with extra heavy 2 inch right and left hand threaded hexagon nipples. When tappings are bushed to smaller sizes, the inside tappings in bushings will be right hand unless otherwise ordered.

If location of tapping is desired other than regular, we can furnish these radiators, when specially ordered, in the “Extra Large” size with special tappings. These indirects can also be furnished with same special tappings at reverse end of stack, if desired.

Tapping List of Indirect Radiators

STEAM

ONE-PIPE WORK.

Radiators containing 24 square feet and under, 1 inch.

Above 24, but not exceeding 60 feet, $1\frac{1}{4}$ inch.

Above 60, but not exceeding 100 feet, $1\frac{1}{2}$ inch.

Above 100 square feet, 2 inch.

TWO-PIPE WORK

Radiators containing 48 square feet and under, $1\frac{3}{4}$ inch.

Above 48, but not exceeding 96 feet, $1\frac{1}{2} \times 1$ inch.

Above 96 square feet, $1\frac{1}{2} \times 1\frac{1}{4}$ inch.

WATER

TAPPED FOR SUPPLY AND RETURN

Radiators containing 40 square feet and under, 1 inch.

Above 40 but not exceeding 72 square feet, $1\frac{1}{4}$ inch.

Above 72 square feet, $1\frac{1}{2}$ inch.

All indirects but Primus and Standard Pins unless otherwise ordered are shipped “knocked down” with sufficient nipples to put the stack together on the job. If sections are assembled at our plants an extra charge is made for the work.

All indirect air-valve tappings are regularly made $\frac{3}{8}$ inch.

Length of Section.	Extreme Height.	Name of Radiator.	Heating Surface.	Width Each Section Occupies in Stack Inches†	Regular Tapping.
		Indirects.			
36	$11\frac{1}{8}$	Perfection Flange and Bolt, standard size, Steam or Water.	10	$2\frac{3}{4}$	$\frac{1}{2}$
36	$15\frac{1}{2}$	Perfection Flange and Bolt, extra large size, Steam or Water.	15	$2\frac{7}{8}$	$\frac{1}{2}$
36	$11\frac{1}{8}$	Perfection R. & L. Thread'd, stand'd size, Steam or Water.	10	$2\frac{3}{4}$	$\frac{1}{2}$
36	$15\frac{1}{2}$	Perfection R. & L. Thread'd, ex. large size, Steam or Water.	15	$2\frac{7}{8}$	$\frac{1}{2}$

*These radiators are all regularly tapped 2 inch and bushed according to list above.

†When greater air space is desired between sections, we can so furnish on special order.

	Per Section.
Perfection Pin, standard size, steam or water, 10 square feet	\$2.70
Perfection Pin, extra large steam or water, 15 square feet	4.05

WALL COILS

With Close Return Bends




FIG. H-539

With Branch Tees




FIG. H-540

Wall Coils are made to order to specifications.

Prices on application.

RADIATOR BRONZE POWDER



FIG. H-541

Brilliant Pale Gold, per pound.....	\$1.50
Fine Brilliant Pale Gold, per pound.....	2.00
Extra Fine Brilliant Pale Gold, per pound.....	2.50
Brilliant Pure Aluminum, per pound.....	3.00
Finest Grade Pure Aluminum, per pound.....	4.00

These Bronzes can be had in various shades of Gold, or in Copper, Fire Green, Crimson, etc.

BRONZING LIQUIDS



FIG. H-542

BRONZING LIQUIDS

Superior, per gallon.....	\$3.00
A1 Quality, per gallon.....	2.50
Ordinary Quality, per gallon.....	2.00

Extra price if ordered in less quantity than one gallon.

MAROON GLOSS JAPAN

Full gallon.....	\$1.90
Half gallon.....	1.10
Quarter gallon.....	.65

PIPE CEMENTS AND COMPOUNDS

CALLAHAN'S PIPE JOINT CEMENT

GAS FITTERS' CEMENT




FIG. H-543

Per pound ----- .20



FIG. H-544

Per pound ----- .20




FIG. H-545

FIG. H-545

DIXON'S GRAPHITE PIPE JOINT COMPOUND

1 lb. Cans, per pound	-----	.20
5 lb. Cans, per pound	-----	.18
10 lb. Cans, per pound	-----	.15
25 lb. Cans, per pound	-----	.14

GREEN SEAL AND DIXON'S GRAPHITE

Green Seal Graphite Cement, per pound	-----	.18
Dixon's Dry Graphite in 1 lb. Cans, per can	-----	.20
Dixon's Dry Graphite in 5 lb. Cans, per can	-----	.85
Dixon's Dry Graphite in 10 lb. Cans, per can	-----	1.60

FIG. H-546

SMOOTH-ON COMPOUNDS

Smooth-on Castings in yellow labeled cans is an Iron Cement for repairing blemishes, blow-holes or defects in iron or steel castings. For foundrymen.

Smooth-on Cement in blue labeled cans is an Iron Cement for repairing leaks or breaks in castings and for making connections in steam or hydraulic work. Withstands fire.

1, 5, 10 and 25 lb. cans.

Per pound ----- .50



FIG. H-546

EXPANSION TANKS



GALVANIZED

Number.	Size, Inches.	Capacity, Gallons.	Square Feet of Radiation.	Tanks, Each.
0	10 x 20	8	250	\$7.50
1	12 x 20	10	300	8.00
2	12 x 30	15	500	9.00
3	14 x 30	20	700	12.50
4	16 x 30	26	950	14.00
5	16 x 36	32	1300	15.00
6	16 x 48	42	2000	16.50
7	18 x 60	66	3000	31.00
8	20 x 60	82	5000	37.00
9	22 x 60	100	6000	51.00

Prices do not include Water Gauge, etc.

FIG. H-547

AUTOMATIC




FIG. H-548

This Expansion Tank, aside from being ornamental, is absolutely automatic in its operation, INSURING ALWAYS THAT THE SYSTEM WILL BE FULL OF WATER. It is a great convenience to the house owner. It is made of hard-wood, lined with sheet copper, and is finished and varnished to match the woodwork of the room. It does not require altitude gauge nor gauge glass and fittings.

Inside measurements of tank are: 20 inches long, 9 inches wide, 10 inches deep; of ample capacity for use on any job of hot-water work to which there is attached 3000 feet of radiation or less.

ROUGHING IN MEASUREMENTS

- 27/8 inches from outside rear edge of tank to center of either overflow or expansion.
- 5 5/8 inches from center of overflow to right side edge of tank.
- 5 5/8 inches from center of overflow to center of expansion.
- 3 3/8 inches from center of supply to back edge of tank.
- 4 5/8 inches from center of supply to left side edge of tank.

No. 252—Square corners, varnished, plain oak, each.....	\$8.50
No. 262—Rounded corners, varnished, plain oak, each.....	9.00

THERMOMETERS

For Hot Water and Steam Heating Systems



FIG. H-549

Straight Thermometer, for hot water, each	\$3.00
Straight Thermometer, for Steam, with pressure scale, each	3.25
Angle Thermometer, for hot water, each	3.50
Angle Thermometer, for Steam, with pressure scale, each	3.75



FIG. H-550

For Shower Baths, for Use on Mixing Chambers

IN NICKEL-PLATED CASES

No. 7



FIG. H-551

No. 7, each	\$6.00
If with Reserve Tube and Scale, add	2.00
No. 8, each	8.00
If with Reserve Tube and Scale, add	2.50

No. 8



FIG. H-552

IMPROVED SAFETY WATER COLUMNS

COMBINED HIGH AND LOW WATER ALARM




FIG. H-553

LOW WATER ALARM




FIG. H-555




FIG. H-554

Exterior View.

IMPROVED FEATURES in these Columns are: Round, Seamless Copper Float, a much stronger form than an Oblong Float. Vertical instead of Horizontal Valve, affording less liability of stoppage. Provision for Gauge Cocks on either side, thus doing away with all trouble about Right or Left Hand Columns. Sediment Chamber holds accumulated dirt, grit, etc., and can be frequently blown off, keeping interior parts in clean, perfect working order.

COMBINED HIGH AND LOW WATER ALARMS

GENERAL DIMENSIONS IN INCHES.

No.	Kind and Size of Boiler.	Variation Between Alarms, Inches.	Last Price of Columns Without Water Gauge and Gauge Cocks.	Steam and Water Conn.	Blow-Off.	Water Gauge.	Gauge Glass.	Gauge Cocks, Centers.	Gauge Cocks, Size.	Center of Water Conn. to Top of Column.	Diameter of Column.	Length Over All.
1	36 inches to 54 inches.	6	\$28. 00	1	$\frac{3}{4}$	$\frac{1}{2}$ x14	$\frac{5}{8}$ x12	3	$\frac{1}{2}$ $\frac{3}{4}$	18 $\frac{1}{2}$	4 $\frac{1}{2}$	26
5	56 inches to 72 inches.	2	30. 00	1 $\frac{1}{4}$	$\frac{3}{4}$	$\frac{3}{4}$ x18	$\frac{3}{4}$ x16	4	$\frac{3}{4}$ $\frac{3}{4}$	21	5	30
7	Water Tube.	12	35. 00	1 $\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$ x18	$\frac{3}{4}$ x16	6	$\frac{3}{4}$ $\frac{3}{4}$	24	5	33
9	Others determined by	18	40. 00	1 $\frac{1}{2}$	1	$\frac{3}{4}$ x24	$\frac{3}{4}$ x22	9	$\frac{3}{4}$ $\frac{3}{4}$	30	5	39
11	natural variation of	24	42. 50	1 $\frac{1}{2}$	1	$\frac{3}{4}$ x30	$\frac{3}{4}$ x28	12	$\frac{3}{4}$ $\frac{3}{4}$	36	5	45
13	water in boiler. See	30	45. 00	1 $\frac{1}{2}$	1	$\frac{3}{4}$ x36	$\frac{3}{4}$ x34	10	$\frac{3}{4}$ $\frac{3}{4}$	42	5	51
15	Note.	36	50. 00	1 $\frac{1}{2}$	1	$\frac{3}{4}$ x42	$\frac{3}{4}$ x40	12	$\frac{3}{4}$ $\frac{3}{4}$	49	5	57

LOW WATER ALARMS.

GENERAL DIMENSIONS IN INCHES.

2	36 inches to 54 inches.	-----	25. 00	1	$\frac{3}{4}$	$\frac{1}{2}$ x14	$\frac{5}{8}$ x12	3	$\frac{1}{2}$	18 $\frac{1}{2}$	4 $\frac{1}{2}$	26
6	56 inches to 72 inches.	-----	28. 00	1 $\frac{1}{4}$	$\frac{3}{4}$	$\frac{3}{4}$ x16	$\frac{3}{4}$ x14	4	$\frac{3}{4}$	20	5	29
8	Water Tube.	-----	35. 00	1 $\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$ x18	$\frac{3}{4}$ x16	6	$\frac{3}{4}$	24	5	33

*Two Glasses joined at Center with Stuffing Box. Four Gauge Cocks.

NOTE.—The size of the Column is in all cases determined by the natural variation of the water in the Boiler on which it is to be used. No mistake will be made ordinarily by selecting one of our Columns having the extreme Gauge Cocks the same distance apart as on the plain Column furnished with Boiler.

IMPORTANT.—To avoid mistakes when ordering, please note that the Combined High and Low Water Alarms are designated by ODD numbers, and Low Water Alarms by EVEN numbers.

All working parts are attached to the Cap, and are removed when the Cap is removed. No expert help or special tools are needed to repair these Columns. Provision is made for Gauge Cocks on either side of all these Columns.

WATER COLUMN



FIG. H-556

Number	00	0	1	2	3	4	5	6
Cen. to Cen. Boiler Connections, inches			10	12 ¹ / ₂	14	18		
Cen. to Cen. Water Gauge Connections, in.	13	9 ¹ / ₂	10	12 ¹ / ₂	14	18	13 ³ / ₈	17 ¹ / ₈
Cen. to Cen. Gauge Cocks, inches			3 ³ / ₈	3 ³ / ₄	4 ¹ / ₄	4	3 ⁵ / ₈	4 ¹ / ₂
Extreme Length, inches	17 ⁵ / ₈	13 ¹ / ₄	13 ¹ / ₈	16 ¹ / ₂	19	22 ³ / ₈	20 ¹ / ₄	30 ¹ / ₄
Tapped for Boiler Connections, inches		1 ³ / ₈	1 ³ / ₂	3 ⁴ / ₄	3 ⁴ / ₄	1 ¹ / ₄		
Tapped for Water Gauge Connections, in.	1 ¹ / ₂	3 ³ / ₈	1 ² / ₂	1 ¹ / ₂	3 ⁴ / ₄	3 ⁴ / ₄	1 ² / ₂	3 ⁴ / ₄
Tapped for Gauge Cocks, inches			3 ³ / ₈	1 ¹ / ₂	1 ¹ / ₂	3 ⁴ / ₄	1 ² / ₂	3 ⁴ / ₄
Tapped Top and Bottom, inches	1 ¹ / ₄	1 ¹ / ₄ X 3 ⁴ / ₄	3 ⁴ / ₄	1	3 ² / ₄	1 ¹ / ₄	1 ¹ / ₄	1 ¹ / ₄
Each	\$3.00	1.50	2.75	4.00	6.00	8.00	7.50	12.00

Nos. 0 and 00 are designed especially for House Heating Boilers, no holes for Gauge Cocks. With Nos. 00, 5 and 6 the Connection to Boiler is made from Top and Bottom of column.

GAUGE GLASS WASHERS

ACME



FIG. H-557

Depth of Cushion, ¹/₄ inch.
Width of Cushion, ¹/₈ inch.

MOULDED



FIG. H-558

CUT



FIG. H-559

Size, inches	¹ / ₂	⁵ / ₈	³ / ₄	1
Per doz	.15	.20	.25	.35

No. 1	— ¹ / ₂ inch, per box, one doz	.60
No. 2	— ⁵ / ₈ inch, per box, one doz	.60
No. 3	— ³ / ₄ inch, per box, one doz	.60
No. 4	— 1 inch, per box, half doz	.60

WATER GAUGES

No. 1




FIG. H-560



FIG. H-561



FIG. H-562

ROBERTS' SELF-CLEANING WATER GAUGES

FIGS. H-560 AND H-561

No.	Body.	Wheel.	Boiler Con.	Size Glass.	Each.
1	Bronzed	Iron	1/2 inch.	5/8 x 12 inch.	\$3.00
2	Polished	"	1/2 "	5/8 x 12 "	3.50
3	"	Wood	1/2 "	5/8 x 12 "	4.25
1 1/2	Bronzed	Iron	3/4 "	3/4 x 16 "	4.50
6	Polished	"	3/4 "	3/4 x 16 "	5.25
7 1/2	"	Wood	3/4 "	3/4 x 16 "	5.50

EXPANSION TANK WATER GAUGE

FIG. H-562

No. 0000, Bronze Body, 1/2 in. Boiler Connection, 5/8 x 12 in. Glass, each \$2.60



FIG. H-563

THE P. B. H. QUICK CLOSING WATER GAUGE

FIG. H-563

Size Glass, Inches.	Shank, Inches.	Polished Brass.	Nickel-plated.	Rough Brass.
3/8 diameter. Any length up to 18 inch centers.	1/2 or 3/4	\$12.00	\$14.00	\$11.00

IN ORDERING STATE DISTANCE BETWEEN GAUGE CENTERS.

Sufficient Brass Safety Chain furnished to operate gauge 10 feet from the floor. Extra chain at prices to cover cost.

SCOTCH GAUGE GLASSES



FIG. H-564

Length, inches.	EXTERNAL DIAMETER IN INCHES. Per dozen.			
	½	¾	1	1 ¼
10	\$3.00	\$3.00	\$3.60	\$6.12
11	3.24	3.24	3.96	6.72
12	3.60	3.60	4.32	7.32
13	3.84	3.84	4.80	7.92
14	4.20	4.20	5.16	8.52
15	4.44	4.44	5.52	9.12
16	4.80	4.80	5.88	9.72
17	5.04	5.04	6.24	10.32
18	5.40	5.40	6.60	10.92
19	5.64	5.64	7.08	11.52
20	6.00	6.00	7.44	12.12
22	6.60	6.60	8.16	13.44
24	7.20	7.20	8.88	14.64
30	9.00	9.00	11.16	18.24
36	10.80	10.80	13.44	21.96
48	14.52	14.52	18.00	29.16
60	18.12	18.12	22.56	36.48
72	21.84	21.84	27.12	43.80

GAUGE GLASS CUTTERS

"CHESTERTON'S"




FIG. H-565

Each \$2.50 Extra Cutter Wheels, each15

"NEWARK"



FIG. H-566

Each \$1.00

GAUGES

STEAM GAUGES



FIG. H-567

COMBINATION WATER WORKS
GAUGES
SHOW PRESSURE AND FEET IN COLUMN
OF WATER

FIG. H-568

FIG. H-567—STEAM GAUGES

SIZE.	Iron Case, Brass Ring.	Iron Case, N. P. Ring.	Brass Case.	N. P. Case.	Brass Deep Case, O. G. or Oct. Ring.	N. P. Deep Case, O. G. or Oct. Ring.
12 inch Dial	\$50.00	\$51.50	\$75.00	\$79.00	\$80.00	\$84.00
10 inch Dial	32.00	33.00	40.00	43.00	44.00	47.00
8½ inch Dial	22.00	22.75	30.00	32.50	33.50	36.00
6¾ inch Dial	16.00	16.60	20.00	22.00	23.00	25.00
6 inch Dial	13.00	13.50	16.00	17.50	18.50	20.00
5½ inch Dial	10.00	10.25	12.00	13.25	13.75	15.00
5 inch Dial	8.00	8.20	11.00	12.00	12.50	13.50
4½ inch Dial	8.00	8.20	10.00	11.00	11.50	12.50
3½ inch Dial	7.00	7.18	9.00	9.75	10.25	11.00
3 inch Dial	6.00	6.15	8.00	8.60	9.25	9.75
2½ inch Dial	6.00	6.15	8.00	8.60	9.25	9.75
2 inch Dial	6.00	6.15	8.00	8.60	9.25	9.75

Prices include Cock.

FIG. H-568—COMBINATION WATER PRESSURE GAUGES

SIZE.	Iron Case, Brass Ring.	Iron Case, N. P. Ring.	Brass Case.	N. P. Case.	Brass Deep Case, O. G. or Oct. Ring.	N. P. Deep Case, O. G. or Oct. Ring.
12 inch Dial	\$60.00	\$61.50	\$80.00	\$84.00	\$85.00	\$89.00
10 inch Dial	40.00	41.00	50.00	53.00	54.00	57.00
8½ inch Dial	30.00	30.75	40.00	42.50	43.50	46.00
6¾ inch Dial	20.00	20.60	25.00	27.00	28.00	30.00
6 inch Dial	16.00	16.50	20.00	21.50	23.00	24.50
5½ inch Dial	14.00	14.25	16.00	17.25	18.50	19.75
4½ or 5 inch Dial	12.00	12.20	14.00	15.00	16.00	17.00

Prices include Cock.

GAUGES

ALTITUDE GAUGE




FIG. H-569

COMPOUND PRESSURE AND VACUUM GAUGE




FIG. H-570

No extra charge will be made for marking customer's name on Dials when ordered in lots of 25 or more in one shipment.

Extra charge for marking customer's name when ordered in lots of less than 25 in one shipment—5 cents each net.

We also carry Auxiliary Spring Gauges, especially adapted for Traction and Portable Engines.

FIG. H-569—ALTITUDE GAUGES

Size.	Iron Case, Brass Ring.	Iron Case, N. P. Ring.	Brass Case.	N. P. Case.	Brass Deep Case, O. G. or Oct. Ring.	N. P. Deep Case, O. G. or Oct. Ring.
12 inch Dial	\$60.00	\$61.50	\$80.00	\$84.00	\$85.00	\$89.00
10 inch Dial	40.00	41.00	50.00	53.00	54.00	57.00
8½ inch Dial	30.00	30.75	40.00	42.50	43.50	46.00
6¾ inch Dial	20.00	20.60	25.00	27.00	28.00	30.00
6 inch Dial	16.00	16.50	20.00	21.50	23.00	24.50
5½ inch Dial	14.00	14.25	16.00	17.25	18.50	19.75
4½ or 5 inch Dial	12.00	12.20	14.00	15.00	16.00	17.00

Prices include Cock.

FIG. H-570—COMPOUND PRESSURE AND VACUUM GAUGES

Size.	Iron Case, Brass Ring.	Iron Case, N. P. Ring.	Brass Case.	N. P. Case.	Brass Deep Case.	N. P. Deep Case.
12 inch Dial	\$60.00	\$61.50	\$80.00	\$84.00	\$85.00	\$89.00
10 inch Dial	40.00	41.00	50.00	53.00	54.00	57.00
8½ inch Dial	30.00	30.75	40.00	42.50	43.50	46.00
6¾ inch Dial	20.00	20.60	25.00	27.00	28.00	30.00
6 inch Dial	16.00	16.50	20.00	21.50	---	---
5½ inch Dial	14.00	14.25	16.00	17.25	---	---
5 inch Dial	14.00	14.25	16.00	17.25	---	---
4½ inch Dial	12.00	12.20	14.00	15.00	---	---
3½ inch Dial	10.00	10.18	12.00	12.75	---	---

Prices include Cock.

STEAM WHISTLES

WITH VALVE




FIG. H-571

Diameter of Bell, inches	1	1 1/4	1 1/2
Tapped, inch	1/4	1/4	3/8
Fig. H-571—Each	\$3.10	3.75	4.00
Fig. H-572—Each	2.20	2.75	3.00

Diameter of Bell, inches	2	2 1/2	3
Tapped, inch	1/2	3/4	3/4
Fig. H-571—Each	\$5.50	6.50	8.50
Fig. H-572—Each	4.35	5.25	7.25

Diameter of Bell, inches	3 1/2	4	5
Tapped, inch	1	1 1/4	1 1/2
Fig. H-571—Each	\$11.50	15.00	22.50
Fig. H-572—Each	9.50	12.00	19.00

Diameter of Bell, inches	6	8
Tapped, inch	1 1/2	2
Fig. H-571—Each	\$33.00	95.00
Fig. H-572 - Each	24.00	70.00

WITH VALVE



FIG. H-573

CHIME STEAM WHISTLES

Diameter of Bell, in.	1 1/2	2	2 1/2	3	4
Tapped, inch	3/8	1/2	3/4	3/4	1 1/4
Fig. H-573—Each	\$7.50	8.00	11.00	14.00	20.00
Fig. H-574—Each	4.50	5.00	7.50	9.50	15.00

Diameter of Bell, inches	5	6	8
Tapped, inch	1 1/2	1 1/2	2
Fig. H-573—Each	\$35.00	50.00	110.00
Fig. H-574—Each	28.00	42.00	95.00

WITHOUT VALVE



FIG. H-572

WITHOUT VALVE



FIG. H-574

WHISTLE VALVES

FIG. H-575




FIG. H-575

Size, inches	1/2	3/4	1
Brass, each	\$2.50	3.00	3.50

Size, inches	1 1/4	1 1/2	2	2 1/2	3
Brass, each	\$5.00	6.00	9.00	18.00	27.00

ENGINE OILERS

RAILROAD OILER

ENGINEERS' FILLER



FIG. H-576



FIG. H-577



FIG. H-578



FIG. H-579

FIG. H-576—ENGINEERS' FILLERS

Number	19	19A	210	211
Capacity	1 Pint.	1½ Pints.	1 Quart.	2 Quarts.
Steel, per doz	\$14.00	17.00	20.00	24.00
Number	190		200	201
Capacity	1½ Pints.		1 Quart.	2 Quarts.
Brass, per doz	\$22.00		30.00	34.00

FIGS. H-577 AND H-578—STEEL AND BRASS OILERS

Number	12	13	13A	14	14A	14AA	14B	15	15A	16
Diameter, inches	2¾	3⅜	3⅜	3⅜	3¾	3¾	3¾	4¼	4¼	4¼
Length of Spout, in	2½	3	5	9	3	5	9	3	5	9
Steel, per doz	\$4.50	5.50	6.00	6.50	7.50	8.00	8.50	9.25	9.75	10.50
Brass, per doz	6.50	8.00	---	9.20	10.20	---	11.20	12.00	---	14.00

FIG. H-579—RAILROAD OILERS

Number	10	11	11A	17	18	18A
Diameter, inches	3⅜	4⅜	5	3⅜	4⅜	5
Height, inches	5	6	8	5	6	8
Length of Spout, inches	12	18	18	12	18	18
Capacity	1 Pint.	1 Quart.	2 Quarts.	1 Pint.	1 Quart.	2 Quarts.
Steel, per doz	\$14.00	18.00	20.00	---	---	---
Brass, per doz	---	---	---	18.00	21.00	24.00

ENGINEERS' SETS




FIG. H-580

FIG. H-580—ENGINEERS' SETS

Number of Pieces, including Tray	5	6
Steel	\$5.00	\$7.00
Brass	6.00	9.00
Brass, Nickel-plated	8.00	11.00

For Steamboat Sets, so made as to prevent the motion of the vessel displacing the Oilers, add \$1.00 to above prices.

BRASS OIL CUPS

PLAIN



FIG. H-581


LOCOMOTIVE
PATTERN

FIG. H-582

WITH COCK




FIG. H-583

FIG. H-581—PLAIN

Outside Diameter, inches	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3
Pipe Thread, inches	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$
Each	.25	.30	.35	.40	.60	.90	1.25	1.75	2.25	2.75	4.00

FIG. H-582—LOCOMOTIVE PATTERN

Outside Diameter, inches	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{2}$
Pipe Thread, inches	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Each	.35	.40	.50	.75	1.00	1.50	2.00	3.00

FIG. H-583—WITH COCK

Outside Diameter, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$
Pipe Thread, inches	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
Each	\$1.10	1.60	2.20	2.75	3.25	4.00	5.00





FIG. H-584

PLAIN ENGINE LUBRICATORS

FIG. H-584

Number	00	0	1	2	3
Diameter, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2
Capacity, ounces	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$2\frac{1}{2}$
Pipe Thread, inches	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Plain, each	\$2.00	2.20	2.40	2.60	2.90
With Drain Cock and Tube, each	3.00	3.20	3.40	3.60	3.90
Number	4	5	6	7	8
Diameter, inches	$2\frac{1}{4}$	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Capacity, ounces	4	5	10	18	24
Pipe Thread, inches	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
Plain, each	\$3.25	3.75	4.75	7.00	10.00
With Drain Cock and Tube, each	4.25	4.75	5.75	8.00	11.00

To Increase Feed Turn to Right
To Decrease Feed Turn to Left



'Signal Up,' Cup Feeding
FIG. H-589

NEW "SIGNAL" PATTERN STOP AND SIGHT-FEED OILER

FIG. H-589—CAPACITY AND PRICE LIST

No.	Height of Cup, Complete Inches. Signal Up.	Diameter of Cup, Complete. Inches.	Capacity in Ounces.	Size of Shank Pipe Thread. Inches.	Price per Dozen.
843	5	1 7/8	1 1/2	1/4	\$16.00
844	5 1/2	1 3/8	1	1/4	18.00
845	5 3/4	2	1 1/2	1/4	21.00
846	6 1/4	2 3/8	2	3/8	24.00
847	6 3/4	2 1/2	4	3/8	27.00
848	7 3/4	2 1/2	6	3/8	32.00
849	8 1/8	3 3/8	10	1/2	40.00
850	8 3/4	3 1/2	15	1/2	54.00
851	10 3/8	4 1/8	24	1/2	84.00
852	11 1/8	4 1/8	36	1/2	120.00

To Increase Feed Turn to Right
To Decrease Feed Turn to Left

NEW "SIGNAL" STOP AND SCREW SETTING SIGHT-FEED OILER

FOR GAS, GASOLINE AND OIL ENGINES

FIG. H-590—CAPACITY AND PRICE LIST

No.	Height of Cup Complete. Inches. Signal Up.	Diameter of Cup, Complete. Inches.	Capacity in Ounces.	Size of Shank Pipe Thread. Inches.	Price per Dozen.
745	5 1/8	2	1 1/2	1/4	\$27.00
746	6 1/8	2 1/8	2	3/8	30.00
747	6 3/8	2 3/8	4	3/8	36.00
748	7 1/8	3 1/8	6	3/8	42.00
749	7 3/8	3 1/8	10	1/2	54.00
750	8 1/4	3 3/8	15	1/2	72.00
751	9 1/8	4 1/8	24	1/2	108.00
752	10 1/8	4 1/8	36	1/2	168.00



'Signal Up,' Cup Feeding
FIG. H-590




FIG. H-591

NEW CRANK PIN OILER

SLIDING TOP

NEEDLE FEED PATTERN

CAPACITY AND PRICE LIST

Number.....	622	623	624	625	626	627
Capacity in Ounces.....	3 3/8	1 1/2	1	1 1/2	2	4
Size of Shank Pipe Thread, inches.....	1 1/8	1 1/8	1 1/4	1 1/4	3/8	3/8
Per Dozen.....	\$16.00	\$18.00	\$21.00	\$27.00	\$30.00	\$33.00
Number.....	628	629	630	631	632	
Capacity in Ounces.....	6	10	15	24	36	
Size of Shank Pipe Thread, inches.....	3/8	1/2	1/2	1/2	1/2	
Per Dozen.....	\$40.00	\$54.00	\$72.00	\$108.00	\$168.00	

FIG. H-592

BRASS LOOSE PULLEY OILER




FIG. H-592

This oiler must be attached to hub of pulley, is easily filled and regulated, will not throw or waste oil, and a trial will convince users that it is a simple and satisfactory oiler for loose pulleys. It is guaranteed to give satisfaction, one filling lasting from two to four weeks, and feeding only when pulley is in motion.

Number.....	0	1	2	3	4
Height of Cup, (plug raised to fill,) inches.....	1 1/16	2 5/16	2 5/8	3	3 1/8
Length of Cup, inches.....	1 3/4	2	2 5/8	2 1/2	2 3/4
Diameter of Body, inches.....	1	1 5/16	1 1/2	1 3/4	2
Capacity, ounces.....	1/4	1 1/2	3/4	1 1/4	1 3/4
Rough Brass, Bronzed, each.....	.25	.30	.40	.50	.65

Shanks on Nos. 0, 1 and 2 are threaded 3/8 inch on point, 16 threads to the inch. Shanks on Nos. 3 and 4 are threaded 1/4 inch pipe thread.

PLAIN BRASS GREASE CUP




FIG. H-593

"MOON" AUTOMATIC GREASE CUP




FIG. H-594

FIG. H-593—PLAIN BRASS GREASE CUPS
LIST OF THREADS, DIAMETERS, PRICES, ETC.

When no style or finish is mentioned, orders will be filled with finished brass.


Number.....	00	0	1	2	3
Inside Diameter, inches.....	1	1 1/4	1 1/2	2	2 1/2
Shank Pipe Thread, inches.....	1/8	1/4	1/4	3/8	1/2
Capacity (Grease), ounces.....	1/2	2/3	1	2	3 1/2
Finished Brass, each.....	.70	.90	1.15	1.50	2.15
Rough Brass, each.....	.56	.74	.96	1.28	1.76
Nickel-plated, each.....	.82	1.06	1.36	1.80	2.60

FIG. H-594—"MOON" AUTOMATIC GREASE CUPS

Number.....	0	1	2	3	4	5
Diameter, inches.....	1	1 1/2	2	2 1/8	2 3/4	3 1/2
Height over all, inches.....	2 3/4	3 1/8	4 3/8	4 3/4	6 1/4	8
Pipe Thread, inches.....	1/8	1/4	1/4	3/8	1/2	1/2
Capacity, ounces.....	1/8	1	1 1/2	2 1/2	5 1/2	10
Finished, each.....	\$1.50	2.00	2.50	3.20	4.30	9.00
Nickel-plated, each.....	1.75	2.40	3.00	3.60	5.00	9.75

REVERSIBLE HAND OIL PUMPS


GLASS BODY, VERTICAL



- A. Filler Cap
- B. Plunger
- C. Shut-off Valve
- D. Oil Chamber
- E. Plug
- F. Shank

FIG. H-595

BRASS BODY, HORIZONTAL



- A. Filler Cap
- B. Plunger
- C. Shut-off Valve
- D. Oil Chamber
- E. Plug
- F. Shank

FIG. H-596

Glass Body, capacity in ounces	4	6	10	15	24	36
Brass Body, capacity in ounces	4	8	12	16	24	32
Figs. H-595 and H-596—Either Pattern, each	\$12.00	15.00	18.00	24.00	30.00	42.00

HAND CYLINDER OIL PUMP GLASS BODY




FIG. H-597

FIG. H-597

Capacity, ounces.....	4	8	12	16	32
Brass, either pattern, each	\$8.00	12.00	16.00	20.00	36.00
Polished, either pat- tern, each	8.00	12.00	16.00	20.00	36.00
Nickel-plated, either pattern, each.....	8.00	12.00	16.00	20.00	36.00

THE DEFENDER UP-DROP SIGHT-FEED LUBRICATOR

FOR STEAM CHESTS AND CYLINDERS OF STATIONARY ENGINES AND PUMPS OF ALL KINDS

FIG. H-598

WITHOUT OIL GAUGE GLASS

Capacity	$\frac{1}{3}$ pt.
Nickel-plated, each	\$14.00

WITH OIL GAUGE GLASS

Capacity	$\frac{1}{2}$ pt.	$\frac{3}{4}$ pt.	1 pt.	$1\frac{1}{2}$ pt.	1 qt.
Nickel-plated, each	\$20.00	24.00	30.00	36.00	44.00




FIG. H-598

THE DETROIT IMPROVED STANDARD LUBRICATOR

FOR STATIONARY ENGINES




FIG. H-599

Capacity	½ Pint.	½ Pint.	1 Pint.	1 Quart	½ Gal.	1 Gal.
For Cylinder	under 10 ins.	10 to 12 ins.	12 to 18 ins.	18 to 30 ins.	30 ins. & over.	
Brass Finish	\$17.00	\$22.00	\$30.00	\$45.00	\$60.00	\$75.00
Nickel Finish	20.00	25.00	35.00	50.00	65.00	80.00
Pipe thread on support arm	½ inch	½ inch	½ inch	½ inch	¾ inch	¾ inch

SIZES OF GLASSES USED

Sight Feed	¾ x 2	¾ x 3	¾ x 3	¾ x 3½	¾ x 3½	¾ x 3½
Gauge	¾ x 2	¾ x 3¼	¾ x 4¾	¾ x 4¾	¾ x 6¾	¾ x 9¾

THE DETROIT SINGLE CONNECTION LUBRICATOR

STYLE C

FOR TRACTION ENGINES, PORTABLE ENGINES, STEAM PUMPS, ETC.

Can be connected to either horizontal or vertical steam pipe, or perpendicularly into the steam chest.

DESCRIPTION

A —Oil Reservoir.
B2—Connection for attaching to Steam Chest.
C —Filler Plug.
D —Water Feed Valve.
E —Regulating Valve.
F —Condensing Chamber.
F1—Equalizing Tube.

G—Drain Valve.
H—Sight-Feed Glass.
L—Plug to Insert Glass.
K—Connection to Steam Pipe.
Q—Drain Valve for Sight Feed Glass.
I —Valve in Support Arm.
Sight-Feed Glass ¾ x 2½.




FIG. H-600

Capacity	¼ Pint.	½ Pint.	½ Pint.	1 Pint.	1 Quart.
Brass Finish, each	\$15.00	\$17.00	\$20.00	\$28.00	\$42.00
Nickel-plated, each	18.00	20.00	23.00	32.00	47.00
Pipe thread	½ inch	½ inch	½ inch	½ inch	½ inch

THE SWIFT DOUBLE CONNECTION AUTOMATIC SIGHT-FEED LUBRICATOR




FIG. H-601

CLASS "F"

FOR STATIONARY ENGINES

PRICE LIST

Capacity-----	1/4 Pint.	1/3 Pint.	1/2 Pint.
Brass Finish ----	\$2.75	\$3.00	\$3.25
Nickel-plated ---	3.15	3.40	3.65
Pipe Thread ----	3/8 inch.	3/8 inch.	3/8 inch.
Capacity-----	1 Pint.	1 1/2 Pint.	1 Quart.
Brass Finish ----	\$4.65	\$5.40	\$6.15
Nickel-plated ---	5.30	6.05	6.80
Pipe Thread ----	1/2 inch.	1/2 inch.	1/2 inch.

THE SWIFT SINGLE CONNECTION AUTOMATIC SIGHT-FEED LUBRICATOR

CLASS F. SINGLE CONNECTION

FOR TRACTION AND PORTABLE ENGINES,

STEAM PUMPS, ETC.

Capacity-----	1/4 Pint.	1/3 Pint.	1/2 Pint.
Brass Finish ----	\$3.50	\$3.75	\$4.00
Nickel-plated ---	3.90	4.15	4.40
Pipe Thread ----	3/8 inch.	3/8 inch.	3/8 inch.
Capacity-----	1 Pint.	1 1/2 Pint.	1 Quart.
Brass Finish ----	\$6.00	\$6.75	\$7.50
Nickel-plated ---	6.40	7.15	7.90
Pipe Thread ----	1/2 inch.	1/2 inch.	1/2 inch.




FIG. H-602

PIPE COVERINGS

Asbestos-Magnesia Moulded




FIG. H-603

This Covering is composed of Long Fibre Asbestos, Carbonate of Magnesia and other fire-proof materials. Furnished in three feet sections and to fit all sizes of Wrought Iron Pipe $\frac{1}{2}$ to 14 inches in diameter. For larger surface we supply Segments or Blocks.

SECTIONAL PIPE COVERINGS
AND FITTINGS

Size, Inside Diameter, inches.	Covering per lineal ft.	El-bows, Each.	Tees, Each.	Crosses, Each.	Valves, Each.
$\frac{1}{2}$.15	.16	.20	.30	.30
$\frac{3}{4}$.16	.20	.24	.32	.36
1	.18	.20	.24	.32	.36
$1\frac{1}{4}$.20	.20	.24	.32	.36
$1\frac{1}{2}$.22	.20	.24	.32	.36
2	.24	.24	.28	.36	.40
$2\frac{1}{2}$.27	.28	.32	.40	.52
3	.30	.32	.36	.44	.64
$3\frac{1}{2}$.34	.36	.40	.52	.80
4	.38	.40	.48	.60	1.00
$4\frac{1}{2}$.42	.48	.60	.72	1.20
5	.46	.60	.80	.96	1.40
6	.50	.80	1.00	1.28	1.68
7	.55	1.00	1.20	1.60	2.00
8	.60	1.32	1.60	2.20	2.40
9	.65	1.66	2.00	2.60	---
10	.75	2.00	2.40	3.00	---
12	1.00	---	---	---	---

In order to prevent confusion we have but one price list for our different kinds of Coverings up to and including one inch in thickness.

SECTIONAL PIPE COVERINGS
ONE AND ONE-HALF INCHES THICK
WITH CANVAS AND BANDS

May 10th, 1905.

Inside Diameter of Pipe, inches.	Price per Lineal Foot Canvas-Jacketed.	Thickness of Covering, inches.
$\frac{1}{2}$.22	$1\frac{1}{2}$
$\frac{3}{4}$.24	$1\frac{1}{2}$
1	.26	$1\frac{1}{2}$
$1\frac{1}{4}$.28	$1\frac{1}{2}$
$1\frac{1}{2}$.30	$1\frac{1}{2}$
2	.32	$1\frac{1}{2}$
$2\frac{1}{2}$.34	$1\frac{1}{2}$
3	.36	$1\frac{1}{2}$
$3\frac{1}{2}$.40	$1\frac{1}{2}$
4	.45	$1\frac{1}{2}$
$4\frac{1}{2}$.50	$1\frac{1}{2}$
5	.55	$1\frac{1}{2}$
6	.60	$1\frac{1}{2}$
7	.65	$1\frac{1}{2}$
8	.70	$1\frac{1}{2}$
9	.75	$1\frac{1}{2}$
10	.85	$1\frac{1}{2}$

In order to prevent confusion we have but one price list for our one and one-half inch Coverings.

For description of additional Coverings, see pages 203 and 204.

ASBESTOS AIR CELL COVERING

Made of corrugated asbestos paper rolled from one quarter inch plies to most any thickness required. Sizes mostly used and for what purpose, as follows :



1 inch or 4-ply
High Pressure

$\frac{3}{4}$ inch or 3-ply
Low Pressure

$\frac{1}{2}$ inch or 2-ply
Hot Water

The use of this covering is growing very rapidly. It's a good non-conductor, is absolutely fire-proof, very light, easily applied and practically indestructible.

FIG. H-604

LOW PRESSURE FELT COVERING THREE-QUARTER INCH THICK

For low-pressure steam work, and is lined inside with asbestos paper. Its main composition is wool felt, which is the best non-conductor known for low pressure heating work.

This Covering is also a great favorite with steam fitters, and has been used for a great deal of prominent work—where first quality and not the lowest price was the thing considered.




FIG. H-605

For Prices of the above, see page 202

HOT WATER FELT COVERING

ONE-HALF INCH THICK

Same material as the THREE-QUARTER INCH LOW PRESSURE FELT COVERING.

Fig. H-605, shown on Page 203, and Lined in the same way.

Especially intended for HOT WATER.

COLD WATER PIPE COVERING




FIG. H-606

This Covering is made from the best Wool Felt and lined with tarred paper.

This Covering has stood the most severe tests—tests which completely put competitive brands out of commission.

With this Covering we furnish wool and canvas for fittings, as these make a neater and tighter job and make freezing of pipes less likely than when Sectional Fittings are used.

SWEAT-PROOF COVERING

Only one-half inch thick—but “does the business” perfectly.

Use this Covering on cold water pipes in warm rooms to prevent them from sweating and dripping.

The composition of this Covering is Wool Felt, lined with tarred paper.

This Covering is made by a special process, which prevents quick deterioration by reason of dampness.




FIG. H-607

For Prices of the above, see page 202.

ASBESTOS SHEET MILL-BOARD




FIG. H-608

Our Mill-Board is fire and acid-proof, and is valuable for packing joints in contact with fire and oils. In sheets 40x40 inches, from 1/16 to 3/4 inch thick.

APPROXIMATE WEIGHT PER SHEET 40 X 40 INCHES

1/8 inch thick	7 1/2 to 8 lbs.	3/8 inch thick	23 to 25 lbs.
1/4 inch thick	13 1/2 to 14 1/2 lbs.	1/2 inch thick	27 to 30 lbs.
Per pound			.10

ASBESTOS PAPER

IN ROLLS



FIG. H-609

Is made 36 inches wide; weighs about 10 lbs. to the 100 square feet, and contains from 800 to 1000 square feet in a roll.

Per pound	.08
-----------	-----

ASBESTOS CEMENT



FIG. H-610

MINERAL WOOL



FIG. H-611

In bags, containing about 100 lbs.

Per pound	.03
-----------	-----

In bags, containing from 50 to 75 lbs.

Per pound	.03
-----------	-----

Asbestos Cement and Mineral Wool are used for covering heating boilers, pipes, fittings, etc. One hundred pounds of asbestos cement will cover about 25 square feet 1 inch thick.

RAINBOW PACKING




FIG. H-612

$\frac{1}{32}$ to $\frac{1}{2}$ inch thick.

Per pound \$1.00

JENKINS' STANDARD PACKING



FIG. H-613

$\frac{1}{32}$ to $\frac{1}{2}$ inch thick.

Per pound80

STRONG'S OIL PROOF SHEET PACKING



FIG. H-614

Acid, Oil, Gas, Salt or Fresh Water will not hurt it—neither will Ammonia or High Pressure Steam.

It is impervious to the action of any such substance. It is the lightest Sheet Packing on the market; it can be placed in a joint and not stick or vulcanize.

$\frac{1}{64}$ inch thick.	1	pound per square yard—Per pound	\$2.00
$\frac{1}{32}$ inch thick.	$2\frac{1}{8}$	pounds per square yard—Per pound	1.50
$\frac{1}{16}$ inch thick.	$4\frac{1}{8}$	pounds per square yard—Per pound	1.50
$\frac{1}{8}$ inch thick.	$8\frac{1}{4}$	pounds per square yard—Per pound	1.50

All other thicknesses at same price.

USUDURIAN SHEET PACKING



FIG. H-615

Is an unvulcanized, self-vulcanizing rubber packing, made from the best possible materials.

It packs any kind of steam, hot air or hot water joints; it is a non-conductor and lasts longer than any other packing in use. It is particularly adapted to packing steam chest covers and all super-heated steam joints, as it will not burn or char.

Per pound80

KEARSARGE ASBESTO-METALLIC SHEET PACKING



FIG. H-616

Kearsarge Asbestos-Metallic Cloth or Sheet Packing is made from pure Asbestos Yarn and strands of fine Brass Wire, firmly twisted and woven together, and coated with Special Packing Compound. It is flexible, elastic and very strong.

It adapts itself to all uneven surfaces and makes a superior flat packing for high-pressure steam or air pipe joints.

We furnish this packing in one-ply as above; and two and three-ply with or without wire gauze lamination as desired. This is the strongest and most effective sheet-packing in use.

Per pound \$1.25

MOBILENE SHEET PACKING

An Asbestos Flat Packing designed for joints on the cylinder heads of gas and gasoline engines. Especially valuable for use on motor vehicles. It is durable and flexible and possesses great strength.

In sheets 40 inches square or rolls 40 inches wide. Weight about 4½ pounds per square yard.

Per pound \$1.50

VULCABESTON PACKING

Vulcabeston Packing is composed of Asbestos with its heat proof and indestructible qualities combined with vulcanizable gums, which render it tough, pliable and yielding. It can be moulded into any shaped Gasket, Packing or Special Forms. It will not shrink or expand. On account of its permanent resistance to heat and immunity from injury by the action of acids, gases, ammonia, alkalis, etc., it is more durable and effective than any rubber or other organic packing offered for similar purposes. It is furnished in sheets unless otherwise specified, and in rolls when so ordered.




FIG. H-617

SHEETS 35 INCHES BY 35 INCHES.

$\frac{1}{32}$ inch, per sheet	-----	\$2.40
$\frac{1}{16}$ inch, per sheet	-----	3.00
$\frac{1}{8}$ inch, per sheet	-----	4.60
$\frac{3}{16}$ inch, per sheet	-----	7.00
$\frac{1}{4}$ inch, per sheet	-----	8.00

ROLLS 35 INCHES WIDE, 10 OR 20 YARDS.

$\frac{1}{32}$ inch, per lineal yard	-----	\$2.40
$\frac{1}{16}$ inch, per lineal yard	-----	3.00
$\frac{1}{8}$ inch, per lineal yard	-----	4.60
$\frac{3}{16}$ inch, per lineal yard	-----	7.00
$\frac{1}{4}$ inch, per lineal yard	-----	8.00

SHEET PACKING

RUBBER

CLOTH ON ONE OR BOTH SIDES OR INSERTED




FIG. H-618

Thickness, inches	$\frac{1}{32}$	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$
1 Ply, per pound	.70	.65	.60	.55
2 Ply, per pound63	.58	.55
3 Ply, per pound66	.61	.58	.55
4 Ply, per pound61	.58	.55	.55

There is one ply of Cloth to every $\frac{1}{16}$ inch in thickness. Each Cloth, whether inserted or on outside, to count as one ply. Three cents additional will be charged for each extra ply of Cloth. Made in Sheets 36 inches wide and any length desired.

PURE RUBBER

Made in Sheets 36 inches wide and of any thickness or length desired.

Per pound	-----	\$1.40
-----------	-------	--------

RING PACKINGS

SECTIONAL



FIG. H-619

Per pound.....\$1.20

ELASTIC



FIG. H-620

Per pound.....\$1.20

SPIRAL




FIG. H-621

Per pound.....\$1.20




FIG. H-622

SQUARE DUCK PISTON PACKING

FIG. H-622

Made in the following sizes: $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{8}$, $1\frac{1}{4}$ and $1\frac{1}{2}$ inches.

Per pound..... .85




FIG. H-623

ROUND PISTON PACKING—WITH RUBBER CORE

FIG. H-623

Made in the following sizes: $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{8}$, $1\frac{1}{4}$ and $1\frac{1}{2}$ inches.

Per pound..... .85

EUREKA PACKING



FIG. H-624

Per pound..... .60

HEMP PACKING



FIG. H-625

Italian, per pound..... .25

HAIR FELTS




FIG. H-626

In rolls 6 feet wide and 50 feet long, containing 300 square feet.

$\frac{1}{4}$ inch thick, per square foot03 $\frac{1}{2}$
$\frac{1}{2}$ inch thick, per square foot04 $\frac{1}{4}$
$\frac{3}{4}$ inch thick, per square foot05 $\frac{1}{4}$
1 inch thick, per square foot06
$1\frac{1}{2}$ inches thick, per square foot09
2 inches thick, per square foot12

SQUARE FLAX PACKING




FIG. H-627

Per pound50
-----------	-----------

ASBESTOS WICK PACKING



FIG. H-628

$\frac{1}{4}$, $\frac{1}{2}$ and 1 pound balls.

Per pound45
-----------	-----------

CANDLE WICK PACKING




FIG. H-629

Per pound45
-----------	-----------

OAKUM




FIG. H-630

Fig. H-630—Per pound08
Fig. H-630—Per 50 pound bale \$3.00

COTTON WASTE



FIG. H-631

Fig. H-631—White, per pound20
Fig. H-631—Colored, per pound15

CORRUGATED SOLID COPPER GASKETS




FIG. H-632

Size, inches.	Each.	Size, inches.	Each.	Size, inches.	Each.	Size, inches.	Each.	Size, inches.	Each.
1/2	.004	4 7/8	.37	13 1/2	\$2.86	23 1/4	\$8.49	33	\$17.11
9/16	.005	5	.39	13 3/4	2.97	23 1/2	8.67	33 1/4	17.37
5/8	.006	5 1/8	.41	14	3.08	23 3/4	8.86	33 1/2	17.63
11/16	.007	5 1/4	.43	14 1/4	3.19	24	9.05	33 3/4	17.89
3/4	.009	5 3/8	.45	14 1/2	3.30	24 1/4	9.24	34	18.16
13/16	.01	5 1/2	.48	14 3/4	3.42	24 1/2	9.43	34 1/4	18.43
15/16	.012	5 5/8	.50	15	3.53	24 3/4	9.62	34 1/2	18.70
1	.014	5 3/4	.52	15 1/4	3.65	25	9.82	34 3/4	18.97
1 1/8	.016	5 7/8	.54	15 1/2	3.77	25 1/4	10.01	35	19.24
1 1/4	.02	6	.57	15 3/4	3.90	25 1/2	10.21	35 1/4	19.52
1 3/8	.025	6 1/4	.61	16	4.02	25 3/4	10.42	35 1/2	19.80
1 3/4	.03	6 1/2	.66	16 1/4	4.15	26	10.62	35 3/4	20.08
1 5/8	.035	6 3/4	.72	16 1/2	4.28	26 1/4	10.82	36	20.36
1 7/8	.04	7	.77	16 3/4	4.41	26 1/2	11.03	36 1/4	20.64
2	.05	7 1/4	.83	17	4.54	26 3/4	11.24	36 1/2	20.93
2 1/8	.055	7 1/2	.88	17 1/4	4.67	27	11.45	36 3/4	21.21
2 1/4	.06	7 3/4	.94	17 1/2	4.81	27 1/4	11.66	37	21.50
2 3/8	.07	8	1.01	17 3/4	4.95	27 1/2	11.88	37 1/4	21.80
2 3/4	.08	8 1/4	1.07	18	5.09	27 3/4	12.10	37 1/2	22.09
2 5/8	.09	8 1/2	1.13	18 1/4	5.23	28	12.32	37 3/4	22.30
2 7/8	.10	8 3/4	1.20	18 1/2	5.38	28 1/4	12.54	38	22.68
3	.11	9	1.27	18 3/4	5.52	28 1/2	12.76	38 1/4	22.98
3 1/8	.12	9 1/4	1.34	19	5.67	28 3/4	12.98	38 1/2	23.28
3 1/4	.13	9 1/2	1.42	19 1/4	5.82	29	13.21	38 3/4	23.59
3 3/8	.14	9 3/4	1.49	19 1/2	5.97	29 1/4	13.44	39	23.89
3 3/4	.15	10	1.57	19 3/4	6.13	29 1/2	13.67	39 1/4	24.20
3 5/8	.17	10 1/4	1.65	20	6.28	29 3/4	13.90	39 1/2	24.51
3 7/8	.18	10 1/2	1.73	20 1/4	6.44	30	14.14	39 3/4	24.82
4	.19	10 3/4	1.82	20 1/2	6.60	30 1/4	14.37	40	25.13
4 1/8	.21	11	1.90	20 3/4	6.76	30 1/2	14.61	40 1/4	25.45
4 1/4	.22	11 1/4	1.99	21	6.93	30 3/4	14.85	40 1/2	25.77
4 3/8	.24	11 1/2	2.08	21 1/4	7.09	31	15.10	40 3/4	26.08
4 3/4	.25	11 3/4	2.17	21 1/2	7.26	31 1/4	15.34	41	26.41
4 5/8	.27	12	2.26	21 3/4	7.43	31 1/2	15.59	41 1/4	26.73
4 7/8	.28	12 1/4	2.36	22	7.60	31 3/4	15.83	41 1/2	27.05
5	.30	12 1/2	2.45	22 1/4	7.78	32	16.08	41 3/4	27.38
5 1/8	.32	12 3/4	2.55	22 1/2	7.95	32 1/4	16.34	-----	-----
5 1/4	.34	13	2.65	22 3/4	8.13	32 1/2	16.59	-----	-----
5 3/4	.35	13 1/4	2.76	23	8.31	32 3/4	16.85	-----	-----

Prices given are for solid Gaskets; the difference between the price of outside and inside diameters will be the price of the required cut Gasket. Thus, the list of an 8-inch solid Gasket is 1.01; the list of a 6-inch is .57; therefore, the list on a 6x8-inch cut Gasket would be .44 (1.01—.57=.44).

Prices of elliptical and rectangular Gaskets, 2 cents per square inch of actual surface.

GASKETS AND RINGS



FIG. H-633

CLOTH INSERTION

Regular shapes and sizes carried in stock.
 Hand-hole Gaskets, $\frac{3}{8}$ inch. Man-hole Gaskets, $\frac{1}{4}$ inch.

Per pound70

CAUTION.—Care should be taken in ordering Gaskets and Rings to specify shape, internal and external diameter, as well as flange.

ECLIPSE SECTIONAL RAINBOW GASKETS



FIG. H-634

Made $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$ and $\frac{3}{4}$ inch diameter.

Eclipse Gasket Tubing, per pound \$1.00



FIG. H-635

Made $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$ and $\frac{3}{4}$ inch diameter.

Jenkins Gasket Tubing, per pound \$1.00

RUBBER BELTING




FIG. H-636

REGULAR LIST—(ALL BRANDS)

In.	2-Ply	3-Ply	4-Ply	5-Ply	6-Ply	7-Ply	8-Ply	In.	2-Ply	3-Ply	4-Ply	5-Ply	6-Ply	7-Ply	8-Ply
1	.07	.09	.11					14	\$1.08	\$1.28	\$1.54	\$1.92	\$2.31	\$2.69	\$3.08
1½	.09	.11	.13					15	1.16	1.38	1.66	2.07	2.49	2.90	3.32
1½	.11	.13	.15	.19				16	1.25	1.50	1.78	2.22	2.67	3.11	3.56
1¾	.13	.15	.17	.21				18	1.41	1.70	2.02	2.52	3.03	3.53	4.04
2	.15	.17	.21	.26	.31			20	1.58	1.90	2.26	2.82	3.39	3.95	4.52
2½	.18	.22	.26	.32	.39			22	1.76	2.12	2.52	3.15	3.78	4.41	5.04
3	.22	.26	.31	.38	.46			24	1.96	2.36	2.80	3.50	4.20	4.90	5.60
3½	.26	.30	.37	.46	.55			26	2.16	2.60	3.08	3.85	4.62	5.39	6.16
4	.30	.34	.42	.52	.63	.73		28	2.36	2.84	3.36	4.20	5.04	5.88	6.72
4½	.33	.39	.47	.58	.70	.82		30	---	---	3.64	4.55	5.46	6.37	7.28
5	.36	.43	.52	.65	.78	.91		32	---	---	3.92	4.90	5.88	6.86	7.84
6	.43	.52	.62	.77	.93	1.08	\$1.24	34	---	---	4.20	5.25	6.30	7.35	8.40
7	.51	.60	.73	.91	1.09	1.27	1.46	36	---	---	4.48	5.60	6.72	7.84	8.96
8	.59	.70	.84	1.05	1.26	1.47	1.68	38	---	---	4.76	5.95	7.14	8.33	9.52
9	.67	.80	.95	1.18	1.42	1.66	1.90	40	---	---	5.04	6.30	7.56	8.82	10.08
10	.75	.90	1.07	1.33	1.60	1.87	2.14	42	---	---	5.32	6.65	7.98	9.31	10.64
11	.83	1.00	1.18	1.47	1.77	2.06	2.36	44	---	---	5.60	7.00	8.40	9.80	11.20
12	.91	1.08	1.30	1.62	1.95	2.27	2.60	46	---	---	5.88	7.35	8.82	10.29	11.76
13	1.00	1.18	1.42	1.77	2.13	2.48	2.84	48	---	---	6.16	7.70	9.24	10.78	12.32

ENDLESS BELTS

A charge will be made for the additional belting required for the splice. The minimum charge will be for three feet. All of our belts are made endless by a special process and they will not separate at the splice.

In running belts protect them as much as possible from contact with grease or animal oil.

LEATHER BELTING




FIG. H-637

REVISED PRICE LIST, NOVEMBER 21ST, 1906
PRICES OF SINGLE BELTS, PER RUNNING FOOT

1/2 inch	.12	3 3/4 inch	.90	15 inch	\$3.60	30 inch	\$7.20
5/8 "	.15	4 "	.96	16 "	3.84	32 "	7.68
3/4 "	.18	4 1/2 "	1.08	17 "	4.08	34 "	8.16
7/8 "	.21	5 "	1.20	18 "	4.32	36 "	8.64
1 "	.24	5 1/2 "	1.32	19 "	4.56	38 "	9.12
1 1/4 "	.30	6 "	1.44	20 "	4.80	40 "	9.60
1 1/2 "	.36	6 1/2 "	1.56	21 "	5.04	42 "	10.08
1 3/4 "	.42	7 "	1.68	22 "	5.28	44 "	10.56
2 "	.48	8 "	1.92	23 "	5.52	46 "	11.04
2 1/4 "	.54	9 "	2.16	24 "	5.76	48 "	11.52
2 1/2 "	.60	10 "	2.40	25 "	6.00	50 "	12.00
2 3/4 "	.66	11 "	2.64	26 "	6.24	52 "	12.48
3 "	.72	12 "	2.88	27 "	6.48	54 "	12.96
3 1/4 "	.78	13 "	3.12	28 "	6.72	56 "	13.44
3 1/2 "	.84	14 "	3.36	29 "	6.96	60 "	14.40

Double Belts, twice the price of single. Intermediate widths at proportionate prices. Extra Heavy Belts, prices on application.

Solid and Twist Leather Belting



FIG. H-638



FIG. H-639

Size, inches	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1
Fig. H-638—Solid, per foot	.05	.07	.10	.14	.18	—	—	—	—	—
Fig. H-639—Twist, per foot	.06	.10	.14	.18	.22	.30	.36	.46	.60	.72

GANDY BELTING



FIG. H-640

4 Ply Equal to Single Leather.		5 Ply	6 Ply Equal Lt. Double Leather.		8 Ply Equal Heavy Double Leather.		10 Ply		
per ft.		per ft.		per ft.		per ft.	per ft.		
1 inch,	.10	2 inch,	.25	2 inch,	.29	3 inch,	.57	12 inch,	\$2.82
1 1/4 "	.13	2 1/2 "	.31	2 1/2 "	.36	4 "	.76	"	3.45
1 1/2 "	.15	3 "	.38	3 "	.44	5 "	.95	"	3.71
1 3/4 "	.18	3 1/2 "	.44	3 1/2 "	.51	6 "	1.14	"	3.95
2 "	.20	4 "	.50	4 "	.58	7 "	1.33	"	4.44
2 1/4 "	.23	4 1/2 "	.56	4 1/2 "	.65	8 "	1.52	"	4.94
2 1/2 "	.25	5 "	.63	5 "	.73	9 "	1.71	"	5.43
2 3/4 "	.28	6 "	.75	6 "	.87	10 "	1.90	"	5.92
3 "	.30	7 "	.88	7 "	1.02	11 "	2.09	"	6.72
3 1/2 "	.35	8 "	1.00	8 "	1.16	12 "	2.28	"	7.24
4 "	.40	9 "	1.13	9 "	1.31	13 "	2.60	"	7.76
4 1/2 "	.45	10 "	1.25	10 "	1.45	14 "	2.79	"	8.27
5 "	.50	11 "	1.38	11 "	1.60	15 "	3.00	"	8.79
6 "	.60	12 "	1.50	12 "	1.74	16 "	3.19	"	9.31
7 "	.70	13 "	1.71	13 "	1.99	18 "	3.59	"	9.82
8 "	.80	14 "	1.84	14 "	2.13	20 "	3.99	"	10.34
9 "	.90	15 "	1.98	15 "	2.29	22 "	4.39	"	11.84
10 "	1.00	16 "	2.10	16 "	2.44	24 "	4.79	"	12.41
11 "	1.10	18 "	2.36	18 "	2.74	26 "	5.43	"	13.54
12 "	1.20	20 "	2.63	20 "	3.05	28 "	5.85	"	14.10
13 "	1.37	22 "	2.89	22 "	3.35	30 "	6.27	"	14.66
14 "	1.47	24 "	3.15	24 "	3.65	32 "	6.69	"	15.23
15 "	1.58			26 "	4.15	36 "	7.52	"	15.79
16 "	1.68			28 "	4.47	40 "	8.36	"	16.92
18 "	1.89			30 "	4.79	48 "	10.94		

WHITE COTTON BELTING

Width, inches	1	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2	5	6	7
2 Ply, per foot	.04	.05	.06	.06 1/2	.07	.08	.09	.11	.13	.17	.19
3 Ply, per foot	--	.06	.08	.10	.12	.14	.15	.17	.19	.23	.27
4 Ply, per foot	--	--	.12	.14	.16	.18	.21	.24	.26	.30	.34
Width, inches	8	9	10	12	14	16	18	20	22	24	
2 Ply, per foot	.21	.23	.26	.33	.41	.49	.57	.61	.65	.69	
3 Ply, per foot	.31	.35	.39	.48	.60	.72	.82	.90	1.00	1.10	
4 Ply, per foot	.38	.44	.50	.60	.75	.90	1.00	1.15	1.35	1.55	

Endless Thresher Belts, Stitched Canvas, in assorted lengths, 6, 7 and 8 inches wide. Prices on application.




FIG. H-641

LACE LEATHER

FIG. H-641

Rawhide, per square foot30

CUT LEATHER LACING



FIG. H-642

Width, inches	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Rawhide, per 100 feet	\$1.25	1.50	1.75	2.00	2.25	3.00	3.75




FIG. H-643

WIRE BELT LACING

FIG. H-643

No. 0 Size for Single Belts, 3 inches and under.

No. 1 Size for Single Belts, 3 inches and over.

No. 2 Size for all Double Belts, 12 inches and under.

No. 3 Size for all Double Belts, over 12 inches.

Per 100 feet \$2.00

"JONES" BELT HOOK

No. 7




FIG. H-644

No. 16, per 1000	\$2.00	No. 6, per 1000	\$8.50
No. 15, per 1000	2.00	No. 5, per 1000	11.00
No. 14, per 1000	2.40	No. 4, per 1000	14.00
No. 13, per 1000	2.60	No. 3, per 1000	16.00
No. 12, per 1000	2.80	No. 2, per 1000	20.00
No. 11, per 1000	3.00	No. 1, per 1000	30.00
No. 10, per 1000	3.50	$2\frac{1}{2}$ inch, per 1000	50.00
No. 9, per 1000	4.00	3 inch, per 1000	60.00
No. 8, per 1000	5.00	$3\frac{1}{2}$ inch, per 1000	70.00
No. 7, per 1000	6.00	4 inch, per 1000	80.00

OILS

MACHINERY AND ENGINE OILS

Best Quality, per gallon----- .40

CYLINDER OIL

Best Quality, per gallon----- .60

STAINLESS SPINDLE OIL, per gallon----- .60

This oil is especially adapted for Textile Machinery.

W. S. PRIME LARD OIL, per gallon----- \$1.25

This oil is especially adapted for cutting and threading pipe and for screw cutting.



FIG. H-645

ALBANY GREASE

Albany Grease is made in five regular numbers.

- No. 0 is very soft, being used in extreme cold weather and on exposed journals.
 - No. 1 is harder than No. 0 and is used on ordinary journals in cold weather, or in very cool or slow-running journals, also elevator sides.
 - No. 2 is harder than No. 1, and is the grade ordinarily used in moderate and warm weather and general shafting.
 - No. 3 is adapted to the use of all stationary, marine and tug-boat engines; also shafting in warm weather, dynamos, general electrical and high-speed machinery.
 - No. X is a grade of extra hardness, which will lubricate journals with entire satisfaction, when no oil or lubricant of any other kind would work.
- Note—All the grades and numbers of Albany Grease are of the same quality. The only difference is in the consistency being made applicable to any climate or condition of circumstance.



FIG. H-646

FLAKE GRAPHITE

Perfect Lubricant.

5 lb. cans, per lb.----- .25

RUBBER HOSE

RUBBER GARDEN, HYDRANT OR CONDUCTING HOSE




FIG. H-647

WIRE WOUND HOSE



FIG. H-648

Size, inches	1/2	3/4	1	1 1/4	1 1/2	1 3/4	2	2 1/4	2 1/2	2 3/4	3	4
2 Ply, per foot	.20	.25	.33	.42	.50	.58	.66	.75	.83	.92	.99	1.32
3 Ply, per foot	.25	.30	.40	.50	.60	.70	.80	.90	1.00	1.10	1.20	1.60
4 Ply, per foot	.30	.37	.50	.62	.75	.87	1.00	1.12	1.25	1.37	1.50	2.00

STANDARD STEAM HOSE, STANDARD AND IMPERIAL BREWERS' HOSE, AIR BRAKE HOSE

Size, inches	1/2	3/4	1	1 1/4	1 1/2	1 3/4	2	2 1/2	3
3 Ply, per foot	.43	.51	.67	.85	1.02	1.18	1.34	1.66	2.00
4 Ply, per foot	.51	.67	.83	1.04	1.25	1.45	1.66	2.08	2.80
5 Ply, per foot	.63	.83	1.03	1.30	1.56	1.81	2.07	2.60	3.50
6 Ply, per foot	.76	1.00	1.24	1.56	1.87	2.17	2.49	3.12	4.20

Steam Hose, Marlin Wound, 10 per cent. advance on net cost.

WINDING HOSE WITH WIRE

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
3 Ply, per foot	.03	.04	.05	.07	.08	.10	.12
4 Ply, per foot	.04	.05	.07	.08	.09	.11	.13

SUCTION HOSE ON STEEL WIRE




FIG. H-649

HARD RUBBER SUCTION HOSE




FIG. H-650

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2
Per foot	.70	.90	1.15	1.50	2.30	3.10	4.00	4.90
Smooth Bore, per foot	1.00	1.30	1.65	1.95	2.60	3.50	4.50	5.50

Size, inches	4	5	6	8	10	12
Per foot	\$5.80	7.60	9.50	15.00	20.00	25.00
Smooth Bore, per foot	6.50	8.50	10.50	16.50	22.50	27.50

HARD RUBBER SUCTION HOSE

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Per foot	.55	.65	.75	.93	1.13	1.50	1.88

HOSE GOODS

COTTON GARDEN HOSE
RUBBER LINED



FIG. H-651

COTTON MILL HOSE
RUBBER LINED



FIG. H-652

COTTON GARDEN HOSE

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Per foot	.20	.25	.35

COTTON MILL HOSE—RUBBER LINED

Size, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	3
Per foot	.35	.45	.50	.60	.70	.70	1.00

UNDERWRITERS LINEN HOSE

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$
Plain Unlined, per foot	.18	.20	.22	.25	.30	.33	.35
Rubber Lined, per foot	--	.50	.60	.70	.80	--	.90

FIRE HOSE

Rubber and Single and Double Jacket Cotton Fire Hose, suitable for any pressure required and fully guaranteed.

Samples and prices on application.

Rubber Tubing




FIG. H-653

Size, inches	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Pure, per foot	.08	.12	.16	.18	.20	.25	.30	.35	.45
Cloth Insertion, per foot	.10	.14	.18	.20	.23	.28	.33	.38	.50

HOSE GOODS

Hose Nozzles

"UNDERWRITERS"




FIG. H-654

Size, inches.....	2	2½	2½	2½
Length, inches.....	20	24	30	36
Wound and Painted, each.....	\$9.00	11.00	12.00	15.00
Plain Brass, each.....	7.50	9.50	11.00	13.50
Wound and Painted without Handles, each.....	6.50	8.50	10.00	12.50
Rubber Tube, Swivel Handles, each.....	---	---	15.00	18.00
Leather Tubes, Swivel Handles, each.....	---	---	---	18.00

PLAIN



FIG. H-655

Size, inches.....	¾	1	1¼	1½	2	2½
Length, inches.....	8	8	12	12	12	15
Per dozen.....	\$7.00	9.00	18.00	22.00	34.00	65.00

WITH SCREW TIP



FIG. H-656

Size, inches... ¾	¾	1	1	1¼	1¼	1½	1½	2	2	2½	2½	
Length, inches... 8	12	8	12	12	15	12	15	12	20	15	24	
Per dozen.....	\$8.00	10.00	10.00	12.00	20.00	24.00	25.00	30.00	38.00	50.00	75.00	100.00

WITH COCK




FIG. H-657

Size, inches.....	¾	¾	1	1	1¼	1¼	1¼	1½	2	2	2½
Length, inches.....	8	12	8	12	12	15	20	20	12	20	24
Per dozen.....	\$13.00	18.00	15.00	20.00	40.00	45.00	55.00	80.00	80.00	110.00	200.00

HOSE GOODS

Hose Nozzles




FIG. H-658

"FAIRY"

THROWS SOLID STREAM OR
SPRAY

Size, inches	$\frac{3}{4}$	1
Per dozen	\$18.00	30.00

"GEM" SPRAY

THROWS SOLID STREAM OR
SPRAY




FIG. H-659

Size, inches	$\frac{3}{4}$	1
Per dozen	\$10.00	15.00




FIG. H-660

"BOSS"

THROWS SOLID STREAM OR
SPRAY

Size, inches	$\frac{3}{4}$	1
Per dozen	\$15.00	18.00

HOSE GOODS
REGULAR HOSE COUPLING




FIG. H-661

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3
Per doz.....	\$2.40	2.40	4.40	10.00	14.00	24.00	48.00	76.00
Iron Pipe Thread, per doz.....	2.65	2.65	4.65	10.50	15.00	26.00	50.00	79.00
Female Half Hose-Pipe Thread, per doz.....	1.80	1.80	3.00	7.20	9.60	16.20	-----	-----
Female Half Iron-Pipe Thread, per doz.....	1.80	1.80	3.25	7.80	10.80	17.40	-----	-----

STEAM HOSE COUPLING



FIG. H-662

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2
Each	\$1.25	1.25	1.50	2.00	2.50	3.50	6.00

EXPANSION RING COUPLINGS

HOSE MENDER



FIG. H-663

Size, inches	1/2	3/4	1
Brass, per dozen..	\$1.20	1.20	2.50




FIG. H-664

Size, inches	1 1/4	1 1/2	2	2 1/2	3
For Linen					
Hose, per dz	24.00	30.00	42.00	51.00	96.00
For Rubber					
Hose, per dz	-----	-----	39.00	54.00	-----

HOSE BAND PLIER



FIG. H-665

Per dozen	\$6.00
-----------------	--------

HOSE BAND



FIG. H-666

FIG. H-666—HOSE BANDS

Number	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Size, in..	1/2	1/2	3/4	3/4	1	1	1 1/4	1 1/4	1 1/2	1 1/2	1 3/4	1 3/4	2	2	2 1/4	2 1/4	2 1/2	2 1/2
L'gth, in.	3 3/8	3 3/4	4 1/8	4 3/4	5	5 3/8	6	6 3/8	6 3/4	7 1/8	7 1/2	8	8 1/2	9	9 1/2	10	10 1/2	11
Per dozen	.40	.40	.60	.60	.80	.80	1.00	1.00	1.20	1.20	1.40	1.40	1.60	1.60	1.80	1.80	2.00	2.00

HOSE GOODS

BRASS HOSE CAP




FIG. H-667

FIG. H-667—BRASS HOSE CAPS

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Per dozen	\$4.00	6.00	8.00	10.00	15.00	24.00	31.00

YERDON HOSE CLAMP




FIG. H-668

FIG. H-668—YERDON HOSE CLAMPS

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
For Hydrant Hose, per dozen	\$1.50	1.50	2.00	2.50	3.00	4.00	7.00	10.00
For Steam Hose, per dozen	1.50	2.00	2.50	3.00	3.50	5.50	8.50	13.00

HOSE COUPLING SPANNER



FIG. H-669

Size, inches	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{2}$	3
Brass, per dozen	\$8.00	8.50	9.00	10.00	12.00	20.00
Iron, per dozen	1.44	1.80	---	2.40	3.00	---

Standard Fire Department Siamese Connections



FIG. H-670

WITH SWING CHECKS, PLUGS AND CHAINS

	Iron Body, Painted.	Brass Body, Painted.	Brass Body, Polished.
3 in. and 4 in. } x 2 1/2 in. and 3 in. }	\$20.00	27.50	30.00
6 in. } x 2 1/2 in. and 3 in. }	\$25.00	35.00	40.00

HOSE GOODS

SUCTION HOSE STRAINER




FIG. H-671

ROSE SPRINKLER



FIG. H-672

FIG. H-671—SUCTION HOSE STRAINERS

Size, inches.....	2	2½	3	4	5	6
With Hose Thread, each.....	\$7.50	8.50	10.00			
With Iron Pipe Thread, each.....				19.00	31.00	46.00

FIG. H-672—ROSE SPRINKLERS

Diameter, inches.....	2	2¼	2½	3
Size Thread.....	¾	¾	1	1¼
Per dozen.....	\$4.50	5.25	6.00	9.00

MALE

HOSE NIPPLES

FEMALE




FIG. H-673




FIG. H-674

Size, inches.....	½	¾	1	1¼	1½	2	2½	3
Fig. H-673—Per dozen.....	\$3.50	3.50	5.00	9.00	10.00	14.00	28.00	40.00
Fig. H-674—Per dozen.....	3.50	3.50	5.00	9.00	10.00	14.00	28.00	40.00

Male Hose Nipples have Hose Thread on one end and Iron Pipe Thread on other end. Female Hose Nipples have Hose Thread on Male end and Iron Pipe Thread on Female end.

HOSE REDUCER

HOSE BUSHING

HOSE BIBB END




FIG. H-675



FIG. H-676



FIG. H-677

FIGS. H-675 AND H-676—REDUCERS AND BUSHINGS

Size, inches.....	1 x ¾	1¼ x 1	1¼ x ¾	1½ x 1¼	1½ x 1	1½ x ¾	2 x 1½	2 x 1¼
Per dozen.....	\$6.50	10.00	10.00	12.00	12.00	12.00	18.00	18.00

Hose Reducers and Bushings have hose thread on both Male and Female ends.

FIG. H-677—HOSE BIBB ENDS

Size, inches.....	½	¾	1	1¼	1½	2
Per dozen.....	\$2.50	2.50	2.50	3.50	6.00	15.00

LAWN SPRINKLERS

CACTUS
No. 5




FIG. H-678

Not affected by gritty, sandy or dirty water.
No revolving parts or any fitting that can clog or get out of order.

Will last indefinitely.

No. 5, in addition to centrifugal spray, has a center spray which adds to the beauty and efficiency of the sprinkler.

3/4 inch, each	-----	\$2.00
1 inch, each	-----	2.50

JAPANESE
No. 12




FIG. H-679

This sprinkler is superior to all others for high or varying pressures and will give satisfaction with a low pressure.

3/4 inch, each	-----	\$2.00
1 inch, each	-----	2.50

PARK
No. 22




FIG. H-680

To adjust this Sprinkler to Full Circle, screw down the Acorn Stem; to make Half Circle, raise Acorn Stem to full limit and adjust Spray Plate.

3/4 inch, each	-----	\$2.00
1 inch, each	-----	2.50

TWIN




FIG. H-681

Galvanized, per dozen	-----	\$5.00
-----------------------	-------	--------

CACTUS
No. 9




FIG. H-682

3/4 inch, each	-----	\$1.50
1 inch, each	-----	2.00

THE GUIBERT SWINGING HOSE RACK

SHOWING RACK ATTACHED TO PIPE




FIG. H-683

SHOWING RACK ATTACHED TO WALL




FIG. H-684

Aluminum finish or any color enamel.

								With Wall Plate.	With Pipe Clamp.		
X 1	-----	for	25	feet	Unlined Lined	Hose	-----	1	inch,	\$5.00	\$5.40
X 2	-----	"	50	"	"	"	-----	1	"	5.00	5.40
X 3	-----	"	75	"	"	"	-----	1	"	5.50	5.90
X 4	-----	"	100	"	"	"	-----	1	"	6.00	6.40
0	Narrow	-----	50	"	"	"	-----	1 1/2	"	5.00	5.40
0	-----	"	50	"	"	"	-----	2	"	5.00	5.40
00	-----	"	50	"	"	"	-----	2 1/2	"	5.00	5.40
1	Special Narrow	-----	75	"	"	"	-----	1 1/2	"	5.50	5.90
1	"	-----	75	"	"	"	-----	2	"	5.50	5.90
2	"	-----	75	"	"	"	-----	2 1/2	"	5.50	5.90
1	Narrow	-----	100	"	"	"	-----	1 1/2	"	6.00	6.40
1	-----	"	100	"	"	"	-----	2	"	6.00	6.40
2	-----	"	100	"	"	"	-----	2 1/2	"	6.00	6.40
3	Special Narrow	-----	125	"	"	"	-----	1 1/2	"	6.50	6.90
3	"	-----	125	"	"	"	-----	2	"	6.50	6.90
4	"	-----	125	"	"	"	-----	2 1/2	"	6.50	6.90
3	Narrow	-----	150	"	"	"	-----	1 1/2	"	7.00	7.40
3	-----	"	150	"	"	"	-----	2	"	7.00	7.40
4	-----	"	150	"	"	"	-----	2 1/2	"	7.00	7.40
5	Narrow	-----	200	"	"	"	-----	1 1/2	"	7.50	7.90
5	-----	"	200	"	"	"	-----	2	"	7.50	7.90
6	-----	"	200	"	"	"	-----	2 1/2	"	8.00	8.40
3	Narrow	-----	50	ft.	Rubber-lined	Cotton Mill Hose	-----	1 1/2	"	7.00	7.40
3	-----	"	50	"	"	"	-----	2	"	7.00	7.40
4	-----	"	50	"	"	"	-----	2 1/2	"	7.00	7.40
5	Narrow	-----	100	"	"	"	-----	1 1/2	"	7.50	7.90
5	-----	"	100	"	"	"	-----	2	"	7.50	7.90
6	-----	"	100	"	"	"	-----	2 1/2	"	8.00	8.40

In ordering Racks with Pipe Clamps always state internal diameter or external circumference of pipe to which racks are to be attached.

Racks nickel-plated on iron are \$3.00 each, net, more than above.

Special quotations for other styles of finish furnished on application.

THE IMPROVED A B C SWINGING HOSE REEL

SHOWING REEL ATTACHED TO PIPE




FIG. H-685

SHOWING REEL ATTACHED TO WALL




FIG. H-686

The strongest and most ornamental swinging hose reel ever made.

Aluminum finish or any color enamel, with wall plates.

A 1	for	50 Feet Unlined Linen Hose	-----	1½ inch,	\$5.00
A 2	"	50 "	" " " " " " " " " " " "	2 "	5.00
A 3	"	50 "	" " " " " " " " " " " "	2½ "	5.00
AA 1	"	75 "	" " " " " " " " " " " "	1½ "	5.50
AA 2	"	75 "	" " " " " " " " " " " "	2 "	5.50
AA 3	"	75 "	" " " " " " " " " " " "	2½ "	5.50
B 1	"	100 "	" " " " " " " " " " " "	1½ "	6.00
B 2	"	100 "	" " " " " " " " " " " "	2 "	6.00
B 3	"	100 "	" " " " " " " " " " " "	2½ "	6.00
C 1	"	150 "	" " " " " " " " " " " "	1½ "	7.00
C 2	"	150 "	" " " " " " " " " " " "	2 "	7.00
C 3	"	150 "	" " " " " " " " " " " "	2½ "	7.00
D 1	"	200 "	" " " " " " " " " " " "	1½ "	8.00
D 2	"	200 "	" " " " " " " " " " " "	2 "	8.00
D 3	"	200 "	" " " " " " " " " " " "	2½ "	8.00
C 1	"	50 Feet Rubber Lined Cotton Mill Hose	-----	1½ "	7.00
C 2	"	50 "	" " " " " " " " " " " "	2 "	7.00
C 3	"	50 "	" " " " " " " " " " " "	2½ "	7.00
D 1	"	100 "	" " " " " " " " " " " "	1½ "	8.00
D 2	"	100 "	" " " " " " " " " " " "	2 "	8.00
D 3	"	100 "	" " " " " " " " " " " "	2½ "	8.00

Reels with pipe clamp are 40 cents each, net, in addition to net cost of above.

HOSE REELS

K. C. No. 1




FIG. H-687

Tubular frame, corrugated iron drum, wire arms, wheels 7 inches in diameter. The only reel with a corrugated drum. Capacity, 100 feet $\frac{3}{4}$ inch Hose.

Each ----- \$2.00

ALL IRON HOSE REELS

GARDEN REELS

NOS. 10 AND 20

NOS. 30 AND 40





FIG. H-388

Number.....	10	20	30	40
Height of Reel in inches.....	21	24	29	134
Weight of Reel in pounds.....	18	20	30	75
Capacity of 3-ply $\frac{3}{4}$ inch Rubber Hose, feet.....	100	150	400	800
Capacity of 4-ply 1 inch Rubber Hose, feet.....	50	75	150	300
Capacity of 4-ply $1\frac{1}{4}$ inch Rubber Hose, feet.....	--	--	100	250
Capacity of $1\frac{1}{4}$ inch Cotton Rubber-lined Hose, feet.....	--	100	200	500
Capacity of $1\frac{1}{2}$ inch Cotton Rubber-lined Hose, feet.....	--	75	150	400
Capacity of 2 inch Cotton Rubber-lined Hose, feet.....	--	--	100	300
Each.....	\$3.50	4.00	6.50	25.00

VILLAGE HOSE CART

IRON FRAME, ON WOOD WHEELS




FIG. H-689

The material and workmanship used in the construction of these carts are of the highest quality. They are of medium weight, very strong, and will endure extremely rough usage. They are mounted on WOOD WHEELS of the very best pattern; have Tool Box and Friction Roller at rear, Rope Reel and Drag Rope, Nozzle Holder on Tongue and Tongue Rest. Equipped with Fireman's Axe and Crowbar in Spring Holders. Hub Caps are polished brass, or nickel-plated, if desired. Handsomely finished in vermilion and black.

For Roller Bearings, add \$35.00 to List Prices.

Number	419	420	421
Height of Wheels	4 ft. 6 in.	5 ft.	5 ft. 6 in.
Extreme outer width	5 ft.	5 ft.	5 ft. 4 in.
Extreme length	8 ft.	8 ft. 8 in.	9 ft. 6 in.
Weight complete, pounds	325	400	500
Capacity, 2½ inch Double Jacket Fire Hose, feet	350	400	500
Each	\$120.00	130.00	160.00

SPECIAL HEAVY CART—FOR LARGE AMOUNT OF HOSE

IRON, ON WOOD WHEELS




FIG. H-690

This is an exceedingly strong cart. It is well equipped, having a Chain Winding attachment with Winch Handles for Reeling on Hose; Clutch to hold Reel in position when not in use; Rope Reel and Drag Rope, Double Nozzle Holders on Tongue, Friction Roller and Tool Box at rear, Fireman's Axe and Crowbar in Spring Holders. These carts handsomely finished in vermilion and black, are mounted on heavy "Archibald" wood wheels. If Roller Bearings are desired, add \$40.00 to list price.

Number	500	501
Height of Wheel	5 ft. 6 in.	6 ft.
Extreme outer width	5 ft. 6 in.	5 ft. 9 in.
Extreme length	10 ft. 8 in.	11 ft.
Weight of Cart complete, pounds	600	700
Capacity, 2½ inch Double Jacket Fire Hose, feet	600	1000
Each	\$250.00	275.00

LEVER HANDLE BIBBS

GROUND KEY

LEAD PIPE




FIG. H-691

IRON PIPE




FIG. H-692

FIGS. H-691 AND H-692

Size, inches-----	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Finished, per dozen-----	\$15.50	18.00	21.50	29.00	41.00	70.00	110.00	210.00
Nickel-plated, per dozen---	17.00	20.00	24.00	32.00	45.00	80.00	130.00	250.00

HOSE BIBB, LEAD PIPE




FIG. H-693

HOSE BIBB, IRON PIPE




FIG. H-694

FIGS. H-693 AND H-694

Size, inches-----	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Finished, per dozen-----	\$17.50	20.00	23.50	32.00	46.00	76.00	118.00	225.00
Nickel-plated, per dozen---	19.00	22.00	26.00	35.00	50.00	86.00	138.00	265.00

T HANDLE STOPS, LEAD PIPE

STOP




FIG. H-695

STOP AND WASTE




FIG. H-696

FIG. H-695

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop, per doz.	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00

FIG. H-696

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop and Waste, per doz.	\$17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

T HANDLE STOPS, LEAD AND IRON PIPE

STOP




FIG. H-697

STOP AND WASTE




FIG. H-698

FIG. H-697

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop, per doz.	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00

FIG. H-698

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop and Waste, per doz.	\$17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

LEVER HANDLE STOPS, LEAD PIPE

STOP




FIG. H-699

STOP AND WASTE




FIG. H-700

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-699—Rough Stop, per doz....	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00
Fig. H-700—Rough Stop and Waste, per doz.....	17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

LEVER HANDLE STOPS, LEAD AND IRON PIPE

STOP




FIG. H-701

STOP AND WASTE




FIG. H-702

Size, inches.....	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-701—Rough Stop, per doz....	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00
Fig. H-702—Rough Stop and Waste, per doz	17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

T HANDLE STOPS, IRON PIPE

STOP




FIG. H-703

STOP AND WASTE




FIG. H-704

FIG. H-703

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop, per doz.	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00

FIG. H-704

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop and Waste, per doz.	\$17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

LEVER HANDLE STOPS, IRON PIPE

STOP




FIG. H-705

STOP AND WASTE




FIG. H-706

FIG. H-705

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop, per doz.	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00

FIG. H-706

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough Stop and Waste, per doz.	\$17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00

T HANDLE ROUNDWAY STOPS, LEAD PIPE

STOP




FIG. H-707

STOP AND WASTE




FIG. H-708

Size, inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-707—Rough Stop, per doz	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Fig. H-708—Rough Stop and Waste, per dz	23.00	29.00	34.00	57.00	88.00	132.00	260.00

T HANDLE ROUNDWAY STOPS, IRON PIPE

STOP




FIG. H-709

STOP AND WASTE




FIG. H-710

Size, inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-709—Rough Stop, per doz	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Fig. H-710—Rough Stop and Waste, per dz	23.00	29.00	34.00	57.00	88.00	132.00	260.00

LEVER HANDLE ROUNDWAY STOPS, LEAD PIPE

ROUGH

FINISHED





FIG. H-711

FIG. H-712

Size, inches.....	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-711—Rough Stop, per doz..	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Size, inches.....				$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-712—Finished Stop, per doz.....				\$25.00	32.00	38.00	63.00
Fig. H-712—Nickel-plated Stop, per doz.....				27.00	34.50	40.50	66.00

ROUGH STOP AND WASTE

FINISHED STOP AND WASTE





FIG. H-713

FIG. H-714

Size, inches.....	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-713—Rough Stop and Waste, per doz..	\$23.00	29.00	34.00	57.00	88.00	132.00	260.00
Size, inches.....				$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-714—Finished Stop and Waste, per doz.....				\$27.00	34.00	40.00	66.00
Fig. H-714—Nickel-plated Stop and Waste, per doz.....				29.00	36.50	42.50	69.00

LEVER HANDLE ROUNDWAY STOPS, IRON PIPE

ROUGH STOP




FIG. H-715

ROUGH STOP AND WASTE




FIG. H-716

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Fig. H-715—Rough Stop, per doz	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Fig. H-716—Rough Stop and Waste, per doz	23.00	29.00	34.00	57.00	88.00	132.00	260.00

FINISHED STOP




FIG. H-717

FINISHED STOP AND WASTE




FIG. H-718

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-717—Finished Stop, per doz	\$25.00	32.00	38.00	62.00
Fig. H-717—Nickel-plated Stop, per doz	27.50	35.00	41.50	66.50
Fig. H-718—Finished Stop and Waste, per doz	27.00	34.00	40.00	65.00
Fig. H-718—Nickel-plated Stop and Waste, per doz	29.50	37.00	43.50	69.50

T HANDLE ROUNDWAY STOPS

LEAD AND IRON PIPE

STOP

STOP AND WASTE




FIG. H-719




FIG. H-720

Size, inches.....	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-719—Rough Stop, per doz.....	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Fig. H-720—Rough Stop and Waste, per dz	23.00	29.00	34.00	57.00	88.00	132.00	260.00

LEVER HANDLE ROUNDWAY STOPS

LEAD AND IRON PIPE

STOP

STOP AND WASTE




FIG. H-721




FIG. H-722

Size, inches.....	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-721—Rough Stop, per doz.....	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Fig. H-722—Rough Stop and Waste, per dz	23.00	29.00	34.00	57.00	88.00	132.00	260.00

ROUNDWAY "NEWPORT" AND "H" PATTERN STOPS

T HANDLE, IRON PIPE

LEVER HANDLE, IRON PIPE



FIG. H-723




FIG. H-724

FIGS. H-723 AND H-724

Size, inches	1/2	5/8	3/4	3/4x1	1	1 1/4	1 1/2	2
Rough "H" Pattern Stop, per doz	\$18.00	23.50	26.50	41.00	44.00	52.00	82.00	116.00
Rough "Newport" Stop, per doz	20.00	26.00	29.50	44.00	52.00	82.00	116.00	220.00
Add for Waste, per doz	2.00	2.00	2.00	3.00	3.00	4.00	6.00	10.00

"H" and "Newport" Pattern Stops for LEAD PIPE same list as above.

**T HANDLE
HYDRANT COCK**

"MONARCH"




FIG. H-725

STRAIGHTWAY, IRON PIPE

ROUNDWAY, IRON PIPE




FIG. H-726




FIG. H-727

FIGS. H-725, H-726 AND H-727

Size, inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Straightway, per doz	\$21.00	27.00	31.50	45.00	69.00	104.00	200.00
Roundway, per doz	25.00	32.00	37.50	61.00	93.00	140.00	270.00

HYDRANT COCKS, for LEAD PIPE, and LEAD and IRON PIPE, same list as above.

“U-T-K” and “Mueller” Reversible Ground Key Cocks

STOP, LEAD PIPE




FIG. H-728

STOP AND WASTE, LEAD PIPE




FIG. H-729

STOP, LEAD AND IRON PIPE




FIG. H-730

STOP AND WASTE, LEAD AND IRON PIPE




FIG. H-731

STOP, IRON PIPE




FIG. H-732




FIG. H-733

The construction of this cock is such that it can be instantly changed from a right hand to a left hand cock, and vice versa, by simply giving the patent cap a quarter turn on the square of key.

LEVER AND TEE HANDLE
STRAIGHTWAY

Size, inches	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Rough Stop, per doz	\$15.00	17.00	22.00	26.00	38.00	60.00	90.00	180.00
Rough Stop and Waste, per doz	17.00	19.00	24.00	28.00	41.00	64.00	96.00	190.00
Finished Stop, per doz	18.50	21.00	27.00	32.00	46.00	-----	-----	-----
Finished Stop and Waste, per doz	20.50	23.00	29.00	34.00	49.00	-----	-----	-----
Nickel-plated Stop, per doz	20.00	23.00	29.50	35.00	50.00	-----	-----	-----
Nickel-plated Stop and Waste, per doz	22.00	25.00	31.50	37.00	53.00	-----	-----	-----

ROUNDWAY

Size, inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Rough Stop, per doz	\$21.00	27.00	32.00	54.00	84.00	126.00	250.00
Rough Stop and Waste, per doz	23.00	29.00	34.00	57.00	88.00	132.00	260.00
Finished Stop, per doz	25.00	32.00	38.00	62.00	-----	-----	-----
Finished Stop and Waste, per doz	27.00	34.00	40.00	65.00	-----	-----	-----
Nickel-plated Stop, per doz	27.00	34.50	41.00	66.00	-----	-----	-----
Nickel-plated Stop and Waste, per doz	29.00	36.50	43.00	69.00	-----	-----	-----

PATENT CURB COCKS

ROUNDWAY

"GLAUBER'S," "MUELLER'S," "SIMPLEX," "OHIO," ETC.



FIG. H-734

Revised List on Curb Cocks, Adopted by Manufacturers, October 12, 1899.

TEE, LEVER OR SOCKET HEAD

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Curb Stop for Iron Pipe	\$25.00	33.00	39.00	65.00	102.00	154.00	300.00
Curb Stop for Lead Pipe	25.00	33.00	39.00	65.00	102.00	154.00	300.00
Curb Stop for Iron and Lead Pipe	25.00	33.00	39.00	65.00	102.00	154.00	300.00
Curb Stop and Waste for Iron Pipe	27.00	35.00	41.00	68.00	106.00	160.00	310.00
Curb Stop and Waste for Lead Pipe	27.00	35.00	41.00	68.00	106.00	160.00	310.00
Curb Stop and Waste for Iron and Lead Pipe	27.00	35.00	41.00	68.00	106.00	160.00	310.00

RAIN AND WELL WATER COCKS

IRON PIPE




FIG. H-735

Size, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
For Iron Pipe, Rough, per doz	\$75.00	100.00	140.00	210.00	300.00
For Lead Pipe, Rough, per doz, (not Illustrated)	75.00	100.00	140.00	210.00	300.00

CORPORATION COCKS

WITH STRAIGHT OR BENT COUPLING AND NUT

WITHOUT COUPLING AND NUT




FIG. H-736




FIG. H-737

FIG. H-736—FOR SCREW OR HEXAGON PLUG

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough, each	\$1.25	1.35	1.85	2.40	3.85	7.80	10.40	17.40

FIG. H-737—FOR SCREW OR HEXAGON PLUG BENT OR STRAIGHT TAIL

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough, each	\$1.45	1.60	2.25	2.85	4.50	9.00	12.00	20.00

Above lists apply on Cocks that are to be inserted with a Tapping Machine, having standard iron pipe or special threads.

FOR TAPPING MACHINES

SQUARE ON SHOULDER

WITHOUT COUPLING AND NUT

WITH STRAIGHT OR BENT COUPLING AND NUT




FIG. H-738




FIG. H-739

FIG. H-738—WITHOUT COUPLING AND NUT

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough, each	\$1.25	1.35	1.85	2.40	3.85	7.80	10.40	17.40

FIG. H-739—BENT OR STRAIGHT TAIL

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Rough, each	\$1.45	1.60	2.25	2.85	4.50	9.00	12.00	20.00

In ordering, state for whose Machine wanted.

LEAD SERVICE CONNECTIONS




FIG. H-740

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Complete, each	\$2.80	3.00	3.40	4.00	5.40	12.00	18.00	24.00
Extra Strong Lead Pipe, inches	18	18	18	18	18	24	30	36

“U. T. K.” AND “MUELLER” SPECIAL HIGH GRADE
COMPRESSION BIBB

Red Metal—Warranted




FIG. H-741

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Plain, Lead Pipe, per doz.....	\$13.00	16.00	20.00
Nickel-plated, Lead Pipe, per doz	15.50	18.50	22.50
Plain, Iron Pipe, per doz.....	13.00	16.00	20.00
Nickel-plated, Iron Pipe, per doz.....	15.50	18.50	22.50
For Hose End, add, per doz.....	2.00	2.00	2.00

COMPRESSION BIBBS

LEAD PIPE, PLAIN




FIG. H-742

IRON PIPE, PLAIN




FIG. H-743

FIGS. H-742 AND H-743

Size, inches.....	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Finished, per doz.....	\$12.00	13.00	16.00	20.00	40.00	65.00	100.00	200.00
Nickel-plated, per doz.....	14.00	15.50	18.50	22.50	43.00	69.00	108.00	212.00

LEAD PIPE, HOSE




FIG. H-744

IRON PIPE, HOSE




FIG. H-745

FIGS. H-744 AND H-745

Size, inches.....	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Finished, per doz.....	\$14.00	15.00	18.00	22.00	43.00	69.00	106.00	210.00
Nickel-plated, per doz.....	16.00	17.50	20.50	24.50	46.00	73.00	114.00	222.00

Size, inches.....	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Add for Stuffing Box.....	\$3.00	3.00	3.00	4.00	6.00	12.00	15.00	25.00

COMPRESSION BIBBS


LEAD PIPE, FLANGE
AND THIMBLE

FIG. H-746


IRON PIPE, DEEP SET
SCREW FLANGE

FIG. H-747

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-746—Finished, per doz	\$17.00	18.00	22.00	28.00	54.00
Fig. H-746—Nickel-plated, per doz	19.50	20.50	24.50	30.50	57.00
Add for Hose End	2.00	2.00	2.00	2.00	3.00
Fig. H-747—Finished, per doz		\$23.00	28.00	33.00	59.00
Fig. H-747—Nickel-plated, per doz		25.50	30.50	35.50	62.00
Add for Hose End		2.00	2.00	2.00	3.00

FLANGE, NUT AND BENT COUPLING




FIG. H-748

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$20.00	25.00	34.00	44.00	76.00
Nickel-plated, per doz	22.50	27.50	36.50	46.50	79.00

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Add for Stuffing Box	\$3.00	3.00	3.00	4.00	6.00

COMPRESSION BIBBS, FLANGED

IRON PIPE, FEMALE, PLAIN




FIG. H-749

IRON PIPE, FEMALE, HOSE




FIG. H-750

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$15.00	16.00	19.50	25.00	49.00
Nickel-plated, per doz	17.50	18.50	22.00	27.50	52.00
Add for Male End, per doz	2.00	2.00	2.00	2.00	4.00

FIG. H-750

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$17.00	18.00	21.50	27.00	52.00
Nickel-plated, per doz	19.50	20.50	24.00	29.50	55.00
Add for Male End, per doz	2.00	2.00	2.00	2.00	4.00

IRON PIPE, MALE, PLAIN




FIG. H-751

IRON PIPE, MALE, HOSE




FIG. H-752

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$15.00	16.00	19.50	25.00	49.00
Nickel-plated, per doz	17.50	18.50	22.00	27.50	52.00

FIG. H-752

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$17.00	18.00	21.50	27.00	52.00
Nickel-plated, per doz	19.50	20.50	24.00	29.50	55.00

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Add for Stuffing Box	\$3.00	3.00	3.00	4.00	6.00

COMPRESSION BIBBS—LOOSE KEY

IRON PIPE, PLAIN




FIG. H-753

IRON PIPE, HOSE




FIG. H-754

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-753—Finished, per doz	\$17.00	19.00	22.00	27.00	48.00
Fig. H-753—Nickel-plated, per doz	19.00	21.50	24.50	29.50	51.00
Fig. H-754—Finished, per doz	19.00	21.00	24.00	29.00	51.00
Fig. H-754—Nickel-plated, per doz	21.00	23.50	26.50	31.50	54.00
Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Add for Stuffing Box	\$3.00	3.00	3.00	4.00	6.00

For LEAD PIPE, the same List as above.

COMPRESSION SINK BIBBS

IRON PIPE




FIG. H-755

WITH FLANGE, THIMBLE AND LOCK NUT




FIG. H-756

$\frac{3}{4}$ inch I. P. Thread.

Fig. H-755—Finished, per doz	\$40.00
Fig. H-755—Nickel-plated, per doz	43.00
Fig. H-756—Finished, per doz	60.00
Fig. H-756—Nickel-plated, per doz	63.00
Add for Hose End, per doz	\$2.00
Without Nut and Thimble (Fig. H-756), deduct, per doz	15.00

COMPRESSION WASH TRAY BIBBS

LEAD PIPE




FIG. H-757

IRON PIPE




FIG. H-758

FIGS. H-757 AND H-758

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$14.00	17.00	21.00
Nickel-plated, per doz	16.50	19.50	23.50

FLANGE AND THIMBLE




FIG. H-759

FIG. H-759

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$19.00	23.00	30.00
Nickel-plated, per doz	21.50	25.50	32.50

FLANGE, NUT AND BENT COUPLING




FIG. H-760

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-760—Finished, per doz	\$26.00	35.00	46.00
Fig. H-760—Nickel-plated, per doz	28.50	37.50	48.50
Fig. H-760—Add for Loose Flange, per doz	5.00	6.00	7.00
Fig. H-760—Add for Side Handle Pattern, per doz	2.00	2.00	2.00
Fig. H-760—Add for Hexagon on Front of Flange, per doz	2.00	2.00	2.00
Add for Stuffing Box	3.00	3.00	4.00

COMPRESSION WASH TRAY BIBBS

With Side Handle

LEAD PIPE




FIG. H-761

IRON PIPE—WITH SHOULDER



FIG. H-762

FIGS. H-761 AND H-762

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-761—Finished, per doz	\$16.00	19.00	23.00
Fig. H-761—Nickel-plated, per doz	18.50	21.50	25.50
Fig. H-762—Finished, per doz	16.00	19.00	23.00
Fig. H-762—Nickel-plated, per doz	18.50	21.50	25.50
If with Stuffing Box, add per doz	3.00	3.00	4.00

IRON PIPE, FLANGED

INSIDE THREAD




FIG. H-763

IRON PIPE, FLANGED

OUTSIDE THREAD



FIG. H-764

FIGS. H-763 AND H-764

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$19.00	22.50	29.00
Nickel-plated, per doz	21.50	25.00	31.50
If with Stuffing Box, add per doz	3.00	3.00	4.00

FLANGE, NUT AND BENT COUPLING




FIG. H-765

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$28.00	37.00	48.00
Nickel-plated, per doz	30.50	39.50	50.50
If with Stuffing Box, add per doz	3.00	3.00	4.00

STUB PATTERN COMPRESSION WASH TRAY BIBBS

FLANGED, IRON PIPE, MALE END




FIG. H-766

Size of Body, inches.....	1/2	1/2	1/2	5/8	5/8
Threads on Shank, inches.....	1/2 I. P.	3/4 I. P.	Hose.	3/4 I. P.	Hose.
Finished, per doz.....	\$13.00	14.50	14.50	16.00	16.00
Nickel-plated, per doz.....	15.50	17.00	17.00	18.50	18.50
Add for Lead Pipe Thimble, per doz.....	2.00	2.50	2.50	2.50	2.50

Flange with Female Thread. Same List as above.

COMPRESSION STOPS—LOOSE KEY

LEAD PIPE




FIG. H-767

IRON PIPE




FIG. H-768

ANGLE, IRON PIPE




FIG. H-769

FIGS. H-767, H-768 AND H-769

Size, inches.....	3/8	1/2	5/8	3/4	1
Finished, per doz.....	\$18.00	20.00	23.00	31.00	51.00
Nickel-plated, per doz.....	20.00	22.50	25.50	33.50	54.00

One Key furnished with each Cock.

Size, inches.....	3/8	1/2	5/8	3/4	1
Add for Stuffing Box.....	\$3.00	3.00	3.00	4.00	6.00

COMPRESSION STOPS, AND SHOWER COCKS

STOP, LEAD PIPE




FIG. H-770

STOP, LEAD AND IRON PIPE




FIG. H-771

FIGS. H-770 AND H-771

Size, inches	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Rough, per doz	\$12.50	13.50	16.00	23.00	39.00	61.00	104.00	200.00
Finished, per doz	13.00	14.00	17.00	24.00	43.00	69.00	116.00	220.00
Nickel-plated, per doz	15.00	16.50	19.50	26.50	46.00	79.00	136.00	250.00

STOP, IRON PIPE




FIG. H-772

STOP AND WASTE, WITH STUFFING BOX, IRON PIPE




FIG. H-773

Size, inches	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-772—Rough, per doz	\$12.50	13.50	16.00	23.00	39.00	61.00	104.00	200.00
Fig. H-772—Finished, per doz	13.00	14.00	17.00	24.00	43.00	69.00	116.00	220.00
Fig. H-772—Nickel-plated, per doz	15.00	16.50	19.50	26.50	46.00	79.00	136.00	250.00

Size, inches	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Fig. H-773—Rough, per doz	\$17.50	18.50	22.00	31.00	52.00			
Fig. H-773—Finished, (Stuffing Box included), per doz	18.00	19.00	23.00	32.00	56.00			
Fig. H-773—Nickel-plated (Stuffing Box included), per doz	20.00	21.50	25.50	34.50	59.00			
Add for Wheel Handle, per doz				3.00	3.00	3.00	3.00	
Add for Slip Joint, either end, per doz				3.00	3.00	3.00	3.00	

Shower Cocks for Lead Pipe, and Lead and Iron Pipe, same list as Fig. H-773.

Size, inches	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Add for Stuffing Box, (except Fig. H-773)	\$3.00	3.00	3.00	4.00	6.00	12.00	15.00	25.00

COMPRESSION LAVATORY STOPS

THREADED ENDS

WHEEL HANDLE, ANGLE




FIG. H-774

WHEEL HANDLE, STRAIGHT




FIG. H-775

FIGS. H-774 AND H-775

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz.....	\$19.00	20.00	23.00	31.00
Nickel-plated, per doz.....	21.00	22.50	25.50	33.50

WITH LOOSE KEY (Not Illustrated)

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz.....	\$19.00	20.00	23.00	31.00
Nickel-plated, per doz.....	21.00	22.50	25.50	33.50

For Slip Joint one end, add to above Lists \$3.00.

COMPRESSION STOP COCK




FIG. H-776

FIG. H-776

These Cocks are intended for use upon Supply Pipes for Closets, Lavatories, etc. One end being a slip joint and the other for Iron Pipe Connection.

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$
Nickel-plated, per doz..	\$18.00	19.50
Nickel-plated, per doz., with Stuffing Box..	21.00	22.50

COMPRESSION URINAL COCKS

LEAD PIPE




FIG. H-777

IRON PIPE




FIG. H-778

Size, inches.....	$\frac{1}{2}$	$\frac{5}{8}$
Fig. H-777—Finished, per doz.....	\$19.00	22.00
Fig. H-777—Nickel-plated, per doz.....	22.00	25.00
Size, inches.....	$\frac{1}{2}$	$\frac{5}{8}$
Fig. H-778—Finished, per doz.....	\$19.00	22.00
Fig. H-778—Nickel-plated, per doz.....	22.00	25.00

Iron Pipe with Shoulder, same list as Fig. H-778.

LEAD PIPE, FLANGE AND THIMBLE




FIG. H-779

FLANGE, NUT AND BENT COUPLING




FIG. H-780

Size, inches.....	$\frac{1}{2}$
Fig. H-779—Finished, per doz.....	\$27.00
Fig. H-779—Nickel-plated, per doz.....	30.00
Size, inches.....	$\frac{1}{2}$
Fig. H-780—Finished, per doz.....	\$35.00
Fig. H-780—Nickel-plated, per doz.....	38.00

Stuffing Box, extra, per doz.....	\$3.00
Loose Key, extra, per doz.....	6.00

COMPRESSION URINAL COCKS

FLANGE AND THIMBLE

FLANGE, NUT AND BENT COUPLING




FIG. H-781




FIG. H-782

Fig. H-781—Finished, per doz.....	\$40.00
Fig. H-781—Nickel-plated, per doz.....	46.00
Fig. H-782—Finished, per doz.....	46.00
Fig. H-782—Nickel-plated, per doz.....	52.00
Add for Stuffing Box, per doz.....	3.00
Add for Loose Key, per doz.....	6.00

LOOSE KEY AND ADJUSTABLE FLANGE,
NUT AND BENT COUPLING




FIG. H-783

Finished, per doz.....	\$52.00
Nickel-plated, per doz.....	58.00

COMPRESSION SILL COCKS




FIG. H-784



FIG. H-785




FIG. H-786

Size, 1/2 or 3/4 inch.

	N. P. on the Rough.	Finished.	Nickel-plated.
Fig. H-784—Per doz	\$20.00	23.00	26.00
Fig. H-785—Per doz	28.00	31.00	34.00
Fig. H-786—Per doz	21.00	24.00	27.00

IMPROVED BALL COCKS

FOR LEAD PIPE

FOR IRON PIPE




FIG. H-787




FIG. H-788

Size, inches	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Lead Pipe, per doz	\$14.00	16.00	24.00	36.00	60.00	90.00	170.00
Iron Pipe, per doz	14.00	16.00	24.00	36.00	60.00	90.00	170.00
With Nut and Bent Coupling	27.00	34.00	46.00	---	---	---	---

COMPRESSION HOPPER COCKS

**STRAIGHT PATTERN, ROUGH BODY
FINISHED FLANGE AND HANDLE**




FIG. H-789

FIGS. H-789 AND H-790

**ANGLE PATTERN, ROUGH BODY
FINISHED FLANGE AND HANDLE**



FIG. H-790

Size, inches	1/2	5/8	3/4
Finished Flange and Handle, per doz	\$18.50	23.00	29.00
N. P. Flange and Handle, per doz	21.00	25.50	31.50

ANGLE COMPRESSION HOPPER COCKS

**ROUGH BODY, FINISHED FLANGE
AND HANDLE, IRON PIPE, MALE**



FIG. H-791

FIGS. H-791 AND H-792

**ROUGH BODY, FINISHED FLANGE
AND HANDLE, IRON PIPE, FEMALE**



FIG. H-792

Size, inches	1/2	5/8	3/4
Finished Flange and Handle, per doz	\$18.50	23.00	29.00
Nickel-plated Flange and Handle, per doz	21.00	25.50	31.50
Add for Union Coupling, one end, per doz	5.00	6.00	8.00
Add for Stuffing Box	3.00	3.00	4.00

Both ends Iron Pipe, same list as above.

COMPRESSION BASIN COCKS

T HANDLE




FIG. H-793

FIG. H-793

T HANDLE COMPRESSION BASIN COCKS

No. 0—Nickel-plated, per doz	\$17.00
No. 1—Nickel-plated, per doz	19.00
No. 2—Nickel-plated, per doz	20.00

To above prices, if with Stuffing Box, add \$3.00 per doz.

Iron Pipe Tails for Basin Cocks see page 257.

FIG. H-794

CROSS HANDLE COMPRESSION BASIN COCKS

No. 0—Nickel-plated, per doz	\$19.00
No. 1—Nickel-plated, per doz	21.00
No. 2—Nickel-plated, per doz	22.00

To above prices, if with Stuffing Box, add \$3.00 per doz.

Iron Pipe Tails for Basin Cocks see page 257.

CROSS HANDLE




FIG. H-794

COMPRESSION BASIN COCK

No. 7, CHINA INDEX HANDLE




FIG. H-795

FIG. H-795

COMPRESSION BASIN COCK

CHINA INDEX HANDLE

Finished, per doz.....	\$36.00
Nickel-plated, per doz.....	36.00

BASIN COCK COUPLINGS FOR IRON PIPE

MALE, IRON PIPE, NO. 2 FEMALE, IRON PIPE, NO. 3

MALE, IRON PIPE, NO. 1



FIG. H-796



FIG. H-797



FIG. H-798

When furnished with cocks.

Iron Pipe Sizes, inches		$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$
Fig. H-796—Male, Rough, per doz.....	These prices apply only when sent with cocks.	\$1.00	---	---
Fig. H-797—Male, Rough, per doz.....		---	4.00	5.00
Fig. H-797—Male, Nickel-plated, per doz.....		---	5.00	6.00
Fig. H-798—Female, Rough, per doz.....		---	5.00	6.00
Fig. H-798—Female, Nickel-plated, per doz.....		---	6.00	7.00

If furnished separately without cocks, add to above list prices, per doz. \$2.00

COMPRESSION WORK

DOUBLE BASIN COCK




FIG. H-799

FIG. H-799

With Jewel Cup.

Nickel-plated, each	\$12.00
Add for Stuffing Box50

FIG. H-800

With 2½ inch Sprinkler.

Nickel-plated, each.....	\$12.00
Add for Stuffing Box.....	.50

Hose extra.

DOUBLE SHAMPOO COCK




FIG. H-800

COMPRESSION PANTRY COCKS

SINGLE



FIG. H-801

FIG. H-801

	No. 1.	No. 2.
T Handle, Nickel-plated, per doz.....	\$34.00	\$38.00
Cross Handle, Nickel-plated, per doz.....	36.00	40.00
Add for Hose End, per doz	3.00	3.00
Add for Stuffing Box, per doz.....	3.00	3.00
Add for China Handles to T Handle list, per doz..	12.00	12.00

DOUBLE




FIG. H-802

FIG. H-802

Cross Handle, Nickel-plated, each.....	\$11.00
Add for Hose End, each50
Add for Stuffing Box, each.....	.50

COMPRESSION DOUBLE BATH COCKS

No. 1—WITH RING CUP

No. 3—PLAIN





FIG. H-803

FIG. H-804

Fig. H-803—Nickel-plated, each.....	\$8.00
Fig. H-804—Nickel-plated, each.....	7.50
Add for Stuffing Box.....	.50

NO. 10, WITH CHINA NAME PLATES "HOT" AND "COLD"

No. 11





FIG. H-805

FIG. H-806

Fig. H-805—Finished or Nickel-plated, each.....	\$11.50
Fig. H-805—Add for Stuffing Box.....	.50
Fig. H-805—Add if with China Scalp Handles, per handle.....	1.00
Fig. H-806—Nickel-plated, each.....	10.00

All bath cocks regularly furnished with couplings for lead pipe.

Add, if cocks are with finished and nickel-plated couplings for 1/2 inch iron pipe or 5/8 inch pipe thread, \$2.50.

Lock and coupling nuts on such cocks are also nickel-plated.

FULLER BIBBS

LEAD PIPE, PLAIN




FIG. H-807

LEAD PIPE, HOSE




FIG. H-808

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-807—Finished, per doz	\$21.00	24.00	30.00	48.00
Fig. H-807—Nickel-plated, per doz	25.00	28.00	36.00	58.00
Fig. H-808—Finished, per doz	24.00	28.00	34.00	52.00
Fig. H-808—Nickel-plated, per doz	28.00	32.00	40.00	62.00

IRON PIPE, PLAIN




FIG. H-809

IRON PIPE, HOSE




FIG. H-810

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-809—Finished, per doz	\$21.00	24.00	30.00	48.00
Fig. H-809—Nickel-plated, per doz	25.00	28.00	36.00	58.00
Fig. H-810—Finished, per doz	24.00	28.00	34.00	52.00
Fig. H-810—Nickel-plated, per doz	28.00	32.00	40.00	62.00

FULLER BIBBS

SOLID FLANGE

IRON PIPE, MALE, PLAIN




FIG. H-811

IRON PIPE, MALE, HOSE




FIG. H-812

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-811—Finished, per doz	\$28.00	32.00	39.00	59.00
Fig. H-811—Nickel-plated, per doz	34.00	38.00	47.00	69.00
Fig. H-812—Finished, per doz	\$31.00	36.00	43.00	63.00
Fig. H-812—Nickel-plated, per doz	37.00	42.00	51.00	73.00

If with Loose Flange add to above list \$1.00

SOLID FLANGE

IRON PIPE, FEMALE, PLAIN




FIG. H-813

IRON PIPE, FEMALE, HOSE




FIG. H-814

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Fig. H-813—Finished, per doz	\$28.00	32.00	39.00	59.00
Fig. H-813—Nickel-plated, per doz	34.00	38.00	47.00	69.00
Fig. H-814—Finished, per doz	\$31.00	36.00	43.00	63.00
Fig. H-814—Nickel-plated, per doz	37.00	42.00	51.00	73.00

FULLER BIBBS

IRON PIPE, DEEP SET SCREW FLANGE

IRON PIPE, MALE, BOX FLANGE




FIG. H-815




FIG. H-816

Size, inches	1/2	5/8	3/4	1
Fig. H-815—Finished, per doz	\$32.00	36.00	43.00	63.00
Fig. H-815—Nickel-plated, per doz	38.00	42.00	51.00	73.00
Add for Hose End, per doz	3.00	4.00	4.00	4.00

Size, inches	1/2	5/8	3/4	1
Fig. H-816—Finished, per doz	\$32.00	36.00	43.00	63.00
Fig. H-816—Nickel-plated, per doz	38.00	42.00	51.00	73.00
Add for Hose End, per doz	3.00	4.00	4.00	4.00

FLANGE, NUT AND BENT COUPLING




FIG. H-817

Size, inches	1/2	5/8	3/4	1
Finished, per doz	\$43.00	47.00	54.00	74.00
Nickel-plated, per doz	49.00	53.00	62.00	84.00
Add for Hose End, per doz	3.00	4.00	4.00	4.00

ADJUSTABLE BIBB FLANGE



FIG. H-818

Size, inches	1/2	5/8
Finished Brass, per doz	\$6.00	6.00
Nickel-plated, per doz	7.00	7.00

FULLER WASH TRAY BIBBS

LEAD PIPE



FIG. H-819

IRON PIPE




FIG. H-820

FIGS. H-819 AND H-820

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$23.00	27.00	34.00
Nickel-plated, per doz	27.00	31.00	40.00
Add for Hose End, per doz	4.00	5.00	6.00

WITH SOLID FLANGE

IRON PIPE, MALE




FIG. H-821

IRON PIPE, FEMALE




FIG. H-822

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-821—Finished, per doz	\$30.00	35.00	43.00
Fig. H-821—Nickel-plated, per doz	36.00	41.00	51.00
Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-822—Finished, per doz	\$30.00	35.00	43.00
Fig. H-822—Nickel-plated, per doz	36.00	41.00	51.00
Add for Hose End, per doz	4.00	5.00	6.00

FULLER WASH TRAY BIBBS

WITH FLANGE

**LEAD PIPE, ADJUSTABLE FLANGE
AND THIMBLE**




FIG. H-823

**LONG SHANK, IRON PIPE,
ADJUSTABLE FLANGE**




FIG. H-824

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-823—Finished, per doz.	\$31.00	36.00	44.00
Fig. H-823—Nickel-plated, per doz.	37.00	42.00	52.00
Fig. H-824—Finished, per doz.	\$35.00	40.00	48.00
Fig. H-824—Nickel-plated, per doz.	41.00	46.00	56.00
Add for Hose End, per doz.	4.00	5.00	6.00

**SOLID FLANGE, NUT AND BENT
COUPLING**




FIG. H-825

**ADJUSTABLE FLANGE, NUT AND
BENT COUPLING**




FIG. H-826

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Fig. H-825—Finished, per doz.	\$41.00	46.00	54.00
Fig. H-825—Nickel-plated, per doz.	47.00	52.00	62.00
Fig. H-826—Finished, per doz.	\$45.00	50.00	58.00
Fig. H-826—Nickel-plated, per doz.	51.00	56.00	66.00
Add for Hose End, per doz.	4.00	5.00	6.00

FULLER STOPS AND HOPPER COCKS

FULLER STOP, LEAD PIPE




FIG. H-827

FULLER STOP, IRON PIPE




FIG. H-828

FIGS. H-827 AND H-828

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Finished, per doz.	\$21.00	26.00	30.00	43.00	70.00	82.00	175.00
Nickel-plated, per doz.	26.00	32.00	36.00	53.00			

FULLER HOPPER COCK, LEAD PIPE




FIG. H-829

FULLER HOPPER COCK, IRON PIPE




FIG. H-830

FIGS. H-829 AND H-830

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished Flange and Handle, per doz.	\$23.00	28.00	35.00
Nickel-plated Flange and Handle, per doz.	27.00	33.00	41.00

FULLER URINAL COCKS

LEAD PIPE

IRON PIPE

FIGS. H-831 AND H-832

Size, inches	1/2	5/8
Finished, per doz	\$30.00	34.00
Nickel-plated, per doz	34.00	38.00

WITH FLANGE AND THIMBLE

Size, inches	1/2	5/8
Finished, per doz	\$40.00	44.00
Nickel-plated, per doz	44.00	48.00

WITH FLANGE, NUT AND BENT COUPLING

Size, inches	1/2	5/8
Finished, per doz	\$50.00	54.00
Nickel-plated, per doz	54.00	58.00



FIG. H-831

FIG. H-832

FULLER REPAIRS

BALL




FIG. H-833

STEM WITH BALL



FIG. H-834

HANDLE



FIG. H-835

ECCENTRIC



FIG. H-836

Size, inches	1/2	5/8	3/4	1
Fig. H-833—Per doz	.75	.75	1.00	1.25
Figs. H-834, H-835 and H-836—Per doz	3.00	3.00	4.00	6.00




FIG. H-837

REPAIRS FOR COMPRESSION BIBBS AND COCKS

Size, inches	3/8	1/2	5/8	3/4	1
Handles, per doz	\$1.25	1.50	1.75	2.50	4.50
Spindles, per doz	1.25	1.50	1.75	2.50	4.50
Caps, per doz	1.25	1.50	1.75	2.50	4.50
Valves, per doz	1.25	1.50	1.75	2.50	4.50

FIG. H-837

FULLER BASIN COCKS

No. 0




FIG. H-838

FIG. H-838

Nickel-plated, per doz.....	\$40.00
If with Ebony or Ivory Handles, add, per doz.....	12.00
If with China Handles, add, per doz.....	15.00

FIG. H-839

Nickel-plated, per doz.....	\$54.00
If with Ebony or Ivory Handles, add, per doz.....	12.00
If with China Handles, add, per doz	15.00

No. 0, WITH UNION




FIG. H-839

FULLER BASIN COCKS

No. 1




FIG. H-840

FIG. H-840

Nickel-plated, per doz.....	\$40.00
If with Ebony or Ivory Handles, add, per doz.....	12.00
If with China Handles, add, per doz	15.00

FIG. H-841




FIG. H-841

Nickel-plated, per doz.....	\$44.00
If with Ebony or Ivory Han- dles, add, per doz.....	12.00
If with China Handles, add, per doz.....	15.00

BASIN COCKS

NICKEL-PLATED BASIN COCK WITH CHINA HANDLE AND INDEX




FIG. H-842

FIG. H-843

Nickel-plated, each	\$14.00
If with Oval Soap Cup, add	2.00
If with Ebony or Ivory Handles, add	2.00
If with Round Body instead of Oval, deduct	1.00

FIG. H-842

China Handles, Lead
Pipe Couplings, per doz \$81.00
Metal Handles, Lead
Pipe Couplings, per doz 66.00
If with Union Body, add to
the above list, per doz \$8.00

High Grade Finish, China
Index "Hot" or "Cold,"
Right or Left Hand, High
Packed Cap.

FULLER DOUBLE BASIN COCK OVAL PATTERN, JEWEL CUP




FIG. H-843

FULLER DOUBLE SHAMPOO COCKS




FIG. H-844

Nickel-plated, each \$14.00

COMBINATION BASIN AND SHAMPOO COCKS

No. 2—DOUBLE BASIN

No. 1—SINGLE BASIN




FIG. H-845




FIG. H-846

Fig. H-845—Nickel-plated, each \$20.00
 Fig. H-846—Nickel-plated, each 25.00
 Add for Ebony or Ivory Handles, per Handle 1.00
 Add for China Handles, per Handle 1.25

Rubber Hose extra.

FULLER PANTRY COCKS




FIG. H-847

FIG. H-847

No. 1—Nickel-plated, Plain, per doz.....	\$42.00
No. 1—Nickel-plated, Hose End, per doz.....	45.00
No. 2—Nickel-plated, Plain, per doz.....	50.00
No. 2—Nickel-plated, Hose End, per doz.....	53.00
Add for Ebony or Ivory Handles, per doz.....	12.00
Add for China Handles, per doz.....	15.00

FIG. H-848

Nickel-plated, each.....	\$13.00
If with Ebony or Ivory Handles, each.....	15.00
If with China Handles, each.....	15.50

DOUBLE




FIG. H-848

FULLER BATH COCK

NO. 4¹/₂—WITH NICKEL-PLATED HANDLES




FIG. H-849

Nickel-plated, each \$12.00

BATH COCK COUPLINGS

NICKEL-PLATED—FOR IRON PIPE




FIG. H-850




FIG. H-851

The following prices are to be added to the price of Double Bath Cocks with Rough Couplings for Lead Pipe.

Fig. H-850—Offset Coupling, for 1/2 or 5/8 inch Bath Cock, add, per pair75
 Fig. H-851—Offset Ball Ell Coupling, for 5/8 inch Bath Cock, add, per pair75

Bath Cock Couplings are furnished tapped either 1/2 or 3/4 inch Iron Pipe Thread.

In ordering, specify size wanted.

FULLER BATH COCK

No. 4¹/₂—WITH CHINA HANDLES




FIG. H-853

Nickel-plated, each	\$14.50
If with Ebony or Ivory Handles, each	14.00

FULLER COMBINATION SLOP SINK COCK




FIG. H-854

3³/₈ inches, center to center.

Finished or Nickel-plated, with Long Spout and Brace, each	\$9.00
Finished or Nickel-plated, with Short Spout, no Brace, each	7.50

TELEGRAPH SELF-CLOSING WORK

BASIN COCK




FIG. H-855

BIBB, LEAD PIPE




FIG. H-856

BASIN AND PANTRY COCKS

Basin Cock, Small Pattern, Nickel-plated, per doz.....	\$27.00
Basin Cock, Large Pattern, Nickel-plated, per doz.....	34.00
Pantry Cock, Finished, per doz.....	54.00
Pantry Cock, Nickel-plated, per doz.....	64.00
Add for Hose End, per doz.....	3.00

BIBBS

Size, inches.....	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Plain Bibbs, L. P., Finished, per doz.....	\$16.00	18.00	21.00	28.00	48.00
Plain Bibbs, L. P., Nickel-plated, per doz.....	20.00	22.00	25.00	34.00	56.00
Plain Bibbs, I. P., Screw on Tail, Finished, per doz.....	17.00	20.00	24.00	32.00	54.00
Plain Bibbs, I. P., Screw on Tail, N. P., per doz.....	21.00	24.00	28.00	38.00	62.00
Plain Bibbs, I. P., with Shoulder, Finished, per doz.....	16.00	18.00	21.00	28.00	48.00
Plain Bibbs, I. P., with Shoulder, N. P., per doz.....	20.00	22.00	25.00	34.00	56.00
Plain Bibbs, Flange and Thimble, Finished, per doz.....	22.00	26.00	30.00	42.00	62.00
Plain Bibbs, Flange and Thimble, N. P., per doz.....	28.00	32.00	36.00	50.00	72.00
If without Thimble, deduct, per doz.....	2.00	2.00	3.00	3.00	4.00
Bibbs with Detachable Shanks, add, per doz.....	4.00	5.00	6.00	7.00	9.00

DOHERTY SELF-CLOSING WORK

PLAIN BIBB, LEAD PIPE




FIG. H-857

PLAIN BIBB, IRON PIPE




FIG. H-858

STOP, LEAD PIPE




FIG. H-859

STOP, IRON PIPE




FIG. H-860

FIGS. H-857 AND H-858—PLAIN BIBBS FOR LEAD AND IRON PIPE

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$26.00	27.00	30.00	37.00	60.00
Nickel-plated, per doz	32.00	33.00	36.00	44.00	70.00

(Not Illustrated)—PLAIN BIBBS, FLANGE AND THIMBLE

Size, inches	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$32.00	34.00	38.00	54.00
Nickel-plated, per doz	38.00	40.00	44.00	61.00
For Hose Ends, add, per doz				\$4.00

FIGS. H-859 AND H-860—STOPS FOR LEAD AND IRON PIPE

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1
Finished, per doz	\$30.00	33.00	42.00	68.00
Nickel-plated, per doz	36.00	39.00	49.00	78.00

Both Ends I. P. Male, or L. and I. P., same list.

DOHERTY SELF-CLOSING WORK

BASIN COCK




FIG. H-861

Finished or Nickel-plated, per doz \$48.00

PANTRY COCK




FIG. H-862

Finished or Nickel-plated, per doz \$64.00
 Finished or Nickel-plated, with
 Hose End, per doz 67.00

URINAL COCK—LEAD PIPE




FIG. H-863

DOHERTY SELF-CLOSING URINAL COCKS—LEAD OR IRON PIPE

FIG. H-863

Finished, per doz \$38.00
 Nickel-plated, per doz 44.00

URINAL COCKS—(Not Illustrated)

Finished with Flange and Thimble, per doz \$46.00
 Nickel-plated, with Flange and Thimble, per doz 52.00
 Finished with Flange, Nut and Bent Coupling,
 per doz 54.00
 Nickel-plated, with Flange, Nut and Bent
 Coupling, per doz 60.00

Iron Pipe, same list.

MOORE'S PATENT SELF-CLOSING WORK

PLAIN BIBB, LEAD PIPE

PLAIN BIBB, IRON PIPE, WITH SHOULDER




FIG. H-864




FIG. H-865

FIGS. H-864 AND H-865—PLAIN BIBBS FOR LEAD AND IRON PIPE

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$28.00	31.00	37.00
Nickel-plated, per doz	32.00	35.00	42.00

(Not Illustrated)—PLAIN BIBBS, FLANGE AND THIMBLE

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$33.50	36.50	44.00
Nickel-plated, per doz	37.50	40.50	48.00

For Hose Ends, add per doz. \$4.00

STOP, LEAD PIPE




FIG. H-866

STOP, IRON PIPE



FIG. H-867

FIGS. H-866 AND H-867—STOPS FOR LEAD AND IRON PIPE

Size, inches	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$
Finished, per doz	\$32.00	35.00	41.00
Nickel-plated, per doz	36.00	39.00	46.00

Both Ends I. P. Male, or L. and I. P., same list.

MOORE'S PATENT SELF-CLOSING WORK

PANTRY COCK. $\frac{1}{2}$ SIZE

BASIN COCK. $\frac{3}{8}$ ACTUAL SIZE



FIG. H-868

Nickel-plated, per doz. \$48.00




FIG. H-869

Finished or Nickel-plated, per doz. \$64.00
 Finished or Nickel-plated, with
 Hose End, per doz. 68.00

FIG. H-870

MOORE'S SELF-CLOSING URINAL COCKS

Finished, per doz. \$33.00
 Nickel-plated, per doz. 36.00

URINAL COCKS. (Not Illustrated.)

Finished with Flange and Thimble, per doz. \$54.00
 Nickel-plated, with Flange and Thimble, per doz. 60.00
 Finished with Flange, Nut and Bent Coupling, per doz. 60.00
 Nickel-plated with Flange, Nut and Bent Coupling, per doz. 66.00

URINAL COCK, LEAD PIPE




FIG. H-870

Iron Pipe, same list.

BATH FIXTURE

IMPROVED NICKEL-PLATED BRASS BELL SUPPLY AND WASTE FIXTURE
 FOR ENAMELED IRON BATH TUBS
 CHINA TOPS ON HANDLES AND WASTE
 LOW BELL SUPPLY




FIG. H-871

9½ inches Center to Center of Supplies.

With ½ inch Iron Pipe Supplies, per set.....	\$15.00
With ¾ inch Iron Pipe Supplies, per set.....	15.85
For Regular Solid Porcelain Tubs, add, per set.....	3.00
For Roman Solid Porcelain Tubs, add, per set.....	4.00
For Engraved Pearl Tops on Handles and Waste, add, per set.....	3.00
For Four Arm Porcelain Handles on Valves, add, per set.....	2.00
For Solid Porcelain Knob on Waste, add, per set.....	1.25

BATH FIXTURE

NICKEL-PLATED SUPPLY AND WASTE FIXTURE FOR BATH TUBS

CHINA TOPS ON HANDLES AND WASTE

TOP NOZZLE SUPPLY




FIG. H-872

Imperial Nickel-plated Top Supply and Waste Fitting, China Indexes on Valves and Waste, Iron Pipe Size Supply Pipes, Rubber Tube and Shampoo Sprinkler.

As described, $\frac{1}{2}$ inch (Iron Pipe Size) Pipes, per set	\$19.25
As described, $\frac{3}{4}$ inch (Iron Pipe Size) Pipes, per set	20.25
As described, for Solid Porcelain Baths, add	4.00
For Rim Flange, add	2.00
For Unions on Supplies at Floor, add	1.00

BATH FIXTURES

NICKEL-PLATED BRASS
BATH WASTE

CONNECTED WASTE AND OVERFLOW




FIG. H-873



FIG. H-874

Nickel-plated 1½ inch Ell Top Connected Waste and Overflow, with Rubber Stopper and Vented S Trap \$6.50
If without Vent, deduct50

FIG. H-873

Plain Top, Nickel-plated, each	\$6.25
China Top, Nickel-plated, each	6.50
Pearl Top, Nickel-plated, each	7.50
For Solid Porcelain Knob on Waste, add, each	1.25
For Four Arm Porcelain Handle on Waste, add, each	2.00
For Solid Porcelain Bath, add, each	1.65

BATH FIXTURES

CONNECTED WASTE AND OVERFLOW



FIG. H-875

Nickel-plated 1 3/8 inch Connected Waste and Overflow, with Chain and Rubber Stopper.

Each	\$2.50
------	--------

CONNECTED WASTE AND OVERFLOW




FIG. H-876

Nickel-plated 1 1/2 inch Tee Top Connected Waste and Overflow, with Chain and Rubber Stopper.

Each	\$3.25
------	--------

STANDING OVERFLOW AND WASTE FOR PORCELAIN SINKS



FIG. H-877

N. P. for Pantry Sink, each	\$3.50
N. P. for Kitchen Sink, each	5.00

STANDING OVERFLOW AND WASTE FOR BASINS

FIG. H-878

Nickel-plated Standing Overflow and Waste.

With China Top, each	\$3.65
Without China Top, each	3.50
With Pearl Top, each	4.65
For Solid Porcelain Lavatory, add	.80




FIG. H-878

CONTINUOUS WASTES

1¼ inch.

FOR LAVATORIES




FIG. H-879




FIG. H-880

Can be made for any number of basins, Rough, Finished or Nickel-plated.

In ordering, give figure number, state for how many basins, and distance from center to center of basins.

	Rough.	Polished.	Nickel-plated.
For 2 Basins, with 1¼ in. Brass "S" or "P" Trap, with Vent, each	\$6.50	\$8.00	\$8.50
For 2 Basins, with 1½ in. Brass "S" or "P" Trap, with Vent, each	7.00	8.75	9.00
For 3 Basins, with 1½ in. Brass "S" or "P" Trap, with Vent, each	9.00	11.50	12.00
For 4 Basins, with 1½ in. Brass "S" or "P" Trap, with Vent, each	11.00	14.00	15.00
For 5 Basins, with 1½ in. Brass "S" or "P" Trap, with Vent, each	15.00	16.50	18.00
For 6 Basins, with 1½ in. Brass "S" or "P" Trap, with Vent, each	17.00	19.00	21.00

1½ inch Wastes with 2 inch Traps can be furnished at higher figures.

LAVATORY SUPPLY PIPES

STRAIGHT NICKEL-PLATED BRASS

PLAIN



FIG. H-881

WITH VALVE




FIG. H-882

WITH BULB
AIR
CHAMBER



FIG. H-883

WITH BULB
AIR CHAMBER
AND VALVE



FIG. H-884

Fig. H-881—Per pair.....	\$3.00
Fig. H-882—Per pair.....	5.50
Fig. H-883—Per pair.....	5.00
Fig. H-884—Per pair.....	7.50

Prices include Floor Flanges.

LAVATORY AND BATH SUPPLY PIPES

THREADED $\frac{3}{8}$ INCH IRON PIPE
ANGLE-NICKEL-PLATED BRASS

PLAIN



FIG. H-885

WITH VALVE



FIG. H-886

WITH BULB AIR CHAMBER



FIG. H-887

WITH BULB AIR CHAMBER AND VALVE



FIG. H-888

BATH COCK SUPPLY PIPES,
IRON PIPE SIZE, BRASS TUBING,
NICKEL-PLATED

OFFSET
WITH 45° ELBOW



FIG. H-889

OFFSET
WITH BALL ELBOW



FIG. H-890

Fig. H-885—Per pair	\$2.50
Fig. H-886—Per pair	5.00
Fig. H-887—Per pair	4.50
Fig. H-888—Per pair	7.00

FIG. H-889

$\frac{1}{2}$ inch, per pair	\$6.50
------------------------------	--------

FIG. H-890

$\frac{1}{2}$ inch, per pair	\$7.00
------------------------------	--------

FIG. H-891
BASIN WASTE

Size, $1\frac{1}{4}$ inch Nickel-plated, with Coup- ling, each	\$2.00
Nickel-plated, with Coup- ling and Basin Plug, each	2.50




FIG. H-891

LAVATORY BRACKETS

N. P. CAST BRASS

NICKEL-PLATED

BRASS BRACE—STEEL TOP




FIG. H-892

Size, inches	7x9	9x11	16x18
Per pair	\$3.00	4.00	8.00




FIG. H-893

Size, inches	16x18
Per pair	\$2.50

N. P. CAST IRON

ALL STEEL




FIG. H-894

Size, inches	7x9	8x10	10x12	16x18
Per pair	.50	.60	.70	1.00



FIG. H-895

Size, inches	8x10	10x12	16x18	18x20
Per single doz.	\$8.70	9.00	17.00	19.00

CHAIN STAYS

No. 4



FIG. H-900

No. 3



FIG. H-899

No. 2



FIG. H-898

No. 1



FIG. H-897

No. 0



FIG. H-896

Number	0	1	2	3	4
Nickel-plated, per doz	\$2.50	2.50	3.75	4.25	6.50

No. 6 WITH JEWEL CUP



FIG. H-902

No. 7 WITH JEWEL CUP



FIG. H-903

COCK HOLE COVER



FIG. H-904

Number	5	6	7
Nickel-plated, per doz	\$8.00	9.00	12.00
Cock Hole Covers for Basin, Nickel-plated, per doz	---	---	4.50
Cock Hole Covers for Bath, Nickel-plated, per doz	---	---	6.00

No. 8




FIG. H-905

Fig. H-905—N. P., per doz \$27.00

Fig. H-906—N. P., per doz \$72.00

No. 9




FIG. H-906

PLUMBERS' CHAINS




FIG. H-907

ON REELS 500 FEET
PER 100 FEET

Number	00	0	1	2
Nickel-plated	\$3.60	4.30	5.20	6.40

IN PACKAGES OF 12 YARDS

Number	00	0	1	2
Nickel-plated, per package.....	\$1.25	1.50	1.85	2.30

SNAP CHAINS



FIG. H-908

Basin No. 0, Nickel-plated, per doz.....	\$1.00
Bath No. 1, Nickel-plated, per doz.....	1.70
Wash Tray No. 1, Nickel-plated, per doz.....	1.50

SPLIT LINKS



FIG. H-909



"S" HOOKS



FIG. H-910

Figs. H-909 and H-910—Nickel-plated, per doz.....	.25
---	-----

BASIN CLAMPS

"SUPERIOR"




FIG. H-911

Per doz. ----- \$1.00

"MAGIC"



FIG. H-912

Per doz. ----- \$2.50

"MUELLER"




FIG. H-913

Per doz. ----- \$1.00

NEVER SLIP




FIG. H-914

Per doz. ----- \$1.00

RUBBER PLUG




FIG. H-915

Size --- 3/4 7/8 1 1 1/8 1 1/4 1 1/2 2
 Per doz. \$1.20 1.20 1.20 1.25 1.50 2.00 3.00

SUCTION STOPPER



FIG. H-916

For Basin, per doz. ----- \$3.00
 For Bath, per doz. ----- 4.75

PLUGS WITH METAL STOPPERS

BASIN PLUG
COMMON
OVERFLOW




FIG. H-917

BASIN PLUG
PATENT
OVERFLOW



FIG. H-918

PLUG FOR SLATE,
PORCELAIN OR
SOAPSTONE SINKS




FIG. H-919

SINK PLUG
FOR IRON
PIPE WASTE



FIG. H-920

FIG. H-917

Size, inches	1	1 1/4
Finished, per doz	\$7.50	10.50
Nickel-plated, per doz	8.50	11.50

FIG. H-918

Size, inches	1	1 1/4
Finished, per doz	\$8.50	11.50
Nickel-plated, per doz	9.50	12.50

FIG. H-919

Size, inches	1	1 1/4	1 1/2	2
Finished, per doz	\$15.00	16.00	26.00	40.00
Nickel-plated, per doz	17.00	19.00	29.00	44.00

FIG. H-920

Size, inches	1	1 1/4	1 1/2	2
Finished, per doz	\$12.00	13.00	20.00	30.00
Nickel-plated, per doz	13.00	15.00	22.00	32.00

BATH PLUG



FIG. H-921

WASH TRAY PLUG



FIG. H-922

FIG. H-921

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4
Finished, per doz	\$2.00	2.50	3.00	4.00	7.00	15.00	18.00	36.00
Nickel-plated, per doz	2.50	3.00	3.50	4.50	8.00	17.00	21.00	40.00

FIG. H-922

Size, inches	1 1/4	1 1/2	2	2 1/2	3	4
Finished, per doz	\$6.00	7.00	10.00	17.00	22.00	44.00
Nickel-plated, per doz	7.50	8.75	13.00	20.00	25.00	50.00

BASIN, SINK AND WASH TRAY PLUGS

WITH RUBBER STOPPERS

BASIN PLUG—
PATENT OVERFLOW




FIG. H-923

BASIN PLUG—
COMMON OVERFLOW




FIG. H-924

WASH TRAY PLUG—
FOR PORCELAIN OR SLATE




FIG. H-925

Size, inches	1	1 1/4		
Fig. H-923—Finished, per doz.	\$5.00	7.50		
Fig. H-923—Nickel-plated, per doz.	6.00	9.00		
Size, inches	1	1 1/4		
Fig. H-924—Finished, per doz.	\$4.50	7.50		
Fig. H-924—Nickel-plated, per doz.	5.50	9.00		
Size, inches	1	1 1/4	1 1/2	2
Fig. H-925—Finished, per doz.	\$8.00	9.00	13.00	20.00
Fig. H-925—Nickel-plated, per doz.	9.00	10.00	15.00	22.50

BATH OR SINK PLUG




FIG. H-926

WASH TRAY PLUG




FIG. H-927

Size, inches	3/4	1	1 1/4	1 1/2	2	2 1/2	3	4
Fig. H-926—Finished, per doz.	\$1.75	2.00	2.25	3.50	5.00	8.00	12.00	25.00
Fig. H-926—Nickel-plated, per doz.	2.25	2.50	2.75	4.00	6.00	11.00	16.00	30.00
Fig. H-927—Finished, per doz.			\$3.25	4.00	6.00	9.00	13.00	26.00
Fig. H-927—Nickel-plated, per doz.			4.25	5.00	7.50	12.00	17.00	31.00

FLOOR STRAINERS AND GRATES

FLOOR STRAINER
3 7/8 INCH
OUTLET 2 INCH
I. P. SIZE




FIG. H-928

FIG. H-928

Nickel-plated, each ----- \$2.25

FIG. H-929

Outside diameter of Flange, 4 7/8 inches.
Outside diameter of Tail-piece, 1 1/4 inches.

Finished and Nickel-plated, each ----- \$3.60

BRASS BELL TRAP
WITH STRAINER
FOR URINAL
STALLS



FIG. H-929

BRASS OVERFLOWS AND GRATES

FOR SLATE, SOAP STONE
AND PORCELAIN SINKS




FIG. H-930

FIG. H-930

Finished, per doz. \$48.00
Nickel-plated, per doz. 51.00

FIG. H-931

Nickel-plated, per doz. \$21.00
For Bent Coupling, add per doz. 2.00

BASIN GRATE




FIG. H-931

FOR PORCELAIN SLOP
SINKS




FIG. H-932

FIG. H-932

Finished, per doz. \$50.00
Nickel-plated, per doz. 53.00

FIG. H-933

Finished, per doz. \$24.00
Nickel-plated, per doz. 27.00

OVERFLOW—FOR PORCELAIN
SINKS, WASH TRAYS, ETC.




FIG. H-933

BRASS WASTE STRAINERS

NICKEL-PLATED




FIG. H-934

Finished, 3½ inch diameter of Face, 2 inch Outlet, each	\$2.00
Nickel-plated, 3½ inch diameter of Face, 2 inch Outlet, each	2.25




FIG. H-935

Nickel-plated, 6 inch diameter of Face, 2 inch Outlet, each	\$5.00
Nickel-plated, 7½ inch diameter of Face, 3 inch Outlet, each	7.00

RAISED BRASS STRAINERS

WITH FLANGE

WITH TRAP SCREW

FOR IRON PIPE



FIG. H-936



FIG. H-937



FIG. H-938

Size, inches	2	2½	3	3½	4
Fig. H-936—Finished, per doz.	\$8.00	---	12.00	18.00	24.00
Fig. H-936—Nickel-plated, per doz.	10.00	---	15.00	22.00	30.00
Fig. H-937—Finished, per doz.	15.00	21.00	30.00	---	48.00
Fig. H-937—Nickel-plated, per doz.	17.00	24.00	34.00	---	54.00
Fig. H-938—Finished, per doz.	13.00	18.00	26.00	---	44.00
Fig. H-938—Nickel-plated, per doz.	15.00	21.00	30.00	---	50.00

URINAL STRAINER FOR BASE

URINAL STRAINER FOR TROUGH



FIG. H-939




FIG. H-940

Size, inches	1¼	2	
Finished, per doz.	\$18.00	42.00	Finished, per doz.----- \$51.00
Nickel-plated, per doz.	21.00	46.00	Nickel-plated, per doz.----- 54.00

PLAIN

BRASS STRAINERS
FANCY

CONVEX




FIG. H-941




FIG. H-942




FIG. H-943

Size, inches	¾	1	1¼	1½	2	2½	3	3½	4	5	6
Fig. H-941—Per doz.	.60	.85	1.20	1.45	1.80	2.40	3.00	3.60	4.80	9.00	12.00
Fig. H-942—Per doz.	---	.85	1.20	1.45	1.80	2.40	3.00	3.60	4.80	9.00	12.00
Fig. H-943—Per doz.	---	.95	1.40	1.80	2.40	3.00	3.60	4.20	4.80	6.00	15.00

URINAL STALL FITTINGS

SCREW
LOOSE HEAD



FIG. H-944

URINAL STALL
BOLTS



FIG. H-945

URINAL STALL
EXPANSION BOLT



FIG. H-946

Fig. H-944—All Brass, Nickel-plated Heads, per 100.....	\$5.00
Fig. H-945—Two Nickel-plated Heads, each.....	.30
Fig. H-946— $\frac{3}{16}$ x 1 inch, per doz.....	1.25
Fig. H-946— $\frac{3}{16}$ x $1\frac{1}{4}$ inch, per doz.....	1.25
Fig. H-946— $\frac{3}{16}$ x $1\frac{1}{2}$ inch, per doz.....	1.25
Fig. H-946— $\frac{3}{16}$ x 2 inch, per doz.....	1.25
Fig. H-946— $\frac{3}{16}$ x $2\frac{1}{2}$ inch, per doz.....	1.50
Fig. H-946— $\frac{3}{16}$ x 3 inch, per doz.....	1.50

URINAL CONNECTIONS

SLIP JOINT



FIG. H-947

Nickel-plated, each.....	.95
--------------------------	-----

INLETS

IRON PIPE



FIG. H-948

Nickel-plated, each.....	.80
--------------------------	-----

FLANGE AND THIMBLE




FIG. H-949

Finished, each.....	\$2.00
Nickel-plated, each.....	2.50

THREADED BRASS ROD



FIG. H-950

$\frac{1}{4}$ inch, per foot.....	.30
-----------------------------------	-----

NUT



FIG. H-951

Finished, per doz.....	.45
Nickel-plated, per doz.....	.45

URINAL STALL FITTINGS

INLETS WITH FLANGE, NUT AND BENT COUPLING




FIG. H-952




FIG. H-953

Nickel-plated, each ----- \$2.60

Nickel-plated, each ----- \$2.40

INLET
WITH FLANGE, NUT AND BENT COUPLING




FIG. H-954

Finished, each ----- \$1.75

Nickel-plated, each ----- 2.00

OUTLET
WITH FLANGE, NUT AND BENT COUPLING




FIG. H-955

Finished, Size 1 1/4, each ----- \$2.35

Nickel-plated, Size 1 1/4, each ----- 2.50

If with Cleanout, add, each ----- .50

URINAL STALL FITTINGS

Brass Urinal Traps

ADJUSTABLE FLANGE, NUT AND BENT COUPLING




FIG. H-956

Finished, each	-----	\$3.90
Nickel-plated, each	-----	3.90

BENT COUPLING AND VENT




FIG. H-957

Finished, each	-----	\$4.20
Nickel-plated, each	-----	4.20

These Traps can be adjusted and all Joints made tight from Front of Stall Back; open space back of Marble not required.

TOILET ROOM DOOR TRIMMINGS

CLOSET DOOR INDICATOR BOLT

OUTSIDE VIEW




FIG. H-958

INSIDE VIEW




FIG. H-959

Finished or Nickel-plated, each \$2.25

CLAMP DOOR STRIKE




FIG. H-960

STALL HOOKS

SINGLE




FIG. H-961

DOUBLE




FIG. H-962

FIG. H-960

Finished or Nickel-plated, each \$1.25

Can be had with lock hole at same price.

FIG. H-961

Finished, each \$1.25

Nickel-plated, each 1.25

FIG. H-962

Finished, each \$2.00

Nickel-plated, each 2.00

When ordering any of the above fittings, be sure to mention thickness of material in connection with which same are to be used.

TOILET ROOM DOOR TRIMMINGS

PLAIN HINGE




FIG. H-963

Finished or Nickel-plated, per pair \$4.00

RIGHT OR LEFT WING CLAMP




FIG. H-965

Finished, each.....\$1.25
 Nickel-plated, each..... 1.50

STALL ANGLE




FIG. H-967

Finished, each..... .50
 Nickel-plated, each..... .60

SPRING HINGE, SINGLE ACTION




FIG. H-964

Finished or Nickel-plated, per pair.. \$6.00

POCKET STALL CLAMP




FIG. H-966

Finished or N. P. including one bolt.

For partitions $\frac{7}{8}$ to $1\frac{1}{4}$ in. thick, each .70
 For partitions $1\frac{1}{2}$ to 2 in. thick, each.. .80

PERFORATED BRASS WASHDOWN PIPE WITH STOP



FIG. H-968

	Rough.	Fin. or N. P.
$\frac{3}{8}$ in. I. P., per foot.....	.30	.36
$\frac{1}{2}$ in. I. P., per foot.....	.35	.40
$\frac{3}{4}$ in. I. P., per foot.....	.44	.56
$\frac{3}{8}$ in. I. P. Caps, each.....	.10	.16
$\frac{1}{2}$ in. I. P. Caps, each.....	.12	.18
$\frac{3}{4}$ in. I. P. Caps, each.....	.16	.22

When ordering the above fittings, it is essential that the thickness of the material in connection with which they are to be used, be mentioned.

URINAL AND CLOSET STALL FITTINGS

BRASS RAILING STANDARDS



FIG. H-969



FIG. H-970



FIG. H-971



FIG. H-972

Nickel-plated, each \$3.30 Nickel-plated, each \$3.40 Nickel-plated, each \$3.30 Nickel-plated, each \$3.80

Sockets for above are made for $\frac{7}{8}$ inch, 1 inch, $1\frac{1}{8}$ inch, $1\frac{1}{4}$ inch Marble. Always state thickness of Marble both stile and partition. Height of above, 12 inches from top of Marble to center of top rail. Top rail branches take $1\frac{1}{4}$ inch O. D. railing. Outside diameter of Standards, $1\frac{1}{4}$ inch.



FIG. H-973



FIG. H-974



FIG. H-975



FIG. H-976

Nickel-plated, each \$2.30 Nickel-plated, each \$2.40 Nickel-plated, each \$2.40 Nickel-plated, each \$2.80



FIG. H-977, with peg furnished when ordered instead of Flange with screw holes.

The above Urinal Legs are made for $\frac{7}{8}$ inch, 1 inch, $1\frac{1}{8}$ inch, $1\frac{1}{4}$ inch Marble. Always state thickness of Marble, both stile and partition. Height of Legs, 12 inches from floor to bottom of Marble. Outside diameter of Legs, $1\frac{1}{4}$ inches.

BRASS TRAP SCREWS

REGULAR



FIG. H-978

WITH PROJECTING FLANGE



FIG. H-979

WITH SOCKET



FIG. H-980

Size, inches	1/2	3/4	1	1 1/4	1 1/2	2
Fig. H-978—Finished, per doz.	\$1.80	2.25	2.50	3.00	4.00	7.00
Fig. H-978—Nickel-plated, per doz.	4.00	4.50	5.00	6.00	7.50	11.00
Size, inches	2 1/2	3	3 1/2	4	5	6
Fig. H-978—Finished, per doz.	\$10.00	15.00	18.00	20.00	27.50	42.50
Fig. H-978—Nickel-plated, per doz.	15.00	20.00	23.50	26.00	36.50	54.50
Size, inches	2	2 1/2	3	3 1/2	4	5
Fig. H-979—Finished, per doz.	\$11.00	14.50	20.00	23.50	26.00	35.50
Fig. H-979—Nickel-plated, per doz.	15.50	19.50	26.00	30.50	35.00	47.50
Size, inches	2	2 1/2	3	3 1/2	4	
Fig. H-980—Finished, per doz.	\$7.00	10.00	15.00	18.00	20.00	
Fig. H-980—Nickel-plated, per doz.	11.00	15.00	20.00	23.50	26.00	

TRAP SCREW WITH STRAIGHT COUPLING




FIG. H-981

TRAP SCREW WITH BENT COUPLING



FIG. H-982

Size, inches	3	3 1/2	4	5
Fig. H-981—Finished, per doz.	\$21.00	25.00	28.00	35.50
Fig. H-981—Nickel-plated, per doz.	28.50	33.50	38.00	50.50
Size, inches	3	3 1/2	4	5
Fig. H-982—Finished, per doz.	\$28.00	32.50	36.00	45.50
Fig. H-982—Nickel-plated, per doz.	36.50	42.00	48.00	61.50

TRAP SCREW FERRULES

IRON BODY,
BRASS
TRAP
SCREW



FIG. H-983

BRASS BODY
AND
TRAP
SCREW



FIG. H-984

WITH
STRAIGHT
VENT
COUPLING



FIG. H-985

WITH
BENT
VENT
COUPLING



FIG. H-986

EXTRA HEAVY,
IRON BODY,
BRASS COVER
(N. Y. Regulation.)




FIG. H-987

Size, inches	2	3	4	5	6
Fig. H-983—Each	.30	.40	.50	.90	1.10
Fig. H-984—Per doz	\$10.00	18.00	24.00	48.00	69.00
Fig. H-985—Straight Coupling, 1½ inch, per doz	26.00	26.00	38.00	62.00	85.00
Fig. H-986—Bent Coupling, 1½ inch, per doz	33.00	33.00	46.00	72.00	95.00
Fig. H-987—Net Prices on Application.					

BRASS END FERRULES

PLAIN



FIG. H-988

REDUCING



FIG. H-989

WITH HUB



FIG. H-990

EIGHTH BEND



FIG. H-991

EIGHTH BEND
WITH HUB



FIG. H-992

QUARTER BEND




FIG. H-993

Size, inches	2	3	4	5	6
Fig. H-988—Per doz	\$5.00	10.00	15.00	24.00	36.00
Fig. H-989—Per doz.					
(2 x 1½ inches)	5.00				
Fig. H-990—Per doz	8.00	13.00	16.00		
Fig. H-991—Per doz	12.00		24.00		
Fig. H-992—Per doz	12.00		24.00		
Fig. H-993—Per doz	15.00		27.00		

BRASS SOLDERING NIPPLES

PLAIN BRASS COUPLING



FIG. H-994

STRAIGHT—MALE



FIG. H-995

STRAIGHT—FEMALE



FIG. H-996

FIG. H-994

Size, inches	1/4	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
Per dozen	\$4.00	4.50	5.00	6.50	8.00	12.00	18.00	24.00	36.00

FIGS. H-995 AND H-996

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Male or Female, per dozen	\$2.25	2.25	2.75	3.50	5.00	6.50	10.00	12.50	18.00

STRAIGHT



FIG. H-997

BRASS SOLDERING UNIONS

FIG. H-997

BENT




FIG. H-998

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Per dozen	\$4.00	4.00	4.00	4.50	6.00	8.00	12.00	15.00	21.00

FIG. H-998

Size, inches	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Per dozen	\$5.00	5.00	5.00	6.50	9.00	11.00	16.00	22.00	30.00

SOLDERING NIPPLES AND UNIONS

(Called also Vent Couplings)

GROUND JOINT

STRAIGHT, I. S. THREAD




FIG. H-999

STRAIGHT, O. S. THREAD




FIG. H-1000

FIGS. H-999 AND H-1000

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Straight, per dozen	\$8.00	9.50	12.00	14.50	20.50	26.50	38.50

BENT, I. S. THREAD




FIG. H-1001

FIG. H-1001

Size, inches	3/8	1/2	3/4	1	1 1/4	1 1/2	2
Bent, per dozen	\$9.00	11.00	14.50	17.50	23.50	31.50	44.50

BRASS BOILER COUPLINGS

STRAIGHT—FOR LEAD PIPE




FIG. H-1002

Size, inches	1/2	3/4	1
Plain Face, per doz	\$7.50	8.00	11.00
Ground Face, per doz	8.50	9.00	12.50

FIG. H-1003

Plain Face, per doz	\$8.50	9.00	12.00
Ground Face, per doz	9.50	10.00	13.50

3/4 inch, per set, (3 Bent and 1 Straight), Plain Face, \$2.50; Ground Face, \$2.75

BENT—FOR LEAD PIPE




FIG. H-1003

STRAIGHT—FOR IRON PIPE—MALE




FIG. H-1004

Size, inches	3/4	1
Plain Face, per doz	\$10.00	14.00
Ground Face, per doz	11.00	15.50

FIG. H-1005

Plain Face, per doz	\$11.00	15.00
Ground Face, per doz	12.00	16.50

3/4 inch, per set, (3 Bent and 1 Straight), Plain Face, \$3.00; Ground Face, \$3.25.

List prices on I. P. Boiler Couplings, Female Thread, same as above.

BENT—FOR IRON PIPE—MALE




FIG. H-1005

WATER BACK COUPLINGS

STRAIGHT, LEAD PIPE

Female.




FIG. H-1006

Size, inches	3/4	1
Plain Face, per doz	\$7.00	10.00
Ground Face, per doz	8.00	11.50

FIG. H-1007

Plain Face, per doz	\$8.00	11.00
Ground Face, per doz	9.00	12.50

BENT, LEAD PIPE

Female.




FIG. H-1007

GALVANIZED IRON BOILER FITTINGS

No. 1




FIG. H-1008

No. 2




FIG. H-1009

No. 3




FIG. H-1010

No. 4




FIG. H-1011

No. 1—Boiler Elbow (1 inch Male, tapped 1/2 inch), with 1/2 inch Outlet, each.....	.15
No. 1A—Boiler Elbow (1 inch Male, tapped 1/2 inch), with 3/4 inch Outlet, each ..	.15
No. 2—Boiler Socket (1 inch Male, tapped 1/2 inch), with 1/2 inch Outlet, each.....	.15
No. 2A—Boiler Socket (1 inch Male, tapped 1/2 inch), with 3/4 inch Outlet, each..	.15
No. 3—Union Boiler Elbow (1 inch Male, tapped 1/2 inch), with 1/2 inch Union, each40
No. 3A—Union Boiler Elbow (1 inch Male, tapped 1/2 inch), with 3/4 inch Union, each45
No. 4—Union Boiler Socket (1 inch Male, tapped 1/2 inch), with 1/2 inch Union, each40
No. 4A—Union Boiler Socket (1 inch Male, tapped 1/2 inch), with 3/4 inch Union, each45

A SET OF BOILER COUPLINGS COMPRISES:

- One Elbow (1 inch Male, tapped 1/2 inch), with 3/4 inch Outlet.
- Two Elbows (1 inch Male x 3/4 inch Blank), with 3/4 inch Outlet.
- One Socket (1 inch Male x 3/4 inch Blank), with 3/4 inch Outlet.

Specify if wanted with or without Union.

LAVATORY TRAPS

FIGS. H-1012 AND H-1013
"BENNOT" GLOBE TRAPS

Nickel-plated, with pipe to floor, and P. O. Plug attached.

Size, inches-----	1¼	1½
Fig. H-1012—		
No Vent, each-----	\$4.00	4.75
Fig. H-1013—		
With Vent to Wall, each-----	4.75	5.50
If without P. O. Plug, deduct-----	.25	.25

The "Bennot" has a sure seal against back pressure.

The Cleanout Cap on the side permits free access to the interior for cleaning.

Any of the above styles can be furnished to order with Iron Pipe Size Waste and Vent Pipe.

Prices on application.




FIG. H-1012



FIG. H-1013

FIG. H-1014

ANTI-SYPHON RADCLIFFE DRAWN METAL LAVATORY TRAP

NICKEL-PLATED

1¼ inch Nickel-plated S or P-----	\$6.00
1½ inch Nickel-plated S or P-----	7.00

Outside shell heavy drawn brass.
Inner globe seamless spun aluminum.




FIG. H-1014
Sectional Cut.

“KING” NON-SYPHONING TRAPS




FIG. H-1015



FIG. H-1016

FIGS. H-1015 AND H-1016—“S” OR ½ “S”

FIG. H-1015—With P. O. Basin Plug, Extension and Floor or Wall Plate.

Size, inches.....	1¼	1½	2
Fig. H-1015—Brass Trap, Nickel-plated S or ½ S, each	\$5.00	\$5.50
Fig. H-1015—With N. P. Vent to Wall, add, each.....	.80	1.00
Fig. H-1016—Lead Trap, S or ½ S, each.....	1.25	1.50	2.09

“S” PLAIN, WASTE TO FLOOR




FIG. H-1017

½ “S” VENTED, WASTE TO WALL

DELANY TRAPS




FIG. H-1018

Size, inches.....	1¼	1½
Fig. H-1017—Nickel-plated, Plain, S or ½ S, each.....	\$4.70	\$5.50
Fig. H-1018—Nickel-plated, with Vent, S or ½ S, each.....	5.00	6.00

ELIPTIC TRAPS

NICKEL-PLATED

WASTE TO FLOOR
PLAIN



FIG. H-1019

FIG. H-1019—NO VENT

1¼ inch, each	-----	\$3.30
1½ inch, each	-----	4.00

FIG. H-1020—VENTED

1¼ inch, each	-----	\$4.50
1½ inch, each	-----	5.20

WASTE TO FLOOR
VENTED




FIG. H-1020

NICKEL-PLATED

WASTE TO WALL
PLAIN



FIG. H-1021

FIG. H-1021—NO VENT

1¼ inch, each	-----	\$3.30
1½ inch, each	-----	4.00

FIG. H-1022—VENTED

1¼ inch, each	-----	\$4.50
1½ inch, each	-----	5.20

WASTE TO WALL
VENTED



FIG. H-1022

BRASS LAVATORY TRAPS

"S" PLAIN



FIG. H-1023

"S" VENTED



FIG. H-1024

1¼ inch, Nickel-plated, each ---- \$2.50

1½ inch, Nickel-plated, each ---- 3.25

1¼ inch, Nickel-plated, each ---- \$2.75

1½ inch, Nickel-plated, each.. 3.50

"P" PLAIN



FIG. H-1025

"P" VENTED




FIG. H-1026

1¼ inch, Nickel-plated, each ---- \$2.50

1½ inch, Nickel-plated, each ---- 3.25

1¼ inch, Nickel-plated, each ---- \$2.75

1½ inch, Nickel-plated, each ---- 3.50

"ROMEYN" BRASS LAVATORY TRAPS

"S" PLAIN




FIG. H-1027

"S" VENTED




FIG. H-1028

1 1/4 inch, Nickel-plated, each	-----	\$2.50
1 1/2 inch, Nickel-plated, each	-----	3.25

1 1/4 inch, Nickel-plated, each	-----	\$2.75
1 1/2 inch, Nickel-plated, each	-----	3.50

"P" PLAIN




FIG. H-1029

"P" VENTED




FIG. H-1030

1 1/4 inch, Nickel-plated, each	-----	\$2.50
1 1/2 inch, Nickel-plated, each	-----	3.25

1 1/4 inch, Nickel-plated, each	-----	\$2.75
1 1/2 inch, Nickel-plated, each	-----	3.50

CUDELL LAVATORY TRAPS

NICKEL-PLATED ANTI-SYPHON PERPENDICULAR TRAP

NICKEL-PLATED BALL TRAP




FIG. H-1031




FIG. H-1032

FIG. H-1031

This Trap is made of White Bell metal, Polished and Nickel-plated.
No. 17, S and P, complete with Basin Plug or Sink Connection.

Size, 1 $\frac{1}{4}$ inch, no Vent, each	-----	\$6.50
Size, 1 $\frac{3}{4}$ inch, Vented, each	-----	7.50
If without Basin Plug, deduct	-----	.30

FIG. H-1032

This Trap is made of White Bell metal. There is a Cover in the front and one in the back of Trap.

Size, inches	-----	(Inlet	1 $\frac{1}{4}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$
		Outlet	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$
With Common Union, no Vent, each	-----		\$6.50	7.00	7.00
With Ground Union, no Vent, each	-----		6.70	7.20	7.20
With Common Union, Vented, each	-----		7.50	8.00	8.00
With Ground Union, Vented, each	-----		7.70	8.20	8.20
If without Basin Plug, deduct	-----				.30

CUDELL BALL TRAPS

NO. 1-P




FIG. H-1033

NO. 2 BATH




FIG. H-1035

NO. 1-S




FIG. H-1034

NO. 2 RUNNING




FIG. H-1036

NO. 2 P




FIG. H-1037

FIGS. H-1033 AND H-1034

Size, Inlet, inches	1	1 1/4	1 1/4	1 1/2	1 1/2
Size, Outlet, inches	1 1/4	1 1/4	1 1/2	1 1/2	2
No. 1—"S" and "P," each	\$2.00	2.00	2.50	2.50	2.70

FIGS. H-1035, H-1036 AND H-1037

Size, Inlet, inches	1	1 1/4	1 1/4	1 1/2	1 1/2
Size, Outlet, inches	1 1/4	1 1/4	1 1/2	1 1/2	2
No. 2—Bath, Running and "P," each	\$2.15	2.15	2.65	2.65	2.90

10 cents extra when Cover is Nickel-plated.

CUDELL BALL TRAPS

NO. 4 BALL TRAPS, WITH BATH COVER AND VENT EXTENSION




FIG. H-1038




FIG. H-1039

These Traps are furnished with a vent extension which has a closed vent socket Right and Left. Either may be chipped if vent is required.

FIGS. H-1038 AND H-1039

Size, Inlet, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
Size, Outlet, inches	1 $\frac{1}{4}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2
Running, "P," each	\$2.50	2.50	3.00	3.00	3.20

15 cents extra when cover is Nickel-plated.

CUDELL PERPENDICULAR ANTI-SYPHON TRAP

No. 10

OPEN VIEW

CLOSED VIEW

SECTIONAL VIEW




FIG. H-1040

This Trap has a fine appearance. It was publicly tested in Rochester and Watertown, N. Y., and Springfield, Mass., and declared anti-syphon.

It is made of White Bell Metal, except Inlet and Outlet Pipes, which are made of Lead.

Outlet is directly under Inlet.

By unscrewing Front and Rear Cover, both Inlet and Outlet Pipes can be reached.

Size, inches	1	1 1/4	1 1/2	1 3/4
No. 10, Short, Lead Waste	\$2.00	2.00	2.20	2.20
No. 10, Long, with Common Union, Lead Waste to Floor	3.00	3.00	3.40	3.40
No. 10, Long, with Ground Union, Brass Waste to floor	3.30	3.30	3.80	3.80
With Coupling for Basin Plug, extra				.20
With Basin Plug, extra				.50
With Sink Connection, extra				.30

CLEAN SWEEP TRAPS

FULL "S" BRASS OR LEAD

HALF "S" BRASS OR LEAD




FIG. H-1041




FIG. H-1042

Size	Finish	Plain	Vented
1 1/4	No. 1 Lead	.80	1.20
	No. 2 Rough Brass	1.80	2.20
	No. 3 Polish'd Brass and Lacq'rd.	2.50	3.10
	No. 4 Polished and Nickel-plated.	2.50	3.10
1 1/2	No. 5 Lead	.95	1.35
	No. 6 Rough Brass	2.75	3.15
	No. 7 Polish'd Brass and Lacq'rd.	3.75	4.25
	No. 8 Polished and Nickel-plated.	3.75	4.25
2	No. 9 Lead	1.50	2.00

2 inch made only in Lead

Size	Finish	Plain	Vented
1 1/4	No. 1 Lead	.75	1.15
	No. 2 Rough Brass	1.60	2.00
	No. 3 Polish'd Brass and Lacq'rd.	2.30	2.80
	No. 4 Polished and Nickel-plated.	2.30	2.80
1 1/2	No. 5 Lead	.90	1.30
	No. 6 Rough Brass	2.50	3.00
	No. 7 Polish'd Brass and Lacq'rd.	3.60	4.10
	No. 8 Polished and Nickel-plated.	3.60	4.10
2	No. 9 Lead	1.30	1.80

2 inch made only in Lead.

BRASS SINK TRAPS

WITH CONNECTION FOR IRON OR STEEL SINKS

"S" PLAIN




FIG. H-1043

FIG. H-1043

Size, inches	1 1/4	1 1/2
Plain, Nickel-plated, each	\$2.75	3.75
Vented, Nickel-plated, each	3.25	4.50
Size, inches	2	
Plain, Nickel-plated, each	\$7.95	
Vented, Nickel-plated, each	9.05	

FIG. H-1044

Size, inches	1 1/4	1 1/2
Plain, Nickel-plated, each	\$2.60	3.25
Vented, Nickel-plated, each	3.05	4.25
Size, inches	2	
Plain, Nickel-plated, each	\$7.25	
Vented, Nickel-plated, each	8.75	

"P" PLAIN




FIG. H-1044

LEAD TRAPS—STANDARD AND EXTRA HEAVY

PLAIN

"S"
LONG OUTLET



FIG. H-1054

"S"



FIG. H-1053

¾ "S"



FIG. H-1055

"P"



FIG. H-1056

"S" BAG
LONG OUTLET



FIG. H-1060

"P"—LONG OUTLET



FIG. H-1057

RUNNING



FIG. H-1058

"S" BAG



FIG. H-1059

STANDARD

EXTRA HEAVY

Size, inches	1¼	1½	2	3	4	1¼	1½	2	3	4
Fig. H-1053—Each	.58	.90	1.38	2.69	3.25	.87	1.25	1.85	3.09	4.30
Fig. H-1054—Each	.93	1.36	2.00	---	---	1.44	1.95	2.69	---	---
Fig. H-1055—Each	.55	.81	1.30	2.62	3.07	.81	1.15	1.73	2.97	3.95
Fig. H-1056—Each	.51	.75	1.20	2.24	2.49	.77	1.09	1.57	2.58	3.25
Fig. H-1057—Each	.76	1.02	1.55	---	---	1.14	1.50	2.02	---	---
Fig. H-1058—Each	.48	.72	1.13	2.09	2.53	.70	1.03	1.46	2.35	3.28
Fig. H-1059—Each	.68	1.08	1.73	3.35	4.77	1.06	1.54	2.33	3.96	6.30
Fig. H-1060—Each	1.09	1.58	2.34	---	---	1.67	2.24	3.11	---	---

Prices include Brass Trap Screws on all sizes except 4 inch.

LEAD TRAPS—STANDARD AND EXTRA HEAVY

VENTED

"S"—LONG OUTLET



FIG. H-1062



FIG. H-1061



FIG. H-1063



FIG. H-1064

"S" BAG LONG OUTLET



FIG. H-1068

"P"—LONG OUTLET



FIG. H-1065

RUNNING




FIG. H-1066

"S" BAG



FIG. H-1067

	STANDARD						EXTRA HEAVY					
Size, inches-----	1¼	1½	2	2	3	4	1¼	1½	2	2	3	4
Size of Vent, inches	1¼	1½	1½	2	2	2	1¼	1½	1½	2	2	2
Fig. H-1061—Each	\$1.38	1.85	2.33	2.63	3.94	4.50	1.67	2.20	2.80	3.10	4.34	5.55
Fig. H-1062—Each	1.73	2.31	2.95	3.25	-----	-----	2.24	2.90	3.64	3.94	-----	-----
Fig. H-1063—Each	1.35	1.76	2.25	2.55	3.87	4.32	1.61	2.10	2.68	2.98	4.22	5.20
Fig. H-1064—Each	1.31	1.70	2.15	2.45	3.49	3.74	1.57	2.04	2.52	2.82	3.83	4.50
Fig. H-1065—Each	1.56	1.97	2.50	2.80	-----	-----	1.94	2.45	2.97	3.27	-----	-----
Fig. H-1066—Each	1.28	1.67	2.08	2.38	3.34	3.78	1.50	1.98	2.41	2.71	3.60	4.53
Fig. H-1067—Each	1.48	2.03	2.68	2.98	4.60	6.02	1.86	2.49	3.28	3.58	5.21	7.55
Fig. H-1068—Each	1.89	2.53	3.29	3.59	-----	-----	2.47	3.19	4.06	4.36	-----	-----

Prices include Brass Trap Screws on all sizes except 4 inch.

All 2 inch Traps have 1½ inch Vents unless otherwise ordered.

3 inch and 4 inch Traps have 2 inch Vents.

Vents may be ¼, ⅓, ½ Bend, or Straight. ¼ Bend Vents will be furnished unless otherwise ordered.

LEAD BENDS

SHORT




FIG. H-1069

LONG




FIG. H-1069

FIG. H-1070

	Standard.	Extra Heavy.
1 $\frac{1}{4}$ inch, (3 $\frac{1}{2}$ inch inlet) x 6, each	.25	.34
1 $\frac{1}{2}$ inch, (4 inch inlet) x 7, each	.38	.62
2 inch, (3 $\frac{3}{4}$ inch inlet) x 7 $\frac{3}{4}$, each	.57	.80
3 inch, (4 $\frac{1}{4}$ inch inlet) x 8 $\frac{3}{4}$, each	1.09	1.21
4 inch, (5 $\frac{1}{2}$ inch inlet) x 10, each	1.50	1.84

FIG. H-1070

	Standard.	Extra Heavy.
1 $\frac{1}{4}$ inch, (6 x 6 inches), each	.30	.50
1 $\frac{1}{2}$ inch, (7 x 7 inches), each	.50	.79
2 inch, (7 $\frac{3}{4}$ x 7 $\frac{3}{4}$ inches), each	.78	1.05
3 inch, (8 $\frac{1}{4}$ x 8 $\frac{1}{4}$ inches), each	1.39	1.60
4 inch, (10 x 10 inches), each	1.95	2.40



FIG. H-1071

STANDARD

EXTENSION BENDS

Short inlet ends are same dimensions as inlets on short bends of corresponding size.

Long inlet ends are the same as on long bends.

Size, inches	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	3	4
Short inlet end x 12 inch on outlet end, each	.40	.56	.79	1.39	1.70
Short inlet end x 15 inch on outlet end, each	.47	.67	.94	1.65	2.00
Short inlet end x 18 inch on outlet end, each	.55	.77	1.09	1.90	2.30
Short inlet end x 20 inch on outlet end, each	.60	.84	1.19	2.07	2.48
Long inlet end x 12 inch on outlet end, each	.46	.67	.99	1.73	2.15
Long inlet end x 15 inch on outlet end, each	.54	.77	1.14	1.99	2.44
Long inlet end x 18 inch on outlet end, each	.62	.88	1.29	2.24	2.73
Long inlet end x 20 inch on outlet end, each	.67	.95	1.39	2.42	2.92

EXTRA HEAVY

Size, inches	1 $\frac{1}{4}$	1 $\frac{1}{2}$	2	3	4
Short inlet end x 12 inch on outlet end, each	.60	.90	1.08	1.57	2.09
Short inlet end x 15 inch on outlet end, each	.72	1.07	1.28	1.87	2.45
Short inlet end x 18 inch on outlet end, each	.84	1.24	1.49	2.16	2.81
Short inlet end x 20 inch on outlet end, each	.92	1.35	1.63	2.35	3.04
Long inlet end x 12 inch on outlet end, each	.70	1.07	1.35	1.96	2.62
Long inlet end x 15 inch on outlet end, each	.82	1.24	1.56	2.25	2.98
Long inlet end x 18 inch on outlet end, each	.94	1.41	1.76	2.54	3.34
Long inlet end x 20 inch on outlet end, each	1.02	1.52	1.90	2.74	3.58

COMBINATION FERRULES

LEAD AND IRON




FIG. H-1072

Inch	Length, in...	4	4½	5	6	8	10	12	14	16	18	20	24	30	36
1¼	for 2 inch C. I. P.	..	.28	.36	.43	.51	.60	.67
1½	for 2 inch C. I. P.	..	.28	.36	.43	.51	.60	.67	.80	.90	1.00	1.10	1.30
2	for 2 inch C. I. P.	.28	..	.41	.46	.57	.67	.76	.80	.86	.92	1.00	1.15	1.40	1.65
3	for 3 inch C. I. P.	.42	..	.60	.67	.82	.98	1.10	1.15	1.22	1.30	1.40	1.60	2.00	2.30
4	for 4 inch C. I. P.	.50	..	.72	.85	1.02	1.25	1.40	1.60	1.73	1.85	2.10	2.30	2.75	3.25

Combination P Traps and Ferrules

LEAD AND IRON

Combination Bends and Ferrules

LEAD AND IRON




FIG. H-1073




FIG. H-1074

Length of Outlet, inches	12	13	14	15	16					
Fig. H-1073—4 inch, Short Inlet (5½ inches), each	\$2.20	2.30	2.40	2.50	2.60					
Fig. H-1073—4 inch, Long Inlet (9¾ inches), each	2.65	2.75	2.85	2.94	3.04					
Length of Outlet, inches	17	18	19	20						
Fig. H-1073—4 inch, Short Inlet (5½ inches), each	\$2.70	2.80	2.90	3.00						
Fig. H-1073—4 inch Long Outlet (9¾ inches), each	3.14	3.23	3.33	3.42						
Length, inches	13	14	15	16	17	18	19	20	21	22
Fig. H-1074—4 inch, each	\$3.12	3.25	3.37	3.50	3.62	3.75	3.87	4.00	4.12	4.25

GREASE TRAPS




FIG. H-1075

Porcelain Enameled Grease Traps, with 2 inch Brass Inlet, Outlet, Vent Connections and Hand Hole Cover.

DIMENSIONS

Body of Trap, 8½ inches high; Diameter on Top, 14 inches.

Enameled Inside, as described	\$16.50
Enameled all over, as described	19.50
If with Nickel-plated Connections, add	1.50



FIG. H-1076

Brass Grease Traps.

DIMENSIONS

Body of Trap, 10 inches high; Diameter, 5 inches; Couplings, 2 inches.

Nickel-plated, as described	\$18.00
Polished Brass, as described	16.00

GREASE AND SEWER TRAP




FIG. H-1077

FIG. H-1077

Grease and Sewer Traps, with Brass Hand Hole Cover.

DIMENSIONS

Diameter.....	16½ inches.
Height.....	13 inches.
<hr/>	
Painted, as described.....	\$7.00
Enameled Inside, as described	10.00

FIG. H-1078

CUDELL 5 INCH GREASE TRAP

The Cylinder, Inlet and Outlet Pipes of this Trap are made of Lead; the Top, Base and Couplings of White Bell Metal. Is made in S and P.

No. 16 "P".....	\$7.50
No. 16 "S".....	8.00
Vented "P".....	8.50
Vented "S".....	9.00

ORDER

- Inlet over Outlet..
- Outlet Straight.
- Outlet Right or Left.




FIG. H-1078

BRASS CLOSET PIPES




FIG. H-1079

CLOSET FLUSH PIPES, 6 FEET LONG

Size, (No. 20 Gauge), inches.....	1¼	1⅜	1½
Offset Pipe, Nickel-plated, each.....	\$2.30	2.50	2.60
Straight Pipe, Nickel-plated, each.....	2.00	2.30	2.40

CLOSET SUPPLY PIPES, 7 FEET LONG

Size, inches.....	} No. 17 Gauge.	I. P. Size.	I. P. Size.			
Offset Pipe, Nickel-plated, each.....				\$2.30	3.00	4.30
Straight Pipe, Nickel-plated, each.....				2.00	2.60	3.90

Pipes with Stop Cocks, extra.

SPUN FLANGES



FIG. H-1080

Size, inches.....	⅜	½	¾	1⅛	1¼	1⅜	1½	2
Nickel-plated, per doz.....	.50	.50	.75	.75	.85	.85	.85	1.20

CLOSET PIPE STRAPS

SINGLE, WITH BUMPER



FIG. H-1081

TWIN, WITH BUMPER




FIG. H-1082

For Pipe, inches	$\frac{3}{8} \times 1\frac{3}{8}$	$\frac{1}{2} \times 1\frac{3}{8}$	$\frac{3}{8} \times 1\frac{1}{2}$	$\frac{1}{2} \times 1\frac{1}{2}$
Fig. H-1081—Nickel-plated, per doz	\$2.00	2.00	2.20	2.20
Fig. H-1082—Nickel-plated, per doz	2.50	2.50	2.70	2.70

FLUSH PIPE

SUPPLY PIPE

ADJUSTABLE CLOSET PIPE HOLDERS



FIG. H-1083

Nickel-plated for $1\frac{1}{4}$ inch Flush Pipe, each	.35
Nickel-plated for $1\frac{1}{2}$ inch Flush Pipe, each	.40
Nickel-plated for Supply Pipe, each	.35



FIG. H-1084

CLOSET PULLS

GUIDE AND PULL

POLISHED OAK

IMITATION WHITE CELLULOID



FIG. H-1085



FIG. H-1086



FIG. H-1087

Fig. H-1085—Each	.25
Fig. H-1086—Each	.35
Fig. H-1087—Nickel-plated, with 4 feet Link Chain, per doz	14.00

NICKEL-PLATED TRIMMINGS

CLOSET SCREW
AND WASHER
LOOSE HEAD



FIG. H-1090

CLOSET
BOLT



FIG. H-1091

ROUND WASHER



FIG. H-1088

OVAL WASHER




FIG. H-1089

N. P., per doz .20	N. P., per doz .30	Per dozen \$1.00	Per doz 1.00
--------------------	--------------------	------------------	--------------

BRASS CLOSET CLAMP




FIG. H-1092

BRASS FLOOR FLANGE
AND BOLTS




FIG. H-1093

FLOOR FLANGE
GASKET




FIG. H-1094

Finished, per doz \$1.20	Each .75	Each .25
Nickel-plated, per doz 1.80		

CLOSET REPAIR COUPLING




FIG. H-1095

1 1/4 inch, each	\$2.00
2 inch, each	3.00

SLIP JOINTS, ETC.

SLIP JOINT ELBOW




FIG. H-1096

1 1/4 in. for High Tank Closet, each .75
 2 in. for Low Tank Closet, each 1.50

SLIP JOINT OFFSET



FIG. H-1097

2 inch for Low Tank Closet, each \$1.50

SLIP JOINT FLOOR FLANGES




FIG. H-1098

Iron Pipe Thread.	Nickel-plated, each.
3/8 inch	.90
1/2 inch	1.00
1 1/4 inch	1.75
1 1/2 inch	3.00

SLIP JOINT CONNECTION



FIG. H-1099

3/8 inch Iron Pipe, each	.50
1/2 inch Iron Pipe, each	.60

SEAT VENT PIPE

TO FIT OVAL HORN



FIG. H-1100

Nickel-plated, to fit Oval Horn, as shown, each	\$1.20
Nickel-plated, to fit Round Horn (not illustrated), each	1.20

RUBBER CLOSET CONNECTIONS

No. 3—FOR 1¼ INCH
FLUSH




FIG. H-1101

No. 4—FOR 1¼ INCH
FLUSH




FIG. H-1102

No. 4A—FOR 1¼ INCH
FLUSH




FIG. H-1103

No. 6 AA—FOR 1½ INCH
FLUSH




FIG. H-1104

No. 6—FOR 2 INCH
VENT




FIG. H-1105

No. 6A—FOR 2 INCH
VENT




FIG. H-1106

No. 7—FOR 1¼ INCH FLUSH



FIG. H-1107

No. 8—FOR 2 INCH VENT



FIG. H-1108

Numbers	3	4	4A	6AA	6	6A	7	8
Per doz	\$8.25	10.00	11.00	15.00	15.00	15.00	7.00	14.00

RUBBER SUNDRIES

OHLIGER CONNECTION




FIG. H-1109

**ROBB CONNECTION
SECTIONAL VIEW**




FIG. H-1110

Per doz. _____	\$2.00	Per doz. _____	\$2.00
----------------	--------	----------------	--------

RUBBER SEAT BUMPERS

PLAIN




FIG. H-1111

TACK



FIG. H-1112

Per doz. _____	.50	Per doz. _____	.75
----------------	-----	----------------	-----

BIBB WASHERS




FIG. H-1113

Rubber Washers for Compression Bibbs, $\frac{3}{8}$ to $\frac{3}{4}$ inch, per 100 _____	.75
Rubber Washers for Compression Bibbs, 1 inch, per 100 _____	1.25
Fibre Washers for Compression Bibbs, $\frac{3}{4}$ to 1 inch, per 100 _____	.75

**HOSE WASHER
RUBBER OR LEATHER**



FIG. H-1114

SLIP JOINT WASHERS




FIG. H-1115
Made in all sizes.

Rubber, per pound _____	\$1.00	Per pound _____	\$1.25
Leather, per 100 _____	.75		

RUBBER SUNDRIES




FIG. H-1116

SPECIAL FEATHER EDGE WASHERS

FIG. H-1116

Size, inches	1 1/4	1 1/2	2
Per doz	\$3.00	3.75	4.50

CLOSET TANK VALVE WASHERS



FIG. H-1117

For Gold Medal Valves, Lowdown Tank, per doz	\$2.50
For Gold Medal Valves, High Tank, per doz	2.00

BASIN AND BATH WASHERS

BATH WASHERS



FIG. H-1118

Size, inches	1	1 1/4	1 1/2
Per doz	\$1.20	1.50	1.80




FIG. H-1119

Size, in. ..	1	1 1/4	1 1/2
Per doz ..	\$1.20	1.80	2.25

GASKETS

SINK



FIG. H-1120




FIG. H-1121

Per doz40	Per doz	\$1.10
Bath Gasket, similar to above, per doz	1.50		

**MODERN
SANITARY
FIXTURES**

MODERN BATH ROOM



DESIGN NUMBER 1

BATH. 5-foot 3-inch Roll-Rim Porcelain Enameled "Morris" Bath, with Exterior finished in No. 1 Zinc White, 5-inch Extension at Fitting End, with Nickel-plated Imperial Supply and Waste Fittings.....	\$64.25
SHOWER. Nickel-plated Shower Bath, with Rubber Curtain, Wall Hook and Chain and Shampoo Attachment	58.00
SITZ BATH. 3-inch Roll-Rim Porcelain Enameled Sitz Bath, with Exterior Finished in No. 1 Zinc White, with Nickel-plated Imperial Bell Supply and Waste Fittings.....	44.00
LAVATORY. 22 x 33 inch Porcelain Enameled all over "Copley" Design, with Slab, Bowl and Apron all in one piece on Nickel-plated Legs and Frame, with Fuller Faucets with China Indexes. Supply Pipes and Imperial Waste with China Index and Vented "P" Trap.....	49.50
CLOSET. "Delecto" Porcelain Enameled all over Syphon Jet Closet, with Quartered Oak Saddle Seat with Paneled Cover and Colonial Tank, with Blanco "P" Marble Top and Push Button, Supply Pipe with Bulb Air Chamber and Compression Stop	48.00
Total approximate cost	\$263.75

MODERN BATH ROOM



DESIGN NUMBER 2

BATH. 5-foot 3-inch Roll-Rim Porcelain Enameled "Occident" Bath, with Nickel-plated Fuller Double Bath Cock, Offset Supply Pipes and Connected Waste and Overflow.....	\$35.25
LAVATORY. Porcelain Enameled "Berlin" Design Lavatory, with Slab, Bowl, Back and Apron all in one piece, with Nickel-plated Keystone Waste and Soap Dish, Low Pattern Compression Faucets, Supply Pipes and Vented "P" Trap	22.00
CLOSET. "Edux" Porcelain Enameled all over Syphonic Closet, with Oak Seat and Cover and Oak Tank with Push Button, and Nickel-plated Supply Pipe	32.50
<hr/>	
Total approximate cost	\$89.75

For No. 1 Zinc White Exterior Finish, on Bath, add

\$13.00

For Lavatory Enameled all over, add

2.00

SOLID PORCELAIN BATH

OVAL PATTERN—ON BASE




FIG. H-1123

DIMENSIONS

Length Outside, 5½ feet.
 Depth Inside, 19 inches.

Width Outside, 34½ inches.
 Height over all, 21 inches.

Length of Bath	5 ft. 6 in.
List, Bath only, "A" Quality	\$180.00
List, Bath only, "B" Quality	126.00
List, Nickel-plated Bell Supply and Waste	35.00
Shipping Frame for Bath, net	3.00

SOLID PORCELAIN BATH

FRENCH PATTERN—ON BASE




FIG. H-1124

DIMENSIONS

Length Outside, as below.
 Depth Inside, 18 inches.

Width Outside, 30 inches.
 Height over all, 21 inches.

Length of Bath, feet.....	4½	5	5½	6
List, Bath only, "A" Quality.....	\$115.00	125.00	140.00	160.00
List, Bath only, "B" Quality.....	80.50	87.50	98.00	112.00
List, Nickel-plated Bell Supply and Waste.....				\$30.00
Shipping Frame for Bath, net.....				3.00

SOLID PORCELAIN BATH

FRENCH PATTERN—ON FEET




FIG. H-1125

DIMENSIONS

Lengths Outside, as below. Width Outside, 30 inches.

Depth Inside, 18 inches.

Height over all, on $4\frac{1}{2}$ inch legs, $25\frac{1}{2}$ inches.

NOTE.—Baths 6 feet 6 inches and 7 feet long measure 33 inches wide outside.

Length of Bath, feet.....	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6	$6\frac{1}{2}$	7
List, Bath only, "A" Quality.....	\$105.00	115.00	125.00	145.00	165.00	190.00
List, Bath only, "B" Quality.....	73.50	80.50	87.50	101.50	115.50	133.00
List, Feet (set of Four)						\$4.00
List, Nickel-plated Bell Supply and Waste						25.00
Shipping Frame for Bath, net.....						3.00

SOLID PORCELAIN SHOWER BATH RECEPTORS

ROLL-RIM—SQUARE PATTERN



FIG. H-1130

DIMENSIONS—(Outside)

No. 1—Length, 36 inches ; Width, 36 inches ; Height, 9 inches.

No. 2—Length, 42 inches ; Width, 42 inches ; Height, 9 inches.

Number	1	2
List, Receptor only, "A" Quality	\$55.00	80.00
List, Receptor only, "B" Quality	38.50	56.00
List, Nickel-plated Strainer and Floor Flange	4.00	4.00

ROLL-RIM—FOR CORNER



FIG. H-1131

DIMENSIONS—(Outside)

Length on Sides, 33½ inches.
Depth, 9 inches.

Length from Corner at Back
to Front, 49 inches.

List, Receptor only, "A" Quality	\$100.00
List, Receptor only, "B" Quality	70.00
List, Nickel-plated Strainer and Floor Flange	4.00

PORCELAIN ENAMELED BATH

"ALBION"




FIG. H-1132

Porcelain Enameled Bath on Base (for setting in tile floor), Nickel-plated Imperial Bell Supply and Waste Fittings, with $\frac{3}{4}$ inch Iron Pipe Size Supply Pipes, with Unions at Floor.

NOTE.—Receptors, Sitz and Foot Baths, with Base instead of Feet, to correspond with this Bath, can be furnished.

DIMENSIONS

Width over Rim, $34\frac{1}{2}$ inches.

Height to Top of Rim, $23\frac{1}{2}$ inches.

Width of Roll-Rim, $4\frac{3}{4}$ inches.

Depth Inside, $18\frac{1}{2}$ inches.

Nominal Size, feet	$4\frac{1}{2}$	5	$5\frac{1}{2}$
As described	\$73.00	76.50	80.00
Bath only, Drilled for Fittings shown	55.00	58.50	62.00
Length over Rim	5' 3"	5' 9"	6' 3"
Approximate weight of Bath, crated	600 lbs.	650 lbs.	700 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"MONARCH"




FIG. H-1133

Porcelain Enameled Bath, and Nickel-plated Imperial Bell Supply and Waste Fittings, with $\frac{3}{4}$ inch Iron Pipe Size Supply Pipes.

DIMENSIONS

Width over Rim, 35 inches. Height to Top of Rim, 24 inches.
 Width of Roll-Rim, $4\frac{3}{4}$ inches. Depth Inside, $18\frac{1}{2}$ inches.

Nominal Size, feet.....	5	$5\frac{1}{2}$	6
As described	\$52.00	56.00	60.00
Bath only, Drilled for Fittings shown	35.00	39.00	43.00
Length over Rim, Bath only.....	5' 1"	5' 7"	6' 1"
Approximate weight of Bath, crated	440 lbs.	500 lbs.	575 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"MAJESTIC"



FIG. H-1134

Porcelain Enameled Bath, with Nickel-plated Brass Shower, Curtain Ring and Rubber Curtain, Nickel-plated Fuller Double Bath Cock, with 3/4 inch Iron Pipe Size Supply Pipes, and Nickel-plated Imperial Waste.

DIMENSIONS

Width over Rim, 33 inches.

Height to Top of Rim, 22 1/2 inches.

Width of Roll-Rim, 4 inches.

Depth Inside, 17 inches.

Nominal Size, feet	4 1/2	5	5 1/2
As described	\$90.00	94.00	98.00
Bath only, Drilled for Fittings shown	35.00	39.00	43.00
Length over Rim, Bath only	5' 2 1/2"	5' 8 1/2"	6' 2 1/2"
Approximate weight of Bath, crated	350 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"LORRAINE"




FIG. H-1135

Porcelain Enameled Bath, with Base, and Nickel-plated Imperial Bell Supply and Waste Fittings, with $\frac{3}{4}$ inch Iron Pipe Size Supply Pipes.

Made only for Fittings having Imperial Waste.

D MENSIONS

Width over Rim, 30 inches. Height to Top of Rim, $20\frac{1}{2}$ inches.
 Width of Roll-Rim, 3 inches. Depth Inside, $17\frac{1}{2}$ inches.
 Depth of Base, $4\frac{1}{2}$ inches.

Nominal Size, feet	$4\frac{1}{2}$	5	$5\frac{1}{2}$
As described	\$45.50	50.50	55.50
Length over Rim, Bath only	4' 6"	5' $2\frac{1}{2}$ "	5' 8"
Approximate weight of Bath, crated	325 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

“ OCCIDENT ”




FIG. H-1136

Porcelain Enameled Bath, with Wide Flat Bottom, and Nickel-plated Imperial Bell Supply and Waste Fittings, with 3/4 inch Iron Pipe Size Supply Pipes.

DIMENSIONS

Width over Rim, 30 inches. Height to Top of Rim, 22½ inches.
 Width of Roll-Rim, 3 inches. Depth Inside, 17 inches.

Nominal Size, feet.....	4	4½	5	5½	6
As described	\$42.00	42.00	45.00	48.75	53.25
Bath only, Drilled for Fittings shown.	24.00	24.00	27.00	30.75	35.25
Length over Rim, Bath only	4'	4' 6"	5'	5' 6"	6'
Approximate weight of Bath, crated.	300 lbs.	325 lbs.	350 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"OCCIDENT"




FIG. H-1137

Porcelain Enameled Bath, with Wide Flat Bottom, and Nickel-plated No. 4½ Fuller Double Bath Cock, with ½ inch Iron Pipe Size Offset Supply Pipes and Imperial Waste.

DIMENSIONS

Width over Rim, 30 inches. Height to Top of Rim, 22½ inches.
 Width of Roll-Rim, 3 inches. Depth Inside, 17 inches.

Nominal Size, feet	4	4½	5	5½	6
As described	\$36.75	36.75	39.75	43.50	48.00
Bath only, Drilled for Fittings shown ..	24.00	24.00	27.00	30.75	35.25
Length over Rim, Bath only	4'	4' 6"	5'	5' 6"	6'
Approximate weight of Bath, crated ..	300 lbs.	325 lbs.	350 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

18.00
 17.50
 12.50
 3.50
 12.00

 3.50

PORCELAIN ENAMELED BATH

"OCCIDENT"




FIG. H-1138

Porcelain Enameled Bath, with Wide Flat Bottom, and Nickel-plated No. 4½ Fuller Double Bath Cock, with ½ inch Iron Pipe size Offset Supply Pipes and Connected Waste and Overflow with Rubber Stopper.

DIMENSIONS

Width over Rim, 30 inches. Height to Top of Rim, 22½ inches.
 Width of Roll-Rim, 3 inches. Depth Inside, 17 inches.

Nominal Size, feet.....	4	4½	5	5½	6
As described	\$32.25	32.25	35.25	39.00	43.50
Bath only, Drilled for Fittings shown.	24.00	24.00	27.00	30.75	35.25
Length over Rim, Bath only.....	4'	4' 6"	5'	5' 6"	6'
Approximate weight of Bath, crated.	300 lbs.	325 lbs.	350 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"PERFECTO"




FIG. H-1139

Porcelain Enameled Bath, with Quick Opening Waste Valve, Wrought Iron Carriage and Swiveled Axle, Removable Wrought Iron Draw Handle and Rubber Tired Wheels.

Designed for use in Hospitals, Asylums and similar Institutions.

DIMENSIONS

Width over Rim, 29½ inches. Height to Top of Rim, 23 inches.
 Width of Roll-Rim, 2¾ inches. Depth Inside, 17 inches.

Nominal Size, feet	4	4½	5	5½	6
As described	\$46.00	46.00	49.00	52.75	57.25
Length over Rim, Bath only	4' 1½"	4' 7½"	5' 1½"	5' 7¼"	6' ½"
Approximate weight of Bath, crated ..	300 lbs.	325 lbs.	350 lbs.	375 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"OHIO SPECIAL"



FIG. H-1140

Porcelain Enameled Flat Bottom Bath, with 3 inch Full Roll-Rim, Acme Nickel-plated Top Supply and Waste Fittings, $\frac{3}{4}$ inch Iron Pipe Size Supplies, Rubber Tube and Shampoo Spray.

DIMENSIONS

Width over Rim, 24 inches. Height to Top of Rim, 22 inches.
Width of Roll-Rim, 3 inches. Depth Inside, $17\frac{1}{4}$ inches.

Nominal Size, feet	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
As described	\$38.75	38.75	41.00	44.75	49.25
Bath only, Drilled for Fittings shown ..	21.75	21.75	24.00	27.75	32.25
If with Nickel-plated No. 4 $\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes and Eclipse Waste	34.50	34.50	36.75	40.50	45.00
If with Nickel-plated No. 4 $\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes, Connected Waste and Overflow, Chain and Rub- ber Stopper	30.00	30.00	32.25	36.00	40.50
Length over Fittings, as described	4' 3"	4' 9"	5' 3"	5' 9"	6' 3"
Approximate shipping weights	270 lbs.	300 lbs.	330 lbs.	360 lbs.	400 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"STERLING SPECIAL"




FIG. H-1141

Porcelain Enameled Flat Bottom Bath, with $2\frac{1}{4}$ inch Roll-Rim, Nickel-plated No. $4\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes, Connected Waste and Overflow, Chain and Rubber Stopper.

DIMENSIONS

Width over Rim, 25 inches.

Height to Top of Rim, $22\frac{1}{2}$ inches.

Width of Roll-Rim, $2\frac{1}{4}$ inches.

Depth Inside, 17 inches.

Nominal Size, feet	$4\frac{1}{2}$	5	$5\frac{1}{2}$
As described	\$30.00	32.25	36.00
Bath only, Drilled for Fittings shown	21.75	24.00	27.75
If with Nickel-plated No. $4\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes and Eclipse Waste	34.50	36.75	40.50
Length over Fittings, as described	4' 11"	5' 5"	5' 11"
Approximate shipping weights	300 lbs.	330 lbs.	360 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"ANGELES SPECIAL"




FIG. H-1142

Porcelain Enameled Flat Bottom Bath, with 2 inch Roll-Rim, Nickel-plated No. $4\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes. Connected Waste and Overflow, Chain and Rubber Stopper.

DIMENSIONS

Width over Rim, 26 inches. Height to Top of Rim, $21\frac{1}{4}$ inches.
Width of Roll-Rim, 2 inches. Depth Inside, $16\frac{3}{4}$ inches.

Nominal Size, feet.....	4	$4\frac{1}{2}$	5	$5\frac{1}{2}$
As described	\$30.00	30.00	32.25	36.00
Bath only, Drilled for Fittings shown	21.75	21.75	24.00	27.75
If with Nickel-plated No. $4\frac{1}{2}$ Fuller Double Bath Cock, $\frac{1}{2}$ inch Iron Pipe Size Offset Supply Pipes and Eclipse Waste.....	34.50	34.50	36.75	40.50
Length over Fittings, as described	4' 2"	4' 8"	5' 2"	5' 8"
Approximate shipping weights.....	260 lbs.	285 lbs.	315 lbs.	340 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED BATH

"VENICE"




FIG. H-1143

Porcelain Enameled Narrow Space Flat Bottom Bath, with 1½ inch Rim, Nickel-plated No. 4½ Fuller Double Bath Cock, ½ inch Iron Pipe Size Offset Supply Pipes, Connected Waste and Overflow, Chain and Rubber Stopper.

DIMENSIONS

Width over Rim, 24 inches. Height to Top of Rim, 21 inches.
 Width of Roll-Rim, 1½ inches. Depth Inside, 15 inches.

Nominal Size, feet	4	4½	5	5½	6
As described	\$30.00	30.00	32.25	36.00	40.50
Bath only, Drilled for Fittings shown ..	21.75	21.75	24.00	27.75	32.25
Length over Fittings, as described	4' 2½"	4' 8½"	5' 2½"	5' 8½"	6' 2½"
Approximate shipping weights	240 lbs.	270 lbs.	300 lbs.	330 lbs.	370 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED SITZ BATH




FIG. H-1144

Porcelain Enameled Sitz Bath, and Nickel-plated Imperial Bell Supply and Waste Fittings, with $\frac{1}{2}$ inch Iron Pipe Size Supply Pipes.

DIMENSIONS

Front to Back over Rim, $27\frac{3}{4}$ inches. Width over Rim, $28\frac{1}{2}$ inches.
 Width of Roll-Rim, 3 inches. Depth at Waste Hole, $10\frac{1}{2}$ inches.
 Height to Top of Rim at Back, 20 inches.
 Height to Top of Rim at Front, 15 inches.

As described.....	\$36.50
Bath only, Drilled for Fittings shown	25.00
Approximate weight of Sitz Bath, crated	150 lbs.

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED FOOT BATH



FIG. H-1145

Porcelain Enameled Foot Bath, and Nickel-plated Imperial Bell Supply and Waste Fittings, with $\frac{1}{2}$ inch Iron Pipe Size Supply Pipes.

DIMENSIONS

	No. 1	No. 2
Width over Rim, inches	19 $\frac{1}{2}$	23
Width of Roll-Rim, inches	2 $\frac{1}{4}$	2 $\frac{1}{2}$
Length over Rim, inches	22 $\frac{1}{4}$	25
Height to Top of Rim, inches	15 $\frac{1}{2}$	18
Depth Inside at Waste Hole, inches	10 $\frac{3}{4}$	13 $\frac{1}{2}$
<hr/>		
Sizes	No. 1	No. 2
As described	\$25.00	26.50
Bath only, Drilled for Fittings shown	13.50	15.00
With Base instead of Feet, complete with Fittings to match Bath Fig. H-1132	33.00	---
Approximate weight of Foot Bath, crated	150 lbs.	175 lbs.
Approximate weight of Foot Bath on Base, crated	200 lbs.	---

For Exterior Finish and Decorations, see page 355.

PORCELAIN ENAMELED SHOWER BATH RECEPTOR




FIG. H-1146

Porcelain Enameled Receptor for Shower Bath with Nickel-plated Strainer and Waste Connection.

DIMENSIONS

	No. 1	No. 2
Width over Rim, inches	36	42
Length over Rim, inches	36	42
Width of Roll-Rim, inches	2	2 $\frac{1}{4}$
Depth at Center, inches	6	8

	No. 1	No. 2
As described	\$25.00	\$35.00
With Base instead of Feet, to match Fig. H-1132	32.50	45.00
Approximate weight, crated	250 lbs.	300 lbs.
Approximate weight with Base, crated	350 lbs.	400 lbs.

For Exterior Finish and Decorations. see page 355.

BATH DECORATIONS

The exterior of all Baths, Receptors, Sitz and Foot Baths, unless otherwise specified, is unfinished, and painted with one coat of paint only. The process of finishing the exterior is of such a nature that it can only be applied at the factory, inasmuch as the casting must be dressed perfectly smooth, a character of work which requires special skill and facilities.

Every Bath decorated by us receives from six to sixteen coats of best enamel paint on the exterior, each coat being baked on in a drying oven at a temperature of 120° F., and is then rubbed down with pumice and rotten stone before the succeeding coats are applied. The number of coats vary from twelve to sixteen for the No. 1 finish, and from six to ten for the No. 2 finish.

When the exterior has been finished, gold lines or harmonious and artistic border decorations can be added. Our facilities for executing this branch of work are unsurpassed, and we have in our employ a corps of artists skilled in designing and executing artistic decorative effects.

Gold bands or lines can be put on either No. 1 or No. 2 finish. Borders can only be furnished on No. 1 finish. The No. 1 Zinc White finish will be furnished on all orders for exterior finish, unless otherwise specified, but can be furnished Ivory or Cream White if desired.

DESCRIPTION OF DECORATIONS.	On Foot Baths and Receptors.	On Sitz Baths.	On Baths and Pools.
No. 1 Zinc White Finish -----	\$6.50	\$8.75	\$13.00
No. 2 Zinc White Finish -----	4.50	6.00	9.00
For Gold Leaf Bands or Lines, add -----	1.50	2.00	3.00
No. 1 Finish with Greek Border -----	10.00	15.00	20.00
No. 1 Finish with Etruscan Border -----	10.00	15.00	20.00
No. 1 Finish with Fleur-de-lis Border -----	10.00	15.00	20.00
No. 1 Finish with Pompeian Border -----	12.00	18.00	24.00
No. 1 Finish with Violet Festoon Border -----	12.00	18.00	24.00
No. 1 Finish with Festoon Border -----	12.00	18.00	24.00
No. 1 Finish with Wild Rose Border -----	12.00	18.00	24.00
No. 1 Finish with Wild Rose and Ribbon Border -----	12.00	18.00	24.00
No. 1 Finish with Empire Border -----	12.00	18.00	24.00
No. 1 Finish with Poppy Border -----	14.00	21.00	28.00
No. 1 Finish with Shell and Ribbon Border -----	14.00	21.00	28.00
No. 1 Finish with Green Scroll and Spray Border -----	14.00	21.00	28.00
No. 1 Finish with Sweet Pea Border -----	14.00	21.00	28.00
No. 1 Finish with Chrysanthemum Border -----	14.00	21.00	28.00
No. 1 Finish with Festoon and Wreath Border -----	14.00	21.00	28.00
No. 1 Finish with Forget-me-not Festoon Border -----	14.00	21.00	28.00
No. 1 Finish with Flambeau Border -----	14.00	21.00	28.00
No. 1 Finish with Scroll and Rose Border -----	15.00	22.50	30.00
No. 1 Finish with Wild Vine Border -----	15.00	22.50	30.00
No. 1 Finish with Apple Blossom Border -----	15.00	22.50	30.00

ALL STEEL AND STEEL CLAD BATHS



FIG. H-1147

3 inch Roll-Rim Seamless Steel Baths. Unless otherwise ordered, Shells will be punched as follows:

Waste Hole, $1\frac{1}{2}$ inches. Overflow, 2 inches.
Cock Holes, $1\frac{1}{4}$ inches.

Size, feet	5	$5\frac{1}{2}$
Enameled Inside, Bath only	\$49.20	56.70
Weight of Bath, crated	197 lbs.	217 lbs.

STEEL CLAD COPPER-LINED BATH—(Not Illustrated.)

With Connected Overflow and Oak Rim, and Drilled $3\frac{3}{8}$ inches Center to Center; Outside painted.

Size, feet	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6
12 Ounce Lining (Bath Cock not included)	\$24.50	25.50	26.50	28.50
14 Ounce Lining (Bath Cock not included)	26.50	27.50	28.50	30.50
16 Ounce Lining (Bath Cock not included)	28.50	29.50	30.50	32.50

ENAMELED STEEL BATH—(Not Illustrated.)

With Connected Waste and Overflow.

Size, feet	$4\frac{1}{2}$	5	$5\frac{1}{2}$	6
American Pattern (Bath Cock not included)	\$19.50	20.50	21.50	24.50

SHOWERS




FIG. H-1148

Nickel-plated Brass Combination Shower and Needle Bath, with Bidet and Liver Sprays, with China Index Valves, Mixing Chamber, Thermometer and Rubber Curtain.

As described	\$200.00
For Porcelain Enameled 42 inch Receptor, with Nickel-plated Waste Strainer and Coupling, add	35.00
For No. 1 Zinc White Finish on Exterior of Receptor, add	6.50

SHOWERS




FIG. H-1149

Nickel-plated Brass Combination Shower and Needle Bath, with China Index Valves.

As described	\$175.00
For Porcelain Enameled 36 inch Receptor, with Nickel-plated Waste Strainer and Coupling, add.....	\$25.00
For No. 1 Zinc White Finish on Exterior of Receptor, add.....	6.50

SHOWERS



FIG. H-1150

Nickel-plated Brass Combination Shower and Needle Bath, with China Index Valves and Rubber Curtain.

As described.....	\$60.00
For Nickel-plated Brass Mixing Chamber and Thermometer, add	16.00
For Porcelain Enameled 36 inch Receptor, with Nickel-plated Waste Strainer and Coupling, add.....	25.00
For No. 1 Zinc White Finish on Exterior of Receptor, add	6.50

SHOWERS




FIG. H-1151

NICKEL-PLATED SHOWER BATH

Center to Center of Supplies, $9\frac{1}{4}$ inches.

With $\frac{3}{8}$ inch Supplies and $\frac{1}{2}$ inch Mixing Column, as shown	\$38.50
With $\frac{1}{2}$ inch Supplies and $\frac{3}{4}$ inch Mixing Column, as shown	41.50

Iron Pipe Size Brass Tube used on above.

Price does not include Rubber Hose, Floor Slab or Strainer.

SHOWERS




FIG. H-1152

Nickel-plated Brass Shower, with No. 1 Non-Scalding Regulating Valve, with White China Handle, 1/2 inch Supply Pipes, 1/2 inch Discharge Pipe leading to 8 inch Tubular Shower Head, Heavy Curtain Ring, White Duck Curtain, with Large Hold-back Hook, Rubber Bound Shampoo and Shampoo Holder	\$48.00
Ditto, without Shampoo	40.00
Ditto, with 1/2 inch Valve, 1/2 inch Supply Pipes, 3/4 inch Discharge Pipe, 8 inch Tubular Shower Head and Shampoo	53.00
Ditto, without Shampoo	45.00
Ditto, with 3/4 inch Valve, 3/4 inch Supply and Discharge Pipe, 10 1/2 inch Tubular Shower Head and Shampoo	62.00
Ditto, without Shampoo	54.00

NON-SCALDING SHOWER AND NEEDLE BATH REGULATING VALVES




FIG. H-1153




FIG. H-1154

FIG. H-1153—NO. 1 VALVES

Polished and Nickel-plated all over, with China White Handle.

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Each	\$15.00	20.00	25.00

FIG. H-1154—NO. 2 VALVES

Size, inches	$\frac{1}{2}$	$\frac{3}{4}$	1
Polished and Nickel-plated all over, each	\$15.00	20.00	25.00
Rough Body, Polished Mountings, Nickel-plated all over, each	13.50	18.50	23.00

The NON-SCALDING Regulating Valve is designed for use in connection with Showers and from the Exterior View it will be seen that the Valve is operated with one Handle, which not only regulates the temperature of the water but also opens and closes the Valve.

To open the Valve the Handle is turned so that the indicator attached to the Handle will travel from LEFT TO RIGHT; the temperature of the water is thus increased until the Indicator strikes the Adjustable Check on the Dial.

The Check can be set at any position on the Dial and thus prevent water of an excessive temperature from passing out of the Shower with the danger of scalding the bather.

COLD WATER is always obtained first upon turning on the Valve.

The No. 2 Valve is especially designed for bath establishments and for public service and is provided with a Heavy Flange at Back so that the Valve can be securely attached to Shower Stall and the inlets are arranged for the Supply Pipes coming from main above.

The Valves are SIMPLE IN CONSTRUCTION.

The Central Mixing Chamber and the spindles are the only working parts, and the Valve closes with the pressure. The Chamber not only mixes the water but acts as a cam to open and close the discs.

SHOWERS




FIG. H-1155

Nickel-plated Needle and Shower Bath.

DIMENSIONS

Center to Center of Supplies, 18½ inches.

Floor to Center of Supplies, 4 ft. 6½ inches.

Nickel-plated, with Check Valves in Supplies, as shown.....	\$50.00
For Supply Pipes to Floor, add.....	10.00

Iron Pipe Size Brass Tube used on above.

Price does not include Stall, Floor Slab or Strainer.

SHOWERS




FIG. H-1156

Nickel-plated Overhead Shower, with $\frac{3}{4}$ inch Nickel-plated Brass Tubing and Cast Fittings, Rubber or Duck Curtain, with Rings, and 6 feet of $\frac{1}{2}$ inch Rubber Tubing fitted with Sternau Combination Metal and Rubber "Holdfast" Bulb.

DIMENSIONS

Size of Curtain, 66 x 78 inches. Diameter of Curtain Ring, 26 inches.

Diameter of Shower, 5 inches.

Complete, with Rubber or Duck Curtain..... \$25.00

Rubber Curtain will be furnished, unless otherwise specified.

SHOWERS




FIG. H-1157

FIG. H-1157

NICKEL-PLATED CEILING
RAIN SHOWER

With 1/2 inch Supply Pipe, Self-closing Valve with Ring and Chain, and 5 inch Rain Shower with Inlet Air Valve and Removable Face.

As described	\$9.00
Shower as above, but with Pipe to Wall	10.00
For 8 1/2 inch Tubular Shower in place of 5 inch Rain Shower, add	1.00

FIG. H-1158

NICKEL-PLATED RING
SHOWER

With 1/2 inch Supply Pipe, Self-closing Valve with Ring and Chain, and 18 inch Perforated Ring Shower.

As described	\$16.00
Shower as above, but with Pipe to Ceiling	15.00




FIG. H-1158

SHAMPOO FIXTURES




FIG. H-1159

FIG. H-1159

NICKEL-PLATED SHAMPOO FIXTURE

With $\frac{1}{2}$ inch Supplies to Wall. Supply Valves with China Indexed Handles. and $2\frac{1}{2}$ inch Rubber-bound Shampoo Sprinkler and 5 feet of Rubber Tube.

As described..... \$10.00

FIG. H-1160

NICKEL-PLATED SHAMPOO
FIXTURE

With $\frac{1}{2}$ inch Supply Pipes to Floor, Supply Valves with China Index Handles, and $2\frac{1}{2}$ inch Rubber-bound Shampoo Sprinkler and 5 feet of Rubber Tube.

As described..... \$13.00




FIG. H-1160

NICKEL-PLATED SHOWERS

PLAIN



FIG. H-1161

Nickel-plated Copper, Corrugated Face, $7\frac{1}{2}$ inch Diameter, $\frac{1}{2}$ inch Iron Pipe Size, Male Thread, each..... \$2.00

TUBULAR



FIG. H-1162

Nickel-plated Copper, $7\frac{1}{2}$ inch Diameter, $\frac{1}{2}$ inch Iron Pipe Size, Male Thread, each..... \$3.00
 9 inch Diameter, $\frac{3}{4}$ inch Iron Pipe Size, Male Thread, each.. \$4.50

SHAMPOO AND BATH SPRAYS



FIG. H-1163

Nickel-plated, with Long Shank.

Diameter of Face, inches.....	$2\frac{1}{2}$
Per doz.....	\$3.00



FIG. H-1164

Nickel-plated, with Rubber Ring.

Diam. of Face, in.....	$2\frac{1}{2}$	3	$3\frac{1}{2}$
Per doz.....	\$3.00	4.50	6.50



FIG. H-1165

Nickel-plated, with Rubber Ring, Detachable Nipple.

Diam. of Face, in..	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Per doz.....	\$5.50	8.00	12.00	21.00




FIG. H-1166

No. 3, with Handle as shown, each..	\$2.50
No. 1, less Handle, each.....	2.00

SOLID PORCELAIN LAVATORIES



FIG. H-1167

FIG. H-1167

SOLID PORCELAIN OVAL LAVATORY
ON PORCELAIN PEDESTAL

Number	0	1	2
Size, inches.....	27x22	33x24	37x27
List, Lavatory only, "A" Quality ..	\$28.00	30.00	36.00
List, Pedestal only, "A" Quality ...	14.00	14.00	17.00
List, Lavatory only, "B" Quality ..	19.60	21.00	25.20
List, Pedestal only, "B" Quality ...	9.80	9.80	11.90

FIG. H-1168

SOLID PORCELAIN OVAL LAVATORY
ON NICKEL-PLATED LEGS

Number	0	1	2
Size, inches.....	27x22	33x24	37x27
List, Lavatory only, "A" Quality ..	\$28.00	30.00	36.00
List, Lavatory only, "B" Quality ..	19.60	21.00	25.20
List, Nickel-plated Legs and Frame, with Rod parallel to Lavatory.....			\$35.00



FIG. H-1168

SOLID PORCELAIN LAVATORIES




FIG. H-1169

FIG. H-1169

SOLID PORCELAIN IMPROVED LAVATORY

Number.....	1	2
Size, inches.....	30 x 24	33 x 24
	"A" "B"	"A" "B"
List, Lavatory only.....	\$30.00 21.00	\$36.00 25.20
List, Wall Back only, 16 inches High.....	8.00 5.60	8.00 5.60
List, Porcelain Legs and Iron Supports to Wall, per pair.....	12.00 8.40	12.00 8.40
List, Nickel-plated Legs and Iron Supports to Wall, per pair.....	10.00 10.00	10.00 10.00

FIG. H-1170

SOLID PORCELAIN SQUARE LAVATORY

Number.....	0	1
Size Slab, inches.....	24 x 22	26 x 21
Size Wall Back, inches.....	24 x 12	26 x 12
	"A" "B"	"A" "B"
List, Lavatory only.....	\$18.00 12.60	\$20.00 14.00
List, Wall Back, only.....	6.00 4.20	6.00 4.20
Number.....		2
Size Slab, inches.....		30 x 22
Size Wall Back, inches.....		30 x 15
		"A" "B"
List, Lavatory only.....		\$23.00 16.10
List, Wall Back only.....		7.00 4.90
		List.
Nickel-plated Brass Legs and Iron Straps to Wall, per pair.....		\$10.00
Iron Legs and Straps to Wall, Painted White Enamel, per pair.....		5.50
Galvanized Iron Legs and Straps to Wall, per pair.....		5.00
Iron Legs, Bronzed, with Straps to Wall, per pair.....		4.50
Nickel-plated Standing Overflow and Waste, with China Name Plate.....		6.00




FIG. H-1170

SOLID PORCELAIN LAVATORIES



FIG. H-1171

FIG H-1171
SOLID PORCELAIN ROUND FRONT
LAVATORY
WITH SOLID BACK

DIMENSIONS

Length at Back, 24 inches.
Back to Front, 23 inches.
Height of Back at Center, 8 inches.

List, Lavatory only, "A" Quality	\$24.00
List, Porcelain Leg and Strap, "A" Quality	9.50
List, Lavatory only, "B" Quality	17.00
List, Porcelain Leg and Strap, "B" Quality	6.50

FIG. H-1172

SOLID PORCELAIN CORNER
LAVATORY
WITH SOLID BACK

DIMENSIONS

Length at Sides, 19½ inches.
Greatest Width, 28 inches.
Corner of Wall to Front, 25 inches.



FIG. H-1172

List, Lavatory only "A" Quality	\$26.00
List Porcelain Leg and Strap, "A" Quality	9.50
List, Lavatory only, "B" Quality	18.00
List, Porcelain Leg and Strap, "B" Quality	6.50
List, one Nickel-plated Brass Leg with Iron Strap to Wall	7.50
List, one Iron Leg, with Iron Back Pieces to Wall, Painted White Enamel, or Galvanized Iron	5.50

SOLID PORCELAIN LAVATORIES




FIG. H-1173

FIG. H-1173

SOLID PORCELAIN
WITH INTEGRAL BACK

	"A" "B"
List, Lavatory only 26 x 22 inches, with 7 inch Back.....	\$23.00 \$16.00
List, White Painted Iron Brackets to Wall, as shown.....	2.50

FIG. H-1174

SOLID PORCELAIN
CORNER LAVATORY
WITH BACK IN ONE PIECE

DIMENSIONS

Length on Sides, 25 inches.
Corner of Wall to Center of Bowl, 26
inches.

List, Lavatory with Back only	\$36.00
List, Nickel-plated Brackets, per pair.....	10.00
List, Galvanized Iron Brackets, per pair.....	5.50
List, Nickel-plated Overflow Grid and Waste Plug, as shown.....	2.50
NOTE.—Also made for Nickel- plated Standing Waste and Overflow, with China Name Plate. List, Fixture.....	6.00



FIG. H-1174

PORCELAIN ENAMELED LAVATORIES

Porcelain Enameled Iron Bath Tubs have been long and favorably known in the plumbing trade, but the use of Porcelain Enameled Ware for High Grade LAVATORIES and other Sanitary Fixtures is a more recent development.

The rapid growth in popularity of Enameled Iron Lavatories is due to the many points of advantage which they present. Among these may be mentioned their durability, their grace, symmetry and variety of design, and the beauty of the Pure White Gloss Finish of the Enamel.

All of the Lavatories shown on the following pages are made without any joint between the Bowl and the Body of the Lavatory, and many of them have the Slab and Back in one piece, without any crack or joint. The Enamel is smooth and non-absorbent, and is fully guaranteed against crazing or cracking.

Attention is also called to the concealed Wall Hanger furnished with many of the styles of Enameled Lavatories. This Fixture does away with the necessity for Brackets or Legs to support the Lavatory, and gives the outfit a neat and handsome appearance.

In the various subdivisions of this catalogue we illustrate Porcelain Enameled Ware in a great variety of Fixtures, including Bath Tubs, Water Closets, Urinals, Water Closet and Urinal Ranges, Kitchen and Slop Sinks, Laundry Tubs, etc. To all of these lines the same points of advantage apply—durability, beauty and sanitary efficiency.



FIG. H-1175

**FIG. H-1175
PORCELA**

In cleaning Enameled Iron Lavatories, Baths, etc., acids, sand soap, or gritty substances must not be used, as they rapidly destroy the smooth, glossy surface of the Enamel. Where soap and warm water, or a weak solution of ammonia in water, do not produce the desired results we recommend Porcelina, which is manufactured especially for cleaning Porcelain Enameled Ware.

Put up in convenient ½ pound packages, with Removable Cover and Perforated Top.

Per box15

FIG. H-1176

BATH TUB ENAMEL

This is prepared specially for resisting the action of Hot and Cold Water, Steam or Moisture of any form, producing a hard, smooth Enamel Finish on Bath Tubs, Foot Baths, Sinks, etc.

¼ Pint Cans, each25
½ Pint Cans, each45
Pint Cans, each75
Quart Cans, each	1.40



FIG. H-1176

PORCELAIN ENAMELED LAVATORY



FIG. H-1177

Porcelain Enameled "Copley" Design Lavatory, with Slab, Bowl and Apron all in one piece, Porcelain Enameled all over Pedestal, Nickel-plated Fuller Combination Supply and Waste Fitting with China Index Waste and China Handles, Unique Trap with Waste and Vent, and Supply Pipes to Wall.

50.00

DIMENSIONS

Slab, 18 x 27 inches.

Bowl, 11 x 15 inches.

Slab, 22 x 33 inches.

Bowl, 13 x 18 inches.

Size, inches.....	18 x 27	22 x 33
Enameled, all over, as described.....	\$50.00	55.50
Enameled all over, with Fuller Combination Supply and Waste Fitting only, less Supply Pipes and Trap.....	42.50	48.00
Enameled all over, Slab and Pedestal only (no Fittings or Supplies of any kind).....	26.00	31.50

PORCELAIN ENAMELED LAVATORY




FIG. H-1179

Porcelain Enameled "Lenox" Design Lavatory, with Slab, Bowl and Apron all in one piece, Nickel-plated "Hexagon" Pattern Legs, with Wall Supports, Nickel-plated Fuller Faucets with China Handles and Indexes, Supply Pipes with Globe Air Chambers and Compression Stops with China Indexes, Imperial Waste with China Index, and Unique Trap with Waste and Vent to Wall.

NOTE.—This Lavatory is designed for use on marble or tile wainscoting, the Wall Supports being fitted to allow a space between Wall and rear Apron.

DIMENSIONS

Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.
Slab, 20 x 26 inches.	Bowl, 12 x 15 inches.
Slab, 22 x 27 inches.	Bowl, 13 x 17 inches.
Slab, 22 x 30 inches.	Bowl, 13½ x 19 inches.

Size, inches.....	20 x 24	20 x 26	22 x 27	22 x 30
Enameled all over, as described.....	\$18.00	49.00	52.50	55.00
Enameled all over, with Imperial Waste only, less Faucets, Supply Pipes and Trap....	30.00	31.00	34.50	37.00
If with Enameled Brackets, instead of Nickel-plated Legs, deduct, \$10.00				

PORCELAIN ENAMELED LAVATORY




FIG. H-1180

Porcelain Enameled "Ophir" Design Lavatory. with Slab, Apron, Bowl and Back all in one piece, Nickel-plated "Hexagon" Pattern Legs, Fuller Faucets with China Handles and Indexes, Supply Pipes with Globe Air Chambers, and Compression Stops with China Indexes, Imperial Waste with China Index, and Unique Trap with Waste and Vent to Wall.

NOTE.—In addition to Nickel-plated Legs, this Lavatory is supported by Concealed Wall Hanger.

DIMENSIONS

Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches.....	20 x 24	22 x 27
Enameled all over, as described.....	\$53.25	57.50
Enameled all over, with Imperial Waste only, less Faucets, Supply Pipes and Trap.....	35.25	39.50
Enameled Exterior only, with Concealed Wall Hanger, and Imperial Waste, less N. P. Legs, Faucets, Supply Pipes and Trap.....	22.00	25.50

Can be furnished with "D" Pattern Bowl, if desired. Specify when ordering.

PORCELAIN ENAMELED LAVATORY




FIG. H-1181

Porcelain Enameled "Vera" Design Lavatory, with Slab, Apron, Bowl and Back all in one piece, Nickel-plated Legs, Nickel-plated Fuller Combination Supply and Waste Fittings with Globe Air Chambers and Compression Stops, with China Indexes, Unique Trap with Waste and Vent to Wall.

DIMENSIONS

Width, 24 inches. Length, 33 inches.
 Height of Back, 13½ inches. Apron, 5 inches.
 "D" Pattern Bowl, 15 x 19 inches.

Enameled all over, as described	\$68.00
Enameled all over, with Fuller Combination Supply and Waste Fittings only, less Supply Pipes and Trap	55.00
Enameled Exterior, as described	64.00
Enameled Exterior, with Fuller Combination Supply and Waste Fittings only, less Supply Pipes and Trap	51.00

PORCELAIN ENAMELED LAVATORY




FIG. H-1182

Porcelain Enameled "Ophir" Design Lavatory. with Slab, Apron, Oval Bowl, Overflow and Back all in one piece, with Concealed Wall Hanger, Nickel-plated Fuller Faucets with China Indexes, Supply Pipes with Compression Stops, Keystone Waste, and Globe Trap, with Waste and Vent to Wall.

This Lavatory is supported by Concealed Wall Hanger instead of Brackets.

DIMENSIONS

Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 10 inches.
Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches	18 x 24	20 x 24	22 x 27
Enameled all over, as described	\$35.00	38.75	43.00
Enameled all over, with Keystone Waste only, less Faucets, Supply Pipes and Trap	19.50	23.25	27.50
Enameled Exterior, as described	33.00	36.50	40.00
Enameled Exterior, with Keystone Waste only, less Faucets, Supply Pipes and Trap	17.50	21.00	24.50
If with Enameled Brackets, instead of Concealed Wall Hanger, add per pair			\$1.00

PORCELAIN ENAMELED LAVATORY




FIG. H-1183

Porcelain Enameled "Ophir" Design Lavatory, with Slab, Apron, "D" Pattern Bowl, Overflow and Back all in one piece, with Concealed Wall Hanger, Nickel-plated Fuller Faucets with China Indexes, Supply Pipes with Compression Stops, Improved Empire Lift Waste, and Globe Trap, with Waste and Vent to Wall.

This Lavatory is supported by Concealed Wall Hanger instead of Brackets.

DIMENSIONS

Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 10 inches.
Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches	18 x 24	20 x 24	22 x 27
Enameled all over as described	\$35.00	38.75	43.00
Enameled all over, with Empire Waste, less Faucets, Supply Pipes and Trap	19.50	23.25	27.50
Enameled Exterior, as described	33.00	36.50	40.00
Enameled Exterior, with Empire Waste, less Faucets, Supply Pipes and Trap	17.50	21.00	24.50
If with Enameled Brackets instead of Concealed Wall Hanger, add per pair			\$1.00

PORCELAIN ENAMELED LAVATORY



FIG. H-1184

Porcelain Enameled "Ophir" Design Lavatory, with Slab, Apron, "D" Pattern Bowl, Overflow, and Back all in one piece, Enameled Brackets, Nickel-plated Waste Plug, Rubber Stopper, Chain Stay and Chain, Fuller Faucets, Supply Pipes with Compression Stops, and "P" Trap with Waste and Vent to Wall.

DIMENSIONS

Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 10 inches.
Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches	18 x 24	20 x 24	22 x 27
Enameled all over, as described	\$29.50	33.25	37.50
Enameled all over, less Faucets, Supply Pipes and Trap	17.00	20.75	25.00
Enameled Exterior, as described	27.50	31.00	34.50
Enameled Exterior, less Faucets, Supply Pipes and Trap	15.00	18.50	22.00
If with Concealed Wall Hanger, instead of Enameled Brackets,			
deduct, per pair			\$1.00

PORCELAIN ENAMELED LAVATORY




FIG. H-1185

Porcelain Enameled "Argus" Design Lavatory, with Slab, Apron, Bowl, Overflow, Back and Right or Left End all in one piece, Enameled Bracket, Nickel-plated Waste Plug, Rubber Stopper, Chain Stay and Chain, Low Pattern Compression Faucets, with China Indexes, Supply Pipes, and Unique Trap with Waste and Vent to Wall.

DIMENSIONS

Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 10 inches.
Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Sizes, inches	18 x 24	20 x 24	22 x 27
Enameled all over, as described	\$31.00	35.25	40.50
Enameled all over, less Faucets, Supply Pipes and Trap	20.50	24.75	30.00
Enameled Exterior, as described	29.00	33.00	37.50
Enameled Exterior, less Faucets, Supply Pipes and Trap	18.50	22.50	27.00
If with Concealed Wall Hanger, instead of Enameled Bracket, deduct			.50

When ordering, specify if for Right or Left Corner. Will be furnished as shown unless otherwise specified.

**PORCELAIN
ENAMELED
LAVATORIES**



FIG. H-1186

Enameled all over, as described.....	\$22.50
Enameled all over, less Faucets, Supply Pipes and Trap.....	12.75
Enameled Exterior, as described.....	20.50
Enameled Exterior, less Faucets, Supply Pipes and Trap.....	10.75

Porcelain Enameled "Anglo" Design Lavatory, with Slab, "D" Pattern Bowl, Overflow, Apron and Back all in one piece, with Concealed Wall Hangers, Nickel-plated Fuller Pattern Faucets, with China Handles, Indexes and Unions, Waste Plug, Coupling and Rubber Stopper, Supply Pipes, and "P" Trap, with Waste and Vent to Wall.

DIMENSIONS

Length on Side, 19 inches.
Bowl, 11 x 15 inches.
Height of Back, 8 inches.

Porcelain Enameled "Athena" Design Lavatory with Slab, "D" Pattern Bowl, Overflow, Back and Apron all in one piece, with Concealed Wall Hangers, Nickel-plated Waste Plug, Coupling and Rubber Stopper, Fuller Pattern Faucets, Supply Pipes, and "P" Trap, with Waste and Vent to Wall.

DIMENSIONS

Length on Side, 20 inches.
Bowl, 12 x 15 inches.
Height of Back, 10 inches.




FIG. H-1187

Enameled all over, as described.....	\$23.50
Enameled all over, less Faucets, Supply Pipes and Trap.....	15.50
Enameled Exterior, as described.....	21.50
Enameled Exterior, less Faucets, Supply Pipes and Trap.....	13.50

PORCELAIN ENAMELED LAVATORY




FIG. H-1189

Porcelain Enameled Nassau Design Lavatory, with Slab, Bowl, Overflow and Back all in one piece, with Brackets, Nickel-plated Waste Plug, Coupling, Chain Stay, Chain and Rubber Stopper, Fuller Pattern Faucets, Supply Pipes, and "P" Trap, with Waste and Vent to Wall.

DIMENSIONS

Slab, 16 x 20 inches.	Bowl, 11 x 14 inches.	Height of Back, 10 inches.
Slab, 18 x 20 inches.	Bowl, 11 x 14 inches.	Height of Back, 10 inches.
Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Height of Back, 10 inches.
Slab, 20 x 24 inches.	Bowl, 12 x 15 inches.	Height of Back, 10 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Height of Back, 10 inches.

Size, inches -----	16 x 20	18 x 20	18 x 24	20 x 24	22 x 27
Enameled all over, as described -----	\$20.50	21.25	23.50	24.50	28.00
Enameled all over, less Faucets, Supply Pipes and Trap -----	12.50	13.25	15.50	16.50	20.00
Enameled Inside, as described -----	18.00	18.50	20.50	21.50	25.00
Enameled Inside, less Faucets, Supply Pipes and Trap -----	10.00	10.50	12.50	13.50	17.00

If with Concealed Wall Hangers instead of Brackets, deduct per pair .50

If with Keystone Waste, add to above list ----- \$3.50

PORCELAIN ENAMELED LAVATORIES



FIG. H-1190

FIG. H-1190

**PORCELAIN ENAMELED
"BEVERLY" DESIGN
LAVATORY**

With Slab, "D" Pattern Bowl, Overflow and Back all in one piece, with Brackets, Nickel-plated Waste Plug, Coupling and Rubber Stopper, Fuller Pattern Faucets, Supply Pipes and "P" Trap, with Waste and Vent to Wall.

DIMENSIONS

Length, 21 inches.
Bowl, 12 x 15 inches.
Depth, 18 inches.
Height of Back, 8 inches.

Enameled all over, as described	\$18.50
Enameled all over, less Faucets, Supply Pipes and Trap	10.50
Enameled Inside, as described	15.75
Enameled Inside, less Faucets, Supply Pipes and Trap	7.75
If without Brackets, but with Concealed Wall Hanger, deduct per pair	.50

FIG. H-1191

**PORCELAIN ENAMELED
"ORTHO" DESIGN
LAVATORY**

With Slab, "D" Pattern Bowl, Back and Overflow all in one piece, with Brackets, Nickel-plated Fuller Pattern Faucets, Waste Plug, Coupling and Rubber Stopper, Nickel-plated Supply Pipes, and "P" Trap with Waste and Vent to Wall.

DIMENSIONS

Slab, 19 x 24 inches.
Bowl, 12 x 15 inches.
Height of Back, 10 inches.

Enameled all over, as described	\$24.25
Enameled all over, less Faucets, Supply Pipes and Trap	14.25
Enameled Inside, as described	21.50
Enameled Inside, less Faucets, Supply Pipes and Trap	11.50
If with Concealed Wall Hanger, instead of Brackets, deduct per pair	.50



FIG. H-1191

PORCELAIN ENAMELED LAVATORIES



FIG. H-1192

FIG. H-1192

PORCELAIN ENAMELED "EVERETT" DESIGN LAVATORY

With Slab, "D" Pattern Bowl, Overflow and Back all in one piece, with Concealed Wall Hangers, Nickel-plated Waste Plug, Coupling and Rubber Stopper, Fuller Pattern Faucets, Supply Pipes and "P" Trap, with Waste and Vent to Wall.

DIMENSIONS

Length on Side, 19 inches.
Height of Back, 8 inches.
Bowl, 11 x 15 inches.

Enameled all over, as described.....	\$18.25
Enameled all over, less Faucets.....	
Supply Pipes and Trap.....	10.25
Enameled Inside, as described.....	16.25
Enameled Inside, less Faucets, Supply Pipes and Trap.....	8.25

FIG. H-1193

PORCELAIN ENAMELED "THALIA" DESIGN LAVATORY

With Slab, "D" Pattern Bowl, Overflow and Back all in one piece, with Concealed Wall Hangers, Nickel-plated Waste Plug, Coupling, and Rubber Stopper, Fuller Pattern Faucets with China Handles, Indexes and Unions, Supply Pipes and "P" Trap with Waste and Vent to Wall.

DIMENSIONS

Length on Side, 19 inches.
Height of Back, 6½ inches.
Bowl, 11 x 14 inches.

Enameled all over, as described.....	\$19.50
Enameled all over, less Faucets, Supply Pipes and Trap.....	9.75
Enameled Inside, as described.....	17.50
Enameled Inside, less Faucets, Supply Pipes and Trap.....	7.75



FIG. H-1193

PORCELAIN ENAMELED LAVATORIES




FIG. H-1194

FIG. H-1194

PORCELAIN ENAMELED
"CRESCENT" DESIGN
LAVATORY

With Slab, Bowl, Overflow and Back all in one piece, with Brackets, Nickel-plated Waste Plug, Coupling and Rubber Stopper, Compression Pattern Faucets, Supply Pipes and "P" Trap with Waste and Vent to Wall.

DIMENSIONS

- Width, 19 inches.
- Depth, 16 inches.
- Bowl, 11 x 14 inches.
- Height of Back, 6 inches.

Enameled all over, as described.....	\$17.00
Enameled all over, less Faucets, Supply Pipes and Trap.....	9.50
Enameled Inside, as described.....	14.50
Enameled Inside, less Faucets, Supply Pipes and Trap.....	7.00
It with Concealed Wall Hanger, instead of Brackets, deduct per pair..	.50

FIG. H-1195

PORCELAIN ENAMELED
"YALE" DESIGN
LAVATORY

With Slab, Bowl, Overflow and Back all in one piece, with Concealed Wall Hangers, Nickel-plated Waste Plug, Coupling and Rubber Stopper, Compression Pattern Faucets, Supply Pipes and "P" Trap with Waste and Vent to Wall.

DIMENSIONS

- Length on Side, 16½ inches.
- Height of Back, 6 inches.
- Bowl, 11 x 14 inches.

Enameled all over, as described.....	\$16.50
Enameled all over, less Faucets, Supply Pipes and Trap.....	9.00
Enameled Inside, as described.....	14.50
Enameled Inside, less Faucets, Supply Pipes and Trap.....	7.00



FIG. H-1195

PORCELAIN ENAMELED LAVATORIES



FIG. H-1196

FIG. H-1196

PORCELAIN ENAMELED "ALVA" DESIGN LAVATORY

With Slab, Bowl, Overflow and Back all in one piece, Nickel-plated Compression Faucets, Supply Pipes and "P" Trap.

DIMENSIONS

Length of Back, 14 inches.
 Bowl, 12 inches.
 Height of Back, 5 inches.

Enameled all over, as described	\$14.50
Enameled all over, less Faucets, Supply Pipes and Trap	6.00
Enameled Inside, as described	13.50
Enameled Inside, less Faucets, Supply Pipes and Trap	5.00

FIG. H-1197

PORCELAIN ENAMELED "AIDA" DESIGN LAVATORY

With Slab, Bowl, Overflow and Back all in one piece, Nickel-plated Compression Faucets, Supply Pipes and "P" Trap.

DIMENSIONS

Length of Side, 15 inches.
 Bowl, 12 inches.
 Height of Back, 5 inches.

Enameled all over, as described	\$14.50
Enameled all over, less Faucets, Supply Pipes and Trap	6.00
Enameled Inside, as described	13.50
Enameled Inside, less Faucets, Supply Pipes and Trap	5.00



FIG. H-1197

PORCELAIN ENAMELED LAVATORY




FIG. H-1198

Porcelain Enameled "Lenola" Design Sectional Lavatory, with Slab, Bowl, Overflow and Apron of each section all in one piece, separate Porcelain Enameled Backs, Brackets, Nickel-plated Union Strips, Waste Plugs, Couplings, Chain Stays, Chains and Rubber Stoppers, Nickel-plated Fuller Pattern Faucets, Supply Pipes, Continuous Waste and Vented "S" Trap.

DIMENSIONS

Slab, 16 x 20 inches.	Bowl, 11 x 14 inches.	Back, 12 inches.
Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.
Slab, 22 x 27 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches.....	16 x 20	18 x 24	22 x 27
Enameled all over, Three Section, as described.....	\$80.50	85.00	103.00
Enameled all over, Three Section, less Faucets, Supply Pipes, Waste and Trap.....	49.50	54.00	72.00
Enameled Exterior, Three Section, as described.....	73.00	77.50	95.50
Enameled Exterior, Three Section, less Faucets, Supply Pipes, Waste and Trap.....	42.00	46.50	64.50
Each additional section, Enameled all over, less Faucets, Supply Pipes, Waste and Trap.....	16.50	18.00	24.00
Each additional section, Enameled Exterior, less Faucets, Supply Pipes, Waste and Trap.....	14.00	15.50	21.50
Faucets, Supply Pipes and Waste for each additional section.....	9.25	9.25	9.25

PORCELAIN ENAMELED LAVATORY




FIG. H-1199

Porcelain Enameled "Omar" Design Sectional Lavatory, with Slab, Bowl and Overflow of each section all in one piece, Separate Porcelain Enameled Backs, Painted or Bronzed Brackets, Nickel-plated Union Strips, Waste Plugs, Couplings and Rubber Stoppers, Nickel-plated Doherty Pattern Self-closing Faucets, Supply Pipes, Continuous Waste and Vented "S" Trap.

DIMENSIONS

Slab, 16 x 20 inches.	Bowl, 11 x 14 inches.	Back, 12 inches.
Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Back, 12 inches.

Size, inches.....	16 x 20	18 x 24
Enameled all over, Four Section, as described	\$88.00	96.00
Enameled all over, Four Section, less Faucets, Supply Pipes, Waste and Trap.....	50.00	58.00
Enameled Inside, Four Section, as described	78.00	86.00
Enameled Inside, Four Section, less Faucets, Supply Pipes, Waste and Trap	40.00	48.00
Each additional section, Enameled all over, less Faucets, Supply Pipes, Waste and Trap.....	12.50	14.50
Each additional section, Enameled Inside, less Faucets, Supply Pipes, Waste and Trap.....	10.00	12.00
Faucets, Pipes and Waste for each additional section	8.75	8.75

PORCELAIN ENAMELED LAVATORY




FIG. H-1200

Porcelain Enameled "Delphi" Design Sectional Lavatory, with Slab, Bowl and Overflow of each section all in one piece, separate Porcelain Enameled Backs with Right or Left End Piece, Painted or Bronzed Brackets, Nickel-plated Waste Plugs, Couplings and Rubber Stoppers, Nickel-plated Union Strips, Fuller Pattern Faucets with Jewel Cups, Supply Pipes, Continuous Waste and Vented "S" Trap.

NOTE.—Will be furnished as shown with Right End unless otherwise ordered.

DIMENSIONS

Slab, 16 x 20 inches.	Bowl, 11 x 14 inches.	Height of Back, 12 inches.
Slab, 18 x 24 inches.	Bowl, 12 x 15 inches.	Height of Back, 12 inches.

Size, inches	16 x 20	18 x 24
Enameled all over, Two Section, as described	\$56.00	60.00
Enameled all over, Two Section, less Faucets, Supply Pipes, Waste and Trap	27.00	31.00
Enameled Inside, Two Section, as described	51.00	55.00
Enameled Inside, Two Section, less Faucets, Supply Pipes, Waste and Trap	22.00	26.00
Each additional section, Enameled all over, less Faucets, Supply Pipes, Waste and Trap	12.50	14.50
Each additional section, Enameled Inside, less Faucets, Supply Pipes, Waste and Trap	10.00	12.00
Faucets, Supply Pipes and Waste for each additional section	12.75	12.75

FACTORY WASH SINK




FIG. H-1201

Extra Heavy Painted Iron Factory Wash Sink, on Standards, fitted with $\frac{3}{4}$ inch Galvanized Supply Pipe and Painted Supports over center of Sink, $\frac{1}{2}$ inch Compression Bibbs, Soap Cups with Perforated Bottoms, Standing Overflow, 2 inch Painted Cast Iron "S" Trap, with Brass Trap Screw.

NOTE.—Trap can be furnished with Hub Vent, at same price, if desired.

Size, inches.

60 x 24 x 6, less Bibbs and Stop.....	\$25.75
72 x 24 x 6, less Bibbs and Stop.....	29.00
84 x 24 x 6, less Bibbs and Stop.....	33.25
96 x 24 x 6, less Bibbs and Stop.....	35.50
108 x 24 x 6, less Bibbs and Stop.....	38.00
120 x 24 x 6, less Bibbs and Stop.....	41.00
Add for Finished Compression Bibbs, each.....	1.00
Add for Rough Brass Stop and Supply Pipe from floor to Sink, each..	1.50

FACTORY WASH SINK




FIG. H-1202

Extra Heavy Painted Iron Factory Wash Sink, on Standards, fitted with $\frac{3}{4}$ inch Galvanized Supply Pipe and Painted Supports over side of Sink, $\frac{1}{2}$ inch Compression Bibbs, Soap Cups with Perforated Bottoms, Standing Overflow, 2 inch Painted Cast Iron "S" Trap, with Brass Trap Screw.

NOTE.—Trap can be furnished with Hub Vent, at same price, if desired.

Size, inches.

60 x 20 x 6, less Bibbs and Stop	\$23.00
60 x 24 x 6, less Bibbs and Stop	25.00
72 x 20 x 6, less Bibbs and Stop	26.25
72 x 24 x 6, less Bibbs and Stop	28.25
84 x 24 x 6, less Bibbs and Stop	30.50
96 x 24 x 6, less Bibbs and Stop	34.50
108 x 24 x 6, less Bibbs and Stop	37.00
120 x 24 x 6, less Bibbs and Stop	40.00
Add for Finished Compression Bibbs, each	\$1.00
Add for Rough Brass Stop and Supply Pipe from Floor to Sink	1.50

SOLID PORCELAIN DRINKING FOUNTAINS

SINGLE



FIG. H-1203

Solid Porcelain Roll-Rim Single Drinking Fountain.

List, Drinking Fountain only, "A" Quality.....	\$12.00
List, Drinking Fountain only, "B" Quality.....	8.40
List, Nickel-plated Outlet Fitting, less Trap.....	\$6.00
List, Nickel-plated Trap, 1¼ inches.....	4.00
List, Nickel-plated Brackets, per pair.....	5.00

SINGLE



FIG. H-1204

Solid Porcelain Roll-Rim Single Drinking Fountain.

List, "A" Quality, as shown.....	\$14.00
List, "B" Quality, as shown.....	9.80

PORCELAIN ENAMELED DRINKING FOUNTAINS

FIG. H-1205

**PORCELAIN ENAMELED
"ALCOVE" DESIGN
DRINKING FOUNTAIN**

With Nickel-plated Boston Pattern Self-closing Faucet, Open Strainer and Waste Connection to Wall.

For use in Office Buildings, Schools, Public Institutions, Hotels, etc.

DIMENSIONS

Height, 22 inches.
Width, 12³/₄ inches.
Recess in Wall, 3¹/₂ inches.
Front to Back, 10¹/₂ inches.

Enameled all over, as described	\$12.00
Enameled all over, less Faucet	10.00



FIG. H-1205

FIG. H-1206

**PORCELAIN ENAMELED
FLAT BACK DRINKING
FOUNTAIN**

With Concealed Wall Hanger, and Nickel-plated Boston Pattern Self-closing Faucet, Open Strainer and Waste Connection to Wall.

DIMENSIONS

Height, 22 inches.
Width, 12¹/₂ inches.
Depth, Front to Back, 9 inches.

Enameled all over, as described	\$10.00
Enameled all over, less Faucet	8.00



FIG. H-1206

PORCELAIN ENAMELED DRINKING FOUNTAIN



FIG. H-1207

Porcelain Enameled "Artesian" Design Drinking Fountain with Nickel-plated Water Jet Cup.

For use in Schools, Public Institutions and all places where Drinking Cups would not be considered Sanitary.

DIMENSIONS

Outside Diameter of Bowl, 13½ inches.

Depth of Bowl, 4 inches.

Size, Height, inches	30	36
Enameled all over, as described, less Supply and Waste Pipes	\$18.00	20.00
Enameled Inside, Exterior of Basin and Pedestal Painted as described, less Supply and Waste Pipes	13.00	15.00
If with Galvanized Supply and Waste Pipes, add	\$2.50	

DRINKING CUP FOR FOUNTAIN



FIG. H-1208

NICKEL-PLATED BRASS "BUBBLE" DRINKING CUP FOR DRINKING FOUNTAIN

It is suitable for public places, such as Schools, Public Institutions, Factories, Railroad Depots and Public Parks.

It dispenses with the old, rusty tin cup, dipper or glass.

It prevents the spread of contagious diseases, as the person using it drinks from the flowing water.

It is so constructed that the lips of the person using it do not come in contact with the metal. The water touched by the person drinking, immediately flows into the Waste Pipe, and cannot be touched by any other person.

Threaded for ¼ inch Iron Pipe Connection, each \$1.00

PORCELAIN ENAMELED BASINS

ROUND BASIN—COMMON OVERFLOW



FIG. H-1209

Porcelain Enameled Round Basins, with Common Overflow, Nickel-plated Waste Plug, Coupling and Rubber Stopper.

DIMENSIONS			
Number	1	2	3
Inside Diameter of Bowl, inches	10	12	14
Number	1	2	3
Size, inches	12	14	16
Enameled all over, as described	\$2.75	3.00	3.50
Enameled Inside, as described	1.75	2.00	2.50

ROUND BASIN—PATENT OVERFLOW



FIG. H-1210

Porcelain Enameled Round Basins, with Patent Overflow, Nickel-plated Waste Plug, Coupling and Rubber Stopper.

DIMENSIONS			
Number	1	2	3
Inside Diameter of Bowl, inches	10	12	14
Number	1	2	3
Size, inches	12	14	16
Enameled all over, as described	\$3.00	3.25	4.00
Enameled Inside, as described	2.00	2.25	3.00

PORCELAIN ENAMELED BASINS

OVAL BASIN—NO OVERFLOW



FIG. H-1211

Porcelain Enameled Oval Basins, with Nickel-plated Waste Plug, Coupling and Rubber Stopper.

DIMENSIONS		
Number	1	2
Inside, inches.....	12 x 15	13 x 17
<hr/>		
Number	1	2
Size (Outside), inches.....	14 x 17	15 x 19
Enameled all over	\$3.50	\$4.00
Enameled Inside.....	2.50	3.00

OVAL BASIN—OVERFLOW



FIG. H-1212

Porcelain Enameled Oval Basins, with Overflow, Nickel-plated Strainer, Waste Plug, Coupling and Rubber Stopper.

DIMENSIONS		
Number	1	2
Inside, inches.....	12 x 15	13 x 17
<hr/>		
Number	1	2
Size (Outside), inches.....	14 x 17	15 x 19
Enameled all over	\$4.00	\$4.25
Enameled Inside.....	3.00	3.25

MARBLE LAVATORY




FIG. H-1213

ITALIAN MARBLE LAVATORY

1½ inch Countersunk Italian Marble Slab, 30 x 22 inches, with 12 inch Back and 5 inch Aprons, 15 x 19 inch Vitreous China Oval No Overflow Basin, Nickel-plated Heavy Brass Offset Legs and Apron Holders, Fuller Combination Nozzle Supply and Waste Fixture with Nickel-plated ¾ inch Iron Pipe Size Supply Pipes, "Eclipse" Trap with Vent and Waste to Floor.

Price, complete, as described \$50.00

MARBLE LAVATORY




FIG. H-1214

ITALIAN MARBLE LAVATORY

1 $\frac{1}{4}$ inch Countersunk Italian Marble Slab, 30 x 22 inch, with 12 inch Back, 15 x 19 Vitreous China Oval No Overflow Basin, No. 5 Brass Brackets, No. 2 Fuller Faucets, Nickel-plated $\frac{3}{8}$ inch Supply Pipes, Nickel-plated "Unique" Waste, Index China Top, 1 $\frac{1}{4}$ inch "S" Trap with Waste to Floor.

Price, complete, as described	\$27.00
Same, with 30 x 20 inch Slab, with 10 inch Back and 14 x 17 inch Basin.....	25.00

MARBLE LAVATORY



FIG. H-1215

ITALIAN MARBLE LAVATORY

1¼ inch Countersunk Italian Marble Slab, 24 x 20 inch, with 8 inch Back, 14 x 17 inch Vitreous China Oval P. O. Basin, 16 x 18 inch Nickel-plated Steel Brackets, Nickel-plated Compression Faucets, ⅜ inch Nickel-plated Supply Pipes, Chain and Stay, and 1¼ inch Nickel-plated "S" Trap and Waste to Floor.

Price, complete, as described	\$15.50
Same, with 20 x 28 inch Slab	16.50
Same, with 30 x 20 inch Slab	17.00
For 14 inch Round Basin, deduct	\$1.25

MARBLE LAVATORY




FIG. H-1216

ITALIAN MARBLE LAVATORY

1 $\frac{1}{4}$ inch Countersunk Italian Marble Corner Slab, 22 x 22 inch, with 8 inch Backs. 14 x 17 inch Vitreous China Oval P. O. Basin, Nickel-plated Compression Faucets. $\frac{3}{8}$ inch Nickel-plated Supply Pipes. Chain and Stay. 1 $\frac{1}{4}$ inch Nickel-plated "S" Trap and Waste to Floor.

Price, complete, as described	\$16.00
Same, with 14 inch Round Basin	14.75
* Same, with 20 x 20 x 8 inch Slab, 14 inch Bowl	14.00

MARBLE CLOSET FLOOR SLABS




FIG. H-1217

- No. 1. 24 inches wide x 27 inches deep, cut for Closets roughing in from 11½ to 13½ inches.
- No. 2. 24 inches wide x 27 inches deep, cut for Closets roughing in from 14 to 16 inches.
- No. 3. 24 inches wide x 30 inches deep, cut for Closets roughing in from 11½ to 13½ inches.
- No. 5. 24 inches wide x 27 inches deep, cut for Closets roughing in from 10 to 10½ inches.

The roughing in measurements given are based on the Slab extending under Wainscoting a distance of ½ inch.

Our Floor Slabs are countersunk as shown, making them suitable for use with any Pattern of Closet. The Opening for Closet is cut oblong, allowing for a variation in the distance from center of Soil Pipe to Wall. They may be furnished in Italian, American, Tennessee or other fancy marbles. Net prices per square foot on application. Order by number.

MARBLE LAVATORY SLABS

TABLE OF DIMENSIONS

SQUARE MARBLE SLAB WITH BACK

Height of Back, inches					Add for Aprons.	
	8	10	12	15	5	6
Size, *24 x 20'', Contents	5' 5''	5' 10''	6' 2''	6' 8''	2' 10''	3' 4''
Size, *28 x 20'', Contents	6' 3''	6' 8''	7' 1''	7' 9''	3' 0''	3' 6''
Size, *30 x 20'', Contents	6' 8''	7' 2''	7' 7''	8' 3''	3' 1''	3' 7''
Size, 30 x 21'', Contents	6' 11''	7' 4''	7' 9''	8' 5''	3' 2''	3' 8''
Size, 30 x 22'', Contents	7' 1''	7' 7''	8' 0''	8' 8''	3' 3''	3' 10''
Size, 33 x 22'', Contents	7' 9''	8' 3''	8' 9''	9' 6''	3' 6''	3' 11''
Size, 36 x 22'', Contents	8' 5''	9' 0''	9' 6''	10' 4''	3' 7''	4' 1''

SQUARE MARBLE SLAB WITH BACK AND RIGHT OR LEFT END

Height of Back, inches					Add for Aprons.	
	8	10	12	15	5	6
Size, *24 x 20'', Contents	6' 6''	7' 2''	7' 10''	8' 6''	2' 0''	2' 6''
Size, *28 x 20'', Contents	7' 4''	8' 1''	8' 9''	9' 5''	2' 2''	2' 8''
Size, *30 x 20'', Contents	7' 9''	8' 6''	9' 3''	10' 0''	2' 3''	2' 9''
Size, 30 x 21'', Contents	8' 1''	8' 9''	9' 6''	10' 3''	2' 3''	2' 9''
Size, 30 x 22'', Contents	8' 4''	9' 1''	9' 10''	10' 6''	2' 4''	3' 0''

CORNER MARBLE SLAB WITH TWO BACKS

Height of Back, inches			
	8	10	12
Size, *20 x 20'', Contents	5' 8''	6' 3''	6' 10''
Size, *22 x 22'', Contents	6' 7''	7' 2''	7' 10''
Size, 24 x 24'', Contents	7' 6''	8' 2''	8' 10''
Size, 26 x 26'', Contents	8' 5''	9' 2''	9' 11''

The above tables give the sizes of Marble Lavatory Slabs usually sold, with the number of square feet in each when Slab is 1¼ inch thick. For contents of 1¼ inch Slabs of other sizes, and of 1½ inch and thicker Slabs of all sizes, see table on page 404.

Marble Slabs are countersunk, with moulded edges, and backs are 7/8 inch thick with square edges. Fancy mouldings on Slabs or backs are extra. Prices on application.

Slabs of the sizes marked (*), when 1¼ inch thick, with backs 8 inches or higher, and cut for Round or Oval Patent Overflow Basins with two Cocks, are known as "stock sizes." Slabs cut for all other styles of Basins, or for Combination Cocks, or with corners rounded over 1 inch radius, and all Slabs of sizes not marked (*), are "special."

Above Slabs may be furnished in Italian, American, Tennessee or other fancy marbles. Net prices per square foot on application.

CONTENTS OF MARBLE AND SLATE SLABS

From the subjoined table may be computed the superficial contents of Slabs from 6 x 12 inches to 47 x 56 inches, the figures in the upper line showing the widths and those in the vertical column showing the lengths. Marble less than 8 inches wide, and slate less than 6 inches wide, to be calculated as 8 and 6 inches wide respectively.

In calculating contents of Marble Slabs, add for each finished edge 1 inch on Slabs up to 1 1/4 inches thick, and 2 inches on Slabs 1 1/2 inches or thicker; Slate Slabs are calculated actual size, without additions.

For example—To ascertain the contents of a 1 1/4 inch marble Slab 30 x 24 inches, with back 8 inches high, add one inch for each finished edge, making the Slab 32 x 25 inches, and size of back 32 x 9 inches. Find in side column the length, 32 inches, and in upper line the width, 25 inches. To the right of the 32 inch, and below the 25 inch size, will be found the contents of the Slab, 5 feet 7 inches. In the same manner find contents of back, 2 feet. Total, 7 feet 7 inches. Find contents of ends in same manner.

Length Inches.	WIDTH IN INCHES.																																		
	6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		
	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	
12	6		7		8		9		10		11		1		2		1		2		1		2		1		2		1		2		1		2
13	7		8		9		10		11		1		1		1		1		1		1		1		1		1		1		1		1		1
14	7		9		10		11		1		1		1		1		1		1		1		1		1		1		1		1		1		1
15	8		9		10		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
16	8		10		11		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
17	9		10		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
18	9		11		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
19	10		11		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
20	10		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
21	11		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
22	11		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
23	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
24	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
25	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
26	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
27	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
28	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
29	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
30	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
31	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
32	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
33	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
34	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
35	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
36	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
37	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
38	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
39	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
40	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
41	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
42	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
43	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
44	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
45	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
46	1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1
47	2		2		2		2		2		2		2		2		2		2		2		2		2		2		2		2		2		2

Length Inches.	WIDTH IN INCHES.																																		
	23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		
	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	ft	in	
23	3		8																																
24	3		10		4		2		4		4		4		8		4		8		4		11		5		3		3		5		5		5
25	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
26	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
27	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
28	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
29	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
30	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
31	4		4		4		4		4		8		4		8		5		1		5		3		3		3		3		3		3		3
32	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
33	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
34	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
35	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
36	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
37	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
38	5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5
39	6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6
40	6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6
41	6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6
42	6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6

Add one inch for each Finished Edge.

SYPHON EDUCATION RANGE CLOSET




FIG. H-1218

Automatic Syphon Education Range Closets, with Syphon Education Copper-lined Wood Tank, Galvanized Iron Flush Pipe, Hinged Oak Seats with Iron Reinforcements, and Painted Iron Partitions.

Number of Seats.	With 24 inch Seats.		With 27 inch Seats.		With 30 inch Seats	
	Painted.	Enameled.	Painted.	Enameled.	Painted.	Enameled.
3	\$94.25	\$107.50	\$97.75	\$112.25	\$100.75	\$119.00
4	112.00	128.50	116.00	134.50	121.75	142.00
5	132.00	152.00	137.50	159.50	144.25	168.75
6	151.00	174.25	157.25	183.50	164.75	193.50
7	170.75	197.50	178.00	208.00	186.25	219.75
8	189.00	219.00	197.50	231.25	206.50	244.00
9	208.50	242.25	219.25	257.00	229.75	271.75
10	227.50	264.50	240.25	280.75	252.25	298.00
11	247.50	287.25	261.50	305.75	275.25	325.00
12	267.25	310.00	282.25	330.50	296.25	350.50
13	287.75	333.75	303.75	355.50	-----	-----
14	307.25	357.00	-----	-----	-----	-----
15	327.50	380.75	-----	-----	-----	-----

For Enameled Seats, add \$2.25 to the List for each.

If Seats are wanted Stationary instead of Hinged, deduct 50 cents, List, each.

If Seat Covers are wanted, add \$1.00 List, each.

If with Painted Cast Iron Backs, at following additional:

24 inch Backs, \$6.50, List, each; 27 inch Backs, \$7.50, List, each; 30 inch Backs, \$8.50, List, each.

Painted Cast Iron Tanks can be furnished if desired, without extra charge.

Lead-lined Tanks can be furnished to order. Prices on application. Can be furnished with 5 x 2 inch Vent Connection on each section for Sheet Iron Vent Pipe, or tapped for 2 inch Iron Pipe Vent. For either style of Vent, add \$1.50, List, each. Unless otherwise ordered, Range with Enameled Interior, 24 inch Seats and Outlet at Right End, as shown, will be sent.

SYPHON EDUCATION RANGE CLOSET




FIG. H-1219

Automatic Syphon Education Range Closets, with Syphon Education Copper-lined Wood Tank, Galvanized Iron Flush Pipe and Hinged Oak Seats with Iron Reinforcements.

Number of Seats	With 24 inch Seats		With 27 inch Seats		With 30 inch Seats	
	Painted	Enameled	Painted	Enameled	Painted	Enameled
3	\$68.25	\$81.50	\$71.75	\$86.25	\$74.75	\$93.00
4	79.50	96.00	83.50	102.00	89.25	109.50
5	93.00	113.00	98.50	120.50	105.25	129.75
6	105.50	128.75	111.75	138.00	119.25	148.00
7	118.75	145.50	126.00	156.00	134.25	167.75
8	130.50	160.50	139.00	172.75	148.00	185.50
9	143.50	177.25	154.25	192.00	164.75	206.75
10	156.00	193.00	168.75	209.25	180.75	226.50
11	169.50	209.25	183.50	227.75	197.25	247.00
12	182.75	225.50	197.75	246.00	211.75	266.00
13	196.75	242.75	212.75	264.50	-----	-----
14	209.75	259.50	-----	-----	-----	-----
15	223.50	276.75	-----	-----	-----	-----

For Enameled Seats, add \$2.25 to the List for each.

If Seats are wanted Stationary instead of Hinged, deduct 50 cents List, each.

If Seat Covers are wanted, add \$1.00, List, each.

For Painted Cast Iron Partitions, add \$6.50 to the List for each.

If with Painted Cast Iron Backs at following additional:

24 inch Backs, \$6.50, List, each; 27 inch Backs, \$7.50, List, each; 30 inch Backs, \$8.50, List, each.

Painted Cast Iron Tanks can be furnished if desired, without extra charge.

Lead-lined Tanks can be furnished to order. Prices on application. Can be furnished with 5 x 2 inch Vent Connection on each Section for Sheet Iron Vent Pipe, or tapped for 2 inch Iron Pipe Vent. For either style of Vent, add \$1.50, List, each. Unless otherwise ordered, Range with Enameled Interior, 24 inch Seats and Outlet at Right End, as shown, will be sent.

SYPHON RANGE CLOSET




FIG. H-1220

Automatic Individual Bowl Syphon Range Closets, with Syphon Education Copper-lined Wood Tank, Galvanized Iron Flush Pipe and Brass Pipe and Union Couplings connected to the Flushing Rim of Bowls, and Hinged Oak Seats with Covers, and Painted Iron Partitions.

Number of Seats	With 24 inch Seats		With 27 inch Seats		With 30 inch Seats	
	Painted	Enameled	Painted	Enameled	Painted	Enameled
3	\$111.25	\$123.25	\$113.75	\$128.00	\$117.00	\$134.00
4	134.00	149.25	137.25	152.50	141.00	162.25
5	156.50	175.25	160.50	179.25	166.50	191.00
6	180.25	202.50	185.25	207.25	190.50	219.50
7	203.00	228.25	209.50	234.75	215.50	249.25
8	225.75	254.50	233.25	262.00	240.75	277.50

If with Painted Cast Iron Backs at following additional :

24 inch Backs, \$6.50, List, each; 27 inch Backs, \$7.50, List, each; 30 inch Backs, \$8.50, List, each.

If without Seat Covers, deduct \$1.00, List, each.

If 24 or 27 inch Seat Range is wanted with one 30 inch Seat with Private Enclosure (no Back) add to 24 inch Seat Painted or Enameled Ranges \$30.00 List; 27 inch Painted or Enameled, \$29.00 List; and for one Private Enclosure (no Back) on 30 inch Seat, Painted or Enameled Ranges, add \$28.00, List.

Painted Cast Iron Tanks can be furnished if desired without extra charge.

Lead-lined Tanks can be furnished to order. Prices on application.

Unless otherwise ordered, Range with Enameled Interior, 24 inch Seats and Outlet on Right End, as shown, will be sent.

SYPHON RANGE CLOSET




FIG. H-1221

Automatic Syphon Range Closets with Center Outlet, with Syphon Education Copper-lined Wood Tank, Galvanized Iron Flush Pipes, Hinged Oak Seats, with Iron Reinforcements, Oak Top Plate, Back Strip and Painted Iron Partitions. Perforated Washdown Pipes, fitted inside of Range (Brass on Enameled and Galvanized Iron on Painted Ranges).

Number of Seats.	With 24 inch Seats.		With 27 inch Seats.	
	Painted.	Enameled.	Painted.	Enameled.
2	\$95.50	\$106.50	\$97.25	\$109.00
3	117.00	130.75	119.50	134.75
4	138.25	155.50	141.75	160.25
5	162.75	183.00	167.50	189.25
6	187.00	210.25	192.25	217.25
7	211.75	237.75	217.50	246.00
8	234.75	263.75	242.00	273.75
9	257.75	290.00	267.50	302.75
10	281.75	317.00		

If with Painted Cast Iron Backs, at following additional: 24 inch Backs, \$6.50, List, each; 27 inch Backs, \$7.50, List, each; 30 inch Backs, \$8.50, List, each.

If Seat Covers are wanted, add, \$1.00, List, each.

If Enameled Iron Hinged Seats and Frame Strips are desired in place of Wood Frame and Seats, add \$5.00, List, each Seat, either size.

If Enameled Iron Top Plates with Hinged wood Seats and Covers are desired, instead of Wood Frame and Seats, add \$4.25, List, each Seat, either size.

If with Ventilating Extension for 14 inch Pipe, add to List \$6.00 for Painted and \$3.00 for Enameled Ranges, with Top Plates and Seats, as shown.

WASHOUT RANGE CLOSET




FIG. H-1222

Automatic Washout Range Closet, with Automatic Copper Lined Wood Tank, Galvanized Iron Flush Pipe, Hinged Oak Seats with Iron Reinforcements, Oak Top Plate and Back Strip. Perforated Washdown Pipes fitted inside of Range (Brass on Enameled and Galvanized Iron on Painted Ranges).

Number of Seats.	With 24 inch Seats.		With 27 inch Seats.		With 30 inch Seats.	
	Painted.	Enameled.	Painted.	Enameled.	Painted.	Enameled.
2	\$50.50	\$59.50	\$52.75	\$62.25	\$54.75	\$65.25
3	61.75	73.25	65.50	78.25	68.50	87.25
4	73.50	88.50	77.75	94.50	82.25	101.00
5	87.00	105.50	92.50	113.25	98.50	121.75
6	98.25	120.50	105.25	130.25	111.50	139.00
7	111.25	137.00	119.25	148.00	127.00	159.25
8	122.50	151.75	131.25	164.25	140.75	177.00
9	136.75	169.75	147.00	184.00	-----	-----
10	148.25	184.75	-----	-----	-----	-----

If with Painted Cast Iron Backs, at following additional:

24 inch Backs, \$6.00, List, each; 27 inch Backs, \$7.00, List, each; 30 inch Backs, \$8.00, List, each.

For Painted Cast Iron Partitions, add \$6.00 each to List.

If Seat Covers are wanted, add \$1.00, List, each.

Painted Cast Iron Tanks can be furnished if desired, without extra charge. Lead-lined Tanks can be furnished to order. Prices on application.

Unless otherwise ordered, Range with Enameled Interior, 24 inch Seats and Outlet on Right end, as shown, will be sent.

If with Ventilating Extension for 14 inch Pipe, add to Lists: Painted, \$6.00; Enameled, \$8.00.

SOLID PORCELAIN URINAL




FIG. H-1223

Solid Porcelain Urinals, High Tops, Porcelain Floor Slabs.

DIMENSIONS

Height from Floor to Top, over all, 4 feet 8 inches.

At Base, from Front to Rear, 19 inches.

At Top, from Front to Rear, 12 inches.

Measurements are subject to slight variations.

	"A"	"B"	"A"	"B"
List, one Urinal only, with Top, Front Piece and Floor Slab as shown.....	\$100.00	70.00	-----	-----
List, two Urinals only, with Tops, Front Pieces and Floor Slabs, as shown.....	-----	-----	175.00	122.50
List, for each additional Urinal, with Top, Front Piece and Floor-Slab, as shown.....	-----	-----	75.00	52.50
List, each, N. P. Flush Connection and Spreader.....	10.00	-----	-----	10.00
List, each, N. P. Strainer and Floor Flange.....	4.00	-----	-----	4.00

PORCELAIN ENAMELED PUBLIC URINAL




FIG. H-1224

Roll-Rim Public Urinal with Back on Brackets, with Brass Beehive Strainer, Perforated Flush Pipe (Brass on Enameled and Galvanized Iron on Painted Urinals), Loose Key Stop and Nickel-Plated Vented "P" Trap.

Length of Urinal, feet.	Painted, with Galvanized Washdown Pipe.	Enameled, with Brass Washdown Pipe.	Painted, without Trap, Washdown Pipe and Stop.	Enameled without Trap, Washdown Pipe and Stop.
2	\$17.25	\$21.25	\$8.00	\$10.50
2½	18.25	23.50	8.50	12.00
3	19.50	25.75	9.50	13.50
3½	21.00	28.00	10.50	15.00
4	22.25	30.25	11.50	16.50
5	25.00	36.25	13.50	21.00
6	28.25	42.75	16.00	26.00
7	31.50	49.25	18.50	31.00
8	34.75	55.75	21.00	36.00
9	38.00	62.25	23.50	41.00
10	41.25	68.75	26.00	46.00
12	47.75	81.75	31.00	56.00

If without Trap, deduct \$5.75 List.

Urinals over 5 feet in length are made in two or more pieces.

Can be furnished with Outlet on Left End, but will be sent as shown, unless otherwise ordered.

Waste Coupling for Lead Pipe is provided when Urinal is furnished without Trap. Special Length Urinals can be furnished. Prices on application.

SLATE AND MARBLE URINAL STALLS




FIG. H-1225

Includes Three Section Slate Urinal Stall, with 1 inch Slate Partitions and Rabbed Back, 2 inch Countersunk Base, Polished Brass Clamps and Bolts, Polished Brass Perforated Washdown Pipe with Loose Key Stop, and Gutter with Straight Outlet Connection.

DIMENSIONS

Height, 5 or $5\frac{1}{2}$ feet. Width from Center to Center of Partitions, 2 feet. Depth, 20 inches.

PRICES

Height, feet	5	$5\frac{1}{2}$
Three Stall Slate Urinal, complete as described	\$88.00	93.00
For each additional Stall (continuous), add	27.00	28.75
If only two Stalls are required, deduct for one Stall (from three Stall list)	27.00	28.75
One Single Stall, as above described	37.00	39.25

Can be furnished any special size to order on short notice.

ITALIAN MARBLE URINAL STALLS

Three Stall Italian Marble Urinal, with $\frac{1}{8}$ inch Partitions polished on both Sides, $\frac{3}{8}$ inch Rabbed Back polished on inside, and 2 inch Countersunk Base, fitted in same manner as described above, 24 inch Centers and 20 inches deep.

PRICES

Height, feet	5	$5\frac{1}{2}$
Three Stall Urinal	\$135.00	145.00
For each additional Stall (continuous), add	36.00	38.00
If only two Stalls are required, deduct for one Stall (from three Stall list)	36.00	38.00
One Single Stall, as above described	52.00	56.00

Will be sent with Outlet and Supply on Left Hand End, as shown, unless otherwise ordered. Can also be furnished with Outlet in Center or on Right Hand End, or with Bent Outlet. All parts are carefully fitted and adjusted in our factory before shipment.

NOTE.—When ordering, be particular to give location of Outlet and Supply; whether Right or Left Hand End, or with Outlet in Center.

SLATE URINAL STALL




FIG. H-1226

Represents a Long Single Urinal Stall (without center partitions), 1 inch Slate Ends and Backs with Rabbed Joints, 2 inch Countersunk Base, Polished Brass Wing and Bolts, Polished Brass $\frac{3}{4}$ inch Laving Pipe with Loose Key Stop, Slate Gutter with Straight Outlet Connection.

DIMENSIONS

Height, 5 or $5\frac{1}{2}$ feet. Depth, 20 inches.

Height, feet	5	$5\frac{1}{2}$
3 feet long over Stall, 20 inches deep	\$41.00	44.00
$3\frac{1}{2}$ feet long over Stall, 20 inches deep	45.00	48.00
4 feet long over Stall, 20 inches deep	49.00	56.00
$4\frac{1}{2}$ feet long over Stall, 20 inches deep	53.00	61.00
5 feet long over Stall, 20 inches deep	57.00	65.00
$5\frac{1}{2}$ feet long over Stall, 20 inches deep	61.00	69.00
6 feet long over Stall, 20 inches deep	65.00	73.00
$6\frac{1}{2}$ feet long over Stall, 20 inches deep	69.00	77.00
7 feet long over Stall, 20 inches deep	73.00	81.00
$7\frac{1}{2}$ feet long over Stall, 20 inches deep	77.00	85.00
8 feet long over Stall, 20 inches deep	81.00	89.00
$8\frac{1}{2}$ feet long over Stall, 20 inches deep	85.00	94.00
9 feet long over Stall, 20 inches deep	89.00	98.00
$9\frac{1}{2}$ feet long over Stall, 20 inches deep	93.00	102.00
10 feet long over Stall, 20 inches deep	97.00	-----

Can be made in any length desired. If desired this Stall may be fitted with Automatic Tank. Prices upon application.

This Urinal Stall is adapted for use in buildings of all kinds where Individual Stalls are not desired. It is guaranteed to be perfectly clean and sanitary, as the Floor is countersunk and sloped toward the gutter. The Back and Gutter is constantly being wet by an unlimited supply of water which can be easily regulated by the Loose Key Stop shown in cut.

PORCELAIN ENAMELED URINALS

FLAT-BACK-LIPPED



FIG. H-1227

Porcelain Enameled Flat Backed Lipped Urinals, with Inlet and Outlet Couplings, Size, 15 inches high, 13 inches wide.

Enameled all over, as described, each	\$12.00
Enameled Inside, as described, each	10.00

Can be furnished with Slip Joint Inlet Connection, if desired, at same price.

CORNER-LIPPED




FIG. H-1228

Porcelain Enameled Corner Lipped Urinals, with Inlet and Outlet Couplings, Size, 15 inches high, with Sides, including Lugs, extending 13½ inches along Wall.

Enameled all over, as described, each	\$12.00
Enameled Inside, as described, each	10.00

Can be furnished with Slip Joint Inlet Connection, if desired, at same price.

IRON CORNER URINAL



FIG. H-1229

Number	1	2	3
Length of sides, in.	7	9	12
Painted, each	.90	1.15	1.45
Enameled, each	\$1.75	2.25	2.75

Can be furnished without recess in corner at same price.

IRON FLAT-BACK URINAL



FIG. H-1230

Number	1	2
Width of Back, inches	12	15
Painted, each	\$1.15	1.50
Enameled, each	2.50	3.00

"RICHFIELD"



FIG. H-1231

**SYPHONIC
WASHDOWN
COMBINATION**

FIG. H-1232

Large, Plain, Vitreous China Washdown Syphonic Action Bowl, Plain Pattern Vitreous China Tank, Heavy N. P. Post Hinge, Full Saddle Quartered Oak Seat, with Brass Floor Flange, Bolts and Gasket.

Combination, complete as described.....\$45.00
Embossed Bowl, add \$1.00

Roughing-in Measurements — Wall to Center of Waste Outlet, 15 inches.

**SYPHON JET
COMBINATION**

FIG. H-1231

Large Embossed Design Vitreous Syphon Jet Bowl, large Embossed Design Vitreous China Tank, $\frac{3}{8}$ inch I. P. Size Supply, Heavy N. P. Post Hinge, Full Saddle Quartered Oak Seat, with Brass Floor Flange, Bolts and Gasket.

Combination, complete as described.....\$60.00
Plain Bowl, deduct \$1.00

Roughing-in Measurements — Wall to Center of Waste Outlet, 13 inches.

"DELAWARE"



FIG. H-1232

SYPHON JET COMBINATION

"NATURO"

No. 2



FIG. H-1233

"Naturo" Low Tank Syphon Jet Closet with Piano Polished Quartered Oak Round Corner Tank, Heavy Copper Lining, Quartered Oak Seat and Cover, Vitreous China Bowl, Nickel-plated Flush Pipes and Compression Stop on Supply.

As described.....	\$40.00
Add for genuine Mahogany Woodwork.....	\$5.00
Can be furnished in any desired Woodwork or Finish.	

U. T. K. SYPHON JET COMBINATION




FIG. H-1234

Large Vitreous China Syphon Jet Bowl, large Colonial Pattern Column Box Cover Tank, $\frac{3}{8}$ inch Iron Pipe Size Supply Pipe, Heavy Offset Hinge, $1\frac{1}{2}$ inch Full Saddle Seat, Panel Cover, Nickel-plated Brass Closet Screws and Nickel-plated Washers, Quartered Oak Finish.

Combination complete as described	\$45.00
Embossed Bowl, add.....	\$1.00
Brass Floor Flange, Bolts and Gasket, add50

Can be furnished in any desired Woodwork or Finish.

Roughing-in Measurements—Wall to Center of Waste Outlet, $14\frac{1}{4}$ inches.

SYPHON JET COMBINATION
"TRENTON"
NO. 11



FIG. H-1235

Large Vitreous China Syphon Jet Bowl, Fancy Column Tank, Pearl Top Push Button, Nickel-plated Tank Brackets, Heavy Nickel-plated Post Hinge, Saddle Seat, Semi-Panel Cover, $\frac{3}{8}$ inch Nickel-plated Supply Pipe, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$40.00
Quartered Oak or Cherry Finish, add	\$2.00
Embossed Bowl, add	1.00
Brass Floor Flange, Bolts and Gasket, add50

Can be furnished in any desired Woodwork or Finish.
 Roughing-in Measurements—Wall to Center of Waste Outlet, 13 inches.

SYPHON JET COMBINATION

"TRENTON"

NO. 10



V.S.V.

FIG. H-1236

Vitreous China Syphon Jet Bowl, Large Solid Square Tank, Top Moulding and Pearl Top Push Button, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$38.00
Quartered Oak or Cherry Finish, add	\$2.00
Embossed Bowl, add	1.00
Brass Floor Flange, Bolts and Gasket, add50

Can be furnished in any desired Woodwork or Finish.

Roughing-in Measurements—Wall to Center of Waste Outlet, 13 inches.

SYPHONIC WASHDOWN COMBINATION

"ONEIDA"

NO. 110



FIG. H-1237

Vitreous China Syphon Action Washdown "Oneida" Bowl, Large, Solid, Square Tank, with Moulding and Pearl Top Push Button, Heavy Nickel-plated Post, Hinge Seat, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$28.00
Quartered Oak or Cherry Finish, add.....	\$2.00
Embossed Bowl, add.....	1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, $14\frac{1}{4}$ to $15\frac{3}{4}$ inches.

SYPHONIC WASHDOWN COMBINATION

"ONEIDA"

No. 100



FIG. H-1238

Vitreous China Syphonic Action "Oneida" Bowl, with Solid Square Tank, same as shown with Mohawk No. 100 Combination, Fig. H-1239, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$27.50
Quartered Oak, add	\$2.00
Embossed Bowl, add	1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 13½ to 15 inches.

SYPHONIC WASHDOWN COMBINATION

"MOHAWK"

No. 100



FIG. H-1239

Shown with Glass Front to illustrate the Rubber Float Flush Valve and Compound Lever Ball Cock.

Vitreous China Washdown Syphonic Action Bowl, Solid Square Oak Tank, with Gold Medal or Rubber Float Flush Valve and China Push Button, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described.....	\$27.50
Quartered Oak, add.....	\$2.00
Embossed Bowl, add.....	1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 13½ to 15 inches.

SYPHONIC WASHDOWN COMBINATION

"MOHAWK"

No. 15



FIG. H-1240

Vitreous China Washdown Syphonic Action Bowl, Solid Square Oak Tank, with Nickel-plated Tank Brackets, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$27.50
Quartered Oak, add	\$2.00
Embossed Bowl, add	1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 12½ to 14¾ inches.

SYPHON JET COMBINATION

"JUNO"

No. 4



FIG. H-1241

Vitreous China Syphon Jet Bowl, Large Solid Oak Eight Gallon Tank, Round Cornered with Top Moulding, Nickel-plated Straight Flush and Supply Pipes, Nickel-plated Adjustable Pipe Holder, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Spud, Nut and Flange, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$40.00
Quartered Oak or Cherry Finish, add	\$2.00
Embossed Bowl, add	1.00
Nickel-plated Flexible Connections for Flush, add	1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 11 $\frac{1}{4}$ inches.

SYPHONIC WASHDOWN COMBINATION

"HARUM"

No. 2




FIG. H-1242

Vitreous China Washdown Syphonic Action Bowl, large Solid Oak 6 gallon Tank, Round Cornered with Top Moulding, Chain and Pull, Nickel-plated Offset Flush and Supply Pipes, Nickel-plated Adjustable Pipe Holders, Heavy Nickel-plated Post Hinge Seat, Nickel-plated Adjustable Slip Joint Elbow, Nickel-plated Closet Screws and Washers, Natural, Golden or Antique Oak Finish.

Combination complete as described	\$28.50
Washdown Bowl with Jet, add	\$2.00

Roughing-in Measurements—Wall to center of Waste Outlet, 10 to 10½ inches.

FRONT WASHOUT COMBINATION

" ESSEX "




FIG. H-1243

Vitreous China No. 3 Front Outlet Washout Bowl, Solid Oak 6 Gallon Square Beaded and Moulded Tank, with Chain and Pull, Nickel-plated Offset Flush and Supply Pipes, Nickel-plated Pipe Straps, Nickel-plated Adjustable Slip Joint Elbow, 1¼ inch Wood Strip Seat, Natural, Golden or Antique Oak Finish, Nickel-plated Closet Screws and Washers.

Combination complete as described	\$26.00
Embossed Bowl, add	\$1.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 10½ to 12¾ inches.

SYPHON JET CLOSET WITH VIMOMETER



FIG. H-1244

Patented December 30, 1902

Porcelain Enameled "Delecto" Siphon Jet Closet, with $1\frac{1}{2}$ inch Brass Connection, Plain Oval Seat and Paneled Cover, Nickel-plated Cast Brass Hinges, Nickel-plated Brass Vimometer, Floor Flange, Rubber Gasket, Screws, Bolts and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Quartered Oak Seat and Cover..... \$35.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 13 inches.

SYPHON JET COMBINATION



FIG. H-1245

Porcelain Enameled "Delecto" Siphon Jet Closet, with Full Saddle Seat and Panel Cover, Quartered Oak or Cherry Finish, Enameled In and Out Tank. Nickel-plated Brass Supply Pipe, with Compression Stop, Flush Connection. Spun Cups, Brass Floor Flange, Rubber Gasket, Screws, Bolts and Washers complete.

As described \$40.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 13 inches.

SYPHON JET COMBINATION



FIG. H-1246

Porcelain Enameled "Delecto" Syphon Jet Closet, with Full Saddle Seat and Panel Cover, Quartered Oak or Cherry Finish, Enameled In and Out Tank, with Curved Front and Flat Top, Nickel-plated Brass Supply Pipe with Compression Stop, Flush Connection, Spun Cups, Brass Floor Flange, Rubber Gasket, Screws, Bolts and Washers.

Complete as described \$40.00

Roughing-in Measurements—Wall to Center of Waste Outlet, 12½ inches.

SYPHON JET COMBINATION



FIG. H-1247

Porcelain Enameled "Delecto" Syphon Jet Closet, with 2 inch Brass Flush Connection and Improved Roll Top Flushing Rim. $\frac{1}{4}$ inch Plain Oval Seat and Cover attached with Nickel-plated Cast Brass Offset Hinges, Round Corner Copper-lined Tank with Box Top and Push Button. Nickel-plated Brass Supply Pipe. Flush Connection, Spun Cups, Brass Floor Flange, Rubber Gasket, Screws, Bolts and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover \$31.50

Add to list for Special Woods and Finishes as follows :

Quartered Oak.....	\$1.75	Ox Blood.....	\$4.00
Cherry (genuine)	2.50	Bird's-eye Maple	5.50
Walnut.....	3.25	White Enamel.....	6.50
High, Dutch Oak.....	4.00	Mahogany (genuine)	8.00
English Oak	4.00		

Roughing-in Measurements—Wall to Center of Waste Outlet, $12\frac{1}{2}$ inches.

SYPHON WASHDOWN COMBINATION



FIG. H-1248

Porcelain Enameled "Arno" Syphon Washdown Closet, with 2 inch Nickel-plated Coupling, Oval Seat and Cover, with Square Back and Back Strip to attach to Bowl, Round Corner Copper-lined Tank with Solid Top, Push Button, Nickel-plated Brass Supply Pipe, Flush Connection, Spun Cup, Brass Floor Flange, Rubber Gasket, Screws, Bolts and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Seat and Cover ----- \$25.50

Add to list for Special Woods and Finishes as follows :

Quartered Oak.....	\$1.75	Ox Blood.....	\$4.00
Cherry (genuine)	2.50	Bird's-eye Maple.....	5.50
Walnut.....	3.25	White Enamel.....	6.50
High Dutch Oak.....	4.00	Mahogany (genuine)	8.00
English Oak.....	4.00		

Roughing-in Measurements—Wall to Center of Waste Outlet, 14¼ to 15¼ inches.

WASHOUT COMBINATION



FIG. H-1249

Porcelain Enameled "Paragon" Washout Closet, with 2 inch Brass Flush Connection and Improved Roll Top Flushing Rim, 1¼ inch Plain Oval Seat and Cover attached with Nickel-plated Cast Brass Hinges, Round Corner Copper-lined Tank with Pull Action, Nickel-plated Brass Supply Pipe, Flush Connection, Spun Cup, Screws, Bolts and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover		\$24.00	
Add to list for Special Woods and Finishes, as follows:			
Quartered Oak	\$1.75	Ox Blood	\$4.00
Cherry (genuine)	2.50	Bird's-eye Maple	5.50
Walnut	3.25	White Enamel	6.50
High Dutch Oak	4.00	Mahogany (genuine)	8.00
English Oak	4.00		

Roughing-in Measurements—Wall to Center of Waste Outlet, 13¼ to 14¼ inches.




FIG. H-1250

SYPHON JET COMBINATION

Porcelain Enameled "Delecto" Siphon Jet Closet, with 1½ inch Brass Flush Connection and Improved Roll Top Flushing Rim, 1¼ inch Plain Oval Seat and Cover attached, with Nickel-plated Cast Brass Offset Hinges, Round Corner Copper-lined Syphon Tank, with Chain and Pull and Nickel-plated Brackets, Nickel-plated Flush and Supply Pipes with Holders, Brass Floor Flange, Rubber Gasket, Spun Cups, Bolts, Screws and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover \$35.00

Add to list for Special Woods and Finishes as follows:

Quartered Oak	\$1.75	Ox Blood	\$4.00
Cherry (genuine)	2.50	Bird's-eye Maple	5.50
Walnut	3.25	White Enamel	6.50
High Dutch Oak	4.00	Mahogany (genuine)	8.00
English Oak	4.00		

Roughing-in Measurements—Wall to Centre of Waste Outlet, 10½ inches.

SYPHON WASHDOWN COMBINATION




FIG. H-1251

Porcelain Enameled "Arno" Siphon Washdown Closet, with $1\frac{1}{4}$ inch Coupling, and Nickel-plated Vent Connection to Wall, $1\frac{1}{4}$ inch Oval Seat and Cover with Square Back and Back Strip attached to Bowl, Copper-lined Tank with Chain and Pull and Nickel-plated Brackets, Nickel-plated Flush and Supply Pipes, with Holders, Spun Cup, Bolts, Screws and Washers complete.

NOTE.—Furnished without Vent when desired.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover			\$30.50
Add to list for Special Woods and Finishes as follows:			
Quartered Oak	\$1.75	English Oak	\$4.00
Cherry (genuine)	2.50	Ox Blood	4.00
Walnut	3.25	Bird's Eye Maple	5.50
High Dutch Oak	4.00	White Enamel	6.50
Mahogany (genuine)			\$8.00

Roughing-in Measurements—Wall to Center of Waste Outlet, $10\frac{1}{2}$ inches.

WASHOUT COMBINATION



FIG. H-1252

Porcelain Enameled "Paragon" Washout Closet with $1\frac{1}{4}$ inch Brass Flush Connection and Improved Roll Top Flushing Rim, $1\frac{1}{4}$ inch Plain Oval Seat and Cover attached with Nickel-plated Cast Brass Straight Post Hinges, Square Corner Beaded and Moulded Copper-lined Syphon Tank with Chain, Pull and Nickel-plated Brackets, Nickel-plated Flush and Supply Pipes with Holders, Spun Cups. Bolts, Screws and Washers complete.

As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover, with 17 x 8 x 10 inch Tank	\$24.50
As described, with Enameled In and out Bowl, and Natural Antique or Golden Oak Tank, Seat and Cover, with 18 x 10 x 10 inch Tank	25.00
As described, with Enameled In and Out Bowl, and Natural, Antique or Golden Oak Tank, Seat and Cover, with 22 x 11 x 10 inch Tank	26.00

Add to list for Special Woods as follows :

Size of Tank	17 x 8 x 10	18 x 10 x 10	22 x 11 x 10
Quartered Oak	\$1.50	\$1.75	\$2.00
Cherry (genuine)	2.25	2.50	2.75

Roughing-in Measurements—Wall to Center of Waste Outlet, $10\frac{1}{2}$ inches.

KELLY SELF-ACTING AFTER-FLUSH WATER CLOSET

SLOP HOPPER, URINAL AND WATER CLOSET COMBINED




FIG. H-1253

The Seat is hinged to the Flush-pipe Connection. The Hopper is a Fan-wash. Iron Enameled; all other parts are Brightly Galvanized Iron or of Brass. The Valve, in our opinion, will last 25 years without repairs. The end of Valve Spindle has a Brass wheel bearing at point where the Seat Lever operates the Valve.

The Seat Rings are improved and strengthened and made of Malleable Iron.

As shown in cut, with Flush Pipe \$16.00

“KELLY” FROST PROOF CLOSETS



FIG. H-1254

The Valve of this Closet is placed below freezing point. When the seat is occupied the Tank fills, and discharges into Closet when released, the balance of water in Pipe above the Valve then drains into the Trap through the Tube as shown, leaving nothing to freeze above the Valve.

As shown in Cut, except Pipes
and Trap \$16.00




FIG. H-1255

This Closet requires no Tank, connection being made direct to the Water Pipe. The water runs while the seat is occupied and shuts off and empties the Pipe above the Valve when the seat is released.

As shown in Cut, except Pipes
and Trap \$12.00

"ZERO" FROST PROOF CLOSET




FIG. H-1256

This Frost-proof Closet is Self-acting, or Automatic, and cannot be used without Flushing. It consists of a Zero Swing Seat Hopper, Zero Valve, and Valve Hanger. The Trap and Valve are placed below frost line, in a Vault prepared for that purpose, which can be either bricked or boarded up. To insure against Frost there should be a Sub-floor at least a foot below the surface of the ground and the space filled with either saw dust or straw. A Trap Door in the floor will give easy access to the Valve in case repairs should be necessary. We recommend this construction on all Closets requiring Vaults.

The Water flushes while the Closet is in use; when the Seat is not occupied the Valve shuts off, and allows all of the Water in the Pipes to waste out. As the Waste is the important feature in the Frost-proof Closet, it should always have a free flow to the Sewer.

Price, less Pipes and Traps :

Fan Wash Hopper with $\frac{3}{4}$ inch Valve.....	\$12.00
Flushing Rim Hopper with one inch Valve ..	15.00



**ENAMELED
IRON
HOPPERS**

**LONG OVAL
FLUSHING RIM
WITH SWING
SEAT AND
VALVE**

White Enamel Inside. Painted Outside.
Self Raising Seat.

Brass Single or Double Acting Valve,
as ordered.

Each ----- \$11.00

FIG. H-1257

LONG ROUND FLUSHING RIM—(Not Illustrated).

Same as Fig. H-1257, but with Round Hopper—Each ----- \$11.00

**SHORT ROUND FLUSHING RIM HOP-
PER ON "S" TRAP, WITH HAND HOLE
WITH SINGLE OR DOUBLE ACTING VALVES**

White Enamel Inside. Painted Outside.
Self Raising Seat.

Brass Single or Double Acting Valve, as
ordered.

Hopper Painted, on Painted Trap,
each ----- \$11.00

Hopper Enameled inside only,
Painted Trap, each ----- 13.25

Hopper Enameled inside only,
Enameled Trap, each ----- 14.00

Hopper and Trap Enameled inside
and outside, each ----- 16.50

With Oval Hopper, add ----- .50

For Square Seat, add ----- .50

Can be furnished on any style Trap de-
sired.



FIG. H-1258

ENAMELED IRON HOPPERS

LONG OVAL ROLL-RIM FLUSHING RIM



FIG. H-1259

White Enamel Inside.
 White Enamel Roll-Rim.
 Painted Outside.
 Brass Spud and Goose Neck.

Each \$6.50

Long Round, R. R.
 Flush Rim Hopper,
 (not illustrated), each \$6.00

LONG OVAL FLUSHING RIM—WITH WOOD SEAT



FIG. H-1260

DESCRIPTION

White Enamel Inside. Painted Red Outside. Hard Wood Seat.
 Brass Spud and Goose Neck.

Each \$7.00
 Long Round F. R. Hopper (not illustrated), each \$6.50

ENAMELED IRON HOPPERS
LONG OVAL FLUSHING RIM



FIG. H-1261

DESCRIPTION

White Enamel Inside. Painted Red Outside. Brass Spud and Goose Neck.

As described, each.....	\$5.50
If with Regular Seat Lugs, add to list.....	.60
Long Round F. R. Hopper (not illustrated), each.....	\$5.00

PHILADELPHIA



FIG. H-1262

DESCRIPTION

White Enamel Inside. Painted Black Outside.

Painted, each.....	\$1.75
Enameled Inside, each.....	2.75
Enameled Inside and Outside, each.....	4.25

CLOSET TANKS

NO. 350



Wave Pattern, Pilaster Tank, with $1\frac{1}{2}$ inch Frame Top and Extended Bottom, China Push Button, Nickel-plated $\frac{3}{8}$ inch Iron Pipe Size Supply Pipe, Nickel-plated Elbow or Offset Connection, 12, 14 or 16 ounce Copper-lined, Natural, Antique or Golden Oak Finish.

As described \$24.00

Furnished also in other woods.

Prices on application.

FIG. H-1263

NO. 11C

Low Down Round Cornered Tank, Copper-lined, with China Push Button, Nickel-plated $\frac{3}{8}$ inch Iron Pipe Size Supply Pipe, Nickel-plated Elbow or Offset Connection, Natural Antique or Golden Oak Finish.

As described \$9.50

If Quartered Oak

Finish, add 1.25



FIG. H-1264

CLOSET TANKS

No. 16 A




FIG. H-1265

FIG. H-1265

Heavy Swell Front Tank with Bead Moulding and Extended Vented Cover, Copper Lined Nickel-plated $\frac{3}{8}$ inch Iron Pipe Size Supply Pipe, Nickel-plated Elbow or Offset Connection, Natural, Golden or Antique Oak Finish.

As described	\$12.00
If Quartered Oak Finish, add.....	1.25

No. 134 B



FIG. H-1266

Round Cornered Oak Tank with Top Moulding, Copper Lined, with Flush and Bottom or Top Supply Fittings, Natural, Golden or Antique Oak Finish.

Size, inches	17 x 8 x 10	18 x 10 x 10	20 x 10 x 10
As described	\$6.00	\$6.50	\$7.50
If Quartered Oak Finish, add	1.25	1.25	1.50

No. 1170

FIG. H-1267

Beaded Square Cornered Tank, with Moulding, Large Copper Lined, with Flush and Bottom or Top Supply Fitting, Natural, Golden or Antique Oak Finish.

Size, inches	17 x 8 x 10
As described	\$6.00
Size, inches	18 x 10 x 10
As described	\$6.50
Size, inches	20 x 10 x 10
As described	\$7.50




FIG. H-1267

Furnished also in other Woods. Prices on application.

CLOSET TANKS




FIG. H-1268

FIG. H-1268

Porcelain Enameled Low Closet Tanks.

NOTE.—Furnished with Pull or Push Button on Front of Tank when desired, (specify when ordering).

Enameled all over, with Fittings	\$21.00
Enameled all over, without Fittings	13.00
Enameled Inside, with Fittings	18.00
Enameled Inside, without Fittings	10.00

FIG. H-1269

Porcelain Enameled Low Closet Tanks.

Enameled all over, with Fittings ...	\$21.00
Enameled all over, without Fittings	13.00
Enameled Inside, with Fittings	18.00
Enameled Inside, without Fittings ..	10.00

Tank furnished with Nickel-plated Flush Connection and Supply Pipe, less Stop.



FIG. H-1269

CLOSET TANKS

HIGH CLOSET TANK



FIG. H-1270

Size 20 x 10 x 10 inches.

Enameled all over, without Fittings	\$6.00
Enameled Inside, without Fittings	4.00
Painted, without Fittings	2.50
If with "Perfection" Brass Fittings, complete, add	5.00

HIGH CLOSET TANK




FIG. H-1271

Size No 1, 16 x 7 x 8 inches.

Enameled Inside, without Fittings	\$3.00
Painted, without Fittings	1.75

Size No. 2, 19½ x 10½ x 9½ inches.

Enameled Inside, without Fittings	\$3.75
Painted, without Fittings	2.25
If with Fittings, complete (either size), add	\$3.50

CLOSET SEATS

No. 8



FIG. H-1270

Saddle Seat and Panel Cover,
Nickel-plated Heavy Cast Brass
Offset Hinges, Select Quartered
Natural, Golden or Antique
Oak Finish.

As described \$4.75

FIG. H-1270

No. 4

FIG. H-1271

Oval, 1 $\frac{1}{4}$ inch Seat, with
Cover and Nickel-plated
Heavy Cast Brass Offset
Hinges, Natural, Golden or
Antique Oak Finish.

As described \$2.75

If Quartered Oak Finish,
add75



FIG. H-1273

CLOSET SEATS



FIG. H-1274

SHOWING NO. 162 SEAT

FIG. H-1274

LABAK

Square Back, 1¼ inch Seat and Cover, Nickel-plated Heavy Offset Hinges.

As described \$3.50

This Seat is specially adapted for close Roughing-in Closet.

FIG. H-1275

1¼ inch Four Piece Oak Self Raising Seat with Weight, Heavy Nickel-plated Cast Brass Hinge, Natural, Golden or Antique Oak Finish.

Seat only—As described \$5.00

If Quartered Oak Finish, add.75



FIG. H-1275

CLOSET SEATS

NO. 211




FIG. H-1276

Oval, 1¼ inch Seat, with Cover and Back Strip to attach to Bowl, Nickel-plated Brass Hinge and Bolts.

As described \$2.50

NO. 14




FIG. H-1277

Square Back, 1¼ inch Seat, with Cover and Nickel-plated Brass Hinges, Natural or Golden Oak Finish.

As described \$3.00

NO. 11




FIG. H-1278

Square Back, 1¼ inch Seat with Back Strip to attach to Wall, without Cover, Natural or Golden Oak Finish.

As described \$2.00

If with Cover, add50

CLOSET SEATS

NEVER SPLIT

No. 120



FIG. H-1279

1/4 inch Stock, Nickel-plated Cast Brass Offset Post Hinges, with Bumpers attached, for Low Tank. Finished in Natural, Antique or Golden Oak, Imitation Cherry or Mahogany, Varnish Finish.

Each	\$2.65
If with N. P. Straight Post Hinge instead of Offset (not illustrated)	2.50

NEVER SPLIT

No. 100



FIG. H-1280

1/4 inch Stock, Nickel-plated Brass Hinges, Wood Strip Back, with Nickel-plated Bolts, Rubber Bumpers attached. Finished in Natural, Antique or Golden Oak, Varnish Finish.

Each	\$2.25
------	--------

BALL COCKS

FOSTER NEVER-LEAK

½ inch Lead or Iron Pipe Connections. Nickel-plated Nuts, Couplings and Tall Pieces, Extra.
 4 inch Seamless Copper Floats with Rod, 59 cents each.

"FOSTER" TOP CONNECTION

"FOSTER" BOTTOM CONNECTION




FIG. H-1281




FIG. H-1282

Each	\$3.60	Each	\$3.75
------------	--------	------------	--------

"GOLD-MEDAL" COMPOUND LEVER BOTTOM SUPPLY—FOR HIGH TANK

"B. B." HIGH PRESSURE BOTTOM SUPPLY

"SUCCESS" FOR HIGH TANK




FIG. H-1283




FIG. H-1284



FIG. H-1285

Bottom or Top Supply, each	\$2.50	For High Tank, Bottom or Top Supply, each	\$2.00
		For Low Tanks, with Refilled Top, (not illustrated), each	2.50
		For High Tanks, each	\$2.00
		For Low Tanks (not illustrated), each	2.50

FLUSHING VALVES

NEVER-LEAK
ALL BRASS, SCREWED ENDS FOR IRON PIPE

RUBBER FLOAT
ONE BALL




FIG. H-1287

Large Size Float for Low Tanks, each..... \$2.50
Small Size Float for High Tanks, each..... 2.25




FIG. H-1286

Size, inches.....	3/4	1	1 1/4	1 1/2	2	2 1/2
Each, including Float.....	\$6.00	8.00	9.00	12.00	20.00	36.00
Size, inches.....	3	4	5	6		
Each, including Float.....	\$55.00	78.00	108.00	150.00		

CONE SYPHON
ALL BRASS

CONE SYPHON
GALVANIZED OVERFLOW

GALVANIZED GOOSE NECK



FIG. H-1288



FIG. H-1289



FIG. H-1291

	Size, inches.	Each.
Fig. H-1288—Cone.....	1 1/2	\$2.50
Fig. H-1288—Less Cone.....	1 1/2	2.25
Fig. H-1289—Cone.....	1 1/2	2.00
Fig. H-1289—Less Cone.....	1 1/2	1.75
Fig. H-1291.....	1 1/2	2.00

EARTHENWARE CLOSETS

No. 2 OVAL PLAIN
SYPHON JET



FIG. H-1292

Plain, as described, each.....	\$17.00
Embossed, each	18.00

PLAIN SYPHON JET
WITH PATENTED VERTICAL LOCAL
VENT AND CROCKERY VENT ARM



FIG. H-1293

As described, each.....	\$19.50
Crockery Vent Arm, each.....	1.25

SYPHON ACTION WASHDOWN
PLAIN



FIG. H-1294

Each	\$8.50
------------	--------



FIG. H-1295

Each, without Jet.....	\$8.50
Each, with Jet.....	10.00

Fig. H-1295.—Price does not include Spud or Coupling. Seat attachment extra. Made with 1¼ inch Coupling for High Tank or 2 inch Coupling for Low Down Tank. In ordering specify whether you desire Closet for High or Low Down Tank.

EARTHENWARE CLOSETS

**PLAIN OVAL WASHOUT—NO VENT
FRONT OUTLET—SEAT ATTACHMENT
SIZES NOS. 1, 2 AND 3**



FIG. H-1296

FIG. H-1296

No. 1 Oval, Front Outlet, each_ \$13.25
 No. 2 Oval, Front Outlet, each_ 10.25
 No. 3 Oval, Front Outlet, each_ 8.00

**PLAIN OVAL WASHOUT—
NO VENT
BACK OUTLET—SEAT ATTACH-
MENT. SIZES NOS. 1, 2
AND 3**



FIG. H-1297

FIG. H-1297

No. 1 Oval, Back Outlet,	
each	\$14.00
No. 2 Oval, Back Outlet,	
each	11.00
No. 3 Oval, Back Outlet,	
each	8.00

**PLAIN OVAL COMBINATION
HOPPER AND TRAP**



FIG. H-1298

FIG. H-1298

Plain Oval Combination Hopper and
 Trap, each

\$8.00

EARTHENWARE HOPPERS

PHILADELPHIA

LONG ROUND FLUSHING RIM



FIG. H-1299

FIG. H-1300

Each \$4.50

Each \$5.00

LONG OVAL FLUSHING RIM
WITH SINGLE BRACKET



FIG. H-1301

Each \$6.50

EARTHENWARE HOPPERS

SHORT OVAL FLUSHING RIM



[FIG. H-1302

Short Oval Flushing Rim,	
each	\$3.50

FIG. H-1302

SHORT ROUND FLUSHING RIM



FIG. H-1303

Short Round Flushing	
Rim, each	\$2.50

FIG. H-1303

**EARTHENWARE
HOPPER TRAP**



FIG. H-1304

Earthenware Hopper Traps,	
each	\$3.00

Spuds and Couplings always extra.

FIG. H-1304

ENAMELED IRON CLOSETS

"DELECTO"
SYPHON JET



FIG. H-1305

With 2 inch or 1½ inch Spud.

Enameled in and out, each.....	\$16.00
Enameled Inside only, each.....	14.00

"EDUX"
SYPHON WASHDOWN



FIG. H-1306

With 2 inch or 1¼ inch Spud.

Enameled in and out, each.....	\$14.00
Enameled Inside only, each.....	12.00

"ARNO"
SYPHON WASHDOWN



FIG. H-1307

With 2 inch or 1¼ inch Spud.

Enameled in and out, each.....	\$12.00
Enameled Inside only, each.....	10.00
If with Trap Vent, add.....	\$1.00

"PARAGON"
WASHOUT



FIG. H-1308

With 1¼ inch Flush Spud and Trap Vent with 2 inch Vent Spud.

Enameled in and out, each.....	\$11.00
Enameled Inside only, each.....	9.50
If without Vent, deduct....	\$1.00

STANDARD EARTHENWARE URINALS

FLAT BACK—PLAIN




FIG. H-1309

FLAT BACK—LIPPED




FIG. H-1310

Number.....	1	2	3
Size, inches.....	15x18	13x15	12x14
Fig. H-1309—Each.....	\$8.00	6.00	5.00
Fig. H-1310—Each.....	10.00	8.00	7.00

CORNER—PLAIN



FIG. H-1311

CORNER—LIPPED




FIG. H-1312

Number.....	1	2	3
Size, inches.....	13x13	11½x11½	10½x10½
Fig. H-1311—Each.....	\$8.00	6.00	5.00
Fig. H-1312—Each.....	10.00	8.00	7.00

EARTHENWARE LIPPED URINALS

SYPHON JET, NO TABS

WITH JET




FIG. H-1313

Height over all, 21³/₄ inches. Width over all, 15¹/₄ inches. Width over curves, 12 inches.

Each..... \$15.00



FIG. H-1314

Height over all, 24 inches. Height over curves, 22¹/₄ inches. Width over all, 18³/₄ inches. Width over Curves, 14³/₄ inches.

Each..... \$15.00

"BIDET"



FIG. H-1315

Vitreous Pedestal Bidet, with Flushing Rim and Seat integral, Nickel-plated Combination Fittings for Hot and Cold Water Supply to Bidet and Flushing Rim Supply Pipes to Floor and Nickel-plated Standing Overflow and Waste, China Name Plates on Valves and Waste, Fittings Polished and Nickel-plated all over.

As described..... \$50.00

STANDARD EARTHENWARE

ROUND BASINS

NO OVERFLOW, FOR METAL PLUG

COMMON OVERFLOW, FOR METAL PLUG




FIG. H-1316

FIG. H-1317

Outside Diameter, inches.....	12	13	14	15	16
Fig. H-1316—No Overflow, each.....	\$1.00	1.00	1.00	1.50	2.00
Fig. H-1317—Common Overflow, Metal Plug, each.....	1.00	1.00	1.00	1.50	2.00

PATENT OVERFLOW, FOR METAL PLUG

PATENT OVERFLOW, FOR RUBBER PLUG



FIG. H-1318

FIG. H-1319

Outside Diameter, inches.....	12	13	14	15	16
Fig. H-1318—Patent Overflow, Metal Plug, each.....	\$1.25	1.25	1.25	2.00	2.50
Fig. H-1319—Patent Overflow, Rubber Plug, each.....	1.50	1.50	1.50	2.50	3.00

STANDARD EARTHENWARE

OVAL BASINS

FOR METAL PLUG
PATENT OVERFLOW




FIG. H-1320

Outside Diameter, inches.....	14 x 17	15 x 19
Common Overflow, each	\$2.50	3.50
Patent Overflow, Metal Plug, each ..	3.00	4.00
Patent Overflow, Rubber Plug, each ..	3.50	4.50

NO OVERFLOW



FIG. H-1321

Outside Diameter, inches.....	14 x 17	15 x 19
Each.....	\$2.50	3.50

REVISED STANDARD PRICE LIST OF
AMERICAN SANITARY EARTHENWARE

Adopted July 17, 1899.

Size, inches	12	13	14	15	16
Round Basins, no Overflow, each	\$1.00	\$1.00	\$1.00	\$1.50	\$2.00
Round Basins, Common Overflow, each	1.00	1.00	1.00	1.50	2.00
Round Basins, Patent Overflow, each	1.25	1.25	1.25	2.00	2.50
Round Basins, Patent Overflow, for Rubber Plug, each	1.50	1.50	1.50	2.50	3.00

Size, inches	14 x 17	15 x 19	16 x 21
Oval Basins, no Overflow, each	\$2.50	\$3.50	\$4.50
Oval Basins, Common Overflow, each	2.50	3.50	4.50
Oval Basins, Patent Overflow, each	3.00	4.00	5.00
Oval Basins, Patent Overflow, for Rubber Plug, each	3.50	4.50	5.50
Add for Embossing, each	1.00	1.00	1.00

Size, inches	14 x 17	15 x 19
Square Basins, no Overflow, each	\$5.00	\$6.00
Square Basins, Common Overflow, each	5.00	6.00
Square Basins, Patent Overflow, each	5.50	6.50
Square Basins, Patent Overflow, for Rubber Plug, each	6.00	7.00
Add, for Embossing, each	1.00	1.00
Recess Basins, Oval, each	5.00	6.00
Recess Basins, Oval, Embossed, each	6.00	7.00

Size, inches	14	15	16
Recess Basins, Round, each	\$4.50	\$5.00	\$5.50
Recess Basins, Round, Embossed, each	5.50	6.00	6.50

Size, inches	14 x 17	15 x 19
Straight Back Basins, no Overflow, each	\$4.50	\$5.50
Straight Back Basins, Patent Overflow, each	5.00	6.00
Straight Back Basins, Embossed, no Overflow, each	5.50	6.50
Straight Back Basins, Embossed, Patent Overflow, each	6.00	7.00

Size, inches	14	15	16
Straight Back Basins, Round, each	\$3.50	\$4.00	\$4.75
Straight Back Basins, Embossed, Round, each	4.50	5.00	5.75

Round French Closet Bowls, each	\$2.25
Oval Closet Bowls, each	2.50
Round Flush Rim Closet Bowls, each	2.50
Round Flush Rim Closet Bowls, with Seat Vent, each	2.75
Oval Flush Rim Closet Bowls, each	3.25
Oval Flush Rim Closet Bowls, with Seat Vent, each	3.50
Philadelphia Hoppers, each	4.50
Ship Closet Basins, No. 1, each	2.00
Ship Closet Basins, No. 2, each	2.00
Ship Plug Basins, 13 inch, each	1.50
Ship Plug Basins, 14 inch, each	1.50
Bidet Pans, for Brass Plug, each	4.00
Bidet Pans, for Brass Plug, with Overflow, each	4.25
Bidet Pans, for Brass Plug, no Hole, each	4.00

Continued on Page 462.

**STANDARD PRICE LIST OF AMERICAN SANITARY
EARTHENWARE**

CONTINUED.

PLAIN WASHOUTS

No. 1 Oval, Front Outlet, each.....	\$13.25
No. 1 Oval, Back Outlet, each.....	14.00
No. 2 Oval, Front Outlet, each.....	10.25
No. 2 Oval, Back Outlet, each.....	11.00
No. 3 Oval, Front or Back Outlet, ea.	8.00
Square, Front Outlet, each.....	17.00
Square, Back Outlet, each.....	18.00
No. 1 Square Back, Front Outlet, ea.	15.00
No. 1 Square Back, Back Outlet, ea.	16.00
No. 2 Square Back, Front Outlet, ea.	13.00
No. 2 Square Back, Back Outlet, ea.	14.00
No. 1 Washouts for Iron Traps, ea.	7.20
No. 2 Washouts for Iron Traps, ea.	6.60

EMBOSSSED WASHOUTS

No. 1 Oval, Front Outlet, each.....	\$14.25
No. 1 Oval, Back Outlet, each.....	15.00
No. 2 Oval, Front Outlet, each.....	11.25
No. 2 Oval, Back Outlet, each.....	12.00
No. 3 Oval, Front or Back Outlet, ea.	9.00
Square, Front Outlet, each.....	18.00
Square, Back Outlet, each.....	19.00
No. 1 Square Back, Front Outlet, ea.	16.00
No. 1 Square Back, Back Outlet, ea.	17.00
No. 2 Square Back, Front Outlet, ea.	14.00
No. 2 Square Back, Back Outlet, ea.	15.00

PLAIN SYPHON JETS

No. 1 Oval, each.....	\$22.00
No. 2 Oval, each.....	17.00
No. 1 Square Back, Oval Front, ea.	24.00
No. 2 Square Back, Oval Front, ea.	22.00
No. 1 Square Top, each.....	24.00
No. 2 Square Top, each.....	23.00

EMBOSSSED SYPHON JETS

No. 1 Oval, each.....	\$23.00
No. 2 Oval, each.....	18.00
No. 1 Square Back, Oval Front, ea.	25.00
No. 2 Square Back, Oval Front, ea.	23.00
No. 1 Square Top, each.....	25.00
No. 2 Square Top, each.....	24.00

PLAIN PEDESTALS

No. 1 Oval, Front Outlet, each.....	\$14.25
No. 2 Oval, Front Outlet, each.....	11.25
No. 3 Oval, Front Outlet, each.....	9.00
Square, Front Outlet, each.....	18.00
Square, Back Outlet, each.....	19.00
No. 1 Square Back, Front Outlet, ea.	16.00
No. 2 Square Back, Front Outlet, ea.	14.00
No. 1 Square Back, Back Outlet, ea.	17.00
No. 2 Square Back, Back Outlet, ea.	15.00

EMBOSSSED PEDESTALS

No. 1 Oval, Front Outlet, each.....	\$15.25
No. 2 Oval, Front Outlet, each.....	12.25
No. 3 Oval, Front Outlet, each.....	10.00
Square, Front Outlet, each.....	19.00
Square, Back Outlet, each.....	20.00
No. 1 Square Back, Front Outlet, ea.	17.00
No. 2 Square Back, Front Outlet, ea.	15.00
No. 1 Square Back, Back Outlet, ea.	18.00
No. 2 Square Back, Back Outlet, ea.	16.00

METAL COUPLINGS

	Plain.	Polished.	Nickel.
½ in. net, each.....	.65	1.15	1.90
¾ in. net, each.....	.65	1.15	1.90
1 in. net, each.....	.65	1.15	1.90
1¼ in. net, each.....	.75	1.25	2.00
1½ in. net, each.....	\$1.00	1.50	2.25
2 in. net, each.....	1.40	1.90	2.60
Hopper Clamps, 25 cents each.			
Hand Hole Clamps with Washers, 25 cents each.			

**PACKAGES TO BE CHARGED AS FOLLOWS,
NET:**

Packing Bulk Car.....	\$25.00
Crates, each.....	2.00
Hogsheads, Extra Large, each.....	2.00
Hogsheads, Large, each.....	1.50
Hogsheads, Medium, each.....	1.25
Hogsheads, Small, each.....	1.00
Tierces, Large, each.....	1.00
Tierces, Small, each.....	.75
Boxes, each.....	.50
Barrels, each.....	.35

Add for Seat attachment, 50 cents.

STANDARD PRICE LIST OF AMERICAN SANITARY EARTHENWARE

CONTINUED.

Bedfordshire Urinals, No. 1, Flat, each.....	\$8.00
Bedfordshire Urinals, No. 2, Flat, each.....	6.00
Bedfordshire Urinals, No. 3, Flat, each.....	5.00
Bedfordshire Urinals, No. 1, Corner, each.....	8.00
Bedfordshire Urinals, No. 2, Corner, each.....	6.00
Bedfordshire Urinals, No. 3, Corner, each.....	5.00
Bedfordshire Urinals, No. 1, Flat, with Lip, each.....	10.00
Bedfordshire Urinals, No. 2, Flat, with Lip, each.....	8.00
Bedfordshire Urinals, No. 3, Flat, with Lip, each.....	7.00
Bedfordshire Urinals, No. 1, Corner, with Lip, each.....	10.00
Bedfordshire Urinals, No. 2, Corner, with Lip, each.....	8.00
Bedfordshire Urinals, No. 3, Corner, with Lip, each.....	7.00
No. 1, F. B., Lipped Vent and Hood Urinals, each.....	12.00
No. 2, F. B., Lipped Vent and Hood Urinals, each.....	10.00
No. 1, Corner Lipped Vent and Hood Urinals, each.....	12.00
No. 2, Corner Lipped Vent and Hood Urinals, each.....	10.00
Oval Short Hoppers and Traps Combined, each.....	8.00
Oval Short Hoppers and Traps Combined, Embossed, each.....	9.00
Square Short Hoppers and Traps Combined, each.....	9.50
Square Short Hoppers and Traps Combined, Embossed, each.....	10.50
Oval Tall Flush Rim Hoppers, each.....	6.50
Oval Tall Flush Rim Hoppers, with Seat Vent, each.....	6.75
Oval Tall Flush Rim Hoppers, with Hub Vent, each.....	7.00
Round Tall Flush Rim Hoppers, each.....	5.00
Round Tall Flush Rim Hoppers, with Seat Vent, each.....	5.25
Round Tall Flush Rim Hoppers, with Hub Vent, each.....	5.50
Square Tall Flush Rim Hoppers, 14 x 14 inches, each.....	8.00
Square Tall Flush Rim Hoppers, with Seat Vent, each.....	8.25
Square Tall Flush Rim Hoppers, with Hub Vent, each.....	8.50
Square Long Hoppers, 16 x 16 inches, each.....	12.00
Oval Short Flush Rim Hoppers, each.....	3.50
Oval Short Flush Rim Hoppers, with Seat Vent, each.....	3.75
Round Short Flush Rim Hoppers, each.....	2.50
Round Short Flush Rim Hoppers, with Seat Vent, each.....	2.75
Square Short Flush Rim Hoppers, each.....	5.00
Square Short Flush Rim Hoppers, with Seat Vent, each.....	5.25
Traps, each.....	3.00
Drip Trays, Oval and Round, each.....	3.50
Hopper Stands, each.....	1.30
Hopper Stands, with Hub Vent, each.....	1.60
Floats, Large, above 7 inches, each.....	.80
Floats, Small, under 7 inches, each.....	.60

BATH FURNISHINGS

COMBINATION GLASS SHELF, TUMBLER HOLDER AND TOWEL BARS




FIG. H-1322

Size of Shelf, 20 inches long, 6 inches wide, with single Glass Bar.

Each \$10.00

COMBINATION GLASS SHELF WITH BRACKET SUPPORT




FIG. H-1323

Size of Shelf, 20 inches long, 6 inches wide.

Each \$6.00

BATH FURNISHINGS
GLASS TOWEL BAR



FIG. H-1324

Nickel-plated Fixtures, Fitted with Glass Bar, one inch Diameter, two Hand-polished Glass Ball Ends, project $3\frac{1}{4}$ inches, Diameter of Wall Plates, $2\frac{1}{2}$ inches.

Length, inches.....	24	30	36	42	48
With Opal Glass Bar, each.....	\$6.25	7.50	8.75	10.00	12.50
With Crystal Glass Bar, each.....	6.25	7.50	8.75	10.00	12.50

Measurements of Length are between Centers of Balls.

GLASS TOWEL BAR



FIG. H-1325

Nickel-plated Fixtures, Fitted with Glass Bar, One inch Diameter, Projects $3\frac{1}{4}$ inches, Diameter of Wall Plates, $2\frac{1}{2}$ inches.

Length, inches.....	20	26	32	38	44
With Opal Glass Bar, each.....	\$3.75	5.00	6.25	7.50	10.00
With Crystal Glass Bar, each.....	3.75	5.00	6.25	7.50	10.00

Measurements of Length are between Centers of Wall Plates.

FOLDING TOWEL BARS




FIG. H-1326

One Arm, $\frac{1}{4}$ inch Diameter, 16 inches long, each..... .80



FIG. H-1327

Two Arms, $\frac{1}{4}$ inch Diameter, 16 inches long, each..... \$1.10




FIG. H-1328

Three Arms, $\frac{1}{4}$ inch Diameter, 16 inches long, each..... \$1.30

BATH FURNISHINGS

TOWEL BARS



FIG. H-1329

Bracket or Post Series No. 30, Extra Quality of Rod $\frac{3}{8}$ inch Diameter, with 3 inch Wall Plate and 4 inch Projection.

No. 30—Length 15 inches, each	\$1.40
No. 31—Length 18 inches, each	1.50
No. 32—Length 24 inches, each	1.60
No. 33—Length 30 inches, each	1.74
No. 34—Length 36 inches, each	1.92
No. 35—Length 40 inches, with Center Post, each	2.35



FIG. H-1330

Bracket or Post Series No. 10, Regular Quality, Size of Rod $\frac{3}{8}$ inch Diameter, with $2\frac{1}{2}$ inch Wall Plate and $3\frac{1}{2}$ inch Projection.

No. 10—Length 15 inches, each	\$1.00
No. 11—Length 18 inches, each	1.10
No. 12—Length 24 inches, each	1.20
No. 13—Length 30 inches, each	1.30
No. 14—Length 36 inches, each	1.40
No. 15—Length 40 inches, with Center Post, each	1.75



FIG. H-1331

Curved Bar Series No. 20, Regular Quality, Size of Rod $\frac{3}{8}$ inch Diameter, with $2\frac{1}{2}$ inch Wall Plate and $3\frac{1}{2}$ inch Projection.

No. 20—Length 15 inches, each	.70
No. 21—Length 18 inches, each	.80
No. 22—Length 24 inches, each	.90
No. 23—Length 30 inches, each	\$1.00
No. 24—Length 36 inches, each	1.10
No. 25—Length 40 inches, each	1.20

BATH FURNISHINGS

TOWEL BAR



FIG. H-1332

Extra Heavy one-inch Nickel-plated Tubing. Extra Heavy Solid Brass Posts, Socket and Tubing Brazed together.

WITH BRASS POSTS AND BRASS TUBING

No. 16—Length 30 inches, 1 inch Diameter, each	\$3.50
No. 17—Length 40 inches, 1 inch Diameter, each	4.50
No. 18—Length 50 inches, 1 inch Diameter, each	5.00
No. 19—Length 60 inches, 1 inch Diameter, each	6.00

WITH BRASS POSTS AND WHITE "CELLU" BAR

No. 26—Length 30 inches, 1 inch Diameter, each	\$3.50
No. 27—Length 40 inches, 1 inch Diameter, each	4.50
No. 28—Length 50 inches, 1 inch Diameter, each	5.00
No. 29—Length 60 inches, 1 inch Diameter, each	6.00

WITH BRASS POSTS AND OPAL GLASS BAR

No. 36B—Length 30 inches, 1 inch Diameter, each	\$3.50
No. 37B—Length 40 inches, 1 inch Diameter, each	4.50
No. 38B—Length 50 inches, 1 inch Diameter, each	5.00
No. 39B—Length 60 inches, 1 inch Diameter, each	6.00

Special Sizes and Lengths made to order.

BATH FURNISHINGS

SOAP DISHES




FIG. H-1333

Round. Nickel-plated. Diameter, $4\frac{1}{4}$ inches. Height, $1\frac{1}{4}$ inches. Has a removable Drainer.

Per dozen ----- \$12.00



FIG. H-1334

Oval. Nickel-plated. Extreme measurements, $5\frac{1}{2}$ x $4\frac{1}{4}$ inches. Has a removable Drainer.

Per dozen ----- \$15.00




FIG. H-1335

Oblong. Nickel-plated. Size, 5 x 4 x $1\frac{1}{8}$ inches. Has Four Ball Feet.

Per dozen ----- \$15.00




FIG. H-1336

Oblong. Nickel-plated. Size, 5 x 4 x $1\frac{1}{8}$ inches. Projects $4\frac{1}{2}$ inches. Diameter of Wall Plate, 2 inches.

Per dozen ----- \$19.50




FIG. H-1337

Oblong. Nickel-plated. Size, $4\frac{1}{2}$ x 3 inches. Projects 4 inches. Diameter of Wall Plate, 2 inches.

Per dozen ----- \$15.00




FIG. H-1338

Nickel-plated. Size, $4\frac{1}{2}$ x 3 inches. Projects 3 inches.

Per dozen ----- \$7.50

BATH FURNISHINGS

The Hangers are Malleable and *can be adjusted* to fit rim of any bathtub.

SOAP RACK




FIG. H-1339

Oblong. Nickel-plated. Size of Rack, 6 x 3½ x 1½ inches. Hangers, 9 inches long.

Per dozen \$22.50

SOAP RACK




FIG. H-1340

Oblong. Nickel-plated. Size of Rack, 5 x 4 x 1½ inches. Hangers, 9 inches long.

Per dozen \$19.50

SOAP RACK AND SPONGE HOLDER



FIG. H-1341

Nickel-plated Fixtures. Extreme Height, 9 inches. Diameter of Sponge Holder, 7¼ inches. Extreme depth of Sponge Holder, 3 inches. Size of Soap Rack, 6 x 3½ x 1¼ inches.

Per dozen \$60.00

SPONGE HOLDER




FIG. H-1343

Nickel-plated. Extreme measurements of Holder, 8 x 5½ x 3¼ inches. Hangers are 9 inches long and *can be adjusted* to fit rim of any bath tub.

Per dozen \$37.50

SPONGE HOLDER



FIG. H-1342

Nickel-plated. Diameter, 6 inches. Projects 6¾ inches. Extreme depth, 2 inches. Diameter of Wall Plate, 2½ inches.

Per dozen \$30.00

BATH FURNISHINGS

COMBINATION SOAP DISH, TUMBLER AND TOOTH BRUSH HOLDERS




FIG. H-1344

COMBINATION SOAP DISH
AND TUMBLER HOLDER

FIG. H-1345

FIG. H-1344

Nickel-plated Fixtures. Spread 10 inches. Extreme Height, $7\frac{1}{2}$ inches. Projects $6\frac{1}{2}$ inches. Has two Crystal Glass Tumblers. Holds five Tooth-brushes. Extreme measurements of Soap Dish, $5\frac{5}{8} \times 3\frac{1}{2} \times 1\frac{1}{8}$ inches. Diameter of Wall Plate, $2\frac{1}{2}$ inches.

Per dozen	\$60.00
-----------	---------

FIG. H-1345

Nickel-plated Fixtures. Extreme Height, 9 inches. Projects 6 inches. Extreme measurements of Soap Dish, $5\frac{5}{8} \times 3\frac{1}{2} \times 1\frac{1}{8}$ inches. Has a Crystal Glass Tumbler.

Per dozen	\$37.50
-----------	---------

BATH FURNISHINGS

TUMBLER HOLDER




FIG. H-1346

Nickel-plated. Extreme height, $5\frac{7}{8}$ inches. Projects $4\frac{1}{8}$ inches. Has a Crystal Glass Tumbler. Diameter of Wall Plate, 2 inches.

Per dozen \$15.00

TUMBLER AND TOOTH BRUSH HOLDER




FIG. H-1347

Nickel-plated. Extreme height, $7\frac{1}{4}$ inches. Projects 4 inches. Holds five tooth-brushes. Has a Crystal Glass Tumbler. Diameter of Wall Plate, 2 inches.

Per dozen \$24.00

TOOTH BRUSH HOLDER



FIG. H-1348

Nickel-plated. Size, $9\frac{1}{2}$ x $1\frac{3}{4}$ inches. Holds six brushes—four tooth brushes, and two nail brushes. Has a Solid Beaded Edge.

Per dozen \$22.50

TOOTH BRUSH HOLDER



FIG. H-1349

Nickel-plated. Size, $5\frac{3}{4}$ x $1\frac{3}{4}$ inches. Holds three tooth brushes. Has a Solid Beaded Edge.

Per dozen \$12.00

BATH FURNISHINGS

ROBE HOOKS



FIG. H-1350

Nickel-plated. Size of Wall Plate, $7\frac{3}{4}$ x $1\frac{3}{4}$ inches.

Per dozen \$12.00




FIG. H-1351

Nickel-plated. Size of Wall Plate, 5 x $1\frac{3}{4}$ inches.

Per dozen \$21.00



FIG. H-1352

Nickel-plated. Diameter of Wall Plate, $2\frac{1}{2}$ inches.

Per dozen \$8.75



FIG. H-1353

Nickel-plated. Diameter of Wall Plate, 2 inches.

Per dozen \$3.75

TOILET PAPER HOLDERS

FOR ROLL PAPER, 5 INCHES WIDE BY 4 INCHES IN DIAMETER




FIG. H-1354

Nickel-plated, per dozen \$3.75




FIG. H-1355

Nickel-plated, per dozen \$12.00

BATH FURNISHINGS

TOILET PAPER HOLDERS

SHEET BRASS WITH SOLID BEADED EDGE

FOR ROLL PAPER 5 INCHES WIDE BY
4 INCHES IN DIAMETER




FIG. H-1356

Nickel-plated. Has a Spring Roller, which prevents wasting of paper.

Per dozen \$24.00




FIG. H-1357

Perforated. For Flat Paper Sheet, $7\frac{1}{2} \times 5\frac{1}{2}$ inches; size of Holder, 10 x 6 inches, each \$1.50
Not Perforated. For Flat Paper Sheet, $7\frac{1}{2} \times 5\frac{1}{2}$ inches; size of Holder, 6 x 10 inches, each 1.50




FIG. H-1358

Nickel-plated, per dozen \$18.00




FIG. H-1359

Nickel-plated, per dozen \$45.00

BATH THERMOMETER

FIG. H-1360

Accurately registers the temperature of either atmosphere or water.

When hung up it shows the temperature of atmosphere.

When put in water it indicates the temperature of same hot, warm, tepid, cold or freezing.

Fitted into a Durable Nickel-plated Brass Case. $7\frac{3}{4}$ in. long and 1 inch wide to prevent thermometer from breaking. A 12 inch chain with ring is attached to top of thermometer so that same can be conveniently hung from faucet or otherwise.



FIG. H-1360

Per dozen \$19.50

BATH FURNISHINGS

BATH SEATS

WHITE ENAMEL SEAT



FIG. H-1361

WEBBING SEAT




FIG. H-1362

EMPIRE



FIG. H-1363

MONARCH



FIG. H-1364

Figures	H-1361	H-1362	H-1363	H-1364
Each	\$1.80	1.50	2.50	1.50

BATH FURNISHINGS

BATHROOM STOOL




FIG. H-1365

Handsome, strong, and of superior quality. Made of selected Kiln-dried Wood and finished in White Ivory Enamel. Is impervious to water, and can be used in the bathtub or on the bathroom floor. Has rubber bumpers on the legs to prevent scratching of tub. Height 15 inches. Diameter of Seat, 13 inches.

Each \$11.25

CORK BATH MAT




FIG. H-1366

32 x 18 inches, each \$4.25

"CANTSLIP" RUBBER BATH MAT




FIG. H-1367

With nickel-plated wall hanger,

30 x 15 inches, each \$2.75
 36 x 15 inches, each 3.00
 42 x 15 inches, each 3.25

RUBBER BATH MAT




FIG. H-1368

Made of the best quality Rubber and pleasingly designed. Can be used on the bathroom floor or in the bathtub. A small thing in itself, it is a welcome addition to the comfort of the bather. Used in the bathtub it prevents serious accidents which sometimes occur from slipping. Used on the bathroom floor it protects the bather's feet from contact with the cold floor when emerging from the bath. Size, 10 x 30 inches.

Each \$3.75

BATH FURNISHINGS
MIRRORS
OVAL



FIG. H-1369

Fitted with $\frac{3}{8}$ inch Nickel-plated Brass Frame and Heavy French Plate Glass with 1 inch Bevel.

Oval, Size 16 x 24 inches, each.....	\$15.00
Oval, Size 18 x 30 inches, each.....	18.75
Oval, Size 22 x 32 inches, each.....	22.50

OBLONG—(Not Illustrated.)

Oblong, Size 18 x 24 inches, each.....	\$15.00
Oblong, Size 18 x 30 inches, each.....	17.50
Oblong, Size 18 x 36 inches, each.....	20.00
Oblong, Size 24 x 30 inches, each.....	22.50

Sizes given are for the Glass only.

OVAL



FIG. H-1370

Trimmed with Solid Beaded Edge, Fitted with $\frac{3}{8}$ inch Nickel-plated Brass Frame and Heavy French Plate Glass with 1 inch Bevel.

Oval, Size 16 x 24 inches, each.....	\$17.50
Oval, Size 18 x 30 inches, each.....	21.90
Oval, Size 22 x 32 inches, each.....	26.25

OBLONG— Not Illustrated.)

Oblong, Size 18 x 24 inches, each.....	\$17.50
Oblong, Size 18 x 30 inches, each.....	20.00
Oblong, Size 18 x 36 inches, each.....	23.75
Oblong, Size 24 x 30 inches, each.....	26.25

Sizes given are for the Glass only.

BATH FURNISHINGS

MEDICINE CABINET

**HANDSOME AND STRONG. FINISHED
IN WHITE IVORY ENAMEL**



FIG. H-1371

FIG. H-1371

Fitted with Heavy French Plate-glass Beveled Mirror Door, two French Plate-glass shelves, Nickel-plated Knob, Lock and Key. Inside measurements: Height, 20½ inches; Width, 14¾ inches; Depth, 4 inches.

Each ----- \$37.50

**MEDICINE CABINET
WHITE ENAMEL FINISH**

FIG. H-1372

Fitted with Bevel French Plate Mirror in Door, Plate-glass Shelves, Nickel-plated Trimmings, Lock and Key.

Size, 23½ x 17½ x 5 inches, each ---- \$13.00

Size, 19½ x 15½ x 5 inches, each ---- 10.50




FIG. H-1372

SOLID PORCELAIN LAUNDRY TRAY




FIG. H-1373

Three-quarter Roll-Rim Porcelain Laundry Trays with Loose Backs. Height of Back only, 15 inches.

Dimensions.	List. each Tray. only.		List. each Back. only.	
	"A"	"B"	"A"	"B"
24 x 24 x 17 inches	\$19.00	13.30	\$5.50	3.85
26 x 24 x 17 inches	20.00	14.00	6.00	4.20
29 x 24 x 17 inches	21.00	14.70	6.50	4.55
			"A"	"B"
List, per pair, Porcelain Legs with Metal Straps to Wall.....	\$9.00		6.30	
List, per pair, Bronzed Iron Tray Legs.....		\$4.00		
List, per pair, Galvanized Iron Standards. complete.		6.00		

**PORCELAIN ENAMELED LAUNDRY TRAY
ROLL-RIM**




FIG. H-1374

Porcelain Enameled Roll-Rim Laundry Trays, with Nickel-plated Union Strips, Soap Dishes, Waste Plugs, Couplings, and Rubber Stoppers, Nickel-plated Fuller Adjustable Flange Bibbs through Back of Trays, Nickel-plated Continuous Waste and Vented S Trap.

DIMENSIONS

Front to Back, inside, $21\frac{3}{4}$ inches; Outside, 27 inches. Length inside, 23 inches. Length over all (set of three Tubs), 83 inches. Depth inside, $14\frac{1}{4}$ inches. Height from Floor to Top of Rim, $31\frac{1}{2}$ inches.

	One Section.	Two Sections.	Three Sections.
As described	\$26.00	46.00	66.25
Less Waste, Trap and Bibbs	17.00	30.00	45.00
For Brass Overflow, add each Tray			\$2.00
If with Wringer Attachment, add each			3.00
If with 12 inch Enameled Backs, add each			3.00

FLAT RIM




FIG. H-1375

Porcelain Enameled Flat Rim Laundry Trays, with Nickel-plated Soap Dishes, Waste Plugs, Couplings and Rubber Stoppers, Nickel-plated Fuller Adjustable Flange Bibbs, Continuous Waste and Vented S Trap.

DIMENSIONS

Front to Back, inside, 22 inches; Outside, $25\frac{1}{2}$ inches. Length inside, 23 inches. Length over all (set of three Trays), 78 inches. Depth inside, $14\frac{1}{4}$ inches. Height from Floor to Top of Rim, $31\frac{1}{4}$ inches.

	One Section.	Two Sections.	Three Sections.
As described	\$20.00	38.00	54.25
Less Waste, Trap and Bibbs	11.00	22.00	33.00
For Brass Overflow, add each Tub			\$2.00
If with Wringer Attachment, add each			3.00
For Hinged Ash Covers, add each Tray			3.00

VITRIFIED BROWN GLAZED LAUNDRY TRAY




FIG. H-1376

Vitrified Brown Glazed Earthenware Roll-Rim Laundry Trays with Bronzed Iron Standards.

Sizes, Outside Measurements—Length, 30 inches; Width, 24½ inches; Depth, 17 inches.

	Class "A"	Class "B"
Set of 2 Trays, complete as described.....	\$31.00	21.00
Set of 3 Trays, complete as described.....	46.50	31.50
Set of 4 Trays, complete as described.....	62.00	42.00
Ash Cap for 2 Trays		\$3.00
Ash Cap for 3 Trays		4.00
Ash Cap for 4 Trays		5.00
	Class "A"	Class "B"
Earthenware Standards, each	\$5.00	4.00
Earthenware Legs, per pair	7.00	5.00
Brass Plug and Coupling, add \$1.00 per Tray.		

VITRIFIED BROWN GLAZED LAUNDRY TRAY




FIG. H-1377

Vitrified Brown Glazed Earthenware Laundry Trays.

DIMENSIONS

Length, 28 inches ; Width, 24½ inches ; Depth, 16½ inches

Length, 26 inches ; Width, 24½ inches ; Depth, 16½ inches

Length, 24 inches ; Width, 24½ inches ; Depth, 16½ inches

Each Tub composed of one solid piece of hard burned Earthenware, 1½ inch thick, and covered on the inside and outside with a thick Brown Glaze.

	Class A.	Class B.
Set of two Trays, Bronzed Iron Legs and Ash Frame -----	\$22.50	18.50
Set of three Trays, Bronzed Iron Legs and Ash Frame -----	33.25	27.25
Set of four Trays, Bronzed Iron Legs and Ash Frame -----	44.00	36.00
Covers, per Opening-----		\$1.80

ALBERENE STONE LAUNDRY TRAY
WITH BRASS PLUGS AND PAINTED IRON LEGS




FIG. H-1378

Two Compartments, 4 feet long.

Length.	Bare Tub.	Tub with Plugs.	Tub. Plugs and Legs.	Tub. Plugs, Legs and Covers.				
24 inch—1 Part.....	\$13.00	13.30	14.00	15.00				
30 inch—1 Part.....	15.00	15.30	16.00	17.00				
42 inch } 44 inch } 46 inch } 48 inch }	21.60	22.00	22.50	24.00				
54 inch—2 Part.....					27.10	27.50	28.00	29.50
60 inch—2 Part.....					34.60	35.00	35.50	37.00
72 inch—3 Part.....					41.50	42.00	43.00	45.00
78 inch—3 Part.....	47.50	48.00	49.00	51.00				
84 inch—3 Part.....	56.50	57.00	58.00	60.00				

If Plugs and Couplings are wanted instead of ordinary Brass Plugs,
 add per Plug \$0.50

If Twin Connection Tubs are wanted in two Part, four foot, add per
 set 2.00

If Galvanized Legs are wanted instead of Painted, add per Leg.... .50

Tubs with Faucet Holes will be sent unless otherwise ordered.

GRANITE LAUNDRY TRAY

WITH PATENT METALLIC CASINGS, OVERFLOW AND WASTE CONNECTIONS




FIG. H-1379

GRANITE LAUNDRY TRAYS

ONE PART TRAY

No.	Length, inches.	Width, inches.	Depth, inches.	
101	25	21	16	\$9.00
102	25	24	16	9.50
103	27	24	16	10.00
104	31	24	16	12.00

TWO PART TRAY

No.	Length, inches.	Width, inches.	Depth, inches.	
111	48	21	16	\$14.50
112	48	24	16	17.50
113	53	24	16	18.50
114	60	24	16	19.50

THREE PART TRAY

No.	Length, inches.	Width, inches.	Depth, inches.	
121	72	21	16	\$25.00
122	72	24	16	29.50
123	80	24	16	30.00
124	90	24	16	32.00

This Tub has the Overflows in the partition connected with the Waste, and is the most Improved Sanitary Tub in the market.

ASH AND PINE WOOD PANEL COVERS

All Covers 1½ inch thick.

Covers, One Part	\$1.75	Two Part	\$3.50	Three Part	\$5.25
Legs, Plain, each	.70	Painted, each	.75	Galvanized, each	1.25

SOLID PORCELAIN SLOP SINKS

FIG. H-1380

Three-Quarter Roll-Rim Porcelain Slop Sink, on Porcelain Pedestal Trap.



FIG. H-1380

Number	1	2	3
Length Outside, inches	20	22	24
Width Outside, inches	16	18	20
Depth Inside, inches	12	12	12
Height Back	12	12	12
List, Sink only, "A" Quality	\$14.00	18.00	22.00
List, Sink only, "B" Quality	9.80	12.60	15.40
List, Back only, "A" Quality	4.50	5.00	5.50
List, Back only, "B" Quality	3.15	3.50	3.85
List, Porcelain Pedestal Trap Standard, "A" Quality			\$10.00
List, Porcelain Pedestal Trap Standard, "B" Quality			7.00
List, Iron Trap Standard, Enameled Inside only			8.00
List, Iron Trap Standard, Enameled Inside and Outside			9.00
List, N. P. Slop Sink Strainer			3.00

FIG. H-1381

All Roll-Rim Porcelain Slop Sink on Iron Trap Standard.

Number	1	2	3
Length Outside, inches	20	22	24
Width Outside, inches	16	18	20
Depth Inside, inches	12	12	12



FIG. H-1381

Number	1	2	3
List, Sink only "A"	\$14.00	18.00	22.00
List, Sink only "B"	9.80	12.60	15.40
List, Iron Trap Standard, Enameled Inside			\$8.00
List, Iron Trap Standard, Enameled Inside and Outside			9.00
List, Porcelain Pedestal Trap Standard			10.00

PORCELAIN ENAMELED SLOP SINKS



FIG. H-1382




FIG. H-1383

FIG. H-1382

Porcelain Enameled Slop Sinks, with Roll-Rim on all sides, on Trap Standard with Cleanout and 2 inch Nickel-plated Vent Connection to Wall, Nickel-plated Strainer, Fuller Combination Slop Sink Cock, with Bucket Hook and Wall Support.

Size, inches	16 x 20	18 x 22	20 x 22	20 x 24
Enameled Inside, as described	\$21.00	23.00	24.00	25.00
Enameled all over, as described	26.00	28.00	29.50	30.50
If without Fuller Combination Slop Sink Cock, deduct				\$7.00

FIG. H-1383

Porcelain Enameled Roll-Rim One Piece Slop Sinks, with 12 inch Porcelain Enameled Back on Trap Standard, with Cleanout and 2 inch Nickel-plated Vent Connection to Wall, Nickel-plated Strainer, Concealed Galvanized Air Chambers and Nickel-plated Fuller Adjustable Flanged Bibbs.

Size, inches	16 x 20	18 x 22	20 x 22	20 x 24
Enameled Inside, as described	\$20.50	22.50	23.50	24.50
Enameled all over, as described	25.50	27.50	29.00	30.00
If without Bibbs, deduct per pair				\$2.50
If without Galvanized Air Chambers, deduct per pair				2.00

PORCELAIN ENAMELED SLOP SINK




FIG. H-1384

Porcelain Enameled Roll-Rim Slop Sink, with 15 inch Porcelain Enameled Back on Trap Standard with Cleanout and 2 inch Nickel-plated Vent Connection to Wall, Nickel-plated Strainer, Concealed Galvanized Air Chambers and Nickel-plated Fuller Adjustable Flange Bibbs.

Size, inches	16 x 20	18 x 22	20 x 22	20 x 24
Enameled Inside, as described	\$20.50	22.50	23.50	24.50
Enameled all over, as described	25.50	27.50	29.00	30.00
If without Bibbs, deduct per pair				\$2.50
If without Galvanized Air Chambers, deduct per pair				2.00

PORCELAIN ENAMELED SLOP SINK




FIG. H-1385

Porcelain Enameled Flat Rim Sink, on Trap with Cleanout and Hub Vent, and Nickel-plated Strainer.

Size, inches.....	16 x 16	16 x 20	18 x 22	20 x 22	20 x 24
Enameled Inside, as described	\$11.00	12.00	13.50	14.25	15.00
Enameled all over, as described	16.00	17.00	18.50	19.75	20.50

If with Enameled Iron Back, add, 16 inch Back, \$2.50; 20 inch Back, \$2.75; 22 inch Back, \$3.00; 24 inch Back, \$3.25.

If with Hardwood Rim, add \$2.00

VITRIFIED BROWN GLAZED SLOP SINKS



FIG. H-1386

FIG. H-1386

Vitrified Brown Glazed Earthenware Full Roll-Rim Slop Sinks, with Bronzed Iron Trap Standard and Nickel-plated Brass Strainer.

	Class A	Class B
20x16x12 in...	\$18.00	16.50
22x18x12 in...	20.00	18.50
24x20x12 in...	23.50	21.00

Add for Fuller Polished Brass Faucets, per pair ----- \$8.00

FIG. H-1387

Vitrified Brown Glazed Earthenware Roll-Rim Slop Sinks and Backs, with Bronzed Iron Trap Standard and Nickel-plated Brass Strainer.

	Class A	Class B
20x16x12 inches..	\$21.00	19.00
22x18x12 inches..	23.25	21.25
24x20x12 inches..	27.00	24.00

Add for Fuller Polished Brass Faucets, per pair ----- \$5.50



FIG. H-1387

PANTRY SINKS

OVAL STEEL



FIG. H-1388

FIG. H-1388

Size, 14 x 20 x 6 inches

Painted, each.....	\$2.00
Galvanized, each.....	3.50
Gray Enameled, each.....	5.50
White Enameled, each.....	6.50

If with Patent Overflow, add 50 cents net, each.

Patent Rubber Stopper, 25 cents net, each.

OVAL COPPER AND GERMAN SILVER

FIG. H-1389

	Copper.	German Silver.
12 x 18 inches, each..	\$6.00	11.00
12 x 20 inches, each..	6.50	12.00
14 x 16 inches, each..	6.00	13.00
14 x 20 inches, each..	7.50	14.00
14 x 24 inches, each..	9.00	16.50
16 x 24 inches, each..	10.00	18.50
16 x 30 inches, each..	12.00	21.50
18 x 30 inches, each..	13.00	24.00




FIG. H-1389

If with Connected Overflow, Waste Plug, Coupling and Tail Piece, add \$2.00.

SQUARE COPPER

FIG. H-1390



FIG. H-1390

12 x 18 inches, each.....	\$4.50
12 x 20 inches, each.....	5.00
14 x 16 inches, each.....	4.50
14 x 20 inches, each.....	6.00
14 x 24 inches, each.....	7.00
16 x 24 inches, each.....	8.00
16 x 30 inches, each.....	10.00
18 x 30 inches, each.....	11.00

SOLID PORCELAIN KITCHEN SINK




FIG. H-1391

Three-Quarter Roll-Rim Porcelain Kitchen Sinks.

Number	0	1	2	3	4
Length Outside, inches	24	30	36	42	48
Width Outside, inches	17	20	23	24	24
Depth Inside, inches	6	7	7	7	7
Height of Back, inches	15	15	15	18	18
List, Sink only, "A" Quality	\$12.00	18.00	22.00	29.00	36.00
List, Back only, "A" Quality	5.50	7.00	8.00	10.00	12.00
List, Sink only, "B" Quality	8.40	12.60	15.40	20.30	25.20
List, Back only, "B" Quality	3.85	4.90	5.60	7.00	8.40
List, per pair, Solid Porcelain Legs, with Iron Braces. Complete, "A" Quality	\$12.00				
List, per pair, Solid Porcelain Legs, with Iron Braces. Complete, "B" Quality	8.40				

**SOLID PORCELAIN
PANTRY SINKS**

FLAT RIM



Galvanized Brackets, per pair	\$5.50
Nickel-plated Plug and Coupling	1.30
Nickel-plated Overflow Grid and Coupling	1.50

FIG. H-1392

Number.	Length Outside, inches.	Width Outside, inches.	Depth Inside, inches.	List "A"	List "B"
1	20	14	5	\$6.00	4.20
2	23	16	6	8.00	5.60
3	24	17	6	9.00	6.30
4	28	17	6	11.00	7.70
5	30	20	7	13.00	9.10
EXTRA DEEP					
1	28	18	10	\$13.00	9.10
2	30	20	10	16.00	11.20

FLAT RIM—RECESS



List, Nickel-plated Standing Overflow and Waste..... \$5.00

FIG. H-1393

Number.	Length Outside, inches.	Width Outside, inches.	Depth Inside, inches.	List "A"	List "B"
1	24	17	6	\$10.00	7.00
2	28	17	6	12.00	8.40
3	30	20	7	14.00	9.80

ALBERENE STONE KITCHEN SINK




FIG. H-1394

With High Back, Soap Cup, Galvanized Legs and Polished Brass Rim.

Height of Back, 12 inches; Depth 8 inches.

Size of Sink	18 x 24	20 x 30	20 x 36	22 x 30	22 x 36
With Brass Rim, each	\$20.00	21.00	22.00	22.00	23.00
Without Brass Rim, each	14.50	15.25	16.00	16.25	17.00
Size of Sink		22 x 42	24 x 30	24 x 36	24 x 48
With Brass Rim, each		\$24.00	23.00	24.50	27.00
Without Brass Rim, each		17.75	17.25	18.50	20.50

All Measurements are Outside.

If without Soap Cup, deduct	.50
If with Painted Iron Legs, deduct	1.00
Bevel Front Sinks, add	2.00
Brass Strainer, less Coupling, add	.35
Brass Strainer, with Coupling, add	.75
Polished Brass Round Legs, add	3.50

NOTE.—We do not furnish Faucets, but Sinks with Faucet Holes 8 inches apart (from center to center), and 14 inches from center to the bottom (inside) of Sink will be sent, unless otherwise ordered.

FIG. H-1395—(Not Illustrated)

With Soap Cup and Galvanized Extension Legs, but without Back or Brass Rim.

Depth of Sink, 8 inches.

Size of Sink	18 x 24	20 x 30	20 x 36	22 x 30	22 x 36	22 x 42	24 x 30	24 x 36	24 x 48
Each	\$11.50	12.25	13.00	13.00	13.25	13.50	13.25	14.00	15.00

All Measurements are Outside.

If without Soap Cup, deduct	.50	Brass Strainer, less Coupling, add	.35
If with Painted Iron Legs, deduct	1.00	Brass Strainer, with Coupling, add	.75
For Sinks with Beveled Fronts, add to above list			\$2.00

VITRIFIED BROWN GLAZED KITCHEN SINK




FIG. H-1396

Vitrified Brown Glazed Earthenware Roll-Rim Kitchen Sink and Back, with Bronzed Iron Legs.

	Class A	Class B
24 x 20 x 8 inches, with Bronzed Iron Legs	\$14.00	12.00
30 x 20 x 8 inches, with Bronzed Iron Legs	17.20	14.50
36 x 22 x 8 inches, with Bronzed Iron Legs	20.40	17.50
42 x 22 x 8 inches, with Bronzed Iron Legs	25.60	20.50
48 x 22 x 8 inches, with Bronzed Iron Legs	31.80	25.50

Add for Earthenware Legs of same Material as Sink, per pair

	Class A	Class B
	\$7.00	5.00

Faucets, Strainers and Couplings, extra.

VITRIFIED BROWN GLAZED KITCHEN SINK




FIG. H-1397

Vitrified Brown Glazed Earthenware Flat Rim Kitchen Sink with Bronzed Iron Legs and Ash Frame.

	Class A	Class B
30 x 22 x 8 inches, with Bronzed Iron Legs and Ash Frame.....	\$12.50	\$10.50
36 x 22 x 8 inches, with Bronzed Iron Legs and Ash Frame.....	15.00	13.00
42 x 22 x 8 inches, with Bronzed Iron Legs and Ash Frame.....	18.50	15.50
48 x 24 x 9 inches, with Bronzed Iron Legs and Ash Frame.....	25.00	19.00
If with Brass Strainer and Coupling, add.....	\$2.00	

12.50

PORCELAIN ENAMELED SINK

(INTEGRAL)




FIG. H-1398

Porcelain Enameled Roll-Rim Sink and Back (all in one piece) supported on Concealed Wall Hanger, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs, Concealed Galvanized Air Chambers and "P" Trap with Waste and Vent to Wall.

Size, inches.....	16 x 24	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36
Enameled Inside	\$19.00	19.50	21.00	22.25	21.75	23.00
Enameled all over.....	23.00	23.50	25.00	27.25	26.75	28.00
Size, inches.....				22 x 36	20 x 40	22 x 42
Enameled Inside.....				\$23.50	24.25	24.75
Enameled all over.....				28.50	29.25	29.75

If with Painted Brackets instead of Wall Hanger, add per pair50
If with Porcelain Enameled Brackets instead of Wall Hanger, add per pair	1.00
If with Painted Legs instead of Wall Hanger, add per pair.....	1.00
If with Porcelain Enameled Legs instead of Wall Hanger, add per pair.....	1.50
If without Vented "P" Trap, deduct.....	5.75
If without Bibbs, deduct per pair.....	2.50
If without Galvanized Air Chambers, deduct per pair.....	2.00

PORCELAIN ENAMELED SINK

10.75 + R. 9.50



Standard

FIG. H-1399

Porcelain Enameled Roll-Rim Sink and 15 inch Porcelain Enameled Back, with Brackets, Concealed Galvanized Air Chambers, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs, and "P" Trap with Waste and Vent to Wall.

16 x 24 inches	\$19.00
18 x 24 inches	19.50
18 x 30 inches	21.00
18 x 36 inches	22.25
20 x 30 inches	21.75
20 x 36 inches	23.00
20 x 40 inches	24.25
22 x 36 inches	23.50
22 x 42 inches	24.75
If without Vented "P" Trap, deduct	\$5.75
If without Bibbs, deduct per pair	2.50
If without Air Chambers, deduct per pair	2.00

PORCELAIN ENAMELED SINK




FIG. H-1400

Porcelain Enameled Roll-Rim Sink and 15 inch Porcelain Enameled Back, with Right or Left End Piece, with one Bracket, Concealed Galvanized Air Chambers, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs, and "P" Trap with Waste and Vent to Wall.

16 x 24 inches	\$20.25
18 x 24 inches	21.00
18 x 30 inches	22.50
18 x 36 inches	23.75
20 x 30 inches	23.50
20 x 36 inches	24.75
20 x 40 inches	26.00
22 x 36 inches	25.50
22 x 42 inches	26.75
If without Vented "P" Trap, deduct	\$5.75
If without Bibbs, deduct per pair	2.50
If without Air Chambers, deduct per pair	2.00

PORCELAIN ENAMELED SINK




FIG. H-1401

Porcelain Enameled Roll-Rim Sink and 15 inch Porcelain Enameled Back, with Legs, Concealed Galvanized Air Chambers, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs and "P" Trap with Waste and Vent to Wall.

16 x 24 inches	\$19.50
18 x 24 inches	20.00
18 x 30 inches	21.50
18 x 36 inches	22.75
20 x 30 inches	22.25
20 x 36 inches	23.50
20 x 40 inches	24.75
22 x 36 inches	24.00
22 x 42 inches	25.25
If without Vented "P" Trap, deduct	\$5.75
If without Bibbs, deduct, per pair	2.50
If without Air Chambers, deduct, per pair	2.00

PORCELAIN ENAMELED SINK




FIG. H-1402

Porcelain Enameled Roll-Rim Sink, and 15 inch Porcelain Enameled Back over Sink and Drain Board, Ash Drain Board (24 inches long), with Sink and Drain Board Brackets, Concealed Galvanized Air Chambers, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs and "P" Trap with Waste and Vent to Wall.

NOTE.—Backs over 60 inches long are made in Sections, with Union Strips.

Size, inches	16 x 24	18 x 24	18 x 30	18 x 36	20 x 30
Each	\$26.00	26.65	28.15	29.40	29.10
Size, inches		20 x 36	20 x 40	22 x 36	22 x 42
Each		\$30.35	31.60	31.00	32.25
If without Vented "P" Trap, deduct					\$5.75
If without Bibbs, deduct per pair					2.50
If without Galvanized Air Chambers, deduct per pair					2.00

If wanted with Porcelain Enameled Drain Board instead of Wood, add to lists, Sinks 18 inches wide, \$1.75; Sinks 20 inches wide, \$2.25; Sinks 22 inches wide, \$2.75.

PORCELAIN ENAMELED SINK




FIG. H-1403

Porcelain Enameled Roll-Rim Sink and 15 inch Porcelain Enameled Back over Sink and Drain Boards, Right and Left Ash Drain Boards (18 inches long) with Sink Legs and Drain Board Brackets, Concealed Galvanized Air Chambers, Nickel-plated Strainer, Fuller Adjustable Flange Bibbs and "P" Trap with Waste and Vent to Wall.

Backs over 60 inches long are made in sections with Union Strips; can be furnished with 24 inch Drain Boards if desired. Prices on application.

Size, inches.....	16 x 24	18 x 24	18 x 30	18 x 36	20 x 30	20 x 36
Each	\$30.00	30.80	32.30	33.55	33.45	34.70

Size, inches.....	20 x 40	22 x 36	22 x 42
Each	\$35.95	35.50	36.75
If without Vented "P" Trap, deduct			\$5.75
If without Bibbs, deduct per pair			2.50
If without Air Chambers, deduct per pair			2.00

If wanted with Porcelain Enameled Drain Boards instead of Wood, add to Lists, Sinks, 18 inches wide, \$3.50; Sinks, 20 inches wide, \$4.50; Sinks, 22 inches wide, \$5.50

PORCELAIN ENAMELED SINK BACKS

ROLL-RIM, DEEP PATTERN




FIG. H-1404

Porcelain Enameled Roll-Rim Deep Pattern Sink Backs. Can be used with regular Flat-Rim or Roll-Rim Sinks, and with or without Air Chambers.

Length, inches	20	22	24	28	30	32	36
15 inches high, each	\$2.50	2.75	3.00	3.50	3.75	4.00	4.50
12 inches high, each	---	---	2.50	---	3.00	---	3.75
Length, inches		40	42	48	54	58	60
15 inches high, each		\$5.00	5.25	7.00	7.75	8.25	8.50
12 inches high, each		4.25	4.50	---	---	---	---

ROLL-RIM, SHALLOW PATTERN




FIG. H-1405

Porcelain Enameled Roll-Rim Shallow Pattern Sink Backs.

NOTE.—Concealed Air Chambers cannot be used with this Back.

Length, inches	20	22	24	28	30	32
12 inches high, each	\$1.80	2.00	2.20	2.60	2.80	3.00
Length, inches		36	38	40	42	48
12 inches high, each		\$3.40	3.60	3.80	4.00	5.00

DRAIN BOARDS




FIG. H-1406

Interchangeable Hardwood Drain Board, with Porcelain Enameled End, for attaching to Roll-Rim Sinks.


At the Sink End of the Board is an Enameled Iron Attaching Piece, made to fit over the Roll-Rim, and can be used on any Full Roll-Rim Sinks.

Width, inches.....	18
18 inches long, ea.	\$3.00
24 inches long, ea.	3.50

Width, inches.....	20
18 inches long, ea.	\$3.25
24 inches long, ea.	3.75

Width, inches.....	22
18 inches long, ea.	\$3.50
24 inches long, ea.	4.00

FIG. H-1406



Standard
PITTSBURGH, PA.

FIG. H-1407

Porcelain Enameled Interchangeable Drain Board.

Width, inches.....	18	20	22
18 inches long, each.....	\$3.25	3.50	3.75
24 inches long, each.....	3.75	4.00	4.25

One Painted Bracket furnished with each Board for supporting same.

SINK MATS




FIG. H-1408

RUBBER

FIG. H-1408

Perforated Rubber Mat for Porcelain Enamelled Drain Boards.

For Drains, measuring in width, in.	18	20	22
For Drains, 18 in. long	\$2.25	2.50	2.75
For Drains, 24 in. long	2.75	3.00	3.25

HARDWOOD




FIG. H-1409

Hardwood Mat for Roll or Flat-Rim Sinks.

Length of Sink, inches	24	30	36	40	42	48
Each	\$1.50	2.25	3.00	3.50	3.75	4.50

When ordering state width and length of Sink to be used with. Special sizes made to order.

SEAMLESS WROUGHT STEEL KITCHEN SINKS

WITH ROLL EDGES

(Drilled with Bolt Holes for Brackets.)




FIG. H-1410

PATENTED

CAST IRON COUPLINGS FOR LEAD PIPE



FIG. H-1411

(Order by number only, and state finish required.)

Number	01	01½	02	02½
Width, inches	16	18	18	20
Length, inches	24	24	30	20
Depth, inches	6	6	6	6
Painted Inside and Out, each	\$2.10	2.35	2.60	2.60
Galvanized Inside and Out, each	2.60	2.85	3.35	3.35
Blue Enameled Inside and Out, each	3.60	4.10	4.60	4.60
Agate Enameled (Gray) Inside and Out, each	4.60	5.10	5.60	5.60
Crystal Enameled (Light Gray) Inside and Out, each	4.85	5.35	5.85	5.85
White Enameled (Blue Outside), each	5.35	5.85	6.60	6.60

Number	03	04	05	06
Width, inches	18	20	20	20
Length, inches	36	30	36	40
Depth, inches	6	6	6	6
Painted Inside and Out, each	\$3.35	3.10	3.85	4.60
Galvanized Inside and Out, each	4.10	3.85	4.60	5.35
Blue Enameled Inside and Out, each	5.60	5.35	6.35	7.35
Agate Enameled (Gray) Inside and Out, each	6.60	6.35	7.35	8.35
Crystal Enameled (Light Gray) Inside and Out, each	6.85	6.60	7.60	8.60
White Enameled (Blue Outside), each	7.60	7.35	8.35	9.35

For Sinks with Cast Iron Couplings threaded for 1½ inch Iron Pipe, add .20

With Improved Brass Strainer Couplings for Lead or Iron Pipe, add to

List 1.00

Plug Strainers will be supplied with Sinks when ordered.

SEAMLESS WROUGHT STEEL KITCHEN SINKS

WITH FLAT EDGES



FIG. H-1412

CAST IRON COUPLINGS FOR LEAD PIPE



FIG. H-1413

(Order by number only, and state finish required.)

Number	1	1½	2	2½
Width, inches	16	18	18	20
Length, inches	24	24	30	20
Depth, inches	6	6	6	6
Painted Inside and Out, each	\$2.00	2.25	2.50	2.50
Galvanized Inside and Out, each	2.50	2.75	3.25	3.25
Blue Enameled Inside and Out, each	3.50	4.00	4.50	4.50
Agate Enameled (Gray) Inside and Out, each	4.50	5.00	5.50	5.50
Crystal Enameled (Light Gray) Inside and Out, each	4.75	5.25	5.75	5.75
White Enameled (Blue Outside), each	5.25	5.75	6.50	6.50

Number	3	4	5	6
Width, inches	18	20	20	20
Length, inches	36	30	36	40
Depth, inches	6	6	6	6
Painted Inside and Out, each	\$3.25	3.00	3.75	4.50
Galvanized Inside and Out, each	4.00	3.75	4.50	5.25
Blue Enameled Inside and Out, each	5.50	5.25	6.25	7.25
Agate Enameled (Gray) Inside and Outside, each	6.50	6.25	7.25	8.25
Crystal Enameled (Light Gray) Inside and Out, each	6.75	6.50	7.50	8.50
White Enameled (Blue Outside), each	7.50	7.25	8.25	9.25

For Sinks with Cast Iron Couplings threaded for 1½ inch Iron Pipe, add .20

With Improved Brass Strainer Couplings for Lead or Iron Pipe, add to

List 1.00

Plug Strainers will be supplied with Sinks when ordered.

SEAMLESS WROUGHT STEEL KITCHEN SINKS

WITH ROLL EDGES

(Drilled with Bolt Holes for Brackets.)

FIG. H-1414
Patented.AND DETACHABLE [COMBINATION] OVERFLOW,
OVERFLOW PROTECTOR, AND PLUG OUTLET.

FOR LEAD PIPE

FOR IRON PIPE




FIG. H-1415




FIG. H-1416

Couplings for Lead Pipe always sent unless ordered otherwise.
(Order by number only, and state finish required.)

Number.....	0100 ³ / ₄	0150 ³ / ₄	0200 ³ / ₄	0250 ³ / ₄
Width, inches.....	16	18	18	20
Length, inches.....	24	24	30	20
Depth, inches.....	6	6	6	6
Painted Inside and Out, each.....	\$5.60	5.85	6.10	6.10
Galvanized Inside and Out, each.....	6.10	6.35	6.85	6.85
Blue Enameled Inside and Out, each.....	7.10	7.60	8.10	8.10
Agate Enameled (Gray) Inside and Out, each.....	8.10	8.60	9.10	9.10
Crystal Enameled (Light Gray) Inside and Out, each.....	8.35	8.85	9.35	9.35
White Enameled (Blue Outside), each.....	8.85	9.35	10.10	10.10
Number.....	0300 ³ / ₄	0400 ³ / ₄	0500 ³ / ₄	0600 ³ / ₄
Width, inches.....	18	20	20	20
Length, inches.....	36	30	36	40
Depth, inches.....	6	6	6	6
Painted Inside and Out, each.....	\$6.85	6.60	7.35	8.10
Galvanized Inside and Out, each.....	7.60	7.35	8.10	8.85
Blue Enameled Inside and Out, each.....	9.10	8.85	9.85	10.85
Agate Enameled (Gray) Inside and Out, each.....	10.10	9.85	10.85	11.85
Crystal Enameled (Light Gray) Inside and Out, each.....	10.35	10.10	11.10	12.10
White Enameled (Blue Outside), each.....	11.10	10.85	11.85	12.85

ROLL-RIM STEEL SINK BACK




FIG. H-1417

(Order by number only, and state finish required.)

Number	100	200	300
Width, inches	24	30	36
Painted, each	\$1.90	2.00	2.25
Galvanized, each	2.50	2.75	3.25
Blue Enameled, each	3.50	4.50	5.50
Agate Enameled (Gray), each	3.75	4.75	5.75
Crystal Enameled (Light Gray), each	4.00	5.00	6.00
White Enameled, each	4.50	5.50	6.50

Backs with two holes always supplied unless otherwise ordered.

SEAMLESS WROUGHT STEEL FLAT SINK BACK

WITH AIR CHAMBERS THREADED FOR 3/4 INCH BIBBS




FIG. H-1418

(Order by number only, and state finish required.)

Air Chambers are made of Malleable and Wrought Iron, covered with Ornamental White Metal, as illustrated above.

Number	Without Air Chambers.				With Two Air Chambers.			
	0	1	2	3	8	10	20	30
Width, inches	20	24	30	36	20	24	30	36
Painted, each	\$1.20	1.30	1.60	2.00	5.20	5.30	5.60	6.00
Galvanized, each	1.60	1.80	2.10	2.50	5.60	5.80	6.10	6.50
Blue Enameled, each	1.90	2.20	2.60	3.20	5.80	6.20	6.60	7.20
Agate Enameled (Gray), each	2.00	2.30	2.70	3.30	6.00	6.30	6.70	7.30
Crystal Enameled (Light Gray), each	2.20	2.50	2.90	3.50	6.20	6.50	6.90	7.50
White Enameled, each	2.50	3.00	3.50	4.25	6.50	7.00	7.75	8.50

Nickel-plated Air Chambers, List, 60 cents each extra.

FLAT-RIM CAST IRON KITCHEN SINKS



FIG. H-1419

Size, inches.	Painted.	Enam.	Galv'd.	Size, inches.	Painted.	Enam.	Galv'd.
12 x 12	\$1.00	2.15	2.20	20 x 36	\$3.70	5.25	7.75
12 x 16	1.10	2.25	2.30	20 x 38	3.80	5.50	8.00
12 x 18	1.25	2.40	2.60	22 x 36	3.80	5.50	7.75
12 x 20	1.40	2.65	3.10	LONG			
14 x 14	1.35	2.50	2.60	20 x 40	4.00	5.75	8.75
14 x 20	1.50	3.00	3.20	20 x 42	4.25	6.00	9.00
14 x 22	1.60	3.10	3.30	20 x 48	5.25	6.75	11.50
14 x 24	1.70	3.15	3.75	22 x 42	4.75	6.25	9.00
15 x 23	1.70	3.15	---	23 x 42	5.00	6.50	9.20
15 x 27	2.00	3.65	4.25	23 x 48	5.75	7.50	12.25
16 x 16	1.50	2.65	3.25	24 x 48	6.00	7.75	12.25
16 x 20	1.70	3.15	3.50	24 x 50	7.50	9.00	16.00
16 x 24	1.90	3.25	4.00	EXTRA LONG			
16 x 28	2.10	3.75	4.50	20 x 60	10.00	25.00	21.00
16 x 30	2.25	3.90	4.75	24 x 60	12.00	30.00	25.00
17 x 28	2.20	3.75	4.50	22 x 62	12.00	30.00	---
18 x 24	2.10	3.50	4.30	20 x 72	13.00	33.00	26.00
18 x 30	2.50	4.25	5.10	24 x 72	15.00	35.00	31.00
18 x 32	2.75	4.65	6.25	24 x 84	17.00	---	---
18 x 36	3.25	4.75	6.50	24 x 96	19.00	---	56.00
20 x 24	2.40	3.75	5.00	24 x 108	21.00	---	---
20 x 28	2.70	4.00	5.50	24 x 120	24.00	---	72.00
20 x 30	3.00	4.50	6.25				

If with Overflow, add each \$1.50

If with Overflow and Plug Strainer, add each 2.00

KITCHEN SINKS



FIG. H-1420

FIG. H-1420

Porcelain Enameled Round Corner Kitchen Sinks with Nickel-plated Strainer.

NOTE.—Sinks are furnished with Enameled Rims.

	Painted.	Enameled.
16 x 24 inches	\$2.15	3.50
16 x 30 inches	2.50	4.15
18 x 30 inches	2.75	4.50
18 x 36 inches	3.50	5.00
20 x 30 inches	3.25	4.75

FIG. H-1421

Porcelain Enameled Half Circle Sinks, with Nickel-plated Strainer.

Depth of Sinks, 6 inches.

	Painted.	Enam.
14 x 24 inches	\$1.75	3.45
14 x 27 inches	2.00	4.00
15 x 27 inches	2.15	4.15
16 x 27 inches	2.25	4.25
16 x 29 inches	2.50	4.55
17 x 31 inches	2.75	5.15

CAST IRON HALF CIRCLE SINK



FIG. H-1421

FIG. H-1422

Porcelain Enameled Corner Sinks, with Nickel-plated Strainer.

Depth of Sinks, 6 inches.

CAST IRON CORNER SINK




FIG. H-1422

	Painted.	Enam.
17 x 24 inches	\$1.85	3.70
17 x 25 inches	2.10	4.25
20 x 27 inches	2.35	4.50
20 x 29 inches	2.60	4.80
22 x 31 inches	3.00	5.60

Above Sinks can be furnished in Galvanized Finish if desired. Prices on application.

CAST IRON SLOP SINKS

REGULAR—WITH 2 INCH OUTLET AT END

FIG. H-1423



	Enam. Painted. Inside.	
16 x 16 x 10 inches	\$2.70	4.50
16 x 16 x 12 inches	3.25	4.80
20 x 14 x 12 inches	3.50	5.10
20 x 16 x 12 inches	4.00	6.00
22 x 20 x 12 inches	4.50	6.90
23 x 15 x 15 inches	4.25	6.60
24 x 18 x 12 inches	4.50	6.60
24 x 20 x 12 inches	5.00	7.25
30 x 20 x 12 inches	8.00	10.50
36 x 20 x 12 inches	10.00	12.75
36 x 21 x 16 inches	14.00	17.75
48 x 20 x 12 inches	16.00	19.00
48 x 20 x 17 inches	20.00	24.00
72 x 20 x 12 inches	24.00	33.25
Add for Overflow	----	\$3.00
Add for Overflow and Plug Strainer	-----	3.50

FIG. H-1423

WITH ROUND CORNERS FOUR INCH OUTLET IN CENTER

FIG. H-1424

	Enameled.	
	Painted.	Inside.
16 x 16 x 10 inches.	\$3.25	5.00
14 x 20 x 12 inches.	4.00	5.70
20 x 22 x 12 inches.	5.00	7.20
20 x 24 x 12 inches.	5.50	8.10
20 x 30 x 12 inches.	8.00	10.80
20 x 36 x 12 inches.	10.00	12.70



These Sinks can be furnished in Galvanized Finish, if desired.

Prices on application.

FIG. H-1424

CORNER SLOP SINK



FIG. H-1425

Porcelain Enameled Flat Rim Corner Slop Sink, with Nickel-plated Strainer.

Size, inches	18 x 18 x 12	19 x 19 x 12
As described, Enameled Inside, each	\$7.00	7.50
Painted Inside and Out, each	5.00	5.25

[Above Sinks can be furnished in Galvanized Finish if desired. Prices on application.

**SLOP HOPPER
WITH BELL TRAP**




FIG. H-1426

With 2 inch Outlet. When so ordered can furnish with Outlet to fit Hub of 4 inch Soil Pipe, but when made in this way have no Bell Trap.

Size, inches	12 x 12 x 6	15 x 15 x 12	18 x 18 x 12
Plain, each	\$1.50	2.50	3.00
Galvanized, each	3.00	5.00	6.00

CELLAR TRAP



FIG. H-1427

No. 1— 9 inches Square, $2\frac{1}{4}$ inches deep, each	.75
No. 2—12 inches Square, $2\frac{1}{4}$ inches deep, each	1.00

HYDRANT CESSPOOL




FIG. H-1428

FIG. H-1428

Size.	Each.
12x12x6 in. deep--	\$1.00
14x14x6 in. deep--	1.15
16x16x6 in. deep--	1.30


HYDRANT CESSPOOL
WITH BELL TRAP

FIG. H-1429

FIG. H-1429

Size.	Each.
12x12x6 in. deep--	\$1.50
14x14x6 in. deep--	1.75
16x16x6 in. deep--	2.00

STABLE CESSPOOL
WITH BELL TRAP

FIG. H-1430

FIG. H-1430

6 x 6 inch Medium, 2 inch outlet, each-----	.75
6 x 6 inch Heavy, 2 inch outlet, each-----	\$1.00
9 x 9 inch Medium, 3 or 4 inch outlet, each-----	1.00
9 x 9 inch Heavy, 3 or 4 inch outlet, each-----	1.50
13 x 13 inch Medium, 3 or 4 inch outlet, each-----	2.00
13 x 13 inch Heavy, 3 or 4 inch outlet, each-----	3.00

CESSPOOL

WITH BELL TRAP AND HINGED STRAINER



FIG. H-1431

FIG. H-1431

Size.	Standard.	Extra Heavy.
6 x 6 in. with 2 in. outlet	\$1.00	1.50
8 x 8 in. with 3 in. outlet	1.25	1.75
9 x 9 in. with 3 in. outlet	1.35	1.85
10 x 10 in. with 4 in. outlet	2.00	3.00
12 x 12 in. with 4 in. outlet	2.50	3.50
13 x 13 in. with 4 in. outlet	3.00	4.25

CAST BRASS

	Brass.	Nickel-plated.
6 x 6 inches	\$3.50	4.25
9 x 9 inches	8.00	9.75
13 x 13 inches	15.00	17.00

LARGE CESSPOOL

WITH BELL TRAP AND GRATING



FIG. H-1432

FIG. H-1432

Size.	Painted.	Galv.
10x10x10 in. deep	\$3.50	7.00
12x12x10 in. deep	3.75	7.50
12x15x10 in. deep	4.00	8.00
14x14x10 in. deep	4.00	8.00
15x15x10 in. deep	4.25	9.00
16x16x10 in. deep	4.50	10.00

SEWER TRAP




FIG. H-1433

FIG. H-1433

No. 1—16 x 16 x 10 inches deep	\$2.50
No. 2—20 x 20 x 12 inches deep	4.00

SINK FITTINGS

SINK BACK




FIG. H-1434

Size, inches	Plain	Galvanized
14	\$1.05	\$1.75
16	1.10	1.90
18	1.20	2.10
20	1.25	2.25
22	1.35	2.50
24	1.50	2.80
25	1.55	2.90
27	1.70	3.25
28	1.80	3.50
30	2.00	4.00
32	2.25	4.25
34	2.50	4.75
36	2.75	5.00
38	3.00	5.50
41	3.50	6.00
42	3.75	6.50
48	4.25	7.00

For Sink Backs with Air Chambers, add to List \$1.50 for each Air Chamber. Plain, and \$2.00 Galvanized, and 50 cents for each Pipe and Coupling.

**SINK BRACKET
ADJUSTABLE**




FIG. H-1435

	Plain.	Galvanized.
No. 1—For Sinks up to 14 inches wide	.60	1.00
No. 2—For Sinks up to 18 inches wide	.75	1.25
No. 3—For Sinks up to 24 inches wide	1.25	2.00

SINK LEG



FIG. H-1436

Plain, each	.50
Galvanized, each	1.00

SINK FITTINGS

ALBERENE WASH TRAY LEG



FIG. H-1438

WASH TRAY LEG




FIG. H-1437

	Plain. Galvanized.	
Small—14½ inches High x 14½ inches Wide	.60	1.25
Large—15 inches High x 18 inches Wide	.70	1.40

	Plain. Galvanized.	
Small—14 inches High x 15 inches Wide	.70	1.40
Medium—14 inches High x 17½ inches Wide	1.00	2.00
Large—16 inches High x 16½ inches Wide	1.25	2.50

SINK BOLT



FIG. H-1439

SINK COUPLING—LEAD PIPE



FIG. H-1440

SINK COUPLING—IRON PIPE



FIG. H-1441

Iron, per doz	.40
Brass, per doz	1.00
N. P., per doz	1.25

Painted, per doz	\$1.50
Galvanized, per doz	2.00

Painted, per doz	\$9.00
Galvanized, per doz	10.80

PLUG SINK STRAINER WITH RUBBER STOPPER




FIG. H-1443

OPEN SINK STRAINER




FIG. H-1442

Painted Iron, per doz	\$1.25
Enameled Iron, per doz	2.25
Nickel-plated Brass, per doz	4.00
If furnished with Bolts and Nuts, add per doz	.50

Painted Iron, per doz	\$3.50
Enameled Iron, per doz	5.00
Polished Brass, per doz	7.00
Nickel-plated Brass, per doz	8.00
If furnished with Bolts and Nuts, add per doz	.50

BOILER STANDS

PLAIN



FIG. H-1444

GRAY'S



FIG. H-1445

FIG. H-1444—PLAIN BOILER STANDS

	Plain.	Galv.
12 inch for 18, 21, 24, 27, 30 and 36 gallon Boilers, each	\$1.25	\$2.50
13 inch for 35 gallon Boiler, each	1.30	2.60
14 inch for 24, 28, 32, 36, 40 and 48 gallon Boilers, each	1.40	2.70
16 inch for 42, 47, 52 and 63 gallon Boilers, each	1.75	3.25
18 inch for 53, 66 and 79 gallon Boilers, each	2.00	3.80
20 inch for 82 and 98 gallon Boilers, each	2.25	4.50
22 inch for 100 and 120 gallon Boilers, each	2.75	5.00
24 inch for 120, 144, 168 and 192 gallon Boilers, each	3.50	6.50

FIG. H-1445—GRAY'S BOILER STANDS

12 inch for 18, 21, 24, 27, 30 and 36 gallon Boilers, each	\$1.00
13 inch for 35 gallon Boiler, each	1.10
14 inch for 24, 28, 32, 36, 40 and 48 gallon Boilers, each	1.20
16 inch for 42, 47, 52 and 63 gallon Boilers, each	1.30
18 inch for 53, 66 and 79 gallon Boilers, each	1.40

Galvanized Iron double the above List.

FIG. H-1446

Wrought Iron Brackets for Horizontal Boilers and Tanks.

Size, inches.	Black, per pair.	Galvanized, per pair.
10	\$6.00	\$6.50
12	6.00	6.50
14	6.00	6.50
16	6.50	7.50
18	8.00	9.00
20	8.00	9.00
22	9.50	11.00
24	9.50	11.00



FIG. H-1446

BROWN'S SEAMLESS DRAWN COPPER RANGE BOILER



FIG. H-1447

Regular Pressure, tested to 200 pounds internal pressure to square inch, and are recommended for a working pressure of 150 pounds.

Extra Heavy Pressure, tested to 300 pounds internal pressure to square inch, and are recommended for a working pressure of 200 pounds.

All Couplings are for Iron Pipe connections, unless ordered otherwise. Couplings threaded for $\frac{1}{2}$ inch Iron Pipe furnished if desired; also $\frac{3}{4}$ inch and $\frac{7}{8}$ inch Brass Pipe Fine Thread Fittings. *We warrant each and every Boiler to have been tested before leaving our works.*

All Boilers are made of the BEST quality of COPPER, are thoroughly tinned on the inside, and will be furnished with either two or three couplings on top.

NOTE.—Each Boiler is plainly marked on the band.

Guaranteed not to collapse.



Sectional View.

Capacity, Gallons.	Height, Inches.	Diameter, Inches.	Price, Regular Pressure.	Price, Extra Heavy Pressure.	Boxing.
30	60	12	\$37.50	\$50.00	\$1.00
35	53	14	45.00	56.00	1.00
40	60	14	50.00	65.00	1.25
45	68	14	56.00	70.00	1.25
50	60	16	62.50	82.50	1.50
60	70	16	75.00	100.00	1.50
80	96	16	100.00	130.00	2.00
60	44	20	115.00	145.00	2.00
80	59	20	140.00	175.00	2.00
100	76	20	160.00	190.00	2.75
100	60	24	190.00	220.00	2.75
120	65 $\frac{1}{2}$	24	195.00	225.00	3.00
125	69	24	200.00	230.00	3.50
150	78 $\frac{1}{2}$	24	225.00	255.00	4.00
180	92 $\frac{1}{2}$	24	265.00	295.00	4.00
200	103	24	300.00	330.00	4.00
250	129	24	425.00	-----	6.00

COPPER RANGE BOILERS

"WILHELMI"

THE "WILHELMI" COPPER RANGE BOILER

Heavily tinned on the inside and re-inforced with corrugated ribs of brass which render collapse an absolute impossibility.




FIG. H-1448

Capacity, Gallons.	Height, Inches.	Deameter, Inches.	Price, 250 lb. test.	Boxing, net.
30	60	12	\$37.50	\$1.00
35	60	13	45.00	1.00
40	60	14	50.00	1.00
50	60	16	62.50	1.00
60	60	18	75.00	2.00
80	60	20	100.00	2.00
100	62	22	125.00	2.00
120	73	22	155.00	3.00
125	76	22	165.00	3.00
125	69	24	175.00	3.00
150	78½	24	205.00	3.00
200	87	26	285.00	4.00
225	98	26	330.00	4.00
225	74	30	340.00	5.00
250	108	26	380.00	5.00
250	82	30	400.00	5.00
300	98	30	450.00	5.00

The 250 lb. test boiler is guaranteed to stand a working pressure of 150 lbs. and against collapse.

NOTE.—Guarantee does not hold good where a check valve is used on supply pipe.

All couplings will be furnished for lead pipe unless otherwise ordered.

THE "MODERN" COPPER PRESSURE BOILER

"MODERN"

Capacity, Gallons.	Height, Inches.	Diameter, Inches.	Price List.	Boxing, net.
30	60	12	\$37.50	---
35	60	13	45.00	---
40	60	14	50.00	---
50	60	16	62.50	---
60	60	18	75.00	---
80	60	20	100.00	---
100	62	22	125.00	---
120	73	22	155.00	\$3.00
125	76	22	165.00	3.00
125	69	24	175.00	3.00
150	78½	24	205.00	3.00




FIG. H-1449

The "Modern" Boiler is guaranteed to a working pressure of 100 lbs. and against collapse. It is tested to 200 lbs.

We make no charge for boxing or couplings for boilers up to 100 gallons capacity. Boxing charges same as on "Wilhelmi" for all sizes of greater capacity than 100 gallons.

NOTE.—Guarantee does not hold good where a check valve is used on supply pipe.

All couplings will be furnished for ¾ lead pipe unless ordered otherwise. Boilers fitted with steam coils made to order. Prices on application.

COPPER RANGE BOILER



FIG. H-1450

ROUND HEAD

Capacity, gallons.....	30	35	40	45	50
Size, inches.....	12x60	13x60	14x60	15x60	15x66
Test, 50 pounds.....	\$24.00	27.00	32.00	37.00	41.00
Test, 70 pounds.....	26.00	30.00	34.00	39.00	43.00
Test, 150 pounds.....	30.00	35.00	40.00	45.00	50.00
Test, 200 pounds.....	30.00	35.00	40.00	45.00	50.00
Boxing, net.....	1.25	1.25	1.50	1.50	1.75

Capacity, gallons.....	60	70	80	90	100
Size, inches.....	16x72	17x72	18x72	20x66	20x72
Test, 50 pounds.....	\$52.00	59.00	68.00	80.00	88.00
Test, 70 pounds.....	55.00	63.00	72.00	84.00	92.00
Test, 150 pounds.....	60.00	70.00	80.00	90.00	100.00
Test, 200 pounds.....	60.00	70.00	80.00	90.00	100.00
Boxing, net.....	2.00	2.00	2.50	2.50	3.00

FLAT HEAD

Capacity, gallons.....	30	35	40	45	50
Size, inches.....	12x60	13x60	14x60	15x60	15x66
Test, 50 pounds.....	\$22.00	24.00	28.00	35.00	38.00
Test, 70 pounds.....	24.00	27.00	32.00	37.00	41.00

Capacity, gallons.....	60	70	80	90	100
Size, inches.....	16x72	17x72	18x72	20x66	20x72
Test, 50 pounds.....	\$18.00	56.00	63.00	75.00	84.00
Test, 70 pounds.....	52.00	59.00	68.00	80.00	88.00

Double Boiler, 70 pounds Test.....	\$85.00	-----	100.00	-----	150.00
------------------------------------	---------	-------	--------	-------	--------

$\frac{3}{4}$ inch Lead Pipe Couplings for 80 gallons and smaller.
 1 inch Lead Pipe Couplings for sizes larger than 80 gallons.

THE GRAVES BOILER



FIG. H-1451

Extra Thick Iron.

Extra Galvanized Inside and Outside.

Every Boiler examined Inside by Electric Light.

The Graves Boiler is Enamelled Outside with a Light Blue, Heat-resisting Enamel.

Packed and boxed for shipping.

Will stand 300 pounds Pressure and is warranted for six years.

Every Boiler bears a Brass Plate with this Guarantee.

Capacity, 18 gallons, size 3	feet by 12 inches, each	\$24.50
Capacity, 21 gallons, size 3½	feet by 12 inches, each	25.50
Capacity, 24 gallons, size 4	feet by 12 inches, each	25.75
Capacity, 27 gallons, size 4½	feet by 12 inches, each	28.50
Capacity, 30 gallons, size 5	feet by 12 inches, each	29.00
Capacity, 36 gallons, size 6	feet by 12 inches, each	34.50
Capacity, 35 gallons, size 5	feet by 13 inches, each	31.00
Capacity, 24 gallons, size 3	feet by 14 inches, each	29.00
Capacity, 28 gallons, size 3½	feet by 14 inches, each	30.25
Capacity, 32 gallons, size 4	feet by 14 inches, each	31.00
Capacity, 36 gallons, size 4½	feet by 14 inches, each	31.50
Capacity, 40 gallons, size 5	feet by 14 inches, each	34.00
Capacity, 48 gallons, size 6	feet by 14 inches, each	40.00
Capacity, 42 gallons, size 4	feet by 16 inches, each	36.00
Capacity, 47 gallons, size 4½	feet by 16 inches, each	40.00
Capacity, 52 gallons, size 5	feet by 16 inches, each	41.00
Capacity, 63 gallons, size 6	feet by 16 inches, each	48.00
Capacity, 53 gallons, size 4	feet by 18 inches, each	41.50
Capacity, 66 gallons, size 5	feet by 18 inches, each	48.00
Capacity, 79 gallons, size 6	feet by 18 inches, each	54.00
Capacity, 82 gallons, size 5	feet by 20 inches, each	55.50
Capacity, 98 gallons, size 6	feet by 20 inches, each	71.50
Capacity, 100 gallons, size 5	feet by 22 inches, each	73.50
Capacity, 120 gallons, size 6	feet by 22 inches, each	84.00
Capacity, 120 gallons, size 5	feet by 24 inches, each	82.50
Capacity, 144 gallons, size 6	feet by 24 inches, each	113.00
Capacity, 168 gallons, size 7	feet by 24 inches, each	130.00
Capacity, 192 gallons, size 8	feet by 24 inches, each	142.00

GALVANIZED RANGE BOILERS

Capacity.	Size.	Each.
18 gallons...	3 feet x 12 inches ...	\$14.50
21 gallons...	3½ feet x 12 inches ..	15.50
24 gallons...	4 feet x 12 inches ...	15.75
24 gallons...	3 feet x 14 inches ...	19.00
27 gallons...	4½ feet x 12 inches ...	18.50
28 gallons...	3½ feet x 14 inches ...	20.25
30 gallons...	5 feet x 12 inches ...	19.00
32 gallons...	4 feet x 14 inches ...	21.00
35 gallons...	5 feet x 13 inches ...	21.00
36 gallons...	6 feet x 12 inches ...	24.50
36 gallons...	4½ feet x 14 inches ...	21.50
40 gallons...	5 feet x 14 inches ...	24.00
42 gallons...	4 feet x 16 inches ...	26.00
47 gallons...	4½ feet x 16 inches ...	30.00
48 gallons...	6 feet x 14 inches ...	30.00
52 gallons...	5 feet x 16 inches ...	31.00
53 gallons...	4 feet x 18 inches ...	31.50
63 gallons...	6 feet x 16 inches ...	38.00
66 gallons...	5 feet x 18 inches ...	38.00
79 gallons...	6 feet x 18 inches ...	44.00
82 gallons...	5 feet x 20 inches ...	45.50
98 gallons...	6 feet x 20 inches ...	61.50
100 gallons...	5 feet x 22 inches ...	63.50
120 gallons...	6 feet x 22 inches ...	74.00
120 gallons...	5 feet x 24 inches ...	72.50
144 gallons...	6 feet x 24 inches ...	103.00
168 gallons...	7 feet x 24 inches ...	120.00
192 gallons...	8 feet x 24 inches ...	132.00
240 gallons...	10 feet x 24 inches ...	160.00



FIG. H-1452




FIG. H-1453

GALVANIZED EXTRA HEAVY IRON BOILERS



FIG. H-1454

WITH TINNED COPPER TUBE COILS INSIDE




FIG. H-1455




FIG. H-1456

Capacity, Gals.	Dimensions.	Black, Each.	Galvanized, Each.	Capacity, Gals.	Dimensions.	Black, Each.	Galvanized, Each.
18	3 ft. x 12 in.	\$28.00	\$28.00	265	5 ft. x 36 in.	\$170.00	\$212.00
24	4 ft. x 12 in.	30.00	30.00	290	5½ ft. x 36 in.	185.00	228.00
30	5 ft. x 12 in.	32.00	32.00	315	6 ft. x 36 in.	200.00	244.00
35	5 ft. x 13 in.	34.00	34.00	360	7 ft. x 36 in.	220.00	276.00
40	5 ft. x 14 in.	36.00	36.00	425	8 ft. x 36 in.	240.00	312.00
52	5 ft. x 16 in.	44.00	44.00	520	10 ft. x 36 in.	288.00	380.00
66	5 ft. x 18 in.	60.00	60.00	360	5 ft. x 42 in.	220.00	276.00
82	5 ft. x 20 in.	68.00	68.00	420	6 ft. x 42 in.	240.00	300.00
100	5 ft. x 22 in.	88.00	88.00	500	7 ft. x 42 in.	260.00	340.00
120	5 ft. x 24 in.	90.00	96.00	575	8 ft. x 42 in.	280.00	360.00
144	6 ft. x 24 in.	94.00	124.00	720	10 ft. x 42 in.	310.00	390.00
168	7 ft. x 24 in.	108.00	144.00	470	5 ft. x 48 in.	250.00	320.00
192	8 ft. x 24 in.	124.00	164.00	570	6 ft. x 48 in.	280.00	360.00
150	4 ft. x 30 in.	100.00	136.00	650	7 ft. x 48 in.	290.00	370.00
185	5 ft. x 30 in.	110.00	164.00	750	8 ft. x 48 in.	300.00	380.00
203	5½ ft. x 30 in.	120.00	172.00	850	9 ft. x 48 in.	310.00	395.00
225	6 ft. x 30 in.	140.00	192.00	940	10 ft. x 48 in.	320.00	405.00
212	4 ft. x 36 in.	125.00	180.00				

IRON HOT WATER TANKS



FIG. H-1457.

Having $\frac{3}{16}$ inch Shell and $\frac{1}{4}$ inch Heads.

Capacity, Gallons.	Dimen- sions, inches.	Price, Black.	Price, Galvanized.	Capacity, Gallons.	Dimensions, inches.	Price, Black.	Price, Galvanized.
66	18 x 60	\$48.00	\$70.00	265	36 x 60	\$100.00	\$154.00
82	20 x 60	54.00	78.00	290	36 x 66	105.00	165.00
100	22 x 60	59.00	87.00	315	36 x 72	110.00	170.00
120	24 x 60	64.00	94.00	360	36 x 84	134.00	200.00
144	24 x 72	72.00	108.00	415	36 x 96	144.00	215.00
150	30 x 48	77.00	112.00	520	36 x 120	165.00	247.00
185	30 x 60	84.00	125.00	360	42 x 60	134.00	200.00
225	30 x 72	91.00	141.00	430	42 x 72	150.00	220.00
260	30 x 84	109.00	159.00	500	42 x 84	170.00	246.00
300	30 x 96	118.00	176.00	575	42 x 96	186.00	268.00
370	30 x 120	130.00	194.00	720	42 x 120	220.00	310.00
210	36 x 48	91.00	141.00	---	---	---	---

Having $\frac{1}{4}$ inch Shell and $\frac{3}{8}$ inch Heads.

Capacity, Gallons.	Dimen- sions, In.	Price, Black.	Price, Galvanized.	Capacity, Gallons.	Dimensions, inches.	Price, Black.	Price, Galvanized.
150	30 x 48	\$82.00	\$131.00	360	42 x 60	\$144.00	\$224.00
185	30 x 60	92.00	148.00	430	42 x 72	160.00	245.00
225	30 x 72	102.00	166.00	500	42 x 84	180.00	276.00
260	30 x 84	120.00	184.00	575	42 x 96	196.00	300.00
300	30 x 96	130.00	204.00	720	42 x 120	230.00	350.00
570	30 x 120	142.00	232.00	470	48 x 60	205.00	305.00
210	36 x 48	102.00	166.00	570	48 x 72	226.00	340.00
265	36 x 60	110.00	180.00	650	48 x 84	255.00	375.00
290	36 x 66	115.00	195.00	750	48 x 96	275.00	410.00
315	36 x 72	120.00	200.00	850	48 x 108	300.00	445.00
360	36 x 84	144.00	224.00	940	48 x 120	325.00	485.00
415	36 x 96	154.00	242.00	1030	48 x 132	350.00	520.00
520	36 x 120	175.00	275.00	1130	48 x 144	375.00	560.00

Other sizes made to order.

The above price-lists include four tappings for water connections, tappings not to be larger than 2 inch iron pipe size. Special tappings, manholes and handholes, when desired, will be charged extra in addition to the price for tanks.

If with Coils, prices on application.

GALVANIZED HOT WATER BOILERS FOR BARBERS



FIG. H-1458

Capacity, Gallons.	Diameter, inches.	Height, inches.	Price.
5	9	20	\$8.00
8	10	20	8.50
10	12	20	9.00
12	14	20	10.00
Stand, 6 inches High, 9, 10 and 12 inches Diameter			\$1.50
Stand, 6 inches High, 14 inches Diameter			2.00
Burner			1.00
Iron Pipe Couplings, per set			1.20
Lead Pipe Couplings, per set			1.10

“CRESCENT” INSTANTANEOUS GAS WATER HEATERS




FIG. H-1459

More Crescent Heaters are used each year than all other kinds combined. Crescent Heaters are the product of years of experience and experiment. They are the nearest approach to perfection and are equalled by none.

EVERY HEATER GUARANTEED

CRESCENT HEATERS No. 2 FOR DOMESTIC USE AND BATHS.—The most perfect water heaters made; are so constructed that the products of combustion are entirely separated from the water by tinned water surfaces.

CRESCENT HEATERS NOS. 6 AND 8 FOR BATHS ONLY.—The water comes into direct contact with the heat. These heaters have the greatest capacity of any made. No waste heat or water.

No. 10, FOR SHOWER BATHS ONLY.—With addition of Overhead Shower and Spout.

No. 2, Nickel-plated, each	-----	\$40.00
No. 6, Nickel-plated, each	-----	29.00
No. 8, Nickel-plated, each	-----	23.50
No. 10, Nickel-plated, each	-----	52.00

Prices on all include Nickel-plated Shelf and Brackets, Duplex Safety Valves and Unions. No. 10 has in addition, Overhead Shower and Spout.

Number	2	6	8	10
Gallons heated, per minute	2½	3	2¼	2½
Height, inches	34½	29½	30	34
Diameter, inches	12	12	10¼	12
Shipping weight, pounds	75	65	54	90

PLAIN SQUARE TUBE GAS BRACKETS

POLISHED BRASS

STIFF




FIG. H-1460

Straight, each
Curved, each

.55

.70

ONE SWING



FIG. H-1461

Each

.90

TWO SWING




FIG. H-1462

Each

\$1.25

THREE SWING




FIG. H-1463

Each

\$1.65

STAPLE GAS BRACKETS

ROUND TUBE

FRENCH BRONZE OR GILT FINISH

STIFF, STRAIGHT



FIG. H-1464

6 inches long, each40
 8 inches long, each45

STIFF, CURVED



FIG. H-1465

Each45

ONE SWING, STRAIGHT



FIG. H-1466

Each50

ONE SWING, CURVED



FIG. H-1467

Each60

TWO SWING




FIG. H-1468

Each80

THREE SWING



FIG. H-1469

Each \$1.15

TWO SWING, UNIVERSAL



FIG. H-1470

Each \$1.15

THREE SWING, UNIVERSAL




FIG. H-1471

Each \$1.40

STAPLE GAS FIXTURES

ONE-LIGHT PENDANT



FIG. H-1472

SLEEVE PENDANT, BRONZED




FIG. H-1473

FIG. H-1472—ONE LIGHT PENDANT

30 inch Polished Brass, each	\$1.50
30 inch Bronzed Iron, each	1.25

FIG. H-1473—SLEEVE PENDANTS

Light.	Stem.	Spread.	Each.	Light.	Stem.	Spread.	Each.
2	24 inches	24 inches	\$2.80	2	42 inches	42 inches	\$3.70
2	30 inches	30 inches	3.10	2	42 inches	48 inches	4.00
2	36 inches	36 inches	3.38				

GAS FIXTURE FITTINGS

BRASS PILLAR



FIG. H-1474

Per dozen20

LAVA TIP



FIG. H-1475

Per gross \$1.50

ACETYLENE GAS BURNER



FIG. H-1476

Per doz \$2.50

GEM SELF-LIGHTER




FIG. H-1477

Per doz \$6.00

GOOSE NECK



FIG. H-1478

Cast, per doz. \$3.00

Wire, per doz. 2.50

GOOSE NECK SOCKET



FIG. H-1479

$\frac{5}{16}$ and $\frac{3}{8}$ inch

Per doz. \$3.00

BOX PLATE




FIG. H-1480

Per doz \$1.50

BRACKET BACK




FIG. H-1481

Diameter, inches $2\frac{1}{2}$ 3
Per doz50 .60

BURNER CUP




FIG. H-1482

Per doz20

GAS FIXTURE FITTINGS

PLAIN RING GLOBE HOLDER




FIG. H-1483

Size, inches	4	5
Per dozen	\$1.10	1.25

TAPER SLIDE AND KEY



FIG. H-1484

Per dozen	\$9.00
-----------	--------

WAX TAPERS




FIG. H-1485

Per box of 30	.15
Per box of 60	.30
Per box of 120	.60

TUBING




FIG. H-1486

Mohair Gas Stove Tubing, $\frac{3}{8}$ inch.	.10
per foot	
Mohair Drop Light Tubing, $\frac{3}{8}$ inch.	.10
per foot	

MONITOR HEATER




FIG. H-1487

Per dozen	\$9.00
-----------	--------

MONITOR STAND



FIG. H-1488

Per dozen	\$4.00
-----------	--------

STANDARD GAS FIXTURE FITTINGS

L BURNER COCK



FIG. H-1489

PILLAR COCK



FIG. H-1490

INDEPENDENT COCK



FIG. H-1491

STREET LAMP COCK




FIG. H-1492

HOSE COCK, FEMALE



FIG. H-1493

HOSE COCK, MALE




FIG. H-1494

STRAIGHT NOZZLE



FIG. H-1495

SIDE NOZZLE



FIG. H-1496

Size, inches	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{4}$	$\frac{1}{8}$
Fig. H-1489—L Burner Cock, per doz	-----	6.20	5.20	4.55	4.25
Fig. H-1490—Pillar Cock, per doz	\$6.50	5.20	4.55	4.25	3.90
Fig. H-1491—Independent Cock, per doz	-----	-----	6.50	6.00	6.00
Fig. H-1492—Street Lamp Cock, per doz	6.50	5.85	4.55	-----	-----
Fig. H-1493—Hose Cock, per doz	-----	5.55	4.90	4.55	4.25
Fig. H-1494—Hose Cock, per doz	-----	-----	5.20	4.90	4.55
Fig. H-1495—Straight Nozzle, per doz	-----	-----	1.95	1.65	1.00
Fig. H-1496—Side Nozzle, per doz	-----	-----	2.40	1.65	1.00

STIFF JOINT



FIG. H-1497

Size, inches	$\frac{1}{2} \times \frac{1}{2}$	$\frac{1}{2} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{1}{8}$
Fig. H-1497—Standard, per doz	\$3.25	2.60	2.60	1.95	1.85	1.55

STANDARD GAS FIXTURE FITTINGS

BRACKET COCK

UNIVERSAL SWINGS

REVOLVING COCK

STRAIGHT COCK



FIG. H-1498



FIG. H-1499



FIG. H-1500



FIG. H-1501

2 LIGHT PENDANT COCK

L PENDANT COCK

UNIVERSAL REVOLVING COCK



FIG. H-1502



FIG. H-1503




FIG. H-1504

MIDDLE SWING

TOP SWING

UNIVERSAL BRACKET COCK



FIG. H-1505



FIG. H-1506




FIG. H-1507

Size, inches	$\frac{3}{8} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{1}{4} \times \frac{1}{8}$	$\frac{1}{8} \times \frac{1}{8}$
Fig. H-1498—Bracket Cocks, per doz	\$9.10	8.45	8.15	8.15	---	---
Fig. H-1499—Universal Swings, per doz	9.10	8.80	8.80	8.45	8.15	7.80
Fig. H-1500—Revolving Cocks, per doz	8.50	8.15	7.80	7.50	7.15	7.00
Fig. H-1501—Straight Cocks, per doz	4.90	4.55	4.55	4.55	4.25	3.90
Fig. H-1502—2 Light Pendant Cocks, per doz.	10.10	9.10	9.10	9.10	8.45	8.45
Fig. H-1503—L Pendant Cocks, per doz	5.85	5.20	5.20	5.20	4.90	4.90
Fig. H-1504—Univ. Revolving Cocks, per doz.	10.00	9.75	9.45	9.10	8.80	---
Fig. H-1505—Middle Swings, per doz	---	---	---	4.90	4.55	4.25
Fig. H-1506—Top Swings, per doz	6.20	5.55	5.20	---	---	---
Fig. H-1507—Univ. Bracket Cocks, per doz	13.00	12.35	12.05	12.05	---	---

FIRE CLAY FLUE LININGS

PLAIN, ROUND CORNERS




FIG. H-1508

**OPENING,
ROUND CORNERS**




FIG. H-1509

**REGISTER OPENING,
ROUND CORNERS**




FIG. H-1510

FIGS. H-1508, H-1509 AND H-1510

In 2 foot Lengths, Outside Measure.

4½ x 8½ inches, 14 lbs., per foot - .30	12 x 16 inches, 45 lbs., per foot ----- 1.00
4½ x 13 inches, 19 lbs., per foot - .45	13 x 13 inches, 40 lbs., per foot ----- .85
4½ x 18 inches, 40 lbs., per foot - 1.00	13 x 18 inches, 57 lbs., per foot ----- 1.20
6 x 12 inches, 22 lbs., per foot - .50	14 x 16 inches, 50 lbs., per foot ----- 1.10
7 x 7 inches, 18 lbs., per foot - .35	16 x 16 inches, 60 lbs., per foot ----- 1.60
8½ x 8½ inches, 18 lbs., per foot - .45	16 x 20 inches, 75 lbs., per foot ----- 2.00
8½ x 13 inches, 23 lbs., per foot - .65	18 x 18 inches, 75 lbs., per foot ----- 2.00
8½ x 18 inches, 45 lbs., per foot - .90	

Openings and Registers, 50 per cent. added.

FIG. H-1511

**ROUND
FLUE LINING**

ROUND FLUES WITHOUT SOCKETS



Inside Measure	Weight per foot	Price per foot
6 inches	15 pounds	.30
7 inches	17½ pounds	.38
8 inches	20 pounds	.45
9 inches	25 pounds	.55
10 inches	27½ pounds	.65
12 inches	32½ pounds	.85
15 inches	55 pounds	1.25
18 inches	70 pounds	1.70
20 inches	87½ pounds	2.25
21 inches		2.50
22 inches		2.75
24 inches	125 pounds	3.25
27 inches		4.25
30 inches		5.50
33 inches		6.25
36 inches		7.00

FIG. H-1511

Openings four times price of one foot straight pipe.

SEWER PIPE AND FITTINGS

SOCKET PIPE



FIG. H-1512

"T" BRANCH



FIG. H-1513

"Y" BRANCH



FIG. H-1514

DOUBLE "Y"



FIG. H-1515

"V" BRANCH



FIG. H-1516

"P" TRAP



FIG. H-1517

"S" TRAP



FIG. H-1518

RUNNING TRAP



FIG. H-1519

SINGLE H. H. TRAP



FIG. H-1520

DOUBLE H. H. TRAP



FIG. H-1521

2 FOOT SLANT



FIG. H-1522

INCREASER



FIG. H-1523

REDUCER



FIG. H-1524

ELBOW



FIG. H-1525

1/2 BEND, 2 FT. LONG



FIG. H-1526

PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

Adopted by the Eastern Manufacturers May 1, 1906.

Calibre of Pipe, inches.	Price, per foot.	Elbows and Curves, each.	Slants 1 Foot or Less, per foot. Long Side.	Increases and Reducers, each.	R. P. S. and Single H. H. Traps, each.	Double H. H. Traps, each.	Two-piece Traps, per part.	Well Traps, each.	Grease Traps with Bottom and Cover, each.	Channel Pipe, per foot.
2	\$0.16	\$0.50			\$1.50	\$1.90				\$0.093
3	.16	.50	\$0.48	\$0.64	1.50	1.90	\$1.90			.12
4	.20	.65	.60	.80	2.00	2.50	2.40			.15
5	.25	.85	.75	1.00	2.50	3.13	3.00			.18
6	.30	1.10	.90	1.20	3.50	4.25	3.60	\$2.00		.30
8	.50	2.00	1.50	2.00	6.00	7.75	6.00	3.30	\$6.00	.36
9	.60	2.40	1.80	2.40	7.50	9.00	6.60	3.90	6.75	.45
10	.75	3.00	2.25	3.00	9.00	11.00	7.80	4.70	7.50	.60
12	1.00	4.00	3.00	4.00	15.00	16.50	12.75	6.00	10.00	.81
15	1.35	5.40	4.05	5.40					15.00	1.02
18	1.70	6.80	5.10	6.80					20.00	1.35
20	2.25	9.00	6.75	9.00						1.50
21	2.50	10.00	7.50	10.00						1.65
22	2.75	11.00	8.25	11.00						1.95
24	3.25	13.00	9.75	13.00						2.55
27	4.25	20.00	12.75	17.00						3.30
30	5.50	27.50	16.50	22.00						3.75
33	5.25	30.00	18.75	25.00						4.20
36	7.00	32.50	21.00	28.00						

BRANCHES

Calibre of Pipe, inches.	1 or 2 feet long, with Inlets up to and including 12 inches, each.	2½ or 3 feet long, with Inlets up to and including 12 inches, each.	2½ or 3 feet long, with Inlets 15 inches or larger, each.	Double 2 feet long, with Inlets up to and including 12 inches, each.	Double 2½ or 3 feet long, with Inlets up to and including 12 inches, each.	Double 2½ or 3 feet long, with Inlets 15 inches or larger, each.	Stoppers or Plugs, each.	Flat Strainers, each.	Perforated Pipe, per foot.
2	\$0.72	\$1.04		\$1.12	\$1.44		\$0.05½	\$0.10½	\$0.32
3	.72	1.04		1.12	1.44		.05½	.10½	.32
4	.90	1.30		1.40	1.80		.06¾	.13¾	.40
5	1.13	1.63		1.76	2.26		.08¾	.16¾	.50
6	1.35	1.95		2.10	2.70		.10	.20	.60
8	2.25	3.25		3.50	4.50		.16¾	.33¾	1.00
9	2.70	3.90		4.20	5.40		.20	.40	1.20
10	3.40	4.90		5.30	6.80		.25	.50	1.50
12	4.50	6.50		7.00	9.00		.33¾	.66¾	2.00
15	6.10	8.80	\$11.85	9.50	12.20	\$18.30	.45	.90	2.70
18	7.65	11.05	14.88	11.90	15.30	22.96			3.40
20	10.13	14.63	19.70	15.76	20.26	30.40			4.50
21	11.25	16.25	21.88	17.50	22.50	33.76			5.00
22	12.38	17.88	24.07	19.26	24.76	37.14			5.50
24	14.63	21.13	28.45	22.76	29.26	43.90			6.50
27		21.25	31.88		31.88	53.14			8.50
30		27.50	41.25		41.25	68.75			11.00
33		31.25	46.88		46.88	78.14			12.50
36		35.00	52.50		52.50	87.50			14.00

Increases shall have sockets on small end. Reducers sockets on large end. No slant to be charged at less than one foot. Excess over one foot at proportionate rate. Discounts governing price of 2 to 24 inches will not apply on sizes 27 to 36 inches. Branches with inlets 15 inches and larger that cannot be made on main pipe in 2 foot lengths will be furnished in 2½ foot lengths or longer.

All branches and traps with more than one inlet, extra price.

Every shipment at the risk of the purchaser and no allowance for breakage.

APPROXIMATE WEIGHTS OF SOIL PIPE AND FITTINGS

STANDARD

Size, inches	2	3	4	5	6	8	10	12
Pipe, lbs., per foot.....	3½	4½	6½	8½	10½	17	23	33
Quarter Bend, lbs., each.....	4	6	8	12	16	23	40	73
Sixth Bend, lbs., each.....	3	5	7	11	13	26	34	50
Eighth Bend, lbs., each.....	3	5	7	9	13	23	32	43
“T” Branch, lbs., each.....	5	8	11	16	22	38	55	..
Cross, lbs., each	7	10	12	23	29	40	56	..
“Y” Branch, lbs., each.....	5	9	14	23	28	34	50	..
Half “Y” Branch, lbs., each....	5½	8	11	17	22	27	52	..
Double “Y” Branch, lbs., each..	8	11	17	28	37	52	64	83
Double Hub, lbs., each.....	3	4	5½	8	10	15	29	..
Straight Sleeve, lbs., each.....	3	5	5½	8	9	10	15	25
Trap, lbs., each	6	16	27	31	43	85	146	..
Reducer, lbs., each.....	-	3½	4	6½	8½	10	13	17
Offset	2x8, 5½ lbs.; 3x8, 8½ lbs.; 4x12, 15 lbs.; 5x12, 20 lbs.; 6x8, 22 lbs.							

EXTRA HEAVY

Size, inches	2	3	4	5	6	8	10	12
Pipe, lbs., per foot	5½	9½	13	17	20	34	45	54
Quarter Bend, lbs., each.....	6	8	12	18	22	35	52	104
Sixth Bend, lbs., each.....	5	8	11	14	16	33	66	..
Eighth Bend, lbs., each.....	5	7	9½	13	17	28	55	88
“T” Branch, lbs., each.....	9	13	18	25	33	34	50	104
Cross, lbs., each.....	10	17	22	32	36	69	85	..
“Y” Branch, lbs., each	10	15	23	32	36	60	98	105
Half “Y” Branch, lbs., each....	9	15	18	26	30	60
Double “Y” Branch, lbs., each..	14	20	30	38	50	79	116	100
Double Hub, lbs., each.....	5½	7	9	11	13	22	36	65
Straight Sleeve, lbs., each	5	7	9½	10	13	23	25	35
Trap, lbs., each	10	19	34	43	56	101	240	275
Reducer, lbs., each.....	..	5	7	10	11½	14	21	40
Offset	2x8, 9½ lbs.; 3x8, 13½ lbs.; 4x12, 23 lbs.; 5x12, 30 lbs.; 6x8, 30 lbs.							

CAST IRON SOIL PIPE

LIST ADOPTED MAY 24, 1907

IN 5 FOOT LENGTHS, (EXCEPT 12 INCH, 6 FEET LONG)

SINGLE HUB



FIG. H-1527

	Weight, per Foot.		Standard.	Ex. Heavy.
	Standard. Lbs.	Ex. Heavy. Lbs.		
2 inch, per foot	3½	5½	.26	.40
3 inch, per foot	4½	9½	.32	.65
4 inch, per foot	6½	13	.42	.85
5 inch, per foot	8½	17	.60	1.15
6 inch, per foot	10½	20	.75	1.35
7 inch, per foot	15	27	1.00	1.75
8 inch, per foot	17	34	1.25	2.25
10 inch, per foot	23	45	2.00	3.00
12 inch, per foot	33	54	3.00	4.00
15 inch, per foot			4.50	6.00

DOUBLE HUB




FIG. H-1528

	Standard.	Ex. Heavy.
2 inch, per foot32	.46
3 inch, per foot38	.71
4 inch, per foot48	.91
5 inch, per foot70	1.25
6 inch, per foot90	1.50
7 inch, per foot	1.15	1.95
8 inch, per foot	1.45	2.55
10 inch, per foot	2.40	3.60
12 inch, per foot	3.50	4.60
15 inch, per foot	5.00	7.00

See page 536 for approximate weights of Soil Pipe and Fittings.

CAST IRON SOIL PIPE FITTINGS

LIST ADOPTED MAY 24, 1907

BENDS

QUARTER



FIG. H-1529

SIXTH



FIG. H-1530

EIGHTH



FIG. H-1531

SIXTEENTH



FIG. H-1532

Size, inches.....	2	3	4	5	6	7	8	10	12
Standard, each.....	.45	.70	1.00	1.75	2.25	3.00	4.00	5.00	8.00
Extra Heavy, each.....	.65	1.00	1.30	2.20	3.25	4.00	5.00	6.00	10.00

DOUBLE HUB BENDS

QUARTER



FIG. H-1533

EIGHTH



FIG. H-1534

SIXTEENTH



FIG. H-1535

Size, inches.....	2	3	4	5	6
Standard, each.....	.75	1.00	1.30	2.25	2.75
Extra Heavy, each.....	.85	1.30	1.60	2.70	3.25

RETURN BENDS

SINGLE HUB



FIG. H-1536

DOUBLE HUB



FIG. H-1537

Size inches.....	2	3	4	5	6
Standard, each..	.80	1.55	2.15	3.15	3.75
Ex. Heavy, ea..	\$1.05	1.80	2.65	4.15	5.25

Size, inches.....	2	3	4
Standard, each.....	\$1.10	1.85	2.45
Extra Heavy, each.....	1.35	2.10	2.95

CAST IRON SOIL PIPE FITTINGS

QUARTER BEND—WITH SIDE INLET
(SHOWS R. H. INLET)



FIG. H-1538

QUARTER BEND—WITH HEEL INLET



FIG. H-1539

FIG. H-1538

Size, inches	2	3	4	5	6
Standard, 2 inch Inlet, each	\$1.45	1.70	2.00	2.75	3.25
Standard, 3 inch Inlet, each	---	1.95	2.25	3.00	3.50
Standard, 4 inch Inlet, each	---	---	2.50	3.25	3.75
Extra Heavy, 2 inch Inlet, each	1.55	2.00	2.30	3.20	4.25
Extra Heavy, 3 inch Inlet, each	---	2.25	2.55	3.45	4.50
Extra Heavy, 4 inch Inlet, each	---	---	2.80	3.70	4.75

Right Hand Side Inlet, as shown, will be furnished, unless otherwise ordered.

FIG. H-1539

Size, inches	2	3	4	5	6
Standard, 2 inch Inlet, each	\$1.45	1.70	2.00	2.75	3.25
Standard, 3 inch Inlet, each	---	1.95	2.25	3.00	3.50
Standard, 4 inch Inlet, each	---	---	2.50	3.25	3.75
Extra Heavy, 2 inch Inlet, each	1.55	2.00	2.30	3.20	4.25
Extra Heavy, 3 inch Inlet, each	---	2.25	2.55	3.45	4.50
Extra Heavy, 4 inch Inlet, each	---	---	2.80	3.70	4.75

LONG QUARTER BEND



FIG. H-1540

LONG EIGHTH BEND



FIG. H-1541

FIGS. H-1540 AND H-1541

Size, inches	2	3	4	5	6
12 inch in Clear, Standard, each	\$1.10	1.60	2.25	3.50	4.75
12 inch in Clear, Extra Heavy, each	1.55	2.30	3.50	5.00	6.50
18 inch in Clear, Standard, each	1.40	2.00	2.75	4.25	5.50
18 inch in Clear, Extra Heavy, each	2.00	3.00	4.25	6.00	7.50
24 inch in Clear, Standard, each	---	---	3.50	---	---
24 inch in Clear, Extra Heavy, each	---	---	5.25	---	---

CAST IRON SOIL PIPE FITTINGS

LONG CURVE QUARTER BEND

PLAIN



FIG. H-1542

Size, inches.....	2	3	4	5	6	8
Standard, each	\$1.20	1.50	2.00	3.00	4.00	---
Extra Heavy, each	1.80	2.00	2.75	4.00	5.50	7.50

FIG. H-1542

TEE



FIG. H-1543

SANITARY TEE



FIG. H-1544

FIG. H-1543

Size, inches.....	2 x 2	3 x 3	3 x 2	4 x 4	4 x 3	4 x 2	5 x 5	5 x 4
Standard, each	.70	1.25	1.25	1.75	1.75	1.75	2.25	2.25
Extra Heavy, each	1.00	1.65	1.65	2.40	2.40	2.40	3.30	3.30
Size, inches.....	5 x 3	5 x 2	6 x 6	6 x 5	6 x 4	6 x 3	6 x 2	
Standard, each	\$2.25	2.25	3.50	3.50	3.50	3.50	3.50	
Extra Heavy, each	3.30	3.30	4.50	4.50	4.50	4.50	4.50	

Size, inches.....	7 and Reducing	8 and Reducing	10 and Reducing	12 and Reducing	15 and Reducing
Standard, each	\$5.00	6.00	10.00	14.00	24.00
Extra Heavy, each	7.00	9.00	14.00	18.00	30.00

FIG. H-1544

Size, inches.....	2 x 2	3 x 3	3 x 2	4 x 4	4 x 3	4 x 2	5 x 5	5 x 4
Standard, each	.70	1.25	1.25	1.75	1.75	1.75	2.25	2.25
Extra Heavy, each	1.00	1.65	1.65	2.40	2.40	2.40	3.30	3.30
Size, inches.....	5 x 3	5 x 2	6 x 6	6 x 5	6 x 4	6 x 3	6 x 2	
Standard, each	\$2.25	2.25	3.50	3.50	3.50	3.50	3.50	
Extra Heavy, each	3.30	3.30	4.50	4.50	4.50	4.50	4.50	

Size, inches.....	7 and Reducing	8 and Reducing	10 and Reducing	12 and Reducing
Standard, each	\$5.00	6.00	10.00	14.00
Extra Heavy, each	7.00	9.00	14.00	18.00

CAST IRON SOIL PIPE FITTINGS

SIDE INLET TEE, R. H.



FIG. H-1545

This cut shows R. H. Side Inlet.

SIDE INLET
SANITARY TEE, R. H.



FIG. H-1546

This cut shows R. H. Side Inlet.

FIG. H-1545—TEES

With Right or Left Hand Side Inlet.

Add to List Prices of Tees for 2 inch Inlet	\$1.00
Add to List Prices of Tees for 3 inch Inlet	1.25
Add to List Prices of Tees for 4 inch Inlet	1.50

FIG. H-1546—SANITARY TEES

With Right or Left Hand Side Inlet.

Add to List Prices of Sanitary Tees for 2 inch Inlet	\$1.00
Add to List Prices of Sanitary Tees for 3 inch Inlet	1.25
Add to List Prices of Sanitary Tees for 4 inch Inlet	1.50

Right Hand Side Inlet as shown will be furnished unless otherwise ordered.

TAPPED TEE



FIG. H-1547

TAPPED SANITARY TEE



FIG. H-1548

FIGS. H-1547 AND H-1548

Size, inches	2	2	2	3	3	3	4	4	4	4	4
Iron Pipe Thread, inches	1¼	1½	2	1¼	1½	2	1¼	1½	2	2½	3
Standard, each	\$1.45	1.45	1.45	1.80	1.80	1.80	2.20	2.20	2.20	2.50	2.50
Extra Heavy, each	1.75	1.75	1.75	2.20	2.20	2.20	2.95	2.95	2.95	3.15	3.15

CAST IRON SOIL PIPE FITTINGS

LONG TEE



FIG. H-1549

LONG SANITARY TEE



FIG. H-1550

FIGS. H-1549 AND H-1550

Size, inches		4 x 4			
In clear, inches		18	24	30	36
Standard, each		\$3.50	4.25	5.00	5.75
Extra Heavy, each		5.35	6.10	6.85	7.60
Size, inches		5 x 4			
In clear, inches		18	24	30	36
Standard, each		\$4.75	5.75	6.75	7.75
Extra Heavy, each		7.10	8.10	9.10	10.10
Size, inches		6 x 4			
In clear, inches		18	24	30	36
Standard, each		\$6.75	7.75	8.75	9.75
Extra Heavy, each		8.75	9.75	10.75	11.75

Y




FIG. H-1551

HALF Y



FIG. H-1552

FIGS. H-1551 AND H-1552

Size, inches	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2	6x6
Standard, each	.70	1.25	1.25	1.75	1.75	1.75	2.25	2.25	2.25	2.25	3.50
Extra Heavy, each	1.00	1.65	1.65	2.40	2.40	2.40	3.30	3.30	3.30	3.30	4.50
Size, inches	6x5	6x4	6x3	6x2	7 and Reducing		8 and Reducing		10 and Reducing		12 and Reducing
Standard, each	\$3.50	3.50	3.50	3.50	5.00	6.00	10.00	14.00			
Extra Heavy, each	4.50	4.50	4.50	4.50	7.00	9.00	14.00	18.00			

CAST IRON SOIL PIPE FITTINGS

Y
WITH RIGHT HAND SIDE INLET



FIG. H-1553

HALF Y
WITH RIGHT HAND SIDE INLET



FIG. H-1554

FIGS. H-1553 AND H-1554

Size, inches	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2
Standard, 2 inch Inlet	\$1.70	2.25	2.25	2.75	2.75	2.75	3.25	3.25	3.25	3.25
Extra Heavy, 2 inch Inlet	2.00	2.65	2.65	3.40	3.40	3.40	4.30	4.30	4.30	4.30

Size, inches	6x6	6x5	6x4	6x3	6x2	—Straight and Reducing—				
						7	8	10	12	
Standard, 2 inch Inlet	\$4.50	4.50	4.50	4.50	4.50	6.00	7.00	11.00	15.00	
Extra Heavy, 2 inch Inlet	5.50	5.50	5.50	5.50	5.50	8.00	10.00	15.00	19.00	

WITH BRASS TRAP SCREW

Y



FIG. H-1555

HALF Y



FIG. H-1556

FIGS. H-1555 AND H-1556

Size, inches	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2
Standard	\$3.20	3.75	3.75	4.25	4.25	4.25	4.75	4.75	4.75	4.75
Extra Heavy	3.50	4.15	4.15	4.90	4.90	4.90	5.80	5.80	5.80	5.80

Size, inches	6x6	6x5	6x4	6x3	6x2	—Straight and Reducing—				
						7	8	10	12	
Standard	\$6.00	6.00	6.00	6.00	6.00	7.50	8.50	12.50	16.50	
Extra Heavy	7.00	7.00	7.00	7.00	7.00	9.50	11.50	16.50	20.50	

Can be furnished with Right or Left Hand Side Inlet.

CAST IRON SOIL PIPE FITTINGS

LONG Y



FIG. H-1557

LONG HALF Y



FIG. H-1558

FIGS. H-1557 AND H-1558

Size, inches.....	4x4	4x4	4x4	4x4	5x4	5x4	5x4	5x4	6x4	6x4	6x4	6x4
In clear, inches.....	18	24	30	36	18	24	30	36	18	24	30	36
Standard, each.....	\$3.50	4.25	5.00	5.75	4.75	5.75	6.75	7.75	6.75	7.75	8.75	9.75
Extra Heavy, each.....	5.35	6.10	6.85	7.60	7.10	8.10	9.10	10.10	8.75	9.75	10.75	11.75

DOUBLE Y



FIG. H-1559

DOUBLE HALF Y



FIG. H-1560

DOUBLE Y
WITH BRASS TRAP SCREW
ON SIDE



FIG. H-1561

FIGS. H-1559 AND H-1560

Size, inches.....	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2	6x6
Standard, each.....	\$1.40	2.05	2.05	2.60	2.60	2.60	3.35	3.35	3.35	3.35	5.25
Extra Heavy, each.....	2.00	2.75	2.75	3.60	3.60	3.60	4.45	4.45	4.45	4.45	6.75

Size, inches.....	6x5	6x4	6x3	6x2	7 and Reducing.	8 and Reducing.	10 and Reducing.	12 and Reducing.
Standard, each.....	\$5.25	5.25	5.25	5.25	7.50	9.00	15.00	21.00
Extra Heavy, each.....	6.75	6.75	6.75	6.75	10.50	13.50	21.00	27.00

FIG. H-1561

Size, inches.....	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2
Standard, each.....	\$3.90	4.55	4.55	5.10	5.10	5.10	5.85	5.85	5.85	5.85
Extra Heavy, each.....	4.50	5.25	5.25	6.10	6.10	6.10	6.95	6.95	6.95	6.95

CAST IRON SOIL PIPE FITTINGS

CROSS



FIG. H-1562

SANITARY CROSS




FIG. H-1563

SANITARY CROSS WITH SIDE INLET




FIG. H-1564

FIG. H-1562

Size, inches	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2	6x6
Standard, each	\$1.40	2.05	2.05	2.60	2.60	2.60	3.35	3.35	3.35	3.35	5.25
Extra Heavy, each	2.00	2.75	2.75	3.60	3.60	3.60	4.45	4.45	4.45	4.45	6.75

Size, inches	6x5	6x4	6x3	6x2	7 and Reducing	8 and Reducing	10 and Reducing	12 and Reducing
Standard, each	\$5.25	5.25	5.25	5.25	7.50	9.00	15.00	21.00
Extra Heavy, each	6.75	6.75	6.75	6.75	10.50	13.50	21.00	27.00

FIG. H-1563

Size, inches	2x2	3x3	3x2	4x4	4x3	4x2	5x5	5x4	5x3	5x2	6x6
Standard, each	\$1.40	2.05	2.05	2.60	2.60	2.60	3.35	3.35	3.35	3.35	5.25
Extra Heavy, each	2.00	2.75	2.75	3.60	3.60	3.60	4.45	4.45	4.45	4.45	6.75

Size, inches	6x5	6x4	6x3	6x2	7 and Reducing	8 and Reducing	10 and Reducing	12 and Reducing
Standard, each	\$5.25	5.25	5.25	5.25	7.50	9.00	15.00	21.00
Extra Heavy, each	6.75	6.75	6.75	6.75	10.50	13.50	21.00	27.00

FIG. H-1564

Add to list prices of Crosses and Sanitary Crosses for Side Inlet :

Size Inlet, inches	2	3	4
Each	\$1.00	1.25	1.50

CROSS—HUB ENDS



FIG. H-1565

SANITARY CROSS—HUB ENDS




FIG. H-1566

Size, inches	4
Standard, each	\$2.90

Size, inches	2x2	4x2	4x4
Standard, each	\$1.70	2.90	2.90

CAST IRON SOIL PIPE FITTINGS

CROSS-TAPPED



FIG. H-1567

SANITARY CROSS-TAPPED



FIG. H-1568

FIG. H-1567

Size, inches	2	2	2	3	3	3	4	4	4	4	4	4
I. P. Thread, inches	1 1/4	1 1/2	2	1 1/4	1 1/2	2	1 1/4	1 1/2	2	2 1/2	3	4
Standard, each	\$2.40	2.40	2.40	2.85	2.85	2.85	3.40	3.40	3.40	3.60	3.60	3.60
Extra Heavy, each	3.00	3.00	3.00	3.55	3.55	3.55	4.40	4.40	4.40	4.60	4.60	4.60

FIG. H-1568

Size, inches	2	2	2	3	3	3	4	4	4	4	4	4
I. P. Thread, inches	1 1/4	1 1/2	2	1 1/4	1 1/2	2	1 1/4	1 1/2	2	2 1/2	3	4
Standard, each	\$2.40	2.40	2.40	2.85	2.85	2.85	3.40	3.40	3.40	3.60	3.60	3.60
Extra Heavy, each	3.00	3.00	3.00	3.55	3.55	3.55	4.40	4.40	4.40	4.60	4.60	4.60

OFFSETS

PLAIN



FIG. H-1569

WITH 2 INCH VENT



FIG. H-1570

FIG. H-1569

To Offset, inches	2	4	6	8	10	12	14	16	18	20	22	24
2 inch, Standard, each	.75	.85	1.00	1.15	1.35	1.50	1.65	2.10	2.50	2.90	3.70	---
2 inch, Extra Heavy, each	\$1.15	1.35	1.50	1.65	1.80	1.95	2.15	2.40	3.00	3.75	4.50	---
3 inch, Standard, each	1.20	1.35	1.50	1.65	1.90	2.10	2.25	2.60	3.00	3.40	4.15	4.50
3 inch, Extra Heavy, each	1.50	1.85	2.00	2.25	2.50	2.70	3.00	3.40	3.75	4.50	---	---
4 inch, Standard, each	1.25	1.50	1.70	1.95	2.20	2.45	3.15	3.50	3.95	4.40	4.85	5.20
4 inch, Extra Heavy, each	1.90	2.10	2.40	2.70	3.00	3.40	4.45	4.85	5.65	6.50	7.85	8.75
5 inch, Standard, each	---	3.40	3.80	4.20	4.60	5.00	5.50	6.00	6.50	7.00	---	---
5 inch, Extra Heavy, each	---	4.50	5.00	5.50	6.00	6.50	7.00	7.50	8.50	9.50	---	---
6 inch, Standard, each	---	4.00	4.50	5.00	5.50	6.00	6.50	7.50	8.50	10.00	---	---
6 inch, Extra Heavy, each	---	6.00	6.50	7.00	7.50	8.00	9.00	10.25	12.00	14.00	---	---

FIG. H-1570

For Offset with 2 inch Vent add to List Prices of Plain Offsets \$1.00 each.

CAST IRON SOIL PIPE FITTINGS

INVERTED Y



FIG. H-1571

INVERTED Y
TAPPED



FIG. H-1572

FIG. H-1571

Size, inches	2 x 2	3 x 2	4 x 2	4 x 3	5 x 2	5 x 3	5 x 4	6 x 2	6 x 3	6 x 4	8 x 4
Standard, each	\$1.00	1.50	2.00	2.00	2.50	2.50	2.50	3.25	3.25	3.25	6.25
Extra Heavy, each	1.50	2.00	2.50	2.50	3.50	3.50	3.50	4.50	4.50	4.50	9.00

FIG. H-1572

Size, inches	2 x 1½	2 x 1½	2 x 2	3 x 1½	3 x 1½	3 x 2	4 x 1½	4 x 1½	4 x 2	5 x 2
Standard, each	\$1.75	1.75	1.75	2.05	2.05	2.05	2.55	2.55	2.55	3.05
Extra Heavy, each	2.25	2.25	2.25	2.55	2.55	2.55	3.05	3.05	3.05	4.05

DOUBLE INVERTED Y—NOT ILLUSTRATED

4 x 2 inch, Standard, each	Plain	Tapped
	\$3.00	3.50
4 x 2 inch, Extra Heavy, each	3.75	4.25

VENTILATING BRANCH



FIG. H-1573

VENTILATING BRANCH—
TAPPED



FIG. H-1574

FIG. H-1573

Size, inches	2 x 2	3 x 2	4 x 2	4 x 3	5 x 2	5 x 3	5 x 4	6 x 2	6 x 3	6 x 4	8 x 4
Standard, each	\$1.00	1.50	2.00	2.00	2.50	2.50	2.50	3.25	3.25	3.25	6.25
Extra Heavy, each	1.50	2.00	2.50	2.50	3.50	3.50	3.50	4.50	4.50	4.50	9.00

FIG. H-1574

	Standard.	Extra Heavy.
2 inch, with 1¼ inch Tapped Side Inlet, each	\$1.75	2.25
2 inch, with 1½ inch Tapped Side Inlet, each	1.75	2.25
2 inch, with 2 inch Tapped Side Inlet, each	1.75	2.25
3 inch, with 1¼ inch Tapped Side Inlet, each	2.05	2.55
3 inch, with 1½ inch Tapped Side Inlet, each	2.05	2.55
3 inch, with 2 inch Tapped Side Inlet, each	2.05	2.55
4 inch, with 1¼ inch Tapped Side Inlet, each	2.55	3.05
4 inch, with 1½ inch Tapped Side Inlet, each	2.55	3.05
4 inch, with 2 inch Tapped Side Inlet, each	2.55	3.05
5 inch, with 2 inch Tapped Side Inlet, each	3.05	4.05

CAST IRON SOIL PIPE FITTINGS

SINGLE HUB

DOUBLE HUB

REDUCER



FIG. H-1575

FIG. H-1576

FIG. H-1577
FIG. H-1575

FIG. H-1578 FIG. H-1579

Size, inches	2	3	4	5	6	7	8	10	12
Standard, each	.35	.60	.75	1.00	1.25	1.40	2.50	3.50	5.00
Extra Heavy, each	.50	.80	.95	1.35	1.60	2.50	3.50	4.50	8.00

FIGS. H-1576 AND H-1577

Size, inches	2	3	4	5	6	7	8	10	12
Standard, each	.35	.60	.75	1.00	1.25	1.50	2.50	3.50	5.00
Extra Heavy, each	.50	.80	.95	1.35	1.60	2.50	3.50	4.50	8.00

FIG. H-1578

Size, inches	3	4	5	6	7	8	10	12
Standard, each	.70	.90	1.15	1.25	1.75	2.50	4.50	6.25
Extra Heavy, each	1.00	1.25	1.75	2.25	3.25	4.25	5.75	10.00

Spigot End governs price of Reducers.

FIG. H-1579

Size, inches	2	3	4	5	6	7	8	10	12
Standard, each	.15	.25	.30	.40	.50	.90	1.20	2.00	3.00
Extra Heavy, each	.25	.35	.50	.75	1.00	1.25	1.50	3.00	4.00

INCREASER



FIG. H-1580

INCREASER-TAPPED



FIG. H-1581

SHORT INCREASER-TAPPED



FIG. H-1582

FIG. H-1580

Hub End governs price.

Size, inches	2 x 3	3 x 4	4 x 5	5 x 6	6 x 8	8 x 10	10 x 12
Standard, each	.70	.90	1.15	1.25	2.00	4.00	6.00
Extra Heavy, each	1.00	1.25	1.75	2.25	5.00	6.50	8.50

FIG. H-1581

Size.	Standard.	Extra Heavy.
1 1/2 inch Pipe Thread to 4 inch Hub, each	\$1.40	1.75
2 inch Pipe Thread to 4 inch Hub, each	1.50	1.85
2 inch Pipe Thread to 5 inch Hub, each	1.75	2.35
3 inch Pipe Thread to 5 inch Hub, each	2.00	2.60

FIG. H-1582

1 1/4 or 1 1/2 inch Pipe Thread, 2 inch Hub, each	.85
1 1/4, 1 1/2 or 2 inch Pipe Thread, 3 inch Hub, each	1.00
1 1/4, 1 1/2 or 2 inch Pipe Thread, 4 inch Hub, each	1.20

CAST IRON SOIL PIPE FITTINGS

VENT CAP—
SPIGOT END



FIG. H-1583

VENT CAP—
HUB END



FIG. H-1584

FIG. H-1583

"H. D. W." VENT CAP




FIG. H-1585

Size, inches.....	2	3	4	5	6
Standard, each.....	.60	.80	1.25	2.50	3.50
Extra Heavy, each.....	.80	1.00	1.75	3.75	5.25

FIG. H-1584

Size, inches.....	2	3	4	5	6
Standard, each.....	.90	1.10	1.55	3.00	4.00
Extra Heavy, each.....	1.10	1.30	2.05	4.25	5.75

FIG. H-1585

H. D. W. Vent Caps, made only in 4 inch, each.....	.60
--	-----

PIPE BANDS

PLAIN



FIG. H-1586

TEE




FIG. H-1587

Size, inches.....	2	3	4	5	6	8
Fig. H-1586—Standard, each.....	.65	.90	1.20	1.65	2.60	3.35
Fig. H-1586—Extra Heavy, each.....	1.35	1.70	2.25	3.00	4.10	6.00
Fig. H-1587—Standard, each.....	1.10	1.50	1.85	2.60	3.35	4.50
Fig. H-1587—Extra Heavy, each.....	2.25	2.60	3.00	4.10	5.25	7.50

Y



FIG. H-1588

HALF Y



FIG. H-1589

FIGS. H-1588 AND H-1589

Size, inches.....	2	3	4	5	6
Standard, each.....	1.10	1.50	1.85	2.60	3.35
Extra Heavy, each.....	2.25	2.60	3.00	4.10	5.25

CAST IRON SOIL PIPE FITTINGS

SADDLE HUBS

TEE



FIG. H-1590

Y



FIG. H-1591

Size, inches -----	2	3	4	5	6	8	10	12
Standard, each -----	.45	.75	.90	1.10	1.65	2.25	3.40	6.00
Extra Heavy, each -----	.60	1.00	1.20	1.50	2.10	3.40	4.90	9.00

FIG. H-1591

Size, inches -----	2	3	4	5	6	8	10	12
Standard, each -----	.50	.80	1.05	1.35	1.85	3.00	6.00	6.75
Extra Heavy, each -----	.65	1.05	1.35	1.70	2.30	4.50	8.25	9.75

HALF Y



FIG. H-1592

Size, inches -----	2	3	4	5	6	8
Standard, each -----	.50	.80	1.05	1.35	1.85	3.00
Extra Heavy, each -----	.65	1.05	1.35	1.70	2.30	4.50

CONNOLLY SADDLE HUBS

TEE



FIG. H-1593

Y



FIG. H-1594

Size, inches -----	2x2	3x2, 3x3	4x2, 4x3, 4x4
Fig. H-1593—Tee Hubs, each -----	.40	.65	.80
Fig. H-1594—Y Hubs, each -----	.45	.70	.90

Size, inches -----	5x2, 5x3, 5x4, 5x5	6x2, 6x3, 6x4, 6x5, 6x6
Fig. H-1593—Tee Hubs, each -----	\$1.00	1.40
Fig. H-1594—Y Hubs, each -----	1.15	1.55

CAST IRON SOIL PIPE FITTINGS

TRAPS WITH VENTS



FIG. H-1601



FIG. H-1602




FIG. H-1603

Size, inches	2	3	4	5	6	8
With 2 inch Vent, Standard, each	\$1.90	2.50	3.00	4.75	6.00	---
With 2 inch Vent, Extra Heavy, each	2.35	3.25	4.00	5.75	8.00	---
With 4 inch Vent, Standard, each	---	---	3.50	5.25	6.50	---
With 4 inch Vent, Extra Heavy, each	---	---	4.50	6.25	8.50	---
With 6 inch Vent, Standard (S and P only), each	---	---	---	---	---	12.00
With 6 inch Vent, Extra Heavy (S and P only), each	---	---	---	---	---	15.00

RUNNING TRAPS

PLAIN



FIG. H-1604

WITH HAND HOLE AND COVER



FIG. H-1605

Size, inches	2	3	4	5	6	8	10	12
Fig. H-1604—Standard, each	.90	1.50	2.00	3.75	5.00	10.00	---	---
Fig. H-1604—Extra Heavy, each	1.35	2.25	3.00	4.75	7.00	13.00	22.00	32.00

Size, inches	2	3	4	5	6	7	8	10	12
Fig. H-1605—Standard, each	\$1.65	2.25	2.75	4.50	5.75	8.75	10.75	16.75	22.75
Fig. H-1605—Extra Heavy, each	2.10	3.00	3.75	5.50	7.75	10.75	13.75	22.75	32.75

CAST IRON SOIL PIPE FITTINGS

RUNNING TRAPS

WITH HUB FOR VENT



FIG. H-1606

WITH HUBS FOR DOUBLE VENT



FIG. H-1607

FIG. H-1606

Size of Trap, inches	2	3	3	4	5	5
Size of Vent, inches	2	2	3	4	4	5
Standard, each	\$1.90	2.50	2.75	3.50	5.25	5.50
Extra Heavy, each	2.35	3.25	3.50	4.50	6.25	6.50

Size of Trap, inches	6	6	7	8	10	12
Size of Vent, inches	4	6	6	6	6	6
Standard, each	\$6.50	7.00	10.00	12.00	18.00	24.00
Extra Heavy, each	8.50	9.00	12.00	15.00	24.00	34.00

FIG. H-1607

Size of Trap, inches	2	3	3	4	5	5
Size of Vent, inches	2	2	3	4	4	5
Standard, each	\$2.90	3.50	4.00	5.00	6.75	7.25
Extra Heavy, each	3.35	4.25	4.75	6.00	7.75	8.25

Size of Trap, inches	6	6	7	8	10	12
Size of Vent, inches	4	6	6	6	6	6
Standard, each	\$8.00	9.00	12.00	14.00	20.00	26.00
Extra Heavy, each	10.00	11.00	14.00	17.00	26.00	36.00

WITH Y BRANCH AND VENT




FIG. H-1608

Size of Trap, inches	4	5	6
Standard, each	\$5.00	6.75	8.00
Extra Heavy, each	6.00	8.00	10.00

CAST IRON SOIL PIPE FITTINGS

HOPPER TRAPS, LOW PATTERN

S FOR IRON PIPE CONNECTION

S WITH VENT FOR IRON PIPE CONNECTION




FIG. H-1609



FIG. H-1610

THREE-FOURTHS S PLAIN

THREE-FOURTHS S WITH VENT



FIG. H-1611



FIG. H-1612

HALF S PLAIN

HALF S WITH VENT



FIG. H-1613



FIG. H-1614

S, $\frac{3}{4}$ S and $\frac{1}{2}$ S Hopper Traps for Iron or Lead Pipe Connections.

SIZE.	Plain.	Enameled Inside.	Enameled Inside and Outside
4 inch, each.....	\$1.75	\$2.50	\$3.50

PENNIE'S NEW IMPROVED PATENT SEWER GAS AND BACK WATER TRAP

HORIZONTAL




FIG. H-1615

Size, inches	2	3	4	5	6	8	10	12	14
Each	\$5.00	6.00	8.00	11.00	14.00	22.00	50.00	60.00	125.00

Will fit either Standard or Extra Heavy Pipe.

DANDY CLEANOUT




FIG. H-1616

This Cleanout has an Iron Body and Brass Cover. The Cover screws into the Casting, and can be removed easily, as the Iron and Brass will not rust together.

Size, inches	2	3	4	5	6	8
Standard, each75	1.00	1.40	1.80	2.20	---
Extra Heavy, each	\$1.00	1.25	1.65	2.10	2.50	8.00

PALMER SEWER, GAS AND BACK WATER TRAP



FIG. H-1617

Size, inches	2	3	4	5	6	8	10	12
Each	\$6.00	6.50	7.50	9.00	10.00	15.00	26.00	40.00

FIG. H-1617

PALMER SEWER VALVES




FIG. H-1618

FIG. H-1618

Size, inches	2	3	4	5	6	8	10	12
Each	\$1.00	1.20	1.60	2.00	2.40	3.20	10.00	15.00

SISSON INSERTABLE JOINTS




FIG. H-1619

Size, inches	2	3	4	5	6
Standard, each	\$1.40	1.50	1.80	2.10	2.60
Extra Heavy, each ..	1.50	1.70	2.00	2.30	2.80

With this Fitting a most satisfactory connection can be made and labor and expense saved when a leak is discovered in the Pipe or Fitting already connected up.

DIRECTIONS.—Cut out of Soil Pipe the length of Fitting it is desired to insert and $1\frac{1}{2}$ inches for this Joint. Slip the Lead Ring which accompanies every Joint over the Pipe above, push the Joint up as far as possible and drop this Joint down into it. The Lead Ring will drop into the Joint and rest upon the shoulders inside. Put in the packing and the work is done.

FIG. H-1620

	Galvanized Iron.	Copper.
2 inch, per dozen	\$10.00	17.00
3 inch, per dozen	11.00	19.00
4 inch, per dozen	12.00	20.00
5 inch, per dozen	17.00	27.00
6 inch, per dozen	30.00	40.00

No. 1 adjusts from $\frac{1}{2}$ to $\frac{1}{4}$ pitch. No. 2 adjusts from $\frac{1}{3}$ pitch to flat

Unless otherwise called for No. 1 Flanges, Galvanized for Standard Soil Pipe, will be sent.

If marked for extra Heavy Soil Pipe be careful to specify this.

STAR ADJUSTABLE ROOF FLANGES




FIG. H-1620

SOIL PIPE HOOK



FIG. H-1621

FIG. H-1621—SOIL PIPE HOOKS

Size, inches	2	3	4	5	6	8
Wrought Iron, each08	.10	.12	.15	.20	.40

THE "NATIONAL" COMBINATION BACK WATER FLOOR AND STABLE DRAIN




FIG. H-1622

The National Combination Back Water Floor and Stable Drain is made all in one piece of Cast Iron, and there is no cement joint between the floor drain and the trap for sewerage to escape beneath the concrete. It is supplied with a brass backwater valve and cleanout which is level with the surface of the floor. It is provided with a perforated interior basket, which prevents straw or rubbish getting into sewer and clogging it, or rendering the backwater valve useless, and this basket can be readily lifted out and cleaned.

The outlet of the drain is within $2\frac{1}{2}$ inches of the top of the floor. This allows the sewer several inches more fall than any other form of floor drain.

Size	Outlet	Each
16 x 16 x 10,	4 inch Cast Iron	\$13.00
14 x 14 x 10,	4 inch Cast Iron	12.00
14 x 14 x 10,	3 inch Cast Iron	11.00
10 x 10 x 8,	3 inch Cast Iron	9.00
10 x 10 x 8,	2 inch Cast Iron	8.00
24 x 24 x 12,	6 inch Cast Iron, special size	20.00

Add 50 cents net for extra heavy covers.

FIG. H-1623—"NATIONAL" FLOOR AND STABLE DRAIN (Not illustrated).

The National Floor and Stable Drain is made all in one piece of Cast Iron, and there is no cement joint between the floor drain and the trap for sewerage to escape beneath the concrete. It is provided with a perforated interior basket, which prevents straw or rubbish getting into sewer and clogging it, and this basket can be readily lifted out and cleaned.

The outlet of the drain is within $2\frac{1}{2}$ inches of the top of the floor. This allows the sewer several inches more fall than any other form of floor drain.

Size	Outlet	Each
16 x 16 x 10,	4 inch Cast Iron	\$10.00
14 x 14 x 10,	4 inch Cast Iron	9.00
14 x 14 x 10,	3 inch Cast Iron	8.00
10 x 10 x 8,	3 inch Cast Iron	6.00
10 x 10 x 8,	2 inch Cast Iron	4.50
24 x 24 x 12,	6 inch Cast Iron, special size	18.00

Add 50 cents net for extra heavy covers.

CELLAR DRAINERS

"PERFECTION"




FIG. H-1624

FIG. H-1624

PERFECTION CELLAR DRAINERS

DIMENSIONS

18 inches Long; 12 inches Wide;
20 inches High.

Number	1	2	3
Capacity per hour, gals.	400	800	1500
Size Supply Pipe, in.	$\frac{3}{4}$	$\frac{3}{4}$	1
Size Discharge Pipe, in.	1	$1\frac{1}{2}$	2
Each	\$20.00	25.00	30.00

FIG. H-1625

CLIMAX CELLAR DRAINERS
WITH AUTOMATIC ATTACHMENT

Number	1	2
Capacity per hour, gals.	50 to 250	100 to 400
Size Supply Pipe, in.	$\frac{1}{2}$	$\frac{3}{4}$
Size Discharge Pipe, in.	1	$1\frac{1}{4}$
Each	\$25.00	40.00
Without Automatic Attachment, each	15.00	25.00
Number	3	4
Capacity per hour, gals.	150 to 600	200 to 800
Size Supply Pipe, in.	1	$1\frac{1}{4}$
Size Discharge Pipe, in.	$1\frac{1}{2}$	2
Each	\$55.00	80.00
Without Automatic Attachment, each	35.00	50.00
Number	5	6
Capacity per hour, gals.	275 to 1000	350 to 1200
Size Supply Pipe, in.	$1\frac{1}{2}$	2
Size Discharge Pipe, in.	$2\frac{1}{2}$	3
Each	\$110.00	160.00
Without Automatic Attachment, each	70.00	100.00

"CLIMAX"




FIG. H-1625

For pressures 15 to 80 pounds.
Lifting 6 to 12 feet.

DRINKING FOUNTAINS
HORSE
WITH OVERFLOW—NO COCK




FIG. H-1626

No. 8—To Fasten to Stone, Painted	\$45.00
No. 9—To Fasten to Stone, Bronzed	51.00

The above prices do not include Stone Base.

MAN, HORSE AND DOG



FIG. H-1627

VERY HEAVY

5 feet 4 inches high—base 22 inches diameter. This Drinking Fountain is particularly adapted for cities, being Extra Heavy, resists the knocks and jars of heavy trucks, and is also plumbed with self-closing faucet, regulating the flow of water.

	Painted one Coat Bronzed	
To Fasten on Stone	\$150.00	160.00
To Go in Ground	165.00	175.00

Without Ball Cocks, allowing Water to run continuously, deduct \$20.00.

WATER FILTERS

"HUB"




FIG. H-1628

Per dozen ----- \$9.00

"MYSTIC"



FIG. H-1629

Per dozen ----- \$6.00

$10\frac{1}{16}$ is the required size for a $\frac{1}{2}$ inch, the $12\frac{1}{16}$ for a $\frac{5}{8}$, and the $15\frac{1}{16}$ for a $\frac{3}{4}$ Plain Bibb.

Plain Bibb Attachment, per dozen	\$3.50
Wire Strainers, Cloth, per square foot	1.00
Wire Strainers for "Hub," per dozen55
Wire Strainers for "Mystic," per dozen45
Quartz Filtering Material, 10 lb. box	1.00
Bone Filtering Material, small box	1.00
Rubber Packing "Hub" (inside), per dozen35
Rubber Packing, "Mystic" (inside), per dozen30
Rubber Washers for Bibb Nozzle, per dozen10

"REVERSIBLE"



FIG. H-1630

Per dozen ----- \$3.10

No. 4



FIG. H-1631

Per dozen --- \$1.50

"HYGIENIC"
GLASS



FIG. H-1632

Per dozen --- \$6.50

"CROTON"



FIG. H-1633

For $\frac{3}{4}$ and $\frac{1}{2}$ inch Hose Bibbs only.

Polished Brass, per doz ----- \$5.00
N. P., per doz 6.00

“TOTAL ECLIPSE” HYDRANTS AND STREET WASHERS

WHEEL TOP HYDRANT SELF-CLOSING HYDRANT



FIG. H-1634



FIG. H-1635

STREET WASHER
No. 36



FIG. H-1636

To set in ground, feet	1½	2	3	4	5	6	8	10
Figure H-1634—¾ inch, each.....	\$9.80	10.10	10.60	11.00	11.50	12.10	13.50	16.00
Figure H-1634—1 inch, each.....	12.70	13.50	14.30	14.75	15.30	16.00	18.50	21.00
Figure H-1634—1¼ inch, each.....	19.70	20.50	21.80	22.25	22.80	23.75	27.00	30.00
Figure H-1635—¾ inch, each.....	\$10.80	11.10	11.60	12.00	12.50	13.10	14.50	17.00
Figure H-1635—1 inch, each.....	13.70	14.50	15.30	15.75	16.30	17.00	19.50	22.00
Figure H-1636—¾ inch, each.....	\$6.60	6.85	7.35	7.75	8.25	8.85	10.25	12.75
Figure H-1636—1 inch, each.....	9.50	10.25	11.10	11.70	12.00	12.75	15.25	17.75
Figure H-1636—1¼ inch, each.....	18.00	18.75	20.10	20.70	21.00	21.75	25.25	28.75

In ordering be careful to state whether connections are wanted for Lead or Iron Pipe.

For Repairs, see pages 562 and 563.

REPAIRS FOR "TOTAL ECLIPSE" HYDRANTS AND STREET WASHERS



FIG. H-1637




FIG. H-1638



FIG. H-1639



FIG. H-1640



FIG. H-1641



FIG. H-1642



FIG. H-1643



FIG. H-1644



FIG. H-1645



FIG. H-1646



FIG. H-1647



FIG. H-1648



FIG. H-1649



FIG. H-1650



FIG. H-1651



FIG. H-1652




FIG. H-1653



FIG. H-1654




FIG. H-1656



FIG. H-1657



FIG. H-1658



FIG. H-1655



FIG. H-1659




FIG. H-1661




FIG. H-1662



FIG. H-1663



FIG. H-1664



FIG. H-1660

See following page for list prices.

REPAIRS FOR "TOTAL ECLIPSE" HYDRANTS AND STREET WASHERS

Size Hydrant or Street Washer, inches		$\frac{3}{4}$	1	$1\frac{1}{4}$
Fig. H-1637—Hydrant Handles, each	No. 134	.20	No. 135 .20	No. 135 .20
Fig. H-1638—Hydrant Handles, with Cap and Screw, each	No. 130	.70	No. 131 1.00	No. 131 1.00
Fig. H-1639—Hydrant Caps, each	No. 124	.15	No. 125 .25	No. 125 .25
Fig. H-1640—Hydrant Screws, each	No. 137	.35	No. 138 .35	No. 138 .35
Fig. H-1641—Hydrant Nozzle Sections, each	No. 315	.60	No. 316 .70	
Fig. H-1642—Hydrant Nozzles, with Plate, each	No. 320	.40	No. 321 .50	
Fig. H-1643—Hydrant Nozzle Couplings, ea	No. 318	.45	No. 319 .60	
Fig. H-1644—Hydrant Casings, each half	No. 182	.60	No. 183 .75	No. 184 1.00
Fig. H-1645—Brass Valve Bodies for Hydrant or Street Washer, each	No. 300	1.25	No. 301 1.75	
Fig. H-1645—Brass Valve Bodies, for S. C. Hydrants, each	No. 430	1.25	No. 431 1.75	
Fig. H-1646—Valve Plungers, for Hydrant or Street Washer, each	No. 305	.50	No. 306 .75	
Fig. H-1646—Valve Plungers, for S. C. Hy- drants, each	No. 434	.75	No. 435 1.00	
Fig. H-1647—Sand Cups, for Hydrant or Street Washer, each	No. 115	.20	No. 116 .30	No. 117 .50
Fig. H-1648—Large Valve Cup Washers, for Hyd'nt or St. Wash., each	No. 325	.15	No. 326 .20	
Fig. H-1649—Small Valve Cup Washers, for Hyd'nt or St. Wash., each	No. 327	.10	No. 327a .15	No. 327b .20
Fig. H-1650—Seat Washers, for Hydrant or Street Washer, each	No. 328	.06	No. 329 .06	No. 329a .06
Fig. H-1651—Tail Couplings, for Hydrant or Street Washer, each	No. 161	.30	No. 162 .40	No. 163 .50
Fig. H-1652—Street Washer Keys, each	No. 159	.20	No. 160 .20	No. 160 .20
Fig. H-1653—Street Washer Boxes, each	No. 330	.50	No. 332 .70	No. 333 1.00
Fig. H-1654—Street Washer Plates, each	No. 335	.20		
Fig. H-1655—Street Washer Caps, each	No. 338	.10		
Fig. H-1656—Street Washer Necks, each	No. 342	.30		
Fig. H-1657—Street Washer Screws, each	No. 141	.35	No. 142 .35	No. 142 .35
Fig. H-1658—Street Washer Nozzle Sections, each	No. 340	.50		
Fig. H-1659—Iron Bushings, for Hydrants, each	No. 353	.10	No. 354 .20	
Fig. H-1660—Half Rubber Balls for Seat, for S. C. Hydrants, each	No. 418	.15	No. 419 .20	
Fig. H-1661—Cap with Brass Connection, for S. C. Hydrants, each	No. 400	.50	No. 401 .60	
Fig. H-1662—Handles with Screws, for S. C. Hydrants, each	No. 404	.50	No. 405 .60	
Fig. H-1663—Brass Stems, for S. C. Hyd'nts, each	No. 408	.50	No. 409 .60	
Fig. H-1664—Steel Springs, for S. C. Hyd'ts, each	No. 415	.20	No. 416 .30	

“CRESCENT” HYDRANTS AND STREET WASHERS

HYDRANT



FIG. H-1665

STREET WASHER



FIG. H-1666

Length to Set in Ground, inches	18	24	30	36	42
Fig. H-1665— $\frac{3}{4}$ inch “Crescent” Hydrant, each....	\$9.80	10.10	10.35	10.60	10.80
Fig. H-1666— $\frac{3}{4}$ inch “Crescent” Street Washer, ea.	6.60	6.85	7.10	7.35	7.55
Length to Set in Ground, inches	48	54	60	72	
Fig. H-1665— $\frac{3}{4}$ inch “Crescent” Hydrant, each.....	\$11.00	11.25	11.50	12.10	
Fig. H-1666— $\frac{3}{4}$ inch “Crescent” Street Washer, each	7.75	8.00	8.25	8.85	
Street Washer Keys, each.....					.20

WALL HYDRANT AND WASH PAVE





FIG. H-1667

For Walls, size, inches.....	12	16	21	27
$\frac{3}{4}$ inch Inlet and Outlet	\$4.25	4.50	4.75	5.00
Extra Keys, each20

"HERSEY" WATER METERS**"HERSEY" DISC METER****FIG. H-1668**

The "Hersey" Disc Meter is constructed of the very best non-corrosive materials. All screws, spindles, and shafts are of phosphor bronze, and the piston is of the highest grade hard rubber, making the meter practically indestructible. All parts are interchangeable.

Each meter from $\frac{5}{8}$ inch to 2 inches inclusive is provided with a perforated strainer located in such a position as to exclude all foreign matter from the working parts.

The superior workmanship, quality of material, and accuracy of registration have made this meter most popular.


FIG. H-1668

Size, inches.	Greatest Proper Quantity per minute.	Length, inches.	Height, inches.	Width, inches.	Net Weight, Lbs.	Weight, Boxed, Lbs.	Each.
$\frac{5}{8}$	2 cubic ft. or 15 gal.	$7\frac{3}{8}$	$6\frac{1}{4}$	$5\frac{1}{2}$	8	12	\$9.00
$\frac{3}{4}$	4 cubic ft. or 30 gal.	9	7	7	12	19	13.00
1	8 cubic ft. or 60 gal.	$10\frac{7}{8}$	$7\frac{1}{4}$	8	16	28	18.00
$1\frac{1}{2}$	12 cubic ft. or 90 gal.	$12\frac{5}{8}$	$8\frac{1}{4}$	$11\frac{1}{8}$	44	65	30.00
2	20 cubic ft. or 150 gal.	$15\frac{1}{4}$	11	$12\frac{1}{8}$	69	96	50.00
3	36 cubic ft. or 270 gal.	24	$16\frac{5}{8}$	$18\frac{1}{8}$	226	277	90.00
4	72 cubic ft. or 540 gal.	29	$19\frac{3}{4}$	22	387	461	175.00
6	120 cubic ft. or 900 gal.	$36\frac{1}{2}$	25	$27\frac{3}{4}$	775	863	375.00

"HERSEY" ROTARY METER**FIG. H-1669**

The "Hersey" Rotary Meter is a type of meter quite distinct from any other. The measuring chamber is practically indestructible from wear; consequently it can be maintained in repair at a cost much lower than any other meter in existence.

The material, workmanship and design of this meter are unsurpassed; it has been used for a long term of years, and has thus stood the test of time. Each meter from $\frac{5}{8}$ inch to 2 inches inclusive is fitted with a perforated strainer. All parts are of the best non-corrosive materials, and are interchangeable.

**FIG. H-1669**

Size, inches.	Greatest Proper Quantity per minute.	Length, inches.	Height, inches.	Width, inches.	Net Weight, Lbs.	Weight, Boxed, Lbs.	Each.
$\frac{5}{8}$	2 cubic ft. or 15 gal.	$7\frac{3}{8}$	8	7	14	20	\$13.00
$\frac{3}{4}$	4 cubic ft. or 30 gal.	9	$8\frac{3}{4}$	8	22	30	23.00
1	8 cubic ft. or 60 gal.	$11\frac{5}{8}$	10	$10\frac{3}{8}$	37	47	33.00
$1\frac{1}{2}$	12 cubic ft. or 90 gal.	$12\frac{5}{8}$	11	$12\frac{1}{8}$	66	90	50.00
2	20 cubic ft. or 150 gal.	$15\frac{1}{4}$	$12\frac{1}{2}$	$13\frac{1}{2}$	109	146	70.00
3	36 cubic ft. or 270 gal.	24	$16\frac{5}{8}$	$18\frac{1}{8}$	251	302	135.00
4	72 cubic ft. or 540 gal.	29	$19\frac{3}{4}$	22	416	490	250.00
6	120 cubic ft. or 900 gal.	$36\frac{1}{2}$	25	$27\frac{3}{4}$	819	907	500.00

MUELLER'S WATER PIPE TAPPING MACHINES

THE "MUELLER"




FIG. H-1671

INCLUDES

- 1 each Combined Drill and Tap, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1 inch.
- 1 each Screw or Hexagon Plug, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1 inch.
- 4 Malleable Iron Saddles, any size.
- 1 Chain for any size Pipe.

Each ----- \$100.00

EXTRA PARTS

- $\frac{3}{8}$ inch Combined Drills and Taps, each ----- \$3.75
- $\frac{1}{2}$ inch Combined Drills and Taps, each ----- 4.00
- $\frac{5}{8}$ inch Combined Drills and Taps, each ----- 4.50
- $\frac{3}{4}$ inch Combined Drills and Taps, each ----- 5.50
- 1 inch Combined Drills and Taps, each ----- 6.50
- Hexagon Plugs, any size, each .60
- Screw Plugs, any size, each .60
- Malleable Iron Saddles, any size, each ----- 1.00
- $4\frac{1}{2}$ inch Rubber Gaskets, each .25
- $6\frac{1}{2}$ inch Rubber Gaskets, each 1.25
- Power Clevis ----- 5.00

THE "COLUMBIA"




FIG. H-1672

INCLUDES

- 1 each Combined Drill and Tap, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1 inch.
- 1 each Screw or Hexagon Plug, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1 inch.
- 4 Malleable Iron Saddles, any size.
- 1 Chain for any size Pipe.

Each ----- \$100.00

EXTRA PARTS

- $\frac{3}{8}$ inch Combined Drills and Taps, each ----- \$3.75
- $\frac{1}{2}$ inch Combined Drills and Taps, each ----- 4.00
- $\frac{5}{8}$ inch Combined Drills and Taps, each ----- 4.50
- $\frac{3}{4}$ inch Combined Drills and Taps, each ----- 5.50
- 1 inch Combined Drills and Taps, each ----- 6.50
- Hexagon Plugs, any size, each .60
- Screw Plugs, any size, each .60
- Malleable Iron Saddles, any size, each ----- 1.15
- Small Rubber Gaskets, for Saddles, each ----- .30
- Large Rubber Gaskets, for Saddles, each ----- 1.35
- Power Clevis ----- 5.35

"NEW ECLIPSE" TAPPING MACHINE

FOR TAPPING WATER MAINS OR OTHER PIPES UNDER PRESSURE




FIG. H-1673

This new invention eclipses all other Tapping Machines for tapping water mains or other pipes under high pressure. It is reduced to the acme of perfection and simplicity, having neither valve or pet cock to get out of order and no revolving head to get sprung or joint to leak. The pressure or strain of the feed screw pulls directly on the chain, thereby relieving the machine of all undue strain. These machines are made of the best bronze metal. The saddles are made of malleable iron and will not break. We make two sizes of this machine No. 1 will tap all sizes up to and including 1 inch; No. 2 will tap all sizes up to and including 2 inch. For tapping gas mains the No. 1 machine will tap and put in a 2 inch plug; a No. 2 machine will tap and put in a 4 inch plug without the escape of gas.

Our Eclipse No. 1, with 1 inch tap and cock, saddle and chain for 6 inch pipe, everything that you would have to carry to make a 1 inch tap complete weighs 24 lbs. Our Eclipse No. 2 with all appliances for making a 2 inch tap weighs 35 pounds.

EVERY MACHINE TESTED TO 600 LBS. TO THE SQ. IN. AND GUARANTEED

This machine taps on the top or side or at any angle desired.

No. 1 complete with $\frac{3}{8}$, $\frac{1}{2}$, $\frac{3}{4}$ and 1 inch taps and four saddles	\$100.00
No. 2 complete with 1, $1\frac{1}{4}$, $1\frac{1}{2}$ and 2 inch taps and four saddles	150.00

The $\frac{3}{4}$ inch tap puts in the $\frac{5}{8}$ corporation cocks, as the shanks of these are of the same size and same thread as the $\frac{3}{4}$. (The No. 2 machine will tap all the small sizes by getting the taps and mandrels extra).

PRICE LIST OF EXTRA TOOLS

$\frac{1}{4}$ inch tap, \$3.00; $\frac{3}{8}$ inch tap, \$3.00; $\frac{1}{2}$ inch tap, \$4.00; $\frac{5}{8}$ and $\frac{3}{4}$ inch taps, \$4.50; 1 inch tap, \$5.00; $1\frac{1}{4}$ inch tap, \$6.00; $1\frac{1}{2}$ inch tap, \$7.00; 2 inch tap, \$8.00. Mandrels, \$1.00 each; saddles, \$1.00; chain, \$1.00; tightening bolts, 25 cents each; harps, 25 cents each; clevises, 25 cents each; feeder yoke, \$1.00; steel feeder screws, \$1.00; malleable spanner wrenches, 25 cents; cross wrench, 50 cents; rubber gaskets, 10 cents, each; C. I. gasket, 8 cents; crane for No. 1 machine, 50 cents; No. 2, 50 cents; folding handle, 50 cents; crane post, 25 cents; stuffing box gland, 50 cents; extra heavy ratchet (No. 3), \$5.00.




FIG. H-1674

FIG. H-1675

ADJUSTABLE CURB BOXES

FIGS. H-1674 AND H-1675

No.	Extension.	Top Section.	Each.
1	48 to 62 inches.	1 in. Pipe.	\$3.00
2	58 to 72 inches.	1 in. Pipe.	3.40
3	70 to 84 inches.	1 in. Pipe.	3.75

Keys only furnished when ordered. at extra, each .50

FIG. H-1676

NEW STYLE

Diameter of Box, 2½ inches.

Size.	Extension.	Each.
88	1 ft. long.	.55
89-A	1 ft. to 1 ft. 8 in	.60
90-B	1 ft. 6 in. to 2 ft. 2 in	.65
91-C	1 ft. 9 in. to 2 ft. 9 in	.70
92-C	2 ft. to 3 ft. 2 in	.73
92-D	2 ft. to 3 ft. 6 in	.75
93-D	3 ft. to 4 ft.	.80
93-E	3 ft. to 4 ft. 6 in	.83
94-D	3 ft. 6 in. to 4 ft. 9 in	.85
94-E	3 ft. 6 in. to 5 ft.	.90
95-E	4 ft. to 5 ft. 6 in	\$1.00
100-E	4 ft. 6 in. to 6 ft.	1.05
100-F	4 ft. 6 in. to 6 ft. 6 in	1.10
95-G	4 ft. to 7 ft.	1.20
100-G	4 ft. 6 in. to 7 ft. 6 in	1.25

OLD STYLE

Diameter of Box, 3 inches.

Size.	Extension. (Extreme Length)	Each.
0	length, 10 in.	.65
1	1 ft. 1 in. to 1 ft. 9 in	.80
1½	1 ft. 6 in. to 2 ft. 4 in	.85
2	2 ft. to 3 ft. 3 in	.90
3	2 ft. 8 in. to 4 ft.	\$1.00
4	2 ft. 10 in. to 4 ft. 10 in	1.05
5	3 ft. 6 in. to 5 ft. 6 in	1.15
7	4 ft. to 6 ft.	1.30

Keys for removing Covers, 3 cents each.

SERVICE BOXES FOR WATER AND GAS



FIG. H-1676

ROADWAY BOXES

SQUARE HEAD



FIG. H-1677

FIG. H-1677

SQUARE HEAD ROADWAY BOXES

With Open Base, 4¼ inch Shaft.

Size	Extension	Each
137	12 inches long.	\$1.40
138	16 inches long.	1.50
140-U	1 foot 6 inches to 2 feet 1 inch.	1.60
142-S	2 feet 1 inch to 2 feet 11 inches.	1.85
142-T	2 feet 5 inches to 3 feet 6 inches.	1.95

FIG. H-1678

ROUND HEAD ROADWAY BOXES

With Flange Base, 4¼ inch Shaft.

Size	Extension	Each
41-Q	1 foot 6 inches to 2 feet.	\$1.60
42-Q	2 feet 3 inches to 2 feet 10 inches.	1.75
42-R	2 feet 3 inches to 3 feet 6 inches.	1.95
43-R	2 feet 10 inches to 4 feet.	2.05
44-R	3 feet 3 inches to 4 feet 6 inches.	2.15
45-R	3 feet 10 inches to 5 feet.	2.25

With Open Base, 4¼ inch Shaft.

Size	Extension	Each
141-Q	1 foot 6 inches to 2 feet.	\$1.60
142-Q	2 feet 3 inches to 2 feet 10 inches.	1.75
142-R	2 feet 3 inches to 3 feet 6 inches.	1.95
143-R	2 feet 10 inches to 4 feet.	2.05
144-R	3 feet 3 inches to 4 feet 6 inches.	2.15
145-R	3 feet 10 inches to 5 feet.	2.25

ROUND HEAD



FIG. H-1678

Keys for removing Covers, 3 cents each.

EXTENSION VALVE BOXES



FIG. H-1679

VALVE BOX EXTENSION



FIG. H-1679

EXTENSION VALVE BOXES

5 1/4 INCH SHAFT WITH NO. 6 BASE

Size.	Each.	Extension.
AAA	\$2.20	Stationary length 1 ft. 5 in.
AA	2.55	Extends 1 ft. 10 to 2 ft. 4 in.
A	2.70	Extends 2 ft. 4 to 3 ft. 4 in.
B	2.85	Extends 3 ft. to 4 ft.
C	2.95	Extends 3 ft. 6 to 4 ft. 6 in.
CC	3.15	Extends 4 ft. to 5 ft.
D	3.30	Extends 3 ft. 6 to 5 ft. 6 in.
DD	3.50	Extends 4 ft. to 6 ft.
E	3.55	Extends 5 ft. to 6 ft.
F	3.70	Extends 5 ft. to 7 ft.
G	3.90	Extends 6 ft. to 7 ft.
H	4.05	Extends 6 ft. to 8 ft.

Above prices on Valve Boxes are with No. 6 Base.

With No. 4 Round Base, reduce price.....	.25
With No. 140 Dome Base, same as with No. 6.	
With No. 8 Round Base, add to price.....	.25
With No. 16 Round Base, add to price.....	\$1.25
With No. 16-24 Round Base, add to price.....	4.00
With No. 160 Oval Base, add to price.....	.35
With No. 162 Oval Base, add to price.....	1.25



FIG. H-1680

NO. 6. ROUND BASE



FIG. H-1681

NO. 6, OVAL BASE



FIG. H-1682

FIG. H-1680—VALVE BOX EXTENSION

No. 58—For 5 1/4 inch Valve Box, increasing length 14 inches, each60

KNOWLES SPECIAL DUPLEX PUMP

PRESSURE PATTERN, FOR BOILER FEEDING, ETC.




FIG. H-1683

The cut above shows one of our special pattern Duplex Pumps. These Pumps are provided with double acting water pistons, or with plungers, and are suitable for boiler feeding, fire service, or for general purposes. They are ordinarily made of piston pattern, and when so made are brass lined, and the water pistons are arranged so that the packing may be readily renewed when required.

Size	Maximum Water Pressure in Pounds	Shipping Weight, Pounds	List Price, Steel Fitted	List Price, Brass Fitted.
2 x 1 $\frac{1}{4}$ x 2 $\frac{3}{4}$	200	90	-----	\$45.00
3 x 2 x 3	200	150	\$55.00	60.00
4 $\frac{1}{2}$ x 2 $\frac{3}{4}$ x 4	200	320	90.00	100.00
5 $\frac{1}{4}$ x 3 $\frac{1}{2}$ x 5	200	435	120.00	130.00
6 x 4 x 6	200	565	140.00	156.00
7 $\frac{1}{2}$ x 5 x 6	150	850	195.00	220.00
7 $\frac{1}{2}$ x 4 $\frac{1}{2}$ x 10	150	970	275.00	320.00
7 $\frac{1}{2}$ x 5 $\frac{1}{4}$ x 10	150	1000	280.00	330.00
8 x 5 $\frac{1}{4}$ x 10	150	1085	300.00	355.00
8 x 6 x 10	150	1275	380.00	455.00
9 x 5 $\frac{1}{4}$ x 10	150	1150	325.00	380.00
10 x 6 x 10	150	1500	415.00	490.00
10 x 6 x 12	150	1700	510.00	600.00
10 x 7 x 10	150	2550	515.00	600.00
10 x 7 x 12	150	2700	540.00	625.00
10 x 8 $\frac{1}{2}$ x 10	150	3550	655.00	740.00
12 x 7 x 10	150	3660	615.00	690.00
12 x 8 $\frac{1}{2}$ x 10	150	4100	700.00	775.00
12 x 10 $\frac{1}{4}$ x 10	150	4900	785.00	885.00

Also patterns for larger sizes.

WORTHINGTON SPECIAL DUPLEX PUMP

Same List as Knowles Special Duplex Pump.

“NEW DUPLEX” BRONZE WATER LIFTER




FIG. H-1684

Iron Brackets are provided to hold Lifter, and Drain Plugs are furnished to prevent freezing.

These Lifters are regularly fitted for Iron Pipe Connections, as listed below.

Brass Bent Couplings for Lead Pipe furnished to order.

When Automatic Shut-off is not ordered we supply a Pressure Reducing Valve with each Lifter without extra charge.

Number.	DIAMETER OF CYLINDERS.		AT 30 REVOLUTIONS PER MINUTE.		Each.
	Power, inches.	Pump, inches.	Will Pump per Hour, gallons.	Will Exhaust per Hour, gallons.	
0	2	1½	165	295	\$40.00
1	2½	1½	165	460	40.00
3	2	2	295	295	42.50
4	2½	2	295	460	45.00

Number.	PIPE CONNECTIONS.			
	Power End.		Pump End.	
	*Supply, inches.	Exhaust, inches.	Suction, inches.	Discharge, inches.
0	½	¾	¾	½
1	¾	¾	¾	½
3	½	¾	¾	¾
4	¾	¾	¾	¾

*If more than 10 feet of this pipe is required, a size larger than given in table should be used to avoid friction loss and consequent reduction of pressure.

IMPROVED HOT AIR PUMPING ENGINES

RIDER ENGINE

WITH COAL, KEROSENE OR GAS FURNACE

ERICSSON ENGINE

FOR COAL, KEROSENE OR GAS




FIG. H-1685




FIG. H-1686

FIG. H-1685—IMPROVED RIDER ENGINES

Size. Diam. Cylinder in inches	Height to Top of Fly-wheel ft. in.	Floor-space ft. in.	Approximate Shipping Weights in lbs.	Revolutions per minute	Price, with Pump Attached to Engine	Extra for Deep-well Pump and Attachments
5	5 0	2 2 x 2 9	1,250	120 to 160	\$210.00
6	6 0	2 4 x 3 4	2,000	100 to 120	300.00	\$20.00
8	7 2	2 5 x 3 11	3,200	100 to 120	420.00	20.00
10	7 9	2 8 x 4 4	3,700	80 to 110	540.00	20.00

KEROSENE BURNERS AND TANK

\$10.00 for 5 inch; \$12.00 for 6 inch; \$15 00 for 8 and 10 inch.

The prices named above include engine, pump, air and vacuum chambers, wrench, shovel and poker, oil and oil-can; everything complete, ready for suction and discharge pipe, but do not include pipes of any kind.

SIZE OF PIPE AND APPROXIMATE QUANTITY OF FUEL

Size of Cylinder, inches	Suction and Discharge Pipe, inches	Cubic Feet of Gas	Quarts of Kerosene per hour	Pounds Anthracite Coal, per hour
5	1	20	2	3
6	1½	50	3	4 to 5
8	2	60	5	6 to 7
10	2½	80	6	7 to 8

FIG. H-1686—IMPROVED ERICSSON ENGINES

Size, Diam. Air-cylinder in inches	Floor-space ft. in.	Height ft. in.	Approx. Shipping Weights in Pounds	Price with Pump Attached to Engine	Extra for Deep-well Pump and Attachments
5	2 5 x 1 4	4 2	550	\$120.00
6	3 6 x 2 0	4 5½	800	170.00	\$10.00
8	4 0 x 2 2	5 5½	1,000	210.00	15.00
10	4 4 x 3 2	5 6	1,700	300.00	20.00

KEROSENE BURNERS AND TANK

5, 6 and 8 inch, \$10.00 extra; 10 inch, \$12.00.

The above prices include engine, pump, air-chamber, vacuum-chamber, furnace-wrench, oil-can and oil, but no pipes of any kind.

SIZE OF PIPE AND APPROXIMATE QUANTITY OF FUEL

Size of Cylinder, inches	Suction and Discharge Pipe, inches	Cubic Feet of Gas	Quarts of Kerosene per hour	Pounds Anthracite Coal per hour
5	¾	12	1	3
6	1	16	2	3
8	1¼	20	2	4
10	1½	50	3	5

OPEN OR CLOSED TOP PITCHER SPOUT PUMP

FIG. H-1687




FIG. H-1687

Long Lever. Revolving open bearer top, held in place by set Screw. Cylinder with open Spout. High bolted Base. Fitted for lead or wrought iron Pipe, or both, as ordered.

Number	1	2	3	4	5	6
Diameter, Cylinder, in	2½	3	3½	4	4½	5
Suction, inches	1	1¼	1½	1¾	2	2½
Iron	\$4.25	4.75	5.25	6.25	9.50	17.00
*Brass-lined	6.50	7.25	8.00	9.00	12.50	22.50
*Porcelain-lined	6.50	7.25	8.00	9.00	12.50	22.50

*Brass and Porcelain-lined Pumps have galvanized Plungers and Rods.

CISTERN SUCTION PUMPS

FIG. H-1688



FIG. H-1688

Long Lever. Revolving bearer top held in place by Set Screw. Cylinder with round Spout having projection for holding Bucket. High bolted Base arranged for lead or wrought iron Pipe as ordered.

Number	0	1	2	3	4	5	6	8
Diam. Cylinder, in	2	2¼	2½	2¾	3	3¼	3½	4
Suction, inches	1	1	1¼	1½	1¾	1½	1½	2
Iron	\$3.50	4.00	4.50	5.00	5.50	6.50	8.00	10.00
Brass-lined	5.50	6.00	6.50	7.25	8.00	9.50	11.50	15.00
Brass Cylinder	5.50	6.00	7.00	8.00	10.00	13.00	18.00	25.00

FIG. H-1689




FIG. H-1689

Long Lever. Revolving bearer top held in place by set Screw. Cylinder with Brackets and Round Spout having projection for holding Bucket. Lower attachment fitted for lead or wrought iron Pipe, or both, as ordered.

Number	0	1	2	3	4	5	6
Diameter Cylinder, inches	2	2¼	2½	2¾	3	3¼	3½
Suction, inches	1	1	1¼	1½	1¾	1½	1½
Iron	\$3.50	4.00	4.50	5.00	5.50	6.50	8.00
Brass-lined	5.50	6.00	6.50	7.25	8.00	9.50	11.50
Brass Cylinder	5.50	6.00	7.00	8.00	10.00	13.00	18.00

WELL PUMPS WITH SET LENGTHS

HEAVY
PATTERN

MEDIUM
PATTERN





FIG. H-1690

FIG. H-1691

FIG. H-1692

FIG. H-1693

Number.....	3	4	6
Cylinders, inches.....	10 x 2 ³ / ₄	10 x 3	10 x 3 ¹ / ₂
Stroke, inches.....	6	6	6
Fig. H-1690—Iron Cylinder.....	\$9.50	9.75	10.75
Fig. H-1690—Brass Lined Cylinder.....	12.00	12.25	13.75
Fig. H-1691—Iron Cylinder.....	9.00	9.25	10.25
Fig. H-1691—Brass Lined Cylinder.....	11.50	11.75	13.25
Fig. H-1692—Iron Cylinder.....	12.75	13.00	14.00
Fig. H-1692—Brass Lined Cylinder.....	15.25	15.50	17.00
Fig. H-1693—Iron Cylinder.....	14.75	15.00	16.00
Fig. H-1693—Brass Lined Cylinder.....	17.25	17.50	19.00

PUMP STANDARDS

WELL LIFT
PUMP STANDARD




FIG. H-1694

WELL FORCE
PUMP STANDARD




FIG. H-1695

WELL FORCE
PUMP STANDARD
WITH REVOLVING TOP
AND SOLID BASE




FIG. H-1696

FIG. H-1694

Light Lift Pump Standard. Revolving bearer top, with recess for priming. Cast standard. Tapped for pipe on the inside near base.

No. 3, 6 inch Stroke, 1 1/4 inch Suction, each \$4.50

FIG. H-1695

Medium and Heavy Force Standards. Long lever with links. Revolving tight bearer top. Iron standard with air chamber. Flanged spout with hose coupling, also outlet back of spout. Polished plunger rod. Tapped to take pipe near spout. Regularly 1 1/4 but will tap for 1 1/2 or 2 inches, *if so ordered*.

No. 1, 6 inch Stroke, 1 1/4 inch Suction, each \$9.00

No. 2, 6 inch Stroke, 1 1/4 inch Suction, each 10.00

FIG. H-1696

The Standard is built in two sections, with intermediate flange between, into which the suction pipe is screwed. This flange is interchangeable and can be screwed for any size of pipe up to and including 2 1/2 inch, but always shipped as below unless otherwise ordered. Cock spout furnished at \$2.50 extra list.

6 inch Stroke, 1 1/4 inch Suction, each \$12.50

PUMP STANDARDS

WELL LIFT
PUMP STANDARD




FIG. H-1697

WELL FORCE
PUMP STANDARD
WITH AIR CHAMBER ON SPOUT
FOR HAND OR WIND MILL




FIG. H-1698

FIG. H-1697

Long lever. Revolving wind mill top, held in place by two bolts. Standard tapped inside near spout, and for size pipe given in table unless otherwise ordered. Flanged air chamber. Discharge, $1\frac{1}{4}$ inch pipe and $\frac{3}{4}$ inch hose. Windmill slide not furnished unless specially ordered.

6 inch Stroke, $1\frac{1}{4}$ inch Suction, each	-----	\$13.00
10 inch Stroke, 2 inch Suction, each	-----	14.00

FIG. H-1698

The Standard is built in two sections, with intermediate flange, which is a great convenience in making pipe connections near the spout.

The intermediate flange can be cut for any size of pipe up to and including $2\frac{1}{2}$ inch, but always shipped as below unless otherwise ordered. Pumps tapped for 2 inch pipe have coupling for 1 inch wood rod.

Wind mill slides are not furnished unless specially ordered.

6 inch Stroke, $1\frac{1}{4}$ inch Suction, each	-----	\$13.50
10 inch Stroke, 2 inch Suction, each	-----	14.50

HOUSE FORCE PUMPS

ON BASE




FIG. H-1699

ON PLANK




FIG. H-1700

FIGS. H-1699 AND H-1700

Number	1	2	3
Diameter Cylinder, inches	2½	3	4
Suction, inches	1¼	1½	2
Iron	\$10.00	12.00	20.00
Brass-lined	12.50	14.50	25.00
Brass Cylinder	14.50	17.00	32.00

ON BASE




FIG. H-1701

ON PLANK




FIG. H-1702

FIGS. H-1701 AND H-1702

Number	1	2	3
Diameter Cylinder, inches	2½	3	4
Suction, inches	1¼	1½	2
Iron	\$12.50	14.50	22.50
Brass-lined	15.00	17.00	27.50
Brass Cylinder	17.00	19.50	34.50

HOUSE FORCE PUMPS




FIG. H-1703




FIG. H-1704

FIG. H-1703

Number	1	2	3
Diameter Cylinder, inches	2	2½	3
Suction, inches	1	1¼	1¼
Iron	\$17.00	17.50	18.50
Brass Cylinder	22.00	22.50	25.50
Brass Pump	28.00	32.00	37.00

FIG. H-1704

Number	1	2	3
Diameter Cylinder, inches	2	2½	3
Suction, inches	1	1¼	1¼
Iron	\$19.50	20.00	21.00
Brass Cylinder	24.50	25.00	28.00
Brass Pump	33.00	37.00	42.00

“ALERT” DOUBLE ACTING FORCE PUMP




FIG. H-1705

Number	2	4	8	12
Diameter Cylinder, inches	2½	3	4	5
Suction, inches	1¼	1¼	1½	2
Discharge, inches	1	1	1½	2
Iron	\$16.00	18.00	24.00	30.00
Brass Lined	18.50	21.00	28.00	35.00

Fitted for lead pipe or hose to order, at extra price.

ROTARY FORCE PUMPS




FIG. H-1706




FIG. H-1707

FIG. H-1706

Number	1	2	3	4	4a	5	5a	6
Suction, inches	1¼	1¼	1½	1½	1½	2	2	2½
Discharge, inches	1	1	1¼	1½	1½	2	2	2½
Iron	\$20.00	23.00	27.00	35.00	39.00	40.00	44.00	50.00
Bronze Case and Cams	42.00	47.00	52.00	65.00	69.00	75.00	79.00	100.00
Bronze	52.00	57.00	64.00	87.00	91.00	105.00	109.00	140.00

FIG. H-1707

Number	1	2	3	4	5	6
Suction, inches	1¼	1¼	1½	2	2	2½
Discharge, inches	1	1	1¼	1½	2	2½
Iron	\$27.00	32.00	38.00	48.00	54.00	80.00
Bronze Case and Cams	49.00	56.00	63.00	78.00	90.00	135.00
Bronze	60.00	65.00	75.00	100.00	120.00	175.00

IMPROVED HYDRAULIC RAMS




FIG. H-1708

Cast-iron Base with Drive and Discharge Pipe Connections. Flanged Iron Air Chamber. Brass Impetus Valve.




FIG. H-1709

FIG. H-1708

Size, number	2	3	4
Supply per minute to operate Ram, gallons	2 to 3	2 to 4	3 to 7
Length of Drive Pipe, feet	50 to 75	50 to 75	50 to 100
Pipes, Drive, inches	$\frac{3}{4}$	1	$1\frac{1}{4}$
Pipes, Discharge, inches	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$
Ram, with Leather Valve, each	\$9.00	11.00	14.00

FIG. H-1709

Size, number	5	6	7	8
Supply per minute to operate Ram, gallons	6 to 12	11 to 20	18 to 36	30 to 60
Length of Drive Pipe, feet	50 to 150	50 to 200	50 to 200	50 to 200
Pipes, Drive, inches	2	$2\frac{1}{2}$	3	4
Pipes, Discharge, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2
Ram, with Leather Valve, each	\$22.00	45.00	80.00	130.00

Rams will work, and successfully, where the spring or brook is only eighteen inches higher than the Ram; yet, as the height or head increases, the more powerfully the Ram operates, and its ability to force water to a greater elevation and distance correspondingly strengthens.

A fall of 10 feet from the brook or spring to the Ram is sufficient to raise water to any point, say, 150 feet above the machine, while the same amount of fall would also raise water to a point considerably higher, though the quantity of water discharged will be proportionately diminished as the height and distance increase.

We recommend Drive Pipes to be 50 to 75 feet in length, though in very heavy lifts this may be advantageously increased to 125 and even 200 feet. In cases where this is not practicable the pipe may be bent in a coil five or six feet in diameter.

The quantity of water furnished a Ram, or amount requisite to operate it, is determined by the size and fall of head of Drive Pipe. Where the supply of water is limited there is no simpler or better plan of determining this quantity than to measure in pails or barrels the number of gallons which can be led in pipes from the spring or brook per minute or in any given length of time.

For ordinary purposes it is sufficient to say that in conveying water, say 50 or 60 rods, it may be safely calculated that one-seventh of the water can be raised and discharged at an elevation five times as high as the fall, or one-fourteenth part can be raised and discharged, say, ten times as high as the fall or height of Drive Pipe.

Thus, with a fall of five feet, for every 7 gallons drawn from the supply 1 may be raised 25 feet, or half a gallon 50 feet; or, with 10 feet fall, 1 gallon of every 14 may be raised to the height of 100 feet; and so in proportion as the fall or height is varied.

EDSON'S DIAPHRAGM PUMP




FIG. H-1710

WITH SIDE OUTLET

Number.....	2	3	4
Inlet, inches.....	2½	3	4
Each.....	\$19.00	24.00	35.00

WITH BOTTOM INLET

Number.....	2	3	4
Inlet, inches.....	2½	3	4
Each.....	\$14.00	16.00	25.00

EXTRAS

For Number.....	2	3	4
Suction Hose, per foot.....	\$1.25	1.50	2.25
Couplings, per set.....	2.75	3.50	5.75
Strainers, Flat.....	2.25	2.50	---
Strainers, Globe.....	3.50	3.50	---
Strainers, Galvanized.....	---	---	2.50

PUMP CYLINDERS



FIG. H-1711



FIG. H-1712



FIG. H-1713



FIG. H-1714

Diameter and Length, inches.	Figs. H-1711 and H-1712 Stroke, in.	Figs. H-1713 and H-1714 Stroke, in.	Size Pipe, inches.	Iron.	Brass Lined, Brass Cage and Valve Plunger.	Brass Body, All Brass Plunger.	All Brass.
2 x 10 ¹ / ₂	6	6	1 ¹ / ₄	\$3.75	\$7.50	\$8.00	\$10.75
2 ¹ / ₄ x 10 ¹ / ₂	6	6	1 ¹ / ₄	4.00	7.75	8.25	11.00
2 ¹ / ₂ x 10 ¹ / ₂	6	6	1 ¹ / ₄	4.35	8.00	8.50	12.25
2 ³ / ₄ x 10 ¹ / ₂	6	6	1 ¹ / ₄	4.70	8.50	9.00	12.75
3 x 10 ¹ / ₂	6	6	1 ¹ / ₄	5.00	9.00	9.75	13.50
3 ¹ / ₄ x 10 ¹ / ₂	6	6	1 ¹ / ₂	6.00	9.75	10.50	14.75
3 ¹ / ₂ x 10 ¹ / ₂	6	6	1 ¹ / ₂	7.00	10.50	11.50	16.75
4 x 10 ¹ / ₂	6	6	2	9.00	13.00	15.50	21.50
2 x 12	8	6	1 ¹ / ₄	5.50	8.00	9.25	11.25
2 ¹ / ₄ x 12	8	6	1 ¹ / ₄	5.75	8.25	9.50	11.50
2 ¹ / ₂ x 12	8	6	1 ¹ / ₄	6.00	8.50	9.75	12.75
2 ³ / ₄ x 12	8	6	1 ¹ / ₄	6.50	9.00	10.50	13.25
3 x 12	8	6	1 ¹ / ₄	7.00	9.50	11.00	14.00
3 ¹ / ₄ x 12	8	6	1 ¹ / ₂	8.00	10.25	12.00	15.25
3 ¹ / ₂ x 12	8	6	1 ¹ / ₂	9.00	11.25	13.75	17.50
4 x 12	8	6	2	11.50	14.25	18.00	22.50
2 x 14	10	8	1 ¹ / ₂	6.00	8.50	9.75	13.00
2 ¹ / ₄ x 14	10	8	1 ¹ / ₄	6.25	9.00	10.25	13.50
2 ¹ / ₂ x 14	10	8	1 ¹ / ₄	6.50	9.25	10.50	14.75
2 ³ / ₄ x 14	10	8	1 ¹ / ₄	7.00	9.75	11.25	15.50
3 x 14	10	8	1 ¹ / ₄	7.50	10.25	11.75	16.25
3 ¹ / ₄ x 14	10	8	1 ¹ / ₂	8.75	11.00	12.75	17.75
3 ¹ / ₂ x 14	10	8	1 ¹ / ₂	10.00	12.25	14.75	21.00
4 x 14	10	8	2	13.00	15.75	19.00	26.50
4 ¹ / ₂ x 14	8	6	2	17.50	24.00	28.00	36.00
5 x 14	8	6	2 ¹ / ₂	22.50	33.00	38.00	50.00
6 x 14	8	6	3	33.50	50.00	56.00	70.00
2 x 16	12	10	1 ¹ / ₄	6.00	9.00	10.50	13.75
2 ¹ / ₄ x 16	12	10	1 ¹ / ₄	6.50	9.75	11.25	14.50
2 ¹ / ₂ x 16	12	10	1 ¹ / ₄	7.00	10.25	11.75	16.00
2 ³ / ₄ x 16	12	10	1 ¹ / ₄	7.50	10.75	12.25	16.50
3 x 16	12	10	1 ¹ / ₄	8.00	11.25	12.75	17.25
3 ¹ / ₄ x 16	12	10	1 ¹ / ₂	9.75	12.00	14.00	19.00
3 ¹ / ₂ x 16	12	10	1 ¹ / ₂	11.25	13.50	16.00	22.25
4 x 16	12	10	2	14.50	17.50	20.50	28.00
4 ¹ / ₂ x 16	10	8	2	18.50	25.00	30.50	38.75
5 x 16	10	8	2 ¹ / ₂	25.00	35.00	42.00	53.50
6 x 16	10	8	3	37.50	55.00	62.00	75.00
4 ¹ / ₂ x 18	12	10	2	22.50	30.00	35.00	43.25
5 x 18	12	10	2 ¹ / ₂	30.00	40.00	47.00	58.50
6 x 18	12	10	3	42.50	60.00	67.00	80.00
8 x 18	8	6	4	90.00	115.00	134.00	160.00

FULL WAY BRASS JACKET DRIVE WELL POINTS

FIG. H-1715

Diam. Pipe, inches.	Length Jacket, inches.	Length Pipe, inches.	No. 60 Gauze per dozen.	No. 80 Gauze per dozen.	No. 90 Gauze per dozen.
1	18	24	\$33.00	\$46.00	\$52.00
1	24	30	42.00	56.00	64.00
1	36	42	60.00	76.00	88.00
1 $\frac{1}{4}$	14	20	30.00	42.00	50.00
1 $\frac{1}{4}$	18	24	36.00	52.00	60.00
1 $\frac{1}{4}$	24	30	46.00	64.00	75.00
1 $\frac{1}{4}$	30	36	56.00	76.00	90.00
1 $\frac{1}{4}$	36	42	66.00	88.00	105.00
1 $\frac{1}{4}$	42	48	76.00	100.00	120.00
1 $\frac{1}{2}$	18	24	48.00	65.00	78.00
1 $\frac{1}{2}$	24	30	60.00	80.00	96.00
1 $\frac{1}{2}$	30	36	72.00	95.00	114.00
1 $\frac{1}{2}$	36	42	84.00	110.00	132.00
1 $\frac{1}{2}$	42	48	96.00	125.00	150.00
1 $\frac{1}{2}$	60	66	132.00	170.00	204.00
1 $\frac{1}{2}$	66	72	144.00	185.00	222.00
2	18	24	75.00	94.00	110.00
2	24	30	90.00	112.00	132.00
2	30	36	105.00	130.00	154.00
2	36	42	120.00	148.00	176.00
2	42	48	135.00	166.00	198.00
2	54	60	165.00	202.00	242.00
2 $\frac{1}{2}$	30	36	180.00	230.00	260.00
2 $\frac{1}{2}$	42	48	230.00	300.00	340.00
2 $\frac{1}{2}$	66	72	330.00	440.00	500.00
3	30	36	240.00	310.00	340.00
3	42	48	300.00	390.00	430.00
4	36	48	480.00	560.00	600.00
4	60	72	630.00	760.00	840.00
4	84	96	780.00	960.00	1080.00

CON-
STRUC-
TIVE
VIEW

FIG. H-1715

WASHER DRIVE WELL POINTS

FIG. H-1716

Diam. Pipe, inches.	Length of Pipe, ft.	No. of Holes.	No. 60 Gauze per dozen.	No. 90 Gauze per dozen.
1 $\frac{1}{4}$	20 in.	50	\$30.00	\$50.00
1 $\frac{1}{4}$	2 ft.	60	36.00	60.00
1 $\frac{1}{4}$	2 $\frac{1}{2}$ ft.	80	46.00	75.00
1 $\frac{1}{4}$	3 ft.	100	56.00	90.00
1 $\frac{1}{4}$	3 $\frac{1}{2}$ ft.	120	66.00	105.00
1 $\frac{1}{4}$	4 ft.	140	76.00	120.00
1 $\frac{1}{2}$	2 ft.	80	48.00	78.00
1 $\frac{1}{2}$	2 $\frac{1}{2}$ ft.	110	60.00	96.00
1 $\frac{1}{2}$	3 ft.	130	72.00	114.00
1 $\frac{1}{2}$	3 $\frac{1}{2}$ ft.	150	84.00	132.00
2	2 $\frac{1}{2}$ ft.	140	90.00	132.00
2	3 ft.	170	105.00	154.00
2	3 $\frac{1}{2}$ ft.	220	120.00	176.00



FIG. H-1716

“ROOT” SPIRAL RIVETED BILGE PUMPS




FIG. H-1717

Length of Bilge Pumps is measurement over all. From 1½ inches to 2½ inches diameter inclusive, Pump Barrels are of No. 28 BWG Spiral Lock Seam or Straight Seam Pipe; from 3 inches diameter up they are of No. 26 BWG Spiral Riveted Pipe. Heavier Barrels can be furnished at an extra cost. Pumps shorter than 5 feet, are charged as 5 feet.

□ Cut shows both Soldered and Screw Joint Pumps, also Extra Lengthening Section with Screw Joints and small parts as follows: Valve, Leather Plunger, Rod Handle, Brass Screw Couplings and complete Sectional Rod for Screw Joint Pumps.

Diameter, inches	1½	2	2½	3
Soldered Joint Pumps, per lineal foot	.82	.89	.96	1.03
Brass Screw Couplings, per pair attached		\$2.55	3.00	4.10
Diameter, inches	3½	4	4½	5
Soldered Joint Pumps, per lineal foot	\$1.10	1.18	1.25	1.48
Brass Screw Couplings, per pair attached	4.55	5.50	6.40	7.30
Pump Rods, per lineal foot				.08
Rod Handles, each				.25

PUMP VALVES AND PLUNGERS

SINGLE
CLAPPER VALVE

FIG. H-1718

DOUBLE
CLAPPER VALVE

FIG. H-1719


OIL AND LIQUOR
VALVE AND PLUNGER

FIG. H-1720

LEATHER PLUNGER
FOR BOAT PUMPS

FIG. H-1721

FIG. H-1718—SINGLE CLAPPER VALVES

3	inch diameter, per dozen	\$2.25
3 $\frac{1}{4}$	inch diameter, per dozen	2.50
3 $\frac{1}{2}$	inch diameter, per dozen	3.00
4	inch diameter, per dozen	3.50

FIG. H-1719—DOUBLE CLAPPER VALVES

4	inch diameter, per dozen	\$3.75
4 $\frac{1}{2}$	inch diameter, per dozen	5.00
5	inch diameter, per dozen	6.00
5 $\frac{1}{2}$	inch diameter, per dozen	7.00
6	inch diameter, per dozen	8.50

IMPROVED PLUNGER VALVES Not Illustrated

3	inch diameter, per dozen	\$2.25
3 $\frac{1}{4}$	inch diameter, per dozen	2.50
3 $\frac{1}{2}$	inch diameter, per dozen	2.75
4	inch diameter, per dozen	3.00

FIG. H-1720—OIL AND LIQUOR VALVES AND PLUNGERS

1 $\frac{1}{4}$	inch diameter, per dozen pairs	\$2.25
1 $\frac{1}{2}$	inch diameter, per dozen pairs	2.50
1 $\frac{3}{4}$	inch diameter, per dozen pairs	2.75
2	inch diameter, per dozen pairs	3.00
2 $\frac{1}{2}$	inch diameter, per dozen pairs	3.50

FIG. H-1721—LEATHER PLUNGER FOR BOAT PUMPS

2	inch diameter, per dozen, net	\$1.40
2 $\frac{1}{2}$	inch diameter, per dozen, net	1.75
3	inch diameter, per dozen, net	2.15
3 $\frac{1}{2}$	inch diameter, per dozen, net	2.55
4	inch diameter, per dozen, net	3.00
4 $\frac{1}{2}$	inch diameter, per dozen, net	4.50
5	inch diameter, per dozen, net	5.25
5 $\frac{1}{2}$	inch diameter, per dozen, net	6.25
6	inch diameter, per dozen, net	7.25

VALVE AND PLUNGER LEATHERS, ETC.

MADE OF PURE OAK-TANNED STOCK

RING PACKING
FOR CYLINDERS



FIG. H-1722

PLUNGER LEATHER
NOT CRIMPED



FIG. H-1723

LOWER VALVE LEATHER



FIG. H-1724

PLUNGER LEATHER
CRIMPED



FIG. H-1725

SIZES AND PRICES

Size, inches, (Diameter of Cylinders)	1½	1¾	2	2¼	2½	2¾	3	3¼
Ring Packings, for Cylinders, each10	.10	.10	.10	.10	.10	.10	.15
Plunger Leathers, not Crimped, each15	.15	.15	.15	.15	.15	.15	.20
Lower Valve Leathers, each15	.15	.15	.15	.15	.15	.15	.20
Plunger Leathers, Crimped, each15	.15	.15	.15	.15	.20	.25	.30
Size, inches, (Diameter of Cylinders)	3½	3¾	4	4½	5	6	8	
Ring Packings, for Cylinders, each15	.15	.15	.20	.25	.30	.40	
Plunger Leathers, not Crimped, each20	.20	.20	.25	.30	.35	.50	
Lower Valve Leathers, each20	.20	.20	.25	.30	.35	.50	
Plunger Leathers, Crimped, each35	.40	.45	.55	.60	.75	1.25	

PUMP ROD COUPLINGS



FIG. H-1726

Fitted for Rod ..	3/8	7/16	3/8 x 7/16	1/2
Threads to inch	14	12	14x12	12
Mal., per lb40	.40	.40	.26
Galv., per lb ..	.50	.50	.50	.35
Brass, per lb ..	1.00	1.00	1.00	1.00

PUMP RODS

½ inch Sucker Rods, 5 ft. long... \$2.50

MALLEABLE IRON
DRIVE WELL CAPS




FIG. H-1727

Size, inches ..	1¼	1½	2	2½	3
Each20	.24	.44	1.00	1.50

FORBES PIPE MACHINES

NO. 30—HAND MACHINE




FIG. H-1728

NO. 78—HAND OR POWER MACHINE




FIG. H-1729

FORBES HAND MACHINES

No.	Range	Each
*30	1/4 to 2 in., both R. and L.	\$50.00
*32	1/4 to 2 in., for Solid Dies (without dies)	45.00
*34	1 to 3 in., R. H., 1 to 2 in., L. H.	75.00
*36	3/4 to 3 in., R. H., 3/4 to 2 in., L. H.	85.00
*37	1/4 to 3 in., R. and L.	105.00
†46	2 1/2 to 4 in., R. H.	85.00
*38	1 1/2 to 4 in., R. H.	100.00
*40	1 1/2 to 4 in., R. and L.	115.00
*42	1 to 4 in., R. H.	110.00
*44	1 to 4 in., R. and L.	130.00
†50	4 to 6 in., R. H.	115.00
†52	3 1/2 to 6 in., R. H.	130.00
†54	2 1/2 to 5 in., R. H.	150.00
†56	2 1/2 to 6 in., R. H.	175.00
†62	2 1/2 to 6 in., R. H., extra heavy	300.00
*58	1 to 6 in., R. H.	190.00
*60	1 to 6 in., R. and L.	235.00
*63	2 1/2 to 8 in., R. and L.	360.00
†64	2 1/2 to 8 in., R. H.	325.00
†66	2 1/2 to 10 in., R. H.	500.00
*67	2 1/2 to 10 in., R. H.	500.00
*68	2 1/2 to 10 in., R. and L.	550.00

FORBES HAND OR POWER MACHINES

No.	Range	Each
*70	1/4 to 2 in., R. and L.	\$100.00
*72	1/4 to 2 in., for Solid Dies (without dies)	95.00
*74	1 to 3 in., R. H., 1 to 2 in., L. H.	125.00
*76	3/4 to 3 in., R. H., 3/4 to 2 in., L. H.	135.00
*77	1/4 to 3 in., R. and L.	155.00
†78	2 1/2 to 4 in., R. H.	140.00
*80	1 1/2 to 4 in., R. H.	150.00
*82	1 1/2 to 4 in., R. and L.	165.00
*84	1 to 4 in., R. H.	160.00
*86	1 to 4 in., R. and L.	180.00
†88	4 to 6 in., R. H.	170.00
†90	3 1/2 to 6 in., R. H.	180.00
†92	2 1/2 to 5 in., R. H.	200.00
†94	2 1/2 to 6 in., R. H.	225.00
*96	1 to 6 in., R. H.	250.00
*98	1 to 6 in., R. and L.	285.00
*99	2 1/2 to 8 in., R. and L.	335.00
†100	2 1/2 to 8 in., R. H.	500.00
†102	2 1/2 to 10 in., R. H.	700.00
*104	2 1/2 to 10 in., R. H.	700.00
*106	2 1/2 to 10 in., R. and L.	750.00

*Pressure Feed Machine.

†Lead Screw Machine.

These prices include counter-shaft, ratchet wrench and pipe rest. Nos. 70 to 77 have no cut off attachment.

*Pressure Feed Machine.

†Lead Screw Machine.

Nos. 30 to 37 have no cut-off attachment, unless specially ordered.

IXL NEW IMPROVED PIPE CUTTING AND THREADING MACHINES

HAND MACHINE NO. 1




FIG. H-1730

With set of Right Hand Solid Dies, inches, inclusive, $\frac{1}{4}$ to 2.
Fly Wheel and set of Sockets for making nipples, $\frac{1}{4}$ to 2.

Each ----- \$90.00

POWER MACHINE




FIG. H-1731

With set of Right Hand Solid Dies, inches, inclusive, $\frac{1}{4}$ to 2.
Fly Wheel, Pulleys, Countershaft and set of Sockets for making Nipples, $\frac{1}{4}$ to 2.

Each ----- \$110.00

OSTER PIPE MACHINES




FIG. H-1732

NO. 204 AND 206 HAND MACHINES

BACK VIEW
FIG. H-1732

	No. 204		No. 206	
	With Tripod	Without Tripod	With Tripod	Without Tripod
Each	\$150.00	140.00	250.00	225.00
Shipping Weight.....	575 lbs.	500 lbs.	975 lbs.	875 lbs.
Cuts and Threads....	1 in. to 4 in.		1 in. to 6 in.	
Sets of Dies.....	4		6	
Extra Dies, per set..	\$4.00		5.00	
Extra Cut-off Blade..	1.50		1.50	

FIG. H-1733

Complete with Countershaft, Base, Oil Pump, Pipe Rest and Automatic Cut-off Attachment.

Cuts and Threads (6 sets of Dies):
1 & 1 1/4, 1 1/2 & 2, 2 1/2 & 3, 3 1/2 & 4, 4 1/2 & 5, 6 inch Pipe.

Each	\$400.00
Extra Dies, per set (4 pcs.) Right or Left	5.00
Extra Cut-off Blade.....	1.50
Shipping Weight, pounds	1700

**NO. 206 A—
POWER MACHINE**




FIG. H-1733

BORDEN'S "BABY" PIPE MACHINES




FIG. H-1734

With Borden's Solid-Adjustable Dies, Tripod, Crank and Wrench complete.

No. A—1/2 to 2 inch Pipe..	\$75.00
Shipping Weight, pounds ..	150

DIE



FIG. H-1735

ARMSTRONG'S PIPE THREADING MACHINE




FIG. H-1736

HAND MACHINE, 1 TO 4 INCH

	Without Stand.	With Stand
No. 00 Hand Machine, without Dies	\$105.00	\$125.00
No. 00 Hand Machine, with Pipe Dies, 1 to 4 inch, R. H.	128.00	148.00

POWER MACHINE, 1 TO 4 INCH

	Power Attach. (No Countershaft).	Power Attach. and Countershaft
No. 00 Machine, without Dies	\$130.00	\$175.00
No. 00 Machine, with Pipe Dies, 1 to 4 inch, R. H.	153.00	198.00
No. 00 Machine, Pipe Dies, 1 to 4 inch, R. H., with Stand	173.00	218.00

DIES

Extra Dies are the same as used in ordinary No. 3 and 6 Stocks. Left Hand same price as R. H. Conduit Dies furnished for No. 0 and No. 00 Machines same list as regular No. 2, No. 3 and No. 6 Dies.

ATTACHMENTS

No. 00 Machine Power Attachment, no Countershaft	\$25.00
No. 00 Machine Countershaft	45.00
No. 00 Machine Stand	20.00

Unless specified, Machine is shipped without Stand, and for hand use.

SPEED AND WEIGHTS

Speed of Countershaft, revolutions	300
Weight of Machine with Dies, pounds	370
Weight of Machine Stand, pounds	198

ARMSTRONG'S PIPE THREADING MACHINE

No. 0




FIG. H-1737

HAND MACHINE, $\frac{1}{4}$ TO 2 INCH

	Without Stand.	With Stand.
No. 0 Hand Machine, without Dies	\$50.00	\$60.00
No. 0 Hand Machine, with Pipe Dies, $\frac{1}{4}$ to 2 in., R. H	60.00	70.00
No. 0 Hand Machine, with Bolt Dies, $\frac{1}{2}$ to $1\frac{1}{2}$ in., R. H	63.00	73.00

POWER MACHINE $\frac{1}{4}$ TO 2 INCHES

	Power Attach. No Countershaft.	Power Attach. and Countershaft.
No. 0 Machine, without Dies	\$65.00	\$ 93.00
No. 0 Machine, with Pipe Dies, $\frac{1}{4}$ to 2 in., R. H	75.00	103.00
No. 0 Machine, with Bolt Dies, $\frac{1}{2}$ to $1\frac{1}{2}$ in.	78.00	106.00
No. 0 Machine, Pipe Dies, $\frac{1}{4}$ to 2 in., R. H., with Stand	85.00	113.00

DIES

Extra Dies are same as used in ordinary No. 2 and No. 3 Stocks. For Combination Pipe and Bolt Machine, take net price of Pipe Threading Machine Dies. For Left Hand Dies, add net price from same list.

ATTACHMENTS

No. 0 Machine Power Attachments, no Countershaft	\$15.00
No. 0 Machine Countershaft	28.00
No. 0 Machine Stand	10.00

Unless specified, Machine is shipped without Stand. and for hand use.

SPEED AND WEIGHTS

Speed of Countershaft, revolutions	260
Weight of Machine with Dies, pounds	135
Weight of Machine Stand, pounds	60

STOCKS AND DIES

MALLEABLE FRAMES—SOLID DIES




FIG. H-1738



FIG. H-1739

Numbers.	Threads.	Dim. of Dies.	Die Plate Complete.	Without Dies.	Extra Dies.	Extra Bushings.	Ex. Die Frames.
0 for Brass Pipe	$\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, 1 $\frac{1}{4}$	2 x 2 x $\frac{1}{2}$	\$13.50	3.50	2.00	.25	—
0	$\frac{1}{8}$ to $\frac{1}{2}$	2 x 2 x $\frac{1}{2}$	9.50	3.50	1.50	.25	—
1	$\frac{1}{4}$ to 1	2 $\frac{1}{2}$ x 2 $\frac{1}{2}$ x $\frac{3}{4}$	15.00	5.00	2.00	.35	.30
1 $\frac{1}{2}$	$\frac{3}{4}$ to 1 $\frac{1}{4}$	3 x 3 x $\frac{3}{4}$	13.50	6.00	2.50	.45	.40
1 $\frac{3}{4}$	1 to 1 $\frac{1}{2}$	3 x 3 x $\frac{3}{4}$	13.50	6.00	2.50	.45	.40
2	1 $\frac{1}{4}$, 1 $\frac{1}{2}$ and 2	4 x 4 x $\frac{7}{8}$	20.00	9.50	3.50	.60	.50
3, 2-Arm	2 $\frac{1}{2}$ and 3	5 x 5 x 1 $\frac{1}{4}$	43.00	25.00	9.00	1.00	.60
4, 4-Arm	2 $\frac{1}{2}$ and 3	5 x 5 x 1 $\frac{1}{4}$	51.00	33.00	9.00	1.00	.60

Number 2 and larger have Leader Screw.

MILLER'S REVERSIBLE RATCHET WITH SOLID DIES



FIG. H-1740

Number.	Threads Pipe, inches.	Dimensions of Dies.	Stock and Dies Complete.	Stock only, without Dies.	Extra Dies.	Extra Bushings.	Die Frames.
A	$\frac{1}{8}$ to $\frac{3}{4}$	2 x $\frac{1}{2}$	\$13.00	7.50	1.10	.20	—
B	$\frac{1}{4}$ to 1	2 $\frac{1}{2}$ x $\frac{3}{4}$	15.00	7.50	1.50	.25	.22
C	1 to 1 $\frac{1}{2}$	3 x $\frac{3}{4}$	18.50	13.00	1.80	.35	.30
D	1 $\frac{1}{4}$ to 2	4 x $\frac{7}{8}$	20.00	12.50	2.50	.45	.38
E	2 $\frac{1}{2}$ and 3	5 x 1 $\frac{1}{4}$	43.00	29.00	7.00	.75	.45

CLIMAX RATCHET




FIG. H-1741

Number	1	2
Threads Pipe, inches	$\frac{1}{4}$ to 1	1 to 2
Stock only without Dies, each	\$10.00	17.00
Solid Dies, each	2.00	3.50

Any standard make of Solid Die will fit.

Threads can be cut on pipe at any angle or in any position.

With this tool it is not necessary to dig up or take out whole lengths of pipe; the defective part of pipe can be cut out and the threads cut on the pieces in the ground with the greatest ease and convenience, not only saving time, but avoiding much unnecessary and disagreeable work.

STOCKS AND DIES

ARMSTRONG

NO. 2



FIG. H-1742

No. 4 NON-ADJUSTABLE




FIG. H-1743

ARMSTRONG'S ADJUSTABLE STOCKS AND DIES

Number	1	2	2½	3	4	6	7
Threads	1/8 to 1/2	1/4 to 1	1/2 to 1 1/4	1 1/4 to 2	1 1/4 to 2	2 1/2 & 3	2 1/2 to 4
Complete with R. H. Dies	\$9.00	12.00	12.00	20.00	18.00	40.00	60.00
Stock only	3.25	4.00	4.50	7.00	7.00	25.00	30.00
Extra Dies, Right or Left	1.25	1.50	3.25	4.00	3.00	15.00	16.00
Extra Bushings	.20	.25	.40	.50	.50	1.00	1.50
Extra Wrenches	.25	.25	.25	.50	---	.50	.75

Price for Extra Dies means per Single Set of two pieces.

NOTE.—No. 4 Stock is a sectional and Non-Adjustable Stock. Nos. 2½, 6 and 7 Stocks are fitted with Double-Ended Dies. Nos. 1 and 2 Stocks are packed in cases. as shown in Fig. H-1742. Nos. 6 and 7 have four Arms.

Armstrong Sectional Dies, Right or Left, all sizes, each \$3.00.

STOCKS AND DIES

DUPLEX ADJUSTABLE




FIG. H-1744

Number	1	2	3	3½	4	5
Threads and Cuts Pipe, inches	1/8 to 3/4	1/4 to 1 1/4	1 to 2	1/2 to 2	1 1/2 to 3	2 1/2 to 4
Complete with Cut-off	\$16.00	20.00	25.00	28.00	45.00	60.00
Without Cut-off	13.00	17.00	22.00	25.00	40.00	55.00
Extra Dies, per set	1.50	1.75	2.00	2.00	3.50	4.00
Extra Cut-off Blades	.40	.40	.40	.40	.50	.50

TOLEDO GEARED ADJUSTABLE
No. 2




FIG. H-1745

Number	1	1A	2	3
Threads and Cuts Pipe, inches	1 to 2	1 to 2	2 1/2 to 4	4 1/2 to 8
Each	\$24.00	30.00	100.00	300.00

EXTRA DIES

Size, inches					1	1 1/4	1 1/2	2	
Per Set of Four Pieces					\$2.50	2.50	2.50	2.50	
Size, inches	2 1/2	3	3 1/2	4	4 1/2	5	6	7	8
Per Set of Five Pieces	\$8.00	8.00	8.00	8.00	12.00	12.00	12.00	12.00	12.00

TAPS AND REAMERS




FIG. H-1746 FIG. H-1747 FIG. H-1748

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$
Fig. H-1746—Reamer, each	\$1.12	1.25	1.50	1.87	2.50	3.12	3.75
Fig. H-1747—Combined Tap and Drill, each	2.50	2.50	3.00	4.50	6.00	7.25	
Fig. H-1748—Tap, each	1.12	1.25	1.50	1.87	2.50	3.12	3.75

Size, inches	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3	$3\frac{1}{2}$	4
Fig. H-1746—Reamer, each	\$4.62	6.25	10.50	15.00	22.00	33.00
Fig. H-1747—Combined Tap and Drill, each	8.50	10.75	15.00			
Fig. H-1748—Tap, each	4.62	6.25	10.50	15.00	22.00	33.00

FLAT DRILL



FIG. H-1749

Size, inches	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2	$2\frac{1}{2}$	3
Each75	.75	1.00	1.25	1.50	1.75	2.00	2.50	3.00	3.75	4.75

PIPE END REAMER




FIG. H-1750

FIG. H-1750

For reaming out the burrs from the ends of Wrought Iron and Steel Pipe.

No. 1 is without Ratchet, each	\$5.00
No. 2 is with Ratchet, each	7.00

ROLLER TUBE EXPANDER




FIG. H-1751

Size of Tube, Outside, inches	1	1¼	1½	1¾	1⅞	2	2¼	2½	2¾
Each	\$10.00	10.00	10.00	10.00	10.00	10.00	12.00	14.00	16.00
Size of Tube, Outside, inches	3	3¼	3½	4	4¼	4½	5	6	
Each	\$18.00	20.00	23.00	30.00	35.00	40.00	50.00	60.00	

“FAVORITE” FLUE SCRAPER



FIG. H-1752

2 to 6 inch, per inch	\$1.00
-----------------------	--------

“INGALL’S” FLUE SCRAPER



FIG. H-1753

2 to 6 inch, per inch	\$1.00
With Wire Brush	1.25

"FAVORITE" STEAM FLUE CLEANER




FIG. H-1754

Number of Blower	0	1	2	3
Size of Tubes, outside diameter, inches	1 $\frac{1}{4}$ -1 $\frac{3}{4}$	2-2 $\frac{1}{4}$	2 $\frac{1}{2}$ -2 $\frac{3}{4}$	3-3 $\frac{1}{4}$
Price, with Clamps and Nipple	\$5.00	5.00	6.25	7.50
Number of Blower		4	5	6
Size of Tubes, outside diameter, inches		3 $\frac{1}{2}$ -3 $\frac{3}{4}$	4-4 $\frac{1}{2}$	5 to 6
Price, with Clamps and Nipple		\$8.75	10.00	12.50

The above prices for Blowers do not include Hose and Globe Valves, which we can furnish of very best quality and at lowest market price.

SPIRAL WIRE FLUE BRUSH



FIG. H-1755

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2
Each	\$1.10	1.10	1.20	1.20	1.25
Size, inches	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	3 $\frac{1}{4}$
Each	\$1.40	1.50	1.60	1.75	2.00
Size, inches	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	6
Each	\$2.25	2.50	2.75	3.00	3.50

WHALEBONE FLUE BRUSH



FIG. H-1756

Size, inches	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2
Each	.75	.75	.75	.80	.90
Size, inches	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	3 $\frac{1}{4}$
Each	\$1.00	1.00	1.25	1.40	1.50
Size, inches	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	6
Each	\$1.75	2.00	2.25	2.25	3.00

WRENCHES

WARNOCK WRENCH

FOR BRASS PIPE



FIG. H-1757

12 inch complete, holds Pipe $\frac{1}{8}$ to 2 inches, each	\$1.50
18 inch complete, holds Pipe 1 to 5 inches, each	2.50
12 inch Strap, ready for use, each	.50
18 inch Strap, ready for use, each	.75

STILLSON PIPE WRENCH




FIG. H-1758

Length, inches	6	8	10	14	18	24	36	48
Takes Pipe, inches	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{8}$ to 1	$\frac{1}{4}$ to $1\frac{1}{2}$	$\frac{1}{4}$ to 2	$\frac{1}{4}$ to $2\frac{1}{2}$	$\frac{1}{4}$ to $3\frac{1}{2}$	1 to 5
Each	\$2.00	2.00	2.25	3.00	4.00	6.00	12.00	18.00
Jaw	.75	.75	.80	1.00	1.33	2.10	4.75	7.25
Frame	.35	.35	.40	.50	.55	.80	1.30	1.50
Steel Handle	.95	.95	1.10	1.45	2.10	3.20	6.40	9.25
Nut	.11	.11	.14	.17	.22	.35	.55	.95
Wood Handle	.16	.16	.18	.25	.28			
Springs	.10	.10	.10	.10	.10	.11	.13	.13

TRIMO PIPE WRENCH



FIG. H-1759

Length, inches	6	8	10	14	18	24	36	48
Takes Pipe, inches	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{8}$ to 1	$\frac{1}{4}$ to $1\frac{1}{2}$	$\frac{1}{4}$ to 2	$\frac{1}{4}$ to $2\frac{1}{2}$	$\frac{1}{2}$ to $3\frac{1}{2}$	1 to 5
Each	\$2.00	2.00	2.25	3.00	4.00	6.00	12.00	18.00
Jaw	.67	.67	.75	1.00	1.33	2.00	4.00	6.00
Nut	.20	.20	.27	.35	.42	.50	.65	.80
Inserted Jaw	.25	.25	.33	.50	.55	.65	1.00	1.25
Frame	.25	.25	.33	.45	.55	.65	.75	1.00
Spring	.03	.03	.03	.03	.04	.04	.04	.04
Frame Pin	.03	.03	.03	.03	.04	.04	.04	.04
Jaw Pin	.03	.03	.03	.03	.04	.04	.04	.04

WRENCHES

COE'S MONKEY WRENCH



FIG. H-1760

Length, inches	6	8	10	12	15	18	21
Black, per doz	\$9.00	10.00	12.00	14.00	24.00	30.00	36.00
Polished, per doz	10.00	12.00	14.00	16.00	26.00	32.00	38.00

COE'S ALL STEEL WRENCHES—(Not Illustrated.)

Length, inches	28	36
Each	\$9.75	19.00

B. & C. COMBINATION WRENCH



FIG. H-1761

10 inch, adjustable to pipe from $\frac{1}{4}$ inch to 1 inch in diameter, per doz	\$25.25
12 inch, adjustable to pipe from $\frac{1}{4}$ inch to $1\frac{1}{2}$ inch in diameter, per doz	28.50
15 inch, adjustable to pipe from $\frac{1}{4}$ inch to 2 inch in diameter, per doz	40.50

ADJUSTABLE "S" WRENCHES

PIPE WRENCH



FIG. H-1762

Size, inches	6	8	10	12	14
For Pipe, $\frac{1}{8}$ inch to	$\frac{3}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$
Each	\$1.00	1.25	1.50	2.00	2.50

NUT WRENCH



FIG. H-1763

Size, inches	6	8	10	12	14
Opens to	$\frac{3}{4}$	1	$1\frac{3}{8}$	$1\frac{5}{8}$	2
Each60	.75	1.00	1.25	1.75

“BULL DOG” WRENCHES

No. 1



FIG. H-1764

No. 2



FIG. H-1765

TWIN



FIG. H-1766

FIGS. H-1764, H-1765 AND H-1766

Number	0	1	2	Twin.	3	4
Length, inches	4	5 ³ / ₄	9	10	16	22
Holds Pipe	¹ / ₈ to ¹ / ₄	¹ / ₈ to ³ / ₈	³ / ₈ to ³ / ₄	¹ / ₈ to ³ / ₄	¹ / ₂ to 1 ¹ / ₄	1 ¹ / ₄ to 2
Holds Round Iron	¹ / ₄ to ⁹ / ₁₆	¹ / ₄ to ³ / ₄	¹ / ₂ to 1	¹ / ₄ to 1	³ / ₄ to 1 ³ / ₈	1 ¹ / ₂ to 2 ¹ / ₂
Price, per dozen	\$3.00	4.00	12.00	18.00	24.00	36.00

“ALWAYS READY” WRENCH



FIG. H-1767

“ELGIN” ADJUSTABLE WRENCH




FIG. H-1768

FIG. H-1767—“ALWAYS READY” WRENCHES

No. 1	— 5 inch, holds ¹ / ₄ to ³ / ₄ inch	Square or Round Iron, per dozen	----- \$5.00
No. 2	— 7 inch, holds ¹ / ₄ to 1 ¹ / ₄ inch	Square or Round Iron, per dozen	----- 6.75
No. 2 ¹ / ₂	— 9 ¹ / ₂ inch, holds ¹ / ₄ to 1 ³ / ₄ inch	Square or Round Iron, per dozen	----- 10.50
No. 3	— 11 ¹ / ₂ inch, holds ³ / ₄ to 2 inch	Square or Round Iron, per dozen	----- 16.00

FIG. H-1768—“ELGIN” ADJUSTABLE WRENCHES

Both Jaws hardened. Wrench is all steel, nickel-plated. Length, 7 inches, Weight, 10 ounces.

Wrenches, per dozen	----- \$12.00
Extra Jaws, per dozen	----- 3.00

BAXTER WRENCH




FIG. H-1769

FIG. H-1769—BAXTER WRENCHES

Size, inches	----- 4	6	8
Per dozen	----- \$6.00	9.00	12.00
Size, inches	----- 10	12	
Per dozen	----- \$18.00	24.00	

TRIMO BASIN WRENCH




FIG. H-1770

Each	\$2.50
Extra Jaws, per pair	1.00
Extra Nuts, each40
Extra Springs, each20
Extra Screws, each40

VULCAN CHAIN WRENCH
WITH FLAT LINK CHAIN



FIG. H-1771

Number	10	11	12	13	13½	14	15
With Flat Link Chain, each	\$2.50	3.50	5.00	7.00	9.00	11.00	18.00
With Cable Chain, each	2.25	3.25	4.50	6.25	7.75	9.50	16.00
Capacity, size pipe, inches	½ to ¾	¾ to 1½	¾ to 2½	¾ to 4	1 to 6	1½ to 8	2 to 12
Length over all, inches	13¼	20	27	37	44½	5½	64½
Weight, pounds	1¾	4¾	8¾	16	21	27	49
Extra Flat Link Chains, each75	1.00	1.50	2.50	3.25	4.00	6.00
Extra Jaws, per pair	1.00	1.75	2.75	4.00	4.75	5.50	7.50

IDEAL CHAIN WRENCH



FIG. H-1772

Number of Wrench	2	3	4	5
Each	\$6.00	8.00	11.00	16.00
Capacity, size pipe, inches	½ to 3½	1 to 5	2 to 8	2½ to 12
Capacity, size fittings, inches	½ to 3	1 to 4	2 to 6	2½ to 10
Length of Wrench, inches	27	38	49	61
Weight of Wrench, pounds	10	18	28	50
Extra Jaws, per pair	3.25	4.50	5.85	7.50
Extra Handles, each	2.10	3.25	4.75	6.90
Extra Chain, each95	1.21	1.70	3.00
Extra Steel Pins, each15	.20	.25	.30
Extra Bolts, each20	.25	.30	.35
Size of Cable Chain	¾	1	1½	2

GAS PLIERS




FIG. H-1773

Length, inches	5	6	7	8	9	10	11	12	13	14
All Polished, per doz.	\$8.00	9.00	10.00	15.00	17.00	18.00	19.00	21.00	24.00	27.00
Black Handles, per doz.				12.00	14.00	15.00	16.00	18.00	21.00	24.00

SIDE CUTTING PLIERS




FIG. H-1774

Length, inches	4	5	5½	6	7	8
Per dozen	\$8.95	9.90	11.25	12.15	15.60	18.85

COMBINED PLIERS AND CUTTING NIPPERS



FIG. H-1775

Length, inches	4½	6	8	10
Cuts Wire Number	14	11	8	6
Per dozen	\$10.00	12.00	15.00	20.00

GAS PLIERS, WIRE CUTTERS, WRENCH AND SCREW DRIVER COMBINED



FIG. H-1776

Length, inches	6	8	10
Black, per doz.	\$13.50	18.00	24.00
Nickel-plated, per doz.	15.00	21.00	30.00
Plier Bolts, each	.07½	.10	.10
Plier Nuts, each	.05	.06	.06

“CAREW” END CUTTING NIPPER



FIG. H-1777

Length, inches	6	8	10	12	14
Each	\$1.75	2.00	2.25	2.60	3.00
Extra Jaws, per pair50	.55	.60	.65	.70

VALVE WHEELS

WOOD WHEEL




FIG. H-1778

BRASS WHEEL



FIG. H-1779

FIG. H-1778 AND H-1779—WOOD AND BRASS WHEELS FOR VALVES

Size of Valves, inches	1/2	3/4	1	1 1/4	1 1/2	2
Wood Wheels, each25	.30	.30	.5	.40	.50
Top and Bottom Plates, Brass, each25	.30	.30	.35	.35	.40
Top and Bottom Plates, Nickel-plated, each35	.40	.40	.45	.45	.50
Finished Brass Wheels, each	1.25	1.30	1.30	1.60	1.65	1.75
Finished Brass Wheels, Nickel-plated, each	1.50	1.55	1.55	1.85	1.90	2.00

WIRE WHEEL




FIG. H-1780

Size Valve, inches	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	4 1/2
Outside diameter of Wheel, inches	2	2	2 3/8	2 5/8	3	3 1/4	3 1/2	4	4 1/2	5 1/4	5 3/4	6 3/4	7 1/2
Each12	.12	.12	.14	.16	.20	.25	.30	.35	.40	.45	.55	.65

PIPE CUTTERS

SAUNDERS' ROLLER AND THREE WHEEL PATTERN



FIG. H-1781

Number.....	1	2	3	4	5
Cuts Pipe, inches.....	1/8 to 1	1 to 2	2 to 3	2 1/2 to 4	4 to 6
Each.....	\$3.00	4.50	11.00	18.00	28.00
Extra Block and Wheel, each.....	1.25	1.75	2.75	3.50	4.00
Extra Wheels, each.....	.24	.32	.60	.60	.60
Extra Rollers, each.....	.24	.32	.50	.50	.60
Extra Pins, each.....	.10	.10	.15	.15	.15

BARNES'




FIG. H-1782

Number.....	1	2	3	4	5	6	7
Cut Pipe, inches.....	1/8 to 1	1/2 to 2	1 1/2 to 3	2 1/2 to 4	4 to 6	6 to 8	9 to 12
Each.....	\$4.50	6.00	10.00	20.00	30.00	40.00	50.00
Extra Wheels, each.....	.25	.30	.40	.50	.75	.75	.75
Extra Pins, each.....	.10	.10	.10	.20	.20	.25	.25

TRIMO



FIG. H-1783

Number.....	1	2	3
Cuts Pipe, inches.....	1/8 to 1 1/4	1/2 to 2	1 1/4 to 3
Each.....	\$4.50	6.00	10.00
Extra Wheels, each.....	.30	.30	.40
Extra Rolls, each.....	.30	.30	.40
Extra Nuts, each.....	.35	.35	.40

ARMSTRONG



FIG. H-1784

Number.....	1	2	3
Cuts Pipe, inches.....	1/8 to 1 1/4	1/2 to 2 1/2	1 1/4 to 4
Each.....	\$4.50	6.00	15.00
Extra Wheels, each.....	.25	.30	.50
Extra Rollers, each.....	.25	.30	.50

PIPE CUTTERS

HOLLAND




FIG. H-1785

Number	1	2	3	4
Cuts Pipe, inches	$\frac{1}{8}$ to $1\frac{1}{4}$	$\frac{3}{8}$ to 2	1 to $3\frac{1}{2}$	1 to 4
Each, 3 Wheel	\$4.50	6.50	15.00	18.00
Each, Roller Pattern	4.50	6.75	16.00	20.00

MILLER'S REVERSIBLE RATCHET CUTTERS



FIG. H-1786

Number	0	1	$1\frac{1}{2}$	2	3
Cuts Pipe, inches	$\frac{1}{8}$ to $\frac{3}{4}$	$\frac{1}{2}$ to 1	1 to $1\frac{1}{2}$	$1\frac{1}{2}$ to 2	$2\frac{1}{2}$ to 3
Each	\$6.75	8.50	10.00	11.00	16.00
Extra Wheels, each	.12	.18	.18	.25	.40

CAST IRON PIPE CUTTERS




FIG. H-1787

Number	3	$3\frac{1}{2}$	4	5
Cuts Pipe, inches	4 and under	4 to 6	4 to 8	8 to 12
Each	\$7.00	12.00	18.00	25.00

LEAD PIPE CUTTER




FIG. H-1788

Nickeled, each	\$1.25
Japanned, each	1.00
Extra Wheels, each	.05

PIPE VISES




FIG. H-1789

Takes Pipe $\frac{1}{8}$ to 2 inch, each ----- \$7.00

HINGED




FIG. H-1790

No. 10, takes pipe $\frac{1}{8}$ to $2\frac{1}{2}$ in., each \$10.00
 No. 20, takes pipe $\frac{1}{2}$ to $4\frac{1}{2}$ in., each 20.00
 No. 25, takes pipe $\frac{1}{2}$ to 5 in., each 30.00
 No. 30, takes pipe 1 to 6 in., each 36.00

SMITH'S




FIG. H-1791

FIG. H-1791—SMITH'S COMBINATION

Number	1	2
Weight, pounds	47	70
Takes pipe	$\frac{1}{8}$ -2	$\frac{1}{4}$ -3
Complete, each	\$16.00	20.00
Number	3	
Weight, pounds	100	
Takes pipe	$\frac{1}{4}$ -4	
Complete, each	\$28.00	

"VULCAN"




FIG. H-1792

FIG. H-1792

VULCAN PATENT DROP-FORGED CHAIN PIPE VISE

For Holding Pipe, Bolts, Bars, Shafts, etc., from $\frac{1}{8}$ to $2\frac{1}{2}$ inch diameter.

No. 2, for Pipe, sizes $\frac{1}{8}$ to $2\frac{1}{2}$ inch, each	\$5.00
Base, each	1.00
Jaws, per pair	2.25
Chain, each	1.25
Handle, each	.50
Screw, each	.20
Nut, each	.60
Washer, each	.20

Weight, 10 lbs. Size, folded, 6 x 8 x 8.

FIG. H-1793

VANDERMAN COMBINATION BENCH PIPE VISE

Three Combinations in one. Constructed with Steel Sliding Bar. Bends Pipe up to $1\frac{1}{2}$ inches.

No. 0 Holds Pipe $\frac{1}{8}$ to 2 in., each	\$15.00
No. 1 Holds Pipe $\frac{1}{8}$ to 7 in., each	20.00
No. 3 Holds Pipe $\frac{1}{8}$ to 10 in., each	30.00

Extra Jaws for Brass Pipe $\frac{1}{2}$ to 2 in. Nor No. 0 or No. 1	\$2.00
For No. 3	2.50

"VANDERMAN"




FIG. H-1793

FIG. H-1794

MACHINISTS' VISES

STATIONARY BASE

Number	3	3½	5	15	25
Width of Jaw, in.	2	2½	3¼	3½	4
Vise opens, in.	3	3½	4	5	6
Price, each	\$3.80	4.75	6.00	7.00	9.00
Number	35	45	55	59	
Width of Jaw, in.	4½	5	6	7	
Vise opens, in.	7	8	9	11	
Price, each	\$10.00	13.00	25.00	28.50	

SWIVEL BASE—(Not Illustrated.)

Number	8	8½	10	20	30
Width of Jaw, in.	2	2½	3¼	3½	4
Vise opens, in.	3	3½	4	5	6
Price, each	\$4.30	5.20	7.50	8.75	11.00
Number	40	50	60	70	
Width of Jaw, in.	4½	5	6	7	
Vise opens, in.	7	8	9	11	
Price, each	\$12.50	16.00	30.00	33.00	

MACHINISTS'




FIG. H-1794

PLUMBERS'
FORCE PUMP




FIG. H-1795

Each ----- \$7.00

"PLUMBERS'
FRIEND"
FORCE CUP




FIG. H-1796
Length, 42 inches.

Each ----- \$2.00

FORCE CUP



FIG. H-1797

Number ..	1	2	3
Each, net.	.40	.60	.80

GAS PROVING PUMPS

WITH MERCURY GAUGE




FIG. H-1798

Complete	\$16.00
Pump and Hose only	8.00
Gauge with Ether Cup and Cock	8.00

WITH SPRING GAUGE




FIG. H-1799

Complete	\$1
Pump and Hose only	
2½ inch Gauge only	
Ether Cup and Cock	

ASBESTOS LEAD JOINT RUNNERS




FIG. H-1800




FIG. H-1801

FIG. H-1800-ASBESTOS LEAD JOINT RUNNERS

No. 1,	$\frac{3}{4}$ inch square for 2, 3 and 4 inch pipe, each	\$1.25
No. 2,	$\frac{3}{4}$ inch square for 4, 5 and 6 inch pipe, each	1.50
No. 3,	1 inch square for 6, 8 and 10 inch pipe, each	2.25
No. 4,	1 inch square for 10, 12 and 14 inch pipe, each	3.00
No. 5,	$1\frac{1}{4}$ inch square for 8, 10 and 12 inch pipe, each	4.00
No. 6,	$1\frac{1}{4}$ inch square for 10, 12 and 14 inch pipe, each	5.00
No. 7,	$1\frac{1}{4}$ inch square for 16, 18 and 20 inch pipe, each	6.75
No. 8,	$1\frac{1}{4}$ inch square for 24 inch pipe, each	7.75
No. 9,	$1\frac{1}{4}$ inch square for 30 inch pipe, each	8.75
No. 10,	$1\frac{1}{4}$ inch square for 36 inch pipe, each	9.75
No. 11,	$1\frac{1}{4}$ inch square for 40 inch pipe, each	10.75
No. 12,	$1\frac{1}{4}$ inch square for 42 inch pipe, each	11.25
No. 13,	$1\frac{1}{4}$ inch square for 48 inch pipe, each	12.50

FIG. H-1801-STAR PIPE JOINTERS

FOR RUNNING LEAD JOINTS IN ALL KINDS OF IRON PIPE				SOIL PIPE JOINTERS	
2 inch, each	\$3.00	16 inch, each	\$11.00	2 inch, each	\$1.50
3 inch, each	3.50	18 inch, each	12.00	3 inch, each	2.25
4 inch, each	4.00	20 inch, each	13.00	4 inch, each	3.00
6 inch, each	5.00	24 inch, each	14.00	5 inch, each	3.75
8 inch, each	6.50	30 inch, each	15.00	6 inch, each	4.50
10 inch, each	7.75	36 inch, each	16.00	7 inch, each	5.25
12 inch, each	9.00	40 inch, each	18.00	8 inch, each	6.00
14 inch, each	10.00	48 inch, each	20.00		

Sizes not given made to order at proportionate prices.

No Clay whatever being required in its use. Manufactured for a Flush, Square Bead or Beveled Joint. In ordering state whether you want Jointers for a Flush, Square Bead or Beveled Joint, otherwise Jointers for a Flush Joint will be sent.




FIG. H-1802

FIG. H-1802-ROUND ASBESTOS RUNNERS

No. 1 Round	$\frac{3}{4}$ in. for 2, 3 and 4 in. pipe	\$1.25
No. 2 Round	$\frac{3}{4}$ in. for 4, 5 and 6 in. pipe	1.50
No. 3 Round	1 in. for 6, 8 and 10 in. pipe	2.00
No. 4 Round	1 in. for 10, 12 and 14 in. pipe	2.50

STEEL TOOL CHEST—Style A




FIG. H-1803

No. 1, Style A, 11 in. deep, 12 in. wide, 24 in. long, with one drawer	\$12.50
No. 2, Style A, 14 in. deep, 15 in. wide, 30 in. long, with one drawer	17.00
No. 3, Style A, 16 in. deep, 17 in. wide, 36 in. long, with one drawer	19.00
No. 4, Style A, 19 in. deep, 20 in. wide, 42 in. long, with one drawer	22.00

No. 1, Style A, 11 in. deep, 12 in. wide, 24 in. long, with two drawers	\$13.60
No. 2, Style A, 14 in. deep, 15 in. wide, 30 in. long, with two drawers	18.00
No. 3, Style A, 16 in. deep, 17 in. wide, 36 in. long, with two drawers	20.25
No. 4, Style A, 19 in. deep, 20 in. wide, 42 in. long, with two drawers	23.50

Will be sent with one drawer unless otherwise ordered.

Style B.—Sent with two Tills unless ordered with one.

No. 1, Style B, 11 in. deep, 12 in. wide, 24 in. long, with one till	\$13.00
No. 2, Style B, 14 in. deep, 15 in. wide, 30 in. long, with one till	18.50
No. 3, Style B, 16 in. deep, 17 in. wide, 36 in. long, with one till	20.50
No. 4, Style B, 19 in. deep, 20 in. wide, 42 in. long, with one till	23.00

No. 1, Style B, 11 in. deep, 12 in. wide, 24 in. long, with two tills	\$13.50
No. 2, Style B, 14 in. deep, 15 in. wide, 30 in. long, with two tills	19.00
No. 3, Style B, 16 in. deep, 17 in. wide, 36 in. long, with two tills	21.00
No. 4, Style B, 19 in. deep, 20 in. wide, 42 in. long, with two tills	24.00

No. 1, Style C, 11 inches deep, 12 inches wide, 30 inches long	\$12.50
No. 2, Style C, 11 inches deep, 12 inches wide, 36 inches long	15.00
No. 3, Style C, 11 inches deep, 12 inches wide, 42 inches long	17.00
No. 4, Style C, 11 inches deep, 12 inches wide, 48 inches long	20.00

PLUMBERS' TOOLS

WESTERN UNION LEATHER TOOL BAG




FIG. H-1804

All solid Leather, in black or russet, with or without saw sheath.

Size, inches	Plain	With Saw Sheath
17½ x 7½ x 8	\$3.35	3.90
19½ x 8½ x 9	3.75	4.44
22 x 9 x 9½	4.38	5.19

TOOL BAG




FIG. H-1805

Each	\$3.75
If with Leather Bottom	5.00
If with Leather Bottom and Sides	5.50

PIPE BENDER



FIG. H-1806

Number	1	2	3	4
For Pipe, inches	1 1¼	1½	2	2
24 inches long, ea	\$1.25	1.50	1.75	2.00
18 inches long, ea	.90	1.15	1.35	1.50

BIBB SEAT DRESSER




FIG. H-1808

With 4 Cutters, each \$5.00

PIPE BENDER



FIG. H-1807

Number	0	1	2	3	4
For Pipe, inches	¾	1	1¼	1½	2
Each, net	.90	1.00	1.25	1.50	2.00

PIPE BENDER




FIG. H-1809

Number	1	2
Takes Pipe, inches	½ to 1¼	1 to 2
Each	\$3.50	4.50

PLUMBERS' TOOLS



FIG. H-1810

RASPS

Size, inches	10	12	14
Per doz	\$13.70	18.70	24.80



FIG. H-1811

FILES

Size, inches	10	12	14
Flat, per doz	\$7.00	9.70	13.30
Half Round, per doz	9.10	11.80	15.50

TAP BORER




FIG. H-1812

Short Pattern, each	.35
Long Pattern, each	.45

SHAVE HOOK



FIG. H-1813

Oval, each	.30
Half Oval, each	.30
Triangular, each	.30

BOSSING STICK



FIG. H-1815

Each	\$1.00
------	--------

SIDE EDGE



FIG. H-1814

Each	.75
------	-----

BOXWOOD DRESSER




FIG. H-1817

Each	\$1.00
------	--------

TURN PIN



FIG. H-1816

Number	1	2	3
Each	.25	.25	.25

CHIPPING KNIFE



FIG. H-1818

Each	.50
------	-----

DRIFT PLUG



FIG. H-1819

Size, inches	1	1 1/4	1 1/2	2
Each	.20	.20	.20	.20

PLUMBERS' TOOLS

STRAIGHT CALKING CHISEL



FIG. H-1820

Each50

STUB CALKING CHISEL



FIG. H-1821

Each50

RIGHT HAND CALKING AND YARNING CHISEL



FIG. H-1822

Each50

LEFT HAND CALKING AND YARNING CHISEL



FIG. H-1823

Each50

STRAIGHT YARNING CHISEL



FIG. H-1824

Each50

BENDING PIN



FIG. H-1825

Each30

ROUND IRON



FIG. H-1826

Number.....	1	2	3
Each.....	.70	.90	1.10




FIG. H-1827

SOLDERING COPPER



FIG. H-1828

FIG. H-1827—"SOLDERINE" SOLDERING SALTS

An improved soldering compound. Specially adapted for Tin, Copper, Zinc, Brass, Galvanized Iron and other metals. Excellent for Tin roofs and the Tinning of Soldering Coppers, etc.

"Solderine" Soldering Salts is a new mixture, made from our own formula. Free from odors or discoloration. Useful in every shop. Quality assured.

The salt is ready for all kinds of soldering by the simple addition of more or less water. Directions on every package.

Put up in 1 pound Bottles, each50

Larger packages to order.

FIG. H-1828—SOLDERING COPPER

Sizes, 1, 1½, 2, 3, 4, 5, 6, 7, 8, 9, 10 and 12 pounds per pair.

Sizes, lbs.....	1	1½	2 & 2½	3 & heavier.
Per pound.....	.50	.45	.35	.35

PLUMBERS' TOOLS

BLOW PIPE



FIG. H-1829

Each50

SOIL CUP



FIG. H-1831

Each50

SOIL BRUSH



FIG. H-1833

Each, net10

WIPING CLOTHS




FIG. H-1835

Moleskin, each25
Ticking, each15

CANDLE STICK




FIG. H-1837

Each25

LADLES




FIG. H-1830

Size, inches	2½	3	3½	4	5	6
Each	.35	.40	.50	.60	.70	.90
Extra Heavy, each	\$1.75					

SOLDER POTS



FIG. H-1832

Number	1	2	3	4
Top Diameter, in	5	6	6½	8
Each	.50	.65	.85	1.10
Number	5	6	7	
Top Diameter, inches	9	10½	13½	
Each	\$1.50	1.75	2.50	

GREASE BOX



FIG. H-1836

Each \$1.50

PLUMBERS' SOIL




FIG. H-1838

Per pint50

PLUMBERS' TOOLS

STRAP BAR MOULD




FIG. H-1840

Each, net \$2.50

PIG LEAD MOULD



FIG. H-1839

Each, net \$2.00

HALF ROUND BAR MOULD



FIG. H-1841

Each, net \$2.50

INGOT MOULD




FIG. H-1842

Two Bars, each, net \$2.00
 Four Bars, each, net 2.50

TACK MOULDS—PLAIN PATTERN




FIG. H-1843

FIG. H-1843

Single, each \$1.50
 Double, each 2.00

HACK SAWS



FIG. H-1844

FIG. H-1844

Size, inches	8	9
Frame, each	.50	.52½
Blades, per doz	.65	.70

NO. 50 ADJUSTABLE

Size, inches	10	12
Frame, each	.55	.60
Blades, per doz	.85	1.05



FIG. H-1845

FIG. H-1845

ADJUSTABLE HACK SAWS

No. 50, Nickel-plated, each \$1.00
 No. 40, Polished, each75

Price does not include Blade.

PLUMBERS' TOOLS

**RIVETING HAMMERS
PLAIN EYE**




FIG. H-1846

Nos	40	41	42	42½	43	44
Weight	1 lb. 8 oz.	1 lb. 2 oz.	13 oz.	10 oz.	7 oz.	4 oz.
Per doz	\$8.50	7.25	6.00	5.50	5.25	5.00

MACHINISTS' BALL PEIN HAMMERS

OCTAGON




FIG. H-1847

Nos	120	121	122	123	124	125
Weight	3 lbs.	2¼ lbs.	1½ lbs.	1½ lbs.	1¼ lbs.	1 lb.
Per doz	\$20.00	17.00	15.00	13.50	12.25	11.25
Nos	126	127	128	128½	129	129½
Weight	13 oz.	10 oz.	7 oz.	5 oz.	3 oz.	2 oz.
Per doz	\$10.50	10.00	9.50	9.25	9.00	9.00

ADZ EYE NAIL HAMMERS

ROUND



FIG. H-1848

Nos	0	1	1½	2	3
Weight	1 lb. 10 oz.	1 lb. 4 oz.	1 lb.	13 oz.	7 oz.
Per doz	\$11.50	8.75	8.00	7.50	6.75

TINNERS' MALLETS




FIG. H-1849

Best seasoned hickory, assorted, from 2 to 3 inches, per doz	\$1.50
Best seasoned hickory, 3 inches, per doz	1.75
Best seasoned hickory, 4 inches, per doz	2.50

PLUMBERS' TOOLS

BRACE




FIG. H-1850

BREAST DRILL




FIG. H-1851

Fig. H-1850—Each, net	\$1.75
Fig. H-1851—Each, net	5.00

SCREW DRIVER



FIG. H-1852

Small, 8 inch, each, net20
Large, 10 inch, each, net30

PLUMB BOB



FIG. H-1854

COMPASS SAW




FIG. H-1853

Fig. H-1853—Each, net25
Fig. H-1854—Small, each75
Fig. H-1854—Large, each	\$1.00

MEASURING TAPE



FIG. H-1855

With 1/2 inch Cotton Tape. Brass Bound Cases, Brass Folding Handles and Trimmings.

Number	710	711	712	713	714	715	716
Length, feet	25	30	40	50	66	75	100
Per dozen	\$3.75	4.00	4.50	5.00	6.00	7.50	9.00

PLUMBERS' TOOLS

POCKET LEVEL




FIG. H-1856

Each, net25

TWO FOOT LEVEL



FIG. H-1857

Each, net75

WASHER CUTTER



FIG. H-1858

Each, net \$1.00

COMPASS



FIG. H-1859

Size, inches	6	7	8
Each, net30	.35	.40

SPRING COMPASS




FIG. H-1860

Each, net50

CALIPER




FIG. H-1861

6 inches, each, net30

RULE



FIG. H-1862

No. 68—Round Joint, Middle Plates, 8ths and 16ths of inches, 1 inch wide, per doz.....	\$2.50
No. 62—Square Joint, Full Bound, 8ths and 16ths of inch, Drafting Scales, 1 inch wide, per doz.....	8.00

REVOLVING SPRING PUNCH




FIG. H-1863

With 4 Tubes, per dozen	\$18.00
With 6 Tubes, per dozen	21.00
Extra Tubes for same, per dozen	2.00

PUNCH



FIG. H-1864

Nos. 00, 0, per dozen	\$2.50
Nos. 1, 2, 3, 4, 5, per dozen	2.00
Nos. 6, 7, 8, 9, per dozen	2.50
Nos. 10, 11, 12, per dozen	3.00
Nos. 13, 14, 15, 16, per dozen	5.00

TINNERS SNIPS

STRAIGHT

CIRCULAR




FIG. H-1865




FIG. H-1866

These Snips are drop-forged of steel, and the jaws are laid with high grade cast steel, properly hardened. The finish is strictly first class.

Number	6 1/2	7	8	9	10
Net Weight, ounces	48	41	32	23	16
Will Cut, inches	4 1/2	4	3 1/2	3	2 1/2
Straight Snips, per pair	\$3.00	2.50	2.00	1.50	1.40
Circular Snips, per pair	4.00	3.50	3.00	2.50	2.25

The Straight Snips are made in three styles. *Left Hand Snips*, the ordinary kind, have the handles shaped for the right hand, and they cut at the left side of the upper jaw. These are shown above, and will be sent unless otherwise ordered. *Right Hand Snips* also have the handles shaped for the right hand, but they cut at the right side of the upper jaw, like Bench Shears. *Snips for left-handed workmen* have the handles shaped for the left hand and the jaws for right hand cut. For Straight Snips for left handed workmen we make an extra charge of 50 cents net per pair. Circle Snips for left handed men \$1.00 net per pair extra.

BEEKMAN SMOKE MACHINE

MODEL No. 0




FIG. H-1867

FIG. H-1867

The New Model Beekman Smoke Machine.

Contains all essential features of the well-known Beekman Models.

Easily carried like an ordinary Plumber's Furnace.

Fan Blower, Double Tank, riveted and welded (no Solder).

Trap Outlet (Peppermint cup attached).

Strong—Durable.

Height, 23 inches; Width, 13½ inches; Weight, 45 lbs.

Each, net. ----- \$28.00

HAND TORCH




FIG. H-1868

Each ----- \$4.00

THAWING STEAMER




FIG. H-1869

Each ----- \$5.50

GAS FITTERS' TORCH



FIG. H-1870

Tin, each ----- .75
 Tin, Side Filler, each - 1.00
 Brass, each ----- 1.25
 Brass, Side Filler, each 1.50

LAMP



FIG. H-1871

Each ----- .50

PLUMBERS' FURNACES AND TORCHES

NO. 1—FIRE POT




FIG. H-1872

NO. 6—FIRE POT




FIG. H-1873

NO. 10—FIRE POT




FIG. H-1874

NO. 20—FIRE POT




FIG. H-1875

NO. 32—TORCH



FIG. H-1876

NO. 31—TORCH



FIG. H-1877

NO. 8—TORCH




FIG. H-1878

Fig. H-1872—Each	\$6.00
Fig. H-1873—Each	4.00
Fig. H-1874—Each	3.75
Fig. H-1875—Each	4.00
Fig. H-1876—Each	4.00
Fig. H-1877—Each	3.75
Fig. H-1878—Each	3.00

STEEL PLATE PORTABLE FORGES

WITH GEARED HAND BLOWERS

No. 604



FIG. H-1879

No. 605




FIG. H-1880

These Portable Forges, Nos. 604, 605, meet the requirements for a light forge of large capacity. These forges are constructed entirely of heavy rolled steel, well reinforced and braced. Light and graceful in design, they will stand the roughest handling without danger of cracking or other injury. They are intended for general smithy use where a powerful blower and deep fire pan (4 inches) adapt them for a wide range of work. Strong and efficient, their light weight and freedom from injuries in shipping fit them for difficult transportation. Furnished with work support and painted a handsome machinery gray. Hood takes 8 inch smoke pipe.

	Fig. H-1879	Fig. H-1880
No. of Forge.....	No. 604	No. 605
Size of Hearth, inches.....	30 x 36	30 x 40
Height to Top of Fire Pan, inches.....	33	33
Diameter of Fan Case, inches.....	12	12
Size of Tank, inches.....	30 x 9 x 6	30 x 9 x 6
Shipping Weight, pounds.....	200	225
Price with Tank.....	\$70.00	75.00
Price without Tank.....	65.00	70.00

MELTING FURNACES

WITH MELTING POT, SWING GRATE, STEP ARMS AND HOOK BAR




FIG. H-1881

MOUNTED ON WHEELS, AS SHOWN

Diameter of Furnace, inches.	Diameter of Pot, inches.	Depth of Pot, inches.	Capacity of Pot, pounds.	Diameter of Ladle, inches.	Price Complete.
18	13 $\frac{1}{2}$	6 $\frac{5}{8}$	200	6	\$33.00
24	13 $\frac{1}{4}$	9 $\frac{1}{2}$	450	8	38.50
30	18	13	850	10	49.50

IF UNMOUNTED

Diameter of Furnace, inches.	Diameter of Pot, inches.	Depth of Pot, inches.	Capacity of Pot, pounds.	Diameter of Ladle, inches.	Price Complete.
18	13 $\frac{1}{2}$	6 $\frac{5}{8}$	200	6	\$26.00
24	13 $\frac{1}{4}$	9 $\frac{1}{2}$	450	8	31.00
30	18	13	850	10	38.40

FOR

Pig Lead

Copper
Solder

Spelter

Antimony

Block Tin

Babbitt and other Metals

Oakum

Yarn and other Packings

Ladles

Rammers

Calking Chisels

Shovels

Picks

Barrows

Etc.

Etc.

Write for prices.

Orders for above will be filled at Market figures.

METALS

**SOLDERS
OUR BEST**



FIG. H-1882

Guaranteed 100 parts Tin to 100 parts Lead.



FIG. H-1883

Made in short, heavy Bars, from 100 parts Tin to 100 parts Lead.



FIG. H-1884

Made in long Bars. From 100 parts Tin to 100 parts Lead.



FIG. H-1885

Made from 100 parts Tin to 100 parts Lead.

"STRICTLY"

Made from 90 parts Tin to 100 parts Lead.



FIG. H-1886

FIG. H-1886

EXTRA QUALITY WIPING

In 5 lb. Ingots.

Made from 40 parts Tin to 60 parts Lead.



FIG. H-1887



FIG. H-1888



FIG. H-1889




FIG. H-1890

BABBITT




FIG. H-1891

Always on hand, and supplied to the trade at market rates.

MURRAY'S COMPRESSED LEAD SASH WEIGHTS

ROUND OR SQUARE




FIG. H-1892

Made from solid Lead under hydraulic pressure, with $\frac{3}{8}$ inch hole in center to accommodate the sash cord, securing great density and perfect smoothness. No iron is used in their construction, so that the minimum of space is required. This is frequently important with heavy sash, as iron weights occupy nearly twice as much space as these.

They are center balanced, can be cut in sections to accommodate small pockets, have no bolts to unscrew, no eyes to pull out, while the cord tied with knot at lower end, as shown, is less liable to wear. Their cost is very reasonable and they are positively in every respect the most convenient and desirable to use.

We make all sizes and can furnish them of exact weight for each sash to order, or in lengths of about ten feet to be sawed up as desired, by the carpenter, when hanging the sash.

TABLE OF APPROXIMATE WEIGHTS

Round. Outside diameter, inches	1¼	1⅜	1½	1⅝	1¾	2	2¼	2½
Weight per lineal foot, pounds	5¼	6⅝	8	9¾	11⅝	15	19	23

N. B.—Nothing we make has been received with so much favor as these Sash Weights, which we have shipped to all sections of this country.

For square Weights, add 25 per cent.

CHARLES MILLAR & SON CO.'S SCALE OF WEIGHTS OF LEAD PIPES




FIG. H-1893




FIG. H-1894

Caliber and Mark		Weight, per foot		Caliber and Mark		Weight, per foot		Caliber and Mark		Weight, per foot	
		lbs.	oz.			lbs.	oz.			lbs.	oz.
1/4 in.	E	0	5	3/4 in.	C	1	12	2 in.	AAA	10	11
3/8 in.	AAA	1	12	3/4 in.	D	1	3	2 in.	AA	8	14
1/2 in.	AA	1	5	3/4 in.	E	1	0	2 in.	A	7	0
5/8 in.	A	1	2	1 in.	AAA	6	0	2 in.	B	6	0
3/4 in.	B	1	0	1 in.	AA	4	8	2 in.	C	5	0
7/8 in.	C	0	14	1 in.	A	4	0	2 in.	D	4	0
1 in.	D	0	10	1 in.	B	3	4	2 in.	Waste	3	0
1 1/8 in.	D	0	7	1 in.	C	2	8	2 1/2 in.	3/8 thick	16	11
1 1/4 in.	D	0	9 1/2	1 in.	D	2	4	2 1/2 in.	5/16 thick	13	10
1 1/2 in.	AAA	3	0	1 in.	D	2	0	2 1/2 in.	1/4 thick	10	10
1 3/4 in.	AAA	2	8	1 in.	E	1	8	2 1/2 in.	3/16 thick	7	13
2 in.	AA	2	0	1 1/4 in.	AAA	6	12	2 1/2 in.	Waste	6	0
2 1/8 in.	A	1	10	1 1/4 in.	AA	5	12	2 1/2 in.	Waste	4	0
2 1/4 in.	B	1	3	1 1/4 in.	A	4	11	3 in.	3/8 thick	19	9
2 1/2 in.	C	1	0	1 1/4 in.	B	3	11	3 in.	1/4 thick	16	0
2 3/4 in.	D	0	12	1 1/4 in.	C	3	0	3 in.	5/16 thick	12	9
3 in.	D	0	10	1 1/4 in.	D	2	8	3 in.	3/16 thick	9	4
3 1/8 in.	D	0	9	1 1/4 in.	E	2	0	3 in.	Waste	5	0
3 1/4 in.	AAA	3	8	1 1/2 in.	AAA	8	0	3 in.	Waste	3	8
3 1/2 in.	AA	2	12	1 1/2 in.	AA	7	0	3 1/2 in.	3/8 thick	22	8
3 3/8 in.	A	2	8	1 1/2 in.	A	6	4	3 1/2 in.	1/2 thick	18	7
3 1/2 in.	B	2	0	1 1/2 in.	B	5	0	3 1/2 in.	1/4 thick	14	8
3 3/4 in.	C	1	7	1 1/2 in.	C	4	4	3 1/2 in.	3/16 thick	10	12
4 in.	D	1	4	1 1/2 in.	D	3	8	4 in.	1/8 thick	25	6
4 1/8 in.	D	1	0	1 1/2 in.	D	3	0	4 in.	5/16 thick	20	14
4 1/4 in.	E	0	12	1 1/2 in.	Waste	E	2	0	1/4 thick	16	7
4 1/2 in.	AAA	4	14	1 3/4 in.	AA	8	8	4 in.	3/16 thick	12	2
4 3/4 in.	AAA	4	0	1 3/4 in.	A	6	7	4 in.	Waste	8	0
5 in.	AA	3	8	1 3/4 in.	B	5	0	4 in.	Waste	6	0
5 1/8 in.	A	3	0	1 3/4 in.	C	4	0	4 in.	Waste	5	0
5 1/4 in.	B	2	3	1 3/4 in.	D	3	10	5 in.	Waste	7	8

LEAD TUBING

1/8 inch, weight, 3 oz.

1/4 inch, weight, 5 oz.

PURE BLOCK TIN PIPE



FIG. H-1895

SCALE OF WEIGHTS

Caliber, in.	Weight, per foot.	Weight, per foot.	Caliber, in.	Weight, per foot.	Weight, per foot.
$\frac{1}{8}$	3 oz.	----	$\frac{5}{8}$	9 oz.	14 oz.
$\frac{1}{4}$	5 oz.	----	$\frac{3}{4}$	11 oz.	1 lb.
$\frac{5}{16}$	$6\frac{1}{2}$ oz.	----	1	14 oz.	1 lb. 4 oz.
$\frac{3}{8}$	$4\frac{1}{2}$ oz. 5 oz.	8 oz.	$1\frac{1}{4}$	-----	1 lb. 8 oz.
$\frac{1}{2}$	$6\frac{1}{2}$ oz.	10 oz.			

TIN LINED LEAD PIPE

Weights and sizes same as Lead Pipe.

N. B.—Our Machinery is of the latest and most improved description. Our Pipe is made in the most accurate and true manner, from the best quality of Pig Metal. **NO OLD METALS USED.** Great care is taken in packing and shipping, while our improved Reels, having large centers, are especially liked by the trade. A trial order is solicited. We desire also to state here, we are not members of "the combination" and probably never will be.

SHEET LEAD




FIG. H-1896

Weights of Sheet Lead.

Wire Gauge, No. 18—Weight per square foot.....	2½ lbs.
Wire Gauge, No. 17—Weight per square foot.....	3 lbs.
Wire Gauge, No. 16—Weight per square foot.....	3½ lbs.
Wire Gauge, No. 15—Weight per square foot.....	4 lbs.
Wire Gauge, No. 14—Weight per square foot.....	4½ lbs.
Wire Gauge, No. 13—Weight per square foot.....	5 lbs.
Wire Gauge, No. 12—Weight per square foot.....	6 lbs.
Wire Gauge, No. 11—Weight per square foot.....	7 lbs.
Wire Gauge, No. 10—Weight per square foot.....	8 lbs.

APOLLO BEST BLOOM GALVANIZED IRON SHEETS

PRICE LIST

Adopted July 1, 1893.



Nos. 10 to 16, inclusive, per pound	.12
Nos. 17 to 21, inclusive, per pound	.13
Nos. 22, 23 and 24	.14
Nos. 25 and 26	.15
No. 27	.16
No. 28	.17
No. 29	.19
No. 30	.21

**ADDITIONAL PRICES ON EXTRA SIZES
EXTRA WIDTHS**

	Per lb.
Nos. 16, 17 and 18:	
Over 36 in. to 40 in., inclusive	1 cent
Over 40 in. to 44 in., inclusive	1½ cent
Over 44 in. to 48 in., inclusive	2½ cent
No. 19 and lighter:	
Less than 24 in. wide	1 cent
Over 32 in. to 36 in., inclusive	1 cent
Over 36 in. to 40 in., inclusive	2 cent
Over 40 in. to 44 in., inclusive	3 cent
Over 44 in. to 48 in., inclusive	5 cent

EXTRA LENGTHS

Longer than 120 inches, per lb	1 cent
--------------------------------	--------

FIG. H-1897

One-half cent per pound additional for pattern sheet, *i. e.*, for all iron of which every sheet in each bundle is required to be of exact length specified, or where iron is ordered in sheets, all of which are required to be of the same length. But iron of any length, in Bundles, in which one or two sheets of the same number and width, but shorter than the full length ordered, are allowed to be put in each bundle, will be considered ordinary length, or merchant iron, and will not be subject to any extra for length.

NUMBER OF SHEETS USUALLY PACKED IN BUNDLES

	24 inch.	26 inch.	28 inch.	30 inch.	36 inch.
No. 18	5	4	4	4	Loose.
No. 20	6	5	5	5	4
No. 22	7	7	6	6	5
No. 24	10	9	8	8	6
No. 25	10	9	8	8	--
No. 26	11	10	9	9	7
No. 27	11	10	9	9	--
No. 28	12	11	10	9	--

WEIGHTS OF SHEETS

PER SQUARE FOOT—GALVANIZED

No. 10	92½ ounces	No. 17	38½ ounces	No. 24	18½ ounces
No. 11	82½ ounces	No. 18	34½ ounces	No. 25	16½ ounces
No. 12	72½ ounces	No. 19	30½ ounces	No. 26	14½ ounces
No. 13	62½ ounces	No. 20	26½ ounces	No. 27	13½ ounces
No. 14	52½ ounces	No. 21	24½ ounces	No. 28	12½ ounces
No. 15	47½ ounces	No. 22	22½ ounces	No. 29	11½ ounces
No. 16	42½ ounces	No. 23	20½ ounces	No. 30	10½ ounces

“WOOD’S” REFINED SMOOTH FINISHED SHEETS




FIG. H-1898

FIG. H-1898

WOOD'S REFINED

Standard Sizes and Gauges always in Stock.

AMERICAN BESSEMER ONE PASS COLD ROLLED

Standard Sizes and Gauges always in Stock.

PLANISHED SHEET IRON

FIG. H-1899

A

Numbers 24, 25, 26, 27, 28.

B

Numbers 24, 25, 26, 27, 28.

Size 28 x 60 inches.

LIST PRICE

A, per pound.....	.10
B, per pound.....	.09

Average net weight per pack 250 lbs.




FIG H-1899

CORRUGATED SHEETS

FOR ROOFING, SIDING AND CEILING

Painted both Sides.




FIG. H-1900

FIG. H-1900
2½ INCH CORRUGATED SHEET
GAUGE No. 28

For Railroad Stations, Grain Elevators, Flour Mills, Lumber Mills, Cotton Gins, Warehouses, Ice Plants, Rolling Mills, Steel Works, Barns, Cattle Sheds, Smelters and all kinds of manufacturing buildings.

Sheets when corrugated measure 26 inches wide, and cover 24 inches from center to center of outside corrugations.

FIG. H-1901

STEEL PRESSED BRICK

Above cut shows Pressed Steel Brick siding ready for application. Can be applied by any mechanic. Lays perfectly smooth and after painting cannot be distinguished from finest pressed brick. A square of Pressed Steel Brick consists of 8 4-7 sheets, 60 inches long by 28 inches wide, painted on both sides.

IMITATION STEEL BRICK
THE MOST ORNAMENTAL STEEL SIDING MADE




FIG. H-1901

**PRESSED STANDING SEAM ROOFING
MADE OF PURE STEEL**

In Sheets 8 and 10 foot lengths.




FIG. H-1902

FIG. H-1902

It is very simple in its application and effective in its construction. The sheets are formed with a cap on each side, which makes a stronger, better roof than when separate caps are used.

FIG. H-1903

May be laid over sheathing, shingles, lath or direct to rafters placed 24 inches from center, on any roof having more than 2 inches pitch per foot.

The ends of sheets can either be lapped 3 inches or more, or put together with lock joints.

V CRIMP ROOFING




FIG. H-1903

ROLL STEEL ROOFING
GALVANIZED OR PAINTED




FIG. H-1904

Put up in rolls 50 feet long and 26 inches wide, lays 24 inches wide, and after making allowance for seams, one roll covers 100 square feet. Base 2 in., 2½ in. and 3 inch corrugated.

BASE PRICE PER 100 SQUARE FEET

Differentials to be added to base	No. 28 Gauge		Differentials to be added to base	No. 28 Gauge	
	Painted	Galv.		Painted	Galv.
1¼ in. and 5/8 in. Corrugated	.10	.10	Pressed Sta'd'g Seam (with cleats with end locks)	.25	.35
V Crimp, no sticks	.20	.05		Plain Roll, no fixture	.20
V Crimp, with sticks	.10	.15	Plain Roll, with cleats	.25	.35
3 V Crimp, with end locks	.20	.15	Roll and Cap, with cap and cleats	.35	.60
3 V Crimp, no sticks	.10	.20	Pressed Brick Siding	.10	.10
3 V Crimp, with side sticks	.20	.30	Rock Faced Brick Siding	.25	.25
3 V Crimp, with side and center sticks	.30	.40	Rock Faced Stone Siding	.25	.25
Pressed Standing Seam, no cleats	.10	.20	Weather Board Siding	.30	.35
Pressed Standing Seam, with cleats	.15	.30	Beaded Siding and Ceiling	.20	.25

Double cross lock can be furnished at an additional cost of 5 cents a square.

WEIGHTS PER SQUARE

2 in., 2½ and 3 in. Corrugated <th colspan="2">No. 28 Gauge</th> <th rowspan="2">Roll and Cap, with caps and cleats <th colspan="2">No. 28 Gauge</th> </th>	No. 28 Gauge		Roll and Cap, with caps and cleats <th colspan="2">No. 28 Gauge</th>	No. 28 Gauge	
	Painted	Galv'd		Painted	Galv'd
	68 lbs.	85 lbs.		77 lbs.	93 lbs.

RIDGING—GALVANIZED OR PAINTED

ANGLE RIDGE CAP

ROUND RIDGE ROLL



FIG. H-1905




FIG. H-1906

Made in 8 or 10 foot lengths.

FIG. H-1905—ANGLE RIDGE CAP

Apron	Girt	No. 28 Gauge	
		Painted	Galvanized
3 inches	6 inches	11 cents per foot	13 cents per foot
3½ inches	7 inches	12 cents per foot	14 cents per foot
4 inches	8 inches	14 cents per foot	16 cents per foot
5 inches	10 inches	17 cents per foot	19 cents per foot
6 inches	12 inches	21 cents per foot	23 cents per foot
7 inches	14 inches	26 cents per foot	28 cents per foot

FIG. H-1906—ROUND RIDGE ROLL

Diameter of Roll	Width of Apron	Girt	No. 28 Gauge	
			Painted	Galvanized
1¼ inches	1½ inches	7 inches	12 cents per foot	14 cents per foot
1½ inches	2 inches	8 inches	14 cents per foot	16 cents per foot
2 inches	2½ inches	10 inches	17 cents per foot	19 cents per foot
2½ inches	3 inches	12 inches	21 cents per foot	23 cents per foot
3 inches	3½ inches	14 inches	26 cents per foot	28 cents per foot

Every piece guaranteed straight and perfect in all respects. Prices on Heavier Gauges than No. 28, either style, quoted on application.

**CORRUGATED ROUND
EXPANDING CONDUCTOR**



Made in 10 foot lengths.

Each length a perfect straight piece.

All sizes 2 to 6 inches can be nested in one crate.

**PLAIN ROUND AND
CORRUGATED**

NO. 28 GAUGE GALVANIZED

2 inch, per foot	.13
3 inch, per foot	.15
4 inch, per foot	.20
5 inch, per foot	.25
6 inch, per foot	.30

Sold strictly on its merits.

FIG. H-1907

**CORRUGATED SQUARE
EXPANDING CONDUCTOR**



FIG. H-1908

Made in 10 foot lengths.

Each length a perfect straight piece.

All sizes from 2 to 6 inches can be nested in one crate.

NO. 28 GAUGE GALVANIZED

1 ³ / ₄ x 2 ¹ / ₄ in., equal to 2 inch Round,	per foot	.14
2 ³ / ₈ x 3 ¹ / ₄ in., equal to 3 inch Round,	per foot	.16
2 ³ / ₄ x 4 ¹ / ₄ in., equal to 4 inch Round,	per foot	.21
3 ³ / ₄ x 5 in., equal to 5 inch Round,	per foot	.26

Sold strictly on its merits.

**CORRUGATED AND PLAIN ROUND
CONDUCTOR ELBOWS AND SHOES**




FIG. H-1910

**CENTENNIAL
RAIN WATER CUT-OFF**




FIG. H-1909

Can be used in any position without extra pipe.

Put up in crates or one dozen each (assorted Right and Left Hand Wires), so they may be used in any position without extra pipe or elbows.

GALVANIZED

Size, inches	2	3	4	5
Per dozen	\$8.00	10.00	14.00	18.00

Size, inches	2	3	4
Elbows, Galv., Round, each	.25	.30	.40
Shoes, Galv., Round, each	.30	.36	.48
Elbows, Galv., Square, each	.40	.45	.60
Shoes, Galv., Square, each	.48	.54	.72
Size, inches	5	6	
Elbows, Galv., Round, each	.60	.72	
Shoes, Galv., Round, each	.72	.86	
Elbows, Galv., Square, each	.90	--	
Shoes, Galv., Square, each	1.08	--	

In ordering Elbows and Shoes purchasers will please state angles required.

LAP JOINT EAVES TROUGH

SINGLE BEAD, LAP JOINT



FIG. H-1911

Galvanized Iron, No. 28 Gauge.

Size, inches.....	3	3½	4	4½	5	6	7	8
Galvanized, per foot.....	.13	.14	.16	.18	.19	.23	.27	.30

Add to above list for Slip Joint 1 cent per foot ; for Double Bead 3 cents per foot.

Made in 10 foot Lengths. Packed in Cases of 250 feet.

Most Perfect and Uniform Trough on the market.

MITRES—SINGLE BEAD

OUTSIDE CORNER MITRE



FIG. H-1912

The Mitres are made complete. Ready for use, for both inside and outside Bead, either Slip or Lap Joint.

NO. 28 GAUGE

	Slip Joint.	Lap Joint.
3½ inch, Galvanized Iron, per dozen.....	\$3.00	\$2.50
4 inch, Galvanized Iron, per dozen.....	3.25	2.75
4½ inch, Galvanized Iron, per dozen.....	3.40	2.90
5 inch, Galvanized Iron, per dozen.....	3.50	3.00
6 inch, Galvanized Iron, per dozen.....	4.00	3.50
7 inch, Galvanized Iron, per dozen.....	4.75	4.25
8 inch, Galvanized Iron, per dozen.....	5.50	5.00

For Double Bead Mitres add 50 cents per dozen to list

Unless otherwise ordered Half rights and lefts, Half inside and outside Slip Joint will be shipped.

IMPERIAL STEEL EAVES TROUGH HANGER



Can be adjusted to any fall or pitch. No soldering required With rods and nuts complete.

Size, inches	3½	4	4½	5	6	7	8
Per gross	\$4.00	4.25	4.35	4.50	5.00	6.00	8.00
For Double Bead Gutter, add per gross	.25						






FIG. H-1913


GEM CIRCLES AND SHANKS




No. 7



No. 9



No. 8



No. 13

FIG. H-1915

PERFECTION WIRE EAVES TROUGH HANGER




FIG. H-1914

It is made of best Galvanized Steel Wire, and can be quickly and easily adjusted to trough.

PRICES PER GROSS.

Size, inches	3	3½	4	4½	5	6	7	8
Sgl. Bead	\$2.75	2.75	2.75	3.00	3.00	3.50	4.00	4.50
Dbl. Bead	3.00	3.00	3.00	3.25	3.25	3.75	4.25	4.75

FIG. H-1915—GEM CIRCLES AND SHANKS

Put up 50 in a package.

CIRCLES

SHANKS

Size, inches	Per hundred	Nos. 7 and 9	Per hundred
3, 3½ and 4	\$2.00	Nos. 7 and 9	\$2.00
4½ and 5	3.00	Nos. 8, 10, 13, 14	3.00
6	4.00		
7 and 8	5.00		
9 and 10	6.00		

One bolt included with each hinged shank. Additional bolts and straps extra. Always state number of shanks and size of circle desired.

CONDUCTOR HOOKS

HIEB'S




FIG. H-1916

Made from a piece of wire and a nail, yet one of the strongest hooks made.

Size, inches	Per hundred
2	\$1.75
2½	2.00
3	2.75
3½	3.50
4	4.25
5	6.00

FLASHING HOOKS



FIG. H-1919

Malleable Iron.

Per pound, net..... .12

HINGED



FIG. H-1917

PLAIN



FIG. H-1918

FIG. H-1917—HINGED HOOKS

Size, inches	2	3	4	5
For Wood, Tinned, per 100	\$3.00	4.00	5.00	
For Wood, Long Drive, Tinned, per 100	3.50	4.50	5.50	7.50
For Brick, Tinned, per 100	3.50	4.50	5.50	7.50

FIG. H-1918—PLAIN HOOKS

Size, inches	2	2½	3	3½	4	5	6
For Wood, Tinned, per 100	\$1.50	2.00	2.50	3.00	3.50	4.50	5.50
For Brick, Tinned, per 100	1.75	2.00	2.75	3.50	4.25	6.00	7.50

Always state whether Hooks are for Brick or Wood.

CONDUCTOR STRAINER



FIG. H-1920

GALVANIZED WIRE CONDUCTOR STRAINERS

Size, inches	2	3	4	5	6
Round, per dozen	.60	.75	1.00	1.75	2.00

COLEMAN'S ADJUSTABLE GALVANIZED SPOUT GUARD

No. 1—Galvanized, adjustable 2 in. to 4 in. Pipe, per dozen	.65
No. 2—Galvanized, adjustable 5 in. to 6 in. Pipe, per dozen	1.50

LOCK-SEAM STANDARD SPEAKING TUBE



FIG. H-1921

A sample, which will be mailed to any address furnished, will show for itself the beauty and excellence of this machine-made tube. It is offered at the following prices:

1 inch Tube, per 1,000 feet (in 5 ft. lengths)	-----	\$24.00
1 inch Tube, per 100 feet (in 5 ft. lengths)	-----	3.00
1 1/4 inch Tube, per 1,000 feet (in 5 ft. lengths)	-----	36.00
1 1/4 inch Tube, per 100 feet (in 5 ft. lengths)	-----	4.50
1 1/2 inch Tube, per 1,000 feet (in 5 ft. lengths)	-----	44.00
1 1/2 inch Tube, per 100 feet (in 5 ft. lengths)	-----	5.50

STANDARD STAMPED ROUND ELBOWS AND TEES

ELBOW




FIG. H-1922

1 inch, per 100	-----	\$6.00
1 inch, per doz	-----	1.00
1 1/4 inch, per 100	-----	9.00
1 1/4 inch, per doz	-----	1.50
1 1/2 inch, per 100	-----	12.00
1 1/2 inch, per doz	-----	2.00

TEE




FIG. H-1923

1 inch, per 100	-----	\$7.00
1 inch, per doz	-----	1.20
1 1/4 inch, per 100	-----	8.50
1 1/4 inch, per doz	-----	1.50
1 1/2 inch, per 100	-----	10.00
1 1/2 inch, per doz	-----	2.00

WHISTLE




FIG. H-1924

No. 2 Indicator, Porcelain, per doz	-----	\$2.25
No. 2 Plain, Porcelain, per doz	-----	2.25
No. 3 Indicator, all Nickel, per doz	-----	3.00
No. 3 Plain, all Nickel, per doz	-----	3.00

MOUTH PIECE




FIG. H-1925

Nickel only, per doz	-----	\$2.50
----------------------	-------	--------

AMERICAN ROOFING TERNES

Manufactured expressly for us, under our own brands and carried constantly in our warehouses for immediate shipment.




FIG. H-1926

We offer at extremely low rates the following:

IC 20 X 28 IRONDALE B, 200 LB.,

Superior to Dean Grade.

IC 20 X 28 IRONDALE A,

Superior to Worcester Grade.

IC 20 X 28 AMERICAN SPECIAL

AMERICAN OLD STYLE A

20 lbs. Coating.

"IRONDALE OLD STYLE," REDIPPED

Superior to Pontymister Old Style.

IC 20 X 28 M. F.

GENUINE CHARCOAL OLD STYLE

All of our Roofing Ternes are stamped; resquared and carefully assorted and shipped in exceptionally strong packages, thus ensuring safe delivery to consignee.

FLAT SEAM ROOFING

A full box 20 x 28, 112 sheets, will cover approximately 380 square feet. Flat Seam.

A full box 14 x 20, 112 sheets, will cover approximately 180 square feet.

STANDING SEAM TIN ROOFING

A full box 20 x 28, 112 sheets, will cover approximately 370 square feet.

A full box 14 x 20, 112 sheets, will cover approximately 170 square feet.

AMERICAN BRIGHT TIN PLATES

ALLAWAY GRADE CHARCOAL

			Sheets	Net Wt.
A Grade	IC	14 x 20	112	107 lbs.
A Grade	IC	10 x 14	225	107 lbs.
A Grade	IC	12 x 12	225	110 lbs.
A Grade	IC	20 x 28	112	214 lbs.
A Grade	IX	14 x 20	112	135 lbs.
A Grade	IX	10 x 14	225	135 lbs.
A Grade	IX	12 x 12	225	139 lbs.
A Grade	IX	20 x 28	112	270 lbs.
A Grade	IXX	14 x 20	112	155 lbs.
A Grade	IXX	12 x 12	225	159 lbs.
A Grade	IXX	20 x 28	56	155 lbs.
A Grade	IXXX	14 x 20	112	175 lbs.
A Grade	IXXX	20 x 28	56	175 lbs.
A Grade	IXXXX	14 x 20	112	195 lbs.
A Grade	IXXXX	20 x 28	56	195 lbs.

HEATER PIPE

IC and IX,	20 x 26½,	for 8 inch Pipe.
IC and IX,	20 x 29½,	for 9 inch Pipe.
IC and IX,	20 x 32½,	for 8 inch Pipe.
IC and IX,	20 x 36,	for 11 inch Pipe.
IC and IX,	20 x 39,	for 12 inch Pipe.

SCHEDULE OF EXTRAS FOR HOT ROLLED SHEET COPPER

Adopted January 19, 1899.

SIZES OF SHEETS.		64 oz. & over 50 lb. sheet, 30x60 and heavier	32 oz. up to 64 oz. 25 to 50 lb. sheet, 30x60	24 oz. up to 32 oz. 18 ³ / ₄ to 25 lb. sheet, 30x60	16 oz. up to 24 oz. 12 ¹ / ₂ to 18 ³ / ₄ lb. sheet, 30x60	14 oz. up to 15 oz. 11 to 12 ¹ / ₂ lb. sheet, 30x60	12 oz. and 13 oz. 9 ¹ / ₂ to 11 lb. sheet, 30x60	10 oz. and 11 oz. 7 ³ / ₄ to 9 ¹ / ₂ lb. sheet, 30x60	8 oz. and 9 oz. 6 ¹ / ₄ to 7 ³ / ₄ lb. sheet, 30x60	Lighter than 8 oz.
WIDTH.	LENGTH.	CENTS PER POUND ADVANCE OVER BASE PRICE.								
Not wider than 30 inches.	Not longer than 72 in.	Base	Base	Base	Base	1	2	3	6	9
	Longer than 72 in. Not longer than 96 in.	Base	Base	Base	Base	1	3	6	9	
	Longer than 96 in.	Base	Base	Base	Base	2	6			
Wider than 30 in. but not wider than 36 in.	Not longer than 72 in.	Base	Base	Base	Base	2	4	7	10	
	Longer than 72 in. Not longer than 96 in.	Base	Base	Base	Base	2	6	9		
	Longer than 96 in. Not longer than 120 in.	Base	Base	Base	1	3				
	Longer than 120 in.	Base	Base	1	2					
Wider than 36 in. but not wider than 48 in.	Not longer than 72 in.	Base	Base	1	2	4	7	10		
	Longer than 72 in. Not longer than 96 in.	Base	Base	1	3	5	8			
	Longer than 96 in. Not longer than 120 in.	Base	Base	2	4	8				
	Longer than 120 in.	Base	1	3	6					
Wider than 48 in. but not wider than 60 in.	Not longer than 72 in.	Base	Base	1	3	6	11			
	Longer than 72 in. Not longer than 96 in.	Base	Base	2	4	9				
	Longer than 96 in. Not longer than 120 in.	Base	1	3	6					
	Longer than 120 in.	1	2	4	8					
Wider than 60 in. but not wider than 72 in.	Not longer than 96 in.	Base	1	3	8					
	Longer than 96 in. Not longer than 120 in.	Base	2	5	10					
	Longer than 120 in.	1	3	8						
Wider than 72 in. but not wider than 108 in.	Not longer than 96 in.	1	3	6						
	Longer than 96 in. Not longer than 120 in.	2	4	7						
	Longer than 120 in.	3	5	9						
Wider than 108 in.	Not longer than 132 in.	4	6							
	Longer than 132 in.	5	8							

EXTRAS

Circles, Segments and Pattern Sheets, three (3) cents per pound advance over prices of Sheet Copper required to cut them from.

All Cold or Hard Rolled Copper, 14 oz. per square foot and heavier, one (1) cent per pound over the foregoing price.

All Cold or Hard Rolled Copper, lighter than 14 oz. per square foot, two (2) cents per pound over the foregoing prices.

Cold Rolled and Annealed Copper, Sheets and Circles, wider than 17 inches, take the same price as Cold or Hard Rolled Copper of corresponding dimensions and thickness.

All Polished Copper, 20 inches wide and under, one (1) cent per pound advance over the price for Cold Rolled Copper.

All Polished Copper, over 20 in. wide, two (2) cents per pound advance over the price for Cold Rolled Copper.

Cold Rolled Copper prepared suitably for polishing, same prices and extras as Polished Copper.

Planished Copper one (1) cent per pound more than Polished Copper.

SHEET ZINC

Gauge No. 9.

Stock Size, 36 x 84.

Lowest market price per pound.

STOVE BOLTS



FIG. H-1927



FIG. H-1928

FLAT AND ROUND HEAD STOVE BOLTS—PRICE PER HUNDRED
REVISED LIST, MARCH 1, 1907

LENGTH, INCHES.	DIAMETER, INCHES.				
	$\frac{1}{8}$ and $\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$ and $\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{8}$
$\frac{3}{8}$.85	.85	---	---	---
$\frac{1}{2}$.85	.85	\$1.20	---	---
$\frac{5}{8}$.85	.85	1.20	---	---
$\frac{3}{4}$.85	.85	1.20	\$1.75	\$2.65
$\frac{7}{8}$.90	.90	1.25	1.80	2.70
1	.90	.90	1.30	1.85	2.75
$1\frac{1}{8}$.95	.95	1.35	1.90	2.85
$1\frac{1}{4}$	1.00	1.00	1.40	1.95	2.90
$1\frac{3}{8}$	1.05	1.05	1.45	2.00	3.00
$1\frac{1}{2}$	1.10	1.10	1.50	2.05	3.10
$1\frac{3}{4}$	1.15	1.15	1.55	2.15	3.20
2	1.20	1.20	1.60	2.30	3.40
$2\frac{1}{4}$	---	1.25	1.70	2.40	3.60
$2\frac{1}{2}$	---	1.30	1.80	2.50	3.80
$2\frac{3}{4}$	---	1.40	1.90	2.60	4.00
3	---	1.50	2.00	2.70	4.20
$3\frac{1}{4}$	---	1.60	2.10	2.85	4.40
$3\frac{1}{2}$	---	1.70	2.20	3.00	4.60
$3\frac{3}{4}$	---	1.80	2.30	3.15	4.80
4	---	1.90	2.40	3.30	5.00
$4\frac{1}{4}$	---	2.00	2.50	3.45	5.20
$4\frac{1}{2}$	---	2.10	2.60	3.60	5.40
$4\frac{3}{4}$	---	2.20	2.70	3.75	5.60
5	---	2.30	2.85	3.90	5.80
$5\frac{1}{4}$	---	2.40	3.00	4.10	6.00
$5\frac{1}{2}$	---	2.50	3.15	4.30	6.20
$5\frac{3}{4}$	---	2.60	3.30	4.50	6.40
6	---	2.75	3.45	4.70	6.60
$6\frac{1}{4}$	---	2.90	3.60	4.90	6.80
$6\frac{1}{2}$	---	3.05	3.75	5.10	7.00

SINK BOLTS

REVISED LIST, MARCH 1, 1907

PRICE PER HUNDRED

Length, inches	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{2}$	4
Diameter, $\frac{1}{4}$ inch	\$1.70	1.80	1.90	2.00	2.10	2.20	2.30	2.40	2.50	2.70	2.90

TINNERS RIVETS

BLACK AND TINNED IRON




FIG. H-1929

Size.	Black, in packages of 1000, per thousand.	Black, in 10 and 5 pound boxes, per pound.	Tinned, in packages of 1000, per thousand.	Tin-plated, in packages of 1000, per thousand.
8 oz.	.20	.42	.28	.24
10 oz.	.22	.38	.31	.27
12 oz.	.24	.35	.35	.30
14 oz.	.26	.33	.39	.33
1 lb.	.27	.30	.42	.35
1¼ lb.	.29	.27	.48	.39
1½ lb.	.33	.26	.55	.45
1¾ lb.	.37	.25	.64	.51
2 lb.	.42	.24	.72	.58
2½ lb.	.55	.24	.83	.75
3 lb.	.60	.23	1.05	.84
3½ lb.	.70	.23	1.22	.98
4 lb.	.76	.22	1.36	1.08
5 lb.	.90	.22*	1.65	1.30
6 lb.	1.08	.21*	1.98	1.56
7 lb.	1.26	.21*	2.31	1.82
8 lb.	1.44	.21*	2.64	2.08
9 lb.	1.53	.21*	2.88	2.25
10 lb.	1.75	.20*	3.25	2.55
12 lb.	1.98	.19½	3.76	2.92
14 lb.	2.31	.19½	4.41	3.43
16 lb.	2.64	.19½	5.04	3.92

NET EXTRAS—For Metallic Tinning, add 2½ cents per lb. For Tin Plating, add 1 cent per lb.

LIST REBATES—For 25 and 50 lb. boxes, deduct 2 cents per lb. For 100 and 200 lb. kegs, deduct 4 cents per lb.

Oval or Countersunk Heads, or extra lengths, 10 cents per 1,000 in addition to the above prices.

*Barrel Rivets.

MALLEABLE RETINNED KETTLE EARS

Kettle Ears when shipped in bulk are packed 50 lb. in a box.




FIG. H-1930

Medium Pattern.

Size, $1\frac{7}{16} \times 1\frac{1}{2}$ inches.

Tinned, per lb., bulk - .20
Tinned, per gr., boxed \$1.00




FIG. H-1931

Size, $1\frac{5}{8} \times 1\frac{3}{4}$ inches.

Tinned, per lb., bulk - .20
Tinned, per gr., boxed \$1.50



FIG. H-1932

Heavy Pattern.

Size, $1\frac{3}{4} \times 1\frac{1}{8}$ inches.

Tinned, per lb., bulk - .20
Tinned, per gr., boxed \$1.80




FIG. H-1933

2 x $2\frac{5}{8}$ inches.

Bulk, per lb - .18
Gross - \$5.40

PERFORATED TIN




FIG. H-1934

Nos.....	2	3	4
	Med. Coarse. Med. Coarse.		
Perforation to the inch.....	15	12	10
Size, 14 x 20—	112 Sheets.		

Per Dozen Sheets, net - \$2.50

BRASS WIRE CLOTH

Rolls of Five Square Feet.

Mesh Nos.....	50	60
Per Roll, 5 square feet, net -	1.25	.90

ENAMELED PAIL WOODS




FIG. H-1935

Size, inches.....	3	$3\frac{1}{2}$	4
Per 100, net.....	.70	.80	1.00

ELASTIC ROOFING CEMENT



FIG. H-1936

For bedding slate, pointing up and preventing leaks in metallic roofs, around chimneys, copings, skylights, gutters, dormer windows, cupolas, slate, stone, brick or wood.

Very adhesive, sticks to anything.
Will not crack in summer or winter.
Easily applied with a knife or a trowel.
More reliable than solder, and largely used.
Give it a trial.

5 to 15 pound Cans, per pound..... .10

DIRECTIONS.—Surfaces to be mended should be clean and perfectly dry. Apply with a trowel or a knife, smoothing the top and edges, and leaving a good body.

BLACKENE



FIG. H-1938

5 and 10 pound Cans, per pound, net..... .10

ASBESTOS FURNACE CEMENT




FIG. H-1937

The strongest and most durable cement in use for "setting up" and repairing broken joints in furnaces, ranges, heaters, stoves, etc. It is invaluable for lining furnace doors of steam boilers or as a protection for any work exposed to direct heat, flames, etc.

5 to 15 pound Cans, per pound..... .10

GLOBE VENTILATOR




FIG. H-1939—GALVANIZED IRON

Size, in...	2	2½	2¾	3	3½	4	4½
Each	\$1.00	1.00	1.00	1.50	1.50	1.75	2.00
Size, in...	5	5½	6	7	8	10	12
Each	\$2.50	2.85	3.40	4.00	4.65	5.75	6.75
Size, inches	14	16	18	20	24		
Each	\$13.00	20.00	27.00	33.00	40.00		
Size, inches	30	36	40	48	72		
Each	\$65.00	120.00	180.00	240.00	480.00		

If square or oblong base is required, it is charged extra.

GALVANIZED ASH CANS

WITHOUT STRIPS



FIG. H-1940

Nos	3	4	5
Inches	15x26	17x26	18x26
Per dozen	\$20.70	26.60	26.65

WITH EIGHT WOOD STRIPS




FIG. H-1941

Nos	7	8	9	10
Inches	15x26	17x26	18x26	20x26
Per dozen	\$25.00	28.05	31.10	35.35

OIL WASTE CAN




FIG. H-1942

GALVANIZED OIL WASTE CANS
SELF-CLOSING COVER

WITH IMPROVED SPRING ATTACHMENT

These Oil Waste Cans are made without the use of solder, and are galvanized after being put together. They are recommended by the Leading Insurance Companies.

Number	1	2	3	4
Sizes, inches	11 $\frac{1}{4}$ x 15	12 x 18	13 x 20	14 x 22
Per dozen	\$12.50	18.70	24.90	30.80
Number	5	6	7	8
Sizes, inches	16 x 24	18 x 26	20 x 30	24 x 36
Per dozen	\$37.40	55.90	74.25	97.50

FIG. H-1942

Garbage Pail

Chamber Pail

Galvanized Fire Buckets

FLAT BOTTOM

ROUND BOTTOM



FIG. H-1943




FIG. H-1944

FIG. H-1943—FLAT BOTTOM

Size, quarts	10	12	14
Per dozen	\$2.25	2.50	3.00

FIG. H-1944—ROUND BOTTOM

Size, quarts	10	12	14
Per dozen	\$3.00	3.25	3.50



FIG. H-1945




FIG. H-1946

FIG. H-1945

Nos	02	03	04
Per dozen	\$8.85	10.35	11.90

FIG. H-1946

Nos	2 $\frac{1}{2}$	3 $\frac{1}{2}$
Per dozen	\$4.00	4.40

REGISTERS AND VENTILATORS

REGISTERS, FACES, BORDERS FOR EITHER FLOOR OR WALL




FIG. H-1947



FIG. H-1948

REVISED LIST OF 1906

Size of Opening.	Black Register.	Black Register Face.	Black Floor Border.	White Reg. Face.	ELECTRO-PLATED NICKEL.			
					Size.	Reg. Ver. Wheel.	Reg. Face.	Floor Border.
4 x 8	\$1.50	.60	\$1.15	.90	4 x 8	\$2.20	\$1.30	\$1.85
4 x 10	1.55	.75	1.15	1.10	4 x 10	2.40	1.60	2.00
6 x 8	1.55	1.00	1.15	1.30	6 x 8	2.80	2.25	2.40
6 x 10	1.60	1.05	1.20	1.40	6 x 10	3.00	2.45	2.60
6 x 12	1.85	1.25	1.45	1.60	7 x 10	3.10	2.55	2.70
7 x 10	1.65	1.10	1.25	1.40	8 x 8	3.00	2.45	2.60
8 x 8	1.60	1.05	1.20	1.40	8 x 10	3.15	2.60	2.75
8 x 10	1.65	1.10	1.25	1.45	8 x 12	3.65	3.05	3.25
8 x 12	1.90	1.30	1.50	1.70	8 x 14	5.10	3.95	3.95
8 x 14	3.00	2.00	2.00	2.60	9 x 12	4.00	3.35	3.55
9 x 12	2.10	1.45	1.65	1.90	9 x 14	5.20	4.25	4.25
9 x 14	3.10	2.15	2.15	2.75	10 x 10	4.35	3.65	3.70
10 x 10	2.35	1.65	1.70	2.15	10 x 12	4.40	3.70	3.75
10 x 12	2.40	1.70	1.75	2.20	10 x 14	5.25	4.30	4.30
10 x 14	3.15	2.20	2.20	2.85	10 x 16	7.20	5.30	5.30
10 x 16	4.85	2.95	2.95	3.95	12 x 12	6.35	5.05	5.05
12 x 12	4.00	2.70	2.70	3.50	12 x 14	6.85	5.35	5.35
12 x 14	4.35	2.80	2.80	3.65	12 x 15	7.00	5.40	5.40
12 x 15	4.50	2.90	2.90	3.80	12 x 16	8.25	6.15	6.15
12 x 16	5.60	3.50	3.50	4.60	12 x 17	9.00	6.45	6.45
12 x 17	6.35	3.80	3.80	5.05	12 x 18	9.35	6.65	6.65
12 x 18	6.80	3.90	3.90	5.25	12 x 19	10.35	6.85	6.85
12 x 19	7.50	4.00	4.00	5.50	12 x 20	12.20	7.60	7.60
12 x 20	9.00	4.50	4.50	6.30	14 x 14	11.00	7.15	7.15
14 x 14	7.90	4.05	4.05	5.60	14 x 16	11.50	7.30	7.30
14 x 16	8.50	4.30	4.30	6.00	14 x 18	12.00	7.50	7.50
14 x 18	9.00	4.50	4.50	6.30	14 x 20	13.00	8.50	8.50
14 x 20	9.50	4.80	4.80	6.40	14 x 22	14.50	9.00	9.00
14 x 22	10.50	5.00	5.00	6.50	16 x 20	16.55	10.30	10.30
16 x 20	12.35	6.10	6.10	7.35	16 x 22	19.50	11.50	11.50
16 x 22	14.75	6.70	6.70	8.15	16 x 24	20.00	12.00	12.00
16 x 24	15.00	7.00	7.00	8.50	18 x 18	23.75	12.45	12.45
18 x 18	18.50	7.20	7.20	9.05	18 x 24	27.75	14.60	14.60
18 x 24	21.50	8.35	8.35	10.50	20 x 20	24.75	13.00	13.00
20 x 20	19.75	8.00	8.00	10.00	20 x 24	28.20	14.80	14.80
20 x 24	22.00	8.60	8.60	10.80	20 x 26	32.00	17.50	17.50
20 x 26	23.50	9.50	9.50	11.85	20 x 30	43.00	23.50	23.50
21 x 29	29.00	11.60	11.60	14.50	21 x 29	40.50	22.20	22.20
24 x 24	33.00	12.00	12.00	15.00	24 x 24	40.00	22.00	22.00
24 x 32	42.50	18.00	18.00	22.25	24 x 32	55.50	31.00	30.00
27 x 27	37.25	17.00	17.00	20.70	27 x 27	49.25	29.00	28.00
27 x 38	56.00	25.00	25.00	30.60	27 x 38	76.00	45.00	36.00
30 x 30	49.00	21.50	21.50	26.40	30 x 30	65.00	37.00	34.00
30 x 36	67.50	28.50	28.50	35.25	30 x 36	90.00	51.00	41.00

Ventilators for Cords 50 cents list extra on all sizes square and round up to 14 x 14, and \$1.00 list extra on all sizes above.

EXTRA HEAVY FACES furnished at 50 per cent. advance upon the ordinary Faces.

We carry the largest and most complete stock of these goods to be found in Central New York and can at all times fill orders promptly and at the lowest Manufacturers' Prices.

STOVE BOARDS

EMBOSSED




FIG. H-1949

FIG. H-1949

PAPER LINED EMBOSSED
SQUARE

Size, inches.....	24	26	28	30
Each.....	.45	.50	.56	.63

Size, inches.....	32	34	36
Each.....	.72	.81	.90

OBLONG

Size, inches.....	24x36	26x30	28x32
Each.....	.65	.65	.70

Size, inches.....	30x36	32x42
Each.....	.80	1.00

WOOD LINED EMBOSSED
SQUARE

Size, inches..	26	28	30	33	36
Each.....	.80	.90	1.00	1.30	1.50

OBLONG

Size, inches.....	24x36	26x32	28x34
Each.....	.90	.90	1.00

Size, inches.....	30x38	32x42
Each.....	1.35	1.60

FIG. H-1950

PAPER LINED CRYSTALIZED
SQUARE

Size, inches.....	24	26	28	30
Each.....	.50	.56	.63	.72

Size, inches.....	32	34	36
Each.....	.82	.95	1.10

OBLONG

Size, inches.....	24x36	26x30	28x32
Each.....	.70	.70	.80

Size, inches.....	30x36	32x42
Each.....	.95	1.15

WOOD LINED CRYSTALIZED
SQUARE

Size, inches..	26	28	30	33	36
Each.....	.85	.95	1.05	1.30	1.50

OBLONG

Size, inches.....	24x36	26x32	28x34
Each.....	.95	.95	1.05

Size, inches.....	30x38	32x42
Each.....	1.35	1.60

CRYSTALIZED



FIG. H-1950

COAL HODS

SPECIAL




FIG. H-1951

LADIES' FAVORITE




FIG. H-1952

FIG. H-1951—SPECIAL COAL HODS

Size, inches	15	16	17	18
Japanned, per gross	\$26.00	28.00	31.00	35.00
Galvanized, per gross	35.00	39.00	42.00	46.00

FIG. H-1952—LADIES' FAVORITE COAL HODS

Size, inches	15	16	17	18
Japanned, per gross	\$45.00	48.00	53.00	60.00
Galvanized, per gross	55.00	59.00	67.00	76.00

ASH SIEVE




FIG. H-1953

FIG. H-1953—ASH SIEVES

ROUND METALLIC

Per dozen, with Handles... \$3.00

FIG. H-1954—COAL SIEVES

WOOD RIM

Plain Wire, large, per dozen	\$2.50
Galvanized Wire, large, per dozen	2.75
Handles, per dozen	.50




FIG. H-1954

**O. H. CORRUGATED ELBOW
MADE OF ONE PIECE**




FIG. H-1955

Size, inches	5	5½	6	7	8
Refined Iron, per doz	\$1.75	2.10	2.10	2.85	4.50
Best American Russia Iron, per doz	4.25	5.35	5.35	7.00	8.00
Galvanized Iron, per doz	4.25	5.35	5.35	7.00	8.00

UTICA ELBOW

FIRST CLASS, FULL SIZE, SMOOTH, WELL MADE




FIG. H-1956

Size, inches	5	5½	6	7
Charcoal Iron, per doz	\$1.30	1.40	1.50	2.00
Best American Russia Iron, per doz	2.00	2.00	2.00	2.50

PATENT ADJUSTABLE ELBOW




FIG. H-1957

BEST CHARCOAL IRON

5 inch, per doz	\$1.80
5½ inch and 6 inch, per doz	1.80
7 inch, per doz	2.20

BEST AMERICAN RUSSIA IRON

5 inch, per doz	\$3.00
5½ and 6 inch, per doz	3.80
7 inch, per doz	4.50

GALVANIZED IRON AND TIN

Size	Galv. Iron	Tin
1½ inch	.70	.65
2 inch	.70	.65
2½ inch	.85	.75
3 inch	1.00	.75
3½ inch	1.15	1.10
4 inch	1.30	1.10
4½ inch	1.50	1.40
5 inch	1.80	1.40
5½ inch	2.10	1.80
6 inch	2.30	1.80
7 inch	2.80	2.20
8 inch	3.80	2.80
9 inch	4.20	3.40
10 inch	5.70	3.90

DIAMOND DAMPER




FIG. H-1958

Size, inches	4	4½	5	5½	6	7	8
Per doz	\$1.30	1.35	1.35	1.45	1.50	2.00	3.00

DIAMOND DAMPER CLIP




FIG. H-1959

Large Size, per doz	\$1.50
Small Size, per doz	1.35

DOVER PATENT NESTED STOVE PIPE

NO TOOLS NO MALLETING
 READY TO BE PUT TOGETHER WHEN IT LEAVES THE FACTORY
 No. 2 No. 3




FIG. H-1960

No. 1 shows the mode of construction of slip joint lock. No. 2 shows the mode of fastening the pipe together. No. 3 shows the way the pipe is packed for shipment.

All rolls are wrapped with paper and labeled, giving size. Twenty-five joints shipped in wooden crate.

Made in five grades: (A) Polished Steel, (C) A uniform blue color, (D) Smooth steel or common, (E) Wood's Refined, (F) Planished Iron.

Guaranteed to be the most practical stove pipe on the market.

No. 28 GAUGE, COMMON IRON

Size, inches	5	6	7
Price per joint	.16	.18	.20

For Wood's Refined add 1/2 cent per joint. For Polished add 7 cents per joint. For Planished add 20 cents per joint. Nested 25 joints in a crate.

COMMON STOVE PIPE

Cleaned Common Iron, 24 inches, per lb.	.10
Planished Iron, 28 inches long, per lb.	.30

ADJUSTABLE THIMBLE—FOR PARTITIONS




FIG. H-1961

5 in., 4 to 8 in. extension, per doz.	\$10.00
5 in., 6 to 12 in. extension, per doz.	11.00
6 in., 4 to 8 in. extension, per doz.	11.00
6 in., 6 to 12 in. extension, per doz.	12.00
7 in., 4 to 8 in. extension, per doz.	13.00
7 in., 6 to 12 in. extension, per doz.	14.00
8 in., 4 to 8 in. extension, per doz.	15.00
8 in., 6 to 12 in. extension, per doz.	16.00

STOVE PIPE COLLAR



FIG. H-1962

Lacquered, 5, 5 1/2 and 6 inch, per doz.	.60
Lacquered, 7 inch, per doz.	.80
Plain, 5, 5 1/2 and 6 inch, per doz.	.50
Plain, 7 inch, per doz.	.70

BUTTLE'S PATENT STOVE PIPE CYLINDER RINGS—JAPANNED

Size, inches	5	6	7
Per dozen	\$2.30	2.50	2.80

ALASKA COVER LIFTERS AND POKERS NICKEL-PLATED




FIG. H-1963

No. 2, per gross	\$10.00
------------------------	---------




FIG. H-1964

Always Cool, per gross	\$9.00
Cast Lacquered, per gross	4.00



FIG. H-1965

No. 4, Straight, per gross	\$11.00
No. 1, Bent, per gross	11.00
Wood Handles, Tinned, 18 inch, per gross	11.00
Wood Handles, Tinned, 20 inch, per gross	11.50

STOVE SHOVEL



FIG. H-1966

No. 2, Short Japanned, per dozen80
No. 5, Short Japanned, per dozen	1.10
No. 3, Long Japanned, per dozen	1.20
No. 7, Long Japanned, per dozen	1.50
No. 20, Short Galvanized, per dozen	1.10
No. 50, Short Galvanized, per dozen	1.50
No. 30, Long Galvanized, per dozen	1.60
No. 70, Long Galvanized, per dozen	2.20
No. 9, Wood Handle, Japanned, per dozen	2.70

STANDARD PRICE LIST OF SELECTED MICA

SUBJECT TO CHANGE WITHOUT NOTICE

Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.	Size.	Price per lb.
1 1/2 x 3	\$2.30	2 1/4 x 3 1/4	\$4.30	2 3/4 x 5 1/2	\$9.75	4 x 5	\$12.85
1 1/2 x 3 1/4	2.40	2 1/4 x 3 3/4	4.75	2 3/4 x 6	10.50	4 x 5 1/2	14.00
1 1/2 x 3 1/2	2.70	2 1/4 x 3 3/4	5.25	2 3/4 x 6 1/2	10.90	4 x 6	14.85
1 1/2 x 3 3/4	3.05	2 1/4 x 4	5.35	2 3/4 x 7	11.75	4 x 6 1/2	15.25
1 1/2 x 4	3.45	2 1/4 x 4 1/4	5.85	3 x 3	7.75	4 x 7	15.60
1 1/2 x 4 1/4	3.60	2 1/4 x 4 1/2	6.00	3 x 3 1/4	7.75	4 x 8	16.00
1 1/2 x 4 1/2	3.75	2 1/4 x 4 3/4	6.50	3 x 3 1/2	8.90	4 x 9	16.40
1 1/2 x 4 3/4	3.85	2 1/4 x 5	6.95	3 x 3 3/4	8.90	4 1/2 x 4 1/2	12.85
1 1/2 x 5	4.05	2 1/4 x 5 1/4	7.25	3 x 4	9.30	4 1/2 x 5	13.65
1 1/2 x 5 1/2	4.60	2 1/4 x 5 1/2	7.40	3 x 4 1/4	9.75	4 1/2 x 5 1/2	14.00
1 1/2 x 6	6.50	2 1/4 x 6	8.50	3 x 4 1/2	10.10	4 1/2 x 6	15.25
1 3/4 x 3	2.70	2 1/4 x 6 1/4	8.90	3 x 4 3/4	10.90	4 1/2 x 6 1/2	15.60
1 3/4 x 3 1/4	2.90	2 1/4 x 6 1/2	9.30	3 x 5	11.75	4 1/2 x 7	16.00
1 3/4 x 3 1/2	3.35	2 1/4 x 7	10.50	3 x 5 1/2	12.50	4 1/2 x 8	16.40
1 3/4 x 3 3/4	3.50	2 1/2 x 2 1/2	3.90	3 x 6	13.25	4 1/2 x 9	16.75
1 3/4 x 4	3.65	2 1/2 x 2 3/4	4.15	3 x 6 1/2	13.65	5 x 5	14.00
1 3/4 x 4 1/4	3.85	2 1/2 x 3	4.30	3 x 7	14.00	5 x 5 1/2	14.85
1 3/4 x 4 1/2	4.00	2 1/2 x 3 1/4	4.50	3 x 8	14.50	5 x 6	15.60
1 3/4 x 4 3/4	4.45	2 1/2 x 3 1/2	5.25	3 x 9	14.85	5 x 6 1/2	16.00
2 x 2	2.60	2 1/2 x 3 3/4	5.35	3 1/4 x 3 1/4	8.10	5 x 7	16.75
2 x 2 1/4	2.70	2 1/2 x 4	5.85	3 1/4 x 3 1/2	8.90	5 x 8	17.25
2 x 2 1/2	2.90	2 1/2 x 4 1/4	6.25	3 1/4 x 3 3/4	9.30	5 x 9	18.00
2 x 2 3/4	3.05	2 1/2 x 4 1/2	6.75	3 1/4 x 4	9.75	5 x 10	19.50
2 x 3	3.35	2 1/2 x 4 3/4	7.35	3 1/4 x 4 1/4	9.85	5 1/2 x 5 1/2	15.60
2 x 3 1/4	3.45	2 1/2 x 5	7.75	3 1/4 x 4 1/2	10.10	5 1/2 x 6	16.40
2 x 3 1/2	3.65	2 1/2 x 5 1/4	7.90	3 1/4 x 4 3/4	11.25	5 1/2 x 7	17.25
2 x 3 3/4	3.85	2 1/2 x 5 1/2	8.35	3 1/4 x 5	12.00	5 1/2 x 8	18.75
2 x 4	4.30	2 1/2 x 6	9.10	3 1/4 x 5 1/2	12.85	5 1/2 x 9	19.50
2 x 4 1/4	4.60	2 1/2 x 6 1/2	9.50	3 1/4 x 6	14.00	6 x 6	17.25
2 x 4 1/2	4.90	2 1/2 x 7	11.10	3 1/2 x 3 1/2	9.30	6 x 6 1/2	18.00
2 x 4 3/4	5.00	2 1/2 x 8	11.50	3 1/2 x 3 3/4	9.30	6 x 7	19.50
2 x 5	5.25	2 3/4 x 2 3/4	4.60	3 1/2 x 4	10.10	6 x 8	21.10
2 x 5 1/2	5.70	2 3/4 x 3	5.35	3 1/2 x 4 1/2	11.25	6 x 9	21.90
2 x 6	6.60	2 3/4 x 3 1/4	5.75	3 1/2 x 5	12.50	6 x 10	23.50
2 x 6 1/2	7.55	2 3/4 x 3 1/2	6.30	3 1/2 x 5 1/2	13.65	7 x 7	23.50
2 x 7	8.80	2 3/4 x 3 3/4	6.60	3 1/2 x 6	14.50	7 x 8	24.25
2 x 7 1/2	9.25	2 3/4 x 4	7.75	3 1/2 x 6 1/2	14.85	7 x 9	25.00
2 x 8	9.60	2 3/4 x 4 1/4	7.90	3 1/2 x 7	15.25	7 x 10	25.90
2 1/4 x 2 1/4	3.00	2 3/4 x 4 1/2	8.10	3 1/2 x 8	15.60	8 x 8	25.90
2 1/4 x 2 1/2	3.35	2 3/4 x 4 3/4	8.25	3 1/2 x 9	16.00	8 x 9	26.75
2 1/4 x 2 3/4	3.50	2 3/4 x 5	8.90	4 x 4	11.75	8 x 10	27.50
2 1/4 x 3	3.85	2 3/4 x 5 1/4	9.30	4 x 4 1/2	12.00		

ALL LARGER SPECIAL PRICES

Sizes not printed on List shall be at the price of the next larger size.

SAFETY HOLLOW WARE



FIG. H-1967

FIG. H-1968

ROUND AND FLAT BOTTOM KETTLES

No. 7, Kettle, plain, diameter, 8 $\frac{3}{4}$ in., each	\$1.50
No. 8, Kettle, plain, diameter, 9 $\frac{3}{4}$ in., each	1.75
No. 9, Kettle, plain, diameter, 10 $\frac{3}{4}$ in., each	2.00
No. 10, Kettle, plain, diameter, 11 $\frac{3}{4}$ in., each	2.50

STEW PANS

No. 7, diameter, 8 $\frac{3}{4}$ in., depth, 4 $\frac{3}{4}$ in., each	\$1.40
No. 8, diameter, 9 $\frac{3}{4}$ in., depth, 5 in., each	1.55
No. 9, diameter, 10 $\frac{3}{4}$ in., depth, 5 $\frac{1}{2}$ in., each	1.75

Discount Sheet.

SPIDERS

No. 7, diameter across bottom, 8 in., each	.65
No. 8, diameter across bottom, 9 in., each	.75
No. 9, diameter across bottom, 10 in., each	.90
No. 10, diameter across bottom, 11 in., each	1.10
No. 12, diameter across bottom, 12 in., each	1.30

BALED GRIDDLES

No. 12, with bales, cooking surface, 11 $\frac{1}{2}$ in.	\$1.00
No. 14, with bales, cooking surface, 12 $\frac{1}{2}$ in.	1.15
No. 16, with bales, cooking surface, 13 $\frac{1}{2}$ in.	1.30

FIG. H-1967

ROUND BOTTOM KETTLES

No. 8—Each	Ground \$1.25
No. 9—Each	1.40

FLAT BOTTOM KETTLES

No. 7—Each	\$1.10
No. 8—Each	1.25
No. 9—Each	1.40
No. 10—Each	1.60
No. 20 (holds 5 gallons), each	3.00

NEVER BREAK HOLLOW WARE



FIG. H-1968

POT COVER

RING, HEMMED EDGES



FIG. H-1969

Size, inches	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$
Per doz.	.50	.50	.60	.60	.70	.70
Size, inches	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	12 $\frac{1}{2}$
Per doz.	.80	.80	1.00	1.00	1.20	1.20
Size, inches	13	13 $\frac{1}{2}$	14	14 $\frac{1}{2}$	15	15 $\frac{1}{2}$
Per doz.	1.50	1.50	2.00	2.00	2.50	2.50

ACME FRY PAN



FIG. H-1970

Number	0	1	2	3	4	5	6	7	8
Inches on top	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	11 $\frac{1}{2}$	12	13	14
Inches on bottom	6	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8	9	10	10 $\frac{1}{2}$	11 $\frac{1}{2}$
Per doz.	\$3.00	3.75	4.25	4.75	5.25	6.00	7.00	8.00	9.00

TEA AND COFFEE
POTS

NICKEL-PLATED

TEA




FIG. H-1971

COFFEE




FIG. H-1972

FIGS. H-1971 AND H-1972

Size, 2 pint, per dozen	\$9.00
Size, 3 pint, per dozen	10.00
Size, 4 pint, per dozen	11.00
Size, 5 pint, per dozen	12.00
Size, 6 pint, per dozen	13.00

IX TIN WASH
BOILER

COPPER BOTTOM

Size No. 8 or 9, per dozen	\$25.00
----------------------------	-------	---------

TEA KETTLE

NICKEL-PLATED COPPER




FIG. H-1973

FLAT OR PIT BOTTOM

Size No. 8, per dozen	\$18.50
Size No. 9, per dozen	20.00

WASH BOILER

POLISHED COPPER




FIG. H-1974

Size No. 8, per dozen, 14 oz	\$30.00
Size No. 9, per dozen, 14 oz	40.00

REGULAR PATTERN



FIG. H-1975

FACTORY MILK CANS

These Cans are made up with half-round Top and Center Hoop, and Three-pronged Tinned Side Handles as per illustration.

Stock and Cans also furnished with either Flat or Corrugated Center Hoop, and with any style Handle at same price. Fifteen Gallon Size is regular without Center Hoop.

The Regular Pattern Can has a "Follower" Cover. The Empire Pattern Can has a Stationary Cover.

EMPIRE PATTERN



FIG. H-1976

FIG. H-1975—REGULAR PATTERN

Capacity, Gallons.....	15	20	30	40	50
Price, per Set, Stock.....	\$5.90	6.60	8.20	9.60	11.30
Factory Cans, No.....	8215	8220	8230	8240	8250
Each.....	\$8.30	9.25	10.85	12.60	14.30

FIG. H-1976—EMPIRE PATTERN

Capacity, Gallons.....	15	20	30	40	50
Height, inches.....	31	31	31	31	32 ¹ / ₂
Diameter, inches.....	14 ¹ / ₂	15 ¹ / ₂	18 ³ / ₄	20 ⁵ / ₈	23 ³ / ₄
Average weight, pounds.....	25	29	33	40	45
Price, per Set, Stock.....	\$6.50	7.20	8.80	10.20	11.9
Factory Cans, No.....	7415	7420	7430	7440	7450
Each.....	\$8.90	9.85	11.45	13.20	14.90

RAIL ROAD MILK CAN



FIG. H-1977

FIG. H-1977

RAIL ROAD MILK CANS—NEW YORK PATTERN

Quarts.....	20	30
Cans, each.....	\$4.10	4.50
Quarts.....	40	
Cans, each.....	4.75	

Hoops Electric Welded. Handle Ears No. 10 Gauge Hand Forged Steel.

TINNED DAIRY PAIL EXTRA HEAVY SEAMLESS



FIG. H-1978

Quarts.....	10	12	14
Per dozen.....	\$6.50	7.00	7.50

IDEAL SAP SPOUTS

OPEN TOP




FIG. H-1979

CLOSED TOP




FIG. H-1980

FIGS. H-1979 AND H-1980

Made from the best Malleable Iron and beautifully tinned.

Packed in pasteboard boxes containing 250 spouts in all of either kind.

Each kind is made to fit a hole bored with a half inch bit.

Dealers will find it most decidedly to their advantage to confine their sales exclusively to these desirable spouts.

Send in your orders early so that you may have the goods when they are needed.

No. 1—Tinned Open Top, per 100	\$3.00
No. 1—Tinned Closed Top, per 100	3.50

SYRUP CAN




FIG. H-1981

SAP BUCKET



FIG. H-1982

FIG. H-1981—SYRUP CAN

Full gallon square, paneled or plain, with handles, 1 $\frac{3}{4}$ screw top, per 100.....	\$10.00
One-half gallon square, paneled or plain, with handles, 1 $\frac{3}{4}$ screw top, per 100.....	9.00
One-fourth gallon square, paneled or plain, with handles, 1 $\frac{3}{4}$ screw top, per 100.....	8.00
Full gallon round, with handles, 1 $\frac{3}{4}$ screw top, per 100.....	10.00

FIG. H-1982—SAP BUCKETS

Size	IC	IX Galv.	Apollo
12 quart, per 100.....	\$20.00	25.00	30.00
15 quart, per 100.....	25.00	30.00	35.00

TODD'S PATENT COVER
FOR SAP BUCKETS





FIG. H-1983

This is a cover for a sap bucket, having wings to shed rain, as frequently the best sap runs are during rain or snow storms.

Made from one piece of tin, and there are no wires to come off and will fit any size of bucket.

Todd's Patent Sap Bucket Cover, each.....	.10
In Crates of 150, per crate.....	\$10.00







D00520733K

1750
60

8755
10500

10. 10.25
60

5125
6150

9. 300
300
1.25
1.25



