


40400/A





Richardson





42550  
SELECTIONS  
FROM  
PHYSICIANS'  
PRESCRIPTIONS,

CONTAINING

1. COPIOUS LISTS OF TERMS, PHRASES, AND ABBREVIATIONS, USED IN PRESCRIPTIONS, WITH NOTES.
2. A SERIES OF PRESCRIPTIONS TO ILLUSTRATE THE APPLICATION OF THESE TERMS.
3. THE GRAMMATICAL CONSTRUCTION OF PRESCRIPTIONS.

*Intended for the Use of Medical Students.*

---

BY JONATHAN PEREIRA, F.L.S.

Member of the Royal College of Surgeons,  
&c.

---

FOURTH EDITION, MUCH ENLARGED.

---

LONDON:

PUBLISHED BY S. HIGHLEY,

174, FLEET-STREET, AND WEBB-STREET, MAZE-POND,  
BOROUGH.

1829.


J. and C. Adlard, Printers,  
Bartholomew Close.



## TABLE OF CONTENTS.

---

	Page
A list of Terms, Phrases, &c. met with in Physicians' Prescriptions . . . . .	1
A list of Abbreviations . . . . .	25
A Series of Prescriptions to illustrate the application of the above Terms, &c. . . . .	33
The Rules of Latin Syntax, with Examples drawn from Prescriptions . . . . .	123
Prescriptions, with a Grammatical Explanation,	131



# SELECTION OF PRESCRIPTIONS.

---

## PART I.

*List of Terms, &c. used in Prescriptions, arranged under distinct heads.*

### SECT. I.

*Sanguinis missio generaliter.\** General Bloodletti; g.

Phlebotomia; † venæsectio. Venesection.

Sanguinem mittere, *vel* detrahere, *vel* extrahere, *vel* emittere, *vel* exugere, *vel* educere. To bleed.

Pertundatur vena brachii; secetur vena brachii. Let a vein of the arm be cut.

Pleno rivo; ‡ de largo canali. In a full stream.

---

\* The propriety of this and all similar words as applied to bloodletting, notwithstanding the opinion of Dr. Gregory, that "Sanguinis missio non inepte vocatur generalis," when it is intended that its effects should be general, I must consider very questionable. They seem to signify that the man is to be pricked all over, for the purpose of drawing blood from him, rather than any thing relating to the *effects* of the bleeding.—*Horæ Subsecivæ*.

† From φλεβος, the genitive case of φλεψ, a vein, and τεμνω, I cut.

‡ *Rivus* is usually translated "a river;" but it means literally "a stream," e. g. "sanguinis rivus," "a stream of blood."

Ex largo vulnere.	From a large orifice.
Ad $\frac{3}{4}$ — tantum <i>vel</i> saltem.	To $\frac{3}{4}$ only.
Ad animi defectionem; donec anima deficit; ad deliquium, usque ut liquerit animus; ad syncopen.	To fainting.
Fiat arteriotomia; mittatur sanguis ex arteria temporali	Let arteriotomy be performed; from the temporal artery.
Mittatur sanguis per saltum.	Let blood be taken by leaps ( <i>i.e.</i> from an artery.)

## SECT. II.

<i>Sanguinis missio localis vel topicaliter.</i>	<i>Local Bloodletting.</i>
Hirudines; sanguisugæ.	Leeches.
Hirudines affigere, <i>vel</i> defigere, accomodare, <i>vel</i> agglutinare, <i>vel</i> admovere, <i>vel</i> applicare.*	To apply leeches.
Cucurbitula; † cucurbitula cruenta; cucurbitula cum ferro, <i>vel</i> cum scarificatione.	A cupping-glass, with the scarificator.
Cucurbitula sicca	Adry cupping glass, ( <i>i.e.</i> without scarification.)

\* The word *applicare*, to signify the external use of Medicines, should be altogether banished. It is always improper. — (*Horæ Subsecivæ.*)

† *Cucurbitula* is a diminutive of *Cucurbita*, a gourd, so called from its shape.

- Cucurbitulas cum ferro accommodare; *vel* affigere, &c. (*vide* Hirudines.) To apply the cupping glasses and scarificator.
- Incisâ cute cucurbitulas affigere. The skin having been cut, to apply the cupping glasses.
- Levibus plagis\* secare, *vel* incidere; scarificare. To scarify.

## SECT. III.

*The application of Blisters, Plasters, &c.*

- Vesicatorium. Emplastrum epispasticum†. A blister.
- Vesicare. To raise a blister.
- Usque ad vesicationem. Until vesication is produced.
- Vesicatorium admovere (*vel* adhibere; *vel* imponere; *vel* inducere; *vel* superimponere; *vel* applicare.) To apply a blister.
- Renovetur emplastrum. Let the plaster be renewed.
- In alutam inducendum. Super alutam extensum (*vel* extendendum.) To be spread upon leather.

---

\* *Plaga* is used by Celsus to signify "an incision."

† *Gaubius* and some other of the older writers use the term *epispastic* to signify all stimulating applications to the skins, including *vesicatories*, *sinapisms*, &c. At the present time, however, it is commonly restricted to *vesicatories*.

Super chartam emporeticam.	Upon coarse or brown paper.
Emplastrum hujus magnitudinis, ad exemplar, ad normam.†	A plaster of this size; to pattern.
Magnitudo hujus chartæ.	The size of this paper.
Magnitudo semi-coronæ nummi.	The size of a half-crown piece.
Latitudo pollicaris.	The breadth of a thumb.
Cura partem exulceratam unguento Sabinæ.	Dress the ulcerated part with Savin ointment.
Ut ulcus perpetuum fiat.	That a permanent ulcer may be produced.
Fluxum elicere.	To promote the discharge.
Promovere detractiōnem humoris nati ab vesicatorio.	To promote the discharge of fluid produced by the blister.
Insperge pulverem Lyttæ super emplastrum.	Sprinkle the powder of Lyttæ upon the plaster.

---

\* *Ad normam*, according to law, custom, or pattern.



## SECT. IV.

*Of Frictions, &c.*

Fricare, ( <i>vel</i> perfricare.)	To rub.
Ungere; ( <i>vel</i> inungere; <i>vel</i> infri- care.)	To rub ( <i>as an oint- ment.</i> )
Fricetur corpus aut lanâ, <i>vel</i> strigile.	Let the body be rubbed, either with a flannel or a brush.
Linere; ( <i>vel</i> delinere; <i>vel</i> illi- nere; <i>vel</i> superillinere.)	To spread upon.
Inspargere; ( <i>vel</i> respergere.)	To sprinkle over.
Inspargatur pauxillum super mamillas.	Let a little be sprinkled upon the nipples.

## SECT. V.

*Shaving; Issues; Setons; Electricity; Galvanism.*

Capilli; capillitium*; cri- nes.†	The hair of the head.
--------------------------------------	--------------------------

---

\* *Capillitium* cannot be found in many dictionaries. It signifies "a bush of hair;" in medical language, "the hair of the head."

† *Crines* signifies rather the ringlets and locks of a woman,

Pili.	The hairs of other parts.
Ad cutem tondere.	To clip close the hair.
Capillitium ( <i>vel</i> capillos) <i>abradere</i> ; ( <i>vel</i> <i>deradere</i> .)	To shave off the hair of the head.
Caput radere; ( <i>vel</i> circumradere; <i>vel</i> attondere; <i>vel</i> adradere.)	To shave the head.
Fonticulus purulentus.	An issue.
Fiat fonticulus purulentus, in interstitiis muscularum brachii; ope ferri <i>vel</i> caustici,	Let an issue be made in the intervals of the muscles of the arm; by the lancet or caustic.
Setaceum.*	A seton.
Inseratur setaceum nuchæ capitis.	Let a seton be inserted in the nape of the neck.
Aura electrica; aura galvanica.	The electric fluid; the galvanic fluid.
Auram electricam efficere ( <i>vel</i> elicere.)	To electrify.
Per scintillas, <i>vel</i> per ictus.	By sparks or by shocks.
Auram galvanicam trajicere; ( <i>trahere vel</i> educere.)	To galvanize.

---

than simply and generally the hair; it is, of course, less applicable to medical subjects than *capilli*.

\* From *seta*, a bristle; because horse-hairs were first used to keep open the wound.

## SECT. VI.

*Of Purging, &c.*

Dejectiones;* stercus; alvus;† sedes;‡ fæces§.	The stools.
Post alvum exoneratam.	After an evacuation.
Post singulas liquidas dejectiones; Post unamquamque sedem mollem.	After every liquid evacuation.
Alvus fusa; alvus fluens; alvi fluxus; alvus cita; alvus soluta; alvus fluida; dejectiones crebræ; venter liquidus; ventris fluor; catharsis  ; diarrhœa.	Purging.

\* From "de," downwards, and "jacio," I cast.

† *Alvus* signifies the bowels; also the stools. It is of the feminine gender.

‡ *Sedis* means, literally, a seat; in an extended sense, the fundament. It is also applied to that which comes from the fundament, or, in other words, an evacuation.—*Pharmaceutical Guide*.

§ *Fæces*, the nom. pl. from *fæx, æcis*, f. a noun wanting the gen. pl. "We meet with 'Fæces vini,' 'Fæces aceti,' &c. in classical authors, but nowhere 'Fæces hominis;' the word, in this sense, is altogether unnecessary and improper."—*Horæ Subscivæ*.

|| *Catharsis* is not found in the Latin dictionaries. It is a Greek word adopted by Latin writers, and means a purging.—*Pharmaceutical Guide*.

- Alvus dura; alvus suppressa; alvus constipata; alvus adstricta; alvus compacta; alvus tenax. Costiveness.
- Urgentibus torminibus. The gripings being troublesome.
- Desidendi voluntas; dejiciendi cupiditas. Desire to go to stool.
- Alviduca. Purging medicines.
- Ad alvum ducendam; ad alvum solvendam; alvum solvere; ad sedes promovendas; ad plenam alvi solutionem; alvum movere. To open the bowels.
- Ad alvum officii immemorem excitandam. To excite the bowels unmindful of their office (*i.e.* To excite the constipated bowels.)
- Donec alvus dejecerit; donec alvus (probe *vel* bene) responderit; donec venter (ritè) solutus fuerit; donec alvus (commodè) purgetur; donec (amplè) purgaverit; donec alvus subducatur; donec sedes (tres vel quatuor) deponentur. Until the bowels are opened; (well; thoroughly; sufficiently; freely; three or four times.)
- Nisi alvus sit interèa copiosè soluta. Unless the bowels shall have been copiously evacuated in the mean time.
- Ad alvum contrahendam; alvum astringere *vel* suppressere. To bind the bowels.

Donec alvus prematur ( <i>vel fiat durior vel astrictior.</i> )	Until the bowels are bound.
Clyisma; enema; lavamentum intestinorum.	A clyster.
Suppositorium.	A suppository.
Cupiditas urinæ; micturitie.	A desire of making water.

## SECT. VII.

*Vomiting; Sweating; Sneezing.*

Emeticum; vomitorium;	An emetic.
Vomitio; vomitus.	Vomiting.
Vomitum concitare; ( <i>vel excitare; vel proritare.</i> )	To produce vomiting.
Donec evomuerit; donec ( <i>probe</i> ) vomat.	Until the patient vomit (well.)
Si supervenerit vomitus.	If vomiting should come on.
Vomitione urgente.	The vomiting being troublesome.
Ad vomitum sedandum; ad vomitum compescendum.	To allay vomiting.
Donec sedantur vomitiones.	Until the vomitings are allayed.
Sudor.	Sweat.
Sudores citare; ( <i>vel elicere; vel movere; vel præstare;</i> ) ad sudorem promovendum; ad diaphoresin ciendam.	To excite sweating.
Sudatio.	A sweating.
Donec sudor prodeat.	Until sweating is produced.

Ad sudorem compescendam.	To diminish sweating.
Sternutatio; sternutamentum.	A sneezing.
Sternutamenta citare; ( <i>vel</i> excitare; <i>vel</i> movere; <i>vel</i> facere.)	To excite sneezing.
Ducere naribus ut sternutamentum excitetur.	To snuff up the nostrils that sneezing may be induced.
Aliquantillum naribus insuffletur.	Let a little be snuffed up the nostrils.

## SECT. VIII.

*Bathing; Fomenting.*

Balneum.*	A bath.
Balneum calidum; balneum tepidum; balneum frigidum ( <i>vel</i> frigidarium.)	A hot or warm bath; a tepid bath; a cold bath. †
Vaporarium; ( <i>vel</i> balneum vaporis.)	A vapour bath.
Balneum siccum.	A dry bath. ‡
Balneum medicatum.	A medicated bath.
Semicupium; excathisma, ( <i>vel</i> encathisma; insessio, <i>vel</i> insessus.)	A half bath, (or such as receives only the hips or extremities.)

\* *Balneum*, I believe, is never correctly used to signify any other "than a heated bath, for the purpose of bathing the body, and that in a private house."—*Horæ Subsecivæ*.

† The temperature of the warm bath is from 93° to 96° of Fahr. The range of temperature of the tepid bath is from the lowest degree of the warm bath to the highest degree of the cold bath; in general, it may be said to be about 90°.

‡ Those applications are termed *dry baths* which are made of ashes, salt, sand, &c.; thus *balneum arenosum* (*or* *arenæ*), *balneum cinereum*, &c.

Thermæ; balnea mineralia.	Warm baths (mineral or spring.)
Coxæluvium; manuluvium.	The hip bath; the hand bath.
Pediluvium; capitiluvium.	The foot bath; a bath for the head.
Impluvium.	The shower bath.
Demittere in balneum; descendere in balneum; ire in balneum.	To go into a bath.
Uti aquis frigidis.	To use the cold bath.
Utatur semicupio ad x vel xij minuta horæ in aquâ adhuc calenti modicè.	Let the patient use the halfbath made moderately warm for ten or twelve minutes.
Pedes cruraque in aquam calidam demittere.	To bathe the feet and legs in warm water.
Profundere aquam frigidam corpore.	To use the cold affusion.
Lavare egelid: . . . . .	To use tepid washing.
Admovere glaciem vel nivem.	To apply ice or snow.
Admovere lintea aquâ frigidâ madefacta, (vel madida.)	To apply cloths moistened with cold water.
Fotus; fomentum; fomentatio.	A fomentation.
Fovere; vaporare.	To foment.
Detergere; abstergere; lavare.	To cleanse.
Eluere.	To wash out.

## SECT. IX.

*The Dose.*

Portio; copia; ratio; dosis.	A dose.
Portionibus exiguis <i>vel</i> magnis.	In small or large doses.
Portionibus divisis; partitis vicibus.*	In divided doses.
Portionibus repetitis ( <i>vel</i> iteratis).	In repeated doses.
Ad tres alias vices.	To three other times.
Cochlea.	A spoon.
Cochleare; † cochlearium.	A spoonful.
Cochleare parvulum; ( <i>vel</i> minimum; <i>vel</i> infantis.)	A small, tea, or child's spoonful.
Cochleare modicum; ( <i>vel</i> medium; <i>vel</i> mediocre.)	A middling-sized, dessert, or pap spoonful.
Cochleare magnum; ( <i>vel</i> largum; <i>vel</i> amplum.)	A large or table-spoonful.
Cochleatim.	Spoonful by spoonful.

---

\* *Partitis vicibus* is an idiomatical expression, implying "in different doses," or "at different times." *Vicibus* is the ablative plural of *vicis*, and *partitis* the ablative plural of *partitur*, the participle of *partior*.

† *Cochleare* is a neuter noun of the third declension, and is generally used when we wish to signify a spoonful. *Cochlearium* is less frequently used.



Magnitudo; moles; quantitas.	Size or quantity.
Moles nucis moschatæ.	The size of a nutmeg.
Instar* juglandis.	The size of a walnut.
Magnitudo avellanæ.	The size of a filbert.
Magnitudo castaneæ.	The size of a chestnut.
Magnitudo fabæ equinæ.	The size of a horsebean.
Poculum; cyathus.	A cup.
Cyathus vinarius.	A wine-glass.
Quantum cuspide ( <i>vel</i> apice) cultri capi potest.	As much as can be taken on the point of a knife.
Quantum satis sit; quantum sufficit <i>vel</i> sufficiat; quantum convenit.	As much as may be sufficient.
Quantum velis; quantum lubet	As much as you please.
Quantum sitis exigat.	As much as the thirst may require.
Pugillus.†	As much as may be contained between the thumb and two fingers, (from ʒss to ʒj.)
Manipulus.	A handful.
Sumere; capere.	To take (generally)

\* *Instar* is indeclinable.

† This and the following word are only met with in some old prescriptions.

Devorare; deglutire.*	To take (as a powder or pill.)
Bibere; sorbere; potare; haurire.	To take (as a draught.)
Lambere; delingere; sublinguam liquare.	To take (as an electuary or lozenge.)
Manducare; mandere; masticare.	To take (as a masticatory.)
Dare; adhibere; exhibere; administrare.	To administer.
In alvum ex parte inferiore injicere; ( <i>vel dare; vel indere; vel immittere; vel infundere; vel adigere.</i> )	To administer (as an injection.)

## SECT. X.

*Of Time.*

Mensis.	A month.
Septimana; hebdomada; hebdomas; hebdoma.	A week.
Dies; lux.	A day.
Hodie; hodierno die.	To day.
Heri; hesterno die.	Yesterday.
Cras; crastino die.	Tomorrow.
Nudius tertius.	The day before yesterday.

---

\* *Glutio* (but not *deglutio*) is found in the smaller Latin dictionaries; in larger ones we find "*deglutio*," *vox medicis familiaris*, "I swallow down."—*Pharmaceutical Guide*.

Perendie ; Perendino die.	The next day after tomorrow.
Proximâ luce.	The day before.
Quotidianus ; indiès ; quotidiè ; omni die.	Daily or every day.
Alternâ ( <i>vel</i> secunda) die quâ- que.	Every other day.
Tertiis diebus.	Every third day.
Biduum vel triduum ; quatri- duum.	Two or three days ; four days.
De die in diem.	From day to day.
Mane ; * aurora ; tempore ma- tutino ; horâ matutinâ.	Morning.
Diluculò ; multo mane ; pri- mo mane ; primo luce ; sum- mo mane.	Early in the morn- ing.
Crastino mane.	Tomorrow morn- ing.
Tempus antemeridianus.	Forenoon.
Meridies.	Noon.
Pomeridies.	Afternoon.
Vesper ; vespertina ; vespere appropinquente.	Evening.
Nox ; sero.	Night.
Hâc nocte ; nocturnus.	To-night ; nightly.
Nycthemerum.	Night and day.
Hesternâ nocte.	Last night.
Horâ somni ; horâ decubitus ; dormiturus ; cubitum iturus ; ubi it cubitum.	The hour of sleep- ing ; at bedtime.
Jentaculum.	Breakfast.
Prandium.	Dinner.

---

\* *Mane* is a triptote, having only three cases, the nom. acc. and abl. sing. in all of which it is *mane*, except the ablative, in which *manî*, is sometimes found.

Coena ; tempore cœnandi.	Supper ; supper-time.
Hora.	An hour.
In horas ; singulis horis ; omni horâ.	Hourly ; every hour.
Per horam integram.	During an hour.
Sesquihoris.	An hour and a half.
Alternâ horâ ; secundâ horâ ; bihorio ; horis intermediis.	Every other hour.
Trihorio ; omnia tertiâ horâ.	Every third hour.
Quadrihorio.	Every fourth hour.
Semihorio.	Every half hour.
Omni quadrante horæ.	Every quarter of an hour.
Horis consuetis.	At the accustomed hours.
Statim ; quamprimum ; illico ; extemplo ; jam ; jamjam ; protinus.	Immediately.
Pro re nata ; *pro ut res poscit ; pro ut res postulet ; identidem ; de tempore in tempas ; subinde ; interdum ; aliquando.	Occasionally ; as circumstances may require ; from time to time ; sometimes.
Iterum ; rursus ; denuo ; deinde ; de novo.	Again.
Novissimè.	The newest ; the last.
Nuperrime.	Very lately.

---

\* *Pro re nata* is an idiomatical expression ; it signifies "according as circumstances arise," that is "occasionally." (*Pharmaceutical Guide*.) It is said to have been sometimes mistaken by ignorant shopmen, and the medicine sent to puerperal women, marked "For the infant."!—See Chamberlain's *Tyrocinium Medicum*.

## SECT. XI.

*Of the Names of Parts.*

A summo capite ; a vertice.	At the top of the head.
Guttur; jugulum; larynx.	The neck (fore part.)
Nucha;* cervix; cervices.	The neck (back part.)
Collum.	The neck (whole.)
Nucha capitis.	The nape of the neck.
Bucca; gena; mala.	The cheek.
Bronchus; bronchium; bron- chia; bronchius.†	The bronchial tube.
Gula; pharynx; œsophagus.	The gullet.
Uva; uvula.	The uvula.
Humerus.	The shoulder (generally.)
Scapula.	The shoulder (back part.)
Ala; axilla.	The armpit.
Brachium.	The upper arm.
Cubitus.‡	The forearm.
Ancon; caput cubiti.	The elbow.

\* *Nucha* is from the Arabic, and signifies *medulla spinalis*, and emphatically its origin and commencement, to which part of the organ the term is applied, in the technical language of the day.—*Good's Nosology*.

† The two latter words, and their plurals, are very generally and improperly used. The Latin terms are derived from the Greek words *βρονχος* and *βρονχιον*, which can only make "*bronchus*" and "*bronchium*."

‡ *Cubitus*, *us*, signifies also a lying down, abed.

Carpus.	The wrist.
Palma; vola.	The palm of the hand.
Metacarpium.	The back of the hand.
Digitus; pollex.	The finger; the thumb.
Thorax.	The chest; (the "cavity.")
Sternum; os pectoris.	The breast-bone.
Spina dorsi.	The "backbone."
Dorsum; tergum.	A back.
Abdomen.*	The belly (externally.)
Venter; alvus.	The belly (internally.)
Jecur; † hepar. ‡	The liver.
Lien; splen.	The spleen.
Ren.	The kidney.
Inguen.	The groin.
Lumbus.	The loins.
Canalis vulvæ.	The <i>vagina</i> .
Coxa; coxendix.	The hip.
Femur; crus.	The thigh; the leg.
Genu; poples.	The knee; the ham.
Patella; mola; rotula.	The kneecap.

---

\* From *ab'ho*, to hide, because it hides the viscera. "Abdomen" is very improperly used, although by reputedly good authors, to signify the *cavity* of the belly; it is evident, from its etymology as well as from its employment, that it should be confined to the parietes.

† *Jecur*, or *jekur*, is a Persian term, copied into Turkish as well as into Latin; in the former being pronounced *jegur*. — *Good's Nosology*.

‡ *Hepar* is from the Greek word *ἥπαρ*, the liver.

Sura.	The calf.
Mons pedis; malleolus; talus.	The instep; the ankle; the heel.
Planta pedis.	The sole of the foot.
Digiti pedis.	The toes.

## SECT. XII.

*Varia.*

Sanare; ad sanitatem perdu- cere.	To cure.
Morbum curtare; ad morbum curtandum.	To shorten the dis- ease.
Ad recidivum præcavendum.	To prevent a re- lapse.
Dolorem sedare ( <i>vel</i> lenire.)	To allay ( <i>or</i> relieve) pain.
Somnum facere.	To produce sleep.
Efficere ut quiescat; ad quie- tam conciliandam.	To keep quiet.
In lecto collocare.	To put to bed.
Urinam excitare.	To increase the flow of urine.
Menstrua evocare.	To promote the menses.
Ad aptam crassitudinem; ad ap- tam mollitiem; ad idoneam spissitatem; ad debitam spis- situdinem; ad debitam tena- citatem.	To a proper con- sistence.
Ad gratam aciditatem; ( <i>vel</i> acerbitatem.)	To an agreeable acidity.

Ad acorem compescendum.	To moderate the acidity.
Acorem, ardoremque corrigere.	To correct the acidity and heat (of the stomach.)
Ad gustum conciliandum.	To please the palate.
Gratam saporem reddere.	To an agreeable taste.
Ad foetorem obstandum.	To prevent foetor.
Caput sublime habere.	To raise the head.
Os fumigare.	To fumigate the mouth.
Valetudinarium et vestimenta fumigare.	To fumigate the sick room and the clothing.
Inhalare vapores aquæ tepidæ ( <i>vel</i> calidæ.)	To inhale the vapour of warm water.
Urgente dolore vel tussi.	The pain or cough being troublesome.
Molestante languore aut flatulentiâ.	The languor or flatulence being troublesome.
Febre aggreidente; febre absente; febre durante, ( <i>vel</i> adstante, <i>vel</i> astante;) durante febris exacerbatione.	When the fever is coming on; when the fever is absent; during the fever.
Concusso prius vitro; phialâ prius concussâ; vase prius agitato; ante usum concutiendo lagenam.	The bottle being previously shaken.



Ventriculo jejuno; stomacho vacuo.	The stomach being empty.
Peractâ effervescentiâ.	The effervescence being finished.
Perstante ardore urinæ.	The heat in making water continuing.
Durante lucidâ remissione.	During a lucid remission.
Dolore rheumatico torquente.	The rheumatic pain being troublesome.
Dosi pedetentim crescente.	Gradually increasing the dose.
Tussi ingravescente.	The cough increasing.
Conscendens navem.	Going on board ship.
Durante fluxu cruento.	During the bloody flux.
Pro casus exigentiâ; pro rei exigentiâ.	According to the urgency of the case.
More solito; modo præscripto.	In the accustomed manner; in the manner prescribed.
Accuratè pensi.	Accurately weighed.
Ope penicilli camelini.	By the assistance of a camel's hair pencil.
Ope infundibuli.	By means of a funnel.
Ope calami.	By means of a reed or pipe.

Per fistulam vitream.	Through a glass tube.
Ope syphonis eburnei.	By means of an ivory syringe.
Ope spongiolæ.	By means of a sponge.
Ope bacilli lignei.	By means of a wooden rod.
Si tussis increbuerit; si tussis accreverit.	If the cough should increase.
Si vigilæ anxerint.	If the watchings should be troublesome.
Si pervigilium supervenerit.	If intense watching should come on.
Si malum arthriticum redintegraverit.	If the arthritic (gouty) pain should be renewed.
Si non dormit.	If the patient do not sleep.
Si maxime augeat dyspnœa aut tussis.	If difficulty of breathing, or cough, should be very troublesome.
Si conqueritur dolorem.*	If the patient should complain of pain.
Si tenesmus iterum redierit.	If <i>tenesmus</i> should again return.
Si vires sinant.	If the strength permit.
Si malum urget.	If the pain should be urgent.

---

\* *Conqueritur de dolore* is less proper than *conqueritur dolore*.

Si sitiât.	If the patient be thirsty.
Si spasmus ventriculi aderit.	If the spasm of the stomach be present.
Si minetur morbus.	If the disease threaten.
Donec afficiantur gingivæ.	Until the gums are affected.
Donec gingivæ intumescant.	Until the gums become swollen.
Donec ptyalismus cieatur.	Until ptyalism is produced.
Donec abierit spasmus.	Until the spasm is removed.
Donec evanescant symptomata.	Until the symptoms disappear.
Donec excitentur pustulæ.	Until pustules are produced.
Donec dolor mitescat.	Until the pain mitigates.
Donec somnus obrepat.	Until sleep come on.
Donec æger convalescat.	Until the patient is well.
Donec singultus et nisus ad vomitum cessaverint.	Until the hiccup & attempts to vomit shall have ceased.
Cibus.	Diet (food.)
Victus; diæta.	Diet (course of food.)
Cibus plenus, liberalis ex carnis, ( <i>vel</i> cibus animalis.)	Full and animal diet.
Cibus tenuis, exiguus ex frugibus, ( <i>vel</i> cibus vegetabilis.)	Spare and vegetable diet.
Diæta mediocris.	Middling diet.

Jus ; jusculum ; puls.	Broth ; gruel.
In jusculo calido.	In warm broth.
In poculo jusculi bovini.	In a cup of beef-tea.
Ex jure vitulino.	In veal broth.
In jusculo ovillo.	In mutton broth.
In jusculo avenaceo.	In gruel.
In sero lactis vinosi.	In wine whey.
In lacte vaccino.	In cows' milk.
In lacte asellæ ; in lacte asinino.	In asses' milk.
Ex gelatinâ ribesiæ.	In currant jelly.
Ex melle pinguive ullo humore	In honey or any thing thick.
Ex gelatinâ vituli	In calf's feet jelly.
In quovis vehiculo crasso.	In any thick vehicle.
In quovis grato vehiculo.	In any agreeable vehicle.
Mitte in narthecio, ( <i>vel</i> in olla fictili) ; in ollula.	Send it in a gallipot ; in a little pot.
In pyxide ; ( <i>vel</i> pyxidiculâ ; <i>vel</i> scatulâ.*)	In a pill or lozenge box.
Dentur in chartis.	Let them be sent in papers.
Cerevisia ; cerevisia familiaris ; cerevisia Londinensis ; cerevisia tenuis.	Beer ; porter ; table beer.
Pro potu commune ; pro potu ordinario.	For common drink.

---

\* This word is seldom made use of now ; it is met with in *Gaubius*.

## 2. Abbreviations frequently met with in Prescriptions.

*A. Aa. Ana*, of each ingredient. *A.* or *Aa* is used for brevity.

*Abdom.* *Abdomen*, the belly; *abdominis*, of the belly; *abdomini*, to the belly.

*Abs. febr.* *Absente febre*, in the absence of the fever.

*Ad 2 vic.* *Ad duas vices*, at twice taking.

*Ad 3 tiam vicem.* *Ad tertiam vicem*, for three times.

*Ad gr. acid.* *Ad gratam aciditatem*, to an agreeable sourness.

*Ad def. animi.* *Ad defectionem animi*, to fainting.

*Ad libit.* *Ad libitum*, at pleasure.

*Add.* *Adde*, or *addantur*, add, or let be added; *addendus*, to be added; *addendo*, by adding.

*Adjac.* *Adjacens*, adjacent.

*Admov.* *Admove*, or *admoveatur*, or *admoveantur*, apply or let be applied.

*Adst. febre.* *Adstante febre*, when the fever is on.

*Adv.* *Adversum*, against.

*Aggred. febre.* *Aggrediente febre*, while the fever is coming on.

*Altern. horis.* *Alternis horis*, every other hour.

*Alvo adst.* *Alvo adstricta*, when the belly is bound.

*Aq. bull.* *Aqua bulliens*, boiling water.

*Aq. pluv.* *Aqua pluvialis*, rain water.

*Aq. ferv.* *Aqua fervens*, boiling water.

*Aq. font.* *Aqua fontalis*, spring water.

*Bis ind.* *Bis indies*, twice a day.

*BB. Bbds.* *Barbadensis*, Barbadoes.

*B.M.* *Balneum Mariæ*, or *Balneum Maris*, a warm water bath.

*Bull.* *Bulliat*, or *bulliant*, let boil.

*B.V.* *Balneum vaporosum*, a vapour bath.

*Cærul.* *Cæruleus*, blue.

*Cap.* *Capiat*, let the patient take.

*Calom.* *Calomelas*, (from *καλος* good, and *μελας* black, so called from its virtues and colour,) calomel, or the submuriate of mercury. Formerly this term was applied to the æthiops mineral (*hydrargyri sulphuretum nigrum*.)

*C.C.* *Cornu cervi*, hartshorn. *Cucurbitula cruenta*, a cupping glass.

*C. C. U.* *Cornu\* cervi ustum*, burnt hartshorn.

*C. v.* *Cras vespere*, tomorrow evening.

*C. m.* *Cras mane*, tomorrow morning.

*C. n.* *Cras nocte*, tomorrow night.

*Coch. ampl.* *Cocbleare amplum*, a large spoonful.

*Coob. infant.* *Coch'earæ infantis*, a child's spoonful.

*Coch. magn.* *Cocbleare magnum*, a large spoonful.

*Cochl. med.* *Cocbleare medium*, a dessert spoonful.

*Coch. mod.* *Cocbleare modicum*, a dessert spoonful.

*Coch. parv.* *Cocbleare parvum*, a small spoonful.

*Col.* *Colatus*, strained.

*Colat.* *Coletur*, let it be strained; *colaturæ*, of or to the strained liquor.

*Colent.* *Colentur*, let them be strained.

*Comp.* *Compositus*, compounded.

\* *Cornu*, like all other nouns in *u*, is indeclinable in the singular, but regular in the plural; as plural *cornua, uum, &c.*

*Cont. rem.* *Continuentur remedia*, let the medicines be continued.

*Coq.* *Coque*, boil; *coquantur*, let them be boiled.

*Coq. ad med. consumpt.* *Coque ad medietatis consumptionem*, boil to the consumption of half.

*Coq. S. A.* *Coque secundum artem*, boil according to art.

*Coq. in S. Q.* *Coque in sufficiente quantitate aquæ*, boil in a sufficient quantity of water.

*Crast.* *Crastinus*, for tomorrow.

*Cuj.* *Cujus*, of which.

*Cujusl.* *Cujuslibet*, of any.

*Cyath. theæ.* *Cyatho theæ*, in a cup of tea.

*Deaur. pil.* *Deaurentur pilulæ*, let the pills be gilt.

*Deb. spiss.* *Debita spissitudo*, a proper consistence.

*Decub.* *Decubitus*, of lying down.

*De d. in d.* *De die in diem*, from day to day.

*Dej. alvi.* *Dejectiones alvi*, stools.

*Det.* *Detur*, let it be given.

*Dieb. alt.* *Diebus alternis*, every other day.

*Dieb. tert.* *Diebus tertiis*, every third day.

*Diluc.* *Diluculo*, at break of day.

*Dim.* *Dimidius*, one half.

*Dir. prop.* *Directione propria*, with a proper direction.

*Donec alv. bis dej.* *Donec alvus bis dejiciat*, until two stools have been obtained.

*Donec alv. sol. fuer.* *Donec alvus soluta fuerit*, until a stool has been obtained.

*EjUSD.* *Ejusdem*, of the same.

*Enem.* *Enema*, a clyster; *enemata*, clysters.

*Ext. sup. alut.* *Extende super alutam*, spread upon leather.

*F.* *Fac*, make; *fiat*, *fiant*, let be made.

*F. pil. xij.* *Fac pilulas duodecim*, make 12 pills.

*Feb. dur.* *Febre durante*, during the fever.

*Fem. intern.* *Femoribus internis*, to the inner part of the thighs.

*F. venæs.* *Fiat venæsectio*, bleed.

*F. H.* *Fiat haustus*, let a draught be made.

*Fist. arm.* *Fistula armata*, a clyster pipe and bladder fitted for use.

*Fl. Fluidus*, liquid; also, by measure.

*F. L. A.* *Fiat lege artis*, let it be made by the rules of art.

*F. M.* *Fiat mistura*, let a mixture be made.

*F. S. A.* *Fiat secundum artem*, let it be made according to art.

*Gel. quav.* *Gelatinâ quâvis*, in any kind of jelly.

*G. G. G.* *Gummi guttæ Gambæ*, gamboge.

*Gr.* *Granum*, a grain; *grana*, grains.

*Gtt.* *Gutta*, a drop; *guttæ*, drops.

*Gutt. quibusd.* *Guttis quibusdam*, with a few drops.

*Har. pil. sum. iij.* *Harum pilularum sumantur tres*, let three of these pills be taken.

*H. D. or Hor. decub.* *Horâ decubitûs*, at going to bed.

*H. S. or Hor. som.* *Horâ somni*, just before going to sleep; or on retiring to rest.

*Hor. un. spatio.* *Horæ unius spatio*, at the expiration of an hour.

*Hor. interm.* *Horis intermediis*, at the intermediate hours between what has been ordered at stated times.

*Hor. iimâ. mat.* *Horâ undecimâ matutinâ*, at the eleventh hour in the morning.

*Ind.* *Indies*, from day to day, or daily.

*In pulm.* *In pulmento*, in gruel.

\* Nouns in *i*, as *Gummi*, are for the most part indeclinable in both numbers.



*Inj. enem.* *Injiciatur enema*, let a clyster be given.

*Lat. dol.* *Lateri dolenti*, to the side that is affected.

*lb.* *Libra*, a pound weight.

*M.* *Misce*, mix; *mensurâ*, by measure; *manipulus*, a handful; *minimum*, a minim.

*Mane pr.* *Mane primo*, very early in the morning.

*Min.* *Minimum*, the 60th part of a drachm measure.

*Mitt.* *Mitte*, send; *mittatur*, or *mittantur*, let there be sent.

*Mitt. sang ad ℥xij saltem.* Take away at least 12 oz. of blood.

*Mod. præsc.* *Modo præscripto*, in the manner directed.

*Mor. sol.* *More solito*, in the usual manner.

*Ne tr. s. num.* *Ne tradas sine nummo*, do not deliver it unless paid A caution to the shopman, when the presence of the customer prevents the master giving a verbal direction.

*N. M.* *Nux Moscbata*, a nutmeg.

*No.* *Numero*, in number.

*O.* *Octarius*, a wine pint.

*Ol. lini s. i.* *Oleum lini sine igne*, cold drawn linseed oil.

*Omn. hor.* *Omni horâ*, every hour.

*Omn. bid.* *Omni biduo*, every two days.

*Omn. bib.* *Omni biborio*, every two hours.

*O. M.* or *Omn. man.* *Omni mane*, every morning.

*O. N.* or *Omn. noct.* *Omni nocte*, every night.

*Omn. quadr. hor.* *Omni quadrante horæ*, every quarter of an hour.

*O. O. O.* *Oleum olivæ optimum*, best olive oil.

*Oz.* The ounce Avoirdupois, or common weight, as distinguished from that prescribed by physicians in their orders.

*Part. equal.* *Partes æquales*, equal parts.

*P.* *Pondere*, by weight.

*Pb. D.* *Pharmacopœia Dublinensis*.

*Pb. E.* *Pharmacopœia Edinensis*.

*Pb. L.* *Pharmacopœia Londinensis*.

*Pb. U. S.* *Pharmacopœia of the United States*.

*Part. vic.* *Partitis vicibus*, to be given in divided doses, instead of all at once.

*Per. op. emet.* *Peractâ operatione emetici*, when the operation of the emetic is finished.

*Post sing. sed. liq.* *Post singulas sedes liquidas*, after every loose stool.

*Ppt.* *Præparata*, prepared.

*P. r. n.* *Pro re nata*, according as circumstances may require.

*P. rat. æt.* *Pro ratione ætatis*, according to the age of the patient.

*Pug.* *Pugillus*, a gripe between the finger and thumb.

*Q. p.* *Quantum placet*, as much as you please.

*Q. s.* *Quantum sufficiat.* or *quantum satis*, as much as is sufficient.

*Quor.* *Quorum*, of which.

*Q. V.* *Quantum vis, quantum voluerit*, as much as you will.

*Rx.* *Recipe*, take. Ancient authors use this sign  $\mathcal{R}$ , being the old heathen invocation to Jupiter, seeking his blessing upon the formula, equivalent to the usual invocation of the poets and of Mahomedan authors, or the *Laus Deo* with which book-keepers and merchants' clerks formerly began their books of account and invoices, a practice not yet quite extinct.

*Red. in pulv.* *Redactus in pulverem*, powdered.

*Redig. in pulv.* *Redigatur in pulverem*, let it be reduced to powder.

*Reg. umbil.* *Regio umbilici*, the parts near the navel.

*Repet.* *Repetatur*, or *repetantur*, let be continued.

*S. A.* *Secundum artem*, according to art.

*S. N.* *Secundum naturam*, according to nature.

*Semidr.* *Semidrachma*, half a drachm.

*Semib.* *Semibora*, half an hour.

*Sesunc.* *Sesuncia*, an ounce and a half.

*Sesquib.* *Sesquibora*, an hour and a half.

*Si n. val.* *Si non valeat*, if it does not answer.

*Si op. sit.* *Si opus sit*, if there be occasion.

*Si vir. perm.* *Si vires permittant*, if the strength will bear it.

*Signatura*, a label.

*Sign. n. pr.* *Signetur nomine proprio*, write upon it the usual name, not the trade name.

*S. S. S.* *Stratum super stratum*, layer upon layer.

*Ss.* *Semi*, a half.

*St.* *Stet*, let it stand; *stent*, let them stand.

*Sub fin. coct.* *Sub finem coctionis*, when the boiling is nearly finished.

*Sum tal.* *Sumat talem*, let the patient take one like this.

*S. V.* *Spiritus vinosus*, ardent spirit of any strength.

*S. V. R.* *Spiritus vini rectificatus*, spirit of wine.

*S. V. T.* *Spiritus vinosus tenuis*, proof spirit, or half and half spirit of wine and water.

*Temp. dext.* *Tempori dextro*, to the right temple.\*

*T. O.* *Tinctura opii*, tincture of opium; generally confounded with laudanum, which is properly the wine of opium.

---

\* *Tempora*, the temples, although generally used in the plural, yet is sometimes found in the singular.

32 TERMS USED IN PRESCRIPTIONS.

T. O. C. *Tinctura opii camphorata*, paregoric elixir.

Tra. *Tinctura*, tincture.

Ult. præscr. *Ultimo prescriptus*, the last ordered.

V. O. S. *Vitello ovi solutus*, dissolved in the yelk of an egg.

Vom. urg. *Vomitione urgente*, the vomiting being troublesome.

Zz. *Zingiber*, ginger.

ʒ. *Scrupulum*, a scruple, equal to 20 grains Troy.

ʒ. *Drachma*, a drachm, equal to 3 scruples; or in liquids the 8th part of an ounce measure.

℥. *Uncia*, an ounce Troy; or in liquids the 16th part of a wine pint.

## PART II.

*Prescriptions illustrating the Application of the preceding Terms, &c.*

---

### FORMS FOR BLOODLETTING, &c.

1.—DETRAHATUR è brachio sanguis ad uncias decem.

---

2.—Fiat venæsectio, ut fluant sanguinis ℥v.

---

3.—Opus est venam cubiti secare, ut sanguis fluat ad ℥x.

---

4.—Ad recidivum præcavendum, detrahatur sanguis pro re nata.

---

5.—Extrahatur sanguis pleno rivo, ad ℥vj, quamprimum.

---

6.—Emitte sanguinis ℥xvj saltem, vel ad deliquium.

7.—Dimove sanguinem per saltum, ad  $\bar{z}x$ .

---

8.—Repetatur sanguinis detractio statim, ad eandem quàm antea quantitatem.

---

9.—Detrahantur ex arteriâ temporali sanguinis unciaë sex, quamprimum.

---

10.—Mittatur sanguis ex largo vulnere, ad  $\bar{z}x$ , vel donec æger pallescat vel languescat.

---

11.—Repetatur sanguinis detractio, et localis et generalis.

---

12.—Iterum fiat venæsectio, ad defectiõnem nimi.

---

13.—Iteretur venæsectio ad  $\bar{z}vj$  tantum.

---

14.—Sanguis eodem modo, quo ante, iterum mittendus est, ad uncias vero sexdenas.

15.—Pertundatur vena Brachii, et detrahatur sanguis, ad  $\bar{z}$ xx, vel usque ut liquerit animus.

---

16.—Repetatur venæsectio ad tres alias vices, ad eandem quantitatem, tribus diebus sequentibus, quando dolor et respirandi difficultas suadeant.

---

17.—Die sequente celebretur iterum venæsectio, ad eandem quantitatem.

---

18.—Mittatur sanguis è brachio, ad  $\bar{z}$ xij, quamprimum; ac postea ex venâ jugulari ad  $\bar{z}$ vij.

---

19.—Sanguis denuò mittendus est, ad  $\bar{z}$ x.

---

20.—Mittatur sanguis illico, ad  $\bar{z}$ xij vel ultra.

---

21.—Mittatur sanguis de novo, et repetatur ad ànimi ferè deliquium.

22.—Extrahatur sanguis è brachio; et eodem die post aliquot horas, vel die sequenti, duabus horis post leve prandium, capiat pulverem emeticum.

---

23.—Si primæ venæsectioni non cedat morbus, tum repetatur; et nondum cessante, ad duas alias vices celebretur, interposito semper die uno.

---

24.—Juvabit cruorem iterum mittere ad uncias duodenas sexdenasvè.

---

25.—Nec non applicentur cucurbitulæ c. ferro nuchæ capitis mittatur sanguis ad ʒxij.

---

26.—Statim abradatur capillitium, et applicentur cucurbitulæ cruentæ nuchæ.

---

27.—Applicentur cucurbitulæ cum ferro sub aurem lateris affecti et mittatur sanguis ad ʒiv.



28.—Admoveantur cucurbitulæ cum scarificatione, parti thoracis dolenti pro re nata, et exsugatur sanguis ad  $\text{℥viiij}$ .

---

29.—Applica hirudines vj, talo et monti pedis.

---

30.—Semel in Septimanâ, applicentur temporibus utrinque, hirudines iij.

---

31.—Hirudines xxiv statim lumbis admoveantur, et quando remoti sunt, cataplasma emolliens applicetur.

---

32.—Admoveantur hirudines tres singulis temporibus, si adsit dolor capitis.

---

33.—Applicentur jugulo hirudines iv; et post fluxum sanguinis, applicetur Emplastrum Lyttæ.

---

34.—Detrahantur de hypochondrio dextro, sanguinis unciæ octo, ope cucurbitularum cruentarum.

35.—Detrahantur ex Ischio affecto, et partibus adjacentibus, ope cucurbitularum cum scarificatione, sanguinis  $\bar{z}$ vj.

---

36.—Applicentur adversum renes, hiru-  
dines xij vel cucurbitulæ cruentæ, ut extra-  
hantur sanguinis  $\bar{z}$ xij.

---

37.—Convulsione redeunte, haud aliter,  
detrahatur sanguis per cucurbitulas tres.

---

38.—Si dolor perstiterit ad latus, mittantur  
sanguinis  $\bar{z}$ xx è Brachio.

---

39.—Admoveantur regioni Renum hiru-  
dines xij.

---

40.—Sanguisugæ tres fronti imponantur.

---

41.—Admoveatur cucurbitula sicca regioni  
hepatis.

## FORMS FOR BLISTERS, &amp;c.

42.—APPLICA Emplastrum Cantharidis tumori in alâ dextrâ, per spatium xij horarum, vel donec in vesicam manifestò epidermis elata sit.

---

43.—Applicetur abdomini, Emplastrum Lyttæ super alutam satis latam extensum.

---

44.—Admoveatur parti thoracis superiori, Emplastrum Lyttæ, et post vesicationem applicetur ceratum sabinæ, ut ulcus perpetuum fiat. Fluxu cessante utatur sequenti

R. Cerati Sabinæ  
Unguenti Lyttæ p. æ.

---

45.—Admoveatur Emplastrum Lyttæ (ad exemplar) externæ parti gutturis.

---

46.—Admoveatur capiti raso unguentum cantharidis, usque ad vesicationem.

47.—Admoveatur coxæ vesicatorium, et postea unguentum sabinæ.

---

48.—Admoveatur prope cartilagine[m] Thyroideam utrinque, Emplastrum Lyttæ.

---

49.—Abradatur capillitium, et admoveatur toti capiti Emplastrum Lyttæ.

---

50.—Applicetur prope articulum femoris superiorem, Emplastrum Lyttæ, super quod, drachma pulveris lyttæ inspergenda est.

---

51.—Si valde urgeat dyspnœa, applicetur Emplastrum Lyttæ, et fiat ulcus perpetuum ope unguenti sabinæ.

---

52.—℞ Emplastri Galbani... ℥fs  
 ———— Resinæ.... ℥ij

Misce. Fiat emplastrum super alutam extendendum, quibus pedes involvantur post pediluvium.

---

53.—Imponatur nuchæ capitis, vel suris externis, Emplastrum Lyttæ.

54.—Emplastrum Lyttæ collo imponatur quâ dolet.

---

55.—Admoveatur Emplastrum Lyttæ lateri sinistro.

---

56.—Applicetur emplastrum epispasticum satis amplum et acre, inter scapulas.

---

57.—℞ Lyttarum in pulverem tenuissimum tritarum.... ʒj  
 Camphoræ Pulveris .... ʒj  
 Ceræ Flavæ  
 Sevi ppt. āā ..... ʒj  
 Adipis pptæ ..... ℥ij

Cerâ, Sevo, et Adipe simul liquefactis, paulo antequam concrecant, Lyttas et Camphoram insperge, atque omnia misce ut fiat emplastrum epispasticum regioni jecoris applicandum.

---

58.—Applicetur Emplastrum Lyttæ occipiti. Curetur pars exulcerata unguento sabinæ.

59.—Nata humoris detractio ab emplastro lyttæ, si res postulaverit, promoveatur.

---

60.—Emplastra duo vesicatoria, brachiis internis infra cubitos, quamprimum applicentur.

---

61.—Applicetur emplastrum lyttæ genu, et fluxus postea eliciatur ope unguenti sabinæ.

---

62.—Ceratum Lyttæ partibus excoriatis imponatur, ut natus humor ab emplastro lyttæ promoveatur.

---

63.—Applicetur gulæ Emplastrum Lyttæ.

---

64.—Admoveatur Emplastrum Lyttæ propè coxendicem.

---

65.—℞ Pulveris Euphorbii.... ℥ss  
 Cerati Sabinæ..... ℥j  
 Emplastri Thuris..... ℥ss

Simul bene contritis, sit emplastrum scuto pectoris.

66.—Fiat Fonticulus, ex parte vesicatorii ope unguenti sabinæ.

---

67.—Applicetur Emplastrum Lyttæ scrobiculo cordis, vel regioni epigastricæ.

---

68.—℞ Ammoniæ Muriatis.... ʒj  
 Saponis Duri ..... ʒij  
 Emplastri Plumbi .... ʒss

Emplastrum et saponem simul liqua, et paulo antequam concrenent, immisce salem in pulverem tenuem tritum. Extensum super alutam, parti affectæ quamprimum applicetur, et pro re nata repetatur.

---

69.—Caput tonderi debet, et emplastro vesicatorio circumcirca tegi.

---

70.—Applicetur regioni singulorum renum, emplastrum lyttæ parvum (magnitudinis nummi semicoronæ).

## FORMS FOR MIXTURES, &amp;c.

71.—℞ Vini Aloes ..... ʒi  
 Infusi Sennæ ..... ʒifs  
 Magnesiæ Sulphatis .. ʒiv

Misce. Hujus capiat unciam, horâ septimâ matutinâ ; et circiter horam decimam, partem reliquam sumat, si opus fuerit.

72.—℞ Liquoris Ammoniaë Acetat. ʒiv  
 Liquoris Antimonii Tart.. ʒiv  
 Tincturæ Cardamomi Co. . . ʒij  
 Aquæ Menthæ Piperitæ .. ʒij  
 fiat mistura, cujus unciaë duæ omni horæ quadrante calidè sorbeantur, durante frigore.

73.—℞ Tincturæ Valerianæ.... ʒij  
 Dentur guttæ tres subinde, è cochleare parvulo infusi radicis Valerianæ sylvestris, sub formâ theæ parati.



74.—℞   Liquoris Ammoniaë Acetatis ʒiv  
           Spiritus Ætheris Nitrici .. ʒij  
           Aquaë Menthaë ..... ʒij

Misce. Capiat cochleare amplum 6tâ quâque horâ durante febre; et absente febre pulverem cinchonæ ut ante.

---

75.—℞   Infusi Quassiaë ..... ʒv  
           Acidi Sulph. dil. .... ʒij

Sorbeat æger ʒj 6tâ quâque horâ ad sudationem compescendam.

---

76.—℞   Misturæ Amygdalæ.. ʒiv  
           Syrupi Scillaë ..... ʒij  
           Tincturæ Opii ..... gtt. xl

Quod unciatim sumatur, tussi admodum ingravescente.

---

77.—℞   Infusi Gentianæ Co.... ʒvj  
           Magnesiaë Sulphatis.... ʒj

Capiat cochlearia tria magna post jentaculum et post prandium quotidie.

78.—℞   Liquoris Ammoniae Acet. ℥ij  
           Aquæ Menthæ Virid. . . . . ℥iv  
           Syrupi Croci . . . . . ℥ij  
           Spiritus Ætheris Nitrici ℥ij

Misce. Cochlearia duo magna secundis horis sumantur, sæpius vel rarius pro febris impetûs ratione.

---

79.—℞   Foliorum Rosæ . . . . . ℥j  
           Aquæ Ferventis . . . . . ℥viii

Stent per horam ; colaturæ adde succi Limonium, sacchari albi, āā q. s. ad gratam acidinem dulcedinemque.

---

80.—℞   Tinct. Castorei . . . . . ℥j  
           Tinct. Opii . . . . . ℥ij  
           Infusi Aurantii Co. . . . . ℥iv

Misce. Capiat unciam omni horâ, donec sedantur symptomata.

---

81.—℞   Antimonii Tartarizati . . gr. vj  
           Aquæ Puræ . . . . . ℥iv  
           Syrupi Rhœados . . . . . ℥j

Misce. Capiat cochleare minimum subinde, ad nauseam vel vomitum promovendum.

82 R.—Sodæ Subcarbonatis .. ʒijſs  
 Crystallorum Tartari.. ʒiij  
 Aquæ Puræ ..... ʒviij

Stent in lagena bene obturata, per triduum,  
 et deinde sit in promptu pro potu cathartico.

83.— Sodæ Carbonatis..... ʒij  
 Ferri Sulphatis..... gr. iij  
 Magnesiae Subcarb. .... ʒj  
 Aquæ Puræ ..... Oſs  
 Acidi Sulphurici diluti f3x

Infundatur primum lagenæ aqua, dein immit-  
 tantur salina, et denique acidum sulphuri-  
 cum; illico obturetur lagena, et in loco fri-  
 gido servetur.

84.—R Magnesiæ Subcarbonatis.. ʒij  
 Pulveris Rhei ..... ʒj  
 Aquæ Menthæ viridis.... ʒvj  
 Syrupi ..... ʒij

Misce. Capiat unciam omni horâ, donec  
 leniatur dolor.

85.— Infusi Rhei..... ʒvj  
 Magnesiae Sulphatis.... ʒj

Misce. Fiat mistura cathartica in promptu  
 servanda.

86.—℞ Decocti Lichenis . . . . . Oj  
Sumat æger poculum, omni bihorio.

---

87.—℞ Magnesiae Carbonatis . . . . . ʒj  
Aquæ Menthæ . . . . . ʒvj  
Tincturæ Opii . . . . . ʒj  
Misce Sumat cochlearia duo, dum flatus  
infestat.

---

88.—Capiat cochlearia duo ampla aquæ  
menthæ piperitæ, omni horâ, donec singultus  
et nisus ad vomitum cessaverint.

---

89.—℞ Tincturæ Digitalis . . . . . ʒiij  
Acidi Prussici . . . . . gtt. xx  
Misce. Hujus capiat guttas xx ter die, ex  
cyatho aquæ frigidæ, dosin sensim augendo,  
pro-ut caput aut ventriculus ferre queat.

---

90.—℞ Magnesiae Carbonatis . . . . . ʒj  
Pulveris Rhei . . . . . gr. xv  
Aquæ Anethi . . . . . ʒifs  
Misce, fiat julepium, cujus unum cochleare  
minimum infantulo lactenti detur, secundis  
horis; phialâ agitâtâ.

91.—℞ Misturæ Ammoniaci . . . ℥vj  
Tincturæ Opii . . . . . ℥j

Misce. Capiat cochlearia duo magna statim :  
iterentur post horam, si tussis accreverit.

---

92.—℞ Decocti Hordei . . . . . ℥x  
Olei Olivæ . . . . . ℥ij  
Mucilaginis Acaciæ . . . ℥j

Tere oleum cum mucilagine donec probè  
coiverint, tum sensim adde decoctum ut fiat  
enema. Interdum addere liceat Magnesiae  
Sulphatis ℥j.

---

93.—℞ Spiritûs Ammoniacæ . . . . . ℥j  
Tincturæ Assafoetidæ . . . ℥fs  
Syrupi Croci . . . . . ℥fs  
Aquæ Cinnamoni . . . . . ℥j

Misce. Exhibe cochleare parvum ter qua-  
erve de die, vel sæpius, urgente convulsione  
et spasmò.

---

94.—℞ Misturæ Cretæ . . . . . ℥vj  
Tincturæ Opii . . . . . ℥j

Fiat mistura, cujus sumantur cochlearia tria  
magna post singulas dejectiones liquidas.

- 95.—R Sodæ Sulphatis ..... ℥iſs  
 Sodæ Phosphatis ..... ℥j  
 Syrupi Rhamni ..... ℥iv  
 Aquæ Menthæ ..... ℥vj

Misce. Sumet unciam statim, et repetatur  
 dosis post horas duas, nisi alvus prius respon-  
 derit.

---

- 96.—R Syrupi Papaveris ..... ℥iv  
 Aquæ Menthæ ..... ℥iv  
 Tincturæ Scillæ ..... ℥j

Fiat mistura, cujus cochlearia duo, pro dosi,  
 sumantur urgente tussi.

---

- 97.—R Tincturæ Hyoscyami.... ℥iſs  
 Potassæ Acetatis ..... ℥iv  
 Syrupi Croci ..... ℥ij  
 Aquæ Anisi ..... ℥vj

Fiat mistura, cujus sumantur cochlearia duo  
 vel tria minima, bis tervè in die, vel ut opus  
 sit.

---

- 98.—R Ipecacuanhæ Radicis pulveris, ℥iſs  
 Potassæ Supertartratis..... ℥j  
 Aquæ ferventis..... ℥iijſs

Macera per horam integram, dein cola et ad-  
jice.

Syrupi ..... f̄<sup>3</sup>fs

Misce. Detur semuncia vel cochleare am-  
plum, omni semihorâ, donec vomitum pro-  
ritaverit.

---

99.—℞ Tincturæ Opii ..... ʒj

Misturæ Cretæ ..... ʒvj

Misce. Capiat cochlearia duo magna omni  
quadrante horæ.

---

100.—℞ Decoct. Aloës Comp .... ʒiv

Magnesiae Sulphatis .... ʒifs

Misce. Cochlearia duo ampla intermissionis  
tempore sumantur, ita ut purgatio ex toto ces-  
saverit, ante accessum paroxysmi.

---

101.—℞ Infusi Rosæ..... f̄<sup>3</sup>vj

Magnesiae Sulphatis .... ʒfs

Fiat Mistura: sumat cochlearia duo ampla  
statim, et intervallo horarum quatuor repetat  
nisi prius dejecerit alvus.

102.—℞ Sodæ Tartarizatæ ..... ℥ij  
 Aquæ Menthæ ..... ℥viiij

Misce. Capiat cochlearia duo ampla omni  
 bihorio, ad sedes promovendas.

---

103.—℞ Plumbi Acetatis..... gr. iv  
 Aquæ Distillatæ..... ℥iv  
 Syrupi Papaveris ..... ℥ij

Misce. Capiat cochleare amplum mane  
 quotidie; repetatur dosis ad tres vices, et  
 deinde capiat æger haustum aliquem pur-  
 gantem.

---

104.—℞ Magn. Sulph. .... ℥ifs  
 Acidi Sulph. dil..... ℥ifs  
 Aquæ Menth. Pip..... ℥vi  
 Syrupi Rhæados..... ℥ij

Misce. Hujus misturæ sumantur cochlearia  
 quatuor, omnibus tribus horis, donec venter  
 ritè solutus fuerit.

---

105.—℞ Infusi Sennæ ..... ℥j  
 Magnesiæ Sulphatis .... ℥ifs

Misce. Capiat quartâ quâque die.



℞ Tincturæ Valerianæ . . . . 3fs  
 Tincturæ Assafoetidæ . . gtt. xx  
 Aquæ Puræ . . . . . ʒij

Misce. Capiat cochlearia duo magna, in languoribus, præcipuè diebus purgationi deditis.

---

106.—℞ Misturæ Amygdalæ . . . . ʒvj  
 Tincturæ Opii . . . . . 3fs

Misce. Capiat cochlearia magna duo, quartâ quâque horâ, si tussis increbuerit.

---

107.—℞ Antimonii Tartarizati . . . . gr. iij  
 Infusi Sennæ . . . . . ʒiij  
 Aquæ Pimentæ . . . . . ʒiv

Misce. Repetantur cochlearia duo ampla omni semihorâ, donec supervenerit vomitus, vel alvus dejecerit.

---

108.—℞ Tincturæ Jalapæ . . . . . ʒiv  
 Potassæ Sulphatis . . . . . ʒfs  
 Aquæ Menthæ . . . . . ʒvj

Misce. Sumat cochlearia majora duo, omni quadrante horæ, donec alvus copiosè responderit.

109.—℞ Lichenis Islandici . . . . . ℥j  
 Aquæ frigidæ . . . . . Oj

Coque ad uncias duodenas; stet ut geletur,  
 et utatur æger gelatinæ ad libitum.

---

110.—℞ Lactis Vaccini . . . . . Oj  
 Sinapis Sem. contusorum ℥j

Coquantur simul, donec pars casearia in co-  
 agulum abierit, deinde coletur serum, et  
 hujus sumatur cyathus subinde.

---

111.—℞ Liquoris Ammon. Acet. . ℥iv  
 Tincturæ Opii . . . . . ℥fs  
 Aquæ Menthæ . . . . . ℥vj

Misce. Capiat cochlearia duo, invadente pa-  
 roxysmo caloris in febris intermitten-  
 tibus.

---

112.—℞ Infusi Sennæ . . . . . ℥vj  
 Sumat primò, omni quadrante horæ, coch-  
 leare; dein assumptionis vices protrahan-  
 tur, ad horam, et ultra pro successu.

113.—℞   Liquoris Ammoniae Acetat. ℥iv  
           Liquoris Antimonii Tart. . . ℥ij  
           Aquæ Menthæ . . . . . ℥iv

Misce. Sumat omni horâ amplum cochleare,  
 donec sudor prodeat.

---

114.—℞   Decocti Aloes compos. . . ℥vj  
 Capiat æger cochlearia tria ampla pro re nata;  
 postea augendo, minuendovè quantitatem,  
 prout sedes pauciores pluresvè promoverit.

---

115.—℞   Cretæ præparatæ . . . . . ℥j  
           Tincturæ Opii . . . . . ℥fs  
           Aquæ Cinnamomi. . . . . ℥vj

Misce, et agitando phialam, dentur cochlearia  
 duo, secundâ quâque horâ, serius vel citius  
 ut res postulet, dum vexant ventriculi tor-  
 mina vel vomitus.

---

116.—℞   Vini Ipecacuanhæ . . . . . ℥j  
 fiat haustus, statim sumendus.

℞   Misturæ Amygdalæ . . . . . ℥vj  
       Tincturæ Opii. . . . . ℥j

Misce. Capiat cochlearia duo ampla, sub  
 finem vomitionis.

117.—℞	Tincturæ Rhei.....	ʒi
	Tincturæ Gentianæ ....	ʒfs
	Aquæ Pimentæ .....	ʒiv
	Syrupi Croci .....	ʒi

Fiat mistura, cujus sumat æger cochlearia duo, urgente ventriculi dolore, flatu, nausæâ, vel languore.

---

118.—℞	Tincturæ Opii.....	ʒfs
	Tinct. Cardamom .....	ʒfs
	Syrupi Croci.....	ʒiv
	Aquæ Cinnamomi .....	ʒvj

Misce. Capiat cochlearia duo maxima, post singulas vomitiones vel sedes liquidas.

---

119.—℞	Decocti Cinchonæ .....	ʒvj
	Acidi Sulphurici Diluti..	ʒj
	Syrupi Aurantiorum ...	ʒfs

Misce. Hujus misturæ, cochlearia quatuor, horis duabus interpositis, sumantur, ad sudationes diminuendas.

---

120.—℞	Tincturæ Opii.....	ʒfs
	Confectionis Aromaticæ..	ʒj
	Aquæ Menthæ Piperit ..	ʒvj

Fiat Mistura, cujus sumantur cochlearia tria magna, post unamquamque sedem mollem: phialâ priùs concussâ.

- 121.—℞ Spiritûs Ammoniacæ . . . . . ʒj  
 Tincturæ Castorei . . . . . ʒiij  
 Spiritûs Lavendulæ . . . . . ʒij  
 Aquæ Pimentæ . . . . . ʒj

Fiat mistura, cujus drachmæ duæ, pro re natâ, ingerantur, contra languorem, et deliquium.

---

- 122.—℞ Infusi Sennæ . . . . . ʒvj  
 Tincturæ Jalapæ . . . . . ʒvj

Misce. Sumantur cochlearia tria ampla, singulis horis, ad plenam alvi solutionem.

---

123.—Perstet in usu misturæ catharticæ, donec alvus ter quaterve plenè responderit.

---

- 124.—℞ Misturæ Ammoniaci . . . . . ʒvj  
 Capiat æger cochleare magnum bis in die, ex poculo jusculi bovini; contra raucedinem.
- 

- 125.—℞ Tincturæ Scillæ . . . . . ʒj  
 Mucilaginis Acaciæ . . . . . ʒj  
 Tincturæ Opii . . . . . ʒj

Misce; fiat mistura, de quâ subindè capiat drachmam unam guttatim, ad gulam emolliendam, et expuitionem promovendam.

- 126.—℞ Ammoniae Carbonatis.... ʒj  
 Tincturae Cardamomi... ʒj  
 Syrupi Rhæados..... ʒij  
 Aquæ Menthæ Piperitæ ʒiv

Fiat mistura, de quâ capiat unum cochleare largum, si pustulæ evanesceant.

---

- 127.—℞ Liquoris Ammoniae Acet. ʒj  
 Liquoris Antimonii Tart. ʒj  
 Aquæ Menthæ Sativæ .. ʒiv  
 Syrupi Croci ..... ʒj

Fiat mistura, de quâ unum cochleare largum, secundis vel tertiis horis exhibeatur; sæpiùs rariusvè prout febris vehementior vel mitior fuerit.

---

- 128.—℞ Tincturae Assafoetidæ.... ʒij  
 Ammoniae Carbonatis.... ʒfs  
 Aquæ Pulegii ..... ʒiv

Fiat mistura, de quâ capiat cochleare unum vel cochlearia duo in languoribus, vel sudoribus frigidis, vel frigoris paroxysmis.

---

- 129.—℞ Infusi Lini ..... Oj  
 Magnesiæ Sulphatis ..... ʒj

Misce. Dosis tres quatuorve cyathi.

- 130.—R Potassæ Supertartratis . . ʒj  
 Olei Limonis . . . . . gutt. xv  
 Sacchari purificati . . . . . ʒij  
 Aquæ bullientis . . . . . Oij

Misce. Usurpetur pro potu communi, ubi æger intensâ siti vexatur.

---

- 131.—R Pulveris Jalapæ . . . . . ʒj  
 Pulveris Zingiberis . . . . . gr. xx  
 Magnesiæ Sulphatis . . . . . ʒj  
 Aquæ Puræ . . . . . ʒvj

Misce. Cochleare unum singulis horis exhibeatur, quâque vice phialam agitando, ut permisceatur pulvis.

---

- 132.—R Corticis Cinchonæ . . . . . ʒifs  
 Magnesiæ Sulphatis . . . . . ʒij  
 Aquæ Puræ . . . . . Oij

Coque per sextam partem horæ in vase leviter clauso, et liquorem adhuc calentem cola; sub finem adde Syrupi Absinthii ʒij. Tertiâ vel quartâ quâque horâ cyathus unus exhibeatur, intermissionis tempore.

133.—℞ Infusi Gentianæ ..... ℥vj  
 Magnesiæ Sulphatis..... ℥ij  
 Misc. Usurpetur ad ℥ij bis vel ter in die,  
 longe à pastu et maxime jejuno ventriculo.

---

134.—℞ Decocti Hordei ..... Ofs  
 Nitri purificati..... 3fs  
 Misc. Duabus vel tribus exhibeatur vicibus,  
 duarum horarum intervallo.

---

135.—℞ Spiritus Ammonię Arom. 3j  
 Liquoris Ammonię Acet. ℥iv  
 Tincturæ Opii..... 3j  
 Aquæ Pimentæ ..... ℥iv  
 Misc, et divide in haustus quatuor, quorum,  
 unus usurpari potest, si pulsus languescat,  
 vel pustulæ subsiderint.

---

136.—℞ Tincturæ Opii ..... 3j  
 Aquæ Menthæ Piperitæ.. ℥vj  
 Syrupi Croci ..... ℥ij  
 Misc. Singulis sesquihoris cōchleare exhibeatur.



137.—℞

Tincturæ Opii.....	ʒj
Syrupi Croci .....	ʒj
Tincturæ Cardamomi....	ʒij
Aquæ Cinnamomi .....	ʒvj

Misce. Cochleare unum exhibeatur, dosisque iteretur, prout urgeat morbus.

---

138.—℞

Liquoris Ammoniaæ Acet.	ʒij
Tincturæ Opii .....	ʒj
Liquoris Antimonii Tart.	ʒj
Aquæ Menthæ .....	ʒij

Misce, et in tres quatuorve doses divide, cujus una omni bihorio in insultuum remissione sumenda.

---

139.—℞

Vini Colchici .....	ʒij
Tincturæ Jalapæ .....	ʒj
Infusi Sennæ .....	ʒij

Misce. Ista dosis, in duas partes dividi potest, quarum una mane, altera sero exhibeatur.

---

140.—℞

Tincturæ Opii.....	ʒj
Aquæ Menthæ .....	ʒiv
Syrupi Croci .....	ʒij

Misce. Capiat unciam donec incipiat leniri dolor.

141.—Ætheris cochleare minimum urgente flatu in aquâ menthæ piperitæ sumendam.

---

142.—℞ Decocti Cinchonæ ..... ℥ij  
 Tincturæ Myrrhæ ..... ℥ss  
 Acidi Muriatici ..... q. s.  
 ad gratam acerbitem reddendam.

---

143.—℞ Tincturæ Sennæ..... ℥j  
 Tincturæ Jalapæ ..... ℥ij  
 Aquæ Pimentæ ..... ℥ij  
 Misc. Capiat dimidium statim, et semihorâ elapsâ, quod reliquum est.

---

144.—Prætermittatur mistura salina.

---

145.—Capiat Tincturæ Opii guttas xxx horâ somni, et repetantur omni 3tia horâ perstante dolore et spasmò.

---

146.—℞ Tincturæ Castorei ..... ℥ij  
 Tincturæ Serpentariæ ... ℥ij  
 Aquæ Pimentæ ..... ℥ij  
 Misc. Capiat cochleare modicum, 4tis horis, aggregente febre.

147.—℞ Infusi Sennæ ..... ℥iv  
Magnesiæ Sulphatis .... ℥j

Misce. Ex hoc mixto, primo die, cochleare unum, altero die, duo, et sic deinceps propinentur.

---

148.—℞ Sarsaparillæ Radicis  
Zingiberis Radicis contus. āā ℥ss  
Sassafras radicis concisæ .. ℥j

Coque leni igne in aquæ fontanæ Oiv, ad dimidiam consumptionem ut fiat decoctum, cujus bibat ℥viiij modicè tepelacti post bolum, et mane repetatur in lecto ad diaphoresin ciendam.

---

149.—℞ Acidi Sulphurici diluti .. ℥ss  
Syrupi Rhæados..... ℥ij  
Tincturæ Cardamomi..... ℥ij;

fiat Mistura, cujus sumat cochleare minimum, sextis horis, in quovis vehiculo grato.

---

150.—℞ Spiritûs Ammoniæ Arom. ℥j  
Tincturæ Cardomomi ... ℥ij  
Tincturæ Castorei ..... ℥j  
Aquæ Pulegii ..... ℥iv

Sumat opprimentæ languore, cochlearia ampla duo.

- 151.—℞ Tincturæ Castorei  
 Tincturæ Myrrhæ āā ... ʒj  
 Mist. Amygdalæ ..... ʒvj  
 Syrupi Croci ..... ʒj

Misce. Sumat cochlearia quatuor ampla, manè, meridiè, et horâ somni, ad biduum vel triduum; quo elapso, et uno tantum die interjecto, sumat Potionem emeticam sequentem manè, superbibendo Infusi Florum Anthemidis q. s. ad vomitiones quater aut quinque proritandas, cum debito regimine.

152. ℞ Vini Ipecacuanhæ ..... ʒj  
 Antimonii Tartar ..... gr. ij

Misce; et, fiat Potio.

- 153.—℞ Sodæ Tartarizatæ ..... ʒfs  
 Tincturæ Rhei ..... ʒfs  
 Syrupi communis ..... ʒij  
 Aquæ Pimentæ ..... ʒvj

Fiat mistura, cujus capiat æger cochlearia tria magna omni bihorio donec alvus purgetur.

- 154.—℞ Aquæ Pluvialis ..... ʒij  
 Antimonii Tartarizati ... gr. ij

Solve; hujus danda sunt cochlearia duo mediocria singulis horæ quadrantibus, donec vomitus sequatur.

- 155.—℞ Infusi Sennæ..... ℥vj  
 Tincturæ Sennæ ..... ℥ss  
 Magnesiæ Sulphatis.... ℥j

Fiat mistura, cujus capiat æger cochlearia duo magna, bis terve in hora, donec adsit catharsis.

---

- 156.—℞ Catechu ..... ℥ss  
 Aquæ Puræ ..... ℥xij

Coque ad ℥vj; stent donec fæces subsiderint: liquoris partem limpida cautè effunde.

---

- 157.—℞ Decocti Alöes ..... ℥vj  
 Sodæ Sulphatis..... ℥ss

Fiat mistura, cujus sumat æger cochlearia duo ordinaria, secundâ quâque horâ, donec amplè purgaverit.

---

- 158.—℞ Acidi Nitrici ..... ℥j  
 Aquæ Distillatæ ..... ℥xij  
 Syrupi Aurantii ..... ℥iiss

Fiat mistura, quotidie sumenda, ope tubuli vitrei, partitis haustibus.

159.—℞ Balsami Copaivæ . . . . . ℥ss  
 Vitellum unius ovi  
 Sacchari purificati . . . . . ℥j  
 His bene subactis terendo, adde paulatim  
 Aquæ Menthæ viridis ℥vj ut fiat emulsio.

---

160.—℞ Misturæ Cretæ . . . . . ℥iv  
 Capiat infans cochleare minimum tertiâ,  
 quâque horâ.

---

161.—Capiat æger unciam dimidiam Infusi  
 Sennæ pro dosi, ex cyatho parvo decocti  
 hordei.

---

162.—Capiat æger cyathum vinosum  
 parvum Infusi Gentianæ, secundâ quâque  
 horâ.

---

163.—℞ Infusi Sennæ . . . . . ℥vj  
 Magnesiæ Sulphatis . . . . . ℥j  
 Fiat mistura, cujus capiat æger partem ter-  
 tiam omni bihorio donec alvus probe respon-  
 deat.

164.—R Magnesiæ Carbonatis .. 3fs  
 Pulveris Rhei ..... 3j  
 Aquæ Pimentæ..... ʒvj

Misce. Sumantur cochlearia tria magna post unamquamque sedem mollem; vitro prius concusso.

---

165.—R Sodæ Tartarizatæ..... 3vj  
 Aquæ Cinnamomi..... ʒij

Fiat solutio duabus vicibus sumenda.

---

166.—R Infusi Quassiæ ..... ʒvj  
 Magnesiæ Sulphatis .... ʒj

Fiat mistura, de quâ capiat æger cochleare unum amplum frequenter, vel bis terve in die.

---

167.—R Tincturæ Opii ..... 3j  
 Mucilag. Acaciæ ..... ʒvj  
 Spiritûs Ætheris Nitr... ʒij

Misce. Bibat cochlearia tria subindè, urgente stranguriâ, aut in languore.

---

168.—Repetatur mistura pro re nata, si opus erit, ad vomitum sedandum.

- 169.—℞ Tincturæ Opii . . . . . ℥j  
 Syrupi Papaveris . . . . . ℥ij  
 Aquæ Menthæ . . . . . ℥vj

Misce. Sumat unciam omni semihorâ, donec dolor mitescat.

---

- 170.—℞ Tincturæ Hyoseyami . . . . . ℥ij  
 Tincturæ Castorei . . . . . ℥ij  
 Syrupi Rhæados . . . . . ℥j  
 Aquæ Puræ . . . . . ℥iv

Misce. Sumat drachmas duas omni horâ, si non dormit.

---

- 171.—℞ Magnesiæ Subcarbonatis ℥fs  
 Tincturæ Gentianæ . . . . . ℥iij  
 Syrupi Aurantii . . . . . ℥iv  
 Aquæ Pimentæ . . . . . ℥iv

Misce. Capiat æger, acido infestante, cochleare amplum unum, vel alterum, ex poculo jusculi bovini.

---

- 172.—℞ Rasuræ Cornu Cervi . . . . . ℥j  
 Aquæ . . . . . Oiv

Coque ad octarios duos, dein liquori colato, adde, Sacchari albissimi quod satis est, et ad usum servetur.



173.—℞ Infusi Sennæ..... ℥vj  
 Sodæ Sulphatis..... ℥fs  
 Syrupi Rhamni..... ℥ij

Fiat mistura, detur imprimis uncia una, et interpositis tribus vel quatuor horis, cochleare exhibeatur si fuerit opus, et post duas alias horas repetatur dosis, si alvus antea non moveatur.

---

174.—℞ Misturæ Cretæ ..... ℥vj  
 Tincturæ Opii ..... ℥j

Misce. Sumat unum cochleare, singulis semihoris, vel omni horâ, durante fluxu eruento.

## FORMS FOR DRAUGHTS, &amp;c.

175.—℞ Magnesiæ Sulphatis.... ʒij  
 Infusi Sennæ..... ʒj  
 Syrupi Rhamni..... ʒj

Misce ; fiat haustus, in jusculo calido, partit-  
 tis vicibus, sumendus.

176.—℞ Infusi Gentianæ ..... ʒj  
 Tincturæ Cardamomi .. ʒj

Fiat haustus, quem æger sumat, tribus ante  
 prandium horis.

177.—℞ Infusi Sennæ..... ʒj  
 Sumatur pro re nata ; postea augendo minu-  
 endove quantitatem, prout sedes pauciores  
 pluresve promoverit.

178.—℞ Spiritûs Ætheris Nitr... gtt. xx  
 Liquoris Ammon. Acet. ʒij  
 Aquæ Menthæ . . . . . ʒj

Fiat mistura salina, cujus capiat cochleare parvum, omni horâ, cursu noctis.

---

179.—℞ Potassæ Subcarbonatis.. ʒj  
 Aquæ Puræ . . . . . ʒx  
 Aquæ Cinnamomi . . . . . ʒij  
 Syrupi . . . . . ʒj

Misce. Fiat haustus, cui tempore capiendi, adde succi limonis recentis, cochleare, magnum unum, et in effervescentiâ sumatur.

---

180.—℞ Antimonii Tartarizati .. gr. fs  
 Aquæ Puræ . . . . . ʒj

Misce ut fiat haustus statim sumendus, et repetatur post horas duas, si non antea ventriculus emeticum rejecerit, vel si alvus non laxata fuerit.

---

181.—℞ Spiritûs Lavendulæ . . . . ʒj  
 Misturæ Camphoræ . . . . ʒij

Misce, et fiat haustus, sextâ quâque horâ sumendus, si aderit vel spasma vel pulsûs languor.

182.—℞ Magnesiæ Sulphatis . . . . ʒij  
 Acidi Sulphurici . . . . . gtt. xx  
 Aquæ Menthæ . . . . . ʒj

Misce; fiat haustus, crastino mane sumendus.

---

183.—Perstet in usu haustus nocturni, heri præscripti.

---

184.—Sit in promptu, haustus cum vini Colchici drachmâ, horâ somni sumendus, si redintegraverit malum arthriticum, vel involverint vigilæ inter noctem.

---

185.—Repetatur porrò haustus inter noctem sine Tincturâ Opii, si vigilæ involverint vel increbuerit tussis.

---

186.—℞ Acidi Nitrici diluti . . . . ʒfs  
 Spiritûs Ætheris Nitr. . . . ʒiij  
 Tincturæ Hyoseyami . . . . ʒij  
 Aquæ Puræ . . . . . Oij  
 Syrupi q. s.

ad acorem compescendum, et gustum conciliandum. Sumat quotidie instar potus, et bibat quantum sitis exigat.

---

187.—Sumat ægrotus omni mane, si possit, libram dimidiam lactis asini, pro jentaculo.

---

188.—Capiat æger haustum catharticum proximâ luce navem conscendens; et si post navigationem vomitus supervenerit, bibat æger spiritûs alicujus paululum aquâ comixtum.

---

189.—℞ Pulv. Rad. Ipecacuanhæ gr. x  
 Antimonii Tartarizati . . gr. j  
 Aquæ distillatæ . . . . . ℥iſs  
 Misce; fiat haustus, horâ nonâ matutinâ sumendus. Vomitu superveniente, bibat æger, vicibus repetitis, Infusi Anthemidis aliquot cyathos. Vomitu finito, capiat pulverem sudorificum.

190.—℞ Infusi Sennæ sescunciam  
 Potass. Tartratis semunciam  
 Tincturæ Cinnamomi Co. fʒij  
 Ex his fiat haustus summo mane deglutien-  
 dus. Repetatur idem, tertio quoque die.

---

191.—℞ Tincturæ Opii . . . . . gtt. xx  
 Syrupi cujusvis . . . . . fʒj  
 Misturæ Camphoræ . . . . . fʒj  
 Miscé. Capiat æger haustulum hujus-modi,  
 singulis noctibus, horâ solitâ.

---

192.—℞ Tincturæ Castorei . . . . . gtt. x  
 Spiritûs Ætheris Nitrici gtt. xv  
 Potassæ Nitratis . . . . . gr. vj  
 Aquæ Pimentæ . . . . . ʒj  
 Miscé. Fiat haustus in promptu habendus,  
 et urgente febris paroxysmo sumendus.

---

193.—℞ Liq. Ammon. Acet. . . . . ʒfs  
 Spiritus Ætheris Sulphurici gtt. xv  
 Aquæ Menthæ . . . . . ʒj  
 Miscé; fiat haustus vespere in lecto sumen-  
 dus.

194.—Sumat æger omni mane guttas ix  
acidi sulphurici diluti, ex jure vitulino.

---

195.—℞ Sambuci corticis interioris, ma-  
nipulum unum  
Incoquatur in aquæ Oij ad Oj. Decocti  
hujus altera medietas mane, altera sero  
quotidie, assumatur, donec æger convalescat.

---

196.—Sumat Tincturæ Opii guttas xx,  
in vehiculo, calido conveniente.

---

197.—℞ Pulveris Radicis Ipecacuanhæ ℥j  
Aquæ Menthæ ..... ʒj  
Misce; fiat haustus emeticus. Potione co-  
piousâ puræ aquæ tepesactæ, vomitio benè  
provocetur.

---

198.—℞ Infusi Gentianæ ..... ʒj  
Fiat haustus mane et horâ quartâ pome-  
ridianâ potandus.

- 199.—℞ Olei Ricini..... ℥j  
 Potassæ Subcarbonatis.. gr. vj  
 Aquæ Pimentæ.... . . . ℥j

Fiat secundum artem mistura, pro unâ dosi,  
 quamprimum sumenda.

---

- 200.—℞ Misturæ Cretæ..... ℥j  
 Tincturæ Opii ..... gtt. xv  
 Fiat haustus vespertino tempore exhibendus.
- 

- 201.—℞ Inf. Gentian Co. .... ℥j  
 Magn. Sulph. .... ℥j  
 Fiat haustus primo mane ebibendus.
- 

- 202.—℞ Tincturæ Opii ..... gtt. xv  
 Syrupi Croci ..... ℥j  
 Aquæ Menthæ ..... ℥j  
 Misce, fiatque haustus somno deficiente bi-  
 bendus.
- 

- 203.—℞ Tincturæ Myrrhæ ..... ℥s  
 Spiritûs Ætheris Nitrosi ℥j



Syrupi Tolutani . . . . . ℥j  
 Aquæ Pimentæ . . . . . ℥ij

Misce, et fiat mistura, de quâ capiat ℥j, si,  
 vel languores, vel horrores contingant.

---

204.—Capiat acidi sulphurici diluti guttas  
 lecem, vel numero sufficientes ad moderatam  
 aciditatem, in singulis scilicet decocti hordei.

---

205.—Sequenti aurorâ, sumat olei ricini  
 quantum satis sit ad alvum solvendam.

---

206.—Sumat æger vini antimonii guttas  
 x, quartâ, quintâ, vel sextâ quâque horâ,  
 nausea non tamen excitanda.

---

207.—℞ Cupri Sulphatis . . . . . gr. x  
 Aquæ Menthæ . . . . . ℥j  
 fiat haustus, quando venenum in ventricu-  
 lum receptum est, sumendus.

208.—Bibat infusum seminum lini ad libitum.

---

209.—℞ Radicis Sarsaparillæ .. ℥ ij  
 Corticis Ulmi..... ℥ ℥ ss  
 Aquæ Puræ ..... lb. ij

Coque ad libram cum semisse, cola, et signetur decoctum, quod capiat ut ante.

---

210.—℞ Infusi Sennæ..... ℥ j  
 Magnesiæ Sulphatis .. ℥ j

Fiat haustus statim sumendus, et quartâ quâque horâ repetendus, si erit necesse.

---

211.—℞ Infusi Quassiæ ..... ℥ j  
 Tincturæ Gentianæ..... ℥ j

Misce. Fiat haustus mane, iterumque hora ante prandium, stomacho vacuo, sumendus.

---

212.—℞ Tincturæ Opii ..... gtt. xv  
 Aquæ Menthæ..... ℥ j  
 Syrupi Croci ..... ℥ j

Misce. Fiat haustus horâ somni, vel vespertinâ, vel serâ nocte sumendus.

213.—℞ Potassæ Subcarbonatis.. ℥j  
 Syrupi Croci . . . . . ʒj  
 Aquæ Menthæ . . . . . ʒij

Misce. Fiat haustus, cum succi limonum cochleare uno amplo, in impetu ipso effervescentiæ, sumendus.

---

214.—℞ Tincturæ Jalapæ . . . . . ʒfs  
 Infusi Sennæ . . . . . ʒj  
 Magnesiz Sulphatis . . . . . ʒij

Misce. Fiat haustus, secundis horis sumendus, donec alvus plenè soluta sit. Mitte tales quatuor.

---

215.—Continuetur haustus nuperrimè præscriptus.

---

216.—℞ Liquoris Ammoniz Acetatis ʒj  
 Spiritûs Ætheris Nitr. . . . ʒfs  
 Tincturæ Opii . . . . . gtt.xv  
 Aquæ Puræ . . . . . ʒij

Misce. Fiat haustus, quartâ quâque horâ capiendus. Ut effectus sudorificus augeatur, adde singulis haustibus antimonii tartarizati gr.  $\frac{1}{4}$ .

217.—℞ Tincturæ Castorei . . . . ℥ʒs  
 Tinct. Serpentariæ . . . . gtt. xl  
 Spiritûs Ammoniaë . . . . gtt. xv  
 Aquæ Pimentæ . . . . . ℥j

Misce. Fiat haustus, si vigilia increbuerit,  
 aut dolor capitis redintegraverit, sumendus.

---

218.—℞ Infusi Sennæ . . . . . ℥j  
 Tincturæ Digitalis . . . . gtt. xx

Fiat haustus, sumendus statim a primâ ve-  
 næsectione.

---

219.—Perdomito symptomate, mane et  
 sero, ad dies pauculos continuetur usus  
 haustum.

---

220.—Continua haustum effervescentem,  
 sicut jamjam paratum.

---

221.—Cochleare unum spiritûs lavendulæ  
 compositi per se propinari possit, bis vel ter  
 durante paroxysmo, horâ dimidiâ vel integrâ  
 interposita.

---

222.—℞ Decocti Sarsaparillæ . . Oj  
 Sumat poculum (℥iv.) bis tervè indies.

223.—℞ Tinct. Opii ..... gtt. xx  
 Mist. Cretæ ..... ℥j

Fiat haustus, navem ingressurus, sumendus.

---

224.—℞ Magnesiae Sulphatis .... ℥j  
 Acidi Sulphurici diluti .. gtt. x  
 Syrupi Rhæados..... ℥j  
 Aquæ Menthæ ..... ℥j

Misce. Fiat haustus, cras primo mane sumendus, et repetatur tertiis vel quartis horis, ad alvum solvendam.

---

225.—℞ Misturæ Cretæ..... ℥j  
 Syrupi Croci..... ℥ij

Misce. Fiat haustus, quartâ quâque horâ sumendus, donec paroxysmi non discrucient, instillando alternis vicibus, si Diarrhœa adfuerit, Tincturæ Opii guttas ij vel iij.

---

226.—℞ Tincturæ Calumbæ .... ℥ij  
 Acidi Sulphurici diluti.. gtt. xv  
 Aquæ Cinnamomi..... ℥j  
 Syrupi Rhæados ..... ℥ij

Misce. Fiat haustus, quartâ quâque horâ sumendus, et tempore usûs, adde singulis, Tincturæ Opii gtt. iij.

---

227.—℞ Infusi Digitalis ..... ℥iij  
 ——— Gentianæ ..... ℥iv  
 Syrupi Croci..... ℥j

Misce. Fiant haustus sex. Sumat unum Gtis horis, per spatium Nycthemeri si vires permittant.

---

228.—℞ Infusi Calumbæ ..... ℥ifs  
 Syrupi ..... ℥ij

Misce. Fiat haustus meridie et horâ quintâ pomeridianâ sumendus, per septimanam integram, vel ulterius si opus fuerit.

---

229.—℞ Misturæ Cretæ ... .. ℥ifs

Misce, Fiat haustus; pro re nata, adde tincturæ opii guttas vj, si opus fuerit, ad præcavendam diarrhœam.

## FORMS FOR POWDERS, PILLS, &amp;c.

230.—PROSIT forsan dare ægro, lectum ituro, pulveris hydrargyri submuriatis grana quinque.

231.—℞ Coccinell . . . . . ʒj  
Sodæ Muriatis . . . . . ʒij

Misce. Fiat pulvis. Detur cochleare dimidium pro dosi, tempore matutino.

232.—℞ Pulveris Jalapæ . . . . . ʒij  
Hydrargyri Submuriatis ʒiss

Misce. Dentur grana xij ad xxiv, quando alvi ductione opus sit.

233.—℞ Magnesiae Carbonatis .. ʒss  
Fœniculi Seminum  
Sacchari purificati āā .. ʒj

Terantur in pulverem. Dosis quantum cultri apice capi potest, sæpius in die.

234.—℞ Hydrargyri Submuriatis ʒj  
 Confectionis Rosæ, quantum satis sit. Contunde in massam et divide in pilulas xxx. Sumatur una bis indies, ut cicatur ptyalismus modicus.

---

235.—Augeatur dosis pulveris jacobi ad gr. vj.

---

236.— Hydrargyri Oxydi Rubri gr. j  
 Opii tertiam grani partem  
 Caryophyllorum Olei. . . . gtt. j  
 Fiat pilula, horâ somni per hebdomadam sumenda.

---

237.—℞ Myrrhæ Gummi Resinæ ʒss  
 Sacchari purificati . . . ʒss  
 Tere simul in pulverem. Dosis drachma una ter quaterve indies, è quovis liquore idoneo.

---

238.—℞ Pulveris Opii. . . . . gr. iij  
 Extracti Glycyrrhizæ .. gr. viij  
 Fiant pilulæ binæ, nocte sumendæ ad vicem secundam.



239.—℞ Capsici Seminum Contritorum gr.vj  
 Lauri Baccarum ..... ℥ij  
 Misce. Fiat pulvis dividendus in tres partes  
 æquales; quarum prima portio sumatur, inci-  
 piente primore rigore; secunda, postridie  
 eâdem horâ; tertia verò tertio die.

---

240.—℞ Confectionis Opii..... ℥j  
 Pro re nata sumatur si diarrhœa permaneat.

---

241.—℞ Extracti Colocynthis Co. ʒj  
 Hydrargyri Submuriatis.. gr.xij  
 Fiat massa in pilulas xij dividenda.  
 Capiat summo mane tres, et postea duas, si  
 alvus, horis sex, non satis dejecerit.

---

242.—℞ Pilulæ Aloes c. Myrrhâ ʒiij  
 Fiant pilulæ triginta. Sumat duas vel tres,  
 adstrictâ alvo.

---

243.—℞ Pulveris Rhei ..... ℥j  
 Hydrargyri Submuriatis gr. v  
 Syrupi Althææ q. s. ut

fiat bolus, horâ somni sumendus, et alternis noctibus repetendus, ad duas vel tres vices.

---

244.—℞ Extracti Cicutæ..... ʒss  
Fiant pilulæ quindecim, in pulvere cicutæ involvendæ. Mitte in chartaceâ pyxide.

---

245.—℞ Extracti Colocynthidis ʒss  
Pulveris Scammoneæ ℥j  
Hydrargyri Submuriatis gr. xij  
Misce. Fiant pilulæ duodecim; quarum capiat unam nocte, quoties alvus fuerit justo adstrictior.

---

246.—℞ Extracti Elaterii ..... gr. ʒs  
———— Colocynth. Comp. gr. v  
Olei Essential. Menthæ Pip. gutt. j  
In pilulam conficiantur cras mane deglutendam iterumque mane perendino.

---

247.—Ad nauseam supprimendam, bibat æger spiritûs alicujus paululum aquâ commixtum.

248.—℞ Corticis Cinchonæ Pulveris gr.xv  
ad ʒij

Capiat è cyatho vini generosissimi horæ quadrantis ad horas iv, intervallo, ita ut æger sumat ʒvj ad minimum, inter duos paroxysmos.

---

249.—℞ Extracti Elaterii . . . . . gr. ij  
Sacchari purificati . . . . . ʒj

Optime terantur simul, dein in pulveres octo æquales dividantur, quorum capiat æger unum, omni horæ quadrante, donec adsit catharsis.

---

250.—Accipiat vespere.

Jalapæ Pulveris grana quindena

Hydrargyri Submuriatis grana quinque

Conterantur in molem syrupo simplici ut fiantur globuli terni æquales.

---

251.—℞ Pulveris Corticis Cinchonæ ʒj

Pulveris Cinnamomi . . . . . gr.xx

Misce; fiat pulvis, exhibendus, si remissio appareat, et repetendus, si ultra horas tres pergat.

252.—℞ Sodæ Carbonatis Exsicc. ʒj  
 Saponis duri . . . . . ʒiv  
 Olei Juniperi . . . . . gtt. xx  
 Syrupi Zingiberis q. s. ut  
 fiat massa, in pilulas xxx dividenda, è quibus  
 capiat tres in dies, contra calculos renum.

---

253.—℞ Pulveris Jalapæ . . . . . ʒij  
 Hydrargyri Submuriatis gr. xxiv  
 Misce, et in pulveres ducdecim divide, qua-  
 rum, capiat duos vel tres, ut necesse fit ad  
 sedes.

---

254.—℞ Potassæ Sulphatis . . . . ʒij  
 in semipoculo aquæ tepidæ solutos, cum gut-  
 tis viginti Tincturæ Digitalis sumendos.

---

255.—℞ Pulveris Cinchonæ . . . . ʒj  
 Sit pulvis, secundis horis, in cyatho lactis,  
 absente paroxysmo, sumendus.

---

256.—Sumantur pulveris Calumbæ, grana  
 decem singulis auroris ex pulte.

257.—℞ Pulveris Nitratis Potassæ  
 ———— Potassæ Sulphatis āā gr. xv  
 Fiat pulvis, in promptu habendus, et urgente  
 paroxysmo sumendus.

---

258.—℞ Pulveris Jalapæ . . . . . ʒj  
 ———— Scammoneæ.. ʒj  
 Hydrargyri Submuriatis gr. xx  
 Syrupi q. s.  
 ut fiat massa, in pilulas viginti dividenda, è  
 quibus, capiantur binæ, ad alvum officii im-  
 memorem excitandam.

---

259.—℞ Potassæ Nitratis . . . . . gr. xx  
 Sacchari Albi . . . . . ʒij  
 Mucilaginis Acaciæ q. s. ut fiat  
 massa, in trochiscos duodecim distribuenda,  
 quorum unus detineatur sub linguam, donec  
 liquescat.

---

260.—℞ Quercûs Corticis . . . . . ʒs  
 Anthemidis Flor. exsicc ʒj  
 Tere simul in pulverem, alternis vel tertiis  
 horis, durante apyrexia, sumendum.

261.—R Zinci Sulphatis..... gr. xij  
 Aquæ Paræ ..... ʒiij

Sumatur tertia pars, ter die, augendo dosim,  
 si opus sit, et si ferat ventriculus.

---

262.—R Pulv. Cretæ cum Opio.. gr. x  
 Vespere ante somnum sumenda.

---

263.—R Extracti Colocynti .... ʒj  
 Fiant pilulæ duodecim. Sumat unam, sextis  
 horis, donec commodè purgetur.

---

264.—R Pulveris Ipecacuanhæ.. gr. xxv  
 Antimonii Tartarizati .. gr. j  
 Fiat pulvis emeticus: ex pauxillo alicujus  
 liquoris idonei hauriatur, et vomitu moto,  
 superbibantur cyathi aliquot infusi anthe-  
 midis tepidi.

---

265.—R Pulveris Cinchonæ ... ʒiij  
 Divide in partes duodecim æquales, quarum  
 capiat unum, secundâ vel tertiâ quâque horâ  
 ex cyatho parvo lactis vaccini recentis  
 absente febre.

266.—R Confectionis Rosæ . . . . gr. x  
Hydrargyri Submuriatis gr. vj

Fiat bolus, horâ somni quâlibet nocte sumendus; mane sequenti post quintam vel sextam assumptionem, bibat potionem purgantem communem.

---

267.—R Extracti Hyoseyami .. gr. ij

Fiat pilula, omni horâ sumenda, donec ceaseantur evomitiones.

---

268.—R Pilulæ Aloes cum Myrrha ʒj

Fiant pilulæ duodecim, quæ obruantur pulvere glycyrrhizæ.

---

269.—R Pulveris Digitalis . . . . . gr. iij

———— Glycyrrhizæ .. gr. xx

Misce. In pulveres tres, hæc quantitas dividenda est. Partitio fiat exactissima.

---

270.—R Extracti Papaveris . . . . gr. x

Fiant pilulæ duæ, quarum capiat unam statim, et alteram post horas tres, si vomitus persistiterit.

271.—R Pulveris Cinchonæ . . . . ʒij  
 In duas partes dividatur, quarum una ter de  
 die exhibenda, et per plures dies continuanda.

---

272.—R Pilulæ Hydrargyri . . . . gr. x  
 Fiant pilulæ ij.

Devoret æger unam bis in die, horâ decimâ,  
 alteram, horâ secundâ.

---

273.—R Pulveris Scammoneæ .. ʒj  
                   Rhei . . . . . gr. x  
                   Hydrargyri Submuriatis gr. iv  
 Misce. Fiat pulvis purgans, extemplò in  
 pulpâ pomi tosti sumendus.

---

274.—Dentur Radicis Ipecacuanhæ in  
 pulverem subtilissimum tritæ grana tria  
 vel quinque, diluculò, singulis vel alternis  
 diebus.

---

275.—Sumantur, Filicis Radicis in pul-  
 verem tritæ drachmæ duæ vel tres, è cyatho  
 aquæ menthæ, primo diluculò.



Elapsis duabus horis, devoretur bolus ex hydrargyri submuriatis granis quinque vel sex, et cambogiæ granis octo vel decem; assumpto subindè haustulo infusi theæ viridis.

---

276.—R Ferri Sulphatis..... ʒss  
Assafoetidæ ..... ʒij

Cum mucilaginis acaciæ tantillo subige in massam, dividendam in pilulas singulas grana iv. pendentis.

---

277.—R Antimonii Tartarizati . . gr. iv  
Pulveris foliorum Digitalis gr. x  
Confectionis Rosæ q. s. ut fiat

massa in pilulas xx dividenda.

Initio sumat æger pilulam unam, pro dosi, mane ac nocte, postea binas, dein tres, et denique augetur dosis, quantum fieri potest.

---

278.—R Extracti Gentianæ .... gr. x

Fiat bolus, detur jejuno stomacho.

---

279.—R Pulveris Aloes ..... ʒj  
———— Myrrhæ ..... ʒss

Misce. Capiat gr. x ter die. Dosis sensim augenda est, donec ʒj in die sumatur.

---

280.—Sumat quantum cuspidē cultri capi potest, pulveris Rhei, in cochleare lactis saccharati, vel in melle.

---

281.—Sumat æger, drachmam unam pulveris Cinchonæ, ante paroxysmum ingredientem.

---

282.—℞ Oxydi Hydrargyri rubri. . gr. xij  
 Confectionis Rosæ q. s.  
 ut fiant pilulæ xij. Sumat æger pilulam ter in die, donec dentes vacillare incipiant.  
 Dosis ab initio a pilulâ unâ ad duas; tres vel semper dosim augendo.

---

283.—℞ Pulveris Cinchonæ . . . . ʒj  
 Pulveris Zingiberis . . . . gr. x  
 Misce. Sumat æger ante tempus redeuntis paroxysmi, ter in septimanâ, huncce pulverem pro dosi.

284.—Sumat ægra, in lecto composita, pilulam Opii, -superbibendo hordei aquam calidam.

---

285.—℞ Gummi Ammoniacy . . . . ʒss  
 Pulveris Rhei . . . . . ʒj  
 Syrupi simplicis . . . . . q. s. ut  
 fiant pilulæ viginti.

Capiat per duas noctes, quatuor et intermittat tertiam noctem; et sic pergat donec totum sumpserit.

---

286.—℞ Antimonii Oxydi . . . . . ʒj  
 Nitratis Potassæ . . . . . ʒj  
 Pulv. Ipecac. Co. . . . . ʒss  
 Misceantur, et fiat pulvis tenuissimus, in septem partes æquales separandus, quarum una, singulis horis ingeratur.

---

287.—Repetantur pulveres, hesterno die præscripti, eodemque modo sumantur.

---

288.—℞ Cretæ preparatæ . . . . . ʒj  
 Pulveris Ipecacuanhæ gr. vj  
 Misce, et fiat pulvis, in chartulas duas æqualiter dividendus, quarum capiat unam horis

octavis; et temporibus intermediis, si pulsus sit creber, et fortis, bibat cochlearia duo misturæ sequentis.

---

289.—R Extracti Colocynthidis.. ʒj  
Pulveris Scammonææ .. ʒfs

Misce, fiant, pilulæ virginti, quarum duæ deglutiantur, horâ decubitûs: diluculo ut infra.

R Infusi Sennæ..... ʒj

---

290.—R Hydrargyri Submuriatis gr. xij  
Confectionis Rosæ .... q. s.

ut fiant pilulæ xij, cujus sumat j post cenam: mane et pomeridie sumat haustum purgantem.

---

291.—R Zinci Sulphatis..... ʒfs  
Pulveris Ipecacuanhæ.. gr. xv

Fiat pulvis emeticus statim sumendus. Finiâ vomitorii operatione capiat subinde, cochlearia duo misturæ purgantis.

---

292.—R Pulveris Digitalis..... gr. fs  
Pulveris Acaciæ ..... ʒj

Fiat pulvis, 4tis horis sumendus, ægrâ interim conquiescente, et caput immotum tenente.

293.—℞ Hydrargyri cum Cretâ.. gr. x  
 Pulveris Tragacanthæ.. ʒiſ

Fiat pulvis statim sumendus; et exhibeatur sequenti luce potio purgans communis.

---

294.—℞ Pulveris Potassæ Sulphatis ʒj  
 Pulveris Rhei..... ʒj

Misce. Fiat pulvis, in pulmento, vel in poculo seri lactis vinosi, sumendus.

---

295.—℞ Pulveris Cinchonæ..... ʒij  
 Pulveris Cinnamomi.... ʒij

Misce. Fiant pulveres duodecim, quarum capiat unum quartâ quâque horâ, superbibendo vini cujuslibet haustum, incipiendo immediatè post paroxysmum; interdicto interim enematum usu.

---

296.—℞ Extracti Hyoscyami..... ʒj  
 Fiant pilulæ duodecim, quarum sumatur una pro re natâ, sub languore vel singultu.

297.—℞ Sodæ Tartarizatæ..... ʒiſs  
 Cretæ preparatæ ..... ʒſs

Misce. Fiat pulvis, in jusculo avenaceo tenuissimo, sumendus.

---

298.—℞ Pilulæ Aloes c. Myrrhâ ʒij  
 Fiant pilulæ viginti quatuor, è quibus ingerantur tres, unâquâque mane ac nocte.

---

299.—℞ Hydrargyri Submuriatis grana  
 quaterna  
 Sacchari grana sena  
 Antimonialis pulveris grana bina  
 Conterantur. Sumat vespere in Gelatinâ Ribesiorum.

---

300.—℞ Zinci Sulphatis..... ʒj  
 Confectionis Cynosbati.. q. s.  
 ad pilulas viginti fingendas, quæ deaurandæ sunt.

---

301.—℞ Cretæ preparatæ ..... ʒj  
 Fiat pulvis, vel addendo syrupum zingiberis, bolus, ad alvum contrahendam, mane sumendus.

302.—℞ Pilulæ Hydrargyri . . . . ℥s  
Divide in duas partes ; sumat unam statim,  
alteram, circa mediam noctem.

---

303.—℞ Pulveris Ipecacuanhæ.. ℥j  
Fiat pulvis emeticus, more solito sumendus.  
Operatione emetici peractâ, capiat Pulveris  
Rhei ℥j.

---

304.—℞ Pulveris Calumbæ . . . . ʒj  
Pulveris Zingiberis . . . . gr. xx  
Misce omnia, quæ dividantur in sex doses  
æquales, per sex dies continuos mane su-  
mendas, tribus horis ante pastum.

---

305.—℞ Olei Crotonis . . . . . gtt. xvijj  
Pulveris Glycyrrhizæ q. s.  
ut fiant pilulæ xxxvj, quarum, exhibeantur  
duæ, horâ decubitûs, quandoque alvus nimis  
solida fuerit, et augeatur seu minuatur dosis  
pro ratione effectûs.

---

306.—℞ Pulveris Opii .. . . . gr. j  
Confectionis Rosæ . . . . ℥i. iv  
H 2

Fias bolus vespere, si perstet diarrhœa, vel adsint tormina intestinorum, capiendus.

---

307.—℞ Pilulæ Hydrargyri . . . . gr. v  
Sumat talem, horæ unius spatio.

---

308.—℞ Jalapæ Radicis pulveris ℥j  
Potassæ Supertartratis. . ℥ij  
Seorsim tria permisce. Dosis à ʒss ad ʒj  
mane.

---

309.—℞ Extracti Gentianæ . . . . ʒv  
In pilulas sexaginta dividendas. Dosis j vel  
ij nocte maneque statim post cibum.



## FORMS FOR LINCTUSES, &amp;c.

310.—℞ Olei Terebinthinæ . . . . ʒij  
 Mellis despumati . . . . ʒj

Misce ; fiat linctus.

Dosis cochleare parvum, nocte et mane,  
 cum haustu cujusvis potûs tenuioris tepe-  
 facti.

311.—℞ Confectionis Sennæ . . . . ʒiv  
 Sumat ad nucis juglandis magnitudinem.

312.—℞ Confectionis Rosæ . . . . ʒij  
 Tincturæ Opii . . . . . ʒj  
 Acidi Sulphurici diluti. . ʒfs  
 Fiat electuarium, exactè invicem miscendo.

313.—℞ Confectionis Rosæ Caninæ ʒij  
 Syrupi Aurantii . . . . . ʒvj  
 Olei Amygdalæ . . . . . ʒj  
 Misce, et fiat linctus, in ollâ fictili mittendus .

- 314.—℞ Oxymellis Scillæ . . . . . ʒiij  
 Syrupi Papaveris . . . . . ʒvj  
 Pulveris Tragacanthæ Co. ʒj

Misce. Fiat linctus, cujus lambat æger  
 pauxillum subinde.

---

- 315.—℞ Resinæ Guaiaci . . . . . ʒj  
 Confectionis Rosæ . . . . . ʒj  
 Syrupi Aurantii . . . . . q. s.

ut fit electuarium, de quo capiat quantitatem  
 nucis moschatæ majoris, bis indies.

---

- 316.—℞ Confectionis Rosæ . . . . . ʒij  
 Acidi Sulphurici Diluti ʒj

Misce, et fiat linctus; capiat quantitatem  
 castaneæ, bis in die.

---

- 317.—℞ Confectionis Sennæ . . . . . ʒiv  
 Pulveris Potassæ Supertartratis ʒis

Misce, et fiat electuarium. Capiat quantita-  
 tem nucis avellanæ vel moschatæ subinde, vel  
 ter in die paulò ante prandium.

---

- 318.—℞ Pulveris Cinchonæ . . . . . ʒj  
 Pulveris Serpentariæ . . . . . ʒiij  
 Syrupi Simplicis q. s. ut fiat elec-

tuarium, quod decedente paroxysmate, totum capere debet æger, ante accessum febris sequentem.

---

319.—℞ Confectionis Sennæ . . . . ʒj  
Fiat linctus, sumendus, subindè lambendo.  
Mittatur in Narthecio.

---

320.—℞ Confectionis Rosæ . . . . ʒj  
Aluminis pulveris. . . . . ʒj  
Misce. Imponatur parvulum assiduò linguæ, ut soluta ibi oblinat et sic lente deglutiat.

---

321.—℞ Pulveris Uvæ Ursi . . . . ʒj  
Syrupi Aurantii. . . . . q. s.  
ut fiat electuarium, debitæ spissitudinis, cujus molem nucis moschatae, bis in die, paulatim delingat.

---

322.—℞ Aceti Colchici . . . . . ʒij  
Mellis . . . . . ʒiv  
Misce, et super leni loco, sæpiùs agitando cochleare ligneo coque ad mellis spissitudinem; hujus oxymellis,umat æger cochleare parvulum ter die.

323.—℞ Menthæ Viridis foliorum  
 recent. . . . . ℥iv  
 Sacchari purificati. . . . . ℥xij

Folia mortario lapideo contunde, tum ad-  
 jecto saccharo, iterum contunde, donec  
 corpus sit unum.

---

324.—℞ Hujus Confectionis . . . . ℥iv  
 Fiat bolus, statim sumendus, et 3tiis horis  
 repetendus, urgente ægritudine ventriculi,  
 cum haustu sequente.

## FORMS

FOR

## EXTERNAL APPLICATIONS, &amp;c.



325.—℞ Micæ Panis ..... lb. j  
 Liquoris Plumbi Acetatis q. s.  
 ut madescat panis.

---

326.—℞ Conii Foliorum exsiccatorum ʒj  
 Coque ex aquæ Oijfs ad Oij et cola, panni  
 lanei hocce decocto calido madefacti, deinde  
 expressi, parti affectæ imponantur, et sæpius  
 renoventur.

---

327.—Vespere utatur pediluvio tepido.

---

328.—℞ Unguenti Hydrargyri fort ʒj  
 Hujus unguenti affricetur drachma una fe-  
 moribus internis ante focum singulis nocti-  
 bus, donec ptyalismus cicatur.



335.—℞ Dauci Radicis . . . . . q. s.  
 Coque in aquâ, ad aptam mollitiem, in pul-  
 pam deinde contunde.

---

336.—℞ Liquoris Plumbi Acetatis  
                   diluti . . . . . Oj  
 Lintea quadruplicata hocce liquore frigido  
 madefacto, partibus inflammatis applicentur  
 et sæpius renoventur.

---

337.—℞ Magnesiæ Sulphatis . . . . . ℥j  
           Juris Avenacei . . . . . Ofs  
           Olei Olivæ . . . . . ℥fs vel  
           Butyri quantitatem juglandis.  
 Misce pro enemate statim injiciendo.

---

338.—Excindatur pars morsa, et postea,  
 applicetur vulneri, potassa fusa.

---

339.—℞ Pulveris Asari  
           Pulveris Veratri . . . . . āā ʒj  
           Pulveris Glycyrrhizæ . . ʒij  
 Misce, fiat pulvis cujus aliquantillum naribus  
 insuffletur ante decubitum, ad sternutamen-  
 tum excitandum.

340.—℞ Inungatur hypochondrio sinistro,  
 ℥j unguenti hydrargyri fortioris, 11â horâ  
 ante meridiem, et 41â post meridiem indies.

---

341.—℞ Lapidis Calaminaris . . . . ʒj  
 Eo conspergantur partes adfectæ, sub quâ-  
 libet deligatione.

---

342.—℞ Liquoris Potassæ . . . . . ʒj  
 Aquæ Fontanæ . . . . . ʒvj  
 Miscæ. Hujus liquoris tepidi, quantum  
 cavo capi potest, quotidie bis injiciatur, in  
 aurem ægram supinatam, ac detineatur per  
 aliquot minuta, dein aure probâ rursus  
 emittatur.

---

343.—℞ Oxydi Zinci . . . . . ʒj  
 Fiat pulvis, inclusus sindoni raræ excutiatur  
 super parte excoiatâ, prius detersâ.

---

344.—℞ Cretæ preparatæ . . . . . ʒj  
 In partes excoiatas, ex gossipio asperge.

---

345.—Admoveatur parti adfectæ, spongiola,  
 aquâ calidâ imbuta.



346.—Vesica suilla, aquâ calidâ ad dimidium repleta, admoveatur lateri dolenti; firmetur ligamine, tum super ponatur sacculus arenâ calidissimâ plenus, qui frigescentis iterum calefiat, aut ei mox substituatur alius jam calefactus. Continentur hæc donec dolor remiserit.

---

347.—Cataplasma calidum, irroratum prius tantillo Spiritûs Camphoræ, applicetur cum pannis laneis parti adfectæ, et vesicâ suillâ oleo madefactâ detineatur; renovetur quolibet triborio.

---

348.—Admoveatur calidum cataplasma, parti affectæ, cum panno linteo quadruplicato.

---

349.—R Unguenti Hydrargyri Nitrico-Oxydi

Unguenti Resinæ..... āā ʒss

Misce. Fiat unguentum, quo leniter inungatur locus adfectus, ac dein tegatur emplastro plumbi, super alutam extenso.

350.—℞ Hydrargyri Submuriatis ʒj  
 Adipis Suillæ ..... ʒj

Misce. Super pannum linteum extende, et  
 cuti affectæ applica.

---

351.—Hauriatur vapor calidus, ope infun-  
 dibuli, in fauces.

---

352.—℞ Pulveris Opii ..... ʒss  
 Unguenti Cetacei ..... ʒj

Misce; fiat unguentum. Hujus pauxillo  
 inungatur locus umbilici subinde; aut pars  
 dimidia juglandis nucis, putamine decerpto  
 eidem loco adponatur.

---

353.—℞ Linimenti Saponis ..... ʒj  
 Liquoris Ammoniaë .... ʒiv  
 Tincturæ Opii ..... ʒj

Misce. In languore, aut paroxysmo hyste-  
 rico illinatur naribus, temporibus, &c. hujus  
 linimenti paululum.

---

354.—℞ Hydrargyri Oxymuriatis gr. x  
 Acidi Muriatici ..... ʒis  
 Aquæ Rosæ ..... ʒx

Misce. Tantillo hujus liquoris laventur mane et vespere, partes infestatae.

---

355.—℞ Pulpæ Colocynthidis .. ℥j  
Olei Olivarum ..... ℥j

Misce, et coque leni igne, donec pulpa torqueri videatur; dein massam adhuc calentem cola, et cum ea illinatur abdomen, et præcipuè umbilici regio.

---

356.—℞ Zinci Oxydi ..... ℥j  
Aquæ Rosæ ..... ℥viij

Misce. Fiat collyrium, quo concusso imbutum linteum quadruplicatum imponatur oculo adfecto.

---

357.—℞ Unguenti Hydrargyri Nitrat. .... ℥j  
Cerati Saponis ..... ℥fs

Misce. Hujus tantillo illinantur palpebræ omni vespere, cubitum ituro ope plumæ mollis.

---

358.—℞ Tincturæ Lyttæ ..... ℥fs  
Linimenti Saponis .... ℥ifs

Misce. Fiat linimentum, quo partes adfectæ perfricandæ sunt, et postea tegantur lanulâ.

359.—℞ Camphoræ..... ʒj  
 Olei Amygdalarum .... ʒj

Misce, et instilla guttas quatuor auri, pro re nata.

---

360.—℞ Extracti Opii..... gr. x  
 Tincturæ Castorei ..... ʒj

Misce, et applicetur paululum, auri affectæ, omni nocte cum gossipio.

---

361.—℞ Linimenti Saponis..... ʒj  
 Tincturæ Opii ..... ʒj

Misce. Fiat linimentum, cum panno laneo, faucibus externis applicandum.

---

362.—℞ Olei Amygdalæ ..... ʒj  
 Camphoræ..... ʒj

Misce, pro linimento, quocum tangantur papillæ ter quaterve in die.

---

363.—℞ Acidi Sulphurici diluti.. ʒj  
 Solutionis Aluminis Co. ʒss  
 Aquæ Puræ ..... ʒvj

Probe commisceantur. Indatur nari ex quo sanguis stillat, turunda ex linteo raso, humectata hoc liquore, et relinquenda illic, per dies duos.

364.—℞ *Florum Sambuci* . . . . . lb. ij  
*Coque in Aquæ*, lb. iv.

---

Foveantur, eo decocto, sæpius in die, caput, facies, oculi, aliæque partes erysipelate tentatæ.

---

365.—℞ *Decocti Hordei* . . . . . lb. fs  
*Magnesiae Sulphatis* .. ʒij  
*Fiat enema, urgente tenesmo injiciendum.*

---

366.—*Perfundatur corpus aquâ frigidâ.*

---

367.—℞ *Tincturæ Lyttæ* . . . . . ʒiv  
*Liquoris Ammoniae* . . . . ʒj  
*Linimenti Saponis* . . . . ʒij  
*Misce : fiat linimentum, quo guttur et postera pars colli perfricanda sunt donec vesicæ appareant, dein desiste per diem et applica unguentum cetacei.*

---

368.—℞ *Farinæ Lini* . . . . . lb. j  
*Aquæ bullientis* q. s  
*ut fiat cataplasma, admoveatur calidè loco affecto ; renovetur quater de die : cum arescat tantillo butyri insulsi emolliatur.*

369.—Admoveatur lintea aquâ frigidâ madefacta, vel si fieri possit glacies raso capiti.

---

370.—℞    Micæ Panis..... ℞. ij  
           Tincturæ Lyttæ ..... ℥ij  
           Decocti Papaveris, q. s.

ut fiat cataplasma. Applica hoc ad cutem per horæ dimidiam, aut tamdiu donec inflammationem satis magnam excitatam, dolor fervidus, et rubor partis tumens testentur.

---

371.—℞    Calaminaris Pulveris .. ℥j  
           Cretæ preparatæ ..... ℥ss  
 Fiat pulvis. Intra linteum consutum applicetur, renovando simul ac maduerit.

---

372.—℞    Pulveris Opii ..... gr. v  
           Saponis ..... .. ℥j  
 Misce, et fiat suppositorium, post alvum exoneratam applicandum.

---

373.—Foveantur gingivæ aquâ calidâ.

374.—℞ Infusi Rosæ ..... ʒvj  
Acidi Sulphurici diluti ʒj

Misce. Colluantur fauces hoc gargarismate.

---

375.—℞ Olei Olivæ ..... ʒj  
Liquoris Potassæ ..... ʒij

Misce. Fiat linimentum, hujus pauxillo oblinatur abdomen bis terve quotidie.

---

376.—℞ Magnesiae Sulphatis ,... ʒj  
Tincturæ Opii ..... gtt.xxv  
Jusculi ..... lb. fs .

Fiat enema. Injiciatur horâ somni tertiâ quâque nocte, ad tres vices, dein repetatur alternis noctibus, usque ad quartem vicem, si opus sit.

---

377.—℞ Unguenti Hydrargyri Ni-  
tratis ..... ʒfs  
Ung. Cetacei..... ʒj

Misce. Hujus unguenti pauxillum, ope penicilli camelini, oculo affecto applicetur nocte et mane.

---

378.—℞ Aluminis ..... ʒj  
Cretæ preparatæ ..... ʒj

Misce diligentissimè, ut fiat pulvis, cujus inspergatur pauxillum super mamillas pro re nata.

---

379.—Admoveatur extractum belladonnæ supercilio et regioni supraorbitali vespere.

---

380.—℞ Hydrargyri Submuriatis gr. ij  
                   Sacchari Albi ..... ʒj  
 Fiat pulvis cujus parum infletur, ope calami, in oculum affectum, semel vel bis in die.

---

381.—℞ Radicis Dauci ..... lb. j  
 Coque in aquæ fontanæ q. s. et per setaceum trajice pulpam, cui adde ʒss adipis, ut fiat cataplasma calidè adhibendum.

---

382.—Vespere appropinquante, si opus sit, injiciatur clyσμα, heri præscriptum.

---

383.—Fiat Setaceum ad medium brachium.

---

384.—Foveantur artus, cum decocto anthemidis.



385.—℞ Conii foliorum . . . . . ℥ij  
 Aquæ ferventis . . . . . lb. ij

Colatura sit pro fotu, qui cum pannis laneis, parti affectæ admoveatur, mane horis duabus, antequam è lecto assurgat, et nocte post decubitum, donec symptoma penitus evanuerit.

---

386.—℞ Tincturæ Opii . . . . . ℥j  
 Linimenti Saponis . . . . . ℥j

Fiat linimentum, cum quo benè fricentur tempora et detonsum caput.

---

387.—Inhalet singulis noctibus, in lecto, vaporem aquæ calidæ, cui tempore usûs, adde, cochlearia duo minima ætheris rectificati.

---

388.—Eliciantur scintillæ electricæ, ex orbitis oculorum, temporibusque, per horæ sextam partem, et repetantur alternis diebus.

---

389.—Iterum aura electrica coxæ dolenti admoveatur.

390.—Fiant ictus electrici per regionem uteri.

---

391.—Exploretur vesica urinaria, ope catheteris, et extrahatur urina.

---

392.—Colluantur os et gingivæ bis terve in die cum Tincturæ Myrrhæ gtt. xx in aquæ tepidæ cyatho.

---

393.—℞ Hydrargyri Oxydi Cinerei ℥j, vel  
 ————— Sulphureti rubri . . . . ʒss  
 Fiat pulvis pro fumigatione, faucibus internis, omni nocte more solito, adhibendus.

---

394.—Fiat foniculus crure, infra vel supra genu.

---

395.—Instituatur paracentesis abdominis, et educatur aqua.

---

396.—Affricetur parti affectæ singulis noctibus unguenti hydrargyri fortioris, magnitudo fabæ equinæ, deinde applicetur cata-

plasma ex liquore plumbi acetatis diluto,  
micâ panis, et farinâ lini.

---

397.—℞ Argenti Nitratis . . . . . ℥j  
Aquæ distillatæ . . . . . ℥vj

Fiat mistura, et cum hac illinantur partes  
affectæ singulis noctibus horâ somni prius  
detersæ; vel linteum in eâdem madefiat et per  
totam noctem gestetur.

---

398.—Utatur balneo, ad gradum nona-  
gesimum calefacto, bis in septimanâ.

---

399.—℞ Fellis Bovis . . . . . ℥ij  
Olei Amygdalarum . . . . . ℥is

Misce. Fiant guttæ acousticæ bis die appli-  
candæ.

---

400.—Utatur æger equitatione subinde, si  
fieri possit.

---

401.—Mittatur fistula armata.

402.—℞ Zinci Sulphatis..... ℥j  
 Aquæ Puræ ..... ℥vj

Misce. Fiat injectio, quæ ex syphone eburneo in urethram injiciatur, mane et nocte.

---

403.—℞ Liquoris Ammoniaë Acetatis ℥j  
 Aquæ ... .. lb. j

Fiat lotio, nocte cubitum ituro tumoribus applicanda. Mitte lb. ij cum directione propriâ.

---

404.—Fiat foniculus purulentus ad medium brachium, ope potassæ fusæ.

---

405.—Cautè tangantur clavi, acido sulphurico, ope penicilli; dein tegantur emplastro plumbi.

---

406.—℞ Unguenti Cetacei..... ℥j  
 Puiveris Opii..... ℥ss

Fiat unguentum, ejus paululum pro re nata applicetur, urgente ani prurigine.

---

407.—℞ Linimenti Camphoræ .. ℥iss  
 Tincturæ Lyttæ ..... ℥ss

Misce. Fiat linimentum, quocum fricetur pars affecta ter quaterve indiès.

---

408.—℞ Nicotianæ ..... ʒj  
Aquæ Communis..... Oj

Coque per sextam partem horæ et cola ;  
adde liquori

Sodæ Sulphatis ..... ʒij

Solve et fiat enema, statim injiciendum,  
contra insultus apoplecticos, vel affectus  
soporosos adhibendum.

---

409.—Mitte Emplastrum Galbani super  
alutam inducendum.

---

410.—Adhibeatur lavatio, frigida vel tepida,  
prout ægro gratius erit.

---

411.—Capilli radantur, et caput postea  
panniculo lotionis frigidâ imbuto circum-  
detur.

412.—℞ Hydrargyri Oxymuriatis gr. x  
Aquæ Puræ ..... ʒx

Misce. Hoc liquore, ter de die, injiciatur  
ulcus, ope siphonis ; post singulas injectio-  
nes materia relinquatur intra ulcus, et coer-  
ceatur per dimidium horæ, clausis omnibus  
aperturis, tumque externè prematur leniter  
ulcus, ut liquor ejectus per omnes sinus et  
meatus propellatur.

## PART III.

- 
1. *A few of the Rules of Syntax most commonly met with in Physicians' Prescriptions, with Examples of their Use.*
- 

1. *Of Concords.*

The Concords are four:\*

1. Of an Adjective, &c. with a Substantive.
  2. Of a Verb with a Nominative.
  3. Of a Relative with an Antecedent.
  4. Of a Substantive with a Substantive.
- 

\* Some grammarians make only three concords: the agreement of one substantive with another signifying the same thing (*Rule 8*), not being considered by them a concord, but is named apposition. However, for the reason assigned by Mr. Grant (*Institutes of Latin Grammar*, p. 172), I have adopted it as a primary concord.

*Rule 1.* Adjectives, participles, and pronouns, agree with the substantive in gender, number, and case: as,

*Grana duo. Cocbleare amplum. Haustus sumendus. Quâque nocte. Pannum laneum. Cataplasma calidum.*

*Rule 2.* A personal verb agrees with its nominative in number and person: as,

*(Tu) Recipe. Mittatur sanguis. Applicetur emplastrum. Capiat æger. Fricetur corpus. Foveantur gingivæ. Colluantur fauces.*

*Rule 3.* The infinitive mood has an accusative before it: as,

*Repetatur venæsectio quotidie ad tertiam vel quartam vicem nisi constet vires prius deficere.*

*Rule 4.* The relative *qui, quæ, quod*, agrees with the antecedent in gender, number, and person: as,

*Divide in pilulas sex, quarum sumat unam pro re nata.*

*Rule 5.* If no nominative come between the relative and the verb, the relative shall be the nominative to the verb: as,

*Fiant pilulæ duodecim, quæ sumendæ sunt ut antea.*

*Rule 6.* But if a nominative come between the relative and the verb, the relative shall be of that case which the verb or noun following, or the preposition going before, uses to govern: as,

*Fiat haustus, cui, tempore capiendi, adde, &c.*



Rule 7. Two or more substantives singular, coupled together by a conjunction, generally have a verb, adjective, or relative plural: as,

*Haustus et pilula sumantur tribus horis.*

Rule 8. One substantive agrees with another, signifying the same thing, in case: as,

*Recipe, Sodæ tartarizata (vulgo Tartari solubilis) unciam. Capiat æger cochlearia duo minima (id est, drachmas duas )*

---

2. Of Government.

1. Of Nouns.
2. Of Verbs.
3. Of Words indeclinable.

*Nouns.*

Rule 9. One substantive governs another, signifying a different thing in the genitive: as,

*Unciam magnesiæ. Magnitudo nucis moschata. Hora somni. Unciæ quinque sanguinis.*

(Note. The substantive governed may govern another, signifying a different thing: as, *Drachma sodæ subcarbonatis.*)

Rule 10. An adjective, in the neuter gender, without a substantive expressed, is followed by a genitive: the adjectives thus used are generally such as signify quantity: as,

*Plus calcis. Ex pauxillo alicujus liquoris. Paululum spiritûs. Ex tantillo bujus liquoris.*

*Rule 11.* *Opus* and *usus*, denoting *necessity*, *convenience*, or *expediency*, are followed by the ablative of the thing wanted: as,  
*Quando alvi ductione opus sit.*

*Rule 12.* Adjectives signifying desire, knowledge, memory, fear, &c. and the contraries to these, require a genitive case: as,  
*Ad alvum officii immemorem excitandam.*

*Rule 13.* Partitives and words placed partitively, comparatives, superlatives, interrogatives, and some numerals, govern the genitive plural: as,  
*Una pilularum. Quarum capiat unam.*

### *Verbs.*

*Rule 14.* A verb signifying actively governs the accusative: as,  
*Recipe unciam. Capiat cochleare. Mitte sanguinem. Sumat unam.*

*Rule 15.* Verbs of giving, taking away, composing, &c. and many verbs compounded with *ad*, *in*, *ob*, *præ*, *sub*, govern an accusative and dative, if the verb be active; if passive, a dative only.

*Da infantulo lactenti cochleare minimum aquæ mentibæ. Applicetur (or adplicetur) thoraci vesicatorium. Admoveantur regioni renum hirudines sex. Capiat cochlearia duo in languoribus, præcipue diebus purgationi deditis. Si primæ venæsectioni non cedat morbus, &c.*

*Rule 16.* *Utor*, and some other verbs, govern the ablative: as,  
*Utatur sequenti. Utatur pediluvio. Utatur æger equitatione.*

*Rule 17.* One verb governs another in the infinitive: as,  
*Caput tonderi debet.*

*Rule 18.* Participles, gerunds, and supines, govern the case of their own verbs: as,  
*Augendo dosin. Augendo, minuendovè quantitatem. Fiat linimentum, cervici et scapulis applicandum. Instillando tincturæ opii guttas sex.*

*Rule 19.* *Natus, editus, creatus*, and some other participles, require an ablative case; and oftentimes with a preposition: as,  
*Nata humoris detractio ab emplastro Cantbaridis.*

*Rule 20.* The gerund in *di* is governed by substantives or adjectives: as,  
*Tempore cœnandi. Tempore capiendi.*

*Rule 21.* Gerunds governing the accusative may be elegantly turned into the participles in *dus*, which agree with their substantives in gender, number, and case: as,  
*Ad acorem compescendum. Ad alvum excitandam.*

*On the Construction of Circumstances.*

Circumstances are five: *Cause, Manner, Instrument, Place, and Time*; and they are common to the verbs and nouns.

*Rule 22.* The cause, manner, and instrument, are put in the ablative: as,

*Pleno rivo. More solito. Eodem modo. Manu calido.  
Ope penicilli. Curetur pars exulcerata unguento  
Sabinæ. Alvo, bisce medicamentis libère soluta.  
Igne leni.*

*Rule 23.* Nouns signifying part of time, and answering to the question *quando* (when?) are put in the ablative: as,

*Omni nocte. Sextis horis. Tempore matutino.*

*Rule 24.* But nouns signifying duration of time, and answering to the question *quamdiu* (how long?) are generally put in the accusative: the prepositions *per, ad, in, intra, inter*, being frequently expressed: as,

*Per horam. Per tres noctes. Inter noctem.*

*Rule 25.* A substantive and a participle, whose case depends upon no other word, are put in the ablative absolute: as,

*Urgente tussi. Vase priùs agitato. Peraciâ effervescentiâ.  
Durante fluxu cruento. Fluxu cessante.  
Finitâ effervescentiâ.*

*Of Prepositions.*

*Rule 26.* The prepositions *ad, apud, ante, inter, per, pone, secundum, &c.* govern the accusative: as,  
*Ad uncias decem. Adversum renes. Inter scapulas.  
 Pone aurem. Infra cubitos. Prope cartilaginem  
 thyroideam.*

*Rule 27.* The prepositions *a, ab, cum, de, e, or ex, pro, &c.* govern the ablative: as,  
*Cum cochlearibus tribus. E brachio. Ex largo  
 vulnere. De novo.*

*Rule 28.* Some prepositions govern either ablative or accusative: thus, *in*, signifying *in*, governs the ablative; when it signifies *into*, an accusative. *Sub, super*, and some others, also govern either case: as,  
*In urethram. Bis in die. In partes excoriatas. Sub  
 aurem. Super alutam.*

*Rule 29.* Verbs compounded with *a, ab, ad, con, de, e, ex, in*, sometimes repeat the same prepositions with their case out of composition, and that elegantly: as,  
*Detrabantur de hypochondrio dextro sanguinis unciæ  
 decem.*

*Of Conjunctions.*

*Rule 30.* The conjunctions *et, ac, atque, aut, vel,* and some others, couple like cases and moods: as,  
*Duabus vel tribus horis. Post singulas sedes liquidas vel singulas vomitiones. Applicentur parti affectæ birudines sex et pro re nata repetantur.*

*Rule 31.* The following conjunctions are generally found governing a subjunctive mood: *Ut, si, ne, donec, &c.* as,  
*Ut fiat haustus. Donec alvus responderit. Donec vomitus supervenerit. Si vigiliæ anxerint. Si tussis increbuerit.*

*Of Adverbs.*

*Rule 32.* Some adverbs of quantity, time, and place, govern the genitive: as,  
*Quod satis est sacchari albi. Quantum sufficiat aquæ.*

2. EXAMPLES OF PRESCRIPTIONS,  
*Accompanied with a Grammatical Explanation.*

## No. I.

- (1) R. Ferri Carbonatis ʒjss.  
 (2) Rhei pulveris gr. xv.  
 (3) Olei Anthemidis gtt. v.  
 (4) Conservæ Rosæ quantum sufficiat ut fiat  
 massula in pilulas viginti dividenda, quarum sumat  
 æger tres octavis horis.
- 

- (1) RECIPE, verb active, imp. mood, 2d pers. sing. agreeing with *Tu* understood, (Rule 2); from *Recipio ẽre, cepi, ceptum* 3 conj. act. Governs an accusative. (Rule 14.)

DRACHMAM, noun subst. acc. sing. from *Drachma, æ*, f. 1st. decl. Governed by *Recipe*. (Rule 14.)

CUM, preposition. Governing an ablative case. (Rule 27.)

SEMISSE, subst. abl. case, from *Semissis, is, f*, 3d decl. Governed by *cum*.

CARBONATIS, subst. gen. sing. from *Carbonas, atis*,\* f. 3d decl. Governed by *Drachmam*. (Rule 9.)

FERRI, subst. gen. sing. from *Ferrum, i*, n. 2d decl. Governed by *Carbonatis*. (Rule 9 and note.)

(2) RECIPE, understood.

GRANA, subst. acc. pl. from *Granum, i*, n. 2d decl. Governed by *Recipe*, understood. (Rule 14.)

QUINDECIM, adj. indeclin.

PULVERIS, subst. gen. sing. from *Pulvis, eris*, m. 3d decl. Governed by *Grana*. (Rule 9.)

RHEI, subst. gen. sing. from *Rheum, i*, n. 2d decl. Governed by *Pulveris*. (Rule 9 and note.)

(3) RECIPE, understood.

GUTTAS, subst. acc. pl. from *Gutta, æ*, f. 1st decl. Governed by *Recipe*, understood. (Rule 14.)

\* The words *Carbonas, Subcarbonas, Sulphas, &c.* are not found in the Latin dictionaries. The London College always make these and similar words of the feminine gender; but the Edinburgh College, and the original framers of the new nomenclature, uniformly consider them as masculine. The point is not easy to decide. "If we are to be guided by the standard of classical authority, the London College is certainly correct." (*Bostock's Remarks on the Nomenclature of the New London Pharmacopœia.*)



QUINQUE, *adject. indeclin.*

OLEI, *subst. gen. sing. from Oleum, ei, n. 2d decl. Governed by Guttas. (Rule 9.)*

ANTHEMIDIS, *subst. gen. sing. from Anthemis, idis, f. 3d decl. Governed by Olei. (Rule 9 and note.)*

(4) *RECIPE, understood.*

QUANTUM, *adverb. Governing the genitive case. (Rule 32.)*

SUFFICIAT, *verb impers. potent. mood, pres. tense, from Sufficio, ēre, fēci, factum, neut. and act. 3d conj.*

CONSERVÆ, *subst. gen. sing. from Conserva, æ, f. 1st decl. Governed by Quantum. (Rule 32.)*

ROSÆ, *subst. gen. sing. from Rosa, æ, f. 1st decl. Governed by Conservæ. (Rule 9 and note.)*

UT, *conjunct. Governing a subj. mood. (Rule 31.)*

MASSULA, *subst. nom. case a, æ, f. 1st decl. ; FIAT, verb, subj. mood, pres. tense, 3d person, from Fio, fis, factus sum vel fui, fieri, neut. Governed by Ut (Rule 31), and agreeing with its nominative case Massula (Rule 2.)*

DIVIDENDA, *particip. nom. case. fem. gen. from Dividendus, a, um, (à divisor, i, sus, pass 3d conj.) Agreeing with Massula, (Rule 1.)*

IN, preposition. Governing an accus. case.  
(Rule 28.)

PILULAS, subst. acc. pl. from *Pilula*, *æ*, f.  
1st decl. Governed by *In* (Rule 28.)

VIGINTI, adj. indecl.

QUARUM, relative pronoun, gen. pl. fem. from  
*Qui, quæ, quod*. Agreeing with its antecede-  
dent *Pilulas* in gender and number. (Rule 4.)  
Governed, in the gen. case, by *Tres*. (Rules  
6 and 13.)

ÆGER, adj. masc. gen. nom. *æger, ægra,*  
*ægrum*. Agreeing with *homo*, understood.\*  
(Rule 1.)

SUMAT, verb, 3d pers. sing. imper. mood,  
from *Sumo, ere, psi, ptum*, act. 3d conj.  
Agreeing with *homo*, understood, (Rule 2;)  
governing an acc. case, (Rule 14.)

TRES, adj. acc. pl. fem. from *Tres, tres, tria*.  
Agreeing with *Pilulas*, understood, (Rule 1),  
and which is governed by *Sumat*, (Rule 14.)

HORIS, subst. abl. plural from *Hora, æ*, f.  
1st decl.: signifying part of time, and  
therefore put in the abl. case. (Rule 23.)

OCTAVIS, adj. abl. plur. fem. from *octavus, a,*  
*um*: agreeing with *horis*, (Rule 1.)

---

\* When *ægra* (a female patient) is used, it agrees with *mulier*, understood. Dr. Mason Good refers the origin of the word *æger* to the Arabic *ekrah*, (pronounced by the Turks *egrah*,) signifying "sickness, aversion, nausea, horror, or shuddering."

## No. II.

- (1) R. Pulv. Scamm. Æss.  
 (2) ——— Jalapæ gr. v.  
 (3) Calomelanos gr. iij.  
 (4) M. Fiat pulvis purgans, extemplò in pulpâ  
 pomi tosti sumendus.
- 

(1) RECIPE, as before.

SCRUPULUM, subst. acc. sing. from *Scrupulus, i*,  
 m. 2d decl. Governed by *Recipe*. (Rule  
 14.)

DIMIDIUM, adj. acc. sing. masc. from *Dimi-*  
*dus, a, um*; agreeing with *Scrupulum*.  
 (Rule 1.)

PULVERIS, subst. gen. sing. from *Pulvis, eris*,  
 m. 3 decl. Governed by *Scrupulum*. (Rule  
 9.)

SCAMMONEÆ, subst. gen. sing. from *Scammø-*  
*nea, æ, f.* 1st decl. Governed by *Pulveris*.  
 (Rule 9 and note.)

(2) RECIPE, understood, as before.

GRANA, subst. acc. pl. neut. from *Granum, i*,  
 n. 2d decl. Governed by *Recipe*, under-  
 stood. (Rule 14.)

QUINQUE, adj. indecl.

PULVERIS, subst. gen. sing. from *Pulvis, eris*,  
 m. 3d decl. Governed by *Grana*. (Rule 9.)

JALAPÆ, subst. gen. sing. from *Jalapa*, æ, f. 1st decl. Governed by *Pulveris*. (Rule 9 and note.)

(3) RECIPE, understood, as before.

GRANA, subst. acc. pl. from *Granum*, i, n. 2d decl. Governed by *Recipe*. (Rule 14.)

TRIA, adj. acc. pl. neut. gen. from *Tres*, *tres*, *tria*. Agreeing with *Grana*. (Rule 1.)

CALOMELANOS, a subst. genit. sing. from *Calomelas*, a word compounded of two Greek words, καλος, good, and μελας, black, and declined like the masculine gender of the adjective μελας, thus: Nom. *Calomelas*; Gen. *Calomelanos*; Dat. *Calomelani*; Acc. *Calomelana*; Voc. *Calomelas*.\* *Calomelanos* is governed by *Grana*. (Rule 9)

(4) MISCE, verb, 2d pers. sing. imper. mood, from *Misceo*, ēre, ui, *mistum*, and *mixtum*. Act. 2d conj. Agreeing with *Tu*, understood. (Rule 2.)

FIAT, verb, imper. mood, from *Fio*, *fis*, *factus sum* vel *jui*, *fieri*, neut. Agreeing with *Pulvis*. (Rule 2.)

PULVIS, subst. nom. sing. masc. gen 3d decl.

PURGANS, part. nom. sing. masc. *Purgans, tis*,

---

\* There is no ablative case in Greek; but, if it were required to put *Calomelas* in the ablative, it probably should be *Calomelane* or *Calomelani*.

from *Purgo*, *āre*. Agreeing with *Pulvis*.  
(Rule 1.)

SUMENDUS, part. Agreeing with *Pulvis*  
(Rule 1) in gender, number, and case.  
From *Sumor*, *i*, pass. 3d conj.

EXTEMPLO, adverb.

IN, prepos. governing an abl. case. (Rule 28.)

PULPA, subst. abl. sing. from *Pulpa*, *æ*, f.  
1st decl. Governed by *in*. (Rule 28.)

POMI, subst. gen. sing. from *Pomum*, *i*, n. 2d  
decl. Governed by *Pulpa*. (Rule 9.)

TOSTI, part. gen. sing. neut. gend. from  
*Tostus*, *a*, *um*. (from *Torreor*, *ēri*, 2d conj.)  
Agreeing with *Pomi*. (Rule 1.)

FINIS.

