

**GHQ/SCAP Records (RG 331, National Archives and Records Service)**

**Description of contents**

- (1) Box no. 3063
- (2) Folder title/number: (5)  
Japanese VD Control Reports

(3) Date: Dec. 1947 - Jan. 1949

(4) Subject:

Classification	Type of record
751, 9751	z

(5) Item description and comment:

**Kochi**

(6) Reproduction:  Yes  No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Sept 4 - 10

Type of Disease	Sex	Male	Female	Total
Gonorrhoea				
Syphilis		17	7	24
Chancroid		23	10	33
Lymphogranuloma Venereum		4	0	4
Granuloma Inguinale				
Total		44	17	61

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	26	
Streetwalkers	5	
Friends	3	
Husband	10	
Wife	0	
Congenital	3	
Unknown	14	
Total	61	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Aug 28 - Sept 3

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		33	4	37
Syphilis		11	3	14
Chancroid		2	0	2
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		46	7	53

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	23	
Streetwalkers	11	
Friends	5	
Husband	2	
Wife	0	
Congenital	0	
Others	1	
Unknown	11	
Total	53	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 21 - 27

Type of Disease	Sex	Male	Female	Total
Gonorrhea		6	0	6
Syphilis		9	2	11
Chancroid				
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		15	2	17

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	10	
Streetwalkers	3	
Friends	0	
Husband	1	
Wife	0	
Congenital	1	
<del>Other</del>	1	
Unknown	1	
Total	17	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 14 - 20

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	36	12	48
Syphilis	18	12	30
Chancroid	1	0	1
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	55	24	79

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	19	
Streetwalkers	20	
Friends	4	
Husband	15	
Wife	0	
Congenital	2	
Others	1	
Unknown	18	
Total	79	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 7 - 13

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		27	13	40
Syphilis		10	12	22
Chancroid		4	1	5
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>41</b>	<b>26</b>	<b>67</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	23	
Streetwalkers	7	
Friends	7	
Husband	16	
Wife	0	
Congenital	0	
Others	1	
Unknown	13	
<b>Total</b>	<b>67</b>	

FILE

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 31 - August 6

Type of Disease	Sex	Male	Female	Total
Gonorrhea		12	6	18
Syphilis		23	14	37
Chancroid		4	0	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		39	20	59

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	22	
Streetwalkers	10	
Friends	6	
Husband	8	
Wife	0	
Congenital	1	
Others	2	
Unknown	6	
Total	59	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 24 - 30 July 1949

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		39	22	61
Syphilis		5	9	14
Chancroid		2	0	2
Lymphogranuloma Venerum		1		1
Granuloma Inguinale				
<b>Total</b>		<b>47</b>	<b>31</b>	<b>78</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	22	
Streetwalkers	17	
Friends	12	
Husband	12	
Wife	2	
Congenital	0	
Others	5	
Unknown	8	
<b>Total</b>	<b>78</b>	



**FILE**

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 17 - 23 July 1949

Type of Disease	Sex	Male	Female	Total
Gonorrhea		21	9	30
Syphilis		11	12	23
Chancroid				
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		32	21	53

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	13	
Streetwalkers	12	
Friends	7	
Husband	6	
Wife	0	
Congenital	2	
Others	9	
Unknown	4	
Total	53	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 10 - 16

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	51	24	75
Syphilis	31	35	66
Chancroid	3	0	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	85	59	144

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	36	
Streetwalkers	21	
Friends	17	
Husband	29	
Wife	5	
Congenital	2	
Others	2	
Unknown	32	
Total	144	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 9 July 1949

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	13	7	20
Syphilis	13	4	17
Chancroid	0	0	0
Lymphogranuloma Venerum	0	0	0
Granuloma Inguinale	0	0	0
Total	26	11	37

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	5	
Streetwalkers	21	
Friends	4	
Husband	5	
Wife	0	
Congenital	1	
Unknown	1	
Total	37	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending June 26 - July 2

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		28	10	38
Syphilis		21	18	39
Chancroid		2	0	2
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		51	28	79

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	15	
Streetwalkers	26	
Friends	5	
Husband	12	
Wife	2	
Congenital	2	
Others	16	
Unknown	7	
Total	79	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending June 19 - 25

Type of Disease	Sex	Male	Female	Total
Gonorrhea		27	11	38
Syphilis		13	8	21
Chancroid		3	0	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		43	19	62

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	24	
Streetwalkers	14	
Friends	6	
Husband	9	
Wife	1	
Congenital	0	
Unknown	8	
Total	62	

Weekly Report of V. D. Patient  
(incl. Contact Tracing)

Week Ending June 12 - 18

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		45	14	59
Syphilis		33	18	51
Chancroid		3	0	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		81	32	113

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	32	
Streetwalkers	31	
Friends	7	
Husband	17	
Wife	1	
Congenital	2	
Others	2	
Unknown	16	
Total	113	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending June 5 - 11

Type of Disease	Sex	Male	Female	Total
Gonorrhea		33	8	41
Syphilis		26	13	39
Chancroid		3	0	3
Lymphogranuloma Venerum		1	0	1
Granuloma Inguinale				
<b>Total</b>		<b>63</b>	<b>21</b>	<b>84</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	21	
Streetwalkers	34	
Friends	9	
Husband	10	
Wife	0	
Congenital	0	
<del>Others</del>	4	
Unknown	6	
<b>Total</b>	<b>84</b>	

**FILE**

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 29- June 4

Type of Disease	Sex	Male	Female	Total
Gonorrhea		24	15	39
Syphilis		22	15	37
Chancroid		1	0	1
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
<b>Total</b>		<b>47</b>	<b>30</b>	<b>77</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	18	
Streetwalkers	18	
Friends	10	
Husband	10	
Wife	1	
Congenital	3	
Others	4	
Unknown	13	
<b>Total</b>	<b>77</b>	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 22 - 28

Type of Disease / Sex	Male	Female	Total
Gonorrhea	74	31	105
Syphilis	46	52	98
Chancroid	5	0	5
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>125</b>	<b>83</b>	<b>208</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	48	
Streetwalkers	34	
Friends	22	
Husband	39	
Wife	3	
Congenital	4	
<del>Foreigner</del>	2	
Unknown	47	
<del>Others</del>	0	
<b>Total</b>	<b>208</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 15 - 21

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	7	2	9
Syphilis	6	7	13
Chancroid		1	1
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>13</b>	<b>10</b>	<b>23</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	11	
Streetwalkers	1	
Friends	0	
Husband	4	
Wife	0	
Congenital	4	
<del>Others</del> Unknown	0	
<b>Total</b>	<b>23</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 8 - 14

Type of Disease	Sex	Male	Female	Total
Gonorrhea		29	10	39
Syphilis		27	39	66
Chancroid		1	2	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		57	51	108

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	25	
Streetwalkers	20	
Friends	2	
Husband	28	
Wife		
Congenital	7	
<del>Others</del>	4	
Unknown	22	
Total	108	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 1 - 5

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		10	4	14
Syphilis		12	8	20
Chancroid		1	0	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		23	12	35

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	13	
Streetwalkers	5	
Friends	2	
Husband	6	
Wife	0	
Congenital	1	
Others	2	
Unknown	6	
Total	35	

*Row*

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 24 - 30

Type of Disease	Sex	Male	Female	Total
Gonorrhea		26	8	34
Syphilis		10	6	16
Chancroid		4	0	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>40</b>	<b>14</b>	<b>54</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	25	
Streetwalkers	11	
Friends	2	
Husband	6	
Wife	2	
Congenital	1	
Unknown	7	
<b>Total</b>	<b>54</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 17 - 23

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	37	8	45
Syphilis	42	24	66
Chancroid	3	0	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	82	32	114

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	39	
Streetwalkers	23	
Friends	2	
Husband	19	
Wife	1	
Congenital	3	
Unknown	27	
Total	114	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 10 - 16

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	34	7	41
Syphilis	32	14	46
Chancroid	1	1	2
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>67</b>	<b>22</b>	<b>89</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	22	
Streetwalkers	23	
Friends	3	
Husband	11	
Wife	0	
Congenital	4	
Unknown	26	
<b>Total</b>	<b>89</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 3 - 9

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		7	5	12
Syphilis		11	5	16
Chancroid		1	0	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		19	10	29

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	10	
Streetwalkers	3	
Friends	4	
Husband	5	
Wife	0	
Congenital	2	
Unknown	5	
Total	29	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 27-April 2

Type of Disease / Sex	Male	Female	Total
Gonorrhea	36	8	44
Syphilis	23	17	40
Chancroid	3	1	4
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	62	26	88

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	32	
Streetwalkers	16	
Friends	4	
Husband	18	
Wife	2	
Congenital	1	
Unknown	15	
Total	88	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 20 - 26

Type of Disease	Sex	Male	Female	Total
Gonorrhea		16	8	24
Syphilis		11	10	21
Chancroid		2	0	2
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		29	18	47

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	13	
Friends	4	
Husband	4	
Wife	1	
Congenital	1	
Others	2	
Unknown	10	bath
Total	47	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 13 - 19

Type of Disease	Sex	Male	Female	Total
Gonorrhea		25	12	37
Syphilis		10	21	31
Chanoroid		3	2	5
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		38	35	73

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	18	
Streetwalkers	12	
Friends	11	
Husband	14	
Wife	1	
Congenital	1	
Unknown	16	
Total	73	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 6 - 12

Type of Disease \ Sex	Male	Female	Total
Gonorrhoea	20	7	27
Syphilis	15	12	27
Chancroid	0	1	1
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	35	20	55

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	13	
Friends	7	
Husband	13	
Wife	1	
Congenital	0	
Unknown	9	
Total	55	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Feb 27 - Mar 5

Type of Disease	Sex	Male	Female	Total
Gonorrhea		17	6	23
Syphilis		16	14	30
Chancroid		4	0	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		37	20	57

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	18	
Streetwalkers	14	
Friends	4	
Husband	10	
Wife	1	
Congenital	0	
<del>Foreigner</del>	0	
Unknown	9	
Total	57	

*File*

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 20 - 26

Type of Disease	Sex	Male	Female	Total
Gonorrhea		25	1	26
Syphilis		18	18	36
Chancroid		0	0	0
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		43	19	92

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	21	
Streetwalkers	14	
Friends	6	
Husband	9	
Wife	0	
Congenital	1	
Unknown	11	
Total	62	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 19 February 1949

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	29	15	44
Syphilis	26	21	47
Chancroid	5	2	7
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	60	38	98

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	34	
Streetwalkers	13	
Friends	9	
Husband	15	
Wife	1	
Congenital	4	
<del>Unknown</del> Public Bath	1	
Unknown	21	
Total	98	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 6-12

Type of Disease	Sex	Male	Female	Total
Gonorrhea		7	4	11
Syphilis		12	8	20
Chancroid		1		
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		20	12	32

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	8	
Streetwalkers	5	
Friends	1	
Husband	4	
Wife		
Congenital	2	
Unknown	12	
Total	32	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Jan 30 - Feb 5

Type of Disease	Sex	Male	Female	Total
Gonorrhea		23	5	28
Syphilis		15	17	32
Chancroid		1	0	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		39	22	

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	21	
Streetwalkers	8	
Friends	5	
Husband	14	
Wife	1	
Congenital		
Unknown	12	
Total	61	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending January 23 - 29

Type of Disease / Sex	Male	Female	Total
Gonorrhea	17	1	18
Syphilis	19	13	32
Chancroid	1	1	2
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>35</b>	<b>15</b>	<b>52</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	16	
Streetwalkers	11	
Friends	3	
Husband	6	
Wife	1	
Congenital	4	
Unknown	11	
<b>Total</b>	<b>52</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending January 16 - 22

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	32	10	42
Syphilis	15	14	29
Chancroid	3	1	4
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	50	25	75

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	21	
Streetwalkers	13	
Friends	11	
Husband	11	
Wife	1	
Congenital	3	
Unknown	15	
Total	75	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending January 9 - 15

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	6	3	9
Syphilis	7	10	17
Chancroid	1	0	1
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	14	13	27

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	6	
Streetwalkers	1	
Friends	3	
Husband	7	
Wife	1	
Congenital	3	
Unknown	5	at public bath
Others		
Total	27	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Dec 26 - Jan 1

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	10	3	13
Syphilis	6	5	11
Chancroid	2	0	2
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	18	8	26

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	4	
Friends	1	
Husband	8	
Wife	1	
Congenital	0	
Unknown	3	
Total	26	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending December 19 - 25

Type of Disease / Sex	Male	Female	Total
Gonorrhea	11	6	17
Syphilis	15	16	31
Chancroid	3	0	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>29</b>	<b>22</b>	<b>51</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	14	
Streetwalkers	9	
Friends	9	
Husband	10	
Wife	0	
Congenital	4	
Unknown	5	
<b>Total</b>	<b>51</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending December 12 - 18

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		23	4	27
Syphilis		10	9	19
Chancroid		0	1	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		33	14	47

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	16	
Streetwalkers	13	
Friends	8	
Husband	5	
Wife	0	
Congenital	1	
Unknown	4	
Total	47	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending December 5 - 11

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		16	7	23
Syphilis		16	7	23
Chancroid		2	0	2
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		34	14	48

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	15	
Streetwalkers	14	
Friends	7	
Husband	6	
Wife	1	
Congenital	0	
Unknown	5	
Total	48	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Nov 28 - Dec 4

Type of Disease	Sex	Male	Female	Total
Gonorrhea		8	4	12
Syphilis		7	11	18
Chancroid		2	1	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>17</b>	<b>16</b>	<b>33</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	3	
Friends	7	
Husband	5	
Wife	0	
Congenital	2	
Unknown	7	
<b>Total</b>	<b>33</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending November 21 - 27

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	11	3	14
Syphilis	19	17	36
Chancroid	2	1	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	32	21	53

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	10	
Streetwalkers	11	
Friends	17	
Husband	8	
Wife	3	
Congenital	2	
Unknown	2	
Total	53	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending November 14 - 20

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		15	4	19
Syphilis		10	12	22
Chancroid		1	0	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>26</b>	<b>16</b>	<b>42</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	12	
Friends	3	
Husband	7	
Wife	0	
Congenital	2	
Unknown	9	
<b>Total</b>	<b>42</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending November 7 - 13

Type of Disease	Sex	Male	Female	Total
Gonorrhea		11	4	15
Syphilis		19	12	31
Chancroid		3	1	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		33	17	50

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	18	
Friends	4	
Husband	12	
Wife	2	
Congenital	4	
Unknown	1	
Total	50	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending Oct 31 - Nov 6

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	10	4	14
Syphilis	8	11	19
Chancroid	0	1	1
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	18	16	34

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	8	
Streetwalkers	3	
Friends	6	
Husband	5	
Wife	3	
Congenital	0	
Unknown	9	
Total	34	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending October 24 - 30

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		7	8	15
Syphilis		13	7	20
Chancroid		3	2	5
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		23	17	40

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	10	
Friends	5	
Husband	7	
Wife	1	
Congenital	1	
Unknown	7	
Total	40	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending October 17 - 23

Type of Disease	Sex	Male	Female	Total
Gonorrhea		13	5	18
Syphilis		8	10	18
Chancroid		4	1	5
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		25	16	41

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	10	
Streetwalkers	13	
Friends	4	
Husband	7	
Wife	0	
Congenital	1	
Unknown	5	
Mother (syphilis female)	1	
Total	41	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending October 10 - 16

Type of Disease	Sex	Male	Female	Total
Gonorrhea		17	8	25
Syphilis		9	7	16
Chancroid		3	0	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		27	15	44

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	7	
Streetwalkers	17	
Friends	6	
Husband	7	
Wife	0	
Congenital	2	
Unknown	5	
Total	44	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 9 October 1948

Type of Disease \ Sex	Male	Female	Total
Gonorrhoea	18	10	28
Syphilis	18	16	34
Chancroid	7	0	7
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	43	26	69

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	19	
Streetwalkers	14	
Friends	16	
Husband	10	
Wife	1	
Congenital	2	
Unknown	7	
Total	69	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 26 Sep - 2 Oct

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	21	5	26
Syphilis	28	14	42
Chancroid	1	1	2
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	50	20	70

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	14	
Streetwalkers	22	
Friends	8	
Husband	9	
Wife	1	
Congenital	3	
Unknown	13	
Total	70	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending September 19-25

Type of Disease	Sex	Male	Female	Total
Gonorrhea		14	3	17
Syphilis		7	5	12
Chancroid		3	2	5
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		24	10	34

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	10	
Streetwalkers	9	
Friends	1	
Husband	5	
Wife	0	
Congenital	0	
Unknown	9	
Total	34	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending September 12 - 18

Type of Disease	Sex	Male	Female	Total
Gonorrhea		12	11	23
Syphilis		18	14	32
Chancroid		3	0	3
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		33	25	58

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	7	
Streetwalkers	14	
Friends	9	
Husband	11	
Wife	0	
Congenital	2	
Unknown	15	
Total	58	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 4 September 1948

Type of Disease	Sex	Male	Female	Total
Gonorrhea		21	9	30
Syphilis		10	0	10
Chancroid		3	1	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		34	10	44

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	7	
Streetwalkers	5	
Friends	11	
Husband	4	
Wife	0	
Congenital	2	
Unknown	15	
Total	44	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 28 August 1948

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	20	5	25
Syphilis	11	10	21
Chancroid	2	0	2
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	33	15	48

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	8	
Streetwalkers	16	
Friends	8	
Husband	9	
Wife	1	
Congenital		
Unknown	6	
Total	48	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 15-21

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	9	9	18
Syphilis	7	14	21
Chancroid	2	1	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
<b>Total</b>	<b>18</b>	<b>24</b>	<b>42</b>

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	1	
Streetwalkers	8	
Friends	6	
Husband	9	
Wife	1	
Congenital	1	
Unknown	13	
<b>Total</b>	<b>42</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 8 - 14

Type of Disease	Sex	Male	Female	Total
Gonorrhea		15	9	24
Syphilis		11	5	16
Chancroid		0	0	0
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		26	14	40

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	11	
Streetwalkers	5	
Friends	13	
Husband	5	
Wife	0	
Congenital	0	
Unknown	0	
Total	40	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending August 1-7

Type of Disease	Sex	Male	Female	Total
Gonorrhea		16	13	29
Syphilis		9	16	25
Chancroid		1	0	1
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		25	29	55

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	8	
Friends	8	
Husband	10	
Wife	0	
Congenital	1	
Unknown	19	
Total	55	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 25 - 31

Type of Disease	Sex	Male	Female	Total
Gonorrhea		13	10	23
Syphilis		8	2	10
Chancroid		2	0	2
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
<b>Total</b>		<b>23</b>	<b>12</b>	<b>35</b>

	No. of Patients	Remarks
Prostitutes	9	
Streetwalkers	2	
Friends	8	
Husband	5	
Wife	1	
Congenital	0	
Unknown	10	
<b>Total</b>	<b>35</b>	

**CONTACT  
ORIGIN**

On Hand = 1740  
Issued = 1740

released to Tamamizu  
Hospital

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 18 - 24

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		17	12	29
Syphilis		9	10	19
Chancroid		4	0	4
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>30</b>	<b>22</b>	<b>52</b>

**CONTACT  
ORIGIN**

On Hand = 1740  
Balance = 1740

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	6	
Friends	13	
Husband	10	
Wife	1	
Congenital	2	
Unknown	8	
<b>Total</b>	<b>52</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 11 - 17

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		14	14	28
Syphilis		9	7	16
Chancroid		10	2	12
Lymphogranuloma Venerum				
Granuloma Inguinale				
<b>Total</b>		<b>33</b>	<b>23</b>	<b>56</b>

CONTACT  
ORIGIN

On Hand = 1740  
Balance = 1740

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	8	
Friends	10	
Husband	11	
Wife	1	
Congenital	1	
Unknown	13	
<b>Total</b>	<b>56</b>	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending July 4 - 10

Type of Disease \ Sex	Male	Female	Total
Gonorrhoea	34	10	44
Syphilis	12	7	19
Chancroid	3	0	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	49	17	66

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	14	
Friends	4	
Husband	10	
Wife	1	
Congenital	0	
Unknown	25	
Total	66	

on hand = 1740 balance = 1740

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 27 June - 3 July

Type of Disease \ Sex	Male	Female	Total
Gonorrhoea	13	19	32
Syphilis	25	13	38
Chancroid	1	7	11
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	12	39	81

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	15	
Streetwalkers	10	
Friends	10	
Husband	17	
Wife	1	
Congenital	1	
Foreigner		
Unknown	26	
Total	81	

On Hand = 1740 Balance = 1740

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 20 - 26 June

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		10	8	18
Syphilis		9	10	19
Chancroid		7	1	8
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		26	19	45

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	8	
Streetwalkers	13	
Friends	0	
Husband	13	
Wife	1	
Congenital	1	
Unknown	9	
Total	45	

On Hand - 1740  
Balance - 1740

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 13 - 19 June

Type of Disease	Sex	Male	Female	Total
Gonorrhoea				
Syphilis		27	11	38
Chancroid		21	15	36
Lymphogranuloma Venereum		6	2	8
Granuloma Inguinale				
Total		54	28	82

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	14	
Streetwalkers	25	
Friends	11	
Husband	13	
Wife	0	
Congenital	0	
Unknown	19	
Total	82	

On Hand - 1740  
Balance - 1740



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending June 6 - 12

Type of Disease	Sex	Male	Female	Total
Gonorrhea		27	11	38
Syphilis		16	13	29
Chancroid		4	2	6
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		47	26	73

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	15	
Streetwalkers	18	
Friends	4	
Husband	13	
Wife	0	
Congenital	2	
Unknown	21	
Total	73	

\* Bismuth (cc-each) On Hand-1740 Balance-1740

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 5 June 1948

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		25	8	33
Syphilis		19	8	27
Chaneroid		9	2	11
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		53	18	71

CONTACT  
ORIGIN

	No. of Patients	Remarks
Frostitutes	10	
Streetwalkers	8	
Friends	1	
Husband	9	
Wife	1	
Congenital	2	
Unknown	36	
<del>Unknown</del>	4	
Total	71	

\* Bismuth (cc - @) On hand - 1740, Balance - 1740.

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending 29 May 1948

Type of Disease	Sex	Male	Female	Total
Gonorrhea				
Syphilis		28	10	38
Chancroid		13	11	24
Lymphogranuloma Venerum		4	2	6
Granuloma Inguinale		0	0	0
Total		45	23	68

Contact Origin	No. of Patients	Remarks
Prostitutes		
Streetwalkers	25	
Friends	10	
Husband	2	
Wife	10	
Congenital	0	
Unknown	0	
Total	21	
	68	

Bismuth( cc-each )

On Hand-1740, Issued-0, Balance-1740

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 16 - 22

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	16	10	26
Syphilis	15	12	27
Chancroid	6	2	8
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	37	24	61

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	11	
Streetwalkers	8	
Friends	5	
Husband	7	
Wife	0	
Congenital	1	
Unknown	29	
Total	61	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 9 - 15

Type of Disease	Sex	Male	Female	Total
Gonorrhea		12	10	22
Syphilis		8	9	17
Chancroid		0	0	0
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		20	19	39

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	6	
Streetwalkers	4	
Friends	0	
Husband	8	
Wife	0	
Congenital	0	
Unknown	21	
Total	39	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending May 2 - May 8

Type of Disease	Sex	Male	Female	Total
Gonorrhea		33	13	46
Syphilis		19	19	38
Chancroid		6	2	8
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		58	34	92

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	18	
Streetwalkers	14	
Friends	2	
Husband	17	
Wife	1	
Congenital	0	
Unknown	40	
Total	92	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 25 - May 1

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		27	6	33
Syphilis		12	9	21
Chancroid		3	3	6
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		42	18	60

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	22	
Streetwalkers	8	
Friends	1	
Husband	6	
Wife	0	
Congenital	2	
Unknown	21	
Total	60	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 18 - 24

Type of Disease	Sex	Male	Female	Total
Gonorrhea		28	13	41
Syphilis		17	17	34
Chancroid		2	2	4
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		47	32	79

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	20	
Streetwalkers	5	
Friends	2	
Husband	12	
Wife	3	
Congenital	2	
Unknown	35	
Total	79	



Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 11 - 17

Type of Disease	Sex	Male	Female	Total
Gonorrhea		11	18	29
Syphilis		25	7	32
Chancroid		0	0	0
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		36	25	61

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	26	
Streetwalkers	9	
Friends	4	
Husband	2	
Wife	1	
Congenital	1	
Foreigner	8	
Unknown	12	
Total	61	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending April 4 - 10

Type of Disease	Sex	Male	Female	Total
Gonorrhea		63	21	84
Syphilis		45	20	65
Chancroid		9	1	10
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		117	42	159

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	40	
Streetwalkers	15	
Friends	0	
Husband	25	
Wife	2	
Congenital	1	
Unknown	76	
Total	159	

Weekly Report of V. D. Patient  
(incl. Contact Tracing)

Week Ending March 28 - April 3

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		12	4	16
Syphilis		9	19	28
Chancroid		0	1	1
Lymphogranuloma Venerum				
Granuloma Inguinale				
Total		21	24	45

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	3	
Friends	1	
Husband	12	
Wife	1	
Congenital	0	
Unknown	16	
Total	45	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

*Study reason for 5000  
reference contacts  
organize campaign*

Week Ending March 21 - 27

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	23	7	30
Syphilis	13	7	20
Chancroid	3	0	3
Lymphogranuloma Venerum			
Granuloma Inguinale			
Total	39	14	53

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	12	
Streetwalkers	9	
Friends	0	
Husband	6	
Wife	0	
Congenital	2	
Unknown	24	
Total	53	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 14 - 20

Type of Disease	Sex	Male	Female	Total
Gonorrhea		29	11	40
Syphilis		12	9	21
Chancroid		9	2	11
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		50	22	72

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	20	
Streetwalkers	8	
Friends	0	
Husband	9	
Wife	1	
Congenital	1	
Unknown	33	
Total	72	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending March 7 - 13

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		31	9	40
Syphilis		19	12	31
Chancroid		1	2	3
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		51	23	74

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	20	
Streetwalkers	9	
Friends	5	
Husband	9	
Wife	1	
Congenital	1	
Unknown	29	
Total	74	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 29-March 6

Type of Disease \ Sex	Male	Female	Total
Gonorrhea	34	13	47
Syphilis	25	24	49
Chancroid	3	1	4
Lymphogranuloma Venerum	0	0	0
Granuloma Inguinale			
Total	62	38	100

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	20	
Streetwalkers	13	
Friends	6	
Husband	15	
Wife	1	
Congenital	3	
Unknown	42	
Total	100	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 22-28

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		21	11	32
Syphilis		14	11	25
Chancroid		5	2	7
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		40	24	64

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	11	
Streetwalkers	5	
Friends	2	
Husband	12	
Wife	0	
Congenital	1	
Unknown	33	
Total	64	



Weekly Report of V. D. Patient  
(incl. Contact Tracing)

Week Ending February 15-21

Type of Disease	Sex	Male	Female	Total
Gonorrhoea		20	4	24
Syphilis		12	12	24
Chancroid		4	3	7
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		36	19	55

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	6	
Streetwalkers	6	
Friends	2	
Husband	7	
Wife	0	
Congenital	3	
Unknown	31	
Total	55	

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 9-14

Type of Disease	Sex		Total
	Male	Female	
Gonorrhea	27	10	37
Syphilis	15	8	23
Chancroid	1	0	1
Lymphogranuloma Venerum	0	0	0
Granuloma Inguinale			
Total	43	18	61

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	2	
Streetwalkers	2	
Friends	2	
Husband	5	
Wife	2	
Congenital	2	
Unknown	46	
Total	61	

**CORRECTION**

**THIS DOCUMENT  
HAS BEEN REPHOTOGRAPHED  
TO ASSURE LEGIBILITY**

Weekly Report of V. D. Patients  
(incl. Contact Tracing)

Week Ending February 9-14

Type of Disease	Sex	Male	Female	Total
Gonorrhea		27	10	37
Syphilis		15	8	23
Chancroid		1	0	1
Lymphogranuloma Venerum		0	0	0
Granuloma Inguinale				
Total		43	18	61

CONTACT  
ORIGIN

	No. of Patients	Remarks
Prostitutes	2	
Streetwalkers	2	
Friends	2	
Husband	5	
Wife	2	
Congenital	2	
Unknown	46	
Total	61	

RATE OF VENEREAL DISEASE PATIENTS

January 1949

January 1949

	(1946)			(1947)			(1948)		
	Male	Female	Total :	Male	Female	Total :	Male	Female	Total
Syphilis	380	265	645	579	574	1153	701	580	1281
Gonorrhoea	725	269	994	1131	454	1585	1037	448	1485
Chancroid	112	42	154	249	69	318	170	61	231
The 4th VD Lymphogranuloma venereum?	4	0	4	1	1	2	2	1	3
Total	1221	576	1797	1960	1098	3058	1910	1090	3000

G. A. ...  
...  
...

...  
...  
...  
...

HEADQUARTERS I CORPS  
APO 301 (Kyoto, Honshu)

6 December 1948

## MEMORANDUM

FOR: All Japanese Officials in the I Corps Zone of Responsibility Concerned with the Enforcement of Diet Law #167, Venereal Disease Prevention Law, 1948.

1. Strict enforcement of Diet Law #167, Venereal Disease Prevention Law 1948, is expected and in addition thereto all Japanese law enforcing agencies concerned, including Japanese civil police, will cooperate with military authorities in enforcing the following orders applicable to persons under the jurisdiction of the Japanese Government:

"Any person who accosts a military member, in uniform, of the occupation forces to assist or to solicit prostitution, or who provides a place for prostitution to a military member of the occupation forces shall be deemed to have committed an act prejudicial to the security of the occupation and therefore triable by occupation courts."

2. Japanese authorities, in accordance with paragraphs 4 or 28 of Article 1 of the Minor Offenses Law, Law 39, May 1948, will arrest prostitutes soliciting by accosting persons other than military personnel on the streets in areas of the I Corps Zone of Responsibility where tactical troops of the occupation forces are stationed, or in areas designated by a commander of tactical troops of the rank of Major or higher, and prosecute them.

3. In carrying out provisions of Diet Law 167, "Venereal Disease Prevention Law", 1948, Japanese public authorities concerned with this enforcement in areas of the I Corps Zone of Responsibility where tactical troops of the occupation forces are stationed, or in areas designated by a commander of tactical troops of the rank of Major or higher, will accomplish the following:

a. See that Article 16 of said law is complied with at the earliest practicable date. *(V.D. cases & hosp.)*

b. Under Articles 11, arrange for frequent examination of all known prostitutes. *(New orders habitual prostitutes exam.)*

c. Under Articles 14 and 15, have infected prostitutes placed in hospitals until no longer contagious and thereafter have them report to proper authorities until cured.

d. Institute a complete follow-up system to effect the provisions of Article 10 in checking contacts and to pick up suspects under the provisions of Article 12.

e. Deliver copies of photographs now on hand of known prostitutes and photographs of persons apprehended in compliance with paragraphs 1 and 2 above to the nearest Provost Marshal.

f. Under the provisions of Article 22, arrange immediate inspection of houses of prostitution which soldiers have been seen entering, and of houses which soldiers are seen with a prostitute. A military policeman will constitute a member of the inspecting party in such cases.

g. Cause of persons who are picked up for violations of any law and who are suspected of being infected with venereal disease to be given physical examinations, and if necessary, treatment, and be kept under control until cured.

/s/ J.M. SEING  
/t/ J.M. SWING  
Major General, U.S.A.  
Commanding, I Corps

HEADQUARTERS I CORPS  
AFC 301 (Kyoto, Honshu)

MEMORANDUM:  
NUMBER 35/1

16 November 1948

VENEREAL DISEASE CONTROL

Memorandum No. 35, this headquarters, Subject: "Venereal Disease Control", dated 5 November 1948, is changed as follows:

Paragraph 10, is rescinded and the following substituted therefor:

"10. Venereal Disease Contact Report (Reports Control Symbol N-27), will be prepared and distributed as directed in Section I, Circular 33, Headquarters Eighth Army, dated 26 May 1948. An appreciable decrease in the incidence of Venereal Disease may be effected by prompt and efficient contact tracing. Successful contact tracing depends upon the completeness and accuracy of the information supplied by the medical officer preparing the contact report and the promptness with which the report is received at the office which is to arrange for the investigation. The contact report will be prepared and forwarded on the same day that the diagnosis is established. The tracing of Japanese contacts will be an activity under the supervision of the Area Provost Marshal, in close cooperation with the appropriate Japanese Health authorities. When the contact report involves women other than Japanese, the provisions of paragraph 3b aforementioned Circular, will be complied with. Unit surgeons will establish and maintain liaison with their Area Provost Marshal. If desired by the Area Provost Marshal, and if practicable, the individual who contracted the disease will be made available to assist in the identification of the female listed on the contact report." (E)

BY COMMAND OF MAJOR GENERAL SWINE:

MICHAEL E. HARRISON  
Brigadier General, GSC  
Chief of Staff

OFFICIAL:

*W. F. Worthington*  
W. F. WORTHINGTON  
Lt Col, AGC  
Asst Adj Gen.

DISTRIBUTION:

A & C  
3 copies G-1



HEADQUARTERS I CORPS  
APO 301 (Kyoto, Honshu)

MEMORANDUM:  
NUMBER 35:

8 November 1948

VENEREAL DISEASE CONTROL

1. DISPOSITIONS:

- a. Memorandum No. 47, this headquarters, Subject: "Venereal Disease Control", 3 June 1947, as amended.
- b. Memorandum No. 76, this headquarters, Subject: "Re-Education and Rehabilitation Camps, 28 August 1947, as amended.
- c. Letter, this headquarters, AG 726.1, Subject: "Contraction of Venereal Disease by Non-Commissioned Officers", 30 June 1947.
- d. Letter, this headquarters, AG 726.1 - E, Subject: "Venereal Disease", 24 January 1948.

2. REFERENCES:

- a. Circular No. 41, GHQ FEC, Subject: "Venereal Disease Control", 17 April 1947, as amended by Section I, Circular No. 104, GHQ FEC, 30 October 1947.
- b. Circular No. 43, Headquarters Eighth Army, Subject: "Responsibility for Venereal Disease", 21 June 1948.
- c. Circular No. 33, Headquarters Eighth Army, Subject: "Venereal Disease Contact Tracing", 26 May 1948, as amended by Circular No. 231, Department of the Army, Subject: "Character Guidance, 3 August 1948.
- d. Circular No. 60, Headquarters Eighth Army, Subject: "Intoxicating Liquor", 31 September 1948.
- e. Paragraph 15, C-1, Administrative Order No. 21, Headquarters Eighth Army, Subject: "Medical Care by Japanese Physicians", 17 August 1948.
- f. Messageform, Headquarters Eighth Army, AGDH 726.1, Subject: "Venereal Disease", 14 June 1948, as amended.
- g. Messageform, Headquarters Eighth Army, AG 726.1 (NI), Subject: "Venereal Disease", 12 February 1948.
- h. Letter, Headquarters Eighth Army, AG 726.1 (D), Subject: "Venereal Disease", 10 January 1948, as amended.

Memo No. 35, Hq I Corps, dated 8 Nov 46, cont'd.

- i. Messageform, Headquarters Eighth Army, AG 726.1, Subject: "Venereal Disease Control", 15 December 1947.
- j. Messageform, Headquarters Eighth Army, AG 726.1, Subject: "Venereal Disease", 2 August 1947, as amended.
- k. Circular No. 58, Department of the Army, Subject: "Prevention and Control of Communicable Disease of Man", 1 December 1947.
- ll. Circular No. 231, Department of the Army, Subject: "Character Guidance", 3 August 1948.
- m. Training Circular No. 3, War Department, Subject: "Venereal Disease Control", 17 July 1947, as amended by Circular No. 43, War Department, Subject: "Training in Basic Medical Subjects", 9 February 1945.
- n. Section X, Weekly Directive No. 3, Headquarters Eighth Army, Subject: "Control of Venereal Disease Among Civilian Employee", 25 September 1948.

3. The control of venereal disease in an organization is a command function. A high venereal rate indicates failure in command and reflects upon the efficiency of commanders of successive echelons. Commanders who condone dilatory tactics in the suppression of venereal disease in their organizations are not complying with Department of the Army directives. Unit commanders should plan some form of recreation for the men of their command. This plan should take in practically every evening. Many of the activities that have been so successful in Red Cross and Hostess Clubs can very easily be conducted in the average company by an energetic and ingenious officer or non-commissioned officers. The condition of the dayroom is a very definite means of measuring the interest a commander takes in the morale and welfare of his command. It is tangible and exact and the unit commander who neglects the dayroom has failed to use his easiest and most available means of supporting morale.

4. Reference paragraph 2f, above, enlisted men who demonstrate undesirable habits and traits of character by repeated incurrance of venereal disease may be separated from the service under the provisions of AR 615-368 or AR 615-369.

5. Individuals who fail to report that they have contracted a venereal disease will be tried by Courts Martial. The following is cited as a guide:

"CHARGE: Violation of the 96th Article of War.

SPECIFICATION: In that \_\_\_\_\_, did, at \_\_\_\_\_, on or about \_\_\_\_\_, knowing that he may have contracted a venereal disease, wrongfully fail to report the fact to his immediate commanding officer without unnecessary delay, in violation of paragraph 23 f (1), AR 40-210, dated 25 April 1945."

Memo No. 35 , Hq I Corps, dated 8 Nov 48, cont'd.

6. Any officer who contracts a venereal disease will be administratively informed that his conduct has been a discredit to the venereal disease control program of the Army, which will be noted on his next efficiency report. Upon report of a second infection resulting from a new exposure, such officer will be ordered to appear before a reclassification board under the provisions of AR 605-230, or action taken in accordance with War Department Radio EX 83443; Messageform, this headquarters, AG 320.2-B, Subject: "Relief from Active Duty of Certain Department of the Army Personnel", dated 31 December 1947, and paragraph 6b, Circular No. 27, Department of the Army, 2 February 1948. In order to expedite this action, Medical Corps officers who diagnose and treat officers for venereal disease will forward without delay to the officer having general courts martial jurisdiction of the area involved, two (2) copies of the diagnosis giving therein the officer's full name, rank, serial number, organization, and diagnosis with an information copy forwarded directly to the Commanding General, I Corps. Officers exercising general courts martial jurisdiction will upon receipt of such notification take action as indicated above.

7. Facts regarding the effectiveness of prophylactic kit must be brought to the attention of all personnel. The important thing is that a prophylaxis be taken as soon as possible. However, if it is impracticable to take a prophylaxis within a short period of time, the kit is still capable of reducing chances of infection even though it may be used three or four hours after exposure.

8. Re-education and Rehabilitation Centers have been established as indicated below for enlisted men of this command who have contracted a venereal disease:

a. By Commanding General, 24th Infantry Division, for all Corps and Division Troops on Kyushu:

Camp Kokura (3d Engr Combat Bn).

b. By Commanding General, 25th Infantry Division, for all Corps and Division Troops on Honshu:

Camp Shinodayama, (near Osaka), (Co G, 27th Inf Regt).

Commanding Officers concerned will insure that enlisted men who have contracted venereal disease are delivered with the least practicable delay, upon completion of treatment, to the appropriate center commander. Restriction will be to the confines of a Re-education and Rehabilitation Center for a period of thirty (30) days, or for a longer period, not to exceed ninety (90) days in all, on recommendation of a medical officer in order to diminish the chance of relapse or early reinfection and to insure, in the instance of gonorrhea, that a co-existing syphilitic infection has not been masked by the administration of penicillin. Center commanders are enjoined to insure that the nature of this restriction is such as to make it impossible for an individual so restricted to have contact with females during the period of his restriction.

Memo No. 35 , Hq I Corps, dated 8 Nov 48, cont'd.

9. Orders issued by Corps non-divisional units will place enlisted men on DS status to the organizations, as indicated in paragraph 8 above, for the respective center, and will quote Section I, Circular 185, Headquarters Eighth Army, dated 15 November 1947, and this Memorandum, as authority for issuance of orders. Upon completion of required training, the center commander will issue orders returning each individual to his proper unit. Divisions will issue orders for personnel of their assigned and attached units in accordance with current directives. Individuals placed on DS with these Centers will take with them appropriate clothing and complete field equipment. Individual weapons will not be taken, these to be provided by the center commander.

10. Venereal disease contact report (Reports Control Symbol W 27) will be prepared and distributed as directed in Section I, Circular No. 33, Headquarters Eighth Army, dated 26 May 1948. An appreciable decrease in the incidence of venereal disease may be effected by prompt and efficient contact tracing. Successful contact tracing depends upon the completeness and accuracy of the information supplied by the medical officer preparing the contact report and the promptness with which the report is received at the office which is to arrange for the investigation. The contact report will be prepared and forwarded on the same day that the diagnosis is established. Unit surgeons will establish and maintain liaison with the medical officer of the appropriate Military Government unit. If desired by the Military Government unit, and if practicable, the individual who contracted the disease will be made available to assist in the identification of the female listed on the contact report.

11. a. Divisions and this headquarters for non-divisional Corps troops, will publish quarterly the rate of incidence of venereal disease for the preceding quarter, broken down to include companies and separate detachments.

b. Copies of divisional quarterly announcement of incidence rates will be furnished this headquarters.

12. When the venereal disease rate of any unit exceeds 50 per 1000 per annum, the unit commander will indorse the Monthly Venereal Disease Statistical Report required by Circular 184, Headquarters Eighth Army, 15 June 1946, outlining steps taken to reduce the excessive rate.

13. A copy of this memorandum will be furnished to members of all boards concerned with reduction and discharge of personnel. (B)

BY COMMAND OF MAJOR GENERAL SWING:

EUGENE L. HARRISON  
Brigadier General, GSC  
Chief of Staff

OFFICIAL:



C. C. CARTER  
Colonel, AGD  
Adjutant General

DISTRIBUTION:

A & E

3 Copies G-1

Public Health

VENEREAL DISEASE PREVENTION LAW

Chapter I. General Provisions

Art. 1. This Law provides for the complete medical treatment and prevention of VD to prevent it from impairing the soundness of soul and body of the people and producing an evil effect upon their descendants for the purpose of contributing to the improvement and promotion of public health.

Art. 2. The state and local public bodies shall always endeavour in the complete medical treatment and prevention of VD, popularising the knowledge about the said medical treatment and prevention.

Art. 3. Every person shall take precaution not to have any chance of contracting VD and, when infected, shall take medical treatment promptly.

Art. 4. Physicians shall cooperate in the performance of the duty and responsibility of the state, local public bodies and every persons prescribed in the preceding two Articles, endeavouring in the medical treatment and prevention of VD.

Art. 5. When used in this law, the term "VD" shall include

Art. 3. Every person shall take precaution not to have any chance of contracting VD and, when infected, shall take medical treatment promptly.

Art. 4. Physicians shall cooperate in the performance of the duty and responsibility of the state, local public bodies and every persons prescribed in the preceding two Articles, endeavouring in the medical treatment and prevention of VD.

Art. 5. When used in this law, the term "VD" shall include syphilis, gonorrhoea, chancroid and inguinal lymphogranuloma.

2. The term "protectors" in this law shall mean persons who exercise parental power or guardianship.

#### Chapter II. Report

Art. 6. Physicians, when they diagnose persons as infected by VD (referred to as patients hereinafter), shall give instructions as provided by the Ministry Ordinance as to treatment and prevention measures of infection to the patients or to their protectors, and also after inquiring names, residence, persons who are considered to have infected VD to the patients, and persons whom the patients have

committed

committed conduct liable to infect VD and other matters prescribed by the Ministry Ordinance, shall report the necessary matters in written form within 24 hours to the Governor of prefecture through the director of a health center in charge of the districts where the said patients reside.

Art. 7. Physicians, when persons diagnosed to be patients of VD or under their treatment fail to obey the instructions provided in the preceding Article, or when such patients give up their treatment and fail to submit certificates of treatment by other physicians, shall report thereon in written form to the Governor of prefecture through the director of the health center in charge of the residence of the said patients.

2. This provision shall also apply in case of the recovery or death of the said patients or the change of their dwellings.

3. When the said patients have changed their residence, they or their protectors shall notify to the physicians treating the said patients.

### Chapter III. Health Examination

9. Any man and woman entering into matrimony shall, in

through the director of the health center in charge of the recovery  
of the said patients.

2. This provision shall also apply in case of the recovery  
or death of the said patients or the change of their dwellings.

3. When the said patients have changed their residence,  
they or their protectors shall notify to the physicians treating  
the said patients.

### Chapter III. Health Examination

Art. 8. Any man and woman entering into matrimony shall, in  
advance of marriage, try to exchange their health certificates pre-  
pared by a physician to show whether they are suffering from VD or not.

Art. 9. Any woman who is found pregnant, shall have the health  
examination of a physician to determine whether she suffers from  
VD or not.

Art. 10. The governor of prefecture, receiving the report as  
provided in Art. 6, may order the health examination by a physician  
of persons in whom there is reasonable evidence to suspect the pres-  
ence of VD due to contact with a patient to ascertain whether such  
persons are actually infected with VD. This provisions shall not,  
however, apply to the said persons who submit certificates to the  
effect that they are receiving treatment by physicians.

Art. 11.



Art. 11. The governor of prefecture may order the health examination by a physician of those who by reasonable evidence are suspected to be habitual prostitutes, or order the health officials concerned to examine whether they are infected with VD.

Art. 12. When it is deemed necessary to take special measures for the medical treatment and prevention of VD, the prefectural governor may with the approval of the Minister of Welfare require the health examination by physicians or health officials of individuals in whom there is reasonable evidence to suspect the presence of VD, after designating the health examination procedures and other necessary items in accordance with the provisions of Ministerial Ordinance .

Art. 13. When physicians<sup>3</sup> conduct the health examination as provided in Art 10 or 11, they shall make medical examination of V.D. by the method prescribed in ministerial ordinance.

and other necessary items in accordance with the provisions of  
Ministerial Ordinance .

Art. 13. When physicians<sup>3</sup> conduct the health examination held  
as provided in Art 10 or 11, they shall make medical examination  
of V.D. by the method prescribed in ministerial ordinance.

submit certificates of their treatment with the report specified  
therein.

Art. 15. The Prefectural governor, if he finds it necessary,  
shall order the patients who are not under medical treatment to take  
or order their protectors to make them take the treatment of  
physicians.

2. The governor of prefecture, when he deems it necessary for  
the complete treatment or prevention of VD, may order patients to  
enter, or order their protectors to make them enter VD hospitals or  
clinics so long as their disease is liable to infect others.

3. The Prefectural

3. The Prefectural governor may take steps to bear the whole or a part of the expenditures of treatment in VD hospitals or clinics, in case when patients who have been ordered either to take treatment or to enter the said VD hospitals or clinics according to the provision of the preceding Paragraph or persons who are responsible for the sustenance of the said patients are unable to afford to defray the said expenditures as provided by the Ministerial Ordinance.

#### Chapter V. Establishments

Art. 16. The Prefecture shall establish VD clinics and hospitals for the examination and treatment of VD patients as provided by the Ministerial Ordinance.

2. The city, the town or the village may establish public VD clinics and hospitals as provided by the Ministerial Ordinance.

3. The Prefecture, the city, the town or the village may substitute either public or private clinics and hospitals deemed appropriate for VD clinics and hospitals ~~under Art. 11~~ for an appointed period, if approved by the Minister of Welfare.

#### Chapter VI. Expenditures

Art. 17. The Prefecture shall bear the following expenditures.

2. The city, the town or the village may establish public VD clinics and hospitals as provided by the Ministerial Ordinance.

3. The Prefecture, the city, the town or the village may substitute either public or private clinics and hospitals deemed appropriate for VD clinics and hospitals ~~under Art. 11~~ for an appointed period, if approved by the Minister of Welfare <sup>under the preceding two paragraphs</sup>.

#### Chapter VI. Expenditures

Art. 17. The Prefecture shall bear the following expenditures:

1. Those necessary for the health examination under Art. 10 to 12 inclusive.

2. Those necessary for taking the steps provided in Art. 10 Par. 3.

3. Those necessary for VD clinics and hospitals established by the prefecture or substitutional VD clinics and hospitals.

Art. 18. The city, the town or the village shall bear the expenditures necessary for a VD clinic and hospital or a substitute thereof established by the city, the town or the village concerned.

Art. 19. The state subsidizes one half of the expenditures specified in each paragraph of Art. 17 and in the preceding Articles as provided by Cabinet Ordinance.

Art. 20.