

CA20N
P531
-V37



REGISTRATION REPORT.

ONTARIO,

1879.

614.1


058

(1879)



Library
of the
Academy of Medicine,
Toronto.

6163



Digitized by the Internet Archive
in 2012 with funding from
University of Guelph, University of Windsor, York University and University of Toronto Libraries

REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES & DEATHS

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31st DECEMBER,

1879.

Printed by Order of the Legislative Assembly.



Toronto:

PRINTED BY C. BLACKETT ROBINSON, 5 JORDAN STREET.

1881.

6163



CONTENTS.

REMARKS	PAGE.
	6
TABLE shewing the total number of <i>Births, Marriages</i> and <i>Deaths</i> in each County, with the increase and decrease	8-9
“ giving the increase or decrease of <i>Births, Marriages</i> and <i>Deaths</i> in the County Towns	10-11
shewing the number of <i>Births, Marriages</i> and <i>Deaths</i> in the Cities and principal Towns in Ontario, with the population in each place as returned by the assessor for the year 1879 ; also, the principal causes of <i>Death</i>	12
Remarks on the foregoing tables	13
Comparison between the Cities of Ontario and some cities of the United States, similar in population	14
 <i>Births :</i>	
Sex of the children born	16
Proportion of male and female <i>Births</i>	16
Order of <i>Births</i> by months, 1878-79	16
Quarterly Return of <i>Births</i> , 1878-79	17
Average number of <i>Births</i> in the several periods	17
Difference between the number of male and female <i>Births</i> during the last eight years	18
Percentage of <i>Births</i> in each quarter for the last six years	18
Comparative statement of <i>Births</i> for ten years	18
Number of Illegitimate <i>Births</i> , <i>Twins</i> and <i>Triplets</i> for eight years, with remarks	19
 <i>Marriages :</i>	
Remarks on <i>Marriages</i> by Denominations, percentages, etc.	22
Quarterly Return of <i>Marriages</i>	22
Order of <i>Marriages</i> by months... ..	23
Remarks on <i>Marriages</i> by ages... ..	23
Percentage of <i>Marriages</i> in Quinquennial periods to the whole number married	24
Synopsis of <i>Marriages</i> , exhibiting great disparity of age, with remarks	25-26
 <i>Deaths :</i>	
Number of <i>Deaths</i> , with remarks	28
Ages at time of death, “	28
Proportion of male decedents to female decedents in Ontario compared with those in some of the States of the American Union	29
Death rate at different ages	30

	PAGE.
Quarterly Return of Deaths	30
Monthly " in rotation according to numbers	30
Remarks on Deaths occurring at different periods of the year	31
Remarks on the rises and falls in the mortality from month to month during the year... ..	31
Causes of the two high points in the death wave	32-33
Record of the ten highest causes of death for the years 1871-79 inclusive ...	34
Ten highest causes of death, with the per centage of the whole number of Deaths, from specified causes, for the years 1877, '78 and '79, with remarks thereon	35
Table shewing the total Deaths registered in each County, and the numbers and percentages of those who died from Phthisis... ..	36
Remarks on Deaths from Phthisis	37-38
" " Old Age	39
" " Infantile Debility	39
" " Pneumonia... ..	39
" " Heart Disease	40
" " Diphtheria	41
" " Convulsions	42
" " Dropsy	42
" " Enteritis	42
" " Diarrhœa	42
" " Typhoid Fever	43
" " Scarlet "	43
" " Measles	43
" " Small-pox	43
" " Other Diseases	44
Table shewing the average age at death of males and females in the Province and in the Cities during 1879	44
Percentage of the Deaths under one year to the number of Deaths in the Cities of Ontario during 1879	45
Average age at Death of males and females in the Counties of Ontario for the year 1879, with remarks	46-48
Deaths by occupations over the average age... ..	49
" " under "	49
Ten occupations which shew the highest average age, and the ten occupations shewing the lowest average age at the time of Death	50
Remarks on Deaths by occupations	50
Ten occupations which shew the largest number of Deaths from Phthisis ...	52
Ten highest causes of Death by occupations, with remarks upon the same ...	52
General remarks on the Report	53

APPENDIX.

TABLE A.— <i>Births</i> , shewing the number of male and female Births in each month of the year	PAGE.
	iv.

			PAGE.
TABLE B.—	<i>Marriages</i> ,	shewing the denomination of each person married	xii.
“	C.—	Shewing the month in which each person was married	xx.
“	D.—	“ “ ages of the persons at the time of their marriage	xxii.
“	E.—	<i>Deaths</i> , shewing the Deaths by months, ages and sex, and specified causes alphabetically arranged	xxx
“	F.—	Shewing causes of Death in the several Counties in the Province	lvi.
“	G.—	“ the Deaths at different ages	lxxvi.
“	H.—	“ “ Deaths by occupations, giving the causes	cxvi.
“	I.—	“ “ Deaths by occupations in the several Counties... ..	cxviii.

REGISTRAR-GENERAL'S OFFICE, ONTARIO,

December 9th, 1880.

To His Honour the Honourable John Beverley Robinson, Lieutenant-Governor of the Province of Ontario.

MAY IT PLEASE YOUR HONOUR,—

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1879.

Respectfully submitted,

ARTHUR S. HARDY,

Registrar-General.

REPORT

RELATING TO THE REGISTRATION OF BIRTHS, MARRIAGES AND DEATHS,

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER, 1879.

PARLIAMENT BUILDINGS,

TORONTO, December 7th, 1880.

To the Honourable A. S. HARDY,

Registrar-General of the Province of Ontario.

SIR,—I have the honour to present a Report of the Births, Marriages and Deaths registered in this Province during the year ending 31st December, 1879.

During the year there were 41,035 Births, 12,509 Marriages and 17,958 Deaths registered in Ontario.

The registered number of Births was greater than in 1878 by 799 ; that of Marriages was less by 220, while the registered Deaths shewed an increase of 150.

The total registrations were 71,502, an increase of 25,902 in four years, or since 1876, the date the present Act came into force.

TABLE SHEWING THE TOTAL NUMBER OF BIRTHS, MARRIAGES AND DEATHS IN EACH COUNTY, WITH THE INCREASE AND DECREASE.

COUNTIES.	Number of Births.		Number of Marriages.		Number of Deaths.		Total Number of B., M. & D., 1879.		Total Number of B., M. & D., 1878.	
	Increase.	Decrease.	Increase.	Decrease.	Increase.	Decrease.	Increase.	Decrease.	Increase.	Decrease.
Algoma.....	260		71		52		383		214	
Brant.....	734		225		341		1300		1206	
Bruce.....	1416		381		468		2265		2087	
Carleton.....	1092		368		699		2159		2185	
Elgin.....	374		276		321		1171		1137	
Essex.....	1078		321		527		1926		1908	
Frontenac.....	864		253		460		1577		1456	
Grey.....	1314		412		442		2168		2080	
Haldimand.....	555		165		195		915		958	
Halton.....	497		146		230		873		896	
Hastings.....	970		376		584		1330		1357	
Huron.....	1815		451		651		2917		2906	
Kent.....	1022		416		442		1882		1619	
Lambton.....	1072		295		444		1809		1766	
Lanark.....	540		211		248		999		1059	
Leeds and Grenville.....	1056		351		465		1872		1831	
Lennox and Addington.....	510		191		249		950		937	
Lincoln.....	672		187		415		1274		1351	
Middlesex.....	2013		670		1011		3694		3603	
Muskoka and Parry Sound.....	818		142		187		1147		956	
Norfolk.....	715		265		325		1305		1288	
Northumberland and Durham.....	1252		547		595		2394		2410	
Ontario.....	1140		376		499		2015		1987	
Oxford.....	1191		349		448		1988		2131	
Peel.....	538		147		242		927		992	
Perth.....	1205		340		461		2006		1971	
Peterborough.....	876		193		295		1364		1397	
Prescott and Russell.....	1112		184		344		1640		1552	
Prince Edward.....	381		157		216		754		758	
Renfrew.....	833		168		236		1237		1333	
Simcoe.....	1464		475		586		2525		2410	
Stormont, Dundas and Glengarry.....	1013		359		552		1924		1990	
Thunder Bay.....	62		10		26		98		124	

Victoria	844	58	228	16	262	21	1334	1313	21					
Waterloo	1194	67	302	40	494	1	1990	2098	108					
Welland	725	4	216	315	1	1286	1261	5					
Wellington	1781	68	534	9	609	64	2924	3047	123					
Wentworth	1624	116	517	1	1020	105	3161	3173	12					
York	4213	131	1234	7	2002	36	7449	7361	88					
Totals	41035	1637	898	12509	403	623	17958	798	648	71502	70773	1708	979					
Increase in Births, 799.						Decrease in Marriages, 220.						Increase in Deaths, 150.						
													Total increase in B., M. and D., 729.					

Picton...	57	59	2	66	56	10	43	42	1	166	157	9
Pembroke	117	121	4	30	29	42	54	189	204
Barrie	125	139	14	66	64	61	84	252	287
Cornwall	91	121	30	75	67	83	102	249	290
Lindsay	103	112	9	69	64	48	53	220	229
Berlin	133	120	61	55	64	79	258	254
Welland	41	45	4	24	27	8	16	73	88
Guelph	340	298	100	115	117	121	557	534
Hamilton	1008	994	335	329	594	646	1937	1969
Toronto	2637	2638	1	825	836	1466	1425	4928	4899
Totals.....	8682	8925	378	3849	3513	154	5061	5372	432	17592	17810	598
						490			121			380

	Increase of Births...	243	Decrease in Marriages. . .	336	Increase in Deaths	311	Total Increase.	218
--	-----------------------	-----	----------------------------	-----	--------------------	-----	-------------------------	-----

RETURN of BIRTHS, MARRIAGES and DEATHS in the Cities and Principal Towns of Ontario, with the Population in each place as returned by the Assessors for the year 1879, and the ratio per 1,000 persons living, also the Principal Causes of Death in those places.

CITIES AND PRINCIPAL TOWNS.	Population in 1879, as returned by the Assessors.		BIRTHS.		MARRIAGES.		DEATHS.		PRINCIPAL CAUSES OF DEATH.											
	Population	Ratio to 1,000 of the Population.	Number returned.	Ratio to 1,000 of the Population.	Number returned.	Ratio to 1,000 of the Population.	Number returned.	Ratio to 1,000 of the Population.	MIASMATIC DISEASES.						Phtthisis or Consumption.	Brain Disease.	Heart Disease.	Pneumonia.	Lung Disease.	Old Age.
									Diphtheria.	Dysentery.	Diarrhœa.	Typhoid Fever.	Scarlet Fever.	Other Fevers.						
Toronto	73813	2638	35.7	836	11.3	1425	19.3	6	70	36	5	4	158	45	57	79	38	63		
Hamilton	34268	994	29.0	329	9.5	646	18.8	1	24	16	40	5	56	10	23	34	12	17		
Ottawa	24015	479	19.8	236	9.8	410	17.0	2	7	1	1	3	44	26	10	3	15	14		
London	19666	539	27.4	253	12.8	366	18.6	3	8	2	9	2	41	15	14	10	23	22		
Kingston	14358	389	27.0	134	9.3	284	18.3	2	4	3	5	27	13	22	2	5	25		
Brantford	10587	254	24.0	108	10.2	142	13.4	6	5	3	11	6	10	2	7	8		
St. Catharines	10475	186	17.7	70	6.6	193	18.4	2	3	6	1	3	25	4	11	11	4	2		
Guelph	10072	298	29.5	115	11.4	121	12.0	1	3	1	3	1	14	3	10	1	9	5		
Belleville	9789	330	33.7	104	10.6	227	23.1	14	1	2	1	37	26	9	11	3	13	13		
Stratford	8885	183	20.5	69	7.7	77	8.6	3	2	4	2	3	2	5		
Chatham	7572	157	20.7	136	17.9	97	12.8	5	4	2	4	4	8	2	3	3	4	5		
Brookville	7468	199	26.6	31	4.1	64	8.5	2	2	1	2	1	1		
St. Thomas	7217	154	21.3	103	14.2	84	11.6	1	2	1	2	2	1	2	1		
Peterborough	6606	186	28.1	72	10.9	96	14.5	1	4	15	1	4	3	6	11		
Windsor	6022	172	28.5	46	7.6	94	15.6	2	5	11	3	1	1	1	2		
Lindsay	5521	112	20.2	64	11.5	53	9.6	4	2	5	2	3	4	2	2		
Port Hope	5390	102	18.9	53	9.8	60	11.1	1	1	1	1	2	10	3	1	1	1	3		
Cobourg	5178	93	17.9	49	9.4	56	10.8	1	10	1	3	1	6	3		
Woodstock	5123	144	28.1	40	7.8	70	13.6	3	1	1	6	5	5	1	4	6		
Barrie	4818	139	28.8	64	13.2	84	17.4	3	1	2	1	4	4	3	2	1	4		
Totals	276843	7748	28.0	2912	10.0	4629	16.7	108	31	143	79	104	484	157	195	107	162	211		

In these tables will be found the general statistics in relation to births, marriages and deaths in the counties, county towns, and principal cities and towns of the Province of Ontario during the year 1879.

The total number of births reported in the county towns was 8,925, against 8,682 last year, an increase of 243.

The Town of Brockville registered the greatest increase, viz., 39, and Toronto the smallest, viz., 1.

In 25 of the county towns the number of births registered was larger, and in 11 smaller, than in the previous year.

The City of Guelph shewed the largest decrease, viz., 42, and the Town of Sarnia the smallest.

During the year 3,513 marriages were recorded in these county towns as against 3,849 in 1878; a falling off to the extent of 336 in number. The most marked decrease was in the City of St. Catharines, where 82 marriages less were solemnized than in 1878.

The smallest decrease was in the Town of Pembroke, being one in number. No particular cause can be assigned for this decrease in the number of marriages. As, however, the ratio of marriages to population has in past years been above the standard, the decrease this year does not reduce the general average below what is considered, in towns in other countries similar in population to those in Ontario, to be about the true proportion.

22 county towns returned a decrease, and 13 an increase, in marriages, and one town, Goderich, returned exactly the same number as in 1878.

The table shews that 311 more deaths were registered in the county towns in 1879 than in 1878; the numbers being respectively 5,372 and 5,061—the largest increase, 69, was in the City of Kingston, and the smallest, 2, in the Town of Milton. Ottawa, which had the largest increase in 1878, has this year the largest decrease, 46, and Peterborough and Picton the smallest, 1. 28 county towns shew an increase, and 8 a decrease in the numbers returned.

The percentage of increase in the number of births registered is 2.8; the decrease in marriages amounts to 8.7 per cent.; and the increase in deaths to 5.3 per cent.

The returns from a majority of these county towns may be considered nearly if not quite complete.

The ratio of births in the principal cities and towns is 28 per 1,000 against 27 in 1878. Toronto, Hamilton, Ottawa, Guelph, Belleville, Peterborough, Windsor, Woodstock, and Barrie return a higher rate than 28 per 1,000, and the other cities and towns a lower rate; St. Catharines, with 17.7, being the lowest.

The ratio of marriages this year is only 10 per 1,000 of the population, while last year it was 11.9. Toronto, London, Brantford, Guelph, Belleville, Chatham, St. Thomas, Peterborough, Lindsay, and Barrie are above the average rate, and the rest of the cities and towns are below it. Chatham records the highest rate, 17.9 per 1,000, and Brockville the lowest, 4.1 per 1,000.

Eight marriages per 1,000 of the population are estimated as the standard; but in cities and towns the ratio is generally greater in consequence of many persons residing in the suburban districts resorting to them to be married.

Of the 20 cities and towns, 15 return a larger ratio than 8 per 1,000. That the marriages in Ontario were nearly all registered in 1879, notwithstanding the decrease in the number returned, is indicated by the fact that while there were 12,708 marriage licenses issued by the Marriage License Department, the returns from the various Division Registrars shew that 12,509 marriages were solemnized. The total population of these cities and towns, as given by the Assessors for 1879, was 276,843, an increase over 1878 of 5,430; the number of deaths registered was 4,629, an increase of 133, the ratio being 16.7 per 1,000. Toronto, Hamilton, Ottawa, London, St. Catharines, Kingston, Belleville, and Barrie are above this average rate; Belleville returns the highest death rate, 23.1 per 1,000; and Brockville the lowest, 8.5.

The following comparison between the cities of Ontario and some cities of the United States, similar in population, will be found worthy of notice.

ONTARIO, 1879.	Popu- lation.	Number of Deaths.	Ratio to 1,000 Living.	UNITED STATES.	Popu- lation.	Number of Deaths.	Ratio to 1,000 Living.
Toronto.....	73813	1425	19.3	Providence, R. I.	110675	1980	19.7
Hamilton	34268	646	18.8	Fall River, Mass....	45340	1054	22.8
Ottawa	24015	410	17.0	Lynn, " ...	32600	627	18.0
London	19666	366	18.6	Springfield, "	31058	482	15.9
Kingston	14358	264	18.3	Salem, "	25938	513	19.9
Brantford	10587	142	13.4	Bridgeport, Conn....	19835	399	20.1
St. Catharines	10475	193	18.4	Newport, R. I.	14028	223	15.1
Guelph	10072	121	12.0	Lincoln, "	11565	208	17.9
Belleville	9789	227	23.1	Marlborough, Mass..	8420	166	17.1

BIRTHS.

BIRTHS BY MONTHS.

(For Table see Appendix, page iv.).

This table is a record of births registered in Ontario during the year 1879. The whole number reported was 41,035, an increase of 799 over 1878.

SEX OF THE CHILDREN BORN.

The number of births of males was 21,343, and of females 19,692. This gave 108.3 males to each 100 females; or 52 males and 48 females in each 100 children.

The number and proportion of male to female births in each month will be seen in the following table:—

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males	2051	1872	2027	1628	1641	1510	1763	1858	1855	1717	1666	1755	21343
Females	1866	1753	1764	1560	1529	1406	1614	1638	1717	1632	1552	1661	19692
Males to each 100 Females	109.9	106.7	114.9	104.3	107.3	107.3	109.2	113.4	108.0	105.2	107.3	105.6	108.3

In March 114.9 males were born to each 100 females, while in October there were only 105.2 males born to 100 females.

ORDER OF BIRTHS BY MONTHS, 1878-1879.

MONTHS.	1878.			MONTHS.	1879.		
	Males.	Females	Total.		Males.	Females	Total.
March	1999	1826	3825	January	2051	1866	3917
August	1890	1677	3567	March	2027	1764	3791
April	1886	1608	3494	February	1872	1753	3625
January	1810	1664	3474	September	1855	1717	3572
October	1718	1683	3401	August	1858	1638	3496
February	1763	1590	3353	December	1755	1661	3416

ORDER OF BIRTHS BY MONTHS, 1878-1879.—*Continued.*

MONTHS.	1878.			MONTHS.	1879.		
	Males.	Females	Total.		Males.	Females	Total.
September	1710	1613	3323	July.	1763	1614	3377
December	1689	1532	3221	October	1717	1632	3349
November	1698	1501	3199	November	1666	1552	3218
July	1641	1544	3185	April	1628	1560	3188
May	1621	1533	3154	May	1641	1529	3170
June	1583	1457	3040	June	1510	1406	2916
	21008	19228	40236		21343	19692	41035

The births in January, 1879, preponderated, being 1,001 more than in the lowest month, June. March returned the largest number of births in 1878, and June, as in 1879, the lowest.

QUARTERLY RETURN OF BIRTHS, 1878-1879.

	1878.			1879.		
	Males.	Females	Total.	Males.	Females	Total.
Quarter ending March 31st.....	5572	5080	10652	5950	5383	11333
“ June 30th.....	5090	4598	9688	5468	5016	10484
“ September 30th	5241	4834	10075	5146	4798	9944
“ December 31st	5105	4716	9821	4779	4495	9274
Total	21008	19228	40236	21343	19692	41035

The average number of births within the several specified periods was as follows:—

For the year	41,035	—Males, 21,343 ;	Females, 19,692.
“ month	3,419	“ 1,778 ;	“ 1,641.
“ week	789	“ 410 ;	“ 379.
“ day	112	“ 58 ;	“ 54.

The difference between the number of male and female births during the last eight years is shewn in the following list :—

In 1872.....	1,027	more	male	children	were	born	than	female.
“ 1873.....	1,037	“	“	“	“	“	“	“
“ 1874.....	1,073	“	“	“	“	“	“	“
“ 1875.....	1,064	“	“	“	“	“	“	“
“ 1876.....	987	“	“	“	“	“	“	“
“ 1877.....	1,361	“	“	“	“	“	“	“
“ 1878.....	1,780	“	“	“	“	“	“	“
“ 1879.....	1,651	“	“	“	“	“	“	“

The following statement shews the total number of births in each quarter for the last six years, with percentages :—

QUARTER.	1874.	1875.	1876.	1877.	1878.	1879.	Total.	Percentage of the whole six years.
January to March.....	7610	6998	10012	12580	10652	11333	59185	27.7
April to June.....	7048	6481	9566	9899	9688	10484	53166	24.8
July to September.....	7034	6474	9623	9854	10075	9944	53004	24.8
October to December.....	6546	6015	9257	7624	9821	9274	48537	22.7
	28238	25968	38458	39957	40236	41035	213892	100.00

The following is a comparative statement of births for the ten years 1870-1879 inclusive :—

YEAR.	No. of Births Registered in Ontario.		Males to each 100 Females.	Males in each 100 Births.	Females in each 100 Births.	Ratio per 1,000 of the Population.
	Males.	Females.				
1870.....	10326	9172	112.5	52.9	47.1	12.0
1871.....	12871	11912	108.0	51.9	48.1	15.3
1872.....	12186	11159	109.2	52.2	47.8	14.4
1873.....	14285	13248	107.8	51.8	48.2	17.0
1874.....	14673	13600	107.8	51.8	48.2	17.4
1875.....	13468	12516	107.6	51.7	48.3	16.0
1876.....	19733	18746	105.2	51.2	48.8	23.7
1877.....	20659	19298	107.0	51.7	48.3	24.6
1878.....	21008	19228	109.2	52.2	47.8	25.0
1879.....	21343	19692	108.3	52.0	48.0	25.3

ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	No. of Illegitimate Births.	Proportion of Illegitimate to the whole number of Births.	No. of Twins.	No. of Triplets.
1872.....	235	One in every 99 Births.	76	0
1873.....	229	“ “ 120 “	200	1
1874.....	196	“ “ 144 “	255	2
1875.....	198	“ “ 131 “	264	1
1876.....	392	“ “ 98 “	349	1
1877.....	529	“ “ 75 “	411	5
1878.....	575	“ “ 70 “	425	9
1879.....	524	“ “ 78 “	378	1
Average for the 8 years	359	One in every 102 Births.	294	2.5

TWIN BIRTHS.

The number of twin births returned during the year was 378, or 47 less than in 1878.

TRIPLETS.

Only one case of three children at a birth was recorded in 1879, though there were nine returned in 1878.

The total number of births returned for the last eight years was 264,867. This gives one pair of twins to every 112 births, and one case of triplets to every 13,940 births; one child in every 56 was therefore a twin, and one in every 4,646 was one of triplets.

ILLEGITIMATE.

It is satisfactory to find that the births of illegitimate children have decreased in number. In 1879, 524 were registered, being 49 less than in 1878.

This gives one illegitimate to 78 legitimate births. In 1878 the proportion was one in 70.

The County of York returned the highest number of illegitimate births, 171; Wentworth, 42; Middlesex, 30; Frontenac, 29; Huron, 22; Wellington and Brant, 15 each. These counties contain the principal cities, which in a great degree accounts for the large number of illegitimate births reported.

MARRIAGES.

MARRIAGES BY DENOMINATIONS.

(For Table *see* Appendix, page xii.)

There were 25,018 persons married in 1879. Of this number the religious denominations of 24,728 were given, the remainder, 290, either were members of no Church, or the clergymen who solemnized the marriages neglected to ascertain the denomination to which they belonged.

It is to be regretted that clergymen, who are generally so correct in their returns, should omit this item of information, so necessary to complete the particulars of a marriage return. When the parties do not belong to any Church the clergyman should state the fact in his report.

The percentage to the whole number married of those whose religious denominations were given is as follows:—

37.37 per cent., or 1 in every 2.67,	Methodists.
20.87 " 1 " 4.80,	Presbyterians.
16.98 " 1 " 5.88,	Episcopalians.
12.78 " 1 " 8.13,	Roman Catholics.
5.64 " 1 " 17.72,	Baptists.
1.94 " 1 " 51.51,	Lutherans.
1.88 " 1 " 53.06,	Bible Christians.
.77 " 1 " 128.79,	Congregationalists.
.57 " 1 " 172.92,	Mennonites.
.05 " 1 " 1902.15,	Quakers.
1.64 " 1 " 61.46,	of other denominations.

11,153 or 89.19 per cent. of these marriages were by license, and 1,324 or 10.58 per cent. by banns, and of the remaining 32 it is not reported whether they were solemnized by license or banns.

MARRIAGES BY MONTHS.

(For Table *see* Appendix, page xx.)

Quarterly Return of Marriages, with the percentage of the whole number for the years 1878-79.

	No. of Marriages.	Per cent. of the whole No.	No. of Marriages.	Per cent. of the whole No.
Quarter ending 31st December	3917	30.77	4029	32.21
" 31st March	3524	27.68	3295	26.34
" 30th June	2727	21.42	2632	21.05
" 30th September	2506	19.68	2496	19.95
Date of marriage omitted	55	.43	57	.45
	12729	100.00	12509	100.00

MARRIAGES BY MONTHS IN NUMERAL ORDER.

December.....	1,513
October.....	1,357
January.....	1,223
November.....	1,159
February.....	1,096
September.....	1,067
March.....	976
April.....	943
June.....	878
July.....	838
May.....	811
August.....	591

The average number of marriages per quarter was 3,127

“	“	“	“	month	“	1,042
“	“	“	“	week	“	240
“	“	“	“	day	“	34

As in former years, the winter appears to be the most popular season of the year for marrying. Of the months December returned the largest number of marriages—1,513, or 12.09 per cent. of the whole; and August the smallest number—591, or only 4 per cent. of the whole.

Dividing the year into periods of three months, according to numbers, we find that December, January and October form the highest quarter, with 4,093, or 32 per cent. of the whole number of marriages; while May, July and August form the lowest quarter, with 2,240, or 17 per cent. of the whole number.

MARRIAGES BY AGES.

(For Table *see* Appendix, page xxii.)

12,509 marriages were registered in 1879, being 220 less than in 1878. Whether the decrease was caused by there having been fewer marriages, or whether clergymen neglected to register them, is not known.

In 1879, 130 males who were under 20 years of age were married, while 2,842

females entered into the wedded state at or under that age, being a difference of 2,712. Between 20 and 25 (the great marrying period) the difference between the number of males and females marrying, though not so large as that under 20, was still very marked—4,820 males to 6,141 females, or 1,321 more females than males. In the next quinquennial period, between the ages of 25 and 30 years, a change takes place, and at these ages many more males were married than females, the numbers being 4,270 males to 2,126 females.

Throughout the remaining periods of life the males entering into the marriage state outnumbered the females.

The proportion of males and females married during the different quinquennial periods of life, for the years 1878-79, as compared with the whole number of marriages recorded, is shewn in the following table :—

QUINQUENNIAL PERIODS OF LIFE.	1878.		1879.	
	Per cent. of the whole number Married.		Per cent. of the whole number married.	
	Males.	Females.	Males.	Females.
Under 20 years	1.04	20.82	1.04	22.71
From 20 to 25 years.....	38.57	49.00	38.53	49.09
“ 25 “ 30 “	34.70	16.86	34.13	17.00
“ 30 “ 35 “	11.55	5.08	12.56	4.95
“ 35 “ 40 “	5.02	2.20	5.59	2.70
“ 40 “ 45 “	2.92	1.20	2.78	1.36
“ 45 “ 50 “	1.65	0.87	1.86	0.89
“ 50 “ 55 “	1.28	0.50	1.34	0.39
“ 55 “ 60 “	0.77	0.23	0.79	0.16
“ 60 “ 65 “	0.44	0.16	0.47	0.17
“ 65 “ 70 “	0.32	0.04	0.30	0.07
“ 70 “ 75 “	0.11	0.02	0.17	.007
“ 75 “ 80 “	0.06	0.02	0.03	0.00
“ 80 and over.....	0.03	0.02	0.00

31 females of the age of 14 (who might very properly be called school girls), were married in 1879, and 35 entered the matrimonial state at the early age of 15. 5 young men married at the age of 17.

One of the remarkable features in the Returns of Marriages is the great difference sometimes shewn in the ages of the parties united. The following is a synopsis of the marriages exhibiting this disparity of years, and also giving the occupation of the bridegroom:—

COUNTIES.	BRIDEGROOM THE ELDER.		
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Halton	Gentleman	86	19
Huron	Farmer	70	37
Hastings	“	80	61
Grey	Labourer	70	37
Leeds and Grenville	Farmer	72	46
“ “	“	72	30
Lennox and Addington	“	76	50
Northumberland and Durham.....	Minister	70	50
Prescott and Russell.....	Farmer	72	57
“ “	“	72	68
Prince Edward	“	73	64
Simcoe	“	72	69
Victoria.....	Gentleman	75	60
Waterloo.....	“	74	43
“	Labourer.....	72	56
“	Farmer	75	50
Wellington	“	76	50
Wentworth	“	72	60
York	Tailor	82	68

COUNTIES.	BRIDE THE ELDER.		
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Prescott and Russell.....	Farmer	56	70
Prince Edward	“	19	64

The oldest man married during the year, according to this synopsis, was an octogenarian of 86, who married a maiden of 19. They were wedded in the County of Halton.

The united ages of the oldest couple reached 150 years, the bridegroom being 82 and the bride 68. The County of York claims this ancient pair. The youngest couple belonged to the County of Middlesex. Their united ages amounted to 32 years, or about one-fifth of the combined ages of the oldest couple. The age of the male, in this case, was 17, and of the female 15 years.

DEATHS.

 NUMBER OF DEATHS.

The total number of deaths registered in Ontario during the year 1879 was 17,958, of which 9,458 were males, and 8,500 females. There was consequently an increase over 1878 of 150 deaths, viz., 100 males and 50 females. Allowing for increase of population, the death rate was about the same as in 1878, a little over 11 per 1,000 of population, or one death to every 90 persons living.

It may here be observed that from the nine cities in the Province, the total returns shew a mortality of about 18 per 1,000 of estimated population. With the single exception of Guelph, which reported only about 9 per 1,000, the returns from each of the cities are, it appears, as complete as can be expected.

Again, from the county towns the total returns give a mortality of about 13 per 1,000.

It is clear, therefore, that the returns are much more complete from the more densely populated places. As has been before observed, there are probably two causes for this—first, the greater interest taken by the people in towns and cities in the subject of Vital Statistics, and, second, the proximity of the people to the Registrar.

For Tables E and F, giving the Causes of Death, alphabetically arranged, and classified by Months, by Ages, and by Sex, also for the different counties, see Appendix, from page xxx. to lxxv.

AGES AT DEATH.

The table shews that there was a still further decline in the proportion of deaths of persons under the age of one year; the proportion in 1879 being 22·1 per cent.; 2 per cent. less than in 1877, and ·8 per cent. less than in 1878. This is nearly 2 per cent. lower than in England, where the average is about 24 per cent.

There was also a further decline in the proportion of deaths between the ages of 1 and 5 years, the proportion being 2·3 per cent. less than in 1877, and 1·1 per cent. less than in 1878; it was also 1·4 per cent. less than in 1876. Hence it was more than 1 per cent. lower than in any one of the four years 1876-1879 inclusive.

It appears evident then that a considerably smaller proportion died under the age of 5 years in 1879 in the whole Province, than during any one of the past four years.

If we examine the returns of deaths from the cities of the Province alone, we find a very much larger infantile death rate. The total number of deaths registered in the nine cities was 3,794; while the total number registered as dying under 1 year was 1,016. Thus considerably more than one-fourth of the deaths were of children under one year, or 27·28 per cent.

In some of the cities, however, this high rate was greatly exceeded, while in others the rate was lower than the average.

The largest proportionate death rate of children under one year is shewn to have been in London, where it was 32·58 per cent. In Toronto it was 30·24. In Ottawa and Hamilton it was 27·3 and 27·8 per cent. respectively. In St. Catharines it was 24·3 per cent., and in Brantford 24 per cent. In Belleville it was 20·2 per cent. In Kingston it was only little over half the average, or 11·5 per cent., which was remarkably low. In Guelph it was 19 per cent.

The infantile death rate in any locality is, as a rule, the most reliable index of its sanitary condition. I say as a rule, and it may be regarded as an invariable rule, unless an exception be made in case of epidemics of diseases, such as scarlet fever and measles, which are more particularly prevalent and fatal amongst young children. But even in case such epidemics prevail, the death rate may be kept low by proper sanitary administration; indeed, disease may be checked in its course entirely by wise precautions, such as isolation, disinfection, etc., so that with good sanitary conditions and supervision the death rate amongst the young should not in any place, or at any time, greatly exceed the average.

It is worthy of notice, and interesting to observe, that in 1879, between the ages of 5 and 10, and also of 10 and 20, there was a marked decrease in the proportion of deaths below that of any one of the three previous years, and that between the ages of 20 and 30 the proportion was about the same, while after the age of 30 years there was a marked increase in the proportionate number of deaths in each of the decennial periods.

That is, as the table shews, of those who died in 1879, a smaller proportion than in any one of the three previous years were under 20 years of age; while at ages above 30 a larger proportion died than in any one of the three preceding years—1876 to 1879.

It should be observed that while the average proportion of deaths at and under 20 years of age for the three previous years—1876-1878, inclusive—was 49.3 per cent., or nearly one-half of the total number of deaths, the proportion of persons dying at and under 20 years, in 1879, was only 44.8 per cent.

In 1877 more than one-half, 51.4 per cent., of those who died were only 20 years of age or under. It is pleasing to observe then that 4.5 per cent. less died in 1879, under, or at the age of 20 years, than the average at these ages in the three preceding years. It is stated that in Norway only 25 per cent. die before the age of 20 years, as observed in my report of last year.

The returns shew that 3,015 died after reaching the age of 70 years; and that 1,340 of the decedents survived the age of 80 years; while 269 survived 90 years. A much larger number exceeded 70 years in 1879 than in any of the three previous years.

The proportion of deaths amongst males to that amongst females in Ontario during the last five years, is shewn in the following table, as well as the proportion in some of the States of the American Union:—

ONTARIO.

In 1875 there were	4,941	male decedents to	4,909	females, or	100.8	males to	100	females.
“ 1876	“	9,746	“	“	8,877	“	109	“
“ 1877	“	10,603	“	“	9,450	“	112	“
“ 1878	“	9,358	“	“	8,450	“	110	“
“ 1879	“	9,458	“	“	8,500	“	111	“

The average for the 5 years shews that 110 males died to every 100 females.

In 1875 there were	13,503	male births and	12,465	females, or	108	males to	100	females
“ 1876	“	19,733	“	“	18,746	“	105	“
“ 1877	“	20,659	“	“	19,298	“	107	“
“ 1878	“	21,008	“	“	19,228	“	109	“
“ 1879	“	21,343	“	“	19,692	“	108	“

RHODE ISLAND.

Deaths in 1875,	2,108	males to	2,209	females, or	95.4	males to	100	females.
“ 1876,	1,969	“	2,147	“	91.7	“	“	“
“ 1877,	2,132	“	2,318	“	92.0	“	“	“
“ 1878,								
Births in 1875,	3,362	males to	3,146	females, or	106.9	males to	100	females,
“ 1876,	3,291	“	3,038	“	108.3	“	“	“
“ 1877,	3,163	“	3,072	“	103.0	“	“	“
“ 1878,	3,402	“	3,312	“	102.7	“	“	“

MASSACHUSETTS.

Deaths in 1876,	16,485	males to	16,669	females, or	98.8	males to	100	females.
“ 1877,	15,427	“	15,894	“	97.1	“	“	“
“ 1878,	15,384	“	15,986	“	95.6	“	“	“
Births in 1876,	21,149	“	20,410	“	103.6	“	“	“
“ 1877,	21,466	“	20,375	“	105.3	“	“	“
“ 1878,	21,199	“	20,022	“	105.8	“	“	“

DEATHS AT DIFFERENT AGES.

The death rate under one year, from one to five, from five to ten, and in each decennial period thereafter for the years 1876, 1877, 1878 and 1879, is shewn in the following table:—

	1876.		1877.		1878.		1879.	
	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.
Total under one year	3,844	21.4	4,704	24.1	3,963	22.9	3,869	22.1
“ from one year to five years ..	2,471	13.7	2,841	14.6	2,321	13.4	2,150	12.3
Total under five years ..	6,315	35.1	7,541	38.7	6,284	36.3	6,028	34.4
Total from 5 to 10 years	1,012	5.6	1,064	5.6	904	5.2	777	4.4
“ 10 “ 20 “	1,341	7.5	1,391	7.1	1,187	6.8	1,057	6.0
“ 20 “ 30 “	1,696	9.5	1,687	8.6	1,623	9.4	1,622	9.4
“ 30 “ 40 “	1,316	7.4	1,310	6.7	1,201	7.0	1,205	6.8
“ 40 “ 50 “	1,116	6.2	1,444	5.8	1,026	6.0	1,112	6.3
“ 50 “ 60 “	1,099	6.1	1,098	5.6	1,067	6.1	1,166	6.6
“ 60 “ 70 “	1,311	7.3	1,389	7.1	1,276	7.4	1,486	8.5
“ 70 “ 80 “	1,595	9.0	1,572	8.1	1,551	9.0	1,675	9.6
“ 80 “ 90 “	917	5.1	1,000	5.2	951	5.5	1,071	6.2
“ 90 “ 100 “	228	1.2	272	1.5	214	1.3	269	1.5
	17,946	100.00	19,472	100.00	17,284	100.00	17,468	100.00

QUARTERLY RETURN OF DEATHS.

Quarter ending	Males.	Females.	Total.	Per cent. of the whole.
March 31st	2615	2412	5027	28.0
“ “ June 30th	2360	2142	4502	25.1
“ “ September 30th	2290	1947	4237	23.6
“ “ December 31st	2193	1999	4192	23.3
	9458	8500	17958	100.00

MONTHLY RETURN OF DEATHS, IN ROTATION ACCORDING TO NUMBERS.

	Males.	Females.	Total.
March	975	855	
April	894	842	
August	840	785	
February	836	772	
January	804	718	
December	788	688	
May	746	688	
July	737	661	
November	729	633	
June	720	626	
September	713	620	
October	676	612	
	9,458	8,500	

 NUMBER OF DEATHS AT VARIOUS PERIODS OF THE YEAR.

During the first quarter of the year 1879, 525 more deaths were registered than during the next quarter, and also a greater mortality than during any other quarter of the year. The next largest number was registered during the second quarter, or 265 more than during the third quarter; while 45 more died during the third than during the last quarter. 835, or about 20 per cent., more deaths were registered, therefore, during the first quarter of the year than during the last quarter. It more frequently occurs that the death rate in the third quarter is either greater than in any other quarter, or that it is greater than any except the first quarter; *i.e.*, it is either first or second in the list. In 1878 it was first; the greatest number dying in it.

According to the returns, 1,100 persons more died during the first half of 1879 than during the second half. In 1878, 121 less died during the first half of the year than during the second half. This is largely owing to the mortality in July and August of 1879 being comparatively low.

In 1879, the largest number of deaths was recorded in the month of March, and the smallest number in the month of October, while in the preceding year, 1878, the largest number was recorded in August, and the second largest in March—the smallest number was in December. April's record comes next to that of March in 1879, as it did in 1878, and is nearly 100 less.

As shewing the much greater mortality in March than in October, of 1879, 534, or 41 per cent., more deaths were recorded in the former than in the latter month.

THE DEATH WAVE IN 1879.

In tracing the rises and falls in the mortality from month to month during the year 1879, commencing with January, we find there are in that month 1,589 deaths recorded, or nearly 300 more than during the month of December, 1878. The mortality rises still higher in February, and though only 19 more deaths are recorded in this month than in January (February is a short month), the mortality is at the rate of about 6 per cent., or over, greater than in January. In March it increases at about the same ratio, and 1,830 deaths are recorded in this month, or 222 more than in the short month of February. The mortality has now reached its highest point in the year. In April it falls to about the same proportion that it had shewn in February. In May it drops rapidly, by over 300, or 17 per cent. less than in April—from 1736 to 1434. In June there is a further fall, but much less marked, and 102, or about 6 per cent., less die than in May. In July there is an apparent slight rise again, 38 more deaths being recorded in this month than in June; but as July is one day longer than June the actual mortality of the month is hardly so great as that of June. In August the mortality rises in a marked degree, and 158 more deaths are recorded than in the month of July. In September there is a marked fall again, and nearly 200 less deaths are recorded in it than in August. In October the mortality falls still lower, though not in so great a degree, and reaches its lowest point in the year. In November there is a rise again, and 94 more deaths are recorded than in October, while there is about the same increase also in the mortality in December.

The death wave then, in January, 1879, rises rapidly from the low point of the previous December (1878), and swells up through February and March at about the same rate each month, and reaches in March a point which is over 41 per cent. higher than the point of the wave in the previous December. In April it subsides a good deal, while in May it sinks about three times as rapidly, and falling in June at

about the same rate that it did in April, it reaches its first low point in this month, and keeps at about the same level in July. In August it swells a good deal again, but sinks in September to about the level of July, and in October still a little further, reaching its second low point. In November it swells again rapidly, and also at about the same rate in December, when it is not much lower than it is in the previous January.

The death wave, therefore, this year (1879), as usual, presents two high points and two low points; but the wave differs much from that of 1878. Though the two high points were reached, as in 1878, one in the cold, wet weather in March, and one in the hot, dry weather in August, the highest point in 1879 was in March, instead of in August, as in 1878. Again, the high point in March, 1879, is about 6 per cent. higher than the high point in August, 1878, while the second high point, in August, 1879, is about 8 per cent. lower than the high point in March, 1878. The high point in March, 1879, is 11 per cent. *higher* than the high point in March, 1878; while the high point in August, 1879, is 13 per cent. *lower* than the high point in August, 1878.

The second high point in the death wave in August, 1879, is not nearly so high as the high point in March, there being 302 more deaths recorded in March than in August, while the difference in the height of the two highest points in 1878 was not nearly so great as this; only about one-fourth as great as the difference between the two highest points in 1879; *i.e.*, the difference between the two highest points in 1879 is three times as great as the difference between the two highest points in 1878.

The two low points in 1879 were, one in June and July, and the other in October, and they shewed almost precisely the same rate of mortality as the two low points in 1878; though in this last year they occurred in June and December.

As may be inferred from the above, the mortality in March, 1879, was, according to the returns, unusually high. Many more died of consumption in this month than in any other month in the year, or in any month in the three previous years. From pneumonia nearly twice as many died as in March, 1878. Heart disease appears to have been particularly fatal in March of the year under consideration. More than twice as many died from this cause in that month as in March, 1878, and 50 per cent. more than in March, 1877. More died of apoplexy than in March, 1878, or March, 1877. Congestion of the lungs and bronchitis also caused many deaths in March, 1879.

The greater ascending sweep in the death wave in 1879 was between January and March; and the greater descending sweep, and a long one it was, was between March and June and July. The lesser ascending sweep—a short, steep one—was between July and August; and the lesser descending sweep was between August and October.

CAUSES OF THE TWO HIGH POINTS IN THE DEATH WAVE.

It is deemed advisable to repeat the words of the Annual Report for the previous year, 1878, in reference to the causes of the two high points in the death wave.

“In the cold weather of winter, or more especially in this country, in the damp, cold, windy weather in the latter part of winter and early spring, there is a tendency to sickness and death through the organs of respiration; inflammation and congestion of the lungs, bronchitis and pleurisy being the affections most prevalent at this season of the year. In the warm weather of summer the tendency to sickness and death is through the digestive organs; diarrhoea, cholera infantum, and, later, dysentery, being the diseases which are especially prevalent and fatal during this season.

“In winter a fall of mean temperature below the average increases the sickness and mortality from affections of the chest. In summer a rise of mean temperature above the average increases the number of cases of death from abdominal affections.

“Regarding the winter or spring high death point, it is important to observe that it is not the first cold weather in autumn or early winter that gives rise to the great increase in the mortality, but it is that at the end of the winter, after the severe cold is past. Why is this? It cannot be doubted that, though the cold at this later period is accompanied by winds and greater humidity of the atmosphere, those who then ‘to death succumb’ have been, during the winter, exposed to some pre-disposing causes of lung diseases—to causes which have made them readily susceptible and prone to these affections. The most eminent authorities have brought forward convincing evidence that the re-breathing of breathed air in unventilated rooms is a common and constant cause of diseases of the lungs and air passages. Here, then, doubtless we have the chief factor, the principal cause, of the high March death-rate from diseases of the organs of the chest: exposure during the winter to impure air in close, unventilated rooms. Other causes, to be sure, help to swell up the wave of death at this period. There will be found a few in this country badly housed and fed during the winter, and cold and hunger combine with the foul air to predispose to these fatal diseases, manifested with the chills of spring; others are inactive and spend much of their time in cramped positions with contracted lungs, and these organs then much more readily take on congestions and inflammations on exposure to cold damp air.

“In reference to the summer high death point, it may be said that the warmer the atmosphere the more rapid the generation of malaria, and the development and growth of all sorts of disease germs, moulds, mildews, etc., etc.; and the greater the insanitary conditions, *i.e.*, the more we allow ourselves to be surrounded with excremental or waste organic matter of any sort, the more abundant the development and growth of those causes of disease. Indeed, without the presence of decomposing organic matter, as on the surface of the ground or in the soil, there cannot be any development of such causes. These effluvia and the microscopic germs or seeds of these minute vegetable growths, moulds, mildews, etc., pervade the air, and attach themselves to the foods we eat, and are absorbed by the drinks we use; especially are they absorbed by milk, the universal food of the young. They take root and grow upon fruits, and indeed more or less upon all sorts of alimentary substances. And not only are they, hence, taken into the body with the food we eat, but they are drawn into the lungs and blood with the air we breathe. In the body they interfere greatly with healthy nutrition, and give rise to general debility and intestinal diseases; the more readily and more severely affecting those who had passed the previous winter housed in unventilated apartments, but who, with perhaps better developed lungs than digestive organs, escaped the effects of, or lived through, the cold damp blasts of March.

“There is abundant evidence on record in proof of the above. Indeed the facts are well recognized. But it must be observed, and should ever be borne in mind, that it is not the weather, *per se*, that is responsible for the high rate of mortality at these particular periods.

“Furthermore, a useful and practical lesson may be deduced from our knowledge in reference to these high points in the death wave.

“It is more than probable, it is certain, that, with better ventilation in dwellings, schools, etc., and more outdoor life and exercise during the winter, and with more perfect sanitary surroundings, more perfect cleanliness, by the removal and proper disposal of all waste, excremental matters in cities, towns, villages, and even around farm-houses, whereby the air, water and food are rendered purer during the summer, the two high points in the death wave might be lowered in a marked degree. And it is further probable that much might be done in this direction by individual and united public health efforts.”

The following is a Record of the ten highest Causes of Death for the years 1871, 1872, 1873, 1874, 1875, 1876, 1877, 1878 and 1879.

1871.	1872.		1873.		1874.*		1876.		1877.		1878.		1879.	
	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered	Whole No. of deaths registered
9182	10745	11069	10352	18623	20053	17808	17958							
Phthisis	1120	Phthisis	1217	Phthisis	1143	Phthisis	2259	Phthisis	2157	Phthisis	1999	Phthisis	2065	
Scarlatina	630	Scarlatina	642	Old age	642	Old age	1405	Old age	1661	Old age	1722	Old age	1749	
Pneumonia	508	Old age	533	Lung disease	536	Diphtheria	864	Infantile debility	1164	Infantile debility	1100	Infantile debility	955	
Exhaustion	467	Pneumonia	401	Typhoid fever	369	Pneumonia	786	Pneumonia	1050	Diphtheria	986	Pneumonia	942	
Old age	414	Diarrhoea	407	Heart disease	351	Lung disease	662	Diphtheria	964	Pneumonia	826	Heart disease	784	
Heart disease	333	Heart disease	350	Cerebro-spinal meningitis	324	Diarrhoea	334	Heart disease	569	Scarlet fever	717	Heart disease	574	
Typhoid fever	261	Dysentery	342	Stomach disease	321	Enteritis	283	Convulsions	544	Heart disease	697	Convulsions	445	
Dropsy	241	Exhaustion	332	Brain disease	278	Convulsions	267	Diarrhoea	533	Diarrhoea	666	Enteritis	400	
Convulsions	209	Typhoid fever	329	Pneumonia	276	Dropsy	239	Typhoid fever	436	Convulsions	573	Diarrhoea	393	
Diarrhoea	207	Brain disease	318	Cholera infantum	231	Dropsy	231	Dropsy	381	Enteritis	497	Typhoid fever	340	
			276											

* No report in 1875.

Ten highest causes of death, with their percentage of the whole number of Deaths from specified causes for the years 1877, 1878 and 1879.

1877.			1878.			1879.		
Whole number of Deaths from specified causes			Whole number of Deaths from specified causes			Whole number of Deaths from specified causes		
19,260			16,852			16,897		
DISEASES.	No. of deaths.	Per cent. of the whole.	DISEASES.	No. of deaths.	Per cent. of the whole.	DISEASES.	No. of deaths.	Per cent. of the whole.
Phthisis	2157	11.2	Phthisis	1999	11.8	Phthisis	2065	12.2
Old Age	1661	8.6	Old Age	1722	10.2	Old Age	1749	10.3
Infantile Debility	1164	6.0	Infantile Debility	1100	6.5	Infantile Debility	955	5.6
Pneumonia	1050	5.4	Diphtheria	986	5.8	Pneumonia	942	5.5
Diphtheria	964	5.0	Pneumonia	826	4.9	Heart Disease	784	4.6
Scarlet Fever	717	3.7	Heart Disease	621	3.6	Diphtheria	574	3.4
Heart Disease	697	3.6	Convulsions	454	2.1	Convulsions	445	2.6
Diarrhœa	666	3.4	Enteritis	417	2.4	Dropsy	400	2.3
Convulsions	573	2.9	Diarrhœa	401	2.3	Enteritis	393	2.3
Enteritis	497	2.5	Typhoid Fever	379	2.1	Diarrhœa	340	2.0

CERTIFIED CAUSES OF DEATH.

There is a manifest improvement in 1879 in the nature of the certified causes of death, especially as regards children. A much smaller number is classed under the head of Infantile Debility. There are not nearly so many under the head of Old Age. Both of those causes are highly unsatisfactory. There are too many by far under these heads still; and I must continue to urge upon physicians the great desirability of being as explicit as possible in regard to this point, as it is most desirable to have correct causes of death given, alike in the interest of the Science of Medicine, especially preventive medicine, and in the interest of the public generally.

TEN HIGHEST CAUSES OF DEATH.

In looking over the ten highest causes of death in 1879, I do not find much change from the previous year. Typhoid fever is the only disease in the list of 1878 which is not in that of 1879, but Dropsy, as it were, takes its place. Consumption and Old Age come first on the list, as they have done for many years. Infantile Debility is third on the list, as it has been for the last three years. Pneumonia (Inflammation of the Lungs) has crept up to be fourth on the list, and taken the place of Diphtheria, which is now sixth on the list. Heart disease is one place higher than last year.

Table shewing the total deaths registered in each County, the number who died from Phthisis out of that number, and the percentage thereof in 1877, 1878 and 1879.

COUNTIES.	Total No. of Deaths, 1877.	Number of Deaths from Phthisis.	Percentage of the whole.	Total No. of Deaths, 1878.	Number of Deaths from Phthisis.	Percentage of the whole.	Total No. of Deaths, 1879.	Number of Deaths from Phthisis.	Percentage of the whole.
Algoma	133	11	8 per cent.	33	5	15 per cent.	52	9	17 per cent.
Brant	397	63	16 "	311	45	14 "	341	40	11 "
Bruce	419	66	15 "	404	28	7 "	468	58	12 "
Carleton	505	81	16 "	605	65	9 "	699	79	11 "
Elgin	353	39	11 "	281	26	9 "	321	33	10 "
Essex	478	48	10 "	501	58	11 "	527	61	11 "
Frontenac	449	20	4 "	499	48	9 "	460	68	14 "
Grey	466	31	6 "	439	29	6 "	442	34	7 "
Haldimand	203	31	15 "	197	30	15 "	195	32	16 "
Halton	297	51	17 "	188	14	7 "	230	30	13 "
Hastings	621	81	13 "	572	91	16 "	584	89	15 "
Huron	626	54	8 "	634	64	10 "	651	61	9 "
Kent	460	39	8 "	350	39	11 "	444	34	7 "
Lambton	427	43	10 "	386	33	8 "	442	41	9 "
Lanark	315	31	9 "	249	20	8 "	248	31	12 "
Leeds and Grenville	576	94	16 "	499	87	17 "	465	80	17 "
Lennox and Addington	298	36	12 "	271	36	13 "	249	44	17 "
Lincoln	467	65	14 "	418	39	9 "	415	50	12 "
Middlesex	1044	116	11 "	955	127	13 "	1011	119	11 "
Muskoka and Parry Sound	361	22	6 "	163	8	5 "	187	11	6 "
Norfolk	380	26	7 "	275	36	13 "	325	45	13 "
Northumberland and Durham	693	84	12 "	685	83	12 "	595	91	15 "
Ontario	561	66	11 "	468	69	14 "	499	57	11 "
Oxford	544	57	10 "	563	85	15 "	448	45	10 "
Peel	324	30	9 "	243	19	7 "	242	20	8 "
Peterborough	477	48	10 "	382	39	10 "	461	43	9 "
Prescott and Russell	351	29	8 "	292	31	10 "	295	32	10 "
Prince Edward	187	37	19 "	193	27	14 "	344	30	8 "
Renfrew	409	15	3 "	252	36	14 "	216	47	21 "
Simcoe	742	50	6 "	563	56	10 "	586	41	7 "
Stormont, Dundas and Glengarry	693	33	5 "	691	69	10 "	552	70	12 "
Thunder Bay	154	11	7 "	41	1	2 "	26	1	3 "
Victoria	358	47	13 "	283	36	12 "	262	27	10 "
Waterloo	524	44	8 "	495	48	9 "	494	57	11 "
Welland	322	39	12 "	316	42	13 "	315	28	8 "
Wellington	680	63	9 "	672	72	11 "	669	44	7 "
Wentworth	1038	111	10 "	915	110	12 "	1020	109	10 "
York	2349	264	11 "	2038	212	10 "	2002	243	12 "
	20053	2157	10 per cent.	17808	1990	11 per cent.	17958	2065	11.5 per cent.

 PHTHISIS (CONSUMPTION).

The returns in 1878 shewed a slight increase in the proportion of deaths from Consumption, over 1877, and 1879 shews a still further increase over 1878. But the number returned in proportion to the total number of deaths was not so great in 1879 as in 1876.

The distressingly large number of 301 more females than males fell victims to this disease in this Province in 1879; or 34 per cent. more, viz., 1183 females and 882 males.

And between the ages of 10 and 50, the proportion of female to male deaths was even greater, 950 females having died between these ages, against 600 males.

We have, doubtless, then in Ontario at least 50 per cent. more females than males dying from consumption between the ages of 13 and 45, or during the period of maternity.

We may pause to ask, what will be the effect of this on heredity—on coming generations? The disease is doubtless transmitted from parent to offspring—so, at least, say our best medical authorities.

Between the ages of 10 and 15, more than three times as many females died of this disease, viz., 10 males and 32 females.

Between 15 and 20, 125 per cent. more females than males died of it, viz., 61 males and 138 females.

Between the ages of 10 and 20, about 140 per cent. more females than males died of consumption, viz., 71 males and 170 females.

Between the ages of 20 and 30, about 60 per cent. more females than males died of the disease.

Between the ages of 30 and 40, 35 per cent. more females died of it; and between 40 and 50 years, 26 per cent. more.

After the age of 50, probably after the age of 47 or 48, and in infancy, more males died of consumption than females.

In almost every country it is found that many more females than males die of this dread disease, though the difference is not usually so great as the returns in this Province shew it to be here.

It is not possible to conceive of any natural cause for a so much greater mortality amongst females than males from consumption. If only 882 males die of the disease, why should 1183 females die of it? This is a pertinent question, to which an answer should be found.

Doubtless one principal cause is the more general confinement of women in-doors, in unventilated rooms, depriving them of pure air; another, the drudgery of household duties—overwork—during the period of child-bearing; and yet another, the irrational education and training of young girls; all of which causes were referred to in last year's Report.

The largest number by far of males, as well as of females, died of consumption between the ages of 20 and 30; *i.e.*, a much larger number than during any other decennial period of life. The next largest number of both males and females died in the next decennial period—between 30 and 40; and the next largest between 40 and 50, of both males and females; while the next largest again, amongst males, is between 60 and 70; amongst females it is between 15 and 20.

In every month more females than males died of the disease, except in March and May, when a few more males than females died of it. In 1878, more females than males died of it every month.

Many of both sexes die of consumption every month. A smaller number died of it in July than any other month in 1879. In 1878, the month giving the lowest mortality from this disease was September; in 1877 it was June. The month shewing the greatest

mortality in 1879 was March, giving 32 more than April, the next in order. In 1878, too, the most fatal month was March, and the next April; while in 1877 the most fatal was April and the next March.

Of the 5 months July to November, inclusive, of 1879, the average number of deaths per month from this disease was 144; while of the 7 months December to June, inclusive, the average number per month was 192. In 1878, the average of the 5 months July to November, was 153; and the average of the 7 months December to June was 176. In 1877, the average of the same 5 months was 163; and of the 7 months, 191. The returns shew, therefore, that in 1879 the mortality from consumption during the 7 winter and spring months, was 33.3 per cent. greater than the mortality during the 5 summer and autumn months. In 1878, the difference in the mortality between these two periods of the year was only 15 per cent.; and in 1877, 17 per cent.

The above corresponds with the low point in the general death wave in August, and the high point in March, 1879.

It would be interesting, and doubtless profitable to investigate the causes of the difference in the mortality from consumption, in the different counties of Ontario.

Of the total number of deaths recorded in the whole Province in 1879, 11.5 per cent., as above stated, were from consumption. But some counties returned a proportion very much greater than this, and others a proportion very much less.

In the county of Brant in 1879, the returns shewed that the proportion of deaths from consumption was a little less than the average of the whole Province; or 11 per cent. of the totals from the county. The proportion had been considerably higher for the 3 previous years, 1876-77-78, viz., 14.5 per cent., 16 per cent., and 14 per cent., respectively; giving a per centage for the 4 years of about 3 per cent. above the average of the Province for the four years.

Haldimand has likewise given a high death rate from consumption during the 4 years, 1876 to 1879, inclusive—16, 15, 15, and 16 per cent., respectively; or about 4.5 per cent. above the average of the whole Province for the 4 years.

Hastings in the four years, respectively, gave 17, 13, 16, and 15 per cent.; or 2 per cent. above the average of the totals from the Province.

The united counties of Leeds and Grenville have returned a very high mortality from consumption during the 4 past years above mentioned, 1874-1879, viz., 18, 16, 17, and 17 per cent.; or about 6.5 per cent. above the average.

Lennox and Addington have also returned a high rate of mortality from this disease, or 4 per cent. above the average.

In Prince Edward county the mortality from consumption in 1879 is quite startling, viz., 21 per cent, 4 per cent. higher than in any other county. During the 3 previous years, 1876, 77, 78, it had been 17, 16 and 18, respectively, thus giving an average per centage for the 4 years of about 18 per cent., or more than 7 per cent. above the average.

The lowest death rate from this disease, was, according to the returns, in Muskoka and Parry Sound. In these districts it was only, for the 4 years, 1876 to 1879, 6, 6, 5 and 6 per cent. respectively, of the total number of deaths returned.

In the County of Grey it was almost as low, and in the Counties of Kent and Huron it was considerably below the average; as it was also in Prescott and Russell, and in Peterborough.

The returns from the cities and principal towns, 20 in number, give a mortality from consumption about one per cent. below the average of the Province.

As wetness of soil is unquestionably an important factor in causing consumption, the difference in the mortality from this disease in various counties may be to a certain extent traced to it, one part of the country, for instance, being better served by natural drainage than another. Again, more and more evidence is being brought forward every year by eminent experimental pathologists to prove that consumption is a contagious disease.

Considerable evidence of this character has accumulated during the past year. It has been shewn that the disease may readily be communicated by one animal to another; that it is highly probable it is often communicated from animals—as milch cows—to man, and that it is probable it may be communicated from person to person.

If it is thus contagious, the difference in mortality in different counties may be still further accounted for in this way. It may, as it were, become in some localities almost epidemical.

OLD AGE.

For the fourth year in succession, Old Age, so recorded, again comes next or second on the list of the ten highest causes of death in the Province in 1879.

Over 9 per cent. of the total deaths registered in Ontario are recorded against “old age,” and occur at 70 odd years.

In England, the proportion is only 5 per cent.; in Rhode Island less than 6; in Ohio, less than 5; and in Michigan less than 4 per cent.

In Ontario, in 1871, when the statistical returns were but very imperfect, or about half as complete as at present, the proportion returned as dying from old age was only 4.5; and in 1872 about 5 per cent.

And furthermore, as shewing that more correct diagnosis prevails in the cities and large towns than in the country, in regard to this, or that more care is exercised in the cities and towns in certifying to the causes of death of those advanced in life, we find that while the average age at death in the cities and towns is not much below that in the whole Province, in the total returns from the cities and eleven principal towns in Ontario only 4.5 per cent., instead of 9 per cent., as from the whole Province, were certified as dying from old age; *i.e.*, only about half as many, proportionately, were so recorded in the towns and cities as in the whole Province.

The cause of so many deaths being classed under this head, in the country especially, is doubtless largely owing to want of thought, or appreciation of the value of the true cause of death being given. It is necessary to repeat what has been said in former reports, that it is most desirable that physicians, in certifying to the cause of the deaths in advanced life, as well as indeed in all instances, should give the nature of the particular lesion or diseased state which, along with advanced life, in many of these cases, is the direct cause of dissolution. It should be borne in mind that it is as necessary to know the immediate cause of the death of those of advanced age, or over 60 or 70, as of the young.

INFANTILE DEBILITY.

Under the too indefinite heading of Infantile Debility 955 deaths were recorded in 1879; but it is pleasing to observe there were not so many cases returned last year as in 1878, when there were 1,100, or 15.1 per cent. more. It would, doubtless, in most instances, not be difficult to recognize the cause of this debility, and certify to it, if medical men would but give the matter sufficient attention. It is to be hoped that there will be a still further improvement in this respect next year.

Every month gives 50 to 100 of these cases; and strange to say, 101 were over one year old.

PNEUMONIA.

Pneumonia (inflammation of the lungs) comes fourth on the list of the ten highest causes of death in 1879. Were the cause of death of many of those recorded under the heads of old age and infantile debility correctly given, pneumonia would doubtless be second on the list instead of fourth.

In 1874, pneumonia was next to consumption, or second on the list of ten. It is usually third or fourth on the list. However, not half so many die of it as of consumption.

Of the 943 who died of this disease, 538 were males and 405 were females; or nearly 33 per cent. more males than females. More males than females died of it in every month in the year; and, unlike consumption, it destroys usually more males than females at every age.

The largest number dying in any one month, 157, or one-sixth of the whole, died in March; and the smallest number, 21, in August.

This shews how far this disease helped to swell the high total death wave in March, 1879, and to keep down the usual high point in August. In 1878, the month most fatal for this disease was April, when 99 died of it; and the least fatal month was July, when 43 succumbed to it. In 1877 the returns were similar in this respect to 1879; March recording 177 deaths and August 25.

In that year it was in March that the death wave reached its highest point; while the highest point in the wave in 1878, was in August.

The returns usually shew (viewing those for several years) a gradual and steady increase from month to month in the number of deaths from pneumonia, from July or August up to March or April of the following year, and then a gradual and steady decrease to July or August, excepting that the increase is often more rapid or sudden in January.

As regards the ages at which most patients die of this disease, the largest number is recorded in 1879, as being under 1 year, viz., 221; and the next largest, 140, between 1 and 5 years. The next largest number, 99, is between 60 and 70 years of age; and the next 86, between 50 and 60. Only 50 died of the disease between the ages of 10 and 20; while between the ages of 5 and 15, only 40 died of it.

But, in considering the above figures, it is necessary to bear in mind and consider the numbers which die from all causes at these ages.

The total number of deaths under 1 year, from all causes, was, in 1879, 3869; 22, of these, or 5.7 per cent., 1 in 17.5, died from pneumonia. Between the ages of 60 and 70, 1486 died from all causes, and 99 of these, or 6.6 per cent., 1 in 15, died from pneumonia.

Again, between the ages of 10 and 20, 1057 died from all causes, and 50, or 4.7 per cent, from pneumonia.

The period of life most free from this disease appears to be that between the ages of 5 and 10, when only 2.8 per cent. of the totals died of it; and the most fatal period is that between the ages of 50 and 60, when 7.4 per cent. died of it.

HEART DISEASE.

Under this head, 784 deaths were recorded in 1879, as against 621 in 1878, or 26 per cent. more.

Of the whole number of deaths in 1879 from specified causes, 4.6 per cent. were from heart disease. In 1878 and 1877, the proportion in each year was 3.6 per cent.

Of this disease, 416 males and 368 females died in 1879. In 1878 more females than males died of heart disease. Under 10 years of age, 20 males and 14 females died of it in 1879. Between 10 and 60, on the other hand, 164 males and 201 females died of the disease. While of those over 60, again, whose ages were given (only a few were not given), 209 were males and 138 females.

Many die of heart disease of one kind or another at all seasons of the year, though more die usually during cold than during warm weather. In 1879, however, March was a particularly fatal month for this disease, when 102 died of it. The largest number dying in any one month in 1878 was 63, in May; and the largest number in any month in 1877 was 78, in January. July was the least fatal month in 1879, 40 dying in it.

As to the most fatal period of life, few comparatively die of heart disease under 20 years of age. In 1879, 77 in all died at ages under 20; 34 under 10 years, and 43 between 10 and 20. Between 20 and 30, 59 died of it; and between 30 and 40, 65 died. In the next four decennial periods, from 40 to 80, there died in each period respectively, 87, 111, 148, and 159, so that in each decennial period of life up to 80 a gradually increasing number died of this disease.

The increased frequency of deaths from heart disease, as age increases, seems still more marked when the number of deaths from this disease in each decennial period is compared with the total number of deaths from all causes in that period.

Thus, in Ontario, in 1879, 7,862 died under 20 from all causes, and 77 of these were from heart disease; or one death from heart disease in every 102 from all causes. Between 20 and 30 years of age, 1,622 died from all causes, and 59, or one in 27.5, from heart disease. In the next decade, 30 to 40 years of age, one died from heart disease in every 18.5 from all causes; and in the next four decades, 40 to 80, one died from this cause in every 13, 10.7, 10, and 10.5 respectively.

Much the largest proportion then died of heart disease between the ages of 50 and 80, in Ontario, in 1879.

The most critical decennial period, however, of life is shewn to be between the ages of 60 and 70 years. This was shewn also by the returns of 1877, and, in a marked degree, by those of 1878.

Heart disease seems, from the returns, to be less common or fatal in the cities than in the country. The percentage of deaths, in proportion to the totals, in the 20 largest cities or towns in Ontario, was somewhat (0.4 per cent.) below that of the whole Province, viz., 4.2 per cent. In Toronto, the proportion was exactly 4 per cent; in Hamilton, Ottawa, and London, it was less than 4 per cent.; the proportion for the whole Province being 4.6 per cent.

DIPHThERIA.

There was happily a large decrease in the number of deaths from diphtheria in 1879, as compared with 1878, or, indeed, with 1877 and 1876 also. There were recorded for each of the four years, 1876 and 1879 (inclusive), respectively, 864, 964, 986, and 574 deaths from this disease. So that while there had been a large increase from year to year for the three previous years, there was last year a marked decrease. It was only in 1876 that the disease was first sufficiently prevalent and fatal in Ontario to have a place in the list of the ten highest causes of death.

The returns for 1879, as well as those for the two previous years, shew that the disease is much more common or fatal in rural than in urban districts. This appears to be the experience in other countries also. In Ontario, in 1879, in the 20 cities and large towns, collectively, the returns shewed one death from diphtheria in every 43 deaths from all causes, while in the rest of the Province there was one death from this disease in every 28 from all causes. This notwithstanding that in some of the towns the disease seems to have been epidemic, and in them the mortality was much greater.

The disease is regarded as eminently a filth disease, and if not arising solely from insanitary conditions, is at least more readily spread and more fatal in such conditions.

In Chatham, there were 5 deaths from diphtheria in a total of 97 deaths, or 1 in less than 20 from all causes; in Brantford, 1 from diphtheria in 24 from all causes; in Hamilton, 1 in 25; in Belleville, where the ravages of the disease appear to have been the most severely felt, 1 died in every 16 from all causes.

In Toronto, 1 died of diphtheria in every 42 from all causes; in Ottawa, 1 in 68; in Kingston, only 2 deaths were recorded from this disease; in St. Catharines and Guelph, 3 each; and in London, none.

No deaths from diphtheria are returned from Algoma, Lennox and Addington, or Thunder Bay. Muskoka District and Ontario County each return only 2; Renfrew and Victoria, 3 each. A few counties return 4, 5, and 6. Huron returns 32, and Prescott and Russell, 42.

The month in which the smallest number died of this disease in 1879 was July, when 20 were recorded. In December, the largest number, 76, was recorded. November and January were nearly as fatal as December.

Of the 574 who died of diphtheria, 283, or nearly one half, died at ages under 5 years; 35 of these were under 1 year; 184 died between 5 and 10 years of age; 55 between 10 and 15; 17 between 15 and 20; and only 18 in all older than 20 years. So that ages between 1 and 10 are by far the most critical as regards this disease.

 CONVULSIONS.

During the year, 445 deaths were registered as caused by convulsions—9 less than in 1878. Of these, 250 were males and 195 females; 319 were under 1 year, and 94 between 1 and 5 years.

Besides these, 66 were registered during the year as caused by epilepsy; that is, doubtless, epileptic convulsions.

Of the 445 deaths under the head of convulsions, 10 occurred between the ages of 5 and 10 years; 10 more between 10 and 20 years; and only 9 after the age of 20. Of the 66 registered as due to epilepsy, only 16 were under 20 years of age.

DROPSY.

Dropsy comes eighth in the list of the highest causes of death in 1879, and with a record of 400 victims. It had not been in the list since 1876, when it was tenth, with a record of 381. 184 of the 400 in 1879 were males, and 216 females. They were remarkably evenly distributed in each month; 30 odd being recorded in nearly every month.

Of the 400, 27 were under 5 years of age, and 25 were between 5 and 20 years; the remainder—348 being over 20; 252 were over 50 years of age; 66 were between 60 and 70; and 102 between 70 and 80.

Besides these 400, 7 others (of females) were returned as ovarian dropsy, between 20 and seventy years of age. Only four were so returned in 1878.

ENTERITIS.

Inflammation of the lining membrane of the intestines (enteritis), in 1879, according to the returns, destroyed the lives of 393 persons—222 males and 171 females. Of these 94 were less than 1 year old, and 40 were between 1 and 5 years. In 1878, 417 deaths were returned from this cause; and in 1877 there were 497 so returned.

DIARRHŒA.

A smaller number of deaths from diarrhœa, the tenth on the list, was recorded in 1879 than in any year since 1874, and a smaller number in proportion to the totals than in any year since registration commenced.

In 1877, 666 deaths were recorded under this head; in 1878, 401, and last year (1879) 340.

Of the 340, 180 were males and 160 females. 213 were less than 1 year old, and 52 were between 1 and 5. Only 2 were between 5 and 10 years, and only 23 between 5 and 60 years; 47 were over 60 years of age.

Few, comparatively, therefore, die of this disease during middle life. It is, indeed, a disease of infancy and old age.

It is an ailment, too, peculiar to warm weather; 252, or about three-fourths of the 340 died during July, August, and September, 120 dying in August alone. Those who died of the disease in childhood, probably all, or nearly all, died in the warm season. Only 37, in all, died of it during the six winter and spring months—December to May, inclusive.

It is worthy of note that while in the cities and large towns (20 in number), in every 32 deaths from all causes, one was from diarrhœa, while in the rest of the Province, only 1 died of it in every 69 from all causes.

In Toronto alone, there were 70 deaths returned as from diarrhœa; or about 1 in every 20 from all causes. In the town of Windsor, the proportion was somewhat greater

than in Toronto, 5 deaths from it in a total of 94 deaths from all causes, or 1 in less than 19. In Hamilton, 1 in every 27 died of the disease. In these three places, the mortality was much greater from it than in any of the other cities or towns.

TYPHOID FEVER.

There was a falling off in the number of deaths from typhoid fever in 1879, the number being considerably smaller than in either of the four previous years. The four years—1876 to '79—returned, respectively, 436, 477, 379, and 308.

Of the 308 deaths in 1879, 168 were of males and 140 of females; 90 were between the ages of 20 and 30 years, 41 were between the ages of 15 and 20, 38 between 30 and 40, and 22 between 10 and 15. 169, therefore, or much over one-half, died at ages between 15 and 40. It is, therefore, peculiarly a disease of the prime of life.

As usual, the fever was most prevalent or fatal in the autumn months; 55 died in October, and only 12 in July.

While the difference between the proportion of deaths from typhoid in the cities and towns, collectively, and the rural districts was almost inappreciable in 1879, the disease appears to have been almost epidemic in Toronto, Hamilton, St. Catharines and Lindsay. In the 20 cities and large towns the percentage of deaths from typhoid fever was 1 in 58 from all causes, but the percentage in Hamilton was 1 in 40; in Toronto 1 in 39; in St. Catharines 1 in 32; in Lindsay 1 in 13.

SCARLET FEVER.

Only 259 deaths were registered as from scarlet fever in 1879; while there were 368 deaths from it in 1878; and in 1877, 717 deaths. The disease appears, therefore, to be on the decline, on the whole, throughout the Province, though in Hamilton and Belleville it appears to have been very prevalent and fatal. 40 of the 259 deaths, or nearly one-sixth occurred in Hamilton, and 37 in Belleville. There were 9 in London and only 5 in Toronto. 24 were under 1 year of age; 146 were between 1 and 5 years; 55 were between 5 and 10 years; and 10 were between 10 and 15 years. 235, therefore, of the 259 were under 15 years of age. Scarlet fever is much more prevalent in the colder seasons.

MEASLES.

The unusually large number of 67 deaths was caused by measles in 1879. In 1878 there were only 5 deaths registered from this disease, though in 1877 there were 29 deaths from it.

Of the 67 deaths, 11 were of those under 1 year of age; 33 were between 1 and 5 years; and 11 were between 5 and 10 years; 1 was over 40 years of age.

SMALL POX.

The large number of 195 deaths was caused by small pox in this Province in 1879; 103 males and 92 females. In 1878 there were only 36 deaths, and in 1877, 45 deaths from variola. Nearly one-half of the 195, 93, were under 5 years of age. 72 of these were between 1 and 5 years, and 33 were between 5 and 10. Nearly two-thirds of the 195, viz., 127, were returned from the County of Carleton, and 68 from Ottawa City alone. The County of Hastings and the County of Kent each returned 11 deaths from small-pox. Middlesex County returned 3; Oxford, 6; Perth, 4; Prescott and Russell, 14; and York, 5. Brant returns 8; Essex, 2; and 4 other counties return 1 each. This contagion has been confined, therefore, it appears, chiefly or wholly to these counties.

OTHER DISEASES.

There were about the average number of deaths from Cancer, Croup, Bronchitis, the various Brain Diseases and Accidents; and there is nothing special in relation to these which demands notice here.

For Table G, Deaths by Ages, see Appendix Page lxxvi.

Table shewing the Average Age at Death of Males and Females in the whole Province and in the Cities in 1879.

	INCLUDING DEATHS UNDER ONE YEAR.						DEDUCTING DEATHS UNDER ONE YEAR.					
	No. of male decedents.	Average age at death.	No. of female decedents.	Average age at death.	Total No. of deaths.	Average age at death.	No. of male decedents.	Average age at death.	No. of female decedents.	Average age at death.	Total No. of deaths.	Average age at death.
	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.	Yrs.
* Whole Province....	9305	32.2	8388	31.4	17693	31.8	7067	41.8	6746	40.7	13813	41.2
Toronto... ..	734	24.6	691	25.8	1425	25.2	499	37.6	484	36.4	983	37.0
Ottawa... ..	199	19.6	211	20.2	410	19.9	139	27.7	155	28.6	294	28.2
Hamilton... ..	342	23.5	304	24.2	646	23.9	245	32.2	221	33.1	466	32.7
Kingston... ..	133	33.3	111	31.4	244	32.4	99	48.8	82	46.2	172	47.5
Belleville... ..	111	21.5	96	22.6	207	22.1	82	28.5	78	29.3	160	28.9
Guelph... ..	62	28.0	59	27.6	121	27.8	45	35.8	41	34.4	86	35.1
London... ..	199	23.0	157	22.4	356	22.7	119	37.0	113	36.4	232	36.7
St. Catharines... ..	99	22.0	74	22.5	173	22.4	56	37.4	47	35.3	103	36.4
Brantford... ..	73	30.0	69	31.7	142	30.9	50	42.7	58	40.8	108	41.8

* Algoma, Muskoka, and Parry Sound omitted, through incomplete returns.

Percentage of the Deaths under One Year to the whole number of Deaths in the
Cities of Ontario, 1879.

CITIES.	No. of Deaths.	Percentage of the whole No. of Deaths.	CITIES.	No. of Deaths.	Percentage of the whole No. of Deaths.
Toronto	431	30 per cent.	Kingston	28	11 per cent.
Hamilton	180	27 “	Belleville	46	20 “
Ottawa	112	27 “	Brantford	34	24 “
London	116	32 “	Guelph	23	19 “
St. Catharines	46	24 “			

Average age at Death of Males and Females

COUNTIES.	INCLUDING ALL DEATHS UNDER			
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average at Death.
Brant	186	34.2 years.	155	35.6 years.
Bruce	249	27.1 "	219	26.6 "
Carleton	362	25.2 "	337	23.7 "
Elgin	170	37.5 "	151	35.2 "
Essex	276	28.1 "	251	24.6 "
Frontenac	250	34.3 "	210	33.4 "
Grey	239	35.0 "	203	28.0 "
Haldimand	102	32.1 "	93	26.2 "
Halton	131	35.0 "	99	26.4 "
Hastings	322	33.2 "	262	32.4 "
Huron	334	28.4 "	317	25.8 "
Kent	217	31.4 "	227	29.6 "
Lambton	227	26.5 "	215	25.8 "
Lanark	130	41.9 "	118	39.8 "
Leeds and Grenville	248	44.0 "	217	41.4 "
Lennox and Addington	149	40.1 "	100	36.4 "
Lincoln	216	30.0 "	199	31.4 "
Middlesex	575	32.1 "	436	28.6 "
Norfolk	173	32.5 "	152	30.6 "
Northumberland and Durham	304	40.1 "	291	39.0 "
Ontario	246	31.1 "	253	31.8 "
Oxford	230	35.8 "	218	33.3 "
Peel	116	31.5 "	126	33.4 "
Perth	241	25.4 "	220	23.8 "
Peterboro'	153	33.7 "	142	31.8 "
Prescott and Russell	188	29.0 "	156	26.4 "
Prince Edward	105	42.3 "	111	40.6 "
Renfrew	112	34.5 "	124	31.6 "
Simcoe	303	30.8 "	283	29.7 "
Stormont, Dundas and Glengarry	265	35.2 "	287	32.8 "
Victoria	154	36.8 "	108	32.6 "
Waterloo	276	34.5 "	218	36.8 "
Welland	179	36.2 "	136	35.2 "
Wellington	329	32.0 "	280	33.8 "
Wentworth	515	29.1 "	505	30.2 "
York	1033	29.2 "	969	31.4 "
Whole Province	9305	32.2 "	8388	31.4 "

in the Counties of Ontario, for the year 1879.

ONE YEAR.		DEDUCTING ALL WHO DIED UNDER ONE YEAR.					
Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
341	34.9 years.	142	44.2 years.	134	42.6 years.	276	43.4 years.
468	26.9 "	200	35.2 "	178	34.6 "	378	34.9 "
699	24.5 "	279	33.0 "	279	30.0 "	558	31.5 "
321	36.4 "	133	47.0 "	130	45.8 "	263	46.4 "
527	26.4 "	201	38.3 "	192	34.6 "	393	36.5 "
460	33.9 "	194	44.3 "	193	40.2 "	387	42.3 "
442	31.0 "	200	44.7 "	173	40.6 "	373	42.6 "
195	29.1 "	76	43.6 "	77	44.8 "	153	44.2 "
230	31.1 "	108	44.1 "	82	45.6 "	190	44.8 "
584	32.8 "	265	41.1 "	225	42.5 "	490	41.8 "
651	27.1 "	245	38.9 "	250	36.4 "	495	37.6 "
444	30.5 "	167	40.8 "	174	39.3 "	341	40.1 "
442	26.1 "	163	36.9 "	158	34.3 "	321	35.6 "
248	40.8 "	109	50.9 "	104	42.0 "	213	46.4 "
465	42.7 "	214	50.7 "	191	46.8 "	405	48.8 "
249	38.3 "	123	48.4 "	99	47.6 "	222	48.0 "
415	30.7 "	161	42.9 "	152	43.4 "	313	43.2 "
1011	30.4 "	417	46.1 "	353	40.8 "	770	43.5 "
325	31.5 "	122	42.0 "	134	41.4 "	256	41.7 "
595	39.6 "	256	47.7 "	252	45.8 "	508	46.8 "
499	31.5 "	156	45.6 "	184	43.8 "	340	44.7 "
448	34.5 "	162	50.4 "	170	48.8 "	332	49.6 "
242	32.5 "	87	37.5 "	105	40.6 "	192	39.0 "
461	24.6 "	172	40.5 "	158	37.6 "	330	39.1 "
295	32.8 "	116	43.0 "	113	42.5 "	229	42.8 "
344	27.7 "	141	39.0 "	122	32.0 "	263	35.5 "
216	41.5 "	83	52.2 "	101	50.0 "	184	51.1 "
236	33.1 "	184	45.7 "	102	42.8 "	286	44.3 "
586	30.2 "	190	45.0 "	214	38.6 "	404	41.8 "
552	34.0 "	203	44.6 "	218	41.8 "	421	43.2 "
262	34.7 "	113	49.6 "	74	44.8 "	187	47.2 "
494	35.7 "	213	45.4 "	268	43.7 "	481	44.5 "
315	35.8 "	131	48.4 "	109	46.3 "	240	47.4 "
609	32.9 "	231	42.4 "	226	40.8 "	457	41.6 "
1020	29.7 "	372	37.5 "	333	36.4 "	755	36.9 "
2002	30.3 "	738	39.2 "	669	41.4 "	1407	40.3 "
17693	31.8 "	7067	41.8 "	6746	40.7 "	13813	41.3 "

The average age of all who died in 1879 was 31.8 years; of males 32.2 years, of females 31.4. In 1878 the average was, for the whole, 29.78 years; males 30.09 years, and females 29.48 years, so that the duration of life was somewhat greater in 1879.

Deducting all who died under one year from the total number of deaths for 1879, we find the average age of the remainder to be 41.3 years; for males 41.8 years, and females 40.7 years. This gives an increase in the average length of life of 9.5 years for the whole; 9.6 years for the males, and 9.3 years for females.

It will be seen then that the extremely large number dying under one year very seriously affects the average age of the whole at death.

The number of deaths under one year, in 1879, in Toronto, was 431, or 30 per cent. of the whole number of deaths registered in that city.

In Hamilton the number was 180, or 27 per cent.; and in Ottawa 112, or 27 per cent.

There were 1651 more male than female births; but the deaths amongst males exceeded those amongst females by 958. The greatest difference between the number of deaths of males and of females appears to have been amongst those under one year of age—2204 males and 1665 females dying at this period of life; a difference of 539 or 32.3 per cent. Last year the numbers were 2210 males and 1753 females, a difference of 457, or 26 per cent. This excess in the mortality of males over that of females continues between 1 and 10 years of age, but not to so great an extent, there being 1528 males and 1408 females, or a difference of 120, or 8.5 per cent. Between the ages of 10 and 20, however, more females than males die; the figures standing 471 males and 586 females, an excess in the mortality of females of 115, or 24.4 per cent. The next decennial period of life is also more fatal to females than to males: 920 females died to 702 males—218, or 31 per cent. more.

The mortality of females is not so great in proportion between the ages of 30 and 40, the numbers being 668 females to 537 males, or an excess of 131, or 24.3 per cent. In the next decennial period, from 40 to 50, the mortality of females is still in excess of males, though very slightly, being 563 females to 549 males, 14 more, or 2.5 per cent.


In the next decade, from 50 to 60, the record shews that more males than females died—643 males to 523 females, a difference of 120, or 22.9 per cent. Between the ages of 60 and 70 years the difference between the mortality of males and that of females is greater than in the previous decade, the number being 854 males to 632 females, an excess in the deaths of males of 222, or 35.1 per cent.

Between the ages of 70 and 80 the difference in the number of deaths of males and of females is still greater—961 males died to 714 females, a difference of 247, or 34.5 per cent. Between the ages of 80 and 90 the difference in the number of deaths of males and of females is much smaller, being 602 males and 469 females, a difference of 133, or 28.3 per cent.

At ages in the last decade of the 100 years of life we find that 135 males and 111 females died, an excess amongst males of 24, or 21 per cent. 10 males and 13 females are reported as having reached the patriarchal age of 100 years and over.

To summarize this review of the deaths of males and of females during the ten decades of life—in the first decade the returns shew a preponderance of the deaths of males over those of females; in the second, third, fourth and fifth decades, on the other hand, the deaths of females are in excess of those of males. In the sixth and following decades the mortality amongst females is less than that of males. So that in the ten decennial periods of life the mortality amongst males exceeds that amongst females in six of them, while the mortality amongst females exceeds that amongst males in only four of them.

AGES AT TIME OF DEATH.



No. of Deaths at Each Age.

— The Black line indicates the number of deaths of both sexes at all ages
— Red line Males
— Blue line Females

The various points on the three lines shew the number of deaths at any given age. The number directly over the points at the top of the diagram is the age at time of death, and the number at the side of the diagram, in a straight line with the points is the number who died at that age. Thus we find a point on the Black line opposite 140 at the side and under 50 years at the top, this shews that 140 persons died at the age of 50 in 1879

Deaths by Occupations (for Table, *see* Appendix, page cxviii.) over the Average Age, 57½ years.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Soldiers and Pensioners	51	71 years.	Clergymen	46	62 years.
Gentlemen	184	68 "	Farmer's Wives	1651	60 "
Hunters and Fishermen	7	68 "	Shoemakers	94	60 "
Paupers	41	68 "	Public Officials	87	60 "
Tanners	6	68 "	Masons	32	60 "
Weavers	25	66 "	Builders	16	60 "
Farmers	2290	64 "	Millwrights	10	59 "
Tailors	39	64 "	Undertakers	1	58 "
Pedlars	7	64 "	Manufacturers	21	58 "
Gardeners	27	63 "			

Deaths by Occupations, under the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Sawyers	6	57 years.	Teamsters	21	46 years.
Coopers	17	56 "	Bakers	20	46 "
Labourers	681	53 "	Brick-makers	5	45 "
Housewives	1264	53 "	Blacksmiths	59	45 "
Watchmakers	12	53 "	Sailors	26	45 "
Musicians	3	53 "	Teachers	56	44 "
Hackmen	6	52 "	Agents	24	44 "
Carriage and Waggon Makers	28	51 "	Lawyers	23	44 "
Carpenters	125	51 "	Chemists and Druggists	17	44 "
Merchants	113	51 "	Butchers	20	43 "
Millers	28	50 "	Moulders	12	41 "
Physicians	29	50 "	Railroad Employees	38	41 "
Provincial Land Surveyors	8	50 "	Saddlers and Harness Makers	9	41 "
Cabinet-makers	23	50 "	Artists	1	41 "
Plasterers	6	50 "	Tinsmiths	12	40 "
Lumbermen	15	49 "	Milliners and Dress Makers	30	39 "
Engineers	16	48 "	Printers	20	39 "
Cooks	3	48 "	Machinists	23	38 "
Barbers	4	48 "	Seamstresses	21	37 "
Bricklayers	8	48 "	Servants	81	37 "
Other Mechanics	36	48 "	Editors	3	36 "
Other Occupations	55	47 "	Book-keepers	66	35 "
Stone-cutters	13	47 "	Bankers	3	35 "
Brewers	4	47 "	Pump-makers	1	34 "
Tavern-keepers	59	47 "	Telegraph Operators	8	28 "
Painters	31	46 "	Tobacconists	3	27 "

Ten Occupations which give the Highest Average Age, and the Ten Lowest at the time of Death, this year are given below in comparison with 1878.

1878.	No. of Deaths.	Average Age at Death.	1879.	No. of Deaths.	Average Age at Death.
Millwrights	7	70 years.	Soldiers and Pensioners	51	71 years.
Weavers	26	69 "	Gentlemen	184	68 "
Paupers	33	68 "	Hunters and Fishermen.	7	68 "
Soldiers and Pensioners	48	67 "	Paupers	41	68 "
Gentlemen	170	65 "	Tanners.	6	68 "
Gardeners	19	64 "	Weavers	25	66 "
Tanners	5	63 "	Farmers	2290	64 "
Farmers	2146	61 "	Tailors	39	64 "
Clergymen	45	60 "	Pedlars	7	64 "
Masons	32	60 "	Gardeners	27	63 "

Lowest Average Age.

1878.	No. of Deaths.	Average Age at Death.	1879.	No. of Deaths.	Average Age at Death.
Telegraph Operators	4	30 years.	Tobacconists	3	27 years.
Railroad Employees	32	32 "	Telegraph Operators	8	28 "
Barbers	8	33 "	Bankers	3	35 "
Editors	2	33 "	Book-keepers and Clerks	66	35 "
Milliners and Dressmakers	25	33 "	Editors	3	36 "
Moulders	8	34 "	Servants	81	37 "
Printers	18	36 "	Seamstresses	21	37 "
Book-keepers and Clerks	68	37 "	Machinists	23	38 "
Seamstresses	21	37 "	Printers	20	39 "
Tobacconists	7	38 "	Milliners and Dressmakers	30	39 "

In noticing the effects of the various occupations on the length of life of those engaged in them, it may be as well to repeat, in effect, what has been said before—that it ought to be borne in mind that it is not entirely the occupation *per se* which causes the average of life, in some employments, to be so very short. As a rule, those who die young, would not, except under the most favourable circumstances, have lived to advanced

age. These, by choosing such sedentary or confined occupations as that of clerk, book-keeper, printer, or milliner, naturally shorten their own existence.

The average age of those engaged in the various occupations named in Table I was one-half year higher in 1879 than in 1878— $57\frac{1}{2}$ years instead of 57 years. In 1877 the average was 56 years. It therefore appears that the length of life of those engaged in them is on the increase.

Of the 7830 persons who died in the 71 named occupations, 4635 were engaged in 19 of them, in each of which the average age at death was as great or greater than the average age of the whole 7830— $57\frac{1}{2}$ years, while 3195, or the remainder of the 7830, were engaged in the remaining 52 occupations, in each of which the average age at death was under the average age of the whole.

There were 19 occupations in 1879, instead of 18 as in 1878, in which those engaged lived to be above the average, and in these there were 4635 persons, as against 4344 in 1878. Nearly one-half again of the 4635, or 2290, were farmers, and not far short of three-fourths of the other half, or 1651, were farmers' wives. Thus, taking out farmers and farmers' wives, there were only 695 who were engaged in the 17 other occupations in which the life of those engaged reached or exceeded the average of the whole.

A smaller number, by nearly 100, in 1879 than in 1878, of those engaged in the 52 occupations in which life was below the average of $57\frac{1}{2}$ years, reached the age of 50 years—2349 against 2446. But of the whole number in the tables, 7831, there were 274 more who lived to be 50 in 1879 than in 1878.

The 2349 who, in 1879, lived to be 50 years or over, and yet not up to the average of $57\frac{1}{2}$ years, were engaged in 14 occupations, the same number of occupations, though not altogether the same sort, as in 1878, and included 1264 housewives (more than one-half), 681 labourers, 125 carpenters, and 113 merchants; more labourers, but fewer housewives, merchants, and carpenters than in 1878. Amongst those living to the average of or about 50 years were 29 physicians, averaging just 50 years, as against 18 in 1878; 28 carriage and waggon-makers, 28 millers, 23 cabinet-makers, and 17 coopers.

The table shews that there were 15 lumbermen averaging 48 years, while 11 in 1878 averaged 50 years; 16 engineers, averaging 48 years, while 19 in 1878 averaged 42 years only; 13 stone-cutters, averaging 47 years, against 19 in 1878 averaging 42 years only; 59 tavern-keepers, averaging 47 years, against 48 in 1878 who averaged 48 years; 31 painters, averaging 46 years, against 28 in 1878, who averaged only 40 years; 59 blacksmiths, averaging 45 years, while in 1878 there were 56 who averaged 53 years; 56 teachers, averaging 44 years, against 38 in 1878 who averaged 42 years only.

The average length of life of the 29 physicians was, in 1879, the same as the average of the 18 who died in 1878, viz., 50 years. 31 physicians, however, died in 1876, whose average age was 55 years; and in 1877, 28 died, averaging 53 years. So that it appears the length of life of physicians is on the decrease—from 55 and 53 to 50 years.

During the three years previous to 1879—1876 to 1878, inclusive—77 physicians died at the average age of 53 years.

In 1879 the deaths of 23 members of the legal profession were registered, whose average age was 44 years. In 1876, 20 died, and in 1877, 15 died, averaging 50 years; while in 1878, 19 died, averaging only 40 years. The average age for the three years—1876 to 1878—of the 54 who died in these years was 46.5 years.

On the other hand, 46 clergymen died during the year 1879, averaging 62 years; higher than the average of these in any one of the three previous years. During the three previous years 111 clergymen died, whose average age was 58.

The farmers, too, had averaged 61 years during the three years previous to 1879, and, as the table shews, 64 in this last year. The average length of life shewn by the farmers' wives was also greater in 1879 than the average of the three previous years.

The average length of life of tailors and shoemakers was likewise considerably greater in 1879 than the average of the three previous years.

Deaths by Occupations (Causes of Death). For Table, see Appendix, pages cxvi. and cxvii.

Ten Occupations which returned the largest number of Deaths from Phthisis.

OCCUPATIONS.	1878.			OCCUPATIONS.	1879.		
	Deaths from all causes.	Deaths from phthisis.	Rate per cent.		Deaths from all causes.	Deaths from phthisis.	Rate per cent.
Farmers	2146	304	14.1	Farmers	2290	246	10.7
Labourers	619	90	14.5	Labourers.....	681	117	17.1
Merchants	119	36	30.2	Book-keepers and Clerks.	66	34	51.5
Carpenters	141	30	21.2	Servants	81	29	35.8
Servants	89	25	28.0	Teachers	56	23	41.0
Book-keepers and Clerks.	68	21	30.8	Carpenters	125	22	17.6
Gentlemen	170	17	10.0	Merchants	113	21	18.5
Shoemakers	69	16	23.1	Blacksmiths.....	59	16	27.1
Teachers	38	14	36.8	Gentlemen	184	13	7.0
Stone-cutters	19	12	63.1	Shoemakers	94	13	13.8

Ten Highest Causes of Death, by Occupation.

CAUSE OF DEATH.	1878.		CAUSE OF DEATH.	1879.	
	No.	Per cent. of Death from all causes.		No.	Per cent. of Death from all causes.
Old Age.....	780	16.9	Old Age.....	770	15.6
Phthisis	772	16.8	Phthisis	749	15.2
Apoplexy and Paralysis.....	275	6.0	Heart Disease	370	7.5
Heart Disease	266	5.7	Pneumonia	282	5.7
Accident	233	5.0	Paralysis and Apoplexy.....	265	5.3
Fevers	203	4.4	Accident	214	4.3
Pneumonia	162	3.5	Fevers	174	3.5
Dropsy	140	3.0	Debility.....	179	3.6
Debility	122	2.6	Dropsy.....	178	3.6
Lung Disease.....	121	2.6	Cancer	139	2.8

Although the mortality amongst farmers, from all causes, is greater this year than in 1878, the numbers being 2290 against 2146 last year, yet the number dying of consumption in 1879 is 58 less than in 1878, a difference of 3.4 per cent.

It might be supposed, from the large number of farmers dying of consumption (246), that these tillers of the soil were more subject to this disease than persons engaged in other occupations; but when we compare the mortality from phthisis among farmers with the total number of that class dying from all causes, it will be found that, with the exception of "gentlemen," farmers furnish fewer victims to this disease, in proportion to their numbers, than any other occupation. This will be seen by referring to the table.

Out of 66 book-keepers and clerks whose deaths are recorded, 34 died of consumption, a percentage of 51.5, being the highest of any occupation. The close confinement, and the sedentary nature of their occupation, no doubt lay them open to the attacks of this insidious disease. Teachers are next, with 23 deaths from phthisis out of 56 from all causes, a percentage of 41.1. Teaching is a profession often entered into at an early age, before the system is fully matured, and as those who follow this occupation are exposed to the vitiated atmosphere of ill ventilated schoolrooms, they fall easy victims to this dread disease.

Servants are third highest, 29 dying of phthisis out of 81 from all causes, or 35.8 per cent. Probably among them are included domestics, who have not the means nor opportunities to take precautionary measures to protect themselves from cold and exposure, thus rendering themselves more liable to become subjects for consumption.

It seems strange that blacksmiths and carpenters, whose occupations are neither sedentary nor altogether confined to in-door work, should give so high a percentage of deaths from consumption; perhaps it is owing to a want of care in protecting themselves against the rapid changes of weather to which they are at times exposed. Blacksmiths return 16 deaths from consumption, out of 59 from all causes, or 27.1 per cent. Carpenters 22 out of 125 from all causes, or 17.6 per cent.

Fewer persons, returned as "gentlemen," died of consumption in proportion to the number of people dying from all causes, than under any other designation, viz: 13 deaths from it out of 184 from all causes, or 7 per cent. Persons to whom this designation is applied at the time of their death, are generally those who had retired from all occupation and reach advanced years, and were therefore past the period of life most subject to tubercular diseases. This may account for the small number, comparatively, of men of leisure reported as having died of consumption.

Although there is a very perceptible average improvement in the schedules received from the Division Registrars for the year under review, there is room for proficiency from some of those officials in more legible handwriting and more accuracy in the orthography of names, both of which are most essential items in the preparation of valuable and satisfactory records.

Among the most complete returns received are those from the following municipalities and are worthy of special mention, viz: the cities of Hamilton, London and Toronto; the towns of Cornwall, Paris, Pembroke and Wingham; the villages of Forest, London East, New Edinburgh and Yorkville; the townships of Alfred, Brock, Eramosa, Gloucester, London, Plantagenet North, Tilbury West, and Wilmot.

In order to make the Registration Act more effectual it is desirable that some amendments should be made thereto during the coming session; I would therefore respectfully recommend as one, that each school teacher in the rural districts be appointed sub-registrar for his own section; and further that the time for receiving the registration of the particulars of births be extended under certain restrictions.

I would again suggest that some measures should be adopted to compel municipal councils to pay their clerks the fee allowed by Sec. 26 of the Act, for each birth, marriage and death registered, as further reports have been made to the Department during the past year of an additional number of municipal councils refusing to pay this fee, which, as pointed out in last year's report, must in a great degree lessen the encouragement on the part of Division Registrars to become thoroughly efficient in the discharge of their important duties.

I have the honour to be,

Sir,

Your obedient servant,

H. S. CREWE,

Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1879.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Triplets.	Illegitimate.	Still Born.
Algoma :																	
Male.....	11	10	10	15	10	12	18	10	9	5	14	11	135				4
Female.....	7	15	12	8	9	4	16	8	6	7	12	12	125				1
Total.....	18	25	22	23	19	16	34	18	15	12	26	23	260	2			5
Brant :																	
Male.....	36	32	41	20	24	26	37	35	44	32	40	31	398			6	2
Female.....	46	30	37	24	27	24	24	27	28	22	25	22	336			9	4
Total.....	82	62	78	44	51	50	61	62	72	54	65	53	734			15	6
Bruce :																	
Male.....	63	67	73	49	57	54	59	59	66	56	46	55	704			5	3
Female.....	62	55	75	54	55	49	69	65	65	53	47	63	712			3	4
Total.....	125	122	148	103	112	103	128	124	131	109	93	118	1416	11		8	7
Carleton :																	
Male.....	51	53	47	48	54	39	31	45	56	34	48	59	565			1	2
Female.....	54	48	39	38	45	46	50	44	44	37	35	47	527			2	2
Total.....	105	91	86	86	99	85	81	89	100	71	83	106	1092	19		3	4
Elgin :																	
Male.....	29	27	27	17	25	19	30	23	23	26	18	29	293			1	1
Female.....	24	15	30	19	20	21	25	18	26	30	23	30	281			1	0
Total.....	53	42	57	36	45	40	55	41	49	56	41	59	574	6		2	1
Essex :																	
Male.....	44	53	42	40	39	38	49	55	59	53	47	40	559				2
Female.....	51	54	39	43	28	40	48	42	54	35	50	35	519			1	4
Total.....	95	107	81	83	67	78	97	97	113	88	97	75	1078	9		1	6

Frontenac:	46	34	47	33	34	38	44	37	45	32	38	39	467	19	0
Male	25	36	33	26	29	25	34	35	40	37	33	44	397	10	1
Female	71	70	80	59	63	63	78	72	85	69	71	83	864	4	29	1
Total	70	69	64	60	57	42	64	63	65	42	40	51	687	2	4	4
Grey:	60	64	55	53	40	46	45	50	45	43	65	61	627	4	3	3
Male	130	133	119	113	97	88	109	113	110	85	105	112	1314	16	6	7
Female	34	24	27	22	15	19	23	27	24	20	15	21	271	4	1	1
Total	29	24	30	27	25	18	15	30	23	20	21	22	284	1	2	2
Haldimand:	63	48	57	49	40	37	38	57	47	40	36	43	555	4	5	3
Male	25	23	26	15	35	14	15	32	18	28	21	23	275	2	2	2
Female	24	20	18	18	24	15	15	24	23	15	18	8	222	3	3	3
Total	49	43	44	33	59	29	30	56	41	43	39	31	497	7	5	5
Hastings:	53	43	50	47	35	29	42	41	51	48	43	48	530	5	6	6
Male	45	44	39	40	35	35	34	42	33	35	31	27	440	7	8	8
Female	98	87	89	87	70	64	76	83	84	83	74	75	970	10	12	14
Total	86	59	92	84	51	70	81	97	86	80	82	80	948	7	4	4
Huron:	71	94	75	62	65	54	84	76	72	77	61	76	867	15	5	5
Male	157	153	167	146	116	124	165	173	158	157	143	156	1815	13	22	9
Female	51	40	48	43	50	46	36	49	55	41	44	44	547	1	2	2
Total	45	37	43	34	39	33	29	40	47	38	45	45	475	2	3	3
Kent:	96	77	91	77	89	79	65	89	102	79	89	89	1022	8	3	5
Male	57	54	49	44	40	29	41	47	47	51	39	51	549	3	2	2
Female	63	55	47	34	38	32	48	39	41	46	34	46	523	2
Total	120	109	96	78	78	61	89	86	88	97	73	97	1072	7	5	2

TABLE A.—BIRTHS BY MONTHS, 1879.—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Triplets.	Illegitimate.	Still Born.
Lanark:																	
Male.....	18	28	27	20	20	7	17	25	25	19	20	20	246	1
Female.....	39	26	29	29	26	16	21	21	25	21	15	26	294	3	1
Total.....	57	54	56	49	46	23	38	46	50	40	35	46	540	3	3	2
Leeds and Grenville:																	
Male.....	56	50	72	48	41	36	28	55	48	50	42	42	568	8	4
Female.....	47	42	50	46	35	32	31	36	46	46	46	31	488	3	3
Total.....	103	92	122	94	76	68	59	91	94	96	88	73	1056	12	11	7
Lennox and Addington:																	
Male.....	31	25	29	17	18	18	22	21	22	16	30	20	269	4	0
Female.....	17	22	19	28	23	13	22	25	16	24	15	17	241	1	2
Total.....	48	47	48	45	41	31	44	46	38	40	45	37	510	8	5	2
Lincoln:																	
Male.....	36	28	27	35	32	16	30	24	30	34	32	40	364	2	3
Female.....	42	29	23	27	27	17	18	22	29	24	26	24	308	3	3
Total.....	78	57	50	62	59	33	48	46	59	58	58	64	672	10	5	6
Middlesex:																	
Male.....	105	82	108	78	73	64	92	91	95	100	94	92	1074	11	16
Female.....	84	88	89	62	56	72	67	74	80	89	84	94	939	19	10
Total.....	189	170	197	140	129	136	159	165	175	189	178	186	2013	16	30	26
Muskoka and Parry Sound:																	
Male.....	30	45	36	25	46	36	36	31	34	30	32	35	416	2
Female.....	48	36	29	29	42	33	32	24	37	34	30	28	402	3	7
Total.....	78	81	65	54	88	69	68	55	71	64	62	63	818	7	3	9

Norfolk :	40	21	49	30	34	22	33	36	32	32	32	34	21	384	7	2
Male	35	28	32	24	24	21	26	29	22	29	29	36	25	331	4	2
Female	75	49	81	54	58	43	59	65	54	61	61	70	46	715	16	11	4
Total																	
Northumberland and Durham :																	
Male	64	51	56	44	43	45	49	57	61	59	46	62	58	649	6	2
Female	41	54	55	50	29	44	64	56	53	46	59	52	52	603	2	2
Total	105	105	111	94	72	89	113	113	114	105	121	110	110	1252	10	8	4
Ontario :																	
Male	66	51	59	44	42	49	43	52	55	44	44	30	46	581	4
Female	45	50	52	39	55	43	46	50	46	47	33	33	53	559	7
Total	111	101	111	83	97	92	89	102	101	91	63	99	99	1140	3	11
Oxford :																	
Male	59	59	58	41	46	41	49	40	62	53	46	46	55	609	4	3
Female	52	48	40	42	54	37	49	56	52	53	39	39	60	582	9	6
Total	111	107	98	83	100	78	98	96	114	106	85	85	115	1191	4	13	9
Peel :																	
Male	38	37	22	19	18	24	23	26	34	29	17	17	17	304	3
Female	22	15	18	16	24	17	20	22	19	18	16	16	27	234	1
Total	60	52	40	35	42	41	43	48	52	47	33	44	44	538	7	4
Perth :																	
Male	60	39	52	58	58	46	53	66	48	58	45	45	43	626	5	2
Female	46	45	43	44	42	41	60	46	52	56	60	44	44	579	3	4
Total	106	84	95	102	100	87	113	112	100	114	105	87	87	1205	7	8	6
Peterborough :																	
Male	44	41	43	29	39	37	41	40	33	27	38	38	33	445	3	2
Female	38	37	54	36	42	40	36	25	33	27	29	29	34	431	3	2
Total	82	78	97	65	81	77	77	65	66	54	67	67	67	876	10	6	4
Prescott and Russell :																	
Male	61	71	68	46	49	53	41	54	41	39	24	24	30	577	2
Female	52	47	75	38	52	51	29	58	33	22	35	35	43	535	2
Total	113	118	143	84	101	104	70	112	74	61	59	59	73	1112	7	4

TABLE A.—BIRTHS BY MONTHS, 1879.—*Concluded.*

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of twins.	Triplets.	Illegitimate.	Still Born.
Prince Edward:																	
Male.....	22	17	19	13	17	17	15	17	13	19	16	16	201			2
Female.....	13	23	14	9	10	10	19	16	26	15	16	9	180			1
Total	35	40	33	22	27	27	34	33	39	34	32	25	381	3	3	1
Renfrew:																	
Male.....	45	49	46	34	36	31	33	44	23	31	27	32	431			5	10
Female.....	47	40	43	34	39	32	25	27	31	15	33	36	402			3	3
Total	92	89	89	68	75	63	58	71	54	46	60	68	833	6	8	13
Simcoe:																	
Male.....	72	68	64	57	51	56	77	59	62	50	72	72	760			1	9
Female.....	67	53	56	74	41	54	48	68	60	73	47	63	704			6	5
Total	139	121	120	131	92	110	125	127	122	123	119	135	1464	24	7	14
Stormont, Dundas and Glengarry:																	
Male.....	44	32	58	34	41	31	44	56	49	38	29	37	493			3
Female.....	38	42	55	47	39	33	48	46	47	44	44	37	520			5
Total	82	74	113	81	80	64	92	102	96	82	73	74	1013	9	8
Thunder Bay:																	
Male.....	8	8	4	4	1	2	2	1	1	3	2	1	37		
Female.....	4	2	1	2	2	2	3	4	1	3	1	25		
Total	12	10	5	6	3	4	5	5	2	6	2	2	62		
Victoria:																	
Male.....	32	39	44	42	38	41	32	51	32	27	35	35	448			1	3
Female.....	35	40	32	30	37	27	37	26	39	21	35	37	396			2	1
Total	67	79	76	72	75	68	69	77	71	48	70	72	844	10	3	4

Waterloo :	50	64	57	53	48	40	48	49	44	43	53	598	4	6
Male	66	44	50	41	40	41	44	51	67	61	50	596	7	7
Female.....																
Total	116	108	107	94	88	81	92	100	116	105	103	1194	11	1	11	13
Welland :																
Male	40	27	39	28	28	32	37	26	22	28	30	360	2	1
Female.....	46	25	35	36	23	27	33	31	31	26	25	365	1
Total	86	52	74	64	51	59	70	57	53	54	55	725	2	2
Wellington :																
Male	96	89	73	79	76	58	78	63	88	73	78	930	8	5
Female.....	75	94	68	63	61	56	69	69	85	77	70	851	7	4
Total	171	183	141	142	137	114	147	132	173	150	148	1781	18	15	9
Wentworth :																
Male	88	75	76	50	72	64	75	68	74	66	77	851	15	12
Female.....	74	52	52	56	71	45	74	72	81	77	59	773	27	11
Total	162	127	128	106	143	109	149	140	155	143	136	1624	11	42	23
York :																
Male	190	188	198	163	148	169	195	189	170	206	201	2194	102	25
Female.....	187	180	178	178	156	151	157	148	159	184	177	2019	69	25
Total	377	368	376	341	304	320	352	337	329	390	378	4213	39	171	50
Total Males	2051	1872	2027	1628	1641	1510	1763	1858	1855	1717	1666	21343	255	145
Total Females	1866	1753	1764	1560	1529	1406	1614	1638	1717	1632	1552	19692	269	141
Grand Total	3917	3625	3791	3188	3170	2916	3377	3496	3572	3349	3218	41035	378	1	524	586

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total	No Denomination given.	Grand Total	How Married.						
														Licenses.	Banns.	Not Stated.	Total Marriages.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Mennonite.	Bible Christian.								Other Denominations.		
Lambton:																				
Male	49	86	110	13	27	2	1	3	1	1	1	1	1	1	294	1	295			
Female	40	83	115	13	30	10		1						2	294	1	295			
Total	89	169	225	26	57	12	1	4	1					3	588	2	590	274	20	295
Lanark:																				
Male	46	75	50	22	11	4								2	210	1	211			
Female	44	67	54	27	11	6								1	210	1	211			
Total	90	142	104	49	22	10								3	420	2	422	195	16	211
Leeds and Grenville:																				
Male	77	61	165	39	5										347	4	351			
Female	75	61	164	44	6										350	1	351			
Total	152	122	329	83	11										697	5	702	320	31	351
Lennox and Addington:																				
Male	24	22	124	16			1							1	188	3	191			
Female	24	12	131	20											190	1	191			
Total	48	34	255	36			1							1	378	4	382	178	13	191
Lincoln:																				
Male	54	25	75	2	13	1	2	3						5	182	5	187			
Female	49	24	84	4	11		3							10	186	1	187			
Total	103	49	159	6	24	1	5	1						15	368	6	374	186	1	187

Middlesex :	150	107	278	51	59	6	1	1	9	6	668	2	670
Male	161	99	273	58	53	9	1	10	5	668	2	670
Female
Total	311	206	551	109	112	15	1	1	19	11	1386	4	1340	630 40 670
Muskoka and Parry Sound :
Male	26	28	60	13	6	2	135	7	142
Female	17	30	73	13	3	1	2	139	3	142
Total	43	58	133	26	9	1	4	274	10	284	132 10 142
Norfolk :
Male	30	21	100	2	95	2	5	1	4	260	5	265
Female	26	17	107	2	93	2	5	8	260	5	265
Total	56	38	207	4	188	4	10	1	12	520	10	530	259 6 265
Northumberland and Durham :
Male	90	102	261	18	14	1	2	42	537	10	547
Female	93	81	268	17	19	3	60	2	543	4	547
Total	183	183	529	35	33	4	2	102	1080	14	1094	537 6 4 547
Ontario :
Male	49	72	155	21	21	5	1	35	367	9	376
Female	37	80	162	27	19	2	31	11	369	7	376
Total	86	152	317	48	40	7	1	66	736	16	752	352 24 376
Oxford :
Male	59	55	146	14	43	1	2	2	8	340	9	349
Female	52	48	148	11	57	3	5	7	342	7	349
Total	111	103	294	25	100	1	5	7	15	682	16	698	336 12 1 349
Peel :
Male	28	34	76	8	1	147	147
Female	24	33	77	10	1	2	147	147
Total	52	67	153	18	1	3	294	294	141 6 147
Perth :
Male	50	92	99	25	10	1	32	5	9	339	1	340
Female	34	95	110	25	8	2	38	5	11	339	1	340
Total	84	187	209	50	18	3	70	10	27	678	2	680	310 29 1 340

TABLE B.—MARRIAGES BY DENOMINATIONS, 1879.—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Lutheran.	Quaker.	Menonite.	Bible Christian.	Other Denominations.				License.	Banns.	Not Stated.	Total Marriages.
Peterborough :																		
Male	37	44	61	24	6	1	1	1	1	19	1	192	1	193				
Female	28	50	62	24	9					19		192	1	193				
Total	65	94	123	48	15	1	1			38		384	2	386	168	25		193
Prescott and Russell :																		
Male	22	15	12	131	3							183	1	184				
Female	14	16	13	135	5							183	1	184				
Total	36	31	25	266	8							366	2	368	61	123		184
Prince Edward :																		
Male	13	7	120	3	1	1	1	3	1	1	6	155	2	157				
Female	16	6	125	4	1			1	1	2	2	156	1	157				
Total	29	13	245	7	2	1	1	4	2	3	8	311	3	314	155	2		157
Renfrew :																		
Male	28	42	29	52	2	1	9					162	6	168				
Female	27	45	31	55	1	1	7					166	2	168				
Total	55	87	60	107	3	2	16					328	8	336	108	56	4	168

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1879.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of couples married.
Algoma	3	6	5	9	7	3	4	2	8	13	8	8	71
Brant	28	15	23	12	10	23	15	8	17	24	22	28	225
Bruce	50	33	34	35	14	25	31	13	30	47	31	36	2	381
Carleton	24	24	23	28	37	35	38	30	42	36	32	18	1	368
Elgin	30	20	27	26	18	16	16	17	22	22	24	35	3	276
Essex	30	42	17	27	20	16	22	17	26	36	47	20	1	321
Frontenac	22	20	14	30	18	13	13	13	21	23	33	28	5	253
Grey	51	39	43	31	21	35	26	19	29	45	30	41	2	412
Hallimand	18	21	14	4	11	9	13	8	9	17	15	23	3	165
Halton	17	13	12	7	7	8	11	7	14	9	11	27	3	146
Hastings	28	35	27	27	22	31	28	23	36	28	35	54	2	376
Huron	49	37	34	36	28	27	24	11	44	48	47	65	1	451
Kent	45	27	22	37	22	22	29	18	36	53	45	56	4	416
Lambton	30	21	18	22	23	26	18	14	24	38	25	36	..	295
Lanark	19	23	16	25	16	20	16	13	12	15	14	21	1	211
Leeds and Grenville	45	25	26	21	21	21	18	13	31	38	43	49	351

Lennox and Addington.....	18	20	15	6	9	14	13	7	14	27	13	34	1	191
Lincoln.....	12	15	13	16	11	13	13	8	15	16	16	38	1	187
Middlesex.....	75	44	35	42	54	55	40	28	43	68	85	99	2	670
Muskoka and Parry Sound.....	17	12	11	14	2	11	9	12	15	14	11	12	2	142
Norfolk.....	25	23	26	12	18	16	21	18	25	27	22	32	265
Northumberland and Durham.....	50	53	57	38	32	39	33	16	43	47	54	85	547
Ontario.....	32	32	31	32	20	20	33	9	35	51	19	60	2	376
Oxford.....	29	37	23	26	29	23	20	12	30	32	29	58	1	349
Peel.....	20	9	12	17	4	14	8	3	9	14	13	24	147
Perth.....	20	33	35	26	22	19	25	16	37	30	29	39	340
Peterborough.....	14	20	17	21	16	15	14	5	18	20	18	12	3	193
Prescott and Russell.....	23	23	9	10	4	17	15	15	20	31	13	4	184
Prince Edward.....	17	14	15	5	11	10	6	13	16	18	15	17	157
Renfrew.....	10	20	17	17	9	15	17	10	8	18	20	7	168
Simcoe.....	60	39	31	40	30	30	33	20	37	56	46	49	4	475
Stormont, Dundas and Glengarry.....	28	39	23	14	28	19	32	17	49	40	30	36	4	359
Thunder Bay.....	2	2	1	3	2	10
Victoria.....	26	19	22	29	13	14	9	10	13	20	18	35	228
Waterloo.....	18	32	41	19	21	21	8	19	29	34	35	25	302
Welland.....	17	28	15	13	19	12	13	10	20	31	9	27	2	216
Wellington.....	67	56	48	33	29	37	28	17	43	59	38	77	2	534
Wentworth.....	45	35	41	46	36	31	36	32	35	69	40	69	2	517
York.....	102	90	84	90	97	103	90	68	111	140	122	134	3	1234
Total.....	1223	1096	976	943	811	877	838	591	1067	1357	1159	1513	57	12509

TABLE D.—MARRIAGES BY AGES, 1879.

COUNTIES.		Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Age not given.	Total.
Algoma :																	
Male	2	37	16	3	4	3	2	1	1							3	71
Female	35	25	6	1												3	71
Total		37	62	4	4	3	2	2	2							6	142
Brant :																	
Male	2	84	79	21	18	6	1	6	1	6	1	1					225
Female	38	120	32	18	9	3		1	1	2	2						225
Total		40	204	111	39	27	9	7	7	8	3	1					450
Bruce :																	
Male	2	126	146	45	25	12	11	11	11	2		1					381
Female	91	192	67	15	6	6	3	1	1								381
Total		93	318	213	60	31	18	14	12	2		1					762
Carleton :																	
Male	4	139	132	45	27	12	6	1	1	1	1						368
Female	78	194	58	18	10	4	5								1		368
Total		82	333	190	63	37	16	11	1	1	1				1		736
Elgin :																	
Male	3	111	84	41	14	10	5	3	3	2		1					276
Female	73	129	35	13	13	9	2	1	1								276
Total		76	240	119	54	27	19	7	4	2		1				3	552
Essex :																	
Male	5	136	108	41	10	8	8	1	1		3	1					321
Female	115	135	41	15	3	6	3	2	2	1							321
Total		120	271	149	56	13	14	11	3	1	3	1					642

TABLE D.—MARRIAGES BY AGES, 1879.—Continued.

COUNTIES.	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	Total.
	Lennox:															
Male		64	82	35	9	8	5	4	1		2				1	211
Female	23	109	48	18	7	2	1	2							1	211
Total	23	173	130	53	16	10	6	6	1		2				2	422
Leeds and Grenville:																
Male	6	132	116	49	23	6	9	1	3	3	1	2			1	351
Female	84	159	67	26	7	3	3	1							1	351
Total	90	291	183	75	30	9	12	1	3	3	1	2			2	702
Lennox and Addington:																
Male	3	78	62	22	10	4	5	1	2	1	2		1			191
Female	52	82	35	4	6	4	5	1		1					1	191
Total	55	160	97	26	16	8	10	2	2	2	2		1		1	382
Lincoln:																
Male	3	67	59	28	6	7	1	9	1	2	3				1	187
Female	39	85	36	9	11	3	2		1	1						187
Total	42	152	95	37	17	10	3	9	2	3	3				1	374
Middlesex:																
Male	3	266	221	86	46	15	13	9	8	2					1	670
Female	140	353	106	39	10	12	6	4								670
Total	143	619	327	125	56	27	19	13	8	2					1	1340
Muskoka and Parry Sound:																
Male	2	59	49	17	5	2		3	3	2						142
Female	57	56	21	1	2	2	1	1	1							142
Total	59	115	70	18	7	4	1	4	4	2						284

Norfolk:	4	119	82	19	11	6	7	7	2	5	3	265
Male	77	126	33	10	5	5	4	2	1	265
Female
Total	81	245	115	29	16	11	11	9	2	6	4	530
Northumberland and Durham:	7	217	178	73	33	10	8	4	6	4	2	547
Male	104	283	100	25	19	7	2	3	1	2	547
Female
Total	111	500	278	98	52	17	10	7	7	6	2	1094
Ontario:	3	130	137	48	27	18	5	2	3	2	1	376
Male	71	192	70	18	15	6	3	1	376
Female
Total	74	322	207	66	42	24	8	2	3	3	1	752
Oxford:	2	143	115	45	15	14	4	5	3	1	1	349
Male	76	180	62	12	8	3	5	2	349
Female
Total	78	323	177	57	23	17	9	7	3	1	1	698
Peel:	1	44	58	23	7	4	6	1	1	147
Male	28	68	33	4	6	4	2	147
Female
Total	29	112	91	27	13	8	8	1	1	2	294
Perth:	2	127	131	52	8	5	6	6	1	2	340
Male	79	184	52	12	4	3	1	1	2	1	340
Female
Total	81	311	183	64	12	8	7	7	3	3	680
Peterborough:
Male	52	80	68	25	7	5	5	1	1	1	193
Female
Total	52	172	89	38	16	8	8	1	1	1	386
Prescott and Russell:	4	83	41	26	10	4	2	4	2	184
Male	59	74	23	11	1	6	1	184
Female
Total	63	157	64	37	11	10	2	4	3	1	368

TABLE D.—MARRIAGES BY AGES, 1879.—*Concluded.*

COUNTIES.	Under 20.	20 and under 25.	25 and under 30.	30 and under 35.	35 and under 40.	40 and under 45.	45 and under 50.	50 and under 55.	55 and under 60.	60 and under 65.	65 and under 70.	70 and under 75.	75 and under 80.	Over 80.	Ages not given.	Total.
	Prince Edward :															
Male	6	64	43	16	11	3	3	4	2	2	1	2			3	157
Female	44	68	20	8	8	1	1	3	1	1						157
Total	50	132	63	24	19	4	4	7	2	3	1	2			3	314
Renfrew :																
Male		62	63	24	5	7	3	3							1	168
Female	37	76	33	10	3	3	3	1							2	168
Total	37	138	96	34	8	10	6	4							3	336
Simcoe :																
Male	4	173	182	52	30	12	12	4	3	2	2	1				475
Female	113	219	87	28	14	5	3	2			2					475
Total	117	392	269	80	44	17	15	6	3	4	2	1				950
Stormont, Dundas and Glengarry :																
Male	4	143	168	43	14	21	10	8	2	1					5	359
Female	60	166	74	30	14	4	2	1	1	1					6	359
Total	64	309	182	73	28	25	12	9	3	2					11	718
Thunder Bay :																
Male		5	4	1												10
Female	4	4	1		1											10
Total	4	9	5	1	1											20
Victoria :																
Male	4	76	84	30	14	4	5	3	2		2		1		3	228
Female	57	110	38	5	8	2	2			2	1				3	228
Total	61	186	122	35	22	6	7	3	2	2	3		1		6	456

DEATHS.

NATIONALITIES OF DECEDENTS OVER SIXTY YEARS OF AGE.

	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Not known.	Total.
Of the Deaths between 60 and 70.....	325	439	223	293	84	65	3	4	5	45	1486
“ “ 70 and 80.....	324	478	321	320	121	66	6	5	34	1675
“ “ 80 and 90.....	176	344	212	172	111	22	1	1	4	28	1071
“ “ 90 and upwards..	44	95	60	29	32	2	2	5	269
Total Deaths over 60.....	869	1356	816	814	348	155	10	5	16	112	4501

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Females												1	1
Males	4	2	3	2	2	5	2	4	2	2	7	3	38
Females	4	7	4	4	3	1	6	2	3	3	3	4	44
Total	8	9	7	6	5	6	8	6	5	5	10	7	82
Males	13	11	5	19	24	29	19	18	19	20	17	21	215
Females	3	1	5	3	5	2	3	4	1	3	6	6	42
Total	16	12	10	22	29	31	22	22	20	23	23	27	257
Males					1								1
Males	7	9	18	13	12	6	8	11	7	8	7	4	110
Females	11	9	10	13	11	7	6	8	11	7	10	15	118
Total	18	18	28	26	23	13	14	19	18	15	17	19	228
Males					2			1			1	1	5
Females	1	1	1					1					4
Total	1	1	1		2			2			1	1	9
Males	7	7	6	6	4		4	4	3	3	5	2	51
Females	3	3	5	2			1	4	1	2	1	2	24
Total	10	10	11	8	4		5	8	4	5	6	4	75
Males	2	1	2	3	1	3		1	2	1	3	2	21
Females	2	1	2	5	1	4	4	1	2	1	1	2	26
Total	4	2	4	8	2	7	4	2	4	2	4	4	47
Males	8	9	8	8	13	5	10	10	14	9	6	13	113
Females	7	7	4	5	3	8	8	3	4	6	3	4	62
Total	15	16	12	13	16	13	18	13	18	15	9	17	175
Males	5	4	14	5	6	5	4	9	5	6	7	5	75
Females	7	5	7	5	6	2	5	7	1	7	5	5	62
Total	12	9	21	10	12	7	9	16	6	13	12	10	137
Males		4	4	4	5	9	3	7	3	2	3	4	48
Females	4		6		2	4	2	1	3	6	3		31
Total	4	4	10	4	7	13	5	8	6	8	6	4	79

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Abortion						1									1
Abscess	3	1		2	2	3	5	3	3	7	3	3		3	38
“	4	4	3	2	2	5	7	7	3	4	1	2			44
Total	7	5	3	4	4	8	12	10	6	11	4	5		3	82
Accident	4	6	13	19	9	43	33	29	17	15	9	6		12	215
“		6	3	1	1	1	2	4	2	5	11	6			42
Total	4	12	16	20	10	44	35	33	19	20	20	12		12	257
Ague								1							1
Apoplexy	2					5	3	11	25	29	26	8		1	110
“	2		1	2	2	3	5	10	24	31	21	9	1	7	118
Total	4		1	2	2	8	8	21	49	60	47	17	1	8	228
Ascites		1				1	1			1				1	5
“									1	1	2				4
Total		1				1	1		1	2	2			1	9
Asthma							3	6	6	12	17	6		1	51
“		3		1		2			2	8	3	3		2	24
Total		3		1		2	3	6	8	20	20	9		3	75
Atrophy	1				1	4	1	2	4	4	1	1		2	21
“	1			1		1	3	4	9	6	1				26
Total	2			1	1	5	4	6	13	10	2	1		2	47
Brain, Disease of	18	13	4	1	1	7	4	14	13	10	17	5		6	113
“	14	6	6	3	1	4	2	3	6	7	6			4	62
Total	32	19	10	4	2	11	6	17	19	17	23	5		10	175
Brain, Congestion of	23	20	2	1	4	7	5	2	5	3	1			2	75
“	19	15	2	1	3	3	3	4	4	1	6			1	62
Total	42	35	4	2	7	10	8	6	9	4	7			3	137
Brain, Inflammation of	11	15	6	1	2	3	1	2	2	2	2	1			48
“	10	13	4		1	2	1								31
Total	21	28	10	1	3	5	2	2	2	2	2	1			79

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total
Male	16	16	25	22	18	8	8	8	7	4	10	8	150
Female	14	18	29	24	20	10	5	10	11	9	14	17	181
Total	30	34	54	46	38	18	13	18	18	13	24	25	331
Male	3	3	5	2	5	2	1	2	3	2	2	3	31
Female	3	2	4	3	3	2	1	3	2	2	4	2	31
Total	6	5	9	5	8	4	2	5	2	5	6	5	62
Male	17	13	13	13	17	8	14	13	13	8	11	5	145
Female	11	15	10	17	8	13	17	12	13	7	12	11	146
Total	28	28	23	30	25	21	31	25	26	15	23	16	291
Male	38	41	51	50	37	36	45	65	51	40	42	55	551
Female	48	38	61	50	46	29	36	40	34	53	37	38	510
Total	86	79	112	100	83	65	81	105	85	93	79	93	1061
Male	2	2	5	2	1	5	6	3	1	4	1	1	31
Female	1	1	1	1	1	1	1	1	1	1	1	1	2
Total	2	2	5	2	1	5	6	3	1	1	4	1	33
Male	2	2	1	2	1	1	1	1	1	1	2	1	11
Female	1	2	4	2	3	1	1	4	3	2	2	2	27
Total	3	4	5	4	3	1	2	4	3	2	4	3	38
Male	1	3	1	1	1	3	2	1	2	1	3	1	16
Female	1	1	1	3	2	1	1	1	1	2	1	1	11
Total	2	3	3	3	3	4	2	2	2	2	4	2	27
Female	19	12	11	17	10	7	6	7	5	10	10	5	119
Male	1	1	1	1	1	3	6	12	4	1	1	1	29
Female	1	1	1	1	1	1	2	2	5	2	1	1	15
Total	1	1	1	1	1	4	8	14	9	3	1	1	44
Male	1	4	2	3	3	7	36	44	23	9	5	3	140
Female	1	1	2	2	2	8	34	26	16	4	7	2	104
Total	1	5	4	5	5	15	70	70	39	13	12	5	244

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
Male														
Female		1												1
Total		1												1
Male	20	21	25	30	20	17	24	19	16	20	20	18		250
Female	16	13	19	21	19	13	25	21	12	10	16	10		195
Total	36	34	44	51	39	30	49	40	28	30	36	28		445
Male	22	20	15	14	4	6	6	7	17	18	42	44		215
Female	24	14	22	15	5	3	4	5	11	20	26	28		177
Total	46	34	37	29	9	9	10	12	28	38	68	72		392
Male		2		1	2						1			6
Female				3	2	1	1			1	2			10
Total		2		4	4	1	1			1	3			16
Male	4	1	3	7	4	2	2	7	7	4	6	4		51
Female				1					1					2
Total	4	1	3	7	5	2	2	7	8	4	6	4		53
Male		1	2	1			4		1	2				11
Female														
Total		1	2	1			4		1	2				11
Male	3	6	3	3	1	1	4		3	5	2	5		36
Female	1	3	4	4		1		1	3	2	2	5		26
Total	4	9	7	7	1	2	4	1	6	7	4	10		62
Male	1	5	5	2	4	14	37	65	27	8	6	6		180
Female	2	2	3	2	2	8	38	55	30	9	6	3		160
Total	3	7	8	4	6	22	75	120	57	17	12	9		340
Male	37	29	19	21	16	17	11	15	19	25	37	37		283
Female	36	26	21	18	29	22	9	9	22	25	35	39		291
Total	73	55	40	39	45	39	20	24	41	50	72	76		574
Male	14	20	17	14	14	14	11	24	18	10	15	13		184
Female	21	16	20	19	17	18	14	11	17	16	19	28		216
Total	35	36	37	33	31	32	25	35	35	26	34	41		400

MONTHS AND DISEASES, 1879.—Continued.

CAUSES OF DEATH.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Chorea								1								1
“																
Total																1
Convulsions	180	53	7	3	4	1	1								1	250
“	159	41	3	2	1	2	3	1		1					2	195
Total	319	94	10	5	5	3	4	1		1					3	445
Croup	43	120	40	5	1			1							5	215
“	38	89	34	9		1									5	177
Total	81	209	74	14	1	1		1							10	392
Cyanosis	6															6
“	8	1													1	10
Total	14	1													1	16
Cystitis	3	1				1	1	4	1	14	11	11	1	3	51	
“	1								1						2	
Total	4	1				1	1	4	2	14	11	11	1	3	53	
Delirium Tremens							1	5	2	3						11
“																
Total							1	5	2	3						11
Diabetes		1	3	2	2	7	1	4	5	2	7	1		1	36	
“			2	3	2	2	4	2	6	3	2				26	
Total		1	5	5	4	9	5	6	11	5	9	1		1	62	
Diarrhœa	120	25	2	1		1	1		3	6	11	7	1	2	180	
“	93	27		1	3	2	4	3	2	7	9	5	1	3	160	
Total	213	52	2	2	3	3	5	3	5	13	20	12	2	5	340	
Diphtheria	22	127	91	22	5	1	1		1	2	2			9	283	
“	13	121	93	33	12	7	3				1			8	291	
Total	35	248	184	55	17	8	4		1	2	3			17	574	
Dropsy	3	9	2	3	5	12	4	9	22	30	59	19	1	6	184	
“	5	10	5	5	5	18	20	23	31	36	43	9	2	4	216	
Total	8	19	7	8	10	30	24	32	53	66	102	28	3	10	400	

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male	3	1	2	5	18	18	22	19	11	11	4	5	119
Female	1	1	1	4	5	2	4	4	3	5	30
Total	4	2	3	5	22	23	24	23	15	11	7	10	149
Male	1	2	4	12	23	10	5	2	1	60
Female	2	2	1	1	2	4	15	6	4	3	40
Total	3	4	1	4	1	2	16	38	16	9	5	1	100
Female	1	1	1	1	1	1	1	7
Male	2	2	3	2	1	1	2	5	5	2	2	1	28
Female	3	2	2	3	1	3	2	4	1	1	22
Total	5	4	3	4	4	2	5	7	9	3	2	2	50
Male	24	18	19	16	18	13	29	13	18	28	9	17	222
Female	13	12	15	7	13	20	13	19	22	13	12	12	171
Total	37	30	34	23	31	33	42	32	40	41	21	29	393
Male	4	5	5	2	4	2	3	2	2	5	3	4	41
Female	2	2	3	3	2	4	1	1	2	2	3	25
Total	4	7	7	5	7	4	7	3	3	7	5	7	66
Male	2	9	4	7	9	3	2	1	5	3	2	2	49
Female	4	4	4	5	3	1	1	4	4	30
Total	6	13	8	12	12	3	3	2	5	3	6	6	79
Male	1	2	3	1	1	1	3	3	15
Female	2	2	1	1	2	1	2	3	14
Total	3	4	4	1	1	3	2	5	6	29
Male	1	1
Male	1	4	8	5	2	6	7	4	10	4	4	2	57
Female	7	5	5	9	4	8	2	5	7	6	5	4	67
Total	8	9	13	14	6	14	9	9	17	10	9	6	124

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Drowned	19	16	18	8	25	10	3	7	8	2	1	2	2	119
“	7	8	5	1	3	1	2	3	3	3	1	1	1	30
Total	26	24	23	9	28	11	5	7	11	2	1	1	2	149
Dysentery	32	14	2	2	1	1	1	3	5	3	1	1	1	60
“	16	6	2	1	1	1	2	4	2	3	3	1	1	40
Total	48	20	2	3	2	2	2	5	5	8	3	1	1	100
Dropsy, Ovarian					1	2	1	2	1					7
Dyspepsia	2	1				1		3	11	8	2			28
“	4					3	7	3	5					22
Total	6	1			1	3	7	6	16	8	2			50
Enteritis	58	19	9	13	13	19	14	11	15	23	15	2	11	222
“	36	21	10	9	8	20	15	10	14	14	10	1	3	171
Total	94	40	19	22	21	39	29	21	29	37	25	3	14	393
Epilepsy	4	1	2	1	9	3	5	4	6	1	1	1	3	41
“	3	3		2	3	5	2	2	1	1			3	25
Total	7	4	2	3	12	8	7	6	7	2	1	1	6	66
Erysipelas	16	3		4	4	1	2	5	6	7	1			49
“	10	2	1		1	2		2	2	4	2		4	30
Total	26	5	1	4	5	3	2	7	8	11	3		4	79
Exhaustion	4				1	3	1		2	3	1			15
“	2	1		1	1	1	1	3	1	1			2	14
Total	6	1		1	2	4	2	3	3	4	1		2	29
Executed					1									1
Fever	8	9	3	2	7	8	4	2	2	5	4	1	2	57
“	7	14	6	7	5	6	5	3	3	4	3		4	67
Total	15	23	9	9	12	14	9	5	5	9	7	1	6	124

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male	2	1	4	1	3	4	3	1	2	2	23	
Female	3	1	4	1	3	1	2	1	1	17	
Total	2	1	7	2	7	5	6	2	4	3	1	40	
Male	15	10	12	26	14	13	5	4	3	6	7	15	130
Female	17	10	14	17	15	10	4	7	5	11	10	9	129
Total	32	20	26	43	29	23	9	11	8	17	17	24	259
Male	7	11	6	7	7	7	7	20	23	27	25	21	168
Female	12	6	7	7	8	8	5	11	21	28	17	10	140
Total	19	17	13	14	15	15	12	31	44	55	42	31	308
Male	1	1	2
Female	1	1
Total	1	1	1	3
Male	2	1	2	2	2	3	1	4	17
Female	1	1	1	3
Total	2	1	3	2	3	4	1	4	20
Male	3	1	1	1	8
Female	1	1	2
Total	4	1	1	2	10
Male	6	5	2	6	5	6	9	9	2	3	5	4	62
Female	2	1	4	2	3	4	2	5	3	3	2	4	35
Total	8	6	6	8	8	10	11	14	5	6	7	8	97
Male	47	40	59	32	32	39	20	33	24	27	33	30	416
Female	34	34	43	45	36	30	20	28	21	23	25	29	368
Total	81	74	102	77	68	69	40	61	45	50	58	59	784
Male	3	6	2	5	3	3	2	5	5	5	2	7	48
Female	2	3	6	6	7	5	7	3	2	2	3	7	53
Total	5	9	8	11	10	8	9	8	7	7	5	14	101
Male	1	1	2	4
Female	3	1	1	2	1	1	1	1	11
Total	3	1	2	2	2	3	1	1	15

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	
Fever, Remittent.....	1	7	3	1	2	1	1	4	4	4	1	1	1	23
“.....	2	5	1	1	1	2	2	2	2	1	1	1	1	17
Total.....	3	12	4	1	3	3	2	4	2	5	1	1	1	40
Fever, Scarlet.....	13	77	27	5	3	2	1	1	1	1	1	1	1	130
“.....	11	69	28	5	3	5	4	2	1	1	1	1	1	129
Total.....	24	146	55	10	6	7	5	2	1	1	1	1	1	259
Fever, Typhoid.....	6	7	6	10	20	47	27	13	9	11	2	1	1	168
“.....	4	8	12	12	21	43	11	11	7	4	3	1	3	140
Total.....	10	15	18	22	41	90	38	24	16	15	5	1	1	308
Fistula.....							1	1	1	1	1	1	1	2
“.....														1
Total.....							1	1	1	1	1	1	1	3
Fractures and Contusions.....		2	1	1	2	1	1	2	1	1	2	1	1	17
“.....						1	1	1	1	1	1	1	1	3
Total.....		2	1	1	2	2	2	2	1	1	2	2	1	20
Frozen.....					2	1	1	1	1	2	1	1	1	8
“.....									1	1	1	1	1	2
Total.....					2	1	1	1	1	2	1	1	1	10
Gastritis.....	6	3	1	1	3	2	5	8	10	13	5	4	1	62
“.....	4	3	2	1	3	6	1	1	5	6	2	1	1	35
Total.....	10	6	3	1	6	8	6	9	15	19	7	5	2	97
Heart Disease.....	9	5	6	6	16	27	23	38	54	85	95	27	2	416
“.....	7	4	3	12	9	32	42	49	57	63	64	10	1	368
Total.....	16	9	9	18	25	59	65	87	111	148	159	37	3	784
Hemorrhage.....	6	1	1	1	1	8	7	10	6	4	4	1	1	48
“.....	8	1	1	1	2	9	9	9	4	4	2	3	2	53
Total.....	14	2	1	1	3	17	16	19	10	8	6	3	3	101
Hepatitis.....									1	3	1	1	1	4
“.....		1	1	1	1	3	1	1	3	1	1	1	1	11
Total.....		1	1	1	1	3	1	1	4	4	1	1	1	15

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Male	3	2	5	1	2	1	4	4	3	2	6	1	34
Female		2	2			2	1	2		1		2	12
Total	3	4	7	1	2	3	5	6	3	3	6	3	46
Male				1					1		1	2	5
Female					1	1							2
Total				1	1	1			1		1	2	7
Male	7	7	10	8	4	8	7	12	12	6	2	10	93
Female	9	4	6	6	1	4	6	11	6	3	6	4	66
Total	16	11	16	14	5	12	13	23	18	9	8	14	159
Male	50	51	65	54	37	34	42	63	34	28	30	42	530
Female	31	32	29	47	28	34	39	42	46	38	24	35	425
Total	81	83	94	101	65	68	81	105	80	66	54	77	955
Male	26	28	15	14	16	21	21	11	18	14	20	24	228
Female	13	9	18	18	19	10	13	9	14	10	16	14	163
Total	39	37	33	32	35	31	34	20	32	24	36	38	391
Male													
Female				1	1								2
Total				1	1								2
Male	15	7	14	12	8	6	8	8	6	7	12	10	113
Female	9	12	6	17	10	3	2	8	5	8	3	10	93
Total	24	19	20	29	18	9	10	16	11	15	15	20	206
Male	7	13	5	3	2		2					4	36
Female	4	6	11	6	2	1	1		1	2	5	6	45
Total	11	19	16	9	4	1	3		1	2	5	10	81
Male	3	2	1		1	1	1	1	2	1	2	1	16
Female			5	1						2	1		9
Total	3	2	6	1	1	1	1	1	2	3	3	1	25
Male	1	3	5	3	1	3			4	2	3	3	28
Female	3			1	1	2	1			1		1	10
Total	4	3	5	4	2	5	1		4	3	3	4	38

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Hernia.....	7	1			3	2	1	2	2	6	7	2		2	34
“.....	1					1	3	2	1	2	1			1	12
Total.....	8	1			3	3	4	4	3	8	8	2		3	46
Homicide or Murder.....						1	2			1				1	5
“.....									1					1	2
Total.....						1	2		1	1				2	7
Hydrocephalus.....	46	36	4	2	1	2	1							1	93
“.....	36	24	3					1						2	66
Total.....	82	60	7	2	1	2	1	1						3	159
Infantine Debility.....	479	45	4											1	530
“.....	373	50	2												425
Total.....	852	95	6											1	955
Infantile Premature.....	228														228
“.....	163														163
Total.....	391														391
Infanticide.....															2
“.....	2														2
Total.....	2														2
Inflammation.....	41	20	7	1	3	10	4	4	5	9	5	1		3	113
“.....	26	12	2	5	4	12	11	8	6	5	1			1	93
Total.....	67	32	9	6	7	22	15	12	11	14	5	2		4	206
Influenza.....	21	2	1		1		1	2			5	3			36
“.....	16	8	2			1	1	2		3	8	3	1		45
Total.....	37	10	3		1	1	2	4		3	13	6	1		81
Insanity.....						1	2	3	4	5	1				16
“.....						3		2	1	2				1	9
Total.....						4	2	5	5	7	1			1	25
Intemperance.....						1	4	5	11	4	2			1	28
“.....						1	2	2	2	1				2	10
Total.....						2	6	7	13	5	2			3	38

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male	1		1		2	1			4		1		10
Female	1				1			1			1	1	5
Total	2		1		3	1		1	4		2	1	15
Male	5	1	2	2	1	4	1	2	1	1	8	6	34
Female	1	3	2	1	2		4		4	4	1	2	24
Total	6	4	4	3	3	4	5	2	5	5	9	8	58
Male	1		1				1				1		4
Female	1				1					1			3
Total	2		1		1		1			1	1		7
Male	6	7	3	10	1	9	8	9	5	6	5	7	76
Female	2	5	2	5	2	3	2		2		2	4	29
Total	8	12	5	15	3	12	10	9	7	6	7	11	105
Male			1	1	4	2	3	1	9	5	1	1	28
Female			1								1	1	3
Total			2	1	4	2	3	1	9	5	2	2	31
Male				1				2					3
Female													
Total				1				2					3
Male	2	4	1	4	1	1	3			1	4	1	22
Female	4	3	2		2	4	2	1	2	1	5	3	29
Total	6	7	3	4	3	5	5	1	2	2	9	4	51
Male	10	6	3	14	12	6	5	8	4	14	4	12	98
Female	5	9	11	12	8	7	5	3	4	5	5	8	82
Total	15	15	14	26	20	13	10	11	8	19	9	20	180
Male	22	20	25	21	12	11	4	6	8	6	5	12	152
Female	19	16	15	15	18	10	2	6	1	6	10	12	130
Total	41	36	40	36	30	21	6	12	9	12	15	24	282
Male	4	3	10	6	3	1	2	1	2	2	3	4	41
Female	4	4	7	6	4	3	2	2	3	2	2	4	43
Total	8	7	17	12	7	4	4	3	5	4	5	8	84

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Intussusception	4		1	1			1	1		1		1			10
“				2		1					1				5
Total	4		1	3		1	1	1		2	1	1			15
Jaundice	5	1	2	1		2	3	2	4	9	4			1	34
“	6				1	2		1	2	4	2	4		2	24
Total	11	1	2	1	1	4	3	3	6	13	6	4		3	58
Joint Disease				2			1				1				4
“				2	1										3
Total			4	1		1				1					7
Kidney Disease	2	3	2		1	2	6	5	11	14	16		2	3	76
“	1	2			1	6	4	5	2	5	1		1	1	29
Total	3	5	2		2	8	10	10	13	19	17		9	3	105
Killed by Cars	1	3	1		1	6	5	3	3	2	1		1		28
“			1				1			1					3
Total	1	3	2		1	6	6	3	3	3	1		1		31
Killed by Lightning						2		1							3
Total						2		1							3
Laryngitis	5	3	2	3	1	3	1	1						3	22
“	9	7	1	3		1	3	2		1		1		1	29
Total	14	10	3	6	1	4	4	3		1		1		4	51
Liver Disease	6	3				7	11	16	17	25	12			1	98
“	3	3	2	1	1	4	4	9	17	21	13		1	3	82
Total	9	6	2	1	1	11	15	25	34	46	25		1	4	180
Lungs, Congestion of	40	16	7	4	2	7	8	16	13	14	16	3	3	3	152
“	29	20	4	3	7	9	8	11	9	8	11	3	3	5	130
Total	69	36	11	7	9	16	16	27	22	22	27	6	6	8	282
Lungs, Disease of	9	6				7	5	4	1	5	2	1	1		41
“	4	1	1	1	4	6	6	4	3	5	6			2	43
Total	13	7	1	1	4	13	11	8	4	10	8	1	1	2	84

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male	5	1	1	2	3	12
Female	2	1	2	1	1	1	1	9
Total	5	3	1	1	2	1	1	3	3	1	21
Male	1	1	6	5	4	3	2	1	5	5	33
Female	2	2	1	6	5	1	3	3	4	7	34
Total	3	3	7	11	9	4	5	4	9	12	67
Female	9	9	13	11	6	7	7	8	2	4	6	11	93
Male	6	6	6	4	7	3	7	9	3	4	3	3	61
Female	5	5	8	6	4	4	9	4	7	2	1	3	58
Total	11	11	14	10	11	7	16	13	10	6	4	6	119
Male	2	3	1	3	2	3	2	2	3	2	23
Female	2	2	2	2	1	1	10
Total	2	3	3	3	2	2	5	2	4	4	3	33
Male	5	2	5	5	4	1	4	1	1	1	1	1	31
Female	2	4	1	4	1	2	1	1	1	3	2	22
Total	7	6	6	9	5	3	5	2	1	2	4	3	53
Male	2	1	3
Female	1	1
Total	2	1	1	4
Male	1	1	2
Female	1	2	1	1	1	1	7
Total	1	1	2	1	1	2	1	9
Male
Female	1	1	2
Total	1	1	2
Male	81	115	121	94	68	78	64	49	61	64	69	80	944
Female	85	105	96	80	73	48	53	53	54	38	59	61	805
Total	166	220	217	174	141	126	117	102	115	102	128	141	1749

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Malformation	11	1														12
“	8	1														9
Total	19	2														21
Measles	6	20	4				1								2	33
“	5	13	7		4	2	1	1							1	34
Total	11	33	11		4	2	2	1							3	67
Metria (Puerpal Fever)					6	41	31	8							7	93
Meningitis	23	19	7	1	1	3	3				1	1			2	61
“	17	17	10	2	1	3	1	2	2						3	58
Total	40	36	17	3	2	6	4	2	2	1	1			5	119	
Mortification	1	2				1		1	2	1	5	7	2	1	23	
“						2	2			2	2	1		1	10	
Total	1	2				3	2	1	2	3	7	8	2	2	33	
Nephria		1		1		1	2	3	8	7	3				5	31
“				1		3	3	7	1	5	1	1			22	
Total		1		2		4	5	10	9	12	4	1		5	53	
Nephritis		1									2				3	
“							1								1	
Total		1					1				2				4	
Neuralgia										2					2	
“						1		3		1	1		1		7	
Total						1		3		3	1		1		9	
Noma (Canker)																
“	2														2	
Total	2														2	
Old Age										88	320	409	118	9	944	
“										59	287	341	107	11	805	
Total										147	607	750	225	20	1749	

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male.....	6	7	6	8	2	5	4	7	5	8	11	6	75
Female.....	8	5	7	3	5	7	6	6	9	9	6	13	84
Total.....	14	12	13	11	7	12	10	13	14	17	17	19	159
Male.....	14	10	16	12	11	14	10	12	10	14	15	13	151
Female.....	8	12	13	11	15	5	6	12	11	13	15	19	140
Total.....	22	22	29	23	26	19	16	24	21	27	30	32	291
Female.....		1		1		1					1		4
Male.....	1		1			2			1		1	1	7
Female.....				2			2						4
Total.....	1		1	2		2	2		1		1	1	11
Male.....	7	3	4	6	4	5	9	2	8	4	4	3	59
Female.....	8	3	8	11	5	9	7	6	8	3	5	3	76
Total.....	15	6	12	17	9	14	16	8	16	7	9	6	135
Male.....								1					1
Female.....			1	1			1						3
Total.....			1	1			1	1					4
Male.....	62	71	123	95	98	78	52	56	61	55	59	72	882
Female.....	116	127	114	110	91	90	87	88	88	88	87	97	1183
Total.....	178	198	237	205	189	168	139	144	149	143	146	169	2065
Male.....	1	4	3	1		2	3	2	1	2		1	20
Female.....	1	2	1	4						1	1	1	11
Total.....	2	6	4	5		2	3	2	1	3	1	2	31
Male.....	59	70	92	78	53	33	17	13	21	32	33	37	538
Female.....	56	64	65	47	35	27	15	8	12	21	25	30	405
Total.....	115	134	157	125	88	60	32	21	33	53	58	67	943
Male.....			3	2	4	2	3			1			15
Female.....	1	3	2	1	2	2	2			1	1	1	16
Total.....	1	3	5	3	6	4	5			2	1	1	31

MONTHS AND DISEASES.—Continued

CAUSES OF DEATH.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Other Diseases.....	14	2	3	1	3	7	9	6	13	12	6	2	75
“.....	9	5	1	1	3	18	10	11	10	10	3	1	2	84
Total.....	23	7	4	2	6	25	19	17	23	22	9	1	4	159
Paralysis.....	1	1	1	3	10	14	23	32	44	15	2	5	151
“.....	1	3	1	1	3	4	13	17	35	36	21	1	4	140
Total.....	1	4	2	2	3	3	14	27	40	67	80	36	3	9	291
Paramenia.....	1	1	1	1	4
Pericarditis.....	1	2	2	2	7
“.....	1	1	1	1	4
Total.....	1	1	1	2	2	3	1	11
Peritonitis.....	4	4	2	4	6	9	4	6	3	8	1	8	59
“.....	4	4	4	5	8	15	13	5	5	3	4	1	5	76
Total.....	8	8	6	9	14	24	17	11	8	11	5	1	13	135
Phlegmon.....	1	1
“.....	2	1	3
Total.....	3	1	4
Phthisis.....	32	28	6	10	61	243	167	119	95	64	30	4	2	21	882
“.....	23	30	12	32	138	334	224	152	72	56	22	3	35	1183
Total.....	55	58	18	42	199	627	391	271	167	120	52	7	2	56	2065
Pleurisy.....	1	1	4	1	4	1	1	5	1	1	20
“.....	2	1	1	1	2	2	1	1	11
Total.....	3	1	1	2	6	1	6	2	1	5	1	1	1	31
Pneumonia.....	126	74	7	11	20	32	39	43	59	52	46	8	1	20	538
“.....	95	66	15	7	12	31	24	30	27	47	29	7	1	14	405
Total.....	221	140	22	18	32	63	63	73	86	99	75	15	2	34	943
Poison.....	3	4	3	2	2	1	15
“.....	1	5	1	1	2	1	1	2	1	1	16
Total.....	4	9	1	1	5	3	2	1	2	1	1	1	31

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												Total.	
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.		
Male									1				1	2
Female								1					1	2
Total								1	1				2	4
Male	5	1	1	2		5	1	2	2	2	1			22
Female	1	1	2	3	2	4	3	4					2	22
Total	6	2	3	5	2	9	4	6	2	2	1		2	44
Male			1				1					2	1	5
Female				1				1					1	3
Total			1	1			1	1				2	2	8
Male	9	5	5	9	6	5		2	4	4	2	5		56
Female	4	3	4	6	4	9	4	1	2	3	2	6		48
Total	13	8	9	15	10	14	4	3	6	7	4	11		144
Male	2			2		1	2	1			1		1	10
Female	1			4	1	1		1	1	2				11
Total	3			6	1	2	2	2	1	3			1	21
Male				1	3	1	1							6
Female	1	1		2						1	1	2		8
Total	1	1		3	3	1	1			1	1	2		14
Male	7	9	9	10	6	16	10	7	5	8	11	5		103
Female	10	5	12	8	12	10	6	6	6	10	4	3		92
Total	17	14	21	18	18	26	16	13	11	18	15	8		195
Male ⁷	5	6	4	3	5	3	1	3	2	5	1	5		43
Female	4	5	7	2	3	2		2	2	1	4	6		38
Total	9	11	11	5	8	5	1	5	4	6	5	11		81
Male							1			1			1	3
Female		1					1	1	1				1	5
Total		1					2	1	1	1			2	8
Male						1						2	1	4
Female														
Total						1						2	1	4

MONTHS AND DISEASES.—Continued.

CAUSES OF DEATH.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Purpura (Scurvy).....	1									1						2
“						1		1								2
Total	1					1		1		1						4
Pyæmia	2	2		2		2	3	4	3	3	1					22
“	2		4	1	1	8	3	1	1				1			22
Total	4	2	4	3	1	10	6	5	4	3	1	1				44
Quinsy	1	2					2									5
“	1				2											3
Total	2	2			2		2									8
Rheumatism		1	4	3	3	6	7	5	1	12	10	2		2		56
“	1		4	1	4	9	6	2	5	3	9	3		1		48
Total	1	1	8	4	7	15	13	7	6	15	19	5		3		104
Scrofula	1	2	1	1		1	1			3						10
“	1	1	1		4	3	1									11
Total	2	3	2	1	4	4	2			3						21
Skin Disease	3					1			1		1					6
“	5	1		1					1							8
Total	8	1		1		1			2		1					14
Small Pox.....	13	34	19	8	7	10	4	3	1	1					3	103
“	8	38	14	8	7	5	6	1	1					4		92
Total	21	72	33	16	14	15	10	4	2	1				7		195
Spinal Disease	8	9	3	2	6		3	1	4	2	4			1		43
“	2	7	2	3		4	1	2	8	4	3			2		38
Total	10	16	5	5	6	4	4	3	12	6	7			3		81
Spina Bifida	3															3
“	3	1												1		5
Total	6	1												1		8
Spleen						1	1	1	1							4
“																
Total						1	1	1	1							4

TABLE E.—DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male							1		1		1	1	4
Female				1				1		1			3
Total.....				1			1	1	1	1	1	1	7
Male												1	1
Male	2	3	3	2	1	1	1	1	1	1	1		16
Female	1		2	4	1	1	2		1	2	2	2	18
Total.....	3	3	5	6	2	2	3	1	2	2	3	2	34
Male	2	2	1	6		3	1		2	4	3	1	25
Female	2	1	1	3	1	1	2	1		2	1	1	16
Total..	4	3	2	9	1	4	3	1	2	6	4	2	41
Male	3		1	3	1	3	2	2	2	1	3	3	24
Female	1			1					1	3	1	1	8
Total.....	4		1	4	1	3	2	2	3	4	4	4	32
Male					2	1	5	2					10
Female							2	1					3
Total.....					2	1	7	3					13
Male		1			1	2	1					2	7
Female		1			1		2		1				5
Total. .		2			2	2	3		1			2	12
Male	1	3		1			1	2	1	1	1		11
Female						3	1	1			2		7
Total.....	1	3		1		3	2	3	1	1	3		18
Male	1	2	4	3	5	1	11	10	4	4	1	1	47
Female	2	3	3	7	2	5	7	10	2	2	1		44
Total .	3	5	7	10	7	6	18	20	6	6	2	1	91
Male				2	1	1		4					8
Female							1						1
Total.....				2	1	1	1	4					9

DEATHS BY AGES,

SEX.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Male					1	1	3			3	3	1	12
Female			1				1	1		1	2		6
Total			1		1	1	4	1		4	5	1	18
Male	1	4	2	4	1	4	2	1	4	1	3	2	29
Female		3	5	3	5	5	5	5		5	6	1	43
Total	1	7	7	7	6	9	7	6	4	6	9	3	72
Male		1		1	1			2	1	1	1	1	9
Female		3	2				2	3		1	2	1	14
Total		4	2	1	1		2	5	1	2	3	2	23
Male						1	2	3	1		1	2	10
Female	1		2	1	1	1	3	3	1	3	1		17
Total	1		2	1	1	2	5	6	2	3	2	2	27
Female	6	7	2	4	1	4	1	2	1		2	4	34
Male	5	1	4	3	2	1	4	17	13	6	9	12	77
Female	1	4	5	4	4	4	3	20	15	9	13	10	92
Total	6	5	9	7	6	5	7	37	28	15	22	22	169
Male		1	1	2	1					1		1	7
Female	1	2	1	1		2	4	3	2				16
Total	1	3	2	3	1	2	4	3	2	1		1	23
Male				1		2					1	1	5
Female				1			1						2
Total				2		2	1				1	1	7

MONTHS AND DISEASES.—*Concluded.*

CAUSES OF DEATH.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Thrush	12															12
“	5	1														6
Total	17	1														18
Tumour	1	1	3			2	2	3	7	8	1	1				29
“	2	1	2	1	3	4	5	4	11	5	2	1		2		43
Total	3	2	5	1	3	6	7	7	18	13	3	2		2		72
Ulcer	1		1					1	2	2		2				9
“	3	1		1	3	1	1		2	2						14
Total	4	1	1	1	3	1	1	1	4	4		2				23
Ulceration of Intestines	1						1	3	1	2	2					10
“	2		1	1			2	3	2	5				1		17
Total	3		1	1			3	6	3	7	2			1		27
Uterus, Disease of					1	9	6	8	2	3	3			2		34
Whooping Cough	49	23	2	1										2		77
“	50	36	4			1	1									92
Total	99	59	6	1		1	1							2		169
Worms.		7														7
“	1	10	4	1												16
Total	1	17	4	1												23
Wounds						2	2							1		5
“		1										1				2
Total		1				2	2					1		1		7

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Algoma :											
Male			1								
Female						1					
Total			1			1					
Brant :											
Male	7		2	5		6	1				
Female	1		2	5		2				3	
Total	8		4	10		8	1			3	
Bruce :											
Male		1	5	19		5	2	1	2		1
Female		2	5	9	1	7			1	2	
Total		3	10	28	1	12	2		3	2	1
Carleton :											
Male	63	1	12	10		1			2		3
Female	64		7	11		5	3		1	3	4
Total	127	1	19	21		6	3		3	3	7
Elgin :											
Male			2	3		7	3		3		
Female			3	3		5			2	3	3
Total			5	6		12	3		5	3	3
Essex :											
Male		1	1	7		12	3		2		2
Female	2	2	2	11		8	8			4	1
Total	2	3	3	18		20	11		2	4	3
Frontenac :											
Male			6	3	1	5			5		1
Female			1	6		6			4	2	3
Total			7	9	1	11			9	2	4
Grey :											
Male		4	4	7	1	5					2
Female		4	2	11	1	1				3	3
Total		8	6	18	2	6				3	5
Haldimand :											
Male			3	2		2	1		1		1
Female			2	3		2	2				
Total			5	5		4	3		1		1

BY COUNTIES.

MIASMATIC.										TUBERCULAR.				NERVOUS SYSTEM			
Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phtthisis.	Hydrocephalus.	Cephalitis.	Cerebro-Spinal Meningitis.	Apoplexy.	Paralysis.
.....	6
.....	3	1
.....	9	1
.....	3	4	1	2	3	5	3	18	2	2	1
2	3	2	3	22	1	5	2
2	6	4	1	2	3	7	6	40	3	7	3
.....	2	2	1	1	1	4	2	1	25	3	1	3	1
1	1	1	4	2	2	1	33	4	1	3	4
1	3	3	1	1	5	6	4	2	58	7	2	6	5
3	3	3	1	1	1	2	38	6	4	8
.....	5	4	2	3	2	1	1	41	5	2	4
3	8	7	1	2	1	4	4	2	1	79	11	6	12
1	4	1	1	4	2	2	20	1	3
2	1	5	4	13	3	2	3
3	4	2	1	9	2	6	33	3	3	6
2	5	5	1	2	12	2	2	31	7	2	1
.....	6	5	1	5	2	30	2	2	4
2	11	10	1	3	17	4	2	61	9	4	5
1	3	1	2	2	3	1	6	28	3	1	1	10
3	4	1	3	1	8	40	1	4	6
4	7	1	2	2	4	4	1	14	68	3	2	5	16
2	4	3	1	2	2	9	2	1	5
2	1	2	3	4	4	4	1	25	3	1	7	4
4	5	3	3	3	4	6	6	1	34	5	1	8	9
2	1	2	6	12	1	2	1
.....	1	1	1	1	20	1	1	1	2
2	2	2	1	1	7	32	2	1	3	3

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Algoma :									
Male									
Female									
Total									
Brant :									
Male		1		7	4		2	1	1
Female				6	1	2	2	2	
Total		1		13	5	2	4	3	1
Bruce :									
Male				4	5		1	2	2
Female				4	3	1			1
Total				8	8	1	1	2	3
Carleton :									
Male				3	5	1		3	12
Female	1			5	1			4	5
Total	1			8	6	1		7	17
Elgin :									
Male		1		5		1		1	
Female					3	1		1	1
Total		1		5	3	2		2	1
Essex :									
Male				4	3	2	1		
Female				5			3	1	
Total				9	3	2	4	1	
Frontenac :									
Male	2		1	4	5		2	3	
Female	1			3	1	3	1	5	
Total	3		1	7	6	3	3	8	
Grey :									
Male				1	1	1		1	1
Female	2	1		2	2	1	2		
Total	2	1		3	3	2	2	1	1
Haldimand :									
Male				4			2		2
Female	1			3		1			
Total	1			7		1	2		2

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.										DEVELOPMENTAL DISEASES OF CHILDREN.					DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.		
...	2	1	3	13	17	30		
...	1	...	1	...	2	1	2	...	2	14	8	22		
...	3	...	1	...	3	1	2	...	5	27	25	52		
...	2	...	14	3	5	4	...	22	128	58	186		
2	1	...	12	2	2	4	...	14	106	49	155		
2	3	...	26	5	7	8	...	36	234	107	341		
...	2	1	10	1	2	...	2	3	5	...	16	138	111	249		
1	3	...	10	2	1	3	6	1	3	...	18	142	77	219		
1	5	1	20	3	3	3	8	4	8	1	34	280	188	468		
2	2	3	13	...	1	4	4	11	23	...	33	284	78	362		
1	4	1	13	1	2	5	23	4	23	260	77	337		
3	6	4	26	...	1	5	6	16	46	4	56	544	155	699		
1	1	1	13	1	2	3	...	23	110	60	170		
...	3	...	5	...	3	1	1	...	1	5	...	14	93	58	151		
1	4	1	18	...	3	2	3	...	1	8	2	37	203	118	321		
1	1	...	14	...	1	2	5	2	3	4	...	19	162	114	276		
2	12	1	1	1	2	1	...	12	4	11	151	100	251		
3	1	...	26	1	2	3	7	3	3	16	4	30	313	214	527		
...	6	1	12	...	1	5	5	3	2	...	29	164	86	250		
...	5	...	2	1	4	2	4	1	...	2	5	24	157	53	210		
...	11	1	14	1	5	7	9	1	3	4	5	53	321	139	460		
1	7	1	10	4	2	2	2	6	...	27	121	118	239		
1	6	1	6	...	2	3	4	1	4	3	16	143	60	203		
2	13	2	16	4	4	5	6	1	10	3	43	264	178	442		
1	1	...	8	1	2	4	...	11	73	29	102		
...	9	2	1	2	1	12	70	23	93		
1	1	...	17	3	3	6	1	23	143	52	195		

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas	Metria.	Influenza.
Halton :											
Male			6	5		2					
Female				2						1	3
Total			6	7		2				1	3
Hastings :											
Male	6	1	3	13		2		1			1
Female	5		4	9	1	7		1	6		1
Total	11	1	7	22	1	9		2	6		2
Huron :											
Male			3	9	1	18	3				
Female			3	6	17	7	1	1	4		2
Total			6	15	32	1	25	4	1	4	2
Kent :											
Male	5			7		9	3				2
Female	6		1	5		4	2		3		
Total	11		1	12		13	5		3		2
Lambton :											
Male				10		7	2	1			1
Female		1	5	10		2	2	1			
Total		1	5	20		9	4	2			1
Lanark :											
Male			7	6		2	1	1			2
Female	1		2	2		2		1	3		2
Total	1		9	8		4	1	2	3		4
Leeds and Grenville :											
Male			4	8	1	3	1				
Female	1		8	12		5	1		1		
Total	1		12	20	1	8	2		1		
Lennox and Addington :											
Male	1		1			1					
Female			1						1		3
Total	1		2			1			1		3
Lincoln :											
Male			2	12		3	5	1			
Female			4	4		1	3		1		2
Total			6	16		4	8	1	1		2

BY COUNTIES.—Continued.

MIASMATIC.										TUBERCULAR.			NERVOUS SYSTEM.				
Dysente	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-Spinal Meningitis.	Apoplexy.	Paralysis.
1	2	4	1	3	1	...	1	16	...	1	...	2	3
...	1	6	1	3	...	2	1	...	1	14	1	2	3
1	3	10	2	6	1	2	2	...	1	30	...	1	1	4	3
...	4	1	1	7	...	9	32	37	3	2	...	5	6
1	2	6	1	...	2	29	1	...	52	1	1	...	2	5
1	6	7	1	8	...	11	61	2	...	89	4	3	...	7	11
1	9	4	3	...	1	9	1	3	4	23	1	2	1	3	2
1	4	3	1	7	5	2	5	...	1	38	4	...	3	4	3
2	13	7	4	...	1	16	6	5	9	...	1	61	5	2	4	7	5
8	2	3	1	6	1	4	1	...	1	8	3	1	4
3	6	4	1	...	3	5	26	3	2	1	3	7
11	8	7	1	7	1	7	6	...	1	34	6	2	1	4	11
2	6	9	1	...	2	9	1	...	3	18	4	2	2
1	5	3	1	11	1	23	2	1	...	7	3
3	11	12	1	...	3	20	1	...	4	41	6	1	...	9	5
1	2	2	1	3	2	...	2	12	1	2	...
1	2	19	1	1	...
2	4	2	1	3	2	...	2	31	1	...	1	3	...
4	3	1	3	1	32	2	1	...	3	3
...	2	1	2	3	2	...	2	...	48	2	3	...	2	3
4	5	2	5	4	2	...	2	...	80	4	4	...	5	6
...	1	4	3	19	4	5	6
...	2	3	1	1	4	25	...	2	...	2	2
...	3	7	1	1	7	44	4	2	...	7	8
3	1	6	4	1	1	4	2	...	20	5	7
...	3	7	3	6	...	3	7	1	...	30	3	1	...	3	3
3	4	13	3	10	1	4	11	3	...	50	3	1	...	8	10

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Halton:									
Male	1			4	3				1
Female				2					1
Total	1			6	3				2
Hastings:									
Male		1		6	2	1		2	2
Female					2		1	2	2
Total		1		6	4	1	1	4	4
Huron:									
Male	2	1		9	5	1	6	1	2
Female		1		6	2	1		1	4
Total	2	2		15	7	2	6	2	6
Kent:									
Male				2	3		2	1	1
Female		2		1		1			1
Total		2		3	3	1	2	1	2
Lambton:									
Male		2		7	4	1	2	1	
Female		1		7			3		
Total		3		14	4	1	5	1	
Lanark:									
Male						2		1	
Female				1		1	1	1	
Total				1		3	1	2	
Leeds and Grenville:									
Male		3		3	3	2	1	1	2
Female	1			1	2	3	1	1	
Total	1	3		4	5	5	2	2	2
Lennox and Addington:									
Male	1			4		2		2	
Female				1		1	1		
Total	1			5		3	1	2	
Lincoln:									
Male		3	1	4	2			1	
Female				4	1	1	2		
Total		3	1	8	3	1	2	1	

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.							DEVELOPMENTAL DISEASES OF CHILDREN.					DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.				
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Childbirth.	Old Age.	Total.	Other Diseases and cause not given.	Grand Total.
1	2	1	11	1	...	4	1	...	1	4	...	10	89	42	131
...	10	3	12	70	29	99
1	2	1	21	1	...	7	1	...	1	4	...	22	159	71	230
...	1	...	11	2	...	10	9	1	1	7	...	27	218	104	322
2	1	...	5	1	...	6	2	1	7	3	26	198	64	262
2	2	...	16	3	...	16	11	1	2	14	3	53	416	168	584
2	5	...	15	3	...	6	11	1	3	11	...	27	227	107	334
1	6	1	10	...	2	4	10	1	3	8	6	29	218	99	317
3	11	1	25	3	2	10	21	1	...	1	6	19	6	56	445	206	651
...	2	...	10	3	1	9	3	1	4	...	18	129	88	217
...	1	...	11	...	1	6	1	6	3	19	138	89	227
...	3	...	21	3	2	15	4	1	10	3	37	267	177	444
...	10	...	24	2	...	1	5	9	...	14	162	65	227
...	9	...	16	1	8	6	15	145	70	215
...	19	...	40	2	...	1	6	17	6	29	307	135	442
...	15	1	...	2	1	2	...	22	93	37	130
...	5	...	12	1	3	3	1	5	...	14	85	33	118
...	5	...	27	2	3	5	2	7	...	36	178	70	248
...	1	...	21	...	1	5	4	1	...	8	...	45	171	77	248
...	2	...	5	1	2	4	3	3	1	35	163	54	217
...	3	...	26	1	3	9	7	1	...	11	1	80	334	131	465
3	1	2	2	...	1	5	2	1	7	...	18	96	53	149
1	1	...	1	2	4	2	13	74	26	100
4	2	2	3	...	1	7	2	1	11	2	31	170	79	249
1	5	...	15	2	9	16	...	18	154	62	216
...	5	1	11	1	...	5	7	1	4	1	17	146	53	199
1	10	1	26	1	...	7	16	1	20	1	35	300	115	415

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small-pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping-cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Middlesex :											
Male	1		5	13		16	1		2		
Female	2		7	16		11			2	8	2
Total	3		12	29		27	1		4	8	2
Muskoka and Parry Sound :											
Male		1		1		3					2
Female			2	1		2				1	
Total		1	2	2		5				1	2
Norfolk :											
Male			2	9	1	4	1		3		1
Female			2	5		1				1	
Total			4	14	1	5	1		3	1	1
Northumberland and Durham :											
Male		5	7	2		3	3		3		
Female			8	2		2	1		3		1
Total		5	15	4		5	4		6		1
Ontario :											
Male			1	2		2	7		1		1
Female		1	6			4	12		2	8	1
Total		1	7	2		6	19		3	8	2
Oxford :											
Male	3		7	8		3	2		2		2
Female	3		8	7		4	1		1	2	
Total	6		15	15		7	3		3	2	2
Peel :											
Male			2	4							
Female		3	2	7		2					1
Total		3	4	11		2					1
Perth :											
Male	4	3	3	9		5	3				2
Female		2	3	5		2	7		1	3	1
Total	4	5	6	14		7	10		1	3	3
Peterborough :											
Male			1	4		3	2				2
Female		1	2	1		2	3				1
Total		1	3	5		5	5				

BY COUNTIES.—Continued.

MIASMATIC.										TUBERCULAR.			NERVOUS SYSTEM.				
Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.	Paralysis.
4 2	7 11	9 3	3 1	...	2 2	8 5	3 4	2 1	7 5	1 1	2 1	53 66	4 1	9 3	9 4
6	18	12	4	..	4	13	7	3	12	2	3	119	5	1	12	13
....	1	1	4	...	1	6	1
....	..	1	1	5
....	1	2	5	1	11	1
1	1	1	1	3	6	1	17	1	1	4	7
....	4	1	1	3	1	5	28	1	1	3
1	5	2	2	6	1	11	1	45	1	1	1	5	10
....	3	6	2	5	1	2	1	1	35	3	1	2	2
....	3	2	1	4	1	1	1	56	4	2	5	6
....	6	8	1	2	9	2	3	1	1	1	91	7	2	1	7	8
1	2	5	3	2	1	1	23	10	1	1	4
1	6	6	1	5	1	4	34	4	1	4	4
2	8	11	1	8	3	5	1	57	14	1	1	5	8
1	3	3	1	1	3	3	3	1	14	2	1	4	5
3	3	3	1	1	1	31	1	6	6
4	6	3	1	4	4	4	4	1	45	3	1	4	6	11
1	1	4	1	..	1	3	1	1	1	10	1	2
....	1	1	1	2	1	1	10	1	1	4	2
1	2	5	1	..	2	5	1	1	2	1	20	2	1	4	4
1	5	3	1	2	3	2	23	3	1	2
2	5	2	2	1	1	1	20	3	1	6
3	10	3	3	4	4	1	3	43	6	2	2	6
5	1	1	2	1	1	13	1	1	2
4	3	1	3	1	2	19	2
9	4	1	1	5	2	3	32	1	1	4

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Middlesex :									
Male	1	7	2	18	12	4	1	7	3
Female	2	3	10	4	2	4	5	1
Total	3	10	2	28	16	6	5	12	4
Muskoka and Parry Sound :									
Male		1	1	1
Female	2	1	1
Total		1	3	2	1
Norfolk :									
Male		1	15	1
Female		1	6	1	1	1
Total		2	21	1	1	2
Northumberland and Durham :									
Male	1	1	5	8	2	3	1
Female	2	2	2	5
Total	1	1	7	10	4	8	1
Ontario :									
Male	5	3	2	2	3	2
Female	8	2	1	4
Total	13	5	3	6	3	2
Oxford :									
Male	1	7	3	2	2	2
Female	1	6	4	1	1
Total	2	13	7	2	3	3
Peel :									
Male	4	1	2
Female	1	1	1	1
Total	5	2	3	1
Perth :									
Male	2	1	8	3	1	1
Female	1	6	4	2	4	2
Total	1	2	1	14	7	1	3	4	2
Peterborough :									
Male	2	8	2	2
Female	6	1	1	1
Total	2	14	3	1	1	2

BY COUNTIES—Continued.

RESPIRATORY ORGANS.										DEVELOPMENTAL DISEASES OF CHILDREN.					DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Childbirth.	Old Age.	Total.	Other Diseases and cause not given.	Grand Total.		
2	9	1	37	2	6	12	28	1	34	55	403	172	575		
...	13	1	28	3	3	8	17	22	4	44	333	103	436		
2	22	2	65	5	9	20	45	1	56	4	99	736	275	1011		
1	3	...	1	1	...	1	1	19	6	57	50	107		
...	3	3	1	...	13	1	11	49	31	80		
1	3	...	4	1	...	1	3	1	1	32	1	17	106	81	187		
...	2	1	8	1	...	11	1	15	17	138	35	173		
...	11	4	4	1	...	8	5	13	113	39	152		
...	2	1	19	1	...	15	4	...	1	1	...	23	5	30	251	74	325		
2	6	1	14	1	2	9	6	1	10	44	204	100	304		
1	8	1	15	...	2	8	5	1	6	6	38	205	86	291		
3	14	2	29	1	4	17	11	1	1	16	6	82	409	186	595		
1	6	...	17	3	1	4	7	1	11	31	167	79	246		
...	7	...	16	2	2	1	11	3	31	193	60	253		
1	13	...	33	3	1	6	9	1	1	22	3	62	360	139	499		
...	1	...	19	2	1	2	5	2	15	33	169	61	230		
2	5	...	10	...	2	4	3	1	13	1	21	156	61	218		
2	6	...	29	2	3	6	8	2	1	28	1	54	326	122	448		
...	5	...	5	7	1	1	...	1	...	8	17	85	31	116		
2	6	...	3	1	...	4	1	11	2	20	94	32	126		
2	11	...	8	1	...	11	1	1	...	1	1	19	2	37	179	63	242		
...	6	1	14	2	2	3	8	2	25	24	178	63	241		
...	3	...	8	1	...	3	5	5	20	7	21	160	60	220		
...	9	1	22	3	2	6	13	7	45	7	45	338	123	461		
...	8	2	...	3	2	2	16	23	110	43	153		
1	1	...	7	...	1	3	1	2	10	3	19	102	40	142		
1	1	...	15	2	1	6	3	4	26	3	42	212	83	295		

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Prescott and Russell :											
Male	10		1	23		1	4				1
Female	4			19		3	9				1
Total	14		1	42		4	13				2
Prince Edward :											
Male			3	4							1
Female		1	2	1		1				2	1
Total		1	5	5		1				2	1
Renfrew :											
Male		1	2				4		2		2
Female		1		3		1	2				2
Total		2	2	3		1	6		2		4
Simcoe :											
Male			4	5		4	2		2		2
Female		1	4	13		5	4			2	
Total		1	8	18		9	6		2	2	2
Stormont, Dundas and Glengarry :											
Male	1	4	3	9		2	8				1
Female		3	3	13		8	13		1	1	1
Total	1	7	6	22		10	21		1	1	2
Thunder Bay :											
Male											
Female											
Total											
Victoria :											
Male			2						1		
Female			2	3					1	2	
Total			4	3					2	2	
Waterloo :											
Male		2	4	11		15					1
Female		2	3	7		9			1	3	
Total		4	7	18		24			1	3	1
Welland :											
Male			1	3		4			2		
Female			2	3		2	1			1	2
Total			3	6		6	1		2	1	2

BY COUNTIES.—Continued.

Dysentery.	MIASMATIC.								TUBERCULAR.				NERVOUS SYSTEM.				
	Diarrhœa.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.	Paralysis.
1	3	1	1			3	1		1		11						2
1	1	1				3	1		1		19	4					1
1	4	1	1			6	2		2		30	4					3
1	4				1		1	1		1	11					2	3
1	3							1			36			1		2	3
1	7				1		1	2		1	47			1		4	6
1	2		1				1	2			10	2			1	2	
1	1	2					1	3		1	21			1		1	1
1	3	2	1				2	5		1	31	2		1	1	3	1
2	10	3			2	3	3	1	1		15	5			1	1	6
2	3	4			1	2			3		26	1				4	5
2	13	7			3	5	3	1	4		41	6			1	5	11
	1	2				5			2	1	30				1		1
	2	1				4	1			1	40			1		1	1
	3	3				9	1		2	2	70			1	1	1	2
		2							2		1						
		1															
		3							2		1						
1	2		2			6			1		15	1		1		2	2
1	2	2				1		1	1		12	2			2	2	2
1	4	2	2			7		1	2		27	3		1		4	4
	1	3			1	9	2	2			33	2				5	8
	3	4	2			3	1	2	1		24	2		1		2	3
	4	7	2		1	12	3	4	1		57	4		1		7	11
1	7	4			1	1	1	1	1		11	1				2	5
1	1	3				8	1	3	1		17	1		1		3	3
1	8	7			1	9	2	4	2		28	2		1		5	8

CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Prescott and Russell :									
Male				1	1	1		1	1
Female				1	3				
Total				2	4	1		1	1
Prince Edward :									
Male				3		1	1		
Female		1		1					1
Total		1		4		1	1		1
Renfrew :									
Male		3		3					
Female				4	2				2
Total		3		7	2				2
Simcoe :									
Male	1	1	1	15	1	3	1	1	
Female		2	1	9	3	4	2	1	2
Total	1	3	2	24	4	7	3	2	2
Stormont, Dundas and Glengarry :									
Male	1	1		4	2	1	1		2
Female		2		5	4	1	1		2
Total	1	3		9	6	2	2		4
Thunder Bay :									
Male		1		1					1
Female				1					1
Total		1		2					1
Victoria :									
Male				3	1		2	1	
Female				4			1		1
Total				7	1		3	1	1
Waterloo :									
Male	1	1		11	3	1	3	2	2
Female		2		13	1	3		3	3
Total	1	3		24	4	4	3	5	5
Welland :									
Male				5	4		1		
Female				1			2	1	
Total				6	4		3	1	

BY COUNTIES.—Continued.

RESPIRATORY ORGANS.										DEVELOPMENTAL DISEASES OF CHILDREN.		DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.				
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformation.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.
1	1	7	1	2	2	1	2	35					22	141	47	188	
2	1	4	1			1	1	26		1			19	130	26	156	
3	2	11	2	2	2	2	2	61		1	2	61	3	41	271	73	344
...	2	2					1	10				10		20	71	34	105
...	3	2			1	2	2	1				1		13	82	29	111
...	5	4		1	2	3		11						33	153	63	216
...	1	4	1	1	1	1	1	12				12		19	78	34	112
...	1	2	1	1	1	1		6			3	6	6	11	80	44	124
...	2	6	1	2	1	1	1	18			3	18	6	30	158	78	236
2	4	20	3	2	7	2	7	26			2	26		34	194	109	303
2	9	9	1	3	5	3	5	27			1	27	7	29	199	84	283
4	13	29	1	3	5	12		53			3	53	7	63	393	193	586
1	2	7	3	2	2	2	1	18			1	18		42	162	103	265
1	1	7	2	7	2	2		23			2	23	6	35	198	89	287
2	3	14	5	9	4	1		41			3	41	6	77	360	192	552
...	...	4						1				1		1	14	2	16
...	...	1						1				1	1	6	4	10	
...	...	5						2				2	1	1	20	6	26
...	1	10	3	2	4			18			1	18		23	104	50	154
...	4	6			2			8			2	8		14	76	32	108
...	5	16	3	2	6			26			3	26		37	180	82	262
...	2	20	1	2	7			16		1	3	16		23	198	78	276
...	4	9	3	1	3			10				10	4	26	160	58	218
...	6	1	29	3	3	10		26		1	3	26	4	49	358	136	494
...	3	1	14		3	6	1	7			1	7		13	105	74	179
1	2	10			1	3		8				8	1	13	96	40	136
1	5	1	24		4	9	1	15			1	15	1	26	201	114	315

TABLE F.—CAUSES OF DEATH

COUNTIES.	MIASMATIC.										
	Small Pox.	Measles.	Cancer.	Diphtheria.	Quinsy.	Croup.	Whooping Cough.	Infantile Fever.	Erysipelas.	Metria.	Influenza.
Wellington :											
Male			4	13	...	3	1	...	2
Female			6	10	..	3	2	...	1	2	2
Total			10	23	...	6	3	...	3	2	2
Wentworth :											
Male		1	7	12	...	28	2	...	4
Female		2	9	24	...	28	5	...	1	8	1
Total		3	16	36	...	56	7	...	5	8	1
York :											
Male	2	5	18	19	...	29	8	...	6	...	3
Female	3	5	20	31	...	22	14	...	4	9	1
Total	5	10	38	50	...	51	22	...	10	9	4
Total Males	103	33	145	283	5	215	73	...	49	...	36
Total Females	92	34	146	291	3	177	96	...	30	93	45
Grand Total	195	67	291	574	8	392	169	...	79	93	81

BY COUNTIES.—Continued

	MIASMATIC.								TUBERCULAR.				NERVOUS SYSTEM.				
	Dysentery.	Diarrhoea.	Cholera Infantum.	Cholera.	Ague.	Remittent Fever.	Typhoid Fever.	Rheumatism.	Fever.	Scarlet Fever.	Scrofula.	Tabes Mesenterica.	Phthisis.	Hydrocephalus.	Cephalitis.	Cerebro-spinal Meningitis.	Apoplexy.
2	9	5	1	3	4	2	3	1	24	1	1	3	7
1	8	3	3	6	2	2	3	20	1	2	5
3	17	8	4	9	6	4	6	1	44	2	1	5	12
3	14	11	1	1	13	2	34	1	1	44	2	1	11	9
2	14	7	3	1	8	...	2	39	1	2	65	1	11	8
5	28	18	4	1	1	21	2	2	73	2	3	109	3	1	22	17
8	48	26	5	2	22	5	1	5	3	111	13	1	1	18	14
3	38	21	1	22	9	7	1	132	6	5	1	15	19
11	86	47	5	3	44	14	8	5	4	243	19	6	2	33	33
60	180	140	29	1	24	168	56	57	130	10	11	88	93	11	16	110	151
40	160	104	15	19	140	48	67	129	11	7	1183	66	27	11	118	140
100	340	244	44	1	43	308	104	124	259	21	18	2065	159	38	27	228	291

TABLE F.—CAUSES OF DEATH

COUNTIES.	NERVOUS SYSTEM.								
	Insanity.	Epilepsy.	Tetanus.	Convulsions.	Brain Disease.	Spinal Disease.	Meningitis.	Congestion of Brain.	Inflammation of Brain.
Wellington :									
Male		2	2	5	3	9		3	
Female				7	3		3	3	
Total		2	2	12	6	9	3	6	
Wentworth :									
Male	3	2		22	7		8	7	5
Female		2		17	3	2	7	2	1
Total	3	4		39	10	2	15	9	6
York :									
Male	2	3		35	13	2	17	21	5
Female		6		34	6	5	9	14	3
Total	2	9		69	19	7	26	35	8
Total Males	16	41	8	250	113	43	61	75	48
Total Females	9	25	1	195	62	38	58	62	31
Grand Total	25	66	9	445	175	81	119	137	79

BY COUNTIES.—*Concluded.*

RESPIRATORY ORGANS.							DEVELOPMENTAL DISEASES OF CHILDREN.						DEVELOPMENTAL DISEASES OF WOMEN.	DEVELOPMENTAL DISEASES OF OLD PEOPLE.			
Laryngitis.	Bronchitis.	Pleurisy.	Pneumonia.	Asthma.	Lung Disease.	Congestion of Lungs.	Infantile Premature.	Cyanosis.	Spina Bifida.	Other Malformations.	Teething.	Infantile Debility.	Child-Birth.	Old Age.	Total.	Other Diseases, and cause not given.	Grand Total.
....	9	1	16	4	1	7	3	34	31	219	110	329
..	11	1	16	1	1	5	3	1	1	24	4	32	198	82	280
....	20	2	32	5	2	12	6	1	1	58	4	63	417	192	609
....	15	39	4	1	6	21	1	19	22	375	170	515
2	12	28	3	5	19	1	1	24	5	33	409	96	505
2	27	..	58	4	4	11	40	1	..	1	1	43	5	55	784	236	1020
....	25	4	61	7	7	14	45	1	2	4	3	62	58	764	269	1033
3	36	2	59	4	6	21	38	5	2	4	12	51	8	61	778	191	969
3	61	6	120	11	13	35	83	6	4	8	15	113	8	119	1542	460	2002
22	150	20	538	51	41	154	228	6	3	12	47	530	940	6468	2990	9458
29	181	11	405	23	43	130	167	9	5	9	44	425	119	818	6191	2309	8500
51	331	31	943	74	84	284	395	15	8	21	91	955	119	1758	12659	5299	17958

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males	2204	489	286	190	172	115	92	76	60	57	45
Total Females.....	1665	439	264	180	148	117	81	78	58	43	46
Grand Total.....	3869	919	550	370	320	232	173	154	118	100	91
<hr/>											
Algoma :											
Male	7	1	1			1					
Female.....	10	1	2	1	1						1
Total	17	2	3	1	1	1					1
Brant :											
Male	44	8	2	7	4	3		3		1	1
Female.....	21	9	3	2	2	4	1	4	2		
Total	65	17	5	9	6	7	1	7	2	1	1
Bruce :											
Male.....	49	28	6	6	3	3	3	3	3	4	
Female.....	41	16	8	10	3	1	5	4	2		
Total	90	44	14	16	6	4	8	7	5	4	
Carleton :											
Male	83	31	16	12	15	8	2	4	7	3	4
Female.....	58	31	15	10	14	9	7	8	4		5
Total	141	62	31	22	29	17	9	12	11	3	9
Elgin :											
Male.....	37	11	2	1	1	4	2	2	1		1
Female.....	22	3	3	4	2	1		1	1		
Total	59	14	5	5	3	5	2	3	2		1
Essex :											
Male.....	75	20	12	7	4	6	4	1	3	1	
Female.....	59	23	11	7	6	2	5	3	3	1	3
Total	134	43	23	14	10	8	9	4	6	2	3
Frontenac :											
Male.....	56	7	6	5	3	4	1	2	4		
Female.....	17	7	4	6	3	3	2	2		1	
Total	73	14	10	11	6	7	3	4	4	1	
Grey :											
Male.....	39	13	8	5	4		1	4	3	1	1
Female.....	30	9	6	7	2	3		4	3	1	1
Total	69	22	14	12	6	3	1	8	6	2	2
Haldimand :											
Male.....	26	7	3	2	2	2				2	1
Female.....	16	4	4	1	2	1	1	1	1	1	
Total	42	11	7	3	4	3	1	1	1	3	1
Halton :											
Male.....	23	4	1	2	2		3	2	1		
Female.....	17	5	2	2	4	1	1				
Total	40	9	3	4	6	1	4	2	1		

BY AGES.—1879.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
46	41	30	38	47	50	45	60	69	70	87	80	83	77	70
50	39	49	49	46	90	66	64	87	103	106	106	79	101	90
96	80	79	87	93	140	111	124	156	173	193	186	162	178	160
	1					1						1	2	
					2									
	1				2	1						1	2	
2				2	1		1	1		3	3	1	1	4
1		1	3	1	2		3	1	4	2	1			3
3		1	3	3	3		4	2	4	5	4	1	1	7
		1	2		1		3	4	4	1		2	1	1
1		1	1	1	3	1		1	4	2	3	3	2	1
1		2	3	1	4	1	3	5	8	3	3	5	3	2
1	6		1	2	5	2	1	1	5	1	2	2	2	7
1	1	5	1	5	3	3	1	1	1	2	5	3	1	2
2	7	5	2	7	8	5	2	2	6	3	7	5	3	9
		1		1	2	1	2		1	3	2	1	1	
1			1			2	1	4	1	1	3	4	1	3
1		1	1	1	2	3	3	4	2	4	5	5	2	3
2	1	2	2	1	1	3	2	2		2	4	3		1
1	1	1		1	3	3	2	1	5	7	5	1	4	2
3	2	3	2	2	4	6	4	3	5	9	9	4	4	3
	2	1	3	3	1	1	1	1	1	3	1	4	4	1
2		1		4		1	4	1	4	2	3	5	2	3
2	2	2	3	7	1	2	5	2	5	5	4	9	6	4
4			1	1	2		1	1	6	4	1	3	1	2
4	2	1	2	1	2	1	2	3	1	3	2	4	1	2
8	2	1	3	2	4	1	3	4	7	7	3	7	2	4
										2	2		1	
1	1	1			1	2	1	3	2	2		1		1
1	1	1			1	2	1	3	2	4	2	1	1	1
1		2	3		2	1	1	1	1	1	1	2	2	2
	1			1			1	3	1	1	1	1	2	1
1	1	2	3	1	2	1	2	4	2	2	2	3	4	3

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males	69	53	54	59	76	45	61	56	43	70	50
Total Females	100	82	79	74	92	66	77	66	76	76	57
Grand Total ..	169	135	133	133	168	111	138	122	119	146	107
Algoma :											
Male	2										
Female											
Total	2										
Brant :											
Male	1		2	1	1	3		1		1	1
Female		1	2	2	2		1	1		2	2
Total	1	1	4	3	3	3	1	2		3	3
Bruce :											
Male	5	1	1	1	2	1	3	2	2	3	2
Female		5	2	3	3		2	3	4		1
Total	5	6	3	4	5	1	5	5	6	3	3
Carleton :											
Male	1	1		3	5	2	3	1	2	2	3
Female	1	3	6		11			3	3	4	2
Total	2	4	6	3	16	2	3	4	5	6	5
Elgin :											
Male	3	1		1		1		1	2	2	2
Female	1	1	1	1	2	1	1	2	2	1	
Total	4	2	1	2	2	2	1	3	4	3	2
Essex :											
Male	3	3	2	1	1	1	3	1	1	2	
Female	2		2		3	2	4	2		3	
Total	5	3	4	1	4	3	7	3	1	5	
Frontenac :											
Male		1	2	1	1	1	2	2	3	1	1
Female	3	1	2	2	3		4	1	1	1	1
Total	3	2	4	3	4	1	6	3	4	2	2
Grey :											
Male	1	1	1	3	2	1				1	2
Female	2	3	2	2		1	1		1	3	1
Total	3	4	3	5	2	2	1		1	4	3
Haldimand :											
Male	2		1	2	1	2		2			
Female		1	1		2			1		1	
Total	2	1	2	2	3	2		3		1	
Halton :											
Male		2			3	1		1	2	1	1
Female	1			1	1	1	2	1	1	1	1
Total	1	2		1	4	2	2	2	3	2	2

BY AGES.—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
41	43	52	60	43	64	50	37	75	38	60	68	54	74	52
51	53	54	84	39	75	54	56	70	41	45	49	50	66	28
92	96	106	144	82	139	104	93	145	79	105	117	104	140	80
											1		1	
											1		1	
		3				3	1				2			2
	3		4	1	2	2	1		1	1	1			2
	3	3	4	1	2	5	2		1	1	3			4
				3	1	1	1	3	1	1	4	3	2	2
	1	3	3		2	1	1	2		1	3	3	4	1
	1	3	3	3	3	2	2	5	1	2	7	6	6	3
1	3	3		2	3	1		2	2	2	4	1	1	
1	3	2	4	1	4	1	1	5	2	5	3	1	1	1
2	6	5	4	3	7	2	1	7	4	7	7	2	2	1
1	3	3	2	1	3	1	1	3	1	2	3		1	1
1			1	1	1	1	1	1	2	2		1		1
2	3	3	3	2	4	2	2	4	3	4	3	1	1	2
1		1	1			3				2	1	2	2	2
1	1				4	1	1	1	2				2	1
2	1	1	2		4	4	1	1	2	2	1	2	4	3
3	1	2	1	1	2	3	1		1	2	2	1	3	1
1	1	2	1		1	2	1		1		2	3	4	1
4	2	4	2	1	3	5	2		2	2	4	4	7	2
	1	1	1			1	1	3	1	2	1	1	1	1
	2	1	1		6	1	3	2	1	3	1	1	3	
	3	2	2		6	2	4	5	2	5	2	2	4	1
2				2							2			2
1	1		2				2	1		1		2	2	1
3	1		2	2			2	1		1	2	2	2	3
		1	3	1			1	5	2		1	1	1	
	1		2		1	1	1	1						
	1	1	5	1	1	1	2	6	2		1	1	1	

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males	76	57	74	68	70	51	59	62	111	44	95
Total Females	56	50	52	58	53	42	69	49	99	40	54
Grand Total	132	107	126	126	123	93	128	111	210	84	149
<hr/>											
Algoma :											
Male	1		1	1	1				2		
Female											
Total	1		1	1	1				2		
Brant :											
Male	1	2	2	2	1	1	3	2		1	4
Female			2	1	1			1	3	1	2
Total	1	2	4	3	2	1	3	3	3	2	6
Bruce :											
Male	1	2	4	5	1		3	2	4	1	1
Female	1	2			2	2	7			1	3
Total	2	4	4	5	3	2	16	2	4	2	4
Carleton :											
Male	2	2	4		1	1	1	1	5	1	3
Female	1	2	1	4			5	2	6	1	2
Total	3	4	5	4	1	1	6	3	11	2	5
Elgin :											
Male			2	1			1	1	2	1	3
Female	1	1	1		1		1		1	3	2
Total	1	1	3	1	1		2	1	3	4	5
Essex :											
Male	2		4		2	1	3		1	1	2
Female	2	1	1	2	2		1	2	3	1	
Total	4	1	5	2	4	1	4	2	4	2	2
Frontenac :											
Male	4	1		3	4	1	3	1	5	1	1
Female	1	1	2		4	2	1	1	6	2	
Total	5	2	2	3	8	3	4	2	11	3	1
Grey :											
Male	1	3	1	1		1	1	1	8	3	2
Female		2	2	6		2	2	1	2		3
Total	1	5	3	7		3	3	2	10	3	5
Haldimand :											
Male					2	1	1	1	2		5
Female		2		1		1		1			
Total		2		1	2	2	1	2	2		5
Halton :											
Male	1	1	1	1		1	2		1		
Female					1	1				1	2
Total	1	1	1	1	1	2	2		1	1	2

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
82	58	110	101	86	83	84	116	79	96	89	83	97	106	72
47	68	76	47	56	73	72	101	59	72	68	80	79	72	54
129	126	186	148	142	156	156	217	138	168	157	163	176	178	126
					1		1				1			1
												1		
					1		1				1	1		1
1	1	4	1	3	4	3	2	3			3	1	6	2
2	4	1	1	1	2	3	3	1	1	5	2	2		1
3	5	5	2	4	6	3	5	4	1	5	5	3	6	3
1	1	4	3	1	1	2	1	1	5	3	2	3		
	1	2	3	1	1			2	1	2		1	4	2
1	2	6	6	2	2	2	1	3	6	5	2	4	4	2
5	3	4	2			4	2	1	2	3	2	4		4
1	1	1	3	1		3	3		1	1		2	3	
6	4	5	5	1		7	5	1	3	4	2	6	3	4
1	1	2	2		3	1	4	1	1	2		1	2	1
		2			2	3	5	1	1	2	3	1	1	1
1	1	4	2		5	4	9	2	2	4	3	2	3	2
1	2	6	1	1		2	2	4	2	3	1	3	5	1
	2		2		1	2	4	3	1	2		4	1	
1	4	6	3	1	1	4	6	7	3	5	1	7	6	1
3	2	3	3	5	1	3	4	4	4	2	2	2	1	5
1	1	3	1	2	2	3	1		4	1	4	4	1	3
4	3	6	4	7	3	6	5	4	8	3	6	6	2	8
4	1	4	2	4	4		7	1	3	3	2	5	2	2
1	3	1	1	1	1	2	2	1	1			2	1	2
5	4	5	3	5	5	2	9	2	4	3	2	7	3	4
1			1	1	1		2		1			2		
2		1		1	1			1	2	1		1		1
3		1	1	2	2		2	1	3	1		3		1
1		1	1	2	1	1		1	2		2	3	5	1
2		2		4			3	1	3	1			2	1
3		3	1	6	1	1	3	2	5	1	2	3	7	2

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males	118	105	123	60	70	63	72	64	47	26	48
Total Females	83	46	80	41	67	39	63	45	34	42	25
Grand Total	201	151	203	101	137	102	135	109	81	68	73
<hr/>											
Algoma :											
Male		1									
Female										1	
Total		1								1	
Brant :											
Male	2	4	4		3	1	1	1			2
Female	1	3	1	1		3	2	1	2		
Total	3	7	5	1	3	4	3	2	2		2
Bruce :											
Male	1	2	3	2	1	2	1				
Female	3	3	1		2			1			1
Total	4	5	4	2	3	2	1	1			1
Carleton :											
Male	5	1	2	2	5	1	1	1	3	1	1
Female	3	1		1		3		1	1	2	3
Total	8	2	2	3	5	4	1	2	4	3	4
Elgin :											
Male	2		3	1	1	2	1			2	
Female		2	2	1	1	1		2			
Total	2	2	5	2	2	3	1	2		2	
Essex :											
Male	3		1	1	2		1	2	1	1	1
Female	4				1				1		
Total	7		1	1	3		1	2	2	1	1
Frontenac :											
Male	1	5	4		4		1	1	1		1
Female	3		4	1	1	1	1			1	1
Total	4	5	8	1	5	1	2	1	1	1	2
Grey :											
Male	2	4	2	6	1		2		2		2
Female			5	1	2	1		2	2		2
Total	2	4	7	7	3	1	2	2	4		4
Haldimand :											
Male	1	5				1			1		
Female			3		1	1	1	1	1		
Total	1	5	3		1	2	1	1	2		
Halton :											
Male	3	2	2	1	2	1			1	1	
Female	3	1			1		3				
Total	6	3	2	1	3	1	3		1	1	

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males											
Total Females											
Grand Total											
Hastings :											
Male	57	15	11	16	6	6	1	3	3	5	2
Female	37	9	11	9	2	2	4	4	1	3	2
Total	94	24	22	25	8	8	5	7	4	8	4
Huron :											
Male	85	23	8	6	5	4	5	6	1	1	3
Female	63	20	13	5	6	5	3	1	2	3
Total	148	43	21	11	11	9	8	6	2	3	6
Kent :											
Male	48	13	10	3	10	3	3	2	2	3
Female	52	13	6	5	9	4	2	2	2	2	2
Total	100	26	16	8	19	7	5	4	4	5	2
Lambton :											
Male	54	11	10	5	2	4	2	4	5
Female	45	16	6	5	6	2	1	3	2	1
Total	99	27	16	10	8	6	3	7	5	2	1
Lanark :											
Male	20	5	3	1	2	3	2	1	1
Female	14	4	1	2	1	1	1	1	1
Total	34	9	4	3	2	4	3	2	1	1	1
Leeds and Grenville :											
Male	30	9	5	5	7	2	5	3	2
Female	17	5	3	5	3	2	3	2	4	2
Total	47	14	8	10	10	4	8	5	4	2	2
Lennox and Addington :											
Male	24	5	2	2	5	2	1	4
Female	9	3	4	1	3	2	3	1	1
Total	33	8	6	3	8	4	4	1	4	1
Lincoln :											
Male	55	14	7	3	6	2	2	3	1	2
Female	47	7	4	2	3	3	2	3	2	1	1
Total	102	21	11	5	9	5	4	6	3	1	3
Middlesex :											
Male	140	26	10	9	11	3	9	5	4	4
Female	76	25	6	8	5	6	3	3	6	1	2
Total	216	51	16	17	16	9	12	8	10	5	2
Muskoka and Parry Sound :											
Male	35	1	3	2	1	1	3	1	1
Female	19	5	2	2	1	2
Total	54	6	2	5	2	1	2	3	3	1

BY AGES.—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
2	1	1	1	4	2	1	2	1	1	3	2	1	5	
3	3	1	2	2	1	2	6	5	6	5	2	6	3
5	1	4	2	6	4	2	4	7	6	6	8	4	7	8
1	1	1	4	3	1	3	2	4	4	3	6	3	2
1	2	2	2	4	6	1	4	4	2	4	4	5	5
1	3	3	4	5	5	9	1	4	6	6	7	10	8	7
1	2	1	1	1	5	2	1	1	1	2
2	2	3	3	4	1	2	2	1	1	6	1	6	4
3	4	3	3	1	5	2	7	4	2	1	7	1	7	6
2	1	1	1	3	1	1	2	4	4	2	2	2	6	3
2	1	1	4	3	5	1	5	3	4	2	4	2	2
2	2	2	5	6	6	2	2	9	7	6	4	6	8	5
1	1	1	1	2	2	2	2	1
1	3	1	1	1	2	1	1	1	2	2	2	1
2	1	4	2	1	3	2	3	1	3	4	2	2	2
1	1	1	1	1	4	1	2	2	1
2	1	1	2	4	2	1	1	2	6	5	1	4	4
3	1	1	3	4	3	3	1	3	10	6	3	6	5
.....	2	1	1	2	1	3	2	1	2	1
.....	1	4	1	1	2
.....	2	1	1	1	2	5	4	2	2	2	3
1	2	1	1	3	2	1	1	1	1
.....	2	1	1	3	1	1	1	1	2	5	1
1	2	3	1	1	4	3	3	2	1	1	3	6	2
1	2	1	1	3	5	3	1	6	4	10	9	6	8	4
.....	3	4	3	4	5	4	4	7	12	4	2	3	4
1	5	1	5	6	9	8	5	10	11	22	13	8	11	8
3	1	1	1	1	2	2	3	4
.....	2	1	1	1	1	1	1
3	2	1	1	1	2	2	2	3	4	5

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Hastings :											
Male.....	2		4	3	8	1	5	5		3	1
Female.....	1	5	1	2	1	4	2	3	4	3	2
Total.....	3	5	5	5	9	5	7	8	4	6	3
Huron :											
Male.....	2	4	5		2		1	3	4	2	1
Female.....	4	8	4	1	3	4	2	3		2	
Total.....	6	12	9	1	5	4	3	6	4	4	1
Kent :											
Male.....	2	3	2	3			1	1		1	
Female.....	3		1	2	3	1	1	3	1	2	2
Total.....	5	3	3	5	3	1	2	4	1	3	2
Lambton :											
Male.....	2	2	1		1			2	2	2	1
Female.....	3	2	2	1	3	2	2	1	1	4	2
Total.....	5	4	3	1	4	2	2	3	3	6	3
Lanark :											
Male.....	1	1					1				2
Female.....	3	2	1		3		1			3	1
Total.....	4	3	1		3		2			3	3
Leeds and Grenville :											
Male.....	3	2	3	1	3	2	2	1	1	2	1
Female.....	1	1	1	2	1	2	4	2	3		1
Total.....	4	3	4	3	4	4	6	3	4	2	2
Lennox and Addington :											
Male.....		1	1				2			1	1
Female.....	3			2	1	1	2	2			
Total.....	3	1	1	2	1	1	4	2		1	1
Lincoln :											
Male.....	2					1	1	4			3
Female.....	1	2	4	2		2	1	1		1	
Total.....	3	2	4	2		3	2	5		1	3
Middlesex :											
Male.....	3	3	4	3	2	3	3	1	2	8	6
Female.....	6	4	3	5	4	4	4	2	4	3	3
Total.....	9	7	7	8	6	7	7	3	6	11	9
Muskoka and Parry Sound :											
Male.....	2	1		1	1				1	1	
Female.....	1	3					1				
Total.....	3	4		1	1		1		1	1	

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males											
Total Females											
Grand Total											
Hastings :											
Male	6	1	4	3	2	1	1	1	3	1	4
Female	2	1	1	1	4	1	1	1	3	1	1
Total	8	2	5	4	6	2	2	2	6	2	5
Huron :											
Male	3	1	1	5	2	4	2	1	4	1	2
Female	3	3	4	2	4	1	5	2	3	1	2
Total	6	4	5	7	6	5	7	3	7	2	4
Kent :											
Male					2	1		2	1		2
Female	4	2	1	2	2	1	3	2	3	2	1
Total	4	2	1	2	4	2	3	4	4	2	3
Lambton :											
Male	1	1	4	2	1	1	4	1	2	1	1
Female		1		1				1	4		1
Total	1	2	4	3	1	1	4	2	6	1	2
Lanark :											
Male	1		1			3	1	1	2	1	2
Female	1	1			2		1	1			
Total	2	1	1		2	3	2	2	2	1	2
Leeds and Grenville :											
Male	2	2		3			1	2	3	3	2
Female		2	1	1		2	1		4		1
Total	2	4	1	4		2	2	2	7	3	3
Lennox and Addington :											
Male	2	3	3	2	1	2	1	3		2	2
Female	2	1				1		1	1	1	3
Total	4	4	3	2	1	3	1	4	1	3	5
Lincoln :											
Male	4	1	2	1	1	1	1	1	1	1	2
Female	3		2	1	2		1		2	1	1
Total	7	1	4	2	3	1	2	1	3	2	3
Middlesex :											
Male	1	3	2	4	6	6	1	6	9	1	1
Female	4	4	4	6	5	4	4	3	2	3	2
Total	5	7	6	10	11	10	5	9	11	4	3
Muskoka and Parry Sound :											
Male	1			1					2		
Female	1	1	1		1	1	1	1	3		
Total	2	1	1	1	1	1	1	1	5		

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males											
Total Females											
Grand Total											
<hr/>											
Norfolk :											
Male	39	12	10	6	2	1	1	2	4	1	..
Female	18	5	2	2	1	3	2	2	..	1	..
Total	57	17	12	8	3	4	3	4	4	2	..
Northumberland and Durham :											
Male	48	19	6	1	4	3	..	3	1	1	3
Female	35	4	6	1	3	3	2	2	..	2	1
Total	83	23	12	2	7	6	2	5	1	3	4
Ontario :											
Male	76	10	8	2	3	1	1
Female	66	11	8	3	6	2	1	..	1
Total	142	21	16	5	9	3	2	..	1
Oxford :											
Male	63	7	6	4	5	2	2	..	1	1	..
Female	38	2	6	6	5	5	1	1	1
Total	101	9	12	10	10	7	3	1	2	1	..
Peel :											
Male	17	7	3	3	1	1
Female	21	6	2	4	3	1	..	4	..	2	..
Total	38	13	5	7	3	1	..	4	..	3	1
Perth :											
Male	66	13	8	8	6	2	3	2	1	1	2
Female	56	10	8	4	2	2	1	2	..	3	..
Total	122	23	16	12	8	4	4	4	1	4	2
Peterborough :											
Male	34	11	2	2	..	3	1	1	..	1	1
Female	26	6	4	4	2	1	2	..	1
Total	60	17	6	6	2	4	3	1	1	1	1
Prescott and Russell :											
Male	46	13	11	7	4	7	3	3	2	1	1
Female	33	7	11	11	7	5	2	3	1	..	1
Total	79	20	22	18	11	12	5	6	3	1	2
Prince Edward :											
Male	21	1	1	..	1	1	3	3	2
Female	10	5	2	1	1	..	1
Total	31	6	3	1	1	1	3	..	1	3	3
Renfrew :											
Male	28	7	1	2	1	1	1	2	1
Female	21	3	6	..	3	5	..	3	..	1	1
Total	49	10	7	2	4	6	1	3	..	3	2

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males											
Total Females											
Grand Total											
<hr/>											
Norfolk :											
Male			1	1	3		1			1	1
Female	1	1	1	2	4	2	1		7		
Total	1	1	2	3	7	2	2		7	1	1
Northumberland and Durham :											
Male	3	1		6	3	2	3	2		1	
Female	5	1	4	3	6	2	5	3	7	2	1
Total	8	2	4	9	9	4	8	5	7	3	1
Ontario :											
Male	2	1	3		1	1	2	1			1
Female	1	4	3	7	2	3	3		1	6	2
Total	3	5	6	7	3	4	5	1	1	6	3
Oxford :											
Male	1		2	1	2	1	2	1	1		1
Female	2	1	2	3		1	3	4	2		3
Total	3	1	4	4	2	2	5	5	3		4
Peel :											
Male	1	1		2	1		1			3	
Female	4	1		3	3				2	2	1
Total	5	2		5	4		1		2	5	1
Perth :											
Male	4	2			2	2	2		1		3
Female	3	2	2	3	1	1	3	3		1	1
Total	7	4	2	3	3	3	5	3	1	1	4
Peterborough :											
Male		2		1	1	3	1	2	1		
Female	2	3	3	1		2		3	3	1	3
Total	2	5	3	2	1	5	1	5	4	1	3
Prescott and Russell :											
Male		1		2	1	1				2	
Female		1	2	1	1	2				1	1
Total		2	2	3	2	3				3	1
Prince Edward :											
Male	2		2	1	1			1		1	
Female	2	1	1	1	2			2		4	
Total	4	1	3	2	3			3		5	
Renfrew :											
Male	2	1		2				3	1	1	2
Female	2	4	3		2	1	3		1	2	1
Total	4	5	3	2	2	1	3	3	2	3	3

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males											
Total Females											
Grand Total											
<hr/>											
Norfolk:											
Male	1		3		2	1		3		1	2
Female	3		3	1	2	2	1		2		2
Total	4		6	1	4	3	1	3	2	1	4
Northumberland and Durham:											
Male	3	2	1	5	1	1	1	3	7	1	4
Female		3	8	5	1	2	1	5	6	1	2
Total	3	5	9	10	2	3	2	8	13	2	6
Ontario:											
Male	1	2	1	2	2		1	1	3	1	1
Female	2		1					3	5	1	2
Total	3	2	2	2	2		1	4	8	2	3
Oxford:											
Male	2	1	1	1	1	2	1	2	2		7
Female	2	1	2	3	1		6	1	1	4	3
Total	4	2	3	4	2	2	7	3	3	4	10
Peel:											
Male					2		1	1	2	1	
Female	1		1				2	1	2		
Total	1		1		2		3	2	4	1	
Perth:											
Male	1			1	4	1			4		3
Female	1	2					1	1	1	1	1
Total	2	2		1	4	1	1	1	5	1	4
Peterborough:											
Male	2	1	3		2	1		2	3		1
Female		2			1	2	3	3	2		1
Total	2	3	3		3	3	3	5	5		2
Prescott and Russell:											
Male		2	4	1	2	1					2
Female	4		2				1		2		2
Total	4	2	6	1	2	1	1		2		4
Prince Edward:											
Male	3		1	1				1	1		1
Female	2		1					1	1	1	
Total	5		2	1				2	2	1	1
Renfrew:											
Male	1	2	1		3	1	1	3			
Female		1	1	1	1	1	1				
Total	1	3	2	1	4	2	2	3			

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1	...	1	3	2	...	1	1	1	1	1	2	2
2	6	1	...	2	2	4	2	...	3	1	1	1
3	6	1	3	3	...	3	3	4	2	1	4	2	3	3
7	4	4	5	3	3	6	6	1	6	6	3	1	2	2
2	...	2	...	1	2	5	8	4	2	2	5	2	3	3
9	4	6	5	4	5	11	14	5	8	8	8	3	5	5
...	1	3	5	1	1	4	3	1	2	3	3	2	1	3
1	2	1	...	2	3	2	1	1	2	2	3	2
1	3	4	5	3	4	6	4	2	4	3	3	4	4	5
1	1	1	4	1	1	...	4	6	4	2	1	4	4	3
...	1	...	1	2	5	4	2	2	...	2	4	2	2	2
1	2	1	5	3	6	4	6	8	4	4	5	6	6	5
2	1	1	4	1	3	...	1	3	2	1
1	1	2	2	...	2	...	3	1	1	2	1	2
3	2	3	4	1	5	...	3	3	5	2	1	2	1	2
2	3	...	3	2	2	1	3	1	3	2	4	4	2	1
6	3	1	1	3	2	1	...	3	2	1	...	2	1	1
8	6	1	4	5	4	2	3	4	5	3	4	6	3	2
2	...	1	1	...	1	2	4	1	1	...	2	6	...	3
1	3	2	1	1	6	1	4	2	3	...
3	3	1	1	2	2	3	10	2	5	2	2	6	3	3
...	...	2	1	1	1	1	5	...	3	2	4	...	2	1
...	...	1	4	...	3	...	1	...	1	3	2	1
...	...	3	1	1	5	1	8	...	4	2	5	3	4	2
1	2	...	1	2	...	1	7	3	2	1	...
1	3	1	1	2	4	2	2	...	2	1	...	1	...	1
2	3	1	1	4	4	3	4	...	3	8	3	3	1	1
1	...	1	1	1	2	...	1	...	1	1	1	...	1	1
1	...	2	1	3	2	1	1	...	3	1	1	1
2	...	3	1	1	3	3	3	1	2	1	4	1	2	2

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males.....											
Total Females.....											
Grand Total.....											
<hr/>											
Norfolk :											
Male	5	3	1	2	3	2	4	1	1		2
Female	1		1	1							1
Total	6	3	2	3	3	2	4	1	1		3
Northumberland and Durham :											
Male	8	4	13	1		3	1	1	3	1	3
Female	4	6	4	3	2		4	3		5	1
Total	12	10	17	4	2	3	5	4	3	6	4
Ontario :											
Male	3	3	6	3	2	4	1	2	3		
Female	6	1	3	2	1	1	2	3	3	2	1
Total	9	4	9	5	3	5	3	5	6	2	1
Oxford :											
Male	3	4	4	1	4	1	4	3	2	3	2
Female	2	1	1	1	5	1		1	1	1	1
Total	5	5	5	2	9	2	4	4	3	4	3
Peel :											
Male	1	6	3		1	2		3	3		
Female			1		2	1	1		2	2	1
Total	1	6	4		3	3	1	3	5	2	1
Perth :											
Male	3	5			2	2	3				
Female	3	1	3	1	3		1			1	
Total	6	6	3	1	5	2	4			1	
Peterborough :											
Male		3	2		1	1	2			1	
Female	1			1	1	1		1			
Total	1	3	2	1	2	2	2	1		1	
Prescott and Russell :											
Male	4	1	2	2		2	2	3	1		
Female			1	1				2	3		
Total	4	1	3	3		2	2	5	4		
Prince Edward :											
Male	3	2	4	1	1		2	1	2		1
Female	2	2	3		1	1	1			4	
Total	5	4	7	1	2	1	3	1	2	4	1
Renfrew :											
Male		2	4			1	4			1	
Female	2		3	1	1						1
Total	2	2	7	1	1	1	4			1	1

TABLE G.—DEATHS

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Simcoe :											
Male.....	9	7	4	3	7	4	1	3	1	2	
Female.....	5	11	9	7	4	5	3	1	4	2	1
Total.....	14	18	13	10	11	5	7	2	7	3	3
Stormont, Dundas & Glengarry:											
Male.....	54	8	10	7	5	3	1	2	2	2	4
Female.....	51	15	11	5	3	2	2	5	6	4	4
Total	95	23	21	12	8	5	3	7	6	2	8
Thunder Bay :											
Male.....	3	3	1								
Female.....	3	1									
Total.....	6	4	1								
Victoria :											
Male.....	40	4	1	4		1	2	2	1	1	
Female.....	27	7	1	1		1	1	2			
Total.....	67	11	2	5		2	3	4	1	1	
Waterloo :											
Male.....	63	2	5	5	4	6	7	1	2	3	1
Female.....	50	8	8	2	3	1	4	2	1	1	3
Total.....	113	10	13	7	7	7	11	3	3	4	4
Welland :											
Male.....	46	7	3	1	1	1	2	1			
Female.....	26	7	2	2	1	4	2	2	1	1	
Total.....	72	14	5	3	2	5	4	3	1	1	
Wellington :											
Male.....	78	11	10	7	5	3	4	1	4	1	4
Female.....	52	12	5	5	4	3	1	1	1		2
Total.....	130	23	15	12	9	6	5	2	5	1	6
Wentworth :											
Male.....	123	28	32	13	14	10	5	1		4	3
Female.....	116	36	29	15	14	12	9	2	3	4	3
Total.....	239	64	61	28	28	22	14	3	3	8	6
York :											
Male.....	279	58	41	15	16	9	6	5		4	2
Female.....	289	68	30	13	11	10	4	3	3	8	5
Total.....	568	126	71	28	27	19	10	5	3	12	7

TABLE G.—DEATHS

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Total Males.....											
Total Females.....											
Grand Total.....											
<hr/>											
Simcoe :											
Male	1		1		3	2	2	1	1	2	1
Female.....	7	3	3	2	2	2	3	4	6	3	2
Total.....	8	3	4	2	5	4	5	5	7	5	3
Stormont, Dundas & Glengarry:											
Male	1	1	2	2	2	1	3	4	1	3	2
Female.....	4	2	2	1	2	3	4	4	3	2	3
Total.....	5	3	4	3	4	4	7	8	4	5	5
Thunder Bay :											
Male			1							3	
Female.....									1		1
Total.....			1						1	3	1
Victoria :											
Male	3	1	3	2	1					2	1
Female.....	3			2	1	1		2			1
Total.....	6	1	3	4	2	1		2		2	2
Waterloo :											
Male	1			2	2	2	3	1		2	2
Female.....		1	2	3	1	1	4	4	1	2	3
Total.....	1	1	2	5	3	3	7	5	1	4	5
Welland :											
Male	3	2	2		2	2	2		1		
Female.....	2	2	1	1	1			3			1
Total.....	5	4	3	1	3	2	2	3	1		1
Wellington :											
Male	2	2	1	1	2	2		3	3	4	1
Female.....	8	5	3		3	6			2	4	5
Total.....	10	7	4	1	5	8		3	5	8	6
Wentworth :											
Male	3	3	3	3	1	3	7	2	1	2	4
Female.....	7	5	4	3	5	6	6		7	5	2
Total.....	10	8	7	6	6	9	13	2	8	7	6
York :											
Male	3	8	4	9	15	3	5	7	10	10	3
Female.....	11	3	8	10	10	8	7	3	8	7	7
Total.....	14	11	12	19	25	11	12	10	18	17	10

TABLE G.—DEATHS

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Total Males											
Total Females											
Grand Total											
Simcoe :											
Male	1	5	3	2	3		1	3	6		2
Female	1	1	1	2					4	1	1
Total	2	6	4	4	3		1	3	10	1	3
Stormont, Dundas & Glengarry:											
Male	2		2	1	1		1	1	2		4
Female	3		1	1	1	1	3	2	1	1	1
Total	5		3	2	2	1	4	3	3	1	5
Thunder Bay:											
Male											
Female											
Total											
Victoria :											
Male	2	1	1	2					3		3
Female	2	2		2	1		1		1		
Total	4	3	1	4	1		1		4		3
Waterloo :											
Male	5	3	1		3	2	4	4	3	5	4
Female		2	1	1	1	2	4	1	4	1	
Total	5	5	2	1	4	4	8	5	7	6	4
Welland:											
Male		2	2		1	2	2	1	1	1	
Female	1			2	3	2	1		1		3
Total	1	2	2	2	4	4	3	1	2	1	3
Wellington:											
Male		1	3	1	3	6	2	2	3	3	3
Female	2	2	1	1	2	5	2	3	2	2	3
Total	2	3	4	2	5	11	4	5	5	5	6
Wentworth :											
Male	5	3	4	11	4	1	6	2	4	4	6
Female	2		3	7	2	3	3	1	5	3	6
Total	7	3	7	18	6	4	9	3	9	7	12
York :											
Male	13	9	7	5	9	6	9	6	10	8	13
Female	4	7	3	4	6	3	5	7	13	5	2
Total	17	16	10	9	15	9	14	13	23	13	15

TABLE G.—DEATHS

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Total Males.....											
Total Females.....											
Grand Total.....											
Simcoe :											
Male.....	2	4	2	1	1	2	2	2	2	1	3
Female.....	3	4	1	2	1	3	3	3	1
Total.....	5	4	6	1	2	4	3	5	5	4	4
Stormont, Dundas & Glengarry:											
Male.....	5	2	2	2	3	7	3	1	2
Female.....	3	3	1	4	4	4	2	3	1
Total.....	8	5	1	6	6	7	7	5	4	3
Thunder Bay :											
Male.....											
Female.....											
Total.....											
Victoria:											
Male.....		1	2	1	2	2	1	2	2	5
Female.....		1	1	1	1	1
Total.....		1	3	1	2	2	3	1	3	2	5
Waterloo :											
Male.....	5	1	1	3	3	1	2
Female.....	6	1	1	4	1	3	2	2
Total.....	11	..	2	2	4	4	3	4	4	2
Welland :											
Male.....	2	2	2	3	2	3	2	1
Female.....	1	1	1	2	1	1	1	1	1
Total.....	3	3	3	3	4	4	3	2	1	1
Wellington:											
Male.....	3	2	6	2	1	1	3	1	1	1	2
Female.....	3	3	4	3	1	1	2	2	1
Total.....	6	2	9	6	4	2	4	3	1	3	3
Wentworth:											
Male.....	9	3	4	6	3	1	1	3
Female.....	4	2	8	3	3	5	3	1
Total.....	13	5	12	9	6	5	4	1	1	3
York :											
Male.....	5	7	7	6	8	7	1	2	2	1	2
Female.....	3	6	8	8	4	2	10	4	3	4	4
Total.....	8	13	15	14	12	9	11	6	5	5	6

TABLE G.—DEATHS

CITIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Toronto :											
Male	231	46	29	12	15	9	3	5	3	3	2
Female	200	57	24	21	9	9	6	2	3	8	5
Total	431	103	53	33	24	18	9	7	6	11	7
Hamilton :											
Male	97	27	17	10	8	7	4	4	2	2	2
Female	83	27	19	10	12	7	4	3	1	2	1
Total	180	54	36	20	20	14	8	7	3	4	3
Ottawa :											
Male	60	23	12	7	9	6	2	2	5	3	1
Female	52	22	10	7	10	8	6	6	2	3
Total	112	45	22	14	19	14	8	8	7	3	4
London :											
Male	75	10	4	2	4	2	3	2	1
Female	41	9	1	4	2	1	1	1	2
Total	116	19	5	6	6	3	4	3	2	1
St. Catharines :											
Male	28	6	3	2	1	1	1	1
Female	18	3	3	1	1	1
Total	46	9	6	3	1	2	1	1	1
Kingston :											
Male	19	4	2	2	2	2	1
Female	9	6	1	1	1	3
Total	28	6	5	3	3	5	2	1
Belleville :											
Male	28	5	7	6	3	4	1	2	1
Female	18	4	8	7	2	1	2	1
Total	46	9	15	13	5	5	3	2	1	1
Brantford :											
Male	23	3	1	1	1	1	1	1	1
Female	11	2	2	1	1	1	1	3
Total	34	5	3	2	2	2	1	4	1	1
Guelph :											
Male	13	5	2	1	3	2
Female	10	5	2	1
Total	23	10	2	1	3	2	2	1

BY AGES.—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	3	2	1	3	2	3	3	3	7	6	5	7	3	1
2	1	1	3	1	6	13	6	10	9	14	7	6	14	6
3	4	3	4	4	8	16	9	13	16	20	12	13	17	7
4	2	2	4	2	1	1	2	2	1	4	1
1	2	5	3	2	2	2	4	1	3	1
5	2	2	4	4	5	3	3	3	4	6	2	7	2
2	4	1	2	3	1	1	2	2	2	1	1	4
1	2	2	1	1	1	2	1	1	1	3	2	1	1	1
3	6	2	2	3	4	3	2	1	3	5	4	2	2	5
1	1	1	1	2	2	2	2	2
.....	2	3	3	8	3	1	3	4
1	1	1	1	2	5	3	10	5	3	3	6
1	1	1	1	2	1	1	1
.....	1	1	1	1	1
1	1	1	1	3	1	1	1	2	2
.....	1	1	2	1	1	1	1	1
.....	4	1	2	2	1	2	2	3
.....	1	1	6	1	1	2	3	2	2	3	4
.....	1	1	3	1	1	2	3
1	1	1	1	1	2	1	3	3	2
1	2	1	4	2	1	1	2	1	5	3	5
2	1	1	1	1	1	3
1	1	1	1	1	2	1	1	3
3	1	1	2	2	2	1	2	1	1	6
1	1	1	2	1	1
.....	3	1	1	1	1	1	1
1	4	1	1	1	1	2	3	1	1

TABLE G.—DEATHS

CITIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
<hr/>											
Toronto :											
Male	5	5	3	9	14	3	4	6	8	12	3
Female	6	4	6	5	9	4	5	1	6	6	4
Total	11	9	9	14	23	7	9	7	14	18	7
<hr/>											
Hamilton :											
Male	2	1	3	2	1	2	6	1	1	1	3
Female	4	3	3	...	2	2	4	6	4	1
Total	6	4	6	2	3	4	10	1	7	5	4
<hr/>											
Ottawa :											
Male	1	1	3	2	2	1	2	2
Female	1	2	2	2	3	2	1
Total	2	2	2	1	5	2	2	4	4	3
<hr/>											
London :											
Male	2	1	1	2	1	2	1	1	1	1
Female	2	2	1	1	1	1	1	1	..	1
Total	4	3	2	3	1	3	2	2	1	1	2
<hr/>											
St. Catharines :											
Male	1	1	1
Female	1	2	2	1	1
Total	2	2	2	1	1	1	1
<hr/>											
Kingston :											
Male	1	1	1	1	2	1
Female	2	2	1	2	2	1	1
Total	2	1	3	1	2	1	3	2	2	1
<hr/>											
Belleville :											
Male	1	4	4	1	3	2	1
Female	3	1	1	1	2
Total	1	3	4	4	2	3	3	2	2
<hr/>											
Brantford :											
Male	1	1	1
Female	1	1	1	2	2	2
Total	1	1	2	1	2	2	1	2
<hr/>											
Guelph :											
Male	1	1	1	1
Female	1	3	2	2
Total	2	1	3	1	3	2

BY AGES.—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
3	6	7	11	7	10	5	7	11	6	2	7	6	11	2
4	1	8	11	1	7	5	3	11	1	1	3	6	6
7	7	15	22	8	17	10	10	22	7	3	10	12	17	2
.....	2	2	6	1	2	1	1	1	3	1	3	4	5	1
1	3	1	1	1	1	2	2	4	1	3	2
1	5	2	6	2	3	2	2	3	5	5	4	7	7	1
1	1	1	1	1	1	3	1	1
.....	1	2	1	2	1	3	2	2	3	1	1
1	2	3	2	3	1	1	3	2	5	4	1	2
3	1	1	3	1	3	3	2	2	2	2
1	1	1	2	2	1	1	1	1	1
4	2	2	5	1	3	2	4	1	3	2	3	2	1
.....	1	1	4	1	1	1	2
1	1	1	2
1	1	1	1	1	4	1	1	1	4
2	1	2	1	1	1	1	2	1
.....	2	1	1	1	2
2	1	4	1	1	2	1	2	4	1
1	1	1	1	1	1	1
.....	1	1	1	3	1	1	1	1
1	2	1	1	3	2	1	1	1	1	1	1	1
.....	1	2	1	1	1	1	2
.....	1	2	2	1	2	1	1	2
.....	2	1	1	1
.....	2	1
.....	2	2	1	1	1	1

TABLE G.—DEATHS

CITIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Toronto :											
Male	9	8	7	5	6	5	6	3	7	4	11
Female	6	6	1	2	5	2	4	3	8	5	1
Total	9	14	8	7	11	7	10	6	15	9	12
Hamilton :											
Male	4	3	3	7	3	1	4	1	4	3	4
Female	1	1	4	1	1	4	1	1	3
Total	5	3	4	11	4	2	8	2	5	3	7
Ottawa :											
Male	1	3	1	1	2
Female	1	3	1	3	1	1
Total	1	4	3	1	2	5	1	1
London :											
Male	2	1	1	1	4	2
Female	1	1	1	3	2	1	2	1
Total	1	3	2	4	3	4	1	2	2	1
St. Catharines :											
Male	1	1	1	2
Female	2	1	1	1	1	1
Total	3	2	2	1	1	3
Kingston :											
Male	3	1	2	3	2	1
Female	2	1	2	2
Total	3	2	1	2	1	3	4	3
Belleville :											
Male	1	2	1
Female	1	1	1	1	1	1	1
Total	1	3	1	1	1	1	1	1	1
Brantford :											
Male	1	1	1	1	1	1
Female	1	1	2	1
Total	1	1	1	2	1	1	2	1	1
Guelph :											
Male	2	1	1
Female	1	1	1	1	1
Total	1	3	1	1	2	1

BY AGES.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2	4	6	4	6	3	4	5	2	4	3		3	4	2
....	5	4	2	7	6	4	2	2	2	4	7	2	1
2	9	10	6	13	9	4	9	4	6	5	4	10	6	3
2	1	5	2	1	4	2	1	1	2	1	1	2	1
3	3	5	3	2	2	1	1	1	2	2	2	1
5	4	10	5	3	6	3	2	2	4	1	1	4	3	1
....	1	2	3	1	1	1	2	1
....	1	1	1
....	1	2	4	2	1	2	2	1
....	2	3	4	1	1	1	2	4	1	1
1	1	1	2	4	1	1	2	1	1	1	2	1
1	3	4	6	5	2	2	2	1	2	1	5	3	2
1	1	1	1
2	1	1	1	2	1	1	2	1
3	1	2	1	1	2	1	1	1	2	2
1	1	3	2	1	1	2	2	3	2	1	2	3
1	2	2	1	2	3	1	4	2	1	1
2	1	5	4	2	3	2	2	6	3	5	4	1	4
....	1	3	1	1	2	1	1	1
....	3	1	1	1	1	1
....	1	3	1	1	2	4	1	1	1	1	2
....	2	1	1	2	2	1	1	1	1
1	1	1	1	3	1	1
1	1	3	2	1	2	2	1	3	2	1	2
3	1	1	1	2
1	1	1	1	1	1
4	2	1	1	1	1	2	3

TABLE G.—DEATHS

CITIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Toronto :											
Male	5	3	5	3	1	2	1	1	2	1	1
Female	2	4	4	1	2	1	4	3	2	2	1
Total	7	7	9	4	3	3	4	4	4	3	2
Hamilton :											
Male	6		3		1	1	1			1	
Female	4	1	3		1		2	1	1		
Total	10	1	6		2	1	3	1	1	1	
Ottawa :											
Male	3	1	1		2		1		1		
Female				1		1					
Total	3	1	1	1	2	1	1		1		
London :											
Male	2		1	2			1	1		1	
Female	2	2	1		1					1	
Total	4	2	2	2	1		1	1		2	
St. Catharines :											
Male	1	1	3	3							
Female	1										
Total	2	1	3	3							
Kingston :											
Male		3	3		2		1		1		
Female	2		1			1	1				
Total	2	3	4		2	1	2		1		
Belleville :											
Male	1	1	1		1						
Female	1		1			1					
Total	2	1	2		1	1					
Brantford :											
Male			2				1	1			1
Female		1					1	1			
Total		1	2				2	2			1
Guelph :											
Male			2				1				
Female	1						1				
Total	1		2				2				

TABLE I.—DEATHS

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant					1	61	2	84
Bruce								
Carleton					1	25		
Elgin							1	30
Essex							3	185
Frontenac	1	52					2	62
Grey	1	62						
Haldimand							3	136
Halton	1	26					2	45
Hastings							3	91
Huron							3	86
Kent							1	43
Lambton	1	21					1	24
Lanark							1	46
Leeds and Grenville	1	45					1	50
Lennox and Addington	1	32					3	201
Lincoln							2	126
Middlesex	1	58	1	41			3	66
Muskoka and Parry Sound								
Norfolk							1	22
Northumberland and Durham	2	105					2	96
Ontario							3	131
Oxford	1	35					2	142
Peel							1	71
Perth	1	44					1	26
Peterborough								
Prescott and Russell	1	36						
Prince Edward								
Renfrew								
Simcoe							1	69
Stormont, Dundas and Glengarry					1	36	1	83
Thunder Bay								
Victoria								
Waterloo							4	202
Welland							1	66
Wellington	1	40			1	59	2	65
Wentworth	4	150					7	344
York	7	346			1	45	2	85
Total	24	1052	1	41	5	226	59	2677

BY OCCUPATIONS.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Book-keepers and Clerks.		Bankers.		Bakers and Confectioners.			
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.		
								1	28						
								1	25			2	143		
							1	34	2	52					
							1	40	1	26					
							1	37	6	248	1	24			
		1	68				1	31	1	60			1	44	
							1	34							
		3	123						1	65			2	63	
		1	47						3	115			1	39	
		1	59						1	37					
1	57	1	60	1	26	1	63	2	80						
				1	41	3	112	1	22				3	159	
						1	25						1	24	
								1	77	2	64				
								1	24	1	24			1	53
								1	49	1	37			1	62
		1	27												
									2	49			1	39	
									1	34					
							1	48	3	107					
							2	76	2	74					
									2	56			1	33	
1	42						1	32	3	111					
						1	48								
						1	56		3	76					
2	89			1	76	3	160		4	135	1	52	1	78	
									22	814	1	30	5	186	
4	188	8	384	4	191	20	874	66	2339	3	106	20	923		

TABLE I.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	3	157	1	82				
Bruce	6	260						
Carleton	6	207						
Elgin	2	83			1	48		
Essex	3	171						
Frontenac	7	388	1	77	1	56		
Grey	1	67	1	60	1	73		
Haldimand					1	68		
Halton								
Hastings	3	115	1	65				
Huron	6	352	2	82	1	22		
Kent	1	35			1	25	1	60
Lambton	3	159	1	23				
Lanark	4	203			1	65		
Leeds and Grenville	1	84			2	146		
Lennox and Addington	2	131						
Lincoln	3	128			1	52		
Middlesex	2	63	2	48				
Muskoka and Parry Sound	2	104						
Norfolk	2	99						
Northumberland and Durham	5	284	2	92	3	208		
Ontario	1	67	2	144				
Oxford	2	126						
Peel	2	147						
Perth	1	26						
Peterborough							1	40
Prescott and Russell	2	114						
Prince Edward	2	119						
Renfrew								
Simcoe	5	310	1	22				
Stormont, Dundas and Glengarry	4	258						
Thunder Bay								
Victoria	4	198						
Waterloo	2	96	1	52				
Welland	4	224	3	193				
Wellington	3	179	2	118	2	45		
Wentworth	13	716			2	144		
York	18	815	3	109			1	43
Total	125	6485	23	1167	17	952	3	143

OCCUPATIONS.—Continued.

Chemists and Druggists		Clergymen.		Contractors and Builders.		Carriage and Waggon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
2	67	2	155	1	32					1	62		
		2	74	2	141								
		1	41	1	54								
		1	51							1	32		
		1	80									1	58
2	84	1	53	1	86	1	88						
						1	45						
1	70					1	69			2	119		
						1	70					1	27
										3	156		
1	33	2	109			1	57						
1	32	1	66							2	64		
		2	110	1	88	3	202						
1	57	3	179			3	119						
		2	111	1	83								
1	42	3	132			4	178			1	29		
		1	28							1	56		
		2	106										
		1	35										
		2	166										
						1	30						
						1	33						
		1	56			1	38						
		1	97	1	58								
		1	103										
		2	139										
2	130	1	64			1	72			1	34		
1	40	2	137									1	24
2	88	2	135	3	172	1	68						
3	109	8	540	5	269	8	366			4	219		
17	752	46	2867	16	973	28	1435	16	771	3	109

TABLE I.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma	7	402	2	160				
Brant	43	2757	33	2217	1	65	3	226
Bruce	76	4284	48	2901			2	170
Carleton	63	4043	43	2585			6	325
Elgin	51	4002	43	2616			3	179
Essex	53	3253	34	1756	1	73	6	384
Frontenac	43	2539	26	1469			2	90
Grey	99	6094	53	2964	2	149	4	269
Haldimand	30	1939	36	2348			2	101
Halton	32	1927	28	1579	1	65	8	610
Hastings	97	6901	50	3111	2	158	6	401
Huron	101	6000	80	4525			7	350
Kent	54	3569	46	2900			7	481
Lambton	35	2138	34	1735			7	455
Lanark	57	3789	37	2491			2	165
Leeds and Grenville	100	6595	71	4512	1	60		
Lennox and Addington	53	3448	37	2400			2	152
Lincoln	27	1744	18	1049	3	218	6	498
Middlesex	144	9329	65	4130	1	84	13	879
Muskoka and Parry Sound	29	1340	13	593			2	106
Norfolk	59	3875	54	3118			1	70
Northumberland and Durham	96	5736	72	4366	2	126	12	792
Ontario	47	3007	55	3319			13	922
Oxford	67	4723	63	3879			4	337
Peel	36	2463	34	2228			1	73
Perth	77	4902	48	2730			3	157
Peterborough	49	2848	31	1812	2	128	3	171
Prescott and Russell	50	3254	29	1735	1	80		
Prince Edward	35	2213	28	1604			5	403
Renfrew	39	2479	29	1739				
Simcoe	78	4886	64	3950	1	53	6	443
Stormont, Dundas and Glengarry	79	5352	72	4213				
Thunder Bay	1	35						
Victoria	53	3234	25	1565			4	331
Waterloo	57	3545	42	2806			6	415
Welland	43	2623	25	1672	2	143	7	488
Wellington	92	5758	72	4397			5	310
Wentworth	54	3613	43	2702			8	540
York	84	5264	68	4075	7	310	18	1208
Total	2290	145903	1651	99951	27	1712	184	12501

OCCUPATIONS.—Continued.

Hackmen.		Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				2	116					1	38		
				40	1994	16	898					3	149
		1	35	25	1136	5	269					1	23
2	118			43	1974	24	1286	3	173	1	34	1	38
				12	579	8	485			1	40		
		2	120	22	1569	18	863						
		1	79	49	3007	27	1565					4	99
				32	1706	2	96			2	79		
				6	317	11	636			1	51		
		1	90	12	711	13	686						
				65	2994	24	1384	1	42			2	64
		1	74	37	1937	18	896					1	56
				13	544	14	850			1	43		
		1	83	35	1914	17	821	1	30	2	76	2	119
				18	1013	5	329					2	111
				32	1815	17	1075					1	32
				16	680	10	509					1	66
				60	3398	15	831	1	81				
				117	6321	45	2125	1	38	1	46	1	35
				11	552	3	108	2	43				
				10	515	9	430	2	108	1	29		
				36	2105	21	1139			2	109	1	25
				37	1746	13	670					1	35
				25	1476	6	380						
				22	1134	10	523						
				26	1338	6	239			1	48	2	55
				33	1946	9	524	1	40				
				5	231	11	629	1	48				
				23	1035	12	779						
				11	689	9	445	1	58				
				26	1292	8	364			1	54		
				21	1087	16	867			2	53		
				3	101	4	143			1	38	1	21
1	39			8	384	13	637	1	84			1	43
				36	2188	33	1937						
1	56			17	787	18	879						
				20	1068	22	1188						
				103	5773	48	2677			2	103		
2	103			145	8162	121	5958			3	171	5	207
6	316	7	481	1264	67334	681	36170	15	745	23	1012	30	1178

TABLE I.—DEATHS BY

COUNTIES.	Masons.		Machinists.		Moulders.		Millers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant			3	134			1	65
Bruce	1	60					1	48
Carleton	1	84						
Elgin							1	55
Essex							1	69
Frontenac	1	59	1	28	1	24	1	40
Grey	2	176	1	57			3	188
Haldimand			1	22				
Halton	1	30						
Hastings			1	32				
Huron	1	50	1	23			3	123
Kent								
Lambton	1	56					1	43
Lanark	1	25						
Leeds and Grenville	2	105					1	58
Lennox and Addington								
Lincoln	2	142						
Middlesex	2	100	1	24			1	21
Muskoka and Parry Sound	1	73						
Norfolk							2	90
Northumberland and Durham	2	173					2	66
Ontario	1	42	1	28			2	105
Oxford	1	72			2	57	1	55
Peel								
Perth	1	46					1	75
Peterborough								
Prescott and Russell								
Prince Edward								
Renfrew							1	29
Simcoe			1	72				
Stormont, Dundas and Glengarry	1	69						
Thunder Bay								
Victoria								
Waterloo	1	36			2	111	1	49
Welland	3	181			1	43		
Wellington	1	76	3	109			1	64
Wentworth	3	151	6	242	3	142	1	53
York	2	120	3	110	3	120	2	111
Total	32	1936	23	881	12	497	28	1407

OCCUPATIONS.—*Continued.*

Millwrights.		Musicians.		Manufacturers.		Merchants.		Other Occupations.		Other Mechanics.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
								3	134		
				1	52	3	182	1	43		
				1	60	3	111	1	45		
1	47					7	311	2	134		
						1	65	1	35	1	62
						4	182			1	26
		1	60	1	30	6	324	1	69	3	175
				1	79	1	43				
				2	100	4	171			2	99
						4	180	2	120		
				2	127	3	182	1	66	1	80
				1	66	1	67			1	26
						1	57	1	57	1	76
				1	51	7	280	5	161	1	40
						5	269				
1	50			2	131	1	68	1	76	4	243
1	27	2	101			6	320	1	57	3	104
						1	49				
				1	63	1	59			1	76
1	62					4	194	1	65	1	79
1	74					1	65	4	201		
						1	47	2	99	1	37
						1	37				
1	49					2	90				
						1	87	1	48		
								1	96		
						3	194	1	60	2	77
						2	104				
						1	70	1	39		
1	73					3	157	4	172		
1	73							1	28		
				1	52	3	141	4	181	2	109
										1	27
				2	79	7	329	2	100		
				4	285	9	461	1	39	6	241
2	135			1	45	16	881	12	506	4	181
10	590	3	161	21	1220	113	5777	55	2631	36	1758

TABLE I.—DEATHS BY

COUNTIES.	Painters.		Printers.		Pumpmakers.		Pedlars.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant								
Bruce								
Carleton			1	59				
Elgin	1	76						
Essex	1	61						
Frontenac	1	47	2	100				
Grey	1	38						
Haldimand	1	24						
Halton	1	40						
Hastings	2	88	2	60				
Huron								
Kent	1	29						
Lambton	1	78						
Lanark			1	22			1	60
Leeds and Grenville					1	34		
Lennox and Addington	1	38	1	24				
Lincoln	1	49						
Middlesex	3	118	2	102			1	63
Muskoka and Parry Sound								
Norfolk								
Northumberland and Durham	1	51	1	27				
Ontario								
Oxford								
Peel	1	44						
Perth	1	26	1	25				
Peterborough							1	48
Prescott and Russell								
Prince Edward								
Renfrew								
Simcoe	2	49						
Stormont, Dundas and Glengarry	1	24	1	65				
Thunder Bay								
Victoria	1	26						
Waterloo	1	66					2	135
Welland								
Wellington								
Wentworth	6	367	2	61				
York	2	97	6	240			2	145
Total	31	1436	20	785	1	34	7	45

OCCUPATIONS.—Continued.

Plasterers.		Paupers.		Physicians.		Public Officials.		Provincial Land Surveyors.		Railroad Employees.		Sawyers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						2	116			2	80		
						1	23						
		6	433	2	74	10	489			1	27		
						1	68						
		2	137	1	42	1	47						
						6	424						
								2	79				
								1	62				
1	52	1	75	1	32	1	67			1	27		
1	33					1	82			4	154		
						4	238						
				2	98	2	141					1	26
						3	199			2	94		
		1	74	3	199	1	67						
		1	69	1	63	2	176						
		1	80	1	36	2	135	1	72			1	67
2	109			2	116	3	189	2	115	7	335		
		1	60										
				2	77	2	128			2	60		
		1	87	2	97	4	241			2	60		
				1	39	1	27			1	23		
						3	159					1	45
		3	204							1	31		
												1	63
		2	120			2	104						
		3	214										
		1	73			2	175						
1	62					4	227			1	33		
				1	50								
						1	42						
		15	1023	1	36					1	43		
				2	144	4	279			1	57		
		2	107			4	256	1	60	2	92		
				2	85	8	419			1	49		
1	43	1	70	5	274	12	716	1	23	9	317	2	143
6	299	41	2826	29	1462	87	5234	8	411	38	1482	6	344

TABLE I.—DEATHS BY

COUNTIES.	Stonecutters.		Shoemakers.		Sailors.		Saddlers and Harness Makers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma			1	77	1	52		
Brant			3	215	1	39		
Bruce			2	94				
Carleton	1	30	2	132	1	78	1	48
Elgin			1	68				
Essex			1	75	2	57		
Frontenac	1	80	3	171	1	60		
Grey	1	35	1	79				
Haldimand			1	79				
Halton								
Hastings							1	22
Huron			3	168				
Kent			2	134	1	29		
Lambton			2	126	2	70	1	58
Lanark			1	58			1	67
Leeds and Grenville			1	80				
Lennox and Addington			1	44				
Lincoln	1	49			1	33		
Middlesex			9	455	2	136		
Muskoka and Parry Sound			1	68				
Norfolk			1	49	2	84		
Northumberland and Durham			8	570	1	73		
Ontario			1	40			1	58
Oxford			1	21	1	29		
Peel								
Perth	1	49	1	64	1	56	1	21
Peterborough			1	45	1	52		
Prescott and Russell			1	70				
Prince Edward			2	152	5	227		
Renfrew			1	90				
Simcoe			2	105			1	36
Stormont, Dundas and Glengarry	1	37	4	262				
Thunder Bay								
Victoria	1	38	2	127				
Waterloo	1	48	4	211			1	31
Welland	1	69	4	277				
Wellington	1	46	3	146			1	29
Wentworth	1	47	7	425	2	80		
York	2	86	16	858	1	39		
Total	13	614	94	5605	26	1194	9	370

OCCUPATIONS.—*Continued.*

Seamstresses.		Servants.		Tinsmiths.		Teamsters.		Tavern-keepers.		Tobacconists and Cigar Makers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
		1	73					1	67	2	50
		1	80					1	49		
2	79					1	26				
1	22	2	65			1	47	1	48		
		2	86	1	28			2	89		
		5	196	1	25			1	60		
		1	21					1	29		
		1	45					1	51		
		1	26					1	46		
		2	44			1	37	1	57		
		1	26			1	83	2	119		
1	40										
2	58	2	44			1	28	2	92		
1	70							1	45		
1	54	1	27			2	142	2	91		
						1	43	2	110		
								3	164		
		7	383	2	59			6	291	1	31
								2	82		
1	22	1	22					3	172		
				1	83			1	23		
				1	62						
		1	63					1	42		
		1	36	1	78			1	44		
								1	33		
1	32	1	22					1	69		
2	73	3	150	1	30	1	73	1	49		
		1	42					3	110		
		1	45					1	45		
		2	79	1	25	2	129	3	140		
		2	50			1	51	1	21		
1	26			2	71			1	58		
3	79	7	232	1	21	3	120	4	178		
5	223	34	1199			6	190	7	306		
21	778	81	3056	12	482	21	969	59	2780	3	81

TABLE I.—DEATHS BY

COUNTIES.	Teachers.		Telegraph Operators.		Tailors.		Tanners.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma								
Brant	2	63			3	208		
Bruce	3	190			1	41		
Carleton	2	139			1	60		
Elgin	1	24			2	134		
Essex	3	161						
Frontenac	1	36			1	98		
Grey	3	125						
Haldimand	1	22	1	28				
Halton	1	66			2	169		
Hastings	4	183						
Huron	4	243	1	24	1	70		
Kent	1	22	1	23			1	66
Lambton	2	57			1	68		
Lanark	2	45			2	155		
Leeds and Grenville	2	71					1	55
Lennox and Addington	2	165					1	52
Lincoln								
Middlesex	3	110			1	64		
Muskoka and Parry Sound								
Norfolk					1	28		
Northumberland and Durham	1	25	2	79	2	166	1	80
Ontario	1	28			2	123		
Oxford			1	25	1	32		
Peel							1	79
Perth			1	22				
Peterborough	1	56	1	28				
Prescott and Russell	1	89						
Prince Edward	1	21						
Renfrew								
Simcoe					2	135		
Stormont, Dundas and Glengarry	4	157			1	77		
Thunder Bay								
Victoria	1	80			1	77		
Waterloo	1	53						
Welland	1	45			1	62		
Wellington	2	63					1	80
Wentworth	2	84			5	332		
York	3	80			8	425		
Total	56	2503	8	229	39	2524	6	412

OCCUPATIONS.—Continued.

Undertaker.		Volunteers, Soldiers and Pensioners.		Watchmakers.		Weavers.		Total Age.		
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	Total No. of Deaths.	Aggregate.	Average.
								18	1007 years.	55.94 years.
								177	10400	58.75
								187	10248	54.80
		2	159			1	54	238	13112	55.00
		1	96			1	66	150	9534	64.41
		4	303	1	50	1	72	180	9787	54.37
		7	506	2	122			223	12759	57.21
		1	60	1	21	1	70	225	13099	58.21
								102	6123	60.00
				1	49			118	6708	56.84
		2	160			1	76	294	17220	58.57
		1	50			1	81	288	15969	55.44
								161	9722	60.00
								169	8984	53.21
								144	9115	63.29
		1	65	1	65	1	82	267	16378	61.34
1	58	1	83	1	82			146	8800	60.00
		5	315					172	10312	59.95
		1	66					489	27844	56.94
								69	3211	46.53
								159	9256	58.22
		1	59					311	18175	58.44
		2	118			1	74	199	11353	57.05
		1	70			3	179	196	12341	62.96
								113	7039	62.29
		2	149					193	10911	56.53
		1	79			1	70	142	8182	57.62
								107	6606	52.39
								123	7131	57.97
		1	80			1	24	102	6023	59.00
		3	227	1	91			220	13050	59.31
						2	152	236	13988	59.27
								11	388	35.27
		1	87			1	87	125	7416	59.32
						1	30	238	14357	63.23
		1	84					152	8916	58.65
		1	72	2	77	3	222	270	15562	57.63
		1	76			2	116	390	21954	56.28
		10	637	2	87			726	38113	52.49
1	58	51	3631	12	644	25	1663	7831	451093 years.	57.60 years.

