

Inventory No.	Name of Machine	Specifications			Remarks
15238	Ladder	Length 15000M. 2 sets.			
15239	Shore	Length 1000-15000 150 Pcs.			
15240	Wooden block keel block	482 sets.			
15241	Point stage	Size 6000x450x60 200 Pcs.			
15242	Transformer indoor	15KVA PV 3450-2850. SV210-105			
15243	Optical pyrometer	Capacity 700° - 3500°C Sensibility 10°C			
15244	Viscosimeter	Measuring plate 230x10			
15245	Dish balance	Capacity 200 Gr.			
15246	Chemical balance	Do.			
15247	Viscosimeter lawaczeck type	Capacity 25°C			
15248	Film Dryino meter	Film 16-32 Winding speed 1M/12Hr.			
15249	Thermo humidi-stat	- - -			
15250	Wind gauge anemometer & anemoscope	Repeater 0-60M. per sec.			
15251	bldg. berth (slip way)	Size of ship builded 137M x 18.3 M.			
15252	Do.	" " " 118.5M x 10.36M.			
15253	Crane girder (gantry)	- - -			
15254	Crane girder	Length 114M. "ldth 26M. Height 11M.			
15255	Trackage	35Kg. Gauge 2000MM.			
15256	Crane overhead traveline	Length of span 12.800M. Capacity 5 ton. Height of lift 6M.			
15257	Tackle	Lifting capacity 0.05MT			
15261	Oxygen bottle Mannesman type	Test press 250Kg/cm ² capacity 40L. 265 Pcs.			
15262	Do.	Test press 250Kg/cm ² 46.7L. 455 Pcs. 33.5 ^l 95 Pcs			
15263					
15264	Do.	" 250Kg/cm ² 40L. 381 Pcs.			
15265	Do.	" 250Kg/cm ² 33.5L. 158 Pcs.			
15266	Do.	" 250Kg/cm ² 26.8L. 5 Pcs.			
15267	Carbon oxide bomb Mannesman type	Test press 250Kg/cm ² Capacity 40L. 13 Pcs.			
15268	Oxygen bottle elhalt type	" 250Kg/cm ² 46.7L. 455 Pcs.			
15268	Carbon oxide bomb elhalt type	" 250 Kg/cm ² 40 L. 33 Pcs.			

Inventory No.	Name of Machine	Specifications			Remarks
15269	Carbon oxide bomb elhalt type	Test press 250 Kg/cm ² Capacity 33.5 L. 5 Pcs.			
15270	Do.	" 250 Kg/cm ² " 26.8 L. 2 Pcs.			
15271	Acetylen bomb Mannesman type	" 60 Kg/cm ² " 40 L. 44 Pcs.			
15272	Acetylen bomb elhalt type	" 60 Kg/cm ² " 40 L. 93 Pcs.			
15273	Do.	" 250 Kg/cm ² " 20 L. 16 Pcs.			
15274	Methyl chloride bomb elhalt type	" 60 Kg/cm ² " 40 L.			
15275	Freon bomb elhalt type	" 60 Kg/cm ² " 40 L. 7 Pcs.			
15277	Switch gear marble black	Size 40x500x2300			
15279	Do.	Do.			
15334	Crane over head traveling	Capacity 3 ton Length of span 14.5M.			
15335	Air compressor portable type	Capacity 0.09M ³ /Min press Pressure 3.5Kg/cm ²			
15336	Mould dry furnace	Size of chamber 6000x4000x3000			
15337	Do.	Size of chamber 1300x1170x1115			
15338	Mixer port'e of material mixed concrete	Capacity 0.227 M ³			
15339	Do.	Capacity 0.283 m ³			
15340	Mixer stationary kind of material mixed concrete	Capacity 0.167 M ³			
15341	Do.	Do.			
15342	Motor DC Shunt	40Hp 220V. 500rpm.			
15343	Air compressor reciprocating	Press 250Kg/cm ² Capacity 14 $\frac{1}{2}$ /Min			
15344	Pump water reciprocating	" 25 Kg/cm ² " 680 $\frac{1}{2}$ /Min			
15345	Do.	Do.			
15346	Do.	Do.			
15347	Pump oil reciprocating	Capacity 130 $\frac{1}{2}$ /Min Press 16Kg/cm ²			
15348	Blower impellel	Delivery vol. 30M ³ /Min Delivery press 0.02Kg/cm ²			
15349	Motor DC shunt	4 1/2Hp 220V. 500rpm.			
15350	Do.	30Hp 220V. 650rpm.			
15351	Do.	5Hp 220V. 1000rpm.			
15352	Do.	30Hp 220V. 800rpm.			

Inventory No	Name of Machine	Specifications				Remarks
15353	Motor DC shunt	30Hp 220V. 800rpm.				
15354	Do.	40Hp 220V. 500rpm.				
15355	Motor DC compound	40Hp 220V. 950rpm.				
15356	Motor DC shunt	5Hp 100V. 2265rpm.				
15357	Do.	25Hp 220V. 950rpm.				
15358	Motor DC shunt	20Hp 220V. 500rpm.				
15359	Do.	1Hp 220V. 1800rpm.				
15360	Do.	5Hp 220V. 12350rpm.				
15361	Do.	35Hp 220V. 500rpm.				
15362	Do.	35Hp 220V. 800rpm.				
15363	Do.	5Hp 220V. 1000rpm.				
15364	Do.	5Hp 220V. 1500rpm.				
15365	Motor DC compound	30Hp 220V. 1100rpm.				
15366	Motor DC shunt	47Hp 220V. 1200rpm.				
15367	Do.	5Hp 220V. 1000rpm.				
15368	Do.	14.5Hp 220V. 1750rpm.				
15369	Do.	5Hp 230V. 1100rpm.				
15370	Do.	2Hp 100V. 1800rpm.				
15371	Do.	5Hp 100V. 1760rpm.				
15372	Do.	Do.				
15373	Do.	10Hp 220V. 800rpm.				
15374	Generator diesel engine	DC 25KW 110V. 228A. 475rpm.				
15375	Do.	DC 45KW 225V. 200A. 480rpm.				
15376	Generator Hot valve engine	DC 8KW 150V. 80A. 450 rpm.				
15377	Heating furnace	Size of heating coal chamber 500x700x800				
15378	Tank oil	Capacity 2.7M3				
15379	Tank water	Capacity 1 M3				
15380	Do.	Capacity 0.312M3				

Inventory No	Name of Machine	Specifications				Remarks
15381	Surface plate	Size 2000x1000x190				
15382	Do.	Do.				
15383	Do.	Do.				
15384	Do.	Do.				
15385	Do.	Do.				
15386	Material stand	Size 2000x750x1670				
15387	Do.	Size 3400x640 x1530				
15390	Blower	Impeller deliery vol. 28M ³ /Min Deliv'y press 700MMW				
15391	Headness testing brinell	Max. work dimension 3000Kg				
15392	Tank water	Size dia. 2000				
15394	Tank oil	Size dia. 2000				
15396	Tank water	Size dia. 2000				
15397	Tank reserv oil	Size 2500x2500x1000				
15398	Tank box	37 sets.				
15429	Hand car steel plate	2 wheels				
15430	Do.	2 wheels				
15431	Do.	2 wheels				
15432	Do.	2 wheels				
15433	Do.	2 wheels 2 sets.				
15434	Do.	1 wheel 8 sets.				
15435	Do.	3 wheels				
15436	Hand car	4 wheels				
15437	Do.	4 wheels				
15438	Hand car wooden	2 wheels 2 sets.				
15439	Do.	2 wheels 4 sets.				
15442	Motor AC open	5 Hp 60cy. 220V. 1700rpm.				
15444	Motor AC enclosed	2Hp 60cy. 220'. 800rpm.				
15445	Sawing mach. band	width of saw 25				

Inventory No.	Name of Machine	Specifications				Remarks
15446	Magnetic separator el'c	Capacity 2T/Hr.				
15447	Vice	Width of jaw 150. 4 sets.				
15449	Washing mach. rotary	Drum cap.(vol) 0.64M3				
15450	Do.	Drum capacity(vol) 0.64M3				
15452	Pulp kneader horizontal	Capacity 0.5T/Hr.				
15454	Anvil	- - -				
15455	Do.	- - -				
15456	Do.	- - -				
15457	Do.	- - -				
15459	Drilling mach. vertical	Drill capacity 23 Swing 300				
15460	Do.	" 50 " 540				
15461	Grinding mach. universal					
15462	Lathe engine	swing over bed 360 Swing over carriage 200				
15463	Do.	" 600 " 460				
15464	Do.	" 600 " 460				
15465	Do.	" 94 " 60				
15466	Do.	" 94 " 60				
15467	Sheaper horizontal	Max. stroke 500 Travel of bed d 180				
15469	Blower impeller	Deliv'y vol. 550M3/Min Deliv'y press 50WG-				
15470	Motor AC induction	0.6Hp 60cy. 220V. 1130rpm.				
15471	Motor DC shunt	2Hp 8.7A 220V. 1600rpm.				
15472	Do.	1 Hp 4.6A 220V. 1650rpm.				
15473	Motor AC induction	10Hp 60cy. 220V. 1140rpm.				
15474	Motor DC shunt	3Hp 230V. 11.6A 1750rpm.				
15475	Blet lacing machine	Capacity 204				
15476	Fitter bench	Size 3720x900x760				
15477	Do.	Size 1250x810x760				
15478	Do.	Size 2410 x900x760				

Inventory No	Name - of Machine	Specifications				Remarks
15479	Tool box iron	Size 810 x410x960				
15480	Do.	Size 800x470x1000				
15481	Do.	Size 940x300x550				
15482	Do.	Size 690x470x1080				
15483	Do.	Size 1190x500x1240				
15484	Material holder	Size 2420x430x1490				
15485	Do.	5 Pcs. Size 1820x1020x1140				
15486	Surface plate	Size 740x740x740				
15487	Anvil plate	Working surface 590x160 3 Pcs.				
15488	Water brake	rpm 600-1000 Capacity 1800Hp				
15489	Vice	Width of jaw 150				
15490	Do.	Width of jaw 125				
15491	Do.	2 Pcs. Width of jaw 120				
15492	Do.	Width of jaw 130				
15499	Pump hand wing	Capacity 50L./Min				
15500	Truck el'c	Capacity 2 T.				
15501	Do.	Capacity 1 ton				
15504	Mercury rectifier vertical	AC 50-60cy. 100V. 24A.				
15506	Switch gear	Phenale resin 450 x350 x 9				
15510	Filter liquid fuel	Capacity of 1 stage 10				
15512	Rivetting machine	Capacity 6				
15513	Polishing buff ing driven by foot	Single purpose for spark plug 18				
15514	Pump Wosington	Pressure 3Kg/cm2 Capacity 10 L./Min				
15515	Hoist hand chain block	Lifting cap. 1 ton Height of lift 3000 2 sets.				
15516	Motor DC shunt	1 Hp 100V. 1780rpm.				
15525	Measuring tool vernir caliper	Scale 300 Sensibility 1/25 3 pcs.				
15532	Tester insulation	Capacity 100V. 4-5000M Ohm.				
15533	Do.	Capacity 500V. 1000M Ohm				

Inventory No.	Name of Machine	Specifications			Remarks
15534	Tester condenser	2 Pcs.			
15535	Measur'g test mach. hardness	Max. cap. 140°			
15536	Measur'g tool dial indicator	5 Pcs.			
15537	Measur'g tool Micrometer	6 Pcs. Measuring size 125-225			
15538	Measuring tool Camber & caster gauge				
15539	Hand tool wooden hammer	Size of head 50 x 160 90 Pcs.			
15540	Hand tool spanner	165 Pcs.			
15541	Hand tool nail	width of jaw 13 11 Pcs.			
15542	Cutting tool planer	68 Pcs.			
15543	Cutting tool chissel	72 Pcs.			
15544	Cutting tool triangle file	Length 8-16" 149 Pcs.			
15545	Do.	Length 4-10" 254 Pcs.			
15546	Cutting tool square file	Length 6-12" 74 Pcs.			
15547	Cutting tool semicircle file	Length 14-16" 45 Pcs.			
X44 15548	Cutting tool tape right screw	Size 8-22 22 Pcs.			
15549	Do.	Size 1/4 - 5/8" 11 Sets.			
15550	Cutting tool straight shank	Dia. of drill 4-13 87 Pcs.			
15551	Cutting tool tapers shank	Dia. of drill 3-27 135 Pcs.			
15552	Cutting tool stone	Size of stone 200x80x60 14 Pcs.			
15553	Torch lamp	Capacity 1 Pint			
15554	Do.	Do.			
15555	Do.	Do.			
15556	Screw jack hydraulic	Height of lift 170 capacity 1 MT			
15557	Hoist (Hipper)	Height of lift 2600 Capacity 2MT			
15558	Do.	Height of lift 1050 Capacity 1MT.			
15562	Anvil	Dimension 400x110			
15564	Vice	Width of jaw 127 3 sets.			
15565	Do.	Width of jaw 127			

Inventory No.	Name of Machine	Specifications			Remarks
15568	Vice	Width of jaw 100			
15570	Working table wooden	Size 2500x1300x800			
15571	Tool chest steel	2 Pcs.			
15572	Tool chest wooden	Size 1300x500x1600			
15573	Tool chest steel plate	2 staire			
15574	Tool chest wooden	2 staire			
15575	Do.	2 staire			
15576	Do.	2 staire			
15578	Heater portable	Size 530x400x160 4 Pcs.			
15579	Box V block	6 Pcs.			
15580	Jack hydraulic	Capacity 100MT			
15581	Do.	Capacity 100MT			
15582	Do.	Capacity 100MT			
15583	Do.	Capacity 50MT			
15584	Do.	Do.			
15585	Do.	Do.			
15586	Do.	Do.			
15587	Do.	Capacity 20MT			
15588	Do.	Capacity 30MT			
15589	Do.	Capacity 15MT			
15590	Do.	Capacity 15MT			
15591	Do.	Capacity 30MT			
15592	Do.	Capacity 30MT			
15593	Do.	Capacity 30MT			
15594	Do.	Do.			
15595	Do.	Do.			
15596	Do.	Do.			
15597 222	Do.	Do.			

Inventory No	Name of Machine	Specifications				Remarks
15598	Jack hydraulic	Capacity 30MT				
15599	Do.	Do.				
15600	Do.	Do.				
15601	Hand tool spanner	Size of span 35 Single head 77 Pcs.				
15603	Tackles steel	Capacity 2-9MT 24 Pcs.				
15611	Car truck open	4 wheels Capacity 5 ton				
15648	Microphon carbon	Capacity 6V.				
15649	Do.	Do.				
15650	Microphon stand material iron	3 Pcs.				
15651	Do.	3 Pcs.				
15652	Amplifier portable	UX - 80 UZ-58 UZ-57 UY-56x2 UZ-2A5 3 sets.				
15656	Power unit	spindle speed 47-385				
15657	Do.					
15658	Do.	3 sets. spindle speed 47-385				
15659	Vice	Size 150				
15660	Do.	Do.				
15661	Do.	Do.				
15662	Do.	Do.				
15663	Surface plate	Size 1120x790x870				
15664	Do.	Size 1000x600x870				
15669	Platform scale	Capacity 2000Kg.				
15670	Do.	Capacity 500Kg.				
15671	Suspension weighing machine	Capacity 20,000 Kg.				
15672	Do.	Capacity 50,000 Kg.				
15713	Surface plate T-slot	Size 2500x4980x200				
15714	Do.	Size 3640x4550x200				
15715	Do.	Size 12710x4560x200				
15716	Do.	Size 3000x1530x200				

Inventory No.	Name of Machine	Specifications				Remarks
15717	Surface plate T - slot	Size 3000x1530x200				
15718	Do.	Do.				
15719	Do.	Size 2200x4570 x200				
15720	Do.	Size 1800x4570x200				
15721	Surface plate T-slot	Size 1800x4570x200				
15762	Surfaceplate block	Size 2460x610x910				
15763	Do.	Do.				
15764	Do.	Do.				
15765	Do.	Do.				
15771	Material stand angle	Size 1350x700x1200				
15772	Do.	Size 2000x1000x800				
15773	Do.	Size 2000x650x1700				
15774	Do.	Do.				
15775	Do.	Size 2500x550x1500				
15776	Do.	Size 2500x1200x1900				
15777	Do.	Size 1850x850x1650				
15778	Do.	Do.				
15779	Do.	Size 2000x650x1700				
15780	Do.	Size 2000x6000x1700				
15781	Do.	Do.				
15782	Do.	Size 1850x1650x1800				
15783	Do.	Do.				
15784	Do.	Size 2000x600x1600				
15785	Do.	Size 2100x650x1750				
15786	Do.	Size 2000x1000x1350				
15787	Material stand pipe	Size 2400x700x2150				
15788	Do.	Size 300x700x2200				
15789	Material stand angle	Size 2000x750x1480				

Inventory No	Name of Machine	Specifications				Remarks
15790	Material stand angle	Size 2000x1100x2550				
15791	Material stand pipe	Size 2050 x700x2200				
15792	Material stand angle	Size 1350x690x1240				
15793	Do.	Size 1020x610x1160				
15794	Do.	Size 1000x300x940				
15795	Do.	Size 1000x320x860				
15796	Do.	Size 3850x900x1800				
15797	Do.	Do.				
15798	Do.	Size 1000x750x1700				
15799	Do.	Size 1350x700x1100				
15800	Do.	Size 1200x700x730				
15801	Material stand pipe	Size 1500x600x800				
15802	Material stand angle	Size 1000x750x1750				
15803	Do.	Size 1500x550x700				
15804	Do.	Size 5300x450x1300				
15805	Do.	Size 1250x550x950				
15806	Do.	Size 1000x600x1100				
15807	Do.	Size 1600x700x1350				
15808	Material stand pipe	Size 1800x450x400				
15809	Material stand angle	Size 1300x400x1050				
15810	Do.	Size 1400x700x1100				
15811	Do.	Size 900x400x600				
15812	Material stand wooden	Size 1300x600x1250				
15813	Do.	Size 800x500x1000				
15814	Material stand pipe	Size 900x550x1020				
15815	Material stand wooden	Size 1250x440x750				
15816	Material stand angle	Size 1400x710x1250				
15817	Do.	Size 1000x310x950				

Inventory No	Name of Machine	Specifications			Remarks
15818	Material stand angle	Size 2000x600x800			
15819	Do.	Size 1000x330x1040			
15820	Material stand wooden	Size 700x490x900			
15821	Material stand pipe	Size 2000x700x600			
15822	Material stand pipe	Size 1500x750x800			
15823	Material stand angle	Size 1010x310x850			
15824	Material stand pipe	Size 2000x1050x800			
15825	Do.	Size 2000x750x1000			
15826	Material stand angle	Size 2000x600x1200			
15827	Do.	Size 1400x710x1200			
15828	Material stand pipe	Size 2100x1000x800			
15829	Material stand angle	Size 1380x370x1270			
15830	Do.	Size 1240x490x880			
15831	Do.	Size 1000x300x700			
15832	Material stand pipe	Size 1500x700x700			
15833	Do.	Size 1550x1000x500			
15834	Do.	Size 2000x950x750			
15835	Do.	Size 1000x700x1000			
15836	Do.	Size 1000x700x750			
15837	Material stand angle	Size 1350x700x1220			
15838	Do.	Size 1460x700x1150			
15839	Material stand pipe	Size 650x500x1000			
15840	Do.	Size 2050x800x1202			
15841	Material stand angle	Size 1250x550x900 2 sets.			
15842	Do.	Size 1850x900x1950			
15843	Do.	Size 2500x1000x1050			
15844	Do.	Size 1000x1000x1500			
15845	Do.	Do.			

Inventory No.	Name of Machine	Specifications				Remarks
15846	Material stand angle	Size 1000x1000x1500				
15847	Do.	Do.				
15848	Do.	Size 900x300x700				
15849	Do.	Size 600x1300x1400				
15850	Do.	Size 700x1700x750				
15851	Do.	Size 1830x1000x900				
15852	Do.	Size 2000x1600x750				
15853	Do.	Size 1000x900x930				
15854	Do.	Size 4500x1250x700				
15855	Do.	Size 1830x1000x900				
15856	Tool chest plate	Size 2000x1560x1700				
15857	Do.	Do.				
15858	Do.	Size 700x380x400				
15859	Do.	Size 150x340x550				
15860	Do.	Size 650x700x920				
15861	Do.	Size 420x300x300				
15862	Do.	Size 420x250x250				
15863	Do.	Size 810x500x500				
15864	Do.	Size 500x300x300				
15865	Tool chest wooden	Size 2250x400x1170				
15866	Do.	Size 2270x770x1900				
15867	Do.	Size 2450x750x1950				
15868	Do.	Size 1820x750x1920				
15869	Do.	Size 2000x400x1000				
15870	Tool chest plate	Size 1400x400x870				
15871	Tool chest wooden	Size 1550x390x1000				
15872	Do.	Size 1500x370x860				
15873	Do.	Do.				

Inventory No	Name of Machine	Specifications	Remarks
15874	Tool chest wooden	Size 1420x450x1060	
15875	Do.	Do.	
15876	Do.	Size 1230x400x880	
15877	Do.	Size 1950x480x580	
15878	Do.	Size 1250x460x960	
15879	Do.	Size 1510x400x750	
15880	Do.	Do.	
15881	Do.	Size 1000x440x750	
15882	Do.	Size 1510x400x800	
15883	Do.	Size 2300x400x785	
15884	Do.	Size 1000x400x785	
15885	Do.	Size 2150x500x225	
15886	Working table wooden	Size 1000x2000x750	
15887	Do.	Size 1350x3300x750	
15888	Do.	Do.	
15889	Do.	Size 1350x4450x750	
15890	Do.	Do.	
15891	Do.	Do.	
15892	Do.	Do.	
15893	Do.	Do.	
15894	Do.	Size 1500x5000x70	
15895	Do.	Do.	
15896	Do.	Do.	
15897	Blower	Delivery vol. 60M ³ /Min Delivery press'ure 0.02Kg/cm ²	
15898	Heat exchanger	Heating area 1.5M ² Press of heavy oil 16Kg/cm ² Press of steam 20Kg/cm ²	
15899	Do.	" 10.8M ² " 35Kg/cm ² " 1.5Kg/cm ²	
15900	Stame ejector	Capacity 1200L./Min	
15901	Surface plate	Size 1200x900x130 2 Pcs.	

Inventory No.	Name of Machine	Specifications				Remarks
15902	Surface plate					
15903	Tool chest use iron plate					
15904	Tank water	Size 1030x1500x1500				
15905	Do.	Size 845x845x1530				
15906	Tool chest angle & iron plate					
15907	Do.					
15908	Acetylen gas tank	Size 5x500x750				
15909	Center rest	13 sets. Center height 270				
15910	Face plate	6-Dia. 500x67 6 sets.				
15911	Motor AC Enclosed induc'n	10Hp 60cy. 220V. 685rpm.				
15912	Do.	15Hp 60cy. 220V. 690rpm.				
15913	Line shaft	Dial 70mm length 5.87m				
15916	Surface plate	Size 1570x1050x30				
15917	Do.	Size 1600x1150x30				
15918	Do.	Size 300x300x50				
15919	Do.	Do.				
15920	Do.	Do.				
15921	Do.	Do.				
15922	Do.	Size 1200x900x130				
15925	Both sleeved wooden	62 cs.				
15926	Do.	256 Pcs.				
15927	One side sleeved wooden	560 Pcs.				
15928	Desk wooden	307 Pcs.				
15929	Desk for type wooden	20 Pcs.				
15930	Drawing table wooden	122 Pcs.				
15931	Square table wooden	25 Pcs.				
15932	Round table wooden	29 Pcs.				
15933	Table wooden	175 Pcs.				

Inventory No	Name of Machine	Specifications			Remarks
15934	Black board wooden	158 Pcs.			
15935	Revolving arm chair wooden	64 Pcs.			
15936	Revolving chair wooden	49 Pcs.			
15937	Square chair wooden	1288 Pcs.			
15938	Chair wooden	170 Pcs.			
15939	Folding chair wooden	111 Pcs.			
15940	Chairs for drawing wooden	151 Pcs.			
15941	Sofas wooden	27 Pcs.			
15942	Arm chairs wooden	23 Pcs.			
15943	Book case steel	83 Pcs.			
15944	Book case wooden	622 Pcs.			
15945	Book case steel	208 Pcs.			
15946	Book case wooden	206 Pcs.			
15947	Wardrobe steel	94 Pcs.			
15948	Wardrobe wooden	451 Pcs.			
15949	Stove cast iron	20 Pcs.			
15950	El'c heater	3KW 50-60cy. 100-220V.	6 Pcs.		
15951	Do.	Do.	70 Pcs.		
15952	Picture fram		16 Pcs.		
15953	Punch cast iron	39 Pcs.			
15954	Screen	54 Pcs.			
15955	Bed steel	35 Pcs.			
15956	Bed wooden	13 Pcs.			
15957	Mirror	34 Pcs.			
15958	Small kettle el'c	0.5 - 1 KW	27 Pcs.		
15959	Tool shelf wooden	24 Pcs.			
15960	Tool closet wooden	10 Pcs.			
15961	Teachers table	4 Pcs.			

Inventory No.	Name of Machine	Specifications				Remarks
15962	Radio	3 Pcs.				
15963	Balance	7 Pcs.				
15964	Cart	21 Pcs.				
15965	Mineograph	82 Pcs.				
15966	Binder	1123 1923 Pcs.				
15967	Umbrella stand wooden	3 Pcs.				
15968	Shoes box wooden	14 Pcs.				
15969	Brazier	21 Pcs.				
15970	Said table	62 Pcs.				
15971	Kettle catsrion	10 Pcs.				
15972	Adjusting shelf	22 Pcs.				
15973	Card case	45 Pcs.				
15974	Student table wooden	130 Pcs.				
15975	Student chair wooden	306 Pcs.				
15976	Integrator					
15977	Thermometer	103 Pcs.				
15978	Copying press					
15979	Small desk wooden	13 Pcs.				
15980	Book case wooden	5 Pcs.				
15981	Closet	27 Pcs.				
15982	Anemometer	7 Pcs.				
15983	Self registering thermometer	7 Pcs.				
15984	Stop watch	5 Pcs.				
15985	Drawing tool (large)	111 sets.				
15986	Drawing tool (small)	326 Sets.				
15987	T-square	204 Pcs.				
15988	Muticurves	23/Pcs. sets.				
15989	Set squares	3300 Pcs.				

Inventory No.	Name of Machine	Specifications			Remarks
15990	Drawing scale	600 Pcs.			
15991	Squares	33 Pcs.			
15992	Sliding rules	30 Pcs.			
15993	Drawing pens	80 Pcs.			
15994	Compasses	660 Pcs.			
15995	Spring compass	420 Pcs.			
15996	Adding machine	47 Pcs.			
15997	Japanese-typewriter for	28 Pcs.			
15998	Sewing machine				
15999	Transformer indoor	SKVA 60cy. PV220V. SV220-2V.			
16000	Magnet switch	3 pole 3 phase 220V. 100A.			
16001	Knife switch	250V.500A-1 250V-400A 2			
16002	Do.	250V. 100 to 150A 5 Pcs. 250V. 20 to 30A 3 Pcs.			
16003	Do.	3 pole 250V. 50-250A 7 Pcs.			
16004	Illuminator	100V. 5A. with stand			
16005	Megger	1000V. Insulation 200meg. Ohm			
16006	Piping	Dia. & length of pipe 390x2500 600x7000, 400x2400, 350x2400, 120x4000;			
16007	Heating furnace	size of heating chamber 1180x1250x1300			
16013	Ladle	capacity 0.4 ton. Dia.&height 490x600			
16014	Do.	Capacity 0.2 ton Dia. & height 390 x490			
16015	Do.	Capacity 3 ton Dia. & height 1000x970			
16016	Do.	Capacity 6 ton Dia. & height 1280x1100			
16017	Do.	Capacity 10 ton Dia. & height 1800x1650			
16018	Do.	Capacity 10 ton Dia. & height 1500x1700			
16019	Do.	Capacity 8 ton Dia. & height 1300x1300			
16020	Do.	Capacity 1 ton Dia. & height 700x730			
16021	Do.	Cap. 0.5 ton Dia. & height 650x650			
16022	Sand mixer	Cap. 200Kg Dia. of part 1600 2 pcs.			

Inventory No	Name of Machine	Specifications			Remarks
16024	Tank	Receiver cap. 3 ton L.700 W.6000 H.2000	2 Pcs.		
16032	Hand truck	Capacity 0.5 ton	11 Pcs.		
16033	Acetylen gas producer	Dia. 650 height 950			
16034	Cut off burner	Max. cutting thick 25-50	5 Pcs.		
16035	Do.	Max. cutting thick 10-100	6 Pcs.		
16036	Welding burner	L. x W. H. 1 pcs. 50 x 10 x 5			
16037	Cut off burner	3 Pcs. L. W. x H. 60 x 20 x 25			
16038	Do.	4 Pcs. L.xw. x H. 60 x 20.x45			
16039	Volume meter	One revenue 2500 Liters Town gas			
16040	Oxygen pressure gauge	With reducing valve Cupple of 200Kg/cm ² & 30Kg/cm ²	7 sets.		
16041	Pressure gauge oxygen	Do.	2 sets.		
16042	Pressure gauge AceXtylen	Cupple of 30Kg/cm ² & 3Kg/cm			
16044	Leg vice	Size of jaw 180			
16045	Anvil	Size of bed 540x140	2 Pcs.		
16046	Ingot case	Capacity 9 ton type	3 Pcs.		
16047	Do.	Capacity 6 ton type	8 Pcs.		
16048	Do.	Capacity 3 ton type	6 Pcs.		
16048	Do.	Capacity 1 ton type	3 Pcs.		
16050	Do.	0.2 ton type	80 Pcs.		
16101	Moulding box	Size 800x800x250			
16102	Do.	Size 850x850x250	17 Pcs.		
16103	Do.	Size 850x850x300	27 Pcs.		
16104	Do.	Size 900x900x300	11 Pcs.		
16105	Do.	Size 950x950x300	18 Pcs.		
16106	Do.	Size 950x950x200	9 Pcs.		
16107	Do.	Size 1000x800x220	5 Pcs.		
16108	Do.	Size 1050x800x300	8 Pcs.		
16109	Do.	Size 1050x850x300	5 Pcs.		

Inventory No.	Name of Machine	Specifications				Remarks
16110	Moulding box	Size 1050x1050x200 24 Pcs.				
16111	Do.	" 1050x1050x300 56 Pcs.				
16112	Do.	" 1100x1100x250 21 Pcs.				
16113	Do.	" 1150x1150 x200 4 Pcs.				
16114	Do.	" 1200x1150x200 3 Pcs.				
16115	Do.	" 1250x500x200 10 Pcs.				
16116	Do.	" 1250x1000x300 3 Pcs.				
16117	Do.	" 1250x1100x350 5 Pcs.				
16118	Do.	" 1250 1250x1250x200				
16119	Do.	" 1300x950x250 3 Pcs.				
16120	Do.	" 1300x1250x200 3 Pcs.				
16121	Do.	" 1500x500x250 8 Pcs.				
16122	Do.	" 1300x700x400 2 Pcs.				
16123	Do.	" 1300x900x300 6 Pcs.				
16124	Do.	" 1400x1250x400 5 Pcs.				
16125	Do.	" 1500x1500x300 2 Pcs.				
16126	Do.	" 1650x1650x250 4 Pcs.				
16127	Do.	" 1800x1250x600 3 Pcs.				
16128	Do.	" 1800x1650x250 3 Pcs.				
16129	Do.	" 1900x1600x270 8 Pcs.				
16130	Do.	" 1900x1700x500 1 Pcs.				
16131	Do.	" 2000x500x250 14 Pcs.				
16132	Do.	" 2000x1100x500 2 Pcs.				
16133	Do.	" 2050x2000x300 1 Pcs.				
16134	Do.	" 2150x1700x400 3 Pcs.				
16135	Do.	" 2200x880x400 9 Pcs.				
16136	Do.	" 2300x2000x270 14 Pcs.				
16137	Do.	Dia. 2300 height 320 2 Pcs.				

Inventory No	Name of Machine	Specifications				Remarks
16138	Moulding box	Dia. 2300 Height 240 2 Pcs.				
16139	Do.	Size 2400x2200x350 10 Pcs.				
16140	Do.	" 2400x2400x250 2 Pcs.				
16141	Do.	" 2500x1900x400 4 Pcs.				
16142	Do.	" Dia. 2500 Height 300 2 Pcs.				
16143	Do.	Dia. 2500 Height 100				
16144	Do.	Dia. 2500 Height 350				
16145	Do.	Dia. 2500 Height 700				
16146	Do.	Size 2650x1750x250 9 Pcs.				
16147	Do.	" 2700x2600x550				
16148	Do.	" 2700x2700x250				
16149	Do.	" 2850x850x150 2 Pcs.				
16150	Do.	" 3000x600x3300 7 Pcs.				
16151	Do.	" 3000x3000x350 2 Pcs.				
16152	Do.	" 3400x1050x500				
16153	Do.	" 3400x2600x250				
16154	Do.	" 3300x2200x330 5 Pcs.				
16155	Do.	" 3500x2000x400 2 Pcs.				
16156	Do.	" 3500x2600x450 2 Pcs.				
16157	Do.	" 3500x3500x800				
16158	Wood working vices	Width of jaw 300				
16159	Do.	Width of jaw 225				
16160	Do.	Width of jaw 170 10 Pcs.				
16161	Fitters bench	980x2000x750 15 Pcs.				
16162	Do.	980x2000 13 Pcs.				
16163	Surface gauge	Max. height 2 Pcs.				
16192	Transformer outdoor type	single phase 240-110V. Capacity 16KVA				
16193	Do.	Single pha. 260-110V. Capacity 16KVA				

Inventory No	Name of Machine	Specifications				Remarks
16194	Transformer outdoor type	16KVA PV 260 SV 110				
16195	Moulding box	Size 3500x3500x350				
16196	Do.	" 3600x2600x300				
16197	Do.	" 4000x2000x300				
16198	Do.	" 4000x3100x550 3 Pcs.				
16199	Do.	" 4100x3700x350 4 Pcs.				
16200	Do.	Dia. 4200 Height 350				
16201	Do.	Dia. 4200 Height 250				
16202	Do.	Dia. 4300x3400x400 6 Pcs.				
16203	Do.	Size 4300x3400x300 2 Pcs.				
16204	Do.	" 5700x2000x450 2 Pcs.				
16205	Furnace heating coal	Incomplete only frame air tank 1-4300 x 570				
16206	Smoke piping	1-840 \emptyset x 62,000				
16207	Chimney	1-840 x' 22,000				
16208	Air piping	1-250 \emptyset x 45,800				
16209	Do.	1-250 \emptyset 54,500				
16210	Do.	1-90 \emptyset x 36,000				
16211	Do.	3-120 \emptyset 19,000				
16212	Chimney	450 \emptyset x 12,000				
16213	Do.	450 \emptyset x 12,000 2 Pcs.				
16214	Hand vice	Width of jaw 150				
16215	Do.	Do.				
16216	Anvil plate	Size of working surface 550x165 21 Pcs.				
16217	Air tank	10 tons 220 \emptyset x 3750				
16218	Tool chest	Size 420x1320x920				
16219	Do.	" 420x880x945				
16220	Coal box	" 380x640x610 6 Pcs.				
16221	Water tank	" 800x1050x1700				

Code no. 22-24

Inventory No	Name of Machine	Specifications				Remarks
16222	Tool chest	Size 345x875x415x2.5				
16223	Do.	" 310x675x960x1				
16224	Tool holder	" 9100x1900x1550				
16225	Furnace heating coal	Size of chamber 550x150				
16226	Tool chest	Size 420x1320x920				
16227	Working stand wooden	2300x1930x910 6 Pcs.				
16230	Hoist hand chain block	Height of lift 5000 Lifting 2MT				
16231	Transformer outdoor	1 Ø 20KVA PV3300 SV 220,110.				
16232	Do.	PV 3450 Ø 10KVA SV 220, 110.				
16233	Oil switch	3500 100A. 3P. 2 Pcs.				
16234	Do.	3500V. 5A. 3 P.				
16235	Fusable plug	3500V. 30A. 14 Pcs.				
16236	Cable head	3300V. 3 wires 22 mm ²				
16237	Do.	3300V. 3 wires 5 Pcs. 50mm ²				
16238	Do.	3300V. 3 wires 200mm ² 3 Pcs.				
16239	Do.	3300V. 3 wires 8mm ²				
16240	Insulator	3300V. 64 Pcs.				
16241	Feed water heater	Heating surface 30m ²				
16242	Do.	Heating surface 15m ²				
16243	Do.	Do.				
16244	Do.	Heating surface 17m ²				
16245	Do.	Do.				
16251	Universal gas cutting machine	Plate thick 3-200 Speed 50-80mm/Min				
16252	Automatic gas cutting machine	1 MD 1/20Hp 60cy. 100V.				
16253	Do.	1MD AC 1/20Hp 60cy. 100V.				
16254	Do.	Do.				
16255	Acetylen gas producer	Weight 300lbs. 2 sets.				
16256	Metal test's machine X-ray type	Max. working dim. 50				

Inventory No	Name of Machine	Specifications				Remarks
16261	wooden working table	Size; 4300x1350x750 1 set.				
16262	Do.	" 1850x2300x750 3 sets.				
16263	Vice bench	" 620x350x600 1 set.				
16264	Material stand	" 5000x1800x7000 1 set.				
16265	Do.	" 2130x860x810 10 sets.				
16266	Do.	" 2130x860x810 24 sets.				
16267	Do.	" 2430x1180x880 2 sets.				
16268	Do.	Do.				
16269	Do.	Size 2000x700x1120 1 set.				
16270	Do.	" 2000x700x1400 3 sets.				
16271	Do.	" 2000x700x1400 1 set.				
16272	Do.	" 2000x750x1500 4 sets.				
16273	Do.	" 2000x750x1500 4 sets.				
16274	Do.	" 2300x3500x2500 1 set.				
16275	Do.	" 2500x3000x2500 1 set.				
16276	Do.	" 2000x1000x1500 9 sets.				
16277	Tool box	" 13000x500x1000 1 set.				
16278	Do.	" 3000x900x1500 1 set.				
16279	Do.	" 2500x600x1500 1 set.				
16280	Do.	" 1500x500x1200 1 set.				
16281	Do.	" 1000x600x1400 3 sets.				
16282	Do.	" 800x500x1000 5 sets.				
16283	Do.	" 900x600x1400 1 set.				
16284	Do.	" 700x400x1200 3 sets.				
16285	Do.	" 1000x500x1500 3 sets.				
16286	Do.	" 1400x400x900 1 set.				
16287	Do.	" 2000x400x1300 1 set.				
16288	Do.	" 2000x800x1500 1 set.				

Inventory No.	Name of Machine	Specifications			Remarks
16289	Tool box	Size; 3000x500x1600 1 set.			
16290	Do.	" 900x500x1200 2 sets.			
16291	Do.	" 1900x400x1300 1 set.			
16292	Do.	" 1500x500x1700x 1 set.			
16293	Do.	" 1100x500x1500 1 set.			
16294	Do.	" 1500x500x1200 1 set.			
16295	Do.	" 1800x1000x1900 1 set.			
16296	Do.	" 1600x1000x1900 1 set.			
16297	Do.	" 3500x1000x1900 1 set.			
16298	Do.	" 1500x800x1800 1 set.			
16299	Do.	" 2000x500x1500 2 sets.			
16300	Do.	" 900x700x1800 1 set.			
16301	Do.	" 1500x500x1500 2 sets.			
16302	Do.	" 800x600x1200 1 set.			
16303	Do.	" 1300x500x1300 5 sets.			
16304	Do.	" 800x500x1300 7 sets.			
16305	Do.	" 11200x900x1800 2 sets.			
16306	Do.	" 1000x500x1200 2 sets.			
16307	Do.	" 650x350x1200 1 set.			
16308	Do.	" 550x550x110 1 set.			
16309	Do.	" 1300x600x1500 6 sets.			
16310	Do.	" 700x500x1300 1 set.			
16311	Do.	" 600x400x1550 2 sets.			
16312	Do.	1600x800x1800 5 sets.			
16313	Do.	" 1200x700x1800 1 set.			
16314	Do.	" 1200x600x1300 1 set.			
16315	Do.	" 1600x700x1500 3 sets.			
16316	Do.	" 900x800x1900 1 set.			

Inventory No	Name of Machine	Specifications				Remarks
16317	Tool box	Size; 1400x800x1900 1 set.				
16318	Do.	" 1700x800x1900 1 set				
16319	Do.	" 2000x700x2000 1 set.				
16320	Do.	" 1000x600x1000 1 set.				
16321	Do.	" 700x600x1500 1 set.				
16322	Do.	" 900x500x1800 1 set.				
16323	Do.	" 1500x400x2000 1 set.				
16324	Do.	" 700x300x1500 1 set.				
16325	Do.	" 1300x800x800 1 set.				
16326	Do.	" 700x700x1200 1set.				
16327	Do.	" 800x400x1000 3 sets.				
16328	Do.	" 700x500x900 1 set.				
16329	Do.	" 900x650x1300 1 set.				
16330	Do.	" 850x700x1200 1 set.				
16331	Do.	" 650x400x900 1 set.				
16332	Do.	" 1600x800x1300 1 set.				
16333	Do.	" 1200x600x1500 10 sets.				
16334	Do.	" 900x600x1500 1 set.				
16335	Do.	" 1300x500x1500 1 set.				
16336	Do.	" 600x400x1200 1 set.				
16337	Do.	" 6000x500x1200 1 set.				
16338	Do.	" 4000x500x1200 1 set.				
16343	Furnace ring type	Outside dia. 850 inner dia. 550 2 sets.				
16344	Do.	Inner dia. 880 350 Outside dia. 650 2 sets.				
16345	Do.	Inner dia. 1400 Outside dia. 2000 1 set.				
16347	Circular sawing machine	Wood work'g dia. 400 capacity W.310 x T.100				
16349	Acetylen gas producer	Capacity 22.5Kg (carbide)				
16351	Acetylen gas producing tank	Capacity 0.8m ³ Carbide 4Kg 5 sets.				

Inventory No	Name of Machine	Specifications			Remarks
16352	Water tube boiler	Work'g pressure 16Kg/cm ² Capacity 2700 Kg.			
16353	Horizontal boiler	Work'g pressure 12Kg/cm ² Capacity 4000 Kg.			
16360	Microscopic camera	Magnification 1000 Orimpus PMC type			
16362	Hardness tester	Shore D type max. graduation 140			
16363	Spectrum analysis apparatus	OM - 60			
16364	Electrolysis apparatus	1-ammeter DC 3A.			
16365	Melting furnace	Electric cap. 15KVA One charge 10Kg. Max. temp 2000 °C			
16366	Electric desicator	AC 100-110V. 20A. Drying temp 260°C			
16367	Torch lamp	Dia. & height of chamber 105x105 2 Pcs.			
16382	Heater drying el'c	3KW cap. 10Kg/Hp			
16384	Material holder	Cap. 300 Length 500 Octagon size 600 9 sets.			
16385	Do.	Cap. 400 Size 500 length 700			
16386	Do.	Cap. 250 Dia. 700 Length 1000			
16387	Lever	Size 200 Length 5000			
16388	Do.	Size 350 Length 7000			
16389	Do.	Dia. 300 Length 5000			
16390	Fork	Size 270x60x5000			
16391	Transformer current indoor	1Ø 40KVA 2500V. 30/5A			
16392	Do.	1Ø 45VA 220V. 300/5A.			
16393	Do.	1Ø 50VA 2200V. 2000/5A. 3 Pcs.			
16394	Do.	1Ø 40VA 3500V. 30/5A.			
16395	Do.	1Ø 30VA 3150V. 15/5A. 2 Pcs.			
16396	Do.	1Ø 50VA 220V. 4 Pcs.			
16397	Do.	1Ø/ 50VA 1000/5A. 4 Pcs.			
16398	Do.	1Ø 25VA 600/5A. 2 Pcs.			
16399	Do.	1Ø 30VA 220V. 40/5A.			
16400	Do.	1Ø 40VA 3500V. 400/5A.			
16401	Do.	1Ø 40VA 440V. 600/5A. 3 Pcs.			

Inventory No	Name of Machine	Specifications				Remarks
16402	Transformer current indoor	1 Ø 50VA 220V. 1500/5A.				
16403	Transformer potential indoor	1Ø 100VA 3300 /110V.				
16404	Do.	1Ø 200VA 3300/ 110V.				
16405	Do.	1Ø 15VA 3300/110V.				
16406	Ammeter	AC 0-800A.				
16407	Ammeter DC	DC 0-4500A.				
16408	Voltmeter AC	AC 0-3000V. 2 Pcs.				
16409	Do.	AC 0-3000V. 2 Pcs.				
16410	Integrating watt-hour meter	L. x W. x H. 66 x 22 x 26 cm 6 Pcs.				
16411	Do.	52 x 25 x 28 4 Pcs.				
16412	Overcurrent relay induction	L. x W. x H. 29 x 12 x 18				
16413	Do.	L. x W. x H. 89 x 12 x 18 4 Pcs.				
16414	Disconnecting switch	11500V. 400A. 1 p. 2 Pcs.				
16415	Do.	11500V. 200A. 1P. 3 Pcs.				
16416	Do.	3500V. 400A. 1P. single throw				
16417	Turbin pump	Pipe dia. 75 Water quantity 9m ³ /Min				
16418	Motor siren	I.M.D. AC 10Hp 60cy. 220V. 3425rpm.				
16420	Vice	L. x W. x H. 50 x 50 x 30. 3 Pcs.				
16421	Vice tube	L. x W. x H. 130 x 150 x 300 2 Pcs.				
16422	Cable head	3300V. 3 wires 50mm ²				
16423	Do.	3300V. 3 wires 14mm ²				
16424	Insulator	3300V. 15 Pcs.				
16425	Megger	3300 V. 0-100 Megohm				
16426	Do.	500V. 0-100 Meghom				
16427	Portable volt meter	DC 0-4500V.				
16428	Do.	DC 0-150V. 2 Pcs.				
16429	Ammeter	AC 0-10A.				
16430	Do.	AC 0-20A.				

Inventory No	Name of Machine	Specifications				Remarks
16431	Watt meter	AC & DC 0-150W.				
16434	Crane girder	Length 60m. Height 3.6m Breadth 15m.				
16435	Hoist el'w	Lifting cap. 1 ton Height of lift 6700				
16436	Do.	Lifting cap. 1 ton Height of lift 6700				
16437	Do.	Do.				
16438	Blower	Deliv'y Vol. 40m ³ /Min Pressure 50 650rpm.				
16439	AC motor	20Hp 3 Pha. 60cy. 220V. 1650rpm.				
16440	Motor AC induction	Do.				
16441	Do.	20Hp 3 Pha. 220V. 1650rpm.				
16442	Motor DC Series	15Hp 90-110V. 350rpm.				
16443	Motor DC Series	1.5Hp 90-110V. 350rpm.				
16444	Do.	Do.				
16445	Auto high frequency generator	In put 12KW PV 200 SV 80 32Pcs.				
16446	Filter	3 stage 100Mesh				
16448	Plat form scale	Cap. 1 ton Sensibility 500Gr.				
16449	Do.	Cap. 1/2 ton Sensibility 200Gr.				
16450	Do.	Cap. 1 ton Sensibility 500Gr.				
16451	Do.	Cap. 1.5 ton Sensibility 500Gr.				
16452	Do.	Cap. 1 ton Sensibility 500Gr.				
16455	Do.	Cap. 2 ton Sensibility 1 Kg.				
16456	Vice	Width of jaw 125 Open 130 23 Pcs.				
16457	Leg vice	Width of jaw 125 Open 125 8 Pcs.				
16458	Screw clamps	Open 350 7 Pcs.				
16459	Do.	Open 160 9 Pcs.				
16461	Ammeter portable	DC 0-10A.				
16468	Amplifier	3 Stage				
16469	Do.	4 stage				
16471	Ultra short wave single generator	120MC - 220MC				

Inventory No.	Name of Machine	Specifications				Remarks
16472	Transformer portable current	15VA PA 5-1200A. SA 5A.				
16473	Volt meter portable	AC 0-300mv.				
16474	Portable Ammeter	AC 0-150ma.				
16475	Rheostat variable	2.9 Ohm Notch 7- 3 Pcs.				
16476	Do.	1,220 Ohm Notch 15				
16477	Insulator	3300V. 8 Pcs.				
16478 16496	Air hose rubber	Size 3/4" x 15M 10 Pcs.				
16498	Air hose rubber	Size 3/4" x 20M. 30 Pcs.				
16499	Do.	Size 1/2" x 20M. 155 Pcs.				
16500	Do.	Size 1/2" x 2M. 13 Pcs.				
16501	Vice bench box	Widht of jaw 130 stroke 200				
16503	Motor AC induction	15Hp 60cy. 200V. 850rpm.				
16504	Do.	10Hp 60cy. 220V. 850rpm.				
16505	Do.	3Hp 50cy. 220V. 920rpm.				
16506	Do.	5Hp 60cy. 220V. 1155rpm.				
16507	Do.	5Hp 60cy. 220V. 810rpm.				
16508	Do.	10Hp 60cy. 220V. 850rpm.				
16509	Do.	15Hp 60cy. 220V. 865rpm.				
16510	Do.	15Hp 60cy. 220V. 850rpm.				
16511	Do.	15Hp 60cy. 220V. 850rpm.				
16512	Do.	Do.				
16513	Do.	10Hp. 50cy. 220V. 750rpm.				
16514	Do.	10Hp 50cy. 220V. 250rpm				
16515	Do.	10Hp 60cy. 220V. 900rpm.				
16516	Do.	10Hp. 60cy. 220V. 810rpm.				
16517	Do.	10Hp. 50cy. 220V. 850rpm.				
16518	Do.	10Hp. 50cy. 220V. 900rpm.				
16519	Do.	10Hp. 60cy. 220V. 750rpm.				

Inventory No	Name of Machine	Specifications				Remarks
16520	Motor AC induction	10Hp 50cy. 220V. 850rpm.				
16521	Do.	3Hp. 50cy. 3Pha. 220V. 920rpm.				
16522	Do.	10Hp. 60cy. 220V. 750rpm.				
16523	Do.	10Hp. 60cy. 220V. 685rpm.				
16524	Do.	15Hp. 60cy. 220V. 690rpm.				
16525	Do.	10Hp. 60cy. 220V. 900rpm.				
16526	Do.	10Hp. 60cy. 220V. 850rpm.				
16527	Do.	2Hp 60cy. 3Pha. 220V. 1,115rpm.				
16528	Do.	2.4Hp 60cy. 3 Pha. 220V. 1200rpm.				
16529	Do.	2.4Hp 60cy. 3 Pha. 220V. 1000rpm.				
16530	Motor DC shunt	2Hp 3Pha. 220V. 920rpm.				
16531	Do.	3Hp 220V. 920rpm.				
16532	Motor AC induction	2Hp 500cy. 3Pha. 200V. 9000rpm.				
16533	Do.	2Hp 60cy. 3 Pha. 220V. 1080rpm.				
16534	Motor DC shunt	3Hp 200V. 1500rpm.				
16535	Do.	3Hp 100V. 500rpm.				
16536	Do.	4Hp 220V. 900rpm.				
16537	Do.	10Hp 200V. 650rpm.				
16538	Do.	35Hp 220V. 500rpm.				
16539	Motor AC induction	5Hp 50cy. 200V. 1150rpm.				
16540	Do.	3Hp 60cy. 220V. 1150rpm.				
16541	Do.	3Hp 60cy. 220V. 1690rpm.				
16542	Do.	1/2Hp 60cy. 220V. 1700rpm.				
16543	Do.	1Hp 60cy. 220V. 1710rpm.				
16544	Motor AC induction	1/2Hp 60cy. 220V. 110rpm.				
16545	Do.	1Hp 60cy. 220V. 1720rpm.				
16546	Do.	1/8Hp 60cy. 220V. 2700rpm.				
16547	Do.	3Hp 60cy. 220V. 1150rpm.				

Inventory No	Name of Machine	Specifications	Remarks
16548	motor a.c. induction	1/2 hp 60 c. 220v. 3400 rpm	
16549	bl. printing machine	printing cap. 75 m/hr max. w. 1100	
16550	chem. paint. mach.	paint. cap. 15cm/hr max. w. 1100	
16551	Paper cut. mach.	cutting w. 1000	
16552	paper bind. mach.	binding th. 26 mm	
16553	Paper punch. ma.	th. 10 mm	
16554	vice parallel	w. jaw ; 125 mm	
16555	do	do	
16556	do	w. of jaw 150	
16557	tl. holder	const'n angle: 50x50x6) x 1780 -6 do angle(50x50x6) x 810 -4	
16558	Tl. chest	49 x 62 x 138 16 pos.	
16559	Tl. holder	78x234x180 x 25 pos.	
16560	port. plat. scale	cap. 1000 kgs	
16561	do	cap. 500 kgs	
16562	air accumulator	prs. 200kg/cm ² l. wt. bottle cap. 405 L	
16563	wt. tank	2450 x 1100 x 700	
16564	pump	1hp 60 c. 220v. a.c. 1700 rpm	
16565	vert. transformer	lokva pv 3300 sv 110v.	
16566	outdoor chimney	ph concrete dia. 18 m ht. 25 m	
16567	tl. holder	sz. 640 x 1030 x 1830	
16568	do	615 x 1220 x 1320	
16569	do	560 x 1890 x 1150	
16570	do	480 x 1290 x 1200	
16571	do	900 x 1860 x 1560	
16572	Tl. Holder	900x 1860-x 1560 mm	
16573	work. table	stl. 125 x 186 x 156	
16574	work. stand	1200 x 2550 x 2850	
16575	anvil	sz. sur. 600 x 180 5 pos.	

Inventory No	Name of Machine	Specifications	Remarks
16576	anvil	sz. of work. sur. 600 x 160	
16577	vice	sz. 125 mm	
16882	v. blocks	ht. 4" / 8"	
16883	do	prs. ht. 2p pcs. 1" - 1.3/8" 2o pcs.	
16884	do	Ht. 8" 5 pcs.	
16885	angles rests	28 pcs. sz. 3"/4"/7" x 8" cap. 10 tons	
16886	lift jacks	2 pcs.	
16887	lathe dob	chuck. cap. 15-80 193 pcs	
16888	do	chuck. cap. 15/90 34 pcs.	
16889	spring wind. tools	max. dia. 1/32" 2 pcs Morse taper	
16890	drill sleeve	no. 1/4 78 pcs.	
16891	drill socket	morse taper no. 1/8 144 pcs.	
16892	arbors	morse taper no. 1 dia. 1.7/14 16 pcs.	
16893	do	Morse taper No. 2 dia. 10/19 45 pcs.	
16894	do	Morse taper No. 3 Dia. 16/31 13 pcs.	
16895	do	Morse taper No. 4 dia. 24/43 9p cs.	
16896	die hd.	sz. 3/16" - 1" 4 pcs.	
16897	do	sz. 3/16" - 1" 3 pcs.	
16898	chaser holder	dia. 3/4" 2o pcs.	
16899	lathe chuck	dia. 200/250 8 pcs	
16900	do	dia. 120/250 10 pcs.	
16901	tapping attachment	for drilling ma., dia. of chuck 1/2"/1" 4 pcs.	
16902	drill chucks	chucking cap. 5/13.5 7 pcs.	
16903	do	chucking cap. 1.5/13.5 pcs(13)	
16904	inside calipers	leng. 100/160 163 pcs.	
16905	do	leng. 200 24 pcs.	
16906	outside calipers	leng. 200/250 55 pcs.	
16910	do	leng. 100/150 232 pcs.	

Inventory No	Name of Machine	Specifications			Remarks
16911	outside calipers	length 200/300 30 pcs.			
16912	compasses	leng. 150/250 54 pcs.			
16913	do	Leng. 100/150 91 pcs.			
16914	do	Leng. 130/300 35 pcs.			
16915	spring compass	leng. 100/150 leng. 130/200 8 pcs.			
16916	do	18 pcs.			
16917	letter punches	sz. 2/20 49 pcs			
16918	do	sz. 1.5/10 9 pcs.			
16919	fig. punches	sz. 1.5/10 56 pcs.			
16920	do	sz. 1.5/10 8 pcs.			
16921	sq.	ht. 100/150 43 pcs.			
16922	do	Ht. 200/400 106 pcs.			
16923	do	Ht. 100/400			
16924	Hand tachometre	Meas't range 0/99.999 rpm Spd. Meas't range 0/5000 rpm 88 pcs 100/4000 R.P.M.			
16926	indicator	0/5000 rpm 4 pcs.			
16927	Taper gauge	Morse taper, No. 1/5 5 pcs.			
16928	do	No. 4 / 9 7 pcs.			
16929	Stop watch	Accuracy 1/100 5 pcs.			
16930	Improved levels	leng. 6/12" 4 pcs.			
16931	Iron level	length 6"			
16932	Wood level	Length 14"			
16937	Ultra optometre	38 x 31 x 50			
16938	Transit	magnification 30			
16940	straight edge	Leng. 500/1000 8 pcs.			
16941	do	Leng. 1500			
16942	level	sensitivity Hor'l /1/10" Long. 1/45"			
16947	outside micrometre	Measur't range 25/300 34 pcs.			
16925	Med. sz. counters	Measur't range 0/99.999 rpm 228)			

Inventory No	Name of Machine	Specifications	Remarks
16957	depth gauge	Measure't range 0/150 sensibility 1/10	
16958	depth angle gauge	Measur't angle 30° 45° 60° mesasur't range 0/150 10 pcs.	
16961	Universal sur. gg.	Ht. 200/400 38 pcs.	
16962	do	Ht. 200 /300 21 pcs.	
16963	sur. gg	Ht. 300 /450 12 pcs.	
16964	do	ht. 150 /450	
16965	stl. rule	scale 150 -1000 123 pcs.	
16969	do	scale 150 /2000 ϕ 283 pcs.	
16971	inside caliper	leng. 200 24 pcs.	
16972	inside caliper	leng. 100/150	
16973	do	leng. 200/900 41 pcs.	
16974	outside caliper	leng. 100/150	
16987	Inside calipers	leng. 150 /500 129 pcs. 146 pcs.	
16988	do	leng. 100/900 356 pcs.	
16989	outside cal.	leng. 150 143 pcs.	
16990	do	leng. 100/150 431 pcs.	
16991	mac/h. hammer	wt. 1 lb. 38 pcs.	
16992	do	wt. 1 lb. 38 pcs.	
16993	sledge hammer	wt. 6 $\frac{1}{2}$ lbs 20 pcs	
16994	tap wrench	dia. of tap 4/45 179 pcs.	
16995	spanner dbl. head	sz. of span 17x15/45x 42 111 pcs.	
16996	single hd.	sz. of span 9/120 99 pcs.	
16997	screw clamps	working sz. 45/220 58 pcs.	
16998	scraper	leng. 200/500 2420 pcs.	
16999	chisel	leng. 160/210 2495 pcs.	
17000	punches	leng. 105 1000 pcs.	
17001	tap wrench	dia. of tap 4/17 63 pcs.	
17002	sq. die stock	dia. of tap 14/80 48 pcs.	

Inventory No	Name of Machine	Specifications			Remarks
17003	double hd. wrench	span; 18 x 16/52x43	43 pcs.		
17004	single hd. Vrench	span; 18/65 16 pcs.			
17005	screw clamp	work. sz. 50/220 24 pcs.			
17006	cutting pliers	leng. 8" 50 pcs			
17007	do	leng. 6/8" 27 pcs.			
17008	do	leng. 6" 23 pcs.			
17009	nose plier	leng. 6" 25 pcs.			
17010	breast drill	drill. cap. 0/8 3 pcs.			
17011	hack saw frame	sz. 8/12" 16 pcs.			
17012	mach. hammer	wt. 0.5kg/1kg 56 pcs.			
17013	do	wt. 0.5/3.5 kg 69 pcs.			
17014	pipe wrench	max. cap. 1/2" 9 pcs			
17015	chisel flat	sz. 3/8" / 1" 10 pcs.			
17016	axes	wid. of edge 190 2 pcs.			
17017	metal scissors	leng. 250/300 11 pcs.			
17018	nail puller	leng. 460 4 pcs.			
17019	ratchet brace	sz. 8/20" 4 pcs.			
17020	chain wrench	cap. 3/4" 5 pcs.			
17021	pipe cutter	cap. 2/3" 3 pcs.			
17022	hand vice	leng. 5" 10 pcs.			
17023	stl. screw wrench	leng. 10" 16 pcs			
17024	do	leng. 10" 9 pcs			
17025	chisel crs. cut	leng. 210 600 pcs.			
17026	mach. chisel	leng. 175 130 pcs.			
17027	punches	leng. 85/105 200 pcs.			
17028	involute cutter	dia. pitch 3/50 289 pcs.			
17029	angular cutter	angle 45 o/90 o 195 pcs.			
17030	do	angle 45 o / 80 o 195 pcs			

Code no. 22 —

Inventory No.	Name of Machine	Specifications			Remarks
17031	Palin mill.cutter	dia. 40/80 86 pcs.			
17032	convex cutter	dia. 45/100 157 pcs.			
17033	t slot cutter	dia. 45/65 82 pcs.			
17034	bolt clipper	cap. o/ 5/8" 4 pcs.			
17035	chisel flat	leng. 180 200 pcs.			
17036	bit	sz. 5/8" 40 pcs.			
17037	do	sz. 1/16" 200 pcs.			
17038	do	sz. 3/4" 100-pcs.			
17039	do	sz. 7/8" 28 pcs.			
17040	do	sz. 15/16" 100 pcs.			
17041	do	sz. 1 " 68 pcs.			
17042	do	sz. 1. 3/8" 7 pcs.			
17043	screw fin. bit	no. of pitch 32-5 231 pcs			
17044	do	# of pitch 40/4 229 pcs.			
17045	flat files	leng. 4/16" 1838 pcs.			
17046	rd. files	leng. 4/16" 417 pcs.			
17047	half rd. files	leng. 6/16" 538 pcs.			
17048	sq. files	leng. 6/16" 2284 pcs.			
17049	triangle file	leng. 6/16" 369 pcs.			
17050	grind. stone	dia. 75/358 431 pcs.			
17051	torch lamp	cap. 1/2 L 13 pcs.			
17052	scoops	leng. 1000 11 pcs.			
17053	el. soldering	cap. 100/400w 10 pcs.			
17054	iron planer	max. ht. 1 1/2" 5 pcs.			
17055	screw jacks	max. ht. 45/250 20 pcs.			
17056	scraper	leng. 200/500			
17057	side mill. cutter	dia. 70/153 114 pcs.			
17058	do	dia. 50/205 503 pcs.			

Inventory No	Name of Machine	Specifications	Remarks
17059	metal slotting saw	dia. 60/203 1306 pcs.	
17060	do	dia. 55/203 196 pcs.	
17061	end mill cutter	dia. 5/381 492 pcs	
17062	do	dia. 5/38.1 131 pcs.	
17063	do	dia. 6/51 217 pcs	
17064	do	dia. 5/36 134 pcs.	
17065	hand reamers	dia. 25/36 443 pcs.	
17066	do	dia. 3.5 /25 114 pcs.	
17067	straight shank drill	dia. 0.5/6.74 2554 pcs.	
17068	do	dia. 6.8 /15 978 pcs.	
17069	do	dia. 1/12.5 284 pcs.	
17070	do	dia 1/5 976 pcs.	
17071	hand tap	dia. 55 /14 981 pcs.	
17072	do	dia. 1/30 351 pcs.	
17073	do	dia. 1/16" - 1 1/2" 977 pcs	
17074	do	dia. 1/32 302 pcs. too old	
17075	taper shank/drill	dia. 6/155 1359 pcs	
17076	do	dia. 15.87/26.9 807 pcs.	
17077	do	dia. 27/55 133 pcs.	
17078	do	HSS 581 pcs.	
17079	chaser	sz. of mach., 1/2" dia. 3/12 210 pcs.	
17080	do	sz. machine 1/2" dia. 1/3" - 1/2" 122 pcs	
17081	do	sz. of ma., 3/4" dia. 3/8" /1" 119 pcs.	
17082	do	sz. of ma., 1" dia. 5/16" /1" 41 pcs	
17083	adjustable dies	dia. 1/32" /1 1/4" 186 pcs	
17084	do	dia. 1/20 541 pcs.	
17085	chucking reamer	dia. 3./50 215 pcs.	
17086	mach. tap	dia. 3/8" / 1.1" 373 pcs.	

Inventory No	Name of Machine	Specifications	Remarks
17087	adjustable dies	dia. 3/8" / 1" 95 pcs.	
17088	bites	sz. 3/8" / 3/4" 1301 pcs.	
17089	do	sz. 3/8" / 1" 554 pcs.	
17090	do	sz. 1/2" / 1" 242 pcs.	
17091	do	sz. 3/8" 231 pcs.	
17092	do	sz. 1/2" 20 pcs.	
17093	arbors morse		
17094	arbors morse taper #1	dia. 5/14 15 p. dia. 10/21 25 p.	
17095	Do. #3	dia. 13/23 27 pcs.	
17096	Do. #4	dia. 27/47 31 pcs.	
17097	die. hd.	sz. 3/16" / 1/2" 4 pcs.	
17098	chaser holder tapping attachment	sz. 3/4" 25 pcs.	
17099	V block	dia. of chuck 1/2" ~ 3/4" 4 pcs.	
17100	box type	ht. 4/8" 79 pcs.	
17102	V block precise angle rest	ht. 1/1.3/8" 116 pcs.	
17103	bench vice	sz. 3"x4"x7" x8" 50 p.	
17104	do	wid. of jaw 4" 3 pcs.	
17105	do	wid. of jaw 5" 219 pcs.	
17106	do	wid. of jaw 6" 145 p.	
17107	auto's record. humidity metre	4 pcs.	
17108	Prs. g'ge air	scale 2kg/cm2/600kg/cm2 237 pcs.	
17109	do	do 18 pcs.	
17110	do	measur'g range 7/50 520 pcs.	
17111	do	measur'g range 1' / 100 162 pcs.	
17112	ring gauges	Measur'g range 3 0 776 pcs.	
17113	plug gauge	measur'g range 50/100	
17114	thread gauges	measur'g range 17.46/95 139 pcs.	
17115	adjustable snap gauge	measur'g range 50/100 89 pcs.	

Inventory No.	Name of Machine	Specifications				Remarks
17116	ring gauge	measur'g range 4/50 251 pcs				
17117	do	199 p.				
17118	thread gauge	" " 50.8/80 196 pcs.				
17119	do	" " 101.8/150 38 pcs				
17120	do	" " 12.7/95 59 pcs.				
17121	plug gauge	" " 52/151 153 pcs.				
17122	do	" " 80/100 25 pcs.				
17123	thread gauge	" " 152/200 24 pcs.				
17124	universal sur. gauge	ht. 200/450 9 pcs.				
17125	sur. gauge	ht. 100/1300 89 pcs.				
17126	straight edge	measur'g range 50/1000φ 5 pcs.				
17127	inclination metre	scale 0/100 deg. 3 pcs.				
17128	prs. indicator	ind. prs. 70 kgs				
17129	inclination level	scale 0/100 deg.				
17130	inside micrometre	measur'g sz. 63/900 14 pcs.				
17131	outside micrometre	measur'g sz. 0/300 23 pcs.				
17134	analysis balance	cap. 1 kg. sensibility 200g 2 p.				
17135	thickness gauge	measuring sz. 1/100 3 27 pcs.				
17136	radius gauge	radius 0.75/ .55 31 pcs.				
17137	radius gauge	radius 0.26/ 48 15 pcs.				
17138	bite gauge	measur'g angle 50/60/90 deg. 250 pcs.				
17139	Gr. tooth verniers	measur'g sz. 1/100 2 pcs.				
17140	vernier caliper	measur'g sz. 0/1000φ 76 pcs.				
17141	depth gg.	measur'g sz. 0/50 accuracy 1/10 23 pcs.				
17142	depth angle gauge	30 deg. 45 deg. 60 d. 11 pcs.				
17143	protractor	Leng. 180 9 pcs.				
17144	vernier ht. gauge	measur'g sz. 460				
17145	humidity metre	0.1 /100 deg. 50 pcs.				

Inventory No.	Name of Machine	Specifications				Remarks
17146	auto. record. thermometer	measur'g range 0/100 deg. 4pcs				
17147	wood work. drill	drill. cap. 10/28 9 pcs.				
17148	wood work. "	drill. cap. 16/52 16p				
17149	taper shank drill	25/10 412 pcs.				
17150	do	102/15 1068 pcs.				
17151	do	15.5-20 809 pcs.				
17152	do	20.5/ 25 549 pcs.				
17153	do	25.4/31.75 250pcs.				
17154	do	dia. 6/32 455 p.				
17155	hand reamer	dia. 3/50.8 207 p				
17156	do	dia. 2.5/5 161 pcs.				
17157	do	dia. 5.5/10 362 pcs.				
17158	do	dia. 10.3/15 142 p				
17159	do	dia. 15.08/20 127 pcs.				
17160	do	dia. 20.5/25 85 pcs.				
17161	do	dia. 25.4/30 39 pcs.				
17162	do	dia. 31/35 19 pcs.				
17163	do	dia. 38/50.79 8 pcs.				
17164	machine tap	dia. 15.8/101.6 163p				
17165	chaser	sz. of mach. 1/2" dia. 3/8"-9/16" 40 pcs.				
17166	do	sz. of mach. 1/2" dia. 5/16"-3/16" 45 pcs.				
17167	do	sz. of mach., 1" dia. 5/16" -1 30 pcs.				
17168	do	sz. of ma., 1 1/2" dia. 3/8-1 1/4" 20 pcs.				
17169	round dies	sz. 14/18 136 pcs.				
17170	adjustable dies	dia. of cutting 1/16"-1" 532 pcs.				
17171	file flat	sz. 4/16" 485 pcs.				
17172	file rd.	sz. 4/16" 627 pcs.				
17173	file half-rd.	sz. 4/14" 125 pcs.				

Inventory No	Name of Machine	Specifications			Remarks
17174	sq. file	sz. 4/16" 180 pcs.			
17175	Triangular file	4/16" 260 pcs.			
17176	grind. whl. straight	dia. 75/150 361 pcs.			
17177	grind. whl. arumudum straight	dia. 153/203 467 pcs.			
17178	do	dia. 254/304; 109 pcs			
17179	do	dia. 354/610 ; 101 pcs.			
17180	do	dia. 175/304			
17181	grind. whl. arumudum flaring	dia. 66/180 219 pcs.			
17182	grind. whl. dish	dish dia. 126/254 251 pcs.			
17183	do	dia. 200 10 pcs.			
17184	boring bite finishing	sz. of sq. 1/2" 975 pcs.			
17185	cut-off bite	sz. of sq. 1/2" 94 pcs.			
17186	roughing bite	sz. of sq. 1/2" 683 pcs.			
17187	do	sz. of sq. 1/2" 348 pcs.			
17188	do	sz. of sq. 1/2" 110 pcs. fin. sz./sq. 5/8"			
17189	boring bite	1879 pcs.			
17190	roughing bite	sz. of sq. 5/8" 297 pcs.			
17191	cutting bite	sz. of sq. 5/8" 23 pcs.			
17192	roughing rd. tip. bite	sz. of sq. 5/8" 177 pcs.			
17193	screw threading bite	sz. of sq. 5/8" 35 pcs.			
17194	boring bite	sz. of sq. 1/2" 1457 pcs.			
17195	spring bite	sz. of sq. 1/2" 1457 pcs.			
17196	cut-off bite	sz. of sq. 1/2" 480 pcs.			
17197	roughing bite	sz. of sq. 1/2" 124 pcs.			
17198	do	sz. of sq. 1/2" 108 pcs.			
17199	do	sz. of sq. 1/2" 622 pcs.			
17200	do	sz. of sq. 1/2" 102 pcs.			
17201	roughing rd. tip; bite	sz. of sq. 1/2" 76 pcs.			

Inventory No.	Name of Machine	Specifications			Remarks
17202	screw threading bite	sz. of sq. 1/2" 783 pcs.			
17203	boring vite finishing	sz. of sq. 7/8" 225 pcs.			
17204	roughing bite	sz. of sq. 7/8" 36 pcs.			
17205	do	sz. of sq. 7/8" 186 pcs.			
17206	boring bite	sz. of sq. 1 1/2" 1510 pcs.			
17207	spring bite	sz. of sq. 1" 510 pcs.			
17208	roughing bite	sz. of sq. 226 pcs.			
17209	right roughing bite	sz. of sq. 1" 170 pcs.			
17210	Left rough. bite	sz. of sq. 464 pcs.			
17211	roughing bite	sz. of sq. 34 pcs.			
17212	screw threading	sz. of sq. 1" 59 pcs.			
17213	left side cutting bite	sz. of sq. 132 pcs.			
17214	left roughing bite	sz. of sq. 1" 417 pcs.			
17215	spring bite	sz. of sq. 1 1/2" 85 pcs.			
17216	left side cut. bite	sz. of sq. 1 1/2" 12 pcs.			
17217	spring bite	carbon stl. sz. of sq. 1/2" 156 pcs.			
17218	do	sz. of sq. 1" 154 pcs.			
17219	boring bite finish.	sz. of sq. 1/2" 333 pcs.			
17220	boring bite finishing	sz. of sq. 5/8" 156 pcs.			
17221	right roughing bite	sz. of sq. 5/8" 107 pcs.			
17222	screw threading bite	sz. of sq. 58 pcs.			
17223	boring bite finish'g	sz. of sq. 3/4" 136 pcs.			
17224	cutting off bite	carbon stl. sz. of sq. 1/2" 812 pcs.			
17225	boring bite	sz. of sq. 1" 683 pcs.			
17226	screw thread. bite	sz. of sq. 1/2" 276 pcs.			
17227	boring bite finish.	sz. of sq. 1" 131 pcs.			
17228	cut off bite	sz. of sq. 85 pcs.			
17229	roughing bite	sz. of sq. 3/4" 100 pcs.			

Inventory No.	Name of Machine	Specifications			Remarks
17230	left roughing bite	sz. of sq. $\frac{1}{2}$ " 90 pcs.			
17231	roughing bite	sz. of sq. 1" 40 pcs.			
17232	left roughing bite	sz. of sq. 1" 110 pcs.			
17233	Bellow torch	cap. $\frac{1}{2}$ " 25 pcs.			
17234	Gas safety valve	15 pcs.			
17235	El'c soldering iron	200W cap. 100v. 10 pcs.			
17236	shovels	leng. 1000 26 pcs.			
17239	sq. edge	Ht. 50/150 56 pcs.			
17240	do	Ht. 180/500 58 pcs			
17241	steel rules	graduation 300/2000 41 pcs.			
17242	sur. gauge	height 150/500 58 pcs.			
17243	straight edge	Leng. 500/2000 12 pcs.			
17244	tap wrench	sz. of tap 3/30 sz. of tap 1/16 48 pcs.			
17245	do	7 pcs.			
17246	sq. die stock	sz. 9/80 60 pcs.			
17247	letter punch	sz. 2/5 english 25 pcs(sets)			
17248	do	sz. 1.5/6 Eng. 32 pcs. sets			
17249	Fig. punch	sz. 1/10 130 sets			
17250	do	sz. 2/10 17 sets			
17251	calipers inside	Leng. 150/900 44 pcs.			
17252	caliper outside	leng. 120/900 59 pcs.			
17253	Compass	Leng. 100/180 24 pcs.			
17254	spanners	sz. of span 14/531 15 pcs.			
17255	do	sz. of span: 9/40 49 pcs.			
17256	mach., chisel	leng. 210 270 pcs.			
17257	do	leng. 210 120 pcs.			
17258	flat chisel	leng. 180 256 pcs.			
17259	hand chisel	leng. 135 274 pcs.			

Inventory No.	Name of Machine	Specifications	Remarks
17260	hand chisel	leng. 180 585 pcs.	
17261	do	leng. 135 60 pcs.	
17262	mach. chisel	for caulking 258 pcs.	
17263	do	leng. 270 for caulking 127 pcs.	
17264	wooden hammer	wt. 1.5 lbs. 39 pcs.	
17265	do	wt. 1/1 lb. 96 pcs.	
17266	tap wrench	sz. of tap 1/16" - 1" 7 pcs.	
17267	ratchet braces	sz. of sweep 7" 4 pcs.	
17268	hack saw frame	leng. of bld. 10/12" 10 pcs.	
17269	mach. hammer	wt. 1/2 lbs 121 pcs.	
17270	sledge hammer	wt. 7 lbs 4 pcs.	
17271	screw wrench	leng. 14" 7 pcs.	
17272	pipe wrench	leng. 33/40 2 pcs.	
17273	scrapers	leng. 500 231 pcs.	
17274	screw clamp	wid. of jaw 50/200 82 pcs.	
17275	scrapers	leng. 500 100 pcs.	
17276	drill socket	# of morse taper # 1/2 14 pcs.	
17277	do	# of morse taper # 2/4 29 pcs.	
17278	taper twist drill	dia. 6/44.5 460 pcs.	
17279	hand tap	dia. 14/30 359 pcs.	
17280	do	dia. 1/16" - 1.7/8" 339 pcs.	
17281	do	dia. 1.5/40 292 pcs.	
17282	do	dia. 1/16" - 1.2/8" 189 pcs.	
17283	hand reamer	dia. 25/28.5 279 pcs.	
17284	rd. dies	dia. of cutting 1.7/10 104 pcs.	
17285	do	dia. of cutting 1/8" - 1 1/2" 76 pcs.	
17286	do	dia. of cutting 2/24.6 87 pcs.	
17287	do	dia. of cutting 1/16" - 1.1/8" 81 pcs. (339)	

Inventory No.	Name of Machine	Specifications	Remarks
17288	grind. whl.	dia. 60/304 993 pcs.	
17289	bellow torch	cap. 1/2 L 10 pcs.	
17290	scoops	leng. 1000 7 pcs.	
17291	el. soldering iron	cap. 200w. -400w. 3 pcs	
17292	gas torch	leng. 600 19 pcs.	
17293	do	leng. 500 8 pcs.	
17294	die head	dia. of hd. 100; leng. of hd. 190	
17295	do	dia. of hd. 45 leng. of hd. 90	
17296	press. gauge air	scale 100kg/cm ² 14 pcs.	
17297	do	scale 60 kg/cm ² 46 pcs	
17298	prs. gauge air	scale 35/50 kg/cm ² 12 pcs.	
17299	do	scale 20 kg/cm ² 94 pcs.	
17300	do	scale 6 kg/cm ² 102 pcs.	
17301	do	scale 3/550 kg/cm ² 14 pcs.	
17302	do	scale 4/200 kg/cm ²	
17303	do	scale 3/200 kg/cm ² 22 pcs	
17304	prs. gauge steam	scale 35/220kg/cm ² 161 pcs.	
17305	do	scale 30 /400 kg/cm ² 112 pcs.	
17306	prs. gauge water	scale 30/400 kg/cm ² 32 pcs	
17307	prs. gauge air	scale 2/25 kg/cm ² 11 pcs.	
17308	prs. gauge water	scale 50kg/cm ² 60 pcs.	
17309	do	scale 60/500 kg/cm ² 156 pcs.	
17310	prs. gauge air	scale 6 kg/cm ² 10 pcs.	
17311	do	scale 0/35 kg/cm ² 1275 pcs.	
17312	do	scale 0/60 kg/cm ² 86 pcs.	
17313	do	scale 0/250 kg/cm ² 40 pcs	
17314	vernier cal'er	leng. 150 5 pcs.	
17315	do	scale 600/150 286 pcs.	

Inventory No	Name of Machine	Specifications	Remarks
17317	Hydrometre	scale 0/130 0_{30} pcs.	
17318	protractor	50 x 30 x 20 60 pcs.	
17319	wooden hammer	40 x 130 375 pcs.	
17320	cutting pliers	leng. 8" 800 pcs.	
17321	shealing pliers	leng. 36/90 35 pcs.	
17322	screw drivers	leng. 20" 10 pcs.	
17323	inside calipers	leng. 1.5/9" 40 pcs.	
17324	out/side caliper	leng. 6.5" 8 pcs.	
17325	compasses	leng. 6" 90 pcs.	
17326	combination pliers	leng. 6" 510 pcs.	
17327	spanners dbl. head	dia. of bolt 33 & 20/ 45 & 50 519 pcs.	
17328	box wrench	sz. of span; 40/50 258 pcs.	
17329	plane's use for carpenter	wid. of cutting edge 5/57 671 pcs.	
17330	chisel for carpenter	wid. of knife edge 9/22 122 pcs.	
17331	rat jet use for carpenter	leng. of edge 210 7 pcs.	
17332	mach. hammer	wt. 0.7 kg 100 pcs	
17333	wd. hammer,	wt. 200 gr 200 pcs.	
17334	compass	leng. of leg. 6" x 8" 417 pcs.	
17335	cutting pliers	sz. 3/4" 515 pcs.	
17336	cutting nippers	leng. 5" 3 pcs.	
17337	pliers	sz. 5" 300 pcs.	
17338	nail pullers	30 x 20 x 10 17 pcs.	
17339	cam wrenches	sz. 11" - 13" 99 pcs.	
17340	wire scissors	90 x 50 x 5 2 pcs.	
17341	hack saw	leng. 270" ¹⁸⁰ 180 " 2 pcs.	
17342	ring augers	sz. 25 dia 8 dia. 130 pcs.	
17343	calipers outside	leng. of leg; 5 1/4" 35 pcs.	
17344	caliper inside	leng. of leg. 9 - 4 1/2" 35 pcs.	

Inventory No	Name of Machine	Specifications	Remarks
17345	auto. driver	50 x 30 x 20 12 pcs.	
17346	screw drivers	leng. bld. 130 5 pcs.	
17347	screw clamps	70 strk. 8 pcs.	
17348	hand vice	strk. 33 pcs. 150	
17349	pyramid gimlets	40 x 20 x 10 174 pcs.	
17350	triangular gimlets	40 x 30 x 15 45 pcs.	
17351	adjustable plough plane	w. of edge 0.55 cm 17 pcs.	
17352	common plough planes	w. of edge 18 27 pcs.	
17353	inward rd. planes	w. of edge 15 pcs.	
17354	outside rd. planes	w. of edge 18	
17355	fin. bite	leng. 7.5 Ht. 0.9 w. 0.9	
17356	machine reamers	dia. 6/42 239 pcs.	
17357	mach. tap	dia. 3/16" / 1/4" 191 pcs. dia. 4/9 1121 pcs.	
17358	twist drill	Dia. 15.5/20 606 pcs. " 25.5/38 " 20.5/25 227 pcs.	
17359	taper shank Hack saw blades	Leng. of saw 18" x 18" 198 pcs.	
17360	do	leng. of saw 8" 1490 pcs.	
17361	pipe cutter	dia. of saw 30 104 pcs.	
17362	metal slitting saw	dia. of saw 100 9 pcs.	
17363	whet stone	200 x 80 x 60 342 pcs.	
17364	Round files	leng. 350/200 478 pcs.	
17365	plane file	leng. 250/200 160 pcs.	
17366	half rd. file	leng. 250 170 pcs.	
17367	Fin. bite	l. x ht. 3/8" x 3/8" 2000 pcs.	
17368	file feather	leng. 5" 246 pcs.	
17369	do	leng. 4" 205 pcs.	
17370	taper shank twist drill	dia. 6/15 1092 pcs.	
17371	hand tap	dia. 1/2 - 1.3/8" 529 sets	
17372	bridge reamer	dia. 7.5/20 269 pcs.	

342

Inventory No	Name of Machine	Specifications			Remarks
17373	hand reamer	dia. 23.8/20			
17374	hand tap metre	dia. 4/8 20 pcs. 394 pcs.			
17375	V belt	wid. of top /ht 1" x 5/8" 400 pcs.			
17376	belt lacing	leng. 3" 2000 pcs.			
17377	do	leng. $4\frac{1}{2}$ " $19\frac{1}{2}$ " 10000 pcs.			
17378	leather belt	wid./th. 30 x 6 flat leng. 75m			
17379	rubber belt	wid. & th. 100 x 4 flat leng. 75 m			
17371	do	w. /th. 127 x 5 flat leng. 17m			
17382	do	w. /th. 152 x 6 flat leng. 18 m			
17383	V belt	7/8" x 17/32" x 110" 95 pcs.			
17384	V belt for auto'le	1" x 5/8" x 33" 209 pcs.			
17385	belt lacing	leng. 1" 3" & 9"			
17386	grind. whl. staright	dia. of whl. 4" x 3" 336 335 pcs.			
17387	do	30 x 50 x 30 60 pcs.			
17388	picks	30 x 20 x 20 25 pcs.			
17389	weld. gloves	cott. 408 pcs.			
17390	light projector	lev. 500 w. 11 pcs.			
17391	planer jack	dia. of screw 25 stroke 50 15 pcs.			
17392	rubber hose water	inside dia. x th.			
17393	do	36 x 3 leng. 76 m in. dia. /th. leng. 30 x 8 x 256 m in. dia. & th.			
17394	do	38 x 10 leng. 8 m			
17395	rubber hose gasoline	In. dia. /th. Leng. 40 x 8 x 1500			
17396	rubber hose steam	17 x 10 x 1500 in. dia. th. x leng.			
17397	do	23 x 6 x 15000			
17398	do	in. dia. th. Leng. 25 x 6 x 5000			
17399	do	12 x 7 x 14000			
17400	rubber hose gas.	in. d. th. 6 x 3 L. 865 m			
17378	belt lacing	leng. 8" 1500 pcs.			

Inventory No	Name of Machine	Specifications	Remarks
17401	rubb.hose gas	in. dia. th. 19 x 6 leng. 180 m	
17402	do	in. dia. th. 13 x 5 leng. 120m	
17403	do oxygen	in. dia. / th. 3 x 4 leng. 320 m	
17404	knife switch	2 poles x loa / 26a	
17405	knife switch	2 poles ^{378 pcs.} x 10 a	
17406	do	3 poles x 30 a 49 pcs.	
17407	wooden helves	leng. 460/910 1261 pcs.	
17408	do	leng. 100 4960 pcs	
17409	lock keys	43 86 pcs.	
17410	disconnecting switch	6600 v. 300a/600a 26 pcs.	
17411	planer jack	dia. of screw 25 60 pcs	
17412	helves of pick hammer	sz. ϕ 5 x 1200 91 pcs.	
17413	hanging wt.	dia. x leng 30 x 60 36 pcs sz. 3" 45 pcs.	
17414	punch		
17415	ball bearing	dbl. radial 40 x 80 x 18 935 p.	
17416	do	do 934 p.	
17417	do	45 x 85 x 19 1248 p	
17418	do	50 x 90 x 20 548 p.	
17419	do	55 x 100 x 21 456 p.	
17420	do	do 680 pcs.	
17421	do	85 x 150 x 28 113 p.	
17422	do	do 648p	
17423	do	30 x 62 x 60 1356 p	
17424	do	35 x 72 x 23 1000 p	
17425	do	40 x 60 x 23 979 p	
17426	do	45 x 85 x 23 515 p	
17427	do	50 x 90 x 23 749 p	
17428	do	50 x 90 x 23 750 p.	

Inventory No	Name of Machine	Specifications	Remarks
17429	ball bearing	single radial 2678 pcs.	
17430	do	20 x 47 x x 14 279 p single radial	
17431	do	50x62x16 1545pcs	
17432	do	do 50x62x16 1548pcs	
17433	do	do 55x72x17 1650pcs	
17434	do	do 55x72x17 1650pcs	
17435	do	do 55x72x17 1788pcs	
17436	do	do 40x80x18 972pcs	
17437	do	do 40x80x18 972pcs	
17438	do	do 45x85x19 45pcs	
17439	do	do 50x110x22 941pcs	
17440	do	do 50x120x23 70pcs do 70x125x24 148pcs	
17441	do	do 75x130x25 753pcs	
17442	do	do 75x130x25 753pcs	
17443	do	everysize singleradial 911pcs	
17444	do	single radial 35 x 80 21 1788 pcs.	
17445	do	do 40 x 90 x 23, 1250 pcs	
17446	do	do 40 x 90 x 23 1250 pcs.	
17447	do	single radial 40 x 90 x 23 1250 pcs.	
17448	do	single radial 40 x 90 x 23 1276 pcs.	
17449	do	single radial every sz. 464 pcs.	
17450	do	single radial every sz. 2523 pcs. dbl. radial	
17451	do	30 x 65 x 16 2095 pcs.	
17452	do	35 x 72 x 17 1297 pcs.	
17453	do	do 55 x 100 x 25 749 pcs. dbl. every sz.	
17454	do	radial 318 pcs. single thrust	
17455	do	every sz. 2123 pcs. single thrust	
17456	do	2020 pcs.	

Inventory No	Name of Machine	Specifications			Remarks
17457	ball bearing	single thrust all szs. 1334 p.			
17458	do	dbl. thrust ; every sz. 135 pcs.			
17459	roller bearing	taper 25 x 52 x 15 x 13 13 pcs			
17460	manual press	cap. 30 kg/cm ² stroke 150			
17461	do	cap. 80 kg/cm ² stroke 200			
17466	wind prs. gauge	scale 0/1000 accuracy 1/10			
17467	do	scale 0/300 accuracy 1/20 2 pcs.			
17468	do	scale 0/200 accuracy 1/200 2 pcs.			
17469	compound gauge	scale 760 /4kg/cm ² 5 pcs.			
17470	do	scale 760/5 kg/cm ² 2 pcs.			
17471	prs. gauge air	scale 0/200kg/cm ² 3 pcs.			
17472	do	scale 0/6 kg/cm ² 50 pcs.			
17473	do	scale 0/35kg/cm ² 100 pcs.			
17475	prs. gauge acetylene gas	high prs. 30kg/cm ² L.P. 5kg/cm ² 5 pcs			
17476	lift jacks oil	cap. 2.5 tons 3 pcs.			
17477	do	cap. 20 tons 4 pcs.			
17478	do	cap. 50 tons			
17479	do	cap. 30 tons			
17480	do	cap. 100 tons			
17481	lift jack screw	cap. 1 ton 15 pcs.			
17482	do	cap. 1 ton 35 pcs.			
17483	do	cap. 2 tons 10 pcs.			
17484	do	cap. 1 ton 2 pcs.			
17485	do	cap. 3 tons 2 pcs.			
17486	oil	cap. 50 tons			
17487	lift jack screw	cap. 1 ton 10 pcs. cap. 1 ton 45 pcs.			
17488	do				
17489	lift jack screw	cap. 1 ton 4 pcs.			

Inventory No.	Name of Machine	Specifications	Remarks
17490	lift jack screw	cap. 2 tons b5 pcs.	
17491	do	cap. 3 tons	
17492	do	cap. 3 tons 3 pcs.	
17493	lift jack oil	cap. 25 tons 3 pcs.	
17494	do	cap. 20 tons 4 pcs.	
17495	do	cap. 50 tons 2 pcs.	
17496	do	cap. 50 tons 2 pcs.	
17497	do	cap. 30 tons	
17498	gear drill chuck	max. sz. of drill 5/16 20 pcs.	
17499	magnetic chuck	dia. of chuck 270 DC 100/110v	
17500	drill sleeve	No. of morse taper 2/4 250 pcs.	
17501	drill socket	No. of morse taper 1/5 150 pcs.	
17502	die head knuring tool	sz. of work 1/2" 5 pcs.	
17503	holder	leng. 146/190 20 pcs.	
17504	arbors	dia. of arbors 6/9.5 40 pcs.	
17505	do	dia. of arbor 11 x 15 20 pcs.	
17506	do	dia. of arbor 17 x 20 4 pcs.	
17507	do	dia. of arbor 21 x 25 12 pcs.	
17508	do	dia. of arbor; 26x30 15 pcs.	
17509	do	dia. of arbor 31 x 35 9 pcs.	
17510	do	dia. of arbor 36 x 40 5 pcs.	
17511	planer jack	ht. 30/65 30 pcs.	
17512	lathe dog	dia. of chuck 65 9 pcs.	
17513	tapping chuck	sz. of tap 22 x 32 4 pcs.	
17515	Vibrograph	Geiger ; vert.	
17518	press. indicator	indicating press. 48/150 kg/cm ²	
17520	do	ind'g press. 48 kg/cm ² -150kg/cm ²	
17521	do	Ind'g press. 48 kg/cm ² -150kg/cm ²	

Inventory No.	Name of Machine	Specifications				Remarks
17527	stl. rule	scale 150/600 115 pcs.				
17528	do	scale 1000/3000 10 pcs.				
17529	block gauge	measure 1001/1009 1 set				
17530	do	measure 1005/100 103 pcs./1 set				
17531	do	measure 1005/100 1 set				
17532	do	measure 1005/100 103 pcs.				
17533	screw pitch gauge metre	graduation/pitch 0.25/2.5 7 pcs. 1/6.5 3 pcs.				
17572	lot micrometers	900/1500 50/350 800/2500 7 sets				
17576	vernier caliper	0/1000 4 pcs.				
17578	level angle type	sensibility 0.05/1 m 3 pcs.				
17590	plug gauge	measure 10/44 26 pcs.				
17591	do	do 45/85 16 pcs.				
17592	do	measure 17/65 18 pcs.				
17593	do	measure 5/22 26 pcs.				
17594	do	do 23/64 26 pcs.				
17595	do	do 65/85 26 pcs.				
17596	do	do 10/24 25/60 20 p.				
17597	do	do 5/8 /2 8 pcs.				
17602	snap gauge	x type 5/28 27 pcs.				
17603	do	x type 30/85 227 pcs.				
17604	do	x type 5.5/85 227 pcs.				
17605	do	x type 4.5/85 100 p				
17606	do	x type 171 pcs.				
17610	sq. edge	ht. 200 /295 30 pcs				
17611	do	ht. 150/190 10 pcs				
17612	do	ht. 50 /120 10 pcs				
17613	do	ht. 304/612 2 pcs				
17614	do	ht. 222/612 10 pcs				

Inventory No.	Name of Machine	Specifications	Remarks
17615	sq. edge	ht. ϕ 50/100 with table	
17616	do	ht. 300/330	
17617	straight edge	leng. 550/3000 5 pcs.	
17618	Surface sq. gauge	ht. 200/510 30 pcs.	
17619	univ'l sur. gauge	ht. 300 10 pcs	
17620	thick. gauge	gradu'n 4/100-3/100 100 pcs	
17621	strain measu'g instr't	use for boiler 8 pcs	
17631	radius gauge	grad'n / no. of pcs 0.75/5 0.55/13, 1/7, 7/15 14 pcs	
17632	screw measu'g gauge	0.69 / 1.75 p	
17633	thermometers	0/300 ^{Scale} 400 pcs	
17634	solae ink pots	55 x 50 x 40 100 pcs	
17635	for carpenter ring augers	drill dia. 7/32 19 pcs.	
17636	round punch	dia. $\frac{1}{4}$ " - 1.3/8" 36 pcs	
17637	bolt & nut fitting tl.	dia. 21/48 52 pcs	
17638	vice hand	wid. / jaw 40 13 pcs	
17639	outside caliper	leng. 4/6" 321 pcs	
17640	outside caliper	leng. 8" 16 pcs	worn too much
17641	do	leng. 10/20" 7 pcs.	
17642	do	leng. 36" 4 pcs.	
17643	inside caliper	leng. 5/6" 45 pcs.	
17644	do	leng. 8/19" 12 p	
17645	do	leng. 6/16" 7 pcs.	
17646	dbl. caliper	leng. 3/18" 8 pcs	
17647	compasses	leng. 4/6" 32 pcs.	
17648	do	leng. 7/9" 186 p	
17649	do	leng. 10/11" 81 pcs.	
17650	spring pipe	compass leng. 10" leng. 1 1/4" 6 pcs	
17651	cutter	3 pcs	

Inventory No	Name of Machine	Specifications			Remarks
17652	pipe cutter	leng. 1.1/8" / 1 10 pcs.			
17653	hand chisel flat	leng. 185 700 pcs.			
17654	hand chisel crs. cut	leng. 185 pcs. 250 pcs			
17655	mach. chisel	leng. 230 340 pcs.			
17656	mach. hammer	wt. 1/2 lb. 280 pcs.			
17657	do	wt. 1 lb. 219 pcs.			
17658	do	wt. 1 1/2 lbs 49 pcs.			
17659	do	wt. 2 lbs 109 pcs.			
17660	do	wt. 1 1/2 lbs 21 pcs.			
17661	do	wt. 1 1/2 lbs 109 pcs.			
17662	tap wrench	sz. of tap 2.5/38 single hd. 285 pcs.			
17663	do	sz. 2.5 - 32 56 pcs.			
17664	sq. die stock	1 1/4 dia. 1/30 31 pcs.			
17665	round die	sz. 5/8" - 2" 61 pcs.			
17666	rd. die stock	sz. 16/22 25 pcs.			
17667	snappers single hd.	span 9/17 269 pcs.			
17668	do	sz. of span 19/23 13 pcs.			
17669	do	sz. of span 29/42 111 pcs.			
17670	spanners dbl. hd.	span 8x9 - 35x41 79 pcs.			
17671	do	sz. 3/16 - 1" 24 pcs.			
17672	ring spanners	span 3/8" - 1" 12 pcs.			
17673	nail pullers	foreign type 22 pcs.			
17674	die head chaser	dia. of bolt 10/26" 35 sets			
17675	do	bolt dia. 5/16" - 1" dia. of bolt 3/4" - 1 1/2" 30 sets			
17676	do	sz. of mach. 1" 12 sets			
17677	do	sz. of mach. 1" 12 pcs.			
17678	do	sz. of mach. 1/2" 29 sets			
17679	do	sz. of mach. 1/2" 20 sets			

Inventory No	Name of Machine	Specifications			Remarks
17680	die head chaser	sz. of mach. 5/16" 20 sets			
17681	do	sz. of mach. 5/16" 37 sets			
17682	hand reamer	dia. 10.5/15 4/10 313 pcs.			
17683	do	dia. 10.5/15 268 pcs.			
17684	do	dia. 15.5/20 268 pcs.			
17685	do	dia. 20.5/30 216 pcs.			
17686	do	dia. 30.5/58 75 pcs.			
17687	mach. reamer	high spd. stl. 191 pcs.			
17688	do	dia. 23/55 98 pcs.			
17689	do	dia. 38-72 14 pcs.			
17690	pin reamer	H33 dia. 3-6 98 98 pcs.			
17691	do	dia. 6.5/20 90 pcs.			
17692	adjustable reamer	adjustable dia. 27/30. 14 pcs.	25		
17693	do	adjustable dia. 30.25/34.25			
17694	do	adjustable dia. 34.25 - 38			
17695	bridge reamer	dia. 7/10 1619 pcs.			
17696	do	dia. 10.5/14.5 862 pcs.			
17697	do	dia. 16/20 95 pcs.			
17698	do	dia. 20.5/29 478 pcs.			
17699	do	dia. 29.5/37.5 8 pcs.			
17700	cutting tl. finishing	dia. 3/45 311 pcs.			
17701	do	dia. 1/8" - 1" 172 pcs.			
17702	fin. die gas screw	sz. 1/8" - 1" 32 pcs.			
17703	do	sz. 6/20 mm 108 pcs.			
17704	sq. dies	sz. 22-55 112 pcs.			
17705	do	sz. 3/16" - 1" 163 p			
17706	twist drill straight shank	dia. 4/5 906 pcs.			
17707	do	dia. 5.2/11 1604 pcs.			

Inventory No	Name of Machine	Specifications	Remarks
17708	twist drill	dia. 9.5/14.5	
	taper shank	1495 pcs.	
17709	do	dia. 15/17.5	973 pcs.
17710	do	dia. 18/19.5	370 pcs.
17711	do	dia. 20/25	519 pcs.
17712	do	dia. 25.5/30	178 pcs.
17713	do	dia. 30.5/35	159 pcs.
17714	do	dia. 35.5/39.5	95 pcs
17715	twist drill	dia. 40/45	68 pcs.
17716	do	dia. 45.5/50	24 pcs.
17717	do	dia. 55/62.5	8 pcs.
17718	do	taper shank dia. 10.03/13.25	583 pcs.
17719	do	taper shank dia. 14.3/18.3	673 pcs.
17720	do	taper shank dia. 20.4/30.7	156 pcs.
17721	do	taper shank dia. 42.7/50.7	115 pcs.
17722	do	taper shank dia. 42.7/50.7	115 pcs.
17723	standard die tap	5/16" - 2"	20 pcs.
17724	side indise screw thread bit	sz. 1 1/2, 1 1/4, 1 1/8" - 249	pcs.
17725	slotting Vite	lette. sz.: 1" x 1" x 1/2"	14 pcs.
17726	bit side	sz. 1"	170 pcs.
17727	cutting bit brass	sz. 1"	326 pcs.
17728	bits boring	sz. 1 1/2 1/2	
	cutting off	179	pcs.
17729	bit	sz. 1"	282 pcs.
17730	spring bit	sz. 5/8"	1153 pcs
17731	Mach. tap	dia. 1/2 1/4"	29 pcs.
17732	do	dia. 1.3/8" - 2"	22 pcs.
17733	mach. nut tap	dia. 4/10	121 pcs.
17734	do	dia. 12/20	12 pcs.
17735	do	dia. 22/30	15 pcs.

Inventory No.	Name of Machine	Specifications				Remarks
17736	Mach. nut tap	dia. 32/85				
			15 pos.			
17737	do	dia. 1/2" - 3.1/2"	53 pos.			
17738	standard die tap	dia. 5/30	28 pos.			
17739	do	dia. 33/55	20 pos.			
17740	hand tap	dia. 13/16" - 1.1/2"	187 pos.			
17741	do	dia. 1.3/8" - 2"	30 pos.			
		carbon stl.				
17742	do	dia. 1/2"	30 pos.			
17743	gas tap	dia. 1/4" / 3/8"	75 pos.			
17744	mach. taps	dia. 10/20				
			15 pos.			
17745	do	dia. 22/30	14 pos.			
17746	do	dia. 32/40	15 pos.			
17747	do	dia. 42/55	13 pos.			
17748	mach. tap	dia. 12/38				
			18 pos.			
17749	do	dia. 42/30	9 pos.			
	hand tap	dia. 4/10	80 pos.			
17750						
17751	do	dia. 11/20	33 pos.			
17752	do	dia. 25/40	51 pos.			
17753	do	dia. 42/60	18 pos.			
17754	do	dia. 10/26	122 pos.			
17755	do	dia. 10/28	31 sets			
17756	do	dia. 30/50	27 sets			
17757	do	dia. 22/50	25 pos.			
17758	do	dia. 52/85	26 pos.			
17759	do	dia. 1/8" - 1"	793 pos.			
17760	do	dia. 3/5	450 pos.			
17761	do	dia. 6/9	237 pos.			
17762	do	dia. 10/15	85 pos.			
17763	do	dia. 10/20	77 pos.			

Inventory No	Name of Machine	Specifications	Remarks
17764	hand tap	dia. 22/25 48 pcs.	
17765	do	dia. 26/30 35 sets	
17766	do	dia. 32/35 16 pcs	
17767	do	dia. 36/40 12 pcs.	
17768	do	dia. 42/50 16 pcs.	
17769	do	dia. 55/65 7 pcs	
17773	mach. nut tap	sz. 14/40 28 pcs sz. 14/40 14 pcs.	
17774	do		
17775	slotting end mill	sz. 3/5 200 pcs.	
17776	do	sz. 6/8 170 pcs	
17777	do	sz. 9/20 402 pcs.	
17778	do	sz. 32/45 51 pcs.	
17778 ⁹	end mill	sz. 5/10 299 pcs	
17780	do	high spd. stl. 11/20 520 pcs.	
17781	do	sz. 22/25 70 pcs.	
17782	do	sz. 26/32 71 pcs.	
17783	do	sz. 34/42 61 pcs.	
17784	do	sz. 3/8" - 5/8" 128 pcs	
17785	do	sz. 15/16" - 1 1/8" 25 pcs	
17786	do	sz. 30/50 14 pcs.	
17787	do	sz. 63/75 32 pcs.	
17788	F slot cutters	sz. 12/23 174 pcs.	
17789	do	sz. 30/45 37 pcs.	
17790	do	sz. 40/65 44 pcs.	
17792	metal slott. saw	dia. 60 /75 230 pcs.	
17793	do	dia. 80/125 140 pcs.	
17794	do	dia. 150/180 18 pcs.	
17795	do	dia. metal pitch 3 8 pcs.	

Inventory No	Name of Machine	Specifications			Remarks
17796	involute cutters	dia. pitch 4/5 15 pcs.			
17797	do	dia. pitch 6/22 123 pcs.			
17798	do	dia. pitch 23/30 39 pcs.			
17799	do	dia. pitch 1" - 1" 16 pcs.			
17800	do 3 1/2"	dia. pitch - 4 1/2" 16 pcs.			
17801	do	module 1/2 46 pcs.			
17802	do	" 2.25/3.75 77 pcs.			
17803	do	" 4/4.5 38 pcs.			
17804	do	" 5/5.5 48 pcs.			
17805	do	" 7/8 15 pcs.			
17806	spur.gr. hob	dia. pitch 7/12 8pcs.			
17807	do	dia. pitch 3/13 32 pcs.			
17808	do	module 1/12 49 pcs.			
17809	spiral fellow gr.	dia. pitch 5/30			
17810	do	module 1/7.5 15 pcs.			
17843	sq. dies	sz. 1.1/8" /1.7/8" 64 pcs.			
17844	do	sz. 1/8" -1" gas screw 46 pcs.			
17845	rd. dies	sz. 3/10 173 pcs.			
17846	do	sz. 11/18 28 pcs.			
17847	do	sz. 5/16" - 1 1/2" 295 pcs.			
17848	hack saw blade	sz. 10/16" 1330 pcs.			
17849	files flat	sz. 100 140 pcs.			
17850	do	sz. 150 650 pcs.			
17851	do	sz. 200 700 pcs.			
17852	do	sz. 300 2400 pcs.			
17853	do	sz. 300 1000 pcs.			
17854	do	sz. 350 450 pcs.			
17855	Files square	sz. 100 - 400			

Inventory No	Name of Machine	Specifications			Remarks
17856	file	sz. 200/350 930 pcs.			
17857	round file half	sz. 100/350 695 pcs.			
17858	round screw thread bite	sz. 5/8" loops.			
17859	cutting off bite	sz. 1/2" 1203 pcs.			
17860	roughing bite	sz. 1/2" 766 pcs.			
17861	boring bite	sz. 1/2" 3/4" 231 pcs.			
17862	do	sz. 1/2" 2912 pcs.			
17863	roughing bite	leng. 170 tantaloy tip 185 pcs.			
17864	do	leng. 245 tantaloy 100 pcs.			
17865	do	do 150 pcs.			
17866	boring bite	sz. 1" tantaloy tip 20 pcs.			
17867	fin. bite	leng. 64 cobalt 500 pcs.			
17868	do	leng. 80 cobalt 500 pcs.			
17869	bite tip	leng. 98 1500 pcs.			
17870	asstd. file	sz. 7" 80 pcs.			
17871	asstd. files	sz. 6" 160 pcs.			
17872	do	sz. 8" 3209 pcs.			
17878	V belt	top wid. /th. 1 1/2" 1 1/3" 47 pcs.			
17879	do	2/3" 1/2" 7/16" 303 pcs.			
17880	do	top w. /th. 7/8" x 5/8" 201 pcs.			
17881	do	1 1/2" x 1/2" 6 pcs.			
17882	rubber belt flat	w. /th. 200 x 9 all lengths 237000			
17883	stl. belt lacing	150 boxes 20 pcs/box			
17884	stl. belt lacing	68 boxes 8 pcs./box			
17885	grind. stone	155 x 20 x 10			
17887	grind. whl.	straight dia. 30/90 1210/pcs.			
17888	grinding wheels	dia. 26/50 250 pcs.			
17889	do	dia. 100/150 1900 pcs.			

Inventory No.	Name of Machine	Specifications			Remarks
17890	grinding whl.	dia. 152/200 200 pcs.			
17891	do	dia. 205/355 1100 pcs.			
17892	do	dia. 405/610 96 pcs.			
17893	do	dia. 13/205 304 pcs.			
17894	do	dia. 260/405 110 pcs.			
17895	do	dia. 130/200 78 pcs.			
17896	do	dia. 255/300 220 pcs.			
17897	do	dia. 600 5 pcs.			
17898	do	dia. 80/150 258 pcs.			
17899	grind. whl.	dia. 240/355 31 pcs.			
17900	grinding whl	dia. 80/145 105 pcs.			
17901	do	dia. 200/355 253 pcs.			
17902	do	dia. 90/100 130 pcs.			
17903	do	dia. 100/205 55 pcs.			
17904	do	dia. 100/160 135 pcs.			
17905	do	dia. 65/100 530 pcs.			
17906	do	dia 115/150 273 pcs.			
17907	do	dia. 200/255 51 pcs.			
17908	do	dia. 40 11 pcs.			
17909	do	dia. 610 8 pcs.			
17910	do	dia. 100/130 53 pcs.			
17911	do	dia. 170/ 255 13 pcs.			
17912	do	dia. 250 28 pcs.			
17913	do	dia. 100/130 50 pcs.			
17914	do	art. oil stone brick type 50 pcs. ht. 10 80 pcs.			
17915	do				
17916	do	dia. 60/99 1757 pcs.			
17917	do	dia. 100/150 390 pcs.			

Inventory No	Name of Machine	Specifications	Remarks
17918	grind. whl.	di. a 152/200 60 pcs.	
17920	do	dia. 13/205 190 pcs	
17923	do	dia. 75 100 pcs.	
17924	gas. safety valve	6 pcs. (too much worn)	
17925	oilers	128 pcs.	
17296	torch lamp	cap. 1/2 L/1 L 6 pcs.	
17927	oxygen heater	max. tem. 100 °C 2 pcs.	
17928	protect eye-glass	500 pcs.	
17929	col. eye-glass	180 pcs.	
17930	hydrogen metre	density 0/40	
17931	do	concentration of salt 0/4/32 2 pcs.	
17932	gloves welding	60 pcs.	
17933	leather gloves	use for welding 70 pcs	
17934	file handle	1000 pcs.	
17935	fire hooks	20 pcs.	
17936	scoop	34 pcs.	
17937	picks	5 pcs.	
17938	shovel	50 pcs.	
17939	figure punch	416 sets	
17940	letter punches	100 pcs.	
17941	do	164 pcs.	
17942	gas torch	leng. 270 50 pcs.	
17943	do	cutting 20 sets	
17944	working lamp with cord	10,000 70 pcs.	
17945	ball bearing	single row-radial 1099 pcs	
17946	do	single row radial 152 pcs.	
17947	ball bearing	dbl. row radial 409 pcs.	
17948	do	45 x 25 x 14 407 pcs.	

Inventory No.	Name of Machine	Specifications				Remarks
17949	roller bearing	42 x 20 x 17 299 pcs.				
17950	drill slv.	morse taper No. 2/4 69 pcs.				
17951	lathe dog	dia. of chucking $\frac{1}{2}$. 35/80 91 pcs.				
17952	chucking ring	ring dia. 101/20 338 pcs.				
17953	do	dia. of ring 20/30 75 pcs.				
17954	do	ring dia. 30/40 52 pcs.				
17955	do	ring dia. 45/50 35 pcs.				
17956	do	dia. of ring 52/80 52 pcs.				
17957	do	dia. of ring 85/100 30 pcs.				
17958	do	dia. of ring 5/16" - 1" 160 pcs.				
17959	do	dia. of ring 1/8" - 2 4 6 pcs				
17960	arbor	dial of arbor 6/16.5 44 pcs.				
17961	do	dia. of arbor 17.5/22 20 pcs.				
17962	do	dia. of arbor 23/25 37 pcs.				
17963	do	dia. of arbor 25.5/60 100 pcs.				
17964	V block	58 pcs.				
17965	tool chest	sz 520 x 260 x 250 6 pcs.				
17966	sur. gauge	35 pcs.				
17967	sq. edge	leng. 140/300 28 pcs.				
17968	straight edge	leng. 680 / 2500 8 pcs.				
17969	spd. indicator	100,000 rpm 2 pcs.				
17970	tap wrench	sz. of tap 2/32 90 pcs.				
17971	do	sz. of tap 5/33 38 pcs.				
17972	sq. die stock	sz. 0/60 27 pcs.				
17973	rd. die stock	sz. 5/8" - 2" 4 pcs.				
17974	do	sz. 22/25 2 pcs.				
17975	spanners	sz. 9/17 single hd. 656 pcs.				
17976	do	sz. 21/26 339 pcs.				

Inventory No	Name of Machine	Specifications	Remarks
17977	spanners	sz. 29/38 720 pcs.	
17978	do	sz. 41/54 648 pcs.	too worn
17979	do	sz. 58/77 64 pcs.	
17980	do	sz. 10x12 - 14x17 dbl. hd. 177 pcs.	
17981	do	sz. 21x23 - 26x32 710 pcs.	
17982	do	sz. 32x35 - 35x41 1185 pcs.	
17983	do	sz. 3/16" x 1/2" 11 pcs.	
17984	do	sz. 3/8" x 1 1/2" 180 pcs.	
17985	outside caliper	leng. 4/3" 59 pcs.	
17986	do	leng. 7/13" 8 pcs.	
17987	do	leng. 36 B 4 pcs.	
17988	pipe expander	dia. 1/8" - 1" 121 pcs.	
17989	do	dia. 1 1/4" - 2" 116 pcs	
17990	do	dia. 3.1/8" - 3.15/16" 5 pcs.	
17991	do	dia. 4 1/8" - 4.5/8" 9 pcs.	
17992	pipe cutters	dia. 1/1.1/8" 2 pcs.	
17993	do	dia. 1 1/2" 4 pcs.	
17994	do	dia. 1 1/2" 4 pcs.	
17995	hand chisel flat	leng. 155 1300 pcs.	
17996	hand chisel	leng. 185 cross cut 250 pcs.	
17997	mach. chisel	leng. 230 1600 pcs.	toomuch worn up
17998	mach. hammer	wt. 1 1/2" lbs 145 pcs	Do
17999	do	wt. 1 1/2 lbs 102 pcs.	
18000	sealing hammer	wt. 3. 3/5 lbs 70 pcs.	
18001	snap hammer	wt. 2. 3/5" lbs 100 pcs	
18002	sledge hammer	wt. 5.3/4 lbs 200 pcs.	
18003	do	wt. 4 1/2 lbs 50 pcs.	
18004	do	wt. 5 1/2 lbs 50 pcs.	

Inventory No.	Name of Machine	Specifications			Remarks
18005	sealing hammer	wt. 1 lb 10 pcs.			
18006	screw clamps	w. of jaw 100/170 144 pcs.			
18007	do	w. of jaw 50 /85 594 p.			
18008	rivet tongs	43 pcs			
18009	black tongs	322 pcs.			
18010	punch rd.	dia. 7.7 x 35 185 /pcs.			
18011	wooden hammer	785 pcs.			
18012	stud bolt screwing tool	694 pcs.			
18013	do	200 pcs.			
18014	air hammer	stroke 200 4 pcs.			
18015	bolt nut fitting tool.	110 pcs.			
18016	snaps	600 pcs.			
18017	ratchet braces	10 pcs.			
18018	do	s.z. 500 3 pcs.			
18019	jig flange	for flg. joint 203 pcs.			
18020	roughing bites	sz. 1" 5/8" 1 1/4" 413 pcs.			
18021	do	sz. 1" 1 1/4" 351 pcs.			
18022	do	sz. 1 1/4" 200 pcs.			
18023	do	sz. 1 1/4" 426 pcs.			
18024	brass bite	sz. 1" 1 1/4" 159 pcs.			
18025	do	sz. 1" 3/4" 1 1/4" 161 pcs.			
18026	roughing bite	sz 1 1/4" 240 pcs.			
18027	do	sz. 1" 1 1/4" 1 1/2" 3/4" 252 pcs.			
18028	boring bite	sz. 1" 3/4" 5/8" 1/2" 195 pcs.			
18029	do	sz. 1" 3/4" 5/8" 358 pcs.			
18030	inside screw thread. bite	sz. 1" 3/4" 5/8" 457 pcs.			
18031	spring bite	sz. 1 1/2" 1 1/4" 1" 3/4" 379 p			
18032	brass bite	carbon stl. sz. 1" 93 pcs.			

Inventory No.	Name of Machine	Specifications			Remarks
18033	roughing bite	sz. 1/4" / 1" 95 pcs.			
18034	slotting bite	sz 1" 55 pcs.			
18035	do	sz. 1 1/2" 34 pcs.			
18036	do	sz. 1 1/2" 35 pcs.			
18037	boring bite	sz. 1/4" 60 pcs.			
18038	counter-sunk drill	sz. 13/52 90 pcs			
18039	bite (comb)	4/60 208 pcs.			
18040	mach. tap	dia. 16/50 7 pcs.			
18041	do	dia. 13/22 10 pcs			
18042	do	dia. 3/8" / 5/8" 9 pcs			
18043	do	dis. 5/8" - 1. 3/8" 20 pcs			
18044	file rnd.	sz. 100/400 2465 pcs.			
18045	file half-rd.	sz. 200 /400 2252 p.			
18046	hand tap	dia. 3/30 253 pcs			
18047	do	dia. 32/50 89 pcs			
18048	do	dia. 52/75 20 pcs			
18049	do	dia. 1/8" - 2.7/8" 146 pcs.			
18050	do	dia. 1/8" / 2 1/4" 145 p.			
18051	mach. taps	carbon stl. dia. 11/30 44 pcs.			
18052	do	c. s. dia. 32/60 43 p.			
18053	do	dia. 3/8" - 2" 34 pcs.			
18054	do	dia. 1/2" - 2. 3/8" 169 pcs.			
18055	slotting end mill	dia. 9/20 147 pcs			
18056	do	dia. 2/8 26 pcs.			
18057	do	dia. 1/22 18 pcs.			
18058	do	dia. 24/30 27 pcs			
18059	do	h.spd. stl. dia. 5/10 22 pcs.			
18060	do	H. Spd. Steel dia. 11/20 25 p			

Inventory No	Name of Machine	Specifications	Remarks
18061	slotting end mill	H.S. steel dia; 22/25 20 pcs.	
18062	do	H3 stl. dia. 25/43 7 pcs.	
18063	do	H3 stl. dia. 26/45 57 pcs.	
18064	T slot cutters	H3 stl. dia. 12/28 50 pcs	
18065	do	h. s. stl. dia. 30/41 25 pcs.	
18066	side milling	h. s. stl. cutter dia. 50/65 86 pcs.	
18067	do	h. s. stl. dia. 70/84 184 pcs.	
18068	do	h. s. stl. dia. 90/98 108 pcs.	
18069	do	h.s.s. dia. 100/135 220 pcs	
18070	do	dia. 140/155 119 pcs	
18071	do	dia. 120/253 43 pcs.	
18072	do	dia. 60/240 hss 181 pcs.	
18073	do	hss dia. 40/125 232 pcs.	
18074	cutter	h s s dia. 27/100 19 pcs.	
18075	twist drill	dia. 1/49 36 pcs	
18076	do	dia. 5/99 h s s 168 pcs.	
18077	do	dia. 3/17 h s s 71 pcs.	
18083	do	dia. 14/21 7 pcs.	
18084	do	dia. 24/34.5 12 pcs	
18085	do	dia. 40/45 7 pcs.	
18087	hand tap	dia. 26.3/32.4 h. s. s.	
18088	twist drill	h s s dia. 7.4/13.5	
18089	do	h s s dia. 14/21.5 94 pcs.	
18090	do	h s s dia. 22/28 82 pcs.	
18091	do	h s s dia. 28.5/39.5 122 pcs.	
18092	do	h s s dia. 40/52.5 99 pcs.	
18093	do	h s s dia. 5/4" - 35/64 56 pcs.	
18094	do	dia. 37/64- 50/64 hss 100 pcs.	

Inventory No	Name of Machine	Specifications				Remarks
18095	twist drill	dia. 19/64- 15/64 hs.s. 44 pcs.				
18096	do	H.S.S. dia. 1/16"- 13.5/64 71 pcs				
18097	do	drill dia. 10/38 45 pcs.				
18098	do	dia. 3/8" 1. 5/32 36 pcs.				
18099	hand reamer	3.5/10 39 pcs.				
18100	do	1.5/15 46 pcs.				
18101	do	dia. 16/20 34 pcs.				
18102	do	dia. 20.5/25 37 pcs.				
18103	do	dia. 26/30 26 pcs.				
18104	do	dia. 32/40 31 pcs.				
18105	hand reamer	dia. 42/50 35 pcs.				
18106	do	dia. 51/56 10 pcs				
18107	mach. reamer	dia. 4/13 45 pcs				
18108	do	dia. 14/20 21 pcs				
18109	do	dia. 21/32 46 pcs				
18110	do	dia. 33/49 75 pcs.				
18111	do	dia. 5"/72 18 pcs.				
18112	finishing dies	sz. 6/45 76pcs				
18113	do	sz. 1/8" -1 1/2" 52 pcs.				
18114	sq. dies	sz. 6/12 39 pcs.				
18115	sq. dies	sz. 3/55 98 pcs.				
18116	do	sz. 3/16" -1.7/8" 78 pcs.				
18117	do	sz. 3/8" -1/2" 12 pcs.				
18118	rd. dies	sz. 3/18 31 pcs.				
18119	planer jack	ht. 10 30 pcs.				
18120	gas burner	25 pcs.				
18121	rubber hose	dia. 27 x 15000 100 pcs.				
18122	do	dia. 27/15000 6 pcs.				

Inventory No.	Name of Machine	Specifications			Remarks
18123	joint nut	bore & no. of pcs. 10/200 20/100 21/100			
18125	water	dia. 73 leng. 15m	3 pcs.		
18126	port. el. drill	sz. of drill 10			
18127	do	max. sz. of drill 6.5			
18128	do	max. sz. of drill 20			
18129	do	max. sz. of drill 13			
18130	port. mach rotary sawing	max. work dim. 80			
18131	press. gauge wt.	scale 200 kg/cm ² - 30kg/cm ²			
18132	prs. gauge air	1/45kg/cm ² 4 Pcs 12/70 kg/cm ² 16 Pcs			
18133	gas inspector	metan gas			
18134	record. thermometre	celsius -20 ° plus 40 ° 2 pcs			
18135	record. pylometre	tem -10 °/plus 80 ° 2 pcs.			
18136	die head	sz. 1/2 in. 2 pcs.			
18137	die head	sz. 1 in. 2 pcs.			
18138	do	sz. 1/3" in.			
18139	do	sz. 1 in.			
18140	do	sz. 1/3"			
18144	chuck drill	cap. c/1/2 in.			
18145	vice parallel	w. /jaw 130 stroke 180	10 pcs.		
18148	lift jack gear	cap. 2 tons/15 tons			
18150	socket tap	morse taper no. #2/3 58 pcs.			
18151	socket drill	morse taper #1/5 314 pcs.			
18153	vice parallel	w. of jaw 130 stroke 200			
18154	selescopes	max. work. dim. 0/140			
18159	dial indicator	accuracy 1/100			
18162	chem. balance	cap. 200 G sensibility 0.1 g			
18163	thick. gauge	measur ^g 1/100 - 1/1000 2 pcs			
18164	screw pitch	pitch 0.25/6 2 pcs.			

Inventory No.	Name of Machine	Specifications				Remarks
18165	stl. rule	6/30" 111 pcs				
18166	lix metre	sensibility 0.5000 lux				
18167	binocular	sz. 1500 2 pcs.				
18168	straight edge	sz. 1500 2 pcs.				
18170	sq. edge w. table	315 280 305 355 250 255 6 pcs				
18172	sq. rule	sq. rule carpenter's 350 pcs				
18173	sq. edge	leng. 150/245 2 pcs				
18174	testing wt.	20kg/30 pcs. 5 kg/20 pcs 10 kg/30 pcs. 2kg/15 pcs.				
18175	sq. gauge	ht. 220/330 7 pcs.				
18176	ratchet brace	swevel . 3.5" 14 pcs.				
18177	marking knives	for wood working				
18178	pot gimlets	sz. 5/9 650 pcs.				
18179	do	sz. 5/9 65 pcs.				
18180	mach. hammer	wt. 1 lb 420 pcs.				
18181	do	wt. 1/3 - 4/5 lbs 193 pcs.				
18182	sledge hammer	wt. 1.8/2.6 lbs 12 pcs.				
18183	hand hammer	dia. 25 25 pcs.				
18184	wooden hammer	dia. 43/51 33 pcs.				
18185	sq. gimlet	sz. 5 140 pcs.				
18186	triangular gimlets	sz. 4 105 pcs.				
18187	wood working drill	dia. 5/30 402 pcs.				
18188	do	dia. 9/25 76 pcs.				
18189	triturcate gimlet	dia. 4/10 721 pcs.				
18190	do	dia. 4/13 428 pcs.				
18191	ring auger	dia. 9/30 189 pcs				
18192	do	dia. 9/55 54 pcs.				
18193	edge planer	sz. 25/35 240 pcs.				
18194	hand vice	sz. 15 10 pcs.				

Inventory No	Name of Machine	Specifications				Remarks
18195	bruiser	sz 30 650 pcs.				
18196	cutting plier	sz. 25 35 pcs.				
18197	do	sz. 25/51 13 pcs.				
18198	tap wrench	sz. of tap 3/25 391 pcs.				
18199	do	sz. /tap 3/18 351 pcs.				
18200	tap wrench for gas pipe	sz./tap 5/25 9 pcs. sz. of dia. 5/25				
18201	spanners	256 pcs.				
18202	metal cutting scissors	sz. 18 ⁵ / ₂₀₀ 14 pcs.				
18203	spanner	sz. of span 3/24 77 pcs.				
18204	axes	w. of edge 65 11 pcs.				
18205	leather cutting compass	leng. 150/300 23 pcs.				
18206	beam compass	11 pcs.				
18207	outside caliper	leng. 100/350 25 pcs.				
18208	do	leng. 150/350 15 pcs.				
18209	inside calip.	leng. 100/250 4 pcs.				
18210	do	leng. 850 1 pce.				
18211	stl. compass	leng. 145/230 3 pcs.				
18212	do	leng. 145/230 12 pcs.				
18213	pipe cutter	max. dia. of pipe 70 2 pcs.				
18214	crescent spanner	leng. 8.5/12" 5 pcs.				
18215	sq. die stock	sz. 3/38 23 pcs.				
18217	rnd. die stock	sz. 12/18 5 pcs.				
18218	trim saw	leng. of edge 181/242 174 pcs.				
18219	do	single edge 33 pcs. len. of edge 303				
18220	do	dbl. edge 26 pcs. leng. of edge 242/273				
18221	do	leng. of edge 213 6 pcs.				
18222	do	leng. of edge 364 1 pce				
18223	adjustable planes	w. of edge 3/15 7 pcs.				

Inventory No.	Name of Machine	Specifications	Remarks
18224	gimlet T type	dia. 3/5 67 pcs.	
18225	trowel chisel	sz. 5/45 3238 pcs.	
18226	chisel	sz. 2/54 334 pcs.	
18227	drawing pen	leng. 240 165 pcs.	
18228	screw driver	sz. 8/9" 13 pcs.	
18229	wood work. drill	dia. 15/30 29 pcs.	
18230	hand bores	dia. 3/21 25 pcs.	
18231	screw driver	leng. 16" 12 pcs.	
18232	ring spanner	dia. 10 46 pcs.	
18233	tong	sz. 110. 40. 80. 124 pcs.	
18234	fullers	3/8" - 1/2" 41 pcs.	
18235	fig. punch	3/8" - 1/2" 15 sets	
18236	letter punch	3/8" - 1/2" 15 sets	
18237	do	sz. & # of sets 3/8" - 1/2" 3 sets	
18238	flat chisel	leng. 680 33 pcs.	
18239	chisel chisel for rock	leng. 470 39 pcs.	
18240	rigging screw	srk. 710/950 22 pcs.	
18241	snaps	leng. 1/8" - 1" 102 pcs.	
18242	weld. holders	leng. 35 120 pcs.	
18243	punches	69 pcs.	
18244	snap hd.	dia. & no. of pipe 1/8"/1/2" 1" /1" 783 pcs.	
18245	do	leng. 1/2"/1" 36 pcs.	
18246	snap	leng. 1/2" /1" 62 pcs.	
18247	do	leng. 1/2" - 7/8" 77 pcs.	
18248	do	leng. 5/8" - 1" 33 pcs.	
18249	do	leng. 3/8" - 1" 63 pcs. leng. 1" 16 pcs.	
18250	sq. snap		
18251	flatters	sz. 135/150 x 30/60 50 582 pcs.	

Inventory No.	Name of Machine	Specifications	Remarks
18252	chisel	sz. 120 x 150 20 pcs.	
18253	flatters	sz. 95. 60. 55. 67 pcs.	
18254	drill special	type 30/38 142 pcs	
18255	do	sz. & # of pcs. 48 12	
18256	drill taper	shank 27/29 1823 pcs.	
18257	drill taper	shank 23.5/26.5 2283 pcs	
18258	do	20.5/23 1271 pcs.	
18259	drill special	type 29.4/48 ⁷⁹ 89 pcs.	
18260	drill straight	1/2 242 pcs.	
	shank	sz. & # of pcs.	
18261	do	2 1/4 - 418 p. 10/13 - 410 p.	
18262	do	5/9.5; 1243 pcs.	
18263	sq. dies	sz. 14 1/2 / 25.4 3/12.7 202 pcs.	
18264	do	sz. 3/7 97 pcs.	
18265	Round dies	9.5/22.3; 148 pcs. 5 : 10 pcs.	
18266	sq. dies	sz. 3/318 15 pcs.	
18267	tap	3/12.7 28.5/41 14.5/25.4 925 pcs.	
18268	do	3/5 228 pcs. 6/9 242 pcs.	
18269	do	sz. 10/50 28 pcs.	
18270	gas tap	3/12.7 28.5/51 14.5/ 25.4 76 pcs.	
18271	reamer	mach. 16/20.5 26/38 21/25 1711 pcs.	
18272	hand reamer	12/28 35/55 34 pcs.	
18273	file flat	200 x 20 250 x 31 300 x 35 164 pcs.	
18274	file sq.	300 x 15 285 p cs. 150 x 20 300 x 30	
18275	file half rd.	200 x 25 250 x 23 97 pcs.	
18276	file rd.	leng. w 300 x 15 279 pcs.	
18277	hollow chisel	auger sz. 5 x 3 233 pcs	
18280	grind. whl.	350 x 30 x 25 51 pcs.	
	straight	dia.	
18281	do	400 x 2 x 25 85 pcs.	

Inventory No.	Name of Machine	Specifications	Remarks
18282	dil stone whet	sq. 100 x 55 x 28 75 pcs.	
18283	stone	180 x 80 x 80 59 pcs.	
18285	ink pot	220 x 90 x 80 270 pcs	
18287	gas burner	german type 42/43 12 pcs. sz. 100/750 lit.	
18288	do	34 pcs.	
18289	do	sz. A1/A3 3 pcs.	
18290	do	sz. A1/A3 13 pcs.	
18291	do	weld: B4/b6 10 pcs 1800/3500	
18292	ball bearing	sz. 10 x 30 x 9	
18293	do	all sz. 373 pcs.	
18294	wind. nozzle	leng. 350 ht. 80 w. 80 16 pcs.	
18295	burners gas torch	1359 pcs	
18296	Bellow troch	cap. 2 5 pcs.	
18297	helmets weld.	188 pcs.	
18298	oxygen gas heaters	max. 100 o c 34 pcs.	
18299	shovels	56 pcs.	
18300	Irregular curve	celluloid 33 sets wooden 6 sets	
18301	grinder bench	dia. 200 x 15	
18302	prs. gauge	o/25kg/cm2 2 pcs o/35kg/cm2 1 pce o/40 kg/cm2 1 pce	
18303	do	o/30kg/cm2 1 pce o/35 kg/cm2 1 pce	
18304	prs. gauge air	o/150 kg/cm2 1 pce o/200 kg/cm2 1 pce	
18305	prs. gauge air compressor	scale o/10 kg/cm2 5 pcs scale plus 0 to 1kg/cm2	
18306	prs. gauge	- 75 kg/cm2 1 pcs	
18307	do	plus 0 to 50 kg/cm2 minus 30 kg/cm2 2 pcs	
18309	do	plus 0/4kg/cm2 to 1kg/cm2 minus 75 kg/cm2 -0 1 pce. -75kg 2 pcs. scale o/2 kg/cm2	
18310	do	3 pcs.	
18311	prs. gauge air	o/4 kg/cm2 1 pce o/6 kg/cm2 2 pcs.	
18313	chaser holder	sz 5/8" x 7/8" 34 pcs	

Inventory No	Name of Machine	Specifications			Remarks
18314	die head	max. sz. of work 1" 2 pcs.			
18315	do	" 3/4" 3 pcs.			
18316	do	" 1/2" 1 pce.			
18317	do	" 5/16" 4 pcs.			
18318	centres	morse taper no 3/6 11 pcs.			
18319	drill socket	3 pcs.			
18321	do	taper no. of out side 1/3 taper no. of hall 1/3 54 pcs			
18322	tap socket	taper no. 1/3 sz. of tap 1/8" - 7/8" 33 pcs			
18323	vice parallel	w. of jaw 150 stroke 150			
18324	vice leg	wid. of jaw 150 stroke 150			
18325	lift screw jack	cap. 3 tons stroke 150			
18326	shore scleroscope	o/140			
18327	hardness tester	700/70			
18328	pyrometre	scale 0 o C/1000 o C			
18333	press. tester	prs. 300mm/cm ²			
18353	micrometre caliper	measure o/25			
18358	snap gauges	o type o/25 25/50			
18359	do	o type 50/75 75/100			
18362	test bar	5/300 16 pcs.			
18363	block gauge	dia. 30 4 pcs. set			
18366	gas tester	30 x 16 x 10			
18367	stl. rule	scale 2000/150 56 pcs			
18368	sq. stl. rule	scale 500 x 250			
18371	sq. level	sensibility 0.01			
18374	bevel protractor	330 leng. of bld.			
18377	thermo metre	minus 15 o - 40 C			
18378	thermometre	-15 o / 40 o C 2 pcs.			
18379	integ- rator	leng. of arm 200			
18320	Manual Press	Max. work point 350x350x1 (371)			

Inventory No.	Name of Machine	Specifications			Remarks
18380	dial indicator	sensibility 1/100			
18381	bevel protractor	leng. of bla. 330			
18382	swing machine	85cm x 40cm x 80cm			
18383	do	w. motor 100/110v ac 1/2 hp 60c. 1725 rpm			
18384	safe	steel; 1 pce			
18385	do	do			
18386	do	do			
18387	do	do			
18388	do	do			
18389	do	do			
18390	do	do			
18391	safe steel	do			
18392	do	do			
18393	do	do			
18394	do	do			
18395	do	do			
18396	tap wrench	1 pce.			
18397	do	do			
18398	ratchet drill	do			
18399	compass	do			
18400	safe portable	steel 20 pcs.			
18401	drawing tool	large 15 sets			
18402	do	small 8 sets			
18403	set square	200 pcs.			
18404	T square	4 pcs.			
18405	multi curve	4 sets			
18406	sliding rule	45 pcs.			
18407	drawing pen	24 pcs			

Inventory No.	Name of Machine	Specifications				Remarks
18408	spring compass	60 pcs				
18409	propotinal	compas 1 pec.				
18410	beam compass	6 pcs.				
18411	compass	12) pcs.				
18412	drawing scale	250 pcs.				
18413	fan el'e	4 pcs.				
18415	bicycle	29 pcs				
18416	sewing mach.	85 x 40 x 80 cm				
18417	do	do				
18418	do	85 x 40 x 10				
18419	tap wrench	1 1/2" & 1 1/4" (tap sz.)				
18420	do	tap sz. 1"; 7/8" 3 pcs				
18421	do	tap sz. 5/8" - 1"				
18422	do	7/8" & 1 1/4" 8 pcs				
18423	do	tap sz. 7/8" & 1 1/4" 6 pcs.				
18424	do	1/2" & 1" tap sz.				
18425	do	sz. /tap 5/8" 7/8"				
18426	do	tap sz. 5/8" 3/4" 27 pcs				
18427	do	tap sz. 5/8" 10 pcs.				
18428	do	tap sz. 3/4"				
18429	do	tap sz. 1.2.3 1/2 39 pcs				
18430	wooden hammer	single hd. 100 p				
18431	do	double hd. 100 pcs				
18432	spanners	sz. 1/8" - 1" single hd. 147 pcs single hd. 1/8" - 2"				
18433	do	7 pcs. sz. 1/8" - 1 1/2"				
18434	do	double end 29 pcs. sz. 1/4" to 3/4"				
18435	do	double ring end 26 pcs.				
18436	do	sz. 5/8" to 1" single ring end 25 pcs				

Inventory No	Name of Machine	Specifications			Remarks
18437	angle adjustable wrench	open 50			
18438	hack saw frame	sz. 12" (saw) 50 pcs			
18439	cutting nipper	tooth wid. 20 30 pcs.			
18440	pliers	round end leng. of jaw 60/45 69 pcs			
18441	die stock	dia. of hole 48/24 14 pcs.			
18442	drivers	41/47 length; 200 to 10 89 pcs.			
18443	breast drill	cap. 10 2 pcs.			
18444	screw clamps	stroke 130/25			
18445	die stock	sz. of die 1/2" to 1.5/8" 51 pcs 7 pcs			
18446	do	sz. of die 8 2 pcs.			
18447	pipe wrench	sz. of pipe 1/8"			
18448	bruiser	dia. of hole; 4 pcs. 3/8" / 1 1/2" 72 pcs			
18449	chrysanthemum drill	HSS sz. of dia. 20/42 19 pcs.			
18450	tap(metric)	HSS sz. of dia. 10/30 16 pcs.			
18451	end mill	sz. of dia. 6/75 85 pcs.			
18452	side milling	sz. of dia. 50/153 129 pcs.			
18453	T slot milling cutter	sz. of dia. 10/56 328 pcs.			
18454	metal cutting saw	sz. of dia.			
18455	spiral plain milling cutter	40/90 577 pcs dia. 57/72 7 pcs			
18456	involute cutter	# Dia. pitch 14 14 pieces			
18457	file	#/. Length; 350/700 1472 pcs.			
18458	asstd. file	520 pcs.			
18459	do	5 sets			
18460	slotting end mill	41/47 Diametre 8-14			
18461	angular cutter	tap-producing 8 pcs drill-making; 6 pcs.			
18462	tap	#/. dia. 45 130 pcs.			
18463	do	HSS dia. 6.5/16.5 1320 pcs.			
18464	do	HSS dia. 12.7/16 415 sets			

Inventory No	Name of Machine	Specifications			Remarks
18465	reamer	dia. 5/8 26 pcs			
18466	tap	n s s dia. 3/8 59 pcs dia. 9/9 59 pcs			
18467	do	dia. 7/12.5 130 pcs 16/25.4 29/41.1 -----26 pcs			
18468	do	dia. 3/16 455 pcs 25/2 3 pcs			
18469	reamer	dia. 1/10 43 pcs 10.5/5 51 pcs 15/5 70 pcs			
18470	do	dia. -10 ; 10.5/15 26. /38 537 pcs			
18471	do	dia. 5.5/5 423 p 5.5/10; 409 pcs, 10.5/13 68 pcs			
18472	drill taper shank	1804 pcs			
18473	drill; taper shank	n s s #1/dia. 21/44 59 pcs			
18474	dies	n s s dia. 9/16; 13 p. 21/32 17 pcs.			
18475	do	dia. 3/9 78 pcs			
18476	do	dia. 3/9 129 pcs			
18477	do	9/25.4 46 p., 24/32 20 pcs			
18478	do	dia. 10/11 24 p			
18479	chaser	sz. 3.5/25.4 103 p			
18480	do	sz. 3/25 51 pcs			
18481	do	sz. 12.9/23 11 p.			
18482	bite	interl. 25.4x25.4 20p exterl. 25.4x25.4 19 p.			
18483	bite chips	roughing 834 p. internal. 303 pcs			
18484	do	finishing 72 pcs. tantalloy 38 pcs 1getalloy 27 pcs			
18485	taper shank drill	#2. dia. 15/38 46 pcs			
18487	grind. whl.	60 x 15 x 12 7 pcs			
18488	oil stone	sq. sz. 100 x 50 x 25 225 pcs.			
18489	grind. whl. round	85 x 50 x 60 32 p			
18491	oil stone	252 p.			
18492	letter punch	Japanese 186 pcs			
18493	caliper std.	30 x 20 x 10			
18494	ink pot	for carpenter 10 pcs			

Inventory No.	Name of Machine	Specifications	Remarks
18495	planer screw jack	strk. 150 3 pcs	
18496	do	strk. 100 2 pcs	
18497	shovels	92 pcs	
18498	el. cutting scissors	220v max. work. sz. 11	
18499	letter punch	English 9 sets	
18500	fig. punch	3 sets	
18501	letter punch	21 pcs	
18502	centre punch	10 pcs.	
18503	smoothing iron	el'c 2 pcs.	
18504	straight edge	sz. 220 x 120 17 p.	
18505	dial gauge stand	2 pcs.	too worn
18507	spanner	sz. of span; 1/2" 163 pcs	
18508	do	span; 13/16" 183 pcs	do
18509	do	span ; 3/8" 77 pcs.	
18510	do	span; 1" 120 pcs	
18511	do	sz. of span 9/16 21 pcs	
18512	do	span 5/8" single hd. 267 pcs	
18513	do	11/16" 22 pcs	
18514	do	span; 3/4" 281 pcs	
18515	do	sz. of span 13/16" 74 pcs	
18516	do	" 7/8" 40 pcs	
18517	do	span; 1" & over 107 pcs.	
18518	do	span; 1/8" - 5/8" 620 pcs.	
18519	do	5/8" - 1" 360 pcs.	
18520	do	span; 7 pcs	too worn
18521	do	span; 1/2" - 1/2" 78 pcs.	
18522	do	span; 6/8" - 1" 5 pcs.	
18523	do	span; 1/2" - 1/2" 188 pcs.	

Inventory No.	Name of Machine	Specifications			Remarks
18524	spanner	span; 9/16" - 11/16" 177 pcs.			
18525	do	span; 3/4" 66 pcs.			
18526	do	span; 13/16" single hd. 24 pcs.			
18527	do	span; 9/8" - 1" ring 16 pcs.			
18530	machine hammer	wt. 1 lb. 500 pcs			
18531	sledge hammer	4.5 lbs - 25 lbs 144 pcs.			
18545	do	t. 6.5 lbs - 38 lbs 57 pcs			
18546	planes edge	wid. /edge 30 52 pcs.			
18547	plane compass	wid. of edge 30 5 pcs			
18548	plane mach.	wid. of edge 54 36 pcs			
18549	hammer	30 pcs.			
18552	sand hammer	wt. 1.3 lbs 45 pcs			
18553	testing hammer	wt. 1.1 lbs/2.2 lbs 21 pcs			
18556	machine chisel	leng. 270 419 pcs			
18557	culking chisel	leng. 200 480 pcs			
18558	bruiser	leng. 450 88 pcs			
18559	do	leng. 600 340 pcs			
18560	do	leng. 420 285 pcs			
18561	mach. bruiser	leng. 420 339 pcs			
18562	punch	142 pcs.			
18563	stone chisel	leng. 450 40 pcs			
18564	carpenter's hammer	wt. 2.4 lbs 26 pcs			
18565	do	wt. 0.7 lb 4 pcs			
18566	rivetting snap	sz. of rivet 22 28 pcs			
18567	flatters	135 pcs			
18568	do	up type 165 pcs.			
18569	fuller	40 pcs.			
18570	chisel w. handle	leng. 28/50 21 pcs			

Inventory No	Name of Machine	Specifications	Remarks
18571	flat chisel	leng. 15/20 17 pcs	
18572	drawing pen	385 pcs	
18573	weld. holder	71.2 pcs	
18574	tong for forging	216 pcs	
18575	flatter	len. /wid. 3 x 80 30 pcs	
18576	do	leng. /wid. 3 x 55 285 pcs.	
18577	do	len. /wid. 3 x 80 128 pcs	
18578	special drill	dia. 20/48 48 pcs	
18579	grind. whl. st.	dia. 75/910 888 pcs	
18580	grind. whl. dresser type	dia. 183/305 28 pcs	
18581	grind. whl. special	dia. 250 15 pcs	
18582	grind. whl.	dia. 350 340 pcs dia. 180 1245 pcs	
18583	grind. stone brick	sz. 230 x 120 x 80 163 pcs	
18584	rubber hose water	dia. 25 thick; 5	
18585	oil cock	1/2 dia. 5/8" - 2 1/2"	
18586	helmet	for welding 84 pcs	
18588	adjustable screw joint	max. stroke 70/400 33 pcs.	
18589	vice	strk. w. of jaw 152 x 127 (14 p.) 178x178 (2 p) 152 x 152 (8 pcs.)	
18590	lathe chuck	dia. 203 x 356 22 p.	
18591	high frequency apparatus	350x 310 x 250 24 pcs	
18593	plane for marking	sz. 155 x 125 x 60-607 pcs 190 x 190 x 90 30 pcs.	
18594	plane for forming	215 x 110 x 105 1119 pcs	
18595	trowel chisel	half rd. for wood working 1866 pcs	
18596	do	flat type for wood-work. 1852 pcs.	
18597	hand tool chisel	punching chisel 20 240 pcs	
18598	hand tool chisel	half rd. for wood working 366 pcs	
18599	hand tool chisel	for wood work 113 pcs	
18600	chisel flat	leng. 200 642 pcs	

Inventory No	Name of Machine	Specifications	Remarks
18601	chisel falt	crs. cut leng. 290 leng. 190 3403 pcs	
18602	wooden serving mallets	sz. 120 x 30 x 120 20 pcs.	
18603	wooden hammer	1550 pcs	
18604	snap	dia. (working) 16/19 22/25 10/13 1038 pcs	
18605	snap head	dia. of work 6/10 22/25 15/19 727 pcs	
18606	wooden large mallets	cap. 1.8 kg 131 pcs	
18607	knife edge shearing machine	sz. of knife edge 150x120x 2.5 131 pcs	
18608	drill special type	dia. 30 285 pcs 42 160 pcs.	
18609	screw geared drill	cutting dia. 67 pcs (35) 12 35 19 pcs	
18610	taper shank drill	40 pcs	
18611	rubber belt	w. & l. 10/15 130	
18612	grind. whl.	125 x 12.7 x 20 513 pcs 175 x 25 x 18 104 pcs 210x20x 25 22 pcs	
18613	do	250 x 20 x 30 131 pcs 300 x 40 x 25 8 pcs	
61 18614	do	350 x 30 x 128 29 pcs 500 x 40 x 38 5 pcs	
61 18615	do	500 x 50 x 240 12 pcs	
18616	do	205 x 15 x 25 8 pcs 150 x 5 x 10 2 pcs	
18617	do	150 x 30 x 15 2 pcs 250 x 30 x 25 4 pcs	
18618	do	60 x 60 x 70 66 pcs	
18619	do	450 x 2 x 23 686 p 350 x 2 x 25 268 pcs	
18620	do straight	210 x 10 x 30 4101 p 203 x 8 x 19 9 pcs	
18621	do		
18622	do	350 x 50 x 38 40 pcs	
18623	rubb. hose	internal dia. 50 80m 62 60m leng. 62 77/ 60 m	
18624	do	50 x 40	
18625	do	64 x 970	
18626	knife switch	cap. 220v. 250a 120 pcs 100 v 250 a 285 pcs	
18627	Disconnecting switch	250 v 30 a 21 sets	
18628	rubber hose	internal dia. 10	
	gas	leng. 30/500 m	

Inventory No	Name of Machine	Specifications	Remarks
18629	rubber hose	internal dia. 102	
	core wire	leng. 80 m	
18630	lighter pistol type	sz. 100 x 80 x 10	94 pcs.
	hoes flat	300 x 140 x 10	257 pcs
18631	ink pot	250 x 70 x 30	77 pcs
18632	carpenter		900 pcs
18633	lamp socket	sz. 30 dia. 50	500 pcs
18634	ball bearing	inside dia. 30	
	do	outside dia. 60	10 pcs
18635	do	ins. dia. 25, thick. 16	
	do	outside 52	19 pcs.
18636	do	ins. dia. 10; thick;	
	do	16 out. dia. 26	37 pcs
18637	do	ins. dia. 12; thick. 12	
	do	outside dia. 28	29 pcs
18638	do	in. dia. 15; thick; 12	
	do	out. dia. 31	10 pcs
18639	do	in. dia. 18; thick; 12	
	do	out. dia. 35	115 pcs.
18640	do	in. dia. 20; thick; 14	
	do	out. dia. 40	96 pcs.
18641	do	in. dia. 25 thick; 14	
	do	outside dia. 45	92 pcs.
18642	do	in. dia. 30 thick; 14	
	do	out. dia. 50	42 pcs.
18643	do	in. dia. 40; thick; 18	
	do	outside dia. 64	7 pcs
18644	do	in. dia. 60 thick; 18	
	do	out. dia. 82	5 pcs.
18645	do	in. dia. 25 thick; 15.5	
	do	out dia. 48	29 pcs
18646	do	in. dia. 20 thick; 14	
	do	out dia. 40	40 pcs.
18647	do	in dia. 25 thick 19	
	do	out dia. 48	1 pce.
18648	do	in dia. 35 thick; 23	
	do	out dia. 67	26 pcs.
18649	do	in. dia. 20; thick; 12	
	do	out. dia. 37	2 pce
18650	do	in. dia. 22; thick; 14	
	do	outside dia. 42	3 pcs.
18651	do	in. dia. 90 thick; 50	
	do	out dia. 155	5 pcs
18652	roller bearing	in. dia. 60 thick	49
	do	outside dia. 110	14 pcs
18653	do	in. dia. 65 thick; 37	
	do	out dia. 140	5 pcs.
18654	do	in. dia. 70 thick; 28	
	do	out dia. 125	4 pcs.
18655	do	in dia. 110; thick; 65	
	do	out dia. 280	4 pcs.
18656	do	in dia. 45 thick; 28	
	do	out dia. 100	4 pcs.

Inventory No	Name of Machine	Specifications	Remarks
18657	roller bearing	in. dia. 85 thick 41	
18658	do	out dia. 180 2 pcs. in. dia. 95; thick; 45	
18659	ball bearing	out dia. 200 2 pcs. in. dia. 75 thick; 65	
18660	do	out dia. 180 9 pcs. in dia. 75 thick; 65	
18661	recording thermometer	scale 10 oC/4000 23 pcs.	
18662	press. gauge	high prs. 30kg/cm ² low " 15 kg.cm ²	
18663	acetylen gas weld. mach. accessories	310 x 330 x 260 10 sets	
18664	anemo metre	scale 0/10000mm/sec 8 pcs.	
18665	prs. gauge	air scale 0/6 kg/cm ² 50 p.	
18666	rotary pump	cap. 17 L/min press. 5.6 kg/cm ² of morse taper	
18668	drill sleeve	2/4 430 pcs.	
18669	knuring tl. holder	leng. 140 /190 47 pcs	
18670	arbors	dia. of arbor 6/95 64 pcs.	
18671	arbors	dia. 11 x 15 54 pcs.	
18672	do	dia. 21 x 25 2 pcs.	
18673	do	dia. 26 x 30 16 pcs.	
18674	dial indicator	measuring 1/100 15 pcs scale 150/600	
18675	steel rule	265 pcs	
18676	do	scale 1m/3m 16 pcs	
18677	block gauge	measure 1001/1009 1 set	
18681	outside micrometre	sz. 0/25 4 pcs	
18682	do	measure 50/75 3 pcs	
18683	do	measure 75/100 25 pcs.	
18684	do	measure 150/175 3 pcs	
18685	do	225/250 10 pcs 250/275 2 pcs. 275/300 2 pcs	
18686	do	300/325 2 pcs	
18687	do	550/575 1 pcs.	
18688	press. gauge	0/35 kg/cm ²	

Inventory No	Name of Machine	Specifications				Remarks
18688	inside micrometre	10 x 2 x 2				
18689	do	measure 100/113				
18690	do	measure 150/175 2 pcs				
18691	do	2 " 175/200				
18692	do	" 250/275				
18693	lot micrometre	measure 200/1500 4 sets				
18694	vernier caliper	0/150 5 pcs				
18695	dial indicator	sensibility with stand 1/100 - 3 pcs.				
18696	thread gauges	1/100 - 21 pcs.				
18697	plug gauge	3/50 31 pcs. measure 2.5/21				
18698	do	53 pcs. measure 22/47				
18699	do	64 pcs. measure 48/98				
18700	snap gauge	12 pcs. X type 5/32 31 pcs.				
18701	do	X type 34/52 18 pcs.				
18702	do	C type 55/38 11 pcs				
18703	sq. edge	ht. 200/295				
18704	do	ht. 150/190 61 pcs. 27 pcs				
18705	do	ht. 50 to 120 27 pcs				
18706	do	ht. 304 to 612 6 pcs.				
18707	do	ht. 222/612 20 pcs.				
18708	do	ht. 50/100 2 pcs.				
18709	do	ht. 300/330 3 pcs.				
18710	straight edge	leng. 550/3000 6 pcs.				
18711	sur. gauge	ht. 200/510 89 pcs.				
18712	Universal sur. gauge	ht. 300 30 pcs.				
18713	thick. gauge	graduation 4/100 - 30/100 280 pcs				
18714	protractor	5 pcs				
18715	tap wrench	sz. of tap 2.5/38 346 pcs.				

Inventory No	Name of Machine	Specifications			Remarks
18716	pin reamer	dia. 3/8 208 pcs.			
18717	do	dia. 0.5/20 143 pcs			
18718	sq. dies gas screw	sz. 6/20 189 pcs.			
18719	sq. die	sz. 22/55 148 pcs.			
18720	do	sz. 3/16" -1" 144 p.			
18721	twist drill	dia. 4/5 854 pcs			
18722	do	dia. 5.2/11 1971 pcs			
18723	do	dia. 9.5/14.5 1321 pcs			
18724	do	dia. 15/17.5 1260 pcs			
18725	do	dia. 18/19.5 315 pcs			
18726	do	dia. 20/25 596 pcs			
18727	do	dia. 25.5/30 85 pcs			
18728	do	dia. 30.5/35 210 pcs			
18729	do	dia. 30.5/39.5 87 p.			
18730	do	dia. 45.5/50 45 pcs			
18731	do	dia. 55/62.5 2 pcs			
18732	die tap	dia. 5/16"-2" 53 p.			
18733	mach. tap	dia. 1"-1 1/2" 33 pcs.			
18734	do	dia. 1. 3/8" -2" 11 pcs.			
18735	mach. nut tap	dia. 4/10 201 pcs.			
18736	do	dia. 20/12 5 pcs			
18737	do	dia. 1"-3 1/2" 35 pcs.			
18738	standard die tap	dia. 3/30 53 pcs.			
18739	do	dia. 33/55 38 pcs.			
18740	do	dia. 13/16" - 1 1/2" 280 sets			
18741	do	dia. 1.3/8" - 2" 155 pcs.			
18742	mach. taps	dia. 10/20 23 pcs.			
18743	do	dia. 22/30 124 pcs.			

Code no. 22-24

Inventory No	Name of Machine	Specifications				Remarks
18744	mach. tap	dia. 32/40 3 pcs				
18745	do	" 42/55 5 pcs				
18746	hand tap	" 4/10 76 pcs				
18747	do	" 11/20 28 pcs.				
18748	mach. tap	" 25/40 30 pcs.				
18749	hand tap	dia. /42/60 4 pcs				
18750	do	dia. 10/26 130 pcs				
18751	do	" 10/28 41 pcs				
18752	do	" 30/50 14 pcs				
18753	do	" 1/8-3/4 465 pcs				
18754	do	" 6/9 117 pcs				
18755	do	" 10/15 28 pcs.				
18756	do	" 16/20 73 pcs				
18757	do	" 22/25 42 pcs				
18758	do	" 26/30 32 pcs				
18759	do	" 32/35 20 pcs				
18760	do	" 36/40 6 pcs				
18761	do	" 42/50 11 pcs				
18762	do	" 2/5 945 pcs.				
18763	do	" 14/40 36 pcs				
18764	mach. nut tap	" 14/40 29 pcs				
18765	slotting end mill	sz. 3/5 293 pcs				
18766	do	sz. 4/20 172 pcs.				
18767	do	high spd. stl. 568 p.				
18768	end mill	sz. 5/10 410 pcs				
18769	do	sz. 11/20 543 pcs.				
18770	do	sz. 22/25 50 pcs.				
18771	do	sz. 26/30 65 pcs.				

Inventory No.	Name of Machine	Specifications				Remarks
18773	T - slot cutter	sz. 12/28 269 p				
18774	do	sz. 30/45 48 pcs.				
18775	do	sz. 40/65 43 p.				
18776	metal slotting saw	sz. 60/75 137 pcs.				
18777	do	sz. 80/125 131 pcs.				
18778	round dies	sz. 3/10 303 pcs.				
18779	do	sz. 11/18 11 pcs.				
18780	do	sz. 5/16" -1" 335 p				
18781	file flat	sz. 100 140 pcs.				
18782	do	sz. 150 350 pcs.				
18783	do	sz. 200, 800 pcs.				
18784	do	sz. 250 ; 2400 pcs.				
18785	do	sz. 300; 1150 pcs.				
18786	do	sz. 350 450 pcs				
18787	file sq.,	sz. 100/400 1920 pcs				
18788	round file	sz. 200/350 1100 pcs				
18789	Half round file	sz. 100/350 720 pcs				
18790	roughing bite	leng. 170 - left 429 pcs.				
18791	do	leng. 245 right 132 pcs.				
18792	do	sraight 250 pcs				
18793	boring bite	Size 1" Tengaloy leng. 34 35 pcs				
18794	finishing bite	leng. 64 1480 1480 pcs. 1480 pcs				
18795	do	leng. 80 1020 pcs.				
18796	asstd. file	sz. 7" 156 pcs.				
18797	protect eye-glas s	702 pcs.				
18798	shovels	140 pcs.				
18799	gas torch	50 pcs				
18800	drill chuck	max. #/.drill. cap. 5/16 20 pcs				

Inventory No.	Name of Machine	Specifications	Remarks
18801	outside micrometre	measure 25/50 5 pcs.	
18961	transformer outdoor	PV 3450 3V 220 110V 1 ph. 50 kva	
18962	pole oil switch	3500V 200A	
18965	clino metre	cap. 90 0 sensibility 0.05 0	
18966	straight edge	woo x 150 x 25	too worn
18967	outside caliper	leng. 900/100 111 pcs.	
18968	tap wrench	sz. 9/16" 10 pcs.	
18969	do	sz. 1/2 & 5/8" 10 pcs.	
18970	do	sz. 3/8" - 7/16" 15 pcs.	
18971	do	sz. 3/8" - 1/2" 15 pcs.	
18972	do	sz. 7/11- & 1/2" 16 pcs.	
18973	do	sz. 3/8" 12 pcs.	
18974	do	sz. 3/16" - 5/8" 33 pcs.	
18975	do	sz. 4 & 7 11 pcs.	
18976	do	sz. 1/2 31 pcs.	
18977	do	sz. 7/8 7/2 40 pcs.	
18978	do	sz. 3 40 pcs.	
18979	hoist hand chain	cap. 1 ton	
18980	surface gauge	350 to 140 4 pcs.	
18981	hand chisel	leng. 150 55 pcs.	
18982	do	leng. 300 1090 pcs	
18983	do	leng. 230 280 pcs.	
18984	mach. chisel	leng. 300 69 pcs.	
18985	mach. chisel flat	leng. 250 90 pcs.	
18986	mach. chisel	leng. 40 54 pcs.	
18987	grv. caulking	leng. 130 46 pcs.	
18988	mach. chisel caulking	leng. 80 200 pcs.	
18989	hand chisel pick	leng. 200 57 pcs.	

Inventory No	Name of Machine	Specifications			Remarks
18990	Tap wrench	sz 1.6/8" -1 1/2"			
18983	caliper	leng. 130/120			
	inside	182 pcs.			
18994	spring caliper inside	leng. 200/150 46 pcs.			
18995	sledge hammer	wt. 16/1 kg 18 pcs.			
18996	do	wt. 7/2 1/2 kg 2.5 14 pcs.			
18997	outside caliper	leng. 350 /230 14 pcs.			
18999	do	49 pcs.			
19000	chisel wedge	100 pcs.			
19100	oil switch	3p. 3500 v. 200A			
19101	insulator	3300v. 9 pcs.			
19102	switch gear	sz. 40 x 1530 x 1170 220v.			
19103	do	sz. 40 x 500 x 500 220v.			
19104	projector	220v. 8 pcs.			
19105	illuminator	water tight 220v. 8 pcs.			
19106	resister	for battery charge desk type			
19107	volt metre	panel type 0/300 v.			
19108	ammetre	a. c. 0/300 a 2 pcs.			
19109	do	a. c. 0/60 a 1 pce.			
19110	volt metre	d. c. 0/150 v. 1 pce.			
19111	integrating watt hour metre	3ph. 110v. 5 a 2 pcs.			
19112	battery	300 a.h. 2v x 3			
19113	do	80 a.h. 2v 230			
19114	box. steel	suitable for setting pump			
19115	do	do			
19116	do	do			
19117	do	do			
19118	do	do			
19119	do	do			

Inventory No.	Name of Machine	Specifications			Remarks
19120	battery steel case	for setting pump			
19121	tool box	steel plt. 12 pcs.			
19122	do	stl. plate			
19123	work. stand	suitable for vice wooden 6 pcs			
19124	do	wooden 5 pcs.			
19125	tool chest	material; angle stl. 15 pcs.			
19126	do	do - 5 pcs.			
19127	do	material wooden 9 pcs.			
19128	do	wooden 6 pcs			
19129	do	angle stl. 17 pcs.			
19130	do	wooden			
19131	do	do 5 pcs			
19132	shackle rd. pin type	dia. of pin 1.1/8" - 3 1/2" 68 pcs.			
19133	shackle screw pin type	dia. of 5/8" - 1 1/2" no. of 56 pcs			
19134	shackle for anchor	suitable for anchor 35 pcs			
19135	air vessle	cap. 700 L 3 pcs			
19136	do	cap. 621 Lit.			
19137	do	cap. 90 lit			
19138	do	cap. 250 Lit			
19139	air vessel	cap. 621 Lit			
19140	do	cap. 420 L			
19141	do	cap. 300 l			
19142	do	cap. 400 L 2 pcs			
19143	do	Cap. 1000 L 1 pce			
19144	rubber boots	10 pcs.			
19145	diving set	clothes; helmets, lead, shoes; 5 sets			
19146	air hose diving block	dia. 3 168 M rubber-made 1 sheave; dia. of rope			
19147	stl.	10/25; 24 p. 26/35; 5 pcs			

Inventory No	Name of Machine	Specifications			Remarks
19148	block stl.	dia. 10/25; 13 pcs 26/35 1 pce			
19149	do	3 sheaves dia/rope 20/30 15 pcs			
19150	wooden block	dia/rope 10/25 30 pcs 26/35 9 pcs.			
19151	do	2 sheaves dia/rope 10/25 18 pcs.			
19153	anvil	work. sur. 165x640 x 1 p 125x425 2 pcs.			
19154	clamp	dia. of screw 25 hold leng. 190 5 pcs 70 9 pcs			
19155	roping mach.	travelling type hand driven, hem rope			
19156	jack hand lift screw	cap. 5 tons, 2 1/2 tons 1 ton, leng./strk. 130.90.100.35			
19157	hook stl.	dia. of screw 1 1/2" 21 x 8 x 5.5 10 pcs			
19158	gas. torch welding	leng. 575			
19159	do	do			
19160	do	do			
19161	gas torch cutting	leng. 550			
19162	do	do			
19163	gas burner weld'g	cap. 200			
19164	platform scale	cap. 500 kgs sz. of bed; 630 x 420			
19165	do	cap. 1000 kg sz. of bed 625 x 795			
19166	do	cap. 2000 kg sz. of bed 1035 x 300			
19167	spring balance	cap 25 kg			
19168	press. gauge	dia. 70 x 190			
19169	do	dia. 95/175			
19170	do	dial 0/450 kg/cm ² 10 pcs. dia. 90/125			
19171	do	dia. 0/160 kg/cm ² 13 pcs dia. 90 -120			
19172	do	0/300 kg/cm ² 5 pcs. dia. 90/145 dia. 0/60 kg/cm ² 5 pcs.			
19174	mach. chisel	flat type (pn'o) 74 pcs flat type 120 pcs.			
19175	file	every type 509 pcs			
19176	spanners single head	sz. of span 3/8"-1 1/2" 44 pcs			
19177	spanners dbl. head	sz. of span 5/8" / 2 1/2" 7 pcs.			

Inventory No.	Name of Machine	Specifications	Remarks
19178	spanners	sz. of span 7/8" - 1 1/2"	
	ring hd.	7 pcs.	
	alligator	max. span 1 1/2"	
19179	pipe wrench	5 pcs	
19180	monkey spanners	max. span 1. 9/16"	
		15 pcs	
19181	sledge hammer	wt. 7 kg 5 pcs 3.4 kg 10 pcs	
19182	mach. hammer	wt. 1.6 kg 12 pcs 0.8 kg 30 pcs.	
19183	scraper	leng. /w 300 x 15 50 pcs	
19184	pipe wrench	leng. /w 500 x 25 20 pcs. sz. of span 1" / 1 1/2" 2 pcs sz. of span; 1 1/2" / 2 1/2" 3 pcs sz. of tap 1/2"	
19185	tap wrench	42 pcs.	
19186	hand tap	dia. 3/16" - 1" 233 pcs	
19187	do	dia. 4/8 65 pcs	
19188	drill straight shank	dia. 1.2/8.5 75 pcs	
19189	drill taper shank	dia. 7.5/27 288 p	
19195	bellow torch	cap. of gasoline tank 1.5 l 1 pcs; 2. 1 l 1 pcs	
19196	rubber hose	inside dia. 1" & 3/16" 3/8"	
19197	air out;	1"; 1/2"; 5/8" 28 pcs inside dia. 2" len. 15m	
19198	do out;	dia. 5/8" 4 pcs	
19199	scoops	leng. 1m; edge w. 250 7 pcs leng. 1 m	
19200	pick	leng./pick 350 6 pcs suitable for hose; brass	
19201	nozzle	dia. 2 1/2" 3 pcs	
19202	canvas hose	dia. 2 1/2" leng. 20 m	
19203	air filter press.	7 kg/cm2 5 pcs	
19204	diesel eng.	shaft rpm 900 rated hp 50	
19205	do	rated hp 50 900 rpm	
19206	internal comb'n eng.	rated 3hp 1500 rpm	
19207	air compressor	strk. 120 15kg/cm2 cap. 0.4 m3/min strk. 50 bore 30	
19208	do	cap. 0.02m3/min 5 kg/cm2 1 cyl. bore 40; strk. 30	
19209	pump water blower	cap. 5 L/min cap. 3m3/min prs.	
19210	cent'l outdoor transformer	1 ph., 20kva pv 3300 sv (210 105) 390	

Inventory No	Name of Machine	Specifications	Remarks
19211	potential transformer	3ph., 60 va 3300/110v a.c. 1 kva 75 v	
19212	enclosed generator	1,900 rpm cap. 128 a.h.	
19213	battery	2 pcs.	
19214	box stl.	164 x 91 x 81	
19215	tool box	stl. plate 7 pcs	
19216	woodwork stand	10 pcs.	
19217	tool chest	angle stl. 2 pcs.	
19218	do	wooden 1 pce.	
19219	do	angle stl. 2 pcs.	
19220	air vessel	cap. 400 L dia. 430 leng. 2500 prs. 2 pcs.	
19221	boots	rubber 5 pcs.	
19222	vice parallel	100; 2p. wid. of jaw 125; 10 pcs. 135; 5 pcs. dia. of screw 25, 22, 21,	
19223	clamp hold	leng. 130, 45, 100, Pcs: 4, 13	
19224	Jack; hand lift	Cap. 0.5 0.3 0.3 - 1/4 tons strk; 45.15.19. Pcs: 20. 3. 30. 3	
19225	platform scale mach.	Cap. 500 kgs bed; 430 x 640	
19226	chisel	flat loopcs., cape; 30p. cape; 40 pcs.	
19227	files	451 pcs.	
19228	spanner	sz. of span; 1/2" & 7/8"; 1" x 7/8" 3 pcs	
19229	hand hammer	wt. 0.8 kg 64 pcs	
19230	hand tap	dia. 4/8 35 pcs.	
19231	do	dia. 3/16" - 1" 308 pcs.	
19232	taper shank drill	dia. 9/27 266 pcs.	
19233	dial indicator	sensibility 1/100	
19234	thick; gauge	measure 1/100 -1 measure 2 sets	
19235	vernier caliper	0/1000	
19236	sq. edge stl.	100 / 950 19 pcs.	
19237	inside caliper	sz. 8" 5 pcs.	
19238	sur. gauge	ht. 300/1300 23 pcs	

Inventory No	Name of Machine	Specifications			Remarks
19239	straight edge	all over length 1000/3400 10 pcs.			
19240	scoops	leng. 1 m wid. 250 5 pcs			
19241	picks	leng. 1 m leng. of pick 1 m 2 pcs			
19354	blower	impeller del. vol. 8.1 m ³ /min			
19355	oil switch	3500 v 100a 3 poles			
19356	insulator	3300v 22 pcs			
19357	oil switch	3500 v 100a 3 pcs.			
19358	insulator	3300v 4 pcs			
19359	cable hd.	3300v 3 wire 50 mm 2			
19360	do	do 2 pcs			
19361	do	3300v, 3 wire 50 mm 2			
19362	transformer	3ph., 20kva 3300/110v			
19363	el's cell	225v. 250 a			
19364	ac motor	7.5 kw. 60 c. 220v. 850 rpm			
19365	sewing machine	with motor 40 gHP 60 c. 100/110v.			
19368	Japanese Tech. book	83 volms.			
19369	eng. tech. book	74 volms.			
19370	do	16 volms.			
19371	German tech. books	4 volms.			
19372	working stand	2.64m x .9 m x .75 m			
19373	do	4.7 m x .87 m x .75m			
19374	do	3.63 x .7 m x .75 m			
19375	do	3.75m x .9 m x .75 m			
19376	turning fork vibrator	0.04 w 1000 c 12 v			
19377	oscillograph cathode ray	2 pcs.			
19378	working stand	sz. 2.63 m x .89m x .75m			
19379	do	sz. 2.64mx .9 m x .75 m			
19380	switch gear	20 x 760 x 880			

Code no. 22-24

Inventory No.	Name of Machine	Specifications			Remarks
19381	el. dryer	ac 100v, 20 a max. 150 °C			
19383	platinum boat	2 pcs			
19384	platinum crucible	cap. 30 cc 31 pcs.			
19385	pump water reciprocating	cap. 168 L/min prs. 10 kg/cm ²			
19386	barge ; dry	cargo cap. 50 tons			
19393	platinum pans	cap. 100 cc 15 pcs			
19394	platinum electrode	the positive pole 9 pcs.			
19395	do	negative pole 11 pcs			
19396	platinum cone	11 pcs			
19397	gasoline stand	cap. 2000 lit			
19400	Inverter enclosed	DC 1/2 hp 100v, 3000 rpm a.c. 283 va 150 c. 90v 3000 rpm			
19401	separator dehydration	300 rpm cap. 2 L/hr 1 HP			
19402	chem. bal.	cap. 1 kg sensi'y 200 g			
19404	drill socket	Morse taper; 1/5 250 p.			
19407	tap wrench	sz. /tp. 4; ~8 25 pcs.			
19408	do	sz. of tap; 3/16"/1 1/2" 159 pcs.			
19409	ratchet drill	cap. 8"			
19410	compass	leng. 150/250 112 pcs.			
19411	weld. mach. a. c.	17.5 kw pv 220 400a. sv 80			
19412	cable for travel. crane	travelling DC 7 1/2 hp 220v. 750 rpm			
19413	balance	320 x 91 x 72 1 pce.			
19414	DC motor	600 hp 50/100/220v. 350 rpm			
20008	pump-wing	suction & discharge sz. 50 x 50 mm			
20031	band saw	dia. of whl. 760 mm			
20052	pump wing	suction & discharge sz. 50 x 50 mm			
20053	chimney	ht. 32 m			
20054	bottom flue	dia. 2.5 m leng. w th. 4 x 2 x 0.4m			
20059	valves	various sz. 102 pcs.			

Inventory No.	Name of Machine	Specifications	Remarks
20060	tube	leng. 599 mm	
20126	Insulated copp. wire	leng. 2920 M	
20127	wooden pole	leng. lom 23 pcs	
20128	insulator	ht. voltage 37 pcs	
20129	do	low voltage 294 pcs.	
20133	hand tool film joint caliper	outside 16 pcs	
20134	do	inside 25 pcs.	
20135	hand tool divider	leng. 20/25.7 mm 7 pcs.	20135/for leather cutting
20136	Hd. tl. compass	foot leng. 180mm	20136/
20137	hammers	wt. 0.2/1.5 kg 39 pcs.	/
20138	do mallet	wt. 0.15 kg 3 pcs.	
20139	do drivers	leng. 333 mm 41 pcs.	
20140	do cutting pliers	leng. 225 mm 23 pcs	
20141	do chisel	w. of edge 21/91mm 114 pcs.	
20142	do trowel chisel	w. of edge 15mm 51 pcs	
20143	Do knives	L. of edge 122mm	
20144	Do planes	w. of edge 8 pcs 40/70 mm 575 pcs.	
20145	do mach. plane	Leng. of edge edge 3.2/7mm 77 pcs	
20146	do hand saw	leng. of edge 290/260mm 29 pcs.	
20147	do adzes	leng. of edge 105 mm 2 pcs.	
20148	do screw augers	w. of edge 8/19 mm 4 pcs.	
20149	do bite braces	leng. 340 mm 7 pcs.	
20150	hand tl. tin shears	leng. 300 mm 3 pcs	
20151	do marking gauges	w. of edge 12/15 mm 24 pcs.	
20152	do grind. whl.	dia. 203/305 mm 200 pcs.	
20153	hand tool gimlets	various sz. 84 pcs.	
20154	cutting tool	w. of edge 8/24mm	
20155	auger bite	dia. 230/430 mm 230 pcs.	
20156	Do. regular saw	230 11p es	