Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SEED ANNUAL 1918

* FERZSKIS

HARLEVOIX

Aneward From the

62.41

D.M.FERRY & CO. SEEDSMEN DETROIT, MICH.

COPENHAGEN MARKET


Table of Contents


	,
PAGE	PAGE
Acroclinium	Chinese Cabbage32
Ageratum	Chinese Primrose91
Alfalfa	Chives
Alsike68	Chrysanthemum77
Alyssum71	Cineraria77
Amaranthus	Clarkia
Amaranth, Globe82	Clematis
Anemone	Clover
Antirrhinum	Cockscomb
Aquilegia	Coix Lachryma
Arabis	Cold-Frame
Artichoke21	Coleus
Asparagus	Collards
Aster72, 73	Columbine
	Convolvulus Major78
Baby's Breath	Convolvulus Minor78
Bachelor's Button73 Balloon Vine73	Cooking Receipts 11 to 16
Balm	Coreopsis
Balsam	Corn
" Apple	Corn Flower
" Pear	Corn Salad37
Barley69	Cosmos4, 78
Basil, Sweet67	Cowpea69
Beans	Cress 39
Beans, Scarlet Runner 74	Cucumber
Beet	Cucurbita
Begonia74, 100 Bellis74	Cup and Saucer75
Bignonia	Cyclamen
Bird seeds	Cypress The
Bleeding Heart	Dahlia80, 100
Books105	Daisy80
Borage67	Dandelion
Borecole41	Datura80
Brazilian Morning	Delphinium
Glory	Devil-in-a-Bush85 Dianthus76, 80, 90, 98
Brussels Sprouts 29	Dielytra(Dicentra) 100
Buckwheat	Digitalis80
Bulbs,100 to 102	Díll
Butterfiy Flower74	Dimorphoteca81
	Dolichos81
Cabbage4, 30 to 32	Dusty Miller
Caladium100	Dwarf Morning Glory81
Calceolaria74	Echinocystis99
Calendula74 California Poppy74	Egg Plant40
Calliopsis	Elephant's Ear100
Campanula75	Emerald Feather81
Canary Bird Flower75	Endive
Candytuft75	Escarolle40 Eschscholtzia81
Canna	Evening Glory
Canning Directions.17,18	Everlastings71.83,91
Canterbury Bell75	
Caraway	Farm and Garden Im- plements
Carpet of Snow75 Cardiospermum73	Farm Seeds, Miscel-
Carnation	laneous
Carrot	Fennel, Florence40
Cassaba45	" Sweet
Castor Bean76	Ferns
Cauliflower	Feveriew
Celery 4, 34, 35	Flax
Celery Cabbage32	Flowering Sage
Celeriac	Flower Seeds, Culture.71
Celosia	Flower Seeds4, 71 to 99
Centaurea	Forget-Me-Not81
Cheiranthus	Four O'Clock
Chicory	Foxglove
011001 9	French Honeysuckle82

		1
PAGE	PAGE	
	Gaillardia82	Į
e91	Garden Plan2	
	Garlic	1
	Geranium	ľ
	Gilliflower82	l
	Gladiolus82, 101	l
	Globe Amaranth82	l
	Gloxinia83	l
	Golden Feather91	l
	Gomphrena82	l
	Gourd	
	Grass Seeds68, 69	
	Gypsophila83	
	of peoplination of the second	
or78	Hedysarum	
or78	Helianthus83	
	Helichrysum83	
s 11 to 16	Heliotrope83	
	Herbs	
67	Hesperis83	
3, 36, 37	Hibiscus Africanus83	
	Hollyhock84	
	Honey Dew Melon6, 45	
4, 78	Honeysuckle	
69	Horehound67	
39	Horse Radish40	
38, 39	Hotbeds	
	Humulus Japonicus84	
	Hungarian	
80	Hunnemannia	
80	Hyacinth Bean84	
	Hyssop	
.80, 100		
80	Iberis	
80	Ice Plant	
	Immortelles	
0, 90, 98	Ipomœa	
a)100		
80	Japanese Hop84	
67	Job's Tears	
	Joseph's Coat84	
81		
	Kale41	
lory81	Kochia84	
	Kohl Rabi41	
40		
100	Lady-in-the-Green85	
	Lantana	
	Larkspur	
	Larkspur	
	" Odoratus84	
1.83,91	Lavender	
	Lawn Grass	
n Im-	Leek	
103	Lettuce	
el- 69, 70	Lilies	
	Linum	
67	Lobelia	
	Love-in-a-Mist85	
	Lucerne or Alfalfa68	
40	Lupin	
	đ	
	Madeira Vine	
ture.71	Malcomia	
71 to 99	Mangel Wurzel	-
	Marigold	
	Marjoram, Sweet67	
	Marvel of Peru85]
kle82	Mathiola	3

PAGE	PAGE
Matricaria85	Rose Multiflora91
Maurandia85	Rosemary
Melon6, 44 to 47	Roots 100 to 102
Mesembryanthemum84	Rue67
Mexican Fire Bush84	Ruta Baga66
Mignonette86	Rye 70
Mignonette Vine102	
Millet	Coffman OF
Mimosa86	Saffron
Mimulus	Sage
Mirabilis86	Salpiglossis
Momordica86	Salsify
Monkey Flower	Salvia92
Moon Flower	Savory, Summer67
Morning Glory86	Scabiosa92
Morning Glory, Dwarf.81	Scarlet Flax92
Moss Rose	Scarlet Runner Beans 92
Mourning Bride86	Schizanthus
Mushroom47	Sea Kale Beet
Muskmelon6, 44, 45	Seed Drills 103
Musk Plant	Sensitive Plant92
Mustard	Smilax
	Snapdragon92
Myosotis	Sorghum
Myrsiphyllum86	Sorrel59
	Spinach60
Nasturtium47, 87	Spinach Beet28
Nicotiana	Squash
Nigella	Stock
	Straw Flower
Œnothera87	Sugar Beet
Okra	
Onions	Sugar Cane
Onion Sets	Summer Cypress84
Onion Sets	Sunflower70, 93
	Swede
Pansy	Sweet Peas 4, 94 to 97
Papaver	Sweet Rocket
Parsley	Sweet Sultan
Parsnip	Sweet William93
Peas 8, 52 to 54	Swiss Chard
" Everlasting88	
" Sweet4, 94 to 97	Tagetes
Pelargonium	Tecoma
Pentstemon88	Tetragonia
Peony	0
Pepper6, 55	Thyme
Pepper Grass	Tobacco
Periwinkle	Tomato
	Tritoma102
Pe-Tsai	Tropæolum98
Petunia	Trowels103
Phlox Drummondi89	Trumpet Vine74
Pie Plant	Tuberose102
Pinks	Turnip64, 65
Plant Bed Cloth103	
Poor Man's Orchid91	Wagetable Overton to
Poppy90	Vegetable Oyster59
Portulaca91	Verbena
Primrose91	Vetch or Tare
Primula	Vinca
Pumpkin	Viola Tricolor
Pyrethrum91	Virgin's Bower
	Virginian Stock99
Radish 6, 56 to 59	
Rape	Wallflower99
Red Hot Poker102	Watermelon 6, 46, 47
Reference Tables 104, 105	Weeders103
Reseda	Wild Cucumber99
	Wind Flower
Rhodanthe	Wistaria Chinensis99
Rhubarb	Wormwood67
Ricinus	
Rocket, Sweet	
Roquette	Zinnia

JOHN BORNMAN & SON, PRINTERS, DETROIT, MICE.





D. M. FERRY & CO'S SEED ANNUAL

Food Waste

THIS year waste is not merely a misfortune—it is a calamity. With the world's reserves of food at the lowest ebb they have been since the Napoleonic Wars no one has a right to waste food, either actual or potential. Potential food waste includes failure to make a garden where a garden ought to be made. It includes also two other mistakes: making a garden too big to work successfully and planting any seeds but the best obtainable. This year avoid waste by having your garden small enough to enable you to see it through and by planting pure-bred seeds only. Have the yield worth while both in quantity and quality. Plant Ferry's Seeds. The best is always the cheapest.

We are not bound for any definite time or quantity by these prices and they are subject to change without notice. We recom- venience of our customers as well as ourselves, discontinued the mend that you order as early as possible.

OUR TERMS ARE STRICTLY CASH WITH THE ORDER. We do not send C. O. D., as the cost of collecting return charges is quite an unnecessary item of expense and the prices being given, we can conceive of no necessity to warrant goods being so sent.

HOW TO SEND MONEY. Remittances may be made at our risk by any of the following methods, viz: Postal Money Order, Draft on New York or Chicago, or Express Company's Money Order.

The rates charged for Postal Money Orders and Express Money Orders are now so low that these are the best ways to remit. We will bear the expense of sending money in either of these ways, or of the cost of a New York or Chicago Draft is no more expensive than a Postal Money Order. Deduct the cost of the order from amount sent. Express Money Orders can be obtained at all offices of the principal Express Companies. They are cheap and absolutely safe.

When Money Orders cannot be obtained, letters containing money should always be registered. Money in ordinary letters is unsafe. If currency is sent by express, the charges should be prepaid, and if local checks are used they must be certified.

NAME AND ADDRESS SHOULD ALWAYS BE GIVEN. Frequently we receive unsigned letters. Sometimes they contain money and orders. Sometimes too, letters are received in which the name of the town is left out and the postmark is blurred. We cannot fill orders unless we know the name and address of the buyer. The easiest way for you is to use our order sheet filling in the blanks.

Where perishable or other goods are ordered to be sent by freight or express to such great distances that the cost of transportation will nearly or quite equal the value of the goods, we must decline to ship unless purchasers remit us, in addition to the price of goods, sufficient funds to prepay transportation charges. When this requirement is not complied with, we reserve the right of declining the order and returning money to the person ordering.

In common with some other seedsmen we have, for the conuse of the terms bushel, peck, quart and pint and now quote all seed listed in our catalogue by weight.

Ten pounds of Beans, Corn or Peas are now supplied at the 100 pound rate. On Grass, Clover, Miscellaneous Farm Seed and other seeds where 100 pound prices are quoted we supply 25 pounds at 100 pound rate.

HUNDRED POUND LOTS. When ordered at the 100 pound rate we deliver free at depot or express office in Detroit, Michigan: the freight or express charges to be paid by the party ordering.

FREE OF POSTAGE OR EXPRESS CHARGES. Packets, Ounces, Two Ounces, Quarter Pounds or Pounds, ordered at list prices, will be sent free by mail or express.

Customers ordering enough for a freight shipment, 100 pounds or more, or desiring to pay their own express charges, may deduct 8 cents per pound from prices of this catalogue on all seeds quoted by the pound or less.

SEEDS BY WEIGHT. We supply half pound and over at pound rates; less than half pound lots are charged at ounce, twoounce or quarter pound rates. We do not, however, put up half pounds of beans, corn or peas.

BAGS. To every order for 10 pounds and upwards, to the amount of 100 pounds, 50 cents must be added for a new bag in which to ship.

NON-WARRANTY. Sometimes though not often our seeds do not come up after planting. This may be due to one or more of several reasons, such as covering too deeply or not deeply enough, too much or too little water, too cold weather or a baking sun which forms a crust too hard for the tender shoots to penetrate. Sometimes insects destroy plants at the surface before they are seen by the gardener. We cannot personally direct the use of our goods after they leave our hands; neither can we fully control anywhere or at any time the operation of natural law as it affects seeds; therefore, we give no warranty, express or implied, as to description, purity, productiveness, or any other matter of any seeds or bulbs we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

Detroit, Mich., January 1, 1918.

UNITED STATES FOOD ADMINISTRATION LICENSE No. G-23142

D. M. Ferry & Co.

PLAN FOR KITCHEN GARDEN WHERE SPACE IS LIMITED

For the convenience of those who have only a limited space at their command, the accompanying plan is suggested as an aid in laying out a small kitchen garden.

Where the rows are made the distances apart indicated on this diagram, thirty-five feet are required in one direction.

If the rows are to run east and west it is desirable to have the corn at the north end, otherwise the corn is likely to shade too much the rows near it on the north side.

The rows may be as long as space permits or individual preferences may call for, and where space is less limited, more rows of favorite sorts may be added or provision made for other vegetables or flowers that may be desired.

The Asparagus, Horse Radish and Rhubarb should be permanent beds.

Among the varieties of vegetables that we recommend, mentioned somewhat in order of planting, are the following:

Tomato, Early—Earliana, Chalk's Early Jewel and Early Detroit.

Cabbage, First Early-Early Jersey Wakefield and Copenhagen Market.

Cabbage, Second Early and Intermediate-Early Summer, Succession and Early Winnigstadt.

Cauliflower-Early Favorite and Early Snowball.

Onion-Bunching and White Portugal.

Pepper-Large Bell or Bull Nose and Giant Crimson.

The above sorts do best when started indoors and transplanted. Others mentioned below may be sown outdoors.

Lettuce, Clustering or Loose Leaved-Black Seeded Simpson and Ferry's

Early Prize Head. Lettuce, Cabbage or Heading-Cali-

fornia Cream Butter and Big Boston. Onion-Vellow Globe Danvers

Southport Red Globe and White Globe

Radishes-French Breakfast, Early Scarlet Turnip. White Tipped, Early Long Scarlet and Crimson Giant Turnip.

Spinach-Early Giant Thick Leaved and Long Season.

Parsley-Plain and Champion Moss Curled.

Asparagus-Palmetto and Conover's Colossal.

Peas-Nott's Excelsior and Premium Gem (dwarf) and Champion of England (tall).

Beet-Detroit Dark Red and Crosby's Egyptian.

Corn, Early-Mammoth White Cory, Crosby's Early, Golden Bantam and Charlevoix.

Corn, Main Crop-Ferry's Early Evergreen and Stowell's Evergreen.

Beans, Dwarf Wax Podded-Golden Wax and Prolific German Wax, Black Seeded.

Beans, Dwarf Green Podded-Early Red Valentine and Stringless Green Pod.

Beans, Pole-Kentucky Wonder and White Crease Back.

Cucumber-Early White Spine and Improved Long Green.

Squash, Summer-Mammoth White Bush Scallop and Mammoth Summer Crookneck.

f.	Rhubarb		Horse Radish
4 ft.	Asparagus	Salsify Parsnip	
3 ft.	Early Corn		Summer Squash
4 ft.	Main Crop Corn		
2 ft. 2 ft.	Dwarf Peas 	elery	
3 ft.	Early Cabbage and Cauliflowe	r or Brussels S	prouts
1.%	Early Beets (followed by Turn		inach)
17,	Lettuce (followed by Winter F	Radish)	Parsley
11/4	Onions	Early Radis	
177	Dwarf Beans		and Carrot or Endive
3 ft.	Late Cabbage		Pepper
3 ft.	Tomatoes		Pole Beans
5 ft.	Cucumbers, Melons or Late So	uash (One or	more hills of each)

Squash, Fall and Winter-Delicious and Hubbard. Musk Melon-Emerald Gem, Admiral Togo and Osage.

Water Melon—Peerless and Monte Cristo.

Carrot-Danvers and Chantenay.

Parsnip-Hollow Crown and Long White Dutch.

Salsify—Mammoth Sandwich Island. Cabbage, Fall and Winter—Early Winnigstadt,

Fottler's Brunswick and Premium Late Flat Dutch. Turnip—Extra Early White Milan and Early Purple Top, Strap Leaved.

Even a small yard should have its flowers. Plant a few Sweet Peas or some Nasturtiums, either Dwarf or Trailing. Our mixtures of Asters, Pansies, Petunias, Phlox Drummondi, Poppies, Morning Glories, Marigolds, Verbenas and Zinnias, all are easily grown. A few packets of flowers well grown will give an abundant harvest of pleasure.

Each packet of seed gives cultural directions sufficient to insure success under normal conditions, and more detailed suggestions for many sorts will be found in the following pages.

Buy Ferry's seeds of your local dealer.

Novelties and Specialties

Beans-Michigan White Wax

This splendid variety may be briefly described as a white seeded Golden Wax. It is one of the earliest of the dwarf, snap beans. The vines are very vigorous and unusually productive. The pods are golden yellow, fully as attractive as our well known Golden Wax and of the same exceptionally fine quality. The seed is white, a most valuable feature heretofore unattained in a bush bean of highest quality. (See cut and further description, page 22) Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Beans-Baldwin Wonder Wax

This variety is a most prolific, wax podded pole sort of excellent quality for snaps for the home garden. The vines are hardy and vigorous in growth, and when in condition for use as snaps the pods are very long, about seven inches, uniformly cylindrical, exceptionally brittle and stringless. The color is a very attractive light yellow. We consider Baldwin Wonder Wax the most desirable bean of its class yet introduced. (See further description, page 26) Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Beans—Detroit Mammoth Lima

This new pole lima bean which we offered last year for the first time is the result of many years of careful selection and is entirely distinct from any other variety we have ever tried. The mammoth pods are nine to eleven inches long, medium dark green in color

and contain five to seven beans of the most excellent quality. It comes into bearing medium early and the vines which are vigorous and strong growing are exceptionally productive. A variety of distinctive merit for the home garden. (See further description, page 27) Pkt. 15c; Lb. 75c postpaid.


Beet—Detroit Dark Red

We believe this is the best beet for the market and home garden, and on account of its uniformly deep rich color the most desirable for canning. The tops are small and upright in growth. The leaves are dark green, shaded with red. The root is medium sized, globular or nearly round, very smooth and of dark blood red color. The flesh is deep vermilion-red, zoned with darker shade. Careful comparisons with all the prominent varieties on the market in this country and in Europe prove that the Detroit Dark Red Beet is the most uniform in shape and size and the most attractive in color. It is unsurpassed in quality. (See cut on this page and further description, page 28) Pkt. 5c; Oz. 30c; 2 Oz. 50c; $\frac{1}{4}$ Lb. 90c; Lb. \$2.75

Corn-Charlevoix

The many favorable reports we have had on this variety during the past season confirm our opinion that it is the most valuable addition to our list of sweet corn in several years. This variety was originated at Charlevoix, Michigan, where it has been grown and selected for over fifteen years by one of the best gardeners in the state. The ears are about seven inches long, usually twelve rowed, and when in condition for use are deep creamy yellow in color. The grain is rather short, very sweet and tender and is unsurpassed in quality. In season it is about the same as Early Minnesota but remains in condition for use longer than most of the early or intermediate sorts. An excellent sort both for the home or market garden.

We recommend a trial of this new variety; you are sure to be pleased with it. (See illustration on cover and further description, page 36) Pkt. 15c; Lb. \$1.00 postpaid.



BEET, DETROIT DARK RED

Cabbage-Copenhagen Market

This is undoubtedly the most valuable cabbage of recent introductions. The heads are exceptionally large for so early a variety, very solid and of excellent quality. Matures but a few days later than Early Jersey Wakefield and is equally valuable either for the home or market garden. Our strain produces the large round heads that are characteristic of this variety. (See illustration on cover and further description, $page_{30}$) Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; 1/4 Lb. \$2.25; Lb. \$8.00

Cabbage-Wisconsin No. 8

A "yellows" resistant strain of cabbage developed out of our stock of Hollander under the direction of Dr. L. R. Jones of the University of Wisconsin. At Racine, Wisconsin, where for several years many of the commercial crops of cabbage were badly infected or entirely destroyed by the disease called the yellows this strain has proven to be practically immune from attack.

The disease resistant properties of this variety, however, apply only to that known as the "yellows" and no claim is made that it is less susceptible to other forms of disease such as Black Rot, Black Leg or Club Root than other sorts.

Although showing considerable variation in type the plants resemble Hollander but are larger and more leafy and spreading. The heads are round or somewhat flattened and retain to a remarkable degree the solidity and excellent keeping qualities of the Hollander.

For localities where cabbage plants are affected by the yellows we earnestly recommend a planting of this new strain. Pkt. 5c; Oz. \$1.50; 2 Oz. \$2.60; ¼ Lb. \$4.75; Lb. \$18.00

Celery—Columbia

No better celery has ever been produced than our strain of Columbia. It is early maturing. The plants are stocky and heavy, and when well grown the heart blanches to a very attractive light golden yellow. Columbia has no superior in beauty of golden shading, solidity and size of stalk. In rich nutty flavor we have found it unsurpassed. The variety is not only very desirable for the private garden but is well suited for the home market. Try it and be convinced. (See cut on this page and further description, page 35) Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; 4 Lb. \$2.25; Lb. \$8.00



CELERY, COLUMBIA

Sweet Peas-Early Flowering Spencers

This desirable new class of sweet peas is steadily gaining in popularity and we believe that within a few years all of the shades and colors found in the older types will be represented in it. The flowers have all the excellent qualities of the later flowering Spencers but will bloom a full month or more earlier and furnish an abundance of flowers during a very long season. They are equally valuable for growing under glass or for planting outdoors.

Early Liberty and Early Songster are new varieties of special merit which we are offering this year for the first time. (See colored plate opposite and further description, page 95)

Early Heather Bell. Rich and pleasing mauve, changing to mauve lavender after cutting	Pkt.	15c.
Early Liberty. Very rich deep crimson	**	23c.
Early Melody. Rose pink on white ground	44	15c.
Early Morning Star. Deep orange scarlet standard, orange pink wings	44	15c.
Early Song Bird. An excellent pale pink		15:.
Early Songster. A pleasing and very attractive shade of lavender	**	25c.
Early Snow Flake. The most desirable Early Flowering White Sweet Pea	44	15c.
Early Spring Maid. Bright pink on cream ground	. **	15c.
Yarrawa. Bright rose pink with creamy base	. "	15c.
Early Flowering Spencers Mixed. A choice mixture of the above varieties		15c.

Cosmos

One of the most effective annuals for late summer and autumn flowering, especially adapted for display in broad masses or backgrounds. The large flowers are gracefully poised on long stems and are very useful for decorative purposes. (See colored plate page 79 and further description, page 78) Pkt. 10c; Oz. 40c.

EARLY FLOWERING Spencer Sweet Peas

EARLY SPRING MAID 5

EARLY SNOW FLAKE

> EARLY HEATHER BELL

EARLY SONG BIRD EARLY MORNING STAR

YARRAWA

EARLY MELODY

Honey Dew Melon

The originator's description of this new melon states that the original seed was obtained from a melon shipped to New York City from Africa. By crossing this original strain with Rocky Ford Musk Melon and later recrossing with a Cassaba melon he has produced a variety that is not only distinct but one that has in only a few years attained a place at nearly the head of the list of shipping melons.

The fruits are of medium size, round or slightly oval, five to six inches in diameter and weigh about six lbs.



six inches in onameter and weigh about six los. each. The skin is smooth with an occasional net and when fruits are ripe is creamy yellow in color. Flesh light emerald green, fine grained and of very sweet, sugary flavor. Rind thin but very firm and the fruits stand shipping remarkably well. If picked shortly before fully mature the fruits will keep for several weeks. Matures about two weeks later than Rocky Ford. (See cut on this page and further description, page 45) Pkt. 5c; Oz. 30c; 2 Oz. 55c; $\frac{1}{4}$ Lb. 90c; Lb. \$3.00

Pepper-Large Bell or Bull Nose

Our strain of this standard sort is especially desirable on account of its extreme earliness and productiveness. The plants are vigorous and compact and ripen their crop very evenly. Fruits are large, with thick, mild flesh of excellent quality. The color is deep green when fruit is young, bright crimson when ripe. (See colored plate opposite and further description, page 55) Pkt. 5c; O2. \$1.00; 2Oz. \$1.60; ¼Lb. \$2.75; Lb. \$10.00

Lettuce—Grand Rapids

Not only one of the best for greenhouse forcing but also one of the most satisfactory for the home garden. The plant is upright and forms a loose cluster of large, thin, bright green leaves with savoyed, finely crumped

Honey Dew Melon edges. (See colored plate opposite and further description, page 43) Pkt. 5c; Oz. 20c; 2 Oz. 35c; 4 Lb. 60c; Lb. \$2.00

Desirable Radishes for the Home Garden (Illustrated on page 57)

- **Early Scarlet Globe** The roots of this variety are slightly olive shaped and are rich bright scarlet in color. The flesh is white and very tender. The roots mature very quickly and the variety is very popular for first early plantings out of doors. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50
- **Early Scarlet Turnip White Tipped** The stock we offer is exceptionally attractive in its splendid coloring. The scarlet is unusually deep and affords a very distinct and pleasing contrast with the large clear white tip. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50
- French Breakfast A spleridid variety for the table on account of its excellent quality and fine color. Roots olive shaped, of quick growth and are very crisp and tender. It is larger and continues crisp much longer than most of the early turnip shaped varieties. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25
- **Early Long Scarlet Short Top** This is a standard sort both for private gardens or market use, continuing brittle and tender until quite large. The roots are very uniform in shape, smooth and bright red in color. Probably the most popular garden variety. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.75
- Icicle An excellent white variety with long, very smooth, clear white roots which are very crisp and tender. When mature the roots are four to five inches long but are ready for use when about half that size. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Watermelon-Tom Watson


Unquestionably the most popular shipping melon. The fruits are large and long. The rind is tough. The flesh is rich red, sweet and tender. In many large markets the Tom Watson is without a rival. It supplies the demand completely for a melon of superior quality that will also ship well. (See cut on this page and further description, page 46) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



TOM WATSON

LETTUCE GRAND RAPIDS

> PEPPER LARGE BELL OR BULL NOSE



SQUASH, MAMMOTH WHITE BUSH SCALLOP

Squash—Mammoth White Bush Scallop

The handsomest of the summer squashes for the early market and the home garden. Our strain produces fruits of largest size, distinctly scalloped and somewhat flattened in shape. The fruits are uniformly warted and a beautiful, clear waxy white, instead of the yellowish white so often seen in the old Early White Bush Scallop. The stock we offer is exceptionally true to type. (See cut on this page, and further description, page 61) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50

Peas-Laxton's Superb

An early dwarf variety of the Laxtonian type. Vines fifteen to eighteen inches high, vigorous and very productive. Foliage light yellowish green. Pods large, rather broad, slightly curved and of medium dark green color. It is hardy and can be sown very early; the seed being semi-wrinkled is not as likely to rot during unfavorable weather conditions as the fully wrinkled sorts. Recommended as an excellent sort for the home and market garden. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00

Peas-Connoisseur

A second early sort of medium height. Vines two and one-half to three feet high, of robust habit and very productive. The pods which are abundant by produced are of most size were attractive derived

green color and are well filled with seven to nine peas of exceptionally good quality. A very desirable sort for the home garden on account of its excellent quality. Its productiveness and fine dark color recommend it to market gardeners. Seed medium size, light green, semi-wrinkled. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00

Tomato--John Baer

An extra early scarlet fruited variety of superior merit. Although its first pickings are not equal to those of Earliana, the later pickings of John Baer show that it averages the largest of the extra early sorts, as well as being most attractive in color. Not only is this one of the very earliest to ripen its first fruits, but it continues to furnish marketable fruits much longer than other very early varieties. The vines are hardy, exceptionally vigorous, and show less tendency to blight than other varieties of this class. An invaluable variety for market gardeners, and the best extra early shipping sort. Also recommended as a most desirable early variety for canners. (See cul and further description, page 62) Pkt. 5c; Oz. \$5c; 2 Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00

Cauliflower—Early Snowball

Our strain of this variety is unquestionably the earliest maturing of the true short leaved Snowball type of cauliflower. It will produce a very high percentage of large, well formed heads and in this respect we believe it to be unsurpassed by any offered elsewhere. The plants are compact, with few short outside leaves and are well suited for close planting. The heads are of medium to large size, solid, compact, round and very white and curd like. Admirably adapted for forcing or wintering over for early crop, also one of the best sorts for late summer and fall crop. Early Snowball is, moreover, a most desirable sort for the home garden. (See cut on this page, and further description, page 34) Pkt 25c; ¼ Oz. 75c; Oz. \$2.75; 2 Oz. \$5.25; ¼ Lb. \$10.00



CAULIFLOWER, EARLY SNOWBALL

VIEWS AT OUR OAKVIEW STOCK SEED FARM

A CROP OF ONION BULBS THE DRY HOUSE AND OTHER FARM BUILDINGS IN THE DISTANCE




A BIRDSEYE VIEW OF ONE CORNER OF OUR OAKVIEW STOCK SEED FARM



VIEWS AT OUR EXPERIMENTAL GARDENS

A SINGLE PICKING OF FRUITS FROM THE PEPPER TRIAL



INSPECTION OF THE CELERY TRIAL

COOKING RECEIPTS

Good vegetables are delicious when properly cooked. They are among the choicest dishes that can be obtained. Fortunately as the price of meat has advanced the quality of vegetables has improved. From motives of economy, pleasure and health, no housekeeper can afford to overlook the home garden as a main source of food supply, especially if there are children in the family. Moreover since the appearance of food has much to do with its digestibility the garden can minister to health through the sense of sight also, for from the garden come the little extra things which make the difference between a dainty table and one that is commonplace or unattractive. Vegetables from the home garden are so fresh that proper cooking and serving add the last touches needed for perfection.

Few people realize what a variety of dishes the garden affords. The range is great. Also there are many excellent ways of cooking the same thing. We hope the following pages will help you to share in the opportunities that a little care and attention make possible to every one.

General Suggestions

Cooking vegetables in hard water requires more time than is mentioned in these receipts.

It is essential to avoid overcooking vegetables, as you lose thereby their delicacy of flavor, and if prolonged it usually makes them tough or tasteless.

The age and freshness of vegetables determine the time required for proper cooking. Cabbages, beets and carrots fresh from the garden will cook more quickly and are much better flavored than those taken from cold storage, or those which have become wilted on the market. Even from your own garden, vegetables freshly gathered have a more delicate flavor and require somewhat less cooking than those that have become slightly wilted.

Always cook strong flavored vegetables such as cabbage, onions and turnips in uncovered vessels; also cook uncovered all vegetables whose color you wish to retain, such as young peas, beets and rhubarb.

Thoroughly wash all vegetables in clean, cold water before preparing for cooking. Spinach may be washed to advantage as many as eight times.

Unless otherwise directed, all spoon measurements are level.

Soak in cold water half an hour before cooking all leaf and stalk vegetables such as turnips, cabbage and celery.

Start all vegetables in boiling water. Salt most vegetables after half done. See page 16 for sauces to go with vegetables.

ASPARAGUS

This is one of the earliest and most delicious of spring vegetables. Where space is available a permanent bed 8 or 10 feet square will be found a valuable addition to the home garden.

Creamed Asparagus

Prepare asparagus by washing, trimming, and cutting into inch pieces. Boil about 25 minutes, except the tips which should not be put in till the last 10 minutes. Drain and serve with white sauce (see page 16), or in bread cases, saving out the tips to use as a garnish.

Asparagus on Toast with Butter Sauce

Trim the hard or tough end from lower part of stalk, wash, remove scales and tie with a piece of soft twine or tape. Cover with boiling salted water and cook until tender, or from 20 to 30 minutes, leaving tips above water the first 10 minutes. Lift bunches out of water by tape, drain, remove tape and lay on pieces of toast. Serve with butter, or a sauce made as follows:

1/4 cup butter	1/2 teaspoon finely
$\frac{1}{2}$ teaspoon salt	chopped parsley
⅓ teaspoon pepper	3/4 teaspoon lemon juice

Put butter in a bowl, and work with a wooden spoon until creamy, add salt, pepper and parsley, then lemon juice very slowly.

Asparagus with Hollandaise Sauce

Prepare asparagus same as for asparagus on toast. Serve with Hollandaise sauce (see page 16).

BEANS

Beans, in their many varieties are among the most valuable and extensively used of all vegetables. With the exception of the limas all are suitable when young for use as snaps.

Creamed New Snap Beans

Take 2 quarts of beans, cut in half-inch pieces and wash carefully; drain and cover with boiling water; boil until tender. Do not cover beans while cooking. Drain and cover with white sauce (see page 16) made with either butter or bacon drippings. The bacon drippings improve the flavor of the beans and are much less expensive than butter.

Shell Beans

Dry beans should be thoroughly washed and picked; and are much improved in quality if allowed to soak in cold water over night. If newly dried, cook about 2 hours in a sufficiently small quantity of water so that there will be none to drain off when beans are fully cooked. Cook old beans 3 hours or more until soft.

Lima Beans

Lima beans are most delicious when used as green shells, especially if freshly shelled and pods are not too mature.

BEETS

Garden beets are generally recognized as one of the best root vegetables, and in the form of sugar possess a high food value.

The tops of most varieties, especially the Swiss Chard, make delicious greens.

Boiled Beets

Wash and cook whole in boiling water until soft, which will require from one to three hours. Drain and put in cold water, and the skin may be easily removed. Cut in slices or cubes, season with butter, salt and pepper or serve with white sauce.

The length of time required to cook will depend on whether the roots are fresh, old beets requiring considerably more time.

Beet Greens with Young Beets

The beets usually used for greens are those that are pulled in thinning out the seed row, and are most desirable if roots have not reached 1 inch in diameter. Wash thoroughly and cook until tender in boiling salted water. Both tops and root are used; the flavor may be improved by the addition of a piece of bacon. Season with butter, salt and pepper. Serve with or without vinegar.

Pickled Beets

Cut cold boiled beets into cubes or slices and cover with vinegar, adding 1 teaspoon salt, dash of pepper and 1 tablespoon sugar to each half cup of vinegar used. If young beets, 11/4 to 11/2 inches in diameter are available, pickle whole.

Swiss Chard

This kind of beet is grown exclusively for the numerous, fleshy, tender leaves and leaf stalks, which are superior to those of other beets for use as greens. Later in the season the wax-like leaf stems are cooked like asparagus or are pickled. When properly prepared it will be found a most delicious vegetable.

Plain Boiled Chard

Wash and cut the stalks 1 inch wide; put in saucepan and cover with boiling water; boil 30 minutes, or until tender; drain; dust with salt, 1 teaspoon to the quart of chard; garnish with hard-boiled egg. Serve with either lemon juice or vinegar. May also be boiled with smoked bacon.

Creamed Chard

Strip the green from the ribs; boil the green alone; drain and cream same as spinach.

Cut the ribs in 3-inch pieces; put in saucepan; cover with boiling water and boil 35 minutes, or until tender; drain; dust with salt; pile in center of shallow dish and pour the creamed green around.

Garnish with 1 hard-boiled egg chopped fine.

BRUSSELS SPROUTS

This vegetable is used in the fall and early winter and by some considered more tender and delicious than any cabbage. The small, cabbage-like heads when properly prepared make a very tempting and nutritious side-dish.

Wash and pick off outer leaves. Place the heads in pan of boiling water, to which has been added a handful of salt and a small piece of soda. Do not cover while cooking. Boil quickly until tender, which should take about 15 minutes. Drain off water, spread a little butter over them, pepper slightly and serve hot

CABBAGE

Cabbage is a desirable vegetable that may be had at all times of the year. Its characteristic flavor and food value have made it one of the most extensively grown vegetables for home use.

Boiled Cabbage

Remove outer leaves, cut in guarters and remove part of core. Soak a few minutes in cold water to which has been added a teaspoon of vinegar or salt. This will draw out any insects that may be lodging under the leaves. Drain. Have sufficient boiling water to which has been added a tablespoon of salt and a small piece of soda. Let the cabbage boil quickly till tender, leaving the dish uncovered while cooking. This may be served in the following ways:

1st, Seasoned with butter, salt and peoper.

2nd, With white sauce (see page 16).

3rd, Scalloped as per directions below.

Scalloped Cabbage

Cut one-half boiled cabbage in pieces; put in buttered baking dish, sprinkle with salt and pepper, and mix well with 1/2 as much white sauce. Cover with buttered crumbs, and bake until crumbs are brown.

Cole Slaw

Select a small, solid cabbage, remove outer leaves. Cut in quarters, and with a sharp knife slice as thin as possible. Soak until crisp in cold water, drain, dry between clean cloths and serve with cream dressing made as follows:

1 teaspoon mustard	A few grains cayenne
1 teaspoon salt	1 teaspoon melted butter

2 teaspoons flour Yolk 1 egg 1/3 cup hot vinegar $\frac{1}{2}$ teaspoon powdered

 $\frac{1}{2}$ cup thick cream sugar

Mix dry ingredients, add butter, egg and vinegar slowly. Cook over boiling water until mixture thickens; cool and add to heavy cream beaten until stiff.

Hot Slaw

Slice cabbage as for Cole Slaw, using one-half cabbage. Heat in a dressing made of yolks of two eggs slightly beaten, one fourth cup of cold water, one tablespoon butter, one fourth cup hot vinegar, and one half teaspoon salt, stirred over hot water until thickened.

CARROTS

The carrot is one of the most wholesome of our garden vegetables, and is deserving of more general cultivation for table use. Whether used in soups, or stews, for garnishing, as a side dish alone, or in combination with peas or other vegetables, it is always attractive. Carrots should be merely washed and scraped (not peeled) before cooking, as the best flavor and brightest color are near the skin.

12

Creamed Carrots

Wash, scrape and cut the carrots into small cubes, put on to boil with boiling water enough to cover; boil until tender, without a cover. Serve with white sauce.

Carrots and Peas

Wash, scrape, and cut carrots in strips, cubes or fancy shapes; cook until soft in boiling salted water. Drain, add an equal quantity of cooked green peas.

Season with butter, salt, and pepper, or serve with white sauce. Another good way is to serve with potato balls.

Carrots and Onions

Fry out bacon cut fine or use half lard and half butter. Put in some finely cut onions (two fair sized bulbs to a quart of carrots) and fry a golden brown. Have carrots scraped and cut in small pieces. Add about a half glass of hot water, cover tightly and cook over a slow fire for about two hours or until the carrots are done. Season to suit.

CAULIFLOWER

Cauliflower, although one of the most delicious vegetables, is but little grown except by professional growers, because of the erroneous notion that it is so difficult to grow that only skilled gardeners can produce it. The flavor is more delicate than cabbage; it is also more easily digested, and may be served in so many attractive ways that it is surely worthy of more general use.

Creamed Cauliflower

Remove leaves, cut stem off close, and let stand one-half hour in salted water. Put it stem side down in boiling water sufficient to cover it, to which has been added one teaspoon salt.

Cook uncovered from 1/2 to 3/4 hour, drain, separate florets and reheat in one and one-half cups white sauce. Hollandaise sauce may be used in place of the white sauce (see page 16).

CELERY

Regarded as one of the most appetizing fall and winter vegetables for eating uncooked. Celery is very palatable and nutritious when cooked, and is also a desirable addition to many soups and stews.

Creamed Celery

Wash, scrape and cut celery into inch pieces, and cook about 20 minutes, or until soft, in boiling salted water; drain, and to two cups celery add one of white sauce.

Scalloped Celery

Mix boiled celery with a thick white sauce and pour into a buttered baking dish and cover with a layer of grated cheese and buttered crumbs. Brown in hot oven.

CORN

Corn, especially the sweet or sugar varieties, is one of the most generally cultivated of all vegetables. It is extremely high in amount of food content, containing one-third more food value, pound for pound, than whole milk. Not only is it a very palatable and nutritious table food that may be served in a number of ways, but is also one of the standard sorts for canning.

Boiled Corn

Green corn for boiling is decidedly superior in quality if picked just before cooking, its excellent qualities being greatly diminished if ears have become withered or stale.

Remove husks and silky threads. Cook ten to twenty minutes in boiling water. Place on platter covered with a napkin; draw corners of napkin over corn, or cut from cob and season with butter and salt.

Or the ears may be dropped unhusked into boiling water and let boil briskly for fifteen minutes. When cooked in this manner the silk is easily removed with the husks. What is left over from a meal also keeps better than if husked and may be warmed over either in hot water or in the oven.

Roast Corn

To roast sweet corn leave the husks on the cob, put in a slow oven and bake one-half hour. Do not remove husk till ready to serve.

Corn Fritters

One dozen ears of sweet corn, grated, three beaten eggs, two tablespoons milk, two tablespoons flour, 1 teaspoon salt and a little pepper. Bake in small cakes on a griddle with plenty of butter; or drop by spon-fuls into drip fat, and fry a golden brown. The fat should be as hot as that for doughnuts. Serve hot.

CUCUMBERS

This is one of the vegetables that can be grown to perfection by any one who can control a few square yards of reasonably good soil. Every family should be supplied from their own garden, since the fruit is so much better when gathered fresh from the vines as desired for use than it is in the more or less wilted condition in which it is found on the market. The popularity of the cucumber is due largely to its pleasant flavor when served uncooked as an appetizer. It is also largely used for salads, either alone or in combination with other vegetables, and while not usually regarded as a cooking vegetable, we believe the fol-lowing receipts worthy of a trial.

Boiled Cucumbers

Old cucumbers may be pared, cut in pieces, cooked until soft in boiling salted water, drained, mashed, and seasoned with butter, salt and pepper.

Fried Cucumbers

Pare cucumbers and cut lengthwise in one-third inch slices. Dry, sprinkle with salt and pepper, dip in crumbs, egg, and crumbs again, fry in deep fat and drain.

EGG PLANT

The egg plant is increasing in popularity as a palat-able substitute for meat. When cooked in fat it has considerable food value, and when properly prepared will be found as desirable as many of the better known vegetables.

Fried Egg Plant

Peel and cut an egg plant into one-quarter inch slices, dust with salt and pepper, roll in beaten egg yolk, then in fine bread crumbs, and fry in deep fat.

Stuffed Egg Plant

1 egg plant

1 beaten egg 1 cup softened stale bread crumbs Salt, pepper and paprika to taste 2 tablespoons butter

 $\frac{1}{2}$ tablespoon finely chopped onion Cook egg plant fifteen minutes in enough boiling

salted water to cover. Cut a slice from the top and remove pulp, taking care not to come too close to the skin. Chop pulp and add crumbs.

Melt butter in frying pan, add onion and fry five minutes. Add chopped pulp, crumbs and seasoning and cook five minutes. Let cool slightly, add beaten egg and refill egg plant. Cover with buttered bread crumbs (1/2 tablespoon melted butter to 1/2 cup crumbs) and bake twenty-five minutes in a hot oven.

KALE

Extensively grown, especially in the south, for the leaves, which are used as greens. It is as easily grown as cabbage, and by many considered decidedly superior in flavor.

Kale with Bacon

Cut away the outer and decayed leaves, and the stalks, wash with care and drain. Cook in boiling water, slightly salted, until tender (about thirty minwater, signify safetd, thick tender (about thirty limit white). Drain thoroughly, chop fine and serve with white sauce (page 16). Garnish with thin strips of bacon, fried brown, and white of hard boiled egg cut in rings; the yolk may be grated and sprinkled over the top. To vary the flavor substitute bacon drippings for butter, in the white sauce.

KOHL RABI

The edible part is the turnip shaped bulb formed above ground. It is tender and of excellent quality when used before fully grown, combining somewhat the flavors of cabbage and turnip. The bulbs are most desirable for use when about the size of an egg.

Fried Kohl Rabi

Parboil for half an hour, cut in half and fry in melted butter fifteen or twenty minutes. Serve over them the butter in which they were cooked, and dredge with salt and pepper. The time required to cook kohl rabi depends largely upon the age at which it is used.

Kohl Rabi Au Gratin

Slice kohl rabi, boil twenty minutes, or until nearly tender, and arrange layers in a baking dish with white sauce (page 16). Season each layer with pepper and salt, sprinkle the top with grated cheese and buttered crumbs (1 tablespoon butter to 1 cup crumbs) and bake twenty minutes in moderate oven.

LETTUCE

Every garden, regardless of size, should contain a liberal planting of this popular vegetable.

Although most extensively used as a salad plant it will also be found desirable as a cooked vegetable; the coarse outside leaves may be shredded and used in soups.

Stewed Lettuce

Trim away the outer leaves, wash carefully, and boil in plenty of salted water until tender. Drain and press out all water. Put into saucepan with pepper, salt and a little butter. Dredge lightly with flour and add three tablespoons of good gravy or one-quarter cup cream. Simmer gently for a quarter of an hour, stirring constantly. Add 1 dessertspoon of vinegar or lemon juice and serve hot. If cream is used omit lemon juice or vinegar.

OKRA OR GUMBO

Okra is extensively grown in the Southern States and has many excellent qualities which make it worthy of more general cultivation. Although known in some sections only through its use in gumbo soup, it may be cooked in many appetizing ways, either alone or combined with other vegetables or meats.

Okra should always be cooked in agate, porcelain or earthenware, as vessels made of iron, copper or brass will discolor the pods and often make them unfit for use.

Stewed Okra

Cut the ends off the pods of young okra, boil for one hour in salted water, then drain and reheat in a saucepan with some melted butter. Fry brown, keeping well stirred to prevent scorching; season well with salt and pepper, and when thoroughly heated serve. If desired a cup of tomato sauce may be added when starting to fry.

Baked Okra

Arrange alternate layers of sliced cooked okra and tomato in a well buttered baking dish, separating them with layers of boiled rice well seasoned with salt and pepper and dotted with butter. Cover the top with fine buttered bread crumbs (1 tablespoon butter to 1 cup crumbs) and brown in hot oven.

Okra Soup

2 lbs. chicken, or beef without 4 qts. cold water fat or bone 1 onion chopped

2 cups okra chopped fine fine $\frac{1}{4}$ lb. butter Salt and pepper

Cut the beef or chicken into small pieces and season well with pepper and salt. Fry it in the soup kettle with the onion and butter until very brown. Then add the cold water and let it simmer for an hour and a half; add the okra, and let it cook slowly for about three hours longer.

ONION

The onion is one of the most generally used of all vegetables. It not only contains considerable nutriment and has valuable medicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

Small Onions in Cream

Put small onions in a dish of cold water and remove skins while under water. They should then be put in rapidly boiling water, and this changed after the first five minutes of cooking, then put in fresh boiling salted water, and cook for from half an hour to forty minutes. Serve with white sauce. For onions au gratin, fill a buttered baking dish with creamed onions; cover with grated cheese and let heat in oven five or six minutes.

Onion Souffle

- 1 cup white sauce (page 16)
- $\frac{1}{2}$ cup stale bread crumbs
- 1 teaspoon chopped parsley 1½ cups cold boiled onions, chopped fine
- 2 eggs (yolks and whites beaten separately)

Add to white sauce the bread crumbs, parsley, onions and yolks of eggs, in order given. Mix thoroughly and fold in with a fork the stiffly beaten whites. Put in buttered baking dish or individual ramekins, sprinkle with buttered crumbs and brown in oven.

PARSNIP

The value of the parsnip as a culinary vegetable is well known, and because of its excellent keeping qualities should be planted in every home garden, especially where other vegetables are not procurable throughout the winter.

Parsnip Fritters

Wash and cook forty-five minutes in boiling salted water. Drain and plunge parsnips into cold water and the skins will slip off easily. Mash, season with butter, salt and pepper, and shape in small flat round cakes, roll in flour and fry in butter.

Parsnips and Drawn Butter Sauce

Clean and scrape young parsnips and cut into small pieces; cook until tender in boiling salted water (about 10 minutes). Drain and serve with half the quantity of drawn butter sauce.

Drawn Butter Sauce

 $\frac{1}{3}$ cup butter 3 tablespoons flour $1\frac{1}{2}$ cups hot water 1/2 teaspoon salt 1/8 teaspoon pepper

Melt half the butter, add flour with seasoning. Pour on the hot water gradually, then add remainder of butter in small pieces.

PEAS

Probably no vegetable is more universally appreciated than young peas fresh from the garden. They contain a comparatively high percentage of protein, and are usually considered, with green corn, as having the highest food value of all garden products. Proper cooking when the peas are in prime condition for the table insures a food delicacy that is unsurpassed.

Boiled Peas

Remove from pods and cook in a small quantity boiling salted water until tender. Add salt the last five minutes of cooking. Drain; season with butter, pepper and salt. If they have lost much of their natural sweetness they are improved by the addition of a small amount of sugar.

They may be served with half the quantity of white or drawn butter sauce.

Pea Timbales

Rub 1 quart of cooked peas through a sieve. To every cup of pea pulp add two beaten eggs, two tablespoons melted butter, two-thirds teaspoon salt, oneeighth teaspoon pepper and a few drops of onion juice. Pack in buttered moulds and bake in a moderate oven until firm. Serve with one cup of white sauce to which has been added one-third cup of peas.

PEPPER

Peppers when properly prepared make some of the most attractive salads for the table, and their value as a food as well as an appetizer, is giving them increasing popularity. They may be used either green or ripe for salads, chili sauce and chow chow, and are a desirable addition to meat and vegetable dishes of many kinds.

Stuffed Green Peppers

Slice the stem end from sweet peppers. Cut away inside seed and pulp, and fill with a mixture made of one cup fine crumbs, one grated onion, one-half cup chopped nuts, one teaspoon salt and two teaspoons of melted butter. Set in a pan containing a little water and melted butter and bake from twenty minutes to half an hour, basting occasionally.

Escallop of Peppers and Corn

Cut enough sweet corn from cob to make three cups. Take two or three sweet green peppers and remove inside pulp and seeds; then slice in very thin circles, and arrange in alternate layers, salting each layer, until dish is filled, finishing the top with peppers. To a cup of cream, or milk, add one beaten egg and two tablespoons of melted butter; pour this over the whole and bake for half an hour in a hot oven. Canned corn may be used, in which case less cream will be needed.

WARMED OVER POTATOES

To a quart of cold peeled potatoes add a tablespoonful of fat, preferably bacon fat; season well with salt and pepper and heat slowly. Chop fine and when thoroughly heated add a cupful of sour cream. Sweet cream will do but the sour gives a little better flavor. If well warmed and properly seasoned they are much better than when first cooked.

RHUBARB

Rhubarb, also known as pie plant or wine plant, is the earliest spring vegetable, and is grown for its long leaf stalks, which are extensively used for pies, sauce and other dishes. Its piquant flavor makes it a desirable appetizer and an excellent accompaniment to the heavier and plainer foods of the diet.

Rhubarb Pie

1½ cups rhubarb 1 cup sugar

2 tablespoons flour

Wash thoroughly, and cut stalks of rhubarb in half inch pieces before measuring. Mix sugar and flour, add to rhubarb and bake between crusts. Rhubarb may be scalded first, thus losing much of the acidity and requiring less sugar.

SALSIFY

Salsify is rapidly gaining in favor as a desirable vegetable for fall and winter use. Its excellent keeping qualities are such that roots stored in the fall may be had throughout the winter months. The flavor is similar to that of oysters, and when cooked is palatable and delicious.

Creamed Salsify

Remove tops from two bunches of salsify, scrape and cut in slices. Put in a bowl of cold water with a little lemon juice to retain whiteness. Drain and cook three quarters of an hour in enough boiling water to cover; add salt after fifteen minutes' cooking. Drain and serve with highly seasoned white sauce.

Scalloped Salsify

Boil salsify as for above, but drain before quite done. Arrange in layers with slightly browned buttered crumbs. Season each layer with pepper, salt and paprika. Pour one-half cup milk and one beaten egg well mixed over all and bake in moderate oven about fifteen minutes.

SQUASH

The squash is one of the most valuable garden vegetables. It is very palatable when cooked, and when used for pies is as delicious as pumpkin. The summer varieties come to the table early in the season, and should be used when soft and tender; the winter sorts when stored, may be had from August until the following spring.

Fried Summer Squash

Select a very young summer squash and cut it in small pieces, removing seed and stringy portion. If squash is not young and fresh it should be peeled. Fry half an onion in one tablespoon of butter. When beginning to brown add squash and season with salt and pepper. Cook ten minutes, add one-quarter cup hot water and continue cooking until squash is tender.

Boiled or Steamed Summer Squash

If young and soft simply wash and steam till tender. If hard, pare and remove seeds, cook in boiling water till soft, turn into strainer and press out juice till nearly dry; add butter, salt and pepper, and serve.

Baked Winter Squash

Cut squash into pieces about two inches square and remove seeds and stringy portion. Sprinkle with salt and pepper and dots of butter. Put in a dripping pan and bake in a moderate oven about fifty minutes, or until soft. Serve in shell with butter, or scooped from shell and mashed. Season to taste.

Boiled or Steamed Winter Squash

Wash shell, cut into pieces for serving, cook in boiling water or steam it in shell till tender; season as eaten; or if preferred, remove from shell, mash and season before serving.

SPINACH

When properly prepared no plant makes more wholesome and nutritious greens than spinach. It is of easy culture, and if a succession of plantings is made, edible greens may be had throughout an extremely long season.

Spinach with Eggs

Carefully pick over spinach and wash in several different waters, changing from one pan to another each time. Put on to cook in a little water, and cook over a moderate fire until tender. Drain and chop fine. Season with butter, pepper and salt, serve on hot platter, garnish with poached egg; or cut the whites of hard boiled eggs into rings and arrange as border on spinach. Press yolks of eggs through wire strainer and put on center of spinach.

Spinach with Cheese Sauce

One quart spinach prepared as above, one tablespoon grated onion, salt and pepper, grated nutmeg, yolks of three hard boiled eggs. Mix well and add cheese sauce. Serve on rounds of toast and garnish with whites of eggs, chopped or cut in rings.

Cheese Sauce

1 cup white sauce, well seasoned

1 cup grated cheese

Cook in double boiler, keeping well stirred until cheese is melted.

TOMATOES

Probably as favorably known as any other vegetable. It is extensively used for culinary purposes, and is one of the leading vegetables for canning. When in season the fresh tomatoes are very desirable for salads.

Tomatoes Stuffed with Egg and Peppers

Cut the inside from large, solid tomatoes and refill with a mixture of equal parts of chopped hard-boiled eggs and chopped sweet, green peppers, well moistened with melted butter and onion juice and seasoned with salt. Put in a baking dish, cover, and let bake for twenty minutes in a moderate oven.

Tomatoes may be stuffed in a great variety of ways, using fillings of chopped onion, fried cucumber, spinach, or bread dressing with sage, etc.

Fried Tomatoes

Put 1 tablespoon butter in frying pan and when melted lay in thickly sliced tomatoes which have been rolled in egg and crumbs. Fry and when brown turn carefully to avoid breaking the slices. Before serving season both sides with salt and pepper.

A half teaspoon of onion juice may be added to the butter in which they are cooking if desired.

Serve plain or with white sauce.

Deviled Tomatoes

Wash, peel and slice three or four large, solid tomatoes. Season with salt and pepper, dredge slightly with flour and fry in butter. Serve on a hot platter with dressing made as follows:

Cream four tablespoons butter, add two teaspoons powdered sugar, one teaspoon mustard, one quarter teaspoon salt and a few grains of cayenne. Mix well and add yolk of a hard boiled egg rubbed to a paste, one egg beaten slightly and two tablespoons of vinegar. Cook in a double boiler, stirring until thick.

TURNIPS

The turnip is an agreeable and wholesome vegetable which is much in demand for fall and winter use. While more delicious if used when young and tender, the roots keep exceptionally well and make a palatable dish throughout the winter months.

Turnip Au Gratin

Cut boiled turnips in thin slices and arrange in a buttered baking dish in layers 1 inch deep; sprinkle each layer with melted butter, pepper, salt and grated cheese. Finish with cheese on top and bake for 20 minutes.

Mashed Yellow Turnips

Peel and quarter 2 large sized turnips, cover with boiling water and cook until tender. Drain, mash and add 2 tablespoons of butter, 1 teaspoon of salt and a pinch of pepper.

Creamed Turnips

Wash turnips and cut in half inch cubes. Cook in boiling salted water until tender, or from 20 to 30 minutes. Drain and serve with white sauce.

WHITE SAUCE For Every Vegetable

Use twice the quantity of vegetables cut in cubes as you use of the White Sauce.

The proportion of the sauce we have used in these receipts, to cubed vegetables is always in the ratio of 1 to 2, but this can be varied to suit individual tastes.

2 tablespoons butter 1 cup cold milk

- 2 tablespoons flour Dash pepper (white pref-
- 1/2 teaspoon salt Dash paprika [erably)

Have all the ingredients measured before beginning to mix.

Melt butter in a shallow saucepan; add flour and mix until smooth. Remove from fire; add cold milk, in three portions, stirring all the time. Return to fire, add salt, pepper and paprika, and then boil for three minutes.

This sauce can be used for all creamed vegetables, such as cabbage, carrots, cauliflower, celery, onions, salsify and turnips.

Using one-fourth the quantity of flour with the other ingredients as stated above will give you the foundation for all cream of vegetable soups, except tomato.

HOLLANDAISE SAUCE

1/2 cup butter Yolks two eggs 1 tablespoon lemon juice 1/2 teaspoon salt Few grains cayenne 1/3 cup boiling water

Put butter in a bowl, cover with cold water, and wash, using a spoon. Divide in three pieces; put one piece in a saucepan with yolks of eggs and lemon juice, place saucepan in a larger one containing boiling water, and stir constantly with a wire whisk until butter is melted; then add second piece of butter, and, as it thickens, third piece. Add water, cook 1 minute and season with salt and cayenne.

CANNING DIRECTIONS

Canned vegetables for use when fresh vegetables are not available have an assured place in household economy, and by this method any surplus of the garden may be used to advantage. All of the garden vegetables are wholesome and nutritious when properly canned, and if the directions given are followed all of them may be kept satisfactorily. There are several methods by which vegetables may be canned. We believe, however, that what is known as the "cold-pack" method is the most satisfactory for general use. By this method, with a table showing the time required for cooking, any fruit or vegetable may be canned successfully.

The Home-Made Outfit.—A serviceable cold-pack home canning outfit may be made of materials found in any household. All that is necessary is a vessel to hold the jars or cans, such as a wash boiler or large tin pail. This vessel should have a tight fitting cover and be deep enough so that water will cover the top of the jars at least one inch. Provide a false bottom of wood or a wire rack to allow of free circulation of water under the jars. The wood bottom may be made of perforated boards or of lath or similar strips of wood nailed to cross pieces. A strip of wood around the edge of the rack will prevent the jars slipping off when lifting the tray out of the cooker. If furnished with handles made of heavy wire the tray may be lifted out of the cooker entirely for removing or replacing jars.

Containers.—All types of jars that seal perfectly may be used. It is suggested that use be made of those to which one is accustomed or which may be already on hand. New rubbers should be purchased each year, but the glass jars may be used indefinitely. Be sure that no jar is defective. The containers should be thoroughly clean. It is not necessary to sterilize them in steam or boiling water before filling them, for the reason that in the cold-pack process both the insides of containers and the contents are sterilized. The jars should be heated before the cold product is put in them.

Directions for Cold-Pack Method

The cold-pack method of canning is so simple and the directions so easily followed that almost any one may successfully can vegetables or fruits with it. The steps to be taken and the precautions to be observed are as follows:

Select sound vegetables and fruits. (If possible can them the same day they are picked.) Wash, clean and prepare them. Have ready, on the stove, a can or pail of boiling water. Place the vegetables or fruits in cheese-cloth, or in some other porous receptacle—a wire basket is excellent—for dipping and blanching them in the boiling water. Put them whole into the boiling water. (See time-table for blanching on next page.) After the water begins to boil, begin to count the blanching time.

The blanching time varies from one to twenty minutes, according to the vegetable or fruit. When the blanching is complete remove the vegetables or fruits from the boiling water and plunge them a number of times into cold water, to harden the pulp and check the flow of coloring matter. Do not allow to stand in cold water.

The blanching of vegetables removes excess acids, improving the flavor. It also causes some shrinkage, so that a larger quantity may be packed in a container. The blanching and cold dip cause vegetables to retain their original coloring, which enhances their appearance.

Pack the product into the containers, leaving about a quarter of an inch of space at the top.

With vegetables add one level teaspoonful of salt to each quart container and fill with boiling water.

Test the rubber by stretching or turning inside out. Fit on the rubber and put the lid in place. If the container has a screw top do not screw up as hard as possible, but use only the thumb and little finger in tightening it. This makes it possible for steam generated within to escape and prevents breakage. If a glass top jar is used, snap the top bail only, leaving the lower bail loose during sterilization.

Place the filled and capped containers on the rack in the sterilizer. If the home-made or commercial hot water bath outfit is used, enough water should be in the boiler to come at least one inch above the tops of the containers, and the water, in boiling out, should never be allowed to drop to the level of these tops. Begin to count processing time when the water begins to boil.

Consult the time-table on next page, and at the end of the sterilizing period remove the containers from the sterilizer. Fasten covers on tightly at once, turn containers upside down to test for leakage, leave in this position until cold and then store in a cool, dry place. Be sure that no draft is allowed to blow on glass jars, as it may cause breakage.

If jars are to be stored where there is strong light wrap them in paper, preferably brown, as light will fade the color of products canned in glass jars, and sometimes deteriorate the food value.

Vegetable Canning in Cold-Pack

Vegetables may be divided into five classes, all the vegetables of each class being sterilized by practically the same process under the cold-pack method. These classes are: (1) vegetable greens; (2) roots and tubers; (3) tomatoes and corn; (4) pumpkin and squash; (5) pod vegetables, such as beans, peas and okra. Directions for these various classes are given herewith.

Vegetable Greens.—Besides spinach, dandelions and kindred greens this class includes cabbage, brussels sprouts and cauliflower. Greens should be trimmed, the old leaves and coarse stems removed, and the greens then blanched in steam from 15 to 20 minutes, in a regular steamer or in any other closed receptacle in which the greens will be suspended or raised above the water. After blanching they should be plunged into cold water. They are then packed tight in containers. If one wishes one may season with meat, olive oil, etc., to taste. Add hot water to fill up the crevices and sterilize two hours in the hot-water bath outfit.

17

CANNING DIRECTIONS—Continued

Root or Tuber Vegetables.—This class includes carrots, parsnips, beets, turnips and sweet potatoes. After being thoroughly washed and scrubbed with a vegetable brush they should be scalded long enough to loosen the skin. Plunge them immediately into cold water, then scrape or pare off the skin. They may be packed whole or cut into cubes. Fill containers with boiling water, with one level teaspoonful of salt to each quart container. Screw on the tops lightly and sterilize for an hour and a half in the hot-water bath outfit. Cool and store.

Tomatoes.—These demand special canning directions. Scald the tomatoes enough to loosen the skin. Then plunge them into cold water, core and skin them and pack them whole. Do not put in any hot water, but add a level teaspoonful of salt to each quart container. Loosely seal and sterilize 22 minutes in hot-water bath outfit. Tighten covers, invert containers to cool and test, wrap in paper and store.

Corn on the Cob.—Be sure to have fresh corn. After removing the husks and silk blanch the corn on the cob from five to fifteen minutes. Then plunge it into cold water and pack the ears, alternating butts and tips, in half-gallon containers. Fill the containers with boiling water and put two level teaspoonfuls of salt in each gallon. Sterilize the partially sealed containers three hours in the hot-water bath outfit. Tighten covers, tip the containers on their sides to cool, wrap them in paper and store.

Corn off the Cob.—If you do not care to can corn on the cob, after blanching slice the corn from the cob with a thin, sharp knife. Pack the sliced corn in containers, add a level teaspoonful of salt to each quart, fill with hot water and sterilize for three hours as in the case of corn on the cob.

Pumpkin and Squash.—For pie filling cut pumpkin or squash into small pieces, then cook for thirty minutes, so that it becomes pulp. Add one quart of sugar and one teaspoonful of salt to each quart of pulp. After partially sealing sterilize ninety minutes in hot-water bath outfit. Cool, wrap and store. Pumpkin or squash may also be put up in cubic form for special uses, such as frying, creaming or baking. To do this blanch for ten minutes, dip into cold water, pack into containers, fill each container with boiling water and add one level teaspoonful of salt to each quart, but no sugar. Sterilize for ninety minutes in the hot-water bath outfit.

Pod Vegetables.—Such vegetables as lima beans, string beans, peas and okra, should be blanched in boiling water from two to five minutes, plunged into cold water and packed. Fill container with boiling water, adding a level teaspoonful of salt to each quart. Sterilize two hours in hot-water bath outfit. Cool and store.

Precautions

One of the troubles to be guarded against in keeping canned goods is the development of mold during storage. Mold is apt to develop if the sealing is defective. Care must therefore be used in sealing. Mold may also develop if the tops of jars are removed, after sterilizing, for replacing rubber rings. It is unsafe to keep jars in a damp place where the rubbers may decompose, as this, too, may result in the development of mold.

Another thing to guard against is improper or inadequate blanching and cold dipping. If vegetables or fruits which require blanching are not handled properly in the process shrinkage is apt to occur during the period of sterilization. Care should be taken to follow the instructions on this point.

Careless packing must be avoided. Vegetables and fruits should be packed closely in containers, and after this has been done the containers should be filled with hot salted water in the case of vegetables and syrup in the case of fruits.

In canning vegetable greens, including spinach, dandelions and kindred vegetables, and cabbage, brussels sprouts and cauliflower, it is important that the mineral salts and volatile oils should not be lost. The retention of these is required for perfect results. For this reason the greens must never be blanched in hot water. The blanching must be in steam. This may be done by having them suspended in a closed vessel partially filled with boiling water, taking care to see that they are above the water line.

It is important that vegetables and fruits should not be allowed to remain too long in the sterilizer. If sterilization is allowed to continue too long the product will shrink. Watch the time and follow the schedule as given in the table.

One of the things to be avoided with canned peas, corn, beans and asparagus, is the development of what is known as the state of being "flat sour." The canned goods may show no signs of spoilage, and yet be found, on opening, to be in this condition. The trouble is manifested by a sour taste and disagreeable odor. It may be avoided by making use of vegetables that have not been gathered more than five or six hours. Blanch, cold-dip and pack one jar at a time, placing each jar in the canner as it is packed. This is a wise precaution, and one that should not be overlooked.

TIME-TABLE FOR BLANCHING AND STERILIZING

The following time-table shows blanching and sterilizing time for various vegetables:

	Blanching Minutes	Sterilizing Minutes	Blanching Minutes	Sterilizing Minutes
Vegetable Greens	15 to 20	120	Tomatoes	22
Cabbage	15 to 20	120	Corn (on cob or off) 5 to 15	180
Cauliflower	15 to 20	120	Lima Beans 2 to 5	120
Brussels Sprouts	15 to 20	120	String Beans	120
Carrots	5to 8	90	Peas	120
Parsnips	5to 8	90	Okra \dots 2 to 5	120
Beets	3 to 8	90	Pumpkin (for pie)Cook 30 min.	90
Turnips	5 to 8	90	Squash (for pie)Cook 30 min.	90
Sweet Potatoes	5 to 8	90	Pumpkin or Squash Cubes 10	90

-Republished by courtesy of the National Emergency Food Garden Commission



OUR SEED WAREHOUSE "A" 300 X 120 FEET

The Essentials to the Production of **Good Vegetables and Beautiful Flowers**

Good Soil A rich, sandy loam is the best, but a fair de-gree of success may be secured from any soil which can be made rich and friable. Vegetables of the best quality cannot be grown on barren sand, a cold, hard, lumpy clay, nor in the shade of orchard or other trees.

Liberal Manuring A soil which does not need en-riching in order to produce the best results is rarely found and very often success is in pro-portion to the liberality with which fertilizers have been used. Well decomposed stable manure where straw bedding has been used is the best; manure where sawdust has been used for bedding is not so good. Often wood ashes at the rate of one peck up to one bushel to the square rod will be of great benefit. of great benefit. When good stable manure is not available, commercial fer-

When good stable manure is not available, commercial fer-tilizers may be used at the rate of four to twelve pounds to the square rod and the more concentrated forms, such as Nitrate of Soda, Guano, Dried Blood and Potash Salts, at the rate of one to six pounds to the rod, the larger amounts preferably in three or four applications and at intervals of about ten days. A mass or lump of any of the commercial fertilizers, even if it is but a quarter of an Inch in diameter, is liable to kill any seed or young plant which comes in contact with it, so it is very im-portant if such fertilizers be used that they be thoroughly pulverized and mixed with the soil.

Thorough Preparation Rich soil. Rich soil and liberal man-out thorough preparation. The soil must be made friable by thorough and judicious working; if this is well done all that follows will be easy; if it is neglected, only partial success is possible and that at the cost of a great deal of hard work. The garden should be well plowed or dug to a good depth, taking care, if it is a clay soil, that the work is not done when it is too wet. If a handful from the furrow moulds with slight pressure into a ball which cannot be easily crumbled into fine earth again, the soil is too wet and if stirred then will be hard to work all summer. The surface should be made as fine and smooth as possible with the harrow or rake. It is generally desirable to plow the whole garden at once and to do this in time for the earliest crops, but the part which is not planted for some weeks should be kept mellow by frequent cultivation.

Good Seeds There is no more prolific source of dis-properly Planted gardeners than hasty, careless or more provide a minute plant enclosed in a hard and more or less impervious shell with a sufficient amount of food stowed in or around the germ to sustain it until it can ex-pert and a certain amount of air are necessary to secure germination. The germinating seed first absorbs water and swells. The starchy matters gradually become soluble. The seed-coats are ruptured, the rootlet emerges to go downward and the stemlet starts upward. The embryo lives for a time on the stored food, but gradually the plantet secures a foothold in the soil and gathers food for itself. Germination is complete when the plantlet is able to shift for itself.

When the plantlet is able to shift for itself. A dry seed may retain its vitality and remain unchanged for years, but after germination has commenced a check of a day or two in the process may be fatal. There is no time in the life of a plant when it is so susceptible of injury from the over-abundance or want of sufficient heat and moisture as at the period between the commencement of germination and the formation of the first true leaves. It is just then that the gardener should aid in securing favor-able conditions. These are:

able conditions. These are: **FIRST**—A proper and constant degree of moisture. The soil should always be moist, never wet. To secure this cover the seed as soon as it is planted with well pulverized, freshly prepared earth pressing it firmly over the seed. This firming of the soil is very important as it brings the particles of earth into close contact with seeds and roots, prevents the drying out of the soil and facilitates quick growth. The best results are ob-tained in small gardens by laying a board on the row and then walking upon the board, or the back of the hoe may be used, but for truck farms and field crops a roller is equally satisfactory. **SECOND**—A noner degree of heat secured by sowing the

SECOND—A proper degree of heat, secured by sowing the seed when the temperature of the soil is that most favorable to the germination of the seed of that particular plant. Too high a temperature is often as detrimental as one too low. The proper temperature for each sort may be learned from a careful study of the following pages and the experience of the most successful gardeners in your vicinity.

THIRD—Covering the seed to such a depth that while a uniform degree of heat and moisture is preserved the necessary air can readily reach the germinating seed and the tiny stem push the forming leaves into the light and air. This depth will vary with different seeds and conditions of the soil and can be learned only from practical experience. In general, seeds of the size of the turnip should not be covered with more than half an inch of earth pressed down, while corn may be an inch, beans an inch to two inches and peas one to three inches deep.

FOURTH—Such a condition of soil that the ascending stem can easily penetrate it and the young roots speedily find suitable food. We can usually secure this by thorough preparation of the ground and taking care never to sow fine seeds when the ground is wet. Occasionally a heavy or long continued rain followed by a bright sun will so bake and crust the surface that it is impossible for the young plant to find its way through it, or a few days of strong wind will so dry the surface that the young plants will be killed. In such cases the only remedy is to plant again.

Judicious Cultivation permit it. The more frequently and deeply the soil is stirred while the ground stirred as soon as it is dry enough to develop and the roots occupy the ground, cultivation should be shallower until it becomes a mere stirring of the surface. The yield and quality of vegetables have often been decidedly lowered by injudiciously deep and close cultivation after the roots of the plants and fully occupied the ground. A very small garden, well cultivate and cared for, will give larger returns and be in every way more satisfactory than a much larger one poorly prepared and neglected.

HOW TO BUILD AND MANAGE HOTBEDS

For early vegetables, some provision for starting certain plants earlier than can be done in the open air is desirable; for this purpose nothing is better than a good hotbed and for this purpose nothing is better than a good notbed and its construction is so simple and the expense so slight that every garden should have one. A hotbed proper not only protects the plants from the cold, but supplies bottom heat. By this term the gardener means that the soil is constantly kept several degrees warmer than the air above, that being the condition, so far as heat is concerned, which is most favorable for rapid and vigorous growth, and gardeners usually secure it by making a compact pile of some fermenting material and covering it with the earth in which the plants are to grow.

Heating Material The best heating material that is are togotod. Heating Material The best heating material that is easily available is fresh horse manure, if thrown into a loose pile, will heat violently and unevenly and will soon become cold. What is wanted in the hothed is a steady and moderate but lasting heat. To secure this, the manure should be forked over, shaken apart and if dry, watered and allowed to stand a few days and then be forked over again, piled and allowed to heat a second time, the object being to get the whole mass into a uniform degree of fermentation and as soon as this is accomplished it is fit for use.

Some gardeners use sash made especially for hotbeds Sash and glazed with small lights cut from odds and ends and so furnished at very low rates. Such sash can usually be pro-cured in any of our large cities and costs much less than if made to order. For garden use, however, we much prefera smaller sash that can be easily handled and the use of larger and better glass. We recommend that for home gardens the sash be about two and one-half by four or five feet and that the glass be not less than 10x14, laid with not more than one-quarter inch lap. In giving the order to one unaccustomed to the work, it would be well to state what they are to be used for, and that they need to be made like skylight sash.

The Frame This may be made of sound one-inch lumber, the back twelve to fourteen inches high, the front ten to twelve. It should be well fitted to the sash so as to leave as little opening as possible and yet allow the sash to be easily moved up and down, even when the frame is quite wet.

The Soil This should be light, rich, friable. Any con-tionable. If possible, it should be unfrozen when put into the bed; for this reason it is much better to prepare it the fall before and cover the pile with enough coarse manure or strawto keep out the frost. or straw to keep out the frost.

The bed is the set of the pile with enough coarse manures or straw to keep out the frost. **Making the Bed** This requires careful attention as the manner in which this work is done. Having cleared away snow and ice, build a rectangular bed one foot larger each way than the frame to be used, carefully shaking out and spreading each forkful and repeatedly treading down the manure so as to make the bed as uniform as possible in solid-ity, composition and moisture. It is of the utmost importance that this shaking apart and evenly pressing down of the manure should be carefully and thoroughly done: unless it is, one portion will heat quicker than the other and the soil will settle unevenly making it impossible to raise good plants. The proper depth of the bed will vary with the climate, season and the kind of plants to be raised. A shallow bed will quickly give a high temperature which will soon usbide; a deeper one, if well made, will heat more moderately, but continue much longer. For general purposes, a bed about two feet deep will be best. The bed completed, the frame and sash may be put on and fresh manure carefully packed around the outside to bake to the allowed to stand with the sash partially open for a day or two to allow the steam and rank heat to pass off. The earth should then be evenly distributed over the surface of the bed and carefully leveled. The earth should not be shoveled or dumped in one or more places in the bed and triable. If wet or frozen soil must be used, it should be place in small piles until well dried out before spreading.

120 degrees, but it soon subsides and when it recedes to 90 degrees the seed may be planted. The importance of using dry soil and allowing the first rank heat to pass off is very great. Every season thousands of hotbeds fail of good results from these causes and seedsmen are blamed for failure resulting from overheat, or wet, soggy soil.

Management of the Bed success are a steady uniform degree of heat and moisture; keeping the soil at all times a few degrees warmer than the air and the careful "hardening off" (by exposure to the air and diminishing the supply of water) of the plants before transplanting into the open air. Simple as these may seem to be, there are many ufificulties in the way of securing them, prominent among which is overheating the air under a bright sun.

Without experience one would scarcely believe how quickly Without experience one would scarcely believe how quickly the temperature inside of a well built hotbed, will rise to 90 or 100 degrees upon a still, sunny day, even when the temperature outside is far below freezing, or how quickly the tempera-ture will fall to that outside, if upon a windy, cloudy day the sash is left open ever so little. A rush of cold air driven over the plants is far more injurious than the same tempera-ture when the air is still. Again, in cloudy weather, a bed will go several days without watering, but will dry up in an hour when open on a sunny day.

A Cold-Frame is a simple construction of boards for wintering over young plants, Cabbage, Lettuce, Cauliflower, etc., and is also useful to protect and harden off plants from the greenhouse or hotbed before fully exposing them in the open air.

Select a dry, southern exposure, form a frame from four to six feet wide and as long as required. The back should be fourteen to eighteen inches high and the front eight to twelve, with a cross-tie every three feet. The frame may be covered with sash or cloth. Seeds of the vegetables to be wintered, sown in open border early in September, will be ready to plant in cold frames about the last of October. The soil should be well prepared and smoothly raked before planting. Admit air freely propared dang, but hear olego in survey machan on pleasant days, but keep close in severe weather.

These frames are particularly useful in the south and may These trames are particularly useful in the south and may be covered more cheaply with cloth shades than by sash. The shades are made as follows: Make light but strong wooden frames to fit over the bed and of a width to receive some com-mon brand of cotton cloth. The cloth may be unbleached and should be stretched over and securely tacked to the frames. We have found that Plant Bed Cloth, which we have for sale, is superior to any ordinary cloth for this purpose.

Transplanting In transplanting, the main points to be regarded are: care in taking up the plants so as to avoid injury to the roots, setting out as soon as possible to prevent the air coming in contact with the roots, setting firmly so as to enable the plant to take a secure hold of the soil and shading to prevent the hot sun from withering and blighting the leaves. Where a rank or soft growth of tops has been made in hotbed it is frequently desirable to trim off some of the larger leaves before taking up to transplant; this will retard too rapid evaporation of moisture from the plant and usually will prevent willing. usually will prevent wilting.

In transplanting from a hotbed, harden the plants by letting them get quite dry a day or two before, but give an abundance of water a few hours before they are taken out. It is most apt to be water a few moors before they are taken out. It is most apt to be successful if done just at evening, or immediately before or during the first part of a rain, about the worst time being just after a rain, when the ground being wet it is impossible to sufficiently press it about the plant without its baking hard. If water is used at all it should be used freely and the wet surface immediately covered with dry soil.

Watering The best time to water plants is early in the morning or in the evening. Water may be given to the roots at any time, but should never be sprinkled over the leaves while they are exposed to bright sunshine. If watering a plant has been commenced, continue to supply it as it is needed, or more injury them code will result from whet has been determined. or more injury than good will result from what has been given. One copious watering is better than many scanty sprinklings. The ground should always be stirred with a hoe or rake before it becomes so very dry as to cake or crack.

20

ILLUSTRATED AND DESCRIPTIVE CATALOGUE OF VEGETABLE SEEDS

WITH GENERAL DIRECTIONS FOR CULTIVATION

The varieties in each class (for example, Wax Podded Beans) are usually arranged in their order of earliness. The descriptions of the varieties offered by us are based upon our very careful observations of the types as understood by us after many years of experience in carrying on a very large business. Our comparative trials of vegetables and flowers have been conducted on a large scale at our Experimental Gardens and Oakview Stock Seed Farm. both out of doors and in greenhouses, and our inspection each year of crops grown for us has extended not only from the Atlantic to the Pacific but has included many of the countries of Europe. Nevertheless it should always be remembered that many vegetables are much affected in their habit of growth of plant and size, form and quality of the fruits by conditions of soil, climate, location and mode of culture which are often beyond our control, and our descriptions are for what may be expected under conditions that are approximately normal and favorable for good development.

The cultural directions in this catalogue are necessarily limited but they are as complete as space permits. For additional cultural information see list of books on the inside of back cover of this Seed Annual.

ARTICHOKE

The seed we offer is that of the true artichoke which is an extensively used vegetable in Europe. In it the edible portion is the thickened scales at the base of the flower-heads or buds. The plant is very different from what is known in America as Artichoke or Jerusalem Artichoke, in which the edible portion is the tuber.

In February or March sow and transplant in hotbed so as to give plenty of room until danger of frost is over. Then set in very rich, well drained soil in rows four feet apart and two feet apart in the row. The plants can be raised in seed beds out of doors, but in that case will not be likely to produce heads the first year. Late in the fall cut off the old tops and thoroughly protect the crowns with leaves or straw to prevent severe freezing.

The second year thin the ves of straw to prevent severe freezing. Commence to form heads about July 1st. The plants may also be blanched like cardoons. This is done by cutting back the stems close to the ground in July, the rapidly growing shoots which then start up may be tied and blanched like celery. As artichoke plants do not yield satisfactorily after three or four years, it is best to start a new plantation as often as once in three years.

Green Globe are green, nearly round or somewhat elongated. The buds or flower-heads narrow and spiny, and are moderately fleshy at the base. Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.60; ¹/₄ Lb. \$2.75; Lb. \$10.00

ASPARAGUS

This is one of the earliest and most delicious of spring vegetables. We strongly urge all those having enough available space to put in a bed for their own use, following carefully the cultural directions given below.


Beds are usually formed by setting roots which can be procured of us. If you wish to grow plants from the seed yourself, pour warm water on the seed and allow it to stand until cool; pour it off and repeat two or three times with fresh warm water. Sow in spring in drills about eighteen inches apart and two inches deep in light, rich soil, planting fifteen to twenty seeds to each foot of row. When the plants are well up, thin to about one inche apart and give frequent and thorough cultivation during the summer. If this has been well done, the plants will be fit to set the next spring.

this has been well done, the plants will be fit to set the next spring. The permanent beds should be prepared by deep plowing or spading and thoroughly enriching the ground with stable manure or other fertilizer; a moist, sandy soil is best. If the subsoil is not naturally loose and friable, it should be made so by thoroughly stirring with a subsoil plow or spade. Set the plants about four inches deep and one to two feet apart in rows four to six feet apart. After the plants are well started, give frequent and thorough cultivation. Early the next spring spade in a heavy dressing of manure and about one quart of salt and double the quantity of fresh wood ashes to each square rod and cultivate well as long as the size of plants will permit, or until they begin to die down. The next season the bed may be cut over two or three times, but if this is done, all the shoots, no matter how small, should be cut. After the final cutting, give agood dressing of manure, ashes and salt. Cultivate frequently until the plants meet in the rows. In autumn after the tons are fully ripe and vellow, they should be cut and

In autumn after the tops are fully ripe and yellow, they should be cut and burned. A bed fifteen by fifty feet, requiring about one hundred plants, if well cultivated and manured, should give the following season an abundant supply for an ordinary family and continue productive for eight or ten years.

Palmetto A very early maturing and prolific variety, producing an abundance of very large, deep green shoots of the best quality. SEED-Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¼ Lb. 25c; Lb. 75c. ROOTS-Postpaid, \$1.50 per 100; by freight, express or parcel post, not prepaid, \$1.00 per 100; \$6.50 per 1000

- Conover's Colossal This sort is one of the largest and most extensively used green varieties. Shoots bright green, sometimes tinged with purple at the top, very tender and of the best quality. SEED-Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¹/₄ Lb. 25c; Lb. 75c. ROOTS-Postpaid, \$1.50 per 100; by freight, express or parcel post, not prepaid, \$1.00 per 100; \$6.50 per 1000
- Columbian Mammoth White shoots of exceptionally large size and of superior tenderness and flavor. The color is clear white until four to six inches above the surface. A large proportion of the seeds will produce white shoots and the green ones can be rejected when setting out the permanent bed. SEED-Pkt. 5c; Oz. 10c; 2 Oz. 15c; ¹/₄ Lb. 25c; Lb. 80c. ROOTS-(Crop failed)



PALMETTO

BEANS

No crop responds more readily than Beans to good soil and cultivation. A light, rich, well drained loam which was manured for the previous crop is the most desirable. If too rank manure is used it is apt to make the plant run too much to vine. Beans are very sensitive to both cold and wet and it is useless to plant them before the ground has become dry and warm. The largest returns will result from planting in drills from two to three feet apart. Cover the seed one and one-half to two inches deep and thin the young plants three to six inches apart in the row. If planted in hills, make the hills about two feet apart each way. For succession, plant at intervals of one to two weeks till midsunmer. The plants up to the time of blossoming should have frequent shallow cultivation, but any mutilation of the roots by cultivation after the plants come into bloom is likely to cause the blossoms to blast and so cut off the crop. Cultivation should always be very shallow and it is useless to expect a crop planting. We give coverful attention to the date of the roots by cultivation should always be the plants to need deep stirring after

planting. We give careful attention to selecting and improving the different varieties and keeping them pure and we invite the most critical comparison of our stocks with those of any other grower. The varieties of garden beans we offer have been separated for convenience into five groups: Wax Podded Dwarf or Bush sorts, Green Podded Dwarf or Bush sorts, Dwarf Limas, Pole or Running sorts and Pole Limas. Nearly all of these sorts, except the Limas, or environber woung for use as some which in some localities sorts and rough hinas. Invary an of these sorts, except the hinas, are suitable when young for use as snaps, which in some localities are called "snapshorts." The low growing sorts are called Bunch beans in some sections. In northern latitudes the term "butter-beans" is often applied to low growing wax podded sorts. In the south, however, by "butter beans" is usually meant limas.

DWARF OR BUSH-WAX PODDED SORTS

- **Challenge Dwarf Black Wax** Continued experience and the statistical of the statistical of the statistical of the great merit of this variety as the earliest wax podded bean. In all our many comparisons of this bean with other extra early sorts, we have found it the first to give a full picking of pods which were of very excellent quality. The plants although small, are compact and erect, bearing pods well up from the ground. The pods are an attractive medium yellow in color, medium sized, about four and one-fourth inches long, roundish oval, considerably curved, fleshy, crisp, tender and stringless. Seed jet black, longer and more curved than Prolific German Wax. We consider this the best first early wax bean for the home or market garden. Pkt, 15c; Lb. 65c; 2 Lbs. \$1.20 post-paid; 100 Lbs. \$42.50 paid; 100 Lbs. \$42.50
- **D. M. Ferry & Co's Golden Wax** dwarf sorts for the home market and private gardens. The plants are erect, compact, and very productive. The pods are of medium length, four and one-half to five inches, nearly straight, broad, flat, golden yellow, very fleshy and wax-like. The variety cooks quickly as snaps, shelling well when green, and is of superior quality used in either way. Seed medium sized, oval, white, more or less covered with two shades of purplish red. The amount and shale of color on this and all parti-colored beans will be affected greatly by conditions of soil and ripening. This very extensively used sort was introduced by us in 1876. We are convinced by many careful tests that none of the so-called improved strains is equal to the seed we offer of this standard variety. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Michigan White Wax It is a white seeded Golden Wax bean of the original Golden Wax It is a white seeded Goiden wax bean of the original Goiden wax quality. It is a vigorous and very productive garden variety. The pods are abundantly produced and are uniform in size and color which is a very attractive light golden yellow. They are four and one-half to five inches long, comparatively broad, meaty and of the same superior quality as our Golden Wax. Seed medium sized, oval, clear white. It is a most desirable home garden, market and canning sort. (See further description, page 3) Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- **Grenell Rust Proof Wax** our Golden Wax. The handsome deep yellow pods are about five inches long, are broader and flatter than our Golden Wax but are slightly inferior in quality. This variety is sometimes called an Improved Golden Wax and is popular with some gardeners. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$42.50
- **Refugee Wax** The stock we offer is very productive, early and of superior quality. The plants are very vigorous and branching. The pods are four to five inches long, thick, fleshy, round, stringless and wax-like, being of a clear, light yellow color. Seed medium sized, cylindrical, rounded at ends, yellowish drab, heavily splashed with a bluish black. **Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00**
- Keeney's Rustless Golden Wax The plants of this productive second early or intermediate sort are strong, vigorous and have short runners, and rather small smooth leaves. The pods are about five inches long, oval-flat, stringless, light yellow, wax-like and handsome. Seed similar to a light colored Golden Wax. (Crop failed)


MICHIGAN WHITE WAX

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans.

BEANS-DWARF OR BUSH WAX PODDED SORTS-Continued

- D. M. Ferry & Co's Detroit Wax and are about four to four and one-half inches in length. Seed medium sized, oval, white with more or less irregular dark brown or black markings about the eye. This is used for the home garden as well as market and shipping. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Prolific German Wax, Black Seeded This improved strain of Black Wax we offer under this name is exceptionally productive, very hardy, reliable and of the best quality. It is very exvery vigorous, early intermediate in season with longer bearing period than most sorts. The pods are of medium length, four and one-fourth to four and one-half inches, borne well up from the ground, curved, cylindrical and fleshy. They are of a clear, light golden yellow color and remain a long time in condition for use as snaps. Seed small, oblong, jet black. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Pencil Pod Wax This very handsome black wax sort is medium early, fairly hardy and productive. It is one of the very best sorts for home use and for near markets where highest quality is desired. The plants are strong growing with roughened leaves. The pods are long, five and one-half to six inches, straight, round, fleshy and of a bright yellow color. They are tender, absolutely stringless and are produced through a long season. Seed long, round, medium sized, solid black. (Very short crop, sold out)
- Currie's Rust Proof Wax It has been claimed that this variety, usually midseason but sometimes earlier maturing, is absolutely rust proof and we have found it as nearly rust proof as any wax podded bean. The plants are very vigorous, hardy and productive. The pods are light yellow, similar in shape to Golden Wax but longer, about five and one-half to six inches in length. Seed long, oval, rounded at ends, medium sized, purplish black. This is a well known market gardening and truckers' sort in some sections. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$42.50
- **Dwarf Unrivaled Wax** very attractive on the market. The pods of this dwarf variety are longer than Golden Wax and a little lighter in color, are rather narrow and somewhat flattened but fleshy, and when in proper condition for use are plants are large and vigorous with leaves similar to Golden Wax in color and shape but are a little larger. The pods when well grown are borne in abundance well up from the ground. Seed small, flat, slightly kidney shaped; color ochre-brown. This sort is suitable for market gardeners and is also used for the home garden. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- **Wardwell's Kidney Wax** This standard variety maturing a little later than Golden Wax, yields a large crop of size, about six inches long, and are of good quality. They always command a ready sale, making the variety one of the most profitable for the market gardener as well as shipper. This is also very extensively used for snaps for the home garden. The plants are strong growing and bear their long pods well up from the ground. The leaves are large, broad and slightly roughened. Seed large, flattened, kidney shaped, white with dark markings about the eye. Pkt. 15c; Lb. 70c; 2 Lbs. \$1.30 postpaid; 100 Lbs. \$48.00
- Davis Wax This is also called Davis White Kidney Wax. It is ping. The plants are very hardy and productive and the variety is very desirable where a handsome wax-podded, white seeded intermediate sort is wanted. The plants are very vigorous. The pods are remarkably long, about six inches, sometimes longer. They are handsome, light yellow, straight, very attractive and when young are crisp and tender. The dry beans are excellent for baking. Seed medium large, kidney shaped, clear white. (Very short crop, sold out)
- Round Pod Kidney Wax A very handsome midseason for snaps for the home garden. The plants are of strong growth, spreading and very productive. The leaves are large, broad and roughened. The pods are long and round, five and one-half to six inches, slightly curred, light yellow, wax-like, stringless and of the very best quality. Seed long, cylindrical, medium sized, nearly white with a little dark marking about the eye. (Crop failed)
- Scarlet Flageolet Wax This handsome variety of intermediate season seems to do especially well in the south and is a favorite with many truckers. The plants are large, strong growing, erect and produce very long, flat, rather coarse, deep yellow wax-like pods seven to eight inches in length. Seed very large, flat, bright red changing to plum-violet. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Violet Flageolet Wax This sort is known also as Perfection Wax. The pods are very large, and are very similar to those of Scarlet Flageolet Wax. When well grown this is one of the most showy wax varieties. Seed large, flat, dark violet. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Hodson Wax The plants of this late maturing variety are exceedingly vigorous, hardy and productive. It is rust resistant and is becoming popular with shippers. This variety is very well dapted for market gardening purposes on account of its vigor of growth, productiveness, handsome pods and freedom from bean diseases. The pods are handsome. clear creamy white, very long, about six to seven inches, straight or slightly curved, flat but fleshy and of good quality. They are crisp and tender if picked when quite young. Seed long, cylindrical, uniform in shape; color dull purplish red splashed with pale buff. (Sold out)
- Crystal White Wax A distinct variety, late maturing. Sometimes called Silver Wax, and not strictly a wax bean. It is desirable for pickles. The plants are vigorous, branching and very productive. The leaves are small. The pods are greenish white with silvery shade, short, about three and one-half inches in length, curved, round or thicker than wide, with crease in the back; very fleshy and brittle. Seed very small, oral, white. (Crop failed)

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans.



PROLIFIC BLACK WAX

BEANS-DWARF OR BUSH GREEN PODDED SORTS

The green podded dwarf sorts are perhaps the most important class of garden beans and are probably more extensively used for snaps than the wax podded varieties, although the latter are considered by many as the more attractive in appearance. The green podded sorts are as a rule the more productive, being less sensitive to unfavorable conditions of soil and climate and of late years have been less susceptible to bean diseases.


Extra Early Refugee An extremely early, green podded sort furnishing round, fleshy, light green pods which are a slightly curved, of medium size, about five inches long and of fine quality. The plants are a little smaller, more upright, and the leaves a little larger than those of the late Refugee, and the seed much the same in shape one. Seed long, cylindrical, rounded at ends, drab, nearly covered with dark purple blotches. This is an excellent snap bean for early markets and stands shipment well. **Pkt. 15c; Lb. 60c; 2 Lbs, \$1.10 postpaid; 100 Lbs, \$40.00**

Round Yellow Six Weeks, While this does not differ greatly from the Early Yellow Kidney Six Weeks in the Improved Round Pod earlier; the plants are usually shorter and more compact. The pods are about four and garden and market. Seed medium sized, round, light yellow with darker marking about eye. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.0

- **Early Yellow Kidney Six Weeks** The plants of this hardy variety, known also as Long Yellow Six Weeks, are large, vigorous, erect and very productive. The leaves are large. The pods are long, about six inches, straight, flat, handsome, rather light green and when young are of good quality for snaps. Seed medium sized, long, kidney shaped, light yellow with snall brownish circle about the eye. This is early maturing and a fine shipper. It is much used for the home garden and market. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Bountiful much discu for the nome garden and market. Fkt. Isc; Lb. 60c; Z Lbs. \$1.10 postpaid; 100 Lbs. \$40.00 Bountiful much better quality. The vines are vigorous and productive. The pols are very long, six to seven inches, straight, broad, flat, of handsome appearance and absolutely stringless for snaps. They are tender and brittle much longer than most sorts. The pols are longer, broader and have much longer tips than those of Long Yellow Six Weeks. Seed medium sized, kidney shaped, light yellow with brownish circle about eye. Bountiful is a most desirable early sort for snaps for the home garden. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00

home garden. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 poss Extra Early Round Pod Red Valentine podded sorts both for the home and market garden and many prefer it to the wax varieties. The plants are of medium size, erect, with dark green leaves. The pods are of medium leugh, about four and one-half inches, medium green color, curved, cylindrical, with crease in back, very fleshy, crisp and tender. Where the young plants have to contend with adverse conditions, no other dwarf bean is more certain than the Valentines are to set pods. Seed long, of medium size and unsymmetrical in shape, purplish pink splashed with pale buff. We know of no stock of Red Valentine which can be compared with that we offer in uniformly high quality of pod. Our strain combines in high degree all the good qualities of the sort. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

- 100 Lbs. \$45.00 Black Valentine A very hardy and productive green podded sort with strong, vigorous vines. The pods are nearly round or slightly flattened but very handsome, are much longer, straighter and less fleshy than Red Valentine, the plant a little more spreading, and in season a little later. A large crop can be depended on and the product is very attractive on the market. It is very extensively used for shipping. The pods are medium dark green and about six inches long. Seed small to medium sized, black, oblong, slightly flattened. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- postpaid; 100 Lbs. \$45.00 Early Mohawk planted earlier than others and in this way will often furnish beans fit for use before any other green podded variety. The plants are large and stout, with large coarse, dark green leaves. The pods are medium dark green, long, six to six and one-half inches, straight, coarse, flat, with long tapering points. Seed long, large, kidney shaped, variegated, drab, purple and brown. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Tennessee Green Pod This early intermediate snap bean is very popular in some sections of the south and where known in other parts of the country is considered of exceptional merit. It is the longest podded dwarf sort. The plants are large, somewhat spreading and prolific. The foliage is dark green, with leaves large and crumpled. The pods are very long, often six to seven inches, flat, irregular in shape, bright but rather dark green and of exceptionally fine flavor. The green shell pods are much depressed between seeds. Seed of medium size, oval, flat, yellowish brown in color. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00



GIANT STRINGLESS GREEN POD

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans.

BEANS-DWARF OR BUSH GREEN PODDED SORTS-Continued

Stringless Green Pod A very desirable dwarf green podded snap sort for the home garden and largely grown for the six inches long, cylindrical, larger than those of Red Valentine but are quite as fleshy, of equally high quality and remain crisp and tender longer. They mature a little later. Seed of medium size and length, yellowish brown. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

- Giant Stringless Green Pod An exceedingly productive and very handsome sort. The plants are large, vigorous and spreading. The pods are large and nearly round, and of medium green color. They mature a few days later than those of Stringless Green Pod, average about one-fourth inch longer and more nearly straight. The quality is very good for snaps for home use. The variety is suitable also for the market. Seed long, slender, yellow. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- **Dwarf Horticultural** One of the best dwarf sorts for green shell beans for the home garden and market and can be used early as a green podded snap bean. The plants are very productive, compact and upright, with large leaves. The mature pods are about five to five and one-half inches in length, broad and thick, curved, with splashes of bright red on a yellowish ground. They become fit for use as green shelled beans early and in this condition the beans are very large, easily shelled and are about equal to the Lima in quality. Seed large, oval, plump, pale buff splashed with deep red. (Very short crop, sold out)
- Refugee or Thousand to One A standard very productive sort, highly esteemed for late planting for snaps and very extensively used for shipping, canning and pickling. Sometimes called Late Refugee, Round Pod Refugee and Improved Refugee. The plants are very large, spreading, exceedingly hardy, with many small, smooth light green leaves. The mature pods are about five and one-fourth inches long, cylindrical, slightly curved, seed long, cylindrical, light drab, thickly dotted and splashed with purple. Pkt.15c; Lb.65c; 2 Lbs.\$1.20 postpaid; 100 Lbs.\$45.00 The following four Dwarf or Bush sorts are extensively valuated as field beans.
- Early Marrow Pea or Dwarf White Navy large and spreading, with small, thin leaves and occasional runners, ripening their crop comparatively early. The polas are sized with small, thin leaves and occasional runners, ripening their crop comparatively early. The polas are small, oval, white, handsome and of superior quality for use as dry beans. (Crop failed)
- Large White Marrow or Mountain The plants of this very prolific sort are large, slender, spreading, with short runners and small leaves. The pods are broad, about five and one ovoid, clear white, cooking very dry and mealy. (Crop failed)
- Vineless Marrow A very prolific and valuable sort for field culture. The plants are large, strong and vigorous, but compact and without runrers, bearing its crop in the center and well up from the ground. The pods are light green, about five and three-eighths inches long. The dry beans are medium large, ovoid, very white, cook quickly and are of exceptionally fine quality. (Crop failed)
- **Royal Dwarf Kidney** leaves. The pods are coarse, dark green and about six inches long. Seed large, white kidney shaped, slightly flattened and of excellent quality, for family use either green shelled or dry. (Crop failed)

DWARF LIMAS


The dwarf lima class cannot be recommended too highly. The beans can be grown and gathered much more easily than the pole limas as the vines require no support. They can also be grown closer together than those of any pole variety. Dwarf limas are fully equal in quality to pole limas and as a rule are earlier maturing.

Limas require a longer season for maturing than other garden beans. Do not plant till the ground is dry, weather warm and danger of frost is over. If possible select rich, light soil. Plant in drills two to three feet apart, dropping the beans three to four inches apart and covering one and one-half to two inches deep. If planted in hills, make the hills two to three feet apart one way and two to two and one-half feet the other and plant four to six beans in a hill. Hoe often but only when the leaves are dry.

Bush Lima or Dwarf Sieva (HENDERSON'S) A dwarf form of the Small White Lima, valuable on that account, and because of its extreme earliness, hardiness and productiveness. The plants are without runners but continue to grow and set pods until stopped by frost. The leaves are small and very dark green: flowers small, yellowish-white, borne in clusters and often above the foliage. The pods are medium dark green, short, about two and three-fourths inches, flat and contain two to four beans which are of excellent quality either green-shelled or dry. This is much used by canners, as well as for home and market garden use. Seed small, flat and white with slight tinge of yellow. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00

- Burpee's Improved Bush Lima ous and productive. The pods are medium green, very large, about five inches long, thick and usually contain four beans, which are unusually thick, of largest size and of excellent quality. Seed very large, thick and usually shows a greenish white tinge which is generally considered an indication of superior quality. One of the best and most extensively used bush limas for the market as well as home garden. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Dwarf Large White Lima dwarf but very productive. The pods are medium green, are as broad and very nearly as long as those of the pole variety of Large White Lima and are a little more curved. They contain from three to five very large, flat beans of very good quality for home garden or market. Seed very large, flat, white with slight greenish tinge. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$40.00
- Fordhook Bush Lima An improved dwarf lima of the Kumerle type. It is sometimes called Potato Bush Lima. The plants are vigorous and erect. bearing well above the ground. The pods, which are produced in large clusters, are medium green. about four and three-fourths inches long and each contains three to five large beans of exceptionally fine quality. It is much more productive than Kumerle and matures earlier. Seed large, irregularly oval in shape, very thick, white with greenish tinge. This sort is popular for home and market use, especially in the east. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans.



FORDHOOK BUSH LIMA

BEANS-POLE OR RUNNING


Although pole beans require considerable care and labor, they are when properly grown usually of longer bearing period than the dwarf sorts and are generally more productive.

Pole beans are even more sensitive to cold and wet, as well as to drought and hot winds, than the dwarf varieties, but are of superior quality and productiveness. After settled warm weather, set poles four to eight feet long in rows four feet apart and extending north and south, the poles being three feet apart in the row. Let the poles slant slightly toward the north. Set in this way the vines climb better, and the poles are straighter and more easily seen. Around each stake plant five to eight beans one each one-half to two inches deep. When well started thin to four plants, and see that they all climb around the pole in the same way, for they will not grow if tied up in the opposite direction.

Another plan is to plant in rows thickly enough so that there will be one plant to eight or ten inches. Set posts five feet high firmly at each end of the rows and drive stakes made of two by two lumber at intervals of about sixteen feet along the rows. Stretch a wire, size number 10 or 12, between the posts along each row, and fasten it to the tops of the stakes with wire staples. Run a lighter wire or twine along the bottom about six inches from the ground and fasten to the posts and stakes with wire staples. Between these two stretch a wire or twine wherever there is a plant. The vines will run up these until they reach the top wire, when they will care for themselves. Another way is to omit the bottom wire and stakes mail stakes two six inches in the soil and fasten to top wire.

- White Creaseback and in good soil wonderfully productive, bearing round, fleshy pods within a short time. The vines are medium sized, vigorous medium length, usually about five inches, comparatively straight and of attractive light green color. They are of the best quality as snaps for home use and stand shipping better than most sorts. Seed small, oval, white. The beans are too small to be of much value when shelled green, but are considered by many to be of very superior quality for baking. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Kentucky Wonder Also known as Old Homestead. We believe this variety is the most practically useful of the green podded pole beans suitable for use as snaps. It is an early, very prolific sort, with showy pods which are of most excellent quality. The vines are vigorous, climbing well and very productive, bearing pods in large clusters. The pods are medium light green, very long, often reaching nine or ten inches, curved and twisted, nearly round and very crisp when young, becoming very irregular and spongy as the beans ripen. Seed long, oval, slightly flattened, dun colored. One of the very best early pole snap beans for the home garden or market. The quality of our stock is unsurpassed. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00
- St. Louis Perfection White An early maturing, green sort desirable for snaps and unsurpassed in its class as green shell beans. The vines are vigoro us and very productive. The pods are round, very long, often eight to nine inches, irregular in shape and quite stringless. The beans when shelled green are large, very tender and white, a very desirable feature when comparison is made with the colored beans of other varieties of this class. Seed medium long, oval or well rounded, solid white. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Red Speckled Cut Short or Corn Hill speckled, oral seed, is used largely in the south for planting among corn. It will give a good crop without the use of poles. The vines are medium sized, but vigorous, twining loosely with dark colored leaves. The snap pods are short, three to three and one-half inches, straight, flat to oral, fleshy and of good quality. The pods as they mature become light yellow tinged with red, the beans showing distinctly through the pod. Seed nearly oblong, cut off diagonally at the ends, light grayish white, covered about the eye and at one end with reddish or purplish brown, and irregularly dusted over most of the surface. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00
- Scotia or Striped Creaseback A hardy and very producfield bean. The vines are sturdy and of good climbing habit, with small-medium, deep green leaves. The pods are long, about six inches, very cylindrical or completely rounded, distinctly creasebacked, very fieshy and of excellent quality. The color when in condition for use as snaps is light silvery green, becoming tinged with purple as the pods mature. Seed small-medium, kidney shaped, mottled puty color with dark striping. This is especially suitable for growing on corn for snaps. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Baldwin Wonder Wax A hardy. vigorous and very prolific wax podded pole variety for the home garden. When in condition for use as snaps the pods are very long about seven inches. They are uniformly cylindrical, exceptionally brittle. stringless and of excellent quality. The color of the pods at the snap stage is a most attractive light yellow. Seed medium sized, flattened kidney shaped; color putty with brownish or bronze green striping. We consider Baldwin Wonder Wax the most desirable bean of its class yet introduced. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Dutch Case Knife The vines of this well known green podded kidney bean for green shell use are of good climbing habit, but twining rather loosely and may be used for a common hill sort of medium season. It is used for shaps when quite young. The leaves are large and crumpled. The pods are very long, seven to eight inches, fat, irregular, medium green, becoming lighter as they mature. Seed broad, kidney shaped, flat, clear white and of excellent quality whether used green or dry. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans,



BALDWIN WONDER WAX

BEANS-POLE OR RUNNING-Continued

- Kentucky Wonder Wax der but the pods are alittle broader. They are very fleshy and stringless as snaps and are of excellent quality. The pods are very long, handsome light yellow, often eight to nine inches in length. Seed medium sized, oval, flattened, very irregular, usually somewhat shriveled, dark brown. Its earliness and hardiness commend this as a pole bean well adapted even for northern lati-tudes. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Early Golden Cluster Wax snap pole beans. The vines are large, strong growing, vigorous and hardy, with large, light green, crimped leaves. The pods are six to eight inches long, borne in abundant clusters, each containing from three to six pods varying in color from golden yellow to creamy white. The pods are very broad, thick and fleshy. They are of very good quality and stay in condition for use a long time. Seed medium sized, flattened, oval, dull white. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00
- Harlequin This very desirable horticultural variety is earlier and has Harlequin much longer and more attractive pods than the well known London Horticultural or Speckled Cranberry, also it is considered of better flavor. The beans of Harlequin are of large size, ovate in shape and are of the highest quality either green shelled or dry. The vines are vigorous with large light colored leaves. The pods are very long, six to seven inches, striped or splashed a deeper and more brilliant red than London Horticultural; dry beans a trifle longer. We consider this the most attractive and finest bean of the Horticultural class. Pkt. 15c; Lb.60c; 2 Lbs.\$1.10 postpaid; 100 Lbs.\$40.00
- London Horticultural class. Pkt. 15c; Lb.60c; 2 Lbs.\$1.10 postpard; 100 Lbs.\$40.00 London Horticultural or Speckled Cranberry shell bean for home or market. The vines are moderately vigorous with large, light colored leaves. The pods are medium length, four and one-half to five and one-half inches, pale green when young, becoming as they mature yellowish green striped or splashed with red. The beans are large, ovate, flesh colored, splashed and spotted with wine-red and of the highest quality, either green or dry. Many like this sort better than limas. This well known horticultural pole bean is sold also as Wron's Edge. Plet 15m; the 55m; 21 he 51 00 perturbide to 525 00 sold also as Wren's Egg. Pkt.15c; Lb.55c; 2 Lbs. \$1.00 postpaid; 100 Lbs.\$35.00
- Lazy Wife One of the best of the later green podded pole beans for snaps clusters, are five and one-half to six and one-half inches long, broad, thick, fleshy and entirely stringless. When young they have a rich, buttery flavor which is retained until they are nearly ripe. The dry beans are excellent for winter use. The seed is white, medium size, slightly oval or nearly round. (Very short crop, sold out)

POLE LIMAS


Of all the pole beans, limas are considered to have the greatest economic value. The culture is the same as for other pole beans except that being more tender, the seed is usually planted one to two weeks later. In firm soils it will be found of advantage to place the beans on edge with the eye down as when planted in this manner they germinate and come up more readily.

- Seibert's Early Lima other early limas for either the home garden or market. The vines are vigorous and remarkably productive. The pods are medium green, large, flat, about five inches long, moderately curved. The green shell beans are very large, very tender and of finest quality. This standard early pole lima was introduced by us in 1895. Seed ovoid, flat with slight greenish tinge. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00
- Small White Lima, Carolina or Sieva This very early and re-liable small seeded pole lima is especially adapted for planting in the south. The vines are vigorous, with many short branches. The leaves are small, smooth, stiff, glossy dark green. The pods are dark green, short, about three inches, curved, fat. Seed small, flat, white with slight tinge of yellow. This is sometimes called Sewee. It is the most generally known "butter bean" of the south. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00

Ideal Pole Lima One of the largest and most valuable lima beans yet introduced. The vines are exceptionally vigorous and very productive, bearing large clusters of broad medium green pods each six to seven inches long. The pods usually contain four to six large beans of excellent quality. This variety matures a little later than Seibert's Early Lima but the pods are much larger. Seed large, ovoid, flat, white with slight greenish tinge. This is a splendid variety for market gardeners. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00

- King of the Garden Lima The vines of this standard pole lima are very vigorous and productive. The pods are medium dark green, very large, five to six inches long, broad, flat, filled with four or into bearing earlier and make larger pods if not more than two vines are left to grow on a pole. Seed very large, ovoid, flat, white, with slight greenish tinge. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00
- white, with slight greenish tinge. Pkt. 15c; Lb. 55c; 2 Lbs., \$1.00 postpaid; 100 Lbs. \$35.00 Carpinteria Pole Lima long, usually closely filled with four beans of largest size, much thicker than the average pole lima. The volor is distinctive in having a decided greenish tint, an indication of very finest quality. When cooked the beans are very thin skinned, extremely tender and of finest flavor. Seed very large, exceptionally thick, retaining the distinctly green tinge. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00 Detroit Mammoth Lima lima yet introduced. The mammoth pods are nine to eleven inches long, rather broad. medium dark green in color and contain five to seven beans of the most excellent quality. It comes into bearing medium early tinged with green. (See further description, nage 3) Pkt. 15c; Lb. 75c, postpaid. This new rare pole ling a variety is too late for the axtrome north and is being curplented in
- Large White Lima This well known large pole lima variety is too late for the extreme north and is being supplanted in sized, smooth, medium green leaves. The pools are borne in clusters and are five to five and one-half inches long, broad, very thin and are of medium green color. Seed very large, ovoid, flat, white with slight tinge of green. Pkt. 15c; Lb. 50c; 2 Lbs. 90c. postpaid; 100 Lbs. \$32.50

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of beans.





The best results are obtained on a deep, rich, sandy loam. If wanted very early, sow such sorts as Crosby's Egyptian and Detroit Dark Red in hotbeds and transplant, cutting off the outer leaves. For general crop sow in freshly prepared soil as soon as the ground will permit, in rows eighteen inches apart, covering about an inch deep and pressing the soil firmly over the seed. When the plants are well established thin four to be apart in the row, realisting may he sown in June on Lyk as anti-

For writer use the turnip varieties may be sown in June or July so as to mature late in the season. The roots are stored in a cellar and covered with sand to prevent wilting, or they may be kept outdoors in pits such as are used for apples and potatoes.

Extra Early Egyptian Blood Turnip early crop outdoors, being very early, with small tops. The leaves are dark green, shaded and veined with dark red. The roots are very dark red, moderately thick, a little rounded on top, distinctly flat on the bottom, and about two inches in diameter when mature. The flesh is dark purplish red, zoned lighter shade; firm, crisp and trades of the shade; firm, crisp and tender. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.25

Crosby's Egyptian This very desirable table beet does not closely resemble the original Egyptian except in its extreme earliness. The tops are small. The roots are flattened globe shaped and very smooth. The exterior color of the root is bright red. The flesh of our strain is bright vermilion red, zoned with a lighter shade, very sweet, tender and of excellent quality. This is one of the best for early planting outdoors and is much used for bunching. It because the provide the root is part of the root is bright but it is bet as well. comes fit for use earlier than any other variety but it is not so well suited as Extra Early Egyptian Blood Turnip for forcing in hotbeds or for transplanting. Our stock is exceptionally uniform in shape and color, and is earlier than the older strains which are similar in shape but show the purplish red color. **Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50**



EXTRA EABLY EGYPTIAN BLOOD TURNIP

Edmand's Early Blood Turnip Suitable also for the home garden. Tops short, rather spreading; ribs and leaf stalks dark red; blade of leaf bright green, often with wavy edge. Roots nearly round or slightly flattened; exterior color dark red, interior color purplish red with little zoning; crips, tender, sweet and an excellent keeper. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Early Blood Turnip Red and requiring a longer time to mature. The roots are dark red and nearly round or slightly flattened. The flesh is deep red, zoned with lighter shade, sweet. crisp and tender. This is an excellent market and home garden sort for summer and autumn use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

which are similar in snape but show the purphish ted cool. Fat. Sci V2. 23C; 2 V2. 40C; 74 LD. 75C; LD. 92, 50 Detroit Dark Red We believe this is the best beet for the market and home garden, and on account of its uniformly leaves are dark green, shaded with red. The roots are medium sized, globular or nearly round, very smooth and of dark blood red color. The fields is deep vermilion red, zoned with a lighter shade of the same color. The variety is very desirable for bunching. Careful comparisons with all prominent varieties on the market prove that Detroit Dark Red is the most uniform in shape and size and the most attractive in color. It is unsurpassed in quality. (See cut and further description, page 3) Number of 200-200-11/2 the 200-11 set 275 Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¹/₄ Lb. 90c; Lb. \$2.75 **Early Eclipse** An early beet especially desirable for the home garden and used for bunching. The tops are small. The roots are bright deep red, smooth, round or slightly top shaped, with a small tap and small collar. The flesh is bright red, zoned with pinkish white, very sweet, crisp and tender, especially when young. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.25

Dewing's This medium early table sort is tender,



- **Early Turnip Bassano** table, being especially adapted for use as greens. The tops are large. The roots attain a large size, are light red in color and flattened turnip-shaped with rather heavy tap. The flesh is pink, zoned with creamy white. **Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/4 Lb. 55c; Lb. \$1.75**
- **D. M. Ferry & Co's Half Long Blood** A half long, deep red beet, by far the best variety for winter and spring use. It is excellent to slice for pickles. The tops are very upright with exceptionally smooth leaves. The roots are deep red, half long, smooth and uniform in shape. The flesh is very deep, rich red, sweet and tender. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50
- Long Dark Blood A standard long late variety of very good quality smooth, rather slender, growing largely under ground, with few or no side roots and when mature about eight or ten inches in length, sometimes longer when grown in deep, well-dug and well-manured soil. The exterior color of the roots is very dark purple, almost black. Flesh is dark red, tender and sweet. It is an excellent sort for pickles. Pkt. 5c; Oz. 20c; 2 Oz. 35c; '4 Lb. 60c; Lb. 32.00 ¹/₄ Lb. 60c; Lb. \$2.00
- ¹/₄ Lb. 60c; Lb. \$2.00 (Sea Kale Beet) This kind of beet is grown exclusive-SWISS CHARD ly for the numerous, fleshy, tender leaves and leaf stalks. which are superior to those of other beets for use as greens. Later in the season the wax-like leaf stems are cooked like asparagus or are pickled. This variety we offer has large, broad, undulated leaves of attractive yellowish green color, and very large, broad white stalks and midribs or chards. It is well worthy of a place in the home garden as well as for market use. Swiss Chard is sometimes called Leaf Beet, Spinach Beet and Silver Beet. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50



Swiss CHARD

28

SUGAR BEET

The Sugar Beets are desirable not only for sugar making but are valuable for stock feeding and when small may be used for the table. The best soil is a rich, friable sandy, or clayey loam. Rich, mucky soils will often give an immense yield of roots which, though excellent for feed, are of little value for sugar making. Plant early in spring in drills two to two and one-half feet apart, and about one inch apart in the row, covering with about one and one-half inches of fine soil firmly pressed down. Cultivate frequently. When about three inches high, begin thinning and continue at intervals until the roots stand about ten inches apart.

apart.

FOR SUGAR MAKING

- Jaensch's Victrix This is unquestion-ably the most highly developed strain of beet for sugar making. The roots are of medium size, white with tinge of gray, half long, and very uniform in type. The flesh is white and is exceptionally rich in sugar content. (Seld out) content. (Sold out)
- Vilmorin's Improved One of the rich-est sorts in sugar content. The tops are of medium size, with smooth, bright green leaves. The roots are of medium size, similar in appearance to Jaensch's Victrix, with white flesh and often yield from ten to sixteen tons per acre. (Sold out)
- Klein Wanzleben The roots are a little larger than Vilmor-in's Improved and a little hardier and easier grown. The tops are rather large and the leaves slightly waved. This sort often yields under careful culture from twelve to eighteen tons per acre. It is probably the best sort for the experimenter to use. (Sold out)

HALF SUGAR MANGEL FOR STOCK FEEDING

Giant Feeding Sugar Beet for stock or Half Sugar Mangel feeding, afford-very large crop much easier to harvest than other sorts but also having higher nutritive value, being especially rich in sugar. The roots are light bronze green above ground, grayish white below, with white flesh. On account of while below, with while heat. On account of growing partly out of the ground and the long ovoid shape the crop can be harvested and stored easily and at less expense than any other root crop. (Sold out)



IMPROVED MAMMOTH LONG RED MANGEL WURZEL

LE

GIANT FEEDING SUGAR BEET OR HALF SUGAR MANGEL

The culture of the Mangel Wurzel, also called Mangel, Cattle Beet and Field Beet, is much the same as for Sugar Beets. The Mangels may be grown in almost any soil, but deep loams are necessary for heavy yields of the long varieties.

WUR

D. M. Ferry & Co's Improved Mammoth Long Red The roots are very large, uniformly straight and comparatively thicker than the common sort. The flesh is white tinged with rose. This strain under careful culture is enormously productive. Our stock will produce the largest and finest roots which can be grown for feeding stock and is vastly superior to many strains offered under other names, such as Norbitan Giant, Colossal, Monarch, etc. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

IANGEL

Yellow Leviathan and the constant, constant, for a constant, for a constant, for a constant, for a constant, constant, for a constant

BROCCOLI The heads resemble somewhat a coarse cauliflower and the culture is the same in all essentials as rather moist. One of the most valuable features is that it withstands greater extremes of temperature than cauliflower.
Early Large White French This is considered the best sort for most sections. The plants are very hardy, vigorous and easily grown. The heads are white, compact, hard and of good quality. Pkt. 5c; 0z. 60c; 2 0z. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00

BRUSSELS SPROUTS Used in the fall and early winter and by some considered more tender and deli-cious than any cabbage. Plant resembles the cabbage, the edible part being the same in all essentials as for cabbage, except the leaves should be broken down in the fall to give the little heads more room to grow. **Improved Half Dwarf** growing about one and one-half to two and one-half feet high. They are very hardy and produce compact, rounded, grayish green sprouts of good size and fine quality. **Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50**

CABBAGE

For many years cabbage seed has been a leading specialty with us. Our cabbage seeds are all grown from approved stock seeds which are largely of our own development on our Oakview Stock Seed Farm; they are all grown under our personal in-spection and supervision. We believe there is no seed that is more reliable, nor any that can be more implicitly depended upon to give planters uniformly satisfactory results.

The requisites for complete success with cabbage are: First, good seed. In this crop the quality of the seed used is of the greatest importance. No satisfactory results can possibly be obtained when poor seed is planted. Second, rich, well prepared ground. A heavy, moist and rich loam is most suitable. Third, frequent and thorough cultivation. The ground should be highly manured and worked deep. Cabbage is grown all over the country and specific directions regarding the time and methods of planting applicable to all localities cannot be given. In general, north of the 40th parallel the early sorts should be sown very early in hotbeds, hardened of by gradually exposing them to the night air and transplanted as early as the ground is in good condition, setting eighteen to thirty-six inches apart, according to size of variety. South of the 40th parallel sow about the middle of September, or later according to latitude, transplanting into cold-frames if necessary to keep through winter and setting in open ground as early as possible in the spring.

The late autumn and winter varieties may be sown from the middle to the last of spring and transplanted when four to six inches high. If the weather and soil are dry the late sowings should be shaded and watered in order to hasten germination, but it is important that the plants should not be shaded or crowded in the seed-bed, or they will run up weak and slender and will not endure transplanting well. Cabbages should be hoed every week and the ground stirred as they advance in growth, drawing up a little earth to the plants each time until they begin to head, when they should be thoroughly cultivated and left to mature. Loosening the roots will sometimes retard the bursting of full grown heads.

Of late years many crops of early cabbages have been destroyed by maggots at the roots. An effective remedy seems to be to remove the earth carefully from around the stem so as to form a funnel-shaped cup and apply Zenoleun, Sanax Dip, or some similar preparation, dluted at the rate of one part to eighty parts of water. Apply one pint to a plant. A well known remedy is to apply an emulsion of kerosene which may be made as follows: Add one quart of kerosene oil to two quarts of boiling fish oil soap (whale oil soap), soft soap or any cheap soap which has been thinned to the consistency of cream. Stir the oil thoroughly by churning or other method until it has united with the soap and forms a cream-like substance. Then dlute with five times as much water and apply one


United with the soap and forms a cream-like substance. Then dilute with five times as much water and apply once a week. A preventive for maggots is to spray on forcibly a carbolic acid emulsion diluted with thirty parts of water, applied the day after the cabbage plants are transplanted, and repeated several times at intervals of a week.

The cabbage worms which destroy the leaves and heads later may be killed by dusting with pyrethrum powder, slug shot or Paris green. The last two are poisonous and should not be used in large quantities, or late in the season; however, should their use be necessary, care should be taken to remove the outside leaves before the heads are used. If the disease called club-root should get a foothold, do not plant the land with any of the cabbage family for a year or two. This is usually an effective remedy. effective remedy.


A great many of the varieties of cabbages are simply strains rather than distinct sorts and are really the same as some older and better known kinds. We are confident that every good quality can be found in a greater degree in the varieties we offer than in any other kinds.

FIRST EARLY SORTS

Early Jersey Wakefiel and surest heading of first early cabbages for the market and home garden. Most gardeners depend upon it for the bulk of their extra early crop. The plants are exceed-ingly hardy, not only in resisting cold but other unfavorable conditions. They are compact and erect or very slightly spreading, with few outer leaves, which are smooth, thick, nearly oval and deep green. The stem is short. The heads are of medium size, very solid, uniformly pointed and of excellent quality. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¹/₄ Lb. \$1.75; Lb. \$6.00



CHARLESTON OR LARGE WAKEFIELD



EARLY JERSEY WAKEFIELD

Copenhagen Market The earliest large round-head-ed cabbage yet introduced. The heads are exceptionally large for so early a variety, very solid and of most excellent quality. The plants are vigorous but compact, with short stem and few outer leaves which are of rather upright growth. The leaves are medium light green, nearly round, comparatively thick and smooth. This is a most excellent sort, both for the home garden and market gardening trade. Our strain produces the characteristic large, round heads that for solidity and excel-lent quality make this variety so valuable. (See illustration on cover, and further description, page 4) Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00

Charleston or Large A strain in which the Charleston or Large A strain in Wakefield plant is larger and a Ulter than Early Jersey Wakefield, the head being fully as solid but less pointed and considerably larger. The leaves are rather large, smooth and comparatively thick. Its exceeding hardiness. earliness and size of head have made it with market gar-deners and shippers a popular sort to follow Jersey Wakefield. The plants are medium sized. very vigorous and slightly spreading. The heads are blunt-pointed but very broad at the base. Our stock can be depended upon to produce uniformly fine, marketable heads. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00

Early Spring are vigorous, very compact, with few outer leaves and a short stem. The leaves are nearly round, broad, smooth and of distinctive light green color, almost without bloom. The heads are broad, round, slightly flattened. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00


CABBAGE—SECOND EARLY AND INTERMEDIATE SORTS

Early Dwarf Flat Dutch The plants of this valuable second early sort are short stemmed, compact and upright with comparatively few and short leaves. The outer leaves are slightly waved and serrate mature a little earlier than Early Summer. This variety is extensively used for the home garden and market. The seed we offer is of first quality. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4 Lb. \$1.40; Lb. \$5.00


Henderson's Early Summer somewhat flattened cabbage, valuable garden and takes well on the market. It is also well adapted for kraut. The plants are vigorous and strong growing but compact, with numerous but not large, rather spreading outer leaves which are somewhat frilled and are sometimes called rather thin and slightly undulating. The stem is rather short. The heads are of medium size, round, somewhat flattened and keep longer without bursting than most early sorts. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00

Glory of Enkhuizen excellent quality. The plants are of vigorous growth, with large, rather spreading outer leaves which are noticeably curved and frilled. The heads are globular or very nearly round, very solid and of large size for so early a variety. Pkt. 5c; Oz. 75c; 2 Oz. \$1.25; ¼ Lb. \$2.00; Lb. \$7.00 All Large I. This excellent second carb

\$2.00; Lb. \$7.00
All Head Early ket sort produces heads that are very large for so early a cabbage and of very good quality. It is desirable not only for general spring planting but by planting late it can be used as a fall and early winter cabbage. The variety is well adapted for kraut. The plants are compart, with few outer leaves which are comparatively smooth and rather thick, being nearly entire at edges and only slightly waved. The stem is short. The heads are solid and flat but very deep. Our strain is of special value. Pkt. 5c; Oz.60c; 2 Oz.\$1.00; ¼ Lb.\$1.75; Lb. \$6.00



EARLY DWARF FLAT DUTCH




A sure heading sort, intermediate or second early in season and adapted for autumn as well as late summer use. The plants are vigorous and strong growing, with a short stem and have numerous, rather short, outer leaves which are somewhat frilled. The heads are large, deep, very firm and of excellent quality. The seed we offer is from carefully grown selected stock. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00

¹/₄ Lb. \$1.75; Lb. \$6.00 A very desirable large ate season, adapted for autumn as well as late summer use, and considered one of the most desirable for kraut. The plants are very vigorous and sure heading, with few outer leaves which are large and fairly smooth or slightly waved. The heads are nearly round or somewhat flattened, very solid and of excellent quality. It is remarkable for its ability to stand the hot sun and dry weather, remaining an exceptionally long time in condition for use. Sometimes sold as Vandergaw. Pht. 5c; Oz.55c;2Oz.\$1.00; ¹/₄ Lb.\$1.60; Lb.\$5.50

EARLY WINNIGSTADT

Early Winnigstadt Second early or medium early sorts, very hardy, with a very hard sharply pointed head and a very sure cropper. Owing to its compact and upricht habit of growth and peculiar texture of its rather short and thick, dark green leaves, the variety resists cold, wet and insect pests exceptionally. well. The heads are of medium size, very closely and convolutely wrapped, sharply conical, of good quality and keep very well. The leaves are dark bluish green with much bloom. The variety is very extensively used for the home garden. It is sometimes planted late and then makes a desirable winter cabbage. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.49; Lb. \$5.00

Fottler's Early Drumhead or Brunswick Short Stem and most extensively used second early or intermediate sorts. It is especially adapted for the home garden. The plants are of dwarf and compact but strong growth, with rather few outer leares which are fairly smooth or slightly waved. The heads are large for size of plant, distinctly flat, solid and of excellent quality. This sort is also suitable for later use. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00



SUCCESSION

CABBAGE-LATE OR AUTUMN AND WINTER SORTS

- The Warren or Improved Stone Mason compact with only a moderate number of leaves which are rather light green, thick, rounded, entire and slightly blistered. The heads are large, flattened but deep, oval on the top. tender but deep neads of wery solid. It is an especially desirable fall or early winter cabbage where quality is desired. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00
- Volga A main crop sort, very desirable where large, uniformly round heads with short stem and plants of compact growth are wanted. This sort matures very early for a variety furnishing such large heads of excellent shape. The outer leaves are thick, long oval and rather smooth. The variety is hardy, usually very solid and a good keeper. Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; ¼ Lb. \$1.60; Lb. \$5.50
- Surchead One of the most reliable main crop or late cabbages for northern latitudes, being very hardy and exceptionally are rather upright, with many outer leaves which are waved, thin edged, crimped and distinctly frilled; stem rather short. The heads are large and broad, thick, somewhat flattened, compact, very solid and of excellent quality. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4 Lb. \$1.40; Lb. \$5.00
- D. M. Ferry & Co's Premium Late Flat Dutch This strain is the result of much care on our part to develop and maintain the good qualities which have made this sort so popular. The plants are very hardy, comparatively slow growing but very sure heading; stem rather short. The plants are exceptionally vigorous, with very large, broad, spreading outer leaves which are moderately smooth or very slightly wared and slightly blist-red. The heads are uniformly large, often very large, flat but deep, distinctly flattened on the top, solid and of excellent quality. This is considered by many as the standard, very large late cabbage for home garden and market. It is an excellent keeper. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00
- **D. M. Ferry & Co's Premium Late Drumhead** We recommend this sort for markets that require a very large outer leaves, which are upright in growth and moderately waved. The heads are uniformly large, very large when grown in good, rich soil, are flattened on top but very deep, compact and of excellent quality. The heads can be kept in good condition until late in spring. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ½ Lb. \$1.40; Lb. \$5.00
- Early Dwarf Ulm Savoy Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼Lb. \$1.40; Lb. \$5.00
- Pkt. 5c; 02. 50c; 202. 55c; 74.0. \$1.40; LD. \$5.00
 Wisconsin No. 8 A "yellows" resistant strain of cabbage developed out of our stock of Hollander under the direction of the commercial crops of cabbage were bally infected or entirely destroyed by the disease called the yellows this strain has proven to be practically immune from attack. The disease resistant properties of this variety, however, apply only to that known as the "yellows" and no claim is made that it is less susceptible to other forms of disease such as Black Rot, Black Leg or Club Root than other sorts. Although showing considerable variation in type the plants resemble Hollander but are larger and more leafy and spreading. The heads are round or somewhat flattened and retain to a remarkable degree the solidity and excellent keeping qualities of the Hollander. For localities where Cabbage plants are affected by the yellows we earnestly recommend a planting of this new strain. Pkt. 5c; 0z. \$1.50; 2 0z. \$2.60; 1/4 Lb. \$4.75; Lb. \$18.00
- Hollander or Danish Ball Head Very hardy, sure heading, very solid, of good quality and as one of the very best keepers this is particularly desirable for distant markets or for late spring use. The plants are vigorous and compact with stem of medium length. They are exceedingly hardy in resisting cold and stand dry weather well. The leaves are distinctly upright in growth, few but rather large, long and narrow, thick, smooth, bluish reen covered with whitish bloom. The heads are medium sized, round, exceptionally solid and stand shipment better than any other late sort. Our strain of Hollander is shorter stemmed and produces heads generally larger than other stocks. We offer seed of our own growing which, judging from our trials, will produce more uniformly typical heads than can be grown from stock obtainable elsewhere. Our own strain. Pkt. 5c; Oz. \$1.50; 2 Oz. \$2.60; ¼ Lb. \$4.75; Lb. \$18.00 Choice Danish
- Mammoth Rock Red The largest and surest heading red cabbage. The plants are large and vigorous with medium length stem and spreading outer leaves which are dark green with red veining. The heads are pickling. (Crop failed)
- Large Red Drumhead Stem rather long; outer leaves very broad, violet red sometimes slightly mixed with green large, somewhat rounded in shape, solid and of very attractive deep red color. A desirable late maturing variety. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¹/₄ Lb. \$1.75; Lb. \$6.00



D. M. FERRY'S PREMIUM LATE FLAT DUTCH

Chinese Improved The strain or Pe-Tsai resembles when well grown Cos Lettuce rather than Cabbage. It is often called Celery Cabbage on the market.

The leaves when young are crimped, The leaves when young are crimped, of light green color and appear like smooth leaved mustard but with much broader and heavier midribs. The plant as it matures becomes more up-right and forms heads much like Cos Lettuce. The inner leaves blanch an attractive light yellow or creany white with very white midribs. It is of distinctive flavor, very mild and pleasant. It is served as a salad like lettuce or cooked like asparagus. Sowr in bic latitude after July let at

Sow in this latitude after July 1st at the same time as turnips. Early plant-ings of Pe-Tsai run quickly to seed in hot weather. Sow in drills fourteen to twenty inches apart and thin two or three times: or if grown for the market start in boxes and transplant like late cabbage. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

CARRO

While a sandy loam made rich by manuring the previous year is the best soil for the carrot, any good land if thoroughly and deeply worked will produce satisfactory crops. It is advisable to sow as early in the spring as the ground is fit to work, though good crops may be grown from sowings as late as June 15. For table use sow the smaller kinds early in rows sixteen to eighteen inches apart. For field culture sow in drills eighteen to twenty-four inches apart. using from one and one-half to three pounds of seed to the acre. Cover one-half to one inch deep and see to it that the soil is pressed firmly above the seed. As soon as the plants appear, use the cultivator or wheel hoe. Thin two to six inches apart in the row, according to the size of the variety. of the variety.

(French Forcing) One of the earliest varieties in cultivation and very desirable for forcing. The tops are very small. The roots are reddish orange and are nearly round when forced quickly in very rich, well prepared soil, but are somewhat longer when grown outdoors. When fully matured the roots are about two to two and one-half inches long, but they should be used before fully grown while young and tender. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Early Scarlet Horn This variety is excellent for early planting out of doors for the table. The tops are small. The roots are orange-red, about three inches long, top shaped but tapering abruptly to a small tap. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

Early Half Long Scarlet Carentan The tops of this early half long frame sort are very small and seed may be sown very thickly as the variety is well adapted for forcing. The roots are of medium size, slender, cylindrical with remarkably small neck, handsome deep orange color, coreless, tender throughout and of the best quality. They are usually four and one-half to five inches in length, but sometimes grow considerably longer. (Crop failed)

Half Long Scarlet Nantes, Stump Rooted arly variety has small tops and is excellent for the market or home garden. The roots are cylindrical, smooth and of a bright orange color. The flesh is orange, becoming yellow in center but very tender throughout. This variety is of the finest quality and is one of the most symmetrical and handsome of the medium sized sorts. The mature roots are usually five to six inches



DANVERS

Chantenay A most excellent, medium early, half long variety. It is one of the best in quality for themarket and home garden, while its great productiveness and the ease with which it can be harvested make it desirable as a field sort. The tops are medium sized with small neck. The mature roots are thick, five and one half to six inches in length, uniformly half long or stump rooted but tapering slightly, smooth, deep orange-red in color. The flesh is very erisp and tender. Although a medium early sort the roots are suitable for use nearly as early as any. The variety is extensively used for bunching. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¥ Lb. 75c; Lb. \$2.50 1/4 Lb. 75c; Lb. \$2.50

Guerande or Ox Heart Especially desirable for soil so hard and stiff that longer rooted sorts would not thrive in it. The tops are comparatively small. The mature roots are four and one-half to five inches long, very thick, ending abruptly in a small tap root. The flesh is bright orange, fine grained and sweet. When young the roots are desirable for table use as a medium early carrot and when mature they are equally good for stock feeding. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.50

Danvers A half long orange carrot, grown largely on account of its great productiveness and adaptability to all chasses of soil. It is a desirable second early carrot for the home garden and is also suitable for field culture. The tops are of medium size. The mature roots are of medium length, six to eight inches long, tapering uniformly to a blunt point. The flesh is deep orange, tender and of good quality. Although the roots of this variety at maturity are comparatively short they often produce as large a bulk as the longer field sorts and are more easily harvested. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50 Lb. \$2.50

Improved Long Orange of this variety we offer are very deep orange, long and comparatively thick, often twelve inches in length and three indirector of the provided strain and three inches in diameter at the crown, tapering regularly to a point. The tops are rather large. This intermediate to late maturing sort is suitable for table use as well as stock feeding, combining great pro-ductiveness with uniform shape where grown in light, deep, rich soil. When of size suitable for the table, the roots are tender and of good quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.25

D. M. Ferry & Co's One of the very best field Improved Short White enormous produc-tiveness and the ease with which it can be harvested. The roots are half long, seven to nine inches in length, smooth, very heavy at the shoulder but tapering regularly to the point. The color is creamy white with light green crown. The flesh is white, solid, crisp and of excellent quality for stock feeding. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50



CHANTENAY



CAULIFLOWER

Cauliflower, although one of the most delicious vegetables, is but little grown except by professional gardeners because of the erroneous notion that it is so difficult to grow that only skilled gardeners can produce it. Any one will be reasonably sure of success with this most desirable vegetable if the cultural directions given below are carefully followed.

For spring and early summer crop, sow in March or early in April in hotbed. If soil is not too wet, seed should be thoroughly pressed into the ground after sowing. This insures quick germination. Cover seed with one-half inch of fine soil firmly pressed down. Transplant to cold-frame when sufficiently large to handle. As soon as danger of hard freezing is over set in the open ground in rows two and one-half to three feet apart and eighteen inches apart in the row. The plants will endure a light frost. The soil for cauliflower should be like that for cabbage, but it is better if made richer than is ordinarily used for that crop. Plenty of good manure must be well incorporated with the soil and the latter be brought into the highest state of tilth. No application, however, can be more necessary or more useful than that of cultivator and hoe.

For late crop, sow at same time as for late cabbage and treat in the same manner. It should be borne in mind that cauliflower will not head up well in hot, dry weather and hence the sowings need to be so timed as to bring the heads to maturity either before the hot summer weather sets in or not until the cooler weather of the fall. If it receive at this time a liberal supply of water, the size and quality of the heads will be greatly improved. After the head begins to form, draw the leaves over and tie them together to protect it from the sun and to keep it white. The heads should be cut for use while the "curd" is compact and hard, as they soon become much impaired in quality and appearance after they open and separate into branches.

Of the enemies of the crop, none is more formidable than the cabbage root maggot. This seems to have a special liking for the caulidower. Probably the best and most surely effective protective measure is enveloping each plant with a tight fitting collar of tarred felt. Plant lice are also serious pests of this crop. Effective remedies are dusting with fine tobacco dust, or spraying with strong tobacco tea or kerosene emulsion.

- **Early Snowball** Unquestionably the earliest maturing strain of the true short leaved Snowball type of cauliflower. It is admirably adapted for forcing or wintering over for early crop and is the most popular sort for these purposes, also one of the best sorts for late summer and fall crop. Early Snowball is, moreover, a most desirable sort for the home garden. The plants are compact, with few, short, outside leaves and are well suited for close planting. The heads are of medium to large size, solid, compact, round, very white and curd-like and are developed earlier than those of any other sort. In our many comparative trials of samples from the best known growers and prominent seedsmen in Europe and America our stocks of Early Snowball have been unsurpassed by any in earliness. They also gave the highest percentage of well formed heads. After a careful inspection of the fields of the most critical trade with seed which can be depended upon as the very best. (See cut and further description in supplement, page 8) Pkt 25c; 14 Oz. 75c; Oz. \$2.75; 2 Oz. \$5.25;
- Large Algiers A valuable late sort, sure to head. of exgardeners. The plant is large but of upright growth, the leaves protecting the heads so that they will endure uninjured a frost that would ruin most other sorts. This is one of the very best of the late varieties. Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.70; 14 Lb. \$3.00
- **Extra Early Dwarf Erfur** A remarkably sure heading early cauliflower. It is of dwarf habit with short outside leaves and is similar in most respects to Early Snowball, and nearly as early. The heads when ready for market are of medium to large size. The curd is white, exceptionally deep and of finest quality. It will give exceedlent results either in the home garden or for market use and is superior to most seed sold at higher prices. Where extreme earliness is not the greatest consideration we recommend this strain after having proven it superior to many stocks offered as Snowball. Pkt. 25c; ¼ Oz. 75c; Oz. \$2.75; 2Oz. \$5.25; ¼ Lb. \$10.00
- **Early Favorite** This is a second early, exceedingly hardy, easily grown sort. It is perhaps the best sort for the inexperienced grower, as it will head under conditions in which many sorts would fail. The plants are large and form large heads which, although inclined to be open, are crisp, tender and of fine quality. It keeps in condition for use a long time. Many years' experience has convinced us that it is one of the hardiest sorts. Pkt. 5c; Oz. \$1.10; 2 Oz. \$1.85; 1/4 Lb. \$3.50 d
- Veitch's Autumn Giant A distinct and valuable stems and dark green leaves. The heads are very large, white, firm and compact and being well protected by foliage, remain a long time fit for use. The plants should be started and transplanted early in the season to insure their full development. Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.50; '4 Lb. \$2.50



Sow the seed (which is slow to germinate) from about February 20 to April 20 in shallow boxes indoors or sow in a finely prepared seed bed out of doors in April in straight rows so that the small plants may be kept free from weeds. See to it that the seed is not covered too deep and that the bed is kept moist, almost wet, until the seed serminate, as plenty of moisture is essential to get a satisfactory growth. The seed will not germinate well if planted in a hotbed or where subjected to a temperature above 60° F. When the plants are one to two inches high, thin out and transplant so that they may stand two or three inches apart each way. When they are four inches high, cut off the toops, which will cause the plants to grow stocky. Plants are usually set out when about five inches high. It is well to cut off the lower half of the roots before transplanting.

are usually set out when about he inches high. It is went to cut on the lower half of the roots before transplanting. The crop is usually made to succeed some earlier one, but in order to grow good celery the soil must be made as rich as possible, the essentials to success being very rich soil and plenty of water. If good plants are used, they may be set out as late as the middle of August, but the best results are usually obtained from setting about the middle of June or first of July. The most desirable time will depend upon local climate and is that which will bring the plants to maturity during cool, most weather. In setting, prepare broad trenches about six inches deep and four to six feet apart, in which the plants should be set the air from the roots until new rootlets are started. The only care now necessary for about six weeks is to keep the plants free from weeds by frequent cultivation.

from weeds by frequent cultivation. When the plants are nearly full grown they should be "handled," which is done by gathering the leaves together while the earth is drawn about the plant to one-third its height, taking care that none of it falls between the leaves, as it would be likely to cause them to rust or rot. After a few days draw more earth about them and repeat the process every few days until only the tops of the leaves are visible. Or it may be blanched by pressing the leaves together with two wide boards held in place by stakes or by wire hooks at the top. This is the method commonly used by market gardeners and the rows need to be only about three feet apart, but celery so blanched is not so good in quality and is more likely to become pithy than that blanched with earth. Care should be taken that the plants are not disturbed while they are wer or the ground is damp; to do so increases the liability to injury from rust. A part of the crop may be simply "handled" and then at the approach of severe freezing weather taken up and set out compactly in a dark cellar or an unused cold-frame, where the temperature can be kept just above the freezing point and it will then gradually blanch so that it may be used throughout the winter. Should the plants begin to wilt, water the roots without wetting the stalks or leaves and they will revive again.

Celery is sometimes grown by a process which consists in making a spot as rich as possible and there setting the plants six to eight inches apart each way. If the soil is very rich and there is an abundance of water, the plants will blanch each other and the product will be very white and handsome, but we think it is inferior in quality to that grown by the old method.

Golden Yellow Self Blanching stock of Golden Yellow Self Blanching. This is the standard celery for early use. It is in condition as early in the fall stock of Golden Yellow Self Blanching. Critical gardeners generally depend upon our stock to produce their finest early celery. It is excellent for the home garden. The plants are of medium size, compact and stocky, with yellowish green follage. As they mature the inner stems and leaves turn beautiful golden yellow so that blanching is effected at a minimum expenditure of time and labor. Its handsome color, crispness, treedreness, freedom from stringiness, and fine nutty flavor have established it as a superior first early sort. Pkt. 5c; ½ Oz. 40c; ½ Oz. 75c; Oz. \$1.25; 2Oz. \$2.15; ¼ Lb. \$4.00; Lb. \$15.00




White Plume A handsome, very early variety. The leaves are light, bright green at base, shading nearly white at tips. As the plants mature, the inner stems and leaves turn white and require to be earthed up but a short time before they are in condition for use. Although very attractive, we do not think that it compares favorably with the Golden Yellow Self Blanching either in flavor or solidity, or that it will remain in condition for use as long. White Plume has been much in demand as a market sort on account of its very attractive appearance and requiring a very short time for blanching. It is suitable also for the home garden. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ½ Lb. \$1.10; Lb. \$4.00

Columbia An early maturing sort of most excellent shape and quality for the home market and private garden. It is extensively grown for shipment. The plant is of medium height but very stocky and heavy. The stalks are thick, almost round, resembling in shape those of Giant Pascal. The color, however, has in it more of the rich yellow tint of Golden Yellow Self Blanching, which variety it resembles very much in appearance when trimmed and bunched for the market. The outer foliage of the plant when growing is rather light green with tinge of yellow, becoming when blanched yellow with tinge of green. The heart when properly blanched changes from yellow with tinge of green to a light golden yellow. In season it follows in close succession Golden Yellow Self Blanching. We introduced Columbia in 1906. Our strain has no superior in beauty of golden shading, solidity and size of stalk. We consider it unsurpassed in its rich nutty flavor. (See cut and further description, page 4) Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00

Dwarf White Solid An erect, compact growing midseason or fall variety. The stalks are moderately thick, solid and crisp, becoming when blanched attractive light yellowish white. This variety is also sold as Large Ribbed Kalamazoo and Kalamazoo. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Giant Pascal This is a green leaved variety developed from the Golden Yellow Self Blanching and we recommend it as to a beautiful yellowish white color, is very solid and crisp, and of a fine nutry flavor. The stalks are of medium height, very thick, the upper portion nearly round but broadening and flattening toward the base. With high culture this variety will give splendid satisfaction as a large growing sort for fall and winter use. In the south it is prized more than almost any other kind. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼ Lb. 90c; Lb. \$3.00



ERENCH'S SUCCESS

- Winter Reliance This is considered the most attractive in color and the best in quality of any of the late keeping sorts. The plants are moderately dwarf, erect and compact, with solid heart. The habit of growth is very well adapted for late keeping. When ready for the late market the stalks are a very attractive light creamy yellow. The quality is unsurpassed by any variety of its class and is decidedly superior to most of the older, long keeping sorts. We recommend it as the best variety for the late market. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50
- French's Success A late maturing variety which keeps the best compact and short in stem so that the plants may be well earthed up for blanching while growing close together. The foliage is dark green. The heart is large, solid and is formed early. The stalks become when blanched almost white or very light creamy yellow, thick, yet brittle, without stringiness and of good quality. It requires more time to mature than some sorts but remains firm, solid and in fine condition until late in the spring. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¹/₄ Lb. \$1.00; Ib \$50 Lb. \$3.50
- Soup or Cutting Celery This is not suitable for blanching but the seed is sown thickly in rows. The tops grow very rapidly and furnish a succession of cuttings throughout the season. The stalks are cut when three or four inches high for use as flavoring for soups or stews. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb 15c Lb. \$1.50
- CELERY SEED FOR FLAVORING. Oz. 10c; 2 Oz. 15c; 1/4 Lb. 20c; Lb. 50c.

CELERIAC OR TURNIP ROOTED CELERY In this kind of celery, the roots have been developed by cultivation and not the leafstalks. The roots, which are the edible portion, keep well for winter use and are excellent for soups and stews. They are also cooked and sliced as a salad.

Sow seed at the same season and give the same treatment as common celery. Transplant to moist, rich soil, in rows two feet apart and six inches apart in row. Give thorough culture. It is not necessary to earth up or "handle" the plants. After the roots have attained a diameter of two inches, they are fit for use. To keep through winter pack in damp earth or sand and put in the cellar or leave out of doors, covering with earth and straw like beets and carrots.

Large Smooth Prague celery producing large roots of nearly globular shape and comparatively smooth surface. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50

CHERVIL

A hardy annual with aromatic leaves somewhat resembling parsley and by many considered superior to it in flavor. The young leaves are used in soups and for flavoring and garnishing meats and vegetables. Sow in early spring in rich, well prepared soil. The seed is slow to germinate, sometimes remaining in the earth four or five weeks before the plants appear. When the plants are about two inches high, trans-plant or thin to about one foot apart. They are ready for use in six to ten weeks from sowing.

Curled This very finely curled, double sort is much superior to the plain variety, being early maturing, handsomer and having fully as fine fragrance and flavor. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 60c; Lb. \$2.00

CHICORY—Large Rooted or Coffee The dried and prepared roots are much used as a substitute for coffee, and the young leaves may be used as a spring salad. Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind.

Sow seed as early in spring as the ground can be prepared, in rather light, moderately rich soil, in drills two to two and one-half feet apart for either garden or field culture. When the plants are sufficiently large, thin to six inches apart in the row and cultivate well. (Sold out)

CHIVES—Allium Schoenoprasum An onion-like plant used as a salad and for flavoring soups. It also makes an excellent ornamental garden bed edging which may frequently answer for about three years. (Crop failed)

COLLARDS This is a tall, loose leaved cabbage-like or kale-like plant grown throughout the south and known in different sections as "Cole," "Colewort," or simply "Greens." It is extensively used for the table as well as for stock feeding in the south where it continues in growth and is usable throughout the entire winter. Collards usually succeed in locations where cabbage cannot be grown to perfection.

Sow the seed thickly in drills, in rich ground, transplanting when about four inches high; or sow in drills where the plants are to remain and when well started thin to two or three feet apart in the row. In the south, seed may be sown from January to May and from August to October.

Georgia, Southern or Creole This is the white or green stemmed variety, growing two to three feet high and forming a large, loose, open head or cluster of leaves with a rather long stem. A frost, if not too severe, will improve rather than injure the quality of the leaves. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb.\$2.00

CORN SWEET OR TABLE VARIETIES

A rich, warm, alluvial soil is the best, but excellent sweet corn can be raised on any good, ordinary soil, if it is deeply and thoroughly worked before planting. In the north sweet corn may be planted as early as can be done without risking great loss from frosts or from rotting of the seed in the soil, but with the main crop varieties especially, it is well to wait until the ground has become warm as the sweeter varieties are more sensitive to cold and wet than field corn or varieties of inferior quality.


If planted in rows, make the rows three to four feet apart, according to the vigor of growth of the variety, and place the seed twelve to sixteen inches apart in the row, covering one inch deep with fine soil firmly pressed down.

If planted in hills, make the hills for the early varieties three feet apart each way and plant four to six kernels to the hill. For the later sorts the hills should be three and one-half to four feet apart each way. Hoe frequently and when six inches high thin so as to leave three or four plants in the hill. Give frequent and thorough but shallow cultivation until the tassels appear.

- Mammoth White Cory We consider this the best extra early corn for We consider this the best extra early corn for the market and home garden. The ears are very bearing two large, finely shaped ears which become fit for use as early as those of any variety. They are twelve rowed, six to seven inches long, very symmetrical and handsome, seldom with any opening between the rows at the base. The grain is large, broad, very white and of remarkably good quality for such an early sort. We have found that Manimoth White Cory makes a large and attractive ear of good quality earlier than any other corn. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00
- **Crosby's Early** A most excellent early variety of fine quality. The ears are five or more, with short nearly square grains which are very white, sweet and tender. The stalks are about four and one-half feet high. This variety is desirable for the home garden and market. It is a sort largely grown in Maine for canning. **Pkt. 15c**; **Lb. 55c**; **2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00**
- Golden Bantam This is an early sweet corn with golden yellow grain, very tender and of excellent quality. The ears are eight rowed, is to seven inches long and of the medium size found most suitable for the table. The flavor is exceptionally rich and delicious. The stalks are four to five feet high. Our stock of this splendid home garden and market variety has been very carefully selected and is decidedly superior to much that is offered. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Charlevoix A new, early or intermediate. yellow grained sweet corn of distinctive merit. Ears about seven inches long, usually twelve rowed and when in condition for use are light creamy yellow in color. The grain is rather short, very sweet and tender and is unsurpassed in quality. In season it is a few days later than Golden Bantam, but remains in condition much longer than that variety. An excellent sort both for the home and the market garden. (See colored illustration on cover, and further description in Supplement, page 3) Pkt. 15c; Lb. \$1.00 postpaid.

Early Minnesota This deservedly popular variety is one of the best second early sorts for the market and the home garden. The stalks are about six feet high bearing one or two ears well covered with husks. The ears are about eight inches long, eight rowed; kernels very broad, white, sweet and tender, not shrinking much in drying. By careful selection we have developed a stock of this standard variety which is remarkably uniform and in which all the good qualities that have made this sort so desirable are intensified. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00



MAMMOTH WHITE CORY

Kendel's Early Giant Remarkably large in ear for a second early sort and extensively grown in some localities for interiment. The stalks are about five and one-half feet high. The ears are about eight to 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00

Early Sweet or Sugar ductive. Our stock is distinct and true and not such a mixture of all sorts of early sweet or sugar corn as has been often offered under this name. Pkt. 15c; Lb. 50c; 2 Lbs. 90c. postpaid; 100 Lbs. \$30.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 3c per pound to the 100 pound price. We do not put up half pounds of corn.

CORN SWEET OR TABLE VARIETIES-Continued

Black Mexican sired. It does especially well as a second early variety in the south. The stalks are about eight inches long and are usually eight rowed. Pkt. 15c; Lb. 55c; 2 Lbs. \$1.00 postpaid; 100 Lbs. \$35.00

Ferry's Early Evergreen gree, all the qualities that have made Stowell's Evergreen the leading main crop sweet corn for so long a time. The ears of Ferry's Early Evergreen are about seven to seven and one-half inches long, with fourteen to twenty more or less irregular rows with very deep, white grain of the very best quality. Stalks about six and one-half to seven feet high. A very desirregular rows crop variety for home garden and market, and well adapted for canning. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$35.00 100 Lbs. \$45.00

100 Lbs. \$45.00 Avon Evergreen a trifte earlier, of superior quality, has a longer ear and thicker kernel. The ears are cylindrical, about nine inches long, well filled at the ends and are fourteen or sixteen rowed. The grain is very white, tender delicious in sugary flavor, thick and of good depth. The stalks are vigorous, seven to eight feet high. This is a splendid main crop variety for the market, the home garden or the canner. It remains long in condition for use. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00 The stardard method well well for the stardard method well for the stardard method well well for the stardard method well well for the stardard method well for the stardard met

Stowell's Evergreen The standard main crop variety, much used for avoid the tendency to a shorter grain and deterioration in the evergreen character of this best known of all late sorts. The ears about seven to eight inches long, fourteen to twenty rowed, with very white grain. The stalks are about seven and one-half feet high. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Country Gentleman This variety has a small, white cob, densely cov-ered with irregular rows of very long slender, white grains of excellent quality. The ears are seven to nine inches long. The stalks are from six and one-half to seven feet high. It is well adapted for can-ning as well as the home garden and market, and many consider it as the best of the late varieties. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

Mammoth This variety, also called Late Mammoth, produces the largest ears of any sweet corn. It is noted for the immense size of the ears, which are often twelve inches long, but the grain is very white, sweet, tender and delicious. They are sixteen or eighteen rowed. The stalks are very large, about eight feet high. Pkt. 15c; Lb. 65c; 2 Lbs. \$1.20 postpaid; 100 Lbs. \$45.00

FIELD VARIETIES

- **Extra Early Adams** table corn in the south. The stalks are about four feet high, with small tassel, very few leaves, and without suckers. The ears are short, very full, twelve or fourteen rowed, often nearly as thick as they are long and are well covered with coarse husks. The kernels are white and smooth. This is an extremely hardy variety which can be grown closer together than most sorts. Pkt. 15c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$20.00
- **Early Adams or Burlington** the south. The ears are about eight inches long, twelve or fourteen rowed. The kernels are white, rounded, somewhat deeper than broad and indented at the outer end which is whiter and less transparent than the inner. The stalks are about six feet high. Pkt. 15c; Lb. 35c; 2 Lbs. 60c. postpaid; 100 Lbs. \$20.00

Early Red Blazed An early flint sort about seven feet high, known also as Smut Nose. Ears ten to twelve inches long, eight rowed and are well filled. Grain flinty, of fine quality, bright yellow at base of ears, but red at the tips. (Crop failed)

Early Golden Dent or Pride of the North This is an variet early v. The saily gougen Dent or Fride or the North dent variety. The stalks are about seven feet high, with broad leaves. Ears about seven inches long, twelve to sixteen rowed and are well filled. Grain is long, yellow and makes an extra quality of meal (or fail) an extra quality of meal. (Crop failed)

POP CORN We supply pop corn in lots of 5 pounds and less, shelled.

We believe this is not only the earliest maturing variety in Black Beauty We believe this is not only the earliest maturing variety in out it is ready for popping earlier than any other sort. It pops very large and exceptionally white. The kernels are black but this color is not noticeable after popping, when this sort is the largest and most tender of all. The ears are about six inches long, twelve rowed. The kernels are smooth, shallow and are nearly square. Pkt. 15c; Lbs. 40c; 2 Lb. 70c. postpaid; 100 Lbs. \$20.00

White Rice A very handsome and prolific white variety. The ears are five to seven inches long. The kernels are long, pointed and some-what resemble rice. This excellent rather late maturing variety yields heavily and is considered the best pop corn for parching. Pkt. 15c; Lb. 40c; 2 Lbs. 70c. postpaid; 100 Lbs. \$20.00


Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of corn.

STOWELL'S EVERGREEN

CORN SALAD-Fetticus or Lamb's Lettuce

This is a small, quick growing salad plant for late fall, winter and spring use. The leaves are used as a substitute for lettuce

This is a smart, quick growing state plant for any plant of any plant



CUCUMBER

This is one of the vegetables that can be grown to perfection by any one who can control a few square yards of reasonably good soil that is fully exposed to the sun. Every family should be supplied from its own garden, since the fruit is so much better when gathered fresh from the vines as desired for use than it is in the more or less wilted condition in which it is found on the market.


In order to obtain the largest yield of cucumbers, the soil should be well enriched with well-rotted manure, but an abundance of good fruit can be raised on any rich garden soil. Plant the seed not over an inch deep in hills four to six feet apart each way, dropping fifteen to twenty seeds in a hill. After the plants begin to crowd and danger from the striped beetle is pretty well over, thin to three plants to the hill. Give frequent but shallow cultivation until the plants make runners so long that this is impracticable.

In field culture, plow furrows four feet apart and similar ones at right angles to the first. At each intersection drop a shovelful or more of well-rotted manure which should be well mixed with the soil. Many growers omit every sixth or eighth row, thus forming paths for the distribution of manure and gathering the fruit.

In many sections, where earliness is very important, market gardeners start plants in boxes made like the ordinary berry box, but without the raised bottom. The boxes are set in hotbeds or cold-frames, filled with rich, friable soil and the seed planted. When danger of frost is over, the plants are set in the open ground, the boxes being cut away, so that the roots are not disturbed at all.

The striped cucumber beetle is often very destructive to young plants. These beetles, when not very numerous, are usually kept from doing serious damage by dusting the plants with fine road earth. Tobacco dust and plaster may be used with impunity. Lime and ashes are more effective but will injure the plants if used too freely. We spray our fields, at intervals of ten days through the season, with Bordeaux mixture to which has been added Paris green, which is a poison for biting insects and a preventive of blight. The best protection against injury is a vigorous and rapid growth of the young plants.

Pick the fruit as soon as it is large enough and before it begins to ripen, as the vines will cease setting fruit as soon as any seed begins to mature. In gathering for pickles, cut the stem instead of pulling the fruit off and be careful not to mar the fruit in any way, for if the skin be broken the pickles will not keep so well.



SNOW'S PICKLING

We pay particular attention to growing and selecting the various strains so as to keep them pure and true to name.



BOSTON PICKLING

Early Cluster An early and very productive variety. The vines are hardy and very vigorous, bearing fruits in clusters of two or three. The fruits are short, thick, bright green, shading lighter at blossom end, crisp and tender. This sort is planted in many sections for the home garden. It is extensively used for a pickling cucumber as well as for slicing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; '4 Lb. 40c; Lb. \$1.25

- **Early Short Green** This variety is known also as Early Frame. It is an early, bright green cucumber of medium size, very extensively used for slicing and pickling. The vines are very vigorous and productive. The fruits are straight, a little smaller at the ends, bright green in color, shading lighter at the blossom end. The flesh is crisp and tender. The variety is extensively used for the home garden. Our stock is very superior. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25
- Snow's Pickling Small, dark green cucumber, cylindrical, square ended, and very popular with growers for small pickles. We have been growing this variety ourselves for several years, giving special attention to purity and uniformity of type and we believe the seed we offer meets in all respects the requirements of those who want an ideal bottle pickle. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Chicago or Westerfield The fruits of **Pickling** sirable sort are of medium length, tapering at each end, with very large and prominent spines. The color is deep green. This is a very prolific variety and one of the best for those who want crisp. coarsely spined pickles. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50

- Boston Pickling grown for pickles. The vines are vigorous. The fruits are bright green, of medium size, very smooth and symmetrical. The flesh is crisp and tender. Our seed is decidedly superior to much that is offered. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25
- Jersey Pickling This variety is between Green, forming a long, slender, cylindrical deep green pickle which is very crisp and tender. The vines are very vigorous and productive. The mature fruits are usually about eight to aine inches in length. This sort is desirable for slicing as well as for pickling. Pkt. 5c; 0z.15c; 20z.25c; 14 Lb. 40c; Lb. \$1.25

38

CUCUMBER-Continued

Early White Spine One of the best sorts for table use. The vines are vigor-ous, fruiting early and abundantly. The fruits are uni-ture are usually abont seven inches in length. The fiesh is crisp, tender and of ex-cellent quality. The variety is much used for the home garden and market. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Arlington A medium early white spined cucumber, more slender than Early White Spine and pointed at each end. The young fruits are crisp and tender. The mature fruits are bright deep green and are about seven inches in length, sometimes longer. This variety is extensively used for the home garden and for bulk pickles. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

for bulk pickles. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75 Klondike Amedium early, white spined cucumber of handsome, very dark green productive. The mature fruits when grown under favorable conditions are often about eight inches in length, and are uniform in size and shape. The color is very dark green, slightly striped at the ends. The dark green color is retained much longer and is affected less by the hot sun than any other sort with which we are familiar. Its uniform size and shape and splendid color are making this variety very popular as a shipping sort. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

2 Oz. 35c; 74 LD. 55c; LD. 91.75 Extra Long or Evergreen of this very White Spine desirable table sort are long, cylindrical, very dark green, with very white, crisp and tender flesh. The vines are vigorous and productive and come into full bearing somewhat later than Early White Spine. The mature fruits are about eight to ten inches in length. This variety is adapted also for forcing. Pkt, 5c; Oz. 20c; 2 Oz. 35c; 74 LD. 55c; LD. \$1.75 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.75

2 Oz. 35c; ¹/₄ Lb. 55c; Lb. \$1.75 **Improved Long Green** The stock we offer under this name is in a class by itself. The vines are very vigorous and productive. The fruits are very long, often twelve to fifteen inches when mature. They are uniformly slender and of beautiful dark green color. The large warts and spines are well distributed over the surface instead of being clustered at one end as in inferior stocks. The variety furnishes some fruits early but matures the bulk of its crop rather late. It is a standard sort for slicing and is very largely used for pickles. The fruits are often used for making sweet pickles. The is probably the most extensively used cucumber for the home garden and market. We have given this variety especial attention for many years and we believe the stock we offer has no equal. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 60c; Lb. \$2.00

Small Gherkin (For Pickles) This is a very small, oval, prickly fruited sort quite distinct from all others and grown exclusively for pickles. It is the smallest of all the varieties and should always be picked when young and tender. The seed is distinctly smaller than that of other cucumbers and is slow to germinate requiring usually. and is slow to germinate, requiring usually from two to three weeks. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

CRESS As early in spring as the ground can be worked sow the seed in rich, well prepared soil, in shallow drills about sixteen inches apart, covering with about one-half inch of fine soil firmly pressed down. When the young plants are well started thin four to required for use. Keep off insects by dusting with Pyrethrum powder.

Curled or Pepper Grass sirable with lettuce, to the flavor of which its warm, pungent taste makes a most agreeable addition. The plant is of rapid growth, about one foot high. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

True Water This is a distinct variety of cress with small, oval leaves. It thrives best when its roots and stems are submerged in water. A fair growth may be obtained in soil which is kept wet but does best when grown along moist banks or in tubs in water-covered soil. It is one of the most delicious of small salads and should be planted wherever a suitable place can be found. The seed is usually sown and lightly covered in gravelly, mucky lands along the borders of small, rapid streams. The plants will need no subsequent culture, as under favorable conditions they increase very rapidly by self-sown seed and extension of the roots. When gathered for the market the shouts should be cut, not broken off. In summer it is best to cut them closely, the oftener the better. Pkt.5c; Oz. 60c; 2 Oz.\$1.00; ¹/₄ Lb.\$1.75; Lb.\$6.00

DANDELION Sow early in spring, in very warm, rich soil, in drills eighteen inches apart: thin to five inches apart and cultivate well; they will be fit for cutting the next and the following summer; the roots will be fit to dig in October. **Cultivated or French Common** A decided improvement on the wild dandelion. It is very early and vigorous. Pkt. 5c. (Packets only)

Improved Thick Leaved Unsurpassed in thickness of leaf and deep green color. It is compact and forms an upright regular tuft at the center. This cabbaging sort is much superior to the common or uncultivated dandelion. Pkt. 5c; Oz. \$1.00; 2 Oz. \$1.50; ¼ Lb. \$2.50; Lb. \$9.00

IMPROVED LONG GREEN

EXTRA LONG OR EVERGREEN WHITE SPINE





AN EGG PL.


Seed germinates slowly and should be started in hotbed, for in this, as in all semi-tropical plants, it is important to secure a rapid and continuous growth from the first, the plants never recovering from a check received when young. When plants have two rough leaves transplant three or four inches apart. When the ground is warm and all danger not only from frosts but from cold nights is past, harden off by gradual exposure to the sun and air and decreasing the supply of water, then carefully transplant to open ground, setting two and one-half feet apart. and one-half feet apart.

and one-half feet apart. -It is desirable to shade the young plants from very hot sun and to protect them from the potato bug which otherwise often destroys them. Some seasons egg plants will fail to set fruit or will not begin bearing until too late to mature, no matter how faithfully they may have been cared for. This is especially likely to happen if the summer is cool and rather moist. We know of no certain remedy for it, although it is a good practice to pinch off the ends of the branches after the plants begin to bloom, so that only two or three fruits begin to bloom, so that only two or three fruits will set.


This is a very early Early Long Purple This is a very early maturing and most productive variety. The fruits are long, rich purple and of fine quality. Pkt. 5c; Oz. 65c; 2 Oz. \$1.15; 1/4 Lb. \$2.00; Lb. \$6.50

Black Pekin An early variety with fruit nearly as large as the later sorts. The fruits are nearly round. The skin is smooth, black and glossy. The flesh is white, fine grained and delicate. Pkt. 5c; Oz. 75c; 2 Oz. \$1.25; ¼ Lb. \$2.00; Lb \$7.00 Lb. \$7.00

Lb. \$7.00 Black Beauty large and symmetrical, maturing a little earlier than our Improved Large Purple but usually not quite as large. A very desirable sort for the market as the fruit holds its color a long time. Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00 D. M. Ferry & Co's is a general favorite both Improved Large Purple for market and home garden. The plant is spineless, large and spreading with light green foliage. It usually produces four to six large, oval fruits of a splendid dark purple color. The vigor and productive-ness of the plants and the large size, earliness and fine quality of its fruits make it a most profitable variety for market gardeners. Pkt. 5c; Oz. 80c; 2 Oz. \$1.30; ¼ Lb. \$2.25; Lb. \$7.50 1/4 Lb. \$2.25; Lb. \$7.50



EGG PLANT, D. M. FERRY & CO'S IMPROVED LARGE PURPLE



BROAD LEAVED BATAVIAN ENDIVE

One of the best salads for fall and winter use. Endive is not only much used for sålads and garnishing but is also desirable for greens

The obset status for land of which use is also desirable for greens and for flavoring soups and stews.
 Plants may be grown at any season of the year but are more generally used late in the fall. For early use sow about April 15th; for later supply sow in June or July in drills fourteen to twenty inches apart and when well started thin the plants to one foot apart. When nearly full grown tie the outer leaves together over the center in order to blanch the heart of the plant. By covering fresh plants every few days a succession may be kept up.
 Large Green Curled A hardy, vigorous growing endive maltirbs of the outer leaves are usually tinged with rose. The dense mass of deeply divided leaves formed in the center blanches very readily to a rich cream color. This sort is highly esteemed for the market and home garden, and is much used for salads. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00
 Ever White Curled Mithed leaves which are very light. This variety blanches readily to an attractive creamy white. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

- Variety of anches reading to a attractive creating white. Pkt. 5c;
 Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00
 Moss Curled Clusters of finely divided, medium green leaves which, when properly blanched, are rich creamy white, crisp and tender. Leaf stems sometimes tinged light purplish red. Pkt. 5c;
 Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00
 A variety having
- **Broad Leaved Batavian** broad more or less twisted and waved bright deep green leaves with thick, nearly white midribs. The inner leaves form a fairly solid, clustering head which blanches to a beautiful deep creamy white and is crisp and tender. This sort is unsurpassed for salads and is much used for the home garder and more that the the second more of the second secon den and market. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

FENNEL FLORENCE (Feeniculum dulce, Finocchio) A bulb-like vegetable which is formed above the ground at the base of the leaf stalk if the plant is well grown. Blanched and boiled it has a slightly aromatic odor and pleäsant taste. Plant very branching, upright with dense thread-like foliage. Sow early in spring, in rich, well prepared soil, in drills two feet apart and cover one-fourth to one-half inch deep. When the plants are about two inches high thin to ten inches apart in the row. When half grown, iff the plants are earthed up and treated as celery, the stems will be nearly as white, crisp and palatable. Hardy annual, two to four feet high. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50 (For Sweet Fennel see page 67)

GARLIC A bulbous rooted plant of the onion family with a strong, penetrating odor but much esteemed by some for flavoring soups, stews, etc. We frequently receive orders for garlic seed but we can supply bulbs only. Prepare ground the same as for onions, plant bulbs in drills eight inches apart and four inches apart in row, covering two inches deep. When the leaves turn yellow take up the bulbs, dry in shade and lay them up in a dry loft as you would onions. BULBS, ¼ Lb. 20c; Lb. 60c.


HORSE RADISH Horse Radish rarely produces seed but is grown from pieces of the root. For the home garden they may be set wherever a few feet of space is available, but when grown as a crop they should be set in rich, moist, well prepared ground in rows two and one-half feet apart and about eighteen inches apart in the row. Set the roots vertically, small end down, and the top of the root one to three inches below the surface of the ground. Cultivate thoroughly until the tops cover the ground, when their shade will keep down the weeds. SMALL ROOTS—3 for 10c; 25c. per dozen, postpaid. By freight or express at purchaser's expense, \$1.00 per 100.

KALE OR BORECO

This is extensively grown, especially in the south during fall, winter and spring. The leaves are used principally the fall, whiter and spring. The leaves are used princi-for greens. A favorite way is to cook them with bacon, leaves are also used for garnishing. The

leaves are also used for garnishing. Where climate permits seed may be sown any time from August to October, broadcast or preferably in drills eighteen inches apart so that the plants when small may be cultivated. The quality is improved rather than injured by frosts if not too heavy. Farther north sow in April or May in rich light soil in rows two to three feet apart and where plants of the largest size are desired thin to two feet apart in row. It is better not to cut or handle the plants while frozen, but if this is unavoidable, thaw them out in cold water. The young shoots which start up in the spring from the old stumps are very tender and make excellent greens.

Tall Green Curled Scotch The plant of this vari-ety grows to three or four feet high, bearing long, plume-like, light green leaves which are deeply cut, also finely curled at edges. Very ornamental and so hardy that a moderately heavy frost improves rather than injures its quality. Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼Lb. 90c; Lb. \$2.75 The plant of this vari-




DWARF CURLED SCOTCH OR GERMAN GREENS

Dwarf Curled Scotch low growing variety, very or German Greens This sort, sometimes called Nor-folk, is grown extensively in the south for shipment and is planted largely for the home garden. The leaves a tive bright green. This sort is often used for garnishing. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00 The leaves are long and attrac-

German Dwarf Purple Similar to Dwarf Curled Scotch but the leaves are deep green and purple. It is very attractive in its rich purplish coloring. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Siberian A very vigorous growing variety of spreading habit, its green foliage having a distinctive bluish tinge or bloom. The leaves are very large, comparatively plain in the center but are cut and fulled at the edges. The variety is very hardy, a favorite for greens and in some sections is extensively grown for forage. This sort is sometimes called Sprouts or German Greens. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50



EARLY WHITE VIENNA EARLY WHITE V

trenches about two feet apart and gradually earth up like celery.
 London Flag This well known broad leaved leek is hardy, productive, of good quality, and is extensively cultivated in this country.
 Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00
 Large American Flag hardy and productive. It is a favorite with many market gardeners and is also extensively used for the home garden. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00
 Large Rouen Covered with whitish bloom. This winter sort stands a long time in condition for use. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$1.10; Lb. \$1.10; Lb. \$4.00
 Monstrous Carentan Inches in diameter, white and tender. It is an exceptionally hardy garden sort. Pkt.5c; Oz.45c; 2 Oz.80c; ¹/₄ Lb.\$1.25; Lb.\$4.50

KOHL RABI The edible part is the turnip-shaped bulb formed above ground. It is tender and excellent when used before fully grown, combining somewhat the flavors of cabbage and turnip.

Seed should be sown in light, rich soil as early in spring as possible in rows one and one-half feet apart and when well established thin to six inches apart in the row. Plantings at intervals of ten days will give a succession until hot weather, when they fail to grow well. Plantings may be made the latter part of July for fall use.

Early White Vienna (*Extra for forcing*) This variety is extremely early with distinctly small tops. The bulbs are of medium size, very light green or nearly white, and are of best quality for the table if used when about two inches in diameter. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Early Purple Small top, the Vienna leaf stems being tinged with purple. Bulbs of medium size, purple; flesh white. Desirable for forcing and early outdoor planting. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Large Green This sort is also called Large White. It is hardy, quite late and used for feeding stock. Bulbs large, weighing eight to ten pounds when fully grown, whitish green in color; leaves large and very numer-ous. Pkt. 5c. (Packets only)

LEEK This belongs to the onion family and is a good fall and winter substitute for green onions. The leaves are flat, and the stems are very large, cylindrical and bulbous. Sow early in spring in drills twelve to fifteen inches a part covering one




MONSTROUS CARENTAN

ETTUCE

For early outdoor culture in the latitude of Cincinnati and southward the seed may be planted in the fall, protecting the young plants from severe freezing either with frames or coarse litter which may be removed as soon as danger of severe freezing is over. Lettuce in ground out of doors will stand some freezing but is killed by prolonged frost or frequent freezing and thawing. North of Cincinnati an early crop may be secured by starting under glass from January to March and hardening off well before setting in ground, which should be done as soon as weather will permit. Lettuce to be at its best should be grown as rapidly as possible, hence the soil should be made as rich and friable as possible by liberal manuring and thorough preparation. For winter, sow under glass from November to February and thin out as necessary to prevent crowding. Keep a moderate heat and give all the light and air possible. For general crop, sow outdoors as early in the spring as the ground can be worked, in drills eighteen inches apart and thin the young plants to four inches apart in ther ow. As the plants begin to crowd thin them out and use as required. In this way a much longer succession of cuttings may be had from the same ground. For the cabbage or heading varieties where large heads are desired, the plants should be thinned ten to twelve inches apart in the row. There is a part in the row. There is a part in the row.

CABBAGE OR HEADING VARIETIES


- May King A. (Seed white) This is a handsome, ex-tremely early, compact, cabbage or head-ing variety for the home garden and market, forming very firm heads of medlum size, and excellent quality. The color is light yellowish green, tinged with reddish brown when mature. The inner leaves blanch rich golden yellow, very tender and buttery. The plant is orown when mature. The inner leaves blanch rich golden yellow, very tender and buttery. The plant is very compact for so large a head. The variety is ex-ceptionally early outdoors, attaining a size suitable for use before other sorts and is also very satisfactory for forcing. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 60c: Lb. \$2.00
- Lb. \$2.00
 Early Tennis Ball A. (Seed black) One of the best heading lettuces, especially desirable for early planting outdoors and also suitable for forcing. The plants are large, with thick, bright green leaves. They forn very solid heads, the inner leaves blanching to a rich creamy white, and are crisp, tender and buttery. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75
 Salamander used sort of excellent quality for the home garden and market. The variety withstands hot weather remarkably well. It forms a large compact, light green plant. The leaves are broad, thick, somewhat crumpled and closely overlapping so that the inner ones are very finely blanched. It is one of the most satisfactory heading lettuces for growing outdoors. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75



MAY KING


B. (Seed white) This is a thick Hubbard's Market leaved, bright green heading variety, forming a large, very compact head similar in type to Salamander, slightly larger, and a little later ma-turing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

- Mammoth Black E. A smooth leaved lettuce Seeded Butter cabbage-like heads of thick, yellow-ish green leaves, the inner ones beautifully blanched, very crisp, tender and buttery. It is one of the most largely grown sorts, suitable for the home garden as well as market. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75
- Deacon variety. The head is of large size, is very firm and remains in condition for use a long time. The plant is very compact, with few outer leaves which are usually very smooth, thick and of light green color. The usually very well flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 14 Ub of 150 1/4 Lb. 40c; Lb. \$1.50



UNHIVALED SUMMER

- Unrivaled Summer similar in habit of plaut to Big Boston but a trille earlier maturing as an outdoor sum mer variety and having no red or bronze shading on the leaves. Heads are large, firm and of excellent quality. Pkt. 5c; Oz.20c; 2 Oz.35c; 1/4 Lb. 60c; Lb. \$2.00
- Big Boston B. (Seed white) This market variety is very popular for outdoor culture and is also in demand as a compact, large heading, forcing sort for cold-frames. The plants are large, very hardy and vigorous. The leaves are broad, comparatively smooth but wavy at the edge, thin, very hard and crisp. In color they are bright light green, the head slightly tinged with reddish brown. The inner leaves blanch to an attractive greenish white, tinged with light yellow. It heads up under cold weather conditions better than any other variety, and is grown very extensively in the south for shipment north in the winter. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 24 Lb. 60c; Lb. \$2.00 Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 60c; Lb. \$2.00




BIG BOSTON

LETTUCE-CABBAGE OR HEADING-Continued

California Cream Butter or Royal Summer Cabbage ing sort, with glossy, deep green leaves, the outer ones slightly spotted or splashed with brown. The inner leaves form a large, very solid head, rich light yellow in color, very thick, tender and buttery. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

- Brown Dutch E. (Seed black) Outer leaves large, thick, green tinged with brown and covering a solid head which is beautifully blanched, sweet, tender and well flavored. The variety is desirable because of its hardiness and is well adapted for planting in the south as a winter lettuce. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50
- Jersey Winter heading, medium sized lettuce; very hardy and when wintered over one of the earliest to mature its heads. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50
- ¹/₄ Lb. 40c; Lb. \$1.50 Los Angeles B. (Seed white) This very large head-ing lettuce is desirable not only as a garden variety for summer use but is much used as a fall and winter market sort, especially in the vicinity of Los Angeles. The plant is very large but compact and tight heading; outer leaves attractive deep green, broad, frilled at edges. The inner leaves form a large head, very sweet and tender when in condition for use. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50




Hanson B. (Seed white) One of the most desirable later summer lettuces. The plant is compact and forms a large, cabbage-like head which remains in condition longer than most heading sorts. The outer leaves are bright yellowish green, broad, somewhat crumpled and frilled at edge and with distinctive midrib. The inner leaves are white, very crisp and sweet. This thin-leaved, curly, tight-heading sort is very extensively used for the kitchen garden as well as market. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

CURLED OR LOOSE LEAVED VARIETIES

Grand Rapids A. (Seed black) As a lettuce for green-stands at the head of the list, being of quick growth, hardy, little liable to rot and remaining in condition several days after being fit to cut. The plant is upright and forms a loose cluster of large, thin, bright green leaves, savoyed, finely crimped at edges. The leaves do not wilt quickly after cut-ting so that the variety will stand shipping long distances better than most sorts. It is a very attractive variety and is desirable for garnishing. (See colored plate, page 7, and further description, page 6) Pkt. 5c; Oz. 20c; 2 Oz. 35c; Y4Lb. 60c; Lb. \$2.00 Detroit Maylert A. (Seed white) Evenlant for

4.Lb. 60c; Lb. \$2.00 Detroit Market under glass where it stands higher tem-Gardeners' Forcing perature than Grand Rapids and can be crowded to maturity. This variety is also well adapted for outdoor growing. The plant is more compact than that of Grand Rapids, is lighter colored and less frilled at the edges of the leaves which are crisp and tender. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 4 Lb. 75c; Lb. \$2.25



BLACK SEEDED SIMPSON

Simpson's Early Curled B. (Seed white) A very ex-tensively used early lose leaved, or clustering variety. The leaves are light green in color, slightly frilled and much blistered, crisp, sweet and tender. The sort is especially adapted for sowing thickly and cutting when the plants are young. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Ferry's Early Prize Head B. (Seed white) A large. clustering, non-heading lettuce, most excellent for the home garden and undoubtedly the most easily grown variety in cultivation. It is too tender, however, to stand shipping or handling on the market. The leaves are finely curled and crumpled, bright green tinged with brownish red, and are very crisp, tender and sweet. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Black Seeded Simpson ingly tender leaf is desired and for those markets which de-mand a very large loose clustering sort. The color is an attractive light yellowish green. It is used also for growing under glass or in frames. The leaves are ruffled and blistered and even the large outer ones are very tender. This curly and thin-leaved, bunching variety is uniformly attrac-tive and remains of excellent quality a very long time. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75 time. Pk Lb. \$1.75

> **Cos Lettuce** (Romaine) This kind of lettuce is distin-puished by its long, narrow, spoon-shaped leaves, folding into loose, sugar-loaf shaped heads which blanch better by having the outer leaves drawn about them and tied. The quality is distinct from that of the Cabbage Lettuces and by many is avoidered yeary superior and by many is considered very superior

> and by many is considered very superior. Sow seed early in spring in rich, well prepared soil, in rows eighteen inches apart, covering one-half inch deep. When plants have two or three leaves thin to three or four inches apart. As the plants begin to crowd thin and use as required. If large heads are desired plants should be thinned ten to twelve inches apart.

Early White Self-Folding (Seed white) This excel-lent variety, also called Trianon, forms a large light green plant with a well folded head of very good quality. The midribs are white and very prominent. The inner leaves are nearly white, slightly tinged with green, and are decidedly firm and sweet. This is considered the most reliable of the Cos or celery lettuces for the home garden or market gardeners' use in this country. Pkt. 5c; Oz. 20c: 2 Oz. 35c: ½ Lb. 60c: Lb. \$2.00

SK

After danger of frost is past, the ground being warm and in good condition, plant in rich soil, preferably sandy loam, in hills about four to six feet apart according to the vigor of the variety. Put ten or twelve seeds in a hill, covering with about an inch of fine soil firmly pressed down. When the plants begin to crowd and the striped beetles are pretty well gone thin to four of the most vigorous plants in a hill. Give frequent but shallow cultivation, until the plants make runners so long that this is impracticable. Rich earth for the young plants is far better than manure, but if the latter must be used, see that it is well rotted and thoroughly mixed with the soil.

The quality of all varieties of Muskmelons is largely dependent upon conditions of growth and ripening. Unhealthy vines or unfavorable weather produces fruit of comparatively poor flavor.

The plants are liable to attack from the striped beetles which are so numerous in some cases as to destroy them. The beetles The plants are hable to attack from the striped beetles which are so numerous in some cases as to destroy them. The beetles may be kept off by frequent dusting with air-saked line, soot or sifted ashes diluted with fine road earth. Care should be taken not to use too much of any of the above materials or the vines will be injured. Should even the diluted material prove injurious to the vine, use road earth only, as frequent dusting with this alone will often prove effective especially if a wind is blowing. After the plants have four to six leaves it is considered a safeguard against blight to spray with Bordeaux Mixture at intervals of about ten days, adding either Paris green or arsenate of lead for the eating insects.

GREEN FLESHED VARIETIES

Extra Early Citron A small, round or slightly flattened melon, valuable as an early market sort on account of its ex-treme earliness, hardiness and great productiveness. The skin is green, becoming yellowish at ma-

turity. The flesh is light green, sweet and of fair quality. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25


Jenny Lind The vines are rather small but vigorous and productive. The fruits are small, some-what flattened, moderately ribbed and netted. The flesh is green and very sweet. This well known flattened green to ched cout viewe quiter automatic scatt. fleshed sort ripens quite early and is suit-able for the home garden as well as near-by markets. Pkt. 5c; Oz. 15c; 2 Oz. 25c; /4 Lb. 40c; Lb. \$1.25

Extra Early Hackensack also extensively used as a home garden over the function of the fun also extensively used as a home garden sort. The fruits are nearly two weeks earlier than Hackensack, medium to large sized, nearly round or somewhat flattened, evenly and deeply ribbed and with very coarse netting. The skin is green, slightly tinged with yellow as the fruits mature. The flesh is green, a little coarse but juicy and sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ½ Lb. 40c; Lb. \$1.50

Netted Gem or Rocky Ford This has become one of the most popu-



This has become one of the most popu-lar of small or crate melous and is shipped in large quantities from Colo-rado and Arizona. It is also a desirable medium early sort for the home and market garden. The vines are vigorous and productive. The fruits are oval, slightly ribbed, densely covered with fine netting. The flesh is green, very sweet and highly flavored. We offer an exceptionally fine stock of this early sort, the fruit being very uniform in shape and quality and of the even size that is so desirable in a shipping melon. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25



EXTRA EARLY HACKENSACH

The fruits of Baltimore or Acme The fruits of this midseason green fleshed sort are medium sized. oval or long oval, slightly pointed at stem end, slightly ribbed, and are covered when ripe with coarse netting. The flesh is thick, green, well flavored and sweet. This variety is a new productive gues compared for and unlike very productive, sure cropper of good quali-ty. It is extensively grown in some sec-tions for the market, also as a home garden melon. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Champion Market The fruits are large, round or slightly oval, slightly ribbed and covered with dense netting. The flesh is green, very thick and sweet. The variety is a reliable, medium cash report over the to an improvement on and sweet. The variety is a reliable, inedulin early market sort. It is an improvement on Montreal in earliness and productiveness and will suit those who like a large, sweet, green fleshed sort. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Hackensack or good quality. It is con-good quality. It is con-good quality. It is con-large green fleshed melons. The vines are hardy, vigorous and productive. The fruits are nearly round, always some-what flattened. The ribs are large and of irregular width, and the fruits are densely covered with coarse netting. The flesh is green, thick, coarse but juicy and sweet. Our stock is true to the "Turk's Cap" type. This is still an extensively grown main crop melon in some sections for the market and home garden. Pict. 5c; Oz. 15c; 2 Oz. 25c; '4 Lb. 40c; Lb. \$1.25

MUSK MELON-Continued **ORANGE FLESHED VARIETIES**

Emerald Gem A very early, yellow fleshed melon of small to medium size. One of the very best for the home garden. Use the very early, yellow fleshed melon of small to medium size. One of the very best for the home garden. Use the very slightly netted. The skin is deep green while young, becoming slightly tinged with yellow as the fruit matures. The flesh is deep salmon-yellow, thick, ripening close to the rind, juicy, melting and very highly flavored. For the home market as well as the kitchen garden Emerald Gem leads all other kinds on account of its sweetness and convenient size. Pkt. 5c; Oz. 20c; 20z. 35c; 1/4 Lb. 55c; Lb. \$1.75


Tip Top A well known very productive market large, nearly round, slightly ribbed and fairly well covered with shallow netting. The skin is light yellow when the fruit is mature. The flesh is deep yellow, rich and highly flavored. Pkt. 5c; Oz. 15c; yellow, rich and nighty navore 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50

- **Extra Early Osage** This excellent variety is fully a week earlier than the Osage, the fruits are a little smaller, more nearly round and the netting extends over more of the surface. These very desirable features, combined with the thick salmon flesh and small seed cavity characteristic of the Osage, make this melon deserving of a place in the home and market garden. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 4 Lb. 40c; Lb. \$1.50
- Petoskey or Paul Rose A well known yellow for the home and market. The vines are vigorous and productive. The fruits are oval, slightly ribbed and densely netted. In general appearance they are much like Netted Gem but larger. The flesh is orange-yellow, very thick, firm, sweet and highly flavored. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Admiral Togo We have developed in Admiral Togo a small oval musk melon

Admiral logo Togo a small o'al musk melon or Orange Fleshed Rocky Ford with the very thick, orange flesh and splendid quality of the Defender and pos-sessing the characteristic netting, shape, size and shipping quality of Netted Gem or Rocky Ford. Combining all the good qualities of these two fine varieties we believe the Admiral Togo is an ideal table melon. This is a desirable medium early sort for the home and market garden. We consider it the best small shipping melon yet introduced. We believe the seed we offer will meet the demands of the most discriminating buyers. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/4 Lb, 40c; Lb, \$1.50 1/4 Lb. 40c; Lb. \$1.50

- A Lb. 40c; Lb. \$1.50 Hoodoo Sometimes sold as Ordway Queen. This is an orange fleshed variety of medium size, ideal as a shipping melon and a desirable mid-season sort for the home garden. The vines are vigorous, blight resisting and very productive. The fruits are nearly round and are uniformly of medium size. The netting is exceptionally fine and dense, extending over practically the entire surface. The rind is thin yet very firm, so that the melons arrive in perfect condition in distant markets. The flesh is very thick, firm, highly colored, of fine texture and delicious flavor. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. §1.50 1/4 Lb. 40c; Lb. \$1.50
- **Defender** One of the best yellow fleshed melons. It is excellent for shipping and is a desirable, intermediate sort for the home garden. The fruits are medium sized, oval, slightly ribbed, covered with gray netting. The flesh is firm, fine grained and of highest flavor. The color is rich, deep orange-yellow. The flesh extends to the rind and retains its color and quality quite to the outer shell which, though thin, is very hard and firm. The vines are very vigorous and




ADMIRAL TOGO

ADMIRAL TOGO productive. This splendid variety was originated and intro-duced by us in 1901 and we have taken pride in maintaining our stocks in the highest state of purity and excellence. We believe it is identical with the melon introduced in 1907 and sold largely as Burrell's Gem. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/4 Lb. 40c; Lb. \$1.50 Osage or salmon fleshed melon. The vines are vigorous Miller's Cream and productive. The fruits are slightly partly covered with shallow gray netting. The flesh is rich orange-salmon, very thick, fine grained and highly flavored. It is a favorite variety among growers for the later markets and is much used for the home garden. The strain we have developed has an exceptionally small seed cavity. We believe our stock to be unequalled. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/4 Lb. 40c; Lb. \$1.50

Honey Dew Melon

The fruits are of medium size, round or slightly oval, five to six inches in diameter and weigh about six lbs. each. The skin is smooth with an occasional net and when fruits are ripe is creamy yellow in color. Flesh light emerald green, fine grained and of very sweet, sugary flavor, Rind thin but very firm and the fruits stand shipping remarkably well. If picked shortly before fully mature the fruits will keep for several weeks. Ma-tures about two weeks later than Rocky Ford. (See cut and further description, page 6). Pkt. 5c; Oz. 30c; 2 Oz.55c; ¼ Lb. 90c; Lb.\$3.00



DEFENDER

Cassaba Melon

The Cassabas are primarily for win-ter use. They require a long season for maturing but the fruits are exception-ally good keepers. The skin of the fruits is usually furrowed and they possess little or none of the common musk melon odor

odor. Seed may be planted in April or May. Cultivate same as other musk melons but do not water too freely after first setting of fruit is fully grown. The fruits may be picked when the light streaks have become quite yellow. Store the fruits so they do not touch each other, in a cool dark place. When the rind becomes slightly softened and moist, they are ready to cut.

Golden Beauty Co cut. Golden Beauty Constant Cassabas. It is a variety grown extensively for ship-ment from Southern California. The fruits are nearly globular, bright yellow with golden tint, with wrinkled skin, six to eight inches in diameter. The desh is white, very thick, juicy and sweet. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

VATER MELC


To make certain of raising good Watermelons, it is essential that the plants have a good start and to this end it is important to prepare hills about eight feet apart, by thoroughly working into the soil an abundance of well rotted manure—len manure, guano, or other forms rich in nitrogen, being most desirable. Over this highly manured soil put an inch or more of fresh earth and plant the seeds on this, covering them about an inch deep.

It is important that the seed should not be planted before the ground becomes warm and dry, as the young plants are very sensitive to cold and wet. Put ten or twelve seeds in a hill. When the plants have formed the first pair of rough leaves, they should be thinned so as to leave two or three of the strongest and best to each hill.

Frequent watering of the plants with liquid manure will hasten the growth, thus diminishing the danger from insect pests. If the striped beetle appears use tobacco dust freely. The best protection against blight and insect pests is to maintain a vigorous and continuous growth. It is desirable to change the location as often as practicable.

Harris' Earliest An extra early melon of excellent quality. The fruits are exceptionally large for so early a variety. subject of the best varieties for northern latitudes. We have carefully observed this splendid variety in our trials for several seasons and are convinced that it is the very best first early melon for the home garden. Pkt. 5c; 0z. 15c: 2 0z. 25c: ¼ Lb. 40c: Lb. \$1.25 Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25

- D. M. Ferry & Co's Sometimes sold as Ice Cream. One Peerless home garden and for market gardeners who de-liver direct to consumers. The vines are mod-erately vigorous, hardy and productive. The fruits are very tender, medium sized, oral to medium long, bright green, finely veined with a darker shade. The rind is thin. The flesh is bright scarlet, solid, crisp and very sweet. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00
- Long Light Icing Our stock of this sort is much better than that usually offered and su-perior to many strains offered as Gray Monarch, etc. The fruits are long and large, light green, slightly veined with a little darker shade. The flesh is deep, rich red, and of splendid quality. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$100 Lb. \$1.00
- Round Light Icing The fruits are small-medium, slightly veined or dotted with light green. The flesh is bright, light red, very sweet and tender. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00
- Dark Icing The fruits are medium sized, blunt oblong or slightly oral in shape, dark green, very indistinctly veined and mottled with lighter shade. The flesh is very rich, bright red, sweet and of excellent quality. Seed white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00
- This most Monte Cristo or Kleckley's Sweets **lonte Cristo or Kleckley's Sweets** excellent variety is unsurpassed for home use or near markets. The vines 1/4 Lb. 40c; Lb. \$1.25
- Florida Favorite A splendid melon of very large size and excellent quality. The fruits are long, dark green, with irregular mottled striping of a lighter shade. The rind is thin but firm. The flesh is very bright, deep red, very sweet and tender. The vines are vigorous and productive. Seed nearly white. Pkt. 5c; Oz. 10c; 2 Oz. 20c; 1/4 Lb. 30c; Lb. \$1.00
- A very large, long melon of excellent quality, popular in the south where it is grown extensively for shipping. The color is rather deep green, with dark, irregular striping. The rind is thin but very tough. The flesh is bright red, fine grained and sweet. The fruits average a little thicker than Floride Favor-ite. Seed nearly white. Pkt. 5c; Oz. 10c; 2Oz. 20c; ¼Lb.30c; Lb. \$1.00



MONTE CRISTO OR KLECKLEY'S SWEETS



HARRIS' EARLIEST.

Tom Watson A large, long melon similar in shape, color and splendid quality to Monte Cristo but averaging larger in size and with a tougher rind, making it especially adapted for shipping to distant markets. The vines are vigorous and productive. The flesh is rich red, sweet and tender. Seed white, more or less marked with brown. Wherever grown in the south it has become very popular as a shipping sort. There has been an increasing demand of late for a better quality of shipping melon and this demand has been met in most exceptional degree by the Tom Watson. (See cut and further description, page 6) Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

Kolb's Gem A very large, round or slightly oval melon, irregularly mottled stripes of dark and light green. The rind is exceedingly hard and firm, making it one of the best round sorts for shipping. The flesh is bright red, solid, a little coarse, but sweet and tender. The vines are vigorous and productive. Seed black. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00


¹/₄ Lb. 30c; Lb. \$1.00 **Chilian** The quality of this melon is equalled by few va-rieties and surpassed by none for the home garden. It is desirable also for shipping. The fruits are medium sized, nearly round or slightly oblong. The skin is very deep green, indistinctly mottled and striped with a lighter shade. The flesh is decidedly bright vermilion-red. remarkably fine grained but firm and very sweet. Seed white. A melon of splendid quality, very popular on the Pacific coast and taking high rank elsewhere as it becomes more generally known. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25


Sweet Heart This variety, intro-duced by us in 1894 is much used for shipping as well as for the home garden. The vines are vigorous and very productive, ripening their fruit evenly. The fruits are of largest size, oval but flattened at the ends and very heavy. The rind is very firm. The color is very light green, very slightly veined with a little darker shade. The flesh is bright red, firm but very sweet. The fruit remains in good condition a long time after ripening. Seed black. Our stock will be found very uniform in shape, size and color. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¼ Lb. 30c; Lb. \$1.00

WATER MELON-Continued

Gypsy or Georgia Cherry Rattlesnake and best known bome garden and shipping sorts, especially adapted for the south. The fruits are very long, of a light green color, dis-tinctly striped and blotched with a darker shade. The flesh is bright scarlet, tender and sweet when grown in the south, although usu-ally the fruits are too late maturing to ripen properly in the north. The vines are large and vigorous. Seed nearly white. Pkt. 5c; 0z. 10c; 2 0z. 20c; 1/4 Lb. 30c; Lb. \$1.00 Citron sized, uniformly round and are used exclusively for pre-serves or pickles. The color is dark green, distinctly striped and marbled with light green. The flesh is white and solid but is not at all suitable for eating raw. Seed red. The fruits mature late in the fall and in this condition can be kept for a long time. Pkt 5c: 0z. 16c;

and in this condition can be kept for a long time. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.25





GYPSY OR GEORGIA RATTLESNAKE

MUSHROOM The Mushroom is an edible fungus of which there are numerous varieties. We handle the ordinary commercial variety of a creamy white color with loose gills which underneath are of pinkish-red, changing to liver color. The mushroom produces "seed" or spores and there is developed a white, fibrous substance in broken threads, called spawn, which is developed and preserved in horse manure, pressed in the form of bricks. Mushrooms can be grown in cellars, in sheds, in hotbeds or sometimes in the open air, the great essential being a uniform degree of temperature and moisture. Our space is too limited here to give the necessary cultural directions, but these are published in book or pamphlet form. We can furnish, postpaid, for 3c, a book containing very complete directions for the culture of mushrooms. (See list inside of back cover)

PURE CULTURE MUSHROOM SPAWN. By a newly discovered process of se-lection and grafting, the spawn is scientifically propagated so that large, vigorous and finely flavored mushrooms are reproduced. The sort we offer is earlier, more productive and a marked improvement on wild spawn, either French or English. Brick (about 11/4 lbs.), post-naid 40c; b bricks, not prepaid, \$1.50 paid 40c; 5 bricks, not prepaid, \$1.50

CITRON Apart, covering one-half inch deep. To the seed may be sown in autumn and the plants used early in the spring as a salad and for greens. White English The leaves are comparatively small and smooth, deeply cut or divided and of medium dark green color. The plant is upright, of ranid growth

White English The leaves are comparatively small and smooth, deeply cut or uviace and soon bolts to seed. The leaves, when young, are mild and tender. Seed light yellow and larger than that of other varieties. Pkt, 5c; Oz. 10c; 2 Oz. 15c; 1/4 Lb. 25c; Lb. 75c.


Southern Giant Curled spreading in growth. This variety is bigfully esteemed in the south for the market as well as the home garden on account of its vigorous growth, hardiness and good quality. Seed small, reddish brown to nearly black. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Large Smooth Leaved particle View of the sort is preading at the sort is preferred by many as it is more easily prepared for the table than the rougher leaved varieties. Seed small, reddish brown to nearly black. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.25

NASTURTIUM TALL MIXED GARDEN. Sometimes called Indian Cress. Grown not only for ornament but the beautiful orange and yellow flowers and the foliage are used for garnishing. The young leaves or shoots are excellent for salads. The green seed pods are greatly esteemed by many for use in mixed pickles. Early in spring sow, preferably in rather light soil, in "ows three feet apart and two inches apart in the row, covering one inch deep. When the y-ung plants are about four inches high thin to six inches apart in the row. The vincs can be supported if so desired by stakes, strings or brush. Pkt. 5c; Oz. 15c; 2Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50 For other varieties of Nasturtium see page 87.

OKRA OR GUMBO The young seed pods are used in soups, stews, cat-sups, etc. Highly esteemed in the south. After two and one-half feet a part, covering with about an inch of fine soil firmly pressed down. When about three inches high, thin to about one foot apart in the row. Cultivate and keep free from weeds. The pods are in best condition for use when from one to three inches long.

The pods are in best condition for use when from one to three inches long.
White Velvet nearly full sized. The polars are about three and one-half feet high, early maturing and very productive. The pods are white, long, smooth and are tender until nearly full sized. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00
Perkins' Mammoth Long Pod This variety is about three feet high, very early and productive. The pods are deep green, very long, slender, slightly corrugated, very tender and of good quality. This is a desirable market as well as home garden sort. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00
Dwarf White The pods are of medium length, greezish white, quite thick, slightly cor-rugated, tender and of good quality. Pkt. 5c; Oz. 10c; 2 Oz. 20c; ¹/₄ Lb. 30c; Lb. \$1.00



OKRA, WHITE VELVET

47

The Onion is one of the most extensively used of all vegetables. It not only contains considerable nutriment and has valuable medicinal properties, but is most useful in counteracting the bad effects of sedentary life. The disagreeable odor it imparts to the breath may be avoided in a great measure by thorough cooking, or by eating a few leaves of parsley.

In onion culture, thorough preparation of the ground, careful sowing and the best of after culture, though essential for a full yield, will avail nothing unless seed of the best quality be used. Given the same care and conditions, the product from two lots of onion seed of the same variety but of different quality may be so unequal in the quantity of merchantable onions that it would be more profitable to use the good seed though it cost twenty times as much as the other. Our equipment and experience enable us to produce onion seed that is unsurpassed. The seed we offer is the best obtainable.

Although onions are often raised from sets and from division, by far the best and cheapest mode of production is from seed. The facility with which seed is sown and the superior bulbs it produces, recommend it for general use.

As early in spring as ground can be worked, sow in rich soil, thoroughly pulverized and leveled, in rows twelve to fifteen inches apart, covering one-half inch deep. When the plants are well up, cultivate and keep free from weeds. The young plants may be thinned about one inch apart in the row. When grown for bunching, the rows can be made as close as ten inches.

For very early crop in northern latitudes, sow seed in cold-frame in February and transplant when large enough to handle readily. The same location may be used for a succession of years if the ground is kept rich by applications of well rotted ma-nure or other suitable fertilizer and is thoroughly worked at proper intervals. Where climate permits seed may be sown early in winter. If onions are to be grown for the market the following suggestions should be given careful consideration:

HOW TO RAISE ONIONS FOR THE MARKET

THE SOIL. We prefer a soft, dark sandy loam, not too fine. This is much better if it has been cultivated with hoed crops, kept clean from weeds and well manured for two years prereput clean from weeds and went manufed for two years pre-vious, because if a sufficient quantity of manure to raise an ordinary soil to a proper degree of fertility is applied at once, it is likely to make the onions soft. The same result will follow if we sow on rank mucky ground or on that which is too wet and it is impossible to raise either a large or profitable crop on stiff clay, very light sand or gravel.

Still clay, very light sand of gravel. **PREPARATION.** Onions respond well to very liberal ma-nuring. As much as forty loads of stock manure well com-posted or one ton of high grade commercial fertilizer per acre may be applied to good advantage. The stock manure should be spread and worked into the top soil in the fall but if com-mercial fertilizer is used it should be distributed and thoroughly worked into the top soil after plowing in the spring. A liberal use of potash is very beneficial to the crop especially when raw manure is used or if the soil is rank and mucky, as potash reduces the tendency to scallions or coarse necked bulbs. The top soil should be cleared of everything that will interfere with the best possible work with drill and wheel hoe. The whole ploughed soil should be well pulverized and worked with tools that leave the surface smooth and compact.

SOWING THE SEED. This should be done as soon as the ground can be made ready and can be done best by a hand seed drill. This should be carefully adjusted to sow the desired quantity of seed about one-half inch deep. The quantity


needed will vary with the soil, the seed used and the kind of onions desired. Thin seeding gives much larger onions than thick seeding. Four or five pounds per acre is the usual quantity needed to grow large onions. We prefer a drill that sows a very close row.

CULTIVATION. As soon as the young plants can be seen in the rows give a shallow working either with rake or some other tool that pulverizes well the whole top soil. Many onion provers consider about one inchapart as a perfect stand. Work other tool that pulverizes well the whole top soil. Many onion growers consider about one inch apart as a perfect stand. Work the crop again in a few days with a hoe or tool that cuts the ground over, this time as closely as is possible to the row without injury to the young plants; follow as quickly as possible with a thorough hand weeding keeping in mind that a very small weed today is a large one next week. The ground should be cultivated once a week if possible and any remaining weeds pulled out by hand every two weeks. For best results these operations should be continued until the crop occupies the ground the ground.

the ground. **GATHERING.** As soon as the tops die and fall the bulbs may be pulled and raked into small open windrows, turning every few days with a rake. At convenience cut off the tops half an inch to an inch from the bulbs and very soon afterward the bulbs may be picked up in crates and piled loose under cover. The large onion growers use a puller attachment to the wheel hoe that runs under the row of onions and lifts the bulbs. Where help can be procured readily we find it much cheaper to top the onions with a rough edged case knife and rake away the tons before pulling. the tops before pulling.

It will not do to store onions in large piles or masses, particularly in warm weather, or if they are the least moist, but if per-fectly dry when gathered and stored in crates, they can be kept in fine condition till spring. The best way is to keep them dry, giving bottom ventilation if possible, and at a uniform temperature of about 32° to 34° Fr.

Extra Early Red Sometimes called Extra Early Flat Red. Although the first of the red sorts to ripen, the bulbs are firm and keep remarkably well for so early a variety. It is a very hardy, medium sized, flat variety that yields well and is very uniform in shape and size. The skin is uniformly rich purplish red and moderately strong flavored. It comes into use about a week or ten days earlier than Large Red Wethersfield. The flesh is white with tinge of light purple. The variety succeeds in cool soils. It is very desirable for early market use. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb. \$4.50



EXTRA EARLY RED

Large Red Wethersfield This is the standard red variety and a favorite onion in the east, where immense crops are grown for shipmeut. It is very extensively grown for home garden use as well as the market. The bulbs are large and are flattened yet quite thick. The skin is deep purplish read. The flesh is light purplish white, moderarely fine grained, rather strong but of pleasant flavor. The variety is very productive, one of the best keepers and very popular for general cultivation. This medium early or main crop variety does best on rich, moderately dry soils. Use the Davers. There is no better sort for poor and dry soils. Pkt. 5c; Oz. 40c; 2 Oz. 75c; 14 Lb, \$1.10; Lb, \$4.00 2 Oz. 75c; 1/4 Lb. \$1.10; Lb. \$4.00




LARGE RED WETHERSFIELD

NON—Continued

Southport Red Globe This most excellent medium early or main crop red variety produces bulbs of medium to large size, ideally globe shaped, with very smooth, glossy surface, very small neck and re-markably beautiful deep purplish red color. The flesh is white, tinged with light purple, mild, very fine grained and tender. The variety is extensively grown for home use as well as the market. It is one of the best keepers and is well adapted for ship-passed by any. Pkt. 5c; Oz. 80c; 2 Oz. \$1.30; ¼ Lb. \$2.25; Lb. \$7.50

Large Yellow Dutch The bulbs are large and quite flat. The skin is light yellow or straw colored, and the flesh creamy white, mild and of and keeps well. It is extensively used for onion sets. Our stock of this early variety, compared with most on the market, is distinctly superior in size of bulb, uniformity of shape and evenness of color. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¹/₄ Lb. \$1.25; Lb. \$4.50


Yellow Danvers early or main crop variety of medium size. The skin is light coppery yellow in color. The flesh is creamy white, mild and of excellent flavor. The bulbs are flattened yet quite thick with small necks, ripen down quickly and very evenly and keep very well. This is still a standard, general crop, yellow onion for the home garden and market where a strictly globe shaped bulb is not demanded. Pkt. 5c; Oz. 45c; 2 Oz. 80c; ¼ Lb. \$1.25; Lb \$4.50 Lb. \$4,50



YELLOW DANVERS


Yellow Globe Danvers home garden and market. The bulbs are of medium to large size, uniformly globe shaped, with small neck, and ripen very evenly. The skin is rich coppery yellow. The tesh is creamy white, crisp and of mild and excellent flavor. The variety keeps very well and is excellent for shipping. We have by careful selection and breeding developed a strain which has the ripening habit and small neck of the original Danvers and yet is more globular, thus giving larger yields and handsomer bulbs without sacrificing any of the good qualities of the original Danvers. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00 One of the most extensively used

Michigan Yellow Globe The heaviest yield of onions is black lands. On such soils it is found that a globe shaped onion with a somewhat flattened base gives the largest returns and to meet the demands of the professional onion growers located on such lands, we have developed this variety. The bulbs are large, uniformly globe shaped, with small neck; shoulder usually slightly sloping, base often distinctly flattened, the largest diameter below the center of the bulb. The color is rich yellow with tinge of orange. The flesh is creamy white, mild and of very fine quality. This main crop sort ripens down evenly, keeps very well and is ex-cellent for shipping. No onion grower can afford to plant inferior seed when such as this can be procured. Pkt. 5c; Oz. 80c; 2 Oz. \$1.30; 1/4 Lb. \$2.25; Lb. \$7.50



SOUTHPORT RED GLOBE

Mammoth Yellow Spanish A very handsome late or main crop or Prizetaker onion of the largest size and nearly globular in form, usually with shoul-der and base slightly sloping. The skin is yellowish brown or light yellow with slight tinge of brown. The flesh is creany white, very mild, tender and of excellent flavor. The variety keeps well if thoroughly ripened and is very desirable for shipping for fall and early winter use. It is one of the best of the large European sorts that has become thoroughly acclimated in America and is exceptionally productive under proper conditions. If started very early in hotbed it will produce a mam-moth onion the first season. (Sold out) A very handsome



YELLOW GLOBE DANVERS


ONION—Continued

ONION--Continued
White Portugal or This is a medium sized onion of mild flavor and with beautiful, clear white flavor and with beautiful, clear white many for use when young as a slad or bunching onion and for pickles. It usually matures about ten days earlier than white Globe and is fine for fall and early winder use. It is an excellent medium early sort for gardeners who do not are to plant more than one variety. The bulbs are nearly the state tend white control for northern latitudes. Pkt. 5c; Oz. 80c; 2 Oz. \$1.30; ¼ Lb. \$2.25; Lb. \$7.50
White Globe A most desirable medium early yor main crops variety for the home garden. It is sometimes the bulbs. The flebs his firm, fine grained, quite mild in flavor and are desirable to shoulder, rounded at the base, white bulbs. The flebs his firm, fine grained, quite mild in flavor and are desirable for shipping. It is characteristic of the public streng and are desirable for shipping. It is characteristic of the public streng and are desirable for shipping. It is characteristic of how and you have good seed; second, grow them well on rich lands; third, exert and placed in an airy situation until dry enough to top. After the year is the stored in an airy situation until dry enough do top. After the properties and breeding developed a strain which and placed in an airy situation until dry enough do top. After the properties and breeding developed a strain which and placed in an airy situation until dry enough do top. After the properties and placed in an airy situation until dry enough do top. After the properties and the desurt of the year of the shore in the top. For fance, Read and placed in an airy situation until dry enough do top. After the properties are of and breeding developed a strain which and placed in an airy situation until dry enough do top. After the properties are of and breeding developed a strain which and placed in an airy situation until dry enough to top. After the properties are of and stored in a dry cool, dark place. We have the

IMPORTED ONIONS

These sorts are particularly adapted to southern latitudes where they are sown in the fall or early spring. The best results are ob-tained by sowing in beds or boxes and transplanting.

A very early, very white skinned variety of especial value for pickling. When allowed to reach full size the bulbs are quite flattened but as grown for pickles are nearly round. The large sized bulbs attain a size of about two inches in diameter. Pkt. 5c. (Crop failed)



QUEEN

Early Neapolitan Marzajola An early and productive flat, white-skinned variety, desirable for early use and used for pickling. If seed is sown as soon as the ground can be worked, it will mature a known also as Early May. (Crop failed)

Giant White Italian Tripoli Alarge, pure white, flat onion of mild and excellent flavor. This medium early and pro-tain full size the seed should be sown very early in a hotbed and the young plants set out in rich soil. When grown under proper conditions the bulbs are often three to four inches across, with pure white skin. Pkt. 5c. (Crop failed) Mammoth Silver King Size, Sightly later maturing and rather a better keeper, making the sort more desirable for the fall market. It is a very productive flat variety with bulbs often four to five inches across, the largest of the white onions. The skin is silvery white. The flesh is white, very tender and mild flavored. Pkt. 5c. (Crop failed)

ONION SETS

To raise onion sets from seed, use good ground prepared as for large onions and sow the seed very thick in broad drills, using forty to sixty pounds per acre. If the seed is sown thin, the bulbs will not only be too large for sets but will not be of the right shape and if sown thick on poor land they will be necky or bottle shaped. Onion seed sown for sets may be planted somewhat later than if a crop of large bulbs is desired.

RED BOTTOM SETS. Treated precisely as top onions are, setting them out in the spring instead of sowing seed. Per L. 35c, postpaid: 100 Lbs. \$20.00 YELLOW BOTTOM SETS. Like the preceding except in color and used in the same manner. Per Lb. 35c, postpaid; 100 Lbs \$20.00

100 Lbs. \$20.00

WHITE BOTTOM SETS. These do not keep as well as the red or yellow, but produce beautiful white onions early in the season. Per Lb. 40c. postpaid: 100 Lbs. \$22.00 Prices by the 100 lbs. of all onion sets are subject to fluctuations of the market. The price per single pound will hold good throughout the season, or as long as our stock lasts.

The 100 pound prices of Onion Sets are by freight or express at purchaser's expense for transportation.





PARSLEY

This well known vegetable is very useful for flavoring soups and stews and for garnishing. The green leaves are used for flavoring or they may be dried crisp, rubbed to powder and kept in bottles until needed.

until needed. Parsley succeeds the best on rich, mellow soil. The seed is even slower than parsnip in germinating and should be sown as early as possible in the spring, in drills one to two feet apart covering not more than one-half inch with fine soil firmly pressed down. When the plants are well up thin eight to twelve inches apart in the row. When the plants of the curled varieties are about three inches high cut off all the leaves; the plant will then start a new growth of leaves which will be brighter and better curled and later, if these turn dull or brown they can be cut in the same way; every cutting will re-sult in improvement. sult in improvement.

Plain The leaves of this variety are flat, deeply cut but not curled. Very desirable for flavoring soups and stews and for drying. It is a favorite on account of its very dark green leaves as well as its hardiness of plant. The curled sorts are more extensively used for garnishing. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25





CHAMPION MOSS CURLED

variety of in is very This Long White Dutch or Sugar hardy and will keep well through the win ter without protec-tion. The roots are long, white, smooth, tender and of most excellent flavor. Much used for the table and suitable also for stock feeding. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb.\$2.50 Long White Dutch or Sugar


Hamburg or Rooted The root is the edible portion of this variety and resembles a small parsnip both in color and shape. The flesh is white, a little dry and in flavor is similar to celeriac. The foliage is practically the same as that of Plain Parsley. The roots can be dug late in the fall and stored in sand for winter use. They are extensively used for flavoring soups and stews. This variety is sometimes called Turnip Rooted. Pkt. 5c; Oz. 20c; 2Oz. 35c; ¼ Lb. 55c; Lb. \$1.75



The value of the Parsnip as a culinary vegetable is well known but is not generally appreciated at its full value for stock feeding. On favorable soil it yields an immense crop of roots, more nutritious than turnips and very valuable for dairy stock.

Parsnips are usually grown on deep, rich, sandy soil, but will make good roots on any soil which is deep, mellow and moderately rich. Fresh manure is apt to make the roots coarse and ill shaped. As the seed is sometimes slow and uneven in growth, it should be sown as early as possible in drills two and one-half feet apart; cover one-half inch deep and press the soil firmly over the seed. Give frequent cultivation and thin the plants to six inches apartin the row.

Hollow Crown or Guernsey roots are long, with smooth white skin, uniform in shape, ten-der and of the best quality. The variety is easily distinguished by the leaves growing from the depression on top or crown of the root. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50



HOLLOW CROWN




PERSON For early peas the soil should be light and warm, but for general crop a moderately heavy soil should be avoided, as they solve a trank growth of vine at the cost of the quality of the peas, furthermore such soil is often the cause of early sorts maturing unevenly. So was early as possible a few of some early variety in warm, quick soil, prepared the general crop can be delayed until later, but we have met with better success from sowing all the varieties comparatively the peas will give quicker returns if covered only one inch deep and where earliness is most important they may be treated in that way. Larger pods and more of them will be produced if the seed be planted in trenches three to six inches surface. This will secure deep rooting, prevent mildew and prolong the bearing season. If the peas be covered to the full depth the surfaces growing more than one and one half feet do better if staked up or brushed when four to six inches high. This support is usually given by sharpened branches of trees set between the double rows. The crop should be gathered as fast as it is not in usually given by sharpened branches of trees set between the double rows. The crop should be gathered as fast as it is not in usually given by sharpened branches of trees set between the double rows. The crop should be gathered as fast as it is not is usually given by sharpened branches of trees set between the double rows. The crop should be gathered as fast as it is not is usually given by sharpened branches of trees set between the double rows.

FIRST EARLY AND EARLY VARIETIES

Ferry's First and Best This is the earliest and most even strain of first early white peas, maturing so well together that sometimes a single picking will secure the entire crop. The vines are vigorous and hardy, of medium height, about two and one-half to three feet, bearing three to seven straight pods of good size, about two and one-half to three feet, bearing five to seven medium sized, smooth peas of fair quality. Seed small, smooth, yellowish white. The stock we offer is much superior to most on the market and more even than similar strains sold as Extra Early, Rural New Yorker and Improved Early Daniel O'Rourke. Pkt. 15c; Lb. 45c; 2 Lbs. 70c. postpaid; 100 Lbs. \$25.00

Earliest of All or Alaska medium sized, bright green peas of good havor. The vines are of medium height, about two and one-half to three feet and of distinctive light color. The pods are of good size, about two and one-half to two and one-half to three feet and of smooth, and bluish green in color. This sort matures all of its crop at once and is an invaluable variety for market gardeners and canners. Pkt. 15c; Lb. 45c; 2 Lbs. 70c. postpaid; 100 Lbs. \$25.00



This is a very early Thomas Laxton winkled variety of greatmerit. The vines are vigorous, of medium height, about three feet, similar to those of Gradus, but darker in similar to those of Gradus, but darker in color, hardier and more productive. The pods are large, often four inches long, with square ends, similar to but larger, longer, and darker than those of Cham-pion of England and as uniformly well filled. The green peas are very large, of fine deep color and unsurpassed in quality. One of the very best sorts for the market and home garden. Pkt, 15c; Lb. 55c; 2 Lbs. 90c. postpaid; 100 Lbs, \$32.00 Lbs. \$32.00

Lbs. \$32.00 Gradus A very early, wrinkled pea. Gradus The vines are similar in ap-pearance to Telepione but of medium height, only about three to three and one-half feet. The pods are very large, about four and one-fourth inches long, very nearly as large as those of Tele-phone, uniformly well shaped, pointed, handsome and more attractive than those of the first earlies. The peas are very large, of splendid quality and beautiful light green color which they retain after cooking. Practically the same as Prosperity. Plt. 15c; Lb. 55c; 2 Lbs. 90c. postpaid; 100 Lbs. \$32.00

- American Wonder The earliest of the dwarf, wrinkled varieties. The vines are about nine to twelve inches high and produce a good crop of well filled pods of medium size, about two and five-eighths to two and three-fourths inches long, containing five to eight large peas which are ex-ceedingly sweet tender and well flavored. Seed medium sized, generally flattened, wrinkled and pale green. Pkt. 15c; Lb. 45c; 2 Lbs. 70c. postpaid; 100 Lbs. \$25.00
- 100 Lbs. \$25.00 Nott's Excelsion early, dwarf pea. It combines the good qualities of Ameri-can Wonder and Premium Gem peas. The vines are larger and more produc-tive than American Wonder and earlier than Premium Gem and average about twelve inches high. The pods are me-dium sized, about two and three-fourths inches long. The peas, in sweetness and quality, are unsurpassed. Seed medium sized, wrinkled, green and somewhat flattened. A most desirable early sort for the market gardener and unsur-passed for the home garden. Pkt. 15c; Lb. 45c; 2 Lbs. 70c. postpaid; 100 Lb. 45c; Lbs. \$25.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not in-clude transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put uphalf pounds of peas.

PEAS-FIRST EARLY AND EARLY VARIETIES-Continued

- Laxtonian This handsome wrinkled pea is the largest podded of the dwarf varieties. The dark green pods are similar to Gradus in shape and splendid quality, are nearly as large in size and often mature a little earlier. Vines vigorous and productive, averaging fifteen to eighteen inches high; foliage dark green; pods about four inches in length. Seed light green, large, wrinkled, flattened, irregular in shape. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- postpaid; 100 Lbs. \$40.00 Laxton's Superb An early dwarf variety of the Laxtonian type. Vines fifteen to eighteen inches high, vigorous and very productive. Foliage light yellowish green. Pods large, rather broad, slightly curved and of medium dark green color. It is hardy and can be sown very early; the seed being semi-winkled is not as likely to rot during unfavorable weather conditions as the fully wrinkled sorts. Recommended as an excellent sort for the home and market garden. Pkt. 15c; Lb. 60c; 2 Lbs. \$1.10 postpaid; 100 Lbs. \$40.00
- Premium Gem able early green wrinkled dwarf variety similar to but better than McLean's Little Gem. The vines are very productive, fifteen to eighteen inches high. The pods are of medium size, about two and three-fourths inches long, crowded with six to eight large peas of fine quality. Seed green, large, wrinkled, often flattened. Pkt. 15c; Lb. 40c; 2 Lbs. 70c. postpaid; 100 Lbs. \$25.00
- LD. 4UC; 2 LDS. 70c. postpaid; 100 LDS. \$25.00 Little Marvel An excellent dwarf sort for the market and home garden. The pods average a little longer than those of Premium Gem, are more attractive in shape and color and the peas are of superior quality. The vines are sturdy, nearly eighteen inches high, heavily set with straight, deep green pods, square ended at the bottom and nearly three inches in length. Its season is about the same as Premium Gem. Seed large, green, wrinkled. (Sold out)

- SECOND EARLY VARIETIES McLean's Advancer Agreen, wrinkled variety of me dium height, about two and one-half to three feet, with long pods, about two and three-fourths to three inches long, which are abundantly produced and well filled to the ends. This pea is used very extensively by market gardeners because of its productiveness and fine appearance of its pods, and is popular with consumers on account of its quality. It is also largely used by canners. By careful selection we have developed a strain showing marked improve-ments in vigor of plant, size of pod and produc-tiveness. Pkt. 15c; Lb. 40c; 2 Lbs. 70c. postpaid; 100 Lbs. \$25.00 Yorkshing Lagor The vines are stout, of medium

- The best of the plant size of possibility of the best of the possibility of the plant size of the s 2 Lbs. 90c. postpaid; 100 Lbs. \$30.00

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of peas.



PEAS—LATER VARIETIES


Improved Stratagen very large, often four and one-quarter to four and one-half inches long. pointed, dark green, and uniformly filled with very large, dark green peas of the finest quality. Pkt. 15c; Lb. 55c; 2 Lbs. 90c. postpaid; 100 Lbs. \$32.00

Dwarf Champion A desirable main crop sort for the market or home garden. The vines are of medium height, about pods are large, often four inches long, broad, quite straight, deep green in color, handsome and very well filled with large peas which are tender and unsurpassed in quality. Seed large, light green, wrinkled. Dwarf Champion is similar to Champion of England in pods only; the vine is shorter and more sturdy. The stock of Dwarf Champion is very superior and we believe it will meet the requirements of the most critical trade. (Sold out)

(*Edible pods*) We consider this the best of the edible-podded sorts, in which the pods are used when half grown and are cooked in the same way as snap beans. The pods of Melting Sugar are very large, four to four and one-half inches long, broad, often curved or twisted, and when young, stringless, very tender and finely flavored. The variety we offer, sometimes called. Mammoth Melting Sugar, is rather late maturing, very prolific, strong growing, about four to five feet high, with large light colored foliage. Seed medium to large, smooth, round, light yellowish white in color. Pkt. 15c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$30.00

Horsford's Market Garden The vines of this vanet the second sec

Champion of England A standard, very productive, admitted to be one of the richest



CHAMPION OF ENGLAND

and best flavored of the late peas. The vines are tall, about four to five feet high. The pods are large, about three inches long. The seed is light green and wrinkled. We consider this variety one of the best of its season, either for the home garden or for market gardening use. Pkt. 15c; Lb. 50c; 2 Lbs. 85c. postpaid; 100 Lbs. \$30.00 Large White Marrowfat The vines of this tall variety are about five feet high and of strong growth. The pods are large, about three inches long, cylindrical, surface somewhat roughened, light colored and well filled. Seed large, smooth, round and light creamy yellow. It is desirable for summer use but is not as swaet and tander as most sorts.

for summer use but is not as sweet and tender as most sorts, although undoubtedly one of the most productive of the garden varieties. (Sold out) Large Blackeye A well known

Large Dlackeye known Marrowfat tall, late maturing variety, about five feet high. It is a very prolific bearer of large pods, about three inches long. Seed large, smooth, round, light creamy yellow with black eye. One of the best of the Marrowfat sorts. Pkt. 15c; Lb. 45c; 2 Lbs. 70c. postpaid; 100 Lbs. \$22.50

FIELD PEAS

Field Peas deserve more attention for green-manuring and for fodder than they now receive. Where planted for green-manuring to add nitrogen to the soil, field peas should be plowed under when in blossom. They will grow on land that will not produce clover. In the north for dairy cows and for hogs, they are fully equal to corn, and about six weeks earlier. For cows, the crop should be cut and fed green. If intended for hogs alone, they may be turmed into the field as soon as the pods begin to ripen.

The seed of field peas can be sown either alone or with oats as early as the condition of the soil will permit. If the stubble from green winter rye or other crops cut in June be turned under and sown to mixed peas and oats, it will furnish a large amount of forage in August when grass pasture is usually short.

No. 1 White and Common White, write for quotations.

Not less than 10 pounds at the 100 pound rate. One hundred pound prices do not include transportation: if ordered shipped prepaid add 8c per pound to the 100 pound price. We do not put up half pounds of peas.



pungent. (Sold out)

Peppers are most largely used for seasoning meat and vegetable dishes as well as for salads and mangoes. They are used also for making chow chow and chill sauce.
The culture is the same as for egg plant and the plants need quite as much heat to perfect them. Sow seed early in hotbed, or about middle of spring in open seed bed, the soll being light and warm. When three inches high transplant in rows about two manure hoed into the surface soil when the plants are about six inches high. Will undoubtedly increase the product.
Red Cherry profusion of round, bright red fruits, about two thirds of an inch in diameter, which are very pungent when ripe. A very ornamental plant, when in fruit. Pkt. 5c; 02. 75c; 2 02. \$1.25; 4 Lb. \$2.00; Lb. \$7.00
Red Chili Alate variety. The pods are bright, rich red, about at the base, tapering to a sharp point and exceedingly pungent when ripe. Pkt. 5c; 02. 75c; 2 02. \$1.25; 4 Lb. \$2.00; Lb. \$7.00
Long Red Cayenne having a slender, twisted and point go about four inches long. The color is deep green when fruit is young, bright red when ripe. The flesh is extremely strong and pungent. Sold out By the field when ripe. The fields is experimently string and purposes of the particular of t

Oz. \$1.00; 2 Oz. \$1.60; 1/4 Lb. \$2.75; Lb. \$10.00

Large Sweet Spanish A late maturing and attractive, red, sweet pepper. The plants are about two and one-half feet high, upright, very compact, vigorous and productive. The fruits are very large and long, frequently seven inches in length and about two inches in diameter, with very thick, mild flesh of excellent quality. The color is deep green when fruit is young, rich red when ripe. Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ¼ Lb. \$2.25; Lb. \$8.00





PUMPKIN, SUGAR OR NEW ENGLAND PIE

Pumpkins are less sensitive than melons or cucumbers to unfavorable conditions of soil and climate but are cultivated the same, though on a larger scale. They are raised between hills of corn or in fields by themselves, but more properly belong to the farm than the garden as they readily mix with and injure the quality of the finer squash. After danger of frost is over plant the seed in hills eight to ten feet apart each way, dropping about a dozen seeds in a hill. The soil should be made as rich as possible. If planted with corn two or three seeds a rod apart each way will be sufficient. When danger from bugs is past, thin to three plants to a hill.

- **Pie** The fruits are of medium size and nearly round. The skin is ight yellow, smooth and is covered with a fine gray netting. The flesh is light yellow, very thick, sweet and finely flavored. This variety makes very delicious pies. (Crop failed)
- Sugar or New England Pie This variety is small, but of most excellent quality for pies. The fruits are deep orange, eight to ten inches in diameter, round or somewhat flattened and slightly ribbed. The flesh is rich deep yellow, fine grained and very sweet. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50
- Large Yellow The pumpkin most extensively used for feeding stock; also used for making pies. It grows to a large size and varies in shape from nearly round or slightly flattened to quite long. Flesh deep, rich yellow, fine grained and highly flavored. This variety is often planted with corn. It is known also as Field Pumpkin. (Crop failed)

Green Striped Cushaw Fruits very large, with crooked neck. Color creamy white, irregu-larly striped or traced with green. Flesh light yellow, very thick, rather coarse but sweet. This sort is very productive and popular in some sections. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

Sweet Cheese or Kentucky Field adapted to northern latitudes. The fruits are flattened, with the diameter usually about twice the length. The skin is mottled light green and yellow, changing to creamy yellow when mature. The flesh is yellow, tender and of excellent quality. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25



For forcing sow in hotbed or under glass in rich, sandy soil made perfectly level. Scatter evenly over the surface from fifty to one hundred seeds to the square foot and cover with one-half inch of soil sifted on. Careful watering to keep soil moist, even, moderate temperature and good ventilation are required for rapid and best root development. If the bed is a good one the whole crop can be marketed in twenty-one to forty days after planting.

For open ground culture sow in rich, sandy soil as soon in the spring as it is fit to work, in drills twelve to eighteen inches apart and thin out the plants to prevent crowding. A good dressing of nitrate of soda will greatly stimulate growth and insure tender, brittle roots. Successional sowings from one week to ten days apart will keep up a supply. After the hot weather of summer begins, it is better to sow the summer and winter varieties as they do not become tough and stringy nor pithy so quickly as the early sorts.

Radishes are subject to root maggots which make them useless for culinary purposes. We know of no certain remedy for this pest. We have found that the best preventive measures are to avoid the use of rank manure and not to sow on ground where radishes, turnips or cabbages were grown the year previous.

We have been very careful to secure the very best seed possible and there is none sold under other names which is better than that of the varieties we offer. What is often called "scarlet" in radishes is more or less of a rosy carmine color. Our "deep scarlet" is of a much deeper red.


This is an excellent extra early Non Plus Ultra or Early Deep Scarlet Turnip, Forcing crisp and well flavored. One of the handsomest of the forcing radiable. The roots are small, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ½ Lb. 75c; Lb. \$2.25


Prussian Globe tinctly small. The roots are round or slightly flattened, very deep red in color and of the best quality. It remains in condition for use the longest of any of the first early forcing sorts and is a favorite where a very small, deep red ratios is desired. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.25

Early Scarlet The roots of this variety are slightly olive shaped and are a The roots are fit to pull as early as Non Plus Ultra but are larger when matured. We specially recommend this to gardeners as a large, first early forcing radish. It is also desirable for first early planting outdoors for the home garden and market. (See colored plate opposite) Pkt. 5c; Oz. 25c;

the home garden and market. (See colored plate opposite) Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50 **A** beautiful variety, rose-scarlet with white tip, Very nearly as early as Non Plus Ultra, has as white Tipped, Forcing small tops and may be planted as closely. It fail to give satisfaction as a forcing radish. This is very popular as a market sort. It is sold sometimes as Rosy Gem and Rapid Forcing. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50

Early Deep Scarlet, Olive Shaped, Short Leaf lent deep carmine-red olive shaped forcing sort, typical in its very small tops and early maturing roots, which should be pulled just as soon as in condition. The roots when fully grown are about one and one-half inches long by about one inch in diameter. The variety is suitable also for early outdoor planting. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. 82.25





EARLY WHITE TURNIP

 ¼ Lb. 75c; Lb. \$2.25

 CRIMSON GIANT TURNIP

 Early White an ear

 Turnip Inj, and as offered by us, of smaller size and sometimes a

 little earlier maturing. While used mostly for early outdoor planting, its very small tops and quick growth make it suitable for forcing. The roots are about one inch in diameter when mature. The flesh is pure white, crisp and tender. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb.60c; Lb. \$2.00

 Early Scarlet Turnip with small tops and of very quick growth. deserving general cultivation on account of its rich, scarlet-red color, almost crimson and its white, crisp and tender flesh. The roots often grow one inch long by one and one-eighth inches in diameter before becoming pithy. This is a standard variety for early outdoor planting for the home garden and market. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

 ¹/₄ Lb. 75c; Lb. \$2.25

¹⁴ Lb. 7bc; Lb. \$2.25
 One of the best early radishes for the home garden and a great favorite in White Tipped large markets for early planting outdoors. It is but little later than Early Scarlet Turnip, White Tipped, Forcing and will give entire satisfaction where extreme earliness and small tops are not the chief considerations. The roots are nearly round, slightly flattened on the underside. The color is very bright, deep rose-carmine scarlet with a distinctly white tip. The flesh is white and of the best quality. The stock we offer is exceptionally affords a distinct contrast with the large, clear white tip. (See colored plate opposite) Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50
 French Breakfast about one and one-half inches long by five eighths to three-fourths of an inch in diameter when fully grown. The eighth to three-fourths of an inch in diameter when fully grown.

eighths to three-fourths of an inch in diameter when fully grown. The color is beautiful deep rose-scarlet except a little clear white about the tip. This is an excellent variety for planting outdoors for the home garden. Its small tops and earliness make it also desirable for growing under glass. (See colored plate opposite) Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Crimson Giant Turnip size for so early a variety. The roots are nearly globe-shaped, of beautiful crimson-carmine color and most excellent quality, often growing one and three-fourths inches in diameter before becoming pithy. It is a desirable variety for general outdoor planting, and also suitable for forcing where a very large, round radish is wanted. It remains in condition a remarkably long time for so early a radish. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50 A round radish of exceptionally large

EARLY SCARLET GLOBE

EARLY LONG SCARLET SHORT TOP IMPROVED

EARLY SCARLET TURNIP WHITE TIPPED

FRENCH BREAKFAST

Desirable Radishes for the Home Garden



RADISH-Continued

Half Long Deep Scarlet The roots of this desirable early variety are of a deep. rich tapering point. The tops are comparatively small. The flesh is very white, crisp and tender, and does not become pithy as soon as most other early sorts. The roots when mature are about two and one-half to three inches long. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Long Brightest Scarlet, One of the brightest and handsomest scarlet radishes. It is an improvement in earliness and color over other varieties of this White Tipped class. The roots are fit for use in about twenty-five days and continue in a little shorter than Early Long Scarlet. The variety has small tops and can be used for forcing as well as for the open ground. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

Early Long Scarlet, Short Top, Improved third out of the ground and continue crisp and tender uniform in shape and a very attractive about six inches long. (See colored plate, page 57) Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼Lb. 55c; Lb. \$1.75

Wood's Early Frame This is not only a very good variety for forcing, being shorter and thicker than the old Long Scarlet Short Top, but is one of the very best sorts for first crop out of doors. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Cincinnati Market A desirable market variety with roots similar to Early Long Scarlet, remaining a little longer in condition for use. The roots are slender and before becoming pithy are often six to seven inches long by about five-eighths of an inch in diameter at the shoulder. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

Improved Chartier for planting outdoors for ear-or Shepherd ly summer use in the home garden, and used also for the market. The tops are of medium size. The roots are in good condition for the table when half an inch thick and continue hard and arguing use it hore not a diameter of chevit e e red and crisp until they reach a diameter of about one and one-fourth inches, thus affording good roots for a long time. The roots are rather long, averaging seven to eight inches when mature, bright scarlet-rose in color, shading into white at the tip. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.35

Early Golden Yellow Oval This sort ma-has small tops and resists the summer heat better than the early scarlet or white kinds. The roots are oval, tapering at the base, and are about one and one-half inches long by about one inch in diameter when mature. The color is bright light yellow, often russeted. The flesh is white. slightly pungent, crisp and tender. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75 This sort

Icicle A very attractive, pure white radish, the earliest excellent quality. The roots are somewhat shorter, with smaller tops than Long White Vienna and mature a little earlier. The roots when mature are five to six inches long by about one-half to five-eighths of an inch in diameter. One of the most desirable varieties for outdoor summer planting for the home garden and market. It is also adapted for forcing. (See colored plate, page 57) Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50 Lb. \$2.50

Long White Vienna or Lady Finger mer radish of most excellent size. The roots are clear white, slender, smooth and average when mature six to seven inches long by about in order who are size of the state of the st An early maturing and atthickest part. The flesh is very crisp and tender. The variety is desirable for market and home garden use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

PROVED CHARTIER OR SHEPHERD the south. The roots are uniformly globe-shaped, with skin of golden yellow color. They are about two incles long by two and one-fourth inches in diameter when mature. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Large White Summer Turnip and attractive and are two to three inches in diameter when mature. The fiesh is crisp, firm and rather pungent. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

White Strasburg Even when comparatively small this variety is in good con-dition for use and continues crisp until matured when the roots are rather thick at the shoulder and are usually somewhat tapering. They remain in condition for use much longer than the early varieties. This is one of the best large, white later summer sorts for home garden and market. Pkt. 5c; Oz. 20c; 2.07.35c; W Lb Goc; Lb S200. 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00

Early White Giant Stuttgart The roots are large, often four inches in diameter, white and are usually top shaped. The flesh is white and crisp, and keeps remarkably well, so that those not used in the summer or fall can be stored for early winter use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¹/₄ Lb. 60c; Lb. \$2.00



WHITE STRASBURG

RADISH—Continued WINTER VARIETIES

Seed for winter radishes should be sown about the first of August in rich, warm, sandy loam, in rows about twenty inches apart, covering half an inch deep. When well up thin to three inches apart in the row and give frequent cultivation. For winter use, the roots should be pulled and packed in damp sand and stored in a cool cellar.

be pulled and packed in damp saind and stored in a cool centar. Scarlet China This is an extensively grown variety for fall and winter use. It is near the bottom, stump rooted or blunt at both ends. The skin is smooth and of a bright deep rose color. The flesh is white, firm, crisp and pungent. The tops are moderately large with leaves distinctly cut and divided; leaf-stems tinged with rose. The roots are usually four to five inches long by about one and one-half to two inches in diameter when fully mature, sometimes growing considerably thicker. It is a desirable late maturing garden sort. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00 This createst variety variety is cold also as Chinese White Winter The roots are

The roots are round, some the second state of the second state of

- Round Black Spanish three or four inches in diameter. The skin is almost black. The flesh is white, very compact, decidedly pungent, but well flavored. The variety keeps well through the winter. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00
- Half Long Black Winter This variety is inter-mediate in shape be-tween the Round and the Long Black Spanish, and seems to combine the good qualities of both. The roots have grayish black skin and crisp, pungent but well flavored white flesh. They are four to five inches long and one and one-half to two inches in diameter, sometimes approaching stump rooted form at maturity. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00

Oz. 20c; 2 Oz. 35c; ¼ Lb. 6Uc; Lb. \$2.00 Long Black Spanish One of the latest and hardiest Long black, Spanish long garden radishes, espe-cially adapted for winter use. The roots are long, thick, almost black, somewhat wrinkled. The flesh is white, of firm texture, decidedly pungent but well flavored. The roots when mature are usually seven to nine inches long by two to three inches in diameter at thickest part. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 55c; Lb. \$1.75

RHUBARB or Pie Plant

RADISH, SCARLET CHINA

Rhubarb, also known as Pie Plant, or Wine Plant, is the earliest spring vegetable and is grown for its leaf stalks which are extensively used for pies and sauce.

Rhubarb succeeds best in deep, somewhat retentively used for pies and sauce. Rhubarb succeeds best in deep, somewhat retentive soil and the richer this is and the deeper it is stirred, the better. Sow in drills an inch deep and thin out the plants to six inches apart. In the fall transplant into very highly manured and deeply stirred soil, setting them four to six feet apart each way and give a dressing of coarse manure every spring. The stalks should not be plucked until the second year. When a blossom stalk appears, it should be cut back well into the ground and the plant never allowed to exhaust itself by running to seed. Our seed is saved from selected plants of the Linnzeus, Victoria, Giant and other improved sorts, but like the seeds of fruit trees, rhubarb seed cannot be relied upon to reproduce the same varieties.

SEED-Pkt. 5c; Oz. 15c; 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50 ROOTS-by mail, prepaid, 15c each; by express or parcel post, not prepaid, \$1.25 per dozen.

ROQUETTE A hardy annual, the leaves of which are long, smooth and glossy and when young are used like mustard for salads. When in condition for use the plants are from eight to ten inches high. Sow the seed in shallow drills about sixteen inches apart, in early spring and for succession every few weeks thereafter. Water freely. The young leaves will be ready for cutting in about six weeks from time of planting. Pkt. 5c; Oz. 15c. 2 Oz. 25c; 1/4 Lb. 40c; Lb. \$1.50

SALSIFY or Vegetable Oyster

One of the most desirable winter vegetables. The roots when cooked are very palatable and nutritious and are served in a variety of ways. The flavor is similar to oysters. Salsify succeeds best in a light, well enriched soil, which should be stirred to a good depth. Coarse and fresh manure should be avoided, as it will surely cause the roots to grow uneven and ill-shaped. Sow early and quite deep, giving the general culture recommended for parsnip. The roots are perfectly hardy and may remain out all winter, but should be dug early in spring, as they deteriorate rapidly after growth commences. Frost does not injure the roots, but before the ground freezes a quantity for winter use may be stored in a pit or in a very cool cellar.

Mammoth Sandwich Island This variety is large and strong growing with long, smooth, white, tapering roots, and is less liable to branch than the other sorts. The tops are grassy. It is invaluable for market gardeners' use. Pkt. 5c; Oz. 30c; 2 Oz. 50c; 1/4 Lb. 90c; Lb. \$2.75

SORREL The improved varieties of Sorrel when well grown and cooked like spinach make a palatable dish. Sow in drills early in spring and thin the seedlings to six or eight inches apart in the row. One may commence cutting in about two months and the plants will continue in full bearing from three to four years.

Large Leaved French The best garden variety, having large, pale green leaves of fine quality. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50



RADISH, CELESTIAL

59

SPINACH

No plant makes more palatable and nutritious greens than spinach when properly prepared. Seed should be planted in very rich ground, the richer the better. Sow in drills sixteen to twenty inches apart and thin to about six inches apart when the leaves are an inch wide. All should be cut before hot weather, while young and tender. For early spring use sow early in autumn and protect the plants with a light covering of leaves or straw, or plant as soon as the land can be worked in the spring. Under favorable conditions the leaves may be large enough for eating in eight weeks. South of Cincinnati spinach can be grown through the winter with very little or no covering.

- An early and vigorous grow-ing round seeded variety. The leaves are bright green, broad and thick with long petiole, usually broad arrow-shaped but some-times rounded. The surface is fairly smooth or sometimes slightly crumpled. It is a most desirable bunching sort for market gardeners. Postpaid, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50. At purchaser's expense for transportation, 10 Lbs. at \$2.30 per Lb.; 25 Lbs. at \$2.25 per Lb.
- Improved Thick A variety which grows rapidly, forming a cluster Leaved of very large, slightly crumpled leaves of deep green color and good quality. The leaves are usually broad arrow-shaped but some-times rounded. This is an extensively used me-dium early sort for the market and home garden. Seed round. Postpaid, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25. At purchaser's expense for transportation, 10 Lbs. at \$2.05 per Lb.; 25 Lbs. at \$2.00 per Lb. \$2.00 per Lb.
- **Early Giant Thick Leaved** A strong grow-ing early mar-ket variety with very large, thick leaves of fine, deep green color. The leaves are usually rounded or broad arrow-shaped and the surface is fairly smooth or slightly crumpled. Seed round. It is one of the most desirable medium early varieties, and is suitable for the home garden as well as market. Postpaid, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2,50. At purchaser's expense for transportation, 10 Lbs. at \$2.30 per Lb.; 25 Lbs. at \$2.25 per Lb.
- Los. at \$2.25 per Lb. An excellent variety, forming very large, exceed-victoria ingly thick, very dark green leaves slightly crumpled in the center. The plant is large, compact and procumbent. The season is intermediate. The leaves are usually blunt or rounded at end but sometimes broad arrow-shaped. Seed round. The variety becomes fit for use nearly as early as any, remaining so much longer than most kinds. It is desirable for the market or home garden. Postpaid, Pkt.5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50. At pur-chaser's expense for transportation, 10 Lbs. at \$2.30 per Lb.; 25 Lbs. at \$2.25 per Lb. Victoria



IMPROVED THICK LEAVED



SAVOY LEAVED

- A very dark green, crumpled variety, in general appearance similar to Savoy Leaved but considerably larger and broader in leaf, less crumpled and very much longer standing. Seed round. One of the very best for early spring and successional planting. Post-paid, Pkt. 5c; Oz. 30c; 2 Oz. 50c; ¼ Lb. 90c; Lb. \$2.75. At purchaser's expense for transportation, 10 Lbs. at \$2.55 per Lb.; 25 Lbs. at \$2.50 per Lb.
- An improved round seeded strain of in season but after reaching maturity it remains in condition for use much longer than most sorts. The plant is very large, becoming rather procumbent when mature. The leaves are usually very broad arrow-shaped or rounded, com-paratively smooth and dark, rich green. This sort is exten-sively used by market gardeners. Postpaid, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50. At pur-chaser's expense for transportation, 10 Lbs. at \$2.30 per Lb; 25 Lbs. at \$2.25 per Lb.

- **ber Lb. Long Standing Prickly** an improved strain of the long standing type of spinach that matures a little later than the round seeded sorts. The plant is very large at maturity, very vigorous and hardy, and yields a large quantity of me-dium sized leaves, which are usually rounded at the end, quite thick and uni-formly dark green. Seed prickly. It is usually planted in the fall. but is also well adapted for spring use. Sometimes called Prickly Winter. Postpaid, Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; iLb. \$2.50. At pur-chaser's expense for transportation, 10 Lbs. at \$2.30 per Lb.; 25 Lbs. at \$2.25 per Lb.
- Act \$2.30 per Lb; 25 Lbs. at \$2.25 per Lb. New Zealand (*Tetragonia expansa*) (*Tetragonia expansa*) type and in that it thrives during hot weather and in any soil rich or poor. The tender shoots are of good quality and may be cut throughout the summer. The plant becomes very large and spreading. The leaves are comparatively small, broad and pointed. Plant three or four seeds in hills two feet apart each way. Germina-tion of the seed can be hastened by soak-ing in warm water twenty-four hours. Postpaid, Pkt. 5c; Oz. 30c; 2 Oz. 50c; 14 Lb. 90c; Lb. \$2.75

SOUASH

The squash is one of the most nutritious and valuable of garden vegetables. The summer varieties come to the table early in the season, while the fall and winter sorts can be had from August until the following spring. The winter varieties are very well adapted for stock feeding and we heartily recommend them for that purpose.

Squash plants are very tender and sensitive to cold and so planting must be delayed until settled warm weather. General methods of culture are the same as for cucumbers and melons, but the squash is less sensitive to unfavorable conditions of soil. Summer varieties should be planted four to five feet apart each way and winter sorts eight to twelve. Three plants are sufficient for a hill. In gathering the winter sorts care should be taken not to bruise or break the stem from the squash, as the slightest injury will increase the liability to decay. Winter squashes should be stored in a moderately warm, dry place and the temperature kept as even as possible. For those who desire very early squashes, seed can be planted in boxes, and transplanted.

Insect pests that attack the vines when small, such as the striped beetle, may be kept off by frequent dustings with air slaked lime, tobacco dust, soot or sifted ashes diluted with fine road earth. For the large squash bug, a good remedy is a kerosene emulsion. Probably the most effective way is to place a small piece of board, about 4x12 inches, on the ground near the plant. Towards evening or early in the morning the bugs may be gathered from under the boards and destroyed.

SUMMER VARIETIES

Long Island White Bush This is the earliest of the summer squashes. The vines are vigorous and very productive. of a scallop. The skin is white, flesh tender and of good quality. Our stock of this variety is very uniform. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Early White Bush Scallop This is the well known, very early, somewhat flattened, scalloped bush squash of medium size. The color is creamy white with comparatively smooth surface. The vines are vigorous and very productive. This variety is also known as Patty Pan or Cymling. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.25

Mammoth White Bush Scallop fruits are uniformly warted and a beautiful, clear waxy white. The stock we offer of this variety is very superior. (See cut and further description, page 8) Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Early Yellow Bush Scallop A flattened, scalloped bush squash of largest size. The skin is deep orange. The flesh is pale yellow and of very good flavor. We have developed a strain of the old Yellow Bush Scallop which is fully as productive but uniformly larger and flatter than the old stock and has a very small seed cavity. This sort is extensively used for the home garden and market where a very large yellow scalloped squash is wanted. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Summer Crookneck The well known standard sort, early and very productive. It matures the bulk of its crop a little long, with uniformly crooked neek and surface densely warted. The color is bright yellow. The shell is very hard when the fruit is ripe. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

Mammoth Summer Crookneck The largest and one of the earliest of the crookneck summer squashes. The fruits when mature are very large, often one and one-half to two feet long, with exceedingly warted surface. The color is deep yellow. Its large size and attractive color make this variety a favorite with market gardeners as well as for home garden use. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Italian Vegetable Marrow (Cocozella di Napoli) The vines are of bush habit and produce large, much elongated fruits, dark green at first but as they mature becoming marbled with yellow and lighter larger. The young fruits when sliced and fried in oil constitute a vegetable delicacy that is very tender and marrowy. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50


AUTUMN AND WINTER VARIETIES

Delicious This is a fall and winter variety of medium size. Although not very thick the shell is rather hard and strong. Usually dark green but sometimes lighter in color and mottled. The flesh is thick, very fine grained and bright yellow in color. It is considered by many to be the best for markets where quality is appreciated as well as very desirable for the home garden. We have by continued and careful selection made a marked improvement in uniformity of type and we believe the seed we offer is equal to the best obtainable. Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 55c; Lb. \$1.75

Boston Marrow light cream color. The flesh is of rich salmon-yellow color, fine grained and of excellent flavor, but not as dry as the Hubbard. Pkt. 5c; Oz. 15c; 2 Oz. 25c; 14 Lb. 40c; Lb. \$1.50

Golden Hubbard Fruits of me-**Jolden Hubbard** dium size, weighing from six to eight pounds and in shape are like the Hubbard, although in condition for use de-cidedly earlier. They are long keepers and can be held over in good condi-tion for spring use. The shell is moderately warted, hard, strong and of a beautiful orange-red color, ex-cept for a bit of olive-green on the blossom end. The flesh is deep-orange, dry, fine grained and richly flavored. A very superior table va-riety. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 14 Lb. 55c; Lb. \$1.75

¹/₄ Lb. 55c; Lb. \$1.75 **Hubbard** One of the best of the vines are vigorous and very pro-ductive. The fruits are large, heavy and moderately warted, with a very hard shell. The skin is uniformly dark bronze green. The flesh is bright orange-yellow, fine grained, thick, dry and richly flavored. This squash can be kept in good condition until spring. Our stock of this stand-ard home garden and market variety and home garden and market variety is carefully selected in regard to quality of the flesh and color of the shell and is much superior to that sold as Chicago Warted or Warty Hubbard. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb.55c; Lb. \$1.75



HUBBARD SQUASH

TOBBACCO The seed should be sown as early as possible after danger of frost is over. It is customary to burn a quantity of brush and rubbish in the spring on the ground intended for the seed bed; then dig and pulverize the earth and mix with the ashes, after which the seed may be sown and the thoroughly with plow and hoe.

STERLING. This well known sort is fine for wrappers, cutters and fillers. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50

SWEET ORONOCO. This variety makes first class plug fillers and when sun cured is considered to be the best natural chewing leaf. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.50

WHITE BURLEY. A favorite for plug fillers and wrappers. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

BRADLEY BROAD LEAF. A popular variety for exports, manufacturing and eigars. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50

PERSIAN ROSE. A high grade manufacturing variety. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¹/₄ Lb. 90c; Lb. \$3.00

BIG HAVANA. A hybrid Havana or Cuban seed leaf. It is a heavy cropper and a very early cigar variety. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

SUMATRA. This produces cigar wrappers of the highest quality and has become popular with Florida growers. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4 Lb. \$1.40; Lb. \$5.00

CONNECTICUT SEED LEAF. A hardy eigar variety, well adapted to growing in the middle and northern states. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50

HAVANA. The leaf is very thin and is of fine texture. The variety is much used for cigar wrappers. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00




Tomatoes do best on light, warm, not over-rich soil and success depends largely upon securing a rapid, vigorous and unchecked growth during the early part of the season. Sow in hotbed or in shallow boxes in the house from six to eight weeks before they can be set out of doors, which is when danger from frost is past; when the plants have four leaves trans-plant into shallow boxes or cold-frames, setting them four or five inches apart; give plenty of air and endeavor to secure a vigorous but steady and healthy growth, so that at the time of setting in the open ground they will be strong and stocky. Even a slight check while the plants are small will materially diminish their productiveness.


Set out of doors as soon as danger from frost is over, but before doing so harden off the plants by gradually exposing them to the night air and by the withdrawal of water until the wood becomes hard and the leaves thick and of a dark green color. Transplant carefully and culti-vate well as long as the vines will permit. If to be grown without training, the plants are usually set from three to four feet apart each way according to the vigor of growth of the variety. of the variety.

of the variety. To insure best results in respect to early ripening as well as the amount and perfection of fruit, it is advisable to train up and trim the vines, especially if the patch is rather small. When the plants have been properly started and are six to ten inches high they will begin to throw out branches. Select the largest and most vigorous of these and pinch off all others except this one and the main stem. Care must be exercised not to pinch off the fruiting branches which, as they appear, can be distinguished by the buds that are formed very early. In a short time these two remaining branches will become equally vigorous and as ordinary vabranches will become equally vigorous and as ordinary va-rieties will become equally vigorous and as ordinary va-rieties will grow four to six feet high during the season, they should be securely tied at intervals of about ten inches to a long stake, preferably two inches square, which has been securely set in near the root of the vine.

Fruit will set to almost any height desired if all side branches are kept trimmed off at intervals of a week. By branches are kept trimmed off at intervals of a week. By clear from the ground and with free access of sullight they ripen much earlier; the vitality, otherwise exhausted in super-fluous branches and leaves, is utilized in forming fruits of largest size, greatest perfection of shape and best quality. For further cultural directions see books listed on inside of back



EARLY DETROIT



All our Tomato seeds are from seed stocks carefully ected and saved by ourselves. We challenge comparison

- further cultural directions see books listed on inside of back cover.
 All our Tomato seeds are from seed stocks carefully selected and saved by ourselves. We challenge comparison of our stocks with any offered. **Earliana** decidedly superior to much that is sold as Sparks' Earliana, and the extreme earliness of its large, smooth fruits makes it a very profitable tomato for market gardeners, as well as desirable for the home garden. The vines are small but vigorous and productive. The fruits are bright deep scarlet, medium to large, nearly round and exceptionally smooth for so early a variety. The fruits are bright deep scarlet, medium to large, nearly round and exceptionally productive. The vines are very how the state of the plant and the bulk of the crop ripens very early. Pkt. 5c; Oz. 55c; Oz. 62. 01. (1998) and exceptionally productive. The fruits are bright deep scarlet, medium to large, hearly round and exceptionally productive. The vines are very hardy and exceptionally productive. The vines are the base of the plant and the bulk of the crop ripens very early. Pkt. 5c; Oz. 55c; Oct. They are nearly sorts and are also most attractive in superior merit. The vines are the largest of the extra early sorts and are also most attractive in rulable sort for market gardeners, shippers and canners. (See further description, puge 8) Pkt. 5c; Oz. 85c; Oz. \$1.35; ½ Lb. \$2.25; Lb. \$8.00 **Bonny Best** The fruits of this desirable early sort are for pripens more uniformly than any other early scarlet fruited sort, and is of superior soldity and interior color. The vines are vigorous and produce a good crop of exceptionally round and deep fruits, bright deep scarlet. Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; Yub. \$1.00; Yub. \$1.00; Yub. \$1.60; Lb. \$5.50

TOMATO-Continued

Chalk's Early Jewel One of the very best early tomatoes yet introduced. The vines are vigorous and very pro-of large size and most excellent quality. They ripen very early and the pickings continue through a long season. It is a most desirable sort for the home garden. Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; ¼ Lb. \$1.60; Lb. \$5.50


- **Early Detroit** 1909, is the largest and best of the early purplish pink tomatoes. The vines are vigorous and very productive. The fruits are very smooth, uniform in size, nearly globe-shaped, firm, and of excellent quality. Early Detroit is one of the most valuable shipping tomatoes yet produced. It is also desirable for the home garden and hear markets. Pkt. 5c; Oz. 65c; 2 Oz. \$1.15; ¹/₄ Lb. \$2.00; Lb. \$6.50
- Acme This well known sort is sold also as Essex Early Hybrid. The vines are large, hardy and productive, ripening their first fruits very early, although not an extra early variety. The fruits are purplish pink, round, smooth and of medium size, free from cracks and stand shipment very well. Acme is also used extensively for the home garden. The fiesh is solid and of excellent flavor. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¼ Lb. \$1.40; Lb. \$5.00
- Early Michigan ous and productive. A second early, bright red variety of the best quality. The vines are vigor-The fruits are of medium size, very Smooth and of very attractive crimson-scarlet color. Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; ¹/₄ Lb. \$1.60; Lb. \$5.50
- Livingston's Globe A large, purplish pink, globe-mato of excellent quality. It is extensively used for ship-ping. The vines are very vigorous and productive. The fruits are rather uneven in size but are very smooth and mature a little earlier than most midseason or main crop varieties. Pkt. 5c; Oz. 65c; 2 Oz. \$1.15; ¼ Lb. \$2.00; Lb. \$6.50
- **Improved Trophy** A very large, midseason or main crop tomato, unsurpassed in rich, deep crimson-scarlet color and of excellent quality. The vines are large, vigorous and excellent quality. The fruits are very solid, smooth and of uniform size. The va-riety is desirable for canning and is also good for slicing. Repeated trials have proven our strain to be the largest of the main crop, smooth fruited tomatoes. It is also excep-tionally good in interior color and regularity of fruit. Pkt. 5c; Oz. 55; 2 Oz. \$1.00; ¹/₄ Lb. \$1.60; Lb. \$5.50
- Beauty The vines are large, vigorous and very productive. Beauty The fruits are large, purplish pink, exceptionally smooth and uniform in size, very solid and of excellent quality. This is one of the best midseason or main erop purplish pink sorts for table use. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 14 db 14 55 00 ¹/₄ Lb. \$1.40; Lb. \$5.00
- Perfection A medium to large main crop tomato of deep is much used for the home garden. The vines are large, vigor-ous and productive. The fruits are nearly round, uniformly smooth and even in size. Pkt. 5c; Oz. 50c; 2 Oz. 85c; 1/4.1 40.1 b 5500 1/4 Lb. \$1.40; Lb. \$5.00

- Stone One of the largest and most solid, main crop or late, bright red varieties. It is unsurpassed for slicing and canning. The vines are large, vigorous and very pro-ductive. The fruits are bright deep scarlet, oval and very deep, exceptionally smooth and uniform in size. Our stock is distinctly superior to most of that offered under this name, being larger, smoother, more uniform and better colored. Pict. 5c; Oz. 60c; 2 Oz. \$1.00; ½ Lb. \$1.75; Lb.\$6.00 One of the largest and most solid, main crop or late.
- Matchless The fruits are very large, smooth and symmetrical, ripening well to stem. The flesh is rich, bright red in color and of fine quality, although possibly not quite as firm as Improved Trophy or Stone. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¹/₄ Lb. \$1.40; Lb. \$5.00
- Ponderosa A purplish pink, main crop tomato of the argest size. The vines are vigorous and very productive. The fruits are very solid, with exceptionally few seeds, fairly smooth and considered of very good quality, especially by those who prefer a tomato quite free from acid. It is very desirable for slicing. Pkt. 5c; Oz. 85c; 2 Oz. \$1.35; ¹/₄ Lb. \$2.25; Lb. \$8.00
- This is a very large, uniformly globe-shaped, **Coreless** bright scarlet, late maturing tomato. The fruits are very solid, almost entirely free from green core and with-little or no depression at stem end, making the variety desir-able for slicing, canning and shipping. The vines are very vigorous, blight resistant and productive. Pkt. 5c; Oz. 55c; 2 Oz. \$1.00; ¼ Lb. \$1.60; Lb. \$5.50
- **Dwarf Stone** rather late maturing variety, the fruits are of good color, being an attractive bright red, exceedingly smooth and very solid. It is a desirable sort for the home garden. We consider this the best of the large fruited dwarf tomatoes. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00
- Dwarf Champion This is sometimes sold as the "Tree Tomato." It is a second early or main crop, purplish pink variety, especially desirable where garden space is limited. The vines are about two feet high, vigorons, upright and compact. The fruits are medium sized, exceptionally smooth and of very good quality. Our stock is a very superior strain with more even, smoother fruit than the original. Pkt. 5c; Oz. 60c; 2 Oz. \$1.00; ¼ Lb. \$1.75; Lb. \$6.00

Golden Queen with a slight blush of red. They are as smooth, and well shaped as the best of the red varieties and are of superior flavor. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00

Desirable for preserving or for table decoration. The each fruits resemble a peach in shape and size and the color a light terra cotta red with a delicate bloom. The flesh is tondom and the reset Peach is tender and of good flavor. Pkt. 5c; Oz. 40c; 2 Oz. 75c; 1/4 Lb. \$1.10; Lb. \$4.00

- WHITE APPLE. The fruits are about one and one-half inches in diameter, round, per-fectly smooth and of yellowish white color. Flesh very mildly flavored and delicate. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00
- RED FEAR. Used for preserves and to make "tomato figs." Fruits bright red, distinctly pear shaped and of excellent flavor. Our stock is the true small pear shaped. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¼ Lb. \$1.10; Lb. \$4.00
- YELLOW PEAR. Fruits similar to the Red Pear, but of rich, clear, yellow color and quite distinct from the variety sometimes sold under this name. Pkt. 5c; Oz. 40c; 2 Oz. 75c; 1/4 Lb. \$1.10; Lb. \$4.00
- YELLOW PLUM. Fruits plum shaped, of clear, deep yellow color; flesh yellow and finely flavored. Esteemed for preserves. Pkt. 5c. Oz. 40c; 2 Oz. 75c; ¹/4 Lb. \$1.10; Lb. \$4.00
- RED CHERRY. Fruits small, about five-eighths of an inch in diameter, perfectly round and smooth. Fine for pickles and pre-serves. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00
- ¹/₄ Lb. \$1.10; Lb. \$4.00 YELLOW CHERRY. This variety differs from Red Cherry in color only. Pkt. 5c; Oz. 40c; 2 Oz. 75c; ¹/₄ Lb. \$1.10; Lb. \$4.00 YELLOW HUSK OR GROUND CHERRY. Very sweet, mild flavor; used for preserves. Vines low and spreading. Fruits small, about one-half inch in diameter, enclosed in a loose husk. The seed we offer is that of the true Yellow Ground Cherry. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¹/₄ Lb. \$1.00; Lb. \$3.50



63

IRN

The value of Turnips and Ruta Bagas for feeding stock in fall and winter is not fully appreciated, as they are much liked by all kinds of stock and serve to keep them in good condition. They should not be fed, however, in large quantities to milch cows, or the flavor of the milk will be disagreeably affected. We recommend that farmers increase their sowings largely, for we are sure the crop will prove remunerative for stock feeding as well as for table use when the roots are comparatively small.

Both of these wholesome vegetables are very easily affected in their form and flavor by soil, climate, and mode of culture. The Turnip plant is distinguished from the Ruta Baga by its rougher leaves; the root usually matures earlier and is smoother.

For summer use sow early in spring in light, rich or new soil, in drills For summer use sow early in spring in light, rich or new soil, in drills one and one-half to two feet apart according to the size of the variety and cover one-half inch deep, or sow broadcast, but in either case be sure to have the ground rich and freshly stirred. Thin early and keep free from weeds so that the young plants will not be checked in growth. Any over-crowding will result in rough and poorly flavored roots. It is important to get the spring and summer crop started very early so that the turnips may have time to grow to sufficient size before hot weather causes them to become tough and bitter.

In the middle and western states sow for fall and main crop from the In the matter and western states sow for fall and main crop from the middle of June to the first of August and in the manner given for spring sowing. In the field, turnips are often sown broadcast, though in most cases better results are obtained by drill culture: good results from broadcast sowing are often obtained on new and burned over land where the weeds are not likely to be troublesome.

Especially where not properly sown and cultivated, turnips are some-

times affected by the root maggot and the flea beetle. Among the rem-edies employed for the maggot are the applica-tion of a carbolic acid emulsion, or of sand and harceone on of binut kerosene, or of bisul-phide of carbon to the soil about the roots when

small. A preventive that is considered much better is a rotation of crops. The flea beetle may be checked by spraying the plants with Bordeaux mix-ture, or a nicotine preparation such as black leaf 40, or by sprinkling with Paris green diluted with land plaster in the ratio by bulk of one to fifty.

For winter keeping, store the turnips in a cool cellar and cover with sand or turf to keep them fresh. Another method is to put them in a pit dug in dry soil where there will be no danger of water standing and to cover with straw overlaid with earth sufficiently deep to keep out frost.

Extra Early White Milan This variety is remarkably early. The tops are very small, strap leaved, upright and compact, so that rows can be planted close together. The roots are clear white, very smooth, flat and are of best quality when only about two inches in diameter. The flesh is clear white, mild, sweet and tender. Very desirable for early use, especially for forcing. (Crop failed)

Extra Early Purple Top Milan Similar to Extra Early White Milan except that the roots are a little flatter and an attractive purple-red on the upper portion. Well adapted for forcing. All in all, the Milan turnips leave nothing more to be desired in the way of an extra early garden turnip. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

White Egg An early, egg-shaped variety with smooth, clear white roots of medium size which grow half out of the ground. The tops are


EARLY PURPLE TOP, STRAP LEAVED y cut. The flesh is clear white, firm, fine grained and sweet. The of this quick growing garden sort when in best condition for use are ly about two inches in diameter and about three and one-half inches tinctly cut. roots Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50 long.

Early White Flat Dutch, Strap Leaved A very early, white used for the table, especially in the southern states. The leaves are entire, toothed on the margin but not divided or lobed, and are upright in growth. The roots are of medium size, flat, very white fleshed, fine grained and sweet. The roots when in best condition for table use are about two and one-half inches in diameter. This variety is also grown as a field crop. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25

Early Purple Top, Strap Leaved A very early strap leaved va-for the table. The leaves are few, entire, upright in growth. The roots are flat, of medium size, purple or dark red above ground, white below. The flesh is white, fine grained and tender. Roots when in best condition for table use are about two and one-half inches in diameter, but can be grown much larger for stock feeding. This sort is also known as Early Red Top, Strep Leaved Strap Leaved. Pkt. 5c; Oz. 25c; 2 Oz. 40c; 1/4 Lb. 75c; Lb. \$2.25

Purple Top White Globe tive appearance. The roots are large, purple or dark red above ground, white below. The flesh is white, fine grained and tender. The roots when in best condition for the table are about three inches in diameter, but can be grown much larger for stock feeding. This sort keeps well for so early a variety and is one of the best for market use. It is also known as Red Top White Globe. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¹/₄ Lb. 90c; Lb. \$3.00







EARLY PURPLE TOP. STRAP LEAVED



64

TURNIP-Continued



POMERANEAN WHITE GLOBE

Cow Horn or Long White This variety is clear white, green at the top of the root, which is long and carrot-like in form, cylindrical but usually ending in a point, and slightly crooked. The roots are often twelve to fifteen inches long by about two and one-half inches in diameter and grow about three inches sout of the ground. The flesh is fine grained and well flavored, and for table use is in best condition when the roots are about two inches in diameter. Desirable for stock feeding and has obtained considerable favor as a market sort. The variety is of very rapid growth and well adapted for fall and early winter use. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

- Large White Norfolk This sort is usually grown for feeding stock, and although a little coarse in texture it is of good quality for the table, but for the latter purpose is in best condition when the roots are about four inches in diameter. The roots are white and smooth, grow to the largest size, and are globe-shaped or slightly flattened. The variety is allowed to stand out during the winter in the south where the tops are used for greens. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25
- Pomeranean White Globe One of the most productive kinds and in good, rich soil the roots will frequently grow to twelve pounds in weight. The roots are globe-shaped or slightly flattened; skin very white and smooth. This sort is used for stock feeding and is also good for table use if pulled when the roots are not more than four to five inches in diameter. Where the, winters are mild the tops are used for greens. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2. 25
- Seven Top This sort is cultivated extensively in the south for tions it is a favorite green feed for stock and its use like Rape for a pasture crop is quite general. This sort is very hardy and the growth usually continues throughout the winter. The variety is not generally depended on for the root since the tops are produced so abundantly. (Crop failed)

Southern Prize Superior to Seven Top as usually sold and extensively grown in the south where the tops furnish an abundance of cuttings. These are valued highly for salad or greens. The roots of Southern Prize are the Virginias and Carolinas where it usually thrives throughout the winter without protection. (Crop failed)

Sweet German An excellent smooth-leaved, medium-large white fleshed Swedish Turnip sort that requires a long season for maturing and should be sown a month earlier than the flat turnips, but can be kept in good condition well into the winter. The roots are somewhat globular in shape, bronze-green above ground, white below, remarkably solid in texture, sweet and of very good quality. The leaves are entire and rather small for size of root. The roots are in best condition for table use when four to five inches in diameter, but can be grown much larger for stock feeding. A strap leaved sort also sold as Sweet German Ruta Baga. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50

YELLOW FLESHED VARIETIES

- Large Amber Globe One of the best yellow fleshed varieties, grown usually for stock feeding. The roots are of large size and of globular shape. The skin is clear yellow except the top which is tinged with green. The flesh is light yellow, fine grained and sweet. The variety keeps well and is a good cropper. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. \$2.25
- Yellow Stone The roots are of medium size, uniformly smooth and of attractive pale yellow color. The flesh is pale yellow, crisp, very tender and of exceptionally good quality. The roots are suitable for table use when three to four inches in diameter, but are more generally used for stock feeding. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.50
- Yellow Globe A round, smooth, light yellow turnip of medium size. The flesh is crisp, firm and of very good quality for the table or for stock feeding. The roots are in best condition for table use when three to four inches in diameter. This sort keeps well and is a good cropper. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.50
- Orange Jelly or Golden Ball A distinct variety, one flavored of the yellow fleshed turnips. The tops are small. The roots are medium sized, round, very smooth and with deeper yellow skin than most of this class. The flesh is firm, crisp and of most excellent quality. The roots are in best condition for table use when about three inches in diameter. This variety is of quick growth, adapted to spring as well as fall planting, and keeps exceptionally well. Known also as Robertson's Golden Ball. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¼ Lb. 75c; Lb. \$2.25
- Purple Top Yellow Aberdeen late maturing, long keeping, yellow fleshed turnip. Roots yellow with purple top. Flesh pale yellow and of very firm texture, approaching the Ruta Baga in this regard, but tender and sweet. Since it requires a longer time to mature, the seed should be sown about two weeks earlier than most sorts. It is hardy, productive and valuable for stock feeding. Pkt. 5c; Oz. 25c; 2 Oz. 40c; ¹/₄ Lb. 75c; Lb. \$2.25



AMBER GLOBE

RUTA BAGA OR SWEDE


The uses and value of the Ruta Baga are much the same as those of the Turnip. The Ruta Bagas as a class have firmer flesh than Turnips but require a longer season for maturing and usually are more esteemed for winter use, while Turnips are better adapted for the early market. Under most conditions of growth Ruta Baga roots are not so smooth on the surface nor as symmetrical in shape as Turnips but yield heavily, are superior keepers and are the more prized for stock feeding. Sow the seed from the middle of June to the middle of July, in ground previously enriched with well-rotted manure, in drills about two and one-half feet apart, covering about one-half inch deep. Thin the young plants eight to twelve inches apart in the row. When the roots are full grown and before hard freezing weather, pull them, cut off the tops and store in a success, though occasionally on new clearings free from weed seed, fair results are obtained.

American Purple Top or Purple Top Improved Long Island gin, selected to a smaller top and much shorter neck than is usually found, while the roots are a little more globular, grow to a large size and are of the finest quality. Excellent for table use and stock feeding. We consider this one of the most desirable sorts. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00


Bangholm This purple top sort is excellent both in shape and quality. The roots are of large size, slightly tankard shaped, with small neck and few or no side roots. The va-riety yields well. The skin is yellow with purple top. The flesh is yellow, sweet and solid. Pkt. 5c; Or 30.4 2 Or 55m 1/2 He out h \$3.00 Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00

Carter's Imperial Purple Top nearly purple top; flesh yellow, solid and sweet. Hardy and with top; flesh yellow, solid yields heavily. (Crop failed)

A hardy D. M. Ferry & Co's Improved and pro-Purple Top Yellow ductive variety having but little neck. The roots are large, slightly oblong or nearly globe shaped, fairly smooth, with comparatively small snaped, tanty smooth, with comparatively small tap root. Color purplish-red above ground and bright yellow beneath. Flesh yellow, of solid tex-ture, crisp and of very good quality. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00



MONARCH OR TANKARD



PERFECTION WHITE

An improved strain of Purple Top Swede, excellent Drummond's in uniformity of shape, color and quality. This yellow fleshed variety is considered by many an excellent table sort. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00

- A yellow fleshed sort, having very Monarch or Tankard large tankard shaped roots with rela-tively small neck and tops. The color is purplish-red above ground, yellow beneath. The fiesh is very solid, fine grained and sweet. Some times sold as Elephant or Jumbo. Pkt. 5c; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00
- **Perfection White** Absolutely neckless. Tops small, strap ed. Vigorous in growth and usually yields better than the yellow fleshed sorts. While valuable for stock feeding, the white flesh is so ex-cellent in quality that it is particularly desirable for table use. **Pkt. 5c**; Oz. 30c; 2 Oz. 55c; 1/4 Lb. 90c; Lb. \$3.00
- Sutton's Champion keeper and yields heavily. Pkt.5c; Oz.30c; 2Oz.55c; ¼ Lb.90c; Lb.\$3.00
- Universal or Canadian Gem Roots nearly round, purple above ground, yellow be-neath; very small in top and neck; flesh yellow and of excellent quality. Exceptionally hardy and vigorous. Sometimes sold as Century. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00
- White or Sweet Russian An excellent keeper and very de-stock. The tops are small, with leaves cut at the edges. The roots are very large, nearly globe shaped or somewhat top shaped with small neck; color white with a shade of green or bronze at the top. The flesh is white, very firm and sweet. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00
- Yellow Swede Roots oblong, dull reddish color above ground but yellow underneath. This sort is hardier than the common turnip and will keep solid until spring Pl:t. 5c; Oz. 30c; 2 Oz. 55c; ¹/₄ Lb. 90c; Lb. \$3.00


AROMATIC, MEDIC P(AND

Most of the varieties of herbs thrive best on sandy soil and some are stronger and better flavored when grown on that which ather poor. In all cases the soil should be carefully prepared and well cultivated, as the young plants are for the most part rather poor.

Is father poor. In an eases the son should be catering prepared and were carried as the young plane are the interpret delicate and easily choked out by weeds. Sow as early as the ground can be made ready, in drills sixteen to eighteen inches apart, taking pains that the soil is fine and pressed firmly over the seed or they may be planted as a second crop—the seeds sown in beds in April and the plants set out in June. Most of them should be cut when in bloom, wilted in the sun and thoroughly dried in the shade.

ANISE (*Pimpinella anisum*) An annual herb cultivated principally for its seeds which have a fragrant, agreeable smell and a pleasant taste; used medicinally for aromatic cordials, colic and nausea. The leaves are sometimes used for garnishing and flavoring. Plant of slender upright growth with deeply cut foliage; flowers small, yellowish white, borne in large loose umbels. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50

- **BASIL, SWEET** (*Ocimum basilicum*) A hardy, aromatic annual. The seeds and stems have a strong flavor and are used in soups and sauces. Plant about eighteen inches high, branching, with ovate toothed leaves; flowers white or bluish white in leafy terminal racemes or spikes. **Pkt. 5c; Oz. 25c; 2 Oz. 40c;** 1/4 Lb. 75c; Lb. \$2.50
- ¹/₄ Lb. 7sc; Lb. \$2.50
 BORAGE (Borago officinalis) A hardy annual used as a pot herb and for bee pasturage. The bruised leaves immersed in water give it an agreeable flavor and are sometimes used in salads to give a cucumber-like taste. Plant of coarse growth, hairy, with large oval leaves; flowers blue or purplish in racemes. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¹/₄ Lb. 40c; Lb. \$1.50
- CARAWAY (*Carum carui*) A well known herb, cultivated for its seeds, which are used in confection-ery, cakes, etc. The leaves are sometimes used in soups, for flavoring liquors and for colic in children. Plant one and one-half to two feet high, with finely cut foliage and clusters of small, white flowers. Plants never seed till the second year. (Sold out)
- DILL (Anethum graveolens) An annual of aromatic odor and warm pungent taste. Its seeds are used for seasoning. It possesses medicinal properties but its largest use is for making Dill pickles. Plant branching, two to three feet high; leaves very much cutinto thread-like segments. Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50
- DILL MAMMOTH Plant, stems and seed heads much larger than in the common variety. Pkt. 5c; Oz. 20c; 2 Oz. 35c; 1/4 Lb. 60c; Lb. \$2.00
- **FENNEL**, SWEET (Franiculum officinale) A hardy perennial. The seeds of this aromatic herb have a pleasant taste, and are sometimes used in confectionery, also in various medicinal preparations. The young shots are sometimes eaten raw and are used in salads, soups and fish sauces. Plant very branch-ing, two to four feet high, with dense thread-like foliage; flowers light yellow in large loose umbels. Seed oval. **Pkt. 5c; Oz. 15c; 2 Oz. 25c; ¼ Lb. 40c; Lb. \$1.50**
- HOREHOUND (Marrubium vulgare) A perennial herb with an aromatic odor and a bitter, pungent taste. It is a tonic and enters largely into the composition of cough syrups and lozenges. Laxative in large doses. Will thrive in any soil but is stronger if grown on light, poor land. Plant spreading, one to two feet high; leaves ovate, roughened, covered with whitish down; flowers small, white, borne at axils of leaves. Plat 5 or 0 200: 200 arous 1/4 Lb 600: 10.5 200 Pkt. 5c; Oz. 20c; 2 Oz. 35c; ¼ Lb. 60c; Lb. \$2.00
- **HYSSOP** (*Hyssopus officinalis*) A hardy perennial with an aromatic odor and a warm, pungent taste. It is a stimulant, expectorant and mild tonic. The flowering summits and leaves are the parts used. It does best on dry, sandy soil. Plant upright with narrow glossy dark green leaves; flowers small, borne in whorled spikes, blue, sometimes white or pink. (Sold out)
- (Sold out) AVENDER (Lavendula spica) A hardy perennial, growing about two feet high. It is used for the distillation of lavender water or dried and used to perfume linen. It should be picked before it becomes dry and hard, and dried quickly. The seed is of rather slow and uncertain germination. Plant erect, with slender grayish green leaves and small violet-blue flowers. Pkt. 5c; Oz. 35c; 2 Oz. 60c; ¼ Lb. \$1.00; Lb. \$3.50 LAVENDER
- MARJORAM, SWEET (Origanum marjorana) An aromatic herb for seasoning. The young tender tops and leaves are used green in summer to flavor broths, dressings, etc., and are also dried for winter use. Usually grown as an annual as it is not hardy enough to endure the winter of the northern states. Plant erect but branching with small oval grayish green leaves and small purplish or whitish flowers. Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¹/₄ Lb. \$1.40; Lb. \$5.00



- RUE (Ruta graveolens) A hardy perennial with a peculiar, unpleasant smell. The leaves are bitter and so acrid as to blister the skin. It is a stimulant and antispasmodic but must be used with great caution, as its use sometimes results in serious injury. It must not be suffered to run to seed and does best on poor soil. Flant one and one-half to two feet high, becoming woody at the base; leaves much divided; flowers yellow. (Sold out)
- SAFFRON (Carthamus tinctorius) A hardy annual. Cultivated for its flowers which are used principally for coloring, some-times for flavoring and to make the cosmetic powder called rouge. The flowers should be picked while in full bloom. Plant upright in growth, one to three feet high; leaves ovate, prickly; flower-heads yellow, thistle-like. Pkt. 5c; Oz. 30c; 2 Oz. 55c; ¼ Lb. 90c; Lb. \$3.00
- **SAGE** (Salvia officinalis) One of the most extensively used herbs for seasoning. It is also believed to possess medicinal properties. Hardy perennial, about fifteen to eighteen inches high. Plant very branching; flowers usually blue, sometimes pink or white; leaves grayish green, oval, wrinkled. Cut the leaves and tender shoots just as the plant is coming into flower and dry quickly in the shade. The plants will survive the winter and may be divided. If this is done they will give a second crop superior in quality. Pkt. 5c; Oz. 50c.
- SAVORY, SUMMER (Satureia hortensis) A hardy aromatic annual twelve to fifteen inches high, the dried stems, leaves and flowers of which are extensively used for seasoning, es-pecially in dressings and soups. Plant erect, branching; leaves small, narrow; flowers small, purple, pink or white, borne in about college. (Classical) short spikes. (Sold out)
- **THYME** (Thymus vulgaris) An aromatic perennial herb, eight HYME (Inginits vulgaris) An aromatic perennial hero, eight to ten inches high, used principally for seasoning. Plant very branching with wiry foliage and small illac flowers. Sometimes the leaves are used to make a tea for the purpose of relieving nervous headache. Sow as early as the ground will permit. **Pkt. 5c; Oz. 50c; 2 Oz. 85c; ¹/₄ Lb. \$1.40; Lb. \$5.00**
- **WORMWOOD** (Artemisia absinthium) A perennial plant of fragrant and spicy odor, but with intensely bitter taste. The leaves are used as a tonic, vermifuge and as a dressing for fresh bruises. Plant erect, two to three feet high, with much divided leaves and loose clusters of small light yellow flowers. It may be raised from seed, propagating by cutow hovers, ing the roots. A dry, poor soil is best adapted to bring out the peculiar virtues of this plant. (Sold out)

CLOVER SEEDS Prices of Clover subject to change.

Alfalfa or Lucerne (Medicago sativa) This deep-rooted leguminous perennial is the principal hay and forage plant in arid sections of the western states and is also used successfully in the east. The plant grows one to four feet high and has long racemes of small purple flowers. It furnishes excellent pasturage for hogs but is not recommended for other stock for that purpose. In protein value, it is as rich as wheat bran. It needs one season to become established, after which it yields heavily for several years; two to four cuttings may be harvested, depending upon conditions and locality. A deep, thoroughly drained, non acid soil, free from hard-pan is essential for success, and the use of well-rotted manure is desirable. Sow in northern latitudes June to August, twenty to thirty pounds per acre if broadcasted, or fifteen to twenty-five pounds if in drills. In the south, alfalfa is sown in February or September. After sowing cover with a weeder or light harrow. ¼ Lb. 15c; Lb. 45c. postpaid; for larger lots inquire for prices.



Alsike or Swedish (*Trifolium hybridum*) most hardy of all clovers. On rich moist soil it yields an enormous quantity of hay or pastur-age, but its greatest value is for sowing with other clovers and grasses, as it forms a thick bottom and greatly increases the yield of hay; cattle prefer it to any other forage. The heads are globular, fragrant and much liked by bees which obtain a large amount of honer from are guodular, fragrant and much liked by bees which obtain a large amount of honey from them. Sow the seed in spring or fall, at the rate of six pounds per acre, when used alone. ¹/₄ Lb. 20c; Lb. 60c. postpaid; for larger lots in-quire for prices.

- Mammoth or Large Red (Trifolium pratense) This sort grows nearly twice the size of the Common Red Clover, often making a stand when the other clovers fail. Sow about eight to twelve pounds per acre. ¼Lb. 20c; Lb. 60c. postpaid; for larger lots inquire for prices. Medium Red or June (Trifolium pra-(Trifolium pra-tense) This is by for the most important of all the varieties
- Medium Red or June (11) of the set of the prices.

GRASS SEED

Prices on Grass Seeds subject to change.

Awnless Brome Grass (Bromus inermis) A perennial, for binding soil of embankments and resisting both drought and cold. On light, dry soils it is used for hay and pasturage, but is not recommended where better grasses will succeed. Sow forty pounds per acre. Lb. 40c. postpaid; for larger lots inquire for prices.

- **Canadian Blue Grass** (*Poa compresa*) A hardy perennial with creeping root-stalks which form a strong turf. It withstands drought better than most cultivated grasses and is especially valuable in Lawn Grass mixtures. It succeeds best on clay soils but does well on sandy soils, being better adapted for use on sterile knolls and barren fields than probably any other cultivated grass. For hay or pasturage it is best sown with other grasses. It differs from Kentucky Elue Grass in its flattened, shorter stems and bluer color. Height six to twenty inches. Ub 40c, pastnaic for larger lots inour for prices. Lb. 40c. postpaid; for larger lots inquire for prices.
- **Creeping Bent Grass** (Agrostis stolonifera) This is lawns that are to be used for croquet grounds or for tennis courts, because it is benefited more than hurt by tramping and by its bright color adds to the beauty of the lawn. (Sold out)
- (Festuca duriuscula) Similar to Sheep Hard Fescue (*Festuca duriuscuta*) Similar to Sneeps S will often cover sandy soil under the shade of large trees where no other grass will grow. It is a desirable addition to lawn grass. Sow thirty pounds per acre. (Sold out)
- Kentucky Blue Grass (Poa pratensis) Fancy June Grass, but the true June or Wire Grass is much inferior. Kentucky Blue Grass is the most nutritious, hardy and valu-able of all northern grasses. Sown with White Clover it forms a splendid lawar, for this purpose use not less than fifty-four pounds of Blue Grass and six pounds of White Clover per acre. If sown by itself for meadow or pasturage use about twenty-eight pounds per acre. Lb. 55c. postpaid; for larger lots inquire for prices.
- (Lolium perenne) A very valu-**Perennial Rye Grass** (Lolium perenne) A very valu-pasture. Succeeds well on almost any soil, but is particu-larly adapted to moderately moist or irrigated lands. Sow thirty to forty pounds per acre in spring. Lb. 40c. postpaid; for larger lots inquire for prices.

40c. postpaid; for larger lots inquire for prices. (Dactylis glomerata) Desirable on ac-count of its quick growth and valuable aftermath. It is ready for grazing in spring two weeks sooner than most grasses and when fed off is again ready for grazing in a week and will continue green when other grasses are withered by dry weather. It is palatable and nutritious and stock eat it greedily when green. A tendency to grow in tufts unfits it for lawns. It does better if sown with clover and as it ripens at the same time, the mixed hay is of the best quality. If sown alone, about twenty-eight pounds are required per acre; if sown with clover, half that quantity. Perennial. Lb. 55c. postpaid; for larger lots inquire for prices W

- Westerwold Italian Rye Grass (Lolium Italicum) An extremely rapid growing annual for spring and summer sowing. As a forage and pasture grass it hirves on almost any soil but does best on heavy loam, clay or land of a somewhat damp character. It is lighter in color and coarser in leaf than Perennial Rye but is very much stronger growing. After cutting it is the quickest grass to start again. making a new growth more rapidly than any other sort with which we are acquainted. From our repeated comparative trials we believe this is a very valuable addition to the list of grasses grown in this country. Lb. Soc. postpaid; for larger lots in-quire for prices. (Festmen subm) A green
- Red or Creeping Fescue extreme drought, and especially adapted for forming a close and lasting turf in shady places. Valuable also for exposed hillsides, and golf courses. Sow thirty pounds per acre. (Sold out)
- **Red Top** (Agrostis vulgaris) Fancy (Cleaned from Chaff) In Pennsylvania and states farther south this is known as *Herd's Grass*, a name applied in New England and New York to Timothy. It is a good, permanent grass, stand-ing our climate well, and makes good pasture when fed close. It is also valuable for low, wet meadows, producing a large return in good hay. Sow in spring or fall at the rate of eight to ten pounds per acre. Lb. 45c. postpaid; for larger lots inquire for prices.

GRASS SEEDS-Continued

- **Rhode Island Bent Grass** (Agrostis canina) A lawns and pasturage. Much like Red Top, though smaller. Thrives on light, dry soils as well as on rich, moist ones. For lawn purposes, if used alone, sow about forty pounds per acre; for pasture, if used alone, twenty-four pupped per acre; for pasture, if used alone, twenty-four pounds per acre. (Sold out)
- Sheep's Fescue (Festuca ovina) A small tufted, hardy cylindrical leaves. Valuable in mixture for lawns on dry soils and in shady locations. Sow about thirty-five pounds (Sold out)
- (Phleum pratense) The most valuable of all the grasses for hay, especially in the north. Thrives best on moist, loany soils of medium tenacity. It should be cut just when the blosson falls. Sowe arly in the spring or fall, twelve pounds per acre, if alone, but less if mixed with other grasses. Lb. 30c. postpaid; for larger lots inquire for prices. Timothy
- Wood Meadow Grass (*Poa nemoralis*) Grows from one and one-half to two feet high; has a perennial creeping root and an erect, slender, smooth stem. Well adapted to shaded situations, such as orchards and parks, for either hay or pasturage. Sow about thirty pounds per acre. (Sold out)

LAWN GRASS SEEDS

Prices on Grass Seeds subject to change. The pound prices include postage; 100 pound prices are by freight or express, at purchaser's expense. (Not less than 25 pounds at the 100 pound rate.)

at purchaser's expense. (Not less than 25 pounds at the 100 pound rate.) The essentials for a fine lawn are: First, a rich, well drained soil; second, careful preparation of the ground, making it as fine and smooth and mellow as possible; third, a wise selection of seeds; fourth, sowing at such a time as to give the young plants a chance to become well established before being subjected to very dry or cold weather or to the direct rays of the hot summer sun. However much care is bestowed on the soil and seed, no lawn will be beautiful without frequent mowing and rolling. Too much care cannot be bestowed upon the selection of grasses, as some varieties are the most luxuriant in spring, others in summer, others again in autumn and a combination of the proper sorts is required for a perfect, carpet-like lawn. It may be planted early in spring or fall and should be sown at the rate of sixty to one hundred pounds per acre; much more is required than for hay or pasturage. If sown in the spring, sow as early as possible, making the surface very fine and smooth, then raking it over and sowing the seed just before a rain which, if the surface has just been raked, will cover the seed sufficiently. If the expected rain does not come, cover by rolling with a light roller. For fall seeding sow before the autumn rains and early enough to enable the young rrass to become well established before very cold weather, when a light dressing of manure should be eriven. to enable the young grass to become well established before very cold weather, when a light dressing of manure should be given.

Extra Fine Mixed (*Central Park Mixture*) We have many experiments to secure the best selection and think our Central Park Mixture is the best possible for permanent flawns. One pound is the minimum quantity sufficient to sow 600 square feet. Lb. 60c; 100 Lbs. \$45.00

A thoroughly first-class Fine Mixed Lawn Grass best and cleanest grades of those varieties used and best adapted to general lawn purposes. Lb. 40c; 100 Lbs. \$25.00

Shady Lawn Mixture This is a selection of fine grasses which thrive under the shade of trees or buildings where there is little sun. Lb. \$1.00

Mixtures for Golf Links While there are on the market numerous ready Vlixtures for Golf Links market numerous ready prepared golf mixtures of more or less value, we have found that the best results are obtained by giving individual at-tention to each customer and making a special mixture to suit his needs. We have thus overcome the difficulties pre-sented by the great dissimilarity of local conditions of various links and are willing to give you the benefit not only of our experience on some of the best greens in this country but of expert knowledge of grass seeds as well. Write us a descrip-tion of your links, telling what the nature of the soil is, how drained, how much it has the sun, whether the winters are long or open and whether the summers are wet or dry and we will offer you two or more mixtures especially adapted to the various parts of your grounds. the various parts of your grounds.

MISCELLANEOUS FARM SEEDS

Barley, Common in the spring and can be grown farther north than any other grain. Unless intended for seed it should be cut before fully ripe as it is then heavier, of better quality and less liable to shell. Use about one hundred twenty pounds per acre. 3 Lbs. postpaid 75c; for larger lots inquire for prices.

about one hundred twenty pounds per acre. 3 Lbs. postpaid 75c; for larger lots inquire for prices. Buckwheat A well known annual grown largely for the flour used in making breakfast cakes. The plants are erect and branching, two to three feet high, square stemmed, with clusters of white fragrant flowers. Buckwheat should be sown about June 15 to July 15, broadcast, at the rate of about twenty pounds per acre; a fair yield being from twenty-five to thirty bushels per acre. Each of the varieties has produced the largest yield in different tests, depending apparently upon an adaptation to soil, climate and weather conditions that is as yet imperfectly understood; however, the Japanese is usually considered the heaviest yielder.

Silver Hull. This very attractive sort is claimed by many to make the highest grade of flour. The seed is glossy and silvery gray, slightly smaller and lighter colored than that of the Common "ay. 3 lbs. postpaid 75c; for larger lots inquire for prices. 12.

se. The plants are Japane. and the g. Gray and Sh.

b. postpaid />c; for larger lots inquire for prices.
c. The plants are stronger growing and more spreading than those of Silver Hull, rain ripens a little later. This variety is less liable to blight from sunshine than Common "er Hull; seel larger, darker, and with corners more prominent or slightly winged.
Sh. ~5c; for larger lots inquire for prices.
t. a soil renovator and enricher. It is used not only for green manuring or of seed to confident the strong of the spring to avoid frost and early enough in the spring to avoid frost and early enough in the spring to avoid for stand and early enough before quite ripe and if the weather be dry let if or spreach if or special stand and early enough in the spring to avoid for stand early enough secure a good stand and early one-half bushel, when cultivated for seed; if for the of seed to be sown on an acra b. 3 lbs. postpaid Cowpea, Black, or but also for forage. Co. land in splendid condition.

land in splendid condition. Just per acre in sown drills; one hundred twenty power bounds at the 100 100 Lbs. \$7.50. (Not less than 2. Late enough in Clinum usitatissimum) Bow 'e the crop to to secure a good stand and enaw. One-half quantity of seed to be sown on an acre by before fibre a larger quantity should be sown. Cut. 'e r lie in the swath a few hours, when it should a early in the fall and in dry weather. 3 Lbs, postparbefore quite ripe and if the weather be dry let it 'e raked and secured from the weather; thresh ' 60c; for larger lots inquire for prices.

for the grain, but in this country used that have failed. Millet usually does Millet A family of grasses grown largely in Europe . principally for a catch crop to supplement others, well under almost any conditions and on any kind of gold.

nd one-half to four feet high nd is excellent for forage. "ay 1 to August 1. For une 20. Seed yellow. Common (Panicam miliaceum) The Common Milet grews two. "nd is and affords a large bulk of stalks and leaves. It is early maturing."" For hay, sow broadcast, about twenty-five pounds per acre, from a grain, sow in drills, about twenty-five pounds per acre, and not later than. **3 lbs. postpaid 60c**; for larger lots inquire for prices.

onger growing Seed yellow. German or Golden. This is similar in appearance to Common Millet but is shand produces much larger heads. It is especially valuable for use on poor soils. 3 lbs. postpaid 65c; for larger lots inquire for prices. * less

Hungarian (Panieum germanicum) This is an improved species of annual millet growthe rank, with smaller stalks, and smaller rounder h cade. It often yields two or three four of h per acre. Hungarian is very valuable for use whe ye a finer hay than other millets is desiyed The seed is larger than other millets and varies is defor from light yellow to purple-brown. **3 lbs. postpaid 70c;** for larger lots inquire for prices.



LLLET, GERMAN OR GOLDEN

MISCELLANEOU **JS FARM SEE** -Continued Prices of all articles quoted on this page subject to change.

Rape bwarf Essex For Sowing. This is of importance to the fruit grower as a cover-crop and it affords excellent for green feeding purposes but is of importance to the fruit grower as a cover-crop and it affords excellent the tops become very large and leary. Dwarf Essex thrives best in cool weather. Ground should he propared same as for turning. Sowing lung or July with

Dwart Essex infrices best in cool weather, Ground should be prepared same as for turings. Sow in June or July, with a turnip drill, in rows two and one-half feet apart, at the rate of two and one-half pounds of seed per acre. It is some-times sown with spring grain, to provide fall pasture after the grain is cut, also sown at the last cultivation of corn. It may be sown broadcast, either with other fall forage crops or by itself, using from one to five pounds of seed per acre. Lb. 40c. postpaid. By freight or express at purchaser's ex-pense, 10 Lbs, \$2.25. For larger quantities inquire for prices.

Rye, Fall or Winter A hardy, strong growing annual, cultivated not only for its grain and straw but valuable also for soiling and as a covercrop and for use as green-manure. It does better than wheat on light sand or soils liable to drought. Sow middle of August to the last of September. Prepare the ground as for wheat and sow broadcast or with a drill at the rate of sixty to ninety pounds per acre. 3 Lbs. 60c. postpaid. For larger quantities inquire for prices. larger quantities inquire for prices.

Rye, Spring Although this grain is often planted especially for paper makers, who prefer it to any other, its principal value is as a "catch" crop to sow where winter grain has failed. The straw is shorter and stiffer than that of the winter variety and is always easily secured. The grain, although smaller, is of equal value. **3 Lbs. 60c. postpaid.** For larger quantities inquire for prices.

Sorghum



RAPE. DWARF ESSLA



Albaugh Early This is considered the best early variety and the one which we especially recommend as "sugar yields much more per acre either of syrup or seed. The plant is large, of strong, vigoro us and erect habit. It may be planted before the weather is warm in the spring. Three to four pounds of seed are required per acre. Lb. 25c. postpaid. By freight or express, at purchaser's expense, 100 Lbs. \$7.50. (Not less than 25 pounds at the 100 pound rate.) 100 pound rate.)

Early Orange This valuable variety is very strong growing and erect, with large and abundant leaves and heavy compact seed heads. It is early and often yields as much as two hundred and forty gallons of very beautifully colored and highly flavored syrup to the acre. We recommend it highly to all desiring a superior cane. (**Crop failed**)

Imperial This variety is particularly valuable for feeding stock. The plants do not usually grow as tall as the Early Orange or the Albaugh Early but show a decided tendency to stool, or send up shoots. The cane is very leafy and comparatively slender and practically the entire plant is suitable for feed. Our seed is northern grown and should not be confused with the inferior western and southwestern grown cane. (Crop failed)

Sunflower LARGE RUSSIAN. This has very large single heads borne at the top of a single unbranched stalk usually, and with much more and larger seed than the common sorts. It is used extensively for feeding poultry. The plant often grows ten feet high. Sow seed as soon as ground is fit for planting corn, in rows three to four feet apart and about one foot apart in row. Cultivate the same as corn. This variety will yield 1,000 pounds or more of seed per acre. Some species are planted in the flower garden for ornament. (See Sunflower, page 93.) Plst. 5c; 4 Lb. 15c; Lb. 30c. postpaid; for larger quantities inquire for prices.

Vetch or Tare SPRING (*Vicia sativa*) A perennial pea-north. Desirable as a forage plant and valuable as a cover-crop for orchards. Culture same as for field peas. Sow ninety to one hundred twenty pounds per acre. Lb. 30c. postpaid; for larger lots inquire for prices.

Vetch HAIRY OR SAND (Vicia villosa) This is also called growing well on soils so poor and sandy that they will produce but little clover. Its nitrogen gathering properties make it particularly valuable as a soil renewer and enricher but it is not recommended for land which is to be cultivated for grain crops on account of its tendency to volunteer and persist. The plants, when mature, are about forty inches high and if cut for forage as soon as full grown and before setting seed, they will start up again and furnish even a larger crop than the first. Seed round, black and should be sown thirty to sixty pounds per acre. Lb. 40c. postpaid; for larger lots inquire for prices.

BIRD SEEDS

Prices by mail or express, prepaid.

 Canary
 Lb. 30c; 3 Lbs. 80c. Maw
 Lb. \$1.00

 Hemp
 " 30c; 3 " 80c. Millet...." 20c; 3 Lbs. 50c.

 Rape
 " 30c; 3 " 80c. Lettuce...." 40c.

 Mixed Bird Seeds, Lb. 30c; 3 Lbs. 80c.

SORGHUM, ALBAUGH EARLY

A DESCRIPTIVE LIST OF **CHOICE FLOWER SEEDS**

WITH GENERAL DIRECTIONS FOR CULTIVATION


OST flowering plants will live in almost any soil, but to give them a fair chance to develop, some care should be taken to make the ground suited to their needs. The soil best adapted for flowering plants generally is a light, friable loam, containing a sufficient amount of sand to render it porous. Many flowers are better if produced on plants of vigorous growth, hence a portion of the garden should be prepared by deep digging, thorough pulverization and liberal enriching with large quantities of well-rotted manure. Since some other varieties produce the largest and finest colored flowers when grown on rather light, poor soil, a portion of the garden should not be enriched.

Cultural directions are given on the packets, and we urge purchasers to study them carefully. While some seeds need special treatment, the following general rules will apply to all. Make the surface of the soil as fine, smooth and level as possible; do not plant when the ground is wet; cover each lot of seeds to a uniform depth, which should not be more than four to six times the diameter of the seed; press the soil firmly over the seed; plant in rows so that the starting plants can be seen easily; thin out the young plants to prevent

crowding and keep entirely free from weeds. Plants are usually divided into three classes, Annuals, Biennials and Perennials. Annuals are plants which normally live but a single season. Biennials are plants living two years; particularly those which do not bear flowers and fruit until the second season. Perennials tend to live from year to year.

Accoclinium (Everlasting) A very pretty, half hardy double daisy-like flowers, about one and one-half inches. Berennals tend to live from year to year. ALL FLOWER SEEDS SENT POSTPAID ON RECEIPT OF PRICE Half ounces will not be supplied of kinds which sell for less than 30 cents per ounce. Control of the supplied of kinds which sell for less than 30 cents per ounce. Control of the supplied of kinds which sell for less than 30 cents per ounce. Accoclinium (Everlasting) A very pretty, half hardy annual producing white and rose colored, diameter. Each flower-head is borne singly on a very long stem; leaves small, narrow, alternate. These are "Immortelles" so Sow the seed in open ground early in spring, preferably in ground very early inspring, or may also be soor Sweet (Maritimum) This very hardy annual is pring, or massing in small beds, comes into sol firmly pressed down. Thin the young plants to four inches apart. Height fifteen inches. Album, Pure white. Oz. 20c......Pkt 10c.


Ageratum Very useful for bouquets. A beautiful, hardy annual of neat bushy habit. The attractive feathery flowers borne in dense clusters are very useful for bouquets. Very desirable for outdoor bedding and borders, being covered with bloom nearly all summer. Sow outdoors after danger from frost is over; or for earlier blooming start under glass and transplant. Cover the seed with bracking that one form by inc of fine out for wersed down.



Anemone Coronaria (Wind Flower) flowers. They are about two inches across, with blue stamens, resemble the single poppy in shape and come in several shades of color. Sow from April to August. Succeeds well in rich, light loam, in a sumy situation. Plants taken up in the fall will bloom well in pots in the winter. Hardy perennial; outdoors about six inches high. Single Mixed.......Pkt. 10c. ANTIRRHINUM-(See Snapdragon) Agultedia-(See Columbine) Arabis Among the earliest blooming

Arabis Among the earliest blooming plants. Very useful for rock work, edgings, etc. Sow early in spring. Some winter protection is advisable. Hardy pro-

Asparagus are highly valued for



ALYSSUN

STER

The Aster, or more specifically the China Aster, in its many double varieties, is unsurpassed for bedding and cutting, and is not only one of the most profitable annuals for the professional florist but also one of the most satisfactory for the home garden. The great diversity of size, color, form and season of blooming makes it one of the most suitable plants for supplying cut flowers. The plants are usually of vigorous growth and so hardy that they endure a slight frost without serious injury. By planting the different strains and at different times, one may have in the latitude of betroit a constant succession of bloom from the last of July till the middle of October without the aid of a greenhouse or even a hotbed. Seed may be sown outdoors as early in spring as the ground is warm and dry, or for earlier blooming may be started indoors or in a cold-frame and transplanted in the open ground after danger of killing frost is over. If conditions are favorable they will usually do well in any well prepared garden soil but a strong loam that has been well fertilized the previous year is preferable. In planting cover the seed with about one-fourth inch of fine soil firmly pressed down. The rows for most of the varieties should be about one and one-half feet apart. When about one to two inches high, thin to sixteen inches apart in the row. It is de-sirable during warm and dry weather to water thoroughly the plants two or three times a week, preferably early in the morning or evening. It is desirable to change the location as often as practicable. Insects, such as the red spider, may be kept at bay by frequently spraying with clear water, or for insects that eat the plant louse. We offer choice seed that has been grown for us from the best types by the most skilful cultivators in America and Europe and which is more certain to give good results than most of that on the market.

Queen of the Market Very desirable on account of extreme earliness as well as profuse blooming and wide and spreading, about sixteen to eighteen inches high, bearing on long stems from ten to fifteen finely formed double flowers of medium size. The blooms, although rather flattened and not so large as those of the late sorts, are fine for cutting and this class is used extensively for growing under glass. This class is known also as Queen of the Earlies.

class is used extensively for growing under glass. This class is known also as Queen of the Earlies. Lavender. Light lavender-blue. Oz. 90c......Pkt. 10c. Rose. A fine, very early red. Oz. 90c.....Pkt. 10c. Light Blue. A very pleasing shade. Oz. 90c.....Pkt. 10c. Rose. A fine, very early red. Oz. 90c....Pkt. 10c. White. Distinctly early, double, fine form. Oz. 90c.....Pkt. 10c. Purple. An early deep purplish blue aster. Oz. 90c..... Mixed. Many pleasing shades and colors including white, pink, rose, deep red, crimson, lavender, light blue and purple; early blooming and very floriferous. Oz. 80c.....Pkt. 10c. Victoria An early strain superior to the old type of Victoria. The flowers are large when grown under favorable con-curve outward, reflexed at the ends, and overlap very regularly. The plants are distinctly upright in growth, and about fifteen to eighteen inches high. Mixed. This includes white, light

Mixed. This includes white, light blue, peach blossom, violet, deep red, dark blue and crimson. Oz. \$1.25.....Pkt. 10c.

Oz. \$1.50......Pkt. 10c. Upright or A very desirable class of mid-imperial season asters in are of robust but very compact growth. The flowers which are abundantly produced on long stems are symmetrical in form, very full or globe shaped and with rather short petals which are often slightly folded. An excellent class both for cutting or bedding purposes. purposes.


Imperial Daybreak. Delicate light pink. Oz. \$1.50......Pkt, 10c. Imperial Purity. Pure white. Oz. \$1.50......Pkt. 10c.

Late Upright A new strain bines the upright habit of the Early or Imperial class with the foliage and flowers of the Late Branching sorts. The upright habit admits of closer planting and makes them exceptionally de-sirable for bedding. Also fine for cutting. cutting.

Crimson	Oz.	\$1.50.	Pkt.	10c
Flesh Pink	66	1.50.	66	10c.
Purple	11	1.50.	6.6	10c
Rose	66	1.50.	66	10c
White	* *	1.50.	66	10c.
Mixed	6.4	1.50.	4.6	10c.

Truffaut's Perfection Peony Flowered The plants of this mid-season class are of upright growth and are about two feet high. They produce on long stems large, brilliantly colored ball-shaped flowers, with the petals curving upward and inward.

Mixed. Many shades and colors, ranging from white to deep rose and dark blue. Oz. \$1.25 Pkt. 10c.



QUEEN OF THE MARKET ASTERS

ASTER-Continued

King Similar in habit to the late branching asters but producing a little earlier very large double blossoms of distinct form, many of the petals being rather narrow and slightly quilled and curved. The inner petals are incurved covering well the center. The plants are large and vigorous with long strong stems.
Crimson. Rich brilliant crimson. Oz. \$1.50. Pkt. 10c. Violet purple. Oz. \$1.50. Pkt. 10c. Pink. Blush pink. 1.50. 10c. White. Pure white. 1.50. 10c. 10c. Mixed. The foregoing colors mixed. 1.50. 10c. 10c. 10c. 10c.
Mikado (<i>Rochester</i>) A beautiful mid-season aster of very large size and fine form. Petals long and narrow, the outer ones rather flat while those which cover the center are curled and twisted giving the blossoms a most artistic appearance. Plants about two feet high, branching and with very long stems. An excellent variety for cutting and the one most generally used by florists for that purpose.
Pink. Blush white changing gradually to beautiful lavender pink. Oz. \$1.50
Giant Crego or Comet We consider this mid-season or late class of American origin as being one of the best very long petals which are decidedly curled and twisted. They are abundantly produced on long, strong stems and are unsurpassed for cutting. The plants are of branching habit and very vigorous in growth. Also known as Ostrich Plume because of the very attractive, light, feathery appearance.
Crego Pink
Ferry's Late Branching Aclass of very strong growing asters usually not coming into bloom until the latter and deep double blossoms of fine form. The petals are long rather broad and of exceptionally large and the

.

branching asters. Oz. 90c..... Pkt. 10c.

Aster, Finest Mixed A mixture of very fine strains and colors. The bed can be made more attractive by pulling up the early plants as soon as they are out of bloom. 02.90c.Pkt.10c.

BABY'S BREATH— (See Gypsophila) BACHELOR'S BUTTON-(See Centaurea)

(See Centaurea) **Balloon** (Cardiospermum halicacabum) A **Vine** favorite with chil-able for its inflated mem-branous capsules containing the seed. It is sometimes called "Love-in-a-Puff." A rapid and graceful climber. Flowers small, white. The round black seed is marked with a white heart-shaped spot. Sow seed outdoors in open ground early in spring and give the plant some support torun upon. Tender annual; six feet high. Ox. annual; six feet high. Oz. 25c.Pkt. 10c.



ASTER, FERRY'S LATE BRANCHING

devible blognome of distinct



Balsam (Impatiens Balsamina) Known also as Lady Slipper. The brilliantly colored, double rose-like flowers of this well-known border and bed-like flowers of this well-known border and bed-nown border and bed-inches across, are borne on very short stems and when cut they show to best advantage floating in a dish of water. The colors range from white to dark purple, and are either self colored or spotted and striped.

white to dark purple, and are either self colored or spotted and striped. Balsams are tender and should be started in boxes indoors or in the open ground when danger of frost is past. The plants prefer a tich, moist or even wet sandy loam, and must not suffer for moisture. They do best if allowed eighteen inches apart each way in a sunny situation. Larger and more double flowers will be obtained if some of the young shoots are cut out when quite small, or by transplanting two or three times. Hardy annual; one to two feet high.

Double or Camellia Flowered

Well adapted for florists' use and for bouquets, very Pure White. double. Oz. 75c. Pkt. 10c. Dark Red. (Atrosanguinea plenissima) Very double, dark red blossoms.....Pkt. 10c. Tall Mixed. About two feet high. Oz. 50c..... "10c. Dwarf Mixed. About one foot high. Oz. 60c..... " 10c. BEANS-(See Scarlet Runner Beans)



Begonia view proper care produce abundantly large clusters of brilliantly beautiful wax-like flowers of fine form and substance.

beautiful wax-like flowers of fine form and substance. Sow seed in March in shallow boxes or small pots plunged in moss. Begonia seed is extremely small and great care should be taken in open-ing the packet and planting. Open the packet directly over the sur-face to prevent any seed being lost. The surface of the soil should be very smooth and the seed carefully scattered on the surface and lightly pressed in. The moss should be kept quite damp, but the sur-face of the soil should not be watered. Moisture can be retained in the soil by placing a glass over the box or pots. When the plants are large enough to handle, transplant into small pots, and to larger sized pots as required. For winter or spring blooming, sow from August to September. For outdoor bedding, select a shady moist situation, making the bed rich with well rotted manure and leaf mold, if obtain-able. The young plants started indoors may be set out when the weather is warm and settled. Water thoroughly every day. Tender perennial, blooming the first year if started early, one foot high.

Tuberous Rooted Begonias

The tuberous rooted varieties, if planted early in a temperature of sixty to seventy degrees, will with proper care give an abundance of bloom the first year. At the end of the season they may be dried off by withholding water, the tubers kept in a dry place free from frost and planted the following spring, when they will bloom more freely than before.

Robusta Perfecta. Plants are of robust, compact habit; dark green foliage and brilliant, double, cinnabar-scarlet flowers...... Pkt. 25c.

Single Mixed. The seed we offer will produce the finest single flowers in various shades ranging from white to deep red. Pkt. 25c. Double Mixed. The largest and best double flowers, including shades of pink, red, scarlet and light yellow...... 35c.

Fibrous Rooted Begonias


This class is very desirable for flowering in the house or in partly shaded locations out of doors and are very attractive as edging or border plants.

BELLIS-(See Daisy)

For Begonia Bulbs, see Bulbs and Roots, page 100.

BUTTERFLY FLOWER—(See Schizanthus)

A much admired genus distinguished by its abundance of large, showy, sac-shaped or slipper-like
Calceolaria A much admired genus distinguished by its abundance of large, showy, sac-shaped or slipper-like flowers which are creamy white and various shades of yellow, often splashed, spotted or blotched with day is used in the value in the point of the splashed are blotched as the splashed or slipper-like splashed are creamy white and various shades of yellow, often splashed, spotted or blotched to be added
with dark reduish brown, two plants rarely having howers marked exactly and c. Leaves large,
felty, close growing. Under proper conditions can be grown indoors to perfection, making an exceedingly decorative plant.
Start the seed at any time, except during hot weather, in a temperature of about 60° F. Herbaceous annuals or shrubby
evergreen perennials. Height about one to one and one-half feet.
Hybrida grandiflora. Large self colored flowers
Hybrida tigrina. Flowers beautifully spotted
Finest Hybrids Mixed. Seeds saved only from the most perfect flowers; all desirable
CALENDULA—(See Marigold) CALIFORNIA POPPY—(See Eschscholtzia)



BALSAM

- Calliopsis or Corrections in the series of t
- CAMPANULA-(See Canterbury Bell)

Canary Bird Flower (Tropæolum peregrinum or Canariense). A beauti-ful climber with small, curiously shaped, canary colored blossoms and attractive palmate leaves. Sow outdoors early in spring, preferably in light, moderately rich soil by the side of an arbor or trellis. Will bloom freely from July until killed by frost. Tender an-nual; height, ten to twenty feet. Oz. 35c.......Pkt. 10c.

Candytuft (*Deris*) Showy, branching plants twelve to fifteen inches high and bearing in ters of beautiful single cruciform flowers in a wide range

of colors. Considered indispensable for cutting and very effective in beds, masses or rockeries.



CALLIOPSIS (COREOPSIS TINCTORIA)

If sown in spring in rich, mellow soil the plants will usually bloom from July to September or if in the fall will be likely to blossom from the last of May to July. Make rows about one foot apart and cover the seeds with about one-fourth inch of fine soil firmly pressed down. When two inches high thin to four inches apart in the row. Larger flowers are obtained if some of the branches are removed, and an abundance of water is desirable. Hardy annual.

	Fragrant. Flowers white, fragrant; foliage finely cut.	
	Oz. 25cPkt.	10c.
ì	Purple. A rich dark shade. Oz. 25c	
		10c.
	Fine Mixed, Oz. 20c; Lb. \$1.25 "	10c.

Canna Stately, very ornamental plants of semi-tropical appearance, very desirable for groups and in masses. Plants branching from the roots, with very large, broad leaves, producing clusters of large flowers of varied and brilliant colors from August until cut down by frost.

Sow seed indoors in February in light, sandy soil, first cutting a small notch through the hard outer coat with a knife or file, care being taken not to cut into the germ. Cover with one-half inch of fine soil. Keep the soil moist and the temperature averaging 60° F. Transplant outdoors after danger of frost is over, prefer-ably in very rich soil, giving each plant two feet of room. Tender annual in the open ground, or tender perennial in the greenhouse. Finest Large Flowering Mixed. Plants comparatively dwarf, about three feet high. Oz. 35c......Pkt, 10c.


Canterbury Bell (Campanula medium) Handsome, easily grown stately branching growth and profuse bloom for beds and back-grounds. They produce long racemes of strikingly effective bell-shaped or saucer-shaped flowers of rich color. Leaves sessile, lanceolate. Usually grown as a hardy biennial, but if seed is sown very early indoors it may be treated as a tender annual.

Sow seed outdoors to may be treated as a tender almud. Sow seed outdoors early in spring in rows about two feet apart covering with about one-fourth inch of fine soil firmly pressed down. The plants succeed best in light, rich soil with good drainage and in the fall should be transplanted or thinned to eighteen inches or two feet apart and given some protection in severe winter weather. Height of plants, from two to four feet.


	White Pkt. 100	
66	Blue. Shades of blue and purple " 10d	с.
	Mixed. Oz. 75c " 10c	
Single l	Mixed. Colors white, and various shades of violet, rose	ə,
mae a	and blue. Oz. 30c Pkt. 10c	с.

Calycanthema Mixed. Large single flowers, white, lilac, rose and purple. Known as "Cup and Saucer" plant, the calyx forming a cup round the base of the bell......Pkt. 10c.

CARPET OF SNOW-(See Alyssum)



CANDYTUET




(Dianthus Caryophyllus) "Carnation," "Pink," "Clove Pink," "Florists' Pink," are names

Claim thus Caryophyllus) "Carnation," "Pink," "Clove Pink," "Florists' Pink," are names applied by different people to the same or to different plants of several species as well as to hybrids between them. They are all easily grown from seed and very free blooming, the flowers being bright colored and with a most delicious clove-like fragrance. The improved varieties we offer are suitable also for cutting. They produce very double, semi-circular blooms with thick wax-like petals and long pod-like calyx. The plants are branching but compact and erect, with slender, bluish green foliage. The bursting of the calyx may be prevented by using ashes or some form of potash. Where size and quality of flowers are desired rather than profusion of bloom, all except the terminal buds should be removed. This is the method employed by florists to obtain the larger longer-stemmed beauties. Half hardy perennial, usually treated as a biennial.

Large Flowering Carnations Best Suited for Pot Culture

The choicest varieties sold by florists are propagated from cuttings but very beautiful double flowers just as good in form and more fragrant, although not as large, can be produced from the seed we offer. Sow under glass in the greenhouse or hotbed from January to March. Use well prepared soil, cover lightly and keep in a temperature of about 60° F. Sprinkle with a fine spray. When the young plants are of a sufficient size transplant them out of doors two feet apart each way, or the seed may be sown in permanent bed as early in spring as weather will permit.

Double Perpetual Flowered Mixed. An exceedingly beautiful variety producing very double flowers of various shades and colors. Plants closely branched and very symmetrical. Seed saved from choicest double flowers. Fine Double Striped. Seed from fine named striped sorts. 15c.



- Fine Double Striped. Seed from fine named striped sorts. "15c.
 Choicest White Ground. Seed from choice, large flowered named varieties, with nearly white petals bordered or tinted with red or purple. A very choice picotee strain...Pkt. 35c.
 Double Picotee Fine Mixed, A magnificent strain of double Picotees. Seed from choicest French, German, Italian and English named sorts. Certain to produce a large proportion of double and finely formed and colored flowers in a great variety of shades and markings. Oz. \$2.50.....Pkt, 15c.
 Double Choice Mixed. A mixture containing many of the very choicest colors and types.....Pkt. 10c.
 Double Fancy Picotee Extra Fine Mixed. Extra fine seed from named varieties, petals bordered, spotted and splashed. An extra choice mixture certain to give flowers of splendid quality in good proportion......Pkt. 25c.
- quality in good proportion Pkt. 25c.

Varieties Adapted to both Pot and Outdoor Culture

 Img bouquets.
 Pkt. 15c.

 Img bouquets.
 Pkt. 15c.

 CARNATION
 Carnation

 Ike leaves of glossy green, brown or bronzed metallic hue and long spikes of scarlet, or of green, prickly seed pods.
 (Ricinus) Tall majestic plants bronzed metallic hue and long spikes of scarlet, or of green, prickly seed pods.

 Makes a rapid, vigorous growth in rich soil. Sow seed outdoors after danger from frost is over, preferably in light rich soil, or for carnas, Dahlias, etc., giving a semi-tropical effect. Seed beautifully stiped or motiled. Tender annual; six to fifteen feet high.
 Zanzibariensis, Wonderfully vigorous, from ten to fifteen feet high. Leaves have a brilliant luster, measuring about thirty inches across, ranging in color from bright green to deep bronze. Seed very large, oral. Mixer VARIETES. Oz. 35c.
 Pkt. 16c.

 Sanguineus. (Tricolor) Blood red stalks with red venation in leaves; height about six feet. Oz. 35c.
 Pkt. 10c.

 An odd and picturescue class of plants having colored foliage and in which the innumerable small
 Inc.

house for winter bouquets

Celosia An odd and picture que class of plants having colored foliage and in which the innumerable small fowers and seed vessels together with their supports form a very brilliantly colored mass, sometimes gracefully arranged like plumes and sometimes more dense, being corrugated and frilled at the edge liant coloring often from midsummer until frost. The red Cristata sorts are sometimes cut before fully ripe and dried in the

house for winter bouquets. Seed may be sown outdoors as early in spring as ground is warm and dry, using if possible light, rich, well pulverized soil, and giving plenty of moisture. For larger and more beautiful plumes start the seed very early indoors and transplant to place when weather is settled. Also adapted for growing in pots in greenhouse and conservatory. Half hardy annuals. Pyramidalis plumosa mixed. Plants pyramidal, branching, two or more feet high, covered with long, brilliantly colored and gracefully formed plumes in red, yellow or violet. An excellent mixture of plumosa or feathered celosias. Triumph of the Exposition. A splendid plumosa variety. Plant of pyramidal form, bearing many exceedingly graceful, feather-like spikes of intensely brilliant crimson color. Height two to three feet. Variegated and striped in red and yellow. Height one half to two feet. Japan. Plant grows two to two and one-half feet high and is covered with spikes which are finely crested and of brilliant colors usually variegated crimson and deep yellow. One of the best of the tall cristata types. Pkt. 10c. Pkt. 10c

Centaureas embrace some foliage

Centaureas embrace some foliage plants but are more generally annuals which include some of avorites for cutting. The tall slender straight or slightly branch-ing plants with narrow leaves thrive well in common garden soil. They produce bright colored single and double flowers on long graceful stems and some sorts are fragrant.

Annual Varieties Cultivated for Their Flowers

Sow seed in early spring in hotbed and transplant to open ground or sow in open ground as soon as the weather is warm and settled. Cover seed about one-fourth inch deep; thin three or four inches apart. Fine for bedding or borders. The young plants are very sensitive to wet, and care should be taken to pre-vent water standing on the leaves.

- vent water standing on the leaves.
 Cyanus (Bachelor's Button, Corn Flower) A well known, hardy border plant, also called "blue bottle" and "ragged sailor," which does best in carefully prepared gravelly soil. If seed is sown as soon as the ground is fit in the spring and the flowers picked so as to prevent the plant exhausting itself by seeding, it will furnish a profusion of bright blue, purple, white or pink single flowers from July until late in the autumn. Hardy annual; plant one to two feet high. MIXED. Oz. 25c......Pkt. 10c.
 Double Mixed (Backelor's Button) Produces larger, more globular flowers heads than the common variety. Oz. 30c......Pkt. 10c.
 Odorata (Sweet Sultan) An old fashioned hardy annual about eighteen inches high, with long-stemmed, sweet scented, light.

Perennial Variety Cultivated for Foliage

Seed should be sown under glass and the young plants grown in pots or boxes intil settled warm weather, when they may be set about one food apart where wanted for borders or bedding. In southern latitudes seed may also be sown outdoors in fall.

iymnocarpa, This is also called Dusty Miller. Valuable because of its finely cut silvery gray foliage and graceful drooping habit of growth. Half hardy perennial; one and one-half to two feet high 0.2 650 Gymnocarpa. of growth. Half hatdy perennial; one and one-half high. Oz. 65c. Pkt. 10c.



CHRYSANTHEMUM, MORNING STAR




Chrysanthemum These outdoor mums" are showy and effective for bedding or borders in the garden and desirable for cut flowers. Plants be-come more bushy and shapely if pinched back in early growth and the practice of disbudding will result in much larger flowers. These annuals are not the winter flower-ing sorts sold by florists and which are propagated only by division of roots.

Early Blooming Garden Sorts

Larly Blooming Garden Sorts Seed may be sown in the open ground after danger of frost is over and the seedlings thinned eight or ten inches: apart, but the best results come from sowing under cover early in May, and transplanting the young plants to open border. Height one and one-half to two feet. Morning Star. Handsome, large, single flowers, bright yel-low with deeper center: excellent for cutting. Pkt. 10c. Carinatum Eclipse Mixed (Tricolor) Large single flowers in very striking color combinations. The ray florets range from pure golden yellow to nearly white, are often ringed or centered purplish scarlet and always have a dark brown disc.Pkt. 10c.

both single and double.....Pkt. 10c.

CHEIRANTHUS CHEIRI-(See Wallflower) CHEIRANTHUS MARITIMUS - (See Virginian Stock)



CHEIRANTHUS MARITIMUS – (See Virginian Stock) Cinerarias are easily grown from seed in the green-house. The large heads of brilliant daisy-like flowers of many colors, usually sharply margined and with dark eye, are very desirable in pots. The plants are often as broad as high and the velvety leaves are shaded on the under side. Sow preferably early in fall. They thrive best in a mixture of loam and peat. Perennial, usually one to two feet high.

feet high.

Clarkia Beautiful, hardy annuals with rose colored, white and purple flowers, in defi-cate but very brilliant shades. The plants are about one and one-half to two feet high and are profuse bloomers.

Sow in light, warm soil, as early in the spring as the ground can be worked, or if planted in August they will bloom the following summer. DOUBLE MIXED....Pkt. 10c.


lematis Well known beautiful climbers. much admired for their graceful-ness and attractive flowers. They

Cobaea Scandens (Blue) A rapid grow-ing climber with handsome dark green foliage, bearing on graceful stems large, bell-shaped flowers, green at first but rapidly changing to a beautiful deep violet-blue. A wire-netting trellis or support for the many green tendrils to fasten upon is preferable to cords or smooth wire. A well established plant will run about thirty feet in a season. For best results start indoors early in spring in rather dry soil and set out the young plants after danger of frost is past. Tender perennial. Oz. 50c......Pkt. 10c.


COCKSCOMB-(See Celosia)

COIX LACHRYMA—(See Job's Tears)

Magnificent ornamental foliage plants for house or garden culture. The leaves are of many shapes, and



COLUMBINE



EARLY FLOWERING COSMOS

Columbine (Aquilegia) Very desirable, easily grown, old fashioned perennials for profusely early in the season and remains in bloom for a considerable period.

OSMOS Very effective for autumn flowering in broad masses or backgrounds. A hardy

and rapid growing annual, forming bush-like plants with feathery green foliage, four to six feet high, covered with large flowers some what resembling the single dablia. They are grace-fully poised on long stems and very useful for decora-tive numerood

fully poised on long stems and very useful for decora-tive purposes. Sow outdoors early in spring in rather light soil, not too rich, and preferably in a sunny situation. Cover the seed with one-fourth to one-half inch of fine soil firmly pressed down. If planted in rows, make the rows about two feet apart and when the young plants are well up thin from four to six inches apart in the row. (See colored plate opposite.)

Early Flowering Cosmos

Larly Flowering Cosmos These early flowering strains are about four feet high and bloom profusely four to six weeks earlier than the giant sorts. The flowers are of good size; well adapted to northern latitudes. Early Flowering Dawn. Flowers white, Ocz.40c.Pkt. 10c. Early Flowering Mixed. Includes white, bright red and rose colored flowers. Oz. 30c......Pkt. 10c.

Giant Flowering Sorts

COSMOS HYBRIDA GIANT

Cyclamen Well known and universally admired tuberous rooted pot plants producing exceedingly handsome red and white flowers for indoor winter or spring blooming in greenhouse or of distinctive shape and are borne on stems of good length for a long blooming season well above the beautiful foliage. The glossy ovate or nearly round leaves are usually marbled or variegated with white.

Sow the seed, which is of rather slow germination. in shallow boxes or pans, using light rich soil and covering the seed slightly. Keep at a temperature of 50° to 60° F. and water freely until well started. Seed sown in spring, by autumn will produce a little bulb. If this is placed first in a three inch pot and later repotted as required in a five or six inch pot it will produce blooms the following spring. Seed may also be sown in fall. Tender perennial; one foot high.

Persicum Mixed. Of great beauty; many colors......Pkt. 15c.

Cypress Vine (Ipomæa quamoclit) A most beautiful rapid growing climber with delicate dark green, feathery foliage and many bright, star-shaped, scarlet or white blossoms which contrast most effectively with the graceful foliage. Planted by the side of veranda, tree or stakes, and trained properly, there is no hand-some climber somer climber.

Somer chimber. Seed is usually sown outdoors early in spring in the row where the plants are to remain. Cover seed one-half inch deep. Germination will be hastened if the soil is warm and kept in moist condition. Thin the young plants four to six inches apart. If very early blooming is desired, seed should be started indoors. Seed rather small, black, wedge-shaped. Tender annual; about fifteen feet high.

	A very deep, rich shade. Oz. 30cPkt.	
White.	Clear paper white. Oz. 30c "	10c.
	The two colors above. Oz. 25c "	

Dahlia A favorite for autumn flowering, blooming the first season from seed if started early. The flowers are so symmetrical and perfect and the range of colors so wide and varied that they will

always be popular where display is wanted.

always be popular where display is wanted. Seed may be sown in spring in open ground after danger of frost is over, but for best results sow in shallow pans at any time from March to June, and transplant the seedlings to small pots. When strong enough and danger from frost is over plant out one foot apart. These plants will produce tubers which should be taken up in the fall and replanted the following spring; these roots will flower freely the following autumn. Tender herbaceous perennial, three to four feet high.

Finest Single Mixed. Will produce brilliant flowers running through a wide range of striking colors. Oz. 50c....Pkt. 10c. For Dahlia Roots see Bulbs and Roots, Page 100.



DAISY, DOUBLE

DAHLIA, SINGLE

Daisy (Bellis perennis) Charming little plants for edgings and borders, also used for low beds and to work. The flowers of the improved varie-ties we offer are borne above the low cluster of leaves on stiff flower stalks, making them suitable for bouquets. With care-ful cultivation nearly seventy-five percent are double. Leaves spatulate or obovate.

For best results sow seed early in hotbed and when plants are large enough transplant to a rich soil in a cool and partially shaded situation, setting the plants six inches apart. If plants are started early indoors they will flower the same season, but bloom more abundantly in the spring if sown in autumn and the plants wintered over in cold frames; or can be set out in the open border and protected with mulching. Half hardy perennial; about six inches high.

Double Rose.	(Longfellow) F	inest strain	. Oz.	\$2.50P	kt.	10c.
Double White.	Clear white.	Oz. \$2.50.			6.6	10c.
Double Mixed.	Shades of ros	e and white	e. Oz.	\$2.50	66	10c.

Datura Large branching plants producing very large, handsome, double or single, trumpet-shaped blossoms of exquisite fragrance. Excellent for late summer and autumn flowering.

Seed may be sown outdoors after danger of frost is over, but for early blooming sow in hotbed and transplant about three feet apart each way. Roots can be kept all winter in collars. Tender annual; three feet high.

Pure white at the center shaded into lilac and blue; Wrighti. magnificent large single flowers. In warm latitudes can be continued as a perennial. Oz. 35c.....Pkt. 10c.

Mixed. The above varieties...... 10c.

DELPHINIUM-(See Larkspur) DIANTHUS-(See Pinks)

DIANTHUS BARBATUS-(See Sweet William) DIANTHUS CARYOPHYLLUS-(See Carnation) DIGITALIS-(See Foxglove)

Dimorphoteca Aurantiaca This showy an-mual with bright i orange.yellow flowers, is sometimes called African "Golden-Orange" Daisy. Plants somewhat spreading, with finely cut foliage, producing abundantly on stems of good length glossy, single daisy-like blossoms about two and one-half inches across. The brilliant orange coloring of the petals contrasts strikingly with the black center which is surrounded by a dark colored disc. Well adapted for summer flowering in beds or borders beds or borders.

DOLICHOS—(See Hyacinth Bean) EMERALD FEATHER—(See Asparagus Sprengeri)


Dwarf Morning Glory (Convolvulus Minor) ing, branching habit, each covering a space about two feet in diameter. At midday they are completely covered with a mass of pure white and variously colored funnel-shaped blossoms which remain open in clear weather until evening.

Sow seed early in spring in any good garden soil, cover-ing about one-half inch deep. Half hardy annual; about one foot high. MIXED. Oz. 10c; Lb. 50c......Pkt. 10c.

Eschscholtzia Fully as valuable as the common Poppy for garden or manentation since the flowers are in bloom through a much longer season. A bed in full bloom of these large saucer-shaped flowers in various shades of yellow with orange center gives a brilliant color effect. The foliage is finely cut and has a bluish tinge or bloom, delicate and very attractive.

Sowseed early in spring or late in autumn where plants are wanted to bloom as they do not bear transplanting well. Use well pulverized soil, make the rows one foot apart and cover the seed one-fourth inch deep. Thin six to eight inches apart. Effective results are also obtained by thinly sowing broadcast and lightly raking in the seed. Hardy annual, low spreading; about one to one and one-half feet high.

Californica (California Poppy) The true golden yellow DIMORPHOTECA strain. This is the state flower of California and is a desirable addition to every garden. Oz. 35c......Pkt. 10c.



ESCHSCHOLTZIA, BUSH (Hunnemania)



DIMORPHOTECA

Double White (Alba) The flowers are creamy white; very attractive. Oz. 50c..... " 10c.

Mandarin. The outer side of the petal is tinged with scarlet, the inner side rich brownish orange....Pkt. 10c. Bush (Hunnemannia) Flowers beautifully cup-shaped,

EVENING GLORY-(See Ipomaa Bona Nox)

Ferns Perennial flowerless plants, too well known to need description. The seed spores are yery small and of slow germination but the exceeding grace and beauty of the plants will usually well repay all the care necessary to start them properly in the green-house or some place in-doors where they will keep moist. The young ferns may be placed in a windox-box without much sun, or can be set outdoors in summer in some moist and shady place.

Fine Mixed. Open ground mixed Pkt. 20c. FEVERFEW—(See Matricaria and Pyrethrum)

Forget-Me-Not er, bearing in profusion, especially in fall and spring, clusters of dainty blue five-petalled blossoms. It thrives well in the shade or open border but flourishes best in a moist, shady situation.

For bloom the first year sow indoors in February or March, and transplant as soon as the ground is warm enough, or sow outdoors as early as possible, covering seed one-half inch deep: thin to six inches apart. Seed may also be sown in fall. Hardy perennial but usually does better if given some protection during winter.

Alpestris. Plants of compact, bushy habit with finely cut foliage, growing six to eight inches high. Flowers blue with a very small yellowish eye. Oz. 50çPkt. 10c.
 Dissitiflora. Flowers deep blue, a little larger than Alpestris. Compact, early blooming; a good border plant......Pkt. 15c.

Four O'Clock (Marvel of Peru, Mirabilis Jalapa) Large and beautiful, old fashioned plants of erect bushy habit which produce in profusion a succession of bril-liantly colored tube-shaped flowers, that open about four o'clock in the afternoon, remaining open all night and usually are closed before noon the next day. The flowers are red, white, yellow, or are striped and blotched in shades of these colors. Very desirable for borders, along a wire fence, or as the background of a flower garden, blooming during the late summer and autumn. Sow seed in spring in open ground after danger of frost is over, covering one-half inch deep. For best development allow two to three feet apart each way. Hardy annual, about two feet high.

Red. Oz. 20c	Pkt.	10c.
White, Red Striped. Oz. 20c.	66	10c.
White. Pure glistening white. Oz. 20c	44	10c.
Mixed. An exceptionally attractive mixture. Oz. 20c	46	10c.

Foxglove (Digitalis) Stately, old fashioned border plants, affording dense spikes of large bril-liantly colored flowers which are terminal and half as long as the height of the plant. The flowers are very distinct clude white, lavender and rose, many being spotted or blotched. It is often used as a background, and does especially well in cool, shady locations in front of shrubbery. The leaves are wrinkled and some-what down. what downy.

what downy. Seed may be sown outdoors after danger from frost is over, but for best results start in boxes and transplant. The seed is very small and should be covered lightly and kept moist until plants are well es-tablished, when they should be transplanted to two feet apart. May be sown outdoors in fall. Hardy biennial or perennial, usually bloom-ing the second season; three to five feet high ing the second season; three to five feet high.

Ivery's Spotted (Maculata superba) A fine variety of colors, usually spotted Pkt. 10c.

Fine Mixed. Many shades and markings. Oz. 25c..... " 10c. Mammoth Foxglove (Digitalis monstrosa) Remarkably odd; each flower spike surmounted with a very large bell-shaped flower.Pkt. 15c. MIXED COLORS.....

French Honeysuckle (*Hedysarum*) Very handsome, branching free flowering plants, producing racemes of beautiful small fragrant pea-shaped flowers. Not a climber, but well adapted for borders, or rock work. Sow in open border in spring after danger from frost is past, prefer-ably in light and open well drained soil, in a sunny situation. Hardy pornnail often growing faur feat

perennial; often growing four feet.

Coronarium, Scarlet.....Pkt. 10c. Coronarium, Album, white..... "10c.

Gaillardia Showy bedding and border plants, remarkable for the profusion, size and brilliancy of their flowers, bloming the first year and among the gayest ornaments of the garden in summer and autumn, two inches or more across, which are borne singly well above the foliage on long, slender stems, suitable for cutting. Leaves alternate, simple, and more or less toothed.

Sow seed outdoors early in spring; cover one-fourth inch deep. Make rows eighteen inches apart and thin eight to ten inches apart in the row; or a longer season of bloom may be secured by planting in frames and transplanting. Plants one to one and one-half feet high.

Picta. Plants about one foot high; flowers single, purplish-crimson and yellow. Hardy annual; with root protection in winter is a perennial.....

Picta Lorenziana. Gaily colored flowers, double with tubular florets, produced from July even until hard freezing weather,

Grandiflora. Flowers scarlet and orange perennial, blooming the first year......

Geranium (*Pelargonium*) When properly grown, the constant succession of bloom until frost comes, the brilliant colors of the flowers and the exquisite zone or horseshoe markings of the leaves of some of the varieties, render the Geranium very desirable for pot culture as well as for bedding out of doors and

for growing in window boxes. The seed is slow to germinate. Sow in a pot or box in the house in rather light soil, preferably containing a little leaf mold and sand. Cover seed one-fourth inch deep, and keep as near 65° F, as possible. Water moderately, and as soon as the third leaf appears, pot singly in two inch pots, transferring to larger ones as the plants require. Plunge the pots or set in open border, and on approach of frost remove to cover. They will blossom the succeeding spring. Half hardy perennial; about two feet high.

GILLIFLOWER-(See Stock)

Gladiolus These magnificent plants for bedding and cutting with their long spikes of tubular lily-form flowers can be raised from seed in nearly every conceivable color and shade, some being most beautifully striped and blotched.

Sow seed thickly, as soon as the ground is warm in spring, covering one-fourth inch deep. The plants should have very careful attention and be kept free from weeds. The bulbs which have formed should be taken up in the fall and kept dry during winter. The stronger bulbs will flower the second season; the balance the third season. Tender perennial; about two and one-half feet high.

Finest Mixed. Finest named sorts mixed......Pkt. 15c. For Gladiolus Bulbs see Bulbs and Roots, page 101.

Globe Amaranth (Gomphrena globosa) A desirable everlasting, valued for its handsome small, globular flower heads which, if cut when well matured, will retain their beauty through the winter. Seeds germinate slowly; start in hotbed, or soak in warm water to soften the woolly husk. Set the plants one foot apart. Tender annual; twelve to eighteen inches high.


Purple	Pkt.	. 10c.	Striped	Pkt. 10c.
White	"	10c,	Mixed, Oz. 25c.,.,	



Gloxinia Greenhouse perennial plants produc-ing soft, velvety green leaves, and rich, beautifully colored trumpet-shaped flowers. Glox-inas thrive best in an equal mixture of leaf mold, loam and sand. If started in February will usually bloom the latter part of summer. Seed may also be sown in fall. The plants are delicate and not easily grown, but the flowers are of such beauty that one generally feels amply repaid for the effort. Hybrida Mixed. A strain of the richest color and variety of markings. Plants ten to twelve inches high. Pkt. 25c.



Gourd (Cucurbita) A very extensive genus of trailing annuals with curiously shaped yellow fruit, commonly known as Ornamental Gourds. The nuch used for covering old fences, trellises, stumps, etc. The foliage is ornamental, and the markings of some of the fruit extraordinary.



Gypsophila Delicate, free-flowering plants covered with star-shaped flowers, valuable for mist-like effects and as trimming in bou-ground but does best on a limestone soil. Make handsome specimens dried. GOURDS GOURDS GOURDS GOURDS GOURDS GOURDS

Elegans Large Flowering Pure White. An improved large-flowering strain, superior to the common Elegans not only in size of flowers but also in color. A very charming sort for combining in bouquets with Sweet Peas or other cut flowers.

Helichrysum (Everlasting) Sometimes called daisy-like flower heads with prominent centers and stiff over-lapping scales, produced in various shades of bright yellow and scarlet on stems of good length. Desirable as dried speci-mens and for use in making winter bouquets. For this purpose the flowers should be gathered when on the point of ex-nanding. panding.

 Oz.40c.
 Pkt. 10c.

 Physical and the problem in the problem of the problem of



HELICHRYSUM

(Althaea rosea) For a background to a flower garden nothing is better than the improved strains we offer of this tall old fashioned garden sout three inches across, ranging from deep yellow and red to pure white, are set as rosettes around the strong growing flower stalks.
 Sow seed in June or July, in open ground, and in the autumn, when the plants have made five leaves, transplant to permanent position two to three feet apart. The following summer they will bloom. All double varieties are hardy perennials: five feet high.
 Early Flowering. Blooms readily as an annual the first year from seed sown in spring. A wide range of colors in large single or semi-double flowers. Pkt. 15c. Chater's Finest Mixed. Double perfection. 15c.

ouble	Blood Red. Oz. \$1.25	15c.
66	Deep Rose. Oz. \$1.25	4 15c.
66	Lemon Yellow. 0z. \$1.25	· 15c.
66	Pink. Oz. \$1,25	15c
64	Salmon. Rich salmon color, suffused with pink. Oz. \$1.50	15c
6.6	Pure White. Our special improved strain. Oz. \$1,50	· 15c
6.6	Choice Mixed. All colors. Oz. \$1.00.	15c
66	Mixed. Oz. 75c	10c

IBERIS-(See Candytuft)

IMMORTELLES-(See Acroclinium, Globe Amaranth, Helichrysum, Rhodanthe) IMPATIENS BALSAMINA-(See Balsam)


IPOMŒA GRANDIFLORA—(See Moon Flower) IPOMŒA QUAMOCLIT—(See Cypress Vine) IPOMŒA PURPUREA—(See Morning Glory) JAPANESE HOP—(See Humulus Japonicus) JOSEPH'S COAT—(See Amaranthus tricolor)

Job's Tears (Coix lachryma) Curious ornamental grass with broad, corn-like leaves and lustrous slate colored seeds used for beads. Valuable for winter bouquets with everlasting flowers. Plant outdoors early in spring in hills three feet apart, four or five seeds in a hill, and cover half an inch deep. Hardy annual; three feet high. Oz. 15c. Pkt. 10c.



KOCHIA (SUMMER CYPRESS)

Perennial Varieties



Lantana The plants form small shrubs, producing in late summer and autumn heliotrope-like clusters of single, fra-and transplant when danger of frost is over. May also be grown in pots. Tender perennial; about two feet high. Finest French Hybrids mixed. Oz. 30c.....Pkt. 10c.

Linum Grandiflorum Rubrum (Scarlet Flax) An attractive free-flowering bedding plant with slender foliage and bear-ing on delicate stems clusters of glossy bright red single flowers, saucer-shaped, with black center. If sown in hotbed and transplanted into good, rich soil, one foot apart, the period of flowering will be much advanced but the seed can be sown in the open ground after the weather is warm. Hardy annual; about one and one-half feet high. Oz. 20c. Pkt. 10c.

Lobelia The four dwarf (*Erinus*) sorts are charming plants, well adapted for bedding, pots or rockeries. They make flowers and are very effective in masses, being covered with flowers a long time. The flowers are usually blue with lighter center and are borne in neat clusters, each irregularly lobed flower being about five-eighths inch across

Seed may be sown outdoors after danger of frost is over; or start the plants in pots in greenhouse or hotbed, early in spring and transplant in May to place outdoors. Half hardy annual; usually about six inches high.

Emperor William. A very fine, erect and compact variety with clear intensely blue flowers. Oz. \$1.75......Pkt. 10c.

Queen of Whites. A neat little plant, very dwarf, with many pure white flowers; useful for borders.....Pkt. 10c. Crystal Palace (Speciosa) An exceptionally graceful sort and one of the best in color, having bright deep blue flowers; very dark green foliage......Pkt. 10c.

Gracilis.


racilis. The flowers are bright blue with small white centers, fine for baskets and vases, trailing gracefully and blooming profusely. Plants slender, six inches high. Pkt.10c.

Love-in-a-Mist (Nigella) Also known as Lady-Bush, because the blossoms are partly concealed by the finely cut foliage. The large oddly shaped flowers are sur-rounded by a very dense fringe or wreath of mossy fibres, Both plant and flower are handsome and require but little care. Sow seed in spring in any good garden soil, or may be sown in fall. Hardy annual.

Damascena, fl. pl. Double blue flowers; one and one-half to two feet high. Oz. 20c.....Pkt. 10c.

Lupin A very attractive free-flowering plant with long graceful terminal spikes of fragrant pea-shaped blossoms. Blooms early in the season and is desirable for cutting. Sow seed in place in spring and thin to one and one-half feet apart. Hardy annual; about three feet high. Blossoms white, shaded with yellow, blue and Cruikshanki. purple. Oz. 20c....Pkt. 10c.

MALCOMIA MARITIMA-(See Virginian Stock)



MARIGOLD, AFRICAN EL DORADO

Macigold Notwer garden seems complete without this fine old-fashioned garden plant with its brilliant displays of yellow and orange, both tall and dwarf sorts, and with finely cut or entire bright green foldage. The African (*Tagetes erecta*) varieties are tall, usually one and one-half to three feet, and are well adapted for large beds, backgrounds or mixed borders, while the French (*Tagetes erecta*). To best results start seed early indoors and transplant six inches apart when danger from frost is over, but good blooms of all varieties of Marigold are often successfully obtained from seed planted in the open ground after danger from frost is past. More there we are down. When about two inches high, thin six to twelve inches. Hardy annuals; in bloom till frost comes.

- African Double Dwarf, Lemon Colored. Very early and a pro-fuse bloomer of very compact habit. One of the best of this class. Comes true from seed; about eighteen inches high. Desirable for shrubbery or mixed border......Pkt. 10c.
- African Orange Quilled. A double variety with quilled petals. The flowers are showy, bloom very early and are used for cutting. The plants are rather dwarf, growing about fitteen inches highPkt. 10c.
- African Double Mixed. A tall mixture well adapted for large beds. About two feet high. Oz. 30c......Pkt. 10c.


MARVEL OF PERU—(See Four O'Clock) MATHIOLA—(See Stock)

Matricaria Eximia Grandiflora, fl.pl. (Double Feverfew) Beautiful small white button-like double flower-heads. Plants of bushy growth, with very finely cut dark green foliage; desirable for bedding. Start the seed very early indoors in shallow boxes; trans-plant when size permits to small pots or plant boxes, giving each seedling two to three inches of space and set out in the open ground after danger of frost is over. Where climate permits seed may also be sown in fall outdoors. Half hardy perennial, about two feet high.....Pkt. 10c.

Maurandia Graceful slender climber with glossy ivy-shaped leaves. It produces an abundance of showy irregular trumpet-shaped flowers, one and one-half inches long, usually purplish blue, white or rose colored with lighter throat. Suitable for greenhouse and hanging baskets in the winter and very satisfactory outdoors especially if a small trellis is given as support.

• Seed should be started in hotbed or indoors and the young plants set out in open border after danger of frost is over. Tender perennial, blooming the first season; six to ten feet high.

Fine Mixed. Oz. \$1.50.....Pkt. 10c.



..... Pkt. 10c.

Mimulus the open air. Sow the seed, which is exceedingly fine, under glass in spring or fall in rich moist soil, mixed with sand, and in a somewhat shaded situation. Cover the seed lightly and keep well watered.

Moschatus (*Musk-Plant*) An attractive trailer with bright green foliage and many small yellow flowers of musky odor. Desirable for hanging baskets and window gardens. Oz. \$2.00......Pkt. 10c. Cardinalis grandiflorus. Flowers dark red, plant

yellow flowers, spotted with shades of red and rich maroon. An effective pot plant about eight inches high; blooms first year. Oz. \$1.75.......Pkt. 10c. MIRABILIS-(See Four O'Clock)

Momordica Gracefully climbing vines with small yellow blossoms, followed by fruits of curious shape. Foliage attrac-tively cut and although tender annuals, the vines run the feet or more during the season. The seed is very hard and germination will be hastened if a notch is carefully cut through the shell before planting. For best results, sow indoors early in spring and transplant after danger of frost is over, or sow in place as soon as ground is warm and dry.

as ground is warm and dry.
Balsam Pear (Charantia) The fruit is pear-shaped, green changing to bright red and has a warty skin; when ripe it bursts open and shows a brilliant interior of large carmine seeds. Oz. 25c.....Pkt, 10c.
Balsam Apple (Balsamina) Like Balsam Pear but foliage smaller; fruit much smaller and nearly round, green striped when young, becoming scarlet. Ox 25c......Pkt, 10c.

.....Pkt. 10c. Oz. 25c.....

Morning Glory Seed is usually sown outdoors early in spring in row where plants are to remain. Well pulverized soil should be used and the seed covered one-half inch deep; thin four to six inches a part. If very early blooming is desired, seed may be started indoors and transplanted. Give some support such as strings or cord to the vines as soon as they begin to run and they will often exceed ten feet in height before the season is over. Seed triangular, black, except the White variety, which is light yellow.


 Striped.
 Pkt. 10c.
 Purple.
 Pkt. 10c.
 Pkt. 10c.

 White.
 "10c.
 "10c.
 Mixed.
 Many shades from white to dark blue, red and striped.

 Blue.
 A very attractive shade.
 "10c.
 Pkt. 10c.
 Pkt. 10c.

 Aurora. Flowers decidedly larger and of heavier texture than those of the common Morning Glory; rich, deep blue shading to a white or rose-colored throat, or an exceedingly rich, deep carmine. Very free blooming. Oz. 40c......Pkt. 10c.

MOSS ROSE-(See Portulaca) MYRSIPHYLLUM-(See Smilax)



asturti

Few plants are more easily grown or re main longer i in

Tropæolum, with its large shield-shaped leaves and beauti-fully irregular flowers having long spurs and brilliantly colored petals. In favorable soil flowers are produced in abundance throughout the season. Much used for window boxes. If the black aphis appears spray the foliage vigor-ously with color.

boxes. If the black aphis appears spray the foliage vigor-ously with water. Seed is usually sown outdoors, as soon as the weather is warm and settled, in the row where the plants are to remain. Well pulverized soil, preferably well drained and moderately rich, should be used and the seed covered with about one inch of fine soil firmly pressed down. A sunny situation is essential for free blooming. If the soil is very rich the plants give a large amount of foliage but few flowers. For earlier blooming, start indoors and transplant to the open ground after danger of frost is over.

Dwarf Varieties (Tropcolum minor) Sometimes flowers are brilliant and attractive. The plants are evenly dwarf and are often used for a border. When about two inches high, thin so as to give each plant about one foot of room. Hardy annual; about one foot high.

Aurora. Flowers light reddish orange, veined with		
carmine. Oz. 20c.	'kt.	10c.
Bronze Colored, Bronze-orange, Oz. 20c	66	10c.
Crimson, Dark crimson, Oz. 20c.	64	10c.
Empress of India. Small, compact plant; deep		
scarlet flowers; very dark foliage. Oz. 20c	66	10c.
King Theodore. Scarlet-maroon or brown-red		
flowers. Oz. 20c.	66	10c.
Pearl. Pale yellow. Oz. 20c	66	10c.
Rose. A warm rose-pink. Oz. 20c	66	10c.
Scarlet. Scarlet-orange. Oz. 20c	66	10c.
Schilling's Striped. Bright yellow with brownish		
red or maroon blotches and stripes. Oz. 20c	44	10c.
Yellow. Bright rich yellow. Oz. 20c	64	10c.
Dwarf Mixed. Many desirable shades and colors.		
Oz. 20c; ¼ Lb. 60c; Lb. \$2.00	66	10c.

NASTURTIUMS
Trailing Varieties
Common tall, climbing or running nasturtium in being a
support to the vines as soon as they begin to run and they will usually grow six to eight feet during the season. The trailing
Bright Yellow. Yellow with purplish carmine stain. Or 200114 b common tall.

Bright Yellow. Yellow with purplish carmine stain. Oz. 20c; 1/4 Lb. 60c	Pkt.	10c.
Brilliant. Intense scarlet-red, dark foliage. Oz. 20c; 1/4 Lb. 60c.	66	10c.
Chestnut Brown. Rich red-maroon. Oz. 20c; 1/4 lb. 60c.		
Giant of Battles. Sulphur, red blotches. Oz. 20c; 1/4 lb. 60c.	66	10c.
Hemisphæricum (Majus) Straw, blotched and suffused orange-scarlet; very large foliage, very strong growing, usually twelve to fifteen feet high. Oz. 20c; 1/4 Lb. 60c.		
twelve to fifteen feet high. Oz. 20c; 1/4 Lb. 60c	44	10c.
Jupiter (Majus) Very large, golden-yellow flowers; very large foliage, very strong growing, usually twelve to fifteen		
feet high; free blooming. Oz. 20c; 1/4 Lb. 60c		
King of the Blacks. Black-red or crimson-maroon, with darker markings; dark foliage. Oz. 25c; 1/4 Lb. 60c		
Light Yellow. Attractive light yellow or yellowish white with maroon stain. Oz. 25c; 1/4 Lb. 60c	66	10c.

Queen Wilhelmina. Foliage variegated, being marbled and veined with light green and white. Flowers rosy scarlet. Oz. 20c; ¼ lb. 60c.....Pkt. 10c. Rose. Bright and attractive. Oz. 20c; 1/4 Lb. 60c. 66 10c.


Spitfire. Bright, flery scarlet flowers; very floriferous. Oz. 20c; ½ Lb. 60c. 10c.

Trailing Mixed. Lobbianum varieties. A wide range of colors and shades. Oz. 20c; 1/4 Lb. 60c; Lb. \$2.00... 66 10c.

Nicotiana Handsome bedding plants of the tobac-co family, valuable for long and free blooming. The flowers are salver-

shaped, with long tubular corollas. Sow outdoors when ground is warm and dry covering the fine seed one-eighth inch deep or for earlier blooming start in boxes indoors and transplant to open ground when danger of frost is past. Allow at least eighteen inches to each plant for proper development. Half hardy annuals; about three feet high.

NIGELLA-(See Love-in-a-Mist) CENOTHERA-(See Primrose)



NICOTIANA AFFINIS

Pansies are now produced in an almost infinite variety of colors and markings. Their brilliancy of shading, extended season of blooming and long keeping characteristics make them general forward of advanced types of very large varieties in this country as well as in Europe, and our stocks are the very best of the most expert specialists and are in position to give our customers the benefit of their knowledge.

We have annually both out of doors and under glass extensive trials of Pansies from the most successful European growers and from prominent seedsmen. While the variations in shades of color and markings appear almost limitless our list includes the very best strains the world produces.

Seed may be sown indoors very early in spring, or a little later in the open ground, and transplanted when an inch high. Such plants will commence to bloom in June. If sown in July, the plants will bloom in the fall, or if sown in September, the following spring. Well pulverized soil should be used and the seeds covered one-eighth to one-fourth inch deep with fine soil firmly pressed down. The largest and best flowers are produced by young plants which have been grown rather slowly in a partially shaded situation, and in very rich soil; coolness and moisture are necessary. A situation sheltered from high winds and exposed to the morning sun is most favorable and frequent sprinklings are advantageous. Grown indoors pansies make a good winter blooming pot plant. Hardy perennial but usually grown as an annual or biennial. Four to six inches high.


LARGE FLOWERING

- King of the Blacks (Faust) Large velvety, pure blossoms. This is probably the darkest flower pure black grown. Oz. \$1.25.....Pkt. 10c.
- Pure Yellow. Brilliant, deep lemon yellow color, large flower-ing variety. Oz. \$1.50.....Pkt. 10c.

GIANT FLOWERING

- \$1.29. Fact Joc. Ferry's Superbissima Blotched. Very large flowers of exceptionally fine form and substance, usually ruffled and beautifully veined and blotched in all the finer and deeper shades and colors found in pansies. Plants are very vigorous and floriferous. Superior to rather than simply different from old strains. 1/4 Oz. \$1.50. Pkt. 15c.
- Giant Blue Black. Very large flowers; a rich velvety purple, almost black.....Pkt. 10c.
- Giant Flowering Parisian Mixed. The flowers of this splendid mixture are of largest size, very fine form and range of colors, often in the lighter shades. Each petal is usually beautifully blotched. Oz.\$2.00..Pkt. 10c.
- Giant Trimardeau Mixed. Our stock of this variety pro-duces as large pansies as can be grown. Flowers of richest, most varied shades, well rounded form and generally marked with three large blotches. Plants very hardy and vigorous. We recommend this mixture as one sure to give general satisfaction where conditions are at all suitable for pansy growth. Oz. \$2.00. Pkt. 10c.
- Lord Beaconsfield. The lower petals are very deep violet-purple, shading in upper petals to white, slightly tinted with purple. The flowers are very large and finely formed. Oz, \$1.25......Pkt. 10c.
- Odier, or Very Large Stained Mixed. Known also as Cassier's. Very large flowers, distinctly veined and each petal beautifully blotched. This is a very fine strain of pansies with a wide range of splendid colors. Sturdy plants, very vigorous and floriferous. Oz. \$4.00.Pkt. 15c.
- Extra Choice Mixed. From best named flowers of very large size. An extra fine Trimardeau mixture, very superior in size, form, coloring and substance. Oz.Pkt. 10c.

Variegated and Striped. Flowers are beautifully striped in various colors, very rich and attractive. Oz. \$1.50...Pkt. 10c. Violet White Edged. Flowers are deep warm violet, edged white. Oz. \$1.25......Pkt. 10c. White. Choice Mixed. Seeds saved from large flowering sorts. special mixture in a wide range of colors, shades and markings. Oz. \$1.00.....Pkt. 10c.



PANSY, GIANT TRIMARDEAU

Peas, Everlasting (Lathyrus latifolius) An easily grown, hardy perennial climber with smaller flowers lacking clusters of eight to ten each. Only a few flowers can be expected the second season but in the third and fourth, the plants then being well established, an abundance of foliage and blooms is afforded. The plants die down late in the fall and start again in the spring. Sow the seed outdoors early in spring, using well prepared soil and covering the seed about one inch deep with fine soil firmly pressed down. The perennial sorts are suitable for covering stumps and fences, and on a trellis will often grow

PELARGONIUM-(See Geranium)

Pentstemon Handsome, half hardy, herbaceous perennials about two feet high and very desirable for bedding and borders. They usually bloom the first year, especially if started early. The flowers are bell-shaped or tubular, an inch and a half long, and are borne in racemes or spikes. The colors include white and various shades of rose and purplish red striped with white.

ow outdoors after danger of frost is past. It is well to use some mulching for protection through winter.Pkt. 10c. Gloxinoides Mixed

Petunia

Petunias are unsurpassed for massing in beds. They are also used along walks and driveways and are often grown in window boxes. Their richness of color, duration of bloom and easy cul-ture will always make them popular. They endure drought exceptionally well. The seed we offer is the result of careful hybridization and can be depended upon to give as large a propor-

Cecuma there will always make them popular. They endure drought exceptionally well. The seed we offer is the result of careful hybridization and can be depended upon to give as large a proportion of double flowers as any.

 In some strains the flowers are very large, measuring four to five inches across; in others, they are deeply fringed; still others have star-like markings radiating from the throat and extending nearly or quite to the outer margin of the blossom; again, others have full, double flowers. The colors range from white to deep red-purple and are variously striped and blotched.

 Plant the seed, which is exceedingly fine, in a warm, open, sunny place. Seeds may be sown directly in the open ground; or early results the plants may be started in cold-frame, hotbed or in pots indoors, in a temperature averaging sixty to seventy degrees. Water with a fine spray and do not permit the seedlings to dry out. The plants are tender and should not be two feet apart. This plants are tender and should not be two feet apart. This plants be given to early results the plants are tender and should not be two feet apart. The uses and one-half feet high.

 Petunias may also be grown under glass in winter. The best method is to sow seeds late in summer and grow stocky stringed or blotched. In many the markings are as beautifully star-shaped as in the strain offered as "Star" petunia. Plants in pots, build be drowers as as beautifully star-shaped as in the strend offereous.

 Contess of Ellesmere. Flowers white, fragrant. A good white bedding variety; very floriferous.
 10c.

 Nyctaginiflora. Flowers white, fragrant. A good white bedding variety; very floriferous.
 10c.

 Nyctaginiflora. Flowers white, fragrant. A good white bedding varity; very floriferou

LARGE FLOWERING PETUNIAS

Peony (*Pæonia herbacea Chinensis*) Well known herbaceous perennial plants, with very double flowers and abundant dark green foliage, which may be grown either from seed or roots. The seed is of very slow growth, and germination may be hastened somewhat by cutting or filing carefully a notch through the shell of the seed, preferably on the rounding side. Rich, well prepared soil should be used and the seed covered one-half inch deep; keep well moistened and at a temperature of 50° to 60°. If the seed be sown in a cold frame in autumn, the plants will be large enough to transplant the following spring, and a year later will bloom. Plants about three feet high. Double Mixed (Peony Roots are listed in our autumn Bulb Catalogue.)Pkt. 25c.

PERIWINKLE-(See Vinca)

 PERIWINKLE - (See Vinca)
 (Large Flowering) Unequalled in the magnificent display of their many and brilliantly colored flowers. The plants are hardy bushlike annuals with many or distance of easiest culture and bloom profusely through a long season. Especially attractive in masses or ribbon beds of contrasted colors; useful as window-garden plants and very desirable for combining in mixed bouquets. Seed is usually sown very early in spring outdoors in rows one foot apart. A sunny situation is desirable. Well pulverized soil, preferably rich and mellow, should be used and the seed, which germinates rather slowly, covered with about one-fourth inch of fine soil firmly pressed down. Thin to four inches apart. For very early blooming, seed may be sown outdoors in fall, or started indoors and transplanted early in April. Hardy annual; one foot high.
 Well pulverized sown outdoors in fow one foot apart. A sunny situation is desirable. Well pulverized sown outdoors in rows one foot apart. A sunny situation is desirable. Well pulverized soil, preferably rich and mellow, should be used and the seed, which germinates rather slowly, covered with about one-fourth inch of fine soil firmly pressed down. Thin to four inches apart. For very early blooming, seed may be sown outdoors in fall, or started indoors and transplanted early in April. Hardy annual; one foot high.

 Black Warrior. Very deep maroon, Oz, 90c.
 " 10c.
 Scarlet. With maroon center. Oz, 90c.
 " 10c.


 Scar 90c.
 " 10c.
 Scarlet. With maroon center. Oz, 90c.
 " 10c.

 Ox. 90c.
 " 10c.
 Scarlet. With maroon center. Oz, 90c.
 " 10c.


 Ox. 90c.
 " 10c.
 Scarlet. With maroon center. Oz, 90c.
 " 10c.

66 Rosea. Rose, with distinct eye. Oz. 90c..... 10c.

and wide range of brilliant colors. Oz. 75c 10c.



PHLOX DRUMMOND



POPPY, SHIRLEY

(*Dianthus*) The Pinks are old-fashioned favor-ites and as a class are more varied in color than the Carnations but lack the the single and double

inks

The carnet as a close at a constraint of the carnet of a constraint of the carnet of the single and double pinks are well adapted for bedding and borders, and are suitable also for cutting as the stems are of good length and the brilliantly colored fowers, often one and one-half to two inches across, contrast vividly with the rather narrow bright light green leaves. Seed may be sown in the open ground in spring after danger of frost is past, in the place where the plants are wanted to bloom. Use well pulverized soil, preferably sandy loam. Make the rows one foot to fifteen inches apart and cover the seed with one-fourth inch of fine soil firmly pressed down. When two inches high, thin six to eight inches apart. Earlier blooming is obtained, in the north, if plants are started in the house. Plants compact, bushy, usually about one foot high. Where clinate permits they may be treated as perennials, but practically are hardy annuals. When grown however for spring blooming, if in a well drained situation and protected by a light nulch of straw, cut fodder or leaves, the plants are less likely to winter kill than if in a moist unprotected part of the garden during the colder months. The plants thus wintered over will produce more and better blooms than those of the first season. first season.

Crimson Belle. Rich, vivid crimson color; flower

Crimison Bele, Tich, vrid erimison coor; inder single, of large size and splendid substance, evenly and finely laciniated.Pkt 10c. Eastern Queen. Single flowers beautifully marbled and striped with light shades of red upon lighter ground. Border of petals finely cut or laciniatedPkt 10c

- brown and annost black, spotted and striped. Oz. Soc. — — Pkt. 10c. Double China Mixed (Chinensis) White and dark crimson selves, also white tipped light purple and shades of red with darker blotch-ings. A mixture of double pinks unsurpassed in variety of brilliant coloring and marking.Pkt. 10c. Oz. 40c.

Snowdrift. Clear white, double and fully as large as the popular Marguerite Carnation; desirable for cutting......

Poppys (Paparer) These well-known hardy annuals and perennials flower in great profusion throughout the summer. Both the single and double varieties are very desirable for bedding and borders. The flowers are remarkable for their large size, delicacy of tissue and wide range of bright dazzling colors. As early in spring as ground can be worked sow the seed, which is quite small, where the flowers are to bloom as the annual varieties do not bear transplanting. Pulverized soil, preferably light and no seed pods allowed to form.

Annual Varieties

- Annual Varieties hirley. A magnificent variety, producing through a long season large single flowers of charmingly delicate colors, ranging from pure white through shades of pink and rose to brightest scarlet and carmine-red. If cut before the blooms are fully expanded, they will keep fresh in water for several days. Hardy annual, about twenty inches high. 102 35c Shirley. nardy annual, about two feet high ... Cardinal. Flowers large and very double, each petal being so finely cut as to give the blossom the appearance of a large ball of brilliant cardinal colored silk. Hardy annual, two feet
- bail of of man cardina cardina

Double Carnation White. Pure white, double showy flowers, beautifully fringed. Oz. 15c......Pkt. 10c. Double Carnation Mixed. Large showy double fringed flowers of various colors; hardy annual, about two feet high. Oz. 15c.....Pkt. 10c.

Perennial Varieties

Perennial Varieties Perennial poppies do best in rows one and one-half feet apart and one foot apart in the row. Seed may be sown out-doors either in spring or fall. Bracteatum. Flowers very large, single brilliant orange-crimson; base of petals bluish black. A garden perennial of most striking appearance; about two feet high....Pkt. 10c. Orientale. Very large single gorgeous scarlet blossoms; base of petals bluish black. One of the most showy garden peren-nials; about two feet high. Oz, §200.....Pkt. 10c. The Carnation Poppy is an improved double form of the single Papaver Sommiferum, used for the extraction of opium. We do not furnish seed of the opium poppy.

Portulaca or the down of the

They are in bloom through a long season. Sow seed outdoors, after weather is warm and settled, where the plants are to stand in rows one foot apart. They should have a sunny situation. Well pulverized soil should be used but it does not need to be rich. Cover seed about one-eighth inch deep. Thin to two inches apart. For massed beds seed can be sown broadcast, the soil sifted on and the whole bed carefully pressed with a board. For earliest blooming start under glass and transplant to place after danger of killing frost is over. Tender annual; about nine inches high.

Single Varieties

 Alba. Pure white. Oz. 40c.
 Pkt. 10c.

 Aurea. Deep golden. Oz. 40c.
 10c.

 Fine Mixed. A wide range of colors. Oz. 35c.
 "10c.

Double Varieties

The seed we offer can be depended upon for a large pro-portion of fine, very double flowers and the few that come single can be pulled out if desired.

Double Mixed. Many beautiful shades. Oz. \$2.75....Pkt. 10c. POOR MAN'S ORCHID-(See Schizanthus)

Primrose, Evening (*Enothera*) Large, showy ally fully expanded only towards and during evening. The blossoms are yellow or white and are very freely produced.

blossoms are yellow or white and are very freely produced. Acaulis Alba (Low White Evening) Plants of prostrate habit, the leaves lying on the ground, smooth and divided un-equally like a dandelion leaf. This sort produces many large flowers about three inches across which open clear white and turn to deep primrose pink. Sow in open ground early in spring. Make rows fifteen inches apart; thin six inches apart in row. Hardy perennial; six inches high.....Pkt. 10c. Lamarckiana. (Showy Evening) Superb spikes of large, bright yellow blossoms about three inches across. Sow in open ground early in spring, or if blooms are wanted the first season, start very early in hotbed and transplant. For best development make rows two and one-half feet apart and thin fifteen inches apart in the row. Plants branching, with lanceolate to oblong dark green leaves, somewhat roughened and pubescent. Hardy perennial but blooms the first year; height four feet. 0.2, 20c...Pkt. 10c.

Primula Sinensis (Chinese Prim-rose) This beauti-ful winter bloom-ing pot plant is especially valuable in that its brightly colored and finely formed flowers and prettily cut foliage may be had in perfection from November until late in spring. The splendid salver-formed flowers are produced in large cluster

RICINUS-(See Castor Bean)

Rocket, Sweet (*Hesperis matronalis*) Produces losse clusters of flowers very fragrant during the evening and useful for cutting. Flowers cruciform, somewhat resembling the single Stock but smaller.

Seed germinates readily in open ground if sown after danger from frost is past. Hardy perennial.

Purple. Plants two and one-half to three feet high Pkt. 10c. White. About two feet high " 10c.

Rose Multiflora Dwarf Perpetual, Mixed. Plants under good care will commence to flower when six inches grow and bloom until they form compact bushes about six-teen inches high, well covered with single and double flowers.

Open the berries and separate the seeds, sowing in pots of rich sandy soil and keep at about 70° F, and moderately moist. When plants are about one inch high transplant and give plenty of light and air. Tender perennial; blooming the first 150° Pt 150° PPkt. 15c.

Salpiglossis on long graceful stems. Very showy bedding or border plants with richly colored, funnel-shaped flowers which are borne The flowers of purple, scarlet, or almost black are beautifully veined or penciled and are excellent for cut flowers. They are easily grown and are most desirable for beds or borders.

For early blooming seed may be started indoors as early as the middle of March and the young plants set out in the garden one foot apart, or seed may be sown outdoors after settled warm weather. Blooms from August to October. Half hardy annual; about two feet high.

Large Flowering Mixed. A mixture of improved dwarf, very large flowering sorts, more compact than ordinary varieties and with much larger, more richly colored flowers.. Pkt. 10c.




SALPIGLOSSIS

Salvia (Flowering Sage) Among the most brilliantly colored of garden flowers and extremely useful for bedding; also valuable for pot culture and cut-foliage and are of fiery red, crimson or blue, continuing in flower a long time. The densely filled flower spikes are often eight to ten inches long and include thirty or more tube-like florets, one to two inches in length. Start carly in beat and transplant into light soil one to

Start early in heat and transplant into light soil one to two feet apart; or seed can be sown outdoors after danger from frost is past. Tender perennial, but blooms the first season; height one and one-half to three feet.

- Splendens. Sold also as "Splendens Bonfire." The large. brilliant scarlet flowers are in very striking contrast with the rich, dark green background of dense foliage. This variety is most generally used in parks and on extensive lawns, as it is more vigorous than the dwarf varieties. One of the most distinct and effective bedding plants. lawns. Two and one-half to three feet high. Oz. \$2.00...Pkt. 10c.
- Patens. One of the finest blue flowers known; not as well suited for bedding as the other varieties of salvia, but very attractive in the mixed border or in the green-house. Height of plant, about one and one-half to two feet.Pkt. 15c.
- **Fireball.** Many strains of Salvia Splendens have been offered under different names claiming they are larger flowered or more floriferous than the old type. We have found none more valuable than this strain in which the plant is more uniformly dwarf, and comes into bloom earlier than most sorts and remains covered with brilliant red flower spikes a remarkably long time. Height of plant about two feet. Plat 10c plant about two feet.....Pkt. 10c.

SCABIOSA-(See Mourning Bride) SCARLET FLAX-(See Linum)



SNAPDRAGON



SALVIA

Schizanthus Retusus Trimaculatus. Also known as Butterfly Flower or Poor Man's Orchid. Dainty compact branching plants with finely cut foliage, covered when in bloom with clusters or spikes of brilliantly colored butterfly-like flowers. Valuable for garden decoration or pot culture. Petals bright yellow with margins and tube of carrine or purple-rose, shading from lighter to darker shades.

The seed may be sown outdoors after dager of frot \natural is past, where the plants are to remain; or start inside and trans-plant when weather is suitable. Hardy annual; about twenty inches high.....Pkt. 15c. SENSITIVE PLANT-(See Mimosa Pudica)



Snapdragon is now one of the best perennials suitable for flowering border annual. The long showy spikes of curfously shaped tubular flowers with spreading lobes and finely marked throats are fragrant as well as brilliantly colored. They are very desirable for cutting as the spikes of bloom are borne well above the dark glossy leaves and keep fresh for a long time.

glossy leaves and keep fresh for a long time. For blooms the first season outdoors, sow seed very early under glass and transplant to open border as soon as the ground is warm and dry, in rich loamy soil in a sunny situation. setting one foot apart each way and giving them plenty of water: or sow seed in August or September and cover plants with a much on approach of cold weather. These fail-sown plants may be transplanted into pots and flowered in the house, and in this case give them the same temperature and treatment as geraniums and carnations. Tender perennial, often treated as annual or biennial; one and one-half to two feet high.

Majus album. Pure white, light yellow throat Pkt. 10c.

 Majus album.
 Pure winte, ngnt you to the threat white... "10c.

 Majus brilliant.
 Crimson and yellow, threat white... "10c.

 Database
 "10c.

 Majus Delila. Reddish-violet, white throat.....

Stock (Mathiola) Sometimes called Gilliflower. Considered almost indispensable where a fine display of flowers is wanted and particularly valued for edgings, bedding and pot culture. The improved varieties we offer of this fa-vorite garden plant produce dense spikes of very fragrant and beautiful rosette-like double flowers in a wide range of attractive colors. They are suitable for cutting, being produced on stems of good length in pleasing contrast with the dark green foliage of the bushy plants. Each of the four types is of long flowering period, and if the earlier ones are started indoors, a profusion of fragrant and pleasing flowers is afforded for the entire season. Sow outdoors early in spring, using well fertilized, carefully pressed down. Make the rows fifteen inches apart; thin to six inches apart. For earlier blooming start indoors and transplant. Height of plants, one to one and one-half feet.

of plants, one to one and one-half feet.

Early Flowering Brompton

A decidedly superior, large-flowering annual strain with the splendid foliage and bloom of the older type but flowering with the German Ten Weeks and decidedly superior in length of stem and size of flower spike. This group is also called Beauty Stocks, Giants of Nice, "Cut and Come Again" and Victoria Stocks.

Belle of Naples. Old rose or light purplish rose	
Camaldoli. Dark violet or light purplish red	· " 15c.
Snow White (Victoria)	. " 10c.
Vesuvius. Blood-red or deep purplish red	
Early Flowering Brompton Mixed. Includes shades of	white.old
rose, blood-red, purple and violet. Oz. \$3.00	.Pkt. 10c.

Double German Ten Weeks (Large Flowering)


This favorite half-hardy summer blooming annual has deliciously fragrant flowers and is very desirable for cutting.

Intermediate or Autumnal Stocks

Sown at the same time as the Ten Weeks, the Intermediate sorts will succeed them in bloom, thus affording flowers continuously until late in the fall. The flowers are larger and are produced on longer, bolder spikes. For indoor blooming, if sown in pots late in summer the plants will bloom the following spring.

Winter or Biennial Brompton Stocks


Winter or Biennial Brompton Stocks These require a longer time than the Intermediate to grow and cannot endure our winters unless protected. Brompton Mixed. This mixture of Winter or Biennial Brompton Stocks forms bushy plants flowering in the fall outdoors if started in hotbed early in spring and transplanted, or blooming well in winter from seed sown outdoors in summer if plants are taken up in the fall and given cool airy quarters indoors; half hardy biennial. Oz. \$4.00..........Pkt. 10c. STRAW FLOWER-(See Helichrysum and Rhodanthe)



SUNFLOWER, DOUBLE CHRYSANTHEMUM FLOWERED



STOCK, DOUBLE GERMAN TEN WEEKS



improved varieties are coming into special favor as a background for lawns and in front of high fences. Valuable also as a screen to hide unsightly places and sometimes used to mitigate the evil of adjacent swamp holes. Their very tall dense growth and bright yellow disc-like flowers of very large size and long blooming period make them one of the most deserving and useful of hardy annuals.

Sunflowers grow readily in almost any soil but do best on light, rich limestone or alluvial land well supplied with moisture and not shaded by trees or buildings. Sow the seed outdoors in spring after danger of frost is over, preferably in well pulverized soil either broadcast or in rows two to three feet apart and cover about one-half inch deep. When the young plants are about four inches high, thin one-half to two feet apart to se-cure the best development.

- **Double Chrysanthemum Flowered.** The most at-tractive of the very double sunflowers. Plant tall, growing seven feet high and blooming pro-fusely all summer. Flowers very large, often eight to ten inches across, very double, with long fringed petals and resemble chrysanthe-mums. The color is a splendid, rich, golden-yel-low, free from any black center. Oz. 30c..**Pkt. 10c.**
- Globosus Fistulosus (Globe, or Dahlia Sunflower) This desirable variety produces very large, ex-ceedingly double flowers, often six to eight inches in diameter and of bright yellow color. The plants are usually about five feet high. Oz. 20c.Pkt. 10c.
- The plant of this fine Miniature (cucumeri-Stella.

SWEET ROCKET-(See Rocket)

SWEET PEAS

(Lathyrus odoratus) No garden is too small for a row of Sweet Peas and no estate, however extensive or magnificent, should fail to include many varieties of this most popular flower. Its long blooming season usually extends from early summer until equals it for cutting, either for use in bou-quets or for table decoration. In describing varieties to the the

In describing varieties, by "standard" is meant the wide petal at the top of the flower; the "wings" are the two petals below.

the "wings" are the two petals below. In addition to the classification by colors, there are two typical forms of grandifioras recognized, the "open form" and the "hooded form," referring to the shape of the stand-ard. In the open form, illustrated by Blanche Ferry, Katherine Tracy and King Edward VIL, the standard is nearly round, smooth and straight on the edges. The standard in the hooded form, of which well known ex-amples are Dorothy Eckford, Countess of Radnor and Othello, has slightly rolling sides at the top, giving the flower a shell shaped appearance. shaped appearance.

For Outdoor Planting there are two general classes. The more generally known is the **Grandiflora** or large flowering division. This class, owing to its vigor of growth, its freedom of blooming and extremely wide range of colors, is well suited for most con-ditions of growth and location.

The Spencers are of exceptionally large The Spencers are of exceptionally large size, the standard and wings waved or frilled and the general effect remarkably graceful and attractive. The plants are of vigorous growth and remain in bloom for a longer time than the Grandiflora sorts. The Spen-cers are decidedly shy seeders, hence the price will doubtless always be higher than for the older types.

The early flowering division in both the Grandification and the Spencers is composed of varieties that are most desirable for forc-ing under glass or for early flowering out of doors. Our list contains many varieties of exceptional merit.

exceptional merit. Culture. Early in spring make a trench three to four inches deep in rich, mellow soil, so arranged that no water can stand in it and plant the seed in the bottom, covering at first only one inch deep. Sweet Peas, particu-larly the white seeded sorts, are often a little difficult to start. If the soil is too dry they will remain a long time without germinating; if it is too wet and cold they will not sprout at all. In soils at all heavy, or composed largely of clay, put about one inch of sand in the bottom of the trench and sow the seed on this, covering with more sand. Cover the row with a board to shed the rain and protect the soil from the hot sun but remove this as soon as the young plants appear. soon as the young plants appear.

When the plants are two inches high, cultivate and as they grow gradually fill up the trench. When the plants are about five inches high it is desirable to furnish some support for the vines to run upon, preferably a wire netting firmly supported by stakes to prevent sagging, but strings or brush are often used with satisfactory results.


Where plantings are made as early as Where plantings are made as early as possible, deep spading or plowing, the plac-ing of manure deeply in the soil to draw the roots downward, a sunny situation with the rows running where possible north and south, the removal in the early stages of growth of all but two branches and the thinning of the plants eight to twelve inches apart—these conditions are usually essential for the largest and most finely formed blossoms. and most finely formed blossoms.

The roots should not be allowed to become too dry. Water applied thoroughly once or twice a week, preferably early in the morning or in the evening, is usually better than light sprinkling more frequently.

sprinking more frequency. For the aphis or plant louse, spraying with solutions of some tobacco extract or whale-oil soap is usually effective; and for the Red Spider, which also causes trouble at times, spraying with pure water is usually sufficient. A frequent change of location has also been found important.

A better growth of the vines and earlier blooming often result from planting seed late in the fall instead of early in the spring.

The blooms should be picked before they form pods or the plants will soon stop flowering.



SWEET PEAS, MARGARET MADISON

SWEET PEAS-Continued

SPENCER VARIETIES

This group includes the largest and most beautifully formed sweet peas. The Spencers have very large waved flowers which are produced abundantly on long strong stems, making the blossoms most desirable for cutting.

The plants of Spencer varieties when grown outdoors are usually in bloom much longer than other sweet peas, as most of the blossoms fall of after maturity without setting pods. A characteristic of the best Spencers is an "open keel." The petal or envelope enclosing the pistil, stamens and anthers is called the keel. In a typical Spencer flower grown under favorable condi-tions the anthers and stigma are not clamped together and the envelope of the keel is large and baggy and open at the top.

- PPLE BLOSSOM SPENCER.
 Bright rose standard with wings of very light primrose flushed or tinted rose carmine.
 KING MANOEL.
 A large deep maroon of exceptional merit.

 Very large Spencer form.
 Pkt. 10c; Oz. 30c; ¼ Lb. 90c.
 VALTY SPENCEP.
 Pright hun flaged and stringed on white

 APPLE BLOSSOM SPENCER.
- ASTA OHN. Suffu with pinkish tinge. Suffused lavender or tinted mauve sometimes . Spencer form, large and wavy. Pkt. 10c; Oz. 30c; 1/4 Lb. 90c.
- AURORA SPENCER. Flowers brilliant orange-rose, striped and flaked on white. One of the most attractive very large striped Spencers. Pkt. 10c; Oz. 25c; ¼ Lb. 80c.
- ANCHE FERRY SPENCER. This is similar in color to the old Blanche Ferry but like all Spencers the type is not unalter-ably fixed. Rose-pink standard; wings white, suffused and tinted with light pink. Pkt. 10c; Oz. 25c; ¼ Lb. 80c.
- LUE PICOTEE. Almost pure white except for a narrow edging of violet blue on the standard and wings. Flowers large and of fine form. Pkt. 10c; Oz. 25c; ¼ Lb. 80c. BLUE PICOTEE.
- CAPTAIN OF THE BLUES SPENCER. Purple, with blue wings, beautifully waved; margin of petals marbled. Pkt. 10c; Oz. 30c; ¼ Lb. 90c.
- COUNTESS SPENCER. Bright clear pink, sometimes darker towards the edges; very large, open form; long stems. The first variety introduced of the Spencer type and still con-sidered one of the best. Pkt. 10c; Oz. 25c; ¼ Lb. 80c.
- DAINTY SPENCER. White suffused and edged with rose-pink; large Spencer form; picotee edged; very free blooming. Pkt. 10c; Oz. 25c; ¼ Lb. 80c.
- DOBBIE'S CREAM. A strong growing, profuse blooming va-riety, with large, much waved flowers, often duplexed and with many four-blossomed sprays. Pkt. 10c; Oz. 25c; 1/4 Lb. 80c.
- ELFRIDA PEARSON. A very large light pink on white ground, beautifully edged and shaded. Plants sturdy and very vigorous. A most useful pink Spencer for decoration and exhibition. Pkt. 10c; Oz. 30c; ¹/₄ Lb. 90c.
- GEORGE HERBERT. A bright, rose-crimson or rose-carmine Spencer variety of large size suffused with magenta and showing veins in wings. Both standard and wings beautifully waved. Pkt. 10c; Oz. 25c; ¹/₄ Lb. 80c.
- HELEN LEWIS. A rich crimson-orange, with wings of orange rose or orange-salmon-pink. Large, fine Spencer form. Pkt. 10c; Oz. 30c; ¹/₄ Lb. 90c.
- HELEN PIERCE SPENCER. marbled with bright blue. ELEN PIERCE SPENCER. White veined, mottled and marbled with bright blue. Very attractive gloxinia-like coloring. Pkt. 10c; Oz. 30c; ¼ Lb. 90c.
- ILLUMINATOR. Bright glowing salmon tinged with orange. Pkt. 10c; Oz. 25c; ¹/₄ Lb. 90c.
- KING EDWARD SPENCER. Brilliant crimson-scarlet; ve large size and of open form. Pkt. 10c; Oz. 25c; ½ Lb. 80c. verv
- KING WHITE. The form, size, vigor, waviness and purity of color, give pre-eminence to its claim as the best Spencer yet introduced. Seed white. Pkt. 10c; Oz. 30c; ¹/₄ Lb. 90c.

- LOYALTY SPENCER. Bright blue flaked and striped on white ground. Flowers of large Spencer form. Pkt, 10c; Oz, 30c; ground. ¹/₄ Lb. 90c.
- MARGARET ATLEE. Rich glowing pink on cream ground. The flowers are of largest size, beautifully frilled or waved and freely produced in "fours" on long strong stems. Many of the flowers are duplex or double. Pkt. 10c; Oz. 30c; 1/4 Lb. 90c.
- MIRIAM BEAVER. **IIRIAM BEAVER.** A leading light cream pink sweet pea. Flowers exceptionally large and wavy with the standard often duplexed or doubled. Coloring very dainty and pleas-ing, soft shell salmon pink on cream ground. Pkt. 10c; Oz. 30c; 1/4 Lb. 90c.
- MRS. HUGH DICKSON. Buff, apricot and rose. Flowers of the largest size borne on long stems; mostly four blossoms on each stem. Pkt. 10c; Oz. 25c; 1/4 Lb. 85c.
- MARGARET MADISON (New). A self-colored soft light azure blue or pale lavender Spencer. The form and coloring when grown under favorable conditions are exquisite. Pkt. 10c; Oz. 30c; ¹/₄ Lb. 90c.
- OTHELLO SPENCER. A beautiful, deep, pure maroon of very large Spencer type. One of the most reliable of the maroon shades of Spencers. Pkt. 10c; Oz. 25c; ¼ Lb. 80c.
- PRIMROSE SPENCER. One of the best primrose, or cream and ivory sweet peas. Spencer type, large wavy petals, clear, distinct color. Seed white. Pkt. 10c; Oz. 25c; ½ Lb. 80c.
- ROSABELLE. A very rich bright rose with a faint tinge of purple. Flowers beautifully waved or large size. Pkt. 10c; Oz. 30c; ¼ Lb. 90c. waved or fluted and of extra
- ROYAL PURPLE. Rich royal purple. The best purple yet introduced. Pkt. 10c; Oz. 30c; ¼ Lb. \$1.00
- SCARLET EMPEROR. Brilliant deep scarlet. Flowers of large size and very attractive. Pkt, 10c; Oz. 30c; ¼ Lb. 90c.
- TIRLING STENT. A rich deep metallic salmon, suffused with orange. A beautiful Spencer, especially in artificial light, re-quiring shading to show true color. Pkt. 10c; Oz. 25c; STIRLING STENT. 1/4 Lb. 80c.
- THOMAS STEVENSON. Brillant orange-scarlet of large Spencer form, the standard showing more orange than the wings. Vines vigorous and very floriferous. The intense coloring is heightened by shading. Pkt. 10c; Oz. 30c; 1/4 Lb. 90c.
- WEDGWOOD. VEDGWOOD. Bright silvery blue. Large, well waved flowers on long stems. An attractive and very desirable shade. Pkt. 10c; Oz. 30c; ¼ Lb. 90c.
- WHITE SPENCER. Standard and wings of pure white, beauti-fully waved and fluted. An especially attractive variety of very large size. Seed white. Pkt. 10c; Oz. 30c; ¹/₄ Lb. 90c.

EARLY FLOWERING SPENCER VARIETIES

A comparatively new class of Sweet Peas that is rapidly becoming prominent for winter flowering indoors. The flowers are large, of the same form as the Spencers and are beautifully waved or frilled. They remain in bloom for a much longer time than the Early Flowering Grandiflora sorts. When planted out of doors they will commence blooming a month or more earlier than the later flowering varieties planted at the same time. (See colored plate and further description in Supplement)

- EARLY HEATHER BELL. The color is a rich and pleasing mauve, changing to a beautiful mauve lavender after cutting. Flowers are very large, borne in threes and fours on long stout stems and are of beautiful bold Spencer form. Pkt. 15c.
- EARLY LIBERTY. The flowers are large, well waved and are borne in threes and fours. Color rich deep crimson. Vines vigorous and floriferous. Pkt. 25c.
- **EARLY MELODY.** Rose pink on white ground, resembling Countess Spencer in color. Very floriferous and flowers of excellent form. Pkt. 15c.
- **EARLY MORNING STAR.** Deep orange scarlet standard with rich orange pink wings. Flowers large, of the best Spencer form and are borne in threes and fours in wonderful profusion. Pkt. 15c.
- EARLY SONG BIRD. An excellent pale pink variety which is very desirable for cutting. The flowers are borne on long stems with mostly four large well waved blossoms to each stem. Pkt, 15c.

- **EARLY SONGSTER.** A very pleasing and attractive shade of lavender. The vines are floriferous and the flowers very large and nicely waved. **Pkt. 25c.**
- **EARLY SNOW FLAKE.** An early flowering white variety of distinctive merit. The blossoms are large, of the best Spencer form and are borne in profusion on long stems. The most desirable Early Flowering White Sweet Pea. **Pkt. 15c.**
- **EARLY SPRING MAID.** A bright pink on cream ground, color being very similar to that of Mrs. Hugh Dickson. A most attractive variety and like the other Early Flowering Spencers it furnishes a wealth of blossoms borne in threes and fours on long stems. **Pkt. 15c.**
- YARRAWA. One of the most desirable of the Early Flower-ing Spencers. Color a bright rose pink with a clear creamy base, the wings being slightly lighter in color. Flowers large, beautifully waved and many of them duplex or double. Pkt. 15c.
- EARLY FLOWERING SPENCERS MIXED. A choice mixture of the foregoing named Early Flowering Spencer varieties, Pkt. 15c,

SWEET PEAS-Continued

EARLY FLOWERING GRANDIFLORA VARIETIES

The Early Flowering Grandiflora sorts are especially recommended for florists who grow sweet peas under glass. The group is sometimes called "Winter-Flowering." It includes the earliest blooming sweet peas such as florists supply for Thanksgiving and Christmas trade. They are also largely planted for early flowering out of doors.

- **EARLIEST WHITE.** The earliest blooming white sweet pea. I The flowers are of hooded form and hold their size and form well. Seed black. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 60c.
- **EXTRA EARLY BLANCHE FERRY.** Vines vigorous and hardy though of dwarf habit. It will be found to be the first to furnish flowers either in greenhouse or out of doors. **Pkt. 10c; Oz. 35c; ¹/₄ Lb. \$1.00**
- MONT BLANC. The flowers are of open form, good size, very clear white and bloom very early. This is considered the best forcing white sweet pea. Seed white. Pkt. 10c; Oz. 20c; ¼ Lb. 60c.
- MRS. CHAS. H. TOTTY. A most desirable early lavender for forcing and is also recommended for out of door planning. Flowers of large size, shell shaped. Vines strong growing with flowers borne on long stems. One of the very best Early Flowering or Christmas sorts. Pkt. 10c; Oz. 20c; ¼ Lb. 60c.
- MRS. F. J. DOLANSKY. The best early, pure light pink. An excellent sort for early flowering indoors. Vines vigorous with flowers borne on long stems. A very desirable variety for cutting. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 60c.

GRANDIFLORA VARIETIES

The Grandifloras, sometimes called the Eckford class, are an older type than the Waved or Spencer sorts and the flowers are not so large. They are usually not so long in bloom, but are decidedly cheaper and more easily grown.

- AMERICA. Carmine striped and splashed on white ground. Open form, good size. Pkt. 10c; Oz. 15c; ¼ Lb. 50c.
- AURORA. Large, hooded form; striped and flaked with orangesalmon-pink over white. Pkt. 10c; Oz. 15c; ¼ Lb. 50c.
- BLACK KNIGHT. Glossy deep maroon, medium size, open form Pkt. 10c; Oz. 15c; ¼ Lb. 50c.
- BLANCHE FERRY. Blooms very early and continues to produce abundantly through a long season. The standard is medium sized, of open form, and bright rose-pink; wings large, rounded, nearly white. Pkt. 10c; Oz. 20c; ¼ Lb. 60c.
- COUNTESS OF RADNOR. A beautiful lavender of hooded form, nearly self colored. Pkt. 10c; Oz. 15c; ¼ Lb. 50c.
- **DAINTY.** White shaded lightly and edged with light pink. They are of good size, hooded form and are borne on very long stems. **Pkt. 10c**; **0z**. **15c**; **14** Lb. **50c**.
- DOROTHY ECKFORD. Pure white, shell shaped and are of extra good substance. The variety is considered the best of this class. Seed white. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- DUKE OF WESTMINSTER. Purple standard, with wings shading to violet; large size, hooded form. Pkt. 10c; Oz. 20c; 1/4 Lb. 60c.
- EMILY HENDERSON. A desirable clear white grandiflora sweet pea of open form. This sort is an early and free bloomer. Seed white. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- FLORA NORTON. Flowers light clear blue; medium size, hooded form. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- HELEN PIERCE. Ivory-white veined and finely mottled bright blue; semi-hooded form. Pkt. 10c; Oz. 20c; ¼ Lb. 55c.
- HON. MRS. E. KENYON. Clear primrose; large semi-hooded flower. White seeded. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 55c.
- **KATHERINE TRACY.** Flowers soft but brilliant pink; open form. Plants vigorous, and free flowering. Pkt. 10c; Oz. 20c;
- form. Plants vigorous, and free flowering. Pkt. 10c; Oz. 20c; 1/4 Lb. 60c.
- KING EDWARD VII. Superior to Firefly. A bright crimsonscarlet or pure red of largest grandiflora size; open form. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 55c.


- LADY GRISEL HAMILTON. A large soft lavender, tinted mauve; similar to Countess of Radnor, but nearer blue; hooded form. One of the best. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 60c.
- LORD NELSON (Brilliant Blue) The best grandiflora dark blue; semi-hooded. Pkt. 10c; Oz. 20c; ¼ Lb. 55c.
- LOTTIE ECKFORD. Picotee edged with magenta-blue: standard white, heavily shaded lilac; wings with lighter shade of lilac; hooded form. Pkt. 10c; Oz. 20c; ¼ Lb. 55c.
- MISS WILLMOTT. A fine orange-pink, showing veins of deeper tint. Flowers semi-hooded, good size, on long stems; plant very vigorous. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- MRS. COLLIER. A lighter shade of primrose than Mrs. Kenyon. Seed white. Pkt. 10c; Oz. 20c; ¼ Lb. 60c.
- MRS. GEORGE HIGGINSON, JR. A very clear delicate shade of lilac-blue, self colored; medium size, semi-hooded form. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- MRS. WALTER WRIGHT. A large, hooded, rosy purple of fine form. Pkt. 10c; Oz. 15c; ¼ Lb. 50c.
- OTHELLO. A very dark maroon, practically self colored with almost black veining. Large size, hooded form, very attractive. Pkt. 10c; Oz. 20c; ¼ Lb. 60c.
- PRIMA DONNA. Flowers of good size, clear soft pink selfcolored. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 60c.
- PRINCE OF WALES. Flowers large, shell shaped; pure rosecrimson. A very attractive sort, larger and finer than Her Majesty. Pkt. 10c; Oz. 15c; ¹/₄ Lb. 50c.
- QUEEN ALEXANDRA. Flowers very bright red, large, semihooded. Unsurpassed in brilliancy of color. The nearest scarlet in sweet peas. Pkt. 10c; Oz. 20c; ¼ Lb. 55c.
- SENATOR. Purplish maroon and indigo heavily striped and splashed on light ground; medium size, hooded form. Pkt. 10c; Oz. 20c; ¼ Lb. 55c.
- ST. GEORGE. Flowers flame color. The brightest of the orangepinks; large, of open form and slightly waved Unwin type; wonderfully brilliant. Pkt. 10c; Oz. 20c; ¹/₄ Lb. 55c.

MIXTURES OF SWEET PEAS

Most people obtain more satisfaction from planting Sweet Peas in mixture than from growing named sorts, but to be successful it is necessary that the seed be of the best quality obtainable. Often what is offered as mixed seed is stock harvested from plants that have come up as volunteers on ground where Sweet Peas have been grown before, or a lot of seed which has been grown, saved or handled so carelessly that it cannot be sold as any distinct variety. The use of such seeds will not give satisfactory results. We assure our customers the Mixtures of Sweet Peas which we offer are the results of as great care in selecting as any stocks we grow and as fine flowers are obtained from them as from any seed that can be bought. We invite comparison with any and all others, no matter under what name or at how high prices offered and are certain that a trial will demonstrate the superiority of our mixtures.

Choice Mixed This mixture has been most carefully grown from our selected stock seed and it will afford a splendid variety of blooms of improved forms and in the widest possible range of desirable colors. Many of the most pleasing and brilliant colors are included. Pkt. 10c; Oz. 15c; ¼ Lb. 50c; Lb. \$1.50

- Ferry's Superb Mixed we make up this mixture by combining in carefully considered proportions twenty-one separate named varieties, each the very choicest of its class. This was done after first carefully considering the desirability of color, form and freedom of blooming in our many trials of nearly two hundred different named sorts. Nowhere else can one procure a more magnificent mixture of finely formed and beautifully colored, large flowering Sweet Peas. Pkt. 10c; Oz. 20c; ¼ Lb. 60c; Lb. \$2.00
- Spencers Mixed A splendid mixture of Spencer varieties grown for us by the most careful methods from proven stocks. A wide range of colors is thus assured in this comparatively new class of Sweet Peas of such remarkably large size and wonderfully attractive form. Pkt. 10c; Oz. 30c; ¼ Lb. 90c; Lb. \$3.00
- Ferry's Superb Spencers Mixed best of its class. Unsurpassed as a mixture of this superb class and showing the most desirable range of colors and the finest forms. No better mixture in all the world than this. Pkt. 10c; Oz. 35c; ¼ Lb. \$1.00; Lb. \$3.50



SPENCER SWEET PEAS



SWEET WILLIAM

(Dianthus Sweet William barbatus A well known,

k n ow n. extensively used, sweet scented perennial for bedding and borders, forming fine clumps in any good garden soil and under proper conditions lasting for several seasons. It is one of the most desirable for display in the garden. The plants are easily grown, hardy and free flowering. They produce a succession of flower clusters, thus affording splendid bloom for several weeks. The florets are hand-somely colored and marked, and are borne on stiff stems in great profusion, forming dense round topped heads or clusters, often three to four inches across. The colors are exceedingly varied, ranging from white through many shades of rose, liac, red, carmine, crimson and maroon to nearly black, usually two shades to each plant. The petals are barbed or bearded and the leaves are lanceolate in shape, and grow opposite or conduplicate.

10c.

10c.

 TROPÆOLUM MINOR—(See Nasturtium, Ducarf)

 TROPÆOLUM MINOR—(See Nasturtium, Ducarf)

 TROPÆOLUM MINOR—(See Nasturtium, Ducarf)

 TROPÆOLUM MINOR—(See Nasturtium, Ducarf)

 This well known annual of low growing decumbent habit of growth is very desirable for massing in beds on the lawn. It is suitable also for borders and window boxes. Large clusters of showy four two to three inches across, and includes a dozen or more single flowers about three-fourths of an table decorations. There is a wide range of colors, shades and texture of the flowers make them of value for bouquets softed in lukewarm water before planting. It is desirable to have the soil well fertilized and carefully pulverized. Cover seed about one-fourth inch deep. When the young plants have three or four leaves transplant in rows two feet apart and about twenty-four inches apart in the row, choosing preferably a sunny situation. At this distance the plants, if conditions are favorable, will spread so as to cover the ground completely.

 Earlier blooming may be had if plants are started indoors and transplanted in the open ground after danger of killing frost is over. Half hardy perennial trailer, one foot high, usually treated as an annual.

 Montang (Drummondi)
 This variety is hardy and exceptionally vigorous in growth of plant; flowers rose changing to the source of the source of the source of the section of the present of the source of


 Provide the overside of the seedling, united with the

floriferous, fine for florists; comes true from seed. Oz. \$1.25. Hybrida Italian Striped. A strikingly attractive and beautiful sort, producing large, brilliant, striped blossoms in great abundance. Oz. \$1.25. Fine Mixed. This extra choice mixture includes a wide range of very beautiful colors, shades and stripes usually running from pure white to deep purple. The clusters are of largest size. Oz. \$1.75. Hybrida Compacta Mixed. A distinct sort. The plant forms a compact bunch about five inches high and eighteen inches across, covered throughout the season with large trusses of white, scarlet and violet flowers. Stripe Stripe

(Periwinkle) These very attractive bushy **Winca** (*Perivinkle*) These very attractive bushy plants with glossy green foliage produce in abundance handsome round or salver culture in pots or boxes or for summer bedding and borders. If sown early under glass and transplanted in a warm, sheltered for the house before frost. The plants require no trimming, are in continuous bloom from setting out until frost and are entirely free from the attacks of insects. These desirable features account for the increasing demand for Vincas in parks and private grounds for summer bedding and borders. Tender perennial, blooming the first season, about fifteen inches high. inches high.

VIOLA TRICOLOR-(See Pansy)

4.




VERBENA

Wallflower (*Cheiranthus cheiri*) This is a favorite European garden flower. The long, fragrant terminal spikes of the Wallflower when properly grown are very conspicuous in beds and borders and are very useful in making bouquets.

Sow seed early in hotbed and while plants are small prick them out into pots and sink in the earth. On approach of cold weather remove the pots to the house and the plants will bloom all winter. Tender bushy biennial or perennial that will live through the winter in a mild climate; height of plants about one and one-half feet.

Early Brown. Brownish-red, fragrant single flowers; large, thick spikes; early. Tender biennial. Oz. 25c..... Double Mixed. Deliciously fragrant, perfectly double, and combine many shades of color, the orange, purple and chocolate predominating. Oz. \$2.50.....Pkt. 10c.



Wild Cucumber (Echinocystis lobata) This is a useful climber where a rapid and vigorous growth of vine is desired. To cover or to screen an unsightly building, there is perhaps no annual climber better adapted for the purpose. The vine has abundant foliage and is thickly covered with sprays of small white, fragrant flowers, followed by numerous prickly seed pods.

Wistaria Chinensis One of the most beautiful and rapid growing of the hardy perennial climbers. When well established in good soil it will often grow fifteen to twenty feet during the season and frequently blooms both in spring and fall. The flowers are very fragrant, single, pale blue, pea-shaped and are borne in long, drooping grape-like clusters, often over a foot in length. Foliage light green, pinnate.

The seed should be sown in mellow loam early in the spring, or in greenhouse or hotbed in winter and when plants are one foot high transplanted into permanent situations.....



Eles

Sometimes called Youth and Old Zinnia Age. The well known bush-like plants of Zinnias produce a pro-fusion of large double imbricated fowers, borne on stiff stems. They are much used for bedding and are suitable for borders

and for cutting.

There is much satisfaction in a bed of Zinnias with their twisted and recurved petalled flowers in many bright colors, and when nearly every other flower has been killed by frost this plant is still in full bloom. Few flowers are more easily grown or bloom more abundantly throughout the season, and the wide range of color is not less remarkable than their unusual depth and richness.

Sow the seed early in spring, in open ground in good, rich soil, preferably in rows one and one-half feet apart and covering about one-fourth inch deep. When the young plants are one to two inches high thin to six inches apart. Start under glass for earlier blooming. Half hardy annual; tall growing, usually about one and one-half to two feet bick. high

gans		Yellow. Oz. 40c	Pkt.	10c.
66	66	Scarlet. Oz. 40c	66	10c.
66	66	Deep Red. Oz. 40c	66	10c.
6.6	6.6	Magenta, Oz. 40c	44	10c.
66	66	Orange, Oz. 40c		10c.
66	6.6	White. Oz. 40c		10c.
6.6	6.6	Black Purple. Oz. 40c		10c.
66	6.6	Dark Crimson. Oz. 40c.		10c.
44	66	Striped or Zebra Mixed. Oz. 60c.		10c.
gans	Double	Choice Mixed. Includes the above	ve co	lors;

Elegans Double Choice Mixed. Includes the above termination of the state of the sta Elegans Large Flowered Double Mixed. An improved strain which produces flowers of very large size in an extremely wide range of colors. The plants are hardy, of vigorous growth and are in bloom from early summer until killed

by severe frost.....Pkt. 10c.

Lilliput Double Mixed. This strain grows about one foot high and bears a profusion of comparatively small, very double, globular flowers about one inch in diameter, very

Haageana Double. Dwarf variety with double flowers of a deep orange color, about one and one-quarter inches in diameter; fine for cut flowers; height one foot.Pkt. 10c.

ZINNIA

BULBS AND ROOTS FOR SPRING PLANTING

Included in this class are some of our most showy garden flowers and their culture is very easy. In the spring, after danger from frost is over, plant in a rich, loamy soil, having a sunny position and flowers the same season are assured.

All bulbs and roots will be sent by mail or express, charges prepaid, when ordered at single or dozen rates. At the 100 rate they will be sent by express or freight, the purchaser paying the charges unless otherwise stated. Not less than six of any one variety supplied at dozen rates and not less than 25 at the 100 rate. Orders with money should be sent to us as early as possible and they will be filled in rotation. Bulbs subject to injury by frost will not be sent until such danger is over.

Caladium

Begonia moist situation making the bed rich with thoroughly rotted manure and leaf mold, if obtainable. Flant as soon as danger vigorous growth keep well watered.

vigorous growth keep wen waterou.							
	EAC	H DOZ.					
Single	Pink10	c. 75c.					
44	Scarlet						
	White						
44	Yellow						
44	Mixed						
Double	Pink						
44	Scarlet						
	White						
44	Yellow						
	Mixed	e. 1.50					

Esculentum. Known also as Elephant's Ear. This is one of

the finest tropical plants which can be grown in the open air in the north. It can be made to produce three to ten leaves three to four feet long and nearly as wide, on stalks four to six feet high. The soil best suited to Caladiums is a mixture of fibrour leave have mode mode well worthed

The soil best suifed to Caladiums is a mixture of fibrous loam, leaf mold, peat and well rotted cow or sheep manure in equal parts, with a sprinkling of sand added. Bulbs may be planted outdoors as soon as danger of frost is over, covering about three inches deep; or for largest growth start early indoors in pots and set out when the weather is warm and settled. But little water must be given to the roots till active growth commences when, as the plants develop, they require an abundance. Humidity and warmth are necessary for their best develop and warmth are necessary for their best development.

First Size Bulbs. Nine inches and over in circumference. Each 25c; doz. \$2.50
 Second Size Bulbs. Seven to nine inches in circumference. Each 15c; doz. \$1.50
 Third Size Bulbs. Under seven inches in circumference. Each 10c; doz. \$1.00

ahlia

There are few flowers that compare with the Dahlia in charming diversity of form and wide range of

brilliant colors, and certainly no other surpasses it for autumn display in the garden as well as for cutting.

The "Decorative" types are characterized by gracefully formed flowers of large size with broad petals, being intermediate in form between the compact "Show" sorts which are nearly round and the "Cactus" varieties which have loosely formed blossoms with long twisted petals.

The roots are tender and easily injured by frost. They should be set out three feet apart, after all danger of frost is over. The best blooms are sometimes obtained if planting is deferred until about June 1. The soil should be deeply dug and well drained but only moderately enriched with thoroughly rotted barnyard manure. A stiff clay should be avoided. A sunny situation is desirable as well as plenty of space and air. Place the roots horizontally, covering two to three inches deep. Give thorough cultivation and during dry weather water well once a week. Larger blossoms are usually obtained if most of the side shouts are removed. Dahlias usually do not require much fertilizer and fresh barnyard manure especially should not be used. The plants should be supported by tring to stakes. The roots should be placed during winter in a cool cellar but not allowed to freeze.

Delice (Decorative) One of the very best bright rose-pink decorative dallias; long stems for cutting. Each 25c; doz.\$2.50 General Buller (Cactus) Rich deep crimson tipped with white.

ery attractive. Each 20c; doz. \$2.00

Genista (Cactus) Deep amber shaded gold. Each 20c; doz. \$2.00 J. H. Jackson (Cactus) Very large, rich velvety maroon. Each 25c; doz. \$2.50

Jack Rose (Decorative) Large brilliant crimson. One of the best decorative dablias for garden or cutting. Each 25c; doz. \$2.50

Merlin (Show) Bright orange scarlet. Early flowering. Each 25c; doz. \$2.50

President Viger (Colarette) Richest garnet with smaller collar

President Viger (Coldrette) Richest garnet with smaller colmander of white. Exceptionally attractive. Each 25c; doz. \$2.50
 Queen Victoria (Show) Clear canary yellow. An early and profuse bloomer. Each 20c; doz. \$2.00

Queen Wilhelmina (Paeony Flowered) The best large pure white. Each 25c; doz. \$2.50

Countess of Lonsdale (Cactus) Apricot shaded salmon-red. Robert Bloomfield (Show) Pure white, large and free flower-An early, very attractive cactus variety. Each 25c; doz. \$2.50 ing. Each 25c; doz. \$2.50

ouv. de Gustave Douzon (*Decorative*) Beautiful orange scarlet. One of the best. Each 25c; doz. \$2.50 Souv.

Sylvia (Decorative) Deep pink shading to flesh pink at center; best decorative form. Each 20c; doz. \$2.00 Twentieth Century (Single) Intense rosy crimson, white tips and white disc around yellow center. Each 25c; doz. \$2.50

	EACH	DOZ.
Double	Pink	\$2.00
	Scarlet	2.00
44	White	2.00
6.6	Yellow	2.00
4.4	Mixed15c.	1.50
	6.6 6.6	Double Pink

Dielytra (Bleeding Heart. Dicentra Spectabilis) A blooming in the spring. Flowers graceful, heart-shaped, pink and white; borne in long racemes. Each 20c; doz. \$2.00




DECORATIVE DAHLIA

GLADIOLUS

The Gladiolus is one of the most decorative plants in the garden, and as a cut flower lends itself readily to any arrangement. If the spikes are cut when the lowest flower is in bloom, the others will open in succession and remain fresh a week or ten days. No flower has gained more rapidly in public favor than the Gladiolus; this could not well be otherwise, for in addition to the great intrusic merit of the flower, it is hardy and blooms the first season from bulbs. Gladioli will thrive in almost any good soil except a stiff clay. They require full sunlight and are liable to injury only from rank manure. Plant the bulbs six to nine inches apart, the large ones four inches and the small ones two inches deep. Make an early planting of the smallest bulbs first as soon as the ground is sufficiently dry and warm. Continue to plant at intervals of two weeks during the spring and early summer; in this way a succession of bloom may be had from midsummer until frost. A free use of water during the season of active growth and particularly as the buds begin to show color will be beneficial in producing fine blossoms. In the autumn, before freezing, they should be dug up and the tops allowed to dry down, after which the dry tops, earth and old bulbs can be removed. Store in a cool, dry place, secure from frost until spring.

GIANT FLOWERED VARIETIES

A class of hybrids between Gladiolus Gandevensis and Gladiolus Saundersoni which for varied and exquisite beauty has never been equaled. The flowers are of very large size, frequently eight inches across, borne on spikes three to four feet high, the upper two feet covered with flowers.



GLADIOLUS

America. Very light pink, exquisitely tinted with lavender. Much valued for freedom of bloom and size of flower spike. Each 5c; doz. 50c.

- Attraction. Bright deep rich crimson with large white center and throat. One of the most pleasing sorts. Each 10c; doz. \$1.00
- Baron Hulot. Flowers dark velvety purple and of the Lemoine type. One of the very best so-called blues. Each 10c; doz. \$1.00
- Columbia. Very attractive, light orange-scarlet blotched and penciled with bluish
- scarlet blotched and penciled with bluish purple. Each 10c; doz. \$1.00 Dawn. Flowers large, very beautiful shell pink, slightly penciled in throat. Excellent for cutting. Each 25c; doz. \$2.50 Jane Dieulafoy. Flowers creamy white, lower petals stained maroon. Remains in bloom a long time. Each 15c; doz. \$1.50 Niagara. Delicate creamy yellow shaded or splashed with rosy carmine in the throat. Each 15c; doz. \$1.50 Panama Bich rosy nink Large fine flowars.

- Panama. Rich rosy pink. Large fine flowers. Each 15c; doz. \$1.50
- Sunlight. Light rosy crimson with canary yellow throat; attractively blotched flowers. Each 10c; doz. \$1.00
- Giant Flowered, Fine Mixed. Each 5c; doz. 50c.

CHOICE NAMED VARIETIES

These named varieties are selected with special reference to beauty of flower, range of color and habit of plant.

- Augusta. Pure white, with blue anthers. Strong, straight spikes. Each 5c; doz. 50c.
- Brenchleyensis. Rich, brilliant, dark scarlet. Much used on account of its brilliant color, and distinct marking. Each 5c; doz. 50c.
- Beautiful white flowers, spotted rose Ceres. on lower petals. Each 5c; doz. 40c.
- Eugene Scribe. Flowers very large and wide, perfect, tender rose, blazed with carminate red; beautiful. Each 10c; doz. \$1.00
- red; beautiful. Each 10c; doz. \$1.00 Kunderdi Glory (*Rufiled*) A very striking variety with fluted or rufiled petals. Flow-ers very large, delicate cream pink with a crimson stripe on each lower petal; fine spike. Each 15c; doz. \$1.50 Mrs. Francis King. A most effective variety for decorations. Spikes extra long; flowers brilliant pink, blazed with vermilion. Each 5c; doz. 40c
- Each 5c; doz. 40c.
- Madam Monneret. Bright, clear pink. A late variety and very popular. Each 6c; doz. 60c.
- May. Pure white, finely flaked with bright, rosy crimson, superb spike. Fine for forcing. Each 6c; doz. 60c. Shakespeare. A very delicate white, blazed with rosy-carmine, large rose-colored stain.
- Each 10c; doz. \$1.00

GLADIOLUS MIXTURES

These choice assortments must not be confounded with the common mixed sorts. We recommend this stock with perfect confidence, as it is composed only of choice varieties and purchasers can depend upon having a magnificent variety of colors. Single and dozen prices include postage. The 100 rate is by express at purchaser's expense.

EACH	DOZ.	PER 100	EACH	DOZ.	PER 100
Shades of Pink and Rose5c.	40c.	\$2.00	Extra Fine American Hybrids Mixed5c.	50c.	\$3.00
	40c.	1.50	Groff's Hybrid Seedlings. A great variety		
" " Orange and Yellow6c.	60c.	4.00	of shades and markings5c.	40c.	2.00
White and Light Varieties4c.	40c.	2.75	Lemoine's Butterfly Varieties Mixed.		
Striped and Variegated Mixed5c.	50c.	3.00	Throats very distinctly marked3c.	25c.	1.75

LIES

No flower is more expressive of the No flower is more expressive of the idea of queenly beauty and faultiess purity than the Lily. Nearly every variety we offer will, with a little care, endure the severity of our winters, and some are among the most hardy of our garden flow-ers. Most illies last a long time after cutting and are admirably suited for decorative purposes. Bulbs should be planted as soon as the

¹ Bulbs should be planted as soon as the frost is out of the ground; the earlier the better. Select a well-drained spot. dig the soil deep and make it fine, enriching it abundantly with well-rotted cow manure, adding a liberal mixture of sand. Set the bulbs from three to five inches deep ac-cording to size. During the winter it is advisable to cover the surface of the bed with a thin layer of manure which will afford a slight protection to the bulbs and also materially enrich the soil. In spring the manure may be removed or dug in between the rows. Care should be taken the manufer may be removed or dug in between the rows. Care should be taken that they have proper drainage, no water being allowed to stand around the roots. Once firmly established, they should not be disturbed oftener than once in five years.

To produce extra fine specimens, plant bulbs in pots early in spring and grow them in the house or under glass.

Auratum (Gold-Banded Lily of Ja-pan) This favorite garden lily is one of the grandest plants in culti-In y is one of the grandeest plants in curi-vation. Its immensive ivory-white flowers are thickly studded with yellow and crimson spots, while in the center of each petal is a golden band, fading at its edges into the white. Such choice bulbs as we offer, if well cared for, will give from five to ten magnificent flowers the first year to due day and other bulks are bulk. and under good cultivation will, after be-coming well established, give many more. Height outdoors in the open, usually three to five feet. 20c. each; \$2.00 per doz.

Longiflorum (Giganteum) Beauti-ful, pure white. trum-pet-shaped flowers, similar in form to Lilium Harrisii, the well-known Bernuda Easter Lily, and preferred by some to tha variety. It does not come into bloom as early, but the flowers are of better sub-stance. Extensively used by florists for out flowers. When grown in the open ground it blooms in June or July. Height outdoors in the open, usually two to three feet. 15c. each; \$1.50 per doz.

\$1.50 per doz.

Speciosum Rubrum (Rosevim) The Speciosum or Lancifolium are among the most charming and brilliantly beautiful of the Japanese Lilies. The six broad, white or pink petals are thickly dotted with rose or crimson spots. Especially thrifty and hardy. One of the best for garden culture. Height, two to four foot of the second second second second second second second second for the second second second second second second second for the second feet. 20c. each; \$1.50 per doz.

Speciosum Album Pure white flowers with a greenish band through the center of each petal; of great substance, very fragrant. One of the best for general culture. Height of plants in the open usually two to four feet. 20c. each; \$2.00 per doz.

Madeira Vine Sometimes called Mignonette Vine. This tuberous rooted climber of dense. branching growth has thick, heart-shaped. glossy green leaves and delightfully fragrant. small feathery, white blossoms produced in long hanging racemes. It is of rapid growth, and is fine for porches and covering arbors in a single season. Perennial, but take up roots in fall as the plant will not endure frost. Each 5c; doz. 40c.


Tritoma Pfitzeri. An improved variety of the plant sometimes called Red Hot Poker. The hand-some flowers are produced in large spikes of rich orange-red tinted flower tubes. Plant two feet apart. Tritomas are hardy south of Cincinnati when well covered in winter. In the north, dig up the plants in November, place in boxes with dry earth and store in a cellar. In spring place in a warm. sheltered, well drained spot. preferably with a back-ground of shrubbery. Each 15c; doz. \$1.50



LILIUM AURATUM

Tigrinum Splendens (Improved Single Tiger Lily) pearance with very large, nodding flowers of excellent form: color, orange-salmon with dark spots. The plants are of more robust habit, with longer flower spikes than the older type and are highly recommended. Height outdoors in the open usually three to four feet, sometimes taller. 10c. each; \$100 per dog \$1.00 per doz.

Tigrinum Flore Pleno (Double Tiger, Lily) This magnificent lily is of stately habit, bearing immense clusters of very large, double flowers on tall, strong stems; color, bright orange-red spotted with black. Height outdoors in the open usually three to five feet. 15c. each; \$1.50 per doz.



The flowers of this well-known tuberous rooted plant are waxy-white, double and exceedingly fragrant. They are very useful

in bouquets and house docoration.

If early flowers are wanted fill five-inch pots half full of well-rotted cow manure and the remainder with good, rich, sandy soil. Plant the bulbs in this in March or April, water moderately and hasten growth by putting in a warm, light place. When weather has become warm, plunge the pots in the earth out of doors. They will usually flower before cold weather: if they do not, the pots can be brought in and bulbs will bloom in the house will bloom in the house.


Double Dwarf Pearl, first size bulbs. 4c. each: 40c. per doz; \$2.00 per 100. We will supply second size Tuberose bulbs 3 for 10 cents, 25 cents per dozen. The 100 rates are by express at purchaser's expense.

About September First next we will issue our Annual Catalogue of CHOICE DUTCH BULBS AND SEEDS FOR FALL PLANTING. It will be sent free to all customers without ordering it, and to others who apply for it.

Planet Jr. Garden Tools

Space will permit our describing only a few Planet Jr. Tools, but we will send to all who ask for it a fully illustrated catalogue of Planet Jr. Garden Implements. We deliver at depot or express office in Detroit, Mich., at prices given herein.

Planet Jr. No. 3 Hill and Drill Seeder, \$16.00






Planet Jr. No. 4, \$17.00 Combined Hill and Drill Seeder, Wheel Hoe, Cultivator and Plow

Price, as a Seeder only, \$13.50

Planet Jr. No. 5, \$19.00 Hill and Drill Seeder Built on the same lines as No. 3 Drill, but larger.



Planet Jr. No. 25, \$20.00 Combined Hill and Drill Seeder and Double Wheel Hoe, Cultivator and Plow

> Planet Jr. No. 31, \$11.50 Combined Drill Seeder and Wheel Hoe



With Fertilizer Attachment, \$13.00 Pressed Steel Garden Trowel Price 25 cts. Postpaid



Planet Jr. No. 11, \$14.00 Double Wheel Hoe With 2 pairs hoes, 2 pairs cultivator teeth, 2 pairs rakes, 1 pair plows and 1 pair leaf lifters.

Planet Jr. No. 12, \$11.00 Double Wheel Hoe With 1 pair hoes, 2 pairs cultivator teeth, 1 pair plows and 1 pair leaf lifters.

> Planet Jr. No. 13, \$7.75 Double Wheel Hoe With 1 pair hoes only.

Planet Jr. No. 16, \$9.00 Single Wheel Hoe With 1 pair hoes, 3 cultivator teeth, 2 rakes, 1 plow and 1 leaf guard.

Planet Jr. No. 17, \$7.50 Single Wheel Hoe With 1 pair hoes, 3 cultivator teeth and 1 plow.


> Planet Jr. No. 18, \$5.50 Single Wheel Hoe With 1 pair hoes only.

Planet Jr. No. 19, \$5.50 Single Wheel Hoe With 1 large garden plow, 1 ten-inch sweep, 1 six-inch sweep, 1 four-inch cultivator tooth, 1 two-inch cultivator tooth.

> Planet Jr. No. 38, \$10.00 Single Wheel Disc Hoe, Cultivator and Plow



Hazeltine Hand Weeder and Scraper Price 25 cts, Postpaid



The Christy Garden Weeder Price 25 cts, Postpaid

Excelsior Weeding Hook Price 20 cts, Postpaid

 PLANT BED Medium Grade, 20 yards or over, 15 60
 CLOTH At purchaser's expense for transportation.

REFERENCE TABLES

Number of plants to the acre at given distances

	riamoci or pranto Lo	the acte at given uista	nces		
Dis. apart.	Dis. apart. No. plant	s. Dis. apart.	No. plants.	Dis. apart.	No plants
12 x 1 In	 ~+ X ~+ 111	30 X 36 In	4.840	60 x 60 In	1.743
$12 \ge 3$ "	30 x 1			8 x 1 Ft	
$12 \ge 12$ "	$30 \ge 6$ ''		6,223	8 x 3 "	
16 x 1 ''	30 x 12 "		•···· 4.148	8 x 8 ''	
18 x 1 "	$30 \ge 16$ "			10 x 1 "	4.356
18 x 3 "	$30 \ge 20$ "			10 x 6 ''	
$18 \ge 12$ "	$30 \ge 24$ "	$12 48 \ge 24$ "	5,445	10 x 10 ''	435
18 x 18 "	30 x 30 " 6,0	70 $48 \ge 30$	4,356	12 x 1 "	3,630
$20 \ge 1$ "	36 x 3 "	48×36	•••••• 3,630	12 x 5 ''	
$20 \ge 20 = 20$	 36 x 12 " 14,5	$48 \ge 48 \ge \dots$	2,723	12 x 12 **	
24 X 1	 36 x 18 " 9,6	$80 60 \ge 36 \cdots$	2,901	16 x 1 "	2,722
24 x 18	 36 x 24 " 7,5	60 60 x 48 **		16 x 16 "	

Quantity of seed requisite to produce a

Quantity per acre.
Artichoke, 1 oz. to 500 plants
Asparagus, 1 oz. to 800 plants4 lbs.
Asparagus roots
Barley 120 lbs.
Beans, dwarf, 1 lb, to 100 ft, of drill60 "
Beans, pole, 1 lb. to 100 hills
Beet, garden, 1 oz. to 100 feet of drill 7 "
Beet, Mangel, 1 oz. to 100 feet of drill 5 "
Broccoli, 1 oz. to 5,000 plants 2 oz.
Brussels Sprouts, 1 oz. to 5,000 plants 2
Buckwheat
Cabbage, 1 oz. to 5,000 plants
Carrot, ¼ oz. to 100 feet of drill 2½ lbs.
Cauliflower, 1 oz. to 5,000 plants
Celery, 1 oz. to 15,000 plants
Chicory
Clover, Alsike
"Alfalfa or Lucerne
" Mammoth
" Medium
"White Dutch
Collards, 1 oz. to 5,000 plants
Corn, rice (shelled)
Corn, sweet, $\frac{1}{4}$ lb. to 100 hills12
Cowpea, in drills
Cress, $\frac{3}{4}$ oz. to 100 feet of drill
Cucumber, 1 oz. to 100 hills \dots 1 to 3
Dill, ¼ oz. to 100 feet of drill
Egg Plant, 1 oz. to 2,000 plants
Endive, $\frac{1}{4}$ oz. to 100 feet of drill $4\frac{1}{2}$ lbs.
Flax broadcast,
Garlic, bulbs, 1 lb. to 10 feet of drill
Gourd, 2 oz. to 100 hills
Grass, Blue, Kentucky
"Millet
" Mixed Lawn

	PILICE.		 	
66	Mixed	Lawn	 60 to 100 ''	

- Red Top Fancy
 8 to 10

 Rhode Island Bent
 25 to 40

 Timothy
 10 to 15
 66 66

······································
given number of plants and sow an acre
Quantity per acre.
Grass, Orchard, Perennial Rye and
Wood Meadow 25 to 35 lbs.
Hemp
Horse Radish roots
Hungarian
Kale, 1 oz. to 5,000 plants, or 200 feet of
drill Kohl Bohi I/ og to 100 fost af dvill – 4 lbr
Kohl Rabi, ¹ / ₃ oz. to 100 feet of drill 4 lbs.
Leek, ½ oz. to 100 feet of drill
Melon, Musk, 1 oz. to 100 hills1 to 3 "
"Water, 4 oz. to 100 hills1 $\frac{1}{2}$ to 4
Millet
Millet 12 to 25 " Nasturtium, 2 oz. to 100 feet of drill 15 "
Okra, 1 oz. to 100 feet of drill
Onion seed, 1/3 oz. to 100 ft. of drill4 to 5 "
" " for sets
" sets, 2 lbs. to 40 feet of drill250 "
ranship, $\frac{1}{4}$ uz. to 100 reet of drift
raisiey, $\frac{1}{2}$ 02, to 100 reet of drift
reas, garden, r 10. to route or drin. 55 to 120
"field
Pumpkin, $\frac{3}{4}$ lb. to 100 hills
Radish, $\frac{2}{3}$ oz. to 100 ft. of drill10 to 12 "
Ruta Baga
Rye
Sage in drills 4 to 5 "
Salsify, 3/ oz. to 100 feet of drill 8 "
Spinach, 1/2 oz. to 100 feet of drill 8 "
Summer Savory 34
Sunflower
Squash, summer, 4 02. to 100 mms 4
" winter, 8 oz. to 100 hills 2 "
Tomato, 1 oz. to 2.000 to 3,000 plants
Tobacco, 1 oz. to 5,000 plants Turnip, 1 oz. to 250 feet of drill1 to 3 lbs.
Vetch, Spring
"Hairy or Sand

Standard weights of various articles

	Per	bu.
Barley	.48	Ibs.
Beans	. 60	66
Buckwheat	48	66
Canary seed	60	٤ د
Castor Bean		
Clover	. 60	66
Corn, Field, shelled	56	66
" " on ear		6.4
" Sweet	45	66
Flax		66
Grass, Timothy		۰.6
Hemp		
Hungarian		6.1
Millet, Common		66
Millet, German or Gold		
en		66
Peas, smooth	60	66
" wrinkled		6.6
Rape	. 50	6.6
Rye	.56	6.6
Sorghum		44
Vetch or Tare		6.6

All of the above are sold by weight.

FOREIGN NAMES OF VEGETABLES AND HERBS

ENGLISH GERMAN FRENCH SPANISH ITALIAN DANISH-NORWEGIAN POLISH Anise. Anis, Grüner Anis, Anis. Anis, Matalahuga. Aniso. Anis. Anya Articiolote. Artischoite. Artichaut. Alcachofa. Articioca. Artiskok. Karczocly. Spargel. Asparges. Spargel. Asparges. Sparagio. Asparges. Sparagio. Asparges. Sparagio. Asparges. Sparagio. Asparges. Sparagio. Basilicon Basilicum. Balsam. Balsam. Balsam. Balsam. Balsam. Balsam. Balsam. Balsam. Bargelkoll. Borage. Bornagio. Barditola. Bargelkoll. Boarge. Bornagio. Borage. Borraz. Bornagio. Borage. Boretsch. Bouraki. Eacola. Brocoli. Brocoli. Brozoli. Brozoli. Brozoli. Brozoli. Barditola. Kapusta. Caborage. Boretsch. Caborage. Boretsch. Caborage. Boretsch. Caborage. Carola. Gaborage.	ENGLISH	GERMAN	FRENCH	SPANISH	ITALIAN	DANISH-NORWEGIAN POLISH
Asparagus. Sparagl. Asparges Szparagl. Bahm. Citronen-Melisse Melisse. Toronelle. Toronell. Melissa. Balsam. Balsam. Basill. Basillite grand. Albaca. Basillite. Basalillite. Bazylia. Beans. Bohnen. Haricots Habichuela. Faginoli Boenner. Fasola. Borage. Bortsch. Bourrache. Borragia. Boragine. Borago. Boraz. Broccoll Spargelkohl. Chou Brocoll. Broccoll. Broccoll. Brockal. Kapusta. Cabbage. Kopfkohl. Krun Dommé. Col Pepello. Cavolo di Brusselles. Rosenkaal. Latorril. Cabbage. Sopfkohl. Kapusta. Col de Milan. Cavolo di Milano. Sabaudzka Carota. Gauway. Feld-Kümmel. Cumin des prés. Comino. Carvi. Karve. Kapusta. Carota. Gaubage. Koolfken. Carota. Guerod. Marchew. Caumad. Chou-feur Colifor. Cavolofore. Blomkaal. Kalafory.	Anise	. Anis, Grüner Anis	Anis	. Anis, Matalahuga	. Aniso. Anacio	AnisAnyz.
Basili, Basilikum. Basilikum.	Artichoke	Spargel	Artichaut	Fengrego	Sparagio	Asparges Szparagi
Basili, Basilikum. Basilikum.	Balm	Citronen-Melisse	Velisse citronelle	Toroniil Citronella	Melissa	Balsamurt Balsam
Beans. Bohnen. Haricots Habichuela. Fagiuoli Boenner. Fasola, Beet Rübe Betterave. Ronolacha. Borabietola. Boengo. Boraz. Borage. Boretsch. Bourrache. Borraja. Borogin. Brocoli. Broccoli. Cavolo di Brusselles. Rovelkaal. Latorvil. Karvel. Kapusta. Cabbage. Kavy. Feld-Kümmel. Clumin des prés. Comino. Carvi. Karve Kanpusta. Sabaudzka Caraway. Feld-Kümmel. Clumin des prés. Comino. Carvi. Karve. Kanpusta. Kalafiory. Caleriac. Carotten, Möhren. Carotte. Zavahoria. Cavolofore. Blomkaal. Kalafiory. Celery. Selleri. Selery. Sel	Basil	Basilikum	. Basilic grand	Albaca	. Basilico	Basilikum Bazylia.
Borage. Boretsch. Bourrache. Borraja Boragine. Boragine. Borago Boraz. Broccoli Spargelkohl. Chou Broccoli	Beans	Bohnen	. Haricots	. Habichuela	. Fagiuoli	BoennerFasola.
Broccoli Spargelkohl Chou Brocoli Brocoli Broccoli Kapusta Cabage Cavolo de Milano Savoikaal Sabaudzika Cabage Cavolo Cavolo Cavolo Cavolo Cavolo Savoikaal Sabaudzika Carota Caroten Canotte Canahoria Cavolo di Milano Savoikaal Sabaudzika Caroten Möhren Cavote Zanahoria Cavolofiore Blomkaal Kalafiory Celery Sellerie Céleri-rave Apio-nabo Sedano-rapa Knopselleri Selery Chervil Kerbel Cerfeuil Perifollo Cerfoglio Kjoervel Czechrzyca Chicory Cichorien wurzel Chicorée sauvage Achicoria Cicoria selvatica Cichorie Cykorya Cornader Coriander Coriander Coriandorlo Koriander Koledra<						
Brussels Sprotts. Rösenkohl. Chou de Bruxelles. Bretones de Bruselas. Cavolo di Brusselles. Rosenkaal. Latorvil. Cabbage. Kopfkohl, Kraut. Chou onomé. Col repello. Cavolo cappuccio. Hvedkaal. Kapusta. Cabbage, Savoy. Wirsing. Chou de Milan. Col de Milan. Cavolo cappuccio. Hvedkaal. Kapusta. Caraway. Feld-Kümmel. Cumin des prés. Comino. Carvi. Karve. Kaipusta. Caraway. Garotten, Möhren. Carotte. Zanahoria. Carotta. Gulerod. Marchew. Cauliflow. Blumenkohl. Chou-fleur Coliflor. Cavolo oppucka. Selleri Selery. Celery. Sellerie Céleri-rave. Apio-nabo Sedano. Selleri. Selery. Chervil. Kerbel Cerfeuil. Perifollo. Cerfoglio. Kjoervel. Czechrzyca. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cichorie. Kopiander. Koledra. Cornader. Coriander. Coriandre. Culantro. Cichorie. Cichorie. Cykorya. Coronader. Mais.	Borage	Boretsch	Bourrache	Borraja	. Boragine	Borago Boraz.
Cabbage,	Broccoli	. Spargelkohl,	Chou Brocoli	Brocull	, Brocoli, Brocoll	Broccoll-Kaal Brokuly.
Caraway. Feld-Kümmel. Cumin des prés. Comino. Carvi. Karve Kminek. Carrot. Carotten, Möhren. Carotte Zanahoria. Carota	Gabbaga	Konflohl Kraut	Chou pompuá	Col repello	Carolo cappurgio	Hovedkaal Kapusta
Caraway. Feld-Kümmel. Cumin des prés. Comino. Carvi. Karve Kminek. Carrot. Carotten, Möhren. Carotte Zanahoria. Carota	Cabhage Savoy	Wirsing	Chou de Milan	. Col de Milan	Cavolo di Milano	Sayoikaal Sabaudzka
Carota. Carota. Garotten, Monren. Carote. Zananoria. Carota. Guierod. Marchew. Cauliflower. Blumenkohl. Chou-fleur Coliflor. Cavoloflore. Blomkaal. Kalaffory. Celery. Sellerie Céleri. Apio. Sedano. Selleri Selery. Celeriac. Knoll-Sellerie Céleri-rave. Apio-nabo Sedano. Kjoervel Czechrzyca. Chervil. Kerbel Cerfeuil. Perifollo. Cerfoglio. Kjoervel Czechrzyca. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicoria selvatica. Cichorie Cykorya. Coriander. Coriander. Coriander. Coliandre. Culantro. Coriandorlo. Koriander Koledra. Corn Sala. Feldsalat. Mache. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agreto. Karse. Bzerzucha. Cress. Water. Brunnenkresse. Cresson alénois. Mastuerzo Agreto. Karse. Bzerzucha. Cucumber. Gurken Concombre. Cohombro. Cetriolo Agūrk. Ogorek. Dandelion. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Aneth. Eneldo. Aneto. Dil. Koper. Egg Plant. Eierpflanze. Aubergine Berengena. Petronciano. Aegplante. Gruszka Endive, Curled Endivien. Chicorée Endive. Endivia. Endivia. Endivie. Endivia. Endive, Curled Endivien. Chicorée Scarole Broad Leaf. Escariol. Ronde Escarolo. Endivia Scariola	Outoouge, Duroj					Kapusta.
Carota. Carota. Garotten, Monren. Carote. Zananoria. Carota. Guierod. Marchew. Cauliflower. Blumenkohl. Chou-fleur Coliflor. Cavoloflore. Blomkaal. Kalaffory. Celery. Sellerie Céleri. Apio. Sedano. Selleri Selery. Celeriac. Knoll-Sellerie Céleri-rave. Apio-nabo Sedano. Kjoervel Czechrzyca. Chervil. Kerbel Cerfeuil. Perifollo. Cerfoglio. Kjoervel Czechrzyca. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicoria selvatica. Cichorie Cykorya. Coriander. Coriander. Coriander. Coliandre. Culantro. Coriandorlo. Koriander Koledra. Corn Sala. Feldsalat. Mache. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agreto. Karse. Bzerzucha. Cress. Water. Brunnenkresse. Cresson alénois. Mastuerzo Agreto. Karse. Bzerzucha. Cucumber. Gurken Concombre. Cohombro. Cetriolo Agūrk. Ogorek. Dandelion. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Aneth. Eneldo. Aneto. Dil. Koper. Egg Plant. Eierpflanze. Aubergine Berengena. Petronciano. Aegplante. Gruszka Endive, Curled Endivien. Chicorée Endive. Endivia. Endivia. Endivie. Endivia. Endive, Curled Endivien. Chicorée Scarole Broad Leaf. Escariol. Ronde Escarolo. Endivia Scariola	Caraway	Feld-Kümmel	. Cumin des prés	. Comino	. Carvi	Karve Kminek.
Celery Sellerie Céleri Apio Sedano, Selleri Selery, Celeriac. Knoll-Sellerie Céleri-rave. Apio-nabo Sedano, Sedery Selery, Chervil. Kerbel. Cerfeuil. Perifollo, Cerfoglio. Kjoervel. Czechrzyca, Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicoria selvatica. Cichorie. Cykorya, Coriander. Coriander. Coriander. Coriander. Coriander. Koledra. Corn. Mais. Mais. Mais. Mais. Kukurydza, Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agretto Karse. Rzerzucha, Cucumber. Gurken Concombre. Cohombro. Cetriolo Agürk. Ogorek. Daill. Dill. Aneth Eneldo. Aneth. Dill. Koper. Egg Plant. Eierflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Dill. Dill. Aneth. Eneldo. Aneto. Dil. Koper.	Carrot	Carotten, Monren.	. Carotte	. Zanahoria	. Carota	. Gulerod Marchew.
Chervil. Kerbel. Cerfeuil. Perifollo. Cerfoglio. Kjoervel. Ckorzen. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicoria selvatica. Cichorie. Cykorya. Coriander. Coriander. Coriander. Culantro Coriandorlo. Koriander Koledra. Corn Salad. Feldsalat. Máche. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Corn. Mais. Mais. Mais. Mais. Kukurydza. Cress. Garten-Kresse. Cresson de fontaine Berro. Nasturzio aquatico. Broendkarse. Rzerzucha. Cucumber. Gurken. Concombre. Cohombro. Cetriolo. Agūrk. Ogorek. Dandellon. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Aneth. Eneldo. Aneto. Dil. Koper. Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Chicorée-Scarole Endivia. Endivia. Endivia.	Cauliflower	Blumenkohl	. Chou-fleur	. Coliflor	. Cavoloflore	Blomkaal Kalafiory.
Chervil. Kerbel. Cerfeuil. Perifollo. Cerfoglio. Kjoervel. Ckorzen. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicoria selvatica. Cichorie. Cykorya. Coriander. Coriander. Coriander. Culantro Coriandorlo. Koriander Koledra. Corn Salad. Feldsalat. Máche. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Corn. Mais. Mais. Mais. Mais. Kukurydza. Cress. Garten-Kresse. Cresson de fontaine Berro. Nasturzio aquatico. Broendkarse. Rzerzucha. Cucumber. Gurken. Concombre. Cohombro. Cetriolo. Agūrk. Ogorek. Dandellon. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Aneth. Eneldo. Aneto. Dil. Koper. Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Chicorée-Scarole Endivia. Endivia. Endivia.	Celery	Sellerie	Céleri	. Apio	. Sedano	Selleri Selery,
Chervil. Kerbel. Cerfeuil. Perifollo. Cerfoglio. Kjoervel. Czechrzyca. Chicory. Cichorien wurzel. Chicorée sauvage. Achicoria. Cicina selvatica. Cichorie. Cykorya. Coriander. Coriander. Coriandre. Coriander. Coriander. Koledra. Corn Salad. Feldsalat. Mâche. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Corn. Mais. Mais. Mais. Mais. Kulurydza. Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agretto. Karse. Rzerzucha. Cucumber. Gurken. Concombre. Cohombro. Cetriolo. Agürk. Ogorek. Dandellon. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Aneth Endlo. Aneto. Dil. Koper. Egg Plant. Eilerpflanze. Aubergine. Berengena. Pertociano. Aegplante. Gruzzka Endive, Chicorée Endive. Endivia. Endivia. Endivia. Endivia. En	Celeriac			. Apio-nabo	. Sedano-rapa	(Korzon)
Chicory Cichorien wurzel. Chicorée sauvage, Achicoria. Cicoria selvatica. Cichorie Cykorya. Coriander Coriander Coriander Coriander Koiedra. Coriander Corn Salad. Feldsalat. Mâche. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Corn. Mais. Mais. Mais. Mais. Kuluurydza. Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agretto. Karse. Rzerzucha Cucumber Gurken Concombre. Cohombro. Cetriolo. Agūrk. Ogorek. Daill. Dill. Aneth Eneldo. Aneto. Dill. Koper. Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Cuicorée-Scarole Endivia. Endivia. Endivia. Endivia. Endivia.	Chervil	Kerhel	Carfauil	Perifollo	Cerfoglio	Kioerrel
Coriander Coriander Coriandre. Coriandre. Coriander Koledra. Corn Salad. Feldsalat. Mâche. Canonigos. Valeriana Vaarsalat. Ziarno Salaty. Corn Mais. Mais. Mais. Mais. Kukurydza. Cress. Garten-Kresse. Cresson alénois. Masturzzo Agretto. Karse. Rzezzucha. Cress. Garten-Kresse. Cresson alénois. Masturzzo Agretto. Karse. Rzezzucha. Cucumber Gurken Concombre. Cohombro. Cetriolo. Agürk. Ogorek. Dandelion. Löwenzahn. Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Dill. Aneth Eneldo. Aneto. Dil. Koper. Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Chicorée Endive. Endivia. Endivia. Endivie. Endivia. Endivia. Endive, Chicorée-Scarole Endivia. Endivia. Endivia. Endi	Chicory	. Cichorien wurzel.	. Chicorée sauvage.	Achicoria	Cicoria selvatica	Cichorie
Corn Salad.	Coriander	Coriander	. Coriandre	Culantro	. Coriandorlo	Koriander Koledra.
Corn. Mais. Mais. Mais. Mais. Kukurydza. Cress. Garten-Kresse. Cresson alénois. Mastuerzo Agretto. Karse. Rzerzucha. Cress. Garten-Kresse. Cresson de fontaine Berro. Nastuerzo Agretto. Broendkarse. Rzerzucha. Cucumber Gurken Concombre. Cohombro. Cetriolo. Agūrk. Ogorek. Dandelion. Löwenzahn Pissenlit. Diente de leon. Dente di leone. Loevetand. Papawa. Dill. Dill Aneth Eneldo. Aneto. Dil Koper. Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Curled Endivie. Chicorée Endive. Endivia. Endivia. Endivie. Endivia. Endive, Chicorée-Scarole Ronde Escarolo. Endivia Scariola Endivia.	Corn Salad	Feldsalat	Mâche	. Canonigos	. Valeriana	Vaarsalat Ziarno Salaty.
Cress, Water Brunnenkresse Cresson de fontaine Berro Nasturzio aquatico Broendkarse Kzerzucha Cucumber Gurken Concombre Cohombro Cetriolo Agūrk Ogorek Dandelion Löwenzahn Pissenlit Diente de leon Dente di leone Loevetand Papawa Dill Aneth Eneldo Aneto Dil Koper Egg Plant Eierpflanze Aubergine Berengena Petronciano Aegplante Gruszka Endive, Curled Endivie Chicorée Endive Endivia Endivia Endivia Endivia Broad Leaf. Escariol Ronde Escarolo Endivia Scariola	Corn	Mais	. Mais	. Maiz	. Mais	Mais Kukurydza.
Cucumber Gurken Concombre Cohombro Cetriolo Agürk Ogorek Dandelion Löwenzahn Pissenlit Diente de leon Dente di leone Loevetand Papawa Dill Dill Aneth Endloo Aneto Dill Koper Egg Plant Elerpflanze Aubergine Berengena Petrociano Aegplante Gruzzka Endive, Culcorée-Scarole Endivia Endivia Endivia Endivia Broad Leaf, Escariol Ronde Escarolo Endivia Scariola Endivia	Cress	Garten-Kresse	. Cresson alénois	Mastuerzo	Agretto	Karse Rzerzucha.
Cucumber Gurken Concombre Cohombro Cetriolo Agurk Ogorek Dandelion Löwenzahn Pissenlit Diente de leon Dente di leone Loevetand Papawa Dill Aneth Eneldo Aneto Dil Koper Egg Plant Eierpflanze Aubergine Berengena Petronciano Aegplante Gruszka Endive, Curled Endivie Chicorée Endive Endivia Endivia Endivia Endivia Broad Leaf Escariol Ronde Escarolo Endivia Scariola	Cress, Water	Brunnenkresse	Cresson de fontaine	Berro	Nasturzio aquatico	Broendkarse, Kzerzucha
Dandellon. Löwenzahn Pissenlit. Diente de leon. Dente di leone. Löevetand. Papawa. Dill. Dill. Aneth Eneldo. Aneto. Dill. Koper. Egg Plant. Eierpflanze. Aubergine Berengena. Petronciano. Aegplante. Gruszka Endive, Curled . Endivie. Endivia. Endivia. Endivia. Endivia. Erodive, Chicorée Scarole Encorée-Scarole Encorée Acarole Encorée Acarola	Cucumber	Gurlen	Concombre	Cohombro	Cetriolo	Agūrk Ogorek.
Dill	Dandelion	Löwenzahn	Pissenlit	Diente de leon.	Dente di leone	Loevetand Papawa.
Egg Plant. Eierpflanze. Aubergine. Berengena. Petronciano. Aegplante. Gruszka Endive, Chicorée Endive. Endivia. Endivia. Endivia. Endivia. Endive, Chicorée-Scarole Endivia. Endivia. Endivia. Endivia. Broad Leaf. Escariol. Ronde Escarolo. Endivia Scariola	Dill	. Dill	. Aneth	Eneldo	Aneto	Dil Koper.
Endive, Curled Endivie Chicorée Endive Endivia Endivia Endivie	Egg Plant	Eierpflanze	. Aubergine	Berengena	. Petronciano	Aegplante Gruszka
Endive, Chicorée-Scarole Broad Leaf., Escariol	T					milosna.
Broad Leaf. Escariol. Ronde - Escarolo. Endivia Scariola	Endive, Curled	Endivien	. Chicorée Endive	. Endivia	Endivia	Endivie Endywia.
	Broad Leaf	Escariol	Bonde	Escarolo	Endivia Scariola	
Fennel	Fennel	Fenchel	. Fenouil	Hinojo	Finocchio	FennikelKoper.

FOREIGN NAMES OF VEGETABLES AND HERBS-Continue

	FOREIGN	NAMES OF V	EGETABLES A	ND HERBS-C	Continued
ENGLISH	GERMAN	FRENCH	SPANISH	ITALIAN	DANISH-NORWEGIAN POLISH
Garlic	Knoblauch	Ail	Ajo	. Aglio	Hvidloeg Czosnek.
Horehound	. Andorn	Marrube blanc	Marrubio	. Marrubio	Marubium.
Horse Radish	. Meer Rettig	Raifort sauvage	Taramago	Rafano	Peberrod Chrzan.
Hyssop	. Isop	Hyssope	Hisopo	Issopo	Isop Hyzop.
Kale	. Blätterkohl	Chou vert	Breton, Berza	Cavolo verde	Groenkaal Solanka.
Kohl Rabi	, Knollkohl	Chou-rave	Col rabano	Cavolo rapa	. Kaalrabi Kalarepa.
Lavender	Lavendel	Lavende	Espliego	Lavanda	. Lavendel Lawenda.
					Purre Pory.
Lettuce	. Lattich, Koptsalat	Laitue	Lechuga	Lattuga	Salat Salata.
					Merian Majeranek.
Melon	. Melone	Melon	Melon	Popone.	Melon Melon.
Melon, Water	. wasser-melone	Melon d'eau	Sandia	Melone d'aqua	Vandmelon Melon, wodny.
Mushroom	Schwamm	Champignon	Seta	Fungo pratajolo.	. Champignon Grzyb.
Nasturtium	. Kapuciner Kresse	Capucine	Capucnina	Nasturzio	Blomkarse Nasturcya.
					Hibiskus
Danglarr	· Zwiebei · · · · · · · · · · · · ·	Borgil	Porojil	Programalo	Roedloeg Cebula.
Parsiey	Postinako	Papais	Chivirio	Postino og	Persille Pietruszka.
Poor	Frheen	Pois	Guisanto	Picello	Pastinak Pasternak. Erter Groch.
Penner	Pfoffer	Piment.	Pimiento	Penerona	Spansk Peber Pieprz.
Pumpkin	Melonen-Kürbiss	Potiron	Calabaza totanera	Zucca	Graeskar Bania.
Radish	Radies	Radis	Rabanito	Bayanello	Reddik Rzodkiew.
Rhubarh	Rhaharber.	Rhuharbe	Buibarbo	Rabarbaro	Rhaharber Ruharbarum
Rosemary	. Rosmarin	Romarin	Romero	Rosmarino.	Rosmarin Rozmaryn.
Rue	Raute	Rue	Ruda		Rude Ruta.
Ruta Baga	. Kohlrübe, Wrucken	Chou-navet	Col nabo, Nabicol	Cavolo navone	Roe
Saffron	. Safran	Safran	Azafran	Zafferano	Safran Szafran.
Sage	. Salbei	Sauge	Salvia	Salvia	. Salvie Szalwija.
Salsify	. Haferwurzel	Salsifis	Salsifi blanco	Sassefrica	Havrerod Jarzy, Ostryga,
Sorrel	. Sauerampfer	Oseille	Acedera	Acetosa	Syre Szczaw. Sar Caber-
Summer Savory.	. Bohnenkraut	Sarriette annuelle	Ajedrea comun	Santoreggia	Sar Caber-
					ogrodowy
Spinach	. Spinat	Epinard	Espinaca	Spinace	Spinat Szpinak.
Squash	. Kürbiss	Courge	Calabaza	Zucca	Squash-graeskar. Miekurz.
Swiss Chard	. Beisskohl	Poiree	Bleda	Bieta	Squash-graeskar. Miekurz. Biad bede
Thyme	. Thymian	Thym	Tomillo	Timo	Timian Macierzanka. Tomat Pomidor.
Tomato	. Liebesapfel	Pomme d'Amour	Tomate	Pomo d'oro	Tomat Pomidor.
Turnip	• Weisse-Rübe	Navet.	Nabo	Navone	Turnips Rzepa, brukiew
Wormwood	. Wermuth	Absinthe	Ajenjo	Assenzio	Malurt Piotun.

BOOKS

These books have been carefully selected and we believe they are the best moderate priced publications on the subjects treated, and in so far as they do not conflict with our own directions as heretofore given, we recommend them to our customers.

ASPARAGUS. By F. M. Hexamer. Culture for Home Use and for Market. Planting, Cultivation, Harvesting, Marketing, Forcing, etc. Illustrated. 174 pages. Cloth. Price 60c.

BEAN CULTURE. By Glenn C. Sevey. A Practical Treatise on the Production and Marketing of Beans. Illustrated. 144 pages. Cloth. Price 60c.

CABBAGES, CAULIFLOWER, ETC. By C. L. Allen. Gives complete instructions from sowing the seed till harvest, including Brussels Sprouts, Kohl Rabi, Kale, etc. Illustrated. 185 pages. Cloth. Price 60c.

CATECHISM OF AGRICULTURE, THE. By T. C. Atkeson. This book aims to impart the fundamental principles of agriculture by means of practical questions and answers in simple language. Illustrated. 100 pages. Cloth. Price 60c.

CELERY CULTURE. By W. R. Beattie. A practical guide for beginners and a standard reference for experienced celery growers. Fully illustrated. 150 pages. Cloth. Price 60c.

FARM AND GARDEN RULE-BOOK. By L. H. Bailey. A valuable, authoritative and up-to-date compilation of rules and reference tables for farm and garden, planting distances, seed tables, fertilizers, insecticides, weeds, plant diseases, horses, cattle, poultry, etc. 587 pages. Cloth. Price \$2.20

FARMER'S CYCLOPEDIA OF AGRICULTURE. By E. V. Wilcox and C. B. Smith. A practical, concise and thorough presentation of agriculture. Farm, orchard and garden crops, auimais, feeding, dairying, poultry. fertilizing, spraying, etc. 6000 topics. 500 illustrations. 700 pages. Cloth. Price \$3.50

GARDENETTE (THE), or City Back Yard Garden by The Sandwich System. By Benj. F. Albaugh. A Guide for the Amateur Gardener, setting forth a unique method intended especially for those who have limited areas available for this purpose. Illustrated. Paper. Price 60c.

GRASSES AND HOW TO GROW THEM. By Prof. Thos. Shaw, A practical discussion of the economic grasses of the United States and Canada from the standpoint of the stockman and farmer. Characteristics, adaptation to climate and soil, rotation, sowing, pasturing and harvesting are treated fully. Illustrated. 454 pages. Cloth. Price \$1.50

HOME FLORICULTURE. By Eben E. Rexford, A Fractical Guide to the Treatment of Flowering and Other Plants in the House and Garden. Illustrated, 312 pages. Cloth. Price \$1.00

MANUAL OF GARDENING. By L. H. Bailey. A Practical Guide to the Making of Home Grounds and the Growing of Flowers, Fruits and Vegetables for Home Use. This authoritative book treats fully of the growing of vegetables, fruits and ornamental plants, the handling of the land and of the plants, their protection, etc., keeping in mind the special needs of the home-maker. Illustrated. 541 pages. Cloth. **Price \$2.20**

MELON CULTURE. By James Troop. The Production of Melons for Home Use and for Market; Forcing, Insects, Diseases and their Control, etc. Illustrated. 118 pages. Cloth. Price 60c.

MUSHROOM CULTURE. This contains very complete yet easily understood directions for growing mushrooms from Pure Culture spawn. It is a practical book for the amateur as well as the experienced grower. Illustrated. Paper. Price 35c.

ONIONS ON MUCK SOIL. By C. C. Taylor. A concise pamphlet on how to grow onions on muck soil. Paper. Price 10c.

ONION RAISING. By Jas. J. H. Gregory. What Kinds to Raise, and the Way to Raise Them. Twentieth Edition (Revised). Illustrated. 66 pages. Paper. Price 30c.

PEAS AND PEA CULTURE. By Glenn C. Sevey. A Practical and Scientific Discussion of Peas. Garden Varieties, Cultural Methods, Insect and Fungous Pests, Peas as Forage and Soiling Crops, Sweet Peas, etc. Illustrated. 102 pages. Cloth. Price 60c.

SCHOOL AGRICULTURE. By Milo N. Wood. This treats of the fundamental laws of husbandry in a way valuable for all, and especially for those desiring a general knowledge of elementary agriculture. Illustrated, 340 pages. Cloth. Price 90c.

TOBACCO CULTURE. Plain Directions as Given by 14 Experienced Growers Residing in Different Parts of the United States. Illustrated. 50 pages. Paper. Price 25c.

TOMATO CULTURE. By Will W. Tracy. Contains the most complete and reliable information yet published on the Tomato, its planting, cultivation in field. garden and greenhouse, harvesting, packing, marketing, also insect enemies and diseases and their control. Illustrated. 150 pages. Cloth. Price 60c.

VEGETABLE GARDENING. By Samuel B. Green. A. Manual on the Growing of Vegetables for Home Use and Marketing. For Farmers and Gardeners. Twelfth Edition (Revised). Illustrated. 302 pages. Paper. Price 60c.

D. M. FERRY & CO.,

ADDRESS ALL ORDERS TO

DETROIT. MICH.

All Books sent postpaid on receipt of price.

SEED ANNUAL 1918



D.M.FERRY & CO. SEEDSMEN DETROIT,MICH.

HE CALVERT LITH. CO., DETROIT

SWEETCO