

PATIENTS
in
MENTAL INSTITUTIONS
1954

Part II

PUBLIC HOSPITALS FOR THE MENTALLY ILL



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

PATIENTS IN MENTAL INSTITUTIONS

1954

**Prepared by the Biometrics Branch
of
The National Institute of Mental Health**

Hospital Studies Section

RC
443
H32
1954 pt. 2

**U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
Public Health Service
National Institutes of Health**

RE 440
1950
1950

SYMBOLS USED

Class or item not applicable (3 dots)----- ...
Data not available (3 dashes)----- ---
Quantity is zero (1 dash)----- -



Public Health Service Publication No. 523

Part II

For sale by the Superintendent of Documents, U. S. Government Printing Office
Washington 25, D. C. - Price 35 cents

TABLE OF CONTENTS

SECTION I.--INTRODUCTION

	Page
Current Annual Report	II-5
Previous Reports	II-5

SECTION II.--SCOPE OF THE DATA

Purpose	II-5
Average	II-5
Mental Health Statistics--Current Reports	II-6
Table A.--Number of Public Prolonged-Care Mental Hospitals and Psychopathic Hospitals Reporting in Survey	II-6

SECTION III.--DEFINITIONS

Type of Hospital Included	II-7
Change in Movement of Patient Population	II-7
Patients on books at beginning and end of the year	II-7
Admissions other than transfers	II-7
Separations other than transfers	II-7
Transfers	II-7
Nomenclature	II-8
Characteristics of First Admissions and Resident Patients	II-8
Characteristics of Discharged Patients	II-8

SECTION IV.--LIMITATIONS OF THE DATA

SECTION V.--DETAILED TABLES

MOVEMENT

Table A.--Number of Patients on Books of Public Prolonged-Care Hospitals for Mental Disease at Beginning and End of Year, by Sex and State: United States, 1954	II-11
Table B.--Number of Patients on Books of Psychopathic Hospitals at Beginning and End of Year, by Sex and State: United States, 1954	II-14
Table C.--Admissions and Separations in Public Prolonged-Care Hospitals for Mental Disease, by Sex and State: United States, 1954	II-15
Table D.--Admissions and Separations in Psychopathic Hospitals, by Sex and State: United States, 1954	II-18

FIRST ADMISSIONS

Table E.--First Admissions to Public Prolonged-Care Hospitals for Mental Disease by Mental Disorder, Age and Sex: United States, 1954	II-19
Table F.--First Admissions to Public Prolonged-Care Hospitals for Mental Disease by Mental Disorder, Sex and State: United States, 1954	II-22
Table G.--First Admissions to Public Prolonged-Care Hospitals for Mental Disease, by Age, Sex and State: United States, 1954	II-28
Table H.--First Admissions to Psychopathic Hospitals by Mental Disorder, Age and Sex: United States, 1954	II-31
Table I.--First Admissions to Psychopathic Hospitals by Mental Disorder, Sex and State: United States, 1954	II-34
Table J.--First Admissions to Psychopathic Hospitals by Age, Sex and State: United States, 1954	II-36

RESIDENT PATIENTS

Table K.--Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, by Mental Disorder, Age at End of Year, and Sex: United States, 1954	II-37
--	-------

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public_Domain_Google-Digitized_Archive_Hathitrust_Contributor

RESIDENT PATIENTS--Continued

Table	Page
12. Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, by Mental Disorder, Sex and State: United States, 1954.....	II-40
13. Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, at End of Year, by Age, Sex and State: United States, 1954.....	II-46
14. Patients Resident in Psychopathic Hospitals, by Mental Disorder, Age at End of Year, and Sex: United States, 1954.....	II-49

ADMINISTRATIVE DATA

15. Personnel Employed Full and Part Time in Public Prolonged-Care Hospitals for Mental Disease, by Occupation and Sex: United States, 1954.....	II-51
16. Personnel Employed Full Time in Public Prolonged-Care Hospitals for Mental Disease, by Occupation and State: United States, 1954.....	II-52
17. Personnel Employed Full Time in Psychopathic Hospitals, by Occupation and State: United States, 1954	II-53
18. Expenditures of Public Prolonged-Care Hospitals for Mental Disease, by State: United States, 1954	II-54
19. Expenditures of Psychopathic Hospitals, by State: United States, 1954	II-55
20. Average Daily Resident-Patient Population of Public Prolonged-Care Hospitals for Mental Disease, by State: United States, 1954.....	II-55
21. Number of Paying Patients and Amount Paid in Full or in Part for their Care in Public Prolonged-Care Hospitals for Mental Disease, by State: United States, 1954 ..	II-56
22. Number of Paying Patients and Amount Paid in Full or in Part for Their Care in Psychopathic Hospitals, by State: United States, 1954	II-56

SECTION I. --INTRODUCTION

Current Annual Report

This report presents statistics on patients in public hospitals for the mentally ill. Included are the following types of hospitals: the long-term State and county hospitals herein designated as public prolonged-care hospitals and the short-term State psychopathic hospitals.

No data are included for the Federal hospitals (including the Veterans Administration) or the territorial hospitals in this report.

The data are based on schedules received for the 29th Annual Census of Patients in Mental Institutions, the eighth such census to be conducted by the National Institute of Mental Health.

The tabulations made are comparable to those in earlier publications. They consist of a bookkeeping account of the flow of patients in and out of public hospitals, statistics on certain characteristics of first admissions, resident patients, discharges and on personnel and expenditures.

The generous cooperation of the various State governments and superintendents and staffs of the individual public hospitals is gratefully acknowledged. Without their assistance this report could not be made.

Previous Reports

A detailed historical account of the development of the Annual Census of Mental Patients can be found in "Patients in Mental Institutions: 1947" pp. 1--4 U. S. Government Printing Office, Washington 25, D. C.

The first census in essentially its present form was conducted in 1923 and covered all types of hospitals. The next succeeding census was in 1926. Between 1926 and 1930 the inquiry was confined to State mental hospitals. From 1931 to date the enumeration has covered the State, county and psychopathic hospitals.

Part I of Public Health Service Publication No. 523, dealing with public institutions for mental defectives and epileptics has been published. This is Part II. Three more parts, Part III dealing with private hospitals for mental disease and general hospitals accepting mentally ill patients; Part IV concerned with private institutions for mental defectives and epileptics; and Part V presenting trend tables for the period 1943 through 1954 and special tables based on 1954 data for all mental hospitals and institutions for mental defectives and epileptics will also be published.

SECTION II. --SCOPE OF THE DATA

Purpose

The survey is designed to provide information as to the extent of use of public hospital facilities for the mentally ill in each State; to furnish basic data on a national level for the characteristics of first admissions to, resident patients in, and discharges from, public mental hospitals. Administrative information on movement of patient population, expenditures, and personnel employed, are also presented.

Coverage

The period covered in this report is for the calendar year 1954 or fiscal year ending in 1954. Most of the data are reported for the year ending June 30th. However, certain hospitals report for the year ending March 31st, August 31st, October 31st or December 31st.

Reporting of movement of population data for the 216 State hospitals, the 127 county

hospitals and the 9 psychopathic hospitals was complete (See Table A). However, coverage was somewhat less for the remaining seven schedules. The specific schedules requested were as follows:

Movement of Population

First admissions during the year by mental disorder, age and sex (two schedules-- male and female)

Discharges during the year by mental disorder, condition on discharge and sex

Resident patients at end of year by mental disorder, age and sex (two schedules-- male and female)

Personnel

Financial

A special coverage problem existed for the reports of the 12 State hospitals in Illinois. The State was able to report only limited data of the above described type. Data were completely reported for first admissions and for personnel and finances. However, schedules

pertaining to discharges and resident patients were not completed and limited data were reported for movement of population. Data on movement were not provided by sex; therefore, all tables on movement of population will not add fully by sex. In addition, tables on first admission by sex, will have grand totals larger than the comparable totals by sex shown on movement tables. However, totals for both sexes combined should agree. In each table where incompleteness in reporting for the State of Illinois is involved, a footnote referring the reader to the above explanation will be found.

Mental Health Statistics--Current Reports

A special report dealing with provisional data from this survey and presenting rates for all admissions, first admissions, discharges, deaths, and average daily resident patient populations by State has been published. It is entitled "Patients in Public Hospitals for the Prolonged Care of the Mentally Ill, 1953", Series MHB-H-1 and was published in January, 1956. Copies of this report may be obtained by writing to the National Institute of Mental Health, National Institutes of Health, Bethesda 14, Maryland.

Table A. --NUMBER OF PUBLIC PROLONGED-CARE MENTAL HOSPITALS AND PSYCHOPATHIC HOSPITALS REPORTING IN SURVEY

Number sent and received¹

State	Public prolonged care	Psycho-pathic	State	Public prolonged care	Psycho-pathic
Alabama-----	2	-	Nevada-----	1	-
Arizona-----	1	-	New Hampshire-----	1	-
Arkansas-----	1	-	New Jersey ² -----	9	-
California ² -----	10	1	New Mexico-----	1	-
Colorado-----	1	1	New York-----	22	1
Connecticut-----	3	-	North Carolina-----	4	-
Delaware-----	1	1	North Dakota-----	1	-
District of Columbia---	1	-	Ohio-----	21	-
Florida-----	2	-	Oklahoma-----	4	-
Georgia-----	1	-	Oregon-----	2	-
Idaho-----	2	-	Pennsylvania-----	17	-
Illinois-----	12	-	Rhode Island-----	1	-
Indiana-----	8	1	South Carolina-----	1	-
Iowa ² -----	85	1	South Dakota-----	1	-
Kansas-----	3	-	Tennessee ² -----	5	1
Kentucky-----	4	-	Texas-----	9	-
Louisiana-----	3	-	Utah-----	1	-
Maine-----	2	-	Vermont-----	1	-
Maryland ³ -----	6	-	Virginia-----	4	-
Massachusetts-----	13	1	Washington-----	3	-
Michigan-----	8	-	West Virginia-----	5	-
Minnesota-----	8	-	Wisconsin ² -----	40	-
Mississippi-----	2	-	Wyoming-----	1	-
Missouri-----	5	-			
Montana-----	1	-	United States Total----	343	9
Nebraska-----	3	1			

¹ Based on the submission of a usable movement of patient population report. Receipt of other schedules had varying coverage.

² Public prolonged-care hospitals includes county as well as State operated hospitals.

³ One of the State hospitals did not report data for 1954. Therefore the percent return for the United States is 99.7 and for Maryland 83.3. All other States had 100 percent returns.

SECTION III. --DEFINITIONS

Type of Hospital Included

Included in this survey are the State and county hospitals for mental disease which are essentially long term hospitals and the State psychopathic hospitals which are, in general, intensive treatment, teaching and research hospitals and where the patient is generally held for a short term only.

In making a comparison between States it is important that the psychopathic facilities of the States concerned be taken into account with the prolonged care hospitals so that adequate judgment as to size, provision of facilities, and rates of admission, release, death and retention can be made.

Data on Movement of Patient Population

Statistics on the movement of population represent a formal accounting of the flow of patients into and out of mental hospitals during the year. The classification employed covers patients on the books at the beginning of the year, admissions, separations, and patients on the books at the end of the year. The reader should be aware that these data count transactions and not patients so that duplication of patients can exist. Each of the categories used, together with its subclasses, is listed and defined below.

1. Patients on the Books at the Beginning and End of the Year. All patients on the books of the hospital at the time stated, classified by actual location as follows:

(a) In hospital. Patients physically present or accounted present under the rules governing such matters in hospitals (that is, "resident patients").

(b) In extramural care. Patients on the books of the hospital but not in actual residence. That is, subject to hospital control but residing in a location other than the hospital proper).

(i) In family care. Patients who have been placed in the community in private families other than their own, under State supervision.

The expense of maintenance may be borne by the State, the patient's estate, relatives, Old Age Assistance or some other person or agency.

(ii) In other extramural care. A majority of these patients are to be found on trial visit, usually to their homes, a type of care in which the ability of the patient to adjust to normal community life is tested. Since the patient is retained on the books of the hospital, he may be returned to the hospital for his own protection or for that of the community. The provisions under which patients are put on trial visit vary widely from State to State. Moreover, factors such as the degree of crowding of facilities, the development or extension of

methods of therapy and the number of social workers available for follow-up will affect the number on trial visit at any time. In addition to patients on trial visit, this category includes escaped patients and patients absent from the hospital for reasons not classified elsewhere.

2. Admissions other than Transfers. All patients who enter a mental hospital during the course of a year are designated as admissions. Admissions, other than transfers, are further classified as first admissions and readmissions.

(a) First admissions. Includes all patients admitted to a prolonged care mental hospital without a record of previous care (that is, a record of an admission and a formal discharge) in such a public or private hospital anywhere. The term is usually applied exclusively within a given type of hospital, that is, a patient going from a hospital for mental disease to an institution for mental defectives and epileptics, or vice versa, is considered a discharge from the first institution and a first admission to the second, not a transfer or a readmission. The psychopathic hospitals would also observe the above definition, except that patients who show a prior admission to the psychopathic hospital to which they are being admitted would be counted as readmissions.

(b) Readmissions. This category comprises patients admitted with record of previous treatment as indicated above.

3. Separations other than Transfers. All patients who are removed from the custody of the hospital are designated as separations. Separations, other than transfers, are the result of discharge or death. The nature of the classification of deaths and discharges is indicated below.

(a) Discharges. These represent patients who are formally removed from the custody of the hospital. Such patients may be discharged directly from the hospital or from extramural care. However, since practices with respect to placing patients on or removing them from extramural care vary so widely from hospital to hospital so as to introduce a serious lack of comparability within each of these classes, tables on the characteristics of discharged patients are presented for all discharges.

(b) Deaths. These represent patients who die while in the hospital or while in extramural care. No data are reported with respect to the age and diagnostic characteristics of patients who die in a given year.

4. Transfers. Those admissions and separations representing patients shifted within the same State from the supervision of one prolonged-care mental hospital to another, without a formal discharge, are designated as transfers. Since transfers do not represent additions

to the total patient population of hospitals within a given State and presumably have already appeared at some time in statistics on admissions, they are not given detailed consideration in this report. Psychopathic hospitals are instructed to consider such transfers as admissions and separations unless they are made to another psychopathic hospital within the State.

Nomenclature

In 1952 the American Psychiatric Association adopted and the American Medical Association approved a revision of the nomenclature for mental disorder. This report presents data in terms of the revised nomenclature as it appears in the Section on Diseases of the Psychobiologic Unit of the "Standard Nomenclature of Diseases and Operations", American Medical Association 1952. The nomenclature also appears in the "Diagnostic and Statistical Manual--Mental Disorders" American Psychiatric Association, 1952.

Characteristics of First Admissions and Resident Patients

Tables are presented for both of these patient categories for the United States and each State by mental disorder, age and sex. For first admissions age is computed as of

the last birthday prior to admission. In the case of resident patients it is computed for the last birthday as of the end of the reporting year.

Characteristics of Discharged Patients

Beginning with this report tables on discharge by condition on discharge and sex are neither presented in the annual report nor are they collected in the annual census for two main reasons:

1. Discharge from the books of a mental hospital is used by different hospitals in different ways. Some hospitals discharge a large proportion of patients directly while others use a period of trial visit, parole, convalescent leave, etc., prior to discharge in most cases. In most States this period is arbitrarily set by law and varies in length from 90 days up to three years. In many States discharge from trial visit, etc., is administrative and does not require a return to the hospital. Therefore, the adequacy of the determination of condition on discharge varies according to the length of time between last hospital examination and time of discharge from the hospital books.

2. The standards for determination of condition on discharge are not well defined and have been applied under varying administrative conditions, thus rendering comparisons between hospitals or State hospital systems difficult to interpret.

SECTION IV. -- LIMITATIONS OF THE DATA

Variations in resident patient and first admission rates to the public mental hospitals provide, in theory, a basis for inference as to the variations in the prevalence and incidence of serious mental disease among the several States.

However, there are a number of reasons why such inferences cannot and should not be made for this purpose in our present state of knowledge. Some of these reasons are as follows:

1. The relationship between the number of mentally ill who are hospitalized and the number of persons with mental illness in the population who are not hospitalized is not known.
2. Not all persons who are seriously mentally ill are hospitalized. The inability to gain admittance may be related to the degree of overcrowding of existing facilities which, in turn, varies with the adequacy of facilities for the care of mental patients. Those States with more extensive facilities of various types or with regulations requiring admission of all patients without regard to available space are more apt to show greater numbers of hospitalized patients.

In addition many persons with mental illness which is not too severe, may not seek help or be identified so as to obtain assistance. Also there have been developing a large number of alternative facilities to help such persons outside of the hospital, such as psychiatric clinics, specialized social agencies and other groups.

3. In a given State, either the expansion of facilities or a sudden increase in discharges will provide empty beds and thus permit an upswing in admission for patients, who, because of insufficient hospital space, were unable to gain admittance in previous years. This means that the increased admission rate does not reflect increased numbers of new mentally ill but rather an accumulation of patients who would have been included in the admission figures of previous years. Similar considerations also apply to the concept of resident patients as an indication of prevalence.

States also vary in their definitions of the terms used to measure hospital-based incidence and prevalence. The definitions of first admission and resident patient are not standard

and may vary so widely as to cause serious differences.

No comparable data are available on three groups of public mental hospitals: The Veterans Administration, the military, and the Public Health Service. The report is limited to the continental United States at this time, therefore, data are not presented on the territorial hospitals. Rates using civilian population as a base, computed for the continental United States for these data are understated to the extent that statistics on patients in the Veterans Administration or Public Health Service Hospitals are not available. However, with the use of civilian population the possibility of understating or overstating rates due to rapid shifts in the population between civilian and military status is created.

Another point to be considered is that most of these hospitals regardless of control or type are closely associated, in their functions as hospitals, either by operating as screening facilities or as treatment service for acute cases only with chronic cases going to other hospitals or serving as alternative facilities or all types of patients and must be considered as a group in any analysis of the data.

For example, the States of New Jersey and Wisconsin have large county hospital systems which care for patients who, in other States, are cared for in State hospitals. These county hospitals represent about one-third of the average daily resident patient population in New Jersey and about four-fifths in Wisconsin. Also in Ohio the receiving hospitals, here included with the psychopathic hospitals, serve as the receiving facilities of the State hospital system and should be included with them in analysis.

In order to avoid rigidity and to keep the number of categories of hospitals within reasonable limits, some hospitals have been classified in terms of parallel function rather than strictly by type of control. There are three such hospitals involved in this report.

1. St. Elizabeth's Hospital, Washington, D. C.

This hospital is operated by the Federal Government but has been classified with State hospitals, since it performs for residents of the District of Columbia the same functions a State hospital performs for the resident of a State and is largely supported financially by reimbursements from the District of Columbia for the services it offers to District residents.

However, non-residents of the District of Columbia are also cared for at the hospital under various Federal laws.

2. Wayne County General Hospital and Infirmary, Eloise, Michigan

This general hospital is operated by Wayne County. Its large psychiatric unit is classified by the State as a State mental hospital because it provides care for patients from Wayne County who normally would be cared for in the State mental hospitals of Michigan. Many of these patients, who are direct State responsibilities, are cared for under contract with the county.

3. The DeJarnette State Sanitarium, Staunton, Virginia

This State operated hospital is not included in the report. The hospital's funds for operation do not come from tax sources and in all of its aspects is operated as a private mental hospital. Therefore, data for this hospital are included with data for private hospitals reported in Part III of Publication No. 523.

Data on overcrowding are not presented in this report. Variations in standards in determining the base, rated capacity, from which overcrowding is computed, are such that comparison among States in percent overcrowding may be misleading.

Data on personnel vacancies are presented but such data are available only for those hospitals with established tables of organization. Undoubtedly additional vacancies would have been reported by hospitals which do not budget for specific positions but which had unexpended funds for salaries and wages.

Table 1.--PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 215 of the 216 State and the 127 county hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Alabama	Male-----	3,761	3,321	-	440	3,822	3,406	-	416
	Female-----	4,077	3,667	-	410	4,174	3,763	-	411
	Total-----	7,838	6,988	-	850	7,996	7,169	-	827
Arizona	Male-----	976	892	-	84	996	903	-	93
	Female-----	906	791	-	115	966	850	-	116
	Total-----	1,882	1,683	-	199	1,962	1,753	-	209
Arkansas	Male-----	2,768	2,360	-	408	2,887	2,435	-	452
	Female-----	3,009	2,576	-	433	3,137	2,582	-	555
	Total-----	5,777	4,936	-	841	6,024	5,017	-	1,007
California	Male-----	22,817	17,207	226	5,384	22,188	17,637	246	4,305
	Female-----	22,764	18,371	279	4,114	23,457	18,845	315	4,297
	Total-----	45,581	35,578	505	9,498	45,645	36,482	561	8,602
Colorado	Male-----	3,205	2,780	-	425	3,240	2,805	-	435
	Female-----	2,909	2,632	-	277	2,988	2,715	-	273
	Total-----	6,114	5,412	-	702	6,228	5,520	-	708
Connecticut	Male-----	4,701	4,098	76	527	4,746	4,119	93	534
	Female-----	5,581	4,730	83	718	5,659	4,811	97	751
	Total-----	10,282	8,878	159	1,245	10,405	8,930	190	1,285
Delaware	Male-----	935	671	-	264	959	683	-	276
	Female-----	1,048	727	-	321	1,077	731	-	346
	Total-----	1,983	1,398	-	585	2,036	1,414	-	622
District of Columbia	Male-----	3,747	3,667	-	80	3,752	3,679	-	73
	Female-----	3,635	3,446	-	189	3,678	3,550	-	128
	Total-----	7,382	7,113	-	269	7,430	7,229	-	201
Florida	Male-----	3,804	3,451	-	353	4,019	3,606	-	413
	Female-----	4,455	3,972	2	481	4,627	4,112	-	515
	Total-----	8,259	7,423	2	834	8,646	7,718	-	928
Georgia	Male-----	6,179	5,088	-	1,091	6,374	5,199	-	1,175
	Female-----	7,058	6,069	-	989	7,410	6,269	-	1,141
	Total-----	13,237	11,157	-	2,080	13,784	11,468	-	2,316
Idaho	Male-----	799	663	-	136	852	674	-	178
	Female-----	720	568	-	152	752	573	-	179
	Total-----	1,519	1,231	-	288	1,604	1,247	-	357
Illinois ¹	Male-----	---	---	---	---	---	---	---	---
	Female-----	---	---	---	---	---	---	---	---
	Total-----	14,688	37,955	546	3,187	42,053	38,465	539	3,049
Indiana	Male-----	5,117	4,766	-	351	5,379	4,980	-	399
	Female-----	5,982	5,572	-	410	6,183	5,671	-	512
	Total-----	11,099	10,338	-	761	11,562	10,651	-	911
Iowa	Male-----	4,649	3,880	-	769	4,496	3,763	-	733
	Female-----	4,585	3,994	-	591	4,477	3,898	-	579
	Total-----	9,234	7,874	-	1,360	8,973	7,661	-	1,312
Kansas	Male-----	2,498	2,204	42	252	2,612	2,208	167	237
	Female-----	2,901	2,414	116	371	3,018	2,343	311	364
	Total-----	5,399	4,618	158	623	5,630	4,551	478	601
Kentucky	Male-----	3,952	3,538	-	414	4,060	3,670	-	390
	Female-----	4,379	3,843	-	536	4,487	3,983	-	504
	Total-----	8,331	7,381	-	950	8,547	7,653	-	894
Louisiana	Male-----	4,427	3,724	-	703	4,706	3,917	-	789
	Female-----	4,948	4,029	-	919	5,423	4,238	-	1,185
	Total-----	9,375	7,753	-	1,622	10,129	8,155	-	1,974

See footnote at end of table.

Table 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 215 of the 216 State and the 127 county hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Maine	Male-----	1,355	1,247	34	74	1,379	1,261	48	70
	Female-----	1,864	1,651	92	121	1,909	1,706	95	108
	Total-----	3,219	2,898	126	195	3,288	2,967	143	178
Maryland	Male-----	4,968	4,178	90	700	5,260	4,410	108	742
	Female-----	5,437	4,546	157	734	5,890	4,770	173	857
	Total-----	10,405	8,724	247	1,434	11,060	9,180	281	1,599
Massachusetts	Male-----	12,152	10,920	22	1,210	11,843	10,579	24	1,240
	Female-----	14,951	12,868	197	1,886	14,942	12,895	192	1,855
	Total-----	27,103	23,788	219	3,096	26,785	23,474	216	3,095
Michigan	Male-----	13,175	10,642	455	2,078	13,354	10,864	514	1,976
	Female-----	13,190	10,160	537	2,493	13,523	10,384	593	2,546
	Total-----	26,365	20,802	992	4,571	26,877	21,248	1,107	4,522
Minnesota	Male-----	6,889	5,821	-	1,068	6,967	5,883	-	1,084
	Female-----	6,339	5,495	-	844	6,447	5,565	-	882
	Total-----	13,228	11,316	-	1,912	13,414	11,448	-	1,966
Mississippi	Male-----	3,085	2,298	-	787	3,235	2,408	-	827
	Female-----	3,628	2,807	-	821	3,865	2,922	-	943
	Total-----	6,713	5,105	-	1,608	7,100	5,330	-	1,770
Missouri	Male-----	6,141	5,589	-	552	6,081	5,539	29	513
	Female-----	7,290	6,575	-	715	7,310	6,585	51	674
	Total-----	13,431	12,164	-	1,267	13,391	12,124	80	1,187
Montana	Male-----	1,326	1,066	-	260	1,346	1,107	-	239
	Female-----	983	845	-	138	953	851	-	102
	Total-----	2,309	1,911	-	398	2,299	1,958	-	341
Nebraska	Male-----	3,071	2,417	-	654	2,880	2,312	-	568
	Female-----	2,827	2,387	-	440	2,828	2,364	-	464
	Total-----	5,898	4,804	-	1,094	5,708	4,676	-	1,032
Nevada	Male-----	298	238	-	60	310	242	-	68
	Female-----	220	168	-	52	227	174	-	53
	Total-----	518	406	-	112	537	416	-	121
New Hampshire	Male-----	1,491	1,249	-	242	1,505	1,284	-	221
	Female-----	1,776	1,395	-	381	1,751	1,436	-	315
	Total-----	3,267	2,644	-	623	3,256	2,720	-	536
New Jersey	Male-----	10,421	9,254	-	1,167	10,679	9,466	-	1,213
	Female-----	13,300	11,215	-	1,785	13,135	11,466	-	1,669
	Total-----	23,721	20,469	-	2,952	23,814	20,932	-	2,882
New Mexico	Male-----	858	593	5	260	878	563	12	303
	Female-----	756	496	3	257	814	491	10	310
	Total-----	1,614	1,089	8	517	1,692	1,054	22	613
New York	Male-----	48,044	43,848	435	3,761	48,843	44,518	430	3,895
	Female-----	54,380	48,228	948	5,204	56,011	49,706	976	5,329
	Total-----	102,424	92,076	1,383	8,965	104,854	94,224	1,406	9,224
North Carolina	Male-----	5,602	4,643	19	940	5,698	4,724	6	968
	Female-----	6,064	5,062	76	926	6,166	5,139	20	1,007
	Total-----	11,666	9,705	95	1,866	11,864	9,863	26	1,975
North Dakota	Male-----	1,250	1,102	-	148	1,291	1,067	-	224
	Female-----	1,154	964	-	190	1,156	931	-	225
	Total-----	2,404	2,066	-	338	2,447	1,998	-	449
Ohio	Male-----	16,099	13,590	65	2,444	16,389	13,917	45	2,427
	Female-----	16,526	13,927	96	2,503	16,960	14,199	94	2,767
	Total-----	32,625	27,517	161	4,947	33,349	28,116	139	5,194

Table 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 215 of the 216 State and the 127 county hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
Oklahoma	Male-----	4,670	4,049	-	621	4,380	4,025	-	355
	Female-----	4,398	3,813	-	585	4,337	3,876	-	461
	Total-----	9,068	7,862	-	1,206	8,717	7,901	-	816
Oregon	Male-----	2,951	2,271	-	680	3,092	2,344	-	748
	Female-----	2,896	2,325	-	571	3,106	2,394	-	712
	Total-----	5,847	4,596	-	1,251	6,198	4,738	-	1,460
Pennsylvania	Male-----	21,810	18,758	-	3,052	22,417	19,037	-	3,330
	Female-----	24,237	19,864	-	4,373	25,485	20,747	-	4,738
	Total-----	46,047	38,622	-	7,425	47,902	39,834	-	8,068
Rhode Island	Male-----	1,986	1,678	77	231	1,975	1,686	71	218
	Female-----	2,124	1,782	106	236	2,120	1,730	128	262
	Total-----	4,110	3,460	183	467	4,095	3,416	199	480
South Carolina	Male-----	3,272	2,778	-	494	3,388	2,887	-	501
	Female-----	3,535	2,928	-	607	3,702	3,042	-	660
	Total-----	6,807	5,706	-	1,101	7,090	5,929	-	1,161
South Dakota	Male-----	943	922	19	2	847	823	23	1
	Female-----	864	832	30	2	793	772	18	3
	Total-----	1,807	1,754	49	4	1,640	1,595	41	4
Tennessee	Male-----	3,753	3,711	-	42	3,900	3,820	-	80
	Female-----	4,332	4,294	-	38	4,473	4,394	-	79
	Total-----	8,085	8,005	-	80	8,373	8,214	-	159
Texas	Male-----	9,147	7,587	-	1,560	9,290	7,812	-	1,478
	Female-----	11,004	8,799	-	2,205	10,966	8,741	-	2,225
	Total-----	20,151	16,386	-	3,765	20,256	16,553	-	3,703
Utah	Male-----	716	622	-	94	744	644	-	100
	Female-----	789	700	-	89	818	715	-	103
	Total-----	1,505	1,322	-	183	1,562	1,359	-	203
Vermont	Male-----	656	631	-	25	660	633	-	27
	Female-----	676	630	-	46	725	668	-	57
	Total-----	1,332	1,261	-	71	1,385	1,301	-	84
Virginia	Male-----	6,032	5,130	-	902	6,278	5,331	-	947
	Female-----	6,321	5,402	1	918	6,546	5,525	6	1,015
	Total-----	12,353	10,532	1	1,820	12,824	10,856	6	1,962
Washington	Male-----	4,311	3,721	-	590	4,192	3,760	-	432
	Female-----	4,367	3,700	-	667	4,451	3,833	-	618
	Total-----	8,678	7,421	-	1,257	8,643	7,593	-	1,050
West Virginia	Male-----	3,539	2,797	-	742	3,472	2,823	2	647
	Female-----	3,148	2,547	1	600	3,031	2,578	1	452
	Total-----	6,687	5,344	1	1,342	6,503	5,401	3	1,099
Wisconsin	Male-----	8,102	7,546	-	556	8,078	7,549	-	529
	Female-----	7,973	7,249	-	724	8,033	7,367	-	666
	Total-----	16,075	14,795	-	1,280	16,111	14,916	-	1,195
Wyoming	Male-----	404	381	-	23	415	370	-	45
	Female-----	309	275	-	34	316	269	-	47
	Total-----	713	656	-	57	731	639	-	92
United States Total ¹	Male-----	282,852	243,587	1,565	37,700	286,154	247,422	1,818	36,914
	Female-----	306,315	261,380	2,724	42,211	314,212	267,169	3,380	43,963
	Total-----	630,855	542,922	4,835	83,098	642,419	553,056	5,437	83,926

¹ See page II-5 for discussion of reporting for State of Illinois.

Table 2. --PATIENTS ON BOOKS OF PSYCHOPATHIC HOSPITALS AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from the 9 psychopathic hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
California	Male-----	34	34	-	-	38	35	-	3
	Female-----	44	42	-	2	44	42	-	2
	Total-----	78	76	-	2	82	77	-	5
Colorado	Male-----	18	18	-	-	26	26	-	-
	Female-----	36	36	-	-	30	30	-	-
	Total-----	54	54	-	-	56	56	-	-
Delaware	Male-----	227	198	-	29	227	209	-	18
	Female-----	125	108	-	17	132	118	-	14
	Total-----	352	306	-	46	359	327	-	32
Indiana	Male-----	34	34	-	-	76	76	-	-
	Female-----	43	43	-	-	96	96	-	-
	Total-----	77	77	-	-	172	172	-	-
Iowa	Male-----	18	16	2	-	17	15	2	-
	Female-----	18	15	3	-	32	24	8	-
	Total-----	36	31	5	-	49	39	10	-
Massachusetts	Male-----	138	54	-	84	124	57	-	67
	Female-----	181	73	-	108	166	74	-	92
	Total-----	319	127	-	192	290	131	-	159
Nebraska	Male-----	9	9	-	-	11	11	-	-
	Female-----	17	17	-	-	16	16	-	-
	Total-----	26	26	-	-	27	27	-	-
New York	Male-----	34	34	-	-	28	28	-	-
	Female-----	31	31	-	-	30	30	-	-
	Total-----	65	65	-	-	58	58	-	-
Tennessee	Male-----	18	16	-	2	17	17	-	-
	Female-----	29	24	-	5	19	19	-	-
	Total-----	47	40	-	7	36	36	-	-
United States Total	Male-----	530	413	2	115	564	474	2	88
	Female-----	524	389	3	132	565	449	8	108
	Total-----	1,054	802	5	247	1,129	923	10	196

Table 3.--ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 215 of the 216 of the 216 State and the 127 county hospitals.)

STATE AND SEX	ADMISSIONS DURING YEAR				TOTAL SEPARATIONS	SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in		DISCHARGES				TRANS-FERS OUT	DEATHS		
						Total	From hospital	From extra-mural care	Total		In hospital	In extra-mural care	
Alabama	Male-----	1,175	874	310	31	1,114	808	136	672	31	275	275	-
	Female-----	924	637	317	-	857	679	76	659	-	178	178	-
	Total-----	2,129	1,441	637	31	1,971	1,487	156	1,331	31	453	453	-
Arizona	Male-----	401	354	47	-	381	296	201	95	-	85	82	3
	Female-----	303	255	48	-	243	201	89	112	-	42	41	1
	Total-----	704	609	95	-	624	497	290	207	-	127	123	4
Arkansas	Male-----	1,363	944	474	-	1,249	1,049	641	408	-	200	200	-
	Female-----	933	627	306	-	855	675	242	433	-	130	130	-
	Total-----	2,301	1,571	780	-	2,054	1,724	883	841	-	330	330	-
California	Male-----	10,328	7,164	2,381	783	10,957	8,622	4,598	4,024	790	1,545	1,433	112
	Female-----	7,410	5,033	1,998	419	8,717	4,973	1,873	3,150	432	1,312	1,252	60
	Total-----	17,738	12,197	4,339	1,202	17,674	13,595	6,421	7,174	1,222	2,857	2,685	172
Colorado	Male-----	703	283	187	233	668	363	209	154	22	283	277	6
	Female-----	532	176	115	241	453	210	105	105	4	239	238	1
	Total-----	1,235	459	302	474	1,121	573	314	259	26	522	515	7
Connecticut	Male-----	1,988	1,259	712	17	1,943	1,515	1,113	402	18	410	401	9
	Female-----	1,694	1,061	609	24	1,616	1,169	984	585	15	432	416	16
	Total-----	3,682	2,320	1,321	41	3,559	2,684	1,697	987	33	842	817	25
Delaware	Male-----	258	185	73	-	234	170	41	129	-	64	64	-
	Female-----	229	164	65	-	200	151	53	98	-	49	49	-
	Total-----	487	349	138	-	434	321	94	227	-	113	113	-
District of Columbia	Male-----	689	466	132	91	684	486	345	141	-	198	198	-
	Female-----	696	509	112	75	653	435	169	216	-	218	218	-
	Total-----	1,385	975	244	166	1,337	921	514	407	-	416	416	-
Florida	Male-----	1,009	642	154	213	794	334	98	230	222	238	234	4
	Female-----	846	550	218	78	674	436	61	375	78	160	159	1
	Total-----	1,855	1,192	372	291	1,468	770	159	611	300	398	393	5
Georgia	Male-----	2,018	1,680	338	-	1,823	1,299	177	1,122	-	524	524	-
	Female-----	1,621	1,271	350	-	1,579	893	12	821	-	376	376	-
	Total-----	3,639	2,951	688	-	3,092	2,192	189	2,003	-	900	900	-
Idaho	Male-----	683	438	239	6	630	553	479	74	-	77	73	4
	Female-----	373	250	121	2	341	290	248	42	-	51	46	5
	Total-----	1,056	688	360	8	971	843	727	116	-	128	119	9
Illinois	Male-----	---	---	---	---	---	---	---	---	---	---	---	---
	Female-----	---	---	---	---	---	---	---	---	---	---	---	---
	Total-----	14,056	8,589	4,610	857	13,691	9,325	6,433	2,892	858	3,508	3,441	67
Indiana	Male-----	1,429	971	311	147	1,167	671	283	388	111	385	371	14
	Female-----	1,231	744	381	105	1,030	623	174	449	75	337	318	9
	Total-----	2,660	1,715	692	253	2,197	1,294	457	837	181	722	689	23
Iowa	Male-----	1,611	1,008	390	213	1,764	1,025	69	440	265	414	377	37
	Female-----	1,179	711	301	156	1,387	743	393	316	195	349	325	24
	Total-----	2,790	1,724	697	369	3,051	1,828	1,029	799	460	763	702	61
Kansas	Male-----	846	581	261	4	730	566	333	233	4	162	154	8
	Female-----	716	387	260	63	593	434	180	294	63	96	87	9
	Total-----	1,566	968	521	67	1,323	1,000	513	427	67	258	241	17
Kentucky	Male-----	1,510	935	428	127	1,402	913	558	355	127	362	354	8
	Female-----	1,168	664	422	100	1,060	708	290	418	100	252	245	7
	Total-----	2,678	1,581	850	227	2,462	1,621	848	773	227	614	599	15
Kentucky	Male-----	1,470	1,090	319	61	1,191	854	340	499	65	267	261	6
	Female-----	1,377	985	358	34	900	695	169	586	26	181	178	3
	Total-----	2,847	2,075	677	95	2,093	1,549	469	1,085	91	448	439	9

See footnote at end of table.

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346 Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-gp-google

Table 3. --ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 215 of the 216 State and the 127 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Re-admissions	Transfers in	Total Separations	DISCHARGED			Transfers out	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	Extra-mural care	
Maine													
Male-----	400	296	104	-	376	240	158	88	-	130	130	-	-
Female-----	413	288	124	1	368	251	72	179	1	116	116	-	-
Total-----	813	584	228	1	744	497	230	267	1	246	246	-	-
Maryland													
Male-----	1,934	1,341	531	62	1,642	1,187	674	513	102	353	330	23	23
Female-----	1,393	950	390	53	1,030	700	155	551	44	280	270	10	10
Total-----	3,327	2,291	921	115	2,672	1,893	829	1,064	146	633	600	33	33
Massachusetts													
Male-----	4,073	2,784	1,133	156	4,382	2,788	1,794	994	498	1,096	1,096	-	-
Female-----	3,815	2,447	1,145	233	3,824	2,408	990	1,418	261	1,155	1,155	-	-
Total-----	7,888	5,231	2,278	379	8,206	5,196	2,784	2,412	759	2,251	2,251	-	-
Michigan													
Male-----	2,495	1,406	734	155	2,316	1,330	560	770	165	821	778	43	43
Female-----	2,241	1,258	731	252	1,908	1,036	262	774	255	617	600	17	17
Total-----	4,736	2,664	1,465	407	4,224	2,366	822	1,544	420	1,438	1,378	60	60
Minnesota													
Male-----	2,855	1,696	954	205	2,777	1,875	1,120	755	217	685	650	35	35
Female-----	1,847	949	666	232	1,739	1,036	466	570	238	465	445	20	20
Total-----	4,702	2,645	1,620	437	4,516	2,911	1,586	1,325	455	1,150	1,101	49	49
Mississippi													
Male-----	1,727	1,167	544	16	1,577	1,379	379	982	23	175	175	-	-
Female-----	1,228	829	394	5	991	879	157	722	8	104	104	-	-
Total-----	2,955	1,996	938	21	2,568	2,258	554	1,704	31	279	279	-	-
Missouri													
Male-----	941	709	226	6	1,001	625	184	441	1	371	364	7	7
Female-----	960	641	303	16	960	630	84	546	-	310	304	6	6
Total-----	1,901	1,350	529	22	1,961	1,255	268	987	1	681	668	13	13
Montana													
Male-----	467	378	88	1	447	327	195	132	3	117	114	3	3
Female-----	315	240	72	3	345	257	147	110	2	86	84	2	2
Total-----	782	618	160	4	792	584	342	242	5	203	198	5	5
Nebraska													
Male-----	752	402	328	22	943	753	374	379	20	170	167	3	3
Female-----	476	240	211	25	475	323	79	244	16	136	136	-	-
Total-----	1,228	642	539	47	1,418	1,076	453	623	36	306	303	3	3
Nevada													
Male-----	142	127	15	-	130	73	39	34	38	19	19	-	-
Female-----	85	75	10	-	78	47	22	25	18	13	13	-	-
Total-----	227	202	25	-	208	120	61	59	56	32	32	-	-
New Hampshire													
Male-----	482	370	112	-	468	322	158	164	-	146	146	-	-
Female-----	413	249	114	-	438	300	48	258	-	132	132	-	-
Total-----	895	619	226	-	906	628	206	422	-	278	278	-	-
New Jersey													
Male-----	3,794	2,560	1,021	213	3,536	2,131	843	1,288	333	1,072	1,044	28	28
Female-----	3,597	2,419	1,031	147	3,462	2,143	489	1,651	124	1,198	1,163	35	35
Total-----	7,391	4,979	2,052	360	6,998	4,271	1,332	2,939	457	2,270	2,207	63	63
New Mexico													
Male-----	257	237	20	-	237	170	136	34	-	67	62	5	5
Female-----	155	134	21	-	97	63	45	18	-	34	31	3	3
Total-----	412	371	41	-	334	233	181	52	-	101	93	8	8
New York													
Male-----	11,311	7,993	2,692	626	10,512	5,249	2,202	3,047	1,248	4,015	3,922	93	93
Female-----	12,406	8,069	3,276	1,061	10,775	5,590	1,292	4,298	1,067	4,118	4,034	84	84
Total-----	23,717	16,062	5,968	1,687	21,287	10,839	3,494	7,345	2,315	8,133	7,956	177	177
North Carolina													
Male-----	1,689	1,353	278	58	1,593	1,272	407	865	59	262	252	10	10
Female-----	1,561	1,204	321	36	1,459	1,203	358	845	39	217	216	1	1
Total-----	3,250	2,557	599	94	3,052	2,475	765	1,710	98	479	468	11	11
North Dakota													
Male-----	474	348	126	-	433	349	230	119	-	84	79	5	5
Female-----	262	194	62	-	266	202	74	128	-	58	57	1	1
Total-----	736	542	194	-	699	551	304	247	-	142	136	6	6
Ohio													
Male-----	5,831	3,733	1,304	794	5,541	3,772	1,773	1,999	642	1,127	1,078	49	49
Female-----	5,225	3,128	1,561	536	4,791	3,359	1,464	1,895	516	916	886	30	30
Total-----	11,056	6,861	2,865	1,330	10,332	7,131	3,237	3,894	1,158	2,043	1,964	79	79

Table 3.--ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1954-Continued

(Statistics based on reports from 215 of the 216 State and the 127 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				TOTAL SEPARATIONS	SEPARATIONS DURING YEAR							
	Total	First admissions	Readmissions	Transfers in		DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
Kalifornia	Male-----	1,046	687	309	50	1,336	958	392	566	50	328	321	7
	Female-----	836	460	355	21	897	704	200	504	21	172	170	2
	Total-----	1,882	1,147	664	71	2,233	1,662	592	1,070	71	500	491	9
Oregon	Male-----	1,444	1,034	406	4	1,303	1,004	724	280	11	288	276	12
	Female-----	1,095	772	318	5	885	702	496	206	11	172	163	9
	Total-----	2,539	1,806	724	9	2,188	1,706	1,220	486	22	460	439	21
Pennsylvania	Male-----	3,852	2,863	900	89	3,245	1,700	591	1,109	131	1,414	1,414	-
	Female-----	3,908	2,744	1,027	137	2,660	1,403	175	1,228	84	1,173	1,173	-
	Total-----	7,760	5,607	1,927	226	5,905	3,103	766	2,337	215	2,587	2,587	-
Rhode Island	Male-----	898	480	418	-	909	715	545	170	-	194	188	6
	Female-----	518	370	148	-	522	317	150	167	-	205	198	7
	Total-----	1,416	850	566	-	1,431	1,032	695	337	-	399	386	13
South Carolina	Male-----	1,240	967	273	-	1,124	894	488	406	-	230	230	-
	Female-----	976	675	301	-	809	654	145	509	-	155	155	-
	Total-----	2,216	1,642	574	-	1,933	1,548	633	915	-	385	385	-
South Dakota	Male-----	344	247	97	-	440	347	316	31	-	93	93	-
	Female-----	284	183	101	-	355	296	262	34	-	59	59	-
	Total-----	628	430	198	-	795	643	578	65	-	152	152	-
Tennessee	Male-----	1,538	1,117	421	-	1,391	1,063	697	366	8	320	319	1
	Female-----	1,288	874	414	-	1,147	899	478	421	10	238	238	-
	Total-----	2,826	1,991	835	-	2,538	1,962	1,175	787	18	558	557	1
Texas	Male-----	3,115	2,153	744	218	2,977	2,089	1,239	850	254	629	594	35
	Female-----	2,412	1,542	755	115	2,450	1,925	840	1,085	89	436	408	28
	Total-----	5,527	3,695	1,499	333	5,422	4,014	2,079	1,935	343	1,065	1,002	63
Utah	Male-----	230	180	50	-	202	144	85	59	-	58	58	-
	Female-----	191	128	63	-	162	114	48	66	-	48	48	-
	Total-----	421	308	113	-	364	258	133	125	-	106	106	-
Vermont	Male-----	265	179	86	-	261	199	154	45	-	62	62	-
	Female-----	252	171	81	-	203	160	76	84	-	43	43	-
	Total-----	517	350	167	-	464	359	230	129	-	105	105	-
Virginia	Male-----	2,037	1,294	740	3	1,791	1,333	687	646	3	455	439	16
	Female-----	1,520	880	634	6	1,295	921	284	637	5	369	347	22
	Total-----	3,557	2,174	1,374	9	3,086	2,254	971	1,283	8	824	786	38
Washington	Male-----	1,333	1,038	238	57	1,452	864	474	390	119	469	444	25
	Female-----	1,232	907	300	25	1,148	824	366	458	17	307	298	9
	Total-----	2,565	1,945	538	82	2,600	1,688	840	848	136	776	742	34
West Virginia	Male-----	1,251	891	299	61	1,318	1,040	635	405	62	216	211	5
	Female-----	1,007	651	335	21	1,124	959	581	378	19	146	139	7
	Total-----	2,258	1,542	634	82	2,442	1,999	1,216	783	81	362	350	12
Wisconsin	Male-----	3,016	1,783	611	622	3,040	1,630	1,081	549	678	732	725	7
	Female-----	2,390	1,268	487	635	2,330	1,156	517	639	645	529	524	5
	Total-----	5,406	3,051	1,098	1,257	5,370	2,786	1,598	1,188	1,323	1,261	1,249	12
Wyoming	Male-----	163	117	46	-	152	97	79	18	7	48	48	-
	Female-----	115	66	49	-	102	74	46	28	4	30	30	-
	Total-----	278	183	95	-	260	171	125	46	11	78	78	-
United States Total ¹	Male-----	88,882	60,954	22,584	5,344	85,580	57,514	29,639	27,875	6,327	21,739	21,112	627
	Female-----	75,672	49,066	21,753	4,853	67,775	44,859	15,420	29,439	4,477	18,439	18,007	432
	Total-----	178,610	118,609	48,947	11,094	157,946	111,698	51,492	60,206	11,662	43,686	42,960	1,122

¹ See page II-5 for discussion of reporting for State of Illinois.

Table 4. --ADMISSIONS AND SEPARATIONS IN PSYCHOPATHIC HOSPITALS, BY SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from the 9 psychopathic hospitals)

STATE AND SEX		ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
		Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANS-FERRED OUT	DEATHS		
							Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care
California	Male-----	102	46	30	26	98	76	67	9	20	2	2	-
	Female-----	149	51	21	77	149	79	75	4	69	1	1	-
	Total-----	251	97	51	103	247	155	142	13	89	3	3	-
Colorado	Male-----	444	351	93	-	436	349	348	1	85	2	2	-
	Female-----	378	255	123	-	384	309	303	6	72	3	3	-
	Total-----	822	606	216	-	820	658	651	7	157	5	5	-
Delaware	Male-----	335	198	137	-	335	290	270	20	3	42	41	-
	Female-----	105	91	12	2	98	60	51	9	4	34	33	-
	Total-----	440	289	149	2	433	350	321	29	7	76	74	-
Indiana	Male-----	394	273	117	4	352	311	299	12	40	1	1	-
	Female-----	325	209	113	3	272	231	221	10	39	2	2	-
	Total-----	719	482	230	7	624	542	520	22	79	3	3	-
Iowa	Male-----	137	115	22	-	138	131	121	10	7	-	-	-
	Female-----	169	149	20	-	155	141	135	6	12	2	-	-
	Total-----	306	264	42	-	293	272	256	16	19	2	-	-
Massachusetts	Male-----	518	293	211	14	532	487	407	80	44	1	1	-
	Female-----	322	131	169	22	337	293	198	95	44	-	-	-
	Total-----	840	424	380	36	869	780	605	175	88	1	1	-
Nebraska	Male-----	59	31	12	16	57	50	49	1	7	-	-	-
	Female-----	86	51	23	12	87	79	79	-	8	-	-	-
	Total-----	145	82	35	28	144	129	128	1	15	-	-	-
New York	Male-----	260	184	76	-	266	172	172	-	90	4	4	-
	Female-----	242	165	77	-	243	168	168	-	73	2	2	-
	Total-----	502	349	153	-	509	340	340	-	163	6	6	-
Tennessee	Male-----	138	121	17	-	139	129	129	-	10	-	-	-
	Female-----	139	107	32	-	149	143	143	-	6	-	-	-
	Total-----	277	228	49	-	288	272	272	-	16	-	-	-
United States Total	Male-----	2,387	1,612	715	60	2,353	1,995	1,862	133	306	52	51	-
	Female-----	1,915	1,209	590	116	1,874	1,503	1,373	130	327	44	41	-
	Total-----	4,302	2,821	1,305	176	4,227	3,498	3,235	263	633	96	92	-

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
 Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Table 5. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1954

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Acute Brain Syndromes Assoc. With												
Alcohol Intoxication												
Male-----	2,075	1	50	462	755	552	180	60	5	-	-	10
Female-----	337	1	17	94	123	72	22	6	1	1	-	-
Total-----	2,412	2	67	556	878	624	202	66	6	1	-	10
Drug or Poison Intoxication												
Male-----	142	-	9	16	41	35	17	13	8	1	-	2
Female-----	140	-	7	25	42	33	21	10	2	-	-	-
Total-----	282	-	16	41	83	68	38	23	10	1	-	2
Convulsive Disorder												
Male-----	83	6	21	18	17	13	4	4	-	-	-	-
Female-----	40	2	11	10	9	6	1	1	-	-	-	-
Total-----	123	8	32	28	26	19	5	5	-	-	-	-
All Other Conditions												
Male-----	335	2	15	40	76	71	69	42	16	2	-	2
Female-----	256	1	22	38	47	55	51	22	12	5	-	3
Total-----	591	3	37	78	123	126	120	64	28	7	-	5
Total												
Male-----	2,635	9	95	536	889	671	270	119	29	3	-	14
Female-----	773	4	57	177	221	166	95	39	15	6	-	3
Total-----	3,408	13	152	703	1,110	837	365	158	44	9	-	17
Chronic Brain Syndromes Assoc. With Diseases and Conditions Due to Prenatal Influence												
Male-----	59	8	13	14	12	6	3	2	1	-	-	-
Female-----	34	12	6	7	3	4	-	1	-	-	-	1
Total-----	93	20	19	21	15	10	3	3	1	-	-	1
Meningoencephalitic Syphilis												
Male-----	827	1	14	51	189	279	185	87	16	3	-	2
Female-----	361	3	14	29	92	126	56	32	6	1	-	2
Total-----	1,188	4	28	80	281	405	241	119	22	4	-	4
Other CNS Syphilis												
Male-----	231	-	5	16	46	67	51	32	9	2	-	1
Female-----	101	1	-	11	18	35	26	7	2	-	-	1
Total-----	332	1	5	27	64	104	77	39	11	2	-	2
Epidemic Encephalitis												
Male-----	76	8	9	11	19	14	4	9	2	-	-	-
Female-----	54	2	6	6	16	11	7	3	1	-	-	2
Total-----	130	10	15	17	35	25	11	12	3	-	-	2
Other Intracranial Infections												
Male-----	69	5	8	13	11	16	8	8	-	-	-	-
Female-----	56	6	8	14	7	11	8	2	-	-	-	-
Total-----	125	11	16	27	18	27	16	10	-	-	-	-
Alcohol Intoxication												
Male-----	2,525	1	33	248	707	861	484	166	19	-	-	6
Female-----	605	-	9	93	192	180	93	28	9	1	-	1
Total-----	3,130	1	42	341	899	1,041	577	194	28	1	-	6
Drug or Poison Intoxication												
Male-----	82	-	7	12	22	20	16	4	-	-	-	1
Female-----	62	-	4	11	19	12	10	5	1	-	-	-
Total-----	144	-	11	23	41	32	26	9	1	-	-	1
Birth Trauma												
Male-----	78	9	21	12	18	5	8	4	1	-	-	-
Female-----	43	5	13	11	10	1	1	1	1	-	-	-
Total-----	121	14	34	23	28	6	9	5	2	-	-	-
Other Trauma												
Male-----	498	35	63	93	103	114	53	27	8	1	-	1
Female-----	109	9	20	19	26	20	7	6	2	-	-	-
Total-----	607	44	83	112	129	134	60	33	10	1	-	1
Cerebral Arteriosclerosis												
Male-----	8,951	1	3	9	42	314	1,439	3,266	2,415	538	-	44
Female-----	5,915	1	1	6	23	222	920	2,268	1,940	538	-	16
Total-----	13,866	2	4	15	65	536	2,359	5,494	4,355	1,076	-	60
Other Circulatory Disturbance												
Male-----	604	-	3	10	27	109	164	183	93	9	-	6
Female-----	393	-	2	8	22	65	106	115	63	10	-	2
Total-----	997	-	5	18	49	174	270	298	156	19	-	8
Convulsive Disorder												
Male-----	922	64	233	233	189	118	54	22	5	-	-	4
Female-----	662	30	145	182	138	86	58	17	2	1	-	3
Total-----	1,584	94	378	415	327	204	112	39	7	1	-	7

Table 5.--FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX, UNITED STATES, 1954--Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									85 and over	Not known	
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84				
Senile Brain Disease													
Male-----	4,609	1	-	1	2	23	214	1,385	2,225	734	-	-	
Female-----	4,888	-	-	2	4	23	284	1,369	2,338	833	-	-	
Total-----	9,497	1	-	3	6	46	498	2,754	4,563	1,567	-	-	
Other Disturbance of Metabolism, Growth, and Nutrition													
Male-----	182	1	5	10	10	43	67	32	7	7	-	-	
Female-----	247	1	2	12	20	49	114	39	6	3	-	-	
Total-----	429	2	7	22	30	92	181	71	13	10	-	-	
Intracranial Neoplasm													
Male-----	77	-	3	10	6	31	19	5	1	1	-	-	
Female-----	49	-	2	6	12	14	6	6	2	1	-	-	
Total-----	126	-	5	16	18	45	25	11	3	2	-	-	
Diseases of Unknown Cause													
Male-----	322	7	15	23	46	85	70	56	15	4	-	-	
Female-----	266	2	9	23	62	70	54	36	8	1	-	-	
Total-----	588	9	24	46	108	155	124	92	23	5	-	-	
Chronic Brain Syndrome of Unknown Cause													
Male-----	311	4	19	21	32	85	99	33	15	3	-	-	
Female-----	179	5	12	16	29	46	41	25	5	-	-	-	
Total-----	490	9	31	37	61	131	140	58	20	3	-	-	
Total													
Male-----	19,523	145	454	787	1,481	2,192	2,938	5,301	4,832	1,322	-	-	
Female-----	14,024	77	253	456	693	975	1,791	3,440	4,386	1,329	-	-	
Total-----	33,547	222	707	1,243	2,174	3,167	4,729	9,241	9,218	2,651	-	-	
Psychotic Disorders													
Involuntional Psychotic Reaction													
Male-----	1,141	-	9	9	44	447	524	100	7	-	-	-	
Female-----	2,659	-	4	22	412	1,301	776	136	6	-	-	-	
Total-----	3,800	-	13	31	456	1,748	1,300	236	13	-	-	-	
Manic-Depressive Reaction													
Male-----	1,298	2	74	194	312	342	241	94	23	4	-	-	
Female-----	1,815	1	147	398	475	352	266	137	31	2	-	-	
Total-----	3,113	3	221	592	787	694	507	231	54	6	-	-	
Psychotic Depressive Reaction													
Male-----	354	-	8	43	96	84	70	46	7	-	-	-	
Female-----	500	-	30	109	140	74	84	65	4	-	-	-	
Total-----	854	-	38	146	236	158	154	111	11	-	-	-	
Schizophrenic Reactions													
Male-----	11,221	96	2,266	3,915	2,804	1,359	542	141	41	15	-	-	
Female-----	12,697	73	1,964	4,966	3,602	1,704	590	147	23	8	-	-	
Total-----	23,918	169	4,230	8,881	6,406	3,063	1,132	288	64	23	-	-	
Paranoid Reactions													
Male-----	438	-	5	56	125	125	86	32	7	-	-	-	
Female-----	371	-	11	46	98	98	76	40	4	3	-	-	
Total-----	809	-	16	96	223	223	162	72	11	3	-	-	
Other													
Male-----	313	15	40	70	58	60	40	24	3	1	-	-	
Female-----	298	3	29	67	63	71	45	15	2	2	-	-	
Total-----	611	18	69	137	121	131	85	39	5	3	-	-	
Total													
Male-----	14,765	113	2,402	4,287	3,439	2,417	1,503	437	88	23	-	-	
Female-----	18,340	77	2,125	5,196	4,790	3,600	1,837	540	70	15	-	-	
Total-----	33,105	190	4,527	9,483	8,229	6,017	3,340	977	158	38	-	-	
Psychophysiological Autonomic and Visceral Disorders													
Male-----	62	-	5	7	15	16	10	7	2	-	-	-	
Female-----	81	-	12	20	25	11	9	4	-	-	-	-	
Total-----	143	-	17	27	40	27	19	11	2	-	-	-	
Psychoneurotic Reactions													
Male-----	2,009	15	235	588	543	384	164	69	4	1	-	-	
Female-----	2,744	24	351	851	691	412	273	123	14	1	-	-	
Total-----	4,753	39	586	1,439	1,234	796	437	192	18	2	-	-	
Personality Disorders													
Personality Pattern Disturbance													
Male-----	838	36	226	248	178	93	37	14	1	-	-	-	
Female-----	374	18	105	108	67	44	26	4	-	-	-	-	
Total-----	1,212	54	331	356	245	137	63	18	1	-	-	-	
Personality Trait Disturbance													
Male-----	790	37	227	247	166	78	23	8	1	1	-	-	
Female-----	369	18	131	117	57	27	14	5	-	-	-	-	
Total-----	1,159	55	358	364	223	105	37	13	1	1	-	-	

Table 5.--FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX:
UNITED STATES, 1954--Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Antisocial Reaction												
Male-----	876	17	322	278	134	78	35	6	1	-	5	
Female-----	294	13	89	63	43	50	32	1	3	-	-	
Total-----	1,170	30	411	341	177	128	67	7	4	-	5	
Dyssocial Reaction												
Male-----	184	10	70	50	32	13	4	2	2	-	1	
Female-----	87	7	37	24	12	3	1	2	-	-	1	
Total-----	271	17	107	74	44	16	5	4	2	-	2	
Sexual Deviation												
Male-----	474	4	131	155	99	48	29	5	2	-	1	
Female-----	11	-	4	3	4	-	-	-	-	-	-	
Total-----	485	4	135	158	103	48	29	5	2	-	1	
Alcoholism - Addiction												
Male-----	6,776	5	106	1,177	2,482	2,007	746	195	19	2	37	
Female-----	1,113	-	32	269	462	254	75	10	4	-	7	
Total-----	7,889	5	138	1,446	2,944	2,261	821	205	23	2	44	
Drug Addiction												
Male-----	493	-	121	156	71	85	39	17	3	-	1	
Female-----	309	-	52	88	74	56	24	12	2	-	1	
Total-----	802	-	173	244	145	141	63	29	5	-	2	
Special Symptom Reaction												
Male-----	29	5	6	8	4	3	1	1	-	1	-	
Female-----	7	2	1	1	1	-	1	1	-	-	-	
Total-----	36	7	7	9	5	3	2	2	-	1	-	
Total												
Male-----	10,460	114	1,209	2,319	3,166	2,405	914	248	29	4	52	
Female-----	2,564	58	451	673	720	434	173	35	9	-	11	
Total-----	13,024	172	1,660	2,992	3,886	2,839	1,087	283	38	4	63	
Transient Situational Personality Disturbance												
Male-----	483	139	146	52	56	39	21	17	10	1	2	
Female-----	386	73	110	69	51	29	26	21	5	1	1	
Total-----	869	212	256	121	107	68	47	38	15	2	3	
Mental Deficiency												
Male-----	1,916	156	624	497	312	192	94	21	3	-	17	
Female-----	1,232	78	340	319	251	143	74	17	3	2	5	
Total-----	3,148	234	964	816	563	335	168	38	6	2	22	
Mental Disorder, Undiagnosed												
Male-----	2,156	34	201	357	400	353	227	184	193	51	156	
Female-----	1,072	16	130	216	192	179	111	84	82	39	23	
Total-----	3,228	50	331	573	592	532	338	268	275	90	179	
Without Mental Disorder												
Male-----	1,112	29	245	260	251	157	93	43	21	5	8	
Female-----	394	20	41	70	45	50	21	16	10	1	120	
Total-----	1,506	49	286	330	296	207	114	59	31	6	128	
Total All Patients ¹												
Male-----	55,121	754	5,616	9,690	10,552	8,826	6,234	6,446	5,211	1,387	405	
Female-----	41,610	427	3,930	8,037	7,679	5,999	4,410	4,819	4,594	1,453	262	
Total-----	96,731	1,181	9,546	17,727	18,231	14,825	10,644	11,265	9,805	2,840	667	

¹ Data do not include 21,878 first admissions, 11,140 males and 10,738 females.

Table 6. -- FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 179 of the 216 State and 47 of the 127 count. hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH													
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningocephalitic syphilis	Other C N S syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes		
Alabama																	
Male-----	824	5	7	265	15	5	13	1	9	131	11	24	47	5	4		
Female-----	637	3	1	159	10	-	-	-	-	68	9	9	46	6	11		
Total-----	1,461	8	8	424	25	5	13	1	9	199	20	33	93	11	15		
Arizona																	
Male-----	354	22	8	148	8	1	10	1	8	69	7	21	15	1	7		
Female-----	255	1	1	63	1	-	2	-	2	34	2	8	9	-	5		
Total-----	609	23	9	211	9	1	12	1	10	103	9	29	24	1	12		
Arkansas																	
Male-----	944	2	12	238	12	1	2	-	8	132	-	10	62	3	8		
Female-----	627	4	19	154	3	-	1	1	1	55	2	10	66	6	9		
Total-----	1,571	6	31	392	15	1	3	1	9	187	2	20	128	9	17		
California																	
Male-----	7,164	215	68	1,872	66	12	365	6	89	572	63	69	508	25	97		
Female-----	5,033	44	59	1,397	37	5	111	3	14	393	33	51	633	30	87		
Total-----	12,197	259	127	3,269	103	17	476	9	103	965	96	120	1,141	55	184		
Colorado																	
Male-----	283	8	1	134	3	1	14	1	5	42	2	3	58	2	3		
Female-----	176	-	-	111	2	-	-	1	1	27	-	1	71	5	3		
Total-----	459	8	1	245	5	1	14	2	6	69	2	4	129	7	6		
Connecticut																	
Male-----	1,259	203	27	471	7	1	36	-	7	283	28	15	64	7	23		
Female-----	1,061	34	17	433	5	-	15	-	2	284	20	8	78	9	12		
Total-----	2,320	237	44	904	12	1	51	-	9	567	48	23	142	16	35		
Delaware																	
Male-----	185	14	2	68	6	-	8	-	2	7	5	4	28	1	7		
Female-----	164	1	3	46	2	-	-	-	-	18	-	1	20	3	2		
Total-----	349	15	5	114	8	-	8	-	2	25	5	5	48	4	9		
District of Columbia																	
Male-----	466	14	4	184	11	2	7	-	2	129	3	2	14	2	12		
Female-----	509	5	5	248	8	2	8	-	5	177	1	4	34	-	3		
Total-----	975	19	9	432	19	4	15	-	7	306	4	6	48	2	15		
Florida																	
Male-----	642	5	1	285	34	4	33	2	6	140	4	16	33	1	12		
Female-----	550	4	-	205	10	2	6	1	5	146	4	21	7	2	1		
Total-----	1,192	9	1	490	44	6	39	3	11	286	8	37	40	3	13		
Georgia																	
Male-----	1,680	-	-	860	21	21	176	23	78	430	24	49	35	3	-		
Female-----	1,271	-	-	516	17	11	51	12	22	126	12	39	220	3	3		
Total-----	2,951	-	-	1,376	38	32	227	35	100	556	36	88	255	6	3		
Idaho																	
Male-----	438	3	1	98	-	-	24	-	2	31	2	7	26	3	3		
Female-----	250	-	6	44	3	-	2	-	1	7	4	1	25	-	1		
Total-----	688	3	7	142	3	-	26	-	3	38	6	8	51	3	4		
Illinois																	
Male-----	5,307	265	76	2,104	48	30	407	2	45	760	106	75	491	14	126		
Female-----	3,282	38	58	1,317	35	13	55	5	6	521	68	46	469	20	79		
Total-----	8,589	303	134	3,421	83	43	462	7	51	1,281	174	121	960	34	205		
Indiana																	
Male-----	971	10	6	422	22	6	38	-	5	183	13	20	103	5	27		
Female-----	744	1	6	307	17	1	8	-	4	141	5	8	108	6	9		
Total-----	1,715	11	12	729	39	7	46	-	9	324	18	28	211	11	36		
Iowa																	
Male-----	993	23	10	333	7	2	21	-	11	151	12	14	87	4	24		
Female-----	688	-	4	234	5	1	5	-	1	94	6	15	87	8	12		
Total-----	1,681	23	14	567	12	3	26	-	12	245	18	29	174	12	36		
Kansas																	
Male-----	581	3	7	199	10	2	22	-	4	72	1	17	56	2	13		
Female-----	387	-	6	111	6	1	1	-	6	44	2	9	35	1	6		
Total-----	968	3	13	310	16	3	23	-	10	116	3	26	91	3	19		
Kentucky																	
Male-----	935	30	9	433	28	1	32	1	8	188	16	16	126	1	16		
Female-----	646	1	12	264	15	-	6	-	1	105	3	10	112	3	9		
Total-----	1,581	31	21	697	43	1	38	1	9	293	19	26	238	4	25		

Table--6. FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

PSYCHOTIC DISORDERS							Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
TOTAL PSYCHOTIC DISORDERS	Involuntional psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
378	71	11	-	290	6	-	1	3	70	1	35	15	44
397	62	47	-	286	2	-	-	11	8	-	25	12	21
775	133	58	-	576	8	-	1	14	78	1	60	27	65
117	8	5	1	100	3	-	-	10	29	2	4	2	12
148	13	10	9	112	4	-	1	16	9	3	8	-	5
265	21	15	10	212	7	-	1	26	38	5	12	2	17
269	29	18	16	200	6	-	3	33	193	10	52	51	81
292	62	22	25	178	4	1	7	44	41	9	14	34	9
561	91	40	41	378	10	1	10	77	234	19	66	85	90
1,948	181	120	56	1,543	35	13	2	371	2,303	104	78	156	47
2,346	529	106	42	1,649	14	6	3	379	615	64	48	66	12
4,294	710	226	98	3,192	49	19	5	750	2,918	168	126	222	59
31	2	2	-	27	-	-	-	5	31	-	13	44	16
22	3	1	-	18	-	-	-	4	7	-	5	27	-
53	5	3	-	45	-	-	-	9	38	-	18	71	16
324	35	24	11	246	8	-	-	75	121	5	24	9	-
392	69	43	24	244	12	-	-	88	72	4	19	2	-
716	104	67	35	490	20	-	-	163	193	9	43	11	-
54	7	5	5	27	10	-	-	12	23	1	11	-	-
72	15	4	9	32	11	1	-	27	7	1	7	-	-
126	22	9	14	59	21	1	-	39	30	2	18	-	-
177	10	13	1	148	1	4	-	28	28	1	5	23	2
225	28	8	3	165	2	19	-	7	8	-	-	11	-
402	38	21	4	313	3	23	-	35	36	1	5	34	2
180	13	19	-	147	1	-	-	11	44	3	38	75	-
246	60	30	1	153	1	1	-	2	20	-	39	28	6
426	73	49	1	300	2	1	-	13	64	3	77	103	6
395	16	197	-	173	8	-	-	59	17	-	168	29	153
536	66	158	-	305	7	-	-	102	15	-	86	13	3
930	82	355	-	478	15	-	-	161	32	-	254	42	156
52	1	4	1	44	1	1	3	17	145	19	6	57	37
62	13	9	-	39	1	-	-	53	10	15	6	19	35
114	14	13	1	83	2	1	3	70	155	34	12	76	72
1,089	93	34	25	882	52	3	9	192	835	31	79	605	22
1,193	207	71	27	849	35	4	3	192	138	17	66	250	10
2,282	300	105	52	1,731	87	7	12	384	973	48	145	855	32
232	25	13	3	182	6	3	-	18	234	6	37	3	3
304	46	26	7	222	3	-	-	36	49	7	31	3	-
530	71	39	10	404	9	3	-	54	283	13	68	6	3
248	40	41	8	145	14	-	3	48	282	12	8	6	20
285	59	46	7	162	4	7	4	95	34	4	16	2	10
533	99	87	15	307	18	7	7	143	316	16	24	8	30
138	10	9	8	105	-	6	-	58	144	10	21	1	-
179	28	21	11	115	1	3	1	29	48	2	11	-	-
317	38	30	19	220	1	9	1	87	192	12	32	1	-
195	13	6	5	166	4	1	2	16	125	8	70	38	9
235	31	16	7	178	3	-	2	18	19	13	57	21	4
430	44	22	12	344	7	1	4	34	144	21	127	59	13

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Table 6. -- FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	Total	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
Louisiana																
Male-----	1,090	81	6	347	50	3	72	4	19	125	3	33	26	1	11	
Female-----	985	8	3	228	19	-	9	7	2	102	4	27	50	3	3	
Total-----	2,075	89	9	575	69	3	81	11	21	227	7	60	76	6	14	
Maine																
Male-----	296	16	5	131	-	1	5	-	2	65	4	4	45	-	5	
Female-----	288	-	6	107	-	2	1	1	1	77	-	6	14	2	3	
Total-----	584	16	11	238	-	3	6	1	3	142	4	10	59	2	8	
Maryland																
Male-----	1,341	201	17	525	46	19	101	4	10	159	12	19	126	9	20	
Female-----	950	26	6	401	7	6	27	3	2	138	16	18	163	11	10	
Total-----	2,291	227	23	926	53	25	128	7	12	297	28	37	289	20	30	
Michigan																
Male-----	1,606	44	14	652	36	6	86	1	15	258	16	25	156	5	48	
Female-----	1,258	11	16	430	11	4	17	1	7	192	21	14	172	8	23	
Total-----	2,864	55	30	1,082	47	10	103	2	22	410	37	39	328	13	71	
Minnesota																
Male-----	1,696	4	10	512	4	1	16	1	13	231	19	7	176	5	39	
Female-----	949	-	9	352	1	-	2	-	1	147	16	6	149	7	23	
Total-----	2,645	4	19	864	5	1	18	1	14	378	35	13	325	12	62	
Mississippi																
Male-----	1,167	37	4	231	18	-	23	-	5	102	5	24	43	5	6	
Female-----	829	11	9	152	5	-	-	-	4	61	3	20	53	3	3	
Total-----	1,996	48	13	383	23	-	23	-	9	163	8	44	96	8	9	
Missouri																
Male-----	709	1	3	293	27	3	22	4	9	92	3	23	86	8	16	
Female-----	641	-	7	225	10	1	4	1	3	71	2	21	78	15	19	
Total-----	1,350	1	10	518	37	4	26	5	12	163	5	44	164	23	35	
Montana																
Male-----	378	13	3	124	3	3	6	-	5	39	2	6	44	-	16	
Female-----	240	2	1	83	-	1	1	-	2	17	9	5	36	1	11	
Total-----	618	15	4	207	3	4	7	-	7	56	11	11	80	1	27	
Nebraska																
Male-----	402	7	2	104	-	-	10	-	-	53	2	6	28	2	3	
Female-----	240	2	3	99	-	-	1	1	1	41	10	4	34	2	5	
Total-----	642	9	5	203	-	-	11	1	1	94	12	10	62	4	8	
Nevada																
Male-----	127	23	-	26	-	1	-	-	-	14	-	1	10	-	-	
Female-----	75	6	-	14	-	1	-	-	-	9	-	-	4	-	-	
Total-----	202	29	-	40	-	2	-	-	-	23	-	1	14	-	-	
New Hampshire																
Male-----	370	59	11	155	1	-	2	-	5	67	8	3	64	1	4	
Female-----	299	3	5	117	-	1	-	1	2	63	3	-	39	5	3	
Total-----	669	62	16	272	1	1	2	1	7	130	11	3	103	6	7	
New Jersey																
Male-----	2,560	143	26	1,127	19	10	170	-	20	424	52	29	356	13	34	
Female-----	2,419	23	18	1,099	15	3	44	2	3	501	50	13	438	8	22	
Total-----	4,979	166	44	2,226	34	13	214	2	23	925	102	42	794	21	56	
New Mexico																
Male-----	237	22	1	64	2	1	4	-	3	40	1	4	8	-	1	
Female-----	134	2	5	29	1	-	-	-	-	16	-	3	7	1	1	
Total-----	371	24	6	93	3	1	4	-	3	56	1	7	15	1	2	
North Carolina																
Male-----	1,353	35	13	320	24	2	10	-	7	110	13	61	74	3	16	
Female-----	1,204	6	16	220	4	1	5	1	5	66	9	31	85	4	9	
Total-----	2,557	41	29	540	28	3	15	1	12	176	22	92	159	7	24	
Ohio																
Male-----	3,733	154	60	1,266	64	19	246	9	44	511	29	57	217	8	62	
Female-----	3,128	35	33	907	31	6	97	7	9	424	14	57	186	19	57	
Total-----	6,861	189	93	2,173	95	25	343	16	53	935	43	114	403	27	119	
Oklahoma																
Male-----	687	13	9	288	12	3	8	-	12	104	11	13	109	6	10	
Female-----	460	2	2	156	2	-	4	-	3	54	2	8	60	6	11	
Total-----	1,147	15	11	444	14	3	12	-	15	158	13	21	175	12	21	

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

TABLE--6. FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE,, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954 - Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

TOTAL PSY- CHOTIC DIS- ORDERS	PSYCHOTIC DISORDERS						Psychophysilogic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involuntional psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
326	17	20	4	284	1	-	-	34	104	3	76	112	1
534	65	60	3	405	1	-	1	59	51	9	44	46	2
860	82	80	7	689	2	-	1	93	155	12	120	158	3
64	4	14	-	43	3	-	-	19	31	3	10	-	17
111	8	9	2	92	-	-	1	45	9	1	7	-	1
175	12	23	2	135	3	-	1	64	40	4	17	-	18
384	35	12	14	322	1	-	1	28	120	10	31	20	4
404	36	21	18	329	-	-	19	28	38	6	19	2	1
788	71	33	32	651	1	-	20	56	158	16	50	22	5
573	32	22	6	500	4	9	2	51	211	18	40	1	-
567	62	12	11	464	9	9	1	93	66	39	35	-	-
1,140	94	34	17	964	13	18	3	144	277	57	75	1	-
272	16	27	24	186	8	11	-	50	751	13	58	21	5
349	61	48	56	168	7	9	3	87	85	18	43	1	2
621	77	75	80	354	15	20	3	137	836	31	101	22	7
291	6	24	23	209	7	22	1	26	330	-	35	115	97
339	22	20	21	245	6	25	3	29	58	-	19	78	131
630	28	44	44	454	13	47	4	55	388	-	54	193	228
178	3	16	1	158	-	-	8	13	107	4	50	46	6
295	32	43	1	213	2	4	1	29	36	2	26	18	2
473	35	59	2	371	2	4	9	42	143	6	76	64	8
74	5	13	-	53	3	-	2	11	123	1	14	12	1
87	5	7	12	61	2	-	1	23	21	1	15	5	1
161	10	20	12	114	5	-	3	34	144	2	29	17	2
87	2	9	-	73	3	-	-	26	144	2	12	17	1
81	3	12	-	64	2	-	1	27	14	-	8	5	-
168	5	21	-	137	5	-	1	53	158	2	20	22	1
38	3	7	1	27	-	-	-	-	16	-	6	12	6
33	5	6	1	20	-	1	-	4	12	-	1	3	2
71	8	13	2	47	-	1	-	4	28	-	7	15	8
70	12	15	5	31	5	2	1	15	26	-	15	2	16
102	23	15	6	42	14	2	-	38	16	-	13	2	3
172	35	30	11	73	19	4	1	53	42	-	28	4	19
775	73	69	18	527	30	58	2	97	309	13	53	13	2
984	191	96	26	579	32	60	-	113	99	14	50	18	1
1,759	264	165	44	1,106	62	118	2	210	408	27	103	31	3
68	1	12	-	55	-	-	-	11	24	9	16	5	17
66	7	15	2	41	1	-	1	5	6	2	7	4	7
134	8	27	2	96	1	-	1	16	30	11	23	9	24
429	37	36	28	304	18	6	5	38	416	10	65	18	4
663	90	60	37	450	20	6	1	99	118	10	46	25	-
1,092	127	96	65	754	38	12	6	137	534	20	111	43	4
1,109	128	97	26	798	42	18	5	237	548	42	128	42	142
1,535	297	158	45	988	38	9	8	317	137	32	52	41	31
2,644	425	255	71	1,786	80	27	13	554	685	74	180	83	173
187	15	19	5	137	11	-	-	27	94	5	43	11	10
205	37	9	1	152	6	-	-	43	24	5	20	1	2
392	52	28	6	289	17	-	-	70	118	10	63	12	12

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Table 6. -- FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1954-Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH													
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes		
Oregon																	
Male-----	1,034	25	16	324	3	-	30	-	9	157	12	9	80	3	23		
Female-----	772	4	13	225	1	1	15	3	5	111	1	11	47	5	23		
Total-----	1,806	29	29	549	4	1	45	3	14	268	13	20	127	8	46		
Pennsylvania																	
Male-----	2,863	96	39	1,170	45	16	86	2	21	648	29	54	217	7	45		
Female-----	2,744	7	39	1,073	28	10	21	1	5	543	13	33	360	20	39		
Total-----	5,607	103	78	2,243	73	26	107	3	26	1,191	42	87	577	27	84		
Rhode Island																	
Male-----	480	16	5	178	2	-	18	-	2	56	1	8	76	4	11		
Female-----	370	4	3	165	4	-	2	-	-	55	-	3	94	3	4		
Total-----	850	20	8	343	6	-	20	-	2	111	1	11	170	7	15		
South Carolina																	
Male-----	967	10	5	365	17	3	44	10	6	228	12	18	19	-	8		
Female-----	675	4	4	217	3	-	2	1	1	124	5	12	61	2	6		
Total-----	1,642	14	9	582	20	3	46	11	7	352	17	30	80	2	14		
South Dakota																	
Male-----	247	8	5	69	3	-	2	-	3	19	-	3	30	1	8		
Female-----	183	1	5	50	-	1	-	-	1	5	-	5	35	-	3		
Total-----	430	9	10	119	3	1	2	-	4	24	-	8	65	1	11		
Tennessee																	
Male-----	1,117	15	9	391	27	12	35	2	5	183	8	32	66	3	18		
Female-----	874	2	4	284	11	6	5	-	5	142	6	32	67	1	9		
Total-----	1,991	17	13	675	38	18	40	2	10	325	14	64	133	4	27		
Texas																	
Male-----	2,153	18	7	701	55	13	165	3	22	199	20	24	136	1	63		
Female-----	1,542	2	4	377	8	5	35	1	4	156	12	24	104	3	4		
Total-----	3,695	20	11	1,078	63	18	200	4	26	355	32	48	240	4	67		
Utah																	
Male-----	180	10	3	70	-	-	7	-	2	38	2	2	8	3	8		
Female-----	128	1	2	44	-	1	1	-	1	32	-	2	4	1	2		
Total-----	308	11	5	114	-	1	8	-	3	70	2	4	12	4	10		
Vermont																	
Male-----	179	6	3	53	-	-	-	-	-	23	2	3	22	-	3		
Female-----	171	1	6	58	-	-	-	-	1	3	2	-	26	1	4		
Total-----	350	7	9	111	-	-	-	-	1	3	4	3	48	1	7		
Virginia																	
Male-----	1,294	106	11	454	32	13	12	-	13	255	14	30	68	4	13		
Female-----	880	27	8	321	11	7	3	1	4	161	14	18	77	4	21		
Total-----	2,174	133	19	775	43	20	15	1	17	416	28	48	145	8	34		
Washington																	
Male-----	1,038	22	9	462	11	3	30	1	22	187	9	12	160	5	22		
Female-----	907	4	5	294	2	1	13	-	3	141	3	6	108	4	13		
Total-----	1,945	26	14	756	13	4	43	1	25	328	12	18	268	9	35		
West Virginia																	
Male-----	891	36	20	322	20	7	59	-	10	113	8	30	58	6	11		
Female-----	651	4	7	177	7	2	9	3	4	77	4	24	35	4	8		
Total-----	1,542	40	27	499	27	9	68	3	14	190	12	54	93	10	19		
Wisconsin																	
Male-----	1,783	26	4	638	8	2	48	4	2	207	10	18	330	-	9		
Female-----	1,268	1	-	482	4	4	16	3	-	151	3	16	268	-	17		
Total-----	3,051	27	4	1,120	12	6	64	7	2	358	13	34	598	-	26		
Wyoming																	
Male-----	117	6	1	47	-	1	-	-	1	24	-	2	18	-	1		
Female-----	66	2	-	29	-	1	-	-	-	17	-	2	8	-	1		
Total-----	183	8	1	76	-	2	-	-	1	41	-	4	26	-	2		
United States Total ¹																	
Male-----	55,121	2,075	560	19,523	827	231	2,525	82	576	8,051	604	922	4,609	182	914		
Female-----	41,610	337	436	14,024	361	101	605	62	152	5,915	393	662	4,888	247	638		
Total-----	96,731	2,412	996	33,547	1,188	332	3,130	144	728	13,966	997	1,584	9,497	429	1,552		

¹ Data do not include 21,878 first admissions since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	21,878	11,140	10,738
Massachusetts	5,231	2,784	2,447
New York	16,062	7,993	8,069
North Dakota	542	348	194
Iowa	43	15	28

Table 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954-Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

TOTAL PSY- CHOTIC DIS- ORDERS	PSYCHOTIC DISORDERS						Psychoneurotic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involuntary psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
208	28	21	8	141	8	-	1	38	358	13	35	-	16
326	41	21	4	251	9	-	2	80	89	11	14	-	8
534	69	42	12	392	17	-	3	118	447	24	49	-	24
973	45	60	6	758	34	70	1	70	358	34	122	-	-
1,296	95	124	6	998	17	56	3	123	95	23	85	-	-
2,269	140	184	12	1,756	51	126	4	193	453	57	207	-	-
86	5	8	-	67	6	-	-	19	146	4	19	7	-
117	11	14	-	89	3	-	-	26	33	-	13	9	-
203	16	22	-	156	9	-	-	45	179	4	32	16	-
244	4	29	-	207	4	-	-	27	157	3	52	-	104
313	4	63	-	243	3	-	-	69	33	2	23	-	10
557	8	92	-	450	7	-	-	96	190	5	75	-	114
69	7	5	-	49	8	-	2	10	71	3	4	6	-
88	14	11	3	59	1	-	-	20	9	3	3	3	1
157	21	16	3	108	9	-	2	30	80	6	7	9	1
367	6	50	9	250	45	7	3	19	126	7	60	87	33
402	29	48	8	262	45	10	1	30	36	3	39	56	17
769	35	98	17	512	90	17	4	49	162	10	99	143	50
771	1	52	7	700	9	2	-	36	254	7	73	250	36
763	2	62	14	674	9	2	2	47	156	9	46	123	13
1,534	3	114	21	1,374	18	4	2	83	410	16	119	373	49
48	1	6	-	40	1	-	-	8	37	1	3	-	-
64	8	4	1	51	-	-	-	11	2	-	4	-	-
112	9	10	1	91	1	-	-	19	39	1	7	-	-
42	4	8	2	25	3	-	-	13	29	4	8	2	19
65	4	14	4	40	3	-	-	23	6	5	5	1	1
107	8	22	6	65	6	-	-	36	35	9	13	3	20
278	20	74	7	165	9	3	3	21	260	7	78	11	65
341	71	104	9	147	8	2	2	34	68	14	38	3	24
619	91	178	16	312	17	5	5	55	328	21	116	14	89
286	17	29	2	227	5	6	-	40	105	31	20	43	20
470	46	79	6	333	5	1	3	43	32	20	21	12	3
756	63	108	8	560	10	7	3	83	137	51	41	55	23
206	34	6	3	156	5	2	1	27	147	15	72	26	19
286	64	40	12	165	3	2	5	33	41	8	63	22	5
492	98	46	15	321	8	4	6	60	188	23	135	48	24
413	25	14	14	286	10	64	1	41	400	8	65	163	24
497	34	16	19	349	21	58	-	60	68	9	34	106	11
910	59	30	33	635	31	122	1	101	468	17	99	269	35
23	1	3	1	18	-	-	-	1	34	-	4	-	1
23	1	6	-	16	-	-	1	3	6	1	1	-	-
46	2	9	1	34	-	-	1	4	30	1	5	-	1
14,765	1,141	1,298	354	11,221	438	313	62	2,009	461	483	1,916	2,156	1,112
18,340	2,659	1,815	500	12,697	371	298	81	2,744	2,564	386	1,232	1,072	394
33,105	3,800	3,113	854	23,918	809	611	143	4,753	3,025	869	3,148	3,228	1,506

Table 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE: UNITED STATES, 1934
(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	47 States	
Alabama	Male-----	824	7	74	160	142	142	115	99	68	6	
	Female-----	637	3	31	124	149	107	65	80	50	7	
	Total-----	1,461	10	105	284	291	249	180	179	118	13	
Arizona	Male-----	354	8	30	79	61	59	36	44	30	7	
	Female-----	255	9	25	55	45	49	25	22	22	3	
	Total-----	609	17	55	134	106	108	61	66	52	10	
Arkansas	Male-----	944	16	118	170	197	131	93	115	79	20	
	Female-----	627	8	81	115	137	98	72	56	44	14	
	Total-----	1,571	24	199	285	334	229	165	171	123	34	
California	Male-----	7,164	116	783	1,408	1,515	1,331	795	670	409	111	
	Female-----	5,033	71	472	1,066	1,028	833	523	457	456	119	
	Total-----	12,197	187	1,255	2,474	2,543	2,164	1,318	1,127	865	230	
Colorado	Male-----	283	1	25	33	40	36	29	37	53	27	
	Female-----	176	-	7	18	12	14	13	33	51	28	
	Total-----	459	1	32	51	52	50	42	70	104	55	
Connecticut	Male-----	1,259	14	122	189	220	183	138	167	157	64	
	Female-----	1,061	5	79	177	143	144	110	156	175	70	
	Total-----	2,320	19	201	366	363	327	248	323	332	134	
Delaware	Male-----	185	4	19	39	35	24	19	19	21	5	
	Female-----	164	1	19	36	38	17	10	17	20	6	
	Total-----	349	5	38	75	73	41	29	36	41	11	
District of Columbia	Male-----	466	3	44	94	84	56	58	55	49	23	
	Female-----	509	2	38	77	66	85	56	74	77	34	
	Total-----	975	5	82	171	150	141	114	129	126	57	
Florida	Male-----	642	5	85	118	103	114	65	84	47	16	
	Female-----	550	8	56	116	101	95	59	54	51	9	
	Total-----	1,192	13	141	234	204	209	124	138	98	25	
Georgia	Male-----	1,680	57	198	329	342	279	214	161	90	25	
	Female-----	1,271	25	134	212	277	199	157	154	92	11	
	Total-----	2,951	82	292	541	619	478	371	315	182	36	
Idaho	Male-----	438	31	70	72	74	74	45	33	31	7	
	Female-----	250	15	43	53	40	31	25	26	12	3	
	Total-----	688	46	113	125	114	105	70	59	43	10	
Illinois	Male-----	5,307	36	406	843	1,025	923	659	679	588	148	
	Female-----	3,282	26	258	576	574	442	401	444	418	143	
	Total-----	8,589	62	664	1,419	1,599	1,365	1,060	1,123	1,006	291	
Indiana	Male-----	971	14	80	136	173	166	126	137	112	24	
	Female-----	744	7	73	129	122	81	88	111	103	28	
	Total-----	1,715	21	153	265	295	247	214	248	215	52	
Iowa	Male-----	993	9	65	160	203	174	112	112	125	29	
	Female-----	688	7	66	119	113	79	81	100	91	27	
	Total-----	1,681	16	131	279	316	253	193	212	216	56	
Kansas	Male-----	581	9	72	82	116	111	51	73	58	9	
	Female-----	387	3	32	74	76	61	45	52	39	5	
	Total-----	968	12	104	156	192	172	96	125	97	14	
Kentucky	Male-----	935	10	99	173	143	109	90	140	147	21	
	Female-----	646	7	79	110	111	76	56	83	89	34	
	Total-----	1,581	17	178	283	254	185	146	223	236	55	

Table 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1954--Continued

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Louisiana	Male-----	1,090	7	166	248	241	176	107	83	39	13	10
	Female-----	985	5	114	250	222	174	90	73	40	7	10
	Total-----	2,075	12	280	498	463	350	197	156	79	20	20
Maine	Male-----	296	2	33	51	38	28	24	56	49	14	1
	Female-----	288	-	28	62	44	37	27	33	42	15	-
	Total-----	584	2	61	113	82	65	51	89	91	29	1
Maryland	Male-----	1,341	11	137	255	292	225	128	132	119	36	6
	Female-----	950	6	94	196	156	130	86	116	119	43	4
	Total-----	2,291	17	231	451	448	355	214	248	238	79	10
Michigan	Male-----	1,006	20	192	323	268	203	181	219	154	41	5
	Female-----	1,258	12	141	243	214	162	127	145	162	50	2
	Total-----	2,264	32	333	566	482	365	308	364	316	91	7
Minnesota	Male-----	1,696	17	128	224	362	300	181	204	200	68	12
	Female-----	949	9	95	127	162	114	119	120	133	67	3
	Total-----	2,645	26	223	351	524	414	300	324	333	135	15
Mississippi	Male-----	1,167	3	100	222	267	211	130	63	32	10	129
	Female-----	829	2	106	184	152	124	67	35	33	5	121
	Total-----	1,996	5	206	406	419	335	197	98	65	15	250
Missouri	Male-----	709	7	79	102	140	104	79	97	79	22	-
	Female-----	641	1	58	121	110	113	86	79	59	14	-
	Total-----	1,350	8	137	223	250	217	165	176	138	36	-
Montana	Male-----	378	14	22	40	71	67	28	28	34	15	59
	Female-----	240	15	22	38	42	25	18	27	19	7	27
	Total-----	618	29	44	78	113	92	46	55	53	22	86
Nebraska	Male-----	402	3	33	66	96	68	44	41	31	20	-
	Female-----	240	1	18	33	39	25	27	46	41	10	-
	Total-----	642	4	51	99	135	93	71	87	72	30	-
Nevada	Male-----	127	3	7	23	25	26	17	17	9	-	-
	Female-----	75	-	7	17	15	19	6	6	5	-	-
	Total-----	202	3	14	40	40	45	23	23	14	-	-
New Hampshire	Male-----	370	3	41	58	48	51	32	42	73	22	-
	Female-----	299	4	28	56	41	29	30	48	41	21	1
	Total-----	669	7	69	114	89	80	62	90	114	43	1
New Jersey	Male-----	2,560	23	255	429	404	363	323	361	314	87	1
	Female-----	2,419	17	167	406	369	299	220	338	423	180	-
	Total-----	4,979	40	422	835	773	662	543	699	737	267	1
New Mexico	Male-----	237	12	41	46	28	35	22	29	16	8	-
	Female-----	134	1	18	30	27	19	12	15	9	2	1
	Total-----	371	13	59	76	55	54	34	44	25	10	1
North Carolina	Male-----	1,353	26	143	282	350	208	128	123	70	8	15
	Female-----	1,204	9	137	327	278	182	112	79	64	11	5
	Total-----	2,557	35	280	609	628	390	240	202	134	19	20
Ohio	Male-----	3,733	36	453	778	734	524	440	419	290	57	2
	Female-----	3,128	25	319	707	615	465	359	326	261	47	4
	Total-----	6,861	61	772	1,485	1,349	989	799	745	551	104	6
Oklahoma	Male-----	687	15	84	105	104	91	70	92	101	21	4
	Female-----	460	10	53	100	80	64	44	51	40	17	1
	Total-----	1,147	25	137	205	184	155	114	143	141	38	5

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-goo

**Table 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1954--Continued**

(Statistics based on reports from 179 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Are unknown	
Oregon	Male-----	1,034	6	89	149	217	213	106	131	101	21	1
	Female-----	772	1	82	170	148	93	85	92	77	24	-
	Total-----	1,806	7	171	319	365	306	191	223	178	45	1
Pennsylvania	Male-----	2,863	61	324	449	448	379	340	392	371	93	6
	Female-----	2,744	30	224	461	448	361	303	372	400	140	5
	Total-----	5,607	91	548	910	896	740	643	764	771	233	11
Rhode Island	Male-----	480	6	35	70	90	77	60	64	55	22	1
	Female-----	370	-	26	61	55	36	39	58	72	22	1
	Total-----	850	6	61	131	145	113	99	122	127	44	2
South Carolina	Male-----	967	14	137	202	221	147	76	101	57	8	4
	Female-----	675	8	84	156	142	95	51	67	51	19	2
	Total-----	1,642	22	221	358	363	242	127	168	108	27	6
South Dakota	Male-----	247	1	14	38	40	47	31	35	30	6	5
	Female-----	183	-	13	35	35	26	20	24	20	7	3
	Total-----	430	1	27	73	75	73	51	59	50	13	8
Tennessee	Male-----	1,117	3	108	182	248	211	145	128	78	9	5
	Female-----	874	4	52	151	236	173	95	88	59	13	3
	Total-----	1,991	7	160	333	484	384	240	216	137	22	8
Texas	Male-----	2,153	4	175	330	419	400	318	256	194	57	-
	Female-----	1,542	4	114	293	298	302	208	164	129	30	-
	Total-----	3,695	8	289	623	717	702	526	420	323	87	-
Utah	Male-----	180	3	14	29	26	27	19	25	16	6	15
	Female-----	128	-	13	29	22	18	9	23	10	3	1
	Total-----	308	3	27	58	48	45	28	48	26	9	16
Vermont	Male-----	179	1	25	31	21	31	19	18	26	7	-
	Female-----	171	2	29	28	20	18	16	20	26	11	1
	Total-----	350	3	54	59	41	49	35	38	52	18	1
Virginia	Male-----	1,294	29	150	244	286	177	102	141	141	24	-
	Female-----	880	23	100	189	171	102	80	101	94	20	-
	Total-----	2,174	52	250	433	457	279	182	242	235	44	-
Washington	Male-----	1,038	32	129	163	141	107	117	159	137	53	-
	Female-----	907	11	97	170	155	123	96	112	117	26	-
	Total-----	1,945	43	226	333	296	230	213	271	254	79	-
West Virginia	Male-----	891	39	95	192	156	145	102	77	69	14	2
	Female-----	651	17	90	142	134	93	65	60	35	13	1
	Total-----	1,542	56	185	334	290	238	167	137	104	27	3
Wisconsin	Male-----	1,783	12	141	260	279	259	209	273	242	76	12
	Female-----	1,268	11	103	187	207	163	121	168	212	85	11
	Total-----	3,051	23	244	447	486	422	330	441	454	161	23
Wyoming	Male-----	117	1	16	14	19	14	11	15	20	7	-
	Female-----	66	2	5	11	10	4	6	14	11	3	-
	Total-----	183	3	21	25	29	18	17	29	31	10	-
United States Total ¹	Male-----	55,121	754	5,616	9,690	10,552	8,826	6,234	6,446	5,211	1,387	424
	Female-----	41,610	427	3,930	8,037	7,679	5,999	4,410	4,819	4,594	1,453	212
	Total-----	96,731	1,181	9,546	17,727	18,231	14,825	10,644	11,265	9,805	2,840	636

¹ Data do not include 21,878 first admissions since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total-----	21,878	11,140	10,738
Massachusetts-----	5,231	2,784	2,447
New York-----	16,062	7,993	8,069
North Dakota-----	542	348	194
Iowa-----	43	15	28

Table 8.--FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1954

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Acute Brain Syndromes Assoc. With												
Alcohol Intoxication												
Male-----	27	-	-	3	14	5	4	-	-	-	-	1
Female-----	4	-	-	1	1	-	2	-	-	-	-	-
Total-----	31	-	-	4	15	5	6	-	-	-	-	1
Drug or Poison Intoxication												
Male-----	10	1	-	3	1	3	2	-	-	-	-	-
Female-----	10	-	1	1	4	3	-	1	-	-	-	-
Total-----	20	1	1	4	5	6	2	1	-	-	-	-
Convulsive Disorder												
Male-----	3	-	1	-	-	1	-	1	-	-	-	-
Female-----	2	-	1	1	-	-	-	-	-	-	-	-
Total-----	5	-	2	1	-	1	-	1	-	-	-	-
All Other Conditions												
Male-----	13	-	2	3	1	3	1	1	1	-	-	1
Female-----	7	-	1	-	2	2	1	-	1	-	-	-
Total-----	20	-	3	3	3	5	2	1	2	-	-	1
Total												
Male-----	53	1	3	9	16	12	7	2	1	-	-	2
Female-----	23	-	3	3	7	5	3	1	1	-	-	-
Total-----	76	1	6	12	23	17	10	3	2	-	-	2
Chronic Brain Syndromes Assoc. With												
Diseases and Conditions Due To Prenatal Influence												
Male-----	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	1	-	-	-	-	-	-	-	-
Total-----	2	-	1	1	-	-	-	-	-	-	-	-
Meningoencephalitic Syphilis												
Male-----	10	-	-	-	4	5	1	-	-	-	-	-
Female-----	1	-	-	-	-	1	-	-	-	-	-	-
Total-----	11	-	-	-	4	6	1	-	-	-	-	-
Other CNS Syphilis												
Male-----	1	-	-	-	-	1	-	-	-	-	-	-
Female-----	1	-	-	-	1	-	-	-	-	-	-	-
Total-----	2	-	-	-	1	1	-	-	-	-	-	-
Epidemic Encephalitis												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	1	-	-	-	-	-	-	-
Total-----	1	-	-	-	1	-	-	-	-	-	-	-
Other Intracranial Infections												
Male-----	1	-	-	-	-	-	1	-	-	-	-	-
Female-----	3	1	-	-	1	1	-	-	-	-	-	-
Total-----	4	1	-	-	1	1	1	-	-	-	-	-
Alcohol Intoxication												
Male-----	34	-	-	1	11	14	6	1	1	-	-	-
Female-----	4	-	-	-	2	1	1	-	-	-	-	-
Total-----	38	-	-	1	13	15	7	1	1	-	-	-
Drug or Poison Intoxication												
Male-----	1	-	-	-	1	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	1	-	-	-	-	-	-
Total-----	2	-	-	-	1	1	-	-	-	-	-	-
Birth Trauma												
Male-----	4	1	3	-	-	-	-	-	-	-	-	-
Female-----	2	-	-	2	-	-	-	-	-	-	-	-
Total-----	6	1	3	2	-	-	-	-	-	-	-	-
Other Trauma												
Male-----	10	1	2	3	2	2	-	-	-	-	-	-
Female-----	6	-	-	2	2	1	1	-	-	-	-	-
Total-----	16	1	2	5	4	3	1	-	-	-	-	-
Cerebral Arteriosclerosis												
Male-----	29	-	-	-	-	2	7	11	6	1	-	2
Female-----	28	-	-	-	1	-	6	12	9	-	-	-
Total-----	57	-	-	-	1	2	13	23	15	1	-	2
Other Circulatory Disturbance												
Male-----	3	-	-	-	-	1	1	1	-	-	-	-
Female-----	4	-	-	-	2	1	1	-	-	-	-	-
Total-----	7	-	-	-	2	2	2	1	-	-	-	-

Table 8. -- FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1954--Continued
 (Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age Unknown	
Convulsive Disorder	Male-----	12	1	1	6	2	1	1	-	-	-	-
	Female-----	11	4	3	3	-	1	-	-	-	-	-
	Total-----	23	5	4	9	2	2	1	-	-	-	-
Senile Brain Disease	Male-----	25	-	-	-	-	-	1	10	6	5	3
	Female-----	21	-	-	-	-	-	2	7	8	3	1
	Total-----	46	-	-	-	-	-	3	17	14	8	4
Other Disturbance of Metabolism, Growth, and Nutrition	Male-----	4	-	1	-	-	1	2	-	-	-	-
	Female-----	5	-	-	-	-	-	4	-	-	-	-
	Total-----	9	-	1	1	-	1	6	-	-	-	-
Intracranial Neoplasm	Male-----	2	-	-	-	1	1	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	Total-----	3	-	-	-	1	2	-	-	-	-	-
Diseases of Unknown Cause	Male-----	3	-	-	-	-	3	-	-	-	-	-
	Female-----	8	-	1	1	-	5	1	-	-	-	-
	Total-----	11	-	1	1	-	8	1	-	-	-	-
Chronic Brain Syndromes of Unknown Cause	Male-----	9	1	-	2	1	2	3	-	-	-	-
	Female-----	7	-	-	2	1	1	2	1	-	-	-
	Total-----	16	1	-	4	2	3	5	1	-	-	-
Total	Male-----	149	4	8	12	22	33	23	23	13	6	5
	Female-----	105	5	4	12	11	14	18	20	17	3	1
	Total-----	254	9	12	24	33	47	41	43	30	9	6
Psychotic Disorders	Male-----	28	-	-	-	2	14	8	3	1	-	-
	Female-----	56	-	-	1	10	20	18	5	2	-	-
	Total-----	84	-	-	1	12	34	26	8	3	-	-
Manic-Depressive Reaction	Male-----	28	-	2	3	10	7	4	1	1	-	-
	Female-----	39	1	1	10	9	7	7	4	-	-	-
	Total-----	67	1	3	13	19	14	11	5	1	-	-
Psychotic Depressive Reaction	Male-----	14	-	-	-	4	4	2	4	-	-	-
	Female-----	30	-	1	5	7	12	4	1	-	-	-
	Total-----	44	-	1	5	11	16	6	5	-	-	-
Schizophrenic Reactions	Male-----	216	8	53	73	43	24	11	3	-	-	-
	Female-----	291	4	64	113	77	26	5	1	-	-	1
	Total-----	507	12	117	186	120	50	16	4	-	-	2
Paranoid Reactions	Male-----	6	-	-	-	1	2	2	1	-	-	-
	Female-----	9	1	-	-	2	5	1	-	-	-	-
	Total-----	15	1	-	-	3	7	3	1	-	-	-
Other	Male-----	1	-	-	1	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Total-----	1	-	-	1	-	-	-	-	-	-	-
Total	Male-----	293	8	55	77	60	51	27	12	2	-	1
	Female-----	425	6	66	129	105	70	35	11	2	-	-
	Total-----	718	14	121	206	165	121	62	23	4	-	2
Psychophysilogic Autonomic and Visceral Disorders	Male-----	7	-	-	4	2	1	-	-	-	-	-
	Female-----	8	-	2	2	4	-	-	-	-	-	-
	Total-----	15	-	2	6	6	1	-	-	-	-	-
Psychoneurotic Reactions	Male-----	82	2	12	25	24	10	6	-	1	-	2
	Female-----	127	-	40	44	29	6	6	2	-	-	-
	Total-----	209	2	52	69	53	16	12	2	1	-	2

Table 8--FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1954--Continued

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
Personality Disorders											
Personality Pattern Disturbance											
Male-----	40	2	11	7	12	4	4	-	-	-	-
Female-----	21	1	10	3	3	2	-	1	1	-	-
Total-----	61	3	21	10	15	6	4	1	1	-	-
Personality Trait Disturbance											
Male-----	44	4	12	16	10	2	-	-	-	-	-
Female-----	53	3	13	20	10	7	-	-	-	-	-
Total-----	97	7	25	36	20	9	-	-	-	-	-
Antisocial Reaction											
Male-----	26	3	16	5	1	1	-	-	-	-	-
Female-----	9	1	4	3	1	-	-	-	-	-	-
Total-----	35	4	20	8	2	1	-	-	-	-	-
Dyssocial Reaction											
Male-----	3	-	2	-	-	-	1	-	-	-	-
Female-----	6	1	3	-	-	-	1	-	-	-	1
Total-----	9	1	5	-	-	-	2	-	-	-	1
Sexual Deviation											
Male-----	25	-	6	7	8	3	1	-	-	-	-
Female-----	2	-	1	1	-	-	-	-	-	-	-
Total-----	27	-	7	8	8	3	1	-	-	-	-
Alcoholism - Addiction											
Male-----	246	-	3	44	96	72	27	4	-	-	-
Female-----	14	-	-	4	7	1	2	-	-	-	-
Total-----	260	-	3	48	103	73	29	4	-	-	-
Drug Addiction											
Male-----	8	-	-	2	2	2	2	-	-	-	-
Female-----	4	-	-	-	2	1	1	-	-	-	-
Total-----	12	-	-	2	4	3	3	-	-	-	-
Special Symptom Reaction											
Male-----	1	1	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	-	-	-	-	-	-	-
Total											
Male-----	393	10	50	81	129	84	35	4	-	-	-
Female-----	109	6	31	31	23	11	4	1	1	-	1
Total-----	502	16	81	112	152	95	39	5	1	-	1
Transient Situational Personality Disturbance											
Male-----	44	31	11	1	-	-	-	-	1	-	-
Female-----	32	17	8	1	-	1	3	2	-	-	-
Total-----	76	48	19	2	-	1	3	2	1	-	-
Mental Deficiency											
Male-----	9	5	2	-	1	1	-	-	-	-	-
Female-----	9	4	2	2	-	-	1	-	-	-	-
Total-----	18	9	4	2	1	1	1	-	-	-	-
Mental Disorder, Undiagnosed											
Male-----	5	-	1	3	1	-	-	-	-	-	-
Female-----	3	-	-	2	-	-	1	-	-	-	-
Total-----	8	-	1	5	1	-	1	-	-	-	-
Without Mental Disorder											
Male-----	100	12	8	8	12	13	11	13	15	7	1
Female-----	72	13	1	5	4	7	12	13	8	9	-
Total-----	172	25	9	13	16	20	23	26	23	16	1
Total All Patients ¹											
Male-----	1,135	73	150	220	267	205	109	54	33	13	11
Female-----	913	51	157	231	183	114	83	50	29	12	3
Total-----	2,048	124	307	451	450	319	192	104	62	25	14

¹ Data do not include 773 first admissions, 477 males and 296 females.

Table 9.--FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism and nutrition	All other chronic brain syndromes	
California																
Male-----	46	-	3	1	-	-	-	-	-	-	-	-	-	-	-	1
Female-----	51	1	-	8	-	-	-	-	-	1	-	-	-	-	3	4
Total-----	97	1	3	9	-	-	-	-	-	1	-	-	-	-	4	5
Colorado																
Male-----	351	19	13	57	3	-	6	-	5	13	1	3	20	1	5	
Female-----	255	3	10	41	-	-	4	-	18	18	1	1	12	1	3	
Total-----	606	22	23	98	3	-	10	-	23	31	2	4	32	2	8	
Delaware																
Male-----	198	-	-	11	-	-	2	-	3	3	-	-	2	-	1	
Female-----	91	-	1	12	-	-	-	-	2	2	-	4	4	-	1	
Total-----	289	-	1	23	-	-	2	-	5	5	-	4	6	-	2	
Indiana																
Male-----	273	7	3	40	5	-	21	-	1	5	2	3	-	1	2	
Female-----	209	-	4	12	1	-	-	-	2	2	1	3	-	1	2	
Total-----	482	7	7	52	6	-	21	-	3	7	3	6	-	2	4	
Iowa																
Male-----	115	1	4	10	-	-	-	-	2	1	-	2	-	1	4	
Female-----	149	-	2	12	-	1	-	-	-	-	-	1	3	1	6	
Total-----	264	1	6	22	-	1	-	-	2	1	-	3	3	2	10	
Nebraska																
Male-----	31	-	2	7	1	-	1	1	1	3	-	-	-	-	-	
Female-----	51	-	2	9	-	-	-	-	1	2	-	1	2	-	3	
Total-----	82	-	4	16	1	-	1	1	2	5	-	1	2	-	3	
Tennessee																
Male-----	121	-	1	23	1	1	4	-	2	4	-	4	3	1	3	
Female-----	107	-	-	11	-	-	-	1	1	4	1	1	-	-	3	
Total-----	228	-	1	34	1	1	4	1	3	8	1	5	3	1	6	
United States Total¹																
Male-----	1,135	27	26	149	10	1	34	1	14	29	3	12	25	4	26	
Female-----	913	4	19	105	1	1	4	1	8	28	4	11	21	5	21	
Total-----	2,048	31	45	254	11	2	38	2	22	57	7	23	46	9	47	

¹ Data do not include 773 first admissions since some psychopathic hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	773	477	296
Massachusetts	424	293	131
New York	349	184	165

Table 9. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 7 of the 9 psychopathic hospitals)--Continued

TOTAL PSYCHOTIC DISORDERS	PSYCHOTIC DISORDERS						Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involitional psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other						
29	2	8	3	16	-	-	4	3	2	3	-	-
30	-	1	3	26	-	-	7	2	1	1	1	-
59	2	9	6	42	-	-	11	5	3	4	1	-
92	1	5	7	77	2	-	22	110	5	2	1	30
107	4	6	10	84	3	-	34	45	4	3	2	6
199	5	11	17	161	5	-	56	155	9	5	3	36
2	-	-	-	2	-	-	2	94	25	2	-	62
2	-	-	-	2	-	-	-	3	12	-	-	61
4	-	-	-	4	-	-	2	97	37	2	-	123
79	9	2	2	65	1	-	15	119	3	2	1	2
131	20	-	7	104	-	-	27	31	1	2	-	1
210	29	2	9	169	1	-	42	150	4	4	1	3
46	11	12	1	20	1	1	9	36	6	-	-	2
80	25	15	8	29	3	-	17	19	13	1	-	3
126	36	27	9	49	4	1	26	55	19	1	-	5
10	1	-	-	9	-	-	5	5	-	-	1	-
17	1	3	-	12	1	-	15	3	-	1	-	1
27	2	3	-	21	1	-	20	8	-	1	1	1
35	4	1	1	27	2	-	25	26	3	-	2	4
58	6	14	2	34	2	-	27	6	1	1	-	-
93	10	15	3	61	4	-	52	32	4	1	2	4
293	28	28	14	216	6	1	82	393	44	9	5	100
425	56	39	30	291	9	-	127	109	32	9	3	72
718	84	67	44	507	15	1	209	502	76	18	8	172

Generated on 2018-08-01 14:40 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/attribution_use#pd-google

Table 10. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS BY AGE, SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
California	Male-----	46	11	7	9	8	5	5	1	-	-	-
	Female-----	51	4	11	14	11	6	4	1	-	-	-
	Total-----	97	15	18	23	19	11	9	2	-	-	-
Colorado	Male-----	351	5	60	68	88	54	26	19	14	6	11
	Female-----	255	6	47	63	51	28	22	18	16	1	7
	Total-----	606	11	107	131	139	82	48	37	30	7	18
Delaware	Male-----	198	46	4	11	40	31	27	16	16	7	-
	Female-----	91	30	1	4	5	7	8	16	9	11	-
	Total-----	289	76	5	15	45	38	35	32	25	18	-
Indiana	Male-----	273	2	25	65	72	73	30	5	1	-	-
	Female-----	209	3	44	62	62	25	12	1	-	-	-
	Total-----	482	5	69	127	134	98	42	6	1	-	-
Iowa	Male-----	115	7	32	31	22	12	6	3	2	-	-
	Female-----	149	4	29	38	24	23	18	10	3	-	-
	Total-----	264	11	61	69	46	35	24	13	5	-	-
Nebraska	Male-----	31	-	7	4	9	5	2	4	-	-	-
	Female-----	51	2	8	15	9	9	3	4	1	-	-
	Total-----	82	2	15	19	18	14	5	8	1	-	-
Tennessee	Male-----	121	2	15	32	28	25	13	6	-	-	-
	Female-----	107	2	17	35	21	16	16	-	-	-	-
	Total-----	228	4	32	67	49	41	29	6	-	-	-
United States Total ¹	Male-----	1,135	73	150	220	267	205	109	54	33	13	11
	Female-----	913	51	177	231	183	114	83	50	29	12	7
	Total-----	2,048	124	327	451	450	319	192	104	62	25	18

¹ Data do not include 773 first admissions since some psychopathic hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total -----	773	477	296
Massachusetts ----	424	293	131
New York-----	349	184	165

Table 11. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX : UNITED STATES, 1954

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Acute Brain Syndromes Assoc. With												
Alcohol Intoxication												
Male-----	1,205	-	10	115	263	307	269	189	49	2	1	
Female-----	224	-	2	29	57	63	45	20	7	1	-	
Total-----	1,429	-	12	144	320	370	314	209	56	3	1	
Drug or Poison Intoxication												
Male-----	28	-	-	4	8	3	7	5	-	-	1	
Female-----	41	-	2	6	8	7	12	3	3	-	-	
Total-----	69	-	2	10	16	10	19	8	3	-	1	
Compulsive Disorder												
Male-----	417	4	36	95	106	97	46	25	7	-	1	
Female-----	292	1	15	53	90	65	36	20	10	-	2	
Total-----	709	5	51	148	196	162	82	45	17	-	3	
All Other Conditions												
Male-----	250	-	4	27	42	71	47	40	13	5	1	
Female-----	218	1	4	28	37	54	44	33	15	2	-	
Total-----	468	1	8	55	79	125	91	73	28	7	1	
Total												
Male-----	1,900	4	50	241	419	478	369	259	69	7	4	
Female-----	775	2	23	116	192	189	137	76	35	3	2	
Total-----	2,675	6	73	357	611	667	506	335	104	10	6	
Chronic Brain Syndromes Assoc. With												
Diseases and Conditions Due To Perinatal Influence												
Male-----	275	24	33	66	49	48	32	15	5	1	2	
Female-----	158	18	30	38	26	16	15	8	1	1	5	
Total-----	433	42	63	104	75	64	47	23	6	2	7	
Meningoencephalitic Syphilis												
Male-----	11,197	3	66	282	1,383	4,346	3,033	1,710	295	26	53	
Female-----	5,461	3	58	265	942	1,905	1,440	689	127	10	22	
Total-----	16,658	6	124	547	2,325	6,251	4,473	2,399	422	36	75	
Other CNS Syphilis												
Male-----	1,517	-	20	66	202	519	403	231	54	8	14	
Female-----	883	-	13	48	135	257	246	148	25	5	6	
Total-----	2,400	-	33	114	337	776	649	379	79	13	20	
Epidemic Encephalitis												
Male-----	582	5	27	52	189	184	86	32	7	-	-	
Female-----	354	3	19	32	104	124	48	18	4	-	2	
Total-----	936	8	46	84	293	308	134	50	11	-	2	
Other Intracranial Infections												
Male-----	263	8	26	41	71	56	38	20	3	-	-	
Female-----	190	8	18	18	49	43	38	12	3	1	-	
Total-----	453	16	44	59	120	99	76	32	6	1	-	
Alcohol Intoxication												
Male-----	4,524	-	5	100	406	1,162	1,455	1,111	256	14	15	
Female-----	1,133	-	2	37	195	333	328	186	41	7	4	
Total-----	5,657	-	7	137	601	1,495	1,783	1,297	297	21	19	
Drug or Poison Intoxication												
Male-----	152	-	3	3	16	42	49	24	13	1	2	
Female-----	122	-	-	7	19	27	31	26	11	-	1	
Total-----	275	-	3	10	35	69	80	50	24	1	3	
Birth Trauma												
Male-----	305	23	37	59	59	58	53	14	-	-	2	
Female-----	144	19	21	27	29	23	14	10	1	-	-	
Total-----	449	42	58	86	88	81	67	24	1	-	2	
Other Trauma												
Male-----	1,187	11	68	126	208	315	240	167	42	3	7	
Female-----	239	4	12	37	56	53	41	24	11	-	1	
Total-----	1,426	15	80	163	264	368	281	191	53	3	8	
Cerebral Arteriosclerosis												
Male-----	12,753	-	1	20	48	364	1,942	5,516	3,940	855	67	
Female-----	12,529	1	2	10	36	331	1,170	4,817	4,429	1,168	65	
Total-----	25,282	1	3	30	84	695	3,112	10,333	8,369	2,023	132	
Other Circulatory Disturbance												
Male-----	606	1	4	5	33	171	170	173	86	7	6	
Female-----	491	-	3	10	35	84	127	141	66	13	8	
Total-----	1,097	1	7	15	68	255	297	314	152	20	14	

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346 Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Table 11.--PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)											
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown		
Convulsive Disorder													
Male-----	4,883	88	520	974	1,196	1,074	603	319	71	8			
Female-----	4,368	50	315	811	1,068	961	683	368	83	11			
Total-----	9,251	138	835	1,785	2,264	2,035	1,286	687	154	19			
Senile Brain Disease													
Male-----	7,881	1	1	9	23	31	293	2,374	3,817	1,278			
Female-----	11,540	-	4	4	18	70	429	2,903	5,623	2,419			
Total-----	19,421	1	5	13	41	101	722	5,277	9,440	3,697			
Other Disturbance of Metabolism, Growth, and Nutrition													
Male-----	502	-	13	21	43	114	171	108	22	5			
Female-----	1,057	-	6	34	83	191	433	227	58	16			
Total-----	1,559	-	19	55	126	305	604	335	80	21			
Intracranial Neoplasm													
Male-----	93	1	2	7	15	26	27	13	-	1			
Female-----	88	-	6	11	18	21	20	10	2	-			
Total-----	181	1	8	18	33	47	47	23	2	1			
Diseases of Unknown Cause													
Male-----	1,493	12	35	122	260	415	308	271	54	9			
Female-----	1,198	4	19	91	274	302	307	157	36	4			
Total-----	2,691	16	54	213	534	717	615	428	90	13			
Chronic Brain Syndrome of Unknown Cause													
Male-----	438	9	24	33	64	115	123	51	17	1			
Female-----	318	6	13	30	53	79	88	38	10	1			
Total-----	756	15	37	63	117	194	211	89	27	2			
Total													
Male-----	48,052	186	885	1,986	4,265	8,990	9,026	12,149	8,682	2,217			
Female-----	40,553	116	541	1,510	3,140	4,824	5,958	9,762	10,531	1,056			
Total-----	88,605	302	1,426	3,496	7,405	13,814	14,984	21,911	19,213	3,273			
Psychotic Disorders													
Involuntory Psychotic Reaction													
Male-----	2,134	-	28	33	43	333	829	684	140	16			
Female-----	7,129	2	3	14	232	1,640	2,927	1,758	463	65			
Total-----	9,263	2	31	47	275	1,973	3,756	2,442	603	81			
Manic-Depressive Reaction													
Male-----	7,612	2	50	269	857	1,622	1,772	2,143	755	85			
Female-----	15,117	1	95	659	1,841	3,164	4,036	3,560	1,491	196			
Total-----	22,729	3	145	928	2,698	4,786	5,808	5,703	2,246	284			
Psychotic Depressive Reaction													
Male-----	450	-	7	34	60	81	95	115	43	4			
Female-----	579	1	9	57	94	93	145	124	49	6			
Total-----	1,029	1	16	91	154	174	240	239	92	10			
Schizophrenic Reactions													
Male-----	75,046	91	3,006	10,928	18,399	19,391	12,193	8,183	2,071	227			
Female-----	87,018	44	2,440	11,778	20,284	20,296	17,363	10,416	3,343	486			
Total-----	162,064	135	5,446	22,706	38,683	39,687	29,556	18,599	5,414	713			
Paranoid Reactions													
Male-----	2,994	1	24	102	251	531	784	887	343	51			
Female-----	3,792	-	14	63	228	597	1,061	1,126	582	104			
Total-----	6,786	1	38	165	479	1,131	1,845	2,013	925	155			
Other													
Male-----	2,003	16	127	221	417	432	373	276	98	5			
Female-----	1,995	5	91	208	381	475	441	247	82	16			
Total-----	3,998	21	213	429	798	907	814	523	180	21			
Total													
Male-----	90,239	110	3,237	11,587	20,027	22,393	16,046	12,288	3,470	388			
Female-----	115,650	53	2,652	12,779	23,040	26,265	25,973	17,231	6,210	871			
Total-----	205,889	163	5,889	24,366	43,067	48,658	42,019	29,519	9,680	1,259			
Psychophysiological Autonomic and Visceral Disorders													
Male-----	101	-	5	4	23	17	24	19	8	1			
Female-----	112	-	2	5	13	26	30	26	9	1			
Total-----	213	-	7	9	36	43	54	45	17	2			
Psychoneurotic Reactions													
Male-----	1,321	9	88	222	285	290	218	129	30	3			
Female-----	1,818	5	83	289	400	342	335	267	75	13			
Total-----	3,099	14	171	511	685	632	553	396	105	16			

Table 11.--PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
Personality Disorders											
Personality Pattern Disturbance											
Male-----	543	18	110	146	99	86	53	22	6	-	3
Female-----	310	9	50	47	66	60	48	22	6	1	1
Total-----	853	27	160	193	165	146	101	44	12	1	4
Personality Trait Disturbance											
Male-----	434	23	93	136	86	52	32	15	-	2	1
Female-----	225	10	67	65	40	24	10	5	1	1	2
Total-----	659	33	160	201	126	76	42	20	1	3	3
Antisocial Reaction											
Male-----	1,781	15	260	334	387	348	235	142	45	12	3
Female-----	889	3	88	110	154	196	169	100	45	10	8
Total-----	2,670	18	348	450	541	544	404	242	90	22	11
Cybernetic Reaction											
Male-----	213	3	48	66	35	26	20	7	6	1	1
Female-----	97	3	25	32	16	10	9	-	1	1	-
Total-----	310	6	73	98	51	36	29	7	7	2	1
Sexual Deviation											
Male-----	714	3	101	246	180	119	63	37	11	-	4
Female-----	28	-	7	5	3	6	4	-	1	-	2
Total-----	792	3	108	251	183	125	67	37	12	-	6
Alcoholism- Addiction											
Male-----	2,548	1	25	273	707	813	436	227	49	10	7
Female-----	540	-	10	83	194	151	68	23	8	2	1
Total-----	3,088	1	35	356	901	964	504	250	57	12	8
Drug Addiction											
Male-----	173	1	30	45	29	28	27	11	2	-	2
Female-----	125	-	7	21	29	34	18	13	1	-	-
Total-----	298	1	37	66	58	62	45	24	3	-	2
Special Symptom Reaction											
Male-----	36	3	5	7	4	7	3	3	2	2	-
Female-----	46	1	3	5	9	10	8	7	3	-	-
Total-----	82	4	8	12	13	17	11	10	5	2	-
Total											
Male-----	6,492	67	672	1,253	1,521	1,479	869	464	121	27	19
Female-----	2,260	26	267	374	511	491	334	170	66	15	16
Total-----	8,752	93	929	1,627	2,032	1,970	1,203	634	187	42	35
Incident Situational Personality Disturbance											
Male-----	316	107	108	26	22	22	9	13	8	1	-
Female-----	242	44	89	29	24	22	15	17	1	-	1
Total-----	558	151	197	55	46	44	24	30	9	1	1
Intellectual Deficiency											
Male-----	16,855	226	1,619	3,375	3,787	3,575	2,360	1,391	341	34	147
Female-----	14,776	153	949	2,404	3,148	3,378	2,705	1,469	395	64	111
Total-----	31,631	379	2,568	5,779	6,935	6,953	5,065	2,860	736	98	258
Mental Disorder, Undiagnosed											
Male-----	1,365	6	89	210	197	217	189	191	125	29	112
Female-----	929	20	43	112	111	108	114	134	109	35	143
Total-----	2,294	26	132	322	308	325	303	325	234	64	255
Not Mental Disorder											
Male-----	470	4	53	84	94	92	61	42	29	6	5
Female-----	297	6	23	40	52	62	42	38	20	7	1
Total-----	767	10	76	130	146	154	103	80	49	13	6
Total All Patients¹											
Male-----	167,671	719	6,806	18,988	30,640	37,553	29,171	26,945	12,883	2,713	1,253
Female-----	177,112	425	4,662	17,664	30,651	35,737	35,643	29,190	17,251	4,670	1,249
Total-----	344,783	1,144	11,468	36,652	61,291	73,260	64,814	56,135	30,134	7,383	2,502

¹Data do not include 208,273 resident patients, 80,215 males, 90,057 females, and 38,001 unreported as to sex.

Generated on 2018-08-01 14:41 GMT / http://hdl.handle.net/2027/osu.32435024776346 / http://www.hathitrust.org/accession#id=google

Table 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											
			Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other C N S syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes
Arizona	Male-----	903	2	-	331	18	52	13	-	11	116	6	57	30	2	2
	Female-----	850	-	1	226	9	25	8	1	2	70	4	43	35	3	2
	Total-----	1,753	2	1	557	27	77	21	1	13	186	10	100	65	5	4
Arkansas	Male-----	2,435	3	13	656	141	21	2	-	21	182	5	132	106	9	3
	Female-----	2,582	-	16	579	72	31	1	1	9	113	5	111	154	42	4
	Total-----	5,017	3	29	1,235	213	52	3	1	30	295	10	243	260	51	7
California	Male-----	17,637	151	77	5,731	1,094	114	887	7	229	1,529	72	407	1,068	47	27
	Female-----	18,845	35	64	4,757	476	58	348	6	48	1,407	62	389	1,663	79	22
	Total-----	36,482	186	141	10,488	1,570	172	1,235	13	277	2,936	134	796	2,731	126	49
Colorado	Male-----	2,805	22	19	906	176	8	44	20	28	229	1	106	248	14	3
	Female-----	2,715	1	22	840	83	10	16	14	6	219	2	85	347	23	3
	Total-----	5,520	23	41	1,746	259	18	60	34	34	448	3	191	595	37	6
Connecticut	Male-----	2,817	25	7	800	94	6	125	-	11	325	54	74	54	14	4
	Female-----	3,279	9	9	710	37	9	35	4	6	385	28	58	108	12	2
	Total-----	6,096	34	16	1,510	131	15	160	4	17	710	82	132	162	26	6
Delaware	Male-----	683	9	2	231	72	1	24	-	12	32	5	33	33	3	1
	Female-----	731	-	3	182	29	4	2	-	3	50	1	15	64	5	4
	Total-----	1,414	9	5	413	101	5	26	-	15	82	6	48	97	8	5
Florida	Male-----	3,606	3	-	1,275	344	107	53	4	41	386	12	163	139	6	3
	Female-----	4,112	-	3	1,063	194	27	6	5	6	460	3	138	186	28	1
	Total-----	7,718	3	3	2,338	538	134	59	9	47	846	15	301	325	34	4
Idaho	Male-----	674	25	9	204	21	13	16	-	6	44	7	6	70	6	1
	Female-----	573	2	10	114	7	10	1	1	-	20	4	10	47	6	8
	Total-----	1,247	27	19	318	28	23	17	1	6	64	11	16	117	12	9
Indiana	Male-----	4,980	14	6	1,652	576	19	80	3	36	441	17	88	282	13	7
	Female-----	5,671	2	10	1,372	295	30	13	3	16	425	11	75	413	27	6
	Total-----	10,651	16	16	3,024	871	49	93	6	52	866	28	163	695	40	13
Iowa	Male-----	2,578	16	35	661	122	11	48	1	18	151	3	67	130	5	1
	Female-----	2,815	1	6	598	79	1	5	1	5	145	3	92	198	17	2
	Total-----	5,393	17	41	1,259	201	12	53	2	23	296	6	159	328	22	3
Kansas	Male-----	2,208	1	4	532	155	10	28	3	11	140	4	27	71	10	3
	Female-----	2,343	6	6	416	63	4	1	1	8	158	3	24	94	7	3
	Total-----	4,551	7	10	948	218	14	29	4	19	298	7	51	165	17	6
Kentucky	Male-----	3,670	11	8	1,056	265	28	51	1	23	249	15	170	192	13	4
	Female-----	3,983	3	5	933	138	15	22	-	6	236	13	182	274	14	3
	Total-----	7,653	14	13	1,989	403	43	73	1	29	485	28	352	466	27	7
Louisiana	Male-----	3,917	12	25	1,056	336	48	77	2	28	272	8	152	85	10	3
	Female-----	4,238	6	20	832	172	25	8	4	5	296	2	123	146	29	2
	Total-----	8,155	18	45	1,888	508	73	85	6	33	568	10	275	231	39	5
Maine	Male-----	1,261	2	3	372	65	2	63	-	5	103	6	52	60	5	1
	Female-----	1,706	-	5	382	32	14	10	2	2	159	1	50	88	4	2
	Total-----	2,967	2	8	754	97	16	73	2	7	262	7	102	148	9	3
Maryland	Male-----	4,410	99	41	1,295	324	35	141	2	25	311	12	159	204	11	7
	Female-----	4,770	26	7	1,219	134	17	41	1	7	288	24	191	436	21	6
	Total-----	9,180	125	48	2,514	458	52	182	3	32	599	36	350	640	32	13
Michigan	Male-----	10,864	46	33	2,991	800	91	271	5	103	750	40	226	348	29	3
	Female-----	10,384	6	24	2,189	379	56	54	1	16	665	33	154	552	68	21
	Total-----	21,248	52	57	5,180	1,179	147	325	6	119	1,415	73	380	900	97	54

Table 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

TOTAL PSYCHOTIC DISORDERS	PSYCHOTIC DISORDERS						Psychophysilogic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involuntional psychotic reaction	Man-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
389	7	24	-	352	6	-	-	5	14	-	159	-	3
488	30	39	4	404	11	-	1	8	7	-	116	-	3
877	37	63	4	756	17	-	1	13	21	-	275	-	6
1,027	30	104	6	831	29	27	6	21	49	9	594	2	55
1,365	114	218	18	965	34	16	6	33	17	5	537	2	22
2,392	144	322	24	1,796	63	43	12	54	66	14	1,131	4	77
9,465	340	483	36	8,450	105	51	1	266	1,269	64	550	48	15
12,770	1,260	817	21	10,538	99	35	-	209	339	30	594	38	9
22,235	1,600	1,300	57	18,988	204	86	1	475	1,608	94	1,144	86	24
1,252	22	32	-	1,178	20	-	-	4	126	3	364	85	24
1,456	38	90	-	1,312	16	-	-	10	38	8	265	59	16
2,708	60	122	-	2,490	36	-	-	14	164	11	629	144	40
1,718	41	78	3	1,551	45	-	1	26	66	1	162	11	-
2,307	131	189	6	1,914	67	-	2	52	34	2	154	-	-
4,025	172	267	9	3,465	112	-	3	78	100	3	316	11	-
341	14	29	4	273	21	-	-	6	24	2	68	-	-
484	35	59	8	346	36	-	-	12	3	1	46	-	-
825	49	88	12	619	57	-	-	18	27	3	114	-	-
1,573	22	207	-	1,332	10	2	-	16	95	1	530	105	8
2,429	135	485	12	1,761	32	4	-	9	49	-	516	40	3
4,002	157	692	12	3,093	42	6	-	25	144	1	1,046	145	11
303	2	29	-	256	15	1	1	10	69	5	32	5	11
353	24	48	1	258	22	-	-	20	16	4	38	10	6
656	26	77	1	514	37	1	1	30	85	9	70	15	17
2,722	84	193	12	2,362	65	6	7	20	264	9	276	5	5
3,896	316	431	15	3,033	88	3	3	63	97	10	226	2	-
6,608	400	624	27	5,395	153	9	10	83	361	19	502	7	5
1,564	40	159	3	1,253	45	64	1	33	111	6	107	44	-
1,948	148	319	6	1,342	72	61	3	32	22	5	173	18	9
3,512	188	478	9	2,595	117	125	4	65	133	11	280	62	9
1,313	15	108	10	1,158	9	13	-	35	87	11	224	-	1
1,655	82	208	14	1,325	12	14	-	52	43	2	165	-	4
2,968	97	316	24	2,483	21	27	-	87	130	13	389	-	5
1,786	19	181	5	1,560	21	-	-	5	55	1	724	18	6
2,360	68	348	5	1,916	22	1	2	11	35	7	616	9	2
4,146	87	529	10	3,476	43	1	2	16	90	8	1,340	27	8
1,867	25	128	1	1,672	16	25	5	17	111	5	618	148	53
2,739	137	274	2	2,281	21	24	5	35	64	6	458	48	25
4,606	162	402	3	3,953	37	49	10	52	175	11	1,076	196	78
733	11	123	1	577	21	-	-	18	25	-	105	-	3
1,164	41	221	-	882	20	-	-	47	11	1	95	-	1
1,897	52	344	1	1,459	41	-	-	65	36	1	200	-	4
2,236	69	92	15	1,997	53	10	1	31	98	10	558	41	-
2,867	144	189	22	2,415	97	-	1	63	50	6	504	24	3
5,103	213	281	37	4,412	150	10	2	94	148	16	1,062	65	3
6,542	146	280	5	5,682	261	168	9	106	517	35	539	18	28
7,403	284	558	9	6,182	221	149	11	116	149	14	437	17	18
13,945	430	838	14	11,864	482	317	20	222	666	49	976	35	46

Table 12.--PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE; UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH													
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other C.N.S. syphilis	Alcohol intoxication	Drug or poison (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Conclusive disorder	Senile brain disease	Other disturbance of mental growth and maturation	All other chronic brain syndromes		
Minnesota																	
Male-----	5,883	43	24	1,670	195	22	128	4	43	549	19	109	461	8	13		
Female-----	5,565	1	32	1,283	83	17	19	2	10	396	22	81	547	31			
Total-----	11,448	44	56	2,953	278	39	147	6	53	945	41	190	1,008	39			
Mississippi																	
Male-----	2,408	1	23	694	174	12	10	3	17	182	6	111	121	16	41		
Female-----	2,922	-	21	682	92	5	3	4	4	308	3	79	115	35			
Total-----	5,330	1	44	1,376	266	17	13	7	21	490	9	190	236	51			
Missouri																	
Male-----	5,539	1	3	1,575	568	21	97	3	35	266	8	255	216	12	4		
Female-----	6,985	-	2	1,419	323	19	20	4	10	303	18	229	373	51	60		
Total-----	12,124	1	5	2,994	891	40	117	7	45	569	26	484	589	63	163		
Montana																	
Male-----	1,107	9	5	320	34	17	14	-	14	75	5	35	85	-	41		
Female-----	851	2	1	199	12	5	1	-	12	35	7	27	60	3	17		
Total-----	1,958	11	6	519	46	22	15	-	26	110	12	62	145	3	58		
Nebraska																	
Male-----	2,312	3	7	568	120	15	38	1	14	141	4	94	97	9	3		
Female-----	2,364	1	8	470	56	6	5	-	1	138	15	85	119	11	14		
Total-----	4,676	4	15	1,038	176	21	43	1	15	279	19	179	216	20	17		
Nevada																	
Male-----	242	11	-	63	-	12	1	-	2	19	-	6	23	-	1		
Female-----	174	9	1	33	-	2	-	-	-	6	-	3	19	2	1		
Total-----	416	20	1	96	-	14	1	-	2	25	-	9	42	2	2		
New Hampshire																	
Male-----	1,284	17	17	382	23	15	36	1	11	141	5	39	81	4	2		
Female-----	1,436	-	8	346	14	15	2	-	2	142	8	31	111	8	13		
Total-----	2,720	17	25	728	37	30	38	1	13	283	13	70	192	12	15		
New Jersey																	
Male-----	9,466	56	15	2,810	460	118	391	5	71	894	41	199	464	26	141		
Female-----	11,466	11	18	2,880	183	74	109	2	15	1,181	50	147	950	58	111		
Total-----	20,932	67	33	5,690	643	192	500	7	86	2,075	91	346	1,414	84	252		
New Mexico																	
Male-----	563	12	-	187	5	52	3	-	11	48	1	34	21	1	11		
Female-----	491	1	2	128	29	3	1	-	5	32	1	26	20	4	7		
Total-----	1,054	13	2	315	34	55	4	-	16	80	2	60	41	5	18		
North Carolina																	
Male-----	3,979	8	4	1,161	259	53	26	-	18	225	11	423	96	11	39		
Female-----	4,142	1	3	1,013	173	17	5	1	2	167	6	416	147	41	38		
Total-----	8,121	9	7	2,174	432	70	31	1	20	392	17	839	243	52	77		
Ohio																	
Male-----	13,917	140	39	4,429	1,413	92	652	10	212	1,007	42	174	416	58	353		
Female-----	14,199	26	23	3,320	723	76	166	10	66	1,025	41	176	668	28	28		
Total-----	28,116	166	62	7,749	2,136	168	818	20	278	2,032	83	350	1,084	141	439		
Oklahoma																	
Male-----	4,025	1	19	1,192	317	84	29	8	36	270	19	96	216	23	4		
Female-----	3,876	1	8	875	161	41	3	4	17	222	9	83	233	47	15		
Total-----	7,901	2	27	2,067	478	125	32	12	53	492	28	179	449	70	19		
Oregon																	
Male-----	725	10	4	261	52	3	24	2	9	88	2	31	39	-	11		
Female-----	763	1	-	171	14	-	3	2	3	59	-	33	45	2	13		
Total-----	1,488	11	4	432	66	3	27	4	12	147	2	64	84	2	24		
Pennsylvania																	
Male-----	19,087	273	112	4,429	1,176	128	520	10	71	1,216	57	443	518	46	24		
Female-----	20,747	40	94	3,750	560	73	98	12	18	1,166	30	438	1,039	94	22		
Total-----	39,834	313	206	8,179	1,736	201	618	22	89	2,382	87	881	1,557	140	46		
Rhode Island																	
Male-----	1,686	21	4	463	67	5	107	2	12	70	1	52	110	5	17		
Female-----	1,730	5	3	371	25	2	17	1	-	81	1	46	160	10	28		
Total-----	3,416	26	7	834	92	7	124	3	12	151	2	98	270	15	45		
South Dakota																	
Male-----	823	3	3	199	28	3	16	1	77	66	1	25	37	2	13		
Female-----	772	-	5	177	9	3	3	-	3	67	1	26	52	3	10		
Total-----	1,595	3	8	376	37	6	19	1	10	133	2	51	89	5	23		

Table 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

TOTAL PSYCHOTIC DISORDERS	PSYCHOTIC DISORDERS						Psychophysiologic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involuntional psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Furoroid reactions	Other							
3,198	63	261	14	2,760	66	34	2	52	353	8	506	14	13
3,675	302	486	37	2,726	72	52	5	69	81	8	402	5	4
6,873	365	747	51	5,486	138	86	7	121	434	16	908	19	17
1,363	13	143	15	962	22	208	-	12	37	-	158	99	21
1,906	58	357	9	1,260	56	166	2	27	20	-	113	126	25
3,269	71	500	24	2,222	78	374	2	39	57	-	271	225	46
2,920	14	184	59	2,482	33	148	9	24	153	7	792	44	11
4,219	112	416	79	3,421	35	156	2	58	66	5	745	62	7
7,139	126	600	138	5,903	68	304	11	82	219	12	1,537	106	18
596	5	21	1	554	15	-	1	9	85	2	66	14	-
518	5	27	7	469	9	-	2	28	20	1	66	13	1
1,114	10	48	8	1,023	24	-	3	37	105	3	132	27	1
1,253	18	107	-	1,075	42	11	5	27	158	3	258	17	13
1,595	43	239	1	1,285	23	4	5	40	20	-	205	11	9
2,848	61	346	1	2,360	65	15	10	67	178	3	463	28	22
112	8	8	-	94	2	-	-	7	7	-	42	-	-
94	4	12	-	73	5	-	-	-	5	-	32	-	-
206	12	20	-	167	7	-	-	7	12	-	74	-	-
621	25	35	22	159	210	170	2	15	46	1	134	2	47
893	98	55	36	287	243	174	-	35	20	5	83	1	45
1,514	123	90	58	446	453	344	2	50	66	6	217	3	92
5,458	159	476	13	4,501	234	75	9	86	320	9	664	15	24
7,560	607	1,159	17	5,334	361	82	4	105	150	15	689	19	15
13,018	766	1,635	30	9,835	595	157	13	191	470	24	1,353	34	39
245	3	9	-	233	-	-	-	3	4	1	106	5	-
268	11	36	4	216	1	-	-	3	3	2	79	4	1
513	14	45	4	449	1	-	-	6	7	3	185	9	1
2,112	26	250	9	1,792	29	6	2	14	101	3	550	6	18
2,740	126	554	23	1,989	44	4	8	27	45	3	283	3	16
4,852	152	804	32	3,781	73	10	10	41	146	6	833	9	34
7,304	237	624	20	5,864	480	79	14	99	328	24	1,323	190	27
9,282	858	1,214	54	6,327	768	61	18	166	116	29	1,151	62	6
16,586	1,095	1,838	74	12,191	1,248	140	32	265	444	53	2,474	252	33
1,983	37	140	1	1,719	85	1	-	34	51	3	732	6	4
2,451	137	272	6	1,891	144	1	3	39	32	5	458	1	3
4,434	174	412	7	3,610	229	2	3	73	83	8	1,190	7	7
359	16	26	-	282	34	1	-	3	24	-	64	-	-
522	36	74	-	382	30	-	-	6	15	1	46	-	1
881	52	100	-	664	64	1	-	9	39	1	110	-	1
11,611	232	1,077	2	9,417	495	388	13	126	512	64	1,947	-	-
14,714	706	2,014	4	10,915	536	539	15	183	211	44	1,696	-	-
26,325	938	3,091	6	20,332	1,031	927	28	309	723	108	3,643	-	-
924	22	85	-	768	49	-	-	21	135	4	102	12	-
1,187	54	156	1	916	60	-	-	27	37	-	93	7	-
2,111	76	241	1	1,684	109	-	-	48	172	4	195	19	-
555	18	67	1	446	23	-	1	3	18	1	37	3	-
542	46	67	3	413	13	-	-	6	14	-	27	1	-
1,097	64	134	4	859	36	-	1	9	32	1	64	4	-

Generated on 2018-08-01 14:42 GMT / http://hdl.handle.net/2027/osu.32435024776346
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

Table 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol Intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningoencephalitic syphilis	Other C N S syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism growth and nutrition	All other chronic brain syndromes	
Tennessee																
Male-----	435	4	-	231	31	8	6	4	5	59	1	31	73	-	13	
Female-----	451	1	1	222	6	5	4	2	3	54	-	24	110	1	13	
Total-----	886	4	1	453	37	13	10	6	8	113	1	55	183	1	26	
Texas																
Male-----	7,812	30	83	2,203	663	95	118	16	80	493	33	81	398	27	199	
Female-----	8,741	4	68	1,672	300	77	28	11	15	434	28	77	489	102	111	
Total-----	16,553	34	151	3,875	963	172	146	27	95	927	61	158	887	129	310	
Vermont																
Male-----	633	6	-	157	17	2	2	-	6	46	4	37	27	1	15	
Female-----	668	1	2	182	10	2	1	-	4	52	1	29	63	2	18	
Total-----	1,301	7	2	339	27	4	3	-	10	98	5	66	90	3	33	
Virginia																
Male-----	5,331	55	-	1,428	324	64	53	4	62	466	29	222	125	12	67	
Female-----	5,525	12	3	1,238	156	43	12	5	18	487	21	155	227	29	85	
Total-----	10,856	67	3	2,666	480	107	65	9	80	953	50	377	352	41	152	
Washington																
Male-----	3,760	28	16	1,270	182	28	79	29	59	361	15	109	254	13	141	
Female-----	3,833	5	15	930	83	11	13	15	7	364	9	91	270	15	81	
Total-----	7,593	33	31	2,200	265	39	92	44	66	725	24	200	524	28	193	
West Virginia																
Male-----	2,823	5	16	968	214	65	54	2	45	191	9	175	146	12	55	
Female-----	2,578	3	10	692	112	33	10	-	16	192	8	140	143	12	26	
Total-----	5,401	8	26	1,660	326	98	64	2	61	383	17	315	289	24	81	
Wisconsin																
Male-----	7,549	25	15	2,071	233	34	190	-	40	579	26	167	689	17	96	
Female-----	7,367	8	12	1,706	125	14	38	3	5	501	13	161	743	25	78	
Total-----	14,916	33	27	3,777	358	48	228	3	45	1,080	39	328	1,432	42	174	
Wyoming																
Male-----	370	1	1	142	34	3	7	-	4	28	-	16	43	2	5	
Female-----	269	1	-	82	13	4	1	-	2	21	-	5	32	3	1	
Total-----	639	2	1	224	47	7	8	-	6	49	-	21	75	5	6	
United States Total¹																
Male-----	167,207	1,204	692	48,622	11,192	1,517	4,524	153	1,492	12,740	606	4,883	7,876	502	3,137	
Female-----	177,112	224	551	40,253	5,461	883	1,133	122	383	12,529	491	4,348	11,540	1,057	2,306	
Total-----	344,319	1,428	1,243	88,875	16,653	2,400	5,657	275	1,875	25,269	1,097	9,231	19,416	1,559	5,443	

¹ Data do not include 208,737 resident patients since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female	Sex not reported
Total	208,737	80,215	90,057	38,465
Alabama-----	7,169	3,406	3,763	-
Connecticut-----	2,834	1,302	1,532	-
District of Columbia--	7,229	3,679	3,550	-
Georgia-----	11,468	5,199	6,269	-
Illinois-----	38,465	-	-	38,465
Iowa-----	2,268	1,185	1,083	-
Massachusetts-----	23,474	10,579	12,895	-
New York-----	94,224	44,518	49,706	-
North Carolina-----	1,742	745	997	-
North Dakota-----	1,998	1,067	931	-
Oregon-----	3,250	1,619	1,631	-
South Carolina-----	5,929	2,887	3,042	-
Tennessee-----	7,328	3,385	3,943	-
Utah-----	1,359	644	715	-

Table 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

TOTAL PSYCHOTIC DISORDERS	PSYCHOTIC DISORDER						Psychophysiologic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	Involuntional Psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
117	-	15	-	98	4	-	1	1	42	-	33	-	4
181	1	20	-	158	2	-	1	3	59	-	29	3	2
298	1	35	-	256	6	-	2	4	51	2	62	3	6
4,491	54	552	120	3,660	74	31	3	51	245	6	626	73	1
5,589	214	1,160	126	3,951	105	33	2	70	206	6	1,120	4	-
10,080	268	1,712	246	7,611	179	64	5	121	451	12	1,746	77	1
329	4	39	1	276	9	-	-	3	27	-	107	-	4
497	31	70	1	295	10	-	-	9	7	-	60	-	-
736	35	109	2	571	19	-	-	12	34	-	167	-	4
2,655	62	658	6	1,872	48	9	2	20	220	6	875	27	43
3,489	260	1,130	10	2,006	75	8	1	38	68	7	639	8	22
6,144	322	1,788	16	3,878	123	17	3	58	288	13	1,514	35	65
2,023	41	182	3	1,719	71	7	1	18	150	7	233	11	3
2,575	110	312	1	1,985	154	13	2	17	35	3	226	24	1
4,598	151	494	4	3,704	225	20	3	35	185	10	459	35	4
1,066	37	164	6	802	34	23	1	6	102	1	637	10	11
1,199	119	302	6	704	37	31	7	24	39	1	570	25	8
2,265	156	466	12	1,506	71	54	8	30	141	2	1,207	35	19
3,626	69	208	12	2,828	99	410	3	27	245	2	1,235	287	13
4,198	191	484	11	3,012	137	363	1	63	64	6	1,016	283	10
7,824	260	692	23	5,840	236	773	4	90	309	8	2,251	570	23
206	4	24	1	170	7	-	-	1	12	-	7	-	-
172	13	28	-	129	2	-	-	3	3	-	8	-	-
378	17	52	1	299	9	-	-	4	15	-	15	-	-
89,958	2,054	7,605	407	75,017	2,907	1,968	101	1,281	6,355	316	16,844	1,365	469
115,450	7,129	15,137	579	87,018	3,792	1,995	112	1,818	2,260	242	14,776	929	297
215,608	9,183	22,742	986	162,035	6,699	3,963	213	3,099	8,615	558	31,620	2,294	766

Table 13. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE, UNITED STATES, 1964

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	95 and over
Arizona	Male-----	903	10	71	133	193	168	118	120	71	19
	Female-----	850	13	56	115	170	161	146	109	67	13
	Total-----	1,753	23	127	248	363	329	264	229	138	32
Arkansas	Male-----	2,435	36	155	329	499	535	331	307	190	49
	Female-----	2,582	27	111	288	487	605	486	362	174	42
	Total-----	5,017	63	266	617	986	1,140	817	669	364	91
California	Male-----	17,637	74	702	2,038	3,045	3,873	3,174	2,945	1,447	310
	Female-----	18,845	36	453	1,851	3,297	3,704	3,627	3,238	2,014	582
	Total-----	36,482	110	1,155	3,889	6,342	7,577	6,801	6,183	3,461	892
Colorado	Male-----	2,805	6	98	275	433	521	527	496	327	122
	Female-----	2,715	-	66	198	330	487	541	501	432	160
	Total-----	5,520	6	164	473	763	1,008	1,068	997	759	282
Connecticut	Male-----	2,817	4	99	258	497	590	543	511	254	55
	Female-----	3,279	2	55	287	476	558	743	594	432	128
	Total-----	6,096	6	154	545	973	1,148	1,286	1,105	686	183
Delaware	Male-----	683	2	32	83	118	161	108	117	54	8
	Female-----	731	1	18	52	124	131	163	134	86	22
	Total-----	1,414	3	50	135	242	292	271	251	140	30
Florida	Male-----	3,606	2	268	609	802	784	515	392	174	41
	Female-----	4,112	7	194	627	867	901	719	495	247	51
	Total-----	7,718	9	462	1,236	1,669	1,685	1,234	887	421	92
Idaho	Male-----	674	5	36	54	99	158	109	115	77	18
	Female-----	573	6	13	53	100	113	123	93	54	17
	Total-----	1,247	11	49	107	199	271	232	208	131	35
Indiana	Male-----	4,980	14	179	505	843	1,130	896	890	423	89
	Female-----	5,671	6	134	517	964	1,117	1,180	1,023	602	124
	Total-----	10,651	20	313	1,022	1,807	2,247	2,076	1,913	1,025	213
Iowa	Male-----	2,578	9	83	262	472	616	442	406	230	48
	Female-----	2,815	5	72	258	446	588	580	470	302	87
	Total-----	5,393	14	155	520	918	1,204	1,022	876	532	135
Kansas	Male-----	2,208	9	72	180	348	574	383	392	212	38
	Female-----	2,343	3	52	197	366	509	479	429	252	56
	Total-----	4,551	12	124	377	714	1,083	862	821	464	94
Kentucky	Male-----	3,670	9	149	450	708	833	592	568	302	50
	Female-----	3,983	2	119	465	683	801	794	642	381	93
	Total-----	7,653	11	268	915	1,391	1,634	1,386	1,210	683	143
Louisiana	Male-----	3,917	2	259	633	816	967	547	433	152	37
	Female-----	4,238	5	116	481	907	1,013	849	526	231	48
	Total-----	8,155	7	375	1,114	1,723	1,980	1,396	959	383	85
Maine	Male-----	1,261	1	45	123	211	282	243	226	113	17
	Female-----	1,706	-	39	169	272	336	328	290	218	54
	Total-----	2,967	1	84	292	483	618	571	516	331	71
Maryland	Male-----	4,410	15	205	543	814	1,115	737	613	291	69
	Female-----	4,770	3	126	491	813	1,020	878	803	487	134
	Total-----	9,180	18	331	1,034	1,627	2,135	1,615	1,416	778	203
Michigan	Male-----	10,864	37	395	1,223	1,966	2,357	2,053	1,904	766	142
	Female-----	10,384	19	255	1,032	1,859	2,085	2,101	1,710	1,008	301
	Total-----	21,248	56	650	2,255	3,825	4,442	4,154	3,614	1,774	443
Minnesota	Male-----	5,883	12	128	459	932	1,216	1,108	1,180	657	175
	Female-----	5,565	2	111	404	800	1,019	1,196	1,080	717	229
	Total-----	11,448	14	239	863	1,732	2,235	2,304	2,260	1,374	404
Mississippi	Male-----	2,408	14	309	426	486	424	244	183	73	14
	Female-----	2,922	-	255	597	582	511	357	226	101	14
	Total-----	5,330	14	564	1,023	1,068	935	601	409	174	28

Table 13. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1954--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Missouri	Male-----	5,539	3	167	527	1,085	1,428	1,070	808	358	64	29
	Female-----	6,585	1	126	522	1,063	1,495	1,506	1,163	573	130	6
	Total-----	12,124	4	293	1,049	2,148	2,923	2,576	1,971	931	194	35
Montana	Male-----	1,107	34	38	82	184	190	155	157	80	23	164
	Female-----	851	48	34	65	126	134	149	120	62	14	99
	Total-----	1,958	82	72	147	310	324	304	277	142	37	263
Nebraska	Male-----	2,312	5	51	160	365	521	451	419	206	46	88
	Female-----	2,364	3	36	151	298	420	545	501	262	76	72
	Total-----	4,676	8	87	311	663	941	996	920	468	122	160
Nevada	Male-----	242	6	9	15	35	55	43	46	30	3	-
	Female-----	174	2	4	19	26	33	37	27	19	7	-
	Total-----	416	8	13	34	61	88	80	73	49	10	-
New Hampshire	Male-----	1,284	7	75	116	200	282	206	225	138	35	-
	Female-----	1,436	7	73	141	210	261	231	241	201	71	-
	Total-----	2,720	14	148	257	410	543	437	466	339	106	-
New Jersey	Male-----	9,466	4	329	1,105	1,709	2,071	1,710	1,626	751	161	-
	Female-----	11,466	7	240	945	1,855	2,137	2,450	2,082	1,295	455	-
	Total-----	20,932	11	569	2,050	3,564	4,208	4,160	3,708	2,046	616	-
New Mexico	Male-----	563	5	41	74	103	136	88	74	29	9	4
	Female-----	491	2	20	64	87	117	84	80	22	11	4
	Total-----	1,054	7	61	138	190	253	172	154	51	20	8
North Carolina	Male-----	3,979	62	298	731	965	895	462	372	134	24	36
	Female-----	4,142	32	193	729	1,013	926	633	359	192	40	25
	Total-----	8,121	94	491	1,460	1,978	1,821	1,095	731	326	64	61
Ohio	Male-----	13,917	51	482	1,578	2,402	3,017	2,751	2,448	1,010	176	2
	Female-----	14,199	25	328	1,344	2,377	2,835	3,031	2,558	1,414	287	-
	Total-----	28,116	76	810	2,922	4,779	5,852	5,782	5,006	2,424	463	2
Oklahoma	Male-----	4,025	23	150	426	747	1,065	737	536	285	50	6
	Female-----	3,876	16	105	383	695	858	819	634	287	79	-
	Total-----	7,901	39	255	809	1,442	1,923	1,556	1,170	572	129	6
Oregon	Male-----	725	-	14	48	89	145	162	167	82	16	2
	Female-----	763	-	8	60	101	133	169	183	85	23	1
	Total-----	1,488	-	22	108	190	278	331	350	167	39	3
Pennsylvania	Male-----	19,087	67	569	2,236	3,787	4,347	3,340	2,938	1,238	236	329
	Female-----	20,747	32	425	2,106	3,882	4,168	4,155	3,190	1,854	450	483
	Total-----	39,834	101	994	4,342	7,669	8,515	7,495	6,128	3,092	686	812
Rhode Island	Male-----	1,686	1	52	166	298	387	343	271	142	26	-
	Female-----	1,730	-	39	170	273	350	364	293	185	51	5
	Total-----	3,416	1	91	336	571	737	707	564	327	77	5
South Dakota	Male-----	823	-	17	46	113	200	152	182	91	17	5
	Female-----	772	-	8	42	100	137	189	154	114	27	1
	Total-----	1,595	-	25	88	213	337	341	336	205	44	6
Tennessee	Male-----	435	-	18	66	85	99	55	64	45	1	2
	Female-----	451	-	12	49	65	85	77	113	33	16	1
	Total-----	886	-	30	115	150	184	132	177	78	17	3
Texas	Male-----	7,812	12	299	790	1,494	2,063	1,228	1,151	651	124	-
	Female-----	8,741	10	220	889	1,560	1,981	1,909	1,318	693	161	-
	Total-----	16,553	22	519	1,679	3,054	4,044	3,137	2,469	1,344	285	-
Vermont	Male-----	633	2	32	77	108	129	107	100	64	11	3
	Female-----	668	-	20	55	97	127	135	108	81	43	2
	Total-----	1,301	2	52	132	205	256	242	208	145	54	5
Virginia	Male-----	5,331	62	278	678	1,115	1,256	786	736	340	80	-
	Female-----	5,525	33	140	593	983	1,155	1,064	881	531	145	-
	Total-----	10,856	95	418	1,271	2,098	2,411	2,850	2,617	871	225	-

Table 13. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1964--Continued

(Statistics based on reports from 156 of the 216 State and 47 of the 127 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Washington	Male-----	3,760	10	154	289	579	699	670	870	376	95	
	Female-----	3,833	4	102	351	602	697	775	719	459	116	
	Total-----	7,593	14	256	640	1,181	1,396	1,445	1,589	835	211	
West Virginia	Male-----	2,823	95	184	374	540	597	468	348	178	17	
	Female-----	2,978	58	143	341	483	541	443	335	176	43	
	Total-----	5,401	153	327	715	1,023	1,138	911	683	354	60	
Wisconsin	Male-----	7,549	8	193	640	1,206	1,503	1,395	1,515	794	195	
	Female-----	7,367	6	135	554	1,161	1,416	1,521	1,348	882	263	
	Total-----	14,916	14	328	1,194	2,367	2,919	2,916	2,863	1,676	458	
Wyoming	Male-----	370	1	8	21	57	92	74	72	41	3	
	Female-----	269	-	6	9	51	42	67	58	26	9	
	Total-----	639	1	14	30	108	134	141	130	67	12	
United States Total ¹	Male-----	167,207	719	6,743	18,828	30,548	37,481	29,123	26,923	12,876	2,713	1,259
	Female-----	177,112	425	4,662	17,664	30,651	35,707	35,643	29,190	17,251	4,670	1,549
	Total-----	344,319	1,144	11,405	36,492	61,199	73,188	64,766	56,113	30,127	7,383	2,808

¹ Data do not include 208,737 resident patients since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female	Sex not reported
Total-----	208,737	80,215	90,057	38,465
Alabama-----	7,169	3,406	3,763	-
Connecticut-----	2,834	1,302	1,532	-
District of Columbia--	7,229	3,679	3,550	-
Georgia-----	11,468	5,199	6,269	-
Illinois-----	38,465	-	-	38,465
Iowa-----	2,268	1,185	1,083	-
Massachusetts-----	23,474	10,579	12,895	-
New York-----	94,224	44,518	49,706	-
North Carolina-----	1,742	745	997	-
North Dakota-----	1,998	1,067	931	-
Oregon-----	3,250	1,619	1,631	-
South Carolina-----	5,929	2,885	3,042	-
Tennessee-----	7,328	3,385	3,943	-
Utah-----	1,359	644	715	-

Table 14. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:
UNITED STATES, 1954

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Acute Brain Syndromes Assoc. With												
Alcohol Intoxication												
Male-----	8	-	1	1	2	1	3	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	8	-	1	1	2	1	3	-	-	-	-	-
Convulsive Disorder												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	1	-	-	-	-	-	-	-	-
Total-----	1	-	-	1	-	-	-	-	-	-	-	-
All Other Conditions												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	1	-	-	-	-	-	-	-
Total-----	1	-	-	-	1	-	-	-	-	-	-	-
Total												
Male-----	8	-	1	1	2	1	3	-	-	-	-	-
Female-----	2	-	-	1	1	-	-	-	-	-	-	-
Total-----	10	-	1	2	3	1	3	-	-	-	-	-
Chronic Brain Syndromes Assoc. With												
Diseases and Conditions due to Prenatal Influence												
Male-----	1	1	-	-	-	-	-	-	-	-	-	-
Female-----	2	1	-	1	-	-	-	-	-	-	-	-
Total-----	3	2	-	1	-	-	-	-	-	-	-	-
Meningoencephalitic Syphilis												
Male-----	1	-	-	-	1	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	1	-	-	-	-	-	-
Total-----	2	-	-	-	1	1	-	-	-	-	-	-
Other CNS Syphilis												
Male-----	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	1	-	-	-	-	-	-
Total-----	2	-	1	-	-	1	-	-	-	-	-	-
Other Intracranial Infections												
Male-----	-	-	-	-	-	-	-	-	-	-	-	-
Female-----	2	1	-	-	1	-	-	-	-	-	-	-
Total-----	2	1	-	-	1	-	-	-	-	-	-	-
Alcohol Intoxication												
Male-----	4	-	-	-	1	2	-	1	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	4	-	-	-	1	2	-	1	-	-	-	-
Drug or Poison Intoxication												
Male-----	2	1	-	1	-	-	-	-	-	-	-	-
Female-----	1	-	-	1	-	-	-	-	-	-	-	-
Total-----	3	1	-	2	-	-	-	-	-	-	-	-
Birth Trauma												
Male-----	3	2	1	-	-	-	-	-	-	-	-	-
Female-----	4	2	1	1	-	-	-	-	-	-	-	-
Total-----	7	4	2	1	-	-	-	-	-	-	-	-
Other Trauma												
Male-----	4	1	1	-	1	-	1	-	-	-	-	-
Female-----	2	-	1	-	1	-	-	-	-	-	-	-
Total-----	6	1	2	-	2	-	1	-	-	-	-	-
Cerebral Arteriosclerosis												
Male-----	5	-	-	-	-	-	-	4	1	-	-	-
Female-----	8	-	-	-	-	-	-	4	2	2	-	-
Total-----	13	-	-	-	-	-	-	8	3	2	-	-
Convulsive Disorder												
Male-----	13	3	4	3	2	-	1	-	-	-	-	-
Female-----	14	2	7	2	3	-	-	-	-	-	-	-
Total-----	27	5	11	5	5	-	1	-	-	-	-	-
Senile Brain Disease												
Male-----	6	-	-	-	-	-	-	1	4	1	-	-
Female-----	3	-	-	-	-	-	-	1	1	1	-	-
Total-----	9	-	-	-	-	-	-	2	5	2	-	-
Intracranial Neoplasm												
Male-----	1	-	-	-	-	1	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of Unknown Cause												
Male-----	1	-	-	-	-	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	-	-	-	-	-	1	-	-	-	-	-

Table 14.--PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1954--Continued

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
Chronic Brain syndromes of Unknown Cause												
Male-----	3	1	-	-	-	1	1	-	-	-	-	-
Female-----	5	3	-	-	2	-	-	-	-	-	-	-
Total-----	8	4	-	-	2	1	1	-	-	-	-	-
Total												
Male-----	45	9	7	4	5	4	4	6	5	1	-	-
Female-----	43	9	9	5	7	2	-	5	3	3	-	-
Total-----	88	18	16	9	12	6	4	11	8	4	-	-
Psychotic Disorders												
Involuntional Psychotic Reaction												
Male-----	2	-	-	-	1	1	-	-	-	-	-	-
Female-----	16	-	-	-	2	7	7	-	-	-	-	-
Total-----	18	-	-	-	3	8	7	-	-	-	-	-
Manic-Depressive Reaction												
Male-----	7	-	1	-	3	2	1	-	-	-	-	-
Female-----	13	-	2	1	3	4	1	2	-	-	-	-
Total-----	20	-	3	1	6	6	2	2	-	-	-	-
Psychotic Depressive Reaction												
Male-----	6	-	-	-	2	2	1	1	-	-	-	-
Female-----	9	-	-	3	3	2	1	-	-	-	-	-
Total-----	15	-	-	3	5	4	2	1	-	-	-	-
Schizophrenic Reactions												
Male-----	78	7	16	33	13	4	5	-	-	-	-	-
Female-----	133	4	31	47	38	10	2	-	1	-	-	-
Total-----	211	11	47	80	51	14	7	-	1	-	-	-
Paranoid Reactions												
Male-----	1	-	-	-	-	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	-	-	-	-	-	1	-	-	-	-	-
Other												
Male-----	1	1	-	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	1	-	-	-	-	-	-	-	-	-	-
Total												
Male-----	95	8	17	33	19	9	8	1	-	-	-	-
Female-----	171	4	33	51	46	23	11	2	1	-	-	-
Total-----	266	12	50	84	65	32	19	3	1	-	-	-
Psychoneurotic Reactions												
Male-----	13	1	1	2	5	2	2	-	-	-	-	-
Female-----	16	-	5	3	4	3	-	1	-	-	-	-
Total-----	29	1	6	5	9	5	2	1	-	-	-	-
Personality Disorders												
Personality Pattern Disturbance												
Male-----	6	2	1	2	1	-	-	-	-	-	-	-
Female-----	6	2	2	1	-	1	-	-	-	-	-	-
Total-----	12	4	3	3	1	1	-	-	-	-	-	-
Personality Trait Disturbance												
Male-----	9	4	-	4	1	-	-	-	-	-	-	-
Female-----	12	1	2	3	3	2	1	-	-	-	-	-
Total-----	21	5	2	7	4	2	1	-	-	-	-	-
Antisocial Reaction												
Male-----	7	2	3	2	-	-	-	-	-	-	-	-
Female-----	1	-	1	-	-	-	-	-	-	-	-	-
Total-----	8	2	4	2	-	-	-	-	-	-	-	-
Dyssocial Reaction												
Male-----	1	-	1	-	-	-	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	1	-	1	-	-	-	-	-	-	-	-	-
Sexual Deviation												
Male-----	3	-	-	1	-	2	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	3	-	-	1	-	2	-	-	-	-	-	-
Alcoholism- Addiction												
Male-----	40	-	-	12	11	12	5	-	-	-	-	-
Female-----	2	-	-	-	2	-	-	-	-	-	-	-
Total-----	42	-	-	12	13	12	5	-	-	-	-	-
Drug Addiction												
Male-----	2	-	-	-	1	-	1	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	-
Total-----	2	-	-	-	1	-	1	-	-	-	-	-

Table 14. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1954--Continued

(Statistics based on reports from 7 of the 9 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
Special Symptom Reaction											
Male-----	2	2	-	-	-	-	-	-	-	-	-
Female-----	2	2	-	-	-	-	-	-	-	-	
Total-----	4	4	-	-	-	-	-	-	-	-	
Total											
Male-----	70	10	5	21	14	14	6	-	-	-	
Female-----	23	5	5	4	5	3	1	-	-	-	
Total-----	93	15	10	25	19	17	7	-	-	-	
Incident Situational Personality Disturbance											
Male-----	79	73	5	-	-	1	-	-	-	-	
Female-----	25	25	-	-	-	-	-	-	-	-	
Total-----	104	98	5	-	-	1	-	-	-	-	
Mental Deficiency											
Male-----	9	7	1	-	1	-	-	-	-	-	
Female-----	3	2	-	1	-	-	-	-	-	-	
Total-----	12	9	1	1	1	-	-	-	-	-	
Mental Disorder, Undiagnosed											
Male-----	5	3	2	-	-	-	-	-	-	-	
Female-----	7	1	2	1	-	2	1	-	-	-	
Total-----	12	4	4	1	-	2	1	-	-	-	
Without Mental Disorder											
Male-----	65	17	-	1	4	7	6	13	15	2	
Female-----	55	9	1	3	2	5	11	6	8	10	
Total-----	120	26	1	4	6	12	17	19	23	12	
Total All Patients ¹											
Male-----	389	128	39	62	50	38	29	20	20	3	
Female-----	345	55	55	69	65	38	24	14	12	13	
Total-----	734	183	94	131	115	76	53	34	32	16	

Data do not include 189 resident patients, 85 males and 104 females.

Table 15. --PERSONNEL EMPLOYED FULL AND PART TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION: UNITED STATES, 1954

(Statistics based on reports from 215 of the 216 State and 47 of the 127 county hospitals)

OCCUPATION	NUMBER EMPLOYED	OCCUPATION	NUMBER EMPLOYED
FULL TIME EMPLOYEES		Social Workers	
Superintendents and Physicians		Psychiatric Social Workers-----	996
Superintendents and Assistant Superintendents-----	401	Social Group Workers-----	78
Clinical Directors-----	120	Other Social Workers-----	155
Psychiatrists-----	1,240	Total-----	1,229
Other Staff Physicians-----	731	Dietitians-----	282
Psychiatric Residents-----	332	All other Professionals-----	784
Medical Internes-----	68	Business Managers, Stewards and Assistants-----	374
Total-----	2,892	Clerical Employees-----	6,821
Administrative Assistants-----	287	Other Employees-----	37,397
Medical Assistants-----	262	Total Full Time Employees-----	136,590
Psychologists and Psychometrists-----	561	PART TIME EMPLOYEES	
Pharmacists-----	203	Consulting Physicians-----	1,021
Clinical Assistants-----	137	Other Part Time Physicians-----	343
Radiology and X-Ray Technicians-----	857	Other Professionals-----	407
Male Nurses-----	4,742	Other Employees-----	578
Female Nurses and Attendants-----	76,877	Total Part Time Employees-----	2,349
Receptionists and Assistants			
Occupational Therapists and Assistants-----	1,891		
Hydrotherapists, Physiotherapists and Assistants-----	364		
Other Therapists and Assistants-----	630		
Total-----	2,885		

Table 18. --PERSONNEL EMPLOYED FULL TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION AND STATE: UNITED STATES, 1954

(Statistics based on reports from 215 of the 216 State and 47 of the 127 county hospitals)

STATE	TOTAL	Superintendents and assistant superintendents	Clinical directors	Psychiatrists and psychiatric residents	Other staff physicians and residents	Clinical assistants	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	Dietitians	All other professionals	Business managers, business clerks and assistants	Other employees	AVERAGE DAILY RESIDENT PATIENT POPULATION
Alabama-----	1,184	3	-	3	12	-	4	803	39	1	1	21	34	263	
Arizona-----	425	1	1	5	-	-	13	244	12	3	-	9	23	134	
Arkansas-----	1,339	3	-	19	17	-	27	829	44	4	1	32	46	317	
California-----	9,091	20	7	24	163	-	280	5,747	131	225	11	188	735	1,360	
Colorado-----	1,651	2	-	17	17	-	10	899	14	4	12	23	82	571	
Connecticut-----	2,956	6	4	51	7	4	160	1,504	83	13	5	67	157	895	
Delaware-----	452	1	2	10	1	-	30	224	34	5	3	11	30	101	
District of Columbia-----	2,523	3	3	46	13	8	221	1,207	28	9	14	39	187	745	
Florida-----	1,910	3	2	8	6	-	45	1,176	11	3	1	39	67	549	
Georgia-----	1,779	2	4	29	1	7	46	995	32	5	2	49	101	506	
Idaho-----	328	3	1	8	2	-	17	156	17	7	-	14	21	82	
Illinois-----	8,485	18	-	34	121	9	269	3,748	373	74	15	308	747	2,769	
Indiana-----	2,968	11	5	14	19	3	92	1,684	87	31	4	74	210	734	
Iowa-----	1,594	5	2	13	19	-	29	873	35	12	6	31	85	489	
Kansas-----	2,069	3	-	43	24	5	54	1,002	73	21	6	47	113	678	
Kentucky-----	1,465	4	2	12	14	5	50	918	23	12	-	35	87	303	
Louisiana-----	1,719	3	2	18	7	-	34	918	28	24	3	45	111	526	
Maine-----	779	3	-	5	5	1	10	408	15	8	3	20	42	259	
Maryland-----	2,501	5	4	47	16	-	62	1,415	73	48	9	72	152	598	
Massachusetts-----	5,971	23	8	60	3	-	372	3,114	97	42	19	135	225	1,873	
Michigan-----	5,931	16	5	72	18	10	191	3,418	101	100	11	164	341	1,484	
Minnesota-----	2,892	12	3	12	34	-	142	1,696	86	10	6	86	146	649	
Mississippi-----	1,263	2	1	8	19	-	26	705	39	5	2	19	50	389	
Missouri-----	2,715	10	2	22	10	-	43	1,739	26	14	7	44	89	707	
Montana-----	446	2	-	6	-	-	11	277	9	3	-	8	20	110	
Nebraska-----	1,521	4	-	17	5	1	50	947	55	7	3	42	48	342	
Nevada-----	80	1	-	2	-	-	3	44	2	-	-	-	4	24	
New Hampshire-----	857	2	1	16	-	-	49	426	16	4	2	15	58	268	
New Jersey-----	5,650	14	4	45	74	14	291	2,794	115	64	9	109	343	1,774	
New Mexico-----	379	2	-	4	1	-	6	210	10	3	1	7	28	107	
New York-----	23,640	75	15	453	7	19	407	14,237	435	188	27	389	1,040	6,348	
North Carolina-----	2,770	8	2	32	23	-	96	1,353	42	12	10	45	90	1,057	
North Dakota-----	460	2	1	1	7	-	13	271	14	1	-	12	13	125	
Ohio-----	6,782	17	-	57	53	15	230	3,709	211	73	13	234	382	1,788	
Oklahoma-----	2,045	4	3	16	14	4	44	1,371	29	13	5	37	66	439	
Oregon-----	1,231	2	1	16	9	-	56	873	11	6	1	24	45	187	
Pennsylvania-----	10,691	25	21	120	7	9	767	5,689	188	67	33	177	453	3,135	
Rhode Island-----	774	2	1	18	1	-	39	493	10	5	4	12	52	137	
South Carolina-----	1,215	1	1	19	-	13	44	640	4	6	-	21	55	411	
South Dakota-----	473	1	-	4	-	-	18	220	9	2	1	11	26	181	
Tennessee-----	1,068	7	-	15	16	1	20	685	15	4	4	21	38	242	
Texas-----	3,408	8	5	43	6	1	89	1,692	67	30	7	50	140	1,270	
Utah-----	380	2	-	5	-	-	9	255	4	6	1	11	17	70	
Vermont-----	348	2	-	8	1	-	9	194	6	1	1	8	14	104	
Virginia-----	2,183	4	1	36	5	-	65	1,247	53	14	8	38	95	617	
Washington-----	1,781	4	3	28	3	-	32	1,168	12	10	1	29	93	398	
West Virginia-----	1,023	6	2	10	6	-	31	606	26	7	3	39	55	232	
Wisconsin-----	3,259	43	1	20	13	8	130	1,974	41	22	6	39	131	831	
Wyoming-----	141	1	-	1	-	-	6	80	-	1	1	4	8	39	
United States Total-----	136,590	401	120	1,572	799	137	4,742	76,877	2,885	1,229	282	2,954	7,195	37,397	

¹ Includes only population of hospitals reporting personnel data.

Table 17. --PERSONNEL EMPLOYED FULL TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND STATE: UNITED STATES, 1954

(Statistics based on reports from the 9 psychopathic hospitals)

STATE	TOTAL	Superintendents and assistant superintendents	Clinical directors	Psychiatrists and Psychiatric residents	Other staff physicians and internes	Clinical assistants	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	Dietitians	All other professionals	Business managers, clerks, stewards and assistants	Other employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION
California-----	188	2	-	18	-	-	45	41	5	5	1	7	30	34	76
Colorado-----	90	2	-	11	-	1	18	16	4	3	-	12	10	13	70
Delaware-----	209	2	1	1	2	-	11	72	4	3	-	28	10	75	316
Diana-----	317	2	-	11	-	-	27	130	14	9	1	13	36	74	162
Illinois-----	90	1	1	11	1	-	6	20	5	6	-	11	12	16	48
Massachusetts-----	168	2	-	7	-	-	14	44	4	8	1	10	26	52	120
Nebraska-----	74	1	-	3	-	-	6	33	2	1	-	3	3	2	27
New York-----	86	2	-	9	1	-	7	34	3	3	1	1	13	16	58
Tennessee-----	154	1	1	7	-	14	14	64	3	6	-	7	13	24	42
United States Total-----	1,376	15	3	74	4	15	148	474	44	44	4	92	153	306	919

Table 18. --EXPENDITURES OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1934

(Statistics based on reports from 214 of the 216 State and 46 of the 127 county hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE POPULATION
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
Alabama-----	\$4,778,285	\$4,778,285	\$2,426,160	\$793,649	\$194,884	\$1,363,592	-	77,717
Arizona-----	3,570,337	1,866,376	1,033,331	256,374	70,784	505,887	\$1,703,661	27,717
Arkansas-----	4,683,660	4,622,130	2,547,725	1,018,428	120,459	941,518	55,590	42,817
California-----	50,216,443	40,758,104	29,985,971	5,526,845	1,337,853	3,907,435	9,458,333	232,117
Colorado-----	6,554,836	6,304,230	4,814,646	642,647	171,349	675,588	250,606	54,817
Connecticut-----	16,969,422	13,082,165	9,064,953	1,704,364	524,993	1,787,855	3,887,257	94,817
Delaware-----	2,063,076	1,732,100	1,107,749	288,301	86,244	249,806	275,976	14,817
District of Columbia-----	13,433,150	13,433,150	9,122,099	2,012,237	321,921	1,677,793	300,000	14,817
Florida-----	7,631,508	6,459,301	3,669,741	1,911,450	408,780	469,330	1,172,207	14,817
Georgia-----	9,441,002	8,209,147	4,100,351	1,366,597	325,339	2,416,860	1,231,859	14,817
Idaho-----	1,455,312	1,315,975	773,354	208,329	103,882	230,410	139,343	14,817
Illinois-----	40,523,116	36,107,369	21,622,366	7,013,535	1,576,482	5,876,986	4,415,747	232,117
Indiana-----	13,212,467	10,517,192	6,513,875	2,035,105	813,275	1,148,937	2,635,275	14,817
Iowa-----	6,064,249	4,917,265	3,075,650	1,099,226	291,063	451,326	1,146,434	14,817
Kansas-----	7,262,945	6,960,066	4,542,416	923,033	246,115	1,254,502	302,879	42,817
Kentucky-----	9,000,101	4,547,564	2,736,985	706,011	282,330	822,238	4,452,537	77,717
Louisiana-----	4,355,178	4,762,205	2,524,143	799,823	203,193	1,236,056	192,973	14,817
Maine-----	3,095,112	3,026,097	2,025,467	545,506	115,006	340,118	69,015	14,817
Maryland-----	12,536,430	10,065,012	6,911,029	1,492,332	518,414	1,143,237	2,471,294	54,817
Massachusetts-----	28,664,306	28,579,350	19,831,342	3,351,678	1,699,665	3,684,665	85,000	23,817
Michigan-----	37,109,432	29,299,151	22,217,927	3,080,490	1,166,675	2,834,059	7,810,281	23,817
Minnesota-----	12,507,696	12,284,369	8,075,288	2,050,927	637,613	1,520,561	223,317	14,817
Mississippi-----	3,433,987	3,432,473	1,466,655	914,321	146,164	1,108,583	201,514	14,817
Missouri-----	9,961,954	9,411,867	5,388,706	2,221,691	345,106	1,456,364	550,287	14,817
Montana-----	1,838,055	1,800,898	1,105,072	506,968	46,862	147,996	37,157	14,817
Nebraska-----	6,694,243	5,147,253	3,615,483	823,238	169,182	539,350	1,546,990	14,817
Nevada-----	402,247	402,247	178,319	75,318	34,883	113,727	-	14,817
New Hampshire-----	3,550,380	3,383,164	2,409,787	366,680	189,846	416,851	167,216	14,817
New Jersey-----	24,344,018	23,748,515	16,746,356	2,964,703	1,109,937	2,927,519	595,503	23,817
New Mexico-----	1,477,104	1,306,446	750,397	168,658	74,201	313,190	176,658	14,817
New York-----	131,360,453	110,510,931	79,276,531	14,704,793	5,184,797	11,344,810	20,849,522	232,117
North Carolina-----	12,351,297	10,141,020	5,649,615	1,642,482	564,888	2,294,035	2,210,277	14,817
North Dakota-----	2,210,176	1,783,258	1,094,999	387,310	124,348	174,601	426,318	14,817
Ohio-----	30,435,757	26,548,533	17,807,095	4,578,012	1,242,971	2,920,455	3,887,224	232,117
Oklahoma-----	6,053,046	5,950,296	3,439,824	1,055,038	220,542	1,234,892	102,750	14,817
Oregon-----	5,261,206	4,833,817	3,313,432	550,738	254,418	715,229	427,389	14,817
Pennsylvania-----	39,046,423	38,371,698	25,891,306	5,991,643	2,381,672	4,107,077	674,725	232,117
Rhode Island-----	2,799,696	2,761,080	1,903,116	615,956	5,019	236,989	38,616	14,817
South Carolina-----	7,684,083	4,335,791	2,553,016	980,749	98,931	703,095	3,348,292	14,817
South Dakota-----	1,922,476	1,521,821	753,480	274,516	78,267	415,558	400,655	14,817
Tennessee-----	4,091,461	3,850,453	1,553,573	1,164,473	224,018	908,389	241,008	14,817
Texas-----	14,713,060	13,057,647	8,042,435	3,153,447	450,849	1,410,936	1,655,413	14,817
Utah-----	1,422,759	1,384,322	947,638	123,360	38,909	274,415	38,437	14,817
Vermont-----	2,179,564	1,322,564	884,371	125,740	82,967	223,486	857,000	14,817
Virginia-----	9,300,936	8,369,328	4,936,293	1,858,851	320,877	1,253,307	931,638	14,817
Washington-----	7,541,156	6,743,441	4,241,700	1,413,627	434,979	653,135	797,715	14,817
West Virginia-----	4,027,637	3,701,151	1,994,560	908,761	183,187	614,643	326,484	14,817
Wisconsin-----	19,201,690	16,206,880	8,738,696	3,397,796	1,279,584	2,790,804	2,944,510	14,817
Wyoming-----	1,200,530	570,900	283,406	90,672	30,462	166,360	629,630	14,817
United States Total-----	\$650,373,163	\$563,930,397	\$373,702,679	\$89,880,928	\$26,525,255	\$73,821,535	\$86,442,766	5,717

¹ Includes only population of hospitals reporting expenditures.

Table 19. --EXPENDITURES OF PSYCHOPATHIC HOSPITALS, BY STATE, UNITED STATES, 1954

(Statistics based on reports from the 9 psychopathic hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
California-----	\$743,377	\$707,228	\$595,693	\$33,047	\$9,458	\$69,030	\$36,149	76
Colorado-----	847,872	575,909	460,077	71,038	10,126	34,668	271,963	70
Delaware-----	706,467	706,467	496,161	98,529	38,651	73,126	-	316
Indiana-----	1,187,534	1,184,691	866,538	160,461	35,731	121,961	2,843	162
Iowa-----	438,117	406,953	337,558	23,987	7,840	37,568	31,164	48
Massachusetts-----	854,091	854,091	706,703	33,688	21,810	91,890	-	120
Nebraska-----	199,439	199,298	150,852	16,586	4,195	27,665	141	27
New York-----	364,148	360,323	306,456	13,656	12,459	27,752	3,825	58
Tennessee-----	249,343	244,869	167,863	57,333	3,441	16,232	4,474	42
United States Total-----	\$5,590,388	\$5,239,829	\$4,087,901	\$508,325	\$143,711	\$499,892	\$350,559	919

Table 20. --AVERAGE DAILY RESIDENT-PATIENT POPULATION OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1954

STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION	STATE	AVERAGE DAILY RESIDENT-PATIENT POPULATION
Alabama-----	7,076	Kentucky-----	7,515	New York-----	93,304	Washington-----	7,483
Arizona-----	1,703	Louisiana-----	8,145	North Carolina-----	10,110	West Virginia-----	5,377
Arkansas-----	4,998	Maine-----	2,932	North Dakota-----	2,087	Wisconsin-----	14,834
California-----	35,635	Maryland-----	8,999	Ohio-----	27,767	Wyoming-----	648
Colorado-----	5,489	Massachusetts-----	23,417	Oklahoma-----	7,834	United States Total-----	547,393
Connecticut-----	9,063	Michigan-----	20,930	Oregon-----	4,625		
Delaware-----	1,409	Minnesota-----	11,362	Pennsylvania-----	39,142		
District of Columbia-----	7,117	Mississippi-----	5,215	Rhode Island-----	3,459		
Florida-----	7,567	Missouri-----	12,115	South Carolina-----	5,785		
Georgia-----	11,267	Montana-----	1,942	South Dakota-----	1,696		
Iaho-----	1,252	Nebraska-----	4,651	Tennessee-----	8,140		
Illinois-----	38,237	Nevada-----	413	Texas-----	16,328		
Indiana-----	10,469	New Hampshire-----	2,663	Utah-----	1,342		
Iowa-----	7,728	New Jersey-----	20,473	Vermont-----	1,273		
Kansas-----	4,551	New Mexico-----	1,105	Virginia-----	10,721		

Table 21. --NUMBER OF PAYING PATIENTS AND AMOUNT PAID IN FULL OR IN PART FOR THEIR CARE IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE¹, BY STATE: UNITED STATES, 1954

STATE	PATIENTS UNDER TREATMENT DURING YEAR ²	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS		STATE	PATIENTS UNDER TREATMENT DURING YEAR ²	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS	
			Number	Amount				Number	Amount
Alabama-----	9,086	\$4,778,285	323	\$192,502	Mississippi-----	1,077	800,862	53	3,400
Arizona-----	2,387	1,866,376	320	194,629	Missouri-----	14,043	9,411,867	1,581	1,226,000
Arkansas-----	7,237	4,628,130	561	248,735	Nebraska-----	5,985	5,147,253	662	200,000
California-----	835	954,484	273	77,876	Nevada-----	633	402,247	113	50,000
Colorado-----	6,173	6,304,230	2,347	1,613,907	New Jersey-----	23,732	19,494,027	13,731	7,122,000
Delaware-----	1,885	1,732,100	415	385,429	New Mexico-----	1,501	1,306,446	102	30,000
District of Columbia-----	8,332	13,133,150	42	14,545	North Carolina-----	12,861	10,141,020	1,018	80,000
Florida-----	8,987	6,459,301	554	240,166	Oklahoma-----	9,673	5,950,296	466	200,000
Georgia-----	14,796	8,209,147	66	39,704	Pennsylvania-----	8,231	6,786,534	1,128	600,000
Idaho-----	2,279	1,315,975	796	171,086	Rhode Island-----	4,876	2,761,080	802	300,000
Illinois-----	51,154	35,098,903	7,922	2,953,946	South Carolina-----	7,922	4,335,791	323	300,000
Indiana-----	12,476	10,517,192	3,578	1,242,006	Tennessee-----	9,466	3,408,620	634	300,000
Iowa-----	4,126	2,507,100	381	36,340	Texas-----	21,580	13,057,647	3,819	1,100,000
Kansas-----	6,107	6,960,066	2,368	824,712	Virginia-----	14,080	8,369,328	2,674	300,000
Kentucky-----	9,832	4,547,564	600	306,191	Washington-----	5,691	4,167,913	1,539	600,000
Louisiana-----	544	849,452	3	480	West Virginia-----	3,865	1,802,939	388	300,000
Maine-----	3,710	3,026,097	804	325,768	Wisconsin-----	9,452	10,684,151	2,903	1,000,000
Maryland-----	4,457	3,913,703	35	9,635	Wyoming-----	934	570,900	92	300,000
Minnesota-----	15,581	12,284,369	2,853	536,871	United States Total-----	325,586	\$237,684,545	56,266	\$20,360,000

¹ This table represents a partial reporting of such data. Hospitals accounting for 213,456 patients under treatment during the year and \$20,828,924 reported as paid by patients were unable to supply the number of such paying patients.

² Patients under treatment obtained by adding all admissions (excluding transfers) to the number of patients resident in hospital at the beginning of the year. The number of patients under treatment indicated here are only for those hospitals reporting the number and amount of dollars received from paying patients.

Table 22. --NUMBER OF PAYING PATIENTS AND AMOUNT PAID IN FULL OR IN PART FOR THEIR CARE IN PSYCHOPATHIC HOSPITALS¹, BY STATE: UNITED STATES, 1954

STATE	PATIENTS UNDER TREATMENT DURING YEAR ²	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS		STATE	PATIENTS UNDER TREATMENT DURING YEAR ²	TOTAL MAINTENANCE EXPENDITURES	PAYING PATIENTS	
			Number	Amount				Number	Amount
California-----	224	\$707,228	81	\$94,286	Iowa-----	337	406,953	87	100,000
Colorado-----	876	575,909	750	141,603	Tennessee-----	317	244,869	100	100,000
Delaware-----	744	706,467	133	63,313	United States Total-----	3,287	\$3,826,117	1,223	\$400,000
Indiana-----	789	1,184,691	72	48,528					

¹ This table represents a partial reporting of such data. Hospitals accounting for 1,641 patients under treatment during the year and \$116,618 reported as paid by patients were unable to supply the number of such paying patients.

² Patients under treatment obtained by adding all admissions (excluding transfers) to the number of patients resident in hospital at the beginning of the year. The number of patients indicated here are only for those hospitals reporting the number and amount of dollars received from paying patients.