

# COMPLETE ASSORTMENT OF KITCHEN GARDEN SEEDS FOR PRIVATE FAMILIES.

These assortments contain only the most approved and choicest sorts, such as we confidently recommend as sure to give satisfaction. The quantities in the various assortments are carefully arranged to suit large and small gardens, and purchasers may thus be free from the doubt often felt as to the proper quantity to buy.

		NO. 1. \$5.	NO. 2. \$10.	NO. 3. \$18.	NO. 4. \$25.
	· · · · · · · · · · · · · · · · · · ·	By Mail,	By Mail,	By Mail,	
NAMES.	VarietiesNew Stringless Green Pod	\$5.75.	\$11.50.	\$2I.	94
"	Marvel of Paris Refugee Wax	1 pt	1 qt	1 qt	2 qt.
	Lyonnaise Mont d'Or Pole				
66	.Challenger Lima	1 pt	1 pt	1 qt	2 qt.
Beets	Egyptian and Edmandof eac	h1 oz	2 oz	4 oz	8 oz.
Broccoli	Columbian Purple Cape		2 0Z	4 OZ	8 oz.
Brussels Sprouts	.Best Half-dwarf		1 oz	2 oz	4 oz.
Cabbage	Best Half-dwarf Early Wakefield Sure Head	¼ oz	¼ oz	½ oz	2 oz.
66	.Thorburn Drumhead Savov	¼ oz	1/4 OZ	½ oz	2 oz.
"	.Large Flat Dutch		½ oz	1 oz	2 oz.
Carrots	.Thorburn Red Dutch Stone-head, for pickling Early French Forcing	¼ 0Z	½ OZ	½ 0z 2 oz	1 OZ.
66	Half-long Stump-rooted	½ oz	2 oz	4 oz	8 oz.
Cauliflower	Thorburn Gilt-edge	1 pa	¼ oz	¼ oz	$\frac{1}{2}$ oz.
Celery	.Thorburn Snowball	1 pa	1 pa	1 pa	/2 OZ.
66	White Plume and Golden Self-blanching of each	h 1 na	1 na	1/2 07	1 07
Corn	Early Melrose and Early Cory Sweet Sugar "Hickox Sugar.	1 pt	1 qt	$\dots$ 1 qt	2 qt.
66	Evergreen	1 pt	1 pt	2 qt	4 qt.
Corn-Salad	.Large-seeded		1 oz	2 oz	4 oz.
Cress, or	Pepper Grass	1 oz	2 oz	1 oz	4 oz.
66	Thorburn Commercial Pickle		½ oz	1 oz	2 oz.
	.Improved New York Purple				
Endive.	Long Purple	11/4 07	1/2 07	1 oz	
Kale	Dwarf Scotch		½ oz	1 oz	1 02.
	Early White Vienna				
Lettuce	Best Flag Early Buttercup	1 pa	1 pa ¼ oz	½ oz	1 oz.
66	Early Buttercup Thorburn Maximum Trianon Cos	¼ oz	¼ oz	½ oz	1 oz.
66	Trianon Cos		½ oz	1 oz	l oz.
Melons	Orange Christina	1 pa	1/2 07	2 02	2 07.
66	Long Island Beauty	1 pa	1 pa	2 oz	4 oz.
	Wonderful Sugar, and Cole's Earlyof eac Density	n1 oz	1 oz	4 oz	4 0Z.
Onions	Yellow Danvers		2 oz	2 oz	4 oz.
66	White Globe	1 oz	2 oz	4 oz	4 oz.
66	Early White BermudaLarge Red Wethersfield	½ oz	$\frac{1}{2}$ oz	4 oz	4 oz.
Parslev	Extra Curled		½ OZ	07	2 02.
Parsnips	Hollow Crown. Thorburn Extra-Early Market	1 oz	2 oz	4 oz	8 oz.
66	Advancer	1 pt	1 qt	2 qt	4 at.
66	Nott's Excelsior		1 pt	2 qt	2 qt.
	Duke of YorkTelephone	1 pt	1 qt	2 qt	4 at
Peppers	Sweet Mountain		½ oz	½ oz	½ oz.
Padichoo	Cayenne	1 02	9.07	¼ oz	¼ oz.
is autones	Scarlet Turnip	1 oz	2 oz	4 oz	8 02.
"	Early White Turnip		1 oz	2 oz	1 07.
	French Breakfast				
Salsify	Sandwich Island	12 02	2 oz	4 oz	8 oz.
	Victoria				
Squasnes	Early Bush Crookneck	l pa	$\dots$ $1$ pa	1 0Z	2 07.
66	Boston Marrow	½ oz	½ oz	1 oz	2 oz.
Tomatoes	DemocratBeauty	¼ oz	1/4 OZ	1/ 0Z	1 oz.
£6	Stone				
66	Lemon Blush		¼ oz	½ oz	½ oz.
	Milan and Yellow Globeof eac Thorburn Family Ruta-Baga				
	Five varietieseac				
CORVEIGNIED 1000 CV	I M THORRIBH S. CO				

# J. M. THORBURN & Co.

# Annual Catalogue High-Class Seeds

HIS is our Ninety-eighth Annual Catalogue. We are growers of, and dealers in, High-Class Seeds only. Quality is our leading feature.

The Removal of Our Seed Warehouse.— Our well-known store in John street—a landmark in the history of New York—which we had occupied for the past 65 years, had served its time. We have therefore removed to the larger and more commodious building which

we now occupy, at 36 Cortlandt Street. The following sketch of the history of the firm of J. M. Thorburn & Co. has been kindly written for this Ninety-eighth Annual Catalogue by Professor L. H. Bailey, of the Cornell University:


The house of J. M. Thorburn & Co. was founded by Grant Thorburn, in the opening years of the century. Grant Thorburn was born in 1773 in Dalkeith, Scotland, and early came to New York to seek his fortune: His father was a wrought-nail maker, and the son engaged in the same trade in this country. He soon married, and his wife attended a store which he established in Nassau street, near Liberty, for the selling of "tape, ribbons, thimbles, thread, scissors, and Oxbery's needles." The living rooms were in connection. "A glass door opened opposite the fireplace, where she rolled the dumpling or broiled the steak with one eye, and kept a squint on the store with the other." The introduction of cut-nail machines deprived young Thorburn of his trade, and the establishment of a pretentious grocery business on the corner of Nassau and Liberty streets took away his customers. He therefore gave attention to other means of livelihood. The women of the city had begun to show a taste for flowers. These were grown in pots, and the pots were sold by grocers. In the fall of 1802, there being various pots in his stock, Thorburn thought to attract the attention of purchasers by painting the pots green. Four pots were first painted. They sold quickly. Then he painted twelve. They sold; and thus the pot business grew.

Thorburn had been in the habit of buying his meat at the Fly Market, at the foot of Maiden Lane. In April, 1803, he bought a rose geranium there, thinking to be able by its means to still further advertise his pots. But the next day a customer bought both pot and plant; and Thorburn quickly returned to the market and bought two more plants. These sold; and thus the plant business grew.

The man, George Inglis, of whom Thorburn bought the plants, was also a Scotchman, and it was soon agreed that one should grow the plants and the other sell them. But the customers also wanted to grow plants, and they asked for seed; and as there was no seed store in New York, it was arranged that Inglis should grow seeds also. This was in 1805; and in that year Inglis, as an experiment, had grown a lot of seeds. Thorburn bought these seeds for \$15; and thus arose the first regular seed store in New York, and one of the first in the United States.

The seeds and plants continued to sell, and Thorburn was obliged to import seeds. In 1805 or 1806 he obtained a catalogue of William Malcolm & Co., London, the first plant catalogue he had ever seen, and he then published one of his own. This led to more pretentious writing, and "The Gentleman and Gardener's Kalendar" was the first outcome. The third edition of this, in 1821, by "Grant Thorburn, Seedsman and Florist," contains the advertisement of "G. Thorburn & Son," dealers in seeds, implements and rural books,

Grant Thorburn was a prolific writer to the current press on a variety of topics, under the nom de plume of Laurie Todd. He was a unique character, and his history,—"mixed with much fiction," as he himself says,—was the basis of John Galt's tale in three volumes (London, 1830) of



"Lawrie Todd, or Settlers in the Woods." Thorburn left a most interesting autobiography, which was published in New York in 1852. He died in New Haven, Conn., January 21, 1863, at the age of 90.

The great business which Grant Thorburn founded has been ably continued by his son and grandson, the latter being the J. M. Thorburn of the present firm. The firm names have been following: Grant Thorburn, until about 1821: G. Thorburn & Son, until about 1835; George C. Thorburn, until about 1843; Jas. M. Thorburn & Co. (the company being W. H.

Elphinstone), until about 1855; Jas. M. Thorburn & Co. (the company being Grant Thorburn, Jr., and F. W. Bruggerhof), until about 1884; Jas. M. Thorburn & Co. (the company being F. W. Bruggerhof), until 1894. In 1894 the firm was incorporated as J. M. Thorburn & Co., under the presidency of Mr. F. W. Bruggerhof, who for many years previously had been head of the house. Mr. Bruggerhof has been actively and continuously connected with the business for 49 years.

Cultural Directions.—These are the result of years of experience. They are applicable to the conditions of climate in the vicinity of New York. For more northern or southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners. Our descriptions and illustrations of the articles catalogued may be relied upon. The Rural New-Yorker, in a recent review, said there was "not an exaggeration from cover to cover."

Whenever our Customers desire it, we will select an assortment of seasonable seeds suited to their wants. All such orders will receive especial care and attention. The only information we require is the size of the garden and the sum proposed to be expended for seeds. We would advise making an early test of seeds by sowing some of each variety in a flower pot, and keeping them warm and well watered.

Write orders upon a blank sheet, separate from letter. Orders from new customers should be accompanied by a remittance in the form of a Post Office or Express Money Order, if convenient, or bank bills, if the amount enclosed is not large. Address, always; J. M. Thorburn & Co., 36 Cortlandt St., New York.

Prices.—The prices quoted are those ruling at this date, and do not include free transit, except for flower seeds in packets. Please add for prepayment of postage or express, as below noted. All ordinary sorts of seeds can be had in 5-cent papers.

Seeds by Mail or Express.—8 cents per pound should be added for prepayment of postage, if wanted by mail or prepaid express. The express companies will generally be found the most economical mode of conveyance. In the absence of specific shipping directions, we shall send by the cheapest way. We do not guarantee the safe arrival of goods sent by mail; it is rarely, however, that seeds fail to reach their destination safely in that way.

It is very important that our customers send in their orders immediately on

receipt of this Catalogue, instead of waiting till the time when they wish to sow the seeds. To save time, seeds may be ordered by the numbers in the first column, if desired.

Name, Address, Etc.—We beg our correspondents to give us very exactly, on EACH of their orders, their name and address; also, to indicate very precisely the means of carriage which they prefer, whether by EXPRESS, FREIGHT, or MAIL, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we shall choose ourselves the most advantageous and convenient means, but entirely at the risk of the customer, avoiding ourselves all responsibility.

Shipments by Express, "C. O. D."—Unless otherwise instructed, we shall send all such goods as go by express C. O. D. Orders from unknown customers not desiring this mode of carriage should be accompanied by the cash.

Warranties.—Seeds of the best quality will often fail through improper treatment. Thus, if a small seed be sown so deeply that the young plant cannot reach the surface, the seed, however good, will fail. More failures result from a want of proper knowledge of conditions necessary to germination than from bad quality of seeds themselves. These conditions are: a proper temperature, sufficient moisture, and free access of air; besides these, the soil must be in proper condition, and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45°; but if Melons and other seeds of that family, bush or pole Beans, and other plants of sub-tropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too little moisture. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it has formed roots below ground and leaves above, and is able to sustain itself. Besides these conditions, affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind, may check their growth, or destroy the young plants altogether. In addition, there are numerous insects, both below and above ground, that may attack the plants, some of these being so small that they often destroy a crop before they are discovered. We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the yellow-podded wax Beans becoming green, the yellow and white Celery becoming more or less green, dwarf Peas becoming running sorts, etc., etc.

Messrs. J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

J. M. THORBURN & CO.

## Directions for the Cultivation of Vegetables.

To secure a good crop of vegetables, three things at least are necessary; viz., a suitable soil, pure seed, and clean culture; to which may be added as equally necessary, an abundant supply of good barnyard manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be perfectly south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be under-drained, preferably by tile; but if possible, a location should be selected naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or sub-soiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and most uniform results, the vegetable garden should have at least one

foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, onions, and a few other things may form an exception to this rule, but it is nevertheless better to keep up rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills, and other special information, is given in the body of the Catalogue; the least distance is named, in order to economize space; it might be increased in some cases with advantage.

The ground should be frequently hoed, to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding be done at the time suggested, it can be mostly and quickly done by the use of a sharp-toothed steel rake.

Where the material and conveniences are at hand, much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a very convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Egg-plants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of the seedsmen at the proper time, the expense and labor of a hotbed can, in many cases, be dispensed with, especially on small places.

To Prepare a Coldframe. The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 or 30 days. During cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes the plants are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

## Directions for Making a Hotbed.


In the vicinity of New York, from the first to the middle of March is quite early enough to make a hotbed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days longer, or until the second fermentation commences. Make an excavation or pit  $2\frac{1}{2}$  feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 6 x 3 feet, and one or two sashes will generally give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to  $2\frac{1}{2}$  feet. Then put on the sashes, and keep the pit closed until the heat rises. At first it will probably be 100° or more, which is too hot to sow the seed in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterwards (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with straw mats or board shutters. Tomatoes, Peppers and Egg-plants should be sown in a separate frame from the Cabbage, Cauliflower and Lettuce, as they require more heat than the latter. The same directions may apply to hotbeds made on the surface of the ground, except that the manure should be at least a foot wider on all sides than the frame.

# New, Rare and Valuable Flower Seeds.

## Adenophora Potanini.

Lovely new shrubby Campanulacea, producing its elegant and slender flower spikes, of 2 to 3 feet in height, during the months of July and August. They are garnished with numerous large, bell-shaped flowers, 1½ inches in diameter, and of a beautiful light blue color. Splendid new hardy perendial Porphy 25 cf.


nial. Per pkt., 35 cts.



These beautiful new hybrid Columbines were obtained from crossing the Canadensis with the blue and white sorts. The seed produces double and single flowers, running from nearly like the scarlet Aquilegia Canadensis all through blue and purple, and nearly white, in numberless shades and forms. Per pkt., 25 cts.

## Candytuft, "Little Prince."

A charming new dwarf variety obtained from the well-known A charming new dwarf variety obtained from the well-known Empress Candytuft. Though it grows only half the height of the parent, say 4 to 6 inches, it forms just as massive spikes of large pure white flowers. These stand erect above the foliage and are grouped candelabra-wise round the main stem, as shown in the illustration. It is very robust, and continues considerably longer in full bloom than the Empress. It is very effective for groups and borders, and it makes an excellent pot plant. Per pkt., 30 cts.



## Helianthus Cucumerifolius "Orion."

Effective new variety of the Sunflower "Stella," introduced a few years ago. The petals of this novelty are twisted like those of the best cactus-shaped dahlias, as shown in our illustration. Excellent for bouquets. Per pkt., 25 cts.

## Mignonette "Ruby."

A splendid novelty of the Machet class, from which it was obtained, and which it resembles in its dwarf and compact habit. Its chief characteristic is the very bright copper-red, almost scarlet, color of the flowers, contrasting strikingly with the rich green foliage. The flower-heads are borne on firm, straight stalks, and stand clear above the slightly wavy foliage. They are very large and finely rounded, and measure from 4½ to 5½ inches in circumference. It is suitable for growing in pots and for bedding and cutting. It was awarded a silver medal at the Hamburg International Horticultural awarded a silver medal at the Hamburg International Horticultural Exhibition last year. Per pkt., 25 cts.


## Imperial Japanese Morning-Glory.

A new class of Morning-Glory from Japan. The flowers are of

HELIANTHUS CUCUMERIFOLIUS "ORION,"

exquisite beauty in form and coloring, and of enormous size, often 5 to 6

inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors vary from pure white to rose, crimson and carmine, through blues and purples to almost black, some being mottled, striped, penciled and bordered in infinite variety and diversity. The foliage also is often prettily variegated. Per pkt., 10 cts.



CANDYTUFT, "LITTLE PRINCE."


## Dwarf Sweet Pea, PINK Cupid.


Like the dwarf White Cupid, this remarkable novelty has no tendency to climb, but branches from the root, growing from 6 to 8 inches high, and measuring about 20 inches in diameter. The stems are about 6 inches long, and bear in full bloom at once from three to four handsome blossoms, all close to the end of the stem. The standard of the flowers is bright rose-pink, while the wings are pure white or light pink. The plant is vigorous and hardy, and it will undoubtedly become very popular as a bedding and border annual. Per pkt., 10 cts.; per oz., 20 cts.; per lb., \$2.

WHITE Cupid Dwarf Sweet Pea. Per pkt., 5 cts.; per oz., 15 cts.; per lb., \$1.25.

## Salvia splendens, Golden-foliaged.

There is no handsomer or more effective plant than the popular Scarlet Sage (Salvia splendens). In bril-






A most beautiful tricolor-leaved new Canna, imported from the Solomon Islands, and the most sterling novelty among this section of plants yet seen. Its large flowers are brilliant scarlet in color, and, combined with its handsomely variegated foliage, will make the plant a feature in sub-tropical gardening.

The leaves are of a light green, thickly splashed, lined and barred with red and yellow and margined with clear crimson, which color appears through out their whole surface. It is a chearly speak to the former speak of the property of t

out their whole surface. It is as hardy as all other Cannas, and of a dwarf, spreading, ample habit. It cannot fail to make a very useful plant for all purposes of decoration. When grown in pots it will take rank among the leading foliage plants. It can, of course, be planted in the open, where, under the sun's influence, the variegation becomes lighter and still more beautiful, and presents a striking contrast when placed in conjunction with other varieties of Canna. Per



A superb novelty of the Perpetual class, originated by Mr. Chabaud, and now offered for the first time. The plants have all the admirable features of the class, and the flowers are very large, with the background beautiful, clear yellow, shading to salmon and bright cherry-red. Per pkt., 50 cts.



NEW VARIEGATED-LEAVED CANNA-

## Carnation, New Giant Perpetual.

An improved giant-flowered strain of the Chabaud Perpetual Carnation, which we introduced to America three years ago, and which is now so deservedly popular. The plants grow from 16 to 20 inches high, are closely branched, and the straight, vertical flower-stems are covered with very double flowers of perfect form and of enormous size. They flower within seven months after being sown, and combine the perfection of form of the Perpetual with the earliness and hardiness of the Margaret Carnations. They are very fragrant, and excellent for cutting. We offer White, Yellow and Mixed. The yellow are reproduced 80 per cent true to color, and range from creamy yellow to golden yellow, both pure and striped.

Per pkt.	- Per pkt.
Per pkt.	Giant Mixed\$0 50
Giant Yellow 50	Mixed, same as offered last year

## Carnation, New Giant Margaret.

A new very large-flowering strain of the popular Double Margaret Carnation, which begins blooming in four months from sowing, and produces its very sweet-scented flowers when other Carnations have ceased to bloom. They are perfectly hardy, in rich variety of colors, including yellow, and as high as 80 per cent come double from seed. Per pkt., 25 cts.

## Chrysanthemum tricolor, "Chamæleon."

Large-flowered new variety of this showy hardy annual, so valuable for its yield of cut-flowers. The ground color of the flowers is a light, coppery-bronze with a bright purplish crimson zone during the first few days, the blackish purple disk being surzone during the first few days, the blackish purple disk being surrounded by a golden yellow circle; a few days later the coppery bronze changes into a clear isabel, while the colorings of the zone and circle remain. These four distinct colors on one flower, combined with the different colored flowers on one plant, produce a beautiful contrast. Exceedingly effective when planted in groups, and of great value for cutting purposes. Per pkt., 25 cts.

## Double Allegheny Hollyhocks.

A new strain, remarkable for its enormous flowers, which average over five inches across, and are produced in great abundance and through the entire season. They are prettily fringed, chrysanthemum shaped, of the richest and most brilliant colors, and of very fine, almost transparent texture. Per pkt., 10 cts.



CHRYSANTHEMUM TRICOLOR, "CHAMÆLEON."

# Dianthus Heddewigi albus, "Queen of Holland."

This is the first pure white Indian Pink ever introduced. Notwithstanding the great variety of colors displayed by the Dianthus Heddewigi, a white has hitherto been conspicuous by its absence, and everyone will wellcome the introduction of this beautiful pure white Indian Pink. The result, so long desired, was obtained by fertilizing D. The Bride with pollen from the "Germania" Carnation. The variety is now pretty well fixed, at least two-thirds of the flowers being of a lustrous pure white. A certain percentage show a small ring, sometimes yellowish and sometimes rosy, round the center, but this rather enhances than detracts from the beauty of the flower. They are very effective in the garden

## Eschscholtzia, "The Golden West."

and also excellent for cutting. Per pkt., 35 cts.

A grand new Eschscholtzia, developed from *E. maritima*. The flowers measure from 4 to 6 inches in diameter; they have very large overlapping petals, often delicately waved at the edges. They are beautifully and variously formed; some are flat and wide open, some saucer-shaped, others very deep, with flaring edges. The color is light canary yellow, with an orange blotch at the base of each petal, forming a Maltese cross in the center. In some the orange blotch almost suffuses the whole flower; in others it runs into the yellow in fine penciled lines; others again have an orange center with a margin of clear yellow, while the Maltese cross in some of the flowers is very distinct. These magnificent flowers, with their intense and shining colors, immense size and lovely forms, are extremely beautiful. They are especially adapted to the eastern climate, owing to their early and long-continued season of blooming. Per pkt., 25 cts.


#### Gaillardia grandiflora compacta.

New compact-growing varieties of the hardy perennial Gaillardias, forming round bushes of about 12 to 15 inches in height, and bearing their long-stemmed blossoms perfectly upright. The colorings of the flowers are exactly as rich and varied as those of the tail-growing varieties. As the plants produce their flowers most profusely and in constant succession from June to the autumn, this novelty, with its improved habit, will prove to be one of the most desirable of all hardy perennials grown for cut-flowers. Per pkt., 25 cts.



DIANTHUS HEDDEWIGI "QUEEN OF HOLLAND."

## New Aster, "Daybreak."



DAYBREAK " ASTER,

stems being very long, and the flowers so perfect in form and so exquisitely colored, make the plant one of the most valuable for cutting, as well as handsome when pot-grown. Our illustration shows its compact and floriferous habit. Per pkt., 10 cts.

## Browallia speciosa major.

A superb new winter-blooming greenhouse plant, producing very large deep blue flowers, measuring about one inch in diameter. It grows about a foot high and is of neat, compact habit. Per pkt., 25 cts.

## Celosia, Ostrich Feather.

Very large plumes, most of which are ex-quisitely curved and curled in exact resemblance of an ostrich feather. The plant grows about three feet high, and the numerous massive plumes waving gracefully above the foliage make it one of the most effective ornamental plants for either pot or outdoor culture. The most effective plumes are not developed until late in the season. The plumes, when cut, last a long time in water, and make a magnificent table decorative display. In two colors-

Crimson. Per packet, 10 cts.

Orange. Per packet, 10 cts.

# Specialties and Novelties in Vegetable Seeds.

## Cabbage, Thorburn Colossal.

Our Market-Gardeners' Private Stock Flat Dutch Cabbage, introduced several years ago, is the most popular sort with market-gardeners all over the country. Thorburn Colossal is a new strain of the Private Stock, which has been obtained by careful selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality. We recommend it as positively the finest winter Cabbage grown. Per mous size and of the finest quality. We rpkt., 10 cts.; oz., 40 cts.; ¼lb., \$1.25; lb., \$4.

#### Carrot, Bellot.

A very fine French strain of superior quality, in size between the Extra-early Parisian Forcing and the Scar-Horn. It is very tender, and the best of all for stews and soups. Valuable for forcing or for outdoor cultivation. Per oz., 15 cts.; 1/4lb., 30 cts.; lb., 90 cts.

## Celery, Rose-ribbed Golden Self-blanching.

This beautiful new Celery is a sport from the well-known Golden Self-blanching, and retains all the admirable qualities of that fine variety. It has the rich golden yellow color and is equally self-blanching. Its distinctive feature is the beautiful rose-tinted ribs, from which its name is derived. It is of the very finest table quality, and for this and its handsome appearance it is most highly recommended. Per pkt., 10 cts.; oz., 50 cts.

## Celery, Thorburn Fin de Siecle.

In the course of the century that is now drawing to a close we have introduced many varieties of Celery, some of which have had their day, and others of which still hold their own among the best. But the one we are now entrusting with the reputation of a hundred years will, we are confident, justify its title to the distinction.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve.

After growing to a great size, it lends itself readily to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. As to its more important qualities, we may mention that a large

qualities, we may mention that a large Celery-grower, who had some of it for trial last year, pronounced it the very best for market purposes of all the sorts he grew. With ourselves it proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt., 10 cts.: oz., 35 cts.; ¼lb., \$1; lb., \$3.50.

#### Lettuce, Thorburn Maximum.

The very handsome appearance of this new Lettuce is shown by our cut, which is accurately engraved from a photograph. Our crop inspector in France found it growing in one of the rural districts, recognized its exceptional merits, and procured for us some of the seed. It is wonderfully heat-resisting, remaining a long time, even in the hottest weather, without running up to seed. The out-side color is light green, but it becomes more and more yellow toward the heart. It is the *largest* and *solidest* of all our Head Lettuces, and its table quality is simply perfect, both as to tenderness and crispness. Per pkt., 10 cts.; oz., 40 cts.; 1/4lb., \$1.25.



THORBURN MAXIMUM LETTUCE.

## New Pea, "Gradus."


This splendid novelty cannot be too highly praised. It is without doubt the finest extra-early Pea vet introduced, being as early as the earliest round varieties, and yet having pods as large as those of Telephone or Duke of Albany, well filled with large wrinkled Peas of a handsome deep green color and of the finest flavor and quality. Per qt., 60 cts.

## Pea, Gregory Surprise.

A new variety obtained by crossing the "First-of-All" and the "American Wonder," the result being a wrinkled variety as early as the "First-of-All" and with the quality of the "American Wonder." It is the very earliest of all the wrinkled sorts—not excepting even the Station. The vines grow 24 inches high, and require no bushing. It is very prolific, pods are well filled, and the quality of the Peas is unsurpassed. Per qt., 35 cts.; ½pk., \$1.25; pk., \$2.25.

#### Rocky Ford Musk Melon.

An improved strain of the Netted Gem type, which has been grown on a very large scale, and to a wonderful degree of perfection, in Rocky Ford, Colorado. From that section it has been shipped to every city in the country,



ROCKY FORD MUSK MELON.

and sold in the markets under the name of the town from which it came. The Rocky Ford Melon is, therefore, already well known. It is by far the most popular sort on the market, and commands higher prices than any other variety. The true type is shown by our illustration, the shape being oval and the average length about five inches. It is very sweet and most delicately flavored, with exceedingly fine and smooth-grained flesh of a light green color. Per oz., 20 cts.; ¼lb., 50 cts.; lb., \$1.50.

#### New Pea, "St. Duthus."

A first-class, distinct, new wrinkled variety, growing about four feet high, with round, dark green pods measuring 4½ to 5 inches long, each containing 8 to 10 Peas of the very finest quality. It is very productive and free from mildew, and it can be highly recommended for a maincrop family variety. Per pt., 30 cts.; qt., 60 cts.

## New Pea, "Daisy."

A new wrinkled, second-early variety, growing less than two feet high, with stout stems requiring no brush. It is exceedingly productive, the handsome bright green pods containing 8 to 10 large deep-colored Peas of very fine flavor. Per qt., 35 cts.; ½pk., \$1.25.

## New Radish, "Triumph."

#### A White and Scarlet Striped Forcing Radish.

A very peculiar new Radish, with globe-shaped pure white roots, prettily striped horizontally with bright scarlet. The strain is not quite established, but a good percentage comes true from seed. Although it is suitable for open ground, it is best adapted for forcing, being quite short-leaved and of very rapid growth, and the hotbed cultivation renders its distinctive color more prominent. It is of the best table quality and of very ornamental appearance. Per pkt., 25 cts.

## New Radish, "Icicle."

The name is given in allusion to the shape and the **transparent whiteness** of the root. The leaves are short, the flavor exceedingly fine, and it is about as early as the earliest *forcing* varieties. If well cultivated, it produces roots  $3\frac{1}{2}$  to 4 inches long in twenty-two days from date of sowing. This is the first long white forcing Radish yet introduced. Per pkt., 25 cts.

## New Tomato, Thorburn "Rosalind."

A valuable novelty, combining with its distinctive beautiful rose color all the good qualities of the best standard varieties. It is large and of uniform round shape, strictly smooth and solid, and of a fine, mild flavor; medium early, and very productive. It promises to become a standard main-crop Tomato of the highest class. Per pkt., 25 cts.; 5 pkts. for \$1.

## CHINESE VEGETABLES.

Pe-Tsal, or Chinese Cabbage. The plant bears a loose, lettuce-like head of crisp leaves, which is used like cabbage. It does best in a rather cool, moist soil. Per pkt., 5 cts.; oz., 20 cts.

Chinese Mustard. An excellent plant for greens, producing an enormous amount of herbage. The leaves have an agreeable flavor when cooked like ordinary Spinach. Per oz., 10 cts.; lb., 75 cts.

Chinese Yam (Dioscorea batatas). The roots are used like potatoes. Roots, per doz., 60 cts.; per 100, \$3.50.

Zit-kwa (Benincasa cerifera). The Wax Gourd. The fruit is round or oblong, with solid white flesh. It is excellent for preserves or sweet pickles. It requires the same culture as the muskmelon. Per pkt., 10 cts.; oz., 60 cts.

La-kwa (Momordica charantia). The Balsam Pear is a favorite with the Chinese, who use it largely in salads, pickles and curries. It is necessary to boil it in water first, to remove bitterness. Per pkt., 5 cts.; oz., 25 cts.

Sing-kwa (Luffa acutangula, the Dish-cloth Gourd). The fruit is eaten before it is mature, either sliced like cucumbers, in soups, or cooked like squash. Per pkt., 5 ets.; oz., 30 ets.



CHINESE MUSTARD.

# BOOKS FOR THE GARDEN.

We call attention to the fresh and valuable books included in the Garden-Craft Series and in the Rural Science Series. These works are either written or edited by Professor L. H. Bailey, of Cornell University. Other volumes are being rapidly added; all are fully illustrated and attractively printed.

#### THE GARDEN-CRAFT SERIES.

Manuals of practice, giving in plain terms up-to-date information and experience on the subjects treated. All are fully illustrated, and bound uniformly in flexible cloth, so that they may be readily carried in the pocket and conveniently referred to by busy men. They are all written by Professor Bailey.

- Garden-Making. Suggestions for the utilizing of home grounds. A guide to daily practice in the garden, giving in simple language just the information wanted by every one who buys a single packet of seed or grows one plant. This is the one book every grower needs. Fully illustrated. 8vo, cloth; \$1.
- The Horticulturist's Rule-Book. A compendium of useful knowledge for all who have to do with the garden, fruit-farm and glass-house. How to fight insects and plant diseases; details as to heating glass-houses; reliable information in most convenient and accessible shape. The book is a necessity to gardeners and growers. Fourth edition. 12mo, flexible cloth, 312 pages; 75 cents.
- The Nursery-Book. How to multiply plants, with complete details as to all forms of propagation, budding, grafting, seed-sowing, etc., and an extensive alphabetical nursery list of plants in both common and botanical names. Illustrated. Third edition. 12mo, flexible cloth, 365 pages; \$1.
- Plant-Breeding. Concerning variation and improvement of plants and the production of varieties; treats of crossing, hybridizing, pollination, etc. A most interesting and valuable work for those interested in new varieties of plants. 12mo, flexible cloth, 293 pages; \$1.
- The Forcing-Book. How to grow vegetables under glass, with complete details as to construction and management of forcing-houses. The best practice of successful growers, together with results of many interesting experiments. Includes instructions for combating insects and diseases. Valuable alike to the amateur or practical gardener. Fully illustrated. 12mo, flexible cloth; \$1.
- The Pruning-Book. A thorough manual of pruning and training, as observed from the best American practice. Both principles and methods are presented, with copious illustration. 12mo, flexible cloth, 540 pages; \$1.50.

#### THE RURAL SCIENCE SERIES.

The main inquiry of this series is as to the scientific facts of each subject. The volumes are written by acknowledged authorities, edited by Professor Bailey, and have elicited wide commendation. Others are to follow. The Spraying of Plants. By Prof. E. C. Lodeman, of Cornell University. This important subject is exhaustively treated. It is, in fact, a complete manual for the application of fungicides and insecticides, and is invaluable in these days, when spraying is so necessary. Illustrated. 8vo, cloth, 399 pages; \$1.

The Soil. By Prof. Franklin H. King, of the University of Wisconsin. In this work are fully discussed the

nature, relations and fundamental principles of management of the soil, in a manner which will prove most helpful to intelligent farmers and gardeners. Illustrated. 8vo, cloth, 303 pages; 75 cents.

helpful to intelligent farmers and gardeners. Hiustrated. 8vo, cloth, our pages; 10 cents.

The Fertility of the Land. The relationship of farm-practice to the maintaining and increasing of the productiveness of the soil. By Prof. I. P. Roberts, Cornell University. A most interesting volume, full of practical experience. Commended especially to the intelligent farmer. Fully illustrated; \$1.25.

Milk and Its Products. A treatise upon the nature and qualities of dairy milk, and the manufacture of butter and cheese. By Prof. Henry H. Wing. A thorough statement of dairy work; up-to-date, bright and readable—is just the book for the dairy farmer. 280 pages, 33 illustrations; \$1.

The Principles of Fruit-Growing. By L. H. Bailey. The whole story in regard to fruit, both as to growing

and marketing. Necessary to every American fruit-grower. Illustrated. 8vo, cloth, 508 pages; \$1.25.

The Survival of the Unlike. By L. H. Bailey. A collection of evolution essays suggested by the study of domestic plants. Extremely interesting to those who want to know the bottom facts. 8vo, cloth, 515 pages; \$2.

Evolution of Our Native Fruits. By L. H. Bailey. Uniform with the preceding volume. Traces the origin and development of American fruits; very entertaining. Profusely illustrated. 8vo, cloth, 485 pages; \$2.

Bush-Fruits. By Prof. F. W. Card. Devoted to raspberries, blackberries, currants, etc., giving details as to varieties, culture, diseases and insects. Just published. Illustrated. 8vo, cloth, 537 pages; \$1.50.

Fertilizers. By Prof. E. B. Voorhees. A very practical discussion of this important subject; plain, cl untechnical—no confusing formulæ. Should be in the hands of every grower. 8vo, cloth, 335 pages; \$1.

## OTHER STANDARD BOOKS.

ASPARAGUS CULTURE. Barnes & Robinson\$0 50	PRACTICAL FORESTRY. By And. S. Fuller\$1 50
Broom Corn and Brooms	THE GARDEN. As considered in literature by
FIRST LESSONS IN AGRICULTURE. By Prof. F. A.	certain polite writers. With a critical essay
Gulley, M. S	by Walter Howe 1 00
FOREST PLANTING. By H. N. Jarchow, LL.D 1 50	THE LEAF-COLLECTOR'S HAND BOOK AND HERBA-
FRUIT GARDEN. By P. Barry. New edition 2 00	RIUM. By Chas. S. Newhall. An aid in the
GRAPE CULTURIST. By A. S. Fuller. New edition. 1 50	classification of specimen leaves. Illustrated. 2 00
How Crops Grow. By Prof. S. W. Johnson 2 00	THE NEW ONION CULTURE. By T. Greiner 50
How to Destroy Insects	THE NEW POTATO CULTURE. By E. S. Carman 75
INSECTS AND INSECTICIDES. By Prof. C. M. Weed. 1 50	THE PRINCIPLES OF PLANT CULTURE. A first-class
LANDSCAPE GARDENING. By Samuel Parsons, Jr.	all-round instruction book in horticulture. By
Superintendent of Parks, New York City 3 50	Prof. E. S. Goff 1 00
LESSONS AND MANUAL IN BOTANY. By Prof. Asa	THE SUGAR BEET. By Lewis S. Ware 4 00
Gray. 800 pages. Illustrated 2 50	THE TREES OF NORTHEASTERN AMERICA. By
MUSHROOMS: How to Grow. By William Falconer. 1 50	Chas. S. Newhall. With illustrations 2 50
ORNAMENTAL GARDENING FOR AMERICANS. Long. 2 00	TOBACCO LEAF. Its culture and cure, marketing
PEACH CULTURE. By Hon. J. Alexander Fulton 1 50	and manufacture. By J. B. Killebrew, Ph.D.,
SMALL-FRUIT CULTURIST. By And. S. Fuller 1 50	and Herbert Myrick, B.S 2 00
Sugar. The sugar industry of America, cane	TOBACCO CULTURE. Full practical details 25
sugar, beet sugar, culture of the sugar beet 50	TRUCK-FARMING AT THE SOUTH. By Dr. A. Oemler. 1 50
FOR All Pooks Cant Posts	naid on Receipt of Price.

# VEGETABLE SEEDS.


EP Please notice that our prices are quoted at the lowest New York figures, and do not include the prepayment of express or postage charges. If postage is to be prepaid, add 8 cents per pound.

EF See inside front eover of this Catalogue for complete assortments of Vegetable Seeds of approved and choice sorts for from \$5 to \$25.

#### ASPARAGUS.

Asperge. Esparrago. Spargel.

CULTURE.—Sow the seed thinly in rows 1 foot apart in April or May (4 to 5 lbs. to the aere), and keep down



all weeds. To secure strong, healthy plants, thin out the seedlings to 3 or 4 inches in the rows, saving only the strongest. The 1-year-old plants should be set out in spring, in a rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal ashes to loosen it up, and also see that it is well under-drained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each 1 foot from the edge, and allow 12 inches in the rows; set the plants at least 6 inches below the surface. If set out in autumn, top-dress with 6 inches of manure. For market on a large scale, set out 4 by 1½ feet.

Every fall a good dressing of coarse manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die.

	ASPARAGUS.	Per oz.	1/4lb:	Lb.
15	Colossal. The most approved and standard sort. The famous Argenteuil of the French			
	is identical with it	\$0 10	\$0 20	\$0 50
	Two-year-old roots			
16	Palmetto. Of southern origin; a very desirable bright green Asparagus	10	25	75
	Two-year-old roots			
17	Barr Mammoth. Two-year-old roots. Has very large, tender stalks of a very light color.			
	per 100, 75 cts.; per 1,000, \$6			
18	Columbian Mammoth White. A variety producing large white shoots	10	25	75
	Two-year-old roots			

#### ARTICHOKE.

ARTICHAUT. Alcachofa. Artischode.

Culture. — Deep, rich, sandy loam, with plenty of well-rotted manure. Sow seeds in April and May, and

when large enough transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbed during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

artic	Per	oz.	1/4lb.	Lb.
21	French Globe. The		, , ,	
	standard and best vari-	0.0	4.0 0=	40.00
99	etypkt., 10c\$0 Laon, or Paris Green.	30	\$0 85	\$3 00
22	pkt., 10c.,	40	1.00	4 00
23	Large Green Naples.	20	2 00	1 00
		40	1 00	4 00
24	Jerusalem Artichoke.			
	qt., 20c.; bus., \$4.,			



FRENCH ARTICHOKE.

## BEANS.

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in impor-



THORBURN VALENTINE WAX BEAN.

tance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in many superior sorts, greatly extending the season of use, as well as varying the quality of flavor.

CULTURE.—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession.

#### DWARF WAX BEANS.

- 30 Thorburn Valentine Wax. First in earliness, first in productiveness, and first in quality. A perfect Valentine Bean, with wax pods. Qt. 30 ets., ½pk. 90 ets., pk. \$1.50, bus. \$5.
- 31 Thorburn Refugee Wax. A perfect Refugee, with long, round, yellow wax pods. Suitable for early or late sowing, and an immense yielder. Qt. 30 cts., 12pk. 90 cts., pk. \$1.50, bus. \$5.

1 00

3 00

00		r qt.	½pk.	Pk.	Bus
32	Stringless Refugee Wax. A new strain of our celebrated Refugee Wax, claimed to be absolutely stringless	30	\$1 00	\$1 75	\$6 00
33	Black Wax, Improved Prolific. Very early and prolific. The pods are round,				
00	full, stringless, and of fine quality	30	90	1 50	5 00
34	" Challenge. An extra-early strain of the dwarf Black Wax	30	90	1 50	5 00
36	" "Bismarck. Resembling in growth Wardwell Kidney Wax	30	90	1 50	5 00
38	" Currie Rust-proof. Flat pods; very early and productive	30	90	1 50	5 50
44	Detroit Wax. Very much like Golden Wax	25	75	1 25	4 50
46	Flageolet Red Wax. Flat, yellow, stringless pods of great size	30	90	1 50	5 00
48	Keeney Rustiess Colden Wax. Productive; superior quality; golden yellow				
	stringless pods; somewhat inclined to run	30	90	1 50	5 00
54	Improved Golden Wax. Very early; round golden pods, long and stringless	30	90	1 50	5 00
56	Colden-eyed Wax. Very hardy and prolific, with flat, vellow pods; very early				
	and exceptionally free from rust; a very desirable and popular sort	30	90	1 50	5 00
62	Wardwell Kidney Wax. Early; long, flat, purely wax pods; fine shipper	30	1 00	1 75	6 00
65	White Wax. Flat, yellow pods	30	90	1 50	5 50
68	Yosemite Mammoth Wax. The largest podded of all the wax sorts	35	1 25	2 00	8 00
70	Roger "Lima Wax." Very broad, flat pods, glossy lemon wax color; fine flavor,				
	very productive. Excellent either as a Snap or Shell Bean	30	90	1 50	5 00
	WHITE BEANS.				

#### WHITE BEANS.

Towing to the extremely dry season in California, all the Lima Beans are this year much smaller in size than usual.

size	e than usual.			
71	Thorburn Dwarf Lima (Kumerle Strain). The dwarf form of our famous Chal-	½pk.	Pk.	Bus.
1.1				
	lenger Lima—the finest of all Limas. It possesses the flavor of the genuine			
	Challenger Lima, thus differing from all other Bush Limas. It is exceedingly			
	productive, bearing from 50 to 60 pods on the bush\$0 35	\$1 25	<b>\$</b> 2 25	\$8 00
73	Burpee Bush Lima. A bush form of the large flat Pole Lima, growing only 18 or			
	20 inches high; it is an immense yielder	1 25	2 25	7 50
74	Henderson Bush Lima, or Sieva. Productive	1 00	1 75	6 00
77	White Valentine. Round Pod			
78	White Kidney. Excellent, either green or ripe; for baking	60	1 00	3 50

79 White Marrow. Good either green or ripe; for baking.....

#### DWARF GREEN-PODDED SNAP BEANS.

Frijoles.

Krup Bohnen.

HARICOTS NAINS.

	Per qt.	½pk.	Pk.	Bus.	
80	Thorburn Prolific Market				
	Bean. Enormously produc- tive, the light green pods				
	being borne in thick clusters;				
	pods long, perfectly round,				
	solid-fleshed\$0 35	\$1 25	\$2 00	\$7 00	
81	Marvel of Paris. Long, slender,				
	round pods; early and remark- ably productive 35	1 25	2 -00	7 00	
82	Triumph of the Frames. A	1 20	00		
02	dwarf green-seeded variety,				
	which, by its extreme earliness				N WAR A SECOND V
	and small size, is the best of	7 05	0.00	7 00	
	all for growing in frames 35	1 25	2 00	7 00	
84	Ne Plus Ultra. An extra-early sort; green, full, flat pods;				
	exceedingly productive; also				
	suitable for forcing 30	90	1 50	5 00	
86	Best of All. Early and superior;			4	
	round green fleshy pods 25	75	1 25	4 00	
87	Extra Early Valentine. Early				
	strain of this popular round- pod Bean	1 00	1 75	6 00	COPYRIGHTED
88	Early Mohawk. Long, flat and	1 00	2 10	0 00	COPYRIGHTED BY J.M. THORBURN & CO 1888.
	straight pods; very hardy and				- Simon Consequence Swill was
	productive 30	1 00	1 75	5 50	THORBURN EXTRA EARLY REFUGEE BEAN.
89	Early China. White, with pink				
	eye; early, continues long in bearing				Per qt. ½pk. Pk. Bus. \$0 25 \$0 75 \$1 25 \$4 00
90	Long Yellow Six Weeks. Early; the				
91	Dwarf Horticultural. Late and prod		_		•
92	Stringless Green Pod. Extra early;				
	Dwarf Lyonnaise. A fine sort, with	-			· · · · · · · · · · · · · · · · · ·
93					
94	Refugee, Thorburn Extra Early. H Refugee, and is fully two		_		-
99	" Late, or 1,000-to-1. Medi			-	
-00	largely grown for main cr				
100	" Golden. Has round pods	-	•		
	very productive. One of	the be	st		
101	" Calega. An improved, lar	ge Late	Refug	ee	



DWARF LYONNAISE BEAN.

#### ENGLISH DWARF BEANS.

FEVE DE MARAIS. Haba. Große Bohnen.

CULTURE.—Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as Peas), in order to get them into pod before the heat of summer. When in pod break off the top of the plant to check the growth. Plant and hoe same as for Dwarf Beans. A strong soil suits them best. These Beans are eaten shelled.

	Per	qt.	½pk.	Pk.	Bus.
106	Early Mazagan. The ear-				
	liest of this class\$0	25	\$0 75	\$1 25	\$4 00
108	Broad Windsor. The lar-				
	gest and best of the class				
	of English Dwarf Beans.	30	90	1 50	5 00
109	Sword Long Pod. A size				
	smaller than Windsor	25	75	1 25	4 50
110	Green Windsor. A green				
	"Long Pod"	30	90	1 50	5 00
112	Small Horse Bean. Half				
	the size of Mazagan	20	60	1 00	3 50

#### POLE OR RUNNING BEANS.

HARICOTS A RAMES.

Frijole de Bejuco.

Stangen=Bohnen.

😭 Owing to the extremely dry season in California, all Lima Beans are much smaller than usual.

CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set

in. One quart of Limas will plant about 100 hills, allowing four or five Beans to a hill, and of the smaller sorts about 200 hills. Poles 8 or 10 feet long should be firmly set in the center of the hills before putting in the seed.

- 114 Lima, Challenger. Thick and productive; the best of all. Qt. 35 ets., ½pk. \$1.25, pk. \$2, bus. \$7.
- 115 "Large White. Largely grown and highly esteemed. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 120 "King of the Garden. Large in pod and Bean. Qt. 35 ets., ½pk. \$1.25, pk. \$2, bus. \$7.
- 124 " Dreer. Thick, and of fine quality. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 126 "Early Jersey. Matures earlier than the large Lima. Qt. 30 ets., ½pk. \$1, pk. \$1.75, bus. \$6.
- 129 "Small White, or Sieva. Very productive sort. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 130 "Willow Leaf. Very productive; of fine flavor. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 132 Horticultural, or Speckled Cranberry. Good as a Snap or as a Shell Bean. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.50.
- 133 Speckled Cut-Short, or Corn-Hill. Used for planting among Corn. Qt. 30 ets.
- 134 Dutch Case-Knife. Pods long, green and flat; can be either snapped or shelled. Qt. 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.
- 135 Southern Prolific. A continuous bearer; of good quality. Qt, 30 cts., ½pk. 90 cts., pk. \$1.50, bus. \$5.50.
- 136 Scarlet Runner. A popular English Pole Bean; very ornamental. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 143 White Dutch Runner. Same habit as the Scarlet Runner. Qt. 30 ets., ½pk. \$1, pk. \$1.75, bus. \$6.
- 144 Kentucky Wonder (Old Homestead). Pods green, very long; very prolific. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 162 Black German Wax. Yellow pods. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 165 Flageolet Wax Pole. Large yellow, stringless pods. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 173 Mont d'Or. Early, productive; golden wax pods. Qt. 30 cts., ½pk. \$1, pk. \$1.75, bus. \$6.
- 175 Golden Gluster White. Large golden yellow, flat, stringless pods; fine flavor. Qt. 35 cts., ½pk. \$1.25, pk. \$2.25, bus. \$8.
- 179 French Yard Long. Pods sometimes grow from 2 to 3 feet long, and are very slender, like a pipe-stem; very curious; should be grown on pea brush. Per ½pt. 25 cts.



BURNET.



LIMA BEANS.

## BORAGE.

The young leaves of this annual, which smell somewhat like a Cucumber, are used as a salad, or boiled like Spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, a foot apart, when of six weeks' growth.

Per oz. 1/1b. Lb.

183 Borage ......\$0 15 \$0 40 \$1 25

#### BURNET.

PIMPERNELLA PETITE. Pimpinela. Pimpernell.

The leaves have a warm, piquant taste, and are useful for salads and soups. Sow early in the spring, half an inch deep, thinly in rows.


Per oz. 1/41b. Lb.

191 Garden ......\$0 10 \$0 30 \$1 00

## BEET.

BETTERAVE. Remolacha. Salatrübe.

CULTURE.—Sow as early in the spring as the ground can be worked (5 to 6.lbs. to the acre), and every two weeks after for a succession, up to the first week of July. For general crop sow about the middle of May.



The soil should be light, sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin from 4 to 6 inches. The young Beets pulled out of the row are excellent used as Spinach.

- 192 Extra-early Egyptian. Very early, and of dark blood color; rather flat in shape. Oz. 10c., ¼lb. 20., lb. 50c.
- 193 Crosby Egyptian. Extra early, round, dark red. Oz. 10 cts., ½1b. 20 cts., 1b. 50 cts.
- 194 Extra-early Eclipse. Very early; round rooted and bright red. Oz. 10 cts.; ¼1b. 20 cts., 1b. 50 cts.
- 195 Electric. Extra early, nearly round variety; bright red color and fine table quality. Oz. 10c., 1/4 b. 20c., 1b. 60c.
- 196 Lentz Extra-early Turnip. A large, small-top, round Beet; light red. Oz. 10 cts., ½1b. 20 cts., lb. 50 cts.
- 197 Dewing Early. Of fine form and flavor, and good for market. Oz. 10 cts., ¼1b., 20 cts., 1b. 50 cts.
- 198 Bastian. An early, light-colored turnip Beet; good. Oz. 10 ets., ¼lb 20 ets., lb. 50 ets.
- 199 Columbia. A round, smooth-skinned variety, with deep blood-red flesh; it is very early, and of the finest quality. Oz. 10 cts., ½1b. 20 cts., lb. 60 cts.
- 213 Edmand Blood Turnip. A market-gardeners' strain of great regularity in shape, and very dark flesh of best quality. Oz. 10 cts., ¼1b. 20 cts., lb. 50 cts.
- 214 Early Blood Turnip. Dark red, and of fine flavor; good for winter. Oz. 10 cts., 1/4 lb. 20 cts., lb. 45 cts.

			7410.	
215	Bassano. Early, light color.	\$0 10	\$0 20	\$0 50
	Early Yellow Turnip. Flesh yellow and tender			75
	Half-long Blood. Fine dark strain, for winter		20	60
	Black Queen. Very dark, half-long roots; leaves almost pure black		20	60
230	Victoria. Metallic red foliage	. 15	35	1 25
	Dell. Black-leaved			1 25
234	Long Smooth Blood. A good late variety for winter	. 10	20	50

#### FOLIAGE BEETS.

Kinds of which the leaves only are used; very ornamental.


			. ¼Ib.	
247	Scarlet-ribbed Chilian\$	20	\$0 35	\$1 25
	Yellow-ribbed Chilian		35	1 25
249	Crimson-veined Brazilian	20	35	1 25
	Golden-veined Brazilian	20	35	1 25
252		20	35	1 25
253	Dracæna-leaved	20	40	1 50

Grown exclusively for their handsome foliage.

# MANGEL-WURZEL, SUGAR BEETS, ETC.

Runfelrüben.

CULTURE.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June (5 to 8 pounds to the acre), in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone flour, and 400 lbs. salt per acre. As soon as frost occurs, dig the crop. But in order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases this should be replaced by about 6 inches of either salt-hay, straw, sea-weed, or corn-stalks. Lest this covering be




GIANT YELLOW INTERMEDIATE
MANGEL-WURZEL.

#### MANGEL-WURZEL, SUGAR BEETS, ETC .- continued.

displaced by the wind, a light layer of earth is necessary. As soon as this surface soil becomes frozen, about 6 or 8 inches more of earth should be placed over the entire heap. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from

5 to 8 pounds to the acre.



#### MANGEL-WURZEL.

	Pe	er oz.	1/41b.	Lb.
262	Mammoth Long Red Mangel-Wurzel. Very large, selected strain; 10 lbs. and over, @ 25 cts. per lb			\$0 30
263	Long Yellow Mangel-Wurzel. A good main crop sort; 10 lbs. and over @ 25 cts.			·
265	Yellow Ovoid Mangel-Wurzel. Of distinct shape; one of the most productive sorts.	10	15	30
270	10 lbs. and over @ 25 cts. per lb	10	15	30
0.70	ductive. 10 lbs. and over @ 25 cts. per lb.	10	15	30
272	<b>Ciant Yellow Intermediate.</b> A very large, yellow sort. 10 lbs. and over @ 25c. per lb.	10	15	30
274	Red Clobe Mangel-Wurzel. Similar to the Yellow Globe; productive. 10 lbs. and over @ 25 cts. per lb	10	15	30
276	Yellow Globe Mangel-Wurzel. Large and productive; keeps well, and is relished by stock. 10 lbs. and over @ 25 cts. per lb	10	15	30
278	Orange Clobe Mangel-Wurzel. Similar to the above, but of a deeper, richer color. 10 lbs. and over @ 25 cts. per lb	10	15	30
	10 105, and over (w 20 cts. per 10	10	19	30

#### SUGAR BEET.

KLEIN WANZLEBEN IMPROVED SUGAR BEET.

In view of the increasing interest in the culture of the Sugar Beet, we have had grown for us, under the direction of men of long experience, a supply of the very choicest seeds of several highly improved varieties. On application we shall be pleased to mail circular giving directions for their culture. We recommend 20 to 25 lbs. of seed to the acre. We offer them, so long as unsold, at the following prices:

					25 lbs. and over,
		per lb.	per lb.	per lb.	per lb.
280	Klein Wanzleben	. \$0 30	\$0 25	\$0 20	\$0 15
281	Klein Wanzleben Improved	. 40	35	30	25
282	Vilmorin	. 30	25	20	15
283	Vilmorin Improved	. 40	35	30	25
284	White Imperial (best for poor soil)	. 30	25	20	15
286	White French. Very large; for feeding stock	. 30	25	20	15

#### BROCCOLI.

Broccoli. Broculi. Spargelfohl.

CULTURE.—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as Cabbage, in rich soil. Use the same remedies for insect

The following are sorts best adapted to this climate, and the only ones which succeed generally; they are excellent, and deserve much wider culture than is usual in this country. We recommend No. 307 as the most certain to give satisfactory results.

attacks as are recommended for Cabbage.

	Pe.	r oz.	1/4lb	. Lb.
300	Early White\$(	30	\$0 8	5 \$3 00
301	White Cape	40	1 2	5 4 50
302	Mammoth White	40	1 2	5 4 00
307	Early Purple Cape	40	1 2	5 4 50
313	Purple Sprouting St. Martin	25	7	5 2 50
314	Veitch Self-protecting	40	1 2	5 4 00
316	Chanel Cream	30		



BROCCOLI.


## BRUSSELS SPROUTS.

CHOU DE BRUXELLES. Berza de Brusels. Rosentohl.

CULTURE.—Sow in May, in the same manner as Cauliflower, and transplant in July, 1 foot apart in the rows, which should be 1½ feet apart. In gardens, both large and small, the Brussels Sprout is, without excep-

tion, the very best winter vegetable that can be grown. Not the least valuable point connected with the Brussels Sprout is that it is as hardy as the common Curled Greens. The common Cabbage is hardy enough in a young state, but when full grown and hearted, frost soon destroys the largest heads, which rot and fall to pieces. Not so the Brussels Sprout; being small and hard, it is not in the least affected by frost. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sorts which cooks prefer. They strip off the outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth, like the tenderest Cauliflower, and are equally as good. If more widely known, the Brussels Sprout would be as popular as it is valuable; few people appreciate it at its full worth.

318	Best French, or Roseberry. Very	r oz.	/41b.	Lb.
	good\$0	20	\$0 50	\$1 75
319	Improved Half Dwarf. The very best and surest strain	20	60	2 00
320	Improved Dwarf. Compact heads of fine quality	20	60	2 00
321	Improved Long Island Strain	40	1 25	4 00



BRUSSELS SPROUTS.

30

25

25

10

10

90

80

75

75

75

## CARROTS.

CAROTTE.

Zanahoria.

Möhren.

CULTURE.—Sow No. 323 as early as the ground can be worked; or, for late crop, until the latter part of July. For main crop, sow from the middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop 6 to 7 inches; the rows 10 inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil light, sandy loam, richly manured and deeply dug. Sow at the rate of 2 pounds to the acre. Lb. Early Round Parisian. Small and very tender; for frames 323 or open ground......\$0 15 \$0.30 \$1 00 Early Forcing. Tender and fine; best for early and late 324 15 crops and frames..... 1 00

Bellot. Very early and tender French sort; valuable for forcing or outdoors.....


Half Short Stump-rooted, Guerande Strain. Very thick

Early Scarlet Horn. Very.thick roots.....

Half Long Pointed. A very well-known strain; pro-

Half Long Stump-rooted. An excellent sort, of good

quality .....



Half Long Stump-rooted, Nantes Strain. A popular market sort ..... Half Long Stump-rooted, Chantenay Strain. Style of 334 Namtes; broader shoulder ..... 25 75 ROUND PARISIAN FORCING 336 Carentan. Half long stump-rooted, coreless, red flesh; 10 25 fine quality..... 75 Half Long Stump-rooted, Luc. Useful main crop sort; early and productive, ....... 340 30 1 00 Half Long Danvers. Thick; of good quality and exceedingly productive; one of the 342 most popular sorts..... 25 75 Thorburn Intermediate Long Scarlet. Splendid strain..... 10 25 343 75 25 344 St. Valery. A thick intermediate long red..... 10 75 345 Long Orange. Best for stock-feeding ..... 10 20 65 Altringham. Long red; productive ..... 10 20 50 346 Long White. Very large; for stock.....

## CABBAGE.

CHOU. Berza de repollo. Rohl.

CULTURE. - Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an



EARLY JERSEY WAKEFIELD.

abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall; not too early, or the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm that is so

destructive to the leaves and heads of Cabbage and Cauliflower, an experienced grower says: "Take one ounce of saltpetre and dissolve it in 12 quarts of water; then take a short-handled whisk broom, dip it in the solution, and sprinkle the plants well. One application is sufficient, unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the Cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above the ground.

		Per oz.	⅓1b.	Lb.
351	Early Spring. New, flat, extra early			
352	Express. The earliest of all; small, solid heads; fine quality	. 20	\$0 50	\$1 50
353	Etampes. A fine extra-early small French sort, with pointed heads	. 20	50	1 50
354	Early York. The standard English sort	. 15	40	1 25
355	Large Early York. Larger than the above	. 15	40	1 25
358	Early Jersey Wakefield. Well known, and most valuable for early	. 25	75	2 50
359	Charleston Wakefield. Very large strain of the above	. 30	85	3 00
360	Early Winnigstadt. A standard second-early variety	. 15	40	1 25
368	Stein Early Flat Dutch. A remarkably fine strain; a sure header, the heads weighing			
	from 10 to 12 pounds. Most valuable for forcing, or for general crop	. 25	75	2 50
370	Improved Early Summer. A superior second-early sort; produces large and solid heads	. 25	75	2 50
371	Surehead Improved. Large, solid heads of fine quality	. 20	60	2 00
372	Selected All-Seasons. One of the finest for second-early or late, growing to a large			
	size quickly and surely. The true sure-header		75	2 50
373	Succession Improved. An excellent second-early sort, on style of All-Seasons		75	2 50
374	Filder Kraut, or Pomeranian Pointed Head		60	2 00
376	Fottler Brunswick. Good solid heads, either for second-early or late	. 20	60	2 00
378	Large Late Drumhead. A standard winter Cabbage for main crop	. 20	60	2 00
380	Large Late Flat Dutch. Also a valuable main-crop sort for market	. 20	60	2 00
381	Vandergaw Quick-growing Flat Dutch. A sure-heading sort	. 25	75	2 50
382	Thorburn Market-Cardener's Private Stock Flat Dutch. Fine strain of the im			
	mense winter Cabbage grown on Long Island for market	. 30	85	3 00
383	Thorburn Colossal. Largest and finest of all. (See Novelties)		1 25	4 00
384	Luxembourg. Large, solid head, oval shape, short stem; very tender		75	2 50
385	Danish Ball Head Winter, or Hollander. Very round solid winter sort from Denmark		85	3 00
388	Green Glazed. Glossy green; suitable for hot climates		60	2 00
389	Thorburn Improved Red Stonehead. Very large, solid red heads; the finest strain		85	3 00
390 391	Savoy, Early Dwarf. The earliest Savoy variety; fine quality  "Early Vienna. Very small; delicate flavor		50 50	1 75
392	" Early Ulm. Small, round, deep green head; very early		50	1 75
393	"Thorburn New Stock Drumhead. Very fine strain		60	2 00
394	Chinese Cabbage (Pe-Tsai). Grows like Cos Lettuce		60	2 00

#### CARDOON.

CARDOON. Cardo. Cardon.

CULTURE.—Sow early in spring, in rows where they are to stand, and thin them to 1 foot apart. When full size, bind the plants together with bast or raffia, and earth up like Celery to blanch. The stems of the leaves are used for salads, soups and stews.

Per oz. 41b. Lb.

480 Large Solid. Grows about 4 feet high; leaves nearly free from spines...per pkt., 10c...\$0 30 \$0 85 \$3 00

## CAULIFLOWER.

CHOU-FLEUR.


Coliflor.

Blumenkohl.

CULTURE. - The same as for Cabbage, except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as for Cabbage. To destroy the Cauliflower-maggot, it is recommended to take 1 ounce of sulphuret of potassium and dissolve it in 1 gallon of water. Heat the liquid to about 100 degrees, take a large spoon, or something that will hold the 100th part of a gallon, and pour the liquid against the stalk of the plant just above the ground.

482 Extra-Early Dwarf Erfurt. The very best and earliest for forcing under glass; very dwarf and compact, with short stem and small leaves. It should not be confounded with entirely different sorts advertised under the same name. Pkt. 50 cts., oz. \$6.

483 Thorburn Early Snowball. Our strain of this popular variety is unequaled. one of the best for forcing under glass or for the open ground; it is a very sure header, but not so large as our *Gilt-Edge*. Pkt. 25 cts., oz. \$2.25, ¼lb. \$7.50, lb. \$30.



THORBURN GILT-EDGE CAULIFLOWER.

484	Thorburn Gilt-Edge. Large, heavy sort,	Per oz.	1/41b.	Lb.
	maturing immediately after our Snowball. It is, without any exception, the very best			
	and surest of all the sorts now in cultivationper pkt., 25 cts	25	\$7 50	\$30 0 <b>0</b>
485	Large Early Dwarf Erfurt. Finest strainper pkt., 25 cts	2 25	7 50	30 00
486	Denmark. On the style of Large Erfurt; very fineper pkt., 10 cts	1 50	5 00	20 00
489	Extra-early Paris. Heads of medium size; first-classper pkt., 10 cts	75	2 00	8 00
492	Lenormand Short Stem. Has very large heads; white and firmper pkt., 10 cts	75	2 00	8 00
494	Large Algiers. Market-gardener's popular late sort; enormous sizeper pkt., 10 cts	75	2 00	8 00
497	Early London. Large and hardy	40	1 00	4 00
	Thorburn Nonpareil. A standard sort for general useper pkt., 10 cts	75	2 00	8 00
503	Autumn Giant. Vigorous in growth, and very large; late	40	1 00	4 00

#### TESTIMONIALS FROM LARGE CAULIFLOWER-GROWERS AND SEED MERCHANTS.

J. M. THORBURN & CO.

CUTCHOGUE, N. Y., July 13, 1898.

Gentlemen: I have used your Gilt-Edge, Snowball and Erfurt Cauliflowers for the last 16 years, and always with good success. I have also used other well-known kinds from other houses, but yours always came out ahead. I have also been selling different kinds of Cauliflower seeds for the three years past for the Southold Town Agricultural Society, and the demand is three to one in favor of yours.

Yours respectfully,

(Signed) Purchasing Agent Southold Town Agricultural Society.

J. M. THORBURN & Co.

CUTCHOGUE, L. I., July 11, 1898.

Gentlemen: In reply to your inquiry regarding the merits of your three popular varieties of Cauliflower, I beg to say that I have grown your Large Erfurt since 1876, and your Snowball and Gilt-Edge since they were introduced, and at this time I grow no other varieties. The Gilt-Edge produces very large, heavy heads, requires a long season, and is desirable for early setting to grow for pickling. It makes good heads in warm weather. The Large Erfurt has very fine white heads of large size. It is a sure header, but does not head all at one time, but follows along in succession. We consider it the best for setting from July 4 to 25. Your Snowball is a fine medium-sized variety, heads very clean and quickly, and nearly all at one time. It is, therefore, very valuable for late setting for storing for winter. We use it almost exclusively for the growing of winter Cauliflowers, taking up and storing small, half-grown heads in the latter part of November, in cool cellars or sheds, and holding for the good prices of Christmas and New Year.

(Signed)

WM. A. FLEET.

J. M. THORBURN & Co.

MATTITUCK, N. Y., July 13, 1898. Gentlemen: I have used your Gilt-Edge, Snowball and Large Erfurt Cauliflower seed for 20 years, and never had a poor ounce. You may use my name in support of your highest claims for them.

Yours respectfully,

(Signed)

GEO. C. COOPER.

J. M. THORBURN & Co.

Interlachen, Fla., July 21, 1898.

Gentlemen: In reply to your favor, we would state that, in our opinion, based on our sales of it for the past five years, your Gilt-Edge Cauliflower is by far the best variety for the lower South, and for the past 2 years we have sold more of it than of all other varieties combined.

We are so well satisfied with it that we have no desire to list other new introductions, for they have not proved to be its equal in actual field tests. Yours truly, (Signed) H. G. HASTINGS & Co., Seedsmen.

# CELERY.

CELERI. - Apios. Sellerie.

CULTURE. - Sow the seed in a light, rich, dry border, as early as the ground can be worked, in drills 8 or 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be



dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the north, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be I foot apart, and the plants about 8 inches apart in the rows. A bed 4 feet wide will take 4 rows of plants, leaving 6 inches space on the outside of the first and last rows.

The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times; and in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground, 1 foot wide, and of a depth a few inches less than the height of the Celery. The plants are then lifted and set close together. The edges of the trench should be made sloping from the tops of the plants. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. In such a trench the stalks will blanch perfectly, and may be taken out any time during the winter for use or sale as required. The turnip-rooted or "Knob" Celery needs no earthing up, and may be planted in rows 1 foot apart.

	Pe	er oz.	1/4lb.	Lb.
512	Thorburn Fin de Siècle. We consider this the largest, hardiest, solidest, crispest, best keeping and best shipping winter Celery we know ofper pkt., 10 cts\$	0.25	\$1.00	\$3 50
514	Improved White Plume. Naturally white or light foliage: requires but little banking	J 55	φ1 00	φυ υυ
914	up to blanch; very early, and extensively grown for market	30	85	3 00
516	Colden Self-blanching. A grand variety, on the style of White Plume, except that it is	40	1.05	4 00
	golden yellow where the Plume is white	40	1 25	4 00
517	Rose-ribbed Golden Self-blanching. This beautiful new Celery is a sport from the well-known Golden Self-blanching, differing from that variety only in the handsome			
	rose-tinted ribs, from which its name is derivedper pkt., 10 cts	50	1 50	5 00
518	Perfection Heartwell. One of the finest and largest of winter varieties, either for			
	family or market-garden. The heart is golden yellow, and of superior quality	25	75	2 50
520	Thorburn's Shumacher. Immense size; solid and crisp; firm golden yellow heart; a			0.00
	fine keeper; highly recommended	30	85	3 00
521	Perle le Grand. A hightly recommended new variety. Full golden heart and rich flavor,			
	and an excellent keeper	25	75	2 50
522	Ciant Pascal. An easily bleached and fine keeping large late sort of good flavor	20	50	1 50
523	Large-ribbed Kalamazoo. A good half dwarf white solid Celery	20	50	1 50
528	Evans' Triumph. Fine, large, solid green variety	30	85	3 00
534	Crawford Half Dwarf, or Golden Heart. Of vigorous growth and excellent flavor	20	60	2 00
540	Sandringham Dwarf White. Small, white, solid	20	50	1 50
541	Pink Plume. The same as White Plume, except that the stalks are tinged with pink. It			
	is of very attractive appearance, and possesses the rich flavor and long-keeping quali-			
	ties for which the red Celeries are noted	35	1 00	3 50
546	CELERIAC, or Turnip Rooted. Has edible roots, used for soups and stews. If boiled			
	and served with white sauce, it makes an excellent dish	15	50	1 50
548	Celeriac, Thorburn Giant. The best of the class; very large roots, used for soups and			
	stews. The roots, when cooked and sliced like beets, make fine winter salad	25	75	2 50
550	Celeriac, Apple. Has small foliage and small, smooth roots; for soups	20	60	2 00

### CHERVIL.

CERFEUIL. Perifollo. Benfenlauch.

CULTURE. — Cultivate and use the curled variety of Chervil like Parsley. Sow at any time in the spring, in shallow drills, 1 foot apart, in well-prepared ground. The seed of the Tuberous Chervil should be sown in August or September, and treated like the Carr


and	Dan an	1/11	× 1
552	Curled. The leaves of this are used	7410.	Lb.
002			
	for flavoring soups and stews, and		
	for garnishing, same as Parsley \$0 10	\$0 25	\$0.75
553	Tuberous. A variety which has edi-		
	ble roots 20	60	2 00



CURLED CHERVII.

#### CHICORY. Wild Head in Pauls de

Common of What Coed in Darre de Capacin, a Salad		
much made in France. Sown in June, the roots are	1/1h	Lb.
transplanted in autumn into sand in a cellar. The young shoots form the Barbe de	74	22.04
Capucin $40 10$	\$0.25	\$0.75
Witloof. May be sown in May and June in drills. Transplanted or thinned to 6 inches.	4	,



banked up like Celery. The stalks when blanched make a delicious salad. It is also used by the French as a boiled vegetable, dressed in the same manner as Cauliflower..... 1 00 557 Large-rooted Magdeburg. Roots are the Chicory of commerce ..... 75

## COLLARDS.

CHOU CABU. Cabu. Blatterfohl.

CULTURE.—Sow seed, as for Cabbage, in June, July and August, for succession. Transplant when one month old, in rows a foot apart each way, and hoe often.

Per oz. 141b. Lb. \$0 10 \$0 25 \$0 75

## CORN-SALAD, or FETTICUS.

MACHE. Macha o Valerianilla. Stecksalat.

CULTURE.—Sow during August, or early in September, in drills ¼ inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it lightly to insure germination. Keep down weeds with hoe. Just before the winter, cover thinly with straw or leaves.

	, 01 12110001			
		Per oz.	41b.	Lb.
561	Large-seeded	\$0 10	\$0 20	\$0 60
562	Small-seeded	. 10	25	75
	Green Cabbaging			
	Lettuce-leaved			

## CRESS.

CORN-SALAD, OF FETTICUS

CRESSON. Berre o Mastuerzo.

CULTURE. - Sow Nos. 569 and 571 thickly, in shallow drills, every two or three weeks. No. 569 should be cut often, and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 575 and 576 should be sown in damp soil; or if a stream of water can be utilized, they would be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to sow with water-cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.

	rei	OZ.	74110.	LAD.
569	Curled or Pepper Crass\$0	10	\$0 20	\$0.50
571	Broad-leaved	10	20	50
573	Broad-leaved Winter	15	30	1 00
575	Erfurt Sweet Water Cress			
	per pkt., 10 cts	80		
576	True Water Cress	40	$1 \ 25$	4 00





# CORN, SWEET or SUGAR.

MAIZ. Maiz. Mais.

CULTURE.—Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side shoots. Make the ground rich with well-rotted manure. Sown in drills, a greater yield from a given surface will be obtained. The best fertilizer is Thorburn's Complete Manure. By sowing successive lots and properly selecting varieties, the supply of Sweet Corn can be kept up until hard frosts kill the plants.

EXTRA EARLY.

	EXTRA EARLY.	-	70	-	-	-
580	Early Cory. A very early variety, with good-sized ears and large grains.	Per ear	Per qt.	Per ½pk.	Per pk.	Per bus.
	This is excellent for market, and has attained wide popularity		\$0 20	\$0 60	\$1 00	\$3 00
581	White Cory. Resembles the ordinary Cory, but with white cobs	05	25	75	1 25	4 00
582	Marblehead. One of the earliest; dwarf, with short, thick ears; of good quality for an early sort, which especially commends it	05	20	60	1 00	3 50
583	Minnesota. Nearly as early as Marblehead; of dwarf growth	05	20	60	1 00	3 50
584	Perry Hybrid. Very early and of large size; most valuable for market	05	20	60	1 00	3 00
585	Melrose. As early as the Perry Hybrid, and much larger; valuable	05	25	75	1 25	4 00
586	Burbank Early Maine. Large, pure white ears of fine quality; extra early.	05	25	.75	1 25	4 00
590	Extra-early Adams. Not a Sugar Corn, but largely grown for early use	05	20	60	1 00	3 00
	SECOND EARLY, OR INTERMEDIATE.					
593	Shaker Early. Very large, white grain, and quite early	05	20	60	1 00	3 50
599	Crosby. Matures after Minnesota; fair-sized ears of good quality	05	20	60	1 00	3 50
608	Pee and Kay. Ears large and thick; a desirable variety	05	20	60	1 00	3 00
609	Stabler Pedigree. A good main crop sort	05	20	60	1 00	3 50
610	Potter Excelsior. Good size, and a week earlier than Large Excelsior	05	20	60	1 00	3 50
611	Moore Concord. Of strong growth; ears large and well-filled	05	20	60	1 00	3 00
617	Early Adams. Not a Sugar Corn, but grown extensively for market	05	20	60	1 00	2 50
	GENERAL CROP.					
618	Large Eight-rowed. Very productive, and of superior richness	05	20	60	1 00	3 00
619	Asylum. Thick, 12-rowed	05	20	60	1 00	3 00
620	Triumph. Large ears, very white; productive	_ 05	20	60	1 00	3 <b>5</b> 0
622	Hickox Improved. Handsome ears, very white and of rich flavor	05	20	60	1 00	3 00
624	Roslyn Hybrid. Large-growing variety of very fine quality	05	20	60	1 00	3 50
626	Stowell Evergreen. Remains green a long time, and is highly prized; one	0-	90	CO	7 00	0.00
007	of the most popular varieties	05	20	60	1 00	3 00
627	Early Mammoth. Very large and not very late	05	20	60	1 00	3 50
	LATE.					
200		0=	90	CO	1 00	2 70
-630	Black Mexican. Very sweet and of superior flavor; grains black	05 05	20 20	60 60	1 00	3 50 3 50
634	Ne Plus Ultra or Shoe Peg. Small, but one of the sweetest sorts grown.	05 05	20		1 00	3 50
640	Late Mammoth. Rank in growth; large ears, rich and sweet	05	20	60	1 00	3 00
644	Egyptian. Large and of superior quality; largely used for canning  Country Gentleman. Same as Ne Plus Ultra, but with large ears; of de-	00	20	60	1 00	3 00
646	licious quality	05	20	60	1 00	3 50
650	Sweet Fodder Corn. For soiling and ensilage					2 50
	For Field Corn, See Cereals, page 51.					



THORBURN EVERBEARING CUCUMBER.

## CUCUMBER.

CONCOMBRE. Pepino. Gurfe.

CULTURE.—For very early, sow seeds in hotbeds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or they may be protected by hand glasses, or even by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod land, turned over in the fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

Well	D.		1/4lb.	Lb.
660	Thorburn 1896 Pickler. In size, symmetry, slimness, color and productiveness, a per-	r oz.	7410.	шо.
000	fect pickling strain \$	10	\$0 25	\$0 80
662	Thorburn Commercial Pickle. A valuable sort of the White Spine type, retaining its	. 10	φυ 20	φο οσ
002	dark green color long after pickling; very handsome	10	25	80
663	Thorburn Everbearing. Small-sized; very early and enormously productive, and valu-	10	20	00
000	able as a green pickler. It continues to flower and produce fruit until killed by frost,			
	whether the ripe Cucumbers are picked off or not	10	25	80
663a	Fordhook Pickling. A first-class new pickling sort. It is wonderfully prolific, and con-	10	20	00
0000	tinues to bear longer than all others. It is tender and crisp, and of the best size and			
	shape for pickling	10	25	80
664	shape for pickling.  Early Russian. Very early, short; is a valuable variety for small pickles	10	20	60
665	Cool and Crisp. Extra early and very prolific; long, straight, slender, and very dark			00
000	green; good either for pickling or slicing.	10	25	80
667	Early Short Green. Good for pickling; productive.	10	20	60
668	Early Green Cluster. Fruit small and in clusters; very prolific	10	20	60
669	New Orleans Market. Very productive, a good keeper and shipper; good for forcing			
	or open ground.	10	25	75
670	White Spine Improved. A very handsome and uniform early variety. It is very pro-			
	ductive, crisp and of fine flavor. This is the sort that is so largely			
	grown in the South for early shipping to the northern markets	10	20	60
671	" Extra Long. A beautiful, large and well-shaped Cucumber, slightly			
	longer in maturing than the above	10	20	60
671a				
	for forcing or for outdoors	10	20	60
672	" Peerless. Very early strain	10	20	60
673	Evergreen. Very early and prolific; retains its fine, deep green color in all stages of			
	growth	10	20	60
674	Long Green. Long and crisp; a popular and reliable variety for pickles	10	20	60
675	Long Green Turkey. Fruit very long and rather slim	10	20	60
676	Ciant Pera. Very long, and one of the best for table use	15	30	1 00
678	Green Prolific Pickling. One of the best for pickling; dark green, very productive and	10	20	60
679	of uniform small size	10 10	20	50 50
680	Nichol Medium Creen. Most symmetrical, and a very fine table sort	10	20	60
681	Boston Pickling. A favorite eastern sort, of fine quality	10	25	80
682	White Pearl. The best white sort; it ripens early and is very productive	10	20	60
683	Small Cherkin. Very small bur; used for pickles.	10	30	1 00
684	Japan Climbing. Good for frames or open ground.	10	25	80
001	Control of the Broaders	-0	20	

#### ENGLISH CUCUMBERS FOR FRAMES.

(Concombre especes Anglaise pour Couches.)

CULTURE.—The following are for growing in hotbeds, or houses particularly constructed for forcing, so that a supply can be furnished during the winter months, at which time the prices are very remunerative. Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam lightened and enriched with old manure, taking care to give plenty of air and water. Robustness of habit is especially valuable in winter, and therefore the soil should not be too light. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with a sheet of brown paper until the seeds

#### CUCUMBERS—continued.

germinate. Afterwards uncover and ventilate, to insure steadiness of habit. More seeds should be planted than the number of plants required, as some may fail to grow, and others that germinate may be weaklings. None but strong plants should be employed. It will be necessary to fertilize the pistillate flowers with the staminate, in order to render the vines productive, as owing to the absence of insects, they will not produce a crop under glass the same as in the open ground.

	The I delects contain from a to 10 3ccds cuch, according	15, 00 3	,010,	
	Per pkt.	1	Pe	r pkt.
699	Prescott Wonder. Rapid growing and	705	Improved Sion House. A popular and	
	very prolific; long, dark green fruit, pro-		valuable variety	\$0.25
	duced in clusters \$0 25	706	Goliath. Very prolific	25
700	Duke of Edinburgh. Very large and			
	long; dull green; quite smooth 25	108	Telegraph. Free-bearing, long and exten-	07
701	Giant of Arnstadt. Good bearer 25		sively grown; handsome	25
	Sutton's Progress, Rich, dark green 25	709	Lockie's Perfection. Fine color	25
	Swan's Neck	711	Tender and True. Fine form; good color.	25
	Noa's Forcing. Very productive 25		Cuthill's Black Spine	25
IUT	reda s i ordingi reti productive 20	614	Cuthiir's black Spine	20

#### DANDELION.

PISSENLIT. Amargon. Bardeblum.

CULTURE .- The Dandelion is a hardy perennial plant, and one of the most desirable early spring salads. Sow in early spring, in drills 1/2 inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender, and destroys to some extent their bitter taste, without in any way impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus: A This excludes the light and improves the greens, rendering them far superior to those found growing wild in the grass without cultivation, which are almost sure to be bitter, and are often unsightly and tough as


WEIL	· P	er oz.	⅓1b.	Per lb.
737	French Garden	0 20	\$0 60	\$2 00
738	Improved Thick-leaved	40	1 25	4 00
739	Endive-leaved. New	50	1 75	6 00



IMPROVED THICK-LEAVED DANDELION.

## EGG-PLANT.

AUBERGINE. Berengena. Cierpflange.



IMPROVED NEW YORK EGG-PLANT.

4 inches apart. Do not plant out until weather has become perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting, in case of weather changing unexpectedly. Keep plants watered for a few days, if the sun is hot when put out. Set out plants 3 feet by 2.

9 10	Co Dy 2.			
	Pe:	r oz.	1/4lb.	Lb.
740	Improved New York Spineless.			
	The standard, largest and best;			
	large, oval, deep purple; early			
	and productive; grown more ex-			
	tensively than any other sort \$0	35	\$1 00	\$3 50
741	Early Dwarf Purple. Dwarf, very			
	early; small-sized, ovoid fruit			
	of good quality	35	1 00	3 50
742	Long Purple. Of distinct shape			
	and fine quality	20	60	2 00
743	Round French. Medium size,			
	pear-shaped, pale purple; good			
	quality	25	75	2 50
744	Black Pekin. Round, blackish			
	purple fruit; has dark foliage	30	85	3 00
745	Scarlet Chinese, Small and			
	ornamental	30	85	3 00
746	Round White. Small and orna-	-		
	mental	30	85	3 00
747	Long White. Small and orna-	-		
	mental	30	85	3 00
740		-00		-
748	Striped. Fruit is striped purple	20	85	2 00
	and white	30	89	3 00

#### ENDIVE.

CHICOREE.

Escarola o Endivia. Endivie.

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart, and water well afterward, if dry. When the leaves are 6 or 8 inches long, blanch by gathering in the hand and tying together

near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry, and have plenty of air, or they will rot.

		oz.	1/4lb.	Lb.
750	Green Curled Winter. Standard sort for fall and winter crop\$0	20	\$0 60	\$2 00
751	White Curled. For early use	20	60	2 00
752	Laciniated. A fine French sort	25	75	2 50
753	Broad - leaved (Escarolle). A sweet variety; fall and winter	20	60	2 00
754	Large Green Curled (de Ruffec). Broad ribs; fine for fall and winter	25	75	2 50
755	Savoy-leaved Self-blanching	25	75	2 25



BROAD-LEAVED ENDIVE.

## FENNEL, FLORENCE or NAPLES.

FENOUIL DE FLORENCE. Finocchio di Napoli.

CULTURE.—Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart, and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles Celery, but with a sweet taste and a more delicate odor. Per oz., 15 cts.; per ½1b., 50 cts.; per 1b., \$1.50.

## KALE, or BORECOLE.

CHOU VERT FRISE. Col. Rrausfohl.

CULTURE.—Nos. 759 to 773 are cultivated and grown exactly like Cabbage. No. 777 sow in September for early greens. Sow 780 early in the spring in a hotbed, and when from 1 to 2 inches high transplant into a bed or border that has been highly manured and deeply dug. The plants should stand 2 feet apart in rows 3 feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the winter. Plants started and grown in this way should be fit to blanch the following spring. The seed may also be sown early, in the open border, and transplanted in rows (as directed above), as soon as out of the seed-leaf; but they will need to be a year older than the hotbed plants before being fit to blanch. Sea Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand. The midribs are the parts eaten. They are cooked like Asparagus, and usually served with drawn butter.

	Per	· OZ.	⅓lb.	Lb.	
759	Curled Dwarf Green Scotch. Very dwarf and spreading; best strain		\$0 20	\$0 60	
760	" Tall Green Scotch. A taller growth of the above	10	20	60	
768	" Dwarf Brown. Very hardy	15	30	1 00	
769	" Tall Brown. Very hardy		35	1 25	
773	" Striped and Variegated. For garnishing	20	60	2 00	
777	"Siberian, Thorburn Improved. Uniformly dwarf, green curled; hardy	10	20	60	
780	Sea Kale. Very fine; resembles Celery in appearance	25	75	2 50	
782	Pe-tsal. (The Chinese Cabbage.) Grows like Cos Lettuce; delicate cooked as Spinach				
	or raw for salad; best as a fall crop.	20	60	2 00	
783	Jersey Winter Kale, or Cow Cabbage. Said to be hardy from New Jersey southward.				
	The leaves make valuable winter cattle-feed.	10	30	1 00	



KOHLRARI.

### KOHLRABI.

CHOU-RAVE. Colinabo. Robirabi.


CULTURE.—This is an excellent vegetable, and should be grown in every garden. Sow in spring, in rows 18 inches apart, afterwards thinning the plants to 8 or 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. They are cooked same as Turnips, and when well grown and used at the proper stage, are tender and very palatable.

784	Early White Vienna. Handsome and	r oz.	7411).	110.
104	delicate; white ball\$0	25	\$0.75	\$2 50
785	Early White Vienna. For frames	35	1 00	3 50
789	Early Purple Vienna. Purple ball; a			
	very good sort	30	85	3 00
790	Early Purple Vienna. For frames	35	1 00	3 50
791	Large White, or Green. Forms a larger			
	ball; not so fine, but more productive.	15	50	1 50

# LETTUCE.

LAITUE. Lechuga. Salat.

CULTURE. - Sow Nos. 799, 803, 806 and 807 in hotbeds in March, and in the open ground as soon as it can be



THORBURN MAMMOTH BUTTER LETTUCE.

worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again, as also Cos, for a succession. In August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thin, and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 or 8 inches apart. To have Cos in good order, they must be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. They require tying for a few days, when grown, to blanch. Lettuce requires good ground, enriched with thoroughly rotted manure and well pulverized. The afterculture should be close and careful, to secure the best results.

	T.	er oz.	⅓lb.	Lb.	
794	Thorburn Maximum. (New.) For description, see Noveltiesper pkt., 10 cts\$	\$0 40	\$1 25	\$4 00	
795	Emperor Forcing. Yellow, earliest of all; suited only for frame	20	60	2 00	
797	Selected Buttercup. Yellow, solid, small heads; for forcing or outdoors	15	40	1 25	
799	Thorburn Market-Cardener's Private Stock. A selected strain; solid, large heads,				
	resisting the sun for a long time before shooting up. Valuable also as an early sort, to be started under glass for early spring transplanting into open ground	20	60	1 75	
800	Coldframe White Cabbage. For starting in coldframes and setting out early	20	50	1 50	
801	Hubbard Market. A large, white Cabbage variety; for forcing or open ground	15	30	1 00	
803	Big Boston. Fine for forcing in coldframes or for open ground	20	50	1 50	
804	Large Boston. Very large, solid heads; fine for forcing	20	50	1 50	
805	Prize Head. Large, loose heads, tinged with brown	15	30	1 00	
806	Early Curled Simpson. A leading early sort; very tender; white seed	15	30	1 00	
807	Black-seeded Simpson. A superior variety; large, and of light color	15	30	1 00	
809	American Cathering. Twisted and curled leaves; fine for early or late sowing	20	50	1 50	
-810	Reichner. Large, white, solid heads; good for forcing or outside	15	30	1 00	
811	Sensation. A fine, solid, head variety; for forcing or open ground	15	30	1 00	
812	Thorburn Class-house. For forcing under glass	20	60	2 00	
815	Tennisball White Seed. A well-known forcing variety	15	30	1 00	
817	Stone Tennisball Black Seed. Forms close, hard heads; for forcing	15	30	1 00	
829	White Summer Cabbage. Close heads, of good size; fine for summer	15	30	1 00	
831	New York Cabbage. Large, solid heads; dark green color	20	50	1 50	
837	Colden Stone Head. A handsome Head Lettuce; small and solid; for forcing	20	50	1 50	
840	Improved Salamander. Fine, compact heads, which resist the summer heat admirably.	20	50	1 50	
841	Thorburn Mammoth Butter, Black Seed. A selected strain, with large, solid yellow	00	00	0.00	
	heads. The favorite variety of New York market-gardeners	20	60	2 00	
843	Large Yellow Butter, Gray Seed. One of the best; large head	15	30	1 00	
845	Crand Rapids Forcing. Large, tender; one of the best for early forcing	15 15	30 30	1 00	
846	Deacon. A large, solid Cabbage Lettuce for summer	25	75	2 50	
-848	Shotwell Brown Head. Large, handsome, tender heads; very hardy	20	60	2 00	
849	Trocadero. Hardy and early; for spring or summer; green leaves, tinged russet  Hardy Green Hammersmith	20	50	1 50	
850	Improved Hanson. Very large and solid; withstands the hot sun well	15	30	1 00	
860	White Cos Romaine. Fine, if sown very early; requires tying up to blanch	15	40	1 25	
862	Trianon Self-closing Cos. The finest of all the Cos sorts, resisting warm weather	20	50	1 50	
002	Thanking our crossing dost the file our sortes, resisting warm weather		50		

#### ICE-PLANT.

FICOIDE GLACIALE. Escarchosa.

CULTURE.—Sow in good garden soil as soon as the ground becomes warm in spring, in shallow drills 1 foot apart. Thrives well in hot, dry climates. Desirable for boiling like Spinach, or for garnishing. Pkt. 5c., oz. 40c.

## LEEK.

Poireau. Puerro. Porro.

CULTURE.— Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 7 inches high, transplant them in rows 12 inches apart, and as deep as possible, but do not cover the young center leaves. Water thoroughly, if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September, and the young plants transplanted in spring to where they are

	Pe	c oz.	1/4lb.	Lb.
869	Best Large Flag Winter. Hardy and productive\$0	20	\$0 60	\$2 00
872	Large Rouen Winter. A standard sort; remains long in good condition	20	60	2 00
873	Large Carentan, or Mussel- burgh. A superior variety with distinct and dark-colored leaves; stout in habit, and hardy	20	60	2 00
874	London Summer	15	50	1 50



## MARTYNIA.

(For Pickles.) Gemfenhorn.

CULTURE.— Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or the seed may be sown in a hotbed, and the seedlings afterwards transplanted. These varieties are productive, and fine for pickles. Pick when small and tender, and preserve the same as Cucumbers.

Per oz. ½1b. Lb. Craniolaria, Proboscidea, Lutea (three varieties)......each..\$0 30 \$0 75 \$3 00

#### MUSHROON SPAWN.

BLANC DE CHAMPIGNON. Seta. Champignonbrut.

CULTURE.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse-dung, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. Three or 4 feet wide, 8 inches deep, and any length desired, are the proper proportions for a bed; but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a



MUSHROOMS.

few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From experience with French and English Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the English; but if the bed is not in the right state, it will often rot. The English Spawn, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing its vitality. It is well to keep these points in mind in ordering spawn.


English Spawn. 15 cts. per lb., 10 lbs. for \$1, 100 lbs. for \$9.

French Spawn. Per 3-lb. box, \$1.20; in bulk, per lb., 45 cents.

# MELON, MUSK.

MELON MUSCADE. Melon Muscatel. Cantalupe.

CULTURE.—Select a light, sandy, rich soil and after all danger of frosts is over, and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, 6 to 12 seeds to a hill. When up, and all danger of insects



has passed, pull out all but 3 plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust, is excellent to sift over the young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out of doors under hand frames or glasses.

It is quite important that proper soil be selected for growing Musk Melons, as on heavy soil the quality will be poor.

White Japan. Early, with light green flesh and white skin ..... Rocky Ford. For description, see Novelties..... 1 50 Nutmeg. Named from its shape; green flesh, sweet; good for main crop; early...... Chicago Nutmeg. Of fine quality, and larger in size than the foregoing..... Hackensack. Large, round and of good quality; a popular variety; early..... Extra-early Hackensack. Ripens 10 days earlier than the Hackensack; very early .... 

The Surprise. Early; oblong, with rich orange flesh of good quality.....

Melrose. Oval, dark green, densely netted; flesh thick, light green, shading to salmon.

Osage.Cocoanut-shaped; yellow flesh; light green, netted skin; good quality1020Hybrid Bay View.Very prolific, and of great size; oblong; green flesh; late1020Perfection.Salmon flesh, very sweet; round, netted1020Orange Christina.One of the finest orange sorts; round, very sweet, and very early1020

893 The Banquet. Beautifully netted, medium sized; flesh rich salmon; fine quality. 10 25 75
894 Ward Nectar. Small, finely netted; green flesh; fine flavor; early. 10 20 60
895 Cosmopolitan. Round, densely netted; green flesh; very sweet 10 20 60
896 Baltimore Market. Oblong; orange flesh, of fine quality; intermediate 10 20 60
897 Newport. Extra early, small, round; green flesh, of fine flavor. 15 30 1 00

Green Montreal. Large, round, netted; flesh thick and light green; late ...... Jersey Belle. Deeply ribbed, heavily netted green flesh, fine quality ..... Banana Citron. Cucumber-shaped, highly perfumed; of indifferent quality; late..... Pomegranate. Ornamental; for perfume; late ..... 1 25 

## IMPORTED VARIETIES.


			1	FRENCH VARIETIES.	
928	Invincible Scarlet\$0	kt. 25	937	Red-fleshed Lyons	Pkt. 0 25
930	Monroe's Little Heath	25	938	Green-fleshed Provence	25
931	Blenheim Orange	25	939	Orange-fleshed Trevoux	25
934	Gilbert's Green-flesh	25	940	Nevers Warted	25
935	Lord Beaconsfield	25			
026	Richarle Enverite	25			

# MELON, WATER.

MELON D'EAU. Zandia. Baffermelone.

CULTURE.—Treat the same as Musk Melon, except that they should be planted 8 or 10 feet apart, according to variety. Light soil is best.

- 950 Vau Cluse Red-seeded-Very early; shape elongated; flesh bright crimson. Per oz., 15 ets.; ¼lb., 30 cts.; lb., \$1.
- 966 Hungarian Honey. A very early sort. Fine for northern latitudes; perfectly round; flesh brilliant red. Per oz., 15 cts.; 1/4lb., 30 cts.; lb., \$1.
- 968 Jordan Gray Monarch. Largest grown; crimson flesh; late. Ber oz., 10 cts.; ¼lb., 20 cts.; lb., 50 cts.
- 970 Kolb Gem. Large, bright red flesh of fine quality, and a good shipper; intermediate. Per oz., 10 cts.; ¼lb., 20 cts.; lb., 50 cts.
- 970a Pride of Georgia. Round, large, crisp; bright red flesh; intermediate. Per oz., 10 cts.; ¼lb., 20 cts.; lb., 50 cts.



	Ib., 50 cts.		7 (22	
			. ¼lb.	Lb.
971	The Boss. Oblong, dark green; flesh deep scarlet, and rind thin; intermediate\$	) 10	\$0 20	\$0 50
975	Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early.	10	20	50
976	Light Icing. Round, pink flesh of fine quality	10	20	50
978	Mammoth Ironclad. Long, very large, late; red flesh; good shipper	10	20	60
979	White-seeded Ice Cream. Very early; red flesh	10	20	50
981	Phinney. Early, and of fine quality; red flesh	10	20	50
982	Volga. Pale green skin; red flesh; late	10	25	75
983	Dixie. Excellent quality; very large and solid; flesh red; intermediate	10	20	50
984	Kentucky Wonder. Oblong; dark green skin, scarlet flesh	10	20	60
986	Seminole. Very large; quality first-rate; intermediate	10	20	50
987	Cuban Queen. Solid and heavy; skin marked regularly; excellent quality; early	10	20	50
990	Black Spanish. Large, roundish, nearly black; dark red flesh; early	10	20	50
996	Mountain Sweet. An old and reliable sort; flesh red; late	10	20	50
1000	Florida Favorite. A superior strain; improvement on Rattlesnake; intermediate	10	20	50
1003	Goodwin Imperial. Crimson flesh, fine quality; small, nearly round; extra early	10	25	75
1025	Southern Rattlesnake. Oblong, dark and striped; bright red flesh; late	10	20	50
1026	Cole Early. Medium size; red flesh, green skin	10	20	60
1027	Sweetheart. Very large; bright skin; fine quality	-10	20	50
1028	Maule Wonderful Sugar. Very sweet; handsome, oblong shape	10	25	75
1029	Apple Pie, or Colorado Citron. Used for preserves; green seed	10	20	50
1030	Citron. Round and handsome; for preserving; red seed	10	20	50

#### MUSTARD.

MOUTARDE. Mostaza. Senf.

C	ULTURE.—Sow thickly during early spring, in shallow drills, and press the earth we	ll dow	vn. Fo	or fall
salad,	, sow in September, or in frames or boxes during winter.	er oz.	1/4lb.	Lb.
1035	Black. These seeds form the mustard of commerce	0 05	\$0 10	\$0 25
1036	White London. Leaves used for salad while young; grows very rapidly	05	10	25
1038	Ciant Southern Curled. Very large leaves	10	20	50
1039	Chinese Broad-leaved. Leaves of agreeable flavor when cooked like Spinach	10	25	75

#### NASTURTIUM.

CAPUCINE. Maraneula. Nasturtium.

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for Capers.

	Pe	er oz.	1/4lb.	Lb.		Pe	r oz.	1/4lb.	Lb.
1041	Tall Crimson\$6	15	\$0 30	\$1 00	1043	Tall Mixed\$6	10	\$0 25	\$0 75
1042	Tall Yellow	15	30	1 00	1044	Dwarf Mixed	10	30	1 00

# ONION.

OIGNON. Cebolla. Zwiebel.

CULTURE. - Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds.



- 1045 White Early Barletta. A small white Italian sort; earliest of all. Oz. 20 cts., ¼ lb. 60 cts., lb. \$2.
- 1047 White Queen. Pure white; small; flat; extra early; fine for pickling. Oz. 20 cts., ¼ lb.50 cts., lb.\$2.
- 1048 White Pearl, American grown. Extra early; round; pure white; fine flavor. Oz. 25 cts., ½ lb. 75 cts., lb. \$2.50.
- 1049 White Pearl, Italian grown. Extra early; round; white; fine flavor. Oz. 20 cts., ¼ lb. 60 cts., lb. \$2.
- 1053 White Victoria. Italian, white, globular sort; very large; mild flavor. Oz. 25 cts., 1/4 lb. 75 cts., lb. \$2.50.
- 1054 White Large Portugal. The standard large flat sort. Oz. 30 cts., ½ lb. 85 cts., lb. \$3.

	Per oz.	⅓lb.	Lb.	
1055 White Large Clobe (Southern strain). Very large and handsome	\$0 30	\$0 85	\$3 00	
1056 "Tripoli. Very large, white Italian variety	20	60	2 00	
1057 "Mammoth Carganus, or Silver King. Silvery white Italian	25	75	2 50	
1057a "Maggiajota. Large size; flat; silver-skinned Italian variety	20	60	2 00	
1058 "Bermuda (Teneriffe grown). Very early	30	85	3 00	
1059 " Dutch Round Hard. One of the best white pickling sorts	20	60	2 00	
1060 "Thogburn Excelsior Pickling. One of the best whites for pickling	20	60	2 00	
1061 Yellow Danvers. A standard sort; early, and a good keeper	15	50	1 50	
1062 " Globe Danvers. Of more globular shape; keeps well	15	50	1 60	
1063 "Strasburg, or Dutch. Fine keeper; flat; yellow skin, white flesh	15	50	1 50	
1064 "Large Clobe (Southern strain). The finest large yellow	25	75	2 50	
1066 "Globe Spanish, or Prizetaker. Immense size; globe-shaped; light yellow	25	75	2 50	
1067 "Globe Spanish, or Prizetaker. Italian-grown seed		75	2 50	
1069 " Giant Rocca. Productive and mild; of very large size	15	50	1 50	
1072 Red Large Wethersfield. Half-early, and a good keeper; large size	15	50	1 60	
1074 " Large Clobe (Southern strain). The finest large red sort	30	85	3 00	
1075 "Early Clobe. Like above, but earlier, and not so large	20	60	2 00	
1075a "Early Flat. Medium size; very early; deep red; mild flavor	15	50	1 60	
1076 " Giant Rocca. Productive and mild; of very large size	15	50	1 50	
1078 " Globe Madeira. Light red	20	60	2 00	
1080 " Mammoth Carganus. Very large Italian sort	20	60	2 00	
1081 "Victoria. Italian, red, globular sort; very large; mild flavor	20	60	2 00	
1082 "Bermuda (Teneriffe grown). Very early	30	85	3 00	
1084 "Ætna. A fine Italian variety	20	60	2 00	
1085 "Bassano. Dark blood-red Italian sort	20	50	1 75	
1086 Welsh. The leaves are used for salad early in spring. Sow early in fall	15	50	1 50	
1088 Imported Shallot Seedper pkt., 10 ct	s			

#### ONION SETS, ETC.

Onion Sets and Tops should be planted near the surface, in drills about 12 inches apart and 4 inches in the rows. They must have high culture for the best results. They are valuable for early use, and where Onions from seed cannot be raised the first year, they are essential.

These are the prices ruling in January; later on they may be higher, owing to shrinkage and rotting.

Yellow Onion Sets	Per qt. \$0 20	½pk. \$0 80	Pk \$1 00	Bus. \$3 00
White Onion Sets	25	75	1 25	4 00
Red Onion Sets	20	60	1 00	3 50
Red Top Onions	20	60	1 00	3 00
White Potato Onions	30	90	1 50	5 00
Garlic Setsper lb., 30 cts				



OKRA.

A

Per oz. ¼lb.

10

10

10

\$0 20

20

20

20

20

keep down weeds.

1109

Thorburn Hollow Crown.

market - gardener's strain.....\$0 10

standard variety.

large; fine sort... 1111 Maltese. One of the best sorts; not quite as long as the Long White .....

Long White, A

1110 Abbott Improved. Smooth and quite

1112 Early Round.....

## OKRA, or GUMBO.

GOMBAUD. Quimbombo. Safran.

CULTURE. - Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted.

	Pe	r oz.	$\frac{1}{4}$ lb.	Lb.
1097	Dwarf Green Density. Very tender, long			
	pods\$	10	\$0 20	\$0 60
1098	Dwarf Green	10	20	50
1099	White Velvet. Tender white pods	10	20	50

## ORACH, or FRENCH SPINACH.

ARROCHE. Armuella.

CULTURE. - Sow early in spring; cultivate and use like Spinach. Per oz. ¼lb. 

#### PARSNIP.

Chirijia. Pastinafe. Panais.


CULTURE .- Sow as early in the spring as the ground can be worked, in rich soil, in drills 18 inches apart. The ground should



PARSNIPS.

## PARSLEY.

Persil. Perijil. Beterfilie.



EXTRA-CURLED PARSLEY.

CULTURE. - Soak the seeds a few hours in lukewarm water, and sow early in spring, and until the middle of July, in drills 1 foot apart. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 1122 should be thinned out while young, and managed in after cultivation the same as Carrots and Parsnips

us ou	roos and raisinp			
	P	er oz.	1/4lb.	Lb.
1115	Extra Curled.			
	Superior	\$0 10	\$0 25	\$0 75
1116	Moss Curled.			
	_ Very pretty	10	25	75
1117				
	Fine curled	10	25	75
1118	Plain. The or-			
	dinary form	10	15	40
1120	Beauty of the			
	Parterre.			
	Most beauti-			
	ful for edg-			
	ing, and			
	equally good			
	as a condi-	7.0	40	1.05
1100	ment	15	40	1 25
1122	Hamburg, or			
	Rooted. Ed-	10	90	00
	ible roots	10	20	60



## PEAS.

Pois. Chicharos o Guisantes. Erbjen.

Culture.—A week may be gained in earli-

ness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as 20th of August. Sow in single or double rows, from 4 to 6 inches apart, according to the different heights, about an inch apart in the rows (except such sorts as we note to sow thinly), and 4 inches deep. In this climate the O'Rourke Peas, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often, and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching-in. The dwarf varieties may be grown in beds like bush beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the pea weevil (Bruchus pisi). This insect is a native of this country, but, as usual with such pests, has spread rapidly, and is now found nearly all over the world. The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods into the nearest Peas. They do not, as is sometimes supposed, destroy the germ, for Peas will grow if they are infested, but the plant is likely to be more feeble, and for this reason will not produce as large a crop as if free from the weevil.

EXTRA EARLY PEAS Height in feet		Per	Per	Per bus.
1141 Thorburn Extra-early Market. Our standard market-garden extra-early Pea; productive and profitable to grow				\$3 50
1143 First-of-All. First-class selected strain of extra earlies	25	75	1 00	3 50
1144 Philadelphia. Resembling First-of-All	20	60	1 00	3 25
1145 Daniel O'Rourke Improved. Extra-early; favorite market-gardener sort21/2	25	75	1 00	3 50
1146 Alaska. One of the very earliest blue Peas; quite productive	20	60	1 00	3 25
1147 Gradus. Without doubt the finest extra-early Pea yet introduced; it ripens almost as early as our Extra-early Market. The pods are large, and well-filled with large wrinkled deep green Peas of the very finest quality	60			
1148 *Exonian. A new extra-early wrinkled sort; very productive; finest quality21/2	35	1 25	2 25	8 00
1149 *American Wonder. Extra-early and productive; fine quality	25	75	1 25	4 50
1150 *Nott Excelsior. A splendid extra-early wrinkled sort; very prolific	25	75	1 25	4 50
1151 *Alpha. An extra-early wrinkled Pea; sow thickly	25	75	1 25	4 00
1152 *Premium Cem. Extra-early; straight pods, well-filled	25	75	1 25	4 00
1153 *McLean Little Gem. Extra-early; straight pods	25	75	1 25	4 00
1154 Blue Beauty. Pods medium size; Peas of fine flavor	25	75	1 25	4 00
1156 Gregory's Surprise. For description, see Novelties	35	1 25	2 25	8 00
1162 *Station. Extra-early wrinkled. very productive; large pods, well-filled, and ripening but a few days later than the very earliest	25	75	1 25	4 50

EXTRA-EARLY PEAS—continued. Height in feet.		Per ½pk.	Per pk.	Per bus.
1164 *Duke of York. Very large, long, full pods, and Peas of finest flavor; very				
· · ·		\$0 85 75		\$5 50
1165 *Chelsea. Extra long pods, well-filled with Peas of finest quality	$\frac{25}{25}$		1 25	4 00
1168 Blue Peter. Extra-early; very dwarf; round blue Peas!	49	19	1 25	4 00
EARLY AND MEDIUM PEAS.				
Daisy. A new dwarf wrinkled second early variety, bearing large, well-filled pods, each containing 8 to 10 deep colored Peas of the finest flavor	95	1 25	9 00	7 00
pods, each containing 8 to 10 deep colored reas of the linest havor	35 20	60	$\frac{2}{1} \frac{00}{00}$	7 00
1186 *McLean Advancer. A fine, standard sort, of excellent quality	20	60	1 00	3 50
1187 *Abundance: Long, round, well-filled pods; sow thinly	25	75	1 25	4 00
1188 *Horsford Market-Carden. On the style of Advancer; very prolific	20	60	1 00	3 50
1200 *Everbearing. Long pods and large Peas; sow thinly	20	60	1 00	3 50
1201 Pride of the Market. Very large pods, green Peas; sow thinly	30	85	1 50	5 50
1203 *Prince of Wales. Heavy cropper; Peas of fine flavor	25	75	1 25	4 00
1206 *Champion of England. A well-known, standard variety; sow thickly5	25	75	1 25	4 00
1210 *Duke of Albany (American Champion). Immense pods on style of Tele-			. 20	2 00
phone; very superior	30	85	1 50	5 00
1212 *Heroine. Large, full pods; enormously productive	25	75	1 25	4 00
1213 Improved Fillbasket. Of excellent flavor; one of the best	30	85	1 50	5 00
1214 *Shropshire Hero. Very productive; fine flavor; long, handsome pods21/2	20	60	1 00	3 50
1216 Yorkshire Hero. A spreading variety; very productive; sow thinly	20	60	1 00	3 50
1232 French Canner. Very productive; the best canning sort	20	50	75	2 50
MAIN AND LATE CROP PEAS.				
1235 St. Duthus. A fine new wrinkled main-crop variety; round dark green pods,				
well filled with very sweetly and finely flavored Peas4	60			
1236 *Juno. Large straight pods; fine quality; very productive	25	75	1 25	4 50
1239 *John Bull. On the style of Stratagem, but a little taller; fine quality2½	20	60	1 00	3 50
1240 *Stratagem Improved. Very large pods; Peas of first quality	25	75	1 25	4 50
1242 *Queen. Very large, handsome pods, filled with large, dark green Peas of	0.5			
finest flavor; first-class main-crop variety	25		×1 25	4 50
1246 Telegraph (L.I. Mammoth). Very large pods and Peas of excellent flavor4	25	75	1 25	4 50
1248 *Telephone. Enormous pods and Peas of first-class quality	25	75 50	1 25	4 50
1251 White Marrowfat. A favorite; heavy yielder	20	50	75 	2 50
1236 Black-eyed Marrowiat. Very hardy and profine	20	50	75	2 50
SUGAR PEAS. (EDIBLE PODS.)				
Sugar Peas have edible pods, which are eaten when young.				
1260 Giant White. Very large; fine quality	30	1 00		6 00
1263 Melting Sugar. One of the best edible-pod sorts	30	1 00	1 75	6 00
1266 Mammoth Crey-seeded Sugar. Immense pods		1 00		6 00
Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated than the round Peas, and not till the ground has become warm, as they are more liable to a	shou ot, '	ld be s They a	sown the	hicker finest


Those marked with a star (\*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas, and not till the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas.

# PUMPKIN.

Potiron. Calabaza. Große Kürbiß.

CULTURE.—May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects, are cultivated in the same manner as melons and cucumbers. Avoid planting them near other vines.

Cere err.	Trong planting them hear emer these.	er oz.	1/4lb.	Lb.
1300	Large Cheese. Flat; one of the best varieties for family use	\$0 10	\$0 20	\$0 60
1302	Early Sugar. Fine-grained, sweet and prolific	10	20	60
1304	Quaker Pie. Fine for pies, very prolific and a good keeper	10	20	60
1305	Winter Luxury. A fine keeper and one of the best for pies	10	25	75
1306	Black Negro. New Hampshire Pumpkin.	10	20	60
1308	Colden Oblong. Orange skin, light yellow flesh, fine quality, good keeper	10	20	60
1310	White Cushaw. A pure white, crookneck variety of excellent quality	10	20	60
1312	Striped Cushaw. Medium size, crookneck; very productive	10	20	60
1314		10	25	80
1316	Japan Grookneck. Fine keeper, of first quality; entirely distinct	10	20	60
1318		10	20	60
1320	Mammoth Clobe. Very large, globe-shaped; thick yellow flesh, of good quality	20	50	1 50
1322	Mammoth King. Grows to an enormous size	20	50	1 50
1324		10	20	60
1326	Mammoth Tours. A very large French variety	10	25	75
1328	Tennessee Sweet Potato. Bell-shaped; thick, white flesh; fine for pies	10	20	60
<b>13</b> 30	Connecticut Field. Grown for stock; productive		10	25



CARMAN NO. 1 POTATO.

## SEED POTATOES.

Grown Expressly for Seed.

Rartoffeln.

POMME DE TERRE. Patatas.

Culture.—In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets 1 foot in the rows. If wood ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado potato-beetle makes its appearance, the vines must be dusted with Paris green mixed with about 80 parts of plaster; or, what is better, mix the Paris green in water, one small tablespoonful to a pail, and apply with a small brush or broom. Take care to stir the mixture often, or else the Paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

These are the prices ruling in January; later on they may be higher.

	EARLY VARIETIES.	Per ½pk.	Pk.	Bus.	Bbl.	
1349	The Thorburn. We recommend it as positively the best for first crop. It is t earliest of all, and the best in quality, and is also very productive and of good s and form.	ize	0 85	<b>\$</b> 2 50	\$5 00	
1350	Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure white flest Very productive and of the finest quality; a first-class early variety		70	2 00	4 00	
1363	True Early Rose. Very early, fine quality; very productive	40	70	2 00	4 00	
1365	Early Maine. Smooth; extra early; very productive	40	70	2 00	4 00	
	INTERMEDIATE AND LATE VARIETIES.					
1367	Thorburn New White Peach-blow. A seedling of the old Excelsior, and like the variety, it is distinguished for its very fine table qualities. The flesh and skin a pure white, and though very dry when cooked, it does not fall to pieces as madry sorts do. One of the best for keeping for winter use	are ost	85	2 50	4 50	
1368	Carman No. 1. This most valuable Potato was introduced by us in 1894, and it now a recognized high-class standard sort the world over. It is in every respethe finest second-early Potato ever offered; enormous yielder, handsome and us formly large; peculiarly white skin and flesh; perfect in quality and very dry	ect ni-	75	2 25	4 50	
1369	Carman No. 3. One of the best late Potatoes; the greatest yielder ever introduce very large tubers; of handsome form and few and shallow eyes; fine quali Best of all for field culture.	ty.	75	2 25	4 50	
1384	State of Maine. Very productive; white skin and flesh; free from rot and of sperior quality; a fine late variety.		85	2 50	5 00	
1394	Delaware. Large, and of fine quality; in color white; an immense yielder		75	2 25	4 50	

## PEPPER.

PIMENT.

Pfeffer.

CULTURE.—Sow in hotbeds in March, and when the soil has become warm set in rows 2 feet apart and 18 inches in the rows; hoe frequently, and keep down all weeds. The plants may also be forwarded in small pots.

	Per	oz.	1/4lb.	Lb.	)
1412	Ruby King. Beautiful bright red fruits, 4 to 6 inches long; very				
	mild; one of the best for stuffing\$0	25	\$0 75	\$2 50	
1413	Large Squash. Productive; much used for pickles	20	60	2 25	
1414	Long Red Cayenne. Bright red; very productive	20	60	2 00	
1415	Large Beil. Large and mild; bright red; standard sort	20	60	2 00	
1416	Oxheart. Heart-shaped and of medium size; fine for pickling	30	85	3 00	
1417	Procopp Giant. Very large size and brightly colored; fine flavor	40	1 25	4 00	
1420	Sweet Colden Dawn. Very hand- some and distinct, and of mild flavor	20	60	2 00	
1421	Mammoth Golden Queen. Very large fruits; rich, golden yellow color; early	30	85	3 00	
1423	Red Cherry. Cherry-shaped; for pickles, for which they are largely				
	used	25	75	2 50	
1425	Red Chili. Very productive; very small; red, and very pungent	25	75	2 50	
1426	Red Cluster. A new type of Chili, with upright, bright red fruits	25	75	2 50	
1427	Monstrous. Very large French sort.	25	75	2 50	
1428	Sweet Spanish. Large, mild; used for salad	25	75	2 50	
1429	Sweet Mountain. Large, regular,				RUBY KING PEPPER.
	and of mild flavor	20	60	2 00	Per oz. ¼lb. Lb.
1430	Celestial. At first fruit is yellow, but	whe	en fully	matur	ed it becomes a deep scarlet\$0 25 \$0 75 \$2 50
1432	Eiephant's Trunk. Long scarlet frui	ts, s	hape of	f an ele	ephant's trunk



#### RAMPION.

Reponche.

Rapunzel=Rübe.

CULTURE.—Sow in the open ground early in May, either broadcast or in drills 10 inches apart. As the seed is very fine, it merely requires to be pressed firmly into the soil. Thin out the seedlings if they come out too thick, and water frequently during hot weather. The roots may be gathered for use from October onward throughout the winter.

Rampion. The roots and leaves are excellent as salad......\$0 30 \$0 85 \$3 00

## ROQUETTE.

ROQUETTE.

Jaramago.

CULTURE.—Sow early in spring, in rows, and thin out to 8 or 10 inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange blossoms.


MESSRS. J. M. THORBURN & Co.

RAMPION.

EL PASO, TEXAS, July 27, 1898.

Dear Sirs: I consider it my duty to inform you about the results I had with the seeds I bought of your firm. The Jute seed gave an enormous amount of plants. The same is the case with your Cotton, and the Honduras Tobacco, which is a broad-leaved kind, is doing extremely well in this climate, far superior to the Havana Tobacco. The Sunflowers came up exceedingly well. Alfalfa, which I sow in poor, sandy soil, can be cut already, after three months, being 2 feet high. As for Muskmelon, Long Island Beauty is a kind that cannot be praised enough, on account of earliness, productiveness, and size. In all, I must thank you for the honest way you treated me, and cannot omit to recommend the southern farmer to buy your northern-grown seeds, as they never fail to give satisfaction and to yield immense crops.


Very respectfully yours, (Signed) E. SCHMIDT.



SCARLET TURNIP FORCING RADISH.



FRENCH BREAKFAST RADISH.



OLIVE-SHAPED GOLDEN YELLOW RADISH.



WHITE SUMMER TURNIP RADISH.



THORBURN IMPROVED BLACK SPANISH RADISH.

## RADISH.


RADIS ET RAVE. Rabanos y Rabanitos. Rabies und Rettig.

CULTURE.—Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. They should be sown in light, rich soil, as a crisp radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast.

Those marked with the asterisk (\*) are best suited for market-gardeners.

U	Those marked with the asterisk (*) are best suited for market-gardeners.			
		r oz.	⅓lb.	Lb.
	*Turnip Early French Scarlet. Very early\$		\$0 20	\$0 50
1442	" *Forcing. Crisp and beautiful; very early	10	25	70
1444	" " *Deep Scarlet. Very early	10	20	50
1446	" " *Forcing. Crisp; matures in about twenty days.	10	25	70
1447	" *Scarlet White-tipped. Very early for frames or out-doors	10	20	50
1448	" " " Forcing	10	25	70
1451	" *Prussian Scarlet Clobe-shaped. Fine for forcing or open ground	10	25	75
1454	" *Non Plus Ultra. Extra early scarlet forcing; short-leaved	10	25	70
1456	" Deep Blood Red. Extra early forcing sort	10	25	75
1458	" White or Box. Suitable for forcing; flesh pure white and sweet	10	20	60
1462	" Large White Summer. Of large size and roundish form	10	20	60
1464	" *Yellow Summer. Dull yellow; fine flesh; popular in New York market	10	20	60
1466	" *Colden Summer. Smooth and bright skin	10	20	60
1468	Round Scarlet China. Fine for winter or summer; grows in six to eight weeks	20	50	1 50
1470	*Olive-shaped, French Breakfast. Pink and white; early	10	20	50
1471	"Colden Yellow. A new sort of very fine quality	10	25	75
1472	"White. Mild and fine for summer	10	25	70
1473	" Deep Scarlet	10	20	60
1474	Half-long Deep Scarlet. Flesh bright and crisp	10	20	60
1476	*Long Scarlet Short Top. Very long and crisp; for frames or open ground	10	20	50
1477	" Brightest Scarlet White Tipped	10	20	60
1478	" *Scarlet Chartier White Tipped	10	20	50
1480	" *Wood Early Frame. Long, red, crisp, and good for forcing	10	20	50
1482	" White Naples. Slender; for summer use	10	20	50
1484	"White Vienna, or Lady Finger. Crisp and tender in summer	10	20	50
1488	*White Strasburg Summer. Very large; the German's favorite	10	20	50
1490	" *Stuttgart Summer. Very early and very large	10	20	60
1492	*Winter Scarlet Chinese. Very handsome and distinct, and keeps well	10	20	60
1494	"*Long Black Spanish. The popular winter sort	10	20	50
1495	" *Thorburn Improved Half-long Black Spanish. Very fine strain	10	20	60
1496	" Round Black Spanish. Fine for winter	10	20	50
1502	" Large White Spanish. Fine for winter	10	20	60
1504	" California White Mammoth. A very large white winter variety	10	25	75
1506	Raphanus caudatus (Edible-pod Radish; Rat-tailed Radish). Has edible seed pods;			
	used raw or pickledper pkt., 10 cts	50		







NON PLUS ULTRA RADISH.

### RHUBARB.

Ruibarbo. Rhabarber. RHUBARB.



SALSIFY.

CULTURE .- Sow seed in a coldframe, in a fine, rich, sandy loam, about the first of March, in drills 4 inches apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the row. The following spring transplant again to 4 or 5 feet apart each way, and the next spring the stalks will be large enough to pull. When roots are set out, plant them 4 or 5 feet apart each way, and keep the weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seeds where only a few plants for family use are needed. In the fall the bed should have a thick dressing of coarse manure, to be spaded under in spring.

				Per oz.	7410.	LD.
1514	Linnæus.	The earliest		\$0 20	\$0 50	\$1 50
1515	Victoria			20	50	1 50
	Rooms		each 10 etc · per doz	<b>\$1</b>		

## SALSIFY, or VEGETABLE OYSTER.

Ostion Vegetal. Haferwurzel.

CULTURE. - Sow as early as the ground can be worked in the spring, in drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces 1/2 inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips, and have a sweet, agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow 8 to 10 lbs. to the acre. Per oz. ¼lb. Lb.

1528	Long White French\$0	10	\$0 30	\$1	00
1529	Improved French. Very thick and smooth	25	75	2	50
1530	Mammoth Sandwich Island, Large and superior	15	50	1	50

### SCOLYMUS.

A vegetable from Spain. The roots resemble a small Parsnip, and will keep through the winter like a Turnip. It is cultivated exactly like the Carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled, like Salsify.

1535 Scolymus ....

## SWISS CHARD, or SILVER BEET.

This is a Beet producing leaves only, of a superior quality to those of the ordinary Beet, and excellent as greens. Cultivate about the same as Spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will greatly increase the delicacy and tenderness of the leaves.

Per oz. ¼lb. Lb. 1536 Swiss Chard.....\$0 10 \$0 20 \$0 50

### SPROUTS.

CHOUX VERTS NON POMMES.

CULTURE. - Sow No. 1537 very early in spring, and Winter Kale in September. Full directions for growing the latter will be found on page 25, under head of Kale.

1537 Spring Sprouts, or English Rape. Per lb., 15 cts.; per 100 lbs., \$7.

1538 Winter, or Siberian, Thorburn Improved. Per oz., 10 cts.; per 1/4lb., 20 cts.; per lb., 60 cts.



#### SCORZONERA.

Escorzonera.' Scorzionwurzel. SCORZONERE.

CULTURE.—Cultivate the same as Salsify. It is cooked in the same manner, but on account of it being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to Salsify. It is also called Black Salsify.

1541 Scorzonera .....

### SORREL.

Acedera. Sauerampfer. OSEILLE.

CULTURE.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flowerstems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like Spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds Spinach. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.



#### SKIRRET.

Buckerwurgel. CHERVIS.

CULTURE.—Sow in drills 1/2 inch deep, a foot apart; thin out to 8 inches in the row; keep down the weeds. Take up the roots before winter, and store in sand or earth. It is a plump, fleshy root, containing a quantity of sugar, and

is eaten like Scorzonera or Salsify.



SORREL.

weather, when

the

Spinach cannot be had .....

ordinary

10

#### SPINACH.

Espinaca. Spinat. EPINARD.

Culture.—Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks, for a succession, and as it grows, thin out for use. For fall use sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves, after the weather becomes quite cold. Keep clear of weeds. Sow the seed of New Zealand (which must be scalded and soaked in hot

LONG-STANDING SPINACH.

water before sowing) in hills 3 feet apart each way, three or four seeds in a hill. This is fit for cutting all

sumn	amer.		Per oz. ¼lb.	Lb.
1566	6 Round Viroflay (Thick-leaved). Has very laite market-gardeners' sort			
1570	Round-leaved Flanders. A standard sort			40
1573	3 Curled-leaved Savoy, or Blooms-Per oz. 1/411 dale. Large curled and wrinkled leaves; tender, and of the finest flavor			
1575	leaved). Dark green; leaves large and thick; very long-standing before running to seed. The			
1576	best for spring growing 10 1.  5 Victoria (new). Extra dark black- green color. Two or three weeks later than the ordinary "Long- standing." A fine variety for spring sowing			
1578	8 Prickly, or Winter. Vigorous and hardy, and recommended for fall sowing			
1579	New Zealand Summer. Distinct; grows well during hot summer	3 40		623

1 00

## SQUASH.

COURGE

Calabaza.

Speife Rurbiß.

CULTURE.—Sow in hills in the same manner and at the same time as Cucumbers and Melons, the bush varieties 3 to 4 feet apart, and the running kinds from 6 to 9 feet apart.

	TIE	ES.	
Per	oz.	1/4lb.	Lb.
1583 Early Colden Bush. Fine for summer use:			
not as early as the			
White Bush\$0	10	\$0 20	\$0 50
1584 Colden Custard.  Nammoth strain of			
the Golden Bush. A			
valuable new bush			
variety; golden yellow flesh; fine quality	10	20	60
1585 Early White Scallop	10	20	00
Bush. A good early			
shipping variety	10	20	50
1586 Silver Custard. A mammoth strain of			
Early White Bush.			
It is very large, and			
VARIOUS SQUASHES. the flesh is of fine quality	10	20	60
1588 Summer Crookneck. Yellow fruit; distinct; best for summer	10	20	50
1589 Giant Summer Crookneck. Double the size of the above	10	20	60
1590 Egg-Plant Bush Squash. White flesh; suitable for frying, like egg-plant	10	25	75
1590a Cocozell Bush. A fine variety; oblong shape; skin smooth, dark green, marbled			
yellow or pale green	15	30	1 00
DUNING HADIETIES			
RUNNING VARIETIES.			
1591 Early Orange Marrow. Quite distinct; very early, and of most delicate flavor; suitable			
for fall or winter	10	20	60
1593 Boston Marrow. Oval; bright orange; flesh yellow and fine	10	20	60
1594 Hubbard. Well known, and liked for late use; of superior quality; large size; color	7.0	0.5	~-
green, marked with orange; flesh dry, fine-grained, and of fine quality	10	25	75
fine table quality	10	25	80
1595 The Faxon. Medium size; very early and productive; orange flesh of fine quality	10	25	75
1596 Turban. Orange-yellow flesh; good flavor	10	20	60
1599 Pike's Peak. Thick, bright orange flesh; fine winter sort	10	20	60
1600 Essex Hybrid. A good fall and winter sort	10	25	75
1601 Marblehead. Resembling the Hubbard, but has gray skin; very productive, and a fine	10	95	~~
keeper; dry, sweet, and of the finest flavor	10	25	75 75
1604 Cocoanut. Of first-rate quality, and very prolific	10 10	25 25	75 75
1606 <b>Delicata.</b> Orange-yellow, striped green; small size, but very prolific; it is extra-early,	10	20	15
very solid, and a good keeper; flesh dry and of fine quality	10	20	60
1607 Red China. Small size; red skin and orange-yellow flesh	10	25	75
	10	25	75
1607a Fordhook. One of the best winter sorts; fine quality	10	20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort		20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10		60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10	20	2.0
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10	20 20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20	
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20 20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20 20	60
Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20 20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10	20 20	60
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10 10 20	20 20 50	60 1 50
1609 Pineapple. Peculiar shape; white skin and flesh; fine late sort	10 10 10 20	20 20 50	60 1 50

## TOMATO.


TOMATO. Tomates. Liebesapfel.

CULTURE.—Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window, when one does not wish to have the trouble of making a hotbed.

of frost is past, setting the plants 3 or 4 feet apart each way. Vines, to keep the fruit from touching the ground. (See the tomato supports illustrated on page 57 of this Catalogue.) Fruit may be had several weeks earlier by sowing seed quite early, and transplanting to small pots; when these are filled with roots, shift to a larger size, and transplant to open ground when the weather is warm and settled, shading from the sun for a day or so. As the roots are not disturbed in taking plants from the pots, the plants suffer no check, but grow right on.

Skilful cultivators, by selecting and hybridizing, have greatly improved the Tomato.






1617	The Waldorf. (Thorburn.) Perfect			
	shape, large, smooth, fine quality;			
	very solid; dark, shining rose color;	er oz.	1/4lb.	Lb.
		\$0 30	\$0 85	\$3 00
1618	The Democrat. (Thorburn.) The finest large Tomato; bright roseper pkt., 10c	40	1 25	4 50
1619	The Autocrat. (Thorburn.) Very large, solid and productive; color of Acme		75	2 50
1620	The Aristocrat. Medium size; rich glossy red; smooth, solid		75	2 25
1621	Thorburn Terra Cotta. Quite distinct in color, form, skin and flesh; pure terra cotta.		85	3 00
1622	Thorburn Lemon Blush. Skin and flesh bright lemon, with a faint rose blush; large.		85	3 00
1623	Thorburn Long Keeper. Bright red, early, very productive; fine keeper		75	2 50
1624	Thorburn New Jersey. One of the finest sorts; large, solid, smooth, bright scarlet		75	2 50
1625	Freedom. A new variety, ripening a large proportion of fruit earlier than other sorts;			
	strictly smooth, very regular and uniform; bright scarlet per pkt., 10 cts		1 25	4 00
1626	Matchless. Extra large; smooth and handsome; bright red; very solid		85	3 00
1627	Early Ruby. Very early; large size; bright scarlet color		75	2 50
1628	Ponderosa. The largest variety in cultivationper pkt., 10 cts		1 25	4 50
1629	Crimson Cushion. Extra large; handsome; bright crimsonper pkt., 10 cts		1 75	6 00
1630	Ignotum. Very prolific; earliest of the large, deep red, smooth varieties		60	2 25
1631	Sutton's Best of All. Highly recommended for growing under glass.per pkt., 10 cts	60	1 75	6 00
1633	Dwarf Champion. Quite distinct, early; resembles the Acme in appearance	25	75	2 25
1634	" New Scarlet. Light scarlet color; prolific, early; good quality	30	85	3 00
1635	Imperial. Early, large, smooth, solid; fine quality; color of Beauty	25	75	2 25
1636	Atlantic Prize. The earliest of all; smooth, bright red and of good size	25	75	2 25
1638	Perfection. Early, regular and productive; reddish scarlet	20	60	2 00
1640	Favorite. Large, smooth, productive, and a good shipper	20	60	2 00
1641	Beauty. Large, smooth, dark, pinkish red; thick flesh; regular form	20	60	2 00
1642	Stone. Very large, perfectly smooth; fine bright scarlet	20	60	2 00
1643	Fordhook. Extra early, fine, smooth, solid; medium size	30	85	3 00
1645	Acme. Medium size; smooth and good; purplish pink color	. 20	60	2 00
1646	Paragon. Bright red, round; very productive	20	60	2 00
1647	Buckeye State. Very large and productive; smooth, uniform, good quality	30	85	3 00
1648	Honor Bright. Rich, bright red; long keeper and fine shipping sort	30	85	- 3 00
1649	Royal Red. Intense bright red color; good main crop variety	25	75	2 50
1650	Horsford Prelude. Bright crimson, round, smooth; very early		75	2 50
1651	Mikado. Very large, smooth, solid; purplish red		75	2 50
1653	Trophy Improved. Very solid; standard late variety; fine for canning; dark scarlet		75	2 50
1654	Lorillard. Bright, glossy red, smooth; of fine flavor, and very early	25	75	2 50
1656	Colden Queen. About size and form of Beauty; smooth, golden yellow		75	2 50
1659	Yellow Plum-shaped. Round and regular; bright yellow; used for pickles		75	2 50
1660	Yellow Pear-shaped. Handsome, yellow, pear-shaped fruits		75	2 50
1664	Peach. Resembling a peach; for preserves, pickles and exhibition; quality excellent		75 75	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$
1668	Yellow Peach. Very handsome in form and of a beautiful clear yellow color Yellow Cherry. Similar to preceding, save in color		75 75	2 50
1675 1678	Red Pear-shaped. Fruit handsome and solid; fine for preserves		75	2 50
1682	Red Currant. Very small and handsome; for preserves		85	3 00
1685	Strawberry. (Winter Cherry or Husk Tomato,) Small fruit; makes delicious sauce		85	3 00

## TURNIP.

NAVET. Nabo. Rübe.

CULTURE.—For early Turnips sow as soon as ground opens in spring. Nos. 1766 to 1774 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from middle of July to end






# Seeds of Pot, Sweet and Medicinal Herbs.

	Per pkt.	Oz.	LD.
Agrimony. For medicinal purposes		\$0.75	
Angelica, Garden. For flavoring wine and cakesArchangelic	ca officinalis 05	15	\$1 25
Anise. Seeds aromatic and carminativePimpinella	Anisum 05	10	80
Arnica. Tincture of Arnica is made from it	tana 10	1 25	
Baim. For culinary purposes	cinalis 05	30	
Basil, Dwarf or Bush. Culinary herbOcymum m		20	1 50
Sweet. Culinary herb, used for flavoring soups, etc Ocymum b		20	1 25
Belladonna. Used in medicine		60	1 10
Bene. The seeds yield a good oil. The leaves are used for	10	00	
children for dysentery and diarrhœaSesamum c	rientale 05	15	1 00
Boneset		60	2 00
Borage. Leaves used as a salad	•	15	1 25
Caraway. Used in flavoring liquors and bread		10	75
Catnip. Has medicinal qualities		40	4 00
Chamomile		75	
Coriander. Seeds aromatic		10	75
Dill. Seeds used for flavoring vinegar Anethum g	raveolens 05	10	60
" New Mammoth. Much larger than the above		15	1 25
Elecampane. Has tonic and expectorant qualities Inula Hele	nium 10	75	
Fennel, Sweet. Seeds aromatic; for flavoringAnethum F	œniculum 05	10	75
Florence. In flavor resembling celery		15	1 50
Foxglove, Purple. Has medicinal qualities Digitalis p		20	1 50
Fumitory. A medicinal herb	•	75	1 00
Cromwell. A medicinal herb. Lithosperm		25	
Hemlock. Has medicinal qualities		75	
Henbane. Has medicinal qualities	~	20	1 50
Horehound. Has medicinal qualities	0	20	2 00
Hyssop. Has medicinal qualities		20	2 00
Lavender. For oil and distilled waterLavendula	vera 05	20	1 50
Lovage. Has medicinal qualitiesLevisticum	officinale 05	30	3 00
Marshmallow. Has medicinal qualitiesAlthea offi	cinalis 05	40	
Marigold, Pot. Used in soups	officinalis 05	15	1 25
Marjoram, Pot. Used in seasoningOriganum	Onites 10	50	5 00
" Sweet. Used in seasoningOriganum I		20	1 50
Pæony officinalis. Has medicinal qualities		15	1 50
Pennyroyal. Has medicinal qualities		60	6 00
Peppermint		00	0 00
Rosemary. Yields an aromatic oil and water		30	3 00
· · · · · · · · · · · · · · · · · · ·			
Rue. Said to have medicinal qualities		15	1 50
Saffron. Used in medicine, and also in dyeing		10	75
Sage, Common. A culinary herb; also used in medicine Salvia offic	inalis	15	1 50
"Red. Used as a culinary herb, and also in medicineSalvia Hor	minum 05	20	2 00
"Purple. Used as a culinary herb, and also in medicine. Salvia Hor. Savory, Summer. Used as a culinary herb		20	2 00
Winter. Used as a culmary herb		15 20	80 2 00
Tansy. Generally used in bitters		20 35	3 50
Tarragon. True. Does not produce seed. Roots in fall and spring		90)	9 90
Thyme, Broad-leaved, English. Used as a seasoningThymus vu		35	3 50
French		30	2 50
Wormwood. Has medicinal qualitiesArtemisia.	Absinthium 05	30 30	2 50
The state of the s	in the state of th	90	2 00

## BURBANK'S NEW HYBRID WALNUT, "ROYAL."

Juglans nigra X Juglans Californica.

We have purchased the entire crop of this most interesting and valuable hybrid Walnut from the celebrated originator, Mr. Luther Burbank, and we offer the limited supply at the moderate prices mentioned.



"Royal" is a cross between Juglans nigra and Juglans Californica, and produces nuts in abundance and of the largest size, as may be seen from the life-size engraving, from a photograph. The quality is very much superior to that of either parent. The meat, which is very large, and parts more readily from the shell, has none of the disagreeable strong taste of the common American Black Walnut, and much more sweetness and character than the California Walnut.

In foliage, growth and general appearance the characteristics of both parents are about equally combined in the hybrid. Bearing nuts when young, and abundantly as it does, a promising new field is open for producing still other variations.

The nuts germinate freely, and, though varying within certain limits, yet reproduce the rapid-growing parent hybrid form with only an occasional reversion.

PRICE — Sample package for 75 cts.; in lots of 1 pound and upwards, \$1.25 per pound.

HYBRID WALNUT, "ROYAL" (life size).

## FRUIT SEEDS.

02022,	\$0 30 30 25 30 20	\$20 00	Per oz.  Peach Pits (nat'l pits) per bus., \$2.  Pear Seed, German	\$0 10 1 50 4 50 25	\$18 00 18 00 15 00

#### NATIVE GRAPE SEEDS.

	•			
	Per oz.	Lb.	Per oz.	Lb.
Vitis	Æstivalis (Summer Grape)\$0 25	\$2 50	Vitis monticola (Texas Mountain Grape) \$0 25	\$2 50
+ 4	Californica (California Wild Grape). 25	2 50	" riparia (Riverside Grape) 25	2 50
4.6	cinerea (Sweet Winter Grape) 25	2 50	" indivisa 25	2 50
6.6	cordifolia 25	2 50	" rotundifolia 25	2 50
4.6	lahrusea (Northern Fox Grane) 25	2.50		

#### SEEDS OF HEDGE PLANTS.

(See also Tree Seeds, pages 66 to 70.)

	(011 1111 1111 1111	2 - 0
	Per lb.	Per lb.
Arborvitæ, American.	Thuja occidentalis \$1 75	HawthornCratægus Oxyacantha.\$0 50
Balsam Fir	Abies balsamea 1 25	Locust, Honey, or Three-
Barberry, Common	Berberis vulgaris 75	thorned AcaciaGleditschia triacanthos 40
" Purple-leav	edBerberis folio-pur-	Locust, Yellow Robinia pseudacacia 40
*	purea 1 50	Norway Spruce Picea excelsa 1 00
Broom, Scotch	Genista scoparia 50	Osage Orange Maclura aurantiaca 50
	Rhamnus catharticus. 75	Privet, Japan or California. Ligustrum Japonicum. 1 00
Cornelian Cherry	Cornus mascula 50	
Furze, or Gorse	Ulex Europæa 75	Sheepberry (Black Haw)Viburnum prunifolium 1 00
,	•	

#### VARIOUS VEGETABLES USED FOR PICKLES.

Directions for culture of each will be found under the proper heads. For prices, see body of Catalogue.

Beans, Refugee.

" Lyonnaise.
Beet, Blood Turnip.
Brussels Sprouts, Best French.
Cabbage, Red.
Cucumber, Green Prolific.
Cauliflower.

Melon, Vine Orange or Mango.
Martynia.
Nasturtium, Tall.
Onion, White Portugal.
" Queen, and others.
Pepper, Chili.

Pepper, Sweet Mountain.

"Oxheart.
Tomato, Yellow Plum.
"Red Cherry.
"Strawberry.
"Yellow Cherry.

Celestial.

#### VARIOUS VEGETABLES USED FOR SALADS.

For prices and cultural directions for these vegetables, see body of Catalogue.

Amaranthus caudatus. Borage. Burnet. Celery.

Cherkin.

Corn Salad. Curled Cress. Dandelion. Endive.

Escarolle. Lettuce. Nasturtium, Tall. Pepper, Sweet Spanish. Roquette. Sorrel. Water Cress. Witloof.

## Fine Mixed Lawn Grass Seed.

FORMATION OF LAWNS FROM SEED.

In the first place, see that your ground is thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but in preparing it for laying down, let the surface be as much alike in quality as possible.

If your ground is in condition to raise a good crop of potatoes, it will make a good lawn; add about half a ton of bone dust to the acre, harrowed in before sowing the seed. A very light raking-in will protect the seeds much, or a sowing of wood ashes will render them distasteful to birds. Rolling, however, is at all times indispensable.

The best time to sow lawn grass seed is early in the spring, or about the latter part of August. We prefer the early spring.

Let the ground all have a surface of about six inches alike, for nothing looks worse than to see a lawn grow all in patches. One exception, however, may be mentioned, and that is, if there be any steep slopes facing the south, or other exposed places, let the earth on them be better and deeper than on the ground level, as they are more liable to burn out. When the grass becomes well established, it should be frequently cut. The oftener you mow, the finer and softer your grass will be.

It is proper here to observe that no lawn can be maintained long in good order without successive rollings. Mowing alone will not secure a good bottom without that compression which the roller tends to give. The rolling should be done in the spring, before the ground becomes dry.

To Grass a Bank or Terrace.—For each square rod, take a pound of lawn grass seed and mix it thoroughly with 6 cubic feet of good, dry garden loam. Place in a tub, and add liquid manure, diluted with about



two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, and made as even and as thin as possible.

#### CENTRAL PARK MIXTURE.

For lawns of any extent, we recommend this, our best mixture, to be sown from three to five bushels to the acre. (15 lbs. to bus.) Per quart, 25 cts.; ½ peck, 65 cts.; peck, \$1; bushel, \$3.50. (We can also make special good mixtures at lower prices).

#### THORBURN'S LAWN-RESTORING GRASS SEED.

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots. To restore a lawn that is partially worn-out or burned, the best time is very early in spring, as soon as the frost is entirely out of the ground. The bare spots should be well scratched or raked up, and this seed sown liberally. Cover the seed very thinly with earth, and then roll or press down firmly with the back of the spade. Some Lawn-Restoring Grass Seed should be kept always on hand, and before every rain during the summer some of it should be sown on any part that may appear thinner than the rest. Seed may be sown in fall, as late as from 1st of September to 1st of October, according to the weather. Price per quart-box, 30 cts.; per bus. of 24 lbs., \$5.

#### PERMANENT GRASS SEED FOR GOLF LINKS.

We have always on hand all the valuable natural grasses of Europe and America, and we are familiar with the habits and merits of each. We shall be glad to prescribe for whatever the requirements of the Links may be, for poor land or rich, high and dry, or low and wet.

Golf Links Mixture. For the grounds in general. Per bushel of 20 lbs., \$2.50.

Putting-Green Mixture. A mixture of extra fine grasses, that will make a close, firm, green and lasting turf, which will improve the more it is tramped on. Per quart, 30 cts.; peck, \$1.50; bushel, \$5.

# GRASS SEED MIXTURES.

#### FOR MEADOW AND PASTURE.

For every different kind and condition of soil there is a large number of grasses, either indigenous or introduced, which are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early, and others so late, that from the beginning of spring until winter sets in, there is no time when one species or another is not at its best. From these considerations the importance of sowing many varieties for pasture and meadow purposes will be apparent. The quantities given are the minimum, and may often be increased to advantage.

### MEADOW OR PASTURE MIXTURES FOR ONE ACRE.

#### No. 1. On Good Land, neither Too No. 2. For High and Dry Land. No. 3. On Wet, Late Land. Dry nor Too Wet. 3 lbs. Red Top. 5 lbs. Red Top. 3 lbs. Red Top. Tall Meadow Oat Grass. 2½ " Creeping Bent Grass. Meadow Foxtail. Meadow Brome Grass. 5 " Orchard Grass. 66 Perennial Sweet Vernal. 66 Crested Dog's-tail. 66 2 Tall Meadow Oat Grass. 66 66 Tall Meadow Oat Grass. Orchard Grass. 2 " Meadow Fescue. 66 66 Hard Fescue. 3 Orchard Grass. 1 "" Sheep's Fescue. Tall Fescue. 2 2 66 Hard Fescue. Sheep's Fescue. 66 3 1 " Meadow Soft Grass. 66 66 Meadow Soft Grass. Timothy. " Perennial Rye Grass. 12 5 Perennial Rye Grass. 10 " Timothy. 66 Timothy. Rough-stalk Meadow Grass. 16 1 46 66 Red Clover. Red Clover. Red Clover. 66 Alsike Clover. 1/2 White Clover. 1/2 1/2 Alsike Clover. 35 lbs. Price per acre, \$4.25. 35 lbs. Price per acre, \$5. 35 lbs. Price per acre, \$4.75.

#### PASTURE MIXTURES OF GRASSES FOR ONE ACRE.

No. 4. On Good Land, neither Too Dry nor Too Wet.	No. 5. On Dry Land.	No. 6. On Wet Land.
· ·	3 lbs. Creeping Bent Grass.	3 lbs. Red Top.
2 lbs. Tall Meadow Oat Grass. 2 " Red Top.	3½ " Tall Meadow Oat Grass.	4 " Orchard Grass.
2 " Red Top. ½ " Perennial Sweet Vernal.	1 " Meadow Brome Grass.	1 " Meadow Fescue.
4 " Orchard Grass.	3 " Orchard Grass.	1 " Tall Fescue.
3 "Sheep's Fescue.	1 " Hard Fescue.	1 " Meadow Soft Grass.
1 " Hard Fescue.	4 "Sheep's Fescue.	5 " Perennial Rye Grass.
1 " Meadow Soft Grass.	1/2 " Perennial Sweet Vernal.	1 " Meadow Foxtail.
5 " Perennial Rye Grass.	6 "Timothy.	8 "Timothy.
1 " Meadow Foxtail.	5 " Perennial Rye Grass.	1 " Rough-stalk Meadow Gras
7 "Kentucky Blue Grass.	2 "Field Burnet.	8 "Kentucky Blue Grass.
6 "Timothy.	4 "Sainfoin.	1 " Alsike Clover.
½ "Yellow Trefoil.	T Samion.	
1 " Red Clover.	1 " Red Clover.	1 "White Clover.
1 "White Clover.	1 "White Clover.	
		35 lbs. Price per acre, \$4.75.
35 lbs. Price per acre, \$5.25.	35 lbs. Price per acre, \$5.75.	

SS.

## GRASS SEEDS.

The prices of some varieties may change as the season advances.

Agrostis canina (Rhode Island Bent Grass). True. A valuable grass for lawns; sow three or four bushels to the acre for lawns; for pasture, one and a half to three bushels. See "Formation of Lawns," page 45. (12 lbs. to bus.) Per lb. 30 cts., 100 lbs. \$25.

Agrostis stolonifera (Fiorin, or Creeping Bent Grass). Valuable as a mixture with other pasture grasses, as it will thrive in moderately moist land on which water does not stagnate. We find it also the best sort for croquet grounds, and small door-yards or grass-plats. Same quantity as the preceding. (15 lbs. to bus.) Per lb. 25 cts., 100 lbs. \$22.

Agrostis vulgaris (Red-top Grass). A valuable permanent grass as a mixture in either meadows, pastures or lawns, growing in almost any soil, moist or dry, and standing well our hot climate. Same quantity per acre as above. (14 lbs. to bus.) Per lb. 15 cts., 100 lbs. \$10.

FANCY HEAVY RED-TOP GRASS. Absolutely clean and free from chaff. Per lb. 25 cts., 100 lbs. \$20.

Aira cæspitosa (Hassock Grass). A coarse grass, preferring stiff and marshy bottoms, and thriving in moist and shady woodlands. In England door-mats are formed of it by the cottagers. 30 lbs. to the acre. Per lb. 25 cts., 100 lbs. \$20.

GRASS SEEDS-continued.		Per
Aira flexuosa (Wood Hair Grass). Delights in high and rocky hills; is of little agriculture	Per lb.	100 lbs.
value, except for sheep pasture. 30 lbs. to the acre  Alopecurus pratensis (Meadow Fox-tail Grass). One of the very best grass for permanent pasture, and thrives to perfection on lands of an intermedic quality as to moisture and dryness. It also stands the high summer heat witho burning. 25 lbs. to the acre	ses ate out	\$15 00 22 00
Anthoxanthum odoratum (True Perennial Sweet Vernal Grass). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also from the continuing to throw up root foliage until late in the autumn. For meadows chief merit is the fragrant odor which the leaves emit when partially dried, the sweetening hay. It is a vegetable condiment, rather than a grass of much nut	ire for its us	
tive value. From 2 to 5 lbs, to the acre when mixed with other sorts	40 ler	38 00
the acre	20 of	14 00
is relished by cattle, early and late. 50 lbs. to the acre. (13 lbs. to bushel)  Avena flavescens (Yellow Oat Grass). Will not thrive well when sown alone, he with other species it becomes desirable for dry meadows and pastures. About the species of the species is the comes desirable for dry meadows and pastures.	25 out	18 00
25 lbs. to the acre  Beach Grass. See Calamagrostis arenaria.		85 00
Bermuda Crass (Cynodon dactylon). Suitable only to our southern states (where it is very valuable) or the tropics; will not endure frost. On application, we will give further information and quotations for larger quantities; to save time, please Per state the number of pounds required. Sow 8 to 10 lbs. to the lb. acre\$0 80 \$70 00		
Blue Grass, Canada. See Poa compressa.  "English. See Festuca pratensis.	35	
" "Kentucky. See Poa pratensis.  Bromus inermis (Awnless Brome Grass). A valuable forage	1 9	
ALOPECURUS plant for light, dry soils; answers for cutting and feeding in green state, for pasture or for hay; very productive. About 35 to 40 lbs. to the acre	11/1	
Bromus mollis (Soft Chess). Suited to sandy lands, where it is more at home than many grasses of better quality	111	1
Bromus pratensis (Meadow Brome Grass). Suitable in mixture for high and dry meadows. 30 lbs. to the acre		/
Bromus Schraderi (Rescue Grass). Thrives in any soil, but prefers that which is wet or moist. In England four or five green crops have been cut in a year, and every time it is cut another crop shoots from the	WI	
roots. All kinds of stock eat it freely. 30 lbs. to the acre 30 25 00  Calamagrostis arenaria (Beach Grass). Valuable on the sandy seashore, canal and railway banks, etc., where its tough,		4/
thickly matting roots form natural embankments, preventing the drifting of the sand and protecting from wind and waves. 45 40 00 Cynosurus cristatus (Crested Dog's-tail Grass). A valuable	W	Y
grass for sheep pastures on dry, hard soil and hills. It belongs to the family of lawn grasses. 25 lbs. to the acre 35 28 00		<u>×</u>
Dactylis glomerata (Orchard Grass). Less exhausting to the soil than Timothy, and will endure considerable shade.	CYNOSUR	US TATUS.
It blossoms about the same time as Red Clover, making it on that account a desirable mixture with that plant; it is exceedingly palatable stock of all kinds, and its power of enduring the cropping of cattle commen	ds lb.	Per 100 lbs.
it as one of the very best pasture grasses. 3 bus. to the acre. (14 lbs. to bus. Dog's-tail. See Cynosurus cristatus.  Elymus arenaria (Lime Grass). Valuable on the sandy seashore, canal and ra	ıil-	\$16 00
road banks, etc. It tends, with its tough, wide-spreading and thickly mattire roots, to form natural and permanent embankments, thus serving to preve the drifting of the sand and to protect an exposed shore from wind and wave	ent es.	00.00
It is of no agricultural value.  Festuca duriuscula (Hard Fescue). Not very productive, but it is of a ve fine quality, and thrives well in dry situations, where many other grass	ry es	38 00
would fail, thus making it a desirable pasture variety. 30 lbs. to the acre  Festuca elatior (Tall Fescue). Succeeds best in moist, alluvial and stroic clay soils, and in shady ravines; on moist, rocky sea coasts is considered of the most valuable pasture grasses; it is a fortnight later in ripening the	ng ne	18 00
F. pratensis. 40 lbs. to the acre  Festuca fluitans (Floating Fescue). A perennial with long, creeping root and preferring a rich, muddy or alluvial soil. It is found in ditches, shall ponds, sides of rivers and lakes, and in boggy and marshy ground. As tro and wild duck are very fond of the seeds and tender shoots, it is often into	25 ts, ow out	20 00
duced on the margins of ponds and rivers with the view of affording the nourishment  Festuca heterophylla (Various-leaved Fescue). A very early grass, nation of Germany. A valuable sort for permanent meadows and pastures on him.	35 ve	30 00
GLOMERATA. grounds. 40 lbs. to the acre		25 0 <b>0</b>

48 J. M. THORBURN & CO., 36 CORTLAN	NDT ST., NEW YORK.	
GRASS SEEDS—continu	ued.	Per
Festuca ovina (Sheep's Fescue). Grows freely when in high, dry	Per live and open pastures. Its chief	o. 100 lbs.
merit for sheep pasture is that it occupies land which better gras inches high. It stands tramping well.  Festuca pratensis (Meadow Fescue, or En valuable species for permanent grass lau tain to its full productive power till the far exceeds most other sorts in the quantimatter. It is relished by live stock, both	35 lbs. to the acre\$0 2 aglish Blue Grass). A highly nd. It does not, however, atsecond or third year, when it ity of its produce and nutritive in hay and pasture, and is one	5 \$18 00
of the most desirable permanent grasses the acre.  Festuca rubra (Red Fescue). The essentia its creeping roots, which in dry and sand	al distinction of this Fescue is	8 13 00
those of the common Couch Grass. We and dry slopes, which it will protect and Festuca tenuifolia (Slender Fescue). Flor soils. It is well suited for large bleachi	All adapted for gravelly banks cover. 25 lbs. to the acre 2 urishes well on dry and sterile	25 18 00
fox-tail. See Alopecurus pratensis.		5 20 00
Holcus lanatus (Meadow Soft, or Velvet Greats, but of easy culture, and accommod soils, producing a fair crop under unfar to the acre. (7 lbs. to the bus.)	lates itself to all descriptions of vorable circumstances. 4 bus.	5 20 00
Hungarian Grass. See Panicum Germanicum.  Johnson Grass. See Sorghum	A &	
Halepense, page 53.  Lolium Italicum (Halian Rye Grass). One of the most val- uable grasses in Europe, being		
equally suited to all climates. In England it is considered the best known grass to cut Per P	Per libs.	
peated large and nutritive crops. 50 lbs. to the acre\$0 15 \$8  Lolium perenne (English Rye Grass). Is the staple	8 00	
grass of Great Britain, entering largely into the com- position of many of the richest meadows and pastures. Its natural adaptation to almost all cultivated soils, and its early maturity, are the reasons it has hitherto been so extensively cultivated in preference to many		
other equally nutritious sorts. 60 lbs. to the acre 12  Out Crass. See Avena elatior.	7 00	
Orchard Crass. See Dactylis glomerata.		N-
Phalaris arundinacea (Reed Canary Grass). Grows well by the side of rivers, alluvial marshes, ditches, etc. 25 lbs. to the acre	0 00	
Panicum Germanicum (Hungarian Grass). One of the most valuable annual soiling		编
plants. It will grow in any ordinary soil, with stands	LOLIUM PERENNE.	PHLEUM
drought well, and in this latitude may be sown as late as the first of July crop, very suitable for soiling.	, and yet produce a large green	PRATENSE.
to bus.)  Phleum pratense (Timothy). A	A grass so well known needs no	
description, except that for a has soil it will produce a larger or not so well suited for light, so largely grown grasses of Am	op than any other sort. It is andy soils. One of the most perica. ½ bus. to the acre.	
Poa aquatica (Water Meadow pasture grass for very wet sit bogs and marshes, and is usefu	Grass). This is an excellent tuations. It also does well in Poul in the same way as Festuca limits.	. 100 lbs.
Poa compressa (Canada Blue of tucky variety in its flattened, creeping root-stalks, it forms a pasture mixtures on dry soils.	Grass). Differs from the Ken, wiry stems. Because of its fine turf; recommended in all , and thrives well on clay or	
hard trodden and poor soil  Poa nemoralis (Wood Meadow this grass in the spring, and its nutritive herbage, recommen	Grass). The early growth of s remarkably fine succulent and id it strongly for pastures.	18 11 00
POA PRATENSIS. (See page 49.) Thrives well under close feedin to the acre		30 25 00

GRASS SEEDS—continued.	13-	Per
Poa pratensis (Kentucky Blue Grass). Also known as Green Grass, June Grass, etc. It thrives on a variety of soils, but does best in dry and somewhat shady locations. It requires several years to become well established in the ground as a pasture grass. Very valuable for the southern states, as it will stand the hottest summers. Two bushels to the acre. It is also a most valuable grass for the lawn, for which purpose from three to four bushels of clean seed to the acre should be sown. (14 lbs. to bus.) Fancy cleaned seed		100 lbs, \$11 00
Poa trivialis (Rough-stalked Meadow Grass). The superior product of this grass over many other species, its highly nutritive qualities, and the marked partiality which oxen, horses and sheep have for it, are merits which distinguish it as one of the most valuable of those grasses which affect moist, rich soils and sheltered situations. It is a great favorite when used under its proper conditions. 20 lbs. to the acre	30	25 00
Red Top. See Agrostis vulgaris.	00	20 00
Rescue Crass. See Bromus Schraderi.  Rib Crass. See Miscellaneous Seeds, page 53.		
Rye Crass. See Lolium Italicum and Lolium perenne.  Rhode Island Bent Crass. See Agrostis canina.	,	
Sweet Vernal Crass. See Anthoxanthum odoratum.  Timothy. See Phleum pratense.	Sel.	
	XI.	
CLOVERS.	は、	
Subject to change of price. Our quotations are those ruling at this time.		
Alfalfa (Medicago sativa). This is the same as Lucerne. It requires a deep, rich soil, and on such will produce several crops every season. 10 to 15 lbs. to the acre \$0 20 \$13 00		
Alsike Clover (Trifolium hybridum). Resembles in growth, duration, etc., the Red Clover; thrives well in cold, wet and stiff soils. 10 lbs. to the acre		
Bokhara Clover (Melilotus alba). A most valuable sort for soiling. It grows from 3	A comme	
to 5 feet high, and if sown in rich soil may be cut three times; lasts two years or more if cut before flowering; good for ensilage  Po	er lb.	Per 100 lbs. \$20 00
Egyptian Clover (Trifolium Alexandrinum). Yields heavily in Egypt, and would likely do well on irrigable land in warm countries. It is as productive as Lucerne, and grows a little taller. 10 lbs. to the acre	35	30 00
Scarlet Clover, or Crimson Clover (Trifolium incarnatum). An annual, with crimson flowers. Sown late in the summer, it furnishes an early green fodder the following season; largely sown in Virginia and North Carolina for improving the soil by turning under. 15 to 20 lbs. to the acre.	12	6 00
Japan Clover (Lespedeza striata). A perennial, growing about 12 inches high; valuable only in southern localities, where it thrives in any soil and in the driest seasons; it makes a fair hay, and stock eat it readily when green	30	0 00
Kidney Vetch, or Sand Clover (Anthyllis vulneraria). A deep-rooted, herbaceous	00	
hardy perennial plant, valuable for dry sands and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep,		
cattle and horses; useful in mixture for dry soil. Produces abundantly of hay and seed. Sow 20 lbs, to the acre	25	20 00
Large Red, or Pea-vine Clover (Trifolium pratense). The English Cow Grass; for plowing under. 10 lbs. to the acre		
Medium Red Clover (Trifolium pratense).  Is a perennial, but of very few years' duration; is nutritious and palatable for cattle, sheep and horses; especially valuable in moist locations. 10 lbs. to the acre		
White Clover (Trifolium repens). Valuable		
for permanent pastures; also for lawns at rate of not over 2 lbs, to the acre	25	20 00
Yellow Suckling Clover (Trifolium filiforme).  Yellow Trefoll (Medicago lupulina). This	30	25 00
may be cultivated, either alone or with other grasses. Requires about the same treatment as Clover. 15 lbs. to the acre	20	12 00

## STDAWDEDDY DIANTS

STRAWBERRY PLANTS.	
per 100	Pot- grown, per 100
Beder Wood. An excellent market sort; very early and productive; large, conical, bright red color, and of excellent quality	\$3 00
Bismarck. Large, firm, brilliant scarlet berries of fine quality; vigorous, and very prolific 1 00	3 50
Brandywine. Large, roundish conical, glossy crimson, firm and solid; of fine, aromatic flavor.  Plant vigorous and productive; succeeds on any soil. Mid-season to late	3 50
Bubach No. 5. A very large berry of dark color, shaped somewhat like Sharpless. Exceedingly productive; of fair flavor; largely grown for market. Mid-season	3 50
Clyde. Very regular, bright scarlet berries; large, and of excellent flavor; firm, and a good shipper. Plant remarkably healthy, vigorous and productive. Season early	3 50
Gandy. One of the best late sorts; large, uniform, bright crimson; very firm and of good quality.  Needs liberal culture to do its best	3 00
Glen Mary. Of large size. Bright, glossy crimson, and fine flavor; plant is strong and healthy, very prolific, and on good soil the berries are large to the end of the season. Early	3 50
Henry. Very large, uniformly round, with no cockscombs; dark crimson; quality excellent. Plant vigorous, hardy and productive; bears through the whole season	3 50
Marshall. Uniformly large, dark crimson when fully ripe, handsome and good; plant luxuriant, but needs the rich soil and careful culture of the home garden. Mid-season	3 50
Michigan. The best late variety. Handsome, firm, of good size and fine quality; very productive. 1 00	3 50
Sharpless. Demands rich, strong soil; plant large and vigorous; berries very large, irregular in	3 00
shape, crimson, moderately firm and of good quality. Mid-season	3 00
color is much superior	3 50
VEGETABLE PLANTS.	
CABBACE, Coldframe plants. (Ready in March.)   LETTUCE, Thorburn Market-Cardener's P	rivate
Per 100 1,000 Stock, Transplanted plants, grown in 20 cts. per doz., \$1 per 100.	
Stein Early Flat Dutch	
Improved Early Summer	\$1.50
CAULIFLOWER, Thorburn Early Snowball, Cold-frame plants. (Ready in March.) 35 cts. per (Ready about May 1.) Per doz. 100	Flats.

doz., \$2 per 100, \$15 per 1,000.

CELERY PLANTS. (Ready in June.) 50 cts. per 100, \$4 per 1,000.

ECC-PLANTS, Pot-grown. (Ready about May 15.) Improved New York Purple. Large Doz. 100 size, grown in 3-inch pots.......\$1 00 \$7 50

· Chilitie i Eliticie, riumspiantea,				
(Ready about May 1.) Per	doz.	1	.00	1,000
Dwarf Champion\$0	25	\$1	50	\$10 00
Thorburn Long Keeper	25	1	50	10 00
Perfection	25	1	50	10 00
Acme	25	1	50	10 00
Trophy	25	1	50	10 00
Ponderosa	25	1	50	10 00

ESCULENT PLANTS AND ROOTS.

Asparagus	Roots,	Conover Colossal (2 years)	per 1	,000, \$6	uoz.	\$0	75
"	"	Palmetto	per 1	,000, \$6			75
66	66	Barr Mammoth	per 1	,000, \$6			75
66	66	Columbian Mammoth White	per 1	,000, \$7		1	00
Chive Plan	ts	pe	er bunch,	25 cts			
Cinnamon	Vine Ro	pots (Dioscorea Batatas, Chinese Yam), 4 to 7 inches long		\$0	60	3	50
Horseradis	h Roots	s. Cut in pieces			20		75
Jerusalem	Articho	keper qt., 5	20 cts.; k	ous., \$4			
Rhubarb R	oots		each,	10 cts 1	00		
Tarragon F	Plants (	$Estragon) \dots \dots$	each,	35 cts 3	50		
Onion Sets	, etc.	See page 30.					

#### BIRD SEEDS, ETC.

Prices Variable.

		100 lbs.		· lb.	100 lbs.
Canary, best Sicily\$0	10	\$4 50	Rape, German\$0	10	\$5 00
Mixed Canary Seed	10	5 00	Rib Crass	25	
Hemp	10	4 50	Rough Rice	10	7 00
Lettuce Seed	25		Vetches for Pigeons	10	5 50
Maw, Blue Poppy	15		Prepared Food for Mocking Birds		
Millet	10	4 00	per 1-lb. tin, 35 cts		
" White French	15	10 00	Gravel for Cagesper qt., 6 cts		
" Red French	20		Cuttle-fish Bone	30	
Rape, English	15	7 00	Sunflower Seed for Parrots	10	6 00

## CEREALS.

\*\*\* Grain in quantities of one-half bushel and upward should be shipped in canvas bags, which we can supply at following rates: One-half bushel, 8 cents; one bushel, 11 cents; two bushels, 16 cents. Customers will please add cost of bags to remittance when ordering.

The prices of some varieties may change as the season advances.

#### FIELD CORN.

FIELI	D CORN.			
All northern-raised sorts (56 lbs. to bushel)—	Per ear	100 ears	Qt.	Bus,
	Early Yellow Canada. (Flint).\$0 05			\$1 50
WA	Farmer's Favorite. (Yellow			,
	Dent)	3 00	15	1 50
TV. PAZ AVN	Golden Beauty. Large grain,			
	small cob; very productive 05	3 00	15	1 50
	King Philip. Early, deep yel-	2 00	1-	1 70
	low, flint	3 00	15	1 50
	Hickory King. Large grain and small cob; white Dent; late 05	3 00	15	1 50
			10	1 00
	King of the Earlies. Small cob; yellow Dent. Said to mature			
	farther north than any other	2 00	15	1 50
A JAMES AND THE HEAR AND THE HE	Dent variety	3 00	15	1 50
	Long White Flint, or Sanford 05 Longfellow. (Yellow Flint.) Small	3 00	15	1 50
	cob and large grain 05	3 00	15	1 50
	Pride of the North. Very large	0 00	10	1 00
	ears. (Dent) 05	3 00	15	1 50
	Champion White Pearl 05	3 00	15	1 50
	Mastodon Dent. Very early, strong-growing Corn, with ex-			
E.G.23	strong-growing Corn, with ex-			
MEBU	ceedingly large ears and grains. 05	3 00	15	1 50
. C. T. D. M. M. C.	Leaming Early. Large, deep	0.00		
White Manuland	grains; bright yellow 05	3 00	15	1 50
White Maryland		3 00	15	1 50
Wisconsin White Dent		3 00	15	1 50
Virginia Horse Tooth. For fodder			15	2 00
Sheep Tooth. For fodder		3 00	15	1 25
Sweet Fodder Corn. (Measured bushel)		3 00	15	$\begin{array}{ccc} 1 & 60 \\ 2 & 50 \end{array}$
Thoroughbred White Flint. Of spreading habit; no				2 30
left to grow in a hill. Its great suckering habit, h	breadth of blade and smallness of			
stalk recommend it as the most valuable, both for		3 50	15	1 75
Pop CornIn ears,	per lb., 10 cents; per 100 lbs., \$5			
MISCELLANE	EOUS CEREALS.			
MISCELLANI	CUS CEREALS.			
	to change in price.			
BARLEY (48 lbs. to bushel)—			er qt.	
Champion Vermont. An early and prolific vari		\$	0 10	\$1 25
BUCKWHEAT (48 lbs. to bushel). 1 bushel to the a				
American Silver Hull. Earlier and more produc				1 30
Japan. Enormously productive; the grains are n	auch larger than those of any other var	iety	. 15	1 30
MILLETS (50 lbs. to bushel)—				
Japan Barn Yard. (Panicum crus-galli.) Exce and woody than any other tall-growing Millet	In recent experiments it violed 7	ess hars	h £	
well cured hay to the acre. 1 bushel to acre	Per lb., 15 cents; per 100	) lbs., \$8.		
Hungarian. Most valuable soiling plant. Good				
ordinary soil, and withstands drought well. A July. 1½ bushels to the acre	lay be sown in this latitude as late as	the first o	f	
Golden. Useful in the same way as the Hungar	ian. The seed is also largely grown f	or feedin	or Or	
birds	Per lb., 10 cents; per 100	lbs., \$3.		
OATS. All the approved sorts furnished.				
RYE (56 lbs. to bushel). 1 to 1½ bushels to acre—				
Winter Excelsior			. 15	1 25
WHEAT, WINTER (60 lbs. to bushel). About 1 bus				
Per bus				r bus.
Red Clawson\$1 8				
White No. 6	Red Cross	• • • • • • • • • • • • • • • • • • • •	• • • • • •	1 80

## Forage, Economical and Miscellaneous Seeds.

All subject to change in price.

ASPERULA odorata (Waldmeister). Perennial, about 6 inches high; very fragrant flower. In Germany it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known Maitrank. Per pkt., 10 cents; per oz., 60 cents.

AUSTRALIAN SALT-BUSH (Atriplex semibaccatum). A valuage forage plant recently introduced by the University of California. Experiments show that it thrives in soils on which nothing else will grow, and it is recommended highly for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live stock. One pound of seed is sufficient for an acre. The soil should be well plowed and harrowed. seed may be sown in garden bed and the seedlings planted out when 2 inches high, 7 or 8 feet apart. Per oz., 15 cents; per lb., \$1.50.

BEANS-Common English Horse Bean, Per

qt., 20 cents; per bus., \$3.50.

Soja Bean (Soja hispida). The haulm is stiff, and the pods are produced in clusters of from two to five, and contain each four smooth, oval, nankeencolored seeds. Thrives well in hot and dry weather; very valuable for the south, for either man or beast. (About 1 bushel to the acre.) Per qt., 20 cents; per bus., \$3.

Velvet Bean (Dolichos multiflorus). Used by the

farmers in Florida and Louisiana as a forage plant, and also as a fertilizer plant for turning under, just in the same way as the Cow Pea. Stock readily eat the vines and leaves, and the Beans when ground, with or without the pod, are used in place of oats or corn, and sometimes mixed with them. It is claimed that as a fertilizer for Orange groves the Velvet Bean is unequaled. It is planted in rows 4 feet apart and 1 foot in the row, 2 or 3 Beans in a place, as soon as danger offfrost is past. The yield is from 20 to 35 bushels to the acre. Per qt., 20 cents; per bus., \$3.50.

BROOM CORN—Long-brush Evergreen. Broom Corn succeeds in a good, deep soil, fresh but not damp; it is very sensitive to cold. Per lb., 15

cents; per 100 lbs., \$7.

Improved Dwarf. Per lb., 15 cents; per 100 lbs., \$7. Early Japan. Per lb., 15 cents; per 100 lbs., \$8. California Colden Long-brush. Grows from 12 to 14 feet high. Per lb., 15 cents; per 100 lbs., \$7.



SOJA BEAN.

BROOM - Scotch (Genista scoparia). The young growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per oz., 10 cents; per lb., 50 cents.

BURNET-Common Field. Perennial; makes excellent pasture for sheep; grows on the poorest ground-on dry, sandy or calcareous soil; resists the extremes of heat or cold. Sow in April, and again in September, with Sainfoin, Clover, Rye Grass, etc., 30 lbs. to the acre. Per lb., 20 cents; per 100 lbs., \$12.

CANAICRE (Remex hymenosepalus). Used in the tanning of leather. Per pkt., 10 cents; per oz., 50 cents; per lb., \$5.

CAPER TREE (Capparis spinosa). Per paper, 15 cents; per oz., 75 cents.

CATERPILLARS. A curious plant. Of interest only on account of the curious fruits, from which its name is derived. Amusement is caused by mixing them in salads. Per paper, 5 cents; per oz., 30 cts.

CHICORY-Large-rooted. A perennial, remaining five or six years in the same soil, if cut before flowering. It may be cut four or five times during the same season for green fodder. Sow broadcast in autumn or spring, either alone or with any kind of Clover. Sown in drills, the roots become well developed. When they are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 10 cents; per lb., 75 cents.

COTTON—Sea Island. (40 lbs. to bushel.) Per lb., 15 cents; per 100 lbs., \$7.

Upland. (30 lbs. to bushel.) 25 lbs. to the acre.

Per lb., 15 cents; per 100 lbs., \$7.

COW PEAS (Vigua catjang). Adapted to southern localities; also valuable in this latitude as a fodder plant, sheep being very fond of them when in flower; their chief value, however, is as a green crop to plow under. 1 bushel to the acre. Per qt., 15 cents; per bus., \$2.

CYTISUS PROLIFERUS ALBUS (Tagasaste). African fodder plant of merit that has done well in California. The seed should be passed through boiling water and then steeped in cold water for 24 hours before sowing. Per oz., 20 cents; per lb., \$2.

DHOURA - Guinea Gorn. See Sorghum.

ESPARTO CRASS (Stipa tenacissima). This is the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making ropes, etc. Per oz., \$1.25.

ESPARSETTE. See Onobrychis sativa.

by hostlers to give a temporary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soiling when green. Per oz., 10 cents; per lb., 30 cts.

FLAT PEA. See Lathyrus sylvestris. FLAX SEED. Price variable.

FURZE (Ulex Europæa). The sprigs of one year's growth of this shrub furnish an excellent green fodder in winter; grows well in sandy soils. Per oz., 10 cents; per lb., 75 cents.

GUINEA CRASS. In some sections this name is

applied to the large-seeded Sorghums.

CUIZOTIA oleifera. An annual from Abyssinia, from the seed of which oil is extracted. Per oz., 10 cents; per lb., 75 cents.

HOP SEED. Per pkt., 10 cents; per oz., \$1. INDIGO SEED (Indigofera tinctoria). Per oz., 20 cents; per lb., \$1.50.

IRIS pabularia. A forage plant, flourishing in the driest and most arid soil. The seeds should be sown in beds, and the young plants set out 10 inches apart each way, where they are to remain, very early the following spring. Per oz., 60 cents.

#### MISCELLANEOUS SEEDS - continued.

JAPAN CLOVER. See Lezpedeza striata.

JERUSALEM CORN. See Sorghum.

JUTE. Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast 6 to 7 pounds per acre. Per oz., 10 cents; per lb., 75 cents.

KAFFIR CORN. See Sorghum.

KALE—Jersey Winter, or Cow Cabbage. Said to be hardy from New Jersey southward, where it will stand out all winter, the leaves making valuable winter cattle feed. Sow at same tim winter cabbage. Per oz., 10 cents; per lb., \$1. Sow at same time as

KIDNEY VETCH, or Sand Clover. See Clovers, page 49.

THYRUS sylvestris (Flat Pea). A perennial forage plant. It grows well on very poor, unimproved, sandy soil, can withstand pretty severe frosts, and roots so deeply that it is not injured by severe drought. Valuable for plowing under in a green state. It is recommended to sow seeds in a LATHYRUS sylvestris small garden bed and transplant to the field when the plants are of suitable size. Per oz., 20 cents; per lb., \$1.25.

LENTILS—Best Imported. Succeed best in dry, sandy soil. A leguminous annual, the seeds of which are valuable for pigeons, and are largely used for soups. Per lb., 30 cents.

LESPEDEZA striata. (Japan Clover.) A perennial, growing about 12 inches high, valuable only in southern localities, where it thrives in any soil and in the driest seasons; it makes a fair hay, and stock eat it readily when green. Per lb., 30 cents; per 100 lbs., \$25.

LIQUORICE (Glycyrrhiza glabra). Seed in pods, per oz., 25 cents.

LOTUS corniculatus (Bird's-foot Trefoil). ennial, used in pastures. Cattle eat it readily, and it is said to be quite nutritious. Per lb., 50 cents.

LUPINS—Biue. Used for the same purpose as the yellow variety. Per lb., 20 cents; per 100 lbs., \$9.

White. One of the best plants known for soiling. It may be sown from April to July, and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Per

lb., 20 cents; per 10 lbs., \$10. Yellow. Less thrifty than the white variety, but green for a longer period. It succeeds well in the poorest soil, and is valuable for plowing in. Per lb., 20 cents; per 100 lbs., \$9.

MADDER (Rubia tinetoria). A perennial, the roots of which, when dried and reduced to powder, furnish a red coloring matter. If cut the second year when in flower, it furnishes a good green fodder. der. Per oz., 10 cents; per lb., \$1.

MADIA sativa. An annual plant, producing good sheep pasturage; valuable in dry and warm soil. Per oz., 10 cents; per lb., 60 cents.

MILLETS. See Cereals, page 51.

MILLO MAIZE. See Sorghum, Branching.

ONOBRYCHIS sativa (Sainfoin, French; Espar-sette, German). A perennial leguminous plant, belonging to the same family as Clover and Lu-cerne; used in France as a forage plant. Requires a calcareous soil. 100 lbs. to the acre. Per lb., 15 cents; per 100 lbs., \$10.

osace orange (Maclura aurantiaca). for hedges. See Hedge Plants, page 44. Useful

PEARL MILLET (Penicillaria spicata). A valuable fodder plant for the south; is enormously produc-tive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$10.

PEAS — Canadian Field. Valuable for northern climates, for cattle feeding. Per qt., 15cts.; bus., \$1.40.
Caravanzas. The popular Spanish Pea. Per lb., 15 cents; per 100 lbs., \$6.50.



SPURRY. (See page 54.)

PYRETHRUM roseum. The plant from which insect powder is made in Europe. Per oz., 75 cents.

-Opium. The seed furnishes about 35 per cent of an agreeable sweet oil, used for the table, for painting and for illuminating. May be sown in spring either broadcast or in drills, covering with but little earth. Also cultivated for opium. Per

oz., 20 cents; per lb., \$1.

POLYCONUM Sachalinense (Sacaline). perennial, native of the Island of Saghalin, be-tween Japan and Siberia. It has been known to European and American nurserymen for many years, but its merits as a forage plant have only lately been pointed out. It grows well on the poorest soils, and endures the extremes of heat and cold. It grows to a height of 10 or 12 feet, and can be cut two or three times in the season. The stems and leaves, which are very nutritious, are said to be eaten either green or dry by cattle and sheep. Seed, per oz., 30 cents; per lb., \$3.

RAMIE — Silver China Crass (Urtica nivca). Extensively cultivated for its fiber. The seed should be germinated on cotton floating in lukewarm water, and transferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way, and when the plants are 3 feet high, turn them over and peg to the ground, after which cover them with earth, and they will start in every direction. Per oz., \$1; per lb., \$12.

RAPE — Dwarf Essex, English. For sheep pasture. It may be sown in May, and will be ready for pasturing in July and August. Or it may be sown in June, or even up to the latter part of July, and yet furnish, under moderately favorable circumstances, a large amount of pasture or fodder. It may even a large amount of pasture of router. It may even be sown after taking off a crop of early potatoes. In drills, sow 5 pounds to acre; broadcast, 10 pounds to acre. Per lb., 15 cts.; per 100 lbs., \$7.

REANA luxurians (Teosinte). A valuable fodder plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Per oz., 15 cents; per lb., 90c.

RIB CRASS (Plantago lanceolata). Per lb., 25 cts. SAINFOIN. See Onobrychis.

SACALINE. See Polygonum Sachalinense.

**SCURVY CRASS** (Cochlearia officinalis). Used as a pepper grass. Per oz., 25 cents.

SERADELLA. A valuable forage plant, admitting of one, and sometimes two cuttings, in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with whiter rye. About 50 pounds to acre. Per lb., 20 cents; per 100 lbs., \$10.

#### MISCELLANEOUS SEEDS-continued.

SNAILS. Used in the same way as Caterpillars. Per paper, 5 cents; per oz., 35 cents.

SORGHUM-

Early Amber Sugar Cane. Ripens where Indian corn matures. Per lb., 15 cts.; per 100 lbs., \$6.

Early Orange Sugar Cane. Ripens about ten days after Early Amber. Per lb., 15 cts.; per 100 lbs., \$6.

Brown Dhoura Corn. Per lb., 15 cents; per 100

lbs., \$6.

Yellow Branching (Yellow Millo Maize). This is non-saccharine; useful only for the large amount of foliage, green feed or cured fodder that it furnishes, and for its grain. Per lb., 20 cents; per 100 lbs., \$7.

White Branching (White Millo Maize). The merit of this non-saccharine Sorghum is, that when cut for feeding it starts again from the remaining stumps with renewed strength and vigor; thrives in the hottest and driest localities. Per lb., 20

cents; per 100 lbs., \$7.

Red Kaffir Corn or Sorghum. Non-saccharine. The plant is low, stocky, perfectly erect. The whole stalk, as well as the blades, cures into excel-Non-saccharine. lent fodder, and in all stages it is available for green feed. Per lb., 15 cents; per 100 lbs., \$6. White Kaffir Gorn. Per lb., 15 cents; per 100

lbs., \$6.

White African Sorghum, African Millet, or White

Dhoura. Per lb., 15 cents; per 100 lbs., \$6.

Jerusalem Corn. One of the best and surest for dry countries and seasons. Grows about 3 feet high, with one large head on main stalk and several smaller heads on side shoots. The grains are white

and nearly flat. Per lb., 15 cents; per 100 lbs., \$6. Halepense (Johnson Grass). One of the most valuable southern fodder plants. On rich soils it may be cut three or four times in a season. Sow the seed in August and September, at the rate of 25 to 35 pounds to the acre. Per lb., 20 cents; per 100

SPURRY (Spergula arvensis). Annual. Grows well on poor, dry, sandy soils. It is in best condition for pasture in four to six weeks after sowing, and may be sown every month from March to August posture for eattle and sheep: also gust. Excellent pasture for cattle and sheep; also, as a fertilizer for light, sandy soil. 15 pounds to the acre. Per lb., 20 cents; 6 lbs. for \$1; 10 lbs. for \$1.40; 50 lbs. and upwards@ 10 cents per lb.; 100 lbs., \$8.

Ciant Spurry. Per lb., 20 cents; per 100 lbs., \$9. SUNFLOWER-Large Russian. Per lb., 10 cts.;

per 100 lbs., \$6.

TEASELS - Fullers'. The heads, furnished with barbed spikes, are used for combing cloth. Teasels require a good, deep soil, and should be sown about April or May. The young leaves are often used for feeding silkworms. Per lb., 30 cents.

TEOSINTE. See Reana luxurians.

VELVET BEAN. See under Beans, page 52.

VETCHES - Spring Tares (Vicia sativa). Sown broadcast at rate of 1 to 11/2 bushels to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France or Canada as a substitute for peas. Also ground up into flour, after which it is mixed with wheat flour for making bread. Per qt., 20 cents; per bus., \$3.

Sand, Winter, or Hairy Vetch (Vicia villosa).

This variety thrives on poor, arid, sandy soils. It is sown either in fall or in spring, and generally mixed with rye, which serves as a support to the plants. It grows to a height of from 3 to 4 feet, and can be cut twice for fodder, first as soon as the bloom appears, and then it can be again cut for the seed. The plant is perfectly hardy, and the produce is recommended as most nutritions. The seed is black and perfectly round, and should be sown at the rate of 1½ bushels to the acre. Per qt., 25 cents; per bus., \$4.50.

Tufted Vetch, or Bird's Tares. (Vicia cracca). Has creeping perennial roots, and affords provender of good quality. Per lb., 20 cents.

WILD RICE (Zizania aquatica). A native of our plant for swamps and inundated lands, but it is chiefly valuable as an attraction for water fowl. The Indians of the lake regions of the northwest used to gather it by beating it off into their canoes and then curing it for winter food. Before sowing, put the rice into coarse cotton bags, and sink them in water for 24 hours. Sow in water which is from 6 inches to 5 feet deep, with soft mud bottom, or on low, marshy places which are covered with water the year round. In running water, sow as much out of the current as possible. Per lb., 25 cents; per 100 lbs., \$15.

WORMS. Used the same as Snails and Caterpillars. Per pkt., 5 cents; per oz., 35 cents.

YARROW (Achillea Millefolium). On account of its creeping root it is considered a bad weed in pasture and arable lands, yet by many it is thought worthy of cultivation on light soils on account of its nutrient properties. Per lb., \$1.50.

#### TOBACCO SEEDS.

Brazilian American. The finest Brazilian strain grown

here; makes excellent eigars and delightful, aromatic pipe-smoking tobacco. Per oz., 25 cents; per lb., \$2. Climax. A cross between Burley and Sterling. Extra fine, bright variety. Per oz., 25 cents; per lb., \$2. Connecticut Seed-Leaf. The popular sort, used for cigar wrappers. Per oz., 25 cents; per lb., \$1.50.

Conqueror. A superb, bright yellow, and a healthy, vigorous grower of the best form and finest texture. It ripens early, and is easily cured to the brightest color. Per oz., 25 cents; per lb., \$2. avana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo." Per oz.,

Havana.

40 cents; per lb., \$4.

onduras. A new mahogany variety, producing the very highest quality of tobacco of this type. A Honduras. healthy and vigorous grower. Per oz., 25 cents; per lb., \$2.50.

Kentucky Burley. Per oz., 25 cents; per lb., \$2.
Kentucky Yellow. Per oz., 25 cents; per lb., \$2.
Oronoka, Yellow. A reliable old yellow variety, grown for more than fifty years and improved with reference to the production of yellow stock. Per oz., 25 cents; pen lb. \$2.

25 cents; per lb., \$2.

Oronoka, White-Stem. From the Yellow Oronoka, which it resembles. Per oz., 25 cents, per lb., \$2.

Pennsysivania Seed-Leaf. Newest and best strain of

this standard and popular variety. Per oz., 25 cents; per lb., \$2.

Persian Rose. Finer than the Muscatel, and may be relied upon to make the best cigar. Per oz., 25 cents; per lb., \$2.50. Pryor, Yellow.

Preferred by many for brights, and the other vellow sorts fail. The west succeeds where the other yellow sorts fail. The west is giving it preference. Per oz., 25 cents; per lb., \$2.

Pryor, Blue. The genuine James River favorite. Per oz., 25 cents; per lb., \$2.

Safrano. Of a rich, saffron-yellow color, and possessing a soft, silky texture and a delightful flavor. Per oz., 25 cents; per lb., \$2.

The newest and brightest of the yellow Sterling. type, and the earliest to ripen. Per oz., 25 cents; per lb., \$2.50.

American-grown seed. Per oz., 30 cents; Sumatra.

per lb., \$3.

Tuckahoe. Preferable to most of the older varieties for possessing more body. Leaf long and extra fine; the perfection of a wrapper. Per oz., 25 cents; per lb., \$2.

Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and habit. Unsurpassed in delicacy of fiber. Per oz., 25 cents; per Îb., \$2.

shaped; rather coarse than fine. Per oz., 25 cents; per lb., \$2. Virginia "One Sucker." Large leaf; wide, lance-

Yellow Mammoth. A new western variety of the export type. Per oz., 25 cents; per lb., \$2.

# Horticultural Implements and Garden Requisites.


	1
Asparagus Knives, Best English (Saw Blade)\$1 00	Fumigator, Pan-shaped
" " American. Useful also for re-	Calvanized Wire Stakes. For roses, etc.
moving docks, dandelions, etc.,	3 feetper doz., 40 cts.; per 100, \$2.50
from lawns	4 " "50 cts; "\$3  Garden Lines. Finest Braided; 100 feet 50
Bellows, Woodason's Powder. For Hellebore, To-	Reels, for above; of wrought iron75 cts. and 1 00
bacco Dust, etc. See cut, page 63\$1, \$2 and 3 00	" Pencils, Wolff's Indelible Black
Bill and Brush Hooks, for heavy pruning 1 50	Glazing Points, Van Reyper's Perfect
Canes, Bamboo, 7 to 10 feet long	Grafting Wax, in \( \frac{1}{4}, \frac{1}{2} \) and 1-lb. packages30c. per lb
Carnation Supports, Model Extension. See cut on	Grass Border Shears\$2.25 to 2 75
this pageper doz., 50 cts.; per 100, \$3	" Edging Knives (English)\$1.50 to 2 00  " Hooks, or Sickles, Best English, welded back
Dibbles, all iron. See cut, page 56	
indurated wood-fiber. See cut, page 56.	Hedge Shears, English, 8 to 10-inch blade\$1.50 to 3 00
8 inches in diameter, 13 inches deep	Hoes, Draw or Corn
4½ " " 9 " " 45	" Scuffle, Dutch or Push, 4 to 10-inch40c. to 80
	Triangular. Used also as Tree Scrapers 75
Flower Pot Saucers, Indurated Wood-fiber. Very light and durable. Not porous, and will protect	Hose Nozzle, "Bordeaux." The simplest and best spraying Nozzle made. For 1/4-inch pipe or 1/2-inch hose
tables on which plants stand. See cut, page 56. 6 inchper doz., 95 cts 10	pipe or ½-inch hose
8 " " \$1.10 10	Child's Rain-maker
10 " \$1.25. 12 12 " \$1.40. 15	" Coupling and Stock. Has ¼-inch pipe thread which fits the Bordeaux Nozzle.
13. " " \$1.55 15	Opposite end for ½-inch or ¾-inch hose, as ordered
Flower Pot Rolling Stands, for heavy plants. Plat-	Hose Menders. Useful articles for repairing rubber hose 10
forms are of indurated fiber ware; will not soak or rust. Castors have Ball Bearings. See cut, page 56.	Hyacinth Glasses, various styles. (See Bulb Catalogue.)
13 inches, 3 castors	Knives, Asparagus, English (Saw Blade)
Forks, Digging or Spading	"Budding and Pruning, Best English\$1 to 2 00
" Hay or Stable	" Grass Edging\$1.50 to 2 00  Labels, Wooden Pot and Garden—
" Ladies' Short-handled or Strawberry Forks 40	—PLAIN-— —PAINTED—
"Manure, Long and Short-handled75 cts. to 1 00	Per 100 1,000 Per 100 1,000 4 inch\$0 15 \$0 60 \$0 15 \$0 90
Fruit Pickers	$4\frac{1}{2}$ 15 80 20 1 00
Fumigator, "Eureka." For fumigating with tobacco stems	5 " 15 90 20 1 25 6 " 20 1 00 25 1 35 8 4 40 3 50 50 4 00
No. 2 " 1" " 2 00 No. 3 " ½-bus. " 2 50	8 "
	- 12 ···································
	8
	MATS, \$1.50.  MASTICA GLAZING MACHINE.
POLE PRUNING	MATS, \$1.50.  MASTICA GLAZING MACHINE.
	MATS, \$1.50.  MASTICA GLAZING MACHINE.
POLE PRUNING SHEARS.	MATS, \$1.50.  MASTICA GLAZING MACHINE.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.
POLE PRUNING SHEARS. \$2.50 and \$3.	MATS. \$1.50.  MASTICA GLAZING MACHINE. \$1.  ENGLISH DAISY RAKE. \$2.50 to \$3.50.

IMDITMENTS AND CADD	CM DECUMENTES
IMPLEMENTS AND GARDI	EN REQUISITES—continued.
Labels, Wooden Notched Tree— Each  Per 100 1,000 Per 100 1,000  3½ inch	Mole Traps, The Reddick. A new and improved trap, possessing the good qualities of all the old ones. It is easily set, with very powerful spring, and is in every respect a perfect trap
Lawn Rakes, English or Daisy\$2.50 to \$3.50	Plant Stakes, Round, Painted Green-
will clear itself from grass. It is light and easily handled. A backward motion of the Rake from the operator will clean all the teeth at once. The teeth are made of the best hickory, that will not tear up the sod as most Rakes do. 26-teeth size, 80 cts. each; 38-teeth size, \$1.25 each.	Per doz. 100 2 feet
" The "Lawn King." Made with the teeth very close together, and will not allow the finest grass to pass between. It will not tear the sod as other Lawn Rakes do. 26-teeth size, 35 cts. each; 38-teeth size, 50 cts. each.	Pruner, Waters' Long-handled Tree—     4 feet
" Steel Wire, for lawns 60	Rakes, American Carden. Steel, handled40 cts. to 60
" Wooden, for lawns. 40  Lawn Sprinklers, Peck's Improved. Standard 4 feet high, surmounted with long arms, which revolve, thus distributing the water in a fine shower over an area of 60 feet. See cut, page 58.  4-arm sprinkler. 2 75 8-arm sprinkler. 3 00  Mastica. For glazing greenhouses, sashes, etc per qt., 35c.; per ½-gal., 60c.; per gal., \$1.  " Clazing Machine. See cut, page 55. 1 00  Mats, For Covering Sashes. Made of jute, stitched through; hemmed with canvas and thickly padded; size 76 inches by 76 inches; one mat covers two sashes. An excellent article, cheap and durable. 1 50  Mole Traps, Olmsted's Improved. 1 50	Rollers. See page 60.  Saws, Pruning, various sizes and kinds70 cts. to 1 25  Scissors, Grape, best English. For thinning the bunches
DIBBLE, 35 cts.	






TRIANGULAR HOE. 75 cts.



OLMSTED'S MOLE TRAP. \$1.50.





FLOWER POT SAUCER. See page 55.

ROLLING STAND FOR HEAVY PLANTS. See page 55. 80 cts. and \$1 each.



GRASS EDGING KNIFE. \$1.50 to \$2.



GARDEN REEL AND LINE. See page 55.



#### IMPLEMENTS AND GARDEN REQUISITES—continued.

	77 1	
Shears,	Hand Pruning, Wiss' Solid Steel. Three sizes. 9 inches	Sprinkle (See
	10 '' 2 50 11 '' 2 75	Syringe
6.6	Hedge. Four sizes\$1.25 to 3 00	Twine,
66	Pole Pruning, Wiss'. Two sizes\$2.50 and 3 00	Trowels
66	Ladies' Small Pruning	Waterin
6.6	Perfection Pruning. See cut, page 57.	
	The best made. No. 1, 7 inches	66
	No. 2, 8 " 2 50	66
	No. 2, 8 " 2 50 No. 3, 9 " 3 00 No. 4, 10 " 3 50	
66	No. 4, 10	Weeder
66	Waters' Long-handled Tree Pruner. See	66
	Pruners, on page 56.	
66	Spring Crass. For trimming grass.	66
	American	
	English 1 25	
Shovels,	Ames' Best Cast Steel. Square and dia-	66
Enados	l-pointed; long or short handles\$1 to 1 25	
	Ames' Best Cast Steel\$1 and 1 25 s. See page 63.	
	rs, Scollay's Rubber 1 00	Wheelb
Sprinkle	" Angle-neck Rubber 1 00	Med
	Angio-nook Rubber 1 00	Larg

Caninklana Atla	Ea Bubban Blant	
	s Rubber Plant	75
Syringes. See p	age 60.	
Twine, Green S	milaxper lb., 50 cts	
Trowels, Solid S	shank, Cast Steel, very strong.50 cts. to	60
Watering Pots,	French Model. Galvanized iron	
66 66		
	For Greenhouse Use 3	50
EC 66	The "Common Sense"	
	4 qts., 90 cts.; 6 qts., 1	10
Weeders, Excels	sior	15
	• For removing dock, dandelion, etc.; also be used as an Asparagus Knife	35
	land Lawn Weeder. For extracting roots of docks, etc. See cut, page 58	50
	n be used easily and without stooping.)	30
" Noye:	s'. See cut, page 57	25
" Lang'	s. See cut, page 58	25
" New	Hand. See cut, page 55	15
Wheelbarrows.	For garden use. Two sizes-	
Medium		$\frac{75}{25}$

### COLUMBIA FLOWER TUBS.

Made of cypress timber. Natural varnish finish on the wood:

### PALM TUBS.

Made of white cedar, painted green, and bound with extra iron hoops. Drop handles of special pattern, serving as hooks for carry-poles. Strong iron legs and perforated removable bottom.

Vo.		of stave		
0	27 in	24 in	\$6 50	COLUMBIA
1	25 in	22 in	5 50	
2	23 in	20 in		\$4 75
3	21 in	18 in		4 00
4	18 in	16 in		3 50
5	16 in	14 in		3 00
6	14 in	12 in		2 50
7	13 in	11 in		2 25
8	12 in	10 in		1 85




A TUB.

GALVANIZED WIRE TOMATO SUPPORT.

PALM TUB.

It is made of galvanized wire, that will not rust or rot out. Is easily set, and the legs being double, the greater the pressure the next year. It is the simplest, strongest, most durable, most easily operated and cheapest support we have seen. Price, each, 15 cts.; per doz., \$1.50; per 100, \$11.






WATCH-SPRING PRUNING SHEARS. \$1.50 and \$2.

BORDER SHEARS. \$2.25 to \$2.75.


## IMPLEMENTS AND GARDEN REQUISITES—continued.



## THE "PLANET JR." SEED DRILLS, ETC.

### The "Planet Jr." Combined Drill.

Unquestionably the most popular and perfect machine of its kind made. Has a Seed Drill, and is the same as the No. 2, except in size; holds one quart. The rakes are invaluable in preparing the ground for planting, cultivating, etc. The hoes work closely and safely all rows up to 16 inches wide at one passage. The plow opens furrows, covers them, hills, plows to and from; the cultivator teeth mellow the soil, etc. Price, \$9.



The "Planet Jr." No. 2 Drill.

Holds 2½ quarts. Sows all garden seeds accurately in any desired thickness or depth; opens, drops, covers, rolls down and marks the next row, all at one passage. It is especially good for sowing difficult seeds, such as carrot, parsnip, beet and salsify, and delicate seeds, like cabbage. Price, \$6.50.

#### The "Planet Jr." Double-wheel Hoe.


It can be used straddle of the rows or between the rows, as desired. The rakes level the ground for planting, cultivating, cover seed, etc. The hoes cut close and clean, killing everything they meet. The cultivativator teeth mellow the soil deep or shallow. The plows lay out deep furrows and cover them, hill up or plow away, as desired. The leaf-guards allow cultivation of large plants, such as beet, carrot, parsnip, beans and

Price, complete, \$6. Price, plain (one pair of hoes only), \$3.50.

### The "Planet Jr." Grass Edger.

Extreme neatness is the great secret of attractiveness in grounds surrounding a house. The "Planet Jr." Grass Edger assists wonderfully in producing this effect. It will edge either straight or curved work, paths, drives, open borders or flower beds, at the speed of a mile an hour. It should be the constant companion of the lawn mower. Price, \$5.

### THERMOMETERS.




No. 1. Self-registering, Japanned Case—8-inch size.....\$3 00 10-''' 3 75 12-''' 4 50 4 50 No. 2. Self-registering, Polished


Back— 8-inch size ... 3 00

10 " " 3 75


12- " 4 50



No. 4. Oxidized







NO. 5.

NO. 6.

bed; boxwood, brass tip;
made for plunging...... 1 60

No. 6. Japanned Tin Case...... 30 Carved Back— 8-inch size.. 1 00 Metal Scale,

## SYRINGES.



#### No. I, \$2.25.

Ladies' Syringe, with One Spray Rose. Length of barrel, 121/2 inches diameter, 1 5-16 inches.

#### No 2, \$3.75

Ladies' Syringe, with Jet and Two Spray Roses; the two roses when not in use are screwed on the sides of the barrel. Length of barrel, 14½ inches; diameter, 1 5-16 inches.

#### No. 3, \$5 50

Best Plate Valve Syringe, large size, with One Stream and Two Spray Roses, with side pieces on barrel. Length of barrel, 18 inches; diameter, 1½ inches.

#### No 4, \$6

Best Conical Valve Syringe, large size, with One Stream and Two Spray Roses, which are placed, when not in use, in the handle of the syringe. The handle is strongly mounted with a solid brass cap and ring. When the finest spray is used the water should be very clean. Length of barrel, 18 inches; diameter, 1½ inches.

No. 6, \$7.

Best Conical Valve Syringe, large size, with One Spray Rose and Gooseneck Angle Joint, turning in all directions, for washing the under surface of the leaves of

plants and flowers, cleansing them from insects, etc. Ler ter, 1½ inches. Length of barrel, 18 inches; diame-

Scollay's Rubber Sprinkler. For florists'

use and window gardening. \$1.

Scollay's Angle-neck Rubber Sprinkler.
For spraying under leaves. \$1.

Atlas Rubber Sprinkler. 75 cts. Woodason's Atomizer. For the application of all liquid insecticides. \$1.25 and \$2.



RUBBER SPRINKLER, ANGLE-NECK. \$1.

## SAYNOR'S CELEBRATED ENGLISH BUDDING AND PRUNING KNIVES.



RUBBER SPRINKLER. \$1.

No. 938. \$1.75. 196. 2 blades, \$2.25. 187. \$1.50.



Pruning.





Pruning. 312. \$1.50.



400. \$1.




401. \$1.

Budding, No. 343. 2 blades, \$1.25.

### ROLLERS.

The style of these indispensable garden and lawn implements is sufficiently indicated by the cuts.



FIELD AND GARDEN ROLLERS.


#### GARDEN.

With weights to keep the handle erect; a convenient style. Diam. Weight,

				in.	ab't lbs.	Price.	
Two secti	ions, 71/2-in	n. face.	each	1	125	\$6 00	
				20		13 00	
				24		15 00	
				EIELD			

r	1	E	L	U	
_	-	_	_	_	

			TABLE.		
Four	sections,	12-in. face,	with shafts and seat20	650	30 00
Five	6.6	12 "	" pole and whiffle24	1,000	40 00
			War Strictly not anch		



#### THE FOLLOWING ARE ITS SPECIAL FEATURES:

Ball Bearings, exact to \$\frac{1}{1000}\$ of an inch, which reduces the friction astonishingly, making it possible to use wider-cut machines. With this Mower a lawn can be mown in a much shorter time, and with much greater ease, than with any other Mower made. Triple Gears, entirely enclosed, making it impossible for any dirt or cut grass to get into the pinions and clog them. A Solid Rectangular Frame, that cannot be twisted or jarred out of parallel, the two side frames being bound tightly together by means of two cold die-drawn steel bolts, which make the most rigid frame ever built, and permits of the Mower being readily taken apart. A Removable Cutter Bar, which, by loosening four small screws, may be rolled out of the machine for sharpening, without disturbing the frame. Micrometer Adjustment for Cones and Ball Cups—The slight wear of the cones, balls and cases, consequent upon long continued use, is perfectly compensated for by two screws (other machines have six, and some ten to accomplish this in parallel bearings). Double Steel Ratchet, making the knives cut the instant you move the Mower, a delightful contrast from the old-style Mowers. Cold Die-Drawn Steel Axles; hard and stiff, and true to within \$\frac{1}{1000}\$ of an inch, which, with the cast-iron hubs. Material—Knives of first-class high-grade steel, hardened and tempered. Spiders (to which the revolving knives are riveted) and roller brackets of very best malleable iron. Side frames and wheels of best gray iron. Shafts of cold die-drawn steel.

Prices of the Thorburn Bal	II-Bearing High-wheel Mower:
14-inch cut       .\$8 50   18-inch cut         16-inch cut       9 50   20-inch cut	

## The Townsend Triple Ratchet Horse Lawn Mower.

Triple Rolls, with Triple Pawls in each roll, making the most powerful and instantaneous driving mechanism ever put in a Lawn

Mower. Instant Change of Height of Cut—A lever besides the driver enables him to cut any height from the ground, and to easily and quickly raise the blades over stones or other obstructions without stopping the horse or leaving his seat. Instantaneous Control of Blades—A slight movement of a small lever near the driver throws the Mower in or out of gear without stopping. It will cut over very rough and uneven ground, and stand very rough usage, and still will get down into the turf and cut its swath clean, easily and smoothly. It is, on this account, very popular with golf clubs.

Furnished complete, with Toolbox, Seat. Handles. Shafts and Sidebar Attachment, which keeps the horse on the cut grass.

#### NET PRICES:



COLDWELL IMPROVED HORSE LAWN MOWER.

## The Imperial High Wheel Lawn Mower.

Combines the following points of excellence: The rigid frame; the positive lock adjustment; the arrangement for sharpening: the arrangement for mowing terraces; the six driving pawls, that will never wear out; the bottom knife, that will cut tenpenny nails in two; the gears, that will outwear the gears of any two lawn mowers on the market, as they do not turn when the machine is drawn backward; the unexcelled device for taking up all wear in the wiper journal; the general workmanship and finish of this Mower, which is equal to that of any lathe or other machine designed for good work and long life.

#### NET PRICES:

wheel.	wheel.
14-inch cut	18-inch cut\$9 50
16-inch cut 8 50	20-inch cut

## Chain Roller, or Golf Mower.

This Mower is made to meet the demand for a machine that will more perfeetly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. The great advantage of this Mower is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces the noise and friction to a minimum. The machine with 6 blades is highly recommended by most of the leading golf clubs in America for work on putting-greens.



#### GRASS CATCHER BOXES

For use on the above mowers at the following net prices:


12-inch\$1	50	18-inch\$2 (	0
14-inch	60	20-inch 2 1	15
16-inch. 1	85		

#### RUBBER HOSE.


ply-¾ inch, in any length, at 15 cts. per foot. 1 inch, in any length, at 21 cts. per foot.

#### HOSE REELS.


Finest "Wallabout." Three- Tubular Iron Hose Reel. Very light weight, friction worked. They never break or wear out. Each
Prices—No. 10, for 100 feet 34-inch hose...\$2 75
No. 20, "150 "34" "... 3 00
No. 30, "500 "34" "... 5 00



	4 Blades.	6 Blades
12-inch	\$11 00	\$12 00
14-inch	12 00	13 00
16-inch	13 00	14 00
18-inch	15 00	16 00
20-inch		17 00



## THE "SUCCESS" KNAPSACK SPRAYER.



THE "SUCCESS" KNAPSACK SPRAYER.

A knapsack and bucket sprayer combined. 5-gallon copper tank. Brass pump with bronze ball valves. For spraying plants with Bordeaux mixture or other fungicides. The new improvements recently made to our Success Knapsack Sprayer entirely obviate all objections to the knapsack pattern. As now made this sprayer can be used either as a knapsack or bucket sprayer, the illustration as here given showing its use as a knapsack. To be used as a bucket sprayer, the handle and lever are removed, and the extra handle with which the outfit is provided is placed in position as shown by the dotted lines. It will be noticed that the straps used on this knapsack are made extra wide just where the weight comes upon the shoulders. This is a feature possessed by no other knapsack sprayer,


and relieves the unpleasantness formerly experienced in the use of outfits of this character. It is provided with a mechanical agitator. It is also provided with a handle at the center of the top of the tank. This greatly increases the convenience of the outfit, especially when used as a bucket sprayer, as it can be readily carried from place to place. The approximately appropriate the property of the property place to place. The pump may be worked with either the right or left hand, and may be readily removed from the tank by unscrewing the drip-cup. The drip-cup is just below the air chamber, and is made extra wide, so that any leakage around the plunger is returned into the tank, and not allowed to run down the operator's back, as is so often the case with knapsack sprayers. We also furnish a special attachment, shown at A, for underspraying. A wrench is provided for detaching pump from tank. Price, complete, as shown in cut, \$12.




## THE "LENOX" SPRAYER.

Made of galvanized iron, that will not rust. Holds 6 gallons of liquid. The spray is forced out by simply pressing the rubber bulb. A first-class sprayer for applying such insecticides as Paris green to grape vines, shrubs and vegetables, but the spray is not fine enough for Bordeaux mixture. Price, with single sprinkling attach-

ment as shown in cut, \$3.50.



Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle, and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cents extra. This pump is also valuable for washing windows. \$4.



For distributing dry insecticides and fungicides, such as Paris green, hellebore, sulphur, tobacco dust, fungiroid. It is well made, 🧩 green, helfebore, sulphur, tobacco dust, fungifold. It is well made, and weighs only 5 pounds. The style of it is shown by our illustration. Without the tubes it is 27 inches long, but when the four tubes are attached it is 10 feet long, and it throws the powder several feet beyond that. It holds one quart of powder, and is easily operated. An invaluable machine for use in orchard, garden or field. The length of it is such that the poison is kept at a safe distance from the operator. The regular outfit consists of six nozzles, two straps, oil can and four tubes. Price, complete \$7.50



#### WOODASON'S DOUBLE-CONE POWDER BELLOWS.

An excellent Bellows for applying powder insecticides in greenhouse, garden or field,

The powder can easily be evenly distributed in any direction, under or over the MYERS' BUCKET BRASS foliage, without waste.

SPRAY PUMP. Price, \$3.


#### WOODASON'S SINGLE-CONE POWDER BELLOWS.

plete, \$7.50.

The style of these is shown by our cut. They come in two sizes, the smaller one being most suitable for use in the conservatory. Price, large size, \$2; small size, \$1.

#### WOODASON'S ATOMIZER.

An excellent article for applying strong liquid insecticides, as it throws it out in a spray as fine as mist, and distributes it lightly, evenly, and without any waste. The small size is recom-mended for use in the house. Price, large size, \$2; small size, \$1.25.



WOODASON'S BELLOWS.

## Insecticides and Remedies for Plant Diseases.

#### COPPERDINE.

A combined fungicide and insecticide, used simply by adding water in proportion of 1 pound of the paste to 16 gallons of water. As a fungicide it prevents black rot, downy mildew and anthracnose of the grape, pear leaf-blight, apple scab, mildew, apple rot, black spot, strawberry blight. As an insecticide it kills codlin moths, curculio, pear insects, peach and apple borers, currant worms, cabbage worms, potato bugs and caterpillars. 1-lb. box, 25 cts., makes 16 gallons spray. 5-lb. box, \$1, makes 80 gallons spray.

#### FIR-TREE OIL.

For greenhouse and house plants. It destroys all plant insects without injuring the plant. It is the best insecticide for scale, aphis, red spider, mealy bug, thrip and worms. Dilute in the proportion of 1 pint to 20 gallons of water. Apply with vaporizer or syringe. ½pt. 40 cts.; pt., 75 cts.; qt., \$1.25; ½gal., \$2.25; gal., \$4.

#### FIR-TREE OIL SOAP.

This is the same as the Fir-Tree Oil, but in soap form. It is useful for the same purposes. Mix at rate of 1 ounce to a gallon of water, and apply with bellows or syringe. ½-lb. tin, 25 cts.; 2-lb. tin, 75 cts.; 5-lb. tin, \$1.75.

#### DALMATIAN INSECT POWDER.

Effective against almost all kinds of insects. Per ½-lb. box, 30 cts.; per 1-lb. box, 50 cts.

#### GISHURST'S COMPOUND.

A certain remedy for greenfly, scale, mealy bug, etc. Excellent for greenhouse use. Full directions for use on each box. Per 1-lb. box, 50 cts.

#### HAMMOND'S GRAPE DUST.

For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. package, 35 etc.; 10-lb. package, 60 cts.; 100-lb. keg, \$5.

#### HELLEBORE, POWDERED.

An excellent protection from currant worms, grape slugs, caterpillars, etc. May be applied dry or mixed in water—1 oz. to 3 gallons. Per 2-lb. box, 35 cts.; per 1-lb. box, 20 cts.; ½-lb. box, 12 cts.

#### NIKOTEEN.

A powerful insecticide, specially prepared for use in greenhouses and conservatories. Per pint bottle, \$1.50.

#### PARIS GREEN.

Mixed at the rate of 1 lb. to 200 gallons of water, it will prove effective against all chewing insects. Per 1-lb. can, 35 cts.;  $\frac{1}{2}$ -lb. can, 20 cts.;  $\frac{1}{4}$ -lb. can, 15 cts. This article is liable to fluctuate in price.

#### LITTLE'S ANTIPEST.

A sure destroyer of all insect pests. It is non-poisonous and harmless to vegetation. Mixed with water as follows it is effectual against—greenfly, 1 pt. to 10 gals. of water; mealy bug, 1 pt. to  $1\frac{1}{2}$  gals.; red spider, 1 pt. to 2 gals.; ants, wireworms and slugs, 1 pt. to 1 gal.  $\frac{1}{2}$ -gal. can, \$1.50; gal. can, \$2.50.

#### SLUG SHOT (HAMMOND'S).

Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use. 5-lb. package, 30 cents; 10-lb. package, 50 cts.; 100 lbs., \$4.

#### SULPHUR, POWDERED.

Valuable for protecting against mildew on grapes, roses, etc. Per lb., 10 cts.; 10 lbs., 60 cts; 100 lbs., \$4.

#### SULPHO-TOBACCO SOAP.

Dissolve in proportion of 2 ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, greenfly, bark-lice, etc. Per ½-1b. box, 25 cts.

#### TOBACCO DUST.

If dusted on while the foliage is moist it destroys rose lice, cabbage and turnip fleas, etc. Spread upon the ground, it keeps off all earth insects, and also acts as an excellent fertilizer. Per 1-lb. box 10 cts; 5-lb. package, 30 cts.; 10-lb. package, 50 cts.; per 100 lbs., \$2.50.

#### TOBACCO STEMS.

For fumigating plants infested with greenfly. Per bale of about 100 lbs., \$1.50; per bale of about 200 lbs., \$2.75; per bale of about 400 pounds, \$4.50.

#### "ROSE. LEAF" TOBACCO EXTRACT.

A perfectly pure, highly concentrated extract of tobacco, most effective for destroying all insects and scale on plants. Our "Rose Leaf" pamphlet gives full directions for applying. Pint can, 30 cts.; qt. 50 cts.; gal., \$1.25.

#### WHALE-OIL SOAP.

For washing trees and destroying all insects on the bark. Mixed at the rate of 1 lb. to 4 gallous of water, it will rid cabbage, rose bushes, peach trees, etc., of the aphides that so often infest them. Per 1-lb. box, 18 cts.; 5 lbs., 50 cts.; 10 lbs., 90 cts.; 100-lb. keg, \$7.

#### BORDEAUX MIXTURE, OR FUNGIROID.

For all fungous diseases, such as mildew and the various rots of the grape. Full directions on label. Dry, 1-lb, box, 20 cts.; 5 lbs. and over at 15 cts. per lb.; 50-lb. keg, \$6; liquid, 1 gallon, \$1.25.

## "Jadoo" Fibre and "Jadoo" Liquid.

JADOO FIBRE is a new growing substance for plants of all kinds. It was invented by Col. Thompson, of the Royal Army and Fellow of the Royal Horticultural Society of England, and it is highly recommended by gardening authorities there. It suits all kinds of plants, is only half as heavy as earth, and cleaner to handle; requires no soil to mix with it, and no manure. It increases the size and the brilliancy of flowers. Seeds germinate, and cuttings root in it, quicker than in earth. Owing to its spongy nature, it retains water much longer than earth. Plants transplanted in Jadoo Fibre do not flag, even if in full bloom.

JADOO LIQUID revives drooping plants, increases the size and profusion of bloom. It is both meat and drink to plants of all kinds. It can be used on plants that are grown in earth or in Jadoo Fibre.

Price of the Jadoo Fibre. 5-lb. box, 30 cts.; 10-lb. box, 50 cts.; 25-lb. box, \$1.10; per bag of 120 to 130 lbs., \$3.75; per ton, \$50.

Price of the Jadoo Liquid. Pint bottle, 25 cts.; 2-gallon can, \$1.50; 5-gallon can, \$3.75; 10-gallon can, \$7.50.

# HIGH GRADE FERTILIZERS.

(NET CASH.)

These Fertilizers are specially manufactured for us, and are reliable and efficient for the purposes specified. Bone basis guaranteed. Great care should be taken that all Fertilizers are well incorporated with the soil, so as not to come in contact with and destroy the vitality of the seed sown.

Quantity required on soils not impoverished, about one-half ton per acre.

#### THORBURN'S COMPLETE MANURE

Guaranteed to contain ammonia, 3 to 3½ per cent; phosphoric acid, all soluble, 8 to 10 per cent; sulphate of potash, 7 to 7½ per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, potatoes, peas, beans and early vegetables, and is especially suited for grain crops and for seeding down grass.

Price—In 167-lb. bags, per ton, \$38; single bags of 167 lbs., \$3.50; per bag of 75 lbs., \$2; 50 lbs., \$1.50; 25 lbs., \$1; 10 lbs., 50 cents.

#### THORBURN'S POTATO MANURE.

Guaranteed to contain ammonia,  $4\frac{1}{2}$  to 5 per cent; phosphoric acid, all soluble, 7 to 9 per cent; actual potash, 9 to 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the potato crop, and is also adapted for sweet potatoes, vines, and fruit trees, and all leguminous plants.

Price—In 167-1b. bags, per ton, \$45; single bags of 167 lbs., \$4; per bag of 75 lbs., \$2.50; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

#### THORBURN'S LAWN FERTILIZER.

Guaranteed to contain ammonia, 5 to 6 per cent; phosphoric acid, all soluble,  $5\frac{1}{2}$  to 7 per cent; actual potash,  $7\frac{1}{2}$  to  $8\frac{1}{2}$  per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top-dressing, imparting to grass a rich green color and vigorous growth.

Price—In 167-lb. bags, per ton, \$48; single bags of 167 lbs., \$4.50; per bag of 100 lbs., \$3; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

#### CLAY'S CELEBRATED FERTILIZER.

On account of the high reputation which this Fertilizer has in England, and as we have had many inquiries for it by gardeners here, we have imported some from Messrs. Clay & Son, which we offer at the following prices. It is undoubtedly one of the best manures for all horticultural purposes, either in greenhouse or garden, and we believe its high reputation is well-deserved. It is productive and lasting, and notwithstanding its apparently high price, it is quite economical.

PRICES IN BACS.

1 ewt. (112 lbs.)\$7 00 ½ " (56 lbs.) 4 00	¼ cwt. (28 lbs.)	1 25
--	------------------	------

#### PULVERIZED SHEEP MANURE.

A very rich, pure natural manure. It is excellent as a top-dressing for lawns. Its effect is immediate and very lasting. There is nothing better for mixing with the soil for greenhouse plants—one part manure and six parts soil. It is recommended for use in the vegetable garden, promoting a rapid and steady growth. It makes a rich and safe liquid manure—1 pound to 5 gallons of water.

5-lb. package, 30 cts.; IO lb., 50 cts.; 50 lbs., \$1.25; IOO lbs., \$2; ton, \$30.

#### BONE FERTILIZERS.

Pure Ground Bone Meal. This finely pulverized ground bone is excellent for rose culture. It decomposes very rapidly, and is more quickly effective than the coarser grade. It is excellent for mixing with the soil for potting. 5 lbs., 25 cts.; 50 lbs., \$1.25; 100 lbs., \$2; per ton, \$32.

Ground Bone No. 3. This is coarser than the above, and is suitable for general purposes, for top-dressing for lawns, and for garden and field crops. Per 100-lb. bag, \$2.25; per ton, \$38.

Ground Bone No. 4. A little coarser than No. 3. Per 100 lbs., \$2.50; per ton, \$40.

Crushed or Coarse Bone. Being much coarser, this takes effect more slowly, but is correspondingly more permanent. For orchards, small fruits, grape vines, etc., which require a lasting fertilizer, there is nothing better. Per 100-lb. bag, \$2.75; per ton, \$43.

#### BOWKER'S FOOD FOR FLOWERS.

A dressing made expressly for plants grown in the house, garden or conservatory; clean, odorless, and producing early and abundant blossoms, and healthy, luxuriant plants. One small package is enough for thirty plants for three months. Decidedly the best dressing for potted plants.

Small packages, 15 cts. each; large packages, 25 cts.

#### OTHER FERTILIZERS.

# TREE AND SHRUB SEEDS.

HOW TO GROW THEM.

In order to preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly



PICEA DOUGLASII

dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot, drying sun and winds, and also to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 to 4 inches, to allow the air to circulate freely. Keep the young plants well weeded, and

allow them to remain from one to two years before transplanting.

The propagation of Deciduous Trees from seeds is less difficult than that of Evergreen species, a little attention only being required to sow at the proper season to insure success. Acorns, Hickory Nuts, Chestnuts and Walnuts should be planted in autumn, or kept during the winter in sand or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not vegetate till the second year after planting, but if these seeds are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple, and a few other sorts ripen their seeds early in summer, and if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from

the middle of April to the middle of May, in drills about 2 feet apart, and covered about half an inch in depth, according to size.

The varieties here offered are on hand now, or are due from foreign countries, having been collected for us of the 1898 crop. As the season advances many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

#### EVERGREEN TREE SEEDS.

EF We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

Abies	Per oz.	Per lb.	Arctostaphylos	Per oz.	Per!	lb.
amabilis (Lovely Silver Fir)	\$0 50	\$5 00	tomentosa. From California	\$0 40	\$4	00
balsamea (Balsam Fir)	20	1 25	uva-ursi (Bearberry)	40	4	00
brachyphylla (Short-leaved Japan Fir	) 60	6 00	Azalea			
Canadensis (Hemlock Spruce)	60	6 00	arborescens (Smooth Azalea)	80	10	00
Caroliniana. From North Carolina	1 00	12 00	calendulacea (Flame-colored Shrub)	50	5	00
concolor (California White Silver Fir	) 30	3 00	occidentalis (California Azalea)	2 00		
firma (Japan Silver Fir)	40	4 00	Vaseyi. From North Carolina	1 50		
Fraseri (Double Spruce)	40	4 00	viscosa (Swamp Honeysuckle)	50		
grandis (Great Silver Fir of Oregon)	40	4 00	Buxus sempervirens (Evergreen Box)	20	1	50
magnifica (Superb Silver Fir)	50	5 00	Cedrus			
Mariesii (Japanese Silver Fir)	75	8 00	Atlantica argentea (Mount Atlas Cedar) .	40	4	00
Mertensiana (Califor. Hemlock Spruc	e). 75	8 00	Deodara (Himalayan Cedar)	40	4	00
Nordmanniana (Nordmann's Fir)	20	1 50	Libani (Cedar of Lebanon)	40	4	00
nobilis (Noble Fir)	50	5 00	Chamæcyparis			
pectinata (European Silver Fir)	10	75	Nutkænsis (Ginger Pine)	80	10	00
Pinsapo (Spanish Fir)	25	2 50	pisifera. From Japan	60	6	00
subalpina (Dwarf Mountain Spruce).	70	7 00	Cotoneaster buxifolia (Hardy Evergreen).	20	2	00
Veitchii. From Japan	75	8 00	Cryptomeria Japonica (Japan Cedar)	20	.2	00
Arborvitæ. See Thuja.			Cupressus			
Arctostaphylos			horizontalis (Horizontal Cypress)	10	1 (	00
glauca (Great-berried Manzanita)	20	2 00	Guadalupensis. From California	60	6 (	00
pungens (Erect Manzanita)	20	2 00	Goveniana (Goven's Cypress)	40	4 (	00

#### EVERGREEN TREE SEEDS-continued.

				Pinus (continued)—		. D.		1.
		Per \$5		Laricio (Corsican Pine)		z. Pe	rı 2 (	
Lawsoniana (Lawson's Cypress)\$0				maritima (Seaside Pine)	10			40
MacNabiana. Dwarf	35		50	Massoniana (Chinese Pine)	30		3 (	
macrocarpa (Monterey Cypress)	15		00	mitis (Short-leaved Pine)	6		5 (	
sempervirens (Evergreen Cypress)	15		00					
Daphniphyllum macropodon	25	2	50	monophylla (California Nut Pine)	3		3 5	
Fir Tree. See Abies and Picea.			1	Murrayana. A variety of P. contorta			2 (	
Juniperus				parviflora. Small size, dense foliage	6		6 (	
communis (European Juniper)	10		40	Pinea (Stone Pine)	1			50
Bermudiana (Bermuda Cedar)	15	1	50	ponderosa (Heavy Pine)	2		$\frac{2}{2}$	
Hibernica (Irish Juniper)	15	1	75	rigida (Northern Pitch Pine)	30		3 (	
oxycedrus (Sharp-leaved Cedar)	10	1	00	Sabiniana (Sabine's Nut Pine)	2		2 (	
Phœnicia (Phœnician Cypress)	20	2	00	Strobus (White Pine)	2		1 5	
Sabina (Common Savin)	15	1	50	sylvestris (Scotch Pine)	2		1 5	
Virginiana glauca (Silver Cedar)	15	1	25	Taeda (Loblolly)	5		5 (	
Libocedrus decurrens (Cal. White Cedar).	35	3	50	Torreyana (Torrey's Pine)	3		3 8	
Norway Spruce. See Picea excelsa.				tuberculata (Tubercled Pine)	60	) (	6 (	)0
Picea				Retinospora. See Chamæcyparis.				
Ajanensis. From Japan	80	10	00	Sciadopitys verticillata (Umbrella Pine of	_			
Alcoquiana (Japan Fir)	75		00	Japan)	7	ð	7 (	J0
Douglasii (Douglas' Spruce)	35		50	Scotch Fir. See Pinus sylvestris.				
Engelmannii (Englemann's Spruce)	60		00	Sequoia	_	_		0.0
excelsa (Norway Spruce)	15		00	gigantea (Big Tree of California)	7	-	8 (	
nigra (Black Spruce)	40		50	sempervirens (California Redwood)	4	,	4 :	50
polita (Tiger's-tail Fir)	75		00	Spruce Tree. See Abies and Picea.				
pungens (Colorado Blue Spruce)	60		00	Taxus		_		-0
taxifolia (Washington Silver Fir)	60		00	baccata (European Yew)	1		1 3	
Williamsonii (Williamson's Spruce)	75		00	brevifolia (California Yew)	8		0 (	
Pinus		Ŭ	00	Thea viridis (Tea Plant of Japan)	1	)	1 5	50
Australis (Yellow Pine)	40	1	00	Thuja aurea (Golden Arborvitæ)	1	5	1 :	50
Austriaca (Austrian Pine)	20		00	occidentalis (American Arborvitæ)	20		$\frac{1}{1}$	
Balfouriana (Fox-tail Pine)	60		00	orientalis (Chinese Arborvitæ)	1		1 (	
Banksiana (Northern Scrub Pine) 1		'	00	compacta (Compact Arborvitæ)	2		$\frac{1}{1}$	
	30	9	00	gigantea (Giant Oregon Arborvitæ)	5		1 (	
Canariensis (Canary Island Pine) Cembra (Cembran Stone Pine)		3		,	9	,	9 (	<i>J</i> U
Cephalonica vera (Greek Silver Fir)	10		50	Thujopsis	c	0	e e	00
	40		00	dolobrata (Japanese Thuja)	6		6 (	
Coulteri (Coulter's Pine)	40		00	Standishii. From Japan	8		0 (	
edulis (American Nut Pine)	20		75	Torreya Californica (California Nutmeg)	20		2 (	
excelsa (Bhotan Pine)	30		00	Tsuga Sieboldii (Siebold's Japan Spruce).	7	ō i	8 (	)0
flexilis (Graceful Pine)	60		00	Yucca				
halepensis (French Pine)	25		50	angustifolia (Narrow-leaved Yucca)	7		8 (	)0
insignis (Oregon Pitch Pine)	25		50	baccata (Berry-bearing Yucca)				
Jeffreyi (Jeffrey's Pine)	40		50	brevifolia (Short-leaved Yucca)				
Koraiensis. From Japan	50		00	filamentosa (Adam's Needle)	7			
Lambertiana (Sugar Pine)	30	3	00 ]	Whipplei (Whipple's Yucca)	50	)	5 (	0(

## DECIDUOUS TREE AND SHRUB SEEDS.

For Fruit Tree Seeds, see page 44.

We do not sell Tree or Shrub seeds in quantities of less than one ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered. Per oz Per lh | Alnue

Acer	Per oz.	Per lb.	Ainus	Per oz.	Per lb.
campestre (European Field Maple)	\$0 10	\$0 40	communis (Common Alder)	\$0 10	\$0 50
circinatum (Round-leaved Maple)	25	2 50	incana (Smooth White Alder)	15	75
glabrum (Oregon Maple)	25	2 50	Oregona (Oregon Alder)	30	3 00
macrophyllum (Large-leaved Maple).	10	75	Amelanchier		
rubrum (Scarlet Maple)	25	2 50	alnifolia (Oregon Shad Bush)	50	5 00
Pennsylvanicum (Striped Maple)	30	3 00	Canadensis (Shad Bush)	20	2 00
platanoides (Norway Maple)	10	50	Amorpha fruticosa (Bastard Indigo)	10	75
pseudo-platanus (Sycamore Maple)	10	50	Ampelopsis		
saccharinum (Sugar Maple)	10	1 00	Veitchii (Japan or Boston Ivy)	15	1 25
spicatum (Mountain Maple)	30	3 00	quinquefolia (Virginia Creeper)	15	1 00
Actinidia arguta. A Japanese climber.	2 50		Amygdalus vulgaris dulcis (Sweet Almond)		40
Ailantus glandulosus (Tree of Heaven)	15	75	Andromeda		
Akebia quinata. A Japanese climber	50	5 00	arborea (Sour Wood)	20	1 50

## DECIDUOUS TREE AND SHRUB SEEDS-continued.

1					
		Perlb.			Perlb.
calyculata (Leather-leaf)\$		\$5 00	vitalba (Traveler's Joy)		
ligustrina. Five feet high	20	2 00	viticella (Purple Virgin's Bower)		1 50
Mariana (Stagger Bush)	20	2 00	Clethra alnifolia (Sweet Pepper Bush)	20	2 00
racemosa (Pepper Bush)	30	3 00	Colutea arborescens (Shrubby Bladder		
Arbutus			Senna)	15	1 00
Menziesi (Madrona Tree)	30	3 00	Cornus		
Unedo (Strawberry Bush)	20	2 00	alternifolia (Alternate-leaved Dogwood) .	15	1 50
Ash. See Fraxinus.		- 00	circinata (Round-leaved Cornel)	20	2 00
	15	75	florida (Flowering Dogwood)		50
Asimina triloba (Pawpaw)		75	mascula (Cornelian Cherry)		50
Baccharis halimifolia (Groundsel Tree)	50	5 00			
Berberis			Nuttallii (Nuttall's Dogwood Box)		2 00
Aquifolium (Holly-leaved Barberry)	10	1 00	paniculata (Panicled Cornel)		1 50
nervosa (Nerve-leaved Barberry)	60	6 00	sanguinea (Scarlet Dogwood)	10	75
vulgaris (Common Barberry)	10	75	sericea (Silky Cornel)	15	1 50
" purpurea (Purple-leaved Barberry)	15	1 50	stolonifera (Osier Dogwood)	10	1 00
parparea (1 arpro reason 2 aroung)	10	2 00	Coronilla Emerus (Scorpion Senna)		5 00
Betula	20	0.00	Corylus Avellana (German Hazel)		50
Americana alba (White American Birch)	20	2 00		10	00
alba (White European Birch)	10	40	Cratægus	1.5	7.05
lenta (Mountain Mahogany)	30	3 00	Crus-galli (Cockspur Thorn)		1 25
lutea (Yellow Birch)	30	3 00	coccinea (Scarlet-fruited Thorn)		80
papyracea (Paper Birch)	35	3 50	Oxyacantha (Hawthorn)	10	50
populifolia (Poplar-leaved Birch)	20	2 00	parvifolia (Small-leaved Thorn)	30	3 00
Bignonia capreolata (Cross-vine)	30	3 00	pyracantha (Evergreen Thorn)	10	75
- ,	30	3 00	pyrifolia (Pear-leaved Thorn)		1 25
Birch. See Betula.			tomentosa (Black Thorn)		1 25
Boston Ivy. See Ampelopsis Veitchii.				10	1 20
Brahea filifera (Washingtonia)	20	2 00	Cytisus	20	
Broussonetia papyrifera (Paper Mulberry)	25	2 50	alpinus (Scotch Laburnum)		1 50
Callicarpa Americana (French Mulberry).	15	1 50	Laburnum (Laburnum)	10	75
Calycanthus floridus (Sw't Scented Shrub)	15	1 25	Daphne Mezereum (Mezereon)	50	
Camellia Japonica. From Japan	15	1 50	Deutzia		
•	25	2 50	gracilis (Japanese Snow-flower)	25	2 50
Camphora officinalis (Camphor Tree)	20		scabra (White Deutzia)		2 50
Carya olivæformis (Pecan Nut)		30		20	2 00
Cassia Marilandica (Southern Cassia)	25	2 50	Diospyros	20	1 50
Castanea Japonica (Japan Chestnut)	10	85	Kaki (Keg Fig of Japan)		1 75
Catalpa			Lotus (European Persimmon)		1 00
bignonioides (Flowering Catalpa)	15	1 00	Mexicana (Mexican Persimmon)	25	2 50
Kæmpferi (Japanese Catalpa)	20	1 50	Virginiana (Wild Persimmon)	10	75
speciosa (Hardy Catalpa)	10	90	Dogwood. See Cornus.		
		1 50	Elæagnus		
Teas' Hybrid (Hybrid Catalpa)	20	1 50		25	2 50
Ceanothus			angustifolia (Oleaster)		
Americanus (New Jersey Tea)	30	3 00	longipes. From Japan	40	4 00
divaricatus (Branching Red-root)	60	6 00	Elm. See Ulmus.		
integerrimus (Entire-leaved Red-root)	75	9 00	Eucalyptus		
thyrsiflorus (California Lilac)	75	9 00	calophylla	1 00	
velutinus (Soft-leaved Red-root)	75	9 00	citriodora		
Celastrus scandens (Climbing Bittersweet)	15	1 50	cornuna var. Lehmanii		
`	15	1 00	diversicolor (The "Karri")		
Celtis australis (European Nettle Tree)	19	1 00	globulus (Tasmanian Blue Gum)		3 50
Cephalanthus occidentalis (Buttonball	15	1 25			5 50
Bush)	15		leucosylon rosea		
Ceratonia Siliqua (St. John's Bread)	10	1 00	polyanthema		
Cercidiphyllum Japonicum	1 50		robusta	1 00	
Cercis			Euonymus		
Canadensis (American Judas Tree)	20	2 00	atropurpurea (Burning Bush)	15	1 50
occidentalis (California Judas Tree)	30	3 00	Europæa (European Burning Bush)	10	1 00
Siliquastrum (European Judas Tree)	15	75	Japonica. From Japan	20	2 00
Cherry. See Prunus.					
	0"	9.50	Exochorda grandiflora. From Tennessee.	50	5 00
Chionanthus Virginica (Va. Fringe Tree).	25	2 50	Fagus		
Cinnamomum camphora (Camphor)	25	2 50	Americana (American Beech)	10	40
Cistus heterophyllus. From California	1 50		sylvatica (European Beech)	10	40
Citrus trifoliata (Hardy Japan Orange)	20	2 00	" purpurea (Purple Beech)		2 00
Cladrastis tinctoria (Yellow Wood)	60	6 00	Fraxinus		
Clematis			alba Americana (White American Ash)	10	40
flammula (White Virgin's Bower)	15	1.50	excelsior (European Ash)		40
,		1 50			80
Fremontii. From California	3 00		" pendula (Weeping Ash)	10	- 00

## DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDOO05 TREE	AIND	STROB SEEDS commuca.		
	z. Per lb.	Pe	r oz.	Per lb.
Ornus (Flowering Ash)\$0 10	0 \$0 50	Leucothoe Catesbæi (Dog Laurel)\$0	25	\$2 50
sambucifolia (Black, or Water Ash) 10		Ligustrum		
viridis (Green Ash) 10	0 80	Japonicum (Japan, or California Privet).	15	1 00
Fremontia Californica (California Shrub. 1 0	0	vulgare (Common Privet)	10	75
Furze. See Ulex.		Linden. See Tilia.		
Carrya elliptica. From California 1 2	5	Liquidambar styraciflua (Sweet Gum)	50	5 00
Caultheria Shallon (Cal. Winterberry) 56			10	60
· · · · · · · · · · · · · · · · · · ·	0 00	Liriodendron tulipifera (Tulip Tree)		
Caylussacia	0 0 00	Lonicera ciliata (Fly Honeysuckle)	20	2 00
dumosa (Dwarf Huckleberry) 30		Maclura aurantiaca (Osage Orange)		
frondosa (Blue Dangleberry) 30		per bus. of 33 lbs., \$10	10	50
resinosa (Black Huckleberry) 30	0 3 00	Magnolia		. 0-
Genista		acuminata (Cucumber Tree)	15	1 25
scoparia (Scotch Broom) 10	0 50	glauca (Sweet Bay)	20	2 00
tinctoria (Green Broom)	5 1 50	grandiflora (Large-flowering Magnolia)	15	1 50
juncea (Rush-leaved Broom) 10	0 75	hypoleuca. From Japan	30	3 00
Cinkgo biloba. See Salisburia.		macrophylla (Great-leaved Magnolia)	30	3 00
Cleditschia		parviflora (Small-flowered Magnolia)	30	3 00
horrida (Horrid Thorn)	5 1 00	tripetala (Umbrella Tree)	25	2 50
· · · · · · · · · · · · · · · · · · ·		Maple. See Acer.		
triacanthos (Honey Locust)		Melia Japonica. From Japan	15	1 50
Gordonia lasianthus (Loblolly Bay) 1 0		_		
Cymnocladus Canadensis (Ky. Coffee Tree)	0 65	Menispermum Canadense (Moonseed)	40	4 00
Halesia		Menziesii globularis. From N. Carolina	50	5 00
diptera. From Tennessee 2	5  2  50	Morus		
tetraptera (Silver Bell)	5   2   50	alba (White Mulberry)	20	2 00
Hamamelis Virginica (Witch-hazel) 2	5 2 50	alba rosea (Hybrid Mulberry)	25	2 50
Hazel Nuts. See Corylus.		alba fructo-nigro (Hybrid Mulberry)	30	3 00
Hedera Helix (English, or Hardy Ivy) 19	0 60	Tatarica (Russian Mulberry)	20	2 00
Hibiscus		Mulberry. See Morus.		
Syriacus fl. pl. (Double Rose of Sharon). 2	0 1 50	Myrica		
•	0 1 00	Californica (California Wax Myrtle.)	35	3 50
Honey Locust. See Gleditschia.	- 0 -0	cerifera (Candleberry Myrtle)	15	1 00
Hydrangea arborescens (Tree Hydrangea). 2				3 00
Hypericum densiflorum (St. John's Wort). 5		Myrtus communis (Common Myrtle)	30	3 00
Idesia polycarpa. A new tree from Japan. 1 0	0 12 00	Negundo		
llex		aceroides (Box Elder)	10	40
Aquifolium (European Holly) 1	0 60	Californica (California Box Elder)	15	1 50
Dahoon (Dahoon Holly) 5	0 5 00	Nuttallia cerasiformis (Nuttall's Shrub)	40	4 00
decidua (Deciduous Ivy) 1		Nyssa multiflora (Sour Gum Tree)	10	50
glabra (Inkberry)		Oaks. See Quercus.		
opaca (American Holly)		Oreodaphne Californica (Cal. Laurel)	20	1 75
		Osage Orange. See Maclura.		
verticillata (Deciduous Holly) 2		Ostrya Virginica (Hop Hornbeam)	20	2 00
Indigofera tinctoria (Indigo Tree) 2		Oxydendron arboreum (Sourwood):	20	2 00
Itea Virginica (Virginian Willow) 3	0 3 00	,		
Juglans		Paliurus aculeata (Christ's Thorn)	10	50
cordiformis. From Japan 10	0 60	Parkinsonia aculeata (Jerusalem Thorn)	25	2 50
cinerea (Butternuts)		Paper Mulberry. See Broussonetia.		
per qt., 15c.; per bus., \$2.50		Paulownia imperialis (Paulownia)	15	1 25
Californica (California Walnut)	1 50	Philadelphus coronarius (Syringa)	50	6 00
nigra (Black Walnut)		Photinia arbutifolia (California Maybush).	25	2 50
per qt., 15c.; per bus., \$2.50		Phytolacca decandra (Pokeberry)	20	2 00
Sieboldii. From Japan 1	0 60			2 00
"Royal" New Hybrid. See page 44.		Tree)	10	50
			10	90
Kalmia	0 00	Plum. See Prunus.		
angustifolia (American Laurel) 2		Poinciana Gilliesii (Crimson Thread-flw'r).	75	
latifolia (Calico Bush) 1 0	0	Populus		
Kœlreuteria		alba (Abele Tree)	20	2 00
paniculata (Chinese Bladder Nut) 1	0 75	monilifera (Cottonwood Tree)	20	1 50
Lagunaria Pattersonii. From California. 5	0	tremula (Aspen Poplar)	20	1 50
Larch. See Larix.		Prunus		
Larix		Americana (Wild Plum)	15	1 25
	0 1 50			
Europæa (European Larch)			20	1 75
leptolepis (Money Pine of Japan) 7		, ,	15	1 25
Laurus Benzoin (Spicewood) 1			30	3 00
nobilis (Sweet Bay) 1		,	10	1 00
Leiophyllum buxifolium (Sand Myrtle) 3	0 3 50	maritima (Beach Plum)	15	1 25

## DECIDUOUS TREE AND SHRUB SEEDS-continued.

DECIDOOOS TREE AND	STINOB SEEDS COMMINGCO.	
Prunus (continued)— Per oz. Per lb.	Sophora (continued)— Per oz. P	er lb.
Pennsylvanica (Wild Red Cherry)\$0 20 \$2 00	Japonica (Japanese Sophora)\$0 10	80 75
serotina (Wild Black Cherry) 10 75	" pendula (Jap. Drooping Sophora). 15	1 00
Virginica (Choke Cherry)	speciosa. From Arizona	1 50
Ptelea trifoliata (Hop Tree)	Sorbus. See Pyrus.	
Pyrus .	Spiræa	
•	ariæfolia (Tall California Spiræa) 60	6 50
	Douglasii (Douglas' Spiræa) 60	6 50
arbutifolia (Chokeberry)	gigantea (Giant Meadow Sweet) 75	0 00
Aucuparia (European Mountain Ash) 10 75	salicifolia alba (White Meadow Sweet) 25	2 50
rivularis (Oregon Crab Tree) 50 5 00	Staphylea pinnata (European Bladdernut). 15	1 25
Quercus—Oaks. Only a few sorts this		1 20
season, from 25 cts. per lb. to \$6 per bus.	Sterculia	
Rhamnus	diversiloba (Bottle Tree)	6 00
Alaternus (Barren Privet) 10 1 00	platanifolia (Chinese Parasol)	1 50
Californicus. From California 30 3 00	Stuartia psuedo-camellia. From Japan 40	4 00
catharticus (Buckthorn)	Styrax Japonica (Japanese Shrub) 25	2 50
Carolinus (Alder Buckthorn)	Syringa	
· · · · · · · · · · · · · · · · · · ·	vulgaris (Lilac)	1 00
Purshianus (From Washington) 35 3 50	Japonica (Japan Lilac) 1 25	16 00
Rhododendron	Taxodium distichum (Deciduous Cypress). 10	75
Catawbiense. From North Carolina 40 4 00	Tecoma radicans (Trumpet Creeper) 25	2 00
maximum (Great Laurel)	Tilia :	
Rhus	Americana (American Linden) 10	60
copallina (Dwarf Sumach) 10 1 00	argentea (Silvery Linden)	75
cotinus (Smoke Tree)	· ·	
glabra (Smooth Sumach)	Europæa (European Linden)	75 7-
integrifolia (California Sumach)	grandiflora (Large-leaved Linden) 10	75
laurina (From California)	Ulmus	
	campestris (Common Elm)	1 00
	crassifolia (Texas Elm) 25	2 50
venenata (Poison Sumach)	Americana (American Elm) 20	2 00
Robinia pseudacacia (Yellow Locust) 10 40	Montana (Large-leaved Elm) 15	1 00
Rosa	Ulex Europæa (Furze, Gorse or Whin) 10	75
blanda (Early Wild Rose) 10 75	Vaccinium	
canina (Dog Rose). For stocks 10 35	corymbosum (Swamp Blueberry) 25	2 50
Caroliniana (Swamp Rose) 15 1 50	ovatum. From Washington 40	4 00
lucida (Dwarf Wild Rose) 30 3 00	ovalifolium (Oval-leaved)	Ŧ 00
pomifera (Apple-bearing Rose) 10 75		0.70
rubiginosa (Sweetbrier)	vaccillaris	2 50
rugosa (Ramanas Japan Rose)	Viburnum	
setigera (Prairie, or Climbing Rose) 15 1 50	cassinoides (Appalachian Tea Tree) 25	2 50
_ ,	dentatum (Arrow-wood)	2 00
Rubus	Lantana (Wayfaring Tree) 10	75
leucodermis (White Raspberry) 60 6 00	lantanoides (Hobble Bush)	2 50
Nutkanus (Salmon-berry) 75	Lentago (Sweet Viburnum) 20	1 75
spectabilis (Showy Raspberry) 1 00	nudum (Withe-rod)	1 50
vitifolius. From Washington 60 6 50	Opulus (Snowball)	1 00
Salisburia adiantifolia (Maiden-Hair Tree,	prunifolium (Black Haw) 15	1 00
or Ginkgo)	Tinus (Laurestinus) 10	75
Salix	Virgilia lutea. See Cladrastis tinctoria.	
alba (White Willow)	Vitex agnus-castus (Chaste Tree) 10	1 00
purpurea (Purple Osier)	Wainuts. See Juglans.	2 00
viminalis (Osier)	Wistaria	
Sambucus		1 50
	frutescens (American Wistaria)	1 50
Canadensis (Common Elder) 15 1 50	Sinensis (Chinese Wistaria)	3 50
glauca (California Elder)	Yellow Locust. See Robinia.	
racemosa (Scarlet-berried Elder) 40 4 00	Zanthorhiza apiifolia (Hardy Shrub) 1 50	
Sassafras officinale (Sassafras)	Zanthoxylon fraxineum (Toothache Tree). 20	2 00
Schinus molle (Pepper Tree of Cal.) 15 1 25	Zizyphus sativa (Cultivated Jujube) 15	1 25



shallow boxes from 2 to 3 inches deep and of any convenient size. The most suitable soil in which to sow seeds of all the smaller kinds is a very fine, rich, sandy loam; if some fine charcoal can be mixed with it, it will be beneficial. The soil from old hotbeds is excellent, or sods from an old pasture, piled up and allowed to rot for two or three years, and then mixed with a little old stable-manure and sand. The selection of a proper soil in which to sow fine seeds is very important, as upon this depends the success or failure of them. After the seeds are up, care must be taken to give them plenty of air and moisture, and yet not too much water, or they will "damp-off." When the young plants are well out of the seedleaf, they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When the pots cannot be had, boxes, tin cans, etc., may be substituted; or a cheap and effective plan is to take out the inside of a potato or turnip, leaving a shell half an inch thick. After filling these with the compost above referred to, set out the seedlings in them, and place the whole in boxes, filling in the spaces between the potatoes or turnips with soil. When the plants are ready to set in the open ground, it is an easy matter to transplant them, and as the decay of the turnips or potatoes affords nourishment to the young plants, a double purpose is served in using them. Treated in this way, the seedlings receive no check in growth, and require none of the extra care in watering or shading necessary with other

A common mistake in sowing flower, as well as other seeds, is covering too deep. As a general rule, cover only to the depth of the thickness of the seeds, or with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but as a rule it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it, else the plants become weak and straggling, and do not make the show they otherwise would.

methods.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in September in boxes, and placed in coldframes. They will make strong plants by spring, and come into flower early. Do not put on the sashes until heavy rains and frosts render this necessary, and then always remove during the day, and whenever the temperature is above freezing in winter.

HARDY BIENNIALS (hB) and PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border in September; for if not sown until spring, the seeds of many Perennials require two years before they germinate. In this case it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may then be transplanted to the flower garden where they are to remain.

HALF-HARDY ANNUALS (nhA).—These may be sown in shallow boxes, pots, or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible by partially or wholly removing the lights. After the end of May sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of hardy and half-hardy flower seeds may be sown in the open border in a warm and sunny spot, as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse, or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in very light, sandy compost, and the pots well drained by placing broken pots or bits of sods in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

**CREENHOUSE SEEDS** (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to germinate, unless great care be taken in the mode of sowing. Hence the supposition is produced that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mould or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top, so that the mould may not afterward sink materially with watering. Sow the seed very thin, and cover very lightly with a little compost, or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seed pan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly, until they are somewhat established in the new soil, when they may be removed to the light.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give the water by dipping a clothes-brush in water, shaking off the greater part of the water from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times, which will cause the water to be thrown on the young plants almost like dew. Some of the vaporizers and atomizers (as used for perfumes) now in use are admirably adapted for watering tender young plants. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

Primula Sinensis.—The Chinese Primrose is deservedly one of our most popular winter-blooming plants. For winter use it is easily grown from good seed, if sown at the right time and properly treated. Sow the seed in drills, in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse, or out of doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2 or 2½-inch pots, using a light, rich soil. The object now is to make good, stocky plants, and they must therefore be reported as often as the pots become tolerably filled with roots, until they are in 5 or 6-inch pots, when they may be allowed to flower.

Previous to this, any flower stalks that appear must be pinched out. In a suitable place the plants will do better out of doors than in the greenhouse during summer. They need a liberal supply of water. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted sitting-room, not too warm; they should not be moved about often.

Cineraria.—Years ago the Cineraria was a popular plant among florists. Bedding plants crowded it aside, but it is now fast taking its proper place again among choice winter-blooming plants. It is, to be sure, a rather difficult plant to grow and bloom well if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow the seed in April and May, in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of the seedlings should be similar to that given to the Chinese Primrose. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil, with some vegetable mould in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound, and so avoid checking the growth. If specimen plants are wanted, the repotting should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious waterings. When the flower stalks appear, manure water may be used once or twice a week. Aphis and red spider are the chief enemies to be guarded against; and this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out of doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall the plants should be placed in a cool greenhouse, where the temperature can be kept low and the air moist. The plants should be placed on a table by themselves, and the pots always kept far enough apart to prevent the leaves in one pot from touching those in the next. In the winter it may be necessary to smoke the plants with tobacco occasionally, to keep down the "green fly," or aphis. This may easily be done with tobacco "stems," which can be had at slight cost; they can be burned on a shovel, or in a regular "fumigator," made for the purpose.

Calceolaria.—The herbaceous varieties of the Calceolaria are very beautiful and popular plants. They should be flowered in a cool greenhouse. The seeds are very small, and should be sown on the surface. Sow in shallow boxes, filled with a light, sandy soil, that has been sifted. Sow moderately thick in rows on the surface, and cover very lightly with sifted sphagnum moss, cocoanut waste or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush may be used to advantage. To retain the moisture, the box may be covered with panes of glass, which must be removed, however, as soon as the plants make their appearance. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots 2 to 2½ inches in diameter. The soil should be light and rich, and vegetable mould is an excellent addition. Repot as often as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in pots 8 inches in diameter. If the pots become root-bound the plants are apt to run prematurely into flower. Water regularly and abundantly, to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a cool greenhouse in the winter, as directed for Cinerarias, and keep the pots apart to prevent the leaves from touching. An occasional smoking with tobacco will keep down the green fly.

Pansy.—For spring blooming, the seed should be sown in August, September and October, in a coldframe with a southern aspect. Plenty of air and light is essential. During mild weather the sashes should be removed; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July, and as soon as large enough plant in beds or benches near the glass in the greenhouse, in a low and even temperature.

Geraniums.—The Scarlet or Horseshoe Geranium (or, more properly, Pelargonium), now so extensively used for bedding, may be easily grown from seed at any season of the year. If during the summer, better out of doors than anywhere else; but in a greenhouse or sitting room during the winter. Sow the seeds in pots or shallow boxes, in any common soil; cover about an eighth of an inch, and press the soil on the seed. Transplant as soon as out of the seed-leaf, into small pots, in a soil only moderately rich; or, if the seeds were started out of doors, the plants may be put in the border. Seed sown indoors in the fall or early winter, and the plants grown in the greenhouse, will show flowers in June or July, while plants from those sown in March or later will not come into flower till August and September, and some even later. Much, however, depends upon the treatment, those receiving special care in pots blooming much sooner than those turned into a border or bed.

Petunias.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mould and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently but is still warm, sow the seeds very thinly in the boxes, so that the plants may be 1 inch apart; cover seeds very slightly with a little sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand and replace slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce strong, stocky plants. The soil may now need water, which should be applied very gently, that the tiny seedlings may not be displaced. Later the larger plants may be transplanted from seed boxes into other boxes or pots. As the weakest plants frequently give the finest blossoms, care should be taken to preserve every plant until the blossoms appear.

## Explanation of the Flower Seed Catalogue.

We have endeavored to make our flower seed department as complete in detail and easy of reference as possible, and instead of the usual description, have adopted a system of classification in

columns, using simple abbreviations to denote the various characteristics of the varieties in regard to color, time of flowering, hardiness, etc.

The first column gives the NUMBER, by which the different varieties may be ordered, without writing out the whole name.

The second column gives the BOTANICAL NAME, in Roman characters, and the following additional information:

The asterisk (\*) designates ornamental-leaved plants; these plants are grown for their foliage.

The dash (—) designates the repetition of the name above

it as applied to the variety to which the dash is prefixed. in vars. designates in varieties, or in mixed colors. fl. pl. designates flore pleno, or double-flowered.

The third column presents in figures the COMPARATIVE TIME OF FLOWERING. As it is impossible, in our varied extent of climate, to state the exact month any plant may flower in, we have adopted the simple plan of classing the different varieties into early, intermediate and late-flowering sorts. Thus:

1 designates early—blooming in spring and early summer. intermediate—blooming in midsummer.
late—blooming in late summer and autumn.

The fourth column gives the DURATION OF CHARACTER, and HARDINESS.

A represents Annual-lasting but one year, and producing flowers and seed the same season.

B represents Biennial-lasting two years, and generally blooming during the second season.

P represents Perennial—lasting three or more years.

 $\mathbf{E}$ Evergreen—retaining foliage the entire year.

46 S Shrubs-plants of bushy habit.

46 greenhouse plants-such as do best when kept under glass. bu 66 bulbous plants-plants forming bulbs or bulbous roots.

designates, in every case, repetition.

But as a large number of Biennials and Perennials, if sown early, flower the first season, this distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic states, and further north or south these designations apply only in a comparative way:

h represents hardy-plants for open border.

half-hardy—plants that require to be forwarded in pots or frames. tender-requiring protection.

The fifth column gives the color in full, except as abbreviated below:

```
ap. for apetalous..|bff. for buff .......|lav. for lavender...|scar. for scarlet.
      " black.... car. " carmine ... ptd. " painted.... spot. " spotted. stri. " striped. " tricolor... sul. " sulphur.... var. " variegated... ver. " vermilio
```

The sixth column gives the height in feet to which the plants grow under ordinary cultivation; trai. signifies trailing; cr. stands for creeping.

The seventh column shows the price per packet at which the flower seeds will be delivered by mail to any post office.

The eighth column gives brief observations respecting the various classes of plants catalogued, with special directions respecting their culture, where required. As these notes have been very carefully prepared, their suggestions are worthy of attention,



## FLOWER SEEDS.


\*For Seeds of Running Vines, Gourds, Everlastings and Ornamental Grasses, see end of Flower Seeds.
Flower Seeds delivered free by mail on receipt of the stated price.
For See explanation of figures and signs, on page 74.

by See explanation of rightes and signs, on page (4.										
NUMBER and NAME.	Time of	Hardiness and n	Color of the Flow	Height in Fo	Price per	General Observations.				
\$1 per oz. and over.					Cts.					
2065         Abronia umbellata.           2066         —grandiflora.           2067         arenaria.		hA 	rose yel.	trai.	5 5 5	Elegant trailers. Do best in light, sandy soil. Sow in open ground in May.				
2078         Abutilon compactum "Fireball"           2079         Edouard Lagueillon           2081         Darwini           2082         Mixed		gS	d. red	4	25 25 25 25 25	Free-growing decorative shrubs, with bright bell-shaped flowers. Suitable either for house, greenhouse or garden.				
2084         Acacia albicans.           2085         dealbata.           2086         armata           2087         decurrens.           2088         Farnesiana           2089         lophantha           2090         melanoxylon           2091         cyanophylla           2092         mollissima floribunda           2104         Fine Mixed			yel.	6  10 6  7	10 10 10 10 5 5 10 10 25 10	Greenhouse shrubs, with graceful branches and fine racemes of yellow flowers, richly scented.  2092 is a most charming shrub, with its wealth of fragrant golden flowers.				
2107 Acanthus mollis	3 2	hP 	white pur.	3	5 5	The leaves are ornamental and valuable for decorative purposes.				
2110         Aconitum Napellus (Monk's Hood)           2112         pyramidatum           2114         Mixed           2116         Adenophora liliifolia	2 3		blue  mixed l. blue	4	5 5 5	Hardy, popular plants, with panicles of helmet-shaped flowers.  Elegant hardy border perennial;				
2120 Adonis autumnalisper oz., 25c. 2121 æstivalis		hA hP	scar. crim. yel.	1  1½	5 5 5	\[ \begin{align*} \text{fragrant.} \\ \text{Attractive, bright flowers.} & 2120 is \\ \text{intensely red, with black center.} \end{align*}				
2128 Agapanthus umbellatus		tP	blue	1	10	(African Lily.) A beautiful tuberous-rooted plant.				
2128a Agave Virginica		hP	yel.gr.	6	10	S"False Aloe;" or, "Virginian Century Plant."				
2129         Ageratum conspicuum           2130         Lasseauxi           2132         Mexicanum         per oz., 40c.           2135         —album         50c.           2136         —grandiflorum roseum         2138           —Dwarf Blue         per oz., 60c.           2140         —Dwarf White         60c.           2141         —Little Dorrit         75c.           2142         —Swanley Blue         75c.           2143         —Mixed         40c.		†tP hhA	white rose blue white rose blue white blue white blue mixed	1 1½  ¾  1	5 5 5 10 5 5 10 10	Free-flowering bedding plants of low growth, contrasting well with Geraniums, Perillas and Dwarf Amaranths. "Little Dorrit" is a lovely azure blue, very floriferous and fine for bedding. "Swanley Blue" is a fine new large-flowered variety.				
2144         Agrostemma Cœli-Rosa (Rose of Heaven).           2145         —alba.           2146         coronaria (Rose Campion).           2146a         —Dark Blood Red           2147         —White           2147a         —Mixed         per oz., 40c.           2147b         Flos Jovis		hA thP	rose white rose d. red white mixed rose	1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	The Rose of Heaven is very free- flowering and easily grown. It is fine for beds. The Rose Cam- pion is a perennial species, free- blooming and very pretty. Ex- cellent for naturalizing in dry situations.				
2148         Alonsoa grandiflora.           2149         —alba.           2150         linifolia.           2153         myrtifolia.           2155         Warscewiczii.	1 3	hhA	scar. white scar.	$\begin{array}{c c} 2 \\ \vdots \\ 1\frac{1}{2} \\ 2\frac{1}{2} \\ 2 \end{array}$	5 5 5 5 5	Bright little annuals of fine habit; require some protection in cold weather. Sow in hotbed, and plant out early in May.				
Althæa rosea 2157 Alstromeria pulchella. Mixed		gP 	yel.&r. mixed	3	10 10	See Hollyhock.  22157 is a brilliant yellow, with red streaks.				

76

AQUILEGIA CŒRULEA.
See page 77.
See page 77.

			bo /	g /	£ /	<b>4</b>	1 4
		Time of	ring/	Color of the Flor	Height in E.	Price per	/ cge
	NUMBER and NAME.	4.	Hardiness and r	# / _ #	ī / .#	/ 50 A	General Observations,
		0 6	din d	the the	Sht	Q, e	denotal observations.
49	\$1 per oz. and over.	Tim	Har	70%	Hei	Pric	
=					1	cts.	
2159 2160	Alyssum maritimumper oz., 40c. —compactum, Dwarf ' 50c.	1 3	hA ····	white	trai.	5 5	2159 is the well-known Sweet Alys-
2161	-Thorburn's Bouquet				1/2 1/4	10	sum, so much used for edging. "Thorburn's Bouquet" is a very
$\frac{2162}{2163}$	-"Little Gem"procumbens, "White Carpet"	• • • •			trai.	$\frac{5}{10}$	dwarf and compact new sort, of
2164	saxatile compactumper oz., 60c.	2	hP	yel	1	5	the neatest habit; most suitable for borders or pots.
2166	argenteum "60c.	$\begin{array}{ccc} 1 & 3 \\ 2 & 3 \end{array}$	4.		$\frac{1}{2}$ 3	5 5	) for solution of poem
2168	*Amarantus Abyssinicus *bicolor ruber	2 3	tA 	d. red	2	5	·
$\frac{2169}{2170}$	*cruentus (Prince's Feather) *caudatus, "Love-Lies-Bleeding".	• • • •		d. red	3	5 5	Strong-growing, highly orna-
2170a						10	mental plants. The tricolor va-
$\frac{2171}{2172}$	*Henderi* *melancholicus ruber			cr.& y.	$\frac{4}{2\frac{1}{2}}$	5 5	rieties are very valuable for bedding, having elegant orna-
2173	*salicifolius			red pur.		5	mental foliage, variegated crim- son, yellow and green; they are
$\frac{2175}{2176}$	*speciosus*sanguineus nanus			yel.		5 5	also well adapted for growing in
2178	*tricolor (Joseph's Coat)			scar. mixed	diff.	5	pots. For decorations, of course, the finest marked plants should
$\frac{2179}{2180}$	*—giganteus *—splendens				$\frac{6}{3}$	5 5	be selected, as seed saved from
2182	*atropurpureus			dk.&p'r	2	5	the finest sorts produces some
2183	*Fine Mixedper oz., 20c. Collection of Amarantus, including	• • • •		mixed		5	very inferior plants.
	12 varieties, choicest sorts					50	J
	Amethyst						See Browallia.
2186	Anagallis, in variety	1 3	hhA			5	Plant in sunny situation.
$\frac{2190}{2192}$	Anchusa capensis	2	hP	d. blue	$\frac{1\frac{1}{2}}{2}$	$\begin{array}{c} 5 \\ 25 \end{array}$	Very attractive. Fine for cut- flowers and bouquets.
2194	Anemone coronaria, Single Caen	1		mixed		5	Very beautiful spring flowers, re-
$\frac{2195}{2196}$	-"St. Brigid" Poppy-flowered					10 10	quiring rich, deep soil. 2198 has
2198	Japonica rosea	3		rose white		25	large, pure white flowers, inval- uable for cutting. No. 2194 is
2199	occidentalis				1	10	the beautiful Caen strain of sin-
$\frac{2206}{2210}$	sylvestris		gP	pur.	1½	10 25	J gle Windflowers. See cut, p. 76. Beautiful, sweet-scented; for pots.
2210	Antirrhinum	••••	61	pur.	•	20	See Snapdragon.
	Aquilegia (Columbine)—						1
$\frac{2212}{2214}$	caryophylloides		hP 	strip.	$\frac{1\frac{1}{2}}{3}$	25 10	(Columbine.) Very elegant and free-blooming, hardy perennials,
2216	cœrulea			blue		25	suitable for beds, borders or
$\frac{2217}{2218}$	flabellata nana alba			white mixed	$\frac{1}{1\frac{1}{2}}$	$\frac{10}{25}$	shrubberies; they prefer a moist, sunny situation. 2216 is the
2219	Hybrids and species mixed					25	Rocky Mountain blue Columbine,
$\frac{2220}{2221}$	truncata (splendid) Skinneri			sc.& y. sc.& gr.	1	$\frac{10}{25}$	a most beautiful species. No. 2218 is a most beautiful new
2222	vulgaris Double White			white	2	5	strain of hybrids of the scarlet
$\frac{2224}{2225}$	—Double Mixed —Single Mixed			mixed		5 5	and blue sorts. No. 2221 is a very handsome and quite distinct
	Collection of Aquilegia, including					50	variety.
2230	12 choice varieties	2	hhP	white	3	10	)
2231	cordata					10	Handsome palm-like shrubs. No. 2232 is the "Angelica Tree."
2232 2235	Argamena grandidana nan oz. 10a	0 0	1- \		8	10	(In a large garden their glaucous
2236	Argemone grandiflora.per oz., 40c. —lutea	2 3	hA ····	yel.	2	5 5	{ foliage and large, poppy-like
2238	Arnebia cornuta	3	hhA		1	25	flowers are very effective.  Rich yellow-maroon.
2240	Asclepias Cornuti	2	hP	pur.	4	5	Silkweed; sweet-scented.
2242 2248	Curassavicaincarnata	$\begin{array}{ccc} 1 & 3 \\ & 2 \end{array}$	gP hP	orange rose p.	3	5 5	Swallow-Wort; free-bloomer. Swamp Milkweed.
2249	tuberosa	3		orange	2	5	Swamp little weed.
$\frac{2250}{2252}$	Asperula setosa azurea	2 3	hhA	l. blue	1	5	Sweet-scented, long bloomers; for
2202	odorata (Woodruff)		hP	white	1½	5	borders or rock-work.
2256	—Half Dwarf White	3	hhA		1	10	
$\frac{2257}{2258}$	— ——Scarlet — ——Scarlet and White			scar. sc.& w.		10 10	
2259	— — —-Lilac			lilac		10	(Callistephus.) The common
$\frac{2260}{2265}$	— — — Lilac, White border			li.& w.		10 10	name is from Aster, a star, in allusion to the shape of the
2268	— — — Mixed per oz., \$2			mixed		10	flower-heads. The genus is very
2270	Truffaut's Pæony Perfection— Snow White per oz., \$2			white	1½	10	large, containing over 200 species, but we offer here only the
	, , , , , , , , , , , , , , , , , , , ,						, , , , , , , , , , , , , , , , , , , ,



50


## of Flowering Duration Flower Packet Hardiness . Height in I General Observations. NUMBER and NAME. of the and . Price . La 1/oz. at oz. rate only on articles quoted at \$1 per oz. and over. cts. Asters, Truffaut's Perfection, con. choicest double sorts. The special attention given of late to the cultivation of the Aster has $\frac{2271}{2272}$ 3 11/2 10 -Crimson..... hhA crim. pink 10 . . . . resulted in the production of many truly magnificent varie-2273 —Scarlet ...... —Deep Mauve ...... —Rose and White Striped ..... d. red 10 2275 manye 10 2276 ties. Among them we may men-tion the *Victoria*, which pro-duces the most beautiful and . . . . striped 10 2278 -Light Blue ..... 1. blue 10 -Mixed......per oz., \$1.50 mixed 2279 10 . . . . 2287 Victoria, White.....per oz., \$2 white 10 perfectly-formed flowers, and is . . . . . . . . 2289 —Rose ..... rose 10 also the best for pot culture. . . . . For cutting and bunching, the long-stalked, perfectly globular 2290 pink 10 -Feach Blossom -Light Violet -Dark Scarlet -Mixed per oz., \$2 Shakespeare, White -Crimson 2291 violet 10 . . . . flowers of the Jewel are especially desirable. The Truffaut 2292 d. scar. 10 2294 mixed 10 class is remarkable for its large, 2295 10 white 2296 10 incurved flowers and the bright-ness of the colors. The Japan-ese Tassel Aster is a very dis-tinct new variety, with long, crim. — Dark Blue — Mixed Comet, Rose — Carmine. 2297 d. blue 10 2298 mixed 10 2299 rose 10 2300 car. 10 wavy petals and flowers of im-. . . . mense size. In this latitude Asters should be sown from the 2301 10 -Crimson..... crim. . . . . 2305 -White, Carmine Striped . . . . . . 10 stri. 2308 —Rose and White ..... ro.& w. 10 middle of March to the first part of May, on a spent hotbed or in pots or shallow boxes, in a frame or in the house. When an inch high, they should be transplanted 2308a-Light Blue ..... l. blue 10 . . . . —Dark Blue —Snow White —Mixed per oz., \$2 2309 d. blue 10 . . . . 2309a10 . . . . white 2310 10 mixed —Giant White..... 2311 10 white into fine soil spread over a dis-2312 ——Mixed. Imbricated Pompon, White..... ——Dark Blue mixed 10 carded hotbed, whence they can 2313 white 10 be bedded out when 3 or 4 inches . . . . 2315 d. blue 10 high. This should be done be-2316 rose 10 fore or during showery weather. 2318 mixed 10 Asters do finely sown in the open . . . . . . . . 2320 10 ground from the middle to the white . . . . 2321 10 last of May, but bloom quite late. They can also be well grown in crim. . . . . . . . . 2322 -Rose..... 10 rose . . . . pots; use fine and rich soil, and 2323 d. blue 10 . . . . 2324 mixed 10 water well. . . . . 2326 10 crim. 2327 10 COLLECTIONS. . . . . rose 2328 10 white We invite careful attention to the 2330 10 . . . . mixed collections offered below. These are put up in Germany, by men 2332 10 d. scar. . . . . 2333 1. pink . . . . of long experience in selecting 2334 10 rose . . . . the best flowers, and contain only seed saved from the very 2335Mignon..... white 10 . . . . . . . . Mignon. Snowball Mixed, Betteridge's..per oz., 50c. —Semple's Branching —Vick's Branching —Washington —Victoria Needle. —Giant Emperor 2336 25 . . . . . . . . finest plants. In each collection 2337 5 mixed the colors are separate; for instance, the collection of 24 Truf-2337a10 . . . . . . . . 2337b10 .... faut's Pæony Perfection contains 2338 10 1 24 separate and distinct colors 2339 10 or varieties of the class. 2340 11/2 10 . . . . 2340a-Crown..... -Quilled, or China..per oz., 50c. 5 . . . . 2341 5 . . . . 1-2 —Single Annual......—Perennial..... 2342 10 hP 2343 COLLECTIONS OF CHOICE ASTERS. 12 Giant Comet \$1 00 6 "" " 60 12 Large Rose-flowered 75 6 "" " 45 12 Giant Emperor 1 00 6 "" " 60 6 Queen 45 6 Mignon 50 6 Lilliput 40 12 Imbricated Pompon 90 6 " " 50 4 White-centered Crown 40 1 25 .....90 4.6 18 6 '' 24 Truffaut's Pæony Perfection 1 18 '' '' 1 12 '' '' '' 4.6 50 25 1 00 6 45 46 46 46 40

12 Pyramidal Dwarf Bouquet.....

6.6

		/	gu /	ion	, er	teet	, ket
	ATTENDED J MARKE	/.	diness	Polor of the Flore		4 / 4 /	o lo
	NUMBER and NAME.	P of	$\frac{dine}{dine}$	the the	sht	o be	General Observations.
A ST	*1/oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color of	Height in	Price per	
2346	Aubrietia deltoidea	1	hP	pur.	trai.	ets.	Resembling Alyssum in character
2347 2348	Græca Leichtlinii (rosy carmine)			car.		10 25	fine for rockwork or bedding.
2349	Auricula, finest	1		mixed	1/2	25	(Primula auricula.) Beautifu
2350	Azalea hybrida	2	hS		2	25	Seed from finest varieties.
	Balsams —		í				
2352 2353	Double White per oz., \$1.00  -Cream White '1.00		hhA	white cream		10 10	
2354	-Peach Blossom " 1.00			pink		10	(Impatient ) These are magnifi
2355 2356	- Carmine			lav.		10	(Impatiens.) These are magnification cent and popular summer-flow
2357	Spotted White. " 1.00					10	ering annuals, producing mas
2359	-Light Pink " 1.00			l. pink		10	ses of most perfectly formed
2361 2362	-Rose			rose scar.		10 10	and brilliantly colored flowers in the greatest profusion. They
2365	-Red, Spotted White " 1.00			spot.		10	prefer a rich, sandy soil, and
2380	-White, Sp't'd Sc'l't " 1.00			3 3		10	must be kept well watered Transplanting two or three
2381 2396	-Dark Blood Red " 1.00 -Solferino " 75			d. red l. lav.		10 10	times has a tendency to dwarz
2398	-Pale Yellow " 1.00			yel.		10	them and make the flowers more
2400	-Camellia-fl'd White " 1.00			white		10	double. The collections of
$\frac{2401}{2402}$	Mixed			mixed		10 10	Camellia-flowered and Rose flowered are exceedingly fine
2403	-Common Mixed " 40					5	Sow in the open ground in
	Collections of Balsams, including-						May.
	6 var. Improved Camellia-flow'd. 12 "Double Rose-flowered 6 """"""""""""""""""""""""""""""""					65 65 35	
	Balloon Vine						See page 107.
	Banana						See Musa Ensete.
2418	Baptisia australis		hP	blue		5	(False Indigo.) It has beautiful
2419 $2420$	leucantha		1. 1	l. yel. yel.	1–2	5 5	light blue flowers.
2421	<b>Bartonia</b> aureaper oz., 40c. —nana		hA ····	, e	$\frac{3}{1\frac{1}{2}}$	5	Golden yellow flowers; very fra grant in the evening.
, 2422	*Beet — Brazilian, G'ld'n-veined, per oz., 20c.					5	Beets having no tubers, but with
2423	*—Scarlet-veined " 20c.					5	handsome ornamental foliage
2424	*—Crimson-veined " 20c.					5	of very beautiful, rich colors
2425	*Chilian Scarl't-rib'd. " 20c.					5 5	Very effective in center of beds
2426 2427	*—Yellow-ribbed					5	or anywhere in contrast with other plants.
2428	*Dracæna-leaved " 20c.					5	) state parage
2434	Begonia, Single Tuberous-rooted		gP	mixed		25	)
2435	Double Tuberous-rooted					75	Fine for growing in pots, being
2438 2439	*Rex, Ornamental-leaved semperflorens			rose	1	25 25	perfect in habit, with very hand
2440	-alba			white		25	some foliage. 2439 and 2446
2442	-Vernon, red, for borders			red	1/	25	are very free-flowering, and fine for bedding. No. 2446 has scar
2443 2446	"Bijou," Bright Scarlet(new)fol. aureis, yellow-leaved			scar.	1/2	25 25	let flowers and beautiful golder
-110	Collections of Begonias, including—						yellow leaves; excellent for
	12 var. Tub'rous-root'd; fine col'rs					1 75	edging.
	Bellis perennis					2 00	See Daisy.
2448	Bidens atrosanguinea	2 3	hA	d. red	2	10	Showy, like the Calliopsis.
2450	Blue Bottle						See Centaurea Cyanus.
2452	*Bocconia Japonica		tP	white	4	5	Ornamental habit and foliage.
2454	Brachycome iberidifolia	3	hhA	pur.	1	5	(Swan River Daisy.) For edging
$2456 \\ 2458$	alba Mixed			white mixed		5 5	Should be started in hotbed.
	Browallia elata			blue	2	10	(Amethyst) Elegant greenhouse
			gA ····	white	2	10	(Amethyst.) Elegant greenhouse annuals; fine for cutting. 2466
2460	-alba					10	has large, lovely flowers, some
2460 2461	alba Mixed			mixed			
2460 2461 2464 2466				white		25	white, some pale blue.
2460 2461 2464 2466 2468	-Mixed				1	25 5	
2460 2461 2464 2466 2468 2470	-Mixed		hP hA	white yel. scar.	 1 2	25 5 5	white, some pale blue.
2460 2461 2464 2466 2468	-Mixed		hP	white yel.	1	25 5	white, some pale blue. Very ornamental hardy perennial.

Calcoding hybrida								
2475   Sepiciosa   30c.				ing	ion /	wer.	lea /	ket /
2475   Sepiciosa   30c.				Wer Ss	$F_{g_0}$		1 / 2	Pag /
2475   Sepiciosa   30c.		NUMBER and NAME.	0 to		2 / 50 P	ht i	be be	General Observations.
2475   Sepiciosa   30c.	l To	Woz. at oz. rate only on articles ayoted at	) H	ard	lor to	eig.	ice.	
2475   Sepiciosa   30c.		\$1 per oz. and over.	/E	/H ~	/ පී	#	\ <u>4</u>	
2450	2474	Calandrinia discolor. per oz., 50c.	2 3		1		cts.	
Calcelaria hybrida	2475	speciosa " 30c.					5	for edgings; plant in sunny sit-
2482   Large-flowered, Self-colored   gP   mixed   2   25	2480			nnP	violet	/2	10	
2486	2482			gP	mixed	2	25	
2489	2484	—Tigered or Spotted					25	blotched and variegated. Our
1949   Tigosa (shrubby)								
Salos Salos Salos Salos   Salos Salos   Salos Salos   Salos   Salos Salos   Salos								
Calendulary   One				hA				
2494	2492			• • • •	••••		5	Also Calceolaria hybridu.
2497	2493				orange	1	5	
2390	2494	——grand.sulphurea " 40c.			yel.		5	(Pot Marigolds.) Very showy,
Decision   Prince of Orange   25c   25c		——Nankeen 250.						free-flowering, hardy annuals;
	2500	——Prince of Orange " 25c.					5	beds or mixed borders. No.
2506   Polegié I.		- La Iteline						2494 is a very fine light yellow, large-flowered, double sort.
2507   Calla Ethiopica	2505	pluvialis " 25c.			white		5	and an increase double soils.
2508   Calliopsis marmorata   Calliopsis marmorata   Calliopsis marmorata   Calliopsis marmorata   Calliopsis marmorata   Calliopsis   Calliopsis marmorata   Calliopsis   C								, , , , , , , , , , , , , , , , , , , ,
2504						$1\frac{1}{2}$		The popular Calla Lily.
Drummondii								(Coreopsis.) Very showy annual
Part	2514	Drummondiiper oz., 30c.			y.& br.	1	5	
		elegans picta " 30c.	2 3					abundant in bloom, and of bright,
Trichosperma   Per oz. 30c   Solution   Per oz. 30c   Per oz.	2516	lanceolataper oz., \$1					10	
Sample   S								cutting. 2517 has very large flow-
Same		Mixed per oz., 30c.			_			
2520   Callirrhoe involucrata							25	
2525   pedata   per oz.,   oc.   o	2520		1 3	hP	c & W	trai		) Free-flowering, of pretty colors
2530								
Description of Campanulas, including 12 vars. choicest sorts   Candytuft—   September 2556   Candytuft—   September 2557   Candytuft—   September 2558   Candytuft—   September 2559   C	2529	Camellia Japonicaper oz., 25c.		gP	mixed	3	10	Grand greenhouse plant.
2532			1					]
2534								
2535	2533	Medium Blue		†hB	blue		5	
2   2   3								
2538	2536	—Mixed	2 3		mixed		5	garden. The hardy perennials,
2539								
2541	2539	——Rose			rose		10	The first two on the list are very
2542								
2543a macrostyla	2542	——alba		• • • •	white		5	and should be grown exten-
2544		macrostyla						lovely violet flowers. C. nersici-
2544b " "White white white	2544	nobilis alba		hB	white	3	10	folia, Blue and White, are splen-
2545   pyramidalis     thhP   blue   4   5   duced by planting the blue and white varieties together.								did perennials, with superb large flowers. A fine effect is pro-
2546a   rotundifolia (Scotch Blue-Bell)     gP   white   1   10   white   2   10	2545	pyramidalis		†hhP	blue		5	duced by planting the blue and
2546b   Vidali   Collection of Campanulas, including 12 vars. choicest sorts   Candytuft   Collection of Campanulas, including 12 vars. choicest sorts   Candytuft   Collection of Campanulas, including 12 vars. choicest sorts   Candytuft   Collection of Campanulas, including 12 vars. choicest sorts   Candytuft   Collection of Campanulas, including 12 vars. choicest sorts   Collection of Campanulas, including 12 vars. choicest   Collection of Campanulas, including 12 vars. choicest   Collect	2546a							white varieties together.
Candytuft		Vidali		gP				
2547   Iberis affinis, Dwarf   1 2 hA   1 5   5   2548   —amara   per oz., 25c.   1 5   5   5   5   5   5   5   5   5							60	
2548         —amara         per oz., 25c.         1         5           2549         —coronaria, Rocket.         25c.         5         Showy annuals for beds or edgings; several are sweet-scented.           2550         —"Empress".         60c.         5         ings; several are sweet-scented.           2553         —odorata.         25c.         pur.         5         They can be sown at any time in the house or open ground.           2557         —carnea.         40c.         flesh         5         The dwarf varieties are good bedders, and useful for cutting           2561         —lilacina.         25c.         lilac         5         as well; largely grown by flor-	05							
2549         —coronaria, Rocket.         "25c.         5         Showy annuals for beds or edgings; several are sweet-scented.           2550         — "Empress".         60c.         5         They can be sown at any time in the house or open ground.           2555         — umbellata.         25c.         pur.         5         Interval are sweet-scented.           2557         — carnea.         40c.         flesh         5         The dwarf varieties are good bedders, and useful for cutting           2561         — lilacina.         25c.         lilac         5         as well; largely grown by flor-							5	
2553       —odorata.       " 25c.       5       They can be sown at any time in the house or open ground.         2555       —umbellata.       " 25c.       pur.       5       In the house or open ground.         2557       —-carnea.       " 40c.       flesh       5       The dwarf varieties are good         2559       —-Dunnettii       " 25c.       d. cr.       5       bedders, and useful for cutting         2561       —-lilacina       " 25c.       lilae       5       as well; largely grown by flor-	2549	-coronaria, Rocket " 25c.					5	Showy annuals for beds or edg-
2555								ings; several are sweet-scented.
2559 ——Dunnettii " 25c. d. cr. 5 bedders, and useful for cutting 2561 ——lilacina " 25c. lilac 5 as well; largely grown by flor-	2555	—umbellata " 25c.			pur.		. 5	} in the house or open ground.
2561 ——lilacina " 25c lilac 5 as well; largely grown by flor-		Culticu 100.						The dwarf varieties are good bedders, and useful for cutting
2003 ——carminea " 40c   car.     5   ists, especially the white varie-	2561	— — lilacina			lilac		5	as well; largely grown by flor-
	2563	——carminea " 40c.			car.		5	1 1sts, especially the white varie-



	The second secon	1	ôn /	z /	F4 /	<del>4</del> 2 /	# /
			diness	Color of the Flore	Height in E.	Price per	acke
	NUMBER and NAME.	\ 2.	Hardiness and r		t in	ber ,	General Observations.
		90 6	$r_{din}^{rd}$	1 2 d	igh	60	
AN	*14oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Ha	C0J	He	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	Candytuft, continued—					cts.	
2565	Iberis umbellata, Dwarf Hybrid						ties for floral work, for which
2567	—Mixed Annual " 25c.	1 2	hA ····	mixed	1	5 5	they are very well adapted. 2569 makes a magnificent show the
$\frac{2569}{2570}$	—sempervirens —Gibraltarica		hP 	white pink		5 10	second year from seed.
2010	Collection of Candytuft, including			Pilik			
	6 vars. choicest sorts					30	(Cannas, or Indian Shot, are very
$2571 \\ 2572$	*Green-leaved	1 3	gP	mixed	4	5 5	ornamental, and much employed
2584	*Crozy's Finest Mixed " 75c.				3½	10	in sub-tropical gardening for groups and masses.
2590	Cannabis gigantea " 20c.		hhA		10	5	(Giant Hemp.) For backs of
	Canterbury Bells						borders. See Campanula.
9504		2	b. 1	wal	2		
2594	Carduus Benedictus	4	hA	yel.	4	5	(Blessed Thistle.) Pretty.
2597	Carnation (Dianthus caryophyllus) Margaret, White	2 3	thhP	white	11/2	10	1
2598	Yellow			yel.		25	
$\frac{2599}{2600}$	Very Dwarf Mixed			mixed	1	10 10	Saved from the finest collections
$\frac{2604}{2608}$	" Giant, Mixed Chabaud Perpetual, Mixed				11/2	$\frac{25}{25}$	of Germany. Grown in pots and in good soil, no flowers can
2610	Dwarf Perpetual (à tige de fer)		hhP		1	50	be finer or more worthy of gen-
2611	Comtesse de Paris. Very dwarf; yellow; comes true from seed			yel.		50	eral cultivation. Are very fragrant, and present great diver-
2612	Mme. B. Chabaud. A superb novelty of the Perpetual class.						sity and brilliancy of coloring.  The culture of seedlings is very
	Yellow background, shading to					50	interesting. The half dwarf
2613	salmon and bright cherry-red  Giant Perpetual, Pure White		†hhP	white	1½	50 50	"Margaret" is especially adapted for outdoor culture, flowering in
$\frac{2615}{2616}$	Yellow Fine Mixed			yel. mixed		50 50	five months from time of sow- ing, and is remarkable for the
2617	Rose-leaved		hhP		2	50	richness and profusion of its
$\frac{2618}{2619}$	Red Grenadine, Double Early Dwarf Viennaoz., \$1.25	2		red mixed	1	25 10	flowers, as well as for its vigor- ous growth. It is also suitable
$2620 \\ 2624$	Fine Doubleper oz., \$1	2 3			2	10 5	for pot-culture, flowering the first season from seed. Our
2625	" Single " 50c.					5	seed of these varieties is grown
	Choice Collections, including—50 vars. Carnation and Picotee.					\$3 00	exclusively by Mr. Chabaud, in the famous Garden of Carna-
	25 " " " " " " " " " "					$\begin{array}{ c c c c c } 1 & 75 \\ 1 & 25 \end{array}$	tions, Provence, France.
	12					1 00	
0.000	· ·					50	Ornamental plants, with beautiful
2630	Castilleia indivisa	••••	†hhP	b. red	1½	25	bracts.
	Castor Oil Plant						See Ricinus.
$\frac{2631}{2632}$	Catananche alba		hA †hP	white blue	2	5 5	Everlasting flowers. Bright colors and free-flowering.
	Catchfly		1111	brac			See Silene.
9696			h.D.		0		
2636	Cedronella cana		hP	pur.	3	5	Purplish crimson flowers.
$\frac{2637}{2638}$	Celosia Huttoni (dark foliage) Golden Feathered	3	tA	claret vel.		5 10	Fine for vases; splendid foliage plants. Nos. 2640 and 2641 pro-
2639	Crimson Feathered	2		crim.		10	duce very large plumes, which are curved and curled in resem-
2639a $2639b$	Red, scarlet-tipped; fine; new			r.& sc.		10	blance of an ostrich feather. They sometimes do not attain to
$2640 \\ 2641$	Ostrich Feather Crimson			crim.		10 10	full perfection till late in the
	o o						autumn.
2648	Centaura Americana	2	h A	num	9	_	See Cockscomb.
2650	Centaurea Americanaoz., 40c. *candidissima1,000 seeds, \$1		hA hhP	pur. white	3	5 10	
$\frac{2651}{2652}$	*Clementei '' '50c. *gymnocarpa per oz., 80c.	2 3 3				10 10	Nos. 2650, 2651 and 2652 are silver- leaved plants, fine for ribbon
2653 2654	macrocephala		hP	yel. var.	- 3	10 10	borders and edging of beds. The "Victoria" is a new minia-
2655	odorata Chameleon			white		10	ture Cornflower; very fine for

		Hardiness and n.	Color of the Flore	Height in Ford	Price per	Oket
NUMBER and NAME.	) of	ness		t ii	ber /	General Observations.
An 1/4 oz. at oz. rate only on articles quoted at	Time of	ardij	plor th	eigh	rice /	
\$1 per oz. and over.	/H	#	/ ප	#	/ Æ	
Centaurea, continued— 2656 Cyanus (Cornflower), per oz., 30c.	2	hA	blue	1½	5	} pots and edgings. "Chameleon"
2657 —Emperor William " 30c. 2658 —Victoria Dwarf Compact				3/4	5 10	and "Margaritæ" are superb new sorts, with very large and fra-
2658 <i>a</i> —nana compacta hybrida; fine for pots and edging			mixed		10	grant flowers; fine for cutting. The others are showy plants
2659 —Mixedper oz., 25c. 2660 —Double Mixed				1½	5 5	when in bloom. For other Centaureas, see Sweet Sultan.
Collection of Centaurea, including 6 vars. C. Cyanus (Cornflower)					30	
2661 Centauridium Drummondii			yel.		5	Pretty little Composite.
Centranthus— macrosiphonper oz., 30c.	1 3		red	1	5	
2665 —albus			white red	1/2	5 5	Very pretty, free-flowering An- nuals, suitable for rockeries and
2669 —Mixed " 30c.			mixed	1	5	vases.
2671 Cerastium tomentosum	2 3	†hP	white	trai.	25	Fine edging plants; pretty.
2673 Cerinthe retorta per oz., 40c.		hA	yel.	1½	5	Valuable for bees.
2675 Chelone barbata coccinea 2676 — hybrida, Mixedper oz., 50c.	3	†hhP	pur. mixed	2	5 5	Very pretty; bright color.
2685 Chorizema varium	1 3	gS	scar.	3	25	A fine greenhouse plant.
Christmas Rose						See Helleborus niger.
Chrysanthemum, Annual— 2690 coronaria, Double White						
2693 — —Yellow		hA 	white yel.	1½	5 5	
2694 ——sulphureum " 40c.			sul.		5 10	
2695 — —Mixed per oz., 40c.					5	The aunual Chrysanthemums are showy, free bloomers, and should
2696 tricolor, White " 40c. 2697 — Yellow " 40c.			white yel.		5 5	be grown in gardens in large
2698 —Scarlet			d. scar.		5	beds, where they will show their bright colors finely. Perfectly
2699 —Eclipse " 50c.			w. & r. br. & yl.	1	5 5	hardy and very desirable. C.
2700 —Burridgeanum " 40c.			w. & r.		5 5	multicaule is a valuable bedding plant. C. tricolor "Golden
2702 —Mixed			mixed yel.		5	Feather" has yellow foliage and white and red flowers.
2703a — — White			white		5 5	white and red howers.
2704 — — Mixed per oz., 75c. 2706 — — Golden-leaved sorts, Mixed			mixed		25	
2710 —Hybrid Double Mixed 2717 multicaule (fine bedder)		• • • • •	yel.	1/4	5 5	
2718 inodorum, Double			white	1	10	For bouquets or edgings.
2721 frutescens (Paris Daisy) Choice Collections including—	••••	••••	• • • •	••••	10	C. frutescens is the Paris Daisy, or "Marguerite."
12 vars. Chrysanthemum, Annual					50 35	
Chrysanthemum, Perennial— 2730 Indicum grandiflorum	3	hP	mixed	3	10	These are the celebrated sorts of
2731 Japonicum					10	the autumn shows, that attract
2732 —From finest flowers				1½	25 10	so much attention; bloom late in fall.
Cineraria hybrida—						
2735 White		†gP	white blue	2	$\frac{25}{25}$	Among the most ornamental and
2738 Crimson, Large-flowered			crim.		25	useful of greenhouse plants: very beautiful and showy, the
2739 Blood Red, Large-flowered 2739a Splendid Mixed			d. red mixed		25 25	colors being distinct and bright.
2741 ———Half Dwarf				1	25	The seeds we offer are saved from the finest named flowers.
2745 ——Large-flowered Prize 2750 ——Double	2			2	50 75	See a special note on page 73.
2753 <b>Cineraria</b> maritimaper oz., 40c. 2755 candidissima " 50c.		hhP	yel.		5 5	C. maritima is the popular "Dusty Miller."

	Time of	ering/	Color of the Flor	ower a	Price per	acket
NUMBER and NAME.	\ 50 E	ness	of Fig.	t in	ber	General Observations.
** 1/0z. at oz. rate only on articles quoted at \$1 per oz. and over.	$T_{im_{\Theta}}$	Hardiness	Color	Height in p	Price	
Clarkia—					cts.	1
2758 elegans roseaper oz., 30c. 2758a — — Double "40c.		hA	rose	1½	5 5	
2758b —alba, Double			white mixed		5 5	Very pretty, free-flowering, and of easy cultivation. A bed of these,
2762 ——Double " 30c.					5	especially the double varieties,
2764 ——Double			rose		5 5	is very beautiful. They are useful as edging plants, or for vases
2765 —alba			white bord.		5 5	and hanging baskets.
2768 —White Tom Thumb. "40c. 2777 —Mixed"30c.			white mixed	3/4 11/2	5 5	-
Ziii Minduiii ooo		••••		2		
2779a Red-top " 25c.			pur. red		5 5	(Salvia Horminum.) Odd but pretty flowers.
2780 White-top		• • • • •	white	$1\frac{1}{2}$	5	Curious; very ornamental, in Cas-
2783 <b>Cleome</b> pungens		tB hA	pink pur.	2	10 10	tor Oil plant style. Sandy soil suits them best.
2785 Clianthus Dampieri	1 2	gS 	scar. crim.	3 6	10 10	Greenhouse plants, bearing showy, pea-shaped flowers.
2792 Clintonia (Downingia) pulchella	2	hA	tri.	1/2	10	Very pretty for edging.
Cobæa scandens						See page 107.
Cockscomb— 2794 Empress, Dwarf Crimson	2 3		crim.	3/4	10	(Celosia cristata.) If transplanted into rich soil at the time they
2796 Mount Ætna			scar.		25	show a disposition to form, the
2797 President Thiers (very dwarf) 2798 All-aglow (new)			erim.		$\frac{10}{25}$	combs will be much larger. Fine for borders. Can be preserved
2799 Queen of Dwarfs			rose crim.	$\frac{1}{2}$ 1	10 10	for winter bouquets by cutting off the heads before they are
2812 Japan Scarlet	3		scar.	3	10 10	ripe, and drying in the house. "All-aglow" has very large, fiery
2823 Mixedper oz., \$1	2 3		mixed	2	5	) scarlet combs.
2828 Coffea Arabica		gS	white	5	50	Coffee Tree. Very ornamental. White flowers, scarlet berries.
2833 *Coleus (Fine hybrids) Choice Collections, including—		gP		2	25	Splendid bedding plants, with
12 varieties					\$1 25	beautifully colored foliage. Very useful for decorative purposes.
	9	1. A)		1	75	
2838 bicolor " 25c-	$1  \begin{array}{c} 2 \\ 2 \end{array}$	hA ····	pur. p.& w.	$\frac{1}{1\frac{1}{2}}$	5 5	Free-flowering Annuals. If sown
2839 —alba " 30c· 2840 candidissima " 30c·	$\frac{\cdots}{2}$		white	1	5 5	in autumn, will stand the winter, and flower early in spring.
2843 grandiflora " 30e 2845 multicolor " 25e.			blue w.& ro.		5 5	All the species are brightly colored, and excellent for growing
2847 — marmorata	2 3			••••	5	in patches or clumps; easily
2852 Mixed " 25c.	1 3		bl.& p. mixed	1/2 2	5 5	grown in any garden soil.
2854 <b>Collomia</b> coccineaper oz., 25c. 2856 grandiflora " 25c.	2 3		s.& y. yel.		5 5	Fine for bees; suitable for pot culture; very pretty.
Columbine						See Aquilegia.
2862 Commelyna cœlestis	1	hhP	blue white	1	5 5	Showy, favorite plants for pots and gardens, where they grow
2868 *—variegata			var.	2	5	finely.
2870 Convolvulus tricolorper oz., 25c. 2872 —White	1 3	hA	blue white	1	5 5	These are fine Dwarf Morning
			pur.		5 5	Glories for growing in clumps or beds, and well adapted for
2877 —Rose	·		rose		5	rockeries and hanging baskets; bloom for a long time. For
2877a —Mixed	••••	••••	mixed		5 35	climbing sorts, see end of Flower Seeds, "Vines and Climbers."
2880 *Cordyline australis	3	gS 	white '	3 10	· 10	Beautiful foliage plants for vases or decorations.
Coreopsis						See Calliopsis.
Cornflower					•	See Centaurea Cyanus.

.See page 85.

NUMBER and NAME.    Solution   State   Solution   Solut	hat it and oming early open Giant ers of nches
2884 Corydalis nobilis. 2 3 hP yel. 34 10 Beautiful hardy perennial.  2885 Cosmidium Burridgeanum. 2 hA orange 2 5  Cosmos, Large-flowered— 2886 Ciant Fancy White. 2 3 white 3 15 2887 " Red. red 15 2888 " Pink pink 15 2889 " Mixed mixed 15 2890 Tints of Dawn 15 2891 Marguerite 25 2892 Single Dahlia-flowered 2 3	hat it and oming early open Giant ers of nches
2885 Cosmidium Burridgeanum 2 hA orange 2 5 Very showy.  Cosmos, Large-flowered—  2886 Ciant Fancy White. 2 3 white 3 15 2887 "Red. red 15 2888 "Pink Dink 15 2889 "Mixed 15 2890 Tints of Dawn 15 2891 Marguerite 25 2892 Single Dahlia-flowered 2 d. crim. 26 d. crim. 27 2891 Marguerite 2 d. crim. 27 2891 Marguerite 2 d. crim. 27 2891 Marguerite 2 d. crim. 27 2892 Single Dahlia-flowered 2 d. crim. 27 2892 Single Dahlia-flowered 2 d. crim. 2891 Marguerite 2 d. crim. 25 25 2892 Single Dahlia-flowered 2 d. crim. 25 25 2892 Single Dahlia-flowered 2 d. crim. 25 25 2892 Single Dahlia-flowered 3 d. crim. 25 25 25 25 25 25 25 25 25 25 25 25 25	hat it and oming early open Giant ers of nches
2886   Ciant Fancy White.   2 3   white   3   15   improved in recent years to show the control of the contro	hat it and oming early open Giant ers of nches
2887         " Red.         red         15         most popular autumn-bloc flowring flowers. Start the seeds inside and transplant to ground in May. The "2891           2889         " Mixed         15         inside and transplant to ground in May. The "25           2891         Marguerite         25         Fancy strain produces flow immense size, often over 5 imme	early open Giant ers of nches
2889 " Mixed mixed 15 flowers. Start the seeds inside and transplant to ground in May. The " 25	open Giant ers of nches
2890 Interest Dawn. 15 ground in May. The " 2891 Marguerite 25 Fancy" strain produces flow immense size, often over 5 immense siz	Giant ers of nches
2892 Single Dahlia-flowered	nches
	ity of
2894 Erlinda	ts of
2000 Volletta. Dawn " are white ground, flu	ushed
2897 White Pearl per oz., 75c. white 3 5 The "Marguerite" has deep lead of	y and
2898 Pink Pearl. " 75c. pink 5 2899 Mixed " 50c. mixed 5 lirregularly fringed petals rebling Marguerites.	esem-
2902 Cotton (Gossypium) tA yel 5 Curious; for pots and garden	s.
2903 Cowslip (Primula veris)	
2904 Crucianella stylosa 2 pur 5 A handsome Crosswort.	
2905 Cuphea miniata	
2907 purpurea 3 pur 5 phants, and are also good	
2909 Rœzlii	nown
2910 strigulosa violet 10	
Cyclamen giganteum—per 100 seeds 2911 —album "Mont Blanc"\$1.50 1 gbu white 34 25 Sow the seed in small boxes seed pans, in a compost of	
2912 —atropurpureum	
2914 —robustum	l ger-
2914a       — — — hybridum       1.50	
2917 Persicum. mixed ¼ 10 leaves. The plants flower in	
Section 2017, Company of the 16.19	
Cypress Vine tP apricot 2 25 { plant of elegant habit. See Ipomæa Quamoclit, page	107.
2918 Dahlia, Fine Double per oz., 75c. 3 thhP mixed 6 10 All the varieties are fine. ".	
2919 Double Dwarf 3 10 Chretien" is a new, very du	
2919b Lilliput Double 10 15 inches high, and flowerin	g the
2920 Dwarf Single, fine strain, oz., $\$1.25$ $1\frac{1}{2}$ 10 first season from seed. It 2921 Jules Chretien, very dw'f " 1.50 scar. 1 10 valuable bedding sort, flows	
Choice Collections, including—  12 vars. beautiful Single Dahlia \$1 00 to October in great profu	
6 " " Also fine for pots.	31011
2922 Daisy, Double White per oz., \$5 1 thP white 1/4 25 (Bellis perennis.) The poet	s fa-
2923 Double Rose (Longfellow) rose 25 vorite: very popular flow white 25 No. 2928 produces very popular flow white 25 No. 2928 produces very popular flow white 25 No. 2928 produces very popular flow representations and representations are represented by the results of the representation	vers.
2927 Double Snowball white 25 flowers. If in open ground	
2929 White, red center, Double w. &r 25 in May.	
Daisy, Paris See Chrysanthemum frutescen	ıs.
2933 Daphne Mezereum hS pink 3 25 Early flowering and scented.	
2935 Datura metelloides	npet-
2937 Golden Queen (new) yel 10 immense flowers, beautifully	y col-
2938 fastuosa, Double White white 5 ored. "Golden Queen" is a s 2939 —Double Violet 5 did new, double, bright ye	
2940 —Double Mixedper oz., 40c mixed 5 ) and very showy variety.	
Delphinium (Larkspur)— 2941 Ajacis Dwarf Rocketp'r oz.,30c. 2 3 †hB 1 5	
2942 —Tall Rocket " 30c 2 5 Very ornamental, free-bloom	
2942b —Tall-branching 5 [ ing habit; they are quite e	effec-
2943 Brunonianum (beautiful) thP blue 3 25 tive in masses or mixed	nor-

		diness	Color of the Flore	To Mer	Price per	cket
NUMBER and NAME.	of of	Hardiness	of Fig.	Height in	per	General Observations.
🏖 ½oz. at oz. rate only on articles quoted at	$T_{im\theta}$	lardi and	olor	reigh.	rice	
\$1 per oz. and over.		/ <del>14</del>	1 5	<i>  P</i>	cts.	
Delphinium (Larkspur)—contin'd. 2944 cardiopetalumper oz., 40c.	2 3	hA	blue	1	5	ders, being very rich and varied in colors. The taller sorts are
2945 cardinale	2	hP	scar.	2	25	fine for shrubberies, and the
2946 Cashmerianum		†hP †hB	blue	$\frac{3}{2}$	25 5	dwarf varieties for beds. They are easily cultivated, but for
2948 elatum, Bee, Blue " 50c.		thP	blue	3	5	special attention they return
2949 - Mixed " 50c. 2950 Emperor, Imperial Branching			mixed		5	splendid results. The scil should
Roseper oz., 60c.		hA	rose	2	5	be dug deep, and a liberal sup- ply of well-rotted manure incor-
2950a  White " 60c.		11.15	white		5	porated, to obtain the best
2951 formosum		†hP	blue mixed	3	10 25	growth. D. Brunonianum is a distinct sort, with lovely blue,
2954 nudicaule			scar.	1	10	musk-scented flowers.
Choice Collections, including – 12 vars. Dwarf Rocket					50	We invite special ettention to the
6 " " "					30	We invite special attention to the choice collections here offered.
12 " Tall Rocket					50	· ·
6 " " " 6 " Dwarf Candelabra					30 35	
6 " Emperor					35	
6 "Ranunculus-flowered 8 "Tall-branching					30 35	
6 " " "					25	
6 · " Hybridum Finest Double					75	1
Dianthus						See Pink, Carnation and Picotee.
2955 Dicentra eximia		hP	flesh	1½	10	Handsome native variety.
2956 <b>Dictamnus</b> Fraxinella			red white	2	10 10	Fine dwarf herbaceous plants. The leaves, when rubbed, have
2960 — Mixed			mixed		10	a fine odor; flowers showy.
Digitalis						See Foxglove.
2964 *Dracæna Draco	2	gP	white	10	25	San Gandalina Componental amoon
2966 *indivisa lineata					10	See Cordyline. Ornamental green- house plants, with elegant
2968 *rubra			red	5	25	leaves; very rich and desirable.
2970 *Veitchii			white	3	25	
2972 Dracocephalum Moldavicum 2974 Echeveria secunda	3	†hP	blue	2	5 25	Ornamental.
2974 Echeveria secunda	2	gP 	yel.	<sup>1</sup> / <sub>4</sub>	25 25	Interesting greenhouse succulents, which are largely used for "car-
2976 superba					25	J pet " bedding.
2976a agavoides	3	gS	wh.& r.	2	25 10	Handsome evergreen shrub.
2977a Elscholtzia cristata	2	hA	lilae	11/2	5	Fine for bees.
2978 Epacris hybrida superba		gS	mixed	div.	50	Free-blooming, like Heath.
2980 Erica (Heath), Finest Mixed				2	25	Charming evergreen shrub.
2983 Erinus alpinus	2	hP	blue	1/4	10	Beautiful for baskets.
2984 Eryngium cœlestinum	2 3	• • • • •		$1\frac{1}{2}$	5	Beautiful sky-blue flowers.
Erysimum— 2985 Arkansanumper oz., 30c.	1 9	hA	yel.		5	) Free-flowering; of bright colors
2986 Peroffskianum " 30c.			orange		5	and neat habit.
						E. crista-galli is the Coral Tree.
2987 Erythrina crista-galli	2 3	0	scar.	4	10 10	A splendid greenhouse shrub, with large racemes of bright,
				••••	10	deep scarlet flowers.
Eschscholtzia – 2990 Californicaper oz., 40c.	1 3	h 1	vel.	1	5	
2990 Californica	1 3	hA 	white		5	Large, vase-shaped flowers of
2551 —Rose Cardinai			car.		5	bright colors, continuing long
2992 crocea			orange		5 5	in bloom; excellent for borders or bedding, and very showy.
2996 — Double White			white		5	Are also fine when grown in
2997 "The Golden West" (new) 2998 tenuifoliaper oz., 50c.			yel.& or.	••••	25 5	pots. E. maritima is a splendid new variety. "The Golden West"
2999 maritima			3 01.		10	is a superb new variety, with
3000 Mandarin per oz., 50c.			orange		5	flowers 4 to 6 inches in diameter.
3001 Mixed " 30c.		••••	mixed		5	Very graceful little plants. Ex-
3003 Eucharidium grandiflorum 3004 Breweri	1 2		rose		5 10	tremely showy when grown
	3	†hP	white		5	No. 3010 is fine for cutting, form-
3010 Eupatorium Fraseri		ThP	wnite	3	5	ing large clumps.
3012 perfoliatum		hP			10 10	("Boneset.") A fine wild flower.
3013 purpureum			pink	5	10	

	NUMBER and NAME.	Time of	Hardiness and Dr.	Color of the Flower	Height in E.	Price per	General Observations.
40	-14 oz. at oz. rate only on articles quoted at	Zin I	Har	2010	Heigh	Pric	
	\$1 per oz. and over.					cts.	
3014 *	Euphorbia marginataper oz., 30c.		hA	w.&gr.	2	5	Very pretty leaves; showy.
3020 3022	Eutoca multifloraviscida	1 3	hB hA	pink blue	1	5 5	Are good, serviceable flowering
3026	Wrangeliana					5	plants for bedding; free blooming.
3027	Mixed	• • • • •	••••	mixed		5	
0000	Everlastings	1 2		rose	1/4	25	See page 113.  Pretty for ribbon gardening.
3030	Fenzlia dianthiflora Ferns-Choice collection, including	1 2	••••	1036	74	20	Most graceful plants; do best in
	12 of the finest sorts					\$1 25	sandy, peaty soil.
	Feverfew						See Matricaria.
	Flax						See Linum.
3046	Forget-me-not (Myosotis)— alpestrisper oz., 75c.		†hhP	blue	trai.	10	1
3047	rosea			rose		10	
$\frac{3048}{3049}$	—albaper oz., 90c. —elegantissima			white blue	½ 	10 10	All are beautiful and much prized
3050	-robusta grandiflora					10	for spring gardening. The Myo-
$\frac{3051}{3052}$	— — Victoria (fine for pots)  —Mixed			mixed		$\frac{25}{10}$	sotis palustris is the true "Forget-me-not" of Europe. All the
3053	Azorica			d. blue		25	species are favorites, being early-
3054 3055	-cœlestina		hA	l. blue blue		25 10	flowering and easily grown.  They prefer a moist situation.
3056	dissitiflora	1	†hhP	b 6 m²	3/	10	, 1
$\frac{3058}{3062}$	palustris	1 2	hP 	b. & w. blue	3/4 1	10 10	]
3065	Foxglove (Digitalis), White	2		white	2	5	)
3070 3072	Large-flowered	1 2		l. y. rose	1½	5 5	Digitalis—from digitus, a finger,
3075	Purple			pur.		5	referring to the shape of the flowers. The Foxgloves are
3076 3078	Mixed per oz., 30c. Gloxinia-like, White	2 3		mixed white	div.	5 5	showy for backgrounds and bor-
3079	—Purple			pur.		5	ders, and are beautiful when planted among shrubs. They
3080 3082	—Rose			rose mixed		5 5	thrive in any ordinary garden
	Choice Collections, including						soil.
3089	12 varieties Foxglove  Four O'clock, Hybrid, per oz., 20c.		hA		2	40	)
3090	longiflora alba " 25c.	2		white		5	(Mirabilis.) Called Four O'clocks because they open their blossoms
$3091 \\ 3091a$		2 3		mixed white	1	5 5	at that hour in the afternoon.
3091b	" " Mixed " 30c.			mixed		5	They are also known as "Marvel of Peru." Handsome, free-flow-
	Choice Collections, including— 10 vars. Four O'Clock					45	ering, sweet-scented; blossoms
	8 " " "					30	variegated, striped and various colors.
3092	6 " " Stripl'v'd	1 2	hP	yel.	trai.	30 10	Beautiful scarlet fruit.
3093	Freesia refracta alba	3	gBu	white	2	10	Very sweet flowers.
3094	Fuchsia procumbens (for vases)		gS	blue	trai.	25	1
3094a	species)			scar.		50	("Ladies' Eardrop.") Well-known
3095	hybrida, Finest Mixed Single			mixed	div.	50 50	greenhouse plants. They require a firm, rich soil and a shady
3095a	-Finest Mixed Double Collection of Fuchsias, including		• • • • •			50	location.
0.4.5	12 choice varieties:		41.1.7	0	0	75	
$\frac{3096}{3096a}$	Gaillardia amblyodongrandiflora maxima		†hhP	fine r.	2	5 10	
3097	picta		hA	yel.		5	Showy and free bloomers. They are good bedders; very beau-
3098 3099	—Lorenzianaper oz., 50c. —Aurora borealis			mixed sc. & y.		5 5	tiful; fine for bouquets, and
3102	—Salmon-Red			salmon mixed		5 5	should be more generally cultivated. They do best in a good,
3103	—Mixed per oz., 40c. Collection of Gaillardia, including			inixed			light soil.
0706	6 choice varieties		1.0			40	IV
3106 3108	Calactia glabella	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	hP	pur. blue	4 3	10 5	Handsome twining plant.  Tall, ornamental plants, suitable
3110	—alba			white		5	for borders or for cutting.
3112	Gamolepis tagetes		hhA	yel.		5	Fine for beds.
3114	Cardenia Thunbergii		gS thh P	white	$\frac{2}{1\frac{1}{2}}$	25 5	Flowers very fragrant. Worthy of cultivation.
3116	Gardoquia Betonicoides	3	thhP	pur.	1/2	3	, violing of cultivation.



		1	diness	Color of the Flore	Tower.	leet /	
	NUMBER and NAME.	05	ines	of of F	it in	per 7	General Observations.
49	-¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color of the F	Height in F		
3118 3119	Caura Lindheimerianaoz., 40c. Cenista Canariensis	1 2 2	hP tP	w.&r. yellow	3 2	6ts. 5	Very effective in clumps. \(\) Very ornamental and free-flower- \(\) ing.
3120 3120 <i>a</i> 3121 3124	Centiana acaulis Andrewsii campestris cruciata	$\begin{array}{c} 1 \\ 2 \\ \cdots \end{array}$	hA hP	d. b. blue pur. blue	1/4 1 1/2 1	10 10 25 10	Fine, showy hardy plants. Should be in every collection for the beauty of their flowers.
3129 3132 3138 3139	Ceranium (Zonale)per oz., \$1.25 Double Scarlet	1 3	gP hP	scar. pur. pink	1½ 1	10 50 50 25	The most popular of bedding plants. For cultural directions, see page 73. See, also, Pelargonium.
3141 3143	Gesneria macrantha	$\frac{1}{2}$	gP ····	sear. mixed	½ 	50 50	Beautiful greenhouse plants, with long-tubed flowers.
3145 3146	Geum Chiloense coccineum pl —atrosanguineum fl. pl		hP 	scar.	1½	5 5	Blooms freely for a long time. Fine for bouquets.
3147 3148 3149 3152	Gilia Achilleæfoliaalbaosea	1 2	hA 	blue white rose blue	1	5 5 5 5	Free-blooming Annuals; fine for
3153 $3153a$ $3154$ $3158$	—alba. laciniata linifolia (for borders) nivalis			white	1	5 5 5 5	beds. Will bloom in any situa- tion, look well on lawns in beds, are good for rockeries, and can be planted at any season.
3160 3167 3169	tricolor. rosea splendens Mixedper oz., 20c.	2 3	+hP	tri. rose mixed yellow	• • • • •	. 5 5 5	Horned Poppy. Showy border
3171 3173	Clobularia trichosantha	2	gP	blue	1/2	10	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
3174 3176 3177 3178	Cloxinia hybrida, Mixed	1 3		mixed scar.		50 50 50 50	Beautiful greenhouse plants. They grow well in a light, rich soil. "Defiance" is of an intense, glowing scarlet, and one of the finest
3179 3182 3183 3184	—French Tigered and Spotted  Godetia rubicunda splendens  Princess of Wales Lady Satin Rose		hA	b. r. d. cr. car.	1 1½	50 5 5 5	All the varieties are fine, profuse-
3185 3186 3187 3188	Fairy Queen (spotted carmine) grandiflora maculata, fine			white w. & c.		10 5 5 5	blooming, hardy Annuals of beautiful colors. Can be grown in pots. G. Whitneyi is a mag- nificent species of compact habit,
3189 3190 3190 <i>a</i> 3190 <i>b</i>	Duchess of Albany Lady Albemarle Lindleyana Bijou			white crim. blush	 1 2	5 . 5 5 5	with very large, rosy flowers blotched with crimson; makes a good pot plant. "Duke of Fife" has very large flowers, intense
3190c $3191$ $3192$ $3193$	Whitneyi —Brilliant —Duke of Fife (new) —Duchess of Fife			d. rose car. b. red w. & r.	1½	5 5 5 5	red, with white spots at base of petals. "Duchess of Fife" is a very beautiful variety, having white flowers with satiny flesh-
3195	Mixedper oz., 30c.  Collection of Godetias, including 6 choicest varieties			mixed		5 30	colored spots, and bright red at base of petals.
	Colden Feather Comphrena. Courds						See Pyrethrum, page 101. See page 113. See page 112.
3196	Crammanthes gentianoides	2	hhA	yellow	1/2	10	For edgings, pots or baskets.
2107	Crasses, Ornamental	1.0	- 0			10	See page 114.
3197 3198	Grevillea robustaper oz., 90c. Gunnera manicata		gS hP	orange red	5 6	10 25	Elegant, graceful foliage plant.  Beautiful decorative hardy peren-
3199 3206 3207	Scabra	• • • • • • • • • • • • • • • • • • • •	hA	white rose	2	5 5	fine for bouquets. Free bloomers for rockwork or shrubbery, and
3211 3213	muralis		hΡ	pink white	. 2	5 5	will grow in any soil.
3218 3220 3222 3223	Hawkweed, Bearded         Red         White         Mixed       per oz., 40c.		hA	yellow red white mixed		5 5 5 5	(Hieracium.) Showy plants, of free growth and varied colors.

		/	ing	Color of the Flow	Los Los	Price per	1 / J
	NUMBER and NAME.	/ en 8	Hardiness and D.	F. F.	Height in F		General Observations.
	210122220 0200 21-22-0	90 0	din 7	or o	ght	d es	denotal observations.
ATT	*Yoz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Han an	Cole	Hei	$P_{TI}$	
${3224}$ ${3224a}$	Hedysarum coronarium	3	†hB	red white	3	ets. 5	So-called "French Honeysuckle," but no relation to that vine. This is not a climber.
3225	Helenium Douglasii	2 3	hP	yel.	2	5	{ Free - flowering Composite, with yellow flowers.
	Helichrysum						See page 113.
3230 3232 3235 3236 3242 3244	Heliotropium Peruvianum		gP	pur. white d. pur mixed		10 10 10 10 10 10 10 50	(Heliotrope.) These well-known greenhouse and bedding favorites are highly valued for their scented flowers. They should have light, rich soil. Mad. de Blonay is a splendid whiteflowered variety, suitable for bouquets.
3248 3249	Helleborus niger —New Hybrids Hesperis.		hP 	pink mixed	1	10 25	(Christmas Rose.) Very desirable; spring-flowering. See Rocket.
3250	Heuchera sanguinea	2 3		crim.		25	Nothing more beautiful for cut-flowers.
3252	Hibiscus Africanusper oz., 25c.		hA	yl.& br.	2	5	Showy annuals.
$\frac{3254}{3260}$	Sabdariffa (Roselle) Syriacus, Doubleper oz., 30c.		$^{ m gB}_{ m hS}$	yel. w. & p.	6	10 5	The Rose of Sharon.
3262	"Crimson Eye"	• • • •	hA	w.& cr.		10	No. 3263 ("Golden Bowl") is a splendid new variety, with very
3263	"Golden Bowl"			l. yel.	4	10	large flowers, 5 inches in diameter; light sulphur color, with
3264 3264a	Moscheutos roseus		hP	rose	3 1-2	10	Upurple center. Fine green foliage.
32040	Hollyhock, Double—		••••	yel.	1-2	10	rine green ionage.
$\frac{3265}{3265a}$	Whiteper oz., \$1.00 White, Dwarf, with-		†hP	white	4	10	
3265b	Canary Yellow " 1.25			l. yel.	3 4	10	(Althwa rosea.) These magnifi- cent double varieties are grown
$\frac{3265c}{3266}$	Crimson			bz. blk.		10 10	from Chater's celebrated collec- tion, which is admitted to have
$\frac{3266a}{3267}$	Rose " 1.25			salmon		10 10	entirely revolutionized the popu-
$\frac{3267a}{3268}$	Lilac			lilac mag.		10 10	lar estimation of the Hollyhock. They are of the finest shades of
3268a	Light Straw Color " 1.25			straw		10	color, and in every respect most desirable. May be sown as late
3269	Mixed, very fine "75" Choice Collections, including— 12 vars, Hollyhocks, D'ble Prize		••••	mixed	••••	10 \$1 00	as August, to flower the following year.
	8 " " " " " "			•		75 60	
3272	Honesty (Lunaria biennis)		†hB	pur.	2	5	fretty plants, with curious silvery silicles.
$\frac{3274}{3275}$	Humea elegans	1 3	†hhP	rose white	5 	10 10	Sweet-scented. Should be kept in pots the first season.
3276	Hunnemannia fumariæfolia	2 3		yel.	1	5	Large, showy flowers.
3279 3281	Hyacinthus candicans	3	hBu hP	white yel.	2-3	10 5	A fine summer Hyacinth.  \( \) Bright green leaves; large, showy
3282	densiflorum			yer.	3	10	flowers.
3284	Ice Plant (Mesembryanthemum						See Candytuft.  Covered with watery vesicles re-
	crystallinum)per oz., 50c.		tA	white	1/2	5	sembling pieces of ice.
3286 3287 3288	Impatiens glanduligera	$\begin{bmatrix} 2\\2&3\\\cdots \end{bmatrix}$	gP	pur. scar. mixed	1½ 1 	5 25 25	(Touch-me-not.) Beautiful; 3287 is very desirable and free-blooming, especially for house culture.
3292	Ipomœa Ionopsidium acaule	1 3	thhP	blue	1/4	10	See page 107.  Exceedingly pretty little plant.
3294	Ipomopsis aurantiaca	3	†tB	orange	1½	5	Showy and beautiful; colors very
3298 3299	eleganssanguinea	5	hВ	scar.	3 1½	5 5	bright. Seed should be started in the house.
3300 3302	Mixed	1 2	hP	mixed	$\frac{3}{2}$	5 5	
3303	tenax	2		pur.	3/4	10	3302 is the beautiful Japan Iris.


		1	ån /	# l	<u>u</u> / .	<del></del> /	<del>2</del> /
			diness	Color of the Flor	- Wer		How Coneral Observations
	NUMBER and NAME.	0 5	ines	of be F	ht in	per ,	General Observations.
A TO	**\( \sqrt{oz}, at oz. rate only on articles quoted at \) \$1 per oz. and over.	Time of	Hardiness and r	Color of	Height in	Price per	7
3305	Isotoma petræa	1	hhA	cream	1	cts. 10	Showy and beautiful.
3306	Jacaranda mimosæfolia alba	2 3	gP	white	10	25	Magnificent greenhouse shrub.
3308 3310	Jacob's Ladderper oz., 25c. White	2	hP	blue white		5 5	(Polemonium.) Beautiful, hardy, old-fashioned flowers.
3312	Jacobæa, White Senecio		hA			5	]
3316 3320	Purple Senecio Mixed Collection of Jacobæas, including 5 vars. Dwarf Double			pur. mixed		5 5 35	The Senecios are all free-flower- ing plants, good for the border and for pots.
3322	*Joseph's Coatper oz., 40c.	3	tA	tri.	2	5	See also Amarantus.
3323	Justicia multiflora		gP	scar.	3	25	Splendid pot plant.
3324 3325	Kaulfussia amelloides	2	hA	blue d. v.	1	5 5	Fine for edging; good habit and
3326	—kermesina			v. red		5	color. The high colors are best for pots.
3327	-Mixed per oz., 50c.	1 0	~ ~	mixed	••••	5	Rapid grawing plants forming
3334	Lantana, Fine Mixed	1 3	gS		2	5	Rapid growing plants, forming small, bushy shrubs; exceed-
	6 vars. of Lantana					50	J ingly free in bloom. See Delphinium.
3348	Lasthenia Californica Lathyrus.	1	hA	yel.	1	5	A pretty yellow Composite. See Sweet Peas, page 110.
3350	Lavatera trimestris	- 2		red	2	5	Showy and free-flowering. L. ar-
$\frac{3352}{3352a}$				white mixed		5 5	borea has beautifully mottled foliage.
3353	arborea variegata		hhP	red	3	10	Fine; lemon-scented foliage.
$3354 \\ 3356$	Leontopodium alpinum	2 3	gP hP	white yel.	1/2	$\frac{10}{25}$	Curious; the "Edelweiss."
3357	Leptosyne maritima		hhA		2	10	Beautifully formed flowers and
3358	Leptosyphon aureus	2	hA	orange	1/2	5	elegant foliage.
3360 3361	androsaceusalbus			blue white	1	5 5	Fine for edging or rockeries;
3362	carmineus			car.		10	blooms in masses. L. carmin-
$\frac{3365}{3366}$	densiflorus			blue white		5	eus has very beautiful carmine flowers.
337 <del>4</del> 3375	hybridus	1 3		mixed		5 5	
3380	Liatris scariosa	2 3	hhP	pur.	2	10	(Blazing Stars.) Pretty plants,
3388	Limnanthes Douglasii		hA	w. & y.	1	5	blooming in summer and autumn. Free-flowering and fragrant.
3390	Linaria bipartita alba	2	hP	white		5	Snapdragon-shaped flowers; de-
$3390a \\ 3391$	—splendida Maroccana	2 3	hhA	pur. rose	$\frac{1}{2}$ $\frac{3}{4}$	5 5	sirable for edging, and very good for rockwork.
3393 3394	Cymbalaria (Kenilworth Ivy)	• • • •	hP	violet	trai.	5	) ~
3394a	Linum flavumgrandiflorum rubrum, per oz., 20c.		hhP hhA	yel. crim.	3/4	10 5	(Flax.) Handsome, free-flower- ing plants. The tender kinds
3394 <i>b</i>	Lewisii variegatum "60c. Lisianthus Russellianus	$\begin{array}{ccc} 1 & 2 \\ 2 & 3 \end{array}$	†hP gA	li. & w. blue	$\frac{3}{1\frac{1}{2}}$	5 25	J make pretty pot plants. Fine; like the Gentians.
3396	Loasa aurantiaca		hhA	orange	6	5	Elegant foliage, and flowers of
3398	tricolor	• • • • •	hA	tri.	2	5	curious structure.
3399	Lobelia— cardinalis	2	hP	scar.		10	1
3400 3401	splendens ramosa			blue	3 1	10 10	All the Lobelias are suitable for beds, edging and ribbon bor-
3402	Erinus (gracilis)	1 3	†hhP		trai.	5	bers. L. gracilis is fine for
3404 3406	—speciosa —alba			white	trai.	10 10	hanging baskets or vases. L. E. speciosa and its varieties are the
$\frac{3407}{3408}$	—kermesina—Lindleyana			crim.		5 5	finest edging plants, and con- trast beautifully with scarlet
3410 3411	—Paxtoniana			b. & w.		10	Geraniums. These should have
3412	—grandiflora superba—erecta, "Crystal Palace"			blue	1/2	10 25	a rich, open soil, and be pro- vided with plenty of manure-
$3412a \\ 3412b$	— — "Emperor William" — — "Golden Queen"			l. blue blue		$\begin{array}{c c} 10 \\ 25 \end{array}$	water when beginning to flower. 3413 is a splendid new variety,
3413 3414	-Royal Purpleper oz., 60c.	)		pur. mixed	i	10 5	with deep blue flowers and distinct white eye. "Golden Queen"
0111	Choice Collections, including-		••••	mixed	1		is also a fine new variety, with
	12 vars. Lobelia					60 40	golden yellow leaves.

			Hardiness and n	Color of the Flore	For Post	Price per	cket
	NUMBER and NAME.	of John	ness		t in	ber '	General Observations.
43	-1/4 oz. at oz. rate only on articles quoted at	Time of	Hardiness and n	olor th	Height in	rice	
3428	\$1 per oz. and over.	1	gA	d. & br.	2	cts.	
3429	tetragonolobusper oz., 20c.	2	hA	yel.	3/4	5	Pretty and interesting. (Winged Pea.)
3431	Love-Lies-Bleedingper oz., 20c.			crim.	3	5	(Amarantus caudatus.) Grace- ful, showy flowers, of tall habit.
$3432 \\ 3435$	Love-in-a-Mist per oz., 25c. White Double "25c.			blue white	1	5 5	
3436	Blue Spanish " 30c.			blue		5 5	(Nigella.) Curious and ornamen- tal; Fennel-leaved; easily grown
3438 3439	Mixed Spanish ' 25c.			white mixed		5	and hardy.
3440	Mixed, all sorts 25c.		• • • • •	• • • • •		5	A large genus of very ornamental
3450	Lupinus Cruikshankii	2 3	hP	var.	3	5	annual or perennial plants. No.
3454 3456	Hartwegii		• · · ·	b. & pk. white		5 5	3479 grows five or six feet high and has immense racemes of
3460 3462	hirsutus		hA	blue	2	5 5	lovely dark blue flowers. No. 3470 has very fragrant flowers,
3465	luteus			rose yel.		5	nearly white when first open, and at length with tinges of yellow
$\frac{3470}{3472}$	mutabilisnanus	i 3	hP hA	var. b. & v.	3 1/2	5 5	and purple. Some varieties are
3479 3480	polyphyllus		hР	blue mixed	5	5 5	especially charming, having spikes of highly colored flowers.
3484 3493	subcarnosus		hA	white	2 3	5 5	silver foliage and good habit. A
3498	tricolor elegansper oz., 20c.		hP hA	o. & ro. mixed		5	plants and flowers. The dwarf
	Collection of Lupinus, including 12 choicest varieties					40	plants. All the varieties are very free-flowering, bright, attractive and easily grown.
3500	Lychnis Chalcedonica	1 2	hP	scar.	2	5	Brilliantly colored border plants;
3505 3506	—alba per oz., 40c.			white mixed		5 5	3507 is a superb variety, and the original of the beautiful Haage
3507 3509	fulgens	1	tP hP	scar. mixed	1	10 10	ana hybrids, which include the choicest flowers.
3513	Madia elegans per oz., 40c.	2	hA	yel.	2	5	Handsome flowers; should be in a shady position.
3517	Malope grandiflora	2 3		red		5	Mallow-like flowers; very pretty.
$3520 \\ 3522$	—albaper oz., 20c.			white mixed		5 5	Sow early.
3524	Malva miniata (Sphæralcea Munroana)		gP	scar.	4	5	Beautiful flowers; has been advertised as "Sunset Plant."
3528	Marigold, African per oz., 50c.		hA	lem.	2	5	)
$3529 \\ 3530$	—El Dorado " 60c. —Nugget of Gold " 75c.			yel. gold		5 5	(Tagetes.) Saved from finest double flowers. They are highly
3531 3532	—Pride of the Garden			yel. lem.	1½	10	ornamental in the fall. The
3533 3534	-Mixedper oz., 50c. Dwarf Striped "50c.			mixed strip.	2 1½	5 5	bedding. "Pride of the Garden'
3535	—Gold Striped " 50c.					5	is a new, very dwarf variety of regular, compact habit and extra
$3536 \\ 3537$	French			orange yel.& br.	1	5 10	large double flowers of a beauti- ful golden yellow color. "Legion
3538	-Mixedper oz., 40c. Choice Collections, including-			mixed		5	of Honor" is a very pretty single
	8 vars. Marigold, Double French 6 " " " African					35 25 25	dwarf yellow and brown French variety. See also Calendula.
3547	Martynia Craniolaria		hhA	w.& sp.	1½	5	1
3549 3550	proboscideaper oz., 30c.			vio. sp.		5 5	Curious and very handsome plants   for the border.
3552	formosa					5	J
	Marvel of Peru						(Mirabilis.) See Four O'Clock, page 89.
$3554 \\ 3555$	Matricaria eximia plena		hA	white	2	5 5	(Feverfew.) Pretty and neat;
3556	"Golden Ball" (very beautiful)			yel.	11/4	25	small double flowers.  (Very fragrant at night, but clos-
3557	Mathiola bicornis		hhA	white	1/2	5	ing during the day.
3560	Melilotus cœruleaper oz., 30c.	3	hP	blue	1½	5	Ornamental; like the Lotus.
3570 3573	Mesembryanthemum tricolor —album	1 2	tA	tri. white	1/2	5 5	Beautiful dwarf edging plants, flowering profusely in dry and
3575	cordifolium variegatum		tP	yel.		25	sunny situations. Fine for pots.

			. /	~ /	·	4. /	
			diness	Color of the Flore	A 6	Price per	/ / / / / / / / / / / / / / / / / / /
	NUMBER and NAME.	/ a.	Hardiness	Para /	Height in	1 6	General Observations.
	NUMBER and WARE.	9 6	din din	T o the	Sht	6	deneral observations.
AG.	F1/oz. at oz. rate only on articles quoted at	Time of	Har	[] of 05	Heigh	Pric	
	\$1 per oz. and over.			/ -		ets.	1
3577	Mignonette— Reseda odorataper.oz., 15c.	2 3	hA	w.& bf.	1	5	
3578	—grandiflora 15c.					5	The well-known "Frenchman's Darling." Highly scented and
$3580 \\ 3581$	——Golden Queen " 30c. ——Crimson Queen. " 30c.			b. yel.		5 5	very desirable, flowering freely.
3583	——Machet, Dwarf . " 60c.				3/4	10	If wanted in winter, seeds should be sown in July. Machet and
3584 3585	——Victoria 60c.			d. red		10 10	Gabrielle are fine for pot grow-
3586 3587	——Miles' Spiral " 30c. ——Giant Pyramidal. " 20c.			cr.& bf.	$\frac{1}{1\frac{1}{2}}$	5 5	ing, having large and numerous spikes of red flowers. The lat-
3588	Allen's Defiance					10	ter is particularly dwarf and compact in habit. "Elois Fran-
3589 3590	——Elois François—Parsons' White			red w.& bf.	1 3⁄4	10 5	çois has very long spikes, and is
	Choice Collection, including-					50	the best of all for forcing under glass.
3592	10 vars. Mignonette		tA	pink		5	
3598	Mimosa pudica per oz., 75c.  Mimulus cardinalis	1 2	†hP	scar.	1½	10	(Sensitive Plant.) Very odd.
3603	hybridus cupreus	1 3	hA	mixed	,	10	(Monkey Flower.) Very showy, musk-scented, and free-flower-
$\frac{3610}{3611}$	Roezliringens	2 3	hP	yel. blue	$\frac{1}{2}$	$\frac{25}{10}$	ing. The hardy kinds are well
3612 3613	tigrinusper oz., \$1.50	1 3	hA	spot.	1	$\frac{10}{25}$	suited for borders. Any common soil suits. See Musk Plant.
	—grandiflorus						A splendid new Shell-flower, with
3615	Molucella spinosa	2 3	hP	rose	7	25	very fine foliage.
	Morning Glory						See Climbers, page 107.
	Monk's-Hood						See Aconitum.
	Mourning Bride						See Scabiosa.
3620	Musa enseteper 100 seeds, \$1.50	1 2	gP	y.& br.	10	25	(Abyssinian Banana.) Splendid tropical plant.
$\frac{3625}{3627}$	Musk Plant	1 3	tA	yel.	1/2 1/3	10 10	Musk-scented Mimulus.
3021	New Compact		• • • • •		73	10	,
	Myosotis						See Forget-me-not, page 89.
3633	Nasturtium (Dw'f Tom Thumb)— —Yellowper oz., 15c.	2 3	hA		3/4	5	)
3638 3639	—Beauty		· · · ·	y.& scr. s. spot.		5 5	(Tropæolum.) Beautiful bedding plants. Planted in poor soil,
3645	—Black " 15c.			black		5	they flower profusely and for a
3647 3648	—Bluish Rose " 15c. —Crimson " 15c.			blue crim.		5 5	long time. The colors of the flowers cannot be excelled.
3650 3652	—Ruby King " 20c.			red		5	The dwarf varieties should be
3654	-Cream-colored " 15c.			yel. cream		5	planted so that they will con- trast either with white or blue
3657 3660	—Scarlet		• · · •	scar. rose		5 5	flowers. The foliage is also beautiful, being generally dark
3662	—Empress of India " 20c.		· · · · •	crim.		5	green. "Empress of India" is a
3663 3664	—Golden King			var. golden		5 5	splendid variety, with very dark foliage and beautiful crimson
3665 3666	-Lady Bird	• • • •		yel.& r.		5	flowers. The "Lilliput" is in
3670	-Crystal Palace Gem " 15c.			y.&cr.		5	every respect smaller than the "Tom Thumb," and is a most
$\frac{3672}{3674}$	-Mixed "10c. Lilliput (new)			mixed	1/2	$\begin{array}{c} 5 \\ 25 \end{array}$	charming little plant, with neat habit and bushy foliage, and a
	Collections of Nasturtiums— 12 vars. Dwarf Tom Thumb					40	great variety of the brightest
	8 " " " " "			-		35	colors.
	Nasturtium, Tall						See Climbers, page 109.
3677 3678	Nemesia compacta alba		tA	white	1½	5 5	Very pretty and neat flowering plants for edging. 3679 is a new
3679	strumosa Suttoni		hA	ro.& b. var.		25 25	and very beautiful variety.
3680	Nemophila atomariaoz., 20c.			w. & pu.	1	5	)
3682 3684	—oculata			b. & w.		5 5	
3686	insignis per oz., 20c.			blue		5	This genus consists of very pretty
3690 3694	-alba			white bord.		5 5	annuals of easy growth; they deserve extensive cultivation;
3698 3700	maculataper oz., 20c. Mixed			spot. mixed	div.	5 5	are good in pots and for edging, in rockeries, or in the garden.
3100	Choice Collection, including-			mixeu	ALV.		
	8 vars. Nemophila				(	30	)



PRIMULA SINENSIS FIMBRIATA. See page 100.



PAPAVER NUDICAULE. See page 99.




EVENING PRIMROSE. See page 100.




LAVATERA TRIMESTRIS. See page 93.



PHLOX DRUMMONDII. See page 98.



PAPAVER GLAUCUM (TULIP POPPY). See page 99.



DOUBLE RANUNCULUS-FLOWERING POPPY.
See page 100.


			δn /	# l	L <sub>1</sub> / ±	2 /	4 /
		Time of	erin	Color of the Flower	Fact	Price per	d de Re
	NUMBER and NAME.	of.	Hardiness and n	0 / Jo	Height in 1	ber 7	General Observations.
Rea.	~¼oz. at oz. rate only on articles quoted at	me H	ardi	,   Pol 42	eigh	J.ce	
	\$1 per oz. and over.	/Ľ	H "	/ පි	/ H	/ <u>~</u>	
3701	Nertera depressa	2 3	gP	white	cr.	25	Plant bearing coral berries.
$\frac{3702}{3702a}$	Nicotlana affinis (fragrant)		hhA		$\frac{3}{10}$	$\begin{array}{c} 5 \\ 25 \end{array}$	Species of tobacco; valuable as
3703	glauca				3	5 10	decorative plants; deliciously fragrant flowers.
3704 3705	sylvestris		gP	w. & li.	1	10	Handsome flowers; fine for hang-
3706	frutescens	••••	hP	••••	2	10	f ing baskets or edging.  See Love-in-a-Mist
3707	Nigella  Nolana atriplicifolia	2	hA	b.w.&y.	1/2	5	)
3710 3713	—albalanceolata			white b. & w.		5 5	Are very showy when in flower,
3716	paradoxa violacea			b. & v. blue	1	5 5	and should be planted in the border; fine trailing plants.
$\frac{3718}{3719}$	Mixed per oz., 20c.			mixed	trai.	5	
$\frac{3720}{3721}$	Nycterinla selaginoides	2 3	hhP	pink w. b.	3/4	5 5	Pretty dwarf plant.
3722	Obeliscaria pulcherrima	2	†hP	r. & y.	3	5	Showy bedding plants.
0=0=	Œnothera	0.0	L D	bla	11/		See Evening Primrose.
$\frac{3727}{3730}$	Orobus lathyroides	2 3	hP ····	blue pur.	$\frac{1\frac{1}{2}}{3}$	5 5	These deserve a place in gardens; fine pea blossoms.
3733	Oxalis Valdiviana	2	tP	yel.	1/2	10	Charming little plants.
3737 3740	Oxyura chrysanthemoides  Pæonia officinalis	$\begin{bmatrix} 2 & 3 \\ 2 & 2 \end{bmatrix}$	hA hP	white red.	trai.	5	Showy Composite.
3744	Sinensis			mixed	3	10 10	Beautiful hardy plants, with large, handsome flowers.
3745 3746	arborea (Tree Pæony)  Palafoxia Hookeriana		hA	blush	1½	5	Very good everlasting.
3750	Palava flexuosa	2 3	hhA	rose		5	Pretty rose flowers.
$\frac{3752}{3753}$	Pansy, *Black "Faust" oz., \$1.25 *Lord Beaconsfield " 1.25	1 3	hA 	black violet	1/2	10 10	
3754 3755	quadricolor (Rainbow). " 1.25 *Fire King " 1.50			4-color golden		10 10	(Viola tricolor; Heartsease.) Most
3756	Meteor, bright brown " 2.50			brown		25	of the varieties are saved from
3757 3758	*Emperor William " 1.25			b. & w. blue		25 10	fine, choice flowering plants.  They cannot be surpassed in
$\frac{3759}{3760}$	Fawn Color			fawn l. blue		10	color or blooming qualities. They should be carefully culti-
$\frac{3761}{3762}$	Tiger			strip.		10 10	vated, and will richly pay for good treatment in their large
3763 3764	*Gold-margined " 1.00					10 25	flowers and foliage. The seeds
3765	Odier, five-blotched " 5.00			red spot.		25	should be sown early in autumn, if large flowers are expected,
3765a $3766$	Bugnot's Superb Strain " 8.00			yel.		25 50	and preferably in a frame. If sown in spring, the flowers will
3767 3768	*Trimardeau White " 3.50 *—Yellow(Golden Crest) " 3.00			white yel.		25 25	not be as large as from seed sown in autumn. No. 3757 is a
3768a 3769				lilac		25 25	new variety, with large peacock-
3769a	*—Azure Blue " 4.00			strip.		25	blue flowers, edged with white. No. 3766 has exceedingly beau-
3769 <i>b</i> 3770	*—Mixed			d. blue mixed		25 25	tiful, extra large flowers, with very broad blotches and upper
$\frac{3771}{3772}$	*Black Blue			bk.&bl. bronze		10 10	petals finely lined. No. 3775 is a new French variety of a dis-
3773 3774	*White, black center ' 1.25 *Azure Blue ' 1.00			white		10 10	tinct mauve color. "President
3775	Coquette de Poissy " 2.00			mauve		10	Carnot" has pure white petals cach with a deep violet blotch.  It is a strikingly beautiful new
3776 3777	*Yellow, black center " 1.25			red yel.		10 10	variety. No. 3786 is the richest
3778 3781	Yellow Gem (pure) " 1.50 Snow Queen " 1.25			white		10 10	and most choicely varied mix- ture ever offered. It produces
3782 3784	President Carnot " 5.00 atropurpurea " 1.00			w. & v.		25 10	only the handsomest colors and
3785	-alba marginata " 1.25			dk.pur. pr.& w.		10	finest forms, and these in great diversity. The collections here
3786	*Thorburn's Superb Large Strain " 5.00			mixed		25	offered merit special attention, and are sure to give splendid
3788 3789	*Mixed French					10 5	results.   Varieties marked thus (*) are best
	Choice Collections, including— 24 vars. Pansy or Heartsease					\$1 25	for bedding, but all the others
	18 " " "					1 00	also do well for this purpose if planted out early in the spring.
	8 " " "					75 60	
	6 " "	1	1	1		50	

NUMBER and NAME.    Solve   Phiation   Phiat												
	NUMBER and NAME.	04	Hardiness and n		Height in P	ler /	General Observations.					
		96	$d_{in}$	the the	ght	7 e2						
A ST	*1/oz, at oz. rate only on articles quoted at \$1 per oz. and over.	Tin.	Han	Color of	Hei	Pri						
				/		ets.						
	Parls Daisy						See Chrysanthemum frutescens.					
	Peas, Sweet	0 0	D		0	0-	See page 110. (Beautiful greenhouse plants. No.					
$\frac{3790}{3792}$	Pelargonium, Fancy Odier (superb)		gP ····	mixed	2	25 50	3792 is from magnificent exhibi-					
	Pentstemon—						Among the most beautiful of our					
$\frac{3804}{3813}$	Murrayanusspectabilis		hP 	scar. blue	$\frac{3}{2}$	10	herbaceous perennials, and should be grown extensively,					
3814	Mixed species and hybrids from					and the same of	being very hardy and free-flow-					
3824	Pacific coast			mixed	vars.	10	ering; fine for bedding; as varied in color as gladioli.					
	*Perilla Nankinensisper oz., 20c.	2	hhA	pur.	1½	5	Ornamental-leaved; for ribbon					
3837	*laciniata " 20c.					5	gardening and beds.					
$\frac{3840}{3842}$	Persicaria, Red	3	hP 	red white		5 5	Showy for backgrounds.					
3012	Petunia hybrida—			WHITE								
3843 3844	—Large-flowered, White —intus aurea		†hhA	yel.	• • • •	$\frac{10}{25}$	These are well known your owns					
3845	-Crimson Giant (new)			crim.		25	These are well-known, very ornamental plants, producing freely					
$\frac{3846}{3847}$	—Purple —Rose			pur. rose		25 25	fragrant and beautiful flowers, and continuing a long time in					
3848	—The Rainbow			yel.		50	bloom. They do well in the					
$\frac{3849}{3852}$	—Ring of Emerald			pk. & g.	••••	50	garden, house or conservatory, and will thrive in almost any					
	ful clematis-flowered			white mixed		50 50	sort of soil. The newer varie-					
$\frac{3853}{3854}$	—superbissima, tigered throat —Thorburn Superb Giant					25	ties are of brilliant colors and fine form. "The Rainbow" has					
$\frac{3855}{3856}$	—Superb, single mixed			white		$\frac{25}{25}$	richest colorings, with intense yellow throats. "Ring of Eme-					
3857	—Fringed White, "Snow Storm" ——Crimson			crim.		25	rald" has large pink and crimson					
$\frac{3858}{3859}$	— —Titania. Beautiful — —Ruffled Giants			pur. mixed		50 50	flowers, bordered with green. The "Ruffled Giants" are new					
3860	— —Mixed					25	extra large-flowered sorts, beau-					
$\frac{3861}{3862}$	— ——Perfection, finest —Double Mixed					50 50	tifully ruffled, fluted and fringed. 3867 is a dwarf, bushy variety,					
3863 3864	— —Fringed Mixed			white		75 75	with regularly striped flowers.					
3866	——Lady-of-the-Lake Countess of Ellesmere			pr. & w.		10	and is very effective, either in masses or in pots. "Thorburn					
$\frac{3867}{3868}$	Inimitable Dwarfvenosa (veined)			mixed	$\frac{3}{4}$ $1\frac{1}{2}$	10 10	Superb Giant" is a strain of great merit. The flowers are					
3870	Mixed Singleper oz., \$1.25					5	very large and extremely deep-					
	Collections of Petunias, including— 12 vars. Fine Large-flowering					\$1 00	throated; some of them are exquisitely penciled and beau-					
	6 " " "					60 1 50	tifully fringed. The collections of Large-flowering and Double					
	6 " " " ··· ···					80	Fringed here offered contain					
	12 "Double Large-flow'ng.					1 50 80	only the finest varieties.					
3872	Phacelia congesta	2	hA	pur. bl.		5	Excellent for bees. P. Parryi is					
3873	Parryi			d. blue		10	a beautiful rich, deep blue.					
3875	Phlox Drummondii— —atropurpurea striata	2 3		strip.	1	5	)					
3880 3888	—Black Warrior —variabilis atropurpurea		• • • •	d. red		5 5						
3893	—Leopoldi			pur. w. & cr.		5						
3900 3901	—Radowitzii —rosea			white rose		5 5	The name is from phlox, flame, in					
3903	—oculata alba			w. & l.		5	allusion to the general brilliancy					
3906 3917	—coccinea—cuspidata (Star of Quedlin-			scar.	• • • • •	5	of the flowers. This is a very elegant genus of flowering plants,					
3923	burg)per oz., \$1 —Dwarf White Snowball			mixed white	1/2	10 25	being highly colored, especially P. Drummondii, an annual, the					
3925	—Dwarf Fireball			fire		25	varieties of which are of the					
$\frac{3926}{3927}$	—Dwarf Fancy Mixedoz., \$2 —Mixedper oz., 50c.			mixed	1	10 5	brightest colors. A bed of these will be highly prized for good					
3931	—grandiflora, Chamois Rose			rose		10	habit, richness of color and du-					
3932 3933	— — Eclipse (blue-veined) — — Half-Dwarf Blood Red			blue d. red	3/4	10 10	ration and profusion of bloom. All grow well in pots or as					
3933 <i>a</i> 3934				crim. d. br.		10 10	All grow well in pots or as trailers. By making two or more sowings, they will flower					
3935	. — —coccinea			scar.	1	10	till frost. Should be grown in					
3936 3937	— —alba — —kermesina splendens			white sc. & w.		10 10	rich, loamy soil, and given plenty of water. Especially fine					
	opicinosis,		V				1					

			60 /	z l	4 /	<del>t</del> 2 /	to /
			diness	Color of the Flor	0 / E	reet ,	General Observations
	NUMBER and NAME.	/ -	Hardiness		Height in	Price per	General Observations.
		l gg F	rdin F	1 2 4	igh,	l es	
KT	*1/oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Ha	C01	He	Pri	
-	Phlox Drummondii continued—					cts.	effects may be had by planting
3939	Phlox Drummondii, continued— —grand. stellata splendens	2 3	hA	crim.	1	10	effects may be had by planting masses of contrasting colors.
3940	——Mixedper oz., 75c. Collections, including			mixed		10	
	10 vars. Phlox Drummondii					50	)
3943	Phlox (Perennial)— hybrida superba		hP		3	10	Brightest colored sorts.
3944	subulata	• • • • •	gP	pur.	1/2 C	25	) (Norm Wooley & Plane) No. 2047 v.)
$3945 a \\ 3945 a$	Phormium tenax		g1 	white	6	$\frac{10}{25}$	(New Zealand Flax.) No. 3945a has handsome variegated foliage.
3946	Physalis lobata		hP	violet	1	10	Ground or Winter Cherry. P. Francheti is a most ornamental
3946a	Francheti	• • • • •	†hP	scar.	2	15	new variety from Japan.
3947 3949	Picotee, White Ground		hhP	w.&sp. y.&sp.		50 50	From show varieties. Very rich
3951	Slate Ground			slate		50	and beautiful, and finely per- fumed; few flowers are more
3956 3957	Extra Fine Mixed			mixed		50 10	attractive.
	Pink (Dianthus)—						1
$\frac{3963}{3965}$	Chinensis Double Mixedoz. 40c.  —Double White		†hB	white	1	5 5	
3966	——Dark Red			d. red	(-	. 5	(Dianthus.) Beautiful and orna-
3967 3969	dentosus hybridus			lilac mixed		5 5	mental genus; for beauty and
$\frac{3969a}{3970}$	-Eastern Queen -Crimson Belle			rose crim.	• • • •	10 10	sweetness contains some of the most prized flowers we possess.
3971	—Double Mixedper oz., 75c.			mixed		10	The leaves of the hardy peren-
3972 3973	—Double "Mourning Pink" —diadematus, Doubleoz., \$1.25			dark mixed		10 10	nials are green all winter. Many can be grown in pots and kept
3974	—laciniatus, "Salmon Queen"			salmon		25	in the house. No garden should be without some of the varieties
3975 3977	——Singleper oz., \$0.75 ——Double Mixed " 1.25			mixed		5 10	of the Dianthus family, which
3979	imperialis, Double Mixed. oz., 50c.		• • • •			5	for color and fragrance cannot be surpassed. They succeed
3981 3983	Double Dark Red Dwarf Double White			red white	3/4	5 5	well in any fairly rich soil, but
3986 3987	— — Double Mixedper oz., 50c. superbus, Dwarf Double White			mixed white		5 5	when the production of large flowers is aimed at, a bed of
3988	plumarius, "Pheasant's Eye,"			WHITE			turfy loam, leaf-mould and well decomposed manure should be
3989	fringedper oz., 50c. —Scoticus, Double Scotch Pink			mixed	1	5 25	specially prepared for them. No.
3990 3995	-Single Mixed Pinkper oz., 40c. -Semi-double Grass Pink			••••		5 10	3989 is the very finest strain of the double Scotch or Florists'
0000	Collections of Pinks, including-	• • • •	• • • •	••••	• • • •		Pink.
	12 vars. Fine China					50 40	
4010	6. " " "	1 0	_	3.0	0	30	Handsome greenhouse shrub.
4012 4016	Platystemon Californicum	$\begin{array}{ccc} 1 & 2 \\ 2 & 3 \end{array}$	gP hA	white yel.	3 1	5 5	(California Poppy.)
4018	Platycodon grandiflorum	2	hP	blue	2	10	(Large Chinese Bell-flower.) Very
4019 4020	—album Mariesi			white blue	····	10 10	fine flowering plants. P. Mariesi is a fine dwarf, dark blue variety.
4022	Podolepis chrysantha		hhA	yel.	1/2	5	Curious and pretty. Does well
4023 4025	affinisgracilis			red		5 5	sexposed to the sun.
	Polemonium						See Jacob's Ladder, No. 3308.
4030 4033	Polyanthus		†hP	mixed		$\frac{10}{25}$	(Primula.) Fine varieties. From named varieties.
4034	Gold-Laced					25	
4035 4036	Poppy, Papaver bracteatum  —Mephisto (scarlet and black			red	3-4	5	
4036a	spots, with other shades) Flag of Truceper oz., 75c.		hA	mixed white		5 10	
4037	-Orientale		thP	d. red		10	(D) Warm 1
4037a	-The Shirley (a fine and distinct race)per oz., 75c.		hA	mixed		10	(Papaver.) Very showy and free- flowering. For beds or borders,
4038	-glaucum (Tulip Poppy)			scar.	11/4	10	with a background of green, they
4038a $4039$	—pavonium (Peacock)		†hP	sc. & b.	2	$\begin{array}{c} 5 \\ 10 \end{array}$	are beautiful; admirable for naturalizing in woody spots. "The
4040 4041	— —aurantiacum. [ Iceland ]			orange		10 10	Shirley" is fine for cut-flower use, having long flower stems
4041a	——Mixed			white mixed		10	and a not unpleasant odor. Seed
4042 4043	—umbrosum—lævigatum		hA	crim.	1½	5 10	should be kept from forming, to secure continuous flowering.
4044	—Danebrog			sc. &w.		5	They are easily cultivated, the

		Time of	ring	tion		Price per	CKet
	NUMBER and NAME.	ا م	Hardiness and n.	Color of the Flow	Height in Fo.	, Jed	General Observations.
ВЭТ	►1½oz. at oz. rate only on articles quoted at	He He	udin	lor c	) igh	ice 1	
	\$1 per oz. and over.	[ ]	/ H "	/ පි	#		
4046	Poppy, continued— Papaver Double White	1 2	hA	white	1½	cts.	most suitable soil being a sandy
4048	——Scarlet			scar.		5	loam. 4038 is called the "Tulip
4049	— —Mikado			w.& cr. scar.	••••	5 10	Poppy," on account of the intensity and brilliancy of its
4050 $4051$	American Flag. per oz., 75c.			scar.		10	flowers, resembling the scarlet
4052	— — Carnation-flower'doz., 20c. — — Pæony-flowered 20c. — — Ranunculus-flow'd 30c.			mixed		5	Duc van Thol tulip. 4051 is
$\frac{4054}{4055}$	——Pæony-flowered 20c. ——Ranunculus-flow'd 30c.		••••			5 5	of compact and robust habit, and is brilliantly variegated in
2000	Collections of Poppies, including—						scarlet and white.
	12 vars. Double Carnation 12 "Pæony-flowered					50 50	
	6 "D'ble Dwf. Pæony-fl'd.					30	
4067	6 "Ranunculus-flowered  Portulaca splendens	2 3	tA	crim.	1/2	5	)
4069	Rose Carnation-striped			strip.		5	These cannot be rivaled for the brilliancy and delicacy of their
$\frac{4070}{4072}$	Thellusonii			scar. white		5 5	colors, and are very effective in
1074	albifloraaurea, deep golden			golden	.,	5	beds, edgings or rock-work.  The last eight have double
4089	Thorburni			yel.		5	flowers, and are very beautiful,
$\frac{4090}{4092}$	mixedper oz., 50c.			ro. str. mixed		5 5	many of them resembling min-
4111	Double Scarlet			scar.		25	iature roses. The seed of these
4112 4114	—Salmon —Orange			salmon		25 25	always contains many single flowers, which bloom earlier
4115	-Bright Rose			rose		25	than the double ones, and may in this way all be pulled out be-
$\frac{4117}{4120}$	-Dark Rose, Carnation-striped			d. rose white		25 25	fore the double ones come into
4127	—White			pur.		25	flower. Portulacas bloom best in a light, sandy soil. They will
4130	-Mixed		• • • •	mixed	• • • • •	10	not germinate till hot weather
	Collections, including— 12 vars. Portulaca, beautiful 6 " double					60 60	sets in, and seed should, therefore, be sown late.
4133	Potentilla atrosanguinea		hP	pur.	$1\frac{1}{2}$	10	1
4135	Mixed		••••	mixed		5 75	Showy and hardy border plants.
4140	Primula cortusoides	3		red		10	These are the hardy Primroses.
4141	Cashmeriana			rose	1/4 1	25 10	P. Japonica is called the
$\frac{4143}{4145}$	Japonica English Yellow Primrose			mixed yel.		10	"Queen of Primroses."
4156	Primula Sinensis fimbriata rubra		gP	fr. red	3/4	25	)
$\frac{4157}{4158}$	— —coccinea			b. red white	••••	25 25	From <i>primus</i> , first, referring to their early flowering. The Chi-
4159	— —alba — —punctata atropurpurea			pur.sp.		25	nese Primroses (Primula Sinen-
4161	——cœrulea			blue		50 25	sis) are fine for winter and spring blooming; they are free-
$4161a \\ 4161b$	— — kermesina splendens — — Mixed			mixed		25	flowering, and especially valua-
4163	— —filicifolia alba			white		25 25	ble for cut-flowers or for house
$\frac{4169}{4170}$	rubra Mixed			red mixed		25	and window culture; a cool place suits them best. The seed
4171	— —globosa rubra			red		25	is saved from the finest colors
$\frac{4174}{4176}$	— — — alba — — — Mixed			white mixed		$\frac{25}{25}$	and largest flowers. The seed should be sown in light soil, but
4190	— —plena rubra			red		75	for the final potting a richer soil
$\frac{4193}{4195}$	— — —alba			white mixed		75 75	is necessary, consisting of two parts loam to one each of well-
4196	obconica grandiflora	2	†gP	white	1/2	25	decayed manure and leaf-mould.
*.	Collections of Primulas, including— 12 vars. Chinese Fringed					\$1 50	They require to be well venti- lated, well watered and slightly
	10 " "					1 25	shaded throughout the summer.
	8 " " " " " " " " " " " " " " " " " " "					$\begin{vmatrix} 1 & 00 \\ 75 \end{vmatrix}$	The collections here offered contain the finest varieties grown.
	6 " Double					1 25	)
4203	Primrose, Evening— Enothera bistorta	2 3	hA	pur.	2	5	The Enotheras are fine, free-
4205	—Drummondii	1 3		yel.	1	5	flowering plants, best for back-
$\frac{4207}{4210}$	—grandiflora	2 3	hB		3 1½	5 5	grounds or shrubbery borders; E. acaulis has large, shining
4220	—rosea Mexicanaper oz., 75c.		tA	rose	1/2	5	white flowers, quite transpa-
4222 4227	—taraxacifolia alba or acaulis —tetraptera		hA	white		5 5	rent. Œ. Drummondii is of rich sulphur color; profuse flow-
4230	—Mixed Annualper oz., 30c.			mixed	div.	5	ering.

NUMBER and NAME.    Solution   Property   Pr										
			diness dd n	or of the Flore	wer		/ doke			
	NUMBER and NAME.	FIG.	lines	of be H	ht in	per l	General Observations.			
D)	**\frac{1}{2}\text{oz. at oz. rate only on articles quoted at \$1 per oz. and over.}	Time of	Hardiness and n	Color of	Height in B	Price				
4232	Punica Granatum	2 3	hS	red	. 10	cts. 25	Pomegranate Tree.			
4233 4234	Pyrethrum atrosanguineum		hP	dk. sc.	1	5 25	No. 4236, known as Golden Feath-			
4235	Tchihatchewii	1 3		white		5	er, is fine for edging, and makes			
4236 4237	Parthenium aureum			yel.	1/2	$\frac{5}{10}$	a moss-like tuft. 4237 is a beautiful fern-leaved sort.			
4238	Golden Gem				3	5	J			
4254 4255	Rheum palmatum			white		5 5	(Ornamental Rhubarb.)			
4258	Rhododendron arboreum		hS	mixed	10	25	Grand evergreen shrubs.			
$\frac{4270}{4272}$	Ricinus Borboniensisper oz., 15c. Africanus	2	hhA	violet div.	15 8	5 5	]			
4275 4276	Gibsoni			violet	5 6	5 5	The Castor Oil Plants are free- growing, tender annuals; very			
4277-	macrophyllus			d. pur.	5	5	ornamental and quite tropical in appearance when planted			
$\frac{4278}{4280}$	macrocarpus			blue d. pur.	6 5	5 5	singly on lawns; also much			
4282 4284	Philippinensis	,.		pur.	6	5 5	used for centers of subtropical beds. 4277 is one of the hand-			
4286	-purpureus sanguineus			red		5	somest and most graceful of the Ricinus, with foliage and stem			
$\frac{4288}{4289}$	Zanzibariensisper oz., 50c. Mixed "15c.			var. mixed	8 6–8	10 5	nearly black. 4288 is a new			
	Collections, including - 12 vars. Ricinus, choicest sorts					50	variety, surpassing all other sorts in size and beauty.			
4200	6 " " " "		D			30	Ornamental in fruit. For green-			
4290 4295	Rivina humilis	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	gP †hP	white	2	10	houses.			
4300	White per oz., 20c.		,	w.& pur. white		5	(Hesperis.) Free-blooming and very sweet-scented.			
4310	Romneya Coulteri		hhP			10	(California Tree Matilija Poppy.) Fine flowers, resembling a poppy.			
4320	Rosa multiflora nana		hP	mixed		25	Flowers first season from seed.			
	Rose Campion		ĺ				See Agrostemma coronaria. See Agrostemma Cwli-Rosa.			
	Rose of Sharon						See Hibiscus Syriacus.			
4350	Rudbeckia amplexicaulis	2		yel.	3	5	Showy, large, yellow flowers, with brown cone.			
4351	Sabbatia brachiata	2 3		rose		10	American Centaury.			
4352	Saintpaulia ionantha		tgP	blue	1/2	25	From Central Africa. Lovely violet-like flowers.			
$\frac{4356}{4360}$	Salpiglossis azurea		hhA		1	5				
4366	Dwarf Mixed per oz., 60c.			scar. mixed	1/2	5	These annuals have very showy, large, funnel-shaped flowers.			
4367	Tall Mixed				1	5	mottled, veined and self-colored; fine for beds. They require a			
	8 vars. Salpiglossis, Tall 8 " Dwarf					40	rich soil, and will well repay liberal treatment.			
	6 " " …					40 35 ·	) moral treatment.			
$\frac{4370}{4372}$	Salvia argentea	1	†hP hA	white l. blue	3		Sage plants are well-known for their brilliant colors, and no			
4380 4387	patens	2	†tP	blue		5 25	plants can be finer for bedding,			
4388	Ræmerianaper oz., \$1.50	3	hP †hhP	erim.	$\frac{1}{2}$	5 10	particularly the splendens varieties. They are easily grown,			
4390 4392	-grandiflora pendulacompacta erecta "Bonfire"			d. scar.	11/2	25 25	free-flowering and showy. No. 4394 has golden yellow foliage,			
4393 4394	-erecta, long spike Golden Foliage				1	10	which contrasts very strikingly			
4397	Sanvitalia procumbens fl. pl		lıA	yel.	1/2	25 5	with its scarlet flowers,  Pretty Composite for beds; excel-			
4400	Saponaria Calabrica per oz. 40c.			red	1	5	lent for borders.			
4403 4405	-alba -Searlet Queen (new)			white scar.		5	Pretty dwarf bedding plants. Should be cultivated for their			
4410	ocymoides	1 2	hP	red	• 1/2	5	beauty and long blooming.			
4414 4415	Saxifraga Aizoon	2	hA	white	1 1/2	25 25	Curious little plants; especially adapted for rockwork.			
4417	Scabiosa candidissima				21/2	5	]			
4418 4418a				pur.		5 5				
$\frac{4419}{44196}$	minor aurea fl. pl. (new)		hP	golden lilac		10 10	The Mourning Bride is a showy border plant, with beautifully			
						10	piene, with beautifully			



			åo /	<b>E</b> /	L /	<u>ئ</u> ا	<del>+</del> + /
			s s	ratio			4 cke
	NUMBER and NAME.	0 6	ines.	10 70 A	it in	per	General Observations.
1)T	"1/4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness	Color of the Flore	Height in E.	Price per	
: 000	Scabiosa, continued-					ets.	
4420	Mixed Tallper oz., 40c.		hA	mixed	2½	5	variegated flowers. It succeeds
4422	Dwarf Double Mixed. " 40c. Collections Scabiosa, including—		••••	• • • •	1½	5	in ordinary garden soil. 4419 is a beautiful golden yellow, new
	8 vars. Dwarf Double					35	variety.
	8 " Tall Large-flowered					30 35	
4425	6 " " " Schizanthus Grahami		hhA	s. & o.	2	30 5	Elegant and very free-blooming
4427	pinnatus			p. v.	11/2	5	annuals. Large, beautiful flow-
4430 4433	porrigens papilionaceus retusus			bk.eyd.	2	5 5	ers of many colors, blotched dark purple and spotted with
4436	—albus			white		5	orange; fine for bedding. Grown
4440	Mixed per oz., 30c. Collection, including	• • • • •		mixed	div.	5	in pots in early spring in green- house, they become fine foliage
	6 vars. Schizanthus					30	J plants, with masses of blossoms.
4443	Schizopetalon Walkeri		hA	white	3/4	10	Curious fringed, fragrant flowers. Like Sensitive Plant, its leaves
4445	Schrankia uncinata	3	hP	red	2	10	droop at the slightest touch.
4450 4453	Sedum cœruleum  Maximowiczii	2	hA hP	blue vel.	1/4 1	10 10	(Stone Crop.) Showy little plants, excellent for carpet beds. Plant
4454	Mixed			inixed	3/4	10	in sandy soil.
4455	Sensitive Plantper oz., 75c.	2 3	tA	pink		5	See Jacobæa. (Mimosa.) Pretty and curious.
4460	Silene Armeria	1 2	hA	red	1	5	1
4461 4462	—albaper oz., 20c.			white mixed		5 5	(C 4:16 ) D:14 ) 1 6
4463	orientalis		hP	rose	2	5	(Catchfly.) Bright colored, free- flowering annuals, suitable for
$\frac{4464}{4465}$	pendula, rose		hA ····	red	1	5 5	rock-work or open border. S.
$\frac{4467}{4467a}$	-ruberrima,			rose		5	pendula is largely grown for spring flower gardening. They
4468	Mixed per oz., 20c.			mixed		5	succeed in any light, loamy soil.
4470 4471	Virginica Douglasii		hP	pur. rose	• • • •	10 10	
4473	Sisyrinchium Bermudianum			blue		10	"Blue-eyed Grass." Very pretty.
4475	Smilax (Myrsiphyllum asparagoides)per oz., 75c.	2 3	gP	white	6	10	For table and house decoration. Fine for florists.
	Snapdragon-						j The for horisms.
4480 4483	Delila, carmine and white	2	†hP	c. & w.	1½	5 5	
$\frac{4485}{4488}$	Striped			strip.		5 5	The Antirrhinum is one of the finest border perennials. The
4492	White			s. & w. white		5	Tom Thumb strain is admirably
4493 4495	Yellow per oz., 50c.			yel. mixed		5 5	adapted for bedding, being very dwarf and free-flowering. Light
4497	Fine Dwarf Mixed " 50c.				1/2	5	soil, well enriched with manure,
4498	Tom Thumb Mixed " \$1 Collections, including—			• • • • •		5	is most suitable for them. Sow in May or in autumn.
	12 vars. Snapdragon, Finest Tall.					50	
4500	Sphenogyne speciosa	3	hA	yel.	1	30 5	Pretty, showy annuals.
4502 4504	Spiræa ariæfolia	2	$^{ m hS}_{ m hP}$	white	3 3–4	10 10	Beautiful shrubs; flower pro- fusely.
4507	Spraguea umbellata		hhA	rose	1/2	25	Fine for rockwork or edges of
4508	Stachys lanata	3	hP	strip.	2	5	flower beds. Silver-leaved, fine perennial.
4509	Statice Bonduelli	2	tA	yel.	$1\frac{1}{2}$	5	1
$\frac{4514}{4515}$	incana hybridasinuata	$\stackrel{\cdots}{2}$	hP tA	mixed blue	1	5 5	(Sea Lavender.) Beautiful for winter bouquets. Pretty little
$\frac{4516}{4517}$	candidissima			white		5 5	flowers, which ought to be in all
4517a	Suworowi, bright rose Perennial Sorts Mixed		hA hP	rose mixed	1½	5	gardens.
4518	Stenactis speciosa			pur.	2	5	Showy purple Composite.
4520	Stephanophysum longifolium		hhP	scar.	1½	25	An acanthaceous plant, with bright-colored flowers.
4525	Stevia serrata	2	gP	flesh		10	Fine for bouquets; scented.
4528	Dwarf Snowflake Forcing	1 2	hhA	white	1	25	
4529 4530	White Dresden Perpetual "Cut-and-Come-Again,"oz., \$3					25 10	(Mathiola.) These seeds are
	Dwarf Large-flowering—						saved from the finest double
$4531 \\ 4532$	Whiteper oz., \$4Canary Yellow			yel.		10 10	varieties. Unsurpassed for bedding, massing, edging or pot-
4533	——Crimsonper oz., \$4			crim.		10	culture, being very free and long

		-	bn /	z /	E4 /: 4	2 /	4)
		Time of	Hardiness and n.	Color of the Flows	Height in Feet	Price per	) kg
		/	Hardiness and p.	ra / ra			लें /
	NUMBER and NAME.	1 % 3	89 d		7.7	_/ ~~ [	General Observations.
		0 4	g		1 4	/ ~	
A DE	1/4 oz, at oz, rate only on articles quoted at	/ <u>.</u> ğ	ar.	100	9.	/ 5.	
	\$1 per oz. and over.	/ <i>E</i>	/# · ·	/ ප්	/ H	/ ==	
	Stocks, Ger. Ten Weeks, cont'd.						
	Dwarf Large-flowering-	1 0		,		10	
$4534 \\ 4535$	— —Chestnut	1 2	hhA	brown blood	1	10 10	bloomers, and of much diversity
4536	——————————————————————————————————————			car.		10	and brilliancy of color. They are also very attractive in form,
4537	——Rose			rose		10	and richly fragrant. The double
4538	Light Blueper oz., \$4			l. blue		10	white sorts are largely used in
4539	Shining Purple Carmine			d. red		25	summer for bouquets and floral
4539a	——Mixedper oz., \$3			mixed	11/	10	work. In this latitude Stocks
4540 4541	Giant Perfection, White	• • • •		white mixed	1½	25 10	should be sown from the middle
4542	— —Mixedper oz., \$3 Wall-flower-leaved, White			white		10	of March to the first part of May, on a spent hotbed or in pots or
4543	-Crimson			crim.		10	shallow boxes, in a frame or in
4544	-Mixedper oz., \$4			mixed		10	the house; and when an inch
4545	Dwarf German Bouquet				1	10	high, they should be trans-
4546	——Mixedper oz., \$3				117	10	planted into fine soil, which
4547	Ordinary Mixed " 75c. Stocks, Autumnal, etc			• • • •	1½	5	should be spread over a dis-
4548	Intermediate White	2 3	hhB	white		25	carded hotbed, whence they can be bedded out when three or
4549	-Crimson			crim.		25	four inches high; this should be
4550	—Mixed			mixed		25	done before or during showery
4551	Emperor Large-flowering, White	1		white		25	weather. Transplanting sev-
4552	-Crimson			crim.		25	eral times in the early stages of
$4553 \\ 4554$	-Mixed  Brompton Scarlet Winter			mixed scar.		25 25	growth tends to give them a more compact and dwarf habit.
4556	—White Winter			white		25	Stocks do well sown in the open
4558	-Mixed Winter			mixed		10	ground from the middle to the
4560	Dwarf Crimson Bouquet Winter			crim.	1	25	last of May.
4562	Queen Purple	• • • •		pur.	1½	5	The later will safe a conference of Canada
$\frac{4564}{4567}$	—White —Scarlet			white scar.		5 5	For choice collections of Stocks, see below.
4568	-Mixed			mixed		5	Sec below.
4570	Strelitzia augusta		gP	white	10	50	("Bird of Paradise Flower.") Mag-
4571	Reginæ		••••	o.& pur	5	25	nificent greenhouse perennials.
4572	Streptocarpus, Veitch's New Hy-						) Transcontact and the bloom
	brids	1 2		mixed	2	50	Very ornamental, profuse blooming greenhouse plants.
4572a	Wendlandi					50	, , ,
4573	Styrax Japonica	1	hS	white	6	10	Bell-shaped flowers, followed by
4574	Sultan, Sweet, Purple		hA	pur.	11/2	5	white berries. Fine. (Centaurea.) Pretty border an-
4577	White		11A	white	172	5	nuals, with long stems and fra-
4580	Yellow			vel.		5	grant flowers. Do not trans-
4582	Mixed			mixed		5	plant. Fine for cutting.
	Sunflower (Helianthus)—						-
4583	Single Russian per oz., 10c.	3		yel.	5	5	Derives its name from the popu-
4584	-"Henry Wilde" "15c. -Primrose-colored "20c.					5	lar supposition that its large
$\frac{4585}{4586}$	—Primrose-colored " 20c. macrophyllus giganteus " 15c.		• • • • •		• • • •	5 5	heads of flowers follow the sun in its course. Showy for back-
4588	cucumerifolius (cucumber-l'v'd)	2 3			3	5	grounds and shrubberies. Like
4589	cucumerifolius (cucumber-l'v'd) argophyllus, "Texas Silver Queen"per oz., 20c.	_ 0			U		the Eucalyptus, good to absorb
	Queen"per oz., 20c.	3			4	5	the miasma of low grounds.
4590	California Double " 15c.	2 3		d.y.	2-5	5	The large flowers are very rich
$\frac{4591}{4592}$	Globe-flowered Double " 15c. Green-centered Double " 15c.			yel.	3	5 5	and effective. No. 4589 has silvery foliage and very handsome
4593	Dwarf Double " 15c.	2 3		y.&gr. yel.	2½	5	small flowers.
4594	-Variegated foliage	3		var.	-/2	5	January Howers
	0						

## CHOICE COLLECTIONS OF STOCKS.

We invite special attention to the collections here offered; they contain only the very choicest varieties.

		GERMAN TEN-WEEKS.	- 1			Giant Perfection\$6	60
94	vars.	Dwarf Large-flowering\$1	50	6	6.6	"	50
18	6.			8	4.6	Wallflower-leaved, Large-flowered	60
19	4.4	44 44	85	6	6.6		50
- 8	4.6	16 16	60	6	6.6	Dwarf Perpetual	40
6	44		50				
10	6.6	Pyramidal Dwarf Large-flowering	60			AUTUMNAL AND WINTER, ETC.	
6	+ 6		50	8	4.6	Intermediate German	60
12	6.6	Large-flowering Emperor	85	6	6.6		50
6	44		50	4	4.6	East Lothian Autumn	40
• 19	6.0	Dwarf Bouquet	75	12	• 6	Fine Winter	80
6		(	40	6	6.6	46 46	50
6	6.6	Victoria Bouquet	50	6	4.4	Dwarf Bouquet Winter	50
8	6.6	Tree, or Giant	60	6	6.6	Cocardeau Winter	50

			ring	tion	in E	reet	cket
	NUMBER and NAME.	of.	Hardiness	Jolor of the En	Height in F	Price per	General Observations.
H-W	~1√oz. at oz. rate only on articles quoted at	Time of	ardin	Color of	le de la	ice	
	\$1 per oz. and over.	/H	# "	/ ပိ	] H	/ <del>~</del>	
	Sweet Pea "Cupid"	1 3	hA	white	1/2	ets. 10	New dwarf Sweet Peas: See also page 111.
	Sweet Sultan						See Sultan.
4598	White Single per oz., 40c.	2 3	hB		1½	5	1
$\frac{4599}{4600}$	-Double			erim.		5 5	(Dianthus barbatus.) A very pop-
4601	— — Double					5	ular free-flowering favorite, pro-
$\frac{4602}{4603}$	Auricula-floweredper oz., 40c. Mixed Single "30c.			mixed		5 5	ducing large heads of beautiful colored flowers. Very effective
4604	—Double	• • • •	••••		••••	5 30	for bedding.
4605	Tacsonia Van Volxemii		gP	sear.	10	25	Beautiful greenhouse vine.
4606	Tagetes lucida	2	tP	yel.	1	5	Pretty, and fine for bedding. See
4607	signata pumila	2 3	hA			5	f also Marigold. See Cacalia.
4608	Tecoma Smithi (splendid)		gP	lemon	6	50	∫ Large heads of rich lemon flowers,
2000	Thunbergia			1		- 50	flushed orange. See page 109.
4609	Tommasinia verticillaris		hP	yel.	1	25	Splendid single lawn plant.
$\frac{4610}{4611}$	Torenia Fournieri		tA	pur.		25 25	For borders and baskets. 4612 is golden yellow, with deep red
4612	Bailloni			yel.		25	) throat; 4610 is fine for pots.
4616 4616a	Trachelium cœruleum  Trachymene cœrulea (Didiscus)	2	†hP gA	blue	1½	5 5	Valuable for border or greenhouse.  Fine long blooming annuals.
4618	Trifolium suaveolens		hP	pur.	trai.	5	An ornamental clover.
4619	Tritoma nvaria	2 3	hhP	or. red	3	10	(Red-Hot-Poker Plant.) Strong
4621	MacOwani			r.&yel.	1½	25	flowering plants; have very showy spikes of bloom.
	Tropæolum						See page 109.
4622 4623	Tunica saxifraga	2	gP	white	1	5 50	Pretty for rockwork. Popular greenhouse plant.
4624	Valeriana alba	1 2	†hB	white	3	5	Fine border plants; sweet-scented
$\frac{4626}{4627}$	rubraMixed			red mixed		5 5	flowers.
4628	Venidium calendulaceum	2 3	hhA	orange	1	5	Beautiful for borders or pots.
4630 4633	Venus' Looking-Classoz., 25c. White	1 2	hA	blue white	3/4	5 5	(Specularia.) Pretty; good edging plant.
4635	Venus' Navelwort (Omphalodes			White		Э	A liandsome border flower, easily
	linifolia)	2	• • • •		1	5	fine decorative plant. Beautiful
4637	Verbascum pannosum		hP	yel.	5	10	white, woolly leaves.
4638	Verbena hybrida— Scarlet	2 3	hhP	scar.	11/2-2	. 10	)
$\frac{4640}{4641}$	—Defiance Blue Black, White Eye			bl.& w.		10 10	
$\frac{4642}{4642a}$	Yellow			yel.		10	All of this genus are extremely beautiful and ornamental, flow-
4643	Golden-leavedcandidissima (pure white)			white		10 10	ering profusely, either as pot
$\frac{4644}{4646}$	auriculæflora			mixed strip.		$\begin{array}{c c} 10 \\ 10 \end{array}$	plants or in the garden. Our seeds are saved from very fine
4648 4649	cœrulea			b. b.		10	named varieties, and will pro-
4650	Mixedper oz., 75c. Finest Mixed '\$1.50			mixed		5 10	duce healthy plants, with flowers of fine color.
4651	Mammoth Mixed " 2.50 Collection, including	• • • •	• • • • •			10	
	6 vars. Verbena					50	•
4652 4652a	Verbena (Aloysia) citriodora Veronica Virginica		$^{\mathrm{gP}}$	white	3	10 10	(Lemon Verbena.) Scented leaves.
4653	Mixed	2	nP	mixed	1/2	10	Pretty for border; fine colors.
$\frac{4654}{4655}$	Vicia Gerardii		hA 	violet d. red	4	10 10	Pretty pea-shaped flowers.
4657	Vinca alba (pure white)		tP	white		10	Fine for conservatory, parlor win-
$\frac{4662}{4663}$	roseaalba			rose ro.& w.		10 10	dows and borders or beds; very
4664	-Mixed			mixed		10	pretty.
$\frac{4665}{4667}$	Violets, Sweet-scented The Czar			blue	1/2	10 10	(Viola.) All have great beauty and fragrance. The seed takes
4669	White			white		10	a long time to germinate.

NUMBER and NAME.			1	<u>&amp;o</u> /	<u>#</u> /	<u>L</u>	0 /	) de /
					ratic Joseph		9	#3 /
		NUMBER and NAME.	100	ness	0 Jo	t in	per	General Observations.
	.~		rdi.	lor	igh	, eo,		
	4.11		Ä	HE "	/ ଓ	<u> </u> #	4	
1075	4673	Viola cornuta, Purple Queen					cts.	1.
Additional Stock   per 02, 20c.   hA   red   1   1   1   1   1   1   1   1   1	4674	-Mauve Queen		• • • •			10	
White   20c   white   5   Wh								
4678   Mixed   2   3   8c.4   5	4678	White '' 20c.					5	(Malcolmia maritima.) Early
		Climison King						flowering and fine.
According   Acco								١
A681a		oculata				3/4	5	
Mixed   Mixed   Mixed   Mess   Mes							5	
4682   Wallflower, Brownper oz., 40c.   1 3   AP   vel.   5   4684   Mixed								ceed best in light, rich loam.
Harbinger, Early	4682	Wallflower, Brown per oz., 40c.					5	)
Mixed   Mixe								
Single Annual   Single Annua	4684	Mixedper oz., 40c.			mixed		5	
Collections of Wallflower, includ'g   12 vars. Double German   8 " " "   60   80   60   60   60   60   60   60								ders. No. 4687 is one of the
Son From Seed.   Sol		Collections of Wallflower, includ'g					φ1 00	
## Whitavia grandiflora.per oz., 40c.		8 " " "					80	son from seed.
According   Acco	1000	• • • • • • • • • • • • • • • • • • • •					1	
4691 Wigandla Vigieri	4689						5	
Wigandia Vigieri		_					A .	, , , ,
Veranthemum				. )	_			
4693   Vucca baccata	1002			101	104	•	10	
4694   brevifolia.	4693			hhP	gr. wh.	3	10	)
Whipple		brevifolia				15	10	Very showy, attractive plants for
Zinnia, Double—  4698	4697						10	numerous large white flowers.
Tall Carmine   per oz., 40c.   hA   car.   5   4698   Crimson   40c.   crim.   5   5   4701   Crimson   40c.   flesh   5   5   4701   Crimson   40c.   flesh   5   5   5   4701   Crimson   40c.   flesh   5   5   5   4702   Crimson   40c.   pur.   5   5   4703   Rose   40c.   rose   5   5   5   4704   Crimson   40c.   rose   5   5   5   4704   Crimson   40c.   rose   5   5   5   4704   Crimson   40c.   violet   5   5   5   5   4704   Crimson   40c.   violet   5   5   4706   Crimson   40c.   violet   5   5   4706   Crimson   40c.   violet   5   5   4708   Crimson   4709   Crimso		angustifolia		• • • •	• • • • •	• • • •	10	
4699				hA	car.		5	1
A701		—Crimson " 40c.					5	
Aros	4701	—Lilac					5	
4704		— <u>I</u> ui pie						
A706	4704	—Scarlet " 40c.			scar.		5	Fine hadding and harder plants
4707	4706	—White					5	blooming long and abundantly.
4719		-Yellow, Sulphur " 40c.						
## A 111	4709	—Mixed " 30c.			mixed		5	and bright and the plants easily
4711a	4711	-Large Robust " 50c.					5	sively cultivated, as the varie-
4713		-Mammoth Porcupine Quilled						
A715	4713	—Purple " 50c.			pur.		5	dwarf double varieties, forming
4716		—Scarlet					5	
4718		-Diight Scarlet(line)						
A720	4718	-Yellow, Sulphur " 50c.			yel.		5	splendid new variety, most grace-
4720a		— — dolden 50c.						
4721       —Tom Thumb Whiteper oz., \$1       white orange       ½       10       succeed best in a rich, deep, loamy soil and in a sunny situation.         4721a       —Orange       10       10       loamy soil and in a sunny situation.         4721b       —Mixed       10       10       ation.         4722       —Haageana, Double       \$1.25       yel.       1       10         Collections of Zinnia, including—       10       10       10         6 " " " " 6" " " 6" 6" 6" " 6	4720a	—Lilliput Scarlet Gem			scar.	3/4	10	found very choice, and are sure
4721b       — — Mixed        10       ation.         4722       — Haageana, Double.       \$1.25       yel.       1       10         4723       — Curled and Crested Mixed       mixed        10         Collections of Zinnia, including—       50       50         6 " " " " 40       40       40         8 " Dwarf Double.       50	4721	-Tom Thumb Whiteper oz., \$1			white	1/2	10	succeed best in a rich, deep,
4722 — Haageana, Double. '' \$1.25 yel. 1 10 4723 — Curled and Crested Mixed inixed 10  Collections of Zinnia, including— 10 vars. Beautiful Double 50 6 '' '' ' 40 8 '' Dwarf Double 50								
Collections of Zinnia, including—  10 vars, Beautiful Double	4722	-Haageana, Double. " \$1.25			yel.	1	10	·
6 " " " … 40 8 " Dwarf Double 50	4123	Collections of Zinnia, including-		••••	mixea	• • • •	1	
8 " Dwarf Double 50								
411		8 " Dwarf Double					50	
4724 Zygadenus glaberrimus hP white 2 10 Handsome native wild-flower.	4724			hP	white	2		Handsome native wild-flower.

### VINES AND CLIMBERS.

_	•	1	87	g /	le.	tet /	10 /
	NUMBER and NAME.	Time of	Hardiness and r	Color of the Fr.	Height in E-	Price per	General Observations.
4-1	31 per oz. and over.	=	# "	/ පි	#	\ <b>4</b>	
4725	Abrus precatorius	2	gP	pur.	12	cts.	\{ "Prayer Bean." Very pretty green- house climber.
4726	Adlumia cirrhosa		hB	pink	15	10	Beautiful climber.
4727	Aristolochia Sipho		hP	br.&yl.	30	25	) Mh - " Donnel mant - Dina "
47270			gP	pu.&w.	20	25	The "Dutchman's Pipe."
$\frac{4728}{4729}$	Asparagus verticillatusoz., \$2	1	hP gP	white	12	$\frac{10}{25}$	Very beautiful fern-like foliage,
47296	Sprengeri plumosus nanus				1	10	fine for bouquets.
4730	Balloon Vineper oz., 20c.	2 3	hhA	w.&gr.	10	5	(Cardiospermum.) Very pretty.
4732	Calampelis scabra	3	†hP	orange	6	10	Fine for trellis.
4734	Canary-Bird Flowerper oz., 50c.	2 3	hhA	yel.	10	5	One of the best old favorites.
4738	Centrosema grandiflora	1 2	hP	var.	6-8	10	("Butterfly Pea.")
4750	Clematis flammula	,		white	15	5 5	(Virgin's Bower.) Very fragrant;
$4752 \\ 4759$	Jackmanni and Lanuginosa	2 3		mixed	8-40 var.	5 10	for other sorts, see Tree Seeds.
4764	Clitoria ternatea		hB	blue	15	10	Beautiful greenhouse and conser-
4766	—alba		••••	white		10	vatory climbers.
$\frac{4768}{4769}$	Cobæa scandensper oz., 75c.		†tP	pur. white	20	10 25	Rapid-growing; start in the house.
4770	macrostemma (new)			violet		10	
4774	Convolvulus aureus superbus		hhA	gold	5	10	Pretty, and fine for baskets. The Morning Glory is good for
$\frac{4776}{4777}$	major, Morning Gloryoz., 15c.  —Double Morning Glory		hA ····	mixed	10	$\begin{array}{c} 5 \\ 10 \end{array}$	Morning Glory is good for screens. No. 4778 has very large flowers in great variety of most
$4778 \\ 4780$	Imperial Japanese Morn'g Glory . Mauritanicus		hP	blue	30 trai.	10 10	exquisite colorings, and hand-
	Cypress Vine					10	Some variegated foliage. See Ipomaa Quamoclit.
4782	Dolichos Lablabper oz., 15c.		hA	pur.	10	5	(Hyacinth Bean.) Rapid-growing
$\frac{4784}{4786}$	—alba			white mixed		5 5 5	and free-flowering; good for screens.
4787	gigantea			white	• • • •	5	screens.
4795 4796	Humulus Japonicus	3	tA	green	15–20	10 10	(Climbing Hop.) 4796 has beautiful variegated foliage.
4798	Ipomœa coccinea per oz., 15c.		hA	scar.	10	5	1
$\frac{4800}{4801}$	—lutea " 20c. chrysantha		†gP	yel.		5 10	These are very beautiful, free-
$\frac{4802}{4804}$	scarlatina			scar.	30	10 10	blooming plants of the Morning
4806	Northern Light		hA ····	mixed lav.	15	10	Glory family, and useful for covering verandas, trellis-work,
4807 4808	Horsfalliæhederacea grandiflora		tP tA	rose blue		25 5	etc. No. 4816 is the so-called "Moon-Flower." Nos. 4807, 4824,
4810	—marmorata			mar.		5	4826 and 4828 are also beautiful
4812	Nil			pur.		5	greenhouse climbers. No. 4830
4814 4816	limbataper oz., 20c. Mexicana grand. alba '' 75c.	3		v. & w. white	$\begin{array}{c} 5 \\ 15 \end{array}$	5 10	is the beautiful "Brazilian Morning Glovy." "Northern Light"
4817	— ——hybrida			white		10	} is a cross between the Moon-
$\frac{4820}{4822}$	bona nox (Good Night)oz., 20c.				10	5	Flower and the Brazilian Morn-
4824	hybrida "Heavenly Blue" Leatii		gP	blue v. b.	10 15	25 25	ing Glory. It is very early, and the flowers are extra large and
4826	rubro-cœrulea		••••	b. red	8	10	of a lovely pink-lavender color.
4828 4830	——alba			white		10	
4835	Quamoclit (Cypress Vine)		tP	red	• • • •	10	I. Quamoclit is the well-known
4836			tA	scar.	10	5	Cypress Vine; has very beautiful, bright flowers, and is de-
4837	-White			white mixed		5 5	servedly popular.
4838	Ivy-leaved Cypress Vineoz.,30c.		hA	scar.		5	
	Collection, including 12 varieties					50	J
4845 4854	Kennedya cœrulea		gP	blue	12	25	These are fine, profuse bloomers
4855	Marryattærubicunda			scar. d. red	4	25 25	for the greenhouse. Do best in sandy loam.
4860	Lapageria rosea			rose	15	50	Beautiful greenhouse climber.

BALLOON VINE. See page 107.

COBÆA SCANDENS. See page 107.

### VINES AND CLIMBERS-continued.

the altiber											
	NUMBER and NAME.  NUMBER and NAME.  Journations of the Flower in the Flo										
	NUMBER and NAME.	Time of	Hardiness and D.	Color of	Height in F	e per	General Observations.				
40	*1/, oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tim	Har	Colo	Heig	Pric					
4000	Lathyrus— Everlasting Pea, White	2	hP	white	8	ets.	)				
4880 4881	——Scarletper oz., 40c.			scar.		5					
$\frac{4882}{4883}$	——splendensper oz., 50c.			mixed		$\begin{bmatrix} 10 \\ 5 \end{bmatrix}$	See also Sweet Peas, page 110. Handsome perennials, produc-				
4883a	splendens (true)			scar.		10	} ing beautiful flowers. For				
$\frac{4884}{4885}$	Blue Lord Anson's Peaoz., 15c. White " " 15c.	1 3	hA 	blue white	6	5 5	dwarf Sweet Pea "Cupid," see pages 105, 111.				
4885a	rotundifolius		hP hA	red		5 5					
4885 <i>b</i> 4886	tingitanus  Lophospermum scandens	2 3	tP	d. rose	8	10	Trumpet-shaped flowers.				
4886a	coccineum			scar.		25	)				
4887	Mandevillea suaveolens		gP	white	10	10	{ Beautiful greenhouse climbers; very fragrant.				
4888 4890	Maurandya antirrhiniflora Barelayana	1 3	†gP	pur. bl.& w.		$\begin{vmatrix} 10 \\ 10 \end{vmatrix}$	Abundant bloomers, and very de-				
4892	alba			white		10	sirable for the greenhouse and				
$\frac{4894}{4895}$	Emeryana roseapurpurea grandiflora			rose pur.		$\begin{array}{c c} 10 \\ 10 \end{array}$	garden. Should be in every collection.				
4900	Mixed			mixed		10	j				
4901	Mina lobata		tA.	wh.&r.	15	10	Curious; free-bloomer; fine.    See   Ipomæa   Mexicana   grandi-				
	Nasturtium, Tall—		19				flora alba.				
$\frac{4902}{4903}$	Blood-coloredper oz., 15c.		hA	d. red	5	5 5	,				
4904	Yellow			orange yel.		5					
4905 4906	Scarlet			scar.		5 5					
4907	Rose			rose		5	for screens or stone walls; all				
4908 4910	Striped " 15c. Schuerianum " 15c.			strip.		5 5	are very showy in flower, and				
4910a	—coccineum " 15c.			scar.		5	desirable acquisitions to grow on a trellis or fence. In light soil				
4911 4911a	Schulzi			brown		5 5	they flower profusely and for a				
4912	hemisphericum " 15c.			orange		5	long time.				
4912a	Mixed per lb., 75c " 10c. Collections, including—			mixed		5					
	12 vars. Nasturtium, Tall					50 40					
	Passiflora cœrulea		hhA	blue	10	10	Called "Passion Flower" on ac-				
4913 4914	edulis			white	$\frac{25}{10}$	10	count of a fancied resemblance				
49144	incarnata			pink	25	10	in the flower to the appearance presented at Calvary.				
4914b $4915$	lutea  Phaseolus Caracalla			yel. lilac	5	10	}				
4916	amœnus		hA	red	3	25	Curious fragrant flowers.				
4917	Smilax (Mrysiphyllum asparagoides)per oz., 75c.		gP	white	6	10	Extensively used for floral deco- rations; very pretty foliage.				
4918	Thunbergia alata		hhA	bff.&d.	5	5	Very ornamental climbers and				
$\frac{4919}{4920}$	—alba. —aurantiaca.			white orange		5 5	abundant bloomers. They are				
4922	—Bakeri			white		5	also very effective as bedding plants, if a little pains be taken				
$\frac{4924}{4926}$	—Fryeri			orange sul.		5 5	with them. Thrive best in a				
4928	—intus alba			p. yel.		. 5	rich compost of fibrous loam and sand.				
4930 4932	—Mixed per oz., 40c. Tropæolum Canarienseoz., 50c.			mixed yel.	10	5 5	The Canary-bird Flower.				
4936	Lobbianum Brilliant " 25c.			d. scar.	. 6	5					
$\frac{4938}{4940}$	—Crystal Palace " 25c. —Asa Gray " 30c.			br. red white		5 10	These are very beautiful improved				
4944	—Queen Victoria " 25c.			scar.		5 5	Nasturtiums, of most brilliant				
4945 4946	—fulgens					5	colors. Fine for either the conservatory or outdoor decoration.				
4948 4949	—Spitfire " 25c. —Crown Prince of Prussia " 30c.			blood		5 5	Thrive in light, rich soil. See				
4950	—Lilli Smith			cr.& sc.		5	also Nasturtium. No. 4954 and 4956 should be grown in pots.				
$\frac{4951}{4952}$	—Mixed " 20c. Mad. Gunter Hybrids			mixed		5 10	4952 is a new strain, with very				
4954	pentaphyllum		†gP	o. & y.	5	10	dark foliage and a richness of color surpassing all other sorts.				
4956	tricolor grandiflorum			o. & p.		25					
	12 vars. Tropæolum Lobbianum					50					
	6					30					



SWEET PEAS, NAMED VARIETIES—continued.		
Bronze King	Per 1/4lb. \$0 20	Per lb. \$0 60
Butterfly		60
Captain of the BluesBright purple and pale blue 10		60
CaptivationLight magenta, self-colored		1 00
Cardinal		50
Countess of Aberbeen White margined with pale pink 10		75 75
Countess of AberbeenWhite, margined with pale pink		75 1 00
Crown Jewel Creamy white, veined with violet-rose		75
Cupid, White		1 25
Cupid, PinkLike the above, but pink colorpacket, 10 cts 20	60	2 00
Daybreak	30	1 00
Duchess of York	20	60
Duke of YorkBright rosy pink standards; primrose wings, tinted white 10		60
Duke of ClarenceRosy claret; self-colored flowers; extra large	30	1 00
Eliza Eckford		75
Emily EckfordPorcelain blue, suffused with reddish mauve		1 00
Emily Henderson     Splendid pure white; good for forcing     10       Fairy Queen     White, shaded rose and violet     10		75
Firefly		1 00
Caiety		75
Colden CleamBeautiful primrose; the finest yellow		1 00
Gray FriarBeautiful watered purple, on white ground	30	1 00
Her Majesty Beautiful soft rosy pink; very large flowers	25	75
IgneaFiery crimson-scarlet, slightly flushed with purple	30	1 00
Indigo King		60
Invincible Scarlet Intense scarlet		60
Isa Eckford		75
JuanitaPure white, delicately lined and striped with pale lavender 10  Katherine TracySoft brilliant pink		1 00
Lady BeaconsfieldSalmon standards, tinted rose; wings pale yellow 10		75
Lady Penzance		75
Lemon QueenBlush pink and lemon; very beautiful		75
Little Dorrit		1 00
Lottie EckfordRose and white, edged with blue	25	75
Meteor Bright orange-salmon standards; wings light pink	30	1 00
Mikado Orange-cerise ground, striped white	25	75
Mrs. Eckford		75
Mrs. Gladstone		75
Mrs. Jos. ChamberlainWhite, striped and flaked with bright rose		75 75
Mrs. Sankey		75 1 00
Oddity		1 00
Orange PrinceOrange-pink, flushed with scarlet		75
Ovid		60
Peach BlossomSalmon-pink standards; wings soft pink		60
Prima DonnaLight blush pink; very beautiful; large flower		1 00
Princess Beatrice Delicate blush pink, marked with deeper shades		75
Princess of Wales White, striped lavender and mauve		75
Queen of the IslesWhite and red, striped and mottled		1 00
Ramona	$\frac{30}{25}$	1 00
Red Riding-Hood       Rosy pink, shading to blush white at the calyx       10         Royal Robe       Delicate pink standards; wings soft blush pink       10	25 25	75
Senator	25	75
Stanley	25	75
The BrideBeautiful pure white	30	1 00
The Queen	20	60
Venus		75
Vesuvius	20	60
SWEET PEAS IN MIXTURE.  Per oz. Per 1/41b.	Par 1/11.	Per lb.
THORBURN'S SPECIAL MIXED. Comprising the finest Eckford and other		
new and choice large-flowering varieties.         \$0 10         \$0 25           Eckford's Mixed.         Composed of Eckford's varieties only.         10         20	\$0 40 30	\$0 75 50
Standard Mixed	20	30
Five cent packets may be had of all Sweet Peas except those otherwise marke	d.	

### ORNAMENTAL GOURDS and FRUIT-BEARING VINES and PLANTS.

			Hardiness	ation	row.	2991	2cket
	NUMBER and NAME.	of of	ness		t in	per	General Observations.
Q.F	√yoz, at oz. rate only oπ articles quoted at \$1 per oz. and ouer.	Time of	Hardiness	Color of the Flor	Height in Food	Price per	
4964	Abobra viridiflora	2 3	tA	green	6	ets. 5	Pretty scarlet fruit.
4965	Arcisia crenulata		gS	red	5	25	Splendid decorative plant, bearing bright coral berries.
	Balsam Pear and Apple						See Momordica, below.
4966	Benincasa cerifera		t <sub>.</sub> A	yel.	6	10	Black, wax-like gourd.
4968	Bryonopsis laciniosa erythrocarpa	2		red	5	10	Very ornamental.  Oblong fruit, marked with white
4970	Coccinia Indica	2 3			6	10	lines, turning scarlet.
4972	Gourd)(Hedge-hog		hhA	yel.	8	5	Of autnomaly papid growth and
4973 4974	acutangulus (Rag Gourd) flexuosus (Snake Cucumber)	$\begin{array}{ccc} 2 \\ 2 & 3 \end{array}$			10	5 5	Of extremely rapid growth, and bears curious fruits. 4973 is the
4976	grossulariæformis (Gooseberry		• • • •				Rag or Dish-cloth Gourd, the peculiar interior of which is use-
4978	Gourd)	2			6	5	ful in the kitchen when properly prepared.
4980	perennis (very fine)	2 3	hhP		15	5	
	Cucurbita						See Gourds.
4981	Cyclanthera explodens	2	hhA		8	10	Curious.
4981a	Echinocystis lobata			green	12	10	(Wild Cucumber.)
4981b	Eopepon vitifolius	3	hhP	white	10	25	Ornamental.
4982	Gourds— Mock Orange	2	tA	yel.	15	5	
4983	Egg-shaped			ye1.	10	5	
4984 4986	Apple-shaped Pear-shaped					5 5	Excellent for covering verandas
4987	Onion-shaped					5	or trellis-work, and for training
4988 4989	Hercules' Club				15	5 5	over arbors, fences, etc. Of very rapid growth, with curious
4990	lagenaria (Bottle Gourd)					5	fruits and highly ornamental
$\frac{4991}{4992}$	Miniature					5 5	foliage. Cultivate the same as melons or squashes.
4993	Dipper					5	metons of equations
4997	Mixed	••••			10-15	5 50	
5007	Melothria scabra	*>	la la A	1.16	10	10	Tropical vine.
		3	hhA	l. b.	10		
$5008 \\ 5010$	Momordica balsamina	2 3		yel.		5 5	The well-known Balsam Pear and Balsam Apple.
5012 5013	Elaterium					5 25	(Squirting Cucumber.)
	involucrata				• • • •		7
5014	Mukia scabrella	3				. 10	Fruit reddish when ripe.
5018	Phaseolus multiflorus		tA	scar.	15	.5	(Scarlet Runner Bean.)
5020	Scotanthus tubiflorus	3	tP	white	••••	25	Bears pretty fruit.
$5022 \\ 5024$	Solanum, White Egg-plant Scarlet Egg-plant		tA		1	5	
5024	Striped Egg-plant			scar. strip.	2	5 5	
$5038 \\ 5040$	pseudo-capsicum nanum		gP tA	white	1 2	10 10	The Solanums are very ornamen-
5042	robustum			pur.	3	10	tal fruit-bearing plants, and thrive best in light, rich soil.
5046 5047	capsicastrumHendersoni		gP	yel. pur.	2	10 10	All are worth cultivating.
5047a	Warscewiczioides			white	3	10	
	Collection, including 6 vars. Solanum					45	
	Squirting Cucumber				•		See Momordica Elaterium.
5048	Trichosanthes colubrina				4	10	(Snake Gourd.) So called from
$5050 \\ 5052$	coccineapalmata	2 3		yel. white		10 10	the shape of its fruit.
	Wild Cucumber						See Echinocystis lobata.
							ce Dimorgano Conta



### SEEDS OF EVERLASTINGS.

For the Formation of Wreaths and Winter Bouquets.

NUMBER and NAME.  1402. at oz. rate only on articles quoted \$1 per oz. and over.		Hardiness and r	Color of the Flore	Height in F.	Price per	General Observations.
5054 Acroclinium roseum 5056 —album. 5057 —Mixed. 5058 —Double Rose 5059 — White		hhA	v. & ro. white mixed rose white	1	cts. 5 5 5 10 10	Exceedingly graceful plants, with everlasting flowers; much used for winter decorations. The flower heads should be gathered when young, if to be preserved.
5060         Ammobium alatum           5061         —grandiflorum		hhP		2	5 5	Pretty, and easily cultivated.
5062         Gomphrena globosa           5064         —alba           5065         —violacea           5066         —carnea           5070         —striata           5071         —nana compacta rubra           5072         — —alba           5073         —Mixed           5075         aurea superba           Collection, including         6 vars. Globe Amaranth		hA	red white violet pink strip. v. red white mixed orange	1     1 	55555555 55555555	The Globe Amaranths are known by their round heads of flowers; also called "Bachelors' Buttons." An old favorite for winter bouquets. The best soil is a mixture of sandy loam, stable manure and some silver sand.
5076 Helichrysum bracteatum 5078 —album. 5079 —atrosanguineum 5080 —atrococcineum 5081 —Mixed 5082 macranthum 5098 monstrosum, Double -Dwarf, Double Collections, including— 12 vars. Double. 10 " " 8 " " 6 " Dwarf			yel. white d. red d. scar. mixed rose mixed	2  1  2  ½	55 55 55 55 55 56 40 40 30 30	("Eternal Flowers.") All are greatly admired for their beauty. The flowers are large and the colors bright. They are highly prized for winter bouquets. Flowers intended for drying should be gathered when partially unfolded, and suspended with their heads downward in a cool shed. Succeed best in rich, loamy soil.
5107 Helipterum Sanfordii	2	tA 	yel. white		10 10	Resemble Helichrysum, and are useful in the same way.
5110       Rhodanthe maculata         5114       —alba         5115       —Mixed         5118       Manglesii			r. & w. white mixed r. & w.		10 10 10 10	Very beautiful, delicate looking Everlastings, much prized for winter bouquets.
5119         Shortia         Californica           5120         Xeranthemum annuum           5122         —album           5125         —multiflorum           5126         —album           —superbissimum fl. pl.           Collection, including	··· 2	hA	ye!. pur. white jur. white pur.	1 2	5 5 5 5 5	One of the oldest Everlastings; the flowers retain their color and form longest of all.
6 vars. Xeranthemum					30	J

### ORNAMENTAL GRASSES.

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

		Hardiness and r.	ration f	n Foot	Price per	tacket
NUMBER and NAME.		and D	Color of the F	Height in P	rice per	General Observations.
\$1 per oz. and over.	H	/ 4	/ 8	/ 27	/ P4	
5128 *Agrostis nebulosa. 5130 pulchella. 5132 minutiflora.		hA 	apet.	1	5 5 10	$ \left. \begin{array}{l} \text{Very fine for vases and bouquets.} \\ \text{The plumes of } A.\ nebulosa \text{ are } \\ \text{very delicate.} \end{array} \right.$
5136 *Andropogon argenteus	3	hP		3	5	Dense flowers, very silky, with bright white hairs.
5138 Arundo Donax				10 	5 10	Fine subtropical plants of stately growth; ornamental in habit.
5144 Avena sterilis	2 3	hA		3	5	(Animated Oats.) Curious.
5150         Briza geniculata.           5152         gracilis.           5154         maxima.				1  1½	5 5 5	Quaking Grass.) No. 5154 is very pretty for bouquets.
5158 Bryzopyrum siculum				3/4	5	Dwarf species of Spike Grass.
5160 <b>Bromus</b> brizæformis		hP		2	5 5 5	No. 5160 is very fine for winter bouquets. To this genus belongs the Cheat Grass, a well-known
5165 Chloropsis Blanchardiana		tP			25	Dwarf; very fine for edging.
5166 Chloris barbata vera				1 3/4	5 5	Elegant for groups, and also good for baskets.
5170 Chrysurus cynosuroides	1	hA		1	5	Pretty for edging.
5172 Coix lachryma	2 3			1½	5 10	(Job's Tears.) So called from the resemblance of the seed to a tear-drop.
5175 Cryptopyrum Richardsoni	2	,		2	10	Very fine grass.
5176 Eleusine barcinonensis				1	5 5	(Crab or Yard Grass.) E. Indica is the Wire Grass.
5176b Indica		• • • •	• • • • •		5	)
5178 Elymus hystrix		hP	• • • •	4	5	From the Crimea. Odd.
5180 Eragrostis elegans		hA		1	5 5	(Love Grass.) Pretty Grasses,   growing about a foot high, and
5183 Abyssinica					5 5	characterized by their beautiful dancing spikelets; fine for
5185 suaveolens					5	bouquets.
5188 Erianthus Rayennæ		hP 		10	5 10	(Plume Grass.) A very fine and stately-looking grass.
5192 Eulalia Japonica				5	10	Among the most beautiful of the tall-growing grasses.
5196 Festuca glauca				2	10	(Fescue Grass.) Ornamental.
5198 <b>Gymnothrix</b> (Pennisetum) cauda 5202 latifolia		tP 		8	10 10	Grown chiefly as curious and ornamental grasses.
5205 * Cynerium argenteum		\			5	(Pampas Grass.) This is the no-
5207 *—fol. variegatis					10 10	blest of the tall-growing grasses, and bears magnificent plumes,
5208 jubatum		· · · · ·			10	much used in floral decoration.
5212 Hordeum jubatum		hA		2	5	(Squirrel-tail Grass.)
5213 Isolepis gracilis		į ····		1/2	10	Very pretty rush-like grass.
5216 Lagurus ovatus			••••	2	5	(Hare's-tail Grass.)
5218 Lasiagrostis argentea		hP	••••	3	5	Fine for winter bouquets.
5225 Panicum virgatum		hA 		3	5 10	Very showy and hardy perennial grasses.

NUMBER and NAME.  ***********************************	Time of	Hardiness and p.	Color of the Flore	Height in Fact	Price per	General Observations.
5228 Pennisetum villosum	2 3	hA 	apet. crim.	1½ 3	ets. 5 25	Ornamental grass. 5228α has beaufiful crimson plumes.
5229 Poa amabilis			apet.	2	5	Pretty for bouquets.
5230 Setaria macrochæta				1½	5	Ornamental grass.
5234 *Stipa pennata	2	hP 			5 10	(Feather Grass.) Grown for their very graceful plumes.
5237 Tricholæna violacea	2 3				10	A very pretty grass.
5242 Tripsacum dactyloides				4	5	(Sesame Grass.) Singular.
5248         Zea         Japonica           5255         Miniature Maize           5256         Cuzko           5258         quadricolor           New; fine				3	5 5 5 5	Ornamental varieties of Corn. $Z$ . $Japonica$ has beautifully striped leaves.
25 variatios grassos Ornamental		ı	ECTION			\$0.75

25	varieties	grasses,	Ornament	:al\$0	75
12	4.4	6.6	66		50

### PALM SEEDS.

The Palm seeds we offer are imported direct from approved sources in Australia, New Zealand, South America, Central America and the West Indies, and are unexcelled in quality and purity. Fresh seeds arrive throughout the year, as the various species mature, but the greater number come during the spring and summer.

	Pkt.	100 seeds	Pkt.	100 seeds
Areca Baueri	, \$0 25	\$1 25	Dracæna Draco	\$1 50
" lutescens12 "	25	1 25	'4 rubra25 '' 25	75
" sapida 8 "	10	1 00	Geonoma Schottiana 8 " 25	2 50
Brahea filifera (Washingtonia)25 "	10	30	" gracilis 8 " 25	2 50
" robusta	10	60	Kentia Belmoreana	1 50
Chamærops Canariensis 8 "	10	1 00	" Forsteriana12 " 25	1 50
" elegans argentea12 "	25	1 25	" Canterburyana (Um-	
" excelsa25 "	10	30	brella Palm)12 " 50	3 00
" hamilis20 "	10	40	" Morei	4 00
Cocos australis 8 "	25	2 50	Latania Borbonica	50
" Bonnettii 8 "	25	2 50	Musa Ensete (Abyssinian Ba-	50
" campestris10 "	25	2 25		2 00
" plumosa10 "	25	2 25	nana)	
" flexuosa10 "	25	2 25	Oreodoxa regia (Royal Palm) 8 " 10	1 00
" Weddelliana 8 "	25	2 50	Pandanus utilis (Screw Pine)15 " 25	1 25
" Yatai 6 "	25	3 50	Phœnix Canariensis	60
Corypha australis (Cabbage			" dactylifera (Date Palm).12 " 10	50
Palm)10 "	10	60	" reclinata	1 25
Cycas revoluta each, 5 cts 6 "	25	3 50	" rupicola	2 00
Dracæna australis 20 "	10	25	" tenuis 8 " 10	1 00
" indivisa25 "	10	25	Ptychosperma Alexandræ12 " 25	1 50
" lineata25	10	25	Seaforthia elegans 8 " 10	1 00

In April we shall have a large importation of Cycas revoluta (Sago Palm) stems direct from Japan in various sizes.

# HONORS TO J. M. THORBURN & CO. FROM THE AMERICAN INSTITUTE . .

The FIRST PREMIUM (Silver Medal) was awarded to J. M. THORBURN & Co. at the American Institute Fair, 1898, for a general exhibit of Vegetables grown entirely from their own HIGH-CLASS SEEDS, and of Flowering Bulbs, Mushroom Spawn, and Seeds.



## GLADIOLUS.

### VARIOUS MIXED GLADIOLI.

		De GERROLOER.	1 000
Mixed Varieties of Red and	1,000	Mixed Yellow and Orange\$0 60 \$3 0	
	\$10 00	" Hybrids. All colors 35 13	
" White and Light. Stan-	النائنة	•	11 00
dard selection 45 2 25	18 00	" Finest Selected Seedlings. All colors 40 1 7	75 12 00
" White and Light. Extra			.5 12 00
fine for florists' use 75 4 00	32 00	" Lemoine's. Fine. Bright	
Striped and Variegated 50 2 75	22 00	colorings and odd mark-	00 75 00
" Pink 40 2 00	15 00	ings 40 2 (	00 15 00
PINE MAREN		DDID OLADIOLI	
FINE NAMED	HY	BRID GLADIOLI.	
Each	Doz.		ach Doz.
Addison. Dark amaranth, white stripes \$0 10	\$0 75	Fra Diavolo. Long compact spike of large	
Admiral Courbet. Tall spike of large car-		orange-rose flowers, flushed violet-red at	10 01 00
mine-violet flowers; lower petals have a white blotch, streaked cherry-rose 10	75	edges of sepals; large pale yellow blotch.\$0	10 \$1 00
white blotch, streaked cherry-rose 10  Agatha. Rose, suffused with lake, flamed	75	Ida. White ground, slightly tinted with	
with carmine amaranth, clear yellow spots 10	75	rose, flamed with carmine-rose, lower petals light yellow	10 75
Amalthee. Pure white; large violet-red		Lamarck. Cherry colored, slightly tinted	10 15
blotch, ground of the corolla velvety violet,		orange, blazed red, large pure white stain.	10 75
lower petals tinted lilac	1 50	Le Phare. Brilliant flery red; very showy.	10 1 00
Apollon. Rosy lilac, with a large light rose		Leviathan. Enormous flowers, delicate	10 1 00
blotch, finely striped white in the center 10	75	bright rose, flamed and striped carmine;	
Archduchesse Marie-Christine. White slightly tinged lilac, flamed rosy carmine. 10	75	amaranth blotch on creamy white ground	10 75
slightly tinged lilac, flamed rosy carmine. 10  Arsinoe. Fine satin rose, flamed with	10	Loredan. Bright cherry-rose, speekled	
bright carmine 10	75	cherry-white and slightly shaded slatecolor.	15 1 25
Benvenuto. Brilliant light orange-red,		Mme. Furtado. Fine rose, shading off to	
white blotch	1 00	rosy white, flamed with ruby	10 1 00
Carnation. Large, well-expanded flowers		Maria Dumortier. White, slightly streaked	
of a fleshy white color, tinged at the edges	- 0-	with rose, violet-purple blotch	10 1 00
with the richest carmine	1 25	Matador. Fine spike with splendid flow-	
Dictateur. Long, compact spike of large flowers, white in center; sepals flushed		ers of brilliant carmine-red, striped and	10 75
carmine-red on a pale lilac ground 10	1 00	blotched pure white	10 75
Eldorado. Clear yellow, the lower petals	1 00	Noemi. Light rosy lilac  Pericles. Light rose, flamed with carmine-	10 13
streaked with red 20	2 00	purple, large pure white blotch	10 75
Elizabeth. Dark rose, flamed with bright		Reverend Berkeley. Light rose, tinted	
carmine-purple; large purple-carmine		violet-carmine, feathered white blotch	10 75
blotch with white stripes 10	75	Seduction. Rosy, salmon-colored flowers;	
Escarboucle. Dark carmine-red, verging		throat very clear with large white blotch,	
to grenade, pure white band and blood-red blotch on lower petals	1 00	feathered carmine	10 1 00
Etendard. White, tinged with carmine 10	1 00	Sirene. Delicate rose, slightly tinted	
Eugene Ramey. Flowers large, purplish		orange, flamed with red; red blotch on	10 1 00
amaranth, with a sheen of ivory-lilac,		yellow ground	10 1 00
edges slightly mottled with slate 10	1 00	Snow White. Superb pure white	20 2 00
Fatma. Very large flowers of ivory-white		Sultana. Bright satin-rose, flamed carmine, purple-carmine blotch on white ground	10 1 00
profusely striped and suffused bright rosy	7 00	Surprise. Rose-amaranth; late blooming	10 75
salmon; violet blotch on creamy ground. 10	1 00	Teresita. Upper petals pure white, suf-	10
Felicien David. Cherry, light carmine, feathered white blotch	75	fused rose and striped carmine at the	
Feu follet. Well opened flowers with ivory-	10	edges; lower petals rose, striped violet.	10 1 00
white throat, richly tinted and striped with		Van Dyck. Crimson-amaranth, striped	
carmine at the edges 10	75	with white; very fine	10 1 00
Flamboyant. Large flowers of flery scarlet 10	1 00	Venus. Pure white, flamed light rose	10 1 00

### NEW GIANT CHILDSI GLADIOLI.

Price, 20 cts. each, 6 for 90 cts., 12 for \$1.50.

These are much more vigorous than others. They are very tall and erect, often standing 4 or 5 feet high with spikes of bloom over 2 feet long. The flowers are of great substance and of gigantic size, frequently 7 to 9 inches across. The form of both flower and spike is perfection itself, and they last long in bloom before fading, owing to their great substance and vigor, but the most remarkable feature is their coloring. Every color known among Gladioli is represented, and many never before seen, particularly blues, smoky grays and purple blacks, all having beautifully mottled and spotted throats, made up of white, crimson, pink, yellow, etc.

Brilliant. Beautiful orange-red, with carmine and white throat. Superior to Flamboyant, Meyerbeer, and other red varieties.

Boston. Flaming orange-scarlet, with large, pure white, violet mottled throat.

Dr. Sellew. Large spike and very large flowers of great substance. Deep, rich, rosy crimson, slightly penciled darker. Throat pure white, mottled and spotted.

Ethel. Beautiful soft rose, white and crimson throat. Hohokus. Large flaming crimson, with bright ma-

genta mottled throat. Livonia. Light red, with white mottled throat. Nezinscott. Bright blood-scarlet, with deep, velvety crimson-black blotches, white mottling in throat.

Princeton. Large flaming red, with violet and white mottlings in throat. Spikes of great length.

Savannah. Deep blood-red, with white mottled throat.

Makes a splendid spike.

Sacramento. Deep, bright, coral scarlet, with clear and distinct white mottlings in throat.

Splendor. A splendid large flower of the softest, sweetest rose color. Large magenta stain, with purple and white mottling.

Torch Light. Very fine spikes of large, light flaming scarlet flowers. Throat mottled white and violet.

### DOUBLE DAHLIAS.

PRICE: All named sorts 15 cents each, \$1.50 per dozen.



### SHOW AND FANCY DAHLIAS.

A. D. Livoni. The best clear, soft pink show Dahlia.

Medium size; perfect form; beautifully quilled.

Arabella. Sulphur, tipped pink and lavender. Dandy. Ground color pure pink, striped and penciled black, though sometimes solid black, and occasionally solid pink; a very attractive variety.

Emily. Very large; fine form; color varies from rosy lavender to white.

liss Browning. Pure yellow, tipped pure white,

Miss Browning. Pure y occasionally solid yellow.

Mrs. Dexter. Very large; fine form; a beautiful shade of salmon.

Penelope. Pure white, delicately flaked lavender; invaluable for cutting and decorations.

Pluton. The finest of all yellow show Dahlias, being a pure, clear yellow; of large size and perfect form.

Priscilla. Yellow, tipped scarlet; quilled.

Red Head. Very large, deep red; dwarf.

Ruby Queen. Clear ruby red, richly shaded; early and profuse bloomer.

Triomphe de Solferino. Of immense size, and a deep red color; dwarf and compact grower.

### CACTUS DAHLIAS.

Black Prince. Intense velvety maroon, almost black. Clifford W. Bruton. Solid, clear, pure yellow; large, full double flower.

King of Cactus. Deep magenta, overlaid rosy crimson.

Maid of Kent. Cherry-red, tipped white. Miss Barry. Deep rosy lake; twisted petals; very beautiful.

ymphæa. The most delicately beautiful Dahlia ever introduced. Medium size; always full to the Nymphæa. center; clear, distinct, light pink, tinted lighter toward the center; strong grower, most profuse bloomer, graceful habit.

### POMPON, or BOUQUET DAHLIAS.

Miss Lou Kramer. Yellow, heavily tipped bright crimson.

Prince Charming. White, penciled, suffused and tipped pink.

Snowclad. The finest white pompon; perfect form. Variegatum. Small flowers, ranging from cinnamonmaroon to pink-white.

Yellow Bird. Pure yellow; profuse blooming. Vivid. Bright, deep, crimson scarlet.

MIXED DAHLIAS, \$1.25 per doz., \$10 per 100.

### LILIES.

Each	Doz.	Each	Doz.
Auratum (Golden-Banded Lily).		Leichtlinii. Orange-red, with crimson	
7 to 9 inches circumferenceper 100, \$6.\$0 10	\$1 00	spots\$0 25	\$2 50
9 to 11 inches circumference.per 100, \$10. 15	1 50	" Canary Yellow 40	. 4 00
11 to 13 inches circumference.per 100, \$14. 25	250	Speciosum album præcox. Pure white,	
Auratum macranthum, or platyphyllum. 40	4 00	large size 25	2 50
" rubro vittatum 75	8 00	8	
" pictum 50	5 00	Tuo, utili White, shaded 1056. 10	1 50
" Wittei, 4 to 6 feet 75	7 50	Melpomene very	0 -0
" Virginale. Very large, pure		dark 25	2 50
white 75	7 50	Tigrinum (Tiger Lily). Orange-salmon,	1 00
Batemanni. Bright apricot	1 50.	spotted black	1 00
Brownii. Most beautiful flowers of im-		Spicingensi Itien scariet, with	1 25
mense size, inside creamy white, outside		black spots 12  flore pleno. Double Tiger	1 20
shaded chocolate-purple	5 00	Lily 12	1 25
Chalcedonicum (The true Scarlet Turk's			1 00
Cap Lily). Brilliant scarlet 60	6 00	Umbellatum Mixed 10	
Colchicum (Monadelphum). Clear citron,		Wallacei. Rich orange, spotted maroon 15	1 50
black spots 1 00		Washingtonianum. Large, trumpet-	
Humboldtii. Orange-red, spotted claret 25	2 50	shaped flowers, pure white, tinged purple	
Krameri. White, slightly tinged with red. 15	1 50	or lilae 30	3 00
MC	NITD	RETIAS.	
MIC	DIVID	RETIAS.	
Each Doz.	100	Each Doz.	100
Bouquet Parfait. Bright vermil-		Elegans. Bright yellow, streaked	
ion, yellow center\$0 08 \$0 75	\$4 00	vermilion\$0 05 \$0 40	\$2 50
Crocosmiæflora. Bright orange,	0 =	Etoile de Feu. Vermilion, yellow	4 00
tinged scarlet	2 50	center	4 00
Drap d'Or. Rich yellow 08 75	4 00	Pottsii. Orange and scarlet 05 40	2 50
Eldorado. Large, golden yellow 08 75	4 00	Rosea. Salmon-rose color 08 75	4 00

### PRIMULA SIEBOLDII. (HARDY JAPANESE PRIMROSES.)

	Doz.		Doz.
Atlas. Brilliant carmine; white center\$0 20	\$2 00	Madame Emile Callee. White and lilac. \$0 20	\$2 00
Clarkiæflora. Lovely magenta 20	2 00	Mine d'Argent. Large, milky white flowers 20	2 00
La Llque. Rosy violet; white center 20	2 00	Victor. Beautiful clear pink	2 00

### DWARF FRENCH CANNAS.

PRICE: All 15 cents each, \$1.50 per dozen.

Italia. Large, scarlet, with yellow border.

Austria. Very large; canary yellow.

Queen Charlotte. Like Madame Crozy.

Alphonse Bouvier. Rich crimson; foliage green.

Charles Henderson. Crimson. Compact.

Madame Crozy. Scarlet, bordered golden yellow.

Egandale. Dark foliage, cherry-red flowers.

Florence Vaughan. Golden yellow, spotted red.

Paul Marquant. Salmon-scarlet, foliage dark green.

Geoffrey St. Hilaire. Light scarlet, bronze foliage.

President Carnot. Orange-scarlet, chocolate foliage.

Brenningsii. Variegated foliage; scarlet flowers.

### BEAUTIFUL DOUBLE DELPHINIUMS. (PERENNIAL LARKSPUR.)

		Each	Doz.	Each	Doz.
Beaumarchais.	Blue, with rosy center	\$0 30	\$3 00	Prince of Naples. Semi-double\$0 30	\$3 00
Dr. Brahmann.	Blue and violet	30	3 00	Scribe. Lilac, white bordered 30	3 00
Irene. Sky-blue	and pink, white eye	30	3 00	Tour d'Eiffel. Brilliant blue, striped 30	3,00

### NEW LARGE-FLOWERED JAPAN IRIS. (IRIS KÆMPFERI.)

		er doz.
Beauty. Silvery lilac, veined purple\$0		\$2 00
Blue Jay. Large, fine azure-blue	20	2 00
Charmer. Light blue, white center	20	2 00
Mahogany. Deep mahogany-red	20	2 00
Mt. Fell. Grayish white, veined sky-blue.	20	2 00
Orion. Pure white, bordered lilac	20	2 00
Pyramid. Violet-blue, with white veins	20	2 00
Snow White. White, with gold center	20	2 00

# Exquisite. Fine porcelain-blue Each Per doz. Shadow. Dark indigo-blue \$0 \$2 00 Snowbound. Large, pure white 20 2 00 Souvenir. Lovely rose-pink 20 2 00 Neptune. Reddish gray, freely grained 20 2 00 Quakeress. Light lavender, tinged rose 20 2 00

### NEW SINGLE LARGE-FLOWERING.

	Each Per doz.
Bluebird. Clear dark blue .	\$0 20 \$2 00
Como. Reddish amaranth	white center 20 2 00

### OLDER VARIETIES OF IRIS.

C	erman	ica.	Mixed	, all	colors	\$0	06	\$0 50	\$2	50
K	æmpf	eri. 🤞	Japan I	ris.	Mixed	l	08	60	3	50
S	panish	Iris,	Mixed	Ye	llow		05	40	2	00
	66	66	66	Blu	ıe		05	40	2	00
	66	66	66		nite		05	40	2	00
	. "	"	66		Color		05	20	1	00

### MISCELLANEOUS BULBS AND ROOTS.

AMARYLLIS	Each	Per doz.	100	1
Belladonna. Violet and white	80 20	\$2 00		1
Belladonna Major	30	3 00		
Equestris (Barbados Lily)	20	2 00		
Formosissima (Jacobæan Lily)	15	1 50		
Johnsonii (Spice Lily)	50	6 00		
Longifolia rosea. Rose, hardy	30	3 00		
ANEMONE-				1
Scarlet, Feu Superbe. Double.	05	45	\$3 00	1
" L'Eclair. Large flowers.	05	45	3 00	
" Single Mixed. 2 for 5c.		20	1 00	
Mignonne. Double, rose	05	45	3 00.	
Chrysanthemiflora Mixed	12	1 25	8 00	1 :
Japonica alba. Pure white	05	35	2 00	
" rosea. Rosy carmine	08	45	3 00	
" rubra. Dark red	08	45	3 00	
" Lady Ardilaun	20	2 00	12 00	ì
" Whirlwind	10	1 00	6 00	1
ARUM Dracunculus	15	1 50		
BECONIAS, TUBEROUS				l
Single Orange	10	1 00	6 00	
" Scarlet	10	1 00	6 00	
" Rose	10	1 00	6 00	١.
" White	10	1 00	6 00	
" Yellow	10	1 00	6 00	
" Mixed	10	1 00	5 00	
Double White	25	2 25	15 00	1
" Yellow	25	$2 \ 25$	15 00	
" Scarlet	25	2 25	15 00	1
" Mixed	20	2 00	14 00	
BESSERA elegans (Coral Drops).	05	50	3 50	
CALADIUM esculentum	20	2 00		1

Each		doz.	100
CINNAMON Vine Roots\$0 03	5 \$0	60	\$3 50
COOPERIA -			
Drummondii (Evening Star) 03	5	45	3 00
Pedunculata. White, fragrant 03	5	45	3 00
Oberwetteri. Bright green 03	5	45	3 00
CYCLOBOTHRA flava 08	5	40	2 50
DICENTRA spectabilis (Dielytra). 20	2	00	$12 \ 00$
HYACINTHUS candicans 03	5	40	2 50
MADEIRA Vine Roots 10	) 1	00	
MILLA biflora. Pure waxy white. 03	5	40	2 50
NERINE Japonica 13	5 1	50	
PÆONY-			
Chinensis, Double White 30	) 3	00	
" Crimson 20	) 2	00	
" " Pink 20	2	00	
" Mixed 1	5 1	50	
Arborea (Tree Pæony) 1 50	)		
Tenuifolia, Single, Crimson 2	5 2	50	
" Double. Crimson 30	$\bar{3}$	00	
PYRETHRUM roseum, Double 30	3	00	
TICRIDIA (Tiger Flower)—			
Grandiflora alba, White 10	)	75	4 00
Conchiflora. Yellow Tiger Flower 08	3	60	3 50
TROPÆOLUM-			
Tricolorum Jarrattii	5 1	50	
Polyphyllum. Bright yellow 1	5 1	50	
TUBEROSES, Dwarf Double 0	5	35	1 50
ZEPHYRANTHES rosea. Rose. 03	5	50	3 00
ZYCADENUS Fremonti 08	3	75	5 00

### INDEX.

PAGE	PAGE	PAGE
Agrimony 43	Furze	Pennyroyal
Alfalfa	Fumigator	Pickles, Vegetables Used for 44
A m. i.a.a. 49	Glazing Points	Pincers
Arnica 43 Artichoke 11, 50 Asparagus (Roots, 50) 11 Knives 55	Glazing Points	Planet Jr. Tools 59
Artichoke	Grape Seeds	Polygonum
Asparagus (Roots, 50) 11	Grafting Wax	Poppy, Opium
Knives	Grass Catcher Boxes 62	Plant Stakes
Asperula	" Edging Knives	Potatoes 34
Asters, Choice Collections	Hooks or Sickles	Powder Gun and Bellows 63
Atomizers	" Seeds	Primula
Barley	Gromwell	Pumpkin
Basil, Dwarf and Sweet 43	Guizotia	Pumpkin
Beans, Dwarf Wax	Gumbo	Radish
" Dwarf Snap	Hanging Baskets, Flowers for . 3d p. cov.	Raffia
English Dwart 15	Hedge Plant Seeds 44	Rakes
Horse and Soja 52 Pole or Running 14	Hedge Shears	Ramie
Beets	Hemp	Rampion
Belladonna 43	Henbane	Reana
Bellows	Herb Seeds	Reels and Lines 55, 57
Bene	Hooks, Bill and Brush	Reana       53         Reels and Lines       55, 57         Requisites       55-63         Rhubarb       (Roots, 50)       38         Pht. Cruck       38
Bird Seeds, etc 50	Hoes	Rhubarb (Roots, 50) 38
Boneset	Hop Seed	Rib Grass
Bouquets, Flowers for 3d page cover	Horseradish Roots 50	Rognette
Borage	Horticultural Implements 55-63	Roquette
Bordeaux Mixture 64	Hose Menders	Rough Rice 50
Borecole	Hotbed, Directions for Making 4	Rough Rice
Broccoli	Hyssop	Rue 43
Broom Corn	Ice Plant	Rye
Brussels Sprouts	Insecticides 64	Sacaline
Buckwheat	Iris	Sainfoin
Burnet	Iris pabularia	Sage
Cabbage (Plants, 50) 18	Jadoo Fiber and Liquid 64	Salads, Vegetables Used for 44
Canaigre	Jerusalem Corn	Salt-bush, Australian
Calendar for Seed-sowing . 4th page cover Canary Seed	Johnson Grass	Saucers Flower Pot
Cance Ramboo 55	Kaffir Corn 59	Salsify
Cannas	Kale	Saws
Caper Tree Seed	Kidney Vetch 49	Scissors
Caraway43	Kitchen Garden Seeds 2d page cover	Scolymus
Cardoon	Knives	Scorzonera
Carnation Supports	Kohlrabi	Scurvy Grass
Carrots	Lathyrus sylvestris	Scythe Stones and Rifles
Catnip	Lavender	Seed Drills
Cauliflower (Plants, 50) 19	Lawn Grass Seed 45	Seradella
Celeriac	" Mowers	Shears
Celery (Plants, 50) 20	Kakes	Shovels and Spades
Cereals	Sprinklers	Shrub Seeds         66-70           Silver Beet         38
Chervil	Leek	Skirret
Chicory	Lentils	Snails
Chicory	Lespedeza	Snails,
Cinnamon Vine Roots 50	Lespedeza	Sorghum
Clovers	Lilies	Sorrel
College, Directions for Making 4	Liquorice	Spinach
Collards	Lovage	Spinach       31, 39         Sprayers       63         Sprinklers       57, 60
Collec's of Flower Seeds . 3d page cover	Lupins	Sprouts
Coriander 43	Madder	Spurry
Corn, Field Varieties 51	Madia	Squash
Sweet or Sugar	Mangel-Wurzel 15, 16	Stands, Flower Pot Rolling 55 Stocks, Choice Collections of 104
Corn Salad, or Fetticus	Manures	Strawberry Plants
Cress	Marioram Pot and Sweet	Strawberry Plants 50 Sunflower 50, 54
Cucumber	Marshmallow	Sweet Feas
Cytisus	Marshmallow	Sweet Feas
Dahlias	Mastica	Syringes
Dandelion	Mats	
Delphiniums	Melon, Musk	Tansy
Delphiniums	Melon, Musk       28         Water       29         Millet       50, 51, 53	Tansy
Dibbles	Millet 50, 51, 53	Thermometers
Dill	Miscellaneous Bulbs and Roots 119	Thyme, English and French 43
Economical Plants, Seeds of 52	Miscellaneous Seeds 52-54	Tools 55-60
Elecampane	Mole Traps	Thyme, English and French
Endive	Mushroom Spawn	Tomato Supports 57
Endive	Mustard	Tree and Shrub Seeds 66-70
Esparsette	Nasturtium 29	Trowels
Esparto Grass	Novelties 6-10	Yunip
Evergreen Tree Seeds	Oats	Vegetables, Directions for Culture
Everlastings       113         Evergreen Tree Seeds       66, 67         Fertilizers       65         Fennel, Florence or Naples       25	Onion 30	Vegetable Seeds
Fennel, Florence or Naples 25	Onion Sets, etc 30	Vegetable Seeds
Fenugreek	Onobrychis	Plants
Fetticus	Opium Poppy	Vetches
Flat Pea	Orach	Vetches
Flax Seed	Ornamental Gourds	Watermelons 29
Direc'ns for Culture . 71-73	Ornamental Gourds	Watering Pots
" General List	Pæony	Weeders 57, 58
Direc'ns for Culture . 71-73 General List	Palm Seeds	Wheat
Flowers for Bouquets, etc. 3d page cover	Palm Tubs	Wine Stakes
Forks:	Parsnips	Wheat 51 Wheelbarrows 57 Wire Stakes 55 Witloof 21
Fruit-bearing Vines and Plants	Peas	Worms
Fruit Seeds	Palm Seeds     115       Palm Tubs     57       Parsley     31       Parsnips     31       Peas     32, 33, 52, 53       Pepper     (Plants, 50)     35	Worms

### COLLECTIONS OF FLOWER SEEDS.

Free by Mail at Prices Affixed.

Long experience in selecting enables us to make collections which are invariably satisfactory to purchasers, and our usual full assortment the present season, embracing every desirable novelty and standard sort, insures assortments of the rarest varieties and finest qualities, all of the growth of the past season, and in every case strictly TRUE TO NAME.

Var	rieties					Pric	ce	Va	rieties					Price
100	Annuals,	Biennials	and	Perennials		\$4 (	00	50	Choice	Greenhous	se Seeds			\$8 00
				44										
25	4.6					1 (	00	12	66	"	6.6			2 50
12	6.6					5	50	50	Choice .	American S	Seeds for	r European	Culture	4 00
25	More Ran	e Annual	s			2 0	00	25	4.6	4.6	66 66	66	. 66	2 00
10	66 66	66				1 0	00	12	Annual	ls for Bees				50
20	Choice H	ardy Bien	nials	and Pereni	nials	1 0	00							

All Strictly our Own Selections.

### LIST OF FLOWERS SUITABLE FOR BOUQUETS.

Abronia umbellata	05
Ageratum Mexicanum 05 Godetia, assorted	
" album 05 Gypsophila paniculata	05
Alyssum maritimum	05
Amarantus tricolor	. 10
Ammobium alatum 05   Iberis odorata	.05
Aquilegla chrysantha	05
Aster chrysanthemiflora 10 amara	05
Balsams, Camellia-flowered	05
Cacalla coccinea	05
Calliopsis lanceolata	05
Callirhoë pedata 05 Malope grandiflora	05
Centranthus macrosiphon	10
" Dwarf 05   Phlox Drummondii grandiflora	10
Chrysanthemum inodorum	10
Collinsia bicolor	05
verna	10
Cosmos hybridus	25
Cuphea strigulosa	05
miniata	10
purpurea 05 Stocks, Ten Weeks	10
Dianthus Chinensis	10
Digitalis, assorted	25
Calllardia picta, "Aurora Borealis" 05 Viscarla oculata	05
Cilia tricolor	. 05

### LIST OF FLOWERS SUITABLE FOR HANGING BASKETS.

D. al		· Per	T4
Per pl			
Ageratum Mexicanum nanum\$0	05	Lobelia Erinus and varieties (gracilis)\$	) 05
Alyssum maritimum	05	Love-Lies-Bleeding	05.
Aubrietia deltoidea	10	Lupinus nanus	05
Calandrinia umbellata	10	sub-carnosus	05
Cerastium tomentosum	25	Mignonette	05
Clintonia (Downingia) pulchella	10	Mimulus moschatus	10
Convolvulus Mauritanicus	10	Nemophila insignis	05
aureus superbus	10	maculata	05
Cosmidium Burridgeanum	05	Pansy, varieties (finest)	25
Dwarf Nasturtiums	05	Petunia, spotted and striped	25
Eschscholtzla tenuifolia	05	Portulaca, Double	10
Eucharidium grandiflorum	05	Sanvitaila procumbens (Double)	05
	25	Saponaria Calabrica	05
Cilia nivalis	05	Sedum cœruleum	10
rosea splendens	05	Sliene pendula ruberrima	05
Iberis amara	05	Spraguea umbellata	25
Limnanthes Douglasii	05	Verbena (finest)	10
Lobb's Nasturtlum	05	Virginian Stock	05

Address orders to

J. M. THORBURN & CO.,

36 Cortlandt Street, NEW YORK.

# THORBURN'S LIST OF VEGETABLE SEEDS THAT MAY BE SOWN IN EACH MONTH FROM FEBRUARY TO SEPTEMBER IN THE VICINITY OF NEW YORK

, , , , , , , , , , , , , , , , , , , ,	
THE THORBURN  POTATO.  The very best  Extra Early Potato grown.	FEBRUARY.
Sow in Hothed. Early Beans Early Beans Early Beans Brussels Sprouts Brussels Sprouts Early Cabbage Forcing Carrot Cauliflower Celery Cucumber Egg-Plant Kohlrabi Lettuce Melon Parsley Peas Pepper Potatoes Radish Tomato Sow in Open Ground. Beans, B. Windsor " Long Pod " Matagan Beats Carrot Cress Carrot Cress Califo Boom open Ground. Beans, B. Windsor " Long Pod " Matagan Beats Carrot Cress Carrot Cress Leek Onion Peas Potatoes Radish Fondoes Radish Spinach Peas Potatoes Radish Radish Fondoes Radish Peas Potatoes Radish Rad	MARCH.
Sow in Hotbed. Sweet Corn Cucumber Egg. Plant Melon Pepper Tomato Sow in Open Ground. Asparagus English Beans Beats English Beans Beats Catroy Cabbage Carrot Calery Cress Broccoli Brussels Sprouts Early Cabbage Carrot Calery Cress White Endive Kale Lettue Onion Parsley Parsnip Peas Opinach Early Turnip Sage Sweet Peas	APRIL.
Sow in Open Ground. Articloke Asparagus Beans, Bush and Running Beets Broccoli Brussels Sprouts Late Cabbage Carrot Calery Sweet Corn Cress Cucumber Calery Sweet Corn Cress Cucumber White Endive Kale Roblrabi Leek Lettuce Melon Onion Parsnip Peas Potatoes Radish Rbubarb Salsify Spinach Tomato Early Turnip All Herbs	MAY.
other sorts  and beans, Lima and all beans of the sorts  beans, Lima and all beans beats  Beats  Beats  Beats  Beats  Beats  Beats  Carrot  Brassels Syrouts  Carrot  Cauliflower  Sweet Corn  Sweet Corn  Carsot  Carrot  Calliflower  Endive  Kale  Cucumber  Endive  Kale  Koblrabi  Lettuce  Melon  Nasturtium  Nasturtium	JUNE.
THORBURN Extra Early  Market Peas  ARE THE BEST.  Beans Beets Carrot Sweet Corn Corns Salad Cress Cucumber Charic Cherkin Kale Radish Spinash White Fr. Turnip Rula-Baga ARE THE BEST.	<b>JULY.</b>
THORBURN GILT-EDGE CAULIFLOWER Largest, Surest and Finest.	AUGUST.
Cabbage for cola frames Cauliflower fo cold frames Thorsburn MAXIMUM LETTUCE Largest, Solidest, Crispest and Best.	SEPT'EMBER.

J. M. THORBURN & CO. SEEDSMEN NEW YORK