DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2933

(2) Folder title/number: (20)
Kawanishi Kokuki - Naruo Plant

(3) Date: Jan. 1947

(4) Subject:

Classification	Type of record
9230, 9621	c, k, r

(5) Item description and comment:
i) Hyogo
ii) Cover Title: Former Offices & Official Residence of Sasayama M.P. Detatchment

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

HYOGO LIAISON OFFICE

REMARK

NAME OF PLANT: THE NARUO PLANT OF THE KAWANISHI AIRCRAFT K.K.

In this plant the Meiwa Bicycle Factory is carrying on the manufacture of motor tricycles and the Settsu Vehicle Factory thr repair of motors for electric cars. The installations and materials for their work are indispensable for their carrying-on.

The installations and materials attached to the buildings where the reparations machinery is in store are necessary for their safekeeping.

It is considered that both of these should be avoided from being transferred elsewhere by PD.

T. Asai

LOCAL LIAISON OFFICER

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱

LOCATION: Kawanishi Aircraft Co, Ltd, Naruo Plant.
所在地 1-Chigashi, Naruo, Mukogun, Hyogo.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名

S. Kikuchara.

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch TAKENAKA KŌMUTEN Co. LTD. KOBE BRANCH

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名

T. Tsuda

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

DATE:
日附 20. Jan. 1947

T. Shigenaga

ITEM DESCRIPTION 品目	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION ***	REMARKS 摘要
Transformer (Special high tension) 20000 KVA	no.	2			good	
Transformer (High tension) 200 KVA	"	3			"	
150 KVA	"	2			"	
105 KVA	"	2			"	
100 KVA	"	11			"	
60 KVA	"	1			"	
50 KVA	"	14			"	
35 KVA	"	2			"	
20 KVA	"	4			"	
10 KVA	"	2			"	
120 KVA	"	3			"	
85 KVA	"	3	Total of above 83500 Kg	61/3	"	
Steel Angle						
10 X 75 X 75	kg.	4,900			"	
10 X 75 X 100	"	3,100			"	
10 X 75 X 125	"	2,800			"	
10 X 75 X 130	"	2,800			"	
10 X 80 X 100	"	1,400			"	
10 X 80 X 125	"	2,100			"	
10 X 85 X 125	"	700			"	
10 X 90 X 90	"	6,300			"	
10 X 90 X 130	"	7,000			"	
10 X 100 X 100	"	42,000			"	
10 X 100 X 110	"	1,400			"	
10 X 100 X 150	"	2,800			"	
10 X 105 X 105	"	21,000			"	
12 X 75 X 125	"	4,200			"	
12 X 78 X 102	"	2,800			"	
12 X 80 X 125	"	14,000			"	
12 X 600 X 600						
Galvanized Steel Pipe						

* *Owner or custodian to a*
所有者又ハ管理人ハ必要ニ
*** *Describe as New, Good,*
狀態欄ニハ新品, 良品, 不

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱

LOCATION: Kawanishi Aircraft Co, Ltd. Naruo Plant.
所在地 1-Chigashi, Naruo, Mukogun, Hyogo.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名

S. Kikuhara.

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch TAKENAKA KŌMUTEN Co. LTD. KOBE BRANCH

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名

T. Tanda

T. Shigenaga

DATE:
日附 20. Jan. 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表（施設ニ含マレザルモノ）

ITEM DESCRIPTION 品目	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION ***	REMARKS 摘要
Transformer (Special high tension) 20000 KVA	pc.	1			good	
Transformer (High tension)						
200 KVA	"	3			"	
150 KVA	"	2			"	
105 KVA	"	2			"	
100 KVA	"	11			"	
60 KVA	"	1			"	
50 KVA	"	14			"	
35 KVA	"	2			"	
20 KVA	"	4			"	
10 KVA	"	2			"	
120 KVA	"	3			"	
85 KVA	"	3	Total of above 63500 Kg	61/3	"	
Steel Angle						
10 X 75 X 75	kg.	4,900			"	
10 X 75 X 100	"	3,100			"	
10 X 75 X 125	"	2,800			"	
10 X 75 X 130	"	2,800			"	
10 X 80 X 100	"	1,400			"	
10 X 80 X 125	"	2,100			"	
10 X 85 X 125	"	700			"	
10 X 90 X 90	"	6,300			"	
10 X 90 X 130	"	7,000			"	
10 X 100 X 100	"	42,000			"	
10 X 100 X 110	"	1,400			"	
10 X 100 X 150	"	2,800			"	
10 X 105 X 105	"	21,000			"	
12 X 75 X 125	"	4,200			"	
12 X 78 X 102	"	2,800			"	
12 X 80 X 125	"	14,000			"	
12 X 80 X 130	"	1,400			"	
12 X 75 X 100	"	12,000			"	
12 X 100 X 100	"	1,400			"	

* *Owner or custodian to atta*
所有者又ハ管理人ハ必要ニ應
*** *Describe as New, Good, or*
狀態欄ニハ新品, 良品, 不良

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

6 X 65 X 125	"	700			"	
Steel Channel		Kgs.				
6 X 70 X 150	Kg.	1,400			Good	
6 X 75 X 150	"	11,000			"	
7 X 65 X 125	"	700			"	
7 X 65 X 75	"	2,000			"	
7 X 75 X 150	"	2,100			"	
10 X 90 X 250	"	700			"	
12 X 90 X 250	"	4,800	Total of the above. 24,300	2½	"	
"H" shape steel						
7 X 150 X 200	"	1,400			"	
8 X 80 X 150	"	700			"	
10 X 120 X 250	"	11,000			"	
10 X 150 X 300	"	700	Total of the above 13,800	1 1/3		
Copper Plate for printing Various kinds	"	2,800		½		
Silicon bronze pipe 5.0 m X 0.6 - 42.0 X 1.0	"	2847.6		½	New	
Copper pipe 3.0 m X 0.5 - 42 m X 1.0	"	4498.9		½	"	161.7 Kg are being used
Copper pipe for printing various kinds		700			"	161.7 Kg are being used
Copper wire 5 m.		502.6			"	Using in factory
Phosphor Bronze wire 6.0 mm.	"	1323			"	
various kinds	"	109.2			Good	
Copper wire various kinds	"	31.5			"	
Electrolytic Copper						
3.0 X 220 X 920	"	576.8	)		new	
10 X 75 X 970	"	2863.7	)		"	Using in factory
5 X 230 X 920	"	1883	) 8,435.7	1	"	"
5 X 220 X 920	"	2401	(		"	"
8 X 160 X 770	"	711.2			"	"
Copper for printing various kind	"	13534.5		1	Good	
Copper					"	
various kind	"	6069	)		"	
Copper Scrap	"	3390.8	) 9,459.8	1	"	Using in factory
Copper Bar (Neperl) 6 mm. - 170 mm.	"	69797.2		1	New	28730 Kg are using.
High Strengthen Aluminium Pipe (No.1) 3 X 1.0 - 5 X 2 (No.2)	Kg.	[illegible]			New	[illegible] are using

DECLASSIFIED E.O. 12065 SECTION 3-402/NWD NO.

various kinds		700			"	Using in factory
Copper wire 5 m.		502.6			"	
Phosphor Bronze wire 6.0 mm.	"	1323			"	
various kinds	"	109.2			Good	
Copper wire various kinds	"	31.5			"	
Electrolytic Copper 3.0 X 220 X 920	"	576.8			new	
10 X 75 X 970	"	2863.7			"	Using in factory
5 X 230 X 920	"	1883	8,435.7	1	"	"
5 X 220 X 920	"	2401			"	"
8 X 160 X 770	"	711.3			"	"
Copper for printing various kind	"	13534.5		1	Good	
Copper various kind	"	6069			"	
Copper Scrap	"	3390.8	9,459.8	1	"	Using in factory
Copper Bar (Neparl) 6 mm. - 170 mm.	"	69797.8		1	New	28730 Kg are using.
High Strengthen Aluminium						
Pipe (No.1) 3 X 1.0 - 5 X 2	Kg.	[illegible]			New	[illegible].5 are using
(No.2) 1.6 X 1.0 - 5.5 - 20	"	9835	17,044.9	3	"	1,386 are using
Aluminium wire No.5	"	3164.8			"	
" " No.6	"	2639				
" " No.8	"	434	13,162.8	1	"	
" " No.10	"	136.6				
Duraluminium wire No.5 - No.10	"	6826.4			"	
Bronze 100 X 280 X 560	"	718.9			New	
Magnesium Plate 20 X 600 X 1000	"	6459.6		"	"	2,363.9 Kg are using
High strengthen aluminium Plate 6.0 X 600 X 2000	"	5983.6				4,107.1 Kg are using
Ultra High strengthen aluminium Plate 20 X 200 X 400	"	2235.1			"	2,262.8 Kg are using
6.0 X 1000 X 2000	"	350	3,715	1	"	Using in factory
1.4 X 1000 X 2000	"	800.9			"	"
Duraluminium Plate 1.0 X 1000 X 2000	"	950.			"	
1.4 X 1000 X 2000	"	337.6			"	"
Various kinds	"	170.			"	"
Aluminium Bar No.6	"	700			"	"
High strengthen aluminium Plate 3.2 X 1000 X 2000	"	[illegible]			"	3,[illegible] Kg are using
6.0 X [illegible] X 170	"	2[illegible]	1,[illegible]	[illegible]	"	[illegible]
Aluminium Plate [illegible]						

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

0.6 X 1000 X 2000	"	350	[illegible]	[illegible]	"	[illegible]
1.4 X 1000 X 2000	"	200.0			"	"
Duraluminium plate						
1.0 X 1000 X 2000	"	950.0			"	"
1.4 X 1000 X 2000	"	383.0			"	"
Various kinds	"	170.1			"	"
Aluminium Bar No.6	"	700			"	"
High strength aluminium plate 3.2 X 1000 X 2000	"	[illegible]			"	[illegible] kg are using
No.8 [illegible] X 770 X 970	"	10467	[illegible]	2	"	
Aluminium Plate [illegible]						
10 X 1000 X 2000	"	[illegible]				
Duraluminium bar						
No.1 [illegible]-No.1[illegible]	"	[illegible]			"	[illegible] are using
No.2 [illegible]-No.150	"	[illegible]				
[illegible] No.60	"	[illegible]	[illegible]	13	"	
Aluminium Bar No.[illegible]	"	[illegible]			"	Using in factory
Rust proof aluminium bar						
[illegible] - No.[illegible]		[illegible]			"	
Aluminium Bar [illegible]						
Various [illegible]		[illegible]		1[illegible]	[illegible]	
Steel Plate						
[illegible] X 100 X [illegible]		[illegible]			[illegible]	
Chrome Molibdeen Steel Plate						
[illegible] X 700		[illegible]			New	
Molibdeen Steel Plate						
26 X 40 X 200	kg	1,400			New	
Carbon Steel Plate No.15	"	9,100			"	
6.0 X 1000 X 1000	"					
No.25 8 X 100 X 2000	"	44,700			"	
No.53 3 X 100 X 2000	"	2,100			"	Using in factory
Chrome Molibdeen Steel Plate						
16 X 300 X 1800	"	50,400	236,100	23	"	20,200 kg are using in factory
Cilicon Mangan Steel Plate						
5 X 520 X 3000	"	63,700			"	
Stainless Chrome Steel Plate	"					
No.13 2 X 900 X 1800	"	14,000			"	Using in factory
No.18 3 X 1000 X 2000	"	19,600			"	
Steel Plate						
32 X 600 X 720	"	28,300			"	Using in factory
Steel Bar No.13-No.80	"	60,800			Good	"
Steel Bar No.30-No.30	"	1,400			"	
No.80-No.80	"	1,300			"	
AF 14	"	4,200			"	
50 mm X 50 mm	"		4,200			
74 mm X 74 mm.	"		1,400	7		
Carbon Steel Bar	"		52,200	5	"	24,000kg are using in factory
Carbon Steel 12 X 3[illegible]mm bar	"		700		"	
Nickel Chrome Steel Bar						
130 mm-160mm.	"		25,900	2	"	
75 Kgs Cilicon Manganese Chrome Steel Bar						
10 mm-150mm	"		[illegible]			

No.25 5 X 100 X 2000	"	2,100			"	Using in factory
No.53 3 X 100 X 2000						
Chrome Molibdeen Steel Plate 16 X 300 X 1800	"	50,400	236,100	23	"	20,200 Kg are using in factory
Silicon Mangan Steel Plate 5 X 520 X 3000	"	63,700			"	
Stainless Chrome Steel Plate	"				"	Using in factory
No.13 2 X 900 X 1800	"	14,000			"	
No.16 3 X 1000 X 2000						
Steel Plate 32 X 600 X 720	"	25,300			"	Using in factory
Steel Bar No.13-No.80	"	60,800			Good	"
Steel Bar No.30-No.30	"	1,400			"	
No.80-No.80	"	1,300			"	
AF 14	"	4,200			"	
50 mm X 50 mm	"		4,200			
74 mm X 74 mm.	"		1,400	7	"	
Carbon Steel Bar	"		52,200	5	"	24,000kg are using in factory
Carbon Steel 12 X 306mm bar	"		700			
Nickel Chrome Steel Bar 130 mm-160mm.	"		25,900	2	"	
75 Kgs Silicon Manganese Chrome Steel Bar 10 mm-150mm.	"		61,600		"	
90 kgs Silicon Manganese Chrome Steel Bar 180 mm.	"		2,100		"	
" " " 160X160	"		2,800	7	"	
" " " 200X200	"		2,800		"	
Hardened Steel Bar 40 mm.	"		1,400		"	Using in factory
Chrome Nickel Molibdeen Steel Bar 112 X 112	"		7,700		"	
Hardened Chrome Molibdeen Steel Bar 150 X 150	"		700		"	
" " 60 mm.	"		700		"	
Nitrogenized Aluminium Steel Bar 155 mm.	"		700		"	
High carbon Chrome Steel Bar 25 mm.	"		700		"	
" " 65 mm.	"		700		"	
" " 180 X 180.	"		13,300	1	"	
Steel Bar for casting various kinds	Kg		78,600	7	Good	
	"		700		"	
Tungsten Steel Bar 140 mm.						
High Speed Steel Bar 22 mm - 100 mm	"		6,300		"	
Carbon Steel Bar for tools 10 mm - 110 mm	"		67,200	7	"	Using in factory
30 kgs Rail 7 m	"		1,400		"	"
" " " 8 m	"		2,100		"	"
" " " 9 m	"		9,800		"	"
" " " 10 m	"					

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

" " 135 mm.	"		2,800	1	"	
" " 100 X 100	"		700		"	
" " 200 X 200	"		2,100		"	
Strengthend Steel Bar 10 mm - 160 mm.	"		135,100	13½	"	
Special Steel Bar 8 mm - 210 mm	"		44,500	4½	"	
Nichrome wire 1.5 mm	"		2,100		"	
Nichrome belt 2mm X 10 mm	"		700		"	
Stainless Steel wire 1 mm	"		700		"	
Steel rope	"		2,100		"	
Carbonized Steel Pipe 1000 mm X 2000 mm 46mm X 3.5mm-130X70	ea	462	4,763	½	"	
Strengthened Steel Pipe 1,000 X 8,000 55 X2.8 - 120 X 4.0	ea	982 p	27,445	3	"	
Welded Steel pipe 1,000 X 4,500 8.0 X 1.0 - 75 X 2.5	ea	398 p	1,117		"	
Steel Pipe 1200-6850 1.4 X 1.0 - 350 X 7.5	ea	2410 p	48,844.9	5	"	
Bolt with black leather 9 mm - 16 mm			10,000	1	"	
Bolt for foundations 12 mm - 16 mm			10,000	1	"	
Nuts 8 mm - 16 mm			500		"	
Duraluminium Plate 6 MM - 40 mm.						
Duralinium rivet dia 2mm - 8 mm			12,000	1	New	60% of total are due to be used for new works
Cap 12mm - 50 mm dia 3 mm - 6			1,000		"	30% " " "
Spring base various kinds 3 mm - 10 mm			10,000	1	"	50% " " "
Machine Oil 180 kgs	ea	20P	3,600		good	Using in factory
Engine Oil 198 Litre	"	10	1,800		"	" " "
Cylinder Oil 200 Litre	"	30	5,400		"	" " "
Greasing Sun CY2 200 Litre	"	2	360		"	" " "
Turbine Oil " "	"	3	540		"	" " "
Gargoyle B No.3 Grease 200 Kgs	"	2	400		"	" " "
Turbine Oil 200 Litre	"	4	720		"	" " "
Mobile Grease 180 Kgs	"	3	540		"	" " "
Gargoyle Medium 200 Litre	"	5	900		"	" " "
Pelosite Oil B 200 Litre	"	3	540		"	" " "
Casting Oil 160 Kgs.	"	8	1,200		"	" " "
Diesel Oil No.2 200 Litre	"	6	1,080		"	" " "
Bearing Grease 80 Kgs	"	2	160		"	" " "
Mineral Oil 18 Litre	"	15	250		"	" " "
Mineral Oil No.2	"					

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Duraluminium Piste 6 MM - 40 mm.						
Duralinium rivet dia 2mm - 8 mm			12,000	1	New	60% of total are due to be used for new works
Cap 12mm - 50 mm dia 3 mm - 6			1,000		"	30% " " " "
Spring base various kinds 3 mm - 10 mm			10,000	1	"	50% " " "
Machine Oil 180 kgs	es	20P	3,600		good	Using in factory
Engine Oil 198 Litre	"	10	1,800		"	" " "
Cylinder Oil 200 Litre	"	30	5,400		"	" " "
Gearing Sun GY2 200 Litre	"	2	360		"	" " "
Turbine Oil " "	"	3	540		"	" " "
Gargoyle B No.3 Grease 200 Kgs	"	2	400		"	" " "
Turbine Oil 200 Litre	"	4	720		"	" " "
Mobile Grease 180 Kgs	"	3	540		"	" " "
Gargoyle Medium 200 Litre	"	5	900		"	" " "
Pelosite Oil B 200 Litre	"	3	540		"	" " "
Casting Oil 160 Kgs.	"	8	1,200		"	" " "
Diesel Oil No.2 200 Litre	"	6	1,080		"	" " "
Bearing Grease 80 Kgs	"	2	160		"	" " "
Mineral Oil 18 Litre	"	15	250		"	" " "
Mineral Oil No.2 18 Litre	"	30	500		"	" " "
Cap Grease No.95-No.100 16 Kgs	"	56	896		"	" " "
Standard B No.3 Grease 16 Kgs	"	30	480		"	" " "
Yellow Gear Grease 16 Litre	"	20	300		"	" " "
Cap Grease No.2 15 Kgs.	"	40	600		"	" " "
Yellow Gear Grease No.5 15 Kgs.	"	52	780		"	" " "
Freezeless Grease 16 Kgs	"	12	192	Oils 20	"	" " "
Hemp-Palm Mat 50 cm X 75 Cm	"	180	500		New	
" " " 60 " X 90 "	"	123	430		"	
" " " 100 " X 120 "	"	22	80		"	
" " " 90 X 180	"	17	65		"	
Mat (Long size) 90 cm X 36 cm	"	18rol	500		"	
Wobden Mat 60 cm X 90 cm	"	10 "	180		"	

6

6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要
Iron frame 31230 sq.m.	Ton	2,361			Useable
180 "	"	14			"
1600 "	"	115			"
5730 "	"	346			50 % of which are usable
110 "	"	6			Usable
170 "	"	10			Using in factory
810 "	"	49			"
450 "	"	27			"
14410 "	"	958			" partly bombed
910 "	"	30			"
10640 "	"	280	kg		" partly bombed
1090 "	"	44	4,240,000	424	"
Slate (Asbesto)					"
2100 X 600 X 6	pc.	1860			"
1800 X 600 X 8	"	660	51952 Kg	5 1/5	"
Earthen Roofing tile	sq.m.	402	24,120	2½	"
Cement Roofing tile	"	1046	62,760	6 1/3	"
Wooden door 1800 m X 850	pc.	7			"
" " 2000 X 730	"	1			"
Sliding door (wooden)					"
1100 X 900	"	4			"
440 X 920	"	8			"
1160 X 920	"	4			"
1150 X 660	"	5			"
1150 X 930	"	6			"
1500 X 900	"	7			"
1600 X 660	"	2			"
1800 X 880	"	13			"
880 X 600	"	10			"
440 X 630	"	20			"
650 X 500	"	36			"
740 X 640	"	160			"
760 X 720	"	16			"
(Turn) 420 X 820	"	6			"
450 X 900	"	11			"
450 X 800	"	67			"
450 X 920	"	4			"
450 X 560	"	15			Can be used
450 X 450	"	1			"
450 X 720	"	4			"
540 X 820	"	3			"

地方府縣米軍軍政府係官專用欄 F

IS (NOT) AN ENEMY SURRENDER
IS ([redacted]) A REPARATION FACILIT
IS (NOT) PRODUCING FOR OCCU
IF SO, GIVE PROCUREMENT D
REGARDING ORDERS FOR DE

PLANT NO.: 13-11

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

地方府縣米軍軍政府係官專用欄 F

IS (NOT) AN ENEMY SURRENDE
IS ([redacted]) A REPARATION FACILI
IS (NOT) PRODUCING FOR OCC
IF SO, GIVE PROCUREMENT D
REGARDING ORDERS FOR DE

PLANT NO.: 13-11

	1150 X 660	"	5			"
	1150 X 930	"	6			"
	1500 X 900	"	7			"
	1600 X 660	"	2			"
	1200 X 880	"	13			"
	880 X 600	"	10			"
	440 X 630	"	20			"
	650 X 500	"	36			"
	740 X 640	"	160			"
	760 X 720	"	16			"
(Turn)	420 X 820	"	6			"
	450 X 900	"	11			"
	450 X 800	"	67			"
	450 X 920	"	4			"
	450 X 560	"	15			Can be used
	450 X 450	"	1			"
	450 X 720	"	4			"
	540 X 820	"	3			"
	450 X 840	"	1			"
	450 X 750	"	76			"
	450 X 880	"	30			"
	430 X 820	"	19			"
Wooden Turn door						
	360 X 770	pc.	15			
Wooden Door						Usable
	2130 X 900	"	18			"
	1950 X 950	"	9			"
	1950 X 750	"	1			"
	2200 X 850	"	1			"
	1900 X 770	"	3			"
	2100 X 750	"	9			"
	2100 X 840	"	10			"
	2200 X 880	"	2			"
	2000 X 890	"	25			"
	1980 X 900	"	1			"
	2000 X 520	"	2			"
	2000 X 800		6			"
	1970 X 730	"	5			"
	1970 X 970	"	1			"
	1970 X 880	"	3			"
	1800 X 900	"	1			"
	1800 X 650	"	1			"
	1800 X 700	"	1			"
	2100 X 900	"	4			"
	2000 X 770	"	2			"
	2000 X 740	"	2			"
	2500 X 1100	"	2			"
	1800 X 770	"	4			"
	1650 X 850	"	10			"
	1750 X 670	"	4			"
	2000 X [illegible]	"				

DECLASSIFIED E.O. 12065 SECTION 3 402/NND

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.



[illegible]	"	30				"
3 X 310 X 270	"	150				"
3 X 390 X 270	"	100				"
3 X 330 X [illegible]	"	220				"
3 X [illegible] X [illegible]	"	200				"
3 X 3[illegible] X [illegible]	"	100	2,400 Kg			"
Glass (thick)						
6 X 1[illegible] X [illegible]0	"	1				"
Wire glass [illegible] X [illegible] X [illegible]30	"	3				"
Lumber 100 X 180 X 3000	pc.	8				
45 X 45 X 2500	"	70				
120 X 120 X 3000	"	29				
120 X 60 X 3000	"	40				
120 X 150 X 3500	"	28				
120 X 120 X 1500	"	24				
100 X 100 X 1500	"	24				
130 X 130 X 2500	"	54				
100 X 150 X 2500	"	6				
40 X 40 X 3000	"	550				
120 X 50 X 2500	"	22				
120 X 240 X 3000	"	3				
100 X 100 X 4000	"	141				
100 X 100 X 3000	"	902				
100 X 60 X 1400	"	126				
100 X 60 X 1700	"	463				
100 X 60 X 2000	"	79				
100 X 60 X 1200	"	96				
100 X 60 X 900	"	31				
100 X 500 X 3000	"	3				
180 X 120 X 5000	"	11				
180 X 120 X 4000	"	51				
180 X 120 X 2000	"	10				
150 X 120 X 5000	"	12				
100 X 200 X 4500	"	1430				
100 X 180 X 4000	"	580				
75 X 75 X 6000	"	3006				
100 X 200 X 6500	"	268				
150 X 150 X 3000	"	2				
100 X 100 X 1800	"	7				
50 X 50 X 1500	"	100				
350 X 150 X 4000	"	1				
100 X 50 X 1300	"	149				
150 X 150 X 4000	"	40				
40 X 40 X 2500	"	200				
120 X 30 X 2500	"	200				
120 X 60 X 1500	"	200				
120 X 120 X 3500	"	56				
120 X 120 X 2500	"	214				
120 X 180 X 6000	"	5				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

	120 x 210 x 2500	"	42
	40 x 40 x 3500	"	100
	120 x 150 x 5500	"	3
	120 x 240 x 4000	"	10
	120 x 210 x 5500	"	3
	120 x 150 x 3500	"	30
	120 x 150 x 2500	"	3
	120 x 210 x 4500	"	5
	120 x 300 x 3500	"	11
	120 x 240 x 3500	"	2
	120 x 210 x 3500	"	2
	50 x 50 x 3000	"	150
	120 x 120 x 1300	"	26
	10" x 40 x 2600	"	60
	170 x 170 x 4000	"	40
	170 x 170 x 5500	"	24
	170 x 70 x 6000	"	100
	170 x 170 x 1500	"	50
	170 x 170 x 1000	"	250
	170 x 300 x 5000	"	60
	120 x 60 x 2000	"	1000
	75 x 75 x 4000	"	304
	40 x 40 x 4000	"	1200
	120 x 40 x 3500	"	10
	130 x 130 x 4000	"	120
	130 x 130 x 2500	"	24
	130 x 40 x 3000	"	312
	130 x 180 x 4000	"	23
	130 x 180 x 2500	"	4
	180 x 180 x 3000	"	69
	130 x 340 x 4500	"	9
	130 x 210 x 4500	"	5
	130 x 130 x 2500	"	2
	180 x 180 x 4500	"	10
	150 x 330 x 5500	"	33
	130 x 240 x 3500	"	5
	10" x 50 x 2500	"	396
	130 x 210 x 4000	"	27
	130 x 240 x 2500	"	27
	130 x 120 x 2500	"	30
	130 x 130 x 2800	"	15
	120 x 60 x 4000	"	20
	120 x 75 x 2500	"	45
	130 x 130 x 1500	"	60
Lumber.	150 x 330 x 5000	pc.	8
	130 x 130 x 3500	"	10
	100 x 50 x 1500	" "	30
	100 x 100 x 2500	" "	178
	120 x 270 x 3000	" "	4
	120 x 210 x 2500	"	4
	120 x 210 x 4000		4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG

	130 x 130 x 3500	"	10
	100 x 50 x 1500	"	30
	100 x 100 x 2500	"	178
	120 x 270 x 3000	"	4
	120 x 210 x 2500	"	4
	120 x 210 x 4000	"	4
	120 x 60 x 1200	"	60
	150 x 150 x 5500	"	7
	130 x 130 x 4000	"	40
	130 x 240 x 2500	"	3
	130 x 270 x 5000	"	48
	100 x 120 x 3000	"	26
	150 x 100 x 3000	"	20
	150 x 100 x 4500	"	8
	150 x 100 x 2000	"	8
	120 x 120 x 4000	"	83
	120 x 240 x 5000	"	2
	100 x 50 x 3500	"	114
	100 x 240 x 5000	"	9
	100 x 150 x 2500	"	21
	120 x 120 x 3000	"	8
	120 x 120 x 2300	"	8
	100 x 210 x 4000	"	8
	120 x 120 x 2500	"	120
	150 x 180 x 4000	"	3
	120 x 180 x 6000	"	7
	120 x 150 x 3000	"	14
	130 x 130 x 3000	"	86
	130 x 130 x 1500	"	104
	120 x 50 x 3000	"	188
	90 x 90 x 2000	"	20
	120 x 50 x 1700	"	6
	60 x 50 x 1400	"	100
	60 x 50 x 3000	"	12
	150 x 250 x 4000	"	4
	60 x 60 x 4000	"	8
	150 x 100 x 3000	"	4
	150 x 100 x 4000	"	4
	100 x 100 x 2300	"	8
	100 x 100 x 6000	"	2
	100 x 150 x 2500	"	4
	120 x 120 x 2000	"	67
	180 x 130 x 6000	"	4
	100 x 100 x 1800	"	93
Lumber	100 x 100 x 5500	pc.	40
	120 x 120 x 5500	"	26
	100 x 100 x 1000	"	279
	60 x 60 x 3500	"	300
	50 x 50 x 2500	"	200
	100 x 180 x 5500	"	9
	40 x 40 x 3000	"	100

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

	10[illegible] x 100 x 6000	"	2			
	100 x 150 x 2500	"	4			
	120 x 120 x 2000	"	67			
	180 x 130 x 6000	"	4			
	100 x 100 x 1800	"	93			
Lumber	10[illegible] x 100 x 5500	pc.	40			
	120 x 120 x 5500	"	26			
	100 x 100 x 1000	"	279			
	60 x 60 x 3500	"	300			
	50 x 50 x 2500	"	200			
	100 x 180 x 5500	"	9			
	40 x 40 x 3000	"	100			
	100 x 50 x 1800	"	22			
	45 x 45 x 3500	"	144			
	100 x 100 x 2400	"	27			
	100 x 100 x 120	"	9			
	dia 250 x 4000	"	8			
	" 300 x 6000	"	6			
	" 240 x 5000	"	4			
	" 200 x 3500	"	10			
	" 200 x 5000	"	3			
	" 100 x 3500	"	55			
	" 150 x 1500	"	10			
	" 150 x 2000	"	12			
	" 200 x 4500	"	20			
	" 100 x 3000	"	20			
Board (Lumber 12 mm thick		sq.m.	3925	258372 kg.	26	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDB NO.

	2.240	X 1.260	"	2
	1.890	X 1.250	"	23
	1.550	X 1300	"	11
	1.890	X 2.500	"	2
	.950	X 3.000	"	6
	.950	X 1.850	"	4
	2.350	X 4.150 (3 pair)	"	1
	2.490	X 4.000 (4 pair)	"	16
	2.230	X 5.630 (3 pair)	"	5
	1.800	X 1.050	"	2
	2.490	X 1.000	"	14
	2.580	X 0.910	"	17
	2.580	X 1.050	"	2
	2.580	X 3.510 (3 pair)	"	2
	2.270	X 0.910	"	8
	2.200	X 1.000	"	82
	2.200	X 2.000 (2 pair)	"	3
	2.200	X 3.000 (3 pair)	"	3
	2.200	X 4.000 (4 pair)	"	22
	2.270	X 1.060	"	1
	2.270	X 3.180 (3 pair)	"	1
	2.130	X 0.900	"	10
	2.800	X 0.600	"	4
	0.900	X 0.600	"	1
	1.500	X 0.600	"	4
	1.700	X 1.560	"	30
	0.850	X 1.560	"	70
	2.400	X 3.120	"	8
	1.500	X 5.960 (4 pair)	"	15
	1.800	X 1.900	"	2
	1.800	X 3.100 (2 pair)	"	60
	1.800	X 1.580	"	142
	2.120	X 1.550	"	350
	3.280	X 4.060 (2 pair)	"	100
	1.500	X 4.060 (2 pair)	"	3
	1.125	X 4.060 (")	"	1
	1.500	X 3.100 (")	"	2
	1.900	X 1.650	"	28
	2.580	X 1.900	"	70
	3.000	X 2.000	"	41
	1.580	X 4.036 (2 pair)	"	11
Steel Sash	1.580 m	X 2.018 m	po.	56
	1.400	X 3.900	"	3
	1.600	X 3.600 (4)	"	7
	0.850	X 1.200	"	4
	0.950	X 1.450	"	7
	1.800	X 1.380	"	50
	1.800	X 3.900 (3 pair)	"	20
	1.200	X 3.200	"	1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1

	2.820 X 1.120	"	27			
	1.900 X 1.100	"	11			
	0.970 X 1.610	"	15			
	0.900 X 1.100	"	7			
	2.330 X 1.580	"	32			
	2.330 X 1.090	"	16			
	2.800 X 1.900	"	5			
	2.850 X 1.650	"	20			
	1.500 X 1.900	"	8			
	1.500 X 1.600	"	8			
	1.900 X 1.500	"	1			
	1.700 X 1.700	"	1			
	1.100 X 3.600	"	12			
	2.850 X 1.000	"	7			
	1.100 X 1.600	"	9			
	1.700 X 0.750	"	6			
	1.500 X 1.000	"	2	79,744 Kg.	8	
Steel Door	m m					
Single	1.850 X 0.750	pc.	1			
Double	2.250 X 0.900	"	2			
Single	1.800 X 1.090	"	1			
	1.730 X 1.070	"	1			
Double	2.270 X 0.910	"	2			
"	2.090 X 0.890	"	2			
"	2.100 X 0.915	"	8			
"	2.100 X 0.750	"	2			
Single	2.10 X 0.900	"	2			
Double	2.100 X 0.780	"	2			
Single	2.000 X 0.900	"	1			
"	2.000 X 0.750	"	1			
Double	2.000 X 0.800	"	4			
"	2.100 X 0.925	"	2			
"	2.000 X 0.975	"	6			
"	1.900 X 0.900	"	2			
Sliding	2.480 X 2.160	"	2	1641 kg	1/5	
Steel Door	m m					
	2.230 X 2.100	"	1			
	1.800 X 2.100	"	1			
	2.05 X 2.000	"	1			
	2.600 X 2.000	"	3			
	2.550 X 2.000	"	1			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

	2.000 X 2.000	"	3				
	2.550 X 3.000	"	1				
	2.550 X 1.850	"	1				
	2.300 X 1.600	"	1				
	3.100 X 3.300	"	3				
	2.200 X 1.800	"	1				
	2.300 X 2.000	"	1				
	1.200 X 1.400	"	1				
	3.100 X 2.300	"	1				
	2.000 X 1.000	"	1				
	3.000 X 2.900	"	1				
Double	3.000 X 2.100	"	2				
Single	2.000 X 2.100	"	1				
Doubel	3.050 X 2.050	"	2				
"	3.050 X 1.800	"	2				
Single	2.200 X 2.000	"	2				
"	1.900 X 0.950	"	1				
"	2.100 X 1.500	"	6				
"	2.550 X 2.550	"	1				
"	3.000 X 3.000	"	1				
"	2.000 X 0.900	"	2				
"	1.700 X 0.900	"	1				
Steel Door							
Single	1.800 X 0.850	pc.	1				
Double	2.500 X 1.800	"	10	17295 Kg.	2		
Corrugated Sheet Iron							
	600 X 1800	sht	1285	10280 Kg	1		
High tension Insulator		pc.		230			
Doubke Insulator		"	375				
Brown Insulator		"	530				
Traim Insulator		"	576				
Low tension Insulator		"	100				
" Doublbe Insulator		"	300				
Traim Insulator		"	240	2738 Kg	¼		
Strap 18 mm.		"	1746				
Bplt 12 mm.		"	1746	785			
Insulator type Switch 50 A		"	27				
"		"	3	78			
Oil Switch 100 A		"	17	95			
Cable Head (Inside)		"	28				
" " (Outdoor)		"	5	101			
High Tension discon		"	27				
High Tension chack coil		"	6	104			
Condit Pipe 76 mm.		M	4880				
" " 63"		"	1977				
" " 51"		"	2220				
" " 38"		"	925				
" " 33"		"	8280				
" " 25"		"	19854	5462 Kg	5		
Capling 76"		"	1259				
" 63"		"	503				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

"	51"	"	487			
"	38"	"	562			
"	33"	"	725			
"	25"	"	1564			
"	15"	"	1968	1/5		
Box with 3 faces (round)	76"	"	111			
Box with 2 "	"	"	30			
" " 3 "	63"	"	90			
" " 3 "	"	"	178			
" " 2 "	"	"	650			
" " 3 "	33"	"	219			
" " 2 "	"	"	142			
" " 2 "	19"	"	20			
Box midium, squre	15"	"	10			
" " 4 faces	15"	"	40	2118	1/5	
" " 2 "	15"	"	2			
Elbow 76 mm.		pc.	6			
Elbow 33 mm.		"	2			
" 25"		"	1	22		
" 51"		"	29			
Normal 76 mm.		"	44			
" 33"		"	1	89		
" 51"		"	20			
Lock nuts 76"		"	9			
" 63"		"	7			
" 51"		"	10			
" 38"		"	94			
" 33"		"	20			
" 25"		"	110	360		
" 15"		"	90			
Bushing 76"		"	9			
" 63"		"	7			
" 51"		"	10			
" 38"		"	94			
" 33"		"	20			
" 25"		"	110	199		
" 15"		"	52			
Consent box with 2 phases	25mm	"	55			
" " " 1 "	"	"	65			
" " " 2 "	15mm	"	60			
" " " 1 "	"	"	10	197		
" " " 4 "	"	"	816	734		
Train U Bolt for Insulator		M	500			
Electric belt for 3300V	100 mm	"	2700			
" "	60 "	"	6400			
" "	50 "	"	650			
" "	22 "	"	700	68932		
" "	14 "					
Cable for telephone cable						
50 pc. content		"	2500			
" " 100 "	"	"	1000			
" " 150 "	"	"	1500			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1

Insulated Electric Wire 200 mm		"	10		
" " " 50"		"	10		
" " " 38"		"	30		
" " " 14"		"	60		
" " " 8"		"	140		
" " " 2 mm		"	40		
" " " 1.6 mm.		"	70	68	
Chain Block		"	303		
Pipe Block		"	644	856	
" " (direct)		"	13		
Enamel Shade	350 mm.	pc.	74		
" "	200 "	"	48		
" "	300 "	"	48		
" "	340 "	"	77		
Chain block Rope		"	148	227	
Knife Switch 3P	100 A	"	12		
" " "	300 A	"	3		
" " "	150 A	"	5		
" " "	60 A	"	6		
" " "	50 A	"	1		
" " "	30 A	"	6		
" " "	25A	"	4		
" " "	20A	"	10		
" " 2P	50A	"	39		
" " "	25"	"	20		
" " "	30 A	"	6	140	
Fuse (Melting)	100A	"	8		
" "	250 A	"	15		
Terminal	20 A	"	10		
"	30 A	"	39		
"	250 A	"	2		
"	50 A	"	6	2	
Clester (3 phase)		"	3	11	
Morlel Socket 500 W		"	15	6	
High tension current		"	7	21	
Knop Insulator		"	60		
" "		"	50	82	
		"	6		
Consent 2P 10A		"	3	1.35	
" "		"	9	0.081	
" " Plate					
Electric Distribution Board		"	86		
1.05 m x 0.75 x 0.15m.		"	9		
0.80 x 0.41 x 0.03		"	1		
0.30 x 0.07 x 0.07		"	1		
1.25 x 1.05 x 0.22		"	83		
0.70 x 0.60 x 0.15		"	1		
0.70 x 0.60 x 0.15		"	46		
1.70 x 1.10 x 0.22		"	48		
0.38 x 0.37 x 0.17		"	1		
1.34 x 0.09 x 0.18		"	1		
1.00 x 0.9 x 0.25		"	1		
0.15 x 0.08 x 0.015		"			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

" " double	"	604				
" " braid	"	53				
" " braim	"	48				
" " small	"	40				
Insulator Switch 50 A	"	69				
Low tension brown insulator	"	518				
" " " double	"	245				
" " " " branch	"	206				
" " " " train	"	15	199			
Insulator (Pipe) 9 A 150 mm.	"	18				
" 18 A 150 "	"	40	5.8			
Strap	"	1632				
Bolt 12 mm.	"	1632	734			
Oil Switch (High tension) 200 A	"	9	314			
Cable head (Outdoor)	"	8				
" " (Indoor)	"	4	169			
Flood light 500 W	"	8	28			
No.4 Electric wire insulated						
50 mm.	M	750				
" 22 "	"	760				
" 14 "	"	480				
" 8"	"	450				
" 1.6 "	"	70				
" 2 "	"	180				
" 26"	"	1440				
Copper Line for electric 65mm	"	810	474			
Pipe holder	pc.	135				
Chain holder	"	784				
Bracket accessories	"	4				
" "	"	13	762			
Enamel shade 280mm-430mm.	"	189				
" " 150" -350"	"	35				
" " 120"-350"	"	53				
Globe 200 mm.	"	39				
Condit pipe 76 mm.	M.	12				
" " 63 "	"	142				
" " 51 "	"	324				
" " 37"	"	750				
" " 25 "	"	390				
" " 12 "	"	50	1744	1/5		
Capling 76 mm.	"	75				
" 63 "	"	82				
Capling 51 mm.	pc.	157				
" 25 "	"	94	73			
Elbow 25 "	"	84	75			
Normal 37 "	"	6	18			
Box (3 phase) round 37 mm.	"	78				
" " 76 "	"	6	250			
Consent 3 phases	"	71				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1

Service cap for 2 wire 12 mm.	"	1	50		
Knife switch 2P 100A	"	1			
" " " 50A	"	2			
" " " 30A	"	7			
" " " 20A	"	2	50		
Switch box	"	1	0.3		
Low tension current	"	1	5		
Electric meter 2P 100 A	"	1	0.9		
Telephone	"	3	7.5		
Knop Insulator	"	98	0.2		
Switch plate	"	11	0.99		
Electric Distribution Board 1m x 0.5m x 0.12m.	"	1	3.5		
Turbine pump 4"	"	2	2.0		
Sheet Iron galvanized pipe 230 mm.	"	18			
" " " 152 mm.	"	228			
" " " 127 "	"	959			
" " " 102 "	"	1205			
" " " 89 "	"	126			
" " " 76 "	"	2408			
" " " 63 "	"	2433			
" " " 50 "	"	2555			
" " " 38 "	"	773			
" " " 32 "	"	1425			
" " " 25 "	"	1001			
" " " 18 "	"	825			
" " " 13 "	"	4645	105,446 Kg	10½	
Elbow dia 230 mm.	"	3			
" " 152 "	"	9			
" " 127 "	"	40			
" " 102 "	"	48			
" " 89 "	"	5			
" " 76 "	"	94			
" " 63 "	"	63			
" " 56 "	"	117			
" " 38 "	"	185			
Elbow dia 32 mm.	pc.	177			
" " 25 "	"	367			
" " 18 "	"	456			
" " 13 "	"	445	718 Kg		
Socket dia 127 mm.	"	39			
" " 142 "	"	115			
" " 89 "	"	10			
" " 76 "	"	203			
" " 63 "	"	270			
" " 50 "	"	245			
" " 38 "	"	157			
" " 32 "	"	133			
" " 25 "	"	273			
" " 18 "	"	123			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

"	" 25"x18"	"	100	
"	" 38"x25"	"	50	700 kg.
Tees	dia 76 mm.	"	15	
"	" 63 "	"	16	
"	" 50 "	"	61	
"	" 38 "	"	84	
"	" 34 "	"	111	
"	" 25 "	"	39	
"	" 18 "	"	164	
"	" 13 "	"	106	
"	" 102"x50"	"	13	
"	" 38"x25"	"	24	
"	" 25"x18"	"	34	
"	" 18"x13"	"	63	292 kg.
Valve	152 mm.	"	14	
"	127 "	"	127	
"	102 "	"	13	
"	76 "	"	10	
"	63 "	"	6	
"	50 "	"	8	
"	38"	"	12	
"	25 "	"	19	
"	18 "	"	16	
"	13 "	"	5	478 kg.
Flange	dia 127 mm.	"	10	
"	" 102 "	"	20	
Sleeve	dia 76 mm.	pc.	32	
"	" 63 "	"	53	
"	" 50 "	"	22	
"	" 38 "	"	17	
"	" 152 "	"	10	450 kg.
Nipple	" 76 "	"	14	
"	" 50 "	"	53	
"	" 38 "	"	34	
"	" 25 "	"	94	
"	" 18 "	"	238	
"	" 13 "	"	236	73 kg.
Plug	" 130 "	"	102	
"	" 25 "	"	8	76
Union	" 62 "	"	10	
"	" 50 "	"	52	
"	" 38 "	"	8	
"	" 32 "	"	35	
"	" 25 "	"	113	
"	" 18 "	"	292	
"	" 13 "	"	8	208
Bushing	" 102" x 62"	"	40	
"	" 50" x 12"	"	80	
"	" 50 x 25"	"	23	

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

"	50 "	"	8	
"	38 "	"	12	
"	25 "	"	19	
"	18 "	"	16	
"	13 "	"	5	478 kg.
Flange	dia 127 mm.	"	10	
"	" 102 "	"	20	
Glange	dia 76 mm.	pc.	32	
"	" 63 "	"	53	
"	" 50 "	"	29	
"	" 38 "	"	17	
"	" 152 "	"	10	450 kg.
Nipple	" 76 "	"	14	
"	" 50 "	"	53	
"	" 38 "	"	34	
"	" 25 "	"	94	
"	" 18 "	"	238	
"	" 13 "	"	236	73 kg.
Plug	" 138 "	"	102	
"	" 22 "	"	8	76
Union	" 62 "	"	10	
"	" 50 "	"	52	
"	" 38 "	"	8	
"	" 32 "	"	35	
"	" 25 "	"	113	
"	" 18 "	"	292	
"	" 13 "	"	8	208
Bushing	" 102" X 32"	"	40	
"	" 50" X 12"	"	80	
"	" 50 X 25"	"	23	
"	" 32" X 25"	"	9	77
Urinal (Porcelain)		"	74	582
Cisturn "		"	15	180
Wash basin 360mm X 240 mm.		"	17	102
Faucet dia 13 mm.		"	26	26
Radiator "Heater share" 1200mm X 600		"	88	352 kg.

Annex. Kawanishi Aircraft Co., Ltd.

After the termination of the war we have made plans for conversion to civilian purpose productions such as shown below. We are trying to satisfy the nation wide demands, and to take parts in reconstruction of peace time industry.

(1) We have started printing shop, building contract, hospital, and manufacture of domestic goods, utilizing the welfare buildings, equipments and materials we possessed. A great amount of the buildings have been speedly reconstructed by the Building contract department already.

(2) A new company was established in joint contribution with Hanshin Electric Railway Co., Ltd. to repair and to produce the railway coaches and to repair electric motors. Repairing of motor began already. Production of rail-way coaches will be started in near future when the factory is repaired, and machineries are installed by permission of Hyogo M. G. Team.

The production of Auto three wheeler is one of the major item of our reconversion plan. Experiments and design of the new auto three wheeler started in early part of 1946, and completed its experimental model in Aug. 1946. Since then, some modifications and preparation for the mass production were done, and when the permission for the production in Naruo Plant was granted in Nov. 1946 by Hyogo M. G. Team, mass production being started.

(3) Permission was given for convertion of production in Takarazuka, and Obayashi Plant by Hyogo Militarly Government Team in Aug. 1946. We have completed the experimental model of detachable light engine and began its mass production. Beside that we have received the order of roller skates from Special Services of The Allied Forces in Japan, and production of roller skates as well as electric heaters etc. are in progress at present.

(4) Kawanishi Motor Service was established and started repairing of the U.S. Army Vehicles in Tudo Repair Shop of 73rd Ordenance Base Depot since July 1946, also going to repair the surpluss trucks which were released by the United States Army to the Japanese Government in Konan Plant with permission of Hyogo M. G. Team.

(5) In Himeji Plant, production of the toys, domestic goods, repairing of Automobiles were started by the employess in neighbourhood of the plant.

DECLASSIFIED E.O. 12065 SECTION 3-402/NND

Government in Konan Plant with permission of Hyogo M. G. Team.

(5) In Himeji Plant, production of the toys, domestic goods, repairing of Automobiles were started by the employees in neighbourhood of the plant.

(6) In Fukuchiyama Plant (Fukuchiyama-shi, Kyoto-fu), production of domestic goods toys, and farming implements are in progress since the end of 1945 with permission of Kyoto M. G. Team.

(7) In Fuse Machine Tool Plant (Fuse-shi, Osaka-fu), production of machine tools for wood, printing machines are being produced at present.

In our company with about 2,500 employees, are trying to take parts in reconstruction of peace time industries above mentioned. Though the materials and supplies stocked in these plants are to be used for these new industries they are not at all sufficient and at present we are having great difficulties in pruchasing them.

Especially the materials and supplies mentioned below are essential for these industries and we shall not be able to guarantee the living of the employees without them. We should be much obliged if you give considerations so we should be able to use these materials and supplies for our new industries.

S. Kikuhara.
(Shizuo Kikuhara)

Manager of Naruo Plant
Kawanishi Aircraft Co., Ltd.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

No.	Name		Size	To be used for
1	Steel, Special Steel	Sheet	Thickness: under 3 mm	washer, cover, toy etc.
		Bar & pipe	External Dia: under 50 mm	bolt, nut, screw, cover of spring, handle, rod, stay etc.
	Pig iron			Articles of cast iron
2	Light alloy	Sheet	Thickness: under 2 mm	Domestic goods
		Pipe	External dia: about 15-25 mm	Domestic goods
		Scrap		Domestic goods casting articles of cylinder
3	Copper alloy	Sheet	Thickness: 1 - 3 mm	Domestic goods and electric articles
		Bar	Dia: under 50 mm	
		Pipe	Dia: under 25 mm	
4	Other metals			Articles of cast iron
5	Oil			service of reparative machines service and maintenance of goods, civilian purpose production
6	Chemical goods	Industrial		Electric plating & casting
		Physical		hospital
7	Paints			building contract department, painting of domestic goods
8	Electric wire			Maintenance of reparative machines civilian purpose production

DECLASSIFIED E.O. 12065 SECTION 3-402/NND NO.