

1
2
3
4
5
6
7
8
9
1
2
3
4

始



中央氣象臺月報

大正七年六月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN.

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

JUNE, 1918.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY.

TÔKYÔ.

1918.

凡 例

本編ハ大正七年六月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧ゲレバ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據リ夜半ヲ日界トスル二十四時制ヲ用フ但シ日照時數ハ眞太陽時ニ據ル

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サズ但シ其更正數ハ本表ノ欄外ニ掲グ

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒズ百ヨリ其度ヲ減ジ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルガ如シ

或ル觀測時ニ於ケル風速ハ其觀測時前二十分間ノ平均風速ヲ以テ之ヲ示ス

平均雲量ニ未滿ナル日ヲ快晴トシ八以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ觀測シタル日ヲ暴風日トス

INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of June, 1918.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

Hours of Observations.—The Central Standard Time (civil mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. civil mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.

Pressure.—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

Temperature.—The degrees are given in Centigrade; those below zero are shown by adding 100, to avoid the minus sign thus 99° for -1°, 95° for -5°, etc.

Velocity of the Wind.—As the velocity at any time is given the mean for the preceding 20 minutes.

Clear and Cloudy Days.—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

Days with Gales.—As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.

現象記號

ILLUSTRATION OF SYMBOLS

(1) 萬國共通記號 *International symbols*

雨	●	Rain	霜	⊏	Hoar frost	日暈	⊕	Solar halo
雪	✱	Snow	露	⋈	Dew	日光環	⊙	Solar corona
電雷	⊓	Thunder storm	露水	∨	Silver thaw	月暈	⊖	Lunar halo
雷聲	⊥	Thunder without lightning	雨水	~	Glazed frost	月光環	⊗	Lunar corona
電光	<	Lightning without thunder	吹雪	+	Snow drift	虹	∩	Rainbow
霰	△	Graupel	細冰	←	Ice crystals	極光	⋈	Aurora
雹	▲	Hail	積雪	⊗	Snow lying	烟霧	∞	Haze
霧	≡	Mist, fog	暴風	↘	Gales	黃道光	☾	Zodiacal light

(2) 其他ノ記號 *Other symbols*

凍雨	⊖	Frozen rain	卷雲	C	Cirrus	層積雲	SK	Strato-cumulus
霜柱	⊥	Ice column in ground	卷層雲	CS	Cirro-stratus	亂雲	N	Nimbus
海鳴	≡	Oceanic noise	卷積雲	CK	Cirro-cumulus	積雲	K	Cumulus
波狀雲	~	Undulated cloud	積卷雲	KC	Alto-cumulus	積亂雲	KN	Cumulo-nimbus
地震	⊙	Earthquake	層卷雲	SC	Alto-stratus	層雲	S	Stratus

大正七年六月

測候所 LIST OF STATIONS

Table listing weather stations with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement. Includes stations like Kōsuyū, Taitō, Tainan, etc.

*一等測候所 Stations, making hourly observations.

一覽表 STATIONS

JUNE, 1918

Table listing weather stations with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement. Includes stations like Maebasi, Kumagaya, Utsunomiya, etc.

大正七年六月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Max, Min, Range, Abs. Max, Abs. Min), Wind Velocity (Mean, Max, Dir), and Sunshine (Total, %). Lists various cities like Kōsuyū, Taitō, Tainan, etc.

氣象年覽表大 JUNE, 1918/MUR

Table with columns for Amount of Precipitation (Total, Normal, Max), Wind Velocity (Mean, Max, Dir), and Number of Days with (Clear, Cloudy, Sunless, Wind, etc.). Includes sub-tables for Air Temperature (Min, Mean, Max) and Sunshine.

大正七年六月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Daily Max/Min, Range, Abs. Max/Min), Humidity, Cloud, and Sunshine. Lists various cities like Maebasi, Hamada, Sapporo, etc.

氣象一覽表大 JUNE, 1918

Table with columns for Precipitation, Wind Velocity (Mean, Max, Dir), and Number of Days with various weather conditions (Clear, Cloudy, Sunless, Wind, etc.). Includes sub-tables for Air Temperature and Precipitation details.

地名 Locality	各風向觀測回數 Frequency of Wind from																平均方向 Resultant Direction	平均方向 回數 Resultant Freq. %	
	北	北北東	北東	東北東	東	東南東	東南	南南東	南	南南西	南西	西南西	西	西北西	北西	北北西			
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW			
恒春 Kōsuyū	1	8	10	7	14	9	12	17	10	1	11	4	20	24	0	1	25	S 17° W	1
臺南 Taiō	5	9	11	2	6	5	9	9	28	19	5	3	8	16	20	8	8	S 68° W	16
臺南 Tainan	4	5	7	4	7	26	25	18	16	12	15	8	6	2	8	10	7	S 26° E	24
澎湖島 Hōkotō	10	20	11	1	0	1	4	10	46	32	18	9	5	1	2	4	6	S 16° W	16
臺中 Taiyū	6	4	1	4	4	9	6	9	11	15	21	16	14	4	9	19	28	S 50° W	24
臺北 Taihoku	16	15	16	35	139	59	65	90	47	15	9	19	66	53	40	20	16	S 45° E	24
石垣島 Iseigakuzima	0	3	11	7	4	12	52	66	20	2	0	0	0	0	0	0	0	S 40° E	3
那霸 Naha	1	4	4	23	30	63	54	60	190	211	68	8	0	1	0	8	0	S 4° E	14
名瀨 Naze	11	8	1	1	2	7	18	47	52	10	6	2	5	0	1	4	5	S 15° E	15
鹿兒島 Kagōshima	10	12	44	22	7	17	46	85	50	35	43	59	62	71	89	21	47	S 62° W	24
宮崎 Miyazaki	6	8	2	5	11	10	6	5	7	6	35	22	12	21	3	11	8	S 85° W	24
熊本 Kumamoto	26	8	8	5	3	2	12	6	124	108	195	36	25	7	19	23	103	S 38° W	23
佐賀 Saga	9	6	13	7	10	1	2	0	35	19	27	9	14	2	12	6	8	S 41° W	26
佐世保 Saesbo	8	1	1	0	3	0	19	0	45	5	61	1	22	0	12	0	11	S 39° W	24
長崎 Nagasaki	16	4	4	5	22	30	70	37	25	34	230	76	68	17	3	6	76	S 35° W	23
鹿屋 Itohara	1	4	3	7	12	7	13	3	23	18	21	15	2	6	3	5	37	S 8° W	22
福岡 Fukuoka	51	28	15	13	5	35	153	103	65	17	32	19	47	24	46	47	40	S 26° E	24
大分 Ōita	20	10	11	10	3	4	10	18	8	7	10	9	4	11	19	15	16	N 24° W	16
下關 Simposseki	10	3	10	48	264	17	13	1	5	1	25	30	111	75	90	5	12	N 31° E	14
廣島 Hiroshima	54	47	12	2	0	1	0	7	31	107	245	53	35	9	14	25	78	S 56° W	14
吳 Kure	8	4	22	2	3	1	5	3	2	3	19	10	25	13	6	2	52	N 75° W	22
松江 Matsuyama	11	1	18	5	44	29	74	19	58	19	85	31	70	51	119	13	73	S 61° W	29
西原島 Sankuzima	6	14	19	11	6	5	4	4	3	3	19	25	40	13	7	0	1	N 80° W	29
新居濱 Niijima	4	23	20	4	5	2	12	7	8	4	10	13	11	11	24	8	14	N 30° W	19
東平 Tōnaya	6	6	23	19	5	12	14	7	10	7	17	14	9	1	4	6	20	S 64° E	14
岡山 Okayama	1	1	2	6	6	10	22	2	2	2	3	8	31	8	7	3	65	S 49° W	12
津野 Adino	84	95	44	15	12	29	44	24	22	22	24	152	62	34	17	24	24	N 60° W	19
多度津 Tadotsu	109	27	21	48	55	12	24	8	16	20	73	83	67	52	51	11	43	N 57° W	22
神戶 Kōbe	51	68	86	29	19	7	6	9	25	51	123	81	89	23	16	11	32	N 86° W	21
大阪 Ōsaka	10	5	3	8	45	4	3	2	3	11	19	6	30	8	2	14	3	S 35° W	21
和歌山 Wakayama	21	13	39	9	20	40	108	35	48	18	7	11	19	24	44	9	255	S 47° E	17
德島 Tokushima	2	0	3	6	19	7	27	3	5	2	36	20	20	4	3	0	23	S 18° W	22
高知 Kōchi	2	3	8	13	5	3	2	2	0	0	3	6	26	10	2	5	0	N 47° W	23
那覇 Naha	8	3	3	4	16	12	18	8	1	5	12	42	19	11	8	2	5	S 82° W	20
津島 Tsushima	80	14	25	13	34	43	104	18	64	23	51	10	61	33	34	39	24	S 75° W	44
名古屋 Nagoya	1	0	18	7	21	3	8	0	12	1	12	20	55	4	2	0	15	S 68° W	25
廣松 Hamamatsu	0	1	7	35	19	8	6	3	3	5	33	16	24	6	7	3	4	S 19° W	11
沼津 Numazu	12	15	8	3	6	1	4	14	20	42	11	6	2	2	6	19	9	S 27° W	19
橫濱 Yokohama	6	3	15	9	11	13	7	8	9	25	24	3	8	3	8	18	13	S 4° E	12
東京 Tōkyō	60	22	13	19	44	18	130	110	146	44	24	3	1	11	31	16	28	S 36° E	46
大津 Ōtsu	5	10	12	7	1	1	1	3	11	26	42	13	42	2	1	0	2	S 53° W	49
大島 Ōshima	7	1	2	5	5	5	6	6	15	14	22	2	12	12	16	3	17	S 54° E	25
伊豆 Izu	47	68	79	60	24	33	40	39	25	164	55	20	9	6	11	28	12	S 54° E	14
神戶 Kōbe	35	38	43	105	40	28	27	54	39	102	31	13	13	6	20	55	61	S 75° E	19
水戸 Mito	8	4	6	1	2	2	1	2	22	7	4	1	0	0	0	2	28	S 16° E	19
小名濱 Onomichi	21	2	3	0	13	8	47	3	18	6	18	3	16	0	12	4	6	S 19° E	23
金山 Kanayama	9	11	7	5	8	7	29	33	28	9	1	0	1	8	11	9	13	S 39° E	28
石巻 Iseomaki	12	23	19	2	4	0	6	1	16	8	20	19	34	6	4	0	6	N 87° W	25
宮古 Miyako	8	1	7	9	4	4	3	7	8	10	1	16	11	32	6	52	N 59° W	25	
八木 Yagi	67	33	29	14	40	33	59	44	74	28	25	26	48	35	57	61	8	S 79° W	18
京都 Kyōto	20	11	5	3	2	13	14	11	8	9	2	9	12	8	16	18	23	N 27° W	10
櫻井 Hikone	12	1	3	5	10	8	8	2	10	12	13	6	30	9	10	8	17	N 86° W	27
岐阜 Gifu	17	4	15	9	14	3	4	11	17	9	5	2	14	8	10	11	27	N 14° E	6
高山 Takayama	1	1	3	2	0	1	1	1	20	7	27	11	16	1	7	0	81	S 45° W	25
飯田 Iida	3	0	1	0	7	1	5	0	15	2	29	4	33	21	35	10	14	N 88° W	52
長野 Naganō	9	1	0	0	1	0	14	12	28	1	4	0	6	0	46	8	20	S 84° W	16
長野 Naganō	18	6	11	7	12	4	11	8	11	4	13	23	27	9	5	11	11	N 89° W	18

地名 Locality	各風向觀測回數 Frequency of Wind from																平均方向 Resultant Direction	平均方向 回數 Resultant Freq. %	
	北	北北東	北東	東北東	東	東南東	東南	南南東	南	南南西	南西	西南西	西	西北西	北西	北北西			
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW			
前橋 Maebasi	99	11	8	5	32	122	76	41	40	21	14	6	15	24	73	100	33	N 53° E	14
熊谷 Kumagaya	9	4	13	3	22	16	17	12	8	0	5	2	16	8	12	3	30	S 82° E	16
武藏野 Tōkyō	20	21	34	24	16	8	16	25	106	38	20	4	8	4	8	7	1	S 23° E	33
宇都宮 Utsunomiya	13	10	17	6	10	4	10	11	23	15	6	5	1	3	5	3	38	S 53° E	16
足尾 Asio	2	0	3	3	52	8	7	4	17	16	42	6	2	0	0	0	18	S 21° E	42
福島 Fukushima	6	12	18	12	6	8	6	5	17	12	15	9	8	5	6	7	28	S 35° E	5
山形 Yamagata	23	14	9	3	7	16	10	6	16	17	16	7	5	2	9	12	8	S 52° E	30
水戸 Mito	12	5	3	8	4	3	18	25	45	17	4	2	7	2	11	11	4	S 7° E	34
沼田 Numata	7	8	14	37	0	1	0	0	3	33	55	8	5	0	2	3	4	S 29° W	21
境 Sakai	6	1	11	5	13	5	5	5	3	1	17	18	24	7	16	6	37	N 85° W	21
宮津 Miyazu	16	7	14	2	4	8	8	0	11	23	30	6	7	1	11	3	29	S 46° W	16
加賀 Gakko	23	4	10	1	9	4	16	3	12	7	13	3	15	1	6	0	53	S 1° W	3
敦賀 Tsuruga	7	13	3	4	1	2	4	16	22	2	0	1	2	0	2	0	11	S 43° E	28
敦賀 Tsuruga	4	2	5	2	1	8	12	16	36	18	12	8	9	6	22	6	13	S 25° W	35
金澤 Kanazawa	1	12	10	24	15	7	3	3	12	17	18	17	9	8	7	4	13	S 3° E	8
伏木 Fushiki	12	13	13	4	7	6	3	2	6	13	26	26	14	9	7	8	11	S 87° W	27
相川 Aikawa	6	0	2	3	9	6	8	0	5	2	6	3	9	3	8	1	19	S 17° W	5
新島 Niigata	35	52	46	12	5	5	53	74	67	58	76	87	63	18	14	22	33	S 36° W	27
加茂 Kamo	2	1	1	0	15	9	44	6	8	1	6	1	23	7	46	3	7	S 42° W	9
秋田 Akita	2	0	1	0	6	17	43	9	6	5	13	21	32	15	4	0	6	S 20° W	37
青森 Aomori	20	13	15	11	10	2	2	0	3	7	20	28	13	11	8	11	6	N 50° W	26
前橋 Maebasi	8	1	4	14	8	34	127	134	34	51									

臺北
TAIHOKU.

大正七年六月

JUNE, 1918.

日	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均		
Day																									Mean		
氣 壓 (耗) AIR PRESSURE. (mm) (700 mm +)																											
1	58.5	58.4	58.4	58.5	58.5	58.6	58.7	58.7	58.7	58.6	58.2	57.8	57.3	56.9	57.4	57.3	57.7	58.6	58.8	59.2	59.8	59.8	59.7	59.4	58.48		
2	59.0	58.7	58.6	58.6	58.7	58.9	58.9	58.7	58.7	58.8	58.4	58.1	57.6	57.0	57.4	57.3	57.5	57.4	57.8	58.1	58.7	59.2	59.1	58.8	58.33		
3	57.9	57.6	57.8	58.0	58.3	58.9	59.4	59.6	59.3	59.0	59.1	58.8	58.5	57.8	57.7	57.4	57.8	58.4	58.8	59.3	59.7	59.9	59.9	59.5	58.65		
4	58.7	58.5	58.3	58.4	58.3	58.5	58.7	58.8	58.9	59.0	58.9	58.5	57.9	57.2	56.8	56.6	56.6	56.7	57.1	57.3	57.7	57.8	57.6	57.5	57.93		
5	57.1	56.7	56.3	56.2	56.3	56.3	56.8	57.2	57.2	57.0	56.8	56.5	56.3	56.0	55.8	55.7	56.0	56.1	56.6	57.0	57.0	56.9	56.8	56.6	56.55		
6	55.9	55.4	55.3	55.5	55.8	56.3	56.6	56.7	56.6	56.6	56.7	56.6	56.4	56.4	56.5	56.6	57.0	57.2	57.5	57.9	58.2	58.6	58.5	58.1	56.79		
7	57.8	57.7	57.6	57.8	57.9	58.0	58.2	58.2	57.9	57.5	57.1	56.6	56.3	55.9	55.8	56.0	56.2	57.0	57.5	57.6	58.1	58.2	58.2	57.32			
8	58.1	58.0	58.1	58.0	58.1	58.5	58.6	58.8	58.7	58.3	58.3	57.4	57.0	56.8	56.9	57.0	57.0	57.2	57.7	58.1	58.8	59.1	59.1	58.7	58.03		
9	58.9	58.6	58.3	58.3	58.4	58.8	58.9	59.0	59.0	58.6	58.2	57.8	57.4	56.9	57.5	57.3	57.4	57.1	57.2	57.9	58.4	58.5	58.5	58.4	58.13		
10	58.1	57.8	57.8	57.6	57.8	58.2	58.1	58.1	57.7	57.4	57.2	56.4	56.5	56.5	55.5	55.8	56.2	56.3	56.1	56.0	56.2	55.6	55.2	55.2	56.90		
11	55.0	54.3	54.8	54.7	54.4	54.7	54.9	55.2	55.1	55.1	54.9	54.1	53.8	53.6	53.4	53.0	53.2	53.7	54.1	55.2	55.7	55.6	55.6	55.3	54.56		
12	55.0	54.7	54.6	54.8	55.0	55.0	55.4	55.3	55.8	55.5	55.4	55.3	55.1	55.4	55.8	55.7	56.4	56.4	56.9	56.9	57.4	57.9	57.6	57.5	55.87		
13	57.5	57.4	57.2	57.2	57.4	57.7	58.2	58.1	58.1	58.0	58.0	57.9	57.7	57.3	56.9	57.0	56.9	57.4	57.8	58.2	58.5	58.9	58.9	58.4	57.78		
14	58.0	57.8	57.6	57.4	57.4	57.8	57.8	57.5	57.4	57.0	56.5	56.1	56.1	56.0	56.4	57.0	56.1	56.8	57.5	57.2	57.3	57.7	57.4	57.4	57.13		
15	56.9	56.3	56.3	56.1	56.1	56.6	56.7	57.0	56.8	56.8	56.6	56.5	56.8	56.0	55.7	55.6	56.1	56.6	57.3	57.3	57.5	57.7	57.8	57.8	56.62		
16	57.7	57.6	57.5	57.4	57.0	57.3	57.5	57.1	57.3	57.2	57.1	56.9	56.3	56.0	57.1	57.2	58.1	58.2	58.3	58.3	58.5	58.8	58.7	58.5	57.57		
17	58.2	58.0	58.0	58.0	58.3	58.7	58.4	58.1	58.1	58.0	57.9	58.1	57.9	58.3	58.0	58.0	58.1	58.3	58.8	58.9	58.7	58.8	58.3	58.1	58.25		
18	57.8	57.3	57.3	57.4	57.2	57.2	58.4	59.2	58.9	58.8	58.6	58.8	59.8	58.7	57.4	56.7	56.8	56.7	56.7	57.4	57.7	58.1	58.1	58.6	57.90		
19	58.4	58.4	58.3	58.3	58.6	58.8	58.8	59.0	58.8	59.0	58.9	58.8	58.6	58.2	57.9	57.5	57.5	57.7	58.2	59.0	59.5	59.8	59.7	59.7	58.64		
20	59.1	59.0	59.0	59.1	59.1	59.3	59.6	59.5	59.6	59.4	59.4	59.3	58.9	58.5	58.9	58.9	59.3	59.3	59.5	59.7	59.8	59.8	59.4	59.2	59.28		
21	58.4	57.7	57.7	57.6	57.7	58.3	58.7	58.9	59.0	58.7	58.6	58.3	57.8	57.3	56.9	56.3	56.0	56.1	56.8	57.3	57.7	57.9	57.5	57.2	57.68		
22	56.5	56.2	56.0	55.8	55.8	56.2	56.5	56.8	57.0	56.8	56.6	56.2	55.7	55.2	55.0	55.0	55.1	55.4	55.6	56.0	56.4	56.7	56.5	56.3	56.05		
23	56.1	55.7	55.6	55.7	56.0	56.4	56.7	56.8	56.7	56.6	56.7	56.3	55.9	55.7	55.6	55.3	55.4	55.9	56.4	56.6	56.7	57.0	57.1	56.8	56.24		
24	56.6	56.3	56.2	56.2	56.2	56.4	56.7	56.4	56.4	56.1	55.8	55.5	55.2	55.0	54.8	54.5	54.4	54.5	54.9	55.2	55.5	55.9	55.7	55.6	55.67		
25	55.4	55.0	55.0	55.2	55.4	55.6	55.9	55.9	56.0	55.7	55.3	54.9	54.4	53.9	53.7	53.5	53.7	54.0	54.4	54.9	55.3	55.8	55.7	55.4	55.04		
26	55.2	54.8	54.8	54.8	54.9	55.3	55.6	55.8	55.5	55.8	55.8	55.7	55.5	55.3	55.1	55.0	55.1	55.3	55.7	55.9	56.2	56.4	56.3	56.3	55.50		
27	56.0	55.6	55.4	55.5	55.7	56.1	56.3	56.5	56.8	56.9	56.9	56.5	56.2	56.0	55.6	55.2	55.2	55.3	54.8	54.9	55.0	54.9	55.5	55.2	55.75		
28	54.6	54.1	53.9	53.8	53.7	53.8	53.8	53.6	53.5	53.6	53.2	52.7	52.2	52.0	51.8	51.3	51.3	51.4	51.7	51.9	52.1	52.2	52.5	51.3	52.73		
29	51.0	50.5	50.3	50.0	49.8	50.0	50.1	50.0	49.6	49.1	48.6	48.3	48.0	47.4	46.8	46.3	46.5	46.4	46.4	46.7	47.0	46.7	46.6	46.0	48.25		
30	44.9	44.6	44.2	44.1	44.4	44.7	45.2	45.1	45.4	45.0	44.5	44.3	44.8	46.0	46.5	46.5	47.5	48.3	49.4	50.1	50.9	52.0	52.5	52.6	46.81		
平均	56.60	56.29	56.21	56.16	56.26	56.55	56.80	56.85	56.84	56.70	56.49	56.19	55.91	55.64	55.59	55.40	55.58	55.83	56.20	56.53	56.84	57.09	56.99	56.81	56.35		

氣 温 (攝氏) AIR TEMPERATURE. (°C)																											
日	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均		
Day																									Mean		
1	24.0	24.0	23.6	23.2	23.0	23.6	24.5	27.2	30.0	31.0	31.8	32.2	31.3	29.1	25.8	24.6	24.5	24.6	24.4	24.3	24.4	24.3	23.9	23.6	25.95		
2	23.3	23.4	23.3	22.8	22.6	23.1	23.7	25.0	26.0	26.1	28.5	30.4	32.4	30.7	24.1	25.3	26.9	26.3	25.7	25.2	24.9	24.5	24.3	24.2	25.53		
3	23.9	23.7	23.3	23.3	23.0	23.4	23.6	24.0	24.8	27.0	28.6	29.1	26.1	26.1	25.7	25.6	25.0	24.5	23.8	23.6	23.4	23.3	23.2	24.90			
4	23.2	23.2	23.4	23.4	23.2	23.4	25.1	27.2	27.2	25.7	26.6	26.4	26.9	27.2	27.1	26.2	25.6	25.0	24.5	24.4	24.3	24.2	24.2	24.0	25.07		
5	24.0	24.0	23.8	23.9	24.0	24.1	25.1	25.9	26.5	28.2	27.8	26.9	26.5	25.6	25.0	24.6	24.0	24.0	23.8	23.4	23.2	22.8	22.9	24.70			
6	22.8	22.7	22.7	22.8	22.8	22.9	24.0	25.2	27.5	27.1	27.0	26.6	25.8	25.0	23.7	22.8	22.4	22.2	22.0	22.0	22.2	22.4	22.3	22.3	23.72		
7	22.2	22.0	22.0	22.2	22.2	22.6	23.3	24.9	26.9	26.9	28.1	29.0	29.5	30.4	31.0	31.4	30.6	30.0	28.0	27.1	26.1	25.6	24.9	24.5	26.31		
8	23.9	23.5	23.4	23.6	23.1	23.5	25.6	27.2	28.8	30.1	31.6	32.6	33.3	33.1	30.4	30.0	29.4	29.0	27.8	27.2	27.1	26.9	26.4	25.7	27.63		
9	25.1	24.7	24.6	24.4	24.0	24.5	26.4	28.3	30.5	31.4	32.0	32.9	33.1	33.4	34.8	36.0	39.5	37.4	36.2	35.4	35.2	34.6	34.2	34.0	27.19		
10	23.9	23.6	23.6	23.4	23.6	24.7	26.2	29.0	29.6	30.6	31.9	32.5	31.3	27.7	25.1	25.9	26.1	24.6	24.2	24.3	24.3	24.3	24.2	23.9	25.61		
11	23.3	23.0	22.9	23.0	23.0	23.3	24.2	25.6	27.3	28.6	29.9	31.7	31.8	31.7	30.9	30.2	29.0	28.0	26.2	24.6	24.5	24.6	24.4	24.6	26.51		
12	24.6	24.6	24.4	24.4	24.3	24.7	26.0	27.6	29.1	31.0	31.4	29.0	27.0	26.8	25.8	24.5	24.3	24.4	24.2	24.2	24.2	24.2	24.2	24.2	25.80		
13	23.9	24.2	23.6	23.6	23.5	23.8	24.7	25.9	27.8	29.7	31.6	31.3	29.0	30.8	30.8	29.4	28.8	28.3	26.8	24.4	24.5	24.4	24.5	24.4	26.65		
14	24.1	23.6	23.5	23.2	23.0	23.5	25.6	27.6	29.3	31.4	32.4	32.6	31.3	27.7	25.9	25.2	24.7	24.9	24.8	24.7	24.5	24.4	24.0	23.5	26.06		
15	23.3	23.4	23.1	23.1	23.1	23.3	24.5	26.3	27.8	29.4	30.6	31.2	31.6	31.0	32.7	32.4	31.0	29.8	28.3	27.4	26.4	25.4	25.0	24.6	27.28		
16	24.2</																										

大正七年六月

臺北 TAIHOKU.

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-30), Direction (1-14), and Wind Velocity (m/sec). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and Cloud Amount (1-12), showing cloud types and amounts.

大正七年六月

臺北 TAIHOKU.

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-30), Direction (15-24), and Wind Velocity (m/sec). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-30) and Cloud Form (13-24), showing cloud types and forms.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-30), Max. (最高), Min. (最低), Range (較差), and Mean (平均).

臺北 TAIHOKU.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for precipitation data. Includes sub-headers '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 41.4.

濕度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 24 columns (Day 1-24) and 1 row for relative humidity data. Includes sub-headers '濕度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 62 to 98.

那霸 NAHA.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for air pressure data. Includes sub-headers '氣壓 (耗)' and 'AIR PRESSURE. (mm)'. Data values range from 58.3 to 61.9.

氣溫 (攝氏)

AIR TEMPERATURE. (°C)

Table with 24 columns (Day 1-24) and 1 row for air temperature data. Includes sub-headers '氣溫 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 23.5 to 28.5.

重力ノ更正 Reduction to standard gravity - 1.20
海面ノ更正 Reduction to mean sea level + 0.90

風ノ方向 DIRECTION AND

Table with columns for Day (1-30) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for wind velocities (15-24) and summary statistics (平均 Mean, 最高 Max, 最低 Min, 差差 Range). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and summary statistics (平均 Mean). Includes a summary row for '平均' (Average) at the bottom.

那覇

NAHA.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes sub-headers '降水量 (mm)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 4.7 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes sub-headers '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 87 to 95%.

鹿兒島

KAGOSIMA.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes sub-headers '氣壓 (mm)' and 'AIR PRESSURE. (700 mm +) (mm)'. Data values range from 99.0 to 101.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes sub-headers '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 16.5 to 25.5 °C.

重力ノ更正 Reduction to standard gravity.....- 0.89
海面へノ更正 Reduction to mean sea level.....+ 0.48

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (1-30) showing wind direction and velocity data for Kagosima.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (1-30) showing cloud amount data for Kagosima.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 14 rows (1-30) showing wind velocity data for Kagosima.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 14 rows (1-30) showing cloud forms data for Kagosima.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 30 rows showing temperature extremes for Kagosima.

鹿兒島

KAGOSIMA.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each hour and a daily total at the bottom.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes relative humidity percentages for each hour and a daily mean at the bottom.

熊本

KUMAMOTO.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Data includes air pressure readings for each hour and a daily mean at the bottom.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes air temperature readings for each hour and a daily mean at the bottom.

重方ノ更正 Reduction to standard gravity - 0.81
海面へノ更正 Reduction to mean sea level..... + 3.43

風入方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-30). Columns represent wind directions (1-14) and values represent wind velocity. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (1-14) and 31 rows (Day 1-30). Columns represent cloud amounts (1-14) and values represent cloud amount. Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-30). Columns represent wind velocities (15-24) and values represent wind velocity. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-30). Columns represent cloud forms (13-24) and values represent cloud form. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 差差 Range, 日 Day) and 31 rows (Day 1-30). Values represent temperature extremes and range.

熊本 KUMAMOTO.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' (合計) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-24) and 1 row for relative humidity. Includes a 'Mean' (平均) row at the bottom.

長崎 NAGASAKI.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Mean' (平均) row at the bottom.

氣溫 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-24) and 1 row for air temperature. Includes a 'Mean' (平均) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.82
海面ノ更正 Reduction to mean sea level +11.63

大正七年六月

長崎

NAGASAKI.

JUNE, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nagasaki in June 1918. Columns include Day, 15°-14° directions, and Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagasaki in June 1918. Columns include Day, 1°-12° amounts, and Mean.

大正七年六月

長崎

NAGASAKI.

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities and directions for Nagasaki in June 1918. Columns include 15°-24° directions, Mean, and Extremes of Air Temp.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagasaki in June 1918. Columns include 13°-24° forms, and Mean.

長崎

NAGASAKI.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for precipitation data. Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a '合計' (Total) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 24 columns (Day 1-24) and 30 rows for relative humidity data. Includes a '平均' (Mean) row at the bottom.

福岡

HUKUOKA.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for air pressure data. Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a '平均' (Mean) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 24 columns (Day 1-24) and 30 rows for air temperature data. Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity - 76
海面ノ更正 Reduction to mean sea level + 0.49

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Fukuoka in June 1918. Columns include Day, 15°-14° directions, and Mean. Includes a sub-table for cloud amount (雲量) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud forms and amounts for Fukuoka in June 1918. Columns include Day, 13°-12° cloud forms, and Mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities and cloud forms for Fukuoka in June 1918. Columns include 15°-24° directions, Mean, and cloud forms. Includes a sub-table for temperature extremes (氣温ノ極) at the bottom.

氣温ノ極 Extremes of Air Temp.

Table of temperature extremes for Fukuoka in June 1918. Columns include Day, Max., Min., Range, and Mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms and amounts for Fukuoka in June 1918. Columns include 13°-24° cloud forms, and Mean.

福岡 HUKUOKA.

大正七年六月

JUNE, 1918

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes title '降水量 (耗) AMOUNT OF PRECIPITATION. (mm)' and a '合計' (Total) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes title '湿度 (百分率) RELATIVE HUMIDITY. (%)' and a '平均' (Mean) row at the bottom.

下關 SIMONOSEKI.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes title '氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)' and a '平均' (Mean) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes title '氣温 (攝氏) AIR TEMPERATURE. (°C)' and a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.74
海面ノ更正 Reduction to mean sea level + 4.21

下關 SIMONOSEKI.

大正七年六月

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-30) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and cloud amounts (1-12) with numerical values.

下關 SIMONOSEKI.

大正七年六月

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-30) and wind velocities (15-24) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-30) and cloud forms (13-24) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-30) and temperature extremes (Max, Min, Range) with numerical values.

下關 SIMONOSEKI. JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Title: 降水量 (mm). Includes a 'Sum' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes a 'Mean' row at the bottom.

廣島 HIROSIMA. JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Title: 氣壓 (mm). Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.71
海面へノ更正 Reduction to mean sea level + 0.28

廣島 HIROSIMA.

大正七年六月

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-30) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and cloud amounts (1-12) with numerical values.

廣島 HIROSIMA.

大正七年六月

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for Day (1-30) and wind velocities (15-24) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-30) and cloud forms (13-24) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-30) and temperature extremes (Max, Min, Range) with numerical values.

廣島

大正七年六月

HIROSIMA.

JUNE, 1918.

Table of precipitation data for Hiroshima, June 1918. Columns include day (1-30), hours (1-24), and amount of precipitation in mm. Includes a 'Total' column at the end.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hiroshima, June 1918. Columns include day (1-30), hours (1-24), and relative humidity percentage. Includes a 'Mean' column at the end.

松山

大正七年六月

MATUYAMA.

JUNE, 1918.

Table of air pressure data for Matuyama, June 1918. Columns include day (1-30), hours (1-24), and air pressure in mm. Includes a 'Mean' column at the end.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Matuyama, June 1918. Columns include day (1-30), hours (1-24), and air temperature in degrees Celsius. Includes a 'Mean' column at the end.

重力ノ更正 Reduction to standard gravity - 0.75
海面ノ更正 Reduction to mean sea level..... + 2.83

松山 MATUYAMA

大正七年六月

JUNE, 1918

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 30 rows of wind direction and velocity data. Includes a summary row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 30 rows of cloud amount data. Includes a summary row at the bottom.

松山 MATUYAMA

大正七年六月

JUNE, 1918

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 1-14) and 30 rows of wind velocity data. Includes a summary row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 1-14) and 30 rows of cloud form data. Includes a summary row at the bottom.

Summary table for temperature extremes. Columns: 最高 (Max), 最低 (Min), 較差 (Range), 平均 (Mean). Rows: 1-30 days and a final summary row.

松山

MATUYAMA.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 2 rows of precipitation data (mm). Includes a '合計' (Total) row at the bottom.

湿度 (百分率)

RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 2 rows of relative humidity data (%). Includes a '平均' (Mean) row at the bottom.

多度津

TADOTU.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 2 rows of air pressure data (mm). Includes a '平均' (Mean) row at the bottom.

氣温 (攝氏)

AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 2 rows of air temperature data (°C). Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.72
海面ノ更正 Reduction to mean sea level + 0.47

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data. Includes a summary row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing cloud amount data. Includes a summary row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28) showing wind velocity data. Includes a summary row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 14 rows (Day 13-26) showing cloud form data. Includes a summary row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 30 rows (Day 1-30) showing temperature extremes.

多度津

TADOTU.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a '合計' (Total) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a '平均' (Mean) row at the bottom.

徳島

TOKUSIMA.

JUNE, 1918.

大正七年六月

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a '平均' (Mean) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 30 rows (Hour 1-30). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.73
海面ノ更正 Reduction to mean sea level + 0.34

風ノ方向 DIRECTION AND

Table with columns for Day (1-30) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and cloud amounts (1-12) with numerical values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-30) and wind velocities (15-24) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-30) and cloud forms (13-24) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-30) and temperature extremes (Max, Min, Range) with numerical values.

徳島 TOKUSIMA.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Mean' column on the right.

神戸 KŌBE.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (mm) AIR PRESSURE. (mm). Includes a 'Mean' column on the right.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to standard gravity - 0.69
海面へノ更正 Reduction to mean sea level + 5.10

大正七年六月

風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) for each day (1-30) in Kobe, June 1918. Includes columns for direction and velocity.

雲量 (0-10)

AMOUNT (0-10) AND

Table of cloud amounts (0-10) for each day (1-30) in Kobe, June 1918.

大正七年六月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity (15th-24th) for each day (1-30) in Kobe, June 1918. Includes columns for velocity and direction.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Max, Min, Range) for each day (1-30) in Kobe, June 1918.

及雲形 FORMS OF CLOUD.

Table of cloud forms (13th-24th) for each day (1-30) in Kobe, June 1918.

神戸 KŌBE.

大正七年六月

JUNE, 1918

Table of precipitation data for Kobe, June 1918. Columns: Day (日), 1st-24th, Total (合計). Rows: 1-30 days. Values in mm.

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kobe, June 1918. Columns: Day (日), 1st-24th, Average (平均). Rows: 1-30 days. Values in %.

大阪 OOSAKA.

大正七年六月

JUNE, 1918.

Table of air pressure data for Osaka, June 1918. Columns: Day (日), 1st-24th, Average (平均). Rows: 1-30 days. Values in mm (700 mm +).

氣壓 (mm) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Osaka, June 1918. Columns: Day (日), 1st-24th, Average (平均). Rows: 1-30 days. Values in °C.

重力ノ更正 Reduction to standard gravity - 0.70 海面ノ更正 Reduction to mean sea level + 0.27

大正七年六月

大阪

OOSAKA.

JUNE, 1918.

風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) and average values for June 1918 in Osaka.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts (0-10) for each day in June 1918 in Osaka.

大正七年六月

大阪

OOSAKA.

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities (15th-24th) and average values for June 1918 in Osaka.

及雲形 FORMS OF CLOUD.

Table of cloud forms (15th-24th) and average values for June 1918 in Osaka.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Max, Min, Range) for each day in June 1918 in Osaka.

大阪 OOSAKA.

大正七年六月

JUNE, 1918.

Table of precipitation data for Osaka, June 1918. Columns: Day, 1st-24th, Total. Rows: 1-30 days and monthly total. Values in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Osaka, June 1918. Columns: Day, 1st-24th, Total. Rows: 1-30 days and monthly total. Values in %.

京都 KYOTO.

大正七年六月

JUNE, 1918.

Table of air pressure data for Kyoto, June 1918. Columns: Day, 1st-24th, Average. Rows: 1-30 days and monthly total. Values in mm.

氣壓 (耗) AIR PRESSURE. (mm)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kyoto, June 1918. Columns: Day, 1st-24th, Average. Rows: 1-30 days and monthly total. Values in °C.

重力的修正 Reduction to standard gravity - 0.66
海面への修正 Reduction to mean sea level + 3.77

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data for Kyoto in June 1918.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing cloud amount data for Kyoto in June 1918.

及速度 (* / 秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing wind velocity data for Kyoto in June 1918.

及雲形 FORMS OF CLOUD.

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing cloud form data for Kyoto in June 1918.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 24 rows (Day 1-24) showing temperature extremes for Kyoto in June 1918.

京都 KYŌTO

大正七年六月

JUNE, 1918.

Table of precipitation data for Kyoto, June 1918. Columns: Day (1-30), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily precipitation (mm) and monthly totals/means.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table of relative humidity data for Kyoto, June 1918. Columns: Day (1-30), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily relative humidity (%) and monthly totals/means.

名古屋 NAGOYA

大正七年六月

JUNE, 1918.

Table of air pressure data for Nagoya, June 1918. Columns: Day (1-30), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily air pressure (mm) and monthly totals/means.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table of air temperature data for Nagoya, June 1918. Columns: Day (1-30), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily air temperature (°C) and monthly totals/means.

重力ノ更正 Reduction to standard gravity - 0.66
海面ノ更正 Reduction to mean sea level + 1.34

風ノ方向 DIRECTION AND

Table of wind directions (1st-14th) and speeds for each day (1-30) in Nagoya, June 1918. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts (0-10) for each day (1-30) in Nagoya, June 1918. Includes a summary row for '平均' (Average).

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities (15th-24th) and average for each day (1-30) in Nagoya, June 1918. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms (13th-24th) for each day (1-30) in Nagoya, June 1918. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures (Max, Min, Range) for each day (1-30) in Nagoya, June 1918. Includes a summary row for '平均' (Average).

名古屋 NAGOYA

大正七年六月

JUNE, 1918

Table of precipitation data for Nagoya, June 1918. Columns: Day, 1st-24th, Total. Rows: 1-30 days and monthly totals. Values in mm.

湿度 (百分率)

RELATIVE HUMIDITY (%)

Table of relative humidity data for Nagoya, June 1918. Columns: Day, 1st-24th, Average. Rows: 1-30 days and monthly averages. Values in %.

東京 TOKYO

大正七年六月

JUNE, 1918

Table of air pressure data for Tokyo, June 1918. Columns: Day, 1st-24th, Average. Rows: 1-30 days and monthly averages. Values in mm.

氣温 (攝氏)

AIR TEMPERATURE (°C)

Table of air temperature data for Tokyo, June 1918. Columns: Day, 1st-24th, Average. Rows: 1-30 days and monthly averages. Values in °C.

重力ノ更正 Reduction to standard gravity..... - 0.13
海面へノ更正 Reduction to mean sea level..... + 1.88

風ノ方向 DIRECTION AND

Table of wind direction and velocity data for Tokyo, June 1918. Columns include Day, 15°-14° directions, and Mean values.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amount data for Tokyo, June 1918. Columns include Day, 1°-12° cloud amounts, and Mean values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity data for Tokyo, June 1918. Columns include 15°-24° directions, Mean, and Extremes of Air Temp.

Table of Extremes of Air Temp. with columns for Max., Min., Range, and Day.

及雲形 FORMS OF CLOUD.

Table of cloud forms data for Tokyo, June 1918. Columns include 13°-24° cloud forms, and Mean values.

東京 TOKYO.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for precipitation data. Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a '平均' (Mean) column at the end.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 24 columns (Day 1-24) and 1 row for relative humidity data. Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a '平均' (Mean) column at the end.

銚子 TYOSI.

大正七年六月

JUNE, 1918.

Table with 24 columns (Day 1-24) and 1 row for air pressure data. Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a '平均' (Mean) column at the end.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 24 columns (Day 1-24) and 1 row for air temperature data. Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a '平均' (Mean) column at the end.

重力ノ更正 Reduction to standard gravity - 0.62
海面ノ更正 Reduction to mean sea level + 1.72

銚子 TYÖSI.

大正七年六月

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 30 rows (Day 1-30) showing wind direction and velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 30 rows (Day 1-30) showing cloud amount data.

銚子 TYÖSI.

大正七年六月

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 30 rows (Day 15-30) showing wind velocity data.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 30 rows (Day 13-30) showing cloud forms data.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 30 rows (Day 1-30) showing temperature extremes.

銚子 TYOSI.

大正七年六月

JUNE, 1918

Table of precipitation data for Tyosi, June 1918. Columns: Day (1-30), Precipitation (mm). Includes a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tyosi, June 1918. Columns: Day (1-30), Humidity (%). Includes a summary row at the bottom.

水戸 MITO.

大正七年六月

JUNE, 1918.

Table of air pressure data for Mito, June 1918. Columns: Day (1-30), Air Pressure (mm). Includes a summary row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Mito, June 1918. Columns: Day (1-30), Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.59
海面へノ更正 Reduction to mean sea level + 2.71

大正七年六月

水戸 MITO.

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-30). Columns represent wind directions (1st-14th) and rows represent days. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-30). Columns represent cloud amounts (1st-12th) and rows represent days. Includes a '平均' (Average) row at the bottom.

大正七年六月

水戸 MITO.

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-30). Columns represent wind velocities (15th-24th) and rows represent days. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-30). Shows temperature extremes and range for each day.

及雲形 FORMS OF CLOUD.

Table with 24 columns (15-24) and 31 rows (Day 1-30). Columns represent cloud forms (15th-24th) and rows represent days. Includes a '平均' (Average) row at the bottom.

水戸 MITO.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes sub-header 'AMOUNT OF PRECIPITATION. (mm)' and a 'Total' column.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes sub-header 'RELATIVE HUMIDITY. (%)' and a 'Mean' column.

前橋 MAEBASI.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Includes sub-headers 'AIR PRESSURE. (700 mm +)' and '(mm)'. Includes a 'Mean' column.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes sub-header 'AIR TEMPERATURE. (°C)' and a 'Mean' column.

重力ノ更正 Reduction to standard gravity - 0.59
海面ノ更正 Reduction to mean sea level + 9.88

前橋 MAEBASI.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation. Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Values range from 0.0 to 4.1.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Values range from 62 to 99.

筑波山 TUKUBASAN.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure. Title: 氣壓 (耗) AIR PRESSURE. (mm) (600 mm +). Values range from 81.5 to 88.2.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Values range from 11.1 to 22.8.

重力ノ更正 Reduction to standard gravity - 0.56
海面ノ更正 Reduction to mean sea level + 73.65

筑波山 TUKUBASAN.

大正七年六月

JUNE, 1918.

Table with columns for Day (1-30) and wind directions (1-14). Includes wind velocity data in m/sec and a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-30) and cloud amounts (1-12). Includes cloud type abbreviations and a summary row for '平均' (Average).

筑波山 TUKUBASAN.

大正七年六月

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for Day (1-30) and wind directions (15-24). Includes wind velocity data in m/sec and a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-30) and temperature extremes (Max, Min, Range). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with columns for Day (13-24) and cloud forms (13-24). Includes cloud type abbreviations and a summary row for '平均' (Average).

筑波山

TUKUBASAN.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes a 'Total' column at the end. Title: 降水量 (mm). Values range from 0.0 to 15.6.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes a 'Mean' column at the end. Values range from 76 to 100.

新潟

NIIGATA.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes a 'Mean' column at the end. Title: 氣壓 (mm) AIR PRESSURE. (700 mm +). Values range from 54.0 to 55.1.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes a 'Mean' column at the end. Values range from 16.0 to 23.2.

重力ノ更正 Reduction to standard gravity..... - 0.47
海面ノ更正 Reduction to mean sea level..... + 2.26

新潟 NIIGATA

大正七年六月

JUNE, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Niigata, June 1918. Columns include day (H Day), 15 directions (1°-15°), and average (平均 Mean).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Niigata, June 1918. Columns include day (H Day), 12 cloud types (1°-12°), and average (平均 Mean).

新潟 NIIGATA

大正七年六月

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Niigata, June 1918. Columns include 15 directions (15°-29°), average (平均 Mean), and extremes (最高 Max., 最低 Min., 較差 Range).

氣温ノ極 Extremes of Air Temp.

Table of air temperature extremes for Niigata, June 1918. Columns include day (Day), maximum (最高 Max.), minimum (最低 Min.), range (較差 Range), and average (平均 Mean).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Niigata, June 1918. Columns include 12 cloud types (13°-24°), and average (平均 Mean).

新潟 NIIGATA.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation (mm). Includes a 'Total' column and a 'Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity (%). Includes a 'Mean' row at the bottom.

函館 HAKODATE.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure (mm). Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature (°C). Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.22
海面へノ更正 Reduction to mean sea level + 0.36

大正七年六月

JUNE, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data for Hakodate.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing cloud amount data for Hakodate.

JUNE, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing wind velocity data for Hakodate.

及雲形 FORMS OF CLOUD.

Table with 24 columns (Day 15-24) and 24 rows (Day 15-24) showing cloud form data for Hakodate.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 24 rows (Day 1-24) showing extreme air temperature data for Hakodate.

函館 HARODATE.

大正七年六月

JUNE, 1918.

Table of precipitation data for Hakodate, June 1918. Columns include days (1-30) and precipitation amounts in mm. Includes a 'Total' column at the end.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hakodate, June 1918. Columns include days (1-30) and humidity percentages. Includes a 'Mean' column at the end.

札幌 SAPPORO.

大正七年六月

JUNE, 1918.

Table of air pressure and air temperature data for Sapporo, June 1918. Columns include days (1-30), air pressure in mm, and air temperature in Celsius. Includes 'Total' and 'Mean' columns.

氣温 (攝氏) AIR TEMPERATURE. (C)

Table of air temperature data for Sapporo, June 1918. Columns include days (1-30) and temperature in Celsius. Includes a 'Mean' column at the end.

重カノ更正 Reduction to standard gravity.....- 0.14
海面へノ更正 Reduction to mean sea level.....+ 1.51

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Sapporo in June 1918. Columns include Day, 14 directions (1-14), and Mean. Rows 1-30 show daily data, and a final row shows the monthly mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Sapporo in June 1918. Columns include Day, 12 directions (1-12), and Mean. Rows 1-30 show daily data, and a final row shows the monthly mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Sapporo in June 1918. Columns include 14 directions (15-28), Mean, and a column for the 24th day mean. Rows 1-30 show daily data, and a final row shows the monthly mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Sapporo in June 1918. Columns include Day, 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows 1-30 show daily data, and a final row shows the monthly mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Sapporo in June 1918. Columns include 14 directions (13-26), Mean, and a column for the 24th day mean. Rows 1-30 show daily data, and a final row shows the monthly mean.

札幌 SAPPORO.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 2 rows of precipitation data. Includes headers for '降水量 (mm)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 5.5.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 2 rows of relative humidity data. Includes headers for '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 80 to 99.

根室 NEMURO.

大正七年六月

JUNE, 1918.

Table with 25 columns (Day 1-25) and 2 rows of air pressure data. Includes headers for '氣壓 (mm)' and 'AIR PRESSURE. (mm)'. Data values range from 54.2 to 62.1.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 2 rows of air temperature data. Includes headers for '氣温 (攝氏)' and 'AIR TEMPERATURE (°C)'. Data values range from 6.5 to 14.6.

重力ノ更正 Reduction to standard gravity - 0.12
海面へノ更正 Reduction to mean sea level + 2.42

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Wind direction 1-14). Includes a '平均 Mean' row at the bottom.

雲量 (0-10)

AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Cloud amount 1-14). Includes a '平均 Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (Day 15-24) and 24 rows (Wind velocity 15-24). Includes a '平均 Mean' row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (Day 15-24) and 24 rows (Cloud forms 15-24). Includes a '平均 Mean' row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 30 rows (Temperature extremes 1-30).

恒春 KOSYUN. JUNE, 1918. 大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and Mean values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and Mean values.

* 重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 2.0

臺東 TAITŌ

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 0.8

臺南 TAINAN

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 1.2

澎湖島 HOKOTŌ.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.9

臺中 TAIYŪ.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 6.7

石垣島 ISIGAKIZIMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.6

名瀬 NAZE.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 1.1
海面ノ更正 Reduction to mean sea level + 0.4

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity - 0.9
海面ノ更正 Reduction to mean sea level + 0.7

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 1.1

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 1.2

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.0

大分 OOTA.

JUNE, 1918

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 0.5

呉 KURE.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.7

四 阪 島

SISAKAZIMA.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面へノ更正 Reduction to mean sea level + 9.9

新 居 濱

NIIHAMA.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面へノ更正 Reduction to mean sea level + 0.5

東平 TONARU.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from Day 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 66.2

岡山 OKAYAMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from Day 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.5

大正七年六月

味野 ADINO

日六 JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.4

大正七年六月

和歌山 WAKAYAMA

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.3

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity 0.8
海面ノ更正 Reduction to mean sea level +8.7

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity 0.8
海面ノ更正 Reduction to mean sea level + 6.5

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.4

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.4

沼津

NUMADU.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.6

横須賀

YOKOSUKA.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud (0-10). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 3.9

横浜

YOKOHAMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

* 重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.4

八丈島

HATIDYŌZIMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

* 重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 7.1

父島 TITIZIMA

大正七年六月

JUNE, 1918

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly mean summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity..... 1.2
海面ノ更正 Reduction to mean sea level..... + 0.4

小名濱 ONAHAMA

大正七年六月

JUNE, 1918

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly mean summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity..... 0.5
海面ノ更正 Reduction to mean sea level..... + 0.4

金山 KANAYAMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 2.2

石巻 ISINOMAKI.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.9

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.4
海面ヘノ更正 Reduction to mean sea level + 2.7

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ヘノ更正 Reduction to mean sea level + 5.7

彦根 HIKONE.

大正七年六月

JUNE, 1918

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Form of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 7.8

岐阜 GIHU.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Form of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 1.5

高山 TAKAYAMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly average row.

* 重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 48.1

飯田 IIDA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly average row.

* 重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 44.6

甲府 KÔFU.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity 0.7
海面ノ更正 Reduction to mean sea level + 23.1

松本 MATUMOTO.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 49.7

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 36.0

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.8

宇都宮 UTUNOMIYA.

大正七年六月

JUNE, 1918

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 10.9

足尾 ASIO.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 57.6

福島 HUKUSIMA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds and Cloud Forms. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 5.4

山形 YAMAGATA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds and Cloud Forms. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 13.6

水澤

MIDUSAWA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level..... + 5.6

濱田

HAMADA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... + 1.7

大正七年六月

境

SAKAI.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

宮津

MIYADU.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level..... + 2.7

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level..... + 0.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 1.0

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 2.5

伏木

HUSIKI.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 1.2

相川

AIKAWA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.0

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for KAMO, JPN. Includes daily data from 1 to 30 and a summary row.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud for KAMO, JPN. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 1.1

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for AKITA. Includes daily data from 1 to 30 and a summary row.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud for AKITA. Includes daily data from 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 0.5

青森 AOMORI.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

青森 SUTTU.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 1.5

旭川 ASAHIGAWA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level +10.0

帯廣 OBIHIRO.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 3.6

銅路 KUSIRO.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.1

網走 ABASIRI.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.5

紗那

SYANA

JUNE, 1918

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity + 0.0
海面ノ更正 Reduction to mean sea level + 3.6

大泊

OOTOMARI

JUNE, 1918

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 3.4

眞 麻

MAOKA

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (700 mm +), Wind Direction and Velocity (2, 6, 10, 14, 18, 22 mph), and Amount of Precipitation (22-6, 6-14, 14-22 mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (2, 6, 10, 14, 18, 22 °C), Relative Humidity (2, 6, 10, 14, 18, 22 %), and Cloud Amount and Form (2, 6, 10, 14, 18, 22). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 2.6

落 合

OTAI

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (700 mm +), Wind Direction and Velocity (2, 6, 10, 14, 18, 22 mph), and Amount of Precipitation (22-6, 6-14, 14-22 mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (2, 6, 10, 14, 18, 22 °C), Relative Humidity (2, 6, 10, 14, 18, 22 %), and Cloud Amount and Form (2, 6, 10, 14, 18, 22). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.2
海面ノ更正 Reduction to mean sea level + 0.6

敷香 SIKKA.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity.....+0.3
海面ノ更正 Reduction to mean sea level.....+0.3

釜山 HUSAN.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity.....-0.7
海面ノ更正 Reduction to mean sea level.....+1.3

大正七年六月

大 邸
TAIKU

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

海面ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 4.6

大正七年六月

木 浦
MOPPO

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

海面ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.5

仁川 ZINSEN.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 6.0

京城 KEIZYO.

JUNE, 1918.

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 2.8

大正七年六月

平壤 HEIZYO.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

大正七年六月

江陵 KORYO.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes daily data from 1 to 30 and a monthly summary.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

元山 GENSAN.

JUNE, 1918

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 3.2

城津 ZYOSIN.

JUNE, 1918

大正七年六月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

雄基 YUKIOYS

大正七年六月

六月 JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary.

Vertical text at the bottom of the left page, likely a note or correction regarding the data.

中江鎮 TYŪKŌTIN.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly summary.

Vertical text at the bottom of the right page, likely a note or correction regarding the data.

龍巖浦 RYUGANPO.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

大連 DAIREN.

大正七年六月

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

大正七年六月

旅順 RYOZYUN.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 7.0

大正七年六月

營口 YINKOW.

JUNE, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 30 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes daily data from Day 1 to 30 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.3

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 3.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 18.7