# PATIENTS IN MENTAL INSTITUTIONS

1943



U. S. DEPARTMENT OF COMMERCE

BUREAU OF THE CENSUS

Dougle Coogle

Original from LUNIMERSONAL COMMINISTRATIVE COM



# U. S. DEPARTMENT OF COMMERCE

HENRY A. WALLACE, Secretary

# U. S. BUREAU OF THE CENSUS

J. C. CAPT. Director

# PATIENTS IN MENTAL INSTITUTIONS

# 1943

- Part I. Patients in Hospitals for Mental Disease
- Part II. Patients in Institutions for Mental Defectives and Epileptics
- Part III. Consolidated Data for Mental Defectives and Epileptics

PREPARED UNDER THE SUPERVISION OF
Dr. LEON E. TRUESDELL
Chief, Population Division
Bureau of the Census

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1946

For sale by the Superintendent of Documents, U. S. Government Printing Office Washington 25, D. C.



# BUREAU OF THE CENSUS

J. C. CAPT, Director

PHILIP M. Hauser, Assistant Director

MORRIS H. HANSEN, Statistical Assistant to the Director

RALPH E. GALLOWAY, Executive Assistant to the Director

# POPULATION DIVISION

LEON E. TRUESDELL, Chief

HOWARD G. BRUNSMAN, Assistant Chief

Institutional Statistics—Henry D. Sheldon

п



ć

AUG 8

# 317.3 Un3pm

# **CONTENTS INTRODUCTION**

	rage
Acknowledgment	XXII
Previous enumerations	
Arrangement of report	
Period covered	

### PART I. PATIENTS IN HOSPITALS FOR **MENTAL DISEASE**

	Page	•	Page
Introduction		Movement of population: Additional	
General	1	data in detailed tables	. 15
Classification of hospitals	1	Mental Disorder:	
Hospitals for the permanent care		Admissions and Separations	
of psychiatric patients	1	General	. 16
Hospitals for the temporary care		Mental disorder: Admissions	
of psychiatric patients	1	Type of admission and mental	
Additional information	2	disorder	. 17
Coverage and scope	2	First admissions: Mental disorder	
Coverage	2	and sex	. 20
Scope of information	2	First admissions: Median age,	
Unpublished data	2	mental disorder, and sex	. 22
Arrangement of detailed tables	3	Admissions: Additional data in	
Movement of Population		detailed tables	
	_	Mental disorder: Separations	
General	3	Discharges: Mental disorder	. 24
Patients on the books at the end of		Discharges: Condition on dis-	0.5
the year	6	charge and mental disorder.	. 25
Resident patients in all perma-		Discharges: Additional data in	00
nent-care hospitals per 100,000		detailed tables	
of the population: 1934 to 1943	7	Deaths: Mental disorder	. 27
Resident patients in State hos-		Deaths: Duration of hospital life and mental disorder	. 28
pitals per 100,000 of the popu-	_	Deaths: Additional data in de-	. 40
lation for States	7	tailed tables	<b>. 2</b> 9
Admissions	10		. 20
First admissions to all perma-		Administration	
nent-care hospitals per 100,000		General	
nent-care hospitals per 100,000 of the population: 1934 to 1943 First admissions to State hospi- tals per 100,000 of the popula-	11	Overcrowding	. 30
First admissions to State hospi-		Overcrowding: Additional data	
	10	in detailed tables	
tion for States	12	Administrative staff	. 31
Separations	14	Administrative staff: Additional	^-
Discharges from all permanent-		data in detailed tables	
care hospitals per 1,000		Vacancies in administrative staff.	. 33
patients under treatment: 1934 to 1943		Vacancies: Additional data in	0.0
	14		
Deaths in all permanent-care		Expenditures Additional data	. 34
hospitals per 1,000 patients under treatment: 1934 to 1943_	15	Expenditures: Additional data	9.4
under treatment: 1934 to 1943.	15	in detailed tables	. 34

1121063



Ш

# TEXT TABLES

Table		Page
Table	Movement of Population	1 age
т	Movement of psychiatric patients, with rates, in all hospitals, by type	
••	of hospital and control, for the United States: 1943.	5
П.	Psychiatric patients on books at end of year in all hospitals, by status	J
	on books, and type of hospital and control, for the United States: 1943	6
III.	Resident patients at end of year, with rates, historical, in hospitals for	
	permanent care of psychiatric patients, by type of control of hos-	
	pital, for the United States: 1934 to 1943	8
IV.	Resident patients at end of year, with rates, in hospitals for permanent	
	care of psychiatric patients, by type of control of hospital, by divi-	
	sions and States: 1943	9
V.	First admissions and readmissions to all hospitals for care of psychiatric	
777	patients, by type of hospital and control, for the United States: 1943.	11
V1.	First admissions, with rates, historical, to hospitals for permanent	
•	care of psychiatric patients, by type of control of hospital, for the United States: 1934 to 1943	1 <b>2</b>
VII	First admissions, with rates, to hospitals for permanent care of	12
V 11.	psychiatric patients, by type of control of hospital, by divisions	
	and States: 1943.	13
VIII.	Patients discharged, with rates, historical, from hospitals for permanent	
	care of psychiatric patients, by type of control of hospital, for the	
	United States: 1934 to 1943	14
IX.	Deaths, with rates, historical, in hospitals for permanent care of psy-	
	chiatric patients, by type of control of hospital, for the United	
	States: 1934 to 1943	15
	Mental Disorder: Admissions and Separations	
v	_	
Α.	All admissions (except transfers), to all hospitals for care of psychiatric	
	patients, by mental disorder and type of hospital and control, for the United States: 1943	17
XI.	Mental disorder of first admissions and readmissions to hospitals for	- 11
	permanent care of psychiatric patients, for the United States: 1943_	19
XII.	Mental disorder of male and female first admissions to hospitals for	
	permanent care of psychiatric patients, by type of control of hospital,	
	for the United States: 1943.	21
XIII.	Median age of first admissions, by mental disorder and sex, for hos-	
	pitals for permanent care of psychiatric patients, by type of control	
*****	of hospital, for the United States: 1943	23
XIV.	Mental disorder of patients discharged, by sex, for State, veterans',	
	and county and city hospitals for mental disease, for the United States: 1943.	O.E
χv	Condition on discharge of patients discharged, with psychosis, by	25
AV.	psychosis, for State, veterans', and county and city hospitals for	
	mental disease, for the United States: 1943.	26
XVI.	Mental disorder for deaths, by sex, for State, veterans', and county	
	and city hospitals for mental disease, for the United States: 1943	<b>2</b> 8
XVII.	Median duration of hospital life for deaths, by mental disorder and	
	sex, for State, veterans', and county and city hospitals for mental	
	disease, for the United States: 1943	<b>2</b> 9
XVIII.	Average daily resident-patient population and normal capacity in	
	State and veterans' hospitals for mental disease, and psychopathic	0.1
	hospitals, for the United States: 1941 to 1943	31



Γable	Administration	Page
XIX.	Administrative staff, full-time, with ratios, of State and veterans' hospitals for mental disease, and psychopathic hospitals, by occu-	
	pation, for the United States: 1941 to 1943	32
XX.	Administrative staff, vacancies, in State and veterans' hospitals for mental disease, and psychopathic hospitals, by occupation, for the	
	United States: 1943	33
XXI.	Total and per capita expenditure for maintenance, by purpose, in State and veterans' hospitals for mental disease, and psychopathic	
	hospitals, for the United States: 1941 to 1943	34



# PART II. PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS

	Page		Page
Introduction		Diagnosis: Separations	48
General		Discharges: Condition on dis-	
Classification of institutions		charge and mental status	48
Classification of patients	. 35	Discharges: Additional data in	
Coverage and scope	. 36	detailed tables	49
Coverage	. 36	Deaths: Duration of institutional	
Scope of information	. 36	life and mental status	49
Unpublished data	. 36	Deaths: Additional data in de-	
Arrangement of detailed tables	. 36	tailed tables	49
Movement of Population		Diagnosis of Epileptics:	
General	. 37	Admissions and Separations	
Patients on the books at the end of		General	50
the year	39	Diagnosis: Admissions	50
Resident patients in all institu-		First admissions: Clinical diag-	•
tions per 100,000 of the popu-		nosis and type of control of	
lation: 1934 to 1943	40	institution	50
Admissions		Type of admission and clinical	
First admissions to all institu-	-	diagnosis	51
tions per 100,000 of the popu-		First admissions: Age and clinical	_
lation: 1934 to 1943	41	diagnosis	
Separations		Admissions: Additional data in	
Discharges from all institutions		detailed tables	<b>52</b>
per 1,000 patients under treat-		Diagnosis: Separations	<b>52</b>
ment: 1934 to 1943	. 42	Discharges: Condition on dis-	
Deaths in all institutions per		charge and clinical diagnosis	52
1,000 patients under treat-		Discharges: Additional data in	
ment: 1934 to 1943	. 43	detailed tables	<b>53</b>
Movement of population: Additional		Deaths: Duration of institutional	
data in detailed tables	. 44	life and clinical diagnosis	<b>54</b>
		Deaths: Additional data in de-	
Diagnosis of Mental Defective	s:	tailed tables	54
Admissions and Separations			
General		Administration	
Diagnosis: Admissions	. 44	General	<b>54</b>
First admissions: Mental status		Overcrowding	<b>55</b>
and type of control of institu-	1	Overcrowding: Additional data	
tion	. 44	in detailed tables	
Type of admission, clinical diag-		Administrative staff	55
nosis, and mental status		Administrative staff: Additional	
First admissions: Age and mental	l	data in detailed tables	
status	. 47	Expenditures	<b>57</b>
Admissions: Additional data in		Expenditures: Additional data in	
detailed tables	47	detailed tables	57



# PART II. PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS—Con.

# TEXT TABLES

Table		Page
	Movement of Population	
XXII.	Movement of population, with rates, in all institutions for mental defectives and epileptics, by mental disorder and type of control of institution, for the United States: 1943	38
XXIII.	Patients on books at end of year in all institutions for mental defectives and epileptics, by status on books, mental disorder, and type of control of institution, for the United States: 1943	39
XXIV.	Resident patients at end of year, with rates, historical, in all institutions for mental defectives and epileptics, by type of control of institution, for the United States: 1934 to 1943	40
XXV.	First admissions and readmissions to all institutions for mental defectives and epileptics, by mental disorder and type of control of institution, for the United States: 1943	41
XXVI.	First admissions, with rates, historical, to all institutions for mental defectives and epilepti s, by type of control of institution, for the United States: 1934 to 1943	42
XXVII.	Patients discharged, with rates, historical, from all institutions for mental defectives and epileptics, by type of control of institution, for the United States: 1934 to 1943	43
XXVIII.	Deaths, with rates, historical, in all institutions for mental defectives and epileptics, by type of control of institution, for the United States: 1934 to 1943	43
	Diagnosis of Mental Defectives: Admissions and Separations	
	Mental status of mentally defective first admissions, by sex, for all institutions for mental defectives and epileptics, by type of control of institution, for the United States: 1943	45
XXX.	Clinical diagnosis of mentally defective first admissions and readmissions, by mental status, for public institutions for mental defectives and epileptics, for the United States: 1943	46
XXXI.	Age and mental status of mentally defective first admissions, by sex, for public institutions for mental defectives and epileptics, for the United States: 1943	47
XXXII.	Condition on discharge and mental status of mental defectives discharged from public institutions for mental defectives and epileptics, for the United States: 1943	48
XXXIII.	Duration of institutional life for deaths of mental defectives, by mental status, in public institutions for mental defectives and epileptics, for the United States: 1943	49
	Diagnosis of Epileptics: Admissions and Separations	
XXXIV.	Clinical diagnosis of epileptic first admissions, by sex, for all institutions for mental defectives and epileptics, by type of control of institution, for the United States: 1943	50
XXXV.	Clinical diagnosis of epileptic first admissions and readmissions for public institutions for mental defectives and epileptics, for the United States: 1943	51



Table	Page
XXXVI. Age and clinical diagnosis of epileptic first admissions, by sex, for public institutions for mental defectives and epileptics, for the United States: 1943	52
XXXVII. Condition on discharge and clinical diagnosis of epileptics discharged from public institutions for mental defectives and epileptics, for the United States: 1943	53
XXXVIII. Duration of institutional life for deaths of epileptics, by clinical diagnosis, in public institutions for mental defectives and epileptics, for the United States: 1943	54
Administration	
XXXIX. Average daily resident-patient population and normal capacity in public institutions for mental defectives and epileptics, for the	
United States: 1941 to 1943	55 56
XLI. Total and per capita expenditure for maintenance, by purpose, of public institutions for mental defectives and epileptics, for the United States: 1941 to 1943	57
PART III. CONSOLIDATED DATA FOR MENTAI DEFECTIVES AND EPILEPTICS	L Page
Introduction	58
Scope	58
Arrangement of detailed tables.  Mental defectives	58 58
First admissions	56 58
Admissions to public hospitals and institutions, by type of admission	58
Separations from public hospitals and institutions, by type of separation.	59
Epileptics	59
First admissions	59

Admissions to public hospitals and institutions, by type of admission....

Separations from public hospitals and institutions, by type of separation...



**59** 

**5**9

# **DETAILED TABLES**

PAR	T I. PATIENTS IN HOSPITALS FOR MENTAL DISE	ASE
Table	Movement of Population	Page
1.	Movement of psychiatric patients, summary, in all hospitals by type of hospital and control, by sex, for the United States: 1943	60
2.	Movement of population, historical, in State, veterans', county and city, and private hospitals for mental disease, for the United States: 1934 to 1943	61
3.	Movement of population, historical, in State hospitals for mental disease, for the United States: 1934 to 1943	62
4.	Movement of population, historical, in veterans' hospitals for mental disease, for the United States: 1934 to 1943	62
5.	Movement of population, historical, in county and city hospitals for mental disease, for the United States: 1934 to 1943	63
6.	Movement of population, historical, in private hospitals for mental disease, for the United States: 1934 to 1943	63
7.	Movement of population in State, veterans', county and city, and private hospitals for mental disease, by sex, by divisions and States: 1943_	64
8.	Movement of population in State hospitals for mental disease, by sex, by divisions and States: 1943	69
9.	Movement of population in veterans' hospitals for mental disease, by sex, by States: 1943	74
10.	Movement of population in county and city hospitals for mental disease, by sex, by States: 1943	77
11.	Movement of population in private hospitals for mental disease, by sex, by States: 1943	78
12.	Movement of population in psychopathic hospitals, by sex, by States:	82
13.	Movement of population in psychiatric wards of general hospitals, by sex, by divisions and States: 1943	83
	Mental Disorder: Admissions	
14.	All first admissions to State, veterans', county and city, and private hospitals for mental disease, by mental disorder and age, for the United States: 1943	86
15.	Male first admissions to State, veterans', county and city, and private hospitals for mental disease, by mental disorder and age, for the United States: 1943	87
16.	Female first admissions to State, veterans', county and city, and private hospitals for mental disease, by mental disorder and age, for the United States: 1943.	88
17.	All first admissions and readmissions to State hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943.	89
18.	Male first admissions and readmissions to State hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943	90
19.	Female first admissions and readmissions to State hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943	91



Table	
20.	All first admissions and readmissions to veterans' hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943
21.	All first admissions and readmissions to county and city hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943
22.	Male first admissions and readmissions to county and city hospitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943
23.	Female first admissions and readmissions to county and city lespitals for mental disease, by mental disorder, with age for first admissions, for the United States: 1943
24.	All first admissions to private hospitals for mental disease, by mental disorder and age, for the United States: 1943
<b>25</b> .	Male first admissions to private hospitals for mental disease, by mental disorder and age, for the United States: 1943
2౮.	Female first admissions to private hospitals for mental disease, by mental disorder and age, for the United States: 1943
27.	All first admissions and readmissions to psychopathic hospitals, by mental disorder, with age for first admissions, for the United States:  1943
28.	Male first admissions and readmissions to psychopathic hospitals, by mental disorder, with age for first admissions, for the United States:  1943
29.	Female first admissions and readmissions to psychopathic hospitals, by mental disorder, with age for first admissions, for the United States: 1943
30. 31.	All admissions (except transfers) to psychiatric wards of general hospitals, by mental disorder and sex, for the United States: 1943All first admissions to State hospitals for mental disease, by mental
32.	disorder and sex, by States: 1943All readmissions to State hospitals for mental disease, by mental disorder and sex, by States: 1943
33.	All first admissions to State hospitals for mental disease, by age and sex, by States: 1943
	Mental Disorder: Discharges
34.	All patients discharged from State hospitals for mental disease, by condition on discharge, mental disorder, and sex, for the United States:  1943
<b>3</b> 5.	All patients discharged from veterans' hospitals for mental disease, by condition on discharge and mental disorder, for the United States: 1943_
36.	All patients discharged from county and city hospitals for mental disease, by condition on discharge, mental disorder, and sex, for the United States: 1943
37.	All patients discharged from psychopathic hospitals, by condition on discharge, mental disorder, and sex, for the United States: 1943
38.	All patients discharged from State hospitals for mental disease, by mental disorder and sex, by States: 1943



Table		Page
<b>3</b> 9.	All patients discharged from State hospitals for mental disease, by condition on discharge, by divisions and States: 1943	130
40.	Males discharged from State hospitals for mental disease, by condition on discharge, by divisions and States: 1943	131
41.	Females discharged from State hospitals for mental disease, by condition on discharge, by divisions and States: 1943	132
	Mental Disorder: Deaths	
42.	All deaths in State hospitals for mental disease, by duration of hospital	
43.	life and mental disorder, for the United States: 1943 Male deaths in State hospitals for mental disease, by duration of hos-	133
44.	pital life and mental disorder, for the United States: 1943Female deaths in State hospitals for mental disease, by duration of hos-	134
45.	pital life and mental disorder, for the United States: 1943All deaths in veterans' hospitals for mental disease, by duration of hos-	135
46.	pital life and mental disorder, for the United States: 1943All deaths in county and city hospitals for mental disease, by duration	136
47.	of hospital life and mental disorder, for the United States: 1943 Male deaths in county and city hospitals for mental disease, by duration	137
48.	of hospital life and mental disorder, for the United States: 1943 Female deaths in county and city hospitals for mental disease, by duration of hospital life and mental disorder, for the United States:	138
49.	All deaths in psychopathic hospitals, by duration of hospital life, mental	139
10.	disorder, and sex, for the United States: 1943	140
50.	All deaths in State hospitals for mental disease, by mental disorder and sex, by States: 1943	142
51.	All deaths in State hospitals for mental disease, by duration of hospital life, by divisions and States: 1943	148
<b>52.</b>	Male deaths in State hospitals for mental disease, by duration of hospital life, by divisions and States: 1943	149
53.	Female deaths in State hospitals for mental disease, by duration of hospital life, by divisions and States: 1943	150
	Administration	
54.	Average daily resident-patient population and normal capacity of State and veterans' hospitals for mental disease, and of psychopathic hospitals, for the United States: 1941 to 1943	151
55.	Administrative staff, full-time and part-time, of State and veterans hospitals for mental disease, and psychopathic hospitals, by occupation and sex, for the United States: 1941 to 1943	152
56.	Administrative staff, vacancies, in State and veterans' hospitals for mental disease, and psychopathic hospitals, by occupation, for the	
57.	United States: 1943	155
58.	Average daily resident-patient population and normal capacity of State hospitals for mental disease, by divisions and States: 1943 and 1942	157
<b>5</b> 9.	Administrative staff, full-time, of State hospitals for mental disease, by occupation, by divisions and States: 1943	158
60.	Expenditure, total and per capita, of State hospitals for mental disease, by purpose of expenditure, by divisions and States: 1943	160



# PART II. PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS

Table	Movement of Population	Pag
61.	Movement of population, summary, in all institutions for mental defectives and epileptics, by type of control of institution, mental disorder,	1 48
	and sex, for the United States: 1943	16
62.	Movement of population, historical, in all institutions for mental defectives and epileptics, for the United States: 1934 to 1943	163
63.	Movement of population, historical, in public institutions for mental defectives and epileptics, for the United States: 1934 to 1943	16
64.	Movement of population, historical, in private institutions for mental defectives and epileptics, for the United States: 1934 to 1943	16
65.	Movement of population in all institutions for mental defectives and epileptics, by mental disorder and sex, for States: 1943	16
66.	Movement of population in public institutions for mental defectives and epileptics, by mental disorder and sex, for States: 1943	180
67.	Movement of population in private institutions for mental defectives and epileptics, by mental disorder and sex, for States: 1943	19
	Diagnosis of Mental Defectives: Admissions and Separations	
68.	All first admissions of mental defectives to all institutions for mental defectives and epileptics, by type of control of institution, mental status, and sex, for the United States: 1943	20:
69.	All first admissions and readmissions of mental defectives to public institutions for mental defectives and epileptics, by mental status, clinical diagnosis, and sex, for the United States: 1943	203
70.	All first admissions of mental defectives to public institutions for mental defectives and epileptics, by age, mental status, and sex, for the United States: 1943	20
71.	All first admissions of mental defectives to all institutions for mental defectives and epileptics, by type of control of institution, mental status, and sex, for States: 1943	20
72.	All first admissions of mental defectives to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943	21
73.	Male first admissions of mental defectives to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943.	21:
74.	Female first admissions of mental defectives to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943_	21
<b>7</b> 5.	All mental defectives discharged from public institutions for mental defectives and epileptics, by condition on discharge, mental status, and sex, for the United States: 1943	21
76.	All mental defectives discharged from public institutions for mental defectives and epileptics, by mental status and sex, by divisions and	
77.	States: 1943	21.
78.	and sex, for the United States: 1943	21
	tives and epileptics, by mental status and sex, by divisions and States:	21



Table	Diagnosis of Epileptics: Admissions and Separations
79.	All first admissions of epileptics to all institutions for mental defectives and epileptics, by type of control of institution, clinical diagnosis, and sex, for the United States: 1943
80.	All first admissions and readmissions of epileptics to public institutions for mental defectives and epileptics, by clinical diagnosis and sex, for the United States: 1943
81.	All first admissions of epileptics to public institutions for mental defectives and epileptics, by age, clinical diagnosis, and sex, for the United States: 1943
82.	All first admissions of epileptics to all institutions for mental defectives and epileptics, by type of control of institution, clinical diagnosis, and sex, for States: 1943
83.	All first admissions of epileptics to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943
84.	Male first admissions of epileptics to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943
<b>85.</b>	Female first admissions of epileptics to public institutions for mental defectives and epileptics, by age, by divisions and States: 1943
86.	All epileptics discharged from public institutions for mental defectives and epileptics, by condition on discharge, clinical diagnosis, and sex, for the United States: 1943
87.	All epileptics discharged from public institutions for mental defectives and epileptics, by clinical diagnosis and sex, by divisions and States:  1943
88.	All deaths of epileptics in public institutions for mental defectives and epileptics, by duration of institutional life, clinical diagnosis, and sex, for the United States: 1943.
89.	All deaths of epileptics in public institutions for mental defectives and epileptics, by clinical diagnosis and sex, by divisions and States: 1943
	Administration
90.	Average daily resident-patient population and normal capacity of public insitutions for mental defectives and epileptics, for the United States: 1941 to 1943
91.	Administrative staff, full-time and part-time, of public institutions for mental defectives and epileptics, by occupation and sex, for the United States: 1943 and 1942.
92.	Annual total expenditure of public institutions for mental defectives and epileptics, by purpose of expenditure, for the United States: 1941 to 1943
93.	Average daily resident-patient population and normal capacity of public institutions for mental defectives and epileptics, by divisions and States: 1943 and 1942
94.	Administrative staff, full-time, of public institutions for mental defectives and epileptics, by occupation, by divisions and States: 1943
95.	Expenditure, total and per capita, of public institutions for mental defectives and epileptics, by divisions and States: 1943



# PART III. CONSOLIDATED DATA FOR MENTAL DEFECTIVES AND EPILEPTICS

<b>Cable</b>	
96.	First admissions, mental defectives, to all institutions for permanent care of mental patients, by type of institution and control, by divisions and States: 1943
97.	First admissions and readmissions of mental defectives to public institutions for permanent care of mental patients, by type of institution, by divisions and States: 1943
98.	Discharges and deaths of mental defectives in public institutions for permanent care of mental patients, by type of institution, by divisions and States: 1943
99.	First admissions, epileptics, to all institutions for permanent care of mental patients, by type of institution and control, by divisions and States: 1943
100.	First admissions and readmissions of epileptics to public institutions for permanent care of mental patients, by type of institution, by divisions and States: 1943
101.	Discharges and deaths of epileptics in public institutions for permanent care of mental patients, by type of institution, by divisions and States: 1943



# APPENDIX A. HOSPITALS FOR MENTAL DISEASE: COVERAGE AND CLASSIFICATION

Coverage
State, veterans', and psychopathic hospitals
County, city, and private hospitals
Psychiatric wards of general hospitals
Number of hospitals reporting: 1934 to 1943
Number of hospitals reporting administrative statistics
Classification
Irregular classifications
Change of classification
Table A.—Hospitals reporting data on mental patients, by type of hospital and control: 1934 to 1943
APPENDIX B. INSTITUTIONS FOR MENTAL
DEFECTIVES AND EPILEPTICS:
COVERAGE AND CLASSIFICATION
COVERAGE AND CLASSIFICATION  Coverage
Coverage
CoverageState and city institutions Private institutions
CoverageState and city institutions
Coverage State and city institutions Private institutions Number of institutions reporting: 1934 to 1943



# DATA PRESENTED AND DATA AVAILABLE ON PATIENTS IN HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES AND FOR STATES: 1943

[Numbers indicate detailed tables in which specified subjects and classifications appear; the designation, "a," data which are available but not presented; and a dash, data which are not available]

			THE UNI	THE UNITED STATES							STATES			
SUBJECT AND CLASSIFICATION		Hospitals	Hospitals for permanent care	it care		Hospitals for temporary care	s for	н	ospitals f	or perma	Hospitals for permanent care		Hospitals for temporary care	als for
	Total	State	Veterans'	County and city	Private	Psycho- pathic	Gen- eral	Total	State	Veter- ans'	County and city	Pri- vate	Psycho- pathic	Gen- eral
Movement of Population: 1943. Male. Female.									∞∞∞	000	999	===	222	133
MOVEMENT OF POPULATION: 1934 TO 1943	67	3	4	10	9	đ		1				-	es	-
ALL Admissions Except Transpers: 1943  By mental disorder  Male.  Female		17-19 17 18 19	200 a a	21–23 21 22 23 23		27–29 27 28 29	8888		a a a a	<b>a a a</b>	***		ಡೆಡೆಡೆಡೆ	ಡ ಹ ಹ ಹ
First Addressions  By mental disorder and age.  Female.  By mental disorder.  Male.  Female.  By age.  Male.  Female.	1,2,14–16 15 15 16 16 17 17 18 16 16 16 16 16 16 16 16 16 16 16 16 16	1,3,17-19,31,33 17-19 18 11,33 17,31 18,31 19,33 18,33 18,33 18,33 18,33	1,4,20 20 20 20 20 20 20 20	1,5,21-23 22 22 23 23 22 22 22 22 22 22 23	1,6,24-26 25-26-26 26-28-28-28-28-28-28-28-28-28-28-28-28-28-	1,27-29 22-28 22-27 23-27 24-28 26-28	-	7	8,31,33 8 8 8 8 31 8 31 8 33 8 33 8 33 8 33 8	ರಾ ಹೆಡುವ ಮನೆ ಮನೆ ಮೆ	10 <b>4 4 4 4 4</b> 4 4 4 4 4 4 4 4 4 4 4 4 4 4		173	g
Rakdursstons. By mental disorder. Mate. Female	1,2	1,3,17-19,32 17,32 18,32 19,32	1.4 20 20	1,5,21–23 21 22 23	1,6	1,27–29 27 28 29	-	7	8888	೦ ಜೆ ಜೆ ಜೆ	010 8 8 8	=	12 a a	1111 13
Discharges  By mental disorder and condition on discharge  Male  Female  By mental disorder  Male  Female	1,2	1,3,34,38-41 34,38 34,38 34,38 34,38 34,38	1.4. 35.3 4 4 35.4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1,5,36 36 36 36 36 36 36	1,6	1,37 337 37 37 87	-	7	8,38-41 8 88 38	Co et et et et et	01 44444	=	123	13



	CT a a a a a a a a a		d d d	ot ot
a a a	0			
et et et	<b>್</b> ನನನನನನನನನನ		a   a a	et et
39 41 41	8,50–53 8 8 8 8 8 8 8 9 8 9 8 9 8 9 8 9	58	59 59	09
	-			
377	1, 4,4, 9,4,4, 9,4,4, 9,4,4, 9,4,4,4,4,4,	444	55,56 55 55 55	57
1	1,6			
36	1,5,46–48 47 47 48 46 47 47 47 48 48 48 48 48 48 48 48 48 48 48 48 48			
ाटु <b>ब</b> ब	1,45 155 168 168 168 168 168 168 168 168 168 168	54 45	55,56 55 55 56	57
34,39 34,40 34,41	1,3,42-44,50-53 42,50 43,50 43,50 44,53 44,53	54,58 54 54,58	55,56,59 55 55,59 55,59 56	57,60 57 57,60
	2,1			
Discharges—Continued By condition on discharge. Male Female	1111111111	NORMAL CAPACITY AND AVERAGE DAILY POPULATION————————————————————————————————————	Administratuve Stare  By occupation, type of employment, and sex: 1941 to 1943. Full-time, by occupation: 1943. Vacancies, by occupation: 1943.	111

DATA PRESENTED AND DATA AVAILABLE ON PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, AND ON MENTAL DEFECTIVES AND EPILEPTICS IN HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES AND FOR STATES: 1943 Numbers indicate detailed tables in which smerified subjects and classification

[Numbers indicate detailed tables in which specified su	bjects and	subjects and classifications appear; the designation, "a," data which are available but not presented; and a dash, data which are not available	ar; the de	signation, "a," da	a which are avail	able but no	t presented;	and a da	sh, data which ar	not available
		T.	THE UNITED STATES	BTATES				86	STATES	
SUBJECT AND CLASSIFICATION	All insti-	Public institutions	Private insti-		Institutions for mental dedefectives and epileptics and hospitals for mental disease	All insti-	Public institu-	Private insti-	Institutions for mental defectives and epileptics and hospitals for mental disease	Institutions for mental defectives and epileptics and bospitals for mental disease
	tutions		tutions	IIV	Public	tutions	tions	tutions	NAII	Public
ALL PATIENTS										
MOVEMENT OF POPULATION: 1943	196	61 61 61	61			888	888	67 67 67		
Movement of Population: 1934 to 1943.	62	63	64							
MENTAL DEFECTIVES										
Motblent of Population: 1943. Male. Female	222	61 61 61	2 2 2 2			383	999	64		
ALL ADMISSIONS EXCEPT TEAMSTERS: 1943. By clinical diagnosis and mental status.	ď	69	đ	87	97	æ	es es	æ	26	26
Male. Female		88								
		<b>88</b>					<b>6</b> 6			
Female By mental status		69 90			1		<b>ब्द</b> व्य			
Male Female		<b>3 3</b>					at at			
First Adultsions By clinical disgnosis and mental status	61,68	61,68-70,72-74 69	61,68	96	96	65,71	66,71-74	67,71	96	96
Male Female		8					i ca c			
By mental status and age.		223					1 et et			
Female		10					- d			



a a a a a a a a a a a a a a a a a a a	97 97 97	76 67 98 98 98 98 98 98 98 98 98 98 98 98 98	88 4 4 4 8 8 8 4 4 4 4 4 4 4 4 4 4 4 4
	9	65 66,76 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	99
222			100 100
	26	8	8
	26	86	88
8888	61	61	61
69 69 68-70 68-70 68-70 70,72 70,73	61,69 636 696 696 696 696 696 696 696 696 6	61,75,76 75 75 75,76 75,76 75,76 75,76 75,76 75,76	87,77 77 77 87,77 87,77 77,78
8888	19	01	19
First Admissions—Continued By clinical diagnosis Male Female By mental status Male Female Female Female Female Female Female Female	Read Missions  By clinical diagnosis and mental status.  Male.  Female  By matel status.  Male.  Female	Discharges  By mental status and condition on discharge  Male Female  Female  By condition on discharge.  Female  Female  Female	Deaths By mental status and duration of institutional life Male. Female By mental status Male. Female By duration of institutional life. Male. Male. Female.

DATA PRESENTED AND DATA AVAILABLE ON PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND ÉPILEPTICS, AND ON MENTAL DEFECTIVES AND EPILEPTICS IN HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES AND FOR STATES: 1943

[Numbers indicate detailed tables in which specified subjects and classifications appear; the designation, "a," data which are available but not presented; and a dash, data which are not available

		T	THE UNITED STATES	STATES				R	STATES	
SUBJECT AND CLASSIPICATION	All insti-	Public institutions	Private insti-	Institutions for mental defectives and epileptics and hospitals for mental disease	Institutions for mental efectives and epileptics and hospitals for mental disease	All insti-	Public institu-	Private insti-	Institutions for mental defectives and epileptics and hospitals for mental disease	Institutions for mental defectives and epileptics and hospitals for mental disease
	tutions		tutions	All	Public	tutions	tions	tutions	АЛ	Public
EPILEPTICS										
MOVEMENT OF POPULATION: 1943	199	61	619			655	99	67		
A A A A A A A A A A A A A A A A A A A		10	10			co.	99	70	900	9
ALL ADMISSIONS EXCEPT HANSFERS: 1940.  By clinical diagnosis.  Male.  Female.	d	8888	ot	100	100	et	et	et	100	100
First Admissions	61,79	61,79,80,81,	61,79	66	66	65,82	66,82-85	67,82	66	66
By clinical diagnosis and age	-	83-85					ಡ		•	
Female		20.00	-				<b>ದ</b> ದ	-		
By clinical diagnosis	79	79–81	79			85	85	85		
Female	79	79-81	79			88	288	82		
Made Famels		81,84					3 20 2			
r chiance	-	60,10	-			-	6			
Readmissions. By clinical diagnosis.	61	61,80	61	100	100	65	66 a	29	100	100
Male. Female		08 08 08 08					ದ ವ			
DISCHARGES.  Ry alinical discensis and condition on discharge	61	61,86,87	61	101	101	65	66,87	29	101	101
Male. Female		98 98					3 63 63			
r omarc		20	-				6	-	-	



877 877 887	61 101 101 65 66,89 67 101 101 101 101 101 101 101 101 101 10	93 93 94 94 95
88.87 78.88 77.88.8 86.87 88 88 88 88	20 20 20 20 20 20 20 20 20 20 20 20 20 2	90,93 90 91,94 91,94 92,95 92,95 92,95
Discrange—Continued By clinical disgnosts Male. Female By condition on discharge. Female. Female.		NORMAL CAPACITY AND AVERAGE DAILY POPULATION  1941 to 1943  1943 and 1942  ADMINISTRATIVE STAFF  By occupation, type of employment, and sex: 1943 and 1942.  Full-time, by occupation: 1943  EXPRINITURES  By purpose: 1941 to 1943.  For maintenance, by purpose: 1943

# PATIENTS IN MENTAL INSTITUTIONS: 1943 INTRODUCTION

This report, presenting statistics on patients in hospitals for mental disease and in institutions for mental defectives and epileptics, is based on the eighteenth annual census of patients in mental institutions. It was prepared by Dr. Henry D. Sheldon, under the supervision of Dr. Leon E. Truesdell, Chief, Population Division, and Howard G. Brunsman, Assistant Chief.

Acknowledgment.—The generous cooperation of each of the institution superintendents and of the various State and Federal officials through whom data were supplied, without which the publication of this report would not be possible, is gratefully acknowledged.

Previous enumerations.—The Bureau of the Census has collected data on persons with mental disease and with mental deficiency since 1840. Through 1890 these inquiries were a part of the Population schedule, supplemented in 1880 by a special schedule mailed to physicians. Special censuses of institutionalized patients were conducted in 1904 and again in 1910.

The first census in essentially its present form was conducted in 1923. The plans for this census were worked out in collaboration with the National Committee for Mental Hygiene which, in the preceding years, had been active in laying the ground work for uniform national statistics on mental patients and had conducted several annual enumerations. The inquiry of 1923 covered all types of mental institutions and emphasized primarily the classification of mental patients by diagnosis. The classifications used were the standard classifications recommended by the American Psychiatric Association, the American Association for Mental Deficiency (then known as the American Association for the Study of Epilepsy (now amalgamated with the American Psychiatric Association).

Annual enumerations of patients in mental institutions were begun in 1926 and have continued to the present time. Between 1926 and 1932 the inquiry was confined to State hospitals for mental disease and State institutions for mental defectives and epileptics with one exception; in 1931 the enumeration covered veterans', county and city, private, and psychopathic hospitals.

XXIII



Since 1933 the inquiry has covered all types of hospitals and institutions. Collection of data from the psychiatric wards of general hospitals on an annual basis began in 1939. Although these enumerations have been generally similar in the type of information collected, there has been some variation in their scope. Particularly noteworthy in this respect are the enumerations conducted for 1923, 1933, and 1939, in which information on diagnosis was collected, not only for admissions and separations, but also for resident patients.

Arrangement of report.—The text of this report is arranged in three parts, designated as follows: Part I, "Patients in Hospitals for Mental Disease"; Part II, "Patients in Institutions for Mental Defectives and Epileptics"; and Part III, "Consolidated Data for Mental Defectives and Epileptics." As implied by the title, Part III presents data for all mental defectives and epileptics, including both those in hospitals for mental disease and in institutions for mental defectives and epileptics.

The parts are arranged in three major sections. The first section deals with statistics on the movement of population; the second, with clinical data on admissions and separations; and the third, with administrative statistics. Within each section the arrangement is by subject, and for each subject, separate data are presented for institutions under each type of control.

The detailed tables of this report are arranged in essentially the same manner as the text. Summary statements on the arrangement of detailed tables for Part I and Part II appear respectively in the introduction to those parts.

Period covered.—The data on patients in institutions cover either the calendar year 1943 or the fiscal year that ended during that calendar year. Most State institutions find it more convenient to report for the fiscal year, since their data are customarily compiled for their own reports on that basis. Financial data always cover the fiscal year.



# PART I. PATIENTS IN HOSPITALS FOR MENTAL DISEASE INTRODUCTION

### General

This part of the report presents statistics on the movement of patients in hospitals for mental disease and on the characteristics of these patients. Additional information is presented on overcrowding, administrative staff, and expenditures for certain classes of hospitals. The statistics presented are for the calendar year 1943 or the fiscal year ending in 1943.

Statistics on patients in mental hospitals are significant primarily in providing data on the problem of the care of psychiatric patients. They also provide a basis for inferences as to the extent and incidence of mental disease as a whole and of specific mental disorders in particular. Such inferences, however, should be made with some caution. The number of patients under care in hospitals for mental disease, and the number of admissions to these hospitals, are influenced not only by the extent and incidence of mental disease in the general population but also by the ease with which a prospective patient may be hospitalized and the severity of the behavior problem involved. Consequently, statistics on hospital population and admissions tend to understate the true extent and incidence of mental disease, and the distribution of first admissions by type of mental disorders is not necessarily identical with that which would be found in the general population.

## Classification of Hospitals

The hospitals for mental disease covered in this census are operated by a variety of agencies, that is, under varying types of control. Because of the variation in administrative procedure and function, statistics are presented separately for each of the various administrative groups.

The data for all hospitals are first classified, however, according to two major types in terms of permanence of care: (a) Hospitals for the permanent care of psychiatric patients and (b) hospitals for the temporary care of psychiatric patients. These two major classes are defined below with an indication of the subdivisions of each group by type of control. A detailed discussion of the allocation to these two groups of certain exceptional cases, and of changes in classification of certain hospitals in comparison with the classification shown in previous years, appears in Appendix A.

Hospitals for the permanent care of psychiatric patients.—Permanent-care hospitals as defined for this report comprise those which provide care for chronic patients for an unlimited period. These hospitals, of course, also receive patients for short periods of time for observation and diagnosis.

The permanent-care hospitals are subdivided further into four groups according to type of control: (a) State, (b) Veterans' Administration, (c) county and city, and (d) private hospitals. The classification by type of control is not completely rigid, however; several hospitals not under State control are classified as State hospitals because they serve essentially that purpose.

Hospitals for the temporary care of psychiatric patients.—Temporary-care hospitals as defined for this report comprise those hospitals whose principal function is observation and diagnosis. These hospitals, after a relatively short period of time, either discharge the patients under observation or transfer



them to hospitals for permanent care. The temporary-care hospitals are further classified into two groups: (a) Psychopathic hospitals and (b) general hospitals with psychiatric wards. Psychopathic hospitals differ from general hospitals in that they are in the main devoted to the exclusive care of psychiatric patients and generally provide facilities for teaching and research.

Additional information.—A detailed discussion of exceptional classifications, and of changes in classification, appears in Appendix A.

# Coverage and Scope

Coverage.—The statistics presented here are based on information received from 591 hospitals for mental disease. Schedules were returned by 186 State hospitals, 31 veterans' hospitals, 75 county and city hospitals, 186 private hospitals, 8 psychopathic hospitals, and 105 general hospitals which reported information on the patients in their psychiatric wards.

The information reported was substantially complete for all State hospitals except two. Estimates for these hospitals have been included in the statistics in order to make them comparable with statistics for State hospitals in previous years. Because of changes in the terminal date of the fiscal year in Massachusetts, New York, and Maryland, the statistics reported by the State hospitals in these States cover only a nine-month period. The statistics presented for those State hospitals represent the nine-month figures adjusted to an annual basis. The reporting for veterans' hospitals and psychopathic hospitals was complete. There were a number of county and city, private, and general hospitals which did not return schedules, and no estimates were made for them because adequate data were not available. There is reason to believe, however, that, with the exception of general hospitals, the number of patients involved was small. Statistics for the psychiatric wards of general and station hospitals operated by the armed forces which appeared in the reports for the years 1939 to 1941, are not included. A detailed discussion of coverage for each class of hospital appears in Appendix A.

Scope of information.—The census included inquiries on movement of population classified by sex of patient; first admissions by mental disorder, age, and sex; readmissions by mental disorder and sex; discharges by mental disorder, condition on discharge, and sex; deaths by mental disorder, duration of hospital life, and sex; number of persons comprising the administrative staff of hospitals by occupation and sex; and annual expenditures of hospitals by purpose. All of this information was requested of State, veterans', county and city, and psychopathic hospitals, but only data on movement of population and first admissions were requested of private and general hospitals.

Unpublished data.—Because of space limitations, statistics are not presented for all of the information collected. Statistics on first admissions, discharges, and deaths cross-classified by mental disorder and by age, condition on discharge, and duration of hospital life, respectively, are presented only for the United States. Likewise, statistics on characteristics of first admissions, discharges, and deaths, and on overcrowding, administrative staff, and expenditures are presented by divisions and States only for State hospitals. A detailed statement of data available and data presented appears in the tabular index on pages XVI through XXI.

The unpublished data can be made available upon request, for the cost of transcribing or reproducing them. Requests for such statistics, addressed



to the Director of the Census, Washington 25, D. C., will receive a prompt reply which will include an estimate of the cost of preparing the data.

### **Arrangement of Detailed Tables**

The detailed tables presented in this part (Part I) are arranged by subject. Statistics on the movement of population are presented in tables 1 to 13, on admissions in tables 14 to 33, on discharges in tables 34 to 41, on deaths in tables 42 to 53 and on overcrowding, administrative staff, and expenditures in tables 54 to 60. Within the series for each subject, statistics are shown first for the United States as a whole, followed by data for divisions and States. Within each area group the tables are further arranged according to type of hospital.

### MOVEMENT OF POPULATION

### General

Statistics on the movement of population represent a formal accounting of the flow of patients in and out of institutions during the course of the year. These statistics provide a point of departure for most of the data which are conventionally presented for hospitals for mental disease.

The classification employed involves four major categories: Patients on the books at the beginning of the year, admissions, separations, and patients on the books at the end of the year.

Each of these categories is susceptible to further classification. Patients on the books are classified with reference to their actual presence or absence in the hospital, admissions according to whether or not there was a previous commitment, and separations according to whether occasioned by discharge or by death.

At the beginning of 1943 there were 573,014 patients under the care (that is, on the books) of all hospitals for mental disease. By the end of the year this number had risen to 574,735, representing an increase of 1,721, or 0.3 percent (table I). Although the coverage for hospitals providing permanent care is practically complete, these figures understate the total number of patients under care, since statistics for general and station hospitals operated by the armed forces are not included.

During the year, 267,237 patients were separated from the care of all hospitals; of these, 172,856 were discharged and 51,218 died. The remaining 43,163 separations do not represent patients actually removed from the hospital population but rather patients who were transferred from one hospital to another.

The 268,958 patients admitted to all hospitals for mental disease during the year comprise not only patients who entered the hospital population, but also those who, already in hospital population, were transferred from the care of one hospital to another. Because of differences in record keeping, patients transferred from the psychiatric wards of general hospitals and certain psychopathic hospitals appear as first admissions or readmissions in the records of the hospitals for permanent care to which they are transferred. Furthermore, neither type of hospital recognizes previous treatment in the other type in classifying patients as first admissions or readmissions. Consequently, the figures presented in table I exaggerate the number of both first admissions and readmissions to the hospital population during the year.



Because of the complications arising from these differences in systems of record keeping, and because relatively little information is available on patients in the psychiatric wards of general hospitals, most of the statistics presented on patients in mental hospitals are limited to those from hospitals providing permanent care for psychiatric patients.

The statistics on the movement of population reflect the essential differences between hospitals providing permanent care for psychiatric patients and those providing temporary care. For the former type of hospital there were only 29.6 admissions and 29.3 separations per 100 patients on the books at the beginning of the year, whereas for the latter type of hospitals the comparable rates were 1,809.6 and 1,806.3, respectively. Of the separations from permanent-care hospitals, 65.0 percent were discharges, 28.1 percent were deaths, and 6.9 percent were transfers. Discharges appeared in about the same proportion among separations from temporary-care hospitals, but deaths constituted 4.5 percent, and transfers 31.4 percent, of the separations.



TABLE I.—MOVEMENT OF PSYCHIATRIC PATIENTS, WITH RATES, IN ALL HOSPITALS, BY TYPE OF HOSPITAL AND CONTROL, FOR THE UNITED STATES: 1943
[Figures based on table 1]

	All	P	ERMANEN	C-CARE H	OSPITALS			ORARY-C	
MOVEMENT OF POPULATION	hos- pitals	Total	State	Veter-	County and city	Pri- vate	Total	Psycho- pathic	Gen- eral
Patients on books at beginning of year.	573,014	567,423	496,136	34,976	23,298	13,013	5,591	383	5,20
In hospital	504,339	498,828	432,254	33,135	21,508	11,931	5,511	303	5,20
In family care <sup>1</sup> In other extramural care	2,038 66,637	2,038 66,557	2,038 61,844	1,841	1,790	1,082	80	80	
Admissions during year	268,958	167,783	113,842	17,291	4,380	32,270	101,175	3,711	97,46
First admissions Readmissions Transfers	2196,893 261,569 10,496	118,402 38,999 10,382	82,650 24,048 7,144	12,159 3,740 1,392	2,912 733 735	20,681 10,478 1,111	278,491 222,570 114	2,790 807 114	<sup>2</sup> 75,70 <sup>2</sup> 21,76
Separations during year	267,237	166,245	116,382	13,618	4,449	31,796	100,992	3,592	97,40
Discharges From hospital From extramural care Transfers Deaths In hospital In extramural care	172,856 121,761 51,095 43,163 51,218 50,472 746	108,095 57,089 51,006 11,442 46,708 45,962 746	67,377 21,592 45,785 8,188 40,817 40,245 572	11,451 8,626 2,825 479 1,688 1,653 35	1,744 721 1,023 582 2,123 2,039 84	27,523 26,150 1,373 2,193 2,080 2,025 55	64,761 64,672 89 31,721 4,510 4,510	3,024 2,935 89 490 78 78	61,73 61,73 31,23 4,43 4,43
Patients on books at end of year	574,735	568,961	493,596	38,649	23,229	13,487	5,774	502	5,27
In hospital In family care <sup>1</sup> In other extramural care	506,227 2,055 66,453	500,564 2,055 66,342	430,958 2,055 60,583	35,953 2,696	21,297 1,932	12,356	5,663	391 	5,27
PERCENT DISTRIBUTION									
Patients on books at beginning of year.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100
In hospital	88.0	87.9	87.1	94.7	92.3	91.7	98.6	79.1	100
In hospital In family care¹ In other extramural care	0. <b>4</b> 11.6	0.4 11.7	0.4 12.5	5.3	7.7	8.3	1.4	20.9	
Admissions during year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100
First admissions	73.2 22.9	70.6 23.2	72.6 21.1	70.3 21.6	66.5 16.7	64.1 32.5	77.6 22.3	75.2 21.7	77 22
Transfers	3.9	6.2	6.3	8.1	16.8	3.4	0.1	3.1	
Separations during year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100
Discharges From hospital From extramural care. Transfers Deaths In hospital In extramural care.	64.7 45.6 19.1 16.2 19.2 18.9 0.3	65.0 34.3 30.7 6.9 28.1 27.6 0.4	57.9 18.6 39.3 7.0 35.1 34.6 0.5	84.1 63.3 20.7 3.5 12.4 12.1 0.3	39.2 16.2 23.0 13.1 47.7 45.8 1.9	86.6 82.2 4.3 6.9 6.5 6.4 0.2	64.1 64.0 0.1 31.4 4.5 4.5	84.2 81.7 2.5 13.6 2.2 2.2	63 63 32 4 4
Patients on books at end of year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100
In hospital	88.1	88.0	87.3	93.0	91.7	91.6	98.1	77.9	100
In family care! In other extramural care  RATE PER 100 PATIENTS ON ROOKS AT REGINNING OF	0.4 11.6	0.4 11.7	0.4 12.3	7.0	8.3	8.4	1.9	22.1	
BOOKS AT BEGINNING OF YEAR  All admissions	46.9 46.6	29.6 29.3	22.9 23.5	49.4 38.9	18.8 19.1	248.0 244.3	1,809.6 1,806.3	968.9 937.9	1,871 ]1,870

<sup>1</sup> State hospitals only.



<sup>&</sup>lt;sup>2</sup> Includes estimated distribution of figures for "Type of admission not reported" shown in table 13.

# Patients on the Books at the End of the Year

The patients on the books of hospitals for mental disease comprise not only those in actual residence but also others in the custody of these hospitals. Of the latter group, some are in family care and others are on parole, visit, or in other types of extramural care which are variously designated from State to State. The classification of patients on the books presented here is as follows:

1. In hospital: Patients actually in residence in hospitals (that is, resident patients).

2. In extramural care: Patients in the custody of hospitals but not in actual residence.

a. In family care: Patients not recovered sufficiently to be paroled or discharged, who have been placed in private families in the community, other than their own, with remuneration to the family by the hospital. The practice of providing family care for patients is confined to State hospitals and this classification appears only when data involving State hospitals are presented.

b. In other extramural care: Patients in extramural care other than family care. A majority of these patients are to be found on parole, a type of care in which the ability of the patient to adjust to normal community life is tested. Since the patient is retained on the books of the hospital, he may be returned to the hospital in the event he fails to make the adjustment. The provisions under which patients are paroled vary widely from State to State. In addition to patients on parole, this category includes patients on temporary and trial visits, escaped patients, and patients absent from the hospital for other

At the end of 1943, almost all of the patients under the care of hospitals for mental disease were under the supervision of hospitals providing permanent care. These hospitals accounted for 99.0 percent of all patients under care, 98.9 percent of the resident patients, all of the patients in family care, and 99.8 percent of the patients in other forms of extramural care (table II). The vast majority of the patients in these various categories were found in State hospitals, which exercised supervision over 85.9 percent of all patients on the books, 85.1 percent of the patients in hospitals, all of the patients in family care, and 91.2 percent of the patients in other forms of extramural care.

TABLE II.—PSYCHIATRIC PATIENTS ON BOOKS AT END OF YEAR IN ALL HOSPITALS, BY STATUS ON BOOKS, AND TYPE OF HOSPITAL AND CONTROL, FOR THE UNITED STATES: 1943

	[Fig	gures based	l on table	1]				
	PSYCHI	ATRIC PAT	IENTS ON	воокѕ	P	ERCENT D	ISTRIBUTIO	N
TYPE OF HOSPITAL AND CONTROL	Total	In hospital	In family care 1	In other extra- mural care	Total	In hospital	In family care	In other extra- mural care
All hospitals	574,735	506,227	2,055	66,453	100.0	100.0	100.0	100.0
Permanent-care hospitals State	568,961 493,596 38,649 23,229 13,487	500,564 430,958 35,953 21,297 12,356	2,055 2,055	66,342 60,583 2,696 1,932 1,131	99.0 85.9 6.7 4.0 2.3	98.9 85.1 7.1 4.2 2.4	100.0	99.8 91.2 4.1 2.9 1.7
Temporary-care hospitals Psychopathic General	5,774 502 5,272	5,663 391 5,272		111 111	1.0 0.1 0.9	1.1 0.1 1.0		0.2 0.2

State hospitals only.



Resident patients in all permanent-care hospitals per 100,000 of the population: 1934 to 1943.—In the ten-year period between 1934 and 1943, 1943 was the only year in which the hospitalization rate for all permanent-care hospitals fell below the corresponding rate for the preceding year. The number of resident patients in all permanent-care hospitals per 100,000 of the total population was 366.7 at the end of 1943 as compared with 369.8 at the end of 1942 (table III). It is possible that this decrease reflected the impact of wartime conditions on administrative procedures in the care of the mentally diseased fully as much, if not more, than it reflected any decrease in the incidence of mental disease. The total population including the armed forces overseas was used as a base for the rates under consideration on the assumption that all serious psychiatric cases arising in the armed forces eventually found their way into civilian hospitals. The marked increase in the resident population of veterans' hospitals between 1942 and 1943, and particularly the similar, but larger, increase in first admissions (see table VI) to the same hospitals, support this assumption. On the other hand, it is probable that many cases, which, under normal peacetime conditions, would have received treatment for short periods of time in civilian hospitals, received such treatment in hospitals operated by the armed forces, and did not appear in the statistics presented here for civilian hospitals.

The rates for State hospitals illustrate the same problem. These rates, based on civilian population, show an increase between 1942 and 1943. This increase is the result, however, of a decrease in the estimated civilian population between July 1, 1942, and July 1, 1943, rather than any increase in the patient population of State hospitals. The civilian population was selected as the base for the computation of rates for State hospitals on the assumption that most of the psychiatric cases discharged from the armed forces in need of hospitalization were hospitalized in veterans' hospitals. Again, the increase in the population of veterans' hospitals and the slight decrease in the population of State hospitals between 1942 and 1943 gives a certain validity to this assumption. It is clear, however, that some persons discharged from the armed forces in need of hospitalization were given treatment in State hospitals. Consequently, the rates presented for State hospitals probably overstated the true rate in the same way that it was understated by the rates presented for all hospitals. Rates for State hospitals, based on the total population, of course, would show a greater relative decrease between 1942 and 1943 than the corresponding rates presented for all hospitals.

Apart from the adjustments made with respect to the armed forces, the existence of certain segments of the total population which, for all practical purposes, are not exposed to the risk of hospitalization, and the variation in the date of the "end of the year" from hospital to hospital, have not been taken into account for the computation of hospitalization rates. The nature of the data on resident patients and of the available data on the base population does not warrant these refinements.

Resident patients in State hospitals per 100,000 of the population for States.—At the end of 1943 the rate of hospitalization in State hospitals for mental disease, per 100,000 of the estimated civilian population, was 338.2 for the whole United States (table IV). The rate was higher in the New England Division (486.9) and in the Middle Atlantic Division (460.3), but was lower in each of the other divisions. Among the States the highest rates occurred in New York (595.3) and Massachusetts (565.0), and the lowest in Arizona (178.3).



TABLE III.—RESIDENT PATIENTS AT END OF YEAR, WITH RATES, HISTORICAL, IN HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1934 TO 1943

[Figures based on tables 2 to 6]

	RES	SIDENT PATI	ENTS AT I	END OF YE	AR		PERCENT	OF TOTAL		RAT	E 1
YEAR	Total	State hospitals	Veter- ans' hos- pitals	County and city hos- pitals	Private hos- pitals	State hos- pitals	Veter- ans' hos- pitals	County and city hos- pitals	Private hos- pitals	Total	State hos- pitals
1943 1942 1941 1940 1939	500,564 497,938 490,506 480,637 472,385	430,958 432,550 417,315 410,427 400,017	35,953 32,348 30,443 29,951 28,653	21,297 21,256 31,812 29,581 32,463	12,356 11,784 10,936 10,678 11,252	86.1 86.9 85.1 85.4 84.7	7.2 6.5 6.2 6.2 6.1	4.3 4.3 6.5 6.2 6.9	2.5 2.4 2.2 2.2 2.4	366.7 369.8 368.2 364.2 360.9	*338.2 *330.5 *317.2 311.0 305.6
1938 1937 1936 1935 1934	457,983 445,031 432,131 416,926 403,519	384,573 374,043 364,403 353,305 341,485	26,599 24,483 21,960 18,276 17,894	35,980 34,829 34,743 34,703 33,839	10,831 11,676 11,025 10,642 10,301	84.0 84.3 84.7 84.6	5.8 5.5 5.1 4.4 4.4	7.9 7.8 8.0 8.3 8.4	2.4 2.6 2.6 2.6 2.6	352.8 345.5 337.5 327.6 319.3	296.2 290.4 284.6 277.6 270.2

<sup>&</sup>lt;sup>1</sup> Represents number of resident patients per 100,000 of the estimated total population as of July 1 of the specified year. Since these rates are based on revised population estimates, they may differ slightly from corresponding rates previously published.

<sup>2</sup> Based on estimated civilian population as of July 1.

The rate for the District of Columbia (809.1) has been excluded from this comparison since its mental hospital, St. Elizabeths Hospital, admits patients not only from the District of Columbia but from all parts of the country. Its facilities must allow for the care of patients who would otherwise be treated in Army, Navy, Marine, or Veterans' Administration Hospitals. Wisconsin has also been excluded from this comparison, since, as integral units in the State system for the care of the mentally diseased, county hospitals account for 77.2 percent of all resident patients. An examination of the percentage distribution by type of hospital within each State (table IV) will indicate the States in which it is necessary to take into account the presence of large groups of patients in county and city hospitals.

Inferences from the statistics for all permanent-care hospitals as to differentials in the extent and incidence of mental disease among the various States should be made with considerable caution. In these statistics, patients are classified by the State of hospitalization rather than by State of residence prior to hospitalization. For most of the patients in State and county and city hospitals, the State of hospitalization and State of residence are identical, but such is not the case for an appreciable proportion of patients in veterans' and private hospitals. Consequently, the figures presented for the States in which veterans' and private hospitals are located tend to be greater, and the figures for States in which there are neither veterans' nor private hospitals tend to be less, than the State figures which would have been obtained had the classification been made uniformly by State of residence. In 1943 the situation was further complicated by the presence of members of the armed forces in considerable numbers in certain States, who, in the event they were hospitalized, would probably not be hospitalized in the State in which they were residing on July 1. Therefore, State hospitalization rates for all hospitals have not been shown for 1943, and the rates for State hospitals have been based on the estimated civilian population.



TABLE IV .- RESIDENT PATIENTS AT END OF YEAR, WITH RATES, IN HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, BY DIVISIONS AND STATES: 1943

[Figures based on tables 7 to 11]

	PE	SIDENT PAT	IENTS AT 1	ND OF VE	A P	,	PERCENT (	P TOTAL		
DIVISION AND STATE	Total	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Private hos- pitals	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Pri- vate hos- pitals	Rate (Sta hos- pital
United States_	500,564	430,958	35,953	21,297	12,356	86.1	7.2	4.3	2.5	338
NEW ENGLAND	43,769	39,552	2,296		1,921	90.4	5.2		4.4	486
Maine	2,679	2,664			15	99.4			0.6	334
New Hampshire Vermont	2,299 1,818	2,282 1,065			17 753	99.3 58.6			0.7 41.4	503 333
Massachusetts	25,942	23,231	2,296		415	89.5	8.9		1.6	565
Rhode Island Connecticut	2,921 8,110	2,783 7,527			138 583	95.3 92.8			4.7 7.2	400 430
MIDDLE ATLANTIC	136,293	119,984	6,824	5,881	3,604	88.0	5.0	4.3	2.6	460
New York	79,867	75,009	3,435		1,423	93.9	4.3		1.8	595
New Jersey Pennsylvania	19,184 37,242	11,124 33,851	1,756 1,633	5,881	423 1,758	58.0 90.9	9.2 4.4	30.7	2.2 4.7	271 361
				0.120		80.1		0.2		
Chio	98,771 21,979	79,097 19,698	8,540 1,710	$\frac{9,139}{275}$	$\frac{1,995}{296}$	89.6	7.8	$\frac{9.3}{1.3}$	$\frac{2.0}{1.3}$	304
Indiana	10,699	8,992	1,581	210	126	84.0	14.8	1.0	1.2	269
Illinois	34,707	30,838	3,382		487	88.9	9.7		1.4	410
Michigan Wisconsin	19,901 11,485	17,623 1,946	1,544 323	8,864	734 352	88.6 16.9	7.8 2.8	77.2	3.7 3.1	329 66
WEST NORTH CENTRAL	46,926	38,715	2,567	4,541	1,103	82.5	5.5	9.7	2.4	311
Minnesota	11,689	10,459	1,122		108	89.5	9.6		0.9	408
Iowa	9,588	6,592	1,445	1,179	372	68.8	15.1	12.3	3.9	287
Missouri North Dakota	12,606 2,003	8,760 2,003		3,362	484	69.5 100.0		26.7	3.8	371
South Dakota	1,601	1,601				100.0				291
Nebraska Kansas	4,377 5,062	4,300 5,000			77 62	98.2 98.8			1.8 1.2	363 296
South Atlantic	58,937	53,572	3,739	101	1,525	90.9	6.3	0.2	2.6	302
Delaware	1,165	1,165				100.0				429
Maryland Dist. of Columbia <sup>2</sup> _	9,370 6,669	6,801 6,669	1,422	101	1,046	72.6 100.0	15.2	1.1	11.2	343 809
Virginia	10,850	9,429	1,314		107	86.9	12.1		1.0	342
West Virginia	3,998	3,998				100.0				228
North Carolina	7,697 4,714	7,510 4,688			187 26	97.6 99.4			2.4 0.6	223 260
Georgia	9,298	8,136	1,003		159	87.5	10.8		1.7	273
Florida	5,176	5,176				100.0				263
East South Central	27,097	21,803	4,088	985	221	80.5	15.1	3.6	0.8	214
Kentucky Tennessee	7,117 7,503	6,305 5,854	711 590	985	101 74	88.6 78.0	10.0 7.9	13.1	1.4 1.0	$\frac{242}{207}$
Alabama	7,505	5,497	1,975	900	33	73.2	26.3	10.1	0.4	200
Mississippi	4,972	4,147	812		13	83.4	16.3		0.3	209
West South Central.	35,826	31,849	3,608		369	88.9	10.1		1.0	257
Arkansas Louisiana	6,026 6,665	4,592 6,397	1,434		268	76.2 96.0	23.8		4.0	255 275
Oklahoma Texas	7,537 15,598	7,505	2,174		32 69	99.6 85.6	13.9		0.4	369 213
		13,355			100					
Mountain	13,100	11,121	1,759		220	100.0	13.4		1.7	397
Idaho	1,078	1,078				100.0				230
Wyoming	1,336	614	722		204	46.0	54.0		3.8	265
Colorado New Mexico	5,416 903	4,175 887	1,037		16	77.1 98.2	19.1		1.8	393 181
Arizona	998	998				100.0				178
Utah Nevada	1,099 381	1,099 381				10 <b>0.0</b> 10 <b>0.0</b>	•••••			189 298
Pacific	39,845	35,265	2,532	650	1,398	88.5	6.4	1.6	3.5	333
Washington	7,599	6,898	695		6	90.8	9.1		0.1	37
Oregon	4.715	4,127	583		5	87.5	12.4		0.1	35
California	27,531	24,240	1,254	650	1,387	88.0	4.6	2.4	5.0	31

<sup>1</sup> Represents number of resident patients in State hospitals per 100,000 of the estimated civilian population as of July 1.
2 St. Elizabetha Hospital: Figures include patients admitted from outside the District of Columbia. At the end of 1943 the number of patients from the District was 4,420, or 536.2 patients per 100,000 of the population.

Original from UNIVERSITY OF MINN

Digitized by

### Admissions

All of the patients who enter a hospital for mental disease during the course of a year are designated as admissions. Of these admissions, those representing patients shifted from the supervision of one hospital to another are designated as transfers. Since transfers do not represent additions to the total hospital population, and presumably have already appeared in statistics on first admissions or readmissions, they are not given detailed consideration in this report.

Admissions other than transfers are classified as first admissions or readmissions. In theory the distinction between these two types of admissions is simple: First admissions comprise patients who have received no previous treatment in a mental hospital, and readmissions, patients who have received such treatment. In practice the classification by type of admission is somewhat more complicated, since it is necessary to establish the fact of previous hospitalization. It is apparent that hospitals which retain patients under their supervision for an extended period of time will have at their disposal considerably more information as to the past history of the patients than those hospitals which retain patients only for a period of temporary care and observation. Consequently, there is some variation from one type of hospital to another in the classification by type of admission.

In the statistics presented here, first admissions and readmissions are defined as follows:

1. First admissions: For permanent-care hospitals (hospitals for permanent care of psychiatric patients), this category comprises patients admitted without a record of previous admission to, or discharge from, that, or any other, permanent-care hospital.

For psychiatric wards of general hospitals, this category comprises patients admitted without a record of previous admission to, and discharge from, the psychiatric ward of that particular hospital.

2. Readmissions: For permanent-care hospitals, this category comprises patients admitted with a record of previous admission to, and discharge from, that, or any other, permanent-care hospital.

For psychiatric wards of general hospitals, this category com-

For psychiatric wards of general hospitals, this category comprises patients admitted with a record of previous admission to, and discharge from, the psychiatric ward of that particular hospital.

The classification of admissions to psychopathic hospitals varies from State to State. In the psychopathic hospitals of some States, these patients are classified in the same way that admissions to permanent-care hospitals are classified. In the psychopathic hospitals of other States, however, these patients are classified in the same way that admissions to the psychiatric wards of general hospitals are classified. Because of this variation in the classification of admissions, psychopathic hospitals have been classified as hospitals for the temporary care of psychiatric patients, although the information which they furnish on the characteristics of their patients is in every way comparable to that furnished by hospitals for the permanent care of psychiatric patients.

Since transfers from the psychiatric wards of general hospitals are classified as first admissions or readmissions in hospitals for permanent care, the figures presented for all hospitals in table V represent the total number of transactions rather than the total number of separate individuals admitted during the course of the year.

Even with these qualifications, the proportion of all first admissions and readmissions accounted for by permanent-care hospitals was appreciably less than the proportion of all resident patients in these hospitals. Hospitals for permanent care accounted for only 60.9 percent of all first admissions and

646075-46-3



readmissions but for almost all of the resident patients. The two sets of figures for State hospitals show essentially the same difference.

Among hospitals for permanent care, the greatest proportion of readmissions (33.6 percent) was reported by private hospitals, and the least (20.1 percent) by county and city hospitals. The difference between permanent-care and temporary-care hospitals in the proportion of readmissions is in all probability a function of the limited definition of readmissions in the latter type of hospital. Not all of the temporary-care hospitals reported separate statistics for first admissions and readmissions. The figures presented in table V for these two classes of admissions were estimated on the assumption that the distribution by type of admission and sex was the same for hospitals not reporting type of admission or sex as it was for hospitals which reported these items.

TABLE V.—FIRST ADMISSIONS AND READMISSIONS TO ALL HOSPITALS FOR CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF HOSPITAL AND CONTROL, FOR THE UNITED STATES: 1943

		[Figures ba	sed on table	: 1]					
	ALL ADMISSI	ons (except	Transfers)	PERCE	NT DISTRI	BUTION	PERCENT OF TOTAL		
TYPE OF HOSPITAL AND CONTROL	Total	First ad- missions	Read- missions	Total	First ad- missions	Read- missions	First ad- missions	Read- missions	
All hospitals	258,462	1196,893	¹61,569	100.0	100.0	100.0	76.2	23.8	
Permanent-care hospitals State Veterans' County and city Private	157,401 106,698 15,899 3,645 31,159	118,402 82,650 12,159 2,912 20,681	38,999 24,048 3,740 733 10,478	60.9 41.3 6.2 1.4 12.1	60.1 42.0 6.2 1.5 10.5	63.3. 39.1 6.1 1.2 17.0	75.2 77.5 76.5 79.9 66.4	24.8 22.5 23.5 20.1 33.6	
Temporary-care hospitals Psychopathic General	101,061 3,597 97,464	178,491 2,790 175,701	122,570 807 121,763	39.1 1.4 37.7	39.9 1.4 38.4	36.7 1.3 35.3	77.7 77.6 77.7	22.3 22.4 22.3	

<sup>&#</sup>x27;Includes estimated distribution of figures for "Type of admission not reported" shown in table 13.

First admissions to all permanent-care hospitals per 100,000 of the population: 1934 to 1943.—In all hospitals providing permanent care for psychiatric patients the number of first admissions per 100,000 of the total population increased from 76.7 in 1934 to 86.7 in 1943 (table VI). Most of this increase occurred in the period between 1934 and 1937. The rate for the latter year (85.5) was, with the exception of 1943, the highest for any year in the ten-year period. The increase in the first admission rate between 1942 and 1943 is, in the main, the result of sharp increases in first admissions to veterans' hospitals. The first admission rate for State hospitals, based on the civilian population, shows a slight increase, although again, as in the case of the hospitalization rate, the increase in the rate resulted from a decrease in the civilian population rather than an actual increase in the number of first admissions from 1942 to 1943.

The rates presented in table VI for all permanent-care hospitals are based on estimates of the total population as of July 1 of the indicated year. The rates for State hospitals are based on the same estimates with the exception of those for 1941, 1942, and 1943 which are based on estimates of the civilian population as of July 1 of the indicated year. These exceptions have been made for the reasons discussed in connection with table III.



TABLE VI.—FIRST ADMISSIONS, WITH RATES, HISTORICAL, TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1934 TO 1943

[Figures based on tables 2 to 6]

		FIRS	T ADMISS	IONS		1	ERCENT	L	RATE1		
YEAR	Total	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Private hospitals	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Private hospitals	Total	State hos- pitals
1943	118,402	82,650	12,159	2,912	20,681	69.8	10.3	2.5	17.5	86.7	264.9
1942	114,102	84,835	6,280	3,375	19,612	74.4	5.5	2.0	17.2	84.7	264.8
1941	113,181	84,201	5,320	6,968	16,692	74.4	4.7	6.2	14.7	85.0	264.0
1940	109,565	81,899	5,841	5,851	15,974	74.7	5.3	5.3	14.6	83.0	62.1
1939	110,773	81,655	6,126	6,713	16,279	73.7	5.5	6.1	14.7	84.6	62.4
1938	110,323	79,408	6,142	8,133	16,640	72.0	5.6	7.4	15.1	85.0	61.5
1937	110,082	78,217	4,445	8,569	18,851	71.1	4.0	7.8	17.1	85.5	60.
1936	105,994	76,309	3,565	7,908	18,212	72.0	3.4	7.5	17.2	82.8	59.
1935	101,462	72,438	2,697	9,990	16,337	71.4	2.7	9.8	16.1	79.7	56.9
1934	96,933	69,934	2,545	9,750	14,704	72.1	2.6	10.1	15.2	76.7	55.

<sup>&</sup>lt;sup>1</sup> Represents number of first admissions per 100,000 of the estimated total population as of July 1 of the specified year Since these rates are based on revised population estimates, they may differ slightly from corresponding rates previously published.

<sup>2</sup> Based on estimated civilian population as of July 1.

First admissions to State hospitals per 100,000 of the population for States. —During 1943 the first admission rate for State hospitals for mental disease, per 100,000 of the estimated civilian population, was 64.9 (table VII). The rate was higher in the New England Division (93.4), the Middle Atlantic Division (79.7), and the Pacific Division (81.6), but was lower in the other divisions. Among the States, the highest rates occurred in New Hampshire (115.4) and New York (104.1), and the lowest in New Mexico (36.6). As in the case of the discussion of hospitalization rates, the District of Columbia has been excluded from this comparison. Likewise, the difficulties in making interstate comparisons in the hospitalization rate apply equally to the first admission rate. The rates presented in table VII are based on estimates of the civilian population as of July 1.



TABLE VII .- FIRST ADMISSIONS, WITH RATES, TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, BY DIVISIONS AND STATES: 1943

		[Figure	s based o	n tables	7 to 11]					
		FIRST	ADMISSI	ONS		P	ERCENT (	OF TOTAL		
DIVISION AND STATE	Total	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Private hospitals	State hos- pitals	Vet- erans' hos- pitals	County and city hos- pitals	Private hos-pitals	Ratel (State hos- pitals)
United States	118,402	82,650	12,159	2,912	20,681	69.8	10.3	2.5	17.5	64.9
NEW ENGLAND	9,503	7,588	308		1,607	79.8	3.2		16.9	93.4
Maine	468 588 377 4,996 671 2,403	439 523 229 4,205 562 1,630	308		29 65 148 483 109 773	93.8 88.9 60.7 84.2 83.8 67.8	6.2		6.2 11.1 39.3 9.7 16.2 32.2	55.0 115.4 71.7 102.3 80.9 93.3
MIDDLE ATLANTIC	27,169 15,542	20,780	1,571	1,157	$\frac{3,661}{2,020}$	76.5 84.4	$\frac{5.8}{2.6}$	4.3	$\frac{13.5}{13.0}$	$\frac{79.7}{104.1}$
New Jersey Pennsylvania	4,584 7,043	2,218 5,445	838 328	1,157	371 1,270	48.4 77.3	18.3 4.7	25.2	8.1 18.0	54.1 58.2
EAST NORTH CENTRAL	23,237	15,420	2,044	832	4,941	66.4	8.8	3.6	21.3	59.3
Ohio	5,150 2,474 8,109 4,741 2,763	3.449 1,332 6,380 3,081 1,178	168 260 703 836 77	826	1,527 882 1,026 824 682	67.0 53.8 78.7 65.0 42.6	3.3 10.5 8.7 17.6 2.8	29.9	29.7 35.7 12.7 17.4 24.7	50.4 40.0 84.9 57.6 39.9
WEST NORTH CENTRAL	9,504	6,141	474	433	2,456	64.6	5.0	4.6	25.8	49.4
Minnesota Iowa Missouri	2,701 2,005 2,530	1,700 1,098 1,443	176 298	86	825 523 740	62.9 54.8 57.0	6.5 14.9	4.3 13.7	30.5 26.1 29.2	66.5 47.9 40.0
North Dakota South Dakota Nebraska	318 269 748	318 269 557			191	100.0 100.0 74.5			25.5	58.9 49.0 47.0
KansasSouth Atlantic	933 14,278	756 11,084	1,218	20	1,956	81.0 77.6	8.5	0.1	19.0 13.7	44.8 62.7
Delaware Maryland District of Columbia <sup>2</sup>	225 2,259 2,150	225 1,167 2,150	336	20	736	100.0 51.7 100.0	14.9	0.9	32.6	83.0 59.0 260.8
Virginia	2,674 1,077 2,100 1,023	1,981 1,077 1,604 946	543		150 496 77	74.1 100.0 76.4 92.5	20.3		23.6 7.5	71.9 61.5 47.6 52.6
Georgia Florida	1,964 806	1,128 806	339		497	57.4 100.0	17.3		25.3	37.9 41.0
EAST SOUTH CENTRAL	8,941	4,853	3,009	218	861	54.3	33.7	2.4	9.6	47.8
Kentucky Tennessee Alabama Mississippi	1,676 2,332 3,212 1,721	1,303 1,158 1,052 1,340	240 634 1,926 209	218	133 322 234 172	77.7 49.7 32.8 77.9	14.3 27.2 60.0 12.1	9.3	7.9 13.8 7.3 10.0	50.2 41.1 38.3 67.5
WEST SOUTH CENTRAL	9,749	6,168	2,191		1,390	63.3	22.5		14.3	49.8
Arkansas Louisiana Oklahoma Texas		1,331 1,000 1,412 2,425	1,518		490 522 378	66.4 67.1 73.0 56.1	33.6		32.9 27.0 8.7	74.2 43.1 69.5 38.8
Mountain	2,952	1,965	321		666	66.6	10.9		22.6	49.2
Montana Idaho. Wyoming. Colorado. New Mexico. Arizona Utah.	- 1,158 303 369 320	260 224 102 405 179 369 320	110 211		542 124	100.0 100.0 48.1 35.0 59.1 100.0 100.0	51.9 18.2		46.8 40.9	54.7 47.9 44.1 38.1 36.6 65.9 55.2
Nevada	106	106 8,651	1,023	252	3,143	100.0	7.8	1.9	24.0	83.1
Washington Oregon California	1,856 1,221 9,992	1,520 924 6,207	227 296 500	252	109 1 8,038	81.9 75.7 62.1	12.2 24.2 5.0	2.5	5.9 0.1 30.4	81.9 79.6 81.9

<sup>&</sup>lt;sup>1</sup>Represents number of first admissions to State hospitals per 100,000 of the estimated civilian population as of July 1.

<sup>2</sup>St. Elizabeths Hospital: Figures include patients admitted from outside the District of Columbia. Of the total admissions during 1943 1,426 out of 2,444 were admitted from outside the District; 1,018 were from the District.



## **Separations**

All of the patients who are removed from the custody of hospitals for mental disease are designated as separations. Separations representing patients shifted from the supervision of one hospital to another are designated as transfers. Since the total population of all hospitals is not decreased by transfers, and since these patients will appear eventually in the statistics as discharges or deaths, they are given no detailed consideration here. Separations other than transfers are the result of discharge or death, either of which may occur while the patient is in the hospital or in extramural care. The nature of the classification of deaths and discharges is indicated below:

1. Discharges: Patients who are formally removed from the custody of the hospital. Such patients may be discharged directly from the hospital or from extramural care. However, since practices with respect to extramural care vary so widely from hospital to hospital as to introduce a serious lack of comparability within each of these classes, detailed data are presented only for all discharges.

2. Deaths: Like discharges, deaths may occur while the patient is in the hospital or while he is in extramural care. In conformity to conventional procedure in hospital statistics, however, detailed statistics are presented only for those deaths occurring in hospitals.

Discharges from all permanent-care hospitals per 1,000 patients under treatment: 1934 to 1943.—The number of discharges per 1,000 patients under treatment in hospitals for the permanent care of psychiatric patients increased from 147.1 in 1934 to 165.1 in 1943 (table VIII). Substantial increases occurred in 1937, and in each year after 1940. The discharge rate for State hospitals followed much the same pattern of increase, increasing 15.0 points in the entire period.

The rates presented in table VIII are based on the number of patients under treatment in the indicated types of hospitals during the year. For the purposes of this report, patients under treatment comprise resident patients at the end of the year, all discharges, and deaths in the hospital during the year.

TABLE VIII.—PATIENTS DISCHARGED, WITH RATES, HISTORICAL, FROM HOS-PITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1934 TO 1943

		PAT	IENTS DISCHAR	GED		BATE <sup>1</sup>		
YEAR	Total	State hospitals	Veterans' hospitals	County and city hospitals	Private hospitals	Total	!State hospitals	
1943	108,095	67,377	11,451	1,744	27,523	165.1	125.1	
	102,732	64,696	8,970	2,048	27,018	160.4	121.6	
	97,892	61,898	8,658	4,908	22,428	156.1	120.8	
	93,461	58,596	8,646	4,303	21,916	152.9	116.9	
	91,863	57,606	8,354	4,117	21,786	152.9	117.8	
1938	90,909	56,756	7,480	4,863	21,810	155.4	120.2	
	87,449	52,377	6,102	5,114	23,856	153.2	114.1	
	81,210	48,420	5,440	5,059	22,291	147.4	108.9	
	77,707	46,090	3,426	7,465	20,726	146.9	107.5	
	75,423	45,867	3,255	7,202	19,099	147.1	110.1	

<sup>1</sup>Represents number of patients discharged per 1,000 patients under treatment. "Patients under treatment" comprise resident patients at the end of the year, all discharges during the year, and deaths in hospitals during the year.



Deaths in all permanent-care hospitals per 1,000 patients under treatment: 1934 to 1943.—The death rates presented in table IX indicate a sharp increase in mortality during 1943. In 1942 there were 62.0 deaths per 1,000 patients under treatment in all hospitals for the permanent care of psychiatric patients, whereas, in 1943 this figure was 70.2. This rate was higher than that for any year between 1934 and 1942, and represents an increase of 9.5 points from the low of 60.7 which occurred in 1939. The death rate for State hospitals showed essentially the same trend at a slightly higher level. Only deaths of resident patients are taken into consideration in the computation of the type of rates presented in table IX.

TABLE IX.—DEATHS, WITH RATES, HISTORICAL, IN HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1934 TO 1943

Figures	based	on	tables	2	to	61	

		NU	MBER OF DEAT	HS		RATE1			
YEAR	Total	State hospitals	Veterans' hospitals	County and city hospitals	Private hospitals	Total	State hospitals		
1943	45,962	40,245	1,653	2,039	2,025	70.2	74.7		
1942	39,734 38,807	34,872 33,397	1,445 1,340	$\frac{1,701}{2,597}$	1,716 1,473	$62.0 \\ 61.9$	65.5 65.2		
1940	37,134	32,157	1,301	2,461	1,215	60.8	64.2		
1939	36,439	31,451	1,170	2,594	1,224	60.7	64.3		
1938	36,263	30,977	1,078	2,848	1,360	62.0	65.6		
937	38,270	32,752	1,011	3,028	1,479	67.1	71.3		
936	37,661	32,004	918	3,188	1,551	68.4	71.9		
935	34,166	29,297	569	3,198	1,102	64.6	68.3		
1934	33,872	29,098	511	3,149	1,114	66.1	69.9		

<sup>&</sup>lt;sup>1</sup>Represents number of deaths per 1,000 patients under treatment. See footnote <sup>1</sup>, table VIII.

#### Movement of Population: Additional Data in Detailed Tables

In detailed table 1 statistics are presented on the movement of population in 1943, classified by type of hospital and type of control, and by sex, for the United States.

Annual statistics for the United States on the movement of population in the period 1934 to 1943 are presented for all permanent-care hospitals in table 2, for State hospitals in table 3, for veterans' hospitals in table 4, for county and city hospitals in table 5, and for private hospitals in table 6.

Statistics for divisions and States on the movement of population in 1943 are presented for all permanent-care, State, veterans', county and city, and private hospitals in tables 7 to 11, and for psychopathic and general hospitals in tables 12 and 13.



## MENTAL DISORDER: ADMISSIONS AND SEPARATIONS General

The classification of mental patients by psychosis, or by mental disorder, is basic to the study of mental disease. The classification used here is the revision adopted by the American Psychiatric Association in 1934. Because the terminology differs somewhat from that used in the census of 1934, an exact comparison of the statistics presented here with those for 1934 and earlier years is not possible for certain groups of psychoses. The arrangement is such, however, that direct comparisons can be made among the major psychoses.

This classification divides mental disorders into two major groups, those with psychosis and those without psychosis. The group "With psychosis" is further subdivided into 21 special groups of psychoses, with an additional group for "Other, undiagnosed, and unknown." The group "Without psychosis" is subdivided into 7 definite groups of mental disorders, with an additional group indicated as "Other, unclassified, and unknown." Beginning with the 1942 report a further class, "Mental disorder not reported," was added in order to provide for admissions, discharges, or deaths for which data on diagnosis are not available.

#### Mental Disorder: Admissions

Since, as indicated earlier in this report, there is some duplication among admissions to permanent-care and temporary-care hospitals, the figures presented in table X represent the number of diagnoses made rather than the number of different patients diagnosed on admission to hospitals for mental disease. Statistics for private hospitals are not presented in table X because data on the diagnosis of readmissions are not available.

The three most frequent specific diagnoses in each type of hospital for which statistics on the diagnoses of admissions are available are presented below in the order of frequency with which they were made in 1943.

SELECTED PSYCHOSES BY TYPE OF HOSPITAL AND ORDER OF FREQUENCY

TYPE OF HOSPITAL	First in order of frequency	Second in order of frequency	Third in order of frequency
State hospitals	Dementia praecox  Dementia praecox  Dementia praecox  Dementia praecox  Alcoholism without psychosis.	With ce-ebral arteriosclerosis  Manic-depressive psychoses  Senile psychoses  Alcoholic psychoses  Dementia praecox	Manic-depressive psychoses. Alcoholic psychoses. With cerebral arteriosclerosis. Manic-depressive psychoses. Senile psychoses.



TABLE X.—ALL ADMISSIONS (EXCEPT TRANSFERS), TO ALL HOSPITALS FOR CARE OF PSYCHIATRIC PATIENTS, BY MENTAL DISORDER AND TYPE OF HOSPITAL AND CONTROL, FOR THE UNITED STATES: 1943

[Figures based on tables 17, 20, 21, 27, and 30. Percent not shown where less than 0.1]

		PERMA	NENT-CAL	RE HOSP	ITALS		темро	RARY-CA	RE HOSP	ITAL8
MENTAL DISORDER	Stat	е	Veter	ans'	Cou		Psychopathic		General	
	Num- ber	Per- cent	Num- ber	Per- cent	Num- ber	Per- cent	Num- ber	Per- cent	Num- ber	Per- cent
Total	106,698	100.0	15,899	100.0	3,645	100.0	3,597	100.0	97,464	100.0
With psychosis	94,123	88.2	12,328	77.5	3,327	91.3	2,723	75.7	60,467	62.0
General paresis	6,627 975 234 276 4,966 350	6.2 0.9 0.2 0.3 4.7 0.3	589 350 55 68 636 46	3.7 2.2 0.3 0.4 4.0 0.3	184 53 5 4 160 4	5.0 1.5 0.1 0.1 4.4 0.1	132 6 6 10 342 25	3.7 0.2 0.2 0.3 9.5 0.7	2,191 1,051 142 329 5,948 475	2.2 1.1 0.1 0.3 6.1 0.5
Traumatic With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system.	494 13,530 688 1,923 10,449 3,829 981 177 993	0.5 12.7 0.6 1.8 9.8 3.6 0.9 0.2 0.9	113 441 74 148 107 143 45 20 138	0.7 2.8 0.5 0.9 0.7 0.9 0.3 0.1 0.9	14 419 40 41 669 44 32 6	0.4 11.5 1.1 1.1 18.4 1.2 0.9 0.2 1.6	23 132 18 58 88 148 41 12 51	0.6 3.7 0.5 1.6 2.4 4.1 1.1 0.3 1.4	340 4,727 549 853 6,947 2,507 762 222 1,310	0.3 4.8 0.6 0.9 7.1 2.6 0.8 0.2 1.3
Psychoneuroses Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	11,849 23,794 1,288 1,136 3,073	2.9 11.1 22.3 1.2 1.1 2.9 3.2	585 1,002 5,721 211 491 480 865	3.7 6.3 36.0 1.3 3.1 3.0 5.4	49 395 707 44 31 195 174	1.3 10.8 19.4 1.2 0.9 5.3 4.8	296 335 634 87 52 48 179	8.2 9.3 17.6 2.4 1.4 1.3 5.0	6,882 4,887 13,821 1,650 677 725 3,472	7. 5.0 14. 1. 0. 0. 3.
Without psychosis	10,181	9.5	3,571	22.5	260	7.1	874	24.3	32,283	33.
Epilepsy Mental deficiency Alcoholism Drug addiction. Personality disorders due to epidemic encephalitis.		0.4 1.5 3.3 0.5 0.1	93 132 359 37 17	0.6 0.8 2.3 0.2 0.1	25 52 88 4 1	0.7 1.4 2.4 0.1	38 112 208 3 7	1.1 3.1 5.8 0.1 0.2	1,651 1,528 18,169 1,459 57	1. 18. 18. 1. 0.
Primary behavior disorders Other, unclassified, and unknown	389	0.8 0.4 2.6	21	1.8 0.1 16.5	3	0.5 0.1 1.9		6.1 4.0 3.9	1,099	1.
Mental disorder not reported	2,394	2.2			. 58	1.6			4,714	4

Type of admission and mental disorder.—Among the first admissions to all hospitals for the permanent care of psychiatric patients, the five leading diagnoses were, in the order named, dementia praecox, the psychoses with cerebral artericsclerosis, the senile psychoses, the manic-depressive psychoses, and general paresis. These diagnoses together accounted for 57.9 percent of all first admissions (table XI).

Dementia praecox was the most frequent diagnosis in each type of hospital except county and city hospitals in which the percentage of patients diagnosed as with senile psychoses (21.6) was higher than that for dementia praecox (16.8). For the remaining mental disorders, the psychoses with cerebral arteriosclerosis were found with greatest frequency in State hospitals and the manic-depressive psychoses in the veterans' and private hospitals.



The pattern of distribution by mental disorder differs from hospital to hospital. In private hospitals, for example, alcoholism without psychosis and the psychoneuroses occurred with greater frequency than the psychoses with cerebral arteriosclerosis. Likewise in veterans' hospitals more patients were diagnosed as with the alcoholic psychoses than with the psychoses with cerebral arteriosclerosis or senile psychoses.

The five most frequent mental disorders among readmissions to State hospitals were dementia praecox, the manic-depressive psychoses, the alcoholic psychoses, psychoses with cerebral arteriosclerosis, and alcoholism without psychosis. The same pattern was apparent for veterans' hospitals except that diagnoses of alcoholism without psychosis and of general paresis appeared more frequently than diagnoses of cerebral arteriosclerosis. Among readmissions to county and city hospitals, diagnoses of the psychoses with mental deficiency occurred more frequently than diagnoses of psychoses with cerebral arteriosclerosis and the alcoholic and senile psychoses occurred with the same frequency.

The proportion of first admissions and the proportion of readmissions for which a given mental disorder may account differ considerably. Those mental disorders which are characterized by recurrent attacks appear with greater relative frequency among readmissions than among first admissions. In State hospitals, for example, the manic-depressive psychoses account for 22.0 percent of all readmissions, but only 7.9 percent of all first admissions.

Other mental disorders, however, appear with greater relative frequency among first admissions than among readmissions. Thus in State hospitals, psychoses with cerebral arteriosclerosis accounted for 15.0 percent of first admissions but only 4.8 percent of readmissions; the corresponding figures for senile psychoses were 12.0 and 2.4 percent, respectively, and for general paresis were 7.1 and 3.1 percent, respectively. The statistics for county and city hospitals showed differences in the same direction. In general, patients with mental disorders of this type are characterized by a high mortality during hospital residence; consequently, the number of potential readmissions in the general population is small.



TABLE XI.—MENTAL DISORDER OF FIRST ADMISSIONS AND READMISSIONS TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, FOR THE UNITED STATES: 1943

Figures based on tables 17, 20, 21, and 24. Percent not shown where less than 0.1]

		FIR	ST ADMISSI	ONS		R	EADMISSION	S
MENTAL DISORDER	Total	State hospitals	Veterans' hospitals	County and city hospitals	Private hospitals	State hospitals	Veterans' hospitals	County and city hospital
Total patients	118,402	82,650	12,159	2,912	20,681	24,048	3,740	. 73
With psychosis	102,104	73,023	9,978	2,667	16,436	21,100	2,350	66
General paresis With other forms of syphilis of the C.N.S.	6,751 1,246	5,884 838	435 278	167 43	265 87	743 137	154 72	11
With epidemic encephalitis With other infectious diseases	$\frac{259}{382}$	170 246	38 54	4 3	47 79	64 30	17 14	
Alcoholic	5,036	3,721	419	120	776	1,245	217	4
Due to drugs and other exogenous poisons.	1,171	281	32	2	856	69	14	
Traumatic With cerebral arteriosclerosis	556	409	87	13	47	85	26	
With cerebral arteriosclerosis	14,308 885	12,368 615	338 60	375 40	1,227 170	1,162 73	103 14	4
With convulsive disorders	1,597	1,381	105	30	81	542	43	1
Senile	11,978	9,878	79	629	1,392	571	28	4
Involutional psychoses Due to other metabolic, etc., diseases.	4,824 1,074	3,128 892	121 37	33 29	1,542 116	701 89	22 8	1
Due to new growth	210	159	13	5	33	18	7	
With organic changes of the ner- vous system.	1,098	810	112	45	131	183	26	1
Psychoneuroses	4,767	2,399	480	40	1,848	723	105	
Manic-depressive Dementia praecox (schizophre-	10,562	6,555	749	250	3,008	5,294	253	14
nia).	24,939	16,368	4,997	489	3,085	7,426	724	21
Paranoia and paranoid conditions_	1,556	978	79	35	464	310	132	
With psychopathic personality	1,347	755	385	21	186	381	106	
With mental deficiency	3,305	2,298	405	139	463	775	75 190	1
Other, undiagnosed, and un- known.	4,253	2,890	675	155	533	479	190	
Without psychosis	14,108	7,722	2,181	202	4,003	2,459	1,390	
Epilepsy	475	324	54	21	76	79	39	
Mental deficiency	1,484	1,243	85	40	116	312	47	
Alcoholism	5,003	2,402	183	62	2,356	1,074	176	1 :
Drug addiction  Personality disorders due to epidemic encephalitis.	732 93	315 57	18 17	2	397 19	266 32	19	
Psychopathic personality	998	645	211	12	130	252	83	
Primary behavior disorders	437	348	20	3	66	41	1	
Other, unclassified, and unknown_	4,886	2,388	1,593	62	843	403	1,025	
Mental disorder not re- ported.	2,190	1,905		43	242	489		



TABLE XI.—MENTAL DISORDER OF FIRST ADMISSIONS AND READMISSIONS TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, FOR THE UNITED STATES: 1943—Con.

[Figures based on tables 17, 20, 21, and 24. Percent not shown where less than 0.1]

		PIR	ST ADMISSIC	ONB		Ri	LADMISSION	8
MENTAL DISORDER	Total	State hospitals	Veterans' hospitals	County and city hospitals	Private hospitals	State hospitals	Veterans' hospitals	County and city hospitals
PERCENT DISTRIBUTION								
Total patients	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
With psychosis	86.2	88.4	82.1	91.6	79.5	87.7	62.8	90.0
General paresis	5.7 1.1	7.1 1.0	3.6 2.3	5.7 1.5	1.8 0.4	3.1 0.6	4.1 1.9	2.3 1.4
With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons.	0.2 0.3 4.3 1.0	0.2 0.8 4.5 0.8	0.3 0.4 3.4 0.3	0.1 0.1 4.1 0.1	0.2 0.4 3.8 4.1	0.3 0.1 5.2 0.3	0.5 0.4 5.8 0.4	0.1 0.1 5.5 0.3
Traumatic With cerebral arteriosclerosis With other disturbances of circulation.	0.5 12.1 0.7	0.5 15.0 0.7	0.7 2.8 0.5	0.4 12.9 1.4	0.2 5.9 0.8	0.4 4.8 0.3	0.7 2.8 0.4	0.1 6.0
With convulsive disorders  Senile  Involutional pyschoses.  Due to other metabolic, etc.,	1.3 10.1 4.1 0.9	1.7 12.0 8.8 1.1	0.9 0.6 1.0 0.3	1.0 21.6 1.1 1.0	0.4 6.7 7.5 0.6	2.3 2.4 2.9 0.4	1.1 0.7 0.6 0.2	1.5 5.5 1.5 0.4
diseases.  Due to new growth	0.2 0.9	0.2 1.0	0.1 0.9	0.2 1.5	0.2 0.6	0.1 0.8	0.2 0.7	0.1 1.6
Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).	4.0 8.9 21.1	2.9 7.9 19.8	3.9 6.2 41.1	1.4 8.6 16.8	8.9 14.5 14.9	3.0 22.0 30.9	2.8 6.8 19.4	1.2 19.8 <b>29</b> .7
Paranoia and paranoid conditions. With psychopathic personality With mental deficiency Other, undiagnosed, and unknown.	1.3 1.1 2.8 3.6	1,2 0.9 2,8 3.5	0.6 3.2 3.3 5.6	1.2 0.7 4.8 5.3	2.2 0.9 2.2 2.6	1.3 1.6 3.2 2.0	3.5 2.8 2.0 5.1	1.2 1.4 7.6 2.6
Without psychosis	11.9	9.8	17.9	6.9	19.4	10.2	87.2	7.9
Epilepsy	0.4 1.3 4.2 0.6 0.1	0.4 1.5 2.9 0.4 0.1	0.4 0.7 1.5 0.1 0.1	0.7 1.4 2.1 0.1	0.4 0.6 11.4 1.9 0.1	0.3 1.3 4.5 1.1 0.1	1.0 1.3 4.7 0.5	0.5 1.6 3.5 0.3 0.1
Psychopathic personality Primary behavior disorders Other, unclassified, and unknown.	0.8 0.4 4.1	0.8 0.4 2.9	1.7 0.2 13.1	0.4 0.1 2.1	0.6 0.3 4.1	1.0 0.2 1.7	2.2	0.7
Mental disorder not reported.	1.8	2.3	10.1	1.5	1.2	2.0		2.0

First admissions: Mental disorder and sex.—Males outnumbered females among the first admissions to all hospitals providing permanent care for psychiatric patients in 1943 (table XII). For every 100 female admissions there were 137.5 male admissions. Nevertheless, there were several diagnostic groups in which the number of females exceeded the number of males. Among mental disorders of this type were the manic-depressive psychoses, the involutional psychoses, and the psychoneuroses.

For all permanent-care hospitals, the five most frequent diagnoses for males were dementia praecox, the psychoses with cerebral arteriosclerosis, the senile psychoses, general paresis, and the manic-depressive psychoses. Among females, the five most frequent diagnostic groups were the same, except that general paresis was replaced by the involutional psychoses.



Although there was some variation in sex differences among the mental disorders from one type of hospital to another, consistent differences appeared for most of the more numerous diagnostic groups. Thus, among females, the proportions diagnosed as with dementia praecox, the manic-depressive psychoses, the senile psychoses, the involutional psychoses, and the psychoneuroses exceeded the proportion of males diagnosed as with each of these psychoses in every type of hospital for which data were available. In contrast, the proportions diagnosed as with general paresis, alcoholism without psychosis, and the alcoholic psychoses were greater for males than for females. Although figures for each sex on first admissions to veterans' hospitals are included in the total for all permanent-care hospitals, veterans' hospitals, as such, have not been considered in this comparison because of the small number of female patients involved.

TABLE XII.—MENTAL DISORDER OF MALE AND FEMALE FIRST ADMISSIONS TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1943

[Figures based on tables 15, 16, 18, 19, 20, 22, 23, 25, and 26]

MENTAL DISORDER	TO	TAL	STATE H	OSPITALS	Veterans'		TY AND OSPITALS		TATE
menial Diguidan	Male	Female	Male	Female	hospitals	Male	Fe- male	Male	Fe- male
Total first admissions	68,549	49,853	45,829	36,821	12,159	1,549	1,363	9,058	11,623
With psychosis	56,907	45,197	39,316	33,707	9,978	1,389	1,278	6,263	10,173
General paresis	5,015 919	1,736 327	4,281 554	1,603 284	435 278	112 33	55 10	187 55	78 32
With epidemic encephalitis	160 226 4,043 755	99 156 993 416	100 139 3,005 121	70 107 716 160	38 54 419 32	1 3 98 1	3 22 1	21 30 521 602	26 49 255 254
Traumatic	481 8,157 495	75 6,151 390	353 7,065 347	56 5,303 268	87 338 60	13 195 25	180 15	28 567 63	19 660 107
With convulsive disorders  Senile.  Involutional psychoses  Due to other metabolic, etc., diseases.	888 5,717 1,123 446	709 6,261 3,701 628	733 4,745 701 360	648 5,133 2,427 532	105 79 121 37	15 297 7 19	15 332 26 10	35 597 296 31	46 795 1,246 85
Due to new growth	118 643	92 455	92 <b>4</b> 50	67 360	13 112	1 26	4 19	13 56	20 75
Psychoneuroses  Manio-depressive Dementia praecox (schisophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	2,002 4,179 15,112 697 989 2,023 2,719	2,765 6,383 9,827 859 358 1,282 1,534	969 2,492 8,842 447 500 1,282 1,738	1,430 4,063 7,526 531 255 1,016 1,152	480 749 4,997 79 385 405 675	17 84 242 17 16 81 86	23 166 247 18 5 5 58 69	539 857 1,046 154 89 255 221	1,309 2,151 2,039 310 97 208 812
Without psychosis	10,403	3,705	5,399	2,323	2,181	146	56	2,684	1,319
Epilepsy. Mental deficiency	301 919 4,142 427 61	174 565 861 305 32	193 776 1,944 185 36	131 467 458 130 21	54 85 183 18 17	12 28 55 1	9 12 7 1	42 30 1,960 224 8	34 86 396 173 11
demic encephalitis.  Psychopathic personality  Primary behavior disorders  Other, unclassified, and unknown	759 248 3,546	239 189 1,340	484 209 1,572	161, 139 816	211 20 1,593	10 2 38	2 1 24	54 17 349	76 49 494
Mental disorder not re-	1,239	951	1,114	791		14	29	111	131



TABLE XII.—MENTAL DISORDER OF MALE AND FEMALE FIRST ADMISSIONS TO HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1943—Con.

[Figures based on tables 15, 16, 18, 19, 20, 22, 23, 25, and 26]

MENTAL DISORDER	TO	FAL	STATE H	OSPITALS	Veterans'		TY AND OSPITALS		VATE ITALS
MENTAL DISORDER	Male	Female	Male	Female	hospitals	Male	Fe- male	Male	Fe- male
PERCENT DISTRIBUTION				*					
Total first admissions	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
With psychosis	83.0	90.7	85.8	91.5	82.1	89.7	93.8	69.1	87.5
General paresis	7.3 1.3	3.5 0.7	9.3 1.2	4.4 0.8	3.6 2.3	7.2 2.1	4.0 0.7	2.1 0.6	0.3
With epidemic encephalitis.	0.2	0.2	0.2	0.2	0.3	0.1	0.2	0.2	0.2
With other infectious diseases	0.3	0.3	0.3	0.3	0.4	0.2		0.3	0.4
Alcoholic Due to drugs and other exogenous poisons.	5.9 1.1	2.0 0.8	6.6 0.3	1.9 0.4	3.4 0.3	6.3 0.1	1.6 0.1	5.8 6.6	2.2 2.2
Traumatic	0.7	0.2	0.8	0.2	0.7	0.8		0.3	0.2
With cerebral arteriosclerosis With other disturbances of circulation.	$\substack{11.9\\0.7}$	12.3 0.8	15.4 0.8	14.4 0.7	2.8 0.5	12.6 1.6	13.2	6.3 0.7	5.7 0.9
With convulsive disorders	1.3	1.4	1.6	1.8	0.9	1.0	1.1	0.4	0.4
Senile	8.3	12.6	10.4	13.9	0.6	19.2	24.4	6.6	6.8
Involutional psychoses	1.6	7.4	1.5	6.6	1.0	0.5	1.9	3.3	10.7
Due to other metabolic, etc., di- seases.	0.7	1.3	0.8	1.4	0.3	1.2	0.7	0.3	0.7
Due to new growth With organic changes of the ner- vous system.	0.2	0.2 0.9	0.2 1.0	0.2 1.0	0.1 0.9	0.1 1.7	0.3 1.4	0.1 0.6	0.2 0.6
Psychoneuroses	2.9	5.5	2.1	3.9	3.9	1.1	1.7	6.0	11.3
Manic-depressive	6.1	12.8	5.4	11.0	6.2	5.4	12.2	9.5	18.5
Dementia praecox (schizophrenia)	22.0	19.7	19.3	20.4	41.1	15.6	18.1	11.5	17.5
Paranoia and paranoid conditions With psychopathic personality	1.0 1.4	1.7 0.7	1.0	1.4 0.7	0.6 3.2	1.1	1.3 0.4	1.7 1.0	2.7 0.8
With mental deficiency	3.0	2.6	2.8	2.8	3.3	5.2	4.3	2.8	1.8
Other, undiagnosed, and unknown_	4.0	3.1	3.8	3.1	5.6	5.6	5.1	2.4	2.7
Without psychosis	15.2	7.4	11.8	6.3	17.9	9.4	4.1	29.6	11.3
Epilepsy	0.4	0.3	0.4	0.4	0.4	0.8	0.7	0.5	0.3
Mental deficiency	1.3	1.1	1.7	1.3	0.7	1.8	0.9	0.3	0.7
Alcoholism Drug addiction	6.0 0.6	1.7 0.6	4.2 0.4	$\frac{1.2}{0.4}$	1.5 0.1	$\begin{array}{c c} 3.6 \\ 0.1 \end{array}$	0.5	$\frac{21.6}{2.5}$	3.4 1.5
Personality disorders due to epi- demic encephalitis.	0.6	0.1	0.1	0.1	0.1			0.1	0.1
Psychopathic personality	1.1	0.5	1.1	0.4	1.7	0.6	0.1	0.6	0.7
Primary behavior disorders	0.4	0.4	0.5	0.4	0.2	0.1	0.1	0.2	0.4
Other, unclassified, and unknown	5.2	2.7	3.4	2.2	13.1	2.5	1.8	3.9	4.3
Mental disorder not re- ported.	1.8	1.9	2.4	2.1		0.9	2.1	1.2	1.1

First admissions: Median age, mental disorder, and sex.—In 1943 the median age of all first admissions to all hospitals for permanent care was 45.5 years (table XIII). The median age of first admissions to State hospitals was 47.3, or 1.8 years greater than that for first admissions to all hospitals. The median age for first admissions to county and city hospitals was higher (55.5 years), and the median ages for first admissions to veterans' and private hospitals were somewhat lower (31.7 years and 44.6 years, respectively). The differences in median age between the sexes were small and were not consistent from one type of hospital to another. (The median age is that age which divides the population into two equal groups—one-half being older, and one-half being younger, than the median.)

The medians presented in table XIII indicate considerable variability in age among the various psychoses. Patients diagnosed as with the senile



TABLE XIII.-MEDIAN AGE OF FIRST ADMISSIONS, BY MENTAL DISORDER AND SEX, FOR HOSPITALS FOR PERMANENT CARE OF PSYCHIATRIC PATIENTS, BY TYPE OF CONTROL OF HOSPITAL, FOR THE UNITED STATES: 1943

MENTAL DISORDER		TOTAL		B	STATE HOSPITALS	ALS	Votorone'	COUNT	COUNTY AND CITY HOSPITALS	HOSPITALS	PRI	PRIVATE HOSPITALS	TALS
	Both	Male	Female	Both	Male	Female	hospitals	Both	Male	Female	Both	Male	Female
Tetal first admissions	45.5	44.3	47.0	47.3	46.7	47.8	31.7	55.5	55.3	55.8	44.6	45.2	44.0
With psychosis	46.5	45.3	47.9	48.8	48.7	48.9	30.7	9.99	56.5	56.8	45.3	46.7	44.6
General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases Alcoholic.	7.44 4.14 4.124 4.24 4.24 4.24	6.54 6.54 6.53 6.53 8.54	41.9 37.5 39.5 43.6	44.1 46.6 38.2 41.8 45.2	44.48.84.69 6.61.62.83.63	41.6 36.7 38.6 43.9	49.0	43.7	43.1	46.3	44.6 47.5 41.9	45.3	43.8
other exogenous poisons		46.6	46.4	45.1	47.2	43.8	31.3				47.6	46.0	48.2
With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disconders		69.5	69.3 56.1	59.1	69.8 61.6	69.2 55.0	61.3	669	8.69	40 <del>/</del>	69.8 63.9	69.7 64.2	69.8 63.5
Senile. Involutional psychoses. Due to other metabolic sto discosas	70+ 52.1	155.1 +1.35.1	70+ 51.3	705 202+	70-1-5 70-1-5 75-8 7-1-5	70+ 51.3	70+ 50.8	70+	+04	70+	70+ 52.1	70+	70+
Due to new growth With organic changes of the nervous system		50.7	52.7	51.7	54.0	50.7	49.9				57.1	57.5	56.9
Psychoneuroses Manio-depressive Dementia praecox (schizophrenia).		38.0 40.6 28.5	38.6 39.5 32.0	38.8 39.3 30.6	39.4 40.9 29.2	38.4 32.3	28.9 32.7 27.5	45.0	49.0	44.2 34.2	39.3 42.1 30.1	41.1 44.0 28.5	38.5 41.4 30.9
Paranola and paranold conditions With psychopathic personality Utit mental deficiency Other, undiagnosed, and unknown	29.24 29.53 20.53	29.0 28.1 40.4	48.9 31.5 44.1	20.8 8.0.8 8.0.8 8.0.8 8.0.8	49.4 30.8 27.9 42.9	300.2 31.2 2.4 5.5	28.0 28.0 29.8	34.3	32.1	37.5	46.3 33.8 28.9 42.7	8.88.84 8.8.8.84 8.8.8.8	293.8 8.29.2 8.29.2
Without psychosis	40.3	41.1	38.1	37.8	38.4	36.2	45.2	46.6	48.5	43.2	43.1	43.8	40.8
Epilepsy Mental deficiency Alcoholism Prug addiction Personality disorders due to anidamic ancanhilitie	26.9 26.9 43.1 2.4.3 2.4.3	26.7 25.1 45.6 45.6	27.5 30.3 40.1 40.5	25.7 26.2 42.6 40.7	25.1 24.9 42.9	27.1 28.8 39.8 38.2	35.0 27.7 47.6	45.9	46.9		25.0 31.7 43.0 45.2	43.5 46.7	33.5 40.5 42.6
		27.2 4.5.3 4.5.3	30.9 17.6 45.0	26.9 15.2 42.1	26.3 (¹) 41.7	28.8 16.9 43.1	26.4	56.0			33.4 19.0 49.8	33.8	33.1

Under 15 years.

Mental disorder not reported....



psychoses and psychoses with cerebral arteriosclerosis had the highest median ages. (Since some hospitals do not report the age of patients 70 years old and over in any further detail, the precise calculation of median ages for patients with the senile psychoses was not possible.) Among psychotic patients, the lowest median ages were found among patients with a diagnosis of psychoses with mental deficiency, psychopathic personality, and convulsive disorders, and with a diagnosis of dementia praecox.

Differences in age between males and females appeared consistently from one type of hospital to another for certain mental disorders. Among the mental disorders for which a complete comparison is possible, the median age of males exceeded that of females for the manic-depressive psychoses, but this difference was reversed for dementia praecox and psychoses with mental deficiency.

Admissions: Additional data in detailed tables.—United States statistics on the age of first admissions, and on readmissions, classified by mental disorder and sex, are presented for all permanent-care hospitals, State hospitals, veterans' hospitals, county and city hospitals, private hospitals, and psychopathic hospitals in tables 14 to 29. Statistics on admissions to the psychiatric wards of general hospitals, classified by mental disorder and sex, are presented for the United States in table 30. Statistics on first admissions and readmissions to State hospitals, classified by mental disorder and sex, are presented by divisions and States in tables 31 and 32. Statistics on first admissions to State hospitals, classified by age and sex, are presented by divisions and States in table 33.

## Mental Disorder: Separations

Discharge and death rates for hospitals are based by convention on the number of patients under treatment. Because information on the mental disorder of patients under care in hospitals for mental disease is not available, discharge and death rates for the various diagnostic groups are not shown. Summary data on the mental disorder of patients separated from hospitals for mental disease are presented in terms of percent distributions. In addition, statistics are presented on the condition of patients at time of discharge and on the duration of hospital life of patients who were separated from the hospital by death.

Since information on the diagnosis of separations from private hospitals is not available, statistics are presented only for State, veterans', and county and city hospitals for mental disease.

Discharges: Mental disorder.—Among discharges from State hospitals for mental disease during 1943, the most frequent diagnoses were dementia praecox, the manic-depressive psychoses, the alcoholic psychoses, and alcoholism without psychosis (table XIV). Dementia praecox was also the most frequent diagnosis among discharges from veterans' and county and city hospitals.

The distribution of discharges by mental disorder differed appreciably from the corresponding distribution of admissions. Thus, for State hospitals, manic-depressive patients represented 11.1 percent of all first admissions and readmissions combined, but 16.1 percent of all discharges; the corresponding figures for alcoholism without psychosis were 3.3 and 6.6 percent, respectively (tables X and XIV). On the other hand, the senile psychoses accounted for 9.8 percent of the admissions, but only 1.8 percent of the discharges.



The mental disorders for which the proportion of discharges exceeds the proportion of admissions are, in general, those with high rates of discharge; if this difference is reversed, a low rate of discharge is indicated.

TABLE XIV.—MENTAL DISORDER OF PATIENTS DISCHARGED, BY SEX, FOR STATE, VETERANS', AND COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1943

[Figures based on tables 34 to 36. Percent not shown where less than 0.1]

		STATE H	OSPITALS			RANS'	COUNT	Y AND C	ITY HOS	PITALS
MENTAL DISORDER	Total num- ber	Per- cent distri- bution	Male	Fe- male	Num- ber	Per- cent distri- bution	Total num- ber	Per- cent distri- bution	Male	Fe- male
Total discharged	67,377	100.0	37,730	29,647	11,451	100.0	1,744	100.0	892	852
With psychosis	55,565	82.5	29,419	26,146	6,329	55.3	1,533	87.9	747	786
General paresis With other forms of syphilis of the C.N.S.	3,126 626	4.6 0.9	2,192 417	934 209	361 108	3.2 0.9	74 21	4.2 1.2	52 14	25
With epidemic encephalitis	154 168 4,662 334	0.2 0.2 6.9 0.5	105 74 3,892 150	49 94 770 184	19 25 625 36	0.2 0.2 5.5 0.3	100 1	0.2 0.1 5.7 0.1	78 1	22
Traumatic	340 3,114 217	0.5 4.6 0.3	290 1,695 102	1,419 115	71 143 15	0.6 1.2 0.1	101 4	0.1 5.8 0.2	51 2	50
With convulsive disorders Senile	1,337 1,239 2,808 536 44 342	2.0 1.8 4.2 0.8 0.1 0.5	732 598 603 198 21 192	605 641 2,205 338 23 150	81 19 57 15 2 22	0.7 0.2 0.5 0.1	22 89 42 9 1 14	1.3 5.1 2.4 0.5 0.1 0.8	9 44 6 4	1: 45 36
Psychoneuroses	10,837 17,158 984 1.090	4.7 16.1 25.5 1.5 1.6 2.7 2.2	1,251 4,219 9,490 491 750 1,011 946	1,888 6,618 7,668 493 340 798 555	559 583 2,165 89 359 343 632	4.9 5.1 18.9 0.8 3.1 3.0 5.5	49 305 453 41 16 76 107	2.8 17.5 26.0 2.4 0.9 4.4 6.1	23 103 219 18 7 46 54	20 20 23 23 23 23 30 55
Without psychosis	10,271	15.2	7,489	2,782	1,876	16.4	196	11.2	136	60
Epilepsy	4,420	0.5 1.7 6.6 0.8 0.1	214 700 3,667 306 31	124 422 753 233 24	61 140 368 26 9	0.5 1.2 3.2 0.2 0.1	7 28 76 4	0.4 1.6 4.4 0.2	3 18 63 3	10
encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown	346	1.4 0.5 3.7	719 215 1,637	225 131 870	303 24 945	2.6 0.2 8.3	21 3 57	1.2 0.2 3.3	14 1 34	2
Mental disorder not re- ported.	1,541	2.3	822	719	3,246	28.3	15	0.9	9	

Discharges: Condition on discharge and mental disorder.—The classification of discharged patients by their condition at time of discharge is made with reference to the degree to which they have recovered their mental health. According to this classification, patients are grouped as follows:

1. Recovered: Patients who have regained their normal mental health, so that they may be considered as having practically the same mental condition as they had previous to the onset of the psychosis.

2. Improved: Patients who have shown any degree of mental

gain short of recovery.
3. Unimproved: Patients who have shown no mental gain.

646075-46-4



Since this classification is designed primarily for use with reference to psychotic patients, it is not used for those patients who were diagnosed on admission as without psychosis. Such patients are simply designated as discharged without psychosis.

Of the patients discharged from State hospitals for mental disease during 1943, 30.8 percent were discharged as recovered (table XV). The corresponding percentage for discharges from veterans' hospitals and county and city hospitals were 9.1 and 18.2, respectively. The percentage of patients discharged as unimproved for State hospitals was 9.6; for veterans' hospitals, 24.3; and for county and city hospitals, 17.4.

Among discharges from State hospitals, the percentage of patients discharged as recovered was highest for patients with diagnoses of the alcoholic psychoses, the psychoses due to drugs, the manic-depressive psychoses, and the psychoses with psychopathic personality. The percentage discharged as recovered was lowest for patients with diagnoses of the senile psychoses, the psychoses due to new growth, and the psychoses with organic changes of the nervous system.

Discharges: Additional data in detailed tables.—Additional statistics for the United States on the condition on discharge, mental disorder, and sex of the patients discharged from State, veterans', county and city, and psychopathic hospitals are presented in tables 34 to 37. Statistics for divisions and States on patients discharged from State hospitals are presented, classified by mental disorder and sex, in table 38, and, classified by condition on discharge and sex, in tables 39 to 41.

TABLE XV.—CONDITION ON DISCHARGE OF PATIENTS DISCHARGED, WITH PSYCHOSIS, BY PSYCHOSIS, FOR STATE, VETERANS', AND COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1943

[Figures based on tables 34 to 36	Percent not shown v	where base	is less	than 50]
-----------------------------------	---------------------	------------	---------	----------

		CONDITI	on on di	SCHARGE		PERC	ENT OF T	OTAL
TYPE OF CONTROL AND PSYCHOSIS	Total dis- charged	Re- covered	Im- proved	Unim- proved	Unclas- sified	Re-	Im- proved	Unim- proved
STATE HOSPITALS								
Total patients	55,565	17,100	32,237	5,350	878	30.8	58.0	9.6
General paresis	3,126 626 154 168 4,662 334	398 124 29 80 2,707 193	2,368 437 93 81 1,774 124	308 53 30 7 119 12	52 12 2 62 5	12.7 19.8 18.8 47.6 58.1 57.8	75.8 69.8 60.4 48.2 38.1 37.1	9.9 8.5 19.5 4.2 2.6 3.6
Traumatic	1,337	91 460 51 164 81 1,059 197 3 40	207 2,220 138 946 781 1,540 284 29 220	38 409 25 206 354 190 44 12 81	25 3 21 23 19 11	26.8 14.8 23.5 12.3 6.5 37.7 36.8	60.9 71.3 63.6 70.8 63.0 54.8 53.0	11.2 13.1 11.5 15.4 28.6 6.8 8.2
Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown	17,158 984 1,090 1,809	1,012 5,601 3,324 165 547 443 331	1,734 4,664 11,590 654 441 1,108 804	264 447 2,030 138 89 223 271	129 125 214 27 13 35 95	32.2 51.7 19.4 16.8 50.2 24.5 22.1	55.2 43.0 67.5 66.5 40.5 61.2 53.6	8.4 4.1 11.8 14.0 8.2 12.3 18.1



TABLE XV.—CONDITION ON DISCHARGE OF PATIENTS DISCHARGED, WITH PSYCHOSIS, BY PSYCHOSIS, FOR STATE, VETERANS', AND COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1943—Con.

		CONDITI	on on di	SCHARGE		PER	CENT OF T	OTAL
TYPE OF CONTROL AND PSYCHOSIS	Total dis- charged	Re- covered	Im- proved	Unim- proved	Unclas- sified	Re- covered	Im- proved	Unim- proved
VETERANS' HOSPITALS								
Total patients	6,329	577	3,981	1,539	232	9.1	62.9	24.3
General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis	361 108 19 25	4	289 68 11 17	68 40 8 2		1,1	80.1 63.0	18.8 37.0
With other infectious diseases	625 36	215 11	343 21	59 3	8	34.4	54.9	9.4
Traumatic	71 143 15	6	40 115 11	25 27 3	<u>i</u>	8.5	56.3 80.4	35.2 18.9
With convulsive disorders	81 19	i	55 12	24 7	1	1.2	67.9	29.6
Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth	57 15 2	8 2	41 11	8 2 2		14.0	71.9	14.0
With organic changes of the nervous system.	22		12	10				
Psychoneuroses  Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency	559 583 2,165 89 359 343	69 74 55 53 33	369 413 1,529 46 194 192	110 95 560 43 106 116	11 1 21 6 2	12.3 12.7 2.5 14.8 9.6	66.0 70.8 70.6 51.7 54.0 56.0	19.7 16.3 25.9 48.3 29.5 33.8
Other, undiagnosed, and unknown COUNTY AND CITY HOSPITALS	632	39	192	221	180	6.2	30.4	35.0
Total patients	1,533	279	844	267	143	18.2	55.1	17.4
General paresis.  With other forms of syphilis of the C.N.S.  With anidamic anaphalitis	74 21 4	6 5	54 11 4	7 3	7 2	8.1	73.0	9.5
With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	100	1 41 1	1 47	7	5	41.0	47.0	7.0
Traumatic	101 4	12 1	61 1	2 24 2	4	11.9	60.4	23.8
With convulsive disorders Senile Involutional psychoses	22 89 42	1 3 3	13 47 29	5 29 4	3 10 6	3.4	52.8	32.6
Due to other metabolic, etc., diseasesDue to new growth	9 1 14	3 2	<u>4</u> 8	1 1 1	3			
Psychoneuroses Manio-depressive Dementia praecox (schisophrenia) Paranoia and paranoid conditions	49 305 453 41	6 112 67 2 1	26 132 303 24	14 35 49 9	3 26 34 6	36.7 14.8	43.3 66.9	11.5 10.8
With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	16 76 107	1 3 9	9 21 49	3 37 34	3 15 15	3.9 8.4	27.6 45.8	48.7 31.8

Deaths: Mental disorder.—Among the patients who died in State hospitals during 1943, the diagnoses which appeared most frequently were the psychoses with cerebral arteriosclerosis, the senile psychoses, dementia praecox, and general paresis (table XVI). General paresis was the most frequent mental disorder among the patients who died in veterans' hospitals during the year, and the greatest proportion of the patients who died in county and city hospitals were diagnosed as with senile psychoses.



A comparison of the proportion of discharges with the proportion of deaths for the various mental disorders gives some indication as to variations in mortality. For example, of the deaths in State hospitals during the year, 25.1 percent were diagnosed as with cerebral arteriosclerosis and 20.6 percent as with senile psychoses; for discharges, however, the corresponding percentages were 4.6 and 1.8, respectively. The contrasting pattern of low mortality is illustrated by alcoholism without psychosis and the manic-depressive psychoses, for which the proportion of discharges considerably exceed the proportion of deaths (tables XIV and XVI).

TABLE XVI.—MENTAL DISORDER FOR DEATHS, BY SEX, FOR STATE, VETERANS', AND COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1943

Wigures hesed	on tables 42 to 48.	Percent not shown	where less than 0.11

		STATE E	IOSPITALE	1		rans' Itals	COUNT	FY AND C	TTY HOE	PITALS
mental disorder	Total num- ber	Per- cent distri- bution	Male	Fe- male	Num- ber	Per- cent distri- bution	Total num- ber	Per- cent distri- bution	Male	Fe- male
Total deaths	40,245	100.0	22,683	17,562	1,653	100.0	2,039	100.0	1,139	900
With psychosis	38,494	95.6	21,574	16,920	1,409	85.2	1,899	93.1	1,056	843
General paresis. With other forms of syphilis of the C.N.S.	3,613 536	9.0 1.3	2,779 388	834 148	342 81	20.7 4.9	110 41	5.4 2.0	83 30	27 11
With epidemic encephalitis	174 179 639 53	0.4 0.4 1.6 0.1	109 107 529 27	65 72 110 26	25 19 37 2	1.5 1.1 2.2 0.1	6 5 47 2	0.3 0.2 2.3 0.1	6 1 36	4 11 2
Traumatic With cerebral arteriosclerosis With other disturbances of circulation.	148 10,099 584	0.4 25.1 1.5	5,892 350	32 4,207 234	302 46	0.5 18.3 2.8	381 25	0.2 18.7 1.2	211 17	<u>170</u> 8
With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., discases.	984 8,306 818 588	2.4 20.6 2.0 1.5	580 4,129 264 308	404 4,177 554 280	33 52 18 10	2.0 3.1 1.1 0.6	25 561 22 31	1.2 27.5 1.1 1.5	12 294 11 19	13 267 11 12
Oue to new growth With organic changes of the nervous system.	148 593	0.4 1.5	83 317	65 276	12 54	0.7 3.3	3 30	0.1 1.5	19	1 11
Psychoneuroses.  Manio-depressive.  Dementia praecox (schisophrenia).  Paranoia and paranoid conditions.  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown	172 2,390 5,918 499 101 962 990	0.4 5.9 14.7 1.2 0.3 2.4 2.5	69 1,048 3,070 255 66 533 555	103 1,342 2,848 244 35 429 435	36 244 8 5 16 56	0.2 2.2 14.8 0.5 0.3 1.0 3.4	6 111 229 37 6 68 148	0.3 5.4 11.2 1.8 0.3 3.3 7.3	1 48 112 15 2 42 90	5 63 117 22 4 26 58
Without psychosis	939	2.8	607	332	244	14.8	64	3.1	36	28
Epilepsy	99 356 64 17	0.2 0.9 0.2	59 205 56 11	40 151 8 6	5 2 9	0.3 0.1	14 25 4	0.7 1.2 0.2	8 13 4	6 12
Personality disorders due to epidemic encephalitis.	8		3	5	4	0.3	1		1	
Psychopathic personality Primary behavior disorders	22 4	0.1	18 3	4	1	0.1				
Other, unclassified, and unknown	369	0.9	252	117	223	13.5	20	1.0	10	10
Mental disorder not reported_	812	2.0	502	310			76	3.7	47	29

Deaths: Duration of hospital life and mental disorder.—The median duration of hospital life of those patients who died in State and veterans' hospitals during 1943 was 1.5 years (table XVII). The median for patients who



died in county and city hospitals was slightly higher (2.0 years). In both State and county and city hospitals the median duration of hospital life was somewhat higher for females than for males. (The median duration of hospital life is that duration which divides the patients who died into two equal groups—one-half having had a longer, and one-half a shorter, duration than the median.)

Among psychotic patients with specific diagnoses who died in State hospitals, patients diagnosed as with dementia praecox and paranoia and paranoid conditions had spent, generally speaking, the longest period of time in the hospital prior to death, and patients with psychotic conditions associated with some form of organic pathology, the shortest period. This generalization also applies to the same classes of patients who died in veterans' and county and city hospitals insofar as figures are available.

TABLE XVII.—MEDIAN DURATION OF HOSPITAL LIFE FOR DEATHS, BY MENTAL DISORDER AND SEX, FOR STATE, VETERANS', AND COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1943
[Median duration shown in years. Figures based on tables 42 to 48. Median not shown where base is less than 50]

	STA!	TH HOSPIT	ALS	Veterans'	COUNTY A	ND CITY H	OSPITAL
MENTAL DISORDER	Total	Male	Female	hospitals	Total	Male	Female
Total deaths	1.5	1.3	1.8	1.5	2.0	1.7	2.
With psychosis	1,5	1.3	1.8	1,8	1.9	1.7	2.
General paresis With other forms of syphilis of the C.N.S With epidemic encephalitis	1.0 1.6 4.4	1.0 1.8 4.3	1.0 1.1 4.5	2.8 1.6	1.3	1.2	
With other infectious diseases	0.3 3.9 0.4	0.3 3.9	0.3 4.0				
Fraumatic With cerebral arterioederosis	2.4 0.5 0.2	3.1 0.5 0.2	0.6 0.3	1.0	0.9	0.9	0.
With convulsive disorders lenile	7.1 0.5 2.2	7.1 0.5 2.8	7.1 0.7 1.9	1,1	0.9	0.8	1.
Due to other metabolic, etc., diseases	0.4 0.3 1.9	0.4 0.3 2.1	0.4 0.3 1.7	0.7			
Psychoneuroses	5.8 14.6	1.1 5.4 14.5	3.1 6.1 14.7 13.6	7.1	6.5 18.8	16.0	
Paranois and paranoid conditions	13.2 8.5 8.7 (1)	12.6 7.7 8.7 0.1	8.6 (1)	0.3	12.5 1.6	0.9	2
Without psychosis	2.1	.1.8	2.9	(4)	10.0		
Epilepsy	7.0	4.7 6.5 0.5	8.0				
Personality disorders due to epidemic encephalitis sychopathic personality rimary behavior disorders							
Other, unclassified, and unknown  Mental disorder not reported.	0.3	0.2	0.4	(1)			

<sup>&</sup>lt;sup>1</sup> Under 1 month.

Deaths: Additional data in detailed tables.—Additional statistics for the United States on the duration of hospital life, mental disorder, and sex of the patients who died in State, veterans', county and city, and psychopathic hospitals are presented in tables 42 to 49. Statistics for divisions and States



on patients who died in State hospitals are presented, classified by mental disorder and sex, in table 50, and classified by duration of hospital life and sex, in tables 51 to 53.

#### **ADMINISTRATION**

#### General

Statistics on overcrowding, administrative staff, and expenditures are obtained for State, veterans', county and city, and psychopathic hospitals. These statistics are not presented, however, for county and city hospitals because a number of these institutions provide care, not only for psychiatric patients, but other types of patients as well. Consequently, it is impossible to determine adequately the normal capacity, the number of employees, or the amount of expenditure, devoted exclusively to psychiatric patients. The information which is presented for State, veterans', and psychopathic hospitals gives some insight into the administration and operation of these hospitals and provides a basis for a rough evaluation of the quality of the care provided.

## Overcrowding

The degree of overcrowding in hospitals for mental disease is indicated in terms of the relation of normal capacity of the hospitals to their average daily resident-patient population. The excess of population over normal capacity is expressed as a percentage of normal capacity. In interpreting these figures, however, it should be noted that normal capacity is not defined uniformly from State to State.

In 1943 the aggregate average daily population of State hospitals exceeded their normal capacity by 10.0 percent. This figure represents a slight increase over the figure for 1942 which in turn was higher than the figure for 1941. For psychopathic and veterans' hospitals, the normal capacity exceeded the average daily population, and the percentage of excess capacity increased slightly from 1941 to 1943. In the case of veterans' hospitals, there was a substantial increase in the average daily population representing, in the main, persons discharged from the armed forces who were in need of hospitalization. An expansion of capacity in anticipation of this need, however, more than kept pace with the increasing number of patients. Since the number of hospitals for which statistics are included varies from year to year, changes in absolute figures should be interpreted in the light of this variation.

Overcrowding: Additional data in detailed tables.—Additional statistics on the normal capacity and average daily population of hospitals for mental disease are presented in the detailed tables. Table 54 presents United States data for State, veterans', and psychopathic hospitals, and table 58 presents data for State hospitals, by divisions and States.



TABLE XVIII.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY IN STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, FOR THE UNITED STATES: 1941 TO 1943

[Figures based on table 54. A minus sign (—) denotes excess of capacity over population]

TIPE OF CONTROL		ILY RESIDEN	T-PATIENT	NORMAL CA	APACITY OF B	OSPITALS
	1943	1942	1941	1943	1943	1941
State hospitals	430,186 36,018 422	426,335 32,218 387	414,819 30,596 553	391,206 37,936 545	389,445 33,133 449	380,414 31,988 644
	B V (18)	SS OF POPUL	AMION OUTE	CADACIME (	OWEN CHOWN	
	EXCE	ss of Porul	ATION OVER	CAPACITI	OVERCEOWD	(MG)
TYPE OF CONTROL		Number	ZATION OVER		ent of capac	
TYPE OF CONTROL	1943		1941			

#### **Administrative Staff**

The adequacy of the care received by patients in hospitals for mental disease is in part a function of the relationship between the number and types of personnel and the number of patients under care. This relationship is expressed in terms of the number of each type of officer and employee per 1,000 patients in the average daily patient population.

The statistics presented in table XIX indicate a substantial decline in the number of employees per 1,000 patients between 1941 and 1943 for both State and veterans' hospitals. The increase in this ratio between 1941 and 1942 for psychopathic hospitals is to be explained largely in terms of the reclassification of Cook County (Illinois) Psychopathic Hospital as a psychiatric ward rather than a psychopathic hospital. The relatively high ratios for psychopathic hospitals reflect for the most part the personnel devoted to teaching and research. For both State and veterans' hospitals, this decrease occurred in most of the occupational classes for which separate statistics are presented.

Administrative staff: Additional data in detailed tables.—Additional statistics on administrative staff are presented in the detailed tables. Table 55 presents statistics on the administrative staffs of State, veterans' and psychopathic hospitals classified by occupation, type of employment, and sex, together with the average daily population of the hospitals reporting, for the United States. Data on the full-time administrative staffs of State hospitals, classified by occupation, and on the average daily population of institutions reporting, appear for divisions and States in table 59.



TABLE XIX .- ADMINISTRATIVE STAFF, FULL-TIME, WITH RATIOS, OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION, FOR THE UNITED STATES: 1941 TO 1943 [Figures based on table 55. Ratio not shown where less than 0.1]

[Figures	based on t	adie 55.	natio not	BUOMU A	nere less	tnan U.1	,		
OCCUPATION		TE HOSPIT			ANB' HOS			ATRIC HO	SPITALS
	1943	1942	1941	1943	1942	1941	1943	1942	1941
Total	61,083	66,416	70,732	12,243	11,700	12,109	737	643	754
Superintendents and physicians	1,481	1,625	1,813	380	397	385	58	60	60
Superintendents	169 91	178 122	171 134	31 4	28 2	27 3	3	7 4	6 5
Clinical directors	63	65	71	30	27	27	3	2	2
Pathologists	40 14	42 26	56 19	5 28	6 23	7 25	<u>i</u> -	2 5	1
Staff physicians	1,091	1,071	1,238	282	311	292	34	38	38
Consulting physicians  Medical internes	13	121	124						
						4	13	2	8
Psychologists and psychometrists  Dentists	67 129	68 147	68 157	3 52	1 46	43	12	8 1	6 1
Dental assistants	64	71	79	41	42	46			
PharmacistsClinical assistants	122 26	129 23	127 24	34 10	29	29	1 1	2 4	<u>4</u>
Laboratory and X-ray technicians.	324	309	317	66	56	61	17	18	8
Graduate nurses Other nurses and attendants	2,881 31,763	3,170 36,540	8,702	1,008 5,368	1,018 5,298	1,124	92	102	99
	·		40,478		i .	5,544	266	231	349
Therapists and assistantsOccupational therapists and assistants.	1,455 838	1,544 840	1,550 819	345 216	299 191	303 195	18 14	26 21	15 9
Hydrotherapists and assistants.	188 45	210	225 75	8	9	12	3	2 1	4
Physiotherapists and assistants Industrial supervisors and in-	290	53 280	319	109	93	93	1	1	
structors.	04	101	1,,,						
Other therapists and assistants.	94	161	112	4	5	8		2	2
Dietitians Social workers and field workers	165 354	191 417	196 438	66 38	59 34	59 38	3 20	2 21	3 22
Psychiatric social workers	214	284	259	31	29	81	20	16	21
Other trained social workers	128	110	117	7	5	6		5.	1
Field workers	12 239	23 222	62 248	24	5	1 14	2	5	3
Clerical employees	239 2,774	2,858	2,516	1,033	813	757	95	77	66
Other employees	19,239	19,102	19,019	3,775	3,599	3,701	151	88	118
Average daily resident-patient population.1	414,376	423,387	406,819	36,018	32,218	30,596	422	387	511
RATIO 2	l	1		]					
Total	147.4	156.9	173.9	339.9	363.2	395.8	1,746.4	1,661.5	1,475.5
Superintendents and physicians		3.8	4.5	10.6	12.3	12.6	137.4	155.0	117.4
Superintendents		0.4	0.4	0.9	0.9	0.9	9.5	18.1	11.7
Assistant superintendents Clinical directors	0.2	0.3	0.2	0.1	0.1	0.1	7.1	10.3 5.2	9.8 3.9
Pathologists	0.1	0.1	0.1	0.1	0.2	0.2	l	5.2	2.0
Medical specialists	2.6	0.1 2.5	3.0	0.8 7.8	0.7 9.7	0.8 9.5	2.4 80.6	12.9 98.2	74.4
Consulting physicians								#0.2	/2,2
Medical internes		0.3	0.8			0.1	30.8	5.2	15.7
Psychologists and psychometrists  Dentists	0.2	0.2	0.2 0.4	0.1	1.4	1.4	28.4 2.4	20.7	11.7
Dental assistants		0.3	0.2	lii	1.3	1.5	2.2	2.6	2.0
Pharmacists	0.3	0.8	0.3	0.9	0.9	0.9	2.4	5.2	
Clinical assistants Laboratory and X-ray technicians		0.1	0.1	0.8 1.8	0.1 1.7	0.2 2.0	2.4 40.3	10.3 41.3	7.8 15.7
Graduate nurses		7.5	9.1	28.0	31.6	36.7	218.0	263.6	193.7
Other nurses and attendants	76.7	86.3	99.5	149.0	164.4	181.2	630.3	596.9	683.0
Therapists and assistants.  Occupational therapists and assistants.	3.5 2.0	3.6 2.0	3.8 2.0	9.6 6.0	9.3 5.9	9.9	42.7 33.2	67.2 54.3	29.4 17.6
Hydrotherapists and assistants.		0.5	0.6	0.2	0.3	0.4	7.1	5.2	7.8
Physiotherapists and assistants		0.1	0.2	8.0	2.9	8.0	2.4	2.6	
Industrial supervisors and in- structors.	0.7	0.7	0.8	0.2					
Other therapists and assistants.	l	0.4	0.3	0.1	0.2	0.1		5.2	3.9
Dietitians Social workers and field workers	0.4	0.5 1.0	0.5 1.1	1.8	1.8	1.9	7.1 47.4	5.2 54.3	5.9 43.1
Psychiatric social workers	0.5	0.7	0.6	0.9	0.9	1.0	47.4	41.3	41.1
Other trained social workers Field workers		0.3 0.1	0.3	0.2	0.2	0.2		12.9	2.0
Stewards		0.5	0.2	0.7	0.2	0.5	4.7	12.9	5.9
Clerical employees	6.7	6.8	6.2	28.7	25.2	24.7	225.1	199.0	129.2
Other employees	46.4	45.1	46.8	104.8	111.7	121.0	857.8	227.4	230.9

<sup>&</sup>lt;sup>1</sup> Includes only population of hospitals reporting administrative staff.

<sup>3</sup>Represents number of full-time employees per 1,000 patients. Based on average daily resident-patient population.



Vacancies in administrative staff.—In the State hospitals which returned specific information on vacancies, 22.6 percent of the positions available were vacant (table XX). The percentage of vacancies in veterans' hospitals was 11.5 and in psychopathic hospitals, 14.6. Of the positions available for superintendents and physicians in State hospitals, 32.6 percent were vacant, of those available for graduate nurses, 36.5 percent were vacant, and of those available for other nurses and attendants, 26.3 percent were vacant. The percentage of vacancies in these occupations were, in general, considerably less in both veterans' and psychopathic hospitals.

Vacancies: Additional data in detailed tables.—Similar statistics for vacancies in the administrative staffs of State, veterans', and psychopathic hospitals appear in table 56.

TABLE XX.—ADMINISTRATIVE STAFF, VACANCIES, IN STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION, FOR THE UNITED STATES: 1943

Figure	s based	on	table	56.	Percent	not	shown	where	base	is	less	than	50	1
--------	---------	----	-------	-----	---------	-----	-------	-------	------	----	------	------	----	---

	8'	TATE HOS	SPITALS		VET	ERANS' I	HOSPITAL	LS	PSYCH	OPATHI	с новрі	TALS
OCCUPATION	All	Posi-	Posit vac:		All	Posi-	Posit vaca		All	Posi-	Posit vaca	
	posi- tions	tions filled	Num- ber	Per- cent	posi- tions	tions filled	Num- ber	Per- cent	posi- tions	tions filled	Num- ber	Per-
Total	37,795	29,253	8,542	22.6	12,174	10,779	1,395	11.5	801	684	117	14.6
Superintendents and physicians.	1,044	704	340	32.6	373	334	39	10.5	71	53	18	25.4
Superintendents	92	89	3	3.3	27	27			6	4	2	
Assistant superinten- dents.	66	51	15	22.7	3	3			3	3		
Clinical directors	45	32	13		26	26			4	3	1	
Pathologists	28	19	9		6	5	1					
Medical specialists	18	11	7		32	28	4		1	1		
Staff physicians Consulting physicians	761	494	267	35.1	279	245	34	12.2	42	30	12	
Medical internes	34	8	26						15	12	3	
Psychologists and psychom- etrists.	67	42	25	37.3	1	1			10	10		
Dentists	87	63	24	27.6	45	43	2		1	1		
Dental assistants	68	43	25	36.8	40	37	3					
Pharmacists	71	66	5	7.0	30	30			1	1		
Clinical assistants	27	8	19		11	10	1		1	1		
Laboratory and X-ray tech- nicians.	213	170	43	20.2	63	57	6	9.5	14	12	2	
Graduate nurses Other nurses and attendants	1,906 20,977	1,210 15,467	5,510	36.5 26.3	1,078 5,547	911 4,675	167 872	15.5 15.7	104 286	84 248	20 38	19.3 13.3
Therapists and assistants	847	597	250	29.5	333	313	20	6.0	19	16	3	
Occupational therapists and assistants.	448	322	126	28.1	211	199	12	5.7	14	13	1	
Hydrotherapists and assistants.	145	85	60	41.4	8	8			4	3	1	
Physiotherapists and assistants.	52	30	22	42.3	107	99	8	7.5	1		1	
Industrial supervisors and instructors.	142	118	24	16.9	5	5						
Other therapists and assistants.	60	42	18	30.0	2	2						
Dietitians	135	99	36	26.7	64	57	7	10.9	3	2	1	
Social workers and field workers.	255	178	77	30.2	44	36	8		20	18	2	
Psychiatric social workers.	201	137	64	31.8	37	29	8		19	18	1	
Other trained social workers.	45	33	12		7	7			1		1	
Field workers	9	8	1									
Stewards	138	129	9	6.5	17	17			2	2		
Clerical employees	1,418	1,304	114	8.0	914	894	20 250	6.9	91 178	85 151	27	6. 15.
Other employees	10,542	9,173	1,369	13.0	3,614	3,364	250	0.9	110	191	21	10



## Expenditures

The relative cost of the care of patients in hospitals for mental disease is indicated in the figures on per capita expenditure presented in table XXI. These figures also show the relative costs of the various essential services provided by hospitals for mental disease. The per capita expenditure for maintenance reflects in part the adequacy of the care provided. It should be noted, however, that variations in the per capita expenditure for maintenance may also reflect variations in the general price level.

The per capita expenditure for maintenance of State hospitals during 1943 (about \$336) represents an increase of about \$13 over the corresponding figure for 1942 (about \$324). The figures indicate similar increases for veterans' and psychopathic hospitals. As in the case of administrative staff, the high per capita expenditure for maintenance in psychopathic hospitals reflects their extensive educational and research activities.

Since statistics on expenditures for a full year are not available for State-operated hospitals in several States, the statistics presented for State hospitals in Massachusetts, New York, and Maryland, and those presented for psychopathic hospitals in Massachusetts and New York, include estimates of the annual figures.

Expenditures: Additional data in detailed tables.—Further statistics on expenditures are presented in the detailed tables. Statistics on expenditures for the United States, classified by purpose of expenditure, and on the average daily population, are presented for State, veterans', and psychopathic hospitals in table 57. Similar statistics on expenditure for maintenance, average daily patient population, and per capita expenditure for maintenance appear by divisions and States, for State hospitals in table 60.

TABLE XXI.—TOTAL AND PER CAPITA EXPENDITURE FOR MAINTENANCE, BY PURPOSE, IN STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, FOR THE UNITED STATES: 1941 TO 1943

[Figures bas	sed on	table	57]
--------------	--------	-------	-----

TYPE OF CONTROL AND		AMOUNT		PER CA	PITA EXPENI	DITURE1
PURPOSE OF EXPENDITURE	1943	1942	1941	1943	1942	1941
STATE HOSPITALS						
Total	\$138,491,553	\$136,762,165	\$125,366,478	\$335.84	<b>\$</b> 323.69	\$306.62
Salaries and wages Purchased provisions Fuel, light, and water Other maintenance	71,531,668 33,809,470 11,289,871 21,860,544	71,139,929 32,367,474 10,831,261 22,423,501	68,062,778 26,763,425 9,960,754 20,579,521	173.46 81.99 27.38 53.01	168.37 76.61 25.64 53.07	166.47 65.46 24.36 50.33
VETERANS' HOSPITALS						
Total	\$29,382,762	<b>\$24,781,659</b>	\$22,193,905	\$841.12	\$769.19	\$725.39
Salaries and wages	20,194,712 5,484,549 1,389,181 2,314,320	16,513,152 4,624,887 1,386,063 2,257,557	15,350,130 3,835,494 1,156,407 1,851,874	578.10 157.00 39.77 66.25	512.54 143.55 43.02 70.07	501.70 125.36 37.80 60.53
Total	\$1,032,351	\$1,063,063	\$847,224	\$2,828.36	\$2,746.93	\$2,333.95
Salaries and wages Purchased provisions Fuel, light, and water Other maintenance	735,792 129,773 45,661 121,125	688,775 166,112 68,140 140,036	551,002 127,980 40,835 127,407	2,015.87 355.54 125.10 331.85	1,779.78 429.23 176.07 361.85	1,517.91 352.56 112.49 350.98

<sup>&</sup>lt;sup>1</sup>Based on average daily resident-patient population of hospitals reporting expenditures.



# PART II. PATIENTS IN INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS

#### INTRODUCTION

#### General

In this part of the report statistics are presented on the movement of patients in institutions for mental defectives and epileptics, and on the characteristics of these patients. Additional information appears on over-crowding, administrative staff, and expenditures for public institutions. The statistics presented are for the calendar year 1943 or the fiscal year ending in 1943.

The primary significance of these data lies in their depiction of the nature and scope of the problems of mental deficiency and epilepsy as portrayed by statistics of institutions which provide care specifically for persons suffering from these disorders. As in the case of hospitalized patients with mental disease, statistics on institutionalized mental defectives and epileptics do not necessarily indicate the true prevalence and incidence of these disorders in the general population. Not all individuals recognized as mentally defective or epileptic require institutionalization nor, regardless of whether or not they require institutional care, are they all in the custody of institutions. The statistics presented here are further limited by the fact that in a number of States special provision is made for the care of mental defectives and epileptics in State hospitals for mental disease. The best available statistics on the incidence of mental deficiency and epilepsy are to be found in Part III which presents combined figures for both institutions and hospitals.

#### Classification of Institutions

Most of the institutions for mental defectives and epileptics from which the Bureau of the Census received schedules are controlled by either State or private agencies. Reports were also received from two institutions operated by municipalities. The statistics for these city institutions have been combined with those for State institutions. For the purposes of this report, then, institutions are classified into two groups: Public institutions, which comprise institutions under State and city control, and private institutions.

The further classification of the institutions under consideration into those for mental defectives and those for epileptics is impractical because, in a majority of these institutions, the population is composed of both mental defectives and epileptics.

#### Classification of Patients

The classification of the entire intake of institutions for mental defectives and epileptics presents certain problems. Although mental deficiency and epilepsy are distinct mental disorders, they are not necessarily mutually exclusive conditions. Certain patients display symptoms of both mental deficiency and epilepsy. Moreover, among the admissions to these institutions, there are patients who, on observation, are found to be neither mentally defective nor epileptic. For the purposes of this report, the classes of patients and the types of patients which comprise each class are as follows:

1. Mental defectives: All mental defectives for whom there is no indication of epilepsy, or if there is such indication, for whom the case history establishes the prior existence of mental deficiency.



- 2. Epileptics: All epileptics for whom there is no indication of mental deterioration, or if there is such indication, for whom the prior existence of mental deficiency cannot be established.
- 3. Other patients: Patients for whom the final diagnosis is a mental disorder other than mental deficiency or epilepsy.

## Coverage and Scope

Coverage.—The statistics presented in this part (Part II) of the report are based on information received from 178 institutions for mental defectives and epileptics. Schedules were received from 83 State institutions, 2 city institutions, and 93 private institutions.

Schedules were returned by all but 7 of the State institutions to which they were sent, and by both city institutions. Although the number of private institutions reporting was only 67.4 percent of those to which schedules were sent, the replies included a much greater proportion of the larger institutions, particularly those whose statistical departments have been considerably developed. Hence, the statistics presented here include a much higher percentage of patients in all private hospitals than the percentage of institutions reporting would imply.

Scope of information.—The census includes inquiries on movement of population for each class of mental disorder and each sex; first admissions classified by mental disorder, diagnosis, age, and sex; readmissions classified by mental disorder, diagnosis, and sex; discharges classified by mental disorder, diagnosis, condition on discharge, and sex; deaths classified by mental disorder, diagnosis, duration of institutional life, and sex; number of persons comprising the administrative staff of institutions by occupation and sex; and annual expenditures of institutions classified by purpose. All of this information was requested of public institutions, but only data on movement of population and first admissions were requested of private institutions.

Unpublished data.—Because of space limitations, statistics are not presented for all of the information collected. A detailed statement of data available and data presented appears in the tabular index presented on pages XVI through XXI.

The unpublished data can be made available upon request, for the cost of transcribing and reproducing them. Requests for such statistics, addressed to the Director of the Census, Washington 25, D. C., will receive a prompt reply which will include an estimate of the cost of preparing the data.

#### **Arrangement of Detailed Tables**

The detailed tables presented in this part (Part II) of the report are arranged by subject. Statistics on the movement of population in institutions for mental defectives and epileptics are presented in tables 61 to 67. For mental defectives, statistics on admissions are presented in tables 68 to 74; on discharges, in tables 75 and 76; and on deaths, in tables 77 and 78. For epileptics, statistics on admissions are presented in tables 79 to 85; on discharges, in tables 86 and 87; and on deaths, in tables 88 and 89. Statistics on overcrowding, administrative staff, and expenditures are presented in tables 90 to 95. Within each of the groups of tables, all tables presenting statistics for the United States precede tables for divisions and States, and within these subgroups tables are arranged by type of institution.



## MOVEMENT OF POPULATION

#### General

Statistics on the movement of population represent a formal accounting of the flow of patients in and out of institutions during the course of the year. These statistics provide a point of departure for most of the data which are conventionally presented for institutions for mental defectives and epileptics.

The classification employed involves four major categories: Patients on the books at the beginning of the year, admissions, separations, and patients on the books at the end of the year.

Each of these categories is susceptible to further classification. Patients on the books are classified with reference to their actual presence or absence in the institution, admissions according to whether or not there was a previous commitment, and separations with reference as to whether or not the separation was occasioned by discharge or death.

At the beginning of the year there were 129,510 patients on the books of institutions for mental defectives and epileptics; by the end of the year this number had increased to 130,891, an increase of 1,381, or 1.1 percent. About 87 percent of the patients on the books at the beginning, and 86 percent at the end, of the year were in residence in institutions, and most of the remaining patients were in extramural care other than family care (table XXII).

For every 100 patients on the books at the beginning of the year, there were 9.9 admissions and 8.8 separations. Nearly 88 percent of the admissions were first admissions. Of the 11,443 separations during the year, 66.2 percent were discharges, 26.4 were deaths, and the remainder were transfers.

The proportion of patients on the books who were in residence in institutions was clearly greater for private institutions than for public institutions. Likewise, the number of admissions and the number of separations per 100 patients on the books at the beginning of the year for private institutions exceeded those for public institutions.

Resident patients constituted a greater proportion of the patients under supervision among epileptics than they did among mental defectives. This difference occurred consistently in both public and private institutions. In public institutions the turnover of epileptics, as reflected in admissions and separations per 100 patients of the same classification on the books, was greater than that for mental defectives. For private institutions the number of epileptics admitted per 100 patients of the same classification on the books was less than that for mental defectives. The turnover in private institutions was greater for all patients than for either mental defectives or epileptics because the former group included "other patients."



TABLE XXII.—MOVEMENT OF POPULATION, WITH RATES, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1943

[Figures based on table 61]

							1		
	ALL	INSTITUT	IONS	PUBLI	C INSTITU	TIONS	PRIVAT	TE INSTIT	TUTIONS
MOVEMENT OF POPULATION	All pa- tients <sup>1</sup>	Men- tal defec- tives	Epi- leptics	All pa- tients <sup>1</sup>	Men- tal defec- tives	Epi- leptics	All pa- tients1	Men- tal defec- tives	Epi- leptics
Patients on books at beginning of year.	129,510	107,067	20,360	123,496	102,162	19,610	6,014	4,905	750
In institution In family care <sup>2</sup>	112,449 673	92,376 672	18,434	106,612 673	87,640 672	17,684	5,837	4,736	750
In other extramural care	16,388	14,019	1,926	16,211	13,850	1,926	177	169	
Admissions during year	12,824	10,227	2,043	11,288	9,057	1,941	1,536	1,170	102
First admissions Readmissions Transfers	11,247 998 579	8,974 759 494	1,800 206 37	9,847 879 562	7,907 672 478	1,713 192 36	1,400 119 17	1,067 87 16	87 14
Separatións during year	11,443	8,982	1,876	10,065	7,994	1,748	1,378	988	128
Discharges From institution From extramural care Transfers Deaths In institution In extramural care	7,579 2,836 4,743 843 3,021 2,946 75	6,257 2,126 4,131 718 2,007 1,950 57	865 398 467 76 935 918 17	6,639 1,912 4,727 682 2,744 2,673 71	5,590 1,471 4,119 580 1,824 1,771 53	787 322 465 53 908 891 17	940 924 16 161 277 273 4	667 655 12 138 183 179 4	78 76 2 23 27 27
Patients on books at end of year	130,891	108,312	20,527	124,719	103,225	19,803	6,172	5,087	724
In institution In family care <sup>2</sup> In other extramural care	113,037 635 17,219	93,109 634 14,569	18,304	107,028 635 17,056	88,184 634 14,407	17,581	6,009	4,925	723
PERCENT DISTRIBUTION	11,210	11,000	2,220	11,000	11,101	2,222	100	102	,
Patients on books at beginning of year.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
In institution. In family care <sup>2</sup> . In other extramural care.	86.8 0.5 12.7	86.3 0.6 13.1	90.5	86.3 0.5 13.1	85.8 0.7 13.6	90.2	97.1	96.6	100.0
Admissions during year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First admissions Readmissions Transfers	87.7 7.8 4.5	87.7 7.4 4.8	88.1 10.1 1.8	87.2 7.8 5.0	87.3 7.4 5.3	88.3 9.9 1.9	91.1 7.7 1.1	91.2 7.4 1.4	85.3 13.7 1.0
Separations during year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Discharges. From institution From extramural care. Transfers. Deaths. In institution. In extramural care.	66.2 24.8 41.4 7.4 26.4 25.7 0.7	69.7 23.7 46.0 8.0 22.3 21.7 0.6	46.1 21.2 24.9 4.1 49.8 48.9 0.9	66.0 19.0 47.0 6.8 27.3 26.6 0.7	69.9 18.4 51.5 7.3 22.8 22.2 0.7	45.0 18.4 26.6 3.0 51.9 51.0 1.0	68.2 67.1 1.2 11.7 20.1 19.8 0.3	67.5 66.3 1.2 14.0 18.5 18.1 0.4	60.9 59.4 1.6 18.0 21.1 21.1
Patients on books at end of year	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
In institution	86.4	86.0	89.2	85.8	85.4	88.8	97.4	96.8	99.9
In family care <sup>2</sup> In other extramural care	$0.5 \\ 13.2$	$0.6 \\ 13.5$	10.8	0.5 13.7	0.6 14.0	11.2	2.6	3.2	0.1
RATE PER 100 PATIENTS ON BOOKS AT BEGINNING OF YEAR						•			
All admissions	9.9 8.8	9.6 8.4	10.0 9.2	9.1 8.2	8.9 7.8	9.9 8.9	25.5 22.9	23.9 20.1	13.6 17.1

<sup>&</sup>lt;sup>1</sup> Includes figures for patients diagnosed as other than mentally defective or epileptic, not shown separately. <sup>2</sup> Public institutions only.



## Patients on the Books at the End of the Year

The patients on the books of institutions for mental defectives and epileptics comprise not only those in actual residence but also others in the custody of these institutions. Of the latter group, some are in family care and others are on parole, visit, or in other types of extramural care which are variously designated from State to State. The classification of patients on the books presented here is as follows:

1. In institution: Patients actually in residence in institutions (that is, resident patients).
2. In extramural care: Patients in the custody of institutions but

not in actual residence.

a. In family care: Patients, not recovered sufficiently to be paroled or discharged, who have been placed in private families in the community, other than their own, with remuneration to the family by the institution. The practice of providing family care for patients is confined to State institutions and this classification appears only when

data involving State institutions are presented.

b. In other extramural care: Patients in extramural care other than family care. A majority of these patients are to be found on parole, a type of care in which the ability of the patient to adjust to normal community life is tested. Since the patient is retained on the books of the institution, he may be returned to the institution in the event he fails to make the adjustment. The provisions under which patients are paroled vary widely from State to State. In addition to patients on parole, this category includes patients on temporary and trial visits, escaped patients, and patients absent from the institution for other reasons.

Of the 130,891 patients on the books of institutions for mental defectives and epileptics at the end of the year, 82.7 percent were diagnosed as mental defectives, 15.7 percent as epileptics, and 1.6 percent as with mental disorders other than mental deficiency or epilepsy (table XXIII). In general, this pattern of distribution was characteristic also of resident patients and of

TABLE XXIII.—PATIENTS ON BOOKS AT END OF YEAR IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY STATUS ON BOOKS, MENTAL DISORDER, AND TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED **STATES: 1943** 

[Figures based on table 61]

		PATIENTS	ON BOOKS		PERCENT DISTRIBUTION				
MENTAL DISORDER AND TYPE OF CONTROL	Total	In insti- tutions	In family care <sup>1</sup>	In other extra- mural care	Total	In insti- tutions	In family care	In other extra- mural care	
All institutions	130,891	113,037	635	17,219	100.0	100.0	100.0	100.0	
Mental defectives Epileptics Other	108,312 20,527 2,052	93,109 18,304 1,624	634	14,569 2,223 427	82.7 15.7 1.6	82.4 16.2 1.4	99.8	84.6 12.9 2.5	
Public institutions	124,719	107,028	635	17,056	100.0	100.0	100.0	100.0	
Mental defectives Epileptics Other	103,225 19,803 1,691	88,184 17,581 1,263	634	14,407 2,222 427	82.8 15.9 1.4	82.4 16.4 1.2	99.8	84.5 13.0 2.5	
Private institutions	6,172	6,009		163	100.0	100.0		100.0	
Mental defectives Epileptics Other	5,087 724 361	4,925 723 361		1	82.4 11.7 5.8	82.0 12.0 6.0		99.4 0.6	

<sup>&</sup>lt;sup>1</sup>Public institutions only.



patients in other extramural care in both public and private institutions. The statistics for private institutions showed a slight variation from this pattern with a somewhat higher percentage of patients diagnosed as neither mental defectives nor epileptics. Only State institutions place patients in family care. As table XXIII indicates, all but one of these patients were mental defectives.

Resident patients in all institutions per 100,000 of the population: 1934 to 1943.—The number of resident patients at the end of the year in all institutions for mental defectives and epileptics per 100,000 of the population increased from 75.6 in 1934 to 82.8 in 1943 (table XXIV). The rate for resident patients in public institutions showed essentially the same trend. The correspondence of the trends in these two rates is to be expected, since in every year resident patients in public institutions constituted about 95 percent of all resident patients.

The rates presented in table XXIV are based on final estimates of the total population as of July 1 of the indicated year. The existence of certain segments in the total population which, for all practical purposes, are not exposed to the risk of institutionalization, and the variation in the date of the "end of the year" from institution to institution have not been taken into consideration in computing the rates presented in table XXIV. The nature of the data on resident patients and of the available data on the base population does not warrant these refinements. Comparison among the annual rates should be made only after taking into consideration the completeness of reporting in the years in question (see Appendix B).

TABLE XXIV.—RESIDENT PATIENTS AT END OF YEAR, WITH RATES, HISTORICAL, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1934 TO 1943

	[1]	gures baseu o	on tables 02	CO 041				
	RESIDEN	T PATIENTS OF YEAR	AT END	PERCENT	OF TOTAL	RATE <sup>1</sup>		
YEAR	Total	Public insti- tutions	Private insti- tutions	Public insti- tutions	Private insti- tutions	Total	Public insti- tutions	
1943	113,037 114,864 105,625 104,784 103,653 105,821 102,333 99,343 97,439 95,520	107,028 109,442 101,543 101,164 \$98,727 101,071 97,729 94,804 93,150 91,028	6,009 5,422 4,082 3,620 4,926 4,750 4,604 4,539 4,289 4,492	94.7 95.3 96.1 96.5 95.2 95.5 95.4 95.6 95.3	5.3 4.7 3.9 3.5 4.8 4.5 4.5 4.6 4.4	82.8 85.3 79.4 79.2 81.5 79.4 77.6 76.6 75.6	78.4 81.3 76.2 76.7 75.4 77.9 75.9 74.0 73.2 72.0	

[Figures based on tables 62 to 64]

#### Admissions

All of the patients who enter an institution for mental defectives or epileptics during the course of a year are designated as admissions. Of these admissions, those representing patients shifted from the supervision of one institution to another are designated as transfers. Since transfers do not represent an addition to the total population of all institutions, and pre-



<sup>&</sup>lt;sup>1</sup>Represents number of resident patients per 100,000 of the estimated total population as of July 1 of the specified year. Since these rates are based on revised population estimates, they may differ slightly from corresponding rates previously published.

sumably have appeared already in statistics on first admissions or readmissions, they are given no detailed consideration here. Admissions other than transfers are classified with reference to the presence or absence of a record of a previous commitment to any type of institution for mental defectives or epileptics. These patients are classified as follows:

1. First admissions: This category comprises patients admitted without a record of previous admission to, and discharge from, any institution for mental defectives and epileptics.

2. Readmissions: This category comprises patients admitted with a record of previous admission to, and discharge from, any institution for mental defectives and epileptics.

Of the 11,247 first admissions to all institutions for mental defectives and epileptics, 79.8 percent were mental defectives, 16.0 percent were epileptics, and 4.2 percent were patients diagnosed as neither mentally defective nor epileptic (table XXV). The distribution by mental disorder among readmissions was similar but with a slightly larger percentage of epileptics and slightly smaller of other patients. The proportion of patients diagnosed as with mental disorders other than mental deficiency or epilepsy was considerably greater among first admissions and readmissions to private institutions than among those to public institutions.

Readmissions constituted 8.2 percent of the combined total of first admissions and readmissions to all institutions. The proportion of readmissions was somewhat higher for epileptics than it was for mental defectives and for other patients. For epileptics and other patients the number of readmissions was relatively greater for private institutions than for public institutions.

TABLE XXV.—FIRST ADMISSIONS AND READMISSIONS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1943

(Figures based on table 61)

	ALL ADMISSIONS (EXCEPT TRANSFERS)			PERCE	NT DISTRI	PERCENT OF TOTAL		
MENTAL DISORDER AND TYPE OF CONTROL	Total	First admis- sions	Re- admis- sions	Total	First admis- sions	Re- admis- sions	First admis- sions	Re- admis- sions
All institutions	12,245	11,247	998	100.0	100.0	100.0	91.8	8.2
Mental defectives Epilepties Other	9,733 2,006 506	8,974 1,800 473	759 206 33	79.5 16.4 4.1	79.8 16.0 4.2	76.1 20.6 3.3	92.2 89.7 93.5	7.8 10.3 6.5
Public institutions	10,726	9,847	879	100.0	100.0	100.0	91.8	8.2
Mental defectives EpilepticsOther	8,579 1,905 242	7,907 1,713 227	672 192 15	80.0 17.8 2.3	80.3 17.4 2.3	76.5 21.8 1.7	92.2 89.9 93.8	7.8 10.1 6.2
Private institutions	1,519	1,400	119	100.0	100.0	100.0	92.2	7.8
Mental defectives EpilepticsOther	1,154 101 264	1,067 87 246	87 14 18	76.0 6.6 17.4	76.2 6.2 17.6	73.1 11.8 15.1	92.5 86.1 93.2	7.5 13.9 6.8

First admissions to all institutions per 100,000 of the population: 1934 to 1943.—There were 8.2 first admissions to institutions for mental defectives and epileptics per 100,000 of the population during 1943 (table XXVI). There was little evidence of a consistent trend in the period between 1934 and 1943. It is possible that some of the variation in this rate from year to

646075-46-5



year is the result of the variation in the number of institutions reporting but it is extremely doubtful that corrections for under-reporting would make any appreciable change in the general magnitude of the rate or in its trend.

The rates presented in table XXVI are based on final estimates of the total population as of July 1 of the indicated year, and are subject to the same limitations which were indicated in the discussion of the institutionalization rates presented in table XXIV.

TABLE XXVI.—FIRST ADMISSIONS, WITH RATES, HISTORICAL, TO ALL INSTITU-TIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1934 TO 1943

	(Figu	res based or	tables 62 to	64]				
	PIE	ST ADMISSIO	INS	PERCENT	OF TOTAL	RATE <sup>1</sup>		
YEAR	Total_	Public insti- tutions	Private insti- tutions	Public insti- tutions	Private insti- tutions	Total	Public insti- tutions	
1943	11,247 11,740 12,315 10,715 10,896	9,847 10,664 11,098 9,733 9,672	1,400 1,076 1,217 982 1,224	87.6 90.8 90.1 90.8 88.8	12.4 9.2 9.9 9.2 11.2	8.2 8.7 9.2 8.1 8.3	7.2 7.9 8.3 7.4 7.4	
1938	11,614 12,550 10,711 11,243 11,886	10,374 11,389 9,918 10,648 11,191	1,240 1,161 793 595 695	89.3 90.7 92.6 94.7 94.2	10.7 9.3 7.4 5.3 5.8	8.9 9.7 8.4 8.8 9.4	8.0 8.8 7.7 8.4 8.9	

#### Separations

All of the patients who are removed from the custody of institutions for mental defectives and epileptics are designated as separations. Separations representing patients shifted from the supervision of one institution to another are designated as transfers. Since the total population of all institutions is not decreased by transfers, and since these patients will appear eventually in the statistics as discharges or deaths, they are given no detailed consideration here. The remaining separations are the result of discharge or death, either of which may occur while the patient is in the institution or in extramural care. The nature of the classification of deaths and discharges is indicated below:

1. Discharges: Patients who are formally removed from the custody of the institution. Such patients may be discharged directly from the institution or from extramural care. However, since practices with respect to extramural care vary so widely from institution to institution as to introduce a serious lack of comparability within each of these classes, detailed data are presented only for all discharges.

2. Deaths: Like discharges, deaths may occur while the patient is in the institution or while he is in extramural care. In conformity to conventional procedure in hospital statistics, however, detailed statistics are presented only for those deaths occurring in institutions.

Discharges from all institutions per 1,000 patients under treatment: 1934 to 1943.—The number of discharges per 1,000 patients under treatment in all institutions for mental defectives and epileptics varied somewhat in the period from 1934 to 1943, but there was no evidence of a clear cut trend (table XXVII). The highest rate (61.3) was found in 1943, and the lowest



<sup>&</sup>lt;sup>1</sup>Represents number of first admissions per 100,000 of the estimated total population as of July 1 of the specified year Since these rates are based on revised population estimates, they may differ slightly from corresponding rates previously published.

(49.7), in 1936. During the period under consideration, the discharge rate for public institutions showed essentially the same variation that occurred in the rate for all institutions.

The rates presented in table XXVII are based on the number of patients who were, at any time during the year, under the supervision of institutions. The base population comprises resident patients at the end of the year, all discharges, and deaths of resident patients during the year.

TABLE XXVII.—PATIENTS DISCHARGED, WITH RATES, HISTORICAL, FROM ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1934 TO 1943

[Figures based on tables 62 to 64]										
		PATIENTS DISCHA	RATE <sup>1</sup>							
YEAR	Total	Public institutions	Private institutions	Total	Public institutions					
1943	7,579 6,895 6,648 5,689 5,573	6,639 6,127 5,758 4,917 4,622	940 768 890 772 951	61.3 55.4 57.9 50.4 49.8	57.1 51.9 52.5 45.4 43.7					
1938	6,214 6,647 5,346 5,539 6,387	5,329 5,801 4,848 5,096 5,908	885 846 498 443 479	54.1 59.3 49.7 52.4 61.0	48.9 54.5 47.4 50.5 59.4					

<sup>&</sup>lt;sup>1</sup>Represents number of patients discharged per 1,000 patients under treatment. "Patients under treatment" comprise resident patients at the end of the year, all discharges during the year, and deaths in institution during the year.

Deaths in all institutions per 1,000 patients under treatment: 1934 to 1943. —The death rates presented in table XXVIII indicate a slight decline in this rate between 1934 and 1943. In 1934 there were 26.0 deaths per 1,000 patients under treatment in all institutions for mental defectives and epileptics and in 1943 this figure was 23.8. Higher and lower rates did occur in the intervening years, but the rates for the years between 1934 and 1938 were, on the average, higher than those for the latter part of the period. Only deaths of resident patients are taken into consideration in computing the rates presented in table XXVIII.

TABLE XXVIII.—DEATHS, WITH RATES, HISTORICAL, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1934 TO 1943

_	N	UMBER OF DEAT	R8	rate <sup>1</sup>		
YEAR	Total	Public institutions	Private institutions	Total	Public institutions	
1943	2,946	2,673	273	23.8	23.0	
	2,762	2,531	231	22.2	21.4	
	2,530	2,310	220	22.0	21.1	
	2,429	2,262	167	21.5	20.9	
	2,610	2,382	228	23.3	22.5	
1938	2,762	2,555	207	24.1	23.5	
	3,094	2,907	187	27.6	27.3	
	2,813	2,686	127	26.2	26.2	
	2,679	2,596	83	25.4	25.7	
	2,724	2,600	124	26.0	26.1	

<sup>&</sup>lt;sup>1</sup> Represents number of deaths per 1,000 patients under treatment. See footnote <sup>1</sup>, table XXVII.



## Movement of Population: Additional Data in Detailed Tables

In table 61, statistics are presented on the movement of population in 1943, classified by mental disorder, type of control, and sex, for the United States. Annual statistics for the United States on the movement of population in the period 1934 to 1943 are presented for all institutions in table 62, for public institutions in table 63, and for private institutions in table 64. Statistics for States on the movement of population in 1943, classified by mental disorder and sex, are presented for all institutions in table 65, for public institutions in table 66, and for private institutions in table 67.

## DIAGNOSIS OF MENTAL DEFECTIVES: ADMISSIONS AND SEPARATIONS

#### General

The primary classification of mental defectives admitted to, and separated from, institutions for mental defectives and epileptics, is by mental status. The classification of mental defectives by mental status is made with reference to various levels of intelligence found among these patients and comprises the following categories:

- 1. Idiot: A mentally defective person usually having a mental age of less than 3 years, or, if a child, an intelligence quotient of less than 20.
- 2. Imbecule: A mentally defective person usually having a mental age of 3 to 7 years, inclusive, or, if a child, an intelligence quotient of from 20 to 49, inclusive.
- 3. Moron: A mentally defective person usually having a mental age of 8 to 11 years, inclusive, or, if a child, an intelligence quotient of 50 or more. As a rule, the upper limit for a diagnosis of mental deficiency should be an intelligence quotient of 69.

### Diagnosis: Admissions

Statistics on the distribution of mental defectives by type of admission have been examined in connection with table XXV. In tables XXIX to XXXI data are presented on the characteristics of mentally defective admissions which give some indication as to the incidence of the different types of mental deficiency and also as to the relative importance of various etiological factors.

First admissions: Mental status and type of control of institution.—Of the 8,974 mental defectives admitted for the first time to all institutions for mental defectives and epileptics during 1943, 15.0 percent were classified as idiots, 29.9 percent as imbeciles, 43.3 percent as morons, and 11.8 percent were not classified (table XXIX). The distribution of mentally defective first admissions to public institutions differed from that of first admissions to private institutions. Among first admissions to public institutions, 29.2 percent were imbeciles and 44.9 percent were morons, but among first admissions to private institutions, these percentages were 34.6 and 31.8, respectively. The proportion of idiots was somewhat higher among first admissions to private institutions than it was for first admissions to public institutions.

Sex differences in mental status among first admissions were not large nor particularly consistent. For all institutions, the percentages of males and females classified as idiots were about the same, but the percentages of females classified as imbeciles and morons were slightly greater than the corresponding percentages for males. Among female first admissions to private institutions, however, the proportion of idiots was greater and the proportion of imbeciles was less than among male first admissions.



TABLE XXIX.—MENTAL STATUS OF MENTALLY DEFECTIVE FIRST ADMISSIONS, BY SEX, FOR ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1943

[Figures based on table 68]

		[Figure	s based on	table 68]					
	FIRS	T ADMISSI	ONS BY M	ENTAL ST	ATUS	PERCENT OF TOTAL			
TYPE OF CONTROL AND SEX	Total	Idiot	Imbe- cile	Moron	Un- classi- fied	Idiot	Imbe- cile	Moron	Un- classi- fied
ALL INSTITUTIONS									
Total	8,974	1,345	2,680	3,890	1,059	15.0	29.9	43.3	11.8
Male Female	4,908 4,066	755 590	1,414 1,266	2,066 1,824	673 386	15.4 14.5	28.8 31.1	42.1 44.9	13.7 9.5
PUBLIC INSTITUTIONS									
Total	7,907	1,125	2,311	3,551	920	14.2	29.2	44.9	11.6
Male	4,303 3,604	645 480	1,188 1,123	1,883 1,668	587 333	15.0 13.3	27.6 31.2	43.8 46.3	13.6 9.2
PRIVATE INSTITUTIONS									
Total	1,067	220	369	339	139	20.6	34.6	31.8	13.0
MaleFemale	605 462	110 110	226 143	183 156	86 53	18.2 23.8	37.4 31.0	30.2 33.8	14.2 11.5

Type of admission, clinical diagnosis, and mental status.—Excluding transfers, the number of mental defectives admitted to public institutions for mental defectives and epileptics during 1943 was 8,579. Of these patients, 7,907 were first admissions, and 672, or 7.8 percent, were readmissions (table XXX). Among all admissions, the proportion of readmissions showed a positive correlation with level of intelligence. The percentage which readmissions constituted of all admissions was 4.2 for idiots, 7.7 for imbeciles, and 9.3 for morons. Among the 984 admissions who were not classified by mental status, readmissions comprised 64, or 6.5 percent of the total.

Among all mental defectives admitted to public institutions, the most frequent specific diagnosis was familial mental deficiency. This diagnosis accounted for 28.8 percent of all admissions, 28.7 percent of all first admissions, and 30.5 percent of all readmissions. The figures seem to indicate that as the level of intelligence rises the proportion of admissions diagnosed as with familial mental deficiency also increases. Thus, the percentage of persons so diagnosed among all admissions was 12.3 for idiots, 21.2 for imbeciles, and 43.9 percent for morons. Mongolism, the second most frequent of the specific clinical diagnoses, tended to decrease as the level of intelligence increased. For all admissions classified as idiots, a diagnosis of mongolism was made in 11.6 percent of the cases; the corresponding percentages for imbeciles and morons were 8.9 and 0.6, respectively.

The interpretation of the figures in table XXX is complicated by the fact that the categories, "Undifferentiated" and "Unknown," account for more than 45 percent of all admissions. Separate figures on clinical diagnosis are not shown for those patients who were not classified by mental status, since about 85 percent of these cases were diagnosed as undifferentiated or unknown.



TABLE XXX.—CLINICAL DIAGNOSIS OF MENTALLY DEFECTIVE FIRST ADMISSIONS AND READMISSIONS, BY MENTAL STATUS, FOR PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

[Figures based on table 69. Percent not shown where less than 0.1 or where base is less than 50]

CHANGAL BLACKOOLS AND ABOUT COLUMN		ADMISSIO		PERCE	NT DISTRI	BUTION		CENT
CLINICAL DIAGNOSIS AND MENTAL STATUS	Total	First admissions	Re- admis- sions	Total	First admis- sions	Re- admis- sions	First admis- sions	Re- admis- sions
Total patients	8,579	7,907	672	100.0	100.0	100.0	92.2	7.
Familial	2,474	2,269	205	28.8	28.7	30.5	91.7	8.
Mongolism With developmental cranial anomalies	396	369	27	4.6	4.7	4.0	93.2	6.
With developmental cranial anomalies With congenital cerebral spastic infantile	161 184	157 182	. 4	1.9 2.1	2.0 2.3	0.6	97.5 98.9	2. 1.
paralysis.	101	102	-	2.1	2.0	0.0		1.
Postinfectional	356	330	26 24	4.1	4.2	3.9	92.7	7.
Posttraumatic With epilepsy	331 202	307 191	11	3.9 2.4	3.9	3.6	92.7 94.6	7. 5.
With endocrine disorder	108	99	9	1.3	1.3	1.3	91.7	8.
With familial amaurosis	4 2	3 2	1			0.1		
With tuberous sclerosis With other organic nervous diseases	127	113	14	1.5	1.4	2.1	89.0	11.
Other formsUndifferentiated	289	277	12	3.4	3.5	1.8	95.8	4.
Undifferentiated Unknown	2,003 1,942	1,815 1,793	188 149	23.3 22.6	23.0 22.7	28.0 22.2	90.6 92.3	9.
		1,793	149			22.2	92.3	'.
Idiot	1,174	1,125	49	100.0	100.0		95.8	4.
Familial	144	140	4	12.3	12.4		97.2	2.
Mongolism With developmental cranial anomalies	136 60	128 59	8	11.6 5.1	11.4 5.2		94.1 98.3	5. 1.
With congenital cerebral spastic infantile	93	92	i	7.9	8.2		98.9	1.
paralysis.	94	89	5	8.0	7.9		94.7	5.
PostinfectionalPosttraumatic	98	98	3	8.3	8.7		100.0	3.
With epilepsy With endocrine disorder	53	52	1	4.5	4.6		98.1	1.
With endocrine disorder With familial amaurosis	19 2	19	1	1.6 0.2	1.7 0.1			
With tuberous sclerosis	2	2		0.2	0.1			
With other organic nervous diseases	32	28	4	2.7	2.5			
Other formsUndifferentiated	33 237	33 214	23	2.8 20.2	2.9 19.0		90.3	9.
Unknown	171	170	1	14.6	15.1		99.4	0.
Imbecile	2,504	2,311	193	100.0	100.0	100.0	92.3	7.
Familial	531	491	40	21.2	21.2	20.7	92.5	. 7.
Mongolism With developmental cranial anomalies	224 51	208 48	16	8.9 2.0	9.0 2.1	8.3 1.6	92.9 94.1	7. 5.
With congenital cerebral spastic infantile paralysis.	59	58	1	2.4	2.5	0.5	98.3	1.
Postinfectional Posttraumatic	130 149	119 134	11 15	5.2 6.0	5.1 5.8	5.7 7.8	91.5 89.9	8. 10.
With epilepsy	75	69	6	3.0	3.0	3.1	92.0	8.
With endocrine disorder	39	35	4	1.6	1.5	2.1		
With familial amaurosis	1	1						
With tuberous sclerosis With other organic nervous diseases	47	44	3	1.9	1.9	1.6		
Other formsUndifferentiated	108 592	106 527	65	4.3 23.6	4.6 22.8	1.0 33.7	98.1 89.0	11.
Unknown	498	471	27	19.9	20.4	14.0	94.6	5.
Moron	3,917	3,551	366	100.0	100.0	100.0	90.7	9.
Familial	1,718	1,564	154	43.9	44.0	42.1	91.0	9.
Mongolism	23	21	2	0.6	0.6	0.5		
With congenital cerebral spastic infantile	39 24	39 24		1.0 0.6	1.1 0.7			
paralysis.	123	114	9	3.1	3.2	9.5	92.7	7
Posttraumatic	78	69	9	2.0	1.9	2.5 2.5	88.5	7. 11.
With epilepsy	65	61	4	1.7	1.7	1.1	93.8	6.
With endocrine disorder With familial amaurosis	48	43	5	1.2	1.2	1.4		
With tuberous sclerosis								
With other organic nervous diseases	40	33	7	1.0	0.9	1.9		
Other forms	137 1,132	128	9 98	$\frac{3.5}{28.9}$	3.6 29.1	2.5 26.8	93.4 91.3	6. 8.
Jnknown	489	420	69	12.5	11.8	18.9	85.9	14.
Unclassified	984	920	64	100.0	100.0	100.0	93.5	6.
Onciassined	904	920	0.4	100.0	100.0	100.0	93.0	0



First admissions: Age and mental status.—The median age of mental defectives first admitted to public institutions for mental defectives and epileptics during 1943 was 14.3 years (table XXXI). (The median age is that age which divides the population into two equal groups—one-half being older, and one-half being younger, than the median.)

The figures presented in table XXXI indicate that, among mentally defective first admissions, persons of the lowest intelligence were younger on admission than those whose intelligence approached normal levels. For idiots the median was 9.9 years, for imbeciles, 14.2 years, and for morons, 14.9 years. This relationship between age and mental status was characteristic of both males and females.

Among mentally defective first admissions, males were, on the average, younger than females. For all first admissions the median age for males was 13.5 years, whereas the median age for females was 15.3 years. This sex difference was apparent in each of the mental-status categories.

TABLE XXXI.—AGE AND MENTAL STATUS OF MENTALLY DEFECTIVE FIRST ADMISSIONS, BY SEX, FOR PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

				[Fig	rures ba	sed on	table 70	]					
AGE	FIRS:	TOTAL L'ADMISS	BIONS		IDIOT		I	MBECILI	9		MORON	Unclassi-	
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	fied
All ages	7,907	4,303	3,604	1,125	645	480	2,311	1,188	1,123	3,551	1,883	1,668	920
Under 5 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years	539 1,433 2,286 1,902 628	307 869 1,356 954 275	232 564 930 948 353	188 383 223 135 79	112 224 127 88 40	76 159 96 47 39	170 475 611 485 161	98 282 315 265 53	72 193 296 220 108	82 463 1,262 1,064 302	45 299 809 453 115	37 164 453 611 187	99 112 190 218 86
25 to 29 years 30 to 39 years 40 to 49 years 50 to 59 years 60 years and over Not reported	295 398 223 97 39 67	130 184 114 49 24 41	165 214 109 48 15 26	. 32 42 28 11 3	14 19 17 3	18 23 11 8 3	102 152 91 42 16 6	47 65 31 19 10 3	55 87 60 23 6 3	114 155 69 29 11	34 68 40 13 7	80 87 29 16 4	47 49 35 15 9 60
Median age	14.3	13.5	15.3	9.9	9.7	10.3	14.2	13.4	15.0	14.9	13.7	16.5	15.7

[Figures based on table 70]

Admissions: Additional data in detailed tables.—Additional information on the diagnosis of mentally defective first admissions and readmissions appears in the detailed tables. Statistics on first admissions to both public and private institutions, classified by mental status and sex, are presented for the United States in table 68. Statistics on first admissions and readmissions to public institutions, classified by clinical diagnosis, mental status, and sex, are presented for the United States in table 69. Statistics on first admissions to public institutions, classified by age, mental status, and sex are presented for the United States in table 70.

Statistics on first admissions to both public and private institutions, classified by mental status and sex, are presented for States in table 71. Statistics for divisions and States, on first admissions to public institutions, classified by age, are presented for all patients in table 72, for males in table 73, and for females in table 74.



### Diagnosis: Separations

The statistics presented here on the characteristics of mental defectives separated from public institutions for mental defectives and epileptics provide, for each type of mental deficiency, information on the outcome of institutional treatment. Statistics relating to the condition of patients at the time of discharge give some indication as to the probability that an adequate social and economic adjustment will be achieved outside the institution, and statistics on deaths indicate the variations in mortality which exist among the various mental status groups.

Discharges: Condition on discharge and mental status.—Of the 5,590 mental defectives discharged from public institutions for mental defectives and epileptics during 1943, 2.5 percent were idiots; 19.6 percent were imbeciles; and 70.6 percent were classified as morons. The remaining 7.2 percent were not classified with respect to mental status.

The classification of mental defectives by condition on discharge which appears in table XXXII is made with reference to their ability to support themselves outside of institutions. In view of this basis of classification, discharges are first classified into two groups by age: Patients under 15 years old and patients 15 years old and over. The latter group is further classified as follows:

1. Capable of self-support: Patients who, on discharge, have been

able to retain a position and earn a living during the parole period.

2. Capable of partial self-support: Patients who, on discharge, have been able to earn wages to cover a part of the costs of their maintenance during the parole period.

3. Incapable of productive work: Patier entirely dependent on friends and relatives. Patients who, on discharge, are

TABLE XXXII.—CONDITION ON DISCHARGE AND MENTAL STATUS OF MENTAL DEFECTIVES DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFEC-TIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

[Figures based on table 75]

		[1.64.00	Dabou on t	abic roj				
			15 YEA	RS OLD AND	OVER			
MENTAL STATUS	Total dis- charged	Total	Capable of self- support	Capable of partial self-support	Incapa- ble of produc- tive work	Un- known	Under 15 years old	Age not reported
Total	5,590	4,959	1,792	1,795	801	571	549	82
IdiotImbecile	139 1,098 3,948 405	83 889 3,708 279	3 159 1,525 105	333 1,405 52	62 329 379 31	13 68 399 91	56 206 238 49	3 2 77
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Idiot Imbecile Moron Unclassified PERCENT BY CONDITION ON DISCHARGE	2.5 19.6 70.6 7.2	1.7 17.9 74.8 5.6	0.2 8.9 85.1 5.9	0.3 18.6 78.3 2.9	7.7 41.1 47.3 3.9	2.3 11.9 69.9 15.9	10.2 37.5 43.4 8.9	3.7 2.4 93.9
Total	100.0	88.7	32.1	32.1	14.3	10.2	9.8	1.5
Idiot Imbecile Moron Unclassified	100.0 100.0 100.0 100.0	59.7 81.0 93.9 68.9	2.2 14.5 38.6 25.9	3.6 30.3 35.6 12.8	44.6 30.0 9.6 7.7	9.4 6.2 10.1 22.5	40.3 18.8 6.0 12.1	0.3 0.1 19.0



During 1943, there were 4,959 mental defectives 15 years old and over discharged from public institutions. Of these patients, 1,792, or more than one-third, were classified as capable of self-support. As would be expected, the percentage of patients discharged as capable of self-support was greatest for those classified as morons.

Discharges: Additional data in detailed tables.—Additional information on the characteristics of mental defectives discharged during the year appears in the detailed tables. Statistics on discharged patients, classified by condition on discharge, mental status, and sex are presented for the United States in table 75. Statistics on discharged patients, classified by mental status and sex, are presented for divisions and States in table 76.

Deaths: Duration of institutional life and mental status.—Of the 1,771 mental defectives who died in public institutions for mental defectives and epileptics during 1943, 41.2 percent, or 730, of these patients were classified as idiots, whereas only 14.5 percent of them were classified as morons (table XXXIII). Patients classified as imbeciles fell between these two extremes, representing 35.7 percent of all deaths.

The median duration of institutional life was 6.6 years for all mental defectives who died in public institutions during 1943. The period of institutionalization prior to death was, on the average, longest for imbeciles (9.4) and shortest for idiots (5.6 years).

TABLE XXXIII.—DURATION OF INSTITUTIONAL LIFE FOR DEATHS OF MENTAL DEFECTIVES, BY MENTAL STATUS, IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

		DEATHS	BY MENTAL	STATUS		PERCENT OF TOTAL						
DURATION OF INSTITUTIONAL LIFE	Total deaths	Idiot	Imbecile	Moron	Unclassi- fied	Idiot	Imbecile	Moron	Unclassi- fied			
Total	1,771	730	632	256	153	41.2	35.7	14.5	8.6			
I nder 1 month	73 139 63 75 150 126	37 68 30 33 60 56	8 27 19 20 45 41	4 6 4 7 23 20	24 38 10 15 22 9	50.7 48.9 47.6 44.0 40.0 44.4	11.0 19.4 30.2 26.7 30.0 32.5	5.5 4.3 6.3 9.3 15.3 15.9	32.9 27.3 15.9 20.0 14.7 7.1			
3 to 4 years 5 to 6 years 7 to 9 years 10 to 14 years 15 to 19 years and over Not reported Not reported	150 132 191 218 164 287	61 63 80 82 62 98	52 43 76 94 64 142	31 25 31 34 28 42	6 1 4 8 10 5	40.7 47.7 41.9 37.6 37.8 34.1	34.7 32.6 39.8 43.1 39.0 49.5	20.7 18.9 16.2 15.6 17.1 14.6	4.0 0.8 2.1 3.7 6.1 1.7			
Median (years)	6.6	5.6	9.4	7.7	0.7							

[Figures based on table 77. Percent not shown where base is less than 50]

Deaths: Additional data in detailed tables.—Additional information on the characteristics of mental defectives who died in institutions during 1943 appears in the detailed tables. Statistics on these patients, classified by duration of institutional life, mental status, and sex, are presented for the United States in table 77. Statistics on deaths, classified by mental status and sex, are presented for divisions and States in table 78.



## **DIAGNOSIS OF EPILEPTICS: ADMISSIONS AND SEPARATIONS**

#### General

The primary classification of epileptics admitted to, and separated from, institutions for mental defectives and epileptics is by clinical diagnosis. The two basic categories in this classification are defined as follows:

1. Symptomatic epilepsy: Epilepsy associated with a disease process, toxic condition, or structural defect.

2. Idiopathic epilepsy: Epilepsy not associated with a disease process, toxic condition, or structural defect.

The detailed classification of epileptics by clinical diagnosis which appears in table XXXV represents a more exhaustive presentation of etiological factors.

### Diagnosis: Admissions

Statistics on the distribution of epileptics by type of admission have been examined in connection with table XXXV. In tables XXXIV to XXXVI data are presented on the characteristics of epileptic admissions which give some indication as to the incidence of the various types of epilepsy and as to the relative importance of various etiological factors.

First admissions: Clinical diagnosis and type of control of institution.—Of the 1,800 epileptics admitted for the first time to all institutions for mental defectives and epileptics during 1943, 32.7 percent were designated as symptomatic; 56.0 percent as idiopathic; and 11.3 percent were not classified by type of epilepsy (table XXXIV). The distribution of epileptics by clinical diagnosis for all institutions, of course, reflects the distribution for public institutions which, during 1943, accounted for 1,713 of the 1,800 admissions. Among first admissions of epileptics to private institutions, the number of patients diagnosed as with idiopathic epilepsy exceeded the number diagnosed as with symptomatic epilepsy, but more than one-half of the patients were not classified with respect to type of epilepsy.

TABLE XXXIV.—CLINICAL DIAGNOSIS OF EPILEPTIC FIRST ADMISSIONS, BY SEX, FOR ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, FOR THE UNITED STATES: 1943

	FIRST AL	MISSIONS BY	CLINICAL DI	PERCENT OF TOTAL			
TYPE OF CONTROL AND SEX	Total	Sympto- matic	Idiopathic	Unclassi- fied	Sympto- matic	Idiopathic	Unclassi- fied
ALL INSTITUTIONS							
Total	1,800	588	1,008	204	32.7	56.0	11.3
Male Female	989 811	331 257	531 477	127 77	33.5 31.7	53.7 58.8	12.8 9.5
PUBLIC INSTITUTIONS							
Total	1,713	572	984	157	33.4	57.4	9.2
MaleFemale	946 767	323 249	525 459	98 59	34.1 32.5	55.5 59.8	10.4 7.7
PRIVATE INSTITUTIONS							
Total	87	16	24	47	18.4	27.6	54.0
MaleFemale	43 44	8 8	6 18	29 18			



Sex differences in clinical diagnosis among first admissions were not large. Among first admissions to public institutions, the percentage of males classified as with symptomatic epilepsy exceeded the corresponding percentage for females; however, for idiopathic epilepsy, the difference was in the opposite direction.

Type of admission and clinical diagnosis.—Excluding transfers, the number of epileptics admitted to public institutions for mental defectives and epileptics during 1943 was 1,905. Of these patients, 1,713 were first admissions, and 192, or 10.1 percent, were readmissions (table XXXV). For symptomatic epilepsy, readmissions constituted 7.7 percent of all admissions. The corresponding percentage for idiopathic epilepsy was 12.1.

Among all admissions of epileptics to public institutions, 32.5 percent were diagnosed as with symptomatic epilepsy and 58.7 percent were diagnosed as with idiopathic epilepsy. The percentage of idiopathic epileptics (70.3) among readmissions was considerably higher than the corresponding percentage for first admissions. The most frequent diagnosis among symptomatic epileptics was epilepsy due to definite brain disease.

TABLE XXXV.—CLINICAL DIAGNOSIS OF EPILEPTIC FIRST ADMISSIONS AND

READMISSIONS FOR PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND
EPILEPTICS, FOR THE UNITED STATES: 1943
[Figures based on table 80. Percent not shown where base is less than 50]

		LL ADMISSIC CEPT TRANS		PERC	ENT DISTRI	BUTION	PERCENT	OF TOTAL
CLINICAL DIAGNOSIS	Total	First ad- missions	Read- missions	Total	First ad- missions	Read- missions	First ad- missions	Read- missions
Total patients	1,905	1,713	192	100.0	100.0	100.0	89.9	10.1
Symptomatic	620	572	48	32.5	33.4	25.0	92.3	7.7
Toxic exogenous	27	27		1.4	1.6		<b></b>	
Alcoholic	5	5		0.3	0.3			
Lead								
Unknown	22	22	7	1.2	1.3		l <u></u>	
Toxic endogenous	71	64	7	3.7	3.7	3.6	90.1	9.9
Renal Pregnancy and puerperal								
disorders.								
Endocrinopathic disorders	15	14	1	0.8	0.8	0.5	<u> </u>	l
Metabolic disorders	3	3		0.2	0.2	0.0		
Unknown	53	47	6	2.8	2.7	3.1	88.7	11.3
Due to definite brain diseases	421	388	33	22.1	22.7	17.2	92.2	7.8
Cardiovascular	4	4		0.2	0.2			
Syphilitic	9	8	1	0.5	0.5	0.5		
Meningo-encephalitic	75	70	5	3.9	4.1	2.6	93.3	6.7
Neoplastic	6	5	1	0.3	0.3	0.5		
Traumatic	126	109	17	6.6	6.4	8.9	86.5	13.5
Ageneses	87	83	4	4.6	4.8	2.1	95.4	4.6
Other and unknown	114	109	5	6.0	6.4	2.6	95.6	4.4
Unknown	101	93	8	5.3	5.4	4.2	92.1	7.9
Idiopathic	1,119	984	135	58.7	57.4	70.3	87.9	12.1
With psychogenic factors	113	99	14	5.9	5.8	7.3	87.6	12.4
Other, undifferentiated, and un-	1,006	885	121	52.8	51.7	63.0	88.0	12.0
Unclassified	166	157	9	8.7	9.2	4.7	94.6	5.4

First admissions: Age and clinical diagnosis.—The median age of epileptics first admitted to public institutions for mental defectives and epileptics was 18.0 years (table XXXVI).

First admissions with symptomatic epilepsy were, on the average, younger than first admissions with idiopathic epilepsy; the median age for the former



group was 16.8 years, and for the latter group, 18.8 years. The median age for patients not classified by type of epilepsy was about the same as that for symptomatic epileptics.

The median age of all male first admissions was 16.7 years, as compared with 19.8 years for all female first admissions. This sex difference occurred for both symptomatic and idiopathic epileptics.

TABLE XXXVI.—AGE AND CLINICAL DIAGNOSIS OF EPILEPTIC FIRST ADMISSIONS, BY SEX, FOR PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

			[Figur	es base	d on tal	ole 81]						
. con	TOTAL FIRST ADMISSIONS			SYMPTOMATIC			IDIOPATHIC			UNCLASSIFIED		
AGE	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
All ages	1,713	. 946	767	572	323	249	984	525	459	157	98	59
Under 5 years	210 340	59 125 216 203 111	41 85 124 136 96	64 79 105 101 68	38 42 71 53 36	26 37 34 48 32	30 109 197 206 126	15 68 125 130 64	15 41 72 76 62	6 22 38 32 13	15 20 20 11	7 18 12 2
25 to 29 years	158 85	68 71 37 29 23 4	72 87 48 34 36 8	51 43 23 15 19 4	28 22 13 7 11 2	23 21 10 8 8 2	79 99 55 44 37 2	34 42 18 19 10	45 57 37 25 27 2	10 16 7 4 3 6	6 7 6 3 2 2	4 9 1 1 1 4
Median age	18.0	16.7	19.8	16.8	15.9	17.8	18.8	17.1	22.0	16.5	16.8	16.0

Admissions: Additional data in detailed tables.—Additional information on the clinical diagnosis of epileptic first admissions and readmissions appears in the detailed tables. Statistics on first admissions to both public and private institutions, classified by clinical diagnosis and sex, are presented for the United States in table 79. Statistics on first admissions and readmissions to public institutions, classified by clinical diagnosis and sex, are presented for the United States in table 80. Statistics on first admissions to public institutions, classified by age, clinical diagnosis, and sex are presented for the United States in table 81.

Statistics on first admissions to both public and private institutions, classified by clinical diagnosis and sex, are presented for States in table 82. Statistics for divisions and States, on first admissions to public institutions, classified by age, are presented for all patients in table 83, for males in table 84, and for females in table 85.

#### **Diagnosis: Separations**

The statistics presented here on the characteristics of epileptics separated from public institutions for mental defectives and epileptics provide, for each of the major types of epilepsy, information on the outcome of institutional treatment. Statistics relating to the condition of patients at the time of discharge give some indication as to the probability of post-institutional adjustment, and statistics on deaths indicate the variations in mortality which exist among the various types of epilepsy.

Discharges: Condition on discharge and clinical diagnosis.—Of the 787 epileptics discharged from public institutions for mental defectives and



epileptics during 1943, 23.5 percent were diagnosed as with symptomatic epilepsy and 66.6 percent were diagnosed as with idiopathic epilepsy. The remaining 9.9 percent were not classified by type of epilepsy.

The classification of epileptics by condition on discharge which appears in table XXXVII conforms to the conventional classification of patients discharged from mental hospitals. According to this classification, patients are classified as follows:

- 1. Recovered: Patients who have regained their normal mental health, so that they may be considered as having practically the same mental condition as they had previous to the onset of epilepsy.
- 2. Improved: Patients who have shown any degree of mental gain short of recovery.
- 3. Unimproved: Patients who have shown no mental gain.

At the time of their discharge, more than one-half (438) of the 787 epileptics discharged from public institutions during 1943 were classified as improved, but only 2.3 percent of those discharged were classified as recovered. The percentage distribution by condition on discharge among symptomatic epileptics did not differ greatly from that among idiopathic epileptics.

TABLE XXXVII.—CONDITION ON DISCHARGE AND CLINICAL DIAGNOSIS OF EPILEPTICS DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

				SYMPTOMATI	С			
CONDITION ON DISCHARGE	Total dis- charged	Total	Toxemic exogenous	Toxemic endogenous	Due to definite brain disease	Unknown	Idiopathic	Unclassi- fied
Total	787	185	13	25	111	36	524	78
Recovered Improved Unimproved Unknown	18 438 295 36	10 99 63 13	1 4 8	11 14	4 65 39 3	5 19 2 10	8 300 201 15	39 31 8
PERCENT BY CLINICAL DIAGNOSIS								
Total	100.0	23.5	1.7	3.2	14.1	4.6	66.6	9.9
Recovered	100.0 100.0	22.6 21.4	0.9 2.7	2.5 4.7	14.8 13.2	4.3 0.7	68.5 68.1	8.9 10.5
PERCENT BY CONDITION ON DISCHARGE								
Total	100.0	100.0			100.0		100.0	100.0
Recovered Improved Unimproved Unknown	2.3 55.7 37.5 4.6	5.4 53.5 34.1 7.0			3.6 58.6 35.1 2.7		1.5 57.3 38.4 2.9	50.0 39.7 10.3

[Figures based on table 86. Percent not shown where base is less than 50]

Discharges: Additional data in detailed tables.—Additional information on the characteristics of epileptics discharged during the year appears in the detailed tables. Statistics on discharged patients, classified by condition on discharge, clinical diagnosis, and sex are presented for the United States in table 86. Statistics on discharged patients, classified by clinical diagnosis and sex, are presented for divisions and States in table 87.



Deaths: Duration of institutional life and clinical diagnosis.—During 1943, 891 epileptics died in public institutions for mental defectives and epileptics (table XXXVIII). About 31 percent, or 272, of these patients were symptomatic epileptics and about 60 percent were idiopathic epileptics. This difference reflects the larger proportion of idiopathic epileptics in public institutions rather than a higher mortality rate. For symptomatic epileptics, deaths constituted 59.5 percent of all separations except transfers; the corresponding percentage for idiopathic epileptics was 50.3 (tables XXXVIII and XXXVIII).

The median duration of institutional life was 8.5 years for all epileptics who died in public institutions during 1943. The period of institutionalization prior to death was, on the average, higher for idiopathic epileptics (9.4 years) than for symptomatic epileptics (6.5 years). The median for the unclassified group was about the same as that for patients with idiopathic epilepsy.

TABLE XXXVIII.—DURATION OF INSTITUTIONAL LIFE FOR DEATHS OF EPILEP-TICS, BY CLINICAL DIAGNOSIS, IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1943

[rigu	res based on	uable 88. Fel	Cent not and	All Allere Date	e is tess than		
DURATION OF	DE	ATHS BY CLIN	TCAL DIAGNOS	18	PE	RCENT OF TOT	AL
INSTITUTIONAL LIFE	Total deaths	Sympto- matic	Idio- pathic	Unclassi- fied	Sympto- matic	Idio- pathic	Unclassi- fied
Total	891	272	530	89	30.5	59.5	10.0
Under 1 month	22 61 22 36	9 33 6 9	12 21 14 23	1 7 2 4	54.1	34.4	11.5
1 year. 2 years.	45 52	16 16	24 31	5 5	30.8	59.6	9.6
3 to 4 years 5 to 6 years 7 to 9 years	75   111	25 30 33	46 41 67	6 4 11 9	32.5 40.0 29.7	59.7 54.7 60.4 62.7	7.8 5.3 9.9 5.4
10 to 14 years 15 to 19 years 20 years and over Not reported	166 78 143 3	53 12 30	104 51 96	15 17 3	31.9 15.4 21.0	65.4 67.1	19.2 11.9
Median (years)	8.5	6.5	9.4	9.5			

[Figures based on table 88. Percent not shown where base is less than 50]

Deaths: Additional data in detailed tables.—Additional information on the characteristics of epileptics who died in institutions during 1943 appears in the detailed tables. Statistics on these patients, classified by duration of institutional life, clinical diagnosis, and sex, are presented for the United States in table 88. Statistics on deaths, classified by clinical diagnosis and sex, are presented for divisions and States in table 89.

#### **ADMINISTRATION**

#### General

In addition to information on the characteristics of admissions, separations, and patients under care, information is also received by the Bureau of the Census on overcrowding, administrative staff, and expenditures of public institutions for mental defectives and epileptics. This information gives some insight into the administration and operation of these institutions and provides a basis for a rough evaluation of the quality of the care provided.



### Overcrowding

The degree of overcrowding in institutions is indicated in terms of the relation of normal capacity of the institutions to their average daily resident-patient population. The excess of population over normal capacity is expressed as a percentage of normal capacity. In interpreting these figures, however, it should be noted that normal capacity is not defined uniformly from State to State.

In 1943, the aggregate average daily population of public institutions (107,948) exceeded their normal capacity (100,169) by 7,779, or 7.8 percent (table XXXIX). This percentage was slightly higher than the percentage for 1942 or 1941.

Overcrowding: Additional data in detailed tables.—Additional statistics on the normal capacity and average daily population of public institutions for mental defectives and epileptics are presented in the detailed tables. Table 90 presents data for the United States, and table 93 presents data for divisions and States.

TABLE XXXIX.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1941 TO 1943

	[1 Iguitos but			
	Average daily	Normal capacity		PULATION OVER VERCEOWDING)
YEAR	resident-patient population a	of institutions	Number	Percent of capacity
1943 1942	107,948 112,518 104,041	100,169 105,012 99,749	7,779 7,506 4,292	7.8 7.1 4.3

[Figures based on table 90]

# **Administrative Staff**

The adequacy of the care received by patients in public institutions is in part a function of the relation between the number and types of personnel and the number of patients under care. This relationship is expressed in terms of the number of each type of officer and employee per 1,000 patients in the average daily patient population.

The statistics presented in table XL indicate a decline in the number of employees per 1,000 patients between 1942 and 1943. This ratio decreased from 148.8 in 1942 to 144.9 in 1943, a decrease of 3.9 percent. Decreases occurred in most of the occupational classes for which separate statistics are presented.

Administrative staff: Additional data in detailed tables.—Additional statistics on administrative staff are presented in the detailed tables. Table 91 presents statistics on administrative staff classified by occupation, type of employment, and sex, together with the average daily population of the institutions reporting, for the United States. Data on full-time administrative staff classified by occupation, and on the average daily population of institutions reporting, appear for divisions and States in table 94.



TABLE XL .- ADMINISTRATIVE STAFF, FULL-TIME, WITH RATIOS, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY OCCUPATION, FOR THE UNITED STATES: 1943 AND 1942

[Figures based on table 91. Ratio not shown where less than 0.1]

		- A	DMINISTRA	TIVE STAT	r <b>y</b>		RA'	rio¹
OCCUPATION		1943			1942			
	Total	Male	Female	Total	Male	Female	1943	1942
Total	15,391	6,068	8,314	14,895	6,968	7,927	144.9	148.8
Superintendents and physicians Superintendents Assistant superintendents Clinical directors Pathologists Medical specialists Staff physicians Consulting physicians Medical internes Psychologists and psychometrists	303 81 35 7 5 2 169	231 76 26 7 4 2 113	52 3 7 41 1 38	311 77 38 9 5 2 170	262 74 32 9 4 2 131	39 36 39	2.9 0.8 0.3 0.1 1.6	3.1 0.8 0.4 0.1 1.7 0.1
Pharmacists  Clinical assistants  Laboratory and X-ray technicians	43 11 16 3 46	37 1 11 11 10	10 3 32	45 15 14 3 39	13 44 2 11 1 1 13	1 13 3 2 26	0.4 0.1 0.2 	0.4 0.1 0.1 0.4
Principals and teachers Principals of schools Teachers of grade subjects Teachers of special subjects Graduate nurses Other nurses and attendants	609 45 331 233 346 7,826	77 8 17 52 25 2,614	517 36 301 180 285 4,726	584 58 301 225 382 7,680	98 10 23 65 73 3,056	486 48 278 160 309 4,624	5.7 0.4 3.1 2.2 3.3 73.7	5.8 0.6 3.0 2.2 3.8 76.7
Therapists and assistants Occupational therapists and assistants Hydrotherapists and assistants Physiotherapists and assistants Industrial supervisors and instructors Other therapists and assistants	242 82 139 19	84 11 73	128 59 2 66 1	207 71 1 4 128 3	87 23 1 62 1	120 48 1 3 66 2	2.3 0.8  1.3 0.2	2. 0. 1.3
Dietitians Social workers and field workers Psychiatric social workers Other trained social workers Field workers Clerical employees Other employees	49 90 27 62 1 82 755 4,912	72 115 2,758	41 70 25 44 1 8 569 1,833	52 109 38 56 15 78 660 4,662	9 42 2 26 14 72 183 2,997	43 67 36 30 1 6 477 1,665	0.5 0.8 0.3 0.6 	0.4 0.4 0.0 0.1 0.1 0.1 46.4
Average daily resident-patient population2	106,233			100,100				

<sup>&</sup>lt;sup>1</sup>Represents number of full-time employees per 1,000 patients. Based on average daily resident-patient population. <sup>2</sup>Includes only population of institutions reporting administrative staff.

#### **EXPENDITURES**

The relative cost of the care of mental defectives and epileptics in institutions is indicated in the figures on per capita expenditure presented in table XLI. These figures also show the relative costs of various types of services provided by these institutions. The per capita expenditure for maintenance reflects in part the adequacy of the care provided. It should be noted, however, that variations in the per capita expenditure for maintenance may also reflect variations in the general price level.

The per capita expenditure for maintenance increased from \$289.05 in 1941 to \$347.48 in 1943.

Expenditures: Additional data in detailed tables.—Further statistics on expenditures are presented in the detailed tables. Statistics on expenditures, classified by purpose of expenditure, and on the average daily population are presented for the United States in table 92. Similar statistics on expenditure for maintenance, average daily patient population, and per capita expenditure for maintenance appear for divisions and States in table 95.

TABLE XLI.—TOTAL AND PER CAPITA EXPENDITURE FOR MAINTENANCE, BY PURPOSE, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1941 TO 1943

[Figures based on table 92]

PURPOSE OF EXPENDITURE -	•	AMOUNT		PER CAP	ITA EXPEND	TURE1
PURPOSE OF EXPENDITURE	1943	1942	1941	1943	1942	1941
Total	\$35,653,640	<b>\$31,384,2</b> 96	\$29,828,633	\$347.48	\$315.29	\$289.05
Salaries and wages Purchased provisions Fuel, light, and water Other maintenance	18,832,645 7,291,655 3,237,032 6,292,308	15,864,810 6,436,125 2,914,805 6,168,556	15,597,660 5,764,873 2,692,116 5,773,984	183.54 71.06 31.55 61.32	159.38 64.66 29.28 61.97	151.18 55.86 26.09 55.98

Based on average daily resident-patient population of institutions reporting expenditures. 646075-46-6



# PART III. CONSOLIDATED DATA FOR MENTAL DEFECTIVES AND EPILEPTICS

#### INTRODUCTION

This part of the report presents, for mental defectives and epileptics, combined statistics on patients in institutions for mental defectives and epileptics or in hospitals for mental disease. These combined data provide the most complete information available on the total number of institution-alized persons with these disorders. They are particularly useful in making interstate comparisons, since in several States public provision for the care of these defective classes is made exclusively in hospitals for mental disease and in a considerable number of other States, hospitals for mental disease share the responsibility for these defectives with institutions established specifically for their care.

Scope.—The statistics presented here are based on reports from both hospitals for mental disease and institutions for mental defectives. The statistics for first admissions are based on reports from all types of hospitals providing permanent care for psychiatric patients and all types of institutions for mental defectives and epileptics. The statistics for readmissions, discharges, and deaths are based only on reports from hospitals and institutions under the control of public agencies (State, Veterans' Administration, county and city). Statistics are presented only for mental defectives and epileptics and do not include figures for patients with other mental disorders admitted to or separated from hospitals or institutions.

These data, which are classified by mental disorder and by type of control of the hospitals and institutions involved, are presented for the United States by divisions and States.

Arrangement of detailed tables.—Statistics on the first admissions of mental defectives to all hospitals for the permanent care of psychiatric patients and institutions for mental defectives and epileptics are presented by divisions and States in table 96. Similar statistics on first admissions and readmissions to public hospitals and institutions are presented in table 97, and on deaths and discharges in table 98.

Statistics on first admissions of epileptics to all hospitals for the permanent care of psychiatric patients and institutions for mental defectives and epileptics are presented by divisions and States in table 99. Similar statistics on first admissions and readmissions to public hospitals and institutions are presented in table 100, and on deaths and discharges in table 101.

# **MENTAL DEFECTIVES**

First admissions.—First admissions of mental defectives were confined largely to institutions established specifically for their care. Out of all first admissions of mental defectives (10,458), 8,974, or 85.8 percent, were admitted to institutions for mental defectives and epileptics (detailed table 96). In certain parts of the country, however, a large proportion of the mentally defective first admissions were admitted to hospitals for mental disease. In the East South Central Division, for example, 48.8 percent of the mentally defective first admissions were admitted to hospitals for mental disease.

Admissions to public hospitals and institutions, by type of admission.—Of the 10,318 mental defectives admitted to public hospitals and institutions,



9,275, or 89.9 percent, were first admissions, and 10.1 percent were readmissions (detailed table 97). The percentage of readmissions (21.3) was considerably higher for public hospitals for mental disease, and somewhat lower for public institutions (7.8).

Public hospitals accounted for about 17 percent of all admissions (except transfers), about 15 percent of all first admissions, but for about 36 percent of all readmissions. Like the statistics for first admissions to all hospitals and institutions, the statistics for public hospitals and institutions indicate certain sections of the country in which public hospitals accounted for a considerable proportion of all admissions.

Separations from public hospitals and institutions, by type of separation.—With the exception of transfers, 9,034 patients were separated from public hospitals and institutions during 1943 (detailed table 98). Of these patients, 2,154, or 23.8 percent, were separated by death, and the remainder by discharge. Deaths accounted for 22.9 percent of all separations from hospitals and 24.1 percent of the separations from institutions. About 19 percent of all separations were from public hospitals.

# **EPILEPTICS**

First admissions.—Institutions for mental defectives and epileptics accounted for a majority of epileptic first admissions to both institutions and hospitals during 1943. Out of all first admissions of epileptics (2,275), 1,800, or 79.1 percent, were admitted to institutions (detailed table 99). In certain sections of the country, however, a majority of epileptic first admissions were admitted to hospitals for mental disease. In the South Atlantic Division, for example, 64.0 percent, and in the East South Central Division, 73.2 percent, of all epileptic first admissions were admitted to hospitals for mental disease.

Admissions to public hospitals and institutions, by type of admission.—Of the 2,426 epileptics admitted to public hospitals and institutions, 314, or 12.9 percent, were readmissions (detailed table 100). The corresponding percentages were 23.4 for public hospitals and 10.1 for public institutions.

Public hospitals accounted for about 22 percent of all epileptic admissions (except transfers), about 19 percent of all first admissions, but about 38 percent of all readmissions. Like the statistics for first admissions to all hospitals and institutions, the statistics for public hospitals and institutions indicate certain sections of the country in which public hospitals accounted for a very considerable proportion of all admissions.

Separations from public hospitals and institutions, by type of separation.—With the exception of transfers, 2,202 patients were separated from public hospitals and institutions during 1943 (detailed table 101). Of these patients 1,009, or 45.8 percent, were separated by death and the remainder by discharge. Deaths accounted for 22.5 percent of all separations from hospitals, but for 53.1 percent of the separations from institutions. About 24 percent of all separations were from public hospitals.



TABLE 1.—MOVEMENT OF PSYCHIATRIC PATIENTS, SUMMARY, IN ALL HOSPITALS BY TYPE OF HOSPITAL AND CONTROL, BY SEX, FOR THE UNITED STATES: 1943

[Statistics based on reports from 591 hospitals and estimates for 2 State hospitals. Statistics for State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

			PERMANE	NT-CARE I	HOSPITALS			PORARY-C.	
MOVEMENT OF POPULATION	All hospitals	Total	State	Vet- erans'	County and city	Private	Total	Psycho- pathic	Gen- eral
TOTAL									
Patients on books at beginning of year.	573,014	567,423	496,136	34,976	23,298	13,013	5,591	383	5,208
In hospital	504,339	498,828	432,254	33,135	21,508	11,931	5,511	303	5,208
In family care <sup>1</sup> In other extramural care	2,038 66,637	2,038 66,557	2,038 61,844	1,841	1,790	1,082	80	80	
Admissions during year	268,958	167,783	113,842	17,291	4,380	32,270	101,175	3,711	97,464
First admissions Readmissions Transfers	<sup>2</sup> 196,893 <sup>2</sup> 61,569 10,496	118,402 38,999 10,382	82,650 24,048 7,144	12,159 3,740 1,392	2,912 733 735	20,681 10,478 1,111	<sup>278,491</sup> <sup>222,570</sup> 114	2,790 807 114	<sup>2</sup> 75,701 <sup>2</sup> 21,763
Separations during year	267,237	166,245	116,382	13,618	4,449	31,796	100,992	3,592	97,400
Discharges From hospital From extramural care Transfers Deaths In hospital In extramural care	172,856 121,761 51,095 43,163 51,218 50,472 746	108,095 57,089 51,006 11,442 46,708 45,962 746	67,377 21,592 45,785 8,188 40,817 40,245 572	11,451 8,626 2,825 479 1,688 1,653 35	1,744 721 1,023 582 2,123 2,039 84	27,523 26,150 1,373 2,193 2,080 2,025 55	64,761 64,672 89 31,721 4,510 4,510	3,024 2,935 89 490 78 78	61,737 61,737 31,231 4,432 4,432
Patients on books at end of year.	574,735	568,961	493,596	38,649	23,229	13,487	5,774	502	5,272
In hospital In family care <sup>1</sup>	506,227 2,055	500,564 2,055	430,958 2,055	35,953	21,297	12,356	5,663	391	5,272
In extramural care	66,453	66,342	60,583	2,696	1,932	1,131	111	111	
MALE						-			
Patients on books at beginning of year.	307,252	303,732	252,763	34,859	11,324	4,786	3,520	193	3,327
In hospital In family care¹	271,817 726	268,345 726	220,441 726	33,022	10,514	4,368	3,472	145	3,327
In other extramural care	34,709	34,661	31,596	1,837	810	418	48	48	
Admissions during year	158,445	96,912	61,526	17,243	2,257	15,886	61,533	2,251	59,282
First admissions Readmissions Transfers	<sup>2</sup> 115,173 <sup>2</sup> 37,687 5,585	68,549 22,829 5,534	45,829 12,252 3,445	12,113 3,739 1,391	1,549 356 352	9,058 6,482 346	<sup>2</sup> 46,624 <sup>2</sup> 14,858 51	1,721 479 51	<sup>2</sup> 44,903 <sup>2</sup> 14,379
Separations during year	158,445	96,993	65,143	13,590	2,392	15,868	61,452	2,194	59,258
Discharges From hospital From extramural care. Transfers Deaths In hospital In extramural care	27,536 22,756	64,112 36,628 27,484 6,077 26,804 26,350 454	37,730 14,060 23,670 4,391 23,022 22,683 339	11,426 8,611 2,815 479 1,685 1,650	892 441 451 315 1,185 1,139 46	14,064 13,516 548 892 912 878 34	41,891 41,839 52 16,679 2,882 2,882	1,861 1,809 52 284 49 49	40,030 40,030 16,395 2,833 2,833
Patients on books at end of year_		303,651	249,146	38,512	11,189	4,804	3,601	250	3,351
In hospital	272,143	268,596	218,073	35,825	10,292	4,406	3,547	196	3,351
In family care <sup>1</sup> In other extramural care	713 34,396	713 34,342	713 30,360	2,687	897	398	54	54	

<sup>&</sup>lt;sup>1</sup> State hospitals only. <sup>2</sup> Includes estimated distribution of figures for "Type of admission not reported" shown in table 13.



TABLE 1.—MOVEMENT OF PSYCHIATRIC PATIENTS, SUMMARY, IN ALL HOSPITALS BY TYPE OF HOSPITAL AND CONTROL, BY SEX, FOR THE UNITED STATES: 1943—Con.

			PERMANE	NT-CARE I	HOSPITALS			PORARY-CA	
MOVEMENT OF POPULATION	All hospitals	Total	State	Vet- erans'	County and city	Private	Total	Psycho- pathic	Gen- eral
FEMALE									
Patients on books at beginning of year.	265,762	263,691	243,373	117	11,974	8,227	2,071	190	1,881
In hospital In family care <sup>1</sup>	232,522	230,483	211,813	113	10,994	7,563	2,039	158	1,881
In family care <sup>1</sup> In other extramural care	1,312 31,928	1,312 31,896	1,312 30,248	4	980	664	32	32	
Admissions during year	110,513	70,871	52,316	48	2,123	16,384	39,642	1,460	38,182
First admissions	<sup>2</sup> 81,720 <sup>2</sup> 23,882 4,911	49,853 16,170 4,848	36,821 11,796 3,699	46 1 1	1,363 377 383	11,623 3,996 765	<sup>2</sup> 31,867 <sup>2</sup> 7,712 63	1,069 328 63	<sup>2</sup> 30,798 <sup>2</sup> 7,384
Separations during year	108,792	69,252	51,239	28	2,057	15,928	39,540	1,398	38,142
Discharges From hospital From extramural care Transfers Deaths In hospital In extramural care	66,853 43,294 23,559 20,407 21,532 21,240 292	43,983 20,461 23,522 5,365 19,904 19,612 292	29,647 7,532 22,115 3,797 17,795 17,562 233	25 15 10 3 3	852 280 572 267 938 900 38	13,459 12,634 825 1,301 1,168 1,147 21	22,870 22,833 37 15,042 1,628 1,628	1,163 1,126 37 206 29 29	21,707 21,707 14,836 1,598 1,598
Patients on books at end of year	267,483	265,310	244,450	137	12,040	8,683	2,173	252	1,921
In hospital In family care <sup>1</sup>	234,084 1.342	231,968 1,342	212,885 1,342	128	11,005	7.950	2,116	195	1,921
In other extramural care	32,057	32,000	30,223	9	1,035	733	57	57	

TABLE 2.—MOVEMENT OF POPULATION, HISTORICAL, IN STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1934 TO 1943

Statistics on "family care," and on discharges by status on books at time of discharge were not collected prior to 1937 and 1938, respectively. Statistics include estimates for 2 State hospitals in 1943 and 1942 and estimates for 3 State and 1 veterans' hospital in 1940. Statistics for 1940, therefore, differ from previously published figures. 1943 statistics for State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for number of hospitals reporting in each year and discussion of covered

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning	567,423	556,476	542,477	527,399	514,712	499,919	484,237	468,945	451,217	437,718
of year. In hospital	498,828				459,258	444,989		419,832	403,895	391,791
In family care <sup>1</sup> In other extramural care	$\frac{2,038}{66,557}$	2,137 $63,891$	$\frac{1,175}{60,561}$				603 51,644	49,113	47,322	45,927
Admissions during year	167,783	164,448	160,202	155,969	155,032	153,390	155,695	146,650	138,797	134,237
First admissions	38,999		38,153	37,733	34,960	33,222	33,389	30,585	101,462 27,967 9,368	
Separations during year	166,245	154,790	146,301	140,844	138,742	139,415	139,734	131,343	123,969	120,283
Discharges From hospital From extramural care	57,089	53,858	51,630	56,419	91,863 51,320	48,343		81,210	77,707	75,423
Transfers				9,623	40,543 9,547	42,566 11,368			11,302	10,389
Deaths	46,708				37,332	37,138	39,158	38,388		
In hospital In extramural care	746		38,807 793	37,134 626	36,439 893	36,263 875	38,270 888	37,661 727	34,166 794	33,872 599
Patients on books at end of year_	568,961	566,134	556,378	542,524	531,002	513,894	500,198	484,252	466,045	451,672
In hospitalIn family care <sup>1</sup>	500,564 2,055					457,983 1,422	445,031 893	432,131	416,926	403,519
In other extramural care	66,342							52,121	49,119	48,153

<sup>&</sup>lt;sup>1</sup>State hospitals only.

<sup>2</sup>Includes estimated distribution of figures for "Type of admission not reported" shown in table 13.

TABLE 3.—MOVEMENT OF POPULATION, HISTORICAL, IN STATE HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1934 TO 1943

[Statistics on "family care", and on discharges by status on books at time of discharge were not collected prior to 1937 and 1938, respectively. Statistics include estimates for 2 hospitals in 1943 and 1942 and 3 hospitals in 1940. Statistics for 1940, therefore, differ from previously published figures. 1943 statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for number of hospitals reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	496,136	487,707	465,295	453,290	440,547	424,028	411,814	398,006	384,675	373,607
In hospital								353,604	342,167	332,094
In family care In other extramural care		2,137 $59,279$	1,175 $55,065$	974 52,383		1,366 48,493	603 46,648	44,402	42,508	41,513
Admissions during year	113,842	116,736	113,282	110,465	108,467	106,220	106,449	101,839	96,281	93,843
First admissions Readmissions Transfers	24,048	24,224	23,713		22,189	21,085	78,217 20,429 7,803		72,438 17,526 6,317	69,934 17,713 6,196
Separations during year	116,382	108,341	101,328	96,926	95,657	95,156	94,145	88,413	83,175	82,590
Discharges From hospital From extramural care	21,592	21,286	20,927	58,596 26,907 31,689	21,768	18,795		48,420	46,090	45,867
Transfers	8,188	8,029	5,364		5,837	6,682	8,281 33,487		7,110 29,975	7,109 29,614
In hospital In extramural care		34,872 744	33,397 669	32,157 513			32,752 735	32,004		29,098 516
Patients on books at end of year	493,596	496,102	477,249	466,829	453,357	435,092	424,118	411,432	397,781	384,860
In hospital				410,427				364,403	353,305	341,485
In family care In other extramural care							893 49,182	47,029	44,476	43,375

# Table 4.—Movement of Population, Historical, in Veterans' Hospitals for Mental Disease, for the United States: 1934 to 1943

[Statistics on discharges by status on books at time of discharge were not collected prior to 1938. Statistics for 1940 include an estimate for 1 hospital and therefore differ from previously published figures. See Appendix A for number of hospitals reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	34,976	32,871	31,588	30,037	27,815	25,461	23,030	21,951	18,696	17,484
In hospital In extramural care	33,135 1,841	31,023 1,848	29,985 1,603	28,645 1,392	26,675 1,140	24,353 1,108	21,896 1,134		17,841 855	16,894 590
Admissions during year	17,291	12,202	11,192	12,089	12,056	11,651	10,408	8,098	5,474	5,261
First admissions Readmissions Transfers	12,159 3,740 1,392	6,280 3,717 2,205	5,320 4,065 1,807	5,841 4,187 2,061	6,126 3,682 2,248	6,142 3,228 2,281	4,445 3,353 2,610	3,565 2,726 1,807		
Separations during year	13,618	10,949	10,505	10,634	10,043	9,176	7,816	6,956	4,989	4,086
Discharges From hospital From extramural care Transfers Deaths In hospital In extramural care	11,451 8,626 2,825 479 1,688 1,653 35	8,970 6,587 2,383 511 1,468 1,445	8,658 6,898 1,760 473 1,374 1,340	8,646 6,851 1,795 659 1,329 1,301	8,354 6,669 1,685 509 1,180 1,170	7,480 6,128 1,352 606 1,090 1,078	6,102  690 1,024 1,011	5,440  579 937 918 19	3,426  981 582 569 13	3.255 316 515 511
Patients on books at end of year	38,649	23 34,124	34 32,275	31,492	29,828	27,936	25,622	23,093		18,659
In hospital In extramural care	35,953 2,696	32,348 1,776	30,443 1,832	29,951 1,541	28,653 1,175	26,599 1,337	24,483 1,139	21,960 1,133		17,894 765



TABLE 5.—MOVEMENT OF POPULATION, HISTORICAL, IN COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1934 TO 1943

[Statistics on discharges by status on books at time of discharge were not collected prior to 1938. See Appendix A for number of hospitals reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	23,298	22,783	34,188	32,553	34,422	38,735	37,493	38,014	37,528	36,421
In hospital In extramural care	21,508 1,790	21,120 1,663	31,113 3,075	29,641 2,912	31,483 2,939	35,421 3,314	34,215 3,278	34,753 3,261	33,948 3,580	32,979 3,442
Admissions during year	4,380	4,936	9,554	8,254	9,270	10,317	10,727	10,029	12,413	12,570
First admissions	2,912 733 735	3,375 830 731	6,968 1,831 755	5,851 1,652 751	6,713 1,153 1,404	8,133 1,274 910	8,569 1,513 645	7,908 1,498 623	9,990 1,812 611	9,750 2,257 563
Separations during year	4,449	4,644	8,864	8,173	7,990	9,791	10,049	9,940	11,978	11,556
Discharges From hospital From extramural care	1,744 721 1,023	2,048 966 1,082	4,908 2,719	4,303 2,123 2,180	4,117 2,376 1,741	4,863 2,647 2,216	5,114	5,059	7,465	7,202
Tronsfers	582 2,123 2,039 84	837 1,759 1,701 58	2,189 1,288 2,668 2,597 71	1,341 2,529 2,461 68	1,741 1,215 2,658 2,594 64	1,995 2,933 2,848 85	1,799 3,136 3,028 108	1,609 3,272 3,188 84	1,226 3,287 3,198 89	1,142 3,212 3,149
Patients on books at end of year	23,229	23,075	34.878	32,634	35,702	39,261	38,171	38,103	37,963	63 37,435
In hospital In extramural care	21,297 1,932	21,256 1,819	31,812 3,066	29,581 3,053	32,463 3,239	35,980 3,281	34,829 3,342	34,743 3,360	34,703 3,260	33,839 3,596

TABLE 6.—MOVEMENT OF POPULATION, HISTORICAL, IN PRIVATE HOSPITALS FOR MENTAL DISEASE, FOR THE UNITED STATES: 1934 TO 1943

Statistics on discharges by status on books at time of discharge were not collected prior to 1938. See Appendix A for number of hospitals reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	13,013	13,115	11,406	11,519	11,928	11,695	11,900	10,974	10,318	10,206
In hospitalIn extramural care	11,931 1,082	12,014 1,101	10,588 818	10,705 814	11,121 807	11,046 649	11,316 584	10,503 471	9,939 379	9,824 382
Admissions during year	32,270	30,574	26,174	25,161	25,239	25,202	28,111	26,684	24,629	22,563
First admissions Readmissions Transfers	20,681 10,478 1,111	19,612 10,031 931	16,692 8,544 938	15,974 8,373 814	16,279 7,936 1,024	16,640 7,635 927		18,212 7,773 699	16,337 7,107 1,185	14,704 6,867 992
Separations during year	31,796	30,856	25,604	25,111	25,052	25,292	27,724	26,034	23,827	22,051
Discharges From hospital From extramural care	27,523 26,150	27,018 25,019 1,999	22,428 21,086 1,342	21,916 20,538	21,786 20,507 1,279	21,810 20,773 1,037	23,856	22,291	20,726	19,099
Transfers	1,373 2,193 2,080 2,025 55	2,108 1,730 1,716	1,684 1,492 1,473	1,378 1,963 1,232 1,215	1,279 1,986 1,280 1,224 56	2,085 1,397 1,360 37	2,357 1,511 1,479 32	2,175 1,568 1,551 17	1,985 1,116 1,102 14	1,822 1,130 1,114 16
Patients on books at end of year	13,487	12,833	11,976	11,569	12,115	11,605	12,287	11,624	11,120	10,718
In hospitalIn extramural care	12,356 1,131	11,784 1,049	10,936 1,040	10,678 891	11,252 863	10,831 774	11,676 611	11,025 599	10,642 478	10,301 417

TABLE 7.—MOVEMENT OF POPULATION IN STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943

Statistics based on reports from 478 hospitals and estimates for 2 State hospitals. Statistics for State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage

				PATIENT	S ON BOO	OKS AT BI	EGINNIN	G OF YE	AR			
DIVISION AND STATE	A	ll patien	ts	I	n hospita	al	In f	amily c	are1	In oth	er extra	mural
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	567,423	303,732	263,691	498,828	268,345	230,483	2,038	726	1,312	66,557	34,661	31,89
NEW ENGLAND	48,311	24,043	24,268	43,326	21,822	21,504	528	151	377	4,457	2,070	2,38
Maine New Hampshire Vermont Massachusetts	2,828 2,596 1,811 28,926	1,340 1,264 860 14,829	1,488 1,332 951 14,097	2,624 2,313 1,791 25,684	1,240 1,118 850 13,431	1,384 1,195 941 12,253	365	80	285	204 283 20 2,877	100 146 10 1,318	10- 13- 10- 1,55-
Rhode Island Connecticut	3,427 8,723	1,624 4,126	1,803	2,900 8,014	1,393 3,790	1,507 4,224	163	71	92	364 709	160 336	20 37
MIDDLE ATLANTIC		79,314	75,081	136,613	70,724		1,256	447	809	16,526	8,143	8,38
New York New Jersey Pennsyl <b>v</b> ania	91,198 21,421 41,776	10,983		80,614 19,046	41,360 9,797 19,567	39,254 9,249 17,386		447	809	9,328 2,375 4,823	4,700 1,186 2,257	4,62 1,18 2,56
East North Central	_		48,636					91	93		5,665	5,22
Ohio Indiana Illinois	11,472	6,454	5,018	10,679	12,007 6,071 19,862			61	66	4,413 793 1,388		2,26 41 54
Michigan Wisconsin		12,200	9,700	19,379	10,877	8,502	57	30	27	2,464 1,832	1,293	1,17
WEST NORTH CENTRAL				46,783						6,877		3,39
Minnesota Iowa	10,479	6,058	4,421	9,296	5,441	3,855				2,217 1,183	1,160 617	56
Missouri North Dakota	13,953 2,235		7,225 989	12,698 2,008						1,255	622 114	
South Dakota Nebraska Kansas	1,606 5,078	873 2,659	733 2,419	1,591 4,402	869 2,265	722 2,137				15 676 1,304	394	2
SOUTH ATLANTIC		11			31,186	27,316	62	30	32			3,87
Delaware Maryland Dist.of Columbia_ Virginia West Virginia	13,523	5,595 4,403 7,770	4,819 2,635 5,753 1,973	9,252 6,562 10,719 3,928	4,960 4,169 5,939	4,292 2,393 4,780	62	30	32	371 1,100 476 2,804 405	1,831	97
North Carolina South Carolina Georgia Florida	9,267 5,539 10,380	4,638 2,757 5,420	4,629 2,782 4,960	7,684 4,757 9,260	3,720 2,372 4,780	3,964 2,385 4,480				1,583 782 1,120 553	918 385 640	6 3 4
EAST SOUTH CENTRAL						_				3,636		_
Kentucky Tennessee Alabama Mississippi	7,749	4,120 5,031	3,629 3,393	7,356 7,512	3,908 4,495	3,448 3,017				966 393 912 1,365	212 536	3
WEST SOUTH CENTRAL	and the Person	-			11	-		- 7	1		-	1
Arkansas Louisiana Oklahoma Texas	7,820 8,349	3,715 4,826	4,105 3,523	6,758 7,561	3,280 4,404	3,478 3,157		7		1,342 1,062 788 1,833	435 422	6 3
Mountain	14,937	11	1	11	'	1		,		1,949	II	
MontanaIdaho	1,920	1,136 783	784 646	1,891 1,073	1,107 591	784 482				356	29 192	
Wyoming Colorado New Mexico	5,991	3,695	2,296	5,343	3,297	2,046				648 448	398	2
Arizona Utah	1,155 1,197	653 596	502 601	938 1,059	539 517	399				448 217 138	79	1
Nevada				367	223	1				57	II	1
PacificWashington										8,003	11	
Oregon	5,389	3,136	2,253	4,666	2,821	1,845	5			723 6,366	315	4

<sup>1</sup> State hospitals only.



Table 7.—Movement of Population in State, Veterans', County and City, and Private Hospitals for Mental Disease, by Sex, by Divisions and States: 1943—Con.

					ADMISSIO	ONS DURI	NG YEA	R				
DIVISION AND STATE	All	admissio	ns	Firs	t admissi	ons	Rea	admissi	ons	1	ransfer	8-
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	167,783	96,912	70,871	118,402	68,549	49,853	38,999	22,829	16,170	10,382	5,534	4,8
NEW ENGLAND	14,007	7,302	6,705	9,503	5,047	4,456	4,028	2,006	2,022	476	249	2:
Maine New Hampshire Vermont	632 773 593	321 376 273	311 397 320	468 588 377	244 293 174	224 295 203	159 185 216	73 83 99	86 102 117	5	4	
Massachusetts Rhode Island Connecticut	7,534 888 3,587	4,090 458 1,784	3,444 430 1,803	4,996 671 2,403	2,764 351 1,221	2,232 320 1,182	2,142 201 1,125	1,114 102 535	1,028 99 590	396 16 59	212 5 28	1
MIDDLE ATLANTIC	38,509	19,874	18,635	27,169	14,227	12,942	7,646	3,764	3,882	3,694	1,883	1,8
New York New Jersey Pennsylvania	23,547 5,964 8,998	11,829 3,378 4,667	11,718 2,586 4,331	15,542 4,584 7,043	7,856 2,651 3,720	7,686 1,933 3,323	4,825 1,191 1,630	2,374 631 759	2,451 560 871	3,180 189 325	1,599 96 188	1,5
East North Central	34,379	19,467	14,912	23,237	13,102	10,135	8,498	4,944	3,554	2,644	1,421	1,2
Ohio Indiana Illinois Michigan	7,378 3,911 11,904 6,444	4,215 2,093 6,735 4,007	3,163 1,818 5,169 2,437	5,150 2,474 8,109 4,741	2,671 1,398 4,676 2,922	2,479 1,076 3,433 1,819	1,953 490 3,281 1,527	1,340 257 1,739 981	613 233 1,542 546	275 947 514 176	204 438 320 104	5
Wisconsin	4,742	2,417	2,325	2,763	1,435	1,328	1,247	627	620	732	355	3
West North Central Minnesota	$\frac{12,603}{3,396}$	7,109 1,996	5,494 1,400	$\frac{9,504}{2,701}$	$\frac{5,357}{1,568}$	$\frac{4,147}{1,133}$	$\frac{2,599}{425}$	1,415 230	$\frac{1,184}{195}$	$\frac{500}{270}$	337 198	1
Iowa	2,816	1,723	1.093	2,005	1,199	806	655	422	233	156	102	
Missouri North Dakota	3,559 405	1,816 221	1,743 184	2,530 318	1,296 176	1,234 142	962 87	486 45	476 42	67	34	
South Dakota	374	206	168	269	154	115	105	52	53			
Nebraska Kansas	869 1,184	523 624	346 560	748 933	457 507	291 426	121 244	66 114	55 130	7	3	
SOUTH ATLANTIC	19,930	12,582	7,348	14,278	8,935	5,343	4,825	3,156	1,669	827	491	_ 3
Delaware Maryland	257 3,662	146 2,330	111 1,332	225 2,259	126 1,419	99 840	32 950	20 664	12 286	453	247	2
Dist.of Columbia_	2,444	1,833	611	2,150	1,649	501	294	184	110			
Virginia West Virginia	3,842 1,427	2,506 787	1,336 640	2,674 1,077	1,765 601	909 476	924 256	563 132	361 124	244 94	178 54	
North Carolina	2,834	1,612	1,222	2,100	1,164	936	710	441	269	24	7	
South Carolina Georgia	1,366 3,106	745 2,084	621 1,022	1,023 1,964	1,202	460 762	340 1,142	182 882	158 260	3		
Florida	992	539	453	806	446	360	177	88	89	9	5	
East South Central	13,787	9,992	3,795	8,941	6,155	2,786	4,546	3,566	980	300	271	
Kentucky Tennessee	2,316 3,694	1,482 2,638	834 1,056	1,676 2,332	1,028 1,555	648	473 1,344	287 1.067	186 277	167 18	167 16	
Alabama	5,166	4,111	1,055	3,212	2,518	694	1,901	1,567	334	53	26	
Mississippi	2,611	1,761	850	1,721	1,054	667	828	645	183	62	62	
West South Central Arkansas	$\frac{12,745}{2,501}$	8,187 1,835	4,558	$\frac{9,749}{2,004}$	1,486	$\frac{3,463}{518}$	$\frac{2,606}{494}$	$\frac{1,571}{346}$	1,035	$\frac{390}{3}$	330	
Louisiana	1,965	1.097	868 1,218	1,490	794	696	450	291	159	25	12	
Oklahoma Texas	2,672 5,607	1,454 3,801	1,218 1,806	1,934 4,321	1,017 2,989	917 1,332						
MOUNTAIN	4,155		1,563		11	1,126			348	1	168	
Montana	456		197	260	156	104	196					
Idaho Wyoming	260 325	141 277	119	224 212	122 172	102 40		18 81			24	
Colorado	1.823	1,168	48 655	1,158	727	431	433	298	135	232	143	
New Mexico Arizona	330 443		167 165			149 133		42				
Utah	410	224	186	320	179	141	90	45	45			
Nevada	108		26		11			2				
PACIFIC	17,668		7,861	13,069	7,614	5,455	_			-	-	- 9
Washington Oregon	2,457 1,548		973 542		1,145 835	711 386		217 157	95	75		
California	13,663		6,346	9,992	5,634		2,651	1,435	1,216	1,020		



TABLE 7.—MOVEMENT OF POPULATION IN STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

					SEPAR	ATIONS 1	DURING	YEAR				
DIVISION AND STATE	All	separatio	ons				Dis	charges				
DIVIDION AND STATE				All	discharg	es	Fre	m hosp	ital	From e	xtramu	ral car
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	166,245	96,993	69,252	108,095	64,112	43,983	57,089	36,628	20,461	51,006	27,484	23,52
New England	13,845	7,244	6,601	8,862	4,732	4,130	4,588	2,708	1,880	4,274	2,024	2,25
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	613 787 561 7,539 912 3,433	325 404 261 3,990 464 1,800	288 383 300 3,549 448 1,633	364 512 370 4,568 547 2,501	269 180 2,503 290 1,301	.175 243 190 2,065 257 1,200	117 63 295 2,232 131 1,750	70 34 147 1,419 89 949	47 29 148 813 42 801	247 449 75 2,336 416 751	119 235 33 1,084 201 352	12 21 4 1,25 21 39
MIDDLE ATLANTIC  New York  New Jersey  Pennsylvania	38,294 24,248 5,696 8,350	19,920 12,459 3,194 4,267	18,374 11,789 2,502 4,083	21,146 13,038 3,418 4,690	$\begin{array}{r} 10,751 \\ \hline 6,570 \\ 1,954 \\ 2,227 \end{array}$	10,395 6,468 1,464 2,463	9,061 6,107 1,736 1,218	3,258 1,118 514	4,171 2,849 618 704	12,085 6,931 1,682 3,472	5,861 3,312 836 1,713	6,22 3,61 84 1,75
EAST NORTH CENTRAL Ohio Indiana Illinois Michigan Wisconsin	34,078 7,165 3,931 12,136 6,131 4,715	19,493 4,099 2,117 7,014 3,778 2,485	3,066 1,814 5,122 2,353 2,230	22,270 4,804 2,108 8,184 4,266 2,908	12,757 2,753 1,138 4,669 2,693 1,504	9,513 2,051 970 3,515 1,573 1,404	12,789 2,528 1,472 4,487 2,239 2,063	7,581 1,535 835 2,602 1,561 1,048	5,208 993 637 1,885 678 1,015	9,481 2,276 636 3,697 2,027 845	5,176 1,218 303 2,067 1,132 456	4,30 1,05 33 1,63 89 38
WEST NORTH CENTRAL	12,807	7,300	5,507	8,060	4,444	3,616	4,006	2,290	1,716	4,054	2,154	1,90
Minnesota Iowa Missouri North Dakota South Dakota Nebraska	3,583 2,660 3,569 446 366 881 1,302	2,068 1,616 1,891 292 209 542 682	1,515 1,044 1,678 154 157 339 620	2,163 1,606 2,401 274 236 551 829	1,175 967 1,263 179 126 335 399	988 639 1,138 95 110 216 430	1,051 895 1,141 103 236 245 335	586 566 641 75 126 124 172	465 329 500 28 110 121 163	1,112 711 1,260 171 	589 401 622 104 	52 31 63 6
KansasSouth Atlantic	19,794	12,618	7,176	13,816	9,111	4,705	6,868	5,125	1,743	6,948	3,986	2,96
Delaware	269 3,547 2,358 4,314 1,296 2,617 1,416 3,023 954	156 2,302 1,793 2,778 713 1,490 791 2,050 545	113 1,245 565 1,536 583 1,127 625 973 409	146 2,511 1,914 3,164 790 1,875 981 1,934 501	91 1,719 1,554 2,073 414 1,068 521 1,433 238	55 792 360 1,091 376 807 460 501 263	1,542 1,554 789 617 927 320 1,042	1,157 1,356 583 325 559 186 920 39	385 198 206 292 368 134 122 38	146 969 360 2,375 173 948 661 892 424	91 562 198 1,490 89 509 335 513 199	2,36 40 16 88 43 32 37 22
EAST SOUTH CENTRAL	13,808	9,943	3,865	10,540	7,914	2,626	6,194	5,242	952	4,346	2,672	1,67
Kentucky Tennessee Alabama Mississippi	2,356 3,679 5,236 2,537	1,463 2,609 4,122 1,749	893 1,070 1,114 788	1,454 2,815 4,318 1,953	893 2,084 3,559 1,378	561 731 <b>7</b> 59 575	721 2,062 2,746 665	509 1,592 2,584 557	212 470 162 108	733 753 1,572 1,288	384 492 975 821	34 26 59 46
West South Central Arkansas	$\frac{12,859}{2,217}$	8,355 1,579	$\frac{4,504}{638}$	9,204 1,655	5,853 1,207	$\frac{3,351}{448}$	4,894 695	3,524 646	1,370	4,310 960	2,329 561	1,98
Louisiana Oklahoma Texas	2,060 2,720 5,862	1,119 1,546 4,111	941 1,174 1,751	1,519 1,896 4,134	810 1,030 2,806	709 866 1,328	851 1,019 2,329	523 550 1,805	328 469 524	668 877 1,805	287 480 1,001	38 39 80
MOUNTAIN	3,848	2,402	1,446	2,673	1,662	1,011	$\frac{1,948}{247}$	1,189	759	$\frac{725}{53}$	473	- 25
Montana Idaho. Wyoming Colorado New Mexico Arizona Utah	442 240 317 1,776 269 359 362	256 152 273 1,118 124 228 184	186 88 44 658 145 131 178	300 93 216 1,253 183 294 284	163 57 194 796 80 189 141	137 36 22 457 103 105 143	247 55 144 943 137 173 199	114 30 142 595 51 121 94	133 25 2 348 86 52 105	38 72 310 46 121 85	49 27 52 201 29 68 47	10
Nevada	83	67	16	50	42	8	50	42	8			
Pacific Washington Oregon	2,302 1,420	9,718 1,447 950	7,194 855 470	11,524 1,202 815	6,888 754 575	$\frac{4,636}{448}$	6,741 548 410	4,079 375 336	$\frac{2,662}{173}$ 74	4,783 654 405	2,809 379 239	1,97 27 16
California	13,190	7,321	5,869	9,507	5,559	3,948	5,783	3,368	2,415	3,724	2,191	1,5



TABLE 7.—MOVEMENT OF POPULATION IN STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

				SEP	RATIONS	DURING	YEAR-	Continu	aed			
DIVISION AND STATE		Fransfers					D	eaths				
				A	all deaths		Ir	hospita	al	In ext	ramural	care
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	11,442	6,077	5,365	46,708	26,804	19,904	45,962	26,350	19,612	746	454	29
NEW ENGLAND	668	324	344	4,315	2,188	2,127	4,233	2,139	2,094	82	49	
Maine New Hampshire Vermont	3 2	2 1	1	246 273 191	134 134 81	112 139 110	246 273 191	134 134 81	112 139 110			
Massachusetts Rhode Island Connecticut	595 20 48	289 7 25	306 13 23	2,376 345 884	1,198 167 474	1,178 178 410	2,327 334 862	1,167 160 463	1,160 174 399	49 11 22	31 7 11	
MIDDLE ATLANTIC	3,809	1,990	1,819	13,339	7,179	6,160	13,237	7,123	6,114	102	56	
New York New Jersey Pennsylvania	3,228 208 373	1,664 114 212	1,564 94 161	7,982 2,070 3,287	4,225 1,126 1,828	3,757 944 1,459	7,972 1,987 3,278	4,223 1,081 1,819	3,749 906 1,459	10 83 9	45 9	
EAST NORTH CENTRAL	2,983	1,453	1,530	8,825	5,283	3,542	8,635	5,174	3,461	190	109	
Ohio Indiana	403 914	217 389	186 525	1,958 909	1,129 590	829 319	1,872 892	1,084 582	788 310	86 17	45 8	
Illinois Michigan Wisconsin	616 174 876	332 88 427	284 86 449	3,336 1,691 931	2,013 997 554	1,323 694 377	3,330 1,661 880	2,007 978 523	1,323 683 357	6 30 51	19 31	
VEST NORTH CENTRAL	728	474	254	4,019	2,382	1,637	3,884	2,306	1,578	135	76	
Minnesota Iowa	322 252 94	229 163 47	93 89	1,098 802	664 486	434 316	1,054 756 1,066	635 461 578	419 295	44 46	29 25 3	
Missouri North Dakota			47	1,074 172	581 113	493 59	172	113	488 59	8		
South Dakota Nebraska Kansas	21 39	9 26	12 13	130 309 434	83 198 257	47 111 177	130 303 403	83 194 242	47 109 161	6 31	4 15	
SOUTH ATLANTIC	953	512	441	5,025	2,995	2,030	4,984	2,960	2,024	41	35	
Delaware Maryland Dist.of Columbia.	171	88	83	123 865 444	65 495 239	58 370 205	123 840 444	65 47 <b>4</b> 239	58 366 205	25	21	
Virginia West Virginia	203 95	131 50	72 45	947 411	574 249	373 162	947 409	574 247	373 162	2	2	
North Carolina	51	27	24	691 420	395	296	691 420	395 264	296			
South Carolina Georgia Florida	392 26	189 21	203 5	697 427	264 428 286	156 269 141	693 417	424 278	156 269 139	4 10	4 8	
EAST SOUTH CENTRAL	183	122	61	3,085	1,907	1,178	3,068	1,893	1,175	17	14	
Kentucky Tennessee	22 50	14 40	8 10	880 814	556 485	324 329	868 814	547 485	321 329	12	9	
Alabama Mississippi	74 37	35 33	39 4	844 547	528 338	316 209	840 546	524 337	316 209	-1	4	
WEST SOUTH CENTRAL	714	679	35	2,941	1,823	1,118	2,922	1,811	1,111	19	12	
Arkansas Louisiana	33	22		562 508	372 287	190 221	560 505	370 286	190 219	2 3 2	2	
Oklahoma	70	63 594	7	754	453	301	752	451 704	301	12	2 7	
Texas	611 149	102	17 47	1,117	711 638	406 388	1,105	630	401 385	11	8	
Montana				142	93	49	142	93	49			
Idaho Wyoming	43 25 78	26 23	17 2	104 76	69 56	35 20	102 76	68 56	34 20	2	1	
Colorado New Mexico	78 3	52 1	26 26 2	445 83	270 43	175 40	438 83	264 43	174 40	7	6	
Arizona Utah Nevada	·			65 78 33	39 43 25	26 35 8	63 78 33	38 43 25	25 35 8	2	1	
ACIFIC	1,255	421	834	4,133	2,409	1,724	3,984	2,314	1,670	149	95	
Washington	214	132	82	886	561	325	864	542	322	22		_
Oregon California	74 967	14 275	60 692	531 2,716	361 1,487	170 1,229	509 2,611	347 1,425	162 1,186	105	14 62	

TABLE 7.—MOVEMENT OF POPULATION IN STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

				PAT	IENTS ON	BOOKS A	T END	OF YEAR				
DIVISION AND STATE	A	ll patient	ts	I	n hospita	ı	In f	amily c	are1		In other	
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	568,961	303,651	265,310	500,564	268,596	231,968	2,055	713	1,342	66,342	34,342	32,00
NEW ENGLAND	48,473	24,101	24,372	43,769	21,949	21,820	468	122	346	4,236	2,030	2,20
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	2,847 2,582 1,843 28,921 3,403 8,877		1,511 1,346 971 13,992 1,785 4,767	2,679 2,299 1,818 25,942 2,921 8,110	1,267 1,081 861 13,577 1,410 3,753	1,412 1,218 957 12,365 1,511 4,357	311 157	66 56	245 101	168 283 25 2,668 325 767	155 11 1,286 152 357	12 1,38 17 41
MIDDLE ATLANTIC	154,610	79,268	75,342		70,400	65,893	1,199	434	765		8,434	8,68
New York New Jersey Pennsylvania	90,497 21,689 42,424		44,620 10,522 20,200	79,867 19,184 37,242	40,809 9,840 19,751	39,058 9,344 17,491	1,199	434	765	9,431 2,505 5,182	4,634 1,327 2,473	4,79 1,17 2,70
EAST NORTH CENTRAL Ohio	109,864 26,537 11,452 36,283 22,213 13,379	14,270 6,430 20,484 12,429	48,963 12,267 5,022 15,799 9,784 6,091	98,771 21,979 10,699 34,707 19,901 11,485	55,161 12,036 6,067 19,559 11,234 6,265	9,943 4,632 15,148 8,667 5,220	305 211 94	123 88 35	182 123 59	10,788 4,558 753 1,365 2,218 1,894	5,617 2,234 363 837 1,160 1,023	5,17 2,32 39 52 1,05 87
West North Central Minnesota Iowa Missouri North Dakota South Dakota Nebraska	13,735 10,635 13,943 2,194 1,614 5,066	7,852 6,165 6,653 1,175 870 2,640	7,290 1,019 744 2,426	46,926 11,689 9,588 12,606 2,003 1,601 4,377	25,140 6,758 5,601 6,006 1,112 865 2,240	21,786 4,931 3,987 6,6 0 891 736 2,137				6,530 2,046 1,047 1,337 191 13 689	3,298 1,094 564 647 63 5 400	3,23: 95: 48: 69: 12:
Kansas	6,269		3,186		2,558	2,504	83	34		1,207	525	68
Delaware Maryland Dist.of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida	1,563 10,529 7,124 13,051 4,464 9,484 5,489 10,463 5,727	5.623 4,443 7,498 2,434 4,760 2,711	31,398 744 4,906 2,681 5,553 2,030 4,724 2,778 5,009 2,973	1,165 9,370 6,669 10,850 3,998 7,697 4,714 9,298	31,447 585 5,046 4,230 6,045 2,182 3,715 2,351 4,798 2,495	27,490 580 4,324 2,439 4,80; 1,816 3,982 2,363 4,500 2,681	83	34	49	8,874 398 1,076 455 2,201 466 1,787 775 1,165 551	234 543 213 1,453 252 1,045 360 656 259	3,85 16 53 24 74 21 74 41 50 29
EAST SOUTH CENTRAL	30,595	17,137	13,458	27,097	15,259	11,838				3,498	1,878	1,62
Kentucky Tennessee Alabama Mississippi	7,992 7,764 8,354 6,485	4,149 5,020	3,620 3,615 3,334 2,889	7,503 7,505	3,911 4,026 4,578 2,744	3,206 3,477 2,927 2,228				875 261 849 1,513	461 123 442 852	41 13 40 66
West South Central	41,056		18,608			16,157		-		5,230	2,779	2,45
Arkansas Louisiana Oklahoma Texas	7,457 7,725 8,301 17,573	3,693 4,734	3,567	6,665 7,537	4,315	2,360 3,447 3,222 7,128				1,431 1,060 764 1,975	419	60 58 34 91
Mountain	15,244		6,018	13,100		5,121				2,144	1,247	89
Montana Idaho Wyoming Colorado New Mexico Arizona Utah	1,934 1,449 1,408 6,038 1,482 1,239 1,245	772 1,135 3,745 823 703 636	2,293 659 536 609	5,416 903 998 1,099	576 1,094 3,345 505 571 561	793 502 242 2.071 398 427 538				45 371 72 622 579 241 146	75	17 3 22 26 10
Nevada Pacific	47,769			1		150 18,253				7,924	4,044	3,88
Washington Oregon California	8,612 5,517 33,640	4,874 3,192	3,738 2,325	7,599 4,715	4,338 2,844	3,261 1,871				1,013 802 6,109	536 348	47 45

<sup>&</sup>lt;sup>1</sup> State hospitals only.



TABLE 8.—MOVEMENT OF POPULATION IN STATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

				PATIE	NTS ON E	OOKS AT	BEGINN	ING OF	TEAR			
DIVISION AND STATE	A	ll patient	ts	* I	n hospits	1	In	amily c	are	In oth	er extra	mural
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	496,136	252,763	243,373	432,254	220,441	211,813	2,038	726	1,312	61,844	31,596	30,248
NEW ENGLAND	43,889	20,890	22,999	39,235	18,891	20,344	528	151	377	4,126	1,848	2,278
Maine	2,817	1,334	1,483	2,613	1,234	1,379				204	100	104
New Hampshire Vermont	2,584 1,068	1,255 540	1,329 528	2,301 1,052	1,109 530	1,192 522				283 16	146	137
Massachusetts	25,994	12,281	13,713	23,043	11,090	11,953	365	80	285	2,586	1,111	1,47
Rhode Island Connecticut	3,263 8,163	1,553 3,927	1,710 4,236	2,750 7,476	1,329 3,599	1,421 3,877	163	71	92	350 687	153 328	197 359
MIDDLE ATLANTIC		67,841	68,579	120,618	60,328	60,290	1,256	447	809	14,546	7,066	7,480
New York	85,835	42,386	43,449	75,902	37,617	38,285	1,256	447	809	8,677	4,322	4,35
New Jersey Pennsylvania	12,503 38,082	6,118 19,337	6,385 18,745	11,052 33,664	5,451 17,260	5,601 16,404				1,451 4,418	2,077	2,34
EAST NORTH CENTRAL	89,573		42,690	79,620	41,876	37,744	184	91	93	9,769	4,916	
Ohio	24,118	12,274	11,844	19,750	10,168	9,582				4,368	2,106	2,262
Indiana	9,843 32,585	4,859	4,984	9,111	4,537	4,574	127	61	66	732	322	410
Illinois Michigan			15,426 9,246	31,311 17,440	16,499 9,375	14,812 8,065		30		1,147 2,359	599 1,205	1,154
Wisconsin	3,171	1,981	1,190	2,008		711				1,163		479
WEST NORTH CENTRAL	1			_		18,614				6,468	_	3,19
Minnesota Iowa	12,728 7,693		5,947 3,691		5,647 3,407	4,890 3,130				2,191 1,156		1,05
Missouri	9,744	4,884		8,845	4,419	4,426				899		43
North Dakota	2,235	1,246	989	2,008	1,132	876				227		113
South Dakota Nebraska			733 2,376		869 2,238	722 2,094				676		28
Kansas	6,330					2,476				1,304		
SOUTH ATLANTIC	62,421	32,312	30,109	53,446	27,216	26,230	62	30	32	8,913	5,066	3,84
Delaware			746		598	606				371		140
Maryland Dist.of Columbia_	7,825 7,038		3,959 2,635			3,463 2,393		30	32	1,027 476		24
Virginia	12,248	6,552	5,696	9,524	4,801	4,723				2,724	1,751	97
West Virginia North Carolina	4,333 9,091				2,154 3,649					1,583		
South Carolina		2,751	2,766	4,735	2,366	2,369				782	385	
Georgia					3,712	4,401				992		
FloridaEAST SOUTH CENTRAL.	5,689					1				553		
Kentucky										3,365		_
Tennessee	6.147	3.055	3.092	5.801	11 - 2.869					346		16
Alabama		3,259		5,833	2,854					779		
Mississippi West South Central	1				11			7	1	1,310 4,860	1	1
Arkansas		-						-		1,308		
Louisiana				6,459		3,265				1,059	435	
Oklahoma Texas				7,515 13,831		3,129 7,103		7	<u>ī</u>	788 1,705	422 856	
MOUNTAIN		11	1	15	II .			1		1,918	11	1
Montana	1,920	1,136	784		1		1			29	29	
Idaho								i		356	192	16
Wyoming Colorado										53 620		25
New Mexico	1,411	780	631	963	541	422				448	239	20
Arizona Utah	1,155									217 138		
Nevada					223					57		
PACIFIC		22,263		11						7,879	4,090	3,78
Washington	7,747	4.129	3,618	6,884	3,672	3,212		1		863	457	40
Oregon	4,845		2,249	4,137	2,296					708		40
California	29,925	15,538	14,387	23,617	12,205	11,412				6,308	0.000	2,97

TABLE 8.—MOVEMENT OF POPULATION IN STATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

					ADMISSI	ONS DUR	ING YEA	R				
DIVISION AND STATE	All	admissio	ons	Fire	st admiss	ion <b>s</b>	Re	admissi	ons		Transfe	rs
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	113,842	61,526	52,316	82,650	45,829	36,821	24,048	12,252	11,796	7,144	3,445	3,69
NEW ENGLAND	10,933	5,787	5,146	7,588	4,113	3,475	3,020	1,535	1,485	325	139	18
Maine	598	304	294	439	228	211	154	72	82		4	
New Hampshire Vermont	700 343	345 167	355 176	523 229	269 112	254 117	177 114	76 55	101 59			
Massachusetts	6,221	3,331	2,890	4,205	2,306	1,899	1,746	908	838	270	117	153
Rhode Island	734	389	345	562	303	259	157	82	75			1
Connecticut	2,337	1,251	1,086	1,630	895	735	672	342	330		1	
MIDDLE ATLANTIC	29,785	15,190	14,595	20,780	10,759	10,021	5,756	2,867	2,889			1,683
New York	19,877	10,042 1,506	9,835 1,487	13,117	6,704	6,413	3,817	1,909	1,908			1,514
New Jersey	2,993 6,915	3,642	3,273	2,218 5,445	1,106 2,949	1,112 2,496	671 1,268	356 602	315 666			111
East North Central	22,185	11,973	10,212	15,420	8,540	6,880	5,216	2,693	2,523			809
Ohio	4,258	2,236	2,022	3,449	1,828	1,621	665	305	360	_	103	41
Indiana	2,501	1,207	1,294	1.332	722	610	293	114	179			505
Illinois	9,529	5,310	4,219	6,380	3,614	2,766	2,804	1,513	1,291	345	183	162
Michigan Wisconsin	3,911 1,986	2,111 1,109	1,800 877	3,081 1,178	1,721 655	1 360 523	758 696	366 395	392 301			48 53
WEST NORTH CENTRAL	7,821	4,350	3,471	6,141	3,474	2,667	1,384	662	722	_	214	82
Minnesota Iowa	2,199 1,437	1,273 776	926 661	1,700 1,098	983 589	717 509	281 266	136 132	145 134		154 55	64 18
Missouri	1,891	985	906	1,443	781	662	443	199	244		5	
North Dakota	405	221	184	318	176	142	87	45	42			
South Dakota Nebraska	374 644	206 429	168 215	269 557	154 375	115 182	105 87	52 54	53 33			
Kansas	871	460	411	756	416	340	115	44	71			
SOUTH ATLANTIC	14,536	8,613	5,923	11,084	6,728	4,356	2,904	1,601	1,303	548	284	264
Delaware	257	146	111	225	126	99	32	20	12			
Maryland	1,904	1,064	840	1,167	677	490	426	229	197	311	158	153
Dist.of Columbia_ Virginia	2,444 2,803	1,833 1,608	1,195	2,150 1,981	1,649 1,160	501 821	294 690	184 382	110 308	132	66	66
West Virginia	1,427	787	640	1,077	601	476	256	132	124	94	54	40
North Carolina	2,023	1,169	854	1,604	925	679	417	243	174	2	1	1
South Carolina Georgia	1,198 1,488	663 804	535 684	946 1,128	533 611	413 517	252 360	130 193	122 167			
Florida	992	539	453	806	446	360	177	88	89	9	5	4
EAST SOUTH CENTRAL	6,357	3,304	3,053	4,853	2,569	2,284	1,442	700	742	62	35	27
Kentucky	1,602	891	711	1,303	742	561	291	141	150	8	8	
Tennessee	1,500	787	713	1,158	613	545	341	173	168	1	1	
Alabama	1,529	651	878	1,052	475	577	424	150	274	53	26	27
Mississippi	1,726	975	751	1,340	739	601	386	236	150			
WEST SOUTH CENTRAL	8,112	4,494	3,618	6,168	3,480	2,688	1,809	924	885	135	90	45
Arkansas	1,696	1,030	666	1,331	813	518	365	217	148			
Louisiana	1,236 1,951	659 1.112	577 839	1,000 1,412	545 793	455 619	236 438	241	122 197	101	78	23
Texas	3,229	1,693	1,536	2,425	1,329	1,096	770	352	418	34	12	22
MOUNTAIN	2,703	1,611	1,092	1,965	1,196	769	524	283	241	214	132	82
Montana	456	259	197	260	156	104	196	103	93			
Idaho	260	141	119	224	122	102	35 17	18	17	1	1	
Wyoming	119 720	71 438	48 282	102 405	62 247	40 158	102	60	8 42	213	131	82
Colorado New Mexico	187	118	69	179	114	65	8	4	4	213	101	
Arizona	443	278	165	369	236	133	74	42	32			
Utah Nevada	410 108	224 82	186 26	320 106	179 80	141 26	90	45	45			
	1(		- 11	- 11			- 11		1.000	700		
PACIFIC	11,410	6,204	5,206	8,651	4,970	3,681	1,993	987	1,006	766	247	519
Washington	2,046 1,212	1,155 671	891 541	1,520 924	884 539	636 385	329 213	151 118	178 95	197 75	120 14	77 61
Oregon												



Table 8.—Movement of Population in State Hospitals for Mental Disease, by Sex, by Divisions and States: 1943—Con.

			SEPARATIONS DURING TEAR  Discharges  All discharges  From hospital  From extram  Male Fe- male  Total Male Fe- male									
DIVISION AND STATE	All	separatio	ons				Dis	cha rges				
				All	discharg	tes	Fro	m hosp	ital	From e	xtramu	ral car
	Total	Male		Total	Male		Total	Male		Total	Male	Fe- male
United States	116,382	65,143	51,239	67,377	37,730	29,647	21,592	14,060	7,532	45,785	23,670	22,11
NEW ENGLAND	10,881	5,774	5,107	6,388	3,494	2,894	2,539	1,730	809	3,849	1,764	2,08
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	583 719 325 6,285 746 2,223	310 368 168 3,283 387 1,258	273 351 157 3,002 359 965	351 448 207 3,571 42 <b>6</b> 1,385	186 235 113 1,924 235 801	165 213 94 1,647 191 584	104 150 1,502 128 655	87 1,028 87 461	63 474 41 194	247 448 57 2,069 298 730	119 235 26 896 148 340	12 21 3 1,17 15 39
MIDDLE ATLANTIC	30,247	15,819	14,428	14,955	7,699	7,256	4,481	2,662	1,819	10,474	5,037	5,43
New York New Jersey Pennsylvania	20,835 3,029 6,383	10,870 1,597 3,352	9,965 1,432 3,031	10,035 1,824 3,096	5,195 958 1,546	4,840 866 1,550	3,720 761	2,199 463	1,521 298	6,315 1,063 3,096	2,996 495 1,546	3,31 56 1,58
EAST NORTH CENTRAL	22,780	12,720	10,060	13,331	7,424	5,907	4,899	3,142	1,757	8,432	4,282	4,1
Ohio Indiana Illinois Michigan Wisconsin	4,246 2,670 9,897 3,941 2,026	2,331 1,339 5,681 2,205 1,164	1,915 1,331 4,216 1,736 862	2,387 996 6,283 2,337 1,328	1,271 480 3,570 1,296 807	1,116 516 2,713 1,041 521	271 417 2,997 438 776	212 234 1,913 292 491	59 183 1,084 146 285	2,116 579 3,286 1,899 552	1,059 246 1,657 1,004 316	1,0 3 1,6 8 2
WEST NORTH CENTRAL	8,444	4,854	3,590	4,519	2,453	2,066	799	506	293	3,720	1,947	1,7
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	2,461 1,542 1,972 446 366 663 994	1,400 896 1,073 292 209 455 529	1,061 646 899 154 157 208 465	1,198 717 1,160 274 236 385 549	605 394 614 179 126 276 259	593 323 546 95 110 109 290	155 67 104 103 236 79 55	85 52 71 75 126 65 32	70 15 33 28 110 14 23	1,043 650 1,056 171 306 494	520 342 543 104 	52 30 51 20
SOUTH ATLANTIC	14,785	8,988	5,797	9,767	6,049	3,718	3,256	2,410	846	6,511	3,639	2,8
Delaware	269 1,834 2,358 3,561 1,296 1,817 1,252 1,444 954	156 1,079 1,793 2,153 713 1,049 706 794 545	113 755 565 1,408 583 768 546 650 409	146 1,082 1,914 2,536 790 1,131 836 831 501	91 649 1,554 1,560 414 654 445 444 238	55 433 360 976 376 477 391 387 263	361 1,554 251 617 189 175 32 77	248 1,356 160 325 148 110 24 39	113 198 91 292 41 65 8	146 721 360 2,285 173 942 661 799 424	91 401 198 1,400 89 506 335 420 199	32 16 88 43 32 32
EAST SOUTH CENTRAL	7,188	4,066	3,122	4,531	2,544	1,987	889	539	350	3,642	2,005	1,6
Kentucky Tennessee Alabama Mississippi	1,875 1,569 2,004 1,740	1,102 846 1,064 1,054	773 723 940 686	1,038 941 1,322 1,230	579 490 722 753	459 451 600 477	333 463 78 15	223 237 74 5	110 226 4 10	705 478 1,244 1,215	356 253 648 748	34 22 59 46
WEST SOUTH CENTRAL	8,511		3,550	5,338		2,432		841	451	4,046		
Arkansas Louisiana Oklahoma Texas.	1,640 1,297 1,985 3,589	1,002 668 1,196 2,095	638 629 789 1,494	1,130 804 1,174 2,230	682 388 689 1,147	448 416 485 1,083	287 136 297 572	238 101 209 293	49 35 88 279	843 668 877 1,658	444 287 480 854	31 31 31 80
MOUNTAIN	2,454	1,462	992	1,485	879	606	824	470	354	661	409	_ 2
Montana Idaho Wyoming Colorado New Mexico Arizona Utah	240 240 115 721 132 359 362	256 152 71 426 78 228 184	186 88 44 295 54 131 178	300 93 58 348 58 294 284	163 57 36 214 37 189 141	137 36 22 134 21 105 143	247 55 8 80 12 173 199	114 30 6 55 8 121 94	133 25 2 25 4 52 105	53 38 50 268 46 121 85	49 27 30 159 29 68 47	1
Nevada	- 83	67	16	50	42	8	50	42	8			
Washington	11,092 1,934 1,189	6,499 1,158 719	4,593 776 470	7,063 887 620	4,282 515 380	2,781 372 240	2,613 281 267	1,760 184 193	853 97 74	4,450 606 353	2,522 331 187	1,9
Oregon California	7,969	4,622	3,347	5,556	3,387	2,169	2,065	1,383	682	3,491	2,004	1,4

Table 8.—Movement of Population in State Hospitals for Mental Disease, by Sex, by Divisions and States: 1943—Con.

				SEPAR	ATIONS D	URING Y	EAR-C	ontinue	d			
DIVISION AND STATE		Transfers					D	eaths				
					All deaths		Ir	hospit	al	In ex	tramura	l care
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	8,188	4,391	3,797	40,817	23,022	17,795	40,245	22,683	17,562	572	339	23
NEW ENGLAND	518	266	252	3,975	2,014	1,961	3,897	1,969	1,928	78	45	3
Maine New Hampshire Vermont				232 271 118	124 133 55	108 138 63	232 271 118	124 133 55	108 138 63			
Massachusetts Rhode Island Connecticut	498 1 19	255 1 10	243 9	2,216 319 819	1,104 151 447	1,112 168 372	2,170 309 797	1,076 145 436	1,094 164 361	46 10 22	28 6 11	1
MIDDLE ATLANTIC	3,468	1,831	1,637	11,824	6,289	5,535	11,777	6,265	5,512	47	24	2
New York New Jersey Pennsylvania	3,105 99 264	1,621 64 146	1,484 35 118	7,695 1,106 3,023	4,054 575 1,660	3,641 531 1,363	7,695 1,059 3,023	4,054 551 1,660	3,641 508 1,363	47	24	2
EAST NORTH CENTRAL	2,101	1,025	1,076	7,348	4,271	3,077	7,244	4,219	3,025	104	52	5
Ohio Indiana Illinois	138 873 538	95 370 300	43 503 238	1,721 801 3,076	965 489 1,811	756 312 1,265	1,662 784 3,076	938 481 1,811	724 303 1,265	59 17	27 8	3
Michigan Wisconsin	109 443	57 203	52 240	1,495 255	852 154	643 101	1,467 255	835 154	632 101	28	17	1
WEST NORTH CENTRAL	453	329	124	3,472	2,072	1,400	3,342	1,997	1,345	130	75	5
Minnesota Iowa Missouri	224 202 8	167 136 7	57 66 1	1,039 623 804 172	628 366 452 113	411 257 352 59	995 579 799 172	599 341 450 113	396 238 349 59	44 44 5	29 25 2	1
North Dakota South Dakota Nebraska Kansas	1 18	1 18		130 277 427	83 178 252	47 99 175	130 271 396	83 174 237	47 97 159	6 31	4	1
SOUTH ATLANTIC	334	203	131	4,684	2,736	1,948	4,652	2,710	1,942	32	26	•
Delaware Maryland Dist.of Columbia_	50	36	14	123 702 444	65 394 239	58 308 205	123 682 444	65 378 239	58 304 205	20	16	
Virginia West Virginia North Carolina	154 95 9	89 50 7	65 45 2	871 411 677	504 249 388	367 162 289	871 409 677	504 247 388	367 162 289	2	2	
South Carolina Georgia Florida	26	21	5	416 613 427	261 350 286	155 263 141	416 613 417	261 350 278	155 263 139	<u>i</u> ō	8	
EAST SOUTH CENTRAL	70	38	32	2,587	1,484	1,103	2,576	1,476	1,100	11	8	
Kentucky Tennessee Alabama Mississippi	5 7 53 5	5 4 26 3	3 27 2	832 621 629 505	518 352 316 298	314 269 313 207	821 621 629 505	510 352 316 298	311 269 313 207	11	8	
WEST SOUTH CENTRAL	429	411	18	2,744	1,644	1,100			1,093	16	9	
Arkansas Louisiana Oklahoma	70	63		510 493	320 280	190 213	510 490	320 279	190 211	3 2 11	1 2	
Texas	359	348	7 11 27	741 1,000	444 600	297 400	739 989	442 594	297 395	11	6	
Montana Montana	65	38		904	545	359	893 142	537 93	356 49	11	8	
Montana	43 5	26 3	17 2 8	142 104 52	93 69 32	49 35 20	142 102 52 349	68 32 197	34 20	2	1	
Colorado New Mexico Arizona	17	9	8	356 74 65	203 41 39	153 33 26	349 74 63	197 41 38	152 33 25	7	6 <u>1</u>	
Utah Nevada				78 33	43 25	35 8	74 63 78 33	43 25	. 35			
ACIPIC	750	250	500	3,279	1,967	1,312	3,136	1,875	1,261	143	92	
Washington Oregon	211 74	129 14	82 60	836 495	514 325	322 170	814 473	495 311	319 162	22 22 99	19 14	



Table 8.—Movement of Population in State Hospitals for Mental Disease, by Sex, by Divisions and States: 1943—Con.

				PAT	ENTS ON	BOOKS A	T END O	F YEAR				
DIVISION AND STATE	A	ll patien	ts	1	n hospits	1	In	family o	are	Total M 60,583 3 3,921 168 283 211 2,388 311 750 14,775 8,669 4,432 4,763 9,576 4,432 1,168 2,109 1,185 6,006	er extra	mural
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
United States	493,596	249,146	244,450	430,958	218,073	212,885	2,055	713	1,342	60,583	30,360	30,223
NEW ENGLAND	43,941	20,903	23,038	39,552	18,968	20,584	468	122	346	3,921	1,813	2,108
Maine	2,832	1,328	1,504	2,664	1,259	1,405					69	99
New Hampshire Vermont	2,565 1,086	1,232 539	1,333 547	2,282 1,065	1,077 530	1,205 535					155	128
Massachusetts	25,930	12,329	13,601	23,231	11,177	12,054	311	66	245		1,086	1,302
Rhode Island Connecticut	$\frac{3,251}{8,277}$	1,555 3,920	1,696 4,357	2,783 7,527	1,353 3,572	1,430 3,955	157	56	101	311	146 348	165 402
MIDDLE ATLANTIC	135,958	67,212	68,746	119,984	59,699	60,285	1,199	434	765		7,079	7,696
New York	84,877	41,558	43,319	75,009	36,934	38,075	1,199	434	765	_	4,190	4,479
New Jersey Pennsylvania	12,467 38,614	6,027 19,627	6,440 18,987	11,124 33,851	5,423 17,342	5,701 16,509				1,343	604 2,285	739 2,478
EAST NORTH CENTRAL	88,978	46,136	42,842	79,097	41,207	37,890	305	123	182		4,806	4,770
Ohio	24,130	12,179	11,951	19,698	10,063	9,635				4,432	2,116	2,316
Indiana	9,674	4,727	4,947	8,992	4,435 16,060	4,557 14,778	211	88	123	682	292 640	390
Illinois Michigan	32,217 19,826	16,788 10,516	15,429 9,310	30,838 17,623	9,411	8,212	94	35	59		1,070	528 1,039
Wisconsin	3,131	1,926	1,205	1,946	1,238	708					688	497
WEST NORTH CENTRAL	44,721	23,034	21,687	38,715	20,023	18,692					3,011	2,995
Minnesota	12,466 7,588	6,654 3,882	5,812 3,706	10,459	5,599 3,365	4,860 3,227					1,055 517	952 479
Iowa Missouri	9,663	4,796	4,867	6,592 8,760	4,350	4,410					446	457
North Dakota	2,194	1,175	1,019	2,003	1,112	891					63	128
South Dakota Nebraska	1,614 4,989	870 2,606	744 2,383	1,601 4,300	2,206	736 2,094					400	289
Kansas	6,207	3,051	3,156	5,000	2,526	2,474					525	682
SOUTH ATLANTIC	62,172	31,937	30,235	53,572	27,215	26,357	83	34	49	8,517	4,688	3,829
Delaware	1,563	819	744	1,165	585	580				398	234	164
Maryland Dist.of Columbia_	7,895 7,124	3,851 4,443	4,044 2,681	6,801 6,669	3,309 4,230	3,492 2,439	83	34	49	1,011 455	$\frac{508}{213}$	503 242
Virginia	11,490	6,007	5,483	9,429	4,694	4,735				2,061	1,313	748
West Virginia North Carolina	4,464 9,297	2,434 4,687	2,030 4,610	3,998 7,510	2,182 3,642	1,816 3,868				466	252	214 742
South Carolina	5,463	2,708	2,755	4,688	2,348	2,340				1,787 775	1,045 360	415
Georgia	9,149	4,234	4,915	8,136	3,730	4,406				1,013	504	509
Florida	5,727	2,754	2,973	5,176	2,495	2,681				551	259	292
EAST SOUTH CENTRAL	24,932	12,130	12,802	21,803	10,601	11,202				3,129	1,529	1,600
Kentucky Tennessee	7,126 6,078	3,581 2,996	3,545 3,082	6,305 5,854	3,174 2,894	3,131 2,960				821 224	407 102	414 122
Alabama	6,137	2,846	3,291	5,497	2,609	2,888				640	237	403
Mississippi	5,591	2,707	2,884	4,147	1,924	2,223				1,444	783	661
WEST SOUTH CENTRAL	36,831	18,489	18,342	31,849	15,958	15,891				4,982	2,531	2,451
Arkansas Louisiana	5,921 7,457	2,956 3,620	2,965 3,837	<b>4,</b> 592 <b>6,</b> 397	2,232 3,145	$\frac{2,360}{3,252}$				1,329 1,060	724 475	605 585
Oklahoma	8,269	4,724	3,545	7,505	4,305	3,200				764	419	345
Texas	15,184	7,189	7,995	13,355	6,276	7,079				1,829	913	916
Mountain	$\frac{13,228}{1,934}$	7,337 1,139	$\frac{5,891}{795}$	$\frac{11,121}{1,889}$	$\frac{6,127}{1,096}$	4,994 793				$\frac{2,107}{45}$	$\frac{1,210}{43}$	897
Idaho	1,449	772	677	1,078	576	502				371	196	175
Wyoming	673	400	273	614	372	242 1,957				59	28	31
Colorado New Mexico	4,773 1,466	2,594 820	2,179 646	4,175 887	2,218 502	385				598 579	376 318	222 261
Arizona	1,239	703	536	998	571	427				241	132	109
Utah Nevada	1,245 449	636 273	609 176	1,099 381	561 231	538 150				146 68	75 42	71 26
						11						
Pacific Washington	42,835	21,968	20,867	35,265	18,275	16,990				7,570	3,693	3,877
Oregon	7,859 4,868	4,126 2,548	3,733 2,320	6,898 4,127	3,642 2,261	3,256 1,866				961 741	484 287	477 454
California	30,108	15,294	14,814	24,240	12,372	11,868				5,868	2,922	2,946

646075-46-7



TABLE 9.—MOVEMENT OF POPULATION IN VETERANS' HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943

[Statistics based on reports from 31 hospitals. See Appendix A for discussion of coverage]

				NE	W ENGL	ND	MID	DLE ATLA	NTIC
MOVEMENT OF POPULATION	UN	IITED STA	TES	MA	SSACHUSI	ETTS	1	NEW YOR	K
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	34,976	34,859	117	2,384	2,384		3,511	3,511	
In hospital : : : : : : : : : : : : : : : : : : :	33,135 1,841	33,022 1,837	113 4	2,231 153	2,231 153		3,329 182	3,329 182	
Admissions during year	17,291	17,243	48	462	462		623	623	
First admissions	12,159 3,740	12,113 3,739	46	308 79	308 79		405 86	405 86	
Transfers.	1,392	1,391	î	75	75		132	132	
Separations during year		13,590	28	381	381		436	436	
Discharges	11,451	11,426	25	305	305 185		346 239	346 239	
From hospital From extramural care	8,626 2,825	8,611 2,815	15 10	185 120	120		107	107	
Transfers	479	479		15	15		7	7	
Deaths in hospitals Deaths in extramural care	1,653 35	1,650 35	3	58	58		83	83	
Patients on books at end of year	38,649	38,512	137	2,465	2,465		3,698	3,698	
In hospital In extramural care	35,953 2,696	35,825 2,687	128	2,296 169	2,296 169		3,435 263	3,435 263	
In Cavamutar var	2,000		LE ATLANT		-			NORTH C	
MOVEMENT OF POPULATION	N	NEW JERS			NNSYLVA	NIA		оню	
MOVEMENT OF TOTOLERION	Total	Male	Female	Total	Male	Female	Total	Male	Femal
Patients on books at beginning of year_	1,774	1,773	1	1,562	1,562		1,584	1,584	
In hospital	1,569	1,569		1,511	1,511		1,549	1,549	
In extramural care	205	204	1	51	51		35	35	
Admissions during year	936	936		431	431		847	847	
First admissions	838	838		328	328		168	168	
Readmissions Transfers	57 41	57 41		24 79	24 79		607 72	607	
Separations during year	594	594		307	307		611	611	
Discharges	405	495		197	197		522	522	
From hospital	378	378		140	140		367	367	
From extramural care Transfers	117	117		57 34	57 34		155 29	155 29	
Deaths in hospitals	90	90		75	75		59	59	
Deaths in extramural care	6	6		1	1		1	1	
Patients on books at end of year		2,115	1	1,686	1,686		1,820	1,820	
In hospital In extramural care	1,756 360	1,756	1	1,633 53	1,633		1,710 110	1,710	
	000	11 000				L—Contin		110	1
MOVEMENT OF POPULATION		INDIAN			ILLINOI			MICHIGAN	7
2012221101	Total	Male	Female	Total	Male	Female	Total	Male	Fema
Patients on books at beginning of year_	1,573	1,573		3,496	3,496		1,294	1,294	
In hospital In extramural care	1,512 61	1,512 61		3,255 241	3,255 241		1,213 81	1,213 81	
Admissions during year	393	393		951	951		971	971	
First admissions	260	260		703	703		836	836	
Readmissions Transfers	70 63	70 63		130 118	130 118		71 64	71 64	
Separations during year		314		868	868		640	640	
Discharges	216	216		685	685		557	557	
From hospital From extramural care	159 57	159 57		275 410	275 410		429 128	128	
Transfers	11	11		12	12				
Deaths in hospital  Deaths in extramural care	87	87		165	165		81	81	
Patients on books at end of year		1.050							
	1,652	1,652		3,579	3,579		1,625	1,625	
In hospital	1,581	1,581		3,382	3,382		1,544	1,544	



Table 9.—Movement of Population in Veterans' Hospitals for Mental Disease, by Sex, by States: 1943—Con.

	EAST 1	Continu	ed ed		,	WEST NOR	TH CENTE	RAL	
MOVEMENT OF POPULATION		WISCONS	BIN		MINNE	80ТА		IOWA	
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	307	307		1,112	1,112		1,301	1,301	
In hospital In extramural care	300 7	300		1,086 26	1,086 26		1,283 18	1,283 18	
Admissions during year	107	107		227	227		466	466	
First admissions	77	77		176	176		298	298	
Readmissions Transfers	9 21	9 21		19 32	19 32		168	168	
Separations during year	77	77		178	178		277	277	
Discharges	71	71		156	156		223	223	
From hospital From extramural care	46 25	46 25		87 69	87 69		165 58	165 58	
Transfers									
Deaths in hospital Deaths in extramural care	6	6		22	22		54	54	
Patients on books at end of year	337	337		1,161	1,161		1,490	1,490	
In hospital	323	323		1,122	1,122		1,445	1,445	
In extramural care	14	14		39	39	l	45	45	l
		MARYLAI	-	SOT	VIRGINIA			GEORGI	
MOVEMENT OF POPULATION		1		m	1		m		1
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year_ In hospital	$\frac{1,372}{1.341}$	1,306	66	1,188	1,188		1,135	1,135	
In extramural care	31	30	1	80	80		128	128	
Admissions during year	533	494	39	719	719		533	533	
First admissions	336	298	38	543	543		339	339	
Readmissions Transfers	134 63	134 62	1	112	64 112		194	194	
Separations during year	455	433	22	453	453		513	513	
Discharges	388	369	19	359	359		444	444	
From hospital From extramural care	276 112	266 103	10	269 90	269 90		351 93	351 93	
Transfers	1	1		32	32				
Deaths in hospital  Deaths in extramural care	66	63	3	62	62		65	65	
		4.005						-	
Patients on books at end of year In hospital	$\frac{1,450}{1.422}$	$\frac{1,367}{1,342}$	83	$\frac{1,454}{1,314}$	1,454		1,155	1,155	
In extramural care	28	1,342	3	140	140		152	1,003	
				EAST 8	SOUTH CE	NTRAL			
MOVEMENT OF POPULATION	1	KENTUCK	Y	T	ENNESSE	E		ALAB	AWA
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	535	535		496	496		1,780	1,757	23
In hospital In extramural care	499 36	499 36		489	489 7		1,647 133	1,626 131	21 2
Admissions during year	468	468		715	715		2,967	2,959	8
First admissions	240	240		634	634		1,926	1,919	7
Readmissions Transfers	70 158	70 158		66 15	66 15		1,041	1,040	1
Separations during year	238	238		614	614		2,563	2,557	6
Discharges	199	199		549	549		2,355	2,349	6
From hospital	171 28	171 28		363 186	363 186		2,027 328	2,022 327	5
From extramural care	5	5		25	25				
From extramural care Transfers							204		
From extramural care	33 1	33 1		40	40		4	204	
From extramural care Transfers Deaths in hospital	33			597	597				25

Table 9.—Movement of Population in Veterans' Hospitals for Mental Disease, by Sex, by States: 1943—Con.

		L—Cor			WE	ST SOUT	H CENT	RAL		¥	OUNTAI	IN
MOVEMENT OF POPULATION	М	ISSISSIP	PI	A	RKANSA	B		TEXAS		,	MIMOMIN	g
	Total	Male	Fe- male	Total	Male	Fe- male	'Total	Male	Fe- male	Total	Male	Fe- male
Patients on books at begin- ning of year.	786	786		1,308	1,308		2,224	2,224		731	731	
In hospital In extramural care	731 55	731 55		1,274 34	1,274 34		2.096 128	2,096 128		728 3	728 3	
Admissions during year	529	529		805	805		1,936	1,936		206	206	
First admissions	209 258 62	209 258 62		673 129 3	673 129 3		1,518 196 222	1,518 196 222		110 72 24	110 72 24	
Separations during year	434	434		577	577		1,840	1,840		202	202	
Discharges From hospital From extramural care.	367 294 73	367 294 73		525 408 117	525 408 117		1,503 1,356 147	1,503 1,356 147		158 136 22	158 136 22	
Transfers	28 38 1	28 38 1		50 2	50		234 102 1	234 102 1		20 24	20 24	
Patients on books at end of of year.	881	881		1,536	1,536		2,320	2,320		735	735	
In hospital In extramural care	812 69	812 69		1,434 102	1,434 102		2,174 146	2,174 146		722 13	722 13	
	MOU	NTAIN-	Con.					PACIFIC				
MOVEMENT OF POPULATION	c	OLORAI	00	w	ASHINGT	ON		OREGON		C	LIFORN	IA
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male
Patients on books at begin-	1,041	1,041		704	704		540	540		1,238	1,211	2
ning of year. In hospital In extramural care	1,013 28	1,013 28		653 51	653 51		525 15	525 15		1,186 52	1,159 52	2
Admissions during year	233	233		289	289		335	335		609	608	
First admissions Readmissions Transfers	211 15 7	211 15 7		227 60 2	227 60 2		296 39	296 39		500 82 27	499 82 27	
Separations during year	213	213		246	246		231	231		356	356	
Discharges From hospital From extramural care.	157 115 42	157 115 42		201 153 48	201 153 48		195 143 52	195 143 52		278 94 184	278 94 184	
Transfers	20 36	20 36		43 	43		36	36		74 3	74 3	
Patients on books at end of	1,061	1,061		747	747		644	644		1,491	1,463	2
year. In hospital In extramural care	1,037 24	1,037 24		695 52	695 52		583 61	583 61		1,254 237	1,227 236	2



TABLE 10.—MOVEMENT OF POPULATION IN COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943

[Statistics based on reports from 75 hospitals. See Appendix A for discussion of coverage]

[Statistics based on repo	rts from	75 hospi	tals. See	Appendi	x A for d	iscussion	of covera	ge]	
	TIN	ITED STA	TEG	MID	D <b>LE</b> ATLA	NTIC	EAST !	NORTH C	ENTRAL
MOVEMENT OF POPULATION		TIED SIA	120	N	EW JERS	EY		оно	
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	23,298	11,324	11,974	6,698	2,929	3,769	313	185	128
In hospital In extramural care	21,508 1,790	10,514 810	10,994 980	5,979	2,614 315	3,365 404	305 8	180 5	125 3
Admissions during year	4,380	2,257	2,123	1,507	743	764	36	20	- 16
First admissions	2,912 733 735	1,549 356 352	1,363 377 383	1,157 309 41	578 154 11	579 155 30	. 6 4 26	1 2 17	5 2 9
Separations during year	4,449	2,392	2,057	1,522	777	745	67	47	20
Discharges From hospital	1,744 721	892 441	852 280	672 183	339 123	333 60	6	4	2
From extramural care	1,023	451	572	489	216	273	5	4	i
Transfers	582 2,039	315	267	63 759	21	42	14 47	9 34	13
Deaths in hospital	84	1,139 46	900 38	28	403	$\frac{356}{14}$	41		
Patients on books at end of year	23,229	11,189	12,040	6,683	2,895	3,788	282	158	124
In hospital	21,297	10,292	11,005	5,881	2,531	3,350	275	153	122
In extramural care	1,932	ORTH CE	1,035	802	364	438	7	5	2
		Continue	d			WEST NOR	TH CENTR		
MOVEMENT OF POPULATION	-	WISCONSI	N		IOWA		-	MISSOUR	I
	Total	Male	Female	Total	Male	Female	Total	Male	Fem ale
Patients on books at beginning of year.	9,518	4,904	4,614	1,152	618	534	3,780	1,692	2,088
In hospital In extramural care	8,856 662	4,593 311	4,263 351	1,143	614	529 5	3,433 347	1,539 153	1,894 194
Admissions during year	1,571	789	782	183	108	75	491	243	248
First admissions Readmissions Transfers	826 179 566	449 77 263	377 102 303	86 14 83	54 7 47	32 7 36	347 133 11	173 63 7	174 70 4
Separations during year		820	710	150	89	61	521	254	267
Discharges From hospital From extramural care	484	226	258	52	33	19	298	141	157
From extramural care	217 267	112 114	105 153	49	32	17	128 170	78 63	107
Transfers	401	215	186	18	14	4	5	3	
Deaths in hospital Deaths in extramural care	594 51	348 31	246 20	78 2	42	36 2	215	109	106
Patients on books at end of year	9,559	4,873	4,686	1,185	637	548	3,750	1,681	2,069
In hospital In extramural care	8,864 695	4,552 321	4,312 374	1,179	635	544	3,362 388	1,492 189	1,870
In extramurar care	1	TH ATLA		1	SOUTH CI		1 000	109	198
MOVEMENT OF POPULATION		MARYLAN			TENNESSI		PACIF	IC: CALI	FORNIA
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year_	107	46	61	1,053	540	513	677	410	267
In hospital In extramural care	107	46	61	1,013 40	521 19	492 21	672 5	407 3	265 2
Admissions during year		16	8	270	161	109	298	177	121
First admissions	20	14	6 2	218 52	134	84 25	252 40	146	106
Transfers	2 2	2					6	26 5	19
Separations during year		21	9	308	189	119	321	195	126
Discharges	6	4 4	2 2	155 66	97 44	58 22 36	71 71	48 48	23 23
Prom hospital	6			89	53	36			
From extramural care		10				5	56	25	
From hospital. From extramural care Transfers. Deaths in hospital. Deaths in extramural care	12	10 7	2 5	13 140	8 84	5 56	56 194	35 112	
From extramural care Transfers Deaths in hospital	12			13	8	5			21 82 262 260

TABLE 11.—MOVEMENT OF POPULATION IN PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943

[Statistics based on repo			1	1					
	U	NITED STA	TES			NEW E	NGLAND		
MOVEMENT OF POPULATION		1			MAINE		NE	W HAMPS	HIRE
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year-	13,013	4,786	8,227	11	6	5	12	9	
In hospital In extramural care	11,931 1,082	4,368 418	7,563 664	11	6	5	12	9	
Admissions during year		15,886	16,384	34	17	17	73	31	4
First admissions	20,681	9,058	11,623	29	16	13	65	24	4
Readmissions Transfers	10,478	6,482	3,996	5	i	4	8	7	
Separations during year		15,868	15,928	30	15	15	68	36	3
Discharges	27.523	14,064	13,459	13	3	10	64	34	
From hospital	26,150	13,516	12,634	13	3	10	63	34	
From extramural care	1,373	548 892	825	3	2	<u>1</u>	$\begin{vmatrix} 1\\2 \end{vmatrix}$	1	
Transfers Deaths in hospital	$2,193 \\ 2,025$	878	1,301 1,147	14	10	4	2	1	
Deaths in extramural care	55	34	21						
Patients on books at end of year		4,804	8,683	15	8	7	17	4	
In hospital In extramural care	12,356 1,131	4,406 398	7,950 733	15	8	7	17	4	
				NEW EN	LAND—(	Continued			
MOVEMENT OF POPULATION		VERMON	T	MA	SSACHUSI	ETTS	RE	ODE ISL	IND
	Total	Male	Female	Total	Male	Female	Total	Male	Femal
Patients on books at beginning of year.	743	320	423	548	164	384	164	71	
In hospital In extramural care	739 4	320	419 4	410 138	110 54	300 84	150 14	64	
Admissions during year	250	106	144	851	297	554	154	69	
First admissions	148	62	86	483	150	333	109	48	
Readmissions Transfers	102	44	58	317 51	127 20	190 31	44	20	
Separations during year	236	93	143	873	326	547	166	77	
Discharges	163	67	96	692	274	418	121	55	
From hospital	145	60	85	545	206	339	3	2	
From extramural care	18	7	11 -	147	68	79	118	53	
Transfers Deaths in hospital	73	26	47	82 99	19 33	63 66	19 25	6 15	
Deaths in extramural care							ĭ	ĭ	
Patients on books at end of year	757	333	424	526	135	391	152	63	
In hospital In extramural care	753 4	331	422	415 111	104 31	311 80	138	57	
in extramural care	1		Continued	111	1 91		TLANTIC	6	
MOVEMENT OF POPULATION		ONNECTIO		-	NEW YOR			EW JERS	ET 4
MOVEMENT OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Femal
Patients on books at beginning of year.	560	199	361	1,852	610	1,242	446	163	2
In hospital	538	191	347	1,383	414	969	446	163	2
In extramural care	22	8	14	469	196	273			
Admissions during year	1,250	533	717	3,047	1,164	1,883	528	193	3
First admissionsReadmissions	773 453	326 193	447 260	2,020 922	747 379	1,273 543	371 154	129 64	2
Transfers	24	14	10	105	38	67	3		
Separations during year	1,210	542	668	2,977	1,153	1,824	551	226	3
Discharges From hospital	1,116	500	616	2,657	1,029	1,628	427	162	2
From hospital From extramural care	1,095	488	607	2,148	820	1,328	414	154	2
Transfers	29	12 15	9	509 116	209 36	300 80	13 43	8 26	
Deaths in hospital	65	27	38	194	86	108	79	37	
Deaths in extramiral care				10			-	1	1
Deaths in extramural care		100	410	1 000	601	1 201	400	120	
Deaths in extramural care  Patients on books at end of year In hospital	600	190	410	1,922	621	1,301 983	423	130	$\frac{2}{2}$



TABLE 11.—MOVEMENT OF POPULATION IN PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943—Con.

	MIDI	Continu			1	EAST NORT	H CENTRA	AL	
MOVEMENT OF POPULATION	PI	NNSYLVA	NIA		оню			INDIANA	
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	2,132	925	1,207	309	111	198	56	22	3
In hospital In extramural care	1,778 354	796 129	982 225	307	110	197	56	22	3
		i			1	1			
Admissions during year First admissions	$\frac{1,652}{1,270}$	594 443	1,058	$\frac{2,237}{1,527}$	$\frac{1,112}{674}$	1,125 853	1,017 882	493	52
Readmissions Transfers	338	133	205 26	677	426 12	251 21	127	73 4	5
Separations during year	1,660	608	1,052	2,241	1,110	1,131	947	464	48
Discharges From hospital	1,397 1,078	484 374	913 . 704	1,889 1,889	956 956	933 933	896 896	442 442	45 45
From extramural care	319	110	209						
Transfers Deaths in hospital	75 180	32 84	96	222 104	84 53	138 51	30 21	8	2
Deaths in extramural care	8	8		26	17	9			
Patients on books at end of year	2,124	911	1,213	305	113	192	126	51	7
In hospitalIn extramural care	1,758 366	776 135	982 231	296 9	110	186 6	126	51	7
				T NORTH		_Contin	ued		
MOVEMENT OF POPULATION		ILLINOIS	3		MICHIGA	N	-	WISCONBI	IN .
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year_	434	108	326	750	296	454	356	164	19
In hospitalIn extramural care	434	108	326	726 24	289	437 17	356	164	19
Admissions during year	1,424	474	950	1,562	925	637	1,078	412	66
First admissions	1,026	359	667	824	365	459	682	254	42
Readmissions Transfers	347 51	96 19	251 32	698 40	544 16	154 24	363 33	146 12	21
Separations during year	1,371	465	906	1,550	933	617	1,082	424	65
Discharges From hospital	1,216 1,215	414	802 801	1,372	840	532	1,025	400	62
From extramural care	1			1,372	840	532	1,024	399 1	62
Transfers Deaths in hospital	66 89	20 31	46 58	65 113	31 62	34 51	32 25	9 15	2
Deaths in extramural care									10
Patients on books at end of year	487	117	370	762	288	474	352	152	20
In hospital In extramural care	487	117	370	734 28	279	455 19	352	152	20
In Cavidinator Care					NORTH CE				
MOVEMENT OF POPULATION	1	MINNESOT	'A		IOWA			MISSOUR	I
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Patients on books at beginning of year.	82	31	51	333	137	196	429	152	27
In hospital In extramural care	82	31	51	333	137	196	420 9	148 4	27
Admissions during year	970	496	474	730	373	357	1,177	588	58
First admissions	825 125	409	416	523	258	265	740	342	39
Transfers	20	75 12	50 8	207	115	92	386 51	224 22	162
Separations during year	944	490	454	691	354	337	1,076	564	51
Discharges From hospital	809 809	414 414	395 395	614 614	317 317	297 297	943	508	43
From extramural care						297	909	492 16	41
Transfers Deaths in hospital	98 37	62 14	36 23	32 45	13 24	19 21	81 52	37 19	33
Deaths in extramural care									
Deaths in extramural care Patients on books at end of year	108	37	71	372	156	216	530	176	35

TABLE 11.—MOVEMENT OF POPULATION IN PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943—Con.

		ORTH CE		SOUTH ATLANTIC							
MOVEMENT OF POPULATION		NEBRASK	A		KANSAS		MARYLAND				
	Total	Male	Female	Total	Male	Female	Total	Male	Female		
Patients on books at beginning of year.	70	27	43	57	21	36	1,110	377	733		
In hospital In extramural care	70	27	43	57	21	36	1,068 42	365 12	703 30		
Admissions during year	225	94	131	313	164	149	1,201	756	445		
First admissions Readmissions Transfers	191 34	82 12	109 22	177 129 7	91 70 3	86 59 4	736 388 77	430 301 25	306 87 52		
Separations during year	218	87	131	308	153	155	1,228	769	459		
Discharges From hospital From extramural care	166 166	59 59	107 107	280 280	140 140	140 140	1,035 899 136	697 639 58	338 260 78		
Transfers  Deaths in hospital  Deaths in extramural care	20	8 20	12 12	21 7	8 5	13 2	108 80 5	41 26 5	67		
Patients on books at end of year	77	34	43	62	32	30	1,083	364	719		
In hospital In extramural care	77	34	43	62	32	30	1,046 37	354 10	692		
			8	OUTH AT	LANTIC-	-Continue	d				
MOVEMENT OF POPULATION		VIRGINI	A	NOF	TH CARO	LINA	SOUTH CAROLINA				

	SOUTH ATLANTIC—Continued											
MOVEMENT OF POPULATION		VIRGINI		NOE	TH CARO	LINA	SOUTH CAROLINA					
	Total	Male	Female	Total	Male	Female	Total	Male	Female			
Patients on books at beginning of year_	87	30	57	176	71	105	22	6	16			
In hospital In extramural care	87	30	57	176	71	105	22	6	16			
Admissions during year	320	179	141	811	443	368	168	82	86			
First admissions Readmissions Transfers	150 170	62 117	88 53	496 293 22	239 198 6	257 95 16	77 88 3	30 52	47 36 3			
Separations during year	300	172	128	800	- 441	359	164	85	79			
Discharges From hospital From extramural care	269 269	154 154	115 115	744 738 6	414 411 3	330 327 3	145 145	76 76	69 69			
Transfers Deaths in hospital Deaths in extramural care	17 14	10 8	7 6	42 14	20 7	22 7	15 4	6 3	9			
Patients on books at end of year	107	37	70	187	73	114	26	3	23			
In hospital In extramural care	107	37	70	187	73	114	26	3	23			

		H ATLAN Continue		EAST SOUTH CENTRAL							
MOVEMENT OF POPULATION		GEORGIA		1	KENTUCK	Y	TENNESSEE				
	Total	Male	Female	Total	Male	Female	Total	Male	Female		
Patients on books at beginning of year-	140	61	79	98	26	72	53	29	24		
In hospital In extramural care	140	61	79	98	26	72	53	29	24		
Admissions during year	1,085	747	338	246	123	123	1,209	975	234		
First admissions Readmissions Transfers	497 588	252 495	245 93	133 112 1	46 76 1	87 36	322 885 2	174 801	148 84 2		
Separations during year	1,066	743	323	243	123	120	1,188	960	228		
Discharges From hospital From extramural care	659 659	545 545	114 114	217 217	115 115	102 102	1,170 1,170	948 948	222 222		
Transfers Deaths in hospital Deaths in extramufal care	392 15	189	203 6	12 14	4 4	8 10	5 13	3 9	4		
Patients on books at end of year	159	65	94	101	26	75	74	44	30		
In hospitalIn extramural care	159	65	94	101	26	75	74	44	30		



TABLE 11.—MOVEMENT OF POPULATION IN PRIVATE HOSPITALS FOR MENTAL DISEASE, BY SEX, BY STATES: 1943-Con.

			ALABAI	SOUTH	-	WEST SOUTH CENTRAL LOUISIANA						
MOVEMENT OF POPULATION		Total	Male	T	nale	Total	Male	Female	e Tot	- 11	Male	Femal
D.C. 1. 1. 1. 1. 1. 1.			-	_						-		
Patients on books at beginning		$\frac{32}{32}$	15		17	20	12		_	99	86	2
In hospitalIn extramural care						20			4	3		1
Admissions during year		670	-		169	356	257	99		29	438	
First admissions Readmissions		234 436			110 59	172 184	106 151	66		90	249 177	1
Transfers										25	12	
Separations during year		669	-		168	363	261	103		63	451	
Discharges From hospital		641 641			153 153	356 356	258 258	98		15 15	422 422	
From extramural care Transfers		21			12	4	2		<u>-</u>	33	22	
Deaths in hospital Deaths in extramural care		7			3	3	ĩ		2	15	7	
		33	15		18	13	8		5 2	68	73	
Patients on books at end of ye.  In hospital		33			18	13	- 8			68	73	-
In extramural care			-11									
					CENT	RAL—Co			-		MOUNTA	
MOVEMENT OF POPULATIO	ON	_	OKLAHO	AMO.		1	TEXAS	ī	-	-11	COLORAI	1
		Total	Male	Fe	male	Total	Male	Femal	le To	tal	Male	Fem
Patients on books at beginning	-	46			28	60	24	3	_	176	72	
In hospital In extramural care		46	18		28	60	24	3	6	176	72	
Admissions during year		721	349	2	379	442	172	27	0 8	370	497	
First admissions					298	378	142	23		542	269	
Readmissions Transfers		199	118	8	81	59 5	27 3	3	2 3	12	223 5	
Separations during year		733	350	0	385	433	176	25	7 8	842	479	
DischargesFrom hospital		725			381 381	401 401	156 156	24 24		748 748	425 425	
From extramural care	B											
Transfers Deaths in hospital		. 13	3	9	4	18 14	12 8		6	41 53	23 31	
Deaths in extramural care												
Patients on books at end of ye	ar	_		_	$\frac{22}{22}$	69	20			204	90	-
In extramural care												
	MOUN	TAIN-	Con.					PACIFIC				
MOVEMENT OF POPULATION	NE	W MEXI	co	WA	SHING	TON	-	OREGON			CALIFO	RNIA
	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Tot	tal Ma	le F
Patients on books at begin-	10	4	6	6	4	2	4		4	1.32	27 4	15
ning of year. In hospital	10	4		6	4		4		4	1,35		15
In extramural care										1,0	1	
Admissions during year	143	45	98	122	40		1		1	4,6		54 2
First admissions	124 19	40	84 14	109 13	34		1		1	3,0		1 1 1 1
Transfers												03
Separations during year	137	46	91	122	43	_				4,5		_
From hospital	125 125	43 43	82 82	114 114	38 38					3,6		
From extramural care.										1	49	3
Transfers	3 9	1 2	2 7	1 7	1							32
Deaths in hospital Deaths in extramural	9	2			4	3				4	94 1	70
care.												
Patients on books at end of	16	3	13	6	1	5	5		5	1,3	87 4	21
vear.					41	_	-1	1				
year. In hospital In extramural cire	16	3	13	6	1	. 5	5		5	1,3	87   4	21

TABLE 12.—MOVEMENT OF POPULATION IN PSYCHOPATHIC HOSPITALS, BY SEX, BY STATES: 1943

[Statistics based on reports from 8 hospitals. See Appendix A for discussion of coverage]

	-	TIMBE OF	mac	NI	W ENGL	ND	MIDDLE ATLANTIC				
MOVEMENT OF POPULATION	UN	IITED STA	TES	MA	SSACHUSI	ETTS	NEW YORK				
	Total	Male	Female	Total	Male	Female	Total	Male	Female		
Patients on books at beginning of year.	383	193	190	167	93	74	39	22	17		
In hospital In extramural care	303 80	145 48	158 32	103 64	55 38	48 26	39	22	17		
Admissions during year	3,711	2,251	1,460	1,795	1,149	646	529	329	200		
First admissions	2,790 807	1,721 479	1,069 328	1,332 457	855 288	477 169	390 139	239 90	151 49		
Transfers	114	51	63	6	6						
Separations during year	$\frac{3,592}{3,024}$	$\frac{2,194}{1,861}$	1,398	1,765	$\frac{1,144}{1,086}$	621 575	305	337 196	109		
Prom hospital	2,935	1,809	1,126	1,611	1,054	557	305	196	109		
From extramural care	89 490	52 284	37 206	50 78	32 40	18 38	227	134	93		
Deaths in hospital Deaths in extramural care	78	49	29	26	18	8	13	7			
Patients on books at end of year	502	250	252	197	98	99	23	14			
In hospital In extramural care	391 111	196 54	195 57	105 92	53 45	52 47	23	14	9		
an oavidinatat valoris		ATLANTI			NORTH CI		WEST NORTH CENTRAL				
MOVEMENT OF POPULATION	PE	NNSYLVA	NIA		ILLINOIS	3	IOWA				
	Total	Male	Female	Total	Male	Female	Total	Male	Female		
Patients on books at beginning of year-				39	21	18	33	13	20		
In hospital In extramural care				23 16	11 10	12 6	33	13	20		
Admissions during year	100	40	60	56	30	26	269	139	130		
First admissions				47	25	22	226	123	103		
Readmissions Transfers		40	60	5 4	3	3	39 4	14 2	25		
Separations during year		9	16	67	34	33	266	139	127		
From hospital				52 19	26 9	26 10	240 234	122 119	118 118		
From extramural care Transfers	23	9	14	33 15	17	16 7	6 26	17	3		
Deaths in hospital	23	9	2	10			20				
Deaths in extramural care											
Patients on books at end of year		31	44	28	17	11	36	13	23		
In hospital In extramural care	69	29	40	20 8	12	8 3	33	13	20		
	sot	TH ATLA	NTIC	MOUN	TAIN: CO	LORADO	PACIFIC: CALIFORNIA				
MOVEMENT OF POPULATION		DELAWAR			1,,,	n .			Female		
	Total	Male	Female	Total	Male	Female	Total	Male	remaie		
Patients on books at beginning of year_	$\frac{31}{31}$	$\frac{7}{7}$	24	74	37	37					
In hospital In extramural care											
Admissions during year	69	28	41	810	453	357	83	83			
First admissions	49 20	24 4	25 16	672 138	381 72	291 66	74	74			
Transfers											
Separations during year	73	27	46	794	447	347	57	57			
Discharges	70	26	44	641	350	291	55	55			
From hospital care From extramural care	70	26	44	641	350	291	55	55			
Transfers				121	76	45					
Deaths in hospital Deaths in extramural care	3	1	2	32	21		2	2			
Patients on books at end of year	27	8	19	90	43	47	26	26			
In hospital	27	8	19	90	43	47	24	24			
In extramural care			I		II		2	2	l		



TABLE 13.—MOVEMENT OF POPULATION IN PSYCHIATRIC WARDS OF GENERAL HOSPITALS, BY SEX, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 105 hospitals. See Appendix A for discussion of coverage]

	In hospi-	ADM	ISSIONS I	DURING 1	TEAR	SEPA	RATIONS	DURING	YEAR	In
DIVISION, STATE, AND SEX	tal at begin- ning of year	Total	First admis- sions	Re- admis- sions	Type not re- ported	Total	Dis- charges	Trans- fers	Deaths	hospi- tal at end of year
TOTAL <sup>1</sup>										
United States	5,208	97,464	37,062	10,687	49,715	97,400	61,737	31,231	4,432	5,272
NEW ENGLAND	112	2197	1,146	371	680	2,215	1,567	556	92	94
Maine	10 12 39 51	231 191 668 1,107	172 160 502 312	59 31 166 115	680	236 197 673 1,109	155 179 443 790	45 17 201 293	36 1 29 26	5 6 34 49
MIDDLE ATLANTIC	1,678	45,057	9,792	3,081	32,184	45,140	28,287	14,702	2,151	1,595
New York New Jersey Pennsylvania	950 185 543	34,557 3,275 7,225	5,963 1,958 1,871	1,671 380 1,030	26,923 937 4,324	34,570 3,295 7,275	21,071 2,530 4,686	12,118 686 1,898	1,381 79 691	937 165 493
East North Central	1,124	23,415	10,725	2,806	9,884	23,384	14,651	7,822	911	1,155
Ohio Indiana Illinois Michigan Wisconsin	351 56 333 325 59	2,514 704 8,601 8,833 2,763	2,008 74 6,921 1,110 612	506 42 1,680 500 78	588 7,223 2,073	2,513 680 8,641 8,810 2,740	1,695 457 3,427 7,260 1,812	721 177 4,971 1,168 785	97 46 243 382 143	352 80 293 348 82
WEST NORTH CENTRAL	1,479	9,460	5,884	1,804	1,772	9,367	6,942	1,707	718	1,572
Minnesota Iowa Missouri Nebraska Kansas	141 127 918 198 95	3,283 135 3,923 1,067 1,052	1,819 132 2,333 782 818	474 3 808 285 234	990 782	3,256 145 3,835 1,085 1,046	2,297 104 2,768 885 888	789 115 136	292 41 278 85 22	168 117 1,006 180 101
SOUTH ATLANTIC	440	5,772	3,838	1,314	620	5,774	4,095	1,502	177	438
Maryland District of Columbia Virginia West Virginia North Carolina Georgia Florida	102 115 89 59 16 17 42	458 2,600 1,147 627 206 110 624	320 1,892 408 463 179 92 484	138 708 119 164 27 18 140	620	458 2,605 1,156 621 207 119 608	219 1,441 1,018 575 191 88 563	232 1,059 103 28 15 31 34	7 105 35 18 1	102 110 80 65 15 8
EAST SOUTH CENTRAL	41	764	531	233		777	549	190	38	28
Kentucky Tennessee	27 14	548 216	368 163	180 53		560 217	375 174	150 40	35 3	15 13
WEST SOUTH CENTRAL	51	1,117	945	172		1,110	718	358	34	58
Louisiana Texas	34 17	431 686	349 596	82 90		428 682	376 342	33 325	19 15	37 21
MOUNTAIN	12	235	110	125		228	202	10	16	19
New Mexico	12	235	110	125		228	202	10	16	19
Pacific	271	9,447	4,091	781	4,575	9,405	4,726	4,384	295	313
Washington' Oregon California	62 15 194	2,163 291 6,993	2,003 256 1,832	160 35 586	4,575	2,148 287 6,970	820 213 3,693	1,238 65 3,081	90 9 196	77 19 217

<sup>&</sup>lt;sup>1</sup>Includes statistics on the movement of patients in 2 hospitals for which sex was not reported.



TABLE 13.—MOVEMENT OF POPULATION IN PSYCHIATRIC WARDS OF GENERAL HOSPITALS, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

	In hospi-	ADM	ISSIONS 1	DURING Y	TEAR	SEPA	RATIONS	DURING	YEAR	In
DIVISION, STATE, AND SEX	tal at begin- ning of year	Total	First admis- sions	Re- admis- sions	Type not re- ported	Total	Dis- charges	Trans- fers	Deaths	hospi- tal at end of year
MALE										
United States	3,304	58,716	21,842	7,140	29,734	58,696	39,480	16,386	2,830	3,32
NEW ENGLAND	50	1,269	610	208	451	1,279	937	279	63	4
Maine	5 5 22 18	149 84 366 670	111 72 273 154	38 12 93 65	451	153 87 366 673	104 81 244 508	23 5 105 146	26 1 17 19	2
MIDDLE ATLANTIC	1,019	28,055	6,984	2,321	18,750	28,143	19,546	7,255	1,342	93
New York New Jersey Pennsylvania	596 146 277	21,247 2,361 4,447	4,266 1,574 1,144	1,236 239 846	15,745 548 2,457	21,267 2,372 4,504	14,535 1,950 3,061	5,883 375 997	849 47 446	570 133 220
EAST NORTH CENTRAL	664	14,084	5,639	1,773	6,672	14,081	9,061	4,417	603	66
Ohio Indiana Illinois Michigan Wisconsin	205 34 220 173 32	1,490 401 4,733 5,984 1,476	1,178 35 3,623 545 258	312 30 1,110 287 34	336 5,152 1,184	1,485 394 4,759 5,970 1,473	987 257 1,755 5,062 1,000	436 111 2,819 675 376	62 26 185 233 97	21 4 19 18 3
WEST NORTH CENTRAL	1,087	5,417	3,379	1,012	1,026	5,333	3,860	1,024	449	1,17
Minnesota Iowa Missouri Nebraska Kansas	70 53 783 115 66	1,884 77 2,273 591 592	995 74 1,467 397 446	255 3 414 194 146	634 392	1,865 81 2,192 609 586	1,313 58 1,566 479 444	375 451 73 125	177 23 175 57 17	86 86 9
SOUTH ATLANTIC	252	3,288	1,968	997	323	3,279	2,355	814	110	26
Maryland	51 73 53 36 5 17 17	296 1,547 628 487 82 110 138	205 1,016 211 384 72 92 38	91 531 94 153 10 18 100	323	285 1,561 631 472 83 119 128	132 1,005 517 432 77 88 104	150 495 91 26 5 31	3 61 23 14 1	6 5 5 5 5
EAST SOUTH CENTRAL	29	523	366	157		532	390	116	26	2
Kentucky Tennessee	15 14	307 216	203 163	104 53		315 217	216 174	76 40	23 3	1
West South Central	30	601	506	95		602	362	216	24	2
Louisiana Texas	18 12	205 396	163 343	42 53		205 397	176 186	17 199	12 12	1
Mountain	12	235	110	125		228	202	10	16	1
New Mexico	12	235	110	125		228	202	10	16	
Pacific	161	5,244	2,280	452	2,512	5,219	2,767	2,255	197	18
Washington Oregon California	29 6 126	1,195 135 3,914	1,121 112 1,047	74 23 355	2,512	1,184 129 3,906	508 97 2,162	626 27 1,602	50 5 142	1 13

TABLE 13.—MOVEMENT OF POPULATION IN PSYCHIATRIC WARDS OF GENERAL HOSPITALS, BY SEX, BY DIVISIONS AND STATES: 1943—Con.

1 - 0 - 0	In hospi-	ADM	ISSIONS	DURING	YEAR	SEPA	RATIONS	DURING	YEAR	In.
DIVISION, STATE, AND SEX	tal at begin- ning of year	Total	First admis- sions	Re- admis- sions	Type not re- ported	Total	Dis- charges	Trans- fers	Deaths	hospi- tal at end of year
FEMALE										
United States	1,868	37,816	14,328	3,507	19,981	37,778	21,354	14,827	1,597	1,90
NEW ENGLAND	62	928	536	163	229	936	630	277	29	5
Maine	5	82	61	21		83	51	22	10	
Massachusetts	7	107	88	19		110	98	12		
Rhode Island	17	302	229	73		307	199	96	12	1
Connecticut	33	437	158	50	229	436	282	147	7	3
MIDDLE ATLANTIC	659	17,002	2,808	760	13,434	16,997	8,741	7,447	809	66
New York	354	13,310	1,697	435	11,178	13,303	6,536	6,235	532	36
New Jersey	39	914	384 727	141	389	923	580	311	32	3
Pennsylvania	266	2,778	727	184	1,867	2,771	1,625	901	245	27
EAST NORTH CENTRAL	449	8,885	4,640	1,033	3,212	8,857	5,146	3,405	306	47
Ohio	146	1,024	830	194		1,028	708	285	35	14
Indiana	22	303	39	12	252	286	200	66	20	3
Illinois	102	3,422	2,852	570		3,436	1,228	2,152	56	8
Michigan	$\frac{152}{27}$	2,849	565	213	2,071	2,840	2,198	493	149	16
Wisconsin	21	1,287	354	44	889	1,267	812	409	46	4
WEST NORTH CENTRAL	392	4,043	2,505	792	746	4,034	3,082	683	269	40
Minnesota	71	1,399	824	219	356	1,391	984	292	115	7
Iowa	74	58	58			64	46		18	6
Missouri	135	1,650	866	394	390	1,643	1,202	338	103	14
Nebraska Kansas	83 29	476 460	385 372	91 88		476 460	406 444	42 11	28 5	8 2
					202					
SOUTH ATLANTIC	163	1,998	1,424	277	297	2,015	1,281	670	64	14
Maryland	51	162	115	47		173	87	82	4	4
District of Columbia	42 36	1,053 519	876 197	177 25	297	1,044	436 501	564	44	5
Virginia West Virginia	23	140	129	11	291	525 149	143	$\frac{12}{2}$	12	1
North Carolina	11	124	107	17		124	114	10		î
Georgia										
Florida										
EAST SOUTH CENTRAL	12	241	165	76		245	159	74	12	
Kentucky	12	241	165	76		245	159	74	12	
1 ennessee										
WEST SOUTH CENTRAL	21	516	439	77		508	356	142	10	2
Louisiana Texas	16 5	$\frac{226}{290}$	186 253	40 37		$\frac{223}{285}$	200 156	16 126	7 3	1
Marramara										
New Mexico										
Pacific	110	4,203	1,811	329	2,063	4,186	1,959	2,129	98	12
Washington	33	968	882	86		964	312	612	40	3
Oregon	9	156	144	12		158	116	38	4	
California	68	3,079	785	231	2,063	3,064	1,531	1,479	54	8



TABLE 14.—ALL FIRST ADMISSIONS TO STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER AND AGE, FOR THE UNITED STATES: 1943

period	Medi- an age	45.5	46.5	47.4 47.4 422.2 45.4 46.5	45.8 69.4 70.4 70.4 52.1 52.0 60.6	38.4 29.7 29.5 29.5 42.0	40.3	26.24 26.24 26.26	-
State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period popendix A for discussion of coverage]	Not re- ported	5,954	2,745	42 93 11 16 620	76 36 36 49 1115 255 8 8	227 227 559 9 26 395 146	1,035	104 29 29 2	2,174
res for a n	70 and over	18,393	17,876	136 51 2 12 12 75	34 6,773 199 39 9,553 70 78 18	72 154 80 61 61 27 331	517	15 66 66 10 10 412	
sent figu	65 to 69 years	6,753	6,360	243 50 50 19 141 28	2,937 106 1,450 202 92 188	112 340 117 79 17 17 39 183	393	230 230 230	
and repre	60 to 64 years	6,465	5,966	399 94 11 15 251 39	2,202 106 106 488 613 467 126 20	219 532 220 132 18 18 69 69	498	183 183 32 11 13 13 22 4	1
nd Maryl	55 to 59 years	7,228	6,458	634 118 16 29 457 49	48 109 109 109 152 902 166 34 134	326 780 441 200 37 93 297	692	343 343 449 6 6 21 3 303	1
w York, a	50 to 54 years	8,786	7,532	807 165 32 35 721 76	60 614 127 100 50 1,324 134 20 149	377 993 917 219 78 155 379	1,254	665 609 933 42 7 405	
s for State hospitals in Massachusetts, Ne See Appendix A for discussion of coveragel	45 to 49 years	9,465	7,951	1,058 190 45 46 827 827 90	203 203 128 128 1,114 124 138	443 1,037 1,367 249 77 186 418	1,514	25 86 788 104 104 8 488 8	
Massach cussion of	40 to 44 years	9,661	7,981	1,178 156 20 58 780 62	38 711 128 128 572 96 96 92 95 95	589 1,298 1,842 230 103 231 355	1,680	24 962 109 8 8 88 88 88	
spitals in A for dis	35 to 39 years	10,281	8,531	1,146 136 30 46 719 80	54 129 136 108 108 144 144 88	659 1,350 2,892 174 124 248 413	1,747	33 146 925 119 10 96 19 399	က
	30 to 34 years	10,394	8,974	667 89 22 32 526 63	51 13 190 190 71 71 144 62	678 1,412 4,040 104 181 343 376	1,417	58 137 578 107 121 121 19 382	က
65 (	25 to 29 years	8,778	8,802	245 422 34 242 232 233	22. 22. 22. 22. 22. 24.	588 1,153 4,950 64 215 414 385	973	57 176 270 270 40 128 128 22 22 268	es .
20	20 to 24 years	9,415	8,414	107 32 14 31 69 15	246 34 34 6 6 6	431 874 5,105 29 285 538 499	666	91 271 72 9 17 213 41 285	61
ates for 2 State hospitals. adjusted to an ann	15 to 19 years	4,969	4,123	64 0 16 17 18	20 11 11 39 39	196 388 2,320 162 473 206	843	87 245 12 2 2 7 179 125 186	es
se for 2 adju	Under 15 years	980	391	23 386 23	4 43 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24 80 18 84 84 84	469	35 160 182 182 65	
d estimat	All	118,402	102,104	6,751 1,246 259 382 5,036 1,171	556 14,308 885 1,597 11,978 4,824 1,074 1,074 1,098	4,767 10,562 24,939 1,556 1,347 3,305 4,253	14,108	475 1,484 5,003 732 93 998 437 4,886	2,190
Statistics based on reports from 478 hospitals and estim	MENTAL DISORDER	Total first admissions	With psychosis	General paresis.  With other forms of syphilis of the C.N.S. With beidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.	Psychoneuroses.  Manic-depressive.  Dementia pracox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.	Without psychosis	Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis. Personality disorders due to epidemic encephalitis. Personality behavior disorders. Other, unclassified, and unknown	Mental disorder not reported



TABLE 15.-MALE FIRST ADMISSIONS TO STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER AND AGE, FOR THE UNITED STATES: 1943

[Statistics based on reports from 478 hospitals and estimates for 2 State hospitals. Statistics for State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

					-	-	-	-	-		-	-					
MENTAL DISORDER	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Medi- an age	
Total first admissions		200	3,165	6,283	5,854	5,827	5,877	5,428	5,366	4,917	4,135	3,565	3,795	9,675	4,162	44.3	
With psychosis.	56,907	198	2,607	5,565	5,187	4,876	4,618	4,163	4,193	3,933	3,537	3,207	3,507	9,340	1,976	45.3	
General paresis.  With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcobolic.  Due to drugs and other exogenous poisons.	5,015 919 160 226 4,043 755	13 3 7	25.4.01 88.8	24 24 12 60 9	134 20 15 18 185 9	439 13 12 413 19	818 100 16 31 559 42	888 121 17 35 615 26	822 140 28 31 671	654 121 22 25 604 35	504 93 11 18 393 21	312 74 6 7 209 17	194 40 4 12 126 136	109 30 1 10 56 9	35 82 10 10 144 512	45.6 47.8 44.1 45.9 46.6	
Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Semle.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system	8,157 495 495 888 5,717 1,123 446 118 643	4	15 1 98 3 3 24	39 141 12 12 3 3 3 5 5	138 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	83.7 25.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	44 6 6 7 1 7 1 7 1 8 9 9 9	30 75 75 75 75 75 75 75 75 75 75 75 75 75	110 110 41 73 178 178 80 80 80	224 66 66 728 728 728 728 728 738	25 8 2 2 5 8 8 2 8 8 8 8 8 8 8 8 8 8 8 8	40 1,212 71 27 298 173 57 67 9	31 1,725 24 24 666 80 87 47 9	3,892 113 113 4,572 4.572 4.572 4.572 4.674 4.674	40888 4084 1174 11	46.2 69.5 61.3 70+7 55.1 50.7 50.8	
Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranonia and paranoid conditions.  With psychopathic personality.  With mental deficiency.  Other, undiagnosed, and unknown.	2,002 4,179 15,112 697 989 2,023 2,719	9 37 1 55 24	112 184 1,539 106 297 154	244 3,529 20 240 364 375	224 434 3,179 38 167 268 268	239 511 2,356 41 132 188 227	246 453 1,594 77 83 139 245	240 484 899 116 68 116 204	211 432 677 102 56 106 265	164 427 444 105 56 91 213	120 322 211 88 27 27 180	225 90 90 54 14 139	148 49 33 11 108	28 86 39 11 12 13 14	46 93 469 22 22 101	38.0 40.6 28.5 47.5 29.0 40.4	
Without psychosis	10,403	302	556	717	664	948	1,257	1,265	1,173	984	298	358	288	335	928	41.1	
Epilepsy Mental deficiency Alcoholism Personality discretes due to epidemic encephalitis. Personality discretes due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown		105 2 2 1 1 18 121 32	169 169 1 1 128 128 61 127	25 182 64 64 185 21 21 196	118 1189 141 7 7 7 12 184	36 49 49 49 9 9 11 250	20 748 67 67 72 8 8 72 72 6	13 50 796 62 7 7 67 83	19 45 674 66 7 7 318	16 34 34 537 64 4 4 31 296	27 313 34 34 13 13 201	22 158 20 20 142	1 15 77 24 24 10	5 61 6 7 7 7 8	3 82 15 15 853 1,228	26.24.4.25.27.1.7.26.4.25.25.4.25.25.25.25.25.25.25.25.25.25.25.25.25.	
Mental disorder not reported	1,239		7	_	က	80	63	-							1,228	1	:



TABLE 16.—FEMALE FIRST ADMISSIONS TO STATE, VETERANS', COUNTY AND CITY, AND PRIVATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER AND AGE, FOR THE UNITED STATES: 1943

[Statistics based on reports from 478 hospitals and estimates for 2 State hospitals. Statistics for State hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

MENTAL DISORDER	All	Under 15	15 to 19	20 to 24	25 to	30 to 34	35 to 39	40 to	45 to 49	50 to 54	55 to 59	60 to	65 to 69	70 and	Not	Medi-
	ages	years	years	years	years	years	years	years	years	years	years	years	years	over		age
Total first admissions	49,853	360	1,804	3,132	3,924	4,567	4,404	4,233	4,099	3,869	3,093	2,900	2,958	8,718	1,792	47.0
With psychosis	45,197	193	1,516	2,849	3,615	4,098	3,913	3,818	3,758	3,599	2,921	2,759	2,853	8.536	169	47.9
General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic Due to drugs and other exogenous poisons.	1,736 327 99 156 993 416	228-8	20004-	84 88 8 8 8 8 8 8 8	111 22 19 16 16 17	228 33 9 113 44	328 14 15 160 38	290 35 23 165 36	236 50 17 15 156	153 100 117 14	081 25 11 28	248858	10 10 15 115 115 115 115 115 115 115 115	132122	11 11 122 108	41.9 46.2 39.5 43.6 46.4
Traumatic With cerebral arteriosclerosis With other disturbances of circulation. With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system.	75 6,151 390 709 6,261 3,701 628 92 455	1   2   1	21-10 -8-12	105 105 22 22 33 17	6258289917	20 10 10 10 10 10 10 10 10 10 10 10 10 10	103 58 52 52 52 42	84.755.050 e 4	936 936 111 111 111 111	290 61 50 1,027 76 113	222 222 222 222 222 222 222 222 222 22	990 335 315 294 69 111 491	1,230 41 21 784 122 45 9 9	2,881 86 86 86 33 33 33 33 7	268886	561.3 33.1 70+ 52.7 52.7 50.2
Paychoneuroses  Manic-depressive Dementia praecox (schizophrenia) With paychopathic personality With mental deficiency Other, undiagnosed, and unknown	2,765 6,383 9,827 9,827 358 1,282 1,534	15 13 39 10	204 781 781 176 55	187 1,576 9 45 174	364 719 1,771 26 48 146 118	439 1,684 63 49 155 149	413 897 1,298 97 41 109 168	349 814 943 114 115 115	232 605 690 147 21 80 153	213 566 473 114 22 64 166	206 230 112 10 117	307 130 78 78 31	69 192 68 68 13 6 75	<b>4</b> 244444444444444444444444444444444444	44 44 44 45 44 45 44 45 44	38.6 39.5 32.0 32.0 31.5 44.1
Without psychosis	3,705	167	287	282	309	469	490	415	341	270	171	140	105	182	11	38.1
Epilepsy Mental deficiency Alcoholism. Personality disorders due to epidemie encephalitis. Psychopathic personality. Primary behavior disorders. Other, unclassified, and unknown. Mental disorder not reported.	174 565 861 305 32 239 1,340	33 65 1 25 25 25 25 25 25 25 25 25 25 25 25 25	0.00 m m m m m m m m m m m m m m m m m m	880 880 880 1	26 26 20 20 20 20 20 20 20 20 20 20 20 20 20	22 146 58 6 8 35 6 8 132 8 132 132	13 177 177 25 26 18 18 18 18	11 42 166 47 1 21 12 126	411 114 38 38 11 11 127	23 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 30 15 10 10 10 10	98 <del>7</del> 7 1 1 2 1 2 8 6 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1	ස <b>ා</b> ව්ට 4යවී	5 5 6 6	22 14 14 38 38 946	27.5 30.3 40.1 40.5 30.9 17.6 45.0



TABLE 17.—ALL FIRST ADMISSIONS AND READMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, WITH AGE FOR FIRST ADMISSIONS, FOR THE UNITED STATE: 1943
[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

0	All admis-							FI	FIRST ADMISSIONS	ISSIONS								4
MENTAL DISORDER	sions (except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 and over	Not re-	Medi- a	admis- sions
Total patients	106,698	82,650	726	3,821	5,777	6,143	696'9	7,210	6,810	5,931	5,753	5,343	5,025	5,481	15,264	2,397	47.3	24,048
With peychosis	94,123	73,023	319	3,120	5,110	5,528	6,113	6,184	5,922	5,287	5,207	4,927	4,722	5,262	14,931	391	48.8	21,100
General paresis.  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisor.	6,627 975 234 234 276 4,966 350	5,884 838 170 246 3,721 281	1 1 2 6 1	202202	23 8 17 9	232 35 27 23 181 7	619 69 18 21 407	1,045 108 27 33 566 46	1,061 112 14 44 614 35	834 112 28 21 21 563 35	624 96 14 23 534 33	563 89 10 19 380 27	369 70 5 10 218 19	218 41 3 14 122 17	125 38 1 7 7 8	16 11 12 5	444.1 46.6 38.2 41.8 45.2 45.1	743 137 64 30 1,245 69
Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Semile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system	494 13,530 688 1,923 10,449 3,829 981 177	12,368 12,368 615 1,381 9,878 3,128 892 159 810	14 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 156 156 199 37	25 201 201 31 31 34 6	29 199 22 24 33 33 33	37 8 8 174 10 62 12 49	42 11 129 129 55 73	. 27 62 32 112 112 387 83 83 83 83	157 107 105 105 116 102 211 88	48 496 96 86 873 873 1111 160	1,173 78 41 132 630 135 24 24	36 1,905 84 488 289 112 15 74	2,584 2,584 84 1,199 125 186 60	2,925 123 123 7,938 7,938 114 62	44 6 119 59 33 3	47.7 69.5 559.1 70+ 52.2 52.5 51.7	85 1,162 73 542 571 701 89 18
Manic-depressive.  Dementia praecox (schizophrenia). Paranoia and paranoid conditions. With psychopathic personality. With mental deficiency.	3,122 11,849 23,794 1,288 1,136 3,073 3,369	2,399 6,555 16,368 978 755 2,298 2,890	11 16 66 14 18 29	102 293 1,717 4 110 401 155	197 553 3,030 9 133 393 281	299 3,019 24 107 312 223	331 907 2,680 105 259 240	2,048 108 76 208 306	319 829 1,415 139 70 192 269	198 595 962 153 45 147 276	190 597 667 144 42 120 262	176 483 365 139 26 74	129 323 177 101 12 60 180	213 213 98 59 10 29 152	38 72 56 39 4 4 4 11 261	88 47 68 10 10 36 36	38.8 39.3 39.6 44.9 3.0 5.0 6.8 6.8 6.8 6.8 7 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8 8.8	723 7,294 3,294 381 775 479
Without psychosis	10,181	7,722	407	869	999	612	853	1,023	888	644	546	415	302	219	333	117	87.8	2,459
Epilepsy Mental deficiency Alcololism Drug addiction Personality disorders due to epidemic encephalitis. Pyrhopathic personality Primary behavior disorders Other, unclassified, and unknown	1,555 3,476 3,476 581 897 897 389 2,791	324 1,243 2,402 315 57 645 348 2,388	25 130 1 1 23 170 56	227 8 152 152 148	49 722 70 7 1122 122 107	45 143 153 19 7 7 19 19	42 104 303 56 11 68 14 255	23 448 7 7 66 286 286	14 79 416 49 5 5 60 60 261	330 27 24 24 179	273 28 28 23 23 147	31 180 16 12 12	98 98 13 14 14 14	14 49 49 17 10 12 22 125	23.58 8 52	2 23 18	25.7 26.2 42.6 40.7 31.6 26.9 42.1	79 312 1,074 266 32 252 41 403
Mental disorder not reported	2,394	1,905		3	2	3	3	3	-	-		1	1	-		1,889	:	489



TABLE 18.—MALE FIRST ADMISSIONS AND READMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, WITH ABLE 1943

Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	a	Dasis. De	See Appendix A for discussion of coverage.	IX A IOL	nscussion	or cove	- 11	edian no	c snown	wnere Da	Median not snown where base is less than ou	foe usua						11
	All admis-							I.A.	FIRST ADMISSIONS	SSIONS								P.
MENTAL DISORDER	(except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over I	Not re-	Medi- a an age	admis- sions
Total patients.	58,081	45,829	435	2,369	3,393	3,336	3,742	4,082	3,800	3,084	2,983	3,082	2,863	3,128	8,146	1,386	46.7	12,252
With psychosis	49,513	39,316	167	1,904	2,941	2,943	3,151	3,350	3,145	2,623	2,583	2,769	2,644	2,965	7,927	204	1 1 1	10,197
General paresis.  With other forms of syphilis of the C.N.S. With apidemic encephalitis. With other infectious diseases. Alcoholic.  Due to drugs and other exogenous poisons.	4,791 646 139 154 4,040	4,281 554 100 139 3,005 121	516.4	774 48 71	25 25 26 49 69	124 16 132 132 132 3	405 39 12 7 328 8	741 74 15 22 449 25	795 80 12 28 484 9	615 66 14 12 439 17	486 60 81 15 18	443 67 8 12 329 10	292 51 3 6 185 9	174 33 2 9 111 9	103 23 1 42 42	121 122	44.9 47.2 39.5 43.3 47.2	510 92 39 1,035
Traumatic. With other disturbances of circulation. With other disturbances of circulation. With convulsive disorders. Semile. Involutional psychoess. Due to other metabolic, etc, diseases. Due to new growth. With organic changes of the nervous system.	7,658 7,658 1,043 4,959 851 388 101 548	353 7,065 347 733 4,745 701 360 92 450	4   6   9   9	23 12 83 12 23 12 12 23 12 12 12 12 12 12 12 12 12 12 12 12 12	104 104 109 109 109 109 109 109 109 109 109 109	22 120 1 120 1 9	441.88 17 9E	35 4 3 5 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	80 4 5 6 5 4 6 5 5 4 6 5 5 4 6 5 5 6 5 6 5	39 76 31 54 54 32 32 43	230 230 230 181 181 181 55 54 54 54 54 54 54 54 54 54 54 54 54	38 675 47 21 21 188 188 170 60	1,044 1,044 26 26 28 122 122 6 9 9	251 252 253 254 541 53 9 9	3,452 79 3,830 10 10 34	2 1 28 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	48.1 69.8 61.6 31.8 70+ 55.7 56.7	66 593 38 310 214 150 28 9
Psychoneuroses.  Manic-depressive. Dementia pracox (schizophrenia). Paranoia and paranoid conditions. With psychopathic personality. With mental deficiency. Other, undiagnosed, and unknown.	1,212 4,426 12,614 584 744 1,650 2,006	969 2,492 8,842 447 500 1,282 1,738	201418 201418	136 1,105 1,105 61 248 110	200 1,843 5 98 233 187	1,703 1,703 1,703 1,703 1,75 1,84 1,42	108 310 1,403 70 122 135	127 285 1,050 46 51 114	133 322 660 72 45 88 156	221 72 72 72 75 158	245 283 69 69 63 129	213 166 68 18 18 129	151 76 10 10 112 112	109 25 8 118 94	13 30 26 10 1 172	272 37 10 10 10	39.4 40.9 29.2 30.8 30.8 42.9	243 1,934 3,772 137 244 368 268
Without psychosis	7,223	5,399	268	463	451	390	288	730	655	461	400	313	219	163	219	62	38.4	1,824
Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown	246 2,847 363 60 665 235 1,823	193 776 1,944 185 36 484 209 1,572	16 118 118 288	1112 6 6 6 99	36 36 7 7 111	811223588231	25 229 30 30 45 49	13 358 33 44 47 209	27 27 50 50 185	274 274 19 17 17 105	234 234 23 23 1 1 1 16	22 161 11 7 7	481 22 27 26 27	12 12 16	32882	2 2 2 6	25.1 24.9 43.3 42.9 (1) (1)	208 208 178 178 181 26 25
Mental disorder not reported	1,345	1,114		2	1	3	3	2		-		_		-	1	1,103		231

1 Under 15 years.



TABLE 19.—FEMALE FIRST ADMISSIONS AND READMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, WITH AGE FOR FIRST ADMISSIONS, FOR THE UNITED STATES: 1943
[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, where here in the four is nine-month period adjusted to

	All admis-							14	FIRST ADMISSIONS	ISSIONS								
MENTAL DISORDER	(except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 and over	Not re- ported	Medi- an	Re- admis- sions
Total patients	48,617	36,821	291	1,452	2,384	2,807	3,227	3,128	3,010	2,847	2,770	2,261	2,162	2,353	7,118	1,011	1-	11,796
With psychosis	44,610	33,707	152	1,216	2,169	2,585	2,962	2,834	2,777	2,664	2,624	2,158	2,078	2,297	7,004	187	48.9	10,903
General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	1,836 329 95 122 926 195	1,603 284 70 107 716 160	11 11 11	128 00 481	4 × · · · 4 × · · ·	108 141 122 49 49	214 30 6 14 79 29	304 34 12 11 117 21	266 32 32 16 130 26	219 46 14 124 124 18	138 36 6 8 96 96	120 22 7 7 17	77 19 19 10 10 10	48-1218	22 11 15 4	10 E E	41.6 45.6 38.7 38.6 43.9	233 455 25 210 35
Traumatic With cerebral arteriosclerosis With other disturbances of eirculation With convulsive disorders Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system.	75 75 75 75 880 5,490 2,978 76 445	5,303 268 648 5,133 2,427 532 67 360	22   1   1   8	66	97 97 11 21 3	2 22 1 25 24 4	89 45 10 18	14 14 54 57 42 36	4524 454 7 58	81 39 51 11 619 70 45	266 45 117 692 46	2084 2080 2094 2094 2094 2094 2094 2094 2094 209	861 20 20 240 167 59 6	1,063 29 19 658 72 37	2,473 4,108 1,108 2,5 2,5 2,6	112 31 31 2 4	43.8 69.2 55.0 33.0 70+ 49.3 49.3	19 569 35 232 357 551 61 85
Psychoneuroses  Manic-depressive Dementia praecox (schizophrenia) Faranoia and paranoid conditions With psychopathic personality With mental deficiency	1,910 7,423 11,180 704 392 1,423 1,363	1,430 4,063 7,526 531 255 1,016 1,152	37 10 10 31 9	48 612 612 4 49 153 45	109 353 1,187 4 35 160 94	186 1,316 11 32 128 128 81	223 597 1,277 34 35 137 105	207 598 998 62 25 94 94 131	186 507 755 67 25 104 113	104 374 539 81 16 72	113 352 384 75 13	99 270 199 71 8 8	83 172 101 59 27 27 68	39 104 60 34 34 111 58	8000000	311 811 17	38.4 38.4 38.3 30.2 44.5	480 3,654 173 137 407 211
Without psychosis.	2,958	2,323	139	235	214	222	265	293	233	183	146	102	83	26	114	38	36.2	635
Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis. Psychopathic personality. Primary behavior disorders Other, unclassified, and unknown	157 571 629 218 29 232 154 154	131 467 458 130 21 161 139 816	252 282	212 118 118 149 149	727 84 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	41 12 25 4 4 4 8 8 20 20 20 A 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	17 74 74 74 26 19 19	10 655 90 23 1 1 19 77	8 35 81 22 22 10 10 76	333 88 11 74	39 27 29 27 29 29 29 29 29 29 29 29 29 29 29 29 29	61 51 55 60	20 4274	ಚತ್ತಾಣ ಜಚ್ಚ	4.8 8 40	1111116	27.1 28.8 38.2 38.2 38.2 16.9	26 104 171 88 87 17 17 15 15 15 15
Mental disorder not reported	1,049	791		-	-			-				-	-			786		258

Table 20.—All First Admissions and Readmissions to Veterans' Hospitals for Mental Disease, by Mental Disorder, With Age for First Admissions, for the United States: 1943

[Statistics based on reports from 31 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	All admis-							I.A.	FIRST ADMISSIONS	ISSIONS								De
MENTAL DISORDER	(except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Medi- an age	admis- sions
Total patients	15,899	12,159		475	2,433	1,960	1,216	701	535	1,349	1,093	382	146	135	161	1,573	31.7	3,740
With psychosis	12,328	8266		420	2,226	1,799	1,127	636	439	1,051	853	308	121	100	142	756	30.7	2,350
General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	589 350 55 68 636 46	435 278 38 54 419 32		11112	20182	1000110001	911 4 4	118 118 11 127	4844256	165 66 18 139 9	131 53 10 7 100 4	38 110 34 120 34 34 35 35 36 37	011- 1-9-	1 1 1 3 0	2 1 3	12 8 8 6 1	49.0	154 72 17 17 217 14
Traumatic With cerebral arterioselerosis With cher disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system	113 441 74 148 107 107 143 45 20 20 138	87 338 60 105 79 121 37 13		2   8   1   1	29 19	61   11   1   4	∞  -∞  ∞∞-∞	4     0	V 20111801117	11 29 29 14 77 78 88 88 80 66	8 8 8 1 7 5 8 2 7 7 5 8 2 7 7 5 8 2 7 7 5 8 2 7 7 5 8 2 7 7 7 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7	22 22 22 23 25 23	66 1111000	60 1 10 10 10 10 10	£4 4 8 1 6	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	31.3 61.3 70+ 50.8	26 103 14 28 28 28 27 8 7
Psychoneuroses  Manic-depressive  Demonia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown	58 <b>5</b> 1,002 5,721 211 491 480 865	480 4,997 79 385 405 675		22 270 270 29 18	129 1,421 10 136 114	69 134 1,234 15 81 71	50 743 77 72 55 65	36 61 391 17 18 33	23 141 9 13 17 26	222 222 8 20 27 79	37 131 15 20 20 20 62	28 84 6 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22 28 11 11 22	5-1   5-1	1 1 1 1 1 1	32 35 399 19 57	28.9 27.5 40.8 26.1 28.0 29.8	105 253 724 132 106 75
Without psychosis	3,571	2,181	1	22	207	161	68	65	96	298	240	74	25	35	19	817	45.2	1,390
Epilepsy Mental deficiency Alcoholican Drug addiction Personality disorders due to epidemic encephalitis Rycholpathic personality Primary behavior disorders Other, unclassified, and unknown.	93 132 359 37 17 294 2,618	20 1,593		8 4 1 1 2 2 2 2	26 6 72 72 73 74 75	23 12 12 40 75	4 8 4 -1 22 84	E 4 80 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E 1	9 2 4 1 1 1 2 2 6	10 70 70 5 6 16 180	8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	10 10 10 56	1 1 20	32	18	816	35.0 27.7 47.6 26.4 47.2	83 176 19 83 1,025



Table 21.—All First Admissions and Readmissions to County and City Hospitals for Mental Disease, by Mental Disorder, With Age for First Admissions, for the United States: 1943

MENTAL DISORDER (except trans-							F	FIRST ADMISSIONS	ISSIONS								
	-	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Med- ian age	admis- sions
Total patients 3,645 2,912	,912	15	106	142	163	195	193	194	178	216	175	214	240	811	20	55.5	733
With psychosis	299	6	88	131	154	181	177	176	158	195	163	202	225	786	22	9.99	099
General paresis.  With other forms of syphilis of the C.N.S	167 43 4 120 120	-	1 1 1	811	411 9	16 4 1 1 17	36	25 4 19	20 3 1 1 16	28 6	10 1 1 1 9	10	L 10   100	410 10		43.7	10 10 10 40 2
Traumatic   14   13     With oreebral arteriosclerosis   419   375     With orber disturbances of circulation   41   30     Senile   10   10     Involutional psychoses   44   33     Due to other metabolic, etc., diseases   29     Due to mey growth   65     With organic changes of the nervous system   6     57   45     6   65     6   65     6   65     75   75     75   75     75   75     75   75	375 375 40 629 23 45 45		6			01-1 4	-21	1 88 88	4460-1-04	100 17 113 133 14	100000000000000000000000000000000000000	66 5 35 1 35 1 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	40.000	186 12 13 497 7	1 1 2	402	144 11111111111111111111111111111111111
mia)	40 250 489 35 21 139	1 10 1	23 3 3 2 2 3 2 3 2 3 3 3 3 3 3 3 3 3 3	88 9 1 16 1 16 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	119 122 122 8	27 70 11 11 18	31 51 10 9 9 10	23 53 10 10 9	8.50 2.02 2.02 2.04 2.04 2.05 2.05 2.05 2.05 2.05 2.05 2.05 2.05	25.55 10 10 10 10 10	29 11 5 7 7	255 7 6 6 11	111 22 47 6	10 4 4 21 27	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	45.0 31.9 34.3 52.0	9 145 218 9 10 56 19
Without psychosis 260 202	202	9	18	=	6	14	16	18	20	21	12	12	15	25	2	46.6	28
Epilepsy	40 62 62 2 112 63 63 43	9100	212	11 11	144 14 12	H 44	27-11   1-   1-	6 2 1711	0 1 8 6 8	8 5 611	5 1 1	044	01401   01   10	21-14	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	45.9	42122110 8 71

Table 22.—Male First Admissions and Readmissions to County and City Hospitals for Mental Disease, by Mental Disorder, With Age for First Admissions, for the United States: 1943

[Statistics based on reports from 75 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

Re-	sions	356	309	35	20 21 1		33555	42	1.642	4	ro
	an age	55.3	56.5	43.1	69.8		49.0 30.0 32.1 55.0	48.5	46.9		
	Not re- ported	29	11		3 1		9	4	1	1 18	14
	and over	413	393	3 1 8	95 10 13 13 1	0 0	1801-1263	20	21-4	13	
	65 to 69 years	132	120	104   10	404	2 61	122 222	12	-40	4 100	
- 1	60 to 64 years	129	120	100	36.5	23 4	9440110	6	Ø100-44	T	-
	55 to 59 years	16	80	1-01 1-00	-500000	20 00	0.000	11	<del></del>	1 10	
- 1	50 to 54 years	116	101	16	804 88	8 4	100 100 1	15	o	1 9	
- 1	45 to 49 years	78	65	45.1 21	-  0	7 7	470.81 18.4	13		7   7	
FIRST ADMISSIONS	40 to 44 44 years	109	86	21 4	Tirir	1 2	18881	11	1 9 1	2 62	
ı.	35 to   39 years	112	86	2 -2	-8 -	1112	70.3122	14	9	-  -	
	30 to 34 years	26	06	==  -=		63	38 17 9	7	m	23 (23	
	25 to 29 years	83	79	ω   Lo	-     -	11-	14010124	4	170	11-	
	20 to 24 years	79	74	21-1	4	İ	4 4 4 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2	5	H4		
	15 to 19 years	20	55	4			17.3 23.3	15	8100 81	67	
	Under 15 years	=	5			-	1 2 1	9	6160-		
	All	1,549	1,389	33 1 1 8 8 9 8	1 195 25 15 297	19 26	242 242 17 16 88	146	282 1 1 1 283 1	28,8	14
admis-	(except trans- fers)	1,905	1,698	124 39 1 133	217 217 25 23 317 8	19 34	20 341 22 22 21 21 114 93	188	13 79 2	5 o 3	19
	MENTAL DISORDER	Total patients	With psychosis	General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis With other infectious diseases Alcoholic	Due to drugs and other exogenous poisons  Traumatio. With cerebral arteriosclerosis With other disturbances of circulation. With convulsive disorders Senile.	Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.	Psychoneuroses Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency. Other, undiagnosed, and unknown	Without psychosis	Epilepsy Mental deficiency Alcoholism  Drug addiction  Personality disorders due to epidemic encephalitis.	Psychopathic personality Primary behavior disorders Other, unclassified, and unknown	Mental disorder not reported



TABLE 23.—FEMALE FIRST ADMISSIONS AND READMISSIONS TO COUNTY AND CITY HOSPITALS

	All admis-							FI	FIRST ADMISSIONS	SSIONS								
MENTAL DISORDER	(except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Medi- a	Re- admis- sions
Total patients	1,740	1,363	4	36	63	08	86	81	82	100	100	84	85	108	398	41	55.8	377
With psychosis	1,629	1,278	4	33	57	75	91	62	282	93	94	83	85	105	393	=	56.8	351
General paresis  With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases. Alcoholic  Due to drugs and other exogenous poisons.	60 44 127 27	55 10 3 22 1	1	-     -	-  -		10 64 10 CH	13	4	9 4	21 m	20 mm	<sub>∞</sub>	Ø4-	m 64   64		46.3	1041110H
Traumatio.  With cerebral arterioselerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system	202 185 352 352 133 253 253 253 253 253 253 253 253 253 2	180 15 15 15 332 26 26 10		[64	100	2 1 1	- C3	8	1-8-1	881 91 8	4.8.1     1.1	800-0000000000000000000000000000000000	8   8   8	30	91 262 2 2 2	4	+07	22   20 2 2 4
Paychoneuroses	268 366 366 10 10 81	23 166 247 18 58 58	(0)	141	370.1	24 1 12 4	35 55 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	400 100	2422 44	45241146	2521248	4000 100	11 4.0	0 8-1-14	4481-0	9	34.2 34.2 37.5 49.5	6 102 119 5 23 12
Without psychosis	72	26		8	9	10	7	67	7	7	9	1	69	8	10	-	43.2	16
Epilepsy Mental deficiency Alcoholism. Purg addiction Personality disorders due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown. Mental disorder not reported	211 200 21 4 1 8 9 8	12 1 12 2 1 2 4 29		64	0101		-4-     -	-  -		631-1	711 1 2		2	- 2	70	1 29		8884448

THE		Medi- an age	44.6	45.3	44.6 47.5 41.9 43.4 47.6	69.8 63.9 32.3 70+ 52.1 49.4	39.3 46.3 33.8 28.9 42.7	43.1	25.0 31.7 45.2 45.2 19.0 49.8	-
FOR		Not re- ported	1,914	1,576	14 16 2 2 198 614	880.181.28	20 118 91 7 7 6 327 48	96	2 6 6 6 53 242	
AGE,		70 and over	2,157	2,017	47-18:21	289 60 1,074 35 8	34 74 113 17 17 37	140	103 272 3	
R AND	[0]	65 to 69 years	268	773	12 1 15 10	232 18 162 162 74 74 15	44 115 15 17 20 20	124	37 15 15 68	
DISORDER	ess than 5	60 to 64 years	1,080	921	20 7 6 8 8 119	185 14 14 172 172 10 23	181 28 23 23 4 29	159	24 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
MENTAL I	Median not shown where base is less than 50]	55 to 59 years	1,328	1,060	23 8 8 8 4 61	133 16 16 17 252 252 21 7	135 240 31 50 4 88	268	148 32 148 176 176	-
BY MEN	ьожи жье	50 to 54 years	1,724	1,277	10 10 8 8 39 39	39 11 2 11 2 12 14 14 14 14 14 14 14 14 14 14 14 14 14	145 276 94 58 138 41	447	72.48.80 72.00 70 70 70 70 70 70 70 70 70 70 70 70 7	
DISEASE, B	dian not s	45 to 49 years	2,007	1,455	39 8 109 45	7 113 2 2 2 2 2 3 2 3 2 4 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1	191 330 141 86 11 54	552	380 72 72 80 80 80 80 80 80 80 80 80 80 80 80 80	
A		40 to 44 years	2,122	1,444	21 10 10 23 23 23	174 10 10 10 10 6	241 233 74 20 12 12	829	515 585 58 58 72 73	
FOR MENTAL TATES: 1943	See Appendix A for discussion of coverage.	35 to 39 years	2,177	1,534	20 11 12 12 13 13 13 14 15 15 15 16 16 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	∞ छ ∞ य	283 402 59 28 13 13	643	458 458 63 63 16 16 77	
FOR MENTAL STATES: 1943	r discussic	30 to 34 years	2,014	1,553	82000	9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	293 388 547 40 33 14 14	461	267 267 50 4 29 29 76	-
HOSPITALS UNITED S	endix A fo	25 to 29 years	1,512	1,321	464924	2124110	219 283 23 25 19 40	161	201 202 212 33 31	
Hosp Un	See App	20 to 24 years	1,063	947	U 4004	8 8 1 8 8	103 159 568 9 16 15	116	26 26 1 1 1 1 2 3 7 7	
PRIVATE	rts from 186 hospitals.	15 to 19 years	567	495	LH 4	1 1 1 1	20 294 20 31 15	72	12 22 11 12 12 15	
TO PR	rom 186	Under 15 years	119	63	- 600 -	01   0	9862	26	852	
	n reports f	All	20,681	16,436	265 877 79 776 856	47 1,227 170 170 1,392 1,542 116 33	1,848 3,008 3,085 464 463 463	4,003	76 116 2,356 397 19 130 66 843	-
Table 24.—All First Admissions	[Statistics based on repor	MENTAL DISORDER	Total first admissions	With psychosis	General paresis.  With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic and other exogenous poisons.	Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Involutional psychoses. Due to other metabolic, etc., diseases. With organic changes of the nervous system.	Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.	Without psychosis	Epilepsy.  Mental deficiency Alcoholism.  Drug addiction.  Personality disorders due to epidemic encephalitis. Psychopathic personality.  Primary behavior disorders.  Other, unclassified, and unknown.  Mental disorder not reported.	



TABLE 25.-MALE FIRST ADMISSIONS TO PRIVATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER AND AGE, FOR THE UNITED STATES: 1943

[Statistics based on reports from 186 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

			:	100	1 20	4 06	7 20	101	7	20 62	*	60 40	4 40	20	Not	Madi
MENTAL DISORDER	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	54 years	59 years	64 years	69 years	and	re- ported	an age
Total first admissions	9,058	54	251	382	477	774	982	986	861	731	587	435	402	958	1,178	45.2
With psychosis	6,263	26	228	328	367	510	534	483	460	401	387	328	324	880	1,007	46.7
General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Adoublic. Due to drugs and other exogenous poisons.	187 55 21 30 521 602	1   60   1	11 2	- 2	21 2024	14 4 50	39 8 77 71	28 9 1 71 141	28 1 13 13	12 4 4 8 5 5 8 1	91 9 1 4 22 8	13 3 12 7	9 11 3	22 212	12 8 1 126 509	45.3 43.9 46.0
Traumatic With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Semile Involutional psychoses Due to other metabolio, etc., diseases Due to new growth With organic changes of the nervous system	28 567 357 296 296 296 131 131 56		1   4	-4     -   -	1 12 8 4	99 010 0	10-101 401 1	21-21 84-11	10-4 to 10100010	19 33 39 69 69 69 69 69 69 69 69 69 69 69 69 69	8 8 1 1 4 8 8 1 9 9	88 6 11 9 6	25 106 7 7 25 25	45.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00		69.7 64.2 70+ 56.0 57.5
Psychoneuroses  Manic-depressive Dementia pracox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality With mental deficiency Other, undiagnosed, and unknown.	539 857 1,046 154 89 255 221	847 -08	142 142 1 13 144 9	22 20 20 20 20 20 20 20 20 20 20 20 20 2	41 194 9 9	79 104 174 12 19 4 4	8132 42 12 24 25 25 25 25 25 25 25 25 25 25 25 25 25	83 112 71 32 32 10 10	69 114 26 7 7 7 7	848 848 868 868 868 868 868 868 868 868	35 7.11 18 3 2 8 18	25 8 2 2 4 0 10 4 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	333 7 8 8	15 27 8 3 21 21	33 203 263 263	288.55 288.55 288.55 288.56 288.56 3.56 3.56 3.56 3.56 3.56 3.56 3.56 3
Without psychosis	2,684	28	23	. 54	110	264	448	503	401	330	200	107	28	78	. 60	43.8
Epilepsy Mental deficiency Aloobolism Purg addiction Purg addiction Personality disorders due to epidemic encephalitis Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	42 30 1,960 224 8 8 54 17 349	29 84	6 12121 0	10 10 10 10 10 10 10 10 10 10 10 10 10 1	2250-1-11	7 196 18 3 13 13	372 34 34 1 11 11 26	1 431 33 1 1 6	322 42 42 3 3 31	251 251 251 25 35 38	1 138 22 22 1 1 1 35	2 13 26	30 11 11 30	25. 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	29 3 27	43.5 46.7 33.8 52.9



TABLE 26.—FEMALE FIRST ADMISSIONS TO PRIVATE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER AND AGE, FOR THE UNITED STATES: 1943

50]
than
s less
ase i
here !
W II W
t sho
dian no
Me
coverage
Jo u
iscussic
for d
dix A
ppen
See. A
als.
hospit
186
from
ports
on re
pased
[Statistics

With psychosis.  General paresis. With other forms of syphilis of the C.N.S. With other infectious diseases. With other infectious diseases. With other infectious diseases.  But of drugs and other exogenous poisons.  Traumatic. With other disturbances of circulation. With other disturbances of the nervous system.  Psychogen.  Psychogen.  Psychogen.  Psychogen.  With organic changes of the nervous system.  Psychoneuroses.  Dene to mew growth. With psychostic personality.  Paranois and paranoid conditions. With mental deficiency.  With mental deficiency.  With mental deficiency  Alcoholism.  Epilepsy.  Alcoholism.  Proug addiction.  Proug addiction.  Proug addiction.  Proug addiction.  Proug addiction.  Epilepsy.  Mental deficiency.  Bersonality disorders due to epidemic encephalitis.	11,623 10,173 78 78 78 78 795 1,246 660 107 705 705 705 705 705 705 705 705 705 7	21	19 years 316 267 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24 to 20 to	25 to	30 to	35 to 35 to 35 to 36 to	44 44 44 44 44 44 44 1,1,136 961 961 1,136 961 1,136	49 years 49 years 995 995 995 995 995 995 995 995 995 99	50 to 554 years 993 876 876 876 876 876 876 878 878 878 878	55 to 59 years 7 7 7 7 7 7 7 7 1 110 110 110 110 110 1	60 to 64 years years 645 12 12 12 12 12 12 12 12 12 12 12 12 12	65 to 69 69 69 69 449 7 7 7 7 449 83 83 83 83 846 66 66 66 67 68 68 68 68 68 68 68 68 68 68	20 2 2 2 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4	Not represent the ported of th	Medi-an age ange age age age age age age age age age a
Psychopathic personality. Primary behavior disorders. Other, unclassified, and unknown.	76 49 494	919	010	4 9 6	41 c 02	16 3 50	52 51	11 46	4-16	5123	8214	30	33	64 45	26	33.1
Mental disorder not reported	131		T		T		T		T	T					131	



Table 27.—All First Admissions and Readmissions to Psychopathic Hospitals, by Mental Disorder, With Age for First Admissions, for the United States: 1943

0]
han 5
988 t
is le
ase
re b
whe
OWD
t sh
n no
dia
3. See Appendix A for discussion of coverage. Medi
ge.
era
COV
Jo 1
sior
scus
r di
A fo
lix /
end
Apr
See
ital
hos
8 0
fron
rts
epo
on 1
ased on rep
s pa
stice
tati
3

S.	admis- sions	807	681	4200 804	471 272 66 60 101	48 152 176 16 19 11 11	126	437 17 18 10 10 28 110
	Medi- an age	37.7	40.9	45.6	67.1 70+ 52.9	36.4 39.0 30.7 44.8 37.9	26.9	18.9 39.5 25.6 16.2 38.2
	Not re- ported	3	3		-   -			
	and over	138	135	4 1-6-	45 3 66 3 1	140	3	3
	65 to 69 years	11	19	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	80-81 B	10	10 1011
	60 to 64 years	86	88	6 6	9111883983	15 2 5 1	6	64 1-64 1-4
	55 to 59 years	181	159		897-1 188 447	1127 8 24	22	11 2 2
	50 to 54 years	223	193	42 118	00 PO 100	4122 4 2 21	30	1 11 12
SNOISSI	45 to 49 years	259	211	33.1 128.8	4400 1810-11	22 111 330 17 17	48	12 10 10 17 17 17 17 17 17 17 17 17 17 17 17 17
FIRST ADMISSIONS	40 to 44 years	280	207	21 45 5	7   1   1   1	38 14 14 14 18 8	73	2282 51-4
FI	35 to 39 years	316	251	53 2 1	6 73 10 15	29 21 3 10 20 20	65	127 1121
	30 to 34 years	327	252	502	4   9   9-18	25 81 12 4 4 17	75	2,50 2,50 2,50 2,50 2,50 2,50 2,50 2,50
	25 to 29 years	238	175	1. 12.8	1 2 2	45 45 75 70 9	63	255 99
	20 to 24 years	264	186	01 1 10	8 11	39 113 97 6 6 113	28	19 10 10 27 10
	15 to 19 years	255	103		- 6	44 9 11	152	842 2540
	Under 15 years	137	17		67	40101 1000	120	29 141 15 15
	All	2,790	2,042	108 3 10 259 21	115 115 115 126 31 126 126 127 14	248 183 458 71 33 129	748	32 165 165 192 135 120
admis-	(except trans- fers)	3,597	2,723	132 6 6 10 342 25	23 132 188 588 148 41 112	296 335 634 87 52 48 179	874	38 112 208 3 7 220 145 141
	MENTAL DISORDER	Total patients	With psychosis	General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc, diseases. Due to new growth. With organic changes of the nervous system.	Psychoneuroses.  Manic-depressive.  Dementa praecox (schizophrenia)  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.	Without psychosis.	Epilepsy.  Mental deficiency Alcoholism.  Drug addiction.  Personality disorders due to epidemic encephalitis. Psychopathic personality.  Primary behavior disorders.  Other, unclassified, and unknown.

AND READMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, WITH AGE FOR FIRST

	All admis-								FIRST ADMISSIONS	ISSIONS								P. P.
MENTAL DISORDER	sions (except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Medi- an age	admis- sions
Total patients	2,200	1,721	113	171	154	130	183	198	179	160	132	111	57	39	92	2	37.7	479
With psychosis.	1,554	1,171	12	62	105	88	137	149	123	122	107	94	49	31	68	2	41.2	*383
General paresis.  With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic.	107 4 4 4 6 6 777 8	91 205 6 7		-	4	1 9	39	61 124	39	2 2 2 2 1	21 21	41   14	0 0	1     6	4 6		46.3	
Traumatic With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Scalide Involutional psychoses Due to other metabolic, etc., diseases Due to new growth. With organic changes of the nervous system.	26488322508	17 18 18 19 10 10 10			rs .	1 2	4 6 2 1	4 4 6 8	1	4-81 9-19	911 0412	801- 12084	P	6 91	1 42 3	1-11111111	69.7	41 22 2 8
Psychoneuroses Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	137 146 334 58 33 28 108	117 87 233 49 22 22 22 78	1001	72 22 24	16 61 5	38 1112	84.44	16 18 7 3	24 15 10 10 14	82 20 21 21 22	\$0.0000 00	0 1184	8081 II	11 1 18	1100	Tilli	38.6 43.3 27.8	20 101 101 36 36
Without psychosis	646	220	101	109	49	41	46	49	99	38	25	17	00	00	3		27.0	96
Epilepsy Mental deficiency Alcoholism. Drug addiction. Personality disorders due to epidemic encephalitis. Psychopathic personality. Primary behavior disorders. Other, unclassified, and unknown.	31 89 154 154 161 161 92	26 74 116 1 1 1 144 88 88	24 11 11 13 13	823%1 623%	987 487	21 21 5	16 10	28 10 9	2221 4-51	10 0 2	1 4 10010	1 10	21 23 4	4 6 -	8		18.0 40.4 40.4 27.1 (1) 38.5	15 38 38 1 17 17



Under 15 years.

Table 29.—Female First Admissions and Readmissions to Psychopathic Hospitals, by Mental Disorder, With Age for First ADMISSIONS, FOR THE UNITED STATES: 1943

[Statistics based on reports from 8 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

•	All admis-								FIRST ADMISSIONS	ISSIONS								2
MENTAL DISORDER	sions (except trans- fers)	All	Under 15 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	and over	Not re- ported	Medi- an age	admis- sions
Total patients	1,397	1,069	24	84	110	108	144	118	101	66	91	20	41	32	46	-	37.7	328
With psychosis	1,169	871	2	14	81	98	115	102	- 84	68	98	65	40	30	46	1	40.3	298
General paresis.  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.	25 2 2 2 2 2 17 17 17 17 17 17 17 17 17 17 17 17 17	71 1 4 45 41			6 1 1	9	2 11-14	64	2 9 9 7	1 8 8	10 10	1331		-	1		40.0	33
Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Semile. Involutional psychoses. Due to other metabolic, etc, diseases. Due to new growth. With organic changes of the nervous system.	272 4 19 8 19 8 10 8 10 8 10 8 10 8 10 8 10 8	51 2 13 32 32 91 17		-     -		1 2	1 4 6	9 6- 6	1 41	2 2 1 4 4	82.00	20 1 3	2 1-1-1 2	g-1 90 G	4 46		65.2 52.1	8 64 EE 14
Psychoneuroses  Manio-depressive. Dementia pracox (schizophrenia)  Paranoia and paranoid conditions. With psychopathic personality. With mental deficiency.  With undiagnosed, and unknown.	159 189 300 29 19 71	131 96 225 22 11 11 15	e	ered 4-1	2 × × × × × × × × × × × × × × × × × × ×	22 25 148 6	212 98 94 10 10 10	35 8 14 4	4884-84 5	20 00 00 00 00	8 5 4 L	41-01 616 16	- 111	6161-1	1180		33.5	20 20 20 20 20 20 20 20 20 20 20 20 20 2
Epilepsy.  Mental deficiency  Mental deficiency  Drug addiction.  Drug addiction.  Personality disorders due to epidemic encephalitis.  Psychopathic personality  Primary behavior disorders.  Other, unclassified, and unknown.	7. 8.4. 1. 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0	21 21 1 1 1 1 20 20	10 man	99 -489		1 0   0 0	112 8001	16 1001	2 2 2	L46	6	1 1 1 2						11 32 1

## TABLE 30.—ALL ADMISSIONS (EXCEPT TRANSFERS) TO PSYCHIATRIC WARDS OF GENERAL HOSPITALS, BY TYPE OF ADMISSION, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943

(Statistics for "Total patients" include 932 patients for whom sex was not reported. Statistics for "Type of admission not reported" include figures for hospitals reporting type of admission, but not type of admission by mental disorder; the totals for each type of admission, therefore, will not agree with those presented in table 13. Statistics based on reports from 105 hospitals. See Appendix A for discussion of coverage)

MENTAL DISORDER AND SEX	All admissions	First admissions	Read- missions	Type of admission not reported
Total patients	97,464	36,112	10,388	50,964
With psychosis	60,467	27,102	7,054	26,311
General paresis_ With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons.	142 329 5,948	1,196 415 58 183 2,715 280	266 110 13 30 1,159 58	729 526 71 116 2,074 137
Traumatic With cerebral arteriosclerosis With other disturbances of circulation. With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system.	4,727 549 853 6,947 2,507 762 222	153 1,726 238 303 2,705 1,185 263 111 923	31 344 27 133 375 254 47 18 131	156 2,657 284 417 3,867 1,068 452 93 256
Psychoneuroses Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	4,887 13,821	3,713 2,239 5,925 849 345 296 1,281	1,001 722 1,614 147 133 96 345	2,168 1,926 6,282 654 199 333 1,846
Without psychosis	32,283	7,930	3,240	21,113
Epilepsy	1,651 1,528 18,169 1,459 57 2,298 1,099 6,022	612 410 3,004 202 30 919 250 2,503	195 88 2,123 89 8 231 33 473	844 1,030 13,042 1,168 19 1,148 816 3,046
Mental disorder not reported	4,714	1,080	94	3,540
Male patients	58,716	21,207	6,972	30,537
With psychosis	32,137	15,326	4,191	12,620
General paresis With other forms of syphilis of the C.N.S With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons	1,607 670 83 193 4,625 201	918 298 32 110 2,226 127	181 77 8 15 976 18	508 295 43 68 1,423 56
Traumatic With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system	250 2,843 296 510 3,257 736 441 137 680	122 1,148 179 190 1,474 283 143 81 470	27 252 21 95 205 68 28 12 77	101 1,443 96 225 1,578 385 270 44 133
Psychoneuroses_ Manic-depressive.  Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	3,395 1,964 6,973 760 411 398 1,707	1,954 927 3,170 381 216 185 692	557 312 906 57 85 45 169	884 725 2,897 322 110 168 846



TABLE 30.—ALL ADMISSIONS (EXCEPT TRANSFERS) TO PSYCHIATRIC WARDS OF GENERAL HOSPITALS, BY TYPE OF ADMISSION, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943—Con.

Statistics for "Total patients" include 932 patients for whom sex was not reported. Statistics for "Type of admission not reported" include figures for hospitals reporting type of admission, but not type of admission by mental disorder: the totals for each type of admission, therefore, will not agree with those presented in table 13. Statistics based on reports from 105 hospitals. See Appendix A for discussion of coverage).

MENTAL DISORDER AND SEX	All admissions	First admissions	Read- missions	Type of admission not reported
Male patients—Con.				
Without psychosis	23,796	5,770	2,741	15,28
Epilepsy		445	147	548
Mental deficiency	923	282	78	563
Alcoholism	14,412	2,553	1,965	9,894
Orug addiction Personality disorders due to epidemic encephalitis	956 36	115 19	60	781
sychopathic personality	1.729	738	184	80
rimary behaviour disorders	710	129	16	56
Other, unclassified, and unknown	3,893	1,489	285	2,119
Mental disorder not reported		111	40	2,632
Female patients	37,816	14,013	3,376	20,42
With psychosis	28,330	11,776	2,863	13,69
General paresis	584	278	85	22
leneral paresisVith other forms of syphilis of the C.N.S	381	117	33	23
Vith epidemic encephalitis	59	26	5	28
Vith other infectious diseases		73	15	48
Alcoholic		489	183	65
Oue to drugs and other exogenous poisons	274	153	40	8
Traumatic	90	31	4	5.5
With cerebral arteriosclerosis	1,884	578	92	1,21
With other disturbances of circulation	253	59	6	18
With convulsive disorders		113 1,231	38 170	2,28
enilenvolutional psychoses		902	186	68
Due to other metabolic, etc., diseases	321	120	19	18
Due to new growth	85	30	6	4
With organic changes of the nervous system.		453	54	12
Psychoneuroses	3,487	1,759	444	1,28
Manic-depressive	2,923	1,312	410	1,20
Dementia praecox (schizophrenia)	6,848	2,755	708	3,38
Paranoia and paranoid conditions	.   890	468	90	33
With psychopathic personality	266	129	48	8
With mental deficiency	327	111	51	16
Other, undiagnosed, and unknown	1,765	589	176	1,00
Without psychosis	8,487	2,160	499	5,82
Epilepsy	514	167	48	29
Mental deficiency	605	128	10	46
Alcoholism		451	158	3,14
Drug addiction	503	87	29	38
Personality disorders due to epidemic encephalitis		11	2	1 04
Psychopathic personality	569	181	47	34
Primary behaviour disorders	389	121	17 188	25
Other, unclassified, and unknown		1,014		
Mental disorder not reported	999	77	14	90



TABLE 31.—ALL FIRST ADMISSIONS TO STATE HOSPITALS FOR [Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in basis. See Appendix A

_							basis.	See .	Appen	dix A
		DNI	TED STA	TES		1	NEW EN	GLAND		
	MENTAL DISORDER					MAINE		NEW	HAMPS	HIRE
		Т	M	F	Т	M	F	Т	M	F
1	Total first admissions	82,650	45,829	36,821	439	228	211	523	269	254
2	With psychosis	73,023	39,316	33,707	412	210	202	442	205	237
3	General paresis	5,884	4,281	1,603		20	6	24	18	
4 5	With other forms of syphilis of the C. N. S With epidemic encephalitis	170	100	284 70	-	4	_1	_	=	-
6	With other infectious diseasesAlcoholic		139 3,005	107 716	1 15	14	1	21 21	16	
8	Due to drugs and other exogenous poisons	281	121 353	160	1 2	1 2	-	1	1	
9	Traumatic With cerebral arteriosclerosis	12,368	7,065	5,303	64	41	23	104		5
2	With other disturbances of circulation With convulsive disorders	1,381	347 733	268 648	8	3	5	5	3	
3	SenileInvolutional psychoses		4,745 701	5,133 2,427	60	25 1	35 7	69 23	24	4
5	Due to other metabolic, etc., diseases Due to new growth	892	360 92	532 67	8 2 1	1	1	12	9	
7	With organic changes of the nervous system	810	450	360	2	-	2	4	-	
8	Psychoneuroses Manic-depressive	6,555	969 2,492	1,430 4,063	18 98 73	10 33	8 65	37 18		1
0	Dementia praecox (schizophrenia)  Paranoia and paranoid conditions		8,842 447	7,526 531	4	42	31	80 8	2	
2 3	With psychopathic personality	755 2.298	500 1,282	255 1,016	19	8	11	2 2 22	1	
4	Other, undiagnosed, and unknown	2,890	1,738	1,152	2	1	1			1
5	Without psychosis		5,399	2,323	27	18	9	81		
6 7	Epilepsy Mental deficiency	1.243	193 776	131 467	3 5 8 3	1 3	2 2	5 10	3 6	
3	Alcoholism	2,402 315	1,944 185	458 130	8	6 2	2 1	12 3	11	
0	Personality disorders due to epidemic encephalitis- Psychopathic personality	57 645	36 484	21 161	4		2	10	10	-
2	Primary behavior disorders Other, unclassified, and unknown	348 2,388	209 1,572	139 816	1 3	1 3	_	39	32	
1				791		ľ		35	32	
Ī	Mental disorder not reported			ATLANT	ic—Con	tinued		EAS	T NOR	TH
١		- NE	W JERSI	ey	PEN	NSYLVA	NIA	C	OHIO	
	MENTAL DISORDER					1		1		
-		T	M	F	Т	М	F	Т	M	F
1	Total first admissions	2,218	1,106	1,112	5,445	2,949	2,496		1,828	1,62
2	With psychosis		1,009	1,064	5,063	2,717	2,346		1,716	1,577
3	General paresis	86 42	57 28	29 14	483 50	343 36	140 14	486 25	341 12	145
	With other forms of syphilis of the C. N. S	5 10	1 9	4	8	5	3	8 10	5 6	3
3	Alcoholic  Due to drugs and other exogenous poisons	126 4	104	22 3	203 26	181	22 13	172 16	139	33
	Traumatic	6	4	2	25	23	2	30	29	1
	With cerebral arteriosclerosis With other disturbances of circulation	426 27	222 13	204 14	614 59	362 28	$\frac{252}{31}$	431 34 17	257 15	174
	With convulsive disorders	$\frac{29}{237}$	15 95	14 142	116 786	58 352	58 434	17 266	6 130	136
	Involutional psychoses  Due to other metabolic, etc., diseases	140 18	34 7	106	185 65	52 27	133 38	229 51	33 17	196
	Due to new growth	3 13	3	5	11 68	37	7 31	4 26	3 20	1
	Psychoneuroses	116	51	65	137	54	83	161	63	98
	Manic-depressive  Dementia praecox (schizophrenia)	202 379	67 184	135 195	451 1,313	181 730	270 583	323 733	137 350	186 383
	Paranoia and paranoid conditions	28 64	11 41	17 23	89 36	37 25	52 11	104 20	50 15	54
	With mental deficiencyOther, undiagnosed, and unknown	76 36	36 18	40 18	161 172	83 81	78 91	96 51	53 28	43 23
5	Without psychosis	145	97	48	382	232	150	156	112	44
	Epilepsy	4	4	_	23	14	9	4	_	4
	Mental deficiency	16 56	8	8	142 61	74 45	68 16	38 23	$\frac{25}{22}$	13
	Drug addiction	5	3	2	3	-1	3	2	1	2
	Psychopathic personality	17 11	8	9	35 49	27 24	2 8 25	34	27	7 2
3	Other, unclassified, and unknown	36	23	13	66	47	19	9 45	30	15
L)	Mental disorder not reported		_		- 11			(34)	CUIDS	from

MENTAL DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943 Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual for discussion of coverage]

		1			1	-Conti		1					LE ATLAN	
E	RMONT	- "	MASS	ACHUSE	TTS	RHO	DE ISLA	ND	CON	NECTIC	UT	N	EW YORK	
L	M	F	Т	M	F	Т	M	F	Т	М	F	Т	M	F_
	112	117	4,205	2,306	1,899	562	303	259	1,630	895	735	13,117	6,704	6,413
	81	110	3,841	2,059	1,782	495	258	237	1,498	804	694	12,885	6,539	6,346
	2	3	92 15	77 8	15 7	19	16 1	3	63 10	46 8	17 2	752 156	564 96	188 60
	- 2	1	1 14	7	1 7	1		1	3	1 3	2	63 28	41 23	22 5
	7	1 3	331	270	61	34	28	6	219	179	40	840	632	208
	_	_	9	8	5	3	1		5	3 7	2	18 111	92	10
	16	21	771 28	423 16	348 12	155 14	80 5	75 9	229 14	136	93	3,072	1,602 49	1,470 45
	3 4	3	54 708	30 312	$\begin{array}{c} 24 \\ 396 \end{array}$	9 59	7 33	26	21 296	11 128	10 168	197 1,847	105 725	92 1,122
	3	7	189 79	45 34	144 45	14 6	3	11 6	59 16	11	48 10	712 67	• 187 23	525 44
	1	2	11 84	8 37	3 47	2	- 2	2 4	2 25	2 15	10	67 90	38 53	29 37
	3	14 21	187 217	95	92	11	5	6	58	28	30	344	143	201 443
	25	18	673	80 391	137 282	40 79	17 36	23 43	78 322	27 158	51 164	619 3,144	176 1,614	1,530
	1	- 2	61 61 124	28 41	33 20	9 4 5	6 3	3	25	8	17 2 9	68 227	28 141	86 139
1	5	3	118	72 68	52 50	21	13	8	18 19	9	12	284 85	145 54	31
L	31	7	364	247	117	67	45	22	132	91	41	232	165	67
	5	1 2	6 55	5 35	1 20	2 6	1 2	1 4	5 13	1 9	4	7 23	4 16	3 7
	8	2	66	47 1	19	29 1	26	3	46 11	40 8	6	41	30	11
	3	_	4 56	4 41	15	9	5	4	33	22	11	6 24	1 24	5
	1 9	2	23 [153	16 98	7 55	5 15	2 9	3	1 23	10	13	102 29	75 15	27 14
	_	_		_	_		_	_		_	_	_	_	_
(			EA	ST NOR	TH CENT	TRAL-C	ontinue	ed	- 1		i	WEST N	ORTH CE	NTRAL
IN	DIANA	.	I	LLINOIS		М	ICHIGAN	,	w	ISCONSI	N	MI	NNESOTA	
1	1		11											
1	M	F	T	M	F	Т	M	F	T	М	F	т.	M	F
_	M 722	F 610	T 6,380	M 3,614	F 2,766	T 3,081	M 1,721	F 1,360	T 1,178	M 655	F 523	T .	M 983	F 717
	722 702 136	610 597 36	6,380 5,155 500	3,614 2,780 343	2,766 2,375 157	3,081 2,814 234	1,721 1,540 175	1,360 1,274 59	1,178 995 53	655 512 34	523 483	1,700	983	717
	722 702	610 597 36 4	6,380 5,155	3,614 2,780 343 19	2,766 2,375 157 26 1	3,081	1,721 1,540 175 20 4	1,360 1,274 59 7	1,178 995 53 6 1	655 512 34 4	523 483 19 2 1	1,700 1,617 79 4	983 920 60 3	717 697 19 1
	722 702 136 17 2 1 21	597 36 4 1 2	5,155 500 45 1 4 393	3,614 2,780 343 19 2 308	2,766 2,375 157 26 1 2 85	3,081 2,814 234 27 4 7 107	1,721 1,540 175 20 4 2 91	1,360 1,274 59	1,178 995 53 6 1 6 38	655 512 34	523 483 19 2 1 3 4	1,700 1,617 79 4 7	983 920 60	717 697 19 1 1 1 8
	722 702 136 17 2 1 21 3 2	610 597 36 4 1 2 3	5,155 500 45 1 4 393 12 36	3,614 2,780 343 19 - 2 308 4 29	2,766 2,375 157 26 1 2 85 8 7	3,081 2,814 234 27 4 7 107 9	1,721 1,540 175 20 4 2 91 2	1,360 1,274 59 7 	1,178 995 53 6 1 6 38 1	655 512 34 4 - 3 34 - 3	523 483 19 2 1 3 4 1	1,700 1,617 79 4 7 44 2	983 920 60 3 6 36 36	717 697 19 1 1 1 8 2 3
	722 702 136 17 2 1 21 3 2 96	597 36 4 1 2 3	6,380 5,155 500 45 1 4 393 12 26 1,138 23	3,614 2,780 343 19 - 2 308 4 29 667 15	2,766 2,375 157 26 1 2 85 8 7 471	3,081 2,814 234 27 4 7 107 9	1,721 1,540 175 20 4 2 91 1 263 10	1,360 1,274 59 7 -5 16 7 189	1,178 995 53 6 1 6 38 1	655 512 34 4 - 3 34 - 3 110 1	523 483 19 2 1 3 4 1 2 84 1	1,700 1,617 79 4 7 44 2 9 307 17	983 920 60 3 6 36 196 11	717 697 19 1 1 8 2 3
	722 702 136 17 2 1 21 3 2 96 15 8	610 597 36 4 1 2 3 83 3 11	5,155 500 45 1 4 393 12 36 1,138 23 69 594	3,614 2,780 343 19 - 2 308 4 29 667 15	2,766 2,375 157 26 1 2 85 8 7 471	3,081 2,814 234 27 4 7 107 9	1,721 1,540 175 20 4 2 91 1 263 10	1,360 1,274 59 7 -5 16 7 189	1,178 995 53 6 1 6 38 1	655 512 34 4 - 3 34 - 3 110 1	523 483 19 2 1 3 4 1 1 2 84 1 1 10 45	1,700 1,617 79 4 4 2 9 307 17 17 17 297	983 920 60 3 6 36 6 196 111 8 186	717 697 19 1 1 8 2 3
	722 702 136 17 2 1 21 3 2 96 15 8 116 8	610 597 36 4 -1 2 3 83 3 11 87 59	6,380 5,155 500 45 1 4 393 12 36 1,138 23 69 594 216	3,614 2,780 343 19 - 2 308 4 29 667 15	2,766 2,375 157 26 1 2 85 8 7 471	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89	1,721 1,540 175 20 4 2 91 1 263 10	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67	1,178 995 53 6 1 6 38 1	655 512 34 4 - 3 34 - 3 110 1	523 483 19 2 1 1 3 4 1 1 2 84 1 1 10 45 58	1,700 1,617 79 4 7 44 2 9 307 17 17 297 65	983 920 60 3 66 36  6 196 111 8	717 697 19 -1 1 1 8 2 3 111 6 9 111 46 9
	722 702 136 17 2 1 21 3 2 96 15 8 116 8 116 8	610 597 36 4 1 2 3 83 3 11 87 59 18	6,380 5,155 500 45 1 4 393 12 36 1,138 23 69 594 216 83	3,614 2,780 343 19 2 308 4 29 667 15 31 274 33 34	2,766 2,375 157 26 1 1 2 85 8 7 471 1 38 38 320 183 49	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89 44 5	1,721 1,540 175 20 4 2 91 2 13 263 10 19 191 222 264	1,360 1,274 59 7 5 16 7 1 189 14 16 187 67 181	1,178 995 53 6 1 1 6 38 1 5 194 2 26 94 81 10 10 10 10 10 10 10 10 10 1	655 512 34 4 - 3 34 - 3 110 1 16 49 23 21	523 483 19 2 1 3 4 4 1 1 10 45 58 8	1,700 1,617 79 4 7 44 2 9 307 17 17 297 65 10	983 920 60 3 6 36 196 111 118 186 19	717 697 19 -1 1 1 8 2 3 3 111 6 9 9 111 46 9 1
	722 702 136 17 21 3 2 96 15 8 116 8 12 11 13	610 597 36 4 1 2 3 83 3 111 87 59 18 10 15	5,380 5,155 500 45 1 4 393 12 36 1,138 23 69 594 216 83 88 95 248	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 5 47	2,766 2,375 157 26 1 2 855 8 7 471 8 320 183 49 3 48 143	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89 94 44 5 5 5 5 6 156	1,721 1,540 175 20 4 2 91 13 263 10 19 191 22 26 4 32 58	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 18 187	1,178 995 53 6 11 6 38 11 5 194 22 26 94 81 10 11 121	655 512 34 4 - 3 34 - 3 110 16 49 23 2 1 14 10	523 483 19 2 1 1 3 4 1 1 2 84 1 10 45 58 8	1,700 1,617 79 4 7 7 44 2 9 307 17 17 297 65 10 1 1 69	983 920 60 3 6 6 6 196 111 8 186 119 129 14 30	717 697 19 -1 1 1 1 8 8 2 2 3 3 111 6 9 9 111 46 9 9
	722 702 136 17 2 1 21 3 2 96 15 8 116 8 12 2 11 13 42	610 597 36 4 - 1 2 3 3 11 87 59 18 10 15 73	6,380 5,155 500 45 1 1 4 393 12 36 1,138 23 69 594 216 83 8 95 248 234	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 5 47	2,766 2,375 157 26 1 2 85 8 7 471 8 8 38 320 183 49 9 3 48 143 148	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89 94 44 5 5 5 5 6 156	1,721 1,540 175 20 4 2 91 13 263 10 19 191 22 26 4 32 58	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 18 18 98 75 349	1,178 995 53 6 11 6 38 11 5 194 22 26 94 81 10 11 121	655 512 34 4 - 3 34 - 3 110 116 49 23 21 14 10 52 110	523 483 19 2 1 3 4 1 2 84 1 10 45 58 8 7 24 88 95	1,700 1,617 79 44 77 44 2 9 307 17 17 297 65 10 1 7 69 174 357	983 920 60 3 6 36 196 111 8 186 196 19 1 1 4 30 60 60 20 20 20 20 20 20 20 20 20 2	717 697 19 -1 1 1 1 8 8 2 2 3 3 111 6 9 9 111 46 9 9
	722 702 136 17 2 1 21 3 2 96 15 8 116 8 122 11 13 42 24	610 597 36 4 -1 2 3 -83 3 111 87 59 18 -10 15 73 15 73 15 73 15 73 15 73	6,380 5,155 500 45 1 4 393 12 36 1,138 23 69 594 216 83 8 95 248 234 924 924 927	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 5 5 47 105 86 478 378	2,766 2,375 157 26 1 1 2 85 85 7 471 1 8 38 38 32 49 34 49 143 148 446 50	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89 44 5 5 0 156 124 701 61	1,721 1,540 175 20 4 2 91 13 263 10 19 191 22 26 4 32 58	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 18 18 98 75 349	1,178 995 53 6 1 6 6 38 1 5 194 2 26 94 81 10 11 138 205 21 34 138 205 21 34	655 512 34 4 - 3 34 - 3 110 116 49 23 21 14 10 52 110	523 483 19 2 1 3 4 1 1 2 84 1 1 10 5 8 8 7 24 86 95 65 65 65 65 65 65 65 65 65 6	1,700 1,617 79 44 22 9 307 17 17 297 65 10 11 1 7 69 174 357 33	983 920 60 3 6 6 196 111 8 186 19 1 1 4 30 60 207 16	717 697 19 
	722 702 136 17 21 3 2 16 15 8 116 8 116 8 122 11 13 422 142 142 15 18	610 597 36 4 -1 2 3 83 3 11 17 59 18 10 15 73 150 17 15	6,380 5,155 500 45 1 4 393 12 33 69 594 216 83 8 95 248 234 94 95 96 97 16 99	3,614 2,780 343 19 - 2 308 4 29 667 15 31 274 33 34 47 105 86 478 87 9 47	2,766 2,375 157 26 1 2 2 85 85 87 7 471 8 320 320 183 49 143 143 148 446 50 7	3,081 2,814 234 47 107 9 14 452 24 35 378 89 44 45 50 156 124 70 131 61 31	1,721 1,540 175 20 4 2 91 13 263 10 19 191 22 26 4 32 58	1,360 1,274 59 7 -5 16 7 1189 14 166 187 67 18 18 98 75 349 92 22	1,178 995 53 6 1 1 6 38 1 1 2 2 26 94 81 10 1 21 38 11 21 38 14 22 26 16 16 16 16 16 16 16 16 16 1	655 512 34 4 - 3 34 - 3 110 11 16 49 23 2 1 14 10 52 110 8 8 8 8 8	523 483 19 2 11 13 4 11 10 45 588 8 7 7 24 86 86 95 6	1,700 1,617 79 44 77 444 2 9 307 17 17 17 17 17 17 17 17 17 1	983  920  600  3 66  366  111  8 186  196  11 4  300  600  2077  166  8 211	717 697 19 1 1 1 8 2 3 3 111 46 9 1 11 3 3 3 9 111 111 146 15 17 17 18 18 18 18 18 18 18 18 18 18
	722 702 136 17 2 1 21 3 2 96 15 8 116 8 12 2 11 13 42 142 142 24	610 597 36 4 1 2 3 83 3 111 87 59 18 10 15 73 150 17	6,380 5,155 500 45 11 4 393 12 36 1,138 69 594 216 83 8 95 248 95 244 87 16	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 5 5 47 105 86 478 378	2,766 2,375 157 26 1 1 2 85 8 7 471 8 38 38 320 183 49 3 48 143 148 50 7	3,081 2,814 234 27 4 7 107 9 14 452 24 35 378 89 44 5 5 0 156 124 701 61	1,721 1,540 175 20 4 2 91 2 13 263 10 19 191 222 26 4 32	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 188 11 18 98 755 349 22 29	1,178 995 53 6 1 6 6 38 1 5 194 2 26 94 81 10 11 138 205 21 34 138 205 21 34	655 512 34 4 - 3 34 - 3 110 1 16 49 23 22 1 14 10 52 110 52 110 58 88	523 483 19 2 1 3 4 1 1 2 84 1 1 10 5 8 8 7 24 86 95 65 65 65 65 65 65 65 65 65 6	1,700 1,617 79 44 22 9 307 17 17 297 65 10 11 1 7 69 174 357 33	983 920 60 36 66 196 111 8 186 19 1 1 4 30 60 207 16	717 697 19 
	722 702 136 17 2 1 1 3 2 96 15 8 8 12 2 2 1 1 1 3 3 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	610 597 36 4 -1 2 3 -83 3 111 87 59 18 -10 15 73 15 9 13	6,380 5,155 500 45 1 4 393 12 3,12 3,138 23 69 594 216 83 8 95 248 234 924 87 16 99 330 1,225	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 47 105 86 478 87 9 47 207 834	2,766 2,375 157 26 1 1 2 2 85 87 471 8 320 183 49 143 148 446 50 7 52 123 391	3,081 2,814 234 27 47 7107 9 14 452 24 355 50 156 124 701 61 31 11 60 202 267	1,721 1,540 175 20 4 2 91 2 133 263 10 19 191 22 26 4 32 588 4 9 352 39 22 388 108 181	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 18 98 75 349 98 22 94 86	1,178  995  53 6 1 6 6 38 1 5 194 81 100 11 34 138 205 14 9 49 9 7 183	655 512 34 4 - 3 34 - 3 110 649 23 22 11 14 10 52 110 8 8 8 26 4 4 143	523 483 19 2 1 3 4 1 1 2 84 1 1 0 45 58 8 7 24 86 95 6 1 2 3 3 40	1,700 1,617 79 44 77 444 22 99 307 17 17 297 65 10 1 1 7 69 174 357 33 8 39 97 71 78	983  920  60  3 66  36  196  111  8 186  199  1 1  4 30  600  2077  16  8 8  21  42  599	717 697 19 1 1 1 1 8 2 3 3 111 46 9 1 11 1 3 3 9 114 15 15 16 17 17 18 18 18 19 19 19 19 19 19 19 19 19 19
	722 702 136 17 2 1 1 3 2 96 15 8 8 12 2 2 1 1 1 3 3 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	610 597 36 4 -1 2 3 -83 3 111 87 59 18 -10 15 73 15 73 17 11 15 9	6,380 5,155 500 45 1 4 393 12 36 1,138 23 6 1,138 216 83 8 95 248 234 87 16 99 330 1,225 21 62 303	3,614 2,780 343 19 - 2 308 4 29 667 15 31 274 33 344 67 105 86 478 37 9 47 207 834	2,766 2,375 157 26 1 2 85 8 8 38 38 38 39 143 143 143 143 143 143 148 50 7 7 52 123 391	3,081 2,814 234 27 47 7107 9 14 452 24 378 89 44 701 61 311 60 202 267	1,721 1,540 175 20 4 2 91 12 13 163 10 191 22 263 4 32 263 39 352 38 108 181	1,360 1,274 59 7 -55 16 7 1 189 14 16 187 67 188 98 75 349 222 94 86 21 19	1,178 995 53 66 11 66 38 11 5 194 22 26 694 81 11 21 138 205 14 9 49 7 183	655 512 34 4 - 3 34 - 3 110 1 16 49 23 2 1 14 10 8 8 8 26 4 143	523 483 19 2 11 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1	1,700 1,617 79 44 74 44 2 9 307 177 177 65 10 10 7 69 174 357 33 8 8 8 9 71 78 7	983  920  60  36  36  196  111  11  4  30  60  207  16  8  8  8  8  18  19  11  11  11  12  14  25  25  26	717  697  19  1 1 8 8 2 3 111 46 9 111 45 17  18 29 19 6 5 1
	722 702 136 17 2 1 13 3 2 96 15 8 116 8 12 2 11 13 42 142 24 42 5 18 8 20 3 2 1	610 597 36 4 -1 2 3 -83 3 111 87 59 18 -10 15 73 15 9 13	6,380 5,155 500 45 1 4 393 12 36 1,138 23 69 594 216 83 8 95 248 234 924 924 924 15	3,614 2,780 343 19 - 2 308 4 299 667 15 31 274 33 344 7 105 86 478 37 207 834 38 2500 15	2,766 2,375 157 26 1 1 2 85 8 7 471 8 320 183 48 143 446 50 7 52 123 391 84 24 24 24 25 39 4	3,081 2,814 234 27 47 7107 9 14 452 24 378 89 44 701 61 311 60 202 267	1,721 1,540 175 20 4 4 2 91 2 133 263 10 199 191 222 264 32 588 49 3522 38 108 181 69 199 555 8	1,360 1,274 59 7 -5 16 7 1 189 14 16 187 67 188 988 97 222 94 866 22 122 98 81	1,178  995  53 6 1 6 38 1 5 194 2 2 6 81 10 10 134 81 121 34 9 49 49 49 7 183	655 512 34 4 - 3 344 - 3 110 1 16 49 23 2 2 1 14 10 52 110 8 8 8 4 143 - 26 81 5 1	523 483 19 2 11 3 4 11 2 84 1 10 0 45 58 8 7 7 24 86 95 6 1 23 3 40 — 1 111 5	1,700 1,617 79 44 74 44 2 9 307 177 177 65 10 10 7 69 174 357 33 8 8 8 9 71 78 7	983  920  60  36  36  196  111  8  186  19  1  4  30  60  2077  16  8  21  42  59  1  5  26  1	717 697 19 1 1 1 1 8 2 3 3 111 46 9 114 150 17 17 18 29 114 150 17 17 18 29 19 10 10 10 10 10 10 10 10 10 10
	722 702 136 17 2 1 1 3 2 96 15 8 8 12 2 2 1 1 1 3 3 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	610 597 36 4 -1 2 3 -83 3 111 87 59 18 -10 15 73 15 9 13 -1	6,380 5,155 500 45 1 4 393 12 3,12 3,138 1,138 2,138 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,5 2,16 8,138 9,10 1,225 1,16 8,10 1,225 1,16 8,23 1,23 1,23 1,23 1,23 1,23 1,23 1,23 1	3,614 2,780 343 19 -2 308 4 29 667 15 31 274 33 34 47 105 86 478 207 834 13 38 250 15 11	2,766 2,375 157 26 1 2 85 8 8 38 38 38 39 143 143 143 143 143 143 143 143	3,081  2,814  277  477 1077 9 144 452 244 355 378 89 444 701 611 61 31 60 202 267  88 31	1,721 1,540 175 20 4 2 91 12 13 163 10 191 22 263 4 32 263 39 352 38 108 181	1,360 1,274 59 7 -55 16 7 1 189 14 16 187 67 188 98 75 349 222 94 86 21 19	1,178 995 53 66 11 66 38 11 5 194 22 26 694 81 11 21 138 205 14 9 49 7 183	655  512  34  4  - 3 34  - 3 110 11 16 49 23 2 1 14 10 52 110 8 8 8 6 4 143	523 483 19 2 11 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1	1,700 1,617 79 44 77 444 22 99 307 17 17 297 65 10 1 1 7 69 174 357 33 8 39 97 71 78	983  920  60  36  36  196  111  11  4  30  60  207  16  8  8  8  8  18  19  11  11  11  12  14  25  25  26	717  697  19  1 1 1 8 8 2 3 111 46 9 111 45 17  18 29 19 6 5 1 1 1 2

TABLE 32.—ALL READMISSIONS TO STATE HOSPITALS FOR MENTAL

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in basis. See Appendix A

=				EAST S	SOUTH C	ENTRAL	—Conti			dix A
	MENTAL DISORDER		ENNESSI			ALABAM		1	SSISSIP	PI
		Т	м	F	т	м	F	Т	М	F
1	Total readmissions	341	173	168	424	150	274	386	236	150
2	With psychosis	326	160	166	311	104	207	281	156	125
3		13	10	3	3	3		18	17	1
4 5	General paresis.  With other forms of syphilis of the C. N. S  With epidemic encephalitis	-1	1	=	3	1		2	1	i
6	With other infectious diseases	4	3	1	. 3	3	_	10	10	=
8	Due to drugs and other exogenous poisons	3	2	î	3	1		4	3	1
10 11	With cerebral arteriosclerosis With other disturbances of circulation	10	4	6	3	2	1	14	8	6
12 13	With convulsive disorders	11 20	6 11	5 9	14	6	8	12 9	11 6	1
14	Involutional psychoses	4	_	4	7	_	7	2 5	$\frac{0}{1}$	1 3 2 4
15 16	Due to other metabolic, etc., diseases	_	_	_	1	_	1	-	-	
17 18	With organic changes of the nervous system Psychoneuroses	7	3.	4	19	9	10	9	1	3 8 37 48 2
19 20	Manic-depressive	82 132	39 59	43 73	146 77	33 31	113 46	64 102	27 54	37 48
21 22	Paranoia and paranoid conditions	$\frac{6}{2}$	1	1	$\begin{bmatrix} 5\\2 \end{bmatrix}$	2 2 7	3	$\begin{bmatrix} 2\\2 \end{bmatrix}$	2	-
23 24	With mental deficiency Other, undiagnosed, and unknown	20 11	13	7 5	19 2	2	12	17 4	11 3	6
25	Without psychosis	15	13	2	24	12	12	105	80	25
26 27	Epilepsy	2 5	2 5	=	8	5	3	1 7	1 4	3
28 29	Alcoholism Drug addiction	2	5 2	=	6	3	5	47 19	39 16	8 3
30 31	Personality disorders due to epidemic encephalitis_ Psychopathic personality	1 2		1	-4	3	-1	11	1 9	3 8 3 -
32 33	Primary behavior disordersOther, unclassified, and unknown	3	2	-	1	=	1	19	10	9
34	Mental disorder not reported.			_	89	34	55	-	-	
- 1										
						N—Con				
	MENTAL DISORDER	v	YOMING			OLORADO		NEV	V MEXI	со
		Т	М	F	T	M	F	т	М	F
1	Total readmissions	T 17	M 9	F 8	T 102	M 60	F 42	1	1 1	
2	Total readmissions With psychosis	Т	М	F	T 102 83	M 60 46	F	т	M 4	F
2 3 4	Total readmissions  With psychosis  General paresis	T 17 13	M 9	F 8	T 102 83 3	M 60 46 3	F 42 37	т	M 4	F
2 3 4 5 6	Total readmissions With psychosis	T 17 13	9 6	F 8	T 102 83 3 2 2	M 60 46 3 1	F 42 37	т	M 4	F
2 3 4 5	Total readmissions  With psychosis  General paresis  With other forms of syphilis of the C. N. S  With other infectious diseases  Alcoholic	T 17	M 9	F 8	T 102 83 3 2 2 4	M 60 46 3 1 1 4	F 42 37	т	M 4	F
2 3 4 5 6 7	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With epidemic encephalitis  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.	T 17 13	9 6	F 8	T 102 83 3 2 2 4	M 60 46 3 1	F 42	т	М	F
2 3 4 5 6 7 8 9 10	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With other infectious diseases  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation	T 17 13 1 1 1 1	9 6 	F 8 7	T 102 83 3 2 4 2 7 7 -	0LORADO  M 60 46 3 1 - 4 - 2 2	F 42 37	8	M 4	F
2 3 4 5 6 7 8 9 10 11 12 13	Total readmissions  With psychosis  General paresis  With other forms of syphilis of the C. N. S.  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation  With oonvulsive disorders  Senile	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 -	M 60 46 3 1 4 4 2	F 42 37	8	M 4	# 4
2 3 4 5 6 7 8 9 10 11 12 13 14 15	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With opidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 -2 -4 -2 7 7 7 1 1	M 60 46 3 1 4 2 2 4 7	F 42 37	8	M 4	# 4
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With other infectious diseases Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With convulsive disorders.  Senile  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 2 4 4 2 7 7 7 1 1 —	M 60 46 3 1 4 2 2 2 4 7 7	F 42 37	8	M 4	# 4
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	Total readmissions  With psychosis.  General paresis. With other forms of syphilis of the C. N. S. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With onvulsive disorders. Senile Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses.  Manic-depressive.	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 1 1 - 1 3 9	M 60 46 3 1 - 4 - 2 2 - 4 7 7 2 5 5	F 42 37 1 5 3 1	8	M 4	# 4
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With other infectious diseases Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions.	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 2 4 4 2 7 7 7 1 1 —	M 60 46 3 1 4 2 2 2 4 7 7	F 42 37	8	M 4	# 4
3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22 23	Total readmissions  With psychosis.  General paresis  With other forms of syphilis of the C. N. S.  With other forms of syphilis of the C. N. S.  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons.  Traumatic  With cerebral arteriosclerosis.  With cerebral arteriosclerosis.  With convulsive disorders.  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth.  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.	T 17 13 1 1 2 5 4 1	M 9 6	F 8 7	T 102 83 3 2 4 4 2 7 7 7 7 1 1 3 9 36	M 60 46 3 1 - 4 - 2 2 - 4 7 2 5 16	F 42 37	8	M 4	# 4
2 3 44 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Total readmissions  With psychosis.  General paresis.  With other forms of syphilis of the C. N. S.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With ornulsive disorders.  Senile  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions.  With psychopathic personality	T 17 13 1 1 1 1	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 1 1 1 3 9 36 1 1	M 60 46 3 1 - 4 - 2 2 - 4 7 2 5 16	F 42 37	8	M 4	# 4
3 4 4 5 6 7 8 9 10 111 122 13 14 15 16 17 18 19 20 22 23 24 25 26	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality  With mental deficiency.  Other, undiagnosed, and unknown  Without psychosis.	T 17 13 1 1 2 5 4 4	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 1 1 3 9 36 2 1 1 19 1	M 60 46 3 1 1 4 2 2 2 4 7 7 2 5 5 16 14 1	F 42 37	8	M 4	# 4
3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 12 22 32 24 25 26 27 28	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.  Other, undiagnosed, and unknown  Without psychosis.  Epilepsy.  Mental deficiency.   T 17 13 1 2 5 4 4 1	M 9 6	F 8 7	T 102 83 3 2 2 4 4 2 7 7 7 7 1 1 3 9 36 6 - 1 1 19	M 60 46 3 1 - 4 - 2 2 - 4 7 7 2 5 16 14	F 42 37	8	M 4	# 4	
2 3 4 5 6 6 7 8 9 10 11 112 13 14 14 15 16 17 18 19 20 21 21 22 22 23 24 25 26 27 28 29 30	Total readmissions  With psychosis.  General paresis. With other forms of syphilis of the C. N. S. With other forms of syphilis of the C. N. S. With other infectious diseases Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses. Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality. With mental deficiency. Other, undiagnosed, and unknown Without psychosis.  Epilepsy. Mental deficiency. Alcoholism. Drug addiction. Personality disorders due to epidemic encephalitis.	T 17 13 1 2 5 4 4 1	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 7 1 1 1 3 9 36 1 1 19 1 7 9 1 1 7 9 1 1 7 9 1 1 7 9 1 1 1 1	M 60 46 3 1 1 4 2 2 2 4 7 7 - 2 5 5 16 - 14 8 8 - 1	F 42 37	8	M 4	# 4
2 3 4 5 6 6 7 8 9 10 11 12 13 13 14 15 16 17 18 19 20 21 22 23 24 25 27 28 29 30 30 30 30 30 30 30 30 30 30 30 30 30	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With other infectious diseases Alcoholic.  Due to drugs and other exogenous poisons.  Traumatie.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.  Other, undiagnosed, and unknown.  Without psychosis.  Epilepsy.  Mental deficiency.  Alcoholism.  Drug addiction.  Personality disorders due to epidemic encephalitis.  Psychopathic personality.  Primary behavior disorders.	T 17 13 1 1 5 4 4 1 3	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 1 1 3 9 36	M 60 46 3 1 1 - 4 2 2 2 4 7 7 2 5 16 14 1 4 4	F 42 37	8	M 4	# 4
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Total readmissions  With psychosis  General paresis.  With other forms of syphilis of the C. N. S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.  Other, undiagnosed, and unknown  Without psychosis.  Epilepsy.  Mental deficiency.   T 17 13 1 2 5 4 4 1	M 9 6	F 8 7	T 102 83 3 2 4 2 7 7 7 7 1 1 1 3 9 36 1 1 19 1 7 9 1 1 7 9 1 1 7 9 1 1 7 9 1 1 1 1	M 60 46 3 1 1 4 2 2 2 4 7 7 - 2 5 5 16 - 14 8 8 - 1	F 42 37	8	M 4	F	

DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943—Con.

Massachusetts. New York, and Maryland represent figures for a nine-month period adjusted to an annual

Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual for discussion of coverage]

				WEST	SOUTI	I CENT	RAL							MOUN	TAIN			
AF	KANSA	s	LO	UISIAN	A	OK	LAHOM	[A		TEXAS		М	ONTAN	A		IDAHO		
Т	М	F	Т	M	F	Т	M	F	Т	M	F	Т	М	F	Т	М	F	
365	217	148	236	114	122	438	241	197	770	352	418	196	103	93	35	18	17	1
254	126	128	227	106	121	421	226	195	528	237	291	-	_	_	31	15	16	2
6 6 2 6 1 1 20 10 111 5 5 6 9 4 1 17 8 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 7 6 2 —	2 2 2 — — — — — — — — — — — — — — — — —	31 22 11 12 12 5 5 11 22 33 53 55 11 3 114 9 9	2 1 2 2 1 1 1 7 7 3 3	1 1 5 5 2 1, 2 2 9 3 3 61 1 1 1	18 7 11 3 10 11 2 14 10 7 7 4 4 10 14 15 9 13 8 8 22 2 2 17 7 6 6 3 4 4 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	144 7 1 10 10 10 10 10 10 10 10 10 10 10 10 1	1 1 2 1 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4	244 100 33 22 22 2 2 18	211 8 2 2 2 2 9 — 1 1 7 7 2 2 2 9 9 4 4 3 3 1 — 7 7 7 5 5 2 5 5 5 5 8 4	3 2 1	196			1 1 1 2 2 2 1 1 1 1 2 2 2 7 7 7 8 8 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 1 1 1 2 1	1 1 1 2 3 1 1 1 2 3 3 1 1 2 2	1 1 1 2 2 5 5 5 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 1 — — 1 — 1 — — 1 — 1 — — 1	3 4 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 1 32 2 33 3 3 4

		M	DUNTA	n—Co	ntinue	$\mathbf{d}$						F	ACIFIC					
	RIZON	1		UTAH		. 1	NEVADA		WAS	SHINGT	ON		REGO	1	CA	LIFORN	TA	
Т	M	F	Т	M	F	Т	M	F	Т	М	F	Т	М	F	Т	М	F	
74	42	32	90	45	45	2	2	_	329	151	178	213	118	95	1,451	718	733	1
54	31	23	84	40	44	_	_	_	324	147	177	197	106	91	1,210	541	669	2
77 11	1 2 - 1 3 177 - 1 11 3 - 2 1	3 1 1 3 3 7 6 6 9 9 3 2 2 2 2 1 1 1 1	2 1 1 5 5 1 1 4 4 2 2 2 6 6 3 4 1 1 1 6 6 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 5 3 3 5 5	1 1 2 18 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				5 2 2 2 8 8 11 24 11 77 8 8 8 9 1122 110 9 9 1111 1 5 5 -	3 6 6 11 9 11 4 4 4 11 1 1 1 1 1 1 1 2 2 400 62 5 5 3 3 4 4 4	2 2 2 15 15 15 9600 60 67 7 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 1 1 1 1 1 1 1 1 5 2 2 1 1 1 1 6 5 5 2 2 1 1 1 1 6 5 2 2 1 1 1 1 6 5 2 2 1 1 1 1 6 5 2 2 1 1 1 5 5 1 1 1 1 6 5 1 1 1 1 1 1 1 1 1	7 1 1 1 1 1 1 1 1 2 2 2 6 4 4 2 2 1 1 1 1 2 2 2 1 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1	2   1   1   1   3   3   5   5   5   5   12   2   36   6   21   1   1   1   4   4     1	48 66 22 1000 22 5 68 11 377 25 5 211 11 172 21 16 11 122 16 68 11 122 16 68 11 122 16 68 11 122 16 68 11 11 172 11 11 11 11 11 11 11 11 11 11 11 11 11	31 5 12 270 11 3 3 277 16 100 4 4 5 5 103 209 9 4 277 127 7 7 177 129 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 11 11 30 11 2 41 11 15 17 23 31 32 27 23 33 64 15 43 7 11 15 43 7	3 4 4 5 6 7 8 9 10 111 112 13 144 15 16 177 18 19 20 12 22 23 24 25 27 28 29 30 13 22 33 34 32 33 34

## TABLE 33.—ALL FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE AND SEX, BY STATES: 1943

	UN	HTED ST	ATES				NE	W ENGL	AND				
AGE					MAINE		NE	W HAMP	SHIRE		VERMO	NT	
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
All ages	82,650	45,829	36,821	439	228	211	523	269	254	229	112	117	
Under 15 years	5,777 6,143 6,969 7,210 6,810 5,931 5,753 5,343	2,369 3,393 3,336 3,742 4,082 3,800 3,084 2,983 3,082	291 1,452 2,384 2,807 3,227 3,128 3,010 2,847 2,770 2,261	5 30 39 38 46 40 24 24 32 25	2 16 25 18 20 26 13 10 13 8	3 14 14 20 26 14 11 14 19	2 30 15 43 41 46 51 23 45 27	2 23 10 18 15 29 29 13 24 14	7 5 25 26 17 22 10 21 13	1 10 21 26 17 18 19 8 18 15		1 2 9 16 6 11 8 3 9	
60 to 64 years 65 to 69 years 70 and over Not reported	5,481	8,146	2,162 2,353 7,118 1,011	24 32 79 1	14 16 47	10 16 32 1	35 32 133	6 17 69	29 15 64	21 15 40	9 6 16	12 9 24	
			1	NEW ENG	GLAND-	Continue	d			MID	DLE ATI	ANTIC	
AGE	MA	SSACHUS	BETTS	RI	HODE ISI	LAND	C	ONNECT	CUT '	NEW YORK			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
All ages	4,205	2,306	1,899	562	303	259	1,630	895	735	13,117	6,704	6,413	
Under 15 years	30	21	9	8	3	5	4	3	1	175	113	62	

			1	NEW EN	LAND	Continue	u			MID	DLE ATL	ANTIC
AGE	МА	SSACHUS	SETTS	R	HODE ISI	LAND	C	ONNECT	CUT '		NEW YO	RK
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	4,205	2,306	1,899	562	303	259	1,630	895	735	13,117	6,704	6,413
Under 15 years 15 to 19 years 20 to 24 years	162 311	21 99 205	9 63 106	8 14 34	3 7 19	5 7 15	4 47 79	3 21 47	1 26 32	175 512 786	113 295 448	62 217 338
25 to 29 years 30 to 34 years 35 to 39 years	299 294 273	186 180 164	113 114 109	28 31 45	11 16 26	17 15 19	121 151 132	71 75 81	50 76 51	858 956 1,001	412 483 516	446 473 485
40 to 44 years	289 281	149	140 134	39	23 17 21	16 14 13	129 127	81 71 68	48 56 51	947 961 942	484 477 485	463 484 457
50 to 54 years 55 to 59 years 60 to 64 years 65 to 69 years	281 263 247 316	149 142 142 145	132 121 105 171	34 40 36 58	25 25 23 28	15 13 30	119 119 87 116	73 47 64	46 40 52	854 928 1,019	481 495 551	373 433 468
70 and over Not reported	1,159	577	582	164	84	80	399	193	206	3,156 22	1,449	1,707

		MIDD	LE ATLANT	гіс—Со	ntinued			r	AST NORT	H CENT	RAL	
AGE	N	EW JER	SEY	PE	NNSYLV	ANIA		оню			INDIAN	Α.
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	2,218	1,106	1,112	5,445	2,949	2,496	3,449	1,828	1,621	1,332	722	610
Under 15 years	22	12	10	70	43	27	8	6	2	11	4	7
15 to 19 years	89	55	34	246	150	96	131	78	53	41	24	17
20 to 24 years	178	86	92	432	260	172	239	123	116	78	40	38
25 to 29 years	175	74	101	425	240	185	253	142	111	89	42	47
30 to 34 years	201	95	106	457	257	200	343	160	183	104	50	54
35 to 39 years	193	97	96	428	240	188	352	189	163	119	76	43
40 to 44 years	205	109	96	438	243	195	334	183	151	128	68	60
45 to 49 years	141	61	80	391	205	186	312	159	153	103	44	59
50 to 54 years	178	94	84	427	202	225	280	136	144	94	47	47
55 to 59 years	159	82	77	368	203	165	281	146	135	105	57	48
60 to 64 years	139	82	57	368	209	159	248	128	120	80	46	34
65 to 69 years	142	76	66	402	223	179	228	121	107	92	51	41
70 and over	396	183	213	951	456	495	433	255	178	285	170	115
Not reported	-	-	_	42	18	24	7	2	5	3	3	



TABLE 33.—ALL FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE AND SEX, BY STATES: 1943—Con.

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

			EAST	NORTH	CENTRA	L-Conti	nued			WEST	NORTH (	CENTRAL
AGE		ILLINO	is		MICHIGA	AN		WISCON	SIN	,	MINNESC	)TA
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	6,380	3,614	2,766	3,081	1,721	1,360	1,178	655	523	1,700	983	717
Under 15 years	14	11	3	16	6	10	7	3	4	6	4	2
15 to 19 years	204	119	85	135	81	54	50	34	16	57	37	20
20 to 24 years	332	175	157	173	103	70	70	38	32	87	56	31
25 to 29 years	393	212	181	232	115	117	114	54	60	107	56	51
30 to 34 years	510	267	243	275	140	135	116	56	60	117	69	48
35 to 39 years	614	347	267	276	157	119	109	64	45.	109	- 61	48
40 to 44 years	528	315	213	255	143	112	128	74	54	128	58	70
45 to 49 years	554	294	260	249	129	120	107	57	50	96	45	51
50 to 54 years	477	242	235	208	111	97	96	54	42	156	80	76
55 to 59 years	497	309	188	201	130	71	83	51	32	133	73	60
60 to 64 years	448	270	178	202	125	77	68	38	30	114	62	52
35 to 69 years	477	311	166	187	109	78	66	33	33	124	75	49
70 and over	1,329	740	589	665	367	298	155	95	60	456	300	150
Not reported	3	2	1	7	5	2	9	4	5	10	7	

					WEST N	ORTH CEN	TRAL-	Continu	ed			
AGE		IOWA			MISSOU	RI	No	RTH DAI	ATO	801	UTH DAR	TOTA .
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	1,098	589	509	1,443	781	662	318	176	142	269	154	115
Under 15 years	60 64	15 30 35 30 51 52	16 30 29 34 45 48	6 56 79 101 119 109 131	5 30 47 54 54 76 68	1 26 32 47 65 33 63	6 22 27 34 46 28	12 12 12 17 29 15	2 10 15 17 17 17	13 15 24 17 20 21	5 5 16 9 12 14	
45 to 49 years 50 to 54 years 55 to 59 years 60 to 64 years 65 to 69 years 70 and over Not reported	73 82 63 75 82 307	39 38 30 35 46 187	34 44 33 40 36 120	109 93 101 112 106 315 6	43 58 50 62 58 173 3	66 35 51 50 48 142	42 32 25 17 13 26	23 12 15 12 7 18	19 20 10 5 6 8	18 24 14 21 16 66	9 13 12 10 8 41	9 11 2 11 8 25

		WEST N	ORTH CEN	TRAL—(	Continu	ed			SOUTH A	TLANTI	c	
AGE		NEBRAS	KA		KANSA	s		DELAWA	RE		MARYLA	ND
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	557	375	182	756	416	340	225	126	99	1,167	677	490
Under 15 years	43 47	2 7 14 26 26 49 35	8 17 17 21 14 19	1 31 40 46 49 59 53	22 22 21 26 33 30	1 9 18 25 23 26 23	1 11 16 17 23 12 21		1 7 8 7 9 6 10	1 84 86 102 97 123 93	1 56 54 52 60 74 63	28 32 50 37 49 30
45 to 49 years 50 to 54 years 55 to 59 years 65 to 69 years 70 and over Not reported	37 53 41 43 36 91	27 33 28 31 25 71	10 20 13 12 11 20	50 39 64 62 81 181	20 15 37 31 42 117	30 24 27 31 39 64	29 11 15 16 11 42	21 5 7 9 7 24	8 6 8 7 4 18	77 82 63 69 64 222 4	49 42 32 47 37 110	28 40 31 22 27 112 4

r

## TABLE 33.—ALL FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE AND SEX, BY STATES: 1943—Con.

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

					SOUT	H ATLANT	rc—Cor	ntinued				
AGE	DISTR	CT OF C	OLUMBIA		VIRGIN	IA	wı	EST VIR	GINIA	NOI	RTH CAR	OLINA
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	2,150	1,649	501	1,981	1,160	821	1,077	601	476	1,604	925	679
Under 15 years	9	6	3	29	19	10	25	12	13	46	28	18
15 to 19 years	360	348	12	109	61	48	63	39	24	145	79	66
20 to 24 years	512	451	61	162	89	73	82	39	43	144	81	63 55
25 to 29 years	290	246	44	142	86	56	96	59	37	140	85	58
30 to 34 years	230	167	63	211	129	82	134	66	68	178	105	7
35 to 39 years	150	106	44	171	105	66	115	70	45	174	107	6
10 to 44 years	121	85	36	160	105	55	117	63	54	167	95	72
15 to 49 years	76	50	26	88	45	43	84 75	41	43	110	53	5
50 to 54 years	74	35	39	124	75	49		40	35	106	46	60
55 to 59 years	55	31	24	81	52	29	64	44	20	79	47	3
30 to 64 years	51	29	22	83	49	34	59	34	25	84	50	34
35 to 69 years	58	34	24	118	75	43	55	27	28	82	53	29
0 and over	161	58	103	255	138	117	105	65	40	120	80	4
Not reported	3	3	-	248	132	116	3	2	1	29	16	1

			80	OUTH AT	LANTIC-	-Continu	ed			EAST	SOUTH (	CENTRAL
AGE	sot	TH CAR	OLINA		GEORG	IA.		FLORII	)A		KENTUC	KY
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	946	533	413	1,128	611	517	806	446	360	1,303	742	561
Under 15 years	25	12	13	_		_	10	3	7	20	18	2
15 to 19 years	78	42	36	93	62	31	48	29	19	59	30	29
20 to 24 years	128	69	59	54	3	51	66	38	28	86	43	43
25 to 29 years		69	61	113	107	6	72	38	34	82	39	43
30 to 34 years	92	54	38	152	45	107	81	43	38	104	63	41
35 to 39 years	102	53	49	147	82	65	70	33	37	110	52	58
40 to 44 years	67	36	31	109	37	72	73	40	33	119	72	47
45 to 49 years	73	37	36	82	62	20	54	23	31	90	45	45
50 to 54 years	54	33	21	92	37	55	66	31	35	80	48	32
55 to 59 years	51	34	17	71	55	16	48	30	18	82	39	43
60 to 64 years	45	31	14	25	1	24	55	31	24	76	48	28
65 to 69 years	54	39	15	106	79	27	45	26	19	96	58	38
70 and over	44	24	20	84	41	43	118	81	37	277	172	105
Not reported	3	-	3	-	_	_	-	-	_	22	15	7

			EAST	SOUTH	CENTRA	L-Contin	nued			WEST	SOUTH (	ENTRAL
AGE	,	TENNESS	SEE		ALABAN	<b>I</b> A	1	MISSISSI	PPI		ARKANS	AS
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages_*_	1,158	613	545	1,052	475	577	1,340	739	601	1,331	813	518
Under 15 years	6	3	3	1	_	1	20	11	9	41	22	19
15 to 19 years	55	33	22	47	21	26	69	34	35	86	63	23
20 to 24 years	90	56	34	60	25	35	122	69	53	116	70	46
25 to 29 years	93	44	49	84	34	50	118	57	61	107	51	56
30 to 34 years	92	50	42	62	28	34	135	66	69	110	69	41
35 to 39 years	130	57	73	79	34	45	160	79	81	130	79	51
40 to 44 years	97	46	51	61	24	37	129	67	62	126	77	49
45 to 49 years	75	36	39	53	16	37	81	46	35	109	69	40
50 to 54 years	70	25	45	-	-	_	100	57	43	91	- 46	45
55 to 59 years	58	33	25	91	32	59	76	47	29	68	52	16
60 to 64 years	66	41	25	-	-	_	69	43	26	85	54	31
65 to 69 years	99	63	36	66	28	38	74		27	70	39	31
70 and over	226	126	100	65	31	34	168	103	65	190	120	70
Not reported	1	-	1	383	202	181	19	13	6	2	2	_

TABLE 33.—ALL FIRST ADMISSIONS TO STATE HOSPITALS FOR MENTAL DISEASE, BY AGE AND SEX, BY STATES: 1943—Con.

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

			WEST	SOUTH (	CENTRAI	-Contin	ued			M	IOUNTAI	IN
AGE		LOUISIA	.NA		OKLAHO	ма		TEXAS		м	ONTANA	
,	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All ages	1,000	545	455	1,412	793	619	2,425	1,329	1,096	260	156	104
Under 15 years	14	8	6	11	3	8	6	5	1	_	_	_
15 to 19 years	79	42	37	104	49	55	94	58	36	-	_	_
20 to 24 years	81	46	35	120	75	45	166	98	68	-	_	-
25 to 29 years	80	33	47	95	59	36	173	85	88	_	_	-
30 to 34 years	103	52	51	113	63	50	156	88	68		-	-
35 to 39 years	111	52	59	116	63	53	197	118	79	-	-	-
10 to 44 years	97	50	47	104	55	49	168	96	72	-	-	-
15 to 49 years	79	48	31	103	46	57	136	62	74	_	-	_
00 to 54 years	80	45	35	96	51	45	125	65	60	-	-	_
5 to 59 years	61	26	35	82	47	35	123	64	59	-	-	-
0 to 64 years	58	42	16	93	58	35	129	79	50	_	-	-
5 to 69 years	54	33	21	109	68	41	100	55	45	-	-	-
0 and over	90	59	31	258	154	104	294	163	131	-	_	-
Not reported	13	9	4	8	2	6	558	293	265	260	156	10

						MO	UNTAI	n—Co	ntinue	d					
AGE		IDAHO		w	YOMIN	G	co	DLORAL	00	NE	w MEX	ico	A	RIZONA	
	Т	М	F	Т	M	F	Т	М	F	Т	М	F	Т	М	F
All ages	224	122	102	102	62	40	405	247	158	179	114	65	369	236	133
Under 15 years	_	_	_	_	_	_	2	_	2 3	_	_	_	12	9	3
15 to 19 years	17	-	4	6	1	2	19	16	3	-	-	-	18	8-	10
20 to 24 years	17	7	10	2	1	1	22	16	6	_	-	-	32	21	11
25 to 29 years	19	10	9 5	4	2 5 7	2	14	9	5	-	-	-	37	24	13
30 to 34 years	9	4	5	9	5	4	23	16	7	-	-	-	36	22	14
35 to 39 years	12	6 9	6	10		3	28	15	13	_	-	-	42	29	13
40 to 44 years	16	9	7	8	4	4	30	17	13	-	-	-	32	23	9
45 to 49 years	15	8	7	12	7	5	23	15	8	-	_	_	39	21	18
50 to 54 years	15	9 8 6	6	6	3	3	22	15	7	-	-		23	14	9
55 to 59 years	16	8	8	5	3	2	25	16	9	-	_	_	15	9	6
60 to 64 years	16		10	5	4	3	29	17	12	-	_	_	23	18	5
65 to 69 years	20	11	9	7	4	3	31	21	10	-	_	_	25	18	.7
70 and over	56	36	-20	26	17	9	136	74	62			-	35	20	15
Not reported	9	8	1	2	1	1	1	-	1	179	114	65	-	-	

		MOUN	TAIN-	-Conti	nued					1	PACIFIC				
AGE		UTAH			EVAD!		WA	SHING	ron		REGOR	ī	CA	LIFORN	TIA
	Т	M	F	Т	М	F	Т	М	F	Т	М	F	Т	M	F
All ages	320	179	141	106	80	26	1,520	884	636	924	539	385	6,207	3,547	2,660
Under 15 years	_	_		_	_		4	1	3	6	4	2	49	30	19
15 to 19 years	15	8	7	-	-	_	51	28	23	30	19	11	184	106	78
20 to 24 years	33	19	14	-	-	_	84	47	37	40	21	19	335	170	165
25 to 29 years	25	15	10	-	_	-	113	64	49	58	26	32	433	207	226
30 to 34 years	34	21	13	-	-	_	126	66	60	67	38	29	603	352	251
35 to 39 years	34	20	14	-	-	-	103	57	46	71	43	28	665	405	260
40 to 44 years	22	10	12	-	_	-	120	76	44	75	52	23	649	390	259
45 to 49 years	18	9	9	_	_	_	70	34	36	57	26	31	561	320	241
50 to 54 years	21	8	13	-	-	-	102	56	46	74	33	41	454	260	194
55 to 59 years	22	13	9	-	-	_	108	69	39	71	43	28	435	275	160
60 to 64 years	19	13	6	-	-	_	85	45	40	55	30	25	355	207	148
65 to 69 years	20	10	10	-	-	-	104	63	41	65	42	23	308	179	129
70 and over	47	27	20	-	-	_	447	277	170	235	149	86	777	389	388
Not reported	10	6	4	106	80	26	3	1	2	20	13	7	399	257	142

TABLE 34.—ALL PATIENTS DISCHARGED FROM STATE HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE, MENTAL

Statistics based on reports from 186 homitals and est	and est	DISC	DISORDER, AN	• =	SEX,	FOR for host	THE	UNITED	• 5	STATES:		1943  and Marriand removement former for a nine-month period edinated	nd repr	ment fo	ores for		month	neriod se	imeted
			\$	2	basis.	See Ap	endix /	for dis	See Appendix A for discussion of coverage	f cover									
	TOTAI	L DISCHARGED	RGED		PATI	BNTS WI	TH PBTC	HOSIS O	N ADMISS	ION, BY	CONDIT	PATIENTS WITH PSTCHOSIS ON ADMISSION, BY CONDITION ON DISCHARGE	18СНАВ(			PATIE P83	PATIENTS WITHOUT PSICHOSIS ON ADMISSION	HOUT	Condition
MBNTAL DIBORDER	1776	Mele	Tomo I	RE	RECOVERED		76	LAPROVED.		UNI	UNIMPROVED		UNC	UNCLABBITIED			17.		discharge not
	100		-	Total	Male F	Female	Total	Male F	Female	Total	Male F	Female 7	Total	Male Female		1 002	Mane	remane	reported
Total patients	67,377	37,730	29,647	17,100	9,027	8,073	32,237	16,775	15,462	5,350	3,072	2,278	878	545	333	10,271	7,489	2,782	1,541
With psychosis	55,565	29,419	26,146	17,100	9,027	8,073	32,237	16,775	15,462	5,350	3,072	2,278	878	545	333	T	I	I	
General paresis With other forms of syphilis of the C.N.S.	3,126	2,192	2002	887	888	<b>3</b> 4.	2,368	1,636	25.5	25.50	37	6.93	ន្ត្រន្ទ	40.	∞ m •	П	11	11	
With other infectious diseases.  Mith other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons.	4.662 334 4.862	3,892 150	\$ 4 0 Z	28 5.61 8 2 5.62	28 88 88 8 88 88	*****	28 <u>7</u> 23	3882	24. 18 K	<u> </u>	4 5 °	<u> </u>	<u>ब किल्</u>	-13-	-12-	Ш		1111	1111
Traumatio.  With cerebral arteriosciences.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to the metabolic, etc., diseases.	2,5808 2,114 2,123 2,808 2,508	1,695 1,695 1,02 1,02 1,03 1,03 1,03 1,03 1,03 1,03 1,03 1,03	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	460 164 164 1,059	7 <b>4</b> 894455	418 88 88 88 88 88 88 88 88 88 88 88 88 8	2 20 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1,192 62 513 364 101	1,028 76 427 421 1,211 183	803.00.00 803.00.00 803.00.00	<b>8</b> 4 28 8 2 2 2 2 2	221222 2212222	420222	85-25 o	-วิน๛พลีน		1111111	111111	· [ ] [ ] [ ] [ ] [ ]
With organic changes of the nervous system.  Paychoneuroses.  Manic-depressive.  Demontis practox (sobisophrenia).  Payanois and paranoid conditions.  With paychonathic personality.			1,888 6,618 7,668 493	3,56012 1,652 1,654 1,65	17 2,115 1,858 82 82	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	22. 1.7.1. 1.590 1.4.4. 1.590 1.4.4.	6.218 8.218 8.218 8.218	103 2,809 5,372 339	2 2 4 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	102 103 1270 73	18.25° 2.	1125 214 277 277	<b>- 48</b> 445	88200	1 1111		1 1111	
With mertal deficiency Other, undiagnosed, and unknown Without psychosis	1,809 1,501 10,271	1,011 946 7,489	798 555 2,782	### T	48 I	1 588	200 800 1	281 1 487	317		138	285	888	82	1 83-7	10,271	7,489	1 287.4	11 1
Epilepay Mental deficiency Mental deficiency Alcoholum Drug addiction Personality disorders due to epidemic encephalitis Prychopskhip operonality Prychopskhip operonality Prychopskhip operonality Okber, unclassified, and unknown	338 4420 539 539 346 2,507	3,667 3,667 306 31 719 2115 1,637	4224525 42255 42255 4225 4225 4225 4225	1111111	11111111	11111111	11111111	<del>                                     </del>		11111111	11111111	1111111	1111111	11111111	1111111	338 539 539 539 559 559 559 559 559 559 559	214 700 3,667 306 719 719 1,637	4448444	
Mental disorder not reported		822	719	╗	<del>-</del>	-	7	-	7	╗	$\neg$	$\neg$	〒	7	T	T	1	-	1,541



TABLE 35.—ALL PATIENTS DISCHARGED FROM VETERANS' HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE AND MENTAL DISORDER, FOR THE UNITED STATES: 1943

[Statistics based on reports from 31 hospitals. See Appendix A for discussion of coverage]

	Total		TS WITH P			Patients without	Condition on
MENTAL DISORDER	charged	Re- covered	Im- proved	Unim- proved	Unclas- sified	psychosis on admission	discharge not reported
Total patients	11,451	577	3,981	1,539	232	1,876	3,246
With psychosis	6,329	577	3,981	1,539	232	_	_
General paresis With other forms of syphilis of the C.N.S With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons	19 25	4 - 6 215 11	289 68 11 17 343 21	68 40 8 2 59	- - - 8 1	=	=
Traumatic. With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system	143 15 81 19 57	6 1 1 1 8 2 -	40 115 11 55 12 41 11 	25 27 3 24 7 8 2 2 10	1 1 - - -	= = = = = = = = = = = = = = = = = = = =	
Psychoneuroses  Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency. Other, undiagnosed, and unknown	583 2,165 89 359 343	69 74 55 - 53 33 39	369 413 1,529 46 194 192 192	110 95 560 43 106 116 221	$ \begin{array}{c c} 11 \\ 1 \\ 21 \\ \hline 6 \\ 2 \\ 180 \end{array} $	=	=
Without psychosis	1,876	-	_	_	_	1,876	_
Epilepsy. Mental deficiency	61 140 368 26 9	=	=	=	=	61 140 368 26	=
litis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown	24	Ξ	=	Ξ	Ξ	303 24 945	=
Mental disorder not reported	3,246	_	_	_	-	_	3,246

646075-46-10



TABLE 36.—ALL PATIENTS DISCHARGED FROM COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943

COVersee
Jou
lisemanio
for
A poendix A
8
75 bosnitals
from 7
reports
based on
Statistics

			seement from the report of the to make the				1	dd w and	DOS DEPENDENT OF THE CHECKERON OF COASTAGE											
	TOTA	TOTAL DISCRANGED	ROED		A4	FIENTS V	11TB 763	rchosis.	Patients with petchosis on adminsion, by condition on discharge	MION, 1	т сомы	TION ON	DISCHA	# O #		4 6 6	PATIENTS WITH- OUT PSICHOSIS ON ADMISSION	717H- 0618 10N	Condition	۾ ا
MENTAL DISORDER	Total		Pemale	<b>Æ</b>	Recovered	P	1	Improved	ą	Ď	Unimproved	<b>9</b>	Ω	Unclassified	jed.	Total	Vele	Pomo le	discharge	•
			$\Rightarrow$	Total	Male Female	Female	Total	Male Female		Total	Male	Male Female	Total	Male	Male Female	1001		James J.	reported	_
Total patients	1,744	892	852	279	135	144	844	333	445	267	145	122	143	89	75	196	136	9		1 33
With psychosis	1,533	747	786	279	135	144	84	88	445	267	145	123	143	8	75	1	Ľ		<u> </u>	11
General parceis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic. Due to drugs and other exogenous poisons.	22 42 100 100	24418	8-8-8	<u> </u>	00114	1011-1	<b>इ</b> त्रक्ते	864181	현4대 <u>국</u>	F8     F	20112	711111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wull4	<b>4</b> [[]-[					1111111
Traumatic With cerebral arterioeclerosis With other disturbances of circulation With convulsive disorders Senile Involutional psychoese Due to other metabolic, etc, diseases Due to new growth With organic changes of the nervous system	201488820-4	4540404 II	DOUGEN TO	8	6000000000000000000000000000000000000	c  maa m	12-2444 ×	8 4444 0	22 0 2 2 2 1 2 1	त्र्रातकष्ठ्रु सननन	48-45-4   H	8-656   -	4   200 -   20	[- u4   w			111111111	111111111		41111111
Prychoneuroeee Manic-depressive Dementis pracox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	453 453 107 107		80 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	e n c n c n c n c n c n c n c n c n c n	<b>60060</b>	w 54 86 - 1 1 -	825.24	944E	128817	4000000	288-1188	47000000	<u> </u>		42 de 46		1111111	1111111		1111111
Without psychosis	200	136	9	T	T	1	Т	T	I	1	I	ı	T	I	ı	196	136	9	•	ı
Epilepsy Mental deficiency Mental deficiency Montal deficiency Drug addiction Drug addiction Personality disorders due to epidemic encephalitie Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	F 8 54   4 62 5	es	40m-   ram e		11111111			11111111	1111111							23.24	E 2 1 1 2 1	4081   208		



TABLE 37.—ALL PATIENTS DISCHARGED FROM PSYCHOPATHIC HOSPITALS, BY CONDITION ON DISCHARGE, MENTAL DISORDER, AND SET, EACH THE UNITED STATES: 1943

Unclassified   Male   Female   Female	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		OUT PSYCHOSIS OVA PAKIBNTO WITH- OVA PAKIBNTO WITH- OVA PAKIBNION OVA PAKIBNTO WITH- OVA
--	--	--	---



TABLE 38.—ALL PATIENTS DISCHARGED FROM STATE HOSPITALS FOR [Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in See Appendix A for

7					1		EW EN	GLAND		
	MENTAL DISORDER	UN	ITED ST	TATES		MAINE			ПАМР8	HIRE
		т	M	F	т	М	F	Т	М	F
1	Total patients	67,377	37,730	29,647	351	186	165	448	235	213
2	With psychosis	55,565	29,419	26,146	314	159	155	357	17	0 187
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	General paresis.  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).	164 168 4,662 334 340 3,114 217 1,237 1,239 2,808 44 3,139 10,837 17,158	417 105 74 3,892 150 290 1,695 102 732 598 603 198 21 1,251 4,219 9,490	94 770 184 50 1,419 115 605 641 2,205 338 23 150 1,888 6,618 7,668	9 10 18 1 1 20 123 56	66 6 - 23 22 22 24 4 - 6 4 2 2 - 7 51 38	2 2 2 1 1 5 3 6 6 1 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1	31 1 1 1 45 34 117	14 62	8 1 1 5 5 6 23 6 20 555
21 22 23 24 25	Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown Without psychosis	1.090	491 750	493 340 798 555	1 15 37	$\frac{1}{\frac{7}{27}}$	5 1 8 - 10	10 2 3 27 91	1 14 65	55 8 2 2 13 26
26 27 28 29 30 31 32 33	Epilepsy. Mental deficiency. Alcoholism Drug addiction. Personality disorders due to epidemic encephalitis. Psychopathic personality. Primary behavior disorders. Other, unclassified, and unknown. Mental disorder not reported.	4,420 539 55 944 346	214 700 3,667 306 31 719 215 1,637 822	753 233 24	6 4 16 3 - 5 2 1	3 3 13 1 - 5 2	3 2 2 - 1	3 7 18 4 7 4 48	2 3 14 2 - 5 2 37	1 4 4 2 2 2 2 11
T			MIDDLE	ATLAN'	ric—Co	ntinued			T NOR	
	MENTAL DISORDER	NE	W JERS	BET	PEN	NSYLVA	NIA		оню	
		Т	M	F	Т	M	F	T	М	F
1	Total patients	1,824	958	866	3,096	1,546	1,550	2,387	1,271	1,116
2	With psychosis	1,620	819	801	2,782	1,336	1,446	2,237	1,157	1,080
3 4 5 6 7 8 9 10 11 12 13 14 15 16	General paresis With other forms of syphilis of the C.N.S. With other infectious diseases. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth.	126 11 18 19 146 17	25 5 2 125 2 10 62 7 11 13 30	• 6 1 1 19 3 4 64 4 7 6 116	23 15 95 14 129 67 174	113 8 6 3 166 11 10 58 6 52 26 42 2	46 7 4 1 26 12 5 37 8 77 41 132 13	243 16 2 3 178 25 11 82 9 12 21 204 28	1777 111 1 1 1500 111 9 488 5 5 100 377 111	666 5 1 2 288 14 2 34 4 7 711 167
17 18 19 20 21 22 23 24 25	With organic changes of the nervous system Psychoneuroses. Manic-depressive Dementia praceox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality With mental deficiency Other, undiagnosed, and unknown Without psychosis.	8 141 301 396 33 70	106 206 14 47 26 8	73 195 190 19 23 24	19 141 569 896 53 26 72 87	8 47 188 460 25 17 33 49 210	11 94 381 436 28 9 39 38 104	16 166 410 604 101 17 66 23 150	4 63 159 347 53 13 30 12 114	12 103 251 257 48 4 36 11 36
26 27 28 29 30 31 32 33 34	Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	3 26 86 5 2 32 16 34	14 66 2 2 2 23 8	12 20 3 - 9 8	21 71 77 10 1 41 20 73	11 44 61 3 1 34 10 46	10 27 16 7 - 7 10 27	3 29 39 1 2 24 9 43	18 38 -2 20 5 30	2 11 1 1 - 4 4 13

MENTAL DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943 Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis.

				NEW	ENGLA	ND-Co	ontinued	l				MIDD	LE ATLAN	TIC
7	ERMONT		MAS	SACHUS	ETTS	RHO	DE ISL	AND	con	NNECTIC	UT	N	EW YORK	
г	м	F	Т	M	F	Т	M	F	Т	M	F	T	M	F
207	113	94	3,571	1,924	1,647	426	235	191	1,385	801	584	10,035	5,195	4,840
155	73	82	3,052	1,576	1,476	339	174	165	1,207	669	538	9,705	4,968	4,737
2	1	1	58 7	39 4	19	10	6	4	16 5	12	4 2	431 99	288 60	143 39
1		_	4 7	4	3	1	1	_	-	3	_	57 18	35	22 10
12	11	1 4	413 23	350 12	63 11	36	30	6	275 5	228	47 2	1,105 37	896 10	209 • 27
1 10	1 6	4	16 158	11 89	5 69	4 1 13	1 7	-6	12 30	4 19	8	90 751	78 353	12 98
-	-3		19 58	7 30	12 28	4 10	1 4	3 6	5 31	20	3	29 178	11 98	18 80
5 1 11	-4	2 1 7	88 172	41 35	47 137	9 20	4 6	5 14	34 65	19 16	15 49	148 630	42 174	106 456
-	-	_	54	19	35 1	1	1	=	7	2	5	83 12	14	19
1	-6	1 16	35 256	20 99	15 157	2 18	2 9	-9	9 65	7 26	2 39	38 604	24 264	14 340
22 39 32	12 20	27 12	546 802	195 421	351 381	18 75 93 17	31 46	44 47	162 396	45 216	117 180	1,405 3,299	475 1,678	930 1,621
9	1	1	69 98	30 64	39 34	17	10	7 4	29 15	10 12	19	90 374	51 250	39 124
2 8 4	4 3	4	99 66	53 46	46 20	7 6 10	4 6	2	31 11	15	16	246 31	136	110
52	40	12	519	348	171	87	61	26	178	132	46	330	227	103
1	1 7	_	16 70	11 46	5 24	4 11	3 5	1 6	7	4 12	3	12 27	5 20	7
9 17 9	13	4	114	80	34	34	26 2	8	72 20	60 14	12 6	58 4	39	19
	-2	3	3	3 73	20	_	9	3	45	29	16	76	61	15
5 1 10	1 7	3	93 27 195	20 114	7 81	12 7 16	5 11	2 5	2 19	2 11	8	112 41	78 21	34 20
	l	-	- PA	ST NOP	TH CEN	FRAL—(	-	 ed				WEST N	ORTH CE	NTRAL.
1	NDIANA	1		LLINOIS			ICHIGAN		w	ISCONSIN	N		INNESOTA	
- 1	м	F	т	м	F	т	м	F	т	М	F	т	м	F
996	480	516	6,283	3,570	2,713	2,337	1,296	1,041	1,328	807	521	1,198	605	593
947	450	497	4,738	2,473	2,265	2,040	1,095	945	1,007	552	455	1,115	541	574
07														
97	63	34	346	232	114	160	107	53	52	36	16	31	30	1
10	7 2	3	45 6	25 5	114 20 1	21 6	13 5	8	52 5 2	36 5	$\frac{16}{2}$	2	2 3	_
10	7 2 1 30	3	45 6 3 679	25 5 3 541	1 1 138	21 6 12 137	13 5 5 115	8 1 7 22	5 2 84	5 - 82	-	2	2	_
10 2 3 36 2	7 2 1 30 1	3 2 6 1	45 6 3 679 12 25	25 5 3 541 7 19	138 5 6	21 6 12 137 19	13 5 5 115 9 13	8 1 7 22 10	5 2 84 1 8	5 - 82 1 7	$\frac{-2}{2}$	2 4 3 35 1 2	2 3 1 29 -	1 2 6 1
10 2 3 36 2	$\frac{7}{2}$ $\frac{1}{30}$ $\frac{1}{24}$	3 2 6 1 33	45 6 3 679 12 25 401	25 5 3 541 7 19 239 4	20 1 138 5 6 162 6	21 6 12 137 19	13 5 5 115 9 13 34 4	8 1 7 22 10 	5 2 84 1 8 70	5 82 1 7 32	$\frac{\frac{1}{2}}{\frac{1}{38}}$	2 4 3 35 1 2	2 3 1 29 2 38	1 2 6 1
10 2 3 36 2	7 2 1 30 1 24 2 3	3 2 6 1 33	45 6 3 679 12 25 401 10 85	25 5 3 541 7 19 239 4 40	20 1 138 5 6 162 6 45	21 6 12 137 19	13 5 5 115 9 13 34 4 21	8 1 7 22 10 	5 2 84 1 8 70	5 82 1 7 32 14 3	2 -2 -1 38 -14 11	2 4 3 35 1 2	2 3 1 29 2 38 7 13	1 2 6 1
10 2 3 36 2	$\frac{7}{2}$ $\frac{1}{30}$ $\frac{1}{24}$	3 2 6 1 	45 6 3 679 12 25 401 10 85 90 234 44	25 5 3 541 7 19 239 4	20 1 138 5 6 162 6 45	21 6 12 137 19	13 5 5 115 9 13 34 21 11 14	8 1 7 22 10 	5 2 84 1 8 70	5 	2 - 2 - 1 38 - 14 11 49 1	2 4 3 35	2 3 1 29 2 38 7 13 15	1 2 6 1 27 1 9 15 72 4
10 2 3 36 2	7 2 1 30 1 24 2 3 21 12 4	3 -2 6 1 -33 -4 25 52 12 -7	45 6 3 679 12 25 401 10 85 90 234 44 2	25 5 3 541 7 19 239 4 40 38 36 12	20 1 138 5 6 162 6 45	21 6 12 137 19	13 5 5 115 9 13 34 21 11 14	8 1 7 22 10 	5 2 84 1 8 70	5 	2 2 1 38 -14 111 49 1 1 1 6	2 4 3 35 1 2 65 1 16 28 87	2 3 1 29 2 38 7 13 15	1 2 6 1 27 1 9 15 72 4
10 2 3 36 2	7 2 1 30 1 24 2 3 21 12 4 1 8	3 2 6 1 33 4 25 52 12 7 27 99	45 6 3 679 12 25 401 10 85 90 234 44 2	25 5 3 541 7 19 239 4 40 38 36 12 — 22 125 216	20 1 138 5 6 162 6 45 52 198 32 2 15 224	21 6 12 137 19	13 5 5 115 9 13 4 21 11 14 11 16 67	8 1 7 22 10 33 6 10 16 45 18	5 2 84 1 8 70	5 	-2 -2 -1 38 -14 11 49 1 1 1 6 33 146	2 4 3 35 1 2 65 1 16 28 87	2 3 1 29 2 38 7 13 15 — 2 43 89	1 2 6 1 27 1 9 15 72 4
10 2 3 36 2	7 2 1 30 1 24 2 3 21 12 4 1 8	3 6 1 33 4 25 52 12 7 27 99 157 16	45 6 3 679 12 25 401 10 85 90 234 44 2	25 5 3 541 7 19 239 4 40 38 36 12 ———————————————————————————————————	20 138 5 6 162 6 45 52 198 32 2 15 224 394 617 55	21 6 12 137 19	13 5 5 115 9 13 4 21 11 14 11 16 67	8 1 7 22 10 33 6 10 16 45 18	5 2 84 1 8 70	5 	2 2 1 38 14 11 49 1 1 6 33 146 114	2 4 3 35 1 2 65 1 16 28 87	2 3 1 1 29 2 38 7 13 15 — 2 43 89 217	1 2 6 1 27 1 9 15 72 4
10 2 3 36 2	7 2 1 30 1 24 2 3 21 12 4 1 8	3 2 6 1 33 4 25 52 12 7 7 27 99 157 16 4 15	45 66 33 679 12 25 401 10 85 90 234 44 44 2 37 34 610 1,252 88 35 135	25 5 3 541 7 19 239 4 40 38 36 12 ———————————————————————————————————	20 138 5 6 162 6 45 52 198 32 2 15 224 394 617 55	21 6 12 137 19	13 5 5 115 9 13 4 21 11 14 11 16 67	8 1 7 22 10 33 6 10 16 45 18 9 118 190 289 35 17	5 2 84 1 8 70	5 82 1 7 32 14 3 19 2 7 19 101 162 11 100 40	-2 -2 -1 38 -14 11 49 1 1 1 6 33 146	2 4 3 35 1 2 65 1 16 28 87	2 3 1 1 29 2 38 -7 13 15 - - 2 43 89 217 17	1 2 6 1 27 1 9 15 72 4
10 2 3 36 2	7 2 1 30 1 24 2 3 21 12 4	3 6 1 33 4 25 52 12 7 27 99 157 16	45 6 3 679 12 25 401 10 85 90 234 44 2	25 53 541 7 19 239 4 4 4 4 38 36 12 — 22 125 216 635 33 27 60 154 1,097	20 1 138 5 6 162 6 45 52 198 32 2 15 224	21 62 137 19 137 10 31 27 59 29 25 185 300 685 75 73 297	13 5 5 115 9 13 34 21 11 14	8 17 22 10 33 6 10 45 18 - 9 118 190 289 35 17 22 36 96	5 2 2 84 1 1 8 8 70 2 8 14 68 3 1 13 52 247 276 14 12 256 1 321	5 	2 2 1 38 14 11 49 1 1 6 33 146 114	2 4 4 3 3 5 5 1 1 1 6 2 8 8 7 7 4 4 0 5 5 1 1 0 3 5 1 8 8 3 8 3 8 3 8 8 3	2 3 1 29 2 38 -7 13 15 - - 2 43 89 217 17 64	11 27 11 27 15 72 4 43 1500 188 18 18 11 19
10 2 3 36 2 57 2 7 46 64 16 8 35 146 349 22 4 49	7 21 30 1 24 23 321 122 4 -1 188 47 192 6 15 7 4 30	3 2 6 1 33 4 25 52 12 7 27 99 157 16 4 15	45 6 3 679 12 251 401 10 85 95 234 44 2 27 349 610 1,252 88 35 131 254 1,545	25 5 3 541 7 19 239 4 4 4 0 38 36 12 22 125 216 635 33 327 60 154 1,097	20 138 5 6 162 6 452 52 198 32 224 394 617 55 8 71 100 448	21 62 137 19 137 10 31 27 59 29 25 185 300 685 75 73 297	13 5 5 115 9 13 34 4 21 11 14 11 12 16 67 110 396 40 33 32 37 201 4	8 17 22 10 33 6 10 45 18 - 9 118 190 289 35 17 22 36 96	5 2 84 1 1 8 8 8 70 28 14 68 3 1 13 52 247 276 14 12 13 22 1 7 2 7 6	5 	2 -2 -1 38 -14 11 49 11 1 6 33 346 114 3 2 16 -66	2 4 4 3 3 5 5 1 1 1 6 2 8 8 7 7 4 4 0 5 5 1 1 0 3 5 1 8 8 3 8 3 8 3 8 8 3	2 3 1 1 29 2 38 -7 13 15 	11 27 11 27 15 72 4 4 3 1500 188 18 18 11 19
10 2 3 36 2 57 2 7 46 64 16 8 35 146 349 222 4 49 — 4	7 21 30 1 24 22 3 21 12 4 - 1 18 847 192 6 15 7 4 30 - 1 192 - 192 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 192 - 192 - 192 - 192 - 192 - 192 - 192 - 192 - 19 1 192 - 19 1 19 1	3 2 6 1 33 4 25 52 12 7 7 27 99 157 16 4 15 19	45 63 679 125 401 10 85 90 234 44 4 4 2 37 610 1,252 88 83 35 131 1,545 40 103 580 587	25 53 541 7 19 239 40 38 36 12 125 216 633 327 60 154 1,097 26 75 486 33 33 33 36 36 37 38 38 36 38 38 38 38 38 38 38 38 38 38	20 138 56 162 198 32 22 155 52 24 394 617 55 8 71 100 448 28 94 24 24 28	21 6 12 137 19 137 10 27 59 22 25 300 685 75 54 40 115	13 5 5 115 9 13 34 4 21 11 11 2 16 67 110 396 67 201 201 40 40 40 40 40 40 40 40 40 40 40 40 40	8 1 7 22 10 33 6 6 10 16 45 5 18 190 289 35 17 22 36 96 11 21 5	5 2 84 1 1 8 8 8 70 28 14 68 3 1 13 52 247 276 14 12 13 22 1 7 2 7 6	5 	2 -2 -1 38 -14 11 11 6 33 146 114 3 2 16 -66	2 4 4 3 3 5 5 1 1 1 6 2 8 8 7 7 4 4 0 5 5 1 1 0 3 5 1 8 8 3 8 3 8 3 8 8 3	2 3 1 1 29 2 38 7 13 15 5 7 13 15 7 17 64 20 6 31	11 27 11 27 15 72 4 4 3 1500 188 18 18 11 19
10 2 3 36 2 57 2 7 46 64 16 8 35 146 349 22 4 49	7 21 30 1 24 23 321 122 4 -1 188 47 192 6 15 7 4 30	3 2 6 1 33 4 25 52 12 7 27 99 157 16 4 15	45 63 679 12 25 401 10 85 90 234 44 2 37 34 610 1,252 88 35 31 254 1,545	25 53 541 7 19 239 4 4 4 4 38 36 12 — 22 125 216 635 33 27 60 154 1,097	20 1 138 5 6 162 198 32 2 155 224 394 617 55 8 71 100 448	21 6 12 137 19	13 5 5 115 9 13 34 4 21 11 14 11 12 16 67 110 396 40 33 32 37 201 4	8 17 22 10 33 6 10 45 18 - 9 118 190 289 35 17 22 36 96	5 2 2 84 1 1 8 8 70 2 8 14 68 3 1 13 52 247 276 14 12 256 1 321	5 	2 -2 -1 38 -14 11 49 1 1 6 33 146 114 3 2 16 	2 4 3 35 1 2 65 1 16 28 87	2 3 1 1 29 2 38 -7 13 15 	1 2 6 1 27 1 9 15 72 4

TABLE 38.—ALL PATIENTS DISCHARGED FROM STATE HOSPITALS FOR [Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in See Appendix A for

=				WEST N	NORTH C	ENTRAL		nued		
	MENTAL DISORDER		IOWA		MI	SSOURI		NORT	H DAK	ATA
		т	М	F	T	M	F	Т	М	F
1	Total patients	717	394	323	1,160	614	546	274	179	95
2	With psychosis	609	303	306	1,054	550	504	215	136	79
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 25 25 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia). Psaranoia and paranoid conditions. With psychopathic personality. With mental deficiency Other, undiagnosed, and unknown. Without psychosis.	25 2 2 32 10 11 16 3 12 57 8 14 149 23 14 27 13 19 7	17 3 2 1 28 10 1 9 2 9 7 11 4 1 2 2 5 5 8 4 10 6 13 8 8 8	8 2 1 4 4 - 7 1 3 3 10 46 4 4 - 26 89 65 53 81 14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	103 7 1 1 5 27 27 79 2 39 46 32 6 6 2 3 3 54 140 399 5 5 6 2 15 6 2 15 16 16 16 16 16 16 16 16 16 16 16 16 16	74 5 1 26 6 43 22 27 5 1 1 2 1 2 1 8 50 209 4 4 9 9 9 6	29 2 5 1 2 1 36 2 17 19 27 5 — 2 36 90 190 190 190 24 42	11 12 12 12 17 14 10 10 10 10 11 43 67 7 1 3 12 6 59	3 1 1 10 14 10 8 - - 5 23 43 1 3 9 4 43	1 1 2 1 1 3 4 2 10 - - - - - - - - - - - - - - - - - -
26 27 28 29 30 31 32 33	Epilepsy	7 72 3 7 2 4	1 3 69 2 	1 4 3 1 - 2 1 - 5	9 22 16 8 	3 10 13 7 - 10 3 18	6 12 3 1 7 1 12	6 1 22 1 10 2 17	4 20 1 7 1 10	2 1 2 - 3 1 7

	MENTAL DISORDER	SOUTH ATLANTIC—Continued								
		DISTRICT OF COLUMBIA			VIRGINIA			WEST VIRGINIA		
		Т	M	F	Т	M	F	T	M	$\mathbf{F}$
1	Total patients	1,914	1,554	360	2,536	1,560	976	790	414	376
2	With psychosis	1,859	1,502	357	1,457	727	730	614	297	317
3 4 4 5 6 7 7 8 9 10 111 122 133 14 15 16 17 18 19 20 21 22 23 24	General paresis. With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia). Paranoia and paranoid conditions. With mental deficiency. Other undiagnosed and unknown.	75 47 1 18 4 39 6 34 211 1,021 24 45	49 3 -1 56 -5 23 1 12 2 14 3 -4 26 155 880 942 27 180	20 1 1 19 - 24 - 6 2 255 2 - 2 8 56 141 5 3 3 7 7 7 7 7 7 8 7 7 7 7 7 7 7 7 7 7 7	67 211 11 173 100 133 122 366 57 38 211 17 46 567 334 46 567	48 17 1 3 69 7 1 15 35 1 1 5 8 1 15 230 183 6 6 6 235	19 4 	63 26 22 55 19 6 22 22 9 40 25 7 3 40 137 164 7 9 9	41 16 1 15 3 2 10 2 26 2 2 11 10 51 51 95 3 4 4 3 12	22 10 1 5 4 3 
25	Other, undiagnosed, and unknown Without psychosis		52	3	1,067	828	239	176	117	59
26 27 28 29 30 31 32 33 34	Epilepsy Mental deficiency Alcoholism Drug addiction. Personality disorders due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	13 5 	2 12 5 — 21 1 11	1 - - - 2	20 94 756 103 1 34 6 53 12	14 42 667 50 	6 52 89 53 1 9 4 25	30 46 48 23 1 1 27	18 27 39 16 1 1 16	12 19 9 7 — 1 11

MENTAL DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943—Con. Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. discussion of coverage]

		WEST !	NORTH	CENTRAL	L-Cont	inued					SOUTH .	ATLANTIC		
BOUT	TH DAK	) ATC	N	EBRASK			KANSAS		DI	LAWARI	E	м	ARTLAND	
т	М	F	Т	M	F	Т	M	F	т	М	F	Т	М	F
236	126	110	385	276	109	549	259	290	146	91	55	1,082	649	433
208	110	98	244	151	93	506	233	273	120	73	47	925	531	394
3 2 12 1 2 9 2 12 1 21 5 1 9 52 54	3 2 	7 2 6 13 5 - 7 28 21	13 3 1 2 9 - 9 - 6 2 14 3 - 2 2 24 37 89	8 2 1 1 1 9 — 6 — 2 — 6 3 — 2 16 6 . 200 5 2 2	5 1 1 - - 3 - 4 2 8 - - 8 17 37	18 19 22 27 7 3 18 4 2 8 9 9 2 1 1 44 166	11 11 11 7 2 11 4 11 6 6 11 11 16 60 80	7 8 1 2 - 1 - 7 - 1 2 8 8 1 - 2 2 8 1 - 2 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 1 1 2 2 2 8 2 2 1 9 - 1 5 4 - 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 1 1 2 26 -1 7  1 1  1  7 6 11	1	56 8 1 161 7 8 44 22 34 20 27 10 -7 58 88 88	38 6 	18 20 5 
1 7 4 10 28	5 3 5 16	1 2 1 5 12	4 5 12 9 141	2 4 10 7 125	2 1 2 2 2 16	2 5 12 13 43	1 4 9 6 26	1 1 3 7 17	$\frac{\frac{3}{1}}{\frac{1}{26}}$	3 1 - 18	1 8	19 43 17 157	8 13 28 11 118	6 15 6 39
2 1 11 - 7 7	- 9 - 2 4	2 2 - 5 3	9 14 89 1 1 13 4 11	7 13 83 - 1 11 4 6	2 1 6 - 2 - 5	2 7 2 2 2 9 3 18	5 2 2 2 - 5 - 10	- 2 - 4 3 8	5 2 8 	3 1 7 — 1 4 2	1 1 - 1 1 2	10 42 61 8 	28 54 7 21 1 3	6 14 7 1 -5 5 1

			80	UTH ATI	LANTIC-	-Contin	nued					EAST 8	OUTH CE	NTRAL	
NORT	H CAROL	INA	SOUT	H CAROI	INA	G	EORGIA		F	LORIDA		к	ENTUCKY		
Т	М	F	т	M	F	Т	М	F	T	М	F	T	M	F	
1,131	654	477	836	445	391	831	444	387	501	238	263	1,038	579	459	
941	506	435	689	352	337	799	420	379	485	233	252	821	445	376	:
42 48	34 24	8 24	43	31	12	32	21	11	53 12	39	14	79 40	60	19 10	1
8	6	2	1	1	=	_	_	=		-	4	1	1	_	
31	31	1	20	19	1	24	23	1	10	7	1 3	2 16	14	1 2	
4	2	2	5	3	2	11	4	7	6	2	4	3	1	2	
36	28	8	3 50 24	34	16	3 25	3 18	7	37	1 9	28	36	1 24	12	1 1 1 1 1 1 1 1
	16	7	24 32	14 15	10 17	30	21	9	19	8	11	38	2 22	16	1
23 27 23 11	12	15	32 6	2	4	3	2	1	12	9	3	38 28 30	11	17 25	î
23 11	3	19	26 23	6	20 12	10	5	5	20	4	16 5	30	5	25	1
-	-	-	5	4	1	-	14	1	1 3	1	-	1	-	-	1
29	3	26	44	9	35	15 23	8	15	6	3 2	4	176	=	2	1
253 320	119 166	134 154	260 95	124	136 46	445 91	195 51	250 40	128 122	49 57	79 65	176 258	69 149	107 109	2
6	4	2	5	1	4	-	_	-	1	-	1	16	9	7	2
11 35	20	15	18	8	10	42	3 24	18	9 25	15	3 10	5 57	32	25	2:
35 31 190	23	8	18 25	15	10	42 42 32	28	14	10	9	1	24 217	9	15 83	2
190	148	42	147	93	54	32	24	8	16	5	11	217	134		2
5	3	2	33	1 14	19	-	1	_	1		1	14	11 42	30	2
9 87 74	80	7	52	44	8	7	6	1	3 2	3	_	72 33 8	21	12	2
	44	30	14	8	6	1	1	_	2	_	2		4	4	30
10	8	2	12	8	4	-	-		-	-	_	27	23	4	3
4	3	1	31	15	16	23	16	7	10	2	8	62	33	29	3
	-		$\dashv$	-	-		-	-	-	-	-		-	-1	3

TABLE 38 .- ALL PATIENTS DISCHARGED FROM STATE HOSPITALS FOR [Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in

1	•		1	EAST SO	UTH CE	NTRAL-	Contin	ued		
	MENTAL DISORDER	TI	ENNESSE	E	A	LABAMA		MIS	81881PI	PI
		Т	М	F	т	м	F	Т	м	F
Ī	Total patients	941	490	451	1,322	722	600	1,230	753	477
	With psychosis	831	408	423	997	544	453	828	449	379
	General paresis With other forms of syphilis of the C.N.S	50	29	21	49	42	7	68	53	1
	With epidemic encephalitis	5	3		8	5	3	2	1 2	
	With other infectious diseasesAlcoholic	11	9	5 2	10	10	1	4 21	21	_
	Due to drugs and other exogenous poisons	11	. 6	5	18	8 5	10	10	10	
	With cerebral arteriosclerosis With other disturbances of circulation	44	31 1	13	30	28	2	53	27	2
	With convulsive disorders	35	22	13	42	24	18	39	29	1
	SenileInvolutional psychoses	25 19	11 3	14 16	9 <b>2</b> 8	5	25	35 19	19	1
	Due to other metabolic, etc., diseases	5	_	5	3	3	_	12	1	1
	Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.	3	1	2	10	6	4	2	2 15	-
	Psychoneuroses	220	5 92	14 128	94 353	35 147	59 206	2 24 228	1081	12
	Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions	256	126	130	227 16	141	86	193	87	10
	With psychopathic personality	7	6	1 20	49	36	13	3	1	
	With mental deficiency Other, undiagnosed, and unknown	61	27 32	29	45	33	12	77 27	49 19	2
	Without psychosis		82	28	125	90	35	402	304	
	Epilepsy	3 10	2 7	1 3		_	_	19 45	11 34	1
	Alcoholism	46	40	6		_	_	136 26	121 16	
	Drug addiction Personality disorders due to epidemic encephalitis_		-	_	=	_	_	1	1	
	Psychopathic personality Primary behavior disorders	13 2 29	7	6		_	=	*18	12	
	Other, unclassified, and unknown Mental disorder not reported	29	21	8	125	90	35	157	109	4
	Mental disorder not reported	_		_	200	88	112	_	_	_
	Mental disorder not reported	_ =	-	_	200l		112  ued			-
			VYOMING	мот	INTAIN-		ued	NEW	MEXIC	_
-	Mental disorder not reported		-	мот	INTAIN-	-Contin	ued	NEW T	MEXIC M	_
		T	YYOMING	мот	ONTAIN—	-Contin	ued	- h	1	co F
	MENTAL DISORDER	T	YYOMING M	MOT F	T T	-Contin	r F	Т	М	co F
	MENTAL DISORDER  Total patients  With psychosis	T 58	M 36 30 1	F 22	T 348 278 27	M 214 163 21	F 134	Т	М	co F
	MENTAL DISORDER  Total patients  With psychosis	T 58	M 36 30	F 22 18	T 348 278 27 1	M 214 163 21 1	F 134 115	Т	М	co F
	Total patients	T 58 48 4 1 1	M 36 30 1 1 1 -	F 22 18	T 348 278 27 1	M 214 163 21 1 1	F 134 115 6 1	Т	М	co F
	Total patients	T 588 48 4 1 - 5	M 36 30 1	F 22 18	T 348 278 27 1	M 214 163 21 1 1 1 2	F 134 115 6	Т	М	co F
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis.	T 588 48 4 1 - 5	M 36 30 1 1 1 -	F 22 18	T 348 278 27	M 214 163 21 1 1	F 134 115 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Т	М	co F
	Total patients	T 588 48 4 1 5 1	M 36 30 1 1 1 -	F 22 18 3	T 348 278 27 1 1 1 1 3 9 3 1 8	M 214 163 21 1 1 2 3 11 9	F 134 115 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Т	M 37	F 2
	Total patients	T   58   48   4   1   5   1   2   1   2   1	M 36 30 1 1 - 5 - 1 1	F 22 18 3	T 348 278 27 1 1 1 1 3 9 3 1 8	-Continuous M 214 163 21 1 1 2 3 11 9 7	F 134 115 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Т	M 37	F
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases	T 588 48 11 55 1 2 11 1	M 36 30 1 1 - 5 - 1 1 - 1	F 22 18 3	T 348 278 27 1	M 214 163 21 1 1 2 3 11 9	F 134 115 6 1	Т	M 37	F
	Total patients  With psychosis.  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth	T 588 48 11 55 11 2 11 1	M   36   30   1   1   5   -   1   1   1   1   1   1   1   1   1	F 22 18 3	T 348 278 27 1 1 1 1 3 3 3 18 12 10 8 1 -	M 214 163 21 1 1 2 3 11 9 7 7 2 2	F 134 115 6 1 7 3 7 3 6 1	Т	M 37	F
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With opidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation  With cerebral arteriosclerosis.  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses	T 588 48 11 55 11 2 11 1	M   36   30   1   1   5   -   1   1   1   -     1   1   -     1   1	F 22 18 3	T 348 278 277 1 1 1 1 3 8 3 18 12 10 8 8 1 1 9	DLORADO  M 214 163 21 1 1 12 3 11 9 7 2 - 3	134 115 6 1 1 3 7 7 3 6 6 1 1	Т	M 37	F
	Total patients	T 588 48 11 55 11 12 11 12 11 12 11 12 11 12	M 36 30 1 1 1 5 - 1 1 1 1 7 1 10 1 1 1 7 1 1 1 1 1 1 1 1	F 22 18 3	T 348 278 27 1 1 1 1 3 3 3 18 12 10 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 214 163 21 1 1 2 3 11 1 9 7 7 2 2 - 3 9 64	F 134 115 6 1 7 3 7 3 6 1	Т	M 37	F
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis.  With other disturbances of circulation  With convulsive disorders.  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manio-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions	T 588 48 11 55 11 12 11 12 11 12 11 12 11 12	M 36 30 1 1 1 5 - 1 1 1 1 7 1 10 1 1 1 7 1 1 1 1 1 1 1 1	F 222 18 3	T 348 278 277 1 11 13 8 3 18 - 12 10 8 1 - 9 24 123 26	M 214 163 21 1 1 2 2 3 11 1 9 7 2 2 - 3 9 644 2 2 6	F 134 115 6 1 1 3 7 7 3 3 6 1 1 - 6 15 59	Т	M 37	F
	Total patients	T 588 48 11 55 11 12 11 12 11 12 11 12 11 12	M 36 30 1 1 1 5 - 1 1 1 1 7 1 10 1 1 1 7 1 1 1 1 1 1 1 1	F 22 18 3	T 348 278 27 11 13 33 18 12 10 8 1 1 24 123 2 6 13	M 214 163 21 1 1 12 3 11 1 9 7 7 2 2 - 3 9 64 2 6 6 10	F 134 115 6 1 1 3 7 7 3 3 6 1 1 - 6 15 59 - 3	Т	M 37	F 2
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses.  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality	T 588 48 11	M 36 30 1 1 1 5 - 1 1 1 1 7 1 10 1 1 1 7 1 1 1 1 1 1 1 1	F 22 18 3 3 1 1 1 5 7 1 1 - 4	T 348 278 277 1 11 13 8 3 18 - 12 10 8 1 - 9 24 123 26	M 214 163 21 1 1 2 2 3 11 1 9 7 2 2 - 3 9 644 2 2 6	F 134 115 6 1 1 3 7 7 3 3 6 1 1 - 6 15 59	Т	M 37	F 2
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation.  With other disturbances of circulation.  With cerebral arteriosclerosis.  Senile  Involutional psychoses  Due to other metabolic, etc., diseases.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system  Psychoneuroses.  Manio-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy	T 588 48 11	M   36   30   1   1   5   -   1   1   7   10   1   1   -     1   1   -     1   1   1	F 22 18 3 3 1 1 1 5 7 7 1 - 4 1 1	T 348 278 277 1 1 1 1 3 8 3 3 18 12 10 8 8 1 1 1 2 2 4 4 123 2 2 6 6 13 3 70 1 1	DLORADO  M 214 163 21 1 12 3 11 9 7 7 2 3 9 64 10 2 51	F 134 115 6 1 7 3 6 1 1 5 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Т	M 37	F 2
	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S.  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy  Mental deficiency	T 588 48 11	M 36 30 1	F 22 18 3 3 1 1 1 5 7 7 1 - 4 1 1	T 348 278 27 1 1 1 1 3 3 3 18 1 2 10 8 1 1 2 6 6 13 3 70 1 1 18 25	DLORADO  M 214 163 21 1 1 12 3 11 9 7 7 2 3 9 64 4 100 2	F 134 115 6 1 1 3 7 3 3 6 1 1 - 6 15 59 - 11 19	Т	M 37	F 2
	Total patients  With psychosis.  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases Alcoholic Due to drugs and other exogenous poisons. Traumatic With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system Psychoneuroses. Manio-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality With psychopathic personality With mental deficiency Other, undiagnosed, and unknown. Without psychosis.  Epilepsy Mental deficiency	T 588 48 11	M 36 30 1 1 1 5 5 - 1 1 1 7 7 100 1 1 1 - 6	F 22 18 3 3 1 1 1 5 7 7 1 - 4 1 1	T 348 278 277 1 1 1 1 3 8 3 3 18 12 10 8 8 1 1 1 2 2 4 4 123 2 2 6 6 13 3 70 1 1	DLORADO  M 214 163 21 1 1 12 3 11 3 9 64 2 6 10 2 51 8	T 134 115 6 15 59 1 100 2 1	Т	M 37	F 2
	Total patients.  With psychosis.  General paresis.  With other forms of syphilis of the C.N.S.  With opidemic encephalitis.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions.  With psychopathic personality.  With mental deficiency.  Other, undiagnosed, and unknown.  Without psychosis.  Epilepsy.  Mental deficiency.  Alcoholism.  Drug addiction.  Personality disorders due to epidemic encephalitis.  Psychopathic personality.	T 588 48 11	M 36 30 1	F 222 188 3 3 1 1 5 7 7 1 1 4 1 1 1 1	T 348 278 27 1 1 1 1 3 3 3 18 1 2 10 8 1 1 2 6 6 13 3 70 1 1 18 25	DLORADO  M 214 163 21 1 1 12 3 11 3 9 64 2 6 10 2 51 8	F 134 115 6 1 1 3 7 3 3 6 1 1 - 6 15 59 - 11 19	Т	М	00
	Total patients  With psychosis.  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases Alcoholic Due to drugs and other exogenous poisons. Traumatic With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system Psychoneuroses. Manio-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality With psychopathic personality With mental deficiency Other, undiagnosed, and unknown. Without psychosis.  Epilepsy Mental deficiency	T 588 48 4 1	M   36   30   1   1   5   -   1   1   1   1   1   1   1   1   1	F 22 18 3 3 1 1 1 5 7 7 1 - 4 1 1	T 348 278 277 1 11 13 8 3 18 - 12 10 8 1 - 9 24 123 2 6 13 3 70 70 18 25 1	DLORADO  M 214 163 21 1 1 12 3 11 3 9 64 22 6 10 22 51 8 23 8	T 134 115 6 15 59 1 100 2 1	Т	M 37	F 2

MENTAL DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943—Con. Massachusetts, New York, and Maryland represent\_figures for a nine-month period adjusted to an annual basis. discussion of coverage]

				WES	T SOU	ÇH CEN	TRAL							MOUN	TAIN			
AR	KANSAS	3	LC	UISIAN	VA.	ок	LAHOM	A		TEXAS		М	ONTAN	A		IDAHO		
Т	M	F	Т	M	F	Т	М	F	Т	M	F	Т	M	F	т	М	F	
1,130	682	448	804	388	416	1,174	689	485	2,230	1,147	1,083	300	163	137	93	57	36	1
810	429	381	707	320	387	1,070	608	462	1,515	785	730	_	_	_	80	49	31	2
46 20 23 15 4 22 58 1 27 36 39 111 9 46 1355 2224 12 68 320 71 10 11 126	28 10 10 13	18 10 10 13 2 2 3 3 2 2 1 1 16 6 6 355 8 8 2 3 3 118 2 2 0 6 6 6 7 9 9 2 11 6 6 4 4 1 1	433 144 4 2 2 199 111 172 292 177 299 6 — 18 800 276 6 2 133 27 552 977 2 2 533 23 2 — 13	300 111 113 2 2 31	133 3 3 1 1 6 6 9 9 41 1 15 13 24 4 4 4 4 1 22 5 177 26 6 29 9 1 20 3 3	1,070	466 311 3 3 6 6 288 3 7 7 33 3 9 9 300 188 8 177 155 200 222 226 42 226 6 6 6 6 6 2	111 155 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	110 28 4 5 22 111 10 38 2 15 63 71 37 49 379 540 28 19	811 233 44 11 199 5 5 9 9 35 6 6 100 11 2 2 2 3 3 160 0 2 90 2 90 16 16 16 16 16 16 16 16 16 16 16 16 16	299 55 44 3 3 6 6 11 15 6 288 655 277 1 266 219 9 62 12 2 7 6 6 8 8 1				11 5 5 10 11 4 4 12 12 5 5 11 1 10 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 4 9 9 2 2 4 2 1 1 2 2 6 6 6 3 3 9 7 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1 1 1 2 2 1 1 1 3 3 3 4 5 6 6 6 2 2 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1	33 44 55 66 77 88 99 100 111 122 133 144 155 166 177 188 199 201 222 233 244 255 266 277 288 299 200 200 200 200 200 200 200 200 200

		мо	UNTAI	n—Co	ntinue	d						:	PACIFIC					
A	RIZONA			UTAH		1	NEVADA		WA	SHINGT	ON		REGON	r.	CA	LIFORN	NIA	
Т	M	F	Т	M	F	Т	M	F	Т	M	F	Т	M	F	Т	M	F	
294	189	105	284	141	143	50	42	8	887	515	372	620	380	240	5,556	3,387	2,169	1
210	127	83	257	121	136	_	_	_	826	470	356	539	324	215	3,408	1,811	1,597	2
26 5 22 11 13 11 2 6 12 19 11 72 2 3 3 5 5 4 12 13 13 11 12 13 13 14 15 15 15 15 15 15 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1 2 6 8 1 1 1 5 133 477 2 1 3 62 111 7 24 3	7 2 1 1 1 1 1 4 8 8	10 -1 11 18 5 7 7 3 3 12 15 15 12 3 3 -1 14 49 93 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1	7	33 33 39 99 	550		88	40 77 55 677 44 428 88 82 202 2411 44 29 361 	29 5 60 2 2 4 16 10 11 11 11 11 11 10 2 2 4 5 5 5 - - - - - - - - - - - - -	111 22 33 7 7 7 2 28 4 4 4 115 107 1002 266 8 5 5 116	222 77 644 2 2 3 3 200 300 5 5 2 2 3 3 3 201 177 4 4 811 2 2 5 3 2 2 8 8 2 2 3 3 3 111 18	14 1 15 14 10 4 1 1 11 41 97 6 10 14 3 56	5 2 2 3 8 8 1 1 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	213 18 7 7 10 413 17 32 199 7 7 7 7 33 22 9 3 12 9 3 7 29 1,145 5 5 7 6 8 6 5 1,764 4 4 3 0 1,254 4 4 3 0 1,254 4 3 1,765 4 4 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 4 3 1,765 4 3 1,765 4 4 4 3 1,765 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1477 177 3330 988 55 400 244 244 8 2 2 259 632 255 632 21,330 3 377 956 244 2 2 2 2 2 3 4 4 1 2 3 9 8 8 2 2 2 2 4 2 4 4 4 4 4 4 2 4 4 4 4 4	666 1 4 5 833 6 6 2 101 2 333 1099 14 1 1 3 522 470 21 135 334 44 1 138 298 22 1 10 3 86	3 4 5 6 6 7 8 9 10 111 12 13 14 15 16 17 18 19 20 21 22 3 24 25 26 27 28 9 30 31 32 33 33 33

TABLE 39.—ALL PATIENTS DISCHARGED FROM STATE HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

DIVISION AND STATE	Total discharged			CHOSIS ON ADS		Patients without psychosis	Condition on dis- charge not
		Recovered	Improved	Unimproved	Unclassified	on admission	reported
United States	67,377	17,100	32,237	5,350	878	10,271	1,54
NEW ENGLAND	6,388	1,680	3,048	692	4	964	_
Maine	351 448	187	107 247	20 39		37	_
New Hampshire Vermont	207	71 78	55	18	4	$\begin{array}{c} 91 \\ 52 \end{array}$	_
Massachusetts Rhode Island	$\begin{array}{c} 3,571 \\ 426 \end{array}$	746 137	1,890 173	416 29	_	519	-
Connecticut	1,385	461	576	170	=	87 178	_
MIDDLE ATLANTIC	14,955	5,137	7,858	1,108	4	848	-
New York	10,035	3,694	5,295	716	_	330	_
New Jersey	1,824 3,096	767 676	757	96	4	204	
Pennsylvania			1,806	296		314	_
EAST NORTH CENTRAL_	13,331	3,020	6,443	1,090	416	2,362	
Ohio Indiana	2,387 996	1,273 208	854 635	77 92	33 12	150 49	
Illinois	6,283	959	3,034	434	311	1,545	_
Michigan Wisconsin	2,337 1,328	353 227	1,385 535	268 219	34 26	$\frac{297}{321}$	-
WEST NORTH CENTRAL.	4,519	1,601	1,866	414	70	557	
Minnesota	1,198	325	657	79	54	83	- 11
Iowa	717	436	15	157	1	97	1:
Missouri North Dakota	$\frac{1,160}{274}$	231 101	709 66	112 43	2 5	106	-
South Dakota	236	26	173	9	-	59 28	_
Nebraska	385	45	192	7	_	141	-
Kansas	549	437	54	7	8	43	_
SOUTH ATLANTIC	9,767	2,459	4,462	864	104	1,866	12
Delaware Maryland	146 1,082	71 134	$\frac{36}{695}$	13 94		$\begin{array}{c} 26 \\ 157 \end{array}$	_
Dist. of Columbia	1,914	1,006	569	284	_	55	_
Virginia West Virginia	2,536 790	618	$\frac{720}{436}$	119 60	100	$\frac{1,067}{176}$	12
North Carolina	1,131	299	517	125	_	190	_
South Carolina	836 831	76	560	53	_	147	-
Georgia Florida	501	233 4	467 462	99 17	2	$\begin{array}{c} 32 \\ 16 \end{array}$	=
East South Central	4,531	420	2,478	555	24	854	200
Kentucky	1,038	74	673	50	24	217	_
Tennessee	941 1,322	69	643	119	-	110	-
Alabama Mississippi	1,322	170 107	538 624	289 97	=	$\begin{array}{c} 125 \\ 402 \end{array}$	200
WEST SOUTH CENTRAL.	5,338	795	2,901	161	245	710	526
Arkansas	1,130	3	802	5	_	320	_
Louisiana	804	8	657	21	21	97	-
Oklahoma Texas	$\frac{1,174}{2,230}$	167 617	695 747	37 98	171 53	104 189	526
MOUNTAIN	1,485	132	648	85	8	204	408
Montana	300	-	-			-	300
Idaho Wyoming	93 58	41 15	$\frac{32}{27}$	3 6	4	13 10	_
Colorado	348	30	233	15	_	70	_
New Mexico	$\frac{58}{294}$	32	142	35		84	58
Utah	284	14	214	26	3	27	_
Nevada	50	_	_	_	-	=	50
Pacific	7,063	1,856	2,533	381	3	1,906	384
Washington Oregon	887 620	435 125	329 402	61 12	1	61	-
California	5,556	1,296	1,802	308	2	$\frac{81}{1,764}$	384

TABLE 40.—MALES DISCHARGED FROM STATE HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals.] Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

United States  United States  New England  New Hampshire  Vermont  Massachusetts  Rhode Island  Connecticut  Middle Atlantic  New York  New Jersey  Pennsylvania  East North Central  Ohio  Indiana  Illinois  Michigan  Wisconsin	37,730  3,494  186 235 113 1,924 235 801  7,699  5,195 958 1,546 7,424 1,271 480 3,570 1,296 807 2,453	9,027  988  89 43 40 475 70 271  2,563  1,885 392 286 1,526  608 51 514 202	16,775 1,414 55 112 21 834 91 301 3,971 2,708 383 880 3,303	Unimproved  3,072  416  15 15 9 267 13 97 586 375 44 167 645	Unclassified  545  3  3 3 3 3 253	psychosis on admission 7,489 673 27 65 40 348 61 132 576 227 139 210	sharge not reported  822
Maine New Hampshire New Hampshire Vermont Massachusetts Rhode Island Connecticut MIDDLE ATLANTIC New York New York New Jersey Pennsylvania EAST NORTH CENTRAL Ohio Indiana Illinois Michigan Wisconsin	3,494  186 235 113 1,924 235 801 7,699 5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	988 89 43 40 475 70 271 2,563 1,885 392 286 1,526 608 51 514	1,414  55 112 21 834 91 301 3,971  2,708 383 880 3,303 463	416  15 15 9 267 13 97 586  375 44 167	3  3   3  3	673 27 65 40 348 61 132 576 227 139 210	82:
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut  MIDDLE ATLANTIC New York New York New Jersey Pennsylvania  EAST NORTH CENTRAL Ohio Indiana Illinois Michigan Wisconsin	186 235 113 1,924 235 801 7,699 5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	89 43 40 475 70 271 2,563 1,885 392 286 1,526 608 51 514	55 112 21 834 91 301 3,971 2,708 383 880 3,303	15 15 9 267 13 97 586 375 44 167	3 - 3	27 65 40 348 61 132 576 227 139 210	-
New Hampshire Vermont Massachusetts Rhode Island Connecticut  MIDDLE ATLANTIC  New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin	235 113 1,924 235 801 7,699 5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	43 40 475 70 271 2,563 1,885 392 286 1,526 608 51 514	112 21 834 91 301 3,971 2,708 383 880 3,303	15 9 267 13 97 586 375 44 167	3 - 3	65 40 348 61 132 576 227 139 210	
Vermont.  Massachusetts Rhode Island Connecticut  MIDDLE ATLANTIC  New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin	113 1,924 235 801 7,699 5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	40 475 70 271 2,563 1,885 392 286 1,526 608 51 514	21 834 91 301 3,971 2,708 383 880 3,303	9 267 13 97 586 375 44 167	3 - 3	40 348 61 132 576 227 139 210	-
Rhode Island Connecticut  MIDDLE ATLANTIC  New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin	235 801 7,699 5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	70 271 2,563 1,885 392 286 1,526 608 51 514	91 301 3,971 2,708 383 880 3,303 463	13 97 586 375 44 167	<u>-</u>	576 227 139 210	
Connecticut  MIDDLE ATLANTIC  New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin	5,195 -958 1,546 7,424 1,271 480 3,570 1,296 807	271 2,563 1,885 392 286 1,526 608 51 514	301 3,971 2,708 383 880 3,303 463	97 586 375 44 167	<u>-</u>	132 576 227 139 210	=
New York New Jersey Pennsylvania  EAST NORTH CENTRAL Ohio Indiana Illinois Michigan Wisconsin	5,195 958 1,546 7,424 1,271 480 3,570 1,296 807	1,885 392 286 1,526 608 51 514	2,708 383 880 3,303 463	375 44 167	<u>-</u>	227 139 210	=
New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin	958 1,546 7,424 1,271 480 3,570 1,296 807	392 286 1,526 608 51 514	383 880 3,303 463	167		139 210	=
Pennsylvania  East North Central  Ohio  Indiana  Illinois  Michigan  Wisconsin	1,546 7,424 1,271 480 3,570 1,296 807	286 1,526 608 51 514	3,303 463	167		210	_
Chio	7,424 1,271 480 3,570 1,296 807	1,526 608 51 514	3,303				_
Ohio	1,271 480 3,570 1,296 807	608 51 514	463	640		1 007	
Indiana Illinois Michigan Wisconsin	3,570 1,296 807	51 514				1,697	
Illinois Michigan Wisconsin	3,570 1,296 807	514	337	55 54	31 8	114 30	_
Wisconsin	807	202	1,557	233	169	1,097	-
WEST NORTH CENTRAL.	2,453	151	695 251	172 131	26 19	201 255	_
		733	994	263	34	423	6
Minnesota	605	128	340	50	23	64	
Iowa Missouri	394 614	201 103	14 367	87 78	$\frac{1}{2}$	$\begin{array}{c} 85 \\ 64 \end{array}$	-6
North Dakota	179	57	44	31	4	43	_
South Dakota	126	19	85	6	-	16 125	_
Nebraska Kansas	276 259	31 194	114 30	6 5	4	26	_
South Atlantic	6,049	1,610	2,485	487	59	1,403	5
Delaware	91	41	22	10	$\frac{-}{2}$	18	_
Maryland Dist.of Columbia	649 1,554	85 841	403 459	41 202		118 52	_
Virginia	1,560	314	357	56	= 1	828	5
West Virginia	414 654	170	202 289	30 47	57	117 148	_
North Carolina	445	31	289	30	_	93	_
Georgia Florida	444 238	118 2	248 214	54 17	=	24 5	_
East South Central	2,544	179	1,336	309	22	610	88
Kentucky	579	35	357	31	22	134	_
Tennessee	490	22	321	65	-	82	
Alabama Mississippi	722 7 <b>5</b> 3	63 59	322 336	159 54	=	90 304	. 88
WEST SOUTH CENTRAL.	2,906	381	1,507	87	167	529	235
Arkansas	682	3	423	3	_	253	_
Louisiana	388	5	280	16	19	68	_
Oklahoma Texas	689 1,147	80 293	396 408	28 40	104	81 127	235
Mountain	879	87	340	60	3	147	242
Montana	163	_	_	_	_	_	163
Idaho	57	26	20	2 3	1	8	_
Wyoming Colorado	36 214	10 20	17 131	12	_	6 51	
New Mexico	37	-	_	-			37
ArizonaUtah	189 141	25 6	78 94	24 19		62 20	_
Nevada	42	_	-	-	-	_	42
PACIFIC	4,282	960	1,425	219	1	1,431	246
Washington	515	234	204	32	_	45	_
Oregon California	380 3,387	78 648	240 981	181	1	56 1,330	246

TABLE 41.—FEMALES DISCHARGED FROM STATE HOSPITALS FOR MENTAL DISEASE, BY CONDITION ON DISCHARGE, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts. New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

DIVISION AND STATE	Total discharged			CHOSIS ON ADM		Patients without psychosis	Condition on dis- charge not
		Recovered	Improved	Unimproved	Unclassified	on admission	reported
United States	29,647	8,073	15,462	2,278	333	2,782	719
NEW ENGLAND	2,894	692	1,634	276	1	291	_
Maine New Hampshire Vermont	165 213 94	98 28 38	52 135 34	5 24 9	<u>-</u>	10 26 12	=
Massachusetts	1,647	271	1,056	149	_	171	=
Rhode Island Connecticut	191 584	190	82 275	16 73	_	26 46	=
MIDDLE ATLANTIC	7,256	2,574	3,887	522	1	272	_
New York	4,840	1,809	2,587	341		103	
New Jersey Pennsylvania	866 1,550	375 390	374 926	52 129		65 104	=
East North Central	5,907	1,494	3,140	445	163	665	_
Ohio	1,116	665	391	22	2	36	
Indiana	516	157	298	38	4	19	-
Illinois Michigan	2,713 1,041	445 151	1,477 690	201 96	142 8	448 96	_
Wisconsin	521	76	284	88	7	66	_
WEST NORTH CENTRAL	2,066	868	872	151	36	134	5
Minnesota Iowa	593 323	197 235	317	29 70	31	19 12	5
Missouri	546	128	342	34	_	42	
North Dakota	95 110	44 7	22 88	12	1	16 12	
Nebraska	109	14	78	1	_	16	-
Kansas	290	243	24	2	4	17	-
SOUTH ATLANTIC	3,718	849	1,977	377	45	463	7
Delaware	55 433	30 49	14 292	3 53	-	8 39	-
Maryland Dist.of Columbia	360	165	110	82		3	_
Virginia	976	304	363	63		239	7
West Virginia North Carolina	376 477	10 129	234 228	30 78	43	59 42	
South Carolina	391	45	269	23	_	54	_
Georgia Florida	387	115	219	45		8	-
EAST SOUTH CENTRAL	263	2	248	946	2 2	11	110
	1,987	241	1,142	246		244	112
Kentucky Tennessee	459 451	39	316 322	19 54	2	83 28	_
Alabama	600	107	216	130	_	35	112
Mississippi West South Central.	2,432	48	288 1,394	43 74	78	98	291
		414					291
Arkansas Louisiana	448 416	3	379 377	2 5	67	67 29	=
Oklahoma	485	87	299	9		23	
Texas	1,083	324	339	58	9	62	291
Mountain	606	45	308	25	5	57	166
Montana Idaho	137 36	15	12	1	3	5	137
Wyoming	22	5	10	3	_	4	-
Colorado New Mexico	134 21	10	102	3	_	19	21
Arizona	105	7	64	11	1	22	-
Utah Nevada	143	8	120	7	1	7	-
PACIFIC	2,781	896	1,108	162	2	475	138
Washington	372	201	125	29	1	16	-
OregonCalifornia	240 2,169	47 648	162 821	127	1	25 434	ginal from

UNIVERSITY OF MINNESOTA

TABLE 42.—ALL DEATHS IN STATE HOSPITALS FOR MENTAL DISEASE, BY DURATION OF HOSPITAL LIFE AND MENTAL DISORDER, FOR THE UNITED STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	Potal					DUR	DURATION OF HOSPITAL LIFE	IOSPITAL LI	FE				
MENTAL DISORDER	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)
Total patients	40,245	6,293	5,811	3,099	2,774	3,144	2,878	3,411	4,147	3,992	3,730	996	1.5
With psychosis	38,494	6,116	5,700	3,057	2,718	3,072	2,823	3,331	4,023	3,868	3,641	145	1.5
General paresis.  With other forms of syphilis of the C.N.S. With other infectious diseases.  Alcoholic. Due to drugs and other exogenous poisons. Traumatic erebral arterioscierosis. With other disturbances of circulation. With other disturbances of circulation. With onvulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Faychoneuroses. Manic-depressis. Manic-depressis. With mental pracox (schizophrenia). With mental deficiency. With mental deficiency. Other, undiagnosed, and unknown.	3,613 536 639 639 639 638 8,306 818 888 818 818 593 172 172 172 172 172 172 172 173 173 173 173 173 173 173 173 173 173	399 144 155 108 108 1177 1177 118 1177 1177 118 118 119 119 119 119 119 119 119 119	877 877 77 77 102 1,795 113 95 133 131	395 1,007 1,007 2,007 1,00	868 444 468 468 468 468 468 468 468 468	315 231 231 231 232 377 377 377 377 377 377 377 377 377	303 49 88 86 77 74 77 88 86 86 86 86 86 86 86 86 86 86 86 86	371 811 812 937 78 938 938 78 78 79 79 79 79 79 79 79 79 79 79 79 79 79	454 622 623 7722 7722 7722 7722 7722 7722 7	302 393 391 107 107 327 327 327 327 446 1189 223 223 223 223 223 223 223 223 223 22	59 19 27 27 18 11 133 133 133 133 133 133	10 23 33 34 10 10 10 10 10 10 10 10 10 10 10 10 10	0.1 6.1 6.1 6.2 6.2 6.2 6.2 6.2 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3 6.3
Without psychosis.	939	171	111	42	26	72	22	80	124	124	88	6	2.1
Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis Personality disorders due to epidemic encephalitis Personality Deseronality Primary behavior disorders Other, unclassified, and unknown	356 40 171 88 22 36 48 36	37728	211116	255-1-18	412 0 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1187   1817	512884   18	≈£4 g	31152233	20 11 11 17	63 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ese=    <b>4</b>	7.7. 7.0. 7.0. 4.1.
Mental disorder not reported	812	1	1	1	1	1	ı	1.	ī	1	1	812	1

1 Under 1 month.



Table 43.—Male Deaths in State Hospitals for Mental Disease, by Duration of Hospital Life and Mental Disorder, for the United States: 1943

Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Mayland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

Company   Comp	Under 1	4 tc mon 1,1	7 to 11 months 1,613 1,582 269 269 34 2 5 5	1 year	c			10 to 19			-
the patients and the control of the	3,687 3,567 299 35 10 114 124 12 144 143 143 144 144 144 144 144 144 144	1 1	1,613 1,582 34 34		years	3 to 4 years	5 to 9 years	years	20 years and over	Not	Median (years)
hosis.  21,574 3,567 3,301 1,779 1,1	2.567 2.99 2.99 3.11 1.412 1.413 1.43 2.90 2.90 2.90 2.90 2.90 2.90 2.90 2.90		1,582 269 34 2	1,731	1,589	1,931	2,290	2,145	1,910	594	1.3
ephalitis         2,779         299         502         309           ephalitis         109         10         6         5           ephalitis         107         11         24         6         5           other exogenous poisons         529         69         62         24         6           other exogenous poisons         589         1,412         1,221         586         24           ances of circulation         5,892         1,412         1,221         586         24         28           sorders         264         30         27         22         18         26         27         22         28         26         27         22         22         18         26         26         26         26         26         26         26         26         22         22         18         26         22         22         15         26         22         22         15         26         22         26         36         36         36         36         36         36         36         36         36         36         36         36         36         36         36         36         36         36	299 35 35 35 35 35 35 35 35 35 35 35 35 35 3		34	1,683	1,554	1,875	2,208	2,076	1,861	88	1.3
iosclerosis 5,892 1,412 1,221 5.86 5 5 ances of circulation 5,892 1,412 1,221 5.86 5 5 ances of circulation 5,800 1,412 1,221 5.86 5 5 ances of circulation 5,800 1,412 1,21 5.86 5 5 ances of circulation 5,800 1,412 1,21 5.86 5 ances of circulation 5,800 1,412 1,41	1,412 1,432 1,433		. 23	235 41 13 11 33 11	238 38 7 7 12 30	289 51 10 10 48 48	358 40 40 25 70 70	235 26 8 8 8 90 4	188	04  4	1.0 1.8 1.8 0.3 3.9
1,048 116 62 56 53 56 69 69 69 69 69 69 69 69 69 69 69 69 69	116 66 2		507 26 25 25 19 19 29 29	562 24 30 389 389 30 30	224 224 224 2424 2424 2424 2424 2424 2	206 506 16 62 336 23 16 16 16	409 409 117 117 242 488 488 55	109 173 148 109 32 22 22 22 23	21-5252255	# 4 g &       L	6.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00
59 3 4 2 205 9 11 6	12 271		865 40 72 74 71 75 75 75 75 75 75 75 75 75 75 75 75 75	62 118 12 1 30 28	45.55 123 99 98 133 133 133 133 133 133 133 133 133 13	238 238 63 83 863 863 863 863 863 863 863 863	141 445 39 110 102	200 713 49 122 122 22	1,133 1,133 140 117 190	4.24.18.0	1.1 5.4 14.5 12.6 7.7 8.7
205 9 11 4	120		31	48	35	99	83	69	49	4	1.8
56 13 8 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 111 6 8 8 8 8 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1	2000   -   E	9559   1212	~T22     E	21-1-4803	###   ##	214 to 1	332 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111112	7.00 7.75 1

Table 44.—Female Deaths in State Hospitals for Mental Disease, by Duration of Hospital Life and Mental Disorder, rolling States: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	Total					ina	ATION OF 1	DURATION OF HOSPITAL LIFE	84				
MENTAL DISORDER	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)
Total patients	17,562	2,606	2,427	1,290	1,161	1,413	1,289	1,480	1,857	1,847	1,820	372	1.8
With psychosis	16,920	2,549	2,399	1,278	1,136	1,389	1,269	1,456	1,815	1,792	1,780	57	1.8
General paresis With other forms of syphilis of the C.N.S. With other infectious diseases Alcoholic. Due to drugs and other exogenous poisons	834 148 65 72 110 26	100 18 24 17 17	169 26 2 15 13	3 20 3 3 4 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4	18004411	010 10 47	31187 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	82 110 117 8 9 8	96 22 15 16 22 4	20 13 13 17	23 10 10 11	111-	11.0 6.3 6.3 1.1
Traumatic. With cerebral arteriosclerosis. With cher disfurbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc, diseases. Due to mey growth. With organic changes of the nervous system.	32 4,207 234 404 4,177 554 280 65	858 858 866 877 86 87 86 37	795 455 485 188 81 81 81 10	421 173 470 37 26 4 4	358 19 19 390 30 10 12	481 131 131 144 17 17	363 17 17 432 432 43 20 20 28	431 431 362 362 55 14 17	363 163 163 183 183 184 183 184 184 184 184 184 184 184 184 184 184	154 154 146 146 23 23	. 42 9 98 9 82 8 21 8 4	1 6 1 1 1 1 1 2 1 2	0.6 0.3 0.7 0.7 0.4 0.3 1.3
Psychoneuroses  Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency.	103 1,342 2,848 244 35 429 435	8 163 75 4 1 12 248	11 104 88 88 4 1 164 164	51 22 11 12 12	3 66 78 78 1 13	63 108 13 22 24 24 24	12 102 8 8 3 3 13	13 102 197 19 40 40	16 386 41 79 15	237 707 707 70 8 8 101 19	267 1,040 77 10 91 29	1091   674	3.1 6.1 14.7 13.6 — 8.6
Without psychosis	332	57	28	12	25	24	20	24	43	55	40	2	2.9
Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown	40 151 8 8 6 6 7 117	884-1-1-68	111 +66221	4   8	10         13.2	22-11-15	6   1   108	11 1 13	20   20   20 %	88       18	31   31	21-111112	0.1       <b>1.0</b>
Mental disorder not reported	310	1	1	1	1	1	1	I	1	1	1	310	1

Under 1 month.

Table 45.—All Deaths in Veterans' Hospitals for Mental Disease, by Duration of Hospital Life and Mental Disorder, FOR THE UNITED STATES: 1943

[Statistics based on reports from 31 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	Total					ша	ATION OF	DURATION OF HOSPITAL LIFE	8.0				
MENTAL DISORDER	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)
Total patients	1,653	237	198	120	118	156	130	177	224	138	17	138	1.5
With psychosis	1,409	178	179	111	114	153	121	174	223	136	17	3	1.8
General paresis  With other forms of syphilis of the C.N.S.  With epidemic encephalitis With other infectious diseases Alcoholic  Due to drugs and other exogenous poisons	342 81 25 19 37	23 7 11 111 2	46649	27 2 1 1	11133111	1 6222	84. 111	1113	842   11	80 ∞ 1 - 1	111111	-11111	1.688
Traumatic. With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Senile Linvolutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system	302 46 33 33 10 10 12 54 52 10 10	1333	12 H 12	84411444	18004-1-17	1240r4   110	44145     145	00004i044i0	10192   1   9	H460∞HH   H	111111111	1-1111111	131111116
Psychoneuroses.  Manic-depressive. Dementia praecox (schizophrenia) Parancia and paranciod conditions. With psychopathic personality. With mental deficiency. Other, undiagnosed, and unknown.	244 244 8 8 16 56	120112	455   44 a	211   129	12HHH   4	1181121	L44L     6	1440010	1 0 82 4   0 12	1-2-101	2-	111111	1151118
Without psychosis	244	59	19	6	4	es	6	က	1	63	1	135	3
Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	22   641   82	, 81   1-8			1111111-		∞     <b>4</b>	-	1111111 1	111111100 1		111111188	€

Under 1 month.



TAL

TABLE 46.—ALL DEATHS IN COUNTY [Statistics based on reports	AND CITY H DISORE	Y HOSI SORDER,	CITY HOSPITALS FOR MENTAL DISEASE, BY DISORDER, FOR THE UNITED STATES: 1943 i hospitals. See Appendix A for discussion of coverage. Median no	FOR MI	ENTAL I	L DISEASE, BY STATES: 1943 coverge. Median	SE, BY DURATION OF HOSFITA: 1943 Median not shown where base is less than 50]	DURATION OF t shown where base is	N OF H	OSPITA	Hospital Life and Mental Iss than 50]	AND M	ENTAL
	Total					ħα	DURATION OF HOSPITAL LIFE	OSPITAL LI	2				
MENTAL DISORDER	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)
Total patients.	2,039	279	230	182	139	187	121	172	200	175	298	102	2.0
With psychosis	1,899	271	225	130	138	186	119	81	200	165	278	8	1.9
General paresis. With other forms of syphilis of the C.N.S. With opidemic encephalitis. With other infectious diseases. Alcobolic. Due to drugs and other exogenous poisons.	110 41 6 5 47	EL     10	84   -0	<b>a</b> 6  4	<del> </del>	111 2 111	-11181	94 40	₹ <del>4</del>   ∞	r40   r-	-    <u> </u>	11111	<u>                                    </u>
Traumatic With cerebral arteriosciences With other disturbances of circulation. With onvulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth. With organic changes of the nervous system.	8 <b>0.2185</b> 8888	-51- <b>8</b> -51-0	400 0 m = 10 r	- 100 m - 10 m -	182222	18 <sub>6</sub>   8   6   1	18442-41	14   2800   4	1 4 2 4 E   1 2	. പച്ചനമ്ര <b>ം</b>  ഒ	2874	- -∞	8  8
Paychoneuroses Manic-depressive Manic-depressive Dementis pracocx (schizophrenis) Paranois and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown	111 229 37 37 66 68 148	1 1 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	20 20	1001100	4.20 m   1200	1221148	H484-85	1900 40	1284   011	- 15 <b>0</b> 014	223 128 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3		6.5 18.8 12.5 1.6
Without paychosis	64	∞	ū	2	1	1	61	9	4	9	19	9	10.0
Epilepsy Mental deficiency Mental deficiency Mental deficiency Drug addiction Personality disorders due to epidemic encephalitia Primary behavior disordera Other, unclasseficed, and unknown Mental disorder not reported	4 1 1 1 8 2 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-8-1111-1	11-1111-1	1111111-1	-1111111 1		8811-11-1	1-111111	mm ed	±         E	-      %	



64607**5-46-11** 

TABLE 47.-MALE DEATHS IN COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, BY DURATION OF HOSPITAL LIFE AND MENTAL DISORDER, FOR THE UNITED STATES: 1943

[Statistics based on reports from 75 hospitals. See Appendix A for discussion of coverage. Median not shown where base is less than 50]

	Total					IDQ	TATION OF	DURATION OF HOSPITAL LIFE	r.				
MENTAL DISORDER	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)
Total patients	1,139	158	137	76	91	102	67	97	107	95	145	64	1.7
With psychosis	1,056	154	133	74	91	102	65	93	105	88	137	13	1.7
General paresis.  With other forms of syphilis of the C.N.S. With epidemic encephaltis. With other infectious diseases. Alcoholic.  Due to drugs and other exogenous poisons.	1 30 0 0 0 0	13     6 11	120   100	601   101	514     1	10 28 11 1	r   a	row    41	1281   7	12   3000	ا ا ا ا م	111111	121
Traumatic. With cerebral arteriosclerosis. With chard disturbances of circulation. With convulsive disorder s. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system.	2117 171 122 294 111 19	371 6 23 1 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8 4 T 0 2   T rc	171 221 3   31	3111211	8     8     1   1		#     # w w   4	17   222   17	191800818	00-14-4-	1     5	16.118.1111
Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown	112 112 123 152 153 153 153 153 153 153 153 153 153 153	203   1113	14°E1     10	1401 1 100	1-4   100	10 10   10 10		122   40	1821	1624 100	151 9 151 151 151 151 151 151 151 151 15	ю4	1160
Without psychosis	36	4	4	2	1	1	7	4	2	9	0	4	1
Epilepsy Mental deficiency Alcoholian Drug addiction Personality disorders due to epidemic encephalitis Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	≈84   1     0			-    -	11111111111	11111111 1		-  -	00	0-0   -	w.	11         8 24	11111111111



TABLE 48.—FEMALE DEATHS IN COUNTY AND CITY HOSPITALS FOR MENTAL DISEASE, BY DURATION OF HOSPITAL LIFE AND MENTAL

	Total					DQ	LATION OF	DURATION OF HOSPITAL LIFE	5					
Mental Disorder	deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not reported	Median (years)	
Total patients.	900	121	93	56	48	85	54	75	26	80	153	88	2.5	
With psychosis	843	117	83	56	47	84	54 4	73	95	76	142	7	2.4	DE
General paresis With other forms of syphilis of the C.N.S. With other infectious diseases. Alcoholio Due to drugs and other exogenous poisous.	211412	a-11a1	99     6	8-1111	8	26       1	111171	4-14-1	4	88       =	911191	111111		INILED IN
Traumatic With cerebral arteriocderosis With cher disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases Due to new growth With organic changes of the nervous system.	252 253 251 251 251 251 251 251 251 251 251 251	182   2 - 2   2	14   20   21	11 11 12 12 13	121122111	122   8   21	12   12   27   17	1   1   1   1   1   1   1   1   1   1	8 0801 0	&   6128-1   1	1887   1		161121111	idlesMentai
Phychoneuroses  Manic-depressive Demerita prescon (schizophrenia) Paranois and paranoid conditions. With psychopathic personality With mental deficiency. Other, undiganosed, and unknown	117 117 22 22 26 58 58	124   0	187   19	100     00	[60] [1]	100  00,		10000   100		3710	47280475	1111-	86.2 1   1   2.3	L DISEASE
Without psychosis	88	4	1	ı	1	-1	l	63	2	4	11	63	!	
Epilepsy Mental deficiency Montal deficiency Atoobolism Drug addiction Personality disorders due to epidemic encephalitis Prychopathic personality Primary behavior disorders Other, unclassified, and unknown. Mental disorder not reported	2 5 1 1 1 1 1 1 1 2 °C	11111117	1111111 1	11111111	11111117 1	7111111111	11111111		~		ar	111111111111111111111111111111111111111	1111111111	

TABLE 49.—ALL DEATHS IN PSYCHOPATHIC HOSPITALS, BY DURATION OF [Statistics based on reports from 8 hospitals.

						(Dual)	ib (10b i)	ascu o	Перы	1011	1 8 nos	pivals.
	TOT	AL DEA	тнв			DUR	ATION	or nos	PITAL	LIFE		
MENTAL DISORDER	т	м	F	Und	er 1 m	onth	1 to	3 mor	nths	4 to	в тог	ths
				т	М	F	Т	М	F	T	М	F
Total patients	78	49	29	61	43	18	12	6	6	1	_	1
With psychosis	76	48	28	60	42	18	12	6	6	1	-	1
General paresis	_	5 - - 8 1	1 3	2 - 1 10 1	2 - 8 1		3 - - 1	3 - - -	_ _ _ 1	111111	111111	
Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system.	10 1 8 1 4 3	1 9 9 - 5 - 2 3 -	7 1 3 1 2 -	3	9 4 - 2 2	1 2 1 1 -	- - 1 - 1 1	- - 1 - 1 -	- - - - 1	1	11111111	
Psychoneuroses	$\frac{3}{1}$	$\begin{bmatrix} 2 \\ 1 \\ -1 \\ -1 \\ 1 \end{bmatrix}$	3 2 - - 1 1	3 - - 1 1	2 1 - - 1 1	2 2 - - -	1 - 1 - 1	1	1 1	11111111	11111111	11111111
Epilepsy	11111	111111		11111	=======================================	=======================================	111111	=======================================			111111	
Primary behavior disordersOther, unclassified, and unknown	-	1		1	1	=	=	=	=	=	=	=
Mental disorder not reported	-	-	-	-	-	-	-	-	-	-	-	-



HOSPITAL LIFE, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943 See Appendix A for discussion of coverage]

<u> </u>			Dt	RATION	OF HOSPI	tal Lipe			
MENTAL DISORDER	7 to	o 11 mont	hs	1 <b>y</b>	r. and ov	er	No	t reporte	ed .
	Т	М	F	Т	M	F	т	М	F
Total patients	2	_	2	2	_	2	_	_	
With psychosis	1	-	1	2	_	2	_	-	-
Jeneral paresis		_		_					
With other forms of syphilis of the C.N.S			!	=		- 1	=	_	
With epidemic encephalitis				_		_			
With other infectious diseases	!		1		I			l I	
Mecholic	1			1		_ }	=	_	
Due to drugs and other exogenous poisons.		-	-	-[		-1	-1	-	
FraumaticWith cerebral arteriosclerosis	_	_	_	- 1	_!	-1	_	_	
With cerebral arteriosclerosis				1		1		ı — I	
With other disturbances of circulation	-	-			_	_		l	
With convulsive disorders									
Senile	1	_	1	=	_			_	
nvolutional psychoses	_				_				
Due to other metabolic, etc., diseases	_	_			-				
Due to new growth	_	_		_	_	1		l i	
With organic changes of the nervous system.	1	-	- 1	- - 1	-	1	- }		
Psychoneuroses			_	_	_	_	_		
Manio-depressive	_	_	_		l — I	- 1			
Manio-depressive Dementia praecox (schi sophrenia)	-				l I		_	i — I	
Paranoia and paranoid conditions	-		_		_			_	
With psychopathic personality	_	_					=	_	
With mental deficiency	_	=			_	=	_		
Other, undiagnosed, and unknown	_	ll	_		i I				
Without psychosis		_	1		_	_	_	_	
4									
Epilepsy	_	-	-	-	-	-			
Mental deficiency	-	_	-	_		_	- 1	-	
Alcoholism	-			-	-	_	-		
Drug addiction	1111		-	-	-		_	-	
Personality disorders due to epidemic en- cephalitis.		-	-	-	-	_		-	
Psychopathic personality	_	-		_		-		-	
Primary behavior disorders		ll		_	-	-	-		
Other, unclassified, and unknown	1	-	1	_	I · -	-	-	-	
Mental disorder not reported		_		_	_	-	_	_	

TABLE 50.—ALL DEATHS IN STATE HOSPITALS FOR MENTAL

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in See Appendix A for

		UNI	TED STA	TES		N	EW EN	BLAND		
	MENTAL DISORDER					MAINE		NEW	HAMPS	HIRE
		Т	M	F	Т	M	F	Т	M	F
1	Total patients	40,245	_		232	124	108	271	133	138
2	With psychosis	38,494	21,574	16,920	228	122	106	265	128	137
3	General paresis With other forms of syphilis of the C.N.S	3,613 536	2,779 388	834 148	16 3	12 3	4	5 10	3 10	2
5	With epidemic encephalitis	174	109	65	-	-	_	_	-	_
6	With other infectious diseasesAlcoholic	179 639	107 529	72 110	1 6	1 6	_	1 7	5	1 2
8	Due to drugs and other exogenous poisons	53	27	26		_	-	-	-	_
10	Traumatic	148 10,099	116 5,892	32 4,207	3 37	2 19	18	88	47	41
11 12	With other disturbances of circulation With convulsive disorders	584 984	350 580	234 404	3 12	3 8	4	88 2 5 66	1	1
3	Senile		4,129	4,177	52	31	21	66	2 22 3	3 44 1 3
4	Involutional psychoses	818	264 308	554 280	52 2 2		2	8	3 5	1
15	Due to other metabolic, etc., diseases Due to new growth	148	83	65	1	_	1	-	-	-3
17	With organic changes of the nervous system	593	317	276 103	3	1	2	-	-	1
8	Psychoneuroses Manic-depressive	172 2,390	1,048	1,342	29	13	1 16	13	4	9
20	Dementia praecox (schizophrenia)	5,918	3,070	2,848	46	17	29	13 36 4	16 2	20
2	Paranoia and paranoid conditions	499 101	255 66	244 35	-	_1	3	-	_2	
23	With mental deficiency	962	533	429	7	3	4	6	3	3
24 25	Other, undiagnosed, and unknown	990 939	555 607	435 332	4	2	2	6 9 6	5	i
26	Epilepsy	99	59	40	_	_	_	_	_	_
7 8	Mental deficiencyAlcoholism	356 64	205 56	151	4	2	2	3	2	1
9	Drug addiction Personality disorders due to epidemic encephalitis_	64 17	11	8	-	_	_	_	_	_
30 31	Personality disorders due to epidemic encephalitis Psychopathic personality	8 22	3 18	5		_	_		_	_
2	Primary behavior disorders	4	3	i	-	_	_	_	_	_
33	Other, unclassified, and unknown	369	252	117	-	-		3	3	-
34	Mental disorder not reported	812	502	3100	_	_	_	-	_	-
34	Mental disorder not reported	812	1DDLE	310	c—Con	tinued			r NORT	
34	Mental disorder not reported  MENTAL DISORDER			TLANTI		tinued	NIA	C	ENTRAI	
341		NE	W JERSI	EY	PEN	NSTLVA		C	OHIO	
,	MENTAL DISORDER	NE T	W JERSI	F F	PEN T	M	F	Т	OHIO M	F
1 2	MENTAL DISORDER  Total patients	NE T 1,059	W JERSI	EY	T 3,023	M 1,660	F 1,363	T 1,662	OHIO M 938	F 724
1	MENTAL DISORDER  Total patients	T 1,059	M 551 543 53	F 508 506 14	T 3,023 2,954 316	M 1,660 1,622 237	F 1,363 1,332 79	T 1,662 1,652 268	M 938 933 205	F 724 719 63
1 2 3 4	Total patients	T 1,059 1,049 67 23	M 551 543 13	F 508 506 14 10	T 3,023 2,954 316	M 1,660 1,622	F 1,363 1,332 79 8	T 1,662 1,652 268 24	OHIO  M  938  933  205	F 724 719 63
1	MENTAL DISORDER  Total patients	NE T 1,059 1,049 67 23 29	M 551 543 11 6	F 508 506 14 10 1 3	T 3,023 2,954 316 38 8 3	M 1,660 1,622 237 30 6 2	F 1,363 1,332 79 8 2	T 1,662 1,652 268 24 10	938 938 933 205 15 8	F 724 719 63 9 2
1 2 3 4 5	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With other infectious diseases  Alcoholic	T 1,059 1,049 67 23	M 551 543 13 1	F 508 506 14 10 1	T 3,023 2,954 316 38 8 8 9 9 9	M 1,660 1,622 237 30 6 2 78	F 1,363 1,332 79 8 2	T 1,662 1,652 268 24 10 38	938 933 205 15 8	F 724 719 63 9 2
1 2 3 4 5	Total patients.  With psychosis.  General paresis.  With other forms of syphilis of the C.N.S.  With other infectious diseases Alcoholic.  Due to drugs and other exogenous poisons.  Traumatic.	NE T 1,059 1,049 67 23 2 9 20 6	M 551 543 13 1 6 15 6	F 508 506 14 10 1 3 5 5 -	T 3,023 2,954 316 38 8 3 90	M 1,660 1,622 237 30 6 2 78 2 12	F 1,363 1,332 79 8 2 1 12 2	T 1,662 1,652 268 24 10 38 8 7	938 933 205 15 8 33 2	F 724 719 63 9 2 5 1
1 2 3 4 5 6 7 8 9	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With opidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With erebral arteriosclerosis.	NE T 1,059 1,049 67 23 2 9 20 6 387	M JERSI M 551 543 13 1 6 15 6 206	F 508 506 14 10 1 3 5 - 181	T 3,023 2,954 316 38 8 3 90 4 12 519	M 1,660 1,622 237 30 6 6 2 788 2 12 300	F 1,363 1,332 79 8 2 1 12 2 219	T 1,662 1,652 268 24 10 38 8 7 341	938 933 205 15 8 33 25 208	F 724 719 63 9 2 5 1 2 133
1 2 3 4 5 6 7 8 9 10	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis	T 1,059 1,049 67 23 2 9 20 6 387 24	M 5511 543 13 1 6 15 6 206 12 5 5 5	F 508 506 14 10 1 3 5 - 181 1 12 6	T 3,023 2,954 316 38 8 8 3 90 4 12 519 54	M 1,660 1,622 237 30 6 2 78 8 2 12 300 27 50	F 1,363 1,332 79 8 2 1 12 2 2 219 27 39	T 1,662 1,652 268 24 10 38 3 7 341 28 5	938 933 205 15 8 33 2 208 208 13	F 724 719 63 9 2 5 1 1 2 133 15 4
1 2 3 4 5 6 7 8 9 10 11 12 13	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With opidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With erebral arteriosclerosis  With other disturbances of circulation  With convulsive disorders	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M 5511 543 13 1 6 15 6 206 12 5 5 5	F 508 506 14 10 1 3 5 - 181 12 6 112	T 3,023 2,954 316 38 8 8 3 90 4 12 519 54	M 1,660 1,622 237 30 6 2 78 2 12 300 27 50 305	F 1,363 1,332 79 8 2 1 1 2 2 2 2 19 27 39 370	T 1,662 1,652 268 24 10 38 3 7 341 28 5 243	938 933 205 15 8 	F 724 719 63 9 2
1 2 3 4 5 6 7 8 9 10 11 12 13 14	Total patients.  With psychosis.  With other forms of syphilis of the C.N.S. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With ecrebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders.	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M JERSI M 551 543 53 13 1 6 15 6 206 12 5 73 8 8 2	F 508 506 14 10 1 3 5 5 112 112 15 5 15 5 15 15 15 15 15 15 15 15 15 15	T 3,023 2,954 316 38 8 3 90 4 12 519 54 89 675 799 46	M 1,660 1,622 237 30 6 2 78 12 300 27 750 305 22 27	F 1,363 1,332 79 8 2 1 12 2 2 219 27 39	T 1,662 1,652 268 24 10 38 3 7 341 28 5	938 933 205 15 8 33 2 208 208 13	F 724 719 63 9 2 5 1 1 2 133 15 4
1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With erebral arteriosclerosis  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to other metary the service of the s	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M JERSI M 5551 543 13 1 6 15 6 206 12 5 73 8 8 2 5 5	F 508 506 14 10 1 1 3 5 5 6 112 13 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T 3,023 2,954 316 38 8 3 90 4 12 519 675 79 46	M 1,660 1,622 237 300 6 2 2 12 300 277 505 305 22 27 3	F 1,363 1,332 79 8 2 1 1 12 2 2 219 27 39 370 57 19 6	T 1,662 1,652 268 24 10 38 3 7 7 341 28 5 243 688 31	OHIO  M  938  933  205  15  8  33  2  5  208  11  118  19  14	F 724 719 63 9 2 5 1 2 133 15 4 125 49 17
1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile.  Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M JERSI M 551 543 53 13 1 6 15 6 206 12 5 73 8 8 2	F 508 506 14 10 1 1 3 3 5 — 181 1 12 13 13 1 2 3 3 3 1 2 2 3 3 3 3 3 3	T 3,023 2,954 316 38 8 3 90 4 12 519 54 89 675 799 46	M 1,660 1,622 237 30 6 2 78 12 300 27 750 305 22 27	F 1,363 1,332 79 8 2 1 1 2 2 2 27 39 370 57 19	T 1,662 1,652 268 24 10 38 3 7 341 28 5 243	OHIO  M 938 933 205 15 8 33 25 5208 13 1188	F 724 719 63 9 2 2 5 1 1 2 133 15 4 125 49 17 13
1 2 3 4 5 6 7 8 9 10 1 1 2 3 4 4 1 5 1 6 1 7 1 8 9	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S With epidemic encephalitis. With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis With other disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M JERSJ M 5551 543 13 11 6 65 12 5 73 8 8 2 5 11 1 4 8 18	F 508 506 14 10 1 1 3 3 5 5 1 12 2 3 3 3 6 6 3 6 6	T 3,023 2,954 316 38 88 3 90 4 12 519 54 89 675 79 46 9 48 14 250	M 1,660 1,622 237 300 6 2 2 12 12 300 277 505 305 22 2 27 3 3 25 5 111	F 1,363 1,332 79 8 2 1 12 2 2 219 27 39 370 57 19 6 23 9	T 1,662 1,652 268 24 10 38 8 7 341 28 543 68 31 25 189 139	938 933 205 15 8 33 2 5 5 208 13 11 118 19 14 12 7	F 724 719 63 9 2 5 1 1 2 133 15 49 17 13 11 76
1 2 3 4 5 6 7 8 9 10 11 22 33 4 15 16 17 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses Manic-depressive. Dementia praecox (schizophrenia)	T 1,059 1,049 67 23 2 9 20 6 387 24 111 185	M JERSI M 5551 543 13 11 66 15 66 206 12 5 73 8 2 5 11 4 18 8 8 9	F 508 506 14 10 1 3 5 5 112 6 112 13 3 6 112 13 3 6 7 3	T 3,023 2,954 316 388 3 90 4 122 519 54 899 675 79 46 9 48 14 2500	M 1,660 1,622 237 30 6 2 2 78 8 2 12 300 27 50 305 5 22 27 5 5 111 272	F 1,363 1,332 79 8 2 2 1 1 12 2 2 2 19 27 39 370 57 19 6 23 9 139 228	T 1,662 1,652 268 24 10 38 3 7 3411 28 5 18 139 68 31 25 18 139 68 68 68 68 68 68 68 68 68 68 68 68 68	938 933 205 15 15 8 -33 2 2 5 208 13 11 1188 19 14 -12 7 7 63 153 153	F 724 719 63 8 9 2 2 133 15 45 49 17 13 11 16 76 133
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 12 2	Total patients  With psychosis  General paresis.  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia)  Paranoja and paranojd conditions.	T 1,059 1,049 67 23 2 9 9 20 6 387 24 11 185 21 7 6 6 13 7 6 6 13 7 5 4 16 16 16 16 16 16 16 16 16 16 16 16 16	M JERSI M 5551 543 13 11 6 65 12 5 6 12 2 5 73 8 8 2 2 5 11 1 4 8 8 8 9 6 2	F 508 506 14 10 13 3 5 - 181 122 133 5 1 12 2 3 3 366 73 9 4	T 3,023 2,954 316 38 88 90 4 122 519 54 86 97 46 9 48 14 250 500 41 3	M 1,660 1,622 237 300 6 6 2 2 12 300 277 505 305 325 5 5 111 272 26 6 2	1,363 1,332 79 8 2 11 12 2 219 27 39 370 57 19 6 23 39 139 228 15	T 1,662 1,652 268 24 10 38 8 7 341 28 51 139 286 58 68	938 933 205 15 8 -33 22 8 -208 131 118 119 144 -12 7 7 63 3153 27 4	F 724 719 63 9 2 5 1 1 2 1 3 3 1 1 5 4 9 1 7 1 3 1 1 7 6 6 1 3 3 3 3 1 2 2
1 2 3 4 5 6 7 8 9 10 11 2 13 14 15 16 17 18 19 20 12 22 3	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses Manic-depressive Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency	T 1,059 1,049 67 23 2 20 6 387 7 6 6 13 7 7 544 116 16 6 6 13	M JERSI M 5551 543 13 13 16 15 6 206 12 55 73 8 2 2 11 4 18 89 6 6 25	F 508 506 14 10 11 12 6 112 13 3 6 73 79 4 8	T 3,023 2,954 316 388 8 3 90 4 122 519 54 89 675 79 46 9 48 14 2500 5000 411 33	M 1,660 1,622 237 30 6 2 2 78 8 2 1 12 300 305 5 22 27 5 5 111 1272 26 6 2 3 9	F 1,363 1,332 79 8 2 2 1 1 12 2 2 2 19 27 39 370 57 19 6 23 9 139 228 15 1 45	T 1,662 1,652 268 24 10 38 3 77 3411 28 52 243 68 31 25 18 139 286 68 64 1	938 933 205 15 8 -33 2 5 5 8 -33 1 1 1 1 1 1 1 2 7 7 6 1 3 3 3 1 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	F 724 719 63 8 9 2 2 133 15 4 15 17 17 13 11 16 76 133 31 2 18
1 2 3 4 5 6 7 8 9 10 1 1 2 1 3 1 4 1 5 1 6 1 7 8 1 9 10 2 1 2 2 3 2 4	Total patients  With psychosis  General paresis.  With other forms of syphilis of the C.N.S.  With epidemic encephalitis.  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons.  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation.  With convulsive disorders.  Senile.  Involutional psychoses.  Due to other metabolic, etc., diseases.  Due to new growth.  With organic changes of the nervous system.  Psychoneuroses.  Manic-depressive.  Dementia praecox (schizophrenia)  Paranoja and paranojd conditions.	T 1,059 1,049 67 23 9 20 6 387 24 11 185 21 7 6 13 3 7 54 162 15 6 13 11 10	M JERSI M 5551 543 13 11 6 65 12 5 6 12 2 5 73 8 8 2 2 5 11 1 4 8 8 8 9 6 2	F 508 506 14 10 13 3 5 - 181 122 133 5 1 12 2 3 3 366 73 9 4	T 3,023 2,954 316 38 88 90 4 122 519 54 86 97 46 9 48 14 250 500 41 3	M 1,660 1,622 237 300 6 6 2 2 12 300 277 505 305 325 5 5 111 272 26 6 2	1,363 1,332 79 8 2 11 12 2 219 27 39 370 57 19 6 23 39 139 228 15	T 1,662 1,652 268 24 10 38 8 7 341 28 51 139 286 58 68	938 933 205 15 8 -33 22 8 -208 131 118 119 144 -12 7 7 63 3153 27 4	F 724 719 63 9 2 5 1 1 2 1 3 3 1 1 5 4 9 1 7 1 3 1 1 7 6 6 1 3 3 3 3 1 2 2
1 2 3456789101121314415161781920122234225	Total patients  With psychosis.  General paresis.  With other forms of syphilis of the C.N.S. With epidemic encephalitis. With other infectious diseases. Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With corvulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions. With psychopathic personality. With mental deficiency Other, undiagnosed, and unknown. Without psychosis.	T 1,059 1,049 67 23 9 20 6 387 24 11 185 21 7 6 13 3 7 54 162 15 6 13 11 10	M JERSJ M 5551 543 13 11 6 15 6 206 12 5 73 8 8 2 2 5 5 11 1 1 8 8 9 9 6 6 2 5 5 3 3 8 8 6 6 2 5 5 5 3 3 8 8 6 6 2 5 5 5 3 3 8 8 6 6 2 5 5 5 3 3 8 8 6 6 2 5 5 5 3 3 8 8 6 6 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 4 8 8 8 8	T 3,023 2,954 316 38 8 3 90 4 12 519 675 79 46 9 48 250 500 501 13 3 84 47 2 69	M 1,660 1,622 237 30 6 2 2 78 2 12 300 277 50 305 22 27 27 26 2 2 39 41 38 1 38	79 8 2 1 12 2 2 2 2 2 3 3 7 0 5 7 7 1 9 6 6 2 3 3 9 2 2 8 1 5 1 4 5 3 1 3 1 2 2	T 1,662 268 244 100 38 37 3411 28 55 243 68 311 286 58 31 139 286 6 41 13 10	938 933 205 15 15 8 -33 2 5 208 13 1 1 118 -12 7 6 33 15 15 15 15 15 15 15 15 15 15 15 15 15	F 724 719 63 8 9 2 2 5 1 1 25 15 17 13 11 17 66 133 31 12 2 18 10 5
1 2 3 4 5	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown Without psychosis.  Epilepsy Mental deficiency	T 1,059 1,049 67 23 9 20 6 387 24 11 185 21 7 6 13 3 7 54 162 15 6 13 11 10	M JERSI M 5551 543 13 11 6 15 6 206 12 5 73 8 8 2 2 5 5 11 18 8 9 6 6 2 2 5 3 3	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 4 8 8 8 8	T 3,023 2,954 316 388 8 3 90 4 122 519 54 899 675 79 46 9 48 14 2500 500 411 31 84 872 69	M 1,660 1,622 237 30 6 2 2 78 8 2 1 12 300 277 50 305 5 5 111 272 266 2 2 39 41 38	79 8 2 2 1 1 12 2 2 2 19 27 39 370 57 19 6 23 23 29 13 29 14 5 31 13 13	T 1,662 268 244 10 38 8 7 341 28 68 31 139 286 64 11 13	938 933 205 15 8 -33 2 5 5 8 -33 1 1 1 1 1 1 1 2 7 7 6 1 3 3 3 1 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	F 724 719 63 9 2 5 1 1 2 133 15 49 17 13 11 76 1333 31 12 18 10 5
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 22 1 22 3 24 25 26 27 28 29	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown Without psychosis.  Epilepsy Mental deficiency	T 1,059 - 1,049 - 67 23 2 20 - 6 387 24 1 11 185 21 7 7 54 1622 15 6 13 11 1 10 - 3 1 1	M JERSJ M 5551 543 13 11 6 15 6 206 12 5 73 8 8 2 2 5 11 1 18 89 6 6 2 5 5 3 3 8 8 6 2 5 5 3 3 8 8 6 6 2 5 5 6 6 6 2 6 6 6 6 6 6 6 6 6 6 6	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 4 8 8 8 8	T 3,023 2,954 316 38 8 3 90 4 12 519 675 79 46 9 48 250 500 501 13 3 84 47 2 69	M 1,660 1,622 237 300 6 2 2 2 39 305 222 27 3 255 111 272 266 2 39 41 38 38 1 27	1,363 1,332 79 8 2 1 12 2 219 27 39 370 57 19 6 23 228 15 1 45 31 31	T 1,662 268 244 100 38 37 3411 28 55 243 68 311 286 58 31 139 286 6 41 13 10	938 933 205 15 15 8 -33 2 5 208 13 1 1 118 -12 7 6 33 15 15 15 15 15 15 15 15 15 15 15 15 15	F 724 719 63 9 2 5 1 1 2 133 15 49 17 13 11 76 1333 31 12 18 10 5
1 2 3 4 5 6 7 8 9 10 11 2 13 14 15 16 7 18 19 20 1 22 23 4 25 26 7 8 28 0	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy  Mental deficiency  Alcoholism  Drug addiction  Personality disorders due to epidemic encephalitis.	T 1,059 1,049 67 23 2 9 9 20 6 387 24 111 185 21 7 7 54 1622 15 6 6 13 111 10	M JERSI M 5551 543 13 11 6 65 12 5 6 12 2 5 73 8 8 2 2 5 111 4 4 18 8 8 9 6 2 5 5 3 8 8 8 9 6 2 5 5 3 8 8 8 9 6 2 5 5 3 8 8 8 9 6 2 5 5 3 8 8 8 9 6 2 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 3 8 8 8 9 6 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 4 8 8 8 8	T 3,023 2,954 316 38 88 90 4 12 519 54 89 675 79 46 9 48 14 250 500 41 3 84 72 69 3 50 4	M 1,660 1,622 237 300 6 2 2 2 39 305 222 27 3 255 111 272 266 2 39 41 38 38 1 27	1,363 1,332 79 8 2 1 12 2 219 27 39 370 57 19 6 23 228 15 1 45 31 31	T 1,662 268 244 100 38 37 3411 28 55 243 68 311 286 58 31 139 286 6 41 13 10	938 933 205 15 15 8 -33 2 5 208 13 1 1 118 -12 7 6 33 15 15 15 15 15 15 15 15 15 15 15 15 15	F 724 719 63 9 2 5 1 1 2 133 15 49 17 13 11 76 1333 31 12 18 10 5
1 2 3 4 5 6 7 8 9 10 11 2 13 14 15 16 7 18 19 20 1 22 23 4 25 26 7 8 28 0	Total patients  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With epidemic encephalitis  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With other disturbances of circulation  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)  Paranoia and paranoid conditions  With psychopathic personality  With mental deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy  Mental deficiency  Alcoholism  Drug addiction  Personality disorders due to epidemic encephalitis.	T 1,059 1,049 67 23 2 9 9 20 6 387 24 111 185 21 7 7 54 1622 15 6 6 13 111 10	M JERSJ M 5551 543 53 13 11 6 15 6 206 12 5 5 73 8 8 2 2 5 5 11 1 4 18 8 8 9 6 6 2 5 5 3 3 8 8 6 6 2 5 6 6 6 2 6 6 6 6 6 6 6 6 6 6 6 6	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 9 4 8 8 8 2 — 1 — — — — — — — — — — — — — — — — —	T 3,023 2,954 316 38 8 3 90 4 12 519 675 79 46 48 250 500 41 250 500 41 2	M 1,660 1,622 237 30 6 2 2 78 2 2 300 305 22 27 7 3 2 5 5 111 272 26 2 39 4 1 4 1 38 1 27 3 3	79 8 2 2 1 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2	T 1,662 268 244 100 38 37 3411 28 55 243 68 311 286 58 31 139 286 6 41 13 10	938 933 205 15 8 33 22 52 208 13 118 19 14 27 7 63 153 27 4 23 3 5 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	F 724 719 63 9 2 5 1 1 2 133 15 49 17 13 11 76 1333 31 12 18 10 5
1 2 34 5 6 7 8 9 10 11 12 13 4 15 16 17 18 19 20 12 22 3 4 25 26 7 8 9 10 11 12 13 4 15 16 17 18 19 20 12 22 3 4 25 16 27 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	Total patients  With psychosis  General paresis With other forms of syphilis of the C.N.S. With epidemic encephalitis With other infectious diseases Alcoholic Due to drugs and other exogenous poisons Traumatic With cerebral arteriosclerosis. With other disturbances of circulation With convulsive disorders Senile. Involutional psychoses Due to other metabolic, etc., diseases. Due to new growth With organic changes of the nervous system Psychoneuroses. Manic-depressive. Dementia praecox (schizophrenia) Paranoia and paranoid conditions With psychopathic personality With mental deficiency Other, undiagnosed, and unknown Without psychosis.  Epilepsy Mental deficiency	T 1,059 1,049 67 23 2 9 9 20 6 387 24 111 185 21 7 7 54 1622 15 6 6 13 111 10	M JERSJ M 5551 543 13 11 6 15 6 206 12 5 73 8 8 2 2 5 11 1 18 89 6 6 2 5 5 3 3 8 8 6 2 5 5 3 3 8 8 6 6 2 5 5 6 6 6 2 6 6 6 6 6 6 6 6 6 6 6	F 508 506 14 10 1 3 3 5 — 181 122 13 3 66 73 9 4 8 8 8 8	T 3,023 2,954 316 38 88 90 4 12 519 54 89 675 79 46 9 48 14 250 500 41 3 84 72 69 3 50 4	M 1,660 1,622 237 300 6 6 2 2 12 237 50 305 325 5 5 111 272 26 6 2 39 41 38 8 1 27 3 3 -	1,363 1,332 79 8 2 1 12 2 219 27 39 370 57 19 6 23 228 15 1 45 31 31	T 1,662 268 244 100 38 37 3411 28 55 243 68 311 286 58 31 139 286 6 41 13 10	938 933 205 15 8 33 22 52 208 13 118 19 14 27 7 63 153 27 4 23 3 5 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	F 724 719 63 8 9 2 2 5 1 1 25 15 17 13 11 17 66 133 31 12 2 18 10 5

DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943

				NEW 1	ENGLAN	D—Con	tinued					MIDD	LE ATLA	TIC
VE	ERMONT		MAS	SACHUS	ETTS	RHO	DE ISLA	ND	CON	NECTIC	J <b>T</b>	N	w York	
r	M	F	T	M	F	T	м	F	T	M	F	Т	м	F
118	55	63	2,170	1,076	1,094	309	145	164	797	436	361	7,695	4,054	3,641
118	55	63	2,161	1,074	1,087	293	137	156	793	433	360	7,687	4,046	3,641
4	3	1	86 15	70 10	16 5	6 3	3 3	3	22	14 2	8	523 109	415 86	108
3		1	6 5	2	4 5	2	i	1	4	3	1	64 21	37 18	23 27 3
-	-	_	65	55	10	11	8	3	22	20	2	152	117	35
	_	_	3 4	1 4	2	1	1	1	3	2	1	15 48 2,712	33	15
2	23	19 2	655 31	350 19	305 12	109 16	50 5	59 11	214	130	84 2 7	81	1,440 49	1,272 32
5 19	2 3	3 16	62 544	28 238	34 306	9 50	22	28	19 231	12 105	7 126	133 1,677	83 712	50 965
2	1	1	51 43	16 22	35 21	5 8	3	2 7	14 13	3 6	11 7	220 32	72 18	148 14
2	=	-2	2 56	$\frac{2}{23}$	33	4	1 2	3	2 22	12	10	65 77	36 36	29 41
1	4	2 1 5 7	7 102	5 50	2 52	4	2 2 3	2 2 3	2 26	14	12	20 256	12 87	169
17	. 10	7	322 35	135 13	187 22	34	17	17	153	81	72	1,274 62	678 24	596 38
42 5 19 2 1 	5	$\frac{1}{2}$	3 52	23	1 29	1 7	_	1 3	4	3	6	26	15	11
2	1	1	12 9	6 2	6 7	11 16	4 7 8	4 8	17 5 4	11 3 3	6 2 1	101 19 8	54 15 8	47
	-	_	- 1	=	-1		4	-4	1	-	_	-	_	_
$\exists$	-	-	-	-	_	1	1	-	-	-1	_	-	=	_
$\exists$	=	=	7	=	=	4	-	=	_1	-	=	7	=	=
$\exists$	=	_		=	_	=	_	=		=	=	2	2	=
	=	_	8	_2	_6	6	2	4	2	1	_1	6	6	_ =
_				EAST N	TORTH C	ENTRAL	-Conti	nued				WEST N	ORTH CE	NTRAL
IN	NDIANA		11	LINOIS		M	ICHIGAN		WI	SCONSIN		M	INNESOTA	
	M	F	Т	M	F	Т	M	F	Т	M	F	Т	М	F
784	481	303	3,076	1,811	1,265	1,467	835	632	255	154	101	995	599	396
778	479	299	2,861	1,660	1,201	1,439	817	622	253	152	101	973	585	388
09	85	24 2	293 26	204 15	89 11	161 16	127 12	34	33	24	9	45	36	9
1	_	ĩ	8	7	1 3	11	6 8	1 3	1	1	_	3	1	2
6	6	_	68 2 9	60	8	11	9	2	7	7	_	8	8	_
2	2	-	4	8	-	A	203	1	3	1	30		3	102

										10001101					1
Т	M	F	T	M	F	Т	M	F	T	М	F	T	M	F	
784	481	303	3,076	1,811	1,265	1,467	835	632	255	154	101	995	599	396	1
778	479	299	2,861	1,660	1,201	1,439	817	622	253	152	101	973	585	388	2
109 111 1 6 11 198 122 198 122 170 244 15 1 6 6 247 119 111 3 24 46	85 9	24	293 26 8 4 68 2 9 935 25 46 490 42	204 15 7	89	161 16 7	127 12	34	33	24 2	9	45 3 3 1 8	36	9	3 4 5 6 7 8 9 10 11 12 13 14 15 6 17 18 19 20 21 22 23 24 25
11	9	2	26	15	11 1 3 8 2	16	12	4 1 3 2 1	2	2	_	3	2	1 2	4
_	 6 1 2 125 10 8 103 9 7 1	_	4	1	3	11	6 8 9	3	1 7	1 7	_	1	i	_	6
6	6	-	68	60	8	11 11 356 12 14 308 27 35 8 46 18 71 214 43 5 22 22 28	9	2	7	7	_	8	8	-	7
1	1	_	2	8 591 14 29	1	1	-	1	-	1	-	-5 256 111 12 291 21 24 5 8 60 172 10 3 26 27 22	3	2 102 3 3 114 15	8
198	125	73 2 4 67 15 8	935	591	344	356	203 6 9	153	3 76 4 11 48 11	48	30	256	154	102	10
12	10	2	25	14	344 11 17	12	6	6	4	46 3 8	1	11	8	3	iĭ
12	8	4	46	29	17	14	9	5	11	8	1 3 14	12	154 8 9 177	3	12
170	103	67	490	235	255 35 32	308	152	156	48	34	14	291	177	114	13
15	7	15	61	7 20	30	35	10	16	4	1	10 3	21	6	15	15
1	i	_		29 3	1	8	19 5 29	3			_	4	3	î	16
6	3	. 3	64	34 2	1 30	46	29	17	3	3	_	5	4	1	17
2	-	2	5	2	3	18	8	10	2	_	2 18	8	2	6	18
110	62	2 26 56	419	31 219	36 193	214	103	111	3 2 27 17	9 11	18	179	2 22 107	38	19
11	21 63 7 3 16	4	4 64 5 67 412 18 4	13	5	43	8 33 103 20	153 6 5 156 17 16 3 17 10 38 111 23 1 16 16	11		_	10	5	6 38 65 5	21
3	3	_	4	13	1 31 92	5	17	1		_	3	3	5 3 15 18	_	22
24	16	8	64	33 122	31	22	17	5	4	1		26	15	11	23
4	2	4	64 214 215	122 151	92 64	52	36 18	16	2		_	27	18	11 9 8	24
		4	215	151	- 04	28	10	10				- 22	14		25
-	-		3	_	3 11	1	-	1 6	-	-	_	6	5	1 5	26
3	1	2	3 21 10	10 9 1	11	16	10 2	6	_	-1	11111	6 9 2	4	5	27
			10	9	1	2	2	1	1	1	_	2	2		28
	=	_	1 1 2	_	1	_					_	1		1 1	30
-	_	-	2	2	_	2	2	_	_	_	_	1	_	1	31
3	-	-	177	-	48	1 16 2 1 - 2 - 6	-	_	-	-	_	-	-	-	32
3	1	2	177	129	48	6	4	2	1	1	_	3	3	_	26 27 28 29 30 31 32 33 34
															04

TABLE 50.—ALL DEATHS IN STATE HOSPITALS FOR MENTAL

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in See Appendix A for

Ī				WEST 1	NORTH C	ENTRAL	-Conti	inued		
	MENTAL DISORDER		IOWA		м	ISSOURI		NORTH	DAK	)TA
		T	M	F	т	M	F	T	М	F
i	Total patients	579	341	238	799	450	349	172	113	59
2	With psychosis	578	341	237	775	435	340	172	113	59
3	General paresis	29	20	9	72	58	14	3	2	1
5	With other forms of syphilis of the C.N.S	11 5	4 3	7 2	2 1	2	=	6	6	_
3	With other infectious diseases	5 4 9	3 8	1	1 2	-2	1	2	2	=
3	Alcoholic  Due to drugs and other exogenous poisons	1	-1	î	1	-	-1	-	-	-
	TraumaticWith cerebral arteriosclerosis	99	73	26	168	106	62	10	_	10
2	With other disturbances of circulation With convulsive disorders	11 11	10	1	13 32	8 19	5 13	21	21 5	12
3	Senile	190	108 10	82 15	210 11	109	101	44	32	12
	Involutional psychoses	25 3 5	1	2	13	6	7	-	-	_
3	Due to belief measor it, etc., diseases	1 14	7	7	14	7	7		_	_
51	Psychoneuroses Manic-depressive	1 Z	37	2 15	45 107	2 23	2	13	5	1
)	Dementia praecox (schizophrenia)	62	34	28	107	50	22 57	13		1
	Paranoia and paranoid conditions	4	3	6	8	_1	7	30	30	_
3	With mental deficiency Other, undiagnosed, and unknown	16 14	6	10 13		22 13	18 13	19	10	
	Without psychosis	1	-	1		15	9	_	-	-
3	Epilepsy Mental deficiency		_	_	3	2	1	_	_	_
8	Mental deficiencyAlcoholism	1	=	1	9	6	3	_	_	_
	Drug addiction	1 -	-	-	1	i	-	_	-	-
ш	Personality disorders due to epidemic encephaliti s_ Psychopathic personality	1 -	_	_	1	1	_		_	_
	Dimens behavior discardens	-	_		1 -1	-		-	-	-
2	Primary behavior disordersOther, unclassified, and unknown	-	_	_	9	4	5	-	-	-
2	Other, unclassified, and unknown  Mental disorder not reported	-	=	=	9	4			_	=
3	Other, unclassified, and unknown Mental disorder not reported		-		H ATLA		-l		VIDOI	
3	Other, unclassified, and unknown Mental disorder not reported	DISTRICT	1	LUMBIA		TRGINIA	Continue	WEST	VIRGI	
1	Other, unclassified, and unknown.  Mental disorder not reported  MENTAL DISORDER	DISTRICT	M	F	T	M	F	T	М	F
	Other, unclassified, and unknown.  Mental disorder not reported.  MENTAL DISORDER  Total patients.	DISTRICT T 444	M 239	F 205	T 871	M 504	F 367	T 409	M 247	F 162
2	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444	M 239 239	F 205 205	T 871 808	M 504 461	F 367 347	T 409 369	M 247 229	F 16:
	Other, unclassified, and unknown.  Mental disorder not reported  MENTAL DISORDER  Total patients  With psychosis	DISTRICT  T  444  444  52	M 239 239 38	F 205	T 871 808 93	M 504 461 69	F 367 347 24	T 409 369 64	M 247 229 49	F 16:
	Other, unclassified, and unknown.  Mental disorder not reported  MENTAL DISORDER  Total patients.  With psychosis.  General paresis.  With other forms of syphilis of the C.N.S	DISTRICT  T  444  444  52	M 239 239 38 5	F 205 205 14 1	T 871 808 93	M 504 461	F 367 347 24 6 1	T 409 369 64 16	M 247 229 49 11	F 16: 14:
34	Other, unclassified, and unknown.  Mental disorder not reported	DISTRICT  T  444  444  52 5 5 2 3	M 239 239 38 5	F 205 205 14	T 871 808 93	M 504 461 69	F 367 347 24 6 1 1 1	T 409 369 64 16	M 247 229 49 11 5	F 16: 14:
34 5 5 5 7 8	Other, unclassified, and unknown.  Mental disorder not reported	DISTRICT  T  444  444  52 5 2 2 3 7	M 239 239 38 5 1 1 3 3 —	F 205 205 14 1 2 4 4	T 871 808	M 504 461 69 10 4 2	F 367 347 24 6 1 1 1 1	T 409 369 64 16	M 247 229 49 11 5 3 1 1 2	F 16: 14:
3 3 4 5 5 7 8 9 0	Other, unclassified, and unknown.  Mental disorder not reported	DISTRICT  T  444  444  52 5 5 2 3	M 239 239 38 5 1	F 205 205 14 1	T 871 808 93 16 5 3 2 1 1 134	M 504 461 69 10 4 2 2 - 1 90	F 367 347 24 6 1 1 1 1 44	T 409 369 64 16 13 3 2 2 3 39	M 247 229 11 -5 3 1 2 25	F 16: 14:
3 4 5 5 6 7 8 9 0 1 2	Other, unclassified, and unknown.  Mental disorder not reported  MENTAL DISORDER  Total patients.  With psychosis  General paresis.  With other forms of syphilis of the C.N.S.  With other infectious diseases.  Alcoholic.  Due to drugs and other exogenous poisons  Traumatic.  With cerebral arteriosclerosis.  With other disturbances of circulation  With convulsive disorders	T 444 444 552 3 7 7 157 157 157	M 239 239 38 5 1 1 3 3 - 71 4	F 205 205 14 4 - 861 1 1	T 871 808 93 16 5 3 2 1 1 1 1 2 4 3 2 2 0	M 504 461 69 10 4 2 2 - 1 90 12 11	F 367 347 24 6 1 1 1 444 111 9	T 409 369 64 16 13 3 2 2 3 3 9 9 1	M 247 229 49 11 5 3 1 1 2 25 1 5	F 16:
3	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 3 3 7 7 1 1 5 6 6 9 9	M 239 239 38 5 1 1 1 3 3 - 71 4 255	F 205 205 14 1 2 4 4 866 1 1 444	T 871 808 93 16 5 3 2 1 1 134 23	M 504 461 69 10 4 2 2 1 90 12	F 367 347 24 6 1 1 1 44 11	T 409 369 64 16 13 3 3 2 2 3 3 9 1 1 1 3	M 247 229 49 11 5 3 1 2 25 1 5 69	F 16:
34 5 6 6 7 8 9 0 1 2 3 4 4 5	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 5 2 3 3 7 7 1 5 5 6 9 1 3	M 239 239 38 5 1 1 3 - 71 4 25 5 8 3	F 205 205 14 1 24 86 1 144 44 5 1	871 808 93 16 5 3 2 1 1 1 134 23 20 204 2 2	M 504 461 69 10 4 2 2 11 990 12 11 966 1 12	F 367 347 24 6 1 1 1 44 111 9 108 1 8	T 409 369 64 16 13 3 2 2 3 3 9 9 1	M 247 229 49 11 5 3 1 1 2 25 1 5	F 16:
34 5 6 6 7 8 9 0 1 2 3 4 5 6 6 7	Other, unclassified, and unknown.  Mental disorder not reported  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With cerebral arteriosclerosis  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system	T 444 444 52 5 2 3 3 7 7 1 5 5 6 9 1 3	M 239 239 38 5 1 1 3 - 71 4 2 5 8	F 205 205 14 1 2 4 4 5 86 1 1 44 4 5	808 93 16 5 3 2 1 1 1 1 20 204 220 2 2 2 2 2	M 504 461 69 10 4 2 2 11 900 12 11 96 1	F 367 347 24 66 11 19 108 18 1 8 1 3	T 409 369 64 16 13 3 2 3 39 9 11 9 113 6 3	M 247 229 49 11 5 3 1 2 25 1 5 69	F 162
34 5 6 7 8 9 0 1 2 3 4 5 6 7 8	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 5 5 69 13 4 4 2 5 5	M 239 239 38 5 1 1 3 3 - 71 4 255 8 3 1 4 4	F 205 205 14 1 2 4 4 5 5 1 1 1 1 1	808 93 16 5 3 2 1 1 1 1 20 204 220 2 2 2 2 2	M 504 461 69 10 4 2 2 - 1 900 12 11 966 1 1 99	F 367 347 24 66 11 19 108 18 1 8 1 3	T 409 369 64 16 13 3 3 2 2 3 3 9 1 13 6 6 3 3 1 9	M 247 229 49 11 5 3 1 1 2 25 1 5 69 1 1 — 1	F 16:144
3456789901233456678990	Other, unclassified, and unknown.  Mental disorder not reported  With psychosis  General paresis  With other forms of syphilis of the C.N.S  With other infectious diseases  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With cerebral arteriosclerosis  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia)	T 444 444 52 5 5 2 3 3 7 7 7 1 1 5 5 6 9 9 13 4 4 2 2 5 5 14	M 239 239 38 5 1 1 1 3 3 7 1 4 25 5 8 8 3 1 4 4 20 39	F 205 205 14 1 2 4 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	871 808 93 16 5 3 2 1 1 134 233 200 204 2 2 12 2 2 12 2 13 18 18	M 504 461 69 10 12 2 2 11 90 12 11 9 67 56	F 367 347 24 66 11 1 9 108 1 1 8 1 3 2 2 71 44	T 409 369 64 16 13 3 22 3 3 39 9 11 3 6 6 3 3 1 1 3 6 6 4 4 4 4 4 4	M 247 229 49 111 5 5 3 1 1 2 2 2 5 5 1 1 5 6 9 1 1 1 17 30 1	F 1661144
1 2 34 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 - 71 4 25 5 8 3 3 1 4 4 10 39 7 1	F 205 205 14 1 1 2 4 4 5 5 1 1 1 1 4 1 1 3 5 5	871 808 93 16 5 3 3 2 1 1 134 233 200 204 2 2 202 12 138 100 7	M 504 461 69 10 4 2 2 2 11 19 6 1 1 12 2 1 9 67 56 5 5	F 367 347 24 6 1 1 1 9 108 1 8 1 3 2 2 711 44 2 2	T 409 369 64 16 13 3 2 2 3 3 9 11 3 6 3 3 1 3 6 6 3 1 3 6 6 3 1 1 3 6 6 3 1 1 3 6 6 1 1 3 6 6 1 1 3 6 6 1 1 3 6 6 1 1 1 3 6 6 1 1 1 3 6 6 1 1 1 1	M 247 229 49 111 5 3 3 1 1 2 2 25 1 1 7 30 2 2	F 166 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 2 34 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	871 808 93 16 5 5 3 2 1 1 134 233 200 204 2 2 12 2 2 12 2 138 100 7 7	M 504 461 69 10 12 2 2 11 90 12 11 9 67 56	F  367  347  24  6  1  1  1  1  8  1  8  1  1  9  108  1  1  1  8  1  1  9  108  1  1  9  108  1  1  9  108  1  1  9  108  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  9  108  1  1  1  1  9  108  1  1  1  1  1  1  1  1  1  1  1  1  1	T 409 369 64 16 13 3 3 9 113 6 6 3 3 4 4 4 4 7 7	M 247 229 49 11 5 5 3 1 1 5 69 1 1 - 1 17 30 2 2 - 3	F 1632
1 2 34 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 5 5 2 3 3 7 7 7 1 1 5 5 6 9 9 13 4 4 2 2 5 5 14	M 239 239 38 5 1 1 3 3 - 71 4 25 5 8 3 3 1 4 4 10 39 7 1	F 205 205 14 1 1 2 4 4 5 5 1 1 1 1 4 1 1 3 5 5	871 808 93 16 5 5 3 2 1 1 134 233 200 204 2 2 12 2 2 12 2 138 100 7 7	M 504 461 69 10 4 2 2 2 11 19 6 1 1 12 2 1 9 67 56 5 5	F 367 347 24 6 1 1 1 9 108 1 8 1 3 2 2 711 44 2 2	T 409 369 64 16 13 3 22 3 3 39 9 11 3 6 6 3 3 1 1 3 6 6 4 4 4 4 4 4	M 247 229 49 111 5 3 3 1 1 2 2 25 1 1 7 30 2 2	F 1652
234 -1 2 345567890123345667890123345	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	T 871 808 93 16 55 3 2 11 134 23 20 204 2 12 20 138 100 7 7 2 21 63 8	M 504 461 699 100 4 2 2 11 990 121 12 12 13 99 67 55 5 13 43 55	F 367 347 24 66 11 1 9 108 1 8 1 3 2 2 71 4 4 2 2 9 1 20 3	T 409 369 64 16 13 3 3 9 113 6 6 3 3 6 4 4 4 4 4 4 4 7 7 5 40 13	M 247 229 49 11	F 16: 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
234 -1 2 3445678901123345678901123345	Other, unclassified, and unknown.  Mental disorder not reported	T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	871 808 93 16 5 5 3 2 1 1 134 23 20 204 2 2 20 2 12 2 138 100 7 7 22 138 100 7 6 8 8 8 8 8 8	M 504 461 699 10 4 2 2 2 111 199 67 566 5 13 43 5 5 23	F 367 347 24 6 1 1 1 1 9 108 1 8 1 3 2 2 711 44 2 2 9 1 1 20 0 3 1 3 1 3 1 3	T 409 369 64 16 13 39 113 66 34 44 4 4 77 55 40 13 21	M 247 229 49 111 5 33 1 2 255 1 5 69 1 1 177 300 2 2 3 4	F 162 144 11 144 11 11 11 11 12 22
234 -1 2 345 -1 2 345	Other, unclassified, and unknown.  Mental disorder not reported  Total patients  With psychosis  General paresis.  With other forms of syphilis of the C.N.S  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions  With psychopathic personality  With metal deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy  Mental deficiency   T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	T 871 808 93 16 5 5 3 2 1 1 134 20 204 2 2 12 2 138 1000 7 1 63 8 8 36 100	M 504 461 699 100 4 2 2 11 990 121 12 12 13 99 67 55 5 13 43 55	F 367 347 24 6 1 1 1 1 9 108 1 8 1 3 2 2 711 44 2 2 9 1 1 20 0 3 1 3 1 3 1 3	T 409 369 64 16 13 39 113 66 34 44 4 4 77 55 40 13 21	M 247 229 49 11	F 162 144 11 144 11 11 11 11 12 22	
234 -1 2 345567890123345 678901	Mental disorder not reported	T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	871 808 93 16 5 5 3 2 1 1 134 23 20 204 2 2 20 2 12 2 138 100 7 7 22 138 100 7 6 8 8 8 8 8 8	M 504 461 69 10 12 2 2 11 19 9 67 56 5 13 43 10	F 367 347 24 66 11 1 9 108 1 8 1 3 2 2 71 4 4 2 2 9 1 20 3	T 409 369 64 16 13 39 113 66 34 44 4 4 77 55 40 13 21	M 247 229 49 111 55 3 1 1 2 2 25 5 69 9 1 1 1 7 30 3 4 4 18 9 7 7	F 162 144 11 144 11 11 11 11 12 22
234 -1 2 345 5678 9012334 5678 901234 678 90	Other, unclassified, and unknown.  Mental disorder not reported  Total patients  With psychosis  General paresis.  With other forms of syphilis of the C.N.S  With other infectious diseases.  Alcoholic  Due to drugs and other exogenous poisons  Traumatic  With cerebral arteriosclerosis  With convulsive disorders  Senile  Involutional psychoses  Due to other metabolic, etc., diseases  Due to new growth  With organic changes of the nervous system  Psychoneuroses  Manic-depressive  Dementia praecox (schizophrenia).  Paranoia and paranoid conditions  With psychopathic personality  With metal deficiency  Other, undiagnosed, and unknown  Without psychosis  Epilepsy  Mental deficiency   T 444 444 52 3 3 7 157 11 5 69 13 4 4 2 5 5 14 52 12 2 12 2 12 2 12 2 12	M 239 239 38 5 1 1 3 3 — 71 4 25 5 8 3 1 4 4 — 100 399 7 1 2	F 205 205 14 1 2 4 4 4 5 1 1 1 1 1 1 3 5 6	T 871 808 93 16 5 5 3 2 1 1 134 20 204 2 2 12 2 138 1000 7 1 63 8 8 36 100	M 504 461 69 10 12 2 2 11 19 9 67 56 5 13 43 10	F 367 347 24 6 1 1 1 1 9 108 1 8 1 3 2 2 711 44 2 2 9 1 1 20 0 3 1 3 1 3 1 3	T 409 369 64 16 13 39 113 66 34 44 4 4 77 55 40 13 21	M 247 229 49 111 55 3 1 1 2 2 25 5 69 9 1 1 1 7 30 3 4 4 18 9 7 7		

DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943—Con.

Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. discussion of coverage]

-			WEST 1	NORTH (	CENTRA	L—Cont	inued				80	UTH AT	LANTIC			_
	SOUTI	H DAKO	TA	NE	BRASKA		K	ANSAS		Di	CLAWARE		м	ARYLAND		
	Т	M	F	Т	М	F	Т	M	F	Т	M	F	т	М	F	_
	130	83	47	271	174	97	396	237	159	123	65	58	682	378	304	1
	129	82	47	267	170	97	386	232	154	118	62	56	659	367	292	
	8	_5	3	15 2	14 2	1	23 9 3	18 8 3	5 1	15 2 1	14	1	81	68	13 1	3
	2	1 3	1	3	3	=	25 1	13	12	1	1	1	5 2 1	1 1 8	-1 -4	6
	-	=	=	1	1	_	3	_	3	î	1	=	12 3 3 134	1 3	2	8
	27	21 1	6	56 4	41 3	15	120 42	77 15	43 27	38 2	19 1	19	6	83	51 3	10 11
	27 1 2 38 1	1 24	14	61	43	18 18 2	40	24	16	38 2 3 26 2 6	9	17	12 165	67 67	51 3 3 98 11	12 13
	_	_	$\frac{1}{1}$	3 4 1	1 3 1	1	1 44 6	35 1	9 5	6	3	3	17 12 1	6	5 1	15
	1 4 1	4	_	4	î	3	3	2	1 3	4	2	2	12	5 3	7 5	17 18
	11 26	7 13	1 4 13	21 62	7 31	14 31	22 28	11 13	11 15	6 5 1	2 3 1	2	12 8 29 102 16	13 51	16 51 9	19 20
	=	=	=	7	6	1	2	1	1	_	_	=	16 2 31	7	9	21 22
	3	2	1	62 7 1 7 6 4	3 3 4	3	10	- 8 - 5	- 2 5	2 1 5	1 1 3	$\frac{1}{2}$	5 23	22 4 11	1 12	3 4 5 6 7 8 9 10 111 12 13 14 15 6 17 18 19 20 21 22 23 24 25
					1								4			
		=	=	1 2	_2	=	3	2	_1	2	_1	_1	16 1	1 8 1	. 8	26 27 28 29 30 31 32 33 34
	=	=	=	=	=	=	=	=	=	=	=	=	1	=	1	29 30
	1		=	1	-1	=	6		-4	1 2	1 1		-		=	32
	-1	_	_	-		_				2			-			34
	NORT	H CARO	LINA		H CARO			tinued		-	PLORIDA			ENTUCKY	-	
	- 1			SOUT	H CARO	LINA	-	EORGIA			1	F	K	ENTUCK		
	NORT T 677	M 388	F 289		-				F 263	T 417	M 278	F 139			-	1
	т	М	F	SOUT.	M CARO	F F	Т	M	F	т	М		T	M	F	
	T 677 636 71	M 388 367 58	F 289	T 416	M 261	F 155	T 613	M 350	F 263	T 417 416 85	M 278	139	T 821 790 85 27	M 510 489 60 23	F 311 301 25	2
	T 677 636 71 36	388 367 58 22 3	F 289 269 13	T 416 387 69	M 261 243 61 —	F 155 144	T 613 613	M 350 350	F 263 263	T 417 416	M 278 278 74	139 138	T 821 790 85 27	M 510 489 60 23	F 311 301	2
	T 677 636 71 36 6 4 2 1	388 367 58 22 3 3 2	F 289 269 13 14 3	T 416 387	M 261 243 61	F 155 144 8 —	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1	T 417 416 85 5 2	M 278 278 74 3 — 2	139 138	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 2	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	F 289 269 13 14 3 1 1 1	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	350 350 350 1 1 1 84	F 263 263 29 1	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	F 289 269 13 14 3 1 1 1	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	350 350 350 1 1 1 84	F 263 263 29 1	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	F 289 269 13 14 3 1 1	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8 — — — — 2 2 — 2 11 7 12 15 5 9	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	289 269 13 14 3 1 1 30 -11 37 4 5	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8 — — — — 2 2 — 21 7 12 15 5 9	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	289 269 13 14 3 1 1 30 -11 37 4 5	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8 — — — — 2 2 — 21 7 12 15 5 9	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	289 269 13 14 3 1 1 30 -11 37 4 5	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8 — — — — 2 2 — 21 7 12 15 5 9	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 71 36 6 4 2 1 3 109	M 388 367 58 22 3 3 2 - 3 79	289 269 13 14 3 1 1 30 -11 37 4 5	T 416 387 69 11 2	M 261 243 61 — 1	F 155 144 8 — — — — 2 2 — 21 7 12 15 5 9	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 74 3 2 43	139 138 11 2 	T 821 790 85 27	M 510 489 60 23	F 311 301 25 4 1 1 1 1 44	2
	T 677 636 64 22 113 109 38 95 8 7 4 95 101 43 95	M 388 367 58 22 3 3 2 - 3 79 - 58 4 2 - 30 50 2 1 188 5 21	289 269 13 14 30 11 37 4 65 51 25 4 20	T 416  387  69	M 261 243 61	ELINA  F  155  144  8  21 77 72 155 59 -1 2 16 333 333 33 1 -6 6 6 11	T   613   613   112   1   1   1   1   1   1   1   1	350 350 350 83 	263 263 29 1 	T 417 416 85 5 - - 2 73 30 110 110 2 119 2 1 1 10 110 110 1111111111	M 278 278 3 - 2 43 15 71 1 18 2 2 15 28 1 5 5	139 138 11 2 30 15 39 1 1 18 14 - - 1 18 14	821 790 85 27 2 2 6 1 1 2 158 7 7 7 7 184 7 7 2 2 3 79 119 4 3 3 3 3 3 4 3 4 3 4 4 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	M 510 489 60 23	F 311 301 25 4 2 1 1 44 2 13 82 5 1 1 8 8 2 36 51 1 10 13 10	3 4 5 6 6 7 8 9 100 111 112 13 114 115 16 16 17 18 119 200 211 22 23 24 25
	T 677 636 64 22 113 109 38 95 8 7 4 95 101 43 95	M 388 367 58 22 3 3 2 - 3 79 - 58 4 2 - 30 50 2 1 188 5 21	289 269 13 14 30 11 37 4 65 51 25 4 20	T 416  387  69	M 261 243 61	ELINA  F  155  144  8  21 77 72 155 59 -1 2 16 333 333 33 1 -6 6 6 11	T   613   613   112   1   1   1   1   1   1   1   1	350 350 350 83 	263 263 29 1 	T 417 416 85 5 - - 2 73 30 110 110 2 119 2 1 1 10 110 110 1111111111	M 278 278 3 - 2 43 15 71 1 18 2 2 15 28 1 5 5	139 138 11 2 30 15 39 1 1 18 14 - - 1 18 14	821 790 85 27 2 2 6 1 1 2 158 7 7 7 7 184 7 7 2 2 3 79 119 4 3 3 3 3 3 4 3 4 3 4 4 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	M 510 489 60 23	F 311 301 25 4 2 1 1 44 2 13 82 5 1 1 8 8 2 36 51 1 10 13 10	3 4 5 6 6 7 8 9 100 111 112 13 114 115 16 16 17 18 119 200 211 22 23 24 25
	T 677 636 64 22 113 109 38 95 8 7 4 95 101 43 95	M 388 367 58 22 3 3 2 - 3 79 - 58 4 2 - 30 50 2 1 188 5 21	289 269 13 14 30 11 37 4 65 51 25 4 20	T 416  387  69	M 261 243 61	ELINA  F  155  144  8  21 77 72 155 59 -1 2 16 333 333 33 1 -6 6 6 11	T   613   613   112   1   1   1   1   1   1   1   1	350 350 350 83 	263 263 29 1 	T 417 416 85 5 - - 2 73 30 110 110 2 119 2 1 1 10 110 110 1111111111	M 278 278 3 - 2 43 15 71 1 18 2 2 15 28 1 5 5	139 138 11 2 30 15 39 1 1 18 14 - - 1 18 14	821 790 85 27 2 2 6 1 1 2 158 7 7 7 7 184 7 7 2 2 3 79 119 4 3 3 3 3 3 4 3 4 3 4 4 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	M 510 489 60 23	F 311 301 25 4 2 1 1 44 2 13 82 5 1 1 8 8 2 36 51 1 10 13 10	3 4 5 6 7 8 9 9 10 11 122 133 14 155 166 17 188 199 200 221 222 23 244 25
	T 677 636 64 22 113 109 38 95 8 7 4 95 101 43 95	M 388 367 58 22 3 3 2 - 3 79 - 58 4 2 - 30 50 2 1 188 5 21	289 269 13 14 30 11 37 4 65 51 25 4 20	T 416  387  69	M 261 243 61	ELINA  F  155  144  8  21 77 72 155 59 -1 2 16 333 333 33 1 -6 6 6 11	T   613   613   112   1   1   1   1   1   1   1   1	350 350 350 83 	263 263 29 1 	T 417 416 85 5 - - 2 73 30 110 110 2 119 2 1 1 10 110 110 1111111111	M 278 278 3 - 2 43 15 71 1 18 2 2 15 28 1 5 5	139 138 11 2 30 15 39 1 1 18 14 - - 1 18 14	821 790 85 27 2 2 6 1 1 2 158 7 7 7 7 184 7 7 2 2 3 79 119 4 3 3 3 3 3 4 3 4 3 4 4 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	M 510 489 60 23	F 311 301 25 4 2 1 1 44 2 13 82 5 1 1 8 8 2 36 51 1 10 13 10	3 4 5 6 7 8 9 9 10 11 122 133 14 155 166 17 188 199 200 221 222 23 244 25
Digitiz	T 677 636 711 36 64 42 21 33 109 38 95 7 4 95 101 33 41 36 3 41 36 41 43 94 11	M  388  367  58  22  3  79   58  4  27  58  4  18  50  51	289 269 13 14 30 11 37 4 65 51 25 4 20	T 416 387 69 11 2	M 261 243 61	ELINA  F  155  144  8  21 77 72 155 59 -1 2 16 333 333 33 1 -6 6 6 11	T 613 613 112 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M 350 350 83	F 263 263 29 1 1 36 18 27 3	T 417 416 85 5 2	M 278 278 3 - 2 43 15 71 1 18 2 2 15 28 1 5 5	139 138 11 2 	821 790 85 27 2 2 6 1 1 2 158 7 7 7 7 184 7 7 2 2 3 79 119 4 3 3 3 3 3 4 3 4 3 4 4 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	M 510 489 600 23 — 1 1 6 6 — 2 114 102 2 1 4 1 4 3 688 3 — 29 11 21 1 3 — — 6 6	F 311 301 25 4 22 1 1 44 22 133 82 55 1 1 10 10 10 11 4 4 11 11 11 11 11 11 11 11 11 11 11	3 4 5 6 6 7 8 9 100 111 112 13 114 115 16 16 17 18 119 200 211 22 23 24 25

TABLE 50.—ALL DEATHS IN STATE HOSPITALS FOR MENTAL [Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in See Appendix A for

			1	BAST SO	OTH CE	NTRAL-	-Contin	ued		
	MENTAL DISORDER	T	Innesse	3	A	LABAMA		MIS	8188171	71
		T	м	F	т	м	F	т	м	F
1	Total patients	621	352	269	629	316	313	505	298	207
2	With psychosis	609	345	264	318	135	183	485	282	203
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	General paresis. With other forms of syphilis of the C.N.S With epidemic encephalitis. With other infectious diseases Alcoholic. Due to drugs and other exogenous poisons. Traumatic. With cerebral arteriosclerosis. With other disturbances of circulation. With convulsive disorders. Senile. Involutional psychoses. Due to other metabolic, etc., diseases. Due to new growth. With organic changes of the nervous system. Psychoneuroses. Manio-depressive. Dementia praecox (schizophrenia). Paranoia and paranoid conditions. With mental deficiency Other, undiagnosed, and unknown. Without psychosis.	21 114 114 19 150 6 8 	555 3 1 2 2 72 72 71 84 3 4 4 2 27 33 3 4 1 66 30 7 7	17 4 1 1 1 42 5 8 66 3 4 - 1 30 58 1 1 6 6 5 5 5	1615   1   280591518882834487116428	11 1 3 1 2 33 4 4 18 1 1 13 16 2 1 3 10 10 10 10 10 10 10 10 10 10	5 2 27 11 15 33 7 11 27 32 5 3 11	79 4 2 1 1 99 22 35 74 24 7 33 62 28 35 28	65 2 1 	14 2 
26 27 28 29 30 31 32 33 34	Epilepsy Mental deficiency Alcoholism Drug addiction Personality disorders due to epidemic encephalitis. Psychopathic personality Primary behavior disorders Other, unclassified, and unknown Mental disorder not reported	91	-4 1   2	5 	200	- - - - - 9 172	- - - - - - 11 119	- 8 - 2 - - 10	7 2 - 7	1 - - - - 3
	MENTAL DISORDER		VYOWING		OUNTAIN			NEW	WETI	~
	MENTAL DISORDER	1	YTOMING		CC	DLORADO	<u> </u>		MEXIC	
_		T	M	F	T	M	F	Т	М	F
1 2	Total patients	T 52	M 32	F 20	T 349	M 197	F 152			
-1		522 511 8	M 32 31 7	F	T	M	F	Т	М	F

DISEASE, BY MENTAL DISORDER AND SEX, BY STATES: 1943—Con.

Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis.

	discussion of co								<b>B</b> u			p							_
					WEST	BOUTH	CENT	RAL							MOUN	TAIN			
	AR	KANSA		LO	UISIAN	'A	OK	LAHOM	A	1	EXAS		<b>M</b> (	ONTAN	<u> </u>		OARO		
	т	M	F	Т	M	F	Т	M	F	Т	M	F	Т	M	F	Т	М	F	
	510	320	190	490	279	211	739	442	297	989	594	395	142	93	49	102	68	34	1
	443	274	169	469	267	202	688	395	293	710	424	286	_		_	102	68	34	2
	57 7 1 6 1	43 2 1	14 5	85 7 1	65 4	20 3	57 12	44 9 7	13 3 2	102 26 1	77 21	25 5	Ⅎ	_	=	2 3	2	2 1	3 4
	16	3	3		=	_1	12 9 25 1	11	2 14	1 2		5 1 —	=	=	_				5 6
	-	-	_	7	7		1	1		3	3	=	=	=	_	$\exists$	$\exists$	_	8
	70	1 49 1	21	49	28	21 2	128 29 26	88 20	40	3 66 7	3 48	18			_	36	32	4	10
	23 86	14 54	9 32	19 58	16 30	3 28	26 146	14 78	12 68	7 175	48 6 5 100	2 75				32	32 1 2 17 2	1 15	12 13
	2 5	1	21 29 32 11 2 3 16 24	49 3 19 58 4 6	28 1 16 30 2 2	2 4	6	2 88 20 14 78 2 11 2 17	13	14	2 3	12		=		2	2	1	14 15
	3	_1	2 3		-	_	24 3 27	2 17	10	9 2 9	2 3 1 6	1 3		_		1 4	1 2		16 17
	24 24	- 8 34	3 16	18	9	9	5 34	1 14	20 46	110 96	50	60 60		=	_	2	2	=	18 19
	1033862533334 862533334 58     137	34	_	1 18 125 3 4 18 61 21	1 9 51 2 4 6	74 1	5 34 73 5	27 3 2	46 2 1	13	50 44 8 1	18 12 75 12 60 52 5 1 9 9	1			361 322 114 2021 1021	1 2 2 5 1	5	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
	13 77	11 46	2 31 21	18	6 39	12 22	26 46	15 26	11 20	2 30 31	21	9		_		1		1	23 24
	67	46	· 2i	21	12	9	20	16	4	12	22 7	5	-		_				25
	5 36 3	23 3	1 13	6 8	4 2	2 6	3 13	2 11	1 2	5	1	4		=	_			_	26 27
	3	3 -	_		_	=	-	=		1	1	<u>-</u>		=	_			=	26 27 28 29 30 31 32 33
	1	1		1 6	1 5	1	$\exists$	=	_	1	1	_1	$\exists$	=	_	=		_	30 31
	22	15	7		_	Ξ	4 31	3	1	4 267	163	104	142	93	49	$\exists$	$\exists$		33 34
									•										
			мо	UNTAIN	r—Cor	tinued								ACIFIC		<u>' '</u>	, ,		
	AI	RIZONA		UNTAIN	I—Cor UTAH	ntinued		EVADA		WA	SHINGT	ON	P			CA	LIFOR	₹IA	
	T	RIZONA M		T		rtinued F		M M	F	WA		on F	P	ACIFIC		T CA	M	TIA.	
	<del></del>			-	UTAH		N	I		1	SHINGT		P	ACIFIC OREGOI	N	-	М		1
	Т	M 38 36	F	T 78 71	ОТАН М 43 41	F 35 30	T	М	F	T 814 812	M 495 494	F 319 318	T 473	M 311 295	F 162 161	T 1,849 1,800	M 1,069 1,032	F 780 768	1 2
	T 63	M 38	F 25	T 78 71 11	M 43 41 10	F 35	T 33	M 25	F 8	T 814 812 51	M 495 494 40	F 319 318 11 1	T 473	M 311	F 162	T 1,849 1,800	M 1,069	F 780	1 2
	T 63 60	M 38 36	F 25 24	T 78 71	ОТАН М 43 41	F 35 30	T 33 33 33 1	M 25 25 1	F 8	T 814 812 51	M 495 494 40	F 319 318	T 473 456 23 5	M 311 295	F 162 161 8 1	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6	1 2
	63 60 4 3	M 38 36 36 3 3 3	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 -	F 35 30 1	T 33	M 25 25 -	F 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 - 3	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 31 1	M 25 25 — 1 — 1 — —	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 — 1 — 1 — —	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 	38 36 36 3 3 	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	33 33 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 40 4 4 1 5 5	F 319 318 11 1 2	T 473 456 23 5	M 311 295	F 162 161 8 1 1 3 1 1 3 9	T 1,849 1,800 184 22	1,069 1,032 141 16	F 780 768 43 6 5 13	1 2
	63 60 4 3 3 15 12 2 2 - - - 11 2 2 11 13	M 388 366 3 3 3 3	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	333 333 	M 255 25	8 8 	814 812 51 55 66 11 55 22 244 288 200 2333 100 77 41 49 101 11 12 25 22 24 22 23 23 20 23 20 20 21 21 21 22 24 22 24 24 24 24 24 25 26 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	M 495 494 401 155 22137 219 1522 55 33 61 1245 63 11	319 318 11 12 2 	T 473 456 23 5 5 128 106 128 8 8 12 2 2 6 4 4 18 5 11 4 3 3 8 3 17	M 311 295	T 162 161 8 1	T 1,849 1,800 184 22	1,069 1,032 141 16	780 768 43 6 - 5 133 3 21 144 32 261 11 261 11 6 10 7	1 2
	63 60 4 3 3 15 12 2 2 - - - 11 2 2 11 13	M 388 366 3 3 3 3	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	333 333 	M 255 25	8 8 	814 812 51 55 66 11 55 22 244 288 200 2333 100 77 41 49 101 11 12 25 22 24 22 23 23 20 23 20 20 21 21 21 22 24 22 24 24 24 24 24 25 26 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	M 495 494 401 155 22137 219 1522 55 33 61 1245 63 11	319 318 11 12 2 	T 473 456 23 5 5 128 106 128 8 8 12 2 2 6 4 4 18 5 11 4 3 3 8 3 17	M 311 295	T 162 161 8 1	T 1,849 1,800 184 22	1,069 1,032 141 16	780 768 43 6 - 5 133 3 21 144 32 261 11 261 11 6 10 7	1 2
	63 60 4 3 3 15 12 2 2 - - - 11 2 2 11 13	M 388 366 3 3 3 3	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	333 333 	M 255 25	8 8 	814 812 51 55 66 11 55 22 244 288 200 2333 100 77 41 49 101 11 12 25 22 24 22 23 23 20 23 20 20 21 21 21 22 24 22 24 24 24 24 24 25 26 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	M 495 494 401 155 22137 219 1522 55 33 61 1245 63 11	319 318 11 12 2 	T 473 456 23 5 5 128 106 128 8 8 12 2 2 6 4 4 18 5 11 4 3 3 8 3 17	M 311 295	T 162 161 8 1	T 1,849 1,800 184 22	1,069 1,032 141 16	780 768 43 6 - 5 133 3 21 144 32 261 11 261 11 6 10 7	1 2
	63 60 4 3 3 15 12 2 2 - - - 11 2 2 11 13	M 388 366 3 3 3 3	F 25 24 1	78 71 11 1 1	M 43 41 10 1 1 1 - 2	35 30 1 	333 333 	M 255 25	8 8 	814 812 51 55 66 11 55 22 244 288 200 2333 100 77 41 49 101 11 12 25 22 24 22 23 23 20 23 20 20 21 21 21 22 24 22 24 24 24 24 24 25 26 26 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	M 495 494 401 155 22137 219 1522 55 33 61 1245 63 11	319 318 11 12 2 	T 473 456 23 5 5 128 106 128 8 8 12 2 2 6 4 4 18 5 11 4 3 3 8 3 17	M 311 295	T 162 161 8 1	T 1,849 1,800 184 22	1,069 1,032 141 16	780 768 43 6 - 5 133 3 21 144 32 261 11 261 11 6 10 7	1 2
Digitized by	63 60 4 3 	M 388 366 3 3 3 3	F 25 24 1 6	78 71 11 1 1	M 43 41 10 1 1 1 -	35 30 1 	333 333 	M 25 25 - 1 - 1	8 8	T 814 812 51 5 6 1 5	M 495 494 401 155 22137 219 1522 55 33 61 1245 63 11	F 319 318 11 1 2	T 473 456 23 5 5 128 106 128 8 8 12 2 2 6 4 4 18 5 11 4 3 3 8 3 17	M 311 295	T 162 161 8 1	1,849 1,800 184 222 19 433 1 6 500 500 184 25 54 25 54 25 108 320 11 2 24 3 11 10 11 11 11	1,069 1,032 141 16	780 768 43 6 - 5 133 3 21 144 32 261 11 261 11 6 10 7	1 2 3 4 5 6 6 7 8 9 101 112 13 14 15 16 17 18 19 20 21 22 22 22 24 25

TABLE 51.—ALL DEATHS IN STATE HOSPITALS FOR MENTAL DISEASE, BY DURATION OF HOSPITAL LIFE, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

					DUR	ATION O	F HOSPI	TAL LIF	B			
DIVISION AND STATE	Total deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not re- ported
United States	40,245	6,293	5,811	3,099	2,774	3,144	2,878	3,411	4,147	3,992	3,730	96
NEW ENGLAND	3,897	750	615	274	256	318	205	288	392	394	400	
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	232 271 118 2,170 309 797	25 59 11 423 75 157	30 45 20 313 61 146	9 9 13 175 15 53	15 16 9 144 19 53	21 37 7 174 30 49	11 9 9 121 15 40	15 32 9 161 21 50	39 21 13 225 28 66	41 23 8 212 28 82	26 20 14 222 17 101	
MIDDLE ATLANTIC	11,777	1,972	1,715	1,055	764	757	985	989	1,126	1,261	1,153	_
New York New Jersey Pennsylvania	7,695 1,059 3,023	1,302 221 449	1,252 160 303	749 71 235	440 71 253	609 101 47	612 55 318	611 69 309	622 125 379	794 106 361	704 80 369	
East North Central	7,244	1,150	1,117	516	534	648	526	604	733	619	688	10
Ohio Indiana Illinois Michigan Wisconsin	1,662 784 3,076 1,467 255	221 127 596 112 94	207 117 460 274 59	124 68 189 108 27	115 42 236 118 23	151 36 284 167 10	99 103 193 121 10	140 88 228 134 14	205 49 306 164 9	185 69 226 133 6	215 85 249 136 3	109
WEST NORTH CENTRAL	3,342	489	466	235	256	309	236	303	343	333	372	_
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	995 579 799 172 130 271 396	152 110 111 1 20 21 74	136 88 114 16 19 30 63	82 37 48 17 8 21 22	81 38 55 25 12 15 30	90 50 84 29 8 22 26	79 43 44 18 5 22 25	96 36 78 23 13 23 34	92 60 91 19 17 22 42	87 58 78 13 16 40 41	100 59 96 11 12 55 39	
South Atlantic	4,652	637	521	375	321	409	376	484	566	530	408	2
Delaware	123 682 444 871 409 677 416 613 417	22 105 35 100 76 104 58 91 46	17 90 50 105 67 74 55 11 52	4 39 34 74 32 51 28 92 21	6 63 27 50 26 51 19 49	16 47 66 67 40 72 32 17 52	13 49 26 67 30 68 30 59 34	14 64 46 93 34 58 42 88 45	8 73 73 114 51 76 54 72 45	16 85 43 103 27 72 51 78 55	7 66 44 76 24 51 47 56 37	222
East South Central	2,576	366	357	174	166	159	183	197	270	214	185	30
Kentucky Tennessee Alabama Mississippi	821 621 629 505	163 80 34 89	127 94 35 101	52 40 31 51	52 44 20 50	59 59 41	62 45 38 38	68 60 37 32	81 83 59 47	90 53 44 27	67 49 40 29	14 291
West South Central	2,728	386	297	147	159	199	167	243	332	292	207	299
Arkansas Louisiana Oklahoma Texas	510 490 739 989	104 74 135 73	82 32 96 87	27 38 44 38	32 30 48 49	46 34 64 55	39 38 35 55	44 54 64 81	55 77 96 104	44 64 84 100	37 49 42 79	31 268
MOUNTAIN	893	94	98	47	61	82	42	57	72	63	61	216
Montana Idaho Wyoming Colorado	142 102 52 349	19 6 38	15 14 50	6 6 19	5 2 46	17 3 39	6 5 16	14 3 27	5 6 46	10 2 36	5 5 32	74
New Mexico Arizona Utah Nevada	74 63 78 33	11 17 3	8 6 5	7 6 3	3 2 3	10 10 3	7 6 2	3 7 3	4 6 5	11	6 7 6	74
PACIFIC	3,136	449	625	276	257	263	158	246	313	286	256	7
Washington Oregon California	814 473 1,849	156 114 179	132 81 <b>4</b> 12	73 38 165	73 38 146	67 29 167	53 21 84	72 38 136	75 44 194	53 47 186	60 23 173	iginal

UNIVERSITY OF MINNESOTA

Table 52.—Male Deaths in State Hospitals for Mental Disease, by Duration of Hospital Life, by Divisions and States: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

					DURA	TION O	F HOSPI	TAL LIFE	3			
DIVISION AND STATE	Total deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not re- ported
United States	22,683	3,687	3,384	1,809	1,613	1,731	1,589	1,931	2,290	2,145	1,910	594
NEW ENGLAND	1,969	420	330	135	125	157	102	140	196	. 178	186	-
Maine	124 133 55 1,076 145 436	18 26 4 241 40 91	19 15 5 172 35 84	7 9 4 83 8 24	8 9 6 66 8 28	10 21 5 79 11 31	7 8 5 62 3 17	9 17 5 72 10 27	19 13 5 111 11 37	18 8 5 95 14 38	9 7 11 95 5	
MIDDLE ATLANTIC	6,265	1,043	876	565	415	394	503	558	622	692	597	-
New York New Jersey Pennsylvania	4,054 551 1,660	684 110 249	637 86 153	397 38 130		315 50 29	318 25 160	326 42 190	339 68 215	428 55 209	379 43 175	Ξ
East North Central	4,219	696	664	311	332	373	305	338	428	348	359	65
Ohio Indiana Illinois Michigan Wisconsin	938 481 1,811 835 154	135 86 354 64 57	120 88 253 167 36	71 38 119 65 18	153 70	85 21 167 94 6	48 66 125 61 5	77 50 136 71 4	184		117 46 127 66 3	65
WEST NORTH CENTRAL	1,997	311	290	154	162	186	152	175	176	190	201	
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	599 341 450 113 83 174 237	75 66 18 16	79 50 70 11 13 23 44	54 21 35 12 6 14	37 10 6 11	61 25 45 18 4 13 20	14 5 17	10	29 40 14 8 13	43 7 10 25	32	
SOUTH ATLANTIC	2,710	412	340	239	198	231	216	276	295	274	211	18
Delaware	65 378 239 504 247 388 261 350 278	66 17 63 44 69 42 55	10 54 31 67 46 48 39 6	3 23 20 41 23 34 15 67 13	37 12 30 15 32 15 33	6 26 32 41 26 45 18 4	22 12 41 19 34 18	36 25 53 21 30 29 47	35 36 63 23 40 28 36	54 21 48 13 32 33 35	33 40 16 24 24	177
EAST SOUTH CENTRAL	1,476	215	230	107	101	87	103	110	154	100	88	181
Kentucky Tennessee Alabama Mississippi	510 352 316 298	13	80 65 19 66	36 26 10 35	27	33 33 21	27 20	29 19	42 25	27 13	39 23 16 10	172
WEST SOUTH CENTRAL	1,635	228	195	103	91	114	100	161	188	168	93	194
Arkansas Louisiana Oklahoma Texas	279 442	42 77	61	29 27	12 31	27 19 39 29	18 20	37	58 58	36 45	16	31
MOUNTAIN	537	60	- 67	25	37	51	26	33	43	27	34	134
Montana Idaho Wyoming Colorado New Mexico Arizona Utah Nevada	68 32 197 41 38	$\frac{12}{4}$	9 34 4 6	4 7 4 4	$\frac{2}{25}$	14 1 24 5 5 2	1 9 5 4	17	25	$\frac{1}{\frac{16}{2}}$	18	41
Pacific	1,875	302	392	170	152	138	82	140	188	168	141	2
Washington Oregon California	311	81	57	27	25	42 20 76	11	21	29	32	8	-

TABLE 53.—FEMALE DEATHS IN STATE HOSPITALS FOR MENTAL DISEASE, BY DURATION OF HOSPITAL LIFE, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 186 hospitals and estimates for 2 hospitals. Statistics for hospitals in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix A for discussion of coverage]

					DUR	TION O	F HOSPI	TAL LIF	Đ			
DIVISION AND STATE	Total deaths	Under 1 month	1 to 3 months	4 to 6 months	7 to 11 months	1 year	2 years	3 to 4 years	5 to 9 years	10 to 19 years	20 years and over	Not re- ported
United States	17,562	2,606	2,427	1,290	1,161	1,413	1,289	1,480	1,857	1,847	1,820	37
NEW ENGLAND	1,928	330	285	139	131	161	103	148	196	216	214	
Maine New Hampshire Vermont Massachusetts	108 138 63 1,094	7 33 7 182	11 30 15 141	$\frac{2}{9}$	7 7 3 78	11 16 2 95	4 1 4 59	6 15 4 89	20 8 8 114	23 15 3 117	17 13 3 127	-
Rhode Island Connecticut	164 361	35 66	26 62	29	11 25	19 18	12 23	11 23	17 29	14 44	12 42	=
MIDDLE ATLANTIC	5,512	929	839	490	349	363	482	431	504	569	556	
New York New Jersey Pennsylvania	3,641 508 1,363	618 111 200	615 74 150	352 33 105	209 37 103	294 51 18	294 30 158	285 27 119	283 57 164	366 51 152	325 37 194	=
EAST NORTH CENTRAL	3,025	454	453	205	202	275	221	266	305	271	329	4
Ohio Indiana Illinois Michigan Wisconsin	724 303 1,265 632 101	86 41 242 48 37	87 29 207 107 23	53 30 70 43 9	44 19 83 48 8	66 15 117 73 4	51 37 68 60 5	63 38 92 63 10	97 22 122 61 3	79 33 98 59 2	98 39 122 70	44
West North Central	1,345	178	176	81	94	123	84	128	167	143	171	
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	396 238 349 59 47 97 159	67 35 45 1 2 5 23	57 38 44 5 6 7	28 16 13 5 2 7 10	25 15 18 15 6 4 11	29 25 39 11 4 9	33 14 17 4 - 5 11	36 15 37 7 6 13 14	41 31 51 5 9 9	34 26 35 6 15 21	46 23 50 - 6 23 23	
SOUTH ATLANTIC	1,942	225	181	136	123	178	160	208	271	256	197	
Delaware	58 304 205 367 162 289 155 263 139	7 39 18 37 32 35 16 36 5	7 36 19 38 21 26 16 5	1 16 14 33 9 17 13 25 8	5 26 15 20 11 19 4 16 7	10 21 34 26 14 27 14 13 19	8 27 14 26 11 34 12 16 12	8 28 21 40 13 28 13 41 16	2 38 37 51 28 36 26 36 17	5 31 22 55 14 40 18 43 28	5 41 11 36 8 27 23 32 14	
EAST SOUTH CENTRAL.	1,100	151	127	67	65	72	80	87	116	114	97	12
Kentucky Tennessee Alabama Mississippi	311 269 313 207	61 36 21 33	47 29 16 35	16 14 21 16	16 17 11 21	26 26 20	29 18 18 15	18 31 18 20	27 41 34 14	43 26 31 14	28 26 24 19	115
West South Central	1,093	158	102	44	68	85	67	82	144	124	114	10
Arkansas Louisiana Oklahoma Texas	190 211 297 395	37 32 58 31	31 12 35 24	10 9 17 8	15 18 17 18	19 15 25 26	14 20 15 18	10 18 27 27	23 36 38 47	13 28 39 44	18 23 26 47	103
MOUNTAIN	356	34	31	22	24	31	16	24	29	36	27	8
Montana Idaho Wyoming Colorado New Mexico Arizona Utah Nevada	49 34 20 152 33 25 35 8	7 2 16 3 5	5 5 16 4 1	12 12 3 2 1	1 21 2 2	3 2 15 5 5	1 4 7 2 2	7 1 10 2 3 1	1 1 21 3 3		3 2 14 1 4 3	33
PACIFIC	1,261	147	233	106	105	125	76	106	125	118	115	
Washington Oregon California	319 162 780	48 33 66	57 24 152	27 11 68	29 13 63	25 9 91	27 10 39	28 17 61	35 15 75	23 15 80	20 15 80	=

TABLE 54.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND OF PSYCHOPATHIC HOSPITALS, FOR THE UNITED STATES: 1941 TO 1943

[See Appendix A for number of hospitals reporting in each year and discussion of coverage.

A minus sign (—) denotes excess of capacity over population]

TYPE OF CONTROL		E DAILY RESID		NORL	IAL CAPACITY (	7
	1943	1942	1941	1943	1943	1941
State hospitalsVeterans' hospitals	430,186 36,018 422	426,335 32,218 387	414,819 30,596 553	391,206 37,936 545	389,445 33,133 449	380,414 31,988 644
	- 1	- 1	1	•	1	
		EXCESS OF POPU	JLATION OVER (	CAPACITY (OVE	RCROWDING)	
TYPE OF CONTROL	1	EXCESS OF POPU	JLATION OVER		RCROWDING)	у
TYPE OF CONTROL	1943		JLATION OVER 0			y 1941



TABLE 55.—ADMINISTRATIVE STAFF, FULL-TIME AND PART-TIME, OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND SEX, FOR THE UNITED STATES: 1941 TO 1943

[See Appendix A for number of hospitals reporting in each year and discussion of coverage]

[See Appendix A for number	er of hospi	tals report	ing in eac	h year a	nd discus	sion of o	overage	]	
OCCUPATION, TYPE OF EMPLOYER,	STA	TR HOSPIT	Als	VETER	ANS' HO	PITALS		CHOPAT COSPITAL	
AND BEX	1 1943	1943	1941	1943	1943	1941	1943	1942	1941
TOTAL									
Full-time employees	61,083	66,416	70,732	12,243	11,700	12,109	787	643	754
Superintendents and physicians	1,481	1,625	1,813	380	397	385	58	60	60
SuperintendentsAssistant superintendents	169 91	178 122	171 184	31 4	28 2	27	4 3	7	6 5
Clinical directors	63	65	71	30	27	27	8	2	2
Pathologists	14	42 26	56 19	28 28	23 23	7 25	1	5	1 -
Staff physicians Consulting physicians	1,091	1,071	1,238	282	311	292	34	38	38
Medical internes		121	124	_	_	4	18	2	8
Psychologists and psychometrists Dentists	129	68 147	68 157	3 52	46	48	12	8 1	6
Dental assistants Pharmacists	64 122	71 129	79 127	41 34	42 29	46 29	1		_
Clinical assistants  Laboratory and X-ray technicians	26 324	23 309	24 317	10 <b>6</b> 6	56	5 61	1 17	16	<b>4</b> 8
Graduate nursesOther nurses and attendants	2,881 31,763	3,170 36,540	3,702 40,478	1,008 5,368	1,018 5,298	1,124 5,544	92 266	102 231	99 349
Therapists and assistants	1,455 838	1,544 840	1,550	345 216	299	303	18	26	15
Occupational therapists and assistants Hydrotherapists and assistants	188	210	819 225	8	191	195 12	14 8	21 2	9 4
Physiotherapists and assistants Industrial supervisors and instructors	45 290	53 280	75 319	109 8	93 1	93	1	1	_
Other therapists and assistants	94	161	112	4	5	3	_	2	2
DietitiansSocial workers and field workers	165 354	191 417	196 438	66 38	59 34 <b>•</b>	59 38	3 20	2 21	3 22
Psychiatric social workers Other trained social workers	214 128	284 110	259 117	81 7	29 5	31 6	20	16 5	21 1
Field workers Stewards	12 239	23 222	62 248	24	-5	1 14		<u>-</u>	-3
Clerical employees	2,774 19,239	2,858 19,102	2,516 19,019	1,033 3,775	813 3,599	757 3,701	95 151	77 88	66 118
Part-time employees	431	528	703	146	121	118	203	67	27
Superintendents and physicians	189	324	429	78	67	67	141	38	17
Superintendents		_	- 1	_	_	=	1 2	_	
Clinical directors	1 10	1 13	-	- 3				1	1
Pathologists	30	60	61	5	6	2 4	1	5	1
Staff physicians Consulting physicians Medical internes	21 126	11 228	337	8 68	2 57	5 56	50 85	29	15
Medical internes	1	11	15	-	_	-[	1	2	
Psychologists and psychometrists Dentists	49	8 48	9 49		=	7	6 7	2 2	1 2
Dental assistantsPharmacists	-	-6	1	=	=	=	- 1	7	_
Clinical assistants Laboratory and X-ray technicians	-4	2 5	12 2	=	1	=	- 2		
Graduate nurses	4	6	2	1	3	_	1	_	_
Other nurses and attendants	83	87	121 7	4	10	2	20	9 2	<u></u>
Occupational therapists and assistants Hydrotherapists and assistants	1 = =	2	7		=1	=		1	1 1 - -
Physiotherapists and assistants	_	_	2	=	_	_	1 -	-1	_
Industrial supervisors and instructors Other therapists and assistants	=	2	4	-	=	2	-	1	
Dietitians	-	1	2 4	_	_	-3	-	-	- - - - 1
Social workers and field workers  Psychiatric social workers	6 1 3 2	1 8 1	2	=	=	-	10 10	1	_
Other trained social workers	3 2	2 1	1	=	=	3	=	1	=
StewardsClerical employees	7	3 1	-	- 1	=	=	-	3	1
Other employees	80	8ŏ	52	6ō	40	45	12	8	4

<sup>&</sup>lt;sup>1</sup>Includes statistics for employees of hospitals in Illinois for whom sex was not reported.



TABLE 55.—ADMINISTRATIVE STAFF, FULL-TIME AND PART-TIME, OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND SEX, FOR THE UNITED STATES: 1941 TO 1943—Con.

OCCUPATION, TYPE OF EMPLOYEE,	STA	TE HOSPI	TALS	VETER	LANS' HO	SPITAL8		CHOPAT IOSPITAI	
AND SEX	1943	1942	1941	1943	1942	1941	1943	1942	1941
MALE									
Full-time employees	28,147	32,185	36,272	9,227	9,044	10,377	203	186	232
Superintendents and physicians	1,159	1,386	1,578	379	397	885	49	47	52
Superintendents Assistant superintendents Clinical directors Pathologists Medical specialists Staff physicians Consulting physicians Medical internes	159 81 56 32 12 809 —	177 121 62 39 23 858 —	170 131 68 51 15 1,026 —	31 4 30 5 28 281	28 2 27 6 23 311 —	27 3 27 7 25 292 4	4 2 3 - 1 26 - 13	7 3 2 2 5 27 1	6 4 2 1 - 32 - 7
Psychologists and psychometrists.  Dentists.  Dental assistants.  Pharmacists.  Clinical assistants.  Laboratory and X-ray technicians.	15 117 11 95 12 71	30 146 16 112 12 100	38 157 25 107 18 118	1 51 7 31 6 46	1 46 11 28 - 43	43 20 27 3 53	3 1 1 1 2	1 1 - 3 4	2 1 - 4 1
Graduate nurses Other nurses and attendants Therapists and assistants Occupational therapists and assistants Hydrotherapists and assistants Physiotherapists and assistants Industrial supervisors and instructors Other therapists and assistants	322 13,345 422 135 58 11 204	296 16,369 482 139 91 12 201 39	433 19,475 559 182 100 24 220 33	59 4,888 262 142 7 108 4	36 4,904 227 123 8 93 1	232 5,533 248 141 12 93 —	1 69 3 2 1	70 4 8 1 —	108 3 1 1 —
Dietitians Social workers and field workers Psychiatric social workers Other trained social workers Field workers Stewards Clarical employees Other employees	7 27 21 3 3 209 459 11,876	10 22 8 5 9 211 603 12,390	7 74 21 7 46 236 629 12,818	3 1 2 - 18 370 3,106	2 4 2 2 - 5 331 3,009	15 12 9 2 1 14 372 3,420	1 1 - 1 4 67	- 2 2 2 - 4 4 46	- 1 1 - 2 7 51
Part-time employees	293	468	583	132	108	109	156	46	23
Superintendents and physicians	179	318	428	78	67	67	132	33	17
Superintendents Assistant superintendents Clinical directors Pathologists Medical specialists Staff physicians Consulting physicians Medical internes	1 10 26 15 126 1	1 12 59 8 228 10	1 9 61 6 336 15	- - 3 5 2 68 -	- - 2 6 2 57		1 1 1 1 44 83 1	- 1 - 3 26 1 2	1 1 - - 15
Psychologists and psychometrists	$\begin{bmatrix} 2 \\ 49 \\ \hline 4 \\ \hline 3 \end{bmatrix}$	48 -6 2 3	5 49 1 4 10 1	- 3 - - -		1 - - -	1 7 1 -	- 2 - 1 -	1 2 - - 1
Oraduate nurses Other nurses and attendants Therapists and assistants Occupational therapists and assistants Hydrotherapists and assistants Physiotherapists and assistants Industrial supervisors and instructors Other therapists and assistants	-3    	2 26 2 1 —	28 4 1 -2 -1	-4   	10		11 - -	7 1 1 - -	- 1 1 - -
Dietitians Social workers and field workers Psychiatric social workers Other trained social workers Field workers Stewards Clerical employees Other employees	- - - - - - 2 51	- - - - - 2 55	- - - - - 7			- 8 - 3 - 36	- 1 1 - - - 3		- - - - - 1

TABLE 55.—ADMINISTRATIVE STAFF, FULL-TIME AND PART-TIME, OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND SEX, FOR THE UNITED STATES: 1941 TO 1943—Con.

OCCUPATION, TYPE OF EMPLOYEE,	ВТА	TE HOSPIT	'ALS	VETER	ANS' HOE	PITAL8		CHOPAT IOSPITAI	
AND SEX	1943	1942	1941	1943	1943	1941	1943	1942	1941
FEMALE									
Full-time employees	28,012	34,231	34,460	3,016	2,656	1,732	534	457	522
		ļ		<u> </u>					
Superintendents and physicians	207	239	235	1			9	13	8
Superintendents	1	1	1	<b>–</b>	-	_	_	-	_
Assistant superintendents Clinical directors	2	1 3	3 3	=	=	_	1	1	1
Pathologists	5	3	5	_		_	_		_
Medical specialists	2 193	213	212	-	_	_	_ 8	11	-
Staff physicians	193	213		-	=	_	- °		_
Medical internes	_	15	7	_	-	_	-	1	1
Psychologists and psychometrists	43	38	30	2	_	_	9	7	4
Dentiste	1	1 .1	-	1	=		_	_	_
Dental assistants	53 19	55 17	54 20	34	31 1	26 2		2	_
Unical aggistants	8	11	6	4	4	2	-	1	_
Laboratory and X-ray technicians	219	209	199	20	13	8	15	12	7
Graduate nurses	2,390	2,874	3,269	949	982	892	91	102	99
Other nurses and attendants	15,837 819	20,171	21,003 991	480 83	394 72	11 55	197 15	161 22	241
Cherapists and assistants Occupational therapists and assistants	595	1,062 701	637	74	68	54	12	18	12
Hydrotherapists and assistants	75	119	125	1	1	-	2	1	3
Physiotherapists and assistants Industrial supervisors and instructors	31 81	41 79	51 99	1 4	_	_	1	1	_
Other therapists and assistants	37	122	79	3	3	1.	_	2	1
Dietitians	143	181	189	66	57	44	3	2	3
Social workers and field workers	284	395	364	35	30	26	19	19	21
Psychiatric social workers Other trained social workers	187 91	276 105	238 110	30 5	27 3	22 4	19	14 5	20 1
Field workers	6	14	16	_			_	_	_
Stewards Clerical employees	15 1.983	2,255	12 1,887	6 663	482	385	91	1 73	1 59
Other employees	5,991	6,712	6,201	669	590	281	84	42	67
Part-time employees	114	60	120	14	13	9	. 47	21	4
Superintendents and physicians	3	6	1				9	5	
Superintendents	_	-		-		-	-		-
Assistant superintendents Clinical directors	_	=	_	_	_	=	1	_	_
Pathologists		1		_	_	_	_	_	_
Medical specialists	2 1	1 3	_	_		_	-6	2 3	_
Staff physicians		-	1	_	_	_	2		
Medical internes	-	1	_	-	_	_	-	_	-
Psychologists and psychometrists	2	4	4	_	_	_	5	2	
Dentists	_	-	_		_	_	_		
Dental assistants	=	=	_	_	_	_	_		
Clinical assistants	_	_	2	_	1	_			-
aboratory and X-ray technicians	1	2	1	_	_	_	2	1	_
Graduate nurses	4	4	2	1	3	_	1	-	-
Other nurses and attendants Therapists and assistants	80 1	11 2	93	_	-	_	9	2 1	-
Occupational therapists and assistants	i	ī		_	_	_	_		-
Hydrotherapists and assistants Physiotherapists and assistants	_	_	_		1111	111111	1	_	
Industrial supervisors and instructors	_	_	_	_	_	_		_	_
Other therapists and assistants	_	1	3	_	-	_	_	1	
Dietițians	_	1	2	_	-	_	<u>~</u>		-
Social workers and field workers	4	3 1	4 2			=	9	_1	_
Other trained social workers	1	-	1	-		_		1	-
Field workers	2	2	1		11111		_		_
tewards	5	1	2	1	_	_	2	3	1
Other employees	14	25	6	12	9	9	9	6	3
Average daily resident-patient population. 1	414,376	423,387	406,819	36,018	32,218	30,596	422	387	511

TABLE 56.—ADMINISTRATIVE STAFF, VACANCIES, IN STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE, AND PSYCHOPATHIC HOSPITALS, BY OCCUPATION, FOR THE UNITED STATES: 1943

Statistics are based on schedules from 93 State, 23 veterans', and 7 psychopathic hospitals which reported specific information on vacancies]

	STA	TE HOSPIT	ALS	VETER	ANS' HOS	PITALS		CHOPAT OSPITAI	
OCCUPATION	All posi- tions	Posi- tions filled	Posi- tions vacant	All posi-	Posi- tions filled	Posi- tions vacant	All posi-	Posi- tions filled	Posi- tions vacant
Total	37,795	29,253	8,542	12,174	10.779	1.395	801	684	117
Superintendents and physicians	1,044	704	340	373	334	39	71	53	1
Superintendents Assistant superintendents Clinical directors Pathologists Medical specialists Staff physicians Consulting physicians Medical internes	92 66 45 28	89 51 32 19 11 494	3 15 13 9 7 267	27 3 26 6 32 279	27 3 26 5 28 245	1 4 34	6 3 4 - 1 42	4 3 3 - 1 30	1
Psychologists and psychometrists  Dentists  Dental assistants  Pharmacists  United assistants  Laboratory and X-ray technicians  Graduate nurses  Other nurses and attendants	67 87 68 71 27 213	8 42 63 43 66 8 170 1,210 15,467	25 24 25 5 19 43 696 5,510	1 45 40 30 11 63 1,078 5,547	1 43 37 30 10 57 911 4,675	2 3 - 1 6 167 872	15 10 1 - 1 1 14 104 286	12 10 1 1 1 1 12 84 248	23
Cherapists and assistants Occupational therapists and assistants Hydrotherapists and assistants Physiotherapists and assistants Industrial supervisors and instructors Other therapists and assistants	847 448 145 52 142 60	597 322 85 30 118 42	250 126 60 22 24 18	333 211 8 107 5 2	313 199 8 99 5	20 12 - 8 -	19 14 4 1	16 13 3 —	-
Dietitians Social workers and field workers Psychiatric social workers Other trained social workers Field workers Stewards Clerical employees Other employees	138	99 178 137 33 8 129 1,304 9,173	36 77 64 12 1 9 114 1,369	64 44 37 7 	57 36 29 7 	7 8 8   20 250	$ \begin{array}{c} 3 \\ 20 \\ 19 \\ 1 \\ - \\ 2 \\ 91 \\ 178 \end{array} $	2 18 18 — 2 85 151	

TABLE 57.—ANNUAL TOTAL EXPENDITURE OF STATE AND VETERANS' HOSPITALS FOR MENTAL DISEASE AND PSYCHOPATHIC HOSPITALS, BY PURPOSE OF EXPENDITURE, FOR THE UNITED STATES: 1941 TO 1943

[See Appendix A for number of hospitals reporting in each year and discussion of coverage]

	Total	EXPENI	DITURE FOR MAINTE	NANCE
TYPE OF CONTROL AND YEAR	expenditure	Total	Salaries and wages	Purchased provisions
STATE HOSPITALS				
1943	1\$98,382,555 145,117,687 142,282,480	<sup>2</sup> \$138,491,553 136,762,165 125,366,478	<sup>2</sup> \$71,531,668 71,139,929 68,062,778	2\$33,809,470 32,367,474 26,763,425
VETERANS' HOSPITALS	<b>200 701 77</b> 0	<b>200 200 740</b>	****	<b>AT 104 F10</b>
1943 1942 1941	\$29,781,576 25,634,843 22,869,691	\$29,382,762 24,781,659 22,193,905	\$20,194,712 16,513,152 15,350,130	\$5,484,549 4,624,887 3,835,494
PSYCHOPATHIC HOSPITALS				
1943 1942 1941	1\$652,523 1,190,816 860,692	<sup>2</sup> \$1,032,351 1,063,063 847,224	<sup>2</sup> \$735,792 688,775 551,002	<b>2\$12</b> 9,77 <b>3</b> <b>166</b> ,112 <b>127</b> ,980
	EXPENDITURE FOR		Additions,	Average daily
TIPM OF CONTROL AND YEAR	Fuel, light, and water	Other maintenance	and other expenditures	resident-patient population <sup>3</sup>
STATE HOSPITALS				
1943	<sup>2</sup> \$11,289,871 10,831,261 9,960,754	2\$21,860,544 22,423,501 20,579,521	1\$3,650,465 8,355,522 16,916,002	412,379 422,512 408,871
VETERANS' HOSPITALS				
1943 1942 1941	\$1,389,181 1,386,063 1,156,407	\$2,314,320 2,257,557 1,851,874	\$398,814 853,184 675,786	34,933 32,218 30,596
PSYCHOPATHIC HOSPITALS				
1943	68,140	2\$121,125 140,036 127,407	1\$23,888 127,753 13,468	365 387 363

Excludes statistics for Massachusetts, New York, and Maryland.
 Includes estimated expenditure for maintenance for Massachusetts, New York, and Maryland hospitals.
 Includes only population of hospitals reporting expenditures.

TABLE 58.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY OF STATE HOSPITALS FOR MENTAL DISEASE, BY DIVISIONS AND STATES: 1943 AND 1942

[See Appendix A for number of hospitals reporting each year and discussion of coverage. A minus sign (—) denotes excess of capacity over population]

		E DAILY		CAPACITY SPITAL			CLATION OVE ERCROWDING	
DIVISION AND STATE	POPUI	LATION			Nun	nber	Percent of	capacity
	1943	1942	1943	1942	1943	1942	1943	1942
United States	430,186	426,335	391,206	389,445	38,980	36,890	10.0	9.
NEW ENGLAND	39,398	39,104	35,915	35,528	3,483	3,576	9.7	10.
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	1,051 23,108	2,644 2,303 1,054 22,903 2,799 7,401	2,570 2,350 933 19,810 3,000 7,252	2,448 2,100 933 19,795 3,000 7,252	81 -63 118 3,298 -227 276	196 203 121 3,108 —201 149	3.2 -2.7 12.6 16.6 -7.6 3.8	8.0 9.7 13.0 15.7 —6.7 2.1
MIDDLE ATLANTIC	120,495	119,264	102,467	102,258	18,028	17,006	17.6	16.6
New York New Jersey Pennsylvania	75,503 11,123 33,869	75,792 11,031 32,441	65,048 10,100 27,319	65,769 9,176 27,313	10,455 1,023 6,550	10,023 1,855 5,128	16.1 10.1 24.0	15.2 20.2 18.8
East North Central	79,844	79,851	74,634	77,577	5,210	2,274	7.0	2.9
Ohio Indiana Illinois Michigan Wisconsin	19,836 9,067 31,260 17,660 2,021	19,953 8,994 31,340 17,554 2,010	16,497 9,283 30,012 17,033 1,809	17,229 9,252 32,760 16,609 1,727	3,339 216 1,248 627 212	2,724 —258 —1,420 945 283	20.2 -2.3 4.2 3.7 11.7	15.8 —2.8 —4.3 5.7 16.4
West North Central	38,968	38,959	36,404	36,835	2,564	2,124	7.0	5.8
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	10,498 6,607 8,885 2,017 1,620 4,331 5,010	10,486 6,592 8,961 1,999 1,604 4,319 4,998	10,315 5,107 8,115 1,900 1,850 4,313 4,804	10,285 5,119 8,650 1,900 1,867 4,260 4,754	183 1,500 770 117 -230 18 206	201 1,473 311 99 263 59 244	1.8 29.4 9.5 6.2 12.4 0.4 4.3	2.0 28.8 3.6 5.2 14.1 1.4 5.1
OUTH ATLANTIC	53,722	53,468	50,462	49,708	3,260	3,760	6.5	7.6
Delaware	1,179 6,782 6,766 9,501 3,963 7,513 4,687 8,152 5,179	1,192 7,023 6,564 9,477 3,957 7,488 4,687 7,961 5,119	1,250 6,381 7,572 9,053 3,320 7,950 3,752 6,000 5,184	975 6,679 6,945 9,051 3,370 7,772 3,752 6.000 5,164	71 401806 448 643437 935 2,1525	217 344 -381 426 587 -284 935 1,961 -45	5.7 6.3 10.6 4.9 19.4 5.5 24.9 35.9 0.1	22.3 5.2 -5.5 4.7 17.4 -3.7 24.9 32.7 -0.9
EAST SOUTH CENTRAL	21,957	22,161	20,826	19,890	1,131	2,271	5.4	11.4
Kentucky T <b>enn</b> essee Al <b>a</b> bama Mississippi	6,364 5,874 5,572 4,147	6,448 5,766 5,862 4,085	5,283 6,343 5,400 3,800	4,400 5,808 5,832 3,850	1,081 469 172 347	2,048 -42 30 235	20.5 -7.4 3.2 9.1	46.5 -0.7 0.5 6.1
EST SOUTH CENTRAL	32,315	29,868	31,036	28,021	1,279	1,847	4.1	6.6
ArkansasLouisianaOklahomaTexas	4,480 6,496 7,715 13,624	4,651 6,582 7,304 11,331	4,200 6,300 6,900 13,636	4,200 6,244 6,570 11,007	280 196 815 —12	451 338 734 324	6.7 3.1 11.8 —0.1	10.7 5.4 11.2 2.9
IOUNTAIN	8,412	9,051	7,675	8,133	737	918	9.6	11.3
Montana	1,073 625 4,200 — 950 1,091 473	1,064 625 4,135 817 935 1,074 401	1,080 657 3,758 — 720 1,110 350	1,080 639 3,758 500 720 1,086 350	-7 -32 442 - 230 -19 123	-16 -14 377 317 215 -12 51	-0.6 -4.9 11.8 - 31.9 -1.7 35.1	-1.5 -2.2 10.0 63.4 29.9 -1.1 14.6
ACIPIC	35,075	34,609	31,787	31,495	3,288	3,114	10.3	9.9
Washington Oregon California	6,944 4,170 23,961	6,842 4,226 23,541	6,408 4,495 20,884	6,474 4,480 20,541	536 -325 3,077	368 -254 3,000	8.4 -7.2 14.7	5.7 5.7 14,6

TABLE 59.—ADMINISTRATIVE STAFF, FULL-TIME, OF STATE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 175 hospitals. See Appendix A for discussion of coverage]

DIVISION AND STATE	Total	Super- intendents and physicians	Psycholo- gists and psychom- etrists	Dentists	Dental assist- ants	Pharma- cists	Clinical assist- ants	Laboratory and X-ray techni- cians
United States	61,083	1,481	67	129	64	122	26	324
NEW ENGLAND	6,493	168	26	11	11	16	_	49
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut	457 562 186 3,600 394 1,294	9 12 3 91 18 35	2 2 10 1 11	- 1 - 9 1	$-\frac{1}{8}$	$\frac{-}{\frac{1}{12}}$	=======================================	2 2 25 5 15
MIDDLE ATLANTIC	19,579	497	17	36	12	29	15	87
New York New Jersey Pennsylvania	14,464 1,818 3,297	357 60 80	3 8 6	23 4 9	- 5 7	19 3 7	10 5	50 18 19
EAST NORTH CENTRAL	11,552	262	15	22	5	23	9	71
Ohio Indiana Illinois Michigan Wisconsin	1,938 937 4,924 3,453 300	53 26 115 61 7	9 6	4 2 11 4 1	3 - 2	5 2 8 7 1	$\frac{2}{6}$	7 4 34 24 2
WEST NORTH CENTRAL	5,001	121	2	14	14	17	1	25
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	1,199 872 1,354 249 236 663 428	26 23 29 7 6 19	1 - 1 - - 1	3 2 2 1 1 3 2	2 4 4 1 1 1 1	3 5 4 1 1 2 1	- - 1 -	33
South Atlantic	7,311	171	4	17	10	10		45
Delaware Maryland Dist of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida	169 721 1,709 887 350 881 792 964 838	35 44 21 12 16 13 15	=	1 2 2 4 - 3 1 2 2	- 3 - 1 - 2 4	$ \begin{array}{c c}  & \frac{1}{2} \\  & \frac{1}{3} \\  & \frac{1}{1} \\  & 1 \end{array} $		
EAST SOUTH CENTRAL.	2,236	54	1	6	2	3	-	
Kentucky Tennessee Alabama Mississippi	619 594 319 704	16 9	1	3 1 2	= = 2	- 2		
West South Central	3,492	80	1	9	3	11	1	1
Arkansas Louisiana Oklahoma Texas	636 775 696 1,385	11 21	=	2 2 1 4	1 2 —	1 2 3 5	1 -	
MOUNTAIN	1,267	25	_	2	1	2	_	
Montana	43 60 766 200 153 45	$\begin{bmatrix} 2 \\ 5 \\ 6 \end{bmatrix} = \begin{bmatrix} 2 \\ 11 \\ 4 \\ 5 \end{bmatrix}$		2	1	1		
PAC C	4,152	103	1	12	6	11		- 1
Washington Oregon California	768 480 2,904	14	1	3 1 8	1 1 4	. 1	=	

TABLE 59.—ADMINISTRATIVE STAFF, FULL-TIME, OF STATE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION, BY DIVISIONS AND STATES: 1943—Con.

[Statistics based on reports from 175 hospitals. See Appendix A for discussion of coverage]

	b busica or	a reports r	iom rio n	opproun.	occ rippe		and capping.			
DIVISION AND STATE	Gradu- ate nurses	Other nurses and at- tendants	Therapists and assistants	Dieti- tians	Social workers and field workers	Stew- ards	Clerical em- ployees	Other em- ployees	Average daily resident- patient popula- tion <sup>1</sup>	Ratio <sup>3</sup>
United States	2,881	31,763	1,455	165	354	239	2,774	19,239	414,376	147.4
NEW ENGLAND	410	2,843	193	27	41	39	356	2,303	39,398	164.8
Maine	12 44 11 274 29 40	215 262 94 1,419 251 602	4 15 5 128 7 34	2 1 16 3 5	$\frac{1}{3}$ $\frac{3}{31}$ $\frac{2}{4}$	2 3 3 23 1 7	17 18 5 211 21 84	191 198 64 1,343 55 452	2,651 2,287 1,051 23,108 2,773 7,528	172.4 245.7 177.0 155.8 142.1 171.9
MIDDLE ATLANTIC	1,492	9,216	473	34	130	53	901	6,587	112,727	173.7
New York New Jersey Pennsylvania	1,172 87 2 <b>3</b> 3	7,205 519 1,492	329 60 84	10 6 18	83 28 19	29 6 18	610 148 143	4,574 856 1,157	75,503 11,123 26,101	191.6 163.4 126.3
East North Central.	445	6,217	355	30	97	42	644	3,315	78,780	146.6
Ohio	144 14 169 110 8	1,011 492 2,581 1,943 190	28 26 214 83 4	5 1 15 8 1	8 3 43 43 —	11 5 15 8 3	52 25 332 218 17	605 337 1,372 935 66	19,836 9,067 31,015 17,660 1,202	97.7 103.3 158.8 195.5 249.6
WEST NORTH CENTRAL	138	2,766	132	10	4	32	175	1,550	37,514	133.3
Minnesota	68 9 22 2 2 18 17	712 425 759 144 108 401 217	$ \begin{array}{c} 31 \\ 25 \\ 55 \\ 6 \\ \hline 13 \\ 2 \end{array} $	-6 2 - - 2	1 2 1 - -	11 8 5 - 3 3 2	38 49 40 6 6 26 10	298 308 423 78 106 175 162	10,498 6,607 8,885 2,017 1,620 4,331 3,556	114.2 132.0 152.4 123.5 145.7 153.1 120.4
SOUTH ATLANTIC	238	4,102	94	28	27	26	276	2,266	52,835	138.4
Delaware_ Maryland. Dist. of Columbia_ Virginia West Virginia_ North Carolina_ South Carolina Georgia_ Florida	12 11 71 27 9 28 32 26 22	52 426 970 510 202 491 395 621 435	12 14 26 4 6 16 5 9	1 11 11 4 4 3 1 1 1 2	5 13 3 3 - - 2 1	2 4 1 4 3 6 2 2 2	13 36 77 41 14 23 20 12 40	60 175 490 264 98 286 315 267 311	1,179 6,782 6,766 9,501 3,076 7,513 4,687 8,152 5,179	143.3 106.3 252.6 93.4 113.8 117.3 169.0 118.3 161.8
EAST SOUTH CENTRAL	24	1,299	58	8	4	9	72	687	20,407	109.6
Kentucky Tennessee Alabama Mississippi	7 4 5 8	407 371 164 357	$\frac{20}{5}$ $\frac{5}{33}$	3 3 1 1	2 - 2	3 2 2 2	25 17 15 15	132 169 119 267	6,364 5,874 4,022 4,147	97.3 101.1 79.3 169.8
WEST SOUTH CENTRAL	41	1,857	70	15	16	18	137	1,215	29,880	116.9
Arkansas Louisiana Oklahoma Texas	6 9 5 21	330 453 424 650	15 14 14 27	2 3 4 6	$\frac{3}{1}$	1 2 6 9	24 41 24 48	234 233 190 558	4,480 6,496 7,715 11,189	142.0 119.3 90.2 123.8
MOUNTAIN	24	688	11	8	5	5	40	450	7,760	163.3
Montana Idaho Wyoming Colorado New Mexico	1 1 9	25 27 384		<u>-</u>	= = = = = = = = = = = = = = = = = = = =	1 2	2 3 23	14 26 315	421 625 4,200	102.1 96.0 182.4
Arizona Utah Nevada	8 4 1	114 97 41	- 3 2	1 1 -	1	1 1	7 5	59 36	950 1,091 473	210.5 140.2 95.1
Pacific	69	2,775	69	5	30	15	173	866	35,075	118.4
Washington Oregon California	28 11 30	400 300 2,075	31 6 32	1 -	4 1 25	4 5 6	40 13 120	221 123 522	6,944 4,170 23,961	110.6 115.1 121.2

Includes only population of hospitals reporting administrative staff.
 Represents number of full-time employees per 1,000 patients. Based on average daily resident-patient population. Original from

TABLE 60.—EXPENDITURE, TOTAL AND PER CAPITA, OF STATE HOSPITALS FOR

	[Statistics based on reports from 172 hospits								
	Total	EXPENDITURE FOR MAINTENANCE 2							
DIVISION AND STATE	expenditure 1	Total	Salaries and wages	Purchased provisions					
United States	<b>\$98,</b> 38 <b>2,5</b> 55	\$138,491,553	\$71,531,668	\$33,809,470					
New England	6,108,903	15,266,466	8,077,249	3,376,310					
Maine	914,341 957,831 339,500 779,496 3,117,735	914,341 942,255 339,500 9,272,018 774,153 3,024,199	422,295 434,624 166,758 4,989,007 414,578 1,649,987	244,167 226,549 65,216 1,949,990 225,006 665,382					
Middle Atlantic	13,154,093	45,481,863	25,181,786	10,844,837					
New York	4,688,838 8,465,255	32,611,250 4,633,851 8,236,762	18,552,844 2,510,401 4,118,541	7,622,561 862,953 2,359,323					
East North Central.	<b>27,44</b> 9,311	26,593,222	14,143,741	5,980,613					
Ohio	5,360,121 1,981,105 10,775,069 8,658,285 674,731	4,956,936 1,927,283 10,471,629 8,574,273 663,101	2,110,496 800,980 4,986,563 5,855,685 890,017	1,149,641 507,507 2,935,450 1,289,527 98,488					
WEST NORTH CENTRAL	10,324,604	9,900,777	4,482,716	2,797,111					
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	2,713,976 1,844,727 2,406,904 563,921 481,246 1,403,767 910,063	2,565,270 1,672,107 2,395,312 563,921 453,101 1,359,331 891,735	1,377,244 688,741 1,101,083 258,758 193,231 559,233 304,426	565,756 519,228 575,923 148,835 127,133 541,526 318,710					
SOUTH ATLANTIC	15,626,346	16,428,620	7,423,101	4,588,872					
Delaware	446,847 5,545,307 1,985,573 875,363 1,650,473 1,482,285 2,116,073 1,524,425	446,847 1,876,195 4,896,102 1,958,284 789,742 1,625,350 1,473,145 1,886,238 1,476,717	191,755 796,517 3,058,802 670,351 303,857 594,196 520,511 693,851 593,261	136,332 529,472 801,695 738,852 246,101 461,611 551,898 649,432 473,479					
East South Central	4,455,773	4,448,710	1,578,200	1,462,393					
Kentucky Tennessee Alabama Mississippi	1,153,788 1,224,955 1,272,226 804,804	1,146,725 1,224,955 1,272,226 804,804	479,146 370,582 438,623 289,849	324,497 526,159 410,013 201,724					
West South Central	7,331,371	6,789,832	2,514,102	2,241,389					
Arkaneas	1,029,858 1,656,814 1,628,748 3,015,951	1,011,117 1,571,632 1,557,217 2,649,866	330,846 631,983 554,073 997,200	300,305 478,299 555,880 906,905					
MOUNTAIN	2,659,087	2,620,984	1,408,019	489,394					
Montana Idaho Wyoming. Colorado New Mexico	123,645 122,736 1,553,143	122,010 122,736 1,532,275	53,020 55,243 841,988	28,131 23,999 298,427					
Arizona Utah Nevada	376,607 382,987 9 <b>9,96</b> 9	370,790 373,641 99,532	201,233 209,838 46,697	67,680 53,876 17,281					
Pacific	11,273,067	10,961,079	6,722,754	2,028,551					
Washington Oregon California	1,492,813 892,854 8,887,400	1,463,026 824,420 8,673,633	689,370 434,112 5,599,272	450,351 160,120 1,418,080					

Excludes statistics for Massachusetts, New York, and Maryland.

2 Includes estimated expenditure for maintenance for Massachusetts, New York, and Maryland hospitals.

Original from

UNIVERSITY OF MIN

MENTAL DISEASE, BY PURPOSE OF EXPENDITURE, BY DIVISIONS AND STATES: 1943 See Appendix A for discussion of coveragel

DIVISION AND STATE	EXPENDITURE FOR —Cont		Additions, improvements,	Average daily resident-patient	Per capita expenditure for	
	Fuel, light, and water	Other maintenance	and other expenditures <sup>1</sup>	population <sup>3</sup>	maintenance4	
United States	\$11,289,871	\$11,289,871 \$21,860,544 \$3,650,46		412,379	\$335.84	
NEW ENGLAND	1,440,773	2,372,134	114,455	38,525	396.27	
Maine	119,248	128,631	_	2,651	344.90	
New Hampshire	97,032 36,382	184,050	15,576	2,287	412.00 323.03	
Vermont Massachusetts	937,791	71,144 $1,395,230$	_	1,051 22,235	417.00	
Rhode Island	2,158	132,411	5,343	2,773	279.18	
Connecticut	248,162	460,668	93,536	7,528	401.73	
MIDDLE ATLANTIC	3,941,244	5,513,996	283,480	112,727	403.47	
New York	2,886,036	3,549,809	_	75,503	431.92	
New Jersey	398,767	861,730	54,987	11,123	416.60	
Pennsylvania	656,441	1,102,457	228,493	26,101	315.57	
East North Central	2,199,966	4,268,902	856,089	78,460	338.94	
Ohio	702,370	994,429	403,185	19,836	249.90	
Indiana	204,665 816,718	414,131	53,822 303,440	8,747	220.34 337.63	
Illinois	408,553	1,732,898 $1.020,508$	84,012	31,015 17,660	485.55	
Wisconsin	67,660	106,936	11,630	1,202	551.66	
WEST NORTH CENTRAL	898,682	1,722,268	423,827	37,514	263.92	
Minnesota	259,625	362,645	148,706	10,498	244.3	
Missouri	159,715 177,470	304,423 540,836	172,620 11,592	6,607 8,885	253.03 269.59	
North Dakota	59,902	96,426	11,092	2,017	279.5	
South Dakota	41,562	91,175	28,145	1,620	279.6	
Nebraska	111,138	147,434	44,436	4,331	313.8	
Kansas	89,270	179,329	18,328	3,556	250.7	
South Atlantic	1,114,040	3,302,607	1,073,921	52,835	310.9	
Delaware	42,382	76,378	-	1,179	379.0	
Maryland Dist. of Columbia	187,475 177,652	362,731	240 205	6,782	276.6 723.6	
Virginia	180,909	857,953 368,172	649,205 27,289	6,766 9,501	206.1	
West Virginia	38,696	201,088	85,621	3,076	256.7	
North Carolina	136,643	432,900	25,123	7,513	216.3	
South Carolina	48,419	352,317	9,140	4,687	314.3	
Georgia Florida	187,698 114,166	355,257 295,811	229,835 47,708	8,152 5,179	231.3 285.1	
EAST SOUTH CENTRAL	391,328	1,016,789	7,063	21,957	202.6	
Kentucky	106,662	236,420	7,063	6,364	180.1	
Tennessee	95,817	232,397	_	5,874	208.5	
Alabama Mississippi	103,949 84,900	319,641 228,331	=	5,572 4,147	228.3 194.0	
WEST SOUTH CENTRAL	479,512	1,554,829	541,539	29,880	227.2	
Arkansas	77,476	302,490	18,741	4,480	225.7	
Louisiana	81,002	380,348	85.182	6,496	241.9	
Oklahoma Texas	109,018 212,016	338,246 533,745	71,531 366,085	7,715 11,189		
MOUNTAIN	245,935	477,636		7,760		
Montana		_	_	_	-	
Idaho	21,094	19,765	1,635			
Wyoming	15,285 140,742	28,209 251,118	20.000	625		
Colorado New Mexico	140,742	251,118	20,868	4,200	364.8	
Arizona	22,434	79,443				
Utah Nevada	34,050 12,330	75,877 23,224	9,346		342.	
Pacific	578,391	1,631,383		1		
Washington	151,681	171,624	29,787			
Oregon	78,974	151,214	68,434	3,859	213.	
California	347,736	1,308,545	213,767	23,961		

TABLE 61.—MOVEMENT OF POPULATION, SUMMARY, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943

Statistics based on reports from 178 institutions. Statistics for State institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for discussion of coverage]

	ALL	ALL PATIENTS MEN			ENTAL DEFECTIVES			EPILEPTICS		
MOVEMENT OF POPULATION AND TYPE OF CONTROL	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Other
ALL INSTITUTIONS										
Patients on books at beginning of year	129,510	67,511	61,999	107,067	55,758	51,309	20,360	10,658	9,702	2,083
In institution	112,449		54,715	92,376	47,428	44,948	18,434	9,441	8,993	1,63
In family care <sup>1</sup> In other extramural care	673 16,388	193 9,584	480 6,804	672 14,019	192 8,138	480 5,881	1,926	1,217	709	44
Admissions during year	12,824	7,067	5,757	10,227	5,644	4,583	2,043	1,130	913	55
First admissions	11,247	6,161	5,086	8,974	4,908	4,066	1,800	989	811	47
Readmissions Transfers	998 579	583 323	415 256	759 494	442 294	317 200	206 37	123 18	83 19	3
Separations during year	11,443	6,568	4,875	8,982	5,100	3,882	1,876	1,143	733	58
Discharges From institution	7,579 2,836	4,345 1,641	3,234 1,195	6,257 2,126	3,555 1,214	2,702 912	865 398	531 252	334 146	45 31
From extramural care	4,743	2,704	2,039	4,131	2,341	1,790	467	279	188	14
Transfers Deaths	843 3,021	475 1,748	368 1,273	718 2,007	1,126	299 881	76 935	38 574	38 361	4
In institution In extramural care	2,946 75	1,697 51	1,249 24	1,950 57	1,087	863 18	918 17	562 12	356 5	7
Patients on books at end of year		68,010	62,881	108,312	56,302		20,527	10,645	9,882	2,05
In institution	113,037		55,113	93,109	47,822	45,287	18,304	9,248	9,056	1,62
In family care <sup>1</sup> In other extramural care	635 17,219		463 7,305	634 14,569		463 6,260	2,223	1,397	826	42
PUBLIC INSTITUTIONS										
Patients on books at beginning of year.	123,496	64,371	59,125	102,162	53,140	49,022	19,610	10,357	9,253	1,72
In institution	106,612		51,866	87,640			17,684	9,140	8,544	1,28
In family care <sup>1</sup> In other extramural care	673 16,211		480 6,779	672 13,850		480 5,858	1,926	1,217	709	43
Admissions during year	11,288	6,198	5,090	9,057	4,973	4,084	1,941	1,081	860	29
First admissions	9,847		4,473	7,907	4,303		1,713	946	767	22
ReadmissionsTransfers	879 562		366 251	672 478		285 195	192 36	118 17	74 19	1
Separations during year	10,065	5,778	4,287	7,994	4,523	3,471	1,748	1,082	666	32
Discharges	6,639	3,802	2,837	5,590	3,164		787	491	296	
From institutionFrom extramural care	1,912 4,727		801 2,036	1,471 4,119			322 465	213 278		
Transfers	682	380	302 1,148	580 1,824	332	248	53 908	30 561	23 347	1
Deaths In institution		1,548	1,125	1,771		780	891	549	342	
In extramural care	71	48	23	53	36	17	17	12	5	
Patients on books at end of year	124,719	64,791	59,928	103,225	53,590	49,635	19,803	10,356	9,447	1,69
In institution	107,028 635	54,849 172	52,179 463	88,184 634	45,254 171	42,930 463	17,581	8,959	8,622	1,26
In family care¹ In other extramural care	17,056						2,222	1,397	825	4:

<sup>1</sup> Public Institutions only.



TABLE 61.—MOVEMENT OF POPULATION, SUMMARY, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL DISORDER, AND SEX, FOR THE UNITED STATES: 1943—Con.

	ALL	PATIEN	TS	MENTAI	DEFEC	TIVES	E	PILEPTIC	8	
MOVEMENT OF POPULATION AND TYPE OF CONTROL	Total	Male	Fe- male	Total	Male	Fe- male	Total	Male	Fe- male	Other
PRIVATE INSTITUTIONS										
Patients on books at beginning of year	6,014	3,140	2,874	4,905	2,618	2,287	750	301	449	359
In institution	5,837	2,988	2,849	4,736	2,472	2,264	750	301	449	351
In family care¹ In other extramural care	177	152	25	169	146	23	=	=	_	-
Admissions during year	1,536	869	667	1,170	671	499	102	49	53	264
First admissions Readmissions Transfers	1,400 119 17	787 70 12	613 49 5	1,067 87 16	605 55 11	462 32 5	87 14 1	43 5 1	44 9	246
Separations during year	1,378	790	588	988	577	411	128	61	67	262
DischargesFrom institutionFrom extramural care	940 924 16	543 530 13	397 394 3	667 655 12	391 380 11	276 275 1	78 76 2	40 39 1	38 37 1	195 193
Transfers	161 277 273 4	95 152 149	66 125 124	138 183 179	87 99 96 3	51 84 83	2 23 27 27	13 13	15 14 14	67
Patients on books at end of year	6,172	3,219	2,953	5,087	2,712	2,375	724	289	435	36
In institutionIn family care <sup>1</sup>	6,009	3,075	2,934	4,925	2,568	2,357	723	289	434	361
In other extramural care	163	144	19	162	144	18	1	_	1	_

<sup>1</sup> Public institutions only.

## TABLE 62.—MOVEMENT OF POPULATION, HISTORICAL, IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1934 TO 1943

[Statistics on "family care," and discharges by status on books at time of discharge, were not collected prior to 1937 and 1938, respectively. Statistics for 1943 for State institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for number of institutions reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	129,510	129,906	117,017	114,371	112,438	116,644	113,760	111,579	108,684	106,774
In institution	112,449	113,597	103,288	102,292	100,903	102,328	98,765	96,995	95,101	93,438
In family care1	673	1,100	334	473	761	769	802	_	_	_
In other extramural care	16,388	15,209	13,395	11,606	10,774	13,547	14,193	14,584	13,583	13,336
Admissions during year	12,824	13,644	14,740	12,677	12,432	13,290	14,750	12,488	13,152	13,656
First admissions	11,247	11,740	12,315	10,715	10,896	11,614	12,550	10,711	11,243	11,886
Readmissions	998	1.033	1.031	1,106		990	961	845	887	1,024
Transfers	579	871	1,394	856	645	686	1,239	932	1,022	746
Separations during year	11,443	10,913	11,056	9,027	9,237	10,023	11,326	9,509	9,868	10,941
Discharges	7,579	6,895	6,648	5.689	5,573	6,214	6,647	5,346	5,539	6,387
From institution	2,836	2,808	2,386	2,300		2,345		-	-	-,
From extramural care	4,743	4,087	4,262	3,389	3,091	3,869		_	_	_
Transfers	843	1,115	1,785	833	994	970	1,527	1,297	1,559	1,770
Deaths	3,021	2,903	2,623	2,505	2,670		3,152	2,866	2,770	2,784
In institution	2,946	2,762	2,530	2,429		2,762	3,094	2,813	2,679	2,724
In extramural care	75	141	93	76	60	77	58	53	91	60
Patients on books at end of year	130,891	132,637	120,701	118,021	115,633	119,911	117,184	114,558	111,968	109,489
In institution	113,037	114,864	105.625	104.784	103,653	105.821	102,333	99,343	97,439	95,520
In family care1	635		584	419	854	946	980			
In other extramural care	17,219	16,649			11,126	13,144		15,215	14,529	13,969

TABLE 63.—MOVEMENT OF POPULATION, HISTORICAL, IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1934 TO 1943

[Statistics on "family care," and on discharges by status on the books at time of discharge, were not collected prior to 1937 and 1938, respectively. Statistics for 1943 for institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for number of institutions reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	123,496	124,434	112,955	110,679	107,377	111,908	109,160	107,035	104,333	102,208
In institution	106,612			98,749		97,747	94,310	92,572	90,863	88,985
In family care	673	1,100	334	473	761	769	802	-	-	_
In other extramural care	16,211	15,049	13,235	11,457	10,620	13,392	14,048	14,463	13,470	13,223
Admissions during year	11,288	12,397	13,353	11,553	11,072	11,888	13,432	11,584	12,492	12,882
First admissions	9,847	10,664	11,098	9,733	9,672	10,374	11,389	9,918	10,648	11,191
Readmissions		879	882	981	775	852	841	792	841	963
Transfers	562	854	1,373	839	625	662	1,202	874	1,003	728
Separations during year	10,065	9,776	9,853	7,993	7,908	8,789	10,170	8,731	9,271	10,210
Discharges	6,639	6,127	5,758	4,917	4,622	5,329	5,801	4,848	5,096	5,908
From institution	1,912	2,055		1,540	1,539	1,467	0,001	-,010	-	0,000
From extramural care	4,727	4,072	4,242	3,377	3,083	3,862				_
Transfers	682		1,693	738	844	828	1,404	1,144	1,491	1,645
Deaths	2,744	2,670	2,402	2,338	2,442	2,632	2,965		2,684	2,657
In institution	2,673	2,531	2,310	2,262	2,382	2,555		2,686	2,596	2,600
In extramural care	71	139	92	76	60	77	58	53	88	57
Patients on books at end of year	124,719	127,055	116,455	114,239	110,541	115,007	112,422	109,888	107,554	104,880
In institution	107.028	109,442	101.543	101,164	98,727	101,071	97,729	94,804	93,150	91,028
In family care	635			419	854	946	980	-,001	-	,020
In other extramural care				12,656	10,960		13,713	15,084	14,404	13,852

Table 64.—Movement of Population, Historical, in Private Institutions for Mental Defectives and Epileptics, for the United States: 1934 to 1943

Statistics on discharges by status on the books at time of discharge were not collected prior to 1938. See Appendix B for number of institutions reporting in each year and discussion of coverage]

MOVEMENT OF POPULATION	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934
Patients on books at beginning of year.	6,014	5,472	4,062	3,692	5,061	4,736	4,600	4,544	4,351	4,566
In institution In extramural care	5,837 177	5,312 160	3,902 160	3,543 149	4,907 154	4,581 155	4,455 145	4,423 121	4,238 113	4,453 113
Admissions during year	1,536	1,247	1,387	1,124	1,360	1,402	1,318	904	660	774
First admissions Readmissions Transfers	1,400 119 17	1,076 154 17	1,217 149 21	982 125 17	1,224 116 20	1,240 138 24	1,161 120 37	793 53 58	595 46 19	- 695 61 18
Separations during year	1,378	1,137	1,203	1,034	1,329	1,234	1,156	778	597	731
DischargesFrom institutionFrom extramural careTransfersDeathsIn institutionIn extramural care	940 924 16 161 277 273 4	768 753 15 136 233 231	890 870 20 92 221 220 1	772 760 12 95 167 167	951 943 8 150 228 228	885 878 7 142 207 207	846 — 123 187 187	498 — 153 127 127	443 — 68 86 83 3	125 127 124 3
Patients on books at end of year	6,172	5,582	4,246	3,782	5,092	4,904	4,762	4,670	4,414	4,609
In institution In extramural care	6,009 163	5,422 160	4,082 164	3,620 162	4,926 166	4,750 154	4,604 158	4,539 131	4,289 125	4,492 117



Table 65.—Movement of Population in All Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943

[Statistics based on reports from 178 institutions. Statistics for State institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for discussion of coverage]

	of coverage]										
	STATE AND MOVEMENT	Al	LL PATII	ENTS	MENT	AL DEF	ECTIVES	1	EPILEPT	ics	Other
	OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
	NEW ENGLAND										
	Maine		E07			F07					
	Patients on books at beginning of year In institution	1,111	567	533	1,111	567	544 533				
	In family care1	-	_	-	-	-	_	-	_	_	_
	In other extramural care	29	18	11	29	18	11	-	_	_	-
	Admissions during year	35	22	13	35	22	13				
	First admissions Readmissions	35	22	13	35	22	13	=	=	_	_
	Transfers	-	-	-	-	-	-	-	-	-	-
	Separations during year	31	21	10	31	21	10	-	_	_	-
	Discharges	6	5	1	6	5	1	_	_	_	-
	From institution From extramural care	2 4	1 4	1	2 4	1 4	1	_	=	_	
	Transfers	25	16	9	25	16	9	_	-	-	-
	Deaths In institution	25	16	9	25	16	9	_	_	_	_
	In extramural care	-	-	-	-	-	_	-	-	_	-
	Patients on books at end of year	1,115	568	547	1,115	568	547				
	In institution In family care <sup>1</sup>	1,087	553	534	1,087	553	534	=	_	_	-
	In other extramural care	28	15	13	28	15	13	_	-	_	-
	New Hampshire										
	Patients on books at beginning of year	760	381	379	716	364	352	42	17	25	
	In institution In family care <sup>1</sup>	634	314	320	592	297	295	40	17	23	-
	In other extramural care	126	67	59	124	67	57	2	-	2	-
	Admissions during year	74	33	41	73	33	40	1	_	1	-
	First admissions	69	33	36	69	33	36	-	_		-
	Readmissions Transfers	5	=	5	4	=	4	1	=	1	1
	Separations during year	68	34	34	62	29	33	6	5	1	
	Discharges	55	24	31	54	24	30	1	_	1	-
	From institutionFrom extramural care	55	24	31	54	24	30	1	_	1	:
	Transfers	1	1	_	_	-	_	1	1		-
	Deaths In institution	12 12	9	3 3	8 8	5 5	3 3	4	4	_	
	In extramural care	_	-	_	-	-	_	-	-	-	
	Patients on books at end of year	766	380	386	727	368	359	37	12	25	
	In institution	648	311	337	612	300	312	34	11	23	
	In family care <sup>1</sup> In other extramural care	118	69	49	115	68	47	3	1	2	
	Vermont										
	Patients on books at beginning of year	394	169	225	377	162	215	11	6	5	_
	In institutions	372	166	206	360	159	201	10	6	4	
	In family care <sup>1</sup> In other extramural care	22	3	19	17	3	14	1	-	1	
	Admissions during year	21	13	8	21	13	8	_	_	_	-
	First admissions	20	13	7	20	13	7	-	_	_	-
	Readmissions Transfers		=	1	1	=	1	_	=	=	:
	Separations during year		10	7	16	10	6	_	_	_	
	Discharges	12	7	5	11	7	4		_		-
	From institution	12	7	5	11	7	4	_	=	=	
	From extramural care Transfers	1	_	1	1	_	1	_	_	=	-
	DeathsIn institution	4 4	3 3	1 1	4	3 3	1	=	=	=	1
	In extramural care	-	-	-	-	_	_	-	-	-	-
	Patients on books at end of year	398	172	226	382	165	217	11	6	5	
	In institution		169	207	365	162	203	10	6	4	
tized by	In family care! In other extramural care. Public assitutions only.	22	3	19	17	3	14	1	ricina	l from1	

TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	A	LL PATIE	ENTS ·	MENT	AL DEFI	ECTIVES		EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
NEW ENGLAND—Continued										
Massachusetts	-			1						
Patients on books at beginning of year	7,123	3,509	3,614	5,798	2,832	2,966	1,178	607	571	14
In institution	6,483	3,195	3,288	5,287	2,588	2,699	1,073	547	526	15
In family care! In other extramural care	60 580	21 293	39 287	59 452	20 224	39 228	105	60	45	
Admissions during year	413	199	214	268	114	154	113	66	47	
First admissions	372	175	197	244	103	141	97	53	44	
Readmissions Transfers	36 5	22 2	14 3	19 5	9 2	10	16	13	3	
Separations during year	423	235	188	299	166	133	100	57	43	
Discharges	296	153	143	224	118	106	48	23	25	
From institution	146	73	73	90	46	44	46	22	24	
From extramural care Transfers	150 8	80	70	134	72	62	2 2	1 2	1	
Deaths.	119	74	45	69	42	27	50	32	18	
In institution In extramural care	118	73 1	45	68	41	27	50	32	18	
Patients on books at end of year	7,113	3,473	3,640	5,767	2,780	2,987	1,191	616	575	1.
In institution	6,440	3,127	3,313	5,247	2,524	2,723	1,064	539	525	1
In family carel In other extramural care	56 617	20 326	36 291	55 465	19 237	36 228	127	77	50	
Rhode Island						200	4.0	10		
Patients on books at beginning of year	1,194 813	385	428	1,145	509	407	31	18	22	
In institution In family care <sup>1</sup>	813	383	428	773	366	407	31	13	18	
In other extramural care	381	148	233	372	143	229	9	5	4	
dmissions during year	121	68	53	109	61	48	4	2	2	
First admissions	118	66	52	106	59	47	4	2	2	
Readmissions Transfers	3		1	$\frac{3}{-}$			=	=	=	
Separations during year	28	10	18	24	8	16	1	1		
Discharges	14	3	11	11	2	9	-	-	_	
From institution From extramural care	14	3	11	11	2	9			_	١.
Transfers	-	_	_	-	_	_	_	_	_	
Deaths	14	7	7	13	6	7	1	1	_	
In institution In extramural care	14	7	7	13	6	7	1		=	
atients on books at end of year	1,287	591	696	1,230	562	668	43	19	24	
In institution	864	420	444	815	395	420	35	15	20	
In family care <sup>1</sup> In other extramural care	423	171	252	415	167	248	8	4	4	
Connecticut	2.480	1 104	1 200	9 910	1.074	1 196	955	119	142	
Patients on books at beginning of year	$\frac{2,480}{2,183}$			2,210 1,986		1,136	255 184	74	$\frac{143}{110}$	_
In institution In family care <sup>1</sup> In other extramural care	2,183	1,036	139	224	119	1,031	71	38	33	
dmissions during year	447	243	204	419	226	193	21	14	7	
First admissions	400	203	197	373	187	186	$\frac{-21}{20}$	13	7	-
Readmissions Transfers	47	40	7	46	39	7	1	1 1		
eparations during year	273	143	130	238	125	113	35	18	17	
Discharges	67	32	35	64	31	33	3	1	2	_
From institution	51	24	27	50	23	27	1	1	-	
From extramural care	16 107	8	8 55	14	8	6	20	10	2	
Transfers Deaths	99	52 59	35 40	87 87	42 52	45 35	12	7	10 5	
In institution	98	58	40	86	51	35	12	7	5	
In extramural care	1	1	_	1	1	_	-	-	-	
Patients on books at end of year	2,654	1,294	1,360	2,391	1,175	1,216	241	108	133	_
In institution In family care1	2,301	1,115	1,186	2,114	1,038	1,076	173	69	104	
In other extramural care	353	179	174	277	137	140	68	39	29	1



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	L PATIE	INTS	MENT	AL DEFI	ECTIVES	1	EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
MIDDLE ATLANTIC										
New York										
Patients on books at beginning of year	24,813	13,871	10,942	22,041	12,487	9,554	2,564	1,272	1,292	20
In institution	20,071	10,880	9,191		9,633	7,886	2,362	1,141	1,221	19
In family care <sup>1</sup> In other extramural care	598 4,144	166 2,825	432 1,319	598	166 2,688	432 1,236	202	131	71	1
Admissions during year	2,506	1,439	1,067	2,113	1,228	885	233	130	103	16
First admissions	2,210	1,263	947	1,858	1,070	788	207	120	87	14
ReadmissionsTransfers	$\begin{array}{c} 270 \\ 26 \end{array}$	157 19	113 7	229 26	139 19	90 7	26	10	16	. !
Separations during year	2,522	1,568	954	2,002	1,241	761	314	204	110	20
Discharges From institution	1,887	1,152	735	1,573	957	616	160	107	53	15
From institution	974	642	332	670	447	223	160	107	53	14
From extramural care Transfers	913 115	510	403	903 110	510 99	393 11	1	_	1	1
Deaths	520	103 313	12 207	319	185	134	153	97	56	4
In institution In extramural care	502 18	299 14	203	301 18	171 14	130	153	97	56	4
			1				0.400	1 100	1 005	10
Patients on books at end of year In institution		$\frac{13,742}{10,851}$	9,309	$\frac{22,152}{17,717}$	9,693	$\frac{9,678}{8,024}$	$\frac{2,483}{2,292}$	1,198	$\frac{1,285}{1,204}$	$\frac{16}{15}$
In family care <sup>1</sup>	562	143	419	562	143	419	2,292	1,000	1,204	1.0
In other extramural care	4,075	2,748	1,327	3,873	2,638	1,235	191	110	81	1
New Jersey Patients on books at beginning of year	7,163	3,481	3,682	5,064	2,496	2,568	1,662	851	811	43
In institution	5,800	2,709	3,091	4,053	1,906	$\frac{2,308}{2,147}$	1,499	738	761	24
In family care¹ In other extramural care	1,363	772	591	1,011	590	421	163	113	50	18
Admissions during year	486	254	232	355	187	168	95	51	44	
First admissions	406	192	214	285	133	152	89	46	43	-3
Readmissions Transfers	34 46	29 33	5 13	28 42	24 30	132 4 12	5	4	1	,
Separations during year	633	434	199	440	314	126	107	70	37	8
Discharges	443	326	117	315	238	77	57	42	15	7
From institution	75	46	29	44	26	18	26	19	7	١ '
From extramural care	368	280	88	271	212	59	31	23	8	6
Transfers	70	48	22	64	46	18	1	-	1	
Deaths	120	60	60 56	61	30 26	31 28	49 49	28 28	21 21	1
In institution In extramural care	112 8	56 4	4	54 7	4	3	-	-		
Patients on books at end of year	7,016	3,301	3,715	4,979	2,369	2,610	1,650	832	818	38
In institution	5,813	2,680	3,133	4,086	1,900	2,186	1,500	722	778	22
In family care¹ In other extramural care	1,203	621	582	893	469	424	150	110	40	16
Pennsylvania Patients on books at beginning of year	8 002	4,518	4 474	7,014	2 975	3,739	1 023	1,207	716	
In institution		4,360		6,733			1,825		706	-
In family care <sup>1</sup> In other extramural care	379	158	221	281	70	211	98	88	10	
Admissions during year	1,122	551	571	686	362	324	380	156	224	,
First admissions	1,075	519	556	656	342	314	366	146	220	-
Readmissions Transfers	38	26 6	12	21 9	14	7 3	14	10	4	
eparations during year	716	387	329	477	244	233	200	122	78	
Discharges	418	214	204	313	151	162	66	42	24	- 3
From institution	192	110	82	123	74	49	30	15	15	3
From extramural care	226 47	104 20	$\frac{122}{27}$	190 34	77 18	113 16	36 13	27 2	9 11	
Transfers Deaths	251	153	98	130	75	55	121	78	43	
In institution	251	153	98	130	75	55	121	78	43	
In extramural care	-	-	-	-	-	_	-	_	_	
Patients on books at end of year	9,398	4,682	4,716	7,223	3,393	3,830	2,103	1,241	862	
In institution	8,960	4,482	4,478	6,923	3,315	3,608	1,965	1,119	846	3
In family care <sup>1</sup> In other extramural care	438	200	238	300	78	222	138	122	16	



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	LL PATIE	INTS	MENT	AL DEFI	ECTIVES	,	EPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST NORTH CENTRAL										
Ohio										
Patients on books at beginning of year	8,886	4,383	4,503	6,488	3,118	3,370	2,356	1,236	1,120	4
In institution	7,550	3,642	3,908	5,319	2,485	2,834	2,197	1,134	1,063	-
In family care <sup>1</sup> In other extramural care	1,336	741	595	1,169	-	536	159	102	57	
Admissions during year	696	434	262	488	298	190	202	131	71	
First admissions	597	365	232	428	255	173	163	105	58	-
Readmissions Transfers	37 62	26 43	11 19	3 57	3 40	17	34 5	23	11 2	
separations during year	586	341	245	369	202	167	214	138	76	
Discharges.	285	156	129	187	88	99	96	68	28	-
From institution	19	17		107	2	99	17	15	20	
From extramural care	266	139	$\frac{2}{127}$	185	86	99	79	53	26	
Transfers	66	48	18	64	46	18	2	2	_	
Deaths	235	137	98	118	68	50	116	68	48	
In institution In extramural care	231 4	133	98	118	68	50	112	64 4	48	
atients on books at end of year	8,996	4,476	4,520	6,607	3,214	3,393	2,344	1,229	1,115	
In institution	7,535	3,673	3,862	5,339	2,537	2,802	2,158	1,110	1,048	
In family care <sup>1</sup> In other extramural care	1,461	803	658	1,268	677	591	186	119	67	
Indiana										
Patients on books at beginning of year	3,676	1,951	1,725	3,676	1,951	1,725				
In institution	3,151	1,680	1,471	3,151	1,680	1,471	-	_	_	
In family care¹ In other extramural care	525	271	254	525	271	254	=	=	=	
dmissions during year	388	216	172	388	216	172	-	_	_	
First admissions	239	137	102	239	137	102	_	_		
Readmissions		_	_	-	_	=	-	-	-	
Transfers	149	79	70	149	79	70	-	_	-	
eparations during year	174	92	82	174	92	82	-	_	_	
Discharges	72	35	37	72	35	37	-	_	_	
From institution	5	2	3	5	2	3	-1	-		
From extramural care	67	33	34	67	33	34	-	-	-	
Transfers Deaths	25 77	13 44	12 33	25 77	13 44	12 33			_	
In institution	74	41	33	74	41	33		_		
In extramural care	3	3	-	3	3	-	-	-	-	
atients on books at end of year	3,890	2,075	1,815	3,890	2,075	1,815		_	_	
In institution	3,272	1,740	1,532	3,272	1,740	1,532			_	-
In family care <sup>1</sup> In other extramural care	618	335	283	618	335	283	=	=	=	:
Illinois										
atients on books at beginning of year	10,097	5,422		8,405		4,006	961	556	405	73
In institution	8,991	4,740	4,251	7,602	3,927	3,675	816	460	356	57
In family care¹ In other extramural care	1,106	682	424	803	472	331	145	96	49	15
dmissions during year	1,148	664	484	957	540	417	135	90	45	5
First admissions	1,033	583	450	866	472	394	117	81	36	5
Readmissions Transfers	91 24	57 24	34	71 20	48 20	23	14	5	9	
eparations during year	1,069	628	441	983	585	398	49	21	28	3
Discharges	793	463	330	713	424	289	46	19	27	3
From institution	297	150	147	254	125	129	29	19	10	1
From extramural care	496	313	183	459	299	160	17	-	17	2
Transfers	42 234	39	108	220	38	107	2	1	1	-
Deaths In institution	234	$\frac{126}{126}$	108 108	230 230	123 123	107	1	1		
	201	_	100	200	-	-	4	-	_	-
In extramural care	- 11									
	10,176	5,458	4,718	8,379	4,354	4,025	1,047	625	422	75
	10,176 8,999	5,458 4,761	4,718 4,238	8,379 7,545	4,354 3,886	4,025 3,659	1,047 857	625 507	422 350	75 59

<sup>1</sup> Public institutions only.



Table 65.—Movement of Population in All Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943—Con.

STATE AND MOVEMENT	AI	L PATIE	ENTS	MENT	AL DEFE	ECTIVES	1	EPILEPT	IC8	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST NORTH CENTRAL—Con.										
Michigan										
atients on books at beginning of year	8,135	4,304	3,831	6,585	3,534	3,051	1,550	770	780	
In institution	6,680	3,534	3,146	5,372	2,901	2,471	1,308	633	675	-
In family care <sup>1</sup> In other extramural care	1,455	770	685	1,213	633	580	242	137	105	:
Admissions during year	928	514	414	817	440	377	111	74	37	
First admissions	743	414	329	638	344	294	105	70	35	
Readmissions Transfers	168 17	91	77 8	162 17	87 9	75 8	6	4		. :
Separations during year	954	508	446	796	416	380	158	92	66	
Discharges	729	398	331	636	346	290	93	52	41	-
From institution	73	33	40	61	26	35	12	7	5	
From extramural care	656	365	291	575	320	255	81	45	36	
Transfers	16 209	100	8	16	8	8	-	1 -	0.5	-
Deaths In institution	209	102 97	107 105	139	62 59	82 80	65 63	40 38	25 25	
In extramural care	7	5	2	5	3	2	2	2	_	
Patients on books at end of year	8,109	4,310	3,799	6,606	3,558	3,048	1,503	752	751	-
In institution	6,684	3,563	3,121	5,401	2,946	2,455	1,283	617	666	
In family care <sup>1</sup> In other extramural care	1,425	747	678	1,205	612	593	220	135	85	
Wisconsin	000	0.50	010	000	000	200	00	000		
Patients on books at beginning of year	668	352	316	605	322	283	63	30	33	
In institution	668	352	316	605	322	283	63	30	33	
In family care <sup>1</sup> In other extramural care	_	_	=	=	_	_	=	=	_	
Admissions during year	90	46	44	80	38	42	10	8	2	
First admissions	87	44	43	77	36	41	10	8	2	
Readmissions Transfers	3		1	3		1	=	=	=	
Separations during year	82	54	28	78	51	27	4	3	1	1
Discharges	61	41	20	59	39	20	2	2	_	-
From institution	61	41	20	59	39	20	2	2	_	
From extramural care	-	-	_	-	-	-	-	-	-	
Transfers	-	19	-	10	10		-	-	-	1
Deaths In institution	21 21	13	8	19	12 12	7 7	2 2	1	1 1	
In extramural care	-	-	-	-	12	-	-	-	-	
Patients on books at end of year	676	344	332	607	309	298	69	35	34	
In institution	676	344	332	607	309	298	69	35	34	
In family care In other extramural care	=	=	=	=	=	=	_	=	=	
WEST NORTH CENTRAL										
Minnesota Patients on books at beginning of year	3,728	1,875	1,853	2,810	1,413	1,397	911	457	454	
In institution	3,682	1,849	1,833	2,781	1,399	1,382	894	445	449	
In family care <sup>1</sup> In other extramural care	46	26	20	29	14	15	17	12	5	
Admissions during year	349	178	171	230	97	133	95	63	32	
First admissions		133	129	170	69	101	68	46	22	-
Readmissions Transfers	72	39 6	33 9	50 10	25 3	25 7	22 5	14	8 2	
Separations during year	367	196	171	236	117	119	106	59	47	
Discharges	250	129	121	159	73	86	70	40	30	-
From institution	142	64	78	100	35	65	21	13	8	
From extramural care	108	65	43	59	38	21	49	27	22	
Transfers	18	9	9	8	4	4	10	5	5	
Deaths In institution	97	58 56	41	69 68	40 39	29 29		14	12 12	
In extramural care		2	-	1	1	-	1	1		
Patients on books at end of year	-	1,857	1,853	_	1,393	1,411	900	461	439	
In institution		1,829	1,837	2,775	1,376	1,399	885	450	435	
In family carel In other extramural care		28	16	29	17	12	15	11	4	



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATIE	INTS	MENT	AL DEFI	ECTIVES	1	EPILPET	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
WEST NORTH CENTRAL-Con.										
Iowa										
Patients on books at beginning of year	3,574	1,780	1,794	2,933	1,476	1,457	641	304	337	
In institution	3,398	1,691	1,707	2,785	1,404	1,381	613	287	326	
In family care <sup>1</sup> In other extramural care	176	89	87	148	72	76	28	17	11	1
Admissions during year	304	155	149	237	119	118	67	36	31	
First admissions	294	151	143	229	115	114	65	36	29	-
Readmissions Transfers	10	4	6	8	4	4	2	=	2	
Separations during year	190	113	77	145	85	60	45	28	17	
Discharges	82	40	42	70	35	35	12	5	7	-
DischargesFrom institution	49	24	25	43	21	22	6	3	3	
From extramural care	33	16	17	27	14	13	6	2	4	
Transfers Deaths	23 85	17 56	6 29	· 14	41	20	24	8 15	1 9	
In institution	85	56	29	61	41	20	24	15	9	
In extramural care	-	-	_	-	-	_	-	_	-	
Patients on books at end of year	_	1,822	1,866	3,025	1,510	1,515	663	312	351	
In institution	3,413	1,677	1,736	2,819	1,404	1,415	594	273	321	
In family care <sup>1</sup> In other extramural care	275	145	130	206	106	100	69	39	30	
Missouri										
Patients on books at beginning of year	2,415	1,230	1,185	2,011	1,039	972	403	190	213	
In institution	2,365	1,195	1,170	1,971	1,011	960	393	183	210	1
In family care¹ In other extramural care	50	35	15	40	28	12	10	7	3	
Admissions during year		131	105	209	115	94	27	16	11	
First admissions	211	118	93	186	103	83	25	15	10	
Readmissions Transfers	24 1	13	11	22	12	10	_ 2	1	1	
Separations during year		145	106	210	126	84	40	18	22	
Discharges	154	93	61	132	82	50	22	11	11	1
From institution	83	45	38	74	43	31	9	2	7	
From extramural care Transfers		48 13	23 12	58 24	39	19	13	9	4	1
Deaths		39	33	54	31	23	17	7	10	1
In institution In extramural care	72	39	33	54	31	23	17	7	10	
Patients on books at end of year	2,400	1,216	1,184	2,010	1,028	982	390	188	202	
In institution	2,335	1,171	1,164	1,957	991	966	378	180	198	-
In family care <sup>1</sup> In other extramural care	-	45	20	53	37	16	12	8	4	
North Dakota	1									
Patients on books at beginning of year.	1,146	576	538	901	483	386	214	112,	102	-
In institution In family care <sup>1</sup>	_	-	_	-	-	_	-	-	102	
In other extramural care	65	32	33	61	29	32	3	3	-	
Admissions during year		40	41	61	29	32	6	5	1	_
First admissions	78	38	40	58	27	31	6	5	1	
Readmissions Transfers	3		1 -	3	_ 2	1	=	=	=	
Separations during year	94	42	52	71	34	37	8	2	6	
Discharges		26	30	46	23	23	2	1	1	
From institution		6	10	11	4	7	-	-	-	
From extramural care Transfers		20	20	35	19	16	2	1	1	1
Deaths		16	22	25	11	14	6	- 1	5	
In institution	37	16	21	24	11	13	6	i	5	
In extramural care		-	1	1	_	1	-		-	
Patients on books at end of year	-	606 578	527 492	891	478	413	212	115	97	-
In institution In family care <sup>1</sup>	1,070	5/8	492	832	452	380	208	113	95	1
								2		

TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	A1	LL PATII	INTS	MENT	AL DEF	ECTIVES	1	EPILEPT	ics	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
WEST NORTH CENTRAL—Con.										
South Dakota	716	388	328	675	368	307	4,	20	21	
Patients on books at beginning of year				_			41			
In institution	661	357	304	620	337	283	41	20	21	_
In family care <sup>1</sup> In other extramural care	55	31	24	55	31	24	-	_	_	_
Adminsions during year	67	40	270	51	29	22	15	10	5	
Admissions during year First admissions	54	29	25	40	20	20	13	8	5	
Readmissions	12	10	20	11	9	20	13	1	- 0	_
Transfers	1	1	_	-	-	_	1	1	_	-
Separations during year	71	44	27	61	39	22	9	4	5	
Discharges	47	31	16	45	29	16	1	1	_	
From institution From extramural care	11 36	24	4	10	23	12	-	1	-	
Transfers	. 30	24	12 1	35	1	12	1 2	1	1	
Deaths	21	11	10	15	9	6	6	2	4	-
In institution	21	11	10	15	9	6	6	2	4	-
In extramural care	_	-	_	_	-	_	-	_	_	-
Patients on books at end of year	712	384	328	665	358	307	47	26	21	
In institution	678	365	313	631	339	292	47	26	21	-
In family care <sup>1</sup> In other extramural care	34	19	15	34	19	15	=	=	=	
Nebraska	0.	1		0.						
Patients on books at beginning of year	1,856	989	867	1,708	914	794	119	58	61	2
In institution	1,703	905	798	1,555	830	725	119	58	61	2
In family care1	_	_	_	-	-	_	-	_	_	-
In other extramural care	153	84	69	153	84	69	_	_	_	-
Admissions during year	139	77	62	118	65	53	18	10	8	
First admissions	136	76	60	116	64	52	17	10	7	
Readmissions Transfers	3	1	2	2	1	1	1	=	1	=
Separations during year	131	75	56	106	60	46		11	9	
Discharges From institution	69 13	38 10	31 3	66 10	35	31	1	1	=	
From extramural care	56	28	28	56	28	28	-	_	_	-
Transfers	-	-	-	-	-		-	-	-	-
Deaths In institution	62 61	37 36	25 25	40 39	25 24	15 15	19 19	10 10	9	
In extramural care	i	1	_	1	1	_	-	-	_	-
Patients on books at end of year	1.864	991	873	1,720	919	801	117	57	60	2
In institution		901	814	1,571	829	742	117	57	60	2
In family care1	-	-	_	-	-	_	-	_		-
In other extramural care	149	90	59	149	90	59	-		_	-
Kansas	0.000	1 100	1,072	1,212	618	594	988	510	478	
Patients on books at beginning of year In institution	2,009		999	1,212	618	594	797	392	405	
In family care <sup>1</sup>	2,000	1,010	_	1,212	-	-	_	_	_	_
In other extramural care	191	118	73	-	-	_	191	118	73	-
Admissions during year	163	78	85	93	46	47	70	32	38	
First admissions	151	70	81	93	46	47	58	24	34	-
Readmissions Transfers	9	7	2 2		=	=	9 3	7	2 2	-
Separations during year	95	54	41	45	19	26	50	35	15	
Discharges From institution	3	3	=	=	=	=	3	3	=	
From extramural care	3	3	_	=	-	_	3	3		-
Transfers	1	1		1	1	26		-	15	-
DeathsIn institution	91 88	50 49	41 39	44 42	18 18	26 24	47 46	32 31	15 15	
In extramural care	3	1	2	2	10	2	1	i	-	-
Patients on books at end of year	2,268	1,152	1,116	1,260	645	615	1,008	507	501	
In institution	1,984	990	994	1,204	619	585	780	371	409	
In family care <sup>1</sup> In other extramural care	-,		_		1 -	-	_	_	_	



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATIF	INTS	MENT	AL DEF	ECTIVES		EPILEPT	ics	Oth
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC									1	
Delaware				-						!
atients on books at beginning of year	504	266	238	442	235	207	62	31	31	1
In institution	463	256	207	401	225	176	62	31	31	-
In family care	-					-				į
In other extramural care	41	10	.31	41	10	31		-		
dmissions during year	38	25	90	32	20	12	6	5	1	i
First admissions	36	25		30	20	10	6	5	1	
Readmissions	2	20	11 2	2	20	2	- 0	3	1	
Transfers								-		
		1								
eparations during year	39	30	9	36	27	9	3	3		
Discharges	30	21	9	30	21	9			-	
From institutionFrom extramural care	29	21	8	29	21	8	_	_	_	
Transfers	-			-	_					1
Deaths	9	9		6	6	-	3	3		1
In institution	9	9	-	6	. 6	-	3	3		1
In extramural care					and and	-	-	-		1
atients on books at end of year	503	261	242	438	228	210	65	33	32	1
In institution	460	251	209	395	218	177	65	33	32	
In family care <sup>1</sup>	400	201	208	000	210	111			32	1
In other extramural care	43	10	33	43	10	33				!
Maryland		1				1			1	-
atients on books at beginning of year	1 500	834		1,546	818	728	43	16	27	
	1,589	691	755 689	1,337	675		43	16	27	
In institution In family care <sup>1</sup>	1,380	691	689	1,337	670	662	4.5	16	27	
In other extramural care	209	143	66	209	143	66	_			
				!						1
dmissions during year	102	65	37	95	60	35	7	5	2	
First admissions		60	31	84	. 55	29	7	ā	2	
Readmissions	4 7	1 4	3 3	4	1 4	3 3		-		
Transfers		,		1	4	9		_		1
eparations during year	80	40	40	76	39	37	4	1	3	
Discharges	52	27	25	06	27	23	2	-	2	-
From institution	15	4	11	13	. 4	9	2		2	
From extramural care	37	23	14	37	2:3	14	-	-		1
Transfers Deaths	21	9	12	19	. 4	3	2	1	1	1
In institution	21	9	12	19	8	11	2	1	1	!
In extramural care	_	_		-	-	-		-	_	
		0.00					1			
Patients on books at end of year	-	859	752	1,565	839	726	46	20	26	
In institution	1,354	690	664	1,312	674	638	42	16	26	1
In family care <sup>1</sup> In other extramural care	257	169	88	253	165	88	4	4	_	1
_	201	103	00	20.5	10.,		. 7	1	1	
District of Columbia		1			1	!				i
atients on books at beginning of year	1,052	567	485	948	513	435	98	54	44	
In institution	677	331	346	582	283	299	89	48	41	
In family carel	975	996	190	200	990	120	9	-		j
In other extramural care	375	236	139	366	230	136	9	6	3	1
dmissions during year	87	49	38	86	49	37	-		_	1
First admissions		47	37	83	47	36		-		
Readmissions	1	-	1	1		1				
Transfers	2	2		2	2	-		-	-	1
avanations during year	27	8	10	17		19	0			i
eparations during year	-	-	19	bearing a second	4	13	9	4	5	-
Discharges From institution	8		8 8	6	_	6 6	1	_	1	1
From extramural care	_	_								
Transfers	5	2	3	4	2	2	1	-	1	
Deaths.		6	8		2	5	7	4	3	1
In institution In extramural care		6	8	7	2	5	7	4	3	1
in extramural care	1	-		li -		1	-	_		1
atients on books at end of year	1,112	608	504	1,017	558	459	89	50	39	1
In institution	-	353	338	605	309	296	80	1 44	36	
In family care!	1	1		1	-	1 -	-			1

<sup>&</sup>lt;sup>1</sup> Public institutions only.



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Α.	LL PATII	ENTS	MENT	TAL DEFI	ECTIVES		EPILEPT	TCS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC-Con.										
Virginia										
Patients on books at beginning of year	2,390	1,292	1,098	1,766	948	818	623	344	279	
In institution	2,028	1,067	961	1,512	799	713	515	268	247	
In family care <sup>1</sup>	2,026	1,007	901	1,312	199	710	.,,,	200	21	
In other extramural care	362	225	137	254	149	105	108	76	32	
Admissions during year	237	110	127	182	79	103	55	31	24	
First admissions	204	93	111	163	69	94	41	24	17	-
Readmissions	28 5	14	14	16	7	9	12	7	5	
Transfers	5	3	2	3	3		2		2	
Separations during year	247	150	97	189	110	79	58	40	18	
Discharges	187	114	73	158	92	66	29	22	7	
From institution	29	9	20	27	8	19	2	1	1	
From extramural care	158	105	53	131	. 84	47	27	21	6	
Transfers	52	32	20	24	14	3 10	28	18	10	
In institution	52	32	20	24	14	10	28	18	10	
In extramural care	-	-	-	_				-	-	
atients on books at end of year	2,380	1,252	1,128	1.759	917	842	620	335	285	
In institution	2,016	1.056	960	1.496	790	706	519	266	253	-
In family care1				-		_		-	-	-
In other extramural care	364	196	168	263	127	136	101	69	32	
atients on books at beginning of year	463	223	240	386	194	192	4	3	1	
In institution	463	223	240	386	194	192	4	3	1	-
In family care <sup>1</sup>	100							-		-
In other extramural care	-	-		!			-	-		-
dinissions during year	185	66	119	145	60	8.7		-		4
First admissions	66	44	22	66	44	22				-
Readmissions	7	-	22 7	7		7	!	-		-
Transfers	112	22	90	72	16	56	-	-		4
Separations during year	175	37	138	131	24	107	-			4
Discharges	39	14	25	34	12	22	-		-	
From institutionFrom extramural care	39	14	25	34	12	22	-		_	
Transfers	131	20	111	94	10	84		-		:
Deaths	5	3	2	3	2	1		-		
In institution	5	3	2	3	2	1		-		
In extramural care	-			-			- :			-
Patients on books at end of year	473	252	221	400	230	170	4	3	1	- 6
In institution	471	250	221	398	228	170	4	3	1	(
In family care <sup>1</sup> In other extramural care	2	2	-	2	2	-		_	_	-
North Carolina	-	-		- 1	- 1					
Patients on books at beginning of year	819	394	425	754	363	391	65	31	34	_
In institution.	789	374	415	724	343	381	65	31	34	
In family care1				-			-	-		-
In other extramural care	30	20	10	30	20	10		-	_	-
dmissions during year	24	14	10	24	14	10				-
First admissions	20	11	9	20	11	)		-		-
Readmissions	4	3	1	4	3	1	- '	_		-
eparations during year	34	15	19	31	14	17	3	1	2	
Discharges From institution	18	8	10	17 -	8	3	1		1	-
From extramural care	13	7	6	13	7	6		_		
Transfers	6	2	4	6	-2	4	-			
Deaths	10	5	5	8 7	4	4	2	1	1	
In institution In extramural care	9	5	1	7	4	3	2	1	1	
							1			
atients on books at end of year	809	393	416	747	363	384	62	30	32	
In institution	741	355	386	679	325	354	62	30	32	-
In family care <sup>1</sup> In other extramural care	68	38	30	68	38	30	_		_	



Table 65.—Movement of Population in All Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943—Con.

STATE AND MOVEMENT	Al	L PATII	INTS	MENT	AL DEF	ECTIVES		EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC—Con										
South Carolina										
atients on books at beginning of year	866	440	426	652	336	316	102	49	53	1
In institution	829	425	404	620	321	299	101	49	52	10
In family care1	-	_	_	-	-	_	_	-	_	
In other extramural care	37	15	22	32	15	17	1	-	1	
dmissions during year	123	48	75	83	34	49	9	4	5	
First admissions	116	45	71	79	32	47	8	3	5	-
Readmissions	7	3	4	4	2	2	1	1	_	
Transfers	-	-	_	-	-	_	-	-	_	
parations during year	83	36	47	46	20	26	4	2	2	
Discharges	75	31	44	40	16	24	2	1	1	-
From institution	47	20	27	24	9	15	1	i		
From extramural care	28	11	17	16	7	9	1	-	1	
Transfers	8	5	3	6	4	2	2	1	1	
In institution	8	5	3	6	4	2	2	î	î	
In extramural care	_	-	_	-	_	_	_	-	-	
atients on books at end of year	906	452	454	689	350	339	107	51	56	1
In institution	853	431	422	650	333	317	107	51	56	-
In family carel	000	401	422	050	-	311	101	-	-	
In other extramural care	53	21	32	39	17	22	-	-	-	
Florida										
atients on books at beginning of year	575	291	284	428	220	208	147	71	76	
In institution	528	257	271	388	188	200	140	69	71	_
In family care	_	_		-	=	_	=	-	-	
In other extramural care	47	34	13	40	32	8	7	2	5	
dmissions during year	41	20	21	27	15	12	14	5	9	
First admissions	41	20	21	27	15	12	14	5	. 9	
Readmissions	_	-	_	-	-	_	-	-	_	
Transfers	_	-	_	-	-	-	-	-	_	
eparations during year	80	43	37	69	40	29	11	3	8	
Discharges	62	34	28	57	32	25	5	2	3	
From institution	23	15	8	22	15	7	1	-	1	
From extramural care	39 1	19	20	35	17	18	4	2	2	
Deaths	17	8	9	11	7	4	6	1	5	
In institution	17	8	9	11	7	4	6	1	5	
In extramural care	_	-	_	-	-	-	-	-	_	1
atients on books at end of year	536	268	268	386	195	191	150	73	77	
In institution	487	237	250	345	167	178	142	70	72	
In family care1		_	_	-	-	_	-	-	-	
In other extramural care	49	31	18	41	28	13	8	3	5	
EAST SOUTH CENTRAL						1		1		
Kentucky	004	400	410	894	482	412				
atients on books at beginning of year	894	482	412		_					-
In institution In family care1	860	459	401	860	459	401	=		_	1
In other extramural care	34	23	11	34	23	11	-	-	_	
111 11		24	20		34	20				1
dmissions during year	54	34	20	54	29	20				-
First admissions	49	29	20	49	3	20			_	
Transfers	2	2	-	2	2	-	-	-	-	
manations during was	69	47	22	69	47	22	_	_	_	1
parations during year	53		20	53	33	20	_			-
Discharges From institution	29	33 18	11	29	18	11	=	_	_	1
From extramural care	24	15	9	24	15	9	-	-	-	
Transfers	3	3	-	3	3	-	-	-	_	1
Deaths In institution	13 13	11	2 2	13	11	2 2	=	=	_	1
In extramural care	-	11	1 -	10	-		-	_	_	i
	050			050	400	,,,				
atients on books at end of year	879	469	410	879	469	410				-
In institution	849	450	399	849	450	399	-		_	1
In family care1	_									

Digitized by Google

TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	. A1	LL PATII	ENTS	MENT	AL DEFI	ECTIVES		EPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST SOUTH CENTRAL—Con.										
Tennessee										1
Patients on books at beginning of year	23	4	19	19	2	17	4	2	2	
In institution	23	4	19	19	2	17	4	2	2	-
In family care <sup>1</sup> In other extramural care	=	=	=	=	=	=	=	=	=	:
Admissions during year	6	2	4	6	2	4				
First admissions	6	2	4	6	2	4	-	_	-	
Readmissions Transfers	=	=	=	=	=	=	=	=	=	
eparations during year	6	3	3	6	3	3	_	_	_	
Discharges	6	3	3	6	3	3 3	-	-		
From institution	6	3	3	6	3	3	-	-	_	1
From extramural care	_	_	_	-	_	_	_	_	_	
Deaths.	_	=	_	_	_	_	_	_	_	
In institution	-	_	_	-	-	_	-	-	-	1
In extramural care	-	-	-	-	-	-	-	-	-	
atients on books at end of year	23	3_	20	19	1	. 18	4	2	2	
In institution	23	3	20	19	1	18	4	2	2	
In family care <sup>1</sup> In other extramural care	=	, =	=	=	=	=	=	=	=	
Alabama					070	204		10		
atients on books at beginning of year	863	418	445	772	378	394	91	40	51	
In institution In family care1	853	412	441	762	372	390	91	40	51	
In other extramural care	10	6	4	10	6	4	-	=	_	
dmissions during year	58	41	17	54	40	14	4	1	3	
First admissions	55	40	15	52	39	13	3	1	2	
Readmissions Transfers	3	1	2	2	1	1	1	=	1	
Separations during year	65	43	22	57	39	18	8	4	4	
Discharges	58	41	17	55	39	16	3	2	1	_
From institution	12	11	i	9	9	_	3	2	î	
From extramural care	46	30	16	46	30	16	-	-	_	
Transfers.	-	-	-	-	-	2	5	2	3	
Deaths In institution In extramural care	77	2 2	5	2 2	=	2	5	2	3	
atients on books at end of year	856	416	440	769	379	390	87	37	50	
		416	440	_	376		84	35	49	-
In institution	843	411	432	759	376	383	04	30	49	
In family care <sup>1</sup> In other extramural care	13	5	8	10	3	7	3	2	1	
Mississippi atients on books at beginning of year	421	207	214	363	177	186	58	30	28	
In institution	421	207	214	363	177	186	58	30	28	-
In family care <sup>1</sup>	_	201		-		_	_	-		
In other extramural care	-	-	-	-	-	_	-	-	-	
dmissions during year	52	33	19	40	26	14	12	7	5	_
First admissions	50	32	18	38	25	13	12	7	5	1
Readmissions Transfers	_	1		2	1		=	=	=	
eparations during year	112	65	47	92	56	36	20	.9	11	
Discharges	103	61	42	87	54	33	16	7	9	
From institution	2	1	1	=	-	-	2	1	1	1
From extramural care	101	60	41	87	54 1	33 2	14	6	8	1
Transfers Deaths	5	3	2	2	1	1	3	2	i	1
In institution In extramural care	5	3	2	2	1	î	3	.2	î	
									-	
atients on books at end of year	361	175	186	311	147	164	50	28	22	-
In institution In family care1	901	175	180	311	147	104	50	20	- 44	1
In other extramural care	_	_	_	-	_	_	-	_	_	1

<sup>&</sup>lt;sup>1</sup> Public institutions only.



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	L PATIF	INTS	MENT	AL DEFI	ECTIVES		EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
WEST SOUTH CENTRAL										
Louisiana										
Patients on books at beginning of year	989	473	516	871	407	464	118	66	52	
In institution	916	429	487	809	369	440	107	60	47	-
In family care <sup>1</sup>	910	429	101	809	309	440	107	- 00	41	
In other extramural care	73	44	29	62	38	24	11	. 6	5	-
Admissions during year	157	85	72	136	75	61	21	10	11	
First admissions	145	79	66	126	70	56	19	9	10	-
Readmissions	12	6	6	10	5	5	2	1	1	
Conceptions during year	105	52	53	96	38	48	19	14	5	
Separations during year				86			-	-		
Discharges From institution	73 51	37 22	36 29	63	28 13	35	10 10	9	1	
From extramural care	22	15	7	22	15	28	10	9	-	
Transfers		-			-		_	_		
Deaths	32	15	17	23	10	13	9	5	4	
In institution	30	14	16	22	9	13	8	5	3	
In extramural care	2	1	1	1	1	_	1	-	1	1 -
Patients on books at end of year	1,041	506	535	921	444	477	120	62	58	
In institution	909	428	481	802	375	427	107	53	54	
In family care <sup>1</sup> In other extramural care	132	78	54	119	69	50	13	9	4	
Texas										
Patients on books at beginning of year	3,990	2,030	1,960	2,437	1,235	1,202	1,552	795	757	
In institution In family care <sup>1</sup>	3,562	1,779	1,783	2,247	1,128	1,119	1,315	651	664	
In other extramural care	428	251	177	190	107	83	237	144	93	
Admissions during year	401	219	182	233	127	106	168	92	76	
First admissions	346	186	160	217	113	104	129	73	56	-
Readmissions	33 22	21 12	12 10	7 9	5 9	2	26 13	16	10 10	
Separations during year	414	217	197	263	122	141	150	95	* 55	
Discharges	269	138	131	194	92	102	74	46	28	-
From institution	209	12	15	25	11	102	2	1	1	1 .
From extramural care	242	126	116	169	81	88	72	45	27	
Transfers	20	7	13	20	7	13		-	-	
Deaths	125	72	53	49	23	26	76	49	27	1 .
In institution In extramural care	120	70	50	48	23	25 1	72	47	25	1
Patients on books at end of year	3,977	2.032	1,945	2,407	1,240	1,167	1,570	792	. 778	
In institution	3,450	1,730	1,720	2,198	1,124	1,074	1,252	606	646	-
In family care1	0,100	1,100	1,120	-,100	1,121	1,011	-	-	- 010	
In other extramural care	527	302	225	209	116	93	318	186	132	
MOUNTAIN Montana										1
Patients on books at beginning of year	478	274	204	395	220	175	47	31	16	
In institution	461	264	197	380	212	168	47	31	16	-
In family care1	-	-	-	-		-	-	-	-	
In other extramural care	17	10	7	15	8	7	-	-	-	
Admissions during year	-	32	23	45	27	18	7	3	4	
First admissions		28	21	41	24	17	6	2	4	
Readmissions Transfers	6	4		4	3	1	1	1	=	
Separations during year		19	16	29	16	13	1	1		
Discharges		18	13	25	15	10	1	1	_	
From institution		18	13	25	15	10	1	1	-	
From extramural care		=	2	2	_	2	=	_	-	1
Transfers	2	1	1	2	1	1	_	=	_	1.
In institution		1	1	2	i	i	-	-	_	1
In extramural care		-	-	-	-	_	-	-	-	1
Patients on books at end of year	498	287	211	411	231	180	53	33	20	
In institution	480	275	205	399	224	175	52	32	20	
In family care1	-	-	-	-	7	5	-	-	-	



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	L PATII	ENTS	MENT	AL DEFI	ECTIVES		EPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
MOUNTAIN-Con.										
Idaho										
atients on books at beginning of year	650	352	298	537	303	234	113	49	64	
In institution	566	298	268	457	251	206	109	47	62	-
In family care <sup>1</sup> In other extramural care	84	54	30	80	52	28	4	- 2		
dmissions during year	64	36	28	50	28	22	14	8	6	
First admissions	62	35	27	49	27	22	13	8	5	-
Readmissions Transfers	2	1	1	1	1	=	1	=	1	
eparations during year	38	22	16	34	19	15	4	3	. 1	
Discharges		9	13	22	9	13	-	-	_	
From institution		4	7	11	4	7	-	-	-	
From extramural care	11	5	6	11	5	6	_	_	_	
DeathsIn institution	16 16	13 13	3 3	12 12	10 10	2 2	4 4	3 3	1	
In extramural care	-	-	-		-	_	-	-	-	
atients on books at end of year	676	366	310	553	312	241	123	54	69	
In institution	573	296	277	459	246	213	114	50	64	
In family care! In other extramural care	103	70	33	94	66	28	9	4	5	
Wyoming										
atients on books at beginning of year	465	237	228	397	201	196	62	34	28	-
In institution In family care <sup>1</sup>	391	193	198	334	164	170	52	27	25	
In other extramural care	74	44	30	63	37	26	10	7	3	
dmissions during year		8	19	20	6	14	5	1	4	
First admissions		8	18	20	6	14	4	1	3	
Readmissions Transfers	1	=	1	=	=	_	1	=	1	
eparations during year	23	10	13	15	7	8	7	3	4	
Discharges	16	9	7	11	7	4	4	2	2	-
From institution		7	2 5	8	2 5	1	-	2	2	
From extramural care Transfers	12	-	3	-	3	3	4	-	2	
Deaths	7	1	6	4	-	4	3	1	2	
In institution In extramural care	6	1	5	4	=	4	1	1	1	
atients on books at end of year	469	235	234	402	200	202	60	32	28	
In institution	392	192	200	332	163	169	54	26	28	-
In family care <sup>1</sup> In other extramural care	77	43	34	70	37	33	6	6	=	
Colorado	707	200	205	650	207	220	100	er	63	
atients on books at beginning of year In institution	787	392	395	659	327	332	128	65	62	-
In family care <sup>1</sup> In other extramural care		12	11	21	11	10	-2	1	1	
		65	20	76	57	19	9	8		
dmissions during year	83	64	19	74	56	18	9	8	1	-
Readmissions	2	1	1	2	1	1	=	-	=	
eparations during year	75	41	34	61	33	28	14	8	6	
Discharges	-	29	23	50	28	22	2	1	1	-
From institution	48	26	22	46	25	21	2	î	î	1
From extramural care		3 3	1	3	3 3	1	-	-	_	1
Transfers Deaths	20	9	11	8	2	6	12	7	.5	1
In institution	20	9	11	8	2	6	12	7	5	
In extramural care	-	-	_	-	-	-	-	-	-	
atients on books at end of year		416	381	674	351	323	123	65	58	_
In institution	769	398	371	649	333	316	120	65	55	
In family care <sup>1</sup> In other extramural care	28	18	10	25	18	7	3	-	3	1

<sup>&</sup>lt;sup>1</sup> Public institutions only.



TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	L PATIE	INTS	MENT	AL DEFE	CTIVES	1	SPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
MOUNTAIN—Con.										
New Mexico				1 1						
atients on books at beginning of year	79	25	54	79	25	54	-	-	_	
In institution	72	21	51	72	21	51	_	_		-
In family care <sup>1</sup> In other extramural care	7	4	3	7	4	3	-	_	_	-
							_	_	_	
dmissions during year	5	2	3	5	2	3				
First admissions	5	2	3	5	2	3	_	=	_	
Transfers	-	-	-	-	-	-	-	-	_	-
eparations during year	8	1	7	8	1	7	-	-	_	
Discharges	8	1	7	8	1	7	_	_	_	-
From institution	8	1	7	8	1	7 7	-	-	_	
From extramural care	-	-	-	-	-	-	-	-	-	
Transfers	-	_	_	-	-	_	-	_	_	
Deaths In institution			_			_	_	_	_	
In extramural care	_	_	_	_	_	_	_	-	_	
atients on books at end of year	76	26	50	76	26	50	_	_	_	
In institution In family care <sup>1</sup>	68	20	48	68	20	48	_	_	_	
In family care1	_	_	-	-	-	-	-	-	_	
In other extramural care	8	6	2	8	6	2	-	_	_	
Utah atients on books at beginning of year	916	494	422	843	460	383	73	34	39	
In institution	516	250	266	459	224	235	57	26	31	-
In family care <sup>1</sup> In other extramural care	310	200	200	400	-	200	-	-	_	
In other extramural care	400	244	156	384	236	148	16	8	8	
dmissions during year	54	29	25	50	27	23	4	2	2	
First admissions	52	28	24	48	26	22	4	2	2	
Readmissions	2	1	1	2	1	. 1	=	=		
	05	=1	24	00	40	24	3	3		
eparations during year		51	34	82	48	34				-
Discharges From institution	77	1 44	33	76	43	33	1	1	_	
From extramural care	76	43	33	75	42	33	1	1	_	
Transfers	_	_	_	-		_	_		-	
Deaths	8	7	1	6	5	1	2	2	_	
In institution	6	6	_	4	4	_	2	2	_	
In extramural care	2	1	1	2	1	1	-	_	-	
atients on books at end of year	885	472	413	811	439	372	74	33	41	_
In institution In family care <sup>1</sup>	493	244	249	433	216	217	60	28	32	
In other extramural care	392	228	164	378	223	155	14	5	9	1
PACIFIC	002		101	0.0		100				
Washington										
atients on books at beginning of year		1		1,755		809	-		131	
In institution	1,917	1,027	890	1,629	867	762	285	157	128	
In family care <sup>1</sup> In other extramural care	134	84	50	126	79	47	6	3	3	
Admissions during year	134	78	56	115	70	45	13	6	7	
First admissions	127	74	53	110	67	43	12	5	7	1-
Readmissions	6	3	3	4	2	2	1	1		1
Transfers		1	-	1	1	-	-	-	-	
eparations during year		62	36	76	45	31	19	14	5	
Discharges	46	26	20	39	21	18	5	3	2	
From institution	2	1	1	2	1	1 1	-	-	-	1
From extramural care		25	19	37	20	17	5 2	3	1	1
Transfers		29	12	8 29	19	10	12	10	2	1
In institution		28	12	29	19	10	111	9	2	1
		1	1 =	=	-	-	1	1	-	
In extramural care	1 -	11								
In extramural care		1,127	960	1,794	971	823	285	152	133	1
	2,087	1,127	960	1,794 1,644	971 874	823 770	285 278	152 147	133	-

Digitized by Google

TABLE 65.—MOVEMENT OF POPULATION IN ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	A	LL PATII	ENTS	MENT	TAL DEFI	ECTIVES	,	EPILEPT	ics	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Culci
PACIFIC—Con.										
Oregon										
Patients on books at beginning of year	1,134	587	547	1,134	587	547	_	-	_	-
In institution In family care <sup>1</sup> In other extramural care	987 15 132	512 6 69	475 9 63	987 15 132	512 6 69	475 9 63	=	=	Ξ	=
Admissions during year	126	69	57	126	69	57	_	-	_	-
First admissions Readmissions Transfers	113 12 1	62 6 1	51 6 —	113 12 1	62 6 1	51 6 —	=	Ξ	=	=
Separations during year	117	62	55	117	62	55	_	-	_	-
DischargesFrom institutionFrom extramural careTransfersDeathsIn institutionIn extramural care	85 9 76 3 29 29	43 6 37 3 16 16	42 3 39 13 13	85 9 76 3 29 29	43 6 37 3 16 16	42 3 39 13 13	111111			
Patients on books at end of year	1,143	594	549	1,143	594	549	_	_	_	_
In institution In family care <sup>1</sup> In other extramural care	1,005 17 121	521 9 64	484 8 57	1,005 17 121	521 9 64	484 8 57		=	Ξ	=
California										
Patients on books at beginning of year		3,485	2,900	5,505	2,980	2,525	757	420	337	123
In institution In family care <sup>1</sup> In other extramural care	1 302	735	2,243 657	1,293	2,300	1,912 613	688	385	303	93
Admissions during year		542	353	735	445	290	92	48	44	6
First admissionsReadmissionsTransfers	831 46 18	503 29 10	328 17 8	688 36 11	417 22 6	271 14 5	83 7 2	43 4 1	40 3 1	66
Separations during year	653	380	273	529	302	227	73	47	26	5
DischargesFrom institutionFrom extramural careTransfersDeathsIn institutionIn extramural care	410 165 245 71 172 158 14	235 126 109 36 109 99 10	175 39 136 35 63 59	335 122 213 62 132 120 12	189 99 90 30 83 74 9	146 23 123 32 49 46	26 10 16 7 40 38 2	16 9 7 5 26 25	10 1 9 2 14 13	49 33 10
Patients on books at end of year		3,647	2,980	5,711	3,123	2,588	776	421	355	140
In institution	5,144	2,834	2,310	4,383	2,400	1,983	659	355	304	10:
In family care <sup>1</sup> In other extramural care	1,483	813	670	1,328	723	605	117	66	51	38

<sup>&</sup>lt;sup>1</sup> Public institutions only.

TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943

[Statistics based on reports from 83 State and 2 city institutions. Statistics for institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for discussion of coverage]

STATE AND MOVEMENT	Al	L PATI	ENTS	MENT	AL DEF	ECTIVES	1	PILE T	8' I	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Othe
NEW ENGLAND				i						
Maine				:						1
atients on books at beginning of year	1,111	567	544	1.111	567	544	_		_	
In institution	1.082	549	533	1.082	549	533				-
In family care	1.002	.,10	- 000	1.002		.,,,,	_	_		
In other extramural care	29	18	11	29	18	11	!	-	-	
Indicators during and	25	22	10	9.	22	10				
dmissions during year			13	35		13				-
First admissions Readmissions	35	22	13	35	22	13		_		
Transfers		_	_	-	_	_	_	_		
		1								
eparations during year	31	21	10	31	21	10	-			
Discharges	6	5	1	6	5	1	-	-		
From institution	2	1	. 1	2	1	1	-	-	_	
From extramural care	4	4		4	4			_	_	
Deaths	25	16	9	25	16	9	_	_	_	
In institution	25	16	9	25	16	9	-	-		-
In extramural care	_	-	-		-		-		-	1
etients on books at and of woon	1 115	1 200	547		200	-1-				
atients on books at end of year		568	547	1,115	568	547				
In institution In family care	1,087	553	534	1.087	553	534	-	-	-	
In other extramural care	28	15	13	28	15	13	_	_	_	
			1.,	20	1.,	10				
New Hampshire										
atients on books at beginning of year	755	379	376	716	364	352	39	1.5	24	
In institution	629	312	317	592	297	295	37	15	22	
In family care	100	67	59	104	67	57	2	-	2	
In other extramural care	126	. 01	.09	124	07	.57	:	_	2	
dmissions during year	74	. 33	41	73	33	40	1		1	
First admissions	a contemporary of the	33	36	69	33	36	-	-		-
Readmissions	5		5	4	_	4	1		1	
Transfers			_	!	-	_	-	_		
eparations during year	67	33	34	62	29	33	. 5	4	1	
Discharges. From institution		24	31	54	24	30	1	_	1	
From extramural care		24	31	54	24	30	1		1	
Transfers	_		_		-	-		-	_	
Deaths	12	9	3	. 8	5	3	4	4		
In institution	12	9	3	8	5	3	4	4		
In extramural care	_			-	_		-	_	_	
atients on books at end of year	762	379	383	727	368	359	35	11	24	
In institution		310	334	612	300	312	32	10	22	
In family care		-		-		-			_	
In other extramural care	118	69	49	115	68	47	3	1	2	
Vermont				!			1			
atients on books at beginning of year	394	169	225	377	162	215	11	6	5	
In institution	372	166	206	360	159	201	10	6	4	-
In family care	312	100	200	300	109	201		-		
In other extramural care	22	3	19	17	3	14	1	-	1	
					1	1				
dmissions during year	21	13	8	21	13	. 8	-			
'i st admissions	20	13	7	20	13	7		-	-	
Readmissions	1		1	. 1		1			-	
Transfers			_			-				
eparations during year	17	10	7	16	10	6		_	-	
Discharges	12	7	5	11		4				
From institution	12	7	5	ii	7	4	-		_	
From extramural care		-		. —	_	-				
Transfers			1	1 1	_	1	-	-	-	
Deaths	4	3	1	4	3	1	-	-	-	
In institution	4	3	1	4	3	1	_		_	
in Carlemand Care		i								
atients on books at end of year	398	172	226	382	165	217	11	6		
In institution	376	169	207	365	162	203	10	6	4	-
In family care										



Table 66.—Movement of Population in Public Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943—Con.

STATE AND MOVEMENT	AI.	L PATI	ENTS	MENT	AL DEFI	ECTIVES		SPILEPT	IC8	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Othe
NEW ENGLAND—Continued										
Massachusetts										
atients on books at beginning of year	6,909	3,391	3,518	5,645	2,754	2,891	1,153	590	563	11
In institution	6,287	3.089	3,198	5.152	2,522	2,630	1,048	530	518	1 - 8
In family care	60	21	39	59	20	39	-			
In other extramural care	562	281	281	434	212	222	105	60	45	1 :
dmissions during year	372	181	191	237	102	135	112	65	47	1
First admissions	340	160	180	221	94	127	96	52	44	-
Readmissions	27	19	8	11	6	5	16	13	3	1
Transfers	5	2	3	5	2	3	-	-	-	
eparations during year	386	215	171	275	153	122	94	53	41	1
Discharges	266	140	126	205	110	95	44	21	23	-
From institution		63	58	72	39	33	44	21	23	
From extramural care	145	77	68	133	71	62	-	-	-	
Transfers Deaths	117	72	45	67	40	27	50	32	18	
In institution	116	71	45	66	39	27	50	32	18	
In extramural care	1	1	-	1	1	-	-	-	-	
Patients on books at end of year	6,895	3,357	3,538	5,607	2,703	2,904	1,171	602	569	1
In institution	-	3,023	3,217	5.105	2,459	2,646	1,044	525	519	-
In family care	56	20	- 36	55	19	36	-	-		1
In other extramural care	599	314	285	447	225	222	127	77	50	
Rhode Island					1					
Patients on books at beginning of year	1,182	526	656	1,143	508	635	39	18	21	
In institution		378	423	771	365	406	30	13	17	
In family care In other extramural care	381	148	233	372	143	229	9	5	4	
In other extramural care	301	140	200	312	140	229	9	9	1	
Admissions during year	113	63	50	109	61	48	4	2	2	
First admissions		61	49	106	59	47	4	2	2	
Readmissions		2	1	3	2	1	-	=	-	1
Transfers	-	-	-	-	-	_		-	_	
Separations during year	. 25	9	16	24	8	16	1	1	-	
Discharges	11	2	9	11	2	9	-	-	-	
From institution	- 11	2	9	11	2	9	_	_	-	
From extramural care		-		=	-	_	-	-	_	
Deaths	14	7	7	13	6	7	1	1	-	
In institution		7	7	13	6	7	1	1	-	
in extramurai care	-	-		1	1					
Patients on books at end of year	1,270	580	690	1,228	561	667	42	19	23	
In institution		409	438	813	394	419	34	15	19	
In family care	423	171	252	415	167	248	8	4	4	
	120	171	2.52	419	101	240		1	3	
Connecticut							200	1	1	
Patients on books at beginning of year						1,091	-	-	_	_
In institution	2,091	992	1,099	1,899	913	986	179	72	107	
In other extramural care	297	158	139	224	119	105	71	38	33	
Admindure Australian	368	200	180	949	100	150	19	12	6	
Admissions during year	-	-		-	_	-	-	-		
First admissions		166	155	296	151	145	10	12	-	1
Transfers		40	7	46	39	7	1	1	-	-
S	101	00	7,	100	72		35	1 ,0		.
Separations during year		-						-		-
Discharges From institution	- 22									
From extramural care	. 16	8	8	14	8	6	2	-	. 2	2
Transfers										
Deaths In institution	57									3
In extramural care	1			1			-			-
						1	00.	1		
Patients on books at end of year				_	_	-			_	_
In institution		1,087	1,155	2,062	1,013	1,049	166	66	100	9
In other extramural care	353	179	174	277	137	140	68	39		9



Table 66.—Movement of Population in Public Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943—Con.

STATE AND MOVEMENT	ALI	PATIE	NTB	MENT	AL DEF	ECTIVES	,	EPILEPT	IC8	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Cunc
MIDDLE ATLANTIC New York										
Patients on books at beginning of year	24.254	13,544	10,710	21.668	12,268	9,400	2,518	1,256	1,262	6
In institution		10,562	8,969		_	7,740	2,316	1,125	1,191	5
In family care In other extramural care	598 4,125	166 2,816	432 1,309	598	166	432 1,228	202	131	71	1
Admissions during year	2,150	1,238	912	1,915	1,112	803	218	126	92	1
First admissions Readmissions Transfers	1,885 240 25	1,081 138 19	804 102 6	1,672 218 25	964 129	708 89 6	197 21	117	80 12	1
Separations during year	2,178	1,367	811	1,855		699	294	198	96	2
Discharges	1,641	1,010	631	1,472	900	572	144	101	43	2
From institution From extramural care Transfers	728 913 100	500 510 94	228 403 6	569 903 96		179 393 6	144	101	43	1
Deaths In institution In extramural care	437 421 16	263 251 12	174 170 4	287 271 16	166 154 12	121 117 4	150 150	97 97	53 53	=
Patients on books at end of year	24,226	13,415	10,811	21,728	12,224	9,504	2,442	1,184	1,258	5
	19,594	_	9,067		9,446	7,851	2,252	1,074	1,178	4
In family care	562 4,070	143 2,745	419 1,325	3,869	143 2,635	419 1,234	190	110	80	1
New Jersey Patients on books at beginning of year	6,253	2,844	3,409	4,199	1,883	2,316	1,638	838	800	41
In institution	5,030	2,203	2,827	3,328	1,424	1,904	1,475	725	750	22
In family care	1,223	641	582	871	459	412	163	113	50	18
dmissions during year	364	177	187	255	119	136	88	48	40	2
First admissions	296	124	172	196	73	123	83	44	39	1
Readmissions Transfers	27 41	24 29	3 12	21 38	19 27	11	5	4	_1	
eparations during year	523	367	156	346	252	94	103	68	35	7
Discharges	391	292	99	268	206	62	56	41	15	6
From institution From extramural care	30 361	19 273	11 88	264	205	3 59	25 31	18 23	8	6
Transfers	36	27	88 9	31	25	6	-	_	-	
DeathsIn institution	96 89	48 44	48 45	47	21 17	26 24	47 47	27 27	20 20	
In extramural care	7	4	3	6	4	2	-	-	_	
atients on books at end of year	6,094	2,654	3,440	4,108	1,750	2,358	1,623	818	805	36
In institution In family care In other extramural care	5,030	2,162	2,868	3,354	1,410	1,944	1,473	708	765	20
Pennsylvania	1,064	492	572	754	340	414	150	110	40	16
Patients on books at beginning of year		3,654		5,747		3,187	1,602		508	
In institution	6,970	3,496	3,474	5,466	2,490	2,976	1,504	1,006	498	-
In family care In other extramural care	379	158	221	281	70	211	98	88	10	-
dmissions during year	811	369	442	462	226	236	349	143	206	
First admissions	800 10	360	440 1	458 3	224	234	342	136	206	_
Transfers	1	-	1	1	_	î	-1	-	=	=
separations during year	451	238	213	306	140	166	145	98	47	
Prom institution	226	104	122	190	77	113	36	27	9	_
From extramural care	226	104	122	190	77	113	36	27	9	-
Transfers	221	134	87	112	63	49	109	71	38	-
Deaths In institution	221	134	87	112	63	49	109	71	38	=
In extramural care	-	-	-	-	-	_	-	-	_	-
atients on books at end of year	7,709	3,785	3,924	5,903	2,646	3,257	1,806	1,139	667	
In institution	7,271	3,585	3,686	5,603	2,568	3,035	1,668	1,017	651	-
In family care	.,	0,000	-,	0,000	-,000	-,	-,	-,		



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AL	L PATII	INTS	MENT	AL DEFI	CTIVES		PILEPTI	C8	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST NORTH CENTRAL										
Ohio										
Patients on books at beginning of year	8,831	4,358	4,473	6,440	3,096	3,344	2,354	1,235	1,119	
In institution	7,495	3,617	3,878	5,271	2,463	2,808	2,195	1,133	1,062	-
In family care	7,450	3,017	3,010	0,211	-,400	2,000	2,150	1,100	1,002	
In other extramural care	1,336	741	595	1,169	633	536	159	102	57	
Admissions during year	686	429	257	483	296	187	200	130	70	
First admissions	587	360	227	423	253	170	161	104	57	
Readmissions	37	26	11	3	3	_	34	23	11	
Transfers	62	43	19	57	40	17	5	3	2	'
Separations during year	585	341	244	368	202	166	214	138	76	
Discharges	285	156	129	187	88	99	96	68	28	
From institution	19	17	2	2	2		17	15	2	
From extramural care Transfers	266 66	139 48	127	185	86 46	99 18	79	53	26	1
Deaths	234	137	18 97	117	68	49	116	68	48	
In institution	230	133	97	117	68	49	112	64	48	1
In extramural care	4	4	-	-	-	-	4	4	_	1
Patients on books at end of year	8,932	4,446	4,486	6,555	3,190	3,365	2,340	1,227	1,113	-
In institution	7,471	3,643	3,828	5,287	2,513	2,774	2,154	1,108	1,046	
In family care In other extramural care		-	-	1.000	-		1		-	
	1,461	803	658	1,268	677	591	186	119	67	1
Indiana Patients on books at beginning of year	2 070	1 051	1 795	3,676	1 051	1 795				1
	3,676	1,951	1,725		1,951	1,725	_	-		-
In institution In family care	3,151	1,680	1,471	3,151	1,680	1,471	=		_	
In other extramural care	525	271	254	525	271	254	=	=	=	1
Admissions during year	388	216	172	388	216	172	_	_	_	
First admissions	_	137	102	239	137	102	-	-	_	-
Readmissions Transfers	_	79	70	149	79	70	=	=	=	
				174	92					
Separations during year		92	82	72	35	82		-		-
Discharges		35	37	1 '5	33	37			_	
From extramural care		33	34	67	33	34	-	-	_	
Transfers	. 25	13	12	25	13	12	-	1 -	-	
Deaths		44		77	44	33		-	-	
In institutionIn extramural care		41	33	74	41	33	=	=	=	
Patients on books at end of year		2,075	1,815	3,890	2,075	1,815				1
In institution		1,740		3,272	1,740	1,532	-	-	-	-
In family care	_	-	-	-	-	-	-	-	-	
In other extramural care	618	335	283	618	335	283	-	-		
Illinois							1			
Patients on books at beginning of year		5,367			4,370	3,801			378	
In institution		4,685	4,011	7,368	3,898	3,470	780	451	329	1
In family care In other extramural care	1,106	682	424	803	472	331	145	96	49	
Admissions during year	1,058	647	411	881	529	352	128	88	40	
First admissions	_	_								
Readmissions	87	57	30	68	48	20	13	5	8	
Transfers	- 24	24	-	20	20	-	4	4	-	
Separations during year	1,013			_				_		
Discharges										
From institution								17		
From extramural care				459			17		17	
Transfers Deaths										.
In institution	231	126	105	227	123					
In extramural care		1		-		1 -	-	-	-	
Patients on books at end of year	_	_		_	_					
	8,670	4,704	3,966	7,281	3,857	3,424	821	498	323	5
In institution In family care In other extramural care				. 11	. 11			. 11	. 1	

TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AL	L PATIE	NTS	MENT	TAL DEF	ECTIVES		EPILEPT	rics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST NORTH CENTRAL-Con.										
Michigan										
Patients on books at beginning of year	8,083	4,294	3,789	6,536	3,524	3,012	1,547	770	777	-
In institution		3,524	3,104	5,323	2,891	2,432	1,305	633	672	-
In family care		-		-	-	-	-	-	-	-
In other extramural care	1,455	770	685	1,213	633	580	242	137	105	
Admissions during year	920	512	408	809	438	371	111	74	37	-
First admissions		412	324	631	342	289	105	70	35	-
Readmissions		91	76	161	87	74	6	4	2	
Transfers	- 17	9	8	17	9	8	_	-		
Separations during year	947	507	440	789	415	374	158	92	66	-
DischargesFrom institution		398	326	631	346	285	93	52	41	-
		33	35	56	26	30	12	7	5	-
From extramural care		365	291	575	320	255	81	45	36	-
Transfers Deaths	15 208	101	107	15	61	82	65	40	25	
In institution		97	105	139	59	80	63	38	25	-
In extramural care	- 6	4	2	4	2	2	2	2	-	-
Patients on books at end of year	8,056	4,299	3,757	6,556	3,547	3,009	1,500	752	748	
In institution		3,552	3,079	5,351	2,935	2,416	1,280	617	663	-
In family care	_	0,002		0,001	-,500	-,110	-	-	-	-
In other extramural care	1,425	747	678	1,205	612	593	220	135	85	-
WEST NORTH CENTRAL			1							
Minnesota	2 670	1 840	1 992	9 760	1 200	1 270	905	454	451	
Patients on books at beginning of year		1,849	1,823	2,760	1,390	1,370		-		
In institution In family care		1,823	1,803	2,731	1,376	1,355	888	442	446	
In other extramural care	46	26	20	29	14	15	17	12	5	-
	1 040	170	100	000	0.	100	95	63	32	2
Admissions during year	_	176	166	223	95	128	68	46	22	
First admissions.		132	32	166	24	24	22	14	8	1
Transfers.	14	6	8	9	3	6	. 5	3	2	-
0	362	102	169	231	114	117	106	59	47	2
Separations during year	_	193	120		70	85	70	40	30	-
DischargesFrom institution		126	77	155 96	32	64	21	13	8	
From extramural care		65	43	59	38	21	49	27	22	
Transfers	- 17	9	8	7	4	3	10	5	5	-
Deaths		58 56	41	69	40 39	29 29	26 25	14	12 12	
In institution In extramural care		2	-	1	1	29	1	1	-	
							204		400	
Patients on books at end of year		1,832	1,820	2,752	1,371	1,381	894	458	436	
In institutionIn family care	3,608	1,804	1,804	2,723	1,354	1,369	879	447	432	
In other extramural care	44	28	16	29	17	12	15	11	4	-
Iowa										
Patients on books at beginning of yea	3.518	1,753	1.765	2,884	1,453	1,431	634	300	334	
In institution		1,664	1,678	2,736	1,381	1,355	606	283	323	-
In family care		1,001	-	2,.00	1,001	-,000	-	-	_	-
In other extramural care	176	89	87	148	72	76	28	17	11	-
Admissions during year	292	148	144	225	112	113	67	36	31	١.
First admissions		144	139	218	108	110	65	36	29	-
Readmissions		4	5	7	100	3	2		2	
Transfers		-	-	-	-	-	-	-	-	
Separations during year	181	107	74	136	79	57	45	28	17	
Discharges		34	39	61	29	32	12	5	7	-
From institution				34	15	19	6	3	3	
From extramural care	. 33	16	22 17	27	14	13	6	2	4	
Transfers	- 23	17	6	14	9	5	9	8	1 0	1
DeathsIn institution	- 85 85	56 56	29 29	61	41	20 20	24 24	15 15	9	1
In extramural care		-	- 20	01	-	-	-	-	-	1
Deticate as basis at a d of a	2 000	1 704	1 09*	0.070	1 400	1 407	ese	308	348	
Patients on books at end of year In institution		-	1,835	2,973	1,486	1,487	587	269	318	-
IN INSTITUTION	3,354	1,649	1,705	2,767	1,380	1,387	301	209	310	1
In family care		-	-	-	-	-	-		30	1

Digitized by Google

TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	A	LL PATII	ENTS	MENT	AL DEF	ECTIVES		PILEPT	IC8	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
WEST NORTH CENTRAL—Con. Missouri										
	0 140		005	1 007	00:	000	205	170	100	
Patients on books at beginning of year	2,142	1,157	985	1.807	985	822	335	172	163	
In institution	2,092	1,122	970	1,767	957	810	325	165	160	-
In family careIn other extramural care	50	35	15	40	28	12	10	7	3	
Admissions during year	204	161	88	180	101	79	24	15	9	
First admissions		103	78	159	89	70	22	14	8	-
Readmissions	22	13	9	20	12	8	2	1 _	_1	
eparations during year	211	128	83	177	112	65	34	16	18	
Discharges	132	82	50	113	72	41	19	10	9	-
From institution	61	34	27	55	33	22	6	1	5	
From extramural care		48	23	58	39	19	13	9	4	
Transfers	24	13	11	24	13	11	15	-	_	
Deaths	55 55	33 33	22 22	40	27 27	13 13	15	6 6	9	
In institution In extramural care	-	-	-	-	-	-	-	-	-	
atients on books at end of year		1,145	990	1,810	974	836	325	171	154	
In institution	2,070	1,100	970	1,757	937	820	313	163	150	-
In family care In other extramural care	65	45	20	53	37	16	12	8	4	
North Dakota						•00				
atients on books at beginning of year	1,043	553	490	834	446	388	203	107	96	
In institution	978	521	457	773	417	356	200	104	96	
In family care In other extramural care	65	32	33	61	29	32	3	3	=	
dmissions during year	53	25	28	48	21	27	5	4	1	
First admissions	50	23	27	45	19	26	5	4	1	
Readmissions Transfers	3	2	1	3	2	1	=	=	=	:
eparations during year	66	27	39	55	25	30	8	2	6	
Discharges	47	22 2	25	42	21	21	2	1	1	-
From institution From extramural care	40	20	5 20	35	19	5 16	- 2	-1	1	-
Transfers	19	5	14	13	-	9	-6	-	5	
Deaths In institution In extramural care	18	5	13	12	4	8	6	1	5	-
atients on books at end of year	1,030	551	479	827	442	385	200	109	91	
In institution	967	523	444	768	416	352	196	107	89	
In family care	-	-	-	-				-	-	
In other extramural care	63	28	35	59	26	33	4	2	2	
South Dakota at beginning of year	716	388	328	675	368	307	41	20	21	
In institution	661	357	304	620	337	283	41	20	21	
In family careIn other extramural care	55	31	24	55	31	24	_	=	=	:
dmissions during year	67	40	27	51	29	22	15	10	5	
First admissions	54	29	25	40	20	20	13	8	5	
Readmissions	12	10	2	ii	9	2	1	1 1	_	:
eparations during year		44	27	61	39	22	9	4	5	
Discharges	47	31	16	45	29	16	1	1		
From institution	iil	7	4	10	6	4		-	_	
From extramural care	36	24	12	35	23	12	1	1	-	
Transfers	3	2	1	1	1	-	2	1	1	-
Deaths	21	11	10	15	9	6	6	2 2	4	
In institution In extramural care	21	11	10	15	9	6	6	-	4	-
atients on books at end of year	712	384	328	665	358	307	47	26	21	
	678	365	313	631	339	292	47	26	21	
In institution	010	300	313	001	000	202		20 1	1	



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	L PATU	1 <b>77</b> 6	MENT	AL DEFE	CTIVES	1	EPIL <b>EPT</b>	IC8	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Other
WEST NORTH CENTRAL—Con.										
Patients on books at beginning of year	1.641	892	749	1,585	862	723	56	30	26	
In institution	1,488	808	680	1,432	778	654	56	30	26	_
In family care In other extramural care	153	84	69	153	84	69	_	=	_	=
Admissions during year	121	66	55	107	59	48	14	7	7	
First admissions Readmissions Transfers	118 3	65	53 2 —	105 2 —	58 1	47 1 —	13 1	- 7 -	6 1	=
Separations during year	112	60	52	96	52	44	16	8	8	_
Discharges	59	29	30	59	29	30		_	=	_
From institution	3 56	28	28	56	28	28	=	=	=	_
Transfers	l –	-	_	1 -	_	_	=	-	-	-
Deaths In institution In extramural care	. 52	31 30 1	22 22 —	37 36 1	23 22 1	14	16 16 —	8 8	8 8	=
Patients on books at end of year		898	752	1,596	869	727	54	29	25	
In institution In family care	1,501	808	693	1,447	779	668	54	29	25	=
In other extramural care	149	90	59	149	90	59	-	-	_	-
Kansas Patients on books at beginning of year	2,200	1,128	1,072	1,212	618	594	988	510	478	_
In institution	2,009	1,010			618	594	797	392		_
In family careIn other extramural care	191	118	73	=	=	=	191	118	73	=
Admissions during year		78			46	47	70	32	-	_
First admissions	- 151	70			46	47				
Readmissions Transfers			2		=	=	3			=
Separations during year	- 95					26				
Discharges From institution	- 8	3	:1 =	:   =	1 =	=	3	3	=	:  =
From extramural care	_ 3			· II —	- ∥	-	3	3	-	·  -
Transfers Deaths				1 44		26	47	32	15	:  =
In institution In extramural care	- 88	49	39	42	18		46	31	. 15	
Patients on books at end of year	2,268	1,152	1,116	1,260	645	615	1,008	507	501	.   _
In institution					-11	585	780	371	409	<u> </u>
In family care In other extramural care	284	162	122	56	26	30	228	136	92	:  =
SOUTH ATLANTIC			1	-		.	.	$\parallel$	j	1
Delaware										.
Patients on books at beginning of yea In institution					_			_		
In family care In other extramural care		-    -		- 11 -	-	.	-   -		-   -	
Admissions during year	1		5 1	3 32	2 20	12	2 6	s   ;	5	ı
First admissions	36	2	3 1					3]		1 -
Readmissions Transfers				2   2		:  -	3 =	:∥ =	=	
Separations during year	39	30		9   36	3 27	1 1	9 3	₃∥ :	3 –	-   -
Discharges. From institution		2		9 30			-	-		-
From institution	21	2	1	8 29 1	21		3 -	:    :	:  =	
Transfers		-	- 1 -	-11	-	•   -	-		-	-  -
Deaths In institution	1		8 =		8 8		:  :		3   -	] =
In extramural care	:-  - <del>'</del>	-   -	-  -	-    -	-   -	-	-   -	-    -		-   -
Patients on books at end of year						_				_ '
In institution	460	25	1 20	9   39	218	17	7 6			2   -
In family care In other extramural care	4	5 11 7	0 3	3   4	10	3	2   -	-   -	. 1	



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Δ.	LL PATII	ENTS	. MENT	AL DEF	ECTIVES		EPILEPI	rics	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC—Con. Maryland										
Patients on books at beginning of year	1,575	834	741	1,546	818	728	29	16	13	_
In institution	1,366	691	675	1,337	675	662	29	16	13	_
In family care In other extramural care	209	143	66	209	143	66	=	-	=	=
Admissions during year	100	65	35	95	60	35	5	5		
First admissions Readmissions Transfers	89 4 7	60 1 4	29 3 3	84 4 7	55 1 4	29 3 3	5 _	5 _	=	=
Separations during year	78	40	38	76	39	37	2	1	1	_
Discharges	50	27	23	50	27	23	-	_	_	_
From institution	13	4	9	13	4	9	-	-	-	-
From extramural care Transfers	37 7	23	14 3	37	23 4	14 3		_	_	-
Deaths.	21	9	12	19	8	11	2	1	1	_
In institution In extramural care	21	9	12	19	8	11	_	1	.1	. =
Patients on books at end of year	1,597	859	738	1,565	839	726	32	20	12	_
In institution	1,340	690	650	1,312	674	638	28	16	12	-
In family care In other extramural care	257	169	88	253	165	88	4	4	=	=
District of Columbia Patients on books at beginning of year	1,015	567	448	918	513	405	97	54	43	
In institution	640	331	309	552	283	269	88	48	40	
In family care In other extramural care	375	236	139	366	230	136	9	6	3	=
Admissions during year	81	49	32	81	49	32	_	_	_	_
First admissions	79	47	32	79	47	32		_	_	
Readmissions Transfers	-2	2	=	2	2	=	=	=	=	=
Separations during year	20	8	12	12	4	8	8	4	4	_
Discharges	1	-	1	1	_	1	-	_	_	_
From institution From extramural care	1		1	1	_	1	_	_	=	_
Transfers.	5	2	3	4	2	2	1	_	1	_
Deaths	14	6	8	7	2 2	5	7	4	3	_
In institution In extramural care	14	6	8	7	$\frac{2}{-}$	5	7	4	3	_
Patients on books at end of year	1,076	608	468	987	558	429	89	50	39	
In institution	655	353	302	575	309	266	80	44	36	-
In family care In other extramural care	421	255	166	412	249	163	9	6	3	=
Virginia Patients on books at beginning of year	2 204	1 259	1,042	1,675	911	764	619	341	278	
In institution	1,932	1.027	905		762	659	511	265	246	
In family care In other extramural care	362	225	137	254	149	105	108	76	32	=
Admissions during year	209	95	114	155	64	91	54	31	23	_
First admissions	180	81	99	140	57	83	40	24	16	_
Readmissions Transfers	24 5	11 3	13 2	12 3	3	8	12 2	7	5 2	=
Separations during year	220	142	78	165	103	62	55	39	16	
Discharges	167	109	58	140	88	52	27	21	6	-
From institution	150	105	53	131	84	47	27	21	6	_
From extramural care Transfers	158	105	3	4	84	2	1	-	1	_
Deaths	48	31	17	21	13	8	27	18	9	_
In institution In extramural care	48	31	17	21	13	8	27	18	9	=
Patients on books at end of year	2,283	1,205	1,078	1,665	872	793	618	333	285	_
In institution	1,919	1,009	910	1,402	745	657	517	264	253	-
In family care In other extramural care	364	196	168	263	127	136	101	69	32	_



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AL	L PATIE	INTS	MENT	AL DEFE	CTIVES	1	EPILEPT	ics	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	i
SOUTH ATLANTIC—Con.										
West Virginia										
Patients on books at beginning of year	463	223	240	386	194	192	4	3	1	7
In institution	463	223	240	386	194	192	4	3	1	7
In family care In other extramural care	_	_	=	=	=	=	=	=	=	-
Admissions during year	185	66	119	145	60	85	-	_	_	. 4
First admissions	66	44	22	66	44	22		_		-
Readmissions	7		7	7		7	-	-	-	1 7
Transfers	112	22	90	72	16	56	-		_	4
Separations during year	175	37	138	131	24	107	_			1 4
Discharges	39	14	25	34	12	22	-	-	-	1
From institutionFrom extramural care	39	14	25	34	12	22	=	=	_	
Transfers.	131	20	111	94	10	84	-	-	_	1 :
Deaths	5	3	2	3	2	1	-	-	-	
In institution In extramural care	5	3	2	3	2	1 -		=	_	į .
Patients on books at end of year	473	252	221	400	230	170	4	3	1	1
In institution		250	221	398	228	170	4	3	1	-
In family care In other extramural care	-	200	=	2	2	=	-	=		1
North Carolina										1
Patients on books at beginning of year	819	394	425	754	363	391	65	31	34	
In institution	789	374	415	724	343	381	65	31	34	
In family care In other extramural care	30	20	10	30	20	10	=	=	_	
Admissions during year		14	10	-	14	10	-	_	_	_
First admissions		11	9	20	11	9	-	-	-	
Readmissions Transfers		3	1	4	3	1	=	=	_	
Separations during year	34	15	19	31	14	17	3	1	2	1
Discharges		8	10	17	8	9			1	-
From institution	. 5	1	4			3		11	1	
From extramural care		1 7	6			6		-		
Deaths	- 1	2 5	5					1	1	
In institution				7	4	3	2	1		
In extramural care	- 1	-	1	1	-	1	-	-	-	
Patients on books at end of year	809	393	416	747	363	384	62	30	32	
In institution	741	355	386	679	325	354	62	30	32	
In family care In other extramural care	68	38	30	68	38	30	_	-	=	
South Carolina Patients on books at beginning of year	866	440	426	652	336	316	102	49	53	١,
In institution										
In family care		1 -	-	-	-	-	-	-	-	
In other extramural care	37	15	22		1				1	
Admissions during year	-	-			_				_	
First admissions										
Readmissions Transfers				4	11			11	1	i
Separations during year		_								
Discharges	- 75									
From institution	28					13				
From extramural care Transfers	-	11	1	11	11	.   -	1	11		
Deaths	- 8	5	3	8 6	4		2 2	1	1	
In institution	- 8	5	3	3 6		1	2 2	11	1	1
In extramural care										
Patients on books at end of year			-	-					-	
In institution In family care		431	425	2   650	333	31	107	51	50	
in family care	53	21	32	2 39	17	2				1



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Α.	LL PATI	ENTS	MENT	AL DEF	ECTIVES		EPILEPT	ics	Oth
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC-Con.										
Florida										
atients on books at beginning of year	568	291	277	421	220	201	147	71	76	
In institution	521	257	264	381	188	193	140	69	71	
In family care In other extramural care	-	-	-	-		_	-	-	_	
In other extramural care	47	34	13	40	32	8	7	2	5	
dmissions during year	41	20	21	27	15	12	14	5	9	
First admissions		20	21	27	15	12	14	5	9	
Readmissions		_	_		_			_	-	
Transfers	-	-	-			-	-	-	-	
	00	42	07	00	40	90	.,,	9		
eparations during year	-	43	37	69	40	29		3	8	
Discharges From institution	62 23	34 15	28 8	57	32 15	25 7	5	2	3	
From extramural care		19	20	22 35	17	18	4	2	2	
Transfers.		1	_	1	1	_		_	_	
Deaths	17	8	9	11	7	4	6	1	5	
In institution	17	8	9	11	7	4	6	1	5	
In extramural care	-	_	_	-	_	-	_	-	-	
atients on books at end of year	529	268	261	379	195	184	150	73	77	
In institution		237	243	338	167	171	142	70	72	-
In family care	-		_	-		_	-	-	_	
In other extramural care	49	31	18	41	28	13	8	3	5	
EAST SOUTH CENTRAL										
EAST SOUTH CENTRAL	1 1									
Kentucky										
atients on books at beginning of year	757	390	367	757	390	367	_		_	
In institution	723	367	356	723	367	356	-	-	_	
In family care		-		-	-		-	-	-	
In other extramural care	34	23	11	34	23	11	-	-	_	
dmissions during year	24	14	10	24	14	10	_			
First admissions		12	10	22	12	10				
Readmissions			-				_		_	
Transfers	2	2		2	2	-	-	-	-	
ar antiona during war	40	28	12	40	28	12				
eparations during year	-	17		28	17	11	-			
DischargesFrom institution		2	11	4	2	2	_	_	_	
From extramural care	24	15	9	24	15	9	-			
Transfers	3	3	-	3	3	-	-	-	-	
Deaths		8	1	9	8 8	1		_	-	
In institution In extramural care		-	1	9		1	_	_	_	
In extramutar care										
atients on books at end of year	741	376	365	741	376	365	-	-		
In institution	711	357	354	711	357	354	_	-	_	
In family care		_		-	_		-	-	-	
In other extramural care	30	19	11	30	19	11	-		_	
Alabama										
atients on books at beginning of year	863	418	445	772	378	394	91	40	51	
In institution	853	412	441	762	372	390	91	40	51	
In family care	-	-	-	-	_		-	-	-	
In other extramural care	10	6	4	10	6	4	-			
dmissions during year	58	41	17	54	40	14	4	1	3	
First admissions		40	15	52	39	13	3	1	2	
Readmissions.		1	2	2	1	1	1	_	ĩ	
Transfers		-	-		_	_	-	-	_	
		49	00		20	10	0		,	
eparations during year		43	22	57	39	18	8	4	4	
Discharges	58	41	17	55	39	16	3	2 2	1	
From institution From extramural care	12 46	30	16	46	30	16	3	2	1	
Transfers					-			-	_	
Deaths	. 7	2	5	2	-	2	5	2	3	
In institution	. 7	2	5	2	-	2	5	2	3	
In extramural care	-	-	-	-	-	_	-	_	_	
atients on books at end of year	856	416	440	769	379	390	87	37	50	
In institution		411	432	759	376	383	84	35	49	-
In family care	_	-	_		-			-	_	
	13	5	8	10	3	7	3	2	1	1

TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	A	LL PATII	ENTS	MENT	TAL DEF	ECTIVES		EPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST SOUTH CENTRAL-Co	n.									
Mississippi										
Patients on books at beginning of ye	ear 421	207	214	363	177	186	58	30	28	-
In institution	421	207	214	363	177	186	58	30	28	
In family care		_	-	-	-	-	_	-	_	
In other extramural care		-	_	-	-	_	-	-	-	
Admissions during year	52	33	19	40	26	14	12	7	5	١.
First admissions		32	18	38	25	13	12	7	5	-
Readmissions		1	1	2	1	1	-	-	_	
Transfers		-	_	-	-	_	-	-	_	
Samueliana dusina wasa	112	65	47	92	56	36	20	9	11	
Separations during year		61	42	87	54	33	16	7	9	
Discharges From institution	103	1	1	01	34	00	2	í	1	
From extramural care	101	60	41	87	54	33	14	6	8	
Transfers	4	1	3	3 2	1	2	1	-	1	
Deaths	5 5	3	2 2	2 2	1	1	3 3	2 2	1	
In institution In extramural care		3		_2	1	1	-		1	
In Carrametal Carcinina										
Patients on books at end of year		175	186	311	147	164	50	28	22	
In institution	361	175	186	311	147	164	50	28	22	
In family care In other extramural care		I -	-	-	<b> </b> -	_	_	_	_	
In other extramural care		-	_	_	_	_	_	-	_	
WEST SOUTH CENTRAL										
										l
Louisiana	070		405	707	200	204				
Patients on books at beginning of ye		444	435	767	383	384	112	61	51	
In institution	806	400	406	705	345	360	101	55	46	
In family care In other extramural care	73	44	29	62	38	24	11	6	5	
In other extramerar care	""		20	02	00					
Admissions during year	136	77	59	117	69	48	19	8	11	
First admissions	127	72	55	110	65	. 45	17	7	10	
Readmissions		5	4	7	4	3	2	1	1	
Transfers		-	_	-	-	_	_	_	_	
Separations during year	84	40	44	69	30	39	15	10	. 5	
Discharges		25	27	46	20	26	6	5	1	
From institution	34	13	21	28	8	20	6	5	î	
From extramural care		12	6	18	12	6	-	-	-	
Transfers		15	17	23	10	13	9	5	4	
Deaths In institution		14	16	22	9	13	8	5	3	
In extramural care	2	1	1	1	1		ĭ	_	1	
Patients on books at end of year.		481	450	815	422	393	116	59	57	
In institution	799	403	396	696	353	343	103	50	53	
In family care In other extramural care	132	78	54	119	69	50	13	9	4	
	102	10	01	110	03	00	10			
· Texas										
Patients on books at beginning of ye		2,030	1,960	2,437	1,235	1,202	1,552	795	757	
In institution	3,562	1,779	1,783	2,247	1,128	1,119	1,315	651	664	
In family care In other extramural care	400	951	177	100	107	02	237	144	02	
In other extramural care	428	251	177	190	107	83	237	144	93	
Admissions during year	401	219	182	233	127	106	168	92	76	
First admissions		186	160	217	113	104	129	73	56	-
Readmissions	33	21	12	7	5	2	26	16	10	
Transfers	22	12	10	9	9	_	13	3	10	
eparations during year	414	217	197	263	122	141	150	95	55	
		138	131	194	92	102	74	46	28	_
Discharges From institution		138	151	25	11	102	2	1	28	
From extramural care	242	126	116	169	81	88	72	45	27	
Transfers	20	7	13	20	7	13	-	-	_	
Deaths	125	72	53	49	23	26	76	49	27	
In institution In extramural care	120	70	50 3	48	23	25 1	72	47	25 2	
In Catramurai Care	3	4	0	1		1	_	-	4	
Patients on books at end of year	3,977	2,032	1,945	2,407	1,240	1,167	1,570	792	778	
	_	1,730	1,720	2,198	1,124	1,074	1,252	606	646	
In institution In family care	0.300	1,,,,,	1,120	2,100	1 -,					



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATIE	ENTS	MENT	AL DEF	ECTIVES		EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
MOUNTAIN Montana										
atients on books at beginning of year	478	274	204	395	220	175	47	31	16	
In institution	461	264	197	380	212	168	47	31	16	-
In family care In other extramural care	17	10	7	15	8	7	=	=	=	
dmissions during year	55	32	23	45	27	18	7	3	4	
First admissions Readmissions Transfers	49 6	28 4	21 2 —	41	24 3	17 1	6 1	1	4	
eparations during year	35	19	16	29	16	13	_1	1		
Discharges From institution	31 31	18 18	13 13	25 25	15 15	10 10	1	1	=	
From extramural care Transfers	2			2	_	2		=	. =	
Deaths In institution	2 2	1 1	1	2 2 2	1	1	_	=	_	
In extramural care	-	-		-	-		-	-	-	
atients on books at end of year	498	287	211	411	231	180	53	33	20	
In institution In family care In other extramural care	480 18	275	$\frac{205}{6}$	399	$\frac{224}{7}$	175	$\frac{52}{1}$	$\frac{32}{1}$	20	
Idaho										
atients on books at beginning of year In institution	650 566	352 298	298 268	537 457	251	234	113	49	64	_
In family care In other extramural care	84	54	30	80	52	206 28	4	- 2	2	1
dmissions during year	64	36	28	50	28	22	14	8	6	
First admissions Readmissions Transfers	62 2	35 1	27 1	49 1	27 1	22 —	13	8	1	
eparations during year	38	22	16	34	19	15	4	3	- 1	
DischargesFrom institution	22 11	9	13 7	22 11	9	13 7	=	=		
From extramural care Transfers	ii	5	6	11	5	6	_	=	_	
Deaths In institution	16 16	13 13	3 3	12 12	10 10	2 2	4 4	3	1	
In extramural care	-	-	-	-	-	-	-	-	—	
atients on books at end of year	573	366	310 277	553 459	312	241	123	54	69	-
In institution In family care In other extramural care	103	$\frac{296}{70}$	33	94	$\frac{246}{66}$	213	9	4	5	
Wyoming										
atients on books at beginning of year In institution	465 391	193	228 198	397 334	201	196	52 52	27	28	-
In family care In other extramural care	74	44	30	63	37	26	10	7	3	
dmissions during year	27	8	19	20	6	14	5	1.	4	
First admissions	26	8	18	20	6	14	4	1	3	-
Readmissions Transfers	1	=	1	=	=	=	· i	=	1	
eparations during year		10	13	15	7	8	7	3	- 4	_
Discharges From institution	16 4	9 2 7	7 2	11 3	7 2	1	4	2	2	:
From extramural care Transfers	12	7	5	8	5	3	4	2	2	
Deaths In institution	7 6	1	6 5	4 4	=	4 4	3 2	1	2	
In extramural care	1	-	1	-	_	-	1.	_	i	
atients on books at end of year	469	235	234	402	200	202	-60	32	28	_
In institution In family care	392	192	200	332	163	169	54	26	28	
In other extramural care	77	43	34	70	37	33	6	6	_	1



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATII	ENTS	MENT	AL DEF	ECTIVES		EPILEPT	rics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	- Common
MOUNTAIN-Con.										
Colorado										
Patients on books at beginning of year	757	376	381	629	311	318	128	65	63	
In institution	734	364	370	608	300	308	126	64	62	-
In family care	-	-		-	-	-	_	_	-	
In other extramural care	23	12	11	21	11	10	2	1	1	
Admissions during year	59	41	18	50	33	17	9	8	1	
	57	40	17	48	32	16	9	8	1	
First admissions	2	1	1	2	1	10	9	0		
Transfers		-	_	-	-	_	-	-	-	
Separations during year	48	29	19	34	21	13	14	8	6	
	-			23	-		2	-		
Discharges From institution	25 21	17 14	8 7	19	16 13	7 6	2	1	1 1	
From extramural care	4	3	i	4	3	1		-	1	
Transfers	3	3		3	3		-	-	_	
Deaths	20	9	11	8	2	6	12	7	5	
In institution	20	9	11	8	2	6	12	7	5	
In extramural care	-	-	-	-	_	_	-	-	-	
Patients on books at end of year	768	388	380	645	323	322	123	65	58	
In institutions	740	370	370	620	305	315	120	65	55	-
In family care		-	-	-	-	_		-	_	
In other extramural care	28	18	. 10	25	18	7	3	-	3	
New Mexico										
atients on books at beginning of year	79	25	54	79	25	54	_	-	_	
In institution	72	21	51	72	21	51				-
In family care	12	1 -1	-	-	-	-		_	_	
In other extramural care	7	4	3	7	4	3		-		
dmissions during year	5	2	3	5	2	3				
First admissions	5	2	3	5	2	3	-	-	_	
Readmissions	_	_	_		_	_	_	_	_	
Transfelb										
eparations during year	8	1	7	8	1	7		-	_	
Discharges	8	1	7	8	1	7 7	_	_		
From institution	8	1	7	8	1	7	-	-		
From extramural care	-	-	_	-	-	-	-	-	-	
Transfers	-	_	_		_		_	_	-	
Deaths In institution	_	_	_		_	_	_	_	_	
In extramural care	_	_		-	_	_	-	_	_	
h4:411		00		70	00	-0				
atients on books at end of year	76	26	50	76	26	50				
In institution	68	20	48	68	20	48	-	-	_	
In family care In other extramural care	8	6	2	8	6	2	_	_	_	
	0		-	0	0	-				
Utah										
atients on books at beginning of year	916	494	422	843	460	383	73	34	39	
In institution	516	250	266	459	224	235	57	26	31	
In family care In other extramural care	400	244	156	384	236	148	16	8	8	
in other extrameral care	400	211	100	001	200	140				
dmissions during year	54	29	25	50	27	23	4	2	2	
First admissions	52	28	24	48	26	22	4	2	2	
Readmissions	2	1	1	2	1	1	-	-	-	
Transfers	-	-	-	-	-		-	-	-	
eparations during year	85	51	34	82	48	34	3	3	_	
Discharges.	77	44	33	76	43	. 33	1	1		
From institution	"il	1	- 00	1	1	. 99		-	_	
From extramural care	76	43	33	75	42	33	1	1		
Transfers		-	-	-			-		-	
Deaths	8	7	1	6	5	1	2	2	-	
In institution	6 2	6	1	4 2	1	1	2	2	_	
In Cattomulai Care	2	1	1	,"	1	1			_	
atients on books at end of year	885	472	413	811	439	372	74	33	41	
In institution	493	244	249	433	216	217	60	28	32	-
In family care		_	-	-	-	-		-	-	
In other extramural care	392	228	164	378	223	155	14	5	9	



TABLE 66.—MOVEMENT OF POPULATION IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	L PATIE	INTS	MENT	AL DEFI	ECTIVES		EPILEPT	ics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
PACIFIC										
Washington										
atients on books at beginning of year	2,051	1,111	940	1,755	946	809	291	160	131	
In institution	1,917	1,027	890	1,629	867	762	285	157	128	
In family care	-	-	_	-	-		_			
In other extramural care	134	84	50	126	79	47	6	3	3	
Admissions during year	134	78	56	115	70	45	13	6	7	
First admissions	127	14	53	110	67	43	12	5	7	-
Readmissions	6	3	3	4	2	2	1	1		1
Transfers	1	1	-	1	1	-	-	-		
Separations during year	98	62	36	76	45	31	19	14	5	1
Discharges	46	26	20	39	21	18	5	3	2	-
From institution	2	1	1	39	1	1	9	3	2	
From extramural care	44	25	19	37	20	17	5	3	.2	
Transfers	11	7	4	8	5	3	2	1	1	
Deaths	41	29 28	12 12	29 29	19 19	10	12	10	2 2	1
In institutionIn extramural care	1	1	12	29	19	10	1	1		
Patients on books at end of year	2,087	1,127	960	1,794	971	823	285	152	133	
In institution	1,929	1,024	905	1,644	874	770	278	147	131	
In family care In other extramural care	158	103	55	150	97	53	7	5	2	
	196	105	30	150	3.	- 55	'	,	-	
Oregon										
Patients on books at beginning of year	1,134	587	547	1,134	587	547				
In institution	987	512	475	987	512	475	-	-	_	
In family care In other extramural care	132	69	63	132	69	63	_		_	
In other extramular care	102	0.5	00	102	00	0.0				
Admissions during year	126	69	57	126	69	57	-	-	_	
First admissions	113	62	51	113	62	51	_	_	_	
Readmissions	12	6	6	12	6	6		-	-	
Transfers	1	1		1	1	_	-	-	-	
Separations during year	117	62	55	117	62	55	-	-		
Discharges	85	43	42	85	43	42	_	-		-
From institution	9	6	3	9	6	3	-	-		
From extramural care	76	37	39	76	37	39	-	-	-	
Transfers Deaths	3 29	16	13	3	16	13			-	
In institution	29	16	13	29	16	13	_	_	_	
In extramural care	-	-	_	-	-	-	-	-	-	
Patients on books at end of year	1,143	594	549	1,143	594	549				
In institution	1.005	521	484	1,005	521	484	-	-	-	-
In institution	1,005	9	8	1,005	9	8	_	_	_	1
In other extramural care		64	57	121	64	57	-	-	_	
California				1						
Patients on books at beginning of year	6.033	3.245	2.788	5,194	2.773	2,421	720	390	330	1
In institution	4 641	2,510	2 131	3,901	2 093	1,808	651	355	296	-
In family care	-	2,010	-,101	-	-	1,000	-	-	-	
In other extramural care	1,392	735	657	1,293	680	613	69	35	34	
Admissions during year	690	382	308	549	299	250	78	39	39	
First admissions	-	361	288	524	288	236	70	35	35	-
Readmissions		13	12	16	7	9	6	3	3	
Transfers		8	8	9	4	5		1	1	
Samueliana during man	519	262	251	402	194	208	62	38	24	
Separations during year	-	-	-	-	-	-	-		-	
From institution		149	166 30	248 35	109	139 16		11	9	
From extramural care		109	136		90	123	16	7	9	
Transfers	43	12	31	37	9	28	4	2	2	
Deaths	155	101	54		76	41	38		13	
In institution In extramural care		91	50		67	38	36	24	12	
in canamurai care	14	10	1		1	9	-	1	1	
Patients on books at end of year	6,210	3,365	2,845	5,341	2,878	2,463	736	391	345	
In institution		2,552	2,176	4,014	2,155	1,859	619	325	294	
In family care	- 1 400	-	200	1 000	700	001		1 -		
In other extramural care	1,482	813	669	1,327	723	604	117	66	51	1

Table 67.—Movement of Population in Private Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943

[Statistics based on reports from 93 institutions, See Appendix B for discussion of coverage]

STATE AND MOVEMENT	A1	LL PATII	INTS	MENT	AL DEF	ECTIVES	1	EPILEPT	TCS	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	Cine
NEW ENGLAND										
New Hampshire										
Patients on books at beginning of year	5	2	3				3	2	1	
In institution In extramural care	5	_2	3	=	=	=	3	2	1	_
Admissions during year	_	_	_	_	_	_	_	_	_	_
First admissions	_	_	-	-	_	_	_	_	_	-
Readmissions Transfers	=	=	=	=	=	=	=	=	=	-
Separations during year	1	1	_	_	_	_	1	1	_	_
Discharges	_	-	_		_			=		
From institutionFrom extramural care	_	-	-	-	-	_	-	_	_	-
Transfers	1	1	_	=	_	_	1	1	_	
Deaths In institution	_	_	_	-	_	_	_	_	_	-
In extramural care	_	_	=	=	_	_	=	_	=	-
Patients on books at end of year	4	1	3	_	_	_	2	1	1	
In institution	4	1	3	_	-	_	2	1	1	
In extramural care	_	-	-	-	_	_	-	-	_	-
Massachusetts Patients on books at beginning of year	014	110	00	150	70		05	17		3
In institution	$\frac{214}{196}$	118	96	153	78 66	75 69	$\frac{25}{25}$	17	8	-8
In extramural care	18	12	6	18	12	6	-	-	-	-
dmissions during year	41	18	23	31	12	19	1	1	_	
First admissions	32	15	17	23	9	14	1	1	_	
Readmissions	9	3	6	8	3	5	_	=	=	-
separations during year	37	20	17	24	13	11	6	4	2	
Discharges	30	13	17	19	8	11	4	2	- 2	
From institution From extramural care	25	10	15	18	7	11		1	1	
Transfers	5	3 5	2	1 3	1 3	_	2 2 2	1 2	1	
Deaths In institution	2	2	-	2	2	-	-	_	-	-
In extramural care	2	2	=	2	2	_	=	=	_	:
Patients on books at end of year	218	116	102	160	77	83	20	14	6	
In institution	200	104	96	142	65	77	20	14	- 6	-
In extramural care	18	12	6	18	12	6	-	-	-	,-
Rhode Island										
Patients on books at beginning of year	$\frac{12}{12}$	7	5	2	1	$\frac{1}{1}$	$\frac{1}{1}$	=	$\frac{1}{1}$	
In institution In extramural care	-	-	-	-	_	_	-	_		-
Admissions during year	8	5	3	_	_	_	_	_	_	
First admissions	8	5	3	_	_	_	-	_		
Readmissions	=	=	=	=	=	_	=	=	=	-
	3	1	2							
eparations during year Discharges		1			=			=	_=	
From institution	3 3	î	2 2	-	-	-	-	-	_	
From extramural care Transfers	=	=	=	=	1111	=		=	=	
Deaths	-	-	-	-	-	-	-	-	-	
In institution In extramural care	=	=	_		=	=	_	=	=	
	17	11	6	2	1	1	1	_	1	1
atients on books at end of year In institution	17	11	6	2	1	1	1	=	$-\frac{1}{1}$	1
In extramural care		••	-				_	_	_	



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	<b>A</b> 1	LL PATII	INTS	MENT	AL DEF	ectives		PILEPT	IC8	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
NEW ENGLAND—Con.										
Connecticut										
Patients on books at beginning of year	92	44	48	87	42	45	5	2	3	_=
In institution In extramural care	92	44	48	87	42	45 —	5		3	=
Admissions during year	79	37	42	77	36	41	2	1	1	ا _
First admissions	79	37	42	77	36	41	2	1	1	_
Readmissions Transfers	_	=	=	_	=	_	=	=	=	=
Separations during year	112	53	59	112	53	59	_	_	_	_
Discharges	45	21	24	45	21	24	_	_		
From institution From extramural care	45	21	24	45	21	24	_	_	_	=
Transfers	25	12	13	25	12	13		_	_	
Deaths In institution	42 42	20 20	22 22	42 42	20 20	22 22		_	_	-
In extramural care	-	20		=	-		_	_	_	=
Patients on books at end of year	59	28	31	52	25	27	7	3	4	
In institution	59	28	31	52	25	27	7	8	4	_
In extramural care	_	-	_	_	_	_	_		_	-
New York										
Patients on books at beginning of year	559	327	232	373	219	154	46	16	30	140
In institutionIn extramural care	540 19	318 9	222 10	362 11	216	146 8	46	16	30	132 8
Admissions during year	356	201	155	198	116 106	82	15	4	11	143
First admissions	325 30 1	182 19	143 11 1	186 11 1	100	80 1 1	10 5 —	3 1 —	7 4 —	129 14 —
Separations during year	344	201	143	147	85	62	20	6	14	177
Discharges From institution	246	142	104	101	57	44	16	6	10	129
From institution From extramural care	246	142	104	101	57	44	16	6	10	129
Transfers	15	9	6	14	9	5	1	_	1	i –
Deaths In institution	83 81	50	33 33	32 30	19 17	13 13	3 3	-	3	48
In extramural care	2	48 2	-	2	2	-	-	=		48
Patients on books at end of year	571	327	244	424	250	174	41	14	27	106
In institution In extramural care	566 5	324	242 2	420 4	247 3	173	40	14	26 1	106
New Jersey	910	607	070	865	613	252	24	19	.,	٠,
Patients on books at beginning of year In institution	770	637 506	273 264	725	482	243	24	13	11	$\frac{21}{21}$
In extramural care	140	131	9	140	131	9	-	-	-	
Admissions during year	122	77	45	100	68	32	7	3	4	15
First admissions	110	68 5	42	89 7	60 5	29 2	6	2	4	15
Readmissions	5	4	í	4	3	í	1	1	=	=
Separations during year	110	67	43	94	62	32	4	2	2	<u>12</u>
Discharges From institution	52 45	34 27	18 18	47 40	32 25	15 15	1	1 1	_	4
From extramural care	7	7	12	7	7	10	-		<u> </u>	-
Transfers	34 24	21 12	13 12	33 14	21 9	12 5	1 2 2	1	1	8
In institution In extramural care	23	12	11	13	9	1	2	<u>ī</u>	<u> </u>	8
Patients on books at end of year	922	647	275	871	619	252	27	14	13	24
	783	518	265	732	490	242	27	14	13	24



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILÉPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATII	ENTS	MENT	TAL DEF	ECTIVES	1	EPILEPT	rics	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
MIDDLE ATLANTIC—Con.										
Pennsylvania										
atients on books at beginning of year	1,643	864	779	1,267	715	552	321	113	208	5
In institution In extramural care	1,643	864	779	1,267	715	552	321	113	208	5
dmissions during year	311	182	129	224	136	88	31	13	18	
First admissions	275	159	116	198	118	80	24	10	14	1
Readmissions Transfers	28	17 6	11 2	18 8	12 6	6 2	7	3	4	
eparations during year	265	149	116	171	104	67	55	24	31	:
Discharges	192	110	82	123	74	49	30	15	15	:
From institution From extramural care	192	110	82	123	74	49	30	15	15	1
Transfers	43	20	23	30	18	12	13	2	11	-
Deaths In institution In extramural care	30 30	19 19	11	18	12 12	6	12 12	7 7	5	
atients on books at end of year	1 689	897	792	1,320	747	573	297	102	195	,
In institution In extramural care	1,689	897	792	1,320	747	573	297	102	195	
EAST NORTH CENTRAL										
Ohio										
atients on books at beginning of year	55	25	30	48	22	26	2	1	1	
In institution In extramural care	55	25	30	48	22	26	2	1	1	-
dmissions during year	10	5	5	5	2 2	3	2	1	1	
First admissions	10	5	5	5		3	2	1	1	-
Transfers	-	-	-	-	-	-	-	-	-	-
eparations during year	1		1	1		1				
DischargesFrom institution	=	_	_	=	_	=	_	_	_	-
From extramural care	-	-	-	-	-	-	-	-	-	-
Transfers	1	_	1	1	=	1	_	_	_	-
In institution	1	-	1	1		1	-	-	-	-
In extramural care	_	_	-		_			_	_	
atients on books at end of year	64	30	34	52	24	28	4	2	2	
In institution In extramural care	64	30	34	52	24	28	4	_	_	-
Illinois										
atients on books at beginning of year	295	55	240	234	29	205	36	9	27	2
In institution In extramural care	295	55 —	240	234	29	205	36	9	27 —	2
dmissions during year	90	17	73	76	11	65	7	2	5	
First admissions	86	17	69	73	11	62	6	2	4	_
Transfers	-	-	-	-	-	-	-	-	-	-
eparations during year	56	15	41	46	11	35	7	2	5	
DischargesFrom institution	49	14 14	35 35	40	10 10	30 30	6	2 2	4	
From extramural care	-				-		- 1	-	-	-
Transfers Deaths	4 3	1	3 3	3 3	1	2 3	1	_	1	_
In institution In extramural care	3	=	3	3	_	3	=	=	=	-
atients on books at end of year	329	57	272	264	29	235	36	9	27	2
	329	57	272	264		235	36	9	27	2



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT OF POPULATION	ALL PATIENTS			MENTAL DEFECTIVES			EPILEPTICS			Other
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Sanci
EAST NORTH CENTRAL-Con.										
Michigan										
Patients on books at beginning of year	52	10	42	49	10	39	3	_	3	-
In institution In extramural care	52	10	42	49	10	39	3	=	3	
Admissions during year	8	2	6	8	2	6	_	_		
First admissions	7	2	5	7	2	5	_			-
Readmissions Transfers		=	1	1 -	=	1	=	=	=	
separations during year	7	1	6	7	1	6	_	_	_	
Discharges	5	_	5	-5	_	5	-	_	_	
From institution From extramural care	5	_	5	5	_	5	_	_	_	
Transfers		-	1	1	_	1	_	-	_	
Deaths	1	1	_	1	1	_	-	-	_	
In institution In extramural care	1	1	_	1	1	_	_	_	_	
atients on books at end of year	53	11	42	50	11	39	$-\frac{3}{3}$		3	-
In institution In extramural care	53	11	42	50	11	39	-	_	3	
Wisconsin										
Patients on books at beginning of year	668	352	316	605	322	283	63	30	33	
In institution In extramural care	668	352	316	605	322	283	63	30	33	
Admissions during year	90	46	44	80	38	42	10	8	2	
First admissions		44	43	77	36	41	10	8	2	
Readmissions Transfers	3	$\frac{2}{}$		$\frac{3}{-}$	$\frac{2}{}$		=	_	=	
Separations during year	82	54	28	78	51	27	4	3	1	
Discharges		41	20	59	39	20	2	2	-	
From institution From extramural care Transfers	-	41	20	59	39	20			=	
Deaths	21	13	8	19	12	7	2	1	1	
In institution In extramural care	21	13	8	19	12	7	_ 2	1	1	
Patients on books at end of year	676	344	332	607	309	298	69	35	34	
In institution In extramural care	676	344	332	607	309	298	69	35	34	
WEST NORTH CENTRAL										
Minnesota										
Patients on books at beginning of year	56	26	30	50	23	27	6	3	3	
In institution In extramural care	56	26	30	50	23	27	6	3	3	
Admissions during year	. 7	2	5	7	2	5	_	-	_	
First admissions		1	3	4	1	3	-	-	-	
Readmissions Transfers			1	1	1	1	=	=	=	
Separations during year		3	2	5	3	2		_		
Discharges		3	1	4	3	1		-	_	
From institutionFrom extramural care		3	1	4	3	1	=	-	_	
Transfers	. 1	-	1	1	-	1	-	-	_	1
Deaths In institution		_	_	_	_	_	-	-	-	
In extramural care	- 1	-	=	-	=	_	=	-	=	
Patients on books at end of year	58	25	33	52	22	30	6	3	3	
In institution		25	33	52	22	30	-	3	3	-
In extramural care		-	_	-	-	_	-	1 -	-	



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT OF POPULATION	ALL PATIENTS			MENTAL DEFECTIVES			EPILEPTICS			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Other
WEST NORTH CENTRAL—Con.										
Iowa										
Patients on books at beginning of year	56	27	29	49	23	$\frac{26}{26}$	$\left  -\frac{7}{7} \right $	4	$\frac{3}{3}$	
In institution In extramural care	-	-	29	-	-		-	-	-	-
dmissions during year	12	7	5	12	7	5	_	-	_	-
First admissions	11	7	4	11	7	4	_	_	-	-
Readmissions		=		1	=	1	=	_	_	-
eparations during year	9	6	3	9	6	3	_	_	_	
Discharges	9	6	3	9	6	3	_	_	_	-
From institutionFrom extramural care		6	3	9	6	3	_	_	_	-
Transfers	-	_	_	-	_	_	-	_	_	-
Deaths In institution	-	-	_	-	-	_	-	-	_	-
In institution In extramural care	_	_	=	=	=	. =	=	=	=	
atients on books at end of year	59	28	31	52	24	28	7	4	3	
In institution	59	28	31	52	24	28	7	4	3	-
In extramural care	-	-	_	-	-	_	-	-	_	
Missouri										
atients on books at beginning of year	273	73	200	204	54	150	68	18	50	
In institution In extramural care	273	73	200	204	54	150	68	18	50	
dmissions during year	32	15	17	29	14	15	3	1	2	
First admissions	30	15	15	27	14	13	3	1	2	
Readmissions Transfers	2	=	2	2	=	2	=	=	=	
eparations during year	40	17	23	33	14	19	6	2	4	
Discharges	22	11	11	19	10	9	3	1	2	
From institution		11	11	19	10	9	3	1	2	
From extramural care Transfers	1		1			_	1	_	1	
Deaths	17	6	11	14	4	10	2	1	i	
In institution In extramural care	17	6	11	14	4	10	2	1	1	
atients on books at end of year	265	71	194	200	54	146	65	17	. 48	
In institution	265	71	194	200	54	146	65	17	48	-
In extramural care	_	-	_	-		_	-	_	_	
North Dakota										
atients on books at beginning of year	103	55	48	67	37	30	11	5	6	:
In institution In extramural care	103	55	48	67	37	30	11	5	6	
	28	15	13	13	8	5	1	1		
dmissions during year First admissions	28	15	13	13	8	5	1	1		
Readmissions		-	_	-	_	_	-	_	_	
Transfers	-	-	_	-	-	_	-	-	_	-
eparations during year		15	13	16	9	7				
Discharges	9	4	5	4	2 2	2	-	-	_	
From institution From extramural care	9	4	5	4			=	=	=	
Transfers	-	I -	_	-	-	2 2 - - 5 5				
Deaths In institution	19 19	11 11	8	12 12	7 7	5	=	_	_	
III IIIBUIUUUUII	-	-	-	-	-		-	-	_	
In extramural care										
In extramural care 'atients on books at end of year	103	55	48	64	36	28	12	6	6	_ :



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LL PATI	ENTS	MENT	AL DEF	ECTIVES	1	EPILEPT	ics	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
WEST NORTH CENTRAL—Con.										
Nebraska										
Patients on books at beginning of year	215	97	118	123	52	71	63	28	35	2
In institution In extramural care	215	97	118	123	52	71	63	28	35	2
Admissions during year	18	11	7	11	6	5	4	3	1	
First admissions	18	11	7	11	6	5	4	3	1	
Readmissions Transfers	=	=	=	=	=	=	_	=	=	=
Separations during year		15	4	10	8	2	4	3	1	
Discharges From institution	10 10	9	1	7 7	6	1	1	1	=	
From extramural care	_	=	=	=	=	=	=	=	_	
DeathsIn institution	9	6	3	3	2	1	3	2	1	-
In institution In extramural care	9	6	3	3		1	3		1	-
Patients on books at end of year	214	93	121	124	50	74	63	28	35	2
In institution In extramural care	214	93	121	124	50	74	63	28	35	2
SOUTH ATLANTIC										
Maryland										
Patients on books at beginning of year	14		14				14		14	-
In institution In extramural care	-	=	-	=	=	=	-	=	14	:
Admissions during year	2		2				2		2	_
First admissionsReadmissions	2	=	2	=	=	_	2	=	2	:
Transfers	-	-	-	-	-	_	-	-	-	-
Separations during year	2		2				2		2	_
DischargesFrom institution	2 2	=	2 2	=	=	_	2 2	=	2 2	:
From extramural care Transfers	=	_	_	_	=		_	_	=	
Deaths	_	-	-	_	-	_	-	-	_	-
In institution In extramural care	=	=	=	=	=	=	=	=	_	:
Patients on books at end of year			14	_			14		14	_
In institutionIn extramural care	14	=	14	=	=	=	14	=	14	:
District of Columbia										
Patients on books at beginning of year	37	_=	37	30		30	1		1	
In institutionIn extramural care	37	=	37	30	=	30	1	=		
Admissions during year			6	5		5	_			_
First admissionsReadmissions	5 1	=	5 1	1	=	1	=	=	=	
Transfers		-	-	-	-		-	-	-	
Separations during year			7	5		5	1		1	
DischargesFrom institution	7	=	7 7	5 5	=	5 5	1	=	1	
From extramural care Transfers			=	=	=	=	=	=	=	1
Deaths	-	-	-	=	-	_	-	-	-	1 -
In institution In extramural care	=	=	=	=	=	=	=	=	=	:
Patients on books at end of year	36	-	36	30	-	30	-	-	_	
In institution	36		36	30		30	_			1-



Table 67.—Movement of Population in Private Institutions for Mental Defectives and Epileptics, by Mental Disorder and Sex, for States: 1943—Con.

STATE AND MOVEMENT	Al	LL PATIE	ENTS	MENT	AL DEFI	ECTIVES	1	EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
SOUTH ATLANTIC—Con.										
Virginia						!				
atients on books at beginning of year	96	40	56	91	37	54	4	3	1	
In institution In extramural care	96	40	56	91	37	54	4	3	1	
dmissions during year	28	15	13	27	15	12	1	_	1	i .
First admissions	24	12	12	23	12	11	1	_	1	-
Readmissions Transfers	4	3	1	4	3	1	=	=	=	
eparations during year	27	8	19	24	7	17	3	1	2	
Discharges	20	5	15	18	4	14	2	1	1	-
From institution From extramural care		5	15	18	4	14	2	1	1	
Transfers		2	1	3	2	1	-	-	_	
Deaths.	4	1	3	3 3	1	2	1	_	1	1
In institution In extramural care	4	1	3	-	1	2		_	1	1
atients on books at end of year	97	47	50	94	45	49	2	2	_	
In institution In extramural care	97	47	50	94	45	49	2	2	=	
Florida										
atients on books at beginning of year	7	_	7	7	_	7	_	_	_	
In institutionIn extramural care	7	=	• 7	7	_	7	=	=	=	
dmissions during year	_	i –	_	_	_	_	_		_	
First admissions		_		-	_	_	_	-	-	
ReadmissionsTransfers		=	=	=	=	=	=	=	=	
eparations during year	_	_	_		_	_	_	-	_	
Discharges	-	_	-	-	-	-	-	-	_	
From institution From extramural care		_	_	=	_	_	_	_	_	
Transfers	-	-	-	-	-	-	-	-	-	
DeathsIn institution		_	_	_	_	_	_	=	_	
In extramural care	1	-	_	_	_	_	_	-	_	
atients on books at end of year			7	7		7				
In institution In extramural care	7	=	7	7	=	7	=	=	_	
EAST SOUTH CENTRAL										1
Kentucky										İ
atients on books at beginning of year	137	92	45	137	92	45	_	_	_	
In institution	137	92	45	137	92	45	=	=	=	
dmissions during year	30	20	. 10	30	20	10	_	-	_	
First admissions	27	17	10	27	17	10	-	-	_	
Readmissions Transfers		3	=	3	3	=	=	=	=	
eparations during year		19	10		19	10	_			-
Discharges	25	16	9	25	16	9	-	-	_	
From institutionFrom extramural care		16	9	25	16	9	_	-	_	-
Transfers		-	-	-	-	-	-	-		
DeathsIn institution		3 3	1	4	3 3	1 1	=	=	_	1
In extramural care		-		-	-	_	-	-	-	
atients on books at end of year		93	45	_	93	45		_		-
In institution	138	93	45	138	93	45	-	-	i -	



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	AI	L PATIE	INTS	MENT	AL DEFE	ECTIVES	1	EPILEPT	ICS	Othe
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
EAST SOUTH CENTRAL—Con.										
Tennessee										
Patients on books at beginning of year	23	4	19	19	2	17	4	2	2	-
In institution	23	4	19	19	2	17	4	2	2	
In extramural care	-	_		-	-	_	_	_	_	
Admissions during year	6	2	4	6	2	4	-	-	_	-
First admissions	6	2	4	6	2	4	_	_	_	
Readmissions Transfers	_	_	_	_	_	_	_	_	_	
Separations during year		3	3	6	3	3				
Discharges From institution	6	3 3	3 3	6	3 3	3 3	_	-	_	
From extramural care		-	-	-	3	-	_	_	_	
Transfers	-	-	-	-	-	-	-	-	-	
Deaths In institution	_		_	-	_	_	-	_	_	1
In extramural care	-	-		-	-	_	-	-	_	
D-4:	23	3	90	10		10		2	2	
Patients on books at end of year In institution		3	20	19	1	18	4	$\frac{2}{2}$	2	-
In extramural care	20	-	-	15	-	-	-	1 -		
WEST SOUTH GENTERAL								1		1
WEST SOUTH CENTRAL				1				1		ì
Louisiana								1		
Patients on books at beginning of year	110	29	81	104	24	80	6	5	1	-
In institution In extramural care	110	29	81	104	24	80	6	5	1	
Admissions during year		8	13	19	6	13	2	-		
First admissions		7	11 2	16	5.	11 2	2	2	-	
Transfers	-	1 -		1 -	-	-	-	=	=	
		12	9	17	8	9	1 .	1 .		
Separations during year		12	9	17	8	9				-
From institution	1 17	9	8	13	5	8			=	
From extramural care	. 4	3	1	4	3	1	-	-	-	
Transfers Deaths			_	=	=	=	=	-	-	
In institution		-	_	-	_		-	-	-	
In extramural care	-	-	-	-	-	-	-	1 -	_	
Patients on books at end of year	110	25	85	106	22	84	4	3	1	
In institution	110	25	85	106	22	84	4	3	1	
In extramural care		1 -	-	-	1 -	-	-	1 -	1 -	
MOUNTAIN	1			1	11			1		
Colorado		1		1	11			1		
Patients on books at beginning of year	30	16	14	30	16	14	-	.   _	_	.
In institution	-	16	14	30	16				_	-
In extramural care		1 -	-	-	1 -			-    -	-	
Admissions during year	_ 26	24	. 2	26	24	2	-	.   _	-	
First admissions		_		_	_	_	_	-		-
Readmissions		-	-	- 11 -	-	-		-    -	-	
Transfers		-	-	-	-	1 -	-	-	1 -	
Separations during year	_ 27	12	15	27	12	15	5 -	-    -	-	
Discharges	_ 27				12			-	-	-
From institution				27	12		-	-	-	
From extramural care Transfers		=			=	-	-		=	
Deaths		-    -		-   -				-   -	-	-
In institutions In extramural care	- =		=							
Patients on books at end of year	-	_		1 29	_	_	1 -			-
	29	28	3 1	1 29	28	3	1   -	- 11		-
In institution In extramural care		.    -		-    - '	11			- 11	. 1	



TABLE 67.—MOVEMENT OF POPULATION IN PRIVATE INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL DISORDER AND SEX, FOR STATES: 1943—Con.

STATE AND MOVEMENT	Al	LĻ PATIE	ENTS	MENT	AL DEFI	ECTIVES		EPILEPT	ICS	Other
OF POPULATION	Total	Male	Female	Total	Male	Female	Total	Male	Female	
PACIFIC										
California										
Patients on books at beginning of year	352	240	112	311	207	104	37	30	7	
In institution In extramural care	352	240	112	311	207	104	37	30	7	-
dmissions during year	205	160	45	186	146	40	14	9	5	
First admissions Readmissions Transfers	182 21 2	142 16 2	40 5 —	164 20 2	129 15 2	35 5 —	13 1	8 1	<u>5</u> _	
Separations during year	140	118	22	127	108	19	11	9	2	
Discharges From institution From extramural care Transfers. Deaths In institution In extramural care	95	86 86 24 8 8	9 9 4 9 9	87 87 25 15 15	80 80 	7 7 4 8 8 8	6 6 -3 2 2	5 5 3 1 1	1 1 - 1 1	
Patients on books at end of year	417	282	135	370	245	125	40	30	10	
In institution In extramural care	416	282	134 1	369 1	245	124 1	40	30	10	

TABLE 68.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR THE UNITED STATES: 1943 [Statistics based on reports from 178 institutions. Statistics for State institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for discussion of coverage]

MENTAL STATUS	ALL	INSTITU	TIONS	PUBLIC INSTITUTIONS			PRIVATE INSTITUTIONS			
	Total	Male	Female	Total	Male	Female	Total	Male	Female	
Total first admissions	8,974	4,908	4,066	7,907	4,303	3,604	1,067	605	462	
Idiot	1,345 2,680 3,890 1,059	755 1,414 2,066 673	590 1,266 1,824 386	1,125 2,311 3,551 920	645 1,188 1,883 587	480 1,123 1,668 333	220 369 339 139	110 226 183 86	110 143 156 53	

TABLE 69.—ALL FIRST ADMISSIONS AND READMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL STATUS, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943

MENTAL STATUS AND CLINICAL DIAGNOSIS		L ADMIS	SIONS NSEFRS)	FIR	ST ADMIS	BSIONS	RI	ADMISS	IONS
MENTAL STATUS AND CHINICAL DIAGNOSIS	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total patients	8,579	4,690	3,889	7,907	4,303	3,604	672	387	285
Familial. Mongolism. With developmental cranial anomalies With congenital cerebral spastic infantile	2,474 396 161	1,302 226 91	1,172 170 70	2,269 369 157	1,181 207 89	1,088 162 68	205 27 4	121 19 2	84 8 2
paralysis Postinfectional Posttraumatic With epilepsy With endocrine disorder With familial amaurosis With tuberous sclerosis With other organic nervous diseases Other forms Undifferentiated	202 108 4 2 127 289 2,003	94 200 216 114 65 1 1 83 185 986	90 156 115 88 43 3 1 44 104 1,017 816	182 330 307 191 99 3 2 113 277 1,815	93 185 194 109 56 1 73 179 877	89 145 113 82 43 2 1 40 98 938 735	2 26 24 11 9 1 	1 15 22 5 9 — 10 6 109 68	$ \begin{array}{c} 1 \\ 11 \\ 2 \\ 6 \\ \hline 1 \\ 4 \\ 6 \\ 79 \\ 81 \end{array} $
Unknown		1,126 671	503	1,793 1,125	1,058	480	49	26	23
Familial	144 136 60	89 86 28	55 50 32	140 128 59	86 79 28	54 49 31	4 8 1	3 7	1 1 1
paralysis - Postinfectional Posttraumatic With epilepsy With endocrine disorder With familial amaurosis With therous scierosis With other organic nervous diseases Other forms Undifferentiated Unknown	53 19 2 2 32	43 57 55 26 12 — 1 21 23 131 99	50 37 43 27 7 2 1 11 10 106 72	92 89 98 52 19 1 2 28 33 214 170	43 56 55 26 12 — 1 20 23 117 99	49 33 43 26 7 1 1 8 10 97 71	1 5 -1 -1 -4 -23 1	1	$ \begin{array}{c} 1 \\ 4 \\ -1 \\ -1 \\ -3 \\ -9 \\ 1 \end{array} $
Imbecile	2,504	1,302	1,202	2,311	1,188	1,123	193	114	79
Familial. Mongolism. With developmental cranial anomalies With congenital cerebral spastic infantile	531 224 51	267 121 33	264 103 18	491 208 48	244 111 31	247 97 17	40 16 3	23 10 2	17 6 1
paralysis _ Postinfectional _ Posttraumatic _ With epilepsy _ With endocrine disorder _ With familial amaurosis _ With other organic nervous diseases _ Undifferentiated _ Unknown _	$\frac{39}{47}$	30 72 97 48 18 — 28 66 257 265	29 58 52 27 21 1 19 42 335 233	58 119 134 69 35 1 44 106 527 471	29 65 83 45 14 — 25 66 218 257	29 54 51 24 21 19 40 309 214	1 11 15 6 4 — 3 2 65 27	1 7 14 3 4 — 3 3 9 8	4 1 3 

TABLE 69.—ALL FIRST ADMISSIONS AND READMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS. BY MENTAL STATUS, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943—Con.

MENTAL STATUS AND CLINICAL DIAGNOSIS		L ADMISS		FIR	ST ADMIS	SIONS	R	EADMISS.	IONS
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Moron	3,917	2,092	1,825	3,551	1,883	1,668	366	209	15
Familial	1,718	888	830	1,564	797	767	154	91	6:
Mongolism	23	.9	14	21	8	13	2	1	
With developmental cranial anomalies	39	22	17	39	22	17	-		-
With congenital cerebral spastic infantile					1				
paralysis	24	16	8	24	16	8	-		-
Postinfectional	123	67	56	114	60	. 54	9	7	
Posttraumatic	78	59	19	69	51	18	. 9	8	
With epilepsy	65	34	31	61	32	29	4	2 5	
With endocrine disorder	48	34	14	43	29	14	5	5	-
With familial amaurosis	1	1	_	1	1		:		-
With tuberous sclerosis	-	-		-			-		-
With other organic nervous diseases	40	29	11	33	23	10	7	6	
Other forms	137	89	48	128	84	44	9	5	
I'ndifferentiated	1.132	578	554	1.034	524	510	98	54	4
nknown	489	266	223	420	236	184	69	30	3
Unclassified	984	625	359	920	587	333	64	38	2
Familial	81	58	23	74	54	20	7	4	
Mongolism		10	3	12	9	3	1	1	-
With developmental cranial anomalies		8	. 3	11	8	3	-		-
With congenital cerebral spastic infantile		11			1:		1		,
paralysis	. 8	5	. 3	8	5	3	1 -	-	: -
Postinfectional	9	4	5	8	4	4	1	-	1
'osttraumatic		5	1	6	5	1	-		
With epilepsy	. 9	6	3	9	6	3			;
With endocrine disorder	2	1	. 1	2	1	1		-	
With familial amaurosis		-	_		-		-	-	
With tuberous sclerosis	-	i -		! -	-	' -	-		1
With other organic nervous discases	. 8	5	3	8	5	. 3	-	-	
Other forms	- 11	7	4	10	6	4	1	1	1
Undifferentiated	42	20	. 22	40	18	22	2	2	1
Unknown	784	496	288	732	466	266	52	30	

TABLE 70.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, MENTAL STATUS, AND SEX, FOR THE UNITED STATES: 1943

MENTAL STATUS AND SEX	All ages	Under 5 years	9	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	and over	Not re- ported	Median age
Tota! first ad- missions.	7,907	539	1,433	2,286	1,902	628	295	398	223	97	39	67	14.3
Idiot	1,125	188	383	223	135	79	32	42	28	11	3	1	9.9
Imbecile	2,311	170	475	611	485	161	102	152	91	42	16	6	14.2
Moron	3,551	82	463	1,262	1.064	302	114	155	69	29	11		14.9
Unclassified	920	99	112	190	218	86	47	49	35	15	9	60	15.7
Male first admissions.	4,303	307	869	1,356	954	275	130	184	114	49	24	41	13.5
Idiot	645	112	224	127	88	40	14	19	17	3		1	9.7
Imbecile	1,188	98	282	315	265	53	47	65	31	19	10	3	13.4
Moron	1,883	45	299	809	453	115	34	68	40	13	7 7		13.7
Unclassified	587	52	64	105	148	67	35	32	26	14	7	37	16.8
Female first admissions.	3,604	232	564	930	948	353	165	214	109	48	15	26	15.3
Idiot	480	76	159	96	47	39	18	23	11	8	3	_	10.3
Imbecile	1,123	72	193	296	220	108	55	87	60	23	6	3	15.0
Moron	1,668	37	164	453	611	187	80	87	29	16	4	-	16,5
Unclassified	333	47	48	85	70	19	12	17	9	1	2	23	13,5

TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITU-TIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943

STATE AND MENTAL STATUS	AUL	INSTITU	TIONS	PUBL	IC INSTIT	rctions	PRIVA	TE INST	TUTIONS
	Total	Male	Female	Total	Male	Female	Total	Male	Fe nale
NEW ENGLAND									
Maine	ı								
Total first admissions	35	22	13	35	22	13	_	-	-
[diot	13	8	5	13	8	5	_	_	
Imbecile	12	4 7	5	6 12	4 7		_	=	_
Unclassified	4	3	1	4	3	1	-		-
New Hampshire	1				:				
Total first admissions	69	33	36	69	33	36	_		
IdiotImbecile	12 19	10	8	12 19	10	8 9	-	-	_
Moron Unclassified	38	19	19	38	19	19	-	-	_
	_		_			_	_	-	
Vermont	!		_			_			
Total first admissions	20	13	7	20	13	7			
IdiotImbecile	. 9	6	1 3	3 9	6	1 3 3	_		_
MoronUnclassified		4	3	1	4	3		=	_
Massachusetts									
Total first admissions	244	103	141	221	94	127	23	9	14
ldiot		21	16	34	20	14	3	1	
Imbecile	53	23 58	30 92	46 141	18 56	28 85	7	5 2	2 2 7
Unclassified	4	1	3	-			4	ĩ	3
Rhode Island			1						
Total first admissions	106	59	47	106	59	47		-	-
diot		6	1	7	6 .	1	-	_	
Imbecile	38 61	15 38	23 23	38 61	15 38	23 23	_	_	_
Unclassified	-	-	-	-		-			-
Connecticut			1						
Total first admissions	373	187	186	296	151	145	77	36	41
diot	83 125	33 72	70 53	43 88	21 48	22 40	40 37	12 24	28 13
Moron Unclassified	161	80	81	161	80	81	-		-
MIDDLE ATLANTIC				1	-	-			
New Yerk									
Total first admissions	1.858	1.070	788	1,672	964	708	186	106	80
diot	216	109	107	142	71	71	74	38	36
mbecile	447 991	217 544	230	412 925	197 504	215 421	35 66	20	15 26
Moron	204	200	4	193	192	1	11	8	3

TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943—Con.

STATE AND MENTAL STATUS	ALL	INSTITU	UTIONS	PUBL	IC INSTI	TUTIONS	PRIVA	TE INST	TUTIONS
	Total	Male	Female	Total	Male	Female	Total	Male	Female
MIDDLE ATLANTIC-Con.									
New Jersey									
Total first admissions	285	133	152	196	73	123	89	60	29
ldiot mbecile Moron Unclassified	46 101 128 10	25 54 45 9	21 47 83 1	27 66 103	13 32 28	14 34 75	19 35 25 10	12 22 17 9	. 13 8
Pennsylvania									
Total first admissions	656	342	314	458	224	234	198	118	80
Idiot Imbeeile	106 302 224 24	60 162 113 7	46 140 111 17	78 220 140 20	43 114 62 5	35 106 78 15	28 82 84 4	17 48 51 2	11 34 33 · · · · 2
EAST NORTH CENTRAL									
Ohio						} ))			
Total first admissions	428	255	173	423	253	170	5 -	. 2	3
diot mbecile	91 144 170 23	56 74 111 14	35 70 59 9	91 141 168 23	56 73 110 14	35 68 58 9	3 2	1 1	2
Indiana									
Total first admissions	239	137	102	239	137	102	-	_	_
diot mbecile Moron Jnclassified	39 83 81 36	20 48 45 24	19 35 36 12	39 83 81 36	20 48 45 24	19 35 36 12		=	Ξ
Illinois									
Total first admissions	866	472	394	793	461	332	73	11	62
diot mbecile Moron Jnclassified	118 286 406 56	72 152 213 35	46 134 193 21	116 252 381 44	70 148 213 30	46 104 168 14	2 34 25 12	2 4 - 5	30 25 7
Michigan									
Total first admissions	638	344	294	631	342	289	7	2	5
diotmbecile	23 53 234 328	17 23 154 150	6 30 80 178	19 51 233 328	15 23 154 150	28 79 178	4 2 1	2 =	2 2 1
Wisconsin									
Total first admissions	77	36	41	-	_		77	36	41
diotmbecile	31 46	20 16	11 30			=	31 46	20 16	30



TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943—Con.

STATE AND MENTAL STATUS	ALL	INSTITU	UTIONS	PUBL	IC INSTI	TUTIONS	PRIVA	TE INST	TUTIONS
SIATE AND RESIAU STATUS	Total	Male	Female	Total	Male	Female	Total	Male	Female
WEST NORTH CENTRAL Minnesota									
Total first admissions	170	69	101	166	68	98	4	1	3
Idiot Imbecile Moron Unclassified Iowa	53 35 82 —	26 10 33 —	27 25 49	50 34 82 —	25 10 33 —	25 24 49	3 1 —	1 - -	1 -
Total first admissions	229	115	114	218	108	110	11	7	4
Idiot	47 99 74 9	31 46 32 6	16 53 42 3	44 92 73 9	30 41 31 6	14 51 42 3	3 7 1	1 5 1	2 2 -
Missouri Total first admissions	100	100	00	150	89	70	27	.,	.,
IdiotIdiot	28 55 69 34	103 16 34 37 16	12 21 32 18	28 50 58 23	16 31 30 12	12 19 28 11	- 5 11 11	14 	13 
North Dakota									
Total first admissions	58	27	31	45	19	26	13	8	5
Idiot	9 20 21 8	5 10 5 7	10 16 1	9 20 15 1	5 10 3 1	10 12	- 6 7		4
South Dakota									
Total first admissions	40	20	20	40	20	20			
Idiot	13 19	6 4 10	9 9	13 19 —	6 4 10 —	9 9 -	=	=	=
Nebraska									
Total first admissions	116	64	52	105	58	47	11	6	5
Idiot Imbecile Moron Unclassified	17 42 47 10	11 15 33 5	6 27 14 5	17 41 47	11 14 33	6 27 14	$\frac{-1}{10}$	$-\frac{1}{5}$	
Kansas									
Total first admissions	93	46	47	93	46	47		_	
Idiot	28 46 19	17 23 6	11 23 13	28 46 19	17 23 6	11 23 13		=	=

TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943—Con.

Total	Male	Female	Total					
			Total	Male	Female	Total	Male	Female
:								
30	20	10	30	20	10	-	-	-
3	3	_	3	3	_	_	_	-
15	11 3	4 4	15 7	11 3	4 4	=	=	-
84	55	29	84	55	29	_		_
11 31 38 4	7 15 29 4	4 16 9	11 31 38 4	7 15 .29 4	4 16 9	=	=	=
83	47	36	79	47	32	4	_	
9	7	2 7	9	7	2	-	_	-
. 55	30 2	25 2	52 3	30 2	22 1	3	=	
163	69	94	140	57	83	23	12	1
49 80	7 25 29 8	5 24 51 14	12 45 75 8	7 22 26 2	5 23 49 6	4 5 14	3 3 6	
İ								
66	44	22	66	.44	22	-	_	-
_		-	-	_	_	_	_	_
	=	_		=	_	_	_	-
66	44	22	66	44	22	_	_	-
20			00					
			-					
9 7	5 4	4 3	9 7	5 4	4 3	=	=	-
79	32	47	79	32	47		_	_
16	9	7	-	9				
23 40 —	11 12	12 28	23 40 —	11 12 —	12 28 —	=	=	-
27	15	12	27	15	12			-
=	=	=		=	=	=	=	-
	3 5 15 7 84 111 31 38 4 1 163 12 49 80 22 666 — 20 4 9 7 7 — 79 16 23 40 — 27 — 27	3 3 3 3 5 15 11 7 3 15 15 11 7 3 1 15 38 29 4 4 4 4 83 47 9 7 15 8 55 30 4 2 163 69 12 7 49 25 80 29 22 8 66 44 2 20 11 4 2 9 5 7 4	3         3         2           15         3         2           15         11         4           7         3         4           84         55         29           11         7         4           31         15         16           38         29         9           4         4         -           83         47         36           9         7         2           15         8         7           55         30         25           4         2         2           163         69         94           12         7         5           49         25         24           80         29         51           22         8         14           66         44         22           29         5         4           7         4         3           79         32         47           16         9         7           23         11         12           40         12         2           27	3         3         —         3         5         5         5         5         5         5         5         5         5         11         4         15         7         4         115         7         4         11         15         16         31         38         29         9         38         4         4         —         4         4 <t< td=""><td>3         3         2         5         3         11         12         7         3         4         11         7         3         4         11         7         3         4         11         15         33         15         33         15         33         15         33         15         33         15         33         15         33         15         33         29         34         4         4         4         4         4         4         4         4         4         4         4         4         3         2<td>3         3         -         3         3         -         2         5         3         2         15         3         2         2         5         3         3         -         2         11         7         3         4         7         3         4         4         15         11         4         4         7         3         4         4         4         7         3         4         4         4         4         4         4         11         7         4         11         7         4         11         7         4         4         15         16         33         15         16         33         15         16         33         15         16         33         12         16         38         29         9         38         29         9         9         38         29         9         9         4         4         -         4         -         -         -         -         -         -         21         29         7         22         9         7         22         3         2         1         1         1         4         3         2         1         &lt;</td><td>3       3       -       3       3       -        -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -</td><td>3         3         -         3         3         -</td></td></t<>	3         3         2         5         3         11         12         7         3         4         11         7         3         4         11         7         3         4         11         15         33         15         33         15         33         15         33         15         33         15         33         15         33         15         33         29         34         4         4         4         4         4         4         4         4         4         4         4         4         3         2 <td>3         3         -         3         3         -         2         5         3         2         15         3         2         2         5         3         3         -         2         11         7         3         4         7         3         4         4         15         11         4         4         7         3         4         4         4         7         3         4         4         4         4         4         4         11         7         4         11         7         4         11         7         4         4         15         16         33         15         16         33         15         16         33         15         16         33         12         16         38         29         9         38         29         9         9         38         29         9         9         4         4         -         4         -         -         -         -         -         -         21         29         7         22         9         7         22         3         2         1         1         1         4         3         2         1         &lt;</td> <td>3       3       -       3       3       -        -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -</td> <td>3         3         -         3         3         -</td>	3         3         -         3         3         -         2         5         3         2         15         3         2         2         5         3         3         -         2         11         7         3         4         7         3         4         4         15         11         4         4         7         3         4         4         4         7         3         4         4         4         4         4         4         11         7         4         11         7         4         11         7         4         4         15         16         33         15         16         33         15         16         33         15         16         33         12         16         38         29         9         38         29         9         9         38         29         9         9         4         4         -         4         -         -         -         -         -         -         21         29         7         22         9         7         22         3         2         1         1         1         4         3         2         1         <	3       3       -       3       3       -        -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -       -	3         3         -         3         3         -



TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943—Con.

STATE AND MENTAL STATUS	ALL	INSTITU	TIONS	PUBLI	C INSTI	TUTIONS	PRIVA	TE INSTI	TUTIONS
OTATE AND ABATAD OTATOG	Total	Male	Female	Total	Male	Female	Total	Male	Female
EAST SOUTH CENTRAL									
Kentucky									
Total first admissions	49	29	20	22	12	10	27	17	1
Idiot	1	1		1	1				
Imbecile	10	6	4	10	6	4	-	-	-
Moron Unclassified	11 27	17	6 10	11	5	6	27	17	1
Tennessee									
Total first admissions	6	2	4	_	_		6	2	
Idiot.	-4	1	3	-	-	_	4	-	-
MoronUnclassified	2	1	1	_	-	_	2	1	
Alabama									
Total first admissions	52	39	13	52	39	13		-	-
diot	6	6	-	6	6	-	-		-
Imbecile	21 25	16	5 8	21 25	16 17	5 8	_	_	
Unclassified	-	-	-	-	-	-	-	-	-
Mississippi Total first admissions	38	25	10	20	25	19			
		-	13	38	-	13		-	
Idiot	5 14	3 9	2 5	5 14	3 9	2 5 5	_	_	_
MoronUnclassified	15 4	10	5	15 4	10	5	-	=	-
WEST SOUTH CENTRAL						00			
Louisiana					i				
Total first admissions	126	70	56	110	65	45	16	5	1
IdiotImbecile	22 62	11 34	11 28	16 57	9 33	7 24	6 5	2	
Moron	36	19	17	31	17	14	5	2	
Unclassified Texas	6	6	_	6	6	_	-	-	-
Total first admissions	217	113	104	217	113	104		_	_
diot	61	28	33	61	28	33			
Imbecile	59	24	35	59	24	35	-	_	-
Moron Unclassified	26 71	14 47	12 24	26 71	14 47	12 24	_	_	-
MOUNTAIN									
Montana									
Total first admissions	41	24	17	41	24	17		_	-
Idiot	9 16	5 9	4 7	9 16	5 9	4 7	-	-	-
Imbecile	12	8	4	12	8	4	=	-	-
Unclassified	4	2	2	4	2	2	-	-	-



TABLE 71.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, MENTAL STATUS, AND SEX, FOR STATES: 1943—Con.

STATE AND MENTAL STATUS	, VIT	INSTITU	TIONS	PUBLI	C INSTIT	TUTIONS	PRIVA	re insti	TUTIONS
GIALE AND MENTAL GIALUS	Total	Male	Female	Total	Male	Female	Total	Male	Female
MOUNTAIN—Con.									
Idaho									
Total first admissions	49	27	22	49	27	22	-	-	-
Idiot	9 14 21 5	5 6 11 5	8 10.	9 14 21 5	5 6 11 5	8 10		=	=
Wyoming									
Total first admissions	20	6	14	20	6	14	_	-	-
Idiot Imbecile Moron Unclassified	4 6 10	1 3 2	3,8	4 6 10	1 3 2	3 3 8	=	=	=
Colorado							1		
Total first admissions	74	56	18	48	32	16	26	24	
Idiot	15 41 17 1	9 34 12 1	6 7 5	15 18 14 1	9 12 10 1	6 6 4	23 3	22 2	
New Mexico									
Total first admissions	-	2	3	5	2	3			
Idiotmbecile	2	2	3	2 3	- -	3	=	=	
Utah									
Total first admissions	48	26	22	48	26	22	_	_	
Idiot	17	9 13 4	5 4 13	14 17 17 —	9 13 4	5 4 13		=	
PACIFIC									
Washington									
Total first admissions	110	67	43	110	67	43		_	-
Idiot Imbecile Moron Unclassified	38	21 21 20 5	11 17 10 5	32 38 30 10	21 21 20 5	11 17 10 5	=	=	1.
Oregon									
Total first admissions		62	51	113	62	51	_	_	
Idiot	25	5 16 39 2	6 9 33 3	11 25 72 5	5 16 39 2	6 9 33 3	=	=	
California				1					
Total first admissions		417	271	524	288	236	164	129	
Idiot	.1 212	71 131 186 29	46 81 132 12	79 159 273 13	49 85 148 6	30 74 125 7	38 53 45 28	22 46 38 23	

TABLE 72.—ALL FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

or coveragej				,								
DIVISION AND STATE	All ages	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 and over	Not re- ported
United States	7,907	539	1,433	2,286	1,902	628	295	398	223	97	39	67
NEW ENGLAND	747	28	174	237	170	59	20	40	12	5	2	_
MaineNew Hampshire Vermont Massachusetts Rhode Island Connecticut	35 69 20 221 106 296	- 2 21 1 4	11 13 4 55 23 68	14 30 9 57 38 89	6 18 1 53 23 69	5 2 18 10 24	4 - - 5 11	2 2 9 6 21	1 4 7	- - 4 - 1		=
MIDDLE ATLANTIC	2,326	126	435	644	552	220	124	112	75	30	5	3
New York New Jersey Pennsylvania	1,672 196 458	$\frac{100}{26}$	312 35 88	408 49 187	381 58 113	182 19 19	91 17 16	97 10 5 <sub>2</sub>	67 7 1	30	1 -	= 3
East North Central	2,086	208	330	606	508	153	69	108	55	33	13	3
Ohio Indiana Illinois Michigan	423 239 793 631	145 63	51 58 109 112	141 68 175 222	114 49 191 154	42 26 55 30	27 5 29 8	28 15 37 28	9 7 28 11	9 4 17 3	2 4 7	3 =
WEST NORTH CENTRAL	826	70	171	214	154	76	25	57	34	11	11	3
Minnesota	166 218 159 45 40 105 93	13 25 5 3 1 5 18	26 44 53 12 7 14 15	29 64 59 13 8 18 23	35 34 38 5 6 18	24 22 4 4 3 9	6 6 1 - 8 4	23 7 6 7 10 4	8 9 1 5 11	1 3 - 1 5 1	1 1 - 2 7	3 = = = = = = = = = = = = = = = = = = =
SOUTH ATLANTIC	525	24	71	191	123	22	12	14	10	2	1	55
Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Florida	30 84 79 140 66 20 79 27	5 4 8 - - 7	3 22 10 10 2 9 12 3	6 37 37 48 6 8 32 17	8 19 20 46 3 3 18 6	3 2 3 12 — 1 1	1 - 8 - 3	3 - 10 - 1	1 1 4 - 4	- - 1 - 1 -	1	55 —
East South Central	112	2	13	29	41	11	5	5	3	1	2	_
Kentucky Alabama Mississippi	22 52 38		8 4 1	6 17 6	5 27 9	1 3 7	1 4	$\frac{2}{3}$	=	-	=	=
West South Central	327	_	52	95	79	31	18	28	12	8	3	1
Louisiana Texas	110 217	=	7 45	24 71	36 43	12 19	8 10	10 18	8	7	2	1
MOUNTAIN	211	20	64	59	32	14	3	7	9	2	1	
Montana	48	9 1 8 - 2	$   \begin{array}{r}     13 \\     12 \\     7 \\     11 \\     \hline     21   \end{array} $	14 10 6 15 1 1	5 8 4 8 1 6	3 3 1 2 3 2	$\frac{1}{\frac{1}{1}}$	3 4 — —	$\frac{\frac{2}{2}}{\frac{2}{3}}$	1 1 -	_ _ 1 _	=
Pacific	747	61	123	211	243	42	19	27	13	5	1	2
Washington Oregon California	110 113 524	9 11 41	30 27 66	26 40 145	22 23 198	6 5 31	4 2 13	6 4 17	7 1 5	<u>-</u>	=	= 2

TABLE 73.—MALE FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	All	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	and over	Not re- ported
United States	4,303	307	869	1,356	954	275	130	184	114	49	24	41
New England	372	16	112	142	66	13	3	15	2	2	1	_
Maine	22 33	=	7 6	10 19	4 7	-	1	-		_		_
New Hampshire Vermont	13	2	4	4	1	1	_	1	_	_	=	_
Massachusetts Rhode Island	94 59	10	39 17	25 25	12 11	$\frac{2}{2}$	_	4 3	_	2	_	_
Connecticut	151	3	39	59	31	7	2	7	2	-	1	-
MIDDLE ATLANTIC	1,261	68	240	362	283	117	60	58	45	21	5	2
New York	964	56	176	241	208	107	52	56	43	21	4	-
New Jersey Pennsylvania	73 224	12	20 44	20 101	17 58	6 4	3		_	_	1	2
EAST NORTH CENTRAL	1,193	117	211	389	279	70	30	50	27	13	4	3
Ohio	253	-	38	94	69	21	11	13	5	2		_
IndianaIllinois	137 461	87	36 74	46 114	25 111	13 22	14	16	3 14	6	1 3	3
Michigan	342	30	63	135	74	14	4	14	5 .	3		_
WEST NORTH CENTRAL	408	43	102	113	67	23	10	22	12	6	9	1
Minnesota Iowa	68 108	16	$\frac{15}{23}$	19 34	15	5 9	3	8	2 2	3	1	1
Missouri North Dakota	89 19	3 2	31	34	21	-	_	3		-	_	-
South Dakota	20		6	3	3	1		4	2	_	1	_
Nebraska Kansas	58 46	3	10	10	9	7	3 2	2	6	3	6	_
South Atlantic	281	16	46	105	55	9	5	6	4	1	1	33
Delaware	20	3	2	4	4	3	1	2	1		-	_
Maryland Dist. of Columbia	55 47	3 7	15	26 22	9	2		_		_	_	`-
Virginia	57	-	6	22	16	3	3	3	-3		1	-
West Virginia North Carolina	11	_	7	6 2	3 2	_	=	_	_	_		33
South Carolina	32 15	3	6 2	14	6		1	1	-	1	- !	
Florida	76	1	8	19	28	9	2	4	3	1	1	_
Kentucky	12		5	3	20	1		1	-			
Alabama	39		3	12	20	3	1	-3		-	-	_
Mississippi	25 178	1	29	49	48	15	1 11	16	3 6	2	2	
Louisiana	65		4	12	23	6	7	8	2	2	1	
Texas	113	_	25	37	25	9	4	8	4	-	i	_
MOUNTAIN	117	14	36	38	14	5	2	1	6	-	1	-
MontanaIdaho	24 27	-6	9 7	9	3 3	2 2	-	-1	1 2	-		-
Wyoming	6		2 7	2	2	-				-	-	
Colorado New Mexico	32	6	7	12	3	1	1	_	2	-	1	
Utah	26	2	11	8	3		1	_	1	_	_	_
Pacific	417	32	85	139	114	14	7	12	9	3	-	2
Washington	67 62	4 7	21	15 25	13	3	2	4 2	5	-	-	
Oregon California	288	21	17	99	92	10	4	6	4	3	_	2



TABLE 74.—FEMALE FIRST ADMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	All ages	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 and over	Not re- ported
United States	3,604	232	564	930	948	353	165	214	109	48	15	20
NEW ENGLAND	375	12	62	95	104	46	17	25	10	3	1	-
Maine	13	_	4	4	2		3	_	_	_	_	-
New Hampshire	36		7	11 5	11	4	_	2	1	_	-	-
Vermont Massachusetts	127	11	16	32	41	1 16	_	1 5	4	2	_	-
Rhode Island	47 145	1	6 29	13	12 38	17	5 9	3 14	5	1	-	-
MIDDLE ATLANTIC	1,065	58	195	282	269	103	64	54	30	9		
New York	708	44	136	167	173	75	39	41	24	9		-
New Jersey	123		150	29	41	13	12	8	5	-		
Pennsylvania	234	14	44	86	55	15	13	5	1	-	_	
EAST NORTH CENTRAL	893	91	119	217	229	83	39	58	28	20	9	-
Ohio	170	-	13	47	45	21		15	4	7	2	-
Indiana Illinois	102 332	58	22 35	61	24 80	13 33	15	8 21	14	11	3	-
Michigan		33	49	87	80	16	4	14	6	-	-	
WEST NORTH CENTRAL	418	27	69	101	87	53	15	35	22	5	2	
Minnesota		5 9	11	10	27	19	4	15	6	1	-	-
Iowa Missouri		2	21 22	30 25	19 17	13	3	6	7	_	_	1 -
North Dakota	26	1	3	9	5	3	1	3	1		-	-
South Dakota		1	6	5 9	3	2	_	3	3	1 2	1	
Nebraska Kansas		7	5	13	9 7	10	5 2	6 2	5	1	1	-
SOUTH ATLANTIC	244	8	25	86	68	13	7	8	6	1	-	2
Delaware		2	1	2	4	-	-	1		-	-	-
Maryland Dist. of Columbia		1	7 4	11	10	2	-	-	1	-	_	-
Virginia	83	-	4	26	30	9	5	7	1	1	_	1 -
West Virginia	22	1 -	-	-	_	-	-	1 -	-	-	-	2
North Carolina		4	6	18	1 12	1	2	-	4	-	1	1
Florida		-	1	8	2	i	-	-	-	-	-	
EAST SOUTH CENTRAL	36	1	5	10	13	2	3	1		-	1	-
Kentucky		-	3	3		-	_	1	-	-	-	
Alabama Mississippi		1	1	5 2		2	3	-	-	-	1	
West South Central		_	23	,		16	1	12	6	6	I	,
Louisiana		1-	3			6			-		1	
Texas	. 104	-	. 20			10						
Mountain.		6	28	-	-	9	1	6	3	2	1 -	-
Montana Idaho	17 22	3	5	5		1		3 3	1	1	_	
Wyoming	14				2	1	-	-	_	1		
Colorado	16				5	2	-	-	-	-	-	-
New Mexico Utah	. 3	=	10	5	1 3	2 2	=	=		=	=	
Pacific		29	38	72	129	28	12	15	4	2	1	1
Washington	43	5	9	11	9	3	2	2	2	_		-
Oregon	- 51	4	10	15	14	4	1	2	1	-	_	-
California	_ 236	20	19	46	106	21	9	11	1	2		1



TABLE 75.—ALL MENTAL DEFECTIVES DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY CONDITION ON DISCHARGE, MENTAL STATUS, AND SEX, FOR THE UNITED STATES: 1943

			15	YEARS OLD AND	OVER		Under	
MENTAL STATUS AND SEX	Total discharged	Total	Capable of self- support	Capable of partial self-support	Incapable of produc- tive work	Unknown	15 years old	Age not reported
Total	5,590	4,959	1,792	1,795	801	571	549	82
Idiot Imbecile Moron Unclassified	139 1,098 3,948 405	83 889 3,708 279	159 1,525 105	5 333 1,405 52	62 329 379 31	13 68 399 91	56 206 238 49	3 2 77
Male	3,164	2,807	1,005	995	456	351	324	33
Idiot Imbecile Moron Unclassified	80 566 2,294 224	49 453 2,139 166	2 64 883 56	187 771 33	35 173 226 22	8 29 259 55	31 113 155 25	33
Female	2,426	2,152	787	800	345	220	225	49
Idiot Imbecile Moron Unclassified	59 532 1,654 181	34 436 1,569 113	$\begin{array}{c} 1 \\ 95 \\ 642 \\ 49 \end{array}$	1 146 634 19	27 156 153 9	5 39 140 36	25 93 83 24	3 2 44



TABLE 76.—ALL MENTAL DEFECTIVES DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL STATUS AND SEX, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	TOTAL	DISCHA	RGED		IDIOT		IM	BECILI	0		MORON		Un- classi-
	. Т	M	F.	Т	M	F	Т	M	F	Т	М	F	fied
- United States	5,590	3,164	2,426	139	80	59	1,098	566	532	3,948	2,294	1,654	405
NEW ENGLAND	306	158	148	10	3	7	78	51	27	211	100	111	7
Maine	6 54 11 205 11 19	5 24 7 110 2 10	1 30 4 95 9	- 1 8 1	$\frac{1}{2}$	- 6 1	25 2 42 3 6	13 2 31 1 4	$\frac{12}{11}$	6 28 3 155 7 12	5 10 1 77 1 6	1 18 2 78 6 6	- 6 - 1
MIDDLE ATLANTIC	1,930	1,183	747	38	18	20	373	198	175	1,470	943	527	49
New York New Jersey Pennsylvania	1,472 268 190	900 206 77	572 62 113	23 6 9	11 4 3	12 2 6	237 33 103	136 27 35	101 6 68	1,177 229 64	734 175 34	443 54 30	$\frac{35}{14}$
East North Central	1,563	883	680	32	19	13	234	104	130	1,150	670	480	147
Ohio Indiana Illinois Michigan	187 72 673 631	88 35 414 346	99 37 259 285	3 3 14 12	1 3 6 9	$\frac{2}{8}$	21 12 119 82	12 3 54 35	9 9 65 47	109 47 511 483	44 23 327 276	65 24 184 207	54 10 29 54
WEST NORTH CENTRAL	475	250	225	20	14	6	116	55	61	290	150	140	49
Minnesota	155 61 113 42 45 59	70 29 72 21 29 29	85 32 41 21 16 30	3 5 3 2 2 5	2 3 1 2 2 4	1 2 2 - 1	26 31 26 11 3 19	9 14 17 4 2 9	17 17 9 7 1 10	126 24 80 25 5 30	59 12 51 12 2 14	67 12 29 13 3 16	1 4 4 35 5
SOUTH ATLANTIC	369	204	165	5	3	2	66	40	26	236	131	105	62
Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Florida	30 50 1 140 34 17 40 57	21 27 88 12 8 16 32	9 23 1 52 22 9 24 25	- 1 - 1 1	1 1 - 1	- 1 - - - 1	4 9 	2 5 	2 4 -6 1 4 7 2	23 39 1 89 1 11 29 43	16 21 	7 18 1 34 1 5 17 22	3 — 28 31 —
EAST SOUTH CENTRAL	170	110	60	_	_	_	58	34	24	102	72	30	10
Kentucky Alabama Mississippi	28 55 87	17 39 54	11 16 33	=	=	=	4 25 29	1 13 20	3 12 9	24 30 48	16 26 30	8 4 18	10
West South Central	240	112	128	20	13	7	74	33	41	104	44	60	42
Louisiana Texas	46 194	20 92	26 102	16 16	2 11	2 5	13 61	4 29	9 32	21 83	7 37	14 46	· 8
MOUNTAIN	165	91	74	9	6	3	37	20	17	92	53	39	27
Montana Idaho Wyoming Colorado New Mexico Utah	22 11 23 8	15 9 7 16 1 43	10 13 4 7 7 7 33	$\begin{bmatrix} \frac{6}{-} \\ \frac{1}{2} \end{bmatrix}$	- - 2	2 - 1 -	$\frac{\frac{6}{1}}{\frac{9}{21}}$	$\begin{bmatrix} \frac{4}{-} \\ \frac{6}{10} \end{bmatrix}$	$\frac{\frac{2}{1}}{\frac{3}{11}}$	9 10 12 8 53	$\frac{5}{7}$ $\frac{9}{1}$ $31$	$\begin{array}{c c}  & 4 \\  \hline  & 3 \\  & 3 \\  & 7 \\  & 22 \end{array}$	1 1
Pacific	372	173	199	5	4	1	62	31	31	293	131	162	12
Washington Oregon California	39 85 248	21 43 109	18 42 139	1 1 3	1 1 2	-	8 15 39	7 7 17	1 8 22	22 65 206	9 32 90	13 33 116	8



TABLE 77.—ALL DEATHS OF MENTAL DEFECTIVES IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY DURATION OF INSTITUTIONAL LIFE, MENTAL STATUS, AND SEX, FOR THE UNITED STATES: 1943

DURATION OF	TO	TAL DEA	THS		IDIOT			IMBECII	Æ		MORON	₹	Un-
INSTITUTIONAL LIFE	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	classi- fied
Total	1,771	991	780	730	408	322	632	347	285	256	150	106	153
Under 1 month.	73	32	41	37	16	21	8	3	5	4	4	_	24
1 to 3 months.	139	76	63	68	44	24	27	14	13	6	3	3	38
4 to 6 months_	63	36	27	30	17	13	19.	11	8	4	1	3	10
7 to 11 months_	75	42	33	33	18	15	20	12	8	7	4	3	17
l year	150	82	68	60	31	29	45	27	18	23	11	12	22
2 years	126	82	44	56	33	23	41	31	10	20	.11	9	9
3 to 4 years	150	84	66	61	27	34	52	31	21	31	23	8	
5 to 6 years	132	.72	60	63	33	.30	43	26	17	25	13	12	,
7 to 9 years	191	112	79	80	48	32	76	40	36	31	20	11	4
10 to 14 years	218	125	93	82	47	35	94	47	47	34	25	9	
15 to 19 years	164	111	53	62	45	17	64	42	22	28	15	13	10
20 years and over.	287	134	153	98	49	49	142	62	80	42	19	23	
Not reported	3	3	-	-	-	-	1	1	-	1	1	-	1
Median (years)	6.6	6.7	6.6	5.6	6.1	5.1	9.4	8.4	10.7	7.7	7.7	7.8	0.7

# TABLE 78.—ALL DEATHS OF MENTAL DEFECTIVES IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY MENTAL STATUS AND SEX, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 83 State and 2 city institutions. Statistics for institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis. See Appendix B for discussion of coverage]

DIVISION AND STATE	то	TAL DEA	тнѕ		IDIOT		1	мвесп	Æ		MORON		Un- classi-
DIVISION AND STATE	Т	M	F	Т	M	F	T	M	F	Т	M	F	fied
United States	1,771	991	780	730	408	322	632	347	285	256	150	106	158
NEW ENGLAND	160	100	60	75	48	27	58	38	20	17	7	10	10
Maine New Hampshire	25 8	16 5	9 3	9	6 2	3 2	8	6 3	2	7	4	3	1
Vermont Massachusetts	4 66	39	1 27	31	21	10	30	17	13	5	-1	4	_
Rhode Island	13 44	6 31	13	8 21	3	5 6	4	8	2 2	1 4	1	-3	- 9
MIDDLE ATLANTIC	424	234	190	184	105	79	164	89	75	70	37	33	6
New York	271	154	117	114	64	50	103	60	43	50	27	23	4
New Jersey Pennsylvania	41 112	17 63	24 49	18 52	33	10 19	15 46	7 22	8 24	8	2 8	6	-2
East North Central	557	291	266	190	104	86	189	95	94	78	44	34	100
Ohio	117	68	49	51	33	18	49	21	28	14	11	3	3
IndianaIllinois	$\begin{array}{c} 74 \\ 227 \end{array}$	123	33 104	29 76	13 46	16 30	22 86	14 46	8 40	14 33	7 18	7 15	32
Michigan West North Central	139	160	80	34 120	12 59	61	32 97	14 58	18	17 33	22	9	56 24
	68	39	29	39	22	17	18	12	6	11			
Minnesota Iowa	61	41	20	21	8	13	20	14	6	4	3	1	16
Missouri North Dakota	12	27	13 8	24	15	9	12	8	4 2	3	4	2	_
South Dakota	15 36	9 22	6 14	13	5	-8	10	6 8	4 3	3 4	1 4	2	8
Nebraska Kansas	42	18	24	14	4	10	24	10	14	4	4	_	_
SOUTH ATLANTIC	80	46	34	35	24	11	32	15	17	11	6	5	2
Delaware Maryland	6	6 8	11	11	6	- 5	1 5	1	4	1	1	-1	2
Dist. of Columbia	7	2	5	3	2	1	4	-	4	-		-	_
Virginia West Virginia	21	13	8 1	6	4	2	12	8	1	3 2	1 2	2	_
North Carolina	7	4	3 2	6 2	4	2	1	1	1 2	- 1	1	=	-
South Carolina Florida	6	7	4	3	2 2	1	3 5	4	1	3	1	2	_
EAST SOUTH CENTRAL	13	9	4	7	5	2	4	3	1	2	1	1	<u>-</u>
KentuckyAlabama	9 2	8	1 2	6	5	1	2	2	=	1	1	1	_
Mississippi	2	1	1	-	-	-	2	1	1	-	-	-	-
WEST SOUTH CENTRAL	70	32	38	37	15	22	20	9	11	8	6	2	5
Louisiana Texas	22 48	9 23	13 25	11 26	11	7 15	11	5	6	7	6	1	1
Mountain	30	17	13	7	4	3	7	1	6	15	11	4	1
Montana	12	1	1	-	-	-	-	-	-	2 8	1 6	1 2	
Idaho Wyoming	4	10	2 4	1	-	1	2 5	_	2	1	-	1	_
Colorado New Mexico	8	2	6	2	_	2	5	1	4	_	_	_	1
Utah	4	4		-	-	-	-	-	-	4	4	-	
Pacific	163	102	61	75	44	31	61	39	22	22	16	6	5
Washington	29 29	19 16	10 13	14 11	8 7	6	11 10	7 5	4 5	4 5	4 3	- 2	3 2
Oregon California	105	67	38	50	29	21	40	27	13	13	9	4	2

646075-46-16



TABLE 79.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943

CLINICAL DIAGNOSIS	ALL	INSTITU	TIONS	PUBLI	C INSTIT	TUTIONS	PRIVA	TE INSTI	TUTIONS
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total first admissions	1,800	989	811	1,713	946	767	87	43	44
Symptomatic Idiopathic Unclassified	588 1,008 204	*331 *531 *127	257 477 77	572 984 157	323 525 98	249 459 59	16 24 47	8 6 29	8 18 18

## TABLE 80.—ALL FIRST ADMISSIONS AND READMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY CLINICAL DIAGNOSIS AND SEX, FOR THE UNITED STATES: 1943

CLINICAL DIAGNOSIS		ADMISS	SIONS NSFERS)	FIRS	T ADMIS	SIONS	RI	ADMISS	IONS
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total patients	1,905	1,064	841	1,713	946	767	192	118	74
Symptomatic	620	355	265	572	323	249	48	32	16
Toxic exogenous	27	16	11	27	16	11	-	_	_
Alcoholic Lead Unknown		$\frac{5}{11}$	- 11	$\frac{5}{22}$	$\frac{5}{11}$	<u>-</u>	=	=	
Toxic endogenous	71	40	31	64	35	29	7	5	
Renal Pregnancy and puerperal disorders Endocrinopathic disorders Metabolic disorders Unknown	15	- 6 3 31	- 9 22	14 3 47	- 6 3 26	- 8 - 21	$\frac{-}{\frac{1}{6}}$	_ _ _ 5	=
Due to definite brain diseases	421	247	174	388	225	163	33	22	1
Cardiovascular Syphilitic Meningo-encephalitic Neoplastic Traumatic Ageneses Other and unknown	9 75 6 126 87	3 5 37 1 89 51 61	1 4 38 5 37 36 53	4 8 70 5 109 83 109	3 4 34 1 75 50 58	1 4 36 4 34 33 51	1 5 1 17 4 5	1 3 -14 1 1 3	-
Unknown	101	52	49	93	47	46	8	5	
Idiopathie	1,119	605	514	984	525	459	135	80	5
With psychogenic factorsOther, undifferentiated, and unknown	113 1,006	63 542	50 464	99 885	57 468	42 417	14 121	6 74	4
Unclassified		104	62	157	98	59	9	6	



TABLE 81.—ALL FIRST ADMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943

CLINICAL DIAGNOSIS AND SEX	All ages	Under 5 yrs.	5 to 9 yrs.	10 to 14 yrs.	15 to 19 yrs.	20 to 24 yrs.	25 to 29 yrs.	30 to 39 yrs.	40 to 49 yrs.	50 to 59 yrs.	60 and over	Not report- ed	Median age
Total first admissions.	1,713	100	210	340	339	207	140	158	85	63	59	12	18.0
Symptomatic	572 27 64 388	64 16 40	79 3 8 48	105 4 9 74	101 9 8 69	68 3 3 53	51 1 5 37	43 4 5 27	23 2 4 13	15 3 10	19 2 15	4 1 1 2	16.8 14.2 17.2
Unknown Idiopathic Unclassified	93 984 157	8 30 6	$\begin{array}{c} 20 \\ 109 \\ 22 \end{array}$	18 197 38	15 206 32	9 126 13	8 79 10	7 99 16	55 7	2 44 4	$\begin{smallmatrix}2\\37\\3\end{smallmatrix}$	- 2 6	15.2 18.8 16.5
Male first admis- sions.	946	59	125	216	203	111	68	71	37	29	23	4	16.7
Symptomatic Toxic exogenous Toxic endogenous Due to definite brain	323 16 35 225	38 7 26	42 1 7 25	71 3 6 51	53 5 7 34	36 1 - 29	28 1 2 20	22 4 3 14	13 1 1 9	7 - 7	11 2 8	2 - 2	15.9 — 16.4
disease. Unknown Idiopathic Unclassified	47 525 98	5 15 6	9 68 15	11 125 20	7 130 20	6 64 11	5 34 6	$\begin{smallmatrix}1\\42\\7\end{smallmatrix}$	18 6	19	$\begin{smallmatrix}1\\10\\2\end{smallmatrix}$	$\frac{-}{2}$	17.1 16.8
Female first admissions.	767	41	85	124	136	96	72	87	48	34	36	8	19.8
Symptomatic Toxic exogenous Toxic endogenous Due to definite brain disease.	249 11 29 163	$\frac{26}{9}$	37 2 1 23	34 1 3 23	48 4 1 35	32 2 3 24	$\frac{23}{3}$	$\frac{21}{2}$	10 1 3 4	8 3 3	8 - 7	2 1 1	17.8 — 18.1
UnknownIdiopathicUnclassified	46 459 59	15 —	11 41 7	7 72 18	8 76 12	$\begin{smallmatrix}3\\62\\2\end{smallmatrix}$	3 45 4	6 57 9	$\begin{smallmatrix}2\\37\\1\end{smallmatrix}$	$\begin{smallmatrix}2\\25\\1\end{smallmatrix}$	1 27 1		22.0 16.0

## TABLE 82.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR STATES: 1943

STATE AND CLINICAL DIAGNOSIS	ALL	INSTITU	TIONS	PUBL	IC INSTI	TUTIONS	PRIVA	TE INST	TUTIONS
TAIN AND CHARLES DISCOND	Total	Male	Female	Total	Male	Female	Total	Male	Female
NEW ENGLAND  Massachusetts	,								
Total first admissions	97	53	44	96	52	44	1	1	_
Symptomatic Idiopathic Unclassified	66 30 1	37 16	29 14 1	66 29 1	37 15	29 14 1	1	1	=
Rhode Island									
Total first admissions	4	2	2	4	2	2	_	_	
Symptomatic	4			4		2	=	=	=
Connecticut	i								
Total first admissions	20	13	7	18	12	6	2	1	1
Symptomatic Idiopathic Unclassified		3 9 1	5 -	5 12 1	3 8 1	2 4		1	1
MIDDLE ATLANTIC									
New York									
Total first admissions	207	120	87	197	117	80	10	3	
Symptomatic Idiopathic Unclassified	135	41 79	31 56	66 131	38 79	28 52	6 4	3	-
New Jersey	i								
Total first admissions	89	. 46	43	83	44	39	6	2	
Symptomatic Idiopathic Unclassified		17 28 1	16 25 2	32 51	16 28	16 23	1 2 3	1 -1	
Pennsylvania				1	ľ	1			
Total first admissions	366	146	220	342	136	206	24	10	1
Symptomatic Idiopathic Unclassified	82 268 16	35 105 6	47 163 10	81 261	34 102	47 159	16	1 3 6	1



TABLE 82.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR STATES: 1943—Con.

STATE AND CLINICAL DIAGNOSIS	A I.L	INSTITU	CTIONS	PUBL	IC INSTIT	rutions	PRIVAT	E INSTI	TUTIONS
- STATE AND CHARGAE STATES	Total	Male	Female	Total	Male	Female	Total	Male	Female
EAST NORTH CENTRAL									
Total first admissions	163	105	58	161	104	57	2	1	
Symptomatic	14 141 8	10 91 4	4 50 4	12 141 8	9 91 4	3 50 4	2 _	1 -	-
Illinois Total first admissions.	117	81	20	111	79	32	6	2	
			36					2	
Symptomatic	34 68 15	25 45 11	9 23 4	33 66 12	25 45 9	$\begin{array}{c} 8\\21\\3\end{array}$	1 2 3		
Michigan									
Total first admissions	105	70	35	105	70	35	-	_	-
Symptomatic	-	_	_	_	-		-	-	_
IdiopathicUnclassified	105	70	35	105	70	35	-1	_	_
Wisconsin									
Total first admissions	10	8	2			_	10	8	
Symptomatic diopathic Unclassified	- 10	- 8		-	_	=	_ 10	- 8	-
WEST NORTH CENTRAL	.							.	
Minnesota									
Total first admissions	68	46	22	68	46	22	-	-	_
Symptomatic diopathic Unclassified	13 55	11 35	2 20	13 55 —	11 35 —	2 20 —	=	=	=
Iowa							1		
Total first admissions	65	36	29	65	36	29	-	-	_
Symptomatic	63	34 2	29 	63 2 —	34 2	29 	=	=	=
Missouri									
Total first admissions	25	15	10	22	14	8	3	1	:
Symptomatic diopathic Inclassified	24	14	10	22	14	8	- 2 1	-	-

646075-46-17



TABLE 82.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR STATES: 1943—Con.

	ALL	INSTITU	TIONS	PUBLI	C INSTI	TUTIONS	PRIVA	TE INST	ITUTIONS
STATE AND CLINICAL DIAGNOSIS	Total	Male	Female	Total	Male	Female	Total	Male	Female
WEST NORTH CENTRAL—Con.									
North Dako <b>ta</b>									
Total first admissions	6	5	1	,5	4	1	1	1	-
SymptomaticldiopathicUnclassified	1 4 1	- 4 1	1 _	1 4	<u>-</u>	<u>-</u>		<u>-</u>	=
South Dakota									
Total first admissions	13	8	5	13	8	5	_	-	-
Symptomatic	9	3 5	1 4 -	9	3 5	1 4	=	Ξ	=
Nebraska									
Total first admissions	17	10	7	13	7	6	4	3	
Symptomatic Idiopathic Unclassified	1 9 7	1 3 6	- 6 1	9 4	- 3 4	_6	$\frac{1}{3}$	$\frac{1}{2}$	-
Kansas									
Total first admissions	58	24	34	58	24	34	_	-	-
Symptomatic	32 26	16 8	16 18	32 26	16 8	16 18	=	Ξ	
SOUTH ATLANTIC									
Delaware									
Total first admissions	6	5	1	. 6	5	1	-	_	-
Symptomatic	6	5		6 _	5		=	Ξ	
Maryland									
Total first admissions	7	5	2	5	5	_	2	_	
Symptomatic	7 =	5		<u>5</u>	5 _	Ξ		Ξ	-
Virginia									
Total first admissions	41	24	17	40	24	16	1	-	
Symptomatic	25	7 15 2	3 10 4	9 25 6	7 15 2	2 10 4	1 -	Ξ	-



TABLE 82.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR STATES: 1943—Con.

	ALL	INSTIT	UTIONS	PUBL	C INSTI	TUTIONS	PRIVA	in inst	ITUTIONS
STATE AND CLINICAL DIAGNOSIS	Total	Male	Female	Total	Male	Female	Total]	Male	Female
SOUTH ATLANTIC—Con.									
South Carolina									
Total first admissions	8	3	5	8	3	5	_	<u>_</u>	
Symptomatic	5 3 —	1 2 -	1 -	5 3 -	1 2 —	1	111	=	=
Florid <b>s</b>									
Total first admissions	14	5	9	14	5	9			
Symptomatic Idiopathic Unclassified	<u>-</u> 14	<u>-</u>	9	- 14	<u>-</u>	9	Ξ	=	=
EAST SOUTH CENTRAL									
Alabama Total first admissions	3	1	2	3	1	2	_	_	_
Symptomatic Idiopathic Unclassified		<u></u>		3	<u></u>		Ξ	Ξ	=
Mississippi									
Total first admissions	12	7	5	12	7	5	-	-	ļ. <b>-</b>
Symptomatic Idiopathic Unclassified	12	7	<u>5</u> _	12	7	5	=	=	=
WEST SOUTH CENTRAL									r 
Louisiana									
Total first admissions	19	9	10	17	7	10	2	2	
SymptomaticIdiopathicUnclassified	10 7 2	4 3 2	6 4 —	10 7	4 3 —	6 4 —	<u>-</u>		=
Texas									
Total first admissions	129	73	56	129	73	56		_	
Symptomatic Idiopathic Unclassified	45 79 5	30 41 2	15 38 3	45 79 5	30 41 2	15 38 3	=	=	=



TABLE 82.—ALL FIRST ADMISSIONS OF EPILEPTICS TO ALL INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY TYPE OF CONTROL OF INSTITUTION, CLINICAL DIAGNOSIS, AND SEX, FOR STATES: 1943—Con.

	ALL	INSTIT	TIONS	PUBLI	C INSTI	TUTIONS	PRIVA	TE INST	TUTION
STATE AND CLINICAL DIAGNOSIS	Total	Male	Female	Total	Male	Female	Total	Male	Female
MOUNTAIN									
Montana									
Total first admissions	6	2	4	6	2	4	_	-	
Symptomatic diopathic Unclassified	6	2	4	6	2	4	=	Ξ	
Idah <b>o</b>									
Total first admissions	13	8	5	13	8	5	_	_	
ymptomatic diopathic Juclassified	13	8	5	13	8	5	=	=	
Wyoming									
Total first admissions	4	1	3	4	1	3	-	-	
symptomaticdiopathic	2 2	1 _	1 2	2 2	1 =	1 2	=	=	
Colorado									
Total first admissions	9	8	1	9	8	1	_	-	
Symptomatic (d <b>iopath</b> ic Unclassified	6 3	6 2	1	6 3	6 2	1	=	=	
Utah									
Total first admissions	4	2	2	4	2	2	-	_	
ympte natic diopathic Juclassified	4		2	4 =	2	2	=	=	
PACIFIC						1			
Washington									
Total first admissions	12	5	7	12	5	7	_	_	
ym)'o natic diopathic Jnolassified	11 1 —	5 _	6 1	11 1	5 -	6 1	=	=	
California									
Total first admissions	83	. 43	40	70	35	35	13	8	
SymptomaticdiopathicUnclassified	31 43 9	15 21 7	16 22 2	30 39 1	14 20 1	16 19	1 4 8	1 1 6	



TABLE 83.—ALL FIRST ADMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	All ages	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	and over	Not re- ported
United States	1,713	100	210	340	339	207	140	158	85	63	59	12
NEW ENGLAND	118	30	19	24	22	4	9	7	2	_	1	
Massachusetts	96 4 18	30	14 - 5	17 2 5	16 1 5	3	9	4 1 2	2	=	1	=
MIDDLE ATLANTIC	622	33	72	116	116	81	59	74	25	20	22	4
New York New Jersey Pennsylvania	197 83 342	24 9	26 10 36	40 15 61	41 13 62	22 17 42	9 8 42	21 11 42	7 4 14	4 1 15	3 4 15	=
EAST NORTH CENTRAL	377	12	35	70	86	43	30	40	26	22	13	_
Ohio Illinois Michigan	161 111 105	- 6 6	13 5 17	29 14 27	38 27 21	16 17 10	14 9 7	18 15 7	13 9 4	12 7 3	8 2 3	-
WEST NORTH CENTRAL	244	11	39	62	45	32	17	9	13	5	_ 11	_
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	68 65 22 5 13 13 58	- 4 - 1 4 2	9 13 6 2 3 -	17 21 9 2 3 3 7	19 5 5 - - 1 15	9 8 2 - 1 2 10	1 6 - 3 2 5	1 2 2 -	1 5	1 - - - 3	4 2 - - - 5	
SOUTH ATLANTIC	73	_	10	18	16	7	4	4	2	3	2	7
Delaware Maryland (male only) Virginia_ South Carolina Florida	6 5 40 8 14	=	1 2 2 2 2 3	1 1 8 2 6	2 1 5 3 5	1 5 1	- 4 -	$\frac{1}{\frac{3}{3}}$		3 -		1 6
East South Central	15	-	1	. 3	3	2	2		1	1	1	1
Alabama Mississippi	3 12	=	<u></u>	-3	1 2	1	1	=	-1	<u>-</u> 1	-1	-1
WEST SOUTH CENTRAL	146	-	12	29	25	21	13	16	13	8	9	-
Louisiana Texas	17 129	=	3 9	4 25	· 5 20	2 19	1 12	16	1 12	1 7	9	_
MOUNTAIN	36	5	11	6	7	2	1	4	-	-	-	-
Montana Idaho Wyoming Colorado Utah	6 13 4 9 4	2 1 2	3 3 1 3 1	1 1 -4	1 3 1 - 2	1 - - 1	1 =	1 2 1 —	=======================================	= = =	=	
Pacific	82	9	11	12	19	15	5	4	3	4	_	-
WashingtonCalifornia	12 70	2 7	5 6	111	4 15	15	5	4	3	4	=	

TABLE 84.—MALE FIRST ADMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	All ages	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 and over	Not re- ported
United States	946	59	125	216	203	111	68	71	37	29	23	4
NEW ENGLAND	66	17	11	15	12	2	3	3	2	_	1	_
Massachusetts Rhode Island Connecticut	52 2 12	17	8 3	8 2 5	$\frac{10}{2}$	2	3	$\frac{1}{2}$	2	=	1	=
MIDDLE ATLANTIC	297	19	46	68	59	35	20	28	10	6	5	1
New York New Jersey Pennsylvania	117 44 136	$\frac{16}{3}$	20 6 20	26 7 35	28 6 25	10 11 14	4 3 13	9 8 11	4 2 4	1 5	<u>-</u>	<u>-</u>
EAST NORTH CENTRAL	253	10	22	50	66	30	20	24	12	13	6	-
Ohio Illinois Michigan	104 79 70	4 6	6 3 13	24 12 14	29 22 15	9 13 8	9 7 4	13 8 3	5 4 3	7 4 2	2 2 2	=
WEST NORTH CENTRAL	139	. 4	22	43	23	16	13	3	7	3	5	_
Minnesota	46 36 14 4 8 7 24	- 2 - - 1 1	7 6 4 2 2 -	13 15 6 1 2 2 4	13 1 2 - 1 6	6 5 2 - - 3	-4  3 2 4	1 - 1 1 -	3 2 - - 1 1	1 - - - 2	2 1 - - - 2	=
SOUTH ATLANTIC	42	-	6	11	9	4	4	3	_	1	1	3
Delaware Maryland (male only) Virginia South Carolina Florida	5 5 24 3 5		1 2 2 -	1 1 5 1 3	1 1 4 2 1	1 3 -	- 4 -	1 2 -		- 1 -	_ _ 1 _	
EAST SOUTH CENTRAL	8	-	1	1	2	1	1	-	1	-	1	_
Alabama Mississippi	1 7	=		-1		1		=		=		=
WEST SOUTH CENTRAL	80		7	17	15	14	7	8	5	3	4	
Louisiana Texas	7 73	=	1 6	3 14	1 14	1 13	1 6	-8	5	-3	-4	_
Mountain	21	4	5	. 5	5	1	-	1	-	-	_	_
MontanaIdaho Wyoming Colorado Utah	2 8 1 8 2	- 2 - 2	- 1 - 2 - 2	- 1 - 4 -	1 2 - 2	- 1 - -		_ _ _ _	11111	11111		=
Pacific	40	5	5	6	12	8	_	1	_	3	_	
WashingtonCalifornia	5 35	1 4	1 4	<del>-</del> 6	3 9	-8	=	<u>-</u> 1	=	-3	=	=



TABLE 85.—FEMALE FIRST ADMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY AGE, BY DIVISIONS AND STATES: 1943

or coverage;												
DIVISION AND STATE	All ages	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 and over	Not re- ported
United States	767	41	85	124	136	96	72	87	48	34	36	. 8
NEW ENGLAND	52	13	8	9	10	2	6	4	_	_	_	_
Massachusetts Rhode Island Connecticut	44 2 6	13	$\frac{6}{2}$	9	6 1 3	$\frac{1}{1}$	6 -	3 1	=	=	=	=
MIDDLE ATLANTIC	325	14	26	48	57	46	39	46	15	14	17	3
New York New Jersey Pennsylvania	80 39 206	- 8 - 6	6 4 16	14 8 26	13 7 37	12 6 28	5 5 29	12 3 31	3 2 10	$\frac{4}{10}$	3 4 10	
EAST NORTH CENTRAL	124	2	13	20	20	13	10	16	14	9	7	
Ohio Illinois Michigan	57 32 35		7 2 4	5 2 13	9 5 6	7 4 2	5 2 3	5 7 4	8 5 1	5 3 1	$\frac{6}{1}$	=
WEST NORTH CENTRAL	105	7	17	19	22	16	4	6	6	2	6	_
Minnesota	22 29 8 1 5 6 34	- - 1 3 1	2 7 2 - 1 - 5	4 6 3 1 1 1 3	6 4 3 — — 9	3 - 1 2 7	1 2 - - - 1	3 2 - 1 -	1 1 4	- 1 - - 1	2 1 - - - 3	
SOUTH ATLANTIC	31	-	4	7	7	3	_	1	2	2	1	4
Delaware Maryland (male only) Virginia South Carolina Florida	1 16 5 9			- 3 1 3	1 1 1 1 4		====	1 -				- 4 -
East South Central	7	-	-	2	1	1	1	_	_	1	_	1
Alabama Mississippi	2 5	=	=		1	-1	1	=	=	<u>-</u> 1	=	
West South Central	66	_	5	12	10	. 7	6	8	8	5	5	_
Louisiana Texas	10 56	=	2 3	1 11	<b>4</b> 6	1 6	<u>-</u> 6	-8	1 7	1 4	5	
MOUNTAIN	15	1	6	1	2	1	1	3	_	-	_	_
Montana	4 5 3 1 2	_ _ 1 _	2 1 1 1 1	1 - - -	1 1 -	_ _ _ 1	1	1 2 -	11111			=
Pacific	42	4	6	6	7	7	5	3	3	1	-	-
WashingtonCalifornia	7 35	1 3	4 2	1 5	1 6	7	-5	-3	-3	<u>-</u>	=	. =



TABLE 86.—ALL EPILEPTICS DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY CONDITION ON DISCHARGE, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943

CLINICAL DIAGNOSIS		TOTAL		RE	COVER	ED	13	MPROVE	D	UN	IMPRO	VED	Un-
	Т	M	F	Т	M	F	Т	M	F	T	М	F	known
Total	787	491	296	18	12	6	438	273	165	295	187	108	36
Symptomatic	185	115	70	10	5	5	99	59	40	63	43	20	13
Toxic exogenous Toxic endogenous Due to definite brain disease Unknown	13 25 111 36	10 21 68 16	3 4 43 20	1 -4 5	1 - 2 2	_ 2 3	4 11 65 19	2 8 42 7	2 3 23 12	8 14 39 2	7 13 22 1	1 1 17 1	:
Idiopathic Unclassified	524 78	325 51	199 27	8	7	1	300 39	191 23	109 16	201 31	121 23	80 8	15

TABLE 87.—ALL EPILEPTICS DISCHARGED FROM PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY CLINICAL DIAGNOSIS AND SEX, BY DIVISIONS AND STATES: 1943

1	TOTA	DISCH	ARGED	SY	МРТОМА	TIC	11	DIOPATH	IC	UN	CLASSI	TED
DIVISION AND STATE	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Fema!
United States	787	491	296	185	115	70	524	325	199	78	51	27
NEW ENGLAND	48	22	26	18	10	8	30	12	18	-	_	-
New Hampshire	1	_	1	1	_	1	_	_				_
Massachusetts	44	21	23	15	9	6	29	12	17	-	-	-
Connecticut	3	1	2	2	I	1	1	-	1	_	-	
MIDDLE ATLANTIC	236	169	67	58	41	17	178	128	50	_	_	
New York	144	101	43	34	25	9	110	76	34	_	_	-
New Jersey	56	41 27	15	15	9	6 2	41	32	9 7	-	-	-
Pennsylvania	36	2,	9	9	7	2	27	20	,	_	-	-
EAST NORTH CENTRAL.	229	137	92	26	12	14	134	80	54	69	45	2
Ohio	96	68	28	6	4	2	89	63	26	1	1	-
Illinois	40 93	17 52	23 41	4	7	3 9	31 14	11	20 8	5	39	2
Michigan				16			-	6		63		2
WEST NORTH CENTRAL	107	60	47	25	15	10	80	43	37	2	2	
Minnesota		40	30	12	9	3	58	31	27	-	-	-
Iowa Missouri	12 19	5 10	7 9	11	4	7	19	10	9	1	1	
North Dakota		1	1	_	i -	i -	2	1	1		_	-
South Dakota	1	1	_	-	1 -	-	-	_	_	1	1	-
Kansas	3	3	-	2	2	-	1	1	-	-	-	-
SOUTH ATLANTIC	35	24	11	8	7	1	23	15	8	4	2	
Virginia	. 27	21	6	6	6	_	21	15	6	_	_	-
North Carolina	1	-	1	-	-	_	1	-	1	-	-	-
South Carolina Florida		1 2	• 1	2	1	1	1	=	1	4	2	-
EAST SOUTH CENTRAL	19	9	10	18	8	10	1	1			-	
	-	-		-	-		-	-		-	-	-
Alabama Mississippi		2 7	1 9	16	1 7	9	1	1 _	_	_	=	1
WEST SOUTH CENTRAL	80	51	29	15	11	4	63	39	24	2	1	
Louisiana	6	5	1	4	4		. 2	1	1		1	-
Texas		46	28	11	7	4	61	38	23	2	1	
MOUNTAIN	. 8	5	3	4	3	1	3	1	2	1	1	
Montana		1	_	1	1		_	-	_	_	1-	
Wyoming	. 4	2	2	1	1 -	1	2		1	1	11	1 .
Colorado Utah		1	1	1	1	_	1	1 =	1	_	=	1
Pacific	1	14	11	13		5	12	6	6			
		-		-	-			-		-	-	
Washington California				5 8			12	6	6	=	=	

TABLE 88.—ALL DEATHS OF EPILEPTICS IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY DURATION OF INSTITUTIONAL LIFE, CLINICAL DIAGNOSIS, AND SEX, FOR THE UNITED STATES: 1943

			s	YMPTOMATI	c			
DURATION OF INSTITUTIONAL LIFE AND SEX	Total deaths	Total	Toxemic exo- genous	Toxemic endo- genous	Due to definite brain diseases	Un- known	Idio- pathic	· Un- classified
Total	891	272	18	27	181	46	530	89
Under 1 month	22 61 22 36 45 52	9 33 6 9 16 16	2 - 1 1	- 2 1 - 1 1	6 27 4 7 11 12	1 4 1 2 3 2	12 21 14 23 24 31	2 4 4 5 5
3 to 4 years	77 75 111 166 78 143 3	25 30 33 53 12 30	2 3 2 2 1 4	11 11 6	16 20 27 35 6 10	7 3 3 5 5 10	46 41 67 104 51 96	11 9 12 17
Median (years)	8.5	6.5		_	5.8		9.4	9.5
Male	549	181	15	13	1 <b>2</b> 3	30	306	62
Under 1 month	11 42 17 27 29 24	5 24 4 6 11 8	2 - - 1 1	- 2 - - 1	3 18 3 6 8 5	-4 1 -2 1	5 11 11 18 16 13	3
3 to 4 years	47 45 70 101 49 84 3	15 20 24 35 5 24	1 3 2 2 2 - 3	- 2 - 5 - 3	10 13 20 24 3 10	4 2 2 4 2 8	27 22 37 61 34 51	10 10
Median (years)	8.3	6.8	_	_	6.3	-	9.4	8.2
Female	342	91	3	14	58	16	224	-27
Under 1 month	11 19 5 9 16 28	4 9 2 3 5 8		- 1 - 1	3 9 1 1 3 7	1 - 2 1 1	7 10 3 5 8 18	1 1 3 2
3 to 4 years	30 30 41 65 29 59	10 10 9 18 7 6	1 - - 1 1	- 2 1 6 - 3	6 7 7 11 3 —	3 1 1 1 3 2	19 19 30 43 17 45	1 1 2 4 5 8
Median (years)	8.7	5.9	_	_	4.7	_	9.3	_



TABLE 89.—ALL DEATHS OF EPILEPTICS IN PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY CLINICAL DIAGNOSIS AND SEX, BY DIVISIONS AND STATES: 1943

DIVISION AND STATE	TO	TAL DEA	THS	SY	MPTOMA	TIC	ı	DIOPATE	пс	UN	CLASSIE	LIED
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
United States	891	549	342	272	181	91	530	306	224	89	62	27
NEW ENGLAND	67	44	23	44	28	16	23	16	7	-	_	_
New Hampshire Massachusetts Rhode Island	50 1 12	32 1 7	18	37	$\frac{2}{23}$	$\frac{-14}{2}$	13 1 7	9 1 4	$-\frac{4}{3}$	1111	=	
Connecticut	306	195	5 111	5 87	62	25	217	131	86	2	2	
New York	150	97	53	51	36	15	99	61	38			
New Jorkson New Jersey Pennsylvania	47 109	27 71	20 38	5 31	3 23	2 8	42 76	24 46	18 30		2	=
East North Central_	176	103	73	18	10	8	95	50	45	63	43	20
Ohio Illinois Michigan	112 1 63	64 1 38	48 25	$\frac{8}{10}$	$\frac{4}{6}$	$\frac{4}{4}$	89 6	$\frac{47}{3}$	$\frac{42}{3}$	15 1 47	13 1 29	$\frac{2}{18}$
WEST NORTH CENTRAL	138	76	62	52	33	19	80	38	42	6	5	1
Minnesota Iowa Missouri. North Dakota. South Dakota. Nebraska. Kansas	25 24 15 6 6 16 46	13 15 6 1 2 8 31	12 9 9 5 4 8 15	7 22 - 2 21	13 - - - 16	3 9 - 2 - 5	18 15 6 4 16 21	9 -6 1 2 8 12	9 - 9 5 2 8 9	- - - 4	- - - - 3	
SOUTH ATLANTIC	49	29	20	15	11	4	25	14	11	9	4	5
Delaware	3 2 7 27 27 2 2 6	3 1 4 18 1 1 1	1 3 9 1 1 5	3 2 3 7 —	3 1 1 6 -	1 2 1 —	$\frac{-}{\frac{2}{20}}$	- 1 12 1 -	- 1 8 1 - 1	- 2 - 2 5	- 2 - 1	1
EAST SOUTH CENTRAL	8	4	4	6	2	4	2	2	_	_	-	_
Alabama Mississippi	5 3	2 2	3 1	3		3 1	2	_2	=	=	=	Ξ
West South Central	80	52	28	26	17	9	53	34	19	1	1	_
Louisiana Texas	8 72	5 47	3 25	6 20	4 13	2 7	2 51	1 33	1 18	-1		=
Mountain	20	13	7	8	7	1	7	2	5	5	4	1
Idaho Wyoming Colorado Utah	4 2 12 2	3 1 7 2	1 1 5	- 1 5 2		- <u>1</u>	- 1 6 -	- 1 1 -	_ 	4 1 -	$\frac{3}{1}$	1
Pacific	47	33	14	16	11	5	28	19	9	3	3	_
WashingtonCalifornia	11 36	9 24	2 12	6 10	5 6	1 4	2 26	1 18	1 8	3	3	=

## TABLE 90.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, FOR THE UNITED STATES: 1941 TO 1943

[See Appendix B for number of institutions reporting in each year and discussion of coverage]

YEAR	Average daily resident-patient population	Normal capacity of	EXCESS OF POPULATION OVER CAPACITY (OVERCROWDING)		
		institutions	Number	Percent of capacity	
1943	107,948 112,518 104,041	100,169 105,012 99,749	7,779 7,506 4,292	7.8 7.1 4.3	

#### TABLE 91.—ADMINISTRATIVE STAFF, FULL-TIME AND PART-TIME, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY OCCUPATION AND SEX, FOR THE UNITED STATES: 1943 AND 1942

[See Appendix B for number of institutions reporting in each year and discussion of coverage]

OCCUPATION AND TYPE OF EMPLOYEE	1943			1942		
	Total1	Male	Female	Total	Male	Female
Full-time employees		6,068	8,314	14,895	6,968	7,92
Superintendents and physicians	303	231	52	311	262	4
Superintendents	81	76	3	77	74	1
Assistant superintendents	35	26	7			
			1 1	38	32	
Clinical directors	7	7	_	9	9	-
Pathologists.	5	4	-	5	4	
Medical specialists	2	2		2	2	_
Staff physicians	169	113	41	170	131	3
Consulting physicians					-01	
Medical internes	4	3	1	10	10	_
sychologists and psychometrists	58	15	38	54	18	3
Dentists	43	37	2	45	44	
Dental assistants	11	1	10	15	2	1
harmacists	16	11	3	14	11	
Distribution of the state of th	3		0			
Clinical assistantsaboratory and X-ray technicians		1		3	1	
aboratory and X-ray technicians	46	10	32	39	13	20
rincipals and teachers	609	77	517	584	98	48
Principals of schools	45	8	36	58	10	4
Teachers of grade subjects	331	17	301	301	23	27
Teachers of special subjects	233	52	180	225	65	16
Graduate nurses	346	25	285	382	73	30
Other nurses and attendants	7,826	2,614	4,726	7,680	3,056	4,62
herapists and assistants	242	84	128	207	87	12
Occupational therapists and assistants	82	11	59	71	23	4
	02	11	39		25	4
Hydrotherapists and assistants	_		_	1	_	
Physiotherapists and assistants	2	_	2	4	1	
Industrial supervisors and instructors	139	73	66	128	62	€
Other therapists and assistants	19	-	. 1	3	1	
Dietitians	49	5	41	52	9	4
ocial workers and field workers	90	12	70	109	42	6
Psychiatric social workers	27	1	25	38	2	3
Other trained social workers	62	11	44	56	26	3
Field workers	1		1	15	14	
	82	72	8	78	72	
tewards						4.5
Elerical employees	755	115	569	660	183	47
Other employees	4,912	2,758	1,833	4,662	2,997	1,66

<sup>1</sup> Includes statistics for employees of institutions in Illinois for whom sex was not reported.



TABLE 91.—ADMINISTRATIVE STAFF, FULL-TIME AND PART-TIME, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY OCCUPATION AND SEX, FOR THE UNITED STATES: 1943 AND 1942-Con.

[See Appendix B for number of institutions reporting in each year and discussion of coverage]

OCCUPATION AND TYPE OF EMPLOYEE	1943			1942		
	Total <sup>1</sup>	Male	Female	Total	Male	Female
Part-time employees	167	146	19	171	159	12
Superintendents and physicians	77	75	1	90	90	
Superintendents	_	_	_	_	_	_
Assistant superintendents Clinical directors		_	_		_	_
Clinical directors	-	_	_		_	_
Pathologists	_	_	_	1	1	_
Medical specialists	1	_	_	l îl	i	_
Staff physicians	9	9	_	6	6	_
Consulting physicians.	67	66	1	81	81	
Medical internes	-	_		1	1	_
Psychologists and psychometrists	4	1	3	4	1	3
Dentists	30	30	_	30	30	_
Dental assistants	-	_	_	1	_	1
Pharmacists	2	2 2	_	3	3	_
Clinical assistants	2	2	_	-	_	_
Clinical assistants	1	_	1	2	1	1
Principals and teachers	14	4	10	8	6	2
Principals of schools	1	-	1	1	1	_
Teachers of grade subjects Teachers of special subjects	7	_	7	-	-	_
Teachers of special subjects	6	4	2	7	5	2
		_	_	-	-	_
Other nurses and attendants	2	1	1	3	-	3
Therapists and assistants	_	_	_	-	_	-
Occupational therapists and assistants	-	_	_	-	-	_
Hydrotherapists and assistants	-	_	-	-	_	-
Physiotherapists and assistants	-	_	_	-	-	_
Industrial supervisors and instructors	=	_	_	_	-	_
Industrial supervisors and instructors. Other therapists and assistants.	-		_	-	-	_
Dietitians	_	-	_	_	_	_
Social workers and field workers	_	_	_	_		_
Psychiatric social workers	_	_	_	_	_	_
Other trained social workers		_	_	_	_	_
Field workers	_	_	_	_	_	_
Stewards			_	2	2	_
Clerical employees	3	-	2	ī		1
Other employees	32	31	1	27	26	î
Average daily resident-patient population <sup>2</sup>	106,233	_	_	100,100	_	_

<sup>&</sup>lt;sup>1</sup> Includes statistics for employees of institutions in Illinois for whom sex was not reported.
<sup>2</sup> Includes only population of institutions reporting administrative staff.

#### TABLE 92.—ANNUAL TOTAL EXPENDITURE OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY PURPOSE OF EXPENDITURE, FOR THE UNITED STATES: 1941 TO 1943

[See Appendix B for number of institutions reporting in each year and discussion of coverage]

YEAR	Total expenditure	EXPENDITURE FOR MAINTENANCE				
		Total	Salaries and wages	Purchased provisions		
1943 1942 1941	1 \$24,369,833 33,446,506 33,322,135	<sup>2</sup> \$35,653,640 31,384,296 29,828,633	<sup>2</sup> \$18,832,645 15,864,810 15,597,660	<sup>2</sup> \$7,291,655 6,436,125 5,764,873		
YEAR	EXPENDITURE FOR MAINTENANCE		Additions, improvements,	Average daily resident-patient		
	Fuel, light, and water	Other maintenance	and other expenditures	population <sup>3</sup>		
1943	<sup>2</sup> \$3,237,032 2,914,805 2,692,116	<sup>2</sup> \$6,292,308 6,168,556 5,773,984	<sup>2</sup> \$746,772 2,062,210 3,493,502	102,607 99,540 103,196		

Excludes statistics for Massachusetts, New York, and Maryland.
 Includes estimated expenditure for maintenance for Massachusetts, New York, and Maryland institutions.
 Includes only population of institutions reporting expenditures.

TABLE 93.—AVERAGE DAILY RESIDENT-PATIENT POPULATION AND NORMAL CAPACITY OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY DIVISIONS AND STATES: 1943 AND 1942

[See Appendix B for number of institutions reporting in each year and discussion of coverage. A minus sign (—) denotes excess of capacity over population]

	AVERAGI		NORMAL (	CAPACITY		CAPACITY (	OPULATION OVERCROWDI	NG)
DIVISION AND STATE	POPULA		OF INSTI	TUTIONS	Num	ber	Percent of	capacity
	1943	1942	1943	1942	1943	1942	1943	1942
United States	107,948	112,518	100,169	105,012	7,779	7,506	7.8	7.
NEW ENGLAND	11,476	11,556	10,297	10,797	1,179	759	11.4	7.
Maine	1,077 679 390 6,296 840 2,194	1,072 634 387 6,751 758 1,954	1,110 720 408 4,794 565 2,700	1,110 720 408 5,294 565 2,700	-33 -41 -18 1,502 275 -506	-38 -86 -21 1,457 193 -746	-3.0 -5.7 -4.4 31.3 48.7 -18.7	$ \begin{array}{r} -3. \\ -11. \\ -5. \\ 27. \\ 34. \\ -27. \end{array} $
MIDDLE ATLANTIC	32,185	33,881	26,000	27,523	6,185	6,358	23.8	23.
New York New Jersey Pennsylvania	19,833 5,137 7,215	21,919 5,072 6,890	15,756 4,426 5,818	17,279 4,426 5,818	4,077 711 1,397	4,640 646 1,072	25.9 16.1 24.0	26. 14. 18.
East North Central	26,196	28,862	25,505	28,520	691	342	2.7	1.
OhioIndianaIllinoisMichiganWisconsin	7,536 3,188 8,771 6,701	7,636 3,128 8,858 6,934 2,306	7,217 3,099 8,705 6,484	7,457 3,102 9,703 6,434 1,824	319 89 66 217	179 26 845 500 482	4.4 2.9 0.8 3.3	2. 0. 8. 7. 26.
WEST NORTH CENTRAL	14,320	14,152	14,579	14,355	-259	-203	-1.8	-1.
Minnesota	3,559 3,370 2,080 965 675 1,497 2,174	3,539 3,343 2,088 953 666 1,514 2,049	3,358 3,633 2,225 1,034 700 1,636 1,993	3,358 3,492 2,192 1,025 700 1,626 1,962	$     \begin{array}{r}       201 \\       -263 \\       -145 \\       -69 \\       -25 \\       -139 \\       181     \end{array} $	181 -149 -104 -72 -34 -112 87	6.0 -7.2 -6.5 -6.7 -3.6 -8.5 9.1	5. -4. -7. -4. -6. 4.
SOUTH ATLANTIC	7,010	7,226	7,097	6,961	87	265	-1.2	3.
Delaware	465 1,350 639 1,938 476 771 832 539	460 1,355 732 1,967 80 796 821 443 572	475 1,432 672 1,827 515 826 800 550	475 1,390 644 1,827 90 825 700 460 550	-10 -82 -33 111 -39 -55 -32 -11	-15 -35 88 140 -10 -29 121 -17 22	-2.1 -5.7 -4.9 6.1 -7.6 -6.7 4.0 -2.0	-3. -2. 113. 7. -11. -3. 17. -3. 4.
EAST SOUTH CENTRAL	1,919	1,904	1,801	1,801	118	103	6.6	5
Kentucky Tennessee Alabama Mississippi	721 849 349	740 820 344	576 	576 850 375	$\begin{array}{c} 145 \\ -1 \\ -26 \end{array}$	$ \begin{array}{r} 164 \\ -30 \\ -31 \end{array} $	25.2 -0.1 -6.9	28 -3 -8
WEST SOUTH CENTRAL.	4,353	4,723	4,486	4,662	-133	61	-3.0	. 1
Louisiana Oklahoma Texas	840 3,513	850 249 3,624	595 3,891	605 250 3,807	245 -378	245 1 183	41.2 -9.7	40 -0 -4
MOUNTAIN	2,817	2,828	3,435	3,424	-618	596	-18.0	—17
Montana Idaho Wyoming Colorado New Mexico Utah	477 569 387 751 76 557	453 560 394 744 77 600	750 617 360 925 78 705	750 604 360 925 80 705	$     \begin{array}{r}       -273 \\       -48 \\       27 \\       -174 \\       -2 \\       -148     \end{array} $	297 44 34 181 3 105	-36.4 -7.8 7.5 -18.8 -2.6 -21.0	-39 -7 9 -19 -3 -14
Pacific	7,672	7,386	6,969	6,969	703	417	10.1	6
Washington Oregon California	1,923 1,038 4,711	1,837 1,023 4,526	1,700 1,000 4,269	1,700 1,000 4,269	223 38 442	137 23 257	13.1 3.8 10.4	8. 2. 6.



TABLE 94.—ADMINISTRATIVE STAFF, FULL-TIME, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY OCCUPATION, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 79 State and 2 city institutions. See Appendix B for discussion of coverage]

DIVISION AND STATE	Total	Superintendents and physi- cians	Psycholo- gists and psychom- etrists	Dentists	Dental assist- ants	Pharma- cists	Clinical assist- ants	Labora- tory and X-ray tech- nicians	Princi- pals and teacher
United States	15,391	303	58	43	11	16	3	46	60
NEW ENGLAND	1,919	45	14	6	1	3	_	9	9
Maine New Hampshire	141	3	1	_	_	_	_	_	
Vermont	136 53	3 2	1	_	_	_	_	_	
Massachusetts	950	27	7	4	_	3	_	5	3
Rhode Island Connecticut	$\frac{97}{542}$	8	5		. 1	_	=	4	3
MIDDLE ATLANTIC	5,126	93	15	14	3	4	_	19	16
New York	3,430	59	6	9	1	3		9	8
New Jersey	768	19	5	2	_	-	_	3	3
Pennsylvania	928	15	4	3	. 2	1	-	7	4
EAST NORTH CENTRAL	3,620	59	15	8	3	4	3	8	12
Ohio	866	14	1	2	_	1	1	1	2
Indiana	420	7	1	-	1	_	_	_	2
Illinois Michigan	1,009 $1,325$	20 18	5 8	4 2	2	2	2	4 3	1 6
West North Central	1,758	36	4	6	2	2	-	3	8
Minnesota	477 438	7 10	2	2 2	1	2	_	1 2	1 2
Missouri	306	6	1	_	_	_	_	_	1
North Dakota	125	3	_	_	_	_	_	_	1
South Dakota	74 116	3 3	1	1	_	_	_	_	
Nebraska Kansas	222	4	_		_	_	=	=	
SOUTH ATLANTIC	915	24	4	2	_	_	_	1	4
Delaware	80	2	1	_		_		_	
Maryland	185	6	-	1	-	_	_	_	1
Dist. of Columbia	128	2	1	1	_	_	_	-	
Virginia West Virginia	196 38	6			_	_	_	1	
North Carolina	106	3 2 2	1	_	_	_	_	_	
South Carolina	129	2	1	_	_	-	_	_	1
Georgia Florida	53	1	_	_	_	_	_	_	-
East South Central	228	6							1
		-							
Kentucky Tennessee	92	2	_	_	_	_	_	_	
Alabama	110	3	_	_	_	-	-	_	
Mississippi	26 464	9	2	2				2	3
	404	9			1	1			
Arkansas	140	_	-	-	_	-	_	-	-
Louisiana Texas	$\frac{143}{321}$	3 6	1	1	1	1	=	1	2
MOUNTAIN	368	10	1	1	_	_	_	_	1
Montana	57	3		1					
Idaho	44	1	-	-	_	_	_		-
Wyoming	54	1	_	_	_	_	_	_	
Colorado	101 11	3 1	_	_	_	_	_	_	
New MexicoUtah	101	1	1	_	=	_		_	
PACIFIC	993	21	3	4	1	2	_	4	
Washington	241	6		1					1
Oregon	122	3	_	_		_	_	_	
California	630	12	3	3	1	2	_	4	1



TABLE 94.—ADMINISTRATIVE STAFF, FULL-TIME, OF PUBLIC INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS, BY OCCUPATION, BY DIVISIONS AND STATES: 1943—Con

DIVISION AND STATE	Gradu- ate nurses	Other nurses and at- tendants	Therapists and assistants	Dieti- tians	Social workers and field workers	Stew- ards	Clerical em- ployees	Other em- ployees	Average daily resident- patient popu- lation <sup>1</sup>	Ratio
United States_	346	7,826	242	49	90	82	755	4,912	106,233	144.9
NEW ENGLAND	45	924	36	10	11	14	87	624	11,476	167.5
Maine	5 3 1 24 1 11	59 53 28 473 46 265	$\frac{5}{25}$ $\frac{25}{6}$	$\frac{1}{\frac{6}{3}}$	1 7 2	$-\frac{4}{4}$ $\frac{1}{7}$ $-\frac{2}{2}$	7 4 3 45 4 24	55 60 14 279 36 180	1,077 679 390 6,296 840 2,194	130.9 200.3 135.9 150.9 115.5 247.0
MIDDLE ATLANTIC	158	2,623	117	11	35	18	274	1,573	32,185	159.3
New York New Jersey Pennsylvania	111 22 25	1,963 313 347	83 20 14	4 2 5	25 5 5	10 3 5	167 73 34	894 262 417	19,833 5,137 7,215	172.9 149.5 128.6
East North Central	65	1,793	55	12	25	13	215	1,215	25,852	140.0
OhioIndiana Illinois Michigan	3 3 36 23	482 191 486 634	$\begin{array}{c} 3 \\ 15 \\ 30 \\ 7 \end{array}$	2 1 3 6	1 1 8 15	2 2 2 7	25 21 71 98	299 155 321 440	7,536 3,188 8,643 6,485	114.9 131.7 116.7 204.3
WEST NORTH CENTRAL	28	813	11	5	4	16	61	683	14,320	122.8
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	6 16 3 1 1 -	263 178 143 55 21 55 98	8 3 - - -	1 2 1 — 1	1 1 1 1	2 4 1 2 1 4 2	17 16 7 5 5 4 7	149 177 126 48 36 42 105	3,559 3,370 2,080 965 675 1,497 2,174	134.0 140.0 147.1 129.5 109.0 77.5 102.1
SOUTH ATLANTIC	24	525	16	5	2	9	36	224	6,930	132.0
Delaware	2 5 5 3 1 2 6	32 111 65 127 15 56 89	3 2 2 3 1 5	1 1 - 2 1 -	1 1 - - -	1 1 2 2 2 1 1 1	3 7 8 11 1 2 2 2	34 40 36 41 12 29 15 —	465 1,350 639 1,938 396 771 832 539	172.0 137.0 200.3 101.1 96.0 137.3 155.0
East South Central.	2	148	1	1	1	2	6	50	1,919	118.
Kentucky	. 1	48			1	_	3	30	721	127.
Tennessee Alabama Mississippi	1	91	1	<u>-</u>	=	1 1	2	9 11	849 349	129. 74.
West South Central	5	181	3	2	1	2	15	202	3,062	151.
Arkansas Louisiana Texas	3 2	64 117	<u>-</u>	= 2	<u>-</u>	- 1 1	- 6 9	54 148	840 2,222	170. 144.
MOUNTAIN	3	210	_	_	1	5	12	107	2,817	130.
Montana Idaho Wyoming Colorado New Mexico Utah	1 1 - - 1	24 30 31 55 8 62	. =	=======================================		1 - 3 - 1	2 1 2 2 2 5	21 11 15 37 2 21	477 569 387 751 76 557	119. 77. 139. 134. 144. 181.
PACIFIC	16	609	3	3	10	3	49	234	7,672	129.
Washington Oregon California	$\frac{5}{11}$	$   \begin{array}{r}     142 \\     62 \\     405   \end{array} $	_ 3	$-\frac{2}{1}$	$\frac{3}{7}$	1 2	15 2 32	56 47 131	1,923 1,038 4,711	125. 117. 133.

Includes only population of institutions reporting administrative staff.
 Represents number of full-time employees per 1,000 patients. Based on average daily resident-patient population. 646075-46-18



TABLE 95.—EXPENDITURE, TOTAL AND PER CAPITA, OF PUBLIC INSTITUTIONS FOR [Statistics based on reports from 77 State and 2 city

	Total	EXPE	NDITURE FOR MAINTENA	NCE <sup>2</sup>
DIVISION AND STATE	expenditure <sup>1</sup>	Total	Salaries and wages	Purchased provisions
United States	24,369,833	35,653,640	18,832,645	7,291,655
New England	2,199,658	4,573,645	2,429,966	822,913
Maine	382,341 239,291 99,016 	382,341 238,291 98,080 2,461,203 229,529 1,164,201	156,855 104,512 49,775 1,372,747 96,361 649,716	109,674 43,652 10,512 446,157 46,799 166,119
MIDDLE ATLANTIC	4,037,941	13,093,999	7,437,935	2,303,805
New York New Jersey Pennsylvania	1,984,942 2,052,999	9,153,530 1,964,089 1,976,380	5,470,521 968,708 998,706	$\substack{1,538,401\\356,756\\408,648}$
East North Central	8,170,165	7,968,872	4,251,598	1,694,596
Ohio Indiana Illinois Michigan Wisconsin	2,099,455 379,616 2,457,652 3,233,442	2,030,875 338,988 2,375,469 3,223,540	890,445 147,341 1,018,517 2,195,295	471,057 59,345 705,527 458,667
West North Central	3,602,564	3,441,092	1,495,706	961,410
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas	902,296 885,797 558,353 319,312 188,122 250,606 498,078	877,834 799,608 555,603 314,657 178,297 239,890 475,203	461,285 351,952 228,386 146,319 71,314 72,262 164,188	222,910 185,883 198,168 49,670 28,833 123,008 152,938
SOUTH ATLANTIC	1,546,217	1,949,264	784,671	477,518
Delaware	162,214 312,876 418,134 34,250 234,660 235,638 148,445	161,490 415,846 304,851 418,084 34,250 234,660 235,638	47,000 150,260 174,805 151,219 14,544 78,327 106,901	32,499 130,029 47,345 136,382 12,683 23,245 59,825 35,510
East South Central	272,401	252,420	95,453	61,471
Kentucky Tennessee Alabama Mississippi	206,320 — 66,081	205,378 — 47,042	86,468 — 8,985	42,525 — — 18,946
WEST SOUTH CENTRAL	852,101	828,188	360,939	259,904
Louisiana	308,906	300,742	142,732	95,947
Texas	543,195 740,959	527,446	218,207	163,957
Montana		684,753	296,263	137,750
Idaho Wyoming Colorado New Mexico Utah	159,506 110,535 260,323 28,998 181,597	155,799 107,494 218,671 25,066 177,723	51,595 — 46,539 80,141 12,274 105,714	47,735 17,162 51,521 4,469 16,863
PACIFIC	2,947,827	2,861,407	1,680,114	572,288
Washington Oregon California	725,942 243,111 1,978,774	701,786 237,031 1,922,590	318,195 120,430 1,241,489	211,295 38,625 322,368

<sup>&</sup>lt;sup>1</sup> Excludes statistics for Massachusetts, New York, and Maryland.
<sup>2</sup>Includes estimated expenditure for maintenance for Massachusetts, New York, and Maryland institutions.



MENTAL DEFECTIVES AND EPILEPTICS, BY DIVISIONS AND STATES: 1943

institutions. See Appendix B for discussion of coverage]

	EXPENDITURE FO	R MAINTENANCE	Additions, improvements,	Average daily resident-	Per capita expenditure
DIVISION AND STATE	Fuel, light, and water	Other	and other expenditures <sup>1</sup>	patient population <sup>3</sup>	for mainten ance
United States	3,237,032	6,292,308	746,772	102,607	\$347.48
NEW ENGLAND	440,261	880,505	87,216	11,476	398.54
Maine	59,522 25,016 11,087 192,153 27,882 124,601	56,290 65,111 26,706 450,146 58,487 223,765	1,000 936 — 13,030 72,250	1,077 679 390 6,296 840 2,194	355.01 350.94 251.49 390.92 273.25 530.63
MIDDLE ATLANTIC	1,082,540	2,269,719	97,472	32,185	406.84
New York New Jersey Pennsylvania	728,457 237,292 116,791	1,416,151 401,333 452,235	20,853 76,619	19,833 5,137 7,215	461.53 382.34 273.93
East North Central	808,587	1,214,091	201,293	23,940	332.87
OhioIndianaIllinoisMichiganWisconsin	262,216 58,457 218,313 269,601	407,157 73,845 433,112 299,977	68,580 40,628 82,183 9,902	7,536 1,276 8,643 6,485	269.49 265.66 274.84 497.08
WEST NORTH CENTRAL	346,404	637,572	161,472	14,320	240.30
MinnesotaIowa MissouriNorth Dakota South Dakota Nebraska Kansas	71,196 94,583 69,044 31,336 31,143 3,280 45,822	122,443 167,190 60,005 87,332 47,007 41,340 112,255	24,462 86,189 2,750 4,655 9,825 10,716 22,875	3,559 3,370 2,080 965 675 1,497 2,174	246.65 237.27 267.12 326.07 264.14 160.25 218.58
SOUTH ATLANTIC	192,815	494,260	12,799	6,634	293.83
Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida	27,166 47,169 38,404 36,331 1,300 19,112 10,447 12,886	54,825 88,388 44,297 94,152 5,723 113,976 58,465	724 8,025 50 — — — 4,000	465 1,350 639 1,938 100 771 832	347.29 308.03 477.08 215.73 342.50 304.36 283.22 267.99
East South Central	43,575	51,921	19,981	1,070	235.91
Kentucky Tennessee	32,879	43,506	942	721	284.85
Alabama Mississippi	10,696	8,415	19,039	349	134.79
VEST SOUTH CENTRAL	55,520	151,825	23,913	3,062	270.47
Louisiana Oklahoma Texas	11,618 43,902	50,445 	8,164 15,749	840 2,222	358.03 
MOUNTAIN	79,303	171,437	56,206	2,248	304.61
Montana	22,333	34,136	3,707	477	326.62
Idaho Wyoming Colorado New Mexico Utah	12,009 28,799 2,284 13,878	$ \begin{array}{r} 31,784 \\ 58,210 \\ 6,039 \\ 41,268 \end{array} $	3,041 41,652 3,932 3,874	387 751 76 557	277.76 291.17 329.82 319.07
PACIFIC	188,027	420,978	86,420	7,672	372.97
Washington Oregon California	66,435 23,200 98,392	105,861 54,776 260,341	24,156 6,080 56,184	1,923 1,038 4,711	364.94 228.35 408.11

Includes only population of institutions reporting expenditures.
 Based on average daily resident-patient population.



TABLE 96.—FIRST ADMISSIONS, MENTAL DEFECTIVES, TO ALL INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION AND CONTROL, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 478 hospitals and estimates for 2 State hospitals for mental disease and 178 institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

Maine New Hampshire Vermont Massachusetts Rhode Island Connectieut  MIDDLE ATLANTIC  New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Michigan Wisconsin  WEST NORTH CENTRAL  Minnesota Ilinois Michigan Wisconsin  West North Dakota South Dakota Nebraska Kansas  SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	58 47 40 79 28 01 12 87	Total   1,484   100   5   10   8   57   6   6   14   222   29   49   144   202	State  1,243  96  5 10 7 55 6 13 181  23 16 142	Veterans'  85  1  1 7  1 5	40	Private  116  3  1 1 1 1	Total  8,974  847  35 69 20 244 106 373	Public 7,907 747 35 69 20 221 106 296	Private 1,067 100
Maine	47 40 79 28 001 12 187 221 1887 1887 1887 1887 1887 1887 1887 1887 1887 1887 1887 1897 1	100 5 10 8 57 6 14 222 29 49 144 202	96 5 10 7 55 6 13 181 23 16 142	1  1  7		3 - 1 1 1	847 35 69 20 244 106	747 35 69 20 221 106	100
Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut  MIDDLE ATLANTIC New York New Jersey Pennsylvania EAST NORTH CENTRAL Michigan Wisconsin  WEST NORTH CENTRAL Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas South ATLANTIC Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	40 779 228 01 12 12 187 221 887 334 600 450 469 256 367 4119	5 10 8 57 6 14 222 29 49 144 202	5 10 7 55 6 13 181 23 16 142	- - 1 - 7	9	- 1 1 - 1	35 69 20 244 106	35 69 20 221 106	22
New Hampshire	79 228 001 112 187 221 887 334 600 450 450 450 450 169 256 374 4119	10 8 57 6 14 222 29 49 144 202	10 7 55 6 13 181 23 16 142	7	9	$\frac{1}{1}$	69 20 244 106	69 20 221 106	_
Vermont	28 01 12 87 221 887 34 600 450 450 450 450 450 450 450 450 450 4	8 57 6 14 222 29 49 144 202	7 55 6 13 181 23 16 142	7	9	$\frac{1}{1}$	20 244 106	20 221 106	_
Massachusetts	12 887 21 887 334 600 450 69 256 332 374 119	29 49 144 202	13 181 23 16 142	7	9	1	106	106	_
Connecticut	887 887 887 834 800 850 850 869 856 832 874 819 894	222 29 49 144 202	13 181 23 16 142	1	9				-
New York New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin  WEST NORTH CENTRAL  Minnesota Iowa Missouri North Dakota North Dakota Nebraska Kansas  South ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	887 834 800 850 856 932 874 119	29 49 144 202	23 16 142	1	9	0.		290	1
New Jersey Pennsylvania  EAST NORTH CENTRAL  Ohio Indiana Illinois Michigan Wisconsin  WEST NORTH CENTRAL  Minnesota Iowa Missouri North Dakota Nebraska Kansas  South Dakota Nebraska Kansas  SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	34 600 50 69 556 32 574 119	144 202	16 142			25	2,799	2,326	47
Pennsylvania 8  Cast North Central 2,4  Ohio 1 Indiana 1 Illinois Michigan 6 Wisconsin 8  West North Central 9  Minnesota 1 Iowa 1 Missouri 1 North Dakota 1 North Dakota 1 Nobraska 1 Kansas 1  Delaware 1 Maryland 1 Dist, of Columbia 1 Virginia 1 West Virginia 1 North Carolina 1 South Carolina 1 Georgia 1 Florida 1  East South Central 1  Kentucky 1 Tennessee 1 Alabama 1 Mississippi 1  West South Central 1  Arkansas 1  Arkansas 1  Louisiana 1 Oklahoma 1 Texas 1	600 69 256 32 374 119	202	142	5	_	5	1,858	1,672	18
Chio	69 256 32 374 119	202			9	19	285	196	8
Ohio Indiana Illinois Michigan Wisconsin  West North Central  Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas  South Atlantic  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas	69 256 32 574 119			1		1	656	458	19
Indiana Illinois Michigan Wisconsin  West North Central  Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas  South Atlantic  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  East South Central  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas	256 932 574 119		163	10	15	14	2,248	2,086	16
Illinois Michigan Wisconsin  West North Central Iowa Missouri North Dakota South Dakota Nebraska Kansas  South Atlantic  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  East South Central  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas  Arkansas  Louisiana Oklahoma Texas	)32 )74  19  94	41 17	38	4	1	8	428 239	423 239	_
Wisconsin West North Central Iowa Missouri North Dakota South Dakota Nebraska Kansas South Atlantic Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida East South Central Kentucky Tennessee Alabama Mississippi West South Central Arkansas Louisiana Oklahoma Texas	94	66	62	1	_	3	866	793	7
Minnesota  Iowa Missouri North Dakota South Dakota Nebraska Kansas  SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	994	36	31	5	14	-	638	631	7
Minnesota Iowa Missouri North Dakota South Dakota Nebraska Kansas SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	_	100	27		14	1	77	-	
Iowa Missouri Morth Dakota South Dakota Nebraska Kansas  South Atlantic  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  East South Central Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas		20	10	3	4	7	892	826	
Missouri North Dakota South Dakota Nebraska Kansas  SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  West SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	244	15	11	2	_	2	229	166 218	1
South Dakota Nebraska Kansas  South Atlantic  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  East South Central  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas	234	48	44	_	4	_	186	159	2
Nebraska Kansas  SOUTH ATLANTIC  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  East South Central  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas	63	5	5	_	_	_	58 40	45 40	1
Kansas  Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	122	6	6	_	_	_	116	105	1
Delaware Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	101	8	8	-	_	-	93	93	-
Maryland Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  East South Central  Kentucky Tennessee Alabama Mississippi  West South Central  Arkansas Louisiana Oklahoma Texas	930	378	321	9		48	552	525	2
Dist. of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	31	94	1 48	_	_	16	30	30	-
Virginia West Virginia North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	86	3	3	_	_	46	84 83	84 79	-
North Carolina South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	275	112	104	8	_	_	163	140	2
South Carolina Georgia Florida  EAST SOUTH CENTRAL  Kentucky Tennessee Alabama Mississippi  WEST SOUTH CENTRAL  Arkansas Louisiana Oklahoma Texas	143	77 24	77 22	_	_	2	66 20	66 20	1
Georgia. Florida.  EAST SOUTH CENTRAL.  Kentucky. Tennessee. Alabama. Mississippi.  WEST SOUTH CENTRAL.  Arkansas. Louisiana Oklahoma. Texas.	144	65	65	_	_		79	79	:
East South Central  Kentucky Tennessee Alabama Mississippi West South Central  Arkansas Louisiana Oklahoma Texas	2	2	1	1	_	_	-	-	-
Kentucky Tennessee Alabama Mississippi West South Central Arkansas Louisiana Oklahoma Texas	27	-	_	_	_	_	27	27	-
TennesseeAlabama Mississippi West South Central Arkansas LouisianaOklahoma Texas	283	138	101	23	12	2	145	112	- 3
Alabama	95 38	46 32	43	3	12		49	22	2
Mississippi West South Central Arkansas Louisiana Oklahoma Texas	67	15	13	5 15	12		52	52	
Arkansas Louisiana Oklahoma Texas	83	45	45	_	_	-	38	38	
Louisiana Oklahoma Texas	564	221	197	23	_	1	343	327	1
Oklahoma Texas	100	100	93	7	_	_	_	_	
Texas	150	24 33	23	_	_	1	126	110	
MOUNTAIN	$\frac{33}{281}$	64	33 48	16	=	=	217	217	
	286	49	49	_	_	-	237	211	1
Montana	41	-	_	_	_	_	41	41	-
Idaho	51	2	2	_	_	_	49	49	1 .
Wyoming Colorado	$\frac{20}{98}$	24	24	=	=	=	20 74	20 48	
New Mexico	5	-	-	-	-	-	5	5	-
Arizona Utah	$\frac{20}{51}$	20	20	_	_	_	48	48	
Nevada	_	-	-	=	_	_	-	-	
PACIFIC		72	51	7	_	14	911	747	1
	983	17	12	5	-	-	110	110	
OregonCalifornia	983 127 130	17 38	15 24	2	_	14	113 688	113 524	1

TABLE 97.—FIRST ADMISSIONS AND READMISSIONS OF MENTAL DEFECTIVES TO PUBLIC INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 292 hospitals and estimates for 2 State hospitals for mental disease and 83 State and 2 city institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

тот.	L	COUNTY A	VETERAN AND CITY I IENTAL DI	OSPITALS	MENT	AL DEFEC	
All admissions (except transfers)	s- Read-	All ad- missions (except transfers)	First admis- sions	Read- missions	All ad- missions (except transfers)	First admis- sions	Read- missions
es 10,318 9,2	75 1,043	1,739	1,368	371	8,579	7,907	673
897 8	14 53	131	97	34	766	747	19
85	10 2 79 6 27 4 77 30	7 12 10 75	5 10 7 56	2 2 3 19	35 73 21 232	35 69 20 221	1
118 314 3	12 09 6 5	9 18	6 13	3 5	109 296	106 296	
2,798 2,5 1,919 1,6		230	197	33	2,568	2,326	24
253 2	26 27 27 25	29 36 165	24 30 143	5 6 22	1,890 217 461	1,672 196 458	218
2,581 2,2		263	188	75	2,318	2,086	233
248 2 956 8 839 6	$     \begin{array}{c cccc}       62 & 10 \\       48 & - \\       56 & 100 \\       67 & 172 \\       41 & 25      \end{array} $	46 9 95 47 66	39 9 63 36 41	$\frac{7}{32}$ 11 25	426 239 861 792	423 239 793 631	68
			93		917	826	0.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$     \begin{array}{c c}                                    $	118 18 14	13 13	$\frac{25}{5}$	214 225	166 218	9
57 51 114	07 34 50 7 40 11 11 3	$\frac{62}{9}$	48 5 6 8	$\frac{\frac{14}{4}}{1}$	179 48 51 107	159 45 40 105	1
	01 -	8	330	-	93	93	-
	$\frac{55}{31}$ $\frac{114}{2}$	415	1	85	32	525 30	2
82 82 283 2	$\begin{bmatrix} 32 \\ 82 \\ 52 \\ 43 \end{bmatrix} = \begin{bmatrix} 21 \\ -1 \\ 14 \end{bmatrix}$	65 3 131 84	48 3 112 77	$\frac{17}{19}$	88 79 152 73	84 79 140 66	1
159 31	14 12 14 15 2 2 29 27	24 76 31	22 65 2	11 29	20 83 	$\frac{20}{79}$	=
	18 42	174	136	38	116	112	
85 33 79	38 17 30 3 37 12 33 10	63 33 25 53	46 30 15 45	17 3 10 8	22 54 40	$\frac{22}{52}$	-
	17 66	272	220	52	341	327	1
127 1 143 1	00 27 33 10 33 6	127 26 39	100 23 33	27 3 6	117	110	
	81 23	80	64	16	224	217	7
	30 22	62	49	13	220	211	
53 20 81	41 4 51 2 20 — 72 9	$\frac{-3}{31}$	$\frac{-2}{24}$	$\frac{1}{7}$	45 50 20 50	41 49 20 48	-
23	20 3	23 5	20	3 2	50	$\frac{5}{48}$	
1 11				10	770		_
135 1		21	17	4	114	110	32
55 853 8 135 1 143 1	3	95 48 87 8					

TABLE 98.—DISCHARGES AND DEATHS OF MENTAL DEFECTIVES IN PUBLIC INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 292 hospitals and estimates for 2 State hospitals for mental disease and 83 State and 2 city institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

DIVISION AND STATE		TOTAL		COUNTY AT	VETERANS' ND CITY H ENTAL DIS	OSPITALS	FOR MEN	INSTITUT	CTIVES
<b>21.13.</b> 61. <b>21.1</b> 2 <b>2.11.12</b>	All sepa- rations (except transfers)	Dis- charges	Deaths	All sepa- rations (except transfers)	Dis- charges	Deaths	All sepa- rations (except transfers)	Dis- charges	Deaths
United States	9,034	6,880	2,154	1,673	1,290	383	7,361	5,590	1,771
NEW ENGLAND	597	420	177	131	114	17	466	306	160
Maine	39	10	29	8	4	4	31	6	25
New Hampshire Vermont	$\begin{array}{c} 72 \\ 24 \end{array}$	61 20	11	10 9	7 9	3	62 15	54 11	8
Massachusetts	342	275	67	71	70	1	271	205	66
Rhode Island Connecticut	43 77	22 32	21 45	19 14	11 13	8	24 63	11 19	13 44
MIDDLE ATLANTIC	2,547	2,068	479	193	138	55	2,354	1,930	424
New York	1,771	1,500	271	28	28	_	1,743	1,472	271
New Jersey Pennsylvania	350 426	304 264	46 162	124 124	36 74	5 50	309 302	268 190	41 112
East North Central.	2,433	1,808	625	313	245	68	2,120	1,563	557
Ohio Indiana	363 155	240 78	123 77	59 9	53	6 3	304 146	187 72	117 74
Illinois	1,029	781	248	129	108	21	900	673	227
Michigan Wisconsin	831 55	675 34	156 21	61 55	44 34	17 21	770	631	139
WEST NORTH CENTRAL	849	549	300	100	74	26	749	475	274
Minnesota	246	169	77	23	14	9	223	155	68
lowa Missouri	130 194	68 143	62 51	8 41	30	11	122 153	61 113	61
North Dakota	55	43	12	1	1	_	54	42	12
South Dakota Nebraska	61 111	46 73	15 38	1 16	1 14		60 95	45 59	15 36
Kansas	52	7	45	10	7	3	42	_	42
SOUTH ATLANTIC	793	619	174	344	250	94	449	369	80
Delaware Maryland	40 128	32 93	8 35	4 59	43	2 16	36 69	30 50	19
Dist. of Columbia	21	14	7	13	13	-	8	1 1	7
Virginia West Virginia	299 104	242 80	57 24	138 67	102 46	36 21	161	140 34	21
North Carolina	36	26	10	12	9	3	24	17	3 7
South Carolina Georgia	95 1	73	22	49	33	16	46	40	_6
Florida	69	58	11	1	1	-	68	57	11
EAST SOUTH CENTRAL	400	352	48	217	182	35	183	170	13
Kentucky Tennessee	132 41	105 32	27 9	95 41	77 32	18 9	37	28	9
Alabama Mississippi	$\frac{72}{155}$	70 145	10	15 66	15 58	-8	57 89	55 87	2 2
WEST SOUTH CENTRAL_	574	442	132	264	202	62	310	240	70
Arkansas	115	79	36	115	79	36	-	-	
LouisianaOklahoma	129 39	99 26	30 13	61 39	53 26	8 13	68	46	22
Texas	291	238	53	49	44	5	242	194	48
Mountain	249	203	46	54	38	16	195 27	165 25	30
MontanaIdaho	27 35	25 23	12	1	1	=	34	22	$\frac{2}{12}$
Wyoming	15	11	4	_	_	10	15	11	8
Colorado New Mexico	59 8	41 8	18	28	18	10	31 8	23 8	- 8
Arizona	14	13	1	14	13	1	-	-	-
Utah Nevada	91	82	9	11	6	5	80	76	4
Pacific	592	419	173	57	47	10	535	372	163
Washington	81	50	31	13	11	2	68	39	29
Oregon California	126 385	91 278	35 107	12 32	30	6 2	114 353	85 248	29 105

TABLE 99.—FIRST ADMISSIONS, EPILEPTICS, TO ALL INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION AND CONTROL, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 478 hospitals and estimates for 2 State hospitals for mental disease and 178 institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

	Total first ad-		HOSPITAL	S FOR MENTA	L DISEASE			TIONS FOR	
DIVISION AND STATE	missions	Total	State	Veterans'	County and city	Private	Total	Public	Private
United States	2,275	475	324	54	21	76	1,800	1,713	87
NEW ENGLAND	148	27	23	_	_	4	121	118	8
Maine	3	3	3	_	_	_	_	_	_
New Hampshire Vermont	5 2	5 2	5 2	=	=	. =	_	=	=
Massachusetts	103	2 6 2	6 2	_	_	_	97	96	1
Rhode Island Connecticut	6 29	9	5	_	_	4	20	18	2
MIDDLE ATLANTIC	711	49	34	3	1	11	662	622	40
New York	220	13	7	2		4	207	197	10
New Jersey Pennsylvania	99 392	10 26	4 23	1	1	4 3	89 366	83 342	24
				-					
Chic	461 175	12	33	10	<u> 14</u> 5	9	395 163	377 161	18
OhioIndiana	3	3	_	_	-	3	_	_	_
Illinois Michigan	144 120	27 15	21 8	4 3	=	2 4	117 105	111 105	_6
Wisconsin	19	9	_	_	9		10	-	10
WEST NORTH CENTRAL	296	44	17	1	2	24	252	244	8
Minnesota	80	12	7	1	_	4	68	68	. –
Iowa Missouri	73 38	8 13	1 4	=	- 2	7 7	65 25	65 22	3
North Dakota	7	1	1	_	-	_	6	5	3
South Dakota Nebraska	14 25	1 8	1 3	_		5	13 17	13 13	4
Kansas	59	1	-	-	-	1	58	58	_
SOUTH ATLANTIC	211	135	124	5	_	6	76	73	3
Delaware	10	4 11	4 9		-	-	6 7	6 5	2
Maryland Dist. of Columbia	18	1	1	$-\frac{2}{3}$	=	_	-	-	-1
Virginia	63	$\frac{22}{32}$	$\begin{array}{c} 17 \\ 32 \end{array}$	3	_	$\frac{-2}{2}$	41	40	_1
West Virginia North Carolina	60	60	58	_	=	2	=	-	_
South Carolina	11	3	3	-	-	2	8	8	
Georgia Florida	14	2	_	=	=		14	14	=
EAST SOUTH CENTRAL	56	41	25	11	4	1	15	15	_
Kentucky	12	12	9	3		_	-	-	
TennesseeAlabama	5 9	5	1	5	4	1	3	3	_
Mississippi	30	18	15	3	-	-	12	12	_
WEST SOUTH CENTRAL	218	70	40	18		12	148	146	2
Arkansas	23 31	23 12	19 10	4	_	2	19	17	2
LouisianaOklahoma	14	14	8	_	-	6	_	_	_
Texas	150	21	3	14	-	4	129	129	. –
MOUNTAIN	59	23	22			1	36	36	
MontanaIdaho	6 14	- 1	1	= = = = = = = = = = = = = = = = = = = =	=	=	6 13	13	=
Wyoming	11	7	7	-	-	-	4	4	_
Colorado New Mexico	14	5	4	_	=	1 -	9	9	_
Arizona.	9	9	9	_	_	_	_	_	_
Utah Nevada	5	1	1	_		=	4	4	=
							05	99	10
PACIFIC Washington	115	5	- 6 1	6		8	95	12	13
WashingtonOregon	4	4	2	2	=	_	- 1	-	_
California	94	11	3	-	-	8	83	70	13

TABLE 100.—FIRST ADMISSIONS AND READMISSIONS OF EPILEPTICS TO PUBLIC INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION, BY DIVISIONS AND STATES: 1943

Statistics based on reports from 292 hospitals and estimates for 2 State hospitals for mental disease and 83 State and 2 city institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

DIVISION AND STATE		TOTAL		COUNTY A	VETERAN AND CITY F ENTAL DI	HOSPITALS	MENT	INSTITUTI TAL DEFEC ND EPILEP	TIVES
	All ad- missions (except transfers)	First admis- sions	Read- missions	All ad- missions (except transfers)	First admis- sions	Read- missions	All ad- missions (except transfers)	First admis- sions	Read- missions
United States	2,426	2,112	314	521	399	122	1,905	1,713	192
NEW ENGLAND	177	141	36	42	23	19	135	118	17
Maine New Hampshire	5 6	3 5	2	5 5	3 5	2		=	-1
Vermont	2	102	27	17	6	-	-	-	_
Massachusetts Rhode Island Connecticut	129 9 26	6 23	3 3	5 8	5	11 3 3	112 4 18	96 4 18	16
MIDDLE ATLANTIC	695	660	35	40	38	2	655	622	33
New York	228	206 89	22	10	9 6	1	218	197	21
New Jersey Pennsylvania	94 373	365	8	24	23	1	88 349	83 342	5 7
East North Central.	518	434	84	88	57	31	430	377	53
OhioIndiana	215	173	42	20	12	8	195	161	34
Illinois Michigan Wisconsin	162 127 14	136 116 9	26 11 5	38 16 14	25 11 9	13 5 5	124 111	111 105	13 6
WEST NORTH CENTRAL.	305	264	41	24	20	4	281	244	37
Minnesota	98	76	22	8	8	_	90	68	
Iowa Missouri	68 32	66	2 4	1 8	1 6		67 24	65 22	22 2 2
North Dakota	6	6	_	1 1	1	_	5	5	_
South Dakota Nebraska Kansas	17 17 67	14 16 58	3 1 9	3 3	3	<u>-2</u>	14 14 67	13 13 58	1 1 9
SOUTH ATLANTIC	236	202	34	150	129	21	86	73	13
Delaware	14	10	4	8	4	4	6	6	_
Maryland Dist. of Columbia	18	16 1	2	13	11	2	5	5	=
Virginia	78	60	18	26 36	20 32	6	52	40	12
West Virginia North Carolina	36 63	32 58	5	63	58	5	_	_	=
South Carolina Georgia	12	11	1	3	3	_	9	8	1
Florida	14	14	=	-	-	_	14	14	=
East South Central	72	55	17	56	40	16	16	15	1
Kentucky Tennessee	16	12 5	4	16 6	12 5	4	_	_	_
Alabama Mississippi	12 38	8 30	8	8 26	5 18	3 8	4 12	3 12	1
West South Central	254	204	50	80	58	22	174	146	28
Arkansas	35	23	12	35	23 10	12	-	-	
Louisiana Oklahoma	29 8	27 8	2	10 8	8 17	_	19	17	2
Texas	182	146	36	27	17	10	155	129	26
MOUNTAIN	65	58	7	26	22	4	39	36	3
MontanaIdaho	7 15	6 14	1 1	1	1	=	7 14	6 13	1
Wyoming	12	11	1 1 1	1 7 5	1 7 4	-1	5 9	4	1
Colorado New Mexico	14	13	_	-			_	9	=
Arizona Utah	12 5	9 5	3	12	9	3	4	-4	=
Nevada	-	-	-	-	-	-	-	-	_
PACIFIC	104	94	10	15	12	3	89	82	7
Washington Oregon	18	17 4	1 2	5 6	5 4		13	12	1
California	80	73	7	4	3	1	76	70	6

## TABLE 101.—DISCHARGES AND DEATHS OF EPILEPTICS IN PUBLIC INSTITUTIONS FOR PERMANENT CARE OF MENTAL PATIENTS, BY TYPE OF INSTITUTION, BY DIVISIONS AND STATES: 1943

[Statistics based on reports from 292 hospitals and estimates for 2 State hospitals for mental disease and 83 State and 2 city institutions for mental defectives and epileptics. Statistics for State hospitals and institutions in Massachusetts, New York, and Maryland represent figures for a nine-month period adjusted to an annual basis]

DIVISION AND STATE		TOTAL		COUNTY A	VETERANS' ND CITY HO ENTAL DISE	SPITALS	FOR MEN	INSTITUT	CTIVES
	All sepa- rations (except transfers)	Dis- charges	Deaths	All sepa- rations (except transfers)	Dis- charges	Deaths	All sepa- rations (except transfers)	Dis- charges	Deaths
United States	2,202	1,193	1,009	524	406	118	1,678	787	89
NEW ENGLAND	153	86	67	38	38	_	115	48	6
Maine	6	6	7	6	6	_			-
New Hampshire Vermont	8	1	4	3 1	3	=	5	1	-
Massachusetts	111	61	50	17	17	_	94	44	5
Rhode Island Connecticut	5 22	10	12	7.	7	=	1 15	3	1
MIDDLE ATLANTIC	587	277	310	45	41	4	542	236	30
New York	309	159	150	15	15		294	144	15
New Jersey	109	61	48	6	5	1	103	56	4
Pennsylvania	169	57	112	24	21	3	145	36	10
EAST NORTH CENTRAL.	479	294	185	74	65	9	405	229	17
Ohio	216	101	115	8	5	3	208	96	11
Indiana Illinois	89	83	6	2 48	43	5	41	40	-
Michigan	166	102	64	10	9	1	156	93	6
Wisconsin	6	6	_	6	6	_	_	_	-
WEST NORTH CENTRAL.	291	141	150	46	34	12	245	107	13
Minnesota	105 39	74 14	31 25	10	4 2	6	95 36	70 12	2
Iowa Missouri	46	28	18	12	9	3	34	19	1
North Dakota	14	8 3	6	6 2	6 2	_	8 7	2	
South Dakota Nebraska	26	9	6 17	10	9	1	16	1	1
Kansas	52	5	47	3	2	1	49	3	4
SOUTH ATLANTIC	222	111	111	138	76	62	84	35	4
Delaware	. 8	5	3	5	5	_	3	_	
Maryland Dist. of Columbia	16 9	10 2	6 7	14 2	10 2	4	2 7	=	2
Virginia	84	49	35	30	22	8	54	27	
West Virginia North Carolina	43 44	30	13 38	43 41	30	13 36	3	1	-
South Carolina	7	4	3	3	2	1	4	2	
Georgia Florida	11	5	6	=	=	_	11	5	-
EAST SOUTH CENTRAL	88	76 18	$\frac{12}{2}$	61 20	18	$\frac{4}{2}$	27	19	
Kentucky Tennessee	10	10		10	10			_	
Alabama	12 46	6 42	6 4	27	3 26	1 1	8	3 16	
WEST SOUTH CENTRAL	239	145	94	79	65	14	160	80	- 8
Arkansas Louisiana	36 22	31 8	5 14	36 8	31	5 6	14	6	
Oklahoma	16	13	3	16	13	3	_	-	1 :
Texas	165	93	72	19	19	_	146	74	1
MOUNTAIN	59	27	32	31	19	12	28	8	
Montana Idaho	1 5	1 1	4	1	1	=	1 4	1	
Wyoming	20	8 3	12	14	4	10	6	4	
Colorado New Mexico	15	3	12	1	1	=	14	2	1
Arizona	13	12	1	13	12	1	- 3	_	
Utah Nevada	.5	2	3	2	1	1	3	1	
		_			-	_	_	-	
PACIFIC	84	36	48	12	11	1	72	25	
Washington Oregon	21 2	10 2	11	5 2 5	5 2	_	16	5	
			37				56		

#### **APPENDIXES**

Appendix	<b>A</b> .	$\mathbf{H}$	ospii	tals	for m	ienta	l d	lise	eas	se:	C	ov	er	a	ge	aı	nd
			clas	sific	ation		• •			• •				•		• •.	• •
	_	_			_			_	_					_			

Appendix B. Institutions for mental defectives and epileptics: Coverage and classification ......

### APPENDIX A. HOSPITALS FOR MENTAL DISEASE: COVERAGE AND CLASSIFICATION

#### **COVERAGE**

State, veterans', and psychopathic hospitals.—Each of these types of hospital for mental disease constitutes a clearly defined group. For each year between 1934 and 1943 coverage is substantially complete or, for most years, a statement as to hospitals from which schedules were not received is made in the report for that year. In 1943 there were two State hospitals from which schedules were not received: Montana State Hospital and New Mexico State Hospital. Estimates of the movement of population in these hospitals based on reported figures for patient population, admissions and separations have been made and these figures are included in the statistics presented for 1943. In the 1943 tables presenting data on the diagnosis of admissions and separations, figures for these hospitals are carried in the class, "Mental disorder not reported." Similarly, in the historical tables estimates are included for 2 State hospitals for 1942 and for 3 State hospitals and one veterans' hospital for the year 1940. Administrative statistics are generally less completely reported than statistics on other subjects and the statistics presented on administration are based on the number of hospitals reporting them in each year.

In Massachusetts, New York, and Maryland the terminal date of the fiscal year for State hospitals was changed during 1943, with the result that statistics were reported only for a nine-month period. The statistics presented for these States, include, for most State hospitals, the nine-month figures on the detailed characteristics of patients adjusted to actual annual totals for admissions and separations.

The statistics presented for veterans' hospitals include for the first time, figures for the United States Public Health Service Hospital, Lexington, Kentucky; and the Veterans' Administration Facilities, Murfreesboro, Tennessee, and Tuscaloosa, Alabama.

Of the psychopathic hospitals covered by the 1942 report, one hospital, Galveston State Psychopathic Hospital, Galveston, Texas, has gone out of existence. The statistics presented in this report, however, cover three new psychopathic hospitals: Western State Psychiatric Hospital, Pittsburgh, Pennsylvania; the Psychopathic Observation Clinic, Delaware State Hospital, Farnhurst, Delaware; and the Langley Porter Clinic Medical Center, San Francisco, California.

County, city, and private hospitals.—Although there are some county and city hospitals which are in every way comparable to State hospitals for mental disease, there are a considerable number of county institutions which are only partially devoted to the care of psychiatric patients. It is quite possible that in various years schedules were not sent to all of the latter



institutions, nor were the schedules sent returned by all of them. Similarly, in those States in which there is no central State system of hospital registration, it is possible that schedules were not sent to all private hospitals, and not all of the hospitals to which schedules were sent returned them. However, the probability that a hospital will be listed in available sources of information on the number of hospitals of a given type, and the probability that it will return schedules, tend to vary directly with its size. Hence, the statistics for county, city, and private hospitals are substantially complete with respect to the total number of patients involved.

Psychiatric wards of general hospitals.—The collection of statistics for the psychiatric wards of general hospitals on the annual basis began in 1939, although these data were collected in the decennial censuses of 1933 and 1923. The problems of obtaining complete coverage for this group of hospitals are similar to those which arise in the case of county and private hospitals, and the reporting is less complete. In 1942 and 1943, as indicated in the body of the text, statistics for the general and station hospitals operated by the armed forces have been excluded. Although a majority of these hospitals are new, several of them, such as Walter Reed Hospital in Washington, D. C., and Letterman General Hospital in San Francisco, California, have been included among general hospitals in previous years.

TABLE A. HOSPITALS REPORTING DATA ON MENTAL PATIENTS, BY TYPE OF HOSPITAL AND CONTROL: 1934 TO 1943

Number of hospitals reporting: 1934 to 1943.—The number of hospitals of each type reporting in each year between 1934 and 1943 is indicated in table A.

YEAR _	HOSPITALS FOR THE PERMANENT CARE OF PSYCHIATRIC PATIENTS				HOSPITALS FOR THE TEM- PORARY CARE OF PSYCHIATRIC PATIENTS	
	State	Veterans'	County and city	Private	Psychopathic	General
943	186	31	75	186	.8	105
942	185	28	75	176	6	97
941	180	27	92	182	7	95
940	178	26	80	187	7	71
939	180	27	100	198	7	75
938	178	26	67	193	7	
937	176	26	65	211	7	
936	176	25	67	199	8	
935	174	22	67	209	7	
934	172	22	69	206	8	

Number of hospitals reporting administrative statistics.—Statistics on overcrowding for 1942 and 1943 do not include estimates for the two State hospitals which did not return schedules in that year. Otherwise the numbers of State, veterans', and psychopathic hospitals reporting this item are identical with the numbers presented in table A for the period 1940 to 1943.

The number of State hospitals reporting data on administrative staff was 175 in 1943, 181 in 1942, and 174 in 1941. The corresponding numbers for veterans' hospitals were 31, 28, and 27, respectively; and for psychopathic hospitals 8, 6, and 6, respectively.

The number of State hospitals reporting data on expenditures was 172 in 1943, 181 in 1942, and 175 in 1941. The corresponding numbers for veterans' hospitals were 31, 28, and 27, respectively. Six psychopathic hospitals reported data in each year.



#### **CLASSIFICATION**

Irregular classifications.—As indicated in the body of the text, the classification of hospitals by type of control is not completely rigid. In this classification effort is made to keep the number of categories within manageable limits and to classify marginal cases in terms of parallel function rather than strictly in terms of type of control. The hospitals which fall into this irregular group and their classifications are as follows:

1. St. Elizabeths Hospital, Washington, D. C.—This hospital is operated by the Federal Government but is classified as a State hospital since it performs the same function as a State hospital for residents of the District of Columbia.

2. Morningside Hospital, Portland, Oregon.—This hospital is privately owned but provides care for the mentally ill of Alaska for the Federal Government. It is classified as a State hospital.

3. Eloise Hospital, Eloise, Michigan.—This hospital is operated by Wayne County but is classified as a State hospital because it provides care for patients from Wayne County who normally would be cared for in the State hospitals of Michigan.

4. U. S. Public Health Service Hospitals, Fort Worth, Texas, and Lexington, Kentucky.—Formerly, these hospitals were devoted exclusively to the care of drug addicts, but have been opened to psychiatric casualties from the armed forces. In view of this function and the fact that patients are admitted without reference to State of residence prior to hospitalization, these hospitals have been classified as veterans' hospitals, although they are not operated by the Veterans' Administration.

Change of classification.—During 1942 county and city hospitals for mental disease in Pennsylvania were taken over by the State and integrated with the State hospital system. Consequently, county and city hospitals no longer exist in Pennsylvania, and seven hospitals were added to the list of State hospitals.

In 1943, Central Oklahoma State Hospital Annex, McAllister, Oklahoma, was converted from an institution for the care of mental defectives into a hospital providing specialized care for senile patients. Consequently, figures for this institution have been included with the statistics for State hospitals in this report.

Certain hospitals which prior to 1942 were classified as city, psychopathic, and private hospitals proved, on investigation, to be actually more akin to the psychiatric wards of general hospitals and consequently they were reclassified as such. The most important change was the reclassification of Cook County Psychopathic Hospital in Chicago. This hospital is actually a unit of Cook County General Hospital and from a statistical point of view is comparable with the psychiatric service of Bellevue Hospital in New York City or Gallinger Hospital in Washington, D. C.



# APPENDIX B. INSTITUTIONS FOR MENTAL DEFECTIVES AND EPILEPTICS: COVERAGE AND CLASSIFICATION

#### **COVERAGE**

State and city institutions.—The coverage for public institutions for mental defectives and epileptics has always been less complete than that for public hospitals providing permanent care for psychiatric patients. In 1943 the following State institutions failed to return schedules: Department for Defective Delinquents, Bridgewater, Massachusetts; Indiana Village for Epileptics, Newcastle, Indiana; Northern Wisconsin Colony and Training School, Chippewa Falls, Wisconsin; Southern Wisconsin Colony and Training School, Union Grove, Wisconsin; Georgia Training School for Mental Defectives, Gracewood, Georgia; Tennessee Home and Training School for Feebleminded, Donelson, Tennessee; and Northern Oklahoma Hospital, Enid, Oklahoma. Contrary to the procedure used in connection with State and veterans' hospitals for mental disease, estimates for these institutions have not been included in the statistics presented because coverage has been incomplete for most years and therefore definite totals have not been established. Like those for hospitals for mental disease, administrative statistics for institutions are generally less completely reported than statistics on other subjects and the statistics presented on administration are based on the number of institutions reporting them in each year.

Private institutions.—In those States in which there is no State supervision, it is possible that schedules were not sent to all institutions or schools, and not all of the institutions to which schedules were sent returned them. Since the probability that a private institution will be listed in the available sources of information on the number of institutions of a given type, and the probability that it will return schedules tend to vary directly with its size, the statistics presented for private institutions do not substantially understate the number of patients involved.

Number of institutions reporting: 1934 to 1943.—The number of each type of institution reporting in each year between 1934 and 1943 is indicated in table B.

Table B. Institutions Reporting Data on Mental Patients, by Type of Control: 1934 to 1943

. YEAR	State institutions	City institutions	Private institutions	
1943	83	2	93	
942	86	2	75	
941	80	2	70	
940	76	2	56	
939	76		59	
938	78	2	52	
937	81	2	54	
936	81	3	57	
935	80	3	66	
934	80	3	70	

Number of public institutions reporting administrative statistics.—The number of public institutions reporting information on overcrowding in each year between 1940 and 1942 is identical with the number presented for each year in table B.



The number of public institutions reporting data on administrative staff was 81 in 1943 and 80 in 1942. The number of public institutions reporting data on expenditures was 77 in 1943, 79 in 1942, and 80 in 1941.

#### **CLASSIFICATION**

Since the number of different agencies operating institutions for mental defectives and epileptics is small in comparison with hospitals for mental disease, there have been relatively few changes in classification. Central Oklahoma State Hospital Annex, McAllister, Oklahoma, formerly classified as an institution for mental defectives, has been reclassified as a hospital for mental disease and the statistics for this institution are included with the statistics for State hospitals presented in this report. Statistics for the Barboursville Unit of Weston State Hospital, Barboursville, West Virginia, formerly incorporated with the statistics for Weston State Hospital, were obtained separately for 1943 and appear in the statistics for institutions for mental defectives and epileptics.

☆ U. S. GOVERNMENT PRINTING OFFICE: 1945-646075

