


WO 100
W253s
1919
index

A



UC SOUTHERN REGIONAL LIBRARY FACILITY

000
510
524
2



COLLEGE OF OSTEOPATHIC PHYSICIANS
AND SURGEONS • LOS ANGELES, CALIFORNIA

UNIVERSITY OF CALIFORNIA
CALIFORNIA COLLEGE OF MEDICINE
201

IRVINE, CALIFORNIA 92664

Dr. H. E. Beaufort

JULY 1965
EASTMAN
KODAK
COMPANY

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

LIBRARY OF
COLLEGE OF PHYSICAL
PHYSIOLOGY

COMPLETE INDEX

TO

VOLUMES I, II, AND III

OF

WARBASSE'S
SURGICAL TREATMENT

2015179069
COURT OF COMMON PLEAS
LIBRARY

PHILADELPHIA AND LONDON

W. B. SAUNDERS COMPANY

1919

W0, 100
W253s
1919
index

Copyright, 1919, By W. B. Saunders Company

LIBRARY OF
COLLEGE OF SURGICAL PATHOLOGY
PHYSICIANS & SURGEONS

PRINTED IN AMERICA

COMPLETE INDEX OF SUBJECTS TO VOLUMES I, II, III

Abadie

ABADIE'S operation in glaucoma, ii. 161
Abbé's method of dilating esophageal stricture, ii. 438
Abbott's treatment of scoliosis, ii. 354
Abdomen, ii. 498
closure of, ii. 516
concussion of, ii. 535
contusions, ii. 535
fetus growing in, in ectopic pregnancy, iii. 436
landmarks, ii. 503
opening of, ii. 504
incisions for, ii. 504
combined, ii. 510
flap, ii. 510
lateral muscle-splitting, ii. 507
vertical, ii. 507
median, ii. 507
intramuscular, ii. 506
postmuscular, ii. 504
transverse, ii. 507
postmuscular, ii. 510
operations on, ii. 498
expiratory moan in, iii. 61
prevention of shock in, i. 215
regions of, ii. 499
relaxed, ii. 540
retention of uterus in, in Cesarean section, iii. 408
Abdominal aorta, aneurism of, i. 391
compression of, in hemorrhage, i. 360
ligation of, i. 426
belt for hernia, iii. 17
binders, i. 50
for movable kidney, iii. 154
blood for transfusion, iii. 818
carcinoma, inoperable, ii. 706
exercises for dysmenorrhea, iii. 396
hysterectomy, iii. 415
combined with vaginal, iii. 422
for cancer, iii. 421
partial, iii. 418
hysterotomy, iii. 404
obstetric, iii. 404
incision, transverse, ii. 507-512
muscles, rupture of, ii. 535
operations, ii. 498
adhesions in, blunt dissection of, ii. 522
extensive, ii. 523
interintestinal, ii. 522
omental, ii. 522
to anterior abdominal wall, ii. 522

Abdominal

Abdominal operations, adhesions in, treatment, ii. 522
binder for dressings, ii. 520
bowel movements after, ii. 531
closure of peritoneum in, ii. 516
of wound in, ii. 516
complications after, ii. 531, 534
control of bleeding in, ii. 515
drainage in, ii. 524
aspiration in, ii. 526
by counter opening, ii. 528
dangers, ii. 527
depth necessary for, ii. 528
gauze for, ii. 525
nonadhering, ii. 529
indications for, ii. 525
methods, ii. 526
objections to, ii. 525
oiled gauze, ii. 529
rectal, ii. 528
withdrawal of, ii. 527
dressing wound in, ii. 519
elevated-head position after, ii. 529
emergency feeding after, ii. 535
feeding after, ii. 534
figure-of-eight suture in, ii. 519
hemorrhage in, ii. 523
increasing abdominal pressure after, ii. 531
infection of wound in, ii. 537
instruments for, ii. 504
meteorism after, ii. 532
methods of dealing with, ii. 520
morphin after, ii. 531
nausea after, ii. 531
oxygen after, ii. 531
pain after, ii. 532
peritoneum in, ii. 498
pneumonia after, ii. 534
position of patient, ii. 499
post-operative treatment, ii. 529
preparation of patient, ii. 499
preventing leaving instruments in abdomen in, ii. 516
prevention of adhesions in, ii. 521
proctoclysis after, ii. 533
rectal tube after, ii. 531
retention of urine after, ii. 533
retraction of wound, ii. 515
shock after, ii. 532
sponging in, ii. 515
thirst after, ii. 533

Abdominal operations, time for getting up after, ii. 534
 toilet of peritoneum in, ii. 515
 treatment after, ii. 529
 vomiting after, ii. 531
 route, exposure of kidney by, iii. 163
 section, ii. 504
 ilio-inguinal, ii. 510
 in non-acute salpingitis, iii. 427
 local anesthesia in, i. 149
 low median, by superficial transverse incision, ii. 513
 median, ii. 510
 oblique postmuscular, ii. 511
 subcostal oblique, ii. 513
 vertical postmuscular, ii. 512
 sheets, i. 48
 sponges, i. 44
 wall, ii. 535
 actinomycosis of, ii. 538
 blood-supply, ii. 501
 cancer of, ii. 538
 echinococcus cysts of, ii. 538
 excessively fat, ii. 538
 fibroma molluscum of, ii. 538
 fibrosarcoma of, ii. 538
 infections of, ii. 536
 landmarks, ii. 503
 lipoma of, ii. 538
 nerve supply, ii. 501
 nevus of, ii. 538
 operations on, local anesthesia in, i. 148
 pendulous, ii. 540
 relaxed, ii. 540
 sarcoma of, ii. 538
 stitch-hole abscesses in, ii. 537
 structures of, ii. 500
 tumors of, ii. 538
 wounds of, ii. 535
 Abdominosacral proctectomy for rectal cancer, iii. 81-84
 Abducens nerve, injuries of, ii. 63
 Abnormalities of cervix, congenital, iii. 375
 Abortion, septic, iii. 371
 tubal, iii. 435
 Abscess, i. 251
 alveolar, ii. 277
 antiferment treatment, i. 234
 Bier's hyperemia for, i. 231
 cerebellar, usual site, ii. 50
 chronic, i. 253
 excision of, i. 254
 peritoneal, ii. 554
 circumscribed, appendicitis with, iii. 98
 rupture, iii. 99
 drainage in, i. 252
 dressings for, i. 252
 ether for, i. 235
 extradural, ii. 319
 extramammary, ii. 474
 hot fomentations in, i. 251
 in appendicitis in unusual position, iii. 100
 in Pott's disease, ii. 335
 femoral, ii. 337
 from mixed infection, ii. 337
 inguinal, ii. 337

Abscess in Pott's disease, lumbar, ii. 337
 of lower spinal region, ii. 336
 of middle cervical region, ii. 336
 of upper dorsal region, ii. 336
 psoas, ii. 337
 retropharyngeal, ii. 335
 in tuberculosis of hip, i. 672
 incision in, i. 251
 intracranial, of otic origin, ii. 319
 ischiorectal, iii. 62
 isolated chronic, filling bone cavities in, i. 706
 local antiseptic treatment, i. 234
 localized in peritonitis, ii. 553
 of anterior chamber of eye, ii. 128
 of axilla, iii. 453
 of brain, ii. 73
 indications for operation, ii. 73
 technic of operation, ii. 74
 of broad ligaments, iii. 426
 of chest wall, ii. 398
 of esophagus, ii. 432
 of eyelids, ii. 119
 of finger-tip, subcutaneous, iii. 444
 of kidney, iii. 148
 of liver, iii. 109
 drainage by abdominal route, iii. 110
 by thoracic route, iii. 110
 Manson's method of draining, iii. 111
 operation in, iii. 110
 exploratory, iii. 110
 prophylaxis, iii. 109
 of lung, acute, ii. 414
 chronic, ii. 415
 rupturing into bronchus, ii. 415
 of mediastinum, ii. 444
 of neck, ii. 361
 of orbit, ii. 137
 of palate, ii. 255
 of pancreas, ii. 781
 of parotid gland, ii. 379
 of prostate, iii. 229
 of scalp, ii. 24
 of scrotum, iii. 302
 of spleen, ii. 784
 of spine, non-tuberculous, ii. 327
 of tongue, tuberculous, ii. 290
 of urethra, iii. 272
 of vaginal wall in vaginitis, iii. 355
 of vulva, iii. 327
 otic, usual site, ii. 50
 pelvic, iii. 459
 perigastric, from perforation of stomach, ii. 727
 perinephric, iii. 146
 peritonsillar, ii. 212
 presacral, iii. 459
 retroperitoneal, ii. 563
 retropharyngeal, ii. 205
 secondary, in peritonitis, ii. 553
 septicemia from, vaccines in, i. 257
 stitch-hole, in abdomen, ii. 537
 subdiaphragmatic, ii. 470
 subphrenic, in peritonitis, ii. 553
 tuberculous, i. 281. See also *Tuberculous abscess*,

Absence of lip, plastic operation for, iii. 655
of vagina, iii. 357
Absorbable ligatures, i. 33
mechanical devices for intestinal anastomosis, ii. 675
sutures, i. 33
Absorbent cotton, i. 41
Acacia, gum, in saline infusion, i. 348
Acapnia, i. 213
in anesthesia, i. 123
Acarus scabiei, i. 848
Accessories, surgical, i. 48
Accessory-facial nerve grafting in facial paralysis, i. 885
Accessory sinuses of nose, ii. 179
foreign bodies in, ii. 188
thyroid glands, ii. 380
Accidental wounds, i. 166
of scalp, ii. 18
treatment, i. 186
Accidents in cataract extraction, ii. 167
industrial, prevention of, iii. 722
surgical treatment, iii. 723
A. C. E. anesthetic mixture, 119
Acetabulum, dislocations of hip through floor of, i. 645
Acetal anesthesia, i. 118
Acetic acid, as antiseptic, i. 67
Acetone treatment for cancer of uterus, iii. 424
Acetone-pyxol solution for hand sterilization, i. 174
Acetotartrate of aluminium, as antiseptic, i. 68
Achillobursitis, iii. 494
Achillodynia, iii. 494
Achondroplasia, i. 471
Ach's method of resection of cardiac end of stomach, ii. 758
Acid, acetic, as antiseptic, i. 67
benzoic, as antiseptic, i. 67
bichlorid solution, as antiseptic, i. 59
boric, as antiseptic, i. 67
citric, as antiseptic, i. 72
hydrochloric, as antiseptic, i. 72
mercuric nitrate, as caustic, i. 74
oxalic, as antiseptic, i. 67
picric, as antiseptic, i. 67
in burns, i. 821
salicylic, as antiseptic, i. 67
sulphuric, as antiseptic, i. 72
Acidosis in surgical shock, i. 213
prevention of, i. 176
treatment of, by alkalinized transfusion, i. 177
Acne, i. 835
indurata, iii. 70
x-rays in, iii. 704
keloid of, x-rays in, iii. 705
rosacea, i. 836
vulgaris, x-rays in, iii. 704
Acoustic vertigo, operation on seventh nerve in, ii. 112
Acquired stenosis of larynx, ii. 218
of trachea, ii. 218
stricture of urethra, iii. 286
Acriflavin as antiseptic, i. 65

Acriflavin for infected wounds, iii. 810
Acromegaly, i. 321
Acromion process, fractures of, i. 556
Actinomycosis, i. 272
of abdominal wall, ii. 538
of appendix, iii. 104
of intestines, ii. 575
of liver, iii. 112
of muscle, i. 792
of nasopharynx, ii. 208
of tongue, ii. 290
Actol, as antiseptic, i. 67
Acupressure in hemorrhage, i. 341
from disarticulation at hip-joint, iii. 604
Adamantine epithelioma, i. 709
Adenitis, tuberculous, ii. 368
non-surgical treatment, ii. 369
operation in, ii. 370
Adenofibroma of breast, ii. 475
Adenoids, ii. 208
climate in etiology, ii. 208
evil results from, ii. 208
fresh air in prophylaxis, ii. 208
operation on, ii. 211
anesthesia in, ii. 209
chair for, ii. 209
instruments for, ii. 209
position of patient, ii. 209
sitting position in, ii. 209
without anesthetic, ii. 208
soft, ii. 208
treatment of, during first year, ii. 211
Adenoma, i. 325
cystic, of breast, ii. 475
of intestines, polypoid, ii. 582
of rectum, iii. 74
of stomach, ii. 703
Adenotome, Schultz's, ii. 209
Adherent hernia of large intestine, iii. 49
omentum in hernia, iii. 21
penis, iii. 255
prepuce, iii. 253
of clitoris, iii. 328
scars, i. 225
tonsils, ii. 216
Adhesions in peritonitis, ii. 546
methods of dealing with, in abdominal operations, ii. 520
of intestines, chronic obstruction from, ii. 610
perigastric, ii. 702
prevention of, i. 816; ii. 515, 520, 521
Adhesive paste, i. 55
plaster bandages, iii. 793
dressing for skin-grafting, iii. 640
for wounds, iii. 8
protective, i. 54
strips for club-foot, iii. 472
straps for wounds, i. 187, 188
support for tension sutures, i. 198
tapes, i. 55
Aditus ad antrum, ii. 316
Adrenalin chlorid as hemostatic, i. 341
for treatment of shock, i. 217
in nasal operations, ii. 183
gauze, i. 41

Adrenalin in hemorrhage of stomach, ii. 727
 in local anesthesia, i. 139
 Adults, hydrocele in, iii. 314
 Advancement of capsule of Tenon, ii. 177
 of rectus muscle, ii. 176
 Aérocole, ii. 218
 Aéroplane ambulance, iii. 728
 After-cataract, operations for, ii. 174
 Age as factor in surgical treatment, i. 29
 Agglutination, testing for, in blood transfusion, i. 355
 Ainhum, i. 320, 843
 Air cushions, i. 23
 embolism, i. 447; ii. 430
 fresh, in hemorrhage, i. 344
 in surgical treatment, i. 24
 to prevent adenoids, ii. 208
 injections in sciatica, i. 879
 insufflation of, in hydrothorax, ii. 402
 Akoin as local anesthetic, i. 137
 Alæ nasi, collapse of, ii. 195
 Albee's bone-grafts in fractures, i. 507
 methods of holding bone-grafts in place, i. 510
 Albuminuria in varicose ulcers, i. 312
 Alcohol, as antiseptic, i. 72
 injections for nerve blocking, i. 864
 in coccygodynia, ii. 358
 in incurable carcinoma of tongue, i. 869
 in neuralgia, i. 864
 in rectal prolapse, iii. 68
 in spastic muscles, i. 795
 in trifacial neuralgia, i. 866
 in Gasserian ganglion, i. 869
 method for catgut, i. 35
 solidified, as antiseptic, i. 72
 Alcoholic soap, as antiseptic, i. 72
 Alcoholism, as factor in operation, i. 180
 in surgical treatment, i. 18
 Aleppo boil, i. 273
 Alexander's operation for retroversion of uterus, iii. 390
 paste for burns, iii. 807
 Alimentary canal, operations on, preparation of patient for, ii. 564
 Allen's method of fascia fixation of uterus for retroversion, iii. 394
 Allis' ether inhaler, i. 106
 operation for habitual shoulder dislocations, i. 634
 Allport's method of tattooing cornea, ii. 153
 Alopecia, i. 846
 areata, i. 847
 follicularis, 847
 syphilitic, i. 303
 Alpha rays of radium, iii. 709
 Alternating strabismus, ii. 175
 Alum'enema, ii. 620
 Aluminium acetotartrate as antiseptic, i. 68
 bronze sutures, i. 38
 Alumnon, as antiseptic, i. 72
 Alveolar abscess, ii. 277
 process of jaw, fractures of, i. 543
 of lower jaw, resection of, i. 725
 of upper jaw, resection of, i. 723
 resection of, i. 723

Alypin as local anesthetic, i. 136
 Ambulance, aéroplane, iii. 728
 transportation of injured by, iii. 727
 Ambulant treatment of fractures, i. 522
 Ambulatory splints, i. 522
 treatment of empyema, ii. 407
 Amebic colitis, ii. 570
 ulceration of rectum, iii. 61
 Amenorrhea, iii. 397
 Ammonium sulphate method for catgut, i. 35
 Amputated fingers, replacement of, iii. 649
 restoration of, iii. 458
 members, transplantation of, iii. 649
 Amputation, iii. 498
 after-treatment of weight-bearing stump, in, iii. 540
 anesthesia for, iii. 499
 aperiosteal, iii. 510
 as plastic operation, iii. 498
 at hip, interilio-abdominal, iii. 605
 transpelvic, iii. 605
 at joints, iii. 498, 501
 at wrist, iii. 554
 by equal flaps of skin and muscle, iii. 517
 skin flaps, iii. 519
 by single flap, iii. 519
 by unequal flaps, iii. 520
 rectangular flaps, iii. 520
 cinematic, iii. 526
 cineplastic, iii. 526
 extension apparatus for stump, iii. 533
 motor club in, iii. 531
 loop in, iii. 530
 stump in, iii. 529
 of thigh, iii. 538
 through forearm, iii. 527
 through upper arm, iii. 537
 transitory, iii. 538
 circular, iii. 504, 505
 advantages, iii. 507
 cuff method, iii. 507
 suturing skin in, iii. 513
 treatment of muscle in, iii. 513
 technic, iii. 515
 clamping of vessels during, iii. 501
 combined circular and flap, iii. 515
 complications, iii. 514
 conical stump in, iii. 514
 contraction of tissues of stump in, iii. 514
 cuff method, iii. 515
 device for preserving functions of muscle after, iii. 533
 division of bone in, iii. 508
 of tissues in, iii. 501
 drainage in, iii. 513
 elliptical method, iii. 521
 flap, incising skin and fascia in, iii. 504
 combined with circular method, iii. 515
 suturing skin in, 513
 treatment of muscle in, iii. 513
 with single flap, iii. 519
 grafting upon stump in, iii. 502
 in compound fracture, conditions calling for, i. 520
 in lower third of forearm by circular method, iii. 556.

Amputation in presence of infection, iii. 502
 in upper two-thirds of forearm, iii. 557
 indications for, iii. 498
 infundibuliform, iii. 513
 instruments for, iii. 499
 intermediary, iii. 499
 interscapulothoracic, iii. 568
 irregular, iii. 522
 length of stump after, iii. 501
 lines of incision for, iii. 503
 methods, iii. 515
 muscle flaps in, iii. 512
 musculoperiosteal flaps in, iii. 508
 of all toes with part of all metatarsal bones, iii. 577
 of arm, iii. 559
 in lower third, iii. 560
 in middle third, iii. 561
 in upper third, iii. 562
 of fifth metacarpal bone with little finger, iii. 551
 of fingers, iii. 542
 anesthesia for, iii. 544
 through first phalanx, iii. 546
 through last phalanx, iii. 545
 through second phalanx, iii. 545
 with four inner metacarpal bones, iii. 551
 with fourth and fifth metacarpal bones, iii. 551
 with three inner metacarpal bones, iii. 551
 of first metacarpal bone with thumb, iii. 551
 of foot, iii. 575
 rules for, iii. 575
 of forearm, iii. 555
 of four inner metacarpal bones with fingers, iii. 551
 of fourth and fifth metacarpal bones with fingers, iii. 551
 of great toe with all of metatarsal bone, iii. 578
 of hand, iii. 550
 of leg, iii. 585
 by oblique circular incision, iii. 588
 cineplastic stumps in, iii. 587
 osteoplastic, by antero-internal flap, iii. 590
 supramalleolar, iii. 587
 through lower third, iii. 587
 through middle third, iii. 588
 through upper third, iii. 589
 with bilateral flaps, iii. 589
 with equal lateral flaps, iii. 589
 with large external flap, iii. 590
 of limbs in newborn in utero, iii. 697
 of little toe with all of metatarsal bone, iii. 578
 of lower extremities, iii. 570
 position of patient for, iii. 570
 of metacarpal bone with finger, iii. 551
 of penis, iii. 255
 of shoulder, iii. 568
 by posterior approach, iii. 569
 of thigh, iii. 594
 subtrochanteric, iii. 600

Amputation of thigh, supracondyloid, iii. 597
 through condyles, osteoplastic, iii. 596
 through lower third, iii. 598
 through shaft of femur, iii. 598
 of three inner metacarpal bones with fingers, iii. 551
 of thumb, iii. 548
 at metatarsophalangeal joint, oval method, iii. 549
 of toes, iii. 570
 with all of metatarsal bone, iii. 578
 with part of metatarsal bone, iii. 576
 of upper extremities, iii. 542
 of uterus for inversion, iii. 385
 osteoplastic, iii. 524
 oval method, iii. 517
 painful stump in, iii. 514
 position of patient for, iii. 500
 of stump cicatrix in, iii. 515
 of surgeon for, iii. 500
 preliminary nerve blocking in, iii. 512
 preparation of patient for, iii. 499
 prevention of hemorrhage in, iii. 500
 of shock in, iii. 499
 primary, iii. 499
 qualities of good stump in, iii. 514
 racket method, iii. 516
 results, iii. 514
 saline infusion in, iii. 501
 saving of blood in, iii. 500
 sawing bone in, iii. 509
 secondary, iii. 499
 size of flaps in, iii. 502
 stump, bandage of, iii. 776
 for weight-bearing in, iii. 523
 ring traction for, iii. 533
 suturing flaps in, iii. 512
 skin in, iii. 513
 technique of making flaps for, iii. 503
 tenoplastic, iii. 526
 operations on stump in, iii. 532
 through femur, iii. 526
 through first phalanx of toe, iii. 573
 through humerus, iii. 526
 time of operation, iii. 499
 treatment of blood-vessels in, iii. 510
 of bone in, iii. 508
 of nerves in, iii. 511
 of redundant tissues in, iii. 512
 trimming of flaps in, iii. 512
 turning back flap in, iii. 505
 use of sphygmomanometer in, iii. 501
 ventral decubitus for, iii. 500
 weight-bearing stump in, iii. 541
 after-treatment, 540
 with flaps, ii. 507. See also *Flap amputation*.
 with reference to prosthetic apparatus iii. 523
 with tendinous bone covering, iii. 539
 without flaps, iii. 522
 indications for, iii. 523
 Amylene anesthesia, i. 118
 Anal region, fistula in, iii. 62. See also *Fistula in ano*.
 Analgesia, i. 92

Anaphylaxis to antitetanic serum, i. 266
 Anastomosis, arteriovenous, i. 377
 arterial, Horsley's clamp for, i. 379
 end-to-end, of arteries, i. 374
 intestinal, ii. 646. See also *Intestinal anastomosis*.
 of anterior nerve roots in spinal canal, ii. 348
 of vas deferens to epididymis of opposite side for sterility, iii. 312
 uretero-ureteral, iii. 174
 urethrorectal, for incontinence of urine, iii. 331
 Ancestral peculiarities as factor in surgical treatment, i. 18
 Andrews' clamp method of intestinal anastomosis, ii. 676
 operation for hydrocele, iii. 314
 Anemia, artificial local, in hemorrhage, i. 367
 as factor in operation, i. 182
 from hemorrhage, i. 343
 local, anesthesia by, i. 155
 pernicious, ii. 785
 hemorrhage in, i. 360
 splenic, ii. 785
 Anesthesia, i. 92
 acapnia in, i. 123
 acetal, i. 118
 administration by mouth, iii. 807
 amylyne, i. 118
 antidolorin, i. 117
 artificial respiration in, i. 98
 auto-, i. 102
 bromethyl, i. 118
 bromoform, i. 118
 by laryngeal puncture, i. 125
 by larynx, i. 125
 by local anemia, i. 155
 by nerve pressure, i. 155
 by pharynx, i. 124
 by suggestion, i. 127
 chloroform, i. 116. See also *Chloroform anesthesia*.
 chloroform-ether sequence, i. 119
 chloroform-oxygen, i. 120
 cocaine, in eye operations, ii. 118
 complete surgical, i. 97
 dimethylacetal, i. 118
 epidural sacral injections for, i. 162
 ether, i. 104. See also *Ether anesthesia*.
 ether-oxygen, i. 120
 ethyl bromid, i. 118
 chlorid, i. 117
 chlorid-ether sequence, i. 119
 for amputation, iii. 499
 for operations on pituitary body, ii. 83
 for reducing dislocations, i. 610
 for skin-grafting, iii. 636
 for tooth extraction, ii. 278
 from cold, i. 154
 gas-ether sequence, i. 118
 general, i. 92
 after-effects, treatment, i. 104
 amount of anesthetic required, i. 100
 artificial respiration in, i. 98
 care of patient, i. 101

Anesthesia, general, clearing of throat in, i. 97
 color of patient in, i. 99
 contraindications to, i. 102
 duties of anesthetist in, i. 95
 examination before, i. 92
 eye in, i. 99
 holding tongue in, i. 97
 in children, i. 102
 in status lymphaticus, i. 102
 intravenous, i. 164
 massage of heart in, i. 99
 mental state before, i. 94
 morphine before, i. 92
 mortality in, i. 99
 mouth gags for, i. 95
 points to watch in, i. 97
 position for, i. 94
 primary stage, i. 97
 protection of lips in, i. 100
 pulse in, i. 98
 purge before, i. 94
 respiration in, i. 97
 restraint in, i. 101
 selection of anesthetic in, 101
 state of excitement, avoidance, i. 96
 stimulants in, dangers of, i. 98
 stimulation in, i. 98
 technic, i. 95
 tests for, i. 97
 time required for, i. 97
 tongue forceps for, i. 95
 traumatic paralysis in, i. 100
 holocain, in eye operations, ii. 118
 hydrobromic ether, i. 118
 hypercapnia in, i. 123
 hypnotic, i. 126
 in adenoid operations, ii. 209
 in eye operations, ii. 138
 in nasal operations, ii. 181
 in operations on mouth, ii. 245
 in tonsillectomy, ii. 213
 infiltration, i. 127
 intermittent, i. 101
 intratracheal, i. 125
 kelen, i. 117
 laughing gas, i. 117
 local, i. 127. See also *Local anesthesia*.
 methylal, i. 118
 methylene bichlorid, i. 118
 ether, i. 118
 mixed, i. 118
 mixtures, i. 119
 nitrous oxid, i. 117
 and carbon dioxid, i. 123
 and oxygen, i. 120
 of fingers for amputation, iii. 544
 oil-ether rectal, i. 110. See also *Oil-ether rectal anesthesia*.
 operations without, i. 165
 parasacral, i. 162
 paravertebral, i. 152
 pental, i. 118
 rebreathing with, i. 122
 regional, i. 127
 sequences, i. 118
 somnoform, i. 118

Anesthesia, spinal, i. 155. See also *Spinal anesthesia*.
 sterile water, i. 139
 surface contact, i. 127
 terminal, i. 128
 vaginal operations without, iii. 439
 Anesthesia in local anesthesia, i. 137
 in tuberculous laryngitis, i. 137
 Anesthetics, i. 92
 choice of, i. 103
 combined with oxygen, i. 120
 injection of nerve roots with, i. 152.
 See also *Nerves, blocking of*.
 local, i. 134
 poisoning from, i. 138
 mixtures of, i. 119
 operations without, i. 164
 selection of, in general anesthesia, i. 101
 warm versus cold, i. 103
 with carbon dioxide, i. 122
 Anesthetist, duties of, in general anesthesia, i. 95
 Anesthetizing cart, i. 94
 room, i. 167
 Anesthol, i. 119
 Aneurism, i. 380
 arteriovenous, i. 393
 of cavernous sinus, ii. 73
 axillary, i. 399
 carotid, i. 399
 chronic, i. 381
 cirsoid, i. 400
 compress of artery in, i. 381, 382
 dissecting, i. 380
 electricity in, i. 381
 electrolysis in, i. 382
 femoral, i. 398
 gradual obliteration of arteries in, i. 384
 hygienic treatment, i. 381
 irritation of sac in, i. 382
 ligation of artery in, i. 382
 medical treatment, i. 381
 Neff's clamp, i. 384
 obliterative operation, i. 385
 of abdominal aorta, i. 397
 of buttock, i. 398
 of external iliac artery, i. 398
 of innominate artery, i. 399
 of internal iliac artery, i. 398
 of renal artery, iii. 151
 of scalp, ii. 25
 arteriovenous, ii. 25
 cirsoid, ii. 25
 of thoracic aorta, i. 396
 pelvic, i. 398
 plication of arteries in, i. 384
 popliteal, i. 399
 reconstructive operation in, i. 389
 restorative operation in, i. 389
 spontaneous cure, i. 393
 subclavian, i. 400
 traumatic, i. 380
 wiring in, i. 382
 Aneurismectomy, i. 391
 with arteriorrhaphy, i. 392
 with transplantation of vein and artery, i. 392

Aneurismorrhaphy, i. 384
 Angeitis, obliterating, gangrene from, i. 316
 Angina, Ludwig's, ii. 362
 Angioma, i. 325, 453
 cavernous, i. 454
 electrolysis in, i. 453
 of brain, ii. 75
 of breast, ii. 475
 of gums, ii. 280
 of lips, ii. 254
 of liver, iii. 112
 of rectum, iii. 75
 of scalp, ii. 25
 of vulva, iii. 328
 radium in, iii. 714
 spongy, i. 454
 Angiosarcoma of bones, i. 710
 Angiotribe, i. 80
 in hemorrhage, i. 339, 340
 Angular clamp for pyloroplasty, ii. 747
 Angulation of intestines, chronic obstruction from, ii. 610
 Androsis, i. 844
 cold cream for, i. 849
 Animal fat, influence of, on leukocytosis, i. 20
 membranes, i. 74
 parasites of skin, i. 848
 Ankle, iii. 468
 and foot, bandage of, spica, iii. 774
 covering heel, iii. 775
 exposing heel, iii. 775
 disarticulation at, iii. 583
 with preservation of posterior part of os calcis, iii. 585
 with removal of malleoli, iii. 584
 dislocations of, i. 649
 congenital, i. 618
 excision of, i. 753. See also *Excision of ankle*.
 sprains of, i. 650
 tuberculosis of, i. 678
 Ankyloblepharon, ii. 119, 120
 Ankylosing arthritis, plastic, i. 662
 Ankylosis after fractures of lower extremity of humerus, i. 571
 cartilage grafts in joint resections for, i. 759
 excision of elbow for, i. 745
 interposition of foreign membranes in, i. 759
 of periosteum for, i. 759
 of soft tissue flaps in, i. 757
 of elbow arthroplasty for, i. 762
 of hand and fingers, disturbances of motion due to, iii. 453
 of hip, iii. 463
 arthroplasty for, i. 765
 osteotomy in, i. 713
 of joints, i. 686
 operative treatment, i. 686.
 of knee, arthroplasty for, i. 766
 with deformity, bone-grafts in, i. 787
 of lower jaw, Esmarch's operation for, i. 726
 excision of condyle for, i. 726
 operations for, i. 726
 of patella, arthroplasty for, i. 767

Ankylosis of shoulder, arthroplasty for, i. 761
 of spine, bone-grafts to produce, i. 780
 of temporomaxillary joint, arthroplasty for, i. 760
 of wrist, arthroplasty for, i. 764
 operations for, i. 757
 prevention of, by oil injections, i. 756
 transplanted soft tissues for, i. 758
 Annandale's operation through upper jaw to reach nasopharynx, i. 724
 Annular ligament, extension of infection above, iii. 449
 Anocci-association, i. 213, 214
 Anomalies of penis, iii. 253
 Anosacral cysts, iii. 461
 Anoxemia, i. 123
 Anteflexion of uterus, iii. 385
 Anterior sclerotomy, i. 156
 Anteversion of uterus, iii. 385
 Anthrax, i. 271
 operative treatment, i. 271
 serum treatment, i. 272
 vaccine treatment, i. 272
 Antibody antagonism as factor in surgical treatment, i. 26
 Antidiphtheritic serum in hemorrhage, i. 342
 Antidolorin anesthesia, i. 117
 Antifermen treatment of abscesses, i. 234
 Antigonococcus serum in gonorrhea, iii. 283
 Antiseptis, i. 27
 urinary, iii. 141
 Antiseptics, i. 57, 59
 for eye use, ii. 118
 in bronchiectasis, ii. 419
 intravenous injection, in septicemia of unknown origin, i. 261
 local urinary, iii. 142
 treatment of infected wounds with, i. 242
 Antistreptococcal serum as hemostatic, i. 342
 Antitetanic serum, i. 265
 anaphylaxis to, i. 266
 dried, i. 265
 in frost-bite, i. 265
 intravenous injection, i. 266
 method of injection, i. 266
 saturation dose, i. 266
 spinal injection, i. 266
 Antitoxins, i. 255
 in anthrax, i. 271
 in septicemia, i. 260
 Antivenene in snake bite, i. 275
 Antrum, mastoid, ii. 299
 maxillary. See *Maxillary antrum*.
 of Highmore. See *Maxillary antrum*.
 Anuria, postoperative, i. 226
 Anus, iii. 53
 anatomy, iii. 53
 and rectum, prolapse of, iii. 67
 artificial, ii. 687
 closure of, ii. 616
 operation for securing muscular control of, ii. 694
 eczema of, i. 832
 excision of rectum through, for cancer, iii. 76

Anus, fissure of, iii. 64
 chronic intestinal obstruction from, ii. 610
 fistula of, iii. 62. See also *Fistula in ano*.
 imperforate, iii. 66
 inguinal, in cancer of rectum, iii. 76
 operations on, local anesthesia in, i. 152
 preparation of, for operation, i. 180
 preparations for operation on, iii. 54
 pruritis of, i. 843
 ulcer of, chronic intestinal obstruction from, ii. 610
 Aorta, abdominal, aneurism of, i. 397
 compression of, in hemorrhage, i. 360
 ligation of, i. 426
 thoracic, aneurism of, i. 396
 Aperiosteal amputation, iii. 510
 Aphthous ulcers of tongue, ii. 290
 Apituitarism, ii. 83
 Apoplexy, spontaneous cerebral, ii. 58
 temporal craniotomy in, ii. 58
 Apothesin as local anesthetic, i. 137
 Apparatus, prosthetic, iii. 607
 Appendectomy by lumbar route, iii. 101
 in quiescent stage of appendicitis, iii. 101
 local anesthesia for, i. 150
 Appendicitis, iii. 87
 abscess in, in unusual position, iii. 100
 age of prevalence, iii. 87
 cases not requiring operation, iii. 88
 colon bacillus vaccines in, iii. 88
 complicating gall-bladder infection, iii. 117
 dread of, operation in, iii. 103
 etiology, iii. 87
 fulminating, iii. 101
 gangrenous, iii. 100
 in children, iii. 102
 in pregnancy, iii. 102
 in women, iii. 102
 left-sided, iii. 101
 nonoperative treatment, iii. 88
 Ochsner's treatment, iii. 90
 operation in, iii. 90
 after-treatment, iii. 91
 by lumbar route, iii. 101
 drainage in, iii. 98
 in first stage, iii. 90, 92
 in fourth stage, iii. 91
 in quiescent stage, iii. 101
 in second stage, iii. 90
 in third stage, iii. 91
 interval, iii. 101
 mortality, iii. 104
 results, iii. 103
 technic, iii. 92
 unhealed wounds after, iii. 102
 perforative, iii. 100
 postoperative complications, iii. 101
 treatment, iii. 103
 pre-operative treatment, iii. 89
 prophylaxis, iii. 87
 rupture of abscess in, iii. 99
 simulated by contracture of psoas parvus muscle, i. 796

Appendicitis, subperitoneal, iii. 101
treatment, iii. 87
tuberculous, iii. 101
typhoid, iii. 101
with circumscribed abscess, iii. 98
with diffuse suppurative peritonitis, iii.
100

Appendicostomy, ii. 571

Appendicular colic, iii. 104

Appendix, iii. 86, 805
actinomycosis of, iii. 104
anatomy, ii. 624; iii. 86
and cecum, hernia of, iii. 51
cancer of, iii. 104
exposure of, incision for, ii. 510
foreign bodies in, iii. 104
healthy, removal of, iii. 103
hernia of, iii. 104
transplantation of, iii. 649
tumors of, iii. 104

Applications, i. 57

Applicators, radium, iii. 709, 713

Approximation sutures, i. 196

Apron stretcher, iii. 725

Arachnoid space, tapping of, ii. 348.

Arch, supra-orbital, ii. 46

Areas, sensory pain, i. 128

Argenol as antiseptic, i. 67

Argentamin as antiseptic, i. 67

Argentized catgut, i. 36

Argentos as antiseptic, i. 67

Argonin as antiseptic, i. 67

Argyrol as antiseptic, i. 67

Aristol as antiseptic, i. 70

Arm, amputation of, iii. 559
in lower third, iii. 560
in middle third, iii. 561
in upper third, iii. 562
and shoulder, bandage of, immobilizing,
iii. 755
brawny, i. 463
congenital deformity of, iii. 457
deep infections of, iii. 444
muscles moving, i. 893
paralysis of biceps, tendon transplanta-
tion in, i. 812
upper, cineplastic amputation through,
iii. 537
fixation bandage of, iii. 757

Arsenic in inoperable cancer, i. 332
paste as caustic, i. 74

Arsenobenzol in syphilis, i. 298

Asphenamine in syphilis, i. 298

Arterial infusion, local anesthesia by, i. 134
occlusive gangrene, i. 317
tension, high, as factor in operation, i. 180

Arteries, i. 371
anterior tibial, ligation of, i. 443
axillary, ligation of, i. 415
indications for, i. 418
brachial, ligation of, i. 418
carotid, wounds of, ii. 360
catheterization of, i. 380
common carotid, anatomy, i. 406
ligation of, i. 406
at inferior carotid triangle, i. 407
at superior carotid triangle, i. 408

Arteries, common carotid, ligation of, in-
dications for, i. 408
slow, i. 408

iliac, ligation of, i. 426
extraperitoneal, i. 426
compression of, in aneurism, i. 381, 382
in hemorrhage, i. 360

dorsalis pedis, ligation of, i. 445

end-to-end anastomosis of, i. 374

external carotid, ligation of, i. 409
iliac, ligation of, i. 429

facial, ligation of, i. 412

femoral, anatomy, i. 434
embolism of, i. 455
ligation of, i. 431
for varicose veins, i. 453
indications, i. 436

gluteal, ligation of, i. 430

gradual obliteration of, in aneurism, i.
384

iliac, common, embolism of, i. 455

inferior thyroid, ligation of, i. 410

inflammations of, i. 380

innominate, ligation of, i. 403
indications for, i. 406

intercostal, wounds of, ii. 398

internal carotid, ligation of, i. 410
iliac, ligation of, i. 430
mammary, wounds of, ii. 398

pudic, ligation of, i. 431

lateral anastomosis of, Horsley's clamp
for, i. 379

ligation of, in aneurism, i. 382
materials for, i. 402
technic, i. 401

lingual, ligation of, i. 411

loss of substance in, i. 379

middle meningeal, ii. 47

occipital, ligation of, i. 412

occlusion of, i. 401

of head and neck, ligation of, incisions
for, i. 404

application of, in aneurism, i. 384

popliteal, ligation of, i. 437

posterior auricular, ligation of, i. 412

tibial, ligation of, i. 441
in middle of leg, i. 442

press for compression in hemorrhage, i.
366

pulmonary, embolism of, i. 457

radial, deep palmar branch, ligation of, i.
426

ligation of, i. 421

renal, accessory, iii. 139

sciatic, ligation of, i. 431

subclavian, ligation of, i. 413

superior thyroid, ligation of, i. 411

suturing of, i. 371. See also *Suture of
arteries*.

temporal, ligation of, i. 412

transplantation of, iii. 648

traumatism of, i. 371

ulnar, ligation of, i. 424

vertebral, ligation of, i. 410

wounds of, i. 371
ligation in, i. 338

Arteriorrhaphy, aneurismectomy with, i. 392

- Arteriovenous anastomosis, i. 377
 aneurism, i. 393
 of scalp, ii. 25
- Arteritis, i. 380
 chronic, i. 380
- Arthrectomy, i. 710
 in tuberculosis of joints, i. 665
 of knee-joint, i. 710, 752
 in tuberculosis, i. 677
- Arthritis, i. 657
 chronic, i. 661
 deformans, i. 661; iii. 463
 Streptococcus viridans theory of, ii. 613
- gonorrhœal, i. 660
 formalin-glycerin injections in, iii. 806
- in influenza, i. 660
- infective, acute, i. 658
- of fingers, iii. 450
- of hip, acute suppurative, iii. 462
 chronic, iii. 462
 subacute, iii. 462
- of metacarpal joints, iii. 450
- of sternoclavicular joint, ii. 398
- of wrist, iii. 450
- plastic ankylosing, i. 662
- pneumococcus, i. 660
- rheumatic, i. 660
- rheumatoid, i. 661
- specific, acute, i. 660
- typhoid, i. 660
- throdesis, i. 738
 for congenital talipes valgus, iii. 482
- Arin flat-foot, i. 739
 in hammer-toe, i. 739
 in infantile paralysis, i. 738
 in osteo-arthritis, i. 739
 in paralytic relaxation of hip, i. 739
 in stiffening of knee, i. 739
 in wrist-drop, i. 739
 of astragaloscapoid joint in flat-foot, iii. 488
- Arthropathy, tabetic, i. 681
- Arthroplasty, i. 757
 for ankylosis of elbow, i. 762
 of hip, i. 765
 of knee, i. 766
 of patella, i. 767
 of shoulder, i. 761
 of temporomaxillary joint, i. 760
 of wrist, i. 764
- Arthrotomy, i. 755
 in old unreduced dislocations of hip, i. 646
 incisions for, i. 756
 of hip, iii. 462
 of knee, i. 756
- Articular rheumatism, acute, i. 660
- Artificial anus, ii. 687
 closure of, ii. 616
 operation for securing muscular control of, ii. 694
- feet, simple, iii. 613
- hyperemia, i. 229-232. See also *Bier's hyperemia*.
 impregnation, iii. 438
- larynx, Glück's, ii. 236
- Artificial legs, simple, iii. 613
 pneumothorax in tuberculosis, ii. 416
 respiration, iii. 717, 739
 Howard's method, iii. 718
 in general anesthesia, i. 98
 instruments for, iii. 719
 prone method, iii. 718
 Schäfer's method, iii. 717
 Sylvester's method, iii. 719
- Asbestos absorbent wool dressings, i. 42
- Ascites, ii. 557
 anastomosis of saphenous vein with peritoneum in, ii. 560
 of vena cava with portal vein in, ii. 561
 with superior mesenteric vein in, ii. 563
- aspiration in, ii. 557
 drainage into bladder in, ii. 561
- Eck's fistula in, ii. 561
- intra-abdominal adhesions in, artificial formation of, ii. 558
- nutmeg liver in, ii. 558
- of cirrhosis of liver, iii. 112
 paracentesis in, iii. 112
 subcutaneous drainage in, ii. 559
 tapping in, ii. 557
- Asepsis, i. 27, 166. See also *Sterilization*.
- Aseptic surgical fevers, i. 259
 wounds of joints, i. 654
- Ashurst's method of cineplastic amputation, iii. 530
- Aspermia, obstructive, iii. 311
 obstructive, sterility from, iii. 311
- Asphyxia from coal gas, iii. 720
 from illuminating gas, iii. 720
 from smoke, iii. 733
 resuscitation in, iii. 733
 traumatic, hemorrhage in, i. 360
- Aspirating jar, i. 81
 syringe, i. 81
- Aspiration, aseptic, of tuberculous abscess, i. 281
 in ascites, ii. 557
 in drainage in abdominal operations, ii. 526
 in hydrothorax, ii. 401
 of bladder, suprapubic, iii. 213
 pneumonia from ether, i. 105
- Aspirator, i. 79
- Assistants at operation, personal care, i. 172
- Asthma, thymic, ii. 394
- Astragaloscapoid joint, arthrodesis of, in flat-foot, iii. 488
- Astragalus, dislocations of, i. 649
 excision of, i. 735, 736
 fractures of, i. 608
- Astringents in hemorrhage, i. 341
- Atlas and axis, dislocations between, i. 622
- Atomizer, ii. 181
- Atonic dilatation of stomach, chronic, ii. 713
- Atony of bladder, iii. 207
- Atresia of esophagus, ii. 433
 of lacrimal canals, ii. 136
 of puncta lacrimalia, ii. 136
 of vagina, iii. 357
- Atrophy pilorum propria, i. 847

Atrophic rhinitis, ii. 187
 skin diseases, i. 843
 synovitis, i. 658

Atrophy, muscular, in fractures, i. 525
 of bladder, iii. 207
 of bones of skull, ii. 41
 of hair, i. 847
 of hand, iii. 450
 of nails, i. 848
 of optic nerve, ii. 135
 of prostate, iii. 248

Atropin as mydriatic, ii. 117
 in dysmenorrhea, iii. 395

Auditory canal, external, ii. 299, 304
 acute circumscribed inflammation of, ii. 304
 animate bodies in, ii. 305
 cellulitis of, ii. 304
 cholesteatoma of, ii. 306
 diffuse inflammation of, ii. 304
 eczema of, ii. 304
 epithelial plug in, ii. 306
 examination of, ii. 302
 exostoses of, ii. 304
 foreign bodies in, ii. 305
 impacted cerumen in, ii. 305
 inanimate bodies in, ii. 305
 keratosis obturans of, ii. 306
 mycosis of, ii. 304
 wounds of, ii. 304
 nerve, diseases and injuries of, i. 890
 injuries of, ii. 63
 sensory center of brain, ii. 45

Aural specula, ii. 302

Auricle ii. 303
 boils of, ii. 304
 cellulitis of, ii. 303
 congenital defects, ii. 303
 excessive development of, ii. 303
 freeing attached lobe of, iii. 653
 frost-bite of, ii. 304
 furuncles of, ii. 304
 hematoma of, ii. 303
 laceration of lobe, plastic operation for, iii. 653
 lobule of, cleft, ii. 303
 malformations of, ii. 303
 perichondritis of, ii. 303
 plastic operations on, iii. 649
 for restoring parts, iii. 652
 size, iii. 652
 skin diseases of, ii. 304
 supernumerary, ii. 303
 wounds of, ii. 303

Auricular artery, posterior, ligation of, i. 412
 point, ii. 45
 right, paracentesis of, ii. 425

Auriculotemporal craniotomy for exposure of Gasserian ganglion, ii. 106
 nerve, division of, in neuralgia, i. 874

Auto-anesthetization, i. 102

Autogenous bone-grafts, i. 772
 for skull defects, i. 775
 vaccines, i. 256
 in pruritus ani, iii. 65, 818
 results from, i. 256

Autoplastic bone flaps, filling defects in bones with, i. 699
 strengthening of sutures by, i. 203
 bone-grafts, i. 772
 nerve bridging, i. 855
 transplantation, i. 856

Autoserotherapy in hydrothorax, ii. 402

Autoserum treatment of skin diseases, i. 849

Autotoxic neuritis, i. 862

Avulsion of members, i. 224
 of scalp, ii. 23
 complete, ii. 23
 of tubercle of tibia, i. 603
 slow, in neuralgia, i. 871

Axilla, abscess of, iii. 453
 and neck, bandage of, iii. 753
 bandage of, cravat, iii. 787
 cancer of, extensive recurrent, ii. 494
 lymphatics of, ii. 472
 tumors of, iii. 453
 wounds of, iii. 452

Axillary aneurism, i. 399
 artery, anatomy, i. 417
 ligation of, i. 415
 indications for, i. 418
 embolism, i. 455

BABCOCK's incision for transpelvic amputation at hip-joint, iii. 607

Babies, mastoid operation on, ii. 318

Bacillus *aerogenes capsulatus*, infection with, i. 270

Bulgarian, as urinary antiseptic, iii. 142
 in treatment of cystitis, iii. 192

coli, cystitis from, iii. 192

diphtheriae, wound infection with, i. 262

emulsion in tuberculosis, i. 258
 sensitized, in tuberculosis, i. 258

hodgkini, i. 465

lactic acid, for leukorrhea, iii. 370

proteus, cystitis from, iii. 192

pyocyaneus infection, i. 261

Back, painful, ii. 350

Bacterins, i. 255. See also *Vaccines*.

Bacteriolysis as factor, i. 26

Bacteriuria, urinary retention from, iii. 212

Bags, sand, i. 82

Balanitis, iii. 251
 gangrenous, iii. 251
 preputial, iii. 251

Baldness, i. 846

Baldwin's method of forming new vagina by intestinal transplantation, iii. 359

Ballance's operation in facial paralysis, i. 887

Balsam-of-Peru, as antiseptic, i. 71
 gauze, i. 40

Bandage, iii. 735
 adhesive plaster, iii. 794
 application, iii. 735
 capitulum, antero-posterior, iii. 746
 single, iii. 748
 transverse, iii. 747
 circular, iii. 737
 cravat, simple occipitofrontal, iii. 784
 crepe paper, iii. 794

Bandage, Esmarch, i. 56
 for inflammation, i. 229
 figure-of-eight, iii. 741
 fixing to prevent displacement, iii. 737
 flannel, i. 55
 forehead-chin, iii. 743
 -mouth, iii. 744
 -neck, iii. 744
 fronto-occipital, iii. 746
 triangle, iii. 784
 gauze, i. 55
 handkerchief, iii. 783
 iliofemoral triangular, iii. 792
 many-armed, iii. 782
 Martin's for inflammation, i. 229
 materials for, iii. 735
 methods of rolling, iii. 736
 muslin, i. 55
 oblique, iii. 739
 of amputation stump, iii. 776
 of axilla, cravat, iii. 787
 of breast, single compression, iii. 766
 triangular suspensory, iii. 791
 of breasts, double compression, iii. 767
 of buttock, spica, iii. 768
 of cheek, iii. 743
 of chest, anterior figure-of-eight, iii. 766
 posterior figure-of-eight, iii. 766
 special, iii. 765
 triangular, iii. 791
 of chin, four-armed, iii. 783
 of ear, iii. 750
 of elbow, mobilizing, iii. 759
 of eye, cravat, iii. 787
 crossed, iii. 750
 oblique, iii. 749
 split, iii. 779
 of face and scalp, iii. 786
 cravat, iii. 786
 crossed, iii. 743
 of fingers and hand, glove, iii. 761
 complete, iii. 762
 spiral, iii. 760
 of foot and ankle, spica, iii. 774
 covering heel, iii. 775
 exposing heel, iii. 775
 triangular, iii. 792
 of forearm, cravat sling, iii. 787
 triangular sling, iii. 790
 of groin, ascending spica, iii. 767
 descending spica, iii. 768
 spica, thigh bandage with, iii. 768
 of hand, iii. 761
 triangular, iii. 792
 of head and neck, iii. 742
 cravat, crossed, iii. 787
 four-armed, iii. 785
 universal, iii. 742
 with median piece, iii. 742
 of knee, mobilizing, iii. 769
 triangular, iii. 792
 of knees, adducting immobilizing, iii. 770
 of leg, iii. 772
 of lower extremities, iii. 767
 of neck and axilla, iii. 753
 simple, iii. 750
 thyroid, iii. 750

Bandage of pelvis, diaper, iii. 782
 of penis, iii. 776
 of scalp and chin, iii. 786
 cravat, iii. 784
 double lateral, iii. 744
 of scrotum, iii. 777
 suspensory, iii. 781
 hammock, iii. 781
 of shoulder and arm, immobilizing, iii. 755
 descending spica, iii. 754
 immobilizing, iii. 755
 triangular, iii. 791
 of special regions, iii. 742
 of thigh, iii. 769
 with spica of groin, iii. 768
 of thumb, spica, iii. 761
 of toes, iii. 775
 of trunk, iii. 765
 of upper arm, fixation, iii. 757
 extremities, iii. 753, 760
 plaster-of-Paris, 57
 recurrent, iii. 742
 removal, iii. 736
 requirements, iii. 735
 roller, improvised from square, iii. 794
 rubber, i. 56
 rules for application, iii. 737
 simple forms, iii. 737
 spica, iii. 741
 of shoulder ascending, iii. 753
 spiral, iii. 739
 reverse, iii. 739
 square, iii. 783
 starch, i. 56
 T-, i. 49; iii. 780
 split, iii. 781
 triangular, i. 49; iii. 783
 tricot, i. 55
 tripolith, i. 56
 universal scarf, iii. 793
 water-glass, i. 56
 weaving, iii. 742
 Bandaging, iii. 735
 support for pelvis in, iii. 767
 Bands, metallic, in fractures, i. 506
 Banti's disease, ii. 785
 Barium, iii. 709
 Barney's urethrotomy, simplified external perineal, iii. 296
 Barraquer's method of cataract extraction, ii. 174
 Bars, prostatic, iii. 244
 Bartholin's glands, iii. 324
 gonorrhoeal inflammation of, iii. 284
 Bartlett's method of sterilizing catgut, i. 36
 of nephropexy, iii. 168
 Base and vault of skull, fractures of, i. 537
 of skull, fractures of, i. 534
 Bassini's operation for inguinal hernia, iii. 32
 Bath, daily, i. 24
 warm, in tetanus, i. 269
 Bayer's method of restoring end of nose, iii. 679
 Beal's method for suction drainage of bladder, iii. 224

Beck's bismuth paste injections in sinuses, i. 306
 operation for hypospadias, iii. 267
 Bedbugs, bites of, i. 275
 Bed cradle, i. 23, 24.
 frame for supporting suspension splints, i. 488
 hospital, i. 22, 23
 Bed-lift, i. 25
 Bed-pan, i. 24
 Bed-sores, i. 313
 prevention, i. 24
 skin powder for, i. 313
 Beef serum, i. 59
 Beer and Elsberg's method of laminectomy in medullary tumors of spinal cord, ii. 341
 Bees, stings of, i. 276
 Bellocq's canula in nasal hemorrhage, ii. 185
 Bell's palsy, i. 881. See also *Facial paralysis*.
 Belt, abdominal, for hernia, iii. 17
 constriction, in hemorrhage, i. 363
 Benign cysts, i. 325
 tumors of breast, ii. 475
 incisions for removal, ii. 477
 of kidney, iii. 151
 of liver, iii. 112
 of stomach, ii. 703
 Benzoate of mercury in syphilis, iii. 814
 Benzoic acid, as antiseptic, i. 67
 Benzoin varnish antiseptic, i. 73
 Benzol in leukemia, i. 466
 Berkowitz and Seff's treatment of paronychia, iii. 442
 Bernheim's clamp for indirect blood transfusion, i. 353
 Beta-naphthol, as antiseptic, i. 71
 Beta rays of radium, iii. 709
 Bevan's incision for operations on bile tract, iii. 120
 operation for hypospadias, iii. 269
 for undescended testicle, iii. 308
 Biceps femoris, tendon of, tenotomy of, i. 815
 of arm, paralysis of, tendon transplantation in, i. 812
 Bichlorid eczema, i. 833
 gauze, i. 40
 of mercury, as antiseptic, i. 59
 method for catgut, 35
 Bier's hyperemia, i. 229-232
 active, i. 229
 for inflammation, i. 229
 in felon, iii. 442
 in malposition of joints, i. 686
 in neuralgia, i. 863
 in tuberculosis, i. 280
 of joints, i. 664
 of knee-joint, i. 675
 in tuberculous abscess, i. 282
 in wound infection, i. 28
 passive, i. 229
 method of osteoplastic amputation, iii. 516
 Bifid tongue, ii. 286
 uvula, ii. 255

Bigelow's evacuator for litholapaxy, iii. 199
 lithotrite, iii. 199
 method of introduction, iii. 200
 method of reducing hip dislocations, i. 641, 643
 Bilateral torticollis, ii. 375
 Bile feeding for biliary fistula, iii. 117
 Bile-duct, common. See *Common duct*.
 Bile-tract and gastro-intestinal tract, perforation between, iii. 116
 diseases of, after-treatment, iii. 137
 complications after, iii. 136
 recurrence after operation, iii. 136
 infections of, iii. 114
 treatment, iii. 115
 operations on, anesthesia in, iii. 119
 appliances for, iii. 118
 position of patient for, iii. 118
 preparation of patient for, iii. 118
 Biliary calculi, ii. 780; iii. 116. See also *Gall-stones*.
 cirrhosis, ii. 785
 colic, acute, iii. 115
 fistula, iii. 117
 bile feeding for, iii. 117
 saline injections through, iii. 117
 Billroth's anesthetic mixture, i. 119
 Binder for movable kidney, iii. 154
 Binders, abdominal, i. 50
 breast, i. 49
 for abdominal operations, ii. 520
 Binnie's method of osteoplastic amputation, iii. 526
 Bipp paste, i. 248. See also *Bismuth paste*.
 Birth palsy, brachial, i. 894
 Birth-mark, radium for, iii. 714
 Biskra button, i. 273
 Bismuth formic-iodid as antiseptic, i. 72
 gauze, i. 40
 oxyiodid as antiseptic, i. 71
 paste combined with instillation for infected wounds, iii. 812
 in chronic suppurative otitis media, ii. 310
 in empyema, ii. 412, 413
 in fistula in ano, iii. 64
 in infected wounds, i. 248
 in sinuses, i. 306
 phosphate as antiseptic, i. 72
 salicylate as antiseptic, i. 72
 subcarbonate as antiseptic, i. 72
 subgallate as antiseptic, i. 71
 subiodid as antiseptic, i. 71
 subnitrate as antiseptic, i. 72
 Bites of insects, i. 275
 on mouth, ii. 247
 snake, i. 274, 275
 Blackheads, i. 845
 treatment, i. 849
 Bladder, iii. 182
 anatomy, iii. 182
 aspiration, suprapubic, iii. 213
 atony, iii. 207
 atrophy, iii. 207
 cancer, iii. 196
 radium in, iii. 712

Bladder, canalization of, suprapubic, iii. 213
 contracture at meatus, urinary retention from, iii. 212
 contusions of, iii. 190
 diverticula of, iii. 206
 drainage into, in ascites, ii. 561
 drainage of, by suction, iii. 222
 perineal, iii. 222
 permanent, iii. 221
 suprapubic, iii. 221
 urethral, iii. 222
 exstrophy of, iii. 203
 implantation of ureters into cecum for, iii. 205
 Maydl's operation for, iii. 204
 female, iii. 324
 foreign bodies in, iii. 203
 gall-stones impacted at exit of, iii. 116
 hernia of, iii. 51
 hypertrophy of, iii. 206
 implantation of ureter into, iii. 176
 inflammation of, iii. 191. See also *Cystitis*.
 injuries of, iii. 190
 instruments, iii. 183
 lubrication of, iii. 183
 sterilization of, iii. 183
 operations on, iii. 213
 control of hemorrhage in, iii. 197
 overdistention, atonic, retention from, iii. 209
 papilloma of, iii. 196
 perineal drainage, iii. 220
 polyp of, fulguration for, iii. 793
 preparation of, for operation, i. 180
 reconstruction of, iii. 226
 rectal drainage of, for vesicovaginal fistula, iii. 352
 resection of, iii. 224
 rupture of, iii. 190
 extraperitoneal, iii. 191
 intraperitoneal, iii. 191
 sphincter of, incontinence of, iii. 207, 330
 stone in, iii. See also *Stone in bladder*.
 total removal of, iii. 225
 transvaginal rectal drainage of, for incontinence, iii. 331
 trigonum of, iii. 182
 tuberculosis of, iii. 193
 tumors of, iii. 194
 inoperable, iii. 197
 transperitoneal operation for, iii. 197
 route for removal, iii. 224
 ulceration of, chronic infiltrating, iii. 194
 urinary, papilloma of, fulguration for, iii. 700
 wounds of, iii. 190
 Blad's method of drainage in ascites, ii. 560
 Blankets, i. 48
 Blastomycosis, i. 838
 of eyelids, ii. 120
 Bleaching powder, i. 61
 Bleeding. See *Hemorrhage*.
 ulcers, i. 314
 Blepharitis, ii. 110
 squamous, ii. 119

Blepharophimosis, ii. 119, 120
 Blepharoplasty, ii. 142
 for resection of eyelids, ii. 147
 Blepharospasm, ii. 120
 Blepharotomy, ii. 143
 Blindness with brain tumors, ii. 178
 Blocking, nerve, alcohol injections for, i. 864
 Blood as hemostatic, i. 342
 clot, filling bone cavities with, i. 704
 defibrinated, in hemorrhage, i. 343
 from abdomen for transfusion, iii. 818
 sequestration of, for control of hemorrhage, i. 369
 tests of donor's, transfusion, iii. 814
 transfusion, 348. See also *Transfusion, blood*.
 Blood-cells, preserved red, transfusion with, iii. 815
 Blood-cysts, mesenteric, ii. 564
 Bloodless disarticulation at shoulder-joint, iii. 563
 Blood-letting. See *Venesection*.
 Blood-nitrogen retention of kidney function, iii. 144
 Blood-pressure, effects of ether on, i. 105
 Blood-serum as hemostatic, i. 342
 Blood-vessels, i. 334
 closing of, absorbable metal clips for, i. 339
 injuries to, in dislocations, i. 611
 laceration of, in fractures, i. 524
 transplantation, iii. 647
 treatment of, in amputation, iii. 510
 wound of, cut-throat with, ii. 366
 Blowing nose in nasal infections, ii. 186
 Blumberg's operation on Fallopian tubes to induce sterility, iii. 429
 Boas' extra-anal method of treating hemorrhoids, iii. 74
 Bode's position for drainage, ii. 528
 Body, ciliary. See *Ciliary body*.
 Boeckel's operation through upper jaw to reach nasopharynx, i. 723
 Bogojawlensky's osteoplastic flap operation on pituitary body, ii. 88
 Boiling water, sterilization by, i. 31
 Boils, i. 253, 827
 Aleppo, i. 273
 nasal, i. 273
 of auricle, ii. 304
 Oriental, i. 273
 vaccines in, i. 253, 829
 Boldt's binder for abdominal dressings after operation, ii. 520
 Bolster sutures, i. 197
 Bone cylinders in fractures, i. 507
 drill, brace for, ii. 29
 ferrules in fractures, i. 507
 flaps, autoplasic, filling defects in bones with, i. 699
 heteroplastic, i. 700
 Bone-grafts, i. 772
 Albee's, in fractures, i. 507
 autogenous, i. 772
 for skull defects, i. 775
 autoplastic, i. 772

Bone-grafts, curved, method of preparing, i. 780
 electric motor for cutting, i. 691
 for club-foot, iii. 477
 for filling bone-defects, i. 772
 from cadaver, i. 772
 heteroplastic, i. 772
 in ankylosis of knee-joint with deformity, i. 787
 in bow-leg deformity, i. 787
 in dislocations of hip, i. 783
 in fracture of clavicle, i. 511
 of condyles, i. 515
 of forearm, i. 512
 of humerus, i. 511
 of lower jaw, i. 518
 of malleolus, i. 516
 of neck of femur, i. 511
 of olecranon, i. 511
 of os calcis, i. 517
 of patella, i. 516
 in habitual dislocation of patella, i. 787
 in paralytic scoliosis, i. 782
 in sacro-iliac joint, i. 783
 in spina bifida, i. 783
 in spondylolisthesis, i. 783
 in tuberculous spondylitis, i. 776. See also *Bone-grafts of spine*.
 inlay, method of holding, i. 774
 methods of cutting, i. 773, 774
 of fixation, i. 772
 of astragalus for restoring head of femur, i. 785
 of phalanges, i. 786
 of skull, i. 775
 of spine, i. 776
 after-treatment, i. 781
 choice of operation, i. 781
 contraindications, i. 781
 indications for use of, i. 780
 inlaid, in split spinous processes, i. 777
 lateral, i. 776
 results of, i. 782
 to produce ankylosis, i. 780
 preparation of, i. 772
 sliding, i. 509
 technic, i. 772
 tibial, i. 772, 773
 transplanted, i. 511
 instruments, extemporized, i. 89
 temporal, infections of, intracranial complications, ii. 318
 transplantation, i. 772
 Bone-cutting forceps, linear, Hudson's, ii. 29
 Bones, angiosarcoma of, i. 710
 apparatus for moving, in fractures, i. 497
 autoplastic operations with, in osteomyelitis, i. 698
 caries of, i. 468
 chips of, for filling bone cavities, i. 704
 congenital defects of, i. 471
 contusions of, i. 467
 cysts of, i. 709
 denuded, i. 467
 diseases of, i. 467

Bones, diseases of, talipes due to, iii. 484
 displaced, in fractures, i. 524
 enchondroma of, i. 709
 excisions of, i. 717
 filling cavities in, i. 701
 absorbable materials for, i. 705
 bone chips for, i. 704, 705
 from bone tumors, i. 706
 from tuberculosis, i. 706
 in compound fractures, i. 706
 in epiphyseal caries and necrosis, i. 706
 in isolated chronic abscess, i. 706
 non-absorbable materials for, i. 705
 salt solution for, i. 705
 transference of bone for, i. 704
 with autoplastic bone flaps, i. 699
 with blood clots, i. 704
 with fat, i. 704
 with fat-graft, iii. 648
 with heteroplastic bone flaps, i. 700
 with organic tissues, i. 704
 with spermaceti wax, i. 705
 long, giant-cell sarcoma of, i. 707, 709
 osteotomy of, i. 711
 technic, i. 712
 resection of, osteotomy combined with, i. 716
 loss of substance, operations for, i. 692
 medullary fibroma of, i. 709
 metatarsal, excision of, i. 737
 myxochondrosarcoma of, i. 709
 myxoma of, i. 709
 necrosis of, i. 468
 in fractures, i. 525
 of ear, ii. 299
 of pelvis, resection of, i. 732
 of skull, injuries of, in newborn, iii. 695
 operations on, i. 688
 for lengthening, i. 770
 for loss of substance, i. 699
 instruments for, i. 688-690
 perithelioma of, i. 710
 resections of, i. 717
 sarcoma of, mixed-cell, i. 709
 small round-cell, i. 709
 spindle-cell, i. 709
 suturing of, in fractures, i. 503
 tendon to, i. 804
 syphilis of, i. 470
 tarsal, excision of, i. 734
 transference of, for filling bone cavities, i. 704
 treatment of, in amputation, iii. 508
 tuberculosis of, i. 469
 tuberculous foci in, uncomplicated, i. 470
 tumors of, i. 470, 706
 amputation in, indications for, i. 709
 conservative operations for, i. 706
 excision in, i. 708
 filling bone cavities from, i. 706
 resection, i. 706
 turbinated, ii. 179
 wiring of, in fractures, i. 503
 Bone-saw, Gigli's wire, ii. 29
 Bönnighaus' method of obliterating maxillary antrum, ii. 197

- Borax as antiseptic, i. 67
 Boric acid as antiseptic, i. 67
 gauze, i. 41
 Boro-salicylic gauze, i. 41
 solution as antiseptic, i. 68
 Bost and Neve's method of resuscitation by heart massage, iii. 821
 Bottini's operation for hypertrophy of prostate, iii. 232
 Bougard's paste in cancer, i. 331
 Bougies, esophageal, ii. 434
 olive, ii. 434
 Bovy's mercury-salvarsan treatment of syphilis, iii. 814
 Bow-legs, iii. 466
 anterior, iii. 468
 braces for, iii. 466
 deformity, bone-grafts in, i. 787
 osteoclasis for, iii. 466
 osteotomy for, iii. 467
 Braces, metallic, in Pott's disease, ii. 333
 Brachial artery, compression of, in hemorrhage, f. 360
 ligation of, i. 418
 birth palsy, i. 894
 neuralgia, i. 896
 paralysis in newborn, iii. 696
 plexus, blocking of, i. 154
 injection of, in local anesthesia, i. 145
 injuries and diseases of, i. 892
 method of exposure, i. 893
 narcosis paralysis of, i. 895
 Bradford frame in Pott's disease, ii. 328
 in tuberculosis of hip, i. 666
 Bradycardia in contusion of liver, iii. 106
 Brain, abscess of, ii. 73, 319
 indications for operation, ii. 73
 technic of operation, ii. 74
 anatomy, ii. 43
 angioma of, ii. 75
 auditory sensory center of, ii. 45
 bulging of, in operation, prevention, i. 51
 carcinoma of, ii. 75
 compression of, ii. 53
 venesection for, ii. 54
 concussion of, ii. 52
 contusions of, ii. 52
 cortex, motor area of, anatomy, ii. 44
 sensory area of, ii. 45
 cortical function topography, ii. 45
 cystoma of, ii. 75
 decompression of, ii. 54
 electric reaction of motor areas, testing for, ii. 51
 endothelioma of, ii. 75
 fibroma of, ii. 75
 foreign bodies in, ii. 63
 glioma of, ii. 75
 gliosarcoma of, ii. 75
 hernia of, ii. 64
 hypophysis of. See *Pituitary body*.
 inflammations of, ii. 73
 injuries of, ii. 63
 lateral ventricle of, ii. 48
 lipoma of, ii. 75
 myxoma of, ii. 75
- Brain, olfactory sensory center of, ii. 45
 operations on, advantages of outward dislocation in, ii. 51
 hexamethylenamin to prevent meningitis after, i. 52
 lumbar puncture in, ii. 51
 preventing bulging in, ii. 51
 psammoma of, ii. 75
 reading center of, ii. 44
 sinuses of, ii. 44
 lateral, ii. 47
 skull and, relations, ii. 46
 special sensation areas of, ii. 45
 speech center of, ii. 44
 substance, hemorrhage into, ii. 57
 superior longitudinal sinus of, ii. 47
 surface topography, ii. 44
 syphilis of, ii. 75
 teratoma of, ii. 75
 topography of, ii. 48
 tuberculosis of, ii. 75
 tumors of, ii. 75. See also *Tumors of brain*.
 visual sensory center of, ii. 45
 wounds of, ii. 61
 bullet, ii. 62
 stab, ii. 62
 writing center of, ii. 44
 Branchial cysts of neck, ii. 372
 fistula of neck, ii. 372
 Brault's method of removing tattoo marks, i. 849
 Brawny arm, i. 463
 Breast, ii. 471
 adenofibroma of, ii. 475
 adenoma of, cystic, ii. 475
 anatomy, ii. 471
 angioma of, ii. 475
 bandage of, double compression, iii. 767
 single compression, iii. 766
 triangular suspensory, iii. 791
 benign tumors of, ii. 475
 binders, i. 49
 caked, ii. 473
 cancer of, ii. 477
 contraindications to operation, ii. 477
 cure, ii. 477
 doubtful, operations in, ii. 478
 early and complete extirpation of, ii. 477
 extensive recurrent, ii. 494
 inoperable, ii. 494
 lines of incision in, ii. 480
 lymph glands in, ii. 479
 operation in, ii. 477; 489
 after-treatment, ii. 488
 closure of wound, ii. 486, 492
 drainage, ii. 488
 dressing, ii. 488
 radical cautery, ii. 492
 saving of blood, ii. 486
 shock in, ii. 486
 steps, ii. 480
 prognosis, ii. 478
 prevention, ii. 477
 radium in, iii. 713
 recurrence, operations for, ii. 478

Breast, cancer of, tissues to be removed in, ii. 479
 congenital anomalies, ii. 472
 contusions of, ii. 472
 cystadenoma of, ii. 475
 cysts of, ii. 476
 dermoid cysts of, ii. 477
 fistula of, chronic, ii. 474
 foreign bodies in, ii. 472
 hydatid cysts of, ii. 477
 hypertrophy of, ii. 472
 senile parenchymatous, ii. 475
 lipoma of, ii. 475
 lymphatics of, ii. 472
 male, cancer of, ii. 497
 chronic mastitis in, ii. 497
 tumors of, ii. 497
 myxoma of, intracanalicular, ii. 475
 neuralgia of, ii. 473
 nevus of, ii. 475
 operations on, local anesthesia in, i. 148
 papillomatous cysts of, ii. 477
 simple cysts of, ii. 477
 tuberculos of, ii. 475
 tumors of, benign, incisions for removal, ii. 477
 mixed, ii. 475
 wounds of, ii. 472

Bregma, ii. 45

Bridging of nerves, i. 855
 autoplastie, i. 855
 heteroplastie, i. 855

Brilliant green as antiseptic, i. 65
 for infected wounds, iii. 810

Brinsmade's operation for securing muscular control of artificial anus, ii. 694

Broad ligaments, iii. 325, 326
 abscess of, iii. 426
 cellulitis of, iii. 426
 hemorrhage into, iii. 426
 application of anterior fold of, for retroversion, iii. 392
 tumors of, ii. 426
 varicose veins of, iii. 426

Bromethyl anesthesia, i. 118

Bromidrosis, i. 844

Bromoform anesthesia, i. 118

Bronchi, distention of, ii. 419. See also *Bronchiectasis*.
 foreign bodies in, ii. 224
 removal, ii. 244
 pneumotomy for, ii. 456
 operations on, local anesthesia for, i. 144
 strictures of, ii. 422

Bronchiectasis, ii. 419
 advanced, ii. 419
 antiseptics in, ii. 419
 colloidal silver in, ii. 419
 ligation of pulmonary artery in, ii. 420
 mild, ii. 419
 phrenic neurectomy in, ii. 420
 pneumectomy in, ii. 420
 pneumolysis in, ii. 420
 pneumotomy in, ii. 419
 superheated air inhalations in, ii. 419
 thirst cure, ii. 419
 thoracoplasty in, ii. 420

Bronchoscopy, ii. 225, 239
 lower, ii. 243
 position of patient for, ii. 240
 superior, ii. 242

Bronze wire sutures, i. 38

Brophy's method of operation in cleft-palate, ii. 265

Brushes for skin cleansing, i. 82

Bryant's method of posterior osteoplastic thoracotomy, ii. 462

Bubo, iii. 460
 chancroid, iii. 460

Buck's extension in fractures, i. 488

Bulb of penis, iii. 248

Bulbus oculi, ii. 115, 116

Bulgarian bacillus as urinary antiseptic, iii. 142

Bullet wounds, i. 222
 from explosive bullet, i. 222
 of abdominal wall, ii. 535
 compression treatment, ii. 536

of brain, ii. 62

of intestines, perforating, i. 567

of joints, i. 656

of kidney, iii. 146

of liver, iii. 107

of spine, ii. 325

Bunion, iii. 491, 493

Buried suture, i. 191

Burns, Alexander's paste for, iii. 807

dichloramin for, i. 65

distortions and contractions following, iii. 693

electric, iii. 720

from caustics, i. 825

of conjunctiva, ii. 124

of cornea, ii. 128

of larynx, ii. 219

of neck, ii. 373

of skin, i. 820
 extensive, i. 822
 from acids, i. 825
 from caustics, i. 825
 from dry heat, i. 825
 from hot fluids, i. 825
 granulating, i. 824
 hydrotherapy in, i. 822
 of small area, i. 821
 of variable areas, i. 821
 paraffin occlusion treatment, i. 823
 prevention of deformity in, i. 824
 vaccines in, i. 824

of tongue, ii. 288

of trachea, ii. 219

x-ray, iii. 703, 720

Burrs, Doyen's, ii. 27, 29

Hudson's, ii. 28, 29

Bursæ, i. 819
 contusions of, i. 819
 wounds of, i. 819

Bursal cysts of neck, ii. 372

Bursitis, iii. 465
 exostosis, i. 709
 infective, i. 819
 non-infective, acute, i. 819
 chronic, i. 819
 peri-articular, of shoulder-joint, iii. 451

Bursitis, prepatellar, iii. 465
 pretibial, iii. 465
 tuberculous, i. 819
 Busch and Momburg's cosmetic treatment of facial paralysis, iii. 687
 Buttock, aneurism of, i. 398
 bandage of, spica, iii. 768
 Button, Biskra, i. 273
 method of intestinal anastomosis, ii. 667
 lateral, ii. 671
 sutures, i. 197
 Byrne's cautery treatment for cancer of uterus, iii. 422

CACHEXIA hypophyseopriva, ii. 83
 Caked breast, ii. 473
 Calcaneobursitis, iii. 495
 Calcaneovalgus, iii. 482
 Calcaneovarus, iii. 482
 Calcaneum, excision of, i. 734, 736
 resection of, i. 734
 Calcaneus, paralytic, iii. 484
 Calcium hypochlorite in peritonitis, ii. 551
 hyposulphite as disinfectant, i. 61
 in hemorrhage, i. 343
 Calculi, biliary, ii. 780; iii. 116. See also *Gall-stones*.
 of salivary ducts, ii. 291, 379
 of seminal vesicles, iii. 278
 pancreatic, ii. 783
 prostatic, iii. 248
 renal, iii. 152
 operations for, iii. 153
 ureteral, iii. 152, 157
 operations for, iii. 153
 vesical, iii. 197. See also *Stone in bladder*.
 Callositas, i. 841
 Callosities of foot, iii. 493
 of matrix of nails, i. 848
 Callus, i. 841
 bone i. 472
 excessive, in fractures, i. 525
 Calmette's serum in snake bite, i. 275
 Calomel, as antiseptic, i. 59
 in syphilis, i. 288
 Calot's high jacket in Pott's disease, ii. 332
 Camphor for treatment of shock, i. 217
 Camphorated oil in peritonitis, ii. 551
 Camphor-paraffin, formaldehyd-phenol in, for infected wounds, iii. 805
 Canal, external auditory, ii. 299, 304. See also *Auditory canal, external*.
 Fallopian, ii. 299
 lacrimal, atresia of, ii. 136
 enlargement of, ii. 177
 Cancer, i. 327
 abdominal, inoperable, ii. 706
 Bougard's paste in, i. 331
 caustics in, i. 330
 charlatanism in treatment, i. 330
 early treatment, i. 328
 etiology, i. 327
 houses, i. 327
 in pelvis, radium in, iii. 714
 infection, ii. 706
 inoperable, i. 331
 drug treatment, i. 332

Cancer, inoperable, palliative treatment, i.
 331
 Marsden's paste in, i. 331
 metastases in lymph-nodes, i. 466
 time of formation, i. 328
 of abdominal wall, ii. 538
 of appendix, iii. 104
 of axilla, extensive recurrent, ii. 494
 of bladder, iii. 196
 radium in, iii. 712
 of bones, i. 470
 of brain, ii. 75
 of breast, ii. 477. See also *Breast, cancer of*.
 radium in, iii. 713
 of cardia, resection for, ii. 756
 of cecum, ii. 589
 of colon, ii. 584
 of common bile-duct, iii. 118
 of deeper parts, x-rays in, iii. 705
 of descending colon, ii. 590
 of esophagus, radium in, iii. 712
 of gall-bladder, iii. 118
 of hepatic flexure of colon, ii. 590
 of intestines, ii. 583, 588
 of kidney, iii. 151
 of larynx, ii. 223
 of liver, iii. 112
 of lower part of sigmoid, ii. 591
 of lymphatics of neck, ii. 363
 of male breast, ii. 497
 of middle and upper sigmoid, ii. 592
 of transverse colon, ii. 590
 of neck, extensive recurrent, ii. 494
 secondary, ii. 372
 of nipples, ii. 473
 of nose, ii. 188
 of ovary, iii. 434
 of penis, iii. 253
 amputation for, iii. 255
 extirpation for, iii. 256
 of prostate, iii. 246
 palliative treatment, iii. 248
 prostatectomy for, iii. 247
 radium in, iii. 712
 recurrence, iii. 248
 of pyloric end of stomach, radical operation for, ii. 756
 of pylorus, ii. 720
 of rectum, iii. 75
 excision by abdominal route for, iii. 80
 by perineal route for, iii. 78
 by postrectal route for, iii. 76
 by sacral route for, iii. 78
 by two-stage abdominosacral operation in, iii. 81-84
 by vaginal route in, iii. 80
 through anus for, iii. 76
 external proctotomy in, iii. 75
 inguinal anus in, iii. 76
 inoperable, palliative treatment, iii. 85
 operation for, iii. 75
 infection after, iii. 85
 preparations for, iii. 70
 preservation of anus in, iii. 84
 proctectomy for, iii. 75
 radium in, iii. 712

Cancer of rectum, recurrence, iii. 85
 resection with preservation of sphincter
 ani for, iii. 84
 vaginal proctotomy for, iii. 75
 of sigmoid, ii. 589
 of skin, i. 843
 of skull, ii. 42
 of splenic flexure of colon, ii. 590
 of stomach, ii. 703
 choice of operation in, ii. 704
 doubtful, exploratory operation in, ii.
 703
 gastrectomy in, ii. 764
 gastro-enterostomy in, ii. 704
 gastrojejunostomy in, ii. 705
 gastrostomy in, ii. 705
 inoperable, ii. 704
 involvement of transverse mesocolon
 in, ii. 705
 operative mortality, ii. 704
 palliative operations in, ii. 704
 pyloric, operation for, ii. 756
 radium in, iii. 712
 recurrence, ii. 704
 symptoms, ii. 703
 of testicles, iii. 306
 operation for, iii. 307
 of thorax, extensive recurrent, ii. 494
 of thyroid gland, ii. 381
 of tongue, ii. 292
 excision in, ii. 293. See also *Excision
 of tongue*.
 incurable, alcohol injections in, i. 869
 operation in, ii. 364
 of upper part of rectum, ii. 591
 of urethra, iii. 272
 retention of urine from, iii. 212
 of uterus, iii. 374
 abdominal hysterectomy for, iii. 421
 acetone treatment, iii. 424
 cautery for, iii. 422
 fulguration for, iii. 424
 incurable, iii. 425
 inoperable, iii. 425
 prognosis, iii. 424
 radiation for, iii. 424
 radium for, iii. 711
 of vagina, iii. 356
 radium in, iii. 711
 of vulva, iii. 328
 radical treatment, i. 328, 329
 recurrent, x-rays in, iii. 705
 spontaneous cure, i. 331
 tissue, effect of radium on, iii. 710
Cancrum oris, ii. 247
Canthoplasty, ii. 143
 for enlarging palpebral fissure, ii. 142
Canula and *trocār*, i. 79
 Bellocq's, in nasal hemorrhage, ii. 185
Canulization of bladder, suprapubic, iii.
 213
Capillary nevi, i. 453
Capitellum bandage, antero-posterior, iii.
 746
 single, iii. 748
 transverse, iii. 747
Capsule, Tenon's advancement of, ii. 177

Capsulotomy, preliminary, for immature
 cataract, ii. 168
Caput succedaneum, iii. 694
Carbolic acid, i. 65
 Carbon dioxide in anesthesia, i. 122
 in nevus pigmentosus, i. 842
Carbuncle, i. 253
 actual cautery in, i. 253
 circular incision in, i. 253
 dressings for, i. 253
 of hand, iii. 444
 of upper lip, i. 253
 time for incision, i. 253
Carcinoma. See *Cancer*.
Cardia, cancer of, resection for, ii. 756
Cardiac diseases as factor in operation, i.
 182
 orifice of stomach, ii. 698
 stenosis of, ii. 715
Cardiolyisis for pericardial adhesions, ii. 424
Cardiorrhaphy, ii. 427
Cardiospasm, ii. 716
Carcile membrane, i. 74
 to prevent adhesions in abdominal
 operations, ii. 522
Caries of bones, i. 468
 of ribs, ii. 398
 of teeth, ii. 275
Carnes' prosthetic apparatus with movable
 joints, iii. 608
Carotid aneurism, i. 399
 artery, common, anatomy, i. 406
 ligation of, i. 406
 at inferior carotid triangle, i. 407
 at superior carotid triangle, i. 408
 indications for, i. 408
 slow, i. 408
 compression of, in hemorrhage, i. 360
 external ligation of, i. 409
 internal, ligation of, i. 410
 wounds of, ii. 360
 gland, ii. 395
 triangle, inferior, ligation of common
 carotid artery at, i. 407
 superior, i. 406
 ligation of common carotid artery
 at, i. 408
 tubercle, i. 407
Carpometacarpal joint, disarticulation of
 metacarpal bones at, iii. 554
 joints, dislocations of, i. 639
Carpus, dislocations of, i. 638
 of individual bones, i. 639
 fractures of, i. 579
Carrel-Dakin instillation method for in-
 fected wounds, i. 242
Carr's clamp for scalp operations, ii. 21
Cart, anesthetizing, i. 94
Carter's nasal splint, ii. 180
 operation for saddle-nose, iii. 682
Cartilages, costal, dislocations of, i. 623
 necrosis of, ii. 398
 resection of, in rigidity of chest, ii. 421
 fractured, i. 653
 grafts of, in joint resections for ankylosis,
 i. 759
 laryngeal, dislocations of, ii. 220

Cartilages, nasal, transplanting of, ii. 192
 of joints, dislocation of, i. 652
 semilunar, of knee-joint, dislocation of, i. 652
 transplantation of, iii. 648
 Caruncle, urethral, iii. 328
 Caseous tonsillitis, ii. 212
 Casper's lubricant for bladder instruments, iii. 184
 Castration in male, iii. 319
 Cataplasma kaolini for inflammations, i. 234
 Cataract, ii. 132
 after-, operations for, ii. 174
 artificial ripening in, ii. 133
 best time for operation, ii. 133
 congenital, ii. 133
 couching, ii. 172
 depressing, ii. 172
 discussion of, ii. 169
 extraction, accidents in, ii. 167
 after-treatment, ii. 166
 combined, ii. 166
 linear, ii. 170
 of crystalline lens without incision of capsule in, ii. 70
 simple, ii. 165
 suction in, ii. 173
 suturing corneal wound after, ii. 172
 two-stage, ii. 171
 vacuum, ii. 174
 with capsule after subluxation, ii. 171
 without iridectomy, ii. 165, 166
 immature, intracapsular extraction, ii. 171
 preliminary capsulotomy for, ii. 168
 monocular, ii. 133
 needle operation for, ii. 169
 operations for, ii. 165
 partial, ii. 133
 ripe, ii. 133
 secondary, operations for, ii. 174
 traumatic, ii. 133
 immediate removal, ii. 173
 zonular, ii. 133
 Catarrh, cervical, iii. 368
 Catarrhal acute laryngitis, ii. 220
 tonsillitis, ii. 212
 epidemic conjunctivitis, ii. 122
 esophagitis, acute, ii. 432
 inflammation, acute, of frontal sinuses, ii. 199
 of maxillary antrum, ii. 195
 chronic, of frontal sinuses, i. 199
 of maxillary antrum, ii. 195
 Catgut, i. 33
 argentized, i. 36
 braided, i. 34
 chromic, for ligating arteries, i. 402
 chromicized, i. 36
 for ligatures, i. 337
 sizes, i. 33
 sterilization of, i. 34
 alcohol method, i. 35
 ammonium sulphate method, i. 35
 Bartlett's method, i. 36
 bichlorid of mercury method, i. 35

Catgut, sterilization of, cumol method, i. 34
 dry heat method, i. 36
 formalin-iodin method, i. 36
 formalin method, i. 36
 iodin method, i. 35
 moist heat method, i. 36
 paraffin method, i. 36
 potassium mercuric iodid for, i. 35
 tannic acid method, i. 37
 toloul method, i. 35
 sterilized, in tubes, i. 34
 treatment of hydrocele, iii. 316
 Cathelin's epidural injection treatment of enuresis, iii. 208
 Catheter à demeure, iii. 222
 introduction of, method, iii. 184
 Catheterization for hypertrophy of prostate, iii. 231
 of arteries, i. 380
 of Eustachian tube, ii. 302
 of ureters, iii. 188
 by air distention, iii. 188
 retrograde, in urethral stricture, iii. 299
 Cauliflower ear, ii. 303
 Caustics, i. 73
 gastritis due to, ii. 702
 in cancer, i. 330
 in inoperable cancer, i. 331
 Cautery, actual, i. 80
 in carbuncle, i. 253
 in ulcer of stomach, ii. 724
 as hemostatic, i. 339
 cutting, i. 80
 electric, i. 80, 83
 for cancer of uterus, iii. 422
 for inoperable cancer, i. 331
 in prolapse of rectum and anus, iii. 67
 Paquelin, i. 80
 radical, in cancer of breast, ii. 492
 Cavernous angioma, i. 454
 sinus, arteriovenous aneurism in, ii. 73
 thrombosis of, ii. 72
 C. E. anesthetic mixtures, i. 119
 Cecostomy, ii. 572
 Cecum, anatomy, ii. 624
 and appendix, hernia of, iii. 51
 cancer of, ii. 589
 exposure of, incision for, ii. 510
 implantation of ureters into, for extrophy of bladder, iii. 205
 resection of, indications for, ii. 642
 tuberculosis of, ii. 575
 Cells, mastoid, ii. 299
 Cellulitis, i. 264
 diffuse acute, i. 250
 elastic bandage in, i. 229
 gangrenous, i. 318
 of auricle, ii. 303
 of broad ligaments, iii. 426
 of external auditory canal, ii. 304
 of finger-tips, iii. 443
 of lips, ii. 246
 of neck, ii. 361
 superficial, ii. 362
 of parotid gland, ii. 379
 of scalp, ii. 23
 Cellulooided linen sutures, i. 38

Cement dressings, i. 56
 Cenencephalocele, ii. 93
 Centipedes, bites of, i. 276
 Cephalhematoma in newborn, iii. 694
 Cerebellar abscess, usual site, ii. 50
 Cerebellopontine angle, osteoplastic craniotomy for exposure of, ii. 41
 Cerebral abscess, usual site, ii. 50
 apoplexy, spontaneous, ii. 58
 temporal craniotomy in, ii. 58
 localization, ii. 48
 ventricles, lateral, puncture of, in hydrocephalus, ii. 96
 puncture of, in hydrocephalus, ii. 95, 96
 Cerebrospinal fluid in spinal anesthesia, i. 156
 meningitis, epidemic, ii. 67
 carriers in, ii. 67
 Flexner's treatment, ii. 67
 intravenous serum treatment, iii. 820
 lumbar puncture in, ii. 67
 rhinorrhea, ii. 73
 sinuses, ii. 73
 Cerumen, impacted, in external auditory canal, ii. 305
 Cervical catarrh, iii. 368
 esophagectomy, partial, ii. 443
 esophagotomy, external, ii. 442
 lymphatics, operations, local anesthesia for, i. 145
 mediastinotomy in esophageal abscess, ii. 433
 nerves, injuries and diseases of, i. 890
 pleura, ii. 399
 ribs, ii. 373
 suprapubic Cesarean section, iii. 408
 sympathetic ganglia, injuries to, i. 898
 removal of, in epilepsy, i. 899
 in exophthalmic goiter, i. 899
 resection of, i. 899
 upper, removal of, in glaucoma, i. 898
 vertebrae, lower six, dislocations of, i. 622
 Cervicitis, iii. 368
 Cervico-occipital neuralgia, i. 890
 Cervix, congenital abnormalities, iii. 375
 cystic degeneration of, iii. 375
 epithelioma of, iii. 375
 erosions of, iii. 369
 hypertrophy of, iii. 375
 amputation in, iii. 375
 laceration of, iii. 334, 362
 suture of, iii. 362
 Cesarean section, iii. 401, 404
 after-treatment, iii. 408
 delivery of child in, iii. 407
 extraperitoneal, iii. 408
 indications for, iii. 404, 405
 instruments for, iii. 405
 postmortem, iii. 408
 preparations for, iii. 405
 results, iii. 408
 suprapubic cervical, iii. 408
 technic, iii. 406
 with retention of uterus in abdomen, iii. 408

Chain suture, i. 195, 200
 tied, i. 200
 Chair, French's, for adenoid operations, ii. 209
 Chalazion, ii. 120
 Chalk paste in fistulas, i. 308
 Chancre of penis, iii. 252
 primary, of finger-tip, iii. 444
 syphilitic, excision of, i. 284
 treatment, i. 302
 Chancroid, iii. 251
 bubo, iii. 460
 fulguration treatment, iii. 252, 703
 Chapped hands, i. 849
 lips, i. 832; ii. 246
 Charcoal dressings, i. 42
 Charcot's disease of joints, i. 681
 Charlakanian in cancer treatment, i. 330
 Chart, narcosis, i. 96
 Cheek, bandage of, iii. 743
 defects not involving whole thickness, plastic operation for, iii. 657
 plastic operations for, iii. 657
 with double transplanted flap of forearm for, iii. 665
 mucous membrane of, plastic operation for defect of, iii. 665
 plastic operation on, transplanting flap with temporal artery in, iii. 660
 restoration of whole thickness, plastic operation for, iii. 657
 Chemicals, sterilization by, i. 30
 Chenopodium oil in amebic colitis, ii. 570
 Chest, bandage of, figure-of-eight, anterior, iii. 766
 cravat, iii. 787
 posterior, iii. 766
 special, iii. 765
 triangular, iii. 791
 rigidity of, ii. 421
 wall, abscess of, ii. 398
 inflammation of, ii. 398
 penetration of, wounds of lung with, ii. 413
 tumors of, ii. 444
 wounds of, non-penetrating, ii. 397
 penetrating, ii. 397
 Chiari's incision for nasal approach to pituitary body, ii. 90
 Chigo, bites of, i. 276
 Chilblains, i. 319, 826
 Childbirth, retroversion of uterus from, iii. 388
 Children, acute simple rhinitis in, ii. 186
 appendicitis in, iii. 102
 circumcision in, iii. 259
 deforming osteochondritis of hip-joint in, iii. 463
 general anesthesia in, i. 102
 gonorrhoeal vulvovaginitis in, iii. 285]
 hydrocele in, iii. 314
 susceptibility of, to shock, i. 19
 vulvovaginitis in, iii. 355
 Chin and scalp, bandage of, iii. 786
 bandage of, four-armed, iii. 783
 Chinosol as antiseptic, i. 60 :

Chipault's method of cran'ocerebral localization, ii. 48, 49
primary lines, ii. 48
secondary lines, ii. 49
Chloasma, i. 840
Chloral hydrate as antiseptic, i. 73
in tetanus, i. 267
Chloramin as antiseptic, i. 60
for treatment of infected wounds, i.
242
wax for superficial wounds, iii. 807
Chlorinated oil as antiseptic, i. 64
in compound fractures, i. 519
in infected wounds, i. 247
treatment for infected wounds, i. 247
Chlorazene as antiseptic, i. 60, 64
gauze, i. 41
in infected wounds, i. 247
Chlorcosane as antiseptic, i. 65
Chlorethane gauze, i. 41
in tetanus, i. 267
Chlorin content of chlorinated lime, titration to determine, i. 62
liquid as antiseptic, i. 64
Chlorinated gauze, i. 40
lime as antiseptic, i. 61
titration to determine chlorin content,
i. 62
oil in peritonitis, ii. 551
saline solution, i. 63
Chlormetacresol as antiseptic, i. 60
Chloroform anesthesia, i. 116
accidents in, treatment, i. 116
by mouth, iii. 807
dangers from, i. 116
effect on suprarenal capsules, i. 117
method of administration, i. 116
mask, extemporized, i. 88
Chloroform-ether sequence, i. 119
Chloroform-oxygen anesthesia, i. 120
Choked disk, iii. 135
Cholangitis, acute, iii. 114
Cholecystoduodenostomy, iii. 125
Cholecystectomy, iii. 127
drainage of ducts in, iii. 128
Cholecystenterostomy, iii. 125
Cholezystitis, ii. 780
acute, iii. 114
chronic, iii. 115
subacute, iii. 114
Cholecystjejunostomy, iii. 126
Cholecystostomy, iii. 122
one-stage, iii. 122
two-stage, iii. 123
Cholecystotomy, iii. 122
Choledochectomy, iii. 132
Choledochoduodenostomy, iii. 131
Choledochotomy, iii. 129
transduodenal, iii. 131
Cholelithiasis, ii. 780; iii. 116. See also
Gall-stones.
Cholesteatoma of external auditory canal,
ii. 306
Chondritis, ii. 223
costal, ii. 398
Chondroma, i. 324
bone, i. 470

Chopart's method of disarticulation of
foot, iii. 580
Chorda tympani, ii. 295
Chordee in acute anterior gonorrhea,
prevention, iii. 280
Chorio-epithelioma, iii. 375
of vagina, iii. 356
Choroid, diseases of, ii. 130
foreign bodies, in, ii. 130
injuries of, ii. 130
rupture of, ii. 131
tuberculosis of, ii. 130
tumors of, ii. 130
wounds of, ii. 130
Choroiditis, ii. 130
suppurative, ii. 130
Chrome holes, i. 315
Chromicized catgut, i. 36
Chrysarobin-serum treatment of psoriasis
i. 835
Cicatricial contractures of eyeball, old,
operations for, ii. 159
stenosis of esophagus, ii. 433
of pylorus, ii. 720
Cicatrix, adherent, i. 225
of muscles, i. 791
painful, i. 225
Cigarette drains, i. 47, 48
Ciliary body, diseases of, ii. 130
inflammation of, ii. 130
wounds of, ii. 30
Cinematic amputations, iii. 526
Cineplastic amputations, iii. 526
extension apparatus for stump, iii.
533
motor club in, iii. 531
loop in, iii. 530
stump in, iii. 529
of leg, iii. 538
of thigh, iii. 538
through forearm, iii. 527
through upper arm, iii. 537
transitory, iii. 538
stumps in amputation of leg, iii. 587
movable joints without, iii. 608
Circular amputation, iii. 504, 505
advantages, iii. 507
combined with flap amputation, iii.
515
cuff method, iii. 507
of forearm in lower third, iii. 556
suturing skin in, iii. 513
technic, iii. 515
treatment of muscle in, iii. 513
and flap amputation, combined, iii. 515
bandage, iii. 737
method of amputation, iii. 515
occlusion method of external anastomosis, ii. 658
Circulation, collateral, tests of efficiency, i.
390
Circumcision, iii. 258
in children, iii. 259
of leg in varicose veins, i. 452
Circumflex nerve, injuries to, i. 896
Circumscribed acute inflammation of ex-
ternal auditory canal, ii. 304

Cirrhosis, biliary, ii. 785
of liver, iii. 112
of stomach, ii. 702
Cirsoid aneurism, i. 400
of scalp, ii. 25
Cisterna magna, drainage of, into cranial sinuses, in hydrocephalus, ii. 98
Citric acid, as antiseptic, i. 72
Clamp method of intestinal anastomosis, ii. 676
Michel, for wounds, i. 187, 189
Claviceps purpurea, i. 318
Clavicle, dislocations of, i. 623. See *Dislocations of clavicle*.
excision of, i. 729
fractures of, i. 550. See also *Fractures of clavicle*.
recumbent treatment, i. 550
rest treatment, i. 550
Sayre's dressing for, modified, i. 552
resection of, i. 721
Clavus, i. 841
Claw-foot, i. 482
Claw-hand, i. 897; iii. 455
Claw-toe, iii. 491
Cleanliness in wound infection, i. 28
Cleansing hands, i. 173. See also *Sterilization of hands*.
mechanical, of infected wounds, i. 28
mouth, ii. 244
Cleft eyelids, ii. 110
lobule of auricle, ii. 303
Cleft-palate, ii. 257
early pressure treatment, ii. 258
etiology, ii. 257
operation in, ii. 258
after-treatment, ii. 265
best time for, ii. 258
disturbed phonation after, ii. 266
failure of union, ii. 265
for closing narrow cleft, ii. 259
wide cleft, ii. 262
incisions for, ii. 261
instruments for, ii. 258
jaw-compressing, ii. 265
later, ii. 258
position of patient, ii. 258
suture of intermaxillary segment, ii. 258
voice-training after, ii. 266
with sliding flap, ii. 261
Climate in etiology of adenoids, ii. 208
Clinic, coöperative, iii. 799
Clips, absorbable metal, for closing blood-vessels, i. 339
Clitoris, iii. 323
hypertrophy of, iii. 328
prepuce of, adhesions of, iii. 328
Cloaca, persistent, iii. 357
Closed method for ether anesthesia, i. 106
Closure of abdomen, ii. 516
of wounds, i. 187; iii. 809. See also *Sutures*.
Clothing, operating, for surgeon, i. 51, 173
Club-foot acquired, iii. 480
adhesive plaster strips in, iii. 472
after-treatment, iii. 481

Club-foot, congenital, open operation for, iii. 477
correction with plaster-of-Paris, iii. 469
cuneiform osteotomy for, iii. 481
destructive open operation for, iii. 480
Ehrenfried's method of correction, iii. 471
fixation for, iii. 469
forcible manual correction, iii. 474
later cases, treatment, iii. 474
manipulation for, iii. 469
overcorrection for, iii. 471
splints for, iii. 472
stage of retention in, iii. 471
walking stage in, iii. 472
Club-hand, iii. 452
Coagulability of blood, determination of, i. 458
Coagulants in hemorrhage, i. 342
Coal ash dressings, 42
gas, asphyxia from, iii. 720
Cocaptation sutures, i. 196
Cocain anesthesia in eye operations, ii. 118
as local anesthetic, i. 134
as spinal anesthetic, i. 156
hydrochloride as local anesthetic, i. 135
hydrochlorid as mydriatic, ii. 118
Cocain-adrenalin for local anesthesia, i. 135
Coccobacillus foetidus ozœnæ vaccines in ozena, ii. 188
Coccygeal neuralgia, ii. 357
Coccygodynia, ii. 357
alcohol injections in, ii. 358
massage in, ii. 358
removal of coccyx for, ii. 359
Coccyx, excision of, i. 732
Codivilla's method of traction in fractures, i. 486
Coffey's method of ureterocolostomy, iii. 179
operation for relaxed abdominal wall, ii. 541
Coin catcher, extemporized, i. 89
Cold, anesthesia from, i. 154
applications for inflammations, i. 235
in chronic inflammation, i. 250
as hemostatic, i. 339
cream for dry skin, i. 849
feet, iii. 495
Coley's toxins in inoperable cancer, 332
Colic, acute biliary, iii. 115
appendicular, iii. 104
renal, iii. 154
Colitis, ii. 570
amebic, ii. 570
colon irrigation in, ii. 570
continuous irrigation in, ii. 571
mucous, chronic intestinal obstruction from, ii. 610
Collapse during operation, i. 218
of alæ nasi, ii. 195
peritoneal, ii. 549
Collargol as antiseptic, i. 67
Collateral circulation, tests of efficiency, i. 390
Colles' fracture, i. 575. See also *Fractures, Colles'*.

Collodion, i. 53
 Colloidal gold test in syphilis, i. 299
 silver as antiseptic, i. 67
 in bronchiectasis, ii. 419
 solutions, intravenous infusion with, i. 347
 Coloboma, plastic operation for, iii. 653
 Colon, acquired dilatation of, ii. 614
 acute flexures of, chronic intestinal obstruction from, ii. 610
 obstruction of, ii. 598
 angulations of, chronic intestinal obstruction from, ii. 610
 ascending, anatomy, ii. 625
 resection of, indications for, ii. 642
 bacillus infection of kidney, iii. 148
 lavage in, iii. 148
 vaccines in appendicitis, iii. 88
 cancer of, ii. 584
 congenital dilatation of, ii. 614
 descending, anatomy, ii. 625
 cancer of, ii. 590
 dilatation of, chronic intestinal obstruction from, ii. 610
 hepatic flexure, cancer of, ii. 590
 ptosis of, ii. 616
 perforation of, ii. 582
 resection of, preventing obstruction to passage of gas in, ii. 644
 splenic flexure, cancer of, ii. 690
 ptosis of, ii. 616
 transverse, anatomy, ii. 625
 cancer of middle of, ii. 590
 ptosis of, ii. 616
 resection of, with preservation of omentum, ii. 646
 sagging of, with elongation of gastro-colic ligament, in gastropostosis, ii. 713
 Color of patient in general anesthesia, i. 99
 Colostomy, ii. 573, 685
 apparatus to collect feces after, ii. 695
 inguinal, left, ii. 686
 lumbar, ii. 695
 Colpocele, anterior, colpoplasty for, iii. 343
 posterior, iii. 342
 Colpocleisis for vesicovaginal fistula, iii. 352
 Colpoperineorrhaphy, iii. 342
 Colpoplasty for cystocele, iii. 343
 Colton's drainage tube in empyema, ii. 408
 Combined iridectomy and sclerotomy, ii. 157
 Comedo, i. 845
 treatment, i. 849
 Comminuted fractures of lower end of humerus, i. 570
 of patella, i. 602
 Commissoire, posterior, of vulva, iii. 323
 Common duct, anatomy, iii. 106
 cancer of, iii. 118
 cystic dilatation, iii. 113
 division of, transverse, iii. 131
 gall-stones in, iii. 116
 incision of, iii. 129
 at retroduodenal portion, iii. 130
 operations for reconstruction of, iii. 135
 perforation, iii. 114
 removal of segment, iii. 132

Common duct, stricture of, iii. 117
 operations for, iii. 131
 subcostal operation for exposure, iii. 119
 wounds of, iii. 114
 Compound dislocations, i. 612
 of shoulder, i. 632
 fractures, i. 518
 amputation in, conditions calling for, i. 520
 chloraminated oil in, i. 519
 Colles', i. 579
 elevation of temperature after, i. 520
 emergency treatment, i. 519
 filling bone cavities in, i. 706
 first dressing, i. 518
 immobilization in, i. 520
 of fibula, i. 606
 of patella, i. 603
 of shaft of femur, i. 592
 of humerus, i. 565
 of skull, i. 534
 of tibia, i. 606
 with joint wounds, i. 657
 Compress, radium, iii. 715
 Compression bandage of breast, single, iii. 766
 of breasts, double, iii. 767
 local, for control of hemorrhage, i. 370
 of artery in aneurism, i. 381
 of brain, ii. 53
 venesection for, ii. 54
 of nerves, i. 851
 temporary, for suture of arteries, i. 372
 Concealed hernia, iii. 50
 Concussion in basal fractures of skull, i. 537
 of abdomen, ii. 535
 of brain, ii. 52
 of spinal cord, ii. 324
 of thorax, ii. 397
 Condyles, fractures of, bone-grafts in, i. 515
 of humerus, fractures of, i. 568
 Condyloid point of inferior maxilla, ii. 45
 Condyloma of rectum, ii. 74
 Congenital abnormalities of breast, ii. 472
 of cervix, iii. 375
 cataract, ii. 133
 club-foot, open operation for, iii. 477
 cysts of neck, ii. 372
 defects of external ear, ii. 303
 deformity of arm, iii. 457
 dislocations, i. 613
 of ankle, i. 618
 of elbow, i. 618
 of hip, i. 613
 age in treatment, i. 613
 bone-grafts in, i. 783
 reduction by manipulation, i. 613
 after-treatment, i. 615
 dangers, i. 615
 technic, i. 614
 by open operation, i. 616
 choice of methods, i. 617
 of knee, i. 617, 648
 of patella, i. 618
 of radius, i. 618
 of shoulder, i. 618, 634

Congenital dislocations of wrist, i. 618
 idiocy, ii. 103
 imbecility, ii. 103
 insanity, ii. 103
 stenosis of esophagus, ii. 433
 of larynx, ii. 218
 of trachea, ii. 218
 stricture of urethra, iii. 286
 talipes calcaneus, iii. 482
 equinus, iii. 482
 varus, iii. 482
 Congestion, hypostatic, i. 228
 irritative, i. 228
 local, hemorrhage in, i. 359
 traumatic, i. 228
 Conical cornea, operations for, ii. 153
 stump in amputation, iii. 514
 tracheloplasty, iii. 367
 Conjunctiva, burns of, ii. 124
 diseases of, ii. 121
 eczema of, ii. 123
 foreign bodies in, ii. 124, 127
 hyperemia of, ii. 121
 inflammation of, ii. 121. See also *Conjunctivitis*.
 injections under, ii. 151
 operations on, ii. 149
 skin diseases involving, ii. 124
 tumors of, ii. 124
 wounds of, ii. 121, 124
 Conjunctivitis, acute contagious, ii. 122
 diphtheric, ii. 123
 diplobacillus, ii. 122
 epidemic catarrhal, ii. 122
 follicular, ii. 123
 gonorrhreal, ii. 123; iii. 285
 granular, ii. 123
 neonatorum, ii. 122
 nongonorrhreal, ii. 122
 phlyctenular, ii. 123
 pseudomembranous, ii. 123
 purulent nonspecific, ii. 121
 simple, ii. 121
 sympathetic, ii. 130
 vernal, ii. 123
 Connective-tissue tumors, benign, i. 323
 Connell's end-to-end anastomosis with
 mattress sutures, ii. 651
 Constipation, chronic, in chronic intestinal
 stasis, ii. 613
 in etiology of appendicitis, iii. 87
 Contagious conjunctivitis, acute, ii. 122
 Continuous divulsion in fractures, i. 496
 gastric lavage, ii. 701
 hypodermoclysis, i. 345
 intestinal suture, ii. 628
 suture, i. 190
 Contractions following wounds, burns, and
 ulcerations, iii. 693
 Contracture at hip-joint, iii. 463
 Dupuytren's, iii. 454
 fibrous, of urethral orifice, iii. 246
 of eyeball, old cicatricial, operations for,
 ii. 159
 of hands, iii. 450
 and fingers, disturbances of motion due
 to, iii. 453

Contracture of muscles, i. 793
 of palmar fascia, iii. 454
 old, iii. 450
 of psoas parvus muscle simulating appen-
 dicitis, i. 796
 Contusions, i. 218
 of abdomen, ii. 535
 of bladder, iii. 190
 of bones, i. 467
 of brain, ii. 52
 of breast, ii. 472
 of bursae, i. 819
 of face, ii. 115
 of hip-joint, iii. 462
 of intestines, ii. 565
 of larynx, ii. 219
 of liver, iii. 106
 of muscles, i. 788
 of nerves, i. 851
 of penis, iii. 250
 of scalp, ii. 17
 of skin, i. 820
 of spinal cord, ii. 324
 of testicles, iii. 303
 of thorax, ii. 396
 of trachea, ii. 219
 of urethra, iii. 271
 Coöperation, surgical practice under, iii.
 799
 Coöperative clinic, iii. 799
 Copper sulphate as caustic, i. 73
 Coproclysis, i. 344; iii. 55
 Coprostasis, chronic intestinal obstruction
 from, ii. 610
 Coracoid bursa, inflammation of, iii. 451
 process, fractures of, i. 556
 Cord, spinal. See *Spinal cord*.
 Cornea, adhesions of, to iris, ii. 156
 burns of, ii. 128
 conical, operations for, ii. 153
 diseases of, ii. 124
 eczema of, ii. 125
 foreign bodies in, ii. 127
 inflammation of. See *Keratitis*.
 method of inspection, ii. 116
 opacity of, ii. 126
 operations on, ii. 152
 paracentesis of, ii. 152
 tattooing of, ii. 152
 transplantation of, ii. 153
 tumors of, ii. 128
 ulcers of, ii. 125
 simple, ii. 125
 wounds of, ii. 121, 128
 Corneal opacity, ii. 126
 Corns, i. 841; iii. 493
 Cornu cutaneum, i. 841
 of uterus, iii. 325
 Corona of glans penis, iii. 248
 Coronai suture, ii. 45
 Coronoid process of ulna, fractures of, i.
 573
 Corpora cavernosa, iii. 248
 laceration of, iii. 250
 Corpus cavernosum urethræ, female, iii.
 324
 luteum extract, iii. 438

Corpus spongiosum, iii. 248
 laceration of, iii. 250
 Corrosive esophagitis, ii. 432
 sublimate as antiseptic, i. 59
 Corset, decompression, in scoliosis, ii. 354
 Gallant's, for movable kidney, iii. 155
 in Pott's disease, ii. 334
 in scoliosis, ii. 353
 Cosmetic surgery, iii. 622
 treatment of facial paralysis, iii. 687
 with tallow, iii. 688
 Cosmetics, skin, i. 849
 Costal arch, rhinoplasty with cartilage from,
 iii. 673
 cartilages, excision of, for exposure of
 heart and pericardium, ii. 624
 dislocations of, i. 623
 necrosis of, ii. 398
 resection of, in empyema, ii. 419
 in rigidity of chest, ii. 421
 chondritis, ii. 398
 joints, arthritis of, ii. 498
 pleura, ii. 399
 Cotton, absorbent, i. 41
 Cotton-process ether, iii. 807 .
 Couching cataract, ii. 172
 Counterirritation for inflammations, i. 237
 Counting sponges and instruments, i. 172
 Cowper's glands, inflammation of, iii. 275
 Coxa valga, iii. 465
 operation for, i. 770
 varia, iii. 463
 of adolescence, iii. 465
 operation for, i. 770
 Coxalgia, false, iii. 465
 Cracks of tongue, ii. 289
 Cradle, bed, i. 23, 24
 Cramp, writers', iii. 455
 Crane tendon sutures, i. 37
 Cranial nerve, fifth, injuries and diseases of,
 i. 881
 Craniocerebral localization, ii. 48
 Chipault's method, ii. 48, 49
 Reid's method, ii. 49
 topography, ii. 45
 Craniotabes, ii. 41
 Craniotomy for exposure of Gasserian gan-
 glion, ii. 106
 auriculotemporal, ii. 106
 control of hemorrhage in, ii. 109
 dividing sensory root, ii. 107
 high temporal, ii. 106
 intracranial method, ii. 107
 low temporal, ii. 106
 mortality, ii. 109
 operation of choice, ii. 109
 position of patient for, ii. 108
 removing ganglion in, ii. 107
 part of ganglion in, ii. 108
 results, ii. 110
 special modifications, ii. 108
 subtemporal, ii. 106
 two-stage operation, ii. 108
 in intracranial hemorrhage in newborn, ii.
 61
 osteoplastic, ii. 30, 34
 administration of anesthetic, ii. 31

Craniotomy, osteoplastic, cutting bone flap
 in, ii. 32, 33
 flap method, ii. 38
 in occipital region, ii. 31
 incisions for, ii. 31
 intermuscular temporal, ii. 36
 method of applying drainage in, ii. 35
 occipital, bilateral, ii. 38, 40, 41
 unilateral, ii. 37, 39
 position on table for, ii. 31
 preparation of patient, ii. 30
 suboccipital, ii. 36
 temporal, ii. 34, 36
 two-stage operation, ii. 32
 subtemporal, ii. 106
 temporal, in spontaneous cerebral apo-
 plaxy, ii. 58
 Cranium. See *Skull*.
 Cravat bandage of axilla, iii. 787
 of chest, figure-of-eight, iii. 787
 of eye, iii. 787
 of face, iii. 786
 of head, crossed, iii. 787
 of scalp, iii. 784
 simple occipitofrontal, iii. 784
 sling bandage of forearm, iii. 787
 Cream, Moynihan's, as antiseptic, i. 72
 Creolin, i. 66
 Creosote as antiseptic, i. 66
 Crepe paper bandages, iii. 794
 Cresol as antiseptic, i. 66
 Cresol-acetone method of hand sterilization,
 i. 174
 Cretinism, i. 322
 Crile's anoxic-association, i. 213, 214
 method of laryngectomy, ii. 235
 of ligation of thyroid gland, ii. 393
 of thyroidectomy, ii. 392
 pneumatic suit, for prevention of shock,
 i. 216
 Crippled, reeducation of, iii. 615
 Crises, gastric, of tabes, excision of spinal
 ganglia in, ii. 348
 rhizotomy for, ii. 347
 Crochet hooks, removal of, from tissues, iii.
 809
 Crossed bandage of eyes, iii. 750
 of face, iii. 743
 Crucial ligament, relaxed, i. 653
 rupture of, i. 653
 Crushing vessels in hemorrhage, i. 339
 Crutch paralysis in fractures, i. 527
 Cryer's spiral osteotome, ii. 28
 Cryptophthalmos, ii. 119
 Crystalline lens, diseases of, ii. 132
 dislocation of, ii. 134
 extraction of, without incision of
 capsule, in cataract, ii. 170
 foreign bodies in, ii. 133
 Cubitus varus of elbow-joint, iii. 451
 Cuff method of amputation, iii. 515
 circular, iii. 507
 Cul-de-sac, rectovaginal, iii. 325
 vaginal, iii. 324
 Cumol method for sterilizing catgut, i. 34
 Cuneiform osteotomy, i. 713
 for club-foot, iii. 481

Cunningham's hammock suspensory bandage of scrotum, iii. 782
 Cupping, i. 230
 Curative inoculations, i. 255
 Curettage in chronic endometritis, iii. 400
 in inoperable cancer, i. 331
 of cavity of uterus, iii. 399
 of ulcers, i. 309
 perforation of wall of uterus by, iii. 401
 Curvature of penis, iii. 254
 of spine, lateral, ii. 352. See also *Scoliosis*.
 of tibia, anterior, iii. 468
 Curved needle for intestinal suture, ii. 627
 how to make, iii. 807
 Cushing's approach in operations on pituitary body, ii. 88
 method for suboccipital unilateral craniotomy, ii. 38
 parallel continuous stitch in intestinal suture, ii. 631
 rubber tourniquet for scalp operations, ii. 20, 21
 Cushions, air, i. 23
 water, i. 23
 Cutin, i. 74
 Cut-throat with wound of air-passages, ii. 360
 of blood-vessels, ii. 360
 Cutting cautery, i. 80
 Cyclitis, ii. 130
 Cyclodialysis, ii. 157
 in glaucoma, ii. 161
 Cystadenoma of breast, ii. 475
 Cystectomy, iii. 225
 Cystic degeneration of cervix, iii. 375
 of ovary, iii. 431
 dilatation of common bile-duct, iii. 113
 duct, anatomy, iii. 105
 gall-stones in, iii. 116
 occlusion of, iii. 115
 mastitis, chronic, ii. 474
 Cysticercus cutis, i. 848
 Cystitis, iii. 191
 acute, iii. 191
 gonorrhreal, iii. 192
 chronic, iii. 192
 from mixed infection, iii. 192
 gangrenous, iii. 193
 irrigation in, iii. 192
 membranous, iii. 193
 tuberculous, iii. 193
 urinary retention from, iii. 212
 Cystocele, colpoplasty for, iii. 343
 White's operation for, iii. 345
 Cystoma, i. 325
 bone, i. 470
 of brain, ii. 75
 of lips, ii. 254
 parovarian, iii. 434
 Cystoscope, Pilcher's catheterizing, iii. 189
 Cystoscopy, iii. 187
 technic, iii. 187
 Cystotomy, perineal, iii. 217
 for hypertrophy of prostate, iii. 232
 lateral, iii. 218
 median, iii. 219

Cystotomy, suprapubic, iii. 214
 closure of wound, iii. 215
 for hypertrophy of prostate, iii. 232
 for stone in bladder, iii. 203
 incision for, iii. 214
 local anesthesia in, i. 151
 preparations for, iii. 214
 transverse suprapubic incision for, iii. 217
 transperitoneal, iii. 221
 vaginal, for stone in bladder, iii. 203
 Cysts, anosacral, iii. 461
 benign, i. 325
 bone, i. 709
 echinococcus, i. 326
 hydatid, of liver, iii. 112
 infected, i. 326
 Meibomian, ii. 120
 mesenteric, ii. 564
 of breast, ii. 470
 of eyelids, ii. 138
 of intestinal wall, ii. 582
 of intestines, gaseous, perforation of, ii. 581
 of jaws, ii. 286
 of kidney, iii. 151
 of lung, echinococcus, ii. 445
 of maxillary antrum, ii. 197
 of neck, ii. 372
 of omentum, ii. 620
 of ovary, dermoid, iii. 433
 of pancreas, ii. 783
 of prostate, iii. 248
 of spleen, hydatid, ii. 785
 of stomach, ii. 703
 of teeth, ii. 280
 of tongue, ii. 292
 of umbilicus, ii. 537
 of urachus, ii. 538
 of urethra, iii. 272
 of vagina, iii. 356
 of vulva, iii. 328
 retroperitoneal, ii. 564
 sebaceous, i. 845
 of face, ii. 115
 of scalp, ii. 24
 Czerny's mucosa suture of intestine, ii. 635

 DACYRYOCYSTITIS, ii. 136
 Dakin-Carrel instillation method for infected wounds, i. 242
 Dakin's antiseptic, i. 60
 for infected wounds, i. 242
 formula, i. 61
 volumetric analysis, i. 61
 Dandruff, i. 844
 Davis' method of restoring end of finger, iii. 458
 operation for ectropion, ii. 146
 Davison's methods of holding bone transplant in place, i. 512, 517
 Dawbarn's method for siphon drainage of bladder, iii. 223
 Deafness, advanced tympanic, ii. 319
 Decapsulation of kidney, iii. 170
 for nephritis, iii. 146

- Decompression corset in scoliosis, ii. 354
 in brain tumors, ii. 78
 in epilepsy, ii. 101
 of brain, ii. 54
- Decortication of lung in chronic non-tuberculous empyema, ii. 410
- Decubitus, ventral, for amputation, iii. 500
- Defects, congenital, of auricle, ii. 303
- Defibrinated blood in hemorrhage, i. 343
- Deflections of nasal septum, ii. 188
- Deforming osteochondritis of hip-joint in children, iii. 463
- Deformity after fracture of lower extremity of humerus, i. 571
 of arm, congenital, iii. 457
 of jaws, ii. 280
 of lower jaw with defective occlusion, ii. 283
 of skull, ii. 42
 silver-fork, in Colles' fracture, i. 575
- Degeneration, cystic, of ovary, iii. 431
 of muscles, i. 792
 ischemic, i. 793
 polycystic, of kidney, iii. 151
- Deguise's method of closing parotid salivary fistula, ii. 377
- Dehydration, sterilization by, i. 30
- De Keating-Hart's method of fulguration, iii. 699
- Delatour's apparatus for collecting feces after colostomy, ii. 695
- Delayed union in fractures, i. 527
- Delbet's paste for wound dressings, iii. 807
- Delirium, traumatic, in fractures, i. 527
 tremens, iii. 812
 with fractures, i. 526
- Deltoid muscle, paralysis of, i. 795
- Del Valle's operation for varicocele, iii. 318
- Dench's operation in middle-ear disease with labyrinthine involvement, ii. 321
- Denker's operation through upper jaw to reach nasopharynx, i. 724
- Denudation operation in vesicovaginal fistula, iii. 346
- Denuded bones, i. 467
- Depressing cataract, ii. 172
- Dermatitis exfoliativa, i. 826
 from x-rays, iii. 720
 herpetiformis, i. 827
 infectious eczematoid, i. 826
 venenata, i. 825
- Dermatol as antiseptic, i. 71
- Dermo-epidermic skin-grafting, iii. 644
- Dermoid cysts of breast, ii. 477
 of kidney, iii. 151
 of ovary, iii. 433
 tumors of scalp, ii. 24
- Desault's bandage of shoulder, iii. 755
- deSchweinitz's rules for enucleation of eye, ii. 130
- Desmarres' operation for pterygium, ii. 150
- Desiccated vaccine in hydrophobia, i. 273
- Detachment of retina, ii. 134
- DeWecker's operation for staphyloma, ii. 152
- Dextrin dressings, i. 56
- Diabetes as factor in operation, i. 181
- Diabetes, soft eyeball in, ii. 132
- Diabetic gangrene, i. 318
 iritis, ii. 129
 retinitis, ii. 134
 ulcers, i. 314
- Diaper bandage of pelvis, iii. 782
- Diaphragm, hernia of, treatment, ii. 470
 thoracic exposure of, ii. 467
 tumors of, treatment, ii. 470
 wounds of, ii. 398, 536
- Diaphragmatic hernia, iii. 50
 pleura, ii. 399
- Diaphragmotomy, subpleural, for subphrenic abscess, ii. 554, 555
- Dichloramin-T as antiseptic, i. 64
 in burns, i. 65, 821
 in infected wounds, i. 247
 in peritonitis, ii. 551
- Dickinson's rubber retractor, ii. 515
- Dieffenbach's median operation for excision of upper jaw, i. 722
 operation for ectropion, ii. 146
- Diffuse inflammation of external auditory canal, ii. 304
- Dilatation, continuous, in urethral stricture, iii. 290
 gradual, of urethral stricture, iii. 288
 of colon, acquired, ii. 614
 chronic intestinal obstruction from, ii. 610
 congenital, ii. 614
 of common bile-duct, cystic, iii. 113
 of esophagus, ii. 438
 of sphincter ani, iii. 60
 of stomach, ii. 713
 acute, ii. 615, 714
 chronic atonic, ii. 713
 gastroplication in, ii. 714
 postoperative, ii. 615
 of uterine canal, iii. 398
 rapid, in stricture of urethra, iii. 290
- Dimethylacetal anesthesia, i. 118
- Dionin in diseases of cornea, ii. 124
 in eye diseases, ii. 118
- Diphtheria, ii. 207
 bacillus, wound infection with, i. 262
- Diphtheric conjunctivitis, ii. 123
- Diplobacillus conjunctivitis, ii. 122
- Direct laryngoscopy, ii. 240
- Directors, i. 75
- Disarticulation, iii. 498, 501
 of all toes at metatarsophalangeal joints, iii. 575
 with metatarsal bones, iii. 580
- of ankle, iii. 583
- of elbow, iii. 557
 by long posterior and short anterior flaps, iii. 558
 by oblique circular method, iii. 559
 by posterior ellipse, iii. 559
 method of making flaps for, iii. 558
 of end phalanges of toes, iii. 572
 of fifth metacarpal bone with little finger, iii. 552
 of fingers, iii. 544
 at first interphalangeal joint, iii. 546
 at metacarpophalangeal joint, iii. 546

Disarticulation of fingers with metacarpal bones, iii. 552
 with second and third metacarpal bones, iii. 552
 third and fourth metacarpal bones, iii. 553
 with third, fourth and fifth metacarpal bones, iii. 553
 or fourth metacarpal bones, iii. 552
 of first metacarpal bone with thumb, iii. 552
 of foot at ankle, with preservation of posterior part of os calcis, iii. 585
 with removal of malleoli, iii. 584
 anterior to astragalus and os calcis, iii. 580
 heel-flap method, iii. 583
 subastragaloïd, iii. 582
 of great toe at metatarsophalangeal joint, iii. 573
 of hip, iii. 601
 by anterior racket incision, iii. 604
 control of hemorrhage in, iii. 602
 by acupressure, iii. 604
 by long pins and elastic tourniquet, iii. 602
 by preliminary ligation of vessels, iii. 603
 by tourniquet transfixion of thigh, iii. 603
 local anesthesia in, i. 146
 of index-finger at metacarpophalangeal joint, iii. 549
 of knee, iii. 591
 by bilateral flaps, iii. 592
 by oblique incision, iii. 593
 by single long flap, iii. 593
 by unequal anteroposterior flaps, iii. 593
 of last phalanx of fingers, iii. 545
 of little finger at metacarpophalangeal, iii. 550
 of metacarpal bones, iii. 553
 at carpometacarpal joint, iii. 554
 with fingers, iii. 552
 of more than two toes at metatarsophalangeal joints, iii. 574
 of second and third metacarpal bones with fingers, iii. 552
 metacarpal bone with first finger, iii. 552
 third and fourth metacarpal bones with fingers, iii. 553
 of shoulder, iii. 562
 by anterior racket incision, iii. 566
 by external flap, iii. 567
 control of hemorrhage in, iii. 563
 racket incision, iii. 567
 motor stump in, iii. 565
 stump in, iii. 565
 of smaller toes at metatarsophalangeal joint, iii. 574
 of third, fourth and fifth metacarpal bones with fingers, iii. 553
 or fourth metacarpal bones with fingers, iii. 552

Disarticulation of thumb at metacarpophalangeal joint, iii. 548
 of two or more adjacent toes with their metatarsal bones, iii. 579
 of wrist, iii. 554
 with double flaps, iii. 555
 with lateral flap, iii. 555
 with palmar flap, iii. 554
 Dishes, i. 81, 84
 Disk, choked, ii. 135
 Dislocations, i. 610
 after-treatment, i. 611
 blood-vessel injuries in, i. 611
 complications, i. 611
 compound, i. 612
 congenital, i. 613. See also *Congenital dislocations*.
 distortion following, i. 613
 doubtful reductions, i. 611
 edema in, i. 612
 fatal results in, i. 612
 fracture, i. 521, 611
 habitual, i. 612
 in newborn, iii. 696
 infection in, i. 612
 nerve injuries in, i. 611
 obstacles to reduction, i. 610
 of ankle, i. 649
 congenital, i. 618
 of carpometacarpal joints, i. 639
 of carpus, i. 638
 of individual bones, i. 639
 of cartilages of joints, i. 652
 of clavicle, i. 623
 backward, of acromial end, i. 625
 of sternal end, i. 624
 forward, of sternal end, i. 623
 simultaneous, of both ends, i. 625
 subacromial, i. 625
 subcoracoid, i. 625
 upward, of acromial end, i. 624
 of sternal end, i. 624
 of costal cartilages, i. 623
 of crystalline lens, ii. 134
 of elbow, i. 635. See also *Dislocations of forearm*.
 of ensiform process, i. 549
 of fibula, i. 649
 of fingers, i. 639
 of forearm, i. 635
 anteroposterior, i. 636
 backward, i. 635
 complete outward, i. 636
 complications, i. 637
 congenital, i. 618
 forward, i. 636
 incomplete inward, i. 635
 outward, i. 636
 lateral, old, i. 638
 old unreduced, i. 637
 pathologic, i. 638
 posterior, old, i. 637
 transverse, i. 636
 of great toe, i. 649
 of hip, i. 640
 backward, i. 641
 Bigelow's reduction, i. 641

Dislocations of hip, backward, Stimson's reduction, i. 641
 bone grafts in, i. 783
 complications, i. 645
 downward and inward, i. 643
 on ischium, i. 645
 everted dorsal, i. 643
 forward, i. 645
 fractures of neck of femur in, i. 646
 of shaft of femur in, i. 646
 habitual, i. 646
 old unreduced, i. 646
 excision of head of femur in, i. 647
 osteotomy of neck of femur in, i. 647
 perineal, i. 644
 spontaneous, iii. 462
 through floor of acetabulum, i. 645
 uncomplicated, after-treatment, i. 645
 upward, i. 645
 of knee, i. 647
 backward, i. 648
 congenital, i. 617, 648
 forward, i. 647
 lateral, i. 648
 rotary, i. 648
 of lower extremities, iii. 462
 jaw, i. 618
 backward, i. 619
 forward, 618
 old irreducible, i. 619
 outward, i. 619
 upward, i. 619
 of manubrium, i. 549
 of mediocarpal joint, backward, i. 638
 forward, i. 638
 of metatarsus, i. 649
 of patella, i. 648
 congenital, i. 618
 habitual, bone grafts in, i. 787
 of penis, iii. 250
 of phalanges, i. 649
 of proximal phalanges of fingers, i. 639
 phalanx of thumb, i. 639
 of radius, backward, i. 637
 congenital, i. 618
 forward, i. 637
 old, i. 638
 outward, i. 637
 of ribs, i. 623
 from vertebræ, i. 623
 of semilunar cartilage of knee, i. 652
 of shoulder, i. 626
 after-treatment, i. 630
 anterior, i. 626
 adduction in, i. 627
 after-treatment, i. 630
 continuous right-angle traction in, i. 629
 downward and outward traction in, i. 628
 foot-in-axilla reduction, i. 628
 fulcrum method in, i. 629
 obstacles to reduction, i. 629
 old, i. 630
 outward rotation in, i. 627
 perpendicular traction in, i. 629
 reduction, natural, i. 626

Dislocations of shoulder, complicating injuries, i. 631
 compound, i. 632
 congenital, i. 618, 634
 downward, i. 630
 erect, i. 630
 fracture of anatomic neck of humerus with, i. 631
 of scapula with, i. 632
 of shaft of humerus with, i. 631
 habitual, i. 632
 old unreduced, i. 634
 paralytic i. 634
 penetration of chest wall in, by head of humerus, i. 632
 posterior, i. 630
 ruptures of muscles and tendons in i. 631
 subglenoid, i. 630
 upward, i. 630
 of tarsus, i. 649
 of testicles, iii. 307
 of ulna, backward, i. 636
 forward, i. 637
 inward, i. 637
 of ulnar nerve, i. 897
 of vertebræ, i. 620
 between atlas and axis, i. 622
 between occiput and atlas, i. 622
 bilateral, i. 621
 complete, i. 620
 dorsal, i. 622
 forward, i. 621
 from ribs, i. 623
 irreducible, i. 622
 lower six cervical, i. 622
 lumbar, i. 622
 of wrist, i. 638
 backward, i. 638
 congenital, i. 618
 forward, i. 638
 lateral, i. 638
 old unreduced, i. 612
 operative treatment, i. 611
 recurrent, i. 612
 reduction, i. 610
 anesthesia in, i. 610
 rupture of muscles in, i. 612
 spontaneous, i. 613
 Displacements of uterus, iii. 376
 Dissecting aneurism, i. 380
 forceps, i. 75
 Distortions following wounds, burns, and ulcerations, iii. 693
 Diverticula, intestinal, ii. 603
 of bladder, iii. 206
 of esophagus, ii. 438
 extirpation of, ii. 439
 Diverticulum of Vater, iii. 106
 Divulsion, continuous, in fractures, i. 496
 Dodd's non-adherent dressing, i. 220
 Dorrance's incision in felon, iii. 442
 Dorsal incision of prepuce, iii. 257
 tendon sheaths, infections of, iii. 448
 vertebræ, dislocations of, i. 622
 Dorsalis pedis artery, ligation of, i. 445
 Dorsum of penis, iii. 248

- Double vagina, iii. 357
 Douche-pan, i. 24
 Dowd's operation for femoral hernia, iii. 47
 Doyen's burr, ii. 27, 29
 hand saw for linear bone incisions, ii. 30
 motor bone saw, i. 691
 Drainage in abdominal operations, ii. 524
 in abscess, i. 252
 in amputation, iii. 513
 in peritonitis, ii. 547, 549
 lymphatic, i. 463
 materials, i. 45
 of bladder, perineal, iii. 222
 permanent, iii. 221
 suprapubic, iii. 221
 urethral, iii. 222
 of maxillary antrum, ii. 195
 of pancreas, ii. 780
 of wounds, i. 204
 subcutaneous, in ascites, ii. 559
 suction, of bladder, iii. 222
 tubes, i. 44, 45
 glass, i. 46
 rubber, i. 45
 self-retaining, i. 46
 Vance's, i. 47
 vesicovaginal, iii. 221
 Drains, cigarette, i. 47, 48
 gauze, i. 47
 non-absorbent, i. 47
 wick, i. 47
 Dressings, i. 205
 adhesive plaster, iii. 812
 asbestos absorbent wool, i. 42
 cement, i. 56
 charcoal, i. 42
 coal-ash, i. 42
 dextrin, i. 56
 flax, i. 41
 Florida moss, i. 42
 for abscess, i. 252
 for carbuncle, i. 253
 for ulcers, i. 308
 gauze, i. 39. See also *Gauze dressings*.
 glue, i. 56
 gum mixtures for, i. 57
 Indian hemp, i. 42
 lamb's wool, i. 42
 magnesite, i. 57
 materials for, i. 39
 non-adherent, i. 220
 oakum, i. 41
 paper wool, i. 42
 peat, i. 42
 sawdust, i. 42
 subsequent, i. 211
 tow, i. 41
 turf-moss, i. 42
 wood fiber, i. 42
 wadding, i. 42
 zinc-gelatin, in varicose ulcers, i. 310
 Drill, bone, brace for, ii. 29
 Drop, wrist-, iii. 452
 Drop-finger, iii. 455
 Drop-foot, i. 898
 infantile paralysis with, silk ligaments in,
 i. 802
- Drowning, resuscitation in, iii. 733
 Drum, ear, ii. 299. See *Tympanic membrane*.
 Dry air sterilization of rubber gloves, i. 52
 gangrene, i. 316
 heat method for catgut, i. 36
 laryngitis, ii. 222
 skin, i. 844
 Duboisin sulphate as mydriatic, ii. 118
 Dubose's double sliding flap operation for
 umbilical hernia, iii. 43
 Duct, common bile. See *Common duct*.
 hepatic, anatomy, iii. 105
 incision of, iii. 129
 cystic, anatomy, iii. 105
 of Skene, iii. 324
 of Wirsung, iii. 106
 thoracic. See *Thoracic duct*.
 Dunham's method of transplanting cheek
 flap with temporal artery, iii. 660
 Duodenal fistula, ii. 582
 hernia, iii. 50
 lavage, ii. 701
 region, peritonitis of, ii. 557
 ulcer, ii. 576
 gastrojejunostomy in, ii. 578
 indications for operation in, ii. 577
 intermittency in, ii. 577
 jejunostomy in, ii. 578
 operative treatment, ii. 577
 perforating, ii. 579
 permanent occlusion of pyloris for, ii.
 578
 pyloroplasty in, ii. 578, 740
 reconstruction operation after, ii. 775
 Duodenostomy in corrosive esophagitis, ii.
 432
 Duodenum, anatomy, ii. 621
 exposure of, route for, ii. 780
 freeing, for pyloroplasty, ii. 739
 occlusion of, ii. 615
 ulcer of, reconstruction operation after, ii.
 775
 Dupuytren's contracture, iii. 454
 splint in Pott's fracture, i. 606
 Dura mater, anatomy, ii. 43
 defects of, fascia-flaps for, iii. 647
 fat-graft for, iii. 648
 venous sinuses of, thrombosis of, ii. 70
 infective, ii. 71
 wounds of, ii. 61
 Dwarfishism, i. 322
 Dysentery, tropical, ii. 570
 Dysmenorrhea, iii. 394
 abdominal exercises for, iii. 396
 atropin in, iii. 395
 gradual dilatation in, iii. 395
 pessary in, iii. 395
 resection of muscle of os in, iii. 396
 of spermatic nerve plexus for, iii. 396
 Dyspeptic ulcers of tongue, ii. 289
 Dyspnea after operation in harelip, ii. 274
 thymic, ii. 395
- EAR**, ii. 299
 anatomy of, ii. 299
 bandage of, iii. 750

Ear, bones of, ii. 299
 cauliflower, ii. 303
 drum, ii. 299. See *Tympanic membrane*.
 external. See *Auricle*.
 middle. See also *Middle ear*.
 operations on, by local anesthesia, i. 143
 ossicles of, ii. 299
 postmeatal triangle of, ii. 300
 running, ii. 310
Eccymosis of eyelids, ii. 121
Echinococcus cysts, i. 326
 of abdominal wall, ii. 538
 of lung, ii. 445
 of neck, ii. 372
Eck's fistula, i. 458
 in ascites, ii. 561
Economics of surgical treatment, iii. 795
Ecraseur, i. 79
Ecthyma, i. 829
Ectopic pregnancy, iii. 435
 dead fetus in, iii. 437
 rupture of tube in, iii. 435
 transplantation of, from Fallopian tube to uterus, iii. 437
 with fetus growing in abdomen, iii. 436
Ectropion, ii. 119, 120; iii. 369
 of lower lip, plastic operation for, iii. 654
 operations for, ii. 144
Eczema, i. 830
 acute, i. 831
 erythematous, i. 831
bichlorid, i. 833
chronic dry, i. 831
 radium in, iii. 713
 in children, i. 833
 local treatment, i. 831
 of anus, i. 832
 of conjunctiva, ii. 123
 of cornea, ii. 125
 of external auditory canal, ii. 304
 of eyelids, i. 832
 of face, erythematous, i. 832
 of hands, i. 833
 of legs, i. 832
 of lips, i. 832
 of nipples, ii. 473
 of palms and soles, hyperkeratotic, i. 833
 of scalp, i. 832
 of scrotum, i. 832
 of vulva, i. 832
 purulent, i. 832
 vaccines in, i. 832
 vesicular, i. 831
 with varicose veins, i. 448
 x-rays in, iii. 704
Eczematoid dermatitis, infectious, i. 826
Eczematous ulcers, i. 314
Edema, fat-grafts to prevent, iii. 648
 in dislocations, i. 612
 in fractures, i. 524
 of glottis, ii. 221
 of hands, iii. 450
 of optic nerve, intra-ocular, ii. 135
 of papilla, engorgement, ii. 135
 of scrotum, iii. 302
Edematosus ulcers, i. 314
Efferent nerves, i. 861

Effusion, noninfective meningeal, ii. 68
Ehrenfried's method of correction for club-foot, iii. 471
Ehrlich's "606." See *Salvarsan*.
neosalvarsan, i. 294
Ejaculatory ducts, iii. 249
Elastic extension in fractures, i. 495
 ligature for fistula in ano, iii. 64
Elbow, ankylosis of, arthroplasty for, i. 762
 arthroscopy of, iii. 451
 bandage of, mobilizing, iii. 759
 cubitus valgus of, iii. 451
 varus of, iii. 451
 disarticulation at, iii. 557
 by oblique circular method, iii. 559
 by posterior ellipse, iii. 559
 by short anterior and long posterior flaps, iii. 558
 method of making flaps for, iii. 558
 dislocations of i. 635. See also *Dislocations of forearm*.
 excision of, i. 742. See also *Excision of elbow*.
 fractures of, i. 565
 sprains of, i. 652
 tuberculosis of, i. 679
Elbrecht's apparatus for proctocolysis, iii. 57
Electric burns, iii. 720
 currents, injuries from, iii. 716
 light treatment of infected wounds, i. 241
 motor for bone-grafting, i. 691
 reaction of motor areas of brain, testing for, ii. 51
 shock, iii. 716
 artificial respiration in, iii. 717
 intratracheal insufflation in, iii. 719
 rescue of victim after, iii. 716
Electricity as hemostatic, i. 339
 in aneurism, i. 381
 in chronic inflammation, i. 25
 therapeutic, iii. 699
Electrocautery, i. 80, 83
 in stricture of esophagus, ii. 438
Electrode for testing electric reaction of motor areas and nerves, ii. 51
Electrolysis for dilatation of esophageal stricture, ii. 438
 in aneurism, i. 382
 in angioma, i. 453
Elephantiasis, i. 462
 fibrolysin in, i. 464
 nervorum of scalp, ii. 24
 of scrotum, i. 464; iii. 302
 of vulva, iii. 329
 treatment, i. 463
Elevated-head position after abdominal operations, ii. 529
Elevation in hemorrhage, i. 341
 of limbs for varicose veins, i. 448
 of part in inflammation, i. 237
 of periosteum, i. 688
Elevator for tooth extraction, ii. 279
Eliminants, gas, i. 226
Elliot's method of trephining sclera in glaucoma, ii. 162
Elliptical method of amputation, iii. 521
Elongated mesocolon, ii. 616

Elongation of patellar ligament, iii. 466
 of scrotum, iii. 302
 of uvula, ii. 255
 Elsberg and Beer's method of laminectomy in medullary tumors of spinal cord, ii.
 341
 apparatus for insufflation of lungs, ii. 448
 extrusion treatment of medullary tumors of spinal cord, ii. 342
 incision for frontal approach to pituitary body, ii. 87
 Embalming method for infected wounds, iii.
 812
 Embolic gangrene, i. 320
 Embolism, i. 454
 air, i. 447; ii. 430
 axillary, i. 455
 fat, i. 456
 from paraffin prosthesis, iii. 691
 prevention, iii. 692
 gas, from artificial pneumothorax, ii. 417
 of common iliac artery, i. 455
 of femoral artery, i. 455
 of pulmonary artery, i. 457
 treatment, i. 455
 Emergency instruments, i. 87
 splints, i. 472
 Emetin in amebic colitis, ii. 570
 Eminence, frontal, ii. 46
 Emphysema, ii. 400
 malignant, i. 270
 of neck, ii. 361
 pulmonary rib resection in, ii. 419
 subcutaneous, in artificial pneumothorax, ii. 417
 surgical, in fractures, i. 525
 traumatic, i. 820
 Emphysematous gangrene, i. 270
 Empyema, ii. 402
 after-treatment, ii. 404
 ambulatory treatment, ii. 407
 bismuth paste in, ii. 412, 413
 chronic nontuberculous, ii. 409
 decortication of lung in, ii. 410
 removing plastic deposits from lung in, ii. 410
 combined operations in, ii. 411
 delayed healing in, ii. 404
 Estlander's rib resection in, ii. 410
 internal thoracotomy for, ii. 403
 muscle implantation in, ii. 411
 of frontal sinuses, ii. 199
 of maxillary antrum, ii. 195
 of pericardium, ii. 423
 operation for, ii. 403
 without rib resection, ii. 405
 promoting expansion of collapsed lung after operation, ii. 405
 rib trephining for, ii. 407
 Schede's operation in, ii. 411
 securing increase of intrapulmonary pressure after operation, ii. 405
 simple intercostal thoracotomy in, ii. 403
 suction in, after operation, ii. 406
 thoracoplasty in, ii. 410
 tuberculous, ii. 413
 valve device in, ii. 406

Emulsion iodoform as antiseptic, i. 69
 Encephalitis, acute, ii. 73
 Encephalocele, ii. 92
 operation on, ii. 93
 Encephalocystocele, ii. 93
 Enchondroma of bones, i. 709
 of jaws, ii. 286
 Endameba buccalis, ii. 277
 End-bearing stumps for prosthetic apparatus, iii. 614
 Endo-aneurismorrhaphy, i. 385
 Endolaryngeal operations, local anesthesia in, ii. 218
 Endometritis, acute, iii. 369
 gonorrheal, iii. 369
 chronic, iii. 369
 curettage in, iii. 400
 proliferative, iii. 370
 hemorrhagic, iii. 370
 senile, iii. 370
 Endonasal operations on lacrimal sac, ii.
 178
 Endothelioma, i. 324
 of brain, ii. 75
 Endotracheal insufflation with nitrous-
 oxid oxygen, i. 122
 End-to-end anastomosis of arteries, i. 374
 of intestines, invagination method, ii.
 654
 of segments of unequal size,
 ii. 656
 simple, ii. 647
 with mattress sutures, ii. 651
 End-to-side intestinal anastomosis, ii. 665
 Enemata, ii. 620
 Engorgement edema of optic papilla, ii.
 135
 Enlarged thymus, ii. 395
 Ensiform process, dislocations of, i. 549
 Enterectomy, partial, ii. 636
 Enteric feeding, ii. 701
 Enteroclysis, i. 344
 neosalvarsan by, in syphilis, i. 297
 salvarsan by, in syphilis, i. 297
 Entero-enterostomy, ii. 646. See also *Intestinal anastomosis*.
 Enteroptosis, ii. 616
 Enterorrhaphy, ii. 628. See also *Intestinal suture*.
 Enterostomy, ii. 573, 683
 for acute intestinal obstruction, ii. 685
 purse-string suture in, i. 203
 Entropion, ii. 119, 120
 operations for, ii. 143
 Encapsulation of eyeball, ii. 121, 157
 grafting eyeball after, ii. 160
 remote, insertion of artificial globe after, ii. 159
 rules for, ii. 130
 transplantation of fat into orbit after
 ii. 160
 of growths in thyroid gland, ii. 385
 of tonsils, ii. 213, 214
 subcutaneous, of varicose veins, i. 452
 Enuresis, iii. 207
 Cathelin's epidural injection treatment,
 iii. 208

- Environment as factor in surgical treatment, i. 22
 Ependyma, diseases of, ii. 65
 Epicanthus, ii. 119
 Epicondyles of humerus, fractures of, i. 568
 Epidemic catarrhal conjunctivitis, ii. 122
 cerebrospinal meningitis, ii. 67
 carriers in, ii. 67
 Flexner's treatment, ii. 67
 intravenous serum treatment, iii. 820
 lumbar puncture in, ii. 67
 Epididymis, inflammation of, acute, iii. 304
 of opposite side, anastomosis of vas def-
 erens to, for sterility, iii. 312
 tuberculosis of, iii. 305
 Epididymitis, iii. 304
 gonorrhœal, surgical treatment, iii. 305
 Epidural injections for sacral pains, iii. 461
 in pelvic disease, iii. 461
 sacral anesthesia, i. 162
 Epigastric hernia, iii. 46
 Epigastrum, lipoma of, ii. 538
 Epilepsy, ii. 99
 curative effects of operations, ii. 101
 decompression in, ii. 101
 focal, ii. 101
 from tumors, ii. 101
 internal treatment, ii. 102
 of spontaneous origin, ii. 101
 prophylaxis, ii. 99
 removal of cervical sympathetic ganglia
 in, i. 899
 of sympathetic ganglia of neck in, ii.
 101
 thymic, ii. 395
 traumatic causes, removal of, ii. 100
 with enlarged thymus, ii. 101
 Epileptic habit, ii. 99
 Epiphoria, ii. 136
 Epiphyseolysis for knock-knee, iii. 468
 Epiphysis, caries and necrosis of, filling bone
 cavities in, i. 706
 loss of, operations to compensate, i. 769
 lower, separation, in fractures of lower
 end of femur, i. 594
 separation of, in fractures, i. 524
 Episcleritis, ii. 128
 Epispadias, iii. 270
 Epistaxis, ii. 184
 Epithelial plug in external auditory canal,
 ii. 306
 tumors, benign, i. 324
 Epithelioma, adamantine, i. 709
 of cervix, iii. 375
 of face, ii. 115
 inoperable, radium for, iii. 710
 of gums, ii. 280
 of lower lip, ii. 247
 excision of lip for, ii. 252
 incomplete operation for, ii. 250
 operations for, ii. 247-254
 resection of lip for, ii. 251
 of skin, x-rays in, iii. 705
 of tongue, radium in, iii. 712
 Epulis, ii. 280
 Equinocavus, iii. 482
 Equinovalgus, iii. 482
 Equinovarus, paralytic, iii. 480, 484
 Equinus, paralytic, iii. 483
 Erasion, i. 710
 of joints, i. 738
 of knee, i. 710, 752
 Erectile bodies of penis, sclerosis of, iii. 255
 Ergot poisoning, gangrene from, i. 318
 Erosions of cervix, iii. 369
 rectal, iii. 61
 Erysipelas, i. 262
 curative effect, i. 264
 neonatorum, i. 263
 of scalp, ii. 24
 of scrotum, iii. 302
 phlegmonous, i. 262
 tincture of iodin in, i. 69
 toxins in inoperable cancer, i. 332
 treatment, i. 263
 ultra-violet rays in, i. 263
 vaccines in, i. 264
 Erysipeloid, i. 264
 Erythema induratum, x-rays in, iii. 704,
 705
 intertrigo, i. 825
 multiforme, i. 825
 Eserin as miotic, ii. 118
 in acute intestinal stasis, ii. 614
 Esmarch bandage, i. 56
 for inflammation, i. 229
 operation for ankylosis of lower jaw, i.
 726
 Esophageal bougies, ii. 434
 forceps, ii. 440
 Esophagectomy, partial cervical, ii. 443
 Esophagitis, ii. 442
 acute catarrhal, ii. 432
 chronic, ii. 433
 corrosive, ii. 432
 gangrenous, ii. 433
 Esophagogastrojejunostomy, R o u x ' s
 method, ii. 464
 Esophagoplasty, ii. 464
 Esophagoscopes, ii. 243
 Esophagoscopy, ii. 243
 Esophagotomy, external cervical, ii. 442
 internal, in stricture of esophagus, ii.
 438
 Esophagus, abscess of, ii. 432
 anatomy, ii. 430
 atresia of, ii. 433
 cancer of, radium in, iii. 712
 congenital stenosis of, ii. 433
 diverticula of, ii. 438
 extirpation of, ii. 439
 fissures of, ii. 433
 fistula of, ii. 439
 foreign bodies in, ii. 440
 removal, ii. 244
 operation for, ii. 441
 hemorrhage from, ii. 432
 inflammations of, ii. 432
 operations on, local anesthesia for, i. 144
 resection of lower segment, ii. 470
 rupture of, ii. 432
 spasm of, ii. 442
 stenosis of, cicatricial, ii. 433

- Esophagus, stricture of, ii. 433. See also *Stricture of esophagus.*
 thoracic, resection of, ii. 463
 tumors of, ii. 445
 ulceration of, ii. 432
 ulcers of, ii. 433
 wounds of, ii. 360, 431
- Esser's method of transplanting cheek flap with temporal artery, iii. 660
- Estlander's rib resection in empyema, ii. 410
- Ether anesthesia, i. 104
 after-effects, i. 115
 aspiration pneumonia in, i. 105
 blood-pressure in, i. 105
 by intramuscular injections, i. 115
 by mouth, iii. 807
 closed method, i. 106
 combined closed and open method, i. 108
 confined vapor method, i. 110
 effects, i. 105
 hallucinations in, i. 105
 hydrobromic, i. 118
 intravenous, i. 114
 methods, i. 105
 methyl, i. 118
 methylene, i. 118
 open drop method, i. 107
 pharyngeal insufflation in, i. 110
 primary method, i. 110
 rectal, i. 110
 vapor, i. 114
 vapor method, i. 109
 cotton-process, iii. 807
 effects of, i. 105
 for abscesses, i. 235
 fusil, i. 104
 inhalers, i. 106, 107
 pure, iii. 807
 sulphuric, in peritonitis, ii. 551
 treatment of infected wounds, i. 248
- Ether-oxygen anesthesia, i. 120
- Ethmoid sinuses, ii. 180
 suppuration of, ii. 197
 operation in, by orbital route, ii. 198
- Ethyl bromid anesthesia, i. 118
 chlorid anesthesia, i. 117
 as local anesthetic, i. 154
 chlorid-ether sequence, i. 119
 hydrate, as antiseptic, i. 72
 morphin hydrochlorid, in eye diseases, ii. 118
- Ecain, as local anesthetic, i. 135
- Eucalyptol, as antiseptic, i. 72
- Eupad, as antiseptic, i. 62
- Europhen, as antiseptic, i. 70
- Eusol, as antiseptic, i. 62
- Eustachian tube, ii. 299
 catheterization of, ii. 302
 patency of, ii. 301
- Evacuator, Bigelow's, for litholapaxy, iii. 199
- Evaporating lotions for inflammations, i. 237
- Eventration in intestinal gangrene, ii. 609
 in intussusception, ii. 607
- Eversion of eyelid, method, ii. 116
 operation for, ii. 144
- of sac for hydrocele, iii. 313
- Evisceration of eyeball, ii. 159
- Excision of ankle, i. 753
 by bilateral incisions, i. 754
 by external curved incision, i. 754
 by transverse external incision, i. 755
- of astragalus, i. 735, 736
- of bones, i. 717
- of calcaneum, i. 734, 736
- of clavicle, i. 729
- of coccyx, i. 732
- of costal cartilage for exposure of heart and pericardium, ii. 424
- of elbow, i. 742
 by long external incision, i. 745
 by posterior curved incision, i. 746
 median incision, i. 744
- by radial incision, i. 743
- by right angular incision, i. 744
- for ankylosis, i. 745
- osteoplastic, i. 745
- partial, i. 745
- of fibula, i. 734
- of first metatarsophalangeal joint, i. 755
- of hip, i. 748
 by anterior incision, i. 749
 by bow incision, i. 749
 by curved incision, i. 749
 by right angular curved incision, i. 749
 by straight external incision, i. 748
- of humerus, i. 730
 of shaft, i. 731
 total, i. 731
- of infected veins in puerperal pyemia, iii. 371
- of joints, i. 738
- of knee, i. 749
 operation, i. 750
 without opening joint, i. 751
- of lacrimal sac, ii. 178
- of lower jaw, i. 724
 lip for epithelioma, ii. 252
- of metacarpal bones, i. 731
- of metatarsal bones, i. 737
- of nontoxic goiter, ii. 385
 control of hemorrhage, ii. 388
 results, ii. 389
 tracheotomy with, ii. 389
- of patella, i. 732
- of phalanges, i. 731
- of radius, i. 731
- of rectum by abdominal route for cancer, iii. 80
 by perineal route for cancer, iii. 78
 by postrectal route in cancer, iii. 76
 by sacral route for cancer, iii. 78
 by two-stage abdominosacral operation in cancer, iii. 81-85
 by vaginal route for cancer, iii. 80
 through anus for cancer, iii. 76
- of scapula, i. 730
- of shaft of humerus, i. 731
- of short internal incision, i. 745
- of shoulder, i. 741
 by curved osteoplastic incision, i. 742

- Excision of shoulder, by deltoid flap, i. 742
 by division of acromion through posterior incision, i. 742
 by transverse incision, i. 742
 through anterior incision, i. 741
 through vertical incision, i. 742
 of spinal ganglia in gastric crises of tabes, ii. 348
 of sternomastoid muscle in torticollis, ii. 375
 of tarsal bones, i. 734
 of tibia, i. 733
 of tongue for carcinoma, ii. 293
 after division of lower jaw, ii. 297
 after-treatment, ii. 299
 complete, ii. 294
 instruments for, ii. 293
 position of patient, ii. 293
 preparations, ii. 293
 through submaxillary incision, ii. 297
 without preliminary ligation of the vessels, ii. 296
 of ulna, i. 731
 of upper jaw, i. 717
 by external incision, i. 721
 by Langenbeck's cheek-flap operation, i. 722
 by mediolateral incision, i. 718
 Dieffenbach's median operation for, i. 722
 Malgaigne's method, i. 722
 subperiosteal, i. 722
 of vulva, iii. 329
 of whole of lower jaw, i. 725
 of wrist, i. 746
 by single dorsal incision, i. 747
 by two dorsal incisions, i. 746
 through bilateral incisions, i. 747
 operation in trachoma, ii. 151
 simultaneous, of both upper jaws, i. 722
 Exclusion, intestinal, ii. 677
 of pylorus, ii. 771
 Exemia, i. 213
 Exercises, abdominal, for dysmenorrhea, iii. 396
 in flat-foot, iii. 486
 Exfoliative glossitis, ii. 289
 Exophthalmic goiter, ii. 389, 390
 radium in, iii. 713
 removal of cervical sympathetic ganglia in, i. 899
 Exophthalmos, extreme, in hyperthyroidism, ii. 391
 pulsating, ii. 137
 in arteriovenous aneurism of cavernous sinus, ii. 73
 Exostosis bursitis, i. 709
 of external auditory canal, ii. 304
 Expiratory moan in abdominal operations, iii. 61
 Exploratory puncture of kidney, iii. 163
 Explosive bullets, wounds from, i. 222
 Exposure of gall-bladder and bile-ducts, iii. 119
 Bevan's incision for, iii. 120

- Exposure of gall-bladder and bile-ducts, Kocher's oblique subcostal incision for, iii. 119
 Mayo Robson's combined vertical and oblique incision for, iii. 120
 vertical incision for, iii. 121
 of joints, i. 738
 of kidney, iii. 157
 by abdominal route, iii. 163
 by combined extraperitoneal and transperitoneal method, iii. 163
 by lumbar route, iii. 157
 incision for, iii. 157
 position for, iii. 158
 by subcostal incision, iii. 162
 retroperitoneal, iii. 171
 of nasopharynx, ii. 216
 of seminal vesicles, iii. 278
 of ureter, iii. 171
 at lower end, iii. 172
 by extraperitoneal suprapubic approach, iii. 172
 retroperitoneal, iii. 171
 transvaginal, iii. 172
 Extrophy of bladder, iii. 203
 implantation of ureters into cecum for, iii. 205
 Maydl's operation in, iii. 204
 Extemporized splints, i. 474
 Extension, continuous, in fractures, i. 488
 elastic, in fractures, i. 495
 nail, in fractures, i. 495
 pillow, in fractures, i. 493
 pneumatic, in fractures, i. 494
 Extensor proprius hallucis, transplantation of, for tibialis anticus, i. 809
 External angular process of supra-orbital arch, ii. 46
 auditory canal, ii. 304. See *Canal, external auditory*.
 ear. See *Auricle*.
 Extrirpation of diverticula of esophagus, ii. 439
 of penis, iii. 256
 of unopened sac in hydrocele, iii. 316
 Extracapsular fixation for movable kidney, iii. 168
 Extraction of cataract. See *Cataract extraction*.
 of teeth, ii. 278
 anesthesia for, ii. 278
 bleeding after, ii. 279
 by local anesthesia, i. 141
 technic, ii. 278
 with elevator, ii. 279
 Extradural abscess, ii. 316
 hemorrhage, ii. 55
 ligation of middle meningeal artery in, ii. 56
 infections, ii. 65
 of otic origin, ii. 65
 Extramammary abscess, ii. 474
 Extraperitoneal Cesarean section, iii. 408
 rupture of bladder, iii. 191
 suprapubic approach to ureter, iii. 172
 Extrapial hemorrhage compressing spinal cord, ii. 325

Extravasation of urine in urethral injuries, iii. 271
 prevention, iii. 271
 stricture of urethra with, iii. 299
 Extremities, infections of, extension to adjacent parts, iii. 448
 hot wet dressings in, iii. 445
 incision in, iii. 445
 passive hyperemia in, iii. 445
 rest in, iii. 444
 lower, iii. 462
 amputations of, iii. 570
 bandages for, iii. 767
 fractures of, iii. 462
 prosthetic apparatus for, iii. 611
 motor, iii. 611
 operations on, prevention of shock in, i. 215
 upper, amputation of, iii. 542
 bandages of, iii. 753, 760
 diseases of, iii. 441
 operations on, local anesthesia in, i. 145
 prosthetic apparatus for, iii. 607
 Extrusion of iris, ii. 121
 of medullary tumors of spinal cord, ii. 342
 Exuberant ulcers, i. 314
 Exudative synovitis, i. 658
 Eye, ii. 115
 anatomy, ii. 115
 anterior chamber of, abscess of, ii. 128
 drainage of, ii. 152
 antiseptics for, ii. 118
 bandages of, iii. 777
 cravat, iii. 787
 crossed, iii. 750
 oblique, iii. 749
 split, iii. 779
 diseases of, subconjunctival injections in, ii. 179
 in general anesthesia, i. 99
 muscles of, operations on, ii. 174
 paralysis of, 135
 operations on, ii. 138
 cocaine anesthesia in, ii. 118
 dressings for, ii. 138
 holocaine anesthesia in, ii. 118
 instruments for, ii. 138, 139
 materials for, ii. 119, 138
 position of patient, ii. 118
 of surgeon, ii. 119
 preparation of patient, ii. 118
 of region for, ii. 138
 shield for, ii. 138, 140
 Eyeball, adhesion of eyelids to, operations for, ii. 150
 enucleation of, ii. 121, 157
 grafting eyeball after, ii. 160
 remote, insertion of artificial globe after, ii. 159
 rules for, ii. 130
 transplantation of fat into orbit after, ii. 160
 evisceration of, ii. 159
 implantation of artificial globe after, ii. 159

Eyeball, iron foreign bodies in interior, removal of, ii. 160
 old cicatrical contractures of, operations for, ii. 159
 operations on, ii. 157
 soft, in diabetes, ii. 132
 turning forward of lid margin, away from, ii. 120
 of lid border toward, ii. 120
 wounds of, ii. 121
 Eyelids, absence of, ii. 119
 adhesion of, to eyeball, operations for, ii. 150
 blastomycosis of, ii. 120
 cellulitis of, ii. 119
 cleft, ii. 119
 cohesion at outer angle, ii. 119
 with ball, ii. 119
 congenital anomalies, ii. 119
 cysts of, ii. 138
 diseases of, 119
 ecchymosis of, ii. 121
 eczema of, i. 832
 eversion of, method, ii. 116
 operation for, ii. 144
 granular, ii. 123
 herpes zoster of, ii. 119
 inability to close, ii. 120
 inflammation of margins, ii. 119
 injuries of, ii. 120
 inversion of, operations for, ii. 143
 operations on, ii. 138
 ptosis of, ii. 119
 operations for, ii. 138
 resection of, blepharoplasty for, ii. 147
 seborrhea of, ii. 119
 tumors of, ii. 120
 turning forward of margin away from ball, ii. 120
 of border toward ball, ii. 120
 union between margins of, ii. 119
 upper, operation for restoration, ii. 142
 ptosis of, ii. 120; iii. 820
 wounds of, ii. 121
 FACE and scalp, bandage of, iii. 786
 bandage of, cravat, iii. 786
 crossed, iii. 743
 contusions of, ii. 115
 cream, greaseless, i. 849
 epithelioma of, ii. 115
 inflammations of, ii. 115
 injuries and diseases of, ii. 115
 inoperable epithelioma of, radium for, iii. 710
 moles of, ii. 115
 nevi of, ii. 115
 nevus of, radium in, iii. 714
 operations on, local anesthesia for, i. 140
 plastic operations on, iii. 622
 prosthetic apparatus for, iii. 686
 sebaceous cysts of, ii. 115
 tumors of, ii. 115
 wounds of, ii. 115
 masks for, iii. 686

Facial artery, ligation of, i. 412
 — sliding flaps with, plastic operation with, iii. 663
 muscles, spasm of, i. 888
 nerve. See *Fifth nerve*.
 paralysis, i. 881
 accessorius-facial nerve grafting in, i. 885
 Ballance's operation in, i. 887
 cosmetic treatment, iii. 687
 grafting hypoglossal nerve in, i. 882
 spinal accessory nerve in, i. 882
 hypoglossal-accessorius-facial nerve grafting in, i. 886
 hypoglossal-facial nerve grafting in, i. 883
 Fallopian canal, ii. 299
 tubes, iii. 326
 diseases of, iii. 426
 preservation of menstrual function in, iii. 430
 divided, operations for restoring, iii. 429
 hemorrhage in, iii. 430
 hernia of, iii. 51
 operations on, for sterility, iii. 428
 to induce sterility, iii. 428
 — technic, iii. 429
 to restore patency, iii. 430
 rupture of, iii. 430
 transplantation of ectopic pregnancy from, to uterus, iii. 437
 wounds of, iii. 430
 False coxalgia, iii. 465
 Family peculiarities as factor in surgical treatment, i. 18
 Farabeuf's incision for amputation of leg, iii. 587
 internoplantar flap disarticulation of foot, iii. 582
 operation for excision of tarsal bones, i. 735
 Faradism in hyperthyroidism, ii. 390
 Fascia, i. 818
 fixation of uterus for retroversion, iii. 394
 for reconstruction of tendon, i. 803
 in hemorrhage, i. 342
 living, as sutures, i. 38
 Fascia-grafting, iii. 645
 Fat, animal, effect of, on leukocytosis, i. 20
 embolism, i. 456
 filling bone-cavities with, i. 704
 in hemorrhage, i. 342
 transplantation of, into orbit, after enucleation, ii. 160
 Fat-foot, iii. 485
 Fat-grafting, iii. 648
 Fauces, operations on, ii. 205
 Faulty union in fractures, i. 527
 Favus, i. 838
 Fecal fistula, bismuth paste injections in, i. 307
 closure of, ii. 616, 617
 — temporary, ii. 619
 permanent, ii. 687
 temporary, ii. 686
 with obstruction, closure of, ii. 618

Fecal fistula, with spur, closure of, ii. 618
 Feces, impacted, chronic intestinal obstruction from, ii. 610
 incontinence of, iii. 60
 paraffin prosthesis for, iii. 691
 Feeding after abdominal operations, ii. 534
 after intestinal operations, ii. 778
 after stomach operations, ii. 778
 enteric, ii. 701
 Fee's method for siphon drainage of bladder, iii. 223
 Feet, artificial, simple, iii. 613
 cold, iii. 495
 inward rotation of, iii. 495
 swollen, iii. 495
 Felon, iii. 441
 abortion of, iii. 442
 Bier's hyperemia in, iii. 442
 superficial, iii. 443
 Female bladder, iii. 324
 corpus cavernosum urethræ, iii. 324
 generative organs, iii. 322
 — anatomy, iii. 322
 operations on, local anesthesia in, i. 152
 sterility in, iii. 437
 ureters, iii. 326
 urethra, iii. 324
 urinary-meatus, external, iii. 324
 — internal, iii. 324
 Femoral abscess in Pott's disease, ii. 337
 aneurism, i. 398
 artery, anatomy, i. 434
 compression of, for hemorrhage, i. 367
 embolism of, i. 455
 ligation of, i. 431
 — for varicose veins, i. 453
 indications, i. 436
 hernia, operations on, local anesthesia in, i. 150
 radical cure, operations for, iii. 38
 Femur, amputation through, iii. 526
 excision of head, in old unreduced hip dislocations, i. 647
 fractures of, i. 583
 head, i. 583
 in new born, i. 530; iii. 696
 lesser trochanter of, i. 583
 lower end, i. 593
 — intra-articular, i. 653
 part of shaft, i. 594
 neck, i. 583. See also *Fractures of neck of femur*.
 shaft, i. 588. See also *Fractures of shaft of femur*.
 side splint for, i. 492
 supravertebral, of great trochanter, i. 583
 traction in, i. 490
 internal condyle, oblique division of, i. 715
 osteotomy of, i. 713
 in knee tuberculosis, i. 677
 lower end, i. 714
 neck, i. 713
 — in old unreduced hip dislocations, i. 647

Femur, osteotomy of, supracondyloid, from inner side, i. 715
from outer side, i. 715
upper end, i. 713
resection of, i. 732
restoring head of, by bone graft of astragalus, i. 785
shaft of, amputation of thigh through, iii. 598
Fenestra in plaster-of-Paris splints, i. 481
Fenger's operation in harelip, ii. 267
Fergus' operation for ptosis of eyelids, ii. 142
Ferguson's bandage for harelip, ii. 269
Fermentation, intestinal, prevention of, i. 20
Fetterolf's file for deviations of septum, ii. 189
Fetus, dead, in ectopic pregnancy, iii. 437
growing in abdomen in ectopic pregnancy, iii. 436
Fever from wounds, i. 213
surgical, i. 255
aseptic, i. 259
urethral, iii. 275
Fibro-adenoma of breast, ii. 475
Fibroid tumors of uterus, panhysterectomy for, iii. 420
partial hysterectomy for, iii. 418
radium in, iii. 712
Fibrolysis in elephantiasis, i. 464
Fibroma, i. 324
molluscum of abdominal wall, ii. 538
of bones, i. 470
medullary, i. 709
of brain, ii. 75
of jaws, ii. 286
of nasopharynx, ii. 208
of peritoneum, ii. 563
of prostate, iii. 246
of rectum, iii. 74
of scalp, ii. 24
of vulva, iii. 328
periosteal, i. 709
Fibromyoma of uterus, iii. 372
Fibroneuroma of scalp, ii. 24
Fibrosarcoma, ii. 280
of abdominal wall, ii. 538
Fibrositis, chronic, i. 865
Fibrous contracture of urethral orifice, iii. 246
union in fractures, i. 528
Fibula, dislocations of, i. 649
excision of, i. 734
fractures of, i. 603
after-treatment, i. 608
lower end, i. 606
old, with vicious union, i. 608
shaft, i. 603, 606
upper end, i. 603
resection of, i. 734
Fifth nerve, anatomy, ii. 105
division of, at entrance to bone, in neuralgia, i. 873
of second and third divisions of, in neuralgia, i. 876
division, at foramen rotundum, in neuralgia, i. 872

Fifth nerve, division of third division of, at base of skull, in neuralgia, i. 874
by temporary resection of zygoma, in neuralgia, i. 875
in neuralgia, i. 873
injuries and diseases of, i. 881; ii. 63
intracranial operations on, ii. 105
for neuralgia, ii. 115
neuralgia of, i. 877
paralysis of, neuropathic, i. 881. See also *Facial paralysis*.
Figure-of-eight bandage, iii. 741
of chest, anterior, iii. 766
cravat, iii. 787
posterior, iii. 766
sutures, i. 198
double, i. 198
for closing abdominal wound, ii. 519
for closing abdominal wound, ii. 519
Filaria sanguinis hominis, elephantiasis of scrotum from, iii. 302
lymphatic obstruction from, i. 462
Filiform stricture of bulbomembranous urethra, iii. 291
of urethra, iii. 289
treatment, iii. 294
Filling materials, i. 74
Finger, amputation of metacarpal bone with, iii. 551
bandage of, complete, iii. 762
cots, rubber, i. 53
dislocations of, i. 639
of proximal phalanges of, i. 639
drop-, iii. 455
first, disarticulation of second metacarpal bone with, iii. 552
gangrene of, prevention of, iii. 458
hammer-, iii. 455
little, amputation of fifth metacarpal bone with, iii. 551
disarticulation of, at metacarpophalangeal joint, iii. 550
with fifth metacarpal bone, iii. 552
transplantation of, in rhinoplasty, iii. 674
lock-, iii. 456
mallet-, iii. 455
reconstruction of, plastic, iii. 458
schnellender, iii. 456
trigger-, iii. 456
Finger-nail, hemorrhage under, iii. 457
Finger-tip, cellulitis of, iii. 443
primary chancre of, iii. 444
subcutaneous abscess of, iii. 444
tuberculosis of, iii. 444
Fingers, amputated, replacement of, iii. 649
restoration of, iii. 458
amputation of, iii. 542
anesthesia for, iii. 544
through first phalanx, iii. 545
through last phalanx, iii. 545
with four inner metacarpal bones, iii. 551
with fourth and fifth metacarpal bones, iii. 551
with three inner metacarpal bones, iii. 551

Fingers and hand, glove bandage of, iii. 761
 ankylosis of, disturbances of motion due to, iii. 453
 bandage of, complete, iii. 762
 spiral, iii. 760
 contractures of disturbances of motion due to, iii. 453
 deep infections of, iii. 444
 disarticulation of, iii. 544
 at first interphalangeal joint, iii. 546
 at metacarpophalangeal joint, iii. 546
 with metacarpal bones, iii. 552
 with second and third metacarpal bones, iii. 552
 third and fourth metacarpal bones, iii. 553
 with third, fourth and fifth metacarpal bones, iii. 553
 or fourth metacarpal bones, iii. 552
 diseases of, iii. 453
 extension of, apparatus for maintaining, iii. 455
 metacarpal bones of, disarticulation of, iii. 553
 neuropathic contractions of, iii. 453
 supernumerary, iii. 457
 webbed, iii. 456
 Finney's method of pyloroplasty with gas-troduodenostomy, ii. 741
 Finochietto's method of introducing button for lateral intestinal anastomosis, ii. 673
 Finsen rays in lupus, iii. 727
 First aid to injured, iii. 722
 Fischer's solution in mercuric chlorid poisoning, iii. 806
 Fish-hooks, removal of, from tissues, iii. 809
 Fissure, anal, iii. 64
 chronic intestinal obstruction from, ii. 610
 of esophagus, ii. 433, 439
 of lips, ii. 246
 of nipple, ii. 473
 of Sylvius, ii. 45
 of vulva, iii. 329
 Rolandic, ii. 46
 lower end, ii. 46
 Fistula, i. 304
 after operation in appendicitis, iii. 102
 biliary, iii. 117
 bile feeding for, iii. 117
 saline injections through, iii. 117
 chalk paste in, i. 308
 duodenal, ii. 582
 Eck's, i. 458
 in ascites, ii. 561
 fecal, closure of, ii. 618
 temporary, ii. 619
 permanent, ii. 687
 temporary, ii. 686
 with obstruction, closure of, ii. 618
 with spur, closure of, ii. 618
 in ano, iii. 62
 bismuth paste injection in, iii. 64
 dissecting out tract, iii. 63
 elastic ligature in, iii. 64
 operation in, iii. 63
 without incision, iii. 64

Fistula, intestinal, closure of, ii. 616
 permanent, in lower small intestine, ii. 685
 temporary, ii. 683
 milk, ii. 474
 occlusion treatment, i. 304
 of breast, chronic, ii. 474
 of lacrimal gland, ii. 136
 of neck, branchial, ii. 372
 of umbilicus, ii. 537
 of urachus, ii. 538
 of urethra, iii. 274
 acquired, iii. 274
 stricture with, iii. 299
 parotid salivary, ii. 377
 rectovaginal, iii. 67, 355
 rectovesical, iii. 66
 renal, iii. 154
 tuberculous, i. 282
 ureteral, iii. 157
 ureterovaginal, iii. 353
 following hysterectomy, iii. 353
 uretero-vesicovaginal fistula, iii. 353
 urethrorectal, iii. 274
 urethrovaginal, iii. 349
 vesical, iii. 209
 vesico-intestinal, iii. 209
 vesico-uterine, iii. 352
 vesicovaginal, iii. 346. See also *Vesicovaginal fistula*.
 Fixation, direct, of fragments in fractures, i. 502
 for club-foot, iii. 469
 in torticollis, ii. 373
 Flannel bandages, i. 55
 Flap amputation, iii. 507
 incising skin and fascia in, iii. 504
 suturing skin in, iii. 513
 treatment of muscle in, iii. 513
 with single flap, iii. 519
 and circular amputation, combined, iii. 515
 Flaps, amputation, cutting by transfixion, iii. 507
 musculoperiosteal, iii. 508
 of skin, equal, iii. 519
 periosteal, iii. 510
 size of, iii. 502
 technic of making, iii. 503
 turning back, iii. 505
 without, iii. 522, 523
 equal skin and muscle, amputation by, iii. 517
 imperfect, amputation by, iii. 522
 in plastic operations, iii. 622
 preserving circulation in, iii. 623
 pedunculated, plastic operations with, iii. 635
 sliding, plastic operations with, iii. 630
 unequal, amputation by, iii. 520
 rectangular, amputation by, iii. 520
 Flap-splitting operation in vesicovaginal fistula, iii. 347
 Flat sponges, i. 44
 Flat-foot, iii. 484
 arthrodesis in, i. 739
 of astragaloscapoid joint in, iii. 488

Flat-foot, attitude of feet in, iii. 486
 deformity in, correction of, iii. 485
 division of tendo Achillis for, iii. 487
 exercises in, iii. 486
 massage in, iii. 486
 operation for, iii. 487
 osteotomy for, iii. 487
 out-toeing in, iii. 485
 plate for, iii. 486
 preventive treatment, iii. 485
 rigid, iii. 488
 spastic, operation in, iii. 489
 Flavin as antiseptic, i. 65
 for infected wounds, iii. 809
 Flax dressings, i. 41
 Fleas, bites of, i. 275
 Flexner's treatment of epidemic cerebro-spinal meningitis, ii. 67
 Flexor hallucis longus tendons, tenotomy of, i. 815
 Flies, bites of, i. 175
 Fleiss' genital spots, iii. 394
 Floating kidney, iii. 154
 nephropexy for, iii. 155
 Flocculent skin-grafts, iii. 643
 Florida moss dressings, i. 42
 Fluidity of vitreous, ii. 134
 Focal epilepsy, ii. 101
 Follicular conjunctivitis, ii. 123
 tonsillitis, ii. 212
 vulvitis, iii. 327
 Fomentations, hot, in abscess, i. 251
 Foot, iii. 468
 amputations of, iii. 575
 rules for, iii. 575
 and ankle, bandage of, spica, iii. 774
 covering heel, iii. 775
 exposing heel, iii. 775
 bandage of, triangular, iii. 792
 callosities of, iii. 493
 claw-, iii. 482
 club-, iii. 460. See also Club-foot.
 depression of transverse arch, iii. 490
 disarticulation of, anterior to astragalus and os calcis, iii. 580
 at ankle-joint, with preservation of posterior part of os calcis, iii. 585
 with removal of malleoli, iii. 584
 heel-flap method, iii. 583
 mediatarsal, iii. 580
 subastragaloïd, iii. 582
 fat-, iii. 484, 485
 hollow, iii. 489
 infections of, iii. 468
 metatarsal arch of, weakness of, iii. 490
 painful, iii. 490
 static, iii. 490
 trench-, i. 319
 ulcer of, perforating, iii. 494
 weak-, iii. 484
 Foramen of Winslow, hernia through, iii. 51
 Forceps, dissecting, i. 75
 esophageal, ii. 440
 hemostatic, i. 77
 mouse-tooth, i. 75
 tongue, for general anesthesia, i. 95

Forearm, amputation of, iii. 555
 in lower third by circular method, iii. 556
 in upper two-thirds, iii. 557
 bandage of, cravat sling, iii. 787
 triangular sling, iii. 790
 cineplastic amputation through, iii. 527
 dislocations of, i. 635. See also Dislocations of forearm.
 double transplanted flap of, plastic operation for defect of cheek with, iii. 665
 fractures of, bone-grafts in, i. 512
 in newborn, i. 531
 sterilization of, i. 173
 wounds of, iii. 452
 Forehead-chin bandage, iii. 743
 Forehead-mouth bandage, iii. 744
 Forehead-neck bandage, iii. 744
 Foreign bodies, barbed, removal of, iii. 809
 in accessory sinuses, ii. 188
 in appendix, iii. 104
 in bladder, iii. 203
 in brain, ii. 63
 in breast, ii. 472
 in bronchi, ii. 224
 pneumotomy for, ii. 456
 in choroid, ii. 130
 in conjunctiva, ii. 127
 in cornea, ii. 127
 in crystalline lens, ii. 133
 in esophagus, ii. 440
 operations for removal, ii. 244, 441
 in external auditory canal, ii. 305
 in heart, ii. 429
 in larynx, ii. 224
 removal, ii. 244
 in maxillary antrum, ii. 197
 in nose, ii. 188
 in peritoneal sac, ii. 544
 in pharynx, ii. 216
 in rectum, iii. 66
 in sclera, ii. 129
 in stomach, ii. 714
 removal, ii. 244
 in tongue, ii. 287
 in tonsils, ii. 216
 in trachea, ii. 224
 removal, ii. 244
 in urethra, iii. 273
 urinary retention from, iii. 211
 in vagina, iii. 357
 in vitreous, ii. 134
 in wounds, x-ray for removal, i. 223
 intestinal obstruction from, ii. 608
 iron, in interior of eyeball, removal of, 160
 wounds with, i. 222
 Formaldehyde as antiseptic, i. 68
 polymerized as antiseptic, i. 68
 Formaldehyd-phenol in camphor-paraffin, for infected wounds, iii. 805
 Formalin, i. 68
 method for sterilizing catgut, i. 36
 Formalin-glycerin injections in joint tuberculosi, i. 281, 664
 wounds, i. 655
 solution for joint infections, iii. 805

Formalin-iodin method for sterilizing cat-gut, i. 36
 Formic aldehyd as antiseptic, i. 68
 Fornix, vaginal, iii. 325
 Four-armed bandage of chin, iii. 783
 of head, iii. 785
 Fourchette, iii. 323
 Fourth-of-July tetanus, i. 270
 Fowler's method of decortication of lung, ii. 410
 position for drainage, ii. 528
 Fractional sterilization, i. 28
 Fractured cartilages, i. 653
 Fractures, i. 474
 Albee's bone grafts in, i. 507
 ambulant treatment, i. 522
 apparatus for moving bones in, i. 497
 for traction, i. 485
 bone cylinders in, i. 507
 ferrules in, i. 507
 grafting in, i. 509. See also *Bone grafts*.
 Buck's extension in, i. 488
 callus, i. 472
 Codivilla's method of traction in, i. 486
 Colles' compound, i. 579
 dislocation with, i. 579
 dressing, i. 576
 imperfect reduction in, i. 579
 irreducible displacement in, i. 578
 method of reduction, i. 576
 silver-fork deformity in, i. 575
 sprain with, i. 579
 vicious union in, i. 57
 with anterior displacement of lower fragment, i. 579
 without displacement, i. 578
 complicating dislocations, i. 611
 complications of, i. 524
 compound, i. 518. See also *Compound fractures*.
 condition of skin, i. 476
 continuous divulsion in, i. 496
 extension in, i. 488
 traction in, i. 487
 crutch paralysis in, i. 527
 deformity from, correction, i. 474
 delayed union in, i. 527
 delirium tremens with, i. 526
 direct fixation of fragments in, i. 502
 dislocations complicating, i. 521
 displaced bones in, i. 524
 edema in, i. 524
 elastic extension in, i. 495
 elevation of temperature after, i. 520
 excessive callus in, i. 525
 fascia-grafts as wrapping for, iii. 645
 faulty union in, i. 527
 fibrous union in, i. 528
 gangrene in, i. 525
 hypostatic congestion of lungs in, i. 525
 immediate reduction, i. 475
 treatment, i. 472
 immobilization of fragments, i. 476
 impaction in, i. 524
 in newborn, i. 529; iii. 695
 in old persons, i. 526

Fractures, intra-uterine, i. 529
 involving joints, i. 518
 joint stiffness in, i. 525
 lacerated muscles in, i. 524
 length of time for healing, i. 523
 lymphedema in, i. 524
 massage in, i. 500
 metallic bands in, i. 506
 plates in, i. 507
 muscular atrophy in, i. 525
 spasm after, i. 525
 nail extension in, i. 495
 nailing fragments in, i. 506
 necrosis of bones in, i. 525
 nerve injury in, i. 524
 non-union in, i. 529
 obstacles to reduction, i. 475
 of acromion process, i. 556
 of alveolar process of jaw, i. 543
 of anatomical neck of humerus, i. 557
 with shoulder dislocation, i. 631
 of astragalus, i. 608
 of body of scapula, i. 556
 of carpus, i. 579
 of clavicle, i. 550
 bandage and adhesive plaster treatment, i. 551
 bone graft in, i. 511
 dressings for, i. 554
 in newborn, i. 530
 operative treatment, i. 555
 recumbent treatment, i. 550
 rest treatment, i. 550
 Sayre's dressing for, modified, i. 552
 of condyles, bone grafts in, i. 515
 of coracoid process, i. 556
 of coronoid process of ulna, i. 573
 of elbow, i. 565
 of external condyle of humerus, i. 568
 epicondyle of humerus, i. 568
 of femur, i. 583
 head of, i. 583
 in newborn, i. 530; iii. 696
 lesser trochanter of, i. 583
 lower end of, i. 593, 594, 653
 neck of, i. 583
 shaft of, i. 588
 side splint for, i. 492
 supracervical, of great trochanter, i. 583
 supracondyloid, i. 594
 traction in, i. 490
 of fibula, i. 603
 after-treatment, i. 608
 compound, i. 606
 lower end of, i. 606
 old, with vicious union, i. 608
 shaft of, i. 603, 606
 upper end of, i. 603
 of forearm, bone grafts in, i. 512
 in newborn, i. 531
 of head of femur, i. 583
 of humerus, i. 556
 of radius, i. 572
 of scapula, i. 556
 of humerus, i. 556
 anatomical neck of, i. 557
 with shoulder dislocation, i. 631

Fractures of humerus, bone graft in, i. 511
 epicondyle of, i. 568
 external condyle of, i. 568
 head of, i. 556
 in newborn, i. 529
 internal condyle, i. 568
 epicondyle, i. 568
 lower end, i. 565-571
 separation of lower epiphysis, i. 571
 shaft of, i. 560
 supracondyloid, i. 567
 low, i. 571
 surgical neck of, i. 558
 tuberosities of, i. 557
 upper end of, i. 556
 of hyoid bone, i. 548
 of internal condyle of humerus, i. 568
 epicondyle of humerus, i. 568
 of jaw, i. 542
 interdental moulded splint in, i. 542
 lower, i. 543
 interdental splint in, i. 544
 Matas' splint in, i. 545
 plaster-of-Paris bandage in, i. 544
 wiring in, i. 545
 upper, i. 542
 of larynx, ii. 219
 of leg in newborn, i. 531
 of lesser trochanter of femur, i. 583
 of lower end of femur, i. 593, 653
 gangrene of leg in, i. 595
 injury of popliteal blood-vessels
 in, i. 595
 separation of lower epiphysis in,
 i. 594
 of fibula, i. 606
 extremity of humerus, i. 565
 ankylosis after, i. 571
 articular process, i. 571
 comminuted, i. 570
 deformity after, i. 571
 degree of bony displacement, i.
 566
 of shaft of femur, i. 594
 extremities, iii. 462
 jaw, bone grafts in, i. 518
 of malar bone, i. 540
 of malleolus, bone grafts in, i. 516
 of metacarpus, i. 579
 of metatarsus, i. 608
 of nasal bones, i. 539
 hematoma in, i. 539
 lateral displacement in, i. 539
 rubber tube splint in, i. 539
 septum, i. 540
 of neck of femur, i. 583
 abduction method in, i. 585
 bone grafts in, i. 512
 combined longitudinal and trans-
 verse traction in, i. 583
 impaction in, i. 585
 in children, i. 587
 in hip dislocations, i. 646
 in old persons, i. 586
 operative treatment, i. 587
 time required for union, i. 586
 without impaction, i. 583

Fractures of neck of radius, i. 572
 of scapula, i. 556
 of olecranon, bone grafts in, i. 511, 572
 fibrous union in, i. 573
 of os calcis, bone grafts in, i. 517
 of patella, i. 596
 ambulant treatment, i. 597
 bone grafts in, i. 516
 comminuted, i. 602
 compound, i. 603
 multiple, i. 602
 nonoperative treatment, i. 596
 operations on, local anesthesia for, i.
 147
 operative treatment, i. 598, 602
 massage in, i. 601
 of old cases, i. 602
 passive motion, i. 601
 suturing in, i. 599
 technic, i. 599
 with slight separation, i. 602
 of pelvis, i. 582
 of penis, iii. 250
 of phalanges, i. 580
 of radius, i. 572
 head of, i. 572
 neck of, i. 572
 shaft of, i. 573
 of ribs, i. 549
 of scapula, i. 556
 body of, i. 556
 head of, i. 556
 neck of, i. 556
 spine of, i. 556
 upper angle of, i. 556
 with shoulder dislocation, i. 632
 of sesamoid bone of thumb, i. 582
 of shaft of femur, i. 588
 amount of weight to use, i. 588
 compound, i. 592
 consolidation in, time of, i. 589
 double lateral splint in, i. 592
 hip splints in, i. 591
 in hip dislocations, i. 646
 in upper part, i. 590
 operative treatment, i. 591
 permanent dressing, i. 588!
 plaster-of-Paris case in, i. 591
 suspension splint in, i. 591
 temporary splint, i. 588
 transverse, i. 590
 variations in, i. 589
 vertical extension in, i. 592
 of fibula, i. 603, 606
 of humerus, i. 560
 compound, i. 565
 Penhallow's splint in, i. 561
 scaffold splint in, i. 564
 with much displacement, i. 563
 with shoulder dislocation, i. 631
 with slight displacement, i. 562
 of radius, i. 573
 of tibia, i. 603
 of ulna, i. 573, 574
 of skull, i. 532
 basal, i. 534
 concussion in, i. 537

Fractures of skull, basal, immobilization in, i. 535
 lumbar puncture in, i. 536
 operative treatment, i. 536
 trephining in, i. 536
 with compression symptoms, i. 537
 with meningeal infection, i. 537
 compound, i. 534
 depressed, i. 534
 with symptoms of brain compression, i. 534
 without depression or symptoms of brain injury, i. 534
 gutter, i. 532
 punctured, through orbit, i. 537
 simple depressed, i. 532
 vault and base, i. 537
 vault, simple linear, with symptoms of brain compression, i. 532
 of spine of scapula, i. 556
 of tibia, i. 654
 of sternum, i. 548
 of styloid process of ulna, i. 579
 of surgical neck of humerus, i. 558
 of tarsus, i. 668
 of thumb, i. 582
 of tibia, i. 603
 after-treatment, i. 608
 compound, i. 606
 old, with vicious union, i. 608
 shaft of, i. 603
 spine of, i. 654
 upper end of, i. 603
 of trachea, ii. 219
 in newborn, iii. 696
 of tuberosities of humerus, i. 557
 of ulna, i. 572
 shaft of, i. 573, 574
 styloid process of, i. 579
 of upper angle of scapula, i. 556
 end of fibula, i. 603
 of humerus, i. 556
 of tibia, i. 603
 of vertebrae, i. 537
 immobilization in, i. 538
 with compression, i. 538
 of zygoma, i. 540
 operative treatment, i. 502
 pain in, i. 525
 paralysis in, i. 525
 pegging fragments in, i. 506
 pillow extension in, i. 493
 pneumatic extension in, i. 494
 Pott's, i. 606
 reduction of, artificial leverage in, i. 476
 screws in, i. 507
 separation of epiphyses in, i. 524
 splints for, i. 477
 subcervical, of great trochanter of femur, i. 583
 supracervical, of great trochanter of femur, i. 583
 surgical emphysema in, i. 525
 suturing bones in, i. 503
 swelling in, i. 525
 temporary traction in, i. 485
 traction in, measurement of legs in, i. 493

Fractures, transverse traction in, i. 498
 traumatic delirium in, i. 527
 ulceration in, i. 525
 weight and pulley traction in, i. 487
 wire traction from skin in, i. 493
 wiring bones in, i. 503
 Zuppinger's lever traction frame, i. 494
 Fragilitas ossium, i. 471
 Frambesia tropica, i. 303
 salvarsan in, i. 303
 Frame truss for hernia, iii. 17
 Franck's method of gastrostomy through external cone, modified, ii. 734
 Franke's method of avulsion of intercostal nerves, ii. 347
 of drainage in ascites, ii. 560
 Frazier's attachment for holding patient in craniotomy, ii. 37
 method of frontal approach to pituitary body, ii. 87
 Freckles, i. 840
 French's chair for adenoid operations, ii. 209
 Frenum of prepuce, iii. 248
 rupture of, iii. 250
 short, iii. 254
 Fresh air as factor, i. 21
 in hemorrhage, i. 344
 in tuberculosis, i. 278
 Friedman's safety-pin hemostat in scalp operations, ii. 20, 21
 Froehlich's method of tattooing cornea, ii. 153
 Frontal eminence, ii. 46
 sinuses, ii. 179
 catarrhal inflammation of, acute, ii. 199
 chronic, ii. 199
 empyema of, ii. 199
 free opening of, ii. 199
 obliteration of, ii. 202-205
 wide opening of, ii. 200
 Fronto-occipital bandage, iii. 746
 triangle, iii. 784
 Frost-bite, i. 826
 antitetanic serum in, i. 265
 gangrene from, i. 318
 of auricle, ii. 304
 Fulda's method of forming motile amputation stump, iii. 534
 Fulguration, iii. 699
 for cancer of uterus, iii. 424, 703
 for chancroid, iii. 252
 for herpetic ulcers, iii. 703
 for papilloma of urinary bladder, iii. 700
 for polyps of bladder and urethra, iii. 703
 for venereal warts, iii. 703
 in inoperable cancer, i. 332
 technic, iii. 700
 Fulminating appendicitis, iii. 101
 infective gangrene, i. 317
 Functional scoliosis, ii. 353
 Fundus of stomach, ii. 698
 Fungous ulcers, i. 314
 Fungus cerebri, ii. 65
 disease of India, i. 273
 of testicles, iii. 306

Furrows of tongue, ii. 289
 Furuncles, i. 253, 827
 of auricle, ii. 304
 vaccines in, i. 253, 829
 Furunculosis, i. 827
 vaccines in, i. 829
 Fusil ethers, i. 104
 Gad-flies, bites of, i. 276
 Gaenslen's method of osteoplastic laminectomy, ii. 344
 Gag, mouth-, ii. 245
 Galactocele, ii. 477
 Gallant's corset for movable kidney, iii. 155
 Gall-bladder, iii. 105
 anastomosing with intestine, iii. 125
 anatomy, iii. 150
 cancer of, iii. 118
 exposure of, incision for, ii. 513
 incision of, iii. 122
 infection, appendicitis complicating, iii. 117
 opening for drainage of, iii. 122
 operations on, local anesthesia in, i. 150
 perforation of, iii. 114, 116
 purse-string suture of, i. 202
 removal of, iii. 127
 indications for, iii. 115
 subcostal operations for exposure of, iii. 119
 typhoid infection of, iii. 115
 wounds of, iii. 114
 Gall-stones, ii. 780; iii. 11
 impacted at exit of bladder, iii. 116
 in common duct, iii. 116
 in cystic duct, iii. 116
 in hepatic ducts, iii. 116
 infection from, iii. 116
 intestinal obstruction from, ii. 608
 intrahepatic, iii. 113
 obstruction from, iii. 116
 Galvanism in hyperthyroidism, ii. 390
 in neuralgia, i. 864
 Galvanocautic prostatotomy for hypertrophy of prostate, iii. 232
 Gamma rays of radium, iii. 709
 Ganglia, cervical sympathetic, injuries to, i. 898. See also *Cervical sympathetic ganglia*.
 sympathetic, of neck, removal, in epilepsy, ii. 101
 Ganglion tumor, i. 818
 Gangrene, i. 304, 315
 and sloughing of scrotum, iii. 302
 arterial occlusive, i. 317
 diabetic, i. 318
 dry, i. 316
 embolic, i. 320
 from ergot poisoning, i. 318
 from frost-bite, i. 318
 from obliterating angiitis, i. 316
 from poisons, i. 320
 fulminating infective, i. 317
 gas, iii. 813
 hospital, i. 318
 hot-air treatment, i. 315

Gangrene in fractures, i. 525
 inflammatory, i. 317
 malignant, i. 270
 moist, i. 317
 non-senile, i. 320
 of fingers, prevention of, iii. 458
 of intestines, ii. 609
 eventration for, ii. 609
 of leg in fractures of lower end of femur, i. 595
 of lung, ii. 415
 of muscle, i. 791
 of penis, iii. 252
 phagedenic, i. 319
 phenol, i. 320
 postfebrile, i. 320
 presenile, i. 320
 Raynaud's, i. 318
 rules for amputation in, i. 316
 senile, i. 317
 sloughing, i. 319
 suction treatment, i. 315
 traumatic, i. 317
 trophic, i. 320
 Gangrenous appendicitis, iii. 100
 balanitis, iii. 251
 cellulitis, i. 318
 cystitis, iii. 193
 esophagitis, ii. 433
 stomatitis, i. 319; ii. 247
 Gaping wounds, i. 212
 Gas bacillus infection, i. 270
 Menciere's solution in, i. 271
 Morestin's mixture in, i. 271
 wounds infected with, i. 222
 coal, asphyxia from, iii. 720
 eliminants, i. 226
 embolism from artificial pneumothorax, ii. 417
 gangrene, iii. 813
 illuminating, asphyxia from, iii. 720
 irritating, poisoning from, iii. 721
 poisoning, iii. 716, 720
 Gas-ether sequence, i. 118
 Gaseous cysts of intestinal wall, ii. 582
 Gasserian ganglion, alcohol injection of, in trifacial neuralgia, i. 869
 exposure of, craniotomy for, ii. 106
 Gastrectomy in cancer of stomach, ii. 704
 partial, ii. 751, 759
 gastrojejunostomy after, ii. 755
 shock in, ii. 776
 total, ii. 761
 Gastric. See *Stomach*.
 Gastritis due to caustics, ii. 702
 phlegmonous, ii. 702
 Gastrocolic ligament, elongation of, with sagging of transverse colon, in gastrop-tosis, ii. 713
 route of approach to pancreas, ii. 779
 Gastroduodenostomy, ii. 747
 pyloroplasty with, ii. 741
 Gastro-enterostomy, ii. 762
 feeding after, ii. 778
 in gastric cancer, ii. 704
 in gastrop-tosis, ii. 713
 in ulcer of stomach, ii. 722

- Gastro-enterostomy, local anesthesia in, i. 150
 posterior, in pyloric stenosis, ii. 719
 shock in, ii. 776
- Gastro-esophagoplasty, Jianu's method, ii. 465
- Gastrohepatic route of approach to pancreas, ii. 779
- Gastro-intestinal tract and bile-tract, perforation between, iii. 116
 reconstruction of wall, by tissue transplantation, ii. 773
- Gastrojejunal ulcer, ii. 580
- Gastrojejunostomy after resection of pyloric end of stomach, ii. 755
 anterior, ii. 769
 in cancer of stomach, ii. 705
 in duodenal ulcer, ii. 578
 posterior, ii. 762
- Gastropexy in gastropexis, ii. 711
- Gastoplasty by transverse incision in hour-glass stomach, ii. 709
 shock in, ii. 776
- Gastroplication in dilatation of stomach, ii. 714
- Gastropexis, ii. 710
 elongation of gastrocolic ligament with sagging of transverse colon in, ii. 713
 gastro-enterostomy in, ii. 713
 gastropexy in, ii. 711
 hepatopexy in, ii. 712
 pressure pad in, ii. 711
- Gastroscopy, ii. 244
- Gastrotomy, ii. 730
 by canalization of stomach wall, ii. 736
 in cancer of stomach, ii. 705
 in stricture of esophagus, ii. 436
 purse-string suture in, i. 230
 through external cone, ii. 734
 through internal cone, ii. 731
 with external flap, ii. 731
- Gastrotomy, ii. 730
 in corrosive esophagitis, ii. 432
- Gauss' artery press in hemorrhage, i. 366
- Gauze, 39
 Balsam-of-Peru, i. 40
 bandages, i. 55
 bichloride, i. 40
 bismuth, i. 40
 boric acid, i. 67-41
 borosalicylic, i. 41
 chloretoe, i. 41
 chlorinated, i. 40
 drainage in abdominal operations, ii. 525
 drains, i. 47
 iodoform, i. 40
 sticky, i. 40
 kephalin, i. 41
 medicated, i. 39
 paraffined, i. 41
 phenol, i. 40
 sponges, i. 43
 sterilization of, i. 39
 zinc oxid, i. 41
- Gelatin in hemorrhage, i. 343
- Gellhorn's acetone treatment for cancer of uterus, iii. 424
- Generative organs, absence, amenorrhea from, iii. 397
 female, iii. 322
 anatomy, iii. 322
 male, iii. 248
 anatomy, iii. 248
- Genital spots, Fliess', iii. 394
 tuberculosis, iii. 144
 in women, iii. 439
- Genitals, preparation of, for operation, i. 180
- Genito-urinary fistulas, bismuth paste injections in, i. 308
 organs, iii. 138
 operations, local anesthesia for, i. 157
- Geno recurvatum, iii. 466
 valgum, iii. 467
 osteotomy for, i. 714
 varum, iii. 466
 deformity in, bone grafts for, i. 787
- Giant-cell sarcoma of long bones, i. 707, 709
- Giantism, i. 322
- Gibson's operation for resection of eyelids, ii. 147
 wooden clamp for lateral intestinal anastomosis, ii. 665
- Gigli's wire bone saw, i. 29
- Gingivitis, ii. 277
- Girls, prolapse of uterus in, iii. 376
- Glabella, ii. 45
- Glanders, i. 273
 of nasopharynx, ii. 208
- Glands, Bartholin's, iii. 324
 carotid, ii. 395
 internal jugular, ii. 363
 lacrimal, ii. 136
 occipital, ii. 363
 of skin, diseases of, i. 844
 parathyroid, anatomy, ii. 380
 parotid, ii. 363
 retro-auricular, ii. 363
 retropharyngeal, ii. 363
 salivary, ii. 377
 submaxillary, ii. 363
 submental, ii. 363
 subparotid, ii. 363
 substernomastoid, ii. 363
 supraclavicular, ii. 363
 thymus, ii. 394
 thyroid, ii. 380
 accessory, ii. 380
- Glans penis, iii. 248
- Glass drainage tubes, i. 46
- Glaucoma, ii. 131
 intravenous injections of glucose in, ii. 132
 iridectomy in, ii. 131
 malignant, ii. 132
 mydriasis in, ii. 118
 operations for, ii. 161
 osmosis treatment, ii. 131
 removal of upper cervical sympathetic ganglion in, i. 898
- Glioma of brain, ii. 75
 of retina, ii. 135

- Gliosarcoma of brain, ii. 75
 Globe. See *Eyeball*.
 Glossitis, acute parenchymatous, ii. 288
 exfoliative, ii. 289
 superficial, acute, ii. 288
 chronic, ii. 288
 Glottis, edema of, ii. 221
 spasm of, ii. 221
 Glove bandage of fingers and hand, iii. 761
 Gloves, rubber, i. 52
 care of, i. 174
 method of adjusting, i. 174
 sterilization of, i. 52. See also *Sterilization*.
 Glück's artificial larynx, ii. 236
 methods of laryngectomy, ii. 233, 234
 Glucose injections, i. 20, 21
 intravenous injections of, in glaucoma,
 ii. 132
 solution in proctoclysis, iii. 58
 Glue dressings, i. 56
 Gluteal artery, ligation of, i. 430
 Glycerin, i. 58
 enema, ii. 620
 method for sterilization of rubber gloves,
 i. 52
 phenolized, as antiseptic, i. 66
 treatment of infected wounds, i. 241
 Glycerin-formalin injections in tuberculosis
 of joints i. 281, 664
 in wounds of joints, i. 655
 Gnats, bites of, i. 275
 Goffe's operation for prolapse of uterus, iii.
 379
 Goiter, ii. 381
 contraindications to operation in, ii. 382
 exophthalmic, ii. 390
 radium in, iii. 713
 incision for, ii. 382
 indications for operation in, ii. 382
 inflammation of, ii. 380
 intrathoracic, ii. 446
 non-toxic, excision of, ii. 382
 control of hemorrhage in, ii. 388
 results, ii. 389
 operative treatment, ii. 382
 vascular, operation on, ii. 388
 Goldthwait's thumb splint, i. 582
 Gonorrhea, iii. 279
 abortion of, iii. 279
 acute anterior, iii. 280
 chordee in, prevention, iii. 280
 methylene-blue in, iii. 280
 painful micturition of, iii. 280
 preventing complications in, iii. 280
 posterior, iii. 280
 antigenococcus serum in, iii. 283
 chronic anterior, iii. 281
 posterior, iii. 282
 in women, iii. 283
 ointment treatment, iii. 285
 injections in, iii. 280
 irrigations in, iii. 280
 of uterus, iii. 285
 prognosis, iii. 283
 prophylaxis, iii. 279
 stage of decline, iii. 280
- Gonorrhea, two-glass test in, iii. 279
 when cured, iii. 283
 Gonorrhreal arthritis, i. 660
 formalin-glycerin injections in, iii. 806
 conjunctivitis, ii. 123
 cystitis, acute, iii. 192
 endometritis, acute, iii. 369
 epididymitis, surgical treatment, iii. 305
 inflammation of Bartholin's glands, iii.
 284
 iritis, ii. 129
 ophthalmia, iii. 285
 stomatitis, ii. 247
 tenosynovitis, i. 817
 urethritis, iii. 279. See also *Gonorrhea*.
 vaginitis, iii. 284
 sterilized yeast in, iii. 284
 in children, iii. 285
 Gottstein's treatment in atrophic rhinitis,
 ii. 187
 Gould's infolding right-angle mattress suture
 of intestines, ii. 634
 method of end-to-side intestinal anasto-
 mosis, ii. 666
 Gouty iritis, ii. 129
 Gowns, nurses', i. 51
 Gracilis, tendons of, tenotomy of, i. 815
 Graduated tenotomy in heterophoria, ii.
 176
 Grafting, bone. See *Bone grafts*.
 eyeball after enucleation, ii. 160
 fascia-, iii. 645
 fat-, iii. 648
 hairy skin, iii. 644
 mucous membrane, iii. 644, 647
 nerve, i. 857
 in facial paralysis, i. 882
 results, i. 859
 of teeth, ii. 279
 skin-, iii. 636. See also *Skin-grafting*.
 tendon, i. 805
 testicles, ii. 321
 tissues, iii. 645
 upon stump in amputation, iii. 502
 Grafts, bone, i. 509. See also *Bone grafts*.
 omental, in intestinal suture, ii. 629
 peritoneal, ii. 544
 Granular conjunctivitis, ii. 123
 eyelids, ii. 123
 vaginitis, iii. 356
 Granulating wounds, i. 220
 Grape sugar injections, i. 20
 Grattage operation in trachoma, ii. 151
 Graves' disease, ii. 389, 390
 Gravity ischemia with elastic constriction
 for control of hemorrhage, i. 369
 Greaseless face cream, i. 849
 Green's direct-illumination esophagoscope,
 ii. 243
 Gridiron incision, intramuscular, in abdom-
 inal section, ii. 510
 Griffin hand, iii. 455
 Groin, bandage of, spica, ascending, iii. 767
 descending, iii. 768
 thigh bandage with, iii. 768
 lymphadenitis of, iii. 459
 Group experts in surgical practice, iii. 798

- Guillotine, ii. 213
 removal of tonsils with, ii. 216
- Gum acacia in saline infusion, i. 348
 mixtures for dressings, i. 57
- Gummatus ulcerations, treatment, i. 302
- Gums, ii. 274
 angioma of, ii. 280
 epithelioma of, ii. 280
 inflammation of, ii. 277
 sarcoma of, ii. 280
 myeloid, ii. 280
 tumors of, ii. 280
- Gunshot wounds, i. 222
 of joints, i. 656
 of spleen, ii. 784
 of tongue, ii. 288
- Gutta-percha solutions, i. 53
- Gutter fractures of skull, i. 532
- Guyon's incision for amputation of leg, iii. 587
- Gwathmey's method of anesthesia by mouth, iii. 807
- HABIT**, epileptic, ii. 99
- Habits as factor in surgical treatment, i. 18
- Habitual dislocations, i. 612
 of hip, i. 646
 bone-grafts in, i. 783
 of patella, bone-grafts in, i. 787
 of shoulder, i. 632
 torticollis, ii. 377
- Hackenbruch's fracture clamps, i. 497
- Hagner's anastomosis of vas deferens to epididymis of opposite side for sterility, iii. 312
- Hahn's method of pylorodiosis, ii. 737
- Hair, atrophy of, i. 847
 diseases of, i. 846
 human, for suturing arteries, i. 372
 superfluous, i. 846
- Halazone as antiseptic, i. 63
- Hallucinations from ether, i. 105
- Hallux rigidus, iii. 495
 valgus, iii. 491
- Halogen derivatives of phenol as antiseptic, i. 60
- Halsted's modification of Woelfler's operation for inguinal hernia, iii. 37
 right-angle mattress stitch in intestinal suture, ii. 633
- Hammer-finger, iii. 455
- Hammer-toe, iii. 491
 arthrodesis in, i. 739
- Hammock for lateral correction in scoliosis, ii. 354
 suspension, for applying jacket in Pott's disease, ii. 329
 suspensory bandage of scrotum, iii. 782
- Hamstring tendons, tenotomy of, i. 815
- Hancock's operation for glaucoma, ii. 161
- Hand, amputation of, iii. 550
 and fingers, glove bandage of, iii. 761
 ankylosis of, disturbances of motion due to, iii. 453
 atrophy of, iii. 450
 bandage of, iii. 761
 triangular, iii. 792
- Hand, carbuncle of, iii. 444
 claw-, iii. 455
 club-, iii. 452
 contractures of, iii. 450
 disturbances of motion due to, iii. 453
 deep infections of, iii. 444
 diseases of, iii. 453
 edema of, iii. 450
 griffin, iii. 455
 neuropathic contractions of, iii. 453
 results of infection of, iii. 450
 saw, Doyen's, for linear bone incisions, ii. 30
 sponges, i. 43
- Handkerchief bandage, iii. 783
- Hands, chapped, i. 849
 eczema of, i. 833
 excessive sweating of, treatment, i. 849
 extensors of, paralysis of, tendon transplantation in, i. 812
 muscles moving, i. 893
 sterilization of, i. 173. See also *Sterilization of hands*
- Hard skin, i. 841
- Hard-rubber bridge in saddle-nose, ii. 194
- Harelip, ii. 266
 deformed nostril with, ii. 273
 double, operation for, ii. 271
 lateral, operation for, ii. 269
 operation for, ii. 267
 after-treatment, ii. 273
 dyspnea after, ii. 274
 failure of union in, ii. 274
 notched lip after, ii. 273
 split-flap, ii. 267
- Harrington's segmented ring for intestinal anastomosis, ii. 674
 solution as antiseptic, i. 59
- Harris' diet in ulcer of stomach, ii. 721
 operation for prolapse of uterus, iii. 379
- Harrison's drainage tube, i. 46, 47
- Hartley-Krause method of removing Gasserian ganglion, ii. 108
- Hartwell's method of blood transfusion, i. 352
- Haynes' operation in meningitis, ii. 70
- Head and neck, bandages of, iii. 742
 arteries of, ligation of, incisions for, i. 404
 bandage of, iii. 742
 cravat, crossed, iii. 787
 four-armed, iii. 785
 universal, iii. 742
 with median piece, iii. 742
- diseases of, ii. 17
 injuries of, ii. 17
 lowering of, in hemorrhage, i. 344
 operations on, local anesthesia for, i. 140
 prevention of shock, i. 215
- plastic operations on, iii. 649
 preparation of, for operation, i. 180
 support of, in Pott's disease, ii. 333
- tetanus, i. 270
 tower, ii. 42
- Healing wounds, iii. 734
- Heart, ii. 424
 anatomy, ii. 424
 exposure of, by plastic flap, ii. 426

Heart failure of newborn, ii. 430
 foreign bodies in, ii. 429
 massage of, for syncope, ii. 430
 in general anesthesia, i. 99
 resuscitation by, iii. 821
 operative exposure, ii. 424
 reanimation of, ii. 430
 suture of, ii. 427
 wounds of, ii. 428
 penetrating, ii. 429
 Heat as hemostatic, i. 339
 sterilization by, i. 28
 Hebosteotomy, iii. 410
 Hebotomy, iii. 410
 Heel, painful, iii. 495
 Heel-flap method of disarticulation of foot, iii. 583
 Heineke and Mikulicz's method of pyloroplasty, ii. 740
 Heine's method of cyclodialysis, ii. 157
 Heliotherapy, iii. 707
 for lupus, iii. 707
 for surgical tuberculosis, iii. 707
 for tuberculosis, iii. 707
 for ulcers of leg, iii. 707
 in infected wounds, i. 241
 in tuberculosis, i. 280
 of joints, i. 664
 of knee, i. 675
 in varicose ulcers, i. 312
 Hematemesis, ii. 727
 Hematocele of tunica vaginalis, iii. 303
 Hematoma in fractures of nasal bones, i. 539
 of auricle, ii. 303
 of ovary, iii. 431
 of scalp, ii. 17
 of testicles, iii. 303
 of vagina, iii. 333
 of vulva, iii. 327
 subungual, i. 847; iii. 457
 urinary retention from, iii. 211
 Hematomyelia, ii. 325
 Hematuria, vesical, iii. 209
 Hemolysis, in blood transfusion, i. 348
 testing for, i. 355
 Hemolytic jaundice, ii. 785
 Hemophilia, as factor in operation, i. 181
 hemorrhage in, i. 359
 Hemophilic joints, i. 682
 Hemorrhage, i. 334
 acupressure in, i. 341
 adding fluids to body in, i. 344
 adrenalin chlorid in, i. 341
 after extraction of teeth, ii. 279
 after tonsillectomy, ii. 214
 anemia from, i. 343
 angiotype in, i. 339, 340
 antidiphtheritic serum in, i. 342
 antistreptococcal serum in, i. 342
 artificial local anemia in, i. 367
 astringents in, i. 341
 blood in, i. 342
 blood-serum in, i. 342
 blood transfusion in, i. 343, 348
 calcium in, i. 343
 cautery in, i. 339

Hemorrhage, coagulants in, i. 342
 cold in, i. 339
 compression in, artery press for, i. 366
 of arteries in, i. 360
 control of, constriction of limb for, i. 367
 gravity ischemia with elastic constriction in, i. 369
 in abdominal operations, ii. 515
 in bladder operations, iii. 197
 in disarticulation of hip-joint, iii. 602
 of shoulder, iii. 563
 in goiter excision, ii. 388
 local compression for, i. 370
 sequestration of blood for, i. 369
 crushing vessels in, i. 339
 defibrinated blood in, i. 343
 electricity in, i. 339
 elevation in, i. 341
 extradural, ii. 55
 ligation of middle meningeal artery in, ii. 56
 extrapiplial, compressing spinal cord, ii. 325
 fascia in, i. 342
 fat in, i. 342
 fresh air in, i. 344
 from esophagus, ii. 432
 from kidneys, iii. 154
 from larynx, ii. 223
 from nose, ii. 184
 from testicles, iii. 303
 from uterus, iii. 362
 gelatin in, i. 343
 heat in, i. 339
 impromptu tourniquet in, i. 335
 in abdominal operations, ii. 523
 control of, ii. 515
 in Fallopian tubes, iii. 430
 in hemophilia, i. 359
 in infection, i. 359
 in injuries of kidney, iii. 145
 in jaundice, i. 359
 in local congestion, i. 359
 in newborn, spastic paralysis from, iii. 697
 in perineal prostatectomy, iii. 236
 in pernicious anemia, i. 360
 in purpura, i. 360
 in scalp wounds, control of, ii. 18
 in scurvy, i. 360
 in traumatic asphyxia, i. 360
 in wounds, i. 212
 into brain substance, ii. 57
 into broad ligaments, iii. 426
 into retina, ii. 135
 into scrotum, iii. 302
 into spinal cord, ii. 325
 into vitreous, ii. 134
 intra-abdominal postoperative, ii. 524
 intracranial, ii. 54
 in newborn, ii. 60; iii. 694
 craniotomy in, ii. 61
 cephalin in, i. 342
 labyrinthine, ii. 319
 ligature in, i. 335
 live steam in, i. 339
 lowering of head in, i. 344
 mass-ligature in, i. 337

- Hemorrhage, Momburg's belt constriction
in, i. 363
muscle in, i. 342
natural arrest of, i. 334
of stomach, ii. 727
operation for, ii. 728
postoperative prevention, i. 181
pressure in, i. 334
prevention of, in amputation, iii. 500
reactionary, i. 358
secondary, i. 358
styptics in, i. 341
subarachnoid, ii. 57
subdural, ii. 56
surgical arrest, i. 334
thrombin in, i. 342
thromboplastin in, i. 342
torsion in, i. 341
transfusion of blood in, i. 348
treatment, rules and suggestions for, i.
 370
under finger-nail, iii. 457
Hemorrhagic cysts of neck, ii. 372
endometritis, iii. 370
retinitis, ii. 134
Hemorrhoids, ii. 69
Boas' extra-anal method in, iii. 74
chronic intestinal obstruction from, ii.
 610
drug treatment, iii. 69
external, iii. 73
inflamed, iii. 74
internal, iii. 69
operation for, ii. 70
 circular excision, iii. 72
 clamp and cautery method, iii. 72
 ligature and suture method, iii. 70
 requirements of, iii. 70
 simple ligature method, iii. 72
phenol injections in, iii. 69
quinin and urea chlorid injections in, iii.
 70
ulcerated, iii. 74
Hemostasis in mouth, ii. 245
in nasal operations, ii. 183
Hemostat, Friedman's for scalp operations,
ii. 20, 22
Hemostatic forceps, i. 77
Hemothorax, ii. 400
Hepatic duct, common, anatomy, iii. 105
 incision of, iii. 129
Hepatocholangiotomy, iii. 129
Hepatopexy in gastropexis, ii. 712
Hepatoptosis, iii. 113
Herbert's wedge-isolation operation for
glaucoma, ii. 161
Herbst's method of injection in hydrocele,
iii. 314
Hereditary syphilis, i. 301
Hermaphroditism, iii. 437
Hernia, iii. 17
 abdominal belt for, iii. 17
 adherent omentum in, iii. 21
 cerebri, ii. 64
 complications, iii. 22
 concealed, iii. 50
 diaphragmatic, iii. 50
Hernia, duodenal, iii. 50
epigastric, iii. 46
fascia grafts for reinforcing, iii. 645
femoral, operations on, local anesthesia
 in, i. 150
 radical cure, operations for, iii. 38
frame truss for, iii. 17
inflamed, iii. 24
inguinal, direct, operations for, iii. 36
 double operation for, Judd's, iii. 37
 in female, iii. 37
 in infants, iii. 18
 operation for, Bassini's, iii. 32
 involving muscle transplantation,
 iii. 36
 Kocher's, iii. 34
 local anesthesia in, i. 150
 Torek's, iii. 35
 Warbasse's, iii. 32
 with bone transplantation, iii. 36
 with periosteal transplantation, iii.
 36
 without removal of sac, iii. 35
 Woelfler's, Halsted's modification,
 iii. 37
inguinoperineal, iii. 38
internal, iii. 50
interparietal, iii. 37
interstitial, iii. 37
irreducible, iii. 18, 22
 taxis in, iii. 22
 dangers, iii. 22
lumbar, iii. 47
obstructed, iii. 24
obturator, ii. 45
of appendix, iii. 104
of bladder, iii. 51
of brain, ii. 64
of cecum and appendix, iii. 51
of diaphragm, treatment, ii. 470
of Fallopian tubes, iii. 51
of large intestines, adherent, iii. 49
 sliding, iii. 49
of muscle, ii. 789
of ovary, iii. 51
of umbilical cord, iii. 45
of uterus, iii. 51
operations for, in two stages, iii. 52
paraffin prosthesis for, iii. 691
pelvic, iii. 48
pericecal, iii. 50
retroperitoneal, iii. 50
sciatic, iii. 45
special forms, iii. 24
strangulated, iii. 22
 dangers, iii. 21
 operation for, iii. 23
 prognosis, iii. 23
through foramen of Winslow, iii. 51
through linea semilunaris, iii. 47
treatment, iii. 17
 nonoperative, iii. 17
truss in, prognosis with, iii. 21
umbilical, iii. 18, 40. See also *Umbilical
hernia*.
ventral, iii. 46
 after operation in appendicitis, iii. 102

- Hernia, ventral operations on, local anesthesia in, i. 150
- Heron tendon sutures, i. 37
- Herpes of lips, ii. 246
of nasopharynx, ii. 208
of tongue, ii. 288
- progenitalis in syphilis, treatment, i. 302
- simplex, i. 829
- zoster, i. 830
of eyelids, ii. 119
- Herpetic keratitis, ii. 127
ulcers, fulguration for, iii. 703
of tongue, ii. 290
- Hess' operation for ptosis of eyelids, ii. 142
- Heterophoria, graduated tenotomy in, ii. 176
partial tenotomy in, ii. 176
- Heteroplastic bone-flaps, i. 700
for filling defects, i. 700
- bone grafts, i. 772
nerve bridging, i. 855
transplantation, i. 857
- Heuer's intradural approach to hypophyseal tumors, iii. 819
- Hexamethylenamin as urinary antiseptic, iii. 141
to prevent meningitis after brain operations, ii. 52
- Hey's method of amputation of leg, iii. 588
- Hiccough, postoperative, i. 226
- High inguinal sigmoidostomy, ii. 689
tracheotomy, ii. 227
- Highmore, antrum of, ii. 179. See *Maxillary antrum*.
- Hip, iii. 462
amputation at, interilio-abdominal, iii. 605
transpelvic, iii. 605
- ankylosis of, iii. 463
arthroplasty in, i. 765
osteotomy in, i. 713
- arthritis of, acute suppurative, iii. 462
chronic, iii. 462
subacute, iii. 462
- arthrotomy of, iii. 462
- contractures at, iii. 463
- contusions of, iii. 462
- disarticulation of, iii. 601
by anterior racket incision, iii. 604
control of hemorrhage in, iii. 602-604
- dislocations of, i. 640. See also *Dislocations of hip*.
congenital, i. 613. See also *Congenital dislocations of hip*.
spontaneous, iii. 462
- excision of, i. 748. See also *Excision of hip*.
- loose bodies in, iii. 463
- osteochondritis of, deforming, in children, iii. 463
- paralytic relaxation of, arthrodesis in, i. 739
- snapping, iii. 465
- splints in fractures of shaft of femur, i. 591
- sprains of, i. 652
- Hip, tuberculosis of, i. 665. See also *Tuberculosis of hip*.
- Hirschsprung's disease, chronic intestinal obstruction from, ii. 610
- Hives, i. 827
- Hodgen's splint in impacted fracture of neck of femur, i. 585
- Hodgkin's disease, i. 464
x-rays in, i. 465
- Hoffa's method of manual correction of club-foot, iii. 474
- Holders, needle, i. 79
sponge, i. 79
- Holes, chrome, i. 315
- Hollow foot, iii. 489
- Holocain anesthesia in eye operations, ii. 118
hydrochloride as local anesthetic, i. 137
- Holzknecht's method of regulating *x-ray* dosage, iii. 704
- Homatropin as mydriatic, ii. 118
- Homoplastic nerve transplantation, i. 857
- Hooks, fish or crochet, removal of, from tissues, iii. 809
- Hordeolum, ii. 119
- Hormonal in acute intestinal stasis, ii. 614
- Horn, i. 841
- Horny elevations of lips, ii. 254
- Horsehair sutures, i. 37
- Horsley's clamp for lateral anastomosis of arteries, i. 378
method of transplanting cheek flap with temporal artery, iii. 660
- Hospital bed, i. 22, 23
gangrene, i. 318
proper ventilation of, i. 21
- Hot air in gangrene, i. 315
applications for inflammation, i. 233
in chronic inflammations, i. 249
water sterilizer, i. 29
wet dressings in infections of extremities, iii. 445
- Hot-air treatment of chronic suppurative otitis media, ii. 309
of suppurating wounds, i. 187
- Hour-glass stomach, ii. 706
gastroplasty for, ii. 709
by transverse incision, ii. 709
- Housemaid's knee, i. 819
- Howard's method of artificial respiration, iii. 718
- Hudson's burrs, ii. 28, 29
linear bone-cutting forceps, ii. 29
- Humerus, amputation through, iii. 526
anatomical neck, fractures of, i. 557
excision of, i. 730
shaft, i. 731
total, i. 731
- fractures of, i. 556. See also *Fractures of humerus*.
of lower extremity, i. 560. See also *Fractures of lower extremity of humerus*.
of shaft, i. 560. See also *Fractures of shaft of humerus*.
- head of, penetration of chest wall by, in shoulder dislocations, i. 632

- Humerus, osteosarcoma of head and neck, i. 706
 resection of, i. 730
 surgical neck, fractures of, i. 55^S
 tuberosities, fractures of, i. 557
 upper extremity, fractures of, i. 556
- Humped-nose, plastic operations on, iii. 683
- Hunter's canal, ligation of femoral artery in, i. 436
- Hychlorite as antiseptic, i. 63
- Hydatid cysts of breast, ii. 477
 of kidney, iii. 151
 of liver, iii. 112
 of spleen, ii. 785
- Hydrargyri chloridum corrosivum in syphilis, i. 285
 iodidum flavum in syphilis, i. 285
- Hydrargyrism in syphilis, i. 289
- Hydrargyrum oleatum in syphilis, i. 286
- Hydrencephalocele, ii. 92
- Hydrobromic ether anesthesia, i. 118
- Hydrocele, iii. 312
 catgut treatment, iii. 316
 eversion for, iii. 313
 extirpation of unopened sac in, iii. 316
 in adults, iii. 314
 in young children, iii. 314
 of round ligament, iii. 316
 of spermatic cord, iii. 316
 of vulva, iii. 328
 operation for, iii. 312
 tapping for, iii. 314
 injection after, iii. 314
- Hydrocephalus, ii. 94, 350
 acquired internal, ii. 95
 congenital, subtemporal drainage in, ii. 96
 ventricular, ii. 95, 97
 subperitoneal drainage in, ii. 97
- drainage of cisterna magna into cranial sinuses in, ii. 98
 external, ii. 94, 95
 puncture of cerebral ventricles in, ii. 95, 96
- Hydrochloric acid as antiseptic, i. 72
- Hydrochlorid of quinin as antiseptic, i. 71
- Hydrogen peroxid as antiseptic, i. 68
- Hydronephrosis, iii. 153
 pyeloplication in, iii. 153
 ureteropyelostomy in, iii. 153
- Hydrophobia, i. 273
 desiccated vaccine in, i. 273
 Pasteur treatment, i. 273
- Hydrotherapy in burns of skin, i. 822
 in syphilis, i. 298
- Hydrothorax, ii. 401
 aspiration in, ii. 401
 autoserotherapy in, ii. 402
 insufflation of air in, ii. 402
 tuberculous, ii. 413
- Hygiene of mouth, ii. 245
- Hymen, iii. 324
 dense, iii. 328
 imperforate, iii. 328
- Hyoid bone, fractures of, i. 548
- Hyoscine as mydriatic, ii. 118
- Hypercapnia in anesthesia, i. 123
- Hyperchlorhydria in ulcer of stomach, treatment, ii. 722
- Hyperemia, Bier's, i. 229-232. See also *Bier's hyperemia*.
 of conjunctiva, ii. 121
 passive, for infections of extremities, iii. 445
 pulmonary, postoperative, i. 227
- Hyperidrosis, i. 844
 of hands, treatment, i. 849
- Hypernephroma, iii. 151
- Hyperplasia from paraffin prosthesis, iii. 692
 of fatty tissue of knee-joint, iii. 465
- Hyperplastic nasopharyngitis, ii. 205
 rhinitis, ii. 187
- Hyperthyroidism, ii. 389
 dangers of nonoperative treatment, ii. 391
 extreme exophthalmos in, ii. 391
 faradism in, ii. 390
 galvanism in, ii. 390
 ligation of thyroid gland in, ii. 393
 operative treatment, ii. 391
 quinin and urea injections in, ii. 390
 radium in, ii. 390
 threoprivic serum in, ii. 390
 thyroidectomy in, ii. 392
 x-rays in, ii. 390
- Hypertonic solutions, injection of, i. 138
 treatment of infected wounds, i. 241
- Hypertrichosis, i. 846
- Hypertrophic skin diseases, i. 840
 stenosis of pylorus, acquired, ii. 720
 subglottic laryngitis, ii. 219
- Hypertrophy of bladder, iii. 206
 of breast, ii. 472
 senile parenchymatous, ii. 475
- of cervix, iii. 375
 amputation in, iii. 375
- of clitoris, iii. 328
- of labia minora, iii. 329
- of lacrimal gland, ii. 136
- of nail, i. 848
- of penis, iii. 254
- of prostate, iii. 231
 Bottini's operation for, iii. 232
 catheterization for, iii. 231
 galvanocautic prostotomy for, iii. 232
 operation in, iii. 231
 palliative treatment, iii. 231
 prevention, iii. 231
 suprapubic cystotomy for, iii. 232
 urinary retention from, iii. 211
- of spleen, ii. 785
- of synovial fringes of knee-joint, iii. 465
- of thymus gland, ii. 446
- of tongue, ii. 290
- of tonsils, chronic, ii. 212
- of turbinates, ii. 186
- Hypnotic anesthesia, i. 126
- Hypochlorig potassium as antiseptic, i. 64
 of sodium as antiseptic, i. 64
 solution, method of making, i. 62
- Hypodermic narcotic agents, i. 123
 phlorhizin test of kidney function, iii. 143

Hypodermoclysis, i. 344
 continuous, i. 345
 in peritonitis, ii. 550

Hypoglossal nerve, grafting of, in facial paralysis, i. 882
 injuries and diseases of, i. 892

Hypoglossal-accessorius-facial nerve grafting in facial paralysis, i. 886

Hypoglossal-facial nerve grafting in facial paralysis, i. 883

Hypophyseal tumors, intradural approach to, iii. 819

Hypophysis of brain. See *Pituitary body*.

Hypopyon, ii. 128
 keratitis, ii. 126
 operation for, ii. 152

Hypospadias, Beck's operation for, iii. 267
 Bevan's operation for, iii. 269
 operation for, iii. 261
 Russell's operation for, iii. 267
 Szymanowski's operation for, iii. 266

Hystostatic congestion, i. 228
 of lungs in fractures, i. 525

Hyposulphite of calcium as disinfectant, i. 61

Hypothyroidism, ii. 394

Hypotonic solutions, injection of, i. 138

Hysterectomy, abdominal, iii. 415
 for cancer, iii. 421
 partial, iii. 418
 after-treatment, iii. 426
 by two suture-ligatures, iii. 421
 combined abdominal and vaginal, iii. 422
 for inversion of uterus, iii. 385
 for prolapse of uterus, iii. 380
 in pregnancy, iii. 423
 partial, for fibroid tumors, iii. 418
 preparation of patient, iii. 411
 ureterovaginal fistula following, iii. 353
 vaginal, iii. 411
 by morcellement, iii. 414
 with clamps, iii. 414

Hysteria, traumatic, ii. 103

Hysterical spine, ii. 355

Hysterotomy, iii. 401
 abdominal, iii. 404
 obstetric, iii. 404
 low, iii. 408
 vaginal, iii. 401

Ice, as anesthetic, i. 154

Ice-bag, i. 236

Ichthargan as antiseptic, i. 67

Ichthoform as antiseptic, i. 73

Ichthyol as antiseptic, i. 73
 silver as antiseptic, i. 67

Ichtyol-glycerin as antiseptic, i. 73

Ichthyosis, i. 842

Icterus, hemolytic, ii. 785
 hemorrhage in, i. 359

Idiocy, congenital, ii. 103

Ileocecal valve, anatomy, ii. 625
 incompetent, ii. 614
 obstruction, ii. 602

Ileocolostomy for tuberculosis of cecum, ii. 575
 in chronic intestinal stasis, ii. 613

Ileum, anatomy, ii. 624

Ileus, paralytic, iii. 552
 pituitrin in, ii. 553

Iliac artery, common, embolism of, i. 455
 ligation of, i. 426
 extraperitoneal, i. 426
 compression of, for hemorrhage, i. 367
 external, aneurism of, i. 398
 ligation of, i. 429
 internal, aneurism of, i. 398
 compression of, for hemorrhage, i. 367
 ligation of, i. 430

Iliofemoral triangular bandage, iii. 792

Ilio-inguinal abdominal section, ii. 510

Illuminating gas, asphyxia from, iii. 720

Imbecility, congenital, ii. 103

Imbedded tonsils, ii. 216

Immature cataract, intracapsular extraction, ii. 171
 preliminary capsulotomy for, ii. 168

Immobilization for infected wounds, i. 222
 in basal fractures of skull, i. 535
 in compound fractures, i. 520
 in fracture of vertebræ, i. 538
 in tuberclosis of hip, i. 666, 668
 of knee-joint, i. 674
 of fragments after fracture, i. 476

Immobilizing adducting bandage of knees, iii. 770
 bandage of shoulder, iii. 755
 and arm, iii. 755

Impacted cerumen in external auditory canal, ii. 305

Impaction in fractures, i. 524

Impenetrable anus, iii. 66
 hymen, iii. 328
 rectum, iii. 66

Impermeable stricture of anterior urethra, iii. 294
 of deep urethra, iii. 294
 of urethra, iii. 290, 297

Impervious protective materials, i. 52

Impetigo contagiosa, i. 829

Implantation, muscle, in empyema, ii. 411
 of nerves, i. 857
 results, i. 859
 of ureter, iii. 176, 181
 into bladder, iii. 176
 into cecum for exstrophy of bladder, iii. 205
 into large intestine, iii. 178
 into pelvis of kidney, iii. 180
 into rectum, iii. 179
 into skin, iii. 180
 lateral, by uretero-ureterostomy, iii. 175

Impotence in male, iii. 321

Impregnation, artificial, iii. 438

Incised wounds, i. 219
 of joints, infected, i. 655

Incision of common duct, iii. 129
 retroduodenal portion, iii. 130
 of hepatic duct, iii. 129
 transverse, abdominal, ii. 507-512

Incompetent ileocecal valve, ii. 614

Incomplete tonsillectomy, ii. 213

Incontinence of feces, iii. 60
 paraffin prosthesis for, iii. 691
 of sphincter of bladder, iii. 207
 of urine, iii. 207
 paraffin prosthesis for, iii. 691
 of vesical sphincter, iii. 330

Incus, ii. 299

Index-finger, disarticulation of, at metacarpophalangeal joint, iii. 549
 infections of, iii. 447

India, fungus disease of, i. 273

Indian hemp dressings, i. 42

Indigo-carmin test of kidney function, iii. 144

Indirect blood transfusion, i. 353

Indolent ulcers, i. 312
 x-rays in, iii. 706

Indurated ulcers, i. 313

Induration and swelling of testicles, iii. 305

Industrial accidents, prevention of, iii. 722
 surgical treatment, iii. 723

Infancy, pyloric stenosis of, ii. 717

Infantile paralysis, arthrodesis in, i. 738
 with drop-foot, silk ligaments in, i. 802

uterus, amenorrhea from, iii. 397

Infants. See *Newborn*.

Infarction, septic, of kidney, iii. 146

Infected cysts, i. 326
 wounds, i. 27, 28, 211, 237
 acute, iii. 734
 artificial hyperemia in, i. 28
Bacillus diphtheriae in, i. 262
 before onset of inflammation, iii. 734
 cleanliness of, i. 28
 gas bacillus in, i. 222
 heliotherapy in, i. 241
 immobilization for, i. 222
 iodized starch for, i. 242
 Javel water in, i. 64, 247
 Labarraque's solution in, i. 64
 mechanical cleansing in, i. 28
 of joints, incised, i. 655
 poultice in, i. 28
 primary delayed suture for, iii. 811
 suture for, iii. 811
 putrefactive organisms in, i. 212
 rest treatment, i. 187
 sources of, i. 28
 staphylococci in, i. 212
 treatment, i. 186, 237
 acriflavine, iii. 810
 antiseptic, i. 242
Bacillus bulgaricus, i. 241
 bipp paste, i. 248
 bismuth paste, i. 248
 brilliant green, iii. 810
 by embalming, iii. 812
 chloramin, i. 242
 chloraminated oil, i. 247
 chlorazene, ii. 242, 247
 combined instillation and bipp paste,
 iii. 811
 Dakin-Carrel instillation, i. 242
 Dakin's antiseptic, i. 242
 dichlorammin, i. 247
 electric light, i. 241
 ether, i. 248

Infected wounds, treatment, flavine, iii. 809
 formaldehyde-phenol in camphor-paraffin, iii. 805
 glycerin, i. 241
 hot peroxid-phenol, i. 247
 hypertonic, i. 241
 lactic acid, i. 241
 magnesium hypochlorite, i. 247
 sulphate, i. 248; iii. 810
 open, i. 240
 physiologic, i. 239
 potassium hypochlorite, i. 247
 proflavine, iii. 810
 salt pack, i. 241
 soap, i. 248
 sodium hypochlorite, i. 247

Infection, extradural, ii. 65
 from outside body, i. 27
 from within body, i. 27
 gas bacillus, i. 270
 hemorrhage in, i. 359
 joint, vaccines in, i. 257
 of abdominal wall, ii. 536
 of bile-tract, iii. 114
 treatment, iii. 115
 of foot, iii. 468
 of intestinal canal, ii. 569
 of kidney, iii. 146
 of liver, iii. 109
 of mediastinum ii. 444
 of muscles, i. 791
 of prostate, iii. 229
 of scalp, ii. 23
 of scrotum, iii. 302
 of temporal bone, intracranial complications of, ii. 318
 pyocyanus, i. 262
 resistance to, as factor in surgical treatment, i. 26
 skin, i. 825
 sodium succinate in, i. 258
 streptococcus, i. 262
 surgical, i. 255
 with *Bacillus aerogenes capsulatus*, i. 271
 wound, i. 27. See also *Infected wounds*.

Infectious eczematoid dermatitis, i. 826

Infective arteritis, i. 380
 arthritis, acute, i. 658
 bursitis, i. 819
 diseases of cranial bones, ii. 41
 inflammation of wounds, i. 28
 lymphoma, i. 464¹¹
 x-rays in, i. 465
 myositis, i. 791
 neuritis, acute, i. 862
 processes in neck, ii. 361
 synovitis, acute, i. 658
 tenosynovitis, i. 817
 thrombosis of venous sinuses of dura mater, ii. 71

Infiltration anesthesia, i. 127
 general, in local anesthesia, i. 132

Inflamed hemorrhoids, iii. 74
 hernia, iii. 24
 patellar pad, i. 653
 ulcers, i. 312

Inflammation, i. 228
 acute, i. 228
 rest treatment, i. 229
 Bier's hyperemia in, i. 229
 chronic, i. 249
 Bier's hyperemia for, i. 232
 cold applications in, i. 250
 electricity in, i. 250
 massage in, i. 249
 nourishment in, i. 249
 passive motion in, i. 249
 rest in, i. 250
 seton in, i. 250
 skin irritation in, i. 250
 suction-traction massage in, i. 250
 vibration in, i. 249
 cold applications for, i. 235
 counterirritation for, i. 237
 dietetic treatment, i. 235
 elevation of part in, i. 237
 evaporating lotions for, i. 237
 hot applications in, i. 233
 infective, i. 228
 inhibitive treatment, i. 235
 local antiseptic treatment, i. 234
 natural treatment, i. 228
 of bladder, iii. 191. See also *Cystitis*.
 of brain, ii. 73
 of chest wall, ii. 398
 of conjunctiva, ii. 121. See also *Conjunctivitis*.
 of Cowper's glands, iii. 275
 of epididymis, acute, iii. 304
 of esophagus, ii. 432
 of face, ii. 115
 of kidney, iii. 146
 of lacrimal gland, ii. 136
 of lips, ii. 246
 of lower extremities, iii. 462
 of mouth, ii. 246
 of nail, i. 848
 of nipple, ii. 473
 of omentum, ii. 620
 of ovary, iii. 430. See also *Oöphoritis*.
 of pelvis of kidney, iii. 147
 of rectum, iii. 61. See also *Proctitis*.
 of stomach, ii. 702. See also *Gastritis*.
 of testicles, acute, iii. 304
 of thyroid gland, ii. 380
 of urethra, simple, iii. 272
 of verumontanum, iii. 272
 of vulva, iii. 327
 skin, i. 825
 Inflammatory gangrene, i. 317
 stricture of urethra, iii. 286
 Inflation, mouth-to-mouth, for resuscitation, iii. 730
 Influenza, arthritis in, i. 660
 Infolding purse-string suture, iii. 809
 suture, i. 201
 Infundibuliform amputations, iii. 513
 Infusion, arterial, local anesthesia by, i.
 134
 saline. See *Saline infusion*.
 sugar, i. 348
 venous, in local anesthesia, i. 132
 Ingrown toenail, iii. 493

Inguinal abscess in Pott's disease, ii. 337
 anus in cancer of rectum, iii. 76
 colostomy, left, ii. 686
 hernia, direct, operations for, iii. 36
 double, operation for, Judd's, iii. 37
 in female, iii. 37
 in infants, iii. 18
 operation for, Bassini's, iii. 32
 involving muscle transplantation, iii. 36
 Kocher's, iii. 34
 local anesthesia in, i. 150
 Torek's, iii. 35
 Warbasse's, iii. 32
 with bone transplantation, iii. 36
 with periosteal transplantation, iii. 36
 with removal of sac, iii. 35
 Woelfler's, Halsted's modification,
 iii. 37
 sigmoidostomy, ii. 685
 high, ii. 689
 low, ii. 690
 Inguinoperineal hernia, iii. 38
 Inhalers, ether, i. 106, 107
 Inion, ii. 45
 Injections, nutrient, i. 20
 proteid, i. 21
 Injured, first aid to, iii. 722
 transportation of, iii. 723
 by aeroplane, iii. 728
 by ambulance, iii. 727
 by stretcher, iii. 724
 by travois, iii. 726
 Injuries from electric currents, iii. 716
 from radiation, iii. 716
 general, of neck, ii. 360
 of bladder, iii. 190
 of bones of skull in newborn, iii. 695
 of brain, ii. 63
 of choroid, ii. 130
 of head, treatment, ii. 17
 of intracranial nerves, ii. 63
 of kidney, iii. 144
 hemorrhage in, iii. 144
 infection in, iii. 145
 nephrectomy for, iii. 145
 operative repair, iii. 145
 of larynx, ii. 219
 of meningeal sinuses, ii. 64
 of nails, i. 847
 of newborn, iii. 694
 of nose, ii. 183
 of penile urethra, iii. 250
 of peritoneum, ii. 542
 of prostate, iii. 228
 of rectum, iii. 60
 of sacro-iliac joint, iii. 459
 of spleen, ii. 784
 of tongue, ii. 287
 of trachea, ii. 219
 of ureter, iii. 156
 of urethra, iii. 271
 extravasation of urine in, iii. 271
 Inlay bone graft, method of holding, i. 774
 Innominate artery, aneurism of, i. 399
 ligation of, i. 403
 indications for, i. 406

- Inoculations, curative, i. 255
protective, i. 255
- Inoperable abdominal carcinoma, ii. 706
cancer, i. 331
- Insanity, ii. 102
cases demanding operation, ii. 103
congenital, ii. 103
primary traumatic, ii. 102
surgical treatment, ii. 104
- Insects, bites and stings of, i. 275
on mouth, ii. 247
infection from, i. 27
- Inspiratory moan in rectal operations, iii. 61
- Instruments, i. 75
arrangement of, at operation, i. 169
bone, extemporized, i. 89
counting of, i. 172
emergency, i. 87
for amputation, iii. 499
for operations on eye, ii. 138
on nose, ii. 180
leaving in abdomen in operations, prevention, ii. 516
nurse in charge of, i. 169
room for, i. 167
sterilization of, i. 89
table for, i. 169
- Insufflation, endotracheal, with nitrous-oxid oxygen, i. 122
intratracheal, iii. 719, 730
in electric shock, iii. 719
in gas poisoning, iii. 721
of air in hydrothorax, ii. 402
of lungs, ii. 446
apparatus for, ii. 447
pharyngeal, in ether anesthesia, i. 110
- Intercostal artery, wounds of, ii. 390
nerves, injuries of, i. 897
neuralgia, i. 897
thoracotomy, simple, in empyema, ii. 403
- Interdental moulded splints in jaw fractures, i. 542, 544, 546
- Interilio-abdominal amputation at hip joint, iii. 605
- Interintestinal adhesions in abdominal operations, ii. 523
- Interlocking suture, i. 201
- Intermittent anesthesia, i. 101
- Intermuscular temporal craniotomy, ii. 36
- Internal angular process of supra-orbital arch, ii. 46
diseases, i. 17
natural tendency of, i. 17
- hernia, iii. 50
sclerotomy, ii. 157
- Interparietal hernia, iii. 37
- Interphalangeal joint of finger, disarticulation at, iii. 546
- Interpleural pneumolysis in tuberculosis, ii. 418
- Interrupted intestinal suture, ii. 628
sutures, i. 187
- Intercapulothoracic amputation, iii. 568
- Interstitial hernia, iii. 37
injections of oxygen, i. 358
keratitis, ii. 127
mastitis, chronic, ii. 474
- Intestinal anastomosis, ii. 646
by circular occlusion method, ii. 658
by clamp method, ii. 676
by lateral implantation, ii. 665
by simple invagination, ii. 661
end-to-end, by invagination method, ii. 654
of segments of unequal size, ii. 656
simple, ii. 647
with mattress sutures, ii. 651
- end-to-side, ii. 665
- for rectal prolapse, iii. 69
invagination method, with ring or bobbin, ii. 658
knitting needles for, ii. 677
lateral, ii. 661, 663
button method, ii. 671
forming blind end in, ii. 662
technic, ii. 663
- rubber ligature method, ii. 675
with absorbable devices, ii. 675
with button, ii. 667
with knitting needles, ii. 677
with mechanical devices, ii. 666
with segmented ring, ii. 674
- canal, infections of, ii. 569
- exclusion, ii. 677
- feeding, ii. 701
- fermentation, prevention of, i. 20
- fistula, closure of, ii. 616
permanent, in lower small intestine, ii. 685
- temporary, ii. 683
- obstruction, ii. 595, 599
acute, ii. 595
enterostomy for, ii. 685
angulation in, ii. 600
at ileocecal valve, ii. 602
chronic, ii. 610
desperate cases, ii. 597
from adhesions, ii. 600
from diverticula, ii. 603
from foreign bodies, ii. 608
from gall-stones, ii. 608
from gangrene, ii. 609
from intussusception, ii. 604
from pericolic adhesions, ii. 602
from strangulation by bands, ii. 599
from stricture, ii. 609
from valvulus, ii. 608
in peritonitis, ii. 553
operation in, ii. 595
after-treatment, ii. 598
preparations for, ii. 595
- operations, instruments for, ii. 626
- resection, ii. 636
anastomosis after, ii. 639
indications for, ii. 639
- sinus, closure of, ii. 616
- stasis, acute, ii. 614
chronic, ii. 610
colostomy for, ii. 574
dietetic treatment, ii. 611
ileocolostomy in, ii. 613
Kellogg's treatment, ii. 610
kinks from, ii. 611

Intestinal stasis, chronic, Lane's treatment, ii. 614
 vaccines in, ii. 611
 operation in, ii. 611
 suture, ii. 628
 continuous, ii. 628
 interrupted, ii. 628
 mattress interlocking stitch, ii. 636
 methods, ii. 628
 mucosa, ii. 635
 needles for, ii. 627
 omental grafts in, ii. 629
 parallel continuous stitch, ii. 631
 purse-string, ii. 35
 right-angle mattress stitch, ii. 633
 seromuscular, ii. 620
 mattress stitch, ii. 633
 simple right-angle stitch, ii. 631
 sterilization of mucous membrane in, ii. 630
 toxemia, i. 259
 chronic, ii. 610
 transplantation, formation of new vagina by, iii. 359
 wall, cysts of, ii. 582
 Intestines, actinomycosis of, ii. 575
 adenoma of, polypoid, ii. 582
 anastomosing gall-bladder with, iii. 125
 anatomy, ii. 621
 cancer of, ii. 583, 588
 contusions of, ii. 565
 diverticula of, ii. 603
 inflammation of, acute phlegmonous, ii. 574
 irrigation of, indications for, ii. 571
 large, anatomy, ii. 624
 hernia of, sliding, iii. 49
 surface topography, ii. 625
 lumen of, closure of, ii. 681
 by purse-string suture, ii. 681
 transverse, ii. 682
 operations on, ii. 621
 feeding after, ii. 778
 perforation of, ii. 576
 malignant, ii. 581
 of gaseous cysts, ii. 581
 suppurative, ii. 581
 preparation of, for operation, i. 180
 prolapse of, ii. 616
 rupture of, ii. 566
 sarcoma of, ii. 583
 strangulation by bands, ii. 599
 submuscular-mucous-membrane occlusion of, ii. 682
 suture of, ii. 628. See also *Intestinal suture*.
 tubercular perforation of, ii. 581
 tuberculosis of, ii. 574
 tumors of, ii. 582
 ulcers of, ii. 576
 wounds of, non-perforating, with wounds of mesentery, ii. 568
 perforating, ii. 567
 suturing, ii. 635
 Intra-abdominal fixation of round ligaments, for retroversion, iii. 392
 hemorrhage, postoperative, ii. 524

Intra-abdominal saline infusion, i. 346
 Intra-articular fracture of lower end of femur, i. 653
 Intracanicular myxoma of breast, ii. 475
 Intracapsular extraction of immature cataract, ii. 171
 Intracellular saline infusion, i. 346
 skin-grafting, iii. 643
 Intracranial abscess of otic origin, ii. 317
 complications of infections of temporal bone, ii. 318
 diseases, ii. 42
 hemorrhage, ii. 54
 in newborn, ii. 60; iii. 694
 craniotomy in, ii. 61
 injuries, ii. 42
 nerves, injuries of, ii. 63
 operations on fifth nerve, ii. 105
 for neuralgia, ii. 115
 on seventh nerve, ii. 110. See also *Seventh nerve*.
 structures, wounds of, ii. 61
 Intradural approach to hypophyseal tumors, iii. 819
 Intrahepatic cholelithiasis, iii. 113
 Intramuscular injections of ether, i. 115
 of magnesium sulphate in tetanus, i. 269
 of mercury in syphilis, i. 286
 of salvarsan in syphilis, i. 297
 Intranasal treatment of sinus infections, ii. 201
 Intra-ocular edema of optic nerve, ii. 135
 Intraperitoneal rupture of bladder, iii. 191
 Intrapulmonary pressure, increased for operations through mediastina and pleura, ii. 446
 Intraspinal injection of magnesium sulphate, i. 161
 in tetanus, i. 268
 tumors, ii. 338
 Intrathoracic goiter, ii. 446
 Intratracheal anesthesia, i. 125
 insufflation, iii. 719, 730
 apparatus for, ii. 447
 in electric shock, iii. 719
 in gas-poisoning, iii. 721
 Intra-uterine fractures, i. 529
 Intravenous general anesthesia, i. 164
 with magnesium sulphate, i. 164
 infusion into sagittal sinus in children, i. 347
 salini, i. 346
 with colloidal solutions, i. 347
 injections, nutrient, i. 20
 of glucose in glaucoma, ii. 132
 of magnesium sulphate in tetanus, i. 269
 of oxygen, i. 357
 phlorhizin test of kidney function, iii. 143
 serum treatment of epidemic cerebro-spinal meningitis, iii. 820
 Intraventricular injection of salvarsan in paresis, i. 296
 Intravesical operations, Meyer's cystoscope for, iii. 197

- Intubation of larynx, ii. 237
 indications for, ii. 237
 instruments for, ii. 237
 postoperative care, ii. 239
 technic, ii. 238
- Intussusception, ii. 604
 gangrenous, ii. 607
 irreducible, ii. 605
 nongangrenous, ii. 605
 reducible, ii. 605
 resection in, ii. 607
- Inunctions, mercurial, in syphilis, i. 286
- Invagination method of end-to-end intestinal anastomosis, ii. 654
 of segments of unequal size, ii. 656
- of intestinal anastomosis, simple ii. 661
 with ring or bobbin, ii. 658
- of suture of artery, i. 376
- Inversion of eyelids, operations for, ii. 143
- of uterus, iii. 383
 amputation for, iii. 385
 chronic, iii. 384
 hysterectomy for, iii. 385
 recent, iii. 383
- Inverted nipple, ii. 472
- Iodin for preparation of operative field, i. 177
 for promoting healing of skin, iii. 812
 in peritonitis, ii. 550
 in soiled wounds, i. 186
 in syphilis, i. 290
 method for sterilizing catgut, i. 35
 of hand sterilization, i. 174
 powder, i. 69
 tincture of, as antiseptic, i. 68
- Iodism in syphilis, i. 291
- Iodized starch for infected wounds, i. 242
- Iodoform as antiseptic, i. 69
 emulsion as antiseptic, i. 69
 gauze, i. 40
 sticky, i. 40
 substitutes, i. 70
 wicking, i. 40
- Iodoform-balsam as antiseptic, i. 70
- Iodoform-collodion as antiseptic, i. 69
- Iodoform-ether as antiseptic, i. 69
- Iodoform-glycerin as antiseptic, i. 69
- Iodoformin as antiseptic, i. 70
- Iodoformogen as antiseptic, i. 70
- Iodoformol as antiseptic, i. 70
- Idol as antiseptic, i. 70
- Iodomuth as antiseptic, i. 70
- Iodosyl as antiseptic, i. 70
- Iodozen as antiseptic, i. 70
- Ipecac in amebic colitis, ii. 570
- Iridectomy, ii. 154
 combined with sclerotomy, ii. 157
 in glaucoma, ii. 131, 161
 with cataract extraction, ii. 166
 without cataract extraction, ii. 165
- Iridodialysis, ii. 129
- Iridotomy, ii. 155
 V-shaped, Ziegler's, ii. 156
- Iris, adhesions of, to cornea, ii. 156
 diseases of, ii. 129
 extrusion of, ii. 121
- Iris, operations on, ii. 154
 tumors of, ii. 129
 wounds of, ii. 129
- Irish moss lubricant, i. 58
- Iritis, ii. 129
 diabetic, ii. 129
 gonorrhreal, ii. 129
 gouty, ii. 129
 rheumatic, ii. 129
 syphilitic, ii. 129
- Iritoëctomy, ii. 155
- Iron chlorid, as antiseptic, i. 72
 foreign bodies in interior of eyeball,
 removal of, ii. 160
 sulphate, as antiseptic, i. 73
 wire sutures, i. 38
- Ironing for stiff neck, ii. 373
- Irreducible hernia, iii. 18, 22
 taxis in, iii. 22
 dangers, iii. 22
- Irrigation apparatus, extemporized, i. 88
 in peritonitis, ii. 549
 receptacles, i. 82
- Irritable prostate, iii. 248
 spine, i. 681
 ulcers, i. 313
- Irritating gases, poisoning from, iii. 721
- Irritative congestion, i. 228
- Ischemia, gravity, with elastic constriction
 for control of hemorrhage, i. 369
- Ischemic degeneration of muscle, i. 793
 muscular paralysis, iii. 453
- Ischiorectal abscess, iii. 62
- Ischium, dislocations of hip downward on,
 i. 645
- Istotonic solutions, injection of, i. 138
- Israel's method of restoration of whole
 thickness of cheek, iii. 657
 of rhinoplasty with bone-flap from
 forearm, iii. 672
- Itch, i. 848
- Itrol, as antiseptic, i. 67
- Ivy poisoning, i. 825
- JABOULAY'S resection of nerve fiber sheath
 for perforating foot ulcer, iii. 494
- Jacket, plaster-of-Paris, in Pott's disease,
 ii. 329, 335
- Jack's adaptation of Murphy button in
 bladder drainage, iii. 221
- Jackson's instruments for tracheoscopy
 and bronchoscopy, ii. 239
 method of direct laryngoscopy, ii. 240
 of superior bronchoscopy, ii. 242
 operation in cancer of breast, ii. 490
- Janeway's method of gastrostomy with
 external flap, ii. 731
- Jar, aspirating, 81
- Jaundice, as factor in operation, i. 187
 hemolytic, ii. 785
 hemorrhage in, i. 359
- Javel water, i. 64
 in infected wounds, i. 247
- Jaw, fractures of, i. 542
 interdigital moulded splint in, i. 542
 lower, i. 543
 interdental splint in, i. 544

Jaw, fractures of, lower, Matas' splint in, i. 545
 plaster-of-Paris bandage in, i. 544
 wiring in, i. 545
 upper, i. 542
 lower, ankylosis of, Esmarch's operation for, i. 726
 excision of condyle for, i. 726
 operations for, i. 726
 deformities of, with defective occlusion, ii. 283
 dislocations of, i. 618
 backward, i. 619
 forward, i. 618
 old irreducible, i. 619
 outward, i. 619
 upward, i. 619
 division of, excision of tongue for carcinoma after, ii. 297
 excision of, i. 724
 whole of, i. 725
 fractures of, bone grafts in, i. 508
 plastic operation for restoration of, iii. 682
 prosthesis for, i. 728
 plumper for, i. 728
 resection of, i. 724
 of alveolar process, i. 725
 of half of body, i. 724
 and ramus, i. 725
 of segment, i. 726
 temporary division of, i. 725
 underdeveloped, ii. 280
 upper, excision of, i. 717
 by external incision, i. 721
 by Langenbeck's cheek-flap operation, i. 722
 by mediolateral incision, i. 718
 Dieffenbach's median operation for, i. 722
 Malgaigne's operation, i. 722
 subperiosteal, i. 722
 operations through, to reach nasopharynx, i. 723
 prosthesis of, i. 726
 plumper for, i. 727
 resection of, i. 707
 of alveolar process, i. 723
 of lower segment, i. 722
 of upper segment, i. 723
 Jaws, ii. 280
 both upper, simultaneous excision, i. 722
 cysts of, ii. 286
 defective occlusion of, ii. 281
 deformities of, ii. 280
 enchondroma of, ii. 286
 fibroma of, ii. 286
 malocclusion of, with prognathism, ii. 283
 necrosis of, ii. 286
 odontoma of, ii. 286
 osteoma of, ii. 286
 osteomyelitis of, ii. 283
 perostitis of, ii. 283
 resection of, defects after, prosthetic apparatus for, i. 726
 sarcoma of, ii. 286
 myeloid, ii. 286

Jaws, sarcoma of, peripheral, ii. 286
 tumors of, ii. 286
 Jejunal ulcer, ii. 580
 Jejunostomy, ii. 695
 for duodenal ulcer, ii. 578
 indications for, ii. 696
 Jejunum, anatomy, ii. 624
 Jews, susceptibility of, to disease, i. 18
 Jianu's method of gastro-esophagoplasty, ii. 465
 Joani's clamp for suture of artery, i. 374
 Joints, ankylosis of, i. 686
 operative treatment, i. 686
 cartilages of, dislocation of, i. 652
 Charcot's disease of, i. 681
 diseases of, i. 650
 Bier's hyperemia for, i. 232
 erosion of, i. 738
 exposure of, i. 738
 fractures involving, i. 518
 hemophilic, i. 682
 infections of, formalin-glycerin solutions for, iii. 805
 vaccines in, i. 257
 loose bodies in, i. 653
 malposition of, due to contractures of soft parts, i. 682. See also *Malposition of joints*.
 neuromimesis of, i. 681
 neuropathic conditions of, i. 681
 operations on, i. 688, 737
 instruments for, i. 688-690
 reconstruction of, with fascia grafts, iii. 647
 resection of, i. 738
 spermaceti wax in, i. 705
 spinal, sprains of, ii. 324
 stiffness of, after fractures, i. 525
 transplantation of, i. 767
 traumatism of, i. 650
 tuberculosis of, i. 663. See also *Tuberculosis of joints*.
 weak, operations to strengthen, i. 768
 wounds of, i. 654. See also *Wounds of joints*.
 Judd's extraperitoneal suprapubic approach to bladder, iii. 172
 operation for double inguinal hernia, iii. 37
 Judson's splint for club-foot, iii. 472
 Jugular glands, internal, ii. 363
 vein, internal, wounds of, ii. 360
 Jury-mast in Pott's disease, ii. 333
 Jute dressings, i. 42
 KADER'S method of gastrostomy, ii. 734
 Kangaroo tendon sutures, i. 37
 Keen's incision for transpelvic amputation at hip-joint, iii. 606
 Kehr's method of reconstructing common duct, iii. 135
 Kelen anesthesia, i. 117
 Kellogg's treatment of chronic intestinal stasis, ii. 610
 Keloid, i. 225, 843
 of acne, x-rays in, iii. 705
 of scalp, ii. 24
 radium in, iii. 713, 714

Kemp's apparatus for proctoclysis, iii. 57
 Kenyon's method of craniotomy, by osteoplastic flap method, ii. 38
 Kephalin gauze, i. 41
 in hemorrhage, i. 342
 Keratitis, 124
 bullous, ii. 127
 herpetic, ii. 127
 hypopyon, ii. 126
 interstitial, ii. 127
 neuroparalytic, ii. 126
 operation for, ii. 152
 phlyctenular, ii. 125
 vascular, ii. 127
 with pus in anterior chamber, ii. 126
 xerotic, ii. 127
 Keratoconjunctivitis, nodular lymphatic, ii. 125
 Keratoconus, operations for, ii. 153
 Keratosis from x-rays, radium in, iii. 714
 obturans in external auditory canal, ii. 306
 of nasopharynx, ii. 208
 pilaris, i. 841
 Kidney, iii. 138
 abscess of, iii. 148
 anatomy of, iii. 138
 arteries, accessory, iii. 139
 aneurism of, iii. 151
 cancer of, iii. 151
 colic, iii. 154
 colon bacillus infection of, iii. 148
 lavage in, iii. 148
 cysts of, iii. 151
 decapsulation of, iii. 170
 disease as factor in operation, i. 181
 exploratory puncture of, iii. 163
 exposure of, iii. 157. See also *Exposure of kidney*.
 fistula, iii. 154
 fixation of, anterior transperitoneal, iii. 170
 floating, iii. 154
 nephropexy for, iii. 155
 functional activity, tests for, iii. 142
 hemorrhage from, iii. 154
 infections of, iii. 146
 inflammations of, iii. 146
 injuries of, iii. 144
 hemorrhage in, iii. 144
 infection in, iii. 145
 nephrectomy for, iii. 145
 operative repair, iii. 145
 lavage of, iii. 189
 indications for, iii. 148
 movable, iii. 154
 extracapsular fixation of, iii. 168
 nephropexy in, iii. 154
 operations on, iii. 157
 pain in, iii. 154
 pelvis of, iii. 138
 implantation of ureter into, iii. 180
 inflammation, iii. 147
 papilloma of, iii. 151
 puncture, iii. 163
 valvular obstruction of, operation for, iii. 171

Kidney, polycystic degeneration of, iii. 151
 preparation of, for operation, i. 180
 pus, iii. 148
 rupture of, iii. 144
 sarcoma of, iii. 151
 septic infarction of, iii. 146
 stone in, iii. 152
 operations in, iii. 153
 tuberculosis of, iii. 149
 nephrectomy in, iii. 149, 167
 tumors of, iii. 151
 wandering, iii. 154
 nephropexy for, iii. 154
 wounds of, iii. 146
 Killian's instruments for tracheoscopy and bronchoscopy, ii. 239
 operation for obliteration of frontal sinus, ii. 202-205
 Kimpton-Brown method of indirect blood transfusion, iii. 817
 Kingsley's interdental splint, in fractures of lower jaw, i. 546
 Klebs-Löffler membranous pharyngitis, ii. 207
 Knapp's expression operation in trachoma, ii. 150
 method of cataract extraction, ii. 171
 operation for pterygium, ii. 150
 for staphyloma, ii. 152
 in secondary cataract, ii. 174
 Knee, iii. 465
 ankylosis of, arthroplasty for, i. 766
 with deformity, bone grafts in, i. 787
 arthrectomy in, 710, 752
 arthrotomy of, i. 756
 bandage of, adducting immobilizing, iii. 770
 mobilizing, iii. 769
 triangular, iii. 792
 congenital relaxation of ligaments, iii. 466
 disarticulation of, by bilateral flaps, iii. 592
 by oblique incision, iii. 593
 by single long flap, iii. 593
 by unequal anteroposterior flaps, iii. 593
 dislocations of, i. 647. See also *Dislocations of knee*.
 erosion of, i. 752
 excision of, i. 749. See also *Excision of knee*.
 housemaid's, i. 819
 hyperplasia of fatty tissue of, iii. 465
 hypertrophy of synovial fringes of, iii. 465
 intractable infections, i. 656
 knock-, iii. 467. See also *Knock-knee*.
 opening of, i. 752
 bisecting patella in, i. 753
 relaxed, i. 686
 resection of, i. 751
 semilunar cartilage of, dislocation of, i. 652
 sprains of, i. 651
 stiffening of, arthrodesis in, i. 739
 tuberculosis of, i. 674. See also *Tuberculosis of knee*.

- Knee-chest position, iii. 398
elevated, iii. 398
- Knitting needles for intestinal anastomosis, ii. 677
- Knives, i. 75
sharpening, i. 90
- Knock-knee, iii. 467
deformity in, bone-grafts for, i. 787
epiphyselysis for, iii. 468
mechanical treatment, iii. 467
operative treatment, iii. 468
osteoclasis for, iii. 468
osteotomy for, i. 714
- Knots in sutures, preventing slipping of, iii. 809
tying, methods of, 190
with one hand, i. 203
- Kocher's incision for operations on gall-bladder and bile-ducts, iii. 119
method of excision of tongue for carcinoma, ii. 297
of gastroduodenostomy, ii. 747
of nephropexy, iii. 168
of osteoplastic amputation, iii. 526
of reducing hip dislocations, i. 644
shoulder dislocations, i. 627
operation for inguinal hernia, iii. 34
- Koch's tuberculins, i. 257
- Kolle's operation for elongated lobule of nose, iii. 685
for reducing size of ear, iii. 652
- König's method of osteoplastic rhinoplasty, iii. 670
- Körner's method in radical mastoid operation, ii. 314
- Kraurosis of vulva, iii. 329
- Krause's knife for operations on pituitary body, ii. 87
- Kredel's metal bobbins for scalp operations, ii. 21
- Kromayer's mercury inhalation treatment in syphilis, i. 289
- Krönlein's method of approach to pancreas, ii. 779
of cerebral localization, ii. 50
of dividing second and third divisions of fifth nerve in neuralgia, i. 876
- Kuhnt-Szymanowski operation for ectropion, ii. 145
- Kyphosis, ii. 351
- LABARRAQUE's solution as antiseptic, i. 64
- Labia majora, iii. 323
minora, iii. 323
hypertrophy of, iii. 329
- Laboratory, pathologic, i. 167
- Labyrinthine disease, ii. 319
radical mastoid operation in, ii. 314
hemorrhage, ii. 319
- involvement following middle-ear suppuration, ii. 320
- Lacerated wounds, i. 219
of joints, infected, i. 655
of spleen, ii. 784
- Lacerations of blood-vessels in fractures, i. 524
of cervix, iii. 334, 362
- Lacerations of corpora cavernosa, iii. 250
of corpus spongiosum, iii. 250
of lobe of auricle, plastic operation for, iii. 653
- of perineum, iii. 333
complete, into rectum, iii. 334
incomplete, operation for, iii. 336
intermediary suture, iii. 335
plastic operation for, iii. 335
instruments for, iii. 335
position for, iii. 336
primary operation for, iii. 333
rupture of sphincter ani with, iii. 342
- of rectum, old complete, iii. 342
- Lacing, plaster, i. 55
- Lacrimal apparatus, diseases of, ii. 136
operations on, ii. 177
canals, atresia of, ii. 136
enlargement of, ii. 177
- gland, fistula of, ii. 136
hypertrophy of, ii. 136
inflammation of, ii. 136
prolapse of, ii. 136
removal of, ii. 137, 178
of palpebral portion, ii. 178
tumors of, ii. 136
- sac, endonasal operations on, ii. 178
excision of, ii. 178
fistula of, ii. 136
removal of, ii. 136
- sounds, ii. 177
- Lactation mastitis, ii. 473
- Lactic acid bacillus for leukorrhea, iii. 370
treatment of infected wounds, i. 241
- Lagophthalmos, ii. 120
- Lagrange's method of combined iridectomy and sclerotomy, ii. 157
- Lambda, ii. 45
- Lambdoid suture, ii. 46
- Lambotte's method of drainage in ascites, ii. 559
- Lamb's wool dressings, i. 42
- Laminctomy, ii. 339
for paralysis in Pott's disease, ii. 337
in medullary tumors of spinal cord, ii. 341
indications for, ii. 339
lumbar, in meningitis, ii. 70
osteoplastic, ii. 344
postoperative case, ii. 343
results, ii. 343
- Lane's bone plates, i. 507, 508
operation for cleft palate, ii. 261
treatment of chronic intestinal stasis, ii. 614
- Langenbeck's cheek-flap operation for excision of upper jaw, i. 722
- Laparotomy, postoperative treatment, ii. 529
- sponges, i. 44
- Laryngeal anesthesia, i. 125
cartilages, dislocations of, ii. 220
nerve, recurrent, anatomy, ii. 380
puncture, anesthesia by, i. 125
- Laryngectomy, after-treatment, ii. 236
exceptional conditions in, ii. 234
local anesthesia in, i. 144

- Laryngectomy, one-stage, ii. 231
 partial, ii. 231
 phonation after, ii. 236
 total, ii. 231
 two-stage, ii. 235
- Laryngismus stridulus, ii. 221
- Laryngitis, acute catarrhal, ii. 220
 chronic, ii. 222
 dry, ii. 222
 hypertrophic subglottic, ii. 219
 membranous, ii. 221
 stridulous, ii. 221
 tuberculous, anesthesia in, i. 137
- Laryngoscopy, direct, ii. 240
- Laryngotomy, median, ii. 230
 transverse, ii. 230
- Laryngotracheotomy, ii. 227, 230
- Larynx, ii. 217
 acquired stenosis of, ii. 218
 anatomy, ii. 217
 artificial, Glück's, ii. 236
 burns of, ii. 219
 cancer of, ii. 223
 congenital stenosis of, ii. 218
 contusions of, ii. 219
 examination, ii. 217
 foreign bodies in, ii. 224
 fractures of, ii. 219
 hemorrhage from, ii. 223
 inflammations of, ii. 220
 injuries of, ii. 219
 intubation of, ii. 237. See also *Intubation of larynx*.
 malformations of, ii. 218
 operations on, ii. 217, 226
 local anesthesia for, i. 143
 removal of foreign bodies from, ii. 244
- spasm of, ii. 221
 syphilis of, ii. 223
 treatment, ii. 217
 tuberculosis of, ii. 222
 tumors of, ii. 223
 wounds of, ii. 220
- Lateral curvature of spine, ii. 352. See also *Scoliosis*.
 implantation method of intestinal anastomosis, ii. 665
 intestinal anastomosis. ii. 661, 663
 button method, ii. 671
 forming blind end in, ii. 662
 technic, ii. 663
 perineal cystotomy, iii. 219
 position of Sims, iii. 397
 sinuses of brain, ii. 47
 suture of arteries, i. 373
 tarsorrhaphy, ii. 143
 ventricle of brain, ii. 48
- Lateroflexion of uterus, iii. 385
- Lateroversion of uterus, iii. 385
- Laughing gas anesthesia, i. 117
- Lavage, duodenal, ii. 701
 renal, iii. 189
 indications for, iii. 148
 stomach, ii. 700
 continuous, ii. 701
 contraindications, iii. 701
 in peritonitis, ii. 547, 550
- Lavage, stomach, indications for, ii. 701
 method, ii. 701
- Laxative enemas, ii. 620
- Lee's method of testing donors for transfusion, iii. 814
- Left inguinal colostomy, ii. 686
- Left-sided appendicitis, iii. 101
- Leg, amputation of, iii. 585
 by oblique circular incision, iii. 588
 cineplastic stumps in, iii. 587
 local anesthesia for, i. 146
 nerve blocking in, i. 154
 osteoplastic, by antero-internal flap, iii.
 590
 supramalleolar, iii. 587
 through lower third, iii. 587
 through middle third, iii. 588
 through upper third, iii. 589
 with bilateral flaps, iii. 589
 with equal lateral flaps, iii. 589
 with large external flap, iii. 590
- artificial, simple, iii. 613
 bandage of, iii. 772
 cineplastic amputation of, iii. 538
 circumcision of, in varicose veins, i. 452
 eczema of, i. 832
 fractures of, in newborn, i. 531
 gangrene of, in fractures of lower end of
 femur, i. 595
 measurement of, in traction for fracture,
 i. 493
 peg-, iii. 614
 tennis, i. 788
 ulcers of, heliotherapy for, iii. 707
- Lembert's simple right-angle stitch in in-
 testinal suture, ii. 631
- Lengthening of tendons, i. 799
 subcutaneous, i. 801
- Lenhardt's treatment of ulcer of stomach, ii.
 721
- Lens, crystalline, diseases of, ii. 132
 dislocation of, ii. 134
 extraction of, without incision of cap-
 sule, in cataract, ii. 170
 foreign bodies in, ii. 133
- Lentigo, i. 840
- Leontiasis ossea, i. 471; ii. 41
- Lepra, i. 836
- Leprosy, i. 836
 of tongue, ii. 290
- Leptomeningitis, ii. 65
- Leukemia, i. 466; ii. 786
 hemorrhage in, i. 360
 myelogenous, i. 466
 splenic, x-rays in, iii. 705
- Leukocythemic retinitis, ii. 134
- Leukocytosis as factor in surgical treat-
 ment, i. 26
 effect of animal fat on, i. 20
- Leukoderma, i. 843
- Leukoplakia of tongue, ii. 289
- Leukorrhea, iii. 370
 lactic acid bacillus for, iii. 370
- Leverage, artificial, for reducing fractures,
 i. 476
- Lewisohn's telescoping esophagoscope, ii.
 243

Lewisohn's sodium citrate method of blood transfusion, i. 356
 Lexer's operation for umbilical hernia, with purse-string wire suture, iii. 44
Lichen planus, i. 827
ruber, i. 827
 Lichenification of skin, radium in, iii. 714
 Ligaments, broad, iii. 325
 crucial, relaxed, i. 653
 ruptured, i. 653
 of knee-joint, congenital relaxation, iii. 466
 of spine, relaxation of, ii. 357
 sprains of, ii. 357
 recto-uterine, iii. 325
 round, iii. 325
 silk, in infantile paralysis with drop-foot, i. 802
 uterosacral, iii. 325
 vesico-uterine, iii. 325
 Ligation, multiple, of varicose veins, i. 452
 of abdominal aorta, i. 426
 of anterior tibial artery, i. 443
 of arteries, i. 49
 in aneurism, i. 382
 materials for, i. 402
 of head, incisions for, i. 404
 of neck, incisions for, i. 404
 technic, i. 401
 of axillary artery, i. 415
 indications for, i. 418
 of brachial artery, i. 418
 of common carotid artery, i. 406
 at inferior carotid triangle, i. 407
 at superior carotid triangle, i. 408
 indications, i. 408
 slow, i. 408
 iliac artery, i. 426
 extraperitoneal, i. 426
 of deep palmar branch of radial artery, i. 426
 of dorsalis pedis artery, i. 445
 of external carotid artery, i. 409
 iliac artery, i. 429
 of facial artery, i. 412
 of femoral artery, i. 431
 for varicose veins, i. 453
 indications, i. 436
 of gluteal artery, i. 430
 of infected veins in puerperal pyemia, iii. 371
 of inferior thyroid artery, i. 410
 of innominate artery, i. 403
 indications, i. 406
 of internal carotid artery, i. 410
 iliac artery, i. 430
 pubic artery, i. 431
 saphenous veins for varicosity, i. 449
 of lingual artery, i. 411
 of middle meningeal artery in extradural hemorrhage, ii. 56
 of occipital artery, i. 412
 of ophthalmic artery, ii. 137
 of popliteal artery, i. 437
 of posterior auricular artery, i. 412
 tibial artery, i. 441
 in middle of leg, i. 442

Ligation of pulmonary artery in bronchiectasis, ii. 420
 of radial arteries, i. 421
 of sciatic artery, i. 431
 of subclavian artery, i. 413
 of superior thyroid artery, i. 411
 of temporal artery, i. 412
 of thyroid gland, ii. 393
 of ulnar artery, i. 424
 of vertebral artery, i. 410
 of wounded arteries, i. 338
 Ligatures, i. 33
 catgut, i. 337
 in hemorrhage, i. 335
 Ligneous induration of neck, ii. 362
 Limbs, amputation of, in newborn in utero, iii. 647
 artificial, iii. 607
 Lindeman's method of indirect blood transfusion, i. 353
 Line, naso-inal, ii. 46
 nasolabiodental, ii. 45
 Sylvian, ii. 46
 Linea semilunaris, hernia through, iii. 47
 Linear extraction of cataract, ii. 170
 Linen sutures, i. 38
 tendons, i. 801
 Lingual artery, ligation of, i. 411
 nerve, division of, in neuralgia, i. 874
 tonsil, diseases of, ii. 290
 Limitis, plastic, ii. 702
 Lip, absence of, plastic operation for iii. 655
 lower, epithelioma of, excision of lip for, ii. 252
 incomplete operation for, ii. 250
 operations for, iii. 247-254
 resection of lip for, ii. 251
 notched-, operation for, ii. 273
 plastic operations on, iii. 654
 upper, carbuncle of, i. 253
 Lipoma, i. 324
 of abdominal wall, ii. 538
 of brain, ii. 75
 of breast, ii. 475
 of epigastrum, ii. 538
 of peritoneum, ii. 563
 of rectum, iii. 74
 of scalp, ii. 24
 of stomach, ii. 703
 of vulva, iii. 328
 periosteal, i. 709
 Lipomatosis, i. 324
 Lipovaccines, i. 256
 Lips, angioma of, ii. 254
 cellulitis of, ii. 246
 chapped, i. 832; ii. 246
 cystoma of, ii. 254
 eczema of, i. 832
 fissure of, ii. 246
 herpes of, ii. 246
 horny elevations of, ii. 254
 inflammations of, ii. 246
 permanent enlargement of, ii. 255
 protection of, in general anesthesia, i. 100
 tumors of, benign, ii. 254
 ulcers of, ii. 246
 wounds of, ii. 246

Liquid chlorin as antiseptic, i. 64
 Liquor alumini acetatis as antiseptic, i. 68
 sodæ chlorinatæ as antiseptic, i. 64
 Lisfranc's operation for disarticulation of toes, iii. 580
 Litholapaxy, iii. 198, 202
 after-treatment, iii. 202
 Bigelow's apparatus for, iii. 199
 evacuator for, iii. 199
 technic, iii. 199
 Lithotrite, Bigelow's, iii. 199
 method of introduction, iii. 230
 Lithotomy, iii. 198
 after-treatment, iii. 202
 perineal, iii. 203
 Little finger, infections of, iii. 448
 Liver, iii. 105
 abscess of, iii. 109. See also *Abscess of liver*.
 actinomycosis of, iii. 112
 anatomy, iii. 105
 angioma of, iii. 112
 cancer of, iii. 112
 cirrhosis of, iii. 112
 contusion of, iii. 106
 hydatid cyst of, iii. 112
 infections of, iii. 109
 malformations of, iii. 113
 nutmeg, ascites in, ii. 558
 operations on, iii. 109
 prolapse of, iii. 113
 resection of, iii. 112
 rupture of, iii. 106
 spots, i. 840
 suture of, iii. 107
 tuberculosis of, iii. 112
 tumors of, iii. 112
 wounds of, iii. 107
 Living fascia as sutures, i. 38
 Lobule of auricle, cleft, ii. 303
 Local anemia, anesthesia by, i. 155
 anesthesia, i. 127
 adrenalin in, i. 139
 advantages, i. 127
 akoin in, i. 137
 alypin in, i. 136
 anesthesin in, i. 137
 apothersin in, i. 137
 by arterial infusion, i. 134
 cocaine in, i. 134
 cocaine-adrenalin in, i. 135
 ethyl chlorid in, i. 154
 eucain in, i. 135
 extraction of teeth by, i. 141
 for abdominal section, i. 149
 for amputations of leg, i. 146
 for appendectomy, i. 150
 for gas ro-enterostomy, i. 150
 for nephrectomy, i. 153
 for operations in femoral hernia, i. 150
 in fracture of patella, i. 147
 in umbilical hernia, i. 150
 on abdominal wall, i. 148
 on anus, i. 152
 on breasts, i. 148
 on bronchi, i. 144
 on cervical lymphatics, i. 145
 on ear, i. 143

Local anesthesia for operations on esophagus, i. 144
 on extremities, i. 130
 on female generative organs, i. 152
 on gall-bladder, i. 150
 on genito-urinary organs, i. 157
 on head, i. 140
 on inguinal hernia, i. 150
 on lower extremities, i. 145
 on nasal cavities, i. 143
 on neck, i. 143
 on palate, i. 143
 on penis, i. 151, 152
 on perineum, i. 151
 on pharynx, i. 143
 on rectum, i. 152
 on scrotum, i. 152
 on testes, i. 152
 on thorax, i. 147
 on thyroid, i. 144
 on toes, i. 147
 on tongue, i. 143
 on trachea, i. 143
 on trigeminal nerve, i. 143
 on upper extremities, i. 145
 on urethra, i. 151
 on uterus, i. 152
 on ventral hernia, i. 150
 for removal of skin grafts, i. 146
 for suprapubic cystotomy, i. 151
 prostatectomy, i. 151
 for tenotomy of tendo Achillis, i. 147
 for thoracoplasty, i. 148
 for thyroidectomy, i. 144
 for tracheotomy, i. 143
 general infiltration in, i. 132
 holocain hydrochlorid in, i. 137
 in endolaryngeal operations, ii. 218
 in nasal operations, ii. 181
 injection of brachial plexus in, i. 145
 magnesium salts in, i. 138
 methyl chlorid in, i. 154
 nerve injection in, i. 131
 nirvanin in, i. 137
 normal salt solution in, i. 139
 novocain in, i. 136
 of mucous membranes, i. 127
 orthoform in, i. 137
 poisoning in, i. 138
 preparation of patient, i. 129
 propäsin in, i. 137
 quinin and urea hydrochlorid in, i. 137
 scope of, i. 128
 stations in, i. 129
 stovain in, i. 136
 subcutin in, i. 137
 technic, i. 129
 thymol in, i. 137
 tropocain in, i. 136
 venous infusion in, i. 132
 anesthetics, i. 134
 Localization, cerebral, Krönlein's method, ii. 50
 craniocerebral, ii. 48
 Chippault's method, ii. 48, 49
 Reid's method, ii. 49
 Locke's solution, i. 58

- Lock-finger, iii. 456
 Locomotor ataxia, salvarsan in, i. 294
 sciatica in, i. 879
 Loose bodies in hip-joint, iii. 463
 in joints, i. 653
 Lop-ear, plastic operations for, iii. 652
 Lordosis, ii. 352
 Lorenz's method of manual correction of
 club-foot, iii. 474
 after-treatment, iii. 476
 dressing after, iii. 475
 technic, iii. 475
 reclining plaster-bed in Pott's disease,
 ii. 327
 Loretta's method of pylorodiosis, ii. 737
 Lothrop's operation in empyema of frontal
 sinuses, ii. 199
 Lousiness, i. 848
 Lovetti's splint in tuberculosis of hip, i. 671
 Low inguinal sigmoidostomy, ii. 690
 tracheotomy, ii. 228
 Lower bronchoscopy, ii. 243
 extremities, iii. 462
 amputations of, iii. 570
 bandages for, iii. 767
 fractures of, iii. 462
 inflammations of, iii. 462
 operations on, local anesthesia for,
 i. 145
 prosthetic apparatus for, iii. 611
 motor, iii. 611
 tumors of, iii. 462
 jaw, underdeveloped, ii. 280
 lip, epithelioma of, excision of lip for, ii.
 252
 incomplete operation for, ii. 250
 operations for, ii. 247-254
 resection of lip for, ii. 251
 Lowering of head in hemorrhage, i. 344
 Lubricant, Irish moss, i. 58
 Lubrication of bladder instruments, iii. 183
 Ludwig's angina, ii. 362
 Lues. See *Syphilis*.
 Lumbago, ii. 350
 Lumbar abscess in Pott's disease, ii. 337
 colostomy, ii. 695
 hernia, iii. 47
 laminectomy in meningitis, ii. 70
 puncture, dangers of, in brain tumors, ii.
 77
 in basal fractures of skull, i. 536
 in brain operations, ii. 51
 in epidemic cerebrospinal meningitis, ii.
 67
 in noninfective meningeal effusion, ii.
 68
 in spinal anesthesia, i. 158
 in tuberculous meningitis, ii. 68
 route for exposure of kidney, iii. 157
 incision for, iii. 157
 position for, iii. 158
 vertebrae, dislocations of, i. 622
 Lumbard's nasal tubes for ether anesthesia,
 i. 110, 111
 Lumbosacral pain, ii. 350
 Lungs, ii. 413
 abscess of, acute, ii. 414
 Lungs, abscess of, chronic, ii. 415
 rupturing into bronchus, 415
 cysts of, echinococcus, ii. 445
 decortication of, in chronic non-tubercu-
 lous empyema, ii. 410
 gangrene of, ii. 415
 hypostatic congestion of, in fractures, i.
 525
 insufflation of, ii. 446
 apparatus for, ii. 447
 operations on, ii. 453
 operative exposure of, ii. 453
 in two stages, ii. 456
 of apex, ii. 456
 resection of, in tuberculosis, ii. 416
 rupture of, ii. 413
 tuberculosis of, ii. 416. See also *Tuber-
 culosis*.
 tumors of, ii. 445
 wounds of, suturing of, ii. 414
 with penetration of chest wall, ii. 413
 with pleural infection, ii. 414
 Lupus erythematosus, i. 841
 radium in, iii. 713, 714
 x-rays in, iii. 704
 Finsen rays in, iii. 707
 heliotherapy for, iii. 707
 of pharynx, ii. 207
 vulgaris, i. 837
 x-rays in, iii. 704
 Luxations of tendons of quadriceps femoris
 muscle, i. 812
 Lymph nodes, malignant metastases in, i. 466
 Lymphadenitis, i. 461
 acute, i. 461
 chronic, i. 461
 of groin, iii. 459
 tubercular, i. 461
 Lymphadenoma, malignant, i. 464
 x-rays in, i. 465
 Lymphangiectasis, i. 464
 Lymphangioma, i. 464
 Lymphangioplasty, i. 462
 Lymphangitis, i. 460
 Lymphatic cysts of neck, ii. 372
 drainage, i. 463
 nevus, i. 464
 nodular keratoconjunctivitis, ii. 125
 obstruction, i. 462
 operative procedures for, i. 462
 Lymphatics, i. 460
 cervical, operations on, local anesthesia
 for, i. 145
 of axilla, ii. 472
 of breast, ii. 472
 of neck, anatomy of, ii. 363
 carcinoma of, ii. 363
 diseases of, ii. 363
 of stomach, ii. 699
 rupture of, i. 460
 varicose, i. 464
 wounds of, i. 460
 Lymphedema, i. 462
 in fractures, i. 524
 Lymph-glands of neck, tuberculous, ii. 368
 non-surgical treatment, ii. 369
 operation for, ii. 370

- Lymphoma, infective, i. 464
 x-rays in, i. 465
 of neck, malignant, ii. 377
 Lymphorrhagia, i. 460
 Lysol, i. 66
- MACEWEN'S osteome, i. 712
 Mac Lennan's method of skin-grafting, iii. 644
- Macrocheilia, ii. 255
 Macroglossia, i. 464; ii. 290
 Macrostoma, plastic operation for, iii. 655
 Madura foot, i. 273
 Magnesite dressings, i. 57
 Magnesium hypochlorite method for infected wounds, i. 247
 rings, absorbable, for suture of arteries, i. 376
 salts as local anesthetic, i. 138
 sulphate for infected wounds, iii. 810
 for inflammations, i. 234
 in tetanus, i. 268
 intraspinal injection, i. 161
 intravenous general anesthesia with, i. 164
 treatment of infected wounds, i. 248
 Main en griffe, iii. 455
 Malar bone, fractures of, i. 540
 Malarial hypertrophy of spleen, ii. 785
 Male, impotence in, iii. 321
 sterility in, iii. 322
 Malformations of auricle, ii. 303
 of larynx, ii. 218
 of liver, iii. 113
 of nasal septum, ii. 188
 of trachea, ii. 218
 of vagina, iii. 357
 Malgaigne's method for excision of upper jaw, i. 722
 Malignant emphysema, i. 270
 gangrene, i. 270
 glaucoma, ii. 132
 tumors. See *Cancer*.
 ulcers, i. 315
 Malleolus, fractures of, bone grafts in, i. 516
 Mallet-finger, iii. 455
 Malleus, ii. 299
 Malocclusion of jaws with prognathism, ii. 283
 of lower jaw, ii. 281
 Malposition of joints, i. 682
 artificial hyperemia in, i. 686
 elastic traction in, i. 685
 gradual manual correction, i. 683
 operative correction, i. 686
 rapid manual correction, i. 684
 splints in, i. 684
 traction by weights in, i. 684
 of puncta lacrimalia, ii. 136
 Mammary artery, internal, wounds of, ii. 398
 Manipulation for club-foot, iii. 469
 Manson's method of draining liver abscess, iii. 111
 Manubrium, dislocations of, i. 549
 Many-armed bandage, iii. 782
 Marjolin's ulcer, i. 315

- Marsden's paste in cancer, i. 331
 Martin's bandage, for inflammation, i. 229
 operation for obstructive aspermia, iii. 311
 treatment of varicose ulcers, i. 311
 Mask, chloroform, extemporized, i. 88
 for facial wounds, iii. 686
 operation, i. 50
 Massage, cardiac, for syncope, ii. 430
 in chronic inflammation, i. 249
 in coccygodynia, ii. 358
 in flat-foot, iii. 486
 in fractures, i. 500
 of heart in general anesthesia, i. 99
 resuscitation by, iii. 821
 of prostate for prostatitis, iii. 230
 suction-traction, in chronic inflammation, i. 250
 vibratory, iii. 715
 in neuralgia, i. 864
 Mass-ligation in hemorrhage, i. 337
 Mastitis, acute, ii. 473
 chronic, ii. 474
 cystic, ii. 474
 of male breast, ii. 497
 interstitial, chronic, ii. 474
 lactation, ii. 473
 stagnation, ii. 473
 Mastoid antrum, ii. 299
 cells, ii. 299
 operation, ii. 316, 317
 first change of dressing, ii. 318
 indications for, in acute otitis media, ii. 308
 on babies, ii. 318
 radical, ii. 312
 in labyrinthine disease, ii. 314
 indications for, in chronic suppurative otitis media, ii. 311
 Körner's method, ii. 314
 Panse's method in, ii. 315
 technic, ii. 312
 Mastoiditis, acute, operation for, ii. 317
 chronic, operation for, ii. 316
 radical, ii. 312. See also *Mastoid operation, radical*.
 Matas' splint in fractures of lower jaw, i. 545
 Mattress suture, i. 195
 end-to-end intestinal anastomosis with, ii. 651
 Maunsell's invagination method of end-to-end intestinal anastomosis, ii. 654
 Maxilla, inferior condyloid point of, ii. 45
 Maxillary antrum, acute catarrhal inflammation of, ii. 195
 chronic catarrhal inflammation of, ii. 195
 drainage of, ii. 195
 empyema of, ii. 195
 foreign bodies in, ii. 197
 free opening of, ii. 196
 mouth and, closure of sinuses between, ii. 197
 obliteration of, ii. 196
 tumors of, ii. 197
 sinus, ii. 179

- Maydl's operation for exstrophy of bladder, iii. 204.
- Mayer's operation in osteomyelitis of spine, ii. 326
- Mayo Clinic organization, iii. 798
- Mayo Robson's combined vertical and oblique incision for operations on bile tract, iii. 120
- Mayo's method of posterior gastro-enterostomy, ii. 767
operation for hallux valgus, iii. 491
for vesicovaginal fistula, iii. 348
- McBurney's intramuscular gridiron incision for abdominal section, ii. 510
point, ii. 510
- McDill's method of partial excision of liver, iii. 109
- McDonald's solution, as antiseptic, i. 70
- McDowell's operation of ovariotomy, iii. 431
- McGraw's rubber ligature method of intestinal anastomosis, ii. 675
- Meatotomy for stricture of urethra, iii. 288
- Meatus, external urinary, iii. 248
inferior, of nose, ii. 179
middle, of nose, ii. 179
superior, of nose, ii. 179
- Median abdominal section, ii. 510
low, by superficial transverse incision, ii. 513
- fistulæ of neck, ii. 372
- laryngotomy, ii. 230
- nerve, injuries of, i. 897
- perineal cystotomy, iii. 219
- tarsorrhaphy, ii. 143
- Mediastina, ii. 444
exposure of, anterior, ii. 458
by median division of sternum, ii. 459
posterior, ii. 459
- operations on, ii. 458
with increased intrapulmonary pressure, ii. 446
- Mediastinotomy, cervical, in esophageal abscess, ii. 433
- Mediastinum, abscess of, ii. 444
anterior, ii. 458
infections of, ii. 444
middle, ii. 458
posterior, ii. 458
superior, ii. 458
tumors of, ii. 446
- Medical diseases, natural tendency of, i. 17
- Medicated gauze, i. 39
- Mediocarpal joint, dislocations of, backward, i. 638
forward, i. 638
- Medullary fibroma of bones, i. 709
tumors of spinal cord, extrusion treatment, ii. 342
laminectomy in, ii. 341
- Megacolon, ii. 614
- Megalopenis, ii. 254
- Meibomian cyst, ii. 120
- Meltzer's method of insufflation of lungs, ii. 447
- Members, avulsion of, i. 224
- Membrane, Cargile, i. 74
tympanic, ii. 299
operations through, in chronic otitis media, ii. 311
wounds of, ii. 301
- Membranous cystitis, iii. 193
- laryngitis, ii. 221
- pericolitis, ii. 602
- pharyngitis, Klebs-Löffler, ii. 207
- rhinitis, ii. 186
- stomatitis, ii. 247
- tonsillitis, ii. 212
- urethra, iii. 249
- Menciére's embalming treatment of infected wounds, iii. 812
mixture as antiseptic, i. 70
in gas bacillus infection, i. 271
- Menge's pessary for uterine prolapse, iii. 376
- Ménière's disease, ii. 319
- Meningeal artery, middle, ii. 47
ligation of, in extradural hemorrhage, ii. 56
- effusion, noninfective, ii. 68
- sinuses, injuries of, ii. 64
- Meninges, diseases of, ii. 65
tumors of, ii. 75
wounds of, ii. 61
- Meningitis after brain operations, hexamethylenamin to prevent, ii. 52
epidemic cerebrospinal, ii. 67
carriers in, ii. 67
Flexner's treatment, ii. 67
intravenous serum treatment, iii. 820
lumbar puncture in, ii. 67
- lumbar laminectomy in, ii. 70
- of otic origin, ii. 66
- operative treatment, ii. 69
- subdural, ii. 65
pyogenic organisms in, ii. 66
- syphilitic, ii. 68
- tuberculous, ii. 68
- Meningocele, ii. 92, 349
spurious, ii. 25
- Menorrhagia, iii. 396
- Menstruation, function of, preservation of, in diseases of Fallopian tubes, iii. 430
painful, iii. 394
- Mental state of patient as factor in surgical treatment, i. 24
- Mercurial bath in syphilis, i. 289
ulcers of tongue, ii. 290
- Mercurialized serum in syphilis, i. 289, 295
- Mercuric chlorid as antiseptic, i. 59
poisoning, iii. 806
- Mercurophen as antiseptic, i. 59
- Mercury bichlorid as antiseptic, i. 59
for dilatation of esophageal stricture ii. 435
- in syphilis, i. 284, 285
benzoate, iii. 814
by injection, i. 289
- bichlorid, i. 285
- by bath, i. 289
- by inunctions, i. 286
- by mouth, i. 285

- Mercury in syphilis, chlorid, injection of, i. 288
 intravenously, i. 289
 dosage, i. 285
 intramuscular injections, i. 286
 iodid by injection, i. 289
 methods of administration, i. 285
 ointment, i. 286
 oleate, 286
 regulation of dose, i. 286
 salicylate, by injection, i. 286
 salvarsan following, iii. 814
 sites for injection, i. 287, 288
 technic for injection, i. 288
 yellow iodid, i. 285
- Mesenteric blood-cysts, ii. 564
 cysts, ii. 564
 triangle, ii. 625
 tumors, ii. 563, 564
 vein, superior, anastomosis of, with vena cava, in ascites, ii. 563
 vessels, stoppage of, gangrene of intestines from, ii. 609
- Mesenteric, long, chronic intestinal obstruction from, ii. 610
 wounds of, ii. 568
 nonperforating wounds of intestine with, ii. 568
- Mesocolon, elongated, ii. 616
 transverse, involvement of, in gastric cancer, ii. 705
- Mesothorium, iii. 709
- Mesovarium, iii. 326
- Metacarpal bone, amputation of, with finger, iii. 551
 fifth, amputation of, with little finger, iii. 551
 disarticulation of, with little finger, iii. 552
 first, amputation of, with thumb, iii. 551
 disarticulation of, with thumb, iii. 552
 second, disarticulation of, with first finger, iii. 552
- bones, disarticulation of, at carpometacarpal joint, iii. 554
 with fingers, iii. 552
 excision of, i. 731
 four inner, amputation of, with fingers, iii. 551
 fourth and fifth, amputation of, with fingers, iii. 551
 fractures of, i. 579
 of fingers, disarticulation of, iii. 553
 resection of, i. 731
 second and third, disarticulation of, with fingers, iii. 552
 - third and fourth, disarticulation of, with fingers, iii. 553
 third, fourth and fifth, disarticulation of, with fingers, iii. 553
 or fourth, disarticulation of, with fingers, iii. 552
 three inner, amputation of, with fingers, iii. 551
- joints, arthritis of, iii. 450
 tuberculosis of, i. 680
- Metacarpophalangeal joint of fingers, disarticulation of, iii. 546
 of index finger, disarticulation at, iii. 549
 of little finger, disarticulation at, iii. 550
 of thumb, disarticulation at, iii. 548
- Metallic bands in fractures, i. 506
 bodies in wounds, microphone for removal, i. 224
 braces in Pott's disease, ii. 333
 plates in fractures, i. 507
- Metastases, malignant, in lymph-nodes, i. 466
- Metatarsal arch of foot, weakness of, iii. 490
 bone, amputation of great toe with all of, iii. 578
 of little toe with all of, iii. 578
 of toes with part of, iii. 576
 bones, all, amputation of all toes with part of, iii. 577
 disarticulation of all toes with, iii. 580
 of two or more adjacent toes with, iii. 579
 dislocations of, i. 649
 excision of, i. 737
 fractures of, i. 608
 joints, tuberculosis of, i. 680
- Metatarsalgia, anterior, iii. 490
- Metatarsophalangeal bursa, inflammation of, iii. 493
 joint, iii. 575
 disarticulation of all toes at, iii. 575
 of great toe at, iii. 573
 of more than two toes at, iii. 574
 of smaller toes at, iii. 574
 first, excision of, i. 755
- Meteorism after abdominal operations, ii. 532
- Methyl chlorid as local anesthetic, i. 154
 ether anesthesia, i. 118
 violet as antiseptic, i. 71
- Methyldal anesthesia, i. 118
- Methylene bichlorid anesthesia, i. 118
 ether anesthesia, i. 118
- Methylene-blue as urinary antiseptic, iii. 142
 in acute anterior gonorrhea, iii. 280
 in inoperable tumors, i. 332
- Metritis, acute, iii. 370
 chronic, iii. 372
- Metrorrhagia, iii. 396
- Meyer's cystoscope for intravesical operations, iii. 197
 method of resection of cardiac end of stomach, ii. 758
 operation in cardiospasm, ii. 716
 pneumatic cabinet for negative and positive pressure in thoracic surgery, ii. 451
 transverse abdominal incision, ii. 508
- Michel clamp for wounds, i. 187, 189
- Micrococcus catarrhalis vaccines in ozena, ii. 188
- Micropenis, iii. 254
- Microphone for removal of metallic bodies in wounds, i. 224

- Microstoma, plastic operation for, iii. 656
 Middle ear, ii. 306
 curettage of, in chronic suppurative otitis media, ii. 311
 inflammation of, acute, ii. 306. See also *Otitis media, acute.*
 fingers, infections of, iii. 447
 Midsagittal point, ii. 45
 Midzygomatic point, ii. 45
 Mikulicz's gauze envelope drain in abdominal operations, ii. 526
 method of pyloroplasty, ii. 740
 Milium, i. 845
 Milk and molasses enema, ii. 620
 fistula, ii. 474
 Milliner's needle for intestinal suture, ii. 627
 Miotics, use of, ii. 118
 Miscarriage, retroversion of uterus from, iii. 388
 Missing tendon, i. 804
 Mixed enema, ii. 620
 Mixed-cell sarcoma of bones, i. 709
 Moan, expiratory, in abdominal operations, iii. 61
 inspiratory, in rectal operations, iii. 61
 Mobility of testicle, iii. 397
 abnormal, iii. 307
 Mobilizing bandage of elbow, iii. 759
 of knee, iii. 769
 Moist gangrene, i. 317
 heat method for catgut, i. 36
 Molasses and milk enema, ii. 620
 Mole, i. 842
 Moles of face, ii. 115
 Moleskin plaster, i. 54
 Molluscum contagiosum, i. 837
 Momburg and Busch's cosmetic treatment of facial paralysis, iii. 687
 Momburg's belt constriction in hemorrhage, i. 363
 in postpartum hemorrhage, i. 365
 Monocular cataract, ii. 133
 Mons veneris, iii. 323
 Moore-Corradi treatment of aneurism, i. 382
 Morcellement, nephrectomy by, iii. 167
 vaginal hysterectomy by, iii. 414
 Morestin's mixture in gas bacillus infection, i. 271
 Moriarty's interdental splint in fractures of jaw, i. 546
 Morison's bismuth paste in infected wounds, i. 248
 magnesium sulphate treatment of infected wounds, iii. 810
 Morley's bandage for eye, iii. 780
 Morphin after abdominal operations, ii. 531
 before general anesthesia, i. 92
 in inoperable tumors, i. 332
 narcosis, i. 123
 Morton's disease of foot, iii. 490
 operation for obstructive aspermia, iii. 311
 universal scarf bandage, iii. 793
 Mosetig-Moorhof's method of filling bone cavities, i. 705
 Mosquitoes, bites of, i. 275, 276
 Motais' operation for ptosis of eyelids, ii. 142
 Mother, syphilitic, treatment during pregnancy, i. 301
 Mother's marks, i. 453
 Motor area of brain cortex, anatomy, ii. 44
 electric reaction of, testing for, ii. 51
 club in cineplastic amputation, iii. 531
 electric, for bone-grafting, i. 691
 loop in cineplastic amputation, iii. 530
 prosthetic apparatus for lower extremities, iii. 611
 for upper extremities, iii. 607
 stump in cineplastic amputation, iii. 529
 Mouse-tooth forceps, i. 75
 Mouth, ii. 244
 abnormally large, plastic operation on, iii. 655
 small, plastic operation for, iii. 656
 administration of liquid anesthetics by, iii. 807
 examination of, ii. 245
 hemostasis in, ii. 245
 hygiene of, ii. 245
 inflammations of, ii. 246
 insect bites on, ii. 247
 maxillary antrum and, closure of sinuses between, ii. 197
 operations on, anesthesia in, ii. 245
 plastic operations on, iii. 655
 preparation of, for operation, i. 180
 Mouth-gag, ii. 245
 for general anesthesia, i. 95
 Mouth-to-mouth inflation for resuscitation, iii. 730
 Movable joints, prosthetic apparatus with, without cineplastic stumps, iii. 608
 kidney, iii. 154
 extracapsular fixation of, iii. 168
 nephropexy for, iii. 154
 Moving unconscious patients, i. 184
 Moynihan's angular clamp for pyloroplasty, ii. 747
 cream as antiseptic, i. 72
 method in intestinal suture, ii. 628
 Mucocele of maxillary antrum, ii. 197
 Mucosa suture of intestine, ii. 635
 Mucous membrane grafting, iii. 644, 647
 local anesthesia of, i. 127
 of cheek, plastic operation for defect of, iii. 665
 turning in skin surface to take place of, in plastic operations, iii. 635
 patches in syphilis, treatment, i. 302
 Mucus in trachea after operation, i. 227
 Mueller's operation in osteomyelitis, i. 701, 702
 Murphy's button, Jack's adaptation, for bladder drainage, iii. 221
 method of intestinal anastomosis, ii. 667
 incision in arthroplasty of hip, i. 764
 treatment of gonorrhreal arthritis with formalin-glycerin injections, iii. 806
 Muscae volitantes, ii. 134
 Muscle flaps in amputation, iii. 512
 implantation in empyema, ii. 411
 Muscles, i. 788

Muscles, actinomycosis of, i. 792
 cicatrix of, i. 791
 contractured, i. 793
 contusions of, i. 788
 degeneration, i. 792
 ischemic, i. 793
 gangrene of, i. 791
 grafting of, in paralysis, i. 795
 hernia of, i. 789
 in hemorrhage, i. 342
 infections of, i. 791
 lacerated, in fractures, i. 524
 moving forearm, i. 892
 hand, i. 893
 scapula and arm, i. 892
 of eye, ii. 116
 disorders of, ii. 135
 operations on, ii. 174
 paralysis of, ii. 135
 paralysis of, i. 795
 rubber prosthesis in, i. 796
 rupture of, i. 788
 in dislocations, i. 612
 old, i. 789
 spasticity of, alcohol injections in, i. 795
 syphilis of, i. 792
 tuberculosis of, i. 792
 tumors of, i. 792
 wounds of, i. 791
 Muscular paralysis, ischemic, iii. 453
 spasm after fractures, i. 525
 Musculoperiosteal flaps in amputation, iii.
 508
 Musculospiral nerve, injuries to, i. 896
 Museums of security, iii. 722
 Muslin bandages, i. 55
 protective, oiled, 54
 Mycetoma, i. 273
 Mycosis fungoides, i. 838
 x-rays in, iii. 705
 of external auditory canal, ii. 304
 of nasopharynx, ii. 208
 of tonsils, ii. 212
 Mycotic stomatitis, ii. 246
 Mydriatics in glaucoma, ii. 118
 use of, ii. 117
 Myelocystocele, ii. 349
 Myelogenous leukemia, i. 466
 Myeloid sarcoma of gums, ii. 280
 of jaws, ii. 286
 Myeloma, i. 324
 Myelomeningocele, ii. 349
 Myoma, i. 324
 of prostate, iii. 246
 of rectum, iii. 74
 of stomach, ii. 703
 of uterus, radium in, iii. 712
 Myorrhaphy, i. 788
 Myositis, infective, i. 791
 ossificans, i. 792
 chronic, i. 792
 traumatic, i. 792
 Myxochondrosarcoma of bones, i. 709
 Myxoma, i. 324
 of bones, i. 709
 of brain, ii. 75
 of breast, intracanalicular, ii. 475

NAIL extension in fractures, i. 495
 finger-, hemorrhage under, iii. 457
 Nailing in fracture, i. 506
 Nails, atrophy of, i. 848
 callosity of matrix, i. 848
 diseases of, i. 846
 hypertrophy of, i. 848
 infective inflammation under skin, i. 848
 inflammation of, i. 848
 injuries of, i. 847
 tuberculosis about, i. 848
 Naphthalin as antiseptic, i. 71
 Napier's brace for bow-legs, iii. 466
 Narcosis chart, i. 96
 morphin, i. 123
 paralyses of brachial plexus, i. 895
 scopolamin, i. 124
 Narcotic agents, hypodermic, i. 123
 Nasal boil, i. 273
 bones, fractures of, i. 539
 hematoma in, i. 539
 lateral displacement in, i. 539
 rubber tube splint in, i. 539
 cartilage, transplanting of, ii. 192
 cavities, infections of, ii. 186
 operations on, local anesthésia for, i.
 143
 duct, occlusion of, ii. 136
 infections, specific, ii. 188
 septum, ii. 179
 anatomy, ii. 89
 deflections of, ii. 188
 forceps, ii. 101
 fractures of, i. 540
 malformations of, ii. 188
 perforation of, ii. 195
 plastic operation for restoration of, iii.
 680
 submucous resection of, ii. 190
 speculum, ii. 181
 splints, ii. 180
 synechia, ii. 195
 Nasion, ii. 45
 Naso-inial line, ii. 46
 Nasolambdoidal line, ii. 45
 Nasopharyngitis, hyperplastic, ii. 205
 syphilitic, ii. 205
 Nasopharynx, actinomycosis of, ii. 208
 adenoids of, ii. 208. See also Adenoids.
 exposure of, ii. 216
 fibromata of, ii. 208
 glanders of, ii. 208
 herpes of, ii. 208
 keratosis of, ii. 208
 mycosis of, ii. 208
 operations on, ii. 205
 through upper jaw to reach, i. 723
 tumors of, ii. 208
 Nausea after abdominal operations, ii. 531
 after operation in appendicitis, iii. 101
 Navy ointment to prevent gonorrhea, iii.
 279
 Neck, ii. 360
 abscess of, ii. 361
 anatomy of, i. 405
 and axilla, bandage of, iii. 753
 and head, bandages of, iii. 742

Neck, arteries of, ligation of, incisions for, i. 404
 bandage of, iii. 742
 simple, iii. 750
 thyroid, iii. 750
 branchial cysts of, ii. 372
 fistulae of, ii. 372
 burns of, ii. 373
 bursal cysts of, ii. 372
 cancer of, extensive recurrent, ii. 494
 secondary, ii. 372
 cellulitis of, ii. 361
 superficial, ii. 362
 congenital cysts of, ii. 372
 cysts of, ii. 372
 echinococcus cysts of, ii. 372
 emphysema of, ii. 361
 general injuries of, ii. 360
 hemorrhagic cysts of, ii. 372
 infective processes in, ii. 361
 ligneous induration of, ii. 362
 lymphatic cysts of, ii. 372
 lymphatics of, anatomy of, ii. 363
 carcinoma of, ii. 363
 diseases of, ii. 363
 lymphoma of, malignant, ii. 372
 median fistulae of, ii. 372
 nerves of, wounds of, ii. 360
 operations on, local anesthesia for, i. 143
 prevention of shock, i. 215
 stiff, ironing for, ii. 373
 tuberculous lymph-glands of, ii. 368
 non-surgical treatment, ii. 369
 technic of operation for, ii. 370
 tumors of, ii. 372
 solid, ii. 372
 Necrosis from paraffin prosthesis, iii. 692
 of bones, i. 468
 in fractures, i. 525
 of hand, iii. 450
 of costal cartilages, ii. 398
 of jaws, ii. 286
 of pancreas, ii. 782
 of ribs, ii. 398
 of tendons, iii. 450
 Needle operation for cataract, ii. 169
 Needles, i. 79
 curved, how to make, iii. 807
 holders for, i. 79
 method of threading, i. 191
 used for intestinal suture, ii. 627
 Neff's clamp in aneurism, i. 384
 Negro, susceptibility of, to disease, i. 18
 Nélaton's method of cartilaginous support in rhinoplasty, iii. 671
 of partial rhinoplasty with osteoplastic flap, iii. 678
 Neosalvarsan in inoperable cancer, i. 332
 in syphilis, by enteroclysis, i. 297
 oil injections of, i. 297
 Nephralgia, iii. 154
 Nephrectomy, iii. 165
 by morcelllement, iii. 167
 for injuries of kidney, iii. 145
 for tuberculosis, iii. 167
 of kidney, iii. 149
 local anesthesia for, i. 153

Nephrectomy, nerve blocking in, i. 153
 partial, iii. 167
 transperitoneal, iii. 167
 Nephritic retinitis, ii. 134
 Nephritis, decapsulation for, iii. 146
 Nephrolysis, iii. 170
 Nephropexy, iii. 168
 for movable kidney, iii. 155
 Nephrotomy, iii. 163
 silver wire suture in, iii. 164
 Nerves, i. 850
 anterior tibial, injuries, i. 898
 auditory, injuries and diseases of, i. 890
 blocking of, i. 152
 alcohol injections for, i. 864
 in amputation of leg, i. 154
 in nephrectomy, i. 153
 preliminary, in amputation, iii. 512
 bridging of, i. 855
 autoplastic, i. 855
 heteroplastic, i. 855
 cervical, injuries and diseases, i. 890
 circumflex, injuries, i. 896
 compression of, i. 851
 contusions of, i. 851
 difficulty in identifying, i. 850
 diseases of, as factor in operation, i. 182
 efferent, i. 861
 external popliteal, injuries, i. 898
 facial. See *Fifth nerve*.
 grafting of, i. 857
 in facial paralysis, i. 882
 results, i. 859
 hypoglossal, injuries and diseases, i. 893
 implantation of, i. 857
 results, i. 859
 injections into, in local anesthesia, i. 131
 injuries to, in dislocations, i. 611
 in fractures, i. 524
 intercostal, injuries, i. 897
 intracranial, injuries of, ii. 63
 median, injuries, i. 897
 mixed, i. 861
 musculospiral, injuries, i. 896
 of neck, wounds of, ii. 360
 of stomach, ii. 700
 of upper extremities, injuries to, i. 896
 operations on, i. 852
 optic, diseases of, ii. 135
 phrenic, injuries and diseases, i. 891
 pneumogastric, injuries and diseases, i. 891
 pressure on, anesthesia by, i. 155
 recurrent laryngeal, anatomy, ii. 380
 injuries and diseases, i. 892
 roots of, anesthetic injection of, 152.
 See also *Nerves, blocking of*.
 sciatic, injuries, i. 898
 spinal accessory, diseases and injuries, i. 890
 resection of, in torticollis, ii. 376
 posterior roots of, division of, ii. 344.
 See also *Rhizotomy*.
 operations on, ii. 344
 stretching of, i. 860
 in sciatica, i. 879

Nerves, suture of, i. 853
 primary, i. 853
 secondary, i. 853, 854
 time required to regain function after,
 i. 850
 transplantation of, autoplastic, i. 856
 heteroplastic, i. 857
 homoplastic, i. 857
 treatment of, in amputation, iii. 511
 tumors of, i. 880
 ulnar, injuries, i. 897
 Nettle-rash, i. 827
 Neumann's operation in middle-ear disease
 with labyrinthine involvement, ii. 321
 Neuralgia, i. 862
 alcohol injections in, i. 864
 brachial, i. 896
 causes, i. 863
 cervico-occipital, i. 890
 coccygeal, ii. 357
 alcohol injections in, ii. 358
 massage in, ii. 358
 removal of coccyx for, ii. 358
 drug treatment, i. 863
 facial, intracranial operations on fifth
 nerve for, ii. 115
 galvanism in, i. 864
 intercostal, i. 897
 local hyperemia in, i. 864
 neurectomy in, i. 871
 of breast, ii. 473
 of facial nerve, i. 877
 operative treatment, i. 865
 osmic acid injections in, i. 864
 oxygen injections in, i. 865
 percutaneous injections in, i. 864
 postherpetic, i. 865
 rhizotomy for, ii. 346
 slow avulsion in, i. 871
 trifacial, i. 865
 alcohol injections in, i. 866
 in first division, i. 867
 in Gasserian ganglion, i. 869
 in second division, i. 867
 in third division, i. 868
 results, i. 870
 division of auriculotemporal nerve in, i.
 874
 of fifth nerve in, at entrance to bone,
 i. 873
 of lingual nerve in, i. 874
 of second and third divisions of fifth
 nerve in, i. 876
 of second division of fifth nerve at
 foramen rotundum in, i. 872
 third division of fifth nerve in, i. 873
 at base of skull, i. 874
 by temporary resection of
 zygoma, i. 875
 vibratory massage in, i. 864
 Neuralgic ulcers, i. 313
 Neurasthenia, surgical treatment, ii. 105
 traumatic, ii. 103
 Neurectasy, i. 860
 Neurectomy, i. 861
 in neuralgia, i. 871
 phrenic, in bronchiectasis, ii. 420

Neuritis, i. 861
 acute infective, i. 862
 irritative, i. 862
 autotoxic, i. 862
 chronic, i. 862
 non-infective, i. 862
 orbital optic, ii. 135
 syphilitic, i. 862
 toxic, i. 862
 traumatic, 862
 Neurofibroma, i. 324
 Neurofibromatosis, multiple, of scalp, ii. 24
 Neurolysis, i. 851
 Neuroma, i. 324
 Neuromimesis of joints, i. 681
 Neuroparalytic keratitis, ii. 126
 Neuropathic contractions of hand and fingers, iii. 453
 paralysis of facial nerve, i. 881. See also
 Facial paralysis.
 Neurorrhaphy, i. 853
 primary, i. 853
 secondary, i. 853, 854
 time required to regain function after, i.
 854
 Neuroses of skin, i. 843
 posttraumatic, ii. 102
 surgical treatment, ii. 105
 Neurotic spine, ii. 355
 Neurotomy, i. 861
 Neve and Bost's method of resuscitation by
 heart massage, iii. 821
 Nevus, i. 325
 capillary, i. 453
 lymphatic, i. 464
 of abdominal wall, ii. 538
 of breast, ii. 475
 of face, ii. 115
 of scalp, ii. 25
 and face, iii. 714
 pigmentosus, i. 842
 vascular, radium in, iii. 714
 Newborn, amputation of limbs of, in utero,
 iii. 697
 brachial paralysis in, iii. 696
 cephalhematoma in, iii. 694
 dislocations in, iii. 696
 erysipelas in, i. 263
 fractures in, i. 520; iii. 695
 of clavicle, i. 530
 of femur, i. 530; iii. 696
 of forearm, i. 531
 of humerus, i. 529
 of leg, i. 531
 of trachea, iii. 696
 heart failure of, ii. 430
 hemorrhage in, spastic paralysis from, iii.
 697
 inguinal hernia in, iii. 18
 injuries of, iii. 694
 of bones of skull, iii. 695
 intracranial hemorrhage in, ii. 60; iii. 694
 craniotomy in, ii. 61
 operations on, iii. 694
 simple indentation of skull in, iii. 695
 syphilitic, treatment, i. 301
 wounds of, iii. 697

- New growths. See *Cancer*.
 Newman's apparatus for proctoclysis, iii. 57
 Nicholas' operation in osteomyelitis, i. 695
 Nicoladoni's method in salivary fistula, ii.
 378
 Nipples, diseases of, ii. 473
 eczema of, ii. 473
 fissures of, ii. 473
 inflammations of, ii. 473
 inverted, ii. 472
 retracted, ii. 473
 tumors of, ii. 473
 Nirvanin in local anesthesia, i. 137
 Nitrate of silver as antiseptic, i. 66
 Nitric acid as caustic, i. 74
 Nitrous oxide gas anesthesia, i. 117
 oxid-carbon dioxide anesthesia, i. 123
 oxid-oxygen anesthesia, i. 120
 No-dressing treatment of clean wounds, i.
 210
 Nodular lymphatic keratoconjunctivitis, ii.
 125
 Nodules of tongue, tuberculous, ii. 290
 singers', ii. 222
 Noesske's method of plastic reconstruction
 of fingers, iii. 458
 of preventing gangrene of fingers, iii.
 458
 Noma, i. 319
 Non-absorbable ligatures, i. 33
 sutures, i. 33
 Non-absorbent drains, i. 47
 Non-adherent dressings, i. 220
 Non-acute salpingitis, iii. 427
 Non-gonorrhreal conjunctivitis, ii. 122
 Non-infective meningeal effusion, ii. 68
 thrombosis of sinuses of dura mater, ii.
 72
 Non-penetrating wounds of abdominal
 wall, ii. 535
 of chest wall, ii. 397
 Non-perforating wounds of intestine, with
 wounds of mesentery, ii. 568
 Non-senile gangrene, i. 320
 Non-specific purulent conjunctivitis, ii. 121
 Non-suppurative otitis media, chronic, ii.
 319
 peritonitis, acute, ii. 554
 Non-syphilitic venereal ulcer, iii. 251
 Non-tuberculous empyema, chronic, ii. 409
 rarefying osteitis of spine, ii. 326
 Non-union in fractures, i. 529
 Nose, ii. 179
 accessory sinuses of, ii. 179
 anatomy of, ii. 179
 bleeding from, ii. 184
 blowing of, in nasal infections, ii. 186
 cavities of, infections of, ii. 186
 elongated lobule, plastic operation for,
 iii. 685
 end of, plastic operation for restoration
 of, iii. 679
 foreign bodies in, ii. 188
 hemorrhage from, ii. 184
 humped-, plastic operations on, iii. 683
 infections of, blowing nose in, ii. 186
 inferior meatus of, ii. 179
 Nose, injuries of, ii. 183
 large lobule, plastic operation for, iii. 685
 lateral deflection of, plastic operation
 for, iii. 680
 middle meatus of, ii. 179
 misshaped orifices, plastic operation for,
 iii. 686
 operations on, ii. 179
 anesthesia in, ii. 181
 antiseptic preparations in, ii. 183
 cleansing preparations in, ii. 183
 hemostasis in, ii. 183
 instruments for, ii. 180
 local anesthesia in, ii. 181
 vasoconstriction in, ii. 183
 plastic operations on, iii. 666
 minor, iii. 683
 preparation of, for operation, i. 180
 pug-, plastic operation for, iii. 684
 saddle-. See *Saddle-nose*.
 scab formation in, ii. 187
 septum, ii. 179
 small lobule, plastic operation for, iii. 685
 superior meatus, ii. 179
 thick subseptum, plastic operations for,
 iii. 686
 wings, plastic operation for, iii. 686
 totally destroyed, plastic restoration of,
 iii. 666
 tumors of, ii. 188
 wounds of, ii. 183
 Nosophen as antiseptic, i. 70
 Nostril, deformed, with harelip, ii. 273
 nostrils, large, plastic operation for, iii. 685
 Notched-lip, after operation for harelip, ii.
 273
 Nourishment as factor in surgical treatment,
 i. 19
 in chronic inflammation, i. 249
 Novocain as local anesthetic, i. 136
 as spinal anesthetic, i. 156
 Nurse, functions of, i. 22
 gowns for, i. 51
 instrument, i. 169
 runabout, i. 169
 sponge, i. 169
 Nursing as factor in surgical treatment, i. 22
 Nutmeg liver in ascites, ii. 558
 Nutrient enemata, ii. 620
 injections, i. 20
 Nutritive disturbances, i. 321
 Nydegger's dressing in fractures of clavicle,
 i. 554
 Nymphæ, iii. 323
 OAKUM dressings, i. 41
 Oberst tuberculin, i. 258
 Obesity as factor in operation, i. 180
 Oblique bandage, iii. 739
 postmuscular abdominal section, ii. 511
 subcostal abdominal section, ii. 513
 Obliterating angeitis, gangrene from, i.
 316
 stricture of deep urethra, iii. 298
 Obliteration, gradual, of arteries in aneur-
 ism, i. 384
 of frontal sinus, ii. 202-205
 of maxillary antrum, ii. 196

- Obliterative operation in aneurism, i. 385
 gradual, i. 384
- Obstructed hernia, iii. 24
- Obstruction of intestines, ii. 595. See also *Intestinal obstruction*.
- Obstructive aspermia, iii. 311
 sterility from, iii. 311
- Obturator hernia, iii. 45
- Occipital artery, ligation of, i. 412
 glands, ii. 363
- Occipitofrontal cravat bandage, simple, iii. 784
- Occiput and atlas, dislocations between, i. 622
- Occlusion, defective, deformities of lower jaw with, ii. 283
 of jaws, ii. 281
 of arteries, i. 401
 of cystic duct, iii. 115
 of duodenum, ii. 615
 of nasal duct, ii. 136
 of ureter, accidental, iii. 156
 treatment of fistula, i. 304
- Occupation as factor in surgical treatment, i. 18
- Ochsner's method in stricture of esophagus, ii. 436
 treatment of appendicitis, iii. 90
 of peritonitis, ii. 548
- Ocular torticollis, ii. 377
- Odontoma, ii. 280
 of jaws, ii. 286
- O'Dwyer method of intubating larynx, ii. 237
 instruments for, ii. 237
- Oil enema, ii. 620
 injections for prevention of ankylosis, i. 756
 of neosalvarsan in syphillis, i. 297
 of eucalyptus as antiseptic, i. 72
 olive, surgical uses, i. 58
- Oiled muslin protective, i. 54
 silk protective, i. 53
- Oil-ether rectal anesthesia, i. 110
 after-effects, i. 113
 after-treatment, i. 113
 amount of anesthetic used, i. 113
 apparatus for, i. 112
 contraindications, i. 113
 ingredients for, proportions, i. 114
 technic, i. 112
- Olecranon, fractures of, i. 572
 bone grafts in, i. 511
 fibrous union in, i. 573
- Olfactory sensory center of brain, ii. 45
- Olive bougies, ii. 434
 oil, surgical uses, i. 58
 to prevent adhesions in abdominal operations, ii. 521
- Ollier's operation through upper jaw to reach nasopharynx, i. 724
- Omental grafts in intestinal suture, ii. 629
- Omentum, ii. 620
 adhesions of, in hernia, iii. 21
 in abdominal operations, ii. 522
 cysts of, ii. 620
 hernia of, iii. 51
- Omentum, inflammations of, ii. 620
 preservation of, in resection of transverse colon, ii. 646
 strangulation of, ii. 620; iii. 24
 torsion of, ii. 620
 tumors of, ii. 620
- Onychauxis, i. 848
- Onychia, i. 848
 maligna, i. 848
- Onychitis, i. 848
- Onychomycosis, i. 848
- Oöphoritis, acute, iii. 430
 chronic, iii. 430
- Opacities, corneal, ii. 126
 in vitreous, ii. 134
- Open operation for reduction of dislocation of hip, i. 616
 tenotomy, i. 813
 treatment of infected wounds, i. 240
- Open-drop method for ether anesthesia, i. 107
- Operating, best time for, i. 184
 caps, i. 50
 clothes, surgeons', i. 51, 173
 masks, i. 50
 personnel, arrangement of, i. 169
 room, i. 166
 for special operations, i. 167
- | | |
|--------------|-----------------------------|
| table, i. 85 | extemporized, i. 87, 88 |
| | positions secured on, i. 86 |
- Operations, i. 17, 184
 arrangement of instruments at, i. 169
 collapse during, i. 218
 dangers of, i. 184
 for ankylosis, i. 757
 for coxa valga, i. 770
 vara, i. 770
 for hemorrhoids, iii. 70
 for hernia, in two stages, iii. 52
 for radical cure of femoral hernia, iii. 38
 of inguinal hernia, iii. 24-38
- | | |
|--|--|
| in private houses, i. 169 | on bile-tract, iii. 118. See also <i>Bile-tract, operations on</i> . |
| in tent, i. 169 | on bladder, iii. 213 |
| jackets for patient during, i. 49 | on bones and joints, i. 688 |
| on bile-tract, iii. 118. See also <i>Bile-tract, operations on</i> . | instruments for, i. 688-690 |
| on conjunctiva, ii. 149 | on eye, ii. 138 |
| on eyelids, ii. 138 | on intestines, ii. 621 |
| on joints, i. 737 | on kidneys, iii. 157 |
| on kidney, iii. 157 | on liver, iii. 109 |
| on lungs, ii. 453 | on mediastina, ii. 458 |
| on nerves, i. 852 | on nose, ii. 179 |
| on newborn, iii. 694 | on ovaries, iii. 430 |
| on penis, iii. 255 | on skull, ii. 26. See <i>Skull, operations on</i> . |
| on pharynx through neck, ii. 367 | on spleen, ii. 787 |

Operations on stomach, ii. 730
 on tonsils through neck, ii. 367
 on ureter, iii. 157
 on uterus, iii. 397
 postures for, iii. 397
 preparation of patient for, iii. 397
 plastic, iii. 622
 preparation of patient, i. 176. See also
 Patient, preparation of.
 prevention of pain after, i. 214
 self-performed, i. 224
 stockings for patient, i. 48
 suit for patient, i. 94
 time consumed in, i. 184
 to compensate loss of epiphysis, i. 769
 to lengthen bones, i. 770
 to strengthen weak joints, i. 768
 treatment after, i. 225
 without anesthetics, i. 165
 Operative field, preparation of, i. 177
 acetone-pyxol for, i. 178
 aseptic mechanical method, i. 178
 iodin for, i. 178
 picric acid method, i. 178
 wounds, i. 184
 of scalp, ii. 19
 technic of making, i. 184
 Ophthalmia, ii. 122. See *Conjunctivitis*.
 Ophthalmic artery, ligation of, ii. 137
 Opium in peritonitis, ii. 547
 Opsonins, 26
 Optic nerve, atrophy of, ii. 135
 diseases of, ii. 135
 intra-ocular edema of, ii. 135
 syphilis of, i. 297
 tumors of, ii. 135
 wounds of, ii. 135
 neuritis, orbital, ii. 135
 papilla, engorgement edema of, ii. 135
 Orbicularis muscle, spasm of, ii. 120
 Orbit, abscess of, ii. 137
 diseases of, ii. 137
 outer wall of, resection of, ii. 163
 periostitis of, ii. 137
 punctured fractures of skull through, i. 537
 sinus infections perforating into, ii. 201
 transplantation of fat into, after enucleation, ii. 160
 tumors of, ii. 137
 removal, ii. 163
 Orbital muscles, ii. 116. See also *Muscles of eye*.
 optic neuritis, ii. 135
 Orchitis, chronic, iii. 305
 suppurative, iii. 305
 Organic scoliosis, ii. 354
 silver salts as antiseptic, i. 66
 stricture of urethra, iii. 286
 tissues, filling bone-cavities with, i. 704
 Organs, transplantation of, iii. 648
 Oriental boil, i. 273
 sore, i. 273, 314
 Orthodontistry, ii. 280
 Orthoform in local anesthesia, i. 137
 Os calcis, fractures of, i. 608
 bone grafts in, i. 517

Os calcis, externum, iii. 326
 internum, iii. 326
 Osmic acid injections in neuralgia, i. 864
 Osmosis treatment of glaucoma, ii. 131
 Ossicles of ear, ii. 299
 removal of, in chronic suppurative
 otitis media, ii. 311
 Osteitis, i. 467
 deformans, i. 471
 of bones of hand, iii. 450
 of cranial bones, prevention, ii. 41
 of spine, non-tuberculous, rarefying, ii. 326
 operations for, i. 692
 typhoid, i. 469
 Osteo-arthritis, arthrodesis in, i. 739
 Osteochondritis, deforming, of hip-joint
 in children, iii. 463
 Osteoclasis for bow-legs, iii. 466
 for knock-knee, iii. 468
 Osteogenesis imperfecta, i. 471
 Osteoma, i. 324, 470
 of jaws, ii. 286
 of skull, ii. 42
 Osteomalacia, i. 471
 Osteomyelitis, acute, i. 469
 autoplasty operations with bone in, i. 698
 with soft tissue in, i. 697
 chronic, operation in, i. 696
 early, operation for, i. 693
 filling defects in, with autoplasty bone-
 flaps, i. 699
 of jaws, ii. 283
 of spine, ii. 326
 operations for, i. 692
 for loss of substance in, i. 699
 stages of, i. 694
 subacute, operation in, i. 695
 vaccines in, i. 257
 Osteoplastic amputation, iii. 524
 of leg by antero-internal flap, iii. 590
 of thigh through condyles, iii. 596
 craniotomy, ii. 30. See also *Craniotomy, osteoplastic*.
 excision of elbow-joint, i. 745
 flap operations through upper jaw to
 reach nasopharynx, i. 724
 laminectomy, ii. 344
 operations, i. 710
 for cranial defects, i. 711
 periostitis, chronic, i. 467
 resection of anterior portion of palate, i.
 723
 of hard palate, i. 723
 rhinoplasty, iii. 669
 thoracotomy, anterior, ii. 458
 posterior, ii. 459
 Osteosarcoma of head and neck of humerus,
 i. 706
 periosteal, i. 709
 x-rays for, iii. 704
 Osteotome, Macewen's, i. 712
 spiral, Cryer's, ii. 28
 Osteotomy combined with resection of
 long bones, i. 716
 cuneiform, i. 713

Osteotomy, cuneiform, for club-foot, iii. 481
 for bow-legs, iii. 467
 for genu valgum, i. 714
 in flat-foot, iii. 487
 of femur, i. 713
 in knee tuberculosis, i. 677
 supracondyloid, from inner side, i. 715
 from outer side, i. 715
 of long bones, i. 711
 technic, i. 712
 of lower end of femur, i. 714
 of neck of femur, i. 713
 in old unreduced hip dislocations, i. 647
 of shaft of tibia, i. 716
 subtrochanteric, i. 714
 of tibia, i. 716
 below tuberosities, i. 716
 of upper end of femur, i. 713
 Othematoma, ii. 303
 Otic abscess, usual site, ii. 50
 Otis' urethrotome for cutting urethral stricture, iii. 292
 Otitis media, acute, ii. 306
 incision of tympanic membrane in, ii. 307
 indications for mastoid operation in, ii. 308
 suppurative, ii. 307
 chronic nonsuppurative, ii. 319
 suppurative, ii. 308
 bismuth paste in, ii. 310
 curettage of middle ear in, ii. 311
 drying powders in, ii. 309
 ear-drops in, ii. 309
 gauze drainage in, ii. 309
 hot air in, ii. 309
 operation in, indications for, ii. 310
 radical, ii. 312. See also *Mastoid operation, radical*.
 through membrana tympani in, ii. 311
 removal of ossicles in, ii. 311
 suction treatment, ii. 310
 vaccines in, ii. 310
 labyrinthine and perilabyrinthine involvement following, ii. 321
 Oval method of amputation, iii. 517
 Ovariectomy, iii. 431
 Ovary, iii. 326
 cancer of, iii. 434
 cystic degeneration of, iii. 431
 cysts of, dermoid, iii. 433
 deficient secretion of, iii. 438
 hematoma of, iii. 431
 hernia of, iii. 51
 inflammations of, iii. 430
 operations on, iii. 430
 papillocystoma of, iii. 434
 papilloma of, iii. 434
 prolapse of, iii. 434
 sclerosis of, iii. 431
 transplantation of, from one to another, iii. 438
 tuberculosis of, iii. 431

Ovary, tumors of, iii. 431
 operation for, iii. 432
 torsion of pedicle, iii. 434
 Overcorrection for club-foot, iii. 471
 Overfeeding, dangers of, i. 20
 Overlapping toes, iii. 491
 Oviducts, iii. 326
 Oxalic acid as antiseptic, i. 67
 Oxidation, sterilization by, i. 30
 Oxycephaly, ii. 42
 Oxygen after abdominal operations, ii. 531
 anesthetics combined with, i. 120
 for treatment of shock, i. 216
 injections in neuralgia, i. 865
 interstitial injections of, i. 358
 intravenous injection of, i. 357
 Oxymethylene as antiseptic, i. 68
 Ozena, ii. 187
 paraffin prosthesis for, iii. 691
 PACHYMEMINGITIS EXTERNA, ii. 65
 hemorrhagica, ii. 57
 syphilitic, ii. 65
 Pads, rubber, i. 53
 Paget's disease of nipples, ii. 473
 Pain after abdominal operations, ii. 532
 after operation in appendicitis, iii. 101
 areas, sensory, i. 128
 in fractures, i. 525
 in kidney, iii. 154
 in scars, i. 225
 lumbosacral, ii. 350
 postoperative, i. 226
 prevention of, after operations, i. 214
 Painful back, ii. 350
 feet, iii. 490
 heel, iii. 495
 menstruation, iii. 394
 stump in amputation, iii. 514
 Palate, anterior portion, osteoplastic resection of, i. 723
 cleft-, ii. 257. See also *Cleft-palate*.
 hard, osteoplastic resection of, i. 723
 operations on, local anesthesia for, i. 143
 perforations of, ii. 266
 soft, abscess of, ii. 255
 acute infections of, ii. 255
 adhesions of, ii. 256
 diseases of, ii. 255
 tumors of, ii. 255
 ulcers of, ii. 255
 Palmar branch, deep, of radial artery, ligation of, i. 426
 fascia, contracture of, iii. 454
 old, iii. 450
 space, infections of, iii. 449
 middle, infection of, iii. 449
 synovial sheaths, iii. 447
 Palpebral fissure, canthoplasty for enlarging, ii. 142
 portion of lacrimal gland, removal of, ii. 178
 Palsy. See *Paralysis*.
 Bell's. See *Facial paralysis*.
 Panas' operation for ptosis of eyelids, ii. 141
 for staphyloma, ii. 152

Pancreas, ii. 778
 abscess of, ii. 781
 anatomy, ii. 778
 approach to, ii. 779
 cysts of, ii. 783
 drainage of, ii. 780
 necrosis of, ii. 782
 tumors of, ii. 782
 wounds of, ii. 779
 Pancreatic calculi, ii. 783
 Pancreatitis, acute, ii. 780
 chronic, ii. 781
 subacute, ii. 781
 Panhysterectomy for fibroid tumors, iii. 420
 Pannus, ii. 124
 Panophthalmitis, ii. 130
 Panse's method in radical mastoid operation, ii. 315
 Paper, crepe, bandages from, iii. 794
 wool dressings, i. 42
 Papilla, optic, engorgement edema of, ii. 135
 Papillocystoma of ovary, iii. 434
 Papilloma, i. 324
 of bladder, iii. 196
 of kidney pelvis, iii. 151
 of ovary, iii. 434
 of penis, iii. 253
 of rectum, iii. 74
 of urethra, iii. 272
 of urinary bladder, fulguration for, iii. 700
 of vulva, iii. 327
 Papillomatous cysts of breast, ii. 477
 Paquelin cautery, i. 80
 Paracentesis in ascites of cirrhosis of liver, iii. 112
 of cornea, ii. 152
 of right auricle, ii. 425
 ventricle, ii. 425
 Paraffin injections in rectal prolapse, iii. 68
 in saddle-nose, ii. 194
 method for catgut, i. 36
 occlusion treatment of burns, i. 823
 prosthesis, iii. 688
 absorption of, iii. 692
 complications, iii. 691
 cosmetic injections, iii. 691
 dangers of, iii. 689
 diffusion of, iii. 692
 disadvantages, iii. 691
 embolism from, iii. 691
 prevention, iii. 692
 escape of injected material in, iii. 692
 for hernia, 691
 for incontinence of feces, iii. 691
 of urine, iii. 691
 for ozena, iii. 691
 for prolapse of uterus, iii. 691
 general surgical uses, iii. 691
 hyperplasia from, iii. 692
 irritative reaction from, iii. 692
 material for, iii. 689
 necrosis from, iii. 692
 nervous disturbances from, iii. 692
 phlebitis from, iii. 692
 skin redness from, iii. 692

Paraffin prosthesis, sloughing from, iii. 692
 syringe for, iii. 690
 technic of operation, iii. 690
 uses of, iii. 689
 yellow discoloration of skin from, iii. 692
 Paraffined gauze, i. 41
 linen sutures, i. 38
 paper protective, i. 54
 silk sutures, i. 38
 Paraform as antiseptic, i. 68
 Paraformaldehyde as antiseptic, i. 68
 Paralysis agitans, rhizotomy for, ii. 348
 brachial birth, i. 894; iii. 696
 crutch, in fractures, i. 527
 facial, i. 881. See also *Facial paralysis*.
 grafting muscles in, i. 795
 in fractures, i. 525
 in Pott's disease, ii. 337
 infantile, arthrodesis in, i. 738
 with drop-foot, silk ligaments in, i. 802
 ischemic muscular, iii. 453
 narcosis, of brachial plexus, i. 895
 of biceps of arm, tendon transplantation in, i. 812
 of deltoid muscle, i. 795
 of extensors of hand, tendon transplantation in, i. 812
 of facial nerve, neuropathic, i. 881. See also *Facial paralysis*.
 of muscles, rubber prosthesis in, i. 796
 of quadriceps extensor of thigh, tendon transplantation in, i. 812
 of trapezius muscle, i. 795
 spastic, from hemorrhage in newborn, iii. 697
 rhizotomy in, ii. 346
 traumatic, in general anesthesia, i. 100
 Paralytic calcaneus, iii. 484
 dislocation of hip-joint, bone grafts in, i. 783
 of shoulder, i. 634
 equinovarus, iii. 480, 484
 equinus, iii. 483
 ileus, ii. 552
 pituitrin in, ii. 553
 scoliosis, bone grafts in, i. 782
 talipes, acquired, iii. 482
 calcaneus, tendon transplantation in, i. 812
 equinus, tendon transplantation in, i. 812
 valgus, iii. 484
 tendon transplantation in, i. 811
 varus, tendon transplantation in, i. 812
 toe-drop, iii. 488
 torticollis, ii. 377
 Paraphimosis, iii. 253
 Parasacral anesthesia, i. 162
 Parasites, animal, of skin, i. 848
 Parasitic stomatitis, ii. 246
 Parathyreopriva, ii. 394
 Parathyroid glands, anatomy, ii. 380
 diseases of, ii. 394
 transplantation of, ii. 394
 Paravertebral anesthesia, i. 152

Parenchymatous acute glossitis, ii. 288
 senile hypertrophy of breast, ii. 475
 Parents, syphilitic, prophylactic treatment before conception, i. 301
 Paresis, general, salvarsan in, i. 294
 salvarsan in, intraventricular injection, i. 296
 Parkhill's operation for reducing size of ear, iii. 652
 Paronychia, i. 848; iii. 442
 Parotid glands, ii. 363
 abscess of, ii. 379
 anatomy, ii. 377
 cellulitis of, ii. 379
 salivary fistula, ii. 377
 Parovarian cystoma, iii. 434
 tumors, iii. 434
 Pars anterior of pituitary body, ii. 83
 intermedia of pituitary body, ii. 83
 nervosa of pituitary body, ii. 83
 Partial abdominal hysterectomy, iii. 418
 cataract, ii. 133
 laryngectomy, ii. 231
 nephrectomy, iii. 167
 vasectomy, iii. 320
 Passive hyperemia for infections of extremities, iii. 445
 motion in chronic inflammation, i. 249
 Paste, adhesive, i. 55
 Alexander's for burns, iii. 807
 bismuth. See *Bismuth paste*.
 Delbet's for wound dressings, iii. 807
 Pasteur treatment of hydrophobia, i. 273
 Patella, ankylosis of, arthroplasty for, i. 767
 bisecting of, in opening knee-joint, i. 753
 dislocations of, i. 648
 congenital, i. 618
 habitual, bone grafts in, i. 787
 excision of, i. 732
 fractures of, i. 596. See also *Fractures of patella*.
 pad, inflamed, i. 653
 strengthening of, i. 733
 Patient, care of, as factor, after operation, i. 26
 during operation, i. 182
 in general anesthesia, i. 101
 color of, in general anesthesia, i. 99
 mental state of, as factor in surgical treatment, i. 24
 operation suit for, i. 94
 preparation of, dangers of purging in, iii. 808
 for abdominal operations, ii. 499
 for anesthesia, i. 92
 for local anesthesia, i. 129
 for operation, i. 176
 on alimentary canal, ii. 564
 for special operations, i. 180
 in emergency, i. 180
 unconscious, moving of, i. 184
 Peat dressings, i. 42
 Pediculosis, i. 848
 Pediculus capitis, i. 848
 corporis, i. 848
 pubis, i. 848

Pedunculated flaps, plastic operations with, iii. 635
 Pegging fragments in fractures, i. 506
 Peg-legs, iii. 614
 Pelvic abscess, iii. 459
 aneurism, i. 398
 disease, chronic, iii. 372
 epidural injections in, iii. 461
 hernia, iii. 48
 outlet, puerperal injuries of, iii. 333
 varicocele, iii. 426
 veins, excision of, in septic thrombo-phlebitis, i. 456
 Pelvis, iii. 459
 bandage of, diaper, iii. 782
 bones of, resection of, i. 732
 cancer in, radium in, iii. 714
 fractures of, i. 582
 of kidney, iii. 138
 papilloma of, iii. 151
 puncture of, iii. 163
 support for bandaging, iii. 767
 tumors of, iii. 460
 wounds of, iii. 459
 Pemphigus, i. 830
 Pendjeh, sore, i. 273
 Pendulous abdominal wall, ii. 540
 Penetrating wounds of abdominal wall, ii.
 535
 of chest wall, ii. 397
 of esophagus, ii. 431
 of heart, ii. 429
 of uterus, iii. 360
 Penetration of chest wall, wounds of lung with, ii. 413
 Penhallow's splint in fractures of shaft of humerus, i. 561
 Penholder hold of operating scalpel, i. 185
 Penile urethra, iii. 249
 injuries of, iii. 250
 Penis, iii. 248
 adherent, iii. 255
 amputation of, iii. 255
 anatomy, iii. 248
 anomalies of, iii. 253
 bandage of, iii. 776
 cancer of, iii. 253
 amputation for, iii. 255
 extirpation for, iii. 256
 chancre of, iii. 252
 contusions of, iii. 250
 curvature of, iii. 254
 dislocation of, iii. 250
 dorsum, iii. 248
 erection of, uncontrollable, iii. 254
 extirpation of, iii. 256
 fracture of, iii. 250
 gangrene of, iii. 252
 hypertrophy of, iii. 254
 inflammation of, simple, iii. 251
 ligation of dorsal vessels, iii. 255
 neck of, iii. 248
 operations on, iii. 255
 local anesthesia in, i. 151, 152
 papilloma of, iii. 253
 pathologic conditions, iii. 253
 preparation for, i. 180

Penis, root of, iii. 248
 rudimentary, iii. 254
 sclerosis of erectile bodies, iii. 255
 strangulation of, iii. 251
 tumors of, iii. 252
 warts of, iii. 253
 webbed, iii. 2
 wounds of, iii. 250
 Pental anesthesia, i. 118
 Percentage urea test of kidney function, iii. 144
 Percutaneous injections in neuralgia, i. 864
 Percy's cautery method for cancer of uterus, iii. 423
 radical cautery operation for cancer of breast, ii. 492
 Perforating duodenal ulcer, ii. 579
 ulcer of foot, iii. 494
 of stomach ii. 726
 typhoid, ii. 580
 wounds of intestines, ii. 567
 Perforation between bile-tract and gastrointestinal tract, iii. 116
 of bile-ducts, iii. 114
 of colon, ii. 582
 of gall-bladder, iii. 114, 116
 of gaseous cysts, ii. 581
 of intestines, ii. 581
 of intestines, ii. 576
 malignant, ii. 581
 suppurative, ii. 581
 tuberculous, ii. 581
 of nasal septum, ii. 195
 of palate, ii. 266
 of stomach, perigastric abscess from, ii. 727
 of uterine wall in curettage, iii. 401
 Perforative appendicitis, iii. 100
 Perhydrol as antiseptic, i. 68
 Peri-articular bursitis of shoulder-joint, iii. 451
 Pericardial adhesions, cardiolysis for, ii. 424
 Pericardiocentesis, ii. 422
 Pericardium, ii. 422
 empyema of, ii. 423
 operative exposure, ii. 424
 serous effusion in, ii. 422
 tumors of, ii. 445
 wounds of, ii. 422
 Pericardotomy for serous effusion, ii. 423
 in empyema, ii. 423
 Pericecal hernia, iii. 50
 Perichondritis, ii. 223
 of auricle, ii. 303
 Pericolic adhesions, ii. 602
 veils, ii. 602
 Pericolitis, ii. 576
 membranous, ii. 602
 Pericranial pneumatocele, ii. 24
 Perier's method of laryngectomy, ii. 234
 Perigastric abscess from perforation of stomach, ii. 727
 adhesions, ii. 702
 Perilabyrinthine involvement following middle-ear suppuration, ii. 320

Perineal cystotomy, iii. 217
 for hypertrophy of prostate, iii. 232
 lateral, iii. 218
 median, iii. 219
 drainage of bladder, iii. 220, 222
 lithotrity, iii. 203
 prostatectomy, iii. 234
 for cancer, iii. 247
 hemorrhage in, iii. 236
 incision for, iii. 235
 protectors, i. 48
 urethrotomy, external simplified, of Barney, iii. 296
 Perineorrhaphy, iii. 335-342
 Perinephric abscess, iii. 146
 Perineum, laceration of, iii. 333. See also *Lacerations of perineum*.
 operations on, preparation for, i. 180
 local anesthesia in, i. 151
 ruptures of, iii. 333
 urinary infiltration of, retention from, iii. 211
 Perionychia, i. 848
 Perioöphoritis, iii. 430
 Periosteal fibroma, i. 709
 flaps, amputation with, iii. 510
 lipoma, i. 709
 osteosarcoma, i. 709
 Periosteum, elevation of, i. 688
 interposition of, for ankylosis, i. 759
 treatment of, in amputation, iii. 512
 Periostitis, i. 467
 acute, i. 467
 chronic, i. 467
 osteoplastic, i. 467
 of cranial bones, prevention, ii. 41
 of jaws, ii. 283
 of orbit, ii. 137
 operations for, i. 692
 Periotomy in vascular keratitis, ii. 127
 Peripheral injections in inoperable cancer, i. 333
 sarcoma of jaws, ii. 286
 Perithelioma of bones, i. 710
 Peritoneal abscess, chronic, ii. 554
 collapse, ii. 549
 fixation of uterus, anterior, for retroversion, iii. 393
 sac, foreign bodies in, ii. 544
 Peritoneum, ii. 498, 541
 anastomosis of saphenous vein with, in ascites, ii. 560
 anatomy, ii. 541
 closure of, in abdominal operations, ii. 516
 denuded surfaces of, ii. 542
 fibroma of, ii. 563
 injuries of, ii. 542
 lipoma of, ii. 563
 protection of, in abdominal operations, ii. 515
 sarcoma of, ii. 564
 toilet of, in abdominal operations, ii. 515
 transplantation, iii. 648
 traumatism of, ii. 542
 tumors of, ii. 557

- Peritonitis, ii. 546
 acute, ii. 546
 general, ii. 548
 local, ii. 548
 nonsuppurative, ii. 554
 septic, ii. 548
 adhesions in, ii. 546
 best time for operation in, ii. 546
 calcium hypochlorite in, ii. 531
 camphorated oil in, ii. 551
 chlorinated oil in, ii. 551
 dichloramin in, ii. 551
 diffuse suppurative, appendicitis with, iii.
 100
 drainage in, ii. 547, 549
 gastric lavage in, ii. 547, 550
 hypodermoclysis in, ii. 550
 intestinal obstruction in, ii. 553
 iodon in, ii. 550
 irrigation in, ii. 546, 549
 local suppurative, ii. 548
 localized abscess in, ii. 553
 of duodenal region, ii. 557
 operation in, ii. 549
 opium in, ii. 547
 period of constitutional reaction in, ii.
 547
 prevention of spread, ii. 546
 proctoclysis in, ii. 547
 rectal injections in, ii. 549
 secondary abscess in, ii. 553
 sodium hypochlorite in, ii. 551
 subphrenic abscess in, ii. 553
 suction drainage in, ii. 549
 sulphuric ether in, ii. 551
 suppurative, local, ii. 548
 tuberculous, ii. 554
 acute miliary, ii. 554
 dry, ii. 554
 exudative, with serum, ii. 554
 suppurative, ii. 556
 vasomotor disturbance in, ii. 549
 Peritonillar abscess, ii. 212
 Perityphilitis, ii. 576
 Perléche, i. 829
 Permanent drainage of bladder, iii. 221
 fecal fistula, ii. 687
 Permanganate of potash as antiseptic, i. 67
 method of hand sterilization, i. 174
 Pernicious anemia, ii. 785
 in hemorrhage, i. 360
 Pernio, i. 310, 826
 Peroneus longus, transplantation of, for
 tibialis anticus, i. 810
 tertius, transplantation of tibialis anticus
 for, i. 810
 Peronin in eye diseases, ii. 118
 Peroxid of hydrogen as antiseptic, i. 68
 Peroxid-phenol, hot, in infected wounds, i.
 247
 Persistent cloaca, iii. 357
 Perspiration, abnormal odor of, i. 844
 diminished, i. 844
 excessive, i. 844
 of hands, i. 849
 Pes cavus, iii. 482
 planovalgus, iii. 485

- Pes planus, iii. 485
 valgus, iii. 485
 Pessary in dysmenorrhea, iii. 395
 in retroversion of uterus, iii. 387, 388
 Smith-Hodge, iii. 388
 Peterson's method of drainage in ascites, ii.
 559
 Pfannenstiell's method of suprapubic cer-
 vical Cesarean section, iii. 408
 Phagedenic gangrene, i. 319
 ulcers, i. 313
 Phagocytosis as factor in surgical treatment,
 i. 26
 Phalangeal joints, tuberculosis of, i. 680
 Phalanges, bone-grafts of, i. 786
 dislocations of, i. 649
 excision of, i. 731
 fractures of, i. 580, 608
 of toes, end, disarticulation of, iii. 572
 proximal, of fingers, dislocations of, i. 639
 resection of, i. 731
 Phalanx of finger, first, amputation through,
 iii. 546
 last, amputation through, iii. 545
 disarticulation of, iii. 545
 second, amputation through, iii. 545
 of toe, first, amputation through, iii. 573
 proximal, of thumb, dislocation of, i. 639
 Pharyngeal insufflation in ether anesthesia,
 i. 110
 Pharyngitis, membranous, Klebs-Löffler, ii.
 207
 Pharyngotomy, lateral, ii. 368
 subhyoid, ii. 229
 suprahyoid, ii. 229
 Pharynx, anesthesia by, i. 124
 foreign bodies in, ii. 216
 lupus of, ii. 207
 operations on, by local anesthesia, i. 143
 through neck, ii. 367
 tuberculosis of, ii. 207
 Phenol, i. 65
 gangrene, i. 320
 gauze, i. 40
 halogen derivatives, i. 60
 in tetanus, i. 268
 injections in hemorrhoids, iii. 69
 liquefied, in soiled wounds, i. 186
 Phenol-camphor treatment for boils, i. 253
 of infected cavities, i. 234
 Phenolized glycerin as antiseptic, i. 66
 Phenolsulphonephthalein test of kidney
 function, iii. 142
 Phimosis, iii. 253
 Phlebitis, i. 447
 acute, i. 447
 from paraffin prosthesis, iii. 692
 non-infective, i. 447
 Phlebotomy, i. 453. See also *Venesection*.
 Phlegmon, sublingual, ii. 362
 woody, ii. 362
 Phlegmonous erysipelas, i. 262
 gastritis, ii. 702
 inflammation of intestines, acute, ii. 574
 Phlorhizin tests of kidney function, iii. 143
 Phlyctenular conjunctivitis, ii. 123
 keratitis, ii. 125

Phonation after laryngectomy, ii. 236
disturbed, after cleft-palate operation, ii. 266
Phosphorus necrosis of bones, i. 468
Phrenic nerve, injuries and diseases of, i. 891
neurectomy in bronchiectasis, ii. 420
Physostigmin salicylate as miotic, ii. 118
Pia mater, anatomy, ii. 43
Pia-arachnoid, anatomy, ii. 43
wounds of, ii. 61
Picric acid as antiseptic, i. 67
for preparation of operative field, i. 178
in burns, i. 821
Pigeon-toe, iii. 495
Pilcher's catheterizing cystoscope, iii. 189,
701
method of suprapubic prostatectomy
in two stages, iii. 244
Piles, 69. See also *Hemorrhoids*.
Pillow extension in fractures, i. 493
Pilocarpin hydrochlorid as miotic, ii. 118
Pimples, i. 835
Pin sutures, i. 197
Pinguecula, ii. 124
Pirogoff's disarticulation of foot at ankle-
joint, iii. 585
Pituitary body, nasal approach to, ii. 89
operations on, ii. 82
anesthesia in, ii. 83
approach by bucconasal route, ii. 92
by frontal route, ii. 85
by nasal route, ii. 88
choice of, ii. 83
combined frontal and nasal, ii. 90
high nasal, ii. 90
nasal, with removal of septum, ii. 88
routes of approach, ii. 82
simple transnasal, ii. 88
surgical anatomy, ii. 83
total removal, ii. 83
tumors of, ii. 83
extract for treatment of shock, i. 217
Pituitrin in acute intestinal stasis, ii. 614
in paralytic ileus, ii. 553
Pityriasis rosea, i. 836
Plantar fascia, division of, for hollow foot,
iii. 489
Plasma marina in septicemia of unknown
origin, i. 261
Plaster lacing, i. 55
moleskin, i. 54
protective, adhesive, i. 54
resin, i. 55
Plaster-bed, reclining, in Pott's disease, ii.
327
Plaster-of-Paris bandages, i. 57
in fracture of lower jaw, i. 544
case in fractures of shaft of femur, i. 591
correction for club-foot, iii. 469
jackets in Pott's disease, ii. 329-335
splints, i. 477
bisected case, i. 481
fenestra in, i. 481
gutter, i. 483
in tuberculosis of hip, i. 668
method of application, i. 477

Plaster-of-Paris splints, method of cutting,
i. 481
of making, i. 478
traction after application, i. 479
Plastic ankylosing arthritis, i. 662
linitis, ii. 702
operations, iii. 622
amputation as, iii. 498
flaps in, iii. 622
for absence of lip, iii. 655
for coloboma, iii. 653
for defects of cheeks, iii. 657
not involving whole thickness, iii.
657
with double transplanted flap of
forearm, iii. 665
of mucous membrane of cheek, iii.
665
for ectropion of lower lip, iii. 654
for elongated lobule of nose, iii. 685
for large lobule of nose, iii. 685
nostrils, iii. 685
for lateral deflection of nose, iii. 680
for lop-ear, iii. 652
for macrostoma, iii. 655
for microstoma, iii. 656
for misshaped nasal orifices, iii. 686
for partial defects of nose, iii. 677
for pug-nose, iii. 684
for reconstruction of nose, iii. 666
for restoring auricle, iii. 649
end of nose, iii. 679
lower jaw, iii. 682
nasal septum, iii. 680
parts of auricle, iii. 652
size of auricle, iii. 652
small defects of nasal wings, iii. 680
whole thickness of cheek, iii. 657
for saddle-nose, iii. 682
for small lobule of nose, iii. 685
for thick nasal subseptum, iii. 686
wings, iii. 686
making bridge of skin for transplanta-
tion in, iii. 635
massive skin transplantations in, iii. 635
on auricle, iii. 649
on cheek, transplanting flap with tem-
poral artery in, iii. 660
on face, iii. 622
on head, iii. 649
on humped-nose, iii. 683
on lips, iii. 654
on mouth, iii. 655
on nose, iii. 666
minor, iii. 683
preserving circulation in flaps, iii. 623
silver foil for covering wounds in, iii.
624
sliding flaps for, iii. 629
stretching skin in, iii. 626
technic, iii. 624
turning in skin surface to take place of
mucous membrane in, iii. 635
undercutting skin for, iii. 629
using sliding flaps with facial artery,
iii. 663
with pedunculated flaps, iii. 635

- Plastic operations with reversed pedunculated flaps, iii. 635
with sliding flaps, iii. 630
reconstruction of finger, iii. 458
- Plates for flat-foot, iii. 486
lateral, for suture of arteries, i. 376
metallic, in fractures, i. 507, 508
- Pleth's knitting needle method of intestinal anastomosis, ii. 677
- Pleura, ii. 399
anatomy, ii. 399
cervical, ii. 399
costal, ii. 399
diaphragmatic, ii. 399
infection of, with wounds of lung, ii. 414
operations through, with increased intra-pulmonary pressure, ii. 446
pulmonary, ii. 399
tumors of, ii. 445
wounds of, ii. 399
- Pleural shock from artificial pneumothorax, ii. 417
- Pleurisy with effusion from artificial pneumothorax, ii. 417
- Plexiform neuroma of scalp, ii. 24
- Plexus, brachial, i. 892. See also *Brachial plexus*.
- Plication of anterior fold of broad ligament for retroversion, iii. 392
of arteries in aneurism, i. 384
- Plug, epithelial, in external auditory canal, ii. 306
- Plumper for prosthesis in upper jaw, i. 727
of lower jaw, i. 728
- Pneumatic extension in fractures, i. 494
suit, Crile's, for prevention of shock, i. 216
- Pneumatocele, pericardial, ii. 24
- Pneumectomy, ii. 456
in bronchiectasis, ii. 420
in tuberculosis, ii. 416
- Pneumococcus arthritis, i. 660
- Pneumogastric nerve, injuries and diseases of, i. 891
- Pneumolysis, interpleural, in tuberculosis, ii. 418
in bronchiectasis, ii. 420
in tuberculosis, ii. 418
- Pneumonia after abdominal operations, ii. 534
aspiration, from ether, i. 105
postoperative, prevention of, i. 180
- Pneumothorax, ii. 400
artificial, gas embolism from, ii. 417
in tuberculosis, ii. 416
indications for, ii. 417
length of treatment, ii. 418
mortality in, ii. 417
pleural infection from, ii. 417
shock from, ii. 417
pleurisy with effusion from, ii. 417
results, ii. 418
subcutaneous emphysema in, ii. 417
- Pneumotomy, ii. 456
in bronchiectasis, ii. 419
- Point, auricular, ii. 45
condyloid, of inferior maxilla, ii. 45
midsagittal, ii. 451
- Point, midzygomatic, ii. 45
superior Rolandic, ii. 46
supra-auricular, ii. 45
Sylvian ii. 46
- Poisoning, ergot, gangrene from, i. 318
from irritating gases, iii. 721
from local anesthetics, i. 138
gas, iii. 716, 720
ivy, i. 825
mercuric chlorid, iii. 806
primrose, i. 826
ptomain, i. 259
sewer-gas, iii. 721
skin, i. 825
sumac, i. 825
- Poisons, gangrene from, i. 320
- Poliomyelitis, anterior, ii. 326
- Politzer's bag for inflating middle ear, ii. 301
- Polonium, iii. 709
- Poly cystic degeneration of kidney, iii. 151
- Polydactylism, iii. 457
- Polymastia, ii. 472
- Polymerized formaldehyd as antiseptic, i. 68
- Polymyositis, acute, i. 791
- Polyoid adenomata of intestines, ii. 582
- Polyps of bladder and urethra, fulguration for, iii. 703
of maxillary antrum, ii. 197
of uterus, iii. 372
of vagina, iii. 356
rectal, iii. 75
- Polythelia, ii. 472
- Pope's method of preventing adhesions in abdominal operations, ii. 522
- Popliteal aneurism, i. 399
artery, compression of, for hemorrhage, i. 367
ligation of, i. 437
blood-vessels, injury of, in fractures of lower end of femur, i. 595
nerve, external, injuries of, i. 898
space, anatomy of, i. 437
- Port-wine stains, i. 453
radium in, iii. 714
- Portal vein, anastomosis of, with vena cava, in ascites, ii. 561
thrombosis of, i. 457
vena cava and, anastomosis between, i. 458
- Portio vaginalis, iii. 325
- Position for general anesthesia, i. 94
knee-chest, iii. 398
elevated, iii. 398
Sims' lateral, iii. 398
secured on operating table, i. 86
- Posterior cervical nerves, resection of, in torticollis, ii. 376
sclerotomy, ii. 157
- Postfebrile gangrene, i. 320
- Postherpetic neuralgia, i. 865
- Postmeatal triangle of ear, ii. 300
- Postmortem Cesarean section, iii. 408
Postmuscular oblique abdominal section, ii. 511
vertical abdominal section, ii. 512

- Postoperative dilatation of stomach, ii. 615
 hemorrhage, prevention, i. 181
 intra-abdominal hemorrhage, ii. 524
 pneumonia, prevention of, i. 180
 tetanus, i. 270
 treatment, i. 225
 of abdominal operations, ii. 529
 vomiting, ii. 615
- Postpartum hemorrhage, Momburg's constriction belt in, i. 365
- Post's anesthetic mixture, i. 119
- Posttraumatic neuroses, ii. 102
- Postural scoliosis, ii. 352, 353
- Potassium bitartrate for suppurating wounds, i. 212
- hydrate as caustic, i. 73
- hypochlorite as antiseptic, i. 64
 treatment of infected wounds, i. 247
- iodid in syphilis, i. 290
- mercuric iodid method for catgut, i. 35
- permanganate as antiseptic, i. 67
- Pott's disease, ii. 327
 abscess in, ii. 335. See also *Abscess in Pott's disease*.
 after-treatment on recumbent frame, ii. 334
 ambulatory treatment, ii. 329
 bone grafts in, i. 776. See also *Bone grafts of spine*.
 Bradford's frame in, ii. 328
 care of skin in, ii. 334
 corset in, ii. 334
 duration of treatment, ii. 338
 head support in, ii. 333
 horizontal fixation in, ii. 327
 jacket applied in, for cervical and upper dorsal disease, ii. 332
 high, ii. 332
 in suspension hammock, ii. 329
 with patient in prone position, ii. 329
 on back, ii. 331
 suspended, ii. 331
- jury-mast in, ii. 333
- Lorenz's reclining plaster-bed in, ii. 328
- lumbar involvement in, ii. 334
- metallic braces in, ii. 333
- operations on bodies of vertebrae in, ii. 337
- operative treatment, ii. 338
- paralysis in, ii. 337
- prognosis, ii. 335
- recumbent treatment, ii. 327
- fracture, i. 606
- puffy swelling of cranial bones, ii. 41
- Poultice for inflammations, i. 234
 in wound infection, i. 28
- Poupert's ligament, ligation of femoral artery below, i. 435
- Pregnancy, appendicitis in, iii. 102
 as factor in operation, i. 182
 ectopic, iii. 435
 dead fetus in, iii. 437
 rupture of tube in, iii. 435
 transplantation of, from Fallopian tube to uterus iii. 437
- Pregnancy, ectopic, with fetus growing in abdomen, iii. 436
 hysterectomy in, iii. 425
 treatment of mother in, for syphilis, i. 301
- Preparation of patient, i. 176. See also *Patient, preparation of*.
- Prepatellar bursitis, iii. 465
- Prepuce, iii. 248
 adherent, iii. 253
 dorsal incision of, iii. 257
 frenum of, rupture of, iii. 250
 short, iii. 254
 of clitoris, adhesions of, iii. 328
- Preputial balanitis, iii. 251
- Presacral abscess, iii. 459
- Presenile gangrene, i. 320
- Pressure as hemostatic, i. 334
 for chronic inflammation, i. 250
 ulcers, i. 313
- Pressure-pad in gastropexy, ii. 711
- Pretibial bursitis, iii. 465
- Prevention of adhesions, ii. 515, 520, 521
- Prevesical space, iii. 182
- Priapism, iii. 254
- Primrose poisoning, i. 826
- Private houses, operations in, i. 169
- Probes, i. 75
- Processus pyramidalis, ii. 380
- Procidentia uteri, iii. 375
- Proctectomy for rectal cancer, iii. 75
- Proctitis, iii. 61
 syphilitic, iii. 61
 tubercular, iii. 61
 ulcerative, iii. 61
- Proctoclysis, i. 344; iii. 55
 after abdominal operations, ii. 533
 apparatus for, iii. 56, 57
 device for heating solution for, ii. 58
 glucose solution in, iii. 58
 in peritonitis, ii. 547
 length of time for, iii. 56
 salt solution for, iii. 57
 sea-water, for thirst, iii. 58
 sugar solution for, iii. 58
 uses, iii. 56
- Proctopexy for rectal prolapse, iii. 68
- Proctoscope, iii. 56
- Proctotomy, external, in rectal cancer, iii. 75
 stricture, iii. 65
 internal, in stricture of rectum, iii. 65
 vaginal, for rectal cancer, iii. 75
- Proflavin for infected wounds, iii. 810
- Prognathism, ii. 281
 operative treatment, iii. 688
 with malocclusion, ii. 283
- Prolapse of intestines, ii. 616
 of lacrimal gland, ii. 136
 of liver, iii. 113
 of ovary, iii. 434
 of rectum and anus, iii. 67
 alcohol injections in, iii. 68
 amputation in, iii. 68
 cautery in, iii. 67
 intestinal anastomosis in, iii. 69
 operation in, for narrowing caliber, iii. 68
 paraffin injections in, iii. 68

Prolapse of rectum and anus, proctopexy for, iii. 68
tamponing in, iii. 68
of spleen, ii. 784
of urethra, iii. 331
of uterus, iii. 376
Goffe's operation for, iii. 379
Harris' operation for, iii. 379
hysterectomy for, iii. 380
in young girls, iii. 376
interposition in, iii. 378
operative treatment, iii. 376
paraffin prosthesis for, iii. 691
pessary for, iii. 376
prevention, iii. 376
Walbaum's operation for, iii. 379
Proliferative endometritis, chronic, iii. 370
Propasín in local anesthesia, i. 137
Prostate, iii. 226
abscess of, iii. 229
anatomy, iii. 226
atrophy of, iii. 248
cancer of, iii. 246
radium in, iii. 712
capsule of, iii. 227
cysts of, iii. 248
diseases of, as factor in operation, i. 182
fibroma of, iii. 246
hypertrophy of, iii. 231. See also *Hypertrophy of prostate*.
infections of, iii. 229
injuries of, iii. 228
irritable, iii. 248
massage of, for prostatitis, iii. 230
myoma of, iii. 246
preparation of, for operation, i. 180
sarcoma of, iii. 248
stone in, iii. 248
thickening of isthmus, urinary retention from, iii. 212
tuberculosis of, iii. 230
tumors of, iii. 246
Prostatectomy, anesthesia for, iii. 234
choice of operation, iii. 233
for cancer, iii. 247
for hypertrophy, iii. 232
indications for, iii. 232
perineal, iii. 234
for cancer, iii. 247
hemorrhage in, iii. 236
incision for, iii. 235
preparation for operation, iii. 233
suprapubic, iii. 237. See also *Suprapubic prostatectomy*.
Prostatic bars, iii. 244
sinuses, iii. 249
urethra, iii. 249
urethrotomy, for stricture, iii. 299
Prostatitis, acute, iii. 229
chronic, iii. 230
massage of gland for, iii. 230
Prostatorrhea, iii. 248
Prostatotomy, galvanocautic, for hypertrophy, iii. 232
Prosthesis for defects after resection of jaws, i. 726

Prosthesis for lower jaw, i. 728
plumper for, i. 728
of upper jaw, i. 726
plumper for, i. 727
paraffin, iii. 688. See also *Paraffin prosthesis*.
rubber, in paralysis of muscles, i. 796
Prosthetic apparatus, iii. 607
end-bearing stumps for, iii. 614
for face, iii. 686
for lower extremities, iii. 611
motor, iii. 611
for upper extremities, iii. 607
motor, iii. 607
hook-arm, iii. 609
simple, iii. 609
with movable joints, without cineplastic stumps, iii. 608
supports in rhinoplasty, iii. 667
Prostration as contra-indication to operation, i. 180
Protargol as antiseptic, i. 67
Protective inoculations, i. 255
materials, impervious, i. 52
Protectors, i. 48
perineal, i. 48
Proteid, injections of, i. 21
Prurigo, i. 836
x-rays in, iii. 704
Pruritus, i. 843
ani, i. 843
autogenous vaccines in, iii. 65, 818
operative treatment, iii. 66
phenol in, iii. 66
radium in, iii. 713
of genitals, i. 843
radium in, iii. 713
x-rays in, iii. 704
Psammoma of brain, ii. 75
Pseudoleukemia, i. 464
x-rays in, i. 465; iii. 705
Pseudomembranous conjunctivitis, ii. 123
Psoas abscess in Pott's disease, ii. 337
parvus muscle, contracture of, simulating appendicitis, i. 796
Psoriasis, i. 833
chrysarobin-serum treatment, i. 835
local treatment, i. 834
of tongue, i. 834; ii. 289
radium in, iii. 713
vaccines in, i. 835
x-rays in, iii. 705
Psychic treatment of shock, i. 216
Psychoses, traumatic, ii. 102
Pterygium, ii. 124
operations for, ii. 149
Ptomain poisoning, i. 259
Ptosis of eyelids, ii. 119
operations for, ii. 138
of hepatic flexure of colon, ii. 616
of splenic flexure of colon, ii. 616
of transverse colon, ii. 616
of upper eyelid, ii. 120; iii. 820
Pubotomy, iii. 410
Pubic artery, internal, ligation of, i. 431
nerve, blocking of, i. 153

Puerperal injuries of pelvic outlet, iii. 333
 pyemia, iii. 371
 septicemia, iii. 370
 vaccine and serum therapy in, i. 257
 Puffy swelling of cranial bones, ii. 41
 Pug-nose, plastic operation for, iii. 684
 Pulmonary artery, embolism of, i. 457
 diseases as factor in operation, i. 182
 emphysema, rib resection in, ii. 419
 hyperemia, postoperative, i. 227
 pleura, ii. 399
 Pulsating exophthalmos, ii. 137
 in arteriovenous aneurism of cavernous sinus, ii. 73
 Pulse in general anesthesia, i. 98.
 Punch operation for prostatic bars, iii. 245
 Puncta lacrimalia, malposition of, ii. 136
 Puncture skin-grafting, iii. 643
 Puncture, laryngeal, anesthesia by, i. 125
 lumbar, ii. 348. See *Lumbar puncture*.
 of kidney, exploratory, iii. 163
 of pregnant uterus, iii. 361
 of renal pelvis, iii. 163
 venous, i. 453
 Punctured wounds, i. 219
 of joints, i. 654
 of liver, iii. 107
 of uterus, iii. 360
 Purgation, dangers of, before operation, iii. 808
 Purpura, hemorrhage in, i. 360
 Purse-string operation for small umbilical hernia, iii. 41
 suture, i. 201
 for closing lumen of intestines, ii. 681
 infolding, iii. 809
 of intestines, ii. 635
 Purulent nonspecific conjunctivitis, ii. 121
 Pus in vitreous, ii. 134
 inoculations in suppuration, i. 258
 kidney, iii. 148
 Putrefactive organisms, wound infection with, i. 212
 Pyelitis, iii. 147
 chronic, iii. 147
 suppurative, iii. 147
 Pyeloplication in hydronephrosis, iii. 153
 Pyelotomy, iii. 164
 Pyemia, i. 260
 puerperal, iii. 371
 Pyloreectomy, ii. 747
 partial, ii. 751
 gastrojejunostomy after, ii. 755
 shock in, ii. 776
 Pyloric end of stomach, cancer of, operation for, ii. 756
 resection of, ii. 751
 gastrojejunostomy after, ii. 755
 stenosis, ii. 717
 acquired hypertrophic, ii. 720
 cicatricial, ii. 720
 congenital, ii. 717
 indications for operation in, ii. 719
 mortality from, ii. 719
 of infancy, ii. 717
 posterior gastro-enterostomy in, ii. 719
 simple, pyloroplasty in, ii. 740

Pyloric stenosis, spasmotic, ii. 720
 ulcer, ruptured, pyloroplasty in, ii. 740
 Pylorodiosis, ii. 737
 Pyloroplasty, ii. 740
 angular clamp for, ii. 747
 by single incision, ii. 740
 feeding after, ii. 778
 freeing duodenum for, ii. 739
 in duodenal ulcer, ii. 578
 indications for, ii. 740
 with gastroduodenostomy, ii. 741
 Pylorospasm, pyloroplasty in, ii. 740
 Pylorus, anatomy, ii. 698
 carcinoma of, ii. 720
 exclusion of, ii. 771
 permanent occlusion of, in duodenal ulcer, ii. 578
 reconstruction of, ii. 776, 777
 Pyocyaneus infection, i. 261
 Pyoktanin as antiseptic, i. 71
 in inoperable cancer, i. 332
 Pyonephrosis, iii. 148
 Pyorrhea alveolaris, ii. 277
 Pyothorax, ii. 402. See also *Empyema*.
 Pyxol as antiseptic, i. 70

QUADRICEPS extensor of thigh, paralysis of, tendon transplantation in, i. 812
 femoris muscle, tendons of, luxations of, i. 812
 Quinin and urea chlorid injections in hemorrhoids, iii. 70
 hydrochlorid, as local anesthetic, i. 137
 injections in hyperthyroidism, ii. 390
 hydrochlorid as antiseptic, i. 71
 Quinsy, ii. 212

RACE as factor in surgical treatment, i. 17
 Rachitic spine, ii. 350
 torticollis, ii. 377
 Racket method of amputation, iii. 516
 Radial artery, ligation of, i. 421
 of deep palmar branch, i. 426
 bursa, infections of, iii. 448, 449
 Radiation for cancer of uterus, iii. 424
 injuries from, iii. 716
 Radical mastoid operation, ii. See also *Mastoid operation, radical*.
 Radiotherapy, iii. 709
 Radium, iii. 709
 alpha rays of, iii. 709
 applicators, iii. 709, 713
 beta rays of, iii. 709
 compress, iii. 715
 dosage, iii. 709
 effect on cancer tissue, iii. 710
 emanation, iii. 709
 filters for rays of, iii. 709
 for inoperable epithelioma of face, iii. 710
 gamma rays of, iii. 709
 in angioma, iii. 714
 in cancer of bladder, iii. 712
 of breast, iii. 713
 of esophagus, iii. 712
 of pelvis, iii. 714
 of prostate, iii. 712

- Radium in cancer of rectum, iii. 712
 of stomach, iii. 712
 of uterus, iii. 711
 of vagina, iii. 711
 in chronic eczema, iii. 713
 in epithelioma of tongue, iii. 712
 in exophthalmic goiter, iii. 713
 in fibroid tumors of uterus, iii. 712
 in hyperthyroidism, ii. 390
 in inoperable cancer, i. 333
 in keloids, iii. 713, 714
 in keratosis from x-rays, iii. 714
 in lupus erythematosus, iii. 713, 714
 in myomas of uterus, iii. 712
 in nevus of scalp and face, iii. 714
 in pruritus, iii. 713
 ani, iii. 713
 in psoriasis, iii. 713
 in sarcoma, iii. 713
 in sycosis vulgaris, iii. 714
 in warts, iii. 713
 salts of, iii. 709
- Radius and ulna, union of, iii. 451
 dislocations of, backward, i. 637
 congenital, i. 618
 forward, i. 637
 old, i. 638
 outward, i. 637
 excision of, i. 731
 fractures of, i. 572
 of head, i. 572
 of lower end, i. 575. See also *Fracture, Colles'*.
 of neck, i. 572
 of shaft, i. 573
 resection of, i. 731
 subluxations of head, by traction, i. 637
- Ransohoff's operation for sliding hernia of large intestine, iii. 49
- Ranula, ii. 291
- Raynaud's gangrene, i. 318
- Reaction, electric, of motor areas of brain, testing for, ii. 51
- Reactionary hemorrhage, i. 358
- Reading, brain center of, ii. 44
- Rebreathing in anesthesia, i. 123
- Receptaculum chyli, septic infection of, ii. 361
 wounds of, i. 460
- Reconstruction of bladder, iii. 226
 of finger, plastic, iii. 458
 of nose, plastic, iii. 666
 of pylorus, ii. 776, 777
- Reconstructive operation in aneurism, i. 389
- Recovery room, i. 167
- Rectal anesthesia, ether vapor, i. 114
 oil-ether, i. 110. See also *Oil-ether rectal anesthesia*.
- drainage in abdominal operations, ii. 528
- injections in appendicitis, ii. 549
- speculum, hinged, iii. 55
 open-frame, iii. 55
- tube after abdominal operations, ii. 531
- Rectocele, iii. 342
- Recto-uterine ligaments, iii. 325
 pouch, iii. 324
- Rectovaginal cul-de-sac, iii. 325
 fistula, iii. 67, 355
- Rectovesical fistula, iii. 66
- Rectum, iii. 53
 adenoma of, iii. 74
 anatomy, iii. 53
 and anus, prolapse of, iii. 67
 cancer of, iii. 75. See also *Cancer of rectum*.
 erosions of, iii. 61
 foreign bodies in, iii. 66
 imperforate, iii. 66
 implantation of ureters into, iii. 179
 inflammation of, iii. 61. See also *Proctitis*.
 injuries of, iii. 60
 lacerations of, old complete, iii. 342
 of perineum into, complete, iii. 334
 operation on, inspiratory moan in, iii. 61
 local anesthesia in, i. 152
 papilloma of, iii. 74
 polyps of, iii. 75
 preparations for operation on, iii. 54
 stricture of, iii. 64
 external proctotomy in, iii. 65
 internal proctotomy in, iii. 65
 syphilitic, iii. 65
- tumors of, iii. 74
 benign, iii. 74
 malignant, iii. 75
- ulceration of, amebic, iii. 61
- upper part, cancer of, ii. 591
- wounds of, iii. 60
- Rectus muscle, advancement of, ii. 176
 folding operation on, ii. 176
 internal, tenotomy of, in strabismus, ii. 175
- shortening of, ii. 176
- Recurrent bandage, iii. 742
- dislocations, i. 612
- laryngeal nerve, anatomy, ii. 380
 injuries and diseases of, i. 892;
- Redundant sigmoid, chronic intestinal stasis from, ii. 612
- Reeducation of crippled, iii. 615
- Regional anesthesia, i. 127
- Reid's method of craniocerebral localization, ii. 49
- Reindeer tendon sutures, i. 37
- Relaxation incisions for scars, iii. 693
 of ligaments of spine, i. 357
 of sacro-iliac joint, iii. 459
- Relaxed abdominal wall, ii. 540
 crucial ligament, i. 653
 knee-joint, i. 686
- Renal. See *Kidney*.
- Replacement of amputated fingers, iii. 649
- Resection, double, in nontoxic goiter, ii. 385
 intestinal, ii. 636
 of alveolar process of lower jaw, i. 725
 of upper jaw, i. 723
- of ascending colon, indications for, ii. 642
- of bladder, iii. 224
- of bones, i. 717
 of pelvis, i. 732
- of calcaneum, i. 734

Resection of cardia for cancer, ii. 756
 of cecum, indications for, ii. 642
 of clavicle, i. 729
 of colon, preventing obstruction to passage of gas in, ii. 644
 of costal cartilages in rigidity of chest, ii.
 422
 in tuberculosis, ii. 419
 of esophagus, of lower segment, ii. 470
 of eyelids, blepharoplasty for, ii. 147
 of femur, i. 732
 of fibula, i. 734
 of half of body and ramus of lower jaw, i. 725
 of lower jaw, i. 724
 of head of scapula, i. 730
 of humerus, i. 730
 of jaws, defects after, prosthetic apparatus for, i. 726
 of joints, i. 738
 of knee-joint, i. 751
 of liver, iii. 112
 of lower jaw, i. 724
 segment of upper jaw, i. 722
 of metacarpal bones, i. 731
 of outer wall of orbit, ii. 163
 of part of lobe of thyroid gland, ii. 389
 of phalanges, i. 731
 of posterior cervical nerves in torticollis, ii. 376
 of pyloric end of stomach, ii. 751
 gastrojejunostomy after, .ii. 755
 of radius, i. 731
 of rectum with preservation of sphincter ani for cancer, iii. 84
 of scapula, i. 730
 of segment of lower jaw, i. 726
 of spermatic nerve plexus for dysmenorrhea, iii. 396
 of spinal accessory nerve in torticollis, ii. 376
 of spleen, ii. 787
 of thoracic esophagus, ii. 463
 of tibia, i. 733
 of trachea, ii. 237
 of transverse colon, with preservation of omentum, ii. 646
 of ulcer of stomach, ii. 759
 of ulna, i. 731
 of upper jaw, 717
 segment of upper jaw, i. 723
 of zygoma for exposure of temporomaxillary joint, i. 740
 osteoplastic, of anterior portion of palate, i. 723
 of hard palate, i. 723
 submucous, of nasal septum, ii. 190
 Resin plaster, i. 54
 Resistance to disease as factor in surgical treatment, i. 19, 26
 Respiration, artificial, iii. 717, 730. See also *Artificial respiration*.
 in general anesthesia, i. 98
 in general anesthesia, i. 97
 Respiratory resuscitation apparatus, iii. 728
 Rest treatment for infected wounds, i. 187
 for infections of extremities, iii. 444
 in tuberculosis, i. 279

Rest treatment of acute inflammation, i.
 229
 of chronic inflammation, i. 250
 Resterilization of supplies, i. 51
 Restoration of amputated fingers, iii. 458
 plastic, of auricle, iii. 649
 of totally destroyed nose, iii. 666
 Restorative operation in aneurism, i. 389
 Restraint in general anesthesia, i. 101
 Resuscitation after hanging, iii. 733
 apparatus, respiratory, iii. 728
 artificial respiration for, iii. 730
 by heart massage, iii. 821
 by intratracheal insufflation, iii. 730
 in asphyxia, iii. 733
 in drowning, iii. 733
 in smoke asphyxia, iii. 733
 mouth-to-mouth inflation for, iii. 730
 Retention of urine, iii. 209
 from acute inflammation of deep urethra, iii. 210
 from atonic overdistention, iii. 209
 from bacteriuria, iii. 212
 from blood-clot in bladder, iii. 212
 from contracture at vesical meatus, iii.
 212
 from cystitis, iii. 212
 from foreign bodies in urethra, iii. 211
 from hematoma, iii. 211
 from hypertrophy of prostate, iii. 211
 from infiltration of perineum, iii. 211
 from nervous disorder, iii. 209
 from rupture of urethra, iii. 210
 from spasmodic stricture, iii. 210
 from stone in bladder, iii. 211
 from thickening of prostatic isthmus, iii. 212
 from tumor compressing urethra, iii.
 211
 from urethral cancer, iii. 212
 postoperative, i. 226
 stricture of urethra with, iii. 299
 Retina, detachment of, ii. 134
 diseases of, ii. 134
 glioma of, ii. 135
 hemorrhage into, ii. 135
 Retinitis, ii. 134
 diabetic, ii. 134
 hemorrhagic, ii. 134
 leucocytic, ii. 134
 nephritic, ii. 134
 syphilitic, ii. 134
 Retracted nipples, ii. 473
 Retractors, i. 77, 78
 extemporized, i. 87
 for abdominal operations, ii. 514, 515
 vaginal, iii. 398
 Retro-auricular glands, ii. 363
 Retroflexion of uterus, iii. 386
 Retro-mental route of approach to pancreas, ii. 779
 Retro-orbital tubercle, ii. 46
 Retroperitoneal abscess, ii. 563
 cysts, ii. 564
 disease, ii. 563
 exposure of ureter and kidney, iii. 171
 hernia, iii. 50

- Retroperitoneal infection, ii. 563
tumors, ii. 563
- Retropharyngeal abscess, ii. 205
in Pott's disease, ii. 335
- glands, ii. 363
- Retro-uterine plication of round ligaments
for retroversion, iii. 392
- Retroversion of uterus, iii. 386
anterior peritoneal fixation for, iii. 393
chronic, iii. 389
fixation of round ligaments in abdominal
wall for, iii. 391
from childbirth, iii. 388
from miscarriage, iii. 388
from traumatism, iii. 389
intra-abdominal fixation of round liga-
ments for, iii. 392
operations for, iii. 390
pessaries in, iii. 387, 388
plication of anterior of broad ligament
for, iii. 392
recent, iii. 389
retro-uterine plication of round liga-
ments for, iii. 392
shortening of round ligaments for, iii.
390
ventrosuspension for, iii. 393
- Reverdin's method of skin-grafting, iii. 644
- Rheumatic arthritis, i. 660
fever, i. 660
iritis, ii. 129
synovitis, i. 660
torticollis, ii. 377
- Rheumatism, i. 658, 660
articular acute, i. 660
- Rheumatoid arthritis, i. 661
- Rhinitis, acute simple, ii. 186
in children, ii. 186
atrophic, ii. 187
chronic, ii. 186
simple, ii. 186
hyperplastic, ii. 187
membranous, ii. 186
suction treatment, ii. 186
- Rhinoliths, ii. 188
- Rhinophyma, ii. 188
- Rhinoplasty, iii. 666
bony and cartilaginous supports for flaps
in, iii. 669
by soft flaps, iii. 667
complete, iii. 666
osteoplastic, iii. 669
partial, iii. 677
prosthetic supports in, iii. 667
soft-flap, with septum reconstruction, iii.
667
transfer of bone and cartilage from dis-
tant parts in, iii. 672
with cartilage from costal arch, iii. 673
with cartilaginous support, iii. 671
with double skin flaps, iii. 667
with foreign body support, iii. 677
with transfer of bone and cartilage from
distant parts, iii. 672
with transplanting of distant structures,
iii. 674
of little finger, iii. 674
- Rhinorrhea, cerebrospinal, ii. 73
- Rhinoscleroma, x-rays in, iii. 705
- Rhizotomy, ii. 344
in gastric crises of tabes, ii. 347
in neuralgia, ii. 346
in spastic paralysis, ii. 346
- Ribs, caries of, ii. 398
cervical, ii. 373
dislocation of, i. 623
fractures of, i. 549
necrosis of, ii. 398
resection, in pulmonary emphysema, ii.
419
syphilis of, ii. 398
tuberculosis of, ii. 398
- Rib-trephining for empyema, ii. 407
- Richardson's double figure-of-eight suture,
ii. 510
- Rickets, i. 321
- Rider's thigh, i. 788
- Ridge, superciliary, ii. 46
of supra-orbital arch, ii. 46
- Riggs' disease, ii. 277
- Rigid flat-foot, iii. 488
- Rigidity of chest, ii. 421
- Ring fingers, infection of, iii. 447
- Ringer's solution, i. 58
- Ringworm, i. 839
of scalp, i. 839, 840
vaccines in, i. 840
- Ripening, artificial, in cataract, ii. 133
- Ritschl's dorsal pad for talipes cavus, iii.
489, 490
- Rivallie's caustic, i. 74
- Roberts' treatment for ptosis of upper eyelid,
iii. 820
- Robinson's apparatus for intratracheal
insufflation, ii. 450
method of thoracoplasty, ii. 410
muscle implantation in empyema, ii.
411
- Robson's decalcified bone bobbin for intes-
tinal anastomosis, ii. 675
technic for jejunostomy, ii. 697
- Rodent ulcer, i. 315
- Rogers' laryngeal intubation tube, ii. 220
- Rolandic fissure, ii. 46
lower end, ii. 46
point, superior, ii. 46
- Rolled splints, i. 477
- Roller bandage, improvised from square,
iii. 794
forceps operation in trachoma, ii. 150
- Rollier treatment of tuberculosis, i. 280;
iii. 707
- Röntgen rays. See X-rays.
- Root infections of teeth, ii. 275
- Rosenstein's method of drainage in ascites,
ii. 561
- Rotary dislocations of knee, i. 648
of patella, i. 648
- Rotation, inward, of feet, iii. 495
of testicles, iii. 307
- Round ligaments, iii. 325
fixation of, in abdominal wall, [for
retroversion, iii. 391
hydrocele of, iii. 316

Round ligaments, intra-abdominal fixation of, for retroversion, iii. 392
retro-uterine plication of, for retroversion, iii. 392
shortening of, for retroversion, iii. 390
shoulders, ii. 351
Round-cell sarcoma, small, of bones, i. 709
Roulette's method of drainage in ascites, ii. 560
Roux's method of anterior gastrojejunostomy, ii. 771
of esophagogastrojejunostomy, ii. 464
Rovsing's method of gastropexy, ii. 713
operation of nephrolysis, iii. 170
Rubber bandages, i. 56
cushions, i. 22, 23
dam, i. 53
drainage tubes, i. 45
finger cots, i. 53
gloves, care of, i. 174
method of adjusting, i. 174
sterilization of, i. 52. See also *Gloves, rubber, sterilization.*
ligature method of intestinal anastomosis, ii. 675
pads, i. 53
prosthesis in paralysis of muscles, i. 796
protective for open wounds, i. 209
sheeting, i. 53
tissue, i. 53
Rubefacients for inflammations, i. 234
Rückstand tuberculin, i. 257
Rudimentary penis, iii. 254
uterus, iii. 375
Rugh's operation for toe-drop, iii. 483
Runabout nurse, i. 169
Running ear, ii. 310
Rupture. See *Hernia.*
of abdominal muscles, ii. 535
of bladder, iii. 190
extraperitoneal, iii. 191
intraperitoneal, iii. 191
of choroid, ii. 131
of crucial ligaments, i. 653
of esophagus, ii. 432
of Fallopian tubes, iii. 430
of frenum of prepuce, iii. 250
of intestines, ii. 566
of kidney, iii. 144
of liver, iii. 106
of lung, ii. 413
of lymphatic vessels, i. 460
of perineum, iii. 333
of sphincter ani with laceration of perineum, iii. 342
of spleen, ii. 784
of stomach, ii. 702
of tendons, i. 797
of thoracic duct in abdomen, ii. 361
in thorax, ii. 361
of urethra, urinary distention from, iii. 210
of uterus, iii. 361
traumatic, of tympanic membrane, ii. 306
ulcerative, of tympanic membrane, ii. 306

Russell's operation for hypospadias, iii. 267
Ruth's operation in cancer of breast, ii. 489
Rydgyier's method in old unreduced hip dislocations, i. 647
of splenopexy, ii. 787
SAC, lacrimal. See *Lacrimal sac.*
Sacral epidural injections for anesthesia, i. 162
injection of salt solution for enuresis, iii. 208
pains, epidural injections for, iii. 461
Sacrococcygeal region, sinuses of, iii. 461
tumors of, iii. 460
Sacro-iliac joint, i. 651
bone-grafts in, i. 783
diseases of, ii. 355
injuries of, iii. 459
relaxation of, iii. 459
sprains of, i. 651
strains of, iii. 461
tuberculosis of, i. 680; ii. 355
Saddle-nose, ii. 192
hard-rubber bridge in, ii. 194
paraffin injections in, ii. 194
plastic operations for, iii. 682
swinging up half of lateral cartilage in, ii. 193
Safety-pin hemostat, Friedman's, in scalp operations, ii. 20, 22
Sagittal sinus, intravenous infusion into, in infants, i. 347
suture, ii. 46
Salicylic acid as antiseptic, i. 67
Saline infusion, i. 346
gum acacia in, i. 348
in amputation, iii. 501
in sagittal sinus in infants, i. 347
intracellular, i. 346
intravenous, i. 346
pack for infected wounds, i. 241
injections through biliary fistula, iii. 117
solutions, i. 58
chlorinated, i. 63
for filling bone cavities, i. 705
for proctoclysis, iii. 57
normal, as local anesthetic, i. 139
injections of, in sciatica, i. 878
Salivary ducts, calculi of, ii. 291, 379
fistula, parotid, ii. 377
glands, ii. 377
tumors of, ii. 379
Salpingitis, acute, iii. 426
chronic, iii. 427
nonacute, iii. 427
abdominal section in, iii. 427
vaginal operation in, iii. 427
subacute, iii. 427
tuberculous, iii. 428
Salpingo-ureterostomy, iii. 180
Salts, organic silver, as antiseptic, i. 66
Salvarsan in general paresis, i. 294
in inoperable cancer, i. 332
in locomotor ataxia, i. 294
in paresis, intraventricular injection, i. 296

Salvarsan in syphilis, i. 291
 apparatus for injection, i. 292, 293
 arsenical poisoning from i. 293
 by enteroclysis, i. 297
 by mouth, i. 297
 contraindications, i. 292
 dosage, i. 293
 following mercury, iii. 814
 intramuscular injections, i. 297
 intraspinal method, i. 294
 intraventricular injection, i. 296
 preparation of solution, i. 291
 subcutaneous injection, i. 297
 subdural intracranial injections, i. 296
 in yaws, i. 303
 technic of injection, i. 292
 Salvarsanized serum in syphilis, i. 295
 Sand bags, i. 82
 in treatment of varicose ulcers, i. 311
 Sand-fleas, bites of, i. 276
 Saphenous vein, anastomosis of, with peri-toneum, in ascites, ii. 560
 internal, ligation of, in varicose veins, i. 449
 Sarcoma, bone, i. 470
 cutis, x-rays in, iii. 705
 giant-cell, of long bones, i. 707, 709
 of abdominal wall, ii. 538
 of bones, i. 470
 mixed-cell, i. 709
 small round-cell, i. 709
 spindle-cell, i. 709
 of deeper parts, x-rays in, iii. 705
 of gums, ii. 280
 myeloid, ii. 280
 of intestines, ii. 583
 of jaws, ii. 286
 myeloid, ii. 286
 peripheral, ii. 286
 of kidney, iii. 151
 of peritoneum, ii. 564
 of prostate, iii. 248
 of skull, ii. 42
 of stomach, ii. 703
 of testicles, iii. 306
 of thyroid gland, ii. 381
 of tibia, i. 706
 of ulna, i. 707
 of uterus, iii. 375
 of vulva, iii. 328
 radium in, iii. 713
 Sartorius, tendons of, tenotomy of, i. 815
 Sawdust dressings, i. 42
 Sayre's dressing, modified, in fractures of clavicle, i. 552
 Scab formation in nose, ii. 187
 Scabies, i. 848
 Scaffold splint in fracture of shaft of humerus, i. 564
 Scalp, ii. 17
 abscess of, ii. 24
 accidental wounds of, ii. 18
 and chin, bandage of, iii. 786
 and face, bandage of, iii. 786
 avulsion of, ii. 23
 complete, ii. 23
 bandage of, cravat, iii. 784

Scalp, bandage of, double lateral, iii. 744
 cellulitis of, ii. 23
 contusions of, ii. 17
 eczema of, i. 832
 erysipelas of, ii. 24
 hematoma of, ii. 17
 infections of, ii. 23
 nevus of, radium in, iii. 714
 preparation of, for operation, i. 180; ii. 20
 ringworm of, i. 839, 840
 vaccines in, i. 840
 seborrhea of, i. 844
 tumors of, ii. 24
 wounds of, control of hemorrhage in, ii. 18
 infection in, ii. 18
 operative, ii. 19, 20
 suture of, ii. 19
 Scalpel, methods of holding, i. 184
 penholder hold of, i. 185
 table knife hold of, i. 185
 violin hold of, i. 184
 Scapula, excision of, i. 730
 fractures of, i. 556. See also *Fracture of scapula*.
 muscles moving, i. 892
 resection of, i. 730
 of head of, i. 730
 Scarf bandage, universal, iii. 793
 Scarification of ulcers, i. 310
 Scarlatina, surgical, i. 261
 Scarpa's triangle, lower part, ligation of femoral artery at, i. 435
 Scars, i. 225
 adherent, i. 225
 fat-grafts to prevent, iii. 648
 moist warm packs for stretching, iii. 693
 painful, i. 225
 relaxation incisions for, iii. 693
 Schäfer's method of artificial respiration, iii. 717
 in general anesthesia, i. 98
 Schede's method of approach for resection of thoracic esophagus, ii. 403
 of filling bone cavities with blood-clot, i. 704
 of obliterating empyema cavities, iii. 411
 Schiassi's serum, i. 58
 Schichhold method of reducing shoulder dislocations, i. 628
 Schleich's solutions, i. 119
 for local anesthesia, i. 135
 Schnellender finger, iii. 456
 Schroeder's apparatus for moving bones in fractures, i. 497
 Schultz's adenotome, ii. 209
 Schwartz's operation for reducing size of ear, iii. 652
 Sciatic artery, ligation of, i. 431
 hernia, iii. 45
 nerve, injuries of, i. 898
 Sciatica, i. 878
 in locomotor ataxia, i. 879
 injections of air in, i. 879
 of normal salt solution in, i. 878

Sciatica, nerve stretching in, i. 870
spinal anesthesia in, i. 879
Sclavo's serum in anthrax, i. 272
Sclera, diseases of, ii. 128
foreign bodies of, ii. 129
operations on, ii. 156
simple trephining of, in glaucoma, ii.
162
staphyloma of, ii. 120
trephines, ii. 163
tumors of, ii. 129
wounds of, ii. 120
Scleritis, ii. 128
Scleroderma, i. 843
Sclerokerato-iritis, ii. 128
Sclerosis of erectile bodies of penis, iii.
255
of ovary, iii. 431
Sclerotomy, anterior, ii. 156
combined with iridectomy, ii. 157
for glaucoma, ii. 161
internal, ii. 157
posterior, ii. 157
with trephine in glaucoma, ii. 162
Scoliosis, ii. 352
causes, ii. 352
corset for, ii. 353
decompression corset in, ii. 354
exercises in, ii. 353
functional, ii. 353
hammock for lateral correction in, ii.
354
inclined plane seat in, ii. 353
organic, ii. 354
paralytic, bone grafts in, i. 782
postural, ii. 353
posture in, ii. 352
prophylactic treatment, ii. 352
self-suspension in, ii. 353
structural, ii. 354
Scopolamin hydrobromide as mydriatic,
ii. 118
narcosis, i. 124
Scorbutic ulcers, i. 314
Scorpion, bites of, i. 276
Screws in fractures, i. 507
Scrotum, iii. 301
abscess of, iii. 302
anatomy, iii. 301
bandage of, iii. 777
suspensory, iii. 781
hammock, iii. 782
eczema of, i. 832
edema of, iii. 302
elephantiasis of, i. 464; iii. 302
elongation of, iii. 302
erysipelas of, iii. 302
gangrene and sloughing of, iii. 302
hemorrhage into, iii. 302
infections of, iii. 302
operations on, local anesthesia in, i. 152
tumors of, iii. 303
wounds of, iii. 301
Scrubbing hands, i. 173. See also *Sterilization of hands*.
Scurvy, i. 321
hemorrhage in, i. 360

Sea sponges, i. 42
water for inflammations, i. 234
in septicemia of unknown origin, i. 261
proctoclysis for thirst, iii. 58
Sebaceous cyst, i. 845
of face, ii. 115
of scalp, ii. 24
Seborrhea, i. 844
of eyelids, ii. 119
of scalp, i. 844
oleosa, i. 845
Secondary cataract, operations for, ii. 174
hemorrhage, i. 358
Section, abdominal, ii. 504. See also *Abdominal section*.
Cesarean, iii. 401, 404. See also *Cesarean section*.
Security, museums of, iii. 722
Seff and Berkowitz's treatment of paronychia, iii. 442
Self-performed operations, i. 224
Self-suspension in scoliosis, ii. 353
Semilunar cartilage of knee-joint, i. 652
Semimembranosus, tendons of, tenotomy of,
i. 815
Seminal vesicles, iii. 227, 301
calculus of, iii. 278
diseases of, iii. 275
drainage of, with vesiculotomy, iii. 278
exposure of, iii. 278
inflammation of, iii. 275
tuberculosis of, iii. 278
vesiculitis, vasopuncture for, iii. 277
vasostomy for, iii. 277
vasotomy for, iii. 276
Semitendinosus, tendons of, tenotomy of, i.
815
Senile endometritis, iii. 370
gangrene, i. 317
osteomalacia, i. 471
vaginitis, iii. 356
Senn's method of controlling hemorrhage in
of disarticulation of hip-joint, iii. 603
of gastrostomy through internal cone,
ii. 731
Sensory area of brain cortex, ii. 45
pain areas, i. 128
Septic abortion, iii. 371
infarction of kidney, iii. 146
infection, acute, as factor in operation, i.
182
of receptaculum chyli, ii. 361
peritonitis, acute, ii. 548
Septicemia, i. 259
antitoxins in, i. 260
bacteria causing, i. 259
blood transfusion in, i. 260
following wounds and abscesses, vac-
cines in, i. 257
of unknown origin, i. 261
intravenous injection of antiseptics
in, i. 261
sea water in, i. 261
prophylaxis, i. 259
puerperal, iii. 370
vaccine and serum therapy in, i. 257
serum therapy in, i. 256

- Septicemia, treatment, i. 260
 vaccines in, i. 256, 260
- Septum, nasal, ii. 179. See *Nasal septum*.
 fractures of, i. 540
- Sequences, anesthetic, i. 118
- Sequestration of blood for control of hemorrhage, i. 369
- Seromuscular intestinal suture, ii. 629
- Serous cysts of kidney, iii. 151
 effusion in pericardium, ii. 422
- Serum, i. 255
 beef, i. 59
 Calmette's, in snake bite, i. 275
 mercurialized, in syphilis, i. 295
 salvarsanized, in syphilis, i. 295
- Schiassi's, i. 58
 treatment, i. 255
 in anthrax, i. 272
 in gonorrhea, iii. 283
 in hyperthyroidism, ii. 390
 in inoperable cancer, i. 332
 in puerperal septicemia, i. 257
 in septicemia, i. 256
 in tuberculosis, i. 279
- Sesamoid bone of thumb, fracture of, i. 582
- Seton in chronic inflammation, i. 250
- Seventh nerve, injuries of, ii. 63
 intracranial operations on, ii. 110
 operation on, in acoustic vertigo, ii. 112
 in tinnitus, ii. 112
 two-stage, by mastoid route, ii. 113
 tumors of, removal of, ii. 113
- Sex as factor in surgical treatment, i. 18
- Sexual organs, female, iii. 322
 anatomy, iii. 322
 male, iii. 248
 anatomy, iii. 248
- Sharpening knives, i. 90
- Sheets, i. 48
 abdominal, i. 48
 rubber, i. 53
- Shell wounds, i. 222
- Shield for eye, ii. 138, 140
- Shingles, i. 830
- Shock, 213, 217
 acidosis in, i. 213
 as contra-indication to operation, i. 180
 as factor in surgical treatment, i. 25
 electric, iii. 716
 artificial respiration in, iii. 717
 intratracheal insufflation in, iii. 719
 rescue of victim after, iii. 716
- in abdominal operations, ii. 532
- in stomach operations, ii. 776
- local protection against, i. 215
 prevention of, i. 214
 in amputation, iii. 499
- susceptibility of children to, i. 19
 treatment of, i. 215
 urethral, iii. 275
- Shoemaker's suture, i. 198
- Shoes, iii. 496
 improper, iii. 496
 proper, iii. 496
 relation of, to foot diseases, iii. 496
- Shortening of rectus muscle, ii. 176
 tendons, i. 804
- Shoulder, amputation of, iii. 568
 by posterior approach, iii. 569
- and arm, bandage of, immobilizing, iii. 755
- ankylosis of, arthroplasty for, i. 701
- bandage of, ascending spica, iii. 753
 descending spica, iii. 754
 immobilizing, iii. 755
 triangular, iii. 791
- bursitis of, peri-articular, iii. 451
- disarticulation at, iii. 562
 by anterior racket incision, iii. 566
 by external flap, iii. 567
 racket incision, iii. 567
- control of hemorrhage in, iii. 563
- motor stump in, iii. 565
 stump in, iii. 565
- dislocations of, i. 626. See also *Dislocations of shoulder*.
- excision of, i. 741. See also *Excision of shoulder*.
- round, ii. 351
- sprains of, i. 652
 tuberculosis of, i. 679; iii. 450
- Shrapnel wounds, i. 222
- Sick-room dainties, fallacy of, i. 20
- Sick's method of tamponing in rectal prolapse, iii. 68
- Sigmoid, acute flexures of, chronic intestinal obstruction from, ii. 610
 anatomy, ii. 625
 angulations of, chronic intestinal obstruction from, ii. 610
 carcinoma of, ii. 589
 lower part, cancer of, ii. 591
 middle and upper, cancer of, ii. 592
 redundant, chronic intestinal stasis from, ii. 612
- Sigmoidostomy, anterior, ii. 693
 inguinal, ii. 685
 high, ii. 689
 low, ii. 690
- Silicate of soda splints, i. 485
- Silk ligaments in infantile paralysis with drop-foot, i. 802
 oiled, protective, i. 53
 paraffined, for sutures, i. 38
 tendons, i. 801
 thread sutures, i. 38
- Silver albuminate as antiseptic, i. 67
 citrate as antiseptic, i. 67
 colloidal as antiseptic, i. 67
 in bronchiectasis, ii. 419
 foil for covering wounds in plastic operations, iii. 624
 protective, i. 54
- ichthhyol as antiseptic, i. 67
- lactate as antiseptic, i. 67
- nitrate as antiseptic, i. 66
 as caustic, i. 73
- salts, organic, as antiseptic, i. 66
- stains, removal of, i. 67
- wire sutures, i. 38
 for nephrotomy, iii. 164
- Silver-fork deformity in Colles' fracture, i. 575

Silvol as antiseptic, i. 67
 Simple rhinitis, acute, ii. 186
 chronic, ii. 186
 Sims' lateral position, iii. 397
 Sinclair's adhesive paste, i. 55
 Singers' nodules, ii. 222
 Sinuses, i. 304, 305
 accessory, foreign bodies in, ii. 188
 of nose, 179
 after operation in appendicitis, iii. 102
 bismuth paste injections in, i. 306
 cavernous, arteriovenous aneurism of, ii. 73
 thrombosis of, ii. 72
 cerebrospinal, ii. 73
 cranial, drainage of cisterna magna into,
 in hydrocephalus, ii. 98
 ethmoid, ii. 180
 suppuration of, ii. 197
 operation by orbital route in, ii. 198
 frontal, ii. 170. See *Frontal sinus*.
 infections of, intranasal treatment, ii. 201
 perforating into orbit, ii. 201
 intestinal, closure of, ii. 616
 maxillary, ii. 179. See *Maxillary antrum*.
 meningeal, injuries of, ii. 64
 of brain, ii. 44
 lateral, ii. 47
 of sacrococcygeal region, iii. 461
 pericrani, ii. 24
 pocularis, iii. 249
 prostatic, iii. 249
 sagittal, intravenous infusion into, in
 children, i. 347
 sphenoid, ii. 180
 suppuration of, ii. 198
 superior longitudinal, of brain, ii. 47
 venous, infections of, ii. 318
 thrombosis of, ii. 318
 Sixth nerve, injuries of, ii. 63
 Skene, ducts of, iii. 324
 Skillern's treatment of varicose ulcers, i.
 311
 Skin, i. 820
 and muscle, equal flaps, amputation by
 iii. 517
 animal parasites of, i. 848
 burns of, i. 820. See also *Burns of skin*.
 condition of, in fractures, i. 476
 contusions of, i. 820
 cosmetics, i. 849
 diseases, atrophic, i. 843
 autoserum treatment, i. 849
 hypertrophic, i. 840
 involving conjunctiva, ii. 124
 of auricle, ii. 304
 of glands, i. 844
 dry, i. 844
 cold cream for, i. 849
 epithelioma of, x-rays in, iii. 705
 excessive sweating of, i. 844
 flaps, equal, amputation by, iii. 519
 grafts, removal of, local anesthesia for, i.
 146
 hard, i. 841
 implantation of ureter into, iii. 180

Skin infections, i. 825
 inflammations, i. 825
 iodin to promote healing of, iii. 821
 irritation in chronic inflammation, i. 250
 lichenification of, radium in, iii. 714
 making bridge of, for transplantation in
 plastic operations, iii. 635
 massive transplantation, in plastic opera-
 tions, iii. 635
 neuroses of, i. 843
 new growths of, i. 843
 poisoning, i. 825
 removal of tattoo marks, i. 849
 stretching, in plastic operations, iii. 626
 surface, turning in, to take place of mu-
 cous membrane in plastic operations,
 iii. 635
 suturing of, in amputation, iii. 513
 traumatism of, i. 820
 tuberculosis of, i. 837
 undercutting of, in plastic operations, iii.
 629
 white, i. 843
 wire traction from, in fracture, i. 493
 wounds of, i. 820
 Skin-grafting, iii. 636
 adhesive-plaster dressing for, iii. 640
 anesthesia for, iii. 636
 best surface for, iii. 636
 blister grafts for, iii. 642
 care of wound of removal in, iii. 639
 cutting grafts for, iii. 636
 dermo-epidermic, iii. 644
 dressing after, iii. 639
 flocculent grafts for, iii. 643
 for treatment of contractures, iii. 642
 hairy skin, iii. 644
 intracellular, iii. 643
 on denuded bone surface, iii. 639
 placing grafts in, iii. 638
 preliminary sterilization for, iii. 636
 preparation of raw surface for, iii. 636
 previously prepared grafts for, iii. 642
 protective materials for, iii. 640
 punctate, iii. 643
 tunnel, iii. 644
 uses for, iii. 638
 with grafts from same patient, iii. 641
 zoödermic grafts for, iii. 642
 Skin-grafts, dressing, iii. 639
 flocculent, iii. 643
 from blisters, iii. 642
 method of cutting, iii. 636
 placing of, iii. 638
 previously prepared, iii. 642
 protective materials for, iii. 640
 zoödermic, iii. 632
 Skull, ii. 26
 arteries of, ligation of, incisions for, i. 404
 base of, anatomy, ii. 43
 bone grafts of, i. 775
 for defects, i. 775
 bones of, atrophy, ii. 41
 diseases of, ii. 41
 effects of pressure on, ii. 41
 infective diseases of, ii. 41
 injuries of, in newborn, iii. 695

Skull, bones of, osteitis of, prevention, ii. 41
 periostitis of, i. 41
 Pott's puffy swelling of, ii. 41
 syphilis of, ii. 41
 tuberculosis of, ii. 41
 tumors of, ii. 42
 brain and, relations, ii. 46
 cancer of, ii. 42
 defects of, bone grafts for, i. 775
 operation for covering, i. 700
 osteoplastic operations for, i. 711
 deformities of, ii. 42
 fractures of, i. 532. See also *Fractures of skull*.
 landmarks of, ii. 45.
 measure for determining thickness of, ii. 32
 operations on, ii. 26
 head prepared for, ii. 33
 instruments for, i. 26
 local anesthesia for, i. 140
 prevention of shock, i. 215
 trephine for, ii. 26, 27
 osteoma of, ii. 42
 sarcoma of, ii. 42
 simple indentation of, in newborn, iii. 695
 steeple, ii. 42, 178
 sutures of, ii. 45, 46
 topography of, ii. 48
 Sleep, twilight, i. 124
 Sliding bone grafts, i. 509
 flaps, plastic operations with, iii. 630
 hernia of large intestine, iii. 49
 splint of Volkmann, i. 491
 Slings, i. 49
 Slipping of knots in sutures, prevention, iii. 809
 Sloughing from paraffin prosthesis, iii. 692
 gangrene, i. 319
 ulcers, i. 314
 wounds, i. 221
 Smith-Hodge pessary, iii. 387
 Smithies' nonoperative treatment of gastric ulcer, ii. 720
 Smith's method of amputation of leg, iii. 589
 of disarticulation at knee-joint, iii. 592
 operation in cataract, ii. 170
 preliminary capsulotomy for immature cataract, ii. 168
 spring dressing in harelip, ii. 268, 269
 Smoke asphyxia, resuscitation in, iii. 733
 Snake bite, i. 274
 treatment, i. 275
 Snapping finger, iii. 456
 hip, iii. 465
 Snare, i. 79
 Soap, alcoholic, as antiseptic, i. 72
 enema, ii. 620
 treatment of infected wounds, i. 248
 Sodium borate as antiseptic, i. 67
 citrate method of indirect blood transfusion, i. 356
 dimethylarsenate in syphilis, i. 298
 hypochlorite as antiseptic, i. 61, 64
 in infected wounds, i. 242, 247
 in peritonitis, ii. 551

Sodium oxymercury-orthonitro-phenolate
 as antiseptic, i. 59
 persulphate in tetanus, i. 268
 succinate in infections, i. 258
 Soft palate. See *Palate, soft*.
 Soft-flap rhinoplasty with septum reconstruction, iii. 667
 Soiled wounds, treatment, i. 186
 Solidified alcohol as antiseptic, i. 72
 Solutions, i. 57, 58
 acid bichlorid, as antiseptic, i. 59
 boro-salicylic, as antiseptic, i. 68
 gutta-percha, as protective, i. 53
 hypertonic, injection of, i. 138
 hypochlorite, method for, i. 62
 hypotonic, injection of, i. 138
 isotonic, injection of, i. 138
 Labarraque's, as antiseptic, i. 64
 Locke's, i. 58
 McDonald's, as antiseptic, i. 70
 Ringer's, i. 58
 saline, chlorinated, i. 63
 Schiassi's, i. 58
 table of, i. 60
 Thiersch's, i. 41
 as antiseptic, i. 68
 Woellfer's i. 73
 Wright's, i. 58
 Solveol as antiseptic, i. 66
 Somnoform anesthesia, i. 118
 Sore, Oriental, i. 273, 314
 Pendjeh, i. 273
 Soresi's blood transfusion apparatus, i. 352
 Sound, introduction of, in stenosis of esophagus, ii. 433
 method, iii. 184
 lacrimal, ii. 177
 Spasm of esophagus, ii. 442
 of facial muscles, i. 888
 of glottis, ii. 221
 of larynx, ii. 221
 of orbicularis muscle, ii. 120
 tetanic, i. 264
 Spasmodic stenosis of pylorus, ii. 720
 stricture of urethra, iii. 286
 torticollis, ii. 376
 Spastic flat-foot, operation in, iii. 489
 paralysis from hemorrhage in newborn, iii. 697
 rhizotomy in, ii. 346
 Special sensation, brain areas of, ii. 45
 Specific arthritis, acute, i. 660
 nasal infections, ii. 188
 synovitis, acute, i. 660
 Speculum, aural, ii. 302
 nasal, ii. 181
 rectal, hinged, iii. 55
 open-frame, iii. 55
 vaginal, iii. 398
 Speech, brain center of, ii. 44
 Spermaceti wax for filling bone cavities, i. 705
 in resection of joints, i. 705
 Spermatic cord, iii. 301, 303
 hydrocele of, iii. 316
 torsion of, iii. 307
 wounds of, iii. 304

Spermatic nerve plexus, resection of, for dysmenorrhea, iii. 396
 Spermatocele, iii. 316
Sphagnum cymbifolium, i. 42
 Sphenoid sinuses, ii. 180
 suppuration of, ii. 198
 Sphincter ani, dilatation of, iii. 60
 rupture of, with laceration of perineum, iii. 342
 stretching of, iii. 60
 wounds of, iii. 60
 of bladder, incontinence of, iii. 207
 Sphygmomanometer, use of, in amputation, iii. 501
 Spica bandage, iii. 741
 of buttock, iii. 768
 of foot and ankle, iii. 774
 covering heel, iii. 775
 exposing heel, iii. 775
 of groin, ascending, iii. 767
 descending, iii. 768
 thigh bandage with, iii. 768
 of shoulder, ascending, iii. 753
 descending, iii. 754
 of thumb, iii. 761
 Spiders, bites of, i. 276
 Spiller-Frazier method of dividing sensory root of Gasserian ganglion, ii. 107
 Spina bifida, ii. 349
 bone grafts in, i. 783
 Spinal accessory nerve, diseases and injuries of, i. 890
 grafting of, in facial paralysis, i. 882
 resection of, in torticollis, ii. 376
 anesthesia, i. 155
 cerebrospinal fluid in, i. 156
 cocain in, i. 156
 high, i. 161
 in sciatica, i. 879
 lumbar puncture in, i. 158
 novocain in, i. 156
 stovain in, i. 156
 technic, i. 157
 tropocain in, i. 156
 canal, anastomosis of anterior nerve roots in, ii. 348
 cord, concussion of, ii. 324
 contusion of, ii. 324
 extrapial hemorrhage compressing, ii. 325
 hemorrhage into, ii. 325
 tumors of, ii. 338
 medullary, extrusion treatment, ii. 342
 laminectomy in, ii. 341
 spinal decompression in, ii. 344
 ganglia, excision of, in gastric crises of tabes ii. 348
 injection of antitetanic serum, i. 266
 nerves, anastomosis of anterior roots of, in spinal canal, ii. 348
 posterior roots of, division of, ii. 344
 See also *Rhizotomy*.
 operations on, ii. 344
 Spindle-cell sarcoma of bones, i. 709
 Spine, ii. 322
 abscess of, non-tuberculous, ii. 327

Spine, anatomy, ii. 322
 bone grafts of, i. 776. See also *Bone grafts of spine*.
 hysterical, ii. 355
 irritable, i. 681
 joints of, sprains of, ii. 324
 lateral curvature of, ii. 352. See also *Scoliosis*.
 ligaments of, relaxation of, ii. 357
 neurotic, ii. 355
 osteitis of, non-tuberculous rarefying, ii. 326
 osteomyelitis of, ii. 326
 rachitic, ii. 350
 relation of nerve roots to, ii. 323
 sprains of ligaments of, ii. 357
 tuberculosis of, ii. 327. See also *Pott's disease*.
 tumors of, ii. 338
 wounds of, bullet, ii. 325
 stab, ii. 325
 Spiral bandage, iii. 739
 of fingers, iii. 760
 circumcision of leg for varicose veins, i. 453
 osteotome, Cryer's, ii. 28
 reverse bandage, iii. 739
 Spleen, ii. 784
 abscess of, ii. 784
 anatomy, ii. 784
 cysts of, ii. 785
 effects of removal of, ii. 784
 hydatid cysts of, ii. 785
 hypertrophy of, ii. 785
 injuries of, ii. 784
 operations on, ii. 787
 physiology, ii. 784
 prolapse of, ii. 784
 resection of, ii. 787
 rupture of, ii. 784
 tuberculosis of, ii. 785
 tumors of, ii. 785
 twisted pedicle of, ii. 785
 wandering, ii. 785
 wounds of, ii. 784
 Splenectomy, ii. 787
 Splenic anemia, ii. 785
 leukemia, x-rays in, iii. 705
 Splenopexy, ii. 787
 Splints, ambulatory, i. 522
 double armed, for fractures of clavicle, i. 530
 lateral, in fractures of shaft of femur, i. 592
 right angle, for fractures of humerus, i. 529
 Dupuytren, in Pott's fracture, i. 606
 emergency, i. 472
 extemporized, i. 474
 Goldthwait's thumb, i. 582
 for club-foot, iii. 472
 hip, in fractures of shaft of femur, i. 591
 Hodgen's, in impacted fracture of neck of femur, i. 585
 in malposition of joints, i. 684
 interdental, in fractures of lower jaw, i. 542, 544, 546

Splints, interdental, moulded, in fractures of jaw, i. 542
 Lovett's, in tuberculosis of hip, i. 671
 Matas', for fractures of lower jaw, i. 545
 materials for, i. 477
 nasal, ii. 180
 Penhallow's, in fractures of shaft of humerus, i. 561
 plaster-of-Paris, i. 477. See also *Plaster-of-Paris splints*.
 rolled, i. 477
 rubber tube, in nasal fractures, i. 539
 scaffold, in fracture of shaft of humerus, i. 504
 side, for fracture of femur, i. 492
 silicate of soda, i. 485
 sliding, of Volkmann, i. 491
 starch paste, i. 485
 suspension, bed frame for supporting, i. 488
 in fractures of shaft of femur, i. 591
 Thomas', in impacted fracture of neck of femur, i. 585
 in tuberculosis of knee, i. 675
 traction, in tuberculosis of hip, i. 669
 wire frame suspension, i. 487
 Split bandage of eye, iii. 779
 retractors, i. 49
 T-bandage iii. 781
 Spondylitis deformans, ii. 326
 traumatic, ii. 326
 tuberculous, ii. 327. See also *Pott's disease*.
 typhoid, ii. 326
 Spondylolisthesis, ii. 350
 bone grafts in, i. 783
 Sponges, i. 42
 abdominal, i. 44
 counting of, i. 172
 flat, i. 44
 gauze, i. 43
 hand, i. 43
 holders for, i. 79
 laparotomy, i. 44
 nurse in charge of, i. 169
 sea, i. 42
 stick, i. 44
 Sponging in abdominal operations, ii. 515
 Spongy angioma, i. 454
 Spontaneous cerebral apoplexy, ii. 58
 temporal craniotomy in, ii. 58
 cure in cancer, i. 331
 dislocations, i. 613
 gangrene, i. 320
 subluxations of wrist, i. 638
 thromboësis of sinuses of dura mater, ii. 72
 Sporotrichosis, i. 838
 Spots, genital, of Fließ, iii. 394
 liver, i. 840
 Sprains, i. 650
 of ankle, i. 650
 of hip, i. 652
 of knee, i. 651
 of ligaments of spine, ii. 357
 of sacro-iliac joint, i. 651
 of shoulder, i. 652

Sprains of spinal joints, ii. 324
 of temporomaxillary joint, i. 651
 of vertebrae, i. 651
 of wrist, i. 652
 old, i. 650
 Spring-eyed needles, i. 79
 Spurious meningocele, ii. 25
 Squamous blepharitis, ii. 119
 suture, ii. 46
 Square bandage, iii. 783
 Ssabanajeff's method of amputation of thigh, iii. 596
 Stab wounds, i. 219
 of brain, ii. 62
 of spine, ii. 325
 of spleen, ii. 784
 Stagnation mastitis, ii. 473
 Stains, port-wine, i. 453
 silver, removal of, i. 67
 Stapes, ii. 299
 Staphylococci, infection of wounds with, i. 212
 Staphylooma, ii. 128
 of sclera, ii. 129
 operations for, ii. 152
 Starch bandages, i. 56
 iodized, for infected wounds, i. 242
 paste splints, i. 485
 Starvation treatment of inoperable cancer, i. 333
 Stasis, intestinal, acute, ii. 614
 chronic, ii. 610
 chronic constipation in, ii. 613
 colostomy for, ii. 574
 from redundant sigmoid, ii. 612
 Static foot, iii. 490
 Stations in local anesthesia, i. 129
 Status lymphaticus, ii. 395
 as factor in operation, i. 181
 general anesthesia in, i. 102
 thymicus, ii. 394
 Steam, live, as hemostatic, i. 339
 sterilizer, i. 29
 therapeutic uses, i. 57
 Steatoma, i. 845
 Steeple skull, ii. 42, 178
 Stenosis, acquired, of larynx, ii. 218
 of trachea, ii. 218
 congenital, of larynx, ii. 218
 of trachea, ii. 218
 of cardia orifice of stomach, ii. 715
 of esophagus, cicatricial, ii. 433
 congenital, ii. 433
 of uterus, iii. 375
 pyloric, ii. 717. See also *Pyloric stenosis*.
 Stephanion, ii. 45
 Sterile water, i. 57
 anesthesia, i. 139
 preparation of, i. 32
 Sterility, anastomosis of vas deferens to epididymis of opposite side for, iii. 312
 from obstructive aspermia, iii. 311
 in female, iii. 437
 in male, iii. 322
 operations on Fallopian tubes for, iii. 428
 to induce, iii. 428
 technic, iii. 429

Sterility, production of, by partial vasectomy, iii. 320
 Sterilization, i. 28
 by boiling water, i. 31
 by chemicals, i. 30
 by dehydration, i. 30
 by heat, i. 28
 by oxidation, i. 30
 by sun's rays, i. 30
 fractional, i. 28
 of bladder instruments, iii. 183
 of catgut, i. 34. See also *Catgut, sterilization of*.
 of dressings, i. 31
 of forearms, i. 173
 of hands, i. 173
 acetone-pyxol method, i. 174
 cresol-acetone method, i. 174
 permanganate of potash method, i. 174
 tannin method, i. 174
 tincture of iodin method, i. 174
 of instruments, i. 89
 of rubber gloves, i. 52
 dry-air method, i. 52
 glycerin method, i. 52
 sulphuric acid method, i. 52
 of surgical materials, i. 33
 Sterilizer, combination, i. 31
 hot-water, i. 29
 steam, i. 29
 Sterilizing room, i. 167
 Sternoclavicular joint, arthritis of, ii. 398
 Sternomastoid muscle, excision of, in torticollis, ii. 375
 tendons of, tenotomy of, i. 815
 Sternothoracotomy, transverse, ii. 459
 Sternum, fracture of, i. 548
 median division of, to expose mediastina, ii. 459
 Stewart's method of posterior gastro-enterostomy ii. 768
 Stick sponges, i. 44
 Stimson's method of reducing hip dislocations, i. 641, 644
 shoulder dislocations, i. 629
 Stimulation in general anesthesia, i. 98
 dangers of, i. 98
 Stings of insects, i. 275
 Stitch-hole abscesses in abdominal wall, ii. 537
 Stock vaccines, i. 256
 Stockings, operation, i. 48
 Stoffel's method of partial rhizotomy, ii. 347
 Stomach, ii. 698
 adenoma of, ii. 703
 anatomy, ii. 698
 benign tumors of, ii. 703
 cancer of, ii. 703. See also *Cancer of stomach*.
 cardiac orifice, stenosis of, ii. 715
 cirrhosis of, ii. 702
 crises of tabes, excision of spinal ganglia in, ii. 348
 rhizotomy for, ii. 347
 cysts of, ii. 703
 dilatation of, ii. 713
 acute, ii. 615, 714

Stomach, dilatation of, chronic atonic, ii. 713
 gastroplication in, ii. 714
 foreign bodies in, ii. 714
 removal, ii. 244
 fundus of, ii. 698
 hemorrhage of, ii. 727
 operation for, ii. 728
 hour-glass, ii. 706
 gastoplasty for, ii. 709
 by transverse incision in, ii. 709
 inflammations of, ii. 702
 lavage, ii. 700
 continuous, ii. 701
 contraindications, ii. 701
 in peritonitis, ii. 547, 550
 indications for, ii. 701
 method, ii. 700
 lipoma of, ii. 703
 lymphatics of, ii. 699
 myoma of, ii. 703
 nerve supply, ii. 700
 operations on, ii. 730
 operative exposure of, ii. 700
 perforation of, perigastric abscess from, ii. 727
 postoperative dilatation of, ii. 615
 preparation of, for operation, i. 180
 pyloric end, resection of, ii. 751
 gastrojejunostomy after, ii. 755
 rupture of, ii. 702
 sarcoma of, ii. 703
 syphilis of, ii. 702
 tube, ii. 700
 introduction of, ii. 700
 tuberculosis of, ii. 702
 ulcer of, ii. 720. See also *Ulcer of stomach*.
 volvulus of, ii. 715
 wall, canalization of, gastrostomy by, ii. 736
 posterior, route of approach, ii. 780
 suppuration in, ii. 702
 washing out, ii. 700. See also *Stomach lavage*.
 wounds of, ii. 702
 Stomatitis, ii. 246
 gangrenous, i. 319; ii. 247
 gonorrhreal, ii. 247
 membranous, ii. 247
 mycotic, ii. 246
 parasitic, ii. 246
 Stone in bladder, iii. 197
 crushing of, iii. 198
 in women, iii. 203
 litholapaxy for, iii. 198-203
 lithotrity for, iii. 198
 operation in, iii. 198
 choice of, iii. 198
 prevention, iii. 197
 recurrence, iii. 198
 suprapubic cystotomy for, iii. 203
 urinary retention from, iii. 211
 vaginal cystotomy for, iii. 203
 in kidney, iii. 152
 operations for, iii. 153
 in prostate, iii. 248
 in ureter, iii. 152, 157
 operations for, iii. 153

Stone's dietetic treatment of ulcer of stomach, ii. 421
 Store room, i. 167
 Stovain as local anesthetic, i. 136
 as spinal anesthetic, i. 156
 Strabismus, ii. 174
 alternating, ii. 175
 complete tenotomy of internal rectus in, ii. 175
 indications for operation in, ii. 175
 open operation in, ii. 175
 special conditions in, ii. 176
 subconjunctival operation in, ii. 175
 unilateral, ii. 175
 Strains of sacro-iliac joint, iii. 461
 Strangulated hemorrhoids, iii. 74
 hernia, iii. 22
 dangers, iii. 21
 operation in, iii. 23
 prognosis, iii. 23
 Strangulation of omentum, ii. 620; iii. 24
 of penis, iii. 251
 Straps, adhesive, for wounds, i. 187, 188
 Strassmann's operation for forming new vagina, iii. 360
 Strauss's method of reconstruction of pylorus by transplantation of tissue, ii. 773-777
 Streptococcus infection, i. 262
 of teeth, ii. 276
 viridans theory of arthritis deformans, ii. 613
 Stretcher, iii. 724
 apron, iii. 725
 improvised, iii. 725
 Stretching of nerves, i. 860
 sphincter ani, iii. 60
 Stricture of bronchi, ii. 422
 of bulbomembranous urethra, filiform, iii. 291
 of common bile-duct, iii. 117
 of deep urethra, impermeable, iii. 294
 of esophagus, ii. 433
 dilatation of, by electrolysis, ii. 438
 rapid, ii. 438
 with mercury, ii. 435
 with sound, ii. 433
 gastrostomy in, ii. 436
 internal esophagotomy in, ii. 438
 introduction of sound for, ii. 433
 operative treatment, ii. 436
 stricture, ii. 438
 of intestines, ii. 609
 chronic obstruction from, ii. 610
 of penile urethra, internal urethrotomy for, iii. 292
 of rectum, iii. 64
 external proctotomy in, iii. 65
 internal proctotomy in, iii. 65
 syphilitic, iii. 65
 of ureter, iii. 156
 of urethra, iii. 286
 anterior, impermeable, iii. 294
 complete urethrectomy for, iii. 300
 continuous dilatation in, iii. 290
 deep, with obliteration, iii. 298
 dense obliterating, iii. 298

Stricture of urethra, external urethrotomy for, iii. 294
 filiform, iii. 289
 impermeable, iii. 294
 gradual dilatation, iii. 288
 impermeable, iii. 297
 inflammatory, urinary retention from, iii. 210
 meatotomy for, iii. 288
 of large caliber, iii. 288
 of small caliber, iii. 293
 operations for, iii. 288
 organic, iii. 287
 partial urethrectomy for, iii. 300
 prostatic urethrotomy for, iii. 299
 rapid dilatation in, iii. 290
 retrograde catheterization in, iii. 299
 spasmodic, 287
 urinary retention from, iii. 210
 urethrectomy for, iii. 300
 with extravasation of urine, iii. 299
 with false passage, iii. 299
 with fistula, iii. 299
 with infection of bladder, iii. 299
 with retention of urine, iii. 299
 Stridulous laryngitis, ii. 221
 Structural scoliosis, ii. 354
 Struma, ii. 381
 Strumitis, acute, ii. 380
 chronic, ii. 381
 Stump, amputation, iii. 514
 bandage of, iii. 776
 end-bearing for prosthetic apparatus, iii. 614
 for weight bearing, iii. 523, 541
 grafting on, iii. 502
 after-treatment, iii. 540, 541
 length of, iii. 501
 Sturmdorf's method of conical tracheoplasty, iii. 367
 Sty, ii. 119
 Styptics in hemorrhage, i. 341
 Subacromial bursa, inflammation of, iii. 451
 dislocation of clavicle, i. 625
 Subacute cholecystitis, iii. 114
 salpingitis, iii. 427
 Subarachnoid hemorrhage, ii. 57
 Subastragaloid disarticulation of foot, iii. 582
 Subcervical fractures of great trochanter of femur, i. 583
 Subclavian aneurism, i. 400
 artery, anatomy of, i. 414
 compression of, in hemorrhage, i. 360
 ligation of, i. 413
 Subconjunctival injections, ii. 151
 in eye diseases, ii. 179
 operation in strabismus, ii. 175
 Subcoracoid dislocation of clavicle, i. 625
 Subcostal incision, exposure of kidney by, iii. 162
 oblique abdominal section, ii. 513
 operations for exposure of gall-bladder and bile-ducts, iii. 119
 Subcutaneous abscess of finger-tip, iii. 444
 drainage in ascites, ii. 559
 emphysema in artificial pneumothorax, ii. 417

Subcutaneous injections, nutrient, i. 20
of magnesium sulphate in tetanus, i. 269
of proteids, i. 21
of salvarsan in syphilis, i. 297
lengthening of tendons, i. 801
tenotomy, i. 813
in torticollis, ii. 374
Subcuticular suture, i. 192
Subcutin as local anesthetic, i. 137
Subdeltoid bursa, inflammation of, iii. 451
Subdiaphragmatic abscess, treatment, 470
Subdural hemorrhage, ii. 56
intracranial injections of salvarsan in syphilis, i. 296
meningitis, ii. 65
pyogenic organisms in, ii. 66
Subglenoid dislocation of shoulder, i. 630
Subglottic laryngitis, hypertrophic, ii. 219
Subhyoid pharyngotomy, ii. 229
Sublamin in syphilis, i. 295
Sublingual phlegmon, ii. 362
Subluxations of head of radius by traction, i. 637
of vertebrae, i. 623
of wrist, spontaneous, i. 638
Submaxillary glands, ii. 363
Submental glands, ii. 303
Submucous resection of nasal septum, ii. 190
Suboccipital osteoplastic craniotomy, ii. 36
Subparotid glands, ii. 363
Subperiosteal excision of upper jaw, i. 722
Subperitoneal appendicitis, iii. 101
drainage in congenital ventricular hydrocephalus, ii. 97
Subphrenic abscess in peritonitis, ii. 553
Subpleural diaphragmotomy for subphrenic abscess, ii. 544, 555
Subscapular bursa, inflammation of, iii. 451
Substernomastoid glands, ii. 363
Subtemporal craniotomy, ii. 106
for exposure of Gasserian ganglion, ii. 106
drainage in congenital hydrocephalus, ii. 96
Subtrochanteric amputation of thigh, iii. 600
osteotomy, i. 714
Subungual hematoma, i. 847; iii. 457
Sucking thumbs, prevention, ii. 280
Suction apparatus for removing brain tumors, ii. 78
drainage of bladder, iii. 222
treatment of rhinitis, ii. 186
of suppurative otitis media, ii. 310
Suction-traction massage in chronic inflammation, i. 250
Sugar infusion, i. 348
solution for proctoclysis, iii. 58
Suggestion, anesthesia by, i. 127
Sulphuric acid as antiseptic, i. 72
method of sterilization of rubber gloves, i. 52
ether in peritonitis, ii. 551
Sumac poisoning, i. 825

Summers' method of resecting transverse colon with preservation of omentum, ii. 646
Sunburn, i. 825
Sunshine in tuberculosis, i. 279
sterilization by, i. 30
Superciliary ridge, ii. 46
Superficial felon, iii. 443
glossitis, acute, ii. 288
chronic, ii. 288
Superfluous hair, i. 846
Superheated air inhalations in bronchiectasis, ii. 419
Superior bronchoscopy, ii. 242
Supernumerary auricle, ii. 303
fingers, iii. 457
Suppurating wounds, hot-air treatment, i. 187
potassium bitartrate for, i. 212
Suppuration, acute, i. 251. See also *Abscess*.
in stomach wall, ii. 702
of ethmoid sinuses, ii. 197
operation in, by orbital route, ii. 198
of sphenoid sinuses, ii. 198
Suppurative choroiditis, ii. 130
orchitis, iii. 305
otitis media, acute, ii. 307
chronic, ii. 308
perforation of intestines, ii. 581
peritonitis, diffuse, ii. 548
local, ii. 548
pyelitis, iii. 147
tendosynovitis, acute, iii. 446
tonsillitis, ii. 212
Supra-auricular point, ii. 45
Supracervical fractures of great trochanter of femur, i. 583
SuprACLAVICULAR glands, ii. 363
Supracondyloid amputation of thigh, iii. 597
fractures of femur, i. 594
of humerus, i. 567
low, i. 571
osteotomy of femur from inner side, i. 715
from outer side, i. 715
Suprahyoid pharyngotomy, ii. 229
Supramalleolar amputation of leg, iii. 587
Supra-orbital arch, ii. 46
Suprapubic aspiration of bladder, iii. 213
canilization of bladder, iii. 213
cervical Cesarean section, iii. 408
cystotomy, iii. 214
closure of wound, iii. 215
for hypertrophy of prostate, iii. 232
for stone in bladder, iii. 203
incision for, iii. 214
preparations for, iii. 214
transverse suprapubic incision [for, ii. 217
drainage of bladder, iii. 221
prostatectomy, iii. 237
advantages, iii. 238
after-treatment, iii. 241
anesthesia for, iii. 238
bladder irrigation after, iii. 241

- Suprapubic prostatectomy for cancer, iii.
 247
 in two stages, iii. 243
 local anesthesia in, i. 151
 results, iii. 242
 suprapubic irrigation after, iii. 241
 suture in, iii. 241
 technic, iii. 239
 urinary antisepsis after, iii. 242
- Suprarenal capsules, effect of chloroform on, i. 117
- glands, iii. 181
 tuberculosis of, iii. 181
 tumors of, iii. 181
- Surface contact anesthesia, i. 127
- Surgeon, mental attitude of, as factor in
 surgical treatment, i. 25
- operating clothes of, i. 173
- personal care, i. 172
- private room for, i. 167
- room of, i. 167
- Surgery, ultimate needs and destiny, iii. 800
- Surgical accessories, i. 48
- anemia, i. 343
- diseases, i. 17
- expedients, i. 87
- fevers, aseptic, i. 259
- instruments, i. 75
- materials, preparation of, i. 33
- sterilization of, i. 33
- practice under competition, iii. 795
- under coöperation, iii. 799
- under group experts, iii. 798
- under State, iii. 796
- scarlatina, i. 261
- shock, i. 213. See also Shock.
- treatment, economics of, iii. 795
- Suspension hammock to apply jacket in
 Pott's disease, ii. 329
- of testicles for orchitis, iii. 304
- splints, bed frame for supporting, i. 488
- wire frame, i. 487
- Suspensory bandage of breast, triangular,
 iii. 791
- of scrotum, iii. 781
- hammock, iii. 782
- Sutures, i. 33, 187
- absorbable, i. 33
- approximation, i. 196
- bolster, i. 197
- buried, i. 191
- button, i. 197
- chain, i. 195
- tied, i. 200
- coaptation, i. 196
- continuous, i. 190
- coronal, ii. 45
- figure-of-eight, i. 198
- double, i. 198
- for closing abdominal wound, ii. 519
- in abdominal operations, ii. 519
- infolding, i. 201
- interlocking, i. 201
- interrupted, i. 187
- intestinal, ii. 628. See also *Intestinal suture*.
- knots in, to prevent slipping of, iii. 809
- Sutures, lambdoid, ii. 46
- mattress, i. 195
- non-absorbable, i. 33
- of arteries, i. 374
- absorbable magnesium rings for, i. 376
- human hair for, i. 372
- invagination method, i. 376
- Joani's clamp for, i. 374
- lateral, i. 373
- plates for, i. 376
- temporary compression for, i. 372
- of bones in fractures, i. 503
- of heart, ii. 427
- of liver, iii. 107
- of nerves, primary, i. 853
- secondary, i. 853, 854
- time required to regain functions after,
 i. 850
- of scalp wounds, ii. 19
- of ureter, iii. 173
- pin, i. 197
- primary delayed, for infected wounds, iii.
 811
- for infected wounds, iii. 811
- purse-string, i. 201
- infolding, iii. 809
- removal of, i. 211
- sagittal, ii. 46
- shoemaker's, i. 198
- strengthening of, by autoplasic flaps, i.
 203
- subcuticular, i. 192
- tension, adhesive support for, i. 198
- Swallowing tongue, ii. 287
- Sweating, excessive, of hands, i. 849
- of skin, i. 844
- Swelling and induration of testicles, iii. 305
- Swollen feet, iii. 495
- Sycosis, i. 847
- vulgaris, radium in, iii. 714
- Sylvester's method of artificial respiration,
 iii. 719
- in general anesthesia, i. 98
- Sylvian fissure, ii. 46
- line, ii. 46
- point, ii. 46
- Symblepharon, ii. 119, 120
- operations for, ii. 150
- Sympathetic ganglia, cervical, i. 898. See
 also *Cervical sympathetic ganglia*.
- ophthalmia, ii. 130
- Symphiotomy, iii. 409
- technic, iii. 409
- with median incision, iii. 409
- with short transverse incision, iii. 410
- Synchysis, ii. 134
- Syndactylism, iii. 456
- Synechia, anterior, division of, ii. 156
- nasal, ii. 195
- Synovectomy, i. 710
- in knee-joint, i. 710
- for infections, i. 656
- Synovial sheaths, palmar, iii. 447
- Synovitis, i. 657
- atrophic, i. 658
- chronic, i. 658, 661
- exudative, i. 658

Synovitis, infective, acute, i. 658
 rheumatic, i. 660
 specific, acute, i. 660
 traumatic, i. 657
 Syphilis, i. 283
 alopecia in, i. 303
 arsenobenzol in, i. 298
 arsphenamin in, i. 298
 as factor in operation, i. 182
 calomel injections in, i. 288
 chancre, i. 302
 excision, i. 284
 colloidal gold test in, i. 299
 diagnosis, i. 283
 drugs in, i. 284
 dry skin lesions in, treatment, i. 302
 gummatous ulcerations in, treatment, i.
 302
 hereditary, i. 301
 herpes progenitalis in, treatment, i. 302
 hydrargyrim in, i. 289
 hydrotherapy in, i. 298
 hygiene in, i. 284
 intensive treatment, i. 299
 iodin in, i. 290
 iodism in, i. 291
 iritis in, i. 302
 local lesions of, i. 302
 mercurialized serum in, i. 289, 295
 mercury in, i. 284, 285. See also *Mercury in syphilis*.
 mercury-iodid in, i. 291
 mistakes in treatment, i. 299
 mucous patches in, treatment, i. 302
 neosalvarsan in, i. 294
 by enteroclysis, i. 297
 oil injections of, i. 297
 of bones, i. 470
 of skull, ii. 41
 of brain, ii. 75
 of finger-tip, iii. 444
 of joints, i. 680
 of larynx, ii. 223
 of muscle, i. 792
 of optic nerve, i. 297
 of ribs, ii. 398
 of stomach, ii. 702
 of thyroid gland, ii. 381
 of tongue, ii. 290
 of vulva, iii. 327
 opalescent patches in, treatment, i.
 302
 potassium iodid in, i. 290
 prevention, i. 283
 primary stage, i. 300
 salvarsan in, i. 291. See also *Salvarsan in syphilis*.
 salvarsanized serum in, i. 295
 secondary stage, i. 300
 self-healing of, i. 299
 sluggish ulcers in, treatment, i. 302
 sodium dimethylarsenate in, i. 298
 sublamin in, i. 295
 tertiary stage, i. 300
 treatment of mother during pregnancy in,
 i. 301
 of newborn in, i. 301

Syphilis, treatment, prophylactic, of parents
 before conception, i. 301
 Treponema pallidum in, i. 283
 vegetations in, i. 302
 Wassermann test in, i. 299
 Syphilitic iritis, ii. 129
 meningitis, ii. 68
 nasopharyngitis, ii. 205
 neuritis, i. 862
 pachymeningitis, ii. 65
 proctitis, iii. 61
 retinitis, ii. 134
 stricture of rectum, iii. 65
 tenosynovitis, i. 817
 Syphiloderma, i. 838
 Syringes, i. 79
 aspirating, i. 81
 for paraffin prosthesis, iii. 690
 Szymanowski-Kuhnt operation for ptosis of
 eyelids, ii. 145
 Szymanowski's operation for hypospadias,
 iii. 266
 TABES, gastric crises of, excision of spinal
 ganglia in, ii. 348
 rhizotomy for, ii. 347
 Tabetic arthropathy, i. 681
 Table, instrument, i. 169
 knife hold of operating scalpel, i. 185
 operating, i. 85
 Talipes calcaneus, congenital, iii. 482
 paralytic, tendon transplantation in, i.
 812
 cavus, Ritschl's dorsal pad for, iii. 489,
 490
 due to disease of bone, iii. 484
 equinovarus, iii. 469. See also *Club-foot*.
 equinus, congenital, iii. 482
 paralytic, tendon transplantation in, i.
 812
 plantaris, iii. 489
 valgus from faulty healing of leg fracture,
 iii. 484
 paralytic, tendon transplantation in, i.
 811
 varus, congenital, iii. 482
 paralytic, tendon transplantation in, i.
 812
 Tallow, cosmetic treatment with, iii. 688
 Tamponing around rectum for prolapse, iii.
 68
 Tanner's ulcer, i. 315
 Tannic acid method for catgut, i. 37
 Tannin method of hand sterilization, i. 174
 Tapping arachnoid space, ii. 348. See
Lumbar puncture.
 for hydrocele, iii. 314
 in ascites, ii. 557
 injection after, iii. 314
 Tarantula, bites of, i. 276
 Tarsometatarsal joint, iii. 575
 Tarsorrhaphy, ii. 143
 lateral, ii. 143
 Tarsus, dislocations of, i. 649
 excision of, i. 734
 fractures of, i. 608

- Tattoo marks, removal of, from skin, i. 849
 Tattooing cornea, ii. 152
 Taxis in irreducible hernia, iii. 22
 dangers, iii. 22
 T-bandages, i. 49; iii. 780
 split, iii. 781
 Teale's operation for symblepharon, ii. 150
 Tears of vaginal wall, iii. 334
 Teeth, ii. 274
 alveolar abscess of, ii. 277
 caries of, ii. 275
 condition of, as factor in surgical treatment, ii. 274
 cysts of, ii. 280
 dead, filling and crowning of, ii. 276
 decay of, prevention, ii. 274
 extraction of, ii. 278. See also *Extraction of teeth*.
 grafting of, ii. 279
 prophylactic care of, ii. 276
 root infections of, ii. 275
 streptococcus infection of, ii. 276
 tumors of, ii. 280
 Temporal artery, ligation of, i. 412
 transplanting flap with, in plastic opération on cheek, iii. 660
 craniotomy, high, for exposure of Gasserian ganglion, ii. 106
 in spontaneous cerebral apoplexy, ii. 58
 law, for exposure of Gasserian ganglion, ii. 106
 osteoplastic craniotomy, ii. 34, 36
 Temporary fecal fistula, ii. 686
 intestinal fistula, ii. 683
 Temporomaxillary joint, ankylosis of, arthroplasty for, i. 760
 exposure of, by resection of zygoma, i. 740
 sprain of, i. 651
 Tendo Achillis, division of, for flat-foot, iii. 487
 tenotomy of, local anesthesia in, i. 147
 Tendons, i. 796
 grafting, i. 805
 lengthening of, i. 799
 subcutaneous, i. 801
 linen, i. 801
 missing, i. 804
 necrosis of, iii. 450
 of quadriceps femoris muscle, luxations of, i. 812
 reconstruction of, with fascia, i. 803
 with transplanted vein, i. 803
 repair of, i. 796
 rupture of, i. 797
 shortening, i. 804
 silk, i. 801
 suturing to bone, i. 804
 transplantation of, i. 805; iii. 648. See also *Transplantation of tendons*.
 in acquired paralytic talipes, iii. 482
 wounds of, i. 796
 old, i. 816
 Tendosynovitis, acute suppurative, iii. 446
 Tennis leg, i. 788
 Tenon's capsule, advancement of, ii. 177
 Tenoplastic amputations, iii. 526
 operations on amputation stump, iii. 532
 Tenorrhaphy, i. 796
 Tenosynovitis, i. 817
 gonorrhreal, i. 817
 infective, i. 817
 syphilitic, i. 817
 toxemic, i. 817
 traumatic, i. 817
 tuberculous, i. 817
 Tenotomy, i. 813
 complete, of internal rectus in strabismus, ii. 175
 graduated, in heterophoria, ii. 176
 healing in, i. 814
 of biceps femoris tendon, i. 815
 of flexor hallucis longus tendon, i. 815
 of gracilis tendon, i. 815
 of hamstring tendons, i. 815
 of peronei tendons, i. 815
 of sartorius tendon, i. 815
 of semimembranosus tendon, i. 815
 of semitendinosus tendon, i. 815
 of sternomastoid tendon, i. 815
 of tendo Achillis, i. 814
 local anesthesia in, i. 147
 of tibialis anticus tendon, i. 814
 posticus tendon, i. 814
 open, i. 813
 in torticollis, ii. 375
 partial, in heterophoria, ii. 176
 subcutaneous, i. 813
 in torticollis, ii. 374
 Tension sutures, adhesive support for, i. 198
 Tent, operations in, i. 169
 Teratoma, i. 327
 of brain, ii. 75
 Terebene, as antiseptic, i. 72
 Terminal anesthesia, i. 128
 Testicles, iii. 301, 303
 cancer of, iii. 306
 operation for, iii. 307
 contusions of, iii. 303
 dislocation of, iii. 307
 fungus of, iii. 306
 grafting of, iii. 321
 hematoma of, iii. 303
 hemorrhage from, iii. 303
 inflammations of, acute, iii. 304
 mobility of, iii. 307
 abnormal, iii. 307
 operations on, local anesthesia for, i. 152
 rotation of, iii. 307
 sarcoma of, iii. 306
 suspension of, for orchitis, iii. 304
 swelling and induration of, iii. 305
 tuberculosis of, iii. 305
 tumors of, iii. 306
 undescended, iii. 308. See also *Undescended testicle*.
 wounds of, iii. 303
 Tetanus, i. 264
 chloral in, i. 267
 chloretone in, i. 267
 control of spasms in, i. 267
 elimination in, i. 267

Tetanus, Fourth-of-July, i. 270
 head, i. 270
 magnesium sulphate in, i. 268
 phenol in, i. 268
 postoperative, i. 270
 prognosis, i. 270
 prophylaxis, i. 265; iii. 813
 removal of focus of infection, i. 267
 serum treatment, i. 265. See also *Antitetanic serum*.
 sodium persulphate in, i. 268
 spasms in, i. 264
 specific treatment, iii. 813
 warm bath treatment, i. 269
 Tetany, ii. 394
 thymic, ii. 395
 T-fractures of lower extremity of humerus, i. 570
 Theicitis, i. 817
 Thenar space, infections of, iii. 449
 Thermocautery, i. 80, 83; iii. 699
 Thermoradiotherapy, iii. 706
 in inoperable cancer, i. 332
 Thiersch's solution, i. 41
 as antiseptic, i. 68
 Thigh, amputation of, iii. 594
 subtrochanteric, iii. 600
 supracondyloid, iii. 597
 through condyles, iii. 595
 osteoplastic, iii. 596
 through lower third, iii. 598
 through shaft of femur, iii. 598
 bandage of, iii. 769
 with spica of groin, iii. 768
 cineplastic amputation of, iii. 538
 middle of, ligation of femoral artery in, i. 435
 quadriceps extensor of, paralysis of, tendon transplantation in, i. 812
 rider's, i. 788
 Thirst after abdominal operations, ii. 533
 cure in bronchiectasis, ii. 419
 postoperative, i. 226
 sea water, proctoclysis for, iii. 58
 Thomas' hip-splint in impacted fracture of neck of femur, i. 585
 knee-splint in knee tuberculosis, i. 675
 Thompson's curved dilator in urethral stricture, iii. 291
 Thoracic aorta, aneurism of, i. 396
 duct, diseases of, ii. 361
 rupture of, in abdomen, ii. 361
 in thorax, ii. 361
 wounds of, i. 460; ii. 361
 esophagus, resection of, ii. 463
 exposure of diaphragm, ii. 467
 nerve, long, injuries to, i. 896
 Thoracoplasty in bronchiectasis, ii. 420
 in empyema, ii. 410
 in tuberculosis, ii. 418
 local anesthesia in, i. 148
 Thoracotomy, intercostal, simple, in empyema, ii. 403
 osteoplastic, anterior, ii. 458
 posterior, ii. 459
 Thorax, ii. 396
 anatomy, ii. 396

Thorax, cancer of, extensive recurrent, ii. 494
 concussion of, ii. 397
 contusions of, ii. 396
 operations on, local anesthesia for, i. 147
 tumors of, ii. 444
 Thorner's instruments for intubating larynx, ii. 237
 Threading needle, method, i. 191
 Throat, clearing of, in general anesthesia, i. 97
 operations on, prevention of shock, i. 215
 Thrombin as hemostatic, i. 342
 Thrombophlebitis, septic, excision of pelvic veins in, i. 456
 Thromboplastin in hemorrhage, i. 342
 Thrombosis, i. 455
 of cavernous sinus, ii. 72
 of portal vein, i. 457
 of venous sinuses, ii. 318
 of dura mater, ii. 70
 infective, ii. 71
 treatment, i. 455, 456
 Thrush, ii. 246
 Thumb, amputation of, iii. 548
 of first metacarpal bone with, iii. 551
 bandage of, spica, iii. 761
 disarticulation of, at metacarpophalangeal joint, iii. 548
 of first metacarpal bone with, iii. 552
 dislocations of, i. 639
 of proximal phalanx, i. 639
 fractures of, i. 582
 infections of, iii. 448
 splint, Goldthwait's, i. 582
 sucking, prevention of, ii. 280
 Thymectomy, ii. 395
 Thymic asthma, ii. 394
 dyspnea, ii. 395
 epilepsy, ii. 395
 tetany, ii. 395
 Thymol, as antiseptic, i. 72
 as local anesthetic, i. 137
 Thymus gland, ii. 394
 enlarged, ii. 395
 epilepsy with, ii. 101
 hypertrophy of, ii. 446
 Thyrodectin in hyperthyroidism, ii. 390
 Thyreoprivic serum in hyperthyroidism, ii. 390
 Thyroid artery, inferior, ligation of, i. 410
 superior, ligation of, i. 411
 bandage of neck, iii. 750
 gland, anatomy, ii. 380
 cancer of, ii. 381
 enucleation of growths in, ii. 385
 inflammation of, ii. 380
 ligation of, after-treatment, ii. 393
 hyperthyroidism, ii. 393
 lobe of, resection of part, ii. 389
 operations on, local anesthesia for, i. 144
 sarcoma of, ii. 381
 secretion, conditions of deficiency of, ii. 394
 syphilis of, ii. 381
 tuberculosis of, ii. 381
 glands, accessory, ii. 380

- Thyroidectomy, ii. 382, 392
 after-treatment, ii. 393
 anesthesia for, ii. 392
 local anesthesia in, i. 144
 Thyroiditis, acute, ii. 380
 chronic, ii. 381
 Throtomy, ii. 230
 Thyrotoxicosis, ii. 389
 as factor in operation, ii. 182
 postoperative, i. 227
 Tibia, anterior curvature of, iii. 468
 bone grafts from, i. 772, 773
 excision of, i. 733
 fractures of, i. 603
 after-treatment, i. 608
 of shaft, i. 603
 of spine, i. 654
 of upper end, i. 603
 old, with vicious union, i. 608
 osteotomy of, i. 716
 of shaft, i. 716
 resection of, i. 733
 sarcoma of, i. 706
 tubercle of, avulsion of, i. 603
 Tibial artery, anterior, ligation of, i. 443
 posterior, ligation of, i. 441
 in middle of leg, i. 442
 nerve, anterior, injuries to, i. 808
 Tibialis anticus, tenotomy of, i. 814
 transplantation of extensor proprius
 hallucis for, i. 809
 for peroneus tertius, i. 810
 of peroneus longus for, i. 810
 posticus, tenotomy of, i. 814
 Tic convulsif, i. 888
 douloureux, i. 862. See also *Neuralgia, trifacial.*
 Ticks, bites of, i. 276
 Tied chain sutures, i. 200
 Tincture of iodin, surgical uses, i. 68
 Tinea circumata, i. 839
 favosa, i. 838
 kerion, i. 839
 tonsurans, i. 839
 x-rays in, iii. 704
 trichophytina, i. 839
 versicolor, i. 839
 Tinnitus aurium, i. 890
 operation on seventh nerve in, ii. 112
 Tissues, division of, in amputation, iii. 501
 grafting, iii. 645
 redundant, treatment of, in amputation,
 iii. 512
 Toe, amputation of, with all of metatarsal
 bone, iii. 578
 claw, iii. 491
 great, amputation of, with all of meta-
 tarsal bone, iii. 578
 disarticulation of, at metatarsophalan-
 geal joint, iii. 573
 hammer, iii. 491
 little, amputation of, with all of meta-
 tarsal bone, iii. 578
 nail, ingrown, iii. 493
 overlapping, iii. 491
 phalanx of, first, amputation through,
 iii. 573
 Toe, pigeon-, iii. 495
 Toe-drop, paralytic, iii. 483
 Toes, amputation of, iii. 570
 all, with part of all metatarsal bones,
 iii. 577
 with part of metatarsal bone, iii. 576
 bandage of, iii. 775
 disarticulation of all, at metatarsophalan-
 geal joints, iii. 575
 with metatarsal bones, iii. 580
 at end phalanges, iii. 572
 smaller, at metatarsophalangeal joint,
 iii. 574
 two or more adjacent, with metatarsal
 bones, iii. 579
 more than two, disarticulation of, at
 metatarsophalangeal joints, iii. 574
 operations on, local anesthesia for, i. 147
 phalanges of, end, disarticulation of, iii.
 572
 smaller, disarticulation of, at metatarso-
 phalangeal joint, iii. 574
 two or more adjacent, disarticulation of,
 with metatarsal bones, iii. 579
 Toluoline, as antiseptic, i. 65
 Toluol method for catgut, i. 34
 Tongue, ii. 286
 abscess of, tuberculous, ii. 290
 actinomycosis of, ii. 290
 bifid, ii. 286
 burns of, ii. 288
 cancer of, ii. 292
 excision for, ii. 293. See also *Excision
 of tongue for carcinoma.*
 incurable, alcohol injections in, i. 869
 operation in, ii. 364
 congenital defects, ii. 286
 cracks of, ii. 289
 cysts of, ii. 292
 dyspeptic, ii. 289
 epithelioma of, radium in, iii. 712
 forceps for general anesthesia, i. 95
 foreign bodies in, ii. 287
 frenum of, ulcers of, ii. 290
 furrows of, ii. 289
 herpes of, ii. 288
 holding, in general anesthesia, i. 97
 hypertrophy of, ii. 290
 inflammations of, ii. 288
 injuries of, ii. 287
 leprosy of, ii. 290
 leukoplakia of, ii. 289
 nodules of, tuberculous, ii. 290
 operations on, local anesthesia for, i. 143
 psoriasis of, i. 834; ii. 289
 root, tumor of, ii. 389
 swallowing, ii. 287
 syphilis of, ii. 290
 trichinosis of, ii. 290
 tuberculosis of, ii. 290
 tumors of, ii. 291, 292
 ulcers of, ii. 289
 aphthous, ii. 290
 dyspeptic, ii. 289
 herpetic, ii. 290
 mercurial, ii. 290
 traumatic, ii. 290

Tongue, wounds of, ii. 287
 gunshot, ii. 288
 Tongue-tie, ii. 287
 Tonsillectomy, ii. 213
 after-treatment, ii. 214
 anesthesia in, ii. 213
 hemorrhage after, ii. 214
 incomplete, ii. 213
 indications for, ii. 213
 position of patient for, ii. 213
 results, ii. 214
 Tonsillitis, acute, ii. 212
 catarrhal, ii. 212
 caseous, ii. 212
 chronic, ii. 212
 follicular, ii. 212
 membranous, ii. 212
 suppurative, ii. 212
 Tonsillotome, ii. 213
 Tonsillotomy, ii. 213
 Tonsils, adherent, ii. 216
 diseases of, ii. 212
 enucleation of, ii. 213, 214
 hypertrophy of, chronic, ii. 212
 imbedded, ii. 216
 lingual, diseases of, ii. 290
 mycosis of, ii. 212
 operations on, through neck, ii. 367
 removal of, 213
 partial, ii. 213
 with guillotine, ii. 216
 tumors of, ii. 216
 palliative treatment, ii. 216
 Tooth powders, formulæ for, ii. 275
 Torek's method of exposing thoracic esophagus, ii. 462
 operation for inguinal hernia, iii. 35
 Torsion in hemorrhage, i. 341
 of omentum, ii. 620
 of pedicle of ovarian tumors, iii. 434
 of spermatic cord, iii. 307
 Torticollis, ii. 373
 acute, ii. 373
 bilateral, ii. 375
 chronic, ii. 373
 stretching and manipulation in, ii. 373
 division of posterior muscles in, ii. 375
 excision of sternomastoid muscle in, ii.
 375
 fixation in, ii. 373
 habitual, ii. 377
 ocular, ii. 377
 open tenotomy in, ii. 375
 paralytic, ii. 377
 rachitic, ii. 377
 resection of posterior cervical nerves in,
 ii. 376
 of spinal accessory nerve in, ii. 376
 rheumatic, ii. 377
 spasmotic, ii. 376
 subcutaneous tenotomy in, ii. 374
 treatment after operation, ii. 375
 Total laryngectomy, ii. 231
 Tourniquet, impromptu, in hemorrhage, i.
 335
 Tow dressings, i. 41
 Towels, i. 48

Tower head, ii. 42
 Toxemia, intestinal, i. 259
 chronic, ii. 610
 Toxic tenosynovitis, i. 817
 Toxic neuritis, i. 862
 Toxins, erysipelas, in inoperable cancer, i.
 332
 Trachea, ii. 217
 acquired stenosis of, ii. 218
 burns of, ii. 219
 congenital stenosis of, ii. 218
 contusions of, ii. 219
 examination, ii. 217
 foreign bodies in, ii. 224
 removal, ii. 244
 fractures of, ii. 219
 inflammations of, ii. 220
 injuries of, ii. 219
 malformations of, ii. 218
 mucus in, after operation, i. 227
 operations on, ii. 217, 226
 local anesthesia for, i. 143
 resection of, ii. 237
 treatment, ii. 217
 tumors of, ii. 224
 wounds of, ii. 220
 Tracheloplasty, conical, iii. 367
 Trachelorrhaphy, intermediate, iii. 362
 later, iii. 363
 primary, iii. 362
 Tracheoscopy, ii. 225, 239
 position of patient for, ii. 240
 Tracheotomy, ii. 226
 high, ii. 227
 indications for, ii. 225
 local anesthesia in, i. 143
 low, ii. 228
 operative complications, ii. 228
 postoperative care, ii. 229
 complications, ii. 229
 tubes, ii. 227
 with excision of non-toxic goiter, ii. 389
 Trachoma, ii. 123
 operations for, ii. 150
 true, ii. 124
 Traction, continuous, in fractures, i. 487
 frame, lever, Zuppinger's, i. 494
 in fractures, continuous, i. 487
 measurement of legs in, i. 493
 of femur, i. 490
 temporary, i. 485
 transverse, i. 498
 wires, from skin, i. 493
 splint in tuberculosis of hip, i. 669
 Transduodenal choledochotomy, iii. 131
 Transfusion, blood, i. 348
 abdominal blood for, iii. 818
 agglutination test in, i. 355
 donor in, i. 348
 for prevention of shock, i. 216
 Hartwell's method, i. 352
 hemolysis in, i. 348
 test for, i. 355; iii. 814
 in hemorrhage, i. 343, 348
 in leukemia, i. 466
 in septicemia, i. 260
 indirect, i. 353

- Transfusion, blood, indirect, amount of blood, i. 354
 Kimpton-Brown method, iii. 817
 Lewisohn's method, i. 356
 Lindeman's method, i. 353
 sodium citrate method, i. 356
 with glass tubes, iii. 817
 Sorensen's apparatus for, i. 352
 tests of donor's blood, i. 355; iii. 814
 vein-to-vein, i. 348
 Vincent's tube for, i. 354
 with preserved red blood-cells, iii. 815
 Transitory cineplastic amputation, iii. 538
 Transmesocolic route of approach to pancreas, ii. 779
 Transpelvic amputation at hip-joint, iii. 605
 Transperitoneal cystotomy, iii. 221
 fixation of kidney, anterior, iii. 170
 nephrectomy, iii. 167
 operation in bladder tumors, iii. 197
 Transplantation, blood-vessel, iii. 647
 cartilage, iii. 648
 intestinal, formation of new vagina by, iii. 359
 of amputated members, iii. 649
 of arteries, iii. 648
 of cornea, ii. 153
 of extensor proprius hallucis for tibialis anticus, i. 809
 of fat into orbit after enucleation, ii. 160
 of joints, i. 767
 of nasal cartilage, ii. 192
 of nerves, heteroplastic, i. 857
 homoplastic, i. 857
 of organs and parts, iii. 648
 of ovary from one to another, iii. 438
 of parathyroid glands, ii. 394
 of peritoneum, iii. 648
 of peroneus longus for tibialis anticus, i. 810
 of tendons, i. 805; iii. 648
 after-treatment, i. 808
 general principles and technic, i. 805
 in acquired paralytic talipes, iii. 482
 in paralysis of biceps of arm, i. 812
 of extensors of hand, i. 812
 of quadriceps extensor of thigh, i. 812
 in paralytic talipes calcaneus, i. 812
 equinus, i. 812
 valgus, i. 811
 varus, i. 812
 indications and results, i. 808
 of tibialis anticus for peroneus tertius, i. 810
 of veins, iii. 648
 of vermiform appendix, iii. 649
 Transplanted bone grafts, i. 511
 Transportation of injured, iii. 723
 by aeroplane, iii. 728
 by ambulance, iii. 727
 by stretcher, iii. 724
 travois for, iii. 726
 Transvaginal exposure of ureter, iii. 172
 rectal drainage of bladder for incontinence, iii. 331
 Transverse abdominal incision, ii. 507-512
 laryngotomy, ii. 230
 Transverse traction in fractures, i. 498
 Trapezius muscle, paralysis of, i. 795
 Traumatic aneurism, i. 380
 arteritis, i. 380
 asphyxia, hemorrhage in, i. 360
 cataract, ii. 133
 immediate removal, ii. 173
 congestion, i. 228
 delirium in fractures, i. 527
 emphysema, i. 820
 gangrene, i. 317
 hysteria, ii. 103
 insanity, primary, ii. 102
 neurasthenia, ii. 103
 neuritis, i. 862
 ossifying myositis, i. 792
 paralysis in general anesthesia, i. 100
 psychoses, ii. 102
 rupture of tympanic membrane, ii. 306
 spondylitis, ii. 326
 synovitis, i. 657
 tenosynovitis, i. 817
 thrombosis of sinuses of dura mater, ii. 72
 ulcers of tongue, ii. 290
 Traumatism in etiology of appendicitis, iii. 87
 of arteries, i. 371
 of joints, i. 650
 of peritoneum, ii. 542
 of skin, i. 820
 of vagina, iii. 333
 of veins, i. 446
 retroversion of uterus from, iii. 389
 Travois for transporting injured, iii. 726
 Treatment, surgical, i. 17, 184
 Trench-foot, i. 319
 Trendelenburg's method of controlling hemorrhage in disarticulation at hip-joint, iii. 604
 operation in varicose veins, i. 449
 Trephine, ii. 26, 27
 sclera, ii. 163
 Trephining in basal fractures of skull, i. 536
 of sclera, simple, in glaucoma, ii. 162
 Treponema pallidum, i. 283
 Triangle, carotid, inferior, ligation of common carotid at, i. 407
 mesenteric, ii. 625
 postmeatal, of ear, ii. 300
 superior carotid, i. 406
 ligation of common carotid artery at, i. 408
 Triangular bandage, i. 49; iii. 783
 fronto-occipital, iii. 784
 iliofemoral, iii. 792
 of chest, iii. 791
 of foot, iii. 792
 of hand, iii. 792
 of knee, iii. 792
 of shoulder, iii. 791
 sling bandage of forearm, iii. 790
 suspensory bandage of breast, iii. 791
 Trichinosis, i. 792
 of tongue, ii. 290
 Trichloriodin as antiseptic, i. 69
 Trichophytosis, i. 839
 Trichorrhexis nodosa, i. 847
 Tricot bandages, i. 55

Tricresol as antiseptic, i. 66
 Trifacial neuralgia, i. 865. See also *Neuralgia, trifacial*.
 Trigeminal nerve. See *Fifth nerve*.
 operations on, local anesthesia for, i. 143
 Trigger-finger, iii. 456
 Trigonum of bladder, iii. 182
 Tripolith bandages, i. 56
 Tritetraethylphosphite as antiseptic, i. 60
 Trocar and canula, i. 79
 Trombiculosis, i. 848
 Trombiculum irritans, i. 848
 Trophic gangrene, i. 320
 ulcers, i. 313
 Tropical dysentery, ii. 570
 Tropocain as local anesthetic, i. 136
 as spinal anesthetic, i. 156
 Trunk, bandages of, iii. 765
 Truss for hernia, frame, iii. 17
 in hernia, prognosis with, iii. 21
 Trypaflavin as antiseptic, i. 65
 Trypsin injections in inoperable cancer, i. 333
 Tryptan red, as urinary antiseptic, iii. 142
 Tubal abortion, iii. 435
 Tuberclerc, carotid, i. 407
 of tibia, avulsion of, i. 603
 retro-orbital, ii. 46
 Tubercular lymphadenitis, i. 461
 proctitis, iii. 61
 Tuberculin in nodular lymphatic keratoconjunctivitis, ii. 125
 in tuberculosis, i. 257
 of joints, i. 663
 Koch's, i. 257
 new, i. 257
 Oberst, i. 258
 Rückstand, i. 257, 258
 Tuberculosis, i. 276
 about nails, i. 848
 artificial pneumothorax in, ii. 416
 as factor in operation, i. 182
 bacillus emulsion in, i. 258
 sensitized, i. 258
 Bier's hyperemia in, i. 280
 cutis, i. 837
 diet in, i. 277
 drainage of lung cavities in, ii. 416
 drugs in, i. 279, 280
 fresh air treatment, i. 278
 genital, iii. 144
 in women, iii. 439
 heliotherapy in, i. 280; iii. 707
 interpleural pneumolysia in, ii. 418
 light treatment, i. 280
 local treatment, i. 279
 of ankle, i. 678
 of bladder, iii. 193
 of bones, i. 469
 filling bone cavities from, i. 706
 of skull, ii. 41
 of brain, ii. 75
 of breast, ii. 475
 of cecum, ii. 575
 of choroid, ii. 130
 of elbow, i. 679

Tuberculosis of epididymis, iii. 305
 of finger-tip, iii. 444
 of hip, i. 665
 abscess in, i. 672
 acute stage, i. 666
 ambulatory treatment, i. 668, 671
 Bradford frame in, i. 666
 complications, i. 672
 convalescent stage, i. 668, 672
 deformity in, 672
 double, i. 673
 immobilization in, i. 666, 668
 in adults, i. 673
 Lovett's splint in, i. 671
 operative treatment, i. 673
 plaster-of-Paris splint in, i. 668
 subacute stage, i. 668
 traction splint in, i. 669
 of intestines, ii. 574
 of joints, i. 663
 amputation in, i. 665
 arthroectomy in, i. 665
 constricting band in, i. 232
 excision in, i. 665
 formalin-glycerin in, i. 281
 general treatment, i. 663
 heliotherapy in, i. 664
 hyperemic treatment, i. 664
 injection treatment, i. 664
 light treatment, i. 664
 local treatment, i. 663
 operative treatment, i. 664
 protection of joint in, i. 664
 rest in, i. 663
 tuberculin treatment, i. 663
 tuberculous foci in, i. 664
 of kidney, iii. 149
 nephrectomy in, iii. 149, 167
 of knee, i. 674
 amputation in, i. 677
 arthroectomy in, i. 677
 convalescence in, i. 677
 excision in, i. 677
 flexion-deformity in, i. 675
 gradual extension in, i. 676
 heliotherapy in, i. 675
 immobilization in, i. 674
 old cases, i. 676
 osteotomy of femur in, i. 677
 protection from traumatism in, i. 675
 Thomas' knee-splint in, i. 675
 traction in, i. 675
 of larynx, ii. 222
 of liver, iii. 112
 of metacarpal joints, i. 680
 of metatarsal joints, i. 680
 of muscles, i. 792
 of ovary, iii. 431
 of phalangeal joints, i. 680
 of pharynx, ii. 207
 of prostate, iii. 230
 of ribs, ii. 398
 of sacro-iliac joint, i. 680; ii. 355
 of seminal vesicles, iii. 278
 of shoulder-joint, iii. 450
 of skin, i. 837
 x-rays in, iii. 705

- Tuberculosis of spine, ii. 327. See also *Pott's disease*.
- of spleen, ii. 785
 - of stomach, ii. 702
 - of suprarenal glands, iii. 181
 - of testicles, iii. 305
 - of thyroid gland, ii. 381
 - of tongue, ii. 290
 - of urethra, iii. 272
 - of uterus, iii. 370
 - of vulva, iii. 327
 - of wrist, i. 680
 - operative treatment, i. 281
 - pneumectomy in, ii. 416
 - pneumolysis in, ii. 418
 - predisposing causes, i. 277
 - principles of treatment, i. 277
 - prophylaxis, i. 276
 - resection of costal cartilages in, ii. 419
 - of lungs in, ii. 416
 - rest in, i. 279
 - serum treatment in, i. 279
 - sunshine in, i. 279
 - surgical, Bier's hyperemia for, i. 232
 - heliotherapy for, iii. 707
 - sea-shore treatment, i. 279
 - thoracoplasty in, ii. 418
 - tuberculin in, i. 257
 - vaccine treatment, i. 279
 - verrucosa, i. 837
 - x-rays in, iii. 705
- Tuberculous abscess, i. 281
- aseptic aspiration, i. 281
 - Bier's hyperemia in, i. 282
 - evacuation, i. 282
 - of tongue, ii. 290
 - adenitis, ii. 368
 - nonsurgical treatment, ii. 369
 - technic of operation for, ii. 370
 - appendicitis, iii. 101
 - bursitis, i. 819
 - cystitis, iii. 193
 - empyema, ii. 413
 - fistula, i. 282
 - foci in bones, uncomplicated, i. 470
 - hydrothorax, ii. 413
 - laryngitis, anesthesia in, i. 137
 - lymph-glands of neck, ii. 368
 - nonsurgical treatment, ii. 369
 - technic of operation for, ii. 370
 - meningitis, ii. 68
 - nodules of tongue, ii. 290
 - perforation of intestines, ii. 581
 - peritonitis, ii. 554
 - salpingitis, iii. 428
 - spondylitis, ii. 327. See also *Pott's disease*.
 - tenosynovitis, i. 817
- Tuberosity of tibia, painful enlargement of, iii. 466
- Tube, Eustachian. See *Eustachian tube*.
- Tubes, drainage, i. 44, 45
 - glass, i. 46
 - rubber, i. 45
 - self-retaining, i. 46
 - tracheotomy, ii. 221
- Tumors, i. 323
- Tumors, benign connective-tissue, i. 323
- epithelial, i. 324
 - brain, blindness with, ii. 178
 - epilepsy from, ii. 101
 - extirpation of, i. 323
 - fibroid, partial hysterectomy for, iii. 418
 - ganglion, i. 818
 - intraspinal, ii. 338
 - malignant. See also *Cancer*.
 - mesenteric, ii. 563, 564
 - of abdominal wall, ii. 538
 - of appendix, iii. 104
 - of axilla, iii. 453
 - of bladder, iii. 194
 - inoperable, iii. 197
 - transperitoneal operation in, iii. 197
 - route for removal, iii. 224
 - of bones. See *Bones, tumors of*.
 - of brain, ii. 75
 - active treatment, ii. 76
 - antisypilitic treatment, ii. 76
 - blindness with, ii. 178
 - curative treatment, ii. 77
 - dangers of lumbar puncture in, ii. 77
 - decompression in, ii. 78
 - indications for operation, ii. 75
 - localizing indications, ii. 75
 - palliative operations in, ii. 78
 - results of operation, ii. 82
 - suction apparatus in, ii. 78
 - two-stage operations in, ii. 78
 - of breast, mixed, ii. 475
 - of broad ligament, iii. 426
 - of chest wall, ii. 444
 - of choroid, ii. 130
 - of conjunctiva, ii. 124
 - of cornea, ii. 128
 - of cranial bones, ii. 42
 - of diaphragm, ii. 470
 - of esophagus, ii. 445
 - of eyelid, ii. 120
 - of face, ii. 115
 - of gums, ii. 280
 - of hypophysis, intradural approach to, iii. 819
 - of intestines, ii. 582
 - chronic obstruction from, ii. 610
 - of iris, ii. 129
 - of jaws, ii. 286
 - of kidney, iii. 151
 - of lacrimal gland, ii. 136
 - of lips, benign, ii. 254
 - of liver, iii. 112
 - of lower extremities, iii. 462
 - of lung, ii. 445
 - of male breast, ii. 497
 - of maxillary antrum, ii. 197
 - of mediastinum, ii. 446
 - of meninges, ii. 75
 - of muscles, i. 792
 - of nasal cavity, benign, ii. 188
 - of nasopharynx, ii. 208
 - of neck, ii. 372
 - solid, ii. 372
 - of nerves, i. 880
 - of nipples, ii. 473
 - of nose, ii. 188

- Tumors of omentum, ii. 620
 of optic nerve, ii. 135
 of orbit, ii. 137
 removal of, ii. 163
 of ovary, iii. 431
 operation for, iii. 432
 torsion of pedicle, iii. 434
 of palate, ii. 255
 of pancreas, ii. 782
 of pelvis, iii. 460
 of penis, iii. 252
 of pericardium, ii. 445
 of peritoneum, ii. 557
 of pituitary body, ii. 83
 of pleura, ii. 445
 of prostate, iii. 246
 of rectum, iii. 74
 benign, iii. 74
 malignant, iii. 75
 of root of tongue, iii. 389
 of sacrococcygeal region, iii. 460
 of salivary glands, ii. 379
 of scalp, ii. 24
 of sclera, ii. 129
 of scrotum, iii. 303
 of seventh nerve, removal of, ii. 113
 of spinal cord, ii. 338
 medullary, extrusion treatment, ii.
 342
 laminectomy in, ii. 341
 spinal decompression in, ii. 344
 of spine, ii. 338
 of spleen, ii. 785
 of stomach, ii. 703
 of suprarenal glands, iii. 181
 of teeth, ii. 280
 of testicles, iii. 306
 of thorax, ii. 444
 of tongue, ii. 291, 292
 of tonsils, ii. 216
 palliative treatment, ii. 216
 of trachea, ii. 224
 of umbilicus, ii. 537
 of ureter, iii. 156
 of urethra, iii. 272
 of uterus, iii. 372
 fibroid, radium in, iii. 712
 of vagina, iii. 356
 of vertebrae, ii. 338
 of vulva, iii. 327
 parovarian, iii. 434
 retroperitoneal, ii. 563
 special tissue, i. 323
 Tunica vaginalis, hematocoele of, iii. 303
 Tunnel skin-grafting, iii. 644
 Turbinated bones, ii. 179
 hypertrophy, ii. 186
 removal, ii. 186
 Türk's mattress interlocking stitch for
 intestinal suture, ii. 636
 Turf-moss dressings, i. 42
 Turpentine enema, ii. 620
 Twilight sleep, i. 124
 Two-glass test in gonorrhea, iii. 279
 Tying knots, methods of, i. 190
 with one hand, i. 203
 Tylosis, i. 848

- Tympanic deafness, advanced, ii. 319
 membrane, ii. 299
 examination of, ii. 302
 incision of, in acute otitis media, ii. 307
 traumatic rupture of, ii. 306
 ulcerative rupture of, ii. 306
 wounds of, ii. 301
 Typhlitis, n. 576
 Typhoid appendicitis, iii. 101
 arthritis, i. 660
 bacillus carriers, surgical treatment, iii.
 115
 infection of gall-bladder, iii. 115
 osteitis, i. 469
 spine, ii. 326
 spondylitis, ii. 326
 ulcer, perforating, ii. 580
- ULCER, i. 308
 acute, i. 314
 applications for, i. 308.
 bleeding, i. 314
 chronic, i. 314
 curettage of, i. 309
 diabetic, i. 314
 dressings for, i. 308
 eczematous, i. 314
 edematous, i. 314
 excision of, i. 309
 exuberant, i. 314
 fungous, i. 314
 gastrojejunal, ii. 580
 herpetic, fulguration for, iii. 703
 indolent, i. 312
 x-rays in, iii. 706
 indurated, i. 313
 inflamed, i. 312
 irritable, i. 313
 jejunal, ii. 580
 later results, i. 225
 malignant, i. 315
 Marjolin's, i. 315
 neuralgic, i. 313
 of cornea, ii. 125
 simple, ii. 125
 of duodenum, ii. 576. See also *Duodenal ulcer*.
 of esophagus, ii. 433
 of foot, perforating, iii. 494
 of frenum of tongue, ii. 290
 of intestines, ii. 576
 of leg, heliotherapy for, iii. 707
 of lips, ii. 246
 of soft palate, ii. 255
 of stomach, ii. 720
 actual cautery in, ii. 724
 dietetic treatment, ii. 721
 excision of, ii. 723
 gastro-enterostomy in, ii. 722
 hyperchlorhydria in, treatment, ii. 722
 indications for operation in, ii. 722
 limitations of medical treatment, ii.
 723
 near pylorus, ii. 723
 nonoperative treatment, ii. 720
 perforating, ii. 726
 resection of, ii. 759

- Ulcer of stomach, results of operation in, ii. 724
 of tongue, ii. 289
 aphthous, ii. 290
 dyspeptic, ii. 289
 herpetic, ii. 290
 mercurial, ii. 290
 traumatic, ii. 290
 of uvula, ii. 295
 painful, i. 312
 perforating typhoid, ii. 580
 phagedenic, i. 313
 pressure on, i. 309, 313
 rodent, i. 315
 scarification of, i. 310
 scorbutic, i. 314
 sloughing, i. 314
 sluggish syphilitic, i. 302
 tanner's, i. 315
 trophic, i. 313
 varicose, i. 310. See also *Varicose ulcers*.
 venereal, non-syphilitic, iii. 251
- Ulcerated hemorrhoids, iii. 74
- Ulceration, distortions and contractions following, iii. 693
 from x-rays, iii. 720
 of bladder, chronic infiltrating, iii. 194
 of esophagus, ii. 432
 of rectum, amebic, iii. 61
- Ulcerative proctitis, iii. 61
 rupture of tympanic membrane, ii. 306
- Ullmann's invagination method of intestinal anastomosis with ring or bobbin, ii. 658
- Ulna and radius, union of, iii. 451
 dislocations of, forward, i. 637
 inward, i. 637
 of lower end, i. 638
 excision of, i. 731
 fractures of, i. 572
 of shaft, i. 573, 574
 of styloid process, i. 579
 resection of, i. 731
 sarcoma of, i. 707
- Ulnar artery, ligation of, i. 424
 bursa, infections of, iii. 448, 449
 nerve, dislocation of, i. 897
 injuries of, i. 897
- Ultra-violet rays in erysipelas, i. 263
- Umbilical cord, hernia of, iii. 45
 hernia, iii. 18, 40
 large, operation for, iii. 42
 operation for, iii. 40
 local anesthesia in, i. 150
 with double sliding flap, iii. 43
 with purse-string wire suture, iii. 44
 with transverse flap, iii. 43
 small, operation for, iii. 40
 purse-string operation for, iii. 41
- Umbilicus, cysts of, ii. 537
 diseases of, ii. 537
 fistula of, ii. 537
 infections of, ii. 537
 tumors of, ii. 537
- Unconscious patients, moving, i. 184
- Undescended testicle, iii. 308
 Bevan's operation for, iii. 308
- Undescended testicle, late cases, iii. 309
 preliminary operation in, iii. 310
- Unguentum hydrargyri in syphilis, i. 286
- Unilateral strabismus, ii. 175
 Union, delayed, in fractures, i. 527
 faulty, in fractures, i. 527
 fibrous, in fractures, i. 528
- Universal scarf bandage, iii. 793
- Unna's zinc-gelatin dressings in varicose ulcers, i. 310
- Upper extremities, amputations of, iii. 542
 bandages of, iii. 753, 760
 diseases of, iii. 441
 nerves of, injuries to, i. 806
 prosthetic apparatus for, iii. 607
- Urachus, cysts of, ii. 538
 diseases of, ii. 538
 fistulas of, ii. 538
- Uranium, iii. 709
- Ureter, iii. 156
 anatomy, iii. 140
 catheterization of, by air distention, iii. 188
 in female, iii. 188
 exposure of, operative, iii. 171. See also *Exposure of ureter*.
 female, iii. 326
 fistula of, iii. 157
 implantation of, iii. 176. See also *Implantation of ureter*.
 injuries of, iii. 156
 occlusion of, accidental, iii. 156
 operations on, iii. 157
 stone in, iii. 152, 157
 operations for, iii. 153
 stricture of, iii. 156
 suture of, iii. 173
 tumors of, iii. 156
- Ureteritis, iii. 156
- Ureterocolostomy, iii. 178
- Ureterocystostomy, iii. 176
- Ureteroplasty, iii. 174
- Ureteropyelostomy, iii. 180
 in hydronephrosis, iii. 153
- Ureterorrhaphy, iii. 173
- Uretero-ureteral anastomosis, iii. 174
- Uretero-ureterostomy, iii. 174
 by lateral implantation, iii. 175
 end-into-end, by invagination, iii. 175
 oblique end-to-end, iii. 175
 transverse end-to-end, iii. 174
- Ureterovaginal fistula, iii. 353
 following hysterectomy, iii. 353
- Ureterovesicovaginal fistula, iii. 353
- Urethra, iii. 248
 abscess of, iii. 272
 acute inflammation, urinary retention from, iii. 210
 anatomy, 249
 cancer of, iii. 272
 contusions of, iii. 271
 cysts of, iii. 272
 female, iii. 324
 fistula of, iii. 274
 acquired, iii. 274
 with stricture, iii. 299
 foreign bodies in, iii. 273

Urethra, foreign bodies in, urinary retention from, iii. 211
 impermeable stricture of, iii. 290
 inflammations of, simple, iii. 272
 injuries of, iii. 250, 271
 extravasation of urine in, iii. 271
 male, iii. 248
 membranous, iii. 249
 operations on, local anesthesia in, i. 151
 orifice of, fibrous contracture, iii. 246
 papilloma of, iii. 272
 penile, iii. 249
 injuries of, iii. 250
 polyp of, fulguration for, iii. 703
 prolapse of, iii. 331
 prostatic, iii. 249
 rupture of, urinary retention from, iii. 210
 stricture of, iii. 286. See also *Stricture of urethra*.
 tuberculosis of, iii. 272
 tumor compressing, urinary retention from, iii. 211
 tumors of, iii. 272
 wounds of, iii. 271
 Urethral caruncle, iii. 328
 drainage of bladder, iii. 222
 fever, iii. 275
 orifice, iii. 182
 shock, iii. 275
 Urethrectomy, complete, in stricture, iii. 300
 for stricture, iii. 300
 partial, for stricture, iii. 300
 Urethritis, gonorrhreal, iii. 279. See also *Gonorrhea*.
 non-specific, iii. 272
 simple, iii. 272
 Urethrorectal anastomosis for incontinence of urine, iii. 331
 fistula, iii. 274
 Urethrorrhaphy, iii. 274
 Urethrotome, Otis', for cutting urethral stricture, iii. 292
 Urethrotomy, external, for stricture, iii. 294
 perineal, simplified, of Barney, iii. 296
 vesiculotomy combined with, iii. 278
 with guide, iii. 297
 without guide, iii. 297
 internal, in stricture of penile urethra, iii. 292
 prostatic, for stricture, iii. 299
 Urethrovaginal fistula, iii. 349
 Urinary bladder, papilloma of, fulguration for, iii. 700
 meatus, external, iii. 248
 female, iii. 324
 internal female, iii. 324
 Urine, antisepsis of, iii. 141
 continuous lumbar drainage of, iii. 180
 extravasation of, in urethral injuries, iii. 271
 stricture of urethra with, iii. 299
 incontinence of, iii. 207
 paraffin prosthesis for, iii. 691
 local antiseptics, iii. 142

Urine, retention of, iii. 209. See also *Retention of urine*.
 after abdominal operations, ii. 533
 postoperative, i. 226
 stricture of urethra with, iii. 299
 Urticaria, i. 827
 Uterine canal, dilatation of, iii. 398
 Uterocystostomy, iii. 180
 Utersacral ligaments, iii. 325
 Uterus, anatomy, iii. 325
 and vagina, double, iii. 357
 anteflexion of, iii. 385
 anteversion of, iii. 385
 appendages of, iii. 326
 cancer of, iii. 374
 fulguration for, iii. 703
 radium in, iii. 711
 cavity of, curettage of, iii. 399
 cornu of, iii. 325
 displacements of, iii. 376
 fibroid tumors of, radium in, iii. 712
 fibromyoma of, iii. 372
 gonorrhea of, iii. 285
 hemorrhage from, iii. 362
 hernia of, iii. 51
 infantile, amenorrhea from, iii. 397
 inflammations of, iii. 368
 inversion of, iii. 383. See also *Inversion of uterus*.
 lateroflexion of, iii. 385
 lateroversion of, iii. 385
 myoma of, radium in, iii. 712
 operations on, iii. 397
 local anesthesia in, i. 152
 preparation for, i. 180
 perforation of wall, with curet, iii. 401
 polypus of, iii. 372
 pregnant, puncture of, iii. 361
 prolapse of, iii. 376. See also *Prolapse of uterus*.
 retention of, in abdomen, in Cesarean section, iii. 408
 retroflexion of, iii. 386
 retroversion of, iii. 386
 rudimentary, iii. 375
 rupture of, iii. 361
 sarcoma of, iii. 375
 stenosis of, iii. 375
 suture of, iii. 361
 transplantation of ectopic pregnancy from Fallopian tube to, iii. 437
 tuberculosis of, iii. 370
 tumors of, iii. 372
 ventrosuspension of, for retroversion, iii. 393
 vessels of, iii. 326
 wounds of, iii. 360
 Uveitis, ii. 130
 Uvula, bifid, ii. 255
 diseases of, ii. 255
 elongation of, ii. 255
 Uvulotomy, ii. 255

VACCINES, i. 255
 antigonococcus, in gonorrhea, iii. 283
 autogenous, i. 256
 in pruritus ani, iii. 65, 818

Vaccines, autogenous, results from, i. 256
Coccobacillus foetidus ozoenæ, in ozena, ii. 188
 colon bacillus, in appendicitis, iii. 88
 desiccated, in hydrophobia, i. 273
 dosage, i. 256
 in anthrax, i. 272
 in boils, i. 253
 in burns of skin, i. 824
 in chronic intestinal stasis, ii. 611
 suppurative otitis media, ii. 310
 in eczema, i. 832
 in erysipelas, i. 264
 in furunculosis, i. 829
 in joint infections, i. 257
 in osteomyelitis, i. 257
 in psoriasis, i. 835
 in puerperal septicemia, i. 257
 in ringworm of scalp, i. 840
 in septicemia, i. 256, 260
 in tuberculosis, i. 257, 279
Micrococcus catarrhalis, in ozena, ii. 188
 mixed, i. 256
 stock, i. 256
 technic of injections, i. 258
 Vacuum extraction of cataract, ii. 174
 Vagina, iii. 324
 absence of, iii. 357
 and uterus, double, iii. 357
 atresia of, iii. 357
 cancer of, iii. 356
 radium in, iii. 711
 chorio-epithelioma of, iii. 356
 double, iii. 357
 foreign bodies in, iii. 357
 fornix of, iii. 325
 hematoma of, iii. 333
 malformations of, iii. 357
 new, formation of, iii. 357
 by intestinal transplantation, iii. 359
 polyps of, iii. 356
 preparation of, for operation, i. 180
 traumas of, iii. 333
 tumors of, iii. 356
 vestibular bulbs, iii. 324
 wounds of, iii. 333
 Vaginal cystotomy for stone in bladder, iii.
 203
 hysterectomy, iii. 411
 by morcellement, iii. 414
 combined with vaginal, iii. 422
 with clamps, iii. 414
 hysterotomy, iii. 401
 operations without anesthesia, iii. 439
 proctotomy for rectal cancer, iii. 75
 retractors, iii. 398
 specula, iii. 308
 wall, abscess of, in vaginitis, iii. 355
 tears of, iii. 334
 Vaginismus, iii. 329
 Vaginitis, iii. 355
 abscess of vaginal wall in, iii. 355
 acute simple, iii. 355
 chronic simple, iii. 355
 gonorrhreal, iii. 284
 sterilized yeast in, iii. 284
 granular, iii. 356

Vaginitis, senile, iii. 356
Valgocavus, iii. 482
Valgus, paralytic, iii. 484
 Valvular obstruction of renal pelvis, operation for, iii. 171
 Vanghetti's method of cineplastic amputation, iii. 527
 Vapor method of ether anesthesia, i. 109
 Varicocele, iii. 316
 Del Valle's operation for, iii. 318
 operation for, iii. 317
 pelvic, iii. 426
 Varicose lymphatics, i. 464
 ulcers, i. 310
 albuminuria in, i. 312
 amputation in, i. 312
 artificial scab treatment, i. 310
 heliotherapy in, i. 312
 Martin's treatment, i. 311
 Skillern's treatment, i. 311
 treatment, i. 311
 zinc-gelatin dressings in, i. 310
 veins, i. 448
 circumcision of leg in, i. 452
 eczema with, i. 448
 elevation treatment, i. 448
 excision of, i. 450
 by inversion, i. 452
 segmentary subcutaneous, i. 452
 extending above knee, i. 448
 injection treatment, i. 453
 ligation, multiple, i. 452
 of femoral artery for, i. 453
 of internal saphenous vein, i. 449
 of broad ligaments, iii. 426
 of legs, i. 448
 of vulva, iii. 329
 operative treatment, i. 449
 subcutaneous enucleation of, i. 452
 Trendelenburg's operation in, i. 499
 Variot's method of removing tattoo marks, i. 849
 Vas deferens, iii. 301
 anastomosis of, to epididymis of opposite side for sterility, iii. 312
 removal of section of, iii. 320
 wounds of, iii. 304
 Vasa efferentia, iii. 301
 Vascular goiter, operation on, ii. 388
 keratitis, ii. 127
 nevus, radium in, iii. 714
 Vasectomy, partial, iii. 320
 Vaseline, i. 58
 Vasoconstriction, local, in nasal operations, ii. 183
 Vasopuncture for seminal vesiculitis, iii. 277
 Vasostomy for seminal vesiculitis, iii. 277
 Vasotomy for seminal vesiculitis, iii. 276
 Vater, diverticulum of, iii. 106
 Vault and base of skull, fractures of, i. 537
 of skull, simple linear fractures, with symptoms of brain compression, i. 532
 without symptoms of brain compression, i. 532

Veins, i. 446
 transplantation of, iii. 648
 transplanted, for tendon reconstruction, i. 803
 traumatism of, i. 446
 varicose, i. 448. See also *Varicose veins*.
 wounds of, i. 446

Vein-to-vein blood transfusion, i. 348

Velpeau's bandage of shoulder and arm, iii. 755

Vena cava, anastomosis of, with mesenteric vein, in ascites, ii. 563
 with portal vein in ascites, ii. 561
 portal vein and, anastomosis between, i. 458

Venereal ulcer, non-syphilitic, iii. 251

Venesection, i. 453
 for compression of brain, ii. 54

Venous infusion in local anesthesia, i. 132
 puncture, i. 453
 sinuses, infections of, ii. 318
 thrombosis of, ii. 318

Ventilation of hospitals, proper, i. 21

Ventral decubitus for amputation, iii. 500
 hernia, iii. 46
 after operation in appendicitis, iii. 102
 operations on, local anesthesia in, i. 150

Ventricle, lateral, of brain, ii. 48
 right, paracentesis of, ii. 425

Ventrosuspension of uterus for retroversion, iii. 393

Verhoeff's method of tattooing cornea, ii. 152

Vermiform appendix. See *Appendix*.

Vernal conjunctivitis, 123

Verruca, i. 841
 plana, i. 842

Vertebrae, dislocations of, i. 620. See also *Dislocations of vertebrae*.
 fractures of, i. 537
 immobilization in, i. 538
 with compression, i. 538
 operations on bodies of, in Pott's disease, ii. 337
 sprains of, i. 651
 subluxations of, i. 623
 tumors of, ii. 338

Vertebral artery, ligation of, i. 410

Vertical postmuscular abdominal section, ii. 512

Vertigo acoustic, operation on seventh nerve in, ii. 112

Verumontanum, iii. 249
 inflammation of, iii. 272

Vesical calculus, iii. 197. See also *Stone in bladder*.
 fistula, iii. 209
 hematuria, iii. 209

Vesicles, seminal, iii. 227, 275, 301. See also *Seminal vesicles*.

Vesico-intestinal fistula, iii. 209

Vesico-uterine fistula, iii. 352
 ligaments, iii. 325

Vesicovaginal drainage, iii. 221
 fistula, iii. 346
 after-treatment, iii. 351
 colpocleisis for, iii. 352
 denudation operation, iii. 346
 flap-splitting operation in, iii. 347
 high, iii. 351
 incurable, iii. 352
 large, iii. 351
 Mayo's operation for, iii. 348
 rectal drainage of bladder in, iii. 352
 small, iii. 351

Vesiculitis, seminal, vasopuncture for, iii. 277
 vasostomy for, iii. 277
 vasotomy for, iii. 276

Vesiculotomy combined with external urethrotomy, iii. 278
 with drainage of seminal vesicles, iii. 278

Vessels, i. 81, 84

Vestibular bulbs of vagina, iii. 324

Vibration in chronic inflammation, i. 249

Vibratory massage, iii. 715
 in neuralgia, i. 864

Vienna anesthetic mixture, i. 119
 paste as caustic, i. 74

Vincent's glass tube for indirect blood transfusion, i. 354

Violin hold of operating scalpel, i. 184

Visceral injuries, ii. 535

Visual sensory center of brain, ii. 45

Vitreous, diseases of, ii. 134
 fluidity of, ii. 134
 foreign bodies in, ii. 134
 hemorrhage into, ii. 134
 opacities in, ii. 134
 pus in, ii. 134

Vogel's method of preventing adhesions in abdominal operations, ii. 522

Voice, training of, after cleft-palate operation, ii. 266

Volkmann's sliding splint, i. 491

Volumetric analysis of Dakin's fluid, i. 61

Volvulus, ii. 608
 of stomach, ii. 715

Vomiting after abdominal operations, ii. 531
 after operation in appendicitis, iii. 101
 postoperative, i. 226; ii. 615

von Hacker's method in stricture of esophagus, ii. 436

von Leube's treatment of ulcer of stomach, ii. 721

Vosburg's dressing for skin-grafting, iii. 640

Vulva, abscess of, iii. 327
 angioma of, iii. 328
 cancer of, iii. 328
 cysts of, iii. 328
 eczema of, i. 832
 elephantiasis of, iii. 329
 excision of, iii. 329
 fibroma of, iii. 328
 fissure of, iii. 329
 hematoma of, iii. 327
 hydrocele of, iii. 328
 inflammations of, iii. 327
 kraurosis of, iii. 329

Vulva, lipoma of, iii. 328
 papilloma of, iii. 327
 posterior commissure of, iii. 323
 sarcoma of, iii. 328
 syphilis of, iii. 327
 tuberculosis of, iii. 327
 tumors of, iii. 327
 varicose veins of, iii. 329
 wounds of, iii. 327
 Vulvitis, follicular, iii. 327
 gonorrhreal, iii. 284
 simple, iii. 327
 Vulvovaginitis, gonorrhreal, in children, iii.
 285
 in children, iii. 355
 WALBAUM's operation for prolapse of uterus, iii. 379
 Walker's circular occlusion method of intestinal anastomosis, ii. 660
 Wallace's method of forming new vagina, iii. 360
 of trachelorrhaphy, iii. 364-366
 Walton method of reconstructing common duct, iii. 135
 Wandering kidney, iii. 154
 nephropexy for, iii. 154
 spleen, ii. 786
 Warbasse's cone vaporizer for ether anesthesia, i. 111
 method for dressing fractures of clavicle, i. 553
 of continuous divulsion in fractures, i. 496, 497
 of forming motile amputation stump, iii. 534
 of rhinoplasty with gutta-percha bridge, iii. 677
 operation for hydrocele, iii. 312
 for inguinal hernia, iii. 24
 after-treatment, iii. 32
 closure of canal and ring, iii. 26
 of inguinal canal, iii. 31
 of superficial parts, iii. 29
 exposure of canal, iii. 25
 isolation and closure of sac, iii. 30
 overlapping aponeurosis, iii. 29
 shortening and closure of aponeurosis, iii. 31
 sparing nerves in, iii. 32
 suture material for, iii. 32
 treatment of sac, iii. 25
 technique for rhinoplasty with transplantation of little finger, iii. 674
 Warts, i. 32
 of penis, iii. 253
 radium in, iii. 713
 Wasps, stings of, i. 276
 Wassermann test in syphilis, i. 299
 Water as local anesthetic, i. 139
 bed for bed-sores, i. 313
 boiling, sterilization by, i. 31
 cushions, i. 23
 sterile, i. 57
 preparation of, i. 32
 sterilizer, i. 30
 test of kidney function, iii. 144

Water-glass bandages, i. 56
 Wax, chloramin for superficial wounds, iii. 807
 Waxed paper protective, i. 54
 Weak-foot, iii. 484
 Weaving bandage, iii. 742
 Webbed fingers, iii. 456
 penis, iii. 255
 Wedge-eyed needles, i. 79
 Wedge-isolation operation of Herbert in glaucoma, ii. 161
 Weight and pulley traction in fractures, i. 487
 Wen, i. 845
 of scalp, ii. 24
 Werner's operation for rectal stricture, iii. 65
 Wet applications in inflammations, i. 234
 White's operation for cystocele, iii. 345
 Whitehead's operation for hemorrhoids, iii. 72
 Whitman's operation for paralytic calcaneus, iii. 484
 Whitney's catgut treatment of hydrocele, iii. 316
 Wick drains, i. 47
 Wicking, iodoform, i. 40
 Winslow's foramen, hernia through, iii. 51
 Wire coverings for protection of wounds, i.
 210
 frame suspension splints, i. 487
 sutures, i. 38
 traction from skin in fractures, i. 493
 Wiring in aneurism, i. 382
 in fractures, i. 503
 of lower jaw, i. 545
 Wirsung's duct, iii. 106
 Witzel's method of gastrostomy by canalization of stomach wall, ii. 736
 Woelfler's solution, i. 73
 Women, appendicitis in, iii. 102
 genital tuberculosis in, iii. 439
 gonorrhea in, iii. 283
 stone in bladder in, iii. 203
 ureteral catheterization in, iii. 188
 Wood-fiber dressings, i. 42
 Wood-wadding dressings, i. 42
 Wood-wool dressings, i. 42
 Woody phlegmon, ii. 362
 Wounds, i. 166; iii. 733
 accidental, i. 166
 treatment, i. 186
 adhesive straps for, i. 187
 bullet, i. 222
 clean, no-dressing treatment, i. 210
 closure of, i. 187, 188; iii. 809. See also
Sutures.
 complications, i. 211
 contractions of, i. 225
 distortions of, i. 225
 and contractions following, iii. 693
 drainage of, i. 204
 dressings of, i. 205
 Delbet's paste for, iii. 805
 subsequent, i. 211
 fever from, i. 213
 foreign bodies in, x-ray for removal, i.
 223

Wounds from explosive bullets, i. 222
 gaping, i. 212
 general considerations, i. 166
 granulating, i. 220
 gunshot, i. 222
 healing, iii. 734
 hemorrhage in, i. 212
 incised, i. 219
 infected, i. 27, 28, 211, 237. See also *Infected wounds*.
 keloid of, x-rays in, iii. 705
 lacerated, i. 219
 later results, i. 225
 metallic bodies in, microphone for removal, i. 224
 Michel clamp for, i. 187, 189
 of abdominal wall, ii. 535
 of air-passages with cut-throat, ii. 360
 of arteries, i. 371
 of auricle, ii. 303
 of axilla, iii. 452
 of bile-ducts, iii. 114
 of bladder, iii. 190
 of blood-vessels, cut-throat with, ii. 360
 of brain, ii. 61
 bullet, ii. 62
 stab, ii. 62
 of breast, ii. 472
 of bursæ, i. 819
 of carotid artery, ii. 360
 of chest wall, non-penetrating, ii. 397
 penetrating, ii. 397
 of choroid, ii. 130
 of ciliary body, ii. 130
 of conjunctiva, ii. 121, 124
 of cornea, ii. 121, 128
 of diaphragm, ii. 398, 536
 of dura mater, ii. 61
 of esophagus, ii. 360, 431
 of external auditory canal, ii. 304
 of eyeball, ii. 121
 of eyelids, ii. 121
 of face, ii. 115
 masks for, iii. 686
 of Fallopian tubes, iii. 430
 of forearm, iii. 452
 of gall-bladder, iii. 114
 of heart, ii. 428
 penetrating, ii. 429
 of intercostal artery, ii. 398
 of internal jugular vein, ii. 360
 mammary artery, ii. 398
 of intestines, non-perforating, with wounds of mesentery, ii. 568
 perforating, ii. 567
 suturing of, ii. 635
 of intracranial structures, ii. 61
 of iris, ii. 129
 of joints, i. 654
 aseptic, i. 654
 bullet, i. 656
 gunshot, i. 656
 incised infected, i. 655
 lacerated infected, i. 655
 punctured, i. 654
 with compound fractures, i. 657
 of kidney, iii. 146

Wounds of larynx, ii. 220
 of lips, ii. 246
 of liver, iii. 107
 of lung, suturing of, ii. 414
 with penetration of chest wall, ii. 413
 with pleural infection, ii. 414
 of lymphatic vessels, i. 460
 of meninges, ii. 61
 of mesentery, ii. 568
 non-perforating wounds of intestine with, ii. 568
 of muscles, i. 791
 of nerves, i. 852
 of neck, ii. 360
 of newborn, iii. 697
 of nose, ii. 183
 of optic nerve, ii. 135
 of pancreas, ii. 779
 of pelvis, iii. 459
 of penis, iii. 250
 of pericardium, ii. 422
 of pia-arachnoid, ii. 61
 of pleura, ii. 399
 of receptaculum chyli, i. 460
 of rectum, iii. 60
 of scalp, accidental, ii. 18
 control of hemorrhage in, ii. 18
 infection in, ii. 18
 operative, ii. 19, 20
 suture of, ii. 19
 of sclera, ii. 129
 of scrotum, iii. 301
 of skin, i. 820
 of spermatic cord, iii. 304
 of sphincter ani, iii. 60
 of spine, bullet, ii. 325
 stab, ii. 325
 of spleen, ii. 784
 of stomach, ii. 702
 of tendons, i. 796
 old, i. 816
 of testicles, iii. 303
 of thoracic duct, i. 460; ii. 361
 of tongue, ii. 287
 gunshot, ii. 288
 of trachea, ii. 220
 of tympanic membrane, ii. 301
 of urethra, iii. 271
 of uterus, iii. 360
 of vagina, iii. 333
 of vas deferens, iii. 304
 of vulva, iii. 327
 open, rubber protective for, i. 209
 operative, i. 166
 method of making, i. 184
 punctured, i. 219
 septicemia from vaccines in, i. 257
 shell, i. 222
 shrapnel, i. 222
 sloughing, i. 221
 small, treatment, i. 187
 soiled, treatment, i. 186
 with earth, i. 221
 stab, i. 219
 superficial, chloramin wax for, iii. 805
 suppurating, bitartrate of potassium for, i. 212

- Wounds, suppurating, hot-air treatment, i. 187
 wire covering for protection of, i. 210
 with foreign bodies, i. 222
 with loss of substance, i. 220
- Wright's solution, i. 58
- Wrist, amputations of, iii. 554
 ankylosis of arthroplasty for, i. 764
 dislocations of, i. 638. See also *Dislocations of wrist*.
 excision of, i. 746. See also *Excision of wrist*.
 sprains of, i. 652
 subluxations of, spontaneous, i. 638
 tuberculosis of, i. 680
- Wrist-drop, i. 896; iii. 452
 arthrodesis in, i. 739
- Wrist-joint, arthritis of, iii. 450
 disarticulation at, iii. 554
 with double flaps, iii. 555
 with lateral flap, iii. 555
 with palmar flap, iii. 554
 diseases of, iii. 451
- Writers' cramp, iii. 455
- Writing, brain center of, ii. 44
- Wyeth's method of controlling hemorrhage
 in disarticulation of hip-joint,
 iii. 602
 of shoulder-joint, iii. 564
- XANTHELASMÁ, ii. 120
- Xanthoma, i. 843
- Xerotic keratitis, ii. 127
- X-rays, burns from, iii. 703, 720
 dermatitis from, iii. 720
 dosage, iii. 704
 effect on epiphyseal growth of bones,
 iii. 705
 for deep disease, iii. 704
 for osteosarcoma, iii. 704
 for removal of foreign bodies in wounds,
 i. 223
 in acne indurata, iii. 704
 vulgaris, iii. 704
 in carcinoma of deeper parts, iii. 705
 in eczema, iii. 704
 in epithelioma of skin, iii. 705
 in erythema induratum, iii. 704, 705
 in hyperthyroidism, ii. 390
- X-rays in indolent ulcers, iii. 706
 in inoperable cancer, i. 332
 in keloid of acne, iii. 705
 of wounds, iii. 705
- in lupus erythematosus, iii. 704
 vulgaris iii. 704
- in mycosis fungoïdes, iii. 705
- in prurigo, iii. 704
- in pseudoleukemia, i. 465; iii. 705
- in psoriasis, iii. 705
- in recurrent cancer, iii. 705
- in rhinoscleroma, iii. 705
- in sarcoma cutis, iii. 705
 of deeper parts, iii. 705
- in skin tuberculosis, iii. 705
- in splenic leukemia, iii. 705
- in tinea tonsurans, iii. 704
- in tuberculosis, iii. 705
- keratosis from, radium in, iii. 714
- protecting operator in use of, iii. 704
- therapeutic uses, iii. 703
- ulceration from, iii. 720
- YAWS, i. 303
 salvarsan in, i. 303
- Yeast, sterilized, in gonorrhœal vaginitis,
 iii. 284
- Young's method of shortening uterosacral
 ligaments for retroversion, iii. 394
 punch operation for prostatic bars, iii.
 245
- ZIEGLER'S V-shaped iridotomy, ii. 156
- Zinc chlorid as antiseptic, i. 71
 paste, i. 74
 oxid as antiseptic, i. 71
 gauze, i. 41
 stearate as antiseptic, i. 71
 sulphate as antiseptic, i. 71
 sulphocarbolate as antiseptic, i. 71
- Zinc-gelatin dressings in varicose ulcers, i.
 310
- Zonular cataract, ii. 133
- Zoödermic skin grafts, iii. 642
- Zuppinger's lever tractoin frame, i. 494
- Zygoma, fractures of, i. 540
 resection of, for exposure of temporo-
 maxillary joint, i. 740

COMPLETE INDEX OF NAMES TO VOLUMES I, II, III

Abadie

- ABADIE, ii. 161
 Abbé, ii. 108, 344, 438
 Abbott, ii. 354
 Abel, iii. 817
 Abrashanoff, i. 308
 Ach, ii. 758
 Achard, ii. 402
 Adams, i. 712, 714; ii. 145
 Adolph, ii. 565
 Adson, iii. 819
 Albee, i. 507, 510, 511, 512, 513, 514, 516,
 517, 739, 774, 775, 776, 777, 778, 779,
 784, 785, 786, 787; ii. 350; iii. 479, 480, 809
 Alexander, iii. 390, 391
 Alexinsky, i. 893
 Allen, i. 80, 129, 131, 141, 144, 147, 149;
 iii. 394
 Allis, i. 106, 107, 634
 Allport, ii. 153
 Alvarez, iii. 808
 Andrews, i. 120, 339; ii. 676; iii. 314
 Andrews and McArthur, iii. 69
 Anel, i. 383
 Annandale, i. 716, 724
 Antyllus, i. 382
 Ashurst, iii. 530
 Audree, i. 769
 Audry, ii. 693
- BABCOCK, iii. 607
 Babler, ii. 558
 Baccelli, i. 268
 Bailey, iii. 794
 Baldwin, iii. 359
 Balfour, ii. 595, 724
 Ballance, ii. 68
 Ballance and Stewart, i. 857
 Banti, ii. 785
 Bardenheuer, i. 498; iii. 659
 Barney, iii. 296
 Barraquer, ii. 174
 Barrett and Mayo, iii. 391
 Bartlett, i. 36, 615; iii. 168, 316
 Bassini, iii. 32, 35
 Bayer, iii. 679
 Bayliss, i. 348
 Beal, iii. 224
 Beck, i. 306; ii. 413; iii. 262, 263, 264, 267,
 268
 Beebe, ii. 390, 394
 Beer, ii. 126, 341, 562
 Belfield, iii. 276
 Bellocq, ii. 185
 Bennet, ii. 344, 711, 712

Burkardt

- Benoist, iii. 704
 Berkowitz and Seff, iii. 442
 Bernheim, i. 353, 354, 355
 Bernheim and Voegtlin, i. 458
 Bevan, i. 273; iii. 120, 121, 268, 269, 308,
 310
 Bickham, i. 395, 404, 406, 407, 408, 416,
 421, 433, 438, 443; ii. 656; iii. 609, 610
 Bier, i. 134, 229, 230, 233, 264, 280, 282,
 309, 528, 664, 686, 699, 817; iii. 442, 526,
 590
 Biesalski and Mayer, i. 812
 Bigelow, i. 640, 643, 645; iii. 199, 201
 Bigelow and Smith, i. 641
 Billroth, i. 119, 716; ii. 750
 Binnie, iii. 526
 Bircher and Weir, ii. 714
 Blach, i. 458
 Blad, ii. 558, 560
 Blair and McGuigan, i. 447
 Blasius, i. 623
 Bloodgood, iii. 37
 Blumberg, iii. 429
 Boas, iii. 74
 Bode, ii. 528
 Boeckel, i. 718, 719, 723, 724, 746
 Bogojawlensky, ii. 88
 Bonnet and Meckel, i. 148
 Bönninghaus, ii. 197
 Bookman, i. 201, 202
 Bottini, iii. 232
 Bougard, i. 331
 Bovy, iii. 814
 Brabant, i. 705
 Bradford, i. 583, 615, 666; ii. 328
 Bramson, i. 250
 Brasdor, i. 383
 Brauer, ii. 418, 424, 451
 Brault, i. 849
 Braun, i. 146, 148, 149
 Brewer, ii. 415
 Brinsmade, ii. 521, 694
 Brooks and Green, iii. 196
 Brophy, ii. 265
 Brown, ii. 574
 Brown and Kimpton, iii. 817
 Bryant, ii. 462
 Buck and Gross, i. 488
 Bulkley, i. 841
 Bull and Pritchett, iii. 873
 Bum, i. 879
 Bunge, iii. 510
 Bunting and Yates, i. 465
 Burkardt, i. 115

Busch, iii. 687
 Butlin, ii. 296
 Byrne, i. 331; iii. 422, 423
 Byrnes, i. 295
CALMETTE, i. 275
 Calot, ii. 332
 Campailla, i. 289
 Campbell, i. 530
 Cannon, i. 217
 Cantas, iii. 267
 Cargile, ii. 522
 Carnes, iii. 607, 608, 609, 610
 Carr, ii. 19
 Carrel, i. 247, 375; ii. 562
 Carrel and Dakin, i. 242
 Carrel and Guthrie, i. 446
 Carter, ii. 180; iii. 682
 Casper, iii. 184
 Castellani, i. 464
 Cathelin, iii. 208
 Ceci, iii. 527, 530
 Chantemesse, i. 459
 Chaput, i. 493
 Charcot, i. 681
 Charpy, ii. 431
 Chassing, iii. 728
 Chiari, ii. 90
 Chiene, i. 716
 Chipault, ii. 33, 48
 Chismore, iii. 199
 Chopart, iii. 580
 Christiani, ii. 394
 Clark, i. 892; ii. 533, 547
 Clubbe, ii. 607
 Codivilla, i. 486, 495, iii. 468
 Coffey, ii. 541, 675, 685, 712; iii. 81, 179,
 392
 Coley, i. 332; iii. 45
 Colles, i. 575
 Colton, ii. 408
 Connell, ii. 636, 637, 651, 654, 769; iii. 805
 Conrad, i. 174
 Cooper, i. 631
 Corrigan, i. 370
 Cotton, i. 621, iii. 807
 Couteaud, i. 550
 Crile, i. 176, 177, 213, 214, 215, 216, 217,
 348, 349, 352; ii. 52, 231, 235, 391, 392,
 393, 547
 Crisler, ii. 550
 Crooks, iii. 703
 Cryer, ii. 29
 Cunningham, i. 122; iii. 782
 Cushing, i. 890; ii. 19, 25, 37, 38, 77, 82, 88,
 92, 98, 106, 108, 110, 631, 634, 635, 636,
 640, 654, 655, 656, 660, 662, 674
 Czerny, ii. 634, 635

DACOSTA, ii. 103, iii. 718, 719
 Dahlgren, ii. 29; iii. 81
 Dakin, i. 60, 63, 73, 242, 247
 Dakin and Carrel, i. 242
 D'Arsonval, iii. 699, 703
 Daufresne, i. 61
 Davis, ii. 146; iii. 458, 665
 Davison, i. 512, 517

Dawbarn, iii. 223
 Deaver, ii. 578, 599, 727
 deForest, i. 623; ii. 247
 DeFrancesco, iii. 529
 Deguise, ii. 377
 Déjérine, ii. 323
 De Keating-Hart, iii. 699, 706
 Delatour, ii. 695
 Delbet, i. 117, 390
 Del Valle, iii. 318
 Dench, ii. 321
 Denker, i. 724
 Desault, i. 383; iii. 755, 756, 757
 Deschamps, i. 383
 deSchweinitz, ii. 130, 159
 Desmarest, ii. 348
 Desmarres, ii. 150
 Deutschmann, ii. 135
 DeWecker, ii. 152
 Dickinson, ii. 515; iii. 421
 Didot, iii. 456
 Dieffenbach, i. 718, 722; ii. 146
 Doane, i. 789
 Doberauer, i. 455
 Dobson, ii. 589
 Dodd, i. 220
 Döllinger, ii. 110
 Dorrance, i. 374; iii. 442
 Dowd, ii. 574; iii. 47
 Doyen, i. 691; ii. 27, 29, 30, 32
 Dreuw, i. 834
 DuBose, iii. 43
 Dudley, iii. 353
 Duncan, i. 169
 Dunham, i. 63
 Dunham, Horsley and Esser, iii. 660
 Dupuytren, i. 606; iii. 454

EASTMAN, i. 200
 Eck, i. 458; ii. 561
 Edebohls, iii. 170
 Ehrenfried, iii. 471
 Ehrlich, i. 284, 291, 294, 302
 Eisenstaedt, Lespinasse and Fisher, i.
 377
 Elbrecht, iii. 57
 Elgart, iii. 608
 Elliot, ii. 162
 Elliott and Kanavel, ii. 785
 Ellis and Swift, i. 295
 Elsberg, i. 536, 705; ii. 87, 341, 342, 343,
 448
 Emrich, ii. 570
 Erhardt, i. 161
 Esmarch, i. 56, 107, 229, 367, 679, 726,
 751, 854; iii. 446
 Esser, iii. 665
 Esser, Dunham and Horsley, iii. 660
 Estlander, ii. 410
 Ewald, ii. 369

FARABEUF, i. 735; iii. 582, 587, 589
 Fee, iii. 223
 Fehleisen, i. 332
 Fenger, ii. 267
 Fergus, ii. 142
 Ferguson, ii. 269

- Fergusson, i. 718
 Fetterolf, ii. 189
 Finney, ii. 578, 725, 740, 741, 742, 743, 744, 745, 759
 Finocchietto, ii. 673; iii. 500
 Finsen, i. 280, 837; iii. 707
 Fischer, iii. 806, 812
 Fischer, Eisenstaedt and Lespinasse, i. 377
 Fisher, ii. 529; iii. 722
 Flexner, ii. 67
 Fliess, iii. 394
 Florio, ii. 556
 Foerster, ii. 344
 Foote and Weir, ii. 706, 710
 Fowler, ii. 410, 528
 Fox, i. 253
 Fraenkel, i. 664
 Franck, ii. 734
 Franke, ii. 347, 560
 Frazer, ii. 51, 348
 Frazier, ii. 37, 77, 87, 106, 107, 109, 111; iii. 819
 Freeman, i. 507; ii. 388; iii. 647
 French, ii. 209
 Freudenberg, iii. 232
 Freund, ii. 419
 Frick, iii. 819
 Friedländer, ii. 188, 418, 419, 445, 453, 459, 460
 Friedman, ii. 20, 22
 Froehlich, ii. 153
 Fulda, i. 706; iii. 44, 534
- GAENSLER, ii. 344
 Gallant, iii. 155
 Gallet, ii. 671
 Gant, i. 714; ii. 693
 Gatch, i. 121, 122, 123
 Gaudiani, iii. 539
 Gauss, i. 366; iii. 711
 Gellhorn, iii. 423, 424
 Gelyi, i. 365
 Gergö, i. 234
 Gersuny, ii. 692; iii. 80
 Gettler and Lindeman, i. 177
 Gibson, ii. 147, 573, 665
 Gifford, i. 476, 593, 594
 Gigli, ii. 29, 32; iii. 78
 Gilbert, ii. 402
 Gilliam, iii. 391
 Glück, ii. 224, 231, 233, 234, 236
 Goffe, iii. 379
 Goldmann, i. 709
 Goldthwait, i. 582
 Gottheil, i. 288
 Gottstein, ii. 187, 211, 437
 Gould, ii. 389, 633, 634, 654, 666, 668, 669, 678, 714, 736, 751
 Graham, iii. 58
 Gray, i. 405, ii. 117, 397, 431
 Green, ii. 243
 Green and Brooks, iii. 196
 Gross and Buck, i. 488
 Guerche, i. 269
 Guérin, i. 719, 722
 Guillard, i. 99
 Guthrie, ii. 562; iii. 88
- Guthrie and Carrel, i. 446
 Guyon, iii. 211, 587
 Gwathmey, i. 100, 102, 110, 122; iii. 807
 Gwathmey and Karsner, iii. 807
- HACKENBRUCH, i. 497
 Haecker, ii. 429
 Hagner, iii. 312
 Hahn, ii. 730
 Hallion and Tuffier, i. 390
 Halsted, i. 384, 392, ii. 633, 634, 639; iii. 37
 Hammond and Sharpe, i. 296
 Hancock, ii. 161
 Handley, i. 462, 463
 Hare, i. 382
 Harrington, i. 59
 Harris (Burton), iii. 152
 Harris (M. L.), iii. 379
 Harris (P. A.), iii. 379
 Harris (S.), ii. 721
 Harrison, i. 47; iii. 170
 Hartley, ii. 106, 108, 671, 674; iii. 204
 Hartwell, i. 352
 Hassler and Honan, i. 115
 Haynes, ii. 70, 98
 Heald, i. 196, 198
 Hecht, i. 879
 Heine, ii. 157
 Heineke and Mikulicz, ii. 740
 Heiser, i. 836
 Heitler, ii. 426
 Helferich, i. 760, 762
 Helmholtz, i. 355
 Henderson, i. 108, 213, 779
 Henle, ii. 436
 Herbert, ii. 161
 Herbst, iii. 314
 Herrick, iii. 820
 Herschell, ii. 570
 Hess, i. 342; ii. 142
 Heuer, iii. 819
 Hewitt, i. 99, 122
 Hey, iii. 580, 588, 589
 Hibbs, i. 615, 780, 781, 782
 Hirsch, iii. 510
 Hirschsprung, ii. 610
 Hirst (B. C.), iii. 408
 Hodenpyl, i. 333
 Hodge, iii. 388
 Hodgen, i. 585
 Hodgkin, i. 464
 Hoffa, i. 613, 684, 685, 783, 805; iii. 474
 Hogan, i. 347
 Holden, ii. 232
 Holländer, iii. 688
 Holt, ii. 719
 Holzknecht, i. 223; iii. 704
 Honan and Hassler, i. 115
 Hooker, i. 260
 Horsley, i. 378; ii. 77, 108, 110
 Horsley, Esser and Dunham, iii. 660
 Hort, ii. 576
 Howard, iii. 718
 Hudson, ii. 28, 29; iii. 808
 Hunter, i. 383

- JABOULAY, ii. 392; iii. 314, 494
 Jack, iii. 221
 Jackson, i. 847; ii. 225, 239, 240, 242, 244, 422, 490, 602
 Jamieson, ii. 589
 Janeway, ii. 731
 Jennings, ii. 480
 Jessett, ii. 607
 Jett, i. 191
 Jianu, i. 446; ii. 465
 Joani, i. 374
 John, iii. 753
 Johnston, iii. 221
 Jones, iii. 81
 Jonnesco, i. 161; ii. 101
 Judd, iii. 37, 172
 Judson, iii. 472
 Junker, i. 124; ii. 188
- KADER, ii. 733, 734
 Kanavel, i. 345, 861; ii. 90, 702; iii. 445
 Kanavel and Elliott, ii. 785
 Kaposi, i. 847
 Karsner and Gwathmey, iii. 807
 Katzenstein, i. 769
 Keen, i. 379, 392, 397; ii. 96, 437, 452, 541; iii. 80, 142, 606, 608, 609, 610, 611, 700, 714
 Keetley, ii. 572
 Kehr, iii. 135
 Kellogg, ii. 610, 611, 614
 Kemp, iii. 57
 Kennedy, i. 890
 Kenyon, ii. 38
 Killian, ii. 202, 225, 239, 240
 Kimpton, iii. 818
 Kimpton and Brown, iii. 817
 Kingsley, i. 544, 546
 Kirstein, ii. 242
 Klebs, ii. 207
 Knapp, ii. 150, 152, 171, 174
 Koch, i. 257, 258; ii. 429
 Kocher, i. 267, 627, 628, 631, 644, 645, 730, 742, 744, 751, 872, 875; ii. 101, 106, 108, 109, 297, 393, 394, 424, 552, 562, 747; iii. 34, 119, 168, 525, 526
 Kolle, iii. 652, 653, 685, 687
 Kollmann, iii. 289
 König, iii. 670
 Körner, ii. 314, 315
 Korotkow and Pachon, i. 390
 Kraft, ii. 728
 Kraske, iii. 45
 Kraus, i. 272
 Krause, i. 323; ii. 78, 87, 88, 106, 108; iii. 649
 Kromayer, i. 289
 Kröner and Oelsner, i. 161
 Krönig, i. 332
 Krönlein, i. 876; ii. 50, 752, 779
 Krumbhaar, ii. 785
 Kuettner, ii. 344
 Kuhnt, ii. 145
 Kümmell, i. 115, 396; ii. 757
 Kuyk, ii. 369
- LABARRAQUE, i. 64
 Lagarde, iii. 690
- Lagrange, ii. 157
 Lambotte, i. 462; ii. 559
 Lambotte and Putti, i. 506
 Landolt, ii. 176
 Landon, i. 349, 352
 Lane, i. 508; ii. 261, 444, 602, 613, 614
 Lang, ii. 156
 Lange, i. 801
 Langenbeck, i. 711, 719, 721, 722, 723, 724, 741, 748
 Lanz, i. 463, 464
 Larralde, ii. 417
 Lassar and Spronk, i. 332
 Lauenstein, i. 755
 Law, iii. 647
 Le Conte, i. 247
 Lee, iii. 814
 Lembert, ii. 631, 632, 633, 635, 649
 Lemon and Mueller, i. 485
 Lenhardt, ii. 721
 Lennander, i. 146
 Lespinasse, Fischer and Eisenstaedt, i. 377
 Lewis, iii. 194
 Lewisohn, i. 356; ii. 243
 Lexer, i. 768; ii. 108, 110; iii. 44, 644, 647
 Libman and Ottenberg, i. 355
 Lilienthal, i. 740; ii. 420, 421, 662; iii. 243
 Lindeman, i. 353
 Lindeman and Gettler, i. 177
 Lisfranc, iii. 580
 Lister, i. 746
 Liston, i. 721
 Locke, i. 58, 177
 Lockwood, i. 172
 Loeb, iii. 423
 Löffler, ii. 207, 212
 Lorenz, i. 613, 617; ii. 327; iii. 471, 474
 Loreta, ii. 737
 Lotheissen, ii. 439
 Lothrop, ii. 199
 Lovett, i. 670, 671, 802
 Lowman, i. 498
 Ludwig, ii. 362
 Lumbard, i. 110
- MACDONALD, i. 796
 Macewen, i. 382, 712, 714, 715, 716; iii. 468
 Mac Lennan, iii. 644
 Malgaigne, i. 573, 602, 722
 Mancini, iii. 812
 Manson, iii. 111
 Marcy, i. 37
 Marelli, iii. 608
 Marion, iii. 23
 Marsden, i. 331
 Martin, i. 229, 311, 506; iii. 311
 Martinache, ii. 126
 Marton, iii. 793
 Mason, Sydenstricker and Rivers, i. 355
 Matas, i. 270, 384, 389, 390, 391, 393, 395, 545, 547
 Matti, i. 456
 Maunsell, ii. 607, 654, 655, 658, 661, 663
 Maydl, iii. 204
 Mayer, i. 716; ii. 326, 698
 Mayer and Biesalski, i. 812

Mayo (C. H. and W. J.), i. 451, 452; ii. 384, 385, 386, 579, 642, 644, 685, 705, 724, 741, 750, 751, 752, 753, 754, 755, 756, 764, 767, 769; iii. 43, 81, 133, 166, 167, 348, 493, 798, 801
 Mayo and Barrett, iii. 391
 McArdle, ii. 599
 McArthur, ii. 88; iii. 117, 819
 McArthur and Andrews, iii. 69
 McCurney, i. 631, 646; ii. 510, 572
 McCrae and Osler, i. 257
 McDill, iii. 109
 McDonald, i. 70, 178
 McDowell, iii. 431
 McGraw, ii. 588, 675, 676
 McGuigan and Blair, i. 447
 McLean, ii. 675, 676
 McMurrich and Sobotta, iii. 249
 Meader and Murray, iii. 65
 Meckel and Bonnet, i. 148
 Medalia, i. 832
 Mellish, i. 467
 Meltzer, i. 267, 268; ii. 446, 447; iii. 721
 Meltzer and Peck, i. 164
 Menciére, i. 70, 271; iii. 812
 Menge, iii. 376
 Ménière, ii. 319
 Mercier, iii. 211
 Metchnikoff, ii. 613
 Meyer, i. 232, 233, 457; ii. 420, 451, 452, 463, 467, 508, 509, 716, 757, 759; iii. 197
 Meyer and Weidig, i. 119
 Michel, i. 187
 Mikulicz, i. 664, 736, 737; ii. 375, 526
 Mikulicz and Heineke, ii. 740
 Milliken, i. 263
 Mitchell, i. 153, 308
 Mixter, ii. 693
 Momburg, i. 363, 365; iii. 460, 687
 Monks, ii. 621
 Montenovesi, ii. 29
 Montgomery, iii. 383
 Morestin, i. 271
 Moriarty, i. 546
 Morison, i. 248; iii. 810, 811
 Morley, iii. 780
 Morton, iii. 311, 490
 Moschcowitz and Wilensky, ii. 767
 Mosetig-Moorhof, i. 705
 Mosher, iii. 396
 Moskowicz, i. 390, 391
 Motaïs, ii. 142
 Moynihan, ii. 595, 663, 741, 747; iii. 50, 51, 125, 205
 Mueller, i. 699, 702
 Mueller and Lemon, i. 485
 Mules, ii. 159
 Müller, i. 234
 Munro, ii. 344, 532
 Murphy, i. 281, 455, 664, 762, 764; ii. 418, 552, 635, 667, 669, 671, 771, 769; iii. 806
 Murray, iii. 818
 Murray and Meader, iii. 65
 NAPIER, iii. 466
 Nathan, i. 661
 Neff, i. 384

Nélaton, i. 623, 718; iii. 671, 673, 678
 Newman, iii. 57
 Nichols, i. 695
 Nicoll, ii. 719
 Noel and Souttar, i. 164
 Noesske, iii. 458
 Noguchi, i. 284
 Nydegger, i. 555
 OCHSNER, ii. 436, 551, 548, 554, 616; iii. 88, 89, 90, 91, 102, 115
 O'Dwyer, ii. 219, 237
 Oelsner and Kroner, i. 161
 Ogilvie, i. 295
 Ogston, i. 714, 715
 Oliver, iii. 718
 Ollier, i. 718, 721, 722, 724, 741, 746, 748, 755; iii. 677
 Ormsby, i. 99
 Orth, ii. 479
 Osler and McCrae, i. 257
 Otis, iii. 286, 292, 293
 Ottenberg and Libman, i. 355
 Oudin, iii. 699
 Oulmann and Wollheim, i. 297
 Outerbridge, iii. 438
 PACHON and Korotkow, i. 390
 Pagenstecher, ii. 769
 Paget, ii. 473
 Panas, ii. 152
 Panse, ii. 315
 Paré, i. 339
 Parham, i. 506
 Parkhill, i. 507; ii. 652
 Pasquin, i. 383
 Passavant, i. 823
 Pasteur, i. 255, 273
 Patrick, i. 870
 Payr, i. 378, 838
 Peck and Meltzer, i. 164
 Peet, ii. 561, 562
 Pellegrini, iii. 539
 Penhallow, i. 561
 Percy, ii. 492, 494; iii. 423
 Perez, ii. 188
 Perier, ii. 234
 Peterson, ii. 559; iii. 352
 Pfannenstieler, iii. 408
 Phemister, iii. 645
 Philagliarius, i. 383
 Phillips, i. 583
 Phisalix, i. 275
 Pilcher, i. 578; ii. 228, 602, 701
 Pilcher (P. M.), iii. 189, 190, 243, 244, 701, 702, 721
 Pirogoff, iii. 572, 578, 585
 Pleth, ii. 662, 677
 Plummer, ii. 716
 Poirier, ii. 431
 Politzer, ii. 301, 306, 307
 Polya, ii. 756
 Pope, ii. 522
 Porter, i. 266; ii. 390
 Post, i. 119
 Pott, i. 606; ii. 41
 Priestley, i. 120

- Pritchett and Bull, iii. 813
 Prout, i. 892
 Purmann, i. 383
 Putti and Lambotte, i. 506
- QUÉNU, i. 762
 Quillian, i. 177
 Quincke, ii. 68
- RAMSTRÖM, i. 148
 Ranshoff, i. 134; iii. 50
 Ream, i. 100
 Reder, i. 192
 Reed, iii. 169
 Reeves, i. 716
 Reid, ii. 49
 Reverdin, iii. 644
 Rhoads, iii. 110
 Richardson, ii. 519, 543
 Richter, ii. 433
 Riggs, ii. 277
 Ritschl, iii. 490
 Rivallié, i. 74
 Rivers, Sydenstricker and Mason, i. 355
 Rivière, iii. 699
 Robbins and Seabury, iii. 252
 Roberts, iii. 58, 820
 Robertson, iii. 815
 Robinovitch, iii. 720
 Robinson, ii. 407, 410, 411, 412, 421, 449,
 450, 451
 Robson, ii. 675, 696, 697
 Robson, Mayo, iii. 120
 Rogers, i. 266; ii. 219, 220
 Roillier, i. 280; iii. 707, 708
 Röntgen, iii. 703
 Rose, i. 269
 Rosengarten, i. 62
 Rosenow, ii. 577
 Rosenstein, ii. 561
 Rosenthal, ii. 615
 Rothschild, i. 795
 Rous and Turner, iii. 815
 Routte, ii. 560
 Roux, ii. 404, 465, 771
 Rovsing, ii. 712, 713, 715, 728; iii. 151, 170
 Rugh, iii. 483
 Russ, i. 57
 Russell, iii. 267
 Ruth, i. 583; ii. 489
 Ryall, ii. 685
 Rydygier, i. 647; iii. 50
- SALOMONI, ii. 429
 Sampson, ii. 531
 Sangman, ii. 417
 Sansum, ii. 132
 Sauerbruch, i. 267, 353; ii. 451, 463, 464;
 iii. 537, 538
 Savariaud, iii. 501
 Sayre, i. 552, 555, 748
 Schäfer, i. 98; iii. 717, 729, 730
 Schanz, i. 225, 602
 Schede, i. 452, 704, 716; ii. 411, 461, 463
 Schiassi, i. 58, 239
 Schichhold, i. 628
 Schleich, i. 119, 135, 497
- Schmilinsky, iii. 117
 Schoene, ii. 430
 Schultz, ii. 209
 Schwartz, iii. 652
 Schwartzschild, iii. 45
 Sclavo, i. 272
 Scudder, ii. 720
 Seabury and Robbins, iii. 252
 Sébileau, ii. 235
 Seff and Berkowitz, iii. 442
 Seiffer, ii. 322
 Senn, i. 507, 741; ii. 675, 731, 732; iii. 603
 Shaffer, i. 652
 Sharpe, ii. 99; iii. 728
 Sharpe and Hammond, i. 296
 Shaw, iii. 809
 Shaw and Williams, i. 203
 Sherman, i. 705
 Sicard, ii. 348
 Sick, iii. 68
 Sims, iii. 76, 397, 398, 401
 Sinclair, i. 55
 Sippy, ii. 576^a
 Skillern, i. 311
 Sludeř, ii. 214
 Smith, i. 610; ii. 168, 170, 171, 269
 Smith (Stephen), iii. 588, 589, 592
 Smith and Bigelow, i. 641
 Smithies, ii. 720
 Sobotta and McMurrich, iii. 249
 Sonnenburg, iii. 89
 Soresi, i. 350, 352
 Soule, iii. 480
 Souttar and Noel, i. 164
 Spiller, ii. 107, 109
 Spitz, i. 529, 531
 Spronk and Lassar, i. 332
 Stebbing, i. 357
 Steinmann, i. 495
 Stelwagon, i. 847
 Stewart, ii. 552, 768
 Stewart and Ballance, i. 857
 Stillians, i. 844
 Stillman, ii. 719
 Stimson, i. 475, 545, 607, 619, 623, 629,
 643, 644
 Stoffel, i. 852; ii. 347
 Stone, ii. 721
 Strassmann, iii. 360
 Straus, ii. 682, 719
 Strauss, ii. 773, 775, 776, 777
 Strempel, ii. 533
 Strickler, i. 840
 Sturmdorf, iii. 367, 368, 369
 Summers, ii. 646
 Swift and Ellis, i. 295
 Sydenstricker, Mason and Rivers, i. 355
 Sylvester, i. 98; iii. 718, 719, 729, 730
 Syme, iii. 572, 578, 585
 Szymanowski, ii. 145; iii. 262, 266, 649
- TADDEI, iii. 812
 Tagliacozzi, iii. 652
 Tait, iii. 112
 Talma, ii. 558
 Taylor, i. 592, 675, 892, 895
 Teale, ii. 150

Teschner, ii. 353
 Teter, i. 100, 122
 Tewksbury, ii. 414
 Thiersch, i. 74; iii. 260
 Thomas, i. 585, 589, 668, 669, 673, 675, 678,
 748, 749; ii. 323, 335; iii. 180, 277, 477
 Thompson, iii. 291, 293, 721
 Thorner, ii. 237
 Torek, ii. 402, 418; iii. 35, 37
 Torres, i. 266
 Toth, iii. 69
 Tousey, iii. 704, 706
 Trendelenburg, i. 449, 452, 457; ii. 430,
 499; iii. 45, 68, 80, 604
 Trombetta, i. 880
 Tuffier and Hallion, i. 390
 Tunnicliffe, i. 357
 Türck, ii. 636, 638, 639
 Turner and Rous, iii. 815
 Tzaïcon, i. 224

ULLMANN, ii. 658
 Unger, i. 354
 Unna, i. 310, 311; iii. 495

VAN COTT, i. 256
 Vance, i. 467
 Vanghetti, iii. 527, 528, 529, 534
 Variot, i. 849
 Velpeau, i. 718, 721, 722; iii. 754, 755
 Verhoeft, ii. 127, 152
 Verner, ii. 391
 Vidal, ii. 561
 Vincent, i. 354; iii. 817
 Voegelin and Bernheim, i. 458
 Vogel, ii. 522
 Volcker, iii. 146
 Volkmann, i. 491, 604, 605, 714
 von Bergmann, ii. 108, 439
 von Bramann, ii. 96
 von Frisch, i. 390
 von Hacker, ii. 436
 von Langenbeck, i. 711, 719, 721, 722, 723,
 724, 741, 748
 von Leube, ii. 721
 von Mikulicz, ii. 243
 von Mosetitz-Moorhof, i. 705
 von Mutschenthaler, ii. 370
 Vosburg, iii. 640

WALBAUM, iii. 379
 Walker, ii. 660
 Wallace, iii. 360, 366, 437
 Wallstein, ii. 464
 Walton, iii. 135
 Warbasse, i. 469, 523, 526, 527, 537, 566,
 599, 605, 695; ii. 546
 Wardrop, i. 383
 Warfield, i. 296
 Wassermann, i. 283, 284, 294, 297, 299
 Watson, i. 347; ii. 390
 Weber, i. 718
 Weidig and Meyer, i. 119
 Weil, i. 459
 Weir, ii. 572, 573, 671, 693
 Weir and Bircher, ii. 714
 Weir and Foote, ii. 706, 710
 Weiss, iii. 806
 Werner, iii. 65
 Westbrook, ii. 702
 White, i. 748, 796; iii. 345
 Whitehead, iii. 72, 76
 Whitman, i. 587; iii. 484
 Whitney, iii. 316
 Wicks, i. 204
 Wiener, ii. 153
 Wieting, i. 377, 455
 Wilder, ii. 132
 Wilensky and Moschkowitz, ii. 767
 Williams, iii. 809
 Williams and Shaw, i. 203
 Witzel, ii. 697, 736, 758; iii. 80, 135
 Woelfler, i. 73; iii. 37
 Wolf, i. 617
 Wolff, ii. 405
 Wollheim and Oulmann, i. 297
 Woodyatt, ii. 132
 Woolsey, i. 122
 Wright, i. 58, 241, 258, 355
 Wyeth, iii. 564, 602, 603
 YATES and Bunting, i. 465
 Young, iii. 144, 232, 236, 237, 245, 394
 ZAAIJER, ii. 758
 Zanfel, ii. 71
 Zechmeister, i. 269
 Zesas, ii. 429
 Ziegler, ii. 156
 Ziehl, i. 829
 Zuppinger, i. 494

Date Due

PRINTED IN U.S.A.

CAT. NO. 24 161



UC SOUTHERN REGIONAL LIBRARY
A 000 510 524 2

WO 100
W253s
1919
Index

Warbasse, James P
Surgical treatment ...

DATE

WO 100
W253s
1919
Index

Warbasse, James P
Surgical treatment ...

MEDICAL SCIENCES LIBRARY
UNIVERSITY OF CALIFORNIA, IRVINE
IRVINE, CALIFORNIA 92664

