



Philosophical Transactions

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

Please click on "Next Page" (at the top of the screen) to begin viewing the article.

V. An Account of a Book, Entituled,

Hortus Medicus Amstelodamensis, sive Plantarum tam Orientalis quam Occidentalis Indiae aliarumque peregrinarum Descriptio & Icones. Autore Joanne Commelinno Urbis Amstelod. (dum viverit) Senatore. Et latinitate donatum, Notis & Observationibus illustratum a Frederico Ruychbio, M. D. Botar. Profess. &c. & Francisco Kiggelario, Amst. 1697. Fol. And to be sold by S. Smith, and B. Walford, in St. Paul's Church-Yard. With many additional Remarks by I.P. Fellow of the Royal Society.

This Work is none of the least Specimens of Modern Magnificence and Improvement in the History of Nature, which though she opens daily such Mines and Treasures, yet is never like to be exhausted. The Art of Calcography has given to these Studies a new sort of Life and Perspicuity; the Beauty and Graces whereof, have drawn many Illustrious Persons abroad, into a kind of Emulation who should excel in this Noble and most useful Ornament: What the English want in this Part, they have made up in their Critical Methods in their Discoveries of Non Descript Species, and in their judicious References to the Synonymous Names of various Writers, whereby the terrible Vices of Confusion and Multiplicity have been very much corrected. For this I need name no more than a Worthy Member of the Royal Society, who has been pleas'd to shew such an admirable Skill and Talent this Way, as will hardly be match'd either in past, present, or future Ages.

The Authors of this Garden have here described and elegantly Figured above a Hundred several Plants, which take in order, with the Illustrations of many additional Synonima, not mentioned by the Curious Publishers.

1. *Ranunculus Aethiopicus* foliis rigidis, floribus ex luteo virescentibus *H. Amst.* p. 1. Tab. 1. perelegans *D. Franquerville*, foliis aculeatis *Lob. illust.* 135. *Imperatoria Ranunculoides Africana* enneaphylos, *Laserpitii lobatis* foliis rigidis margine spinosis *Pluk. Tab. 95.* Fig. 2. *Sphondilii Panacis* rigido hirsitoq; folio *Planta Africana*, caustica *P. B. P.* *Umbellifera urens Capitis bona spei* *Alm. Bot. 198.*

2. *Alcea Carpini* folio *Americana* frutescens, flosculis luteis semine dupli rostro donato *H. Amst.* p. 2. Tab. 2. *Viginiana* *Carpini* folio flosculis minimis luteis semine dupli rostro s. aculeo predito *H. Ox. 528. S. v. Tab. 35.* Fig. ult. *Althea Virg. bidens*

bidens Pimpinellæ majoris acutiore folio, flosculis minimis luteis
Pluk. Tab. 9. Fig. 6.

3. *Chrysanthemum Americanum caule alato, flore aphylllo*
globoso Aurantio foliis Baccharidis H. Amst. p. 5. Tab. 3. can-
nabinum Americanum alatum fl. aphylllo globoso aurantio Bac-
charidis foliis Brey pr. 2. Amer. bidens alatum fl. parvo au-
rantiano Pluk. Tab. 84. Fig. 3. Conyzoides caule alato Curassa-
vicum P. B. P. Conyz. Curass. Abrotani fem. flore aurantio
ejusd. Sl. Cat. Plant. Fam. 126.

4. *Portulaca Americana latifolia erecta, floribus albis H. Amst.*
p. 7. Tab. 4. & P. B. P. affinis Amer. tricapsularis erecta fl.
albo, pediculis angulosis Pluk. Tab. 105. Fig. 6.

5. *Portulaca Curassavica angusto longo lucidoque folio pro-*
cumbens, floribus rubris H. Amst. p. 9. Tab. 5. & P. B. P. Alm.
Bot. 303. Amer. procumbens longo levique folio glauco, flore
pulpureo pulchro Anagallidis Brey. Prod. 2.

6. *Blattaria Zeylanica flore ampio miniato Cat. H. Amst.*
Ceyl. fl. ampio coccineo H. Ejusd. p. 11. Tab. 6.

7. *Linaria Lusitanica procumbens polygoni folio, fl. pallido*
ceruleo rictu. luteo H. Amst. p. 13. Tab. 7. & Cat. ejusd.

8. *Convolvulus Americanus pilosus, fl. luteo, umbone pur-*
pureo H. Amst. p. 15. Tab. 8. Africanus, sive Guineensis pumi-
lis Sagittæ foliis fl. campanulato obsoleti luteo fundo purpu-
rascente H. Beam.

9. *Ricinus Americanus perennis, floribus purpureis, staphid,*
agriæ foliis H. Amst. p. 17. Tab. 9. Indicus pilosus trifidus vel
quinquifidus flosculis atro purpureis in umbella aggregatis Pluk.
Tab. 56. Fig. 2. Brasilianus perennis fl. purp. fol. Staph. non-
nihil simili P. B. P. Amer. fol. Staphisagriæ C. B. 432, &
518. minor Staph. fol. fl. pentap. purpureo Sl. Cat. Plant. Fam.
41. Wild Cassada Jamaicensibus.

10. *Ricinus Tithymalodes Americanus lactescens & urens*
floribus albis H. Amst. & P. B. P. lactescens Fici foliis spinulis
mordacibus armatis Pluk. Tab. 220. Fig. 3. Frutex innomina-
tus pungens & urens Marcgr. p. 79. Fig. Brancamos Lufit.

11. *Euphorbium Cerei effigie caulibus crassioribus spinis va-*
lidioribus armatum Brey. pr. 2.

12. *Euphorbium antiquorum verum H. Amst. p. 23. Fig. 12.*
Tithymalus Indicus Spinosus & angulosus lacte turgens acri H.
Beam. T. aizoides triangularis nodosus & spinosus lacte turgens
acri Alm. Bot. 370. Schadida Calli H. Mal. V. 2. Tab. 42. p.
Pada Nivuli Bram. Sidera Calli Zeyl. Ray H. Pl. 878. 13. Ti-

13. *Tithymalus Indicus* arborescens spinosus, *Nerii* folio *H. Amst.* p. 25. Tab. 13. *Zeylanicus* spinosus arborescens *P. B. P.* & Append. *Pluk.* Tab. 230. Fig. 4. *Euphorbia* & *Tithymal. media* affinis *aizoides indica* arb. spinosa *Nerii* folio *Breyn. Pr. 2. Ela-calli H. Mal. V. 2. Tab. 43. p. 83. Nivuli Bram. Raii H. Pl. 1888.*

14. *Tithymalus Indicus* frutescens *H. Amst.* p. 27. Tab. 14. & *Raii H. Pl. 1710.* ramosissimus frutescens penè aphyllus *P. B. P.* arborescens caule aphylllo *Pluk.* Tab. 319. Fig. 6. aphyllus *Planta Mauritanica Imperati* 664. Fig. *Tiru-calli*, *H. Mal. V. 2. Tab. 44. p. 85. Portigalli vivuli Bram.*

15. *Tithymalus Arboreus Americanus Cotini* folio *H. Amst.* p. 29. Tab. 15. & *Cat. Ejusd.* *Curassavicus* folio *Cotini Massinilia Sylvestris P. B. P.* Curass. fol. *Cotini triphyllos petalis florosculorum serratis Alm. Bot.* 369. *Pluk.* Tab. 230. Fig. 3. *Sirinamenis* arborescens *Cotini* f. *Coccigriae* foliis & facie *Breyn. Pr. 2.*

16. *Tithymalus Curassavicus* Myrtifolius, flore papilionaceo coccineo parvo *H. Amst.* p. 31. Tab. 16. & *P. B. P. Pluk.* Tab. 230. Fig. 2. T. vel T. affinis f. similis aphyllus dictus, major indicus latifolius fl. Sanguineo aviculae capitulum representante *Breyn. Pr. 2.* T. similis frutescens Amer. Myrtifolius fl. difformi rubicundo *Cat. H. Amst.*

17. *Planta lactaria Africana H. Amst.* p. 33. Tab. 17. *Tithymali* fortè genus *Planta lactaria Africana* *Pini* fructuum facie *Breyn. Pr. 2.* an T. *Aethiop.* aphyllos verrucosus rad. tuberosa *H. Amst.*

18. *Alcea Bengalensis* spinosissima Acetosa sapore, fl. luteo pallido umbone purpurascente *H. Amst.* p. 35. Tab. 18. spin. *Madraspatana* foliis profunde laciniatis *Cannabis* in modum pentaphyllea saporis acidi *Pluk.* Tab. 5. Fig. 4, *Indica* spinosa magno flore ex altido flavelcente *Com. in H. Mal. A. Acetosa* *Indica* spinosa, foliis profunde laciniatis flore subluteo ampio *Breyn. Pr. 2. Althea indica* spinosa Acetosa sapore fl. flavo pendente *P. B. P.* *Zeylan.* foliis asperis profunde laciniatis foliorum *Cannabis* instar saporis acidi *H. Leyd.* p. 27. *Acetosa indica Bonii* p. 113. Fig. *Narinam-pulli H. Mal. V. 6. Tab. 44. p. 75. Ambetti Brach. Fula Gafinkola Lusit. Krabben doorn Belg. Nelta Hen. van Rheede. Raii H. Pl. 1901.*

19. *Alcea Americana* annua fl. albo maximo, fructu maximo pyramidali sulcato *H. Amst.* p. 37. Tab. 19. annua *Sirinamensis*

mensis fl. amplio, fr. max. sulcato, striato pyramidali Cat. H. Amft. Brasilianum fr. max. pyram. sulcato Alm. Bot. max. Malvæ Roseæ fol. fr. decagon. recto crassiore breviore esculento Sl. Cat. Pl. Fam. 98. Ochroma, Okkoro, & Kinkanbau Surinam. & Okra Jamaicensibus dicitur.

20. Cittus Ledon flore maculâ nigricante notato H. Amft. p. 39. Tab. 20. I. B. V. 2. L. 13. p. 8. Fig. Chabr. 97. C. Led. Laurinis foliis angustioribus fl. albo, unguiculis petalorum purpureis Alm. Bot. 101. Ladanifera Hispanica incana CB. 467. Ray H. Pl. 1009.

21. Oxys bulbosa Africana rotundisolia, caulis & floribus purpureis amplis H. Amft. p. 41. Tab. 21. an bulb. Afr. rotund. fl. purp. amplio Breyn. Pr. 2? affinis Planta bulbosa Afric. fl. purp. magno Ejusd. Cent. c. 46. p. 102. Fig. Afr. fl. purp. magno rad. bulbosa H. Leyd.

22. Oxys bulbosa *Aethiopica* minor fol. cordato fl. ex albedo purpurascente H. Amft. p. 43. Tab. 22. an Afric. fol. & flore parvo albente rad. Asphodeli P. B. P. Trifol. bulbosum fl. albo Promont. bonæ spesi Bod. a Stapel in Theophr. 336.

23. Nerium latifol. Indicum fl. variegato odorato pleno H. Amft. p. 45. Tab. 25. & H. Leyd. Ind. fl. rubescente pleno Breyn. Pr. 2. Ind. Latifol. fl. rubro & aliquando variegato pleno H. Beam. Fula mestica Zeylonensi.

24. Flos Ciitorius Fl. ceruleo pleno. Phaseolus *Indicus* Glycyrrhizæ foliis fl. amplio cœruleo pleno. H. Amft. 47. Tab. 24.

25. Phaseolus minimus perennis *Americanus* fl. luteo, foliis Afari lanuginosis solitariis H. Amft. p. 49. Fig. 25. & Breyn. Prod. 2. unifolius *Occidentalis* Afari venoso folio dispermos Pluk. Tab. 105. Fig. 1. Orobus *Americanus* Afari folio singulare P. B. Pr.

26. Senna spuria Occident. odore Opii viroso, fol. mucronatis glabris H. Amft. p. 51. & H. Leyd. Sl. Cat. Plant. Fam. 148. Orobos *Brasiliensis* fl. luteo Pajomiriboa Marcgr. Rati H. Pl. 912.

27. Chamæcrista Pavonis major H. Amft. p. 53. Fig. 27.

28. Æschynomene spinosa latifolia sive Herba viva vel Mimosa latifolia piloso & subrotundo folio H. Amft. p. 55. T. 28.

29. Æschynomene fl. globoso albido siliulis articulatis echinatis H. Amft. p. 57. Fig. 29. an Mimosa spinosa 3. sive foliolis Acaciæ angustioribus siliquis parvis echinatis Breyn. Cent. p. 40. c. 18. Fig. ?

30. Æschynomene spinosa 5, sive foliolis Acaciæ latioribus flos-

frondibus aculeos longissimos habentibus H. Amst. p. 59. Fig. 30. & Breyn. Cent. c. 20. p. 44. Fig.

31. *Ælchynomene* mitis i. H. Amst. p. 61. Fig. 31. Wilde Dryve bonen Curaſs.

32. *Tribulus terrestris Americanus* Chamæcisti flore, fructu spinoso maximo H. Amst. p. 63. Fig. 32. & Breyn. Pr. 2. ter. Amer. Argemones fl. flavo Pluk. Tab. 67. Fig. 4. ter. major *Cu-rassavicus* P. B. Pr. an. ter. maj. fl. max. odorato Sl. Cat. Plant. Jam. 90?

33. *Orleana* sive *Orellana* folliculis lappaceis H. Amst. p. 65. Fig. 33. & H. Leyd. Pluk. Tab. 209. Fig. 4. Sl. Cat. Plant. Jam. 150. Raii H. Pl. 1771.

34. *Phalangium Æthiopicum* ramosum floribus albis petalis reflexis H. Amst. p. 67. Fig. 34.

35. *Lilium Zeylanicum* superbum H. Amst. p. 69. Fig. 35. Mendoni H. Mal V. 7. Tab. 57. p. 107. Methonica Malab. Nienghala Zeylan. Pluk. Tab. 116. Fig. 3.

36. *Lilio-Narcissus Africanus* platicaulis humilis flore purpureo-odorato H. Amst. p. 71. Fig. 36. an *Narcissus* major *Indicus* ferotinus Cornuti. c. 57. p. 155?

37. *Lilio-Narcissus Ceylanicus* latifolius flore niveo, externe linea purpurea striata H. Amst. p. 73. Fig. 37. maximus Zeyl. floribus albis umbellatis Alm. Bot. 219. *Lilium* Zeyl. umbelli-ferum floribus albis H. Leyd. Tolabo Zeylan. Belutta pola-taly H. Mal. V. 11. Tab. 38. p. 75.

38. *Narcissus Ceylanicus* fl. albo hexagono odorato H. Amst. p. 75. Fig. 38. & H. Leyd. *Lilio-Narcissus Indicus* fl. albo hexagono Alm. Bot. 220. Lunula Zeyl. Catulli pola H. Mal. V. 11. Tab. 40. p. 79.

39. *Narcissus Amboinenſis* folio latifimo rotundo, floribus niveis inodoris H. Amst. p. 77. Fig. 39. an *Allium Amboinenſe* folio rotundo f. *Cepa* sylv. *Amboinenſis* Rumphii P. B. P?

40. *Gratiola* affinis frutescens *Americana* foliis Agerati f. *Veronica* erectæ majoris H. Amst. p. 79. Fig. 40. & Breyn. Pr. 2. *Capraria Curassavica* Cabiritta vulgo. P. B. P. *Lysimachia* purpureæ affinis *Americana* procumbens Anonidis verna frutescentis foliis singulari glabro Pluk. Tab. 98. Fig. 4. West Illa Thea. Sl. Cat. Plant. Jam. 90.

41. *Gladiolo* Æthiopico similis, Planta angustifolia caule hirsuto, fl. rubicundissimo H. Amst. p. 81. Fig. 41.

42. *Sisyrinchium* Æthiopicum majus latifolium, fl. albis hexapetalis

- apetalis lineis purpureis striatis *H. Amst.* p. 83. Fig. 42.
43. *Sifynrichium Aethiopicum* majus angustifolium fl. albis *H. Amst.* p. 84. Fig. 43.
44. *Sifynrichium Aethiopicum* minus. latifolium fl. hexapetallo albo *H. Amst.* p. 84. Fig. 44.
45. *Amaranthus globosus Malabaricus* flore purpureo. affinis *Indiae Orientalis* fl. glomeratis *Ocymoidis* folio *Breyen. Cent.* I. p. 109. cap. 51 Fig. & *H. Amst.* p. 85. Fig. 45. *Amaranthoides Indicum* monospermum, foliis *Ocymastrum* capitulis purpureis *P. B. P. Gnaphalio* affinis *Ocymastrum* folio, flore ex purpureo violaceo *H. Bof.* & *Leyd.* *Wadapou H. Mal.* V. 10. Tab. 37. p. 73. *Gondo Bram.* *Wadambu Zeyl.* *Fulo Buton Malais.*
46. *Polygala arborea Myrtitolia Cap. Bonae Spei*, fl. albis intus purpureis *H. Amst.* p. 87. Fig. 46.
47. *Angelica arboreascens spinosa* f. *Arbor Indica Fraxini* folio, cortice spinolo *Raii H. Pl.* 1798. *Christophoriana arbor aculeata Virginiensis* *Pluk. Tab.* 20. Fig. 1. *Arbor Spinoso Fraxini Foliis Virginiana D. Morgan Alm. Bot.* 98. & *H. Amst.* p. 89. Fig. 47.
48. *Aloe Succotrina angustifolia spinosa* fl. purpureo *Breyen. Pr.* 2. & *H. Amst.* p. 91. Fig. 48. *Americana Ananae* foliis flor. suaverubentibus, ex *Codice Bentingiano* *Pluk. Tab.* 140. Fig. 4. *Indiae Orientalis ferrata* f. *Succotrina vera* fl. phæniceis *H. Beam.* an *A. Amer. ferrata* fl. coccineis *P. B. Pr?*
49. *Aloe arboreascens Africana* *H. Beam.* & *H. Amst.* p. 93. Fig. 49.
50. *Arum Aethiopicum* fl. albo odorato *H. Amst.* p. 95. Fig. 50. *Aeth.* fl. albo odorato, *Moschum redolente H. Leyd. Afr.* fl. albo odorato *P. B. P.*
51. *Arum humile Ceylanicum latifolium*, pistillo coccineo *H. Amst.* p. 97. Fig. 51.
52. *Arum polyphyllum Ceylanicum*, caule scabro, viridi diluto, maculis albicantibus notato *H. Amst.* p. 99. Fig 52. *A. polyphyllum Dracunculus* & *serpentaria dictum Ceylonicum* caule glabro viridi diluto, maculis albicantibus notatis, majus & elatius *Cat. H. Amst. Schæna H. Mal.* V. 11. Tab. 18. p. 35.
53. *Arum Ceylanicum*, *polyphyllum*, caule aspero, maculis viridi fuscis, viridi dilutis & albicantibus pulchre notato *H. Amst.* p. 101. Fig. 53. *A. Polyphyllum Dracunculus* & *serpentaria dictum Ceylonicum* caule aspero cum maculis viridi fuscis & viridi dilutis albicantibus pulchre notatum, majus & elatius *Cat. H. Amst.*

H. Amst. an *A. polyph.* *Dracont.* & *Serpent.* dictum folio ramoso *Paeoniae* instar caule aspero *Zeylanicum* *P. B. Pr.*

54. *Balsamina Cucumerina Indica* fructu majore flavescente *H. Amst.* p. 103. Fig. 54. *B. Cuc. Ceylanica* fructu flavescente *Cat. Hort. ejusd. Cucumis puniceus Indicus major P. B. Pr. pun. Zeylanic. H. Leyd.* major feminibus alb. *H. Leyd.* app. 663 pun. *Indic.* fr. majore ex flavo rubente *Com. Not. in H. Mal. Momordica Ceyl.* fr. Pyriformi majore ex flavo rubente fem. albis *H. Beam.* *Pandi-Pavel H. Mal.* V. 8. Tab. 9. p. 17. *Valli carati Bram.* *Maragosa* & *Folhas Margoseira* com fructa grande *Lufit.* *Groot Bierblad.* *Belg.* *Poncleii Bengal.*

55. *Ficoides vel Ficus Americana sphærica*, tuberculata, lactescens fl. albo fructu rubro pyramidali *H. Beam.* & *H. Amst.* p. 105. Fig. 55. *F. f. Melocactus mammillaris glabra*, sulcis carentis fructum suum undique fundens *Pluk.* Tab. 29. Fig. 1. *Occidentale spinosum minus absque tomento H. Leyd.* app. *Echinomelocactus minor lactescens absque tomento cylindris strictioribus P. B. Pr.* *tuberous, f. globularis minor ex Hort. Fagel.* Sch. Bot. 33. *Opuntia Echinomelocacti effigie tuberosa*, fructu levissimo *Amethystino Breyen.* Pr. 2.

56. *Ficus Indica f. Opuntia Curassavica minima H. Beam.* & *H. Amst.* p. 107. Fig. 56. *F. I. minima spinis brevissimis munita ex Hort. Fagel.* Schol. Bot. 33. *Opuntia Americana minima spinis creberrimis tenuissimis Breyen.* Pr. 2. *an minima Indica H. Pisani?* Forte etiam *Ficus. Ind.* omnium minima, spinulis tenellis undique armata ex *Virginia Alm.* Bot. 147. *The Pin-pillow.*

57. *Ananas H. Amst.* p. 109. Fig. 57. & *St. Jam.* 77. *Pif.* p. 195. *Ger.* 1550. Fig. *Acost. & Linscotti I.B.* V. 3. L. 25. p. 95. Fig. *Chabr.* 356. & 57. Fig. *A. fructus Bontii* p. 145. *Anana f. Pina Park.* 1626. Fig. *Carduus Brasilianus* foliis *Aloes CB.* 384. *The Pine-Apple.*

58. *Palma Prunifera humilis non spinosa Insulæ Hispaniolæ* fructu Jujubino similis, officulo triangulo *H. Amst.* p. 111. Fig. 58. *an Palma Americana non spinosa* crassis rigidisque foliis, caudice scabro in caput protuberante *P. B. P?* *an P. Amer.* foliis *Polygonati* brevioribus leviter ferratis & nonnihil spinosis truncо crasso *Breyen.* Pr. 2? & *Pluk.* Tab. 103. Fig. 2. & Tab. 309. Fig. 5?

59. *Cupressus Virginiana* foliis *Acaciæ deciduis Raii H. Pl.* 1408. & *H. Amst.* p. 113. Fig. 59. *Virg.* fol. *Acaciæ cornigeræ paribus & deciduis Pluk.* Tab. 85. Fig. 6. *Virg.* foliis *Abietis*

mollibus atq; deciduis *Breyn.* Pr. 2. & rectius *Abies Virg.* foliis mollibus *Mimosæ* atq; deciduis *Ejusd.* Cup. *Virg. H. Tradescant.* *Virg.* foliis *Acaciæ* deciduis *H. Leyd.* *Tlaticcan* f. *Cupressus Amer.* fusa. *Hern.* 98. (ex sent. D. Pluk.) & *Raii H. Pl.* 1933. Cap. 8o. *Cupr. Amer.* an *Thuia Theophr.* *Cupresso* similis cuius fructus *Habbel* huic assimilatur *Park.* 1477. Fig.

60. *Manghala Arbor Curassavica* foliis *salignis* P. B. P. & *H. Amst.* p. 115. Fig. 60. *Frutex innominatus* 2.f. instar *Salicis pumilæ* foliis *Salignis* *Marcgr.* 76. Fig. *Salix Brasiliensis* 2da. *capitulifera* *Johnst.* *Dendr.* 446. Tab. 126. *Alnus maritima* *Myrtifolia Coriariorum* *Button-wood Bermudensis* *vulgò Pluk.* Tab. 240. Fig. 3. *Alni fructu Laurifolia arbor maritima* *Sl.Cat. Plant. Jam.* 135. *Alno affinis Americana Ligustri* folio, fructu spicato rubro *Breyn.* Pr. 2. & *Pluk.* Tab. 128. Fig. 2. *Jamaica Button-Tree.*

61. *Nux Zeylanica Juglandis* folio P. B. P. & *H. Amst.* p. 117. Fig. 61. *Domba-Geddy Zeylan.*

62. *Ficus Bengalensis* folio subrotundo, fructu orbiculato *H. Beam.* *Americana latiori* folio venoso ex *Curacao Pluk.* Tab. 178. Fig. 1. an *F. Indica* fol. oblongo obtuso fr. minore pallide luteo sphærico *Sl.Cat. Plant. Jam.* 189. an *F. arbor Barbadensium Ligonis* p. 69. *Peralu H. Mal. V.* 1. Tab. 28. p. 49. *Vadheè Bram.* *Pipal. Benghal.* *Ficus. Malabarensis* fol. crassiusculo, majori, fructu gemino intensè rubente *Com. not.*

63. *Gujava alba dulcis* P. B. P. & *H. Amst.* p. 121 Fig. 63. *alba acida* fr. rotundiori *Indiae Orient.* *Pluk.* Tab. 193. Fig. 4. *Guayava Ger.* 1612. Fig. id. em. 1612. Fig. *Park.* 1634. Fig. *Indica* fructu mali facie *pulpa interiore alba* I. B. Var. V. 1. L. 1. p. 1c8. Fig. fals. & *Chabr.* Var. p. 5. Fig. fals. *Guajabo pomifera Indica pulpa candida* CB. Var. 437. & *Guajanos* in *Hilpania nova*, &c. *Ejusd.* 441 *Pela* & *Pelouka Mal.* *Pera Brach.* *Guajas seu Peera Lusit.* *Goejaves Belg.* *H. Mal. V.* 3. Tab. 34. p. 31. *The large white Guava.*

64. *Vitis Idea Æthiopica Myrti Tarentinæ* folio, flore atro purpureo *H. Amst.* p. 123. Fig. 64. an *Frutex Æthiopicus baccifer* foliis *Myrtilli* *Breyn.* Cent. p. 9. c. 5. Fig.

65. *Vitis Idea Æthiopica Buxi-minoris* folio, floribus albidis *H. Amst.* p. 125. Fig. 65. an *Frutex Æthiop. baccifer* fol. *Myrtilli alter* *Breyn.* Cent. p. 10?

66. *Amaranthus baccifer Circeæ* foliis *H. Amst.* p. 127. Fig. 66. bacc. *Indicus minor Circeæ* folio & facie *H. Beam.* 1. *femine*

femine & facie Americana foliis Circeæ P. B. P. & Helitropium Curassavicum Scammonii foliis mollibus subhirsutis Eju/d. Amer. majus foliis Populæ nigrae languinosis fl. albo minimo Breyn. Pr. 2. & Monophyllum Amer. Circeæ foliis & facie fl. albo parvo Ejusd. Pr. 2. Selinium racemosum Americanum minus Sl. Cat. Plant. Fam. 85. Barbadoense racemosum minus tinctorium Circeæ foliis mollibus & incanis Pluk. Tab. 112. Fig. 2. an Seconde plante guerissante le mal des dents Du Tertre p. 92?

67. Malus Americana trifolia, fructu pomi Aurantii instar colorato. Arach Simmeron. vulgo H. Amst. p. 129. Fig. 67. an Anona trifolia, flore stamineo, fructu Sphærico ferrugineo scabro minore Allii odore Sl. Cat. Plant. Fam. 205?

68. Malus Americana Laurocerasi folio venenta, Mancinello arbor seu Massinilia dicta H. Amst. p. 131. Fig. 68. Juglandi affinis arbor julifera lactescens venenata Pyrifolia, Mancanilla Hispan. dicta Sl. Cat. Plant. Fam. 129. The Manchaneel Tree.

69. Anona H. Amst. p. 133. Fig. 69.

70. Malus Americana spinosa, Portulacæ folio, fructu folioso, femine reniformi splendente Blad-appel vulgo. H. Amst. p. 135. Fig. 70.

71. Arbor Americana Cucurbitifera, folio longo mucronato, fructu oblongo H. Amst. p. 137. Fig. 71. A. Cucurb. folio longo mucronato s. Laurino Raii H. Pl. 1668. Cucurbitifera arbor America na, folio longo mucronato fructu orbiculari, granis cordiformibus pulpa nigra involutis Pluk. Tab. 171. Fig. 1. Laurifolia Guineensis CB 461. Arbor folio Lauri fructu Cucurbitæ l. B. V. 1. L. 1. p. fol. Lauri ex Guinea Chabr. 5. Fig. transpositâ.

72. Sebestena domestica CB. 446. & H. Amst. p. 139. Fig. 72. Sebesten Park. 252. Fig. Seb. Myxa sive Myxaria Ger. 1315. Fig. id. em. 1499. Fig. Domestica Alp. Ægypt. 12. Fig. Myxa domestica s. Selesten IB. V. 1. L. 2. p. 197. Chabr. 12. Fig. Prunus Sebestena Mattbioli H. Lugd. & Pluk. Tab. 217. Fig. 2. The true Sebesten or Af syrian Plum.

73. Jujube Americana spinosa, Loti arboris foliis & facie, fructu rotundo parvo dulci H. Beaum. & H. Amst. p. 141. Fig. 73. Leguanaria vulgo seu Arbor Arabica spinosa foliis & facie Loti arboris P. B. P. an I. f. Zizyphus Afric. mucronatis foliis spinâ gemellâ Pluk. Tab. 197. Fig. 3.

74. Prunus Javanica Atriplicis foliis Kakousa Javanensis H. Beaum. & H. Amst. p. 143. Fig. 74. an Elemnifera Curassavica arbor P. B. P? & Pluk. Tab. 173. Fig. 5?

75. Cerasus Jamaicensis fructu tetrapyroeno H. Amst. 145. Cu rassavica
F

rassavica fr. tetrap. *Scinmeraka* Curaſs. P.B.P. & H. Beaum. *Simmerouke* Indiginis. Amer. Myrti conjugatis foliis fructu acerbo tetrapyrene Pluk. Tab. 157. Fig. 4. an Arbor baccifera, folio subrotundo, fructu cerasino sulcato rubro polypyreno, officulis canulatis Sl. Cat. Plant. Jam. 172?

76. *Azadirachta Indica* foliis ramosis minoribus, fl. albo subceruleo purpurascente majore Breyn. Pr. 2. & H. Amft. p. 147. Fig. 76. *Azedarach* floribus albis sempervirens H Leyd. app. *Indica* foliis non deciduis officulo polypyreno. P.B.P.

77. *Terebinthus Americana* polyphilla P.B.P. & H. Amft. p. 149. Fig. 77. *Palamalatta* dictum Pluk. Tab. 228. Fig. 6. an major, Betulæ cortice, fructu triangulare Sl. Cat. Plant. Jam. 167?

78. *Viburnum Americanum Urticæ* foliis Lamii odore, floribus miniatis. H. Amft. p. 153. Fig. 78. Amer. non spinosum Melislae foliis floribus coccineis P. B. P. Pluk. Tab. 114. Fig. 4. Amer. odoratum fol. Urticæ fl. miniatis H. Leyd. app. *Pseudo-viburnum Americ. Rivini* 21. *Periclymenum rectum Urticæ* folio fl. coccineo amplio Sl. Cat. Plant. Jam. 164. *Camara* fl. rubro Marcgr. 5. *Camara-juba* Pil. ed. 48. p. 86. *Camaratinga Ejusd. ed. 58.* p. 176.

79. *Mespilus Americana Laurifolia*, glabro fructu rubro mucilaginoso H. Amft. p. 153. Fig. 79. *Calabura rubra* foliis Laurinis P.B.P. & Pluk. Tab. 326. Fig. 5.

80. *Mespilus Americana Alni vel Coryli* foliis, fructu mucaginozo albo H. Amft. p. 155. Fig. 80. *Calabura alba* P.B.P. & Pluk. Tab. 152 Fig. 4. & Tab. 326. Fig. 4.

81. *Rhus Virginianum* foliis Myrti H. Amft. p. 157. Fig. 81.

82. *Jasminum Azoricum* trifoliatum, flore albo odoratissimo H. Amft. p. 159. Fig. 82. Az.fl. albo *Virid. Lust.* Amer. trifol. odoratissimum fl. albo H. Leyd. app. an alb. trifoliatum fl. magno ex Insula Maderensi Pluk. Tab. 303. Fig. 1.

83. *Lycio similis frutex Indicus spinosus buxi folio* Breyn. Pr. 2. & H. Amft. p. 161. Fig. 83. an *Ebenus Jamaicensis* Arbuscula Buxi foliis spinosa, fl. luteo (papilionaceo siliquifera) Pluk. Tab. 89. Fig. 1? an *Aspalathus arboreus* s. *Pseudo-Ebenus Buxifolio* fl. luteo patulo, siliquâ latâ brevi chartacea, semen exiguum reniforme complectente Sl. Cat. Plant. Jam. 140?

84. *Lycium Æthiopicum Pyracanthæ* folio H. Amft. p. 163. Fig. 84.

85. *Ulmifacie arbuscula Æthiopica* ramulis alatis, floribus purpurascensibus H. Beaum. & H. Amft. p. 165. Fig. 85. U. arbor Cu-rassavica P.B.P. *Ulmifolia* arbor Africana baccifera floribus purpureis Pluk. Tab. 237. Fig. 1. *Lycium Africanum* non spinosum Ulmi facie, floribus speciosis Alm. Bot. 393.

86. *Evonymus Novi Belgii*, *Corni feminæ foliis* *H. Amst.* p. 167. Fig. 86.
an *Jujubinis foliis Carolinienis* fructu parvo ferè umbellato *Pluk. Tab. 28. Fig. 6?*
87. *Evonymus Virginiana Ribesii* folio, capsulis eleganter bullatis *H. Amst.* p. 169. Fig. 87. *Anonymos Ribesii foliis Icon. Roberti. Raii H. Pl. 1708:*
Americ. Ribesii foliis, umbellatâ Melianthi capsulâ minore A.m. Bot. Spirea
Opuli folio El. Bot. 490.
88. *Guajacum Americanum Lentisci* fol. *H. Amst.* 171. Fig. 88. fol. *Lentisci* *Hort. Fagel Breyen. Pr. 2.* Amer. alterum fructu *Evonymi Ejusd.* Pr. 2.
Jasminum vulgò Americanum at rectijs Evonymo adfinis Occidentalis ala-
tis Rusci foliis Nucifera, cortice ad genicula fungoso. Pluk. Tab. 94. Fig. 4.
Pockhout Belgis.
89. *Arbor Brasiliiana Myrti Laureæ foliis inodoris* *H. Amst.* p. 173. Fig. 89.
90. *Arbor Baccifera Indica*, foliis majoribus splendentibus flore pentapeta-
lo *H. Amst.* p. 175. Fig. 90.
91. *Frutex Aethiopicus Portulacæ* folio, flore ex albido virescente *H. Amst.*
p. 977. Fig. 91.
92. *Rhus Africanum trifoliatum majus, foliis subtus argenteis acutis & mar-*
gine incisis Pluk. Tab. 219. Fig. 6. Synonima hujus Horti male adnectuntur.
93. *Rhus Afric. trifoliatum majus, fol. furotundo glabro splendente nob.*
est varietas major ultimæ speciei A.m. Bot. 319. Hic Figuratur p. 181. Cap.
93. sub nomine Vitis trifoliæ Indica rotundifoliae, sed minus rectè cum cete-
ris cognominibus.
94. *Nux Americana* foliis alatis bifidis *H. Beaum. & H. Amst.* p. 183. Fig.
94. *N. A. costâ* foliorum appendicibus aucta *Pluk. Tab. 207. Fig. 4.* *Knippa*
& Tackboom P. B. P.
95. *Arbor Camphorifera Japonica Breyen. Cent. p. 11. & pr. 1. A. C. Zap.*
foliis Laurinis fructu parvo globoso calyce brevissimo *Ejusd. Pr. 2. & H. Amst.*
p. 185. Fig. 95. *Camphora Park. 1675. Officinarum C.B. 500.* *Camphorifera*
arbor, ex qua Camphora Officinarum H. Leyd.
96. *Staphylocarpus Africanum sempervirens* foliis splendentibus *Cat. Hort.*
Amst. & H. Ejusd. p. 187. Fig. 96. *Afric. folio lucido P.B.P. Pistachia Africa-*
na f. *Staphylocarpus Aethiopicum Μονολαστόγλαυκομαρφυλλον* singulari
hirsuto folio nitente *Pluk. Tab. 63. Fig. & Tab. 317. Fig. 5.* *Arbor quædam*
rarissima lucens, fructibus Halicacabi Breyen. Cent. p. 177. & Halicacabum
arborescens Ejusd. 180.
97. *Arbor Virginiana*, *Citriæ vel Limoniæ* folio Benzoinum fundens *H.*
Amst. p. 189. Fig. 97. *A. Virg.* *Pisaminis folio baccata Benzoinum redolens*
Pluk. Tab. 139. Fig. 3, & 4. *Arbor Benzoinifera Breyen. Pr. 2.*
98. *Styrax arbor Virginiana Aceris folio, potius Platanus Virginiana Styra-*
cem fundens Ray H. Pl. 1799. & H. Amst. p. 191. sed Figura & descriptio hu-
jus Horti aliam plantam potius representare videntur, nimis rūm Acerem Virg.
folio majore subtus argenteo supra viridi splendente Pluk. Tab. 2. Fig. 4. quæ
Acer florescens Virginiana vulgò dicitur.
99. *Apocyno affinis Portoricensis* folio Hastæ cuspidi simili *H. Amst.* p.
193. Fig. 99. *A. Portoric.* fruticescens foliis crassis hastæ cuspidi similibus *H.*
Beaum. & Pluk. Tab. 137. Fig. 6. *Tithymalus Portoric.* fol. crassis hastæ cuspidi
simili *P.B.P.*
100. *Lau-*

100. *Laurifolia Africana* H. Amst. p. 195. Fig. 100. *Swarte-Bast* apud Belzias Promontorii Bonæ spei.

101. *Sideroxylum Africanum* Cerasi folio H. Amst. p. 197. Fig. 101. an S. Afr. s. *Lignum ferreum* duritie folio oblongo P. B. P. *Lignum ferreum vulgo. Eijns'd.*

102. *Phyllanthos Americana* planta, flores è singulis foliorum crenis profecti P. B. P. & H. Amst. p. 199. Fig. 102. *H. Beaum.* Amer. angustiori & longiori folio ramosa caulescens Pluk. Tab. 247. Fig. 4. *Lonchitidi* affinis arbor anomala folio alatoe pinnatum crenis fructiferi Sl. Cat. Plant. Fam. 16. Hippoglosso fert cognata Surinamenis foliis Oleardri ferratis, in crenatum extremo foliosus perminutos sanguineos gerentibus vel forte *Hemionitidi* affinis Breyn. Pr. 2. an H. aff. Amer. epiphyllanthos folio simpliciter pinnato Hippoglossi æmulo, radice reptatrice lignosa ad foliorum crenas florida Pluk. Tab. 36. Fig. 7?

103. *Erythroxylum Japonicum* non spinosum *Coronilla* folio H. Amst. p. 201. Fig. 103. *Japansche Blom-boom Belg.*

104. *Corallinum lignum* P. B. P. Pluk. Tab. 169. Fig. 1. seu *erythroxylum Americanum*, *Glycyrrhizæ* folio, floribus ex luteo & rubro variegatis filiquâ latissimâ H. Amst. p. 203. Fig. 104. *Glycyrrhiza* vel (si mavis) *Glycyrrhizæ* affinis arborescens *Americana*, floribus ex luteo & rubro variegatis folio acuminato filiquâ latissimâ Breyn. Pr. 2. *Corallen hout Belg.*

105. *Acacia Javanica* sulcata, caule & foliorum coticis spinosis H. Beaum. & H. Amst. p. 205. Fig. 105. Durii spine ricat *Malais* & *Javanensis*.

106. *Acacia Javanica* non spinosa foliis maximis splendentibus H. Amst. p. 207. Fig. 106. *Hort. Beaum.* & Pluk. Tab. 123. Fig. 3. *Caduwang. Javan.*

107. *Acaciacæ* similis spinis corniformibus *Mexiciana* Breyn. Pr. 2. & H. Amst. p. 209. Fig. 107.

108. *Coral arbor Americana* H. Amst. p. 211. Fig. 108. Spina occidentalis fructu intensius rubente P. B. P. *Coral arbor Lusitanica vulgò Ejus'd. Arbor Corallii Ferrar.* flor. p. 380.

109. *Draco arbor Indica* siliquosa Popali folio *Angsana* vel *Angsava Java-nica* H. Amst. p. 213. Fig. 109. describitur in *Ephemer. German. Ann.* 13. Obs. 37.

110. *Cattia fistula Alexandrina* CB. 403. & H. Amst. p. 215. Fig. 113. *Raii H. Pl.* 1746. & Sl. Cat. Plant. Fam. 145.

111. *Caffia fistula Javanica* fl. carneo. H. Amst. p. 217. Fig. 111. *Indica fl. carneo Clar. Sebastiani Fagrii Breyn. Pr. 2.*

112. *Nux Been Ceylanica* siliquâ triangulâ seminibus alatis H. Leyd. app. *Balanus Myrtifica* siliqua triangulari semine minore alato Breyn. Pr. 2. *Moringa Lentisci* folio fructu magno angulo in quo Semina Ervi IB. V. 1. L. 12. p. 435. *Moringa H. Mai.* V. 6. Tab. 11. p. 19. *Lusit. Belg.* & *Acoft. Katu Mu-rungba Zeylan.* *Arbor exotica Lentisci* folio CB. 399. *Glans Unguentaria* Zinst. *Dendr.* p. 130. Tab. 43. Fig.