




Department of Zoology

THE  
**ELBE**  
LINE

No. 118-A  
SPRING BINDER

Made in 1", 1½", 2" capacities  
and 25 sizes. Special sizes to order.

with left hand  
BEND BACK  
front cover



with right hand  
REMOVE-REPLACE  
inner folder with  
contents

Made in U. S. A.









Mammals listed in Field Catalogue - No specimens found, therefore not in office


Page #	Col #	Locality	Genus	TL	T	HF	E	
-	6271	Hollandia	Dactylopsila	895	342	44	19	
-	6274	-	Bandicoot	472	92	60	27	
-	6277	Hollandia	Phalanger					
-	6278	"	"					
-	6279	"	"					
-	6280	"	"					
-	6281	"	"					
-	6282	"	Bandicoot					
-	6283	"	Dendrolagus					
-	8043	boos	House rat	352	203	31.5	19.3	
-	8046	"	"	404	223	35	18	
6	4135	Hollandia	Dobsonia	268	29	38	33	alcoholic
6	4136	"	"	no specimen				"
11	4309	"	Phalanger	See Field Catalogue				"
25	4741	L Haberna	Hydromys	310	159	34	8	
33	4972	Two catalogue nos.						
35	5048	"	"					
35	5049	"	"					
35A	5087	"	"					
41	5205	"	"					
42	5237	"	"					
49	5457	"	"					
66	6667	"	"	288	126	30	18	
74	7090	"	"					
76	7175	"	"					
80	7283	Bombard Camp	Phalanger					alcoholic
81	7304	15 Km SW	Pseudochairus					"
82	7351	"	Stenomys	234	112	26	15	Skull only
82	7359	Two catalogue nos						
84	7408	Aramaria Ck	Phanogale	185	82	23	10	
84	7409	Two catalogue nos						
85	7426	"	"					
88	7506	"	"					
91	7557	"	"					
95	7642	"	"					
97	7689	"	"					
98	7698	4 Km SW D.C.	Lehymsifera	347	48	50	25	Head only
98	7720	"	"					alcoholic
101	7787	"	Bronyctes					





Page	col. #	Locality	Genus					
105	7906	Bernhard Camp	Dobsonia	253	22	35	32	alcoholic
106	7915	-	-					
108	7972	Two catalogues #s	-					
108	7976	-	-					
108	7979	Bernhard Camp	Phalanger					alcoholic
109	8018	-	Phascogale					-
109	8019	-	Echymipera					-
109	8020	-	-					-
109	8030	-	Phalanger	1035	487	83	23	Head in alc. alcoholic
110	8032	-	Hydromys					-
110	8035	-	Echymipera					-
111	6260	-	?					-





Mammals listed in catalogue - not in field note book

#	Field #	Locality	Genus						
10131	6284	Hollandia	Ptilus	165	75	24	13	skin + skull	
10133	6261	"	"	382	75	39	19	" "	
50662	3739	L'Abberna	Pogonomys	230	121	26	17	skin only	
50663	3742	"	Stenomys	245	103	27	16	" "	
50914	2488	Bele B	"	250	120	28	17	" "	
50915	2489	"	"	242	119	27	17	" "	
50916	2490	"	Melomys	244	126	28	17	" "	
50917	2491	"	"	235	120	28	16	" "	
50918	2492	"	"	326	151	40	21	" "	
151353	No #	---	---	---	---	---	---	Part of skin only	
51469	"	"	?	426	168	53	23	skin only	
51496	"	Coras	---	---	---	---	---	skull only	
51497	"	"	---	---	---	---	---	" "	
51498	"	"	---	---	---	---	---	" "	
151499	"	"	---	---	---	---	---	" "	
151500	"	"	---	---	---	---	---	" "	
151817	6288	Hollandia	Tharomys	1155	557	85	17	skin only	
151818	6311	"	"	490	246	43	16	skin + skull	
151819	6314	"	"	750	382	63	15	" "	
151823	6286	"	"	1760	965	175	60	" "	
151824	6315	"	"	---	---	---	---	" "	
151856	3788	Cyclops	"	728	? 72	57	24	" "	
151857	3794	"	"	1076	520	167	57	" "	
151858	3933	"	"	750	338	57	-	" only	
151859	3937	"	"	527	? 421	62	25	" "	
151860	3987	"	"	887	360	77	28	" + skull	
151861	3989	"	"	741	382	71	27	" "	
151862	No #	"	"	1062	584	90	-	" only	
151913	3786	"	Chymifer	183	42	30	20	" + skull	
151914	3787	"	"	135	-	39	20	" "	
151915	3789	"	"	278	60	41	26	" "	
151916	3790	"	"	377	75	54	28	" "	
151917	3793	"	"	377	-	-	26	" "	
151918	3999	"	"	195	42	35	17	" "	
151919	3986	"	"	250	48	40	24	" only	
151920	6329	Hollandia	"	328	92	67	73	" + skull	
151969	3993	Cyclops	Phalanger	447	213	38	14	" "	
151983	No #	"	Dasyurus	587	263	28	24	" only	
152039	3996	"	Pharogale	? 147	146	21	15	" + skull	













	No #	Hollandia	Bat	No measurements	alcoholic
152699					
152700	"	"	"	"	"
152701	"	"	"	"	"
152702	"	"	"	"	"
152703	"	"	"	"	"
152704	"	"	"	"	"
152705	"	"	"	"	"
152706	"	"	"	"	"
152707	"	"	"	"	"
152708	"	"	"	"	"





MAMMAL CATALOGUE

6271	Aug. 2, 1938	Hollandia	O M. ♀	Dactylopsila	895-342-44-19	Brought in by native
6272						
6273						
6274	10		♀	Bandicoot	472-92-60-27	"
6275						
6276						
6277	Sept. ??	1938	O M. ♂	Phalanger		brought in and skinned by native
6278			?	ditto		ditto
6279			?	ditto		
6280			?	ditto		
6281			?	ditto		
6282			?	Bandicoot		ditto
6283			♀	Dendrolagus		Ditto

Cocos Islands

8043	June 9	1939		new selma island	♀ house rat	352-203-31.5-19.3
				clunius Ross "		424-227-32-21
8044	151485	^		know locally as	♀	393-221-32-20 dark umd er parts
8045	151486	^		"Home Island"	♂	404-223-35-18
8046				or Pulo clapax	♀	404-217-32-21 SKIN ONLY
8047	151487	^			♀	344-182-32-19.5 SKIN ONLY
8048	151488	^			♀	352-192-32.5-13.5 SKIN ONLY
8049	151489	^			♀	378-198-33-17.5
8050	151490	^			♀	404-233-32-19.
8051	151491	^			♀	362-196-39-20.
8052	Junell, 1939		ditto	151492	♀	369-208-33-20
8053	151493	^			♀	236-129-27-18
8054	151494	^			♂	jeuv. 414-231-36-20
8055	Junel2, 1939		ditto	151495		

~~6284 - 110131~~  
~~6261 - 110133~~  
 6263. 152741 (Rattus)  
 6265 152742  
~~6288 - 151817~~  
~~6311 - 151818~~  
~~6314 - 151819~~  
~~6286 - 151823~~  
~~6315 - 151824~~  
~~3788 - 151854~~  
~~3794 - 151857~~  
~~3933 - 151858~~  
~~3939 - 151859~~  
~~3987 - 151862~~  
~~3989 - 151861~~  
 Not# 151862  
 6267 ~~152820~~ → 152824  
 6268 ~~152821~~ → 152825  
 6269. ~~152822~~ → 152826  
 3771 - 152355

~~5004 - 109482~~  
~~4964 - 109590~~  
~~4957 - 109752~~  
~~4958 - 109753~~  
~~6284 - 110131~~  
~~6261 - 110133~~  
~~4967 - 110161~~  
~~3739 - 150662~~  
~~3742 - 150663~~  
~~2488 - 150914~~  
~~2489 - 150915~~  
~~2490 - 150916~~  
~~2491 - 150917~~  
~~2492 - 150918~~  
~~Not# - 151353~~  
~~Not# - 151469~~  
~~3988 - 152488~~  
~~3987 - 152489~~  
~~3984 - 152490~~  
~~6282 - 152491~~

~~3786 - 151012~~  
~~3787 - 151013~~  
~~3789 - 151015~~  
~~3790 - 151016~~  
~~3793 - 151017~~  
~~3999 - 151018~~  
~~3986 - 151019~~  
~~6329 - 151020~~  
~~3993 - 151069~~  
~~Not# - 151496~~  
~~Not# - 151497~~  
~~Not# - 151498~~  
~~Not# - 151499~~  
~~Not# - 151500~~  
~~Not# - 151861~~  
~~13985 - 152492~~  
~~13997 - 152493~~  
~~3796 - 152494~~  
~~Not# - 152495~~  
~~Not# - 152496~~  
~~Not# - 152039~~  
~~3996 - 152497~~  
~~3982 - 152498~~  
~~3985 - 152499~~



Faint, illegible text at the top of the page, possibly a header or introductory section.

Two columns of faint, illegible text, likely a list or table of entries.

Large section of extremely faint, illegible text occupying the bottom half of the page.



No# - - - 152366  
 3795 - - - 152371  
 3983 - - - 152372  
 3990 - - - 152373  
 3991 - - - 152374  
 3992 - - - 152375  
 No# - - - 152406  
 3994 - - - 152437  
 3995 - - - 152438  
 3792 - - - 152446  
 3988 - - - 152488  
 3987 - - - 152489  
 3984 - - - 152490  
 6287 - - - 152491  
 3985 - - - 152492  
 3997 - - - 152493  
 3796 - - - 152494  
 No# - - - 152495  
 " - - - 152497  
 " - - - 152498  
 " - - - 152659  
 " - - - 660  
 " - - - 661  
 " - - - 662  
 " - - - 663  
 " - - - 664  
 " - - - 688  
 " - - - 689  
 " - - - 690  
 " - - - 691  
 " - - - 692  
 " - - - 693  
 " - - - 694  
 " - - - 695  
 " - - - 696  
 " - - - 697  
 " - - - 698  
 " - - - 699  
 " - - - 700  
 " - - - 701  
 " - - - 702  
 " - - - 703  
 " - - - 704  
 " - - - 705  
 " - - - 706  
 " - - - 707  
 " - - - 708





Wm B. Richardson  
1938

# Catalogue

Hollandia, Netherlands New Guinea (standard)

May 21, 1938

4000 ♀ Juv. *Phalanger*

109447 ♀

628-320-62-23 <sup>Notes</sup>

June 4, 1938

4001 ♀ Juv. *Phalanger*

109653 ♀

525-204-55-25 <sup>Notes</sup>

June 12, 1938

4002 ♂ *Hipposideros*

110002 ♂

79-29-7-11

3 ♀

110003 ♀

82-31-7-12

4 ♀

110004 ♀

67-23-6-12

5 ♂

109981 ♀

65-22-6-11

June 13, 1938

4006 ♂ ~~Dipodomys~~ *Echymipera*

109729 ♀

494-95-73-25

7 ♂ *Melomys*

110080 ♀

159-19-29-15

8 ♀ *Calicore*

151789 ♀

stomach contents S. Skeleton only

June 15, 1938

4009 ♀ *Melomys*

110081 ♀

268-122-~~31~~<sup>29</sup>-~~14~~<sup>15</sup>

10 ♀ Juv. *Phalanger*

109458 ♀

538-271-48-20

June 16, 1938

4011 ♂ *Hipposideros*

109982 ♀

66-24-6-11

2 ♂ *Phalanger*

109448 ♀

706-380-60-18

3 ♀ *Melomys* (1 emb. 25)

110082 ♀

240-100-27-15

4 ♀ " (2 emb. 35 mm)

110083 ♀

254-116-30-16

5 ♀ " (2 emb. 10)

110084 ♀

232-101-29-14

6 ♂ Juv. *Mua*

110085 ♀

144-74-19-10

June 17, 1938

4017 ♀ *Melomys* (3 emb. 25 mm)

110086 ♀

279-136-27-11

8 ♀ *Hipposideros* (1 emb.)

110005 ♀

74-25-6-12

9 ♀ *Hipposideros* (1 emb.)

110006 ♀

70-23-6-12

4020 ♀

110007 ♀

64-20-6-11

1 ♀

109983 ♀

71-27-6-12

2 ♀

110008 ♀

70-23-6-12

3 ♂

110009 ♀

65-21-6-12

4 ♂

110010 ♀

70-25-6-11





Wm B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea

June 17, 1938

4025 ♂	<i>Hipposideros</i>	109984 ✓	63-22-6-11
6 ♂	"	110011 ✓	66-22-6-11
7 ♂	"	110012 ✓	72-24-6-12
8 ♂	"	110013 ✓	64-21-6-11
9 ♂	"	109985 ✓	66-22-6-11
4030 ♀	<del><i>Hipposideros</i></del> <i>Echymipera</i>	109730 ✓	412-100-59-—
1	<i>Hipposideros</i> (	152612 ✓	Alcoholic
2	"	152613 ✓	Alcoholic

June 18, 1938.

4033 ♂	<i>Melomys</i>	110087 ✓	261-118-29-15
--------	----------------	----------	---------------

June 19, 1938

4034 ♀	Juv. <i>Halcyon</i>	151787 ✓	stomach + mouth contents Skull only
--------	---------------------	----------	-------------------------------------

June 20, 1938

4035 ♂	<i>Hipposideros</i>	152614 ✓	Alcoholic	67-23- <u>11</u> -6 ✓
6 ♂	"	152615 ✓	"	67-21- <u>12</u> -6 ✓
7 ♂	"	152616 ✓	"	63-22- <u>11</u> -6 ✓
8 ♀	"	152617 ✓	"	63-22- <u>12</u> -6 ✓
9 ♀	"	152618 ✓	"	64-22-6-11
4040 ♀	"	152619 ✓	"	67-22-6-11
1 ♀	"	152620 ✓	"	69-22-6-11
2 ♀	"	152621 ✓	"	65-22-6-12
3 ♀	"	152622 ✓	"	67-21-6-11.5
4 ♀	"	152623 ✓	"	64-21-6-12
5 ♀	"	152624 ✓	"	65-22-6-11
6 ♂	"	152625 ✓	"	70-22-7-11
7 ♀	"	152626 ✓	"	75-22-6.5-11
8 ♀	"	152627 ✓	"	81-28-6.5-11

June 21, 1938

4049 ♂	<i>Rattus</i>	110088 ✓	275-142-25-15
4050 ♀	<i>Phalanger</i>	109456 ✓	Skin only Brought in by natives

June 23, 1938

4051 ♀	<i>Phalanger</i>	109449 ✓	1204-585-90-20
--------	------------------	----------	----------------





B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea.

June 23, 1938

4052	♀ Juv. <i>Phalanger</i>	152751 ♀	Alcoholic	
3	♀ <i>Rattus</i>	110089 ♀		249-127-24-15
4	Juv. <i>Rattus</i>	152754 ♀	Alcoholic	100-40-14-5
5	Juv. <i>Rattus</i>	152755 ♀	"	104-38-14-4

June 24, 1938


4056	♂ <i>Rattus</i>	110090 ♂		344-168-34-18
7	♂ <i>Melomys</i>	110091 ♂		261-116-30-15
8	♀ <i>Rattus</i>	110092 ♀		212-106-23-14
9	♂ "	110093 ♂		216-113-24-14
4060	♂ "	110094 ♂		146-72-19-9
1	♂ <i>Dorcopsis</i>	109380 ♂		1065-435-104-50

June 25, 1938

4062	♂ <i>Rattus</i>	110095 ♂		187-101-24-11
3	♂ "	110096 ♂		132-64-19-9
4	♂ "	150919 ♂		300-162-28-17
5	♂ "	110097 ♂		144-72-19-9
6	♀ "	110098 ♀		285-150-26-13
7	♀ "	110099 ♀		248-131-25-15
8	♂ "	110100 ♂		240-128-26-13
9	♂ "	110101 ♂		216-116-25-14
4070	♀ "	110102 ♀		199-103-24-13
1	♂ "	110103 ♂		147-80-19-10
2	♀ <i>Melomys</i> (1 emb.)	110104 ♀		227-93-29--
3	♀ "	110105 ♀		244-110-30-13
4	♀ <i>Pogonomys</i> (3 emb. x 12mm.)	110106 ♀		286-168-22-12
5	♂ <i>Rattus</i>	110107 ♂		172-87-20-13
6	♀ "	110108 ♀		167-85-20-12
7?	<i>Dorcopsis</i>	109377 ♂		-----

June 26, 1938

4078	♂ <i>Dorcopsis</i>	109375 ♂		1130-465-147-47
9	♂ <i>Echymipera</i>	109731 ♂		433-85-62-19
4080	♀ <i>Rattus</i>	110109 ♀		256-144-24-14
1	♀ <i>Phalanger</i>	109450 ♀		1160-580-83-25
2	Juv. <i>Phalanger</i>	152756 ♀	Alcoholic	442-233-46-18





Wm. B. Richardson  
1938

# Catalogue

## Hollandia, Netherland New Guinea,

June 24, 1938

4083 *Dendrolagus* 109460  $\wedge$  Tail only

June 27, 1938

4084 ♀	<i>Dorcopsis</i>	109382 $\wedge$	860 - 350 - 120 - 50
5 ♀	"	109381 $\wedge$	774 - 339 - 115 - 50
6 ♀	"	109384 $\wedge$	Urogenital Syd. 752 - 310 - 110 - 45
7 ♂	<i>Rattus</i>	110110 $\wedge$	Skin only 262 - 150 - 27 - 15
8 ♂	<i>Dorcopsis</i>	109383 $\wedge$	705 - 302 - 118 - 45

June 28, 1938

4089 ♀	<i>Dorcopsis</i>	109379 $\wedge$	900 - 380 - 125 - 50
4090 ♀	Juv. <i>Dorcopsis</i>	152758 $\wedge$	199 - 62 - 31 - 12
1 ♂	<i>Rattus</i>	110111 $\wedge$	253 - 129 - 24 - 15
2 ♂	<i>Melomys</i>	151502 $\wedge$	Skull only <span style="border: 1px solid black;">259</span> - <span style="border: 1px solid black;">104</span> - 29 - —
3 ♀	"	151503 $\wedge$	Skull only 273 - 129 - 27 - 15
4 ♂	<i>Dorcopsis</i>	109389 $\wedge$	1112 450 - 143 - 44

June 29, 1938

4095 ♂	<i>Echymipera</i>	109732 $\wedge$	405 - 90 - 62 - 25
6 ♂	<i>Melomys</i>	110112 $\wedge$	248 - 107 - 30 - 14
7 ♂	Juv. <i>Rattus</i>	110113 $\wedge$	262 - 128 - 32 - 17
8 ♂	<i>Rattus</i>	110114 $\wedge$	300 - 141 - 26 - 16
9 ♂	"	110115 $\wedge$	<span style="border: 1px solid black;">351</span> - <span style="border: 1px solid black;">148</span> - 39 - 18
4100 ♂	"	110116 $\wedge$	367 - 171 - 40 - 22
1 ♂	Juv. <i>Echymipera</i>	109733 $\wedge$	206 - 45 - 33 - 18

June 30, 1938

4102 ♀	Juv. <i>Rattus</i>	110117 $\wedge$	156 - 81 - 20 - 12
3	<i>Dendrolagus</i>	109461 $\wedge$	Tail only
4 ♂	<i>Dorcopsis</i>	109376 $\wedge$	1160 - 489 - 150 - 50

July 2, 1938

4005 ♂	<i>Dorcopsis</i>	109378 $\wedge$	1120 - 463 - 145 - 53
6 ♂	"	109398 $\wedge$	872 - 375 - 125 - 48
7 ♀	<i>Hypsignathos</i>	159986 $\wedge$	68 - 23 - 6 - 11
8	<i>Melomys</i>	151504 $\wedge$	Skull only





Wm B. Richardson  
1938

# Catalogue



## Hollandia, Netherlands New Guinea

July 3, 1938

4109	♀	<i>Hipposideros</i>	110014	✓	65-24-6-12
4110	♂	Juv. <i>Rattus</i>	110118	✓	270-138-32--

July 4, 1938

4111	♂	<i>Rattus</i>	110121	✓	190-99-22-14
2	♂	<i>Hipposideros</i>	109987	✓	70-26-6-12
3	♂	<i>Phalanger</i>	109469	✓	1140-570-87-25
4	♂	<i>Pogonomys</i>	110119	✓	273-159-22-13
5	♀	<i>Phalanger</i>	109451	✓	Emb? 1160-595-90-23

July 5, 1938

4116	♂	<i>Echymipera</i>	109734	✓	<span style="border: 1px solid black; padding: 2px;">393</span> - - - 69-21
------	---	-------------------	--------	---	---

## 11 km SE Hollandia, Netherlands New Guinea

July 5, 1938

4117	♀	<i>Myotis</i>	109888	✓	<del>94-35-10-12</del>
8	♂	<i>Miniopterus</i>	109963	✓	94-35-10-12
9	♂	"	109889	✓	101-43-8-8
4120	♂	"	109964	✓	99-46-8-7
1	♂	"	109965	✓	98-41-7-7
2	♂	"	109966	✓	101-45-7-8
3	♂	"	109967	✓	96-42-8-7
4	♂	"	109968	✓	98-43-8-8
5	♂	"	109969	✓	100-43-8-7
6	♂	"	109970	✓	93-39-8-8
7	♂	"	109971	✓	98-44-8-7
8	♂	"	109972	✓	99-45-8-8
9	♀	"	109973	✓	100-40-8-7
4130	♀	"	152628	✓	Alcoholic 98-40-8-7
					96-44-7-7

## Hollandia, Netherlands New Guinea

July 5, 1938

4131	♀	<i>Dorcopsis</i>	109386	✓	925-385-125-47
2	♀	"	109409	✓	918-375-120-47
3	♀	Juv. "	109405	✓	497-225-90-38
4	♀	Juv. <i>Sus</i>	109465	✓	730-112-145-67





20m B. Richardson  
1938

# Catalogue

11 km. S.E. Hollandia, Netherlands New Guinea

July 5, 1938

4135	♂	<i>Dobsonia</i>	153077	Alcoholic	268-29-38-33
6	♀	"		"	No specimen
7	Emb.(7)	"	152709	"	
8	♂	"	109846	^	280-31-37-32
9	♂	"	109847	^	252-25-37-35
4140	♂	"	151505	Skull Only	250-29-37-34
1	♀	"	151506	Skull Only	262-28-38-33
2	♀	"	151507	Skull Only	273-27-38-34
3	♀	"	109848	^	263-23-37-34
4	♀	"	109849	^	271-27-37-34
5	♀	"	151508	Skull Only	261-26-35-33
6	♀	"	151509	Skull Only	264-31-38-34
7	♀	"	151510	Skull only	265-25-37-31
8	♀	"	151511	Skull Only	275-26-38-32
9	♀	"	151512	Skull Only	272-25-38-34
4150	♀	"	109850	^	273-24-37-33
1	♀	"	109851	^	278-27-37-32
2	♀	"	151513	Skull Only	269-28-38-33
3	♀	"	109852	^	270-25-37-31
4	♀	"	109853	^	263-24-36-32
5	♀ Juv.	"	109854	^	144-11-30-25
6	♀	"	109855	^	260-24-35-33
7	♀	"	109856	^	250-27-36-33
8	♂	"	109857	^	265-32-35-33
9	♂	"	109858	^	264-27-37-34
4160	♀	"	109859	^	260-32-37-38
1	♀	"	109861	^	263-27-36-34
2	♀	"	109860	^	262-24-37-32
3	♂	"	152747	^	Alcoholic
4	♀ Juv.	"	152658	^	Alcoholic
5		<i>Miniopterus</i>	152629	^	"
6		"	152630	^	"
7		"	152631	^	"
8		"	152632	^	"
9		"	152633	^	"
4170		"	152634	^	"
1		"	152635	^	"





28<sup>th</sup> B. Richardson  
1938

# Catalogue

11 km S Hollandia, Netherlands New Guinea

July 5, 1938.

4172	♂	<i>Minomys</i>	152636 ✓	Alcoholic
3	"	"	152637 ✓	"
4	"	"	152638 ✓	"
5	"	"	152639 ✓	"

Hollandia, Netherlands New Guinea

July 6, 1938

4176	♂	<i>Corcossia</i>	109390 ✓	745-305-117-47
7	♂	"	109394 ✓	975-390-140-50
8	♀	"	109392 ✓	840 - 317 - 120 - 49
9	♀	"	109391 ✓	865-345-123-47

4 km N C Dojo, Netherlands New Guinea, 300 m.

July 6, 1938

4180	♂	<i>Phalanger</i>	109438 ✓	941-482-77-30
------	---	------------------	----------	---------------

Hollandia, Netherlands New Guinea.

July 7, 1938.

4181	♂	<i>Corcossia</i>	109663 ✓	621-262-110-40
2	♀	<i>Rattus</i>	110120 ✓	295 - 715 - 34 - -
3	♂	<i>Rattus</i>	110122 ✓	239-125-25-16

July 8, 1938

4184	♀	<i>Melomys</i>	110123 ✓	262-111-28-15
------	---	----------------	----------	---------------

1 1/2 km S Ajasso, Sentani Lake, Netherlands New Guinea.

July 8, 1938

4185	♀	<i>Myotis</i>	109891 ✓	87-35-10-11
6	♂	"	109890 ✓	91-35-11-11
7	♀	"	109892 ✓	92-37-11-11
8	♀	"	109893 ✓	93-37-10-11
9	♂	"	109894 ✓	47-39-11-11
4190	♂	"	109895 ✓	89-32-10-10
1	♂	"	109896 ✓	90-35-10-11
2	♂	"	109897 ✓	95-36-10-11
3	♂	"	109898 ✓	98-37-11-11
4	♂	"	109899 ✓	95-36-11-11





B. Richardson  
1938

# Catalogus

1 1/2 km S Ajass, Sentani Lake, Netherlands New Guinea.

July 8, 1938.

4195 ♂	<i>Myotis</i>	109900	✓		96-38-11-11
6 ♂	"	109901	✓		89-38-11-11
7 ♂	"	109902	✓		90-34-11-11
8 ♂	"	109903	✓		92-35-10-11
9 ♂	"	109904	✓		89-34-10-11
4200 ♀	"	109905	✓		96-36-11-11
1 ♀	"	109906	✓		83-35-10-10
2 ♀	"	109907	✓		85-34-10-11
3 ♀	"	109908	✓		90-33-10-11
4 ♀	"	109909	✓		95-37-11-11
5 ♀	"	109910	✓		93-36-11-11
6 ♀	"	109911	✓		95-37-11-12
7 ♀	"	109912	✓		96-37-11-12
8 ♀	"	109913	✓		95-35-11-11
9 ♀	"	109914	✓		95-34-11-12
4210 ♂	"	151514	✓	Skull Only	93-34-10-11
1 ♂	"	151515	✓	" "	92-37-11-11
2 ♂	"	151516	✓	" "	94-32-11-11
3 ♂	"	151517	✓	" "	87-33-10-10
4 ♂	"	151518	✓	" "	96-38-11-11
5 ♀	"	151519	✓	" "	95-34-11-11
6 ♀	"	151520	✓	" "	96-36-11-11
7 ♀	"	151521	✓	" "	96-34-11-10
8 ♀	"	151522	✓	" "	93-35-11-12
9 ♀	"	151523	✓	" "	98-38-11-12
4220 ♀	"	151524	✓	" "	93-35-11-11
4220 ♀	"	151525	✓	" "	99-38-11-11
2 ♀	"	151526	✓	" "	99-39-11-11
3 ♀	"	151527	✓	" "	98-37-11-12
4 ♀	"	151528	✓	" "	97-36-11-11
5 ♀	"	151529	✓	" "	98-37-11-12
6 ♀	"	151530	✓	" "	95-35-11-11
7 ♀	"	151531	✓	" "	98-36-11-11
8 ♀	"	151532	✓	" "	95-34-11-12
9 ♀	"	151533	✓	" "	98-37-11-12
4230 ♀	"	151534	✓	" "	96-35-11-11
1 ♀	"	151535	✓	" "	99-35-11-11





20 m B. Richardson  
1938

# Catalogue

4 km. N. C. Dojo, Netherlands New Guinea 200 m.

July 8, 1938.

4232 ♀ *Echymipera*

109750 ✓

264-74-55- -

1 1/2 km. S Ajapo, Sentani Lake, Netherlands New Guinea.

July 8, 1938

4233 *Myotis*

152501 ✓

Alcoholic

4 " " 152502 ✓

5 " " 152503 ✓

6 " " 152504 ✓

7 " " 152505 ✓

8 " " 152506 ✓

9 " " 152507 ✓

4240 " " 152508 ✓

1 " " 152509 ✓

2 " " 152510 ✓

3 " " 152511 ✓

4 " " 152512 ✓

5 " " 152513 ✓

6 " " 152514 ✓

7 " " 152515 ✓

8 " " 152516 ✓

9 " " 152517 ✓

4250 " " 152518 ✓

1 " " 152519 ✓

2 " " 152520 ✓

3 " " 152521 ✓

4 " " 152522 ✓

5 " " 152523 ✓

6 " " 152524 ✓

7 " " 152525 ✓

8 " " 152526 ✓

9 " " 152527 ✓

4260 " " 152528 ✓

1 " " 152529 ✓

2 " " 152530 ✓

3 " " 152531 ✓

4 " " 152532 ✓

5 " " 152533 ✓





Wm S. Richardson  
1938

# Catalogue

1 1/2 km S Ajapo, Sentani Lake, Netherlands New Guinea

July 8, 1938

Specimen No.	Sex	Species	Number	Measurements	Notes
4265		<i>Myotis</i>	152534		Alcoholic
76	"	"	152535		"
8	"	"	152536		"
9	"	"	152537		"
4270	"	"	152538		"
1	"	"	152539		"
2	"	"	152540		"
3	"	"	152541		"
4	"	"	152542		"
5	"	"	152543		"
6	"	"	152544		"
7	"	"	152545		"
8	"	"	152546		"
4289	"	"	152547		"
4280	"	"	152548		"
1	"	"	152549		"
2	"	"	152550		"
3	"	"	<del>152550</del> 152500		"
4284	♀	<i>Miniopterus</i>	109959	132 - 68 - 11 - 10.5	
5	♀	"	109960	135 - 57 - 11 - 10	
6	♀	<i>Miniopterus</i>	109975	103 - 48 - 8 - 7.5	
7	♀	"	151536	103 - 48 - 8 - 6	Skull Only
8	♀	"	151537	101 - 46 - 8 - 7	" "
9	♀	"	109976	103 - 45 - 8 - 7	
4290	♂	<i>Myotis</i>	109915	90 - 37 - 10 - 11	
1	♂	"	109916	89 - 35 - 11 - 11	
2	♂	"	109917	96 - 37 - 11 - 11	
3	♂	"	109918	98 - 38 - 10 - 11	
4	♂	"	109919	95 - 37 - 10 - 11	
5	♂	"	109920	101 - 40 - 11 - 11	
6	♂	"	109921	92 - 34 - 10 - 10	
7	♂	"	109922	94 - 36 - 10 - 10	
8	♂	"	109923	92 - 33 - 10 - 11	
9	♂	"	109924	98 - 37 - 11 - 11	
4300	♂	"	109875	94 - 37 - 11 - 11	
1	♂	"	109925	96 - 36 - 10 - 11	
2	♂	"	109926	95 - 37 - 11 - 11	





Wm. B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea

July 9, 1938

4303	♀	<i>Dorcopsis</i>	109393	✓	800-335-115-47
4	♂	"	109406	✓	700-300-115-45
5	♀	"	109399	✓	830-380-117-47
6	♀	<i>Phalanger</i>	109452	✓	1250-605-95-25
7	♂ Juv.	(Young of #4306)	152752	✓	Alcoholic
8	♀	<i>Echymipera</i>	109735	✓	
9	Juv.	" (Young of 4308)			Alcoholic → <span style="border: 1px solid black; padding: 2px;">285</span> - - - 51-25
4310	♂	<i>Rattus</i>	110124	✓	402-198-40-20
1	♀	<i>Pteropus</i>	109871	✓	(Wing spread 1520) 347 - - - 62-25
2	Juv.	" (Young ant. of 4311)	152762	✓	Alcoholic
3	♀	"	109872	✓	324 - - - 55-27
4	♂	<i>Dobsonia</i>	109862	✓	264-26-38-33
5	♂	"	109863	✓	252-22-38-36

## 1 1/2 km S Ajapa, Sentani Lake, Netherlands New Guinea

July 8, 1938

4316	♂	<i>Miniopterus</i>	109961	✓	131-50-12-10
------	---	--------------------	--------	---	--------------

## 1 1/2 km S Ajapa, Sentani Lake, Netherlands New Guinea

July 8, 1938

4317	♂	<i>Myotis</i>	109927	✓	93-34-11-12
8	♂	"	109928	✓	91-34-11-11
9	♂	"	109929	✓	93-35-10-11
4320	♂	"	109931	✓	93-34-11-12
1	♂	"	109932	✓	92-34-10-11
2	♂	"	109930	✓	97-37-10-11
3	♂	"	109876	✓	91-33-10-12
4	♂	"	109933	✓	92-35-11-11
5	♀	"	109934	✓	95-36-10-11
6	♀	"	109935	✓	96-38-10.5-11
7	♀	"	109936	✓	99-39-11-11
8	♀	"	109937	✓	97-39-11-11
9	♂	"	109938	✓	93-35-11-11
4320	♂	"	151539	✓	Skull Only 94-36-11-11
1	♂	"	109939	✓	92-36-10-12
2	♂	"	109940	✓	95-37-11-11
3	♂	"	109941	✓	95-37-10-11
4	♂	"	109977	✓	92-35-10-11





Wm. B. Richardson  
1938

# Catalogue

1 1/2 km S Ajaso, Sentani Lake, Netherlands New Guinea.

July 8, 1938.

4335 ♂	Myotis	109942 ♀	92-33-11-11
6 ♂	"	109943 ♀	93-35-10-11
7 ♀	"	109944 ♀	92-34-10-11
8 ♀	"	109945 ♀	94-33-11-11

Hollandia, Netherlands New Guinea

July 11, 1938.

4339 ♂	Rattus	110125 ♀	279-141-26-15
4340 ♂	Myotis	109877 ♀	94-37-11-11
1 ♀	"	109878 ♀	97-39-11-11
2 ♀	"	109879 ♀	99-41-11-12
3 ♀	"	109880 ♀	96-38-11-11
4 ♂	"	109881 ♀	95-38-11-12
5 ♀	"	109882 ♀	97-39-11-12

4 km N. C. Dojo, Netherlands New Guinea, 200 m.

July 12, 1938.

4346 ♂	Echymipera	151540 ♀	Skull Only	295-65-47-20
--------	------------	----------	------------	--------------

Hollandia, Netherlands New Guinea.

July 12, 1938.

4347 ♂	Rattus	110126 ♀	[344]-[161]-41-17
8 ♂	"	110127 ♀	177-90-21-13
9 ♂	Echymipera	109736 ♀	536-112-71-19

4 km N. C. Dojo, Netherlands New Guinea 200 m.

July 12, 1938

4350 ♀	Echymipera	109751 ♀	395-77-54-26
--------	------------	----------	--------------

4 km. 25 Tabati, Netherlands New Guinea.

July 12, 1938.

4351 ♂	Pteropus	109866 ♀	285- --- -61-29
2 ♂	"	109867 ♀	280- --- -59-26
3 ♂	"	109868 ♀	270- --- -60-29
4 ♀	"	109869 ♀	272- --- -59-25
5 ♂	Dobsonia	109864 ♀	260-27-34-31
6 ♂	"	109865 ♀	268-35-36-34





Wm B. Richardson  
1938

# Catalogue

## Hollandia, Netherlands New Guinea.

July 12, 1938.

4357	Sus	151484	γ	Skull Only	— — — —
------	-----	--------	---	------------	---------

July 13, 1938.

4358	♂	<i>Pipistrellus</i>	109883	∧	72-28-65-8
9	♂♀	<i>Rhinonycteris</i>	110015	γ	68-23-7-11
4360	♀	<i>Dococon</i>	109395	∧	650-279-105-37
1	♀	"	109435	∧	985-387-130-48
2	♀	<i>Phalanger</i>	109388	∧	770-380-60-20

## 4 km. N.E. Dojo, Netherlands New Guinea 200 m.

July 13, 1938.

4364	♂	<i>Phalanger</i>	109457	∧	770-365-64-25
					35

## Hollandia, Netherlands New Guinea

July 14, 1938.

4364	♀	<i>Phalanger</i>	109446	∧	777-395-60-22
5	♀	<i>Emballonura</i>	109884	∧	57-12-5.5-9
6	♂	<i>Myotis</i>	109885	∧	100-40-12-12
7	♂	<i>Sus</i>	151501	∧	480-72-100-38

July 15, 1938

4368	♂	<i>Hippocideros</i>	151541	∧	Skull Only	68-24-6-11
9	♂	"	151542	∧	" "	63-22-6-11
4370	♂	"	151543	∧	" "	63-21-6-11
1	♀	"	151544	∧	" "	65-21-6-11
2	♀	"	151545	∧	" "	67-23-6-12
3	♀	"	151546	∧	" "	68-26-6-11
4	♂	"	109988	γ	" "	66-21-6-12
5	♂	"	110016	γ	" "	68-21-6-12
6	♀	"	110017	γ	" "	67-22-6-12
7	♂	"	110018	γ	" "	84-30-8-14
8	♂	"	110019	γ	" "	78-26-7-11
9	♂	"	110020	γ	" "	82-28-8-11.5
4380	♂	"	109946	γ	" "	80-28-8-12.5
1	♂	"	110021	γ	" "	82-28-8-12.
2	♂	"	110022	γ	" "	75-25-7-12
3	♀	"	110023	γ	" "	83-30-8-12





# Catalogue

## Hollandia, Netherlands New Guinea.

July 15, 1938.

4384	♂	<i>Hyposideros</i>	109947 ♀	93-33-10-17
5	♂	"	109948 ♀	95-34-9-16
6	♀	"	109949 ♀	117-38-11-16
7	♀	<i>Rhinolophus</i>	109956 ♀	85-20-12-22
8	♂	"	109957 ♀	89-22-13-22
9	♂	"	109958 ♀	75-20-12-19
4390	♀	<i>Dorcopsis</i>	109403 ♀	888-352-125-47
1	♂	<i>Phalanger</i>	109470 ♀	660-320-55-18
2	♂	"	109455 ♀	700-350-58-20

## 4 km NE Dojo, Netherlands New Guinea 200m.

July 15, 1938.

4393	♂	<i>Echymipera</i>	109747 ♀	443-102-58-24
4	♂	"	109748 ♀	365- - -65-24
5	♂	"	109749 ♀	444-92-62-22

## Hollandia, Netherlands New Guinea.

July 15, 1938.

4396	♀	<i>Agoromys</i>	110128 ♀	294-174-23-13
7	♀	<i>Dorcopsis</i>	109412 ♀	870-355-125-50
8	♂	"	109396 ♀	720-310-120-45

July 16, 1938.

4399	♀	<i>Echymipera</i>	109737 ♀	280- - -51-21
4400	♀	Juv. "	102763 ♀	Alcoholic 125-35-27-10
1	♂	<i>Myotis</i>	109886 ♀	93-36-11-11
2	♀	"	109887 ♀	93-36-11-11
3	♂	<i>Hyposideros</i>	110024 ♀	78-24-6.5-12
4	♀	"	110025 ♀	SKIN ONLY 89-27-7-11
5	♀	"	110026 ♀	78-28-7-12
6	♂	<i>Dorcopsis</i>	109400 ♀	1087-475-152-52
7	♂	"	109401 ♀	1110-455-145-45
8	♂	"	109402 ♀	1105-470-150-50

## 4 km NE Dojo, Netherlands New Guinea, 200m.

July 16, 1938.

4409	♂	<i>Petaurus</i>	109665 ♀	335-183-29-20
------	---	-----------------	----------	---------------





W. B. Richardson  
1938

# Catalogus

4 km. NE Digo, Netherlands New Guinea.

July 16, 1938.

4410	♀ Juv. <i>Petaurus</i>	109666	^	167-87-17-12
	1 ♀ Juv. "	109667	^	160-81-17-12

Hollandia, Netherlands New Guinea.

July 14, 1938.

4412	♀ <i>Conopsis</i>	109411	^	805-332-115-47
3	♂ <i>Hypsignathos</i>	151547	^	Skull Only
4	♂ "	151548	^	"
5	♀ "	151549	^	"
6	♂ <i>Rattus</i>	110129	^	149-75-21-10
7	♂ Juv. "	110130	^	157-77-21-11

July 17, 1938.

8	♀ <i>Conopsis</i>	109385	^	935-400-120-48
9	♂ <i>Hypsignathos</i>	152604	^	Alcoholic 80-28-8-11
4420	♀ "	152605	^	" 85-28-8-12
1	♀ "	152606	^	" 80-27-7-11
2	♀ "	152607	^	" 81-27-7-11

July 17, 1938

4423	<i>Hypsignathos</i>	152552	^	Alcoholic
4	"	152553	^	"
5	"	152554	^	"
6	"	152555	^	"
7	"	152556	^	"
8	"	152557	^	"
9	"	152558	^	"
4430	"	152559	^	"
1	"	152560	^	"
2	"	152561	^	"
3	"	152562	^	"
4	"	152563	^	"
5	"	152564	^	"
6	"	152565	^	"
7	"	152566	^	"
8	"	152567	^	"
9	"	152568	^	"





# Catalogue

Hollandia, Netherlands New Guinea

July 17, 1938.

4440	<i>Hypocidrus</i>	152569	✓	Alcoholic
1	"	152570	✓	"
2	"	152571	✓	"
3	"	152572	✓	"
4	"	152573	✓	"
5	"	152574	✓	"
6	"	152575	✓	"
7	"	152576	✓	"
8	"	152577	✓	"
9	"	152578	✓	"
4450	"	152579	✓	"
1	"	152580	✓	"
2	"	152581	✓	"
3	"	152582	✓	"
4	"	152583	✓	"
5	"	152584	✓	"
6	"	152585	✓	"
7	"	152586	✓	"
8	"	152587	✓	"
9	"	152588	✓	"
4460	"	152589	✓	"
1	"	152590	✓	"
2	"	152591	✓	"
3	"	152592	✓	"
4	"	152593	✓	"
5	"	152594	✓	"
6	"	152595	✓	"
7	"	152596	✓	"
8	"	152597	✓	"
9	"	152598	✓	"
4470	"	152599	✓	"
1	"	152600	✓	"
2	"	152601	✓	"
3	"	152602	✓	"
4	"	152603	✓	"





# Catalogue

## Hollandia, Netherlands New Guinea

July 18, 1938.

4475 ♀	<i>Hipposideros</i>	110027 ♀		81-26-7-11
6 ♀	"	110028 ♀		80-28-7-11
7 ♀	"	109989 ♀		75-23-6-12
8 ♀	<i>Emballonura</i>	109974 ♀		62-12-6-13
9 ♀	<i>Hipposideros</i>	109990 ♀		67-23-6-11
4480 ♀	"	151550 ♀		72-25-6-11
1 ♀	"	110029 ♀		72-25-6-12
2 ♀	"	109991 ♀		73-25-6-11
3 ♀	"	151551 ♀	Skull Only	67-21-6-12
4 ♀	"	110030 ♀		67-21-6-11
5 ♀	"	110031 ♀		69-23-6-12
6 ♀	"	110032 ♀		70-24-6-12
7 ♀	"	109992 ♀		69-23-6-12
8 ♀	"	109993 ♀		69-23-6-11
9 ♀	"	110033 ♀	Skull Only	80- <sup>31</sup> 24- <sup>7</sup> 8-12
4490 ♀	"	110034 ♀		70-23-6-12
1 ♀	"	110035 ♀		70-25-6-11
2 ♀	"	151552 ♀	Skull Only	68-21-6-11
3 ♀	"	110036 ♀		71-23-6-11
4 ♀	"	109994 ♀		70-24-6-11
5 ♂	"	110037 ♀		80-29-7-11
6 ♂	"	110038 ♀		82-32-7.5-12
7 ♂	"	110039 ♀		82-30-7-11
8 ♂	"	110040 ♀		75-23-7-11
9 ♂	"	110041 ♀		82-27-7.5-11
4500 ♂	"	110042 ♀		83-30-7-12
1 ♂	"	109995 ♀		<del>77-26</del> -7-12
2 ♂	"	109996 ♀		71-23-6-10
3 ♂	<i>Hipposideros</i>	109950 ♀		94-31-10-16
4 ♂	"	110043 ♀		65-21-6-11
5 ♂	"	151553 ♀	Skull Only	66-22-6-12
6 ♂	"	151554 ♀	" "	68-23-6.5-11
7 ♂	"	109997 ♀		63-20-6-11
8 ♂	"	109998 ♀		65-22-6-11
9 ♂	"	109999 ♀		66-23-6-11
4510 ♂	"	110044 ♀		62-19-6-11
1 ♂	"	110045 ♀		67-24-6-12





Wm. S. Richardson  
1938

# Catalogue

## Hollandia; Netherland New Guinea

July 18, 1938

4512	♂	<i>Hesperomys</i>	110000	✓		67-23-6-11
	3 ♀	"	109951	✓		90-33-9-17
	4 ♀	"	109952	✓		95-35-9-18
	5 ♀	"	151555	✓	Skull Only	69-22-6-11
	6 ♀	"	110046	✓		72-25-6-12
	7 ♀	"	110001	✓		68-22-6-11

## Habbema Lake, Netherland New Guinea

3225 m.

July 26, 1938.

4518	♂	<i>Stenomys</i>	150664	✓		244-113-30-18
	9 ♂	"	150665	✓		270-132-30-18
4520	♂	"	150666	✓		245-112-29-18
	1 ♀	"	150667	✓		263-125-30-18
	2 ♀	"	150668	✓		250-112-29-17
	3 ♂	<i>Pogonomys</i>	150669	✓		242-138-25-17

July 27, 1938.

4524	♂	<i>Stenomys</i>	150670	✓		246-112-27-19
	5 ♂	"	150671	✓		222-90-29-19
	6 ♂	"	150672	✓		248-109-29-19
	7 ♂	"	150673	✓		247-112-29-18
	8 ♀	"	150674	✓		243-111-27-17
	9 ♀	"	150675	✓		247-103-27-17

July 28, 1938.

4530	♀	<i>Stenomys</i>	150676	✓		247-114-27-18
------	---	-----------------	--------	---	--	---------------

July 29, 1938

4531	♂	<i>Stenomys</i>	150677	✓		245-109-28-17
------	---	-----------------	--------	---	--	---------------

July 30, 1938

4532	♂	<i>Stenomys</i>	150678	✓		257-115-30-18
	3 ♂	"	150679	✓		228-101-28-17

July 31, 1938

4534	♀	<i>Stenomys</i>	150680	✓	Stomach	257-118-28-19
	5 ♂	"	150681	✓		208-96-25-17





# Catalogue

Lake Khabema, Highlands New Guinea.

3225 m.

July 31, 1938.

4536 ♂ *Phascogale*

109768 n

263-105-23-13

Aug. 1, 1938

4537 ♀ *Stenomys*

150682 n

248-109-28-19

8 ♂ "

150683 n

206-94-26-16

Aug 2, 1938.

4539 ♂ *Stenomys*

150684 n

246-115-29-17

4540 ♂ "

150685 n

238-103-28-16

1 ♂ "

150686 n

249-109-27-19

2 ♂ "

150687 n

255-117-29-17

3 ♂ "

150688 n

250-110-28-17

4 ♂ "

150689 n

228-105-26-17

5 ♀ "

150691 n

231 - 89 - 28-16

6 ♀ "

150690 n

244-104-27-17

7 ♀ "

150692 n

250 - 105 - 30-18

8 ♂ "

150693 n

249-113-29-15

9 ♂ "

150694 n

248-112-28-~~15~~15

4550 ♀ "

150695 n

254-116-28-16

1 ♂ "

150696 n

259-105-29-15

2 ♀ Juv.

150697 n

158-71-20-13

3 ♀ Juv.

150698 n

142 - 55 - 20-13

4 ♂ *Pogonomys*

150699 n

234-135-25-16

5 ♀ "

150700 n

257-152-25-17

6 ♂ *Rattus*

150701 n

305-144-39-25

7 ♂ "

150702 n

292-128-36-25

8 ♀ "

150703 n

287-136-35-25

9 ♀ "

150704 n

285-135-35-24

Aug 3, 1938.

4560 ♀ *Rattus*

150705 n Round Worm

271-135-35-24

1 ♂ "

150706 n Round Worms

283-137-36-25

2 ♀ "

150707 n Stomach

254-118-34-23

3 ♀ "

150708 n

268-128-36-23

4 ♂ *Pogonomys*

150709 n Stomach

261-152-26-18

5 ♂ *Stenomys*

150710 n

255-111-29-17

6 ♂ "

150711 n

242-105-28-17





# Catalogue

Lake Habbema, Netherlands New Guinea.

3225 m.

Aug. 3, 1938

4567 ♂	<i>Stenomys</i>	150712 ♀	254-115-28-16
8 ♂	"	150713 ♀	246-111-27-16
9 ♂	"	150714 ♀	244-112-29-17
4570 ♂	"	150715 ♀	251-113-28-16
1 ♂	"	150716 ♀	241-115-29-16
2 ♀	"	150717 ♀	221-99-27-16
3 ♀	"	150718 ♀	248-118-27-17
4 ♀	"	150719 ♀	Urogenital System. 225-90-28--
5 ♂	"	150720 ♀	245-110-27-17

Aug. 4, 1938

4576 ♂	<i>Stenomys</i>	150721 ♀	253-113-28-18
7 ♂	"	150722 ♀	232-111-29-15
8 ♀	"	150723 ♀	256-115-29-18
9 ♀	"	150724 ♀	225-102-28-16
4580 ♀	"	150725 ♀	243-111-27-17
1 ♀	"	150726 ♀	246- <sup>110</sup> <del>78</del> -28-18
2 ♀	"	150727 ♀	240-103-28-15
3 ♀	"	150728 ♀	230-103-27-18
4 ♂	<i>Rattus</i>	150729 ♀	290-136-37-26
5 ♀	<i>Hydromys</i>	110048 ♀	Stomach 209-100-30-7

Aug. 5, 1938.

4586 ♂	<i>Stenomys</i>	150730 ♀	262-115-30-17
7 ♂	"	150731 ♀	250-111-30-17
8 ♂	"	150732 ♀	<span style="border: 1px solid black;">229</span> - <span style="border: 1px solid black;">92</span> - 28-18
9 ♀	<i>Stenomys</i>	150733 ♀	251-105-28-18
4590 ♀	<i>Rattus</i>	150734 ♀	307-146-38-28
1 ♂	<i>Phascogale</i>	109769 ♀	263-104-24-14
2 ♀	<i>Hydromys</i>	110049 ♀	337-184-36-9
3 ♀	<i>Eudromicia</i>	109837 ♀	243-145-17-17
4 ♂	<i>Stenomys</i>	150735 ♀	232-99-28-18
5 ♀	"	150736 ♀	228-104-27-15

Aug. 6, 1938

4596 ♂	<i>Stenomys</i>	150737 ♀	252-115-28-15
7 ♂	"	150738 ♀	253-111-28-16





# Catalogus

Lake Habbema, Netherlands New Guinea

3225 m.

Aug. 6, 1938.

4598 ♂	<i>Stenomys</i>	150739 ♀	[235]-[97]-29-18
9 ♂	"	150740 ♀	257-109-29-15
4600 ♂	"	150741 ♀	261-115-29-16
1 ♂	"	150742 ♀	258-117-28-17
2 ♂	"	150743 ♀	[246]-[700]-29-18
3 ♂	"	150744 ♀	235-105-28-16
4 ♂	"	150745 ♀	219-103-27-17
5 ♀	"	150746 ♀	242-109-29-16
6 ♀	"	150747 ♀	230-98-26-17
7 ♀	"	150748 ♀	244-101-28-17
8 ♀	"	150749 ♀	239-105-29-16
9 ♀	"	150750 ♀	240-106-28-18
4610 ♀	<i>Juv. Pseudochirus</i>	152782 ♀	Partially eaten by ♀ *4627
1 ♂	"	109595 ♀	332-160-25-20

Aug. 7, 1938.

4612 ♂	<i>Stenomys</i>	150751 ♀	252-115-29-15
3 ♂	"	150752 ♀	226-95-29-18
4 ♂	"	150753 ♀	247-105-28-16
5 ♂	"	150754 ♀	232-91-27-19
6 ♂	"	150755 ♀	226-95-27-16
7 ♂	"	150756 ♀	256-115-29-18
8 ♂	"	150757 ♀	254-112-28-18
9 ♂	"	150758 ♀	268-126-30-16
4620 ♀	"	150759 ♀	234-111-28-16
1 ♀	"	150760 ♀	230-100-26-18
2 ♀	"	150761 ♀	253-116-29-18
3 ♀	"	150762 ♀	235-100-28-17
4 ♀	"	150763 ♀	217-99-26-19
5 ♂	<i>Rattus</i>	150764 ♀	282-136-36-24
6 ♀	<i>Phascogale</i>	109504 ♀	348-168-35-15
7 ♀	<i>Pseudochirus</i>	109596 ♀	395-175-26-25

Aug. 8, 1938.

4628 ♂	<i>Stenomys</i>	150765 ♀	232-92-27-15
9 ♂	"	150766 ♀	260-120-30-16
4630 ♂	"	150767 ♀	246-107-29-18





Wm. S. Richardson  
1938

# Catalogue

Lake Habbema, Netherlands New Guinea, 3225m.

Aug. 8, 1938

4631 ♂	<i>Stenomys</i>	150768	^	264-124-29-16
2 ♀	"	150769	^	236-98-28-14
3 ♂	"	150770	^	283-129-30-18
4 ♂	<i>Pogonomys</i>	150771	^	245-147-27-16
5 ♂	<i>Pseudohydromys</i>	150772	^	Stomach, Urogenital Sys. 191-90-20-8
6 ♂	<i>Phascogale</i>	109770	^	263-110-25-14
7 ♀	"	109771	^	241-100-22-15

Aug 9, 1938.

4638 ♂	<i>Stenomys</i>	150773	^	240-110-30-17
9 ♀	"	150774	^	[213]-[85]-27-16
4640 ♂	"	150775	^	232-100-28-14
1 ♂	"	150776	^	244-113-30-17
2 ♂	"	150777	^	263-117-29-17
3 ♂	"	150778	^	249-106-29-17
4 ♂	"	150779	^	234-98-27-16
5 ♀	<i>Rattus</i>	150780	^	Stomach 280-133-35-24
6 ♂	<i>Stenomys</i>	150781	^	249-111-30-16
7 ♂	<i>Phascogale</i>	109505	^	325-159-37-28

Aug 10, 1938.

4648 ♂	<i>Stenomys</i>	150782	^	248-106-29-16
9 ♂	"	150783	^	255-115-29-18
4650 ♂	"	150784	^	257-112-29-17
1 ♂	"	150785	^	[230]-[88]-29-15
2 ♂	"	150786	^	262-120-28-18
3 ♂	"	150787	^	224-104-27-15
4 ♀	"	150788	^	261-115-30-18
5 ♀	"	150789	^	225-98-26-17
6 ♂	<i>Rattus</i>	150790	^	272-129-35-23
7 ♀	"	150791	^	288-142-38-24
8 ♂	<i>Pseudochinus</i>	109597	^	Stomach 395-180-26-26
9	"	151556	^	Skull only. Pick up.

Aug 11, 1938

4660 ♀	<i>Stenomys</i>	150792	^	242-107-27-18
1 ♀	<i>Rattus</i>	150793	^	Embryos 309-158-37-24





# Catalogue

Lake Habbema, Netherlands New Guinea, 3225 m.

Aug. 11, 1938

4662 ♂	<i>Stenomys</i>	150794	∧	226-98-27-18
3 ♀	"	150795	∧	224-98-28-17
4 ♂	<i>Plascozale</i>	109772	∧	Stomach Contents 255-108-25-16
5 ♂	"	109566	∧	Stomach Contents 371-185-41-17

Aug. 12, 1938.

4666 ♂	<i>Stenomys</i>	150796	∧	260-114-29-19
7 ♂	"	150797	∧	265-118-30-18
8 ♂	"	150798	∧	245-109-28-17
9 ♂	"	150799	∧	256-120-28-18
4670 ♂	"	150800	∧	243-110-28-18
1 ♂	"	150801	∧	250-109-28-18
2 ♂	"	150802	∧	249-120-29-18
3 ♂	"	150803	∧	244-101-29-18
4 ♂	"	150804	∧	228-104-28-17
5 ♀	"	150805	∧	244-110-28-16
6 ♀	"	150806	∧	237-109-28-18
7 ♀	"	150807	∧	225-97-27-19
8 ♀	"	150808	∧	252-115-29-18
9 ♀	"	150809	∧	231-104-27-18
4680 ♂	<i>Rattus</i>	150810	∧	295-143-37-22
1 ♀	<i>Pogonomys</i>	150811	∧	248-146-25-16
2 ♂	<i>Hydromys</i>	110050	∧	Stomach 348-187-38-9
3 ♂	<i>Eudromicia</i>	109838	∧	235-130-17-18
4 ♂	<i>Pseudochirus</i>	109598	∧	348-175-24-24
5 ♂	<i>Pogonomys</i>	150812	∧	260-154-25-18

Aug. 13, 1938.

4686 ♂	<i>Plascozale</i>	109773	∧	251-104-24-10
7 ♀	<i>Pogonomys</i>	150813	∧	240-145-25-17
8 ♂	"	150814	∧	235-141-26-15
9 ♂	<i>Rattus</i>	150815	∧	230-112-34-21
4690 ♂	<i>Stenomys</i>	152712	∧	Alcaloids 253-117-30-17
1 ♀	"	152713	∧	" 226-98-26-16
2 ♀	"	150816	∧	254-117-28-18
3 ♀	"	150817	∧	196-90-24-16





Wm B. Kilbuck  
1938

# Catalogue

Lake Habbema, Netherlands New Guinea 3225 m.

Aug. 14, 1938.

4694 ♂	<i>Stenomys</i>	152714 ✓	Alcoholic	258-114-29-19
5 ♂	"	150818 ✓		231-105-28-17
6 ♀	"	150819 ✓		246-108-28-19
7 ♂	<i>Pogonomys</i>	150820 ✓		258-152-27-18
8 ♂	"	150821 ✓		284-162-26-22
9 ♂	<i>Phascogale</i>	109774 ✓		280-120-24-14
4700 ♂	<i>Pseudochinus</i>	109599 ✓		392-197-25-24
1 ♂	<i>Hydromys</i>	110051 ✓	Stomach	322-166-36-8
2 ♂	"	110052 ✓	Stomach	<span style="border: 1px solid black;">305</span> - <span style="border: 1px solid black;">161</span> -37-9

Aug. 15, 1938

4703 ♂	<i>Rattus</i>	150822 ✓		271-132-35-24
4 ♂	"	150823 ✓		300-145-36-24
5 ♀	"	150824 ✓		278-141-36-23
6 ♂	<i>Stenomys</i>	150825 ✓		256-115-30-18
7 ♂	"	150826 ✓		247-117-28-17
8 ♂	"	150827 ✓		245-111-28-18
9 ♂	"	150828 ✓		192-89-25-17
4710 ♀	"	150829 ✓		242-110-28-17

Aug. 16, 1938

4711 ♀	<i>Eudromicia</i>	109844 ✓	Stomach	235-140-18-17
2 ♀	"	109839 ✓	Stomach-Contents	248-145-18-17
3 ♀	<i>Hydromys</i>	110053 ✓	Stomach-Contents	350-190-38-9
4 ♂	<i>Stenomys</i>	150830 ✓	Stomach	222-101-27-18
5 ♀	"	151557 ✓	Skeleton only	251-116-28-17

Aug. 17, 1938.

4716 ♂	<i>Dasyurus</i>	109421 ✓	Stomach-Contents	428-207-44-20
--------	-----------------	----------	------------------	---------------

Aug. 18, 1938

4717 ♀	<i>Pseudochinus</i>	109600 ✓		340-170-25-23
8 ♂	<i>Phascogale</i>	109775 ✓		252-105-24-14
9 ♀	"	109776 ✓		<span style="border: 1px solid black;">170</span> - <span style="border: 1px solid black;">32</span> -23-13
4720 ♂	<i>Rattus</i>	150831 ✓		278-140-36-22
1 ♂	<i>Hydromys</i>	110054 ✓		328-173-37-8
2 ♂	"	110055 ✓		317-170-36-9





# Catalogue

Lake Habbema, Netherlands New Guinea 3225 m

Aug. 18, 1938.

4723	♂	<i>Hydromys</i>	110056	✓		327-174 - 36-9
4	♂	"	110057	✓		285-146 - 34-8
5	♀	"	110058	✓		316-164 - 35-8
6	♀	"	110059	✓		308-149 - 35-8
7	♂	<i>Stenomys</i>	150832	✓		255-112 - 27-17
8	♂	"	150833	✓		260-120 - 29-17
9	♂	"	150834	✓		241-107 - 26-17
4730	♀	<i>Peroryzetes</i>	109723	✓		457-176-58-25
1	♂	<i>Stenomys</i>	150835	✓		243-109 - 28-18
2	♂	"	150836	✓		250-112 - 27-15
3	♂	"	150837	✓		245-108-28-17
4	♂	"	150838	✓		225-97-26-16
5	♀	"	150839	✓		238-106-26-16
6	♀	"	150840	✓		247-110-28-17
7	♂	"	151558	✓	Skull Only	235-111-28-16
8	♀	"	150841	✓		233-101-25-16

Aug. 19, 1938.

4739	♂	<i>Pogonomys</i>	151559	✓	Skull Only	<span style="border: 1px solid black; padding: 2px;">230</span> - <span style="border: 1px solid black; padding: 2px;">121</span> - 26-17
4740	♂	<i>Phascogale</i>	109777	✓	Stomach Contents	256-110-25-14
1	♂	<i>Hydromys</i>	152827	✓	Alcoholic	310-159-34-8
2	♀	<i>Stenomys</i>	151560	✓	Skull Only	245-103-27-16
3	♂	"	150842	✓		242-111-27-15
4	♂	"	150843	✓		242-111-29-15
5	♂	"	150844	✓		209-96-26-16
6	♂	"	150845	✓		215-97-26-19
7	♀	"	150846	✓		241-104-27-16
8	♀	"	150847	✓		260-110-27-17
9	♀	"	150848	✓		232-104-28-17
4750	♀	"	150849	✓		214-102-26-15

Aug. 20, 1938.

4751	♂	<i>Phascogale</i>	109507	✓		331-164-38-17
2	♂	<i>Hydromys</i>	110060	✓		337-182-37-9
3	♂	"	110061	✓		331-185-37-8
4	♀	<i>Stenomys</i>	150850	✓		246-110-28-17
5	♂	"	150851	✓		254-113-29-18





# Catalogue

Lake Habbema, Netherlands New Guinea 3225m.

Aug 20, 1938.

4756 ♀	<i>Pogonomys</i>	150852	✓	241-145-24-17
7 ♂	<i>Stenomys</i>	150853	✓	242-107-28-17
8 ♂	"	150854	✓	262-118-29-18
9 ♂	"	150855	✓	250-110-28-16
4760 ♂	"	150856	✓	245-110-29-18
1 ♂	"	150857	✓	215-92-26-15
2 ♀	"	150858	✓	265-118-28-15
3 ♂	<i>Pseudochinus</i>	109601	✓	380-172-26-25
4 ♂	"	109602	✓	386-178-26-25

Aug 21, 1938.

4765 ♂	<i>Hydromys</i>	110062	✓	Stomach	295-149-33-10
6 ♀	"	110063	✓		273-143-33-8
7 ♂	<i>Rattus</i>	150859	✓		275-137-36-24
8 ♀	"	150860	✓		294-146-38-25
9 ♂	<i>Pogonomys</i>	150861	✓		254-157-25-19
4770 ♂	"	152740	✓	Alcoholic	240-140-26-18
1 ♂	<i>Stenomys</i>	150862			266-120-29-17
2 ♂	"	150863	✓		251-111-29-18
3 ♂	"	150864	✓		237-104-29-18
4 ♀	"	150865	✓		<span style="border: 1px solid black;">259</span> - <span style="border: 1px solid black;">107</span> -28-15
5 ♀	"	150866	✓		215-93-27-15
6 ♀	"	150867	✓		243-104-27-16
7 ♀	"	150868	✓		<span style="border: 1px solid black;">235</span> - <span style="border: 1px solid black;">92</span> -28-16
8 ♀	"	150869	✓		<span style="border: 1px solid black;">220</span> - <span style="border: 1px solid black;">89</span> -26-15
9 ♀	"	150870	✓		177-82-24-15
4780 ♂	"	150871	✓		262-117-28-18
1 ♂	<i>Pseudochinus</i>	109603	✓		333-165-23-23
2 ♀	"	109604	✓		325-158-23-22

Aug 22, 1938.

4783 ♂	<i>Phascogale</i>	109778	✓	242-99-24-12
4 ♂	"	109779	✓	248-104-24-12
5 ♀	"	109780	✓	206-78-21-12
6 ♀	<i>Hydromys</i>	110064	✓	295-161-35-8
7 ♀	"	110065	✓	277-145-34-8
8 ♀	<i>Pogonomys</i>	150872	✓	261-156-25-17





# Catalogue

Lake Habbema Netherlands New Guinea 3225 m.

Aug. 22, 1938.

4789	♂	<i>Stenomys</i>	150873	✓		250-105-28-17
			150874	✓		242-111-28-18
4790	♂	"				
	1?	<i>Pseudochinus</i>	151561	✓		Skull Only, Pick Up.

Aug 23, 1938

4792	♂	<i>Stenomys</i>	150875	✓		238-107-28-19
	3 ♀	"	150876	✓		221-95-26-19
	4 ♀	"	150877	✓		202-94-25-17
	5 ♀	<i>Phascogal</i>	109781	✓	Urogenital System	250-99-22-14
	6 ♀	"	109782	✓		238-109-23-14
	7 ♀	<i>Pogonomys</i>	150878	✓		250-146-26-17
	8 ♀	Juv. <i>Hydromys</i>	110066	✓		190-90-27-6
	9 ♂	<i>Stenomys</i>	150879	✓		260-113-27-18
4800	♂	"	150880	✓		252-109-28-17
	1 ♂	"	150881	✓		219-102-27-15
	2 ♀	"	150882	✓		235-106-27-16
4803	♂	"	150883	✓		230-98-26-19

Aug. 24, 1938

4804	♀	<i>Pseudochinus</i>	109605	✓	Urogenital Sys.	399-176-22-25
	5 ♀	Juv. "	152783	✓	Alcoholic	178-93-17-9
	6 ♂	<i>Stenomys</i>	150884	✓		246-112-29-17
	7 ♂	"	150885	✓		227-102-27-18
	8 ♂	"	150886	✓		203-87-26-15
	9 ♂	<i>Phascogal</i>	109783	✓		262-111-25-14
4810	♂	"	109784	✓		227-97-24-15
	1 ♀	"	109785	✓	Stomach Contents. 3 emb.	236-99-22-13
	2 ♀	<i>Pseudochinus</i>	109606	✓	Urogenital Sys.	392-182-24-26
	3 ♂	<i>Hydromys</i>	110067	✓		340-187-37-9
	4 ♂	"	110068	✓		294-145-36-8
	5 ♂	<i>Stenomys</i>	150887	✓		260-112-28-16
	6 ♂	"	150888	✓		247-108-27-17
	7 ♂	"	150889	✓		246-108-28-17

Aug. 25, 1938.

4818	♀	<i>Stenomys</i>	150890	✓		237-105-28-18
	9 ♂	<i>Pogonomys</i>	150891	✓		255-152-25-17





# Catalogue

Lake Habbema, Netherlands New Guinea, 3225 m.

Aug. 25, 1938.

4820	♂	<i>Stenomys</i>	150892	✓	255-111-29-16
1	♂	"	150893	✓	245-111-28-19
2	♀	"	150897	✓	242-104-30-16
3	♂	<i>Rattus</i>	150896	✓	285-142-36-24
4	♂	<i>Hydromys</i>	110069	✓	300-156-35-8
5	♀	<i>Pogonomys</i>	150895	✓	257-157-26-15
6	♀	<i>Stenomys</i>	150894	✓	260-126-30-17

Aug. 26, 1938.

4827	♀	<i>Pseudochinus</i>	109607	✓	Urogenital System and Stomach contents, 424-191-24-22
8	♂	Juv. "	150899	✓	Alcoholic 93-37-7-4
9	♂	<i>Phascogale</i>	109786	✓	224-100-23-13
4830	♂	<i>Rattus</i>	150898	✓	293-147-36-26
1	♂	<i>Stenomys</i>	150899	✓	237-109-28-18
2	♀	"	150900	✓	249-113-28-18
3	♀	"	150901	✓	208-81-26-16

Aug. 27, 1938.

4834	♂	<i>Hydromys</i>	110070	✓	Urogenital Sys., Stomach, 345-184-37-10
5	♂	"	110071	✓	Stomach 322-175-37-8
6	♀	"	110072	✓	305-162-35-8
7	♂	<i>Stenomys</i>	150902	✓	223-94-27-15
8	♂	"	150903	✓	236-108-28-17
9	♀	"	150904	✓	246-110-27-18
4840	♀	"	150905	✓	241-96-28-18
1	♀	"	150906	✓	249-112-27-17

Aug. 28, 1938.

4842	♀	<i>Pseudochinus</i>	109608	✓	Urogenital Sys. 380-175-23-25
3	♂	<i>Phascogale</i>	109787	✓	261-115-23-14
4	♂	<i>Hydromys</i>	110073	✓	317-171-36-8
5	♂	<i>Stenomys</i>	150907	✓	252-115-28-18
6	♂	"	150908	✓	244-115-29-17
7	♀	"	150909	✓	235-111-26-20

Aug. 29, 1938.

4848	♂	<i>Hydromys</i>	110074	✓	312-160-35-9
------	---	-----------------	--------	---	--------------





# Calalogue

Lake Kabbema, Netherlands New Guinea 3225 m.

Aug. 30, 1938

4849 ♀	<i>Mallomys</i>	151345 ♀		790-402-72-(81)-26 <sup>(30)</sup>
4850 ♀	<i>Stenomys</i>	150910 ♀		246-115-28-17

Aug. 31, 1938.

4851 ♂	<i>Stenomys</i>	150911 ♀		246-114-29-20
2 ♀	"	150912 ♀		229-95-26-19
3 ♀	"	150913 ♀		241-110-28-16

Sept. 1, 1938.

4854 ♂	<i>Stenomys</i>	152715 ♀	Alcoholic	242-99-28-18
5 ♀	"	152716 ♀	Alcoholic	232-112-27-17

Sept. 3, 1938.

4856 ♂	<i>Pseudochinus</i>	199609 ♀		392-183-24-27
--------	---------------------	----------	--	---------------

7 km. NE Wilhelmina Top, Netherlands New Guinea 3600 m

Sept. 8, 1938

4857 ♂	<i>Pseudohydromys</i>	110344 ♀		205-90-21-11
8 ♀	<i>Hydromys</i>	110076 ♀	Stomach Content, Urogen et al. Sys.	313-160-35-7
9 ♂	<i>Stenomys</i>	110345 ♀		237-104-29-18
4860 ♂	"	110346 ♀		<span style="border: 1px solid black;">220</span> - <span style="border: 1px solid black;">83</span> - 29-20
1 ♀	"	110347 ♀		243-113-27-18
2 ♀	"	110348 ♀		259-113-29-17
3 ♀	"	110349 ♀		258-114-28-15
4 ♀	"	110350 ♀		251-114-28-15
5 ♂	<i>Rattus</i>	110351 ♀		245-117-35-22

Sept. 9, 1938.

4866 ♂	<i>Stenomys</i>	110352 ♀		<u>3560 m.</u> 252-109-29-16
7 ♀	"	110353 ♀		238-107-26-17
8 ♀	"	110354 ♀		259-122-30-18
9 ♂	"	110355 ♀		239-107-28-16
4870 ♂	"	110356 ♀		248-114-30-19
1 ♂	"	110357 ♀		212-101-27-17
2 ♀	"	110358 ♀		240-115-27-17
3 ♀	"	110359 ♀		231-108-28-18
4 ♀	"	110360 ♀		<span style="border: 1px solid black;">230</span> - <span style="border: 1px solid black;">100</span> - 26-16





# Catalogue

Idem MC Wilhelmina Top, Netherlands New Guinea 3560m.

Sept. 10, 1938

4875 ♂	<i>Stenomys</i>	110361 ♀		240-103-27-15
6 ♂	"	110362 ♀		253-116-28-14
7 ♂	"	110363 ♀		228-104-27-19
8 ♂	"	110364 ♀		237-102-27-18

Sept. 11, 1938

4879 ♂	<i>Rattus</i>	110365 ♀	Stomach	<span style="border: 1px solid black;">278</span> - <span style="border: 1px solid black;">133</span> -37-25
4880 ♂	<i>Pseudohydromys</i>	110366 ♀	Stomach	194-87-21-10
1 ♂	<i>Stenomys</i>	110367 ♀		255-114-28-18
2 ♀	"	110368 ♀		241-108-28-15
3 ♂	"	110369 ♀		249-114-29-20
4 ♀	"	110370 ♀		224-101-26-17
5 ♂	<i>Mallomys</i>	151347 ♀	Penis bmc	770-385- <sup>(84)</sup> 75- <sup>(45)</sup> 32

Sept. 12, 1938

4886 ♂	<i>Stenomys</i>	110371 ♀		240-110-28-21
7 ♂	"	110372 ♀		224-104-28-17
8 ♀	"	110373 ♀		248-111-28-18
9 ♂	<i>Peroryztes</i>	109715 ♀		500-190-63-24
4890 ♂	<i>Pogonomys</i>	110374 ♀		237-132-36-17
1 ♂	<i>Stenomys</i>	110375 ♀		257-119-30-22
2 ♂	"	110376 ♀		244-114-28-19
3 ♂	"	110377 ♀		225-99-27-18
4 ♂	"	110378 ♀		218-101-27-17
5 ♀	"	110379 ♀		246-113-28-19
6 ♀	"	110380 ♀		228-106-27-17
7 ♀	<i>Rattus</i>	110381 ♀		259-127-36-24

Sept. 13, 1938

4898 ♂	<i>Pseudochinus</i>	109755 ♀	↗	402-194-23-22
9 ♂	<i>Pogonomys</i>	110382 ♀	↗	235-137-25-15
4900 ♂	<i>Stenomys</i>	110383 ♀	↗	221-105-28-18
1 ♀	"	110384 ♀	↗	231-109-25-16

Sept. 14, 1938

4902 ♂	<i>Stenomys</i>	110385 ♀		261-121-30-19
3 ♂	"	110386 ♀		270-126-29-20





# Catalogue

1 km. NE Wilhelminatop, Netherlands New Guinea 3560m  
Sept. 14, 1938.

4904 ♂	<i>Stenomys</i>	110387	^	[229] - [86] - 27-15
5 ♀	"	110388	^	256-125-28-17
6 ♀	"	110389	^	240-115-27-19
7 ♂	"	110390	^	246-114-27-19
8 ♀	<i>Pseudohydromys</i>	110391	^	197-95-21-9

Sept. 15, 1938.

4909 ♂	<i>Peroryzetes</i>	109716	^	Stomach contents	410-164-52-22
4910 ♀	<i>Plascogale</i>	109757	^	Stomach, Urogenital Sys.	240-100-22-12
1 ♂	<i>Pogonomys</i>	110392	^		262-156-27-18
2 ♂	<i>Stenomys</i>	110393	^		245-110-28-17
3 ♂	"	110394	^		257-117-29-19
4 ♂	"	110395	^		244-113-28-17
5 ♂	"	110396	^		244-109-28-20
6 ♂	"	110397	^		253-116-28-16
7 ♀	"	110398	^		255-118-29-20
8 ♀	"	110399	^		251-118-29-18
9 ♀	"	110400	^		250-111-28-20
4920 ♀	"	110401	^		245-115-28-18
1 ♀	"	110402	^		237-109-28-18
2 ♀	"	110403	^		215-101-26-16
3 ♂	"	110404	^		246-118-29-17
4 ♂	"	110405	^		258-122-28-19
5 ♀	<i>Rattus</i>	110406	^		277-130-35-22

Sept. 16, 1938.

4926 ♂	<i>Plascogale</i>	109758	^		222-95-23-11
7 ♀	<i>Pogonomys</i>	110407	^		246-147-26-18
8 ♂	<i>Stenomys</i>	110408	^		269-127-29-18
9 ♂	"	110409	^		256-117-29-20
4930 ♀	"	110410	^		257-122-28-19
1 ♀	"	110411	^		202-91-27-16
2 ♀	"	110412	^		235-109-27-17
3 ♂	<i>Eudaemicia</i>	109840	^	Stomach	237-138-18-19
4 ♀	<i>Peroryzetes</i>	109717	^		475-180-56-22





# Catalogue

7 km. Mt. Wilhelmina top, Netherlands New Guinea 3560 m.

Sept. 17, 1938.

4935 ♂	<i>Eudromicia</i>	119841	∧		248-146-18-19
6 ♂	<i>Rattus</i>	110413	∧		272-132-37-22
7 ♂	<i>Stenomys</i>	110414	∧		264-118-30-18
8 ♂	"	110415	∧		248-111-28-17
9 ♂	"	110416	∧		255-122-29-19
4940 ♂	"	110417	∧		242-107-28-18
1 ♂	"	110418	∧		238-103-28-17
2 ♂	"	110419	∧		248-116-29-19
3 ♂	"	110420	∧		247-113-29-20
4 ♂	"	110421	∧		241-111-27-20
5 ♂	"	110422	∧		225-107-28-17
6 ♂	"	110423	∧		215-97-27-17
7 ♂	"	110424	∧		184-65-27-18
8 ♀	"	110425	∧		231-106-28-18
9 ♀	"	110426	∧		242-109-27-18
4950 ♀	"	110427	∧		252-186-28-18
5001 ♀	"	110428	∧		228-106-28-18
2 ♀	"	110429	∧		260-124-29-18
3 ♂	<i>Rattus</i>	110430	∧		250-123-35-23
4 ♀	<i>Dasyurus</i>	109420	∧	Stomach contents, Urogenital sys.	468-216-73-18
5 ♂	<i>Pseudochirus</i>	109756	∧		410-196-26-27

Sept. 18, 1938.

5006 ♀	<i>Pogonomys</i>	110431	∧		253-148-25-18
7 ♂	<i>Stenomys</i>	110432	∧		250-116-29-16
8 ♂	"	110433	∧		238-105-26-16
9 ♂	"	110434	∧		249-118-27-18
5010 ♂	"	110435	∧		249-115-28-19
1 ♂	"	110436	∧		225-109-29-17
2 ♀	"	110437	∧		230-98-25-19

2 km. E Mt. Wilhelmina, Netherlands New Guinea 3800 m.

Sept. 20, 1938.

4970 ♂	<i>Stenomys</i>	110449	∧		241-112-30-20
1 ♀	"	110450	∧		240-110-27-20





## Catalogue

2 km. C. Mt. Wilhelmina, Netherlands New Guinea

3800 to 4050 m

Sept. 21, 1938.

4972 ♂	<i>Peroryzetes</i>	109721 ♀	<del>110152</del>	491-190-65-25
3 ♀	<i>Peromyscus</i>	110151 ♀		243-142-24-18
4 ♂	<i>Rattus</i>	110152 ♀		256-122-34-22
5 ♀	"	110153 ♀		297-147-37-24
6 ♀	"	110154 ♀		289-143-36-22
7 ♂	<i>Stenomys</i>	110155 ♀		250-113-29-18
8 ♂	"	110156 ♀		242-112-29-18
9 ♂	"	110157 ♀		247-109-29-16
4980 ♀	"	110158 ♀		232-101-27-18
1 ♀	"	110159 ♀		227-105-27-15

Sept. 22, 1938.

4982 ♂	<i>Peroryzetes</i>	109719 ♀		471-178-63-23
3 ♂	<i>Stenomys</i>	110160 ♀		245-108-29-16
4 ♂	<i>Rattus</i>	110162 ♀		284-139-36-22
5 ♀	"	110163 ♀		275-133-35-22
6 ♀	"	110164 ♀		239-113-34-23

Sept. 23, 1938.

4987 ♂	<i>Rattus</i>	110165 ♀		287-138-36-25
8 ♂	"	110166 ♀		282-136-37-24
9 ♀	"	110167 ♀		283-131-35-23
4990 ♂	<i>Stenomys</i>	110168 ♀		251-112-28-20
1 ♀	"	110169 ♀	2 emb. x 25	<span style="border: 1px solid black; padding: 2px;">228</span> - <span style="border: 1px solid black; padding: 2px;">88</span> - 27-15

Sept. 24, 1938.

4992 ♂	<i>Rattus</i>	110170 ♀		280-135-36-25
3 ♀	"	110171 ♀		255-132-36-23
4 ♂	<i>Stenomys</i>	110172 ♀		240-111-28-18
5 ♂	"	110173 ♀		246-115-29-17
6 ♀ juv.	"	110174 ♀		186-81-25-15

Sept. 25, 1938.

4997 ♀	<i>Rattus</i>	110175 ♀		279-135-35-25
8 ♂	<i>Stenomys</i>	110176 ♀		235-103-29-16
9 ♂	"	110177 ♀		232-100-28-15
5000 ♀	"	110178 ♀		261-124-30-17





# Catalogue

2 km. E Mt. Wilhelmina, Netherlands New Guinea 3800 ft

Sept. 26, 1938.

5013	♂	<i>Rattus</i>	110179	✓	293-140-36-24
4	♀	"	110180	✓	259-126-34-22
5	♂	<i>Stenomys</i>	110181	✓	252-118-29-20
6	♀	"	110182	✓	240-111-28-18
7	♂	<i>Pogonomys</i>	110183	✓	237-134-25-17

Sept. 27, 1938.

5018	♀	<i>Pogonomys</i>	110184	✓	238-140-26-16
7	♂	<i>Rattus</i>	110185	✓	243-114-34-23
5020	♀	"	110186	✓	251-112-34-23
1	♀	"	110187	✓	239-116-35-22
2	♂	<i>Phascogale</i>	109591	✓	400-198-41-18
3	♂	<i>Peroryctes</i>	109722	✓	498-178-62-25

Stomach

Sept. 28, 1938.

5024	♀	<i>Pseudochinus</i>	109754	✓	372-165-25-26
5	♂	<i>Pogonomys</i>	110188	✓	248-143-26-17
6	♂	<i>Stenomys</i>	110189	✓	250-105-27-14
7	♂	"	110190	✓	250-120-29-18
8	♂	"	110191	✓	207-91-27-17
9	♀	"	110192	✓	221-103-27-17

Sept. 29, 1938.

5030	♂	<i>Endromyia</i>	109834	✓	207-117-17-17
1	♂	<i>Stenomys</i>	110193	✓	248-108-28-18





# Catalogus (see footnote on)

7km NE Wilhelmina top 3560 M

Row	Sex	Bill Ex.	ID	Date	Species	Measurements
1	♀	5032	110324	September 19-1938	Rathus	270-132-35-23
2	♂		110325	^	Pogonomy	245-145-25-17
3	♂		110326	^	Pseudohyomys	196-91-19-10
4	♂		110327	^	Stomoxys	256-120-27-18
5	♂		110328	^	"	235-106-26-18
6	♂		110329	^	"	246-115-30-20
7	♂		110330	^	"	245-110-27-17
8	♀		110331	^	"	228-118-26-16
9	♂	5040	110332	September 20.	"	221-100-25-15
10	♂		110333	^	"	220-100-28-16
11	♀		110334	^	"	207-91-25-16
12	♀		109540	^	"	335-159-27-15
13	♂		110335	September 21.	Stomoxys	242-110-27-17
14	♂		110336	^	"	234-117-28-17
15	♂		110337	^	Stomoxys	240-114-26-16
16	♀		110338	^	"	225-104-27-19
17	♀		110340	^	"	227-114-26-19
18	♂		110339	September 22.	"	242-117-27-15
19	♂	5050	110438	^	"	216-106-27-16
20	♂		110341	^	"	240-110-27-18
21	♀		110342	^	"	227-107-27-17
22	♀		110343	^	"	240-110-25-18
23	♀		110439	^	"	230-110-26-18
24	♀		110077	September 23.	Neohyomys	290-154-35-8
25	♀		110440	^	"	222-134-35-28
26	♀		110441	^	"	201-91-25-14
27	♂		110442	^	"	280-136-30-21
28	♂		110443	^	"	260-113-29-15
29	♂	5060	110444	^	"	238-111-27-18
30	♂		110445	^	"	238-112-29-15
31	♂		110446	^	"	235-110-28-14
32	♂		110447	^	"	222-100-27-18
33	♀		109710	September 24.	"	408-170-51-24
34	♀		109835	^	"	223-125-16-15
35	♀		110448	^	"	240-110-27-16
36	♀		110449	^	"	253-111-26-16
37	♀		110450	^	"	243-115-27-16
38	♀		150451	^	"	235-105-26-19
39	♂	5070	109836	^	"	227-132-25-16
40	♂		110378	^	Neohyomys	324-167-36-6



# Biol. Ex.	Sex	Specimen No.	Date	Measurements
41	♂	5072 150452	September 24.	135-100-29-19
42	♂	3 150453	✓	213-102-26-15
43	♂	4 150454	September 25.	291-142-27-24
44	♂	5 150455	✓	242-144-24-15
45	♂	6 150456	✓	250-112-26-13
46	♂	7 150457	✓	236-110-27-16
47	♂	8 150458	✓	245-101-28-18
48	♀	9 150459	✓	245-115-29-15
49	♀	5080 150460	✓	235-110-26-14
50	♂	1 150461	September 26.	254-149-25-16
51	♀	2 150462	✓	275-132-35-23
52	♀	3 150463	✓	227-90-27-15
53	♀	4 150464	✓	246-115-28-16
54	♀	5 110079	September 27.	274-130-35-8
55	♀	6 150465	✓	226-110-27-16
56	♀	7 150479	<del>151505</del>	220-110-26-17
57	♂	8 109842	✓	232-141-15-17
58	♂	9 150466	✓	260-153-25-15
59	♂	5090 150467	✓	221-131-23-15
60	♂	1 150468	✓	220-91-26-14
61	♂	2 150469	✓	243-108-27-15
62	♂	3 150470	September 28.	293-146-37-21
63	♂	4 150481	✓	218-130-24-14
64	♂	5 150482	✓	216-129-24-14
65	♂	6 150483	✓	233-108-28-16
66	♂	7 150484	✓	245-115-27-16
67	♂	8 150480	✓	258-124-30-15
68	♀	9 150478	✓	<del>222</del> 110-26-15
69	♀	5100 150477	✓	220-100-25-13
70	♀	1 150476	✓	225-106-26-16
71	♀	2 110134	✓	233-109-27-17
72	♂	3 109843	September 29.	225-130-16-16
73	♂	4 150475	✓	252-119-36-22
74	♂	5 150474	✓	242-114-29-16
75	♂	6 150473	✓	232-112-29-16
76	♂	7 150472	✓	240-104-27-17
77	♀	8 150471	✓	225-101-28-16

*Neohydrogys*

Note - The above 77 specimens were collected and prepared by Marcus and Jaberg. Note x. Measurements made by Marcus, a collector portion will have to be re-measured at Museum.



## 2 Kilometers east of Mt. Wilhelmina

4951	September 13, 1938	Stenomys	110136	♂	3800m.	258-117-28-16	
4952	13,	"	110137	♂		249-115-28-17	
4953	13,	"	110138	♀		244-116-28-18	skull broken in trap
4954	14,	Rattus	110139	♀		292-138-35-25	
4955		Stenomys	110140	♂		266-124-28.5-21.	
4956		"	110141	♂		261-118-29-15.	
4957	15	Pseudochirus	109752	♀		400-182-24-27.	
4958		"	109753	♀		295-148-22-23.	Immature
4959	16	Stenomys	110142	♀		250-117-29-19	
4960		"	110143	♀		240-101-27-17	
4961	17	Rattus	110144	♀		277-127-35-22	
4962		Stenomys	110145	♂		250-121-28-20	
4963		"	110146	♂		217-104-27-17	
4964	18	Phascogale	109590	♂		394-175-38-20	stomach empty
4965		Rattus	110147	♂		261-122-33-24	
4966		Stenomys	110148	♀		236-107-28-18	
4967		"	110161	♂		223-102-29-18	imm.
4968	19	Mallomys	151346	♂		785-366-75-35	testes enlarged
4969			D		♂ 109720	456-161-59-23	


Note: Mammals collected and prepared by R. Archbold.





Catalogue


6273 *Dugong*



6274 long nosed Beudanticot  
T.L. 472 tail 92 H.F.L. Ear 27 ♀

Note Specimen collected by R. Stubbald.

12



1875  
1875

The fish was found in the  
water near the shore of  
the bay of New York  
at

1875



# Catalogue

9 km N. Lake Habbema, Netherlands New Guinea 2800m

Oct. 11, 1938

5109	♂	<i>Phascogale</i>	109508	∧		395-200-37-19
5110	♂	"	109509	∧	stomach	357-182-37-18

Oct. 12, 1938

5111	♂	<i>Melomys</i>	150485	∧	stomach	295-137-40-20
2	♂	"	150486	∧	} stomach	245-124-30-17
3	♂	"	150487	∧		257-135-30-17
4	♂	<i>Stenomys</i>	150488	∧		245-109-27-17
5	♂	"	150489	∧		249-108-27-18
6	♂	"	150490	∧		131-108-28-17
7	♂	"	150491	∧		245-106-28-17
8	♂	"	150492	∧		234-104-28-18
9	♂	"	150493	∧		237-116-27-15
5120	♀	"	150494	∧	stomach	238-107-27-18
1	♀	"	150495	∧		247-111-28-18
2	♀	"	150496	∧		245-108-27-18
3	♀	"	150497	∧		246-109-28-19
4	♀	"	150498	∧		242-114-28-16
5	♀	"	150498	∧		243-111-27-15

Oct. 13, 1938

5126	♂	<i>Stenomys</i>	150499	∧		<span style="border: 1px solid black;">243</span> - <span style="border: 1px solid black;">104</span> - 29-19
7	♂	"	150500	∧		246-110-27-18
8	♂	"	150501	∧		238-108-28-19
9	♀	"	150502	∧		211-95-26-17
5130	♂	<i>Melomys</i>	150503	∧		252-134-29-18
1	♀	"	150504	∧		253-133-30-18
2	♂	<i>Stenomys</i>	150505	∧		256-114-29-18
3	♀	"	150506	∧		266-122-28-20
4	♀	"	150507	∧		251-110-28-19
5	♀	"	150508	∧		246-111-28-16
6	♀	"	150509	∧		242-114-26-17

Oct. 14, 1938

5137	♀	<i>Melomys</i>	150510	∧		339-165-41-22
8	♂	"	150515	∧		262-121-30-18
9	♂	"	150514	∧		205-95-25-15





# Catalogue

9 km N<sup>e</sup> Lake Kabbuna, Netherlands New Guinea, 2800m

Oct. 14, 1938.

5140 ♂	<i>Plascogali</i>	109510	♂		375-179-39-19
1 ♀	"	109511	♀		370-187-38-18

Oct. 15, 1938.

5142 ♀	<i>Lorentzimys</i>	150513	♀	Urogenetal Sys.	225-134-25-20
3 ♂	<i>Melomys</i>	150512	♂		261-135-31-17
4 ♂	"	150511	♂	Stomach	248-131-30-17
5 ♀	"	150516	♀		254-134-30-18
6 ♂	<i>Stenomys</i>	150922	♂		233-114-29-18

Oct. 16, 1938.

5147 ♀	<i>Peromyscus</i>	109711	♀	Stomach	365-142-49-22
8 ♀	<i>Melomys</i>	150517	♀	Urogenetal Sys., Stomach	310-149-39-21
9 ♂	<i>Stenomys</i>	150518	♂		249-111-27-17
5150 ♂	"	150519	♂		254-120-27-20
1 ♀	"	150520	♀		238-115-26-16
2 ♂	<i>Melomys</i>	150521	♂		256-132-30-17
3 ♀	"	150522	♀		250-129-30-17
4 ♂	<i>Plascogali</i>	109512	♂		384-195-37-17
5 ♀	"	109513	♀	Stomach	345-176-34-16
6 ♂	"	109759	♂	Stomach	255-105-23-13

Oct. 17, 1938.

5157 ♀	<i>Stenomys</i>	150523	♀		237-108-27-19
8 ♀	<i>Plascogali</i>	109808	♀	Stomach	[168]-[65]-20-11
9 ♀	"	109760	♀	Embryos	240-107-22-11
5160 ♀	<i>Uromys</i>	151348	♀	Dung Stomach	700-375-73-21
1 ♂	<i>Melomys</i>	150524	♂		240-123-29-16
2 ♂	<i>Stenomys</i>	150525	♂		235-108-28-17
3 ♂	"	150526	♂		228-104-28-16
4 ♂	"	150527	♂		215-100-26-17
5 ♀	"	150528	♀		241-103-27-20
6 ♀	"	150529	♀		235-109-27-17
7 ♀	<i>Plascogali</i>	109514	♀		348-173-34-16
8 ♂	<i>Melomys</i>	150530	♂		305-144-40-22





# Catalogue

9 km NE Lake Habbema, Netherlands New Guinea, 2800m

Oct. 18, 1938.

5169 ♂	<i>Phascogale</i>	109515	^		352-178-38-20
5170 ♀	"	109809	^	Stomach, Urogenital Sys.	249-126-23-15
1 ♀	<i>Eudromicia</i>	109790	^		245-130-18-18
2 ♂	<i>Myotis</i>	109978	^		85-32-9-10
3 ♂	<i>Pogonomys</i>	150531	^	Stomach	263-144-24-19
4 ♂	<i>Melomys</i>	150532	^		245-125-29-17
5 ♂	"	150533	^		246-127-30-17
6 ♂	"	150534	^		250-130-31-17
7 ♂	<i>Stenomys</i>	150535	^		229-102-26-18
8 ♂	<i>Melomys</i>	150536	^		249-130-30-18
9 ♂	<i>Phascogale</i>	109761	^		232-104-23-13

Oct. 19, 1938.

5180 ♂	<i>Phascogale</i>	109810	^		250-138-22-13
1 ♀	Juv. <i>Pogonomys</i>	150537	^		234-145-26-16
2 ♂	<i>Melomys</i>	150538	^		250-131-30-18
3 ♀	<i>Stenomys</i>	150539	^		240-105-26-18
4 ♂	"	150540	^		245-106-28-20
5 ♂	<i>Pogonomys</i>	150541	^	Stomach	273-162-26-21
6 ♂	<i>Phascogale</i>	109811	^	Stomach	238-130-20-14
7 ♀	"	109762	^		240-102-23-14

Oct. 20, 1938

51888	<i>Melomys</i>	150542	^		245-122-29-17
98	<i>Stenomys</i>	150543	^		249-116-28-18

Oct. 21, 1938.

5190 ♂	<i>Phascogale</i>	109812	^		252-140-21-13
1 ♂	<i>Melomys</i>	150544	^		249-139-30-17
2 ♀	"	150545	^	Embryos	255-134-29-17
3 ♀	"	150546	^		247-134-30-17
4 ♂	<i>Stenomys</i>	150547	^		250-114-28-18
5 ♂	"	150548	^		232-107-27-18
6 ♂	"	150549	^		242-117-28-19
7 ♂	"	150550	^		198-92-26-15
8 ♀	"	150551	^	Embryos	250-120-28-19
9 ♀	"	150552	^	Stomach	241-114-27-16





# Catalogue

9 km N.E. Lake Habbema, Netherlands New Guinea 2800 m.

Oct. 21, 1938.

5200 ♀	<i>Stenomys</i>	150553	✓		239-114-25-16
1 ♀	"	150554	✓		131-105-28-18
2 ♀	"	150555	✓	Embryos	248-122-28-17
3 ♀	"	150557	✓		239-109-27-19
4 ♀	"	150558	✓		217-99-27-18
5 ♀	<i>Melomys</i>	150556	✓	<del>151306</del>	300-141-40-20
6 ♀ Juv.	<i>Phascogale</i>	109516	✓		260-136-30-16

Oct. 22, 1938.

5207 ♂	<i>Lorentzimys</i>	150559	✓		191-111-25-17
8 ♂	<i>Phascogale</i>	109813	✓		255-140-21-14
9 ♂	<i>Melomys</i>	150560	✓		250-128-30-18
5210 ♂	<i>Stenomys</i>	150561	✓		242-112-27-19
1 ♂	"	150562	✓		241-113-27-17
2 ♀	<i>Phascogale</i>	109517	✓		326-169-35-17
3 ♂	<i>Phascogale</i>	109518	✓		395-193-38-18

Oct. 23, 1938.

5214 ♂	<i>Stomys Anisomys</i>	151376	✓	Stomach	570-308-60-20
5 ♂	<i>Melomys</i>	150563	✓		250-128-30-18
6 ♀	"	150564	✓	Emb. Stomach	320-148-39-20

Oct. 24, 1938.

5217 ♀	<i>Pseudochinus</i>	109610	✓	Emb, Urogenital Sys., Stomach	385-185-24-23
8 ♀	<i>Hydromys</i>	151380	✓	Stomach	510-270-52-12 <sup>200</sup>
9 ♀	<i>Pogonomys</i>	150565	✓		265-157-25-16
5220 ♂	<i>Phascogale</i>	109814	✓		245-130-24-14
1 ♂	<i>Melomys</i>	150566	✓		245-124-31-16
2 ♀	"	150567	✓		225-115-29-18
3 ♀	<i>Stenomys</i>	150568	✓		249-120-28-17
4 ♀	"	150569	✓		251-114-28-19
5 ♀	"	150570	✓		241-111-28-18
6 ♀	<i>Phascogale</i>	109815	✓	Stomach	198-108-18-11
7 ♂	"	109519	✓		433-210-40-20
8 ♂	"	109520	✓		377-191-38-18





# Catalogue

9 km. N.E. Lake Habbema, Netherlands New Guinea 2800m-2700m

Oct. 25, 1938.

5229 ♀	<i>Phalanger</i>	109431 ✓	Stomach, l. intestine.	635-268-32-22
5230 ♂	<i>Melomys</i>	150571 ✓		340-161-40-22
1 ♀	<i>Stenomys</i>	150572 ✓		246-111-27-19
2 ♀	"	150573 ✓		232-102-27-18
3 ♀	"	150574 ✓		237-108-27-18
4 ♀	"	150575 ✓		225-98-25-18
5 ♂	<i>Phascogale</i>	109521 ✓		237-122-29-17

Oct. 26, 1938.

5236 ♂	<i>Dorcopsis</i>	109664 ✓		685-290-99-36
7 ♂	<i>Pseudochirus</i>	109611 ✓ <del>151567</del>	Stomach	372-185-22-24
8 ♂	<i>Phascogale</i>	109816 ✓	Stomach	282-149-26-15
9 ♂	<i>Melomys</i>	150576 ✓	Stomach	239-120-28-16
5240 ♂	"	150577 ✓		250-129-30-17
1 ♂	"	150578 ✓		237-120-28-15
2 ♂	"	150579 ✓		242-124-30-18
3 ♀	"	150580 ✓		230-120-29-17
4 ♀	"	150581 ✓		246-130-28-16
5 ♂	<i>Stenomys</i>	150582 ✓		249-116-27-18
6 ♂	"	150583 ✓		246-112-28-17
7 ♀	"	150584 ✓		250-115-28-18
8 ♀	"	150585 ✓		228-107-27-17
9 ♀	"	150586 ✓		220-104-27-17
5250 ♀	"	150587 ✓		222-102-26-16
1 ♂	<i>Phascogale</i>	109763 ✓		265-118-23-15
2 ♂	"	109522 ✓		402-204-39-18

Oct. 27, 1938.

5253 ♂	<i>Melomys</i>	150588 ✓		315-151-40-21
4 ♂	<i>Hydromys</i>	110075 ✓		441-230-52-11
5 ♂	<i>Pogonomys</i>	150589 ✓		248-146-25-16
6 ♀	<i>Stenomys</i>	150590 ✓		249-119-27-16
7 ♀	"	150591 ✓		202-89-25-17
8 ♂	<i>Hydromys</i>	151381 ✓		493-268-55-12
9 ♀	<i>Phascogale</i>	109593 ✓		345-173-37-17
5260 ♂	"	109523 ✓		392-190-38-18





# Catalogue

Lake Habbema, Netherlands New Guinea 2800-2700m.  
Oct 28, 1938.

5261 ♂	<i>Lorentzimys</i>	150592	✓		211-128-26-19
2 ♀	"	150593	✓		211-123-26-18
3 ♀	<i>Melomys</i>	150594	✓		280-132-37-20
4 ♀	"	152723	✓	Alcoholic	251-129-30-17
5 ♂	<i>Stenomys</i>	152717	✓	Alcoholic	246-115-28-18
6 ♀	"	152718	✓	Alcoholic	219-99-27-18
7 ♂	"	150595	✓		237-120-28-17
8 ♀	"	150596	✓		231-114-27-15
9 ♂	<i>Anisomys</i>	151377	✓		570-312-62-18
5270 ♂	<i>Plascozale</i>	109524	✓		393-195-38-18
1 ♂	<i>Pogonomys</i>	150923	✓		262-151-26-18

Oct 29, 1938.

5272 ♀	<i>Dasyurus</i>	109417	✓	Stomach	373-174-40-17
3 ♂	<i>Plascozale</i>	109818	✓		240-125-22-14
4 ♀	"	109817	✓		247-126-23-14
5 ♂	<i>Melomys</i>	150597	✓		297-138-40-20
6 ♀	"	150598	✓		242-124-29-16
7 ♀	<i>Stenomys</i>	150599	✓		249-114-27-18
8 ♂	"	150600	✓		248-106-27-19
9 ♀	<i>Dasyurus</i>	109419	✓	Stomach	380-182-41-19
5280 ♂	<i>Hyomys</i>	151349	✓	Stomach, dung	551-256-57-25
1 ♂	<i>Peroryzetes</i>	109712	✓		500-175-61-21
2 ♂	<i>Plascozale</i>	109764	✓		280-107-25-12
3 ♂	"	109525	✓		408-200-39-16

Oct 30, 1938.

5284 ♂	<i>Melomys</i>	150601	✓		242-120-30-16
52 ♂	<i>Plascozale</i> <i>Eudromicia</i>	109788	✓		225-234-17-14
63 ♀	<i>Plascozale</i>	109526	✓		365-184-34-18
74 ♂	<i>Melomys</i>	150602	✓		240-118-29-16
85 ♂	<i>Melomys</i>	150603	✓		240-129-27-15
96 ♂	<i>Stenomys</i>	150604	✓		225-104-27-16
290 ♀	<i>Stenomys</i>	150605	✓		223-107-25-15
1 ♂	<i>Anisomys</i>	151378	✓	Stomach, intestine	561-318-60-19
2 ♂	<i>Plascozale</i>	109527	✓		330-170-32-18
3 ♂	<i>Plascozale</i>	109528	✓		361-190-35-15

Measured by shooting bag





# Catalogue

9 km N.E. Lake Habbema, Netherlands New Guinea 2800-2700 m  
Oct. 30 1938.

5294	♂	<i>Phascogale</i> x	109529	✓		247-127-30-17
5295	♂	<i>Phascogale</i> x	109530	✓		380-183-37-17
6♂		<i>Stenomys</i> x	150686	✓		245-110-27-18
7♂		<i>Phalanger</i> x	109430	✓	Stomach, intestine	412-270-51-15
8♂		<i>Phascogale</i> x	109592	✓		356-190-38-18

Oct. 31 1938

5299	♂	<i>Pogonomys</i>	150607	✓		272-152-26-20
5300	♀	<i>Melomys</i>	150608	✓	Emb.	239-125-30-15
1♀		<i>Stenomys</i>	150609	✓		246-119-26-16
2♀		<i>Phascogale</i>	152739	✓	Alcoholic	242-138-21-13
3♂		<i>Melomys</i>	150610	✓		247-130-30-16
4♀		"	150611	✓		256-136-29-16
5♂		<i>Phascogale</i> [Brought in by natives]	152738	✓	Alcoholic	407-198-38-18
6♂		<i>Dactyloxax</i>	109428	✓	Stomach, Intestine.	468-225-49-28
7♀		<i>Phascogale</i>	109531	✓		380-198-37-17

Nov. 1 1938.

5308	♂	<i>Pseudochirus</i>	109612	✓		365-176-23-26
9♂		<i>Melomys</i>	150612	✓		246-124-30-16
5310	♂	"	150613	✓		247-127-29-18
1♂		<i>Stenomys</i>	150614	✓		225-104-26-16
2♀		<i>Pseudochirus</i>	109613	✓		388-178-25-25
3♂		"	109614	✓		268-137-20-20
4♂		<i>Rattus</i>	150615	✓		275-115-30-16
5♂		"	150616	✓		300-135-31-15
6♂		"	150617	✓		253-120-29-17
7♂		<i>Phascogale</i>	109532	✓		356-175-37-15
8♂		<i>Peroryctes</i>	109713	✓		508-195-62-25
9♂		<i>Hyomys</i>	151350	✓		601-278-57-25
5320	♂	<i>Phascogale</i>	109533	✓		312-160-35-16
1♀		<i>Pogonomys</i>	150618	✓		228-130-24-17
2♂		<i>Melomys</i>	151351	✓		792-385-72-25

Nov. 2, 1938.

5323	♂	<i>Phascogale</i>	109534	✓		405-192-39-18
4♀		<i>Eudromicia</i>	109789	✓		214-125-17-14





# Catalogue

9 km. N.E. Lake Habbema, Netherlands New Guinea 2800m - 2700m.

Nov 2, 1938.

5325 ♂	<i>Pogonomys</i>	150619	✓	285-171-26-17
6 ♂	<i>Melomys</i>	150620	✓	244-129-30-18
7 ♀	<i>Stenomys</i>	150621	✓	230-107-26-16
8 ♂	<i>Plascogale</i>	109535	✓	322-162-35-15
9 ♀	"	109536	✓	248-125-29-15

Nov 3, 1938.

5330 ♂	<i>Rattus</i>	150622	✓	324-148-31-16
1 ♂	"	150623	✓	297-135-31-16
2 ♂	"	150624	✓	331-154-34-18
3 ♂	"	150625	✓	300-137-33-17
4 ♂	"	150626	✓	320-151-33-17
5 ♂	"	150627	✓	<span style="border: 1px solid black;">285</span> - <span style="border: 1px solid black;">120</span> - 32-16
6 ♂	"	150628	✓	281-134-30-18
7 ♂	"	150629	✓	281-135-31-16
8 ♂	"	150630	✓	281-130-31-16
9 ♂	"	150631	✓	221-103-28-16
5340 ♂	"	150632	✓	218-100-28-14
1 ♀	"	150633	✓	315-142-32-17
2 ♀	"	150634	✓	313-145-32-18
3 ♀	"	150635	✓	315-148-33-16
4 ♀	"	150636	✓	265-120-30-16
5 ♀	"	150637	✓	270-133-31-16
6 ♀	"	150638	✓	271-133-30-16
7 ♀	"	150639	✓	268-128-30-17
8 ♀	"	150640	✓	220-105-27-15
9 ♀	<i>Melomys</i>	150641	✓	251-132-30-16
5350 ♀	"	150642	✓	236-122-28-16

Nov 4, 1938.

5351 ♀	<i>Melomys</i>	150643	✓	331-157-40-21
2 ♀	"	150644	✓	249-126-28-17
3 ♀	<i>Stenomys</i>	150645	✓	252-117-27-18
4 ♀	"	150646	✓	235-108-27-15
5 ♂	<i>Melomys</i>	150647	✓	246-128-30-16





# Catalogus

9 km. NE Lake Habbema, Netherlands New Guinea 2800-2700m.  
Nov. 5, 1938.

5356 ♂	<i>Melomys</i>	150648	✓	313 - 151 - 40 - 18
7 ♀	"	150649	✓	331 - 159 - 39 - 21
8 ♀	"	150650	✓	296 - 138 - 40 - 19
9 ♀	"	150651	✓	246 - 125 - 28 - 15
5360 ♂	<i>Stenomys</i>	150652	✓	254 - 125 - 28 - 16
1 ♀	"	150653	✓	252 - 120 - 27 - 16
2 ♂	"	150654	✓	245 - 109 - 28 - 17
3 ♀	"	150655	✓	248 - 115 - 28 - 17
4 ♀	<i>Anisomys</i>	151379	✓	580 - 318 - 62 - 19
5 ♀	<i>Pseudochinus</i>	109615	✓	310 - 155 - 22 - 20
6 ♂	<i>Phascogale</i>	109819	✓	235 - 120 - 20 - 13
7 ♀	<i>Mallomys</i>	151352	✓	788 - 405 - 73 - 26
8 ♂	<i>Dactylopsax</i>	109429	✓	460 - 206 - 46 - 29

Bele River, 18 km N Lake Habbema, Netherlands New Guinea 2200m.  
Nov. 6, 1938.

5369 ♀	<i>Dactylopsax</i>	109425	✓	390 - 190 - 42 - 29
5370 ♂	<i>Phascogale</i>	109541	✓	365 - 189 - 38 - 17
1 ♂	<i>Melomys</i>	150924	✓	252 - 127 - 29 - 17
2 ♂	"	150925	✓	236 - 115 - 28 - 17
3 ♀	"	150926	✓	223 - 106 - 27 - 15
4 ♀	"	150927	✓	233 - 116 - 28 - 18
5 ♀	"	150928	✓	222 - 110 - 27 - 17
6 ♂	<i>Rattus</i>	150929	✓	314 - 141 - 32 - 17
7 ♂	"	150930	✓	310 - 144 - 31 - 16
8 ♂	"	150931	✓	305 - 142 - 29 - 16
9 ♂	"	150932	✓	295 - 142 - 33 - 16
5380 ♂	"	150933	✓	244 - 117 - 28 - 16
1 ♂	"	151568	✓	Skull only <span style="border: 1px solid black; padding: 2px;">186</span> - <span style="border: 1px solid black; padding: 2px;">66</span> - 26 - 15
2 ♀	"	150934	✓	282 - 132 - 31 - 16
3 ♀	<i>Stenomys</i>	150935	✓	240 - 106 - 26 - 16

Nov. 6, 1938.

5384 ♂	<i>Eudromicia</i>	109791	✓	236 - 137 - 18 - 18
5 ♂	"	109792	✓	236 - 132 - 18 - 17
6 ♂	<i>Melomys</i>	150936	✓	249 - 125 - 29 - 18
7 ♀	<i>Phascogale</i>	109542	✓	Emb. 341 - 165 - 34 - 17





## Catalogue

Bele River, 18 km. <sup>Lake</sup> N. Hahuna, Netherlands New Guinea 2200 m.  
Nov. 7, 1938.

5388 ♂ <i>Rattus</i>	150937 ♀	310-139-32-17
9 ♂ "	150938 ♀	300-145-32-18
5390 ♂ <i>Phascogale</i>	109543 ♀	395-193-37-18

Nov. 8, 1938.

5391 ♀ <i>Mallomys</i>	151333 ♀	762-377-70-28
2 ♂ <i>Anisomys</i>	151354 ♀	585-317-60-19
3 ♂ <i>Melomys</i>	150939 ♀	317-148-40-21
4 ♂ <i>Rattus</i>	150940 ♀	301-135-33-18
5 ♂ <i>Phascogale</i>	109544 ♀	395-201-40-20
6 ♂ <i>Pogonomys</i>	150941 ♀	287-172- <del>28</del> -15
7 ♂ "	150942 ♀	282-166-23-14
8 ♀ "	150943 ♀	<u>272</u> - <u>150</u> -24-14
9 ♀ "	150944 ♀	294-169-24-13
5400 ♀ "	150945 ♀	298-177-25-13
1 ♀ "	150946 ♀	293-176-24-14
2 ♀ "	150947 ♀	284-148-24-13
3 ♀ "	150948 ♀	305-180-25-15
4 ♀ "	150949 ♀	264-155-24-14
5 ♀ "	150950 ♀	288-168-24-14
6 ♀ <i>Melomys</i>	150951 ♀	223-114-25-13
7 ♂ <i>Rattus</i>	150952 ♀	322-142-34-18
8 ♂ "	150953 ♀	292-131-31-18
9 ♂ "	150954 ♀	234-111-28-16
5410 ♂ "	150955 ♀	202-94-26-13
1 ♀ "	150956 ♀	306-140-32-18
2 ♀ "	150957 ♀	<u>270</u> - <u>172</u> -31-17
3 ♀ "	150958 ♀	238-112-30-15
4 ♀ "	150959 ♀	200-95-26-13

Nov. 9, 1938.

5415 ♂ ♀ <i>Melomys</i>	150960 ♀	312-144-39-22
6 ♀ <i>Stenomys</i>	150961 ♀	247-116-27-16
7 ♂ <i>Rattus</i>	150962 ♀	310-140-31-18
8 ♂ "	150963 ♀	331-145-34-17
9 ♂ "	150964 ♀	311-140-34-17
5420 ♂ "	150965 ♀	301-136-32-18





## Catalogue

Bele R., 18 km N Lake Kabbema, Netherlands New Guinea 2200 m.  
Nov. 9, 1938.

5421 ♂	<i>Rattus</i>	150966	^	265-125-31-14
2 ♂	"	150967	^	286-137-31-17
3 ♂	"	150968	^	272-130-31-18
4 ♀	"	150969	^	315-145-32-19
5 ♀	"	150970	^	314-145-33-17
6 ♀	"	150971	^	300-131-32-17
7 ♀	"	150972	^	303-140-31-20
8 ♀	"	150973	^	296-135-30-14
9 ♀	"	150974	^	258-120-31-17
5430 ♀	"	150975	^	255-118-29-15
1 ♀	"	150976	^	177-80-26-13
2 ♀	<i>Phascogale</i>	109545	^	323-169-35-18
3 ♂	<i>Melomys</i>	150977	^	256-129-27-13
4 ♂	<i>Rattus</i>	150978	^	284-132-32-14
5 ♂	"	150979	^	205-90-27-16
6 ♀	"	150980	^	322-145-34-17
7 ♀	"	150981	^	307-140-31-19
8 ♀	"	150982	^	300-139-31-14
9 ♀	"	150983	^	272-124-29-18
5440 ♀	"	150984	^	237-110-30-17
1 ♀	"	150985	^	236-110-29-16
2 ♀	"	150986	^	250-119-30-14
3 ♀	"	150987	^	199-89-27-14
4 ♀	<i>Phascogale</i>	109546	^	300-159-33-17
5 ♂	"	150988	^	228-131-20-12
6 ♀	<i>Rattus</i>	150989	^	302-144-21-18
7 ♀	<i>Stenomys</i>	150990	^	256-115-28-15
8 ♂	<i>Melomys</i>	150991	^	254-131-30-18
9 ♂	"	150992	^	227-116-28-16

Nov. 10, 1938.

5450 ♂	<i>Pseudochirus</i>	109616	^	365-174-24-21
1 ♂	<i>Stenomys</i>	150993	^	246-120-26-15
2 ♂	<i>Melomys</i>	150994	^	243-118-28-19
3 ♀	<i>Melomys</i>	150995	^	244-116-29-17
4 ♂	<i>Phascogale</i>	109547	^	351-166-36-18
5 ♀	"	109821	^	208-110-19-12

Emb.





# Catalogue

Del. B., 18 km. N Lake Kallima, Netherlands New Guinea, 2200 m.  
Nov. 10, 1938

5456 ♂	<i>Melomys</i>	150996	^		257-131-27-13
7 ♂	"	150920	^	<del>151589</del>	233-117-28-18
8 ♀	"	150997	^		228-116-27-17
9 ♀	"	150998	^		248-122-28-18
5460 ♀	<i>Stenomys</i>	150999	^		252-117-28-16
1 ♂	<i>Rattus</i>	151000	^		286-131-31-18
2 ♂	"	151001	^		264-126-33-16
3 ♀	"	151002	^		288-133-32-17
4 ♀	"	151003	^		297-138-30-17
5 ♀	"	151004	^		290-140-30-15
6 ♂	"	151570	^	Skull only	284-136-30-15
7 ♂	"	151571	^	" "	260-121-31-15
8 ♀	"	151572	^	" "	271-126-31-16

Nov. 11, 1938

5469 ♂	<i>Pogonomys</i>	151005	^		293-171-25-12
5470 ♂	"	151006	^		281-165-24-12
1 ♀	"	151007	^		290-168-23-14
2 ♀	"	151008	^		283-172-25-14
3 ♂	<i>Rattus</i>	151009	^		324-152-33-16
4 ♂	"	151010	^		<span style="border: 1px solid black;">292</span> - <span style="border: 1px solid black;">133</span> - 32-17
5 ♂	"	151011	^		293-141-33-16
6 ♂	"	151012	^		241-115-30-15
7 ♂	"	151013	^		163-70-24-10
8 ♀	"	151014	^		294-133-31-16
9 ♀	"	151015	^		300-101-32-18
480 ♀	"	151016	^		293-133-31-15
1 ♀	"	151017	^		175-80-24-13
2 ♀	"	151018	^		165-72-24-12
3 ♀	"	151019	^		166-73-24-14
4 ♂	<i>Stenomys</i>	151020	^		267-128-29-15
5 ♂	<i>Melomys</i>	151021	^		248-126-29-16
6 ♀	<i>Rattus</i>	151022	^		272-123-31-15
7 ♂	<i>Stenomys</i>	151023	^		252-120-27-18
8 ♂	"	151774	^	Skull missing	250-120-28-17
9 ♂	"	151775	^	"	242-119-27-17
5490 ♂	<i>Melomys</i>	151776	^	"	244-126-28-17





# Catalogue

Beli R., 18 km N Lake Kabbema, Netherlands New Guinea 2200m.

Nov. 11, 1938.

5491	♀	<i>Melomys</i>	151777	Skull missing	emb	235-120-28-16
2	♀	<i>Melomys</i>	151778	^	emb x 33	326-151-40-21
3	♂	"	151024	^		330-154-40-22
4	♂	"	151025	^		313-147-41-20 AL.R.
5	♂	"	151026	^		241-122-27-15 AL.R.

Nov. 12, 1938.

5496	♀	<i>Steromys</i>	151027	^		196-95-25-14
7	♀	<i>Melomys</i>	151028	^		247-127-25-12
8	♀	<i>Rattus</i>	151029	^		284-132-32-17
9	♂	<i>Melomys</i>	151030	^		271-141-27-12
5500	♂	<i>Rattus</i>	151031	^		311-149-32-18
1	♂	"	151032	^		254-119-31-16
2	♀	"	151033	^		241-114-29-15
3	♀	"	151034	^		240-112-29-15
4	♀	<i>Melomys</i>	151035	^		237-131-25-11
5	♂	<i>Dactylonax</i>	109426	^		425-218-48-30
6	♂	<i>Anisomys</i>	151355	^		572-322-62-23
7	♂	<i>Peromyscus</i>	109670	^		535-205-62-24
8	♀	"	109671	^		420-153-52-23
9	♂	<i>Phascogale</i>	109548	^		370-182-37-18
5510	♂	"	109549	^		362-183-38-16
1	♂♀	"	151573	Skull only.	emb.	349-173-35-16
2	♂♀	<i>Melomys</i>	151036	^		244-121-25-11
3	♂	"	151037	^		236-118-29-19

Nov. 13, 1938.

5514	♂	<i>Dorcopsis</i>	109658	^	Dung	600-267-88-30
5	♂	<i>Pseudochinus</i>	109642	^	Stomach, Dung	657-300-48-25
6	♂	<i>Rattus</i>	151038	^		291-134-32-17
7	♂	"	151039	^		297-137-32-17
8	♂	"	151040	^		294-129-31-17
9	♂	"	151041	^		291-133-32-17
5520	♂	"	151042	^		277-128-31-16
1	♂	"	151043	^		267-125-31-16
2	♂	"	151044	^		231-110-27-15
3	♂	"	151045	^		223-106-27-15





## Catalogue

Bile R., 18 km N Lake Kabbema, Netherlands New Guinea 2200m  
Nov. 13, 1938.

5524 ♂	<i>Rattus</i>	151046	^		212 - 99 - 27 - 15
5 ♂	"	151047	^		198 - 84 - 27 - 15
6 ♂	"	151048	^		200 - 91 - 26 - 15
7 ♀	"	151049	^		335 - 160 - 33 - 17
8 ♀	"	151050	^		310 - 139 - 33 - 17
9 ♀	"	151051	^		302 - 143 - 33 - 17
5530 ♀	"	151052	^		299 - 140 - 33 - 16
1 ♀	"	151053	^		288 - 127 - 32 - 16
2 ♀	"	151054	^		247 - 112 - 30 - 14
3 ♀	"	151055	^		261 - 119 - 31 - 14
4 ♀	"	151056	^		209 - 95 - 27 - 14
5 ♀	"	151057	^		205 - 96 - 27 - 13
6 ♀	<i>Mallomys</i>	151334	^		824 - 440 - 73 - 30
7 ♂	<i>Peromyscus</i>	109672	^		461 - 176 - 57 - 23
8 ♂	<i>Phascogale</i>	109550	^		405 - 203 - 40 - 21
9 ♀	"	109551	^		255 - 102 - 33 - 15
5540 ♀	<i>Melomys</i>	151058	^	1 emb. 1.35 mm.	252 - 127 - 19 - 15
1 ♂	<i>Pogonomys</i>	151059	^		305 - 178 - 24 - 13
2 ♂	"	151060	^		306 - 177 - 23 - 14
3 ♂	"	151061	^		307 - 180 - 25 - 15
4 ♀	"	151062	^		281 - 165 - 23 - 14
5 ♀	"	151063	^		293 - 175 - 23 - 15
6 ♀	"	151064	^		308 - 187 - 25 - 15
7 ♀	<i>Thomomys</i>	151374	^		590 - 302 - 70 - 22

9 km N C Lake Kabbema, Netherlands New Guinea ? m.  
Nov. 6, 1938.

5548 ♂	<i>Stenomys</i>	150656	^		Body l. 139 - 26 - 15	ALR.
9 ♀	<i>Melomys</i>	150657	^		243 - 121 - 27 - 16	ALR.
5550 ♂	<i>Phascogale</i>	109820	^		237 - 125 - 20 - 12	ALR.
1 ♀	<i>Peromyscus</i>	109714	^		382 - 156 - 48 - 22	ALR.
2 ♀	<i>Melomys</i>	150658	^		239 - 121 - 27 - 17	ALR.
3 ♂	"	150659	^		255 - 130 - 28.5 - 20	ALR.
4 ♀	"	150660	^		257 - 128 - 28 - 18	ALR.
5 ♀	<i>Phascogale</i>	109537	^	4 emb.	363 - 182 - 34 - 15.5	ALR.
6 ♀	"	109538	^		346 - 173 - 36 - 15	ALR.
7 ♀	<i>Melomys</i>	150661	^	2 emb.	250 - 123 - 25 - 14	ALR.






# Catalogue

Belu R., 18 km N Lab. Naberna, Netherlands New Guinea, 2200m.  
Nov. 13, 1938.

5558 ♀	<i>Eudromicia</i>	109793	✓		247 - 140 - 18-17
9 ♂	<i>Pogonomys</i>	151065	✓		284 - 154 - 24-15
5560 ♀	"	151066	✓		267 - 158 - 23-14
1 ♂	<i>Rattus</i>	151067	✓		316 - 140 - 33-17
2 Juv.	"	151068	✓		113 - 42 - 17-5
3 Juv.	"	152736	✓	Alcoholic	110 - 40 - 17-6
4 Juv.	"	152756	✓	Alcoholic	105 - 37 - 17-5
5 Juv.	"	152757	✓	Alcoholic	114 - 41 - 16-5

Nov. 14, 1938.

5566 ♀	<i>Phascogale</i> [ <i>Stenomys</i> <sup>WHA</sup> ]	109822	✓		252 - 132 - 23-14
7 ♀	<i>Stenomys</i> [ <i>Phascogale</i> ]	151069	✓		231 - 109 - 27-18
8 ♀	"	151070	✓		255 - 116 - 27-18
9 ♂	<i>Melomys</i>	151071	✓		261 - 128 - 28-19
5570 ♀	"	151072	✓		247 - 125 - 28-18
1 ♀	"	151073	✓		[215] - [84] - 27-17
2 ♀	<i>Dactylopsax</i>	139427	✓		435 - 202 - 45-30
3 ♀ Juv.	"	109415	✓		210 - 93 - 26-12
4 ♂	<i>Peroryctes</i>	151779	✓		502 - 186 - 62-21
5 ♀	<i>Hyomys</i>	151335	✓		615 - 280 - 61-23
6 ♂	<i>Dorentomys</i>	151074	✓		218 - 132 - 25-19
7 ♀	<i>Phascogale</i>	109794	✓		188 - 105 - 18-12
8 ♂	<i>Eudromicia</i>	109795	✓		239 - 141 - 18-16
9 ♀	"	109796	✓		235 - 140 - 18-16
5580 ♀	"	109797	✓		226 - 136 - 16-17
1 ♀	"	109798	✓		207 - 121 - 17-16
2 ♀	<i>Dargomys</i>	109423	✓		337 - 155 - 37-19
3 ♀	<i>Melomys</i>	151075	✓		266 - 136 - 26-13
4 ♂	"	151076	✓		255 - 128 - 28-12
5 ♂	"	151077	✓		272 - 144 - 27-13
6 ♂	"	151078	✓		265 - 136 - 27-14
7 ♂	"	151079	✓		250 - 127 - 27-13
8 ♂	"	151080	✓		202 - 105 - 24-12
9 ♀	"	151081	✓		245 - 125 - 25-13
5590 ♀	"	151082	✓	2 emb x 19	243 - 121 - 25-14
1 ♀	"	151083	✓		213 - 110 - 25-12
2 ♂	<i>Peroryctes</i>	139673	✓		466 - 183 - 57-24





# Catalogue

Belu P., 18 km. Mt. Laha Halhema, Netherlands New Guinea 2200m.  
Nov. 14, 1938.

5593 ♂ *Anisomys* 151356 ^ 545-298-60-22  
4 ♀ " 151357 ^ 574-330-61-20

Nov. 15, 1938.

5595 ♂ *Melomys* 151084 ^ 332-152-40-22  
6 ♀ " 151085 ^ 325-148-39-21  
7 ♂ " 151086 ^ 255-124-28-18  
8 ♂ " 151087 ^ 247-122-28-17  
9 ♂ " 151088 ^ 247-124-28-20  
5600 ♀ " 151089 ^ 253-125-27-17  
1 ♀ " 151091 ^ 253-123-27-16  
2 ♀ " 151090 ^ 231-125-26-13  
3 ♂ *Stenomys* 151092 ^ 254-116-27-18  
4 ♀ " 151093 ^ 250-120-27-15  
5 ♀ " 151094 ^ 245-115-26-18  
6 ♀ *Rattus* 151095 ^ 151-70-22-11  
7 ♂ *Pseudochirus* 109631 ^ 677-270-54-23  
8 ♀ *Dorcopsis* 109659 ^ 540-237-86-32  
9 ♂ *Peromyscus* 109674 ^ 476-185-60-24  
5610 ♀ *Pseudochirus* 109617 ^ 338-152-21-23  
1 ♀ " 109618 ^ 288-131-21-19  
2 juv. " 152784 ^ Alcoholic  
3 ♂ *Lorentzimys* 151096 ^ 200-116-24-18  
4 ♂ *Melomys* 151097 ^ 245-123-30-17  
5 ♀ " 151574 ^ 1emb. x 37 mm., Skull only 318-150-39-20  
6 ♂ *Pharocogale* 109552 ^ 410-202-39-18  
7 ♀ *End. Pseudochirus* 109619 ^ 322-158-23-20  
8 ♀ *Melomys* 151098 ^ 1emb. x 23 mm. 302-127-40-23 1602  
9 ♀ " 151099 ^ 307-143-38-23  
5620 ♂ " 151100 ^ 243-107-28-13  
1 ♂ " 151101 ^ 251-130-26-13  
2 ♀ " 151102 ^ 2emb. x 19 mm 263-135-26-12  
3 ♀ " 151103 ^ 2emb. x 17 mm 233-111-26-12  
4 ♂ " 151104 ^ 252-125-29-17  
5 ♂ " 151105 ^ 242-121-28-19  
6 ♂ " 151106 ^ 257-127-29-18  
7 ♂ *Peromyscus* 109675 ^ 502-205-59-23





## Catalogue

Bele R. 13 km N Lake Habbema, Netherlands New Guinea 2200 m.

Nov. 15, 1938.

5628 ♀	<i>Peromyscus</i>	109676	✓	492-177-58-22
9 ♀	"	151358	✓	440-169-54-22
5630 ♂	<i>Mallomys</i>	151336	✓	766-388-75-28
1 ♂	<del><i>Anisomys</i></del> <i>paromyscus</i>	109677	✓	482-263-58-17
2 ♀	"	151359	✓	589-326-60-19

Nov. 16, 1938.

5633 ♀	<i>Peromyscus</i>	109678	✓	407-155-51-22
4 ♂	<i>Phascogale</i>	109553	✓	387-182-40-18
5 ♂	"	109554	✓	350-177-37-17
6 ♂	<i>Pogonomys</i>	151107	✓	306-180-25-15
7 ♂	"	151108	✓	295-170-23-14
8 ♂	"	151109	✓	287-162-24-14
9 ♀	"	151110	✓	260-150-23-13
5640 ♂	<i>Melomys</i>	151111	✓	280-144-27-12
1 ♀	"	151112	✓	247-128-26-13
2 ♀	"	151113	✓	231-122-26-12
3 ♂	"	151114	✓	246-125-28-17
4 ♀	<i>Pogonomys</i>	151115	✓	<span style="border: 1px solid black;">273</span> - <span style="border: 1px solid black;">155</span> -23-12
5 ♀	"	151116	✓	290-176-23-13
6 ♀	"	151117	✓	288-174-24-13
7 ♂	<i>Anisomys</i>	151360	✓	540-295-59-19
8 ♀	"	151361	✓	545-302-59-17
9 ♂	<i>Peromyscus</i>	109679	✓	515-192-62-23
5650 ♀	"	109680	✓	476-184-57-27
1 ♀	<i>Phalanger</i>	109479	✓	705-306-54-14
2 ♂	<i>Hyomys</i>	151337	✓	600-285-56-25
3 ♂	<i>Melomys</i>	151575	✓	skull only. 315-142-40-21
4 ♀	"	151576	✓	skull only. 312-145-38-21
5 ♂	<i>Stenomys</i>	151118	✓	249-110-26-16
6 ♂	<i>Phascogale</i>	109555	✓	332-178-35-16
7 ♀	"	109556	✓	350-180-35-17
8 ♀	<i>Eudromicia</i>	109799	✓	235-138-18-17

Nov. 17, 1938

5659 ♀	<i>Mallomys</i>	151338	✓	804-410-75-24
5660 ♂	"	151339	✓	755-394-72-27





Catalogue

Bel. P. 18 km N. Lake Habema Netherlands New Guinea 2200

Nov. 17, 1938.

5661 ♀	<i>Phalanger</i>	109480	✓		666-315-53-21
2 ♀	<i>Uromys</i>	151375	✓		550-291-65-22
3 ♂	<i>Anisomys</i>	151362	✓		581-325-63-18
4 ♂	<i>Pogonomys</i>	110135	✓		283-166-24-15
5 ♂	"	151119	✓		288-169-25-16
6 ♂	"	151120	✓		298-173-24-14
7 ♂	"	151121	✓		288-167-25-14
8 ♂	"	151122	✓		269-155-23-14
9 ♂	"	151123	✓		284-160-24-14
5670 ♀	"	151124	✓		272-163-23-14
1 ♀	"	151125	✓		294-169-24-13
2 ♀	"	151126	✓		285-172-23-14
3 ♀	"	151127	✓		282-170-24-14
4 ♂	<i>Melomys</i>	151577	✓	Skull only	204-103-23-11
5 ♀	"	151128	✓		255-131-26-12
6 ♀	"	151129	✓	2 emb x 25	250-129-26-14
7 ♀	"	151130	✓	2 emb x 18	253-130-26-13
8 ♀	"	151131	✓		205-108-25-13
9 ♂	<i>Melomys</i>	151578	✓	Skull only	250-125-28-17
5680 ♂	"	151579	✓	Skull only	247-116-30-17
1 ♂	"	151132	✓		249-128-30-17
2 ♂	"	151133	✓		240-119-29-18
3 ♂	"	151134	✓		239-117-29-17
4 ♀	"	151580	✓	Skull only	223-116-18-18
5 ♀	"	151581	✓	Skull only	239-116-27-17
6 ♀	"	151135	✓		234-119-27-16
7 ♀	"	151582	✓	Skull only	242-120-28-18
8 ♂	<i>Stenomys</i>	151583	✓	" "	260-122-27-15
9 ♂	"	151584	✓	" "	250-112-28-17
5690 ♂	"	151585	✓	" "	242-113-27-15
1 ♀	"	151586	✓	" "	251-117-28-17
2 ♀	"	151587	✓	" "	247-114-28-17
3 ♂	<i>Melomys</i>	151136	✓		305-144-29-20
4 ♂	"	151137	✓		254-126-30-18
5 ♂	<i>Phascogale</i>	109823	✓		281-146-26-15
6 ♂	<i>Melomys</i>	151138	✓		219-83-26-15
7 ♀	<i>Hydromys</i>	151372	✓		542-285-54-10
8 ♂	<i>Anisomys</i>	151363	✓		530-288-57-18





# Catalogue

Beli R., 18 km N. Lake Habbema, Netherlands New Guinea 2200m  
Nov. 17, 1938.

5699 ♀	<i>Peromyscus</i>	109681	✓		417-156-51-22
5700 ♂	<i>Eudromicia</i>	109800	✓		247 + 141-18-17
1 ♂	"	109801	✓		245-149-19-17
2 ♂	"	109802	✓		219-128-18-16
3 ♀	"	109803	✓		246-142-18-17
4 ♀	"	109804	✓		215-130-18-16

Nov. 18, 1938.

5705 ♀	<i>Mallomys</i>	151340	✓		801-403-73-26
6 ♂	<i>Phascogale</i>	109557	✓		405-203-41-18
7 ♀	"	109558	✓	4 cmb. x13	351-174-35-20
8 ♂	<i>Peromyscus</i>	109682	✓		495-192-59-23
9 ♀	"	109683	✓		471-173-56-25
5710 ♂	<i>Rattus</i>	151588	✓	Skull only	317-148-32-16
1 ♂	"	151589	✓	" "	332-154-35-19
2 ♂	"	151590	✓	" "	321-151-34-16
3 ♂	"	151591	✓	" "	296-127-32-17
4 ♂	"	151592	✓	" "	285-132-33-16
5 ♂	"	151593	✓	" "	285-131-32-17
6 ♂	"	151594	✓	" "	308-153-32-18
7 ♂	"	151595	✓	" "	312-136-33-20
8 ♂	"	151596	✓	" "	302-138-32-18
9 ♂	"	151597	✓	" "	331-156-32-18
5720 ♂	"	151598	✓	" "	330-141-31-18
1 ♂	"	151599	✓	" "	316-144-32-18
2 ♂	"	151600	✓	" "	325-150-33-17
3 ♂	"	151601	✓	" "	310-140-32-18
4 ♂	"	151602	✓	" "	295-136-33-17
5 ♂	"	151603	✓	" "	275-120-30-17
6 ♂	"	151604	✓	" "	321-151-32-18
7 ♂	"	151605	✓	" "	296-137-30-18
8 ♂	"	151606	✓	" "	295-144-32-17
9 ♂	"	151607	✓	" "	298-139-32-16
5730 ♂	"	151608	✓	" "	297-132-32-17
1 ♂	"	151609	✓	" "	282-123-32-20
2 ♂	"	151610	✓	" "	303-149-34-16
3 ♂	"	151611	✓	" "	280-128-31-16





# Catalogue

Beli R. 15 km N Lake Habbema, Netherlands New Guinea 2200 m  
Nov. 18, 1938

5734 ♂	Rattus	151612	♂	Skull only	301-145-33-18
5 ♂	"	151613	♂	" "	276-128-29-16
6 ♂	"	151614	♂	" "	280-135-30-15
7 ♂	"	151615	♂	" "	248-114-29-14
8 ♂	"	151616	♂	" "	275-128-30-17
9 ♂	Melomys	151617	♂	" "	239-120-27-17
5740 ♂	"	151618	♂	" "	257-124-29-17
1 ♂	"	151619	♂	" "	240-119-29-18
2 ♂	"	151620	♂	" "	245-123-28-16
3 ♂	"	151621	♂	" "	252-128-30-18
4 ♂	"	151622	♂	" "	242-125-29-18
5 ♂	"	151623	♂	" "	249-124-29-17
6 ♂	"	151624	♂	" "	240-119-28-16
7 ♂	"	151625	♂	" "	256-127-29-17
8 ♂	"	151626	♂	" "	233-116-28-16
9 ♂	"	151627	♂	" "	249-124-28-17
5750 ♂	"	151628	♂	" "	249-120-28-18
1 ♂	"	151629	♂	" "	255-131-29-19
2 ♂	"	151630	♂	" "	245-121-28-18
3 ♂	"	151631	♂	" "	224-109-27-18
4 ♀	"	151632	♀	" "	244-120-28-18
5 ♀	"	151633	♀	" "	240-118-28-18
6 ♀	"	151634	♀	" "	248-123-29-18
7 ♀	"	151635	♀	" "	234-115-27-16
8 ♀	"	151636	♀	" "	252-125-28-18
9 ♀	"	151637	♀	" "	237-120-28-17
5760 ♀	"	151638	♀	" "	246-123-28-18
1 ♀	"	151639	♀	" "	228-121-28-17
2 ♀	"	151640	♀	" "	239-115-28-18
3 ♀	"	151641	♀	" "	238-117-28-17
4 ♀	Phascogale	109824	♀	3 yrs. x 9	271-142-23-16
5 ♀	Melomys	151139	♀		<del>271</del> -122-28-19
6 ♀	"	151140	♀		315-144-38-23
7 ♂	Peroryzetes	151642	♂	Skull only	490-190-58-—
8 ♀	Pseudochinus	151643	♀	" "	390-182-24-—
9 ♀	Phascogale	151644	♀	" "	335-172-35-17
5770 ♀	"	151645	♀	3 yrs. x 10	355-178-35-18





## Catalogue

Beli R., 18 km Malé Habema, Netherlands New Guinea 2200 m.

Nov. 18, 1938.

5871 ♀	<i>Phascogale</i>	109559	✓		318-162-34-16
2 ♀	"	109560	✓	4yr. x 18	355-182-36-18
3 ♀	<i>Pseudotaxius</i>	109620	✓		360-162-25-23
4 ♀	<i>Peroryctes</i>	109684	✓		452-177-56-22
5 ♀	"	109685	✓		461-178-55-24
6 ♂	<i>Dasyurus</i>	109422	✓		460-219-46-20
7 ♂	<i>Phalanger</i>	109481	✓		701-315-55-16
8 ♀	<i>Rattus</i>	151646	✓	Skull only	315-141-39-16
9 ♀	"	151647	✓	" "	298-136-30-17
5780 ♀	"	151648	✓	" "	314-148-31-17
1 ♀	"	151649	✓	" "	324-144-31-18
2 ♀	"	151650	✓	" "	311-151-31-17
3 ♀	"	151651	✓	" "	313-145-33-18
4 ♀	"	151652	✓	" "	302-141-32-16
5 ♀	"	151653	✓	" "	300-142-31-18
6 ♀	"	151654	✓	" "	323-144-32-17
7 ♀	"	151655	✓	" "	319-147-33-17
8 ♀	"	151656	✓	" "	315-145-34-17
9 ♀	"	151657	✓	" "	315-142-32-16
5790 ♀	"	151658	✓	" "	289-138-32-16
1 ♀	"	151659	✓	" "	294-137-30-
2 ♀	"	151660	✓	" "	281-132-30-17
3 ♀	"	151661	✓	" "	262-121-31-17
4 ♀	"	151662	✓	" "	308-146-32-17
5 ♀	"	151663	✓	" "	286-127-31-17
6 ♀	"	151664	✓	" "	291-128-31-17
7 ♀	"	151665	✓	" "	296-135-31-16
8 ♀	"	151666	✓	" "	290-129-32-17
9 ♀	"	151667	✓	" "	317-153-32-17
5800 ♀	"	151668	✓	" "	294-123-30-16
1 ♀	"	151669	✓	" "	300-134-30-16
2 ♀	"	151670	✓	" "	325-148-32-18
3 ♀	"	151671	✓	" "	299-141-31-16
4 ♀	"	151672	✓	" "	314-142-31-18
5 ♀	"	151673	✓	" "	288-135-32-18
6 ♀	"	151674	✓	" "	310-140-32-16
7 ♀	"	151675	✓	" "	300-137-32-17





Catalogue

Bele N. 18 km N. Lae Rabbits, Netherlands New Guinea, 2200m.

Nov. 19 1938

5808	<i>Melomys</i>	151141	✓		315-142-40-21
9♂	"	151142	✓		320-143-39-21
5810	♀	151143	✓	1 emb x 40	323-147-39-20
1♀	"	151144	✓		319-146-39-21
2♂	<i>Stenomys</i>	151145	✓		247-113-27-16
3♀	"	151146	✓		249-109-28-17
4♂	<i>Melomys</i>	151676	✓	Skull only	254-125-29-18
5♂	"	151677	✓	" "	253-127-28-17
6♀	"	151678	✓	" "	258-125-28-18
7♀	"	151679	✓	" "	244-113-28-18
8♀	"	151680	✓	" "	236-113-28-18
9♂	<i>Melomys</i>	151681	✓	" "	275-135-27-17
5820	♂	151682	✓	" "	260-132-27-14
1♂	"	151683	✓	" "	255-131-27-13
2♂	"	151684	✓	" "	257-135-27-14
3♂	"	151685	✓	" "	272-142-27-13
4♀	"	151686	✓	" "	271-140-27-13
5♀	"	151687	✓	" "	223-116-26-13
6♀	"	151688	✓	" "	205-93-25-12
7♀	"	151689	✓	" "	231-118-25-12
8♀	"	151690	✓	" "	253-132-26-12
9♀	"	151691	✓	" "	223-112-25-12
5830	♀	151692	✓	" "	251-134-26-13
1♀	"	151693	✓	" "	237-118-25-13
2♀	"	151694	✓	" "	224-116-25-12
3♀	<i>Phalanger</i>	109482	✓		723-335-56-16
4♂	<i>Melomys</i>	151695	✓	Skull only	337-159-42-22
5♂	"	151696	✓	" "	306-128-40-20
6♀	"	151697	✓	" "	287-129-39-21
7♀	<i>Phalanger</i>	109483	✓		725-325-58-16
8♂	<i>Hydromys</i>	151373	✓		513-279-52-13
9♂	<i>Oncomys</i>	151364	✓		584-324-61-19
5840	♂	151365	✓		580-307-59-19
1♂	"	151366	✓		541-292-57-18
2♀	"	151367	✓		523-293-59-18
3♀	"	151368	✓		551-303-62-17
4♀	<i>Phascogale</i>	151698	✓	Skull Only	298-147-32-18
5♂	<i>Pogonomys</i>	151699	✓	" "	300-175-26-13





# Catalogus

Bile R., 15 km Paluh Kallima, Netherlands New Guinea 2200

Nov 19 1938.

5846 ♂	<i>Pogonomys</i>	151700	^	Skull only	292-172-24-14
7 ♂	"	151701	^	" "	293-177-25-13
8 ♂	"	151702	^	" "	309-184-25-13
9 ♀	"	151703	^	" "	269-157-24-14
5850 ♀	"	151704	^	" "	295-167-25-13
1 ♀	"	151705	^	" "	302-179-24-13
2 ♀	"	151706	^	" "	296-168-24-13
3 ♀	"	151707	^	" "	295-165-24-14
4 ♀	"	151708	^	" "	300-180-25-14
5 ♀	"	151709	^	" "	289-171-25-14
6 ♂	<i>Stenomys</i>	151710	^	" "	252-115-27-16
7 ♂	"	151711	^	" "	264-121-29-16
8 ♂	"	151712	^	" "	256-121-28-16
9 ♂	"	151713	^	" "	239-111-27-15
5860 ♂	"	151714	^	" "	246-111-27-16
1 ♀	"	151715	^	" "	227-102-26-15
2 ♀	"	151716	^	" "	258-115-29-16
3 ♀	"	151717	^	" "	213-102-26-15
4 ♂	<i>Anisomys</i>	151369	^	" "	567-305-60-20
5 ♂	<i>Melomys</i>	151147	^	" "	310-158-29-14
6 ♂	<i>Pseudochinus</i>	109632	^	" "	683-278-47-16
7 ♂	"	109633	^	" "	561-235-48-23
8 ♀	"	109634	^	" "	735-275-52-21

Nov 20 1938.

5869 ♂	<i>Pseudochinus</i>	109635	^	" "	695-315-56-14
5870 ♀	"	109636	^	" "	740-315-54-16
1 ♂	<i>Anisomys</i>	151370	^	" "	545-300-60-19
2 ♀	"	151371	^	" "	555-297-62-20
3 ♂	<i>Phalanger</i>	109484	^	" "	715- <del>54</del> <sup>316</sup> -54-20
4 ♂	<i>Peroryzetes</i>	109686	^	" "	501-203-61-25
5 ♀	"	109687	^	" "	472-189-57-24
6 ♂	<i>Rattus</i>	152737	^	Alcoholic	313-138-33-17
7 ♂	<i>Melomys</i>	152724	^	"	348-167-40-22
8 ♀	"	152725	^	"	314-144-39-21
9 ♀	"	152726	^	"	300-138-38-20
5880 ♂	"	152727	^	"	277-142-27-11





# Catalogue

Beli R., 18 km N Loh Habbema, Netherlands New Guinea 2200m.  
Nov. 20, 1938.

5881	♂	<i>Melomys</i>	152728	♂	Alcoholic	273-141-22-13
2	♂	"	152729	♂	"	262-132-27-13
3	♀	"	152730	♀	"	184-85-25-16
4	♂	"	152731	♂	"	232-114-28-18
5	♀	"	152732	♀	"	244-120-28-17
6	♂	<i>Stromys</i>	152719	♂	"	247-115-27-15
7	♂	"	152720	♂	"	260-118-27-16
8	♂	"	152721	♂	"	261-124-28-17
9	♀	"	152722	♀	"	266-129-28-16
5890	♂	<i>Uromys</i>	151344	♂		702-364-73-24
1	Juv.	<i>Melomys</i>	152748	♂	Alcoholic	— — — — —
2	♂	<i>Melomys</i>	151718	♂	Skull only	330-155-39-20
3	♂	"	151719	♂	"	341-159-40-20
4	♂	"	151720	♂	"	343-162-41-20
5	♀	"	151721	♀	"	323-150-41-21
6	♀	"	151722	♀	"	317-146-41-21
7	♀	"	151723	♀	"	307-138-39-23
8	♀	"	151724	♀	"	335-159-39-22
9	♂	<i>Phascogale</i>	151725	♂	"	<span style="border: 1px solid black;">391</span> - <span style="border: 1px solid black;">184</span> -40-18
5900	♂	"	151726	♂	"	346-176-36-17
1	♀	"	151727	♀	"	365-193-36-16
2	♀	<i>Pseudochinus</i>	151728	♀	"	402-188-26-27
3	♀	"	151729	♀	"	396-187-26-23
4	♀	"	151730	♀	"	320-162-24-23
5	♀	<i>Melomys</i>	151731	♀	"	326-148-40-20
6	♀	"	151732	♀	"	313-140-40-21
7	♂	<i>Stromys</i>	151733	♂	"	<span style="border: 1px solid black;">250</span> - <span style="border: 1px solid black;">110</span> -27-17
8	♂	"	151734	♂	"	260-122-30-16
9	♂	"	151735	♂	"	242-115-27-15
5910	♂	"	151736	♂	"	255-115-27-17
1	♂	"	151737	♂	"	245-114-25-15
2	♂	"	151738	♂	"	258-119-27-17
3	♂	"	151739	♂	"	246-116-28-18
4	♀	"	151740	♀	"	230-112-27-17
5	♀	"	151741	♀	"	234-109-26-17
6	♀	"	151742	♀	"	223-103-26-17
7	♀	"	151743	♀	"	243-113-26-15





# Catalogue

Belo R. 18 km N. Lake Kabbema, Netherlands New Guinea 2200 m.  
Nov. 20, 1938.

5918 ♀	<i>Melomys</i>	151148	∧	324-139-40-21	1907
9 ♀	<i>Phascogale</i>	109825	∧	322-125-21-12	
5920 ♀	<i>Pseudochinus</i>	152785	∧	Alcoholic	
1 ♂	<i>Stenomys</i>	151149	∧	256-124-28-19	
2 ♂	"	151150	∧	251-112-29-18	
3 ♂	"	151151	∧	270-127-29-18	

Nov. 21, 1938.

5924 ♂	<i>Hydromys</i>	151459	∧	442-288-58-10	
5 ♀	<i>Uromys</i>	151450	∧	682-358-68-23	
6 ♀	"	151451	∧	702-380-75-21	
7 ♀	<i>Anisomys</i>	151382	∧	547-307-60-19	
8 ♂	<i>Peromyscus</i>	109805	∧	486-192-62-23	
9 ♀	<i>Phascogale</i>	109689	∧	174-95-27-10	
5930 ♂	<i>Melomys</i>	151152	∧	328-150-40-21	
1 ♂	"	151153	∧	349-166-41-24	
2 ♂	"	151154	∧	299-119-39-22	
3 ♂	"	151155	∧	336-156-40-21	
4 ♂	"	151156	∧	330-154-41-22	
5 ♂	"	151157	∧	346-161-41-21	
6 ♀	"	151158	∧	332-153-41-23	1emb x 55
7 ♀	"	151159	∧	331-155-41-23	1emb x 33
8 ♀	"	151160	∧	322-153-41-21	
9 ♀	"	151161	∧	327-151-38-21	
5940 ♀	"	151162	∧	289-132-38-20	
1 ♀	"	151163	∧	298-138-38-20	
2 ♀	"	151164	∧	332-151-40-21	
3 ♀	"	151165	∧	313-140-39-20	
4 ♀	"	151166	∧	328-152-39-22	
5 ♀	"	151167	∧	331-153-41-23	
6 ♂	<i>Peromyscus</i>	109688	∧	485-178-62-22	

Nov. 22, 1938.

5947 ♂	<i>Stenomys</i>	151168	∧	248-118-27-16	
8 ♀	"	151169	∧	240-108-27-16	
9 ♀	<i>Melomys</i>	151170	∧	243-122-28-18	
5950 ♀	"	151171	∧	232-114-27-16	





# Catalogue

Belit, 18 km N. Lake Tabbema, Netherlands New Guinea 2200m.  
Nov. 22, 1938.

5951	♂	<i>Peromyscus</i>	109654	^		549-189-62-27
	2 ♀	<i>Pseudochinus</i>	109621	^		371-178-22-21
	3 ♂	"	109643	^		655-315-48-22
	4 ♂	<i>Phascogale</i>	109826	^		260-137-24-15
	5 ♂	<i>Anisomys</i>	151383	^		554-301-61-18
	6 ♂	<i>Melomys</i>	151172	^		260-134-27-14
	7 ♀	"	151173	^		255-134-25-13
	8 ♂	<i>Phascogale</i>	109561	^		400-206-40-21
	9 ♂	<i>Melomys</i>	151174	^		337-154-42-22
5960	♂	"	151175	^	skin only	315-153-39-22
	1 ♂	"	151176	^		311-145-40-18
	2 ♂	"	151177	^		285-129-40-21
	3 ♂	"	151178	^		301-133-41-22
	4 ♂	"	151179	^		296-133-39-19
	5 ♀	"	151180	^	1 emb x 50	316-142-39-21
	6 ♀	"	151181	^	1 emb x 18	308-141-39-22
	7 ♀	"	151182	^		324-153-39-21
	8 ♀	<i>Phalanger</i>	109485	^		643-275-63-15
	9 ♀	<i>Anisomys</i>	151384	^		<span style="border: 1px solid black; padding: 2px;">418</span> <span style="border: 1px solid black; padding: 2px;">161</span> -60-20
5970	♂	<i>Phascogale</i>	109562	^		382-199-37-18
	1 ♂	<i>Anisomys</i>	151385	^		568-315-63-17
	2 ♀	<i>Pseudochinus</i>	109622	^		357-187-23-24
	3 ♀	"	109623	^		388-178-22-25
	4 ♂ Juv.	"	152786	^		Alcoholic
	5 ♂	<i>Eudromicia</i>	109806	^		245-150-19-17
	6 ♀	<i>Phascogale</i>	109563	^		326-163-36-18
	7 ♂	<i>Melomys</i>	151183	^		323-147-40-21
	8 ♂	"	151184	^		342-163-40-22
	9 ♂	<i>Pogonomys</i>	151185	^		257-146-27-18
5980	♀	<i>Phalanger</i>	109486	^		645-263-52-16
	1 ♀	"	109487	^		633-270-52-17
	2 ♂	<i>Stenomys</i>	151186	^		263-118-28-18
	3 ♀	"	151187	^		252-116-27-18
	4 ♀	<i>Phascogale</i>	151744	^	Skull Only	227-174-34-15
	5 ♀	<i>Pseudochinus</i>	109644	^		668-320-45-24
	6 ♀	<i>Phalanger</i>	109488	^		693-295-56-17
	7 ♂	<i>Anisomys</i>	151386	^		585-322-60-20





# Catalogue

Bel. R., 18 km N Lake Kabbema, Netherlands New Guinea 2200 m  
Nov. 23, 1938.

5988	♂	<i>Dasyurus</i>	109418	✓	490-230-46-20
9♀		<i>Melomys</i>	151188	✓	241-120-28-18
5990	♀	<i>Stenomys</i>	151189	✓	243-118-27-15
1♀		<i>Pogonomys</i>	151190	✓	257-155-25-17
2♂		"	151191	✓	283-168-23-13
3♂		"	151192	✓	295-173-24-14
4♂		"	151193	✓	317-184-25-15
5♂		"	151194	✓	298-168-24-14
6♀		"	151195	✓	285-164-24-14
7♀		"	151196	✓	292-171-25-15
8♀		"	151197	✓	289-173-24-14
9♀		<i>Anisomys</i>	151387	✓	532-282-60-18
6000	♂	<i>Phalanger</i>	109489	✓	800-372-61-21
1♂		<i>Melomys</i>	151198	✓	281-146-28--
2♂		"	151199	✓	251-128-27-13
3♂		"	151200	✓	272-140-28-14
4♂		"	151201	✓	272-142-29-14
5♂		"	151202	✓	245-120-26-13
6♂		"	151203	✓	258-133-27-13
7♂		"	151204	✓	252-127-27-13
8♂		"	151205	✓	245-130-26-12
9♂		"	151206	✓	259-132-27-12
6010	♀	"	151207	✓	237-122-25-12
1♀		"	151208	✓	243-124-25-13
2♀		"	151209	✓	246-126-26-13
3♀		"	151210	✓	241-124-25-12
4♀		"	151211	✓	255-131-26-13
5♂		<i>Phalanger</i>	109490	✓	707-309-60-14
6♂		<i>Anisomys</i>	151388	✓	550-296-60-21
7♀		"	151389	✓	585-316-62-21
8♀		"	151390	✓	588-319-61-18
9♂		<i>Melomys</i>	151212	✓	240-125-26-12
6020	♂	"	151213	✓	255-132-27-13
1♂		"	151214	✓	245-128-26-12
2♂		"	151215	✓	261-137-27-13
3♂		"	151216	✓	267-134-27-12
4♂		"	151217	✓	254-129-27-13





## Catalogue

Bel. K. 18 km N. Lake Pallemu, Netherlands New Guinea, 2260 m.

Nov. 23, 1938.

6025 ♂	<i>Anisomys</i>	151391	✓	538-293
6 ♂	<i>Peromyscus</i>	109690	✓	<del>405-180</del> 62-21
7 ♀	<i>Dactylopsax</i>	109413	✓	424-166-55-26
8 ♂	<i>Melomys</i>	151218	✓	405-180-42-25
9 ♂	"	151219	✓	343-159-41-23
6030 ♂	<i>Phascogale</i>	109564	✓	337-152-41-22
1 ♀	<i>Anisomys</i>	151392	✓	387-191-40-17
2 ♀	<i>Pseudochinus</i>	109624	✓	530-291-58-20
3 ♂	<i>Phascogale</i>	109565	✓	345-164-22-21
				340-173-36-17

Nov 24 1938

6034 ♂	<i>Peromyscus</i>	109691	✓	460-179-56-23
5 ♂	<i>Phascogale</i>	109827	✓	253-132-25-16
6 ♂	<i>Anisomys</i>	151393	✓	578-325-60-20
7 ♂	"	151394	✓	602-324-61-20
8 ♀	"	151395	✓	555-288-57-19
9 ♀	"	151396	✓	598-321-59-20
6040 ♀	"	151397	✓	560-315 60-17
1 ♂	<i>Pogonomys</i>	151220	✓	243-156-24-17
2 ♂	<i>Pseudochinus</i>	109625	✓	361-166-22-21
3 ♀	"	109626	✓	374-176-22-22
4 ♀	"	109627	✓	284-138-18-22
5 ♂	<i>Peromyscus</i>	109692	✓	521-120-61-23
6 ♂	<i>Phascogale</i>	109566	✓	374-193-40-17
7 ♀	"	109828	✓	233-129-21-13
8 ♀	<i>Pseudochinus</i>	109637	✓	685-304-48-14
9 ♂	<i>Pogonomys</i>	151221	✓	305-174-24-15
6050 ♂	"	151222	✓	287-160-24-15
1 ♂	<i>Melomys</i>	151223	✓	267-133-28-14
2 ♂	"	151224	✓	264-135-27-13
3 ♂	"	151225	✓	267-136-27-12
4 ♂	"	151226	✓	260-133-27-13
5 ♂	"	151227	✓	251-127-26-12
6 ♂	"	151228	✓	261-136-27-14
7 ♂	"	151229	✓	257-136-27-13
8 ♂	"	151230	✓	240-121-26-12
9 ♂	"	151231	✓	248-129-26-12

1 yag.

Skin only





## Catalogue

Bel. P. 18 km N Lake Halima, Netherlands New Guinea 2200m

Nov. 24, 1938.

6060	♂	Anisomys	151398	^		561-313-59-18
1	♂	"	151399	^		551-302-59-20
2	♀	Peromyscus	109693	^		465-166-56-25
3	Juv.	"	152797	^		Alcoholic
4	♂	Dorcopsis	109660	^		512-224-96-36
5	♂	Phalanger	109491	^		733-317-58-23
6	♀	Phascogale	109567	^		326-169-33-16
7	♂	"	109765A	^	<del>151780</del>	260-110-24-13
8	♂	Melomys	151232	^		241-123-26-12
9	♂	"	151233	^		241-124-26-12
6070	♂♀	Pseudochinus	109645	^		654-300-43-23
1	♂ Juv.	"	152787	^		Alcoholic
2	♂	Peromyscus	109694	^		540-200-64-24
3	♀	"	151745	^		
4	♀	Anisomys	151400	^	skull only	426-168-53-23
5	♀	Melomys	151234	^	ant	590-322-63-20
6	♀	"	151235	^		240-125-25-11
7	♀	"	151236	^	2 cmb x 7	250-132-26-13
8	♀	"	151237	^	2 cmb x 21	246-128-25-13
9	♀	"	151238	^		261-131-27-13
6080	♀	Loxotomys	151239	^	1 cmb x 5	231-116-25-12
1	♂	Phascogale	109568	^		194-108-24-19
2	♂	Anisomys	151401	^		366-182-37-18
3	♀	Pseudochinus	109638	^		587-317-62-20
4	♂ Juv.	"	152788	^		697-274-64-25
5	♂	Peromyscus	109695	^		Alcoholic
						505-194-62-23

Nov. 25, 1938.

6086	♂	Dasyurus	109424	^		367-165-39-19
7	♂	Phascogale	109829	^		287-149-25-17
8	♂	Stenomys	151240	^		253-116- <del>18</del> <sup>28</sup> -18
9	♀	Phascogale	109569	^		350-182-35-18
6090	♂	Melomys	151241	^		337-160-41-21
1	♂	"	151242	^		335-156-41-22
2	♂	"	151243	^		347-163-41-22
3	♂	"	151244	^		340-161-41-21
4	♂	"	151245	^		350-151-40-22





# Catalogue

Beli R. 18 km W Lake Habbema, Netherlands New Guinea 2200 m.  
Nov. 25, 1938.

6095	♂	<i>Melomys</i>	151246	✓		345-163-41-21
6	♂	"	151247	✓		337-161-40-23
7	♂	"	151248	✓		347-167-41-22
8	♀	"	151249	✓	1 emb. x 37	329-156-39-22
9	♀	"	151250	✓	1 emb. x 50	321-144-38-20
6100	♀	"	151251	✓		307-141-40-22
1	♀	"	151252	✓		320-146-40-21
2	♀	"	151253	✓		310-144-40-21
3	♀	"	151254	✓		302-135-37-20
4	♀	"	151255	✓		319-149-40-22
5	♀	"	151256	✓	1 emb. x 45	319-141-40-20
6	♀	"	151257	✓	1 emb. x 50	325-145-40-22
7	♀	"	151258	✓	1 emb. x 12	<u>276</u> - <u>193</u> -40-22
8	♂	<i>Hydromys</i>	151460	✓		513-280-55-10
9	♀	<i>Peromyscus</i>	109655	✓		471-188-57-22
6110	♀	<i>Mallomys</i>	151341	✓		755-380-70-28
1	♀	<i>Uromys</i>	151452	✓		700-380-73-30
2	♀	<i>Anisomys</i>	151462	✓		562-313-60-19
3	♀	"	151463	✓		578-320-60-19
4	♂	<i>Phalanger</i>	109492	✓		713-297-55-15
5	♂	"	109493	✓		785-375-56-24
6	♀	<i>Peromyscus</i>	109696	✓		498-185-57-23
7	♂	Juv. "	152798	✓		Alcoholic
8	♀	<i>Mallomys</i>	151342	✓		745-346-69-30
9	♂	<i>Phascogale</i>	151746	✓	Skull only	<u>300</u> - <u>140</u> -35-17
6120	♀	"	109570	✓	1 emb. x 15	369-190-34-16
1	♀	<i>Anisomys</i>	151464	✓		568-315-60-20
2	♂	<i>Pogonomys</i>	151259	✓		289-145-24-14
3	♂	"	151260	✓		297-171-25-14
4	♂	"	151271	✓		298-171-25-14
5	♂	"	151261	✓		311-181-25-15
6	♂	"	151262	✓		297-174-25-15
7	♂	"	151263	✓		294-170-24-14
8	♂	"	151264	✓		300-172-24-14
9	♂	"	151265	✓		298-177-24-14
6130	♀	"	151266	✓		290-172-24-13
1	♀	"	151267	✓		282-169-23-14





# Catalogue

Bile P, 18km N Lab Habbema, Netherlands New Guinea 2200m.

Nov. 25, 1938.


6132 ♀ *Anisomys* 151465 ^ 552-298-61-21

Nov. 26, 1938.

6133 ♀ *Pogonomys* 151268 ^ 295-173-24-14  
 4 ♀ " 151269 ^ 281-164-24-14  
 5 ♀ " 151270 ^ 241-154-22-13  
 6 ♂ *Pseudochinus* 109646 ^ 658-292-46-23  
 7 ♀ *Anisomys* 151466 ^ 598-330-59-21  
 8 ♀ " 151467 ^ 567-300-59-20  
 9 ♀ " 151468 ^ 551-298-61-19  
 6140 ♂ " 151469 ^ 589-331-61-20  
 1 ♂ " 151410 ^ 593-325-60-21  
 2 ♀ " 151411 ^ 595-330-61-21  
 3 ♀ " 151412 ^ 585-315-62-20  
 4 ♀ *Phascogale* 109766 ^ 255-108-22-15  
 5 ♀ *Peromyscus* 109697 ^ 430-168-53-22  
 6 ♂ *Hydromys* 151461 ^ 503-268-59-11  
 7 ♀ *Peromyscus* 109656 ^ " *Skin & Skull* 436-133-67-30  
 8 ♂ *Phascogale* 109571 ^ 357-177-35-17  
 9 ♂ " 109572 ^ 368-190-38-18  
 6150 ♀ " 151747 ^ *Skull only* 365-184-37-17  
 1 ♂ *Pogonomys* 151272 ^ 292-168-23-14  
 2 ♂ *Melomys* 151273 ^ 265-131-26-14  
 3 ♂ " 151274 ^ 249-127-26-14  
 4 ♂ " 151275 ^ 254-126-27-13  
 5 ♂ " 151276 ^ 266-132-27-14  
 6 ♂ *Peromyscus* 109698 ^ 474-180-56-24  
 7 ♂ *Phascogale* 151748 ^ *Skull only* 342-172-36-16  
 8 ♂ *Hydromys* 151462 ^ 530-277-54-11  
 9 ♀ " 151463 ^ 458-237-49-11  
 6160 ♂ *Pseudochinus* 109628 ^ 341-168-23-20

Nov. 27, 1938.

6161 ♂ *Phalanger* 109494 ^ 743-336-56-23  
 2 ♀ *Peromyscus* 109699 ^ 477-171-56-24  
 3 ♂ " 109770 ^ 520-188-60-24  
 4 ♀ *Phascogale* 109594 ^ 308-160-33-17





# Catalogue

Bele R. 18 km N. Lake Kabbema, Netherlands New Guinea 2200  
Nov. 27, 1938

6165 ♀	<i>Placozela</i>	109573 ♀		337-164-33-17
6 ♂ Juv.	"	152807 ♀		Alcoholic
7 ♂ Juv.	"	152808 ♀		Alcoholic
8 ♂ Juv.	"	152809 ♀		Alcoholic
9 ♀	<i>Eudromicia</i>	109867 ♀		246-144-18-14
6170 ♂	<i>Pogonomys</i>	151277 ♀		260-157-27-17
1 ♂	<i>Stenomys</i> <i>Melomys</i>	151278 ♀		256-120-28-16
2 ♀	<i>Melomys</i>	151279 ♀		326-148-40-19
3 ♀	<i>Pseudochinus</i>	109647 ♀		629-281-41-22
4 ♂ Juv.	"	152789 ♀		Alcoholic
5 ♀	"	109648 ♀		664-311-42-25
6 ♂ Juv.	"	109649 ♀		368-177-31-20
7 ♂	<i>Melomys</i>	151280 ♀		269-140-28-13
8 ♂	"	151281 ♀		238-123-25-13
9 ♀	"	151282 ♀	2 emb. x 10	238-121-25-13
6180 ♀	"	151283 ♀	1 emb. x 28	252-128-27-13
1 ♀	"	151284 ♀	2 emb. x 5	228-118-24-11
2 ♀	"	151285 ♀	2 emb. x 5	210-107-24-14
3 ♀	"	151286 ♀		220-113-26-13
4 ♀	"	151287 ♀		188-91-22-11
5 ♂	<i>Melomys</i>	151288 ♀		335-160-40-22
6 ♂	<i>Stenomys</i>	151289 ♀		242-113-27-15
7 ♀	"	151290 ♀		254-118-27-15
8 ♂	"	151291 ♀		257-118-27-18
9 ♂	"	151292 ♀		248-114-27-16
6190 ♂	"	151293 ♀		260-116-29-15
1 ♀	"	151294 ♀		242-106-27-17
2 ♂	<i>Melomys</i>	151295 ♀		267-137-27-13
3 ♂	<i>Melomys</i>	151296 ♀		331-154-29-20
4 ♀	<i>Anisomys</i>	151413 ♀		532-287-60-19
5 ♂	<i>Phalanger</i>	109495 ♀		774-366-57-20
6 ♂	"	109496 ♀		770-357-58-20
7 ♂	"	109497 ♀		587-263-49-18
8 ♂	<i>Anisomys</i>	151414 ♀		578-316-64-18
9 ♂	<i>Placozela</i>	109574 ♀		380-188-36-17
6200 ♀	"	109575 ♀	4 yg. x 14	338-163-34-17
1 ♂	<i>Dasyurus</i>	109410 ♀		522-238-47-21





# Catalogue

Beli R, 18 km N Lake Habbema, Netherlands New Guinea 2200 m  
Nov. 27, 1938.

6202	♂ Peromyscus	109657	♂		474-177-56-23
3	Juv. "	152799	♂		Alcoholic
4	♀ Anisomys	151464	♂	Skull only!	488-260-58-19
5	♂ "	151415	♂	Skin is Peromyscus (153496) = 109656	567-321-60-19
6	♂ Hydromys	151465	♂		525-265-53-12
7	♂ Phascogale	109576	♂		363-175-35-17

Nov. 28, 1938.

6208	♂ Anisomys	151416	♂		576-315-60-21
9	♂ "	151417	♂		568-300-60-22
6210	♂ "	151418	♂		573-321-60-19
1	♂ "	151419	♂		551-318-61-18
2	♂ "	151420	♂		415-214-55-18
3	♀ "	151421	♂		607-332-62-20
4	♀ "	151422	♂	2 emb. x 50.	586-319-60-18
5	♀ "	151423	♂		591-326-60-20
6	♀ "	151424	♂	2 emb x 15	586-318-61-19
7	♀ "	151425	♂		592-326-62-20
8	♀ "	151426	♂		570-325-62-18
9	♂ Peromyscus	109701	♂		438-172-56-24
6220	♀ "	109702	♂		468-187-57-22
1	♀ Chromys	151453	♂		695-356-73-23
2	♀ "	151454	♂		708-365-73-22
3	♀ Dorcopsis	109661	♂		623-270-92-33
4	♂ Juv. "	152759	♂		Alcoholic
5	♂ Phalanger	151782	♂	Skull only	722-295-55-14
6	♀ "	109498	♂	ant	695-287-52-17
7	♂ Peromyscus	109703	♂		492-180-59-23
8	♂ Phascogale	109767	♂		257-110-23-13
9	♂ Phascogale	109577	♂		342-167-35-15
6230	♀ "	109578	♂		312-159-34-16
1	♂ Melomys	151297	♂		328-151-41-22
2	♀ Pseudochinus	151749	♂	Skull only	383-168-24-23
3	♂ Juv. "	152790	♂		Alcoholic
4	♀ "	151750	♂	Skull only	371-171-24-21
5	♀ Juv. "	152791	♂		Alcoholic





# Catalogue

Bek. B., 18 km Mal. Habima Netherlands New Guinea 2200m.  
Nov. 29, 1938.

6236 ♂	<i>Stenomys</i>	151298	♂	240-105-27-16
7 ♂	<i>Melomys</i>	151299	♂	251-116-29-18
8 ♂	"	151300	♂	235-118-29-18
9 ♂	"	151301	♂	241-118-29-17
6240 ♂	"	151302	♂	245-120-29-18
1 ♀	"	151303	♀	234-110-27-18
2 ♀	"	151304	♀	234-118-27-18
3 ♂	<i>Anisomys</i>	151427	♂	549-303-60-18
4 ♀	<i>Hydromys</i>	151466	♀	500-270-52-11
5 ♂	<i>Dasyurus</i>	109416	♂	289-125-33-20
6 ♂	<i>Plalanger</i>	109499	♂	710-292-58-15
7 ♂	<i>Pseudochinus</i>	109639	♂	765-318-60-23
8 ♀	"	109640	♀	740-308-57-29
9 ♂ Juv.	"	152792	♂	Alcoholic
6250 ♂	"	109650	♂	662-310-43-25

See Audubon's Catalogue

7000 ♀	<i>Hyomys</i>	151343	♀	580-262-60-27
1 ♀	<i>Pseudochinus</i>	109651	♀	642-285-43-23
2 ♀ Juv.	"	152793	♀	Alcoholic
3 ♂	<i>Dorcopsis</i>	109662	♂	692-284-92-37
4 ♂	<i>Peroryctes</i>	109704	♂	500-190-60-25
5 ♂	"	109705	♂	532-208-62-24
6 ♂	<i>Anisomys</i>	151428	♂	561-310-62-20
7 ♂	"	151434	♂	585-315-63-20
8 ♂	"	151429	♂	571-308-62-19
9 ♂	"	151430	♂	565-315-59-20

Nov. 30, 1938.

7010 ♂	<i>Pseudochinus</i>	109629	♂	371-182-23-23
1 ♂	<i>Phascogale</i>	109579	♂	414-205-38-19
2 ♂	"	109539	♂	332-173-37-17
3 ♀	"	109580	♀	217-108-25-13
4 ♀	"	109581	♀	361-178-35-16
5 ♀	"	109582	♀	353-172-35-17
6 ♂ Juv.	"	152810	♂	Alcoholic
7 ♀	<i>Anisomys</i>	151431	♀	561-310-58-18





# Catalogue

Bel. P. 18 km. N. Lake Habbema, Netherlands New Guinea 2200 m

Nov 30, 1938.

7018 ♀	<i>Anisomys</i>	151432	♂	599-334-63-21
9 ♂	<i>Mallomys</i>	151455	♂	784-402-71-29
7020 ♂	<i>Peromyscus</i>	109706	♀	480-172-59-20
1 ♂	"	109707	♂	470-176-57-23
2 ♂	"	109708	♂	522-197-62-21
3 ♀	"	109709	♀	418-157-52-22
4 ♂	<i>Anisomys</i>	151433	♂	556-303-62-18
5 ♀	"	151435	♀	569-307-61-20
6 ♂	<i>Phascogale</i>	109583	♂	379-197-35-16

Dec. 1, 1938

7027 ♂	<i>Phalanger</i>	109500	♂	740-320-58-17
8 ♂	"	109501	♀	760-319-55-17
9 ♂	<i>Thomomys</i>	151456	♂	657-323-75-22
7030 ♂	<i>Anisomys</i>	151436	♂	538-294-57-20
1 ♂	"	151437	♂	574-322-58-19
2 ♀	"	151438	♀	554-320-60-19
3 ♂	<i>Phascogale</i>	109584	♂	355-182-38-19
4 ♀	<i>Phascogale</i>	109830	♀	246-126-73-16
5 ♀	<i>Melomys</i>	151305	♀	240-131-71-16
6 ♀	<i>Pogonomys</i>	151306	♀	265-158-27-17
7 ♂	<i>Thomomys</i>	151439	♂	700-365-75-21
8 ♂	<i>Anisomys</i>	151457	♂	578-320-62-20
9 ♀	"	151440	♀	613-338-60-20
7040 ♂	<i>Phascogale</i>	109585	♂	407-200-40-19
1 ♀	<i>Anisomys</i>	151441	♀	525-298-59-19

2 emb. x 18.

Dec. 2, 1938.

7042 ♂	<i>Hydromys</i>	151467	♀	457-240-51-12
3 ♂	<i>Melomys</i>	151307	♂	331-160-42-20
4 ♀	"	151308	♂	237-114-28-18
5 ♀	"	151309	♀	252-130-29-16
6 ♀	<i>Pogonomys</i>	151310	♀	288-146-23-15
7 ♀	<i>Melomys</i>	151311	♀	250-131-25-13
8 ♀	"	151312	♀	246-130-25-13
9 ♂	<i>Stenomys</i>	151313	♂	272-132-29-17
7050 ♀	"	151314	♀	255-118-28-18






# Catalogue

Belu R. 18 km N Lab. Naberna, Netherlands New Guinea 2200 m.  
Dec. 2, 1938.

7051	♂	<i>Melomys</i>	151315	✓		320-159-40-21
2	♀	"	151316	✓		321-149-38-20
3	♀	"	151317	✓	1 emb x 40.	313-148-40-20
4	♂	<i>Anisomys</i>	151442	✓		555-305-60-18
5	♂	<i>Melomys</i>	151318	✓		237-118-28-16
6	♂	"	151319	✓		239-119-28-17
7	♂	"	151320	✓		243-121-29-18
8	♀	"	151321	✓		245-119-28-18
9	♀	"	151322	✓		224-111-28-17
7060	♀	<i>Pogonomys</i>	151323	✓		271-165-26-18
1	♂	<i>Stenomys</i>	151324	✓		242-118-29-16
2	♀	"	151751	✓	Skull only	258-122-29-16
3	♀	"	151752	✓	" "	246-114-26-15
4	♀	"	151753	✓	" "	243-114-28-16
5	♂	<i>Pronyctea</i>	109710	✓		511-186-60-24
6	♂	<i>Anisomys</i>	151443	✓		565-311-60-19
7	♂	<i>Stenomys</i>	151325	✓		258-118-29-17
8	♂	"	151326	✓		230-101-26-15
9	♀	<i>Melomys</i>	151327	✓		255-124-29-18
7070	♀	"	151328	✓		241-121-28-17
1	♀	<i>Melomys</i>	151329	✓	2 emb. x 29.	254-128-29-17
2	♂	"	151754	✓	Skull only	257-126-29-16
3	♂	"	151555	✓	" "	250-126-28-16
4	♀	"	151756	✓	" "	240-117-27-18
5	♀	"	151757	✓	" "	253-125-28-17
6	♂	<i>Stenomys</i>	151758	✓	" "	254-120-27-17
7	♂	<i>Melomys</i>	151759	✓	" "	304-136-39-20
8	♂	"	151760	✓	" "	343-162-40-20
9	♂	<i>Pascogale</i>	151761	✓	" "	<del>420</del> ? <del>202</del> -40-18
7080	♀	<i>Pseudochinus</i>	109630	✓		378-182-25-23
1	♂	Juv. "	152794	✓		Alcoholic
2	♂	<i>Anisomys</i>	151444	✓		578-320-60-18
3	♂	"	151445	✓		552-297-60-19
4	♂	"	151446	✓		580-322-60-21
5	♀	"	151447	✓		561-315-59-18
6	♀	"	151448	✓		588-330-60-19
7	♀	<i>Phalanger</i>	109562	✓		660-295-53-17





# Catalogue

Belk R., ed. N. Lake Habbema, Netherlands New Guinea 2200 m.  
Dec. 2, 1938.

7088 ♀	<i>Mallomya</i>	151458	^	763-382-70-27
9♂	<i>Dactylosas</i>	109408	^	453-213-42-27
7090 ♀	<i>Anisomya</i>	151449	^	-----

Dec. 3, 1938.

7091 ♂	<i>Dasyarus</i>	109407	^	515-232-47-19
2♂	<i>Phasogah</i>	109831	^	285-145-26-14
3♂	"	109832	^	290-148-25-16
4♂	<i>Phasogah</i>	109586	^	429- <del>2</del> <sup>212</sup> -41-19
5♀	"	109587	^	365-178-37-19
6♀	"	109588	^	350-170-35-18
7♀	"	109589	^	335-175-35-16
8♀	<i>Hydromys</i>	151468	^	520-273-52-11
9♀	<i>Pogonomya</i>	151330	^	276-155-23-15
7100 ♀	<i>Milomys</i>	151331	^	229-119-28-16
1♀	"	151332	^	248-129-29-16
2♀	<i>Uromys</i>	151481	^	<span style="border: 1px solid black; padding: 2px;">645</span> - <span style="border: 1px solid black; padding: 2px;">332</span> - <del>52</del> <sup>72</sup> -22
3♂	<i>Anisomya</i>	151470	^	590-329-61-19
4♀	"	151471	^	601-334-60-19
5♂	<i>Peroryztes</i>	109724	^	534-194-62-24
6♂	"	109725	^	474-169-57-25
7♀	"	109726	^	477-173-57-23
8♀	"	109727	^	377-147-47-20
9♂	<i>Phalanger</i>	109473	^	658- <del>274</del> <sup>275</sup> -52-17
7110 ♀	"	109474	^	710-282-54-18
1♂	<i>Pseudochinus</i>	109641	^	708-262-56-23
2♀	<i>Pseudochinus</i>	109652	^	636-295-43-24

Dec. 4, 1938.

1130 ♂	<i>Phalanga</i>	109475	^	567-256-50-18
4♀	"	109476	^	824-385-62-26
5♀	<i>Anisomya</i>	151472	^	583-336-61-20
6♀	"	151473	^	590-325-61-20
7♀	"	151474	^	530-295-58-19
8♀	"	151475	^	515-284-59-19
9♂	"	151476	^	565-312-60-20
7120 ♂	"	151477	^	545-296-61-20





### Catalogue

Belu R. 15 km N Lake Habbema, Netherlands New Guinea 2200m.  
Dec. 4, 1938.

71218	♂	Phalanger	139477	u		634-266-52-15
28	♂	Uromys	151482	u		660-345-72-20
38	♂	Anisomys	151478	u		588-330-62-20
48	♂	"	151479	u		592-335-61-19
58	♀	"	151480	u		568-303-60-20
68	♀	"	151483	u		532-291-61-19

Palim R., Netherlands New Guinea 1600  
Dec 9 1938

7127	♀	Melomys	110194	u	2 emb. x 5	315-162-29-15
88	♀	Rattus	110195	u	♀ emb x 9	315-143-33-18

Dec. 10, 1938.

7129	♂	Melomys	110196	u		238-117-25-11
7130	♂	"	110197	u		235-116-25-12
18	♂	"	110198	u		251-127-26-12
28	♂	"	110199	u		235-120-25-12
38	♂	"	110200	u		247-126-27-12
48	♂	"	110201	u		241-120-25-12
58	♂	"	110202	u		236-114-26-13
68	♀	"	110203	u	2 emb x 15	233-117-24-12
78	♀	"	110204	u		235-117-25-
88	♂	Stenomys	110205	u		244-107-27-15
98	♂	Rattus	110206	u		298-142-33-17

Dec. 11, 1938

7140	♂	Melomys	110207	u		255-125-26-12
18	♂	"	110208	u		265-130-27-12
28	♂	"	110209	u		266-103-24-12
38	♂	"	110210	u		218-112-25-12
48	♀	"	110211	u		250-127-25-13
58	♀	"	110212	u		250-125-25-13
68	♀	"	110213	u		218-112-24-13
78	♀	"	110214	u		203-106-25-11
88	♀	"	110215	u		198-105-24-12
98	♀	"	110216	u		170-87-22-12
7150	♂	Stenomys	110217	u		257-120-28-15

check skull wt 7151

110217





Catalogue

Palim R. Netherlands New Guinea 1600 m.

Dec. 11, 1938.

7151	♂	<i>Rattus</i>	110218	✓	315-141-35-19
2	♂	"	110219	✓	284-131-32-17
3	♂	<i>Melomys</i>	110220	✓	241-122-26-13
4	♂	"	110221	✓	237-117-25-12
5	♂	"	110222	✓	241-125-26-12
6	♂	"	110223	✓	252-132-27-13
7	♀	"	110224	✓	267-123-26-12
8	♀	"	110225	✓	239-121-25-12
9	♀	"	110226	✓	179-97-23-11
7160	♀	"	110227	✓	198-101-26-10

skin only

Measured by collector

Dec. 12, 1938.

7161	♂	<i>Melomys</i>	110228	✓	269-140-27-13
2	♂	"	110229	✓	262-131-27-12
3	♂	"	110230	✓	232-114-25-12
4	♂	"	110231	✓	257-130-27-13
5	♀	"	110232	✓	193-101-24-12
6	♀	<i>Stenomys</i>	110233	✓	244-111-27-15
7	♂	<i>Pipistrellus</i>	109979	✓	85-37-8-9
8	♂	<i>Rattus</i>	110234	✓	303-139-32-16
9	♂	<i>Melomys</i>	110235	✓	253-121-26-13
7170	♂	"	110236	✓	236-117-25-12
1	♀	"	110237	✓	239-119-27-13
2	♀	"	110238	✓	245-123-26-12

Dec. 13, 1938

7173	♂	<i>Syconycteris</i>	109953	✓	77 - - -12-14
4	♀	"	109954	✓	77 - - -12-14
5	♀	<i>Rattus</i>	110239	✓	192-88-27-15
6	♂	<i>Melomys</i>	110240	✓	195-91-25-12
7	♀	<i>Rattus</i>	110241	✓	303-141-33-18
8	♀	<i>Stenomys</i>	110242	✓	234-109-26-14
9	♂	<i>Endromicia</i>	109845	✓	240-139-18-16
7186	♂	<i>Rattus</i>	110243	✓	324-150-34-18
1	♂	"	110244	✓	306-147-33-16
2	♂	"	110245	✓	303-134-32-16
3	♀	"	110246	✓	300-139-32-15

SKIN ONLY





# Catalogue

Balim R., Netherlands New Guinea

1600 m.

Dec. 13, 1938

7184 ♀	<i>Rattus</i>	110247 ✓		288-128-29-17
5 ♀	"	110248 ✓		225-108-28-15
6 ♀	"	110249 ✓		296-125-30-16
7 ♀	"	110250 ✓		314-142-33-14
8 ♂	"	110251 ✓		280-140-34-14
9 ♂	<i>Melomys</i>	110252 ✓		245-127-26-14
7190 ♂	"	110253 ✓		232-120-26-13
1 ♂	"	110254 ✓		234-124-26-13
2 ♂	"	110255 ✓		225-121-26-13
3 ♀	"	110256 ✓	2 emb. x 30	293-151-27-12
4 ♀	"	110257 ✓	1 emb. x 7	249-132-26-13
5 ♀	"	110258 ✓		245-128-25-12
6 ♀	"	110259 ✓	2 emb. x 3	236-124-25-13
7 ♂	<i>Rattus</i>	110260 ✓		300-135-32-16
8 ♂	"	110261 ✓		293-138-31-17
9 ♂	"	110262 ✓		301-143-31-16
7200 ♂	"	110263 ✓		305-142-33-17
1 ♂	"	110264 ✓		326-160-35-19
2 ♂	"	110265 ✓		308-143-33-17
3 ♂	"	110266 ✓		<span style="border: 1px solid black;">303</span> - <span style="border: 1px solid black;">104</span> -35-17
4 ♂	"	110267 ✓		<span style="border: 1px solid black;">287</span> - <span style="border: 1px solid black;">121</span> -33-17
5 ♀	"	110268 ✓	5 emb. x 25	328-187-34-17
6 ♀	"	110269 ✓		320-151-32-17
7 ♀	"	110270 ✓		310-142-33-16
8 ♀	"	110271 ✓		296-138-32-17
9 ♀	"	110272 ✓		290-136-33-17
7210 ♀	"	110273 ✓		205-84-27-14

Dec. 14, 1938

7211 ♂	<i>Melomys</i>	110274 ✓		304-159-29--
2 ♂	"	110275 ✓		212-109-26-13
3 ♀	<i>Melomys</i>	110276 ✓		294-99-24-12
4 ♂	<i>Rattus</i>	110277 ✓		303-141-34-17
5 ♂	"	110278 ✓		217-103-27-13
6 ♀	"	110283 ✓		301-136-33-18
7 ♀	"	110284 ✓		267-123-30-16
8 ♀	"	110285 ✓		217-102-28-15





# Catalogue

Balim R., Netherlands New Guinea

Dec. 14, 1938.

1600 m.

7219 ♀	<i>Rattus</i>	110286	∧	315-152-33-18
7220 ♀	"	110287	∧	<span style="border: 1px solid black;">244</span> - <span style="border: 1px solid black;">705</span> -30-15 <small>Measured by collector</small>
1 ♀	"	110288	∧	325-144-33-17
2 ♀	"	110289	∧	<span style="border: 1px solid black;">275</span> - <span style="border: 1px solid black;">716</span> -30-16

Dec. 15, 1938.

7223 ♂	<i>Melomys</i>	110290	∧	236-124-25-13 <small>Measured by collector</small>
4 ♀	"	110291	∧	220-115-25-17
5 ♂	"	110292	∧	248-127-27-12
6 ♂	"	110293	∧	252-130-27-—
7 ♀	"	110294	∧	310-161-29-15
8 ♀	"	110301	∧	2 emb. x 25 284-147-29-14
9 ♀	"	110302	∧	240-121-26-13
7230 ♂	<i>Rattus</i>	110300	∧	283-183-31-15
1 ♂	"	110299	∧	314-145-32-17
2 ♀	"	110298	∧	300-139-31-17
3 ♂	<i>Melomys</i>	110297	∧	208-108-26-12
4 ♂	"	110296	∧	200-100-24-12
5 ♂	<i>Rattus</i>	110295	∧	230-113-30-15 <small>Measured by collector</small>
6 ♀	<i>Melomys</i>	110282	∧	248-120-28-13
7 ♀	<i>Rattus</i>	110281	∧	303-138-31-17
8 ♀	"	110280	∧	321-164-32-18
9 ♀	"	110279	∧	278-125-30-17
7240 ♀	"	110303	∧	231-109-28-15
1 ♂	"	110304	∧	309-140-32-15
2 ♂	"	110305	∧	242-115-30-15
3 ♂	"	110306	∧	241-114-30-14
4 ♀	"	110307	∧	308-141-32-14

Dec. 16, 1938.

7245 ♂	<i>Melomys</i>	110308	∧	248-125-26-12
6 ♂	"	110309	∧	241-126-26-13
7 ♂	"	110310	∧	240-121-27-—
8 ♀	"	110311	∧	219-108-25-12
9 ♂	<i>Rattus</i>	110312	∧	No skull 320-148-35-18
7250 ♂	<i>Melomys</i>	110313	∧	221-112-26-12
1 ♂	<i>Sycomycteris</i>	109955	∧	67-—-11-13





# Catalogue

Belim B., Netherlands New Guinea 1600 m.  
Dec. 16, 1938.

7252 ♀ *Melomys* 110314 ♀ 217-111-25-15

Dec. 17, 1938.

7253 ♂ *Sus* 109462 ♀ 700-95-38-55  
 4 ♂ *Pipistrellus* 109980 ♀ 85-38-7-9  
 5 ♀ *Melomys* 110315 ♀ 214-113-25-12  
 6 ♂ " 110316 ♀ 245-114-26-13

Dec. 18, 1938.

7257 ♂ *Melomys* 110317 ♀ 234-126-25-11  
 8 ♂ " 110318 ♀ 220-110-25-11  
 9 ♀ " 110319 ♀ 223-110-25--  
 7260 ♂ *Rattus* 110320 ♀ 315-158-33-19  
 1 ♀ " 110321 ♀ 256-124-30-15  
 2 ♂ " 110322 ♀ 142-25-27-15

Dec. 29, 1938.

7263 ♂ *Melomys* 110323 ♀ 240-128-25-13  
 4 ♀ *Murisoterus* 109962 ♀ 117-49-10-9

Hollandia, Netherlands New Guinea sea level

Dec. 24, 1938.


7265 ♀ *Dendrolagus* 109467 ♀ 1505-843-155-65

Dec. 27, 1938.

7266 ? *Hyomys* 109563 ♀ - - - - -

Specimens from 7267 to 7279 Prepared by Mr. Ebeli  
Cyboos Mo., Netherlands New Guinea

7267 ♂ *Phalanger* 109447 623-305-45-25 Nov 16 1938 150 m.  
 8 ♀ " 109444 " - - - - - " 19 " "  
 9 ♀ " 109445 795 400-74-25 " 6 " 200  
 7270 ♂ *Phalanger* 109439 893-416-97-31 " 25 " 300  
 1 ♂ " 109440 824-356-86-38 Dec 3 " 180  
 2 ♂ *Dendrolagus* 109463 " - - - - - " 15 " 150  
 3 ♂ *Dorcopsis* 109870 855-340-130-40 Oct. 27 " 400  
 4 ♀ *Stropus* 109870 550 [?] wing 143 Nov. 9 " 150  
 109464





# Catalogue

## Cyclops Mts. Netherlands New Guinea

7275 ♂	<i>Sciurus</i> x	-----	109669	Dec. 5 1938	150 m.
6 ♀	<i>Rattus</i> x	365-176-41-16	110132	Nov 25 1938	150
7 ♂	<i>Echymipera</i> x	345-80-60-25	109744	" 26 "	150
8 ♂	" x	477-120-70-40	109745	Dec. 3 "	150
9 ♂ Juv.	" x	-----	109746	Dec 5 "	150

[Note x indicates presence of skulls]

## Hollandia Netherlands New Guinea sea level Dec 29, 1938.

7280 ♀	<i>Rattus</i>	152354	219-112-20-15	Measuring collector
7281 ♀	<i>Phalanger</i>	151820	1200-550-90-25	

## Bernhard Camp Idenburg R. Netherlands New Guinea 50 m. Jan 5, 1938

7282 ♀	<i>Phalanger</i>	151790	1057-470-75-18	
3 Juv.	"	152829	Alcoholic	

## 15 Km SW Bernhard Camp Idenburg R. Netherlands New Guinea 1800 m. Jan 10, 1939

7284 ♀	<i>Pseudochirna</i>	151825	670-336-43-18
5 ♂	<i>Melomys</i>	152297	244-123-29-16
6 ♀	"	152298	245-120-29-15
7 ♀	<i>Stenomys</i>	152134	237-112-26-15

## Jan 11, 1939.

7288 ♂	<i>Melomys</i>	152299	245-126-29-16	
9 ♀	"	152300	248-128-29-16	
7290 ♀	"	152301	239-118-28-15	
1 ♀	"	152302	227-113-28-17	
2 ♀	"	152303	234-118-28-16	
3 ♂	<i>Melomys Pseudohyomys</i>	152088	255-134-31-14	
4 ♂	" <i>Pseudohyomys</i>	152089	255-139-30-15	
5 ♂	"	152090	251-131-30-14	
6 ♀	"	152091	244-130-30-15	
7 ♂	<i>Melomys</i>	152221	340-163-42-20	
8 ♂	<i>Stenomys</i>	152121	264-135-28-15	
9 ♂	"	152122	250-118-28-16	
300 ♂	"	152477	249-120-28-16	Skull only
1 ♀	"	152135	240-112-27-16	





## Catalogue

15 km S W Berndt Camp Idubing River, Netherlands New Guinea 1800 m.

Jan. 11, 1939

7302 ♂	<i>Plascogale</i>	152026 ♀	286-153-27-14
3 ♀	<i>Pseudochirus</i>	151826 ♀	653-283-49-18
4 ♂ juv.	"	152832 ♀	Alcoholic
5 ♂	<i>Phalanger</i>	151827 ♀	772-330-65-29
6 ♀	<i>Peroryctes</i>	151923 ♀	446-181-54-21

Jan. 12, 1939

7307 ♂	<i>Lorentzimys</i>	152080 ♀	185-108-24-18
8 ♂	<i>Stenomys</i>	152123 ♀	251-122-28-17
9 ♂	"	152136 ♀	<span style="border: 1px solid black;">239</span> - <span style="border: 1px solid black;">111</span> -27-16

Jan. 13, 1939

7310 ♂	<i>Melomys</i>	152304 ♀	235-115-28-17
1 ♂	"	152305 ♀	242-121-28-16
2 ♂	<i>Melomys Pseudohydromys</i>	152092 ♀	258-135-31-16
3 ♀	<i>Stenomys</i>	152137 ♀	249-124-27-16
4 ♀	<i>Melomys Pseudohydromys</i>	152485 ♀	Skull only <span style="border: 1px solid black;">169</span> - <span style="border: 1px solid black;">47</span> -29-15
5 ♀	<i>Pseudohydromys</i>	152093 ♀	258-140-31-15

Jan. 14, 1939

7316 ♂	<i>Melomys Pseudohydromys</i>	152094 ♀	249-133-29-16
7 ♀	"	152095 ♀	<del>220</del> -124-29-15
8 ♀	"	152096 ♀	240-130-31-15
9 ♂	<i>Melomys</i>	152222 ♀	335-164-41-22
7320 ♂ ♀	<i>Stenomys</i>	152138 ♀	239-120-28-14
1 ♀	"	152124 ♀	227-108-26-14
2 ♀	"	152139 ♀	231-113-26-15
3 ♀	<i>Miniopterus</i>	152147 ♀	104-51-9-8
4 ♂	<i>Dorcopsis</i>	151828 ♀	696-303-100-32
5 ♂	<i>Peroryctes</i>	151924 ♀	453-186-56-23
6 ♂	<i>Plascogale</i> [skin only]	152221 ♀	420-195-41-19

Jan. 15, 1939

7327 ♀	<i>Plascogale</i>	152025 ♀	245-110-23-12
8 ♂	<i>Melomys</i>	152223 ♀	325-152-41-20
9 ♂	"	152224 ♀	340-157-41-19
7330 ♀	"	152225 ♀	317-143-38-19





# Catalogue

15 km. SW Bernard Camp, Idenburg R. Netherlands New Guinea 1800 m.  
Jan. 15, 1939.

7331 ♂	<i>Melomys</i>	152306	♂	235-115-28-15
2 ♂	"	152307	♂	238-125-28-16
3 ♀	"	152308	♀	240-117-28-16
4 ♂	<i>Stenomys</i>	152140	♂	234-117-27-15
5 ♂	"	152141	♂	258-124-28-18
6 ♂	"	152142	♂	245-120-28-16
7 ♂	"	152143	♂	256-122-28-16
8 ♂	"	152125	♂	255-126-27-15
9 ♂	"	152126	♂	239-120-26-15
7340 ♀	"	152144	♀	252-123-27-16
1 ♀	"	152127	♀	238-118-27-16

Jan. 16, 1939

7342 ♀	<i>Melomys</i>	152309	♀	225-114-26-14	Measured by collector
3 ♂	<i>Stenomys</i>	152145	♂	246-112- <del>25</del> 16	"
4 ♂	"	152146	♂	263-135-29-15	"
5 ♂	<i>Phascogale</i>	151985	♂	455-210-37-15	"
6 ♂	<i>Melomys</i>	152310	♂	245-127-27-15	"
7 ♀	"	152311	♀	227-113-28-13	"
8 ♀	"	152312	♀	234-122-27-15	"
9 ♂	"	152313	♂	198-96-27-15	1600
7350 ♂	<i>Stenomys</i>	152478	♂	259-126-28-16	Skull only
1 ♀	"	152823	♀	234-112-26-15	"
2 ♀	<i>Pseudohydromys</i>	152147	♀	248-116-27-17	"

Jan. 17, 1939

7353 ♂	<i>Pseudohydromys</i>	152097	♂	244-131-31-15
4 ♀	"	152098	♀	250-136-30-15
5 ♂	<i>Melomys</i>	152314	♂	246-130-29-16
6 ♂	"	152316	♂	249-130-28-16
7 ♀	"	152315	♀	228-114-28-15
8 ♀	"	152317	♀	230-115-28-16
9 ♀	"	152318	♀	237-124-28-15
7360 ♂	<i>Stenomys</i>	152148	♂	248-115-28-15
1 ♂	"	152149	♂	218-106-27-15
2 ♂	"	152150	♂	191-93-25-14
3 ♀	"	152128	♀	243-117-28-15





# Catalogue

15 km S.W. Bernhard Camp, Irian Jaya, Netherlands New Guinea 1800 m.

Jan 17, 1939.

7364♀	<i>Stenomys</i>	152151	♂	255-125-29-18
5♀	"	152152	♂	239-116-27-16
6♀	"	152153	♂	228-111-27-14
7♀	<i>Phascogale</i>	152022	♂	386-182-35-16

Jan 18, 1939

7368♂	<i>Melomys</i>	152319	♂	236-120-29-16
9♀	<i>Stenomys</i>	152129	♂	252-127-27-16
7370♀	"	152130	♂	245-123-27-15
1♂	<i>Phascogale</i>	151984	♂	425-196-40-15

Jan 19, 1939.

7372♀	<i>Muripterus</i>	<del>152448</del>	152448	♂	108-51-9-9
3♀	<i>Melomys</i>	152320	♂	237-120-28-16	
4♂	<i>Stenomys</i>	152154	♂	225-109-27-15	
5♀	<i>Pseudohydromys</i>	♀ <i>Stenomys</i>	152155	♂	249-126-28-16
6♀	<del><i>Phascogale</i></del>	♀ <i>Pseudohydromys</i>	152099	♂	240-130-30-15
7♀	<del>+</del>	♀ <i>Phascogale</i>	152027	♂	255-132-24-15
8		♀ juv.	152028	♂	155-82-17-
9♀	<i>Peromyscus</i>	151925	♂	460-181-55-23	
7380♂	Juv. "	152800	♂	Alcoholic	
1♀	<i>Dasyurus</i>	151978	♂	508-241-47-22	
2	Juv. "	152817	♂	Alcoholic	
3	Juv. "	152818	♂	Alcoholic	
4	Juv. "	152819	♂	Alcoholic	
5♂	<i>Pseudochinus</i>	151829	♂	670-290-48-16	

Jan 20, 1939.

7386♂	<i>Pseudohydromys</i>	152100	♂	250-140-31-16
7♀	"	152101	♂	228-125-30-16
8♂	<i>Melomys</i>	152321	♂	253-133-30-18
9♀	<i>Melomys</i>	152226	(Cat 46 152749   embx 45)	336-162-40-19
7390♀	<i>Stenomys</i>	152131	♂	247-118-26-16

Jan 21, 1939.

7391♂	<i>Melomys</i>	152227	♂	342-167-43-22
2♀	<i>Pseudohydromys</i>	152102	♂	253-135-30-15





Catalogue

15 km S.W. Bernhard Camp Idenburg R., Netherlands New Guinea 1800 m.

Jan 21, 1939.

7393 ♀	<i>Phascogale</i>	152029	♂	3 young, 19 mm.	267-147-26-15
4 ♂	<i>Melomys</i>	152228	♂		312-143-39-19
5 ♀	<i>Peroryzetes</i>	151926	♂		320-142-42-19

Jan 22, 1939.

7396 ♂	<i>Melomys</i>	152322	♂		242-120-28-17
7 ♀	<i>Stenomys</i>	152156	♂		260-128-28-15
8 ♂	<i>Pseudohydromys</i>	152103	♂		250-131-31-15

Jan 23, 1939.

7399 ♂	<i>Peroryzetes</i>	151927	♂		455-184-55-21
7400 ♂	<i>Pseudohydromys</i>	152104	♂		246-134-29-15
1 ♂	<i>Stenomys</i>	152157	♂		263-123-28-16
2 ♂	<i>Melomys</i>	152323	♂		247-124-29-16
3 ♂	<i>Phascogale</i>	152223	♂		412-201-41-18
4 ♂	<i>Lorentzimys</i>	152081	♂		199-118-23-18

Jan 25, 1939.

7405 ♂	<i>Pseudohydromys</i>	152105	♂		245-127-30-15
6 ♀	<i>Stenomys</i>	152132	♂		246-116-27-16
7 ♂	<i>Melomys</i> [skull only]	152483	♂		323-154-41-20

Anacaria Creek Idenburg R., Netherlands New Guinea 800 m.

Jan 25, 1939.

7408 ♂	<i>Phascogale</i>	152009	♂		185-82-23-10
--------	-------------------	--------	---	--	--------------

15 km S.W. Bernhard Camp Idenburg R., Netherlands New Guinea 1800 m.

Jan 26, 1939.

7409 ♂	<i>Pseudohydromys</i>	<del>152106</del>	152106	♂	255-136-30-15
7410 ♀	"	152107	♂		239-132-29-16
1 ♂	<i>Melomys</i>	152324	♂		255-131-30-16
2 ♀	"	152325	♂		245-120-29-16
3 ♂	<i>Stenomys</i>	152158	♂		251-122-27-16
4 ♂	"	152159	♂		249-123-26-15
5 ♀	"	152160	♂		244-118-27-16
6 ♀	"	152161	♂		251-122-28-16
7 ♀	"	152162	♂		230-112-26-16





# Catalogue

15 Km S.W. Bernhard Camp Idenburg R. Netherlands New Guinea 1800 m.

Jan. 26, 1939.

7418 ♀	<i>Pseudohydromys</i>	152108 ♀		258-138-31-16
9 ♀	"	152109 ♀		257-133-30-15
7420 ♀	<i>Peromyscus</i>	151928 ♀		460-182-65-23
1 Juv.	"	152801 ♀		Alcoholic

Jan 27, 1939

7422 ♀	<i>Melomys</i>	152229 ♀		
5 ♂	<i>Phascogale</i>	152030 ♀	1 emb x 4	320-140-40-22
				304-165-27-16

Jan. 28, 1939.

7424 ♂	<i>Peromyscus</i>	151929 ♀		460-179-53-22
5 ♂	<i>Melomys</i>	152326 ♀		250-125-29-16

Jan. 29, 1939.

7426 ♀	<i>Peromyscus</i>	<del>151930</del> 151930-152476 ♀		446-175-55-20
7 Juv.	"	152802 ♀		Alcoholic
8 ♂	<i>Pseudohydromys</i>	152110 ♀		246-126-30-17
9 ♀	<i>Melomys</i>	152230 ♀		319-148-39-19

Jan 30, 1939.

7400 ♂	<i>Melomys</i>	152327 ♀		237-119-28-15
7431 ♂	<i>Peromyscus</i>	151935 ♀		500-158-75-29

18 Km S.W. Bernhard Camp Idenburg R. Netherlands New Guinea 2150

Feb. 1, 1939.

7432 ♂	<i>Melomys</i>	152268 ♀		<span style="border: 1px solid black; padding: 2px;">210</span> - <span style="border: 1px solid black; padding: 2px;">84</span> - 29-15
3 ♀	<i>Stenomys</i>	152166 ♀		250-122-29-16

Feb. 2, 1939.

7434 ♀	<i>Melomys</i>	152269 ♀	1 emb x 5	233-116-28-15
5 ♂	<i>Melomys</i>	152233 ♀		323-152-40-20
6 ♂	<i>Peromyscus</i>	151921 ♀		482-191-58-20
7 ♂	"	151922 ♀		405-170-51-19
8 ♂	<i>Pseudochinus</i>	151836 ♀		673-293-50-15





# Catalogue

15 km S.W. Bernard Camp Idenburg R. Mithulook New Guinea 1500 m.  
January 29 to February 2 1939.

OVER

15 Km. SW Bernhard Camp Januari 29 1939

7439	X ♀	<i>Peromyscus</i>	151931	∧	420-170-54-18
7440	X ♀	<i>Melomys</i>	152231	∧	315-144-38-17
30 Jan. [Jan.] = Januari 30, 1939					
7441	X ♂	<i>Phascogal</i>	152024	∧	455-240-43-18
2	X ♂	<i>Melomys</i>	152324	∧	247-127-30-15
3	X ♂	<i>Melomys</i>	152329	∧	254-126-30-15
[Jan.] = Januari 31, 1939					
7444	X ♂	<i>Phascogal</i>	152031	∧	245-132-24-16
5	X ♂	<i>Stenomys</i>	152163	∧	245-122-28-15
6	X ♀	<i>Melomys</i>	152330	∧	235-120-27-15
7	X ♀	<i>Melomys</i>	152331	∧	245-120- <del>15</del> -19
8	X ♀	<i>Melomys</i>	152332	∧	230-118-28-14
9	X ♀	<i>Stenomys</i>	152164	∧	252-130-27-15
[Feb.] = Februari 1, 1939					
7450	X ♀	<i>Melomys</i>	152232	∧	330-168-39-19
1	X ♂	<i>Melomys</i>	152333	∧	247-126-29-15
[Feb.] = Februari 2, 1939					
7452	X ♀	<i>Troentzomys</i>	152082	∧	185-110-22-16
3	X ♂	<i>Melomys</i>	152334	∧	245-122-27-15
4	X ♀	<i>Stenomys</i>	152133	∧	235-115-27-14
5	X ♂	<i>Stenomys</i>	152165	∧	265-122-27-15

Note - The above specimens # 7439 to 7455 were trapped, measured, and prepared by my collecting by Marcus.



# Catalogue

18 km S W Benteng Camp Mentawai I., Netherlands New Guinea 2150 m.

Feb. 3, 1939.

7456♂	<i>Peroryzetes</i>	151933	♂	505-152 - 75-28
7♀	<i>Melomys</i>	152234	♀	325-146-39-20

Feb. 4, 1939.

7458♂	<i>Pseudohydromys</i>	152111	♂	245-128-29-16
9♂	<i>Stenomys</i>	152167	♂	262-132-28-17
7460♂	"	152168	♂	253-124-28-16
1♀	"	152169	♀	251-121-27-15
2♀	"	152170	♀	250-122-28-16
3♀	"	152171	♀	262-133-28-15
4♀	"	152172	♀	242-120-27-16
5♀	"	152173	♀	208-104-25-13

Feb. 5, 1939.

7466♀	<i>Melomys</i>	152235	♀	340-164-41-18
7♀	"	152236	♀	340-164-40-20
8♂	<i>Pseudohydromys</i>	152112	♂	253-133-31-15
9♂	<i>Stenomys</i>	152174	♂	255-122-28-15
7470♂	"	152175	♂	257-127-27-15
1♀	"	152176	♀	255-129-28-15
2♀	"	152177	♀	260-128-28-15
3♀	"	152178	♀	257-126-28-15
4♀	"	152179	♀	244-123-27-14
5♂	<i>Peroryzetes</i>	151934	♂	466-148-71-28
6♂	<i>Phascogale</i>	152019	♂	444-217-41-17


Feb. 6, 1939.

7477♂	<i>Phascogale</i>	152020	♂	362-188-38-18
8♂	<i>Stenomys</i>	152180	♂	260-122-28-15
9♀	<i>Pseudohydromys</i>	152270	♀	263-140-31-16
7480♀	"	152744	♀	250-133-30-16
1♀	<i>Melomys</i>	152238	♀	321-148-41-19
2♀	<i>Thomomys</i>	152040	♀	639-346-71-20
3♀	<i>Anisomys</i>	152063	♀	574-318-60-18

Feb. 7, 1939.

7484♂	<i>Pseudohydromys</i>	152113	♂	255-136-31-15
-------	-----------------------	--------	---	---------------

~~1.5 cm x 1.0 mm.~~  
Alcoholic





# Catalogue

18 Km SW Buntad Camp Mentang R. Netherlands New Guinea 2150 m.

Feb. 7, 1939.

7485 ♂ *Melomys* 152237 ✓ 328-155-41-20  
6 ♀ " 152271 ✓ 244-122-29-16

Feb. 8, 1939.

7487 ♂ *Pseudohydromys* 152114 ✓ 241-125-30-16  
8 ♀ " 152115 ✓ 252-134-30-17  
9 ♂ *Stenomys* 152181 ✓ 262-125-28-15  
7490 ♀ " 152182 ✓ 242-116-27-15  
1 ♂ *Melomys* 152239 ✓ 338-153-40-20  
2 ♀ *Pseudohydromys* 152116 ✓ 263-142-31-17  
3 ♀ *Stenomys* 152183 ✓ 242 - 109 - 28-16

Feb. 9, 1939.

7494 ♀ *Phascogale* 152037 ✓ 267-139-23-14

Feb. 10, 1939

7495 ♀ *Uromys* 152041 ✓ 684-353-71-22

6 Km SW Buntad Camp Mentang R. Netherlands New Guinea 1200 m.

Feb. 13, 1939

7496 ♀ *Emballonura* 152422 ✓ 63-15-147

Feb. 14, 1939.

7497 ♀ *Miniopterus* 152449 ✓ 105-46-9-8  
8 ♀ *Peroryctes* 151936 ✓ 373-135-63-24  
9 ♀ " 151937 ✓ 460-156-71-25  
7500 ♂ Juv. " 152633 ✓ Alcoholic  
1 ♂ *Uromys* 152066 ✓ 575-326-56-18  
2 ♂ *Phascogale* 151996 ✓ 365-180-38-15  
3 ♂ *Melomys* 152240 ✓ 244-122-30-16  
4 ♀ " 152241 ✓ 233-112-27--  
5 ♂ *Phascogale* 151995 ✓ 400 - 185 - 36-15  
~~6 ♂ " "~~

Feb. 15, 1939.

7506 ♂ *Emballonura* ~~152388~~ 152423 ✓ 56-12-7-12  
7 ♀ *Dasyurus* 151974 ✓ -- 245-46-19  
8 ♂ *Uromys* 152067 ✓ 574-333-57-18





# Catalogue

6 Km SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

Feb. 15, 1939.

7509 ♀ *Plascogale* 152032 ♀ 264-131-20-12

Feb. 16, 1939.

7510 ♂ *Rattus* 152359 ♀ 315 - 117 - 38-19

1 ♀ *Miniopterus* 152450 ♀ 101-44-8-7

2 ♀ " 152451 ♀ ~~101-44-8-7~~ 99-43-8-8

3 ♀ *Melomys* 152268 ♀ 345-160-42-20

Feb. 17, 1939.

7514 ♀ *Rattus* 152362 ♀ ~~206x16 mm.~~ 346-166-35-19

Feb. 18, 1939.

7515 ♂ *Echymipera* 151863 ♀ 510-101-67-22

6 ♂ *Hydromys* 152070 ♀ 494-263-52-12

7 ♀ *Plascogale* 151994 ♀ 357-169-36-15

8 ♂ *Dasyurus* 151973 ♀ 296-129-34-18

Feb. 19, 1939.

7519 ♂ *Melomys* 152242 ♀ 254-124-27-14

Feb. 20, 1939.

7520 ♂ *Melomys* 152243 ♀ 212-90-27-16

1 ♀ *Emballonura* 152424 ♀ 58-13-7-12

2 ♀ *Dasyurus* 151972 ♀ 295-127-34-18

3 ♀ *Docopsis* 151830 ♀ 535-241-88-36

4 ♀ *Echymipera* 151864 ♀ ~~388-225~~-52-21

5 ♀ juv. " 152764 ♀ Alcoholic

Feb. 21, 1939.

7526 ♂ *Phalanger* 151831 ♀ 740-338-56-24

7 ♂ " 151832 ♀ 813-363-62-24

8 ♀ *Melomys* 152244 ♀ 176 - 72 - 26-14

9 ♀ *Emballonura* 152425 ♀ 57-11-7-12

7530 ♀ *Melomys* 152209 ♀ 285-128-41-20

1 ♂ *Peroryctes* 151938 ♀ 507-159-75-28





# Catalogue

6 Km S W Beunland Camp I Leubung R. Netherlands New Guinea 1200m.

Feb. 22, 1939.

7532 ♀ *Phascogale* 151993 ♀ 358-159- - - 15

Feb. 23, 1939.

7533 ♂ *Dasyurus* 151971 ♀ 308-142-35-20  
 4 ♂ *Melomys* 152210 ♀ 350-159-44-22  
 5 ♂ *Rattus* 152361 ♀ 335-165-35-18  
 6 ♀ " 152360 ♀ 340-167-35-18  
 7 ♂ *Melomys* 152245 ♀ 239-112-27-14  
 8 ♀ " 152246 ♀ <sup>2 comb. 117 mm</sup> 221-107-25-14  
 9 ♀ " 152247 ♀ 182-94-25-13

Feb. 24, 1939.

7540 ♀ *Emballonura* 152426 ♀ 61-12-8-12  
 1 ♀ " 152427 ♀ 57-13-7-12

Feb. 25, 1939

7542 ♂ *Thomomys* 152044 ♀ 523-238-58-22  
 3 ♂ *Phascogale* 152006 ♀ 240 - 22 - 40-20  
 4 ♀ *Dorcopsis* 151833 ♀ 722-325-96-37  
 5 Juv. " 152760 ♀ Alcoholic.  
 6 ♂ *Phascogale* 151992 ♀ 375-178-37-14 <sup>N370</sup>

Feb. 26, 1939.

7547 ♂ *Melomys* 152211 ♀ 255 - 103 - 47 -

Feb. 27, 1939.

7548 ♀ *Phascogale* 151991 ♀ 378-184-36-16  
 9 ♀ " 151990 ♀ 402-198-38-16  
 7550 ♂ *Thomomys* 152068 ♀ 553-315-56-17

Feb. 28, 1939.

7551 ♂ *Melomys* 152212 ♀ 328-161-42-21  
 2 ♂ *Phascogale* 151989 ♀ 414-188-39-17  
 3 ♂ *Calyptorhina* 151865 ♀ 468-91-63-21  
 4 ♂ *Dasyurus* 151970 ♀ 543 - 246 - 49-20





# Catalogue


Camp SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200

Mar. 1, 1939.

7555	♂	<i>Peromyscus</i>	151989	✓		420 - 148 - 67 - 26
6	♀	<i>Melomys</i>	152213	✓	1 emb x 15 mm.	354 - 168 - 41 - 22
7	♀	"	152248	✓	<del>152248</del> Skin only head in alcohol	— - 88 - 25 - 15

Note - Number 7558 to 7600 on pages 92 and 93.

Omit





# Catalogue

10 St. M. S. W. Bernhard Camp.  
Jelenburg River

Februari 17, 1939  
1500 M.

7558 X ♀	<i>Melomys</i>	152335 ♀	220 - 111 - 27 - 15
7559 X ♀	"	152254 ♀	235 - 118 - 26 - 17
7560 X ♀	"	152336 ♀	240 - 120 - 27 - 18
7561 X ♀	"	152255 ♀	221 - 116 - 26 - 13
7562 X ♂	<i>Phascogale</i>	152038 ♂	278 - 152 - 25 - 15
7563 X ♂	<i>Melomys</i>	152337 ♀	245 - 127 - 29 - 15

Februari 19, 1939

7564 X ♂	<i>Melomys</i>	152256 ♀	226 - 125 - 28 - 13
7565 X ♀		152463 ♀	84 - 34 - -8 - 10

Februari 20, 1939

7566 X ♀		152464 ♀	84 - 40 - -8 - 10
7567 X ♂	<i>Lorentzomys</i>	152083 ♀	178 - 104 - 22 - 17

Februari 21, 1939

7568 X ♂	<i>Nyctophilus</i>	152462 ♀	-98 - -37 - 10 - 15
7569 X ♂	<i>Melomys</i>	152220 ♀	335 - 160 - 40 - 17
7570 X ♂	<i>Melomys</i>	152257 ♀	236 - 124 - 28 - 18
7571 X ♂	"	152258 ♀	190 - -96 - 26 - 15
7572 X ♀	"	152338 ♀	225 - 115 - 27 - 14
7573 X ♀	"	152339 ♀	237 - 120 - 27 - 11
7574 X ♀	"	152340 ♀	236 - 117 - 27 - 16

Februari 22, 1939

7575 X ♀	<i>Melomys</i>	152259 ♀	228 - 117 - 27 - 14
7576 X ♂	"	152260 ♀	247 - 127 - 28 - 14
7577 X ♂	"	152261 ♀	175 - 110 - 28 - 14

Februari 23, 1939

7578 X ♀	<i>Lorentzomys</i>	152084 ♀	190 - 115 - 23 - 17
7579 X ♀	"	152263 ♀	205 - 112 - 26 - 14
7580 X ♀	"	152264 ♀	240 - 122 - 28 - 14
7581 X ♂	"	152265 ♀	235 - 122 - 27 - 14

Februari 24, 1939

7582 X ♂	<i>Dactylopsax</i>	151965 ♀	<del>245</del> - 194 - 45 - 26
7583 X ♂	<i>Melomys</i>	152266 ♀	189 - 94 - 26 - 15





## Catalogue

Februari 25, 1939

10 km S.W. Bernhard Camp,  
Idenburg River

1500 M.

7584	♀	Rattus	152363	♂	240-160-34-16
7585	♀	Melomys	152341	♂	235-120-26-15
7586	♀	"	152267	♂	225-118-27-14
7587	♀	Stromys	152117	♂	227-114-26-13
7588	♀	"	152118	♂	225-105-26-12
7589	♂	Melomys	152342	♂	241-126-28-11
7590	♂	"	152343	♂	215-111-27-13

Februari 26, 1939

7591	♂	Phascogale	151987	♂	417-202-39-14
7592	♂	Stromys	152119	♂	218-104-26-14
7593	♀	Melomys	152262	♂	240-121-25-15
7594	♀	Stromys	152120	♂	251-125-28-14

Februari 27, 1939

7595	♂	Loentziomys	152085	♂	191-115-22-14
7596	♂	Melomys	152482	♂	skull only 245-125-28-14

Februari 28, 1939

7597	♀		152465	♂	-81--37--18-10
7598	♀	Hydromys	152071	♂	530-285-50-13
7599	♀	Phascogale	151986	♂	4 <sup>n</sup> emb. 360-175-35-15

10 km SW Bernhard Camp Idenburg R. Netherlands New Guinea 1500 m.

Mar. 1, 1939

7600	♀	Dorcopsis	151837	♂	583-252-87-31
1	♂	Loentziomys	152086	♂	202-120-24-17

Note - The above specimens # 7558 to and including # 7600 were collected by one of my collecting boys and with the exception of # 7600 were prepared and measured by him. # 7601 brought in alive by a Dyak





# Catalogue

6 km SW Bunderland Camp, Humbung R., Netherlands New Guinea 1200 m.

Mar. 2, 1939

7602	♀	<i>Anisomys</i>	152064	♂		599-326-61-21
3	♀	<i>Peroryztes</i>	151932	♂		478-191-56-20
4	♀	<i>Dorcopsis</i>	151834	♂		640-290-94-35
5	♀	<i>Thomomys</i>	152069	♂	1 emb x 20 mm.	583-336-56-16

Mar. 3, 1939

7606	♂	<i>Melomys</i>	152249	♂	1 emb x 20 mm.	245-119-27-15
7	♂	"	152250	♂		223-102-26-16
8	♀	"	152214	♂		319-149-38-20
9	♂	<i>Phascogale</i>	152033	♂		250-135-24-12
7610	♂	<i>Melomys</i>	152215	♂		339-154-42--

Mar. 4, 1939

7611	♀	<i>Mineostrictus</i>	152452	♂	1 emb x 15	102-44-8-8
2	♀	"	152453	♂		98-46-8-8
3	♂	<i>Melomys</i>	152216	♂		359-162-43-21
4	♀	<i>Peroryztes</i>	151940	♂		500-168-74-28
5	♀	Juv. "	151941	♂		312-108-55-24
6	♂	<i>Phascogale</i>	151988	♂		395-194-37-15
7	♀	<i>Rattus</i>	152251	♂		217-105-29-16

Mar. 5, 1939

7618	♂	<i>Melomys</i>	152252	♂		239-117-27-16
9	♀	"	152253	♂	<del>2 emb x 15</del>	219-104-25-15
7620	♂	<i>Melomys</i>	152217	♂		348-163-41-19
1	♂	"	152218	♂		328-155-41-18
2	♀	"	152219	♂		304-141-40-19
3	♂	<i>Thomomys</i>	152045	♂		496-228-57-23
4	♂	<i>Anisomys</i>	152065	♂		594-335-61-20
5	♂	<i>Peroryztes</i>	151942	♂		507-170-75-25

4 km SW Bunderland Camp, Humbung R., Netherlands New Guinea 800 m.

Mar. 7, 1939

7626	♀	<i>Melomys</i>	152181	♂	1 emb.	<span style="border: 1px solid black; padding: 2px;">337</span> - <span style="border: 1px solid black; padding: 2px;">145</span> - 41 - —
7	♂	<i>Melomys</i>	152272	♂		242-121-27-16
8	♂	"	152273	♂		210-180-26-15
9	♀	"	152274	♂	2 emb x 10	241-119-27-16





# Catalogue

6 Km. SW Bernhard Camp Idenburg R. Netherlands New Guinea 1200m.

Mar. 7, 1939.

7630 ♂ *Thomomys* 152046 ♀ 542-253-59-23

4 Km. SW Bernhard Camp Idenburg River, Netherlands New Guinea 850m.

Mar. 8, 1939.

7631 ♂ *Hydromys* 152072 ♀ 510-254-54-14

2 ♂ *Melomys* 152275 ♀ 243-117-27-—

3 ♀ *Thomomys* 152053 ♀ 608-314-60-20

4 ♀ *Peroryztes* 151945 ♀ 487-156-72-25

5 Juv. " 152803 ♀ Alcoholic

Mar. 9, 1939.

7636 ♂ *Melomys* 152276 ♀ 245-119-27-17

7 ♂ *Thomomys Peroryztes* 151946 ♀ 510-169-75-25

8 ♂ *Peroryztes* 151947 ♀ 502-166-75-28

9 ♀ *Thomomys* 152047 ♀ 540-251-56-25

7640 ♂ *Melomys* 152185 ♀ 367-165-44-22

1 ♀ *Melomys* 152186 ♀ 350-155-41-21

2 ♀ *Echymipera* 151867 ♀ ~~152475~~ 290-—-50-20

3 Juv. " 152765 ♀ Alcoholic

4 Juv. " 152766 ♀ Alcoholic

6 Km. SW Bernhard Camp Idenburg River 1200m. Netherlands New Guinea.

Mar. 9, 1939.

7645 ♂ *Phalanger* 151835 ♀ 850-360-67-26<sup>2970</sup>

6 ♂ *Phascogale* 152007 ♀ 393-173-39-21

7 ♂ *Peroryztes* 151943 ♀ 495-162-72-29

8 ♀ " 151944 ♀ 470-166-69-28

4 Km. SW Bernhard Camp Idenburg R. Netherlands New Guinea 850m.

Mar. 10, 1939.

7649 ♂ *Phalanger* 151838 ♀ 860-387-64-23

7650 ♂ *Melomys* 152277 ♀ 247-125-27-16

1 ♂ *Canis* 151839 ♀ 1000-257-150-82

2 ♂ " 151840 ♀ 605-147-117-57

Mar. 11, 1939

7653 ♂ *Eptesicus* 152466 ♀ 100-35-10-10





# Catalogue

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 11, 1939.

7654 ♀ *Peroryzetes* 151948 n 484-164-72-27

Mar. 12, 1939.

7655 ♂ *Uromys* 152048 n 435-144-58-28

6 ♀ *Melomys* 152187 n 1 emb x 25 360-165-43-21

7 ♀ *Melomys* 152278 n ~~2 emb x 3~~ 215-107-27-15

8 ♀ *Phascogale* 152005 n 378-177-38-18

9 ♂ *Canis* 151841 n 880-235-141-75

7660 ♀ *Canis* 151842 n 930-250-138-84

~~♀ *Uta*~~

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

Mar. 12, 1939.

7661 ♀ *Uromys* 152054 n 577-292-57-?

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 13, 1939.

7662 ♀ *Melomys* 152279 n 231-110-26-15

Mar. 14, 1939.

7663 ♂ *Melomys* 152188 n 328-145-42-20

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea ~~850~~ 1200 m.

Mar. 14, 1939.  
7664 ♂ *Echymipera* 151866 n 435-95-63-22

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 15, 1939.

7665 ♀ *Echymipera* 151868 n 193- - - - -

6 ♂ *Peroryzetes* 151949 n 538-175-76-28

7 ♂ " 151950 n 411-142-64-25

8 ♀ " 151951 n 481-161-69-26

9 ♀ *Melomys* 152189 n 345-153-42-21


Mar. 16, 1939.

7670 ♂ *Dorcopsis* 151843 n 650-290-99-40

1 ♂ *Peroryzetes* 151952 n 512-175-76-25

2 ♀ *Echymipera* 151869 n 370-77-53-21

3 Juv. " 152767 n Alcoholic





# Catalogue

4 km SW Berndal Camp Idenburg R. Netherlands New Guinea 850 m.

Mar. 16, 1939.

7674	Juv <i>Echymipera</i>	152768	♂	Alcoholic
5 ♂	<i>Phascogale</i>	152004	♂	335-165-38-16
6 ♀	<i>Melomys</i>	152481	♀	Skull only
7 ♂	<i>Pseudohydromys</i>	152079	♂	172-92-20-8

Mar. 17, 1939.

76789	<i>Melomys</i>	152280	♂	235-126-26-16
9 ♂	<i>Peroryzetes</i>	151953	♂	538-172-78-30
76809	"	152487	♂	Skeleton only

Berndal Camp Idenburg R. Netherlands New Guinea 60 m.

Mar. 17, 1939.

7681	? <i>Phalanger</i>	151791	♂	No measurements
------	--------------------	--------	---	-----------------

4 km SW Berndal Camp Idenburg R. Netherlands New Guinea 850 m.

Mar. 18, 1939.

7682	♂ <i>Melomys</i>	152281	♂	240-117-26-16
3 ♀	<i>Melomys</i>	152190	♀	<span style="border: 1px solid black; padding: 2px;">305-111</span> -42-21
4 ♀	<i>Echymipera</i>	151870	♀	311-68-45-22
5 Juv.	"	152769	♂	Alcoholic

Mar. 19, 1939.

7686	♂ <i>Phalanger</i>	151841	♂	780-345-66-26
7 ♂	<i>Phascogale</i>	152000	♂	456-226-41-18
8 ♀	<i>Peroryzetes</i>	151954	♀	481-172-71-25
9 ♀	<i>Melomys</i>	<del>152282</del> 152282	♀ 2 emb. x 15	231-188-26-16

Mar. 20, 1939.

7690	♂ <i>Melomys</i>	152191	♂	365-164-43-21
1 ♂	"	152192	♂	320-141-44-21
2 ♂	<i>Melomys</i>	152283	♂	235-109-26-16
3 ♀	"	152284	♀	195-96-25-15
4 ♂	<i>Phascogale</i>	152003	♂	374-167-40-18

Mar. 21, 1939.

7695	♀ <i>Pseudochinus</i>	151967	♀	478-222-31-15
6 ♂ Juv.	"	152745	♂	Alcoholic





# Catalogue

4 Km. SW Beunhard Camps Imling P. Netherlands New Guinea 850m.

Mar. 21, 1939.

7697 ♀	<i>Phascogale</i>	152034 ♀		193-106-19-11
8 ♀	<i>Echymipera</i>	151871 ♀		<del>377</del> - <del>48</del> -50-25
9 Juv.	"	{152770}		Alcoholic
7700 Juv.	"	{152770}		Alcoholic
1 ♀	<i>Melomys</i>	152193 ♀	1 emb x 34	<del>301</del> - <del>112</del> -42-22
2 ♀	<i>Thomomys</i>	152055 ♀		618-328-60-—
3 ♂	<i>Echymipera</i>	151872 ♀		502-105-70- <del>18</del> <sup>21</sup>

Mar. 22, 1939.

7704 ♂	<i>Melomys</i>	152194 ♀		350-154-43-21
5 ♀	<i>Echymipera</i>	151873 ♀		388-76-53-24
6 Juv.	"	152771 ♀		Alcoholic
7 Juv.	"	152772 ♀		Alcoholic
8 ♀	<i>Peroryzetes</i>	151955 ♀		470-151-68-26
9 Juv.	"	152804 ♀		Alcoholic
7710 ♀	<i>Nyctimen</i>	152439 ♀		108-20-14-12
1 ♂	<i>Pipistellus</i>	152454 ♀		79-34-8-9

Mar. 23, 1939.

7712 ♂	<i>Phalanger</i>	151845 ♀		<del>370</del> -310-67-24
3 ♂	<i>Melomys</i>	152195 ♀		370-171-45-23
4 ♂	<i>Melomys</i>	152285 ♀		246-127-28-—
5 ♂	<i>Phascogale</i>	152002 ♀		<del>305</del> - <del>127</del> -39-17
6 ♂	<i>Phalanger</i>	151846 ♀		792-330-66-28
7 ♀	<i>Phascogale</i>	152001 ♀		345-162-37-17

Mar. 24, 1939.

7718 ♀	<i>Melomys</i>	152286 ♀		<del>223</del> - <del>100</del> 27-—
9 ♀	"	152287 ♀		229-111-26-15
7720 ?	<i>Echymipera</i>	152746 ♀		Head only
1 ♀	<i>Phalanger</i>	151847 ♀		760-325-64-30
2 ♂	<i>Dorcopsis</i>	151848 ♀		656-285-95-35
3 ♂	<i>Melomys</i>	152288 ♀		232-112-27-15
4 ♂	<i>Peroryzetes</i>	151956 ♀		495-165-72-28
5 ♂	<i>Hydromys</i>	152073 ♀	Penis bone	505-245-55-15





# Catalogue

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.

Mar. 25, 1939.

7726 ♂	Melomys	152196	✓	371 - 172 - 45 - 20
7 ♀	Melomys	[skin only] 152289	✓	250 - 123 - 27 - 15
6 ♂	Melomys	152346	✓	291 - 144 - 28 - —

Mar. 26, 1939.

7729 ♂	Melomys	152290	✓	<span style="border: 1px solid black; padding: 2px;">160</span> - <span style="border: 1px solid black; padding: 2px;">37</span> - 27 - —
7730 ♀	"	152291	✓	339 - 123 - 26 - 15
1 ♂	Emballonura	152407	✓	48 - 11 - 5 - 10
2 ?	Pogonomys	152265	✓	— - — - — - 12
3 ♂	Melomys	152197	✓	356 - 156 - 43 - 22
4 ♂	Melomys	152484	✓	— - — - 27 - —
5 ♂	Emballonura	152408	✓	48 - 11 - 5 - 8

Mar. 27, 1939.

7736 ♂	Phalanger	151849	✓	687 - 296 - 62 - 26
7 ♂	Thomomys	152056	✓	594 - 300 - 61 - 22
8 ♀	Phascogale	151999	✓	380 - 196 - 34 - 16
9 ♂	Dorcopsis	151850	✓	634 - 290 - 93 - 35

6 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 1200 m.

7740 ♀	Phascogale	152008	✓	351 - 157 - 37 - 14
1 Juv.	"	152811	✓	Alcoholic
2 Juv.	"	152812	✓	"
3 Juv.	"	152813	✓	"
4 Juv.	"	152814	✓	"
5 Juv.	"	152815	✓	"
6 Juv.	"	152816	✓	"

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.


Mar. 28, 1939.

7747 ♂	Thomomys	152049	✓	514 - 242 - 59 - 22
8 ♂	Peroryzetes	151957	✓	500 - 155 - 70 - 29

Mar. 29, 1939.

7749 ♂	Pezomachus	152455	✓	76 - 34 - 7 - 9
7750 ♂	Emballonura	152409	✓	<del>44 - 9 - 6 - 9</del>
1 ♂	"	152410	✓	50 - 12 - 5 - 8

2000





# Catalogue

4 km. SW Bernard Camp Hunting R. Netherlands New Guinea 850 m.

Mar. 29, 1939.

7752 ♀	<i>Pseudochinus</i>	151966	♂	501-237-30-13
3 Juv.	"	152795	♂	Alcoholic
4 Juv.	"	152796	♂	Alcoholic
5 ♂	<i>Echymipera</i>	151874	♂	505-110-70-21
6 ♀	"	151875	♂	232-48-36-18

Mar. 30, 1939.

7757 ♂	<i>Pipistrellus</i>	152456	♂	76-32-7-9
8 ♂	<i>Peroryztes</i>	151958	♂	400-145-67-26
9 ♀	<i>Dorcopsis</i>	151851	♂	625-288-91-33
7760 ♀	<i>Melomys</i>	152292	♂	223-108-25-14
1 ♂	<i>Echymipera</i>	151876	♂	337- - - 63-30

Mar. 31, 1939.

7762 ♂	<i>Melomys</i>	152198	♂	352-152- <del>32</del> <sup>42</sup> -21
3 ♂	"	152733	♂	Alcoholic 354-158-43-22
4 ♂	<i>Echymipera</i>	151877	♂	442-91-62-23
5 ♀	<i>Melomys</i>	152199	♂	1emb. x 42 342-152-41-21
6 ♀	<i>Uromys</i>	152042	♂	689-367-73-21
7 ♂	<i>Melomys</i>	152734	♂	Alcoholic 227-108-26-16
8 ♂	<i>Emballonura</i>	152111	♂	51-10-6-9

Apr. 1, 1939

7769 ♂	<i>Pteropus</i>	152102	♂	390- - - 60-23
7770 ♂	<i>Peroryztes</i>	151959	♂	518-178-77-28
1 ♀	<i>Phalanger</i>	151852	♂	765-325-58-25
2 ♂ Juv.	"	152710	♂	Alcoholic
3 ♀	<i>Dasyurus</i>	151977	♂	487-224-48-22
4 Juv.	"	152820	♂	Alcoholic
5 Juv.	"	152821	♂	Alcoholic
6 Juv.	"	152822	♂	Alcoholic
7 ♂	<i>Echymipera</i>	151878	♂	400-82-57-22
8 ♂	<i>Melomys</i>	152200	♂	<span style="border: 1px solid black; padding: 2px;">318</span> - <span style="border: 1px solid black; padding: 2px;">122</span> -43-20
9 ♂	<i>Echymipera</i>	151879	♂	485-101-66-21
7780 ♂	<i>Peroryztes</i>	151960	♂	523-172-76-27

1911  
1912  
1913  
1914

1915

1916  
1917  
1918

1919

1920  
1921

1922  
1923



# Catalogue

4 Km. SW Bernhard Camp, Idenburg N., Netherlands New Guinea 850 m.

Apr. 2, 1939.

7781 ♂	<i>Pseudochinus</i>	151968	♂	531-255-34-15
2 ♂	<i>Hydromys</i>	152074	♂	467-227-54-13
3 ♂	<i>Melomys</i>	152293	♂	238-118-27-15
4 ♀	<i>Rattus</i>	152358	♀	381-185-37-18
5 ♀	<i>Phascogale</i>	151997	♀	401-215-35-17
6 ♀	<i>Peromyscus</i>	152834	♀	Alcoholic 445-149-69-24
7 Juv.	"	152805	♂	Alcoholic
8 ♂	<i>Lorentzimys</i>	152087	♂	198-115-23-—

Apr. 3, 1939.

7789 ♀	<i>Emballonura</i>	152412	♀	49-11-6-9
7790 ♀	<i>Peromyscus</i>	151961	♀	300-—-67-25
1 ♂	<i>Thomomys</i>	152057	♂	551-278-58-24
2 ♂	<i>Dorcopsis</i>	151853	♂	515-233-87-33
3 ♂	<i>Melomys</i>	152201	♂	374-167-45-24
4 ♀	<i>Hydromys</i>	152975	♀	2 emb x 50 466-222-49-—
5 ♀	<i>Peromyscus</i>	151962	♀	486-156-68-28
6 Juv.	"	152806	♂	Alcoholic
7 ♂	<i>Dactylopsax</i>	151964	♂	459-218-48-25
8 ♀	<i>Rattus</i>	152357	♀	<span style="border: 1px solid black;">284</span> - <span style="border: 1px solid black;">125</span> - 35-15

Apr. 4, 1939.

7799 ♀	<i>Dorcopsis</i>	151854	♀	666-292-99-37
7800 Juv.	"	152761	♂	Alcoholic
1 ♂	<i>Thomomys</i>	152050	♂	560-268-60-—

Apr. 5, 1939.

7802 ♂	<i>Melomys</i>	152202	♂	288-100-42-20
3 ♀	<i>Dasyurus</i>	151975	♀	502-245-47-20

Apr. 6, 1939.

7804 ♂	<i>Melomys</i>	152294	♂	238-119-28-15
5 ♀	"	152295	♀	221-106-26-14
6 ♀	"	152296	♀	<span style="border: 1px solid black;">150</span> - <span style="border: 1px solid black;">43</span> - 24-14
7 ♀	<i>Melomys</i>	152203	♀	1 emb. x 20 353-159-43-20
8 ♂	<i>Phascogale</i>	151998	♂	432-223-40-19
9 ♂	<i>Hydromys</i>	152076	♂	477-234-53-15

1911

1912

1913

1914

1915

1916

1917

1918



## Catalogue

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.Apr. 7, 1939

7810 ♂ <i>Melomys</i>	152204 ♀	365-166-45-21
1 ♀ "	152205 ♀	<span style="border: 1px solid black;">317</span> - <span style="border: 1px solid black;">126</span> - 42 - 21
2 ♂ "	152206 ♀	367 - 162 - 43 - 21
3 ♀ "	152207 ♀	343 - 149 - 42 - 22
4 ♂ <i>Thomomys</i>	152058 ♀	400 - 194 - 51 - 20
5 ♂ <i>Dasyurus</i>	151976 ♀	607 - 280 - 55 - 20
6 ♂ <i>Echymipera</i>	151890 ♀	484 - 102 - 67 - 29
7 ♀ "	151881 ♀	300 - - - 51 - 22

Bernhard Camp Idenburg R., Netherlands New Guinea 80 m.Apr. 9, 1939

7818 ♀ <i>Melomys</i>	152347 ♀	218 - 95 - 28 - 14
-----------------------	----------	--------------------

4 Km. SW Bernhard Camp Idenburg R., Netherlands New Guinea 850 m.Apr. 9, 1939

7819 ♀ <i>Dorcopsis</i>	151855 ♀	670 - 305 - 94 - 33
7820 <i>Echymipera</i>	152490 ♀	Skull only

Bernhard Camp Idenburg R., Netherlands New Guinea 80 to 60 m.Apr. 10, 1939

7821 ♀ <i>Melomys</i>	152348 ♀	<span style="border: 1px solid black;">185</span> - <span style="border: 1px solid black;">37</span> - 28 - 15
2 ♀ <i>Echymipera</i>	151899 ♀	240 - <del>53</del> - 35 - 17

Mar. 18, 1939

7823 ♂ <i>Phalanger</i>	151792 ♀	950 - 445 - 75 - 32
-------------------------	----------	---------------------

Mar. 19, 1939

7824 ♀ <i>Phalanger</i>	151793 ♀	850 - 395 - 71 - 19
-------------------------	----------	---------------------

Mar. 22, 1939

7825 ♀ <i>Phalanger</i>	151794 ♀	1105 - 505 - 85 - 20
-------------------------	----------	----------------------

Mar. 23, 1939

7826 ♂ <i>Pteropus</i>	152103 ♀	No measurements
7 ♂ "	152404 ♀	No measurements
8 ♀ "	152405 ♀	No measurements





# Catalogue

Bernhard Camp Idenburg River, Netherlands New Guinea 50-80m.

Mar. 24 1939.

78299 ♀	Phalanger	151795 ♀	1055 - 495 - 83 - 23
78300 ♂	"	151796 ♀	545 - 244 - 52 - 20

Mar. 24 1939

7831 ♂	Phalanger	151797 ♀	775 - 358 - 66 - 18
--------	-----------	----------	---------------------

Note - Specimens from and including #7823 to and including #7831 were measured by A.L. Ford and prepared under his supervision.

Apr. 12, 1939

7832 ♀	Dobsonia	152440 ♀	150 - 14 - 21 - 19
3 ♀	"	152267 ♀	285 - 22 - 40 - 35
4 ♂	Pteropus	152383 ♀	285 - - - 53 - 26
5 ♂	Emballonura	152413 ♀	47 - 14 - 5 - 9
6 ♂	"	152414 ♀	46 - 9 - 5 - 9
7 ♀	"	152415 ♀	56 - 14 - 5 - 9

Apr. 13, 1939

7838 ♂	Hipposideros	152428 ♀	70 - 23 - 7 - 15
9 ♂	"	152429 ♀	70 - 24 - 7 - 15
7840 ♀	"	152430 ♀ <del>Emb. x 10</del>	69 - 24 - 7 - 15
1 ♀	"	152431 ♀	71 - 26 - 7 - 15
2 ♀	"	152432 ♀	69 - 23 - 7 - 15
3 ♀	"	152433 ♀ <del>Emb. x 10</del>	69 - 25 - 7 - 15
4 ♀	"	152434 ♀	<span style="border: 1px solid black; padding: 2px;">65</span> - <span style="border: 1px solid black; padding: 2px;">17</span> - 7 - 15
5 ♀	"	152435 ♀ <del>Emb. x 14</del>	71 - 22 - 7 - 15

Apr. 14 1939

7846 ♂	Thomomys	152051 ♀	551 - 255 - 62 - 27
7 ♂	Thomomys	152043 ♀	591 - 281 - 66 - 25 <span style="float: right;">2100</span>

Apr. 15 1939

7848 ♀	Thomomys	152059 ♀	388 - 192 - 49 - 21
9 ♀	Peromyscus	151963 ♀	502 - 158 - 72 - 25
7850 ♂	Calymnina	151898 ♀	494 - 98 - 67 - 21
1 ♂	Phalanger	151798 ♀	918 - 395 - 72 - 26

1911  
1912  
1913

1914  
1915  
1916

1917  
1918  
1919

1920  
1921  
1922

1923



1924  
1925  
1926



# Calalogue

Burnard Camp Idenburg R. Netherlands New Guinea 50-75m.

Apr. 16, 1939

7852 ♂	<i>Phalanger</i>	151801	✓	995-455-78-22
3 ♂	"	151799	✓	800-362-65-21
4 ♂	"	151800	✓	753-355-62-21
5 ♂	<i>Dasyurus</i>	151979	✓	276-113-33-18
6 ♂	<i>Thomomys</i>	152060	✓	600-302-60-26
7 ♀	"	152052	✓	502-238-58-25

Apr. 16, 1939

7858 ♂	<i>Dasyurus</i>	151989	✓	278-112-35-17
9 ♂	"	151981	✓	290-123-34-17
7860 ♀	"	151982	✓	280-118-32-15
1 ♂	<i>Echymipera</i>	151900	✓	521-107-71-30
2 ♂	"	151901	✓	459-106-65-29
3 ♂	"	151897	✓	482-111-68-21
4 ♀	"	151902	✓	448-105-62-34
5 ♂	<i>Dobsonia</i>	152141	✓	130-10-19-17
6 ♂	"	152142	✓	130-11-18-17
7 ♀	<i>Sus</i>	151875	✓	1350-240-250-165

Apr. 18, 1939.

7868 ♂	<i>Emballonura</i>	152416	✓	48-10-5-10
9 ♂	"	152417	✓	49-10-5-9
7870 ♀	"	152418	✓	53-11-5-9
1 ♀	"	152419	✓	51-11-5-9

Apr. 19 1939

7872 ♂	<i>Echymipera</i>	151903		530-113-77-34
3 ♀	<i>Dobsonia</i>	152443	✓	141-13-20-19
4 ♀	<i>Canis</i>	skull only <del>152444</del> 151803		860-205-125-67
5 ♂	<i>Pogonomys</i>	152364	✓	340-185-29-13

Apr. 20, 1939.

7876 ♂	<i>Melomys</i>	152349	✓	265-136-28-13
7 ♀	<i>Echymipera</i>	151904	✓	342-77-52-28
8 ♂	"	151896	✓	485-105-66-23
9 ♂	<i>Phascogale</i>	152010	✓	405-182-43-17
7880 ♂	<i>Emballonura</i>	152640	✓	Alcoholic





# Catalogue

Barro Colorado Island, Panama, C. R. 50-75m.

Apr. 20, 1939

7881♂	<i>Emballonura</i>	152641	♂	Alcoholic
2♀	"	152642	♀	"
3 Juv.	"	152643	Juv.	"
4♂	<i>Sus</i>	151816	♂	1530-250-263-105
5♂	<i>Hipposideros</i>	152608	♂	Alcoholic

Apr. 21, 1939

7884♂	<i>Echymipera</i>	152474	♂	Skull only	361-81-54-24
7♀	"	151895	♀		264-60-41-19

Apr. 22, 1939

7888♀	<i>Phalanger</i>	151802	♀		910- <del>70</del> <sup>420</sup> -70-22
9♂	<i>Echymipera</i>	151905	♂		491-94-68-24
7890♀	"	151906	♀		283- - -51-22
1♀	<i>Miniopterus</i>	152467	♀		128-53-9-10
2♀	<i>Pipistrellus</i>	152685	♀	Alcoholic	
3♂	<i>Echymipera</i>	151894	♂		487-97-67-21
4♂	"	151893	♂		438-90-62-22
5♂	<i>Melomys</i>	152350	♂		179-74-27-14
6♂	<i>Emballonura</i>	152644	♂	Alcoholic	
7♂	"	152645	♂	"	

Apr. 23, 1939

7898♀	<i>Pipistrellus</i>	152457	♀		73-29-7-8
9♂	<i>Echymipera</i>	151892	♂		383-78-57-21
7900♂	"	151907	♂		498-91-68-24
1♂	"	151908	♂		442-102-63-27
2♂	<i>Phascogale</i>	152018	♂		535-251-47-18
3♂	<i>Emballonura</i>	152420	♂		42-7-5-8
4♂	"	152646	♂	Alcoholic	

Apr. 24, 1939

7905♂	<i>Phascogale</i>	152017	♂		550-280-47-16
-------	-------------------	--------	---	--	---------------

Apr. 25, 1939

7906♂	<i>Dobsoni</i>	152368	♂		253-22-35-32
7♂	"	152369	♂		241-24-35-31





# Catalogue

Mountad Camps Idenburg R. Netherlands New Guinea 50-75m.

Apr. 25, 1939.

7908	♂	<i>Hypoxidicus</i>	152436	✓	66-23-7-16
	♀	<i>Echymipera</i>	152016	✓	413-83-55-26
7910	Juv.	"	152773	✓	Alcoholic
	Juv.	"	152774	✓	Alcoholic
2	♂	<i>Phascogale</i>	152015	✓	549-283-46-16
3	♀	"	151882	✓	422-204-36-16
4	♂	Juv. "	152335	✓	287-147-30-15
5	♀	<i>Dobsonia</i>	152835	✓	Alcoholic
6	♂	<i>Hypoxidicus</i>	152609	✓	Alcoholic
7	♀	"	152610	✓	Alcoholic
8	♀	"	152611	✓	Alcoholic
9	♀	<i>Dobsonia</i>	152444	✓	142-9-19-18

Emb A 45

Apr. 26, 1939.

7920	♀	<i>Physistellus</i>	152458	✓	74-29-7-9
	♂	<i>Echymipera</i>	151883	✓	465-95-64-21
	2♀	"	151909	✓	419-97-59-28

Apr. 27, 1939.

7923	♀	<i>Physistellus</i>	<del>152459</del> 152459	✓	72-28-7-9
4	♀	<i>Emballonura</i>	152421	✓	53-11-5-9
5	♂	<i>Pteropus</i>	152284	✓	325-—-57-23
6	♂	"	152285	✓	355-—-54-24
7	♂	"	152286	✓	330-—-53-24
8	♂	"	152287	✓	340-—-56-24
9	♂	"	152288	✓	340-—-55-23
7930	♂	"	152289	✓	330-—-55-22
	1♂	"	152290	✓	335-—-52-22
	2♂	"	152291	✓	340-—-55-22
	3♂	"	152292	✓	330-—-55-22
	4♂	"	152293	✓	335-—-57-24
	5♂	"	152294	✓	325-—-52-22
	6♂	"	152295	✓	335-—-55-23
	7♂	"	152296	✓	330-—-57-23
	8♂	"	152297	✓	340-—-57-24
	9♂	"	152298	✓	340-—-56-24
7940	♂	"	152309	✓	320-—-55-21





# Catalogue

Burnland Camp Idenburg R., Netherlands New Guinea 50-75m.

Apr. 27 1939.


7941	♂	<i>Pteropus</i>	152400	✓	320 - - - 56-22
	2 ♀	"	152401	✓	320 - - - 55-22
	3 ♂	<i>Echymipera</i>	151884	✓	442 - 80-65-22
	4 ♂	"	151885	✓	525-103-68-21
	5 ♂	<i>Hydromys</i>	152077	✓	408-160-47-13
	6 ♂	<i>Melomys</i>	152351	✓	295-130-33-15

Apr. 28, 1939.

7947	♀	<i>Pisistellus</i>	152460	✓	79-29-7-9
	8 ♀	<i>Phalanger</i>	151804	✓	672-320-59-18
	9 ♀	"	151805	✓	<del>170</del> -530-85-25
7950	Juv.	"	152753	✓	Alcoholic
	1 ♀	<i>Dobsoni</i>	152445	✓	139-12-20-18
	2 ♂	<i>Emballonura</i>	152647	✓	Alcoholic
	3 ♂	"	152648	✓	"
	4 ♂	"	152649	✓	"
	5 ♂	"	152650	✓	"
	6 ♂	"	152651	✓	"
	7 ♀	"	152652	✓	"
	8 ♀	"	152653	✓	"
	9 ♀	"	152654	✓	"
7960	♀	"	152655	✓	"
	1 ♀	"	152656	✓	"
	2 ♀	"	152657	✓	"

Apr. 29 1939.

7963	♂	<i>Melomys</i>	152352	✓	270-130-27-13
	4 ♂	<i>Phascogale</i>	152036	✓	225-116-22-12
	5 ♂	<i>Echymipera</i>	151886	✓	370 - - - 62-24
	6 ♀	"	151887	✓	315 - - - 52-20
	7 Juv.	"	152775	✓	Alcoholic
	8 ♂	<i>Phascogale</i>	152041	✓	385-170-39-16
	9 ♂	<i>Phalanger</i>	151806	✓	913-381-75-30
7970		<i>Emballonura</i>	152665	✓	Alcoholic
	1	"	152666	✓	Alcoholic











# Catalogue

Burnard Camp Harburg R. Netherlands New Guinea 50-75m.

May 3, 1939.

8003	♂	<i>Pteropus</i>	152379	♂	195- - - 43-29
4	♀	"	152380	♀	193- - - 43-32
5	♀	"	152381	♀	190- - - 42-32
6	♀	"	152382	♀	190- - - 43-32
7	♂	<i>Emballonura</i>	152672	♂	Alcoholic
8	♀	<i>Phalanger</i>	151811	♀	813-315-72-27
9	♀	<i>Echymipera</i>	151890	♀	390-77-52-21
8010	Juv.	"	152779	♂	Alcoholic
1	Juv.	"	152780	♂	Alcoholic
2	♂	<i>Phalanger</i>	151812	♂	905-430-75-23

May 4, 1939.

8013	♀	<i>Echymipera</i>	[skin only] 151891	♀	395-77-45-21	Measured by collector
4	♀	<i>Dobsonia</i>	152370	♀	234-30-28-28	"
5		<i>Emballonura</i>	152673	♂	Alcoholic	

May 5, 1939.

8014		<i>Myiopyg.</i>	152735	♂	Alcoholic	
7	♂	<i>Phalanger</i>	151813	♂	1204-610-75-27	Measured by collector
8	♂	<i>Phascogale</i>	152836	♂	Alcoholic	
9	♂	<i>Echymipera</i>	152837	♂	"	

May 6, 1939.

8020	♂	<i>Echymipera</i>	152838	♂	Alcoholic	
1	♂	<i>Rhinomyotis</i>	152687	♂	"	
2	♂	<i>Echymipera</i>	152473	♂	Skull only	453-98-62-20

May 7, 1939.

8023	♂	<i>Emballonura</i>	152674	♂	Alcoholic	
4	♂	"	152675	♂	"	
5	♂	"	152676	♂	"	
6	♂	"	152677	♂	"	
7	♀	"	152678	♀	"	
8	♀	"	152679	♀	"	
9	♀	"	152680	♀	"	
8030	♀	<i>Phalanger</i>	152831	♀	Head in alcohol.	1035-487-83-23
1	♂	<i>Echymipera</i>	152471	♂	Skull only	303- - - 59-23





# Catalogue

Bernhard Camp Mentawai R. Netherlands New Guinea 50-75m.  
May 7, 1939.

8032	♂	<i>Hydromys</i>	152828	✓	Alcoholic
3	♂	<i>Echymipera</i>	152472	✓	skull only 436-104-62-22
4	♂	<i>Rattus</i>	152356	✓	400-181-37-18
5	♀	<i>Echymipera</i>	152839	✓	Alcoholic
6	Juv.	"	152781	✓	"
7	♂	<i>Emballonura</i>	152681	✓	"
8	♀	"	152682	✓	"
9	♂	<i>Phalanger</i>	151814	✓	980-449-79-21

May 8, 1939

8040	♂	<i>Emballonura</i>	152683	✓	Alcoholic
1	♀	"	152684	✓	"
2	♂	<i>Trionyx</i>	152840	✓	"

6	Bats	no field No.	Cat. No.	152659 - 664	} 3300 Alcoholic. 127
16	"	"	"	152688 - 703	
5	"	"	"	152704 - 708	
5	<i>Rattus</i>	"	"	152841 - 845	
1	<i>Phascogale</i>	"	"	152846 embryo	
1	<i>Echymipera</i>	"	"	152847	





Specimens collected at Hallardin and vicinity by Archbold. 111

List of Skull Numbers.

Archbold's series to be sent New York Jan. 1, 1937.

- |        |                                    |
|--------|------------------------------------|
| # 6251 | 109404                             |
| 6252   | 109387                             |
| 3      | 109397                             |
| 4      | 109738                             |
| 5      | 109873                             |
| 6      | 109874                             |
| 7      | 109471                             |
| 8      | 109740                             |
| 9      | 109741                             |
| 6260   | 151783 ↘                           |
| 1      | 110133 ↘                           |
| 2      | 109833                             |
| 3      | 109668 also 15274 1/2 (alcoholic). |
| 4      | 109432                             |
| 5      | 152742 ↘                           |
| 6      | 109433                             |
| 7      |                                    |

6270 109437

6271 109414  
6272 152743 ↘

6274 109743

- |      |             |
|------|-------------|
| 7    | 109453      |
| 8    | 109454      |
| 9    | 109434      |
| 6280 | 109436      |
| 1    | 109472      |
| 2    | 109739      |
| 3    |             |
| 4    | 110131 ↘    |
| 5    |             |
|      | 6277 109453 |
|      | 6278 109454 |
|      | 6279 109434 |
|      | 6280 109436 |
|      | 6281 109472 |
|      | 6282        |
|      | 6283 109468 |
|      | 6284        |
|      | 6285 109466 |

+Myotis. No Field No. 152501 in alcohol.











MAMMALOGY ARCHIVE



100221977



