DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2933

(2) Folder title/number: (35)
Nippon Jinzo Sekiyu K.K. - Amagasaki Plant (Deleted)

(3) Date: Feb. 1947

(4) Subject:

Classification	Type of record
9230, 9621	c, k

(5) Item description and comment:
i) Hyogo
ii) No Cover Title

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks
(1)Oil Tank(2,000m^3)	Stand	3	210,000 kgs.		entirely destroyed
" (1,000m^3)	"	2	80,000 "		"
" (500m^3)	"	2	50,000 "		"
" (150m^3)	"	1	30,000 "		"
Total			370,000 kgs.	25 cars	15t. car
(2)Gas Tank(30,000m^3)	Stand	1	700,000 kgs.		entirely destroyed
" (20,000m^3)	"	3	1,500,000 "		"
" (3,000m^3)	"	1	130,000 "		"
" (2,000m^3)	"	1	105,000 "		"
" (1,000m^3)	"	1	60,000 "		"
" (500m^3)	"	1	38,000 "		"
" (300m^3)	"	1	25,000 "		"
Total			2,558,000 kgs.	171 cars	15t. car

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(I) Oil Tanks — As a result of air-raids effected in 4 times, they were completely exploded into scrap iron, which we made a contract to sell off with the approval of the Military Government Office, Hyogo Prefecture. In view of the fact that they are now being pulled to pieces, we are desirous that you are so kind to exclude these tanks from designation for reparation.

(II) Gas Tanks — -do-

- - - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

MGP 37

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Tinzo Sekiyu K.K.

LOCATION:
所在地 1788, Nishiaza Sunahama-yorisu, Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 R. Nishikawa

General Contractors Association of Japan
Hyogo Prefecture Branch

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名

DATE:
日附 Feb.-17

Sanko-gumi
J. Sanko.

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boonjude
2798

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOARDS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STOCKS

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carboards	Remarks
Round Steel 1	M.	8,000	4,800 kgs.		good
Brick	Pcs.	2,500	10,000 "		"
3,000 H.P. Turbo Blower	Stand	3	18,000 "		entirely destroyed and could not be repaired
3,000 H.P. A.C. Motor 220 v/60 r	"	6	60,000 "		" "
Steel Tube (3/4 inch)	M.	100	170 "		" "
Gas Pipe, Bend (5 inches)	Pcs.	6	40 "		good
" " " (6 inches)	"	4	40 "		"
" " " (7 inches)	"	3	50 "		"
Total			93,100 kgs.	6 cars	

MGP 37

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Jinzo Sekiyu K.K.

LOCATION:
所在地 1788 Sunahama-Yoriaki Nishi-aza Amagasaki City of Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 R. Nishikawa

General Contractors Association of Japan
Hyogo Prefecture Branch

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名 T. Furuoka

DATE:
日附 17 Feb 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目. 名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Sasebo
4798

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS No.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOARDS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks
Workmens' Dormitory (Wooden and Tile-roofed Two-storeyed Building):					
Wood	M^3	95	42,000 kgs.		
Roofing Tile	Pcs.	9,800	13,000 "		good
Sheet Glass	M^2	130	975 "		"
Wood Screen	Pcs.	210	630 "		necessary to be repaired
No. 4 Stranded Copper Wire Insulated by Rubber (Sectional Area 60 sq.m.m.)	M.	300	189 "		" "
Key Socket	Pcs.	60	2 "		good
Total			56,800 kgs.	4 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Syntnetic Oil Co., Ltd.)
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-
yorisu, Amagasaki City,
Hyogo Prefecture.

Workmens' Dormitory

Owing to the air-raids during war time, our factory was completely ruined and the business office there was also burnt down. Accordingly we are putting this dormitory as our business office and residences for members of liquidating business.
We are desirous that you are so kind to exclude this dormitory from designation for reparation.

- - - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks
Synthetic PLant(3738M²):					
Steel Skeleton		1	692,000 kgs.		Much damage was done to the plant by the concentrated bombing, materials of the plant are regarded to be of no use for any purposes. 1½ m. height above the foundation of the plant is built of steel-concrete.
Scrap			330,000 "		
Synthetic Oven (D 2.70m) (L 7.00m)	Stand	30	600,000 "		
Steem Tank (D 1.80m) (L 3.80m)	Stand	10	5,000 "		
60 T. Half Gantry Crane(s 12.5m)	Set	2	120,000 "		
Paraphin Separator (D 1.5m) (L 6.2m)	Set	3	25,000 "		
Total			1,772,000 kgs.	118 cars	
Wagon of Synthetic Oven	Set	1	15,000 kgs.	1 car	damaged
Stop Valve(3/4 inch)	Pcs.	100	200 kgs.		Installed motors and electric wires are entirely damaged and are regarded to be of no use, owing to concentrated bombing.
" " (1 inch)	"	5	15 "		
" " (2 inches)	"	25	375 "		
" " (3 inches)	"	15	600 "		
" " (4 inches)	"	35	1,375 "		
Valve(3 inches)	"	2	80 "		
" (4 inches)	"	55	3,025 "		
" (5 inches)	"	25	1,900 "		
" (7½ inches)	"	65	9,750 "		
" (8 inches)	"	15	2,625 "		
" (10 inches)	"	1	250 "		
~~Bend Pipe(5 inches)~~	~~"~~	~~40~~	~~400~~ "		
~~" " (6 inches)~~	~~"~~	~~40~~	~~600~~ "		
~~" " (7 inches)~~	~~"~~	~~50~~	~~1,250~~ "		
Bend pipe (7½ inches)	"		7,000 "		poor
Gas Pipe(2 inches)	M.		600 "		
" " (3 inches)	"		500 "		
" " (4 inches)	"		700 "		

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks

Gas Pipe(5 inches)	M.		600 kgs.		
" " (7½ inches)	"		4,500 "		
Total			~~36,545~~ 34,225 kgs.	21 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(I) Synthetic Plant

This is a steel-skeleton building and its surroundings are covered with ferro-concrete about 1.5m high above the floor level and it seems to be very difficult to convey in sections. Moreover, in view of the fact that it was destroyed not in the slightest degree, owing to the sever attack with bombs during war time, we are afraid that there is no possibility to move it. By reason above mentioned, we are desirous of reparing it to utilize as a part of equipments of Salt manufacturing plant--which is now under operation with permission of the Hyogo Pref. Office and the Monopoly Bureau of Japan -- and Ice manufacturing plant-- which is now being designed to establish.
Accordingly we beg to apply for permission to be so kind as to exclude the building from designation for reparation.

- - - - - - - - - - - - - - - - -

MGP 37

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Sinzo Sekiyu K.K.

LOCATION:
所在地 1788 Sunahama-yoriai, Nishi-aza. Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 K. Nishikawa

General Contractors Association of Japan
Hyogo Prefecture Branch

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名 Sohō.K.K Jūtarō Karatani

DATE:
日附 17, February, 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目. 名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boerquille
8798

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77626



Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloads	Remarks
(1)Synthetic Blower Plant:					
Steel Skeleton		1	80,000 kgs.	6 cars	
Scrap		1	70,000 "	5 "	
Total			150,000 kgs.	11 cars	
(2)Organic Desulphurization Plant:					entirely destroyed
Organic Desulphurization Tower	Set	4	175,000 kgs.		
Scrap		1	6,000 "		
Total			181,000 kgs.	12 cars	
(3)Gazol Tank Room (Area: 288 m²)					
Steel Skeleton		1	13,000 kgs.	1 car	
Scrap			10,000 "	1 "	
Gazol Tank (D.) 9.0m (Lid: 6.0m)	Steel	4	70,000 "	5 "	poor
Total			93,000 kgs.	7 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77018

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(I) Synthetic Blower Plant

As a result of air-raids effected in 4 times, they were completely exploded into scrap iron, which we made a contract to sell off with the approval of the Military Government Office, Hyogo Prefecture.

In view of the fact that they are now being pulled to pieces, we are desirous that you are so kind to exclude this scrap materials from designation for reparation.

(II) Organic Desulphurization Plant

- do -

- - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.)
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yerisu
Amagasaki City, Hyogo Prefecture.

MarkX

(III) Gasol Tank Room — Half-destroyed with bombs.

(IV) Gasol Tank — Half-destroyed with bombs.

- - - - - - - - - - - - - - -

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Ginzo Sekiyu K.K.

LOCATION:
所在地 1,788 Nishiaza Sunahama-yorisu, Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 K. Nishikawa

REPARATIONS PLANTS MATERIALS
賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch

Maemoto Gumi
K. Sibata

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

DATE:
日附 17/February 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目. 名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要
				— —		— —

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Bootcode
8798

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目・名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOARDS 積込貨車數	REMARKS 摘・要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

MGP 37

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch

NAME OF PLANT, LABORATORY, OR ARSENAL: 工場, 研究所又ハ兵器廠ノ名稱 Nippon Ginzo Sekiyu K.K.

LOCATION: 所在地 1,788 Nishiaza Sunahama-yorisu, Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN: 所有者又ハ管理人ノ署名 R. Nishikawa

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER: 當該地區日本連絡官ノ署名 Morimoto Gumi K. Sihata

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

DATE: 日附 17/February 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boonjude
2798

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloads	Remarks
(1) Synthetic Blower Plant:					
Steel Skeleton		1	80,000 kgs.	6 cars	
Scrap		1	70,000 "	5 "	
Total			150,000 kgs.	11 cars	
(2) Organic Desulphurization Plant:					entirely destroyed.
Organic Desulphurization Tower	Set	4	175,000 kgs.		
Scrap		1	6,000 "		
Total			181,000 kgs.	13 cars	
(3) Gasol Tank Room (Area: 288 m²)					
Steel Skeleton		1	13,000 kgs.	1 car	
Scrap			10,000 "	1 "	
Gasol Tank (D 1.90m, Lth 3.60m)	Stand	4	70,000 "	5 "	Poor
Total			93,000 kgs.	7 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 11806

STATELLIT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(I) Synthetic Blower Plant

As a result of air-raids effected in 4 times, they were completely exploded into scrap iron, which we made a contract to sell off with the approval of the Military Government Office, Hyogo Prefecture.

In view of the fact that they are now being pulled to pieces, we are desirous that you are so kind to exclude this scrap materials from designation for reparation.

(II) Organic Desulphurization Plant

- do -

- - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 71818

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.)
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu
Amagasaki City, Hyogo Prefecture.

(III)	Gasol Tank Room	Half-destroyed with bombs.
(IV)	Gasol Tank	Half-destroyed with bombs.

- - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1 0 0 1

MGP 37

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Jinzo Sekiyu K.K.

LOCATION:
所在地 1,788 Nishiaza Sunahama-yorisu, Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 R. Nishikawa

** SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名 Morimoto Gumi K. Sibata

DATE:
日附 17/February 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	CONDITION *** 狀態	REMARKS 摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boonjude
2798

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks
(1)Synthetic Blower Plant:					
Steel Skeleton		1	80,000 kgs.	6 cars	
Scrap		1	70,000 "	5 "	
Total			150,000 kgs.	11 cars	
(2)Organic Desulphurization Plant:					entirely destroyed
Organic Desulphurization TOwer	Set	4	175,000 kgs.		
Scrap		1	6,000 "		
Total			181,000 kgs.	12 cars	
(3)Gazol Tank Room (Area: 288 m^2)					poor
Steel Skeleton		1	13,000 kgs.	1 car	
Scrap			10,000 "	1 "	
Gazol Tank {D 1.90m / L10.60m}	Stand	4	70,000 "	5 "	
Total			93,000 kgs.	7 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [redacted]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorizu,
Amagasaki City, Hyogo Prefecture.

(I) Synthetic Blower Plant

As a result of air-raids effected in 4 times, they were completely exploded into scrap iron, which we made a contract to sell off with the approval of the Military Government Office, Hyogo Prefecture.

In view of the fact that they are now being pulled to pieces, we are desirous that you are so kind to exclude this scrap materials from designation for reparation.

(II) Organic Desulphurization Plant

- do -

- - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.)
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(III)	Gasol Tank Room	Half-destroyed with bombs.
(IV)	Gasol Tank	Half-destroyed with bombs.

- - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Item Description	Unit	Quantity	Total Estimated Weight	No. of Carloards	Remarks
Synthetic Plant(3738M^2):					Much danage was done to the plant by the concentlated bombing, materials of the plant are regarded to be of no use for any purposes. 1½ m. height above the foundation of the plant if built of steel-concrete.
Steel Skeleton		1	692,000 kgs.		
Scrap			330,000 "		
Synthetic Oven {D 2.70m, L 7.00m}	Stand	30	600,000 "		
Steem Tank {D 1.00m, L 3.00m}	Stand	10	5,000 "		
60 T. Half Gantry Crane(s 12.5m)	Set	2	120,000 "		
Paraphin Separator (D 1.5m) (L 6.2m)	Set	3	25,000 "		
Total			1,772,000 kgs.	118 cars	
Wagon of Synthetic Oven	Set	1	13,000 kgs.	1 car	damaged
Stop Valve(3/4 inch)	Pcs.	100	200 kgs.		Installed motors and electric wires are entirely damaged and are regarded to be of no use, owing to concentrated bombing.
" " (1 inch)	"	5	15 "		
" " (2 inches)	"	25	575 "		
" " (3 inches)	"	15	600 "		
" " (4 inbes)	"	25	1,375 "		
Valve(3 inches)	"	2	80 "		
" (4 inches)	"	55	3,025 "		
" (5 inches)	"	25	1,900 "		
" (7½ inbes)	"	65	9,750 "		
" (8 inches)	"	15	2,625 "		
" (10 inches)	"	1	250 "		
~~Bend Pipe(5 inches)~~	"	40	400 "		
" " (6 inches)	"	40	600 "		
" " (7 inches)	"	50	1,250 "		
Bend Pipe (7½ inches)	"		7,000 "		poor
Gas Pipe(2 inches)	M.		600 "		
" " (3 inches)	"		500 "		
" " (4 inches)	"		700 "		
Gas Pipe(5 inches)	M.		600 kgs.		
" " (7½ inches)	"		4,500 "		
Total			~~58,646~~ 34295 kgs.	21 cars	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

STATEMENT

(Name of plant)
Nippon Jinzo Sekiyu Kabushiki Kaisha
(Nippon Synthetic Oil Co., Ltd.),
Amagasaki Plant.

(Location)
No. 1,788 Nishiaza Sunahama-yorisu,
Amagasaki City, Hyogo Prefecture.

(I) Syntnetic Plant

This is a steel-skeleton building and its surreundings are covered with ferro-concrete about 1.5m high above the floor level and it seems to be very difficult to convey in sections. Moreover, in view of the fact that it was destroyed not in the slightest degree, owing to the sever attack with bombs during war time, we are afraid that there is no possibility to move it. By reason above mentioned, we are desireus of reparing it to utilize as a part of equipments of Salt manufacturing plant--which is now under operation with permission of the Hyogo Pref. Office and the Monopoly Bureau of Japan -- and Ice manufacturing plant-- which is now being designed to establish.
Accordingly we beg to apply for permission to be so kind as to exclude the building from designation for reparation.

- - - - - - - - - - - - - - - - -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

MGP 37

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

PAGE ___ OF ___ PAGES
___頁中ノ第___頁

NAME OF PLANT, LABORATORY, OR ARSENAL:
工場, 研究所又ハ兵器廠ノ名稱 Nippon Jinzo Sekiyu K.K.

LOCATION:
所在地 1788 Sunahama-yorisu Nishiaza, Amagasaki City Hyogo Pref.

SIGNATURE OF OWNER OR CUSTODIAN:
所有者又ハ管理人ノ署名 R. Nishikawa

General Contractors Association of Japan
Hyogo Prefecture Branch

Tôhô K.K. Jûtarô Karatani

**SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:
當該地區日本連絡官ノ署名

DATE:
日附 17 February 1947

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION ***	REMARKS
品目名稱	單位	數量	見積總重量	積込貨車數	狀態	摘要

* *Owner or custodian to attach statement if he desires.*
所有者又ハ管理人ハ必要ニ應ジ說明書ヲ添附ノコト.

** *Prefectural Japanese Liaison Officer to attach statement if he desires.*
當該地區連絡官ハ必要ニ應ジ說明書ヲ添附ノコト.

*** *Describe as New, Good, or Poor. "Good" will indicate "suitable for general use." "Poor" will indicate "not suitable for reuse."*
狀態欄ニハ新品, 良品, 不良品ト記載ノコト. 良品ハ一般使用ニ適スルモノ. 不良品ハ再使用ニ適サザルモノヲ示ス.

Eighth Army Printing Plant-Boonpuda
2798

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要

地方府縣米軍軍政府係官專用欄 **FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.**

IS (NOT) AN ENEMY SURRENDERED FACILITY.
IS (NOT) A REPARATION FACILITY.
IS (NOT) PRODUCING FOR OCCUPATION FORCES.
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY
IS (NOT) OPERATING.
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS:

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE PLANT FROM REPARATIONS LIST.
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR (REOPENING) (CLOSING) THE PLANT.
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

PLANT NO.: _____ SERIAL NO. OF FORM: _____ DATE: _____ MIL GOVT OFFICER: _____ PREFECTURE: _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.