

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE.
Bureau of Agricultural Economics.
Tobacco Section.

REVISED SUPPLEMENTAL TOBACCO STOCKS REPORT.

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS JANUARY 1, 1930
BY GROUPS OF GRADES.

There is presented herewith a revised supplement to the summary report by types issued as of this date. It has been found necessary to revise both the summary and the supplemental reports, due to the accidental omission of a number of reports from the tabulation, and to a number of late returns.

Washington, D.C.
March 5, 1930.

GROUPS OF TYPES 11,12,13 AND 14:

- A-Wrappers
- B-Heavy Leaf, Cutting Leaf, and Fillers.
- C-Thin Leaf or Cutters.
- X-Lugs and Ground Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 21,22,23, AND 24:

- A-Wrappers.
- B-Heavy Leaf.
- C-Thin Leaf.
- X-Lugs.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 31:

- A-Wrappers.
- B-Leaf or Fillers and Tips.
- C-Lugs or Cutters.
- X-Trash, Flyings, and Spods.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 32:

- B-Heavy Leaf, locally known as Dull Crop.
- C-Thin Leaf, locally known as Bright Crop.
- X-Seconds and Ground Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 35,36, AND 37:

- A-Wrappers.
- B-Heavy Leaf.
- C-Thin Leaf.
- X-Lugs.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 41:

- B-Binders or Tops.
- C-Fillers, locally known as Wrappers or B's.
- X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 42,43 AND 44:

- C-Fillers, locally known as Wrappers.
- X-Stemming, Farm Fillers, Ground leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 45:

- C-Fillers.
- X-Stemming, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPE 46:

- C-Tripas or Fillers.
- X-Resagos, Terceros, Doliches, and crops unsuitable for sorting.
- S-Scrap (Picadura), as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 51,52, AND 53:

- A-Wrappers.
- B-Binders, locally known as Seconds.
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 54 AND 55:

- B-Binders.
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

GROUPS OF TYPES 61 AND 62:

- A-Wrappers.
- B-Binders.
- C-Fillers, or Tips.
- X-Trashy Fillers or Loose Leaves.
- S-Scrap, as defined.*
- N-Nondescript, as defined.*

* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

SUPPLEMENTAL REPORT BY GROUPS OF GRADES.
JANUARY 1, 1930.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	New Crop		Old Crop		Group Totals
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
A	8,164,867	48,419	683,176	45	8,896,507
B	76,583,229	5,772,472	5,123,137	1,197,371	88,676,209
C	113,130,790	11,099,921	1,158,285	34,494	125,423,490
X	93,184,559	12,344,154	10,373,580	213,146	116,115,439
S	5,356,469	401,421	286,811	113,331	6,158,032
N	312,041	250	4,853	1,680	318,824
Total	296,731,955	29,666,537	17,629,842	1,560,067	345,588,501

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED.

A	1,769,264	51,914	4,085		1,825,263
B	40,359,696	2,001,405	175,169	22,670	42,558,940
C	99,507,086	7,087,324	90,534	35,502	106,720,446
X	83,245,588	12,409,518	2,040,507		97,695,613
S	4,724,582	448,756	240,061	32,080	5,445,479
N	457,258				457,258
Total	230,063,474	21,998,917	2,550,336	90,252	254,702,979

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	467,928				467,928
B	22,665,987	1,629,359	45,769	9,624	24,350,739
C	30,010,047	2,701,141	22,178		32,733,366
X	47,014,388	6,610,138	957,725		54,582,251
S	1,152,134	341,787	9,538	61,307	1,564,766
N	137,395				137,395
Total	101,447,879	11,282,425	1,035,210	70,931	113,836,445

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED.

A	1,059,325	115,312			1,174,637
B	10,821,909	7,496,596	54,693		18,373,198
C	7,548,041	33,347,772	9,200	293	40,905,306
X	13,332,174	6,621,889	131,242		20,085,305
S	285,662	209,657	23,588	10,006	528,913
N	272,039	17,956			289,995
Total	33,319,150	47,809,182	218,723	10,299	81,357,354

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Group	New Crop		Old Crop		Group Totals
	Unstemmed	Stemmed	Unstemmed	Stemmed	
	Pounds	Pounds	Pounds	Pounds	
A	1,348,484	1,519	60,836		1,410,839
B	6,029,383	198,862	5,088,357		11,316,602
C	2,683,308	30,678	158,593		2,872,579
X	18,050,117	415,577	758,325	2,295	19,226,314
S	168,439		635	150	169,224
N	1,521				1,521
Total	28,281,252	646,636	6,066,746	2,445	34,997,079

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H.&S.)

A	3,303,222	685	64,860		3,368,767
B	55,827,651	88,644	780,326	50	56,696,671
C	4,664,012	1,150	32,200		4,697,362
X	12,706,640	23,623	112,320	5,658	12,848,241
S	490,215	26,000	9,275		525,490
N	1,224,340	23,623			1,247,963
Total	78,216,080	163,725	998,981	5,708	79,384,494

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	536,739	200	37,515	1,235	575,689
B	15,965,381	199,716	510,489	17,955	16,693,541
C	5,982,526				5,982,526
X	3,919,203		28,100		3,947,303
S	141,818	26,908	5,970	17,880	192,576
N	83,280				83,280
Total	26,628,947	226,824	582,074	37,070	27,474,915

U. S. TYPE 24.-KENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	165,005				165,005
B	1,375,892	49,940			1,425,832
C	304,552				304,552
X	696,605	23,623	5,900		726,128
S	35,677	4,692	4,880	1,560	46,809
N	124,820				124,820
Total	2,702,551	78,255	10,780	1,560	2,793,146

U. S. TYPE 31.-BURLEY.

Group	New Crop		Old Crop		Group Totals
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
A	1,994,029	26,422	5,812		2,026,263
B	113,838,816	27,099,989	438,019	965,905	142,342,729
C	125,825,500	12,643,634	2,300,493	1,231,692	142,006,369
X	49,839,960	8,910,319	3,510	95,337	58,849,126
S	5,827,470	605,572	670,175	24,496	7,127,713
N	367,244	28,210	1,210	54,782	451,446
Total	297,693,019	49,319,196	3,419,219	2,372,212	352,803,646

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	112,435		11,000		123,435
C	11,729,481	982,891	23,612		12,735,984
X	2,288,492		31,489	16,042	2,336,023
S	90,898				90,898
N	17,874				17,874
Total	14,239,180	982,891	66,101	16,042	15,304,214

U. S. TYPE 35.-ONE-SUCKER.

A	1,967,618		19,055		1,967,618
B	11,569,190	39,595	677,350	1,470	12,287,605
C	7,892,286	12,441	310,808		8,215,535
X	5,159,759	42,196	127,280		5,329,235
S	1,568,670	1,481	67,580	1,020	1,638,751
N	413,475	450			413,925
Total	28,551,943	96,163	1,202,073	2,490	29,852,669

U. S. TYPE 36.-GREEN RIVER.

A	202,913	2,140	296,350		501,403
B	9,800,645	460,474	2,985,575	591,855	13,838,549
C	1,653,729	51,972	1,155,317	12	2,860,610
X	10,226,257	941,041	1,482,000	42,835	12,692,133
S	759,166	72,569	30,445	20,689	882,869
N	48,965				48,965
Total	22,691,255	1,528,196	5,949,687	655,391	30,824,529

U. S. TYPE 37.-VIRGINIA SUN-CURED.

A	264,500				264,500
B	1,026,257	74,785	179,461	103,298	1,383,801
C	635,019	12,494	10,000		657,513
X	1,353,526	1,097,622	42,080		2,493,228
S	112,183	847		28,892	141,922
Total	3,391,485	1,185,748	231,541	132,190	4,940,964

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Group	New Crop		Old Crop		Group Totals
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
B	2,806,025	7,017	22,325	3,406	2,838,773
C	48,436,122	2,032,161	7,522,349	862,428	58,953,060
X	4,547,629	6,029,169	391,035	44,784	11,012,617
S	8,633	318,639		23,467	350,739
N	7,594	22,631		50	30,275
Total	55,806,003	8,409,617	8,035,709	934,135	73,185,464

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

A	8,225,957	631,130	1,755,826	183,050	10,795,963
X	1,054,416	277,247	23,041		1,354,704
S	23,531	89,739		3,307	116,577
N	32				32
Total	9,303,936	998,116	1,778,867	186,357	12,267,276

U. S. TYPE 43.-ZIGLER, MIAMI VALLEY.

C	9,296,756	582,169	2,891,522	98,675	12,869,122
X	1,698,404	1,400,630	113,666	14	3,212,714
S	8,497	47,187		110	55,794
N	3,656	176			3,832
Total	11,007,313	2,030,162	3,005,188	98,799	16,141,462

U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

C	4,197,760	85,363	1,348,382	42,938	5,674,443
X	322,365	46,277		90	368,732
S	12,170	35,767	2,240	671	50,848
N	53				53
Total	4,532,348	167,407	1,350,622	43,699	6,094,076

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	1,189,707	301,917	5,346	203	1,497,173
X	18,371	18,098	129		36,598
S	190	591		170	951
N	338		2,720		3,058
Total	1,208,606	320,606	8,195	373	1,537,780

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

C	4,427,568	16,845,826	129	9,463	21,282,986
X	3,316,972	2,581,208	230	41,157	5,939,567
S	591,554	1,190,933	840	2,496	1,785,823
N	4,204	15,312	12,000		31,516
Total	8,340,298	20,633,279	13,199	53,116	29,039,892

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF.

Group	New Crop		Old Crop		Group Totals
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
A	2,112,342	26,858	98,270	128	2,237,598
B	15,705,193	106,751	2,319,452	31,926	18,163,327
C	586,642	96,476	172,479	1,262	856,859
X	5,424,194	1,710,761	481	882,365	8,017,801
S	61,133	120,773	5,160	7,265	194,336
N	22,299	14,483	86		36,868
Total	23,911,813	2,076,102	2,595,928	922,946	29,506,789

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED.

A	2,789,847	4,907	97,340		2,892,094
B	18,257,936	43,642	2,682,430	4,553	20,988,561
C	671,267	35,383	960	734	708,344
X	6,125,551	2,085,024		628,160	8,838,735
S	25,602	24,430	773	8,946	59,751
N	144	95			239
Total	27,870,347	2,193,451	2,781,503	642,393	33,487,724

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	22,064	160	2,339		24,563
B	402,166	4,112	63,456	105	469,839
C	243,032	83,488	698	3,197	330,415
X	1,445,845	87,097	1,010		1,533,952
S	2,896	31,437		240	34,573
N	759	938			1,697
Total	2,116,762	207,232	67,503	3,542	2,395,039

U. S. TYPE 54.-SOUTHERN WISCONSIN.

B	7,426,069	234,136	1,023,035	4,062	8,687,302
C	1,660,800	115,694	11,509		1,788,003
X	26,296,151	6,512,823			32,808,974
S	8,604	8,435		6,431	23,470
N	5,586				5,586
Total	35,397,210	6,871,088	1,034,544	10,493	43,313,335

U. S. TYPE 55.-NORTHERN WISCONSIN.

B	12,077,544	118,213	614,140	8,623	12,818,520
C	536,823	90,799	20,156	583	648,361
X	12,434,453	2,972,449	6,062	44,052	15,457,026
S	286,456	68,543	440		355,439
N	21,506				21,506
Total	25,356,792	3,250,004	640,798	53,258	29,300,852

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE,

Group	New Crop		Old Crop		Group Totals
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
A	7,123,950	14,595	89,520		7,228,065
B	2,641,712	56,354	26,355	3,074	2,727,495
C	650,041	390,661	88,407	11,066	1,140,175
X	47,402	768	80		48,250
S	2,785	114,709		3,558	121,052
N	62,189	844	444		63,477
Total	10,528,079	577,931	204,806	17,698	11,328,514

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

A	4,236,937	4,410	20,795	20	4,262,162
B	563,495	5,037	4,054		572,586
C	149,529	7,578			157,107
X	30,125				30,125
S	8,109	3,248	1,688		13,045
N	10	12,023	1,275		13,308
Total	4,988,205	32,296	27,812	20	5,048,333

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC.

No Groups:	1,062,119	543,079	265,032	118,656	1,988,886
------------	-----------	---------	---------	---------	-----------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO.

No Groups:	6,783,004	6,332,756	146,979	54,802	13,317,541
------------	-----------	-----------	---------	--------	------------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF.

No Groups:	69,603,374	61,525	2,974,191	984	72,640,074
------------	------------	--------	-----------	-----	------------

GRAND TOTAL ALL TYPES.
(Figures in nearest thousand pounds)

	New Crop		Old Crop		Grand Total
	Unstemmed Pounds	Stemmed Pounds	Unstemmed Pounds	Stemmed Pounds	
	1,461,772,000	219,689,000	64,894,000	8,096,000	1,754,451,000



UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section

SUPPLEMENTAL TOBACCO STOCKS REPORT

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS APRIL 1, 1930
BY GROUPS OF GRADES

This report is issued as a supplement to the summary report by types issued as of this date, in which the usual comparisons with former quarters are afforded. -- comparison of group totals of January 1, 1930 and April 1, 1930 is given in this supplemental report.

Washington, D. C.
May 20, 1930.

EXPLANATION OF GROUP SYMBOLS.

GROUPS OF TYPES 11,12,13 AND 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf, and
Fillers.
C-Thin Leaf or Cutters.
X-Lugs and Ground Leaves.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 21,22,23 AND 24:

A-Wrappers.
B-Heavy Leaf.
C-Thin Leaf.
X-Lugs.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPE 31:

A-Wrappers.
B-Leaf or Fillers and Tips.
C-Lugs or Cutters.
X-Trash, Flyings, and Spods.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as Dull
Crop.
C-Thin Leaf, locally known as Bright
Crop.
X-Seconds and Ground Leaves.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 35,36, AND 37:

A-Wrappers.
B-Heavy Leaf.
C-Thin Leaf.
X-Lugs.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPE 41:

B-Binders or Tops.
C-Fillers, locally known as Wrappers
or B's.
X-Stemming, Farm Fillers, Ground
Leaves, and crops unsuitable for
sorting.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 42,43 AND

C-Fillers, locally known as Wrappers,
X-Stemming, Farm Fillers, Ground Leaves,
and crops unsuitable for sorting.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPE 45:

C-Fillers.
X-Stemming, Ground Leaves, and crops
unsuitable for sorting.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPE 46:

C-Tripas or Fillers.
X-Resagos, Terceros, Boliches, and crops
unsuitable for sorting.
S-Scrap (Picadura), as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 51,52, AND 53:

A-Wrappers.
B-Binders, locally known as Seconds.
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers, Ground
Leaves, and crops unsuitable for
sorting.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 54 AND 55:

B-Binders.
C-Fillers, locally known as Tips or
B's.
X-Stemming, Sand-Leaf Fillers, Bottom
Leaves, and crops unsuitable for
sorting.
S-Scrap, as defined.*
N-Nondescript, as defined.*

GROUPS OF TYPES 61 AND 62:

A-Wrappers.
B-Binders.
C-Fillers, or Tips.
X-Trashy Fillers or Loose Leaves.
S-Scrap, as defined.*
N-Nondescript, as defined.*

* For definitions of Scrap and Nondescript see Service and Regulatory
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS.
SUPPLEMENTAL REPORT BY GROUPS OF GRADES.
APRIL 1, 1930.

U. S. TYPE 11.--OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1 Group Totals	January 1 Group Totals
	Unstemmed	Stemmed	Unstemmed	Stemmed		
A	9,588	-	823	-	10,412	8,897
B	75,544	6,155	3,451	765	85,915	88,676
C	100,766	11,252	379	220	112,617	125,423
X	91,469	13,411	6,253	249	111,382	116,115
S	4,975	341	366	47	5,728	6,158
N	216	-	6	-	222	319
Total	282,559	31,159	11,277	1,280	326,274	345,589

U. S. TYPE 12.--EASTERN NORTH CAROLINA FLUE-CURED.

A	1,682	39	3	-	1,724	1,825
B	26,609	1,532	166	15	28,372	42,559
C	98,367	7,128	103	33	105,630	106,720
X	59,612	12,005	1,621	7	73,244	97,696
S	3,375	271	215	-	3,861	5,445
N	159	-	-	-	159	457
Total	189,807	21,024	2,109	54	212,990	254,703

U. S. TYPE 13.--SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	549	-	-	-	549	468
B	17,196	691	29	58	17,974	24,351
C	29,525	3,208	24	-	32,757	32,733
X	33,172	5,865	852	5	39,894	54,582
S	1,304	262	18	52	1,636	1,565
N	114	-	-	-	114	137
Total	81,860	10,026	923	115	92,924	113,836

U. S. TYPE 14.--GEORGIA AND FLORIDA FLUE-CURED.

A	753	-	-	-	753	1,175
B	9,096	7,217	53	-	16,365	18,373
C	10,281	30,444	11	1	40,737	40,905
X	9,444	7,087	120	-	16,652	20,085
S	272	72	20	-	365	529
N	90	-	-	-	90	290
Total	29,935	44,821	204	1	74,961	81,357

X- Indicates less than 500 pounds.

- Indicates None.

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed		
A	2,545	-	36	-	2,581	1,411
B	9,219	479	4,573	-	14,271	11,317
C	3,204	1	24	-	3,229	2,873
X	19,157	408	119	2	19,686	19,226
S	251	X	-	-	251	169
N	3	-	-	-	3	2
Total	34,379	887	4,752	2	40,021	34,997

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H.& S.)

A	4,000	39	53	-	4,091	3,359
B	83,516	222	267	54	84,058	56,697
C	12,869	45	98	-	13,011	4,697
X	22,250	X	125	2	22,377	12,848
S	521	37	5	-	564	525
N	1,071	-	-	-	1,071	1,248
Total	124,226	343	548	56	125,173	79,384

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	395	1	31	1	429	576
B	20,462	197	186	18	20,864	16,694
C	7,647	140	106	-	7,893	5,983
X	3,912	3	29	-	3,943	3,947
S	179	1	16	-	196	193
N	125	-	-	-	125	83
Total	32,721	342	368	19	33,450	27,475

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED.

A	345	64	-	-	409	165
B	1,577	501	-	-	2,078	1,426
C	224	36	-	-	260	305
X	2,215	12	4	-	2,231	726
S	90	8	4	-	102	47
N	10	-	-	-	10	125
Total	4,459	622	8	-	5,089	2,793

X- Indicates less than 500 pounds.

- Indicates None.

U. S. TYPE 31-BUFFLEY.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
A	2,267	1	3	-	2,272	2,026
B	204,598	34,225	460	1,135	240,419	142,343
C	154,730	12,304	1,546	923	169,503	142,006
X	74,477	8,848	1	5	83,332	58,849
S	9,006	764	619	12	10,401	7,128
N	450	-	1	X	451	451
Total	445,529	56,142	2,631	2,076	506,377	352,804

U. S. TYPE 32.-SOUTHERN MARYLAND.

B	161	-	1	-	162	123
C	9,033	927	3	-	9,964	12,736
X	1,712	-	19	12	1,743	2,336
S	73	-	-	-	73	91
N	17	-	-	-	17	18
Total	10,997	927	23	12	11,960	15,304

U. S. TYPE 35.-ONE SUCKER.

A	1,883	4	2	-	1,889	1,968
B	15,678	17	321	1	16,018	12,288
C	10,676	9	103	-	10,789	8,216
X	7,822	204	100	-	8,126	5,329
S	575	1	4	-	579	1,639
N	817	-	-	-	817	414
Total	37,451	235	531	1	38,218	29,853

U. S. TYPE 36.-GREEN RIVER.

A	381	24	-	-	404	501
B	13,187	647	2,214	24	16,071	13,839
C	1,008	20	1,080	-	2,108	2,861
X	14,225	840	962	34	16,061	12,692
S	849	52	11	19	931	883
N	42	-	-	-	42	49
Total	29,691	1,583	4,267	77	35,618	30,825

U. S. TYPE 37.-VIRGINIA SUN-CURED.

A	396	-	-	-	396	265
B	1,375	64	111	119	1,669	1,384
C	793	6	10	29	839	658
X	1,345	1,492	-	-	2,837	2,493
S	80	-	-	-	80	142
Total	3,990	1,562	121	147	5,821	4,941

X- Indicates Less than 500 pounds.

- Indicates None.

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1	Group Totals	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed			
B	989	29	380	x	1,399	2,839	
C	61,227	3,471	6,399	638	71,755	58,953	
X	12,852	7,169	257	26	20,303	11,013	
S	47	228	-	83	355	351	
N	3	-	-	-	3	30	
Total	75,118	10,894	7,037	747	93,795	73,185	

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY.

C	10,060	791	1,710	86	12,647	10,796
X	2,150	10	21	x	2,161	1,355
S	118	18	x	2	138	117
Total	12,308	819	1,731	88	14,947	12,267

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY.

C	12,376	612	3,165	162	16,314	12,869
X	2,048	1,374	128	3	5,552	3,213
S	41	37	-	-	78	56
N	22	x	-	-	22	4
Total	14,437	2,023	3,291	165	19,966	16,141

U. S. TYPE 44.-DUTCH, MIAMI VALLEY.

C	4,374	59	877	21	5,332	5,674
X	1,006	77	20	-	1,102	369
S	75	26	x	x	101	51
N	1	-	-	-	1	x
Total	5,456	162	897	21	6,536	6,094

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	736	567	1	-	1,294	1,497
X	8	3	2	4	16	37
S	2	4	-	-	6	1
N	1	x	1	-	2	3
Total	737	575	3	4	1,318	1,538

U. S. TYPE 46.-PORTO RICAN SUN-GROWN.

C	3,315	16,941	x	40	20,296	21,283
X	2,965	3,259	-	1	3,225	5,940
S	451	1,443	x	x	1,899	1,786
N	2	21	-	-	23	52
Total	6,733	21,669	x	41	26,442	29,040

x - Indicates less than 500 pounds.

- Indicates none.

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF
 Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1 Group Totals	January 1 Group Totals
	Unstemmed	Stemmed	Unstemmed	Stemmed		
A	2,059	16	83	x	2,158	2,238
B	16,518	170	1,586	53	18,331	18,163
C	1,016	35	148	x	1,198	857
X	6,402	1,349	x	543	8,293	8,018
S	5	63	1	11	80	194
N	4	7	1	-	11	37
Total	26,003	1,640	1,817	613	30,072	29,507

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED.

A	2,506	4	80	x	2,590	2,892
B	25,674	53	3,127	15	28,869	30,989
C	2,569	26	10	-	2,605	708
X	5,839	2,954	-	571	9,364	8,839
S	3	35	1	x	38	60
N	2	x	-	-	2	x
Total	36,593	3,072	3,217	586	43,469	33,488

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED.

A	58	x	4	-	62	25
B	660	1	50	-	711	470
C	314	19	3	x	337	330
X	1,521	174	-	-	1,695	1,534
S	1	2	1	1	5	35
Total	2,554	197	58	2	2,810	2,393

U. S. TYPE 54.-SOUTHERN WISCONSIN.

B	9,090	254	913	5	10,268	8,687
C	3,361	127	1	-	3,489	1,788
X	38,733	7,800	-	-	46,534	32,809
S	8	36	1	4	49	25
Total	51,198	8,217	915	9	60,340	43,308

U. S. TYPE 55.-NORTHERN WISCONSIN.

B	17,877	83	511	2	18,474	12,819
C	1,749	77	29	3	1,857	648
X	18,823	1,759	x	-	20,581	15,457
S	160	1	-	-	161	355
N	7	-	-	-	7	22
Total	38,616	1,919	540	6	41,080	29,301

x - Indicates less than 500 pounds.

- Indicates none.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE.

Figures rounded to nearest thousand pounds.

Group	New Crop		Old Crop		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed		
A	6,991	16	70	X	7,077	7,228
B	2,171	29	18	-	2,218	2,727
C	563	343	87	3	997	1,140
X	76	1	X	1	79	48
S	3	119	1	2	125	121
N	4	1	-	-	5	63
Total	9,808	509	176	6	10,499	11,329

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE.

A	4,210	6	7	1	4,223	4,262
B	486	2	3	-	491	573
C	175	11	7	-	193	157
X	34	-	X	X	34	30
S	X	3	-	-	3	13
N	X	6	-	-	6	13
Total	4,904	28	17	1	4,950	5,048

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC.

No Groups:	2,716	1,002	259	128	4,106	1,989
------------	-------	-------	-----	-----	-------	-------

U. S. TYPE 80.-FOREIGN-GROWN CIGAR LEAF TOBACCO.

No Groups:	8,751	6,240	106	28	15,125	13,318
------------	-------	-------	-----	----	--------	--------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF.

No Groups:	74,360	90	4,552	1	79,003	72,640
------------	--------	----	-------	---	--------	--------

GRAND TOTAL ALL TYPES.

	New Crop		Old Crop		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
Apr. 1, 1930	1,577,942	228,728	52,377	6,285	1,965,246
Jan. 1, 1930	1,461,772	219,689	64,894	8,096	1,754,451

