



Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section



Released
June 1, 1933.

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

JUNE 1, 1933.

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,277,904,000 pounds on April 1, 1933, compared with 2,373,761,000 pounds on April 1, 1932. This is a decrease in the total stocks of 95,857,000 pounds under the stocks of a year ago April 1. From January 1, 1933 to April 1, 1933 total stocks increased 133,171,000 pounds. The increase during the first quarter of 1932 amounted to 360,981,000 pounds.

Stocks of flue-cured tobacco on hand April 1, 1933 amounted to 680,280,000 pounds compared with 845,642,000 pounds on April 1, 1932, a decrease of 165,362,000 pounds. During the first quarter of 1933 flue-cured stocks decreased 89,217,000 pounds compared with a decrease of only 47,456,000 pounds during the first quarter of 1932. The detailed report by groups of grades shows about the same proportion of flue-cured tobacco in the various groups as previous reports, except that the A group of Type 11 shows an increase.

Stocks of fire-cured tobacco were reported as 242,389,000 pounds on April 1, 1933 compared with 201,424,000 pounds on April 1, 1932, an increase of 40,965,000 pounds. Virginia Fire-cured, Type 21, reported as 35,820,000 pounds shows a decrease of about five million pounds under stocks of a year ago April 1, but Types 22 and 23 show increases of eighteen and fourteen million respectively. Type 24 also shows considerable increase. Kentucky and Tennessee, Types 22 and 23 combined show total stocks on April 1 of 198,234,000 pounds. The detailed report by groups of grades shows the greater proportion of the stocks of Type 21 in the X group, whereas the greater proportion of the stocks of Types 22 and 23 are reported in the B group.

Burley tobacco stocks totaled 744,164,000 pounds on April 1, or about 41 million pounds higher than a year ago. Burley stocks increased about 124 million pounds during the first quarter of 1933, compared with an increase of 212 million pounds during the same period of 1932. Of the 744 million pounds of Burley reported 408 million pounds are shown in the detailed report as B group, 215 million as C group, 105 million as X group and 11 million as Scrap. Maryland tobacco stocks, reported as 29,247,000 pounds on April 1, were about two million pounds lower than on January 1, 1933, but about ten million pounds higher than they were on April 1, 1932. The detailed report shows nine million pounds of Maryland tobacco in the B group, twelve million in the C group and eight million in the X group.

One-Sucker stocks on April 1 amounted to 40,941,000 pounds, about seven million pounds higher than on January 1, and about four million pounds lower than a year ago. Green River stocks, reported as 44,006,000 pounds, were about five million pounds higher than on April 1, 1932. Virginia Sun-cured stocks were reported as 3,606,000 pounds on April 1. Miscellaneous Domestic stocks amounted to 2,095,000 pounds, and foreign-grown cigarette tobacco stocks (Type 90) were reported as 91,109,000 pounds on April 1, 1933.

April 1 Cigar Leaf Tobacco Stocks

Stocks of American grown cigar filler types, including Porto Rican in the United States, amounted to 178,675,000 pounds on April 1, 1933, compared with 198,504,000 pounds on April 1, 1932, a decrease in total filler stocks of about 20 million pounds. All filler types show some decrease under April 1, 1932 stocks. The increase for the first quarter of 1933 amounted to about 1½ million pounds, whereas filler stocks increased in the first quarter of 1932 by 55 million pounds.

The cigar binder type stocks were about two million pounds lower on April 1 1933 than they were on April 1, 1932. Total binder stocks were reported as 195,122,000 pounds on April 1, 1933. The detailed report by groups of grades shows that of the total stocks reported of these types, 3,337,000 pounds are of wrapper quality, 77,575,000 pounds are binders, 9,411,000 pounds are fillers, and 103,814,000 pounds are stemming grade or X group Tobacco.

Shade-grown wrapper stocks were slightly lower on April 1 than a year ago. Connecticut Valley Shade stocks were reported as 10,865,000 pounds, and Georgia and Florida Shade as 4,218,000 pounds. Of the total of 15,083,000 pounds of shade tobacco reported, 10,368,000 pounds are shown in the A group as being of actual wrapper quality. Foreign-grown cigar leaf tobacco stocks were reported as 11,187,000 pounds on April 1, 1933, about three million pounds under April 1, 1932 stocks.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

- A-Wrappers
- B-Heavy Leaf, Cutting Leaf, and Fillers
- C-Thin Leaf or Cutters
- X-Lugs and Ground Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 31:

- A-Wrappers
- B-Leaf or Fillers and Tips
- C-Lugs, or Cutters
- X-Trash, Flyings and Spods
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 32:

- B-Heavy Leaf, locally known as Dull Crop
- C-Thin Leaf, locally known as Bright Crop
- X-Seconds and Ground Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

- A-Wrappers
- B-Heavy Leaf
- C-Thin Leaf
- X-Lugs
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 41:

- B-Binders or Tops
- C-Fillers, locally known as Wrappers or B's
- X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

- C-Fillers, locally known as Wrappers
- X-Stemming, Farm Fillers, Ground Leaves and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 45:

- E-Fillers
- X-Stemming, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPE 46:

- C-Tripas or Fillers
- X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.
- S-Scrap (Picadura), as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

- A-Wrappers
- B-Binders, locally known as Seconds
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers, locally known as Tips or B's.
- X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.
- S-Scrap, as defined*
- N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Binders
- C-Fillers, or Tips
- X-Trashy Fillers or Loose Leaves
- S-Scrap, as defined*
- N-Nondescript, as defined*

* For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES
APRIL 1, 1933.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA

Group	NEW CROP		OLD CROP		April 1 Group Totals 1000 lbs.	January 1 Group Total 1000 lbs.
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.		
A	7,966	5	405	-	8,376	6,166
B	52,529	3,221	2,024	495	58,269	73,148*
C	66,513	11,183	2,380	107	80,183	83,326*
X	137,355	21,510	797	34	159,696	170,116*
S	10,171	10	23	5	10,209	9,637*
N	496	-	19	-	515	800*
Total	275,030	35,929	5,648	641	317,248	343,193*

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	167	-	-	-	167	210
B	29,936	420	493	87	30,936	52,097*
C	54,110	13,303	6,990	69	74,472	81,302*
X	88,638	17,080	2,074	15	107,807	116,585
S	5,949	10	90	-	6,049	6,393
N	750	8	-	-	758	1,213
Total	179,550	30,821	9,647	171	220,189	257,800*

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N. C.)

A	1,237	-	-	-	1,237	1,119
B	10,986	485	120	30	11,621	14,499
C	32,038	3,278	332	48	35,696	38,779
X	37,881	9,055	1,142	-	48,078	59,206
S	2,458	46	2	21	2,527	3,169
N	160	-	-	-	160	161
Total	84,760	12,864	1,596	99	99,319	116,933

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	65	-	-	-	65	68
B	2,908	1,231	16	-	4,155	7,710
C	3,783	21,052	90	-	24,925	27,195
X	5,737	7,748	589	-	14,074	16,279
S	289	5	-	-	294	308
N	11	-	-	-	11	17
Total	12,793	30,036	695	-	43,524	51,571

* Corrections in January 1, report.
(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.--VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.		
A	934	-	19	-	953	674
B	5,736	191	2,558	-	8,485	6,573
C	2,259	67	92	-	2,418	2,307*
X	20,031	312	3,196	2	23,541	21,391
S	339	1	21	-	361	361
N	62	-	-	-	62	63
Total	29,361	571	5,886	2	35,820	31,369*

U. S. TYPE 22.--TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S.)

A	3,530	5	29	-	3,564	2,277
B	82,891	82	204	1	83,178	73,136*
C	14,494	12	11	-	14,517	8,326
X	39,702	-	72	1	39,775	27,075
S	2,141	4	17	-	2,162	1,866
N	594	-	-	-	594	530
Total	141,352	103	333	2	143,790	113,210*

U. S. TYPE 23.--KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	205	2	22	-	229	247
B	27,121	194	-	5	27,320	21,063
C	9,021	-	-	-	9,021	5,664
X	16,453	-	17	-	16,470	11,240
S	1,206	2	2	-	1,210	1,229
N	194	-	-	-	194	291
Total	54,200	198	41	5	54,444	39,734

U. S. TYPE 24.--HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	2	-	-	-	2	39
B	1,798	422	-	-	2,220	503
C	1,540	29	-	-	1,569	296
X	4,215	22	2	-	4,239	2,121
S	256	-	-	-	256	123
N	49	-	-	-	49	27
Total	7,860	473	2	-	8,335	3,109

* Corrections in January 1, report.

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.--BURLEY

Group	NEW CROP		OLD CROP		April 1.	January 1
	Unstemmed: 1000 lbs.	Stemmed: 1000 lbs.	Unstemmed: 1000 lbs.	Stemmed: 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
A	1,891	1	48	-	1,940	1,314
B	355,666	51,714	72	717	408,169	338,082*
C	195,213	16,885	2,729	513	215,340	163,664*
X	92,753	10,653	100	51	103,557	98,179*
S	11,322	490	29	-	11,841	15,591
N	3,315	-	2	-	3,317	2,860
Total	660,160	79,743	2,980	1,281	744,164	619,690*

U. S. TYPE 32.--SOUTHERN MARYLAND

B	9,086	-	-	-	9,086	9,501
C	11,465	437	1	-	11,903	13,857
X	8,090	79	3	-	8,172	7,738
S	19	-	-	-	19	25
N	66	-	1	-	67	204
Total	28,726	516	5	-	29,247	31,325

U. S. TYPE 35.--ONE SUCKER

A	1,452	-	4	-	1,456	1,177
B	15,575	8	53	-	15,636	13,719
C	11,330	-	39	-	11,369	8,665
X	10,208	110	14	-	10,332	8,912
S	871	-	-	-	871	366
N	1,216	-	61	-	1,277	1,215
Total	40,652	118	171	-	40,941	34,054

U. S. TYPE 36.--GREEN RIVER

A	364	-	-	-	364	306
B	16,972	618	18	-	17,608	13,949
C	2,310	431	122	-	2,863	1,579
X	21,811	333	45	1	22,190	17,011
S	865	14	22	2	903	933
N	71	-	7	-	78	13
Total	42,393	1,396	214	3	44,006	33,791

U. S. TYPE 37.--VIRGINIA SUN-CURED

A	225	-	-	-	225	230
B	421	46	9	9	485	499
C	269	-	24	1	294	264
X	968	1,419	16	121	2,524	2,388
S	63	14	1	-	78	11
Total	1,946	1,479	50	131	3,606	3,399

* Corrections in January 1, report.

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
B	942	9	-	-	951	1,056
C	68,431	2,594	230	49	71,304	69,651
X	23,494	3,822	193	-	27,509	27,956*
S	8	183	-	1	192	348*
Total	92,875	6,608	423	50	99,956	99,011*

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	16,583	789	90	2	17,464	17,650*
X	3,412	87	22	-	3,521	3,297
S	21	21	-	1	43	61
N	5	-	-	-	5	2
Total	20,021	897	112	3	21,033	21,010*

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	19,092	1,101	821	32	21,046	19,845
X	6,462	171	2	1	6,636	6,389
S	64	49	1	-	114	297
Total	25,618	1,321	824	33	27,796	26,531

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	5,883	76	397	3	6,359	6,763
X	2,157	38	1	-	2,196	1,936
S	2	77	-	-	79	99
N	-	-	-	-	-	2
Total	8,042	191	398	3	8,634	8,800

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	639	1,292	-	-	1,931	2,054
X	2	3	-	-	5	3
S	-	2	-	-	2	6
Total	641	1,297	-	-	1,938	2,063

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	125	14,857	50	110	15,142	14,881
X	968	2,005	-	1	2,974	3,567
S	63	1,109	24	1	1,202	1,220
Total	1,161	17,971	74	112	19,318	19,668

* Corrections in January 1, report.

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.				
A	1,367	2	365	-	1,734	1,682
B	23,164	165	1,601	21	24,951	24,578*
C	1,641	114	80	1	1,836	1,291*
X	3,674	2,838	29	143	6,684	7,485
S	376	76	-	-	452	63
N	7	3	-	-	10	-
Total	30,229	3,198	2,075	165	35,667	35,099*

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	1,487	3	60	-	1,550	1,583
B	26,111	199	1,202	1	27,513	18,935*
C	1,595	88	5	-	1,688	6,931
X	3,903	3,428	3	168	7,502	8,350
S	382	8	-	-	390	19
Total	33,478	3,726	1,270	169	38,643	35,818*

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	44	-	9	-	53	357
B	340	-	48	-	388	-
C	180	4	-	-	184	143
X	2,565	-	3	-	2,568	2,820
S	3	59	-	-	62	15
Total	3,132	63	60	-	3,255	3,335

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	6,959	241	717	67	7,984	8,105
C	2,405	290	129	1	2,825	2,979
X	53,217	5,000	34	717	58,968	58,936
S	-	-	-	-	-	4
Total	62,581	5,531	880	785	69,777	70,024

U. S. TYPE 55.-NORTHERN WISCONSIN

B	15,896	80	744	19	16,739	16,025
C	2,686	80	111	1	2,878	3,038
X	26,599	1,484	9	-	28,092	26,381
S	3	56	1	11	71	114
N	-	-	-	-	-	5
Total	45,184	1,700	865	31	47,780	45,563

* Corrections in January 1, report.

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61--CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		April 1	January 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Total 1000 lbs.
A	6,705	20	93	-	6,818	6,945
B	3,235	67	8	-	3,310	3,457
C	469	38	53	1	561	704
X	105	1	2	-	108	100
S	6	62	-	-	68	96*
Total	10,520	183	156	1	10,865	11,302*

U. S. TYPE 62.--GEORGIA AND FLORIDA SHADE

A	3,489	22	39	-	3,550	4,193
B	409	14	1	-	424	428
C	154	13	-	-	167	78*
X	41	-	1	-	42	97
S	-	35	-	-	35	5
Total	4,093	84	41	-	4,218	4,801*

U. S. TYPE 70.--MISCELLANEOUS DOMESTIC

No Groups	1,386	426	190	93	2,095	2,270*
-----------	-------	-----	-----	----	-------	--------

U. S. TYPE 80.--FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	3,952	6,848	309	78	11,187	11,879*
-----------	-------	-------	-----	----	--------	---------

U. S. TYPE 90.--FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	83,983	12	7,114	-	91,109	68,383
-----------	--------	----	-------	---	--------	--------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand Total
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	
April 1, 1933	1,987,679	244,308	42,059	3,858	2,277,904
January 1, 1933	1,849,443	240,963	45,782	6,726	2,144,733

* Corrections in January 1, report.

(Figures rounded to nearest thousand pounds)

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics, Tobacco Section

TOBACCO STOCKS REPORT
LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS APRIL 1, 1933

(Figures are in thousands of pounds)

TYPE NAME	NEW CROPS		OLD CROPS		TOTAL OF TYPE	
	U.S.:	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
Old Belt Flue-cured Va. & N. C.	11	275,030	5,648	317,248	343,193*	367,151
Eastern N. C. Flue-cured	12	179,550	30,821	220,189	257,800*	306,986
South Carolina Flue-cured (In-cluding Southeastern N.C.)	13	84,760	12,864	99,319	116,933*	143,118
Ga. and Florida Flue-cured	14	12,793	30,036	43,524	51,571	75,781
Total Flue-cured	--	552,133	109,650	680,280	769,497*	931,096
Virginia Fire-cured	21	29,361	571	35,820	31,369*	40,711
Tenn. and Ky. Fire-cured (Eastern District C.H. and S.)	22	143,352	103	143,790	113,210*	115,379
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	54,200	198	54,444	39,734	40,100
Henderson Steaming or Northern Fire-cured	24	7,860	473	8,335	3,109	5,234
Total Fire-cured	--	234,773	1,345	242,389	187,422*	201,424
Burley	31	660,160	79,743	744,164	619,690*	702,834
Southern Maryland	32	28,726	516	29,247	31,325	19,559
Total Light Air-cured	--	688,886	80,259	773,411	651,015*	722,393
One Sugar	35	40,652	118	40,941	34,054	45,106
Green River	36	42,393	1,396	44,006	33,791	38,957
Va. Sun-cured	37	1,946	1,479	3,606	3,397	4,635
Total Dark Air-cured	--	84,991	2,993	88,553	71,242	88,698
Pennsylvania Seedleaf	41	92,875	6,608	99,956	99,011*	115,064
Gebhardt (Ohio-Miami Valley)	42	20,021	897	21,033	21,010*	18,034
Zimmer (Ohio-Miami Valley)	43	25,618	1,321	27,796	26,531	24,910
Dutch (Ohio-Miami Valley)	44	8,042	191	8,634	8,800	12,661
Ga. and Fla. Sun-grown	45	641	1,297	1,938	2,063	2,188
Caribbean Sun-grown	46	1,161	17,971	19,318	19,668	25,647
Total Cigar-Leaf Types	--	148,358	28,285	173,675	177,083*	198,504
Conn. Valley Broadleaf	51	30,229	3,193	35,667	35,099*	36,505
Conn. Valley Havana Seed	52	33,478	3,726	38,643	35,818*	41,753
N. Y. and Pa. Havana Seed	53	3,132	63	3,255	3,335	4,455
Southern Wisconsin	54	62,561	5,531	69,717	70,024	68,931
Northern Wisconsin	55	45,184	1,700	47,780	45,563	55,226
Total Cigar-Leaf Types	--	174,604	14,213	195,122	189,839*	207,738
Conn. Valley Shade	61	10,520	188	10,865	11,302*	11,504
Ga. and Fla. Shade	62	4,093	84	4,218	4,801*	4,407
Total Shade-grown	--	14,613	272	15,083	16,103*	15,911
Miscellaneous Domestic	70	1,386	426	2,095	2,270*	2,927
Foreign Cigar-Leaf	80	3,952	6,348	11,187	11,879*	14,337
Foreign other than cigar leaf	90	81,983	12	91,109	68,183	86,526
TOTAL ALL TYPES	--	1,987,679	244,308	2,277,904	2,144,733	2,373,761

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1932, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the first session of the 72nd Congress as H. R. 9590.

* Corrections in January 1 report.

