

1 2 3 4 5 6 7 8 9 10

始



中央氣象臺月報

大正七年二月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN.

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

FEBRUARY, 1918.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TÔKYÔ.

1918.

凡 例

本編ハ大正七年二月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧グレバ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據リ夜半ヲ日界トスル二十四時制ヲ用フ但シ日照時數ハ真太陽時ニ據ル

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サズ但シ其更正數ハ本表ノ欄外ニ掲グ

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒズ百ヨリ其度ヲ減ジ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルガ如シ

或ル觀測時ニ於ケル風速ハ其觀測時前二十分間ノ平均風速ヲ以テ之ヲ示ス

平均雲量ニ未滿ナル日ヲ快晴トシ八以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ觀測シタル日ヲ暴風日トス

INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of February, 1918.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

Hours of Observations.—The Central Standard Time (civil mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. civil mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.

Pressure.—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

Temperature.—The degrees are given in Centigrade; those below zero are shown by adding 100, to avoid the minus sign thus 99° for -1°, 95° for -5°, etc.

Velocity of the Wind.—As the velocity at any time is given the mean for the preceding 20 minutes.

Clear and Cloudy Days.—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

Days with Gales.—As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.

現象記號

ILLUSTRATION OF SYMBOLS

(1) 萬國共通記號 *International symbols*

雨	☉	Rain	霜	⊏	Hoar frost	日暈	⊕	Solar halo
雪	✱	Snow	露	△	Dew	日光環	⊙	Solar corona
電雷	⊏	Thunder storm	露水	∨	Silver thaw	月暈	⊖	Lunar halo
雷聲	⊏	Thunder without lightning	雨水	~	Glazed frost	月光環	⊙	Lunar corona
電光	<	Lightning without thunder	吹雪	+	Snow drift	虹	∩	Rainbow
霰	△	Graupel	細冰	←	Ice crystals	極光	☉	Aurora
雹	▲	Hail	積雪	⊠	Snow lying	烟霧	∞	Haze
霧	≡	Mist, fog	暴風	↙	Gales	黃道光	☾	Zodiacal light

(2) 其他ノ記號 *Other symbols*

凍雨	⊖	Frozen rain	卷雲	C	Cirrus	層積雲	SK	Strato-cumulus
霜柱	⊏	Ice column in ground	卷層雲	CS	Cirro-stratus	亂雲	N	Nimbus
海鳴	☉	Oceanic noise	卷積雲	CK	Cirro-cumulus	積雲	K	Cumulus
波狀雲	~	Undulated cloud	積卷雲	KC	Alto-cumulus	積亂雲	KN	Cumulo-nimbus
地震	⊙	Earthquake	層卷雲	SC	Alto-stratus	層雲	S	Stratus



測候所 LIST OF

大正七年二月

Table listing weather stations in Japan with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement. Includes stations like Kōsuyun, Taitō, Tainan, etc.

*一等測候所 Stations making hourly observations

一覽表 STATIONS.

FEBRUARY, 1918

Table listing weather stations in Japan with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement. Includes stations like Maebasi, Kumagaya, Utunomiya, etc.

* 變更 Changed † 計算 Newly determined.

大正七年二月
SUMMARY FOR

地名 Locality	氣壓 Air Pressure		氣溫 Air Temperature							水蒸氣 張力 Tension of Vapour	濕度 Relative Humidity	雲量 Amount of Cloud	日照時數 No. of Hours with Sunshine			
	水點 度 O° C	海面ノ度 Standard Gravity and Mean Sea Level	平均 Mean	累年 平均 Normal	每日 最高ノ 平均 Mean Max.	每日 最低ノ 平均 Mean Min.	每日 較差ノ 平均 Mean Range	最高 極 Abs. Max.	日 Day				最低 極 Abs. Min.	日 Day	總計 Total	百分 %
恆春 Kôyün	763.1	763.8	19.2	20.1	22.9	16.3	6.5	26.9	27	10.2	20	11.6	70	5.3	173.0	54
臺東 Taitô	765.4	764.9	17.8	18.8	22.5	14.3	8.1	26.4	26	7.5	19	11.8	78	7.8	101.8	32
臺南 Tainan	764.7	764.6	15.5	16.8	22.7	11.0	11.7	28.7	27	2.4	19	10.0	77	4.8	188.3	59
澎湖島 Hôkotô	765.6	765.3	14.5	15.8	17.0	12.4	4.7	26.1	26	8.0	19	10.2	82	6.2	122.4	39
臺中 Taichû	759.0	764.8	14.4	15.4	20.7	9.3	11.4	26.3	27	1.0	19	9.8	81	3.9	209.0	66
臺北 Taihoku	766.6	766.1	14.7	14.6	19.8	10.7	9.1	27.1	26	2.7	19	10.0	80	6.7	121.4	38
石碇島 Isigakizima	766.0	765.3	17.1	17.7	20.6	12.7	7.9	24.3	27	5.9	19	10.3	70	6.3	140.3	44
那霸 Naha	765.8	765.6	15.2	16.0	19.8	11.1	8.6	24.2	27	4.9	20	9.4	73	6.0	125.1	40
名瀨 Naze	766.8	766.1	13.4	14.0	17.0	9.8	7.2	23.9	27	5.4	20	8.4	73	7.6	88.2	28
鹿兒島 Kagosima	767.4	767.0	6.8	7.4	13.1	0.8	12.3	19.2	26	94.4	19	5.7	76	5.1	152.7	49
宮崎 Miyazaki	767.1	767.0	7.0	7.3	13.3	0.9	12.4	22.6	26	94.3	1	5.5	72	4.5	183.0	59
熊本 Kumamoto	764.8	767.6	4.9	5.2	11.6	99.1	12.5	20.4	26	92.8	19	4.6	72	4.6	128.3	42
佐賀 Saga	767.0	767.4	5.0	5.2	10.3	0.6	9.8	17.2	26	94.5	19	4.9	74	5.3	122.3	40
佐世保 Sasebo	767.0	767.5	6.1	5.9	11.3	1.6	9.7	18.3	25	96.7	1	4.9	70	6.3	122.3	40
長崎 Nagasaki	756.0	767.5	5.9	5.8	10.3	2.5	7.8	18.1	26	97.8	18	4.6	65	5.7	144.4	47
鹿原 Ituhara	766.5	767.8	5.5	4.9	9.9	1.6	8.3	18.1	26	96.4	13	4.3	64	5.5	123.1	40
福岡 Fukuoka	767.9	767.6	4.8	5.0	9.8	0.2	9.6	19.9	26	95.1	18	4.7	72	5.9	127.3	41
大分 Oita	767.8	767.6	4.7	5.4	10.1	99.0	11.1	19.7	26	92.2	19	4.1	70	4.4	166.3	51
下關 Simonoseki	763.7	767.4	5.1	5.2	9.0	2.0	7.0	17.2	26	97.0	18	4.6	69	5.4	116.2	38
廣島 Hiroshima	767.8	767.4	4.4	4.2	10.1	99.3	10.8	18.5	26	94.0	19	4.4	70	5.9	153.3	50
吳 Kure	766.7	767.8	4.6	4.9	9.8	0.4	9.4	17.7	26	96.2	1	4.4	70	5.0	122.3	40
松山 Matuyama	765.0	767.3	4.4	4.7	10.2	99.4	10.8	19.5	26	94.8	1,17	4.5	72	4.9	147.8	48
四國島 Sishakazima	767.3	767.1	5.0	5.4	9.0	2.6	6.3	14.3	26	97.4	18	4.4	67	5.2	184.9	61
新居濱 Niijima	767.6	767.3	4.9	5.6	8.4	1.3	7.1	13.6	26	97.2	17	4.5	69	5.4	166.9	55
東平 Tônarû	697.3	767.7	0.6	0.6	4.1	97.7	6.3	14.6	26	91.5	18	3.6	74	5.7	122.3	40
岡山 Okayama	767.2	767.1	3.6	3.9	9.1	98.8	10.2	17.2	26	93.4	19	4.2	71	4.9	159.3	52
味野 Adino	767.3	767.0	4.0	4.6	8.7	99.7	9.0	14.1	26	94.9	17	4.4	73	5.6	161.6	53
多度津 Tadotsu	767.3	767.1	4.5	5.1	8.7	0.4	8.3	14.6	26	95.2	17	4.5	72	5.4	158.1	52
神戸 Kôbe	762.0	766.7	4.3	4.5	9.2	0.4	8.8	18.3	26	95.1	18	4.1	66	5.2	150.5	49
大阪 Oosaka	767.2	766.8	4.1	4.2	9.1	99.9	9.2	16.6	26	95.5	17	4.3	71	4.8	151.4	49
和歌山 Wakayama	765.9	766.6	4.5	4.9	9.8	0.3	9.5	18.9	26	95.6	17	4.5	72	4.8	140.7	46
徳島 Tokushima	767.1	766.8	4.8	5.2	10.1	0.3	9.7	19.5	26	96.4	17	4.4	69	4.8	169.6	55
高知 Kôti	763.4	766.5	5.7	6.0	12.2	0.6	11.6	18.5	26	94.6	19	4.6	67	4.7	178.3	58
湖崎 Siomisaki	759.2	765.3	7.4	0.6	11.4	3.7	7.8	17.5	26	98.0	18	5.3	66	4.1	187.9	61
津 Tsu	766.6	766.3	3.5	4.2	8.7	99.1	9.6	13.9	26	94.7	19	3.9	67	4.6	175.8	57
名古屋 Nagoya	765.3	766.1	3.6	3.9	9.4	98.7	10.8	17.7	26	93.2	17	4.0	69	3.7	183.9	60
濱松 Hamamatu	763.1	765.0	5.4	5.4	10.2	1.2	8.9	17.6	25	96.3	19	4.3	63	3.6	199.5	65
沼津 Numadu	764.4	764.4	5.8	5.9	11.4	0.5	10.8	17.7	25	93.3	19	4.6	66	5.3	170.8	56
横須賀 Yokosuka	761.3	764.8	4.8	5.1	9.1	1.2	7.9	17.5	26	95.8	19	4.2	64	5.5	149.8	49
横浜 Yokohama	765.1	764.8	4.6	4.6	9.1	0.2	8.9	17.3	26	93.7	19	4.2	66	5.4	163.0	55
東京 Tôkyô	763.6	765.0	3.6	3.7	8.8	99.2	9.6	17.1	26	95.2	19	3.6	62	5.2	168.1	55
八丈島 Hatidjôjima	757.6	764.2	9.9	11.1	13.1	7.9	6.1	17.6	26	99.7	19	6.2	66	8.1	98.3	32
父島 Titizima	764.8	764.0	15.9	18.0	19.1	12.6	6.4	23.8	28	7.0	14	9.6	71	6.8	144.6	46
鏡子 Tyôsi	763.3	764.5	4.7	5.5	7.6	1.7	5.9	15.5	26	96.4	19	4.5	70	5.7	147.4	48
水戸 Mito	762.5	764.9	2.1	2.7	8.6	96.9	11.7	16.6	26	92.1	19	3.7	70	4.5	171.0	56
小名瀨 Onahana	764.5	764.4	1.9	3.8	7.1	97.5	9.6	13.3	26	94.2	22	4.1	76	5.4	168.0	55
金山 Kanayama	762.8	764.7	0.6	0.9	10.6	9.6	1.0	17.1	26	86.9	9	3.2	67	5.0	185.4	63
石巻 Isinomaki	761.0	764.8	0.5	0.2	4.5	97.1	7.4	12.2	26	92.8	3	3.4	70	5.4	182.4	60
宮古 Miyako	761.5	764.0	0.4	99.7	7.6	95.3	12.3	15.0	26	91.1	3	3.1	65	5.3	146.3	49
八木 Yagi	761.4	766.8	3.2	3.8	9.1	98.3	10.8	18.7	26	93.8	17	4.5	79	5.0	126.5	45
京都 Kyôto	763.4	766.8	3.1	3.0	9.5	98.0	11.5	18.7	26	92.9	19	4.3	76	5.7	146.3	47
彦根 Hikone	759.2	766.8	2.6	3.3	6.7	98.8	7.9	16.9	26	95.3	19	4.2	77	5.7	141.1	45
岐阜 Gifu	765.3	766.0	3.5	3.7	9.1	99.1	9.9	17.8	26	93.5	17	4.0	69	4.5	183.2	60
高山 Takayama	716.0	767.8	96.7	98.2	4.0	90.2	13.8	12.9	26	80.6	17	2.9	80	6.1	150.0	47
飯田 Iida	718.9	766.2	0.6	0.7	7.2	94.6	12.6	17.2	25	87.6	19	3.4	69	4.2	183.5	63
甲府 Kôfu	740.6	764.8	3.0	2.7	10.6	96.9	13.8	18.9	26	89.6	19	3.7	65	4.8	193.5	61
松本 Matsumoto	713.4	766.5	98.5	98.5	4.4	92.9	11.5	16.0	26	84.9	9	2.9	69	5.0	176.2	49
長野 Nagano	728.1	766.8	97.9	98.8	2.6	92.3	10.4	13.8	26	84.7	19	3.0	75	5.4	162.7	54

氣象一覽表
FEBRUARY, 1918.

總計 Total	降水量 Amount of Precipitation			風速度 Wind Velocity				天氣日數 Number of Days with														
	日 Day	最大 Max. in 24h.	日 Day	平均 Mean	最大 Max.	方向 Dir.	日 Day	降水 Precip.		霧 Fog	電 雷	晴 Clear	曇 Cloudy	無 Sunless	暴 Storm	氣溫 Air Temperature						
								≥0.1	≥1.0							最低 Min.	平均 Mean	最高 Max.	最低 Min.	平均 Mean	最高 Max.	
26.0	18.7	18.4	4	8.2	19.9	NE	16	8	4	0	0	0	4	6	2	17	0	0	0	0	0	3
57.6	31.2	10.0	9	4.7	14.6	NE	11	18	12	0	0	0	0	14	4	10	0	0	0	0	0	5
39.7	25.1	24.4	4	5.9	18.6	N	18	5	3	0	0	0	2	8	6	7	1	0	0	0	0	7
34.9	27.0	29.3	4	11.5	22.5	NNE	16	5	4	0	0	0	0	7	13	10	23	0	0	0	0	1
46.9	47.2	38.9	4	3.1	12.2	N	18	6	4	0	0	0	4	12	6	1	3	1	0	0	0	2
35.7	118.7	11.4	3	4.9	14.0	E	23	14	6	0	0	0	1	4	13	5	11	2	0	0	0	2
78.2	98.1	25.4	5	7.0	14.4	NNW	6	15	7	0	1	0	0	1	4	11	2	20	0	0	0	0
56.8	130.3	14.6	6	5.4	20.4	N	18	11	8	0	1	0	0	2	11	7	11	1	0	0	0	0
181.1	205.3	56.0	5	5.4	18.1	NNE	18	17	12	0	2	0	0	1	16	5	11	0	0	0	0	0
31.2	92.1	14.8	3	4.5	12.9	NNW	18	10	4	2	1	0	0	7	6	7	6	17	15	0	0	0
27.1	101.4	13.8	5	3.7	16.3	W	20	7	7	0	0	0	1	9	8	5	9	15	13	0	0	0
29.6	76.7	19.3	3	2.5	12.5	NW	17	7	6	3	1	0	0	2	7	6	7	2	18	1	0	0
36.0	75.0	18.4	3	3.1	12.8	WNW	20	11	6	2	0	0	0	1	6	6	5	1	18	1	0	0
40.7	84.6	17.6	3	2.8	10.3	NE	27	11	8	2	3	0	1	0	3	9	0	1	14	12	0	0
34.9	86.2	11.9	3	4.6	21.9	WNW	17	11	8	3	2	0	1	0	5	10	3	12	10	4	0	0
42.6	88.1	11.5	26	4.6	15.2	NW	20	8	6	3	4	0	0	8	6	9	8	10	9	10	0	0
45.1	81.0	11.7	3	4.3	14.7	SE	26	12	11	2	4	0	0	0	3	8	4	7	18	15	1	0
18.8	66.1	7.3	3	4.7	14.0	NW	6	9	4	2	1											

大正七年二月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Max, Min, Range, Abs. Max, Min), Tension of Vapour, Relative Humidity, Amount of Cloud, and No. of Hour with Sunshine. Lists various locations like Maebasi, Kumagaya, etc.

氣象一覽表 FEBRUARY, 1918.

Table with columns for Amount of Precipitation, Wind Velocity (Mean, Max, Dir.), and Number of Days with various weather conditions (Clear, Cloudy, Sunless, Wind, etc.). Includes daily and total statistics.

大正七年二月 SUMMARY FOR

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include locations like 恒春, 鹿兒島, 高知, 東京, etc.

氣象一覽表 FEBRUARY, 1918.

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include locations like 前橋, 東京, 大連, 天津, etc.

第一覽表
TABLE I

時間	溫度	濕度	風速	風向	雲量	其他
01						
02						
03						
04						
05						
06						
07						
08						
09						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						

每時觀測

HOURLY OBSERVATIONS.

臺北 TAIHOKU. FEBRUARY, 1918. 大正七年二月

Table of AIR PRESSURE (毫米) with columns for days 1-28 and a '平均 Mean' column. Values range from approximately 64.0 to 74.8 mm.

Table of AIR TEMPERATURE (攝氏) with columns for days 1-28 and a '平均 Mean' column. Values range from approximately 5.6 to 23.5 degrees Celsius.

重力ノ更正 Reduction to standard gravity - 1.27
海面ノ更正 Reduction to mean sea level + 0.84

風ノ方向 DIRECTION AND

Table with 14 columns for wind directions (1°-14°) and 28 rows for days. Includes a '平均 Mean' row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns for cloud amounts (1°-12°) and 28 rows for days. Includes a '平均 Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 15 columns for wind velocities (15°-24°) and 28 rows for days. Includes a '平均 Mean' row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 12 columns for cloud forms (13°-24°) and 28 rows for days. Includes a '平均 Mean' row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns: 最高 Max., 最低 Min., 較差 Range, and 日 Day. Contains 28 rows of temperature data.

臺北 TAIHOKU.

FEBRUARY, 1918

大正七年二月

Table of precipitation data for Taipei (臺北) in February 1918. Columns include days (1-24) and total (Total). Rows show precipitation amounts in mm for each day.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Taipei (臺北) in February 1918. Columns include days (1-24) and total (Total). Rows show relative humidity percentages for each day.

那霸 NAHA.

FEBRUARY, 1918.

大正七年二月

Table of air pressure data for Naha (那霸) in February 1918. Columns include days (1-24) and average (平均 Mean). Rows show air pressure in mm for each day.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Naha (那霸) in February 1918. Columns include days (1-24) and average (平均 Mean). Rows show air temperature in degrees Celsius for each day.

重力ノ更正 Reduction to standard gravity..... - 1.21 海面ノ更正 Reduction to mean sea level..... + 0.95

大正七年二月

風ノ方向 DIRECTION AND

Table with 14 columns (1st-14th) and 28 rows (Day 1-28) showing wind direction and velocity data. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1st-12th) and 28 rows (Day 1-28) showing cloud amount data. Includes a summary row for '平均' (Average).

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15th-24th) and 28 rows (Day 1-28) showing wind velocity data. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with 24 columns (15th-24th) and 28 rows (Day 1-28) showing cloud forms data. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range) and 28 rows (Day 1-28) showing temperature extremes.

那覇

NAHA.

FEBRUARY, 1918.

大正七年二月

日	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均		
Day																										Mean	
降水量 (mm)																											
AMOUNT OF PRECIPITATION. (mm)																											
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	0.0	-	-	-	-	-	-	-	-	-	1.6	0.1	0.0	0.0	0.3	0.3	0.3	0.1	0.3	0.2	0.0	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1.3	2.1	1.6	1.4	0.6	1.5	1.4	0.8	0.4	0.0	0.4	0.0	0.1	0.3	0.2	0.8	0.1	0.0	-	-	-	-	-	-	-	-	
6	0.0	-	0.1	-	0.1	0.3	1.4	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
11	-	-	-	-	-	-	-	-	-	0.0	0.6	0.0	0.0	0.1	0.7	0.5	0.3	1.1	0.2	0.1	0.1	-	-	-	-	-	
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	-	-	-	1.0	0.7	2.0	1.5	1.2	0.7	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	0.0	0.0	0.0	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	-	-	-	0.0	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
平均	1.4	2.1	1.7	2.5	1.5	3.8	4.3	2.5	1.1	2.1	0.5	0.6	1.6	3.6	1.7	7.0	3.4	3.5	2.6	1.1	2.0	0.5	3.6	2.1	1.1	2.1	

湿度 (百分率)

RELATIVE HUMIDITY. (%)

日	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均	
Day																										Mean
1	71	72	68	68	73	77	74	74	71	50	47	47	44	43	44	46	44	44	56	68	69	70	72	64	67	67
2	67	74	74	78	78	79	81	83	55	44	48	46	45	46	46	46	50	51	57	66	70	69	69	71	71	71
3	75	74	79	80	79	78	79	78	75	87	78	72	75	80	80	82	82	86	91	91	80	90	88	82	82	82
4	85	85	84	84	86	83	84	79	74	74	81	77	75	77	83	81	82	83	81	88	90	92	94	92	92	92
5	90	93	94	96	98	98	96	95	93	90	88	88	88	90	94	92	91	87	87	87	88	91	93	94	94	94
6	95	95	96	96	98	98	98	96	90	81	81	73	74	81	83	94	94	95	93	87	79	78	78	72	72	72
7	72	73	69	69	74	68	67	71	62	59	54	54	55	62	59	61	62	66	66	64	63	64	70	72	72	72
8	73	75	77	72	75	71	71	72	69	59	58	53	50	48	51	50	55	59	69	75	77	83	87	86	86	86
9	90	90	85	87	88	87	87	85	76	63	62	62	57	63	60	61	67	68	69	72	72	78	82	82	82	82
10	86	86	85	85	85	85	86	86	73	65	58	67	64	60	62	64	71	78	80	79	80	82	84	84	84	84
11	83	87	88	87	87	86	87	89	87	81	85	92	88	87	89	93	91	89	94	92	91	90	89	89	89	89
12	87	90	90	87	83	83	82	76	71	62	63	58	55	51	50	51	54	60	66	71	72	73	73	77	77	77
13	74	74	75	74	73	71	73	74	68	63	59	54	52	50	51	49	57	62	72	76	78	78	81	81	81	81
14	85	85	88	89	89	88	90	85	63	61	60	52	47	50	49	50	55	60	73	76	78	80	82	82	82	82
15	85	87	84	87	94	94	94	95	94	80	81	76	74	70	72	74	79	82	81	74	72	74	81	91	91	91
16	77	69	74	59	59	64	60	70	62	60	61	63	57	56	56	58	59	56	56	61	55	55	55	57	57	57
17	61	61	65	62	60	62	61	57	61	57	53	54	54	56	53	56	57	54	64	60	57	57	56	58	58	58
18	55	53	66	61	53	59	56	64	57	57	50	51	51	62	56	59	51	66	52	58	69	74	79	72	72	72
19	67	61	71	77	79	75	81	82	66	56	51	51	49	52	48	50	48	57	65	66	75	78	81	81	81	81
20	85	88	85	87	90	90	88	86	67	45	46	43	42	45	47	50	57	61	66	67	71	74	76	76	76	76
21	78	79	79	83	91	87	87	83	65	58	51	48	48	66	56	54	62	71	77	79	81	85	85	85	85	85
22	86	84	89	84	88	88	92	89	73	58	56	56	55	90	90	73	71	70	69	74	74	68	69	69	69	69
23	66	66	73	75	73	72	78	79	66	56	53	53	50	50	50	52	54	58	66	67	70	72	71	71	71	71
24	77	79	83	87	85	85	89	83	67	59	56	49	49	49	52	50	53	57	67	71	72	73	81	88	88	88
25	89	90	91	91	91	94	91	90	79	69	55	59	57	55	61	61	63	69	71	76	75	71	75	75	75	75
26	75	74	76	79	80	81	81	79	74	68	61	52	52	47	47	51	52	63	74	79	83	86	88	88	88	88
27	91	92	94	93	95	96	96	94	85	73	67	59	56	56	55	55	59	67	77	82	85	88	92	93	93	93
28	93	93	93	93	92	92	92	91	83	82	78	73	70	72	71	75	75	79	77	74	76	75	75	75	75	75
平均	79.3	79.7	81.3	81.1	82.0	81.8	82.2	81.6	72.1	65.0	62.3	60.1	59.4	60.9	61.3	62.6	68.8	67.5	72.4	74.1	75.4	76.7	78.4	79.6	79.6	79.6

鹿兒島

KAGOSIMA.

FEBRUARY, 1918.

大正七年二月

日	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均		
Day																										Mean	
氣壓 (mm)																											
AIR PRESSURE. (700 mm +)																											
1	71.0	71.0	71.0	71.0	71.0	71.1	71.8	71.5	71.9	72.1	71.7	71.5	70.7	70.1	70.3	70.6	71.1	71.6	71.9	72.0	72.2	72.2	72.5	71.31	71.31	71.31	
2	72.6	72.6	72.6	72.2	72.0	72.1	72.2</																				

鹿兒島 KAGOSIMA

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 28 rows (Day 1-28) showing wind direction and velocity data. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 28 rows (Day 1-28) showing cloud amount data. Includes a summary row for '平均' (Average).

鹿兒島 KAGOSIMA

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 24 columns (15-24) and 28 rows (Day 1-28) showing wind velocity data. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with 24 columns (15-24) and 28 rows (Day 1-28) showing cloud forms data. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 28 rows (Day 1-28) showing temperature extremes.

鹿兒島

KAGOSIMA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 1 column (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 31.2 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily humidity percentages and an average mean of 75.9%.

熊本

KUMAMOTO.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Data includes daily air pressure values and an average mean of 65.07 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily temperature values and an average mean of 10.3°C.

重力ノ更正 Reduction to standard gravity - 0.82
海面へノ更正 Reduction to mean sea level + 3.68

大正七年二月

風ノ方向 DIRECTION AND

Table of wind directions for Kumamoto in February 1918, showing data for 28 days across 14 directions (1° to 14°).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kumamoto in February 1918, showing data for 28 days across 14 directions (1° to 14°).

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kumamoto in February 1918, showing data for 28 days across 14 directions (15° to 24°) and average values.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kumamoto in February 1918, showing data for 28 days across 14 directions (13° to 24°) and average values.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kumamoto in February 1918, including maximum, minimum, range, and average values.

熊本 KUMAMOTO.

FEBRUARY, 1918.

大正七年二月

Table of precipitation data for Kumamoto, February 1918. Columns include days 1-24 and total. Values are in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kumamoto, February 1918. Columns include days 1-24 and average. Values are in percent.

長崎 NAGASAKI.

FEBRUARY, 1918.

大正七年二月

Table of air pressure data for Nagasaki, February 1918. Columns include days 1-24 and average. Values are in mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Nagasaki, February 1918. Columns include days 1-24 and average. Values are in degrees Celsius.

重力ノ更正 Reduction to standard gravity - 0.83
海面ノ更正 Reduction to mean sea level +12.38

大正七年二月

風ノ方向 DIRECTION AND

Table with columns for Day (1-28) and wind directions (1-14). Includes a summary row for '平均 Mean' at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-28) and cloud amounts (1-12). Includes a summary row for '平均 Mean' at the bottom.

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocities (15-24) and a summary row for '平均 Mean' at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and a summary row for '平均 Mean' at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max., Min., Range, and Day (1-28). Includes a summary row for '平均 Mean' at the bottom.

長崎 NAGASAKI.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column at the end.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Mean' column at the end.

福岡 HUKUOKA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (耗) AIR PRESSURE. (mm). Includes a 'Mean' column at the end.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Mean' column at the end.

重力ノ更正 Reduction to standard gravity - 0.77
海面ノ更正 Reduction to mean sea level + 0.52

大正七年二月

福岡 HUKUOKA.

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for each day of the month, including a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for each day of the month, including a summary row for '平均' (Average).

大正七年二月

福岡 HUKUOKA.

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for each day of the month, including a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for each day of the month, including a summary row for '平均' (Average).

Table of temperature extremes (最高, 最低, 較差) and daily mean (平均) for each day of the month.

福岡 HUKUOKA.

FEBRUARY, 1918.

大正七年二月

Table of precipitation (降水量) in mm for Hukuoka, February 1918. Columns represent days 1-28 and a total column. Values range from 0.0 to 1.9 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity (%) for Hukuoka, February 1918. Columns represent days 1-28 and a total column. Values range from 40 to 99%.

下關 SIMONOSEKI.

FEBRUARY, 1918.

大正七年二月

Table of air pressure (気圧) in mm for Simonoseki, February 1918. Columns represent days 1-28 and a total column. Values range from 60.2 to 68.8 mm.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature (°C) for Simonoseki, February 1918. Columns represent days 1-28 and a total column. Values range from 4.0 to 10.8 °C.

重力ノ更正 Reduction to standard gravity.....- 0.75
海面へノ更正 Reduction to mean sea level.....+ 4.50

大正七年二月

風ノ方向 DIRECTION AND

Table of wind directions and velocities for February 1918 at Simono-seki. Columns include Day, 1st-14th hour, and average. Values are in degrees and m/sec.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for February 1918 at Simono-seki. Columns include Day, 1st-12th hour, and average. Values are in tenths of sky cover.

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for February 1918 at Simono-seki. Columns include 15th-24th hour, average, and extremes of air temperature.

氣温ノ極 Extremes of Air Temp.

Table of air temperature extremes for February 1918 at Simono-seki. Columns include Day, Max, Min, Range, and average.

及雲形 FORMS OF CLOUD.

Table of cloud forms for February 1918 at Simono-seki. Columns include 13th-24th hour, average, and extremes of air temperature.

下關 SIMONOSEKI.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 1 row for precipitation data. Includes sub-headers '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 5.9 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 28 columns (Day 1-28) and 1 row for relative humidity data. Includes sub-headers '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 65 to 100%.

廣島 HIROSIMA.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 1 row for air pressure data. Includes sub-headers '氣壓 (耗)' and 'AIR PRESSURE. (mm) (700 mm +)'. Data values range from 65.4 to 73.0 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 28 columns (Day 1-28) and 1 row for air temperature data. Includes sub-headers '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 2.4 to 11.6 °C.

重力ノ更正 Reduction to mean gravity - 0.72 海面ノ更正 Reduction to mean sea level + 0.30

大正七年二月

FEBRUARY, 1918.

Table with columns for Day (1-28) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

風ノ方向 DIRECTION AND AMOUNT (0-10)

Table with columns for Day (1-28) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind directions (15-24) and wind velocity (Mean, Max, Min). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and cloud amount (Mean). Includes a summary row for '平均' (Average) at the bottom.

Table with columns for temperature extremes (最高 Max., 最低 Min., 較差 Range) and Day (1-28). Includes a summary row for '平均' (Average) at the bottom.

廣島 HIROSIMA.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing precipitation data for Hiroshima. Includes a 'Total' column and a 'Sum' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing relative humidity data for Hiroshima. Includes a 'Mean' row at the bottom.

松山 MATUYAMA.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing air pressure data for Matuyama. Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing air temperature data for Matuyama. Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.75
海面へノ更正 Reduction to mean sea level + 3.04

松山 MATUYAMA.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Matuyama in February 1918. Columns include Day, 15°-14° directions, and Average Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Matuyama in February 1918. Columns include Day, 15°-12° cloud amounts, and Average Mean.

松山 MATUYAMA.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Matuyama in February 1918. Columns include 15°-24° directions, Average Mean, and monthly totals.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Matuyama in February 1918. Columns include 13°-24° cloud forms, Average Mean, and monthly totals.

Table of air temperature extremes for Matuyama in February 1918. Columns include Max, Min, Range, and Day.

松山 MATUYAMA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day, with a total of 68.8 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes relative humidity percentages for each day, with a mean of 81.9%.

多度津 TADOTU.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (耗) AIR PRESSURE. (mm). Data includes air pressure readings for each day, with a mean of 76.41 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes air temperature readings for each day, with a mean of 2.82°C.

重力ノ更正 Reduction to standard gravity - 0.73
海面ノ更正 Reduction to mean sea level + 0.50

多度津 TADOTU.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tadotsu in February 1918. Columns include Day, 1st-14th hour, and Average Mean. Rows list wind direction (e.g., W, ESE) and velocity (e.g., 8.7, 2.5).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tadotsu in February 1918. Columns include Day, 1st-12th hour, and Average Mean. Rows list cloud amount (e.g., 0, 1, 10) and type (e.g., sk, kc).

多度津 TADOTU.

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tadotsu in February 1918. Columns include 15th-24th hour, Average Mean, and Extremes of Air Temp. Rows list velocity (e.g., 8.9, 1.6) and temperature extremes (Max, Min, Range).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tadotsu in February 1918. Columns include 13th-24th hour, Average Mean, and Extremes of Air Temp. Rows list cloud form (e.g., 0, sk, kc) and temperature extremes.

多度津 TADOTU.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Mean' column on the right.

徳島 TOKUSIMA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 気圧 (mm) AIR PRESSURE. (mm). Includes a 'Mean' column on the right.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 气温 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to mean gravity..... - 0.74 海面へノ更正 Reduction to standard sea level..... + 0.37

大正七年二月

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tokushima in February 1918. Columns include Day, 1st-14th directions, and Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tokushima in February 1918. Columns include Day, 1st-12th amounts, and Mean.

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tokushima in February 1918. Columns include 15th-24th directions, Mean, and Max/Min.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokushima in February 1918. Columns include 13th-24th forms, and Mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tokushima in February 1918. Columns include Day, Max, Min, Range, and Mean.

徳島

TOKUSIMA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns for days and a Total column.

降水量 (耗)

AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Tokushima, Feb 1918.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tokushima, Feb 1918.

神戸

KÔBE.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns for days and a Mean column.

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Kobe, Feb 1918.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Kobe, Feb 1918.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

大正七年二月

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kobe in February 1918. Columns include day, direction (1-14), and velocity (1-14). Includes a summary row for '平均 Mean'.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kobe in February 1918. Columns include day and amount (1-12). Includes a summary row for '平均 Mean'.

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kobe in February 1918. Columns include day, velocity (15-24), average mean, and daily mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kobe in February 1918. Columns include day and cloud form (13-24). Includes a summary row for '平均 Mean'.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kobe in February 1918. Columns include day, maximum, minimum, range, and daily mean.

神戸 KŌBE.

大正七年二月

FEBRUARY, 1918.

Table of precipitation data for Kobe, February 1918. Columns: Day (1-28), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily precipitation amounts in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of relative humidity data for Kobe, February 1918. Columns: Day (1-28), 1st-24th hour, Total (合計), and Mean (平均). Rows: Daily relative humidity percentages.

湿度 (百分率) RELATIVE HUMIDITY. (%)

大阪 OOSAKA.

大正七年二月

FEBRUARY, 1918.

Table of air pressure data for Osaka, February 1918. Columns: Day (1-28), 1st-24th hour, and Mean (平均). Rows: Daily air pressure readings in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air temperature data for Osaka, February 1918. Columns: Day (1-28), 1st-24th hour, and Mean (平均). Rows: Daily air temperature readings in degrees Celsius.

氣温 (攝氏) AIR TEMPERATURE. (°C)

重力ノ更正 Reduction to standard gravity - 0.70
海面ノ更正 Reduction to mean sea level + 0.29

風ノ方向 DIRECTION ANI

Table of wind directions (DIRECTION ANI) for Osaka, February 1918. Columns include Day (H Day), 1st-14th hour directions, and Average Mean.

雲量 (0-10)

AMOUNT (0-10) ANI

Table of cloud amounts (AMOUNT ANI) for Osaka, February 1918. Columns include Day (H Day), 1st-12th hour cloud amounts, and Average Mean.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities (VELOCITY OF WIND) for Osaka, February 1918. Columns include 15th-24th hour velocities, Average Mean, and Standard Deviation.

氣温ノ極 Extremes of Air Temp.

Table of air temperature extremes (Extremes of Air Temp.) for Osaka, February 1918. Columns include Day, Max., Min., Range, and Average Mean.

及雲形

FORMS OF CLOUD.

Table of cloud forms (FORMS OF CLOUD) for Osaka, February 1918. Columns include 13th-24th hour cloud forms, Average Mean, and Standard Deviation.

大阪

OOSAKA.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 2 rows of precipitation data (mm). Includes a 'Total' column and a 'Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows of relative humidity data (%). Includes a 'Mean' row at the bottom.

京都

KYŌTO.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 2 rows of air pressure data (mm). Includes a 'Total' column and a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows of air temperature data (°C). Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.67
海面ノ更正 Reduction to mean sea level + 4.06

風ノ方向 DIRECTION AND

Table of wind directions for each day from Feb 1 to Feb 28, 1918, in Kyoto. Columns include day, direction, and velocity.

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for each day from Feb 1 to Feb 28, 1918, in Kyoto. Columns include day and cloud amount.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for each day from Feb 1 to Feb 28, 1918, in Kyoto. Columns include day, velocity, and temperature extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for each day from Feb 1 to Feb 28, 1918, in Kyoto. Columns include day and cloud form.

京都 KYŌTO.

大正七年二月

FEBRUARY, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing precipitation data in mm. Includes a 'Total' column and a 'Sum' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing relative humidity data in percent. Includes a 'Mean' row at the bottom.

名古屋 NAGOYA.

大正七年二月

FEBRUARY, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air pressure data in mm. Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air temperature data in degrees Celsius. Includes a 'Mean' row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.67
海面へノ更正 Reduction to mean sea level..... + 1.43

風ノ方向 DIRECTION AND

Table with columns for Day (1-28) and wind directions (1-14) with numerical values.

雲量(0-10) AMOUNT (0-10) AND

Table with columns for Day (1-28) and cloud amounts (1-12) with numerical values.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average mean, and a sub-table for air temperature extremes (最高, 最低, 較差).

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average mean.

名古屋 NAGOYA.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Mean' column on the right.

東京 TOKYO.

FEBRUARY, 1918.

大正七年二月

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28). Title: 氣壓 (mm) AIR PRESSURE. (mm). Includes a 'Mean' column on the right.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28). Title: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to standard gravity - 0.64
海面向ノ更正 Reduction to mean sea level + 2.02

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 28 rows (Day 1-28) showing wind direction and velocity data for Tokyo in February 1918.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 28 rows (Day 1-28) showing cloud amount data for Tokyo in February 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (Day 15-24) and 28 rows (Day 15-28) showing wind velocity data for Tokyo in February 1918.

及雲形 FORMS OF CLOUD.

Table with 24 columns (Day 15-24) and 28 rows (Day 15-28) showing cloud form data for Tokyo in February 1918.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, Day) and 28 rows showing daily temperature extremes for Tokyo in February 1918.

大正七年二月

日 Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	總計 Total	
降水量 (耗) AMOUNT OF PRECIPITATION. (mm)																										
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
6	0.0	0.2	0.0	0.1	0.4	0.5	0.5	1.1	0.6	0.4	0.3	1.0	1.3	1.5	1.9	1.9	1.5	1.6	1.8	2.0	-	-	-	-	2.2	25.6
7	1.6	1.7	1.6	1.8	2.2	1.7	1.4	0.7	0.3	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.4
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
15	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
23	0.0	0.0	0.3	0.3	0.5	0.4	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.6
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
28	0.9	0.3	1.2	0.9	0.9	0.8	1.5	0.9	1.2	1.6	1.5	0.3	0.4	0.3	0.2	0.0	0.2	0.1	0.2	0.1	0.6	0.7	0.5	0.4	-	11.0
合計 Sum	2.5	2.2	3.1	3.1	4.0	3.4	3.4	2.7	2.1	2.0	1.8	1.3	1.8	2.6	4.0	3.7	2.2	1.9	1.7	2.1	3.6	4.1	2.8	2.8	64.6	

湿度 (百分率) RELATIVE HUMIDITY. (%)

1	55	52	55	47	53	52	62	58	59	56	31	27	28	31	28	29	30	33	35	42	44	47	53	47	42	
2	59	60	70	72	73	66	61	40	39	27	25	25	25	24	38	48	56	50	32	49	62	64	57	41	41	
3	75	85	88	69	81	81	77	65	56	57	56	57	59	75	87	87	89	87	84	80	82	82	82	82	82	
4	75	85	88	72	76	73	75	68	57	45	36	33	33	33	34	38	43	43	47	42	46	48	48	48	48	
5	56	56	53	52	58	62	65	65	62	59	55	55	58	57	56	61	65	68	69	71	71	73	75	83	62	
6	96	96	96	94	96	94	96	94	94	92	92	93	93	94	94	93	94	94	94	94	94	92	92	92	92	
7	94	94	94	94	94	94	92	94	96	74	64	60	54	52	57	54	46	49	51	49	45	43	48	80	68	
8	60	60	58	62	61	61	61	49	42	36	30	28	28	27	34	46	54	64	77	79	84	83	84	84	84	
9	86	95	92	92	94	94	97	87	77	78	62	56	37	34	35	41	52	58	71	79	82	84	80	79	79	
10	77	77	78	71	75	78	77	77	72	71	64	63	62	84	88	85	83	86	90	91	95	76	59	49	49	
11	56	53	51	52	49	49	47	49	47	58	60	42	40	50	50	58	69	66	64	62	62	65	68	74	74	
12	75	69	70	73	77	81	84	72	63	45	41	40	39	34	45	52	62	66	54	52	56	60	59	59	59	
13	51	56	55	52	52	56	52	44	40	40	38	40	35	35	38	38	41	73	64	45	46	50	69	69		
14	77	72	62	61	65	57	50	50	44	38	43	46	47	50	54	56	60	64	85	94	94	96	96	96	96	
15	96	94	90	94	92	94	96	94	82	75	70	67	61	54	57	49	60	76	65	53	70	78	78	69	69	
16	43	38	38	36	37	38	41	36	36	26	31	30	28	26	30	30	32	35	36	38	37	37	42	44	44	
17	44	44	44	46	48	60	62	40	36	31	40	39	37	41	50	54	57	67	74	79	84	85	87	78	78	
18	62	59	53	45	38	41	40	36	33	29	21	19	18	13	16	20	25	33	35	42	42	45	40	38	38	
19	42	43	39	36	36	42	31	16	16	26	35	35	33	41	43	55	66	76	75	76	59	69	70	70	70	
20	76	75	79	54	53	42	45	61	48	27	23	22	25	28	29	30	33	35	41	47	52	65	56	51	51	
21	53	61	63	59	60	59	44	40	31	26	22	24	27	26	29	36	45	52	61	60	65	66	65	66	66	
22	68	70	73	71	66	67	66	56	53	46	49	52	28	30	27	28	31	43	48	58	60	57	57	69	69	
23	75	79	87	89	90	90	90	87	83	84	75	69	64	55	50	64	67	70	70	75	83	84	84	84	84	
24	90	88	88	86	86	90	88	80	67	69	51	51	50	49	49	53	58	65	67	71	70	62	67	70	70	
25	73	89	79	78	82	81	76	72	61	57	54	52	49	59	59	51	57	58	58	72	82	88	88	89	89	
26	91	89	90	92	94	90	90	86	80	72	62	63	49	50	46	46	52	55	59	63	65	77	72	72	72	
27	76	82	83	79	84	88	86	81	63	67	68	69	66	74	79	89	91	89	90	90	90	94	94	94	94	
28	94	94	96	94	96	96	96	96	98	100	97	96	95	95	93	95	95	93	93	93	93	93	93	93	93	93
平均 Mean	70.1	70.7	70.3	68.6	70.4	70.4	70.1	65.8	57.4	52.6	49.6	48.1	45.5	45.9	48.4	51.8	55.8	60.4	64.1	66.6	67.8	69.1	69.6	69.6	69.6	

大正七年二月

日 Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均 Mean
氣壓 * (耗) AIR PRESSURE. (mm) (700 mm +)																									
1	61.8	62.1	62.2	62.5	63.0	63.3	63.6	64.1	64.8	64.4	64.0	63.6	63.4	63.6	63.8	64.6	65.2	65.6	66.1	66.7	66.8	67.0	67.0	64.28	
2	67.1	67.4	69.9	67.0	66.9	67.2	67.1	67.4	67.6	68.0	67.6	67.0	66.8	66.8	67.0	67.4	67.6	68.2	68.7	68.8	68.7	68.5	68.3	68.2	67.59
3	68.2	68.4	67.7	67.4	67.2	67.2	66.7	66.1	65.4	64.1	63.7	63.2	62.5	61.8	61.4	61.0	60.4	60.2	59.5	59.1	58.7	58.5	58.3	63.14	
4	58.6	58.9	59.5	59.9	61.1	62.1	62.5	63.6	63.7	64.1	64.2	63.8	64.0	64.1	64.6	64.8	65.6	65.8	66.4	66.5	66.6	66.7	66.7	63.66	
5	67.1	67.2	67.1	66.7	67.0	67.7	68.2	68.7	68.6	68.5	67.9	67.2	67.1	66.9	66.7	66.7	66.9	66.9	66.9	66.9	66.6	66.4	66.0	67.12	

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 28 rows (Day 1-28) showing wind direction and velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 28 rows (Day 1-28) showing cloud amount data.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 28 rows (Day 15-28) showing wind velocity data.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 15-28) and 28 rows (Day 15-28) showing cloud forms data.

Summary table for temperature extremes (最高, 最低, 較差) and daily mean (平均) for each day.

銚子 TYÖSI.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes sub-headers '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 3.1 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for humidity data. Includes sub-headers '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 49 to 100%.

水戸 MITO.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes sub-headers '氣壓 (耗)' and 'AIR PRESSURE. (700 mm +) (mm)'. Data values range from 61.0 to 68.8 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes sub-headers '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 0.1 to 15.9 °C.

重力ノ更正 Reduction to standard gravity - 0.59
* 海面へノ更正 Reduction to mean sea level + 2.96

大正七年二月

Table with columns for Day (日), Direction (風ノ方向), and Wind Velocity (及速度). Rows 1-28 show daily data, and a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (日) and Cloud Amount (雲量). Rows 1-28 show daily cloud amounts, and a '平均' (Average) row at the bottom.

大正七年二月

Table with columns for Day (日), Direction (風ノ方向), and Wind Velocity (及速度). Rows 1-28 show daily data, and a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day (日) and Cloud Form (及雲形). Rows 1-28 show daily cloud forms, and a '平均' (Average) row at the bottom.

Table with columns for Max. (最高), Min. (最低), Range (較差), and Day (日). Rows 1-28 show temperature extremes.

Table with columns for Max. (最高), Min. (最低), Range (較差), and Day (日). Rows 1-28 show temperature extremes.

水戸

MITO.

大正七年二月

FEBRUARY, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a '合計' (Total) row at the bottom.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a '平均' (Mean) row at the bottom.

前橋

MAEBASI.

大正七年二月

FEBRUARY, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (耗) AIR PRESSURE. (mm). Includes a '平均' (Mean) row at the bottom.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.60
海面へノ更正 Reduction to mean sea level +10.61

前橋 MAEBASI.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-28) and wind direction/velocity (1-14). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-28) and cloud amount (1-12). Includes a summary row for '平均' (Average).

前橋 MAEBASI.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY OF WIND

Table with columns for Day (1-28) and wind velocity (15-24). Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-28) and cloud forms (13-24). Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-28) and temperature extremes (Max, Min, Range). Includes a summary row for '平均' (Average).

前橋

MAEBASI.

FEBRUARY, 1918.

大正七年二月

日 Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	統計 Total	
降水量 (耗) AMOUNT OF PRECIPITATION. (mm)																										
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
5	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	0.0	0.0	0.3	0.6	0.6	1.1	0.7	0.8	1.0	1.3	1.1	1.1	0.5	0.1	0.0	0.3	0.1	0.0	0.0	9.6
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
28	0.9	0.3	0.3	0.5	0.7	1.0	1.4	1.3	1.6	0.7	0.4	0.3	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	10.2
合計 Sum	0.9	0.3	0.3	0.5	0.7	1.0	1.4	1.3	1.9	1.3	1.0	1.4	1.0	1.1	1.4	1.1	1.1	0.8	1.2	0.7	0.6	0.8	0.8	0.8	0.8	23.6

湿度 (百分率)
RELATIVE HUMIDITY. (%)

日 Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	25 ^a	26 ^a	27 ^a	28 ^a	平均 Mean
1	62	73	67	71	69	78	73	52	53	44	40	36	37	39	44	42	43	42	36	71	59	65	62	65	65	65	65	65	65.5
2	69	66	73	73	76	73	76	65	44	39	40	32	34	30	32	36	38	47	50	48	60	61	71	71	71	71	71	71	64.1
3	66	70	66	65	65	70	68	57	46	43	41	44	49	52	50	64	61	72	73	60	77	78	71	71	71	71	71	71	64.1
4	88	65	84	69	71	84	85	62	59	46	40	34	36	35	36	39	41	48	50	55	62	64	70	59	57	57	57	57	64.1
5	70	67	69	65	65	61	61	56	48	38	46	41	44	46	41	55	59	66	78	80	78	72	86	82	81	81	81	81	64.1
6	74	71	76	80	68	80	84	90	92	92	94	96	94	94	94	93	93	93	93	93	93	93	93	93	93	93	93	93	64.1
7	66	75	58	52	52	56	56	54	49	45	41	45	44	41	43	46	49	52	58	57	54	54	58	66	66	66	66	66	64.1
8	57	50	49	54	62	60	48	41	41	34	30	32	24	25	24	23	32	44	60	68	75	66	61	62	62	62	62	62	64.1
9	53	51	45	44	42	43	39	29	24	25	40	41	37	24	30	41	48	63	64	62	61	58	52	51	51	51	51	51	64.1
10	51	56	49	54	53	57	57	54	51	46	46	51	52	59	50	47	51	69	50	52	53	56	60	60	60	60	60	60	64.1
11	52	52	51	53	59	58	52	52	56	39	38	38	35	34	32	33	35	42	44	48	49	49	48	48	48	48	48	48	64.1
12	49	55	58	60	70	63	65	52	44	40	39	34	31	30	30	25	28	45	50	51	61	62	62	61	61	61	61	61	64.1
13	70	74	75	75	62	72	74	56	42	38	35	35	32	31	32	33	36	38	40	38	40	43	47	46	46	46	46	46	64.1
14	55	52	51	60	57	64	57	49	33	39	38	37	38	37	35	38	45	54	61	71	71	71	73	83	82	82	82	82	64.1
15	86	86	86	90	90	89	81	72	57	54	37	34	36	34	34	37	40	43	42	44	46	47	51	54	54	54	54	54	64.1
16	47	47	50	51	51	46	46	42	34	41	30	30	30	30	32	27	39	44	47	51	50	52	61	61	61	61	61	61	64.1
17	65	71	65	62	67	72	64	52	34	27	32	41	29	28	33	39	43	52	57	64	74	50	63	49	49	49	49	49	64.1
18	49	53	52	46	58	60	59	37	33	25	19	15	29	23	33	47	29	61	60	53	75	80	69	77	77	77	77	77	64.1
19	77	82	73	75	83	93	81	58	52	35	34	32	31	28	26	24	30	39	48	51	56	58	60	60	60	60	60	60	64.1
20	51	50	50	49	53	48	46	39	33	30	31	31	32	29	31	36	41	47	43	60	50	53	58	62	62	62	62	62	64.1
21	62	61	59	56	49	55	60	48	37	34	34	32	28	31	28	29	31	31	38	42	56	49	59	50	44	44	44	44	64.1
22	56	55	51	54	59	58	62	45	34	41	35	34	41	35	34	41	35	30	33	39	45	47	47	48	48	48	48	48	64.1
23	48	49	54	62	65	68	70	66	58	54	52	49	50	47	47	50	54	64	71	76	74	74	74	75	75	75	75	75	64.1
24	77	77	81	81	86	86	83	77	66	59	51	50	48	46	47	47	54	62	71	70	57	57	73	78	78	78	78	78	64.1
25	76	75	71	73	74	76	79	68	56	47	48	44	40	37	38	40	48	56	58	59	70	74	71	73	69	69	69	69	64.1
26	73	71	74	73	81	79	74	67	63	53	49	45	44	41	41	40	45	55	66	65	68	66	63	56	60	60	60	60	64.1
27	53	56	54	51	52	49	48	46	43	51	47	67	76	81	82	83	93	94	94	96	94	96	96	96	96	96	96	96	64.1
28	96	96	96	98	96	98	98	98	98	98	91	81	85	87	87	87	89	91	93	93	98	96	93	95	95	95	95	95	64.1
平均 Mean	64.2	64.5	64.1	64.1	65.5	67.6	65.6	56.6	49.2	44.6	43.0	41.8	40.7	41.5	44.3	47.2	54.7	59.5	60.5	63.4	63.5	65.1	65.5	65.5	65.5	65.5	65.5	65.5	64.1

筑波山

TUKUBASAN.

FEBRUARY, 1918.

大正七年二月

日 Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9
----------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	---

筑波山 TUKUBASAN.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 14 rows (1-28). Columns represent wind directions (1st-14th) and rows represent days. Values include wind speed and direction codes.

雲量 (0-10) AMOUNT (0-10) AND

Table with 15 columns (Day 1-15) and 14 rows (1-28). Columns represent cloud amounts (1st-14th) and rows represent days. Values include cloud amount and type codes.

筑波山 TUKUBASAN.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns (Day 15-24) and 14 rows (1-28). Columns represent wind velocities (15th-24th) and rows represent days. Values include wind speed and direction codes.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 28 rows (1-28). Values include maximum, minimum, and range of air temperature for each day.

及雲形 FORMS OF CLOUD.

Table with 15 columns (Day 15-24) and 14 rows (1-28). Columns represent cloud forms (15th-24th) and rows represent days. Values include cloud form codes and percentages.

筑波山

TUKUBASAN.

FEBRUARY, 1918.

大正七年二月

Table of precipitation (降水量) in mm for each day from 1 to 28, with a total of 4.5 mm.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table of relative humidity (%) for each day from 1 to 28, with a mean of 83.1%.

新潟

NIIGATA.

FEBRUARY, 1918.

大正七年二月

Table of air pressure (気圧) in mm for each day from 1 to 28, with a mean of 64.26 mm.

气温 (攝氏) AIR TEMPERATURE (°C)

Table of air temperature (°C) for each day from 1 to 28, with a mean of 9.71°C.

重力ノ更正 Reduction to standard gravity - 0.48
海面ノ更正 Reduction to mean sea level + 2.44

新潟 NIIGATA.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-28) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day (1-28) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

新潟 NIIGATA.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-28) and wind velocities (15-24). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-28) and cloud forms (13-24). Includes a summary row for '平均' (Average) at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-28) and temperature extremes (Max, Min, Range). Includes a summary row for '平均' (Average) at the bottom.

新潟 NIIGATA.

大正七年二月

FEBRUARY, 1918.

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing precipitation amounts in mm. Includes a 'Total' column and a 'Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing relative humidity percentages. Includes a 'Mean' row at the bottom.

函館 HAKODATE.

大正七年二月

FEBRUARY, 1918.

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing air pressure in mm. Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 28 columns (Day 1-28) and 28 rows (Day 1-28) showing air temperature in degrees Celsius. Includes a 'Mean' row at the bottom.

* 重力ノ更正 Reduction to standard gravity - 0.22
海面ノ更正 Reduction to mean sea level + 0.38

風ノ方向 DIRECTION AND

Table with 14 columns for wind direction (1°-14°) and 14 rows for days (1-14). Includes a '平均' (Average) row at the bottom.

雪量 (0-10) AMOUNT (0-10) AND

Table with 12 columns for snow amount (1-12) and 14 rows for days (1-14). Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY OF WIND.

Table with 14 columns for wind velocity (15°-24°) and 14 rows for days (1-14). Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 12 columns for cloud forms (13°-24°) and 14 rows for days (1-14). Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns: 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows correspond to days 1-28.

函館

HAKODATE.

FEBRUARY, 1918.

大正七年二月

Table with 24 columns for days and 1 column for Total. Rows show precipitation amounts in mm for each day, with a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 24 columns for days and 1 column for Mean. Rows show relative humidity percentages for each day, with a summary row at the bottom.

札幌

S APPORO.

FEBRUARY, 1918.

大正七年二月

Table with 24 columns for days and 1 column for Mean. Rows show air pressure in mm for each day, with a summary row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 24 columns for days and 1 column for Mean. Rows show air temperature in degrees Celsius for each day, with a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.14
海面ノ更正 Reduction to mean sea level..... + 1.64

大正七年二月

風ノ方向 DIRECTION AND

Table with 14 columns for wind directions (1°-14°) and 28 rows of daily data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns for cloud amounts (1°-12°) and 28 rows of daily data. Includes a '平均' (Average) row at the bottom.

大正七年二月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns for wind velocities (15°-24°) and 28 rows of daily data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 12 columns for cloud forms (13°-24°) and 28 rows of daily data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 3 columns: 最高 (Max.), 最低 (Min.), 較差 (Range) and 28 rows of daily data. Includes a '平均' (Average) row at the bottom.

札幌 SAPPORO.

FEBRUARY, 1918.

大正七年二月

Table with 25 columns (Day 1-25) and 10 rows of precipitation data (降水量) in mm. Includes a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 10 rows of relative humidity data in percent. Includes a summary row at the bottom.

根室 NEMURO.

FEBRUARY, 1918

大正七年二月

Table with 25 columns (Day 1-25) and 10 rows of air pressure data (氣壓) in mm. Includes a summary row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 10 rows of air temperature data in degrees Celsius. Includes a summary row at the bottom.

重力ノ更正 Reduction to mean gravity - 0.12
海面へ更正 Reduction to mean sea level + 2.58

根室 NEMURO.

大正七年二月

FEBRUARY, 1918.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nemuro in February 1918. Columns include Day, 15°-14° directions, and Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nemuro in February 1918. Columns include Day, 1°-12° cloud amounts, and Mean.

根室 NEMURO.

大正七年二月

FEBRUARY, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nemuro in February 1918. Columns include 15°-24° directions, Mean, and Max/Min/Range.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nemuro in February 1918. Columns include 13°-24° cloud forms, Mean, and Max/Min/Range.

根室

大正七年二月

NEMURO.

FEBRUARY, 1918.

H Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	總計 Total	
降水量 (mm)																										
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	0.0	-	-	-	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	0.1	0.0	-	-	-	-	-	-	-	-	0.0	0.0	0.2	0.0	0.0	-	-	-	-	-	-	-	-	-	0.0
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	0.0
20	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	0.5	0.1	0.0	0.0	-	-	-	-	-	-	-	-	-	-	0.0
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
合計 Sum	0.1	0.1	0.0	-	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.5	0.1	0.3	0.5	1.5	0.8	-	-	0.0	0.0	0.0	0.0	0.2	0.8	0.0

六回観測

FOUR-HOURLY OBSERVATIONS.

湿度 (百分率)																									
RELATIVE HUMIDITY. (%)																									
H Day	1 ^a	2 ^a	3 ^a	4 ^a	5 ^a	6 ^a	7 ^a	8 ^a	9 ^a	10 ^a	11 ^a	12 ^a	13 ^a	14 ^a	15 ^a	16 ^a	17 ^a	18 ^a	19 ^a	20 ^a	21 ^a	22 ^a	23 ^a	24 ^a	平均 Mean
1	76	81	80	78	80	69	78	74	71	69	67	68	63	66	60	57	59	68	65	73	70	75	69	77	70.5
2	69	74	74	66	69	69	64	54	55	56	59	59	61	68	65	75	73	73	81	65	68	73	65	65	66.5
3	73	68	68	75	75	78	83	83	80	71	63	56	56	62	65	66	60	58	82	82	80	82	90	90	71.5
4	90	97	94	94	84	92	89	86	76	79	69	65	61	59	65	67	66	69	71	69	72	71	60	73	75.5
5	79	75	73	68	55	68	71	69	66	64	61	65	67	74	62	61	65	79	73	78	75	86	84	84	76.5
6	81	84	87	90	94	97	97	97	76	83	84	83	60	60	75	71	81	86	94	97	47	97	97	92	85.5
7	87	79	79	79	84	84	76	76	69	72	74	71	72	72	71	71	79	81	84	86	86	76	70	73	77.5
8	75	67	80	80	83	88	91	91	94	86	74	70	76	74	70	75	75	73	75	78	73	73	75	75	73.5
9	70	78	80	80	80	82	95	87	82	70	62	58	56	60	60	77	81	86	84	80	85	85	85	88	77.5
10	83	85	83	82	80	80	86	84	81	66	53	56	55	54	52	56	66	60	65	74	79	78	78	77	71.5
11	79	80	78	77	80	85	85	80	68	71	52	50	46	45	47	44	47	51	62	63	60	61	62	69	64.5
12	66	61	68	60	73	73	74	70	63	55	59	55	55	67	69	86	86	78	80	77	82	73	67	61	69.5
13	63	65	65	70	73	70	73	75	70	60	56	53	58	58	73	60	67	70	78	75	72	75	83	83	65.5
14	82	85	85	92	88	88	89	90	88	74	42	42	41	39	42	46	64	65	83	85	80	77	77	79	77.5
15	82	86	94	94	97	97	97	76	60	58	55	69	78	70	95	79	61	67	56	49	60	60	65	76	72.5
16	80	82	85	89	72	72	75	68	64	56	56	57	59	51	51	44	47	49	52	58	54	65	65	74	64.5
17	63	80	91	71	75	71	72	59	52	49	49	45	48	54	55	66	62	70	71	79	75	61	60	58	61.5
18	66	70	72	80	84	90	88	86	76	73	73	69	70	70	70	65	72	75	78	75	87	89	89	85	72.5
19	89	90	86	82	79	78	74	66	65	50	40	41	35	37	63	47	57	59	65	72	77	73	85	83	69.5
20	95	88	90	88	90	83	85	90	79	72	63	65	72	69	77	84	89	87	87	89	85	87	90	95	82.5
21	87	89	80	77	67	68	70	69	67	66	56	61	54	55	69	65	67	69	71	71	69	75	78	68	69.5
22	67	69	73	67	73	73	75	61	52	65	73	59	69	88	95	100	85	73	77	56	32	60	54	59	60.5
23	69	71	73	77	79	72	73	66	67	52	53	48	43	45	40	44	63	69	72	77	80	80	82	80	69.5
24	79	76	86	86	80	80	76	76	73	71	77	62	73	80	86	85	88	91	83	97	97	95	90	83	82.5
25	80	76	77	79	80	83	81	61	61	60	57	72	70	66	61	68	76	87	80	86	86	89	86	79	72.5
26	92	95	97	90	92	95	95	93	94	80	81	92	94	92	92	96	98	98	96	94	82	70	63	71	81.5
27	70	75	69	74	63	69	69	68	65	53	48	48	47	35	67	94	74	69	72	64	60	62	54	54	64.5
28	53	55	58	58	63	74	76	67	58	55	50	45	50	52	50	86	62	66	73	77	80	86	91	88	65.5
平均 Mean	76.6	77.9	79.5	78.7	78.3	79.6	80.5	75.7	70.4	65.6	60.9	60.1	60.2	62.2	65.6	69.0	71.1	73.4	75.7	75.9	75.6	76.2	75.6	76.4	71.5

大正七年二月

恒春 KOSYUN.

FEBRUARY, 1918.

日	氣 壓 (耗) AIR PRESSURE. (mm) (700 mm +)							風ノ方向及速度 (米/秒) DIRECTION AND VELOCITY (m/sec) OF WIND.							降 水 量 (耗) AMOUNT OF PRECIPITATION. (mm)													
	2 ^a	6 ^a	10 ^a	14 ^a	18 ^a	22 ^a	平均 Mean	2 ^a	6 ^a	10 ^a	14 ^a	18 ^a	22 ^a	計日 Mean for 24h.	22-2 ^a	2-6 ^a	6-10 ^a	10-14 ^a	14-18 ^a	18-22 ^a	總計 Total							
1	64.5	65.0	65.1	63.6	63.0	63.5	64.1	NE	8.3	NE	12.1	NE	11.6	NE	10.5	NE	12.2	NE	10.6	10.9	-	-	-	-	-	-	-	-
2	63.2	63.0	63.9	61.0	61.3	62.1	62.4	NE	7.3	NE	10.0	NE	12.0	ENE	9.6	NE	6.4	ENE	7.1	9.0	-	-	-	-	0.2	0.2	0.4	0.4
3	60.6	60.9	61.7	59.4	59.1	58.8	60.1	ENE	4.8	NE	6.8	NNE	9.8	NE	13.1	E	5.3	ENE	16.1	9.0	0.0	-	-	-	-	-	-	0.0
4	59.0	58.1	58.8	56.8	56.9	57.5	57.9	NNW	9.3	NE	12.4	NNE	14.7	NNE	9.1	N	3.1	ENE	1.0	8.1	9.9	8.4	0.1	0.0	-	-	0.0	18.4
5	57.0	57.2	57.6	55.5	56.5	57.7	56.9	NW	5.2	NNW	4.5	NW	4.1	NNW	7.2	NNW	3.3	E	1.1	3.8	-	-	-	-	-	-	-	-
6	57.6	58.2	59.3	58.3	59.4	60.2	58.8	ENE	2.8	NE	10.1	NE	8.2	NNW	6.2	NE	6.4	NNE	14.4	7.0	-	-	-	-	-	-	-	-
7	60.0	60.5	61.9	60.1	60.9	62.2	60.9	NE	17.6	NE	15.3	NE	14.3	NE	12.9	NE	10.4	ENE	7.4	13.2	-	-	-	-	0.0	-	-	0.0
8	61.6	62.3	63.4	62.0	62.4	63.7	62.6	NE	10.3	SNE	6.5	NNE	9.6	NE	6.0	NE	2.0	NE	4.2	6.8	0.0	-	-	-	-	-	0.0	0.0
9	63.6	64.2	66.2	63.9	64.0	65.2	64.5	ENE	4.4	NE	4.0	ENE	5.8	ENE	5.7	NE	4.7	NNE	4.0	4.6	-	-	0.0	-	-	-	-	0.0
10	64.8	65.2	65.1	63.1	63.9	64.8	64.5	NE	7.5	NNW	3.4	NE	8.1	ENE	7.4	NE	5.9	SE	4.2	5.8	-	0.0	0.0	-	-	-	0.5	0.5
11	64.4	64.8	65.7	64.5	64.3	64.7	64.7	N	2.8	N	4.7	NE	10.0	NE	10.1	NE	12.3	NE	18.7	9.1	0.1	0.4	0.9	-	-	-	1.4	1.4
12	64.5	64.8	65.0	63.3	63.4	63.5	64.1	NE	15.5	NE	14.3	NE	17.4	ENE	15.8	ENE	15.0	NE	15.1	15.5	-	-	-	-	-	-	-	-
13	64.0	63.6	63.9	61.7	61.8	61.9	62.8	ENE	2.5	NNE	6.9	NNE	9.0	NNE	8.3	NNE	3.4	ENE	4.3	5.9	0.7	0.6	1.0	-	-	-	0.3	2.6
14	61.6	61.7	62.2	59.8	60.3	61.0	61.1	ENE	4.2	NNE	5.6	NNW	2.7	NE	5.9	N	2.8	N	2.0	4.1	0.2	0.0	0.2	0.4	0.0	0.4	1.2	1.2
15	60.9	62.1	62.4	61.5	62.2	64.2	62.2	NNE	4.1	NNW	4.2	NNE	13.9	NNE	7.6	NE	13.8	NE	15.1	7.6	0.4	0.3	-	-	-	-	0.0	0.7
16	64.3	64.9	66.0	64.7	66.0	66.5	65.4	NE	15.9	NE	14.1	NNE	18.1	NE	16.5	NE	13.2	NE	16.8	15.1	0.0	-	-	-	0.0	0.0	0.0	0.0
17	65.7	65.8	67.3	65.2	65.5	66.8	66.1	NE	13.8	NNE	10.8	NE	7.7	N	8.1	NE	12.8	NE	16.5	10.4	-	-	-	-	-	-	-	-
18	66.2	67.3	67.8	66.2	66.7	67.0	66.9	NE	14.3	NE	14.3	NE	15.7	NE	15.0	NE	12.6	NE	16.5	14.3	-	-	-	-	-	-	-	-
19	66.7	66.1	66.8	65.1	64.7	65.2	65.8	NE	15.8	NE	15.2	NNE	15.0	NE	10.9	NE	6.0	NE	9.6	12.3	-	-	-	-	-	-	-	-
20	65.0	65.2	65.7	63.3	63.6	64.4	64.5	NNW	6.1	SSW	1.9	NNE	6.9	NE	6.3	NE	4.3	NE	4.2	4.9	-	-	-	-	-	-	-	-
21	63.9	64.2	65.6	63.4	63.6	64.4	64.2	SNE	6.8	NNE	7.8	NNE	7.0	NE	9.4	NNE	5.6	NNE	7.1	6.5	0.8	-	-	-	-	-	-	0.8
22	64.3	65.2	65.7	63.7	64.1	64.6	64.6	NNE	2.0	NNW	0.6	NE	5.1	ENE	7.0	NE	7.7	NE	18.3	6.0	-	-	-	-	0.0	0.0	0.0	0.0
23	64.0	65.0	65.4	63.6	63.9	64.7	64.4	NE	16.6	NE	14.6	NE	13.5	NE	10.5	NE	9.6	NE	9.5	12.8	-	-	-	-	-	-	-	-
24	64.5	65.5	65.8	63.6	64.2	65.2	64.8	NE	8.1	NNE	1.6	ENE	8.9	E	7.6	ENE	4.8	ENE	0.5	5.9	-	-	-	-	-	-	-	-
25	64.5	65.0	65.2	63.2	62.7	63.5	64.0	E	2.1	E	2.1	ENE	8.1	E	8.3	E	6.7	E	4.3	4.8	-	-	-	-	-	-	-	-
26	62.8	62.4	63.2	61.6	61.7	62.2	62.3	E	4.1	NE	1.3	E	9.0	E	4.6	E	5.9	ENE	5.2	4.9	-	-	-	-	-	-	-	-
27	62.0	62.3	63.3	62.4	62.5	63.3	62.7	ENE	5.2	SSW	1.5	NE	5.3	E	6.6	NE	5.6	ENE	4.6	4.4	-	-	-	-	-	-	-	-
28	63.1	63.4	64.1	62.5	62.4	63.4	63.2	ENE	4.0	E	3.3	NE	8.6	NE	6.6	ENE	9.1	NE	4.4	6.0	-	0.0	-	-	-	-	-	0.0
平均 Mean	63.0	63.4	64.1	62.3	62.5	63.3	63.1		7.9		7.5	10.0	9.0	7.5	8.7	8.2				合計 sum	12.1	9.7	2.2	0.4	0.2	1.4	29.0	29.0

日	氣 溫 (攝氏) AIR TEMPERATURE. (°C)							濕 度 (百分率) REL. HUMIDITY. (%)							雲 量 (0-10) 及 雲 形 AMOUNT (0-10) AND FORMS OF CLOUD.																
	2 ^a	6 ^a	10 ^a	14 ^a	18 ^a	22 ^a	平均 Mean	最高 Max.	最低 Min.	較差 Range	2 ^a	6 ^a	10 ^a	14 ^a	18 ^a	22 ^a	平均 Mean	2 ^a	6 ^a	10 ^a	14 ^a	18 ^a	22 ^a	平均 Mean							
1	16.2	16.1	20.0	21.5	18.5	18.4	18.5	21.0	15.7	5.9	59	57	48	46	57	61	55	3	sk	1	sk	0	sk	5	sk	0	sk	7	sk	2.7	
2	18.6	18.8	21.4	22.1	18.7	18.7	19.7	22.9	17.5	5.4	63	67	59	66	95	88	73	9	sk	5	sk	10	sk	8	sk	10	sk,n	10	n,sk	8.7	
3	19.5	19.6	22.1	23.4	21.0	21.6	21.2	24.9	18.3	6.6	79	75	69	63	74	72	72	8	sk,n	10	sk,n	3	sk	7	sk	1	sk	0	sk	4.8	
4	19.2	20.0	21.0	23.7	21.2	22.0	22.0	24.3	18.0	6.3	90	79	74	66	83	88	80	10	n	10	sk	10	n	10	sk,n	10	sk,n	10	sk,n	10.0	
5	18.7	17.5	19.0	21.7	20.5	18.9	19.4	23.1	16.9	6.2	94	93	90	74	84	92	88	10	sk,n	10	sk,n	10	sk	1	sk	0	sk	0	sk	5.2	
6	19.4	19.4	21.8	22.6	19.5	17.9	20.1	24.2	17.7	6.5	83	73	71	74	73	72	74	2	sk	4	sk	0	sk	9	sk,cy	10	sk	10	sk	5.8	
7	17.7	17.3	20.0	21.0	18.2	17.9	18.7	21.4	17.0	4.4	67	67	69	58	68	67	64	0	sk	2	sk	1	sk	1	sk	8	sk	9	sk	3.3	
8	17.5	17.0	21.0	22.6	19.7	19.5	19.6	23.6	16.1	7.5	71	70	62	57	70	72	67	0	sk	10	sk,n	4	sk	9	sk	9	sk	9	sk	6.8	
9	18.9	18.7	20.8	23.5	20.4	19.4	20.2	23.9	18.0	5.9	75	77	73	55	67	72	70	4	sk	9	sk	8	sk,n	5	sk	0	sk	0	sk	4.3	
10	20.0	16.5	22.1	22.6	20.5	19.6	20.2	24.6	15.9	8.7	70	95	64	60	68	75	72	8	sk,n	6	sk,n	3	k,sk,c	5	k,sk	0	k,sk	9	sk,n	5.2	
11	16.3	16.3	20.2	21.5	18.9	18.6	18.6	22.4	15.6	6.8	93	95	76	64	74	65	78	0	10	n,sk	10	sk,n	10	sk	3	sk	1	sk	1	sk	5.7
12	18.5	18.4	21.0	22.0	19.8	19.0	19.8	22.9	18.0	4.9	66	67	59	57	66	73	65	0	2	sk	2	sk	1	sk	1	sk	1	sk	4	sk	1.7
13	17.5	18.0	20.2	22.8	19.8	19.5	19.6	23.2	17.0	6.2	94	86	79	65	80	87	82	10	n	10	n	10	sk	9	sk,ke	10	sk	10	sk,n	9.8	
14	18.6	18.6	19.7	21.8	19.0	18.8	19.4	22.3	18.3	4.0	91	86	91	71	93	93	88	10	n,sk	10	sk	10	n,sk	10	sk	10	n	10	sk,n	10.0	
15	18.1	17.4	19.6	20.5	18.9	17.2	18.6	20.6	17.0	3.6	88	83	69	66	71	76	76	10	sk,n	10	sk,n	10	sk,n	10	sk,n	10	sk,n	10	n,sk	10.0	
16	17.1	16.0	18.0	19.4	15.7	16.2	17.1	19.7	15.3	4.4	72	72	60	54	73	64	66	10	sk,n	2	sk	1	sk	3	sk	9	n,sk	9	sk	5.7	
17	15.2	14.7	20.4	19.1	16.4	15.2	16.8	20.5	14.1	6.4	64	68	53	62	67	71	64	1	sk	0	7	sk	10	sk,n	10	sk,n	10	sk,n	6.3		
18	14.5	13.2	14.3	16.7	13.2	13.0	14.2	16.9	12.7	4.2	70	68	62	53	61	56	62	10	sk,n	10	sk,n	10	sk	2	sk	2	sk	1	sk	5.8	
19	12.5	12.5	16.5	18.8	15.6	15.4	15.2	19.0	12.2	6.8	58	57	45	45	55	61	54	0	0	0	0	sk	0	sk	0	sk	0	sk	0	sk	0.0
20	14.3	10.8	20.9	21.5	17.8	17.4	17.1	22.4	10.2	12.2	63	69	46	49	71	76	62	2	sk	0	sk	2	sk	3	k,sk	1	sk	10	sk,n	3.0	
21	15.6	16.1	18.5	20.5	18.0	17.8	17.8	22.2	15.2	7.0	89	82	77	56	74	72	75	10	sk,n	10	sk	10	sk	8	sk	10	sk,ke	10	sk,ke	9.7	
22	17.4	16.8	23.1	21.0	19.0	17.8	19.2	23.4	16.0	7.4	74	77	55	61	70	68	67	10	sk	3	sk	4	sk	9	sk	8	sk,n	1			

臺東 TAITŌ.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level + 0.9

臺南 TAINAN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level + 1.3

澎湖島 HOKOTŌ.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 1.0

臺中 TAIYŪ.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level..... + 1.0

石垣島 ISIGAKIZIMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.6

名瀬 NAZE.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.1
海面ノ更正 Reduction to mean sea level + 0.4

大正七年二月

宮崎 MIYAZAKI.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.9
海面ノ更正 Reduction to mean sea level + 0.8

大正七年二月

佐賀 SAGA.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 1.2

佐世保 SASEBO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

嚴原 ITUHARA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

大分 OITA.

FEBRUARY, 1918.

大正七年二月

Table for Oita weather data: Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for February 1918.

Table for Oita weather data: Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for February 1918.

重力ノ更正 Reduction to standard gravity 0.8
海面ノ更正 Reduction to mean sea level + 0.6

吳 KURE.

FEBRUARY, 1918.

大正七年二月

Table for Kure weather data: Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for February 1918.

Table for Kure weather data: Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for February 1918.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

四 阪 島

SISAKAZIMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 10.6

新 居 濱

NIIHAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 0.5

東平 TONARU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 71.1

岡山 OKAYAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.6

味野 ADINO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.4

和歌山 WAKAYAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 1.4

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 3.9

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 6.9

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.4

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.6

沼津 NUMADU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ修正 Reduction to standard gravity - 0.7
海面へノ修正 Reduction to mean sea level + 0.7

横須賀 YOKOSUKA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ修正 Reduction to standard gravity - 0.7
海面へノ修正 Reduction to mean sea level + 4.1

横濱 YOKOHAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面へノ更正 Reduction to mean sea level + 0.4

八丈島 HATIDYŌZIMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面へノ更正 Reduction to mean sea level + 7.4

父島 TITIZIMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... 1.2
海面ノ更正 Reduction to mean sea level..... + 0.4

小名濱 ONAHAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 0.4

金山 KANAYAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (mi/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.3

石巻 ISINOMAKI.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (mi/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.3

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 2.9

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 6.1

彦根 HIKONE.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 8.3

岐阜 GIHU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.4

高山 TAKAYAMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... +52.4

飯田 IIDA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... +48.0

甲府 KÔFU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... +24.8

松本 MATUMOTO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level..... +53.8

長野 NAGANO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level +39.3

熊谷 KUMAGAYA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 3.0

宇都宮 UTUNOMIYA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity 0.6
海面ノ更正 Reduction to mean sea level 11.8

足尾 ASIO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity 0.6
海面ノ更正 Reduction to mean sea level 461.8

福島 HUKUSIMA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 5.9

山形 YAMAGATA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 14.8

水澤 MIDUSAWA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 6.1

濱田 HAMADA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.9

大正七年二月

境 SAKAI.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.3

大正七年二月

宮津 MIYADU.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.3

舞鶴 MAIDURU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.9

敦賀 TURUGA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 1.0

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.7

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 1.3

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 4.3

加茂 KAMO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

電力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 1.2

秋田 AKITA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

電力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 0.6

青森 AOMORI.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for February 1918 in Aomori.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily temperature, humidity, and cloud data for February 1918 in Aomori.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

壽都 SUTTU.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for February 1918 in Suttu.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily temperature, humidity, and cloud data for February 1918 in Suttu.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 1.6

旭川 ASAHIGAWA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 11.0

帯廣 OBIHIRO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.2
海面ノ更正 Reduction to mean sea level..... + 4.0

釧路 KUSIRO.

大正七年二月

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a monthly summary row.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.3

網走 ABASIRI.

大正七年二月

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a monthly summary row.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.7

紗那 SYANA.

大正七年二月

FEBRUARY, 1918.

Table with columns for Date, Air Pressure, Wind Direction and Velocity, and Amount of Precipitation. Includes a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity + 0.0 海面ノ更正 Reduction to mean sea level + 3.8

大泊 OOTOMARI.

大正七年二月

FEBRUARY, 1918.

Table with columns for Date, Air Pressure, Wind Direction and Velocity, and Amount of Precipitation. Includes a summary row at the bottom.

* 重力ノ更正 Reduction to standard gravity + 0.1 海面ノ更正 Reduction to mean sea level + 3.7

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 2.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.7
海面ノ更正 Reduction to mean sea level + 0.2

敷香 SIKKA.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.3
海面ノ更正 Reduction to mean sea level + 0.3

釜山 HUSAN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.4

大邱 TAIKŪ.

大正七年二月

FEBRUARY, 1918

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 5.0

木浦 MOPPO.

大正七年二月

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 2.7

仁川 ZINSEN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 6.5

京城 KEIZYO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 3.2

平壤 HEIZYŌ.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity 0.4
海面ノ更正 Reduction to mean sea level + 4.6

江陵 KŌRYŌ.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity 0.5
海面ノ更正 Reduction to mean sea level + 1.1

元山 GENSAN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 8.5

城津 ZYOSIN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

雄基 YUKI.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 6.4

中江鎮 TYŪKŌTIN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 30.8

龍巖浦 RYUGANPO.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 0.6

大連 DAIREN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 0.4

大正七年二月

旅順 RYOZYUN.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 7.7

大正七年二月

營口 YINKOW.

FEBRUARY, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

奉天 MUKDEN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 4.3

長春 CHANGCHUN.

FEBRUARY, 1918.

大正七年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 21.3