

[Knapp]

1882

1882



Library
of the
University of Toronto

Faint handwritten text, possibly bleed-through from the reverse side of the page.



Digitized by the Internet Archive
in 2018 with funding from
University of Toronto



J. Lett. ridge

THE
JOURNAL

OF

A NATURALIST.

——— “Plants, trees, and stones, we note,
Birds, insects, beasts, and many rural things.”

LONDON:
JOHN MURRAY, ALBEMARLE-STREET.
MDCCCXXIX.

LONDON:

PRINTED BY THOMAS DAVISON, WHITEFRIARS.

PREFACE.

MANY years have now passed away since we were presented with that very interesting and amusing book, the “ Natural History of Selborne :” nor do I recollect any publication at all resembling it having since appeared. It early impressed on my mind an ardent love for all the ways and economy of nature, and I was thereby led to the constant observance of the rural objects around me. Accordingly, reflections have arisen, and notes been made, such as the reader will find them. The two works do not, I apprehend, interfere with each other. The meditations of separate naturalists in fields, in wilds, in woods, may yield a similarity of ideas; yet the different aspects under which the same things are viewed, and

characters considered, afford infinite variety of description and narrative: mine I confess are but brief and slight sketches; plain observations of nature, the produce often of intervals of leisure and shattered health, affording no history of the country; a mere outline of rural things; the journal of a traveller through the inexhaustible regions of nature.

ERRATUM.

Page 373, line 6 from the bottom, after the word "earth" a new paragraph should commence.

EXPLANATION OF THE PLATES.

PLATE I.

The Shellard's lane oak.

PLATE II.

- A. Limestone from the down, enlarged.
2. The same in decay, representing the empty cells.
3. Ditto, enlarged.
- B. C. D. The forms of the insect, which have remained.
- E. The stony matter remaining at the mouth of the cells.
4. *Dipsacus fullonum*, the fullers' teazle.
5. *Apocynum androsæmifolium*, or flower of the dogsbane.
- A. Flower enlarged.
- B. The pointal, with its seed at the base.
- C. Two expanded anthers, ready for capturing a fly.
- D. The anthers closed, and the insect captured.

PLATE III.

Plant of a grass, from Malvern hills.

PLATE IV.

- Fig. 1. A section of the wood, from a young spray of the maple.
2. Ditto, from the *clematis vitalba*.
3. A rose leaf, bearing the mark of an insect's path.
- Fig. A. The fur of a mole.
- B. Ditto of the bat.
- C. Ditto of the hamster mouse.
- Fig. 5. Egg of the nightingale.

PLATE V.

- Fig. 1. *Sphæria* on the leaf of an elm.
- A. A portion enlarged, and the cuticle parting.

- B. The same enlarged, representing the capsules.
 Fig. 2. *Sphæria bifrons*, on a laurel leaf.
 C. The front, and dorsal parts.
 D. Imbedded capsules.
 Fig. 3. *Sphæria coryli*, on a nut branch.
 E. The tubercle enlarged, bordered with the epidermis.
 F. A section of the capsules at the base.
 Fig. 4. *Sphæria faginea*, on a beech stick.
 G. Section of a tube, with the capsules at the base.
 H. Group of the tubes detached from the bough, with their capsules.
 I. A tube detached.

PLATE VI.

- Fig. 1. A chrysalis of an insect.
 B. The inner hood.
 Fig. 2. The male glowworm.
 D. Under side of the head, representing the hood-winkers, and eyes.
 Fig. 3. The branch of an apple tree, infested with the *aphis lanata*.
 B. The *aphis* enlarged, with the globules, and the cotton that surrounds them.
 D. The early appearance of the insect with its terminating bristle.
 E. Appearance of the creature in winter.
 Fig. 4. Eggs of the snake.

PLATE VII.

- Fig. 1. Nest of *vespa campanaria*.
 Fig. 2. *Gordius argillaceus*.
 2. The same enlarged.
 3. Ditto, and fully extended.

NOTICE TO THE BINDER.—*Plate I. to face the title; the remainder of the Plates to be placed in their order after page 396 and before the Index.*

CONTENTS.

RESIDENCE of the author—Extensive prospect on the banks of the Severn—Welsh mountains, and passages of the river—Roman encampment upon a British site—Remains of the Romans—Coins—Skeletons of men and horses—Traces of a forest—Soils of the parish—Limestone, its abundance and uses—origin—Rocks formed in the parish by the coral polypi—analysis of—Rocks of deposit—analysis of—Lead ore—Carbonate of strontian—Traveller's foot burned off—Residences upon limestone supposed healthy—Employment for labourers—A worthy peasant—Analysis of soils considered as fallacious—Dairy processes—Grass lands, their nature—Soils will produce particular herbage—Mode of saving hay—Wheat—Culture of the potato—sorts—expense and profit—effect upon the soil—not considered as injurious—sketch of its history—its introduction—some soils not favourable for the root—introduced later than tobacco—value to mankind—Teazle crops—its introduction—culture—gathering—value—variety of names application—consumption—Bad custom in farming—“clatters” Page 1 to 50.

Study of natural history no subject of ridicule—to be made an object in youth—A beautiful oak tree—magnitude of several trees—uncertain in producing acorns—an history of the oak might be written—all its products valuable—Wych elm—its character—uses—magnitude—name—suffers in early frosts—not beautiful in autumn—Trees condense moisture—Air under

trees—verdure—Prevalence of plants in soils—Fetid hellebore—uses—Village doctress—Blossoms of plants—use not manifest—Carpenter bee—What flowers most abundant—design of flowers—application of flowers—love of flowers—emblems—amusements of children—universal ornament—bouquet—Poplar tree—formation of foot stalks—its suckers

Page 50—76.

Dyers' broom—gathering—dishonest practice—uses for the dyer—Snapdragon—an insect trap—Dog's-bane—very destructive—the object mysterious—Snapdragon vegetates in great drought—Evaporation from the earth—Ivy—its shelter, and food for birds, and insects—love of ivy—ornament to ruins—its effect—Foxglove—grows only in particular soils—medicinal uses—uncertain application—name—ancient names—Vindication of old epithets—Ancient and modern remedies—Snowdrop—a native plant—remains long in abandoned places—character of the snowdrop—Yellow oat grass—affected by drought—Verbain—ancient estimation, and application—Druids of Gaul—Ancient and modern virtues—Dyers' weed—value—uses—cultivation—yellow colour—most permanent and common—Brimstone butterfly—Singular appearance of a grass—Brambles—insect path on the leaves—uses of the bramble—Maple tree—an early autumn beau—fashion followed by others—maple wood a beautiful microscopic object—medicinal properties—leaves punctured by insects—traveller's joy—grows in limestone soils by preference—uses—pores of the wood in the microscope—Vessels of plants—uninjured by dry seasons

76—112.

Naturalist's autumnal walk—beautiful, and full of variety—Agaric—beauty and variety—plentiful in Monmouthshire—*Agaricus fimi putris*—*Verdigris agaric*—Fungi very uncertain in their growth—Flower-formed *hydnum*—*Mitred helvella*—Gray puff ball—Fingered *clavaria*—Agarics, to be understood, observed in all stages of growth—Perishable nature of created things—Parasitic fungi—laurel—holly—two fronted *sphæria*

- elm leaves—sycamore leaves—bark of plants—the nut—
beech—Odorous agaric—Fragrant agaric—Stinking phallus—
Mode of propagation—Turreted puff—Starry puff—Morell—
Bell-shaped nidularia—Food for mice Page 112—132.
- Marten cat—his capture—well adapted for a predatory life—its
skin—Hedgehog—mode of life—always destroyed—prejudices
against—an article of food—Harvest mouse—where found—
character—Increase and decrease of animals—Migration of
rats—Water shrew—its residence and habits—Common shrew
mouse—Pale blue shrew—Mole—his actions—character—
abundance of—easily discovers his food—structure of his body
—fur and hair of animals—flesh of the moles—killed by
weasels 132—150.
- Birds—admiration of—The hedge sparrow—contingencies of its
life—song—example of a domestic character—Willow wren—
early appearance—and departure—nest—object of her migra-
tion—Difficulty of rearing young birds—Golden crested wren
—Linnets—their song—habits—Bull-finch—character—in-
jurious to trees—preference of food—no destroyer of insects—
Robin—character—always found—Song of birds—motives ob-
scure—Chaffinch—beautifully feathered—female, her habits—
country epithets—conduct in spring—moisten their eggs in hot
weather—Parish rewards for vermin—Blue tomtit—perishes
in winter—mode of obtaining food—stratagems—Birds distin-
guished by voice—Cole mouse—variety of notes—Long tailed
tomtit—nests—journeys—eggs—labour to feed their young—
great variety of nests—Goldfinch—beautiful nest—Sufferings
of the swallow—Maternal care of a little blue tomtit—industry
—Raven—scared from its nest—faculty of discovering its
food—universally found—duration of life—reverence—super-
stitions wearing out—duration of animal life—aided or in-
jured by man—an old horse—life of man—Crossbill—breeds
in England—Rook—suffers in cold and dry seasons—his life
in the year 1825—various habits of—detects grubs in the
earth—his habits in the spring—associations—senses—Magpie
—nests—habits—plunderers of the farm-yard—natural affec-

tion—Jay—conduct of the old birds—winter habits—feathers
 Shrike—nest—young—kills other birds—a sentinel—Stormy
 petrel—habits—Wryneck—its habits—Birds annually dimi-
 nishing—Swanpool Lincoln—Nightingale—migrating birds—
 Rooks love long avenues—Starlings—great flights—social
 habits—breeding—a stray bird—actions before rousting—con-
 gregate—very attentive to their young—journeyings—Labori-
 ous life of birds—Starling, brown—habits—a very dusky bird—
 Hawks capture by intimidation—single out individuals—Early
 seasons—bring rain—Blooming of the white thorn—Migrating
 birds—their conduct—Butcher bird—Gray fly-catcher—
 Thrush—instance of affection—motives of action—Sparrow—
 domestic habits—manners—increase—destruction—great con-
 sumers of insects—accommodating appetite

Page 150—218.

Creatures associating with man—Common mouse—Rat—
 House fly—Utility of animals—Conduct of man—The dog—
 Wheatear—Country amusements often cruel—Supplication
 for pity—Eggs—their markings—Kite—his habits—great
 capture of—Black cap—habits—song—nest—food—shyness
 —Fear of man in animals—Stratagem of a wren—Instinct—
 Awakening of birds—Morning in autumn—Goldfinch—cap-
 tured—die in the winter—soon reconciled to captivity—Tree
 creeper—winters in England—not an increasing bird—Buntings
 —unthatching corn ricks—Old tokens and signs—White lily
 —Pimpernel—Mistle thrush—his note—breeds near the dwell-
 ings of man—Change of character in birds—Love of offspring—
 Divine appointments—Jack snipe—solitary habits—Christmas
 shooter—Association of birds—Pewit—habits—eggs—Prog-
 nostications—Hedge-fruit—Fieldfares—Redwings—feeding in
 the lowlands—uplands—Egg of the fieldfare—Plumage of
 birds—Song of birds—Woodlark—habits—voice—capture—
 Language of man—of birds—Note significant of danger—
 Singing a spontaneous effusion—Variety of note in same species
 —Admiration of birds—Cleanly and innocent creatures

218—269.

Knowledge slowly obtained—Entomology a difficult study—
 Wonders around us—The objects of many insects unknown—
 Chrysalis of a moth—Four spotted dragon fly—Ghost moth—
 soon destroyed—Argus butterfly—a pugnacious insect—com-
 bats—Azure butterfly—seldom seen—Humming bird sphinx
 —habits—wildness—tamed by familiarity—feigns death—
 Painted lady butterfly—uncertain in appearing—Marble but-
 terfly—Wasp—Meadow-brown butterfly—Yellow winged moth
 —Gamma moth—Goat moth—their numbers—odour—power
 of destruction—Designs of nature—Evening ramble—Insects
 abounding—ignorance of their objects—Glow worms—curious
 contrivance about their eyes—light—migration—Snake eggs—
 destruction—harmless in England—antipathy of mankind to
 the race—Small bombyx—vigilance—animation—quarrels—
 Black ant—combats of strength—Red ants—mortality—Yel-
 low ants—winter nests—millipedes—support great degree of
 cold—Stagnated water—abounding with insects—Newt—his
 voracity—Water flea—an amusing insect—observed by boys—
 Dorr-beetle—their numbers—feign death to avoid injury—
 Cleanliness of creatures in health—Recurrence to causes—
 Changes in nature—Death-head moth—chrysalides—super-
 stitions regarding the insect—voice—Great water beetle—its
 habits and voracity—Hair worm—its object—Nests of a soli-
 tary wasp—Hornets—their abundance at times and voracity—
 kill each other—Garden snails—its injuries—generally secure
 from destruction—faculties—Small banded snail—their num-
 bers—superstitions concerning them—Earthworms—numbers
 of—the prey of all creatures—utility of—drain watery soils—
 Inattention to the works of Providence Page 269 — 336.

Empiricism—Apple tree blight—progress—injury—White moss
 rose—*Testacellus halotideus*—Cure of the American blight—
 Effect of season on the vegetation—Destruction of grass roots
 —Injury to foliage by small moths—Salt winds—Leasing—
 its profits—an innocent occupation—ordained by the Almighty
 —Old customs—wearing out—May poles—Christmassing—

Kitchen bushes—young holly-trees—Singular conceit—
 Influence of electric atmosphere on vegetation—Humming
 in the air—Fairy rings—Whirly pits—Sinkings in the earth
 —Salt winds destructive of vegetation—Spottings on apples—
 spottings upon strawberry leaves—Curious agaric

Page 336—365.

The year 1825—its peculiarities and influences—A speedy
 method of killing insects—Preserving of insects—Pollarding
 of trees—most injurious—Insects that destroy the ash—The
 willow rarely seen as a tree—a fine one near Gloucester—Foggy
 morning—Reeking of the earth—the cause—and utility—
 Winter of the year—Ice in pools—Law of nature—Winter
 called a dull season—Nature actively employed—Exhausting
 powers observed in air—A minute vegetable product

365 to the end.

JOURNAL
OF
A NATURALIST.

THE village in which I reside is situate upon a very ancient road, connecting the city of Bristol with that of Gloucester, and thus with all the great towns in the north of England. This road runs for the chief part upon a high limestone ridge, from which we obtain a very beautiful and extensive prospect: the broad estuary of the river Severn, the mountains of Glamorgan, Monmouth, and Brecon, with their peaceful vales, and cheerful-looking white cottages, form the distant view; beneath it lies a vast extent of arable and pasture land, gained originally by the power of man from this great river, and preserved now from her incursions by a considerable annual expenditure, testifying his industry and perseverance, and exhibiting his re-

ward. The Aust ferry, supposed to be the "trajectus," or place where the Romans were accustomed to pass the Severn, is visible, with several stations of that people and the ancient British, being a part of that great chain of forts originally maintained to restrain the plundering inroads of the restless inhabitants of the other bank of the river: Thornbury, with its fine cathedral-like church and castle, the opposite red cliffs of the Severn, and the stream itself, are fine and interesting features.

An encampment of some people, probably Romans, occupies a rather elevated part of the parish, consisting of perhaps three acres of ground, surrounded by a high agger, with no ditch, or a very imperfect one, and probably was never designed for protracted resistance: it appears to form one of the above-mentioned series of forts erected by Ostorius, commencing at Weston, in Somersetshire, and terminating at Bredon in the county of Worcester—ours was probably a specula, or watch-hill, of the larger kind. We can yet trace, though at places but obscurely, the road that connected this encampment with another post in an adjoining village. A few years sweep away commonly all traces of roads of later periods, and the testimony

of some old man is often required to substantiate, that one had ever been in existence within the memory of a life; yet this uniting road, which, as a work, must have been originally insignificant, little more than a by-way, after disuse for above fourteen hundred years, and encountering all the erasements of time, enclosures, and the plough, is yet manifest, and an evidence of that wonderful people, thieves and ruffians though they were, who constructed it. There is probably no region on the face of the globe ever colonised, or long possessed, by this nation, which does not yet afford some testimony of their having had a footing on it; this people, who, so long before their power existed, it was predicted, should be of “a fierce countenance, dreadful, terrible, strong exceedingly, with great iron teeth that devoured and broke in pieces:”—

——— “where’er thy legions camp’d,
Stern sons of conquest, still is known,
By many a grassy mound, by many a sculptur’d stone.”

Almost every Roman road that I have observed appears to have been considerably elevated above the surrounding soil, and hence more likely to remain perceptible for a length of time than any of those of modern construction, which

are flat, or with a slight central convexity; the turf, that in time by disuse would be formed over them, would in one case present a grassy ridge, in the other be confounded with the adjoining land.

Coins of an ancient date, I think, have not been found here*; nor do we possess any remains of warlike edifices, or religious endowments. Our labourers have at various times dug up by the road sides several skeletons of human beings, and of horses; they were in general but slightly covered with earth; and though the bones were much decayed, yet the teeth were sound, and appeared most commonly to have belonged to young persons, and probably had been deposited in their present situations at no very distant period of time. With the bones of a horse so found there remained the iron head of a lance, about a foot long, corroded, but not greatly decayed. Unable better to account for these skeletons, we suppose that they constituted, when alive, part of the forces of General Fair-

* Some money was found in one of our fields a few years past, which fame, as in all such cases, without, perhaps, any foundation, enlarged to a considerable sum. The nature of the coin I know not. A few old guineas were acknowledged; but from fear of that spectre "tresor trove," the whole was concealed, whatever it might be.

fax, and that they fell in some partial encounters with the peasantry when defending their property about to be plundered by the foragers of his army in 1645, at the time he was besieging the castle of Bristol. The siege lasted sixteen or seventeen days; many parties during that time must have been sent out by him to plunder us cavaliers, and contention would ensue.

It is foreign to my plan to enumerate, and it might be difficult to discover, all the changes and revolutions which have taken place here, and I shall merely mention, that this district formerly constituted a regal forest, and we find Robert Fitzharding holding it by grant in the time of King John. We have a "lodge farm," it is true, and the adjoining grange, the "conygar," i. e. coney-gard, the rabbit keeper's dwelling, may, perhaps, have been the situation of the sylvan warren; but there are no remains, or any other indications of a forest ever having been in existence. Names and traditional tales are all that remain in most places now to remind us of the ancient state of England, or to make credible the narratives of our old historians, who lived when Britain was a forest. Where shall we look for the remnants of that mighty wood filled with boars, bulls, and savage beasts, that sur-

rounded London? Even in our own days heaths, moors, and wilds, have disappeared, so as to leave no indications of their former state but the name. Woods and forests seem to be the original productions of most soils and countries favourable for the abode of mankind, as if inviting a settlement, and offering materials for its use. As colonies increase, wants are augmented; the woods are consumed; the plough is introduced, division of property follows; a total change and obliteration ensues, though the ancient appellation by which the district was known yet continues.

The parish consists in parts of a poor, shattery, gray clay, beneath which we find, in some places, a coarse lias; in others a spongy, rough, impure limestone; in other parts a thin stratum of soil is spread over an immense and irregular rock of carbonate of lime, running to an unknown depth: this in many cases protrudes in great blocks through the thin skin of earth. The rock, though usually stratified, has no uniform dip, but tends to different directions; in some places it appears as if immense sheets of semifluid matter had been pushed out of the station it had settled in, by some other or later formed heavy moving mass, or met with an im-

pediment, and so rolled up: that these sheets had not fully hardened at the time of being moved is yet made probable by the whole crystallization of the mass being interrupted; so that no part adheres firmly, but separates into small shattery fragments when struck. This substance we burn in very large quantities for building purposes, and for manure, which, by the facility which we have of obtaining small coal, is rendered at the low rate of three-pence a bushel at the kiln. Our farmers, availing themselves of this cheap article, use considerable quantities, composted with earth, for their different crops, at the rate of not less than a hundred bushels to the acre. This is a favourite substance for their potato land. The return in general is not so large as when grown in manure from the yard; but the root is said to be more mealy and better flavoured.

The utility of lime as manure consists in loosening the tenacious nature of some soils; rendering them more friable and receptive of vegetable fibres: it especially facilitates the dissolution and putrefaction of animal and vegetable substances, which are thus more readily received and circulated in the growing plant; and it has the power of acquiring and long retaining

moisture; thus rendering a soil cool and nutritive to the plants that vegetate in it. The power that lime has of absorbing moisture will be better understood, when we say, that one hundred weight will, in five or six days, when fresh, absorb five pounds of water, and that it will retain in the shape of powder, when slackened, or loosened, as is commonly said, nearly one fourth of its weight*.

That lime rehardens after being made soft, as in mortar, is owing to the power which it has of acquiring carbonic acid—the fixed air of Dr. Black—from the atmosphere; when the stone is burned, it loses this principle, but reabsorbs it, though slowly, yet in time, and it thus becomes as hard as stone again: we unite it with sand to promote the crystallization and hardening. The utility of lime in various arts, agriculture, manufactories, and medicine, is very extensive, and in many cases indispensable; and

* The weight of lime is very variable, differing in different places; but taking our lime at the average of eighty pounds to the bushel, some idea may be conceived of the cooling nature of this substance. Lime, to be used as manure, must be in a pulverised state; and by drawing on the land the quantity that we do, we convey to every acre so dressed equivalent to two hundred and fifty gallons of water, not to be evaporated, but retained in the soil as a refrigerant to the fibres of vegetation.

the abundance of it spread through the world seems designed as a particular provision of Providence for the various ends of creation. Lime, and silicious substances, compose a very large portion of the dense matter of our earth; the shells of marine animals contain it abundantly; our bones have eighty parts in one hundred of it; the egg-shells of birds above nine parts in ten—during incubation, it is received by the embryo of the bird, indurating the cartilages, and forming the bones. But the existence and origin of limestone are preeminent amongst the wonders of creation; nor should we have been able, rationally, to account for the great diffusion of this substance throughout the globe, however we might have conjectured the formation, without the Mosaical revelation. It may startle, perhaps, the belief of some, who have never considered the subject, to assert what is apparently a fact, that a considerable portion of those prodigious cliffs of chalk and calcareous stone, that in many places control the advance of the ocean, protrude in rocks through its waters, or incrust such large portions of the globe, are of animal origin—the exuviæ of marine substances, or the labours of minute insects, which once inhabited the deep. In this conclusion now chemists and

philosophers seem in great measure to coincide. Fourcroy observed, forty years ago, that "it could not be denied, that the strata of calcareous matter, which constitute, as it were, the bark or external covering of our globe, in a great part of its extent, are owing to the remains of the skeletons of sea animals, more or less broken down by the waters; that these beds have been deposited at the bottom of the sea; that such is likewise the origin of bitumen, especially sea-coal; immense masses of chalk, deposited on its bottom, absorb or fix the waters, or convert into a solid substance part of the liquid which fills its vast basins." Supplement to Chemistry, p. 263. Such are the conclusions of philosophical investigation; and the discoveries of all our circumnavigators fully corroborate these decisions as to formation. Revelation in part accounts for the removal of these stupendous masses; though, probably, unrecorded concussions since the great subversion of our planet have, in remote periods, effected many of the removals of these deposits. We find the basement of many of the South Sea islands, some of which are twenty miles long, formed of this matter. Captain Flinders, in the gulf of Carpentaria, held his course by the sides of lime-

stone reefs, five hundred miles in extent, and three hundred fathom deep; and still more recently captain King, seven hundred miles, almost a continent, of rock, increasing, and visibly forming:—all drawn from the waters of the ocean by a minute creature, that wonderful agent in the hands of Providence, the coral insect. This brief account of the origin of calcareous rocks was, perhaps, necessary before mentioning an extraordinary fact, that, after the lapse of so vast a portion of time since the basement of the mighty deep was heaved on high, existing proofs of this event should remain in our obscure village.

The limestone rocks here are differently composed, but are principally of four kinds—a pale gray, hard and compact; a pale cream-coloured, fine grained and sonorous: these form the upper stratum of stone on our down, a recent deposit, or more probably a mass heaved up from its original station. The whole of this mass, running nearly half a mile long, is obviously of animal formation, a coral rock; a compounded body of minute cylindrical columns, the cells of the animals which constructed the material; the mouths of which are all manifest by a magnifier. The stop in the progress of the work is even

visible; soft, stony matter having arisen from some of the tubes, and become indurated there in a convex form; in others the creatures have perished, but their forms or moulds remain, though obscure, yet sufficiently perfect to manifest the fact: these tubes, by exposure to the air for any length of time, have the internal or softer parts decomposed, and the stone becomes cellular. A. (Plate 2, Fig. 1) represents an enlarged fragment of the down limestone, with the mouths of the cells; B. C. D. are the appearance of some of them, with the forms of the insect which constructed them; E. represents the stony matter by which the work is continued fixed at the mouth of the cell; Fig. 2. the same when decomposed, the animal matter having quite perished in some cases, and partially in others; Fig. 3. enlarged. This stone burns to a fine white lime, and is very free from impurities, containing, in a hundred parts—

Carbonate of lime	.	.	.	88
Magnesia	.	.	.	8
Silex	.	.	.	1
Alumine*, coloured with iron	.	.	.	3
				100

* I have called this alumine, stained with oxide of iron; but it seems more like vegetable or animal remains, adhering to the filter like a fine peaty deposit, and is lost in combustion.

Another quarry presents, likewise, unquestionable evidence of an animal origin, veins of it being composed of shattered parts of shells, and marine substances, greatly consumed and imperfect, embedded in a coarse, gray, sparry compound; an ocean deposit, not a fabrication; and consequently has more impurities in its substance than that of insect formation; it contains about

Carbonate of lime	.	.	.	73
Magnesia	.	.	.	11
Clay	.	.	.	14
Silex	.	.	.	2
			<hr/>	100

These two specimens so clearly prove, that the original materials of their substance were derived from the deep, that no further arguments need be advanced to support this fact as to our limestone. The former is, perhaps, the mountain limestone of Werner; the latter a variety of dolomite. Our other quarries, as well as the lower strata of the above, present no such indications of animal formation, and they are probably sediment arising from a minute division of shelly bodies, now indurated by time and superincumbent pressure, and become a coarse-grained marble. Our limestone thus appearing not to be contaminated with any great portion of magnesian earth, it

may be used for all agricultural purposes with advantage. Many detached blocks of limestone are found about us, having broken shelly remains, and the joints of the encrinite, greatly mutilated, embedded in them. Irregularly wandering near the lime-ridge is a vein of impure sandy soil, covering a coarse-grained silicious stone; sand agglutinated, and coloured by oxide of iron, resisting heat, and used in the construction of our lime-kilns: the labourers call it "fire stone."

We occasionally, though sparingly, find, in a few places on our downs, nodules of lead ore, which induced persons in years past to seek for mineral riches; but the trial being soon abandoned, the result, I suppose, afforded no reasonable ground for success. We likewise find thin veins of carbonate of strontian, but make no use of it; nor is it noted by us different from common rubbish; nor do I know any purpose to which it is peculiarly applicable, but in pyrotechnics. Spirit of wine, in which nitrate of strontian has been mixed, will burn with a beautiful bright red flame; barytes, which approaches near to strontian, affords a fine green; nitrates of both, compounded with other matters, are used in theatrical representations. Strontian exists in many places, and plentifully; some future wants or experi-

ments will probably bring it into notice, and indicate the latent virtues of this mineral.

Perhaps I may here mention an incident, that occurred a few years past at one of our limekilns, because it manifests how perfectly insensible the human frame may be to pains and afflictions in peculiar circumstances; and that which would be torture if endured in general, may be experienced at other times without any sense of suffering. A travelling man one winter's evening laid himself down upon the platform of a limekiln, placing his feet, probably numbed with cold, upon the heap of stones newly put on to burn through the night. Sleep overcame him in this situation; the fire gradually rising and increasing until it ignited the stones upon which his feet were placed. Lulled by the warmth he still slept; and though the fire increased until it burned one foot (which probably was extended over a vent hole) and part of the leg above the ankle entirely off, consuming that part so effectually, that no fragment of it was ever discovered, the wretched being slept on! and in this state was found by the kiln-man in the morning. Insensible to any pain, and ignorant of his misfortune, he attempted to rise and pursue his journey, but missing his shoe, requested to have it found; and when he was

raised, putting his burnt limb to the ground to support his body, the extremity of his leg bone, the tibia, crumbled into fragments, having been calcined into lime. Still he expressed no sense of pain, and probably experienced none, from the gradual operation of the fire, and his own torpidity during the hours his foot was consuming. This poor drover survived his misfortunes in the hospital about a fortnight; but the fire having extended to other parts of his body, recovery was hopeless.

Residences upon limestone soils have generally been considered as less liable than other situations to infectious and epidemic disorders; and such places being usually more elevated, they become better ventilated, and freed from stagnated and unwholesome airs, and by the absorbing principle of the soil are kept constantly dry. All this seems to favour the supposition that they are healthy; but if exempted from ailments arising from mal-aria, inflammatory complaints do not seem excluded from such situations. When the typhus fever prevailed in the country, we were by no means exempted from its effects; the severe coughs attending the spring of 1826 afflicted grievously most individuals in every house; and the measles, which prevailed so

greatly at the same season, visited every cottage, though built upon the very limestone rock.

This village and its neighbouring parishes, by reason of the peculiar culture carried on in them, and the natural production of the district, afford the most ample employment for their labouring inhabitants; nor perhaps could any portion of the kingdom, neither possessing mineral riches, manufactories, or mills, nor situate in the immediate vicinity of a great town, be found to afford superior demand for the labour, healthy employment, and reasonable toil of its population. Our limekilns engage throughout the year several persons; this is, perhaps, our most laborious employ, though its returns are considered as fair. In our culture, after all the various business of the farms, comes the potato setting; nor is this finished wholly before hay-making commences. Teazleing succeeds; the corn harvest comes on, followed shortly by the requirements of the potato again, and the digging out and securing this requires the labour of multitudes until the very verge of winter. Then comes our employment for this dark season of the year, the breaking of our limestone for the use of the roads, of which we afford a large supply to less favoured districts. This material is

not to be sought for in distant places, or of difficult attainment, but to be found almost at the very doors of the cottages; and old men, women, and children, can obtain a comfortable maintenance by it without any great exertion of strength, or protraction of labour. The rough material costs nothing: a short pickaxe to detach the stone, and a hammer to break it, are all the tools required. A man or healthy woman can easily supply about a tun in the day; a child that goes on steadily, about one third of this quantity; and as we give one shilling for a tun, a man, his wife, and two tolerable-sized children, can obtain from 2s. and 8d. to 3s. per day by this employ the greater part of the winter; and should the weather be bad, they can work at intervals, and various broken hours, and obtain something; and there is a constant demand for the article. The winter accumulation is carted away as the frost occurs, or the spring repair comes on. Our labourers, their children and cottages, I think, present a testimony of their well doing, by the orderly, decent conduct of the former, and the comforts of the latter.

I may perhaps be pardoned in relating here the good conduct of a villager, deserving more approbation than my simple record will bestow;

and it affords an eminent example of what may be accomplished by industry and economy, and a manifestation that high wages are not always essential, or solely contributive to the welfare of the labourer.—When I first knew A. B., he was in a state of poverty, possessing, it is true, a cottage of his own, with a very small garden; but his constitution being delicate, and health precarious, so that he was not a profitable labourer, the farmers were unwilling to employ him. In this condition he came into my service: his wife at that time having a young child contributed very little to the general maintenance of the family: his wages were ten shillings per week, dieting himself, and with little besides that could be considered as profitable. We soon perceived, that the clothing of the family became more neat and improved; certain gradations of bodily health appeared; the cottage was white-washed, and enclosed with a rough wall and gate; the rose and the corchorus began to blossom about it; the pig became two; and a few sheep marked A. B. were running about the lanes: then his wife had a little cow, which it was “hoped his honour would let eat some of the rough grass in the upper field;” but this was not entirely given: this cow, in spring, was

joined by a better; but finding such cattle difficult to maintain through the winter, they were disposed of, and the sheep augmented. After about six years' service, my honest, quiet, sober labourer died, leaving his wife and two children surviving; a third had recently died. We found him possessed of some money, though I know not the amount; two fine hogs, and a flock of 49 good sheep, many far advanced in lamb; and all this stock was acquired solely with the regular wages of ten shillings a week, in conjunction with the simple aids of rigid sobriety and economy, without a murmur, a complaint, or a grievance!

I report nothing concerning our variously constituted soil, thinking that no correct statement can be given by any detail of a local district under cultivation, beyond generally observing its tendency, as every soil under tillage must be factitious and changeable. As a mere matter of curiosity, I might easily find out the proportions of lime, sand, clay, and vegetable earth, &c., that a given quantity of a certain field contained; but the very next ploughing would perhaps move a substratum, and alter the proportions; or a subsequent dressing change the analysis: the adjoining field would be differently treated,

and yield a different result. I do not comprehend what general practical benefit can arise from chemical analysis of soils; but as eminent persons maintain the great advantages of it, I suppose they are right, and regret my ignorance. That the component parts of certain lands can easily be detected, and the virtues or deficiencies of them for particular crops be pointed out, I readily admit; but when known, how rarely can the remedy be applied! I have three correspondents, who send me samples of their several farms, and request to know by what means they can meliorate the soil. I find that B. is deficient in lime; but understand in reply, that this earth is distant from his residence, and too costly to be applied. D. wants clay; E. is too retentive and cold, and requires silex or sand; but both are so circumstanced, that they cannot afford to supply the article required. Indeed it is difficult to say what ought to be the component parts of a soil, unless the production of one article or grain is made the standard; for differently constituted soil will produce different crops advantageously: one farm produces fine wheat, another barley; others again the finest oats and beans in the parish. To compound a soil of exact chemical parts so as to afford permanent fertility is

a mere theory. Nature and circumstances may produce a piece of land, that will yield unremitting crops of grass, and we call it a permanently good soil; but art cannot effect this upon a great scale. A small field in this parish always produces good crops; not in consequence of any treatment it receives, but by its natural composition; consisting principally of finely pulverised clay, stained with a red oxide of iron, a considerable portion of sand, and vegetable earth: but though I know the probable cause of this field bearing such good wheat, I cannot bring the surrounding and inferior ones into a like constitution, the expense far exceeding any hope of remuneration. Rudolph Glauber obtained gold from common sand, but it was an expensive article! Temporary food for a crop may be found in animal, vegetable, or earthy manures, but these are exhaustible; and when aliment ceases, the crop proportionably diminishes. In one respect, chemical investigation may importantly aid the agriculturist, by pointing out the proportion of magnesian earth in certain limes used for manure, and thus indicate its beneficial or injurious effects on vegetation. I should not like lime containing 20 per cent of this earth; but when it contains a much smaller

proportion, I should not think it very deleterious. This earth acts as a caustic to vegetation, and, neither being soluble in water, nor possessing the other virtues of lime, diminishes the number of bushels used according to its existence, and thus deprives the crop of that portion of benefit: but after all, as Kirwan says, the secret processes of vegetation take place in the dark, exposed to the various and indeterminable influences of the atmosphere; and hence the difficulty of determining on what peculiar circumstance success or failure depends, for the diversified experience of years alone can afford a rational foundation for solid and specific conclusions.

The real goodness of a soil consists principally, perhaps, in the power it possesses of maintaining a certain degree of moisture; for without this, the plant could have no power of deriving nutriment from any aliment: it might be planted on a dunghill; but if this had no moisture in it, no nutriment would be yielded; but as long as the soil preserves a moisture, either by its own constituent parts, or by means of a retentive substratum, vegetation goes on. Continue the moisture, and increase the aliment, and the plant will flourish in proportion; but let the moisture be denied by soil, substra-

tum, or manure, and vegetation ceases ; for, though certain plants will long subsist by moisture obtained from the air, yet, generally speaking, without a supply by the root they will languish and fade.

Our dairy processes, I believe, present nothing deserving of particular notice. From our milk, after being skimmed for butter, we make a thin, poor cheese, rendered at a low price, but for which there is a constant demand. Some of our cold lands, too, yield a kind greatly esteemed for toasting ; and we likewise manufacture a thicker and better sort, though we do not contend in the market with the productions of north Wilts, or the deeper pastures of Cheshire or Huntingdon.

The agriculture of a small district like ours affords no great scope to expatiate upon ; great deviations from general practice we do not aim at ; experimental husbandry is beyond our means, perhaps our faculties. Local habits, though often the subject of censure, are frequently such as the “genius of the soil” and situation render necessary, and the experience of years has proved most advantageous.

Our grass in the pastures of the clay lands, in the mowing season, which, from late feeding in

the spring and coldness in the soil, is always late *, presents a curious appearance ; and I should apprehend, that a truss of our hay from these districts, brought into the London market, or exhibited as a new article of provender at a Smithfield cattle show, would occasion conversation and comment. The crop consists almost entirely of the common field scabious (*scabiosa succisa*), logger-heads (*centaurea nigra*), and the great ox-eye daisy (*chrysanthemum lucanthemum*). There is a scattering of bent (*agrostis vulgaris*), and here and there a specimen of the better grasses ; but the predominant portion, the staple of the crop, is scabious—it is emphatically a promiscuous herbage ; yet on this rubbish do the cattle thrive, and from their milk is produced a cheese greatly esteemed for toasting—melting, fat, and good flavoured, and, perhaps, inferior to none used for this purpose. The best grasses, indeed, with the exception of the dogstail (*cynosurus cristatus*), do not delight in our soil : the meadow poa (*p. pratensis*), and

* In 1826, the herbage on some of our clay lands designed for mowing was, by reason of its tardy growth, and the dryness of the season, in such small quantities, that the owners let it grow untouched until after the corn harvest, in order to obtain some bottom grass, and, in consequence, our hay-making, as it was called, was not over until the last week in September.

the rough-stalked poa (*p. trivialis*), when found, are dwarfish; and having once occasion for a few specimens of the foxtail (*alopecurus pratensis*), I found it a scarce and a local plant: but I am convinced, from much observation, that certain species of plants, and grasses in particular, are indigenous to some soils, and that they will vegetate and ultimately predominate over others that may be introduced. In my own very small practice, a field of exceedingly indifferent herbage was broken up, underwent many ploughings, was exposed to the roastings of successive suns, and alternations of the year under various crops; amongst others that of potatoes; the requisite hackings, hoeings, and diggings of which alone were sufficient to eradicate any original fibrous rooted herbage. This field was laid down with clean ray grass (*lolium perenne*), white trefoil, and hop clover, and did tolerably well for one year; and then the original soft-grass (*holcus lanatus*) appeared, overpowered the crop, and repossessed the field; and yet the seed of this *holcus* could not have lain inert in the soil all this time, as it is a grass that rarely or never perfects its seed, but propagates by its root. The only grass that is purposely sown—trefoils are not grasses—is, I believe, the ray or rye, no

others being obtainable from the seedsman; this we consider as perennial; yet, let us lay down two pieces of land with seeds from the same sack, the one a low, moist, deep soil, the other a dry upland, and in three or four years we shall find the natural herbage of the country spring up, disperse, and acquire in part possession of the soil, in despite of the ray-grass sown; in the deep soil, the predominant crop will probably consist of poæ, cockfoot, meadow-fescue, holcus, phleum, foxtail, &c.; in the dry soil it will be dogstail, quaking grass, agrostis, &c., not one species of which was ever sown by us. It appears that the herbage of our poor thin claylands is the natural produce of the soil, for every fixed soil will produce something, and would without care always exclude better herbage. Attention and manures, a kind of armed force, would certainly support other vegetation, alien introductions, for a time, but the profit would not always be adequate. In a piece of land of this nature I have suppressed the natural produce, by altering the soil with draining, sheep-feeding, stocking up, and composting; and scabious, carnation grass, mat grass, and their companions no longer thrive; but if I should remit this treatment, they would again predominate, and constitute the crop.

We have in use generally here a very prudential method of saving our crops in bad and catching seasons, by securing the hay in windcocks, and wheat in pooks. As soon as a portion of our grass becomes sufficiently dry, we do not wait for the whole crop being in the same state, but, collecting together about a good waggon load of it, we make a large cock in the field, and as soon as a like quantity is ready we stack that likewise, until the whole field is successively finished, and on the first fine day unite the whole in a mow. Some farmers, in very precarious seasons, only cut enough to make one of these cocks, and having secured this, cut again for another. Should we be necessitated, from the state of the weather, to let these parcels remain long on the ground, or be a little dilatory, which I believe we sometimes are, before they are carried, or, as we say, hawled (haled), the cocks are apt to get a little warm, and only partially heat in the mow, the hay cutting out streaky, and not perhaps so bright or fragrant as when uniformly heated in a body; but I am acquainted with no other disadvantage from this practice, and it is assuredly the least expensive, and most ready way of saving a crop in a moist and uncertain season. For wheat it is a very efficacious plan, as these stacks or pooks (a corruption per-

haps of packs), when properly made, resist long and heavy rains, the sheaves not being simply piled together, but the heads gradually elevated to a certain degree in the centre, and the butt end then shoots off the water, the summit being lightly thatched. An objection has been raised to this custom from the idea, that the mice in the field take refuge in the pooks, and are thus carried home; but mice will resort to the sheaves as well when drying, and be conveyed in like manner to the barn: we have certainly no equally efficacious or speedy plan for securing a crop of wheat, and thousands of loads are thus commonly saved, which would otherwise be endangered, or lost by vegetating in the sheaf.

We will admit that grain, hardened by exposure to the sun and air in the sheaf, is sooner ready for the miller, and is generally a brighter article than that which has been hastily heaped up in the pook; but when the season does not allow of this exposure, but obliges us to prevent the germinating of the grain by any means, I know no practice, as an expedient, rather than a recommendation in all cases, more prompt and efficacious than this.

Two of our crops not being of universal culture are entitled to a brief mention. We grow

the potato extensively in our fields, a root which must be considered, after bread-corn and rice, the kindest vegetable gift of Providence to mankind. This root forms the chief support of our population as their food, and affords them a healthful employment for three months in the year, during the various stages of planting, hacking, hoeing, harvesting. Every labourer rents of the farmer some portion of his land to the amount of a rood, or more, for this culture, the profits of which enable him frequently to build a cottage, and, with the aid of a little bread, furnishes a regular, plentiful, nutritious food for himself, his wife, and children, within, and his pig without doors; and they all grow fat and healthy upon this diet, and use has rendered it essential to their being. The population of England, Europe perhaps, would never have been numerous as it is, without this vegetable: and if the human race continue increasing, the cultivation of it may be extended to meet every demand, which no other earthly product could scarcely be found to admit of. The increase of mankind throughout Europe within the last forty years has been most remarkable, as every census informs us, notwithstanding the havoc and waste of continual warfare, and most extensive emi-

gration: and as it seems to be an established maxim, that population will increase according to the means of supply, so, if a northern hive should swarm again, or

“ Blue-eyed myriads from the Baltic shore”

once more arise, future historians will probably attribute this excess of population, and the revolutions it may effect, to the introduction of vaccination on the one part, and the cultivation of the potato on the other.

The varieties of this tuber, like apples, seem annually extending, and every village has its own approved sorts and names, different soils being found preferable for particular kinds, and local treatment advantageous. We plant both by the dibble* and the spade: our chief sorts are pink eyes, prince's beauty, magpies, and china oranges, for our first crop; blacks, roughs, and reds, for the latter crop; and horses' legs, for cattle. We have a new sort under trial with

* But dibbling is not held in esteem by us: we think, that in wet seasons the holes retain the moisture and the sets perish; and that in dry weather being less covered than when planted by the spade, they are more obnoxious to injury by birds and mice, become affected by droughts, are longer in shooting out, and produce, in most cases, inferior crops. In a lighter soil these objections perhaps would not be found reasonable.

rather an extraordinary name, which I must here call “*femora dominarum!*” But we find here, as is usual with other vegetable varieties, that after a few years’ cultivation the sorts lose their original characters, or, as the men say, “the land gets sick of them,” and they cease to produce as at first, and new sets are resorted to. We have no vegetable under cultivation more probably remunerative than this, or more certain of being in demand sooner or later; it consequently becomes an article of speculation, but not to such an injurious extent as some others are: it gives a sufficient profit to the farmer and his sub-renter. Our land is variously rented for this culture; but perhaps eight pounds per acre are a general standard: the farmer gives it two ploughings, finds manure, and pays the tithe; the seed is found, and all the labour in and out is performed by the renter; or the farmer, in lieu of any rent, receives half the crop. The farmer’s expenses may be rated at—

	<i>£. s. d.</i>
Rent to his landlord	1 10 0
Two ploughings	1 6 0
Twelve loads of manure	1 16 0
Tithe	0 10 0
Rates	0 3 0
	<hr style="width: 100%; border: 0.5px solid black;"/>
	£5 5 0

leaving him a clear profit of 2*l.* 15*s.* per acre. The sub-renter's expenditure and profit will be—

	£.	s.	d.
Rent	8	0	0
Labour in and out	3	0	0
Five sacks of seed	1	12	6
	<hr/>		
	£12	12	6

	£.	s.	d.
Produce 50 sacks, at 6 <i>s.</i> 6 <i>d.</i>	16	5	0
Trash, or small pigs	1	0	0
	<hr/>		
	£17	5	0

leaving a profit of 4*l.* 12*s.* 6*d.* per acre. The produce will vary greatly at times, and then the price of the article varies too. The returns to the labourer are always ample, when conducted with any thing like discretion; and the emolument to the farmer is also quite sufficient, as, beside the rent, he is paid for the manuring his land for a succeeding crop, be it wheat or barley; hence land is always to be obtained by the cotter, upon application. We have a marked instance in the year 1825 how little we can predict what the product of this crop will be, or the change that alteration of weather may effect; for after the drought of the summer, after our apprehensions, our dismay (for the loss of this root is a very

serious calamity), the produce of potatoes was generally fair, in places abundant; many acres yielding full eighty sacks; which, at the digging out price of 6*s.* the sack, gave a clear profit to the labourer of 1*l.* 7*s.* 6*d.* per acre! But at any rate it gives infinite comfort to the poor man, which no other article can equally do, and a plentiful subsistence, when grain would be poverty and want. The injudicious manner, in which some farmers have let their land, has certainly, under old acts of parliament, brought many families into a parish; but we have very few instances, where a potato-land renter to any extent is supported by the parish. In this village a very large portion of our peasantry inhabit their own cottages, the greater number of which have been obtained by their industry, and the successful culture of this root. The getting in and out of the crop is solely performed by the cotter and his family: a child drops a set in the dibble-hole or the trench made by the father, the wife with her hoe covering it up; and in harvesting all the family are in action; the baby is wrapped up when asleep in its mother's cloak, and laid under the shelter of some hedge, and the digging, picking, and conveying to the great store heap commences; a primitive

occupation and community of labour, that I believe no other article admits of, or affords.

It has been said, that the culture of the potato is injurious to the farm in general, and I know landlords who restrict the growth of it; but perhaps the extent of injury has been greatly overrated. The potato, it is true, makes no return to the land in straw for manure, and a large portion of that which is made in the barton is occasionally required for its cultivation, and thus it is said to consume without any repayment what is equally due to other crops: but the cultivation of this tuber requires, that the soil should be moved and turned repeatedly; it is generally twice at least ploughed, trenched by the spade for sets, hacked when the plant is above ground, then hoed into ridges, and finally, the whole turned over again when the crop is got out: thus is the soil six times turned and exposed to the sun and air: and it is kept perfectly free from weeds of all kinds; both of which circumstances are essentially beneficial to the soil. If the potato must have manure, it does not exhaust all the virtues of it, as the crop which succeeds it, be it wheat or barley, sufficiently manifests: there are, besides, exertions made by the renter to obtain this profitable crop, that greatly improve the

farm, and which a less promising one would not always stimulate him to attempt—he will cut up his ditch banks, collect the waste soil of his fields, composting it with lime and other matters as a dressing for the potato crop, and it answers well: the usual returns from corn, and fluctuations in the price, will not often induce him to make such exertions. All this is no robbery of the farm yard, but solely a profitable reward and premium to industry.

Much has been said and written about the potato; but as some erroneous ideas have been received concerning its early introduction into Europe, perhaps a slight sketch of the history of this extraordinary root may not be uninteresting:—a summary of the perusal of multitudes of volumes, papers, treatises!

The sweet Spanish potato (*convolvulus batatas*), a native of the East, was very early dispersed throughout the continent of Europe; and all the ancient accounts, in which the name of potato is mentioned, relate exclusively to this plant, a *convolvulus*: but our inquiry at present regards that root now in such extensive cultivation with us, which is an American plant (*solanum tuberosum*). Perhaps the first mention that is known concerning the

root is that of the great German botanist, Clusius, in 1588, who received a present of two of the tubers in that year from Flanders; and there is a plate of it among his rare plants. The first certain account which I know of by any English writer is in Gerard, who mentions, in his herbal, receiving some roots from Virginia, and planting them in his garden near London as a curiosity, in the year 1597. All the multiform tales which we have of its introduction by Hawkins, shipwrecked vessels, Raleigh, and his boiling the apples instead of the roots, are merely traditional fancies, or modern inventions, with little or no probability for support. There is some possibility, that Sir Walter Raleigh might have introduced the potato into Ireland from America, when he returned in 1584, or rather after his last voyage, eleven years later; but if so, it was much confined in its culture, and slowly acquired estimation, even in that island; for Dr. Campbell does not admit, that it was known there before the year 1610, fifteen years after Sir Walter's final return. In England it seems to have been yet more tardy in obtaining notice; for the first mention which I can find, wherein this tuber is regarded as possessing any virtue,

is by that great man Sir Francis Bacon, who investigated nature from the “cedar that is in Lebanon even unto the hyssop that springeth out of the wall: he spake also of beasts, and of fowls, and of fishes, and of creeping things,” in his history of “Life and Death,” written, probably, in retirement after his disgrace. He observes, that “if ale was brewed with one fourth part of some fat root, such as the potado, to threefourths of grain, it would be more conducive to longevity than with grain alone.” It was thus full twenty-four years after its being planted by Gerard, that the nutritive virtues of this root appear to have been understood: but with us there seems to have been almost an antipathy against this root as an article of food, which can scarcely excite surprise, when we consider what a wretched sort must have been grown, which one writer tells us was very near the nature of Jerusalem artichokes, but not so good or wholesome; and that they were to be roasted and sliced, and eaten with a sauce composed of wine and sugar! Even Philip Miller, who wrote his account not quite seventy years ago, says “they were despised by the rich, and deemed only proper food for the meaner sorts of persons;” and this at a time when that sorry root

the underground or Jerusalem artichoke (*helianthus tuberosus*) was in great esteem, and extensively cultivated. And we must bear in mind the disinclination, the prejudice, I might almost call it, that this root manifests to particular soils. Most of our esculent vegetables thrive better—are better flavoured, when growing in certain soils, and under different influences; but the potato becomes actually deteriorated in some land. And every cultivator knows from experience, that the much admired product of some friend's domain, or garden, becomes, when introduced into his own, a very inferior, or even an unpalatable root. Potatoes will grow in certain parishes and districts, and even remain unvitiated; but the product will be scanty, as if they tolerated the culture only, and produced by favour; whereas in an adjoining station, possessing some different admixture of soil, some change of aspect, the crop will be highly remunerative. These circumstances in earlier days, when their value, and the necessity of possessing them, were not felt, counteracted any attempt for extensive cultivation, or, probably, influenced the dislike to their use.

However locally this *solanum* might have been planted, yet it appears, after consulting a variety of agricultural reports, garden books,

husbandmen's directions, &c., down to the statements of Arthur Young, that the potato has not been grown in gardens in England more than one hundred and seventy years; or to any extent in the field above seventy-five. At length, however, as better sorts were introduced, and better modes of dressing found out, it became esteemed; and the value of this most inestimable root was so rapidly manifested, and the demand for it so great, that we find by a survey made about thirty years ago, that the county of Essex alone cultivated about seventeen hundred acres for the London market. I know not the extent of land now required for the supply of our metropolis, but it must be prodigious.

Amidst the numerous remarkable productions ushered into the old continent from the new world, there are two which stand preeminently conspicuous from their general adoption; unlike in their natures, both have been received as extensive blessings—the one by its nutritive powers tends to support, the other by its narcotic virtues to soothe and comfort the human frame—the potato and tobacco; but very different was the favour with which these plants were viewed: the one, long rejected, by the slow operation of time, and perhaps of necessity, was at length

cherished, and has become the support of millions; but nearly one hundred and twenty years passed away before even a trial of its merits was attempted: whereas the tobacco from Yuccatan, in less than seventy years after the discovery, appears to have been extensively cultivated in Portugal, and is, perhaps, the most generally adopted superfluous vegetable product known; for sugar and opium are not in such common use. Luxuries, usually, are expensive pleasures, and hence confined to few: but this sedative herb, from its cheapness, is accessible to almost every one, and is the favourite indulgence of a large portion of mankind. Food and rest are the great requirements of mortal life: the potato, by its starch, satisfies the demands of hunger; the tobacco, by its morphin, calms the turbulence of the mind: the former becomes a necessity required; the latter a gratification sought for.

Many as the uses are to which this root is applicable—and it will be annually applied to more; if we consider it merely as an article of food, though subject to occasional partial failures, yet exempted from the blights, the mildews, the wire-worms, the germinatings of corn, which have often filled our land with wailings and with death, we will hail the individual,

whoever he might be, who brought it to us, as one of the greatest benefactors to the human race, and with grateful hearts thank the bountiful giver of all good things for this most extensive blessing.

Our second crop to which I alluded, and which some years we grow largely, is the teasle (*dipsacus fullonum*), a plant which is probably no native of this country, but, like woad, canary-grass, &c., originally introduced by some of the numerous foreign artisans, who have at various times sought refuge here, or been encouraged to settle in England. Our woollen manufactory could hardly have made any progress without this plant: the constant continental wars in the earlier part of our monarchy, and the rival jealousies of foreign nations, would have impeded, or prohibited, the necessary supply of teazles, and thus rendered the domestic cultivation of this indispensable plant a primary object. The manufactory of cloth was certainly carried on in England during the reign of Richard I, perhaps in his father's reign; but it was probably not until after the tenth of Edward III, that the teasle was cultivated to any extent with us; for about that time the exportation of English wool was prohibited, and the wearing of foreign cloth opposed

by government. Flemish artisans were encouraged to settle in this country, and carry on their trade, with every liberty and protection; a regular mart was established; and the tuckers, or woollen weavers, became an incorporated body; particular towns began to furnish peculiar colours—Kendal, its green, Coventry, its blue, Bristol, its red, &c.; and from this period, I think, we may date the cultivation of the teazle in England.

Hudson, in considering this species as indigenous, directs us to hedges for our specimens; but, though the teazle is certainly found a wilding in some places astray from cultivation, yet it is singular, that with us it does not wander from culture: though the seeds are scattered about and swept from the barns where the heads are dried into the yard, and vegetate in profusion on the dung heaps and the by-ways where dropped, yet I have never observed it growing in the surrounding hedges.

Teazles are cultivated in some of the strong clay lands of Wilts, Essex, Gloucester, and Somerset. The latter county is supposed to have grown them earliest. The manufacturers rather give the preference to those of Gloucester, as lands repeatedly cropped are thought not to produce them so good in some respects. Strong

land, thrown up as for wheat, and kept dry, affords the best teazles. Weeding, draining, and other requisites, demand a constant labour through great part of the year; and hence a certain expense is incurred: but remuneration, loss, or great profit, circumstances must determine; nor, perhaps, is there any article grown more precarious or mutable in its returns.

The teazle throws up its heads in July and August; and these are cut from the plant by hand, with a knife particularly formed, and then fastened to poles for drying: the terminating heads are ready first, and called "kings:" they are larger and coarser than the others, and fitted only for the strongest kinds of cloth, and are about half the value of the best. The collateral heads then succeed, and receive the name of "midlings," and are the prime teazles. Should the season prove moist, great injury ensues; but exposure to wet for any length of time ruins the head, which, by its peculiar construction, retains the moisture, and it decays. We cannot stack them like corn, as pressure destroys the spines, and a free circulation of air is required to dry them thoroughly; and we seek for barns, sheds, and shelter of any kind, crowd the very bedrooms of our cottages with them in dripping

seasons, and bask them in every sunny gleam that breaks out: this is attended with infinite trouble; and as few farmers, who have so many other concerns on their hands, like to encounter it, they become the speculation of the most opulent class of cottagers. When dry, they are picked and sorted into bundles for sale, ten thousand best and small middlings making a pack; nine thousand constitute the pack of kings. If there be a stock on hand, and the season favourable, there is a sufficiency for the demand, and the price low: if adverse weather ensue, the price becomes greatly advanced, and we have known them in the course of a few months vary from 4*l.* to 22*l.* the pack! but from 5*l.* to 7*l.* is perhaps the average price of this article. This variation in value affords the growers a subject for constant speculation—a source of rapid wealth to some, and injury to others—and we most emphatically call teazles a “casualty crop.” Our manufacturers occasionally import teazles from Holland and France, when the price is high in England: this they can do when the home price exceeds 8*l.*

In letting teazle land, various agreements are made, not necessary to mention in a note like this; but it is usually taken for two years, it

requiring much of this time from sowing the seed to cutting the heads for sale. In rating the expenses, we will say—

	£.	s.	d.
One acre, at 2 <i>l.</i> per ann. (for two years)	.	4	0 0
Expense of culture, 3 <i>l.</i> per ann. per acre	.	6	0 0
Tithe	.	0	8 0
Cutting the heads, per acre	.	0	6 0
Sorting and packing at 6 <i>s.</i> for seven packs, average crop	.	2	2 0
Miscellaneous expenses, polls, sticks, &c.	.	1	0 0
		<hr/>	
		13	16 0
Average crop brought to market, seven packs, at 6 <i>l.</i>	.	42	0 0
		<hr/>	
Leaving a profit for the 2 years, upon an acre, of		£28	4 0

As the teazle man seldom rents less than four or six acres, which he can very well attend to, it may produce at the two years' end a return upon the six acres of 169*l.*, if all circumstances should be favourable—a tempting inducement to speculation, when a labourer, by regular daily pay, cannot earn above 32*l.* per annum. But it requires some ready money to support the family during this period of expectation—and if a bad season occur, all the labour is lost, the profit destroyed, the anxiety of months ends in disappointment, and debt only remains. This is most truly a casualty crop; and the manufacturers are so sensible of

the risk and trouble attending the cultivation of this plant, that they prefer purchasing to growing it for their own use; and I know one who has declared his loss in the attempt to exceed 500*l*.

This plant seems to be known in many countries by a name expressive of its use. Old Gerard has recorded several of these names. Its old English name was the carding teazle; the Latin name, *carduus veneris*; the French call it, *chardon de foullon*; the Danes and Swedes, *karde tidsel*; the Flemings, *karden distel*; the Hollanders, *kaarden*; Italy and Portugal, *cardo*; the Spaniards, *cardencha*, &c.

I believe that the teazle affords a solitary instance of a natural production being applied to mechanical purposes in the state in which it is produced*. It appears, from many attempts, that the object designed to be effected by the teazle cannot be supplied by any contrivance—successive inventions having been abandoned as defective or injurious. The use of the teazle is to draw out the ends of the wool from the manufactured cloth, so as to bring a regular pile

* *Equisetum hyemale*, the Dutch rush, or shave grass, is yet used in its natural state for finishing fine models in wood, and in removing roughnesses in plaster casts.

or nap upon the surface, free from twistings and knottings, and to comb off the coarse and loose parts of the wool. The head of the true teazle is composed of incorporated flowers, each separated by a long, rigid, chaffy substance, the terminating point of which is furnished with a fine hook. (See Plate 2, Fig. 4.) Many of these heads are fixed in a frame; and with this, the surface of the cloth is teased, or brushed, until all the ends are drawn out, the loose parts combed off, and the cloth ceases to yield impediments to the free passage of the wheel, or frame, of teazles. Should the hook of the chaff, when in use, become fixed in a knot, or find sufficient resistance, it breaks, without injuring or contending with the cloth, and care is taken by successive applications to draw the impediment out; but all mechanical inventions hitherto made use of offer resistance to the knot; and, instead of yielding and breaking as the teazle does, resist and tear it out, making a hole, or injuring the surface. The dressing of a piece of cloth consumes a great multitude of teazles—it requiring from 1500 to 2000 heads to accomplish the work properly. They are used repeatedly in the different stages of the process; but a piece of fine cloth generally breaks this number before it is finished, or we may say, that

there is a consumption answering to the proposed fineness —pieces of the best kinds requiring one hundred and fifty or two hundred runnings up, according to circumstances.

Our small farmers here have a vile practice of picking from their turf, in the spring of the year, all the droppings of their autumn and winter fed cattle to carry on their arable land for the potato, or some grain crop : this affords no great supply to ploughed land, and is very injurious to their grazing grounds ; but the answer generally is, “ that the corn must have manure, and the beast can take care of itself ;” and in many cases, I fear, from the starved appearance of the young cattle, that their best endeavours have afforded a very inadequate supply.

This picking of the field was formerly very generally resorted to in the midland counties ; but the farmers at that time had a sufficient excuse in the scarcity of common fuel. The droppings of the cows were collected in heaps, and beaten into a mass with water ; then pressed by the feet into moulds like bricks, by regular professional persons, called clatters (clodders) ; then dried in the sun, and stacked like peat, and a dry March for the clat-harvest was considered as very desirable. These answered very well for heating

water for the dairy and uses of the farm back-kitchen, giving a steady, dull heat, without flame; but navigable canals, and other conveniences of a similar nature, have rendered the practice now unnecessary. With us this bad custom is declining, and probably in time will cease altogether.

It is rather a subject of surprise, that in our general associations and commixtures in life, in times so highly enlightened as the present, when many ancient prejudices are gradually flitting away, as reason and science dawn on mankind, we should meet with so few, comparatively speaking, who have any knowledge of, or take the least interest in, natural history; or if the subject obtain a moment's consideration, it has no abiding place in the mind, being dismissed as the fitting employ of children and inferior capacities. But the natural historian is required to attend to something more than the vagaries of butterflies, and the spinnings of caterpillars; his study, considered abstractedly from the various branches of science which it embraces, is one of the most delightful occupations that can employ the attention of reasoning beings; and

perhaps none of the amusements of human life are more satisfactory and dignified, than the investigation and survey of the workings and ways of Providence in this created world of wonders, filled with his never absent power: it occupies and elevates the mind, is inexhaustible in supply, and, while it furnishes meditation for the closet of the studious, gives to the reflections of the moralizing rambler admiration and delight, and is an engaging companion, that will communicate an interest to every rural walk. We need not live with the humble denizens of the air, the tenants of the woods and hedges, or the grasses of the field; but to pass them by in utter disregard, is to neglect a large portion of rational pleasure open to our view, which may edify and employ many a passing hour, and by easy gradations will often become the source whence flow contemplations of the highest orders. Young minds cannot, I should conceive, be too strongly impressed with the simple wonders of creation by which they are surrounded: in the race of life they may be passed by, the occupation of existence may not admit attention to them, or the unceasing cares of the world may smother early attainments—but they can never be injurious—will give a bias to a rea-

soning mind, and tend, in some after thoughtful, sobered hour, to comfort and to soothe. The little insights that we have obtained into nature's works are many of them the offspring of scientific research; and partial and uncertain as our labours are, yet a brief gleam will occasionally lighten the darksome path of the humble inquirer, and give him a momentary glimpse of hidden truths: let not then the idle and the ignorant scoff at him who devotes an unemployed hour—

“No calling left, no duty broke,”

to investigate a moss, a fungus, a beetle, or a shell, in “ways of pleasantness, and in paths of peace.” They are all the formation of Supreme intelligence, for a wise and a worthy end, and may lead us by gentle gradations to a faint conception of the powers of infinite wisdom. They have calmed and amused some of us worms and reptiles, and possibly bettered us for our change to a new and more perfect order of being.

We yet possess two forest trees, beautiful and unmutilated! An oak in Shellard's lane has escaped the woodman's axe, the hedger's bill: it stands on the side of the waste, and has long afforded shade and shelter to an adjoining

farm house. These circumstances, and not being valuable as a timber tree, may have contributed to its preservation: its hamadryad is left alone in the land to mourn her lost companions. This tree is not mentioned as being at all comparable with the gigantic productions of the kind that we have accounts of, and perhaps by many would be passed by unnoticed; yet it is deserving of some regard, from the vegetable powers that have existed, and still continue in its trunk. The bole, at some very distant period, by accident or design, appears to have lost its leading shoot, and in consequence has thrown out several collateral branches; three remain, which have now grown into trees themselves, existing in full vigour, and constituting a whole of much beauty. It is a characteristic specimen of an oak with all the corrugations, twistings, furrows, and irregularities, which this tree with a free growth generally exhibits; expanding its three vigorous arms to the Sun of Heaven with a pendent, easy dignity, that seems like an enjoyment of unrestrained liberty. We have no good criterion to regulate our judgment with regard to the age of trees of considerable antiquity. In young ones the rings of the wood will often afford a reasonable ground for opinion; but in old trees

these marks are absorbed, obscured, or uncertainly formed, so as to be no sufficient guide. In particular cases, such as inclosure of waste or other lands, formation of parks and plantations, the times of planting are sufficiently recorded; but generally speaking, neither oral tradition, nor written testimony, remains to indicate the period when a tree sprang up. This oak, however, from all the signs of age that it retains, must have existed as a sapling at some very distant day, and is the most undoubted relic of antiquity in the vegetable world that we possess.

The elm, and the beech, in age, frequently present very decided vestiges of a former day; but the oak of centuries has impressed upon it indelible characters of antiquity, and is a visible *vetustum monumentum*. The wreathings and contortions of its bark, even its once vigorous, but now sapless limbs, with their bare and bleached summits, stag-headed, and erect, maintain a regality of character which perfectly indicates the monarch of the forest, and which no other tree assumes. We have many accounts in different authors of the prodigious size which the oak has attained in England; but most of the trees, that have arrived at any vast circumference, seem, like this our village oak, to have

lost their leaders when young, and hence are short in the but: yet we have records of aspiring timber trees of this species of astonishing magnitude, though perhaps none of them exceed those mentioned by Evelyn, cut down near Newberry in Berkshire, one of which ran fifty feet clear without a knot, and cut clean timber five feet square at the base; its consort gave forty feet of clear, straight timber, squaring four feet at its base, and nearly a yard at the top. The "lady oak," mentioned by Sir E. Harley, produced a but of forty feet, and squared five feet throughout its whole length, thus producing twenty tuns of timber, a mass of surprising grandeur! But the most magnificent oak ever known to have grown in England was probably that dug out of Hatfield bog; it was a hundred and twenty feet in length, twelve in diameter at the base, ten in the middle, and six at the smaller end where broken off; so that the but for sixty feet squared seven feet of timber, and four its entire length. Twenty pounds were offered for this tree*. This extraordinary vegetable should have been preserved in some museum, as unequalled in ancient, unapproachable in modern

* Philosoph. Trans. as quoted in the Sylva.

days; exceeding in magnitude even that famous larch brought to Rome in the reign of Tiberius*, and reserved as a curiosity for many years, which was one hundred and twenty feet long, and two feet in diameter its whole length.

Indigenous, flourishing, and inured to all the caprices of our climate as the oak is, yet it produces its fruit very precariously, and at times sparingly, like a plant of exotic origin; which does not appear to have been the case formerly, when such herds of swine were maintained by the produce of our woods alone, and grants from manorial lords for permission thus to feed them were recorded with care as valuable obtainments.

The cause of infertility in indigenous trees can arise from no defect of construction in the organs of fructification, but from some obstruction, perversion, redundancy, or vitiation of the natural powers; which is particularly manifested by the faculty which they possess at one period of producing fruit, and their impotency at another. This imbecility from one cause or another probably influences at periods every tree or herb that springs from the

* Pliny's Natural History.

earth: but in regard to the oak, the most general and probable cause of its sterility is suspended circulation. This is more immediately brought to notice from our custom of barking the timber of this tree in the spring. At times our barkers go on rapidly with their work; yet in a few hours a frost, or a sharp wind, will put an entire stop to their operations, in consequence of the cessation of the flow of sap, which is followed by the adhesion of the bark to the wood. Whenever this nutriment ceases to be supplied, the immature and tender germen must languish; and if the supply be long suspended, it must perish from deficiency of food. That such is the natural effect of spring frosts and sudden chills, more injurious probably to the fruit in this immature state, from its greater delicacy, than when it is more developed, is reasonable to suppose; how far a change of seasons may have taken place to accomplish the injury alluded to, more commonly now than in former periods, we have no criterion for proving; but if failures of the acorn crop took place as frequently in times when swine's flesh was mostly the diet of the middle and lower classes of people as they do now, the privations of our forefathers were severe indeed.

An interesting volume might be formed, entitled the “History of the Oak.” The first mention that we know of this tree is that ancient of days, the “oak of Mamre,” under which Abraham sat in the heat of the day; and that it was an oak, one of the fathers, Eusebius, tells us, as it remained an object of veneration even in the time of Constantine. We would note all the celebrated querci of antiquity; the use, value, strength, duration, &c., of its timber; the infinite variety of purposes to which its various parts are applied by the mechanic, the dyer, the artisan; the insects, which amount to hundreds of species, that live and have their being on the oak; the vegetables it nourishes, ferns, lichens, mosses, agarics, boleti, &c.; the sawdust, apples, gall-nuts, acorns, leaves, and innumerable et cetera of Britain’s guardian tree. However highly the Druids might venerate the oak, and make it the emblem and residence of their deity; yet the intrinsic value of this tree was unknown to our remote forefathers. All their knowledge of its virtues was probably included in its uses for building, its acorns for their swine, and, perhaps, its bark for preserving the skins which they used. Modern ingenuity and necessity have brought its various qualities into notice, or our oak would

have received such honours, as in days of darkness were conferred upon inanimate things: Attica considered the olive as the gift of her tutelary goddess, and some benevolent saint would have been lauded and hymned, for having endowed the oak of Britain with such extensive virtues for the good of mankind.

The other tree, that I mentioned above as one of our boasts, is a wych or broad-leaved elm (*ulmus montana*), standing near the turnpike road. This very fine and stately tree was saved, when the merciless axe levelled all its companions, at the solicitation of a lady now no more, and remains a testimony of her good taste, the civility of the agent, and the ornament of our village. When in youth, this species presents a character decidedly different from the common elm (*ulmus campestris*). Its branches at times are so strong as to be nearly equal in size with the main stem that supports them, and loaded with such a profusion of foliage, that the sprays become pendent, and give the idea of luxuriance with weakness, of a growth beyond strength; advancing in age, its arms and sprays become less pensile, as the leaves are smaller and less burdensome; yet they hang commonly in large heavy masses, like what we formerly

were accustomed to see in the aquatintas of Jukes, and the prints of that period. It can however occasionally assume the appearance of elegance and lightness, and is usually less aspiring and more branching than the common elm; its dense foliage yields a fine shade for cattle, and it deserves even on this account, if it possessed no other merit, a more general cultivation. The wych elm, though a rare tree in some counties, seems more extensively spread over England than the other species, and adventures farther to the north. Ray tells us, on the authority of Aubrey, that the common elm, so called, is scarcely found indigenous northward of Lincolnshire, whereas this species is found even in Scotland. Our soil is very favourable to the growth of both species. The wych elm affords a tough and valuable wood for the wheeler and the millwright; the bark from the young limbs is stripped off in long ribands, and often used, especially in Wales, for securing thatch, and for various bindings and tyings, to which purpose its flexible and tough nature renders it well adapted. Gerard says, that arrows were made from the wood of this tree, and he lived at a period when he could well ascertain the fact, during the reign of Elizabeth and her predecessor,

before firearms had superseded this truly British weapon: he was in the younger part of his life gardener to the great Lord Burleigh. That the wych elm, when permitted, will attain large dimensions, is manifest by the size of several we have observed in many places; but that gigantic one, which grew in Staffordshire, exceeds in magnitude any other of this species which we ever heard of. It required the labour of two men for five days to fell it; it was forty yards in length, with a diameter of seventeen feet at the but; yielding eight pair of naves, and eight thousand, six hundred, and sixty feet of boards, the sawing of which cost 10*l.* 17*s.* It contained ninety-seven tuns of timber. As Evelyn says, “this was certainly a goodly tree!” The etymology of this tree seems to be unknown, and different authors, who mention it, spell it, accordingly, various ways: Evelyn calls it wich, and witch; Gilpin, wich; others wych; Bacon, weech.

We have no indigenous tree, that suffers from the advance of the winter season so early as the wych elm. A few others may manifest its approach nearly as soon, but they become augmented in splendour by a touch of the frosty air, not ruined and denuded like our elm, which

contributes no grandeur, no beauty, to our autumnal scenery, as its leaves curl up, become brown, and flutter from their sprays, when growing in exposed situations, as early often as the middle of September, by constitutional mechanism alone, even before the beech or the maple seems sensibly affected by the cold. This character of itself marks a difference from the common elm, which preserves its verdure except from accidental causes long after this period, and then, when its season arrives, the foliage becomes tinged with a fine, mellow, yellow hue, contributing a full share with other trees to the character and splendour of autumn. The wych elm may occasionally be desirable in the few days that our northern summer requires its deep shades, but will not otherwise afford pleasure or beauty in the shrubbery or the park as an ornamental tree, as its leafless sprays announce too early the unwelcome termination of our floral year, and its sober russet foliage is scattered at our feet without preparation or a parting smile.

Trees in full foliage have long been noted as great attractors of humidity, and a young wych elm in full leaf affords a good example of this supposed power; but in the winter of the year,

when trees are perfectly denuded, this faculty of creating moisture about them is equally obvious, though not so profusely. A strongly marked instance of this was witnessed by me, when ascending a hill in the month of March. The weather had previously been very fine and dry, and the road in a dusty state; but a fog coming on, an ash tree hanging over the road was dripping with water so copiously, that the road beneath was in a puddle, when the other parts continued dry, and manifested no appearance of humidity. That leaves imbibe moisture by one set of vessels and discharge them by another is well known; but these imbibings are never discharged in falling drops: the real mystery was, the fog in its progress was impeded by the boughs of the tree, and gradually collected on the exposed side of them, until it became drops of water, whereas the surrounding country had only a mist flying over it. Thus in fact the tree was no attractor, but a condenser; the gate of a field will in the same manner run down with water on the one side, and be dry on the other; as will a stick, or a post, from the same cause. It is upon this principle, that currents of air will be found under trees in summer, when little is perceived in open places; and the under leaves

and sprays will be curled and scorched at times, when the parts above are uninjured. The air in its passage being stopped and condensed against the foliage of the tree, it accordingly descends along its surface or front, and escapes at the bottom, where there are no branches or leaves to interrupt its progress. In winter there is little to impede the breeze in its course, and it passes through; consequently at this season the air under a tree is scarcely more sensibly felt than in the adjoining field.

It may be observed, that in the spring of the year the herbage under trees is generally more vivid and luxuriant, than that which is beyond the spread of the branches: this may be occasioned, in some instances, by cattle having harboured there, and the ground becoming in consequence more manured; but it will be found likewise manifestly verdant and flourishing where no such accessory could have enriched it, and is, I apprehend, in general chiefly owing to the effects of the driving fogs and mists, which cause a frequent drip beneath the tree, not experienced in other places, and thus in a manner keep up a perpetual irrigation and refreshment of the soil.

By a very wise appointment peculiar propensities have been bestowed upon the vegetable

world, greatly assimilating to the tastes and inclinations of the animated tribes. Beasts and insects feed on particular plants, and reject others, and the delight of one is disgusting to another. So some plants, not having the power of locomotion, will thrive only in certain compounded soils, aspects, and situations, evincing a similar tendency to preference of nourishment as do the sensitive tribes; and some districts, that vary a little in their component parts or position from those adjoining, will present an individual or a race that is not found in another; the common product of the North or of the East is treasured in the Herbarium of the southern or western botanist; we can boast but few, yet we have some of these capricious children of the soil.

The fetid hellebore (*helleborus foetidus*) is not a common plant with us, but we find it sparingly in one or two places; and though a plant indigenous to Britain, yet it is not improbable, that it has strayed from cultivation and become naturalized in many of the places in which we now find it. Its uses as an herb of celebrity for some complaints of cattle occasioned its being fostered in many a cottage garden long since erased, where the good wife was the simple doctress of the village, when perhaps mortality

was not more extensive than in these days of greater pretension and display. Modern practice yet retains preparations of this herb, but it appears, that from the powerful manner in which they act, great discretion is necessary in their administration. This hellebore is one of our few plants that present us with a dull, unsightly, unpleasing blossom. We have many with a corolla so small as to be little noticed; but this plant, and the fetid iris (*iris foetidissima*), produce blossoms, that would generally be considered as darksome and cheerless. There is no part of a vegetable which we usually admire more than its flowers, for that endless variety of colours, shades, forms, and odours, with which they are endowed; yet the utility of the blossom is by no means obvious. Linnæus calls the corolla the arras, the tapestry of the plant; and we are perfectly sensible, that the blossom in very many instances is essential in various ways to securing and perfecting the germen; that it often contains the food of multitudes of insects, which feed on the pollen, the honey, or the germen; and that the odour emitted by it leads frequently various creatures to the object in request, and by their agency the fecundation and perfecting of the seeds are often effected: but

we are astonished at the elaborate mechanism and splendour of some species, and see the whole race of creation, with the exception of man, utterly regardless of them. Butterflies and other insects will bask on expanded flowers, and frequent their disks, but it is in wantonness, or to feed on the sweet liquors they contain. The carpenter bee, that every summer cuts its little circular patches in such quantities from my roses to line its nest in the old garden door, selects the green leaves only, chiefly from the China, Provence, and damask kinds*, passing over the petals of their blossoms as useless. That splendid insect the rose beetle (*cetonia aurata*), that beds and bathes in sweetness, will partially eat the flowers of some species of roses, and “lap the nectar they produce;” and a few others nibble a little; but the liliaceous tribes, and other glorious flowers, as far as we know, furnish to insects no supply, but expand, wither, and die, unnoticed but by the eye of man alone. Flowers that are grand, gay, cheerful, or beautiful, predominate

* This bee does not exclusively make use of the leaves of rose for its purposes, as I have known it in some seasons cut away the young foliage of *cytiscus laburnum*, even when growing in company with its favourite rose.

infinitely over those that are of a sombre hue or gloomy aspect. Employment and occupation were as much the design, as they are found to be essential to the happiness of human life : we are not all constituted to soar in the higher regions of scientific research ; our dispositions are as various as our intellects. Horticulture was the first occupation instituted for man, and he cannot pursue a more innocent and harmless employ : we were given “ every herb, and every tree upon the face of the earth.” For food, or raiment, the immediate necessities of man, a very few of them are applicable ; but we can collect them for amusement, in admiration of their beauty. Without this beauty, they would be no object of research ; and man, who is exclusively sensible of its existence, can alone find pleasure in viewing it. The mind, that is delighted with such admiration, must be almost insensibly led to an attendant pleasure, the contemplation, the perception, of infinite wisdom and power, manifested in the adornment, splendour, and formation, of even the simplest flower of the field. I would not arrogate for man an exclusive right, or make him generally the sole consideration of the beneficence of Providence ; but there are in-

fluences, which his reason can alone perceive, incitements to good thoughts and worthy actions.

Flowers, in all ages, have been made the representatives of innocence and purity. We decorate the bride, and strew her path with flowers: we present the undefiled blossoms, as a similitude of her beauty and untainted mind; trusting that her destiny through life will be like theirs, grateful and pleasing to all. We scatter them over the shell, the bier, and the earth, when we consign our mortal blossoms to the dust, as emblems of transient joy, fading pleasures, withered hopes; yet rest in sure and certain trust, that each in due season will be renewed again. All the writers of antiquity make mention of their uses and application in heathen and pagan ceremonies, whether of the temple, the banquet, or the tomb—the rites, the pleasures, or the sorrows of man; and in concord with the usages of the period, the author of the “Book of Wisdom” says, “Let us crown ourselves with rose-buds and flowers before they wither.” All orders of creation, “every form of creeping things and abominable beasts,” have been, perhaps, at one time or another, by some nation or sect, either the objects of direct worship, or emblem of an

invisible sanctity; but though individuals of the vegetable world may have veiled the mysteries, and been rendered sacred to particular deities and purposes, yet in very few instances, we believe, were they made the representatives of a deified object, or been bowed down to with divine honours. The worship of the one true being could never have been polluted by any symbol suggested by the open flowers and lily-work of the temple.

The love of flowers seems a naturally implanted passion, without any alloy or debasing object as a motive: the cottage has its pink, its rose, its polyanthus; the villa, its geranium, its dahlia, and its clematis; we cherish them in youth, we admire them in declining days; but, perhaps, it is the early flowers of spring that always bring with them the greatest degree of pleasure, and our affections seem immediately to expand at the sight of the first opening blossom under the sunny wall, or sheltered bank, however humble its race may be. In the long and sombre months of winter our love of nature, like the buds of vegetation, seems closed and torpid; but, like them, it unfolds and reanimates with the opening year, and we welcome our long lost associates with a cordiality, that no other

season can excite, as friends in a foreign clime. The violet of autumn is greeted with none of the love with which we hail the violet of spring; it is unseasonable, perhaps it brings with it rather a thought of melancholy than of joy; we view it with curiosity, not affection: and thus the late is not like the early rose. It is not intrinsic beauty, or splendour, that so charms us, for the fair maids of spring cannot compete with the grander matrons of the advanced year; they would be unheeded, perhaps lost, in the rosy bowers of summer and of autumn: no, it is our first meeting with a long-lost friend, the reviving glow of a natural affection, that so warms us at this season: to maturity they give pleasure, as a harbinger of the renewal of life, a signal of awakening nature, or of a higher promise; to youth, they are expanding being, opening years, hilarity and joy; and the child, let loose from the house, riots in the flowery mead, and is

“ Monarch of all he surveys.”

There is not a prettier emblem of spring than an infant sporting in the sunny field, with its osier basket wreathed with butter-cups, orchises, and daisies. With summer flowers we seem to

live as with our neighbours, in harmony and goodwill; but spring flowers are cherished as private friendships.

The amusements and fancies of children, when connected with flowers, are always pleasing, being generally the conceptions of innocent minds unbiassed by artifice or pretence; and their love of them seems to spring from a genuine feeling and admiration, a kind of sympathy with objects as fair as their own untainted minds; and I think that it is early flowers which constitute their first natural playthings: though summer presents a greater number and variety, they are not so fondly selected. We have our daisies strung and wreathed about our dress; our coronals of orchises and primroses; our cowslip-balls, &c.; and one application of flowers at this season I have noticed, which, though perhaps it is local, yet it has a remarkably pretty effect, forming for the time one of the gayest little shrubs that can be seen; a small branch, or long spray of the white-thorn, with all its spines uninjured, is selected, and on these its alternate thorns, a white and a blue violet, plucked from their stalks, are stuck upright in succession, until the thorns are covered; and when placed in a flower-pot of moss, has perfectly the appearance of a beautiful ver-

nal flowering dwarf shrub, and as long as it remains fresh is an object of surprise and delight.

No portion of creation has been resorted to by mankind with more success for the ornament and decoration of their labours than the vegetable world. The rites, emblems, and mysteries of religion; national achievements, eccentric masks, and the capricious visions of fancy, have all been wrought by the hand of the sculptor, on the temple, the altar, or the tomb; but plants, their foliage, flowers, or fruits, as the most graceful, varied, and pleasing objects that meet our view, have been more universally the object of design, and have supplied the most beautiful, and perhaps the earliest, embellishments of art. The pomegranate, the almond, and flowers, were selected, even in the wilderness, by divine appointment, to give form to the sacred utensils; the rewards of merit, the wreath of the victor, were arboraceous; in later periods, the acanthus, the ivy, the lotus, the vine, the palm, and the oak, flourished under the chisel, or in the loom of the artist; and in modern days, the vegetable world affords the almost exclusive decorations of ingenuity and art.

The bouquet may be an exile now; but the revolutions of fashion will surely return this

beautiful ornament to favour again. With us the nosegay yet retains its station as a decoration to our Sunday beaus; but at our spring clubs and associations it becomes an essential, indispensable appointment; a little of the spirit of rivalry seeming to animate our youths in the choice and magnitude of this adornment. The superb spike of a Brompton, or a ten weeks' stock, long cherished in some sheltered corner for the occasion, surrounded by all the gaiety the garden can afford, till it presents a very bush of flowers, forms the appendage of their bosoms, and, with the gay knots in their hats, their best garments, and the sprightly hilarity of their looks, constitutes a pleasing village scene, and gives an hour of unincumbered felicity to common man and rural life, not yet disturbed by refinement and taste.

“ Oh, who can hold a fire in his hand
By thinking on the frosty Caucasus ?”

And yet the shivering of the aspen, or poplar tree (*populus tremula*), in the breeze, will give us the sensation of coldness, and communicate an involuntary shuddering. The construction of the foliage of this tree is peculiarly adapted for motion; a broad leaf placed upon a long footstalk, so

flexile, as scarcely to be able to support the leaf in an upright posture; the upper part of this stalk, on which the play or action seems mainly to depend, is contrary to the nature of footstalks in general, being perfectly flattened, and, as an eminent botanist and esteemed gentleman, Dr. I. Stokes, observes, is placed at a right angle with the leaf, being thus peculiarly fitted to receive the impulse of every wind that blows. This stalk is furnished with three strong nerves, placed parallel, and acting in unison with each other; but toward the base the stalk becomes round, and then the nerves assume a triangular form, and constitute three distinct supports and counteractions to each other's motions. I know no petiole with a similar conformation, or better calculated for the vibration of a leaf. The leafstalks of plants are very curious constructions; and the nerves and vessels contained in them, which are the vehicles of a large portion of that nourishment which plants receive through their foliage from the air, seem in general differently placed, and fitted for variety of operation. The poplar is a tree that occasions at times a great deal of trouble in our pasture lands, by the tendency which it has to extend its roots, and throw out suckers. Three or four

of this species in a hedge-row, bounding a meadow in my occupation, oblige me every year that the field is mowed, by their prolificacy, to send a man with his stockaxe to remove their numerous offspring; a mere temporary expedient, tending rather to increase the complaint, as eradication by trenching with the spade can alone effectually check the encroachments of runners so tenacious of life, and rapid in growth.

The dyers' broom (*genista tinctoria*) abounds with us, and becomes a perfect incumbrance in our clay land pastures. It is seldom eaten by cattle, except in cases of great necessity, and remains untouched, if other food be obtainable, giving a deceitful appearance of verdure to a naked pasture. It yet retains a place in some of our dispensatories; but its medicinal virtues are probably never made trial of in modern practice, the lenient assuasives of our forefathers seeming unequal to contention with the constitutions of these days. I know not any use to which it is applicable but for the dyer. Our poorer people a few years ago used to collect it by cart loads about the month of July; and the season of "woodwaxen" was a little harvest to them: but it interfered greatly with our haymaking. Women

could gain each about two shillings a day, clear of all expenses, by gathering it; but they complained that it was a very hard and laborious occupation, the plant being drawn up by the roots, which are strongly interwoven in the soil. The dyer gave them eightpence for a hundred weight; but I fear the amount was greatly enhanced by the dishonest practice of watering the load, for the specious purpose of keeping it green; and the old woodwaxers tell me, that, without the increase of weight which the water gave the article, they should have had but little reward for their labour. Greediness here, however, as in most other cases, ruined the trade, the plant becoming so injured and stunted by repeated pullings, as to be in these parts no longer an object worth seeking for; and our farmers rather discountenance the custom, as the "greenweed" preserves and shelters at its roots a considerable quantity of coarse herbage, which in the winter and spring months is of great importance to the young cattle brousing in the pastures. The use of this dyers' broom is to prepare woollen cloths for the reception of another colour. It communicates to the article a dull yellow, which will then, by being dipped in another liquor, or composition, according to

the shade required, receive a green hue. Vegetable filaments, cotton, flax, &c., are very differently formed from those threads afforded by animals, as silk and wool, and are differently disposed to receive colours. The dye, that will give a fine colour to the one, is perhaps rejected by the other; and this plant is rarely or never used by the dyer for cotton articles. Perhaps we have no art or trade less confined within the trammels of formulæ than that of the dyer; every professor appearing to have his own methods of acquiring particular tints and shades, guided often in his proportions by that mutable sense the taste, and regulating the temperature of his compositions not by the thermometer, but by the feeling of the hand; and so capricious are these tests, so different the sensations of the operator, or the variable influences of solar light, that success on one day does not ensure a similar result on another.

We have our walls in many places here decorated with most of the varieties of the great snapdragon (*antirrhinum majus*); the white, the pink, and the common: and that beautiful deviation with a white tube and crimson termination is slowly wandering from the garden, and mixing with its congeners. It has not, perhaps,

been generally observed, that the flowers of this plant, “bull-dogs,” as the boys call them, are perfect insect traps; multitudes of small creatures seek an entrance into the corolla through the closed lips, which upon a slight pressure yield a passage, attracted by the sweet liquor that is found at the base of the germen; but when so admitted, there is no return, the lips are closed, and all advance to them is impeded by a dense thicket of woolly matter, which invests the mouth of the lower jaw—

“Smooth lies the road to Pluto’s gloomy shade;
But ’tis a long, unconquerable pain,
To climb to these ætherial realms again.”

But this snapdragon is more merciful than most of our insect traps. The creature receives no injury when in confinement; but, having consumed the nectareous liquor, and finding no egress, breaks from its dungeon by gnawing a hole at the base of the tube, and returns to liberty and light. The extraordinary manner in which the corolla of this plant is formed, the elastic force with which the lower limb closes and fits upon the projection of the upper, manifest the obvious design in the great architect, “whose hands bended the rainbow;” and the insects are probably the destined agents whereby

the germen is impregnated, for as soon as this is effected, the limbs become flaccid, lose their elasticity, are no longer a place of confinement, but open for the escape of any thing that might have entered. The little black pismire is a common plunderer of this honey.

It is a perplexing matter, to reconcile our feelings to the rigour, and our reason to the necessity, of some plants being made the instruments of destruction to the insect world. Of British plants we have only a few so constructed, which, having clammy joints and calyxes, entangle them to death. The sun-dew (*droseræ*) destroys in a different manner, yet kills them without torture. But we have one plant in our gardens, a native of North America, than which none can be more cruelly destructive of animal life, the dogsbane (*apocynum androsæmifolium*), which is generally conducive to the death of every fly that settles upon it. Allured by the honey on the nectary of the expanded blossom, the instant the trunk is protruded to feed on it, the filaments close, and, catching the fly by the extremity of its proboscis, detain the poor prisoner writhing in protracted struggles till released by death, a death apparently occasioned by exhaustion alone; the filaments then

relax, and the body falls to the ground. The plant will at times be dusky from the numbers of imprisoned wretches. This elastic action of the filaments may be conducive to the fertilizing of the seed by scattering the pollen from the anthers, as is the case with the berberry; but we are not sensible, that the destruction of the creatures which excite the action is in any way essential to the wants or perfection of the plant, and our ignorance favours the idea of a wanton cruelty in the herb; but how little of the causes and motives of action of created things do we know! and it must be unlimitable arrogance alone, that could question the wisdom of the mechanism of him "that judgeth rightly;" the operations of a simple plant confound and humble us, and, like the handwriting on the wall, though seen by many, can be explained but by ONE.

A. (Plate 2, Fig. 5,) a flower of the dogsbane enlarged; B. the pointal with seed at its base; C. two expanded anthers ready for capture; D. the anthers closed over the pointal, and the prey captured.

All the varieties of this snapdragon have the power of maintaining a state of vegetation in great droughts, when most other plants yield to the influence of the weather; and it is the more

remarkable in these plants, as the places in which they chiefly delight to vegetate are particularly exposed to the influence of the sun. In that hot dry summer of 1825, when vegetation was in general burned up and withered away, yet did this plant continue to exist on parched walls, and draw nutriment from sources apparently unable to afford it; not in full vigour certainly, but in a state of verdure beyond any of its associates. The common burnet (*poterium sanguisorba*) of our pastures in a remarkable degree likewise possesses this faculty of preserving its verdure, and flourishing amid surrounding aridity and exhaustion. It is probable, that these plants, and some others, have the power of imbibing that insensible moisture, which arises from the earth even in the driest weather, or from the air which passes over them. The immense evaporation proceeding from the earth, even in the hottest season, supplies the air constantly with moisture; and as every square foot of this element can sustain eleven grains of water, an abundant provision is made for every demand. We can do little more than note these facts: to attempt to reason upon the causes, why particular plants are endowed with peculiar faculties, would be mere idleness; yet, in re-

marking this, we cannot pass over the conviction, that the continual escape of moisture from one body, and its imbibition by another, this unremitting motion and circulation of matter, are parts of that wonderful ordination, whereby the beneficence and wisdom of Providence are manifested; without the agency of evaporation, not dwelling on the infinitude of effects and results, no vegetation could exist, no animal life continue.

The ivy (*hedera helix*), the dark-looking ivy, almost covers with its thick foliage the pollards in our hedgerows; and, creeping up the sides of the old barn, and chimney of the cottage, nearly hides them from our sight; affording a sheltered roosting place to many poor birds, and is almost their only refuge in the cold season of the year. But the ivy can boast of much more extensive service to the poor wayfaring beings of creation, than the merely affording them a covering from the winds of winter. Those two extreme quarters of our year, autumn and spring, yield to most animals but a very slender and precarious supply of food; but the ivy in those periods saves many from want and death; and the peculiar situations, in which it prefers to flourish, are essential to the preservation of this supply, as in less sheltered ones it would be destroyed. In the month

of October the ivy blooms in profusion, and spreading over the warm side of some neglected wall, or the sunny bark of the broad ash on the bank, its flowers become a universal banquet to the insect race. The great black fly (*musca grossa*), and its numerous tribe, with multitudes of small winged creatures, resort to them; and there we see those beautiful animals, the latest birth of the year, the admiral (*vanessa atalanta*) and peacock (*vanessa Iö*) butterflies, hanging with expanded wings like open flowers themselves, enjoying the sunny gleam, and feeding on the sweet liquor that distils from the nectary of this plant. As this honey is produced in succession by the early or later expansion of the bud, it yields a constant supply of food, till the frosts of November destroy the insects, or drive them to their winter retreats. Spring arrives; and in the bitter months of March, April, and even May, at times, when the wild products of the field are nearly consumed, the ivy ripens its berries, and then almost entirely constitutes the food of the missel thrush, wood-pigeon, and some other birds; and now these shy and wary birds, that commonly avoid the haunts of man, constrained by hunger will approach our dwellings, to feed upon the ripe berries of the ivy. Now

too the blackbird and the thrush resort to its cover, to conceal their nests. These early building birds find little foliage at this period sufficient to hide their habitations; and did not the ivy lend its aid to preserve them, and no great number are preserved, perhaps few nests would be hidden from the young eyes that seek them. The early expansion of the catkins of the sallow (*salix caprea*), and others of the willow tribe, whence the bee extracts its first food, and the late blooming of this ivy, are indispensable provisions for the existence of many of the insect race; the "young raven does not cry in vain," nor is any thing abandoned by that power, which called it into being.

We all seem to love the ivy,

"The wanton ivy wreath'd in amorous twines,"

more than any other uncultured evergreen that we possess; yet it is difficult satisfactorily to answer why we have this regard for it. As a lover of the lone, the ivy-mantled ruin, I have often questioned with myself the cause and basis of my regard for that, which was but a fragment of what might have been formerly splendid, and intrinsically possessed but little to engage admiration, yet wreathed in the verdure of the ivy

was admired; but was never satisfied, perhaps unwilling to admit the answer that my mind seemed to give. The ivy is a dependant plant, and delights in waste and ruin. We do not often tolerate its growth when the building is in repair and perfect; but, if time dilapidate the edifice, the ivy takes possession of the fragment, and we call it beautiful; it adorns the castle, but is an indispensable requisite to the remains of the monastic pile. There is an abbey in the north of England, which has been venerated by all its late possessors. It is trimmed, made neat, and looks perhaps much as it did formerly, except being in ruins. The situation is exquisite, the remains are splendid, yet with many it fails to excite such interest as it should do. It is a bare reality. A ruin in the west of England once interested me greatly. The design of revisiting and drawing it was expressed at the time. A few days only elapsed; but the inhabitant of a neighbouring cottage had most kindly laboured hard in the interval, and pulled down "all the nasty ivy, that the gentleman might see the ruin." He did see it, but every charm had departed. These two instances, from many that might be advanced, manifest that ivy most frequently gives to these ancient edifices the idea

of beauty, and contributes chiefly to influence our feelings when viewing them. The ruins of a fortress, or warlike tower, may often historically interest us from the renown of its founder or its possessor, some scene transacted, some villain punished, hero triumphant, or cause promoted, to which we wished success: but the quiet, secluded, monastic cell, or chapel, has no tale to tell; history hardly stays to note even its founder's name; and all the rest is doubt and darkness; yet, shrouded in its ivied folds, we reverence the remains, we call it picturesque, we draw, we engrave, we lithograph the ruin. We do not regard this ivy as a relic of ancient days; as having shadowed the religious recluse, and with it often, doubtless, piety and faith; for it did not hang around the building in old time, but is comparatively a modern upstart, a sharer of monastic spoils, a usurper of that which has been abandoned by another. The tendril pendent from the orient window, lightly defined in the ray which it excludes, twining with graceful ease round some slender shaft, or woven amid the tracery of the florid arch, is elegantly ornamental, and gives embellishment to beauty; but the main body of the ivy is dark, sombre, massy; yet, strip it from the pile, and we call it sacrilege,

the interest of the whole is at an end, the effect ceases,

“One moment seen, then lost for ever.”

Yet what did the ivy effect? what has departed with it? This evanescent charm perhaps consists in the obscurity, in the sobriety of light it occasioned, in hiding the bare reality, and giving to fancy and imagination room to expand, a plaything to amuse them.

We still retain the name of this plant as given by Pliny, though we know no reason why it was so called; but the word “helix,” winding about, or twisting, is sufficiently apposite.

The foxglove (*digitalis purpurea*) is found with us in one or two places only, rather existing than flourishing, manifesting, like many other plants, a marked partiality to particular soils. It produces an abundance of seed, yet seems to wander little from the station its progenitors had fixed on, as if that alone was congenial to its habits; but with us the soil varies greatly. In the west of England, it thrives and increases with particular luxuriance; but many counties may be searched in vain for a single specimen. It seems to prefer a sandy, gravelly, or loose drained soil; not I think vegetating in strong

retentive earths. We have few indigenous plants, not one, perhaps, which we have so often summoned to aid us in our distresses as the foxglove: no plant, not even the colchicum, has been more the object of our fears, our hopes, our trust, and disappointment, than this: we have been grateful for the relief it has afforded, and we have mourned the insufficiency of its powers—

————— “Thy last, sole aid (which art can give)
 The woe-worn parent seeks, and, hoping, clings
 In tearless wretchedness to thee; watches with
 Anxious heart thy subtle progress through the
 Day, and of thee, fitful dreams through all the
 Night—
 ———- spare, if thou
 Canst, his hopeless grief; save worth, save beauty,
 From an early grave.”—————

As a mere flower, the digitalis is a very handsome plant; and could we rely upon its yielding the virtues it is considered to possess, or could we regulate or control its influence, it would exist unrivalled for beauty and worth amidst our island plants. Why such a name as “foxegloves” was bestowed upon this plant it is difficult to say, perhaps from the bare resemblance to finger-cases presented by its flowers: but I am not one of those who cavil or jeer at the com-

mon, or “vulgar names,” as we are in the habit of denominating the unscientific appellations of plants; for we must remember, that the culling of herbs and simples, and compounding preparations from them, to relieve the sufferings of nature, were the first rudiments of all our knowledge, the most grateful exertion of human talent, and, after food and clothing, the most necessary objects of life. In ages of simplicity, when every man was the usual dispenser of good or bad, benefit or injury, to his household or his cattle—ere the veterinary art was known, or the drugs of other regions introduced, necessity looked up to the products of our own clime, and the real or fanciful virtues of them were called to the trial, and manifests the reasonableness of bestowing upon plants and herbs such names as might immediately indicate their several uses, or fitness for application; when distinctive characters, had they been given, would have been little attended to; and hence the numbers found favourable to the cure of particular complaints, the ailments of domestic creatures, or deemed injurious to them. Modern science may wrap up the meaning of its epithets in Greek and Latin terms; but in very many cases they are the mere translations of these despised “old, vulgar names.” What

pleasure it must have afforded the poor sufferer in body or in limb,—what confidence he must have felt for relief, when he knew that the good neighbour who came to bathe his wounds, or assuage his inward torments, brought with him such things as “all-heal, break-stone, bruise-wort, gout-weed, fever-few” (*fugio*), and twenty other such comfortable mitigators of his afflictions: why their very names would almost charm away the sense of pain! The modern recipe contains no such terms of comfortable assurance: its meanings are all dark to the sufferer; its influence unknown. And then the good herbalist of old professed to have plants which were “all-good:” they could assuage anger by their “loosestrife;” they had “honesty, truelove, and heartsease.” The cayennes, the soys, the catchups, and extratropical condiments of these days, were not required, when the next thicket would produce “poor man’s pepper, sauce alone, and hedge-mustard;” and the woods and wilds around, when they yielded such delicate viands as “fat hen, lambs-quarters, way-bread, butter and eggs, with codlins and cream,” afforded no despicable bill of fare. No one ever yet thought of accusing our old simplers of the vice of avarice, or love of lucre; yet their “thrift” is al-

ways to be seen : we have their humble “pennywort, herb twopence, moneywort, silverweed, and gold.” We may smile, perhaps, at the cognomens, or the commemorations of friendships, or of worth, recorded by the old simplers, at their herbs, “Bennet, Robert, Christopher, Gerard, or Basil;” but do the names so bestowed by modern science read better, or sound better? it has “Lightfootia, Lapeyrousia, Hedwigia, Schkuhria, Schcuchzeria;” and surely we may admit, in common benevolence, such partialities as “good King Henry, sweet William, sweet Marjory, sweet Cicely, Lettuce, Mary Gold, and Rose.” There are epithets, however, so very extraordinary, that we must consider them as mere perversions, or at least incapable of explanation at this period. The terms of modern science waver daily; names undergo an annual change, fade with the leaf, and give place to others; but the ancient terms, which some may ridicule, have remained for centuries, and will yet remain till nature is swallowed up by art. No: let our ancient herbalists, “a grave and whiskered race,” retain the honours due to their labours, which were most needful and important ones at those periods; by them were many of the casualties and sufferings of man and beast relieved; and by aid

of perseverance, better constitutions to act upon, and faith to operate, than we possess, they probably effected cures, which we moderns should fail to accomplish if attempted.

Upon an old bank, tangled with bushes and rubbish, we find in abundance that very early translated, and perfectly domesticated flower, the cottage snowdrop (*galanthus nivalis*); a plant that is undoubtedly a native of our island, for I have seen it in situations where nature only could introduce it, where it was never planted by the hand of man, or strayed from any neighbouring cultivation. Yet in most places where we find this flower, it is of manifest or suspicious origin, and with us it partakes of this latter character, though no remains of any ancient dwelling are observable near it. The damask rose, the daffodil, or the stock of an old bullace plum, will long remain, and point out where once a cottage existed; but all these, and most other tokens, in time waste away and decay; while the snowdrop will remain, increase, and become the only memorial of man and his labours. Many flowers present strong distinctive characters, or will, at least often do, excite in us variable feelings: the primrose, and the daisy, if not intrinsically gay, call forth cheerful

and pleasing sensations; and the aspect or glance of some others will awaken different affections. The snowdrop is a melancholy flower. The season, in which the "fair maids of February" come out, is the most dreary and desolate of our year; they peep through the snow that often surrounds them, shivering and cheerless; they convey no idea of reviving nature, and are scarcely the harbingers of milder days, but rather the emblem of sleety storms, and icy gales (snowdrop weather), and wrap their petals round the infant germ, fearing to admit the very air that blows: and, when found beyond the verge of cultivation, they most generally remind us of some deserted dwelling, a family gone, a hearth that smokes no more. A lover of cold, it maintains the beautiful ovate form of its flower only in a low temperature; warmth expanding the petals, vitiating its grace, and destroying its character. It seems to preserve its native purity free from every contamination; it will become double, but never wanders into varieties, is never streaked or tinged with the hues of other flowers.

One of our pasture grasses is particularly affected by dry weather. Several are injured frequently by drought acting upon the stalk, not

molesting the root, but withering the succulent base of the straw, which arises from the upper joint; in consequence of which, the panicle, and connecting straw, dry away, while the foliage and lower leaves remain uninjured. None are so obnoxious to this injury as the yellow oat-grass (*avena flavescens*), and in some seasons almost the whole of its panicles will be withered in a field of surrounding verdure. Pastures that are grazed must from circumstances be drier than those covered with herbage fit for the sithe; yet, from some unknown cause, this oat-grass seems less injured in this respect in grazing grounds, than in those where the herbage is reserved for mowing.

The plain, simple, unadorned vervain (*verbena officinalis*), is one of our most common, and decidedly waste-loving plants. Disinclined to all cultured places, it fixes its residence by waysides, and old stone quarries, thriving under the feet of every passing creature. The celebrity that this plant obtained in very remote times, without its possessing one apparent quality, or presenting by its manner of growth, or form, any mysterious character to arrest the attention, or excite imagination, is very extraordinary, and perhaps unaccountable: most nations venerated,

esteemed, and used it; the ancients had their Verbenalia, at which period the temples and frequented places were strewed and sanctified with vervain; the beasts for sacrifice, and the altars, were verbenated, the one filleted, the other strewed with the sacred herb; no incantation or lustration was perfect without the aid of this plant. That misteltoe should have excited attention in days of darkness and ignorance is not a subject of surprise, from the extraordinary and obscure manner of its growth and propagation, and the season of the year in which it flourishes; for even the great lord Bacon ridicules the idea of its being propagated by the operations of a bird as an "idle tradition," saying, that the sap which produces this plant is such as the "tree doth excerne and cannot assimilate." These circumstances, and its great dissimilarity from the plant on which it vegetates, all combine to render it a subject of superstitious wonder: but that a lowly ineffective herb like our vervain should have stimulated the imaginations of the priests of Rome, of Gaul, and of Greece, the magi of India, and the Druids of Britain, is passing comprehension; and, as Pennant observes, "so general a consent proves, that the custom arose before the different nations had

lost all communication with each other.” We might with some appearance of reason, perhaps, name the Druids of Gaul as the point, whence certain mysteries and observances were conveyed to the priesthood of various nations; but it would be difficult to assign a motive for their fixing upon such plants as vervain, and some others, to give efficacy to their ceremonies and rites. In some of the Welsh counties vervain is known by the name of “llyssiaur hudol,” the enchanter’s plant. It seems to have had ascribed to it the power of curing the bites of all rabid animals, arresting the progress of the venom of serpents, reconciling antipathies, conciliating friendships, &c. Gerard, after detailing some of its virtues from Pliny, observes, that “many odde old wives’ fables are written of vervaine tending to witchcraft and sorcerie, which you may read elsewhere, for I am not willing to trouble you with reporting such trifles as honest ears abhorre to hear.” To us moderns its real virtues are unknown; regular practice does not allow that it possesses any medicinal efficacy, and its fanciful peculiarities are in no repute; yet it seems to hanker after its lost fame, and lingers around the dwellings of man; for though not solely found about our habitations, as

Miller thought, yet generally, when perceived, it is near some inhabited or ruined residence, not as a stray from cultivation, but from preference. Our village doctresses, an almost extinct race of useful, valuable women, the consolers, the comforters, and often mitigators of the ailments of the poor, still make use of vervain tea as a strengthener, and the dried powder of its leaves as a vermifuge, but probably in another generation all the venerated virtues of the vervain will be consigned to oblivion. This plant seems to be the native growth of many districts in Europe, Asia, and Africa.

The dyers' weed, yellow weed, weld, or wold (*reseda luteola*), thrives in all our abandoned stone quarries, upon the rejected rubbish of the lime-kiln, and waste places of the roads, apparently a perfectly indigenous plant. Unmindful of frost or of drought, it preserves a degree of verdure, when nearly all other vegetation is seared up by these extremes in exposed situations. It was, and is yet I believe, cultivated in England for the use of the dyer. We import it, however, into Bristol from France; and it sells in that city for ten shillings per cwt. in a dry state. It gives a fine, permanent, yellow colour to cottons, silks, and woollens, in a variety

of shades, by the aid of alum, &c. A blue tincture changes these to as fine a green. Injury has certainly been occasioned by writers on agricultural affairs recommending without due inquiry the culture of this or that crop; and I would not incur a censure that I blame in another; yet I cannot but suggest the possible profit that might arise from the culture of this plant. If foreigners derive sufficient encouragement to import it, notwithstanding the charges of freight, port duties, and various consequent expenses, why can it not be grown with us, and afford superior remuneration, not having such deductions to diminish the profits? The culture of it seems very simple, the manner of conducting the crop, and harvesting the product, attended with little trouble or risk. Marshal * prefers a good soil, others again say, that it becomes stalky in a rich soil. With us it grows luxuriantly, three or four feet high, on a thin, stony, undressed soil, apparently the very station it prefers; and we have about us much land of this kind, not intrinsically worth ten shillings an acre. It might be rash to predict the amount of a crop in such soils, but a tun to an acre is said

* Rural Economy of Norfolk.

to be but a small allowance; yet the produce of only this quantity, which would procure in the market a return of 10*l.* without any expenditure for manure, no more manual labour after the seed is sown, for nine months, than three thinings, and cleanings with the hoe, and the crop harvested within the year, would be no trifling profit, and may be deserving of some consideration *. The bark, the wood, the flower, the leaves of many of our native trees and plants afford a yellow dye; we have no colour so easily produced as this is; and it is equally remarkable, that, amidst all the varied hues of spring, yellow is the most predominant in our wild and cultured plants. The primrose, cowslip, pilewort, globe-flower, butter-cup, cherlock, crocus, all the cabbage tribe, the dandelions, appear in this dress. The very first butterfly, that will

“ aloft repair,
And sport, and flutter in the fields of air,”

is the sulphur butterfly (*gonepteryx rhamni*), which in the bright sunny mornings of March we so often see under the warm hedge, or by the side of some sheltered copse, undulating,

* Article Reseda, in *Encyclopædia Britannica*.

and vibrating like the petal of a primrose in the breeze. The blossoms of many of our plants afford for the decoration of the fair a vast variety of colours and intermediate tints; but they are all of them, or nearly so, inconstant or fugitive before the light of the sun, or mutable in the dampness of the air, except those obtained from yellow flowers; circumstances may vary the shade, but yet it is mostly permanent. Yellow is again the livery of autumn, in all the shades of ochre and of orange; the "sere and yellow leaf" becomes the general cast of the season, the sober brown comes next, and then decay.

Some very extraordinary vegetable productions are now on the table before me. Though not gathered in this neighbourhood, I am induced to give them a place with our notables, because I believe that they have not been noticed, and afford a strong example of the persevering endeavours that plants exert at times to maintain existence. Plate III. represents the tufted head and entire roots of a grass, gathered from a down fed by sheep from time immemorial. It is probably that of the hard fescue (*festuca duriuscula*), which, having been constantly eaten down by cattle, has never thrown up flowering stems, giving out only

radicle leaves. These appear to have been cropped short, as soon as they have sprung up, the less succulent and strawy portions only being left, like a ball upon the surface, as a bush constantly clipped by the gardener's shears. The root appears to have annually increased, though the upper parts it was destined to nourish have been destroyed, until it became a lock of closely compacted fibres, like a tuft of hair, six or eight inches in length. Furze bushes, growing upon many downs in Wales, Devon, and Cornwall, assume commonly the appearance of large, green, dense balls, every tender leaf being constantly shorn away by the sheep and rabbits that frequent those places, and present upon a larger scale the very appearance of these grass-balls. Our specimens are rather local than general, and were the produce of the Malvern hills.

The common brambles (*rubus cæsius* and *fruticosus*) may almost be considered as evergreens. Hedgers to be sure they are; but we have few, perhaps no other shrubby plant, naturally deciduous, excepting the privet, that will retain its verdure through the year, preserving, by a peculiar construction of its vessels, a portion of foliage unscared by frosts, and contending with gales that destroy and strip away all the honours

of its neighbours. This circumstance enables us to observe a curious, strongly defined line upon the leaves, like a glossy whitish film, meandering over the surface, becoming progressively larger, with a fine intestinal-like line running through the centre. (Plate 4. Fig. 3.) What occasioned this sinuous path long puzzled me satisfactorily to ascertain, considering it entirely of vegetable origin; and all the various polymorphous parasitics were successively thought of. At one time I deemed it like puccinia, which vegetates beneath the cuticle of leaves: but this was rejected; and probably I might long have wandered in error, had not the Rev. Mr. Kirby dissipated all my conjectures by informing me that it was the pathway of a small caterpillar. There are several species of them, which are placed by Reaumur in a tribe called "mineuses," all of which live upon the parenchyma, or pulpy substance found between the cuticles or skins of leaves, gradually increasing in size until matured for transformation to the chrysalis, when they eat their way through the leaf, ultimately becoming moths, remarkable for the brilliant metallic lustre of their wings, the fine central line being the rejectments of the creature in the infant stages of its growth. Though several plants

afford sustenance to these races, we have none on which this tortuous path is more strongly defined than the leaves of brambles, and the ever-blowing rose. Notices of such incidents may perhaps be considered as too trifling to record: but the naturalist, from the habit of observing, sees many things not obvious to all persons; his province is to investigate all the operations of nature, and if he record them truly, he has done his duty; prolix and dull as his remarks will be to some, yet to another they may afford information, or tend to elucidate a conjecture. The bramble is a sadly reprobated plant, and I cannot say much in its favour as an independent individual, nor would I introduce it, to incommode by its society a thriving mound of white-thorn or of crab: but it generally introduces itself, and will flourish greatly, where other and better fences languish, and then, by intertwining its long, flexile runners with the weakly products of the hedge-row, will compose a guard, where without it we could with difficulty have raised one. It will intrude however into many places, where it is not required, originating probably from the rejectments of birds, and become a very unwelcome and tenacious inhabitant. Its long tendrils are much

used by us as binders for thatching, being pegged down to prevent the straw coverings of ricks and such things being carried away by the winds, and we are satisfied with its performances. By the assistance of the bramble also, the new placed turf is secured on the graves of our poorer neighbours, until it unites and forms a uniform sod; and during this service it will occasionally root itself, and become an inhabitant not easily ejected from our churchyards. Badgers are said to feed much upon the fruit of the bramble. They are certainly very fat and fleshy about the time that the blackberry is ripe; but it is probable that the acorns and crabs, which it finds at the same season, contribute most to its nourishment.

The maple (*acer campestre*) is found growing in all our fences, generally reduced by the hedger's bill to serve the same humble purposes as the thorns and sloes associated with it. Sometimes however it is permitted to assume the rank of a tree, when, if not possessing dignity, it is certainly beautiful, and becomes an ornament in the hedge-row. It is the earliest sylvan beau, that is weary of its summer suit; first shifting its dress to ochrey shades, then trying a deeper tint, and lastly assuming an orange vest; thus setting a fashion that ere long becomes the garb

of all except the rustic oak, which looks regardlessly at the beau, and keeps its verdant robe unchanged. Soon tired of this, the maple takes a pattern from his sober neighbour ash, throws its gaudy trim away, and patiently awaits with all his peers the next new change. In spring the woodbine wreaths its knots of green around the rugged limbs of the maple; the rose beneath puts on its emerald gems, and then our gallant sir will wear such colours too, fluttering through all its summer's day. When first the maple begins to autumnize the grove, the extremities of the boughs alone change their colour, but all the internal and more sheltered parts still retain their verdure, which gives to the tree the effect of a great depth of shade, and displays advantageously the light, lively colouring of the sprays. We find the maple useful in our hedges, not from the opposition it affords, but by reason of its very quick growth from the stool after it has been cut, whence it makes a fence in a shorter time than most of its companions; and when firewood is an object, it soon becomes sufficiently large for this purpose. The singular ruggedness of the branches and shoots, when they have attained a year's growth, and the depth of the furrows, give it a strongly marked character

among our shrubs. The under side of the leaves in autumn, when they become yellow, and dashed here and there with a few specks of red and brown, appear, when magnified, like a very beautiful and perfect mosaic pavement, with all its tesserae arranged and fitted. If one of these rugged young shoots be cut through horizontally with a sharp knife, its corklike bark presents the figure of a star with five or more rays, sometimes irregularly, but generally exactly defined. A thin slice from this surface (see Plate 4. Fig. 1.) is a beautiful and curious object in the microscope, exhibiting the different channels, and variously formed tubes, through which the sap flows, and the air circulates for the supply of all the diversified requirements of the plant; and it is good and delightful to contemplate the wonderful mechanism, that has been devised by the Almighty Architect, for the sustenance and particular necessities of the simple maple, this "ditch trumpery," as Gilpin calls it; which naturally leads one to consider that, if he have so regarded such humble objects, how much more has he accounted worthy of his beneficence the more highly destined orders of his creation! As Evelyn says, on another occasion, "I beg no pardon for this application, but deplore my no better use

of it." Modern practice records no medicinal virtues to be derived from the maple; but Pliny, in the quaint language of old Philemon Holland, tells us that a cataplasm made from the roots of this tree is "singular to be applied for the griefs of the liver, and worketh mightily." In summer, the leaves of the hedgerow maple often assume a whitish, mouldy look, which appears to be a mere exudation, as it neither presents any after-character, nor have I observed that any thing results from it. The young leaves, soon after their appearance in the spring, are beset with numerous fine spines of a bright red colour, most probably occasioned by the puncture of some insect, though I have never been able to discover any of the larvæ enclosed in them. Some insects wound the leaves and sprays of plants for nutriment, though generally the object seems to be the formation of a nidus for their young, by the fluid that issues from the wound: but insects do something more than merely puncturing the parts to force a liquor to exude; a simple wound will not accomplish the desired object, as the sap not only hardens on the surface, but acquires a particular form and consistence, and even at times enlarges to a separate vegetable matter. The insect that wounds

the leaf of the oak, and occasions the formation of the gall-nut, and those which are likewise the cause of the apple rising on the sprays of the same tree, and those flower-like leaves on the buds, have performed very different operations, either by the instrument that inflicted the wound, or by the injection of some fluid to influence the action of the parts. That extraordinary hairy excrescence on the wild rose (*cynips rosæ*), likewise the result of an insect's wounds, resembles no other nidus required for such creatures that we know of; and these red spines on the leaf of the maple are different again from others. It is useless to inquire into causes of which we probably can obtain no certain result, but, judging by the effects produced by different agents, we must conclude, that, as particular birds require and fabricate from age to age very different receptacles for their young, and make choice of dissimilar materials, though each species has the same instruments to effect it, where generally speaking no sufficient reasons for such variety of forms and texture is obvious, so is it fitting, that insects should be furnished with a variety of powers and means to accomplish their requirements, having wants more urgent, their nests being at times to be so

constructed as to resist the influence of seasons, to contain the young for much longer periods, even occasionally to furnish a supply of food, or be a storehouse to afford it when wanted by the infant brood.

The wild clematis, or traveller's-joy (*clematis vitalba*), thrives greatly in some of the dry stony parts of our parish, insinuating its roots into the clefts and passages of our limestone rocks, where those of many other plants could not find admission or support; and forms in our hedge-rows a heavy shapeless mass of runners and branches, encumbering and overpowering its neighbours; many of which it often destroys; and we see the clematis clinging round a few stunted, half-vegetating thorns, constituting the only fence, miserable as it is. The runners or branches are very strong and flexible, and are much used by our peasantry as a binding for hedge faggots. The tubes, lymph ducts, and air vessels of this plant (Plate 4. Fig. 2.) appear in a common magnifier beautifully arranged, being large, and admitting the air freely to circulate through them. Our village boys avail themselves of this circumstance, cut off a long joint from a dry branch, light it, and, running about, use it as their seniors do the tobacco-pipe. They call it "smoke

wood," and the action of the breath constantly agitating the fire, it will long continue kindled. The pores are well seen by drawing some bright coloured liquor into them. I have often observed the long feathered part of the seed at the entrance of holes made by mice on the banks, and probably in hard seasons the seed may yield these creatures part of their supply. The diversity of form and arrangement in the pores of the roots, stems, and branches of plants, and the nerves, air vessels, and fibres of the leaves, are extremely wonderful and beautiful; and it is possible that all the genera, species, and varieties, have more or less a different conformation of some of these parts. It is from the agency of these vessels, imbibing both from the air and the earth, compounding, decomposing, and discharging, in a way we know little about, the sweetness of our fruits, the oil, the bread, and wine to glad the heart of man, proceed; and grateful should we be for them. From the vegetable world man derives his chief enjoyments: much of his fuel, most of his food, and the chief of his clothing, have once circulated in the tubes of a plant. The clematis plant possesses the power of preserving its verdure, and even thriving, in situations and seasons, when most other shrubby

vegetation fails or languishes. With us its roots run amid loose stones, and in rocky places, far from any spring or apparent moisture; and yet, in those uncommonly dry summers of 1825 and 1826, it seemed to flourish with more than usual vigour, throwing out its long tendrils of a fine healthy green colour, adorned with a profusion of blossoms, itself and the bramble being in some places the only thriving vegetation in a fence. It is marvellous how fibrous-rooted vegetables, the roots of which penetrate no depth into the soil, are enabled in some seasons to preserve any appearance of verdure, the earth they are fixed in seeming divested of all moisture by the power of the sun, and being heated like a sand-bath. The warmth of the earth in 1825 I omitted to record; but in the following year, which was more dry and nearly as hot, the thermometer buried in the earth to the depth of three inches, in a flower border where many plants were growing in that sort of languid state which they present in such exhausting seasons, indicated the heat of 110°.

The little excursions of the naturalist, from habit and from acquirement, become a scene of constant observation and remark. The insect that crawls, the note of the bird, the plant that

flowers, or the vernal leaf that peeps out, engages his attention, is recognised as an intimate, or noted from some novelty that it presents in sound or aspect. Every season has its peculiar product, and is pleasing or admirable, from causes that variously affect our different temperaments or dispositions; but there are accompaniments in an autumnal morning's woodland walk, that call for all our notice and admiration: the peculiar feeling of the air, and the solemn grandeur of the scene around us, dispose the mind to contemplation and remark; there is a silence in which we hear every thing, a beauty that will be observed. The stump of an old oak is a very landscape, with rugged alpine steeps bursting through forests of verdant mosses, with some pale, denuded, branchless lichen, like a scathed oak, creeping up the sides or crowning the summit. Rambling with unfettered grace, the tendrils of the briony (*tamus communis*) festoon with its brilliant berries, green, yellow, red, the slender sprigs of the hazel, or the thorn; it ornaments their plainness, and receives a support its own feebleness denies. The agaric, with all its hues, its shades, its elegant variety of forms, expands its cone sprinkled with the freshness of the morning; a transient fair, a child of decay,

that "sprang up in a night, and will perish in a night." The squirrel, agile with life and timidity, gamboling round the root of an ancient beech, its base overgrown with the dewberry (*rubus cæsius*), blue with unsullied fruit, impeded in his frolic sports, half angry, darts up the silvery bole again, to peep and wonder at the strange intruder on his haunts. The jay springs up, and, screaming, tells of danger to her brood, the noisy tribe repeat the call, are hushed, and leave us; the loud laugh of the woodpecker, joyous and vacant; the hammering of the nut-hatch (*sitta europæa*), cleaving its prize in the chink of some dry bough; the humblebee, torpid on the disc of the purple thistle, just lifts a limb to pray forbearance of injury, to ask for peace, and bids us

"Leave him, leave him to repose."

The cinquefoil, or the vetch, with one lingering bloom yet appears, and we note it from its loneliness. Spreading on the light foliage of the fern, dry and mature, the spider has fixed her toils, and motionless in the midst watches her expected prey, every thread and mesh beaded with dew, trembling with the zephyr's breath. Then falls the "sere and yellow leaf," parting from its

spray without a breeze, tinkling in the boughs, and rustling scarce audibly along, rests at our feet, and tells us that we part too. All these are distinctive symbols of the season, marked in the silence and sobriety of the hour; and form, perhaps, a deeper impression on the mind, than any afforded by the verdant promises, the vivacities of spring, or the gay profuse luxuriance of summer.

Such notes as these, such passing observations, are perhaps little fitted for, or deserving of, arrangement, yet, in a woodland autumnal ramble, we are naturally, almost irresistibly, led to contemplate that beautiful and varied race of vegetation included under the name of fungi, so particularly fostered by this season, and which so greatly delight to spring up in sylvan moisture and decay: nor is there perhaps any country better constituted for the production of the whole of this family than England is, particularly that portion of them denominated agarics. The various natures of our soil and pastures, the profusion of our woods and copses, the humidity of our climate, united with the general warmth of our autumn, accelerating rapid decay, and putrescence of vegetable matter, all combine to give existence

to this race. No country is, I believe, more favoured for the production of most of the kinds than Monmouth, with its deep dark woods, and alpine downs. A residence in that portion of the kingdom for some years introduced to my notice a larger portion of this singular race than every botanist is acquainted with. A sportsman then, but I fear I shall be called a recreant brother of the craft, when I own having more than once let my woodcock escape, to secure, and bear away some of these fair but perishable children of the groves. Travellers tell us of the splendour of this race in the jungles of Madagascar, but nothing surely can exceed the beauty of some old copse in Monmouthshire, deep in the valley, calm, serene, shaded by the pensile, elegant, autumnal-tinted sprays of the birch, the ground enamelled with every coloured agaric, from the deep scarlet to pallid white, the gentle gray, and sober brown, and all their intermediate shadings. Fungi must be considered as an appendage and ornament of autumn; they are not generally in healthy splendour until fostered by the evening damps and dews of September, and in this season no part of the vegetable world can exceed them in elegance of form, and gentleness of fabrication :

but these fragile children of the earth are beauties of an hour :

“Transient as the morning dew,
They glitter and exhale,”

and must be viewed before advancing age changes all their features. There is a pale gray fungus (*agaricus fimiputris*) that may very commonly be observed in September on the edges of heaps of manure, and in pasture grounds, most beautifully delicate, almost like coloured water just congealed, trembling in the air from the slightness of its form, its sober tints softly blending with each other, lined and penciled with an exactitude and lightness that defy imitation. The verdigris agaric (*agaricus æruginosus*) is found under tall hedgerows, and near shady banks, and few can exceed it in beauty when just risen from its mossy bed in all the freshness of morning and of youth, its pale green-blue head varnished with the moisture of an autumnal day ; the veil, irregularly festooned around its margin, glittering like a circlet of emeralds and topazes from the reflected colours of the pileus. But it is by examination alone that the beauties of this despised race can be perceived, not by a partial and inadequate description.

The certain appearance of many of the fungi can by no means be relied upon, they being as irregular in their visits as some of the lepidopterous class of insects. It is probable, that decayed vegetable matter is in most cases the source whence this race of plants arises, while a certain degree of moisture and temperature, acting in concord with a precise state of decay, appears necessary to influence the sprouting of the seminal or radical matter. The beautiful floriform hydnum (*hydnum floriforme*) is very irregular in its appearance, whence it is a species seldom found by the botanist. The mitred helvella (*helvella mitra*) will abound, and then years may intervene and not a specimen be discovered. In 1825, a little, gray puff-ball (*lycoperdon cinereum*), about the size of a large pin's head, abounded, covering patches of grass in all our fields, looking like froth, and in decay, when discharging its seed, like a spongy curd; though it had not been observed, not having vegetated, or very sparingly, for upwards of ten years. Others again, particularly the ligneous ones, remain permanently fixed for a long period. The fingered clavaria (*clavaria hypoxylon*) may be found vegetating on the stump of an old hazel in the orchard for twenty years in succes-

sion. That this elegant race has attracted so few votaries many reasons may be assigned. The agarics in particular are very versatile in their nature, and we frequently want an obvious, permanent character, to indicate the species, affording sufficient conviction of the individual. The rapid powers of vegetation in some will change the form and hues, almost before a delineation can be made, or an examination take place, requiring nearly a residence with them to become acquainted with their various mutations; and we have no method of preserving them, to answer the purpose of comparison. These are all serious impediments to the investigation of this class; yet, perhaps, I may with some confidence suggest, that any one, who is so circumstanced as to afford the time, so situated as to find a supply of these productions, and will bestow on them a patient examination, will find both pleasure and gratification in contemplating the beauty, the mechanism, the forms, the attitudes, of the whole order of fungi.

As far as we can observe, it appears to be an established ordinance of nature, that all created things must have a final period. This mandate is effected by various means, slow and nearly imperceptible in some cases, but operative in all.

As in the animal world, after disease or violence has extinguished life, the dispersion is accomplished by the agency principally of other animals, or animated creatures; so, in the vegetable world, vegetating substances usually effect the entire decomposition: for though, in the larger kinds, the high and lofty ones of the forest, insects are often the primary agents, yet other minute substances are commonly found to accelerate or complete the dissolution. Fungi in general, particularly those arranged as sphæria, trichia, peziza, and bolctus, appear as the principal and most numerous agents, and we find them almost universally on substances in a certain state of decay, or approximation to it; though there are a few genera of this class which are attached to, and flourish on, living vegetation. The primary decline is possibly occasioned by putrescence of the sap, or defective circulation, and this unhealthy state of the plant affording the suitable soil for the germination of the parasitic fungus; for there must be an original though inert seed, till these circumstances vivify its principle. By what means the parasite finishes the dissolution is not quite obvious; but of that insidious race the byssi, of which family is the dry-rot (*byssus septica*), the radicles penetrate like the finest hairs into

the substance, and thus destroy the cohesion of the fibres. So do the *nidulariæ*, many of the agarics, the boleti, and others; and it is not unlikely that this operation is the general principle of action of the whole race, though not so obvious in the minuter kinds. These terminators, many of which present but little character to the naked eye, under the microscope we find to be of various forms, though not always so distinguishable from each other as the flowers of our garden. Some of the genera of plants appear to have distinct agents assigned to them, and the detection and enumeration of them have been carried to considerable extent by some of the foreign naturalists; but, to point out the variety and curious organization of these substances, we will only instance four, to be found on the common plants of the garden or the copse: the laurel, the elm, the sycamore, and the beech.

The laurel (*prunus laurocerasus*) is not, properly speaking, a deciduous plant, though it casts its leaves in considerable numbers during the spring and summer seasons. These long resist the common agents of dissolution, like those of the holly, by means of the impenetrable varnish that is spread over them. This however wears off, and they decay; but their destruction is at

times accelerated by a small excrescent substance, which fixes on the leaf, breaks the surface, and admits humidity. It appears in the form of a small black speck, and, when ripe, discharges a yellow powder from the centre; but as soon as one speck, which is the vessel containing the capsules, has fixed itself on one side of the leaf, a similar one will be found immediately opposite on the other; and hence it is well named by Lamarck the two-fronted uredo (*uredo bifrons*)*. This I believe to be peculiar to the laurel and the holly. (See Plate 5, Fig. 2.)

The leaf of the elm in autumn may commonly be observed marked with dark-coloured blotches, which are the “plague spot” of its destruction. These leaves remain in large proportions uninjured through the winter months; but when spring arrives the spots become matured, the surface cracks, and the capsules discharge their seeds. (See Plate 5, Fig. 1.) Lamarck names it *sphæria xylomoides*, but mentions another as

* Without close examination, this plant appears to be a uredo; but it is in fact a *sphæria*. Uredo differs from *sphæria* chiefly in the vessels not containing the capsules in cells, but loose. Hoffman observes, that both *sphæria* and uredo discharge pollen from an orifice; but, if the summit of this plant be cut off, the capsules are obvious.

a more early observer. At these spots the decay of the leaf generally commences.

Most persons must have observed that the upper surface of the leaves of the sycamore (*acer pseudoplatanus*) is blotched with dark-coloured spots (*xyloma acerinum*) in autumn. This leaf is detached by the earliest frosts, and, falling to the ground, the spots commence their operations by corroding away the portions of the leaf that surrounds them, but continue attached themselves, appearing as raised, shining, vermicular lines. This has been mentioned by Lamarck and others, and is only now noticed to point out the variously constituted agents that accomplish the destruction of the foliage of plants.

The bark, the wood, have other deputed powers of destruction, many of which are very beautifully fabricated. To dwell on them would extend too much these remarks, designed rather as observations than details; yet I am tempted to introduce two. The *sphæria coryli* of Lamarck (*peziza coryli*) is occasionally to be found in the month of January, and through the winter until April, upon old hazel sticks, and engages our attention by the regularity of its tubercles. (See Plate 5. Fig. 3.) The seed, or first prin-

ciple of production, whatever this may be, by means unknown to us has been fixed upon the inner bark of the wood. Gently increasing, it bursts its way through the outer bark, which now hangs as a fringe about it; the seed vessels expand, and a dusty substance, being most probably the matter that continues the species, is dispersed around. A singular plant (*sphæria faginea*?) is found upon the decayed wood of the beech tree*, in the earlier part of the spring. It appears on the surface of it in little nodules, which, gradually uniting and increasing, form a regular black crust. Upon examination we find, that little round bodies have forced a passage through the outer bark, and enlarged into small round tubes, which ultimately become the conductors of the seminal dust, discharged from round, beaked seed vessels, imbedded beneath upon the inner bark. (See Plate 5. Fig. 4.) This plant presents us with a very remarkable instance of the attention of nature to the preservation of minute and little observed things;

* I am uncertain whether this plant have been noticed. *Sphæria granulosa* of Sowerby, and *sp. tentaculata* of Batsch, may be it in a young stage of growth; *sp. faginea* of Lamarck does not accord well with it.

the protection of the seed vessel, and the dissemination, being most particularly and carefully provided for.

These specimens are only individuals among hundreds, which present us with a world of beauty, variety, and wonder. I would not wish it to be understood that it is maintained, by any thing here intimated, that the dissolution of vegetable matter is effected solely by the agency of insects or parasitic plants, nature having various ways of accomplishing her purposes; but only mean to contend that, in numerous cases, these weak instruments are made use of to accelerate the decay and dispersion of it.

We are not favourably circumstanced for any great abundance of the race of fungi: the old fir grove, which produces such varieties, and the oak and birch copses, which have shed their leaves for ages, and given rise to many, are not found with us; yet we have a small scattering too, some of which are perhaps not undeserving of notice; and though rather partial to a class, which has afforded me many hours of gratification and delight, yet, sensible of the little interest they generally create, I must limit my mention to a very few.

The odorous agaric (*agaricus odorus*) may

perhaps be locally found in plenty, but to me it has always been a plant of rare occurrence. Its colours are delicate and modest, rather than splendid, and a near acquaintance only makes us sensible of the justness of its name. We have another scented agaric (*agaricus fragrans*), much more commonly to be met with, which diffuses its fragrance to some distance: but the former species does not spread its fragrance until brought into a temperate apartment, when it fills the room with an odour like that proceeding from the heliotrope, or from fresh bitter almonds, and communicates it to our gloves, or whatever it touches. I have found it sparingly here among dry beech leaves in Wolf-ridge copse.

As weeds will grow with flowers, the unsightly with the beautiful, so do we meet with here much more abundantly that extraordinary and offensive production the stinking phallus (*phallus impudicus*). They do not dwell near each other however; this being found in the month of June on many of our hedge-banks. The smell it discharges has been thought to be like that arising from some decayed animal substance; but it is of a much more subtle kind, as if the animal fetor had been volatilized by carbonate of ammonia. Many persons, in their

country walks, at this period of the year, must have been occasionally surprised by a sudden disagreeable smell of this nature; and probably concluded that it proceeded from some dead animal, when most likely it was produced by this fungus; yet to find it is not always an easy matter; for the odour is so diffused on all sides, that it rather leads us astray from the object than aids our search, the plant being hidden frequently in the depth of the hedge. I have at times found it by watching the flight of the flies, which are attracted by its fetor. This strong smell is supposed to reside in the green gelatinous substance which is attached to the cells of the pileus; but the odour is at times discharged by this phallus, before the stem has arisen from the egg-like wrapper by which it is enclosed. This is a very unpleasant plant to delineate, as its odour, when in a room, is so very offensive, that few persons would willingly tolerate its presence; and its growth is so rapid in an increased temperature, that the form and appearance soon become changed. The seed is supposed to reside in the cells of the pileus, and the gelatinous matter which we find on its summit; and on this, and every part of the plant, slugs of various kinds are commonly found feeding, which, retiring to

their holes in the earth, from the contents of their stomachs probably propagate this phallus. That many of our agarics, and those boleti which have central stems, are so diffused around by the agency of these creatures, it is reasonable to conclude; for it is a very usual thing to find the gills of these plants, in which the seed resides, so entirely eaten away by slugs as to have no remains perceptible, except a little of the flesh and the outer skin; and they prefer those plants which are somewhat advanced in age, and in which we suppose the seminal matter to be more perfected.

The various provisions which have been devised for the dispersion of the seeds of plants, and introducing them into proper situations for germination, are not the least admirable portion of the wonderful scheme of creation. Every class of beings appears appointed by collateral means to promote these designs; man, beasts, birds, and reptiles; and, for aught we know, the very fishes, by consuming, propagate the algæ in the depths of the ocean. Even insects, by the fecundation of plants, perform an office equivalent to dissemination; and the multiplied contrivances of hooks, awns, wings, &c., and the elastic and hygrometic powers with which seeds are furnished, manifest

what infinite provision has been made for the dispersion of seeds, and successive production of the whole race of vegetation.

The turreted puff (*lycoperdon fornicatum*) is one of our rare cryptogamous plants. I have had one specimen, in which the volvæ or wrappers of seven or eight individuals grew together, each throwing out a head or capitulum, forming a cluster the size of a doubled fist. It appears, from a close examination of this plant, that the upper part bearing the head was originally the inner skin or lining of the wrapper, which enclosed and shut it in. Upon the bursting of the wrapper, this inner skin peeled up, or loosened itself from the bottom, and rising, became finally detached from the wrapper in every part excepting at the points of the clefts, where it remained fixed; in the same manner as a man might be supposed able to pull up the skin from the hollow of the hand, and let it remain attached at the tips of the fingers. This puff dries remarkably well, and even shows the general form more distinctly than when recent.

The starry puff (*lycoperdon stellatum*) is rather difficult to find, but is a much more common plant, delighting to grow amidst the herbage of some dry bank, and so is hidden from common

observation; but the winds of autumn detach it from the banks, and it remains driving about the pastures, little altered until spring, when it decays.

We have the morell (*morchella esculenta*)*, but to this I must subjoin “*rarissimè.*” Bolton and Micheli represent the pileus as cellular, like a honeycomb. All that I have seen are mesenterically puckered. In what part of this morell the seeds reside is obscure: not in the hollows of the pileus, I think. That part of our morell, which in an agaric would be flesh, is found by the microscope to consist of fine woolly fibres united in a mass: and probably the seed is contained in this part; for when the plant is mature, and begins to dry, the outer coating cracks, and tears these filaments asunder, and gives the seminal matter, if contained in this part, a free passage for escape.

The bell-shaped *nidularia* (*nidularia campanulata*) is common with us, the smooth (*nidularia lævis*) is much less so. I do not mention them on account of their variety, but to notice the

* This is the *phallus esculentus* of some; but Jussieu, Persoon, and others, have removed it from that genus, on account of its having no volva, but seeds in cells, not contained in a glaucous mucus.

singular size of the seeds of this genus. The principle, by which nearly the whole of the fungi are continued, is in most instances obscure. A dust, considered as seminal, is observable in some of the genera; in others, even this is imperceptible; but in the nidularia the actual seeds, for they are not capsules, are visible at the bottom of the bell-shaped receptacle, of the size of a turnip seed, or of a large, flattened pin's head; loose, but attached by a filament, which in the striated species (*nidularia striata*), in moist weather, I have drawn out to nearly three inches in length. This thread appears designed to secure the vegetation of the seed, by affording it the power of deriving nutriment from the parent plant, during the period it is exerting its strength to vegetate in the earth. Heavy rains, I apprehend, fill the bells, and float out the seeds in the spring months, the filaments then stretching to their full extent. In severe weather we often find these bells emptied of their contents; and from observing the excrement of mice about the places of their growth, I conclude they are eaten by these creatures. The long mandibles of the little shrew are well fitted for this operation. I have never found the plant in such quantities as to yield them any considerable

supply; yet it is remarkable, that the seeds of one genus only, out of such a numerous class, should be so visible, and of such a size, as to become an article of food to an animal like a mouse.

But we must dismiss the vegetable tribes, and enter upon the world of sensitive nature. The quadrupeds naturally present themselves first to our notice, but with us they are few in number; our population scares them, our gamekeepers kill them, and enclosures extirpate their haunts. Yet the marten (*mustela martes*) lingers with us still, and every winter's snow becomes instrumental to its capture, betraying its footsteps to those who are acquainted with the peculiar trace which it leaves. Its excursions generally terminate at some hollow tree, whence it is driven into a bag; and we are surprised, that a predaceous animal, not protected by laws or arbitrary privileges, and of some value too, should still exist. Of all our animals called vermin, we have none more admirably fitted for a predatory life than the marten: it is endowed with strength of body; is remarkably quick and active in all its motions; has an eye so large, clear, perceptive, and moveable in its orbit, that nothing can stir without its observation; and is

supplied apparently with a sense of smelling as perfect as its other faculties. Its feet are well adapted to its habits, not treading upright on the balls alone, but with the joint bending, the fleshy parts being imbedded in a very soft and delicate hair, so that the tread of the animal, even upon decayed leaves, is scarcely audible; by which means it can steal upon its prey without any noise betraying its approach. The fur is fine, and the skin so thin and flexible, as to impede none of its agile movements. Thus every thing combines to render the marten a very destructive creature. It seems to have a great dislike to cold, residing in winter in the hollow of some tree, deeply imbedded in dry foliage, and when in confinement, covering and hiding itself with all the warm materials it can find. In genial seasons it will sleep by day in the abandoned nest of the crow or buzzard, and its dormitory is often discovered by the chattering and mobbing of different birds on the tree. It is certainly not numerous in England, our woods being too small, and too easily penetrated, to afford it adequate quiet and shelter. Its skin is still in some little request, being worth about two shillings and sixpence in the market; but it is used only for inferior purposes, as the furs of colder

regions than ours are better, and more easily obtained.

Notwithstanding all the persecutions from prejudice and wantonness to which the hedgehog (*erinaceus europæus*) is exposed, it is yet common with us; sleeping by day in a bed of leaves and moss, under the cover of a very thick bramble or furze-bush, and at times in some hollow stump of a tree. It creeps out in the summer evenings; and, running about with more agility than its dull appearance promises, feeds on dewworms and beetles, which it finds among the herbage, but retires with trepidation at the approach of man. In the autumn, crabs, haws, and the common fruits of the hedge, constitute its diet. In the winter, covering itself deeply in moss and leaves, it sleeps during the severe weather; and, when drawn out from its bed, scarcely any thing of the creature is to be observed, it exhibiting only a ball of leaves, which it seems to attach to its spines by repeatedly rolling itself round in its nest. Thus comfortably invested, it suffers little from the season. Some strong smell must proceed from this animal, as we find it frequently, with our sporting dogs, even in this state; and every village boy with his cur detects the haunts of the poor hedge-

hog, and as assuredly worries and kills him. Killing every thing, and cruelty, are the common vices of the ignorant; and unresisting innocence becomes a ready victim to prejudice or power. The snake, the blindworm, and the toad, are all indiscriminately destroyed as venomous animals whenever found; and it is well for the last-mentioned poor animal, which, Boyle says, "lives on poison, and is all venom," if prolonged sufferings do not finish its being: but even we, who should know better, yet give rewards for the wretched urchin's head! that very ancient prejudice of its drawing milk from the udders of resting cows being still entertained, without any consideration of its impracticability from the smallness of the hedgehog's mouth; and so deeply is this character associated with its name, that we believe no argument would persuade to the contrary, or remonstrance avail with our idle boys, to spare the life of this most harmless and least obtrusive creature in existence. Hedgehogs were formerly an article of food; but this diet was pronounced to be dry, and not nutritive, "because he putteth forth so many prickles." All plants producing thorns, or tending to any roughness, were considered to be of a drying nature; and, upon this founda-

tion, the ashes of the hedgehog were administered as a "great desiccative of fistulas."

The harvest-mouse (*mus messorius*) in some seasons is common with us, but, like other species of mice, varies much in the numbers found. I have seen their nests as late as the middle of September, containing eight young ones entirely filling the little interior cavity. These nests vary in shape, being round, oval, or pear-shaped with a long neck, and are to be distinguished from those of any other mouse, by being generally suspended on some growing vegetable, a thistle, a beanstalk, or some adjoining stems of wheat, with which it rocks and waves in the wind; but to prevent the young from being dislodged by any violent agitation of the plant, the parent closes up the entrance so uniformly with the whole fabric, that the real opening is with difficulty found. They are the most tame and harmless of little creatures; and, taking shelter in the sheaves when in the field, are often brought home with the crop, and found in little shallow burrows on the ground after the removal of a bean-rick. Those that remain in the field form stores for the winter season, and congregate in small societies in holes under some sheltered ditch-bank. An old one, which

I weighed, was only one dram and five grains in weight.

Mankind appear to be progressively increasing. It was an original command of his Creator, and the animals domesticated by him, and fostered for his use, are probably multiplied in proportion to his requirements; but we have no reason to suppose, that this annual augmentation proceeds in a proportionate degree with the wild creatures upon the surface of the globe; and we know, that many of them are yearly decreasing, and very many that once existed have even become extinct. That there are years of increase and decrease ordained for all the inferior orders of creation, common observation makes manifest. In the years 1819 and 1820, all the country about us was overrun with mice; they harboured under the hassocks of our coarse grasses (*aira cæspitosa*), perforated the banks of ditches, occasioned much damage by burrowing into our potato heaps, and coursed in our gardens from bed to bed even during daylight. The species were the short-tailed meadow mouse, and the long-tailed garden mouse, and both kinds united in the spring to destroy our early sown pease and beans. In the ensuing summer, however, they became so greatly reduced, that few were

to be seen, and we have not had any thing like such an increase since that period. It is probable that some disease afflicted them, and that they perished in their holes, for we never found their bodies, and any emigration of such large companies would certainly have been observed; yet the appearance and disappearance of creatures of this kind leads us to conclude, that they do occasionally change their habitations.

A large stagnant piece of water in an inland county, with which I was intimately acquainted, and which I very frequently visited for many years of my life, was one summer suddenly infested with an astonishing number of the short-tailed water rat, none of which had previously existed there. Its vegetation was the common products of such places, excepting that the larger portion of it was densely covered with its usual crop, the smooth horsetail (*equisetum limosum*). This constituted the food of the creatures, and the noise made by their champing it we could distinctly hear in the evening at many yards' distance. They were shot by dozens daily; yet the survivors seemed quite regardless of the noise, the smoke, the deaths around them. Before the winter, this great herd disappeared, and so entirely evacuated the place, that a few years

after I could not obtain a single specimen. They did not disperse, for the animal is seldom found in the neighbourhood, and no dead bodies were observed. They had certainly made this place a temporary station in their progress from some other; but how such large companies can change their situations unobserved in their transits is astonishing. Birds can move in high regions and in obscurity, and are not commonly objects of notice; but quadrupeds can travel only on the ground, and would be regarded with wonder, when in great numbers, by the rudest peasant*.

That little animal the water shrew (*sorex fo-*

* As an event connected with the subject of temporary augmentation and diminution of creatures, I may be pardoned for noting the predominant increase of sex in some years. The most remarkable instance, that I remember of late, was in 1825. How far it extended I do not know, but for many miles round us we had in that year scarcely any female calves born. Dairies of forty or fifty cows produced not more than five or six, those of inferior numbers, in the same proportion, and the price of female calves for rearing was greatly augmented. In the wild state, an event like this would have considerable influence upon the usual product of some future herd. In the ensuing spring, we had in the village an extraordinary instance of fecundity in the sheep afforded us, one farmer having an increase of sixteen lambs from five ewes, four of which produced three each, and one brought forth four: however, only a small portion of these little creatures lived to maturity.

diens) appears to be but partially known, but is probably more generally diffused than we imagine. The common shrew in particular seasons gambols through our hedgerows, squeaking, and rustling about the dry foliage, and is observed by every one; but the water shrew inhabits places that secrete it from general notice, and appears to move only in the evenings, which occasions its being so seldom observed. That this creature was an occasional resident in our neighbourhood was manifest from the dead bodies of two or three having occurred in my walks; but it was some time before I discovered a little colony of them quietly settled in one of my ponds, overshadowed with bushes and foliage. It is very amusing to observe the actions of these creatures, all life and animation in an element they could not be thought any way calculated for enjoying; but they swim admirably, frolicking over the floating leaves of the pondweed, and up the foliage of the flags, which, bending with their weight, will at times submerge them in the pool, and away they scramble to another, searching apparently for the insects that frequent such places, and feeding on drowned moths (*phalæna potamogeta*) and similar insects. They run along the margin of water, rooting amid the

leaves and mud with their long noses for food, like little ducks, with great earnestness and perseverance. Their power of vision seems limited to a confined circumference. The smallness of their eyes, and the growth of the fur about them, are convenient for the habits of the animal, but impediments to extended vision; so that, with caution, we can approach them in their gambols, and observe all their actions. The general blackness of the body, and the triangular spot beneath the tail, as mentioned by Pennant, afford the best ready distinction of this mouse from the common shrew. Both our species of *sorex* seem to feed by preference on insects and worms; and thus, like the mole, their flesh is rank and offensive to most creatures, which reject them as food. The common shrew, in spring and summer, is ordinarily in motion even during the day from sexual attachment, which occasions the destruction of numbers by cats, and other prowling animals; and thus we find them strewn in our paths, by gateways, and in our garden walks, dropped by these animals in their progress. It was once thought, that some periodical disease occasioned this mortality of the species; but I think we may now conclude, that violence alone is the cause of their destruction in these in-

stances. The bite of this creature was considered by the ancients as peculiarly noxious, even to horses and large cattle, and variety of the most extraordinary remedies for the wound, and preventives against it, are mentioned by Pliny and others. The prejudices of antiquity, long as they usually are in keeping possession of the mind, have not been remembered by us; and we only know the hardy shrew now as a perfectly harmless animal, though we still retain a name for it expressive of something malignant and spiteful.

I think we have reason for suspecting, that a shrew new to Britain exists in this neighbourhood. A pale blue shrew (*sorex Daubentonii*? Cuvier) has been seen about the margins of our reenes, and the deep marsh ditches cut for draining the water from the low lands of the Severn; and something of the same kind, in a half digested state, has been found in the stomach of the heron. If it exist with us, a similar tract of land in more fenny countries may contain it plentifully, though it has yet escaped detection.

The mole, want, mouldwarper, or mouldturner (*talpa europæa*), is common with us, as it appears to be in most places; and no creature gives more certain indication of its presence,

haunting, from preference, such places as its predecessors have done, though years may have intervened since they were frequented, and rains, and the treading of heavy cattle, have compressed to solid earth the ancient runs; and however assiduously we may destroy them, should they appear again, it will probably be in the same places that have been formerly perforated by others. The earth that these animals eject from their runs, being obtained from very near the surface, and finely pulverized, has tempted me more than once to have it collected for my greenhouse plants, but not with the success that I had conjectured. Some persons have advocated the cause of moles, as being beneficial to vegetation, by loosening the soil about the roots of plants. Evelyn and others, again, censure them as injurious creatures; and there is a strange narration in Buffon, accusing them of eating all the acorns of a newly set soil. I am not aware of any benefit occasioned by their presence; their warpings certainly give our pastures in the spring a very unsightly appearance, and in grounds designed to be mowed occasion much trouble, by obliging us frequently to spread and remove them; and in newly sown corn lands they disturb by their runnings the

earth at the roots of the grain. But, perhaps, these trifling complaints, these almost imaginary grievances, are the only evils that can be attributed to them. In those wild creatures that are not immediately applicable to our use or amusement, we are more generally inclined to seek out their bad than their good qualities; and though I cannot produce any instance in which the utility of the mole is manifested, yet it is reasonable to conclude, that they are eminently so, either directly or collaterally, nature having provided in an especial manner for a constant supply*, and their increase is prodigious when they are not molested. I have killed, for two years in succession, between forty and fifty each season, in a very few acres of ground; and notwithstanding all our stratagems for their destruction, and the ease with which they are entrapped, still plenty always remain, to recruit our annual waste of them. These creatures are supposed to have a very imperfect vision, and, like insects, have not any external ear, or manifest organ through which sounds can be received; yet we can in no way for a moment suppose, that they have been created with any deficiency of power

* See Ray's Synopsis.

to accomplish all the objects of their being, but that every possible exigency has been provided for. Perceptions may be conveyed in very many instances by intelligencies unknown to us, and unquestionably are so. The defect of one power is frequently supplied by the increased activity of another; and the sense of smelling in the mole must be unusually acute, to enable it to pursue and capture its prey with the facility that it does. Its sole food, we believe, is worms; and these sensitive creatures retire immediately upon the smallest moving of the earth in which they reside. Now, as it follows them through all their meanderings, in which neither eyes nor ears would assist it, a fine sense of smelling seems necessary to enable it to catch them; and that its success is equal to its wants, and that it feeds plentifully, is manifest by the excellent condition in which the mole is at all seasons of the year. It will penetrate banks of earth after worms lodged in their interior, hunt for them in the richest parts of the field, or on the edges of dung-heaps: in all which pursuits some unknown faculties may direct it; but no sense, that we are acquainted with, could promote its objects so effectually as that of smell. My talparius, a very skilful capturer of these animals, is so

sensible of the power that moles are gifted with of readily discriminating smells, that his constant practice is, to draw the body of a captured animal through his traps, and the adjoining runs, and passages, to remove all suspicious odours, which might arise from the touch of his fingers. Its feeling, too, must be acute; as, when casting up the earth, it is sensible of the pressure of a very gentle foot; and, unless our approaches are conducted with great caution, it ceases from its operation, and instantly retires. Should I be censured for needless prolixity in detailing these sensations of a common mole, and “telling of the mouldwarp and the ant,” I trust forgiveness may be granted me, as endeavouring to remove all conceptions, should they exist, that any thing, however vile and worthless it may seem to be, could be created with powers or means inadequate to supply its wants. Whoever will examine the structure of the body of a mole will, perhaps, find no creature more admirably adapted for all the purposes of its life. The very fur on the skin of this animal manifests what attention has been bestowed upon the creature, in providing for its necessities and comforts. This is singularly, almost impalpably, fine, yielding in every direction, and offering no resistance to the

touch. By this construction the mole is in no degree impeded in its retreat from danger while retiring backwards, as it always does upon suspicion of peril, not turning round, which the size of its runs does not permit, but tail foremost, until it arrives at some collateral gallery, when its flight is head foremost, as with other creatures. If this fur had been strong, as in the rat, or mouse, in these retreats for life it would have doubly retarded the progress of the creature; first by its resistance, and then acting as a brush, so as to choke up the galleries, by removing the loose earth from the sides and ceilings of the arched ways; thus impeding at least, if not absolutely preventing, retreat: but the softness of the fur obviates both these fatal effects.

The construction of the hair and fur of different creatures is very various and beautiful; and, if we believe in the beneficence of the All-wise Creator, we must conclude, that such peculiar fabrications were resorted to for the purpose of being immediately useful, or as necessary to the condition of the animal. In a mere sketch like this, it would conduct me infinitely beyond my intentions, to enumerate the many varieties of hair that are rendered manifest by the microscope; but three or four may be mentioned.

The fur or clothing of the mole, Plate 4, Fig. 4, A, is internally composed of collateral bars. In man the hairs have a central tube, for the conveyance of medullary matter, as in bones, or some nutriment analogous to it; but in the mole there appears to be no communication with the body of the animal, unless the perspirable matter is conducted alternately from side to side along the bars. The fur of the bat, Fig. B, has knots like the rudiments of branches. The hairs of the hamster mouse, Fig. C, have a central perforation, apparently uninterrupted throughout their whole length. Some of the caterpillars (*callimorpha caja*) have spines proceeding from the hair that invests their bodies, Fig. D*. All these, and the other various contrivances so manifest in the coverings of animals, are probably designed to convey off the perspirable fluids conducive to health in an appropriate manner; to discharge the superabundant heat,

* The organ, which inflicts the pain, or sting, when we incautiously handle the nettle, is well known to be connected with a little vessel containing an acrid fluid, which being compressed rushes up the tube of the organ, and is thus conveyed into the wound; and it is rather singular, that the larvæ of the admirable butterfly, which feeds upon the large hedge nettle, has the spines which arise from its body branched, and each collateral hair arises from a little bulb, similar to that of the plant on which it is chiefly found.

and keep the body temperate in some cases; in others again to retard perspiration, and thus augment the warmth, by every possible gradation, or to increase the sensibility and perceptions, of the animal. Many instances of these effects and modifications might be advanced, deserving a more extensive consideration.

The smell of the flesh of the mole is remarkably rank and offensive, as, from the nature of its food, might be expected; and it taints the fingers, which have touched it, with its peculiar odour, so that one washing does not remove it. It is reported of a late very eccentric nobleman, but with what truth I do not know, who essayed himself the flavour of every living thing, even to the eating of the large dew-worm, that the mole alone remained untasted by him, his stomach recoiling with disgust at the nauseous smell of the flesh of this creature. Foxes eat moles, and will at times dig out the traps containing them. The brown owl too feeds on them, when it can meet with them outside of their runs hunting after dew-worms; and probably the smaller vermin do the same: but the cat and the dog turn from them with manifest aversion as food; though they will hunt and kill them as objects of the chase.

These animals, we might suppose, while in their

subterranean dwellings, would be secure from all injury by such as generally pursue their prey upon the surface of the earth; but I have several times known the weasel caught in the mole-traps, making it manifest, that it hunts after the mole for its food, and in doing so, according to our comprehensions, must encounter infinite danger from suffocation; but it is more probable, that so active a creature as the weasel is endowed with powers to accomplish its object with impunity, which we are not acquainted with.

During the course of a life passed much in the country, and perambulating the woods, the hedges, and the fields, I have contracted almost insensibly an acquaintance with the creatures that frequent them. Some have engaged my attention by their actions and manners; others have interested me by their innocency, and the harmlessness of their lives; and, perhaps, there is some little partial bearing toward others from long association, or from unknown, undefined causes. I tolerate, in despite of all their noise, and all their litter, a colony of rooks, which have taken a liking to some tall elms near my dwelling. Not being ancient denizens there, they can claim no hereditary rights; but their contrivances, their

regularity, and even their squabbles, are amusing; and, perhaps, there is mingled with this some little compassion for these dark, half-domesticated families of the grove, driven by the axe from an old abode, which may influence my forbearance.

The hedge sparrow, or shuffewing, (*motacilla modularis*) is a prime favourite. Not influenced by season or caprice to desert us, it lives in our homesteads and our orchards through all the year, our most domestic bird. In the earliest spring it intimates to us by a low and plaintive chirp, and that peculiar shake of the wing, which at all times marks this bird, but then is particularly observable, the approach of the breeding season; for it appears always to live in pairs, feeding and moving in company with each other. It is nearly the first bird that forms a nest; and this being placed in an almost leafless hedge, with little art displayed in its concealment, generally becomes the booty of every prying boy; and the blue eggs of the hedge sparrow are always found in such numbers on his string, that it is surprising how any of the race are remaining, especially when we consider the many casualties, to which the old birds are obnoxious from their tameness, and the young that are hatched from their situation.

The plumage of this motacilla is remarkably sober and grave, and all its actions are quiet and conformable to its appearance. Its song is short, sweet, and gentle. Sometimes it is prolonged; but generally the bird perches on the summit of some bush, utters its brief modulation, and seeks retirement again. Its chief habitation is some hedge in the rick-yard, some cottage garden, or near society with man. Unobtrusive, it does not enter our dwellings like the redbreast, but picks minute insects from the edges of drains and ditches, or morsels from the door of the poorest dwelling in the village. As an example of a household or domestic bird, none can be found with better pretensions to such a character than the hedge sparrow.

I always hear with delight the earliest chirpings of that pretty harbinger of spring, the willow wren (*motacilla trochilus*), trilling its wild and gleeful “chiff chaffs,” as it chases the insects round the branches of the old oak in the copse, or on the yellow catkins of the sallow, itself almost like a coloured catkin too. But this elegant little bird is noticed only by the lovers and frequenters of the country; it animates the woods by its constant activity; the frequent repetition of its most cheerful modu-

lation contributes essentially to the pleasing harmony of the grove; and its voice is most sprightly and frequent, when the morning is illumined with one of those mild, walk-enticing gleams, that render this short season the most delightful of our year. It builds its nest, and rears its young with us; visits our gardens, but is no plunderer there, living almost entirely upon insect food; and its whole life is passed in harmlessness and innocence. As it is the earliest that arrives, so it is the last, I believe, of our feathered choir that leaves us, except a few lingering, irresolute swallows; and we hear it piping its final autumnal farewell even in October at times, and sporting with hilarity and joy, when all its congeners are departed.

It is a difficult matter satisfactorily to comprehend the object of this bird in quitting another region, and passing into our island. The chief motives for migration seem to be food, a milder climate, and quiet during the period of incubation and rearing their young: but the willow wren, and some others of our insectivorous birds, appear to have other purposes to accomplish by their annual migrations. These little creatures, the food of which is solely insects, could assuredly find a sufficient supply of such diet during the

summer months in the woods and thickets of those mild regions, where they passed the season of winter, and every bank and unfrequented wild would furnish a secure asylum for them and their offspring during the period of incubation. The passage to our shores is a long and dangerous one, and some imperative motive for it must exist; and, until facts manifest the reason, we may perhaps, without injury to the cause of research, conjecture for what object these perilous transits are made. We know, that all young creatures require particularly compounded nutriment during their infant state; and nature, as far as we are acquainted with it, has made in every instance provision for a supply of fitting aliment. In many instances, where the removal of station could not be conveniently accomplished, instinct has been given the parent to provide the fitting aliment for its new-born young. Thus insects, in some cases, store their cells with food ready for the animation of their progeny; in others, place their eggs in such situations, as will afford it when they are hatched. The mammalia, at least the quadrupeds belonging to this class, which could least conveniently move their station, have supplies given them of a milky secretion for this purpose. Birds have nothing

of this nature, and make no provision for their young; but they of all creatures, except fishes, can seek what may be required in distant stations with most facility. A sufficiency of food for the adult parent may be found in every climate, yet the aliment necessary for its offspring may not. Countries and even counties produce insects that differ, if not in species, at least in numbers; and many young birds we cannot succeed in rearing, or do it very partially, by reason of our ignorance of the requisite food. Every one, who has made the attempt, well knows the various expedients he has resorted to, of boiled meats, bruised seeds, hard eggs, boiled rice, and twenty other substances, that nature never presents, in order to find a diet, that will nourish them; but Mr. Montagu's failure in being able to raise the young of the cirr bunting *, until he discovered, that they required grasshoppers, is a sufficient instance of the manifest necessity there is for a peculiar food in one period of the life of birds; and renders it probable, that to obtain a certain aliment, this willow wren, and others of the insect and fruit-feeding birds, direct their flight to distant regions, and is the principal cause of their migrations.

It is some stimulus like this, which urges that

* Linnæan Transactions, vol. vii.

little creature, the golden-crested wren (*motacilla regulus*), that usually only flits from tree to tree, and never attempts upon common occasions a longer flight, to traverse the vast distance from the Orkneys, to the Shetland Isles, over stormy seas that admit no possible rest during its long passage of above fifty miles! There it breeds its young; but this one object accomplished, it leaves those isles, dares again this tedious flight, and seeks a milder clime. With us it never migrates, lives much in our fir groves during the winter, and breeds in our shrubberies in summer. Peculiar necessities, such as these, may incite the migration of many birds; but that certain species, which lead solitary lives, or associate only in very small parties, should at stated periods congregate from all parts to one spot, and there hold council on a removal, in which the very sexes occasionally separate, is one of the most extraordinary procedures, that we meet with among animals.

If the sober, domestic attachments of the hedge sparrow please us, we are not less charmed with the innocent, blithesome gaiety of the linnnet (*fringilla linota*). But this songster is no solitary visiter of our dwellings: it delights and lives in society, frequenting open commons and

gorsy fields, where several pairs, without the least rivalry or contention, will build their nests and rear their offspring in the same neighbourhood, twittering and warbling all the day long. This duty over, the families unite, and form large associations, feeding and moving in company as one united household; and, resorting to the head of some sunny tree, they will pass hours in the enjoyment of the warmth, chattering with each other in a low and gentle note; and they will thus regularly assemble during any occasional bright gleam throughout all the winter season,—

“ and still their voice is song,”

which, heard at some little distance, forms a very pleasing concert, innocent and joyous. The linnæus is the cleanliest of birds, delighting to dabble in the water and dress its plumage in every little rill that runs by. The extent of voice in a single bird is not remarkable, being more pleasing than powerful; yet a large field of furze, in a mild sunny April morning, animated with the actions and cheering music of these harmless little creatures, united with the bright glow and odour of this early blossom, is not visited without gratification and pleasure.

The bull-finch (*loxia pyrrhula*) has no claims

to our regard. It is gifted with no voice to charm us; it communicates no harmony to the grove: all we hear from it is a low and plaintive call to its fellows in the hedge. It has no familiarity or association with us, but lives in retirement in some lonely thicket ten months in the year. At length, as spring approaches, it will visit our gardens, an insidious plunderer. Its delight is in the embryo blossoms wrapped up at this season in the bud of a tree; and it is very dainty and curious in its choice of this food, seldom feeding upon two kinds at the same time. It generally commences with the germs of our larger and most early gooseberry; and the bright red breasts of four or five cock birds, quietly feeding on the leafless bush, are a very pretty sight, but the consequences are ruinous to the crop. When the cherry buds begin to come forward, they quit the gooseberry, and make tremendous havoc with these. I have an early wall cherry, a mayduke by reputation, that has for years been a great favourite with the bullfinch family, and its celebrity seems to be communicated to each successive generation. It buds profusely, but is annually so stripped of its promise by these feathered rogues, that its kind might almost be doubted. The orleans and green-

gage plums next form a treat, and draw their attention from what remains of the cherry. Having banqueted here awhile, they leave our gardens entirely, resorting to the fields and hedges, where the sloe bush in April furnishes them with food. May brings other dainties, and the labours and business of incubation withdraw them from our observation.

The idea that has been occasionally entertained, that this bird selects only such buds as contain the embryo of an insect, to feed on it, and thus free us of a latent colony of caterpillars, is certainly not correct. It may confer this benefit accidentally, but not with intention. The mischief effected by bull-finches is greater than commonly imagined, and the ground beneath the bush or tree, on which they have been feeding, is commonly strewed with the shattered buds, the rejectments of their banquet; and we are thus deprived of a large portion of our best fruits by this assiduous pillager, this “pick-a-bud,” as the gardeners call it, without any redeeming virtues to compensate our loss. A snowy, severe winter makes great havoc with this bird. It feeds much in this season upon the fruit of the dog-rose, “hips,” as we call them. When they are gone, it seems to pine for food, and is

starved, or perhaps frozen on its roost, as few are observed to survive a long inclement winter.

The robin (*motacilla rubecola*) associated with malignants is not, perhaps, in the place where it generally would be sought; but sad truths might be told of it too. It might be called pugnacious, jealous, selfish, quarrelsome, did I not respect ancient feelings, and long established sentiments. A favourite by commiseration, it seeks an asylum with us; by supplication and importunity it becomes a partaker of our bounty in a season of severity and want; and its seeming humbleness and necessities obtain our pity: but it slights and forgets our kindnesses the moment it can provide for itself, and is away to its woods and its shades. Yet it has some little coaxing ways, and such fearless confidence, that it wins our regard; and its late autumnal song, in evening's dusky hour, as a monologue is pleasing, and redeems much of its character. The universality of this bird in all places, and almost at all hours, is very remarkable: and perhaps there are few spots so lonely, in which it would not appear, did we commence digging up the ground. I have often been surprised in the midst of woods, where no suspicion of its presence existed, when watching some other creature, to see the robin

inquisitively perched upon some naked spray near me; or, when digging up a plant in some very retired place, to observe its immediate descent upon some poor worm that I had moved. The robin loses nearly all the characteristic colour from its breast in the summer, when it moults, and only recovers it on the approach of autumn; which in some measure accounts for the extraordinary assertion of Pliny, that the redbreast is only so in winter, but becomes a firetail in summer.

The object of the song of birds is not agreed upon by ornithologists, and we will not now think of it, but merely in passing note how singularly timed the song of the robin is. The blackbird, and the thrush, in mild seasons will sing occasionally throughout the winter; but the robin, after having been absent all the summer, returns to us late in autumn, and then commences its song, when most others of our feathered choristers are silent. An apparent contention in harmony ensues among them; at length the rivals approach, menace, and fight with a seeming vexation at each other's prowess. The song of no one bird is, perhaps, more observed and remembered than the autumnal, and at times, melancholy sounding farewell of the robin.

The chaffinch (*fringilla cælebs*) appears to be universally spread throughout the English counties, and the male bird is remarkable for the cleanliness and trimness of his plumage, which, without having any great variety or splendour of colouring, is so composed and arranged, and the white on his wings so brilliant, as to render him a very beautiful little creature. The female is as remarkable for the quiet, unobtrusive tints of her dress; and, when she lies crouching on her nest, elegantly formed of lichens from the bark of the apple tree, and faded mosses, she would hardly be perceptible, but for her little bright eyes, that peep with suspicious vigilance from her covert. With us the sexes do not separate at any period of the year, the flocks frequenting our barn doors and homesteads in winter being composed of both. In the northern parts of Europe, however, the females are said to migrate to milder regions, which induced Linnæus to bestow the name of “*cælebs*” upon this species. In Gloucestershire and some of the neighbouring counties they are little known by the name of chaffinches; but from the constant repetition of one note, when alarmed or in danger, they have acquired the name of “twinks,” and “pinks;” yet during incubation the song of the

male bird, though without any variation of tune, is very pleasing in the general concert, as most vernal notes, if not harsh and wearisome from monotony, are. These birds make sad havoc with some of our spring flowers; and the polyanthus, in March, in our sheltered borders, is very commonly stripped of all its blossoms by these little plunderers, I suppose to obtain the immature seeds at the base of their tubes. They will deflorate too the spikes or whorls of the little red archangel (*lamium purpureum*); and we see them feeding in the waste places where this plant is found in the spring, their little mouths being filled with the green seeds of this dead nettle. At this period too they are sad plunderers in our kitchen gardens, and most dextrously draw up our young turnips and radishes, as soon as they appear upon the surface of the soil; but after this all depredation ceases, the rest of their days being passed in sportive innocence. I have observed these birds, in very hot seasons, to wet their eggs, by discharging moisture from their bills upon them, or at least perform an operation that appeared to be so.

We still continue here that very ancient custom of giving parish rewards for the destruction of various creatures included in the deno-

mination of vermin. In former times it may have been found necessary, to keep under or reduce the numbers of many predaceous animals, which in a thickly wooded country, with an inferior population, might have been productive of injury; and we even find parliamentary statutes enacted for this purpose: but now, however, our losses by such means have become a very petty grievance; our gamekeepers do their part in removing pests of this nature, and the plough and the axe leave little harbour for the few that escape; and thus we war on the smaller races of creation, and call them vermin. An item passed in one of our late churchwardens' accounts was, "for seventeen dozen of tomtits' heads!" In what evil hour, and for what crime, this poor little bird (*parus cæruleus*) could have incurred the anathema of a parish, it is difficult to conjecture. I know hardly any small animal, that lives a more precarious life than the little blue tomtit. Indeed it is marvellous how any of the insectivorous birds, that pass their winter with us, are supplied with food during inclement seasons, unless they have greater powers of abstinence than we are aware of: but our small birds are generally much more active than those of a larger bulk; the common wren is all anima-

tion, its actions and movements bespeak hilarity and animal spirits; and that minute creature too, the golden-crested wren, is always in motion, flitting from the yew hedge to the fir, or darting away to taller trees with a spring and a power we could not expect from its size. These muscular exertions must greatly counteract the effects of seasons, and enable these atoms of animals to support so cheerfully and gayly the winters of our climate. But in truth this tomtit perishes in severe winters in great numbers. It roosts under the eaves of our haystacks, and in little holes of the mows, where we often find it dead, perished by cold or hunger, or conjointly by both; yet the race survives, and this annual waste is recruited by the prolificacy of the creature, the nest of which will frequently contain from seven to nine young ones. Its chief subsistence is insects, which it hunts out with unwearied perseverance. It peeps into the nail-holes of our walls, which, though closed by the cobweb, will not secrete the spider within; and draws out the chrysalis of the cabbage butterfly from the chinks in the barn: but a supply of such food is precarious, and becomes exhausted. It then resorts to our yards, and picks diminutive morsels from some rejected bone, or scraps from

the butcher's stall : yet this is the result of necessity, not choice ; for no sooner is other food attainable, than it retires to its woods and thickets. In summer it certainly will regale itself with our garden pease, and shells a pod of marrowfats with great dexterity ; but this, we believe, is the extent of its criminality. Yet for this venial indulgence do we proscribe it, rank it with vermin, and set a price upon its head, giving fourpence for the dozen, probably the ancient payment when the groat was a coin. However powerful the stimulus was then, we yet find it a sufficient inducement to our idle bat-fowling boys, to bring baskets of poor toms' heads to our churchwarden's door.

The wiles and stratagems of every creature are deserving of attention, because they are, for the most part, the impulse of the weak and feeble, instinctive efforts to preserve their own existence, or more generally to secure or defend that of their offspring. Few are able to effect these objects by bodily power ; but all creatures probably exert a faculty of some kind, to ward off injury from their young, though not observed by, or manifested to us. This poor little blue tomtit, which has neither beak, claws, nor any portion of strength to defend itself from the

weakest assailant, will nevertheless make trial by menace to scare the intruder from its nest. It builds almost universally in the hole of a wall, or a tree; and its size enables it to creep through so small a crevice, that it is pretty well secured from all annoyances, but those of birdnesting boys; and these little plunderers the sitting bird endeavours to scare away, by hissing, and puffing in a very extraordinary manner from the bottom of the hole, as soon as a finger is introduced, and so perfectly unlike the usual voice of a bird, that many a young intruder is deterred from prosecuting any farther search, lest he should rouse the vengeance of some lurking snake or adder.

They who have seen much of birds, and attended to their actions, will in general be certain of the creature that flits past, by the manner of its flight; or that utters its note unseen by the peculiarity of voice; but the tribe of titmice (*parus*), especially in the spring of the year, emit such a variety of sounds, that they will occasionally surprise and disappoint us. Hearing an unusual voice, and creeping with caution to observe the stranger from which it proceeds, we perceive only our old acquaintance, the large tomtit (*parus major*), searching for food amid the lichens on the bough of an apple tree. This

bird, and that little dark species the "coal," or "colemouse" (*parus ater*), in particular, will often acquire or compound a note, become delighted with it, and repeat it incessantly while sporting about the catkins of the alder, for an hour or so, then seem to forget or be weary of it, and we hear it no more.

Our tall hedge-rows and copses are frequented by a very amusing little bird, the long-tailed titmouse (*parus caudatus*). Our boys call it the long-tailed tomtit, long tom, poke pudding, and various other names. It seems the most restless of little creatures, and is all day long in a state of progression from tree to tree, from hedge to hedge, jerking through the air with its long tail like a ball of feathers, or threading the branches of a tree, several following each other in a little stream; the leading bird uttering a shrill cry of twit, twit, twit, and away they all scuttle to be first, stop for a second, and then are away again, observing the same order and precipitation the whole day long. The space travelled by these diminutive creatures in the course of their progresses from the first move till the evening roost must be considerable; yet, by their constant alacrity and animation, they appear fully equal to their daily task. We have no bird more re-

markable for its family association than this parus. It is never seen alone, the young ones continuing to accompany each other from the period of their hatching until their pairing in spring. Its food is entirely insects, which it seeks among mosses and lichens, the very smallest being captured by the diminutive bill of this creature. Its nest is as singular in construction as the bird itself. Even in years long passed away, when, a nesting boy, I strung my plunder on the bent grass, it was my admiration; and I never see it now without secretly lauding the industry of these tiny architects. It is shaped like a bag, and externally fabricated of moss and different herbaceous lichens, collected chiefly from the sloe (*lichen prunastri*), and the maple (*lichen farinaceus*); but the inside contains such a profusion of feathers, that it seems rather filled than lined with them, a perfect featherbed! I remember finding fourteen or sixteen pea-like eggs within this downy covert, and many more were reported to have been found. The excessive labour of the parent birds in the construction and collection of this mass of materials is exceeded by none that I know of; and the exertions of two little creatures in providing for, and feeding, with all the incumbrances of feathers and tails, fourteen

young ones, in such a situation, surpasses in diligence and ingenuity the efforts of any other birds, persevering as they are, that I am acquainted with.

The construction and selected situations of the nests of birds are as remarkable, as the variety of materials employed in them; the same forms, places, and articles, being rarely, perhaps never, found united by the different species, which we should suppose similar necessities would direct to a uniform provision. Birds that build early in the spring seem to require warmth and shelter for their young, and the blackbird and the thrush line their nests with a plaster of loam, perfectly excluding, by these cottage-like walls, the keen icy gales of our opening year; yet should accident bereave the parents of their first hopes, they will construct another, even when summer is far advanced, upon the model of their first erection, and with the same precautions against severe weather, when all necessity for such provision has ceased, and the usual temperature of the season rather requiring coolness and a free circulation of air. The house-sparrow will commonly build four or five times in the year, and in a variety of situations, under the warm eaves of our houses and our sheds, the

branch of the clustered fir, or the thick tall hedge that bounds our garden, &c.; in all which places, and without the least consideration of site or season, it will collect a great mass of straws and hay, and gather a profusion of feathers from the poultry-yard to line its nest. This cradle for its young, whether under our tiles in March or in July, when the parent bird is panting in the common heat of the atmosphere, has the same provisions made to afford warmth to the brood; yet this is a bird that is little affected by any of the extremes of our climate. The wood pigeon and the jay, though they erect their fabrics on the tall underwood in the open air, will construct them so slightly, and with such a scanty provision of materials, that they seem scarcely adequate to support their broods, and even their eggs may almost be seen through the loosely connected materials: but the goldfinch, that inimitable spinner, the *Arachnè* of the grove, forms its cradle of fine mosses and lichens, collected from the apple or the pear tree, compact as a felt, lining it with the down of thistles besides, till it is as warm as any texture of the kind can be, and it becomes a model for beautiful construction. The golden-crested wren, a minute creature, perfectly unmindful of any severity in

our winter, and which hatches its young in June, the warmer portion of our year, yet builds its most beautiful nest with the utmost attention to warmth; and, interweaving small branches of moss with the web of the spider, forms a closely compacted texture nearly an inch in thickness, lining it with such a profusion of feathers, that, sinking deep into this downy accumulation, it seems almost lost itself when sitting, and the young, when hatched, appear stifled with the warmth of their bedding and the heat of their apartment; while the whitethroat, the blackcap, and others, which will hatch their young nearly at the same period, or in July, will require nothing of the kind. A few loose bents and goose-grass, rudely entwined with perhaps the luxury of some scattered hairs, are perfectly sufficient for all the wants of these; yet they are birds that live only in genial temperatures, feel nothing of the icy gales that are natural to our pretty indigenous artists, but flit from sun to sun, and we might suppose would require much warmth in our climate during the season of incubation; but it is not so. The greenfinch places its nest in the hedge with little regard to concealment; its fabric is slovenly and rude, and the materials of the coarsest kinds: while

the chaffinch, just above it in the elm, hides its nest with cautious care, and moulds it with the utmost attention to order, neatness, and form. One bird must have a hole in the ground; to another a crevice in a wall, or a chink in a tree, is indispensable. The bull-finch requires fine roots for its nest; the gray flycatcher will have cobwebs for the outworks of its shed. All the parus tribe, except the individual abovementioned, select some hollow in a tree or cranny in a wall, and, sheltered as such places must be, yet will they collect abundance of feathers and warm materials for their infants' beds. Endless examples might be found of the dissimilarity of requirements in these constructions among the several associates of our groves, our hedges, and our houses; and yet the supposition cannot be entertained for a moment, that they are superfluous, or not essential for some purpose with which we are unacquainted*. By how many

* I remember no bird, that seems to suffer so frequently from the peculiar construction of its nest, and by reason of our common observance of its sufferings obtains more of our pity, than the house martin. The rook will at times have its nest torn from its airy site, or have its eggs shaken from it by the gales of spring; but the poor martin, which places its earthy shed beneath the eave of the barn, the roof of the house, or in the corner of the window, is more generally injured. July and August are the months in

of the ordinations of supreme intelligence is our ignorance made manifest! even the fabrication of the nests of these little animals exceeds our comprehension,—we know none of the causes or motives of that unbodied mind that willed them thus.

One notice more of the parus tribe (the parus *cæruleus*), and these little creatures may retire to their leafy shades and be forgotten. I was lately exceedingly pleased in witnessing the maternal care and intelligence of this bird; for the poor thing had its young ones in the hole of a wall, and the nest had been nearly all drawn out of the crevice by the paw of a cat, and part of its brood devoured. In revisiting its family, the bird discovered a portion of it remaining, though wrapped up and hidden in the tangled moss and feathers of their bed, and it then drew the whole of the nest back into the place from

which these birds usually bring out their young; but one rainy day at this period, attended with wind, will often moisten the earth that composes the nest, the cement then fails, and all the unfledged young ones are dashed upon the ground; and there are some places to which these poor birds are unfortunately partial, though their nests are annually washed down. The projecting thatch of the old farm-house appears to be their safest asylum. The parent birds at times seem aware of the misfortune that awaits them; as, before the calamity is completed, we may observe them with great anxiety hovering about their nests.

whence it had been taken, unrolled and resettled the remaining little ones, fed them with the usual attentions, and finally succeeded in rearing them. The parents of even this reduced family laboured with great perseverance to supply its wants, one or the other of them bringing a grub, caterpillar, or some insect, at intervals of less than a minute through the day, and probably in the earlier part of the morning more frequently; but if we allow that they brought food to the hole every minute for fourteen hours and provided for their own wants also, it will admit of perhaps a thousand grubs a day for the requirements of one, and that a diminished brood; and give us some comprehension of the infinite number requisite for the summer nutriment of our soft billed birds, and the great distances gone over by such as have young ones, in their numerous trips from hedge to tree in the hours specified, when they have full broods to support. A climate of moisture and temperature like ours is peculiarly favourable for the production of insect food, which would in some seasons be particularly injurious, were we not visited by such numbers of active little friends to consume it.

The raven (*corvus corax*) does not build with

us. A pair indeed attempted to raise a brood in our wych-elm; but they love retirement and quiet, and were soon scared away, and made no second trial. Ravens visit us however frequently, and always during the lambing season, watching for any weak and deserted creature, which, when perceived, is instantly deprived of its eyes; but they make no long stay in our pastures. They abide nowhere in fact, but move from place to place, where food may chance to be found. Should an animal die, or a limb of fresh carrion be on the hooks in the tree, the hoarse croak of the raven is sure immediately to be heard, calling his congeners to the banquet. We see it daily in its progress of inspection, or high in the air on a transit to other regions, hastening, we conjecture, to some distant prey. With the exception of the snipe, no bird seems more universally spread over the surface of our globe than the raven, inhabiting every zone, the hot, the temperate, the severe, feeding upon, and removing noxious substances from the earth, of which it obtains intimation by mean of a faculty we have little conception of. Sight it cannot be; and we know not of any feter escaping from an animal previous to putrescence, so subtile as to call these scavengers of nature from the extre-

mity of one county to that of another; for it is manifest, from the height which they preserve in their flight, and the haste they are making, that their departure has been from some far distant station, having a remote and urgent object in contemplation.

In England the raven does not seem to abound; but it is most common on the shores of harbours, or near great rivers, where animal substances are more frequently to be met with than in inland places. In Greenland, and Iceland, where putrescent fishy substances abound, they appear to be almost domesticated. Horace calls the raven, “*annosa cornix*,” and in a tame state it has attained a very long life. How long extended its existence may be, when roaming in an unrestricted state, we have no means of ascertaining. This liberty may be most favourable to longevity; yet, from the numerous contingencies attending the condition of these creatures, it is probable, that few of them live out all their days, so as to become the “bird of ages.” However, the supposed longevity they have attained, their frequent mention and agency in holy writ, the obscure knowledge we possess of their powers and motives, with the gravity of their deportment, like an “all-knowing bird,”

have acquired for them, from very remote periods, the veneration of mankind. The changes in our manners and ideas, in respect to many things, have certainly deprived them of much of this reverence; yet the almost supernatural information which they obtain of the decease, or approaching dissolution, of an animal, claims still some admiration for them. This supposed faculty of “smelling death” formerly rendered their presence, or even their voice, ominous to all, as

“The hateful messengers of heavy things,
Of death and dolour telling;”

and the unusual sound of their harsh croak, still, when illness is in the house, with some timid and affectionate persons, brings old fancies to remembrance, savouring of terror and alarm. I am no friend to the superstition of converting natural transactions, or occasional events, into signs and indications of coming things; superstitions are wearing out, and shortly will waste away, and be no more heard of; but I fear, in their place, deism, infidelity, impiety, have started up, the offspring of intuitive wisdom: the first belief arises from weakness and ignorance; the latter disbelief is ingratitude, pride, wickedness.

Of the natural duration of animal life it is, from many circumstances, difficult to form an accurate statement, the wild creatures being in great measure removed from observation, and those in a condition of domestication being seldom permitted to live as long as their bodily strength would allow. It was formerly supposed, that the length of animal life was in proportion to its duration in utero, or the space it remained in the parent from conception to birth, and the length of time it required to obtain maturity. This notion might have some support in reason and fact, occasionally, but in many cases was incorrect, and in regard to birds had no foundation. Herbivorous animals probably live longer than carnivorous ones, vegetable food being most easily obtainable in all seasons in a regular and requisite supply; whereas animals that subsist on flesh, or by the capture of prey, are necessitated at one period to pine without food, and at another are gorged with superfluity: and when the bodily powers of rapacious creatures become impaired, existence is difficult to support, and gradually ceases; but with herbivorous animals in the same condition, supply is not equally precarious, or wholly denied. Yet it is probable, that few animals in a perfectly wild state live

to a natural extinction of life. In a state of domestication, the small number of carnivorous creatures about us are sheltered and fed with care, seldom are in want of proper food, and at times are permitted to await a gradual decay, continuing as long as nature permits; and by such attentions many have attained to a great age; but this is rather an artificial than a natural existence. Our herbivorous animals, being kept mostly for profit, are seldom allowed to remain beyond approaching age; and when its advances trench upon our emoluments by diminishing the supply of utility, we remove them. The uses of the horse, though time may reduce them, are often protracted; and our gratitude for past services, or interest in what remains, prompts us to support his life by prepared food of easy digestion, or requiring little mastication, and he certainly by such means attains to a longevity probably beyond the contingencies of nature. I have still a favourite pony—for she has been a faithful and able performer of all the duties required of her in my service for upwards of two and twenty years—and, though now above five and twenty years of age, retains all her powers perfectly, without any diminution or symptom of decrepitude; the fineness of limb, brilliancy of eye, and

ardour of spirit, are those of the colt, and though treated with no remarkable care, she has never been disabled by the illness of a day, or sickened by the drench of the farrier. With birds it is probably the same as with other creatures, and the eagle, the raven, the parrot, &c., in a domestic state, attain great longevity; and though we suppose them naturally tenacious of life, yet, in a really wild state, they would probably expire before the period which they attain when under our attention and care. And this is much the case with man, who probably outlives most other creatures; for though excess may often shorten, and disease or misfortune terminate his days, yet naturally he is a long-lived animal. His “threescore years and ten” are often prolonged by constitutional strength, and by the cares, the loves, the charities, of human nature. As the decay of his powers awakens solicitude, duty and affection increase their attentions, and the spark of life only expires when the material is exhausted.

That rare bird the crossbill (*loxia curvirostra*) occasionally visits the orchards in our neighbourhood, coming in little parties to feed upon the seeds of the apple; and, seldom as it appears, is always noticed by the mischief it does to the

fruit, by cutting it asunder with its well-constructed mandibles, in order to obtain the kernels. A native of those extensive pine forests in the neighbourhood of the Rhine, it makes excursions into various parts of Europe in search of change of food; and, though several instances are recorded of its visits to our island, I know but one mention of its having bred in England. A pair was brought to me very early in August, and the breast of the female being nearly bare of feathers, as is observable in sitting birds, it is very probable, that she had a nest in the neighbourhood.

Gesner has called the common rook (*corvus frugilegus*) a corn-eating bird. Linneus has somewhat lightened this epithet by considering it only as a gatherer of corn; to neither of which names do I believe it entitled, as it appears to live solely upon grubs, various insects, and worms. It has at times great difficulty to support its life, for in a dry spring or summer most of these are hidden in the earth beyond its reach, except at those uncertain periods, when the grub of the chaffer is to be found; and in a hot day we see the poor birds perambulating the fields, and wandering by the sides of the highways, seeking for and feeding upon grass-

hoppers, or any casual nourishment that may be found. At those times, was it not for its breakfast of dewworms, which it catches in the gray of the morning, as it is appointed the earliest of risers, it would commonly be famished. In the hot summer of 1825, many of the young brood of the season perished from want; the mornings were without dew, and consequently few or no worms were to be obtained; and we found them dead under the trees, having expired on their roostings. It was particularly distressing, for no relief could be given, to hear the constant clamour and importunity of the young for food. The old birds seemed to suffer without complaint; but the wants of their offspring were expressed by the unceasing cry of hunger, and pursuit of their parents for supply, and our fields were scenes of daily restlessness and lament. Yet, amid all this distress, it was pleasing to observe the perseverance of the old birds in the endeavour to relieve their famishing families, as many of them remained out searching for food quite in the dusk, and returned to their roosts long after the usual period for retiring. In this extremity it becomes a plunderer, to which by inclination it is not much addicted, and resorts to our newly set potato fields, digging out the

cuttings. Ranks are seen sadly defective, the result of its labours I fear; and the request of my neighbours now and then for a bird from my rookery, to hang up *in terrorem* in their fields, is confirmatory of its bad name. In autumn, a ripe pear, or a walnut, becomes an irresistible temptation, and it will occasionally obtain a good share of these fruits. In hard frosts, it is pinched again, visits for food the banks of streams, and in conjunction with its congener the "villain crow," becomes a wayfaring bird, and seeks a dole from every passing steed. Its life, however, is not always dark and sombre: it has its periods of festivity also. When the waters retire from meadows and low lands, where they have remained any time, a luxurious banquet is provided for this corvus, in the multitude of worms which it finds drowned on them. But its jubilee is the season of the cockchaffer (*melolantha vulgaris*), when every little copse, every oak, becomes animated with it and all its noisy, joyful family, feeding and scrambling for the insect food. The power or faculty, be it by the scent, or by other means, that rooks possess of discovering their food, is very remarkable. I have often observed them alight on a pasture of uniform verdure, and exhibiting no sensible appearance of

withering or decay, and immediately commence stocking up the ground. Upon investigating the object of their operations, I have found many heads of plantains, the little autumnal dandelions, and other plants, drawn out of the ground and scattered about, their roots having been eaten off by a grub, leaving only a crown of leaves upon the surface. This grub beneath in the earth the rooks had detected in their flight, and descended to feed on it, first pulling up the plant which concealed it, and then drawing the larvæ from their holes. By what intimation this bird had discovered its hidden food we are at a loss to conjecture; but the rook has always been supposed to scent matters with great discrimination.

It is but simple justice to these often censured birds, to mention the service that they at times perform for us in our pasture lands. There is no plant, that I endeavour to root out with more persistency, in these places, than the turfy hair-grass (*aira cæspitosa*). It abounds in all the colder parts of our grass lands, increasing greatly when undisturbed, and, worthless itself, overpowers its more valuable neighbours. The larger turfs we pretty well get rid of; but multitudes of small roots are so interwoven with the pasture

herbage, that we cannot separate them without injury; and these our persevering rooks stock up for us in such quantities, that in some seasons the fields are strewed with the eradicated plants. The whole so torn up does not exclusively prove to be the hair-grass, but infinitely the larger portion consists of this injurious plant. The object of the bird in performing this service for us is, to obtain the larvæ of several species of insects, underground feeders, that prey on the roots, as Linneus long ago observed upon the subject of the little nard grass (*nardus stricta*). This benefit is partly a joint operation: the grub eats the root, but not often so effectually as to destroy the plant, which easily roots itself anew; but the rook finishes the affair by pulling it up to get at the larvæ, and thus prevents all vegetation; nor do I believe, that the bird ever removes a specimen that has not already been eaten, or commenced upon, by the caterpillar.

The rook entices its young from the breeding trees, as soon as they can flutter to any other. These young, for a few evenings after their flight, will return with their parents, and roost where they were bred; but they soon quit their abode, and remain absent the whole of the summer months. As soon however as the heat of

summer is subdued, and the air of autumn felt, they return and visit their forsaken habitations, and some few of them even commence the repair of their shattered nests : but this meeting is very differently conducted from that in the spring ; their voices have now a mellowness approaching to musical, with little admixture of that harsh and noisy contention, so distracting at the former season, and seem more like a grave consultation upon future procedure ; and as winter approaches they depart for some other place. The object of this meeting is unknown ; nor are we aware, that any other bird revisits the nest it has once forsaken. Domestic fowls, indeed, make use again of their old nests ; but this is never, or only occasionally, done by birds in a wild state. The daw and rock pigeon will build in society with their separate kindred ; and the former even revisits in autumn the places it had nestled in. But such situations as these birds require, the ruined castle, abbey, or church tower, ledge in the rock, &c., are not universally found, and are apparently occupied from necessity. The rooks appear to associate from preference to society, as trees are common every where ; but what motive they can have in view in lingering thus for a few autumnal mornings and counselling

with each other around their abandoned and now useless nests, which before the return of spring are generally beaten from the trees, is by no means manifest to us.

The sense of smelling seems often to supply in animals the want of faculties they are not gifted with; and it is this power, which directs them to their food with greater certainty, than the discernment of man could do. That we have every faculty given us necessary for the condition in which we are placed is manifest; yet the mechanical talents and intuition of the insect, the powers that birds and beasts possess, and the superior acuteness of some of their senses, of which, perhaps, we have little conception, makes it evident, that all created things were equally the objects of their Maker's benevolence and care; the worm that creepeth, and the beast that perisheth, deserve our consideration, and claim, from human reason, mercy and compassion.

The tall tangled hedgerow, the fir grove, or the old well-wooded enclosure, constitutes the delight of the magpie (*corvus pica*), as there alone its large and dark nest has any chance of escaping observation. We here annually deprive it of these asylums, and it leaves us; but it does not seem to be a bird that increases much

any where. As it generally lays eight or ten eggs, and is a very wary and cunning creature, avoiding all appearance of danger, it might be supposed, that it would yearly become more numerous. Upon particular occasions we see a few of them collect; but the general spread is diminished, and, as population advances, the few that escape will retire from the haunts and persecutions of man. These birds will occasionally plunder the nests of some few others; and we find in early spring the eggs of our out-laying domestic fowls frequently dropped about, robbed of their contents. That the pie is a party concerned in these thefts we cannot deny, but to the superior audacity of the crow we attribute our principal injury. However the magpie may feed on the eggs of others, it is particularly careful to guard its own nest from similar injuries by covering it with an impenetrable canopy of thorns, and is our only bird that uses such a precaution, securing it from all common depredation, though not from the hand of the bird-nesting boy. When a hatch is effected, the number of young demand a larger quantity of food than is easily obtained, and whole broods of our ducklings, whenever they stray from the yard, are conveyed to the nest. But still the

“magget” is not an unuseful bird, as it frees our pastures of incredible numbers of grubs and slugs, which lodge themselves under the crusts formed by the dung of cattle. These the birds with their strong beaks turn over, and catch the lurking animals beneath, and then break them to search for more; by which means, during winter, they will spread the entire droppings in the fields; and by spring I have had, especially under the hedges, all this labour saved to me by these assiduous animals.

Natural affection, the love of offspring, is particularly manifested in birds; for in general they are timid and weak creatures, flying from apprehended dangers, and endowed with little or no power of defending themselves; but they will menace when injury is threatened to their brood, and incur dangers in order to obtain food for their young, that they will encounter in no other period of their lives.

The common jay (*corvus glandarius*) affords a good example of this temporary departure from general character. This bird is always extremely timid and cautious, when its own interest or safety is solely concerned; but no sooner does its hungry brood clamour for supply, than it loses all this wary character, and becomes

a bold and impudent thief. At this period it will visit our gardens, which it rarely approaches at other times; plunder them of every raspberry, cherry, or bean, that it can obtain; and will not cease from rapine as long as any of the brood or the crop remains. We see all the nestlings approach, and, settling near some meditated scene of plunder, quietly await a summons to commence. A parent bird from some tree surveys the ground, then descends upon the cherry, or into the rows, immediately announces a discovery by a low but particular call, and all the family flock in to the banquet, which having finished by repeated visits, the old birds return to the woods, with all their chattering children, and become the same wild, cautious creatures they were before. Some of our birds separate from their broods, as soon as they are able to provide for themselves; but the jay and its family associate during all the autumn and winter months, taking great delight in each other's company, and only separate to become founders of new establishments. We see them in winter under the shelter of tall hedges, or on the sunny sides of woods and copses, seeking amid the dry leaves for acorns, or the crab to pick out the seeds, or for the worms and grubs

hidden under cowdung; feeding in perfect silence, yet so timid and watchful, that they seldom permit the sportsman to approach them. When disturbed, they take shelter in the depth of the thicket, calling to each other with a harsh and loud voice, that resounds through the covert. The Welsh call this creature "*screch y coed*," the screamer of the wood. The jay is a very heavy, inelegant bird. Its general plumage is sober and plain, though its fine browns harmoniously blend with each other: but the beautiful blue-barred feathers, that form the greater coverts of the wings, distinguish it from every other bird, and, in the days when featherwork was in favour with our fair countrywomen, were in such request, that every gamekeeper, and schoolboy brother with his Christmas gun, persecuted the poor jay through all his retirements, to obtain his wings.

The great shrike, or butcher-bird (*lanius excubitor*), is not uncommon with us, and breeds annually near my dwelling. It is one of our late birds of passage, but its arrival is soon made known to us by its croaking, unmusical voice from the summit of some tree. Its nest is large and ill concealed; and during the season of in-

cubation the male bird is particularly vigilant and uneasy at any approach towards his sitting mate, though often by his clamorous anxiety he betrays it and her to every bird-nesting boy. The female, when the eggs are hatched, unites her vociferations with those of the male, and facilitates the detection of the brood. Both parents are very assiduous in their attentions to their offspring, feeding them long after they have left the nest; for the young appear to be heavy, inactive birds, and little able to capture the winged insects, that constitute their principal food. I could never observe, that this bird destroyed others smaller than itself, or even fed upon flesh. I have hung up dead young birds, and even parts of them, near their nests; but never found, that they were touched by the shrike. Yet it appears, that it must be a butcher too; and that the name "*lanius*," bestowed on it by Gesner two hundred and fifty years ago, was not lightly given. My neighbour's game-keeper kills it as a bird of prey; and tells me, he has known it draw the weak young pheasants through the bars of the breeding coops; and others have assured me, that they have killed them when banqueting on the carcass of some

little bird they had captured. All small birds have an antipathy to the shrike, betray anger, and utter the moan of danger, when it approaches their nests. I have often heard this signal of distress, and, cautiously approaching to learn the cause, have frequently found, that this butcher-bird occasioned it. They will mob, attack, and drive it away, as they do the owl, as if fully acquainted with its plundering propensities. Linneus attached to it the trivial epithet "*excubitor*," a sentinel; a very apposite appellation, as this bird seldom conceals itself in a bush, but sits perched upon some upper spray, or in an open situation, heedful of danger, or watching for its prey.

Many birds are arranged in our British ornithology not known as permanent inhabitants, but which have occasionally visited our shores during inclement seasons, or been driven from their general stations by tempestuous weather. An event like this, the violent gale of All-hallows eve, in 1824, brought to us the stormy petrel (*procellaria pelagica*); a bird that resides far in the depths of the ocean, does not approach our shores, it is believed, except for the purposes of incubation, and we know only one place, the

Isle of Sky, that it haunts even for this short period. It is a creature,

“ that roams on her seawing,
Unfatigued, and ever sleeps,
Calm, upon the toiling deeps.”

It is a pretty good manifestation of the strength and extent of that hurricane, which could catch up a bird with a wing so powerful as to enable it to “ riot in the whirlwind and enjoy the storm,” and bear it away irresistibly, perhaps, from the Atlantic waves, over such a space of land and ocean, and then dash it down on a rather elevated common in this parish, whence it was brought to me in a very perfect state. This little creature, scarcely as big again as a swallow, and the smallest of all our webfooted birds, has, like all the others of its genus, that extraordinary tube on its upper mandible, through which it spirts out an oily matter when irritated ; but the real object of this singular provision seems unknown. Our seamen amuse themselves during the monotony of a voyage with the vagaries of “ mother Cary’s chickens,” as they have from very early times called this bird. The petrels seem to repose in a common breeze, but upon the approach, or during the continuation, of a

gale, they surround a ship, and catch up the small animals which the agitated ocean brings near the surface, or any food that may be dropped from the vessel. Whisking with the celerity of an arrow through the deep valleys of the abyss, and darting away over the foaming crest of some mountain wave, they attend the labouring bark in all her perilous course. When the storm subsides they retire to rest, and are no more seen. The presence of this petrel was thought in times past to predict a storm, and it was consequently looked upon as an unwelcome visitant.

The wryneck (*jynx torquilla*) visits us annually, but in very uncertain numbers, and, from some unknown cause, or local changes, in yearly diminishing quantities. In one short season after its arrival we hear its singular monotonous note at intervals through half the day. This ceases, and we think no more about it, as it continues perfectly mute; not a twit or a chirp escapes, to remind us of its presence during all the remainder of its sojourn with us, except the maternal note or hush of danger, which is a faint, low, protracted hissing, as the female sits clinging by the side or on the stump of a tree. Shy and unusually timid, as if all its life were spent in

the deepest retirement away from man, it remains through the day on some ditch bank, or bask, with seeming enjoyment, in any sunny hour, on the anthills nearest to its retreat; and these it depopulates for food, by means of its long glutinous tongue, which with the insects collects much of the soil of the heaps, as we find a much larger portion of grit in its stomach, than is usually met with in that of other birds. When disturbed it escapes by a flight precipitate and awkward, hides itself from our sight, and, were not its haunts and habits known, we should never conjecture, that this bustling fugitive was our long forgotten spring visitant the wryneck. The winter or spring of 1818 was, from some unknown cause, singularly unfavourable for this bird. It generally arrives before the middle of April; and its vernal note, so unlike that of any of its companions, announces its presence throughout all the mild mornings of this month, and part of the following; but during the spring of that year it was perfectly silent, or absent from us. The season, it is true, was unusually cheerless and ungenial.

Some of our birds are annually diminishing in numbers, others have been entirely destroyed, or no longer visit the shores of Britain. The

increase of our population, enclosure, and clearance of rude and open places, and the drainage of marshy lands, added to the noise of our fire-arms, have driven them away, or rendered their former breeding and feeding stations no longer eligible to many, especially of the waders and aquatic birds. The great Swan-pool, near the city of Lincoln, on which I have seen at one time forty of these majestic creatures sailing in all their dignity, is, I am told, no longer a pool; the extensive marshes of Glastonbury, which have afforded me the finest snipe shooting, are now luxuriant corn farms; and multitudes of other cases of such subversions of harbour for birds are within memory. An ornithological list made no longer ago than the days of Elizabeth would present the names of multitudes now aliens to our shores. The nightingale was common with us here a few years past, the rival songs of many were heard every evening during the season, and in most of our shady lanes we were saluted by the harsh warning note of the parent to its young; but from the assiduity of bird-catchers, or some local change that we are not sensible of, a solitary vocalist or so now only delights our evening walk. The egg of this bird (Plate 4. Fig. 5.) is rather singularly coloured, and

not commonly to be obtained. Our migrating small birds incur from natural causes great loss in their transits; birds of prey, adverse winds, and fatigue, probably reduce their numbers nearly as much as the want and severity of the winter season does of those that remain; and in some summers the paucity of such birds is strikingly manifest. Even the hardy rook is probably not found in such numbers as formerly, its haunts having been destroyed or disturbed by the felling of trees, in consequence of the increased value of timber, and the changes in our manners and ideas. Rooks love to build near the habitation of man: but their delight, the long avenue, to caw as it were in perspective from end to end, is no longer the fashion; and the poor birds have been dispersed to settle on single distant trees, or in the copse, and are captured and persecuted.

“ Old-fashioned halls, dull aunts, and croaking rooks,”

a modern Zephalinda would scarcely find now to anticipate with dread. In many counties very few rookeries remain, where once they were considered as a necessary appendage, and regularly pointed out the abbey, the hall, the court-house, and the grange.

The starling (*sturnus vulgaris*) breeds with us, as in most villages in England. Towards autumn the broods unite, and form large flocks; but those prodigious flights, with which, in some particular years, we are visited, especially in parts of those districts formerly called the “fen counties,” are probably an accumulation from foreign countries. We have seldom more than a pair, or two, which nestle under the tiling of an old house, in the tower of the church, the deserted hole of the woodpecker, or some such inaccessible place. The flights probably migrate to this country alone, as few birds could travel long, and continue such a rapid motion as the starling. The Royston crow, the only migrating bird with which it forms an intimate association, is infinitely too heavy of wing to have journeyed with the stare. The delight of these birds in society is a predominant character; and to feed they will associate with the rook, the pigeon, or the daw; and sometimes, but not cordially, with the fieldfare: but they chiefly roost with their own families, preferring some reedy, marshy situation. These social birds are rarely seen alone, and should any accident separate an individual from the companions of its flight, it will sit disconsolate on an eminence, piping and

plaining, till some one of its congeners join it. Even in small parties they keep continually calling and inviting associates to them, with a fine clear note, that, in particular states of the air, may be heard at a considerable distance. This love of society seems to be innate; for I remember one poor bird, that had escaped from domestication, in which it had entirely lost, or probably never knew, the language or manners of its race, and acquired only the name of its mistress; disliked and avoided by its congeners, it would sit by the hour together, sunning on some tall elm, calling in a most plaintive strain, Nānny, Nānny, but no Nanny came; and our poor solitary either pined itself to death, or was killed, as its note ceased. They vastly delight, in a bright autumnal morning, to sit basking and preening themselves on the summit of a tree, chattering all together in a low songlike note. There is something singularly curious and mysterious in the conduct of these birds previous to their nightly retirement, by the variety and intricacy of the evolutions they execute at that time. They will form themselves perhaps into a triangle, then shoot into a long, pear-shaped figure, expand like a sheet, wheel into a ball,

as Pliny observes, each individual striving to get into the centre, &c., with a promptitude more like parade movements, than the actions of birds. As the breeding season advances, these prodigious flights divide, and finally separate into pairs, and form their summer settlements; but probably the vast body of them leaves the kingdom. Travellers tell us, that starlings abound in Persia and the regions of Caucasus.

No birds, except sparrows, congregate more densely than stares. They seem continually to be running into clusters, if ever so little scattered; and the stopping of one, to peck at a worm, immediately sets all its companions hastening to partake. This habit in the winter season brings on them death, and protracted sufferings, as every village popper notices these flocks, and fires at the poor starlings. Their flesh is bitter and rank, and thus useless when obtained; but the thickness of the flights, the possibility of killing numbers, and manifesting his skill, encourages the trial. The flight of these birds, whether from feeding to roost, or on their return to feed, is so rapid, that none with any impediment can keep company; and in consequence we see many, which have received slight wing or body

wounds, lingering about the pastures long into spring, and pining after companions they cannot associate with.

These birds are very assiduous in their attentions to their young, and in continual progress to collect worms and insects for them. However strong parental affection may be in all creatures, yet the care which birds manifest in providing for their nestlings is more obvious than that of other animals. The young of beasts sleep much; some are hidden in lairs and thickets nearly all the day, others take food only at intervals or stated periods, the parent ruminating, feeding, or reposing too: but birds, the young of which remain in their nests, as most of them do, excepting the gallinaceous and aquatic tribes, have no cessation of labour from early morning to the close of eve, till the brood can provide for themselves. What unceasing toil and perseverance are manifest in the rooks, and what distances do they travel to obtain nourishment for their clamorous brood! It is a very amusing occupation for a short time, to attend to the actions of a pair of swallows, or martins, the family of which have left the nest, and settled upon some naked spray, or low bush in the field, the parents cruising around, and then return with their captures to

their young; the constant supply which they bring, the celerity with which it is given and received, and the activity and evolutions of the elder birds, present a pleasing example of industry and affection. I have observed a pair of starlings for several days in constant progress before me, having young ones in the hole of a neighbouring poplar tree, and they have been probably this way in action from the opening of the morning; thus persisting in this labour of love for twelve or thirteen hours in the day! The space they pass over in their various transits and returns must be very great, and the calculation vague; yet, from some rude observations, it appears probable, that this pair in conjunction do not travel less than fifty miles in the day, visiting and feeding their young about a hundred and forty times, which consisting of five in number, and admitting only one to be fed each time, every bird must receive in this period eight and twenty portions of food or water! This excessive labour seems entailed upon most of the land birds, except the gallinaceous tribes, and some of the marine birds, which toil with infinite perseverance in fishing for their broods; but the very precarious supply of food to be obtained in dry seasons by the terrestrial birds renders theirs

a labour of more unremitting hardship than that experienced by the piscivorous tribes, the food of which is probably little influenced by season, while our poor land birds find theirs to be nearly annihilated in some cases. The gallinaceous birds have nests on the ground; the young leave them as soon as they escape from the shell, are led immediately from the hatch to fitting situations for food and water, and all their wants are most admirably attended to; but the constant journeyings of those parent birds that have nestlings unable to move away, the speed with which they accomplish their trips, the anxiety they manifest, and the long labour in which they so gaily persevere, is most remarkable and pleasing, and a duty consigned but to a few.

The brown starling, or solitary thrush (*turdus solitarius*), is not an uncommon bird with us. It breeds in the holes and hollows of old trees, and, hatching early, forms small flocks in our pastures, which are seen about before the arrival of the winter starling, for which bird, by its manners and habits, it is generally mistaken. It will occasionally, in very dry seasons, enter our gardens for food, which the common staves never do; and this year (1826) I had one caught in a trap, unable to resist the tempting plunder of

a cherry tree, in conjunction with half the thrushes of the neighbourhood. I have seen a few, small, thrushlike birds associate and feed with the missel thrush in our summer pastures, which I suspect to be solitary starlings: but, wild and wary like them, they admit no approach to verify the species; and they appear likewise to follow and mix with this bird, when it visits us in autumn to gather the berries of the yew and the mountain ash. I am not certain where it passes its winter season, but apprehend it mingles in the large flights of the common species. It returns to our pastures however for a short period in the spring, in small parties of six or ten individuals. The common stare, when disturbed, rises and alights again at some distance, most generally on the ground; but the brown starling settles frequently on some low bush, or small tree, before it returns to its food. I know of no description that accords so well with our bird as that in Bewick's supplement, excepting that the legs of those which I have seen are of a red brown colour, the bill black, and the lower mandible margined with white; but age and sex occasion many changes in tints and shades. This species possesses none of those beauties of plumage so

observable in the common starling, and all those fine prismatic tintings that play and wander over the feathers of the latter are wanting in the former. Its whole appearance is like that of a thrush, but it presents even a plainer garb; its browns are more dusky and weather-beaten; and for the beautiful mottled breast of the throstle it has a dirty white, and a dirtier brown. I scarcely know any bird less conspicuous for beauty than the solitary thrush: it seems like a bleached, way-worn traveller even in its youth.

It was a very ancient observation, and modern investigation seems fully to confirm it, that many of the serpent race captured their prey by infatuation or intimidation; and there can be no doubt of the fact, that instinctive terror will subdue the powers of some creatures, rendering them stupified and motionless at the sudden approach of danger. We have two kinds of petty hawks, the sparrow-hawk (*falco nisus*) and the kestrel (*falco tinnunculus*), that seem fully to impress upon their destined prey this species of intimidation. A beautiful male bullfinch, that sat harmlessly pecking the buds from a black-thorn by my side, when overlooking the work of a labourer, suddenly uttered the instinctive moan of danger, but made no attempt to escape

into the bush, seemingly deprived of the power of exertion. On looking round, a sparrow-hawk was observed on motionless wing gliding rapidly along the hedge, and passing me, rushed on its prey with undeviating certainty. There was fully sufficient time from the moment of perception for the bullfinch to escape; but he sat still, waiting the approach of death an unresisting victim. We have frequently observed these birds, when perched on an eminence, insidiously attentive to a flock of finches and yellow-hammers basking in a hedge, and after due consideration apparently single out an individual. Upon its moving for its prey, some wary bird has given the alarm, and most of the little troop scuttle immediately into the hedge; but the hawk holds on its course, and darts upon a selected object. If baffled, it seldom succeeds upon another; and so fixed are its eyes upon this one individual, that, as if unobservant of its own danger, it snatches up its morsel at our very sides. A pigeon on the roof of the dovecot seems selected from its fellows, the hawk rarely snatching at more than one terror-stricken bird. The larger species of hawks appear to employ no powers excepting those of wing, but pursue and capture by celerity and strength.

We converse annually upon early and late seasons; and such things there are. A mild winter, a warm February and March, will influence greatly the growth of vegetation: not that a primrose under that bank, or a violet under the shelter of this hedge, affords us any criterion of earliness; but a general shading of green, an expansion of buds, an incipient unfolding of leaves, gives notice of the spring's advance. The principal blossoming of plants usually takes place at nearly stated periods; but particular mildness in the atmosphere, and additional warmth in the soil, accelerate this season: and of all the evils which threaten the horticulturist, an early spring is most to be deprecated. An April breathing odours, wreathed in verdure and flowers, the willow-wren sporting in the copse, the swallow skimming over the pool, lambs racing in the daisied mead, may be a beautiful sight to contemplate,—

“ fair laughs the morn, and soft the zephyrs blow ;”

but it is like the laugh of irony, the smile that lures to ruin,

“ which, hushed in grim repose, awaits his certain prey.”

Then comes a ruthless May, with Winter in her

train, who, with his frosty edge, unpitying shears away all the expectancies, the beautiful promise of the year; and we have to await returning seasons, and patient hope for better things. A garden pining and prostrate from the effects of a churlish, frosty May, leaves crisp and blackened, flowers withered, torn, and scattered around, are a melancholy sight—the vernal hectic that consumes the fairest offspring of the nursery. There is a plant, however, the white-thorn (*mespilus oxycanthus*), the May of our rustics, common in all places and situations, that affords a good example of general steadiness to time, uninfluenced by partial effects. An observation of above twenty years upon this plant has proved how little it deviates in its blossoming in one season from another; and, under all the importunities and blandishments of the most seductive Aprils, I have in all that period never but twice seen more than a partial blossom by the first of May. We hail our first seen swallow as a harbinger of milder days and summer enjoyments; but the appearance of our birds of passage is not greatly to be depended upon, as I have reason to apprehend from much observation. They will be accelerated or retarded in the time of their departure by the state of the wind in the country

whence they take their flight ; they travel much by night, requiring in many instances the light of the moon to direct them ; and the actual time of their arrival is difficult to ascertain, as they steal into our hedges and copses unperceived. If the weather be bright or warm, their voices are heard ; if gloomy and cold, they will lie secreted till the call of hunger or of love intimates their presence. Though we rarely see these birds in their transits, yet I have at times, on a calm bright evening in November, heard high in the air the redwing and the fieldfare, on progress to a destined settlement, manifested by the signal notes of some leading birds to their scattered followers. These conductors of their flocks are certainly birds acquainted with the country over which they travel, their settlements here being no promiscuous dispersion ; it being obvious, that many pairs of birds return to their ancient haunts, either old ones which had bred there, or their offspring. The butcher-bird successively returns to a hedge in one of my fields, influenced by some advantage it derives from that situation, or from a preference to the spot where hatched ; but we have perhaps no bird more attached to peculiar situations than the gray flycatcher (*mus-cicapa grisola*), one pair, or their descendants,

frequenting year after year the same hole in the wall, or the same branch on the vine or the plum. Being perfectly harmless, and hence never molested, they become

“enamour’d with their ancient haunts,
 ————— and hover round.”

I once knew a pair of these birds bring off two broods in one season from the same nest. This flycatcher delights in eminences. The naked spray of a tree, or projecting stone in a building, or even a tall stick in the very middle of the grass-plot, is sure to attract its attention, as affording an uninterrupted view of its winged prey; and from this it will be in constant activity a whole summer’s day, capturing its food, and returning to swallow it. The digestion of some birds must be remarkably rapid, to enable them to receive such constant replenishments of food. The swift and the swallow are feeding from the earliest light in the morning till the obscurity of evening; the quantities of cherries and raspberries that the blackcap and pettichaps will eat are surprising, as they are unremittingly consuming from morning till night; and this flycatcher seems to require a proportion of food equal to any bird, being in constant progress,

capturing one moment, and resting the next. But fruit and insects are with us only for a short season; and their privations, when these no longer afford a supply, indicate, that they possess the power of abstinence, as well as that of consumption.

We observed this summer two common thrushes frequenting the shrubs on the green in our garden. From the slenderness of their forms, and the freshness of their plumage, we pronounced them to be birds of the preceding summer. There was an association and friendship between them, that called our attention to their actions: one of them seemed ailing, or feeble from some bodily accident; for though it hopped about, yet it appeared unable to obtain sufficiency of food: its companion, an active sprightly bird, would frequently bring it worms, or bruised snails, when they mutually partook of the banquet; and the ailing bird would wait patiently, understand the actions, expect the assistance of the other, and advance from his asylum upon its approach. This procedure was continued for some days, but after a time we missed the fostered bird, which probably died, or by reason of its weakness met with some fatal accident. We have many relations of the natural

affection of animals; and whoever has attended to the actions of the various creatures we are accustomed to domesticate about us can probably add many other instances from their own observation. Actions which are in any way analogous to the above, when they are performed by mankind, arise most commonly from duty, affection, pity, interest, pride; but we are not generally disposed to allow the inferior orders of creation the possession of any of these feelings, except perhaps the last: yet when we have so many instances of attachment existing between creatures similar and dissimilar in their natures, which are obvious to all, and where no interest can possibly arise as a motive; when we mark the varieties of disposition, which they manifest under uniform treatment, their various aptitudes and comprehensions, sensibility or inattention to sounds, &c.; it seems but reasonable to consider them as gifted with latent passions; though being devoid of mind to stimulate or call them into action by any principle of volition or virtue, how excited to performance we know no more than we do the motives of many of their bodily actions! The kindnesses and attentions which the maternal creature manifests in rearing its young, and the assistance occasionally afforded by the

paternal animal, during the same period, appears to be a natural inherent principle universally diffused throughout creation ; but when we see a sick or maimed animal supplied and attended by another, which we suppose gifted with none of the stimuli to exertion that actuate our conduct, we endow them by this denial with motives, with which we ourselves are unacquainted; and at last we can only relate the fact, without defining the cause.

We have no bird, I believe, more generally known, thought of, or mentioned with greater indifference, perhaps contempt, than the common sparrow (*fringilla domestica*), “that sitteth alone on the house-top;” yet it is an animal that nature seems to have endowed with peculiar characteristics, having ordained for it a very marked provision, manifested in its increase and maintenance, notwithstanding the hostile attacks to which it is exposed. A dispensation that exists throughout creation is brought more immediately to our notice by the domestic habits of this bird. The natural tendency that the sparrow has to increase will often enable one pair of birds to bring up fourteen or more young ones in the season. They build in places of perfect security from the plunder of larger birds and vermin.

Their art and ingenuity in commonly attaching their nests beneath that of the rook, high in the elm, a bird, whose habits are perfectly dissimilar, and with which they have no association whatever, making use of their structure only for a defence to which no other bird resorts, manifest their anxiety and contrivance for the safety of their broods. With peculiar perseverance and boldness, they forage and provide for themselves and their offspring; will filch grain from the trough of the pig, or contend for its food with the gigantic turkey; and, if scared away, their fears are those of a moment, as they quickly return to their plunder; and they roost protected from all the injuries of weather. These circumstances tend greatly to increase the race, and in some seasons their numbers in our corn fields towards autumn are prodigious; and did not events counteract the increase of this army of plunderers, the larger portion of our bread corn would be consumed by them. But their reduction is as rapidly accomplished as their increase, their love of association bringing upon them a destruction, which a contrary habit would not tempt. They roost in troops in our ricks, in the ivy on the wall, &c., and are captured by the net: they cluster on the bush, or crowd on the

chaff by the barn-door, and are shot by dozens at a time, or will rush in numbers, one following another into the trap. These and various other engines of destruction so reduce them in the winter season, that the swarms of autumn gradually diminish, till their numbers in spring are in no way remarkable. I have called them plunderers, and they are so; they are benefactors likewise, seeming to be appointed by nature as one of the agents for keeping from undue increase another race of creatures, and by their prolificacy they accomplish it. In spring and the early part of the summer, before the corn becomes ripe, they are insectivorous, and their constantly increasing families require an unceasing supply of food. We see them every minute of the day in continual progress, flying from the nest for a supply, and returning, on rapid wing, with a grub, a caterpillar, or some reptile; and the numbers captured by them in the course of these travels are incredibly numerous, keeping under the increase of these races, and making ample restitution for their plunderings and thefts. When the insect race becomes scarce, the corn and seeds of various kinds are ready; their appetite changes, and they feed on these with undiminished enjoyment.

We have scarcely another bird, the appetite of which is so accommodating in all respects as that of the house sparrow. It is, I believe, the only bird that is a voluntary inhabitant with man, lives in his society, and is his constant attendant, following him wherever he fixes his residence. It becomes immediately an inhabitant of the new farm house, in a lonely place or recent enclosure, or even in an island; will accompany him into the crowded city, and build and feed there in content, unmindful of the noise, the smoke of the furnace, or the steam engine, where even the swallow and the martin, that flock around him in the country, are scared by the tumult, and leave him: but the sparrow, though begrimed with soot, does not forsake him; feeds on his food, rice, potatoes, or almost any other extraneous substance he may find in the street; looks to him for his support, and is maintained almost entirely by the industry and providence of man. It is not known in a solitary and independent state.

Though I remember no bird so peculiarly associated with the human race as this is, yet there are other animals that seem dependent on man for support, or at least that find his means subservient to their comforts, and domesticate

themselves with him. The meadow and the long-tailed mouse occasionally become foragers in our gardens and domains, when a natural supply of food becomes difficult of attainment, yet they are not wholly settlers with us; but the common mouse (*mus domesticus*) resorts entirely to our premises, and seems to exist only on food of our providing. In towns it accommodates its appetite to the variety of sustenance it finds there; and will enjoy the preserve in the pot, the cheese in the rack, or the pie in the pantry. In the country it will ransack the cupboard, live in the barn, or colonize in our ricks. Still, in all these cases, the stores and provision of man are its delight, and its only resource; and it will even quit a residence which is abandoned by its provider. It is true it maintains the same love of liberty as its celebrated ancestor is reported to have done; but the simplicity of manners and taste of the sage, the "hollow tree, the oaten straw," have been abandoned; it has become pleased with household comforts, and a luxurious citizen in its appetite.

The rat (*mus rattus*) too, perhaps, may be united with these companions of mankind. Not knowing it in an independent state, we cannot say what its resources might be, but so sagacious

and powerfully endowed an animal could always provide for its own necessities; yet it prefers our provision to any precarious supply from its own industry. In summer it partially quits our dwellings, the heat and dryness of our buildings becoming irksome to it, and the occasional difficulty of obtaining water, in which it delights, prompts it to resort to hedges and banks for a certain period; but it always returns when our barns are filled, and ready for it.

The house fly (*musca carnaria*) is another creature that appears domesticated with us; in some seasons a very numerous, and always a very dirty inmate. It associates in our windows at times with a similar insect (*stomoxys calcitrans*), that loves to bask on stones and posts, and which is now biting my legs with the most teasing perseverance. But this phlebotomist has not the same attachment to our habitations, is a more solitary insect, and does not unite in those little social parties, that circle for hours in a sober uniformity of flight below the ceilings of our chambers. Wherever man appears, this house fly is generally to be seen too: and instances are known, when islands have been taken possession of very far removed from the mainland, that for a time no flies were visible, yet ere long these

little domestic insects have made their appearance; neither natives of the isle, nor can we reasonably suppose them to have taken flight from a distant shore; but probably the offspring of parents that came with the stores in the vessel of the party.

We may have some few other instances of these apparent dependences of animals on man; yet, if we consider the relative situations of both, we shall find them existing, with very few exceptions, independent of him, and that he is more indebted to them for their services, than they are for his protection and support. Man from the earliest periods began to subject the animal world to his dominion, and avail himself of its properties and powers to improve his own condition. As his wants or propensities occurred, he compelled to his aid such animals as he could subdue, or were adapted to his purposes. The chief objects for which we require the aid of animals are for food, clothing, vigilance, and strength. Though the two former are highly essential to our comforts, they are not indispensable; the vegetable world supplies them in abundance to large portions of the inhabitants of the globe, and the companionable qualities, watchfulness, and swiftness of the dog might be dispensed with. It is

the strength of animals, that makes us sensible of our own weakness. By their power we build our dwellings, effect an intercourse with distant places, obtain much of our food, and the fuel of our hearths: a state of civilization requires, as an indispensable requisite, these things and others, rendering most manifest our obligations to the animal world. Animals were created before man; but some of them were apparently endowed with their useful and valuable properties for his comfort and assistance; for he had the dominion of them consigned to him, and was commissioned to subdue them. Having used their products for food and clothing, conjointly with the fruits and seeds of the vegetable world, and their bodies for the carriage of his burdens, after a long age of abstinence he began to feed on their flesh; and they have continued his faithful and assiduous servants, contented with their destiny, and submissive to his desires. He gives them food and shelter in payment of service, attending them with diligence and care: all this may be for his own emolument and pleasure, yet the well-being of the creature, had it continued wild, would not have required it: most of them live longer, and have more enjoyment, in a wild and unreclaimed state, than when domesticated with him. By art,

and for profit, he has in many instances altered the very nature of the animal, and created ailments, rendering his cares and attentions necessary, which in a state of nature are not required. The lives of many of them, even when subjected to the best of treatment, are consumed with labour and fatigue; and when their unhappy destiny consigns them to the power of poverty and evil passions, what an accumulation of misery and suffering do these wretched creatures undergo! If these arguments have any foundation in truth, it will appear, that animals are not necessarily dependent on man, and generally derive no benefit from their intercourse and association with him; but that, in conformity with original appointment, they aid him to acquire the enjoyments and accomplish the necessities of civilized life. Yet there is one creature, that seems designed by its natural habits to be the servant and dependant of man; and of all that fall under his dominion, not one receives an equal portion of his care, or is more exempt from a life of exhaustion in his service. The dog is fed with him, housed, and caressed; associates with him in his pleasures, is identified with and enjoys them with his master; living with him, he acquires the high bearing and freedom of his lord;

feels he is the companion and the friend; deports himself as a partaker of the importance and superiority, we might almost say of the sorrows and pleasures of the man; is elated with praise, and abased by rebuke; submissive when corrected, and grateful when caressed: his anxiety and tremor when he has lost his master, and with him himself, is pitiable; when deserted by his lord he becomes the most forlorn of animals, a never failing victim to misery, famine, disease, and death. His ardour may excite him at times until overpowered by fatigue; but he is not stimulated by pain or menace to attempts beyond his natural powers: view him in all his progress, his life will be found to be an easy, and frequently an enjoyable one; and though not exempt from the afflictions of age, yet his death, if anticipated, becomes a momentary evil. When in a native state, he is a wretched creature, a common beast of the wild, with no innate magnanimity, no acquired virtues; has no elevation, no character to maintain, but passes his days in contention and want, is base in disposition, meagre in body, a fugitive, and a coward.

The wheatear (*sylvia œnanthe*) frequents annually our open commons and stone-quarries, and breeds there. I have seen it with nesting

materials in its bill, and have had its eggs, though rarely, brought me. This bird visits England early in the spring, and continues with us till nearly the end of September, that is, during the entire breeding season. Yet it is remarkable, notwithstanding its numbers, and the little concealment which its haunts afford, how rarely its nests are found. Its principal place of resort is the South Downs in Sussex; and it appears from the accounts of the most experienced and credible persons of that county, from whom I have my information, that the females are performing their duties of incubation during the month of March; as at that time scarcely any but male birds are visible, of which hundreds are then flying about; while the females with their families appear early in May, and are captured afterward in great numbers; yet the oldest shepherds have seldom seen their nest! When found, it has been concealed beneath a large stone, or some hollow of the rugged chalk hills, containing six pale blue eggs. With us the wheatear stays only to hatch her brood. When this is effected, and the young sufficiently matured, it leaves us entirely, and by the middle of September not a bird is found on their summer stations. They probably retire to the uplands on the sea-coasts, as we hear of them

as late as November in these places, where it is supposed they find some peculiar insect food, required by them in an adult state, and not found, or only sparingly, in their breeding stations, in which the appropriate food of their young is probably more abundant. Thus united on the coasts, they can take their flight, when the wind or other circumstances favour their passage, all of them departing upon the approach of winter.

Partial as I am to the habits and all the concerns of the country, I regret to say, that rural amusements, connected as they commonly are with the creatures about us, are frequently cruel; and that we often most inconsiderately, in our sports, are the cause of misery and suffering to such as nestle around our dwellings, or frequent our fields, which, from some particular cause or motivè, become the object of pursuit. I say nothing of the birds known as game, as perhaps we cannot obtain them by less painful means than we are accustomed to inflict, and the pursuit is frequently conducive to recreation and health; but the sportsman's essaying his skill on the swallow race, that "skim the dimpled pool," or harmless glide along the flowery mead, when, if successful, he consigns whole nests of infant broods to famine and to death, is pitiable

indeed! No injury, no meditated crime, was ever imputed to these birds; they free our dwellings from multitudes of insects; their unsuspecting confidence and familiarity with men merit protection not punishment from him. The sufferings of their broods, when the parents are destroyed, should excite humanity, and demand our forbearance. But the wheatear, in an unfortunate hour, has been called the English ortolan; and is pursued as a delicate morsel, though all its inland haunts, when hatching and feeding its young, the only period in which it frequents our heaths. I execrate the practice as most cruel: their death evinces no skill in the gunner; their wretched bodies, when obtained, are useless, being embittered by the bruises of the shot, and unskilful operations of the picker and dresser. No, let the parental duties cease, and when the bird retires to its maritime downs, if doomed to suffer, the individual dies alone, and no starving broods perish with it. I supplicate from the youthful sportsman his consideration for these most innocent creatures, the summer wheatear and the swallow.

The eggs produced by the wheatear are uniform in colour and similar in shape; but the eggs of birds in general vary much, and are

occasionally very puzzling to identify when detached from their nests, as the colourings and markings differ greatly in the same species, and even nest. Those of one colour, like this wheat-ear's, retain it, with only shades of variation; but when there are blotchings or spots, these are at times very dissimilar, occasioned in great measure probably by the age of the bird; though this cannot account for the difference of those in an individual nest. None vary more than the eggs of the common sparrow. Those of marine birds, especially the guillemot (*colymbus troile*), are often so unlike each other, that it requires considerable practice to arrange them. The plumage of birds has probably never varied, but remains at this hour what it originally was: but whether these markings on the eggs have any connexion with the shadings on the feathers, it is difficult to determine; as we know, that eggs entirely white will produce birds with a variety of plumage. The shell of the egg appears to be designed for the accomplishment of two purposes. One of the offices of this calcareous coating, which consists of carbonate and phosphate of lime, is to unite with the white of the egg, and form, during incubation, the feathers and bone of the future young ones; but as a large portion of this

covering remains after the young are produced, its other object is to guard from injury the parts within. As far as I have observed, in eggs of one hue, the colouring matter resides in the calcareous part; but where there are markings, these are rather extraneous to it than mixed with it. The elegant blue that distinguishes the eggs of the firetail and the hedge sparrow, though corroded away, is not destroyed by the muriatic acid. The blue calcareous coating of the thrush's egg is consumed; but the dark spots, like the markings upon the eggs of the yellowhammer, house sparrow, magpie, &c., still preserve their stations on the film, though loosened and rendered mucilaginous by this rough process. Though this calcareous matter is partly taken up during incubation, the markings upon these eggs remain little injured, even to the last, and are almost as strongly defined as when the eggs are first laid. These circumstances seem to imply, that the colouring matter on the shells of eggs does not contribute to the various hues of the plumage; but, it is reasonable to conclude, are designed to answer some particular object, not obvious to us; for though the marks are so variable, yet the shadings and spottings of one species

never wander so as to become exactly figured like those of another family, but preserve, year after year, a certain characteristic figuring. Few animal substances, in a recent state, contain more hepatic gas than an eggshell, as is manifest from the very offensive smell that proceeds from it when burned. A little of this is caused by the gluten that cements the calcareous matter, but the overpowering fetor comes from the inner membrane that lines the shell.

The kite (*falco milvus*) is one of our rarest birds. We see it occasionally, in its progress to other parts, sailing along sedately on its way; but it never visits us. Our copses present it with no enticing harbourage, and our culture scares it. In former years, I was intimately acquainted with this bird; but its numbers seem greatly on the decline, having been destroyed, or driven away to lonely places, or to the most extensive woodlands. In the breeding season it will at times approach near the outskirts of villages, seeking materials for its nest; but in general it avoids the haunts of man. It is the finest native bird that we possess, and all its deportment partakes of a dignity peculiar to itself, well becoming a denizen of the forest

or the park; for though we see it sometimes in company with the buzzard, it is never to be mistaken for this clumsy bird, which will escape from the limb of some tree, with a confused and hurried flight, indicative of fear; while the kite moves steadily from the summit of the loftiest oak, the scathed crest of the highest poplar, or the most elevated ash,—circles round and round, sedate and calm, and then leaves us. I can confusedly remember a very extraordinary capture of these birds, when I was a boy. Roosting one winter evening on some very lofty elms, a fog came on during the night, which froze early in the morning, and fastened the feet of the poor kites so firmly to the boughs, that some adventurous youths brought down, I think, fifteen of them so secured! Singular as the capture was, the assemblage of so large a number was not less so, it being in general a solitary bird, or associating only in pairs.

The blackcap (*motacilla atracapilla*) is our constant visitor, but very uncertain in its numbers, as it fully participates in all the casualties of our migratory tribes; not by any great diminution probably in its winter residence, but by loss in its transits of autumn or spring. We have years when every little copse resounds

with harmony; at other periods, only a few solitary songsters are to be heard: and the blackcap is the principal performer in the band of our domestic vocalists. In the scale of music it is the third for mellowness, and the third perhaps too for execution and compass. As this melody however continues only during the period of incubation, we hear it but for a short time; for this bird wastes no time in amusements, appearing to be in great haste to accomplish the object of its visit, and to depart. Thus, immediately upon its arrival, we observe it surveying and inspecting places fitting for nidification, and commencing a nest; but so careful and suspicious is it, that several are often abandoned before finished, from some apprehension or caprice: any intrusion is jealously noticed; and during the whole period of sitting and rearing its young, it is timid and restless. I have observed, that both birds will occasionally perform the office of incubation.

It seems to live entirely by choice on fruits; and as soon as the brood can remove, it visits our gardens, feeding with delight and almost insatiable appetite on the currant and the raspberry; and so much is it engaged when at this banquet, that it suffers itself to be looked at, and

forgets for the moment its usual timidity : but its natural shyness never leaves it entirely ; and though it remains in our gardens or orchards as long as any of its favourite fruits continue, it avoids observation as much as possible, and hides itself in the foliage from all familiarity or confidence. This exceeding dislike of man is very extraordinary. Larger or more important birds might have an instinctive fear of violence ; but this creature is too small and insignificant to have ever experienced or to apprehend injuries from him. It may arise from a long residence in wilds and solitary places, seldom visited by human beings, during those eight or nine months when it is absent from us, so that man becomes an unknown creature, and injury is suspected. Our native small birds, that reside all the year with us, and see us often, though they may retire at our near approach, do not exhibit such shyness and avoidance as several of our migrating birds. The gray flycatcher, and the swallow tribe, which seek their food, we conclude, all the year near the dwellings of man, where most abundantly found, manifest familiarity with us rather than dislike, are accustomed to the sight of human beings, and do not fear them ; but whatever may be the cause that influences the pre-

cipitate retreat of certain birds, we note the original mandate, and see that the "fear of us, and the dread of us," are still in operation with many of these little "fowls of the air," that would never receive harm from our hands. The blackcap finishes its feast here with the jargonel pear, when it can meet with it, then leaves us for other fruits and milder climes.

"And the fear of you, and the dread of you, shall be upon every beast of the earth, and upon every fowl of the air, and upon all that moveth upon the earth." This vesture of universal dread, which was to envelope man, though appointed from the beginning of time, has never been removed, but most signally and remarkably attaches to him still. It was ordained to be so; and so it is. In some few instances only does this awe of man subside; in extreme cases of want, for individual preservation, or when protection is required. In such cases, the fear or sensibility of pain, love of life, or a paramount duty becomes the stronger principle, annihilating the weaker; and the dread of man's supremacy is no more. The weakest, the very insect then assails him, and at times becomes the victor. Does any conceivable or visible cause exist from which this awe can proceed? Does "his sublime coun-

tenance contemplative of the heavens," the image that he bears, or his deportment, afford any ascendant influence productive of this impression? In bodily power he is more weak and obnoxious to injury than many that shrink from a contest with him; his natural arms and means of protection are inferior often to those of the beings which he subdues; yet from an undefinable cause he is omnipotent over all. Terror in man most commonly arises from a knowledge of power, apprehension of ills from accident, or fear of the evil inclinations of another. What the fowls of the air, or the beasts of the field, perceive or are impressed with we know not; but none of these causes can exist in a brute mind without intelligence or experience. These are the reflections of a thoughtful hour. The cause, "though a man labour to seek out, yet shall he not find it; and though a man think to know it, yet shall he not be able." But the contemplation is not wholly an unworthy occupation of time. All ages, all people, must have perceived the admitted power and universal dread occasioned by the presence of man, but no reason, no motive, could have been assigned for it; but in these days by revelation we know the cause, have impressed upon our minds the

immutable truth of that Being which ordained, and of that volume which has proclaimed his mandate to us. But man has the power assigned him of calling to his aid a visible object of dread, confided to him from the earliest periods; and he alone of all created beings has the agency of this terror. All the inferior orders have a fear of it, and flee from it, even when its effects could never have been known or experienced, but which appears to be innate and inseparable from all. Man alone has the knowledge, the means of calling heat into action; and though warmth is the delight, and essential to the being of most, yet, rouse it into active operation producing fire, and terror and flight succeed enjoyment and rest: it deters the approach of the most ferocious, and man and his charge abide unharmed when surrounded by the terror he has raised. In addition to the many characters given as a definition of man, we might call him a fire-producing creature.

June 14. I was much pleased this day by detecting the stratagems of a common wren to conceal its nest from observation. It had formed a hollow space in the thatch, on the inside of my cow-shed, in which it had placed its nest by the side of a rafter, and finished it with its usual

neatness; but lest the orifice of its cell should engage attention, it had negligently hung a ragged piece of moss on the straw-work, concealing the entrance, and apparently proceeding from the rafter; and so perfect was the deception, that I should not have noticed it, though tolerably observant of such things, had not the bird betrayed her secret, and darted out. Now from what operative cause did this stratagem proceed? Habit it was not;—it seemed like an after thought;—danger was perceived, and the contrivance which a contemplative being would have provided was resorted to. The limits of instinct we cannot define*: it appeared the reflection of reason. This procedure may be judged, perhaps, a trifling event to notice; but the ways and motives of creatures are so little understood, that any evidence which may assist our research

* I know not any definition of what we term “animal instinct” more comprehensive and accordant with truth than the following, given in the *Elements of Entomology* by Messrs. Kirby and Spence. “Without pretending to give a logical definition of it (instinct), which, while we are ignorant of the essence of reason, is impossible, we may call the instincts of animals those unknown faculties implanted in their constitutions by the Creator, by which, independent of instruction, observation, or experience, and without a knowledge of the end in view, they are impelled to the performance of certain actions tending to the well-being of the individual, and preservation of the species.”

should not be rejected. Call their actions as we may, they have the effect of reason; and loving all the manners and operations of these directed beings, I have noted this, simple as it may be.

At one period of my life, being an early waker and riser, my attention was frequently drawn "to songs of earliest birds;" and I always observed, that these creatures appeared abroad at very different periods as the light advanced. The rook is perhaps the first to salute the opening morn; but this bird seems rather to rest than to sleep. Always vigilant, the least alarm after retirement rouses instantly the whole assemblage, not successively, but collectively. It is appointed to be a ready mover. Its principal food is worms, which feed and crawl upon the humid surface of the ground in the dusk, and retire before the light of day; and, roosting higher than other birds, the first rays of the sun, as they peep from the horizon, become visible to it. The restless, inquisitive robin now is seen too. This is the last bird that retires in the evening, being frequently flitting about when the owl and bat are visible, and awakes so soon in the morning that little rest seems required by it. Its fine, large eyes are fitted to receive all,

even the weakest rays of light that appear. The worm is its food too, and few that move upon the surface escape its notice. The cheerful melody of the wren is the next we hear, as it bustles from its ivied roost; and we note its gratulation to the young-eyed day, when twilight almost hides the little minstrel from our sight. The sparrow roosts in holes, and under the eaves of the rick or shed, where the light does not so soon enter, and hence is rather a tardy mover; but it is always ready for food, and seems to listen to what is going forward. We see it now peeping from its penthouse, inquisitively surveying the land; and, should provision be obtainable, it immediately descends upon it without any scruple, and makes itself a welcome guest with all. It retires early to rest. The blackbird quits its leafy roost in the ivied ash; its “chink, chink,” is heard in the hedge; and, mounting on some neighbouring oak, with mellow, sober voice it gratulates the coming day. “The plain-song cuckoo gray” from some tall tree now tells its tale. The lark is in the air, the “martin twitters from her earth-built shed,” all the choristers are tuning in the grove; and amid such tokens of awakening pleasure it becomes difficult to note priority of voice. These are the matin voices

of the summer season: in winter a cheerless chirp, or a hungry twit, is all we hear; the families of voice are away, or silent; we have little to note, and perhaps as little inclination to observe.

Oct. 9. A brilliant morning! warm, without oppression; exhilarating, without chilling. Imagination cannot surely conceive, or caprice wish for an atmospheric temperature more delightful than what this day affords; having mingled with it just that portion of vital air which briskens up animality, without consuming the sustenance of life; satisfying the body with health, and filling the heart with gratitude. Fine threads of gossamer float lazily along the air, marking by this peculiar feature the autumn of our year. On our commons, and about our thistly hedge-rows, flocks of goldfinches (*fringilla carduelis*), the united produce of the summer months, are sporting and glistening in the sunny beam, scattering all over the turf the down of the thistle, as they pick out the seed for their food. But this beautiful native has only a few short weeks in which to enjoy society and life. Our bird-catchers will soon entrap it; and of those that escape his toils, few will survive to the spring, should our winter prove a severe one. Long as I have noticed this

bird, it has appeared to me, that it never makes any plants generally its food, except those of the syngenesia class, and on these it diets nearly the whole year. In the spring season it picks out the seeds from the fir cones. During the winter months it very frequently visits our gardens, feeding on the seeds of the groundsel (*senecio vulgaris*), which chiefly abounds in cultivated places, and vegetates there throughout the coldest seasons. This, however, is a humble plant; and when covered by the snow, the poor birds are half famished for want. We then see them striving to satisfy their hunger by picking some solitary green head of the plant remaining above the frozen snow, and so tame, that they will suffer a very near approach before they take flight. As the frost continues, our little garden visitors diminish daily, and by spring only a few pairs remain of all the flocks of autumn. Yet it is very remarkable, notwithstanding this natural predilection, how readily this bird conforms to a perfect change in its diet, and in all the habits of its life. Most of our little songsters, when captured as old birds, become in confinement sullen and dispirited; want of exercise, and of particular kinds of food, and their changes, alter the quality of the fluids: they become fattened,

and indisposed to action by repletion; fits and ailments ensue, and they mope and die. But I have known our goldfinch, immediately after its capture, commence feeding on its canary or hemp-seed, food it could never have tasted before, nibble his sugar in the wires like an enjoyment it had been accustomed to, frisk round its cage, and dress its plumage, without manifesting the least apparent regret for the loss of companions or of liberty. Harmless to the labours or the prospects of us lords of the creation as so many of our small birds are, we have none less chargeable with the commission of injury than the goldfinch; yet its blameless, innocent life does not exempt it from harm. Its beauty, its melody, and its early reconciliation to confinement, rendering it a desirable companion, it is captured to cheer us with its manners and its voice, in airs and regions very different from its native thistly downs, and apple-blossom bowers.

The tree creeper (*certhia familiaris*) is as little observed as any common bird we possess. A retired inhabitant of woods and groves, and not in any manner conspicuous for voice or plumage, it passes its days with us creating scarcely any notice or attention. Its small size, and the manner in which it procures its food, both tend

to secrete him from sight. It feeds entirely on small insects, which it seeks between the crevices in the bark of trees, or under the mosses and lichens that invest their limbs. In these pursuits its actions are more like those of a mouse than of a bird, darting like a great moth from tree to tree, uttering a faint trilling sound as it fixes on their boles, running round them in a spiral direction, when with repeated wriggles having gained the summit it darts to another, and commences again; and so intent is it on the object of pursuit, and unsuspecting of harm, that I have seen it swept from the tree with a stick. Mr. Pennant thinks, that it retires into milder regions upon the advance of winter; but many certainly remain with us. In the early part of the spring, when food is comparatively scarce in the woods, it will frequent the mossy trees in our orchards and gardens; but after a very short examination of them is away to its usual retirements, seeking no familiarity with us, notwithstanding the social epithet it has obtained. This little creature is observed in no great numbers; yet its actions and manners seem to be such as would tend to its increase. The female lays eight or nine eggs; it roosts securely in the holes of large trees; and from its manner of feeding, and the

places it inhabits, it can scarcely be destroyed by birds of prey: yet from some counteracting cause our little certhia, instead of increasing, apparently becomes a scarcer bird. The limits that are appointed to the increase of all the inferior orders of creation are very worthy of remark. There may be periods when a great augmentation of individual species takes place; but this circumstance is local, or temporary, and future numbers do not result from it. Some motive for the increase, no doubt, existed; but, the object being accomplished, it ceases, and apparent events, or imperceptible causes, reduce the profusion of the race, so that certain numbers only continue. This little tree-creeper, though always active, seems to possess most animation and restlessness in the autumnal months.

I am neither inclined to seek after, nor desirous of detailing, the little annoyances that these wildings of nature, in their hard struggles for existence, may occasionally produce; being fully persuaded that the petty injuries we sometimes sustain from birds are at others fully compensated by their services. We too often, perhaps, notice the former, while the latter are remote, or not obtrusive. I was this day (Jan. 25.) led to reflect upon the extensive injury that

might be produced by the agency of a very insignificant instrument, in observing the operations of the common bunting (*emberiza miliaris*); a bird that seems to live principally, if not entirely, upon seeds, and has its mandibles constructed in a very peculiar manner, to aid this established appointment of its life. In the winter season it will frequent the stacks in the farm-yard, in company with others, to feed upon any corn that may be found scattered about; but, little inclined to any association with man, it prefers those situations which are most lonely and distant from the village. It could hardly be supposed that this bird, not larger than a lark, is capable of doing serious injury; yet I this morning witnessed a rick of barley, standing in a detached field, entirely stripped of its thatching, which this bunting effected by seizing the end of the straw and deliberately drawing it out, to search for any grain the ear might yet contain; the base of the rick being entirely surrounded by the straw, one end resting on the ground, the other against the mow, as it slid down from the summit, and regularly placed as if by the hand; and so completely was the thatching pulled off, that the immediate removal of the corn became necessary. The sparrow

and other birds burrow into the stack, and pilfer the corn; but the deliberate operation of unroofing the edifice appears to be the habit of this bunting alone.

Old simplicities, tokens of winds and weather, and the plain observances of rural life, are every where waning fast to decay. Some of them may have been fond conceits; but they accorded with the ordinary manners of the common people, and marked times, seasons, and things, with sufficient truth for those who had faith in them. Little as we retain of these obsolete fancies, we have not quite abandoned them all; and there are yet found among our peasants a few, who mark the blooming of the large white lily (*lilium candidum*), and think that the number of its blossoms on a stem will indicate the price of wheat by the bushel for the ensuing year, each blossom equivalent to a shilling. We expect a sunny day too, when the pimpernel (*anagallis arvensis*) fully expands its blossoms; a dubious, or a moist one, when they are closed. In this belief, however, we have the sanction of some antiquity to support us; sir F. Bacon records it; Gerarde notes it as a common opinion entertained by country people above two centuries ago; and I must not withhold my own faith in

its veracity, but say that I believe this pretty little flower to afford more certain indication of dryness or moisture in the air than any of our hygrometers do. But if these be fallible criterions, we will notice another, that seldom deceives us. The approach of a sleety snow-storm, following a deceitful gleam in spring, is always announced to us by the loud untuneful voice of the missel thrush (*turdus viscivorus*), as it takes its stand on some tall tree, like an enchanter calling up the gale. It seems to have no song, no voice, but this harsh predictive note; and it in great measure ceases with the storms of spring. We hear it occasionally in autumn, but its voice is not then prognostic of any change of weather. The missel thrush is a wild and wary bird, keeping generally in open fields and commons, heaths, and unfrequented places, feeding upon worms and insects. In severe weather it approaches our plantations and shrubberies, to feed on the berry of the mistletoe, the ivy, or the scarlet fruit of the holly or the yew; and should the redwing or the fieldfare presume to partake of these with it, we are sure to hear its voice in clattering and contention with the intruders, until it drives them from the place, though it watches and attends, notwithstanding, to its own

safety. In April it begins to prepare its nest. This is large, and so openly placed, as would, if built in the copse, infallibly expose it to the plunder of the magpie and the crow, which at this season prey upon the eggs of every nest they can find. To avoid this evil, it resorts to our gardens and our orchards, seeking protection from man, near whose haunts those rapacious plunderers are careful of approaching; yet they will at times attempt to seize upon its eggs even there, when the thrush attacks them, and drives them away with a hawklike fury; and the noisy warfare of the contending parties occasionally draws our attention to them. The call of the young birds to their parents for food is unusually disagreeable, and reminds us of the croak of a frog. The brood being reared, it becomes again a shy and wild creature, abandons our homesteads, and returns to its solitudes and heaths.

The extraordinary change of character which many creatures exhibit, from timidity to boldness and rage, from stupidity to art and stratagem, for the preservation of a helpless offspring, seems to be an established ordination of Providence, actuating in various degrees most of the races of animated beings; and we have few examples of this influencing principle more obvious

than this of the missel bird, in which a creature addicted to solitude and shyness will abandon its haunts, and associate with those it fears, to preserve its offspring from an enemy more merciless and predaceous still. The love of offspring, one of the strongest impressions given to created beings, and inseparable from their nature, is ordained by the Almighty as the means of preservation under helplessness and want. Dependant, totally dependant as is the creature, for every thing that can contribute to existence and support, upon the great Creator of all things, so are new-born feebleness and blindness dependant upon the parent that produced them; and to the latter is given intensity of love, to overbalance the privations and sufferings required from it. This love, that changes the nature of the timid and gentle to boldness and fury, exposes the parent to injury and death, from which its wiles and cautions do not always secure it: and in man the avarice of possession will at times subdue his merciful and better feelings. Beautifully imbued with celestial justice and humanity as all the ordinations which the Israelites received in the wilderness were, there is nothing more impressive, nothing more accordant with the divinity of our nature, than the particular in-

junctions which were given in respect to showing mercy to the maternal creature cherishing its young, when by reason of its parental regard it might be placed in danger. The eggs, the offspring, were allowed to be taken; but “thou shalt in anywise let the dam go;” “thou shalt not, in one day, kill both an ewe and her young.” “The ardent affection, the tenderness, with which I have filled the parent, is in no way to lead to its injury or destruction:” and this is enforced not by command only, not by the threat of punishment and privation, but by the assurance of temporal reward, by promise of the greatest blessings, that can be found on earth, length of days, and prosperity.

The jack snipe (*scolopax gallinula*) is with us here, as I have always known it, a transitory visitor in the winter only: a solitary, unsocial bird; an anchorite from choice. With the exception of our birds of prey, the manner of whose existing require it, and a few others, all the feathered tribe seem to have a general tendency toward association, either in flocks, family parties, or pairs; but the individuals of this species pass a large portion of their lives retired and alone, two of them being rarely, or perhaps never, found in company, except in the

breeding season. They are supposed to pair and raise their young in the deep marshy tracts or reedy districts of the fen-counties, which afford concealment from every prying eye, and safety from all common injuries. Driven by the frosts of winter from these watery tracts, their summer's covert, they separate, and seek for food in more favoured situations, preferring a little, lonely, open spring, trickling from the side of a hill, tangled with grass and foliage, or some shallow, rushy streamlet in a retired valley. Having fixed on such a place, they seldom abandon it long, or quit it for another; and though roused from it, and fired at repeatedly through the day, neither the noise nor any sense of danger seems to alarm them; and, if we should seek for the little judcock on an ensuing morning, we find it at its spring again. The indifference with which it endures this daily persecution is amazing. It will afford amusement, or vexation, to the young sportsman throughout the whole Christmas vacation; and, from the smallness of its body, will finally often escape from all its diurnal dangers. The rail, and several other birds, confide for safety more in their legs, than their wings, when disturbed; but this snipe makes little use of its feet, and takes to its wings with

such reluctance, from an apparent indolence of disposition, that, could it be seen in the rushes, or tufts of herbage, where it hides, it might be captured by the hand. It leaves us early in the spring. Fond of concealment as this little bird usually is, yet there are times when it is infinitely less so than at others; and, I think, upon the relenting of a frost, or when there is a tendency to a thaw, it shows unusual alacrity, springs from its rushy drain almost as readily as the common snipe, and occasions, for the moment, a doubt of the species. The mandible of this species is of a weak and spongy nature.

The causes that influence this snipe to lead so solitary a life are particularly obscure, as well as those which stimulate some others to congregate, as we comprehend no individual benefit to arise from such habits. Wild fowl, the rook, and some other birds, derive security perhaps from feeding in society, as a sentinel appears to be placed by them at such times to give notice of danger: but our congregating small birds take no such precaution; security or mutual protection does not seem to be obtained by it, as the largeness of the flocks invites danger; and warmth in the winter season it does not afford. For the purposes of migration such associations are in

many respects serviceable and consistent: but in our resident species, considered in its various results, it becomes rather a subject of conjecture, than of explanation. Timid creatures associate commonly upon the apprehension of danger, and, without yielding any mutual support, become only the more obnoxious to evil; and this snipe, though its habits are the very reverse of connexion with its species, yet affords no clew to direct us to the causes of its unusual habits. These associations of some and retirement of others are not the capricious actions of an hour in a few individuals, but so regularly and annually observed in the several species, that they are manifestly appointed provisions of nature, though the object is unknown. This halfsnipe, as our sportsmen call it, has rather generally been considered, by our young shooters, as the male of the larger species, or common snipe (*scolopax gallinago*); yet it is difficult to assign any reason for the prevalence of such an idea with those, who have had many opportunities of observing the dissimilarity in the mode of life, the manners, and plumage of the birds. I know not any bird that lays so large an egg, in proportion to its size, as the snipe.

A few pairs of the peewit (*tringa vanellus*)

visit annually some of our larger ploughed fields to breed; but they are so frequently disturbed by those necessary processes of husbandry, hoeing and weeding, that they seldom succeed in the object of their visit. On our adjoining heath they escape better, and bring off many of their young: but the larger portion of them keep their station on the banks and dikes of the great drains and sewers in the marsh lands; and the traveller, who happens, in the spring of the year, to pass along any of the roads bordering upon these haunts, where many pairs are settled, will long remember the wearying and incessant clamour of these birds, which, rising as he approaches, wheel about him in an awkward, tumbling flight, accompanied by the unremitting, querulous cry of "peewit, peewit," continued by the perseverance of successive pairs, as long as he remains near their habitation; which generally being a flat, aguish, uninteresting country, where little is heard but the whispering of the wind in the reeds and sedges, the teasing monotony of this bird gives a very peculiarly dreary and melancholy character to parts of our lowland roads. In some counties these cold, wet districts go by the name of "peewit, or pewety lands." At this period of the year, the bird is bold and fearless,

and menaces the intruder with all its vociferous powers, when he approaches its haunts; but the broods being fledged, the families unite, form large flocks, and retire to open meadows, unenclosed commons, and downs, feeding on slugs and worms, and become wild and vigilant creatures. It is well known, that the glareous liquor or white of the egg of this bird, upon being boiled, becomes gelatinous and translucent, not a thick opake substance like that of the hen; a circumstance that is likewise observable in the eggs of the rook, and of many of our small birds. The latter are not sufferers by it; but the eggs of the poor rook, though bearing little resemblance to those of this plover, are in some places not uncommonly taken and sold conjointly with them in the London market; and probably the habitual eater of them only can distinguish a sensible difference.

Prognostications and signs, a great amusement, and the groundwork of belief to our forefathers, have, in general, pretty much declined with us; the repeated falsity of most of them having destroyed their reputation. We know so little, if any thing, of the actuating causes of seasons and their change, or the combinations effecting results, that no safe conclusion can be

formed of any present events influencing the future. Whatever our almanacks may do, few persons of credit will venture now to predict, from what we call natural causes, a hot summer, or a severe winter ; yet, that very ancient idea, “ amongst country people, that years of store of haws and heps, do commonly portend cold winters,” still lingers with us. However warmly we assent to the fundamental truth, the merciful consideration of Providence, in providing food for the necessities of the little fowls of the air, which, perhaps, piously gave rise to the observation, almost every year proves, that any conclusions drawn from these “ stores of haws and heps” are perfectly fallacious. The birds that feed chiefly upon the fruit of the white thorn, and the wild rose, are the fieldfare (*turdus pilaris*), and the redwing (*turdus iliacus*); and that they do so, every sportsman has had the most manifest conviction : yet it has been said recently, that these creatures do not eat these fruits ; and said too by an eminent and amiable man, with whom I have frequently had the honour of conversing, and always with profit*. Were he living, his love of science would encourage my

* Substance of a paper read before the Royal Society, Nov. 27, 1824. See Zoological Magazine, vol. i.

observations, though not in unison with his opinion: my breath shall not agitate his ashes, nor will his spirit, I am certain, frown in anger at my lines. It must be premised, that these birds, generally speaking, give the preference to insect food and worms; and when flights of them have taken their station near the banks of large rivers, margined by lowlands, we shall find, that the bulk of them will remain there, and feed in those places; and, in the uplands, we shall observe small restless parties only. But in the midland, and some other counties, the flocks that are resident have not always these meadows to resort to, and they then feed on the haws as long as they remain. In this county, the extensive lowlands of the river Severn in open weather are visited by prodigious flocks of these birds; but as soon as snow falls, or hard weather comes on, they leave these marshy lands, because their insect food is covered, or become scarce, visit the uplands, to feed on the produce of the hedges, and we see them all day long passing over our heads in large flights on some distant progress, in the same manner as our larks, at the commencement of a snowy season, repair to the turnip fields of Somerset and Wiltshire. They remain absent during the conti-

nuance of those causes, which incited their migration ; but, as the frost breaks up, and even before the thaw has actually commenced, we see a large portion of these passengers returning to their worm and insect food in the meadows, attended probably by many that did not take flight with them ; though a great number remain in the upland pastures, feeding promiscuously as they can. In my younger days, a keen, unwearied sportsman, it was always observable, that in hard weather these birds increased prodigiously in number in the counties far distant from the meadow lands, though we knew not the reason ; and we usually against this time provided tempting bushes of haws, preserved in a barn, to place in frequented hedges, near our secret standings. When the fieldfare first arrives, its flesh is dark, thin, and scurfy ; but, having fed a little time in the hedges, its rump and side veins are covered with fat. This is, in part, attributable to suppression of perspiration by the cold, and partly to a nutritive farinaceous food ; its flesh at the time becoming bluish and clean. The upland birds are in this state, from perhaps the end of November till the end of January, according as the hedge fruit has held out ; and, at this period, they are comparatively tame : afterward, though

the flights may be large, they become wild; and the flesh, assuming its darkness, manifests that their food has not been farinaceous. The distant, foreign migrations, which have been stated to take place from the meadows of the Severn, I believe to be only these inland trips; and that the supposed migrators returned to those stations, fat and in good condition, owing to their having fed during their absence on the nutritious berry of the whitethorn. I have several times seen the fruit on our hedges refused by these birds, and this too in no very temperate season; but in all these cases, the summer had been ungenial; the berries had not ripened well, they were nipped by the frosts of October, and hung on the sprays dark in colour, small, and juiceless in substance. The summer of 1825 produced the finest and largest haws I ever remember. They were in general of a bright red hue, and filled with farinaceous pulp; and in consequence, though the season was uncommonly mild and open, long before Christmas little wandering parties of these birds consumed the whole of them.

Perfectly gregarious as the fieldfare is, yet we observe every year, in some tall hedge-row, or little, quiet pasture, two or three of them, that have withdrawn from the main flocks, and there

associate with the blackbird and the thrush. They do not appear to be wounded birds, which from necessity have sought concealment and quiet, but to have retired from inclination; and I have reason to apprehend, that these retreats are occasionally made for the purpose of forming nests, though they are afterwards abandoned without incubation; as I have now before me the egg of a bird, which I believe to be that of a fieldfare, taken from a nest somewhat like that formed by the song thrush, in 1824. Its colour is uniform; a rather pale blue; it is larger than that of the thrush, obtuse at both ends, and unlike any egg produced by our known British birds. These retiring birds linger with us late in the season, after all the main flights are departed, as if reluctant to leave us; but towards the middle or end of April these stragglers unite, form a small company, and take their flight.

We note birds in general more from their voices than their plumage; for the carols of spring may be heard involuntarily, but to observe the form and decoration of these creatures requires an attention not always given. Yet we have some native birds beautifully and conspicuously feathered; the goldfinch, the chaffinch, the wagtails, are all eminently adorned, and the

fine gradations of sober browns in several others are very pleasing. Those sweet sounds, called the song of birds, proceed only from the male; and, with a few exceptions, only during the season of incubation. Hence the comparative quietness of our summer months, when this care is over, except from accidental causes, where a second nest is formed; few of our birds bringing up more than one brood in the season. The redbreast, blackbird, and thrush, in mild winters, may continually be heard, and form exceptions to the general procedure of our British birds: and we have one little bird, the woodlark (*alauda arborea*), that in the early parts of the autumnal months delights us with its harmony, and its carols may be heard in the air commonly during the calm sunny mornings of this season. They have a softness, and quietness, perfectly in unison with the sober, almost melancholy, stillness of the hour. The skylark also sings now, and its song is very sweet, full of harmony, cheerful as the blue sky and gladdening beam in which it circles and sports, and known and admired by all; but the voice of the woodlark is local, not so generally heard, from its softness must almost be listened for, to be distinguished, and has not any pretensions to the hilarity of the former.

This little bird sings likewise in the spring; but, at that season, the contending songsters of the grove, and the variety of sounds proceeding from every thing that has utterance, confuse and almost render inaudible the placid voice of the woodlark. It delights to fix its residence near little groves and copses, or quiet pastures, and is a very unobtrusive bird, not uniting in companies, but associating in its own little family parties only, feeding in the woodlands on seeds and insects. Upon the approach of man, it crouches close to the ground, then suddenly darts away, as if for a distant flight, but settles again almost immediately. This lark will often continue its song, circle in the air, a scarcely visible speck, by the hour together; and the vast distance from which its voice reaches us in a calm day is almost incredible. In the scale of comparison, it stands immediately below the nightingale in melody and plaintiveness; but compass of voice is given to the linnet, a bird of very inferior powers. The strength of the larynx and of the muscles of the throat in birds is infinitely greater than in the human race. The loudest shout of the peasant is but a feeble cry, compared with that of the golden-eyed duck, the wild goose, or even this lark. The sweet song of this poor little bird,

with a fate like that of the nightingale, renders it an object of capture and confinement, which few of them comparatively survive. I have known our country birdcatchers take them by a very simple but effectual method. Watching them to the ground, the wings of a hawk, or of the brown owl, stretched out, are drawn against the current of air by a string, as a paper kite, and made to flutter and librate like a kestrel over the place where the woodlark has lodged; which so intimidates the bird, that it remains crouching and motionless as a stone on the ground; a hand net is brought over it, and it is caught.

From various little scraps of intelligence scattered through the sacred and ancient writings, it appears certain, as it was reasonable to conclude, that the notes now used by birds, and the voices of animals, are the same as uttered by their earliest progenitors. The language of man, without any reference to the confusion accomplished at Babel, has been broken into innumerable dialects, created or compounded as his wants occurred, or his ideas prompted; or obtained by intercourse with others, as mental enlargement, or novelty, necessitated new words to express new sentiments. Could we find a people, from Japan or the Pole, whose progress in mind has been stationary, without

increase of idea, from national prejudice or impossibility of communication with others, we probably should find little or no alteration in the original language of that people; so, by analogy of reasoning, the animal having no idea to prompt, no new want to express, no converse with others, for a note caught and uttered merely is like a boy mocking the cuckoo; so no new language is acquired. With civilized man, every thing is progressive; with animals, where there is no mind, all is stationary. Even the voice of one species of birds, except in particular cases, seems not to be attended to by another species. That peculiar call of the female cuckoo, which assembles so many contending lovers, and all the various amatorial and caressing language of others, excites no influence generally, that I am aware of; with all but the individual species, it is a dialect unknown. I know but one note, which animals make use of, that seems of universal comprehension, and this is the signal of danger. The instant that it is uttered, we hear the whole flock, though composed of various species, repeat a separate moan, and away they all scuttle into the bushes for safety. The reiterated "twink, twink," of the chaffinch, is known by every little bird as information of

some prowling cat or weasel. Some give the maternal hush to their young, and mount to inquire into the jeopardy announced. The wren, that tells of perils from the hedge, soon collects about her all the various inquisitive species within hearing, to survey and ascertain the object, and add their separate fears. The swallow, that shrieking darts in devious flight through the air when a hawk appears, not only calls up all the hirundines of the village, but is instantly understood by every finch and sparrow, and its warning attended to. As nature in all her ordinations had a fixed design and foreknowledge, it may be, that each species had a separate voice assigned it, that each might continue as created, distinct and unmixed; and the very few deviations and admixtures that have taken place, considering the lapse of time, association, and opportunity, united with the prohibition of continuing accidental deviations, are very remarkable, and indicate a cause and original motive. The voices of birds seem applicable in most instances to the immediate necessities of their condition; such as the sexual call, the invitation to unite when dispersed, the moan of danger, the shriek of alarm, the notice of food. But there are other notes, the designs and motives of which

are not so obvious. One sex only is gifted with the power of singing, for the purpose, as Buffon supposed, of cheering his mate during the period of incubation; but this idea, gallant as it is, has such slight foundation in probability, that it needs no confutation: and after all, perhaps, we must conclude, that, listened to, admired, and pleasing as the voices of many birds are, either for their intrinsic melody, or from association, we are uncertain what they express, or the object of their song. The singing of most birds seems entirely a spontaneous effusion, produced by no exertion, or occasioning no lassitude in muscle, or relaxation of the parts of action. In certain seasons and weather, the nightingale sings all day, and most part of the night; and we never observe, that the powers of song are weaker, or that the notes become harsh and untunable, after all these hours of practice. The song thrush, in a mild moist April, will commence his tune early in the morning, pipe unceasingly through the day, yet, at the close of eve, when he retires to rest, there is no obvious decay of his musical powers, or any sensible effort required to continue his harmony to the last. Birds of one species sing in general very like each other, with different degrees of execution. Some counties may produce finer

songsters, but without great variation in the notes. In the thrush, however, it is remarkable, that there seems to be no regular notes, each individual piping a voluntary of his own. Their voices may always be distinguished amid the choristers of the copse, yet some one performer will more particularly engage attention by a peculiar modulation or tune; and should several stations of these birds be visited in the same morning, few or none probably will be found to preserve the same round of notes; whatever is uttered seeming the effusion of the moment. At times a strain will break out perfectly unlike any preceding utterance, and we may wait a long time without noticing any repetition of it. Harsh, strained, and tense, as the notes of this bird are, yet they are pleasing from their variety. The voice of the blackbird is infinitely more mellow, but has much less variety, compass, or execution; and he too commences his carols with the morning light, persevering from hour to hour without effort, or any sensible faltering of voice. The cuckoo wearies us throughout some long May morning with the unceasing monotony of its song; and, though there are others as vociferous, yet it is the only bird I know, that seems to

suffer from the use of the organs of voice. Little exertion as the few notes it makes use of seem to require, yet, by the middle or end of June, it loses its utterance, becomes hoarse, and ceases from any farther essay of it.

But here I must close my notes of birds, lest their actions and their ways, so various and so pleasing, should lure me on to protract

“ My tedious tale through many a page ;”

for I have always been an admirer of these elegant creatures, their notes, their nests, their eggs, and all the economy of their lives; nor have we throughout the orders of creation any beings, that so continually engage our attention as these our feathered companions. Winter takes from us all the gay world of the meads, the sylphs that hover over our flowers, that steal our sweets, that creep, or gently wing their way in glittering splendour around us; and of all the miraculous creatures, that sported their hour in the sunny beam, the winter gnat (*tipula hiemalis*) alone remains to frolic in some rare and partial gleam. The myriads of the pool are dormant, or hidden from our sight; the quadrupeds, few and wary, veil their actions in the glooms of night, and we

see little of them ; but birds are with us always, they give a character to spring, and are identified with it ; they enchant and amuse us all summer long with their sports, animation, hilarity, and glee ; they cluster round us, suppliant in the winter of our year, and, unrepining through cold and want, seek their scanty meal amidst the refuse of the barn, the stalls of the cattle, or at the doors of our house ; or, flitting hungry from one denuded and bare spray to another, excite our pity and regard ; their lives are patterns of gayety, cleanliness, alacrity, and joy.

There are very many subjects and employments of mankind which, if we would obtain a competent knowledge of them, will require an almost undivided attention ; yet, after all our “ rising early and late taking rest,” we shall know too little to be weighed in competition with what is beyond our attainment or comprehension. As in ascending mountainous regions we may reach the summit of one hill with comparative ease, that of a higher with more laborious efforts, and a still higher is attained by a gifted few, beyond which our breath fails us, our natural powers become inadequate ; so a small

number may ascend the Alps of science, but pant, unable to attain the Himmala ranges of their wishes. If proficiency be the object, all the branches of natural history require undivided attention; but amusement, admiration, and intelligence, may be obtained by even superficial observation; and of all these departments perhaps entomology, or the investigation of the insect world, from the variety it embraces, the season, the subjects, and the vigilance necessary to catch every momentary action, requires from its followers a homage more absolute, an attention more devoted, than most others. Amid those few branches of science on which I have sought for blossoms, that of entomology I have least investigated: yet, perhaps it may be said, that such slight notices as the foregoing need not have usurped the time, that the study of this department required. To this truth I cannot but assent, and say with the eminent man, whose "Centuries of Experiments" I have often quoted, that they are indeed more the suggestions of "light than of fruit;" proficiency was beyond my powers; I have sought for amusement, and gratefully record the many peaceful hours, and oblivion of pain, which the perusal of nature's volume gave me, superficial as that perusal was.

On whatever side we turn our attention in this world of wonders by which we are surrounded, we constantly find some subject that calls forth our admiration; and, as far as our very imperfect vision is permitted to penetrate, we observe the same unremitting order and provision for a seemingly mean and worthless purpose, as is bestowed upon a higher and apparently more worthy object. We consider insects as one of the lower orders of creation, but are as perfectly unacquainted, generally speaking, with the objects of their being, though they have for ages crawled and winged their way around us, as the first man Adam was; yet is there a care manifested for the preservation and accommodation of these, which we often designate as contemptible creatures, that is most elaborate and wonderful. The forethought with which many of them have been furnished to deposit their eggs in safety from the contingencies of seasons and hostile incidents, and precisely in the situation most fitting, must call forth the admiration of all who have observed it. Some of these are lodged in summer and autumn deep in the earth, on that part of a plant which in due time is to be raised up, constituting a stalk or blade, bearing with it by gentle steps these eggs,

to be vivified by the summer's air and warmth. Others fix them on some portion of an herb hidden beneath the mud in the pool; and this being elevated by the warmth of spring, conveys them with its growth above the element that protected them, and they hatch, the infants feeding on the substance, that has borne them to the air. In their chrysalis state, a cradle of preparation for a final change, the same wisdom and care are more particularly obvious from their size and frequent occurrence; but to enlarge sufficiently upon the contrivances and manifestations of regard brought to our observance in all the stages of an insect's life, would almost require a detail of the race.

A particularly curious covering for a moth, or butterfly (*phalæna pavonia?*), fell into my hands, which might be well known to a more experienced entomologist, but was new to me. The species I do not know, as it never arrived at perfection. This case was formed of the fine silky substance that wraps up so many of the race. The summit for some cause was less closed than usual; but to obviate any injury to the creature from this circumstance, a conical hood of similar materials was placed over the exposed part of the aurelia, through which it received air in perfect

security. This veil being formed of elastic threads, and opening upon pressure, would constitute no impediment to the escape of the fly when perfected. A (Plate 6. Fig. 1.), the case and its hood; B, the hood detached. More care and forethought than these contrivances manifest we are not acquainted with for any order of beings. I conjecture it would have produced the emperor moth.

June 16. I this day captured in a neighbouring meadow a fine specimen of the four-spotted dragon fly (*libellula quadrimaculata*), and note this for my entomological friends; being the first certain instance I am acquainted with of its being taken in England of late years, for Ray mentions it. Another, I believe, escaped by its shyness. It is a handsome creature, about three inches in breadth between the extremities of its wings. The two dark linear marks on the upper margin of each wing, and tapering downy body, distinguish this dragon fly from any other. I can add nothing regarding its history or manners.

The ghost moth (*hepialus humuli*) is commonly seen here, as I believe it to be in most other places, but is mentioned to point out to any young person unacquainted with this insect its singular habit when on the wing, which at

once distinguishes it from any other moth. The larva which produces this creature is hidden in the ground during the season of winter; the fly being formed in the month of May, and soon rising from the soil, then commences its short career. At this time one or more of them may frequently be observed under some hedge in a mead, or some low place in a damp pasture, only a few feet from the ground, persevering for a length of time together in a very irregular flight, rising, and falling, and balancing about in a space not exceeding a few yards in circumference, an action not observable in any other, and fully indicating this moth. This procedure is not the meaningless vagary of the hour, but a frolicsome dance, the wooing of its mate, which lies concealed in the herbage over which it sports. The two insects are something similar in their general form, but very differently marked. The male exhibitor is known by his four glossy, satiny, white wings, bordered with buff; the lady reposer has her upper wings of a tawny yellow, spotted and banded with deep brown. They are very inert creatures, easily captured, and their existence appears to be of very short duration, as we soon cease to observe them, either in action or at rest. The male probably

becomes the prey of every bird that feeds by night; his colour and his actions rendering him particularly obnoxious to dangers of this nature, and the frequency with which we find his wings scattered about point out the cause of death to most of them. The bat pursues with great avidity all those creatures that fly in the evening; and by its actions it seems to meet with constant employment, and has greater probability of success, than some insectivorous birds that feed by day, as all the myriads which abound at this time are the sole prey of itself and a few nocturnal rambles. From this singular flight in the twilight hour, haunting as it were one particular spot, the fancy of some collector, considering it as a spectrelike action, named it the "ghost moth."

The fern owl, but chiefly, I conjecture, the larger bats, are the creatures that have caused me to experience at times both envy and regret, when I have observed scattered in some woodland path, amidst the fragments of their nightly banquet, the relics of such beautiful insects as the emperor of the woods, the verdigris moth, and twenty other rare insects, to be obtained only after the patience of years, or fortune of the hour; and yet our merciless birds devour

these choice dainties without compunction or regard. This ghost moth discharges her eggs in a very singular manner, and frequently immediately upon capture, not deliberately protruding them, but dismissing them from the oviduct in rapid succession, until it is exhausted, with a slight elastic force, that conveys them clear from the abdomen. They are perfectly dry and unadhesive.

Basking in the glare of an August or a July's sun, in our pastures we see the little elegant blue argus butterfly (*papilio argus*), noted and admired by all, now warmed into active life. A few of our lepidopterous creatures, especially the common white butterflies of our gardens, are contentious animals, and drive away a rival from their haunts. We see them progressively ascending into the air, in ardent unheeding contest; and thus they are observed, captured, and consumed in a moment by some watchful bird: but we have few more jealous and pugnacious than this little argus. When fully animated, it will not suffer any of its tribe to cross its path, or approach the flower on which it sits, with impunity; even the large admiral (*vanessa atalanta*) at these times it will assail and drive away. There is another small butterfly (*papilio*

phlæas), however, as handsome, and perhaps still more quarrelsome, frequenting too the same station and flowers; and a constant warfare exists between them. We shall see these diminutive creatures, whenever they come near each other, dart into action, and continue buffeting one another about till one retires from the contest; when the victor returns in triumph to the station he had left. Should the enemy again advance, the combat is renewed; but should a cloud obscure the sun, or a breeze chill the air, their ardour becomes abated, and contention ceases.

The papilio phlæas enjoys a combat even with its kindred. Two of them are seldom disturbed, when basking on a knot of asters in September, without mutual strife ensuing. Being less affected by cold and moisture than the argus, they remain with us longer, and these contentions are protracted till late in the autumn. The pugnacious disposition of the argus butterfly soon deprives it of much of its beauty; and, unless captured soon after its birth, we find the margins of its wings torn and jagged, the elegant blue plumage rubbed from the wings, and the creature become dark and shabby.

This spring, 1827, fostered into active life an insect unknown in our district, or at least unno-

ticed before by me ; a pretty little blue butterfly, for which I know no common appellation, and so have named it the “ spring azure” (*papilio argiolus*). It appeared quite at the end of April, and in some numbers, but was yet a transient visitor with us, as after the first week in May only a lingering specimen or so was visible. Few wild flowers are then in bloom ; but, leaving all herbaceous plants, it frequented chiefly the holly, the laurel, and the black currant, feeding on the honey secreted by the nectaries in their blossoms. If this butterfly be any where common, it may be mistaken by indifferent observers for the little blue argus of our pastures ; but it appears some months earlier than that insect is accustomed to do ; does not flit from blossom to blossom, and bask upon the disks of the lowly herbs ; and, though a feebler creature on the wing, takes a much higher range in flight, and sports in altitudes which the argus, with all its animation, is very rarely inclined to attempt. When in captivity, the dark margins of the upper wings, the black specks, not eyes, and the pale blue of the reverse, without any other character, render it perfectly distinguishable from the *papilio argus*, *corydon*, or any other butterfly found with us. A small hatch again takes place

about the end of July, and this pretty insect haunts anew our currant bushes; but, enlivened by the warmth of the season, it becomes more wild and wary, and avoids our approach.

The hummingbird hawkmoth (*sphinx stellarum*) visits us annually, and occasionally in some numbers, frisking about all the summer long, and in very fine seasons continues with us as late as the second week in October. The vigilance and animation of this creature are surprising, and seem to equal those of its namesake, that splendid meteoric bird of the tropics, that "winged thought," as some one has called it; though our plain and dusky insect can boast none of its glorious hues. Our little sphinx appears chiefly in the mornings and evenings of the day, rather avoiding the heat of the mid-day sun, possibly roused from its rest by the scent, that "aromatic soul of flowers," which is principally exhaled at these periods; delighting in the jasmine, marvel of Peru, phlox, and such tubular flowers; and it will even insert its long, flexible tube into every petal of the carnation, to extract the honeylike liquor it contains. It will visit our geraniums and greenhouse plants, and, whisking over part of them with contemptuous celerity, select some composite flower that takes

its fancy, and examine every tube with rapidity, hovering over its disk with quivering wings, while its fine hawklike eyes survey all surrounding dangers. The least movement alarms it, and it darts away with the speed of an arrow; yet returns, and with suspicious vigilance continues its employ, feeding always on the wing. Nature seems to have given this creature some essential requisites for its safety; its activity, when on the wing, renders its capture difficult; and when it rests, it is on a wall, the bark of a tree, or some dusky body, that assimilates so nearly to its own colour, as to render it almost invisible, though watched to its settlement; and the larva is seldom found. We sometimes see it enter our rooms, attracted by flowers in the open windows; but it seems to be immediately aware of its danger, disappears in an instant, and is safe from capture. Wild and fearful as this creature is by nature, yet continued gentle treatment will remove much of its timidity, and render it familiar to our presence. Perfectly free from any annoyance as they are when ranging from sweet to sweet on my borders, and accustomed to a close inspection of all their operations, I have frequently touched their wings with my fingers, while hovering over a flower, and dipping their long tubes into the

corolla of a geranium : they would retire a little, confused with such freedoms and interruptions, but, experiencing no harm, they would return, and finish their meal, unmindful of such petty annoyances. I have known this creature, like some other insects, counterfeit death when apprehensive of danger, fall on its back, and appear in all respects devoid of life when in a box ; and, as soon as a fit opportunity arrived, dart away with its usual celerity.

On the blue heads of the pasture scabious (*scabiosa succisa*) we occasionally see, toward the end of the summer, the painted lady butterfly (*papilio cardui*) ; but this is a creature that visits us at very uncertain periods, and is vivified by causes infinitely beyond the comprehension of the entomologist, seeming to require a succession and variety of seasons and their change, and then springing into life we know not how. This was particularly obvious in the summer of 1815, and the two following, which were almost unceasingly cold and rainy ; scarcely a moth or butterfly appeared : and in the early part of 1818, the season was not less ungenial ; a few half-animated creatures alone struggled into being ; yet this “ painted lady ” was fostered into life, and became the commonest butterfly of the

year : it has, however, but very partially visited us since that period. The keenest entomologist, perhaps, would not much lament the absence of this beauty, if such cheerless seasons were always requisite to bring it to perfection. Some years ago a quantity of earth was raised in cutting a canal in this county; and, in the ensuing summer, on the herbage that sprang up from this new soil on the bank, this butterfly was found in abundance, where it had not been observed for many years before.

The marble butterfly (*papilio galathea*) is an equally capricious visitant of our fields. I have known intervals of ten or twelve years when none could be found, and in some following seasons it would be a prevailing species.

The common wasp (*vespa vulgaris*) is infinitely uncertain in its numbers. A mild winter, and a dry spring or summer, we might conclude to be favourable circumstances for the increase of this creature; yet such is not always the case. Years productive of the plum are said to be congenial likewise to the wasp. A local rhyme will have it, that

“ When the plum hangs on the tree,
Then the wasp you're sure to see.”

Amid the tribes of insects so particularly in-

fluenced by seasons, there are a few, which appear little affected by common events; the brown meadow butterfly (*papilio janira*), so well known to every one, I have never missed in any year; and in those damp and cheerless summers, when even the white cabbage butterfly is scarcely to be found, this creature may be seen in every transient gleam, drying its wings, and tripping from flower to flower with animation and life, nearly the sole possessor of the field and its sweets. Dry and exhausting as the summer may be, yet this dusky butterfly is uninjured by it, and we see it in profusion hovering about the sapless foliage. In that arid summer of 1826, the abundance of these creatures, and of the lady-bird (*coccinella septem punctata*), was so obvious, as to be remarked by very indifferent persons.

There is a large yellow underwing moth (*phalæna pronuba*), too, which is generally abundant. It hides itself during the day in the thickest foliage, and screens itself from the light in the moist grass corps of the mead, where it is perpetually disturbed, and roused from its rest, by the sithe of the mower. That elegant little bird, the yellow wagtail, is a great destroyer of this insect. It is very soon apprised of these

movements, and will often attend the steps of the mower, fearless of harm, to watch for its prey. As soon as the moth rises, it is chased; and its exertions and shiftings to escape, and the activity and perseverance of the bird to capture it, are very amusing.

The gamma moth (*phalæna gamma*) is also another creature, that seems in no way affected by moist seasons, which retard the appearance, or apparently destroy so many others of its kind. This creature has imprinted on its dark wings a white character, something like the letter Y, but more like the small Greek gamma, and hence has received a pertinent name. Like Cain, it bears with it, in all its wanderings, a mark, that distinguishes it from others of its race. Its habits also are quite unlike those of other moths, as it feeds principally in the day-time; and we see it late in the summer whisking about with all the activity and action of the hummingbird sphinx. Like the latter, it keeps its wings while feeding in a constant state of vibration; haunts clover fields, and the yellow blossoms of the wild mustard, and the heads of the pasture scabious. It seems little mindful of the common frosts of October, retiring from us with such reluctance, that, should the autumn be fine, we not uncom-

monly find it in some piece of aftergrass, enjoying there the few flowers which linger out the approaches of November.

In the autumn of the year 1827, the larvæ of the goat moth (*phalæna cossus*) abounded beyond any customary proportion, and we could commonly see the traces made by these creatures in the dust. They had apparently fed during the summer in the earth, and were now proceeding in search of a retreat during winter to some old hedge-row tree, apart to repose, and those which approached maturity, to abrade the softer wood, and form their cases, preparatory to changing to a final perfect state in the spring. At times we observed them coursing along our paths with great strength and activity; and when not seen, that peculiar subtile smell, which proceeds from them, and has been thought to resemble that of the goat, was perceptible in all our walks. The object and seat of this odour seem not well understood. Some have conjectured it to proceed from a fluid evacuated from the mouth, and discharged to soften the wood in which they burrow. But it seems inconsistent with any probability, that this creature, which is furnished with such very powerful mandibles, should be gifted with an auxiliary aid to accomplish its

object; while of the many insects that perforate timber, most of them with inferior means, no other possesses an equivalent agent to facilitate its labours; for not one of them, as far as we know, is so supplied. Besides, if such were the purpose, the discharge would be made only when required, and thus this unpleasant odour not always perceptible. The microscope too does not manifest the exudation of any fluid. The larva is furnished with eight curious retractile processes on its under side, in the manner of what entomologists call the "prolegs." These are encircled with little hooks, made use of probably to remove the fragments of the wood, when broken off by the mandibles above, and clear the passages. The strength of these jaws is so great, that they will very soon destroy any common chip box in which the animal may be placed, by abrading the edges, to effect its escape. With us they chiefly inhabit the ash; and we very commonly see at the roots of our aged trees the fragments removed by them in forming their passages. In breaking up the decayed pollards, we not unusually find the grub in all the stages of its growth; but more generally observe them without inhabitants, yet perforated with paths large enough to admit the finger. I suspect,

that these “augerworms” are the primary cause of the decay of the tree; having often observed their perforations, and found them, both large and small, in the solid spur or root of the tree, when the upper portion, having been bored and in a state of decline, is abandoned by them. Those that are full fed appear to form their cases in that part which has lost coherency, while the younger and imperfected creatures mine their way, and obtain nutriment in the solid timber, thus killing the tree by inches; when rain and moisture find lodgement, and complete the dissolution. One year’s preparation is the period usually assigned to the larvæ of most insects, before they arrive at their perfect state; but by the goat moth three years are required, before it attains its winged state from the egg. Consequently, for the larger portion of its life it is occupied in these destructive operations; and thus this creature becomes a very powerful agent in reducing these Titans of the vegetable world, crumbling them away to their original dust: for what was decreed to be the termination and punishment of man is found in active operation throughout the whole chain of nature’s works, which are but dust, and unto dust return, continuing an endless series of pro-

duction and decay, of restoration and of change. All these larvæ which I have observed in the colder portions of our year were hard, stiff, and torpid, but soon became relaxed and animated by the warmth of the hand: thus they probably remain quiet during the winter months, but revive in spring, and recommence their ravage in the tree. The caterpillar of this moth I believe to be the largest of any of those of the British lepidopteraë; and when full fed exceeds in size that of the death's-head sphinx. To those who dislike the appearance of things of this nature, it is particularly disgusting; not only from its magnitude and smell, but from its colour, which is a lurid red, so compounded with a dingy yellow, as to give it a lividness of look, conveying the idea of something raw. Common as the grub is in some years, I have seldom been able to obtain the moth, without the often tedious process of feeding the larva, and waiting for its change.

The designs of supreme intelligence in the creation and preservation of the insect world, and the regulations and appointments whereby their increase or decrease is maintained, and periodical appearance prescribed, are among the most perplexing considerations of natural hi-

story. That insects are kept in reserve for stated seasons of action we know, being commonly made the agents of Providence in his visitations of mankind. The locust, the caterpillar, the palmer worm, the various family of blights, that poison in the spring all the promise of the year, are insects. Mildew, indeed, is a vegetable; but the wireworm destroys the root, a thrips the germe of the wheat, and hunger and famine ensue. Many of the coleopteræ remove nuisances, others again incumbrances, and worms manure the soil; but these are trite and isolated cases in the profusion of the animal world; and, left alone as we are in the desert of mere reason and conjecture, there is no probability that much satisfactory elucidation will be obtained. They are not perhaps important objects of inquiry; but when we see the extraordinary care and attention, that has been bestowed upon this part of creation, our astonishment is excited, and forces into action that inherent desire in our minds to seek into hidden things. In some calm summer's evening ramble, we see the air filled with sportive animated beings; the leaf, the branch, the bark of the tree, every mossy bank, the pool, the ditch, all teeming with animated life, with a profusion, an endless variety of existence; each creature

pursuing its own separate purpose in a settled course of action, admitting of no deviation or substitution, to accomplish or promote some ordained object. Some appear occupied in seeking for the most appropriate stations for their own necessities, and exerting stratagems and wiles to secure the lives of themselves or their offspring against natural or possible injuries, with a forethought equivalent or superior to reason; others in some aim we can little perceive, or, should some flash of light spring up, and give us a momentary glimpse of nature's hidden ways, immediate darkness closes round, and renders our ignorance more manifest. We see a wonderfully fabricated creature struggling from the cradle of its being, just perfected by the elaboration of months or years, and decorated with a vest of glorious splendour; it spreads its wings to the light of heaven, and becomes the next moment, perhaps, with all its marvellous construction, instinct, and splendour, the prey of some wandering bird! and human wisdom and conjecture are humbled to the dust. That these events are ordinations of supreme intelligence, for wise and good purposes, we are convinced; but are blind, beyond thought, as to secondary causes, and admiration, that pure

source of intellectual pleasure, is almost alone permitted to us. If we attempt to proceed beyond this, we are generally lost in the mystery with which the divine Architect has thought fit to surround his works; and perhaps our very aspirations after knowledge increase in us a sense of our ignorance: every deep investigator into the works of nature can scarcely possess other than an humble mind.

That pretty sparkler of our summer evenings, so often made the ploughboy's prize, the only brilliant that glitters in the rustic's hat, the glowworm (*lampyris noctiluca*), is not found in such numbers with us, as in many other places, where these signal tapers glimmer upon every grassy bank; yet, in some seasons, we have a reasonable sprinkling of them. Every body probably knows, that the male glowworm is a winged, erratic animal, yet may not have seen him. He has ever been a scarce creature to me, meeting perhaps with one or two in a year; and, when found, always a subject of admiration. Most creatures have their eyes so placed, as to be enabled to see about them; or, as Hook says of the house fly, to be "circumspect animals;" but this male glowworm has a contrivance, by

which any upward or side vision is prevented. Viewed when at rest, no portion of his eyes is visible, but the head is margined with a horny band, or plate, being a character of one of the genera of the order coleoptera, under which the eyes are situate. This prevents all upward vision; and blinds, or wipers, are so fixed at the sides of his eyes, as greatly to impede the view of all lateral objects. See Plate 6, Fig. 2. The chief end of this creature in his nightly peregrinations is to seek his mate, always beneath him on the earth; and hence this apparatus appears designed to facilitate his search, confining his view entirely to what is before or below him. The first serves to direct his flight, the other presents the object of his pursuit: and as we commonly, and with advantage, place our hand over the brow, to obstruct the rays of light falling from above, which enables us to see clearer an object on the ground, so must the projecting hood of this creature converge the visual rays to a point beneath. This is a very curious provision for the purposes of the insect, if my conception of its design be reasonable. Possibly, the same ideas may have been brought forward by others; but, as I have not seen them, I am not guilty of

any undue appropriation, and no injury can be done to the cause I wish to promote, by detailing again such beautiful and admirable contrivances.

Glowworms emit light only for a short period in the year; and I have but partially observed it after the middle of July. I have collected many of these pretty creatures on a bank before my house, into which they retire during the winter, to shine out again when revived by the summer's warmth; but in this latter season I have frequently missed certain of my little protégés, and have reason to apprehend, that they formed the banquet of a toad, that frequented the same situation.

Observing above, that the glowworm does not emit light after the 14th of July, I mean thereby that clear, steady light, which has rendered this creature so remarkable to all persons; for I have repeatedly noticed, deep in the herbage, a faint evanescent light proceeding from these creatures, even as late as August and September. This was particularly manifested September the 28th, 1826. The evening was warm and dewy, and we observed on the house-bank multitudes of these small evanescent sparks in the grass. The light displayed was very different from that which they exhibit in the warm summer months. In-

stead of the permanent green glow, that illumines all the blades of the surrounding herbage, it was a pale transient spot, visible for a moment or two, and then so speedily hidden, that we were obliged, in order to capture the creature, to employ the light of a candle. The number of them, and their actions, creeping away from our sight, contrary to that half lifeless dullness observed in summer, suggested the idea, that the whole body had availed themselves of this warm, moist evening, to migrate to their winter station. A single spark or so was to be seen some evenings after this, but no such large moving parties were discovered again. If we conclude, that the summer light of the glowworm is displayed as a signal taper, the appearance of this autumnal light can have no such object in view, nor can we rationally assign any use of it to the creature itself, unless, indeed, it serves as a point of union in these supposed migrations, like the leading call in the flight of night-moving birds. The activity and numbers of these insects, in the abovementioned evening, enabled me to observe the frequent presence and disappearance of the light of an individual, which did not seem to be the result of will, but produced by situation. During the time the insect crawled along the

ground, or upon the fine grass, the glow was hidden; but on its mounting any little blade, or sprig of moss, it turned round and presented the luminous caudal spot, which, on its falling or regaining its level, was hidden again.

My labourer this day, July the 18th, in turning over some manure laid open a mass of snake's eggs (*coluber natrix*), fifteen only, and they must have been recently deposited, the manure having very lately been placed where they were found. Plate 6, Fig. 4. They were larger than the eggs of a sparrow, obtuse at each end, of a very pale yellow colour, feeling tough and soft like little bags of some gelatinous substance. The interior part consisted of a glareous matter like that of the hen, enveloping the young snake, imperfect, yet the eyes and form sufficiently defined. Snakes must protrude their eggs singly, but probably all at one time, as they preserve no regular disposition of them, but place them in a promiscuous heap. At the time of protrusion they appear to be surrounded with a clammy substance, which, drying in the air, leaves the mass of eggs united, as if by pasted paper. I have heard of forty eggs being found in these deposits; yet, notwithstanding such provision for multitudes, the snake, generally speaking, is not a

very common animal. The kite, the buzzard, and the raven, which prey on it occasionally, are too seldom found greatly to reduce the race; and its deep retirement in the winter seems to secure it from fatal injuries by the severities of the weather; yet in the warm days of spring, when it awakens from its torpidity and basks upon our sunny banks, the numbers that appear are not proportionate to what might be expected from the number of eggs produced. Few creatures can assail it in its dormitory, yet its paucity proves, that it is not exempt from mortality and loss. The mole may follow it in its retirement, but would hardly attempt to seize so large an animal. The polecat and the weasel too can enter its runs; are sufficiently bold and strong to attempt the conquest; and not improbably in the winter season resort to such food, the poor snake having no power of defending itself, or of avoiding the assault. The common snake of this country is a very harmless, unobtrusive creature; so timid, as to avoid the presence of man whenever he appears, hiding itself as much as possible in bushes and rugged places from his sight. At times a strong fetor proceeds from it; but this appears to be sexual, or made use of as the means of annoying its enemies. It possesses no

power to commit injury, and has apparently no inclination to molest any thing. When a young man, I have repeatedly handled it with impunity; and though often bitten, a temporary swelling, with slight inflammation, was the only result; but in these experiments the viper must not be mistaken for the common snake. Yet this poor creature, under the curse of ignorance and cruelty, never escapes unscathed from power and opportunity. All the snake tribe, innocuous and pernicious, seem to be viewed with horror and aversion by mankind. This horror, from the knowledge of their power of inflicting harm in countries where such kinds are found, is natural, and often preservative of life; but the aversion generally felt, and that shuddering occasionally noticed at the sight of our harmless snake, is like a deeprooted principle. We imbibe in infancy, and long retain in remembrance the impression of injuries from the wiles of the serpent; and the "enmity between it and the seed of the woman" appears still in full operation, and is possibly more extensively and insensibly diffused among mankind than we are aware of. The harmless nature of our snake seems to be fully known to the little birds of the hedge, as they in no way give intimation of its presence by any warning

of avoidance to their young, or that insulting vociferation so observable when any really injurious creature is perceived, but hop and sport about the basking snake without fear or notice.

All the human race seem to have inherited the original anathema against this creature; for though the capricious cruelty of man is very frequently exerted to the injury of many that his power enables him to tyrannize over, yet the serpent appears to be a peculiar object of his enmity, as if it was understood to be an absolute duty to "bruise his head," whenever the opportunity should be afforded.

Of all the active, vigilant creatures that animate our paths, we have none superior to the little, beelike, bombylius (*bombylius medius*); but this creature is to be seen only in the mornings of a few bright days in spring, seeming to delight in the hot, windy gleams of that season, presenting an emblem of that portion of our year, fugitive and violent. It is, I believe, plentiful nowhere. Particularly solicitous of warmth, it seeks the dry, sunny reflection of some sheltered gravel walk, or ditch-bank in a warm lane: and here it darts and whisks about, in seeming continual suspicion of danger; starting away with angry haste, yet returning im-

mediately to the spot it had left; buffeting and contending with every winged fly that approaches, with a jealous, pugnacious fury, that keeps it in constant agitation. This action, its long projecting proboscis, and its pretty, spotted wings, placed at right angles with its body, distinguish our bombylius from every other creature. It appears singularly cautious of settling on the ground: after long hovering over and surveying some open spot, with due deliberation and the utmost gentleness it commits its long, delicate feet to the earth; but on the approach of any winged insect, or on the least alarm, is away again to combat or escape. Associates it has none: the approach even of its own race excites its ire, and, darting at them with the celerity of thought, it drives them from its haunts. When a captive it becomes tame and subdued, and loses all its characteristic bustling and activity, the inspiration of freedom.

The great black ant (*formica fuliginosa*) is commonly found in all our little copses, animating by its numbers those large heaps of vegetable fragments, which it collects and is constantly increasing with unwearied industry and perseverance as a receptacle for its eggs. The game-fowl, the woodpecker, the wryneck,

and all the birds that feed upon the little red ant, and soon depopulate the hillocks which they select, do not seem equally to annoy this larger species. These systematic creatures appear always to travel from and return to their nests in direct lines, from which no trifling obstacle will divert them; and any interruption on this public highway they resent, menacing the intruder with their vengeance. A neighbour related to me an instance of this unyielding disposition, which he witnessed in one of our lanes. Two parties of these black ants were proceeding from different nests upon a foraging expedition, when the separate bodies happened to meet each other. Neither would give way; and a violent contest for the passage ensued. After a time the combat ceased, and all animosity subsided, each party retiring to its nest, carrying with it its dead and maimed companions. This encounter seemed quite accidental, and the disposition to move in a uniform line, which their meeting prevented, the sole cause of their hostility, combat, and mutual injury. The strength of some creatures, especially insects, considering the smallness of their size, is in several instances prodigious. Man, by his reason and power, calls to his aid mechanical means, and other

agents, to effect his objects; but unreasoning beings accomplish their purposes by contrivance and bodily powers. The strength of these black ants is manifested by the quantity and magnitude of the materials, which they collect for their heaps; but the common little red ant (*formica rubea*), a much smaller creature, gives daily proofs of its abilities to remove heavy substances, equal to any that we meet with. One of these little creatures, thirty-six of which only weigh a single grain, I have seen bear away the great black fly as its prize, equal to a grain in weight, with considerable ease; and even the wasp, which exceeds forty times its own weight, will be dragged away by the labour and perseverance of an individual emmet. These little ants are occasionally and profusely deprived of their lives by some unknown visitation. In the year 1826, in particular, and again in the following year, I observed in the month of August a lane strewed with their bodies. They had bred during the summer in an adjoining bank; but some fatality had overwhelmed them when absent from their nests, and nearly annihilated the fraternity, as only a few scattered survivors were to be seen feebly inspecting the bodies of their associates. The task of removal, however, with all their industry,

appeared beyond their powers to accomplish, as on the ensuing day few had been taken away. Had these creatures been destroyed in combat by rival contention, the animosity must have been excessive; but it is more probable, that they met their death by some other infliction.

One year, on the third of March, my labourer being employed in cutting up anthills, or tumps, as we call them, exposed to view multitudes of the yellow species (*formica flava*) in their winter's retirement. They were collected in numbers in little cells and compartments, communicating with others by means of narrow passages. In many of the cells they had deposited their larvæ, which they were surrounding and attending, but not brooding over or covering. Being disturbed by our rude operations, they removed them from our sight to more hidden compartments. The larvæ were small. Some of these anthills contained multitudes of the young of the wood louse (*oniscus armadillo*), inhabiting with perfect familiarity the same compartments as the ants, crawling about with great activity with them, and perfectly domesticated with each other. They were small and white; but the constant vibration of their antennæ, and the alacrity of their motions, manifested a healthy vigour. The

ants were in a somewhat torpid state; but on being removed into a temperate room, they assumed much of their summer's animation. How these creatures are supported during the winter season it is difficult to comprehend, as in no one instance could we perceive any store or provision made for the supply of their wants. The minute size of the larvæ manifested, that they had been recently deposited; and consequently that their parents had not remained during winter in a dormant state, and thus free from the calls of hunger. The preceding month of February, and part of January, had been remarkably severe; the frost had penetrated deep into the earth, and long held it frozen; the ants were in many cases not more than four inches beneath the surface, and must have been enclosed in a mass of frozen soil for a long period; yet they, their young, and the onisci, were perfectly uninjured by it; affording another proof of the fallacy of the commonly received opinion, that cold is universally destructive to insect life. Some creatures may be injured or destroyed by frost; but the larger portion of them nature has provided with constitutions to which it is innocuous, or furnished with instinct to prevent its harming them. These emmets had probably received no sustenance, or

required any, from the time of their retirement in the autumn, a period of full six months; were enclosed during the space of thirty days in a mass of frozen earth, and yet remained perfectly uninjured by this long abstinence and frost.

Water, in a state of rest over decayed and putrescent vegetable matter, is peculiarly favourable for the residence of many of the insect world. The eggs that are lodged there remain undisturbed by the agitation of the element, and the young produced from them, or deposited there by viviparous creatures, remain in quiet, tolerably secure from accidental injuries; but there are natural causes which render these apparent asylums the field of ravenousness and of death. To these places resort many of those voracious insects and other creatures, which prey upon the smaller and helpless; for all created things seem subordinate to some more powerful or irresistible agent, from the hardly visible atom that floats in the pool, to man, who claims and commands the earth as his own. But we have no animal that seems to commit greater destruction in these places than the common newt (*Lacertus aquaticus*). In some of these well stored magazines this reptile will grow to a large size, and become unusually warty, and bloated with

repletion; feeding and fattening upon the unresisting beings that abound in those dark waters, wherein it loves to reside. It will take a worm from the hook of those that angle in ponds; and in some places I have seen the boys in the spring of the year draw it up by their fishing lines, a very extraordinary figure, having a small shell-fish (*tellina cornea*) attached to one or all of its feet; the toes of the newt having been accidentally introduced into the gaping shell, in its progress on the mud at the bottom of the pool, or designedly put in for the purpose of seizure, when the animal inhabitant closed the valves and entrapped the toes. But from whatever cause these shells became fixed, when the animal is drawn up hanging and wriggling with its toes fettered all round, it affords a very unusual and strange appearance.

Water, quiet, still water, affords a place of action to a very amusing little fellow (*gyrinus natator*), which about the month of April, if the weather be tolerably mild, we see gamboling upon the surface of the sheltered pool; and every schoolboy, who has angled for a minnow in the brook, is well acquainted with this merry swimmer in his shining black jacket. Retiring in the autumn, and reposing all the winter in the mud

at the bottom of the pond, it awakens in the spring, rises to the surface, and commences its summer sports. They associate in small parties of ten or a dozen, near the bank, where some little projection forms a bay, or renders the water particularly tranquil; and here they will circle round each other without contention, each in his sphere, and with no apparent object, from morning until night, with great sprightliness and animation; and so lightly do they move on the fluid, as to form only some faint and transient circles on its surface. Very fond of society, we seldom see them alone, or, if parted by accident, they soon rejoin their busy companions. One pool commonly affords space for the amusement of several parties; yet they do not unite, or contend, but perform their cheerful circlings in separate family associations. If we interfere with their merriment, they seem greatly alarmed, disperse, or dive to the bottom, where their fears shortly subside, as we soon again see our little merry friends gamboling as before. This plain, tiny, gliding water-flea, seems a very unlikely creature to arrest our young attentions; but the boy with his angle has not often much to engage his notice, and the social, active parties of this nimble swimmer, presenting themselves at these

periods of vacancy, become insensibly familiar to his sight, and by many of us are not observed in after life without recalling former hours, scenes of perhaps less anxious days; for trifles like these, by reason of some association, are often remembered, when things of greater moment pass off, and leave no trace upon our mind.

July 29. We frequently notice in our evening walks the murmuring passage, and are often stricken by the heedless flight, of the great dorr beetle (*scarabæus stercorarius*), clocks *, as the boys call them. But this evening my attention was called to them in particular, by the constant passing of such a number as to constitute something like a little stream; and I was led to search into the object of their direct flight, as in general

* Multitudes of words are retained in our language derived from very ancient dialects, and possibly the name "clock," as given to this beetle, conveying no meaning to our present comprehensions, is a corruption of some syllable in former use. Its subterranean residence might have been signified by the old word "cloax," a vault, a creature from below. Or, burrowing in filth and ordure, as it does, the epithet "clocca," the offspring of a common shore, or jakes, would not have been insignificant of its origin and habits. Fancy, too, playing with trifles, amuses itself in bandying about even its more general appellative, dorr. In old times a "dorr" was a stupid, blundering fellow; and "to dorr," was to din, or trouble with noise; both meanings applicable to the heedless flight, and loud noise, made in all the transits of this dung beetle.

it is irregular and seemingly inquisitive. I soon found, that they dropped on some recent nuisance : but what powers of perception must these creatures possess, drawn from all distances and directions by the very little feter, which in such a calm evening could be diffused around ! and by what inconceivable means could odours reach this beetle in such a manner, as to rouse so inert an insect into action ! But it is appointed one of the great scavengers of the earth, and marvellously endowed with powers of sensation, and means of effecting this purpose of its being. Exquisitely fabricated as it is to receive impressions, yet probably it is not more highly gifted than any of the other innumerable creatures, that wing their way around us, or creep about our paths, though by this one perceptible faculty, thus “ dimly seen,” it excites our wonder and surprise. “ How wondrous then the whole !”

This creature affords us a good example of that extraordinary artifice, to which some insects have recourse upon the apprehension of danger, the counterfeiting of death. The dorr with a violent and noisy flight proceeds on its way, or circles around with an apparent fearlessness of harm ; yet the instant it is touched, or interrupted in its progress, though in no way injured, it will

immediately fall to the ground, generally prostrate on its back, its limbs extended, stiff, and seemingly devoid of life, and suffering itself to be handled without manifesting any signs of animation. In time, finding no harm ensues, it resumes its former state. If our conjectures be correct, that the object of this stratagem is to preserve its life, it is difficult to comprehend how far it can be successful. Several birds feed on it, as we have observed; and that others do so likewise is evident from their castings. Of these, the owl and the nightjar catch it when on the wing; and the crows, rooks, magpies, &c., seem to have no hesitation in picking it to pieces, as well as all the other beetles, that put on the semblance of death, in whatever state they find them. One or two beasts, it is said, when captured, feign death. With these exceptions, we remember none of the other orders of creation, that have recourse to such an expedient upon any emergency; but with insects it is by no means an uncommon procedure, most probably resorted to by them for a motive we are not fully acquainted with, and which is in all likelihood attended with the success it was designed to effect.

The perfect cleanliness of these creatures is

a very notable circumstance, when we consider, that nearly their whole lives are passed in burrowing in the earth, and removing nuisances; yet such is the admirable polish of their coating and limbs, that we very seldom find any soil adhering to them. The meloe, and some of the scarabæi, upon first emerging from their winter's retreat, are commonly found with earth clinging to them; but the removal of this is one of the first operations of the creature; and all the beetle race, the chief occupation of which is crawling about the soil, and such dirty employs, are notwithstanding remarkable for the glossiness of their covering, and freedom from defilements of any kind. But purity of vesture seems to be a principal precept of nature, and observable throughout creation. Fishes, from the nature of the element in which they reside, can contract but little impurity. Birds are unceasingly attentive to neatness and lustration of their plumage. All the slug race, though covered with slimy matter calculated to collect extraneous things, and reptiles, are perfectly free from soil. The fur and hair of beasts in a state of liberty and health is never filthy, or sullied with dirt. Some birds roll themselves in dust, and occasionally particular beasts cover themselves

with mire; but this is not from any liking or inclination for such things, but to free themselves from annoyances, or to prevent the bites of insects. Whether birds in preening, and beasts in dressing themselves, be directed by any instinctive faculty, we know not; but they evidently derive pleasure from the operation, and thus this feeling of enjoyment, even if the sole motive, becomes to them an essential source of comfort and of health.

It may be noted probably by some, how frequently I recur to the causes and objects of the faculties, manners, and tendencies of animate and inanimate things. This recurrence springs from no cavil at the wisdom, no suspicion of the fitness, of the appointment, nor I trust from any excitement to presumptuous prying into paths which are in the great deep, and not to be searched out; but are humbly indulged from the pleasure, which the contemplation of perfect wisdom, even in a state of ignorance, affords; and if by any consideration we can advance one point nearer to the comprehension of what is hidden, we infinitely increase our satisfaction and delight.

Surrounded as we are by wonders of every kind, and existing only by a miraculous con-

currence of events, admiration seems the natural avocation of our being; nor is it easy to pronounce amidst such a creation what is most wonderful. But few things appear more incomprehensible, than the constant production and reabsorption of matter, impressed upon us even by these very dorrs. An animal falls to the ground and dies; myriads of creatures are now summoned by a call, by an impulse of which we have no perception, to remove it, and prepare it for a new combination; chemical agencies, fermentation and solution, immediately commence their actions to separate the parts, and in a short time, of all this great body, nothing remains but the framework or bones, perhaps a little hair or some wool, and all the rest is departed we know not whither! Worms and insects have done their parts; the earth has received a portion, and the rest, converted into gases, and exhalable matters, has dispersed all over the region, which, received into vegetable circulation, is again separated and changed, becomes modified anew, and nourishes that which is to continue the future generations of life. The petal of the rose; the pulp of the peach; the azure and the gold on the wing of the insect; all the various productions of the animal and vegetable world; the very salts and

compounds of the soil, are but the changes some other matters have undergone, which have circulated through innumerable channels since the first production of all things, and no particle been lost: bearing in mind this assured truth, that all these combinations have not been effected by chance or peculiarity of circumstance, but the predetermination of an Almighty Intelligence, who sees the station, progress, and final destination of an atom, what an infinity of power and intellective spirit does this point out! an omnipotence, the bodied minds of us poor creatures cannot conceive. Truly may we say "who can find out the Almighty to perfection?"

Our extensive cultivation of the potato furnishes us annually with several specimens of that fine animal the death's-head moth (*acherontia atropos*), and in some years I have had as many as eight brought me in the larva or chrysalis state. Their changes are very uncertain. I have had the larva change to a chrysalis in July, and produce the moth in October; but generally the aurelia remains unchanged till the ensuing summer. The larvæ or caterpillars, "strange ungainly beasts," as some of our peasantry call them, excite constant attention when seen, by their extraordinary size and uncommon mien,

with horns and tail, being not unusually five inches in length, and as thick as a finger. This creature was formerly considered as one of our rarest insects, and doubtful if truly indigenous; but for the last twenty years, from the profuse cultivation of the potato, is become not very uncommon in divers places. Many insects are now certainly found in England, which former collectors, indefatigable as they were, did not know that we possessed; while others again have been lost to us moderns. Some probably might be introduced with the numerous exotic plants recently imported, or this particular food may have tended to favour the increase of rarely existent natives; but how such a creature as this could have been brought with any plant is quite beyond comprehension. We may import continental varieties of potatoes, but the death's-head moth we have never observed to have any connexion with the tuber itself, or inclination for it. As certain soils will produce plants by exposure to the sun's rays, or by aid of peculiar manures, when no pre-existent root or germe could rationally be supposed to exist; so will peculiar and long intervening seasons give birth to insects from causes not to be divined. We may perhaps conclude, that some concurrence pro-

duced this sphinx, and then its favourite food, the potato plant, nourished it to the augmentation of its species.

Superstition has been particularly active in suggesting causes of alarm from the insect world; and, where man should have seen only beauty and wisdom, he has often found terror and dismay. The yellow and brown tailed moths, the deathwatch, our snails, as mentioned in p. 328, and many others, have all been the subjects of his fears; but the dread excited in England by the appearance, noises, or increase of insects, are petty apprehensions, when compared with the horror that the presence of this *acherontia* occasions to some of the more fanciful and superstitious natives of northern Europe, maintainers of the wildest conceptions. A letter is now before me from a correspondent in German Poland, where this insect is a common creature, and so abounded in 1824, that my informer collected fifty of them in the potato fields of his village, where they call them the "death's-head phantom," the "wandering death-bird," &c. The markings on its back represent to these fertile imaginations the head of a perfect skeleton, with the limb bones crossed beneath; its cry becomes the voice of anguish, the moan-

ing of a child, the signal of grief; it is regarded not as the creation of a benevolent being, but the device of evil spirits, spirits enemies to man, conceived and fabricated in the dark; and the very shining of its eyes is thought to represent the fiery element whence it is supposed to have proceeded. Flying into their apartments in the evening, it at times extinguishes the light, foretelling war, pestilence, hunger, death, to man and beast. We pity, rather than ridicule, these fears; their consequences being painful anxiety of mind and suffering of body. However, it seems these vain imaginations are flitting away before the light of reason and experience. In Germany, as in England, they were first observed on the jasmine, but now exclusively upon the potato, though they will enter the beehives, to feed on the honey found in them. This insect has been thought to be peculiarly gifted in having a voice, and squeaking like a mouse, when handled or disturbed; but in truth no insect, that we know of, has the requisite organs to produce a genuine voice. They emit sounds by other means, probably all external. The grasshopper and the cricket raise effect their well-known and often wearisome chirpings by grating their spiny thighs against their rigid wings; and

this *acherontia atropos* appears to produce the noise it at times makes, which reminds us of the spring call of the rail or corncrake, by scratching its mandible, or the instrument that it perforates with, against its horny chest. The object of this noise is apparently a mere sexual call. Heavy and unwieldy creatures, they travel badly, and from the same cause fly badly and with labour; and as they commonly hide themselves deep in the foliage and obscurity, without some such signal of their presence a meeting of the parties would seldom be accomplished.

Another of the ravenous creatures that infest our pools is the great water-beetle (*ditiscus marginalis*); and perhaps it is the most ferocious of any of them, being adapted by every provision for a life of rapine, endued with great muscular power, armed with a thick and horny case over its body, and having its eyes large to observe all the creatures about it, and powerful mandibles to seize and reduce them to fragments. It riots the polyphemus of the pool; and having thinned its herd in one place, is supplied with wings to effect a removal to a fold better furnished. It even eats the young of the frog; and its bite is so powerful, as to be painfully felt by the hand, that holds it a captive, though de-

fended by a glove. In the larva state it is almost equally destructive; it swims admirably, its hinder legs are long and brawny, beside being aided by a fringe of hairs, so that they are powerful oars to propel its body with celerity and ease. Nor must we omit a peculiarity attending the constitution of this beetle, which marks it as a creature especially endowed for the station in which it is placed. Multitudes of insects exist in the larva state for a certain space of time in water, and, having accomplished a given period in this state perfecting their forms, they take wing, and become aërial creatures, after which a return to the element whence they sprang would be death to them. But this beetle, when it has passed from the larva state and obtained its wings, still lives in that water which nourished it to this stage of perfection, without any inconvenience, as long as it suits its inclination; when weary of this place, or its food becoming scarce, it wings its way to another pool, into which it immediately plunges, and recommences its life of rapine. Having deposited its eggs in autumn, we suppose it to die in the winter; yet many may survive this season, and, arising from the mud in the spring, be undistinguished from the recently perfected larvæ. Such

little notices and indications of the habits of these obscure creatures, though certainly unimportant, are not perhaps wholly unprofitable; for we so darkly see our way, and proceed so slowly in acquiring intelligence of the paths of nature, that nothing should be considered as beneath regard, that we meet with in them, and every advancing step must elevate the mind, as it affords us additional knowledge of the solicitude and provision of the great Architect of creation in the appointment and endowment of his creatures; since, though we are very rarely able to comprehend even the object of existence, we see sufficient to convince us, that such care and such powers were not bestowed except for some wise and good purpose. It seems hardly possible, that mankind can ever obtain any thing approaching to the comprehension of the motives of Providence, because they have not, as far as is apparent to us, individual and separate bearings, but are connecting and in concordance with a series of influences, and consequently the whole should be seen, fitly to understand a part; and this mighty mechanism what human mind can embrace? Heaven metes out to man by degrees something of its laws and ordinances; but no life, no period, can exhaust that store of hidden wis-

dom, by which these mandates have been decreed; every little transitory view that we obtain should be received with gratitude as an advance in knowledge, a progress in the wisdom of Him, who hath ordained all things in truth.

The eye of the naturalist, prying about in places where those of indifferent persons are rarely fixed, sees many things, that others do not notice, or observe without interest, from forming no connexion with any previous subject of pursuit. Few perhaps would stay to inspect the clay hairworm (*gordius argillaceus*), yet it is a very curious creature. We find it at the bottoms of drains and ditches, chiefly in the spring of the year. Its colour is a pale yellow; and it appears like some long vegetable fibre, or root, coiled up and twisted together. (Plate 7. Fig. 2.) The whole body of the animal consists of numerous annulations, or rings, by means of which it has the power of contracting its substance, as it has likewise of extending it, until it becomes nearly a foot in length, and smooth as a wire. The extreme points are transparent and tapering, formed of apparently harder materials than the body. The designation of most of our small land and water creatures, in the economy of creation, is very obscure; and owing to the places

they frequent, and the secrecy of their actions, amidst mud and vegetation, we have little opportunity of becoming acquainted with their habits. This hairworm, however, is rather less mysterious in its movements than some others; and there is cause to suppose, that its chief occupation is that of forming perforations and openings in clayey soils, admitting by this means water to pervade the mass, and open it; the finer roots of vegetables then find entrance, and part it yet more, or decay in it, and meliorate and fertilize the substance.

Wonderful as all the appointments and endowments of insects are, there is no part of their economy more extraordinary than the infinite variety of forms and materials to which they have recourse in the fabrication of their nests; and, as far as we can comprehend, their expediency for the various purposes required. Among those, with which I am acquainted, none pleases me more than that of a solitary wasp (*vespa campanaria*), which occasionally visits us here. It is not a common insect; but I have met with their nests. One was fixed beneath a piece of oak bark, placed in a pile; another was pendent in the hollow of a bank of earth. The materials, which composed these abodes, seemed to be

particles scraped or torn from the dry parts of the willow, sallow, or some such soft wood, and cemented again by animal glue, very similar in texture to that provided by the common wasp, which makes great use of the half decayed wood of the ash, and will penetrate through crevices in the bark to abrade away the dry wood beneath. They seem to have but small families, ten or twelve cells only being provided. These are situate at the bottom of an eggshaped cup, contracted at the lower end, where an orifice is left for the entrance. This again is covered, in the part where the cells are placed, by a loose hood, or shed, extending about half way down the inner one. The pendent situation of the whole, and this external hood, round which the air has a free circulation, are admirably contrived for securing the cells from injury by water. The nest, when hanging in its proper situation, is like the commencement of some paper-work flower, and can never be observed but with admiration at the elegance of its structure; and the unusual appearance of the whole must excite the attention of the most incurious observer of such things. See Plate 7. Fig. 1.

Every day events manifest to very superficial observation, that no created being, from the

monster of the ocean, “that makes the deep boil like a pot of ointment,” to the insect, that feebly creeps on the ground, exists free from the persecutions or annoyance of another. Some may be subject to fewer injuries than others, but none are wholly exempt: the strong assail by power, and become assaulted themselves by the minute or weak. This year (1826) the hornet (*vespa crabro*) abounded with us in unusual numbers, and afforded constant evidence of its power and voracity, that could not have been exceeded by any ravenous beast. In our gardens the imperious murmur of four or five of them at a time might be frequently heard about our fruit trees. They would occasionally extract the sweet liquor from the gage, or other rich plums; but the prime object of their visit was to seize the wasps, that frequented the same places. This they not only did when the creature was feeding on the fruit, but would hawk after them when on the wing; capture them with a facility, to which their heavy flight seemed unequal; bear them to some neighbouring plant, and there feed on the insect, which seemed perfectly overpowered by the might of the hornet. The first operation was to snip off the head, then to cut away the lower part by the waist; and, when

near, we could hear them shearing away the outer coat from the body, and crushing it with their strong mandibles; sometimes devouring it, but generally only sucking the juices it contained. Their avidity for this sort of food is very manifest, when the grape ripens on the wall: being commonly the only remaining fruit, the wasp abounds there; the hornets flock to the prey, and we may see them in constant progress, bearing their victims from the bunches. The wasp itself seizes the house fly; but this seems rather the display of wanton power than for food, as it bears the fly about with it for a length of time, and drops it unconsumed. The fly, in its turn, is conducive after its manner to the death of many an animal. We know not any insect that destroys the hornet; but its power and being are terminated by some very effective agent, as in particular years it is almost unknown*. Though we may not often perceive the means,

* The hornet is a very pugnacious animal. They will fight desperately with each other at times, when they meet in pursuit of prey, biting each other's body, and trying to get their mandibles under the head of their opponents, to snip it off. I one day confined under a glass two of these creatures, which had been fighting. One had evidently the mastery; but both had been so injured in the contest, that they soon died; and it is most probable, that they fall victims to each other's voracity, in the cold, damp season, that usually terminates the autumn of our year.

by which certain races are reduced in number, more than their multiplication effected, yet we are frequently sensible, that it is accomplished.

I do not recollect any creature less obnoxious to harm than the common snail (*helix aspersa*) of our gardens. A sad persevering depredator and mangler it is; and when we catch it at its banquet on our walls, it can expect no reprieve from our hands. But our captures are partial and temporary; and, secured in its strong shell, it seems safe from external dangers; yet its time comes, and one weak bird destroys it in great numbers. In the winter season, the common song thrush feeds sparingly upon the berries of the whitethorn, and the hedge fruits, but passes a great portion of its time at the bottoms of ditches, seeking for the smaller species of snails (*helix hortensis*, and *h. nemoralis*), which it draws out from the old stumps of the fence with unwearied perseverance, dashing their shells to pieces on a stone; and we frequently see it escaping from the hedge bank with its prize, which no little intimidation induces it to relinquish. The larger kind at this season are beyond its power readily to obtain; for, as the cold weather advances, they congre-

gate in clusters behind some old tree, or against a sheltered wall, fixing the openings of their shells against each other, or on the substance beneath, and adhering so firmly in a mass, that the thrush cannot by any means draw them wholly, or singly, from their asylum. In the warmer portion of the year they rest separate, and adhere but slightly; and should the summer be a dry one, the bird makes ample amends for the disappointment in winter, intrudes its bill under the margin of the opening, detaches them from their hold, and destroys them in great numbers. In the summers of 1825 and 1826, both hot and dry ones, necessity rendered the thrush unusually assiduous in its pursuits; and every large stone in the lane, or under the old hedge, was strewed with the fragments of its banquet. This has more than once reminded me of the fable of the "Four Bulls;" united invincible, when separated an easy prey: but, with the exception of this season, and this bird, I know no casualty to which the garden snail is exposed.

Ignorant as we are of the scope, limitation, and even existence, of certain faculties in animals, we can frequently do little more than conjecture the means, whereby they perform many of the

functions of life. This ignorance leads us naturally at times to refer these powers to the agency of senses like our own; but, in most instances, probably without any foundation in truth. No creature seems less qualified to commit the depredations which it does, than the garden snail. We grieve to see our fruit mangled and disfigured by these creatures, but cannot readily comprehend by what means they obtain the knowledge, that its maturity is approaching; though we find, that they must be endued with some faculty capable of accomplishing the purpose; for no sooner does a plum, a fig, a nectarine, or other fruit, begin to ripen on the wall, and long before any sensible odour can be diffused from it, even before an experienced eye can detect the approach to maturity, than those creatures, the slug and the snail, will advance from their asylums, though remotely situate, and proceed by very direct paths to the object. This cannot probably be by the guidance of any known faculty. Eyesight was once considered to be situate on the summit of their horns; but this is now known to be erroneous, and we do not know, that they have any vision. The acoustic organ of worms and insects is unknown; and it is not by any means ascertained, that these crea-

tures ever hear*. If they possess the faculty of smelling, in them it must be a very exquisite sense, beyond any delicacy we can comprehend. Thus, excluding human means of comprehension, which appear inadequate, we more reasonably conclude them to be endowed with intelligences for effecting intentions, of which we have no perception, and which we have no capacity for defying. The contemplative man finds pleasure in viewing the ways and artifices of creatures to accomplish a purpose, though he knows not the directing means; and it fortifies the convictions of the believer, by giving him fresh evidences of the universal superintendence of his Maker, that even the slug and the snail, which are arranged so low in the scale of creation, are yet, equally with all, the object of his benevolence and care.

Connected with this subject of snails, a circumstance that took place in this neighbourhood is brought to my remembrance, which discovered yet latent in a few of us, notwithstanding our boasted enlightenment, some leaven of the superstition of darker ages; and that any occurrence, not the event of every coming day, may be made a subject of wonder by the ignorant,

* That bees are attracted by the hiving-pan is generally considered as fallacious, and the practice useless.

and a means for the artful to deceive the credulous. A little, banded snail (*helix virgata*), is a very common species on most of our arid, maritime pastures, and the sheep-downs of many inland places. It happened, from some unknown cause, that those inhabiting a dry field in an adjoining parish were in one season, a few years ago, greatly increased, so as to become an object of notice to a few, then to more, till at length this accumulation was noised about as a supernatural event. The field was visited by hundreds daily from neighbouring villages and distant towns. People who could not attend purchased the snails at a half-penny each; and there were persons who made five shillings a day by the sale of them. As this increase of the creature was not certainly to be accounted for, some had the impudence to assert, that they had witnessed their fall from the clouds; and many declared their belief, that some great public or private misfortune was indicated by it. The proprietor of the field, being supposed not to maintain the same sentiments as the commonalty upon a political circumstance, which at that moment greatly agitated the country, it was considered as a manifestation of heavenly displeasure, precursive of malady, misfortune, death. However, autumn

came, these snails retired to their holes in the banks, and the worthy man lived on,—and long may he live, esteemed and respected by all, unscathed by snails or misfortunes.

Little obnoxious to injury as this garden snail appears to be, there is another creature, and that a very important one in the operations of nature, that is surrounded by dangers, harassed, pursued unceasingly, and becomes the prey of all: the common earthworm (*lumbricus terrestris*). This animal, destined to be the natural manurer of the soil, and the ready indicator of an improved staple, consumes on the surface of the ground, where they soon would be injurious, the softer parts of decayed vegetable matters, and conveys into the soil the more woody fibres, where they moulder, and become reduced to a simple nutriment, fitting for living vegetation. The parts consumed by them are soon returned to the surface, whence, dissolved by frosts, and scattered by rains, they circulate again in the plants of the soil,

“ Death still producing life.”

Thus eminently serviceable as the worm is, it yet becomes the prey of various orders of the animal creation, and perhaps is a solitary example of an individual race being subjected to

universal destruction. The very emmet seizes it when disabled, and bears it away as its prize : it constitutes throughout the year the food of many birds ; fishes devour it greedily ; the hedgehog eats it ; the mole pursues it unceasingly in the pastures, along the moist bottoms of ditches, and burrows after it through the banks of hedges, to which it retires in dry seasons : secured as the worm appears to be by its residence in the earth from the capture of creatures inhabiting a different element, yet many aquatic animals seem well acquainted with it, and prey on it as a natural food, whenever it falls in their way ; frogs eat it ; and even the great water beetle (*ditiscus marginalis*) I have known to seize it when the bait of the angler, and it has been drawn up by the hook. Yet notwithstanding this prodigious destruction of the animal, its increase is fully commensurate to its consumption, as if ordained the appointed food of all ; and Reaumur computes, though from what data it is difficult to conjecture, that the number of worms lodged in the bosom of the earth exceeds that of the grains of all kinds of corn collected by man.

Worms, generally speaking, are tender creatures, and water remaining over their haunts for a few days drowns them ; they easily become

frozen, when a mortification commences at some part, which gradually consumes the whole substance, and we find them on the surface a mucilaginous mass; and their retiring deeper in the soil is no bad indication of approaching cold weather; but no sooner is the frost out of the earth, than they approach the surface, to feed on decayed vegetable matter. Greatly beneficial as these creatures are, by drawing leaves and decayed matters into the earth, where their dissolution is accomplished, yet they are sad tormentors to us gardeners, and occasion the loss of more young plants than even the slug, by drawing in the leaf, which throws out the root; so that in the morning we find our nursling inverted. It is the same propensity, or ordination, for removing decayed matters, that influences them in these actions; as they are the faded leaves that are seized by them, such as newly removed plants present before the root draws nutriment from the earth. Even stones of some magnitude are at times drawn over their holes. The horticulturist perhaps encounters more mortification and disappointment than any other labourer upon the earth from insects, elementary severity, the slug, and the worm; yet, if the depredations of this last creature do at times excite

a little of our irascibility, we must still remember the nightly labours, and extensive services, that are performed for the agriculturist by this scavenger of the earth, and manurer of the soil.

Besides, worms are essentially useful in draining our lands from superfluous moisture, which in many cases, without their agency, would be detained upon or near the surface of the earth, chilling and deteriorating our pastures. A few inches of soil, resting upon a substratum of clay, would commonly, without some natural or artificial drainage, be soaked with water after heavy rains, and thus become a bog, or produce coarse water herbage rather than good grasses; but these worms greatly facilitate the passage of the water by draining horizontally along the bed of clay, and aid the emission of the water by this means, as I have often observed in the trenches, which we cut in our retentive soils, numerous worm-casts on their sides a few days after they have been made, being the exits of the horizontal runs, and through these the water drains into the trenches, and runs off. I do not assert, that water would not in any case be discharged without the agency of worms; but, that the passages which they make expedite it, which, in situations where the operation would be sub-

jected to delay from the position of the ground, or the under stratum, is of infinite advantage. Thus the soil is not only rendered firm, allowing the admission of cattle, but the good herbage, which the long residence of water would vitiate or destroy, is saved from injury, and the aquatic and useless plants starved or checked in their growth; but after great gluts of rain, when the supply of water is greater than can be speedily carried off, it becomes stagnant, and those worms, which cannot burrow beyond its influence, soon perish, and we lose the benefit of these very beneficial creatures. Drainage is therefore one of the most important operations in our agricultural concerns. As by irrigation we turn a quantity of nutritive water over our lands, or by reason of its higher temperature foster the growth of grasses; so by draining cold and superfluous moisture off we promote the growth of valuable vegetation. I would advocate the cause of all creatures, had I the privilege of knowing the excellency of them; not willingly assigning vague and fanciful claims to excite wonder, or manifest a base pride by any vaunt of superior observation; but when we see, blind as we are, that all things are formed in justice, mercy, truth, I would tell my tale as a man, glory as a Chris-

tian, and bless the gracious power, that permitted me to obtain this knowledge.

Residing, as I constantly do, in the country, and having been long observant of rural things, and the operations of Infinite Wisdom, through the very feeble organs with which I have been endowed, I have often thought, that we, who are daily made sensible of so many manifestations of creative power and mercy, should be more seriously disposed, more grateful for the beneficences of Providence, than those who live in societies removed from these evidences; but yet I neither know nor believe, that we in any respect give greater proof of this disposition, or are more sensible of the benevolence of an overruling power, than others. The manufacturer by the combination of artful contrivances effects his purposes, and by aid of man's wisdom brings his work to perfection; the artisan may eat his bread with all thankfulness and humility of heart, solace his labours and mitigate his fatigue by the grateful flavour and juices of fruits purchased at the stall; but he sees nothing of the machinery, the gradual elaborations of nature, nor can he be conversant with the multiplicity of influences and events, which are requisite to bring them to his hand. He who lives in the country knows,

that an omnipotent impulse must be constantly in action; he may till his land, and scatter his corn, but the early and latter rain must soften his furrows; the snow, as wool, must cover the soil; the hoarfrost, like ashes, lighten his glebe; the sunshine animate the sprouting shoot; and winds evaporate noxious moisture; insects and blights, that hover around, or circulate through the air, must be guided away, or our labours become abortive, or are consumed: we see the bud, the blossom, leaf, and germ, all progressively advance, to afford plenty or yield us enjoyment; we see these things accomplished by the influencing interpositions of a beneficent Providence, and in no way effected by the machinery or artifices of our own hands; and it should operate more powerfully, in disposing those who witness them to particular resignation and gratitude, than others who cannot behold them, but view the ingenuity of man as the agent and means of his prosperity; yet how it happens, that this principle is not in more active operation within us, I cannot perceive.

Every age has been the dupe of empiricism; and the greater its darkness, the more impudent appear to have been the pretensions of knavery. We may even now, perhaps, swallow a few

matters, the arcana of the needy or the daring, in the various compositions of powders, draughts, and pills, which are not quite agreeable to our palates or our stomachs; but our forefathers had more to encounter, as they had more faith to support them, when they were subjected, for the cure of their maladies, to such medicines as *album græcum*, or the white bony excrement of dogs, bleached on the bank, for their heartburns and acidities; the powder produced from burnt mice, as a dentifrice; millepedes, or woodlice, for nephritic and other complaints; and the ashes of earthworms, administered in nervous and epileptic cases.

Our apple trees here are greatly injured, and some annually destroyed, by the agency of what seems to be a very feeble insect. We call it, from habit, or from some unassigned cause, the “American blight” (*aphis lanata*); this noxious creature being known in some orchards by the more significant name of “white blight.” In the spring of the year a slight hoariness is observed upon the branches of certain species of our orchard fruit. As the season advances this hoariness increases, it becomes cottony, and toward the middle or the end of summer the undersides of some of the branches are invested with

a thick, downy substance, so long, as at times to be sensibly agitated by the air. Upon examining this substance we find, that it conceals a multitude of small, wingless creatures, which are busily employed in preying upon the limb of the tree beneath. This they are well enabled to do, by means of a beak terminating in a fine bristle (Plate 6. Fig. 3 C.); this being insinuated through the bark, and the sappy part of the wood, enables the creature to extract, as with a syringe, the sweet, vital liquor that circulates in the plant. This terminating bristle is not observed in every individual: in those that possess it, it is of different lengths, and is usually, when not in use, so closely concealed under the breast of the animal as to be invisible. In the younger insects it is often manifested by protruding like a fine termination to the anus; but as their bodies become lengthened the bristle is not in this way observable. The alburnum, or sap wood, being thus wounded, rises up in excrescences and nodes all over the branch, and deforms it; the limb, deprived of its nutriment, grows sickly; the leaves turn yellow, and the part perishes. Branch after branch is thus assailed, until they all become leafless, and the tree dies.

Aphides in general attack the young and

softer parts of plants; but this insect seems easily to wound the harder bark of the apple, and by no means makes choice of the most tender parts of the branch. They give a preference to certain sorts, but not always the most rich fruits; as cider apples, and wildings, are greatly infested by them, and from some unknown cause other varieties seem to be exempted from their depredations. The Wheeler's russet, and Crofton pippin, I have never observed to be injured by them. This insect is viviparous, or produces its young alive, forming a cradle for them by discharging from the extremities of its body a quantity of long, cottony matter, which, becoming interwoven and entangled, prevents the young from falling to the earth, and completely envelops the parent and offspring. In this cottony substance we observe, as soon as the creature becomes animated in the spring, and as long as it remains in vigour, many round pellucid bodies, which, at the first sight, look like eggs, only that they are larger than we might suppose to be ejected by the animal. They consist of a sweet, glutinous fluid, and are probably the discharges of the aphis, and the first food of its young. That it is thus consumed, I conjecture from its diminu-

tion, and its by no means increasing so fast as faecal matter would do, from such perpetually feeding creatures. I have not, in any instance, observed the young to proceed from these globular bodies, though they are found of various ages at all times during the season. This lanuginous vestiture seems to serve likewise as a vehicle for dispersing the animal; for though most of our species of aphids are furnished with wings, I have never seen any individual of this American blight so provided, but the winds wafting about small tufts of this downy matter, convey the creature with it from tree to tree throughout the whole orchard. In the autumn, when this substance is generally long, the winds and rains of the season effectually disperse these insects, and we observe them endeavouring to secrete themselves in the crannies of any neighbouring substance. Should the savoy cabbage be near the trees whence they have been dislodged, the cavities of the under sides of its leaves are commonly favourite asylums for them. Multitudes perish by these rough removals, but numbers yet remain; and we may find them in the nodes and crevices, on the under sides of the branches, at any period of the year, the long, cottony vesture being removed, but

still they are enveloped in a fine, short, downy clothing, to be seen by a magnifier, proceeding apparently from every suture, or pore of their bodies, and protecting them in their dormant state from the moisture and frosts of our climate. This aphid, in a natural state, usually awakens and commences its labours very early in the month of March; and the hoariness on its body may be observed increasing daily: but if an infected branch be cut in the winter, and kept in water in a warm room, these aphides will awaken speedily, spin their cottony vests, and feed, and discharge, as accustomed to do in a genial season.

It is often very difficult to ascertain the first appearance of many creatures not natives of our climate, though, from the progress of science, and more general observation, many things will be recorded. The first visit of the death's-head moth is very obscure; an extraordinary snail (*testacellus halotideus*)* is now spreading by transplantation in many places, and may here-

* This creature was first observed, I am told, about the year 1819, in the nursery garden of Messrs. Miller and Sweet, near Bristol, introduced, as is supposed, on some imported plant. It increases readily in our climate. The white moss rose (*rosa muscosa*, var. *alba*): this beautiful variety was first produced about the year 1808, in the garden of Gabriel Goldney, Esq., at Clifton, near Bristol; a branch of the common red moss rose, becoming dis-

after occasion inquiry. The first visit of this aphid to us is by no means clear. The epithet of American blight may be correctly applied; but we have no sufficient authority to conclude, that we derived this pest from that country. Normandy and the Netherlands, too, have each been supposed to have conferred this evil upon us; but extensively as this insect is spread around, and favourable as our climate appears to be to its increase, it bids fair to destroy in progression most of our oldest and long esteemed fruit from our orchards. The same unknown decree, which regulates the increase and decrease of all created beings, influences this insect; yet wet seasons, upon the whole, seem genial to its constitution. In the hot dry summer of 1825, it was abundant every where; in the spring of 1826, which was unusually fine and dry, it abounded in such incredible luxuriance, that many trees seemed at a short distance as if they had been whitewashed; in the ensuing summer, which was a very dry and hot one, this cottony matter so entirely disappeared, that to superficial observation the ma-

ceded, produced its flowers white. A neighbouring nurseryman, being employed by that gentleman's gardener to lay down the branch, from cuttings propagated the variety, and shortly after dispersed many plants.

lady was not in existence ; and it did not become manifest again until September, when, after the rains of that season, it reissued in fine, cottony patches from the old nodes in the trees. Many remedies have been proposed for removing this evil, efficacious perhaps in some cases upon a small scale ; but when the injury has existed for some time, and extended its influence over the parts of a large tree, I apprehend it will take its course, and the tree die. Upon young plants, and in places where a brush can be applied, any substance that can be used in a liquid state, to harden into a coat, insoluble by rain, will assuredly confine the ravages of the creature, and smother it. Hard rubbing with a dry brush crushes many, but there are crevices into which the bristle cannot enter : thus some escape, and the propagation continues. I have very successfully removed this blight from young trees, and from recently attacked places in those more advanced, by an easy application. Melt about three ounces of resin in an earthen pipkin, take it from the fire, and pour into it three ounces of fish oil ; the ingredients perfectly unite, and, when cold, acquire the consistence of honey. A slight degree of heat will liquefy it, and in this state paint over every node or infected part in your tree, using a com-

mon painter's brush. This I prefer doing in spring, or as soon as the hoariness appears. The substance soon sufficiently hardens, and forms a varnish, which prevents any escape, and stifles the individuals. After this first dressing, should any cottony matter appear round the margin of the varnish, a second application to these parts will, I think, be found to effect a perfect cure.

Seasons arrive and pass away, the general features alone remaining impressed upon our minds; but they often produce consequences not commonly expected, and a departed summer or winter has frequently been the cause of some event, which we consider as exclusively occasioned by atmospheric changes, or present temperature. A warm dry summer generally occasions a healthy spring blossom the ensuing year, the bearing wood being ripened and matured to produce in its most perfect state. A wet, damp one usually effects the reverse, by occasioning an abundant flow of sap, producing wood and foliage rather than blossom; and the following spring, in such cases, from the floral vigour being diverted, has generally its blossom weak, and, though perhaps not defective, incompetent to mature the germen. This is mere reasoning upon general consequences; but so imperfect

are our theories, and so many circumstances counteract the calculations, the predictions of human wisdom, which can rarely even “discern the face of the sky,” that results must more often be looked for, than known. The recording of events is the province of the naturalist; and perhaps occasionally by comparing existing circumstances with past events, something approximating to probability may be obtained. The two burning summers of 1825 and 1826 are remembered by all; but it was in the succeeding year only, that the result of this heat and drought was manifested to us, by effects upon our pasture lands, which we did not expect. Not only in those on the limestone substratum, but in many that were sandy, and in the clayey which were chapped by the heat, the roots of the grasses, which we have generally considered as not being subject to such injuries, were destroyed in some cases, and greatly injured in others; and in their places frequently sprang up crowfeet (*ranunculus acris*, and *bulbosus*), and dandelions, a mere useless vegetation, which, as long as the grasses flourished, were kept in subordination and obscurity by their superior growth; while bare patches in other places told us of aridity and

failure: the meadow grass (*poa*) and ray grass (*lolium perenne*) were great sufferers; the dog's tail (*cynosurus*) supported itself better; the cock-foot (*dactylis*), though not killed, was so much hurt, that its ensuing vegetation, instead of the coarse luxuriance it generally manifests, was dry, hard, and deficient in succulency, or, as our labourers emphatically say, was "stunned;" and bent grass (*agrostis vulgaris*), that certain indicator of a dry soil, appeared more than it commonly does. But this destruction of the roots in very many places was not obvious, the turf, as it was, remaining; yet some injury was apparent in the succeeding summer and autumn. The crop cut for hay was unusually abundant, and seemed to have exhausted the roots by its growth, as no aftergrass sprang up; nor did the pastures, which were fed, afford more than a dry, hard, yellow provender, looking tanned, as if seared by severe frost; and in September, when in general we expect our fields to yield an abundance of grass, as food for months, they presented commonly the aspect of hard-fed lands in March, though so much rain had fallen, both in July and August, as to lead us to expect profusion. It did not appear, that the roots had actually perished;

which could not have been the case, by producing the mowing crops that they did; but this was a single effort: the injury was manifested by the deficiency of the autumnal vigour; this was the actual result, difficult as it is to assign a satisfactory reason. Perhaps these effects upon our pasture lands were unprecedented: but these things pass away, unless recorded; and though we may resort to the oldest memory for evidence, yet memory is oblivious, often exaggerative, and cannot safely be trusted.

In the years 1825 and 1826, the foliage of our hedges in the spring months was unusually mangled by the caterpillars of different moths; but in 1827 these creatures had increased so much, that the entire leaves of the sloe, and the white thorn, were consumed by them; the hedges, when consisting of these shrubs alone, presenting for miles the appearance of winter sprays, covered with a cottony web. The other hedge plants were little injured. The larvæ of several species of small creatures were concerned in this annihilation of verdure; but the little ermine moths (*phalæna evonymella*, and *p. padella*) were the chief performers in this denuding process. In July the perfected moths swarmed about the scene of their birth in vast numbers; yet such

was the retrieving power of nature, that by the middle of August only a small portion of the injury occasioned by these creatures was to be observed, the summer shoot bursting out, and covering the sprays with the verdure of spring. The chief singularity in all this was the appearance of the sloe bush, all the foliage being consumed by insects, or crisped away by severe winds, leaving the sprays profusely covered with the small young fruit, perfectly uninjured, and proceeding in its growth; so that, by the time the foliage was renewed in August, it had obtained its usual size. This was the case too with the crab, and some of the orchard fruits, presenting the unusual sight of fruit growing alone on the boughs without leaves; so that in fact the offices of inspiration, transpiration, and all their consequences, usually accomplished by the leaves of plants, must have been suspended, or performed by other organs, as no deficiency of vegetative powers was apparent.

But insects alone were not the cause of all the denudation and unsightly appearance which our orchards and other trees so remarkably presented this year; for the destruction of the foliage was accomplished in part by some malignant influences, not well understood. Like the Egyptian

king, we are accustomed to attribute all our evils of this nature to the “blasting of the *east* wind;” yet we find all aspects and places obnoxious to it: one situation may be exempted for a period of many years from such visitations, when others suffer; on a sudden a partial or a local stream of hot, cold, salt, or what we denominate a pestilential wind, sweeps along, and it is destroyed.

Surrounded by and situate in the midst of an agricultural district, we are eager and persevering “leasers” here; and it becomes in a certain degree profitable to our poor, though they cannot hope, like the dutiful Ruth, to gather their three pecks and over in the day. It may be difficult to comprehend, how the picking up a head of corn here, and another there, should be a remunerative employ; but in this case, like all other slow operations, a distant result, rather than an instant effect, must be looked for. I have found some little difficulty in obtaining intelligence sufficient to acquire a knowledge of the gain by this employ. The poor are often jealous and suspicious of the motives, when any attempts are made to procure information regarding their profits or improvements; and indeed the advantages of one year are uncertain in another. Catching, doubtful seasons, when the farmer

collects in haste, and is unmindful of trifles, afford the best harvest to the gleaner. In fine, settled weather, the operation of reaping is conducted with more deliberation, and less corn is scattered about. When a woman with two or three active children lease in concert, it becomes a beneficial employ. I have heard of a family in the parish thus engaged, who have in one season obtained eight bushels of clear wheat; but this was excess. I know a single woman also, who has gleaned in the same period four bushels and a half; but this again was under very favourable and partial circumstances. In general a good leaser is satisfied, if she can obtain, single handed, a clear three bushels in the season, which gives her about a bushel in the week; and, if taken at seven shillings, is a very reasonable, and far from being any great accession of profit; less perhaps than is generally supposed to be the emolument of the gleaner; and this may have been acquired by the active labour of eight or nine hours. Yet such is the ardour for this occupation, the enjoyment of this full association with their neighbours, the prattle, the gossip, the glee, the excitement it occasions, that I am sure the allowance of fourteen pence a day, certain and constant, would hardly be ac-

cepted by my leasing neighbours in place of it. Indeed I would not offer it, believing, that this gleaning season is looked forward to with anxiety and satisfaction; and is a season too, in which the children of the family can contribute to its support without pain or undue exertion; and viewing with much approbation and pleasure this long established custom as a relaxation from domestic confinement, when every cottage is locked up, and abandoned by its inmates, to pursue this innocent, healthful, laudable employ, where every grain that is collected is saved from waste, and converted to the benefit of a needy and laborious community. From the result of the pauper leasing, no bad criterion may be obtained of the general product of the season; for, as the collection is made from many stations, and variety of culture, these samples of all afford a reasonable average of the quality. It has been thought, but I trust and believe, only in the apprehension of evil, that leasing is injurious to the morals of the poor, affording them an opportunity and initiating them in petty pilfering: but, if the disposition existed, it could be practicable but in very few instances; mutual jealousy would prevent individual success, and immediate detection would follow the filching of numbers.

The commencement of many ceremonies and solemnities are lost by perversion, or in the obscurity of years; the stream of habit may trickle on from age to age, till it flows in time a steady current, yet the original source remain unknown; but this custom of gleaning the remnant of the field we know existed from the earliest periods, three thousand years and upwards for certain; for, if it were not then first instituted, it was secured and regulated by an especial ordinance of the Almighty to the Israelites in the wilderness, as a privilege to be fully enjoyed by the poor of the land, whenever their triumphant armies should enter into possession of Canaan. By this law, the leasing of three products was granted to the destitute inhabitants of the soil, the olive, the grape vine, and corn: the olive tree was to be beaten but once; the scattered grape in the vintage was not to be gathered; and in the field where the corn grew, "clean riddance" was not to be made, the corners were to be left unreaped, and even the forgotten sheaf was not to be fetched away by the owner, but to be left for the "poor and the stranger, the fatherless and the widow." This was not simply declared once, as an act of mercy, but enjoined and confirmed by ordinances thrice re-

peated, and impressed with particular solemnity: "I am the Lord thy God," I have given thee all, and I command unreserved obedience to this my appointment.

Revolving in our minds, as we old-mannered people often do, the forms, rites, and usages of earlier days, we occasionally regret, that fashions by gradual neglect have passed away, and can never be revived to give that feeling of pleasure, which a natural growth seemed to have inspired. Some, though probably of pagan origin, were innocent and harmless practices ; the may-pole, with all its flowery wreaths, so often surrounded by the dance and the song, is now but seldom seen, where we have known it, especially in the lacemaking counties, the evening and almost sole recreation, after long hours of unhealthy occupation, for happy groups of

" Those pale maids who weave their threads with bone ;"

and it gave these poor villagers a transient glow of health, seen then alone ; but it is gone with the rest, and we grieve to think how little remains, that poverty and innocence can partake of. Others were of monkish introduction, yet seemed to keep in remembrance the revolutions of seasons and events, which, though recorded

elsewhere, had become the types of written things. Yet one of them in the irritation of the moment I have at times wished, selfishly enough perhaps, consigned to oblivion with monks and monkish deeds. "Christmassing," as we call it, the decorating our churches, houses, and market meats with evergreens, is yet retained among us; and we growers of such things annually contribute more than we wish for the demand of the towns. Sprays and sprigs may be connived at, but this year I lost most of my beautiful young holly trees, the cherished nurselings of my hedgerows. The holly, though indigenous with us, is a very slow growing tree, and certainly the most ornamental of our native foresters. Its fine foliage shining in vigour and health, mingling with its brilliant coral beads, gives us the cheering aspect of a summer's verdure, when all besides is desolation and decay. It is not only grateful to the eye, but gives us pleasure, when we contemplate the food it will afford our poor hedgefaring birds, when all but its berries and those of the ivy are consumed; and we are careful to preserve these gay youths of promise, when we trim our fences: but no sooner do they become young trees, in splendid beauty, than the merciless hatchet, in some December's night,

lops off their heads, leaving a naked unsightly stake to point out our loss; and we grieve and are vexed, for they never acquire again comparative beauty. These young heads, that we have been robbed of, are in especial request to form a bush, dependent from the centre of the kitchen or the servants' hall, which in this season of licence and festivity becomes a station for extra liberty, as every female passing under it becomes subject to the salutation of her male companion. This centre bush is often the object of particular decoration, being surrounded by the translucent berries of the mistletoe, and those of the ivy, dipped in blue and white starch. But at this season I have noticed one remarkable decoration among the natives of the principality. A large white turnip is stuck as full as possible of black oats, so as to hide almost the substance in which they are set, and sometimes having compartments of white oats; and being placed upon a candlestick, or some other elevation, on the mantletree, presents an extraordinary hedgehoglike appearance. The first adoption of this purely rural fancy, and its designation, I am perfectly unacquainted with; but, when it is well executed, it requires attentive examination to detect the device.

The effects of atmospheric changes upon vegetation have been noticed in the rudest ages; even the simplest people have remarked their influence on the appetites of their cattle, so that to “eat like a rabbit before rain” has become proverbial, from the common observance of the fact: but the influence of the electric fluid upon the common herbage has not been, perhaps, so generally perceived. My men complain to day, that they cannot mow, that they “cannot any how make a hand of it,” as the grass hangs about the blade of the sithe, and is become tough and woolly; heavy rains are falling to the southward, and thunder rolls around us; this indicates the electric state of the air, and points out the influence, that atmospheric temperature and condition have upon organized and unorganized bodies, though from their nature not always manifested, all terrestrial substances being replete with electric matter. In the case here mentioned it appears probable, that the state of the air induced a temporary degree of moisture to arise from the earth, or to be given out by the air, and that this moisture conducted the electric fluid to the vegetation of the field. Experiments prove, that electric matter discharged into a vegetable withers and destroys it; and it appeared to me at the time,

but I am no electrician, that an inferior or natural portion of this fluid, such as was then circulating around, had influenced my grass in a lower degree, so as not to wither, but to cause it to flag, and become tough, or, as they call it in some counties, to "wilt;" the farina of the grass appeared damper than is usual, by its hanging about the blades of the sithes more than it commonly does; the stone removed it, as the men whetted them, just at the edge, but they were soon clogged again. As the thunder cleared away, the impediments became less obvious, and by degrees the difficulties ceased. The observance of local facts, though unimportant in themselves, may at times elucidate perplexities, or strengthen conclusions.

That purely rural, little noticed, and indeed local occurrence, called by the country people "humming in the air," is annually to be heard in one or two fields near my dwelling. About the middle of the day, perhaps from twelve o'clock till two, on a few calm, sultry days in July, we occasionally hear, when in particular places, the humming of apparently a large swarm of bees. It is generally in some spacious, open spot, that this murmuring first arrests our attention. As we move onward the sound becomes fainter,

and by degrees is no longer audible. That this sound proceeds from a collection of bees, or some such insects, high in the air, there can be no doubt; yet the musicians are invisible. At these times a solitary insect or so may be observed here and there, occupied in its usual employ, but this creature takes no part in our aërial orchestra. We investigators, who endeavour to find a reason and a cause for all things, are a little puzzled sometimes in our pursuits, like other people; and, perhaps, would have but little success in attempting an elucidation of this occurrence, which, with those circles in our pastures and on our lawns, that produce such crops of fungi (*agaricus oreades*), and are called by the common name, for want of a better or more significant one, of "fairy rings," we will leave as we find them, an *odium physiologicum*.

We have here so few operations of nature deserving mention, that I must not omit to notice a rather uncommon appearance in some of our clay-lands, which the surrounding parishes do not present. The soil of a few fields seems to cover for some depth a rock of coarse limestone, which we never burn for use. In a direction bearing nearly east and west, in a line pointing to the Severn, a number of sinkings and pits are

observable, like abandoned shafts, or the commencement of mines. They are called by the country people "whirly pits." In some instances the bottoms of them are not visible, owing to the tortuous irregularity of the passages; in other cases they are only deep hollows, covered with turf. These sinkings are evidently occasioned by the lowering of the surface in consequence of the removal of the support beneath. Where the under parts have been entirely displaced, the upper have fallen in, and formed a chasm; where only partially removed, deep, turfy hollows are formed. These removals have been occasioned, probably, by a stream of water running far beneath, and washing away the support; and in part by the superfluous water from the ditches and water courses above draining into the fissures of the rock, and so gradually mining or wearing away a passage, for they are now frequently the receivers of all the running water from the land, which seems naturally to drain into them, and apparently has been so conducted for a long course of years. Some of them present dark and frightful chasms, and bushes and brambles are encouraged to grow about them, to prevent cattle from falling into the pits. Many a fox, when hard pressed, has been known to make for

these “whirly pits,” as his last resource; and, secreting himself in some of the under cavities, has escaped from the pursuit of his enemies above. I once saw one of these animals dead at the bottom. Whether he perished unable to return up the crags after one of these retreats, or by any other means, I know not.

There are times when we suffer here greatly by the withering and searing up as it were of the leaves of our vegetation, which we attribute generally to an early morning’s frost. That late spring frosts do occasion such injuries, and that noxious blasts, from causes which we cannot divine, occasion infinite annual mischief, if not destruction, to our wall fruit, is most manifest; yet there is great reason to suspect, that a large portion of the injuries which we ascribe to blights, blasts, and frosts are occasioned by saline sprays brought by strong western or south-western gales from King-road, in the Bristol Channel, eight or ten miles distant, or from even more remote waters, and swept over the adjoining country, where the wind passes. This saline wind has often been suspected by me as the evil agent, that accomplishes much of our blightings here; and on November the 3d, 1825, these suspicions were corroborated; for on this and the

preceding days we had strong gales from the water, in consequence of which such windows as were situate to the west and south-west were skinned over with a light saline scurf, the brass-work of the doors was corroded and turned green, painted works of all kinds were salt to the tongue, as was every thing that could condense the moisture; and the leaves of the shrubs in the hedgerows and of trees all turned brown, and were crisped up. A row of large elms in particular, that fronted the gale, received its full influence; the whole of the windward side, then in full foliage, became perfectly brown and seared, and the leaves shortly afterward parted from their sprays and left them bare; while the other and sheltered side of the trees preserved its green foliage very slightly influenced by the spray that burned up the other. No period of the leafy season is exempt from these pernicious effects, more or less, if the wind be sufficiently violent and blowing from the water. Portions of the country distant from the shores often seem more influenced by these salt sprays than others more near, the wind lifting up the saline moisture, bearing it aloft to remote parts, and dropping it as it travels over the land or meets with impediments.

Our apples in some years are more inclined to become spotted than in others, from causes not quite obvious, as moist summers do not occasion it more decidedly than dry. Particular sorts are more subject to these dark markings than others. The russet, though a rough-coated fruit, seems exempt from spots; whereas some of the smooth-rinded ones, especially the pearmain, are invariably disfigured with them. These marks appear to be an æcidium, which we frequently find to be perfectly matured, the centre occupied with minute, powdery capsules, having burst through their epidermis, or covering, which hangs in fragments round the margin. This æcidium apparently derives its nutriment from the apple; for immediately round the verge of the spot the skin becomes wrinkled in consequence of the juices being drawn off by the fungus. In most cases the presence of plants of this nature is symptomatic of decay; but in this instance we find an exception to a pretty general effect, for the decay of the apple does not always commence at the spot, which does not even apparently contribute to it; for the whole fruit will shrivel up in time by the escape of its juices without any decay by mortification. Though we are not able always to ascertain the purposes of

nature, yet this little cryptogamous plant affords a strong example of her universal tendency to produce, and every vegetable substance seems to afford a soil for her productions. We have even an agaric, with a bulbous root and downy pileus*, that will spring from the smooth summit of another (*agaricus caseus*), which has a uniform footstalk, though not of common occurrence. Thus a plant, that itself arises from decay, is found to constitute a soil for another; and the termination of this chain of efficiency is hidden from us.

But the leaves of many vegetables often become singularly spotted during some part of the

* This agaric is, I believe, unnoticed. I have called it *agaricus surrectus*.

Pileus—convex, expanding, covered with a pile of short, white hair; centre depressed; faintly tinted with yellow; from one to three inches in diameter.

Laminæ—loose, irregular, generally four in a set, rather numerous, broad, white, changing to buff, and then pink.

Stipes—solid, tapering upwards, rather thick immediately below the pileus, three inches high, thick as a reed, white, and often downy, wrapper at the base.

Many specimens of this singular plant I found in October, 1819, springing from a confluent mass of *a. caseus*. Bolton's *a. pulvinatus* is something like our plant; but he describes his under side as perfectly flat, and represents a singularity in the termination of his laminæ, which is not observable in our *a. surrectus*.

summer, and such spots have not certainly been effected by the growth of cryptogamous plants, natural decay, or the punctures of insects, the usual agents in these cases. A very indifferent observer of these things in strolling round his garden must have remarked, how uniformly and singularly the foliage of some of the varieties of the strawberry are spotted, and corroded as it were into little holes; whereas other kinds have seldom any of these marks visible on them. I have fancied, that these spottings were occasioned by the influence of solar heat: a shower of rain falls, small drops collect and remain upon the leaf of the plant; the sun then darts out, converting all these globules of rain into so many little lenses, converging the rays, and scorching or burning a hole at the focus. This conjecture has been rather strengthened by observing, that upon certain sorts, the hautboy, alpine, &c., the rain when it falls uniformly wets the leaves, yet they do not become spotted; but the smooth leaves of others, roseberry, caledonian, upon which it stands in drops, always become marked and perforated: but whatever may be the real cause of these spottings, if the foliage be touched, by way of an experiment, with the point of a heated wire, after a few days they will

present an appearance very similar to what is naturally effected.

THE YEAR 1825.

We are naturally solicitous to look back upon seasons remarkable for atmospheric phenomena, and compare their results with that which is passing before us, though we may be fully sensible, that no conclusions can safely be drawn from them, a variety of circumstances not known, or not comprehended, combining to produce results beyond our means of calculation. There have been times when such recollections brought no pleasure with them, by displaying the injuries and sufferings that hurricanes and floods have occasioned; and thus we who were witnesses of the distress occasioned by the lamentable rains of 1793, and the several successive years, when every wheat-sheaf presented a turf of verdant vegetation, cannot recollect it without sorrow, or ever forget that famine in our land. Yet it is amusing, on some occasions, to note the extremes of weather that our island has experienced; for though in general our seasons pass away without any very considerable dissimilitude, still we have

known periods of great irregularity, drought or moisture, cold or heat. The freezing of great rivers, with the roasting of animals and passage of carriages upon the ice, our calendars and diaries relate; but instances of an opposite temperature, affording less striking events, are not so fully detailed as might be wished. The winter of 1661 appears to have been remarkable for its mildness; and it is rather curious, that in the century following, the winter of 1761 should have been equally notable for the mildness of its temperature. The winter of 1795 seems to have partaken of none of the severity usual to the season; and the summer of 1765 was remarkable for its heat and dryness, and all vegetation being influenced by their effects, brought forth fruits and flowers in unusual perfection.

But perhaps the year 1825, taking all its circumstances, is the most extraordinary to be found in our annals. The winter of 1824-5 had been mild and wet; the ensuing spring dry, but with keen winds and frosty mornings, which greatly injured the fine blossoms, that appeared on our fruit trees; and the continued and profuse nightly fall of the honey-dew was quite unusual: the leaves of the oak, the cherry, and the plum, were constantly smeared and dropping with this

clammy liquor, which, falling from the foliage on the ground, blackened it as if some dark fluid had been spilled upon it; the leaves of most of our stone fruits curled up, covered with aphides, and became deciduous; and their young shoots were destroyed by the punctures of these insects that clustered on them. This honey-dew continued to fall till about the middle of July, affording an abundant supply of food to multitudes of bees, moths, and other insects, which swarmed about the trees. We rarely begin cutting our grass before the first week in July; but in consequence of the heat of June in this year, it was so drawn up, that much hay was made and carried by the 20th of June, which commonly is not accomplished till August. Our crops on good ground were considered as fair, though in general the chilling season of May had occasioned a deficiency; but all our clover crops and artificial grasses were harvested in the finest order, producing good sized ricks and mows; yet their bulk was delusive, the provender cutting out light and strawy. The heat and drought continued with very partial and slight showers of rain all June and July; nor had we any thing like serviceable rain till the second of August. In consequence our grass lands were burned up,

and our fields parched, presenting deep fissures in all parts. The heat was unusually distressing all day; and evening brought us little or no relief, as every wall radiated throughout the night the heat it had imbibed from the torrid sun of the day. Our bedroom windows were kept constantly open, all apprehension from damps and night airs, which at other times were of the first consideration, being disregarded; a cooler temperature, however obtained, was alone required; and we lingered below, unwilling to encounter the tossings and restlessness that our heated beds occasioned. Our wainscots cracked, furniture contracted and gaped with seams; a sandalwood box, which had been in use for upwards of twenty years in dry rooms, shrunk and warped out of all form; a capsule of the sandbox tree (*hura crepitans*), which had remained in repose over a shelf above the fire-place for an unknown length of time, now first experienced an excess of dryness, and exploded in every direction; door-frames contracted, window-sashes became fixed and immovable. These are trifles to relate, but yet they mark the very unusual dryness of the atmosphere.

Monday and Tuesday, July 18th and 19th, will long be remembered as the acme of our

suffering, the thermometer standing in the shade of a passage, communicating immediately with the outer air, in an open situation, at 82° of Fahrenheit. A few yards nearer the air, on which the sun shone, it rose to 93°, without any influence from reflection or other causes. In towns, and more confined places, it is said, the heat was much greater. The current of air now felt like that near the mouth of an oven, heavy and oppressive, and occasioning more unpleasant sensations, than such a temperature usually creates; animals became distressed, the young rooks of the season entered our gardens, and approached our doors, as in severe frosts, with open bills, panting for a cooler element; horses dropped exhausted on the roads; many of the public conveyances, which usually travelled by day, waited till night, to save the cattle from the overpowering influence of the sun. The leaves of our apple and filbert trees, in dry situations, withered up; large forest trees, especially the elm, had their leaves so scorched by the sun, that they fell from their sprays as in autumn, rustling along the ground; the larch became perfectly deciduous. In our gardens, the havoc occasioned by the heat was very manifest. The fruit of the gooseberry, burnt up before maturity, hung

shrivelled upon the leafeless bushes; the strawberry and raspberry quite withered away; the stalk of the early potato was perfectly destroyed, and the tubers near the surface in many places became roasted and sodden by the heat, few obtaining their natural size, and sold at this period in the Bristol market at twenty-four shillings the sack. A few choice plants were saved by watering them daily; but in general the éxhalation from the foliage, by reason of the heat of the earth, was greater than the root could supply, the green parts withering as if seared by a frost.

On the 20th of July some farmers began to cut their wheat; and by the 25th reaping had generally commenced. Our bean crop presented, perhaps, an unprecedented instance of early ripeness, being usually mowed in September; but this year it was universally ripe, indeed more perfectly so than the wheat, by the 1st of August. The crop, however, proved a defective one; water became scarce, and the herbage of the fields afforded so little nutriment, that the cows nearly lost their milk, eight or ten being milked into a pail, that four should have filled; and one week, from July the 18th to the 24th, butter could not be made to harden, but remained a soft oleaginous mass.

This extreme heat had a favourable influence on many of our exotic plants, enabling several to perfect their seed, which do not usually in our climate; such as night-stocks, erodiums, heliotrope, groundsels, cape-asters, and such greenhouse plants vegetating in the open air. With me all the polyanthus tribe, especially the double varieties, suffered greatly; lovers of the cold and moisture of a northern climate, in this tropic heat, they became so parched, as never properly to recover their verdure, and in the ensuing spring I missed these gay and pleasing flowers in my borders.

It was a sad destructive season for the poor butterflies, and no sooner did a specimen appear upon the wing, than the swallow and all the flycatching tribe, snapped them up, rendered eager and vigilant from the scarcity of insect food. Even that active and circumspect creature the humming-bird sphinx could not always, with every exertion of its agility, escape their pursuit.

Early in August rains fell, and continued seasonably until September; and their effect upon our scorched vegetation, from the general heat of the earth and the air, was extremely rapid. The larch, and other trees which had shed their leaves, now put forth their tender green foliage

as in spring; and by the end of September the universal verdure of the country, and profusion of feed in the pastures, was so perfectly unlike what we had been accustomed to in common years, as to be astonishing. Even as low in the year as the 11th of October, there was no appearance of any change in the foliage, except a slight tinge upon the leaves of the maple; and this day was so brilliant, that the cattle were reposing in the shade, the thermometer varying from 66° to 68° F., and the general warmth to our feelings was greater than that indicated by the instrument. October the 20th, the weather changed, some sleety rain fell, and the hills were sprinkled with snow, the thermometer falling to 40°, and all our hirundines, which had been sporting about us up to this period, departed: yet still vegetation continued in all its vigour, and on the 1st of November dogroses hung like little garlands in the hedges; the cornel bushes (*cornus sanguinea*) were in full bloom; and corn-roses (*rosa arvensis*) were decorating our hedges in a profusion equal to that of a common August. November 4th there were slight ice and partial snow, with various alternations undeserving of notice, but the weather was generally fair and mild until Christmas.

All these preceding heats and rapid changes had, I think, a manifest influence upon our constitutions. Violent catarrhs, and lingering, unremitting coughs, prevailed among all classes, both before and after Christmas, to a degree that I never remember; and children were afflicted with measles almost universally. Early in January a violent wind was succeeded by a severe frost, and in some places by a deep snow; but, after about ten days' duration, a very gentle thaw removed all this, and the remainder of our winter was mild and agreeable, introducing what might be called an early spring, dry and propitious for every agricultural purpose. The trees that refoiled so vigorously in autumn seemed in no way weakened by this unusual exertion, but produced their accustomed proportion of leaves, and the sprays of every bush and tree, ripened and matured by the last summer's sun, displayed a profusion, an accumulation of blossom, that gave the fairest promise of abundance of fruit, and every product of the earth. That the death of any creature should be required by the naturalist, to perfect his examination, or arrange it in his collection, and without a collection the investigation of any branch of natural history can be but partially undertaken, may be re-

gretted; but still the epithet of "cruel employ" must not be attached to this pursuit. We do not destroy in wantonness, or unnecessarily; and that life, of which it is expedient to deprive a creature, is taken by the most speedy, and in the least painful manner known. Some of our methods, if speedy, are at the same time injurious, such as hot water, the stifling box, &c.; and some, that are not painful, such as stupefaction by spirits, ether, &c., and suffocation by carbonate of ammonia, are occasionally not effectual. But there is one process, which I believe to be neither painful nor injurious, yet decisive, and communicate with pleasure; I mean the prussic acid. This fluid may be imbibed by the insect without producing any particular effect; but, if brought to act upon the spinal cord, or what at least is analogous to that part of a vertebrate animal, whatever it may be called, and which seems to be the most vital part of the creation, instant death ensues. A crowquill must be shaped into a point, like a rather long pen, this point dipped into the prussic acid, and an incision made with it immediately beneath the head into the middle of the shoulders of the creature, so as to permit the fluid it contains to enter into the body of the insect. Immediately after this, in

every instance in which I have tried it, a privation of sensation appears to take place, the corporal action of the creature ceasing, a feeble tremulous motion of the antennæ being alone perceptible; and these parts seem to be the last fortress that is abandoned by sensation, as they are the primary principle of sensibility when life is perfect: extinction of animation ensues, not a mere suspension, but an annihilation of every power, muscular and vital. As one example of the decisive effects of this fluid, I shall instance the common wasp, a creature so remarkably tenacious of sensation, or so long retaining a muscular power, that it may remain, as every one knows, for days crushed in the window, an apparently dead insect, yet upon pressing the head, the sting will be so protruded as to give a very sensible pain to the finger it should meet with; but upon the prussic acid being injected into this creature as above, when in full vigour, in the course of less than half a minute a loss of vitality ensues, the action of the muscular fibre ceases altogether, and no pressure can incite it again into action. The sudden effect of this liquor is not so generally known as from humanity and expediency might be wished. Who first devised the experiment I am ignorant; but any

repetition of means, whereby a necessary end can be obtained by the least painful and brief infliction, will hardly be considered as superfluous.

This subject naturally introduces the preservation of the creatures after their death, and the young entomologist is not perhaps sensible from experience of the injury some species of insects will effect in the selected specimens of others of this race, and may lament, when too late, the separation of the wings, limbs, and bodies of his collection by these tiny depredators (*ptinus fur*, *acarus destructor*). Mr. Waterton's recipe for preventing this evil, I have used rather extensively, and believe it to be a very effectual, and generally an innocuous preservative; but as this gentleman has not given us the exact proportions of his mixture, it may not be useless to observe, that, if one part of corrosive sublimate be dissolved in eight parts of good spirit of wine, and the under side of the insect touched with a camel's-hair pencil, dipped in the liquor, so as to let it lightly pervade every part of the creature, which it readily does, it will, I apprehend, prevent any future injury from insects. A larger portion of the sublimate will leave an unsightly whiteness upon the creature when the specimen becomes dry. The under side of the board, on

which the insects are fixed, should be warmed a little by the fire after the application, that the superfluous moisture may fly off, before finally closing the case. If this be omitted, the inner surface of the glass will sometimes become partially obscured by the fume arising from the mixture. The experienced entomologist needs not a notice like this; but the young collector probably will not regard it as unnecessary information, and may be spared by it from both mortification and regret. I have known insects commence their serious operations before the collections of the summer could be arranged in their permanent cases.

In noticing above, that this solution is generally harmless, it is requisite, that mention should be made of the few instances in which it has been observed to be injurious. I have applied it to many specimens of foreign and British insects, and commonly observed no indication of its having been used, when the creatures had become dry. But to confine our attentions to English specimens, when the solution is made stronger than recommended, it will, after a time, injure the fine yellow of the sulphur butterfly (*papilio rhamni*), by turning parts of it brown and dirty; but even in its reduced state it has a manifest

effect upon the colours of two of our moths, the Dartford emerald (*phalæna lucidata*), and what is commonly called the green housewife moth (*phalæna vernaria*), changing their plumage in several places to a red buffy hue, when at the same time the beautiful green wings of the small oak moth (*phalæna viridana*) are in no way altered by it. But notwithstanding these circumstances, it will, I apprehend, be considered as a very useful preservative, and save many specimens from destruction, which other means usually fail of effecting.

There are not many of our rural practices, that deserve more the disapprobation of the landed proprietor than that of pollarding trees. "It is an evil under the sun, and common among men." Here it is universal. This system of cutting off the heads of the young trees in the hedge-rows is resorted to by the farmer for the purpose of forcing them, thus deprived of their leaders, to throw out collateral shoots, serving for stakes for the fences, and for firewood. These purposes are effected; but of all the hopes of timber, or profit to the proprietor, there is an end. No trees suffer more in this respect than the ash. Prohibitions against mangling trees, in agreements, are usual; but, with some excep-

tions in regard to oak, little attention seems paid to the covenant, as is obvious on the most cursory view of the country in any direction; whereas the ash is not a less valuable tree, from its thriving more universally in all situations, and becoming saleable in a shorter period. One or two generations must pass before an oak should be felled; but the ash becomes useful wood, while its more respected companion is but a sapling. These prohibitions should not simply be engrossed on the parchment, but the agent ought strictly to notice any infringement; and young ash trees should be more especially guarded, because they are the most likely to suffer from their producing the greatest quantity of lop in the shortest time. The injury done by this practice to the present landlord and his successors is beyond estimation, as the numbers destroyed, and the vigour of their growth, must be first known: but there is not a farm of any extent, from which hundreds of ash trees might not have been felled, had their growth been permitted, making an annual return; whereas nothing can be obtained now or hereafter for the proprietor, and only a few stakes and bavins for the farmer*. It is by no

* The ash, generally speaking, will arrive at a very serviceable age in sixty years, producing at a low rate twenty-eight feet of

means an uncommon thing, to observe every ash tree in a hedge reduced to stumps by successive pollardings. Many a landlord would shudder at the thought of breaking up an old productive sward, and not regard the topping of an ash; whereas this latter act is infinitely more injurious ultimately than the former. The land may, and will probably, recover, but the tree is lost for ever, as to any profitable purposes for the owner. The farmer might perhaps tell the agent when he remonstrated, that he must have firewood, and hedging stuff; but the wants of the former have decreased by the facility of obtaining other fuel, and neither is to be supplied by the landlord at such a ruinous subversion of present and future benefit. I am not so silly as to enlarge upon the beauty of what has been called "picturesque farming;" but when we cast our eyes over the country, and see such rows of dark, club-headed posts, we cannot but remark upon the unsightly character they present, and consider it neither laudable to deform our beau-

timber, which, at 2*s.* 3*d.* the foot, its present value, would produce a sum equivalent to 3*l.* 3*s.*, a silent unheeded profit of above a shilling a year. A hundred such might have been felled annually from many farms, had they not been topped, which, in consequence of this practice, have produced nothing.

tiful country by the connivance, nor proper attention to individual profit to allow the continuation of it. The ash, after this mutilation, in a few years becomes flattened at the summit, moisture lodges in it, and decay commences, the central parts gradually mouldering away, though for many years the sap wood will throw out vigorous shoots for the hatchet. The goat moth now too commences its mordications, and the end is not distant. But the wood of the ash appears in every stage subject to injury; when in a dry state the weevils mine holes through it; when covered by its bark, it gives harbour to an infinite variety of insects, which are the appointed agents for the removal of the timber; the ashen bar of a stile, or a post, we may generally observe to be regularly scored by rude lines diverging from a central stem, like a trained fruit tree, by the meanderings of a little insect (*ips niger*, &c.), being the passages of the creatures feeding on the wood.

There is one race of trees, the willow, very common about us, that is so universally subject to this pollarding for the purpose of providing stakes and hurdles for the farm, that probably few persons have ever seen a willow tree. At any rate a sight of one grown unmutilated from

the root is a rare occurrence. The few that I have seen constituted trees of great beauty; but as the willow, from the nature of its wood, can never be valuable as a timber tree, perhaps by topping it we obtain its best services. In the county of Gloucester there are several remarkable trees of different species now growing, but I am not acquainted with any greater natural curiosity of this sort than an uncommonly fine willow tree in the meadows on the right of the Spa-house at Gloucester. There are two of them; the species I forget, but one tree is so healthy and finely grown, that it deserves every attention, and should be preserved as a unique specimen, an example of what magnitude this despised race may attain when suffered to proceed in its own unrestrained vigour.

Dec. 30. A cold foggy morning, the ground covered with a white frost; about twelve o'clock the sun burst out with great brilliancy, and life and light succeeded to torpor and gloom; a steam immediately arose from our garden beds and ploughed lands, giving us a very strong example of the rapid manner in which the matter of heat (caloric) will at times unite with water. Half an hour before, this water was frozen and inert; but the instant that the sun's rays fell upon it,

their heat was imbibed, and the icy matter converted into a body lighter than the atmosphere by which it was surrounded, and passed into it in the vapour we have just noticed. I was the more particular in observing this common event, as it afforded a forcible illustration of the invisible evaporation which is constantly going forward, the unremitting changes in operation, the action and reaction of the earth and its products with the atmosphere. During the night, and the earlier parts of the morning, water was falling on the earth in minute particles, constituting what we call fog; then out burst the sun, and reclaimed this moisture which had fallen, and we could see it obeying the mandate and pass away in steam. In the evening it will probably return again in fog, or in rain, when the atmosphere cools; and thus a constant visible intelligence is going on. How much insensible intercourse takes place we know not, but we can comprehend its agency by the effects and events that manifest themselves. Our country people think these “rokings” (reekings) of the earth greatly favourable to the growth of vegetation, supposing it occasioned by the internal heat of the earth producing a vapour like that from fermenting soil, thus warming the roots; but if the

theory be defective, the fact may be true, by the caloric in the sun's rays promoting the decomposition of the water, or separating the component parts (oxygen and hydrogen), which uniting with other matters contained in the earth and atmosphere (carbon and carbonic acid) become by this means the basis of all our fruits, our sweets, our sours, resins, &c., in the vegetable world; and hence there is a constant decomposition of water going forward by these alternations, and a constant formation of matters beneficial and necessary for the various inhabitants of the earth. When we perceive that a shower of rain has revived, or promoted the increase of vegetation, we must understand, that the mere wetting it has not accomplished this; but that the vegetable has by means of its foliage, aided by light and heat, decomposed or separated the combined matters of the water, and taken from it certain portions as essential to its vigour, or been revictualled in a manner by the nutriment contained in the water.

Jan. 10. The ground covered with snow, the pools with ice, trees and hedges leafless, and patched here and there with a mantle of white, present a cheerless, dreary void; no insects are animating the air, and all our songsters are silent

and away; a few miserable thrushes are hopping on the ditch bank, swept bare by the wind; and the robin puffing out his feathers, and contracting his neck into his body, is peeping with his fine bright eyes into the windows from the cypress bough. A few evergreens are waving their sprays, and glittering in the light, yet making but poor compensation for the variety, the flutter, the verdure, of our summer. Though we have little natural beauty to note or to record, we are not left without a testimony of an overruling Power; and, however sad and melancholy things may appear at the first view, yet a more steady observation will manifest to us a presiding Providence and Mercy. Frost and snow are but cheerless subjects for contemplation, yet I would add a reflection in my Journal of our passing events, or rather recall from memory the truth, that science has made known to us, revived by the sight of that frozen pool. There is one universal body, inherent in every known substance in nature, latent heat, which chemists have agreed to call "caloric." By artificial means bodies may be deprived of certain portions of it; and then the substance most usually contracts, and increases in weight. Water is an

exception to this; for in losing a part of its heat, the cause of its fluidity, and becoming ice, it expands, and is rendered lighter, by enclosing, during the operation, more or less of atmospheric air: consequently it swims, covering the surface. To this very simple circumstance, ice floating and not sinking, are the banks and vicinities of all the rivers, lakes, pools, or great bodies of water in northern Europe, Asia, and America, rendered habitable, and what are now the most fertile and peopled would be the most sterile and abandoned, were it not for this law of nature. Had ice been so heavy as to sink in water, the surface on freezing would have fallen to the bottom, and a fresh surface would be presented for congelation; this would then descend in its turn, and unite with the other; and thus during a hard frost successive surfaces would be presented, and fall to the bottom, as long as the frost or any fluid remained. By this means the whole body of the water would become a dense concretion of ice: its inhabitants would not only perish, but the indurated mass would resist the influence of the sun of any summer to thaw it, and continue congealed throughout the year, chilling the earth in its neighbourhood, and the

winds that passed over it, preventing the growth of vegetation in the former, or blighting and destroying it by the influence of the latter.

Winter is called a dull season; and to the sensations of some, the enjoyments of others, and, perhaps, to the vision of all, it is a most cheerless period. This is so universally felt, that we always associate the idea of pleasure with the return of spring: whatsoever our occupations or employments may be, though its sleety storms and piercing winds may at times chill the very current in our veins, yet we consider it as an harbinger of pleasurable hours and grateful pursuits. We commence our undertakings, or defer them till spring. The hopes or prospects of the coming year are principally established in spring; and we trust, that the delicate health of the blossoms round our hearths, which has faded in the chilling airs of winter, may be restored by the mild influence of that season. Yet winter must be considered as the time in which Nature is most busily employed; silent in her secret mansions, she is now preparing and compounding the verdure, the flowers, the nutriment of spring; and all the fruits and glorious profusion of our summer year are only the advance of what has been ordained and fabricated in these dull

months. All these advances require Omnipotent wisdom and power to perfect; but perhaps a more exalted degree of wisdom and power has been requisite to call them into a state of being from nothing. The branch of that old pear tree, now extended before me, is denuded and bare, presenting no object of curiosity or of pleasure; but, had we the faculty to detect, and power to observe, what was going forward in its secret vessels, beneath its rugged, unsightly covering, what wonder and admiration would it create!—the materials manufacturing there for its leaf, and its bark; for the petals and parts of its flower; the tubes and machinery that concoct the juices, modify the fluids, and furnish the substance of the fruit, with multitudes of other unknown operations and contrivances, too delicate and mysterious to be seen, or even comprehended, by the blindness, the defectibility of our nature; things of which we have no information, being beyond the range of any of the works or the employments of mankind! We may gather our pear, be pleased with its form or its flavour; we may magnify its vessels, analyze its fluids, yet be no more sensible of its elaborate formation, and the multiplicity of influences and operations requisite to conduct it to our use, than a wandering native

of a polar clime could be of the infinite number of processes, that are necessary to furnish a loaf of bread, from ploughing the soil to drawing from the oven. This is but an isolated instance, amidst thousands of others more complicated still. How utterly inconceivable then are the labours, the contrivances, the combinations, that are going forward, and accomplishing, in this our dull season of the year, in that host of nature's productions with which, shortly, we shall every where be surrounded !

Sept. 8th, 1828. A remarkably dry and exhausting day, not from any peculiar influence of the solar heat, but from the arid state of the air, which was very distressing to our feelings, and all tender vegetation became languid and suffering under its influence. I endeavoured to ascertain the power of absorption possessed by the air at the time by an experiment, rude enough to be sure, yet it tended in some measure to indicate the rapid manner in which fluids are exhaled in particular states of the atmosphere. A linen cloth twelve inches square, which had absorbed an ounce avoirdupois of water, was suspended in the shade in a free current of air, and in the course of ten minutes it had lost 436 grains, equal to one-sixteenth of its weight. This

great evaporation was principally effected by the absorbent power of the air, and manifested in some degree the exhausting influence that was passing over the earth and the vegetation exposed to the current of air; and as the roots could not derive sufficient moisture from the soil to supply what was thus drawn from the leaves, the foliage became languid and flaccid in consequence. The linen, containing the same quantity of water, was then spread upon a short turf in the sun, and in the space of ten minutes it lost 368 grains, and this was effected without any particular influencing current of air; accordingly, the evaporation from an acre of moist land covered with vegetation would exceed one hundred and twenty-two cwt. of water in an hour! As the quantity drawn from the vegetation on the soil may be equal to the shelter its foliage affords to the earth, no very accurate data can be drawn from this experiment; for different soils will give out their moisture more or less easily, and succulent vegetables be more influenced than those of a drier nature; but it served at the time to indicate the portion of moisture that was escaping from a given horizontal surface. From the invisible and insensible nature of evaporation, its influences are not

always considered; but such an action on the surfaces of things as that related above, must put into operation all the inherent powers of matter susceptible of impulse, and probably would produce effects which we might suppose to be accomplished by the agency of other means.

Nov. 10. Many effusions of the mind have been produced by the approach or existence of the seasons of our year, which seem naturally to actuate our bodily or mental feelings through the agency of the eye, or temperature of the air. The peculiar silence that prevails in autumn, like the repose of wearied nature, seems to mark the decline and termination of being in many things that animated our summer months; the singing of the bird is rare, feeble, and melancholy; the hum of the insect is not heard; the breeze passes by us like a sigh from nature, we hear it, and it is gone for ever. But it is the vegetable tribes, which at this season most particularly influence our feeling, and excite our attention. We see the fruits of the earth stored up for our use in that dull season “in which there will be neither earing nor harvest,” the termination and reward of the labours of man. But this day, November 10, presented such a scene of life and mortality, that it could not be passed by without viewing it as

an admonition, a display of what had been, and is. There had occurred during the night a severe white frost; and, standing by a greenhouse filled with verdure, fragrance, and blossom, I was surrounded in every direction by the parents of all this gaiety, in blackness, dissolution, and decay. But the very day before, they had attracted the most merited admiration and delight by the splendour of their bloom and the vigour of their growth; but now just touched by the icy finger of the night, they had become a mass of unsightly ruins and confusion. Once the gay belles of the parterre, they fluttered their hour, a generation of existent loveliness; their youthful successors, unpermitted to mingle with them, peeped from their retreats above, seeming almost to repine at their confinement: they have bloomed their day, another race succeeds, and their hour will be accomplished too. This was so perfectly in unison with the shifting scenes of life, the many changes of the hour, that it seemed inseparably connected with a train of reflection, with the precepts which all nature points out—her still small whisperings for the ears of those that can hear them.

The extraordinary tendency that Nature has to produce, and the vigilant perseverance she

maintains to occupy all substances as a soil for her productions, when they arrive at a state fitting for her purposes, is a well known fact, and is perfectly in consistency with the uniform habit she preserves, of letting "no fragment be lost." All things tend upwards, from some original, through an infinity of gradations, though the beginning and termination may not always be perceived, nor the links of this vast chain be found. The most obscure plants, agarics or mucor, as far as we know, perfect their seed, and give birth to other generations; but there is a fine, green substance, observable upon the sprays of trees, stems of various shrubs in every hedge, upon old rails and exposed wood work, leaving a powdery mark upon one's coat that has rubbed against such places, which I have always considered as the very lowest rudiment of vegetation. This matter, submitted to examination in the microscope, presents no foliage or plant-like form, but appears a kind of pollen, a capsule, or a perfected seed, suspended on a fine fibre; but from the extreme smallness of it I speak with hesitation, not being able to define it satisfactorily with the most powerful lens. If it be, as I have conjectured, a perfected seed, it probably is the origin of many of those mi-

nute mosses, that become rooted, we know not by what means, upon banks, stones, barks, &c. in such profusion; but here all investigation ceases: by what agency this fine seed has been so profusely scattered, or from what source it sprang, is hidden from us, and we can no more satisfactorily conjecture, than we can account for those myriads of blighting insects, which so suddenly infest our grain, our fruits, and our plants. There is an inquisition, where all human knowledge terminates; the bounds of nature have never been defined.

Without considering the various sources of enjoyment and pleasure bestowed upon an intelligent creature, what a scene of glorious display might be opened to man through the agency of the eye alone! Motives we must abandon, as probably they are beyond our comprehensions; but were the powers of vision so enlarged or cleared as to bring to observation the now unknown fabrication of animate and inanimate things, what astonishment would be elicited! the seeds, the pollen of plants, the capillary vessels and channels of their several parts, with their concurrent actions, the clothing of various creatures, and all that host of unperceived wisdom around us! Yet probably the mind, consti-

tuted as it now is, would be disturbed by the constant excitement such wonders would create; but at present, though sparingly searched out by the patient investigator, and but obscurely seen, they solace and delight; “cheer, but not inebriate.”

“ Oh good beyond compare !
If thus thy meaner works are fair,
If thus thy bounties gild the span
Of ruin'd earth and sinful man :
How glorious must that mansion be
Where thy redeem'd shall live with thee !”

And now I think I have pretty well run over my diary, the humble record of the birds, the reptiles, the plants, and inanimate things around me. They who have had the patience to read these my notes, will probably be surprised, that I could take the trouble to register such accounts of such things; and I might think so too, did I not know how much occupation and healthful recreation the seeking out these trifles have afforded me, rendering, besides, all my rural rambles full of enjoyment and interest: companions and intimates were found in every hedge, on every bank, whose connexions I knew something of, and whose individual habits had become fa-

miliar by association; and thus this narrative of my contemporaries was formed. Few of us perhaps, in reviewing our by-gone days, could the hours return again, but would wish many of them differently disposed of, and more profitably employed: but I gratefully say, that portion of my own passed in the contemplation of the works of nature is the part which I most approve; which has been most conducive to my happiness; and, perhaps, from the sensations excited by the wisdom and benevolence perceived, not wholly unprofitable to a final state, and which might be passed again, could I but obtain a clearer comprehension of the ways of Infinite Wisdom. If in my profound ignorance I received such gratification and pleasure; what would have been my enjoyment and satisfaction, “if the secrets of the Most High had been with me, and when by His light I had walked through darkness?”



Fig. 2




Fig. 3



Fig. 4.



Fig. 5





Section

Fig. 4.




Fig. 1.




Fig. 2.




Fig. 5.




Fig. 3.



Fig. 1



Fig. 2



Fig. 3




Fig. 4




E

F



G



H



I



Fig. 4.




Fig. 2.



Lampyrus noctiluca.

Fig. 1.






Fig. 3.



Fig. 1



B

Fig. 2



I N D E X.

- AGARICS, the pale gray species of, 117—the verdigris, *ibid.*
—not easily investigated, 119—the odorous agaric, 125—the scented, 126—the *surrectus* springing from another species, 363.
- Agriculture, practice of, at a village in Gloucestershire, 24
—bad custom of the farmers there, 49.
- Aerial hummings, 257.
- Amusements, heretofore holiday ones, in decline, 353.
- Animals, increase of, 139—
—what dependent on man, 221
—what independent, 222—
—usefulness of, to man, 224—
—affection of, to their young, 249—mercy to, a scriptural command, 250.
- Ant, the black, 299—the red, 301—the yellow, 302.
- Apples injured by aphides, 337
—spottings on, how occasioned, 362.
- Ash trees, 378.
- Atmospheric influences, 356—
—observations, 384—experiments, 389.
- Auger worms, 287.
- Autumn, pleasure of a morning's walk in, 113.
- Aust-ferry, 2.
- Bee, the carpenter, 67.
- Beetle, the rose, 67—the dorr, 307—the great water species, 317. 331.
- Birds, partiality of the author to, 150. 168—migration of, 153. 211—injurious to trees, 158—various food of, *ibid.*
—song and voices of, 167. 260. 267—nests of 169. 170, 171. 173—great destroyers of insects, 175—species of, diminishing in number, 197
—labour of, to feed their young, 203—friendship of, 213—eggs of, 227, 228. 260
—dislike of, to man, 233—stratagem of one, 235—early rising of, 238—boldness of, 249—solitary and congregating ones, 252—language of, unvarying, 263—pleasure afforded by, to man, 268.—For the different kinds, see their respective English names.
- Blackbird, song of the, 267.
- Blackcap, the, 231.
- Blight, 337—some trees not affected by, 339—manner in which this insect propagates

- itself, *ibid.*—whence derived, uncertain, 342—saline winds a supposed cause of, 360.
- Bombilius, the, 298.
- Bones of horses and human beings dug up, conjecture respecting, 4.
- Bouquets, wearing of, not in use, 73.
- Bramble, the common, almost an evergreen, 102—lines on its leaves, 103—its uses, 104.
- Bull-finch, the, 157.
- Bunting, peculiar practice of the, 245.
- Burnet, conjecture as to its lasting verdure, 82.
- Butcher-bird, the, 192.
- Butterfly, the sulphur, 100—the argus, 276—the phlæas, 277—the azure, 278—the painted lady, 281—the marble, 282—the meadow brown, 283.
- Caloric, effect of, on bodies, 385.
- Chaffinch, the, 162.
- Changes in nature, 312.
- Cheese, cheap kind of, 24.
- Christmassing, 354.
- Chrysalids of insects, 271.
- Chrysalis, singular one, 273.
- Cleanliness of animals, 309.
- Clematis, the wild, 110—sticks of, used by boys for smoking, *ibid.*
- Clocks, name given to the great dorr beetle, 307.
- Coins dug out of the earth, 4.
- Coral polypi, 12.
- Crossbill, the, 181.
- Cruelty, a vice of the ignorant, 135.
- Death's-head moth, 313.
- Digestion, power of, in birds, 212.
- Dog, usefulness of, to man, 223.
- Dogsbane destructive to insects, 80.
- Dry-rot, the, 120.
- Dyers, capricious in their art, 78.
- Dyers' broom, 76—gathering of, 77—uses of, 78—dyers' weed, 98.
- Earthworm, the common, 330.
- Elm tree, the wych, a singularly beautiful one, 59—value of, 60—uses of, *ibid.*—soon decays, 61—leaves of the elm marked with plague spots, 122.
- Empiricism, 336.
- Entomology, 270.
- Evaporation from the earth, effect of, 82.
- Fairfax, general, supposed skeletons of some of his foragers, 4.
- Fairy rings, 358.
- Fescue, spines of the hard, bearing no flowers, 101.
- Fieldfare, the, 256.
- Flea, the water, 305.

- Flowers of plants, 66—pleasures afforded by, 68—use and application of, 69. 73—natural love of, 70—the playthings of children, 72.
- Fly, the house, 220—the biting, *ibid.*—the four spotted dragon, 273.
- Flycatcher, the gray, 211.
- Foxglove, 88.
- Friendship between birds, instance of, 213.
- Frost, early, effect of on flowering plants, 392.
- Fungi, beauties of, 116—varieties of, 117—uncertain appearance of, 118—mutations of, 119—agents of decay, 120—propagation of, 127.
- Fur of animals, 147.
- Gamma moth, the, 284.
- Gleaning, profits of, to the poor, 349—antiquity of the custom, 352.
- Glowworm, the, 291.
- Gnat, the winter, 268.
- Goldfinch, the, 240.
- Grass crops, nature of, in the author's village, 25—certain grasses attached to certain soils, *ibid.*—grass balls, 102.
- Hair of animals, 147.
- Hairworm, the clay, 320.
- Hawk, the sparrow, 207—the kestrel, *ibid.*—the hawkmoth, 279.
- Hay, crops of, method of saving, 28.
- Hazel tree, how liable to decay, 123.
- Hedgehog, the, 134.
- Hellebore, 65—its medicinal uses, 66.
- Helvella, the mitred, 118.
- Holly trees, 354.
- Hornet, the, 323.
- Horse, instance of the longevity of one, 180.
- Hummingbird hawkmoth, the, 371. 379.
- Hummingbirds in the air, 357.
- Hydnum fungus, the beautiful floriform, 118.
- Ice, cause of its swimming instead of sinking, 386.
- Industry, profitable fruits of, to an agricultural labourer, 19.
- Insects, entrapped by the snapdragon, 79—destroyed by the sundew, 80—by the dogbane with great suffering, *ibid.*—paths of on leaves, 103—their manner of puncturing, 108—consumption of, by birds, 175—but little attended to or studied, 270—chrysalis of, 271—speedy methods of killing them, 374—best mode of preserving specimens, 376.
- Insensibility to pain, striking instance of, 15.
- Ivy, 83.

- Jack snipe. See Snipe.
 Jay, the, 190.
 Kite, the, its numbers greatly on the decline, 230—extraordinary capture of a number, 231.
- Labour of the peasantry in the author's village, profits of, 18.
- Language of birds, 263.
 Laurel tree, the, 121.
 Leasing. See Gleaning.
 Life, duration of, 179.
 Lily, blossoms of, indicative of old of the price of wheat, 246.
 Lime, 7—nature and uses of, 8—its abundance, 9—formation and origin of, *ibid.*—analysis of, 12, 13—residences upon its soil supposed to be healthy, 16.
 Limekiln, frightful consequence of a traveller's sleeping on one, 15.
 Linnet, the, 156.
 Longevity. See Life.
- Magpie, the, 188.
 Manure, picking it from grass lands for corn lands a bad practice, 49.
 Maple tree, 105—the under sides of the leaves of, a beautiful microscopic object, 107.
 Marten cat, the, 132.
 Maypoles, now seldom seen, 353.
 Migration of birds, 152. 209.
- Mistletoe, 96.
 Moles, 142—their sense of smelling, 146—rankness of their flesh, 149.
 Morell, the stinking, 126—the esculent, 130.
 Moth, the ghost, 273—the hawk, 279—the yellow under-wing, 283—the gamma, 284—the goat, 285—the death's-head, 313—the crmine, 347.
 Mouse, the harvest, 136—the water, 139—the common, 219—the meadow, and long-tailed, *ibid.*
- Natural affection, 191.
 Natural history little attended to, 51.
 Naturalist, pleasing occupations of the, 112.
 Nature, designs of, 288—changes in, 312—tendencies of, to produce, 393.
 Newt, the common, 304—a small shellfish often attached to its toes, 305.
 Nidularia, the bell-shaped, 130.
 Nightingale, the, less common than heretofore, 198.
 Nosegays, 73.
- Oak tree, description of one, 52—several of extraordinary magnitude, 55. 58—the oak less fruitful now than formerly, 56—its value, from its various uses, 58.

- Oat grass, 95.
- Pain, instance of insensibility to, 15.
- Peewit, the, 253.
- Phallus. See Morell.
- Pick-a-bud, name given to the bull-finch, 159.
- Pimpernel, the, a prognosticator of fine weather, 246.
- Plants, blossoms of, 66—names given to them of old, from their supposed qualities, 90—pores of, 111—decomposition of, 122.
- Polypi of the coral, 12.
- Poor, employment of the, 17.
- Poplar tree, 74.
- Potato, culture of the, 30—sorts, 31—profits, 33—effects of, on soils, 35—history of, 36—value of, as food, 41.
- Prognostications of wind and weather. See Wind and Weather.
- Providence, inattention to, 335.
- Puff, the gray, 118—the turreted, 129—the stellated, *ib.*
- Rats, migration of, 138—other particulars of, 219.
- Raven, the, 176.
- Redwing, 256.
- Reeking of the earth, 382.
- Robin, the, 160.
- Roman encampment, 2—roads, 3.
- Rook, the, 182—its affection, 183—sagacity, 185—appears to be decreasing in numbers, 199.
- Rose, the white moss, 34—the wild, 372.
- Royal forest, indications of one in Gloucestershire, 5.
- Seasons, variableness of, 209—effect of, 344.
- Sex, increase of, in 1825, 139, note.
- Shrew, the water, 139—the common, 140—new species of, 142.
- Shrike. See Butcher-bird.
- Sinking of the earth, 358.
- Skylark, the, 261.
- Smelling, question of the sense of, in birds, 188.
- Smokewood, sticks of the wild clematis so called, 110.
- Snail, the common, 325—the banded, 329—the halotideus, 341.
- Snakes, eggs of, 295—harmlessness of, 296—general aversion to, 297.
- Snapdragon, peculiarities of, 78—an insect trap, 79.
- Snipe, the jack, its habits, 250—supposed the male of the larger snipe, 253.
- Snowdrop, the, 93—a melancholy flower, 94.
- Soil, of the parish in which the author resides, 6—various

- sorts of, 20—analysis of, useless, 21—picking soil off grasslands a bad custom, 49.
 Song of birds. See Birds.
 Sparrow, the hedge, 150—the common, 215.
 Spottings, on apples, 362—on strawberry leaves, 363.
 Starling, the common, 200. 215—the brown, 205.
 Steaming of the earth, 382.
 Stinking phallus, the, 126.
 Stormy petrel, the, 194.
 Strontian, 14.
 Sulphur butterfly, 100.
 Sundew, destructive to insects, 80.
 Superstition, 315. 329.
 Swallows, their nests, 173—killed in wanton sport, 226.
 Sycamore tree, singularity of its leaves, 123.
 Teazle, its cultivation, 42—its profits, 45—its uses, 47.
 Thorn, the white, uniform in its blossoming, 210.
 Thrush, the solitary, 205—the common, 213. 325—the missel, 247—song of, 266.
 Timidity of animals, 249.
 Tokens. See Prognostications.
 Tomtit, or titmouse, the little blue, rewards for the destruction of, 164—perishes in severe winters, 165—the long-tailed, 168—instance of its intelligence in the care of its young, 174.
 Traveller's joy, name given to the wild clematis, 110.
 Trees, attractors of humidity, 62—condense fogs, 63—verdure beneath, 64—mischief of pollarding them, 378.
 Tree creeper, the, 242.
 Turnip, singularly decorated one, as a holiday amusement, 355.
 Uredo, the two-fronted, a substance attached to the leaves of the laurel, 122.
 Vermin, parish reward for the destruction of, 163.
 Vervain, 95—respect paid of old to this plant, 96—its supposed powers and qualities, 97.
 Village clubs, 74.
 Wald or wold, the dyer's weed so called, 98.
 Want, the, 142.
 Wasp, the common, 282—the solitary, 321—its nest, *ibid.*
 Water, stagnated and putrescent, favourable for the residence of insects, 304.
 Wheat, crops of, method of saving, 28.
 Wheatear, the, 224.
 Whirly pits, what, 358.

- Willow tree, 381.
- Winds and weather, old tokens of, 246. 255—saline winds a supposed cause of blight, 360.
- Winter, the season of, depicted, 384.
- Woodlark, the, 261.
- Woodlouse, 302.
- Worm, the hair, 320—the common, 330.
- Wren, the willow, 152—the golden-crested, 156 — the common, instance of its stratagem to preserve its nest, 236.
- Wryneck, the, 196.
- Wych elm. See Elm.
- Year 1825, singular increase of sex in the, 139, note—other peculiarities of, 365.
- Yellow weed, name given to dyers' weed, 98—yellow the prevailing colour of the flowers of plants in spring, 100—and in autumn, 101.

THE END.

LONDON :

PRINTED BY THOMAS DAVISON, WHITEFRIARS.

SALMONIA : or DAYS of FLY-FISHING. A Series of Conversations on the Art of Fly-fishing for the Species and Varieties of the Salmo ; and on the Habit of these Fishes. By An ANGLER. Small 8vo., 10s. 6d., illustrated with numerous Engravings on Wood.

“ Our modern Piseator is one familiar equally with the world of books and those high circles in society, which in our age, aristocratically shut against the pretensions of mere wealth, open so readily to distinguished talents and aquirements. His range, therefore, both of enjoyments and instruction, is far wider than that of Isaae Walton.

“ The instructions and information imparted to Anglers, are, as we may believe, equally clear, authentie, and entertaining.

“ A very great number of eurious facts concerning the natural history of fishes are here recorded, and the high scientific character of the Author is an ample pledge for their aecuraey.”—*Quarterly Review*.

POPULAR LECTURES on PHYSICAL GEOGRAPHY, delivered in the Royal Academy of Sciences of Berlin. By the **BARON ALEXANDER de HUMBOLDT.** Translated from the Author's MSS. 2 vols. 8vo.

The **ZOOLOGY** of the **NORTHERN PARTS** of **BRITISH AMERICA** : being Notices of the **Quadrupeds, Birds, Fishes,** and **Insects,** inhabiting the Country traversed by the late Expeditions under command of Captain **FRANKLIN.** With **Figures** of the new or rare Species. By **JOHN RICHARDSON, M.D., F.R.S., F.L.S., &c.** Surgeon to the Expeditions. With the assistance of several eminent Naturalists. Published under the Authority and Patronage of his Majesty's Government.

To be printed in 4to. uniformly with the Narratives of Captain Franklin's Expeditions through Canada and the Hudson's Bay Company's Territories; to which, with the forthcoming Flora of those eountries by Dr. Hooker, it may be considered to be an Appendix.

Part I. containing the **Quadrupeds,** illustrated by 24 spirited Etehings on Copper, by Thomas Landseer, will appear early in January, and will be speedily followed by Parts II. and III., being the remainder of the Work, and containing the **Birds,** principally by William Swainson, Esq. F.R.S., F.L.S., &c., and the **Insects** by the Rev. William Kerby, M.A. F.R.S. F.L.S., &c., with the **Fishes** by Dr. Richardson.

BOTANICAL MISCELLANY, intended to comprise **Figures and Descriptions** of new, rare, or little known **Plants,** from various **Parts** of the **World,** particularly of such as are useful in **COMMERCE,** in the **ARTS,** in **MEDICINE,** or in **Domestic Economy.** By **W. I. HOOKER, LL.D., F.R.S.,** and **L.S., &c. &c.,** and Regius Professor of Botany in the University of Glasgow. To be published in **Parts,** quarterly, in 4to. and 8vo. No. I. is now ready, and will be published on the 1st of January.

A **SECOND** Volume of **RELIQUIÆ DILUVIANÆ ;** or **Observations** on the **ORGANIC REMAINS** contained in **CAVES,** **Fissures,** and **Diluvial Gravel ;** and on other **Geological Phenomena,** attesting the **Action** of An **UNIVERSAL DELUGE.** By the Rev. **WILLIAM BUCKLAND, B.D., F.R.S., F.L.S., &c.** 4to.

JOHN MURRAY, ALBEMARLE-STREET.



