

Protocol for COVID-19 Screening & Follow up

Screening Target

Airport/Railways/
Bus stand/ Port

Outpatient/
Inpatient

Screening Questions

- H/o Travel to highly affected Territories in last 14 days
- H/o contact with COVID-19 patients[#]
- COVID19 Symptoms/Signs

Triage

• Travel (-)
• Symptoms (-)

Self Isolation
at Home

- Social distancing
- Hand hygiene
- Cough etiquette
- Disinfection
- Health seeking, If symptoms

• Travel (-)
• Symptoms (+)

ARI
Treatment*

- Existing Protocol for ARI
- Hand hygiene
- Cough etiquette
- Disinfection

• Travel (+)
• Symptoms (-)

Facility
Quarantine

- Contact Tracing
- Comorbid conditions screening (BP, Sugar, COPD, others)
- COVID symptoms

• Travel (+)
• Symptoms (+)

Hospital
Isolation

- Contact Tracing
- Comorbid conditions screening (BP, Sugar, COPD, others)
- Category A**

Laboratory Test

Co-morbid (-)
Category C

Covid-19
Negative

Covid-19
Positive

- Treatment as per guidelines
- Hospitalized till two subsequent samples become negative in 24 hours (and)
- Till asymptomatic & radiologically clear

Co-morbid (+)
Category B

Comorbid conditions Management

Management /
Hospitalization for
co-morbid conditions

Observation

Home
Quarantine

- Followed up by District EOC for 28 days
- If develop symptoms, inform Dist. EOC (1077) and refer to designated hospital

All the high-risk contacts with COVID-19 patients to be compulsorily home quarantined for 28 days & should be tested once between day 5 and day 14 of coming in his/her contact.

***Note:**

- If any of the Health worker develop symptoms of SARI, please test for COVID-19
- Upon the Clinician recommendation, lab samples may be taken from hospitalized patients with SARI after getting concurrence from State Emergency Operation Centre

Category A

- Travel (+)
- Symptom (+)
- Category B**
- Travel (+)
- Symptom (-)
- Co-morbid (+)
- Category C**
- Travel (+)
- Symptom (-)
- Co-morbid (-)