

HEALTH  
STATISTICS

*FROM THE U.S. NATIONAL HEALTH SURVEY*

**Acute Conditions  
seasonal variations**

**United States  
July 1957 - June 1961**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
PUBLIC HEALTH SERVICE



See inside of back cover  
for catalog card.

# HEALTH STATISTICS

*FROM THE U.S. NATIONAL HEALTH SURVEY*

Acute Conditions  
seasonal variations

United States

July 1957 -June 1961

Statistics on incidence of acute conditions and number of associated days of disability in each calendar quarter according to condition group and age. Based on data collected in household interviews during the period July 1957-June 1961.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
Abraham Ribicoff, Secretary

PUBLIC HEALTH SERVICE  
Luther L. Terry, Surgeon General

# NATIONAL CENTER FOR HEALTH STATISTICS

Forrest E. Linder, Ph.D., Director  
Theodore D. Woolsey, Assistant Director  
O. K. Sagen, Ph.D., Assistant Director

## U. S. NATIONAL HEALTH SURVEY

Theodore D. Woolsey, Chief  
Alice M. Waterhouse, M.D., Chief Medical Advisor  
James E. Kelly, D.D.S., Dental Advisor  
Walt R. Simmons, Statistical Advisor  
Arthur J. McDowell, Chief, Health Examination Survey  
Philip S. Lawrence, Sc.D., Chief, Health Interview Survey  
Robert T. Little, Chief, Automatic Data Processing

The U. S. National Health Survey is a continuing program under which the Public Health Service makes studies to determine the extent of illness and disability in the population of the United States and to gather related information. It is authorized by Public Law 652, 84th Congress.

### CO-OPERATION OF THE BUREAU OF THE CENSUS

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Health Survey, the Bureau of the Census, under a contractual arrangement, participates in most aspects of survey planning, selects the sample, collects the data, and carries out certain parts of the statistical processing.

# CONTENTS

	Page
Introduction -----	1
Source of Data-----	1
Incidence of Acute Conditions and Associated Days of Disability by Quarter-----	2
Detailed Tables-----	8
Appendix I. Technical Notes on Methods---	46
Background of This Report-----	46
Statistical Design of the Health Interview Survey-----	46
General Qualifications-----	47
Reliability of Estimates-----	47
Guide to Use of Relative Standard Error Charts-----	49
Appendix II. Definitions of Certain Terms Used in This Report-----	52
Terms Relating to Conditions-----	52
Terms Relating to Disability-----	53
Demographic Terms-----	53
Appendix III. Questionnaire -----	54

**SYMBOLS AND NOTES**

Data not available (three dashes)----- ---

Category not applicable (three dots)----- ...

Magnitude less than one-half of the unit  
used ----- 0 or 0.0

Magnitude of the sampling error precludes  
showing separate estimates----- (\*)

NOTE: Due to rounding detailed figures  
within tables may not add to totals



# ACUTE CONDITIONS

## SEASONAL VARIATIONS

### INTRODUCTION

During the 16 calendar quarters from July 1957-June 1961 an estimated average of 95 million acute conditions per quarter involving either activity restriction or medical attention were experienced by members of the civilian, noninstitutional population of the United States. This estimate is based on data collected in household interviews conducted by the U. S. National Health Survey, National Center for Health Statistics. The largest number of acute conditions occurring in any quarter was 160 million conditions in October-December 1957, the peak of the epidemic of Asian influenza. The smallest estimated number of acute conditions was the 60 million cases which occurred in July-September 1959.

The average of 95 million acute conditions per quarter resulted in restriction of activity for the average person of 2.3 days per quarter. The largest number of restricted-activity days per quarter was experienced in the October-December 1957 quarter with 4.5 days per person and the lowest number occurred in July-September 1959 with 1.4 days per person.

This report presents an analysis of the incidence of and associated disability from acute conditions for 16 quarters of data collection to show seasonal variations. A companion report, Acute Conditions, Geographic Distribution, B-34, presents annual estimates of incidence of acute conditions for each of the four years of data collection to show trends in the geographic distribution of acute conditions and to present detailed information for the year, July 1960-June 1961. Similar data, reported from the National Health Survey, Series B, No. 24, presented an analysis of seasonal variations for the 12 quarters of reporting of acute conditions from July 1957-June

1960. Other reports from the National Health Survey containing information about acute conditions are Series B, Nos. 5, 6, 18, and 23, and Series C Nos. 1 and 4.

### SOURCE OF DATA

The information contained in this publication is derived from household interviews conducted by the National Health Survey in co-operation with the Bureau of the Census of a probability sample of the civilian, noninstitutional population of the United States. The sample is designed so that interviews are conducted during every week of the year. During the 16-quarter period from July 1957-June 1961 the sample was composed of approximately 149,000 households containing about 485,000 persons living at the time of the interview.

A description of the design of the survey, the methods used in estimation, and general qualifications of the data obtained from surveys is presented in Appendix I. Since the estimates shown in this report are based on a sample of the population rather than on the entire population, they are subject to sampling error. Therefore, particular attention should be paid to the section entitled "Reliability of Estimates." Since the estimates based on a three-month-interviewing period are subject to higher sampling errors than estimates based on a 12-month period, the quarterly estimates should be interpreted with caution, especially for those estimates of relatively low magnitude.

Certain terms used in this report are defined in Appendix II. Some of the terms have specialized meanings for the purpose of the survey. For example, an acute condition is defined, with certain exceptions, as a condition which has lasted less than three months and which has involved either medical attention or restricted activity. The exceptions, which are listed in Appendix II, are certain conditions such as heart trouble and diabetes which are always considered to be chronic.

---

This report was prepared by Charles S. Wilder of the U. S. National Health Survey staff.

The questionnaire used by the Health Interview Survey during July 1960-June 1961 is reproduced in Appendix III. The questions (11-17 and Table I) designed to elicit information about acute conditions are substantially the same as those used in the earlier versions of the questionnaire.

Each condition reported in response to the illness-recall questions (11-17) was entered on a line of Table I. Further questions were asked to obtain a better description of the specific condition and to obtain information about the actions taken by the person, such as seeking medical attention or restricting his usual activities.

## INCIDENCE OF ACUTE CONDITIONS AND ASSOCIATED DAYS OF DISABILITY BY QUARTER

During the 16 quarters in the period from July 1957-June 1961 there was a marked seasonal variation in the incidence rates of acute conditions per 100 persons (tables 1 and 2). As shown in figure 1, the seasonal pattern had peaks in the January-March quarter of three of the four years; seasonal lows were reached in the July-September quarter of each year. In the first year of reporting the seasonal high was in the October-December 1957 quarter as a result of the epidemic of Asian influenza. Figure 2 shows that other respiratory conditions, including influenza, reached the high point in October-December 1957, while upper respiratory conditions reached a peak during the January-March 1958 quarter in conforming with the usual pattern. During July 1960-June 1961 the incidence of acute conditions showed the least amount of seasonal variation of any of the four years.

The influence of the incidence of acute respiratory conditions on the rates for all acute conditions is shown in figure 1. Since about three of each five acute conditions are respiratory conditions, it is not surprising that the pattern of the seasonal distribution of all acute conditions is quite similar to the pattern for acute respiratory conditions (fig. 1).<sup>1</sup>

There is less seasonal variation in the incidence of injuries and of infective and parasitic diseases than for all acute conditions as evidenced by repetition of cyclical movement. However, the rise and fall of these curves is well within sampling variability and may be due to

chance alone. The high and low points for the incidence of infective and parasitic diseases correspond to the pattern for all acute conditions in the last three of the four years of data. The low rates for infective and parasitic conditions during July-December 1957 may have been due to the influence of the Asian influenza epidemic on the diagnostic information obtained in interviews. Illnesses which would have ordinarily been reported as "virus infection," "the virus," or other ill-defined conditions classifiable to infective and parasitic diseases may have been reported during the epidemic period as Asian influenza. The classification of such conditions as respiratory would result in the unusually low rate for infective and parasitic conditions.

The curve for injuries exhibits a seasonal pattern that is the reverse of that for all conditions—high when the curve for all conditions is low, and vice versa. A small seasonal pattern of variation is shown for digestive system conditions; however, it is quite irregular since it disappears during the four quarters of 1958 and part of 1959.

Tables 3 and 4 show the age distribution of the incidence of acute conditions during each of the 16 quarters. The effect of age on seasonal variation as shown in figure 3 is such that for the youngest age group there is less relative rise and fall in the age-specific incidence rates than is present for the older age groups. The age group, 5-14, has the largest relative difference between high and low points in each cycle. Age-specific incidence rates for the acute respiratory and injury condition groups are shown in tables 17 and 20, respectively.

The distribution of days of restricted activity and bed disability per 100 persons exhibits about the same type of seasonal pattern as for the incidence rates (tables 5-12). In 14 of the 16 quarters respiratory conditions contributed the largest proportion of days to the total number of restricted-activity days. The exceptions were July-September of 1958 and 1960 during which injuries had the largest number of restricted-activity days (table 5). The proportionate contribution to the total by the other condition groups varied from quarter to quarter.

In terms of the number of restricted-activity days per condition, a rate which may be considered as a measure of severity among the persons exposed to the risk of incurring such disability, the most interesting curve in figures 4 and 5 is that for injuries. The curve for a particular condition group was obtained by dividing the number of restricted-activity days for the group by the number of cases in the condition group. In figure 1 the incidence curve for injuries

<sup>1</sup>The rates shown in all of the figures depicting seasonal trends are plotted on semilogarithmic scale so that visual comparisons can be made of relative amounts of seasonal variation within and between individual curves of condition groups or age groups.






Figure 1. Incidence of acute conditions per 100 persons per quarter.

had seasonal high points in the July-September quarter while the curve for restricted-activity days per condition had high points in the January-March quarter. Tables 20-22 have been included to explain this seeming discrepancy. Comparing these two quarters in each of the four years (table 20) shows that in July-September an average of 37.4 percent of the injuries were sustained by young people under 15 and 22.9 percent by persons 45 years of age and over. During January-

March an average of 33.4 percent of the injuries were sustained by young people under 15 and 25.2 percent by older persons 45 years and over. Since older persons have a longer recuperation time per injury (fig. 6), this explains the apparent discrepancy in seasonal peaks.

The gradual rise in the duration of restricted activity per injury during the 16 quarters, as shown in figures 5 and 6, should not, at present be taken to indicate that the severity of injuries

is changing. The period under study is too short to judge the significance of this rise until further data have been accumulated.

An indication of the effect of acute conditions on work-loss days is given in figure 7 and tables 13 and 14. Figure 7 shows the average number of persons absent from work each day because of acute conditions. More males than females were absent from work each day, but since the working population is heavily weighted with males, such an effect is expected. Respiratory conditions and

injuries were the leading causes of work loss, but injuries exerted a relatively greater influence as a cause of work loss than they did as a cause of restricted activity among all persons. The proportion of work-loss days resulting from injuries is 26 percent of the total number, while only 17 percent of all restricted-activity days may be attributed to injuries.

Seasonal variations in the average number of persons with work loss indicate no sharp rise during the winters of 1958-59 and 1960-61. The




Figure 2. Incidence of acute upper and other respiratory conditions per 100 persons per quarter.




Figure 3. Incidence of acute conditions per 100 persons per quarter by age.




Figure 4. Number of restricted-activity days per condition per quarter by condition group.




Figure 5. Number of restricted activity days per condition per quarter by condition group.




Figure 6. Number of restricted-activity days per injury per quarter by age.




Figure 7. Persons absent from work each day because of acute conditions by sex.

epidemics of Asian influenza during the winters of 1957-58 and 1959-60 account for the high rate of work loss during these years.

School-loss days associated with acute conditions per 100 children aged 6-16 years of age are shown in tables 15 and 16. The seasonal peaks coincide with those shown in figure 1 for the incidence of acute conditions. Respiratory

conditions were the primary cause of days lost from school resulting from acute conditions.

Since acute respiratory conditions and injuries represent such a large proportion of the total number of acute conditions, separate tables showing incidence, restricted-activity days, and bed-disability days by age are shown in tables 17-22.



## DETAILED TABLES

Page

### ACUTE CONDITIONS

Table	1.	Incidence of acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	10
	2.	Incidence of acute conditions per 100 persons per quarter by sex and condition group: United States, July 1957-June 1961-----	12
	3.	Incidence of acute conditions per quarter by sex and age: United States, July 1957-June 1961-----	14
	4.	Incidence of acute conditions per 100 persons per quarter by sex and age: United States, July 1957-June 1961-----	16

### DAYS OF RESTRICTED ACTIVITY ASSOCIATED WITH ACUTE CONDITIONS

	5.	Days of restricted activity associated with acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	18
	6.	Days of restricted activity associated with acute conditions per 100 persons per quarter by sex and condition group: United States, July 1957-June 1961---	20
	7.	Days of restricted activity associated with acute conditions per quarter by sex and age: United States, July 1957-June 1961-----	22
	8.	Days of restricted activity associated with acute conditions per 100 persons per quarter by sex and age: United States, July 1957-June 1961-----	24

### DAYS OF BED DISABILITY ASSOCIATED WITH ACUTE CONDITIONS

	9.	Days of bed disability associated with acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	26
	10.	Days of bed disability associated with acute conditions per 100 persons per quarter by sex and condition group: United States, July 1957-June 1961-----	28
	11.	Days of bed disability associated with acute conditions per quarter by sex and age: United States, July 1957-June 1961-----	30
	12.	Days of bed disability associated with acute conditions per 100 persons per quarter by sex and age: United States, July 1957-June 1961-----	32

### DAYS OF TIME LOST ASSOCIATED WITH ACUTE CONDITIONS

	13.	Days lost from work associated with acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	34
	14.	Persons absent from work each day because of acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	34
	15.	Days lost from school associated with acute conditions per quarter by sex and condition group: United States, July 1957-June 1961-----	36
	16.	Days lost from school associated with acute conditions per 100 children per quarter by sex and condition group: United States, July 1957-June 1961-----	36

DETAILED TABLES--Continued

Page

ACUTE RESPIRATORY CONDITIONS

Table 17.	Incidence of acute respiratory conditions per quarter by age: United States, July 1957-June 1961-----	38
18.	Days of restricted activity associated with acute respiratory conditions per quarter by age: United States, July 1957-June 1961-----	38
19.	Days of bed disability associated with acute respiratory conditions per quarter by age: United States, July 1957-June 1961-----	40

INJURIES

20.	Incidence of injuries per quarter by age: United States, July 1957-June 1961-----	40
21.	Days of restricted activity associated with injuries per quarter by age: United States, July 1957-June 1961-----	42
22.	Days of bed disability associated with injuries per quarter by age: United States, July 1957-June 1961-----	42

POPULATION

23.	Population used in obtaining rates shown in this publication by quarter, sex, and age: United States, July 1957-June 1961-----	44
-----	--	----

Table 1. Incidence of acute conditions per quarter by sex

(Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Incidence of acute con-					
All acute conditions-----	69,704	160,312	125,437	82,433	63,196	93,202
Infective and parasitic diseases---	7,946	6,817	10,034	13,815	7,131	9,178
Respiratory conditions-----	30,612	126,340	88,727	38,854	25,458	59,246
Upper respiratory-----	20,123	51,445	53,524	28,506	17,745	42,031
Other respiratory-----	10,489	74,895	35,203	10,348	7,713	17,215
Digestive system conditions-----	6,915	4,662	5,884	6,565	5,748	5,284
Injuries-----	13,910	11,123	10,192	12,383	15,480	11,063
All other acute conditions-----	10,322	11,370	10,601	10,816	9,380	8,431
<u>Male</u>						
All acute conditions-----	31,587	74,119	59,707	37,279	29,566	42,875
Infective and parasitic diseases---	3,322	3,109	5,422	6,019	2,979	4,579
Respiratory conditions-----	12,778	58,866	41,514	16,249	11,886	26,473
Upper respiratory-----	8,360	23,268	24,262	11,867	8,198	18,827
Other respiratory-----	4,418	35,598	17,252	4,382	3,688	7,646
Digestive system conditions-----	2,554	2,552	2,763	2,943	2,475	2,556
Injuries-----	8,527	5,607	5,840	7,808	8,725	6,330
All other acute conditions-----	4,406	3,985	4,168	4,260	3,502	2,937
<u>Female</u>						
All acute conditions-----	38,117	86,193	65,730	45,154	33,630	50,327
Infective and parasitic diseases---	4,624	3,708	4,612	7,796	4,152	4,599
Respiratory conditions-----	17,834	67,474	47,212	22,605	13,572	32,773
Upper respiratory-----	11,763	28,177	29,261	16,639	9,547	23,203
Other respiratory-----	6,071	39,297	17,951	5,966	4,025	9,570
Digestive system conditions-----	4,361	2,110	3,121	3,623	3,273	2,728
Injuries-----	5,383	5,516	4,351	4,575	6,755	4,732
All other acute conditions-----	5,916	7,385	6,434	6,556	5,877	5,495

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

and condition group: United States, July 1957-June 1961

ditions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
118,305	93,238	59,742	92,178	130,572	72,659	65,719	100,308	112,359	80,954
14,530	13,401	7,227	10,263	13,854	11,359	7,552	10,108	16,435	14,962
78,101	52,543	22,137	57,216	93,656	34,896	24,866	63,576	71,075	36,759
52,532	30,073	16,258	39,733	45,911	23,992	17,219	44,612	50,406	26,499
25,568	22,469	5,879	17,483	47,745	10,904	7,647	18,964	20,670	10,260
5,044	4,286	5,385	5,083	3,942	4,180	6,217	4,797	5,346	6,279
9,986	12,941	13,751	9,992	9,927	12,017	15,434	12,078	10,066	12,129
10,645	10,067	11,243	9,623	9,192	10,207	11,649	9,748	9,437	10,824
53,455	44,684	27,627	40,662	59,779	33,496	31,524	47,195	52,609	36,211
7,788	7,062	3,258	5,272	6,537	4,444	3,831	4,492	8,080	6,296
33,844	23,594	10,533	24,729	42,824	16,898	10,834	29,137	32,437	16,096
22,674	13,317	7,783	17,722	20,804	11,577	7,596	20,628	23,305	11,410
11,169	10,277	2,750	7,007	22,020	5,321	3,238	8,509	9,132	4,686
2,087	1,887	2,523	1,942	1,989	1,823	3,173	2,364	2,507	2,819
5,760	8,102	7,363	5,440	5,260	6,917	9,056	7,477	5,605	7,210
3,976	4,039	3,949	3,279	3,169	3,413	4,630	3,724	3,980	3,790
64,851	48,554	32,115	51,516	70,793	39,163	34,194	53,113	59,750	44,742
6,742	6,339	3,968	4,991	7,318	6,914	3,721	5,616	8,355	8,665
44,257	28,949	11,604	32,487	50,833	17,998	14,032	34,439	38,638	20,663
29,858	16,756	8,474	22,011	25,107	12,415	9,623	23,984	27,100	15,088
14,399	12,192	3,130	10,476	25,726	5,583	4,408	10,455	11,538	5,575
2,957	2,399	2,861	3,142	1,954	2,356	3,044	2,432	2,839	3,460
4,225	4,839	6,388	4,552	4,667	5,100	6,378	4,601	4,461	4,919
6,669	6,029	7,294	6,345	6,022	6,794	7,020	6,024	5,457	7,034



Table 2. Incidence of acute conditions per 100 persons per quarter

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifi-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Incidence of acute conditions					
All acute conditions-----	41.7	95.4	74.3	48.6	37.1	54.5
Infective and parasitic diseases---	4.8	4.1	5.9	8.2	4.2	5.4
Respiratory conditions-----	18.3	75.2	52.6	22.9	15.0	34.7
Upper respiratory-----	12.0	30.6	31.7	16.8	10.4	24.6
Other respiratory-----	6.3	44.6	20.9	6.1	4.5	10.1
Digestive system conditions-----	4.1	2.8	3.5	3.9	3.4	3.1
Injuries-----	8.3	6.6	6.0	7.3	9.1	6.5
All other acute conditions-----	6.2	6.8	6.3	6.4	5.5	4.9
<u>Male</u>						
All acute conditions-----	38.9	90.7	72.7	45.2	35.7	51.5
Infective and parasitic diseases---	4.1	3.8	6.6	7.3	3.6	5.5
Respiratory conditions-----	15.7	72.0	50.5	19.7	14.4	31.8
Upper respiratory-----	10.3	28.5	29.5	14.4	9.9	22.6
Other respiratory-----	5.4	43.5	21.0	5.3	4.5	9.2
Digestive system conditions-----	3.1	3.1	3.4	3.6	3.0	3.1
Injuries-----	10.5	6.9	7.1	9.5	10.5	7.6
All other acute conditions-----	5.4	4.9	5.1	5.2	4.2	3.5
<u>Female</u>						
All acute conditions-----	44.4	99.9	75.8	51.9	38.5	57.3
Infective and parasitic diseases---	5.4	4.3	5.3	9.0	4.8	5.2
Respiratory conditions-----	20.8	78.2	54.5	26.0	15.5	37.3
Upper respiratory-----	13.7	32.7	33.8	19.1	10.9	26.4
Other respiratory-----	7.1	45.5	20.7	6.9	4.6	10.9
Digestive system conditions-----	5.1	2.4	3.6	4.2	3.7	3.1
Injuries-----	6.3	6.4	5.0	5.3	7.7	5.4
All other acute conditions-----	6.9	8.6	7.4	7.5	6.7	6.3

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.



by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
per 100 persons per quarter									
68.9	54.1	34.5	53.0	74.5	41.3	37.2	56.5	63.0	45.2
8.5	7.8	4.2	5.9	7.9	6.5	4.3	5.7	9.2	8.4
45.5	30.5	12.8	32.9	53.4	19.8	14.1	35.8	39.8	20.5
30.6	17.4	9.4	22.8	26.2	13.6	9.7	25.1	28.3	14.8
14.9	13.0	3.4	10.1	27.2	6.2	4.3	10.7	11.6	5.7
2.9	2.5	3.1	2.9	2.2	2.4	3.5	2.7	3.0	3.5
5.8	7.5	7.9	5.7	5.7	6.8	8.7	6.8	5.6	6.8
6.2	5.8	6.5	5.5	5.2	5.8	6.6	5.5	5.3	6.0
64.0	53.3	32.8	48.0	70.0	39.1	36.7	54.6	60.6	41.6
9.3	8.4	3.9	6.2	7.7	5.2	4.5	5.2	9.3	7.2
40.5	28.1	12.5	29.2	50.2	19.7	12.6	33.7	37.4	18.5
27.1	15.9	9.2	20.9	24.4	13.5	8.8	23.9	26.9	13.1
13.4	12.2	3.3	8.3	25.8	6.2	3.8	9.8	10.5	5.4
2.5	2.2	3.0	2.3	2.3	2.1	3.7	2.7	2.9	3.2
6.9	9.7	8.7	6.4	6.2	8.1	10.5	8.7	6.5	8.3
4.8	4.8	4.7	3.9	3.7	4.0	5.4	4.3	4.6	4.4
73.6	54.9	36.1	57.7	78.6	43.3	37.7	58.2	65.2	48.6
7.6	7.2	4.5	5.6	8.1	7.7	4.1	6.2	9.1	9.4
50.2	32.7	13.1	36.4	56.5	19.9	15.5	37.8	42.2	22.5
33.9	18.9	9.5	24.7	27.9	13.7	10.6	26.3	29.6	16.4
16.3	13.8	3.5	11.7	28.6	6.2	4.9	11.5	12.6	6.1
3.4	2.7	3.2	3.5	2.2	2.6	3.4	2.7	3.1	3.8
4.8	5.5	7.2	5.1	5.2	5.6	7.0	5.0	4.9	5.3
7.6	6.8	8.2	7.1	6.7	7.5	7.7	6.6	6.0	7.6

Table 3. Incidence of acute conditions per quarter

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Incidence of acute con-					
All ages-----	69,704	160,312	125,437	82,433	63,196	93,202
Under 5-----	12,466	26,119	22,991	16,571	13,142	17,192
5-14-----	16,044	46,246	32,245	22,329	14,986	24,214
15-24-----	10,787	22,512	14,286	9,841	7,919	11,382
25-44-----	16,886	36,916	29,261	18,069	15,850	21,554
45-64-----	9,374	21,658	18,980	10,714	7,982	13,507
65+-----	4,148	6,861	7,674	4,909	3,317	5,353
<u>Male</u>						
All ages-----	31,587	74,119	59,707	37,279	29,566	42,875
Under 5-----	6,320	12,946	12,403	8,336	7,464	9,371
5-14-----	8,216	23,304	16,673	10,788	7,081	12,601
15-24-----	5,077	9,638	5,748	4,117	3,173	4,045
25-44-----	6,609	15,071	13,192	7,610	6,998	8,533
45-64-----	3,704	9,972	8,444	4,226	3,717	6,312
65+-----	1,660	3,188	3,247	2,203	1,133	2,012
<u>Female</u>						
All ages-----	38,117	86,193	65,730	45,154	33,630	50,327
Under 5-----	6,146	13,172	10,587	8,235	5,678	7,820
5-14-----	7,827	22,942	15,572	11,542	7,904	11,613
15-24-----	5,710	12,874	8,538	5,724	4,746	7,337
25-44-----	10,277	21,846	16,069	10,460	8,852	13,021
45-64-----	5,670	11,686	10,537	6,488	4,265	7,195
65+-----	2,488	3,673	4,427	2,706	2,184	3,340

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

by sex and age: United States, July 1957-June 1961

ditions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
118,305	93,238	59,742	92,178	130,572	72,659	65,719	100,308	112,359	80,954
22,502	16,472	11,765	20,567	22,713	16,817	15,365	18,795	25,151	15,915
33,503	28,617	14,623	24,727	32,575	18,799	15,255	27,891	29,771	21,748
13,319	11,077	7,198	11,003	15,733	9,104	8,262	12,188	14,149	9,810
26,504	19,857	15,209	20,214	30,389	13,934	15,274	23,132	21,532	18,037
15,220	13,296	7,845	11,096	20,693	10,400	8,074	13,276	15,820	11,447
7,257	3,919	3,102	4,570	8,469	3,606	3,489	5,026	5,936	3,996
53,455	44,684	27,627	40,662	59,779	33,496	31,524	47,195	52,609	36,211
11,884	8,519	5,766	10,621	11,716	8,862	8,225	9,972	12,865	7,348
17,075	14,877	7,563	11,187	15,526	9,040	7,718	14,488	15,105	11,593
5,612	4,071	2,807	4,331	7,055	4,001	3,429	5,041	6,198	4,264
10,041	9,150	6,507	8,511	12,395	5,633	6,637	9,499	9,202	6,506
6,224	6,745	3,772	4,378	9,500	4,540	3,900	6,022	6,728	4,984
2,618	1,321	1,212	1,635	3,587	1,420	1,615	2,173	2,511	1,516
64,851	48,554	32,115	51,516	70,793	39,163	34,194	53,113	59,750	44,742
10,618	7,953	6,000	9,947	10,997	7,955	7,140	8,823	12,286	8,567
16,428	13,740	7,059	13,541	17,050	9,759	7,538	13,403	14,666	10,155
7,707	7,006	4,391	6,673	8,678	5,103	4,833	7,148	7,951	5,546
16,463	10,707	8,701	11,703	17,994	8,301	8,636	13,633	12,330	11,531
8,996	6,551	4,073	6,718	11,192	5,859	4,174	7,253	9,092	6,463
4,639	2,597	1,890	2,935	4,881	2,186	1,874	2,853	3,425	2,480

Table 4. Incidence of acute conditions per 100 persons per

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Incidence of acute conditions					
All ages-----	41.7	95.4	74.3	48.6	37.1	54.5
Under 5-----	65.0	135.0	118.4	85.2	67.3	87.5
5-14-----	48.7	139.4	96.5	66.4	44.2	70.9
15-24-----	52.1	107.3	67.3	45.9	36.6	52.1
25-44-----	37.0	80.8	64.1	39.6	34.8	47.4
45-64-----	27.4	63.0	55.0	30.9	22.9	38.6
65+-----	28.8	47.3	52.8	33.6	22.6	36.2
<u>Male</u>						
All ages-----	38.9	90.7	72.7	45.2	35.7	51.5
Under 5-----	64.7	131.4	125.3	84.2	75.1	93.7
5-14-----	48.9	137.7	97.8	62.9	41.0	72.3
15-24-----	53.1	99.0	58.1	41.1	31.4	39.5
25-44-----	30.2	68.9	60.2	34.8	32.0	39.1
45-64-----	22.3	59.7	50.4	25.1	22.0	37.2
65+-----	25.1	48.0	48.8	33.1	16.9	29.9
<u>Female</u>						
All ages-----	44.4	99.9	75.8	51.9	38.5	57.3
Under 5-----	65.3	138.8	111.1	86.3	59.3	81.1
5-14-----	48.5	141.2	95.2	70.1	47.6	69.4
15-24-----	51.3	114.5	75.3	50.0	41.2	63.2
25-44-----	43.2	91.9	67.6	44.1	37.3	55.0
45-64-----	32.2	66.1	59.3	36.3	23.8	39.9
65+-----	31.9	46.8	56.1	34.1	27.3	41.4

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

quarter by sex and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
68.9	54.1	34.5	53.0	74.5	41.3	37.2	56.5	63.0	45.2
114.3	83.5	59.5	103.4	113.4	84.1	76.7	93.2	124.5	78.8
97.2	82.3	41.7	69.9	90.8	51.9	41.8	75.6	80.0	57.9
60.4	49.8	32.1	48.5	68.6	39.4	35.5	52.0	59.8	41.2
58.3	43.7	33.5	44.6	66.8	30.7	33.6	50.9	47.4	39.7
43.3	37.7	22.1	31.2	57.8	28.9	22.4	36.6	43.5	31.4
48.8	26.2	20.6	30.2	55.6	23.6	22.7	32.5	38.2	25.6
64.0	53.3	32.8	48.0	70.0	39.1	36.7	54.6	60.6	41.6
118.5	84.8	57.2	104.8	114.9	87.0	80.7	97.2	125.1	71.4
97.1	83.9	42.3	61.9	84.7	48.9	41.4	77.0	79.5	60.5
54.2	38.9	26.6	40.2	64.8	36.3	30.9	45.2	55.0	37.5
46.0	42.0	29.8	39.3	57.0	25.9	30.5	43.7	42.3	29.9
36.6	39.5	22.0	25.5	54.9	26.2	22.4	34.5	38.4	28.4
38.8	19.5	17.8	23.9	52.2	20.6	23.4	31.3	36.1	21.7
73.6	54.9	36.1	57.7	78.6	43.3	37.7	58.2	65.2	48.6
109.9	82.2	61.8	101.9	111.9	81.0	72.6	89.2	123.9	86.4
97.3	80.7	41.1	78.2	97.0	55.1	42.2	74.3	80.5	55.3
65.9	59.5	37.0	55.9	72.0	42.1	39.6	58.2	64.2	44.5
69.6	45.3	36.8	49.6	75.9	35.0	36.5	57.5	52.0	48.7
49.6	36.0	22.3	36.6	60.5	31.5	22.3	38.6	48.2	34.1
57.1	31.8	23.0	35.4	58.4	26.0	22.2	33.4	39.9	28.7

per 100 persons per quarter



Table 5. Days of restricted activity associated with acute conditions per  
 [Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifi-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>		Days of restricted ac-				
All acute conditions-----	282,240	753,492	535,499	351,489	249,991	338,319
Infective and parasitic diseases--	32,307	29,148	54,445	74,421	26,609	32,876
Respiratory conditions-----	100,721	584,101	339,869	147,355	65,776	183,662
Digestive system conditions-----	22,828	17,873	21,545	16,912	16,881	17,510
Injuries-----	69,144	59,087	61,637	56,985	91,038	61,320
All other acute conditions-----	57,239	63,284	58,005	55,816	49,688	42,950
<u>Male</u>						
All acute conditions-----	111,481	332,804	237,740	151,701	112,142	139,335
Infective and parasitic diseases--	14,444	9,622	28,437	35,497	11,175	15,469
Respiratory conditions-----	38,276	263,801	148,799	62,079	30,747	73,068
Digestive system conditions-----	9,896	7,959	7,106	7,187	7,216	7,909
Injuries-----	31,522	32,486	33,868	30,776	44,894	33,165
All other acute conditions-----	17,343	18,936	19,532	16,163	18,110	9,724
<u>Female</u>						
All acute conditions-----	170,759	420,688	297,758	199,787	137,849	198,984
Infective and parasitic diseases--	17,864	19,525	26,008	38,924	15,434	17,406
Respiratory conditions-----	62,445	320,299	191,070	85,276	35,029	110,594
Digestive system conditions-----	12,933	9,913	14,439	9,725	9,665	9,602
Injuries-----	37,622	26,602	27,769	26,208	46,143	28,156
All other acute conditions-----	39,896	44,348	38,473	39,654	31,578	33,226

quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
463,654	394,349	246,721	356,285	619,276	323,169	254,411	382,081	516,912	371,815
69,954	74,281	30,095	48,216	69,203	61,873	28,578	38,453	81,553	76,789
260,941	189,693	68,870	169,165	402,446	114,803	69,265	187,019	250,753	124,350
16,590	13,584	19,705	21,922	17,668	18,420	18,067	16,503	19,503	23,301
59,985	58,219	63,844	59,720	70,166	70,784	79,126	81,340	96,540	74,604
56,184	58,573	64,207	57,263	59,793	57,289	59,375	58,766	68,564	72,771
200,536	170,560	108,724	148,613	266,408	141,932	119,781	175,596	221,813	160,612
40,624	36,967	14,169	20,869	34,246	24,078	12,789	17,053	41,457	33,339
108,807	79,411	33,169	73,417	171,148	52,417	30,701	82,685	105,700	53,917
4,406	5,911	9,322	7,070	11,609	9,223	7,891	6,092	7,715	10,126
29,879	27,161	32,144	31,117	32,764	39,126	47,090	53,260	49,460	43,417
16,820	21,110	19,921	16,140	16,642	17,089	21,309	16,506	17,481	19,813
263,119	223,789	137,998	207,672	352,868	181,237	134,630	206,485	295,099	211,203
29,331	37,314	15,927	27,347	34,957	37,795	15,788	21,400	40,096	43,451
152,134	110,282	35,701	95,747	231,298	62,386	38,564	104,334	145,053	70,433
12,184	7,673	10,383	14,852	6,060	9,198	10,176	10,411	11,787	13,175
30,106	31,058	31,700	28,603	37,402	31,658	32,036	28,080	47,079	31,187
39,364	37,463	44,287	41,122	43,151	40,199	38,066	42,259	51,083	52,957

Table 6. Days of restricted activity associated with acute conditions per 100 per-  
 [Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of restricted activity					
All acute conditions-----	168.9	448.4	317.2	207.4	146.9	197.9
Infective and parasitic diseases---	19.3	17.3	32.3	43.9	15.6	19.2
Respiratory conditions-----	60.3	347.6	201.3	87.0	38.7	107.4
Digestive system conditions-----	13.7	10.6	12.8	10.0	9.9	10.2
Injuries-----	41.4	35.2	36.5	33.6	53.5	35.9
All other acute conditions-----	34.3	37.7	34.4	32.9	29.2	25.1
<u>Male</u>						
All acute conditions-----	137.2	407.1	289.4	184.0	135.5	167.5
Infective and parasitic diseases---	17.8	11.8	34.6	43.1	13.5	18.6
Respiratory conditions-----	47.1	322.7	181.1	75.3	37.1	87.8
Digestive system conditions-----	12.2	9.7	8.7	8.7	8.7	9.5
Injuries-----	38.8	39.7	41.2	37.3	54.2	39.9
All other acute conditions-----	21.3	23.2	23.8	19.6	21.9	11.7
<u>Female</u>						
All acute conditions-----	198.9	487.5	343.6	229.7	157.8	226.7
Infective and parasitic diseases---	20.8	22.6	30.0	44.7	17.7	19.8
Respiratory conditions-----	72.7	371.2	220.5	98.0	40.1	126.0
Digestive system conditions-----	15.1	11.5	16.7	11.2	11.1	10.9
Injuries-----	43.8	30.8	32.0	30.1	52.8	32.1
All other acute conditions-----	46.5	51.4	44.4	45.6	36.1	37.9

sons per quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
270.1	228.8	142.5	204.8	353.1	183.6	144.0	215.1	289.7	207.6
40.7	43.1	17.4	27.7	39.5	35.2	16.2	21.7	45.7	42.9
152.0	110.0	39.8	97.3	229.5	65.2	39.2	105.3	140.5	69.4
9.7	7.9	11.4	12.6	10.1	10.5	10.2	9.3	10.9	13.0
34.9	33.8	36.9	34.3	40.0	40.2	44.8	45.8	54.1	41.6
32.7	34.0	37.1	32.9	34.1	32.6	33.6	33.1	38.4	40.6
240.0	203.3	129.0	175.6	312.2	165.7	139.3	203.3	255.7	184.4
48.6	44.1	16.8	24.7	40.1	28.1	14.9	19.7	47.8	38.3
130.2	94.6	39.4	86.7	200.5	61.2	35.7	95.7	121.8	61.9
5.3	7.0	11.1	8.4	13.6	10.8	9.2	7.1	8.9	11.6
35.8	32.4	38.1	36.8	38.4	45.7	54.8	61.7	57.0	49.8
20.1	25.2	23.6	19.1	19.5	20.0	24.8	19.1	20.1	22.7
298.6	252.9	155.3	232.6	392.0	200.6	148.4	226.4	322.0	229.5
33.3	42.2	17.9	30.6	38.8	41.8	17.4	23.5	43.7	47.2
172.6	124.6	40.2	107.2	256.9	69.0	42.5	114.4	158.3	76.5
13.8	8.7	11.7	16.6	6.7	10.2	11.2	11.4	12.9	14.3
34.2	35.1	35.7	32.0	41.5	35.0	35.3	30.8	51.4	33.9
44.7	42.3	49.8	46.1	47.9	44.5	42.0	46.3	55.7	57.5

per 100 persons per quarter

Table 7. Days of restricted activity associated with acute condi-

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of restricted ac-					
All ages-----	282,240	753,492	535,499	351,489	249,991	338,319
Under 5-----	29,769	85,078	72,969	54,030	32,433	44,185
5-14-----	50,464	228,985	122,340	91,311	49,904	72,787
15-24-----	44,500	97,541	47,838	37,420	43,491	39,863
25-44-----	75,576	153,950	127,826	66,665	57,369	78,624
45-64-----	49,113	131,667	108,801	57,435	42,728	59,404
65+-----	32,818	56,272	55,724	44,628	24,066	43,455
<u>Male</u>						
All ages-----	111,481	332,804	237,740	151,701	112,142	139,335
Under 5-----	14,922	39,779	38,020	24,775	18,250	21,864
5-14-----	24,269	109,844	60,843	46,732	26,883	38,280
15-24-----	13,454	38,411	17,377	17,040	16,134	11,650
25-44-----	28,897	59,662	50,243	21,811	21,729	24,851
45-64-----	19,915	58,107	48,104	20,807	18,987	28,020
65+-----	10,025	27,000	23,154	20,535	10,159	14,670
<u>Female</u>						
All ages-----	170,759	420,688	297,758	199,787	137,849	198,984
Under 5-----	14,847	45,299	34,949	29,255	14,183	22,321
5-14-----	26,196	119,141	61,498	44,579	23,021	34,507
15-24-----	31,046	59,130	30,461	20,379	27,357	28,213
25-44-----	46,679	94,287	77,583	44,853	35,640	53,773
45-64-----	29,198	73,560	60,698	36,627	23,741	31,384
65+-----	22,793	29,272	32,570	24,093	13,907	28,785



tions per quarter by sex and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
463,654	394,349	246,721	356,285	619,276	323,169	254,411	382,081	516,912	371,815
67,610	53,348	31,042	56,161	66,569	46,176	33,865	47,613	84,776	46,093
128,272	115,638	53,593	88,127	142,553	79,306	45,504	86,854	121,960	79,800
41,058	35,004	27,790	32,665	65,440	39,181	30,960	43,099	51,178	45,257
94,280	75,884	59,617	83,967	133,644	64,002	66,114	90,603	108,005	92,772
85,582	76,874	49,937	57,131	139,966	60,084	47,483	74,280	94,125	59,680
46,852	37,601	24,743	38,234	71,104	34,420	30,485	39,631	56,868	48,214
200,536	170,560	108,724	148,613	266,408	141,932	119,781	175,596	221,813	160,612
37,713	28,474	13,935	29,332	35,812	24,428	16,808	26,673	42,070	19,041
65,654	54,360	29,007	44,780	66,189	38,456	26,802	45,446	63,906	42,748
15,535	9,256	12,319	11,031	26,080	15,333	12,748	20,784	19,523	19,233
33,201	27,644	25,634	28,237	49,641	25,809	26,707	36,490	39,078	33,585
32,434	34,163	19,879	19,855	56,633	24,387	21,073	30,938	35,513	22,882
15,998	16,664	7,950	15,379	32,053	13,520	15,643	15,266	21,725	23,123
263,119	223,789	137,998	207,672	352,868	181,237	134,630	206,485	295,099	211,203
29,897	24,875	17,107	26,829	30,757	21,748	17,057	20,940	42,707	27,052
62,618	61,278	24,586	43,346	76,364	40,851	18,702	41,408	58,054	37,052
25,522	25,748	15,471	21,635	39,360	23,848	18,212	22,315	31,655	26,024
61,079	48,240	33,983	55,731	84,004	38,193	39,407	54,114	68,928	59,187
53,148	42,711	30,057	37,277	83,333	35,697	26,410	43,342	58,612	36,797
30,855	20,938	16,793	22,855	39,051	20,900	14,842	24,366	35,143	25,091

tivity in thousands

Table 8. Days of restricted activity associated with acute conditions per  
[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of restricted activity					
All ages-----	168.9	448.4	317.2	207.4	146.9	197.9
Under 5-----	155.1	439.8	375.6	277.9	166.2	224.9
5-14-----	153.2	690.4	366.3	271.5	147.3	213.0
15-24-----	215.0	465.0	225.2	174.4	200.9	182.4
25-44-----	165.6	337.2	279.9	146.1	125.9	172.8
45-64-----	143.4	382.7	315.0	165.6	122.7	169.8
65+-----	227.9	388.2	383.1	305.5	163.9	293.8
<u>Male</u>						
All ages-----	137.2	407.1	289.4	184.0	135.5	167.5
Under 5-----	152.7	403.6	384.2	250.2	183.5	218.5
5-14-----	144.5	649.2	357.1	272.3	155.5	219.5
15-24-----	140.7	394.5	175.6	170.2	159.4	113.7
25-44-----	132.2	272.6	229.4	99.6	99.4	113.9
45-64-----	119.6	347.7	286.9	123.7	112.4	165.3
65+-----	151.8	406.6	348.2	308.1	151.9	218.1
<u>Female</u>						
All ages-----	198.9	487.5	343.6	229.7	157.8	226.7
Under 5-----	157.7	477.3	366.7	306.7	148.1	231.6
5-14-----	162.4	733.4	376.0	270.7	138.8	206.2
15-24-----	278.8	526.1	268.6	178.1	237.3	243.0
25-44-----	196.2	396.5	326.5	188.9	150.3	227.0
45-64-----	165.9	415.9	341.5	205.1	132.3	174.0
65+-----	292.5	372.7	412.6	303.4	173.9	356.9

100 persons per quarter by sex and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
270.1	228.8	142.5	204.8	353.1	183.6	144.0	215.1	289.7	207.6
343.3	270.6	156.9	282.3	332.5	230.8	169.1	236.2	419.7	228.2
372.2	332.6	152.8	249.1	397.2	219.0	124.6	235.6	327.8	212.6
186.2	157.3	123.9	144.0	285.2	169.4	132.9	183.8	216.5	190.0
207.3	167.0	131.2	185.4	293.9	140.9	145.5	199.5	237.7	204.2
243.6	218.0	141.0	160.7	390.9	167.2	131.6	205.0	258.8	163.5
315.2	251.7	164.7	252.9	467.0	225.3	198.4	256.1	365.8	308.4
240.0	203.3	129.0	175.6	312.2	165.7	139.3	203.3	255.7	184.4
375.9	283.5	138.3	289.5	351.2	239.8	164.8	259.9	409.2	185.1
373.2	306.4	162.1	248.0	361.3	208.0	143.7	241.5	336.5	223.1
149.9	88.4	116.5	102.5	239.4	139.3	114.8	186.3	173.4	169.3
152.2	126.8	117.6	130.2	228.1	118.7	122.8	167.9	179.7	154.4
190.7	200.2	116.1	115.6	327.5	140.6	121.1	177.2	202.7	130.2
237.1	246.3	117.0	225.1	466.4	196.5	226.4	219.8	312.0	330.8
298.6	252.9	155.3	232.6	392.0	200.6	148.4	226.4	322.0	229.5
309.4	257.1	176.3	274.8	313.0	221.5	173.5	211.6	430.6	272.8
371.0	360.0	143.2	250.3	434.6	230.5	104.6	229.4	318.8	201.7
218.3	218.7	130.5	181.4	326.6	196.7	149.3	181.6	255.6	208.9
258.1	204.0	143.9	236.0	354.3	161.2	166.4	228.4	290.8	249.8
293.3	234.6	164.3	202.8	450.1	192.0	141.4	231.0	310.9	194.3
380.1	256.3	204.0	275.9	467.5	248.9	175.5	285.7	409.4	290.2

per 100 persons per quarter

Table 9. Days of bed disability associated with acute conditions per

[Data are based on household interviews of the civilian noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of bed disa-					
All acute conditions-----	103,737	378,836	251,570	138,877	101,613	145,125
Infective and parasitic diseases---	15,462	15,056	29,234	29,940	13,806	14,646
Respiratory conditions-----	42,400	312,251	173,929	64,521	33,474	79,975
Digestive system conditions-----	9,207	6,942	7,986	8,996	6,955	8,503
Injuries-----	19,917	16,429	20,206	15,695	26,790	22,046
All other acute conditions-----	16,751	28,159	20,215	19,725	20,588	19,954
<u>Male</u>						
All acute conditions-----	42,253	165,026	108,522	55,830	47,292	59,679
Infective and parasitic diseases---	6,312	4,971	14,317	13,762	5,525	7,538
Respiratory conditions-----	18,148	141,119	77,904	26,061	16,581	30,699
Digestive system conditions-----	3,344	3,386	1,867	3,160	2,624	3,420
Injuries-----	9,686	8,881	8,845	7,677	13,810	13,406
All other acute conditions-----	4,761	6,668	5,590	5,171	8,752	4,617
<u>Female</u>						
All acute conditions-----	61,484	213,811	143,048	83,046	54,321	85,446
Infective and parasitic diseases---	9,150	10,085	14,917	16,178	8,281	7,109
Respiratory conditions-----	24,252	171,133	96,025	38,460	16,894	49,276
Digestive system conditions-----	5,862	3,555	6,119	5,836	4,330	5,083
Injuries-----	10,230	7,547	11,361	8,018	12,980	8,641
All other acute conditions-----	11,990	21,490	14,625	14,555	11,836	15,337

quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
195,661	173,448	96,706	139,668	282,239	126,603	85,061	146,013	212,429	147,851
30,663	31,654	14,795	22,908	33,114	27,265	15,233	19,711	38,279	34,492
117,505	95,069	26,756	70,753	195,607	51,617	26,041	76,329	111,196	54,379
7,007	6,322	10,592	10,136	7,054	7,348	8,309	7,176	7,146	11,757
17,662	17,263	19,402	14,525	18,042	18,881	14,315	19,578	29,236	20,374
22,823	23,139	25,162	21,347	28,422	21,492	21,162	23,219	26,573	26,850
84,054	75,502	39,761	59,229	120,421	55,690	39,162	63,938	86,250	59,642
17,579	16,162	7,053	9,552	16,130	11,307	5,890	9,009	18,783	14,747
49,609	41,178	13,490	30,482	84,499	24,515	12,742	33,738	44,151	23,472
1,714	2,394	4,511	3,045	5,014	3,557	2,698	2,953	3,040	4,971
8,602	7,896	8,059	9,418	8,042	10,383	10,264	11,954	12,918	11,611
6,550	7,872	6,648	6,732	6,737	5,928	7,567	6,284	7,359	4,842
111,607	97,946	56,945	80,439	161,818	70,913	45,899	82,075	126,179	88,209
13,085	15,492	7,742	13,355	16,984	15,957	9,343	10,702	19,497	19,746
67,896	53,891	13,266	40,271	111,109	27,103	13,299	42,591	67,045	30,907
5,292	3,928	6,081	7,091	2,040	3,791	5,611	4,223	4,105	6,785
9,060	9,367	11,342	5,107	10,001	8,498	4,052	7,624	16,317	8,763
16,274	15,267	18,513	14,614	21,685	15,564	13,595	16,935	19,214	22,008

bility in thousands



Table 10. Days of bed disability associated with acute conditions per 100 per-  
 [Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of bed disability per					
All acute conditions-----	62.1	225.4	149.0	82.0	59.7	84.9
Infective and parasitic diseases---	9.3	9.0	17.3	17.7	8.1	8.6
Respiratory conditions-----	25.4	185.8	103.0	38.1	19.7	46.8
Digestive system conditions-----	5.5	4.1	4.7	5.3	4.1	5.0
Injuries-----	11.9	9.8	12.0	9.3	15.7	12.9
All other acute conditions-----	10.0	16.8	12.0	11.6	12.1	11.7
<u>Male</u>						
All acute conditions-----	52.0	201.9	132.1	67.7	57.1	71.7
Infective and parasitic diseases---	7.8	6.1	17.4	16.7	6.7	9.1
Respiratory conditions-----	22.3	172.6	94.8	31.6	20.0	36.9
Digestive system conditions-----	4.1	4.1	2.3	3.8	3.2	4.1
Injuries-----	11.9	10.9	10.8	9.3	16.7	16.1
All other acute conditions-----	5.9	8.2	6.8	6.3	10.6	5.6
<u>Female</u>						
All acute conditions-----	71.6	247.8	165.1	95.5	62.2	97.4
Infective and parasitic diseases---	10.7	11.7	17.2	18.6	9.5	8.1
Respiratory conditions-----	28.2	198.3	110.8	44.2	19.3	56.1
Digestive system conditions-----	6.8	4.1	7.1	6.7	5.0	5.8
Injuries-----	11.9	8.7	13.1	9.2	14.9	9.8
All other acute conditions-----	14.0	24.9	16.9	16.7	13.5	17.5

sons per quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
114.0	100.6	55.9	80.3	160.9	71.9	48.1	82.2	119.1	82.5
17.9	18.4	8.5	13.2	18.9	15.5	8.6	11.1	21.5	19.3
68.4	55.1	15.5	40.7	111.5	29.3	14.7	43.0	62.3	30.4
4.1	3.7	6.1	5.8	4.0	4.2	4.7	4.0	4.0	6.6
10.3	10.0	11.2	8.4	10.3	10.7	8.1	11.0	16.4	11.4
13.3	13.4	14.5	12.3	16.2	12.2	12.0	13.1	14.9	15.0
100.6	90.0	47.2	70.0	141.1	65.0	45.5	74.0	99.4	68.5
21.0	19.3	8.4	11.3	18.9	13.2	6.8	10.4	21.6	16.9
59.4	49.1	16.0	36.0	99.0	28.6	14.8	39.1	50.9	26.9
2.1	2.9	5.4	3.6	5.9	4.2	3.1	3.4	3.5	5.7
10.3	9.4	9.6	11.1	9.4	12.1	11.9	13.8	14.9	13.3
7.8	9.4	7.9	8.0	7.9	6.9	8.8	7.3	8.5	5.6
126.6	110.7	64.1	90.1	179.8	78.5	50.6	90.0	137.7	95.9
14.8	17.5	8.7	15.0	18.9	17.7	10.3	11.7	21.3	21.5
77.0	60.9	14.9	45.1	123.4	30.0	14.7	46.7	73.2	33.6
6.0	4.4	6.8	7.9	2.3	4.2	6.2	4.6	4.5	7.4
10.3	10.6	12.8	5.7	11.1	9.4	4.5	8.4	17.8	9.5
18.5	17.3	20.8	16.4	24.1	17.2	15.0	18.6	21.0	23.9

100 persons per quarter

Table 11. Days of bed disability associated with acute conditions

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of bed disa-					
All ages-----	103,737	378,836	251,570	138,877	101,613	145,125
Under 5-----	14,385	37,753	31,736	22,395	15,473	16,523
5-14-----	20,929	126,383	60,665	35,633	17,745	33,715
15-24-----	18,076	55,532	23,579	19,069	17,095	17,117
25-44-----	25,136	71,672	59,751	23,147	23,398	33,898
45-64-----	16,831	62,774	49,168	24,620	15,980	26,630
65+-----	8,379	24,722	26,670	14,012	11,923	17,241
<u>Male</u>						
All ages-----	42,253	165,026	108,522	55,830	47,292	59,679
Under 5-----	6,747	17,352	15,849	7,870	8,027	9,035
5-14-----	10,087	60,343	30,370	17,287	8,866	16,647
15-24-----	5,564	20,575	8,421	9,118	5,699	4,706
25-44-----	9,078	28,347	23,022	7,427	9,759	11,029
45-64-----	8,174	25,252	20,038	8,917	9,423	14,069
65+-----	2,603	13,157	10,822	5,211	5,519	4,194
<u>Female</u>						
All ages-----	61,484	213,811	143,048	83,046	54,321	85,446
Under 5-----	7,638	20,401	15,887	14,526	7,446	7,488
5-14-----	10,842	66,040	30,296	18,346	8,879	17,068
15-24-----	12,512	34,957	15,158	9,951	11,395	12,412
25-44-----	16,058	43,325	36,729	15,719	13,639	22,869
45-64-----	8,658	37,523	29,130	15,703	6,558	12,561
65+-----	5,776	11,565	15,848	8,801	6,404	13,048

per quarter by sex and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
195,661	173,448	96,706	139,668	282,239	126,603	85,061	146,013	212,429	147,851
26,905	24,317	13,034	20,880	28,269	22,159	13,294	18,614	37,212	20,880
56,532	52,824	20,679	37,549	69,522	30,940	15,662	40,421	51,785	33,690
21,695	15,381	12,227	14,395	32,129	15,925	9,561	17,466	23,835	18,138
40,229	35,064	22,441	29,393	61,072	24,413	22,583	35,159	40,060	37,072
31,013	33,278	17,286	21,585	65,435	21,301	15,120	23,694	35,296	18,974
19,288	12,583	11,039	15,866	25,812	11,824	8,840	10,659	24,242	19,097
84,054	75,502	39,761	59,229	120,421	55,690	39,162	63,938	86,250	59,642
14,423	12,493	6,756	12,171	14,805	11,381	6,285	10,310	17,926	8,032
27,188	25,474	9,390	18,119	31,598	15,979	9,152	20,628	24,704	17,754
7,994	4,607	3,856	3,561	13,946	4,420	2,867	6,290	9,301	7,824
15,960	13,501	9,841	12,047	22,582	10,646	9,107	13,960	12,480	12,100
10,452	15,202	7,203	6,684	27,321	8,965	7,588	6,937	12,403	6,745
8,037	4,225	2,715	6,647	10,169	4,299	4,162	5,813	9,435	7,189
111,607	97,946	56,945	80,439	161,818	70,913	45,899	82,075	126,179	88,209
12,481	11,824	6,277	8,709	13,464	10,818	7,009	8,304	19,285	12,848
29,344	27,351	11,289	19,430	37,924	14,961	6,510	19,793	27,081	15,937
13,701	10,774	8,371	10,835	18,183	11,506	6,694	11,176	14,534	10,315
24,269	21,563	12,600	17,345	38,490	13,767	13,476	21,199	27,580	24,972
20,561	18,076	10,083	14,902	38,114	12,337	7,532	16,757	22,893	12,229
11,251	8,358	8,324	9,219	15,643	7,525	4,677	4,846	14,806	11,909

Table 12. Days of bed disability associated with acute conditions per 100

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days of bed disability per					
All ages-----	62.1	225.4	149.0	82.0	59.7	84.9
Under 5-----	75.0	195.1	163.4	115.2	79.3	84.1
5-14-----	63.6	381.1	181.6	106.0	52.4	98.7
15-24-----	87.3	264.7	111.0	88.9	79.0	78.3
25-44-----	55.1	157.0	130.9	50.7	51.3	74.5
45-64-----	49.1	182.5	142.4	71.0	45.9	76.1
65+-----	58.2	170.5	183.4	95.9	81.2	116.6
<u>Male</u>						
All ages-----	52.0	201.9	132.1	67.7	57.1	71.7
Under 5-----	69.0	176.1	160.2	79.5	80.7	90.3
5-14-----	60.0	356.6	178.2	100.7	51.3	95.5
15-24-----	58.2	211.3	85.1	91.1	56.3	45.9
25-44-----	41.5	129.5	105.1	33.9	44.6	50.6
45-64-----	49.1	151.1	119.5	53.0	55.8	83.0
65+-----	39.4	198.1	162.7	78.2	82.5	62.4
<u>Female</u>						
All ages-----	71.6	247.8	165.1	95.5	62.2	97.4
Under 5-----	81.1	215.0	166.7	152.3	77.7	77.7
5-14-----	67.2	406.5	185.2	111.4	53.5	102.0
15-24-----	112.3	311.0	133.6	87.0	98.8	106.9
25-44-----	67.5	182.2	154.6	66.2	57.5	96.5
45-64-----	49.2	212.1	163.9	87.9	36.5	69.7
65+-----	74.1	147.2	200.8	110.8	80.1	161.8



persons per quarter by sex and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
114.0	100.6	55.9	80.3	160.9	71.9	48.1	82.2	119.1	82.5
136.6	123.3	65.9	104.9	141.2	111.0	66.4	92.3	184.2	103.4
164.0	152.0	59.0	106.1	193.7	85.4	42.9	109.6	139.2	89.8
98.4	69.1	54.5	63.4	140.0	68.8	41.0	74.5	100.8	76.1
88.5	77.1	49.4	64.9	134.3	53.7	49.7	77.4	88.1	81.6
88.3	94.3	48.8	60.7	182.8	59.3	41.9	65.4	97.0	52.0
129.8	84.2	73.5	105.0	169.5	77.4	57.5	68.9	155.9	122.1
100.6	90.0	47.2	70.0	141.1	65.0	45.5	74.0	99.4	68.5
143.8	124.4	67.1	120.1	145.2	111.7	61.6	100.4	174.3	78.1
154.6	143.6	52.5	100.3	172.5	86.4	49.1	109.6	130.1	92.7
77.2	44.0	36.5	33.1	128.0	40.1	25.8	56.4	82.6	68.9
73.2	61.9	45.1	55.6	103.8	49.0	41.9	64.2	57.4	55.6
61.5	89.1	42.1	38.9	158.0	51.7	43.6	39.7	70.8	38.4
119.1	62.4	40.0	97.3	148.0	62.5	60.2	83.7	135.5	102.8
126.6	110.7	64.1	90.1	179.8	78.5	50.6	90.0	137.7	95.9
129.2	122.2	64.7	89.2	137.0	110.2	71.3	83.9	194.4	129.6
173.9	160.7	65.8	112.2	215.8	84.4	36.4	109.7	148.7	86.7
117.2	91.5	70.6	90.8	150.9	94.9	54.9	91.0	117.4	82.8
102.6	91.2	53.3	73.5	162.4	58.1	56.9	89.5	116.4	105.4
113.5	99.3	55.1	81.1	205.9	66.4	40.3	89.3	121.4	64.6
138.6	102.3	101.1	111.3	187.3	89.6	55.3	56.8	172.5	137.7

100 persons per quarter

Table 13. Days lost from work associated with acute conditions per

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days lost from					
All acute conditions-----	57,426	146,008	104,996	48,111	45,221	61,538
Infective and parasitic diseases---	5,959	4,517	5,098	4,066	3,398	3,446
Respiratory conditions-----	16,506	109,057	70,281	22,833	8,255	25,385
Digestive system conditions-----	5,371	2,598	3,076	2,595	3,324	4,620
Injuries-----	18,686	19,275	17,671	11,893	18,943	20,286
All other acute conditions-----	10,905	10,561	8,870	6,723	11,301	7,800
<u>Male</u>						
All acute conditions-----	29,729	89,913	66,402	30,230	30,273	37,147
Respiratory conditions-----	7,926	65,231	42,491	13,301	4,269	12,898
Injuries-----	11,814	16,223	12,926	9,584	14,851	16,688
All other acute conditions-----	9,990	8,460	10,985	7,346	11,153	7,560
<u>Female</u>						
All acute conditions-----	27,697	56,095	38,593	17,881	14,948	24,391
Respiratory conditions-----	8,580	43,826	27,790	9,533	3,986	12,487
Injuries-----	6,872	3,052	4,744	2,310	4,091	3,598
All other acute conditions-----	12,245	9,217	6,059	6,038	6,871	8,306

Table 14. Persons absent from work each day because of acute conditions per

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Persons absent from work					
All acute conditions-----	938	2,384	1,714	785	738	1,005
Infective and parasitic diseases---	97	74	83	66	55	56
Respiratory conditions-----	269	1,781	1,147	373	135	414
Digestive system conditions-----	88	42	50	42	54	75
Injuries-----	305	315	289	194	309	331
All other acute conditions-----	178	172	145	110	185	127
<u>Male</u>						
All acute conditions-----	485	1,468	1,084	494	494	606
Respiratory conditions-----	129	1,065	694	217	70	211
Injuries-----	193	265	211	156	242	272
All other acute conditions-----	163	138	179	120	182	123
<u>Female</u>						
All acute conditions-----	452	916	630	292	244	398
Respiratory conditions-----	140	716	454	156	65	204
Injuries-----	112	50	77	38	67	59
All other acute conditions-----	200	150	99	99	112	136

quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
work in thousands									
65,552	57,290	41,289	52,175	103,211	44,755	43,516	58,796	64,443	54,349
6,387	8,246	3,338	3,650	6,601	3,660	3,689	3,175	6,177	5,703
36,017	25,924	9,912	23,017	67,966	17,048	7,628	25,215	27,130	17,132
2,385	1,891	3,784	3,250	6,019	4,426	2,912	3,329	2,150	5,669
15,134	14,122	16,585	14,656	16,154	12,073	21,685	19,755	21,450	17,663
5,630	7,107	7,670	7,603	6,472	7,549	7,603	7,322	7,536	8,182
39,303	38,778	25,848	31,618	64,843	29,015	28,733	36,656	41,697	33,045
21,388	16,970	6,054	13,388	41,257	10,173	4,603	15,317	15,916	10,786
10,070	10,490	9,532	9,150	11,269	9,571	16,776	15,999	16,763	13,038
7,845	11,317	10,261	9,080	12,317	9,271	7,354	5,339	9,018	9,222
26,250	18,512	15,441	20,557	38,368	15,740	14,783	22,141	22,746	21,304
14,628	8,954	3,858	9,629	26,709	6,875	3,024	9,898	11,214	6,346
5,064	3,632	7,053	5,506	4,885	2,502	4,908	3,755	4,687	4,625
6,557	5,927	4,531	5,423	6,774	6,364	6,850	8,488	6,845	10,332

quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
each day in thousands									
1,070	935	674	852	1,685	731	710	960	1,052	887
104	135	54	60	108	60	60	52	101	93
588	423	162	376	1,110	278	125	412	443	280
39	31	62	53	98	72	48	54	35	93
247	231	271	239	264	197	354	323	350	288
92	116	125	124	106	123	124	120	123	134
642	633	422	516	1,059	474	469	598	681	540
349	277	99	219	674	166	75	250	260	176
164	171	156	149	184	156	274	261	274	213
128	185	168	148	201	151	120	87	147	151
429	302	252	336	626	257	241	361	371	348
239	146	63	157	436	112	49	162	183	104
83	59	115	90	80	41	80	61	77	76
107	97	74	89	111	104	112	139	112	169

Table 15. Days lost from school associated with acute conditions per

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days lost from					
All acute conditions-----	(*)	143,956	71,530	49,232	(*)	43,210
Infective and parasitic diseases---	(*)	6,525	14,578	20,884	(*)	8,711
Respiratory conditions-----	(*)	126,327	46,457	19,407	(*)	27,438
All other acute conditions-----	(*)	11,105	10,495	8,941	(*)	7,061
<u>Male</u>						
All acute conditions-----	(*)	68,763	35,524	22,389	(*)	22,146
Infective and parasitic diseases---	(*)	2,719	6,592	9,831	(*)	5,754
Respiratory conditions-----	(*)	60,815	23,265	7,999	(*)	11,842
All other acute conditions-----	(*)	5,230	5,667	4,558	(*)	4,550
<u>Female</u>						
All acute conditions-----	(*)	75,193	36,006	26,844	(*)	21,063
Infective and parasitic diseases---	(*)	3,806	7,986	11,053	(*)	2,956
Respiratory conditions-----	(*)	65,512	23,192	11,407	(*)	15,595
All other acute conditions-----	(*)	5,875	4,828	4,383	(*)	2,511

Table 16. Days lost from school associated with acute conditions per 100 chil-

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Sex and condition group	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Days lost from school per 100					
All acute conditions-----	(*)	417.3	205.3	136.1	(*)	120.6
Infective and parasitic diseases---	(*)	18.9	41.8	57.7	(*)	24.3
Respiratory conditions-----	(*)	366.2	133.3	53.6	(*)	76.6
All other acute conditions-----	(*)	32.2	30.1	24.7	(*)	19.7
<u>Male</u>						
All acute conditions-----	(*)	391.1	200.1	124.9	(*)	121.2
Infective and parasitic diseases---	(*)	15.5	37.1	54.8	(*)	31.5
Respiratory conditions-----	(*)	345.9	131.0	44.6	(*)	64.8
All other acute conditions-----	(*)	29.7	31.9	25.4	(*)	24.9
<u>Female</u>						
All acute conditions-----	(*)	444.4	210.8	147.1	(*)	120.0
Infective and parasitic diseases---	(*)	22.5	46.7	60.6	(*)	16.8
Respiratory conditions-----	(*)	387.2	135.8	62.5	(*)	88.8
All other acute conditions-----	(*)	34.7	28.3	24.0	(*)	14.3



quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
75,365	67,072	(*)	49,659	81,741	41,454	(*)	48,822	63,910	44,182
21,523	18,206	(*)	10,743	15,679	14,988	(*)	9,340	19,521	17,705
43,988	37,076	(*)	29,545	55,251	15,155	(*)	30,462	35,867	16,767
9,854	11,790	(*)	9,370	10,811	11,311	(*)	9,020	8,522	9,710
39,822	30,607	(*)	24,356	38,115	21,060	(*)	25,708	33,770	24,000
14,384	9,129	(*)	5,125	7,933	5,517	(*)	5,590	11,928	10,003
20,800	15,520	(*)	14,944	24,139	8,070	(*)	13,877	17,331	8,889
4,638	5,958	(*)	4,288	6,043	7,472	(*)	6,241	4,511	5,108
35,544	36,465	(*)	25,302	43,625	20,395	(*)	23,114	30,140	20,183
7,139	9,077	(*)	5,618	7,746	9,471	(*)	3,751	7,593	7,703
23,188	21,557	(*)	14,601	31,111	7,085	(*)	16,584	18,536	7,878
5,216	5,832	(*)	5,083	4,768	3,838	(*)	2,779	4,011	4,602

children aged 6-16 per quarter by sex and condition group: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
208.3	184.3	(*)	134.4	218.3	110.1	(*)	127.1	165.6	113.7
59.5	50.0	(*)	29.1	41.9	39.8	(*)	24.3	50.6	45.6
121.6	101.9	(*)	80.0	147.5	40.2	(*)	79.3	92.9	43.1
27.2	32.4	(*)	25.4	28.9	30.0	(*)	23.5	22.1	25.0
216.0	164.8	(*)	129.3	199.9	109.0	(*)	131.9	170.9	121.1
78.0	49.1	(*)	27.2	41.6	28.5	(*)	28.7	60.4	50.5
112.8	83.5	(*)	79.3	126.6	41.8	(*)	71.2	87.7	44.9
25.2	32.1	(*)	22.8	31.7	38.7	(*)	32.0	22.8	25.8
200.2	204.8	(*)	139.8	237.4	111.3	(*)	122.2	159.9	105.9
40.2	51.0	(*)	31.0	42.1	51.7	(*)	19.8	40.3	40.4
130.6	121.0	(*)	80.7	169.3	38.7	(*)	87.7	98.4	41.3
29.4	32.7	(*)	28.1	25.9	20.9	(*)	14.7	21.3	24.2



Table 17. Incidence of acute respiratory conditions

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Number of acute condi-					
All ages-----	30,612	126,340	88,727	38,854	25,458	59,246
Under 5-----	5,689	21,030	16,788	8,006	5,436	12,206
5-14-----	6,708	38,174	21,689	9,247	6,125	15,900
15-24-----	4,678	17,079	9,326	3,724	3,433	6,357
25-44-----	7,873	27,774	20,925	9,453	6,002	12,802
45-64-----	3,988	16,989	14,446	5,641	3,020	8,704
65+-----	1,676	5,293	5,552	2,782	1,442	3,277
	Number of acute conditions					
All ages-----	18.3	75.2	52.6	22.9	15.0	34.7
Under 5-----	29.6	108.7	86.4	41.2	27.8	62.1
5-14-----	20.4	115.1	64.9	27.5	18.1	46.5
15-24-----	22.6	81.4	43.9	17.4	15.9	29.1
25-44-----	17.2	60.8	45.8	20.7	13.2	28.1
45-64-----	11.6	49.4	41.8	16.3	8.7	24.9
65+-----	11.6	36.5	38.2	19.0	9.8	22.2

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

Table 18. Days of restricted activity associated with acute respiratory

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Days of restricted ac-					
All ages-----	100,721	584,101	339,869	147,355	65,776	183,662
Under 5-----	13,891	69,945	47,552	23,804	13,337	32,057
5-14-----	21,711	193,606	76,327	32,325	19,153	43,549
15-24-----	11,891	68,926	27,477	11,439	6,993	18,909
25-44-----	24,973	111,242	79,892	28,255	13,025	36,079
45-64-----	20,293	101,776	73,127	29,366	8,331	30,160
65+-----	7,960	38,606	35,494	22,166	4,938	22,909
	Days per 100 per-					
All ages-----	60.3	347.6	201.3	87.0	38.7	107.4
Under 5-----	72.4	361.5	244.8	122.4	68.3	163.2
5-14-----	65.9	583.7	228.5	96.1	56.5	127.4
15-24-----	57.5	328.6	129.4	53.3	32.3	86.5
25-44-----	54.7	243.6	175.0	61.9	28.6	79.3
45-64-----	59.3	295.8	211.7	84.7	23.9	86.2
65+-----	55.3	266.3	244.0	151.8	33.6	154.9

per quarter by age: United States, July 1957-June 1961

ditions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
tions in thousands									
78,101	52,543	22,137	57,216	93,656	34,896	24,866	63,576	71,075	36,759
14,857	8,948	5,821	13,558	15,436	9,291	6,758	12,680	16,087	7,419
21,438	16,794	5,339	16,190	22,707	8,254	5,686	17,074	18,269	9,415
8,248	5,817	2,113	6,402	10,472	3,787	3,211	7,925	9,444	4,086
17,879	11,396	4,857	11,969	22,638	6,318	5,930	15,360	12,788	8,188
10,609	7,279	2,728	6,894	15,905	5,202	2,264	7,188	10,315	5,529
5,070	2,308	1,278	2,204	6,499	2,044	1,016	3,350	4,173	2,123

per 100 persons per quarter

45.5	30.5	12.8	32.9	53.4	19.8	14.1	35.8	39.8	20.5
75.4	45.4	29.4	68.1	77.1	46.4	33.7	62.9	79.6	36.7
62.2	48.3	15.2	45.8	63.3	22.8	15.6	46.3	49.1	25.1
37.4	26.1	9.4	28.2	45.6	16.4	13.8	33.8	39.9	17.2
39.3	25.1	10.7	26.4	49.8	13.9	13.1	33.8	28.1	18.0
30.2	20.6	7.7	19.4	44.4	14.5	6.3	19.8	28.4	15.1
34.1	15.5	8.5	14.6	42.7	13.4	6.6	21.6	26.8	13.6

conditions per quarter by age: United States, July 1957-June 1961

ditions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
tivity in thousands									
260,941	189,693	68,870	169,165	402,446	114,803	69,265	187,019	250,753	124,350
46,353	25,749	15,018	35,456	43,319	21,768	14,085	31,007	49,460	18,922
70,246	61,582	16,226	48,429	89,775	25,771	14,531	49,237	62,828	27,813
20,825	14,887	5,055	15,046	36,746	11,128	8,594	19,951	23,105	11,832
47,111	34,895	13,012	32,911	87,233	20,389	17,532	41,872	42,366	24,739
48,525	35,187	12,630	25,800	93,908	21,280	8,006	27,797	40,886	22,703
27,880	17,393	6,930	11,524	51,464	14,467	6,517	17,154	32,108	18,341

sons per quarter

152.0	110.0	39.8	97.3	229.5	65.2	39.2	105.3	140.5	69.4
235.4	130.6	75.9	178.2	216.4	108.8	70.3	153.8	244.8	93.7
203.8	177.1	46.3	136.9	250.1	71.2	39.8	133.5	168.9	74.1
94.4	66.9	22.5	66.3	160.1	48.1	36.9	85.1	97.7	49.7
103.6	76.8	28.6	72.7	191.8	44.9	38.6	92.2	93.2	54.4
138.1	99.8	35.7	72.6	262.3	59.2	22.2	76.7	112.4	62.2
187.6	116.4	46.1	76.2	338.0	94.7	42.4	110.9	206.5	117.3

Table 19. Days of bed disability associated with acute respiratory

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Days of bed disa-					
All ages-----	42,400	312,251	173,929	64,521	33,474	79,975
Under 5-----	6,634	32,008	23,262	11,299	7,441	10,918
5-14-----	10,043	112,966	39,312	14,665	8,706	22,533
15-24-----	6,806	41,879	14,121	7,024	3,265	8,250
25-44-----	10,301	55,364	40,323	12,587	7,776	15,114
45-64-----	6,888	52,522	37,777	13,712	3,441	11,872
65+-----	1,729	17,512	19,133	5,234	2,847	11,289
	Days of bed disability per					
All ages-----	25.4	185.8	103.0	38.1	19.7	46.8
Under 5-----	34.6	165.5	119.8	58.1	38.1	55.6
5-14-----	30.5	340.6	117.7	43.6	25.7	65.9
15-24-----	32.9	199.7	66.5	32.7	15.1	37.7
25-44-----	22.6	121.2	88.3	27.6	17.1	33.2
45-64-----	20.1	152.7	109.4	39.5	9.9	33.9
65+-----	12.0	120.8	131.5	35.8	19.4	76.3

Table 20. Incidence of injuries per quarter

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Number of in-					
All ages-----	13,910	11,123	10,192	12,383	15,480	11,063
Under 15-----	5,008	3,134	3,551	4,602	5,755	3,067
15-44-----	5,289	4,852	3,950	4,709	6,144	4,792
45+-----	3,613	3,137	2,691	3,072	3,581	3,204
	Number of injuries per					
All ages-----	8.3	6.6	6.0	7.3	9.1	6.5
Under 15-----	9.6	6.0	6.7	8.7	10.8	5.7
15-44-----	8.0	7.3	5.9	7.0	9.1	7.1
45+-----	7.4	6.4	5.5	6.2	7.2	6.4

Excluded from these statistics are all conditions involving neither restricted activity nor medical attention.

conditions per quarter by age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June

bility in thousands

117,505	95,069	26,756	70,753	195,607	51,617	26,041	76,329	111,196	54,379
18,795	12,492	5,508	13,244	18,744	9,943	5,761	10,658	20,028	8,479
34,994	33,192	6,228	21,553	45,847	12,704	6,073	24,882	27,288	11,638
12,081	8,088	2,868	7,092	21,315	5,837	2,138	10,343	11,916	6,409
20,389	17,804	5,269	15,202	41,723	7,913	6,680	16,768	20,808	11,328
19,199	16,116	4,905	9,537	47,614	8,379	3,370	10,061	17,727	8,871
12,048	7,377	1,977	4,126	20,363	6,842	2,018	3,617	13,429	7,654

100 persons per quarter

68.4	55.1	15.5	40.7	111.5	29.3	14.7	43.0	62.3	30.4
95.4	63.4	27.8	66.6	93.6	49.7	28.8	52.9	99.1	42.0
101.5	95.5	17.8	60.9	127.7	35.1	16.6	67.5	73.3	31.0
54.8	36.4	12.8	31.3	92.9	25.2	9.2	44.1	50.4	26.9
44.8	39.2	11.6	33.6	91.8	17.4	14.7	36.9	45.8	24.9
54.7	45.7	13.8	26.8	133.0	23.3	9.3	27.8	48.7	24.3
81.0	49.4	13.2	27.3	133.7	44.8	13.1	23.4	86.4	49.0

by age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June

juries in thousands

9,986	12,941	13,751	9,992	9,927	12,017	15,434	12,078	10,066	12,129
3,432	5,183	5,167	3,844	3,250	4,996	5,952	4,785	3,188	4,841
4,231	4,988	5,900	3,597	4,112	4,229	5,933	3,918	4,342	4,348
2,322	2,771	2,684	2,550	2,565	2,792	3,549	3,376	2,536	2,940

100 persons per quarter

5.8	7.5	7.9	5.7	5.7	6.8	8.7	6.8	5.6	6.8
6.3	9.5	9.4	7.0	5.8	8.9	10.5	8.4	5.6	8.4
6.3	7.4	8.7	5.3	6.0	6.2	8.6	5.7	6.3	6.3
4.6	5.5	5.3	5.0	5.0	5.5	6.9	6.5	4.9	5.6



Table 21. Days of restricted activity associated with in-

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifi-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Days of restricted ac-					
All ages-----	69,144	59,087	61,637	56,985	91,038	61,320
Under 15-----	10,763	11,477	7,906	9,664	19,304	8,515
15-44-----	31,992	22,751	24,619	21,522	42,771	24,250
45+-----	26,389	24,860	29,111	25,799	28,963	28,555
	Days of restricted activity					
All ages-----	41.4	35.2	36.5	33.6	53.5	35.9
Under 15-----	20.6	21.9	15.0	18.2	36.2	15.8
15-44-----	48.2	34.1	36.8	32.1	63.6	36.0
45+-----	54.2	50.8	59.3	52.3	58.5	57.4

Table 22. Days of bed disability associated with injuries

[Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifica-

Age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
	Days of bed disa-					
All ages-----	19,917	16,429	20,206	15,695	26,790	22,046
Under 15-----	3,497	1,976	2,296	2,086	4,013	1,907
15-44-----	7,853	6,807	8,348	5,050	10,904	8,173
45+-----	8,567	7,646	9,562	8,559	11,873	11,966
	Days of bed disability					
All ages-----	11.9	9.8	12.0	9.3	15.7	12.9
Under 15-----	6.7	3.8	4.3	3.9	7.5	3.5
15-44-----	11.8	10.2	12.5	7.5	16.2	12.1
45+-----	17.6	15.6	19.5	17.4	24.0	24.0



juries per quarter by age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June

tivity in thousands

59,985	58,219	63,844	59,720	70,166	70,784	79,126	81,340	96,540	74,604
7,397	13,579	13,965	11,827	11,770	16,181	13,893	14,429	14,869	11,172
20,517	18,593	24,962	18,494	27,854	27,067	32,430	30,279	40,605	38,246
32,070	26,046	24,916	29,399	30,541	27,536	32,804	36,632	41,066	25,186

per 100 persons per quarter

34.9	33.8	36.9	34.3	40.0	40.2	44.8	45.8	54.1	41.6
13.7	24.9	25.5	21.4	21.0	28.8	24.6	25.3	25.9	19.4
30.4	27.5	36.8	27.2	40.7	39.5	47.2	44.0	58.8	55.2
64.2	51.9	49.4	58.0	59.8	53.8	63.8	70.9	79.1	48.3

per quarter by age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June

bility in thousands

17,662	17,263	19,402	14,525	18,042	18,881	14,315	19,578	29,236	20,374
2,449	3,578	3,854	3,412	2,496	4,207	1,955	4,166	6,991	4,857
5,795	4,783	6,519	2,216	7,142	6,554	6,172	6,860	8,677	9,425
9,418	8,902	9,029	8,897	8,404	8,120	6,189	8,553	13,568	6,092

per 100 persons per quarter

10.3	10.0	11.2	8.4	10.3	10.7	8.1	11.0	16.4	11.4
4.5	6.6	7.0	6.2	4.5	7.5	3.5	7.3	12.2	8.4
8.6	7.1	9.6	3.3	10.4	9.6	9.0	10.0	12.6	13.6
18.8	17.7	17.9	17.6	16.5	15.9	12.0	16.5	26.1	11.7

Table 23. Population used in obtaining rates shown in this publication  
 [Data are based on household interviews of the civilian, noninstitutional population. The survey design, general qualifications, and other details are given in the report.]

Sex and age	1957		1958			
	July-September	October-December	January-March	April-June	July-September	October-December
<u>Both sexes</u>	Population					
All ages-----	167,111	168,048	168,807	169,448	170,135	170,942
Under 15-----	52,122	52,512	52,823	53,071	53,397	53,814
0-4-----	19,189	19,346	19,425	19,441	19,519	19,643
5-14-----	32,933	33,166	33,398	33,630	33,878	34,171
15-44-----	66,345	66,638	66,901	67,089	67,224	67,355
15-24-----	20,696	20,976	21,239	21,453	21,650	21,856
25-44-----	45,649	45,662	45,662	45,636	45,574	45,499
45+-----	48,644	48,898	49,084	49,288	49,515	49,773
45-64-----	34,246	34,402	34,539	34,682	34,830	34,982
65+-----	14,398	14,496	14,545	14,606	14,684	14,791
<u>Male</u>						
All ages-----	81,243	81,749	82,149	82,451	82,781	83,177
Under 5-----	9,774	9,855	9,895	9,903	9,943	10,006
5-14-----	16,800	16,920	17,040	17,160	17,287	17,438
15-24-----	9,559	9,736	9,897	10,009	10,120	10,248
25-44-----	21,855	21,884	21,901	21,891	21,859	21,812
45-64-----	16,647	16,713	16,766	16,823	16,885	16,948
65+-----	6,606	6,641	6,650	6,665	6,688	6,726
<u>Female</u>						
All ages-----	85,868	86,299	86,658	86,996	87,354	87,764
Under 5-----	9,414	9,491	9,530	9,538	9,577	9,637
5-14-----	16,133	16,246	16,358	16,471	16,591	16,733
15-24-----	11,137	11,240	11,342	11,444	11,530	11,608
25-44-----	23,794	23,778	23,761	23,745	23,715	23,687
45-64-----	17,599	17,689	17,773	17,859	17,946	18,034
65+-----	7,792	7,855	7,894	7,940	7,996	8,065
<u>Children 6-16</u>						
Both sexes-----	34,162	34,501	34,840	36,178	35,505	35,824
Male-----	17,407	17,582	17,757	17,932	18,100	18,265
Female-----	16,755	16,919	17,083	18,247	17,404	17,559

NOTE: For official population estimates for more general use, see Bureau of the Census reports on the civilian population of the United States.

tion by quarter, sex, and age: United States, July 1957-June 1961

tions and information on the reliability of the estimates are given in Appendix I. Definitions of terms are given in Appendix II.]

1959				1960				1961	
January-March	April-June	July-September	October-December	January-March	April-June	July-September	October-December	January-March	April-June
in thousands									
171,676	172,389	173,136	173,926	175,361	175,992	176,727	177,601	178,417	179,134
54,162	54,481	54,846	55,277	55,915	56,219	56,560	57,027	57,408	57,733
19,695	19,718	19,779	19,896	20,022	20,007	20,027	20,158	20,201	20,201
34,467	34,763	35,067	35,382	35,892	36,212	36,533	36,869	37,207	37,533
67,524	67,700	67,847	67,987	68,417	68,565	68,725	68,871	69,089	69,261
22,051	22,250	22,423	22,690	22,946	23,134	23,299	23,446	23,642	23,822
45,473	45,450	45,424	45,297	45,471	45,431	45,426	45,425	45,447	45,439
49,991	50,209	50,442	50,662	51,030	51,208	51,442	51,703	51,919	52,140
35,126	35,271	35,418	35,545	35,805	35,933	36,076	36,229	36,371	36,503
14,865	14,938	15,024	15,117	15,225	15,275	15,366	15,474	15,548	15,636
83,545	83,904	84,268	84,638	85,340	85,639	85,999	86,386	86,763	87,112
10,032	10,043	10,074	10,131	10,196	10,187	10,197	10,264	10,282	10,285
17,590	17,742	17,898	18,060	18,322	18,486	18,651	18,822	18,993	19,159
10,361	10,476	10,571	10,762	10,894	11,009	11,100	11,158	11,260	11,363
21,809	21,808	21,802	21,684	21,764	21,738	21,745	21,736	21,746	21,745
17,007	17,067	17,128	17,169	17,292	17,340	17,399	17,462	17,518	17,569
6,747	6,767	6,794	6,831	6,872	6,879	6,908	6,945	6,963	6,990
88,131	88,485	88,867	89,288	90,021	90,353	90,728	91,214	91,654	92,022
9,663	9,675	9,705	9,764	9,826	9,820	9,830	9,894	9,919	9,916
16,877	17,021	17,169	17,321	17,570	17,726	17,882	18,047	18,213	18,373
11,690	11,773	11,852	11,928	12,052	12,126	12,199	12,288	12,383	12,459
23,664	23,642	23,622	23,613	23,707	23,693	23,681	23,689	23,701	23,694
18,119	18,204	18,290	18,377	18,513	18,593	18,677	18,766	18,853	18,935
8,118	8,170	8,230	8,285	8,353	8,396	8,458	8,530	8,585	8,646
36,188	36,386	36,789	36,944	37,450	37,658	38,028	38,403	38,599	38,867
18,433	18,577	18,796	18,842	19,071	19,329	19,383	19,486	19,756	19,815
17,756	17,809	17,993	18,101	18,380	18,329	18,645	18,917	18,844	19,052

in Current Population Reports: Series P-20, P-25 and P-60.



## APPENDIX I

### TECHNICAL NOTES ON METHODS

#### Background of This Report

This report, Acute Conditions: Seasonal Variations, is one of a series of statistical reports prepared by the U. S. National Health Survey. It is based on information collected in a continuing nationwide sample of households in the Health Interview Survey, which is one of the major parts of the program.

The Health Interview Survey utilizes a questionnaire which, in addition to personal and demographic characteristics, obtains information on illnesses, injuries, chronic conditions and impairments, health insurance coverage, and other health topics. As data relating to each of these various broad topics are tabulated and analyzed, separate reports are issued which cover one or more of the specific topics. The present report is based on the consolidated sample for 208 weeks of interviewing ending June 1961.

The population covered by the sample for the Health Interview Survey is the civilian, noninstitutional population of the United States living at the time of the interview. The sample does not include members of the Armed Forces, U. S. nationals living in foreign countries, or crews of vessels. It should also be noted that the estimates shown do not represent a complete inventory of acute conditions for the specified calendar period since no adjustment has been made for persons who incurred acute conditions during the two-week-recall period but who died prior to the interview.

#### Statistical Design of the Health Interview Survey

General plan.—The sampling plan of the survey follows a multistage probability design which permits a continuous sampling of the civilian population of the United States. The first stage of this design consists of drawing a sample of 500 from the 1,900 geographically defined Primary Sampling Units (PSU's) into which the United States has been divided. A PSU is a county, a group of contiguous counties, or a Standard Metropolitan Statistical Area.

With no loss in general understanding, the remaining stages can be telescoped and treated in this discussion as an ultimate stage. Within PSU's, then, ultimate stage units called segments are defined, also geographically, in such a manner that each segment contains an expected six households in the sample. Each week a random sample of about 120 segments is drawn. In the approximately 700 households in those segments, household members are interviewed concerning factors related to health.

Since the household members interviewed each week are a representative sample of the population, samples for successive weeks can be combined into

larger samples. Thus the design permits both continuous measurement of characteristics of high incidence or prevalence in the population, and through the larger consolidated samples, more detailed analysis of less common characteristics and smaller categories. The continuous collection has administrative and operational advantages as well as technical assets, since it permits field work to be handled with an experienced, stable staff.

Sample size and geographic detail.—The sample plan for each 13-week quarter from July 1957-June 1961 included about 30,000 persons from 9,000 households. Over the 12-month period ending June 1961, the sample included approximately 125,000 persons from 38,000 households in 6,400 segments. The over-all sample was designed in such a fashion that tabulations can be provided for each of the major geographic regions and for urban and rural sectors of the United States.

Collection of data.—The field operations for the household survey are performed by the Bureau of the Census under specifications established by the Public Health Service. In accordance with these specifications the Bureau of the Census designs and selects the sample; conducts the field interviewing, acting as the collecting agent for the Public Health Service; and edits and codes the questionnaires. Tabulations are prepared by the Public Health Service using the Bureau of the Census electronic computers.

Estimating methods.—Each statistic produced by the survey—for example, the number of work-loss days occurring in a specified period—is the result of two stages of ratio estimation. In the first of these, the factor is the ratio of the 1950 decennial population count to the 1950 estimated population in the U. S. National Health Survey's first-stage sample of PSU's. These factors are applied for some 50 color-residence classes.

Later, ratios of sample-produced estimates of the population to official Bureau of the Census figures for current population in about 60 age-sex-color classes are computed, and serve as second-stage factors for ratio estimating.

The effect of the ratio estimating process is to make the sample more closely representative of the population by age, sex, color, and residence, thus reducing sampling variance.

As noted, each week's sample represents the population living during that week and characteristics of that population. Consolidation of samples over a time period, say a calendar quarter, produces estimates of average characteristics of the U. S. population for that calendar quarter. Similarly, population data for a year are averages of the four quarterly figures.

For statistics measuring the number of occurrences during a specified time period, such as the

number of bed-disability days, or incidence of acute conditions, a similar computational procedure is used, but the statistics have a different interpretation. For these items, the questionnaire asks for the respondent's experience over the two calendar weeks prior to the week of interview. In such instances the estimated quarterly total for the statistic is simply 6.5 times the average two-week estimate produced by the 13 successive samples taken during the period. The annual total is the sum of the four quarters. Thus, the experience of persons interviewed during a year—experience which actually occurred for each person in a two-calendar-week interval prior to week of interview—is treated as though it measured the total of such experience during the year. Such interpretation leads to no significant bias.

### General Qualifications

Nonresponse.—Data were adjusted for nonresponse by a procedure which imputes to persons in a household which was not interviewed the characteristics of persons in households in the same segment which were interviewed. The total noninterview rate was 5 percent; 1 percent was refusal, and the remainder was primarily due to the failure to find any eligible household respondent after repeated trials.

The interview process.—The statistics presented in this report are based on replies secured in interviews of persons in the sampled households. Each person 18 years of age and over, available at the time of interview, was interviewed individually. Proxy respondents within the household were employed for children and for adults not available at the time of the interview, provided the respondent was closely related to the person about whom information was being obtained.

There are limitations to the accuracy of diagnostic and other information collected in household interviews. For diagnostic information, the household respondent can, at best, pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. However, other facts, such as the number of disability days caused by the condition, can be obtained more accurately from household members than from any other source since only the persons concerned are in a position to report information of this type.

Rounding of numbers.—The original tabulations on which the data in this report are based show all estimates to the nearest whole unit. All consolidations were made from the original tabulations using the estimates to the nearest unit. In the final published tables the figures are rounded to the nearest thousand, although they are not necessarily accurate to that detail. Devised statistics, such as rates and percent distributions, are computed after the estimates on which they are based have been rounded to the nearest thousand.

Population figures.—Some of the published tables include population figures for specified categories. Except for certain over-all totals by age and sex, which are adjusted to independent estimates, these figures are based on the sample of households in the U. S. National Health Survey. They are given primarily for the purpose of providing denominators for rate computation,

and for this purpose are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. In some instances they will permit users to recombine published data into classes more suitable to their specific needs. With the exception of the over-all totals by age and sex, mentioned above, the population figures differ from corresponding figures (which are derived from different sources) published in reports of the Bureau of the Census. For population data for general use, see the official estimates presented in Bureau of the Census reports in the P-20, P-25, and P-60 series.

### Reliability of Estimates

Since the estimates are based on a sample, they will differ somewhat from the figures that would have been obtained if a complete census had been taken using the same schedules, instructions, and interviewing personnel and procedures. As in any survey, the results are also subject to measurement error.

The standard error is primarily a measure of sampling variability, that is, the variations that might occur by chance because only a sample of the population is surveyed. As calculated for this report, the standard error also reflects part of the variation which arises in the measurement process. It does not include estimates of any biases which might lie in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error and about 99 out of 100 that it would be less than  $2\frac{1}{2}$  times as large.

The relative standard error of an estimate is obtained by dividing the standard error of the estimate by the estimate itself, and is expressed as a percentage of the estimate. Included in this Appendix are charts from which the relative standard errors can be determined for estimates shown in the report. In order to derive relative errors which would be applicable to a wide variety of health statistics and which could be prepared at a moderate cost, a number of approximations were required. As a result, the charts provide an estimate of the approximate relative standard error rather than the precise error for any specific aggregate or percentage.

Three classes of statistics for the health survey are identified for purposes of estimating variances.

Narrow range.—This class consists of (1) statistics which estimate a population attribute, e.g., the number of persons in a particular income group, and (2) statistics for which the measure for a single individual for the period of reference is usually either 0 or 1, on occasion may take on the value 2, and very rarely, 3.

Medium range.—This class consists of other statistics for which the measure for a single individual for the period of reference will rarely lie outside the range 0 to 5.

Wide range.—This class consists of statistics for which the measure for a single individual for the period of reference frequently will range from 0 to a number in excess of 5, e.g., the number of days of work loss experienced during the year.



In addition to classifying variables according to whether they are narrow-, medium-, or wide-range, statistics in the survey are further defined as:

Type A.—Statistics on prevalence, and incidence data for which the period of reference in the questionnaire is 12 months.

Type B.—Incidence-type statistics for which the period of reference in the questionnaire is two weeks.

Only the charts on sampling error applicable to data contained in this report are presented. Those shown are charts for aggregates based on one calendar quarter of data collection.

General rules for determining relative sampling errors.—The "guide" on page 49, together with the following rules, will enable the reader to determine approximate relative standard errors from the charts for estimates presented in this report.

Rule 1. Estimates of aggregates: Approximate relative standard errors of estimates of aggregates, such as the number of persons with a given characteristic, or the number of disability days are obtained from appropriate curves on pages 50 and 51. The number of persons in the total U.S. population or in an age-sex class of the total population is adjusted to official Bureau of the Census figures and is not subject to sampling error.

Rule 2. Estimates of rates where the numerator is not a subclass of the denominator: This rule applies where a unit of the numerator often occurs more than once for any one unit in the denominator. For example, in the computation of the number of days of work loss per person per year, several of the days included in the numerator could be assigned to a person (one unit) in the denominator. Approximate relative standard errors for rates of this kind may be computed as follows:

- (a) Where the denominator is the total U. S. population, or includes all persons in one or more of the age-sex groups of the total population, the relative error of the rate is equivalent to the relative error of the numerator which can be obtained directly from the appropriate chart.
- (b) In other cases, obtain the relative standard error of the numerator and of the denominator from the appropriate curve. Square each of these relative errors, add the resulting values, and extract the square root of the sum. This procedure will result in an upper bound, and often will overstate the error.


## Guide to Use of Relative Standard Error Charts

The code shown below identifies the appropriate curve to be used in estimating the relative standard error of the statistic described. The four components of each code describe the statistic as follows: (1)

A = aggregate, P = percentage; (2) the number of calendar quarters of data collection; (3) the type of the statistic as described on page 48; and (4) the range of the statistic as described on page 47.

Statistic	Use:		
	Rule	Code	on page
Number of: Acute conditions per quarter-----	1	A1BN	50
Disability days per quarter-----	1	A1BW	51
Persons in the U. S. population, or total number of persons in any age-sex category--	Not subject to sampling error		
Incidence rates for acute conditions: Per 100 total U. S. population or per 100 persons in any age-sex group of the total U. S. population-----	2(a)	A1BN	50
Number of disability days: Per case for acute conditions -----	2(b)	{ Numer.: A1BW Denom.: A1BN	51 50
Average number of persons absent from work each day because of an acute condition-----	1	A1BW (with value for number of work days lost because of the con- dition read from the curve)	51


Relative standard errors for aggregates based on one quarter of data for type B data, narrow range



Example of use of chart: An aggregate of 6,000,000 (on scale at bottom of chart) for a Narrow range Type B statistic has a relative standard error of 19.3 percent, read from scale at left side of chart, or a standard error of 1,158,000 (19.3 percent of 6,000,000).



Relative standard errors for aggregates based on one quarter of data collection for type B data, wide range



Example of use of chart: An aggregate of 20,000,000 (on scale at bottom of chart) for a wide range type B statistic has a relative standard error of 16.0 percent, read from scale at left side of chart, or a standard error of 3,200,000 ( 16.0 percent of 20,000,000).

## APPENDIX II

### DEFINITIONS OF CERTAIN TERMS USED IN THIS REPORT

#### Terms Relating to Conditions

**Condition.**—A morbidity condition, or simply a condition, is any entry on the questionnaire which describes a departure from a state of physical or mental well-being. It results from a positive response to one of a series of "illness-recall" questions. In the coding and tabulating process, conditions are selected or classified according to a number of different criteria, such as, whether they were medically attended; whether they resulted in disability; whether they were acute or chronic; or according to the type of disease, injury, impairment, or symptoms reported. For the purposes of each published report or set of tables, only those conditions recorded on the questionnaire which satisfy certain stated criteria are included.

Acute conditions are classified by type according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household-interview-type survey.

**Acute condition.**—An acute condition is defined as a condition which has lasted less than three months and which has involved either medical attention or restricted activity. Because of the procedures used to estimate incidence, the acute conditions included in this report are the conditions which had their onset during the two weeks prior to the interview week and which involved either medical attention or restricted activity during that two-week period. However, it excludes certain conditions which are always classified as chronic (listed below) even though the onset occurred within three months.

Conditions always classified as chronic:

Asthma	Arthritis or rheumatism
Hay fever	Mental illness
Tuberculosis	Diabetes
Chronic bronchitis	Thyroid trouble or goiter
Repeated attacks of sinus trouble	Any allergy
Rheumatic fever	Epilepsy
Hardening of the arteries	Chronic nervous trouble
High blood pressure	Cancer
Heart trouble	Chronic skin trouble
Stroke	Hernia or rupture
Trouble with varicose veins	Prostate trouble
Hemorrhoids or piles	Deafness or serious trouble with hearing
Tumor, cyst, or growth	Serious trouble with seeing, even when wearing glasses
Chronic gallbladder or liver trouble	Cleft palate
Stomach ulcer	Any speech defect
Any other chronic stomach trouble	Missing fingers, hand, or arm—toes, foot, or leg
Kidney stones or chronic kidney trouble	Palsy

Paralysis of any kind	deformity of the foot, leg, fingers, arm, or back
Repeated trouble with back or spine	
Club foot	Condition present since birth
Permanent stiffness or	

**Condition groups.**—Conditions are classified according to the International Classification of Diseases, 1955 Revision, with certain modifications adopted to make the code more suitable for a household interview survey. In this report, all tables which have data classified by type of condition employ a 5 category regrouping plus several selected subgroups. The International Classification code numbers included in each category are shown below.

<u>Condition Groups</u>	<u>International Classification Code Numbers</u>
I Infective and parasitic diseases	020-138
II Respiratory conditions	470-501, 511, 514 517-525, 527, 783
Upper respiratory	470-475, 511, 514, 517
Other respiratory	480-501, 518-525, 527 783
III Digestive system conditions	530-539, 543-553, 570 571, 573-587, 784, 785
IV Injuries	N800-N885, N890-N895 N900-N994, N996-N999
V Other conditions	All other acute code numbers

**Onset of condition.**—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time when the person or his family was first told by a physician that he had a condition of which he was previously unaware.

**Incidence of conditions.**—The incidence of conditions is the estimated number of conditions having their onset in a specified time period. As previously mentioned, minor acute conditions, involving neither restricted activity nor medical attention are excluded from the statistics. The incidence data shown in some reports are further limited to various subclasses of conditions, such as, "incidence of conditions involving bed disability."

**Activity-restricting condition.**—An activity restricting condition is a condition which has caused at least one day of restricted activity during the two calendar weeks before the interview week. (See def-



tion of "Restricted-activity day.") The incidence of acute activity-restricting conditions is estimated from the number of such conditions reported as having started in the two-week period, but a condition which did not result in restricted activity until after the end of the two-week period in which it had its onset is not included.

Bed-disabling condition.—A condition involving at least one day of bed disability is called a bed-disabling condition. (See definition of "Bed-disability day.") The incidence of acute bed-disabling conditions is defined in a manner analogous to the incidence of acute activity-restricting conditions.

Medically attended condition.—A condition is considered to be medically attended if a physician has been consulted about it either at its onset or at any time thereafter. Medical attention includes consultation either in person or by telephone for treatment or advice. Advice from the physician transmitted to the patient through the nurse is counted as well as visits to physicians in clinics or hospitals. If during the course of a single visit the physician is consulted about more than one condition for each of several patients, each condition of each patient is counted as medically attended.

Discussions of a child's condition by the physician and a responsible member of the household are considered as medical attention even if the child was not seen at that time.

For the purpose of this definition, the term "physician" includes doctors of medicine and osteopathic physicians.

#### Terms Relating to Disability

Disability.—Disability is the general term used to describe any temporary or long-term reduction of a person's activity as a result of an acute or chronic condition.

Disability days are classified according to whether they are days of restricted activity, bed-days, work-loss days, or school-loss days. All days of bed disability are, by definition, days of restricted activity. The converse form of this statement is, of course, not true. Days lost from work and days lost from school are also days of restricted activity for the working and school-age populations. Hence, restricted activity is the most inclusive term used in describing disability days.

Condition-days of restricted activity, bed disability, etc.—Condition-days of restricted activity, bed disability, and so forth are days of the various forms of disability associated with any one condition. Since any particular day of disability may be associated with more than one condition, the sum of days for all con-

ditions adds to more than the total number of person-days of disability.

Restricted-activity day.—A day of restricted activity is one on which a person substantially reduces the amount of activity normal for that day because of a specific illness or injury. The type of reduction varies with the age and occupation of the individual as well as with the day of the week or season of the year. Restricted activity covers the range from substantial reduction to complete inactivity for the entire day.

Bed-disability day.—A day of bed disability is one on which a person stays in bed for all or most of the day because of a specific illness or injury. It is considered to be a day only if the period of bed disability includes more than half of the daylight hours. All hospital days for inpatients are considered to be days of bed disability even if the patient was not actually in bed at the hospital.

Work-loss day.—A day lost from work is a normal working day on which a person did not work at his job or business because of a specific illness or injury. If the person's regular work day is less than a whole day and the entire work day was lost, it would be counted as a whole work day lost. The number of days lost from work is determined only for persons 17 years of age or over who reported that at any time during the two-week period covered by the interview they either worked at, or had a job or business.

School-loss day.—A day lost from school is a normal school day on which a child did not attend school because of a specific illness or injury. The number of days lost from school is determined only for children 6-16 years of age.

#### Demographic Terms

Age.—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending upon the purpose of the table.

Quarter.—The quarters used by the U. S. National Health Survey are actually 13-week periods rather than 3 calendar months. Since each 13-week period begins on a Monday and ends on a Sunday, the actual dates of the beginning and end of each 13-week period may overlap into another calendar quarter. Therefore, the time periods in the table headings are the approximate rather than the precise periods during which the interviewing was conducted.

In order to compute the number of persons absent from work each day, the assumption was made that there are 245 work days in the year or 61.25 work days in each quarter.

# APPENDIX III

## QUESTIONNAIRE

The items below show the exact content and wording of the basic questionnaire used in the nationwide household survey of the U. S. National Health Survey. The actual questionnaire is designed for a household as a unit and includes additional spaces for reports on more than one person, condition, accident or hospitalization. Such repetitive spaces are omitted in this illustration.

**CONFIDENTIAL** - The National Health Survey is authorized by Public Law 652 of the 84th Congress (70 Stat 489; 42 U.S.C. 305). All information which would permit identification of the individual will be held strictly confidential, will be used only by persons engaged in and for the purposes of the survey, and will not be disclosed or released to others for any other purposes (22 FR 1687).

FORM NMS-4  
14 4 50)

U.S. DEPARTMENT OF COMMERCE  
BUREAU OF THE CENSUS  
ACTING AS COLLECTING AGENT FOR THE  
U.S. PUBLIC HEALTH SERVICE

**NATIONAL HEALTH SURVEY**

1. Questionnaire of \_\_\_\_\_  
Questionnaires \_\_\_\_\_

2. (a) Address or description of location \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(b) Mailing address if not shown in (a) \_\_\_\_\_

(c) Type of living quarters:  Housing unit  Other \_\_\_\_\_  
(d) Name of Special Dwelling Place \_\_\_\_\_ Code \_\_\_\_\_

3. Ident. Code \_\_\_\_\_ 3a. Reg. office Code \_\_\_\_\_ 4. Sub-sample weight \_\_\_\_\_ 5. Sample \_\_\_\_\_ 6. PSU Number \_\_\_\_\_ 7. Segment No. \_\_\_\_\_ 8. Serial No. \_\_\_\_\_

9. Is this house on a farm or ranch? .....  Yes  No

10. Do you own or rent this place?  
 Own  Rent  Rent free

11. If "Own" or "rent free" in question 10, ask:  
(a) Does this place have 10 or more acres?  
If "rent" in question 10, ask:  
(b) Does the place you rent have 10 or more acres?  
(c) During the past 12 months did sales of crops, livestock, and other farm products from the place amount to \$50 or more?  
 Yes  No  
(d) During the past 12 months did sales of crops, livestock, and other farm products from the place amount to \$250 or more?  
 Yes  No

12. Are there any other living quarters, occupied or vacant, in this building (apartment)? .....  Yes  No

13. Does anyone else living in this building use YOUR ENTRANCE to get to his living quarters? .....  Yes  No

INSTRUCTIONS FOR Q. 12, 13 AND 14  
If "Yes," to questions 12, 13 or 14 apply definition of a housing unit to determine whether one or more additional questionnaires should be filled and whether the listing is to be corrected.

Ask at all visits except apartment houses:  
14. Is there any other building on this property for people to live in - either occupied or vacant? .....  Yes  No

15. What is the telephone number here? \_\_\_\_\_  No phone  
16. In case I've overlooked anything, what is the best time to call? \_\_\_\_\_

**17. RECORD OF CALLS AT HOUSEHOLDS**

Item	1	Com.	2	Com.	3	Com.	4	Com.	5	Com.
Entire household										
Callbacks for individual respondents	Col. No. _____									

**18. REASON FOR NON-INTERVIEW**

TYPE	A	B	C	Z
Reason:	<input type="checkbox"/> Refusal (Fill item 19) <input type="checkbox"/> No one at home - repeated calls <input type="checkbox"/> Temporarily absent <input type="checkbox"/> Other (Specify) _____ <i>Fill item 20</i>	<input type="checkbox"/> Vacant - non-seasonal <input type="checkbox"/> Vacant - seasonal <input type="checkbox"/> Usual residence elsewhere <input type="checkbox"/> Armed Forces <input type="checkbox"/> Other (Specify) _____	<input type="checkbox"/> Demolished <input type="checkbox"/> In sample by mistake <input type="checkbox"/> Eliminated in sub-sample <input type="checkbox"/> Other (Specify) _____	Interview not obtained for: Cols. _____ because: _____

19. Reason for refusal \_\_\_\_\_

**20. TYPE A FOLLOW-UP PROCEDURE**

If final call results in a Type A non-interview (except Refusals) take the following steps:

- Contact neighbors (carers, etc.) until you find someone who knows the family.
- Find out the number of people in the household, their names and approximate ages; if names of all members not known, ascertain relationships. Record this information in the regular spaces inside the questionnaire.
- Find out if anyone in the housing unit is now in a hospital as a patient; if so, which person it is. This is done by asking the following question:

4. Is anyone in the household now in the hospital?  Yes  No  Don't know  No contact made

(a) If "Yes," - Who? (Enter name) \_\_\_\_\_ (Col. No.) \_\_\_\_\_

1. (a) What is the name of the head of this household? (Enter name in first column)

	Last name (1)	Last name (2)
(b) What are the names of all other persons who live here? (List all persons who usually live here, and all persons staying here who have no usual place of residence elsewhere. List these persons in the prescribed order.)		
(c) Do any (other) lodgers or roomers live here? <input type="checkbox"/> No <input type="checkbox"/> Yes (List) _____		
(d) Is there anyone else who lives here who is now temporarily in a hospital? <input type="checkbox"/> No <input type="checkbox"/> Yes (List) _____		
(e) Away on business? <input type="checkbox"/> No <input type="checkbox"/> Yes (List) _____		
(f) On a visit? <input type="checkbox"/> No <input type="checkbox"/> Yes (List) _____		
(g) Is there anyone else staying here now? <input type="checkbox"/> No <input type="checkbox"/> Yes (List) _____		
(h) Do any of the people in this household have a home elsewhere? <input type="checkbox"/> No (leave on questionnaire) <input type="checkbox"/> Yes (apply household membership rules; if not a member, delete)		
2. How are you related to the head of the household? (Enter relationship to head, for example: head, wife, daughter, grandson, mother-in-law, partner, lodger, lodger's wife, etc.)	Relationship Head	Relationship

3. How old were you on your last birthday?	Age _____ <input type="checkbox"/> Under 1 year
4. Race (Check one box for each person)	<input type="checkbox"/> White <input type="checkbox"/> Negro <input type="checkbox"/> Other
5. Sex (Check one box for each person)	<input type="checkbox"/> Male <input type="checkbox"/> Female
6. Are you now married, widowed, divorced, separated or never married? (Check one box for each person)	<input type="checkbox"/> Under 17 years <input type="checkbox"/> Married <input type="checkbox"/> Divorced <input type="checkbox"/> Widowed <input type="checkbox"/> Separated <input type="checkbox"/> Never married
7. (a) What is the highest grade you attended in school? (Circle highest grade attended or check "None")  (b) Did you finish the -- grade (year)?	<input type="checkbox"/> Under 17 years Elem: 1 2 3 4 5 6 7 8 High: 1 2 3 4 College: 1 2 3 4 5 + <input type="checkbox"/> None ----- <input type="checkbox"/> Yes <input type="checkbox"/> No
8. (a) Did you ever serve in the Armed Forces of the United States? If "Yes," ask: (b) Are you now in the Armed Forces, not counting the reserves? (If "Yes," delete this person from questionnaire) →  (c) Was any of your service during a war or was it peace-time only? If "War," ask: (d) During which war did you serve? If "Peace-time" only, ask: (e) Was any of your service between June 27, 1950 and January 31, 1955?	<input type="checkbox"/> Fem. or und. 17 yrs <input type="checkbox"/> Yes <input type="checkbox"/> No ----- <input type="checkbox"/> Yes <input type="checkbox"/> No ----- <input type="checkbox"/> War <input type="checkbox"/> Peace-time only ----- <input type="checkbox"/> WW II <input type="checkbox"/> Korea <input type="checkbox"/> Other ----- <input type="checkbox"/> Yes <input type="checkbox"/> No
9. (a) What were you doing most of the past 12 months -- (For males): working, or doing something else? (For females): working, keeping house, or doing something else? If "Something else" checked, and person is 45 years old or over, ask: (b) Are you retired?	<input type="checkbox"/> Under 17 years <input type="checkbox"/> Working <input type="checkbox"/> Keeping house <input type="checkbox"/> Something else ----- <input type="checkbox"/> Yes <input type="checkbox"/> No
10. (a) Were you working last week or the week before? If "Keeping house" or "Something else" in q. 9(a), ask: (b) Did you work at a job or business at any time last week or the week before? If "No," in q. 10(a) or 10(b), ask: (c) Even though you did not work last week or the week before, do you have a job or business?	<input type="checkbox"/> Under 17 years <input type="checkbox"/> Yes <input type="checkbox"/> No ----- <input type="checkbox"/> Yes <input type="checkbox"/> No
NOTE: Determine which adults are at home and record this information. Beginning with question 11 you are to interview for himself or herself, each adult person who is at home.	<input type="checkbox"/> Under 17 years <input type="checkbox"/> At home <input type="checkbox"/> Not at home
11. Were you sick on any time LAST WEEK OR THE WEEK BEFORE? (That is, the 2-week period which ended last Sunday?) (a) What was the matter? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
12. Last week or the week before did you take any medicine or treatment for any condition (besides... which you told me about)? (a) For what conditions? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
13. Last week or the week before did you have any accidents or injuries? (a) What were they? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
14. Did you ever have on (any other) accident or injury that was still bothering you last week or the week before? (a) In what way did it bother you? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
15. AT THE PRESENT TIME do you have any ailments or conditions that have lasted for a long time? (If "No") Even though they don't bother you all the time? (a) What are they? (b) Anything else?	<input type="checkbox"/> Yes <input type="checkbox"/> No
16. Has anyone in the family - you, your --, etc. - had any of these conditions DURING THE PAST 12 MONTHS? (Read Card A, condition by condition; record any conditions mentioned in the column for the person)	<input type="checkbox"/> Yes <input type="checkbox"/> No
17. Does anyone in the family have any of these conditions? (Read Card B, condition by condition; record any conditions mentioned in the column for the person)	<input type="checkbox"/> Yes <input type="checkbox"/> No
R For persons 17 years old or over, show who responded for (or was present during the asking of) questions 11-17. If person responded for self, show whether entirely or partly. For persons under 17 show who responded for them.	<input type="checkbox"/> Responded for self-entirely <input type="checkbox"/> Responded for self-partly Col. No. _____ was respondent
18. (a) Has anyone in the family been in a hospital DURING THE PAST 12 MONTHS? If "Yes," (b) How many different times were you in the hospital overnight or longer?	<input type="checkbox"/> Yes <input type="checkbox"/> No ----- _____ No. of times
19. (a) During the past 12 months has anyone in the family been a patient in a nursing home or sanitarium? If "Yes," (b) How many times were you in a nursing home or sanitarium?	<input type="checkbox"/> Yes <input type="checkbox"/> No ----- _____ No. of times
20. If baby under one year listed as a household member, ask: (a) Was --- baby born in a hospital or at home? If "hospital" in q. 20(a) and 1 or more in q. 18(b), ask: (b) Was this hospitalization included in the number you just gave me?	<input type="checkbox"/> Hospital <input type="checkbox"/> Home ----- <input type="checkbox"/> Yes <input type="checkbox"/> No



Table I - ILLNESSES, IMPAIRMENTS AND INJURIES												
Line number	Col. No. of person	Question number	Did you EVER at any time talk to a doctor about ...?	Ask for all <u>illnesses</u> and <u>present effects</u> of old injuries: (a) If doctor talked to: What did the doctor say it was? ... did he give it a medical name? (b) If doctor not talked to: Record original entry and ask (d-2)-(d-5) as required.  Ask for all injuries during past 2 weeks:  What part of the body was hurt? What kind of injury was it? Anything else?  (Also, fill Table A for all injuries)	What was the cause of ...?  (This column is to be asked if entry in Col. (d-1) is so  Impairment or a Symptom or If entry in Col. (d-1) is from q. 14 or q. 17)  (If "Cause" is an injury, also fill Table A)	If eye trouble of any kind and 6 years old or over, ask:  Can you see well enough to read ordinary newspaper print with glasses?	What kind of ... is it?  Ask only for: Any entry in Col. (d-1) or (d-2) that includes the words:  Asthma "condition" Cystic "disease" Growths "trouble" Tumor  For an allergy or stroke ask:  How does the ... affect you?	What part of the body is affected?  Ask only for: Impairments; injuries; and for:  Abscesses, boils, infections, inflammation, sores, ulcers Aches, pains, stiffness, weakness Bleeding or blood clots Cancer, tumor, cysts or growths Neuralgia or neuritis Virus  Show detail for: Ears/eyes - (one or both) Head - (Skull, scalp, face) Back - (Upper, middle, lower) Arm - (Shoulder, upper, elbow, lower, wrist, hand; one or both) Leg - (Hip, upper, knee, lower, ankle, foot; one or both)	LAST WEEK DR THE WEEK BEFORE did ... cause you to cut down on your usual activities for as much as a day?  Check one No Yes (Go to Col. (a))	How many days, including the Saturdays and Sundays?	How many of these ... days were you in bed all or most of the day?	How many days did ... keep you from school last week or the week before?
(a)	(b)	(c)	(d-1)	(d-2)	(d-3)	(d-4)	(d-5)	(e)	(f)	(g)	(h)	(i)
1		<input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Yes <input type="checkbox"/> No						Days	Days or None

Table II - HOSPITALIZATION DURING PAST 12 MONTHS										
Line number	Col. No. of person	Question No.	When did you enter the hospital? (Month, year)	How many nights were you in the hospital?	To interviewer				What did they say at the hospital the condition was -- did they give it a medical name? (If "they" didn't say, ask):  What did the last doctor you talked to say it was? (Show same detail as in cols. (d-1)-(d-5) of T.I) (If condition from accident or injury, also fill Table A)	Were any operations performed on you during this stay at the hospital? If "Yes," (a) What was the name of the operation? (b) Any other operations?
					How many of these ... nights were in the past 12 months?	Will you need to ask cols. (f) and (g)?	How many of these ... nights were last week or the week before?	Was this person still in the hospital on last Sunday night?		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(g)	(h)	(i)	
1		Mo: _____ Yr: _____	Mo: _____ Yr: _____	<input type="checkbox"/> All or <input type="checkbox"/> Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No	
2		Mo: _____ Yr: _____	Mo: _____ Yr: _____	<input type="checkbox"/> All or <input type="checkbox"/> Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No	
3		Mo: _____ Yr: _____	Mo: _____ Yr: _____	<input type="checkbox"/> All or <input type="checkbox"/> Nights	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> None	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Yes <input type="checkbox"/> No	

X-RAY QUESTIONS			
21. (a) Were you interested in all kinds of X-rays - Did you have your teeth X-rayed during the past 3 months - (that is, from -- through last Sunday)? If "Yes," (b) How many times?	<input type="checkbox"/> Yes <input type="checkbox"/> No	No. of times _____	No. of times _____
22. During the past 3 months did you have a CHEST X-ray?	<input type="checkbox"/> Yes-Chest <input type="checkbox"/> No	<input type="checkbox"/> Yes-Chest <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No
23. (a) Did you have any (other) kind of X-ray at all during the past 3 months? If "Yes," (b) What part of the body was X-rayed?	<input type="checkbox"/> Yes <input type="checkbox"/> No	Part(s) of body: _____	Part(s) of body: _____

Table X - FILL ONE LINE FOR EACH PART OF BODY ENTRY FROM QUESTIONS 22-25								
Line number	Col. No. of person	Question No.	Part of body	How many different times did you have your ... X-rayed during the past 3 months?	Where did you have the X-ray(s)? How many X-rays were at the hospital, doctor's office, etc.?	What was this X-ray(s) for -- a check-up or an examination or for treatment?	If "both" in col. (f) ask: How many of these ... X-ray(s) were for treatment?	If "both" or "treatment" in col. (f) ask: For what condition were you being treated?
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	
1					Hospital _____ Dr. office _____ Other _____	<input type="checkbox"/> Check-up/examination <input type="checkbox"/> Treatment <input type="checkbox"/> Both		
2					Hospital _____ Dr. office _____ Other _____	<input type="checkbox"/> Check-up/examination <input type="checkbox"/> Treatment <input type="checkbox"/> Both		
3					Hospital _____ Dr. office _____ Other _____	<input type="checkbox"/> Check-up/examination <input type="checkbox"/> Treatment <input type="checkbox"/> Both		
26. During the past 12 months in which group did the total income of your family fall, that is, you's, your-'s, etc. (Show Card H) Include income from all sources, such as wages, salaries, rents from property, pensions, help from relatives, etc.						Group No.	Group No.	

**Table I - ILLNESSES, IMPAIRMENTS AND INJURIES**

If 17 years old or over and if "Yes", in q. 10(a), 10(b) or 10(c), ask:  How many days did ... keep you from work last week or the week before?	Did you first notice ... (did it happen) <b>DURING THE PAST 3 MONTHS</b> or before that time?		To Interviewer:	Did you first notice ... <b>DURING THE PAST 12 MONTHS</b> or before that time?	How long since you last talked to a doctor about ... ?	Do you still take any medicine or treatment that the doctor prescribed for ... ?  Or, follow any advice he gave?	About how many days during the past 12 months, has ... kept you in bed for all or most of the day?	If 1 or more days in col. (q-1) and col. (e) is checked, ask:  How many of these days were during last week or the week before?	Ask after completing last condition, for each person:				If "1" or "2" or "3" in col. (r) ask:		
	Check one Before 3 mos. → During 3 mos. →	Did ... start during the past 2 weeks or before that time?  (If during past 2 weeks, ask):  Which week, last week or the week before?	Go to Col. (n)	CON-TINUE if col. (k) is checked, or the condition is on Card A or is an impairment; otherwise, STOP	(If less than one month, enter "Und. 1" for "Mo.")	_____ Mos. _____ Yrs. _____ No Dr.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No Dr.	_____ Days or _____ None	_____ Days or _____ None	Please look at this card and read each statement. Then tell me which statement fits you best, in terms of health. (Show Cards C, F, as appropriate)	If "1," "2" or "3" in col. (a):  Is this because of any of the conditions you have told me about?	Which?  (Enter X on line for each condition named)	If "1" or "2" in col. (t) ask:  How long have you been ... ?  (Insert the words of the statement selected)	If "1" or "2" in col. (r) ask:  Were you working at a job or business up to that time?	Please look at this card and read each statement. Then tell me which statement fits you best. (Show Card G)
_____ Days or _____ None	(k)	(l)	(m)	(aa)	(n)	(o)	(p)	(q-1)	(q-2)	(r)	(s)	(t)	(u)	(v)	(w)

**Table II - HOSPITALIZATION DURING PAST 12 MONTHS**

For completed hospitalizations ("No" in Col. (g)) of persons 6 years old and over who show an operation, a setting of a fracture, or a delivery in Cols. (h) or (i):			What is the name and address of the hospital you were in?  (Enter name, city and State; if city not known, enter county)
How many nights were you in the hospital, before you had your operation (delivery, etc.)?	After you left the hospital, how many days was it before you returned to your usual activities full-time?	If "still unable" in (k), ask: How long has it been since you left the hospital?	(m)
(j)	(k)	(l)	
No. of nights _____	No. of days _____ <input type="checkbox"/> Still unable	<input type="checkbox"/> Over 6 months If under 6 months: _____ Days _____ Months	
No. of nights _____	No. of days _____ <input type="checkbox"/> Still unable	<input type="checkbox"/> Over 6 months If under 6 months: _____ Days _____ Months	
No. of nights _____	No. of days _____ <input type="checkbox"/> Still unable	<input type="checkbox"/> Over 6 months If under 6 months: _____ Days _____ Months	

**X-RAY QUESTIONS**

24. (a) During the past 3 months, did anyone in the family have any X-rays for the treatment of a condition? If "Yes," (b) What part of the body was treated? (c) Was this included in the X-ray(s) you told me about before?	<input type="checkbox"/> Yes <input type="checkbox"/> No Part(s) of body: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No Part(s) of body: _____
25. (a) Did anyone in the family have a fluoroscope during the past 3 months? If "Yes," (b) What part of the body was this for? (c) Was this included in the X-ray(s) you told me about before?	<input type="checkbox"/> Yes <input type="checkbox"/> No Part(s) of body: _____	<input type="checkbox"/> Yes <input type="checkbox"/> No Part(s) of body: _____

**Table X - FILL ONE LINE FOR EACH PART OF BODY ENTRY FROM QUESTIONS 22-25**


Ask for each person with 2 or more lines in Table X: (Ask after all X-rays have been recorded through cols. (a)-(h) of Table X for a person)				FOOTNOTES	
Were any of these ... X-rays you told me about taken at the same time? If "Yes," Which X-rays were these? (i)					
No (Stop)	Yes →	Enter information below for X-rays taken at same time:			
		Part(s) of body: _____	No. _____	Part(s) of body: _____	No. _____
		Part(s) of body: _____	No. _____	Part(s) of body: _____	No. _____
		Part(s) of body: _____	No. _____	Part(s) of body: _____	No. _____
Group No.		Group No.		Group No.	



**Table A - (Accidents and Injuries)**

Line No. from Table I <input style="width: 40px; height: 15px;" type="text"/>  Accident happened last week or week before (Go to q. 3) <input style="width: 15px; height: 15px;" type="checkbox"/>	1. When did the accident happen?  Year: _____ (If 1960 or 1961 also enter the month)  Month: _____	2. At the time of the accident, what part of the body was hurt? What kind of injury was it? Anything else?  Part(s) of body _____ Kind of injury(s) _____ _____ _____
3. (a) Was a car, truck, bus or other motor vehicle involved in the accident in any way? <input type="checkbox"/> Yes <input type="checkbox"/> No (Go to Section B) (b) Was more than one motor vehicle involved? <input type="checkbox"/> Yes (more than one) <input type="checkbox"/> No (c) Was it (either one) moving at the time? <input type="checkbox"/> Yes <input type="checkbox"/> No (Go to Section B)		
4. Were you outside the vehicle, getting in or out of it, a passenger or were you the driver? <input type="checkbox"/> 1. Outside (Go to Section A q. 5) <input type="checkbox"/> 2. Getting in or out <input type="checkbox"/> 3. Passenger <input type="checkbox"/> 4. Driver (Go to Section A q. 6)		
<b>Section A - (Motor Vehicle Accidents)</b>		<b>Section B - (Non-Motor Vehicle Accidents)</b>
If "Outside" in q. 4, ask: 5. (a) How did the accident happen?  1. <input type="checkbox"/> Accident between motor vehicle and person riding on bicycle, in streetcar, on railroad train, on horse-drawn vehicle 2. <input type="checkbox"/> Accident between motor vehicle and person who was walking, running, or standing 3. <input type="checkbox"/> Other (Specify how the accident happened) _____ _____ (b) What kind(s) of motor vehicle was involved? 1. <input type="checkbox"/> Car    2. <input type="checkbox"/> Taxi    3. <input type="checkbox"/> Bus 4. <input type="checkbox"/> Truck    5. <input type="checkbox"/> Motorcycle    6. <input type="checkbox"/> Other (Specify) _____ _____		7. How did the accident happen? A.1. <input type="checkbox"/> Any injury involving an uncontrolled fire or explosion 2. <input type="checkbox"/> Any injury involving the discharge of a firearm 3. <input type="checkbox"/> Any injury from an accident involving a non-motor vehicle in motion (streetcar, railroad train, airplane, boat, bicycle, horse-drawn vehicle) B.4. <input type="checkbox"/> Any injury caused by machinery (belt or motor driven) while in operation (Specify kind of machinery) _____ 5. <input type="checkbox"/> Any injury caused by edge or point of knife, scissors, nail or other cutting or piercing implement 6. <input type="checkbox"/> Any injury caused by foreign body in eye, windpipe, or other orifices 7. <input type="checkbox"/> Any injury caused by animal or insect 8. <input type="checkbox"/> Any injury caused by poisonous substance swallowed (Specify substance) _____ C.9. <input type="checkbox"/> Fell on stairs or steps or from a height 10. <input type="checkbox"/> All other falls 11. <input type="checkbox"/> Bumped into object or person (covers all collisions between persons including striking, punching, kicking, etc.) 12. <input type="checkbox"/> Struck by moving object (include objects held in own hand or head of other person, also falling, flying, or thrown objects) 13. <input type="checkbox"/> Handling or stepping on sharp or rough objects such as stones, splinters, broken glass, rope, etc. 14. <input type="checkbox"/> Caught in, pinched or crushed between two moving objects or between a moving and a stationary object 15. <input type="checkbox"/> Came in contact with hot object or substance or open flame 16. <input type="checkbox"/> One-time lifting or other one-time exertion 17. <input type="checkbox"/> Twisting, stumbling, etc. D.18. <input type="checkbox"/> Other (Specify how accident happened) _____ _____ _____
If "Getting in or out" "Passenger" or "Driver," in q. 4, ask: 6. (a) How did the accident happen? 1. <input type="checkbox"/> Accident between two or more motor vehicles on roadway 2. <input type="checkbox"/> Accident between motor vehicle and some other object on roadway (Specify object) _____ 3. <input type="checkbox"/> Motor vehicle came to sudden stop on roadway 4. <input type="checkbox"/> Motor vehicle ran off roadway 5. <input type="checkbox"/> Other (Specify how the accident happened) _____ _____ <input type="checkbox"/> Acc. on roadway _____ <input type="checkbox"/> Acc. not on roadway (b) What kind of motor vehicle were you in (getting in) (getting out of) when the accident happened? 1. <input type="checkbox"/> Car    2. <input type="checkbox"/> Taxi    3. <input type="checkbox"/> Bus 4. <input type="checkbox"/> Truck    5. <input type="checkbox"/> Motorcycle    6. <input type="checkbox"/> Other (Specify) _____ _____		
<b>ASK FOR ALL ACCIDENTS</b>		
8. (a) Where did the accident happen -- at home or some other place? 1. <input type="checkbox"/> At home (inside house)    2. <input type="checkbox"/> At home (adjacent premises) <input type="checkbox"/> Some other place If "Some other place," ask: (b) What kind of place was it? 3. <input type="checkbox"/> Street and highway (includes roadway)    6. <input type="checkbox"/> School (includes school premises) 4. <input type="checkbox"/> Farm    7. <input type="checkbox"/> Place of recreation and sports, except at school 5. <input type="checkbox"/> Industrial place (includes premises)    8. <input type="checkbox"/> Other (Specify the place where accident happened) _____		
9. Were you at work at your job or business when the accident happened? 1. <input type="checkbox"/> Yes    2. <input type="checkbox"/> No    3. <input type="checkbox"/> While in Armed Services    4. <input type="checkbox"/> Under 17 at time of accident		
<b>FOOTNOTES AND COMMENTS</b>		

<p><b>Card A</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>Check List of Chronic Conditions</b></p> <ol style="list-style-type: none"> <li>Asthma</li> <li>Tuberculosis</li> <li>Chronic bronchitis</li> <li>Repeated attacks of sinus trouble</li> <li>Rheumatic fever</li> <li>Hardening of the arteries</li> <li>High blood pressure</li> <li>Heart trouble</li> <li>Stroke</li> <li>Trouble with varicose veins</li> <li>Hemorrhoids or piles</li> <li>Hay fever</li> <li>Tumor, cyst or growth</li> <li>Chronic gallbladder or liver trouble</li> <li>Stomach ulcer</li> <li>Any other chronic stomach trouble</li> <li>Kidney stones or chronic kidney trouble</li> <li>Arthritis or rheumatism</li> <li>Mental illness</li> <li>Diabetes</li> <li>Thyroid trouble or goiter</li> <li>Any allergy</li> <li>Chronic nervous trouble</li> <li>Cancer</li> <li>Chronic skin trouble</li> <li>Hernia or rupture</li> <li>Prostate trouble</li> </ol>	<p><b>Card C</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>For: Workers and other persons except Housewives and Children</b></p> <ol style="list-style-type: none"> <li>Not able to work at all.</li> <li>Able to work but limited in amount of work or kind of work.</li> <li>Able to work but limited in kind or amount of other activities.</li> <li>Not limited in any of these ways.</li> </ol>	<p><b>Card E</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>For: Children from 6 through 16 years old</b></p> <ol style="list-style-type: none"> <li>Not able to go to school at all.</li> <li>Able to go to school but limited to certain types of schools or in school attendance.</li> <li>Able to go to school but limited in other activities.</li> <li>Not limited in any of these ways.</li> </ol>	<p><b>Card G</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <ol style="list-style-type: none"> <li>Confined to the house all the time, except in emergencies.</li> <li>Able to go outside but need the help of another person in getting around outside.</li> <li>Able to go outside alone but have trouble in getting around freely.</li> <li>Not limited in any of these ways.</li> </ol>
<p><b>Card B</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>Check List of Selected Impairments</b></p> <ol style="list-style-type: none"> <li>Deafness or serious trouble with hearing</li> <li>Serious trouble with seeing, even when wearing glasses</li> <li>Cleft palate</li> <li>Any speech defect</li> <li>Missing fingers, hand, or arm—-toes, foot, or leg</li> <li>Palsy</li> <li>Paralysis of any kind</li> <li>Repeated trouble with back or spine</li> <li>Club foot</li> <li>Permanent stiffness or any deformity of the foot, leg, fingers, arm or back</li> <li>Any condition present since birth</li> </ol>	<p><b>Card D</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>For: Housewife</b></p> <ol style="list-style-type: none"> <li>Not able to keep house at all.</li> <li>Able to keep house but limited in amount or kind of housework.</li> <li>Able to keep house but limited in kind or amount of other activities.</li> <li>Not limited in any of these ways.</li> </ol>	<p><b>Card F</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>For: Children under 6 years old</b></p> <ol style="list-style-type: none"> <li>Not able to take part at all in ordinary play with other children.</li> <li>Able to play with other children but limited in amount or kind of play.</li> <li>Not limited in any of these ways.</li> </ol>	<p><b>Card H</b></p> <p><b>NATIONAL HEALTH SURVEY</b></p> <p><b>Family income during past 12 months</b></p> <p>Group 1. Under \$500 (Including loss)</p> <p>Group 2. \$500— \$999</p> <p>Group 3. \$1,000— \$1,999</p> <p>Group 4. \$2,000— \$2,999</p> <p>Group 5. \$3,000— \$3,999</p> <p>Group 6. \$4,000— \$4,999</p> <p>Group 7. \$5,000— \$6,999</p> <p>Group 8. \$7,000— \$9,999</p> <p>Group 9. \$10,000 and over</p>



SELECTED REPORTS FROM THE U. S. NATIONAL HEALTH SURVEY

Public Health Service Publication No. 584

Series A (Program descriptions, survey designs, concepts, and definitions)

- No. 1. Origin and Program of the U. S. National Health Survey. 25 cents.
- No. 2. The Statistical Design of the Health Household-Interview Survey. 35 cents.
- No. 3. Concepts and Definitions in the Health Household-Interview Survey. 30 cents.
- No. 4. Plan and Initial Program of the Health Examination Survey.

Series B (Health Interview Survey results by topics)

- No. 8. Persons Injured by Class of Accident, United States, July 1957-June 1958. 40 cents.
- No. 9. Impairments by Type, Age, and Sex, United States, July 1957-June 1958. 25 cents.
- No. 10. Disability Days, United States, July 1957-June 1958. 40 cents.
- No. 11. Limitation of Activity and Mobility Due to Chronic Conditions, United States, July 1957-June 1958. 30 cents.
- No. 12. Chronic Respiratory Conditions Reported in Interviews, United States, July 1957-June 1958. 30 cents.
- No. 13. Heart Conditions and High Blood Pressure Reported in Interviews, United States, July 1957-June 1958. 30 cents.
- No. 14. Dental Care, Interval and Frequency of Visits, United States, July 1957-June 1959. 35 cents.
- No. 15. Dental Care, Volume of Visits, United States, July 1957-June 1959. 35 cents.
- No. 16. Types of Injuries, Incidence and Associated Disability, United States, July 1958-June 1959. 30 cents.
- No. 17. Peptic Ulcers Reported in Interviews, United States, July 1957-June 1959. 25 cents.
- No. 18. Acute Conditions, Incidence and Associated Disability, United States, July 1958-June 1959. 30 cents.
- No. 19. Volume of Physician Visits, United States, July 1957-June 1959. 40 cents.
- No. 20. Arthritis and Rheumatism Reported in Interviews, United States, July 1957-June 1959. 25 cents.
- No. 21. Diabetes Reported in Interviews, United States, July 1957-June 1959. 25 cents.
- No. 22. Loss of Teeth, United States, July 1957-June 1958. 25 cents.
- No. 23. Acute Conditions, Geographic Distribution, United States, July 1958-June 1959. 30 cents.
- No. 24. Acute Conditions, Seasonal Variations, United States, July 1957-June 1960. 35 cents.
- No. 25. Hernias Reported in Interviews, United States, July 1957-June 1959. 25 cents.
- No. 26. Interim Report on Health Insurance, United States, July-December 1959. 45 cents.
- No. 27. Distribution and Use of Hearing Aids, Wheel Chairs, Braces, and Artificial Limbs, United States, July 1958-June 1959. 25 cents.
- No. 28. Persons Receiving Care at Home, United States, July 1958-June 1959. 30 cents.

- es, July 1959-June 1960. 40 cents.
- aid By Insurance, Discharged From Short-Stay Hospitals, United States, July 1958-June 1960. 40 cents.
- ivity Due to Chronic Conditions, United States, July 1959-June 1960. 30 cents.
- ngth of Stay: Short-Stay Hospitals, United States, 1958-1960.
- ariations, United States, July 1957-June 1961.
- Distribution, United States, July 1960-June 1961.

s for population groups)

- Health Characteristics, United States, July 1957-June 1958. 35 cents.
- Care, United States, July 1957-June 1958. 40 cents.
- cription and Selected Results, Oahu, Hawaii, October 1958-September 1959. 40 cents.
- h Characteristics, United States, July 1957-June 1959. 45 cents.
- s by Area, Regions and Urban-Rural Residence, United States, July 1957-June 1959. 35 cents.
- s by Area, Divisions and Large Metropolitan Areas, United States, July 1957-June 1959. 35 cents.
- Illness and Work-Loss Days, United States, July 1959-June 1960.

Reports)

- ical-History Techniques. 30 cents.
- ation Surveys. 35 cents.
- t Year of Life. 30 cents.
- the Health Interview Survey. 50 cents.
- ompared With Medical Records. 45 cents.
- in a Health Examination Survey. 35 cents.
- rdiovascular Examination. 30 cents.



<http://nihlibrary.nih.gov>

10 Center Drive  
Bethesda, MD 20892-1150  
301-496-1080

Catalog Card

U. S. National Health Survey

Acute conditions, seasonal variations, United States, July 1957-June 1961; statistics on incidence of acute conditions and number of associated days of disability in each calendar quarter according to condition group and age. Based on data collected in household interviews during the period July 1957-June 1961. Washington, U. S. Dept. of Health, Education, and Welfare, Public Health Service, 1962.

59 p. tables. diagrs. 27cm. (Its Health statistics, ser. B33)

U. S. Public Health Service, Publication no. 584-B33

- 1. Sickness - U.S. - Statistics. 2. Accidents - U.S. - Statistics.
- I. Title.

Cataloged by Department of Health, Education, and Welfare Library.

NIH LIBRARY



4 0075 7175



Public Health Service Publication No. 584-B33

---

For sale by the Superintendent of Documents, U. S. Government Printing Office  
Washington 25, D.C. - Price 40 cents