

visual editor

< parsoid >

**Update for Metrics, 2013-07-11**



# CAPABILITIES

- **VisualEditor is now in “beta” phase**
- **You can use it to create, edit and insert most content**
  - *text, links, lists, images, references, templates, categories, ...*
- **Some items are not yet fully editable (but are coming)**
  - *galleries, tables, formulae, most page settings, language variants, CSS, ...*
- **Focus now is fixing bugs and improving usability, stability & performance**



# DEPLOYMENT STATUS

- **Deployed by default for logged-in users on the English Wikipedia**
- **Currently just as an opt-in alpha for all users on other Wikipedias**
- **We plan to expand in the next month to the remaining Wikipedias:**
  - **All English Wikipedia's users, logged-out and logged-in alike**
  - **Top 10 [\*] Wikipedias**
  - **All [\*] Wikipedias**



# ADOPTION

- **Long-term ambition is VisualEditor replacing need for wikitext editing**
  - **Used for ~100% of content edits for all users**
  - **Quicker, easier, more obvious, more efficient so editors want to switch**
- **Right now we are focussed on bugs and usability, not adoption**
  - **Currently low, as expected - ~11% of NS0 edits, ~21% for “new” users**
  - **Likely skew from blacklisting, unfamiliarity, missing edit tools**



**DEMO TIME**



**QUESTIONS?**