

Moon

From Wikipedia, the free encyclopedia

The **Moon** is Earth's only permanent natural satellite. It is the fifth-largest natural satellite in the Solar System, and the largest among planetary satellites relative to the size of the planet that it orbits (its primary). It is the second-densest satellite among those whose densities are known (after Jupiter's satellite Io).

The Moon is thought to have formed approximately 4.5 billion years ago, not long after Earth. There are several hypotheses for its origin; the most widely accepted explanation is that the Moon formed from the debris left over after a giant impact between Earth and a Mars-sized body called Theia.

The Moon is in synchronous rotation with Earth, always showing the same face, with its near side marked by dark volcanic maria that fill the spaces between the bright ancient crustal highlands and the prominent impact craters. It is the second-brightest regularly visible celestial object in Earth's sky after the Sun, as measured by illuminance on Earth's surface. Its surface is actually dark (although it can appear a very bright white) with a reflectance just slightly higher than that of worn asphalt. Its prominence in the sky and its regular cycle of phases have made the Moon an important cultural influence since ancient times on language, calendars, art, and mythology.

The Moon's gravitational influence produces the ocean tides, body tides, and the slight lengthening of the day. The Moon's current orbital distance is about thirty times the diameter of Earth, with its apparent size in the sky almost the same as that of the Sun, resulting in the Moon covering the Sun nearly precisely in total

Moon ☾



Full Moon as seen from Earth's northern hemisphere

Designations

Adjectives

- lunar
- selenic

Orbital characteristics

Perigee	362 600 km (356 400–370 400 km)
Apogee	405 400 km (404 000–406 700 km)
Semi-major axis	384 399 km (0.002 57 AU) ^[1]
Eccentricity	0.0549 ^[1]
Orbital period	27.321 661 d (27d 7h 43.19min 11.5s ^[1])
Synodic period	29.530 589 d (29d 12h 44min 2.9s)
Average orbital speed	1.022 km/s
Inclination	5.145° to the ecliptic ^{[2][a]}
Longitude of ascending node	regressing by one revolution in 18.6 years

solar eclipse. This matching of apparent visual size will not continue in the far future. The Moon's linear distance from Earth is currently increasing at a rate of 3.82 ± 0.07 centimetres (1.504 ± 0.028 in) per year, but this rate is not constant.

The Soviet Union's Luna programme was the first to reach the Moon with unmanned spacecraft in 1959; the United States' NASA Apollo program achieved the only manned missions to date, beginning with the first manned lunar orbiting mission by Apollo 8 in 1968, and six manned lunar landings between 1969 and 1972, with the first being Apollo 11. These missions returned over 380 kg (840 lb) of lunar rocks, which have been used to develop a geological understanding of the Moon's origin, the formation of its internal structure, and its subsequent history. After the Apollo 17 mission in 1972, the Moon has been visited only by unmanned spacecraft.

Name and etymology

The usual English proper name for Earth's natural satellite is "the Moon".^{[10][11]} The noun *moon* is derived from *moone* (around 1380), which developed from *mone* (1135), which is derived from Old English *mōna* (dating from before 725), which ultimately stems from Proto-Germanic **mǣnōn*, like all Germanic language cognates.^[12] Occasionally, the name "Luna" is used. In literature, especially science fiction, "Luna" is used to distinguish it from other moons, while in poetry, the name has been used to denote personification of our moon.^[13]

The principal modern English adjective pertaining to the Moon is *lunar*, derived from the Latin *Luna*. A less common adjective is *selenic*, derived from the Ancient Greek *Selene* (*Σελήνη*), from which is derived the prefix "seleno-" (as in *selenography*).^{[14][15]} Both the Greek Selene and the Roman goddess Diana were

Argument of perigee	progressing by one revolution in 8.85 years		
Satellite of	Earth ^{[b][3]}		
Physical characteristics			
Mean radius	1 737.1 km (0.273 Earths) ^{[1][4][5]}		
Equatorial radius	1 738.1 km (0.273 Earths) ^[4]		
Polar radius	1 736.0 km (0.273 Earths) ^[4]		
Flattening	0.0012 ^[4]		
Circumference	10 921 km (equatorial)		
Surface area	3.793 × 10 ⁷ km ² (0.074 Earths)		
Volume	2.1958 × 10 ¹⁰ km ³ (0.020 Earths) ^[4]		
Mass	7.342 × 10 ²² kg (0.012 300 Earths) ^{[1][4]}		
Mean density	3.344 g/cm ³ ^{[1][4]} 0.606 × Earth		
Surface gravity	1.62 m/s ² (0.1654 g) ^[4]		
Moment of inertia factor	0.3929 ± 0.0009 ^[6]		
Escape velocity	2.38 km/s		
Sidereal rotation period	27.321 661 d (synchronous)		
Equatorial rotation velocity	4.627 m/s		
Axial tilt	<ul style="list-style-type: none"> 1.5424° to ecliptic 6.687° to orbit plane^[2] 		
Albedo	0.136 ^[7]		
Surface temp.	min	mean	max
Equator	100 K	220 K	390 K
85°N		150 K	230 K ^[8]
Apparent magnitude	<ul style="list-style-type: none"> −2.5 to −12.9^[c] −12.74 (mean full Moon)^[4] 		
Angular diameter	29.3 to 34.1 arcminutes ^{[4][d]}		
Atmosphere^[9]			
Surface pressure	<ul style="list-style-type: none"> 10^{−7} Pa (1 picobar) (day) 		


alternatively called Cynthia.^[16] The names Luna, Cynthia, and Selene are reflected in terminology for lunar orbits in words such as *apolune*, *pericynthion*, and *selenocentric*. The name Diana is connected to *dies* meaning 'day'.

Composition by volume

- 10^{-10} Pa (1 femtobar) (night)^[e]
- He
- Ar
- Ne
- Na
- K
- H
- Rn



The Moon, tinted reddish, during a lunar eclipse



Formation

Several mechanisms have been proposed for the Moon's formation 4.527 ± 0.010 billion years ago,^[f] some 30–50 million years after the origin of the Solar System.^[17] Recent research presented by Rick Carlson indicates a slightly lower age of between 4.40 and 4.45 billion years.^{[18] [19]} These mechanisms included the fission of the Moon from Earth's crust through centrifugal force^[20] (which

would require too great an initial spin of Earth),^[21] the gravitational capture of a pre-formed Moon^[22] (which would require an unfeasibly extended atmosphere of Earth to dissipate the energy of the passing Moon),^[21] and the co-formation of Earth and the Moon together in the primordial accretion disk (which does not explain the depletion of metals in the Moon).^[21] These hypotheses also cannot account for the high angular momentum of the Earth–Moon system.^[23]

The prevailing hypothesis today is that the Earth–Moon system formed as a result of a giant impact, where a Mars-sized body (named *Theia*) collided with the newly formed proto-Earth, blasting material into orbit around it that accreted to form the Moon.^{[24][25]}



The evolution of the Moon and a tour of the Moon

This hypothesis perhaps best explains the evidence, although not perfectly. Eighteen months prior to an October 1984 conference on lunar origins, Bill Hartmann, Roger Phillips, and Jeff Taylor challenged fellow lunar scientists: "You have eighteen months. Go back to your Apollo data, go back to your computer, do whatever you have to, but make up your mind. Don't come to our conference unless you have something to say about the Moon's birth." At the 1984 conference at Kona, Hawaii, the giant impact hypothesis emerged as the most popular.


Before the conference, there were partisans of the three "traditional" theories, plus a few people who were starting to take the giant impact seriously, and there was a huge apathetic middle who didn't think the debate would ever be resolved. Afterward there were essentially only two groups: the giant impact camp and the agnostics.^[26]

Giant impacts are thought to have been common in the early Solar System. Computer simulations modelling a giant impact are consistent with measurements of the angular momentum of the Earth–Moon system and the small size of the lunar core. These simulations also show that most of the Moon came from the impactor, not from the proto-Earth.^[27] However, more-recent tests suggest more of the Moon coalesced from Earth and not the impactor.^{[28][29][30][31]} Meteorites show that other inner Solar System bodies such as Mars and Vesta have very different oxygen and tungsten isotopic compositions to Earth, whereas Earth and the Moon have nearly identical isotopic compositions. Post-impact mixing of the vaporized material between the forming Earth and Moon could have equalized their isotopic compositions,^[32] although this is debated.^[33]

The large amount of energy released in the giant impact event and the subsequent re-accretion of material in Earth orbit would have melted the outer shell of Earth, forming a magma ocean.^{[34][35]} The newly formed Moon would also have had its own lunar magma ocean; estimates for its depth range from about 500 km (300 miles) to the entire radius of the Moon (1,737 km (1,079 miles)).

[34]


Despite its accuracy in explaining many lines of evidence, there are still some difficulties that are not fully explained by the giant impact hypothesis, most of them involving the Moon's composition.^[36]



In 2001, a team at the Carnegie Institute of Washington reported the most precise measurement of the isotopic signatures of lunar rocks.^[37] To their surprise, the team found that the rocks from the Apollo program carried an isotopic signature that was identical with rocks from Earth, and were different from almost all other bodies in the Solar System. Because most of the material that went into orbit to form the Moon was thought to come from Theia, this observation was unexpected. In 2007, researchers from the California Institute of Technology announced that there was less than a 1% chance that Theia and Earth had identical isotopic signatures.^[38] Published in 2012, an analysis of titanium isotopes in Apollo lunar samples showed that the Moon has the same composition as Earth,^[39] which conflicts with what is expected if the Moon formed far from Earth's orbit or from Theia. Variations on the giant impact hypothesis may explain this data.

Physical characteristics

– Internal structure



The Moon is a

Chemical composition of the lunar surface regolith (derived from crustal rocks)^[40]

Compound	Formula	Composition (wt %)	
		Maria	Highlands
silica	SiO ₂	45.4%	45.5%
alumina	Al ₂ O ₃	14.9%	24.0%
lime	CaO	11.8%	15.9%
iron(II) oxide	FeO	14.1%	5.9%
magnesia	MgO	9.2%	7.5%
titanium dioxide	TiO ₂	3.9%	0.6%
sodium oxide	Na ₂ O	0.6%	0.6%
Total		99.9%	100.0%


differentiated body: it has a geochemically distinct crust, mantle, and core. The Moon has a solid iron-rich inner core with a radius of 240 km (150 mi) and a fluid outer core

primarily made of liquid iron with a radius of roughly 300 km (190 mi). Around the core is a partially molten boundary layer with a radius of about 500 km (310 mi).^[41] This structure is thought to have developed through the fractional crystallization of a global magma ocean shortly after the Moon's formation 4.5 billion years ago.^[42] Crystallization of this magma ocean would have created a mafic mantle from the precipitation and sinking of the minerals olivine, clinopyroxene, and orthopyroxene; after about three-quarters of the magma ocean had crystallised, lower-density plagioclase minerals could form and float into a crust on top.^[43] The final liquids to crystallise would have been initially sandwiched between the crust and mantle, with a high abundance of incompatible and heat-producing elements.^[1] Consistent with this, geochemical mapping from orbit shows the crust is mostly anorthosite,^[9] and Moon rock samples of the flood lavas erupted on the surface from partial melting in the mantle confirm the mafic mantle composition, which is more iron rich than that of Earth.^[1] Geophysical techniques suggest that the crust is on average circa 50 km (31 mi) thick.^[1]

The Moon is the second-densest satellite in the Solar System, after Io.^[44] However, the inner core of the Moon is small, with a radius of about 350 km (220 mi) or less,^[1] around 20% of the radius of the Moon. Its composition is not well constrained, but it is probably metallic iron alloyed with a small amount of sulfur and nickel; analyses of the Moon's time-variable rotation indicate that it is at least partly molten.^[45]

– Surface geology

The topography of the Moon has been measured with laser altimetry and stereo image analysis.^[46] The most visible topographic feature is the giant far-side South Pole–Aitken basin, some 2,240 km (1,390 mi) in diameter, the largest crater on the Moon and the second-largest confirmed impact crater in the Solar System.^{[47][48]} At 13 km (8.1 mi) deep, its floor is the lowest point on the surface of the Moon.^{[47][49]} The highest elevations on the surface of the Moon are located directly to the northeast, and it has been suggested that this area might have been thickened by the oblique formation impact of the South Pole–Aitken basin.^[50] Other large impact basins, such as Imbrium, Serenitatis, Crisium, Smythii, and Orientale, also possess regionally low elevations and elevated rims.^[47] The lunar far side is on average about 1.9 km (1.2 mi) higher than the near side.^[1]




The discovery of fault scarp cliffs by the Lunar Reconnaissance Orbiter suggest that the Moon has shrunk within the past billion years, by a radius of about 90 metres (300 ft).^[51] Similar shrinkage


features exist on Mercury.

Volcanic features

The dark and relatively featureless lunar plains that can clearly be seen with the naked eye are called *maria* (Latin for "seas"; singular *mare*), because they were believed by ancient astronomers to be filled with water.^[52] They are now known to be vast solidified pools of ancient basaltic lava. Although similar to terrestrial basalts, lunar basalts have more iron and no minerals altered by water.^{[53][54]} The majority of these lavas erupted or flowed into the depressions associated with impact basins. Several geologic provinces containing shield volcanoes and volcanic domes are found within the near side maria.^[55]



Lunar nearside with major maria and craters labeled



Almost all maria are on the near side of the Moon, covering 31% of the surface on the near side,^[56] compared with a few scattered patches on the far side covering only 2%.^[57] This is thought to be due to a concentration of heat-producing elements under the crust on the near side, seen on geochemical maps obtained by *Lunar Prospector's* gamma-ray spectrometer, which would have caused the underlying mantle to heat up, partially melt, rise to the surface and erupt.^{[43][58][59]} Most of the Moon's mare basalts erupted during the Imbrian period, 3.0–3.5 billion years ago, although some radiometrically dated samples are as old as 4.2 billion years.^[60] Until recently, the youngest eruptions, dated by crater counting, appeared to have been only 1.2 billion years ago.^[61] In 2006, a study of *Ina*, a tiny depression in *Lacus Felicitatis*, found jagged, relatively dust-free features that, due to the lack of erosion by infalling debris, appeared to be only 2 million years old.^[62] Moonquakes and releases of gas also indicate some continued lunar activity.^[62] In 2014 NASA announced "widespread evidence of young lunar volcanism" at 70 irregular mare patches identified by the Lunar Reconnaissance Orbiter, some less than 50 million years old. This raises the possibility of a much warmer lunar mantle than previously believed, at least on the near side where the deep crust is substantially warmer due to the greater concentration of radioactive elements.^{[63][64][65][66]} Just prior to this, evidence has been presented for 2–10 million years younger basaltic volcanism inside Lowell crater,^{[67][68]} Orientale basin, located in the transition zone between the near and far sides of the Moon. An initially hotter mantle and/or local enrichment of heat-producing elements in the mantle could be responsible for prolonged activities also on the far side in the Orientale basin.^{[69][70]}

The lighter-coloured regions of the Moon are called *terrae*, or more commonly *highlands*, because they are higher than most maria. They have been radiometrically dated to having formed 4.4 billion years ago, and may represent plagioclase cumulates of the lunar magma ocean.^{[60][61]} In contrast to Earth, no major lunar mountains are believed to have formed as a result of tectonic events.^[71]

The concentration of maria on the Near Side likely reflects the substantially thicker crust of the highlands of the Far Side, which may have formed in a slow-velocity impact of a second moon of Earth a few tens of millions of years after their formation.^{[72][73]}

Impact craters


The other major geologic process that has affected the Moon's surface is impact cratering,^[74] with craters formed when asteroids and comets collide with the lunar surface. There are estimated to be roughly 300,000 craters wider than 1 km (0.6 mi) on the Moon's near side alone.^[75] Some of these are named for scholars, scientists, artists and explorers.^[76] The lunar geologic timescale is based on the most prominent impact events, including Nectaris, Imbrium, and Orientale, structures characterized by multiple rings of uplifted material, typically hundreds to thousands of kilometres in diameter and associated with a

broad apron of ejecta deposits that form a regional stratigraphic horizon.^[77] The lack of an atmosphere, weather and recent geological processes mean that many of these craters are well-preserved. Although only a few multi-ring basins have been definitively dated, they are useful for assigning relative ages. Because impact craters accumulate at a nearly constant rate, counting the number of craters per unit area can be used to estimate the age of the surface.^[77] The radiometric ages of impact-melted rocks collected during the Apollo missions cluster between 3.8 and 4.1 billion years old: this has been used to propose a Late Heavy Bombardment of impacts.^[78]

Blanketed on top of the Moon's crust is a highly comminuted (broken into ever smaller particles) and impact gardened surface layer called regolith, formed by impact processes. The finer regolith, the lunar soil of silicon dioxide glass, has a texture resembling snow and a scent resembling spent gunpowder.^[79] The regolith of older surfaces is generally thicker than for younger surfaces: it varies in thickness from 10–20 km (6.2–12.4 mi) in the highlands and 3–5 km (1.9–3.1 mi) in the maria.^[80] Beneath the finely comminuted regolith layer is the *megaregolith*, a layer of highly fractured bedrock many kilometres thick.^[81]


Lunar swirls

Lunar swirls are enigmatic features found across the Moon's surface, which are characterized by having a high albedo, appearing optically immature (i.e. having the optical characteristics of a



Lunar crater Daedalus on the Moon's far side

relatively young regolith), and (often) having a sinuous shape. Their curvilinear shape is often accentuated by low albedo regions that wind between the bright swirls.



Presence of water

Liquid water cannot persist on the lunar surface. When exposed to solar radiation, water quickly decomposes through a process known as photodissociation and is lost to space. However, since the 1960s, scientists have hypothesized that water ice may be deposited by impacting comets or possibly produced by the reaction of oxygen-rich lunar rocks, and hydrogen from solar wind, leaving traces of water which could possibly survive in cold, permanently shadowed craters at either pole on the Moon.^{[82][83]} Computer simulations suggest that up to 14,000 km² (5,400 sq mi) of the surface may be in permanent shadow.^[84] The presence of usable quantities of water on the Moon is an important factor in rendering lunar habitation as a cost-effective plan; the alternative of transporting water from Earth would be prohibitively expensive.^[85]

In years since, signatures of water have been found to exist on the lunar surface.^[86] In 1994, the bistatic radar experiment located on the *Clementine* spacecraft, indicated the existence of small, frozen pockets of water close to the surface. However, later radar observations by *Arecibo*, suggest these findings may rather be rocks ejected from young impact craters.^[87] In 1998, the neutron spectrometer located on the *Lunar Prospector* spacecraft, indicated that high concentrations of hydrogen are present in the first meter of depth in the regolith near the polar regions.^[88] In 2008, an analysis of volcanic lava beads, brought back to Earth aboard Apollo 15, showed small amounts of water to exist in the interior of the beads.^[89]


The 2008 *Chandrayaan-1* spacecraft has since confirmed the existence of surface water ice, using the on-board Moon Mineralogy Mapper. The spectrometer observed absorption lines common to hydroxyl, in reflected sunlight, providing evidence of large quantities of water ice, on the lunar surface. The spacecraft showed that concentrations may possibly be as high as 1,000 ppm.^[90] In 2009, *LCROSS* sent a 2,300 kg (5,100 lb) impactor into a permanently shadowed polar crater, and detected at least 100 kg (220 lb) of water in a plume of ejected material.^{[91][92]} Another examination of the *LCROSS* data showed the amount of detected water to be closer to 155 ± 12 kg (342 ± 26 lb).^[93]

In May 2011, Erik Hauri et al. reported^[94] 615–1410 ppm water in melt inclusions in lunar sample 74220, the famous high-titanium "orange glass soil" of volcanic origin collected during the Apollo 17 mission in 1972. The inclusions were formed during explosive eruptions on the Moon approximately 3.7 billion years ago. This concentration is comparable with that of magma in Earth's upper mantle. Although of considerable selenological interest, Hauri's announcement affords little comfort to

would-be lunar colonists—the sample originated many kilometers below the surface, and the inclusions are so difficult to access that it took 39 years to find them with a state-of-the-art ion microprobe instrument.

– Gravitational field

The gravitational field of the Moon has been measured through tracking the Doppler shift of radio signals emitted by orbiting spacecraft. The main lunar gravity features are mascons, large positive gravitational anomalies associated with some of the giant impact basins, partly caused by the dense mare basaltic lava flows that fill these basins.^{[95][96]} These anomalies greatly influence the orbit of spacecraft about the Moon. There are some puzzles: lava flows by themselves cannot explain all of the gravitational signature, and some mascons exist that are not linked to mare volcanism.^[97]



GRAIL's gravity map of the Moon

– Magnetic field

The Moon has an external magnetic field of about 1–100 nanoteslas, less than one-hundredth that of Earth. It does not currently have a global dipolar magnetic field and only has crustal magnetization, probably acquired early in lunar history when a dynamo was still operating.^{[98][99]} Alternatively, some of the remnant magnetization may be from transient magnetic fields generated during large impact events, through the expansion of an impact-generated plasma cloud in the presence of an ambient magnetic field—this is supported by the apparent location of the largest crustal magnetizations near the antipodes of the giant impact basins.^[100]

– Atmosphere

The Moon has an atmosphere so tenuous as to be nearly vacuum, with a total mass of less than 10 metric tons (9.8 long tons; 11 short tons).

^[103] The surface pressure of this small mass is around 3×10^{-15} atm (0.3 nPa); it varies with the lunar day. Its sources include outgassing and sputtering, the release of atoms from the bombardment of lunar soil by solar wind ions.^{[9][104]} Elements that have been detected include sodium and potassium, produced by sputtering, which are also found in the atmospheres of Mercury and Io; helium-4 and neon^[105] from the solar wind; and argon-40, radon-222, and polonium-210, outgassed after their creation by radioactive decay within the crust and



Sketch by the Apollo 17 astronauts. The lunar

mantle.^{[106][107]} The absence of such neutral species (atoms or molecules) as oxygen, nitrogen, carbon, hydrogen and magnesium,

atmosphere was later studied
by LADEE.^{[101][102]}

which are present in the regolith, is not understood.^[106] Water vapour has been detected by *Chandrayaan-1* and found to vary with latitude, with a maximum at ~60–70 degrees; it is possibly generated from the sublimation of water ice in the regolith.^[108] These gases can either return into the regolith due to the Moon's gravity or be lost to space, either through solar radiation pressure or, if they are ionized, by being swept away by the solar wind's magnetic field.^[106]

Dust

A permanent asymmetric moon dust cloud exists around the Moon, created by small particles from comets. Estimates are 5 tons of comet particles strike the Moon's surface each 24 hours. The particles strike the Moon's surface ejecting moon dust above the Moon. The dust stays above the Moon approximately 10 minutes, taking 5 minutes to rise, and 5 minutes to fall. On average, 120 kilograms of dust are present above the Moon, rising to 100 kilometers above the surface. The dust measurements were made by LADEE's Lunar Dust EXperiment (LDEX), between 20 and 100 kilometers above the surface, during a six-month period. LDEX detected an average of one 0.3 micrometer moon dust particle each minute. Dust particle counts peaked during the Geminid, Quadrantid, Northern Taurid, and Omicron Centaurid meteor showers, when the Earth, and Moon, pass through comet debris. The cloud is asymmetric, more dense near the boundary between the Moon's dayside and nightside.^{[109][110]}



– Seasons

The Moon's axial tilt with respect to the ecliptic is only 1.5424° ,^[111] much less than the 23.44° of Earth. Because of this, the Moon's solar illumination varies much less with season, and topographical details play a crucial role in seasonal effects.^[112] From images taken by *Clementine* in 1994, it appears that four mountainous regions on the rim of Peary Crater at the Moon's north pole may remain illuminated for the entire lunar day, creating peaks of eternal light. No such regions exist at the south pole. Similarly, there are places that remain in permanent shadow at the bottoms of many polar craters,^[84] and these dark craters are extremely cold: *Lunar Reconnaissance Orbiter* measured the lowest summer temperatures in craters at the southern pole at 35 K (-238°C ; -397°F)^[113] and just 26 K (-247°C ; -413°F) close to the winter solstice in north polar *Hermite Crater*. This is the coldest temperature in the Solar System ever measured by a spacecraft, colder even than the surface of Pluto.^[112] Average temperatures of the Moon's surface are reported, but temperatures of different areas will vary greatly depending upon whether a spot is in sunlight or in shadow.^[114]

Relationship to Earth

– Orbit

The Moon makes a complete orbit around Earth with respect to the fixed stars about once every 27.3 days^[g] (its sidereal period). However, because Earth is moving in its orbit around the Sun at the same time, it takes slightly longer for the Moon to show the same phase to Earth, which is about 29.5 days^[h] (its synodic period).^[56] Unlike most satellites of other planets, the Moon orbits closer to the ecliptic plane than to the planet's equatorial plane. The Moon's orbit is subtly perturbed by the Sun and Earth in many small, complex and interacting ways. For example, the plane of the Moon's orbital motion gradually rotates, which affects other aspects of lunar motion. These follow-on effects are mathematically described by Cassini's laws.



[115]

– Relative size

The Moon is exceptionally large relative to Earth: a quarter its diameter and 1/81 its mass.^[56] It is the largest moon in the Solar System relative to the size of its planet,^[i] though Charon is larger relative to the dwarf planet Pluto, at 1/9 Pluto's mass.^[j]^[116] Earth and the Moon are nevertheless still considered a planet–satellite system, rather than a double planet, because their barycentre, the common centre of mass, is located 1,700 km (1,100 mi) (about a quarter of Earth's radius) beneath Earth's surface.^[117]

– Appearance from Earth



Moon setting in western sky over the High Desert in California

The Moon is in synchronous rotation: it rotates about its axis in about the same time it takes to orbit Earth. This results in it nearly always keeping the same face turned towards Earth. The Moon used to rotate at a faster rate, but early in its history, its rotation slowed and became tidally locked in this orientation as a result of frictional effects associated with tidal deformations caused by Earth.^[118] The side of the Moon that faces Earth is called the near side, and the opposite side the far side. The far side is often inaccurately called the "dark side", but in fact, it is illuminated as often as the near side: once per lunar day, during the new moon phase we observe on Earth when the near side is dark.^[119] In 2016, planetary scientists, using data collected on the much earlier Nasa Lunar Prospector


mission, found two hydrogen-rich areas on opposite sides of the Moon, probably in the form of water ice. It is speculated that these patches were the poles of the Moon billions of years ago, before it was tidally locked to Earth.^[120]


The Moon has an exceptionally low albedo, giving it a reflectance that is slightly brighter than that of worn asphalt. Despite this, it is the brightest object in the sky after the Sun.^{[56][k]} This is partly due to the brightness enhancement of the opposition effect; at quarter phase, the Moon is only one-tenth as bright, rather than half as bright, as at full moon.^[121]

Additionally, colour constancy in the visual system recalibrates the relations between the colours of an object and its surroundings, and because the surrounding sky is comparatively dark, the sunlit Moon is perceived as a bright object. The edges of the full moon seem as bright as the centre, with no limb darkening, due to the reflective properties of lunar soil, which reflects more light back towards the Sun than in other directions. The Moon does appear larger when close to the horizon, but this is a purely psychological effect, known as the Moon illusion, first described in the 7th century BC.^[122] The full moon subtends an arc of about 0.52° (on average) in the sky, roughly the same apparent size as the Sun (see § Eclipses).

The highest altitude of the Moon in the sky varies with the lunar phase and the season of the year. The full moon is highest during winter. The 18.6-year nodes cycle also has an influence: when the ascending node of the lunar orbit is in the vernal equinox, the lunar declination can go as far as 28° each month. This means the Moon can go overhead at latitudes up to 28° from the equator, instead of only 18°. The orientation of the Moon's crescent also depends on the latitude of the observation site: close to the equator, an observer can see a smile-shaped crescent moon.^[123]

The Moon is visible for two weeks every 27.3 days at the North and South Pole. The Moon's light is used by zooplankton in the Arctic when the sun is below the horizon for months on end.^[124]


The distance between the Moon and Earth varies from around 356,400 km (221,500 mi) to 406,700 km (252,700 mi) at perigees (closest) and apogees (farthest), respectively. On 19 March 2011, it was closer to Earth when at full phase than it has been since 1993, 14% closer than its farthest position in apogee.^[125] Reported as a "super moon", this closest point coincides within an hour of a full moon, and it was 30% more luminous than when at its greatest distance due to its angular diameter being 14% greater, because ^{[126][127][128]} At lower levels, the human perception of reduced brightness as a percentage is provided by the following formula:^{[129][130]}


$$\{\text{perceived reduction}\} \% = 100 \times \sqrt{\frac{\{\text{actual reduction}\} \%}{100}}$$

When the actual reduction is 1.00 / 1.30, or about 0.770, the perceived reduction is about 0.877, or 1.00 / 1.14. This gives a maximum perceived increase of 14% between apogee and perigee moons of

the same phase.^[131]

There has been historical controversy over whether features on the Moon's surface change over time. Today, many of these claims are thought to be illusory, resulting from observation under different lighting conditions, poor astronomical seeing, or inadequate drawings. However, outgassing does occasionally occur, and could be responsible for a minor percentage of the reported lunar transient phenomena. Recently, it has been suggested that a roughly 3 km (1.9 mi) diameter region of the lunar surface was modified by a gas release event about a million years ago.^{[132][133]} The Moon's appearance, like that of the Sun, can be affected by Earth's atmosphere: common effects are a 22° halo ring formed when the Moon's light is refracted through the ice crystals of high cirrostratus cloud, and smaller coronal rings when the Moon is seen through thin clouds.^[134]



The illuminated area of the visible sphere (degree of illumination) is given by $\frac{1}{2}(1 + \cos \epsilon)$, where ϵ is the elongation (i.e. the angle between Moon, the observer (on Earth) and the Sun).

- Tidal effects

The tides on Earth are mostly generated by the gradient in intensity of the Moon's gravitational pull from one side of Earth to the other, the tidal forces. This forms two tidal bulges on Earth, which are most clearly seen in elevated sea level as ocean tides.^[135] Because Earth spins about 27 times faster than the Moon moves around it, the bulges are dragged along with Earth's surface faster than the Moon moves, rotating around Earth once a day as it spins on its axis.^[135] The ocean tides are magnified by other effects: frictional coupling of water to Earth's rotation through the ocean floors, the inertia of water's movement, ocean basins that get shallower near land, and



The libration of the Moon over a single lunar month. Also visible is the slight variation in the Moon's visual size from Earth.


oscillations between different ocean basins.^[136] The tidal effect of the Sun on Earth's oceans is almost half that of the Moon, and their gravitational interplay is responsible for spring and neap tides.^[135]

Gravitational coupling between the Moon and the bulge nearest the Moon acts as a torque on Earth's rotation, draining angular momentum and rotational kinetic energy from Earth's spin.^{[135][137]} In turn, angular momentum is added to the Moon's orbit in a process confusingly known as tidal acceleration, which lifts the Moon into a higher orbit with a lower orbital speed and a longer period. Thus the distance between Earth and Moon is increasing, and Earth's spin is slowing down.^[137] Measurements from lunar ranging experiments with laser reflectors left during the Apollo missions have found that the Moon's distance to Earth increases by 38 mm (1.5 in) per year^[138] (roughly the rate at which human fingernails grow).^[139] Atomic clocks also show that Earth's day lengthens by about 15 microseconds every year,^[140] slowly increasing the rate at which UTC is adjusted by leap seconds. Left to run its course, this tidal drag would continue until the spin of Earth and the orbital period of the Moon matched, creating mutual tidal locking between the two, as is already currently the case with Pluto and its moon Charon. However, the Sun will become a red giant long before that, engulfing Earth.^{[141][142]}

The lunar surface also experiences tides of around 10 cm (4 in) amplitude over 27 days, with two components: a fixed one due to Earth, because they are in synchronous rotation, and a varying component from the Sun.^[137] The Earth-induced component arises from libration, a result of the Moon's orbital eccentricity; if the Moon's orbit were perfectly circular, there would only be solar tides.^[137] Libration also changes the angle from which the Moon is seen, allowing about 59% of its surface to be seen from Earth (but only half at any instant).^[56] The cumulative effects of stress built up by these tidal forces produces moonquakes. Moonquakes are much less common and weaker than earthquakes, although they can last for up to an hour—a significantly longer time than terrestrial earthquakes—because of the absence of water to damp out the seismic vibrations. The existence of moonquakes was an unexpected discovery from seismometers placed on the Moon by Apollo astronauts from 1969 through 1972.^[143]

– Eclipses

Eclipses can only occur when the Sun, Earth, and Moon are all in a straight line (termed "syzygy"). Solar eclipses occur at new moon, when the Moon is between the Sun and Earth. In contrast, lunar eclipses occur at full moon, when Earth is between the Sun and Moon. The apparent size of the Moon is roughly the same as that of the Sun, with both



being viewed at close to one-half a degree wide. The Sun is much larger than the Moon but it is the precise vastly greater distance that gives it the same apparent size as the much closer and much

From Earth, the Moon and the Sun appear the same size, as seen in the 1999 solar eclipse (left), whereas from the STEREO-B spacecraft in an Earth-trailing orbit, the Moon appears much smaller than the Sun (right).^[144]

smaller Moon from the perspective of Earth. The variations in apparent size, due to the non-circular orbits, are nearly the same as well, though occurring in different cycles. This makes possible both total (with the Moon appearing larger than the Sun) and annular (with the Moon appearing smaller than the Sun) solar eclipses.^[145] In a total eclipse, the Moon completely covers the disc of the Sun and the solar corona becomes visible to the naked eye. Because the distance between the Moon and Earth is very slowly increasing over time,^[135] the angular diameter of the Moon is decreasing. Also, as it evolves toward becoming a red giant, the size of the Sun, and its apparent diameter in the sky, are slowly increasing.^[1] The combination of these two changes means that hundreds of millions of years ago, the Moon would always completely cover the Sun on solar eclipses, and no annular eclipses were possible. Likewise, hundreds of millions of years in the future, the Moon will no longer cover the Sun completely, and total solar eclipses will not occur.^[146]

Because the Moon's orbit around Earth is inclined by about 5° to the orbit of Earth around the Sun, eclipses do not occur at every full and new moon. For an eclipse to occur, the Moon must be near the intersection of the two orbital planes.^[147] The periodicity and recurrence of eclipses of the Sun by the Moon, and of the Moon by Earth, is described by the saros, which has a period of approximately 18 years.^[148]

Because the Moon is continuously blocking our view of a half-degree-wide circular area of the sky,^[m]^[149] the related phenomenon of occultation occurs when a bright star or planet passes behind the Moon and is occulted: hidden from view. In this way, a solar eclipse is an occultation of the Sun. Because the Moon is comparatively close to Earth, occultations of individual stars are not visible everywhere on the planet, nor at the same time. Because of the precession of the lunar orbit, each year different stars are occulted.^[150]

Observation and exploration


– Ancient and medieval studies

Understanding of the Moon's cycles was an early development of astronomy: by the 5th century BC, Babylonian astronomers had recorded the 18-year Saros cycle of lunar eclipses,^[151] and Indian astronomers had described the Moon's monthly elongation.^[152] The Chinese astronomer Shi Shen (fl. 4th century BC) gave instructions for predicting solar and lunar eclipses.^[153] Later, the physical form of the Moon and the cause of moonlight became understood. The ancient Greek philosopher


Anaxagoras (d. 428 BC) reasoned that the Sun and Moon were both giant spherical rocks, and that the latter reflected the light of the former.^{[154][155]} Although the Chinese of the Han Dynasty believed the Moon to be energy equated to *qi*, their 'radiating influence' theory also recognized that the light of the Moon was merely a reflection of the Sun, and Jing Fang (78–37 BC) noted the sphericity of the Moon.^[156] In the 2nd century AD Lucian wrote a novel where the heroes travel to the Moon, which is inhabited. In 499 AD, the Indian astronomer Aryabhata mentioned in his *Aryabhatiya* that reflected sunlight is the cause of the shining of the Moon.^[157] The astronomer and physicist Alhazen (965–1039) found that sunlight was not reflected from the Moon like a mirror, but that light was emitted from every part of the Moon's sunlit surface in all directions.^[158] Shen Kuo (1031–1095) of the Song dynasty created an allegory equating the waxing and waning of the Moon to a round ball of reflective silver that, when doused with white powder and viewed from the side, would appear to be a crescent.^[159]



Map of the Moon by Johannes Hevelius from his *Selenographia* (1647), the first map to include the libration zones



A study of the Moon in Robert Hooke's *Micrographia*, 1665



Galileo's sketches of the Moon from *Sidereus Nuncius*

In Aristotle's (384–322 BC) description of the universe, the Moon marked the boundary between the spheres of the mutable elements (earth, water, air and fire), and the imperishable stars of aether, an influential philosophy that would dominate for centuries.^[160] However, in the

2nd century BC, Seleucus of Seleucia correctly theorized that tides were due to the attraction of the Moon, and that their height depends on the Moon's position relative to the Sun.^[161] In the same century, Aristarchus computed the size and distance of the Moon from Earth, obtaining a value of about twenty times the radius of Earth for the distance. These figures were greatly improved by Ptolemy (90–168 AD): his values of a mean distance of 59 times Earth's radius and a diameter of 0.292 Earth diameters were close to the correct values of about 60 and 0.273 respectively.^[162] Archimedes (287–212 BC) designed a planetarium that could calculate the motions of the Moon and other objects in the Solar System.^[163]

During the Middle Ages, before the invention of the telescope, the Moon was increasingly recognised as a sphere, though many believed that it was "perfectly smooth".^[164]


In 1609, Galileo Galilei drew one of the first telescopic drawings of the Moon in his book *Sidereus Nuncius* and noted that it was not smooth but had mountains and craters. Telescopic mapping of the Moon followed: later in the 17th century, the efforts of Giovanni Battista Riccioli and Francesco Maria Grimaldi led to the system of naming of lunar features in use today. The more exact 1834–36 *Mappa Selenographica* of Wilhelm Beer and Johann Heinrich Mädler, and their associated 1837 book *Der Mond*, the first trigonometrically accurate study of lunar features, included the heights of more than a thousand mountains, and introduced the study of the Moon at accuracies possible in earthly geography.^[165] Lunar craters, first noted by Galileo, were thought to be volcanic until the 1870s proposal of Richard Proctor that they were formed by collisions.^[56] This view gained support in 1892 from the experimentation of geologist Grove Karl Gilbert, and from comparative studies from 1920 to the 1940s,^[166] leading to the development of lunar stratigraphy, which by the 1950s was becoming a new and growing branch of astrogeology.^[56]

– By spacecraft

20th century

Soviet missions

The Cold War-inspired Space Race between the Soviet Union and the U.S. led to an acceleration of interest in exploration of the Moon. Once launchers had the necessary capabilities, these nations sent unmanned probes on both flyby and impact/lander missions. Spacecraft from the Soviet Union's Luna program were the first to accomplish a number of goals: following three unnamed, failed missions in 1958,^[167] the first human-made object to escape Earth's gravity and pass near the Moon was Luna 1; the first human-made object to impact the lunar surface was Luna 2, and the first photographs of the normally occluded far side of the Moon were made by Luna 3, all in 1959.



The first spacecraft to perform a successful lunar soft landing was Luna 9 and the first unmanned vehicle to orbit the Moon was Luna 10, both in 1966.^[56] Rock and soil samples were brought back to Earth by three Luna sample return missions (Luna 16 in 1970, Luna 20 in 1972, and Luna 24 in

1976), which returned 0.3 kg total.^[168] Two pioneering robotic rovers landed on the Moon in 1970 and 1973 as a part of Soviet Lunokhod programme.

United States missions



Earthrise (Apollo 8, 1968)



Moon rock (Apollo 17, 1972)

The United States launched unmanned probes to develop an understanding of the lunar surface for an eventual manned landing: the Jet Propulsion Laboratory's Ranger program produced the first close-up pictures; the Lunar Orbiter program produced maps of the entire Moon; the Surveyor program landed its first spacecraft four months after *Luna 9*. NASA's manned Apollo program was developed in parallel; after a series of unmanned and manned tests of the Apollo spacecraft in Earth orbit, and spurred on by a potential Soviet lunar flight, in 1968 Apollo 8 made the first crewed mission to lunar orbit. The subsequent landing of the first humans on the Moon in 1969 is seen by many as the culmination of the Space Race.^[169]

Neil Armstrong became the first person to walk on the Moon as the commander of the American mission Apollo 11 by first setting foot on the Moon at

02:56 UTC on 21 July 1969.^[170] An estimated 500 million people worldwide watched the transmission by the Apollo TV camera, the largest television audience for a live broadcast at that time.^{[171][172]}

The Apollo missions 11 to 17 (except Apollo 13, which aborted its planned lunar landing) returned 380.05 kilograms (837.87 lb) of lunar rock and soil in 2,196 separate samples.^[173] The American Moon landing and return was enabled by considerable technological advances in the early 1960s, in domains such as ablation chemistry, software engineering and atmospheric re-entry technology, and by highly competent management of the enormous technical undertaking.^{[174][175]}

Scientific instrument packages were installed on the lunar surface during all the Apollo landings. Long-lived instrument stations, including heat flow probes, seismometers, and magnetometers, were installed at the Apollo 12, 14, 15, 16, and 17 landing sites. Direct transmission of data to Earth concluded in late 1977 due to budgetary considerations,^{[176][177]} but as the stations' lunar laser ranging corner-cube retroreflector arrays are passive instruments, they are still being used. Ranging to the stations is routinely performed from Earth-based stations with an accuracy of a few centimetres, and data from this experiment are being used to place constraints on the size of the lunar core.^[178]



Neil Armstrong working at the lunar module

1980s–2000

After the first Moon race there were years of near quietude but starting in the 1990s, many more countries have become involved in direct exploration of the Moon. In 1990, Japan became the third country to place a spacecraft into lunar orbit with its *Hiten* spacecraft. The spacecraft released a smaller probe, *Hagoromo*, in lunar orbit, but the transmitter failed, preventing further scientific use of the mission.^[179] In 1994, the U.S. sent the joint Defense Department/NASA spacecraft *Clementine* to lunar orbit. This mission obtained the first near-global topographic map of the Moon, and the first global multispectral images of the lunar surface.^[180] This was followed in 1998 by the *Lunar Prospector* mission, whose instruments indicated the presence of excess hydrogen at the lunar poles, which is likely to have been caused by the presence of water ice in the upper few meters of the regolith within permanently shadowed craters.^[181]



An artificially coloured mosaic constructed from a series of 53 images taken through three spectral filters by *Galileo*'s imaging system as the spacecraft flew over the northern regions of the Moon on December 7, 1992.

India, Japan, China, the United States, and the European Space Agency each sent lunar orbiters, especially ISRO's *Chandrayaan-1* has contributed to confirming the discovery of lunar water ice in permanently shadowed craters at the poles and bound into the lunar regolith. The post-Apollo era has also seen two rover missions: the final Soviet Lunokhod mission in 1973, and China's ongoing *Chang'e 3* mission, which deployed its Yutu rover on 14 December 2013. The Moon remains, under the Outer Space Treaty, free to all nations to explore for peaceful purposes.

21st century

The European spacecraft *SMART-1*, the second ion-propelled spacecraft, was in lunar orbit from 15 November 2004 until its lunar impact on 3 September 2006, and made the first detailed survey of chemical elements on the lunar surface.^[182]

China has pursued an ambitious program of lunar exploration, beginning with *Chang'e 1*, which successfully orbited the Moon from 5 November 2007 until its controlled lunar impact on 1 March 2009.^[183] In its sixteen-month mission, it obtained a full image map of the Moon. China followed up this success with *Chang'e 2* beginning in October 2010, which reached the Moon over twice as fast as *Chang'e 1*, mapped the Moon at a higher resolution over an eight-month period, then left lunar orbit in favor of an extended stay at the Earth–Sun L2 Lagrangian point, before finally performing a flyby of asteroid 4179 Toutatis on 13 December 2012, and then heading off into deep space. On 14 December 2013, *Chang'e 3* improved upon its orbital mission predecessors by landing a lunar lander onto the Moon's surface, which in turn deployed a lunar rover, named *Yutu* (Chinese: 玉兔; literally "Jade Rabbit"). In so doing, *Chang'e 3* made the first lunar soft landing since *Luna 24* in 1976, and


the first lunar rover mission since *Lunokhod 2* in 1973. China intends to launch another rover mission (*Chang'e 4*) before 2020, followed by a sample return mission (*Chang'e 5*) soon after.^[184]

Between 4 October 2007 and 10 June 2009, the Japan Aerospace Exploration Agency's *Kaguya* (*Selene*) mission, a lunar orbiter fitted with a high-definition video camera, and two small radio-transmitter satellites, obtained lunar geophysics data and took the first high-definition movies from beyond Earth orbit.^{[185][186]} India's first lunar mission, *Chandrayaan I*, orbited from 8 November 2008 until loss of contact on 27 August 2009, creating a high resolution chemical, mineralogical and photo-geological map of the lunar surface, and confirming the presence of water molecules in lunar soil.^[187] The Indian Space Research Organisation planned to launch *Chandrayaan II* in 2013, which would have included a Russian robotic lunar rover.^{[188][189]} However, the failure of Russia's *Fobos-Grunt* mission has delayed this project.


The U.S. co-launched the *Lunar Reconnaissance Orbiter* (LRO) and the *LCROSS* impactor and follow-up observation orbiter on 18 June 2009; *LCROSS* completed its mission by making a planned and widely observed impact in the crater Cabeus on 9 October 2009,^[190] whereas *LRO* is currently in operation, obtaining precise lunar altimetry and high-resolution imagery. In November 2011, the LRO passed over the Aristarchus crater, which spans 40 km (25 mi) and sinks more than 3.5 km (2.2 mi) deep. The crater is one of the most visible ones from Earth. "The Aristarchus plateau is one of the most geologically diverse places on the Moon: a mysterious raised flat plateau, a giant rille carved by enormous outpourings of lava, fields of explosive volcanic ash, and all surrounded by massive flood basalts", said Mark Robinson, principal investigator of the Lunar Reconnaissance Orbiter Camera at Arizona State University. NASA released photos of the crater on 25 December 2011.^[191]

Two NASA *GRAIL* spacecraft began orbiting the Moon around 1 January 2012,^[192] on a mission to learn more about the Moon's internal structure. NASA's *LADEE* probe, designed to study the lunar exosphere, achieved orbit on 6 October 2013.

Upcoming lunar missions include Russia's *Luna-Glob*: an unmanned lander with a set of seismometers, and an orbiter based on its failed Martian *Fobos-Grunt* mission.^{[193][194]} Privately funded lunar exploration has been promoted by the Google Lunar X Prize, announced 13 September 2007, which offers US\$20 million to anyone who can land a robotic rover on the Moon and meet other specified criteria.^[195] Shackleton Energy Company is building a program to establish operations on the south pole of the Moon to harvest water and supply their Propellant Depots.^[196]



Copernicus's central peaks as observed by the LRO, 2012



The Ina formation, 2009

NASA began to plan to resume manned missions following the call by U.S. President George W. Bush on 14 January 2004 for a manned mission to the Moon by 2019 and the construction of a lunar base by 2024.^[197] The Constellation program was funded and construction and testing begun on a manned spacecraft and launch vehicle,^[198] and design studies for a lunar base.^[199] However, that program has been cancelled in favor of a manned asteroid landing by 2025 and a manned Mars orbit by 2035.^[200] India has also expressed its hope to send a manned mission to the Moon by 2020.^[201]

Astronomy from the Moon

For many years, the Moon has been recognized as an excellent site for telescopes.^[202] It is relatively nearby; astronomical seeing is not a concern; certain craters near the poles are permanently dark and cold, and thus especially useful for infrared telescopes; and radio telescopes on the far side would be shielded from the radio chatter of Earth.^[203] The lunar soil, although it poses a problem for any moving parts of telescopes, can be mixed with carbon nanotubes and epoxies in the construction of mirrors up to 50 meters in diameter.^[204] A lunar zenith telescope can be made cheaply with ionic liquid.^[205]

In April 1972, the Apollo 16 mission recorded various astronomical photos and spectra in ultraviolet with the Far Ultraviolet Camera/Spectrograph.^[206]

Legal status

During the Cold War, the United States Army conducted a classified feasibility study in the late 1950s called Project Horizon, to construct a manned military outpost on the Moon, which would have been home to a bombing system targeted at rivals on Earth. The study included the possibility of conducting a lunar-based nuclear test.^[207] The Air Force, which at the time was in competition with the Army for a leading role in the space program, developed its own, similar plan called Lunex.^{[208][209]} However, both these proposals were ultimately passed over as the space program was largely transferred from the military to the civilian agency NASA.^[209]



Although *Luna* landers scattered pennants of the Soviet Union on the Moon, and U.S. flags were symbolically planted at their landing sites by the Apollo astronauts, no nation claims ownership of any part of the Moon's surface.^[210] Russia and the U.S. are party to the 1967 Outer Space Treaty,^[211] which defines the Moon and all outer space as the "province of all mankind".^[210] This treaty also restricts the use of the Moon to peaceful purposes, explicitly banning military installations and

weapons of mass destruction.^[212] The 1979 Moon Agreement was created to restrict the exploitation of the Moon's resources by any single nation, but as of 2014, it has been signed and ratified by only 16 nations, none of which engages in self-launched human space exploration or has plans to do so.^[213] Although several individuals have made claims to the Moon in whole or in part, none of these are considered credible.^{[214][215][216]}

In culture

– Mythology

The Moon was often personified as a lunar deity in mythology and religion. A 5,000-year-old rock carving at Knowth, Ireland, may represent the Moon, which would be the earliest depiction discovered.^[217] The contrast between the brighter highlands and the darker maria creates the patterns seen by different cultures as the Man in the Moon, the rabbit and the buffalo, among others. In many prehistoric and ancient cultures, the Moon was personified as a deity or other supernatural phenomenon, and astrological views of the Moon continue to be propagated today.

In the Ancient Near East, the moon god (Sin/Nanna) was masculine. In Greco-Roman mythology, Sun and Moon are represented as male and female, respectively (Helios/Sol and Selene/Luna). The crescent shape from an early time was used as a symbol representing the Moon. The Moon goddess Selene was represented as wearing a crescent on her headgear in an arrangement reminiscent of horns. The star and crescent arrangement also goes back to the Bronze Age, representing either the Sun and Moon, or the Moon and planet Venus, in combination. It came to represent the goddess Artemis or Hecate, and via the patronage of Hecate came to be used as a symbol of Byzantium.

An iconographic tradition of representing Sun and Moon with faces developed in the late medieval period.

The splitting of the moon (Arabic: انشقاق القمر) is a miracle attributed to Muhammad.^[218]

– Calendar



Luna, the Moon, from a 1550 edition of Guido Bonatti's *Liber astronomiae*



Sun and Moon with faces (1493 woodcut)

The Moon's regular phases make it a very convenient timepiece, and the periods of its waxing and waning form the basis of many of the oldest calendars. Tally sticks, notched bones dating as far back as 20–30,000 years ago, are believed by some to mark the phases of the Moon.^{[219][220][221]} The ~30-day month is an approximation of the lunar cycle. The English noun *month* and its cognates in other Germanic languages stem from Proto-Germanic **mǣnōth-*, which is connected to the above-mentioned Proto-Germanic **mǣnōn*, indicating the usage of a lunar calendar among the Germanic peoples (Germanic calendar) prior to the adoption of a solar calendar.^[222] The PIE root of *moon*, **méh₁nōt*, derives from the PIE verbal root **meh₁-*, "to measure", "indicat[ing] a functional conception of the moon, i.e. marker of the month" (cf. the English words *measure* and *menstrual*),^{[223][224][225]} and echoing the Moon's importance to many ancient cultures in measuring time (see Latin *mensis* and Ancient Greek *μείς* (*meis*) or μήν (*mēn*), meaning "month").^{[226][227][228][229]} Most historical calendars are lunisolar. The 7th-century Islamic calendar is an exceptional example of a purely lunar calendar. Months are traditionally determined by the visual sighting of the hilal, or earliest crescent moon, over the horizon.^[230]

– Modern art and literature

The Moon has been the subject of many works of art and literature and the inspiration for countless others. It is a motif in the visual arts, the performing arts, poetry, prose and music.

– Lunacy

The Moon has long been associated with insanity and irrationality; the words *lunacy* and *lunatic* (popular shortening *loony*) are derived from the Latin name for the Moon, *Luna*. Philosophers Aristotle and Pliny the Elder argued that the full moon induced insanity in susceptible individuals, believing that the brain, which is mostly water, must be affected by the Moon and its power over the tides, but the Moon's gravity is too slight to affect any single person.^[231] Even today, people who believe in a lunar effect claim that admissions to psychiatric hospitals, traffic accidents, homicides or suicides increase during a full moon, but dozens of studies invalidate these claims.^{[231][232][233][234]}
^[235]

See also

- Former classification of planets
- Other moons of Earth
- 2006 RH₁₂₀
- List of natural satellites
- Tourism on the Moon
- Timeline of the far future

References

– Notes

1. Between 18.29° and 28.58° to Earth's equator.^[1]
2. There are a number of near-Earth asteroids, including 3753 Cruithne, that are co-orbital with Earth: their orbits bring them close to Earth for periods of time but then alter in the long term (Morais et al, 2002). These are quasi-satellites – they are not moons as they do not orbit Earth. For more information, see Other moons of Earth.
3. The *maximum value* is given based on scaling of the brightness from the value of –12.74 given for an equator to Moon-centre distance of 378 000 km in the NASA factsheet reference to the minimum Earth–Moon distance given there, after the latter is corrected for Earth's equatorial radius of 6 378 km, giving 350 600 km. The *minimum value* (for a distant new moon) is based on a similar scaling using the maximum Earth–Moon distance of 407 000 km (given in the factsheet) and by calculating the brightness of the earthshine onto such a new moon. The brightness of the earthshine is [Earth albedo × (Earth radius / Radius of Moon's orbit)²] relative to the direct solar illumination that occurs for a full moon. (Earth albedo = 0.367; Earth radius = (polar radius × equatorial radius)^{1/2} = 6 367 km.)
4. The range of angular size values given are based on simple scaling of the following values given in the fact sheet reference: at an Earth–equator to Moon-centre distance of 378 000 km, the angular size is 1896 arcseconds. The same fact sheet gives extreme Earth–Moon distances of 407 000 km and 357 000 km. For the maximum angular size, the minimum distance has to be corrected for Earth's equatorial radius of 6 378 km, giving 350 600 km.
5. Lucey et al. (2006) give 10⁷ particles cm^{–3} by day and 10⁵ particles cm^{–3} by night. Along with equatorial surface temperatures of 390 K by day and 100 K by night, the ideal gas law yields the pressures given in the infobox (rounded to the nearest order of magnitude): 10^{–7} Pa by day and 10^{–10} Pa by night.
6. This age is calculated from isotope dating of lunar rocks.
7. More accurately, the Moon's mean sidereal period (fixed star to fixed star) is 27.321661 days (27 d 07 h 43 min 11.5 s), and its mean tropical orbital period (from equinox to equinox) is 27.321582 days (27 d 07 h 43 min 04.7 s) (*Explanatory Supplement to the Astronomical Ephemeris*, 1961, at p.107).
8. More accurately, the Moon's mean synodic period (between mean solar conjunctions) is 29.530589 days (29 d 12 h 44 min 02.9 s) (*Explanatory Supplement to the Astronomical Ephemeris*, 1961, at p.107).
9. There is no strong correlation between the sizes of planets and the sizes of their satellites. Larger planets tend to have more satellites, both large and small, than smaller planets.
10. With 27% the diameter and 60% the density of Earth, the Moon has 1.23% of the mass of Earth. The moon Charon is larger relative to its primary Pluto, but Pluto is now considered to be a dwarf planet.
11. The Sun's apparent magnitude is –26.7, while the full moon's apparent magnitude is –12.7.
12. See graph in Sun#Life phases. At present, the diameter of the Sun is increasing at a rate of about five percent per billion years. This is very similar to the rate at which the apparent angular diameter of the Moon is decreasing as it recedes from Earth.
13. On average, the Moon covers an area of 0.21078 square degrees on the night sky.

– Citations

1. *Wieczorek, M.; et al. (2006). "The constitution and structure of the lunar interior". *Reviews in Mineralogy and Geochemistry*. **60** (1): 221–364. doi:10.2138/rmg.2006.60.3.*

2. Lang, Kenneth R. (2011), *The Cambridge Guide to the Solar System*, 2nd ed., Cambridge University Press.

3. Morais, M.H.M.; Morbidelli, A. (2002). "The Population of Near-Earth Asteroids in Coorbital Motion with the Earth". *Icarus*. **160** (1): 1–9. Bibcode:2002Icar..160....1M. doi:10.1006/icar.2002.6937.

4. Williams, Dr. David R. (2 February 2006). "Moon Fact Sheet". NASA (National Space Science Data Center). Retrieved 31 December 2008.

5. Smith, David E.; Zuber, Maria T.; Neumann, Gregory A.; Lemoine, Frank G. (1 January 1997). "Topography of the Moon from the Clementine lidar". *Journal of Geophysical Research*. **102** (E1): 1601. Bibcode:1997JGR...102.1591S. doi:10.1029/96JE02940.

6. Williams, James G.; Newhall, XX; Dickey, Jean O. (1996). "Lunar moments, tides, orientation, and coordinate frames". *Planetary and Space Science*. **44** (10): 1077–1080. Bibcode:1996P&SS...44.1077W. doi:10.1016/0032-0633(95)00154-9.

7. Matthews, Grant (2008). "Celestial body irradiance determination from an underfilled satellite radiometer: application to albedo and thermal emission measurements of the Moon using CERES". *Applied Optics*. **47** (27): 4981–93. Bibcode:2008ApOpt..47.4981M. doi:10.1364/AO.47.004981. PMID 18806861.

8. A.R. Vasavada; D.A. Paige & S.E. Wood (1999). "Near-Surface Temperatures on Mercury and the Moon and the Stability of Polar Ice Deposits". *Icarus*. **141** (2): 179–193. Bibcode:1999Icar..141..179V. doi:10.1006/icar.1999.6175.

9. Lucey, P.; Korotev, Randy L.; et al. (2006). "Understanding the lunar surface and space-Moon interactions". *Reviews in Mineralogy and Geochemistry*. **60** (1): 83–219. doi:10.2138/rmg.2006.60.2.

10. "Naming Astronomical Objects: Spelling of Names". International Astronomical Union. Retrieved 29 March 2010.

11. "Gazetteer of Planetary Nomenclature: Planetary Nomenclature FAQ". USGS Astrogeology Research Program. Retrieved 29 March 2010.

12. Barnhart, Robert K. (1995). *The Barnhart Concise Dictionary of Etymology*. USA: Harper Collins. p. 487. ISBN 978-0-06-270084-1.

13. *Oxford English Dictionary*, 2nd ed. "luna", Oxford University Press (Oxford), 2009.

14. "Oxford English Dictionary: lunar, a. and n.". *Oxford English Dictionary: Second Edition 1989*. Oxford University Press. Retrieved 23 March 2010.

15. σελήνη. Liddell, Henry George; Scott, Robert; A Greek–English Lexicon at the Perseus Project.

16. Imke Pannen (2010). *When the Bad Bleeds: Mantic Elements in English Renaissance Revenge Tragedy*. V&R unipress GmbH. pp. 96–. ISBN 978-3-89971-640-5.

17. Kleine, T.; Palme, H.; Mezger, K.; Halliday, A.N. (2005). "Hf–W Chronometry of Lunar Metals and the Age and Early Differentiation of the Moon". *Science*. **310** (5754): 1671–1674. Bibcode:2005Sci...310.1671K. doi:10.1126/science.1118842. PMID 16308422.

18. "Carnegie Institution for Science research". Retrieved 12 October 2013.

19. "Phys.org's account of Carlson's presentation to the Royal Society". Retrieved 13 October 2013.

20. Binder, A.B. (1974). "On the origin of the Moon by rotational fission". *The Moon*. **11** (2): 53–76. Bibcode:1974Moon...11...53B. doi:10.1007/BF01877794.

21. Stroud, Rick (2009). *The Book of the Moon*. Walken and Company. pp. 24–27. ISBN 978-0-8027-1734-4.

22. Mitler, H.E. (1975). "Formation of an iron-poor moon by partial capture, or: Yet another exotic theory of lunar origin". *Icarus*. **24** (2): 256–268. Bibcode:1975Icar...24..256M. doi:10.1016/0019-1035(75)90102-5.

23. Stevenson, D.J. (1987). "Origin of the moon—The collision hypothesis". *Annual Review of Earth and Planetary Sciences*. **15** (1): 271–315. Bibcode:1987AREPS..15..271S. doi:10.1146/annurev.ea.15.050187.001415.

24. Taylor, G. Jeffrey (31 December 1998). "Origin of the Earth and Moon". *Planetary Science Research Discoveries*. Retrieved 7 April 2010.

25. news.nationalgeographic.com 2015-04-16 Asteroids Bear Scars of Moon's Violent Formation

26. Dana Mackenzie (2003-07-21). *The Big Splat, or How Our Moon Came to Be*. John Wiley & Sons. pp. 166–168. ISBN 978-0-471-48073-0.

27. Canup, R.; Asphaug, E. (2001). "Origin of the Moon in a giant impact near the end of Earth's formation". *Nature*. **412** (6848): 708–712. Bibcode:2001Natur.412..708C. doi:10.1038/35089010. PMID 11507633.

28. "Earth-Asteroid Collision Formed Moon Later Than Thought". *News.nationalgeographic.com*. 28 October 2010. Retrieved 7 May 2012.

29. http://digitalcommons.arizona.edu/objectviewer?o=uadc://azu_maps/Volume43/NumberSupplement/Touboul.pdf

30. Touboul, M.; Kleine, T.; Bourdon, B.; Palme, H.; Wieler, R. (2007). "Late formation and prolonged differentiation of the Moon inferred from W isotopes in lunar metals". *Nature*. **450** (7173): 1206–9. Bibcode:2007Natur.450.1206T. doi:10.1038/nature06428. PMID 18097403.

31. "Flying Oceans of Magma Help Demystify the Moon's Creation". *News.nationalgeographic.com*. 8 April 2015.

32. Pahlevan, Kaveh; Stevenson, David J. (2007). "Equilibration in the aftermath of the lunar-forming giant impact". *Earth and Planetary Science Letters*. **262** (3–4): 438–449. arXiv:1012.5323. Bibcode:2007E&PSL.262..438P. doi:10.1016/j.epsl.2007.07.055.

33. Nield, Ted (2009). "Moonwalk (summary of meeting at Meteoritical Society's 72nd Annual Meeting, Nancy, France)". *Geoscientist*. **19**: 8.

34. Warren, P. H. (1985). "The magma ocean concept and lunar evolution". *Annual Review of Earth and Planetary Sciences*. **13** (1): 201–240. Bibcode:1985AREPS..13..201W. doi:10.1146/annurev.ea.13.050185.001221.

35. Tonks, W. Brian; Melosh, H. Jay (1993). "Magma ocean formation due to giant impacts". *Journal of Geophysical Research*. **98** (E3): 5319–5333. Bibcode:1993JGR....98.5319T. doi:10.1029/92JE02726.

36. Daniel Clery (11 October 2013). "Impact Theory Gets Whacked". *Science*. **342** (6155): 183–185. Bibcode:2013Sci...342..183C. doi:10.1126/science.342.6155.183.

37. Wiechert, U.; et al. (October 2001). "Oxygen Isotopes and the Moon-Forming Giant Impact". *Science*. *Science (journal)*. **294** (12): 345–348. Bibcode:2001Sci...294..345W. doi:10.1126/science.1063037. PMID 11598294. Retrieved 5 July 2009.

38. Pahlevan, Kaveh; Stevenson, David (October 2007). "Equilibration in the Aftermath of the Lunar-forming Giant Impact". *EPSL*. **262** (3–4): 438–449. arXiv:1012.5323. Bibcode:2007E&PSL.262..438P. doi:10.1016/j.epsl.2007.07.055.

39. "Titanium Paternity Test Says Earth is the Moon's Only Parent (University of Chicago)". *Astrobio.net*. Retrieved 3 October 2013.
40. Taylor, Stuart Ross (1975). *Lunar science: A post-Apollo view*. New York, Pergamon Press, Inc. p. 64.
41. "NASA Research Team Reveals Moon Has Earth-Like Core". NASA. 6 January 2011.
42. Nemchin, A.; Timms, N.; Pidgeon, R.; Geisler, T.; Reddy, S.; Meyer, C. (2009). "Timing of crystallization of the lunar magma ocean constrained by the oldest zircon". *Nature Geoscience*. **2** (2): 133–136. *Bibcode:2009NatGe...2..133N*. doi:10.1038/ngeo417.
43. Shearer, C.; et al. (2006). "Thermal and magmatic evolution of the Moon". *Reviews in Mineralogy and Geochemistry*. **60** (1): 365–518. doi:10.2138/rmg.2006.60.4.
44. Schubert, J. (2004). "Interior composition, structure, and dynamics of the Galilean satellites.". In F. Bagenal; et al. *Jupiter: The Planet, Satellites, and Magnetosphere*. Cambridge University Press. pp. 281–306. ISBN 978-0-521-81808-7.
45. Williams, J. G.; Turyshv, S. G.; Boggs, D. H.; Ratcliff, J. T. (2006). "Lunar laser ranging science: Gravitational physics and lunar interior and geodesy". *Advances in Space Research*. **37** (1): 67–71. arXiv:gr-qc/0412049. *Bibcode:2006AdSpR..37...67W*. doi:10.1016/j.asr.2005.05.013.
46. Spudis, Paul D.; Cook, A.; Robinson, M.; Bussey, B.; Fessler, B.; Cook; Robinson; Bussey; Fessler (January 1998). "Topography of the South Polar Region from Clementine Stereo Imaging". *Workshop on New Views of the Moon: Integrated Remotely Sensed, Geophysical, and Sample Datasets*: 69. *Bibcode:1998nvmi.conf...69S*.
47. Spudis, Paul D.; Reisse, Robert A.; Gillis, Jeffrey J. (1994). "Ancient Multiring Basins on the Moon Revealed by Clementine Laser Altimetry". *Science*. **266** (5192): 1848–1851. *Bibcode:1994Sci...266.1848S*. doi:10.1126/science.266.5192.1848. PMID 17737079.
48. Pieters, C.M.; Tompkins, S.; Head, J.W.; Hess, P.C. (1997). "Mineralogy of the Mafic Anomaly in the South Pole-Aitken Basin: Implications for excavation of the lunar mantle". *Geophysical Research Letters*. **24** (15): 1903–1906. *Bibcode:1997GeoRL..24.1903P*. doi:10.1029/97GL01718.
49. Taylor, G.J. (17 July 1998). "The Biggest Hole in the Solar System". *Planetary Science Research Discoveries, Hawai'i Institute of Geophysics and Planetology*. Retrieved 12 April 2007.
50. Schultz, P. H. (March 1997). "Forming the south-pole Aitken basin – The extreme games". *Conference Paper, 28th Annual Lunar and Planetary Science Conference*. **28**: 1259. *Bibcode:1997LPI....28.1259S*.
51. http://www.nasa.gov/mission_pages/LRO/news/shrinking-moon.html
52. Wlasuk, Peter (2000). *Observing the Moon*. Springer. p. 19. ISBN 978-1-85233-193-1.
53. Norman, M. (21 April 2004). "The Oldest Moon Rocks". *Planetary Science Research Discoveries*. Retrieved 12 April 2007.
54. Varricchio, L. (2006). *Inconstant Moon*. Xlibris Books. ISBN 978-1-59926-393-9.
55. Head, L.W.J.W. (2003). "Lunar Gruithuisen and Mairan domes: Rheology and mode of emplacement". *Journal of Geophysical Research*. **108** (E2): 5012. *Bibcode:2003JGRE..108.5012W*. doi:10.1029/2002JE001909. Retrieved 12 April 2007.
56. Spudis, P.D. (2004). "Moon". *World Book Online Reference Center, NASA*. Retrieved 12 April 2007.

57. Gillis, J.J.; Spudis, P.D. (1996). "The Composition and Geologic Setting of Lunar Far Side Maria". *Lunar and Planetary Science*. **27**: 413–404. [Bibcode:1996LPI....27..413G](#).
-
58. Lawrence, D. J., et al. (11 August 1998). "Global Elemental Maps of the Moon: The Lunar Prospector Gamma-Ray Spectrometer". *Science*. **281** (5382): 1484–1489. [Bibcode:1998Sci...281.1484L](#). [doi:10.1126/science.281.5382.1484](#). PMID 9727970. Retrieved 29 August 2009.
-
59. Taylor, G.J. (31 August 2000). "A New Moon for the Twenty-First Century". *Planetary Science Research Discoveries, Hawai'i Institute of Geophysics and Planetology*. Retrieved 12 April 2007.
-
60. Papike, J.; Ryder, G.; Shearer, C. (1998). "Lunar Samples". *Reviews in Mineralogy and Geochemistry*. **36**: 5.1–5.234.
-
61. Hiesinger, H.; Head, J.W.; Wolf, U.; Jaumann, R.; Neukum, G. (2003). "Ages and stratigraphy of mare basalts in Oceanus Procellarum, Mare Numbium, Mare Cognitum, and Mare Insularum". *J. Geophys. Res.* **108** (E7): 1029. [Bibcode:2003JGRE..108.5065H](#). [doi:10.1029/2002JE001985](#).
-
62. Phil Berardelli (9 November 2006). "[Long Live the Moon!](#)". *Science/AAAS News*.
-
63. Jason Major (14 October 2014). "[Volcanoes Erupted 'Recently' on the Moon](#)". *Discovery News*.
-
64. "[NASA Mission Finds Widespread Evidence of Young Lunar Volcanism](#)". NASA. 12 October 2014.
-
65. Eric Hand (12 October 2014). "[Recent volcanic eruptions on the moon](#)". *Science/AAAS News*.
-
66. S. E. Braden, J. D. Stoper¹, M. S. Robinson¹, S. J. Lawrence, C. H. van der Bogert, H. Hiesinger. "[Evidence for basaltic volcanism on the Moon within the past 100 million years](#)". *Nature Geoscience*. **7**: 787–791. [Bibcode:2014NatGe...7..787B](#). [doi:10.1038/ngeo2252](#).
-
67. Srivastava, N.; Gupta, R.P. (2013). "Young viscous flows in the Lowell crater of Orientale basin, Moon: Impact melts or volcanic eruptions?". *Planetary and Space Science*. **87**: 37–45. [Bibcode:2013P&SS...87...37S](#). [doi:10.1016/j.pss.2013.09.001](#).
-
68. Gupta, R.P.; Srivastava, N.; Tiwari, R.K. (2014). "Evidences of relatively new volcanic flows on the Moon". *Curr. Sci.* **107** (3): 454–460.
-
69. Whitten, J.; et al. (2011). "Lunar mare deposits associated with the Orientale impact basin: New insights into mineralogy, history, mode of emplacement, and relation to Orientale Basin evolution from Moon Mineralogy Mapper (M3) data from Chandrayaan-1". *Journal of Geophysical Research*. **116**: E00G09. [Bibcode:2011JGRE..116.0G09W](#). [doi:10.1029/2010JE003736](#).
-
70. Cho, Y.; et al. (2012). "Young mare volcanism in the Orientale region contemporary with the Procellarum KREEP Terrane (PKT) volcanism peak period 2 b. y. ago". *Geophysical Research. Letters*. **39**: L11203.
-
71. Munsell, K. (4 December 2006). "[Majestic Mountains](#)". *Solar System Exploration. NASA*. Retrieved 12 April 2007.
-
72. Richard Lovett. "[Early Earth may have had two moons : Nature News](#)". *Nature.com*. Retrieved 1 November 2012.
-
73. "[Was our two-faced moon in a small collision?](#)". *Theconversation.edu.au*. Retrieved 1 November 2012.
-
74. Melosh, H. J. (1989). *Impact cratering: A geologic process*. Oxford Univ. Press. ISBN 978-0-19-504284-9.
-
75. "[Moon Facts](#)". SMART-1. European Space Agency. 2010. Retrieved 12 May 2010.
-

76. "Gazetteer of Planetary Nomenclature: Categories for Naming Features on Planets and Satellites". U.S. Geological Survey. Retrieved 8 April 2010.
77. Wilhelms, Don (1987). "Relative Ages". *Geologic History of the Moon (PDF)*. U.S. Geological Survey.
78. Hartmann, William K.; Quantin, Cathy; Mangold, Nicolas (2007). "Possible long-term decline in impact rates: 2. Lunar impact-melt data regarding impact history". *Icarus*. **186** (1): 11–23. [Bibcode:2007Icar..186...11H](#). [doi:10.1016/j.icarus.2006.09.009](#).
79. "The Smell of Moondust". NASA. 30 January 2006. Retrieved 15 March 2010.
80. Heiken, G. (1991). Vaniman, D.; French, B., eds. *Lunar Sourcebook, a user's guide to the Moon*. New York: Cambridge University Press. p. 736. [ISBN 978-0-521-33444-0](#).
81. Rasmussen, K.L.; Warren, P.H. (1985). "Megaregolith thickness, heat flow, and the bulk composition of the Moon". *Nature*. **313** (5998): 121–124. [Bibcode:1985Natur.313..121R](#). [doi:10.1038/313121a0](#).
82. Margot, J. L.; Campbell, D. B.; Jurgens, R. F.; Slade, M. A. (4 June 1999). "Topography of the Lunar Poles from Radar Interferometry: A Survey of Cold Trap Locations". *Science*. **284** (5420): 1658–1660. [Bibcode:1999Sci...284.1658M](#). [doi:10.1126/science.284.5420.1658](#). [PMID 10356393](#).
83. Ward, William R. (1 August 1975). "Past Orientation of the Lunar Spin Axis". *Science*. **189** (4200): 377–379. [Bibcode:1975Sci...189..377W](#). [doi:10.1126/science.189.4200.377](#). [PMID 17840827](#).
84. Martel, L. M. V. (4 June 2003). "The Moon's Dark, Icy Poles". *Planetary Science Research Discoveries, Hawai'i Institute of Geophysics and Planetology*. Retrieved 12 April 2007.
85. Seedhouse, Erik (2009). *Lunar Outpost: The Challenges of Establishing a Human Settlement on the Moon*. Springer-Praxis Books in Space Exploration. Germany: Springer Praxis. p. 136. [ISBN 978-0-387-09746-6](#).
86. Coulter, Dauna (18 March 2010). "The Multiplying Mystery of Moonwater". *Science@NASA*. Retrieved 28 March 2010.
87. Spudis, P. (6 November 2006). "Ice on the Moon". *The Space Review*. Retrieved 12 April 2007.
88. Feldman, W. C.; Maurice, A. B.; Binder, B. L.; Barraclough, R. C.; Elphic, D. J.; Lawrence (1998). "Fluxes of Fast and Epithermal Neutrons from Lunar Prospector: Evidence for Water Ice at the Lunar Poles". *Science*. **281** (5382): 1496–1500. [Bibcode:1998Sci...281.1496F](#). [doi:10.1126/science.281.5382.1496](#). [PMID 9727973](#).
89. Saal, Alberto E.; Hauri, Erik H.; Cascio, Mauro L.; van Orman, James A.; Rutherford, Malcolm C.; Cooper, Reid F. (2008). "Volatile content of lunar volcanic glasses and the presence of water in the Moon's interior". *Nature*. **454** (7201): 192–195. [Bibcode:2008Natur.454..192S](#). [doi:10.1038/nature07047](#). [PMID 18615079](#).
90. Pieters, C. M.; Goswami, J. N.; Clark, R. N.; Annadurai, M.; Boardman, J.; Buratti, B.; Combe, J.-P.; Dyar, M. D.; Green, R.; Head, J. W.; Hibbitts, C.; Hicks, M.; Isaacson, P.; Klima, R.; Kramer, G.; Kumar, S.; Livo, E.; Lundeen, S.; Malaret, E.; McCord, T.; Mustard, J.; Nettles, J.; Petro, N.; Runyon, C.; Staid, M.; Sunshine, J.; Taylor, L. A.; Tompkins, S.; Varanasi, P. (2009). "Character and Spatial Distribution of OH/H₂O on the Surface of the Moon Seen by M3 on Chandrayaan-1". *Science*. **326** (5952): 568–72. [Bibcode:2009Sci...326..568P](#). [doi:10.1126/science.1178658](#). [PMID 19779151](#).
91. Lakdawalla, Emily (13 November 2009). "LCROSS Lunar Impactor Mission: "Yes, We Found Water!" ". *The Planetary Society*. Retrieved 13 April 2010.
92. "Water and More: An Overview of LCROSS Impact Results". *41st Lunar and Planetary Science Conference*. **41** (1533): 2335. 1–5 March 2010. [Bibcode:2010LPI...41.2335C](#).

93. Colaprete, A.; Schultz, P.; Heldmann, J.; Wooden, D.; Shirley, M.; Ennico, K.; Hermalyn, B.; Marshall, W.; Ricco, A.; Elphic, R. C.; Goldstein, D.; Summy, D.; Bart, G. D.; Asphaug, E.; Korycansky, D.; Landis, D.; Sollitt, L. (22 October 2010). "Detection of Water in the LCROSS Ejecta Plume". *Science*. **330** (6003): 463–468. [Bibcode:2010Sci...330.463C](#). [doi:10.1126/science.1186986](#). [PMID 20966242](#).
-
94. Hauri, Erik; Thomas Weinreich; Albert E. Saal; Malcolm C. Rutherford; James A. Van Orman (26 May 2011). "High Pre-Eruptive Water Contents Preserved in Lunar Melt Inclusions". *Science Express*. **10** (1126): 213–215. [Bibcode:2011Sci...333..213H](#). [doi:10.1126/science.1204626](#).
-
95. Muller, P.; Sjogren, W. (1968). "Mascons: lunar mass concentrations". *Science*. **161** (3842): 680–684. [Bibcode:1968Sci...161..680M](#). [doi:10.1126/science.161.3842.680](#). [PMID 17801458](#).
-
96. Richard A. Kerr (12 April 2013). "The Mystery of Our Moon's Gravitational Bumps Solved?". *Science*. **340**: 138–139. [doi:10.1126/science.340.6129.138-a](#).
-
97. Konopliv, A.; Asmar, S.; Carranza, E.; Sjogren, W.; Yuan, D. (2001). "Recent gravity models as a result of the Lunar Prospector mission". *Icarus*. **50** (1): 1–18. [Bibcode:2001Icar..150....1K](#). [doi:10.1006/icar.2000.6573](#).
-
98. Garrick-Bethell, Ian; Weiss, Benjamin P.; Shuster, David L.; Buz, Jennifer (2009). "Early Lunar Magnetism". *Science*. **323** (5912): 356–359. [Bibcode:2009Sci...323..356G](#). [doi:10.1126/science.1166804](#). [PMID 19150839](#).
-
99. "Magnetometer / Electron Reflectometer Results". *Lunar Prospector (NASA)*. 2001. Retrieved 17 March 2010.
-
100. Hood, L.L.; Huang, Z. (1991). "Formation of magnetic anomalies antipodal to lunar impact basins: Two-dimensional model calculations". *J. Geophys. Res.* **96** (B6): 9837–9846. [Bibcode:1991JGR....96.9837H](#). [doi:10.1029/91JB00308](#).
-
101. "Moon Storms". *Science.nasa.gov*. 27 September 2013. Retrieved 3 October 2013.
-
102. LADEE
-
103. Globus, Ruth (1977). "Chapter 5, Appendix J: Impact Upon Lunar Atmosphere". In Richard D. Johnson & Charles Holbrow. *Space Settlements: A Design Study*. NASA. Retrieved 17 March 2010.
-
104. Crotts, Arlin P.S. (2008). "Lunar Outgassing, Transient Phenomena and The Return to The Moon, I: Existing Data" (PDF). *The Astrophysical Journal*. Department of Astronomy, Columbia University. **687**: 692–705. [arXiv:0706.3949](#). [Bibcode:2008ApJ...687..692C](#). [doi:10.1086/591634](#). Retrieved 29 September 2009.
-
105. Steigerwald, William (17 August 2015). "NASA's LADEE Spacecraft Finds Neon in Lunar Atmosphere". NASA. Retrieved 18 August 2015.
-
106. Stern, S.A. (1999). "The Lunar atmosphere: History, status, current problems, and context". *Rev. Geophys.* **37** (4): 453–491. [Bibcode:1999RvGeo..37..453S](#). [doi:10.1029/1999RG900005](#).
-
107. Lawson, S.; Feldman, W.; Lawrence, D.; Moore, K.; Elphic, R.; Belian, R. (2005). "Recent outgassing from the lunar surface: the Lunar Prospector alpha particle spectrometer". *J. Geophys. Res.* **110** (E9): 1029. [Bibcode:2005JGRE..11009009L](#). [doi:10.1029/2005JE002433](#).
-
108. R. Sridharan; S. M. Ahmed; Tirtha Pratim Dasa; P. Sreelatha; P. Pradeepkumara; Neha Naika; and Gogulapati Supriya (2010). "'Direct' evidence for water (H₂O) in the sunlit lunar ambience from CHACE on MIP of Chandrayaan I". *Planetary and Space Science*. **58** (6): 947–950. [Bibcode:2010P&SS...58..947S](#). [doi:10.1016/j.pss.2010.02.013](#).
-
109. Drake, Nadia; 17, National Geographic PUBLISHED June. "Lopsided Cloud of Dust Discovered Around the Moon". *National Geographic News*. Retrieved 2015-06-20.
-

110. Horányi, M.; Szalay, J. R.; Kempf, S.; Schmidt, J.; Grün, E.; Srama, R.; Sternovsky, Z. (June 18, 2015). "A permanent, asymmetric dust cloud around the Moon". *Nature*. **522** (7556): 324–326. *Bibcode:2015Natur.522..324H*. doi:10.1038/nature14479.
111. Hamilton, Calvin J.; Hamilton, Rosanna L., *The Moon, Views of the Solar System*, 1995–2011.
112. Amos, Jonathan (16 December 2009). "'Coldest place' found on the Moon". *BBC News*. Retrieved 20 March 2010.
113. "Diviner News". *UCLA*. 17 September 2009. Retrieved 17 March 2010.
114. PlanetFacts.org
115. V V Beležič (2001). *Essays on the Motion of Celestial Bodies*. Birkhäuser. p. 183. ISBN 978-3-7643-5866-2.
116. "Space Topics: Pluto and Charon". *The Planetary Society*. Retrieved 6 April 2010.
117. "Planet Definition Questions & Answers Sheet" (DOC). *International Astronomical Union*. 2006. Retrieved 24 March 2010.
118. Alexander, M. E. (1973). "The Weak Friction Approximation and Tidal Evolution in Close Binary Systems". *Astrophysics and Space Science*. **23** (2): 459–508. *Bibcode:1973Ap&SS..23..459A*. doi:10.1007/BF00645172.
119. Phil Plait. "Dark Side of the Moon". *Bad Astronomy: Misconceptions*. Retrieved 15 February 2010.
120. "Moon used to spin 'on different axis' ". *BBC*. Retrieved 23 March 2016.
121. Luciuk, Mike. "How Bright is the Moon?". *Amateur Astronomers, Inc.* Retrieved 16 March 2010.
122. Hershenson, Maurice (1989). *The Moon illusion*. Routledge. p. 5. ISBN 978-0-8058-0121-7.
123. Spekkens, K. (18 October 2002). "Is the Moon seen as a crescent (and not a "boat") all over the world?". *Curious About Astronomy*. Retrieved 28 September 2015.
124. "Moonlight helps plankton escape predators during Arctic winters". *New Scientist*. Jan 16, 2016.
125. "Full moon tonight is as close as it gets". *The Press Enterprise*. 18 March 2011. Retrieved 19 March 2011.
126. Tony Phillips (16 March 2011). "Super Full Moon". *NASA*. Retrieved 19 March 2011.
127. Richard K. De Atley (18 March 2011). "Full moon tonight is as close as it gets". *The Press-Enterprise*. Retrieved 19 March 2011.
128. "'Super moon' to reach closest point for almost 20 years". *The Guardian*. 19 March 2011. Retrieved 19 March 2011.
129. Georgia State University, Dept. of Physics (Astronomy). "Perceived Brightness". *Brightness and Night/Day Sensitivity*. Georgia State University, GA, USA. Retrieved 25 January 2014.
130. Lutron. "Measured light vs. perceived light" (PDF). *From IES Lighting Handbook 2000, 27-4*. Lutron.com. Retrieved 25 January 2014.
131. Walker, John (May 1997). "Inconstant Moon". *Earth and Moon Viewer*. Fourth paragraph of "How Bright the Moonlight": Fourmilab, Switzerland. Retrieved 23 January 2014. "14% [...] due to the logarithmic response of the human eye."

-
132. Taylor, G.J. (8 November 2006). "Recent Gas Escape from the Moon". *Planetary Science Research Discoveries, Hawai'i Institute of Geophysics and Planetology*. Retrieved 4 April 2007.
-
133. Schultz, P. H.; Staid, M. I.; Pieters, C. M. (2006). "Lunar activity from recent gas release". *Nature*. **444** (7116): 184–186. *Bibcode:2006Natur.444..184S*. doi:10.1038/nature05303. PMID 17093445.
-
134. "22 Degree Halo: a ring of light 22 degrees from the sun or moon". Department of Atmospheric Sciences at the University of Illinois at Urbana-Champaign. Retrieved 13 April 2010.
-
135. Lambeck, K. (1977). "Tidal Dissipation in the Oceans: Astronomical, Geophysical and Oceanographic Consequences". *Philosophical Transactions of the Royal Society A*. **287** (1347): 545–594. *Bibcode:1977RSPTA.287..545L*. doi:10.1098/rsta.1977.0159.
-
136. Le Provost, C.; Bennett, A. F.; Cartwright, D. E. (1995). "Ocean Tides for and from TOPEX/POSEIDON". *Science*. **267** (5198): 639–42. *Bibcode:1995Sci...267..639L*. doi:10.1126/science.267.5198.639. PMID 17745840.
-
137. Touma, Jihad; Wisdom, Jack (1994). "Evolution of the Earth-Moon system". *The Astronomical Journal*. **108** (5): 1943–1961. *Bibcode:1994AJ...108.1943T*. doi:10.1086/117209.
-
138. Chapront, J.; Chapront-Touzé, M.; Francou, G. (2002). "A new determination of lunar orbital parameters, precession constant and tidal acceleration from LLR measurements". *Astronomy and Astrophysics*. **387** (2): 700–709. *Bibcode:2002A&A...387..700C*. doi:10.1051/0004-6361:20020420.
-
139. "Why the Moon is getting further away from Earth". BBC News. 1 February 2011. Retrieved 18 September 2015.
-
140. Ray, R. (15 May 2001). "Ocean Tides and the Earth's Rotation". IERS Special Bureau for Tides. Retrieved 17 March 2010.
-
141. Murray, C.D. and Dermott, S.F.; Stanley F. Dermott (1999). *Solar System Dynamics*. Cambridge University Press. p. 184. ISBN 978-0-521-57295-8.
-
142. Dickinson, Terence (1993). *From the Big Bang to Planet X*. Camden East, Ontario: Camden House. pp. 79–81. ISBN 978-0-921820-71-0.
-
143. Latham, Gary; Ewing, Maurice; Dorman, James; Lammlein, David; Press, Frank; Toksöz, Naft; Sutton, George; Duennebier, Fred; Nakamura, Yosio (1972). "Moonquakes and lunar tectonism". *Earth, Moon, and Planets*. **4** (3–4): 373–382. *Bibcode:1972Moon....4..373L*. doi:10.1007/BF00562004.
-
144. Phillips, Tony (12 March 2007). "Stereo Eclipse". Science@NASA. Retrieved 17 March 2010.
-
145. Espenak, F. (2000). "Solar Eclipses for Beginners". MrEclipse. Retrieved 17 March 2010.
-
146. Walker, John (10 July 2004). "Moon near Perigee, Earth near Aphelion". Fourmilab. Retrieved 25 December 2013.
-
147. Thieman, J.; Keating, S. (2 May 2006). "Eclipse 99, Frequently Asked Questions". NASA. Retrieved 12 April 2007.
-
148. Espenak, F. "Saros Cycle". NASA. Retrieved 17 March 2010.
-
149. Guthrie, D.V. (1947). "The Square Degree as a Unit of Celestial Area". *Popular Astronomy*. **55**: 200–203. *Bibcode:1947PA.....55..200G*.
-
150. "Total Lunar Occultations". Royal Astronomical Society of New Zealand. Retrieved 17 March 2010.
-

151. Aaboe, A.; Britton, J. P.; Henderson, J. A.; Neugebauer, Otto; Sachs, A. J. (1991). "Saros Cycle Dates and Related Babylonian Astronomical Texts". *Transactions of the American Philosophical Society. American Philosophical Society*. **81** (6): 1–75. doi:10.2307/1006543. JSTOR 1006543. "One comprises what we have called "Saros Cycle Texts", which give the months of eclipse possibilities arranged in consistent cycles of 223 months (or 18 years)."
-
152. Sarma, K. V. (2008). "Astronomy in India". In Helaine Selin. *Encyclopaedia of the History of Science, Technology, and Medicine in Non-Western Cultures* (2 ed.). Springer. pp. 317–321. ISBN 978-1-4020-4559-2.
-
153. Needham 1986, p. 411.
-
154. O'Connor, J.J.; Robertson, E.F. (February 1999). "Anaxagoras of Clazomenae". University of St Andrews. Retrieved 12 April 2007.
-
155. Needham 1986, p. 227.
-
156. Needham 1986, p. 413–414.
-
157. Robertson, E. F. (November 2000). "Aryabhata the Elder". Scotland: School of Mathematics and Statistics, University of St Andrews. Retrieved 15 April 2010.
-
158. A. I. Sabra (2008). "Ibn Al-Haytham, Abū 'Alī Al-Ḥasan Ibn Al-Ḥasan". *Dictionary of Scientific Biography*. Detroit: Charles Scribner's Sons. pp. 189–210, at 195.
-
159. Needham 1986, p. 415–416.
-
160. Lewis, C. S. (1964). *The Discarded Image*. Cambridge: Cambridge University Press. p. 108. ISBN 978-0-521-47735-2.
-
161. van der Waerden, Bartel Leendert (1987). "The Heliocentric System in Greek, Persian and Hindu Astronomy". *Annals of the New York Academy of Sciences*. **500**: 1–569. Bibcode:1987NYASA.500....1A. doi:10.1111/j.1749-6632.1987.tb37193.x. PMID 3296915.
-
162. Evans, James (1998). *The History and Practice of Ancient Astronomy*. Oxford & New York: Oxford University Press. pp. 71, 386. ISBN 978-0-19-509539-5.
-
163. "Discovering How Greeks Computed in 100 B.C.". *The New York Times*. 31 July 2008. Retrieved 9 March 2014.
-
164. Van Helden, A. (1995). "The Moon". Galileo Project. Archived from the original on 23 June 2004. Retrieved 12 April 2007.
-
165. Consolmagno, Guy J. (1996). "Astronomy, Science Fiction and Popular Culture: 1277 to 2001 (And beyond)". *Leonardo*. The MIT Press. **29** (2): 128. doi:10.2307/1576348. JSTOR 1576348.
-
166. Hall, R. Cargill (1977). "Appendix A: LUNAR THEORY BEFORE 1964". NASA History Series. LUNAR IMPACT: A History of Project Ranger. Washington, D.C.: Scientific and Technical Information Office, NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. Retrieved 13 April 2010.
-
167. Zak, Anatoly (2009). "Russia's unmanned missions toward the Moon". Retrieved 20 April 2010.
-
168. "Rocks and Soils from the Moon". NASA. Retrieved 6 April 2010.
-
169. Coren, M. (26 July 2004). "'Giant leap' opens world of possibility". CNN. Retrieved 16 March 2010.
-
170. "Record of Lunar Events, 24 July 1969". Apollo 11 30th anniversary. NASA. Retrieved 13 April 2010.

171. ["Manned Space Chronology: Apollo_11". spaceline.org. Retrieved 6 February 2008.](#)

172. ["Apollo Anniversary: Moon Landing "Inspired World" ". National Geographic. Retrieved 6 February 2008.](#)

173. Orloff, Richard W. (September 2004) [First published 2000]. ["Extravehicular Activity". Apollo by the Numbers: A Statistical Reference. NASA History Division, Office of Policy and Plans. The NASA History Series. Washington, D.C.: NASA. ISBN 0-16-050631-X. LCCN 00061677. NASA SP-2000-4029. Retrieved 1 August 2013.](#)

174. [Launius, Roger D. \(July 1999\). "The Legacy of Project Apollo". NASA History Office. Retrieved 13 April 2010.](#)

175. [SP-287 What Made Apollo a Success? A series of eight articles reprinted by permission from the March 1970 issue of Astronautics & Aeronautics, a publication of the American Institute of Aeronautics and Astronautics. Washington, D.C.: Scientific and Technical Information Office, National Aeronautics and Space Administration. 1971.](#)

176. ["NASA news release 77-47 page 242" \(PDF\) \(Press release\). 1 September 1977. Retrieved 16 March 2010.](#)

177. [Appleton, James; Radley, Charles; Deans, John; Harvey, Simon; Burt, Paul; Haxell, Michael; Adams, Roy; Spooner N.; Brieske, Wayne \(1977\). "OASI Newsletters Archive". NASA Turns A Deaf Ear To The Moon. Archived from the original on 10 December 2007. Retrieved 29 August 2007.](#)

178. [Dickey, J.; et al. \(1994\). "Lunar laser ranging: a continuing legacy of the Apollo program". Science. 265 \(5171\): 482–490. Bibcode:1994Sci...265..482D. doi:10.1126/science.265.5171.482. PMID 17781305.](#)

179. ["Hiten-Hagomoro". NASA. Retrieved 29 March 2010.](#)

180. ["Clementine information". NASA. 1994. Retrieved 29 March 2010.](#)

181. ["Lunar Prospector: Neutron Spectrometer". NASA. 2001. Retrieved 29 March 2010.](#)

182. ["SMART-1 factsheet". European Space Agency. 26 February 2007. Retrieved 29 March 2010.](#)

183. ["China's first lunar probe ends mission". Xinhua. 1 March 2009. Retrieved 29 March 2010.](#)

184. [Leonard David \(17 March 2015\). "China Outlines New Rockets, Space Station and Moon Plans". Space dot com. Retrieved 29 June 2016.](#)

185. ["KAGUYA Mission Profile". JAXA. Retrieved 13 April 2010.](#)

186. ["KAGUYA \(SELENE\) World's First Image Taking of the Moon by HDTV". Japan Aerospace Exploration Agency \(JAXA\) and NHK \(Japan Broadcasting Corporation\). 7 November 2007. Retrieved 13 April 2010.](#)

187. ["Mission Sequence". Indian Space Research Organisation. 17 November 2008. Retrieved 13 April 2010.](#)

188. ["Indian Space Research Organisation: Future Program". Indian Space Research Organisation. Retrieved 13 April 2010.](#)

189. ["India and Russia Sign an Agreement on Chandrayaan-2". Indian Space Research Organisation. 14 November 2007. Archived from the original on 17 December 2007. Retrieved 13 April 2010.](#)

190. ["Lunar CRater Observation and Sensing Satellite \(LCROSS\): Strategy & Astronomer Observation Campaign". NASA. October 2009. Retrieved 13 April 2010.](#)

191. ["Giant moon crater revealed in spectacular up-close photos". MSNBC. Space.com. 6 January 2012.](#)

192. Chang, Alicia (26 December 2011). "Twin probes to circle moon to study gravity field". *The Sun News. Associated Press*. Retrieved 27 December 2011.
193. Covault, C. (4 June 2006). "Russia Plans Ambitious Robotic Lunar Mission". *Aviation Week*. Retrieved 12 April 2007.
194. "Russia to send mission to Mars this year, Moon in three years". "TV-Novosti". 25 February 2009. Retrieved 13 April 2010.
195. "About the Google Lunar X Prize". X-Prize Foundation. 2010. Archived from the original on 28 February 2010. Retrieved 24 March 2010.
196. Wall, Mike (14 January 2011). "Mining the Moon's Water: Q&A with Shackleton Energy's Bill Stone". *Space News*.
197. "President Bush Offers New Vision For NASA" (Press release). NASA. 14 December 2004. Retrieved 12 April 2007.
198. "Constellation". NASA. Retrieved 13 April 2010.
199. "NASA Unveils Global Exploration Strategy and Lunar Architecture" (Press release). NASA. 4 December 2006. Retrieved 12 April 2007.
200. NASAtelevision (15 April 2010). "President Obama Pledges Total Commitment to NASA". YouTube. Retrieved 7 May 2012.
201. "India's Space Agency Proposes Manned Spaceflight Program". SPACE.com. 10 November 2006. Retrieved 23 October 2008.
202. Takahashi, Yuki (September 1999). "Mission Design for Setting up an Optical Telescope on the Moon". *California Institute of Technology*. Retrieved 27 March 2011.
203. Chandler, David (15 February 2008). "MIT to lead development of new telescopes on moon". *MIT News*. Retrieved 27 March 2011.
204. Naeye, Robert (6 April 2008). "NASA Scientists Pioneer Method for Making Giant Lunar Telescopes". *Goddard Space Flight Center*. Retrieved 27 March 2011.
205. Bell, Trudy (9 October 2008). "Liquid Mirror Telescopes on the Moon". *Science News. NASA*. Retrieved 27 March 2011.
206. "Far Ultraviolet Camera/Spectrograph". *Lpi.usra.edu*. Retrieved 3 October 2013.
207. Brumfield, Ben (25 July 2014). "U.S. reveals secret plans for '60s moon base". *CNN*. Retrieved 26 July 2014.
208. Teitel, Amy (11 November 2013). "LUNEX: Another way to the Moon". *Popular Science*.
209. Logsdon, John (2010). *John F. Kennedy and the Race to the Moon*. Palgrave Macmillan. ISBN 978-0-230-11010-6.
210. "Can any State claim a part of outer space as its own?". *United Nations Office for Outer Space Affairs*. Retrieved 28 March 2010.
211. "How many States have signed and ratified the five international treaties governing outer space?". *United Nations Office for Outer Space Affairs*. 1 January 2006. Retrieved 28 March 2010.
212. "Do the five international treaties regulate military activities in outer space?". *United Nations Office for Outer Space Affairs*. Retrieved 28 March 2010.

213. ["Agreement Governing the Activities of States on the Moon and Other Celestial Bodies"](#). United Nations Office for Outer Space Affairs. Retrieved 28 March 2010.
-
214. ["The treaties control space-related activities of States. What about non-governmental entities active in outer space, like companies and even individuals?"](#). United Nations Office for Outer Space Affairs. Retrieved 28 March 2010.
-
215. ["Statement by the Board of Directors of the IISL On Claims to Property Rights Regarding The Moon and Other Celestial Bodies \(2004\)" \(PDF\)](#). International Institute of Space Law. 2004. Retrieved 28 March 2010.
-
216. ["Further Statement by the Board of Directors of the IISL On Claims to Lunar Property Rights \(2009\)" \(PDF\)](#). International Institute of Space Law. 22 March 2009. Retrieved 28 March 2010.
-
217. ["Carved and Drawn Prehistoric Maps of the Cosmos"](#). Space Today Online. 2006. Retrieved 12 April 2007.
-
218. "Muhammad." [Encyclopædia Britannica](#). 2007. Encyclopædia Britannica Online, p.13
-
219. Marshack, Alexander (1991), *The Roots of Civilization*, Colonial Hill, Mount Kisco, NY.
-
220. Brooks, A. S. and Smith, C. C. (1987): "Ishango revisited: new age determinations and cultural interpretations", *The African Archaeological Review*, 5 : 65–78.
-
221. [Duncan, David Ewing \(1998\). *The Calendar*. Fourth Estate Ltd. pp. 10–11. ISBN 978-1-85702-721-1.](#)
-
222. For etymology, see [Barnhart, Robert K. \(1995\). *The Barnhart Concise Dictionary of Etymology*. Harper Collins. p. 487. ISBN 978-0-06-270084-1.](#) For the lunar calendar of the Germanic peoples, see [Birley, A. R. \(Trans.\) \(1999\). *Agricola and Germany*. Oxford World's Classics. USA: Oxford. p. 108. ISBN 978-0-19-283300-6.](#)
-
223. [Mallory, J. P.; Adams, D. Q. \(2006\). *The Oxford Introduction to Proto-Indo-European and the Proto-Indo-European World*. Oxford Linguistics. Oxford University Press. pp. 98, 128, 317. ISBN 978-0-19-928791-8.](#)
-
224. [Harper, Douglas. "measure". *Online Etymology Dictionary*.](#)
-
225. [Harper, Douglas. "menstrual". *Online Etymology Dictionary*.](#)
-
226. [Smith, William George \(1849\). *Dictionary of Greek and Roman Biography and Mythology: Oarses-Zygia*. 3. J. Walton. p. 768. Retrieved 29 March 2010.](#)
-
227. [Estienne, Henri \(1846\). *Thesaurus graecae linguae*. 5. Didot. p. 1001. Retrieved 29 March 2010.](#)
-
228. [mensis](#). Charlton T. Lewis and Charles Short. [A Latin Dictionary on Perseus Project](#).
-
229. [μείς](#) in [Liddell and Scott](#).
-
230. ["Islamic Calendars based on the Calculated First Visibility of the Lunar Crescent"](#). University of Utrecht. Retrieved 11 January 2014.
-
231. [Lilienfeld, Scott O.; Arkowitz, Hal \(2009\). "Lunacy and the Full Moon". *Scientific American*. Retrieved 13 April 2010.](#)
-
232. [Rotton, James; Kelly, I. W. \(1985\). "Much ado about the full moon: A meta-analysis of lunar-lunacy research." *Psychological Bulletin*. 97 \(2\): 286–306. doi:10.1037/0033-2909.97.2.286.](#)
-
233. [Martens, R.; Kelly, I. W.; Saklofske, D. H. \(1988\). "Lunar Phase and Birthrate: A 50-year Critical Review". *Psychological Reports*. 63 \(3\): 923–934. doi:10.2466/pr0.1988.63.3.923.](#)
-

234. Kelly, Ivan; Rotton, James; Culver, Roger (1986), "The Moon Was Full and Nothing Happened: A Review of Studies on the Moon and Human Behavior", *Skeptical Inquirer*, **10** (2): 129–43. Reprinted in *The Hundredth Monkey - and other paradigms of the paranormal*, edited by Kendrick Frazier, Prometheus Books. Revised and updated in *The Outer Edge: Classic Investigations of the Paranormal*, edited by Joe Nickell, Barry Karr, and Tom Genoni, 1996, CSICOP.

235. Foster, Russell G.; Roenneberg, Till (2008). "Human Responses to the Geophysical Daily, Annual and Lunar Cycles". *Current Biology*. **18** (17): R784–R794. doi:10.1016/j.cub.2008.07.003. PMID 18786384.

– Bibliography

- Needham, Joseph (1986). *Science and Civilization in China, Volume III: Mathematics and the Sciences of the Heavens and Earth*. Taipei: Caves Books. ISBN 978-0-521-05801-8.

Further reading

- "Revisiting the Moon". *New York Times*. Retrieved 8 September 2014.
- The Moon. *Discovery 2008*. BBC World Service.
- Bussey, B.; Spudis, P.D. (2004). *The Clementine Atlas of the Moon*. Cambridge University Press. ISBN 0-521-81528-2.
- Cain, Fraser. "Where does the Moon Come From?". *Universe Today*. Retrieved 1 April 2008. (podcast and transcript)
- Jolliff, B. (2006). Wieczorek, M.; Shearer, C.; Neal, C., eds. *New views of the Moon*. *Rev. Mineral. Geochem.* **60**. Chantilly, Virginia: Min. Soc. Amer. p. 721. doi:10.2138/rmg.2006.60.0. ISBN 0-939950-72-3. Retrieved 12 April 2007.
- Jones, E.M. (2006). "Apollo Lunar Surface Journal". NASA. Retrieved 12 April 2007.
- "Exploring the Moon". Lunar and Planetary Institute. Retrieved 12 April 2007.
- Mackenzie, Dana (2003). *The Big Splat, or How Our Moon Came to Be*. Hoboken, New Jersey: John Wiley & Sons, Inc. ISBN 0-471-15057-6.
- Moore, P. (2001). *On the Moon*. Tucson, Arizona: Sterling Publishing Co. ISBN 0-304-35469-4.
- "Moon Articles". *Planetary Science Research Discoveries*.
- Spudis, P. D. (1996). *The Once and Future Moon*. Smithsonian Institution Press. ISBN 1-56098-634-4.
- Taylor, S.R. (1992). *Solar system evolution*. Cambridge Univ. Press. p. 307. ISBN 0-521-37212-7.
- Teague, K. (2006). "The Project Apollo Archive". Retrieved 12 April 2007.
- Wilhelms, D.E. (1987). "Geologic History of the Moon". U.S. Geological Survey Professional paper. **1348**. Retrieved 12 April 2007.
- Wilhelms, D.E. (1993). *To a Rocky Moon: A Geologist's History of Lunar Exploration*. Tucson, Arizona: University of Arizona Press. ISBN 0-8165-1065-2. Retrieved 10 March 2009.

External links

- [APOD - Video of lunar drive](#)
- [The Moon on Google Maps](#), a 3-D rendition of the moon akin to Google Earth

– Cartographic resources

- ["Consolidated Lunar Atlas"](#). *Lunar and Planetary Institute*. Retrieved 26 February 2012.
- [Gazetteer of Planetary Nomenclature \(USGS\) List of feature names](#).
- ["Clementine Lunar Image Browser"](#). *U.S. Navy*. 15 October 2003. Retrieved 12 April 2007.
- 3D zoomable globes:
 - ["Google Moon"](#). *Google*. 2007. Retrieved 12 April 2007.
 - ["Moon"](#). *World Wind Central*. NASA. 2007. Retrieved 12 April 2007.
- [Aeschliman, R. "Lunar Maps"](#). *Planetary Cartography and Graphics*. Retrieved 12 April 2007. Maps and panoramas at Apollo landing sites
- [Japan Aerospace Exploration Agency \(JAXA\) Kaguya \(Selene\) images](#)
- [Large image of the Moon's north pole area](#)

– Observation tools

- ["NASA's SKYCAL—Sky Events Calendar"](#). *NASA Eclipse Home Page*. Retrieved 27 August 2007.
- ["Find moonrise, moonset and moonphase for a location"](#). 2008. Retrieved 18 February 2008.
- ["HMNAO's Moon Watch"](#). 2005. Retrieved 24 May 2009. See when the next new crescent moon is visible for any location.

– General

- [Lunar shelter \(building a lunar base with 3D printing\)](#)

Retrieved from "<https://en.wikipedia.org/w/index.php?title=Moon&oldid=740572543>"

This page was last modified on 21 September 2016, at 22:34.

Text is available under the [Creative Commons Attribution-ShareAlike License](#); additional terms may apply. By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#). Wikipedia® is a registered trademark of the [Wikimedia Foundation, Inc.](#), a non-profit organization.