

I. A Catalogue of the fifty Plants from Chelsea-Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1730; pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Praef. Col. Reg. Med. & Soc. Reg. by Isaac Rand, Apothecary, F. R. S.

401. **A** DHATODA Zeylanensium. Hort.

Lugd. Bat. 642.

402. Ageratum foliis serratis. C. B. 221. *Ageratum plerisque; Herba Julia quibusdam* J. B. III. pag. 142.

403. Ageratum, breviori & latiori folio. *Ptarmica lutea, suaveolens; corymbis longioribus & magis compactis.* T. Inst. 497.

404. Ageratum Hispanicum; amplioribus foliis; flosculis minoribus.

405. Anonis pulchra visu; folio Ciceris; Ornithopodij siliquis, annuentibus; Hort. Cath. 18.

406. Aparine semine Coriandri saccharati. Park. Theat. 567.

407. Aparine semine læviore, Raij Hist. 484.

408. Aparine minima, D. Sherard. Raij Syn. Ed. 2. 118.

409. Arundo arborea Indica; ample, pediculato folio. *Bambu altera species.* Raij Hist. 1316. Beesha. Hort. Malab. Tom. 5. Tab. 60.

G g

410. Canna



410. *Canna Indica*; radice alba, alexipharmacia,  
Sloan. Cat. Jam. 122. Hist. Tab. 149. Fig. 2. *Ar-*  
*row-root.*
411. *Caryophyllata vulgaris*. C. B. 321.
412. *Caryophyllata aquatica*, nutante flore C. B.
- 321.
413. *Caryophyllata major*; nutante flore.
414. *Caryophyllata Virginiana*; albo flore, minore;  
radice inodora. H. Lugd. Bat. 121.
415. *Caucalis Monspeliaca*; echinato magno fruc-  
tu. C. B. 153.
416. *Chamædrys Alpina*, frutescens; folio splen-  
dente. T. Inst. 205.
417. *Chamæmelum montanum*; *Absinthij folio*;  
*Parthenij odore*. Hort Cath.
418. *Chamæmelum incanum*; *Absinthij vulgaris*  
folio, D. Vaillant. Ac. Reg. Sc. 1720.
419. *Chamæmelum Hispanicum*, humile, ramosif-  
sum; *Cotulæ foetide facie*.
420. *Chelone Acadiensis*; flore albo. D. Tournef.  
Ac. Reg. Sc. 1706. Josselyn *New-England's Rari-*  
*ties*, Numb. 6. pag. 78 & 79.
421. *Eupatoriophalacron*, *Balsaminæ fœminæ folio*;  
flore albo discoide. D. Vaillant, Ac. Reg. Sc. 1720.  
*Scabiosa Conyzoides Americana*; *capitulis & flo-*  
*ribus albidis parvis* P. B. P. Pluk. phyt. Tab. 109.  
Fig. I.
422. *Eupatoriophalacron Americanum*, procum-  
bens; *albis floribus*; *foliis parvis undulatis, asperis*.
423. *Eupatoriophalacron Americanum*; *scrophula-*  
*riæ acutiore folio*; *disco luteo, prominente, stipato,*  
*vix radiato*.

424. Eupatoriophalacron Indicum ; scrophulariae folio ; capitulo parvo, radiis quinis ad Basin ornato, hispidis & glutinosis.

*An Cichoreo affinis Lampsana Sinica, Mentastris foliis ; calyce fimbriato, hispido. Sinice Hi-bimtsaw dicta ? Pluk. Amalt. 58. Phyt. Tab. 380. Fig. 2.*

425. Fœnum Græcum sativum. C. B. 348.

426. Fœnum Græcum, sylvestre ; polyceration, majus, Creticum. Breyen. Cent. 79.

427. Fœnum Græcum sylvestre, polyceration, minus, Monspeliacum. Breyen. Cent. 79. *Hedysarum minimum, Dalechamp. Hist. Lugd. 446.*

428. Herniaria glabra. I. B. III. 378.

429. Herniaria hirsuta. I. B. III. 379.

430. Lysimachia spicata ; flore albo ; salicis folio.

T. Inst. 141.

431. Medica scutellata. I. B. II. 384.

432. Medica hirsuta ; echinis rigidioribus. I. B. II.

385.

433. Medica magna, turbinata. I. B. II. 385.

434. Medica tornata, minor, lenis. Park. Theat.

1116.

435. Medica maritima, nostras ; modiolis Spinosis. *Trifolium cochleatum ; modiolis spinosis.*

Raij Syn. Ed. 2. 197.

436. Medica fructu ovali spinoso. *Medica S<sup>n</sup>ap<sup>r</sup> G<sup>o</sup>. fructu ovali, Spinulis brevioribus & rigidioribus.*

Raij Hist. 963.

437. Medica Orientalis ; fructu rotundiore, subhirsuto, tuberculis raris obsoito.

438. Medica Hispanica ; fructu echinato, subhirsuto, sphæroide.

439. *Medica echinata*, minima I. B. II. 386.  
 440. *Medica marina*. Lob. Icon. 38. *Trifolium cochlearium*, *maritimum*, *tomentosum*. C. B. 329.  
 441. *Melilotus Mefianensis*, procumbens; folliculis rugosis, sublongis; spicis florum brevioribus. Raij Hist. 952.  
 442. *Ornithopodium scorpioides*; siliqua compressa. T. Inst. 400.  
 443. *Papaver luteum*, perenne; laciniato folio; Cambro-britannicum. Raij Syn. Ed. 3. 309 *Argemone lutea Cambro-britannica*. Park. Theat. 369.  
 444. *Papaver spinosum*. C. B. 171.  
 445. *Pseudo-Ipecacuanha Noveboracensis Dni Colden*.  
 An *Perichyumenum herbaceum*, *rectum*, *Virginia-num*, Dr Tinkars-weed, vulgo vocatum? Pluk. Alm. 287. Phyt. Tab. 104. f. 2.  
 446. *Ptarmica Agerati folio*, acutiori. *Ageratum album vulgo*.  
 447. *Ranunculus arvensis*, *echinatus*. C. B. 179.  
 448. *Ranunculus arvensis*; *semibibus magis echinatis*. D. Sherard. Boerh. Ind. alt. 32.  
 449. *Ruyschiana*; flore cæruleo, magno. Boerh. Ind. alt. 173. *Chamæpitys cærulea austriaca*. C. B. 250.  
 450. *Veronica fruticosa erecta*, dulcis; hexangulari caule; flore dilutè cæruleo. Sloan. Cat. Jam. 81. Hist. Tab. 108. f. 2.