

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

- (1) Box no. 2814
- (2) Folder title/number: (3)  
Monthly Report of Immunization and V.D. - Tokyo

(3) Date: Dec. 1949 - Mar. 1951

(4) Subject:

Classification	Type of record
9752	p

(5) Item description and comment:  
Tokyo

(6) Reproduction:  Yes  No

(7) Film no.

Sheet no.

(Compiled by National Diet Library)

*Handwritten initials*

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: March, 1951

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster			265	265
	Series			441	441
Smallpox		56,733	13,677	917,959	988,369
Typhus	2 times			208	239
	1 time	17(0)	12(7)	1,003(586)	1,032(587)
Diphtheria		41,401	43,820		85,221
Whooping-cough		7,458			7,458
BCG		33,130	101,889	25,064	160,083

KCAR PH 1a

Remarks: The parenthesized figures indicate those who were given the 2nd shot in March after receiving the 1st one in the previous month.

MONTHLY REPORT  
of  
VENEREAL DISEASES

Name of Prefecture: Tokyo-to Month Ending: March, 1951

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	41	298	none	339
	Voluntary	Male	1,043	104	none	1,147
		Female	2,956	1,901	none	4,857
Diagnosed positive	Syphilis	Male	113	5	none	118
		Female	167	13	none	180
	Gonorrhoea	Male	67	5	none	72
		Female	52	220	none	272
	Chancroid	Male	9	4	none	13
		Female	3	26	none	29
	Treatment	Syphilis	3,242	161	none	3,403
		Gonorrhoea	448	557	none	1,005
Chancroid		34	132	none	166	
Contact Tracing	Syphilis	Traced	15	0	none	15
		Positive	7	0	none	7
	Gonorrhoea	Traced	3	0	none	3
		Positive	1	0	none	1
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

*W. J. D.*

Name of Prefecture: Tokyo-to Month Ending: February, 1951.

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster			564	564
	Series			40	40
Smallpox		4,542	49,694	386	54,622
Typhus	2 times	9	79	3,124	3,212
	1 time	75 (67)	370 (313)	6,987 (3,950)	7,432 (4,330)
Diphtheria		8,647	73,751		82,398
Whooping-cough		2,353			2,353
BCG		24,519	23,428	14,351	62,298

KOAR PH 1a

Remarks: Above parenthesized figures show those who were given the second shot in February after receiving the first shot in the previous month.

MONTHLY REPORT  
of  
VENEREAL DISEASES

*ms 9 10*

Name of Prefecture: Tokyo-to Month Ending: February, 1951.

		Health Center	Hospital	Clinic	Total		
No. of Examination	Compulsory	Male	0	0	none	0	
		Female	0	87	none	87	
	Voluntary	Male	817	77	none	894	
		Female	2,107	1,143	none	3,250	
Diagnosed positive	Syphilis	Male	97	0	none	97	
		Female	124	5	none	129	
	Gonorrhoea	Male	48	6	none	54	
		Female	26	81	none	107	
	Chancroid	Male	6	2	none	8	
		Female	0	5	none	5	
	Treatment	Syphilis		2,583	111	none	2,694
		Gonorrhoea		337	196	none	533
Chancroid		22	38	none	60		
Contact Tracing	Syphilis	Traced	25	0	none	25	
		Positive	5	0	none	5	
	Gonorrhoea	Traced	4	0	none	4	
		Positive	0	0	none	0	
	Chancroid	Traced	0	0	none	0	
		Positive	0	0	none	0	

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: January, 1951

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster			1,700	1,700
	Series			298	298
Smallpox		5,008	469	☆ 28	5,505
Typhus	2 times	29	401	5,396	5,826
	1 time	93 (20)	458 (35)	8,325 (1,818)	8,876 (1,873)
Diphtheria		30,269	1,579		31,848
Whooping-cough		2,051			2,051
BCG		2,992	9,699	4,063	16,754

KCAR PH 1a

Remarks:

- (1) The asterisked figure shows persons to travel abroad.
- (2) The parenthesized figures show those who were given the second shot in January after receiving the first one in the previous month.

MONTHLY REPORT  
of  
VENEREAL DISEASES

Name of Prefecture: Tokyo-to Month Ending: January, 1951

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	0	92	none	92
	Voluntary	Male	955	70	none	1,025
		Female	1,817	1,217	none	3,034
Diagnosed positive	Syphilis	Male	108	6	none	114
		Female	98	9	none	107
	Gonorrhoea	Male	67	3	none	70
		Female	25	92	none	117
	Chancroid	Male	10	2	none	12
		Female	0	9	none	9
Treatment	Syphilis	2,465	64	none	2,529	
	Gonorrhoea	257	182	none	439	
	Chancroid	37	42	none	79	
Contact Tracing	Syphilis	Traced	12	0	none	12
		Positive	6	0	none	6
	Gonorrhoea	Traced	2	0	none	2
		Positive	2	0	none	2
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

*my*

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: December <sup>1951</sup>

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster			10,440	10,440
	Series			193	193
Smallpox		19,253	9,882	138	29,273
Typhus	<i>2 times</i>	276	636	8,715	9,627
	<i>1 time</i>	229 (103)	1,134 (536)	7,049 (3,092)	8,412 (3,731)
Diphtheria		68,699	7,300		75,999
Whooping-cough		5,064			5,064
BGG		8,743	62,456	11,423	82,622

KOAR PH 1A

Remarks: Above parenthesized figures those who were immunized with the 2nd shot in December after receiving the 1st one in the previous month.

Received  
K.I.O.O.



*m wj*

MONTHLY REPORT  
of  
VENEREAL DISEASES

1951

Name of Prefecture: Tokyo-to Month Ending: December

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	0	165	none	165
	Voluntary	Male	703	99	none	802
		Female	2,069	1,506	none	3,575
	Syphilis	Male	65	2	none	67
		Female	132	11	none	143
	Gonorrhoea	Male	48	5	none	53
		Female	38	168	none	206
Chancroid	Male	6	2	none	8	
	Female	0	16	none	16	
Diagnosed positive	Syphilis		2,804	290	none	3,094
	Gonorrhoea		321	365	none	686
	Chancroid		23	99	none	122
Treatment	Syphilis	Traced	24	0	none	24
		Positive	7	0	none	7
	Gonorrhoea	Traced	3	0	none	3
		Positive	0	0	none	0
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0
Contact Tracing	Syphilis	Traced	24	0	none	24
		Positive	7	0	none	7
	Gonorrhoea	Traced	3	0	none	3
		Positive	0	0	none	0
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: November 1950

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster			17,433	17,433
	Series			1,890	1,890
Smallpox					60,349
Typhus	2 times	106	783	10,745	11,634
	1 time	127(2)	602(40)	9,809(364)	10,538(406)
Diphtheria					147,267
Whooping-cough					9,783
*BCG		10,103	13,821	7,209	31,131

KCAR PH 1a

Remarks:

Above parenthesized figures show persons who were given 2nd shot after receiving 1st shot in October.

MONTHLY REPORT  
of  
VENEREAL DISEASES

Name of Prefecture: Tokyo-to Month Ending: November 50

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	None	0
		Female	0	155	None	155
	Voluntary	Male	1,006	95	None	1,101
		Female	2,744	1,416	None	4,160
Diagnosed positive	Syphilis	Male	83	3	None	86
		Female	152	8	None	160
	Gonorrhoea	Male	62	0	None	62
		Female	45	214	None	259
	Chancroid	Male	9	1	None	10
		Female	1	14	None	15
Treatment	Syphilis		3,339	244	None	3,583
	Gonorrhoea		402	497	None	899
	Chancroid		44	96	None	140
Contact Tracing	Syphilis	Traced	14	0	None	14
		Positive	3	0	None	3
	Gonorrhoea	Traced	0	0	None	0
		Positive	0	0	None	0
	Chancroid	Traced	0	0	None	0
		Positive	0	0	None	0

MONTHLY REPORT  
of  
VENEREAL DISEASES

Name of Prefecture: Tokyo-to Month Ending: October 50

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	0	569	none	569
	Voluntary	Male	875	141	none	1,016
		Female	2,746	1,998	none	4,744
Diagnosed positive	Syphilis	Male	109	3	none	112
		Female	161	15	none	176
	Gonorrhoea	Male	54	3	none	57
		Female	39	417	none	456
	Chancroid	Male	10	3	none	13
		Female	3	31	none	34
Treatment	Syphilis	3,522	217	none	3,739	
	Gonorrhoea	393	926	none	1,319	
	Chancroid	45	242	none	287	
Contact Tracing	Syphilis	Traced	11	0	none	11
		Positive	2	0	none	2
	Gonorrhoea	Traced	0	0	none	0
		Positive	0	0	none	0
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: October 50

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster				125,737
	Series				23,410
Smallpox		5,637	22	36	5,695
Typhus	§ 2 times	2	6	4	12
	1 time	7	40	1,168	1,215
Diphtheria		8,173	11		8,184
Whooping-cough		328			328
BCG		33,086	8,013	9,198	50,297

KCAR PH 1a

Remarks: § indicates those involved in a typhus case in Kitatama 2nd HC district which was diagnosed as murine afterwards.

MONTHLY REPORT  
of  
VENEREAL DISEASES

1950

Name of Prefecture: Tokyo-to Month Ending: September

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	6	0	None	6
		Female	2	287	None	289
	Voluntary	Male	1,097	0	None	1,097
		Female	2,898	1,746	None	4,644
	Syphilis	Male	112	6	None	118
		Female	158	10	None	168
	Gonorrhoea	Male	86	5	None	91
		Female	50	189	None	239
	Chancroid	Male	7	10	None	17
		Female	1	19	None	20
	Diagnosed positive	Syphilis	3,683	179	None	3,862
		Gonorrhoea	504	469	None	973
Chancroid		25	121	None	146	
Treatment	Syphilis	11	0	None	11	
	Positive	1	0	None	1	
	Gonorrhoea	0	0	None	0	
Contact Tracing	Syphilis	Traced	0	0	None	0
		Positive	0	0	None	0
	Gonorrhoea	Traced	0	0	None	0
		Positive	0	0	None	0
	Chancroid	Traced	0	0	None	0
		Positive	0	0	None	0

MONTHLY REPORT  
of  
IMMUNIZATION

1950

Name of Prefecture: Tokyo-to Month Ending: September

		Age Group			Total
		0 - 6	7 - 14	Over 15*	
Typhoid Paratyphoid	Booster	0	0	374,214	374,214
	Series	0	0	58,497	58,497
Smallpox		0	0	192	192
Typhus <i>only one time</i> §		1	1	21	23
Diphtheria		276	12	0	288
Whooping-cough		/	/	/	/
BCG		40,839	23,388	4,260	68,487

KCAR PH 1a

§ indicates persons to travel abroad.

MONTHLY REPORT  
of  
VENEREAL DISEASES

Name of Prefecture: Tokyo-to Month Ending: August 1950

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	1	212	none	213
	Voluntary	Male	988	133	none	1,121
		Female	2,714	2,055	none	4,769
	Syphilis	Male	85	5	none	90
		Female	129	16	none	145
Diagnosed positive	Gonorrhoea	Male	54	10	none	64
		Female	56	212	none	268
	Chancroid	Male	5	6	none	11
		Female	1	20	none	21
Treatment	Syphilis	3,381	147	none	3,528	
	Gonorrhoea	565	455	none	1,020	
	Chancroid	31	144	none	175	
Contact Tracing	Syphilis	Traced	6	0	none	6
		Positive	2	0	none	2
	Gonorrhoea	Traced	2	0	none	2
		Positive	2	0	none	2
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0



MONTHLY REPORT  
of  
IMMUNIZATIONName of Prefecture: Tokyo-to Month Ending: August 1950

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster	/	/	/	841,364
	Series	/	/	/	363,430
Smallpox		0	0	44	44
Typhus §		32	64	242	338
Diphtheria		107	28	0	135
Whooping-cough		0	0	0	0
BCG		8,313	18,897	4,217	31,427

KCAR PH 1a

Remarks: § shows those given first shot only in August, because of change of diagnosis.

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to Month Ending: July 1950

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid Paratyphoid	Booster				638,979
	Series				
					113,443
Smallpox		9	267	29	305 <sup>1</sup>
Typhus		14	68	365	447 <sup>2</sup>
Diphtheria		282	4	0	286
Whooping-cough		0	0	0	0
BCG		9,943	29,191	18,014	57,148

KCAR PH 1a

Remarks:

1. In addition to the total of 305, there were 28 persons small-pox immunized by private doctors.
2. The total of 447 indicates all of those given first shot in July.

MONTHLY REPORT  
of  
VENEREAL DISEASES ✓

Name of Prefecture: Tokyo-to Month Ending: July 1950

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	17	0	none	17
		Female	7	160	none	167
	Voluntary	Male	828	143	none	971
		Female	2,282	2,141	none	4,423
	Syphilis	Male	91	5	none	96
		Female	128	12	none	140
	Gonorrhoea	Male	66	8	none	74
		Female	38	221	none	259
Chancroid	Male	13	2	none	15	
	Female	0	20	none	20	
Diagnosed positive	Syphilis		3,801	241	none	4,042
	Gonorrhoea		606	513	none	1,119
	Chancroid		70	110	none	180
Treatment	Syphilis		3,801	241	none	4,042
	Gonorrhoea		606	513	none	1,119
	Chancroid		70	110	none	180
Contact Tracing	Syphilis	Traced	6	0	none	6
		Positive	4	0	none	4
	Gonorrhoea	Traced	1	0	none	1
		Positive	1	0	none	1
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATIONName of Prefecture: Tokyo-toMonth Ending: June

	Age Group			Total	
	0 - 6	7 - 14	Over 15		
Typhoid- para-typhoid	1st series	0	0	4,212	4,212
	2nd series	1	0	0	1
Small-pox	4,767	9	433	5,209	
Typhus	22 (39)	73 (66)	182 (289)	277 (394)	
Diphtheria	925	14	0	939	
Whooping-cough	0	0	0	0	
BIG	2,918	4,704	3,567	11,189	

MOAR PH 1a

## Remarks:

- § (1) The bracketed figures indicate those who received the first shot in June, while the unbracketed indicate those who were given series, both the 1st and 2nd shots, in the month.
- (2) In addition to the above figures indicating persons who received small-pox vaccination, there were another 823 who were given small-pox vaccination by private doctors.

MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: June

			Health Center	Hospital	Clinic	Total
No. of Examination	Compulsory	Male	3	0	none	3
		Female	2	207	none	209
	Voluntary	Male	828	196	none	1,024
		Female	2,303	1,983	none	4,286
Diagnosed Positive	Syphilis	Male	105	7	none	112
		Female	166	33	none	199
	Gonorrhoea	Male	61	18	none	79
		Female	43	250	none	293
	Chancroid	Male	5	6	none	11
		Female	1	20	none	21
Treatment	Syphilis		4,040	279	none	4,319
	Gonorrhoea		536	560	none	1,096
	Chancroid		44	104	none	148
Contact Tracing	Syphilis	Traced	6	0	none	6
		Positive	0	0	none	0
	Gonorrhoea	Traced	1	0	none	1
		Positive	1	0	none	1
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-to

Month Ending: May

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid- para-typhoid	BCOS- tar series	0 0	0 0	279 4	279 4
Small-pox		112	4,032	50,990	55,134
Typhus	§	15 (86)	84 (237)	418 (2,271)	517 (2,594)
Diphtheria		1,332	0	0	1,332
Whooping-cough		0	0	0	0
BCG		6,064	14,005	8,619	28,688

FORM PH 1a

Remarks: § All the bracketed figures indicate those who received no more than one shot in May, including 38 (0-6), 91 (7-14) and 292 (over 15), respectively, who were given the 2nd shot in the month.

All the unbracketed figures show those who completed the series, both the 1st and 2nd shots, in May, excluding the bracketed figures.

MONTHLY REPORT  
OF  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: May

		Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	0	none	0
		Female	0	369	none	369
	Voluntary	Male	828	175	none	1,003
		Female	2,569	2,127	none	4,696
Diagnosed Positive	Syphilis	Male	110	8	none	118
		Female	170	33	none	203
	Gonorrhoea	Male	58	13	none	71
		Female	37	261	none	298
	Chancroid	Male	8	2	none	10
		Female	0	5	none	5
Treatment	Syphilis	3,912	420	none	4,332	
	Gonorrhoea	505	490	none	995	
	Chancroid	26	40	none	66	
Contact Tracing	Syphilis	Traced	26	0	none	26
		Positive	13	0	none	13
	Gonorrhoea	Traced	5	0	none	5
		Positive	3	0	none	3
	Chancroid	Traced	1	0	none	1
		Positive	1	0	none	1

MONTHLY REPORT  
of  
IMMUNIZATIONName of Prefecture: Tokyo-toMonth Ending: April

	Age Group	Total		
		0 - 6	7 - 14	Over 15
Typhoid- para-typhoid	Booster series	0 129	0 0	192 0
Small-pox		15,154	46,511	617,527
Typhus	§	86 (251)	358 (587)	1,395 (5,302)
Diphtheria		5,004 (Booster)	0	0
Whooping-cough		0	0	0
BCG		16,759	56,126	26,333
				99,218

ICMR PH 1a

Remarks: § All the bracketed figures indicate those who received no more than one shot in April, including 60 (0-6), 173 (7-14) and 2,130 (over 15), respectively, who were given the 1st shot in March and the 2nd one in April.

All the unbracketed figures show those who received both the 1st and 2nd shots in April, excluding the bracketed figures.



MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: April

			Health Center	Hospital	Clinic	Total
No. of Examination	Compulsory	Male	2	0	none	2
		Female	1	382	none	383
	Voluntary	Male	972	189	none	1,161
		Female	2,385	1,828	none	4,213
Diagnosed Positive	Syphilis	Male	103	3	none	106
		Female	190	36	none	226
	Gonorrhoea	Male	66	7	none	73
		Female	39	245	none	284
	Chancroid	Male	9	1	none	10
		Female	1	11	none	12
Treatment	Syphilis		3,524	263	none	3,787
	Gonorrhoea		350	544	none	894
	Chancroid		38	96	none	134
Contact Tracing	Syphilis	Traced	23	0	none	23
		Positive	4	0	none	4
	Gonorrhoea	Traced	2	0	none	2
		Positive	1	0	none	1
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

SECT VIII - 2

MONTHLY REPORT  
OF  
IMMUNIZATION

Name of Prefecture: Tokyo-to

Month Ending: March

		Age Group			Total
		0 - 6	7 - 14	Over 15	
Typhoid- para-typhoid	Boos- ter	0	0	2	2
	series	0	0	91	91
Small-pox		160,760	189,926	1,691,144	2,041,830
Typhus	{	489 (1,336)	1,689 (5,376)	14,399 (24,823)	16,577 (31,535)
Diphtheria		6,799 (series)	0	0	6,799
Whooping-cough		0	0	0	0
DTG		4,718	26,621	13,319	44,658

FORM PH 1a

Remarks: (1) All the bracketed figures indicate those who were given one shot, including 492 (0-6), 2,507 (7-14) and 16,145 (over 15) who were all carried over from the previous month and received second shot in March.  
(2) All the unbracketed figures indicate those who completed the series, excluding the bracketed figures.

SECT VII-3

MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: March

			Health Center	Hospital	Clinic	Total
No. of Examination	Compulsory	Male	1	1	none	2
		Female	3	149	none	152
	Voluntary	Male	1,211	53	none	1,264
		Female	2,788	2,009	none	4,797
Diagnosed Positive	Syphilis	Male	141	4	none	145
		Female	180	39	none	219
	Gonorrhoea	Male	65	14	none	79
		Female	40	218	none	258
	Chancroid	Male	7	2	none	9
		Female	4	7	none	11
Treatment	Syphilis		4,353	156	none	4,509
	Gonorrhoea		495	516	none	1,011
	Chancroid		57	74	none	131
Contact Tracing	Syphilis	Traced	32	0	none	32
		Positive	8	0	none	8
	Gonorrhoea	Traced	1	1	none	2
		Positive	1	1	none	2
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-toMonth Ending: February

	Age Group			Total
	0 - 6	7 - 14	Over 15	
Typhoid- para-typhoid				
Boos- ter series	0	0	32,000	32,000
	0	0	21,069	21,069
Small-pox	7,654	34,671	216,178	258,503
Typhus	4,424 (2,417)	14,789 (8,168)	76,181 (40,832)	95,394 (51,417)
Diphtheria	2,571 (Series)	2 (Booster)	0	2,573
Whooping-cough	0	0	0	0
BCG	938	2,333	1,212	4,483

LCAR PH 1a

Remarks: § All the bracketed figures show those who were given one shot only and are accordingly to be given a 2nd-time shot in the following month, including 470 (100%), 1,163 and 7,184 out of 470, 1,378 and 18,246, the bracketed figures for January, respectively.

All the unbracketed figures indicate those who have completed the series, including the bracketed figures.

HEADQUARTERS  
KANTO CIVIL AFFAIRS REGION  
APO 500

VJ/ah

6 March 1950

MEMORANDUM FOR: Lt. Col. L. C. Schellenberger

SUBJECT: Typhus Immunization of Indigenous Personnel Employed  
by the Occupation Forces in Tokyo Area.

1. According to information received the number of people in the above category is approximately 28,000 to 30,000. Most, if not all will require only one dose.

2. The Japanese dispensaries and other installations will be able to take care of this provided procurement instrument is rendered according to SCAPIN 1949 and SCAPIN 1949/1. (From SPB to ESB, etc.)

Vitold Jankowski, M.D.  
Acting Chief,  
Public Health Section

MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: February

			Health Center	Hospital	Clinic	Total
No. of Examination	Compulsory	Male	0	0	none	0
		Female	0	216	none	216
	Voluntary	Male	1,084	25	none	1,109
		Female	2,235	1,959	none	4,194
Diagnosed Positive	Syphilis	Male	132	2	none	134
		Female	161	20	none	181
	Gonorrhoea	Male	49	14	none	63
		Female	15	304	none	319
	Chaneroid	Male	5	2	none	7
		Female	3	21	none	24
Treatment	Syphilis		3,891	282	none	4,173
	Gonorrhoea		262	499	none	761
	Chaneroid		40	90	none	130
Contact Tracing	Syphilis	Traced	39	0	none	39
		Positive	14	0	none	14
	Gonorrhoea	Traced	8	4	none	12
		Positive	6	2	none	8
	Chaneroid	Traced	0	0	none	0
		Positive	0	0	none	0

MONTHLY REPORT  
of  
IMMUNIZATION

Name of Prefecture: Tokyo-toMonth Ending: January

	Age Group			Total
	0 - 6	7 - 14	Over 15	
Typhoid- para-typhoid	0	0	12,290	12,290
BCG- ter series	0	0	6,217	6,217
Small-pox	1,236	4,347	5,313	10,896
Typhus *	572 (470)	1,698 (1,378)	19,981 (18,246)	22,251 (20,094)
Diphtheria	0	0	0	0
Whooping-cough	0	0	0	0
BCG	113	156	557	826

LCAR PH 1a

\* Remarks: Bracketed figures show those who were given one shot only and accordingly are to be given 2nd-time shot in the following month. Unbracketed figures show those who have completed 2-time series, including bracketed figures.

MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: January

			Health Center	Hospital	Clinic	Total
No. of Examination	Compulsory	Male	0	2	none	2
		Female	0	37	none	37
	Voluntary	Male	1,328	111	none	1,439
		Female	2,578	1,716	none	4,294
Diagnosed Positive	Syphilis	Male	108	56	none	164
		Female	142	69	none	211
	Gonorrhoea	Male	75	19	none	94
		Female	23	174	none	197
	Chancroid	Male	12	2	none	14
		Female	0	12	none	12
Treatment	Syphilis		3,579	237	none	3,816
	Gonorrhoea		410	277	none	687
	Chancroid		44	50	none	94
Contact Tracing	Syphilis	Traced	32	0	none	32
		Positive	11	0	none	11
	Gonorrhoea	Traced	6	1	none	7
		Positive	4	1	none	5
	Chancroid	Traced	0	0	none	0
		Positive	0	0	none	0



MONTHLY REPORT  
of  
VENEREAL DISEASE

Name of Prefecture: Tokyo-to

Month Ending: January

			Health Center	Hospital	Clinic	Total	
No. of Examination	Compulsory	Male	0	2	none	2	
		Female	0	37	none	37	
	Voluntary	Male	1,328	111	none	1,439	
		Female	2,578	1,716	none	4,294	
Diagnosed Positive	Syphilis	Male	108	56	none	164	
		Female	142	69	none	211	
	Gonorrhoea	Male	75	19	none	94	
		Female	23	174	none	197	
	Chancroid	Male	12	2	none	14	
		Female	0	12	none	12	
	Treatment	Syphilis		3,579	237	none	3,816
		Gonorrhoea		410	277	none	687
Chancroid			44	50	none	94	
Contact Tracing	Syphilis	Traced	32	0	none	32	
		Positive	11	0	none	11	
	Gonorrhoea	Traced	6	1	none	7	
		Positive	4	1	none	5	
	Chancroid	Traced	0	0	none	0	
		Positive	0	0	none	0	

## Venereal Diseases Control Division

Report on VD control for December, '49

Classification by item	December	November
(1) No. compulsory examinations: Street-walkers	238 238	196 196
(2) No. of persons examined:	4,636	5,629
a. 41 health centers	4,636	5,395
b. Hachioji Hospital	(abolished) 0	234
(3) No. of patients reported (41 HC's & others)	2,365	2,224
Syphilis	805	930
Gonorrhoea	1,446	1,183
Chancroid	110	110
Lymphogranuloma Venereum	4	1
(4) No. of patients as of 1st of month	13	16
No. of patients hospitalized during month	45	30
No. of discharged during month	47	33
No. of remaining as of end of month	11	13
(5) No. of syphilis patients:	805	930
No. of dark-fields done	12	0
No. of positives	11	0
No. of ulcerous	56	60
No. of primary	241	201
No. of secondary (incl. e.l., l.l.)	402	591
No. of tertiary (incl. latest syphilis)	162	138

## (6) List of hospital and number of VD patients hospitalized during December.

Name of VD hospital	Item	Syphilis	Generrhea	Chancroid	Totals
Yeshiwara	No. of patients as of Dec. 1	4	9	0	13
	No. hospitalized dr. Dec.	11	24	1	36
	No. discharged dr. Dec.	9	29	1	39
	No. remaining as of Dec. 31	6	4	0	10
Teyetana	No. of patients as of Dec. 1	0	0	0	0
	No. hospitalized dr. Dec.	2	5	2	9
	No. discharged dr. Dec.	1	5	2	8
	No. remaining as of Dec. 31	1	0	0	1
Totals	No. of patients as of Dec. 1	4	9	0	13
	No. hospitalized dr. Dec.	13	29	3	45
	No. discharged dr. Dec.	10	34	3	47
	No. remaining as of Dec. 31	7	4	0	11

## (2) Results of tuberculin tests and BCG immunizations by sex and age:

Age	No. tested		No. positives		No. pos. suspect		No. negatives		No. BCG given	
	M	F	M	F	M	F	M	F	M	F
1	33	30	3	4			30	26	131	125
2	48	56	4	1	2	1	42	54	220	209
3	60	38	11	10	4	1	45	27	95	84
4	43	33	3	4	1		39	29	50	36
5	16	18	3	1		1	13	16	18	29
6	47	32	5	7	2	1	40	24	54	33
7	47	20	8	7	2		37	13	29	17
8	21	32	3	1	1	1	17	30	18	29
9	21	10	4	3			17	7	19	9
10	16	17	4	7		1	12	9	14	9
11	19	12	6	5	2	1	11	6	16	7
12	17	13	3	6			14	7	17	8
13	18	15	4	9	1		13	6	17	8
14	8	10	4	4		1	4	5	6	9
15	22	20	9	10		1	13	9	14	13
16	26	15	6	7	4	1	16	7	20	9
17	49	25	23	12	2	2	24	11	26	11
18	35	40	14	18	2	1	19	21	22	18
19	55	49	19	26	52	21	31	21	28	18
20	102	51	38	18	7	3	57	30	64	28

-- to be continued --

-- Continued from the previous page --

Age	No. tested		No. positives		No. pos. suspect		No. negatives		No. BCG given	
	M	F	M	F	M	F	M	F	M	F
21	85	49	33	26	8	2	44	21	50	19
22	85	48	48	25	3	3	34	20	27	23
23	70	36	30	20	4		36	11	25	15
24	69	62	38	30	7	4	24	28	15	22
25	55	57	34	33	2	2	19	22	21	22
26	31	44	13	19	3	2	15	23	10	18
27	34	39	18	21	1	3	15	15	10	12
28	32	35	18	22	3	2	11	11	9	9
29	32	44	19	22	3	6	10	16	9	15
30--34	110	132	79	73	5	7	26	52	12	37
35--39	77	78	59	53	2	1	16	24	10	16
40--44	59	42	43	28	3	2	13	12	2	5
45--49	54	30	33	17	4	2	17	11	8	2
50--59	49	30	33	17	3	1	13	12	5	2
Over 60	14	5	11	3	2		1	2		2
Totals	1,559	1,267	683	569	88	55	788	643	1,091	928

Remarks: (1) Tuberculin tests: Discrepancy of 2,549 is due to no reporting from Joto & Kitatama 1st HC's and TB Prevention Ass'n. (in front of Keiwa, Kissehoji and Shibuya Stations) respectively and to no revisit.

(2) BCG immunizations: Discrepancy of 603 is due to no reporting from Joto & Kitatama HC's and TB Prevention Ass'n.

(3) Results of X-ray examinations:

Age	Sex	No. indi-rect X-ray taken	No. hea-lthy	Classification of findings										Classification of guidance					Active or inactive				
				1	11	11	11	11	1V	1V	1V	V	T	A	B	C	D	E	T	A	A	I	T
				A	B	C	A	B	C										sus.				
0-4	M	52	43	1				5		1		2	9	1	1	5	2		9	7	1	1	9
	F	44	38					5				1	6			6			6	6			6
5-9	M	93	78		3			11				1	15	1	4	9	1		15	10	4	1	15
	F	60	49		1			7	1			2	11	1	1	7	2		11	9	1	1	11
10-14	M	44	41					1	1			1	3			2	1		3	3			3
	F	37	31	1	2			1	1			1	6	1	2	2	1		6	3	2	1	6
15-19	M	228	197	2	9	1		5	9			5	31	9	4	7	11		31	18	4	9	31
	F	145	137	1	3			1	2			1	8	3	1	2	2		8	4	1	3	8
20-24	M	707	600	5	30	7		10	39	5		11	107						107				107
	F	239	205		12	3		1	16	1		1	34	2	14	5	12		1	34	52	35	20
25-29	M	425	349	2	21	3		7	20	10		13	76	5	30	10	26		5	76	41	30	5
	F	235	211	1	12	1		2	4	1	1	2	24	4	10	5	4		1	24	10	10	4
30-34	M	281	206	2	24	4	1	2	26	9		7	75	12	25	10	26		2	75	38	25	12
	F	153	134		6	2		2	4			5	19	1	10	2	6			19	8	10	1
35-39	M	182	135	2	13	5		1	16	3		7	47	4	20	3	20			47	23	20	4
	F	99	84	2	4	1			5	1		2	15	3	5		7			15	7	5	3
40-44	M	121	94	1	9	2			5	9		1	27	3	14	1	5		4	27	10	14	3
	F	60	48	2	7				2			1	12	4	5		3			12	3	5	4
45-49	M	89	66	1	6	2			4	3		7	23	5	7	1	9		1	23	11	7	5
	F	42	31	1	7	1			1	1			11	7	3				1	11	1	3	7
50-59	M	82	58		8	2			9	3		2	24	2	15	1	6			24	7	15	2
	F	56	38	1	11				3	1		2	18	10	3	2	3			18	5	3	10
Over 60	M	20	17						3				3		3					3		3	3
	F	7	4		2						1		3	2			1			3	1	2	3
Total	M	2,324	1,884	16		26	1	42	132	43		57	440	62	158	64	143		13	440	158	62	440
	F	1,177	1,010	9	67	8	19	19	39	5	2	18	167	38	54	31	41	3		167	75	54	38
	T	3,501	2,894	25		34	1	61	171	48	2	75	607	100	212	95	184		16	607	212	100	607

Remarks: Male morbidity..... 18.9% (440:2,324) Female morbidity...14.2%  
 Average morbidity.....17.3% (607:3,501) (167:1,177)

Notes: Discrepancy of 2,265 is due to no reporting from Jôtô, Kitatama 1st HC's and TB Prevention Ass'n (in front of Koïwa, Kissheji and Shibuya Stations) respectively.

## u. Results of Eyesight Protection Days campaign (October 10 &amp; 11th)

The following were obtained by the Free Charge Ophthalmic Consultation Agencies:

*Tokyo*

Ophthalmic disease diagnosed	Isetan, Shinjuku	Mitsukoshi, Ginza	Matsuya, Asakusa	Matsuzakaya, Uyeno	Shirokiya, Nihombashi	Totals
Conjunctivitis trachema	36	20	9	28	8	101
Keratitis	16	5	4	13	5	43
Retinitis	6	4	2	7	3	22
Illness of corpus vitreum	2	3	1	2	2	10
Illness of eyelid	19	2	3	28	6	58
Apparatus labrimalis	8	5	7	9	2	31
Illness of accommodation	17	6	4	39	6	72
Achromatopsia	5	2	8	6	2	23
Chorioiditis	0	1	1	2	0	4
Disturbances of position of eyeball	2	4	1	8	2	17
Illness of crystalline lens	7	0	1	8	1	17
Blepharitis	0	1	0	2	0	3
Glaucoma	1	3	0	1	0	5
Scleritis	2	0	0	1	0	3
Neuritis optica	2	0	0	1	0	3
Normal	3	1	2	6	2	14
<b>Totals</b>	<b>126</b>	<b>57</b>	<b>43</b>	<b>161</b>	<b>39</b>	<b>426</b>

Prevention Division

1. Number of persons immunized during November by type (with number immunized during October as comparison):

<u>Type of immunization</u>	<u>November, '49</u>	<u>October, '49</u>
Typhoid-para-typhoid	78,430	82,344
Small-pox	242,741	8,338

Remarks:

- (1) Of the abovementioned figure of 78,430, 5,673 indicates persons who received booster injection, and 72,757 those given 3-time series. The figure of 78,430 shows those who fell under the regular typhoid-para-typhoid immunization campaign.
- (2) The other figure of 242,741 (small-pox immunization) indicates those who fell under the regular small-pox immunization campaign.

Corrections:

The total of 77,806 (typhoid-para-typhoid immunization) reported in the previous month should have read 82,344. Of the discrepancy of 4,538, 84 indicates persons who received 3-time series, and 4,454 those booster-immunized---according to delayed reports for October from 4 health centers.

2. Results of carrier-tracing for November, '49 (for food and drinks handlers including makers and dealers):

Prescribed number of manufactories, refineries, shops ...	9,978
Prescribed number of persons .....	27,812
Number of persons undergoing carrier-tracing .....	8,696
Number of carriers newly found .....	3 B.dystr.
Number of persons remaining carriers .....	1 Am.dystr. 3 B.dystr.
Number of persons found germ-eradicated .....	2 B.dystr. 1 Am.dystr. 1 typhoid



## 3. Number of repatriates examined during November:

<u>Name of area from</u>	<u>November, '49</u>	<u>October, '49</u>
U.S.S.R.	269	249
Manchuria	1	0
Korea	0	3
Totals	270	252

Remarks: (1) 1 healthy carrier of B. dysentery found among repatriates from U.S.S.R.

(2) 193 persons received typhoid-para-typhoid & small-pox immunization during month.