Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Tobacco Stocks Report as of October 1, 1960



U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

> Stephen E. Wrather Director, Tobacco Division.

> > Washington, D. C. November 16, 1960

CONTENTS

	rage
Discussion	3- 5
Revisions of burley stocks	6
Conversion factors for adjusting for losses in weight	7
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent	8
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)	9-12
Stocks of leaf tobacco, by types and groups of grades	13-16
Summary of tobacco leaf represented in inventories of tobacco sheet	17
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers	18
Stocks of leaf tobacco, summary by types	19

EXPLANATION OF GROUP SYMBOLS BY TYPES OF TOBACCO FOR PURPOSES OF THE TOBACCO STOCKS REPORT

GROUPS OF FLUE-CURED

TYPES 11, 12, 13, and 14: A-Wrappers B-Leaf and smoking leaf C-Cutters X-Lugs and primings S-Scrap N-Nondescript

GROUPS OF FIRE-CURED TYPES 21, 22, and 23: A-Wrappers B-Heavy leaf C-Thin leaf X-Lugs S-N-Scrap and nondescript

GROUPS OF BURLEY TYPE 31: B-Leaf T-Tips

C-Lugs and cutters X-Trash and flyings S-Scrap N-Nondescript

GROUPS OF SOUTHERN MARYLAND TYPE 32:

B-Heavy leaf or dull crop C-Thin leaf or bright crop X-Seconds and ground leaves S-Scrap N-Nondescript

GROUPS OF DARK AIR-CURED TYPES 35, 36, and 37: A-Wrappers B-Heavy leaf C-Thin leaf X-Lugs S-N-Scrap and nondescript

GROUPS OF PENNSYLVANIA SEEDLEAF TYPE 41: B-Binders or tops C-Fillers (farm wrappers) X-Crop-run and stemming grades Y-Farm fillers or ground leaves S-Scrap GROUPS OF OHIO FILLER. TYPES 42-44: C-Fillers (farm wrappers) X-Crop-run and stemming grades Y-Farm fillers or ground leaves S-Scrap GROUPS OF PUERTO RICAN **TYPE 46:** C-Superior X-Inferior Y-Trashy (Rabia) S-Scrap (Picadura) GROUPS OF CONNECTICUT VALLEY BROADLEAF AND HAVANA SEED TYPES 51 and 52: A-Wrappers B-Binders, seconds, and brokes C-Fillers and short darks X-Stemming grades S-Scrap GROUPS OF NEW YORK AND PENNSYLVANIA HAVANA SEED **TYPE 53:** B-Binders, seconds, and brokes X-Crop-run and stemming grades S-Scrap GROUPS OF SOUTHERN AND NORTHERN WISCONSIN TYPES 54 and 55: **B-Binders** C-Fillers X-Crop-run and stemming grades S-Scrap GROUPS OF CONNECTICUT AND GEORGIA AND FLORIDA SHADE TYPES 61 and 62: A-Wrappers B-Stout wrappers and binders C-Fillers or tips S-Scrap GROUPS OF FOREIGN-GROWN CIGAR-LEAF TYPES 81, 82, and 83: A-Wrappers C-Fillers S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/2/

Total Inventories of Leaf Tobacco Lower Than a Year Ago

Leaf tobacco inventories in the United States and Puerto Rico totaled 4,477 million pounds (farm-sales-weight) as of October 1, 1960, on the basis of the quarterly stocks reports of dealers 2/ and manufacturers. This is a decrease of 91 million pounds compared with a year earlier and 222 million below two years ago. Decreases were reported in the domestic cigarette types, dark air-cured, and cigar binder, and increases in fire-cured, cigar-filler and wrapper, and imported types. Tobacco growers marketed 853 million pounds during the third quarter (July-September, 1960), consisting mostly of fluecured but including some Maryland and cigar leaf. During the corresponding period last year 80.3 million pounds were marketed by growers.

The marketing year for all kinds of tobacco except flue-cured and cigar wrapper is on an October-September basis (table 3). The indicated total disappearance (exports plus domestic consumption) during the 1959-60 marketing year for all U. S. grown types combined for their respective periods was 1,954 million pounds compared with 1,955 million during the previous year. Estimated domestic consumption of U. S. grown tobacco was 1,450 million pounds, the highest in 5 years. In addition to the U. S. grown tobacco, approximately 163 million pounds (unstemmed equivalent) of imported tobacco was used by domestic manufacturers during the past year. In turn, the U. S. exported an estimated 504 million pounds during the 1959-60 marketing year (536 million during previous year).

Stocks as of October 1, 1960, included about 707 million pounds (farmsales-weight) of leaf tobacco under Government loans (901 million pounds as of October 1, 1959). These loan stocks were divided as follows: fluecured, 538 million pounds; burley, 90 million; Maryland, 3.3 million; firecured, 43.5 million; dark air-cured, 17.7 million; and cigar-leaf, 13.9 million.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis).

^{2/} All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

CIGARETTE-LEAF STOCKS

Flue-cured, Burley, and Maryland Stocks Show Decreases

Stocks of <u>flue-cured</u> tobacco on October 1, 1960, were 2,469 million pounds compared with 2,556 million reported on hand a year ago. Marketing of the 1960 crop, currently estimated at 1,235 million pounds, began in July and sales by growers totaled 839 million pounds by the end of September. During the corresponding quarter last year 789 million pounds were sold.

<u>Burley</u> stocks of 1,191 million pounds represented a decrease of about 33 million pounds compared with the previous October 1 (1,224 million). Based on October 1 stocks, total disappearance of burley tobacco during the marketing year just ended (October 1959-September 1960) amounted to 535 million pounds compared with 518 million during the 1958-59 period. Indicated domestic consumption was 499 million pounds (up 16 million), and exports were 36 million (up 1.5 million).

Stocks of <u>Maryland</u> tobacco were 70.9 million pounds, a decrease of 1.1 million from holdings on the previous October 1 (72.0 million). Sales of the 1959 crop on the auction markets were completed in August, 1960. Disappearance of Maryland leaf during the 1959-60 marketing year was 33.4 million pounds, 6 million below the previous year. Both domestic consumption at 21.5 million pounds (24.1 million in 1958-59), and exports at 11.9 million (15.3 million in 1958-59) were below those of last year.

Foreign-grown cigarette and smoking tobacco stocks (Turkish and other) were 209.6 million pounds--about the same as on last October 1 (209.0).

DARK TOBACCO STOCKS

Fire-cured Stocks Higher and Dark Air-cured lower than on last October 1

Fire-cured tobacco stocks, reported as 123.4 million pounds, were larger than a year ago (121.8 million). Increases occurred in types 22 and 23, and a slight decrease was reported in type 21. Fire-cured stocks on October 1, 1960, were divided by types as follows: Virginia fire-cured 22.2 million, Eastern District Kentucky and Tennessee fire-cured 82.4 million, and Western District 18.8 million. Disappearance of fire-cured tobacco during the 1959-60 marketing year totaled 51.5 million pounds compared with 54.7 million during the previous year. Exports of 23.7 million pounds were 5 percent lower than during the previous marketing year. Domestic consumption was 27.7 million compared with 29.7 million for 1958-59.

Dark air-cured tobacco stocks on this October 1 were 66.2 million pounds, a decrease of 2.4 million pounds compared with holdings a year earlier (68.6 million). Stocks of types 35 and 36 were lower and those of type 37 higher than on the previous October 1. Inventories on this October 1 of One Sucker were 41.0 million pounds, Green River 19.9 million, and Virginis suncured 5.2 million. Disappearance of dark air-cured tobacco during the 1959-60 marketing year was 23.9 million pounds, more than 3 million below the figure for the previous year. Exports were 5.8 million--2.0 million less than for the year before, and domestic consumption was 18.1 million (19.7 million for 1958-59).

CIGAR LEAF STOCKS

Holdings of Domestic Cigar Leaf higher than a Year ago Stocks of Foreign-grown Cigar Leaf larger

Cigar-leaf stocks of all domestic types including Puerto Rican totaled 281.2 million pounds (farm-sales-weight) on October 1, 1960. This is an increase of about 4 percent compared with total holdings on last October 1 (269.2 million). Stocks of foreign-grown cigar-leaf totaled 62.9 million pounds (unstemmed equivalent) compared with 44.1 million reported the previous October 1.

Stocks of the <u>cigar-filler</u> types increased 8.6 million pounds compared with a year earlier, stocks this October 1 amounting to 172.4 million. Increases were reported in holdings of all types. Pennsylvania Seedleaf stocks this October 1 were 109.7 million pounds, Ohio filler 17.5 million, and Puerto Rican filler 45.2 million. Disappearance of the filler types for the 1959-60 marketing year totaled 79.3 million pounds--considerably lower than was indicated for the previous year (89.2 million). Indicated domestic consumption was estimated at 78.8 million (87.7 million in 1958-59), and exports were estimated at 0.6 million --about a million below the 1958-59 figure.

<u>Cigar-binder</u> stocks were 79.9 million pounds on October 1, 1960, a decrease of 0.8 million from a year earlier (80.7 million). Holdings of type 54 were above those of last year, but stocks of the other binder types were down from October 1 a year ago. Connecticut Valley Broadleaf stocks this October 1 were 19.6 million pounds, Connecticut Valley Havana Seed 13.7 million, Southern Wisconsin 22.2 million, and Northern Wisconsin 24.4 million. Disappearance of the cigar-binder types totaled 29.3 million pounds during the 1959-60 marketing year compared with 31.3 million in 1958-59. Exports were estimated at 2.1 million pounds (3.6 million last year), and domestic consumption was estimated at 27.2 million (27.7 million in 1958-59).

Shade-grown cigar leaf stocks of 29.0 million pounds showed a 17 percent increase over those reported last October 1 (24.7 million). Increases occurred in both types. Holdings of type 61 were 19.0 million, and of type 62, 10.0 million.

Stocks of Cuban leaf (Havana) reported at 43.6 million pounds showed an increase of nearly 50 percent over those of a year earlier (29.4 million); and holdings of Philippine Islands (Manila) stocks at 12.1 million pounds were about 3 million higher than on last October 1 (9.3 million). Stocks of Sumatra and Java leaf amounted to 0.5 million pounds.

Stocks represented in tobacco sheet show increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 6.0 million pounds (reporting weight) compared with 3.7 million on the previous October 1. Of the total in "tobacco sheet" this October 1, 4.3 million pounds was for use in cigarettes and smoking tobacco, and 1.7 million for cigar binder including a very small quantity for wrappers.

Revisions of Burley Stocks

The farm-sales-weight equivalent of burley stocks have been revised from 1956 to date, reflecting a slight lowering of the factor for converting stemmed stocks to the farm-sales-weight equivalent. Conversion factors are based on average yield experiences of tobacco dealers and manufacturers. A recent survey was conducted to determine current redrying and stemming yield experiences for the different types of tobacco. Information secured in this survey indicated that stocks of stemmed burley tobacco were being slightly over-converted. Accordingly, the factor for converting stemmed stocks of burley to an unstemmed equivalent has been lowered to 1.330 from 1.351. The stocks have been revised back to 1956 based on the lower or revised factor.

The revised farm-sales-weight equivalents of burley stocks beginning with January 1, 1956 are shown in the table below:

Year	January	April	July	October
·•	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
1956	1,564,072	1,562,114	1,433,154	1,298,833
1957	1,548,592	1,553,087	1,424,930	1,294,719
1958	1,516,999	1,527,082	1,403,116	1,276,514
1959	1,500,163	1,487,987	1,353,024	1,224,251
1960	1,469,393	1,461,318	1,340,453	1,191,429

Revised Burley Tobacco Stocks (Farm-sales-weight)

For purposes of comparison the original published stocks also are shown below:

Year	January	April	July	October
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
1956 1957 1958 1959 1960	1,566,258 1,553,108 1,525,414 1,511,842 1,483,175	1,564,758 1,558,913 1,537,236 1,501,835 1,477,936	1,435,572 1,430,218 1,412,368 1,365,599 1,356,610	1,300,954 1,299,463 1,284,800 1,235,585

Burley Tobacco Stocks Prior To Revision

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and monufacturers to a farm-sales-weight equivalent, by types of tobacco $\frac{1}{2}$

	• •• •	Y1	Yield realized from far	from farm-sales-weight to	0	Factors used	Factors used to multiply by to convert reported stocks of
	: ^T ype		Unstemmed		••••••	, ,	
	: number	: Packed	: to the	end of	Stemmed	stocks to	:Unstemmed stocks :to farm_sales_
	** **	: weight	: One year : in storage	: Two years : in storage		unstemmed equivalent	weight equivalent 2/
	•••	Percent	Percent	Percent	Percent	Factor	Factor
Flue-cured	: 11-14	90.0	89.1	88.7	69.6	1.282	1.12
Virginia fire-cured	: 21	: 81.0	80.0	80.0	62.0	1.299	1.24
Tenn. and Ky. Tire-cured	23	98.5	94.6	92.7	69.2	1.316	1.04
Southern Maryland				0(-30	1.)'d	L-330	त् <u></u> स
One Sucker				1 8 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.%0 7.10	1,001	20.1
Green River)% 	90.0	87.3	86.0	64.5	1.316	1.13
Virginia sun-cured	: 37	: 86.0	85.0	85.0	65.0	1.316	1.16
			CIGAR LEAF TYPES	PES (41-62)			
Pennsylvania Seedleaf	: 41	: 97.3	84.0	82.0	58.0	1.387	3/
Gebhardt	: 42	: 97.1		80.9 6	58.0		I
Zimmer	: 43	: 95.9	83.0	80.8	56.5	(1.387	3/
Dutch	₩ 1 1 1	: 96.7	с. 5	81.7	56.5		
Puerto Rico	0th :	88.0 	83.6	42°0	64.5	1.275	1.17
Connecticut Broadleaf		97.0	85.4 or o	83.1 0	62.5	1.292	<u>()</u>
W W Y and he Warna Seed				03. L		1.299), /
N. I. and Fa. havana beed .			2.70 2.70 2.70	20 2. 5	70° 7		2
Northern Weconstn	+ v	2007 7 200	01.7 80 h	22	C - 20	1.200	2 2 2
Connecticut Shade		91.1	86.3	57 TO	67.5	1.224)) (
Ga. and Fla. Shade	62	89.1	84.5	82.3	67.0	1.205	โาร
			MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (31V-90)	ESTIC AND FOREIGN	GROWN TYPES (31V-90)	
Low_n1cotine	31V					1.351	1.12
Low-nicotine	12	• ••				1.282	1.12
Miscellaneous Domestic	: 72-77					1.333	1.09
Foreign-grown cigar leaf :	: 81-84					1.205	4/
and smoking tobacco	60					1.205	4/
]/ Information in this table taken from U.	n fro	S .	Department of Agriculture Circular 435, for connenting unstammed storks to form-	e Circular 435, To	bacco Shrinkag Les meight are	Tobacco Shrinkages and Losses	435, Tobacco Shrinkages and Losses in Weight in Handling form-coles unicht are schusted on the heats of an average
ante nontares torace The own	١,	D TOT RTONDBA	NATE AND ATTA ATTA ATTA		TOR NETRINA ROT	the way and mo	ALC DODLO UL CHI CAVAND

SOUTHERN TYPES (11-37)

and storage, issued in JULY 1937. Z/ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an averag loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. Z/ See foot-note 2 on page 7 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. 4/ Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table 2. -- Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, October 1, 1960, compared with other quarters 1/ 2/

FARM-SALES WEIGHT

	U.S.		October 1,	:	July 1,	4-mmil 2 2	Termony 2
Type name	type : number :	1960	: 1959 :	1958	1960	April 1, 1960	January 1, 1960
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	2,468,745	2,555,513	2,608,661	2,106,070*	2,345,175	2,596,924*
Virginia fire-cured Iennessee and Kentucky fire-cured (Eastern District)	21 22	22,176 82,405	22,537 81,631	23,837 89,492	24,872 88,934*	26,090 93,508	24,682 72,716
(Mastern District) Kentucky and Tennessee fire-cured (Western District)	23	18,796	17,614	19,874	20,860	22,513	15,198
Total Fire-cured	21-23 :	123,377	121,782	133,203	134,666	142,111	112,596
Burley Southern Maryland	31 32	70,894	1,224,251* 72,034	1,276,514* 80,345	1,340,453* 72,499*	1,461,318* 56,974	1,469,393* 64,171
Total Light Air-cured	31-32	1,262,323	1,296,285*	1,356,859*	1,412,952*	1,518,292*	1,533,564*
One Sucker Green River Virginia sun-cured	35 36 37		42,794 20,810 4,946	47,541 24,994 5,495	44,779 21,251 6,038	49,354 23,054 6,475	43,265 22,311 5,551
Total Dark Air-cured	35-37		68,550	78,030	72,068	78,883	71,127
Pennsylvania Seedleaf Dhio Filler (Miami Valley) Puerto Rican:	41 42-44	109,725 17,461	104,285 17,121	103,743 20,506	122,585 19,049	130,487 20,931	93,144 15,892
In United States : In Puerto Rico : Total Cigar-filler :	46 46 41-46	21,279 23,923 172,388	20,493 21,893 163,792	23,656 25,974 173,879	17,789 37,824 197,247	22,700 26,137 200,255	22,353 16,238 147,627
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin Northern Wisconsin Total Cigar-binder	51 52 54 55 51-55	19,580 13,658 22,200 24,412	20,041 14,526 20,906 25,260 80,733	22,203 15,908 20,021 26,605 84,737	20,092 14,613 24,479 28,274 87,458	21,107 15,124 26,734 31,114 94,079	20,370 16,446 18,910 22,589 78,315
Connecticut shade Georgia and Florida shade Total Cigar-wrapper	61 62 61-62	18,994 9,976	15,319 9,378 24,697	13,955 9,650 23,605	15,087 7,592 22,679	16,732 9,519 26,251	18,813 10,715 29,528
Low-nicotine Low-nicotine Perique Other Miscellaneous Domestic <u>3</u> / Domestic Aromatic Total Miscellaneous Domestic	31-V 70 72 73 77 31-V &	43 66 485 2,095 375	81 92 506 2,412 427	60 81 689 1,840 414	46 86 584 1,330 298	65 81 629 1,862 356	71 85 484 2,568 435
	70-77 :	3,064	3,518	3,084	2,344	2,993	3,643
Cuba (Havana) 4/ Sumatra and Java 4/ Philippine Islands (Manila) Other foreign-grown cigar-leaf 4/ Total Foreign-grown Cigar-leaf 4/	81 82 83 84 81-84	43,640 514 12,090 6,705	29,351 23 9,284 5,438 44,096	18,779 104 8,414 69 27,366	44,517* 125 12,546 4,661 61,849*	35,849 40 12,697 4,500 53,086	26,271 21 11,126 5,226 42,644
Foreign-grown cigarette & smoking tobacco (Turkish and other) 4/	90	209,568	209,002	209,801	241,447	232,798	229,000

1/ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5. 2/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for October 1, 1960 are as follows: Type 41, 105; Types 42-44, 112; Type 51, 104; Type 52, 106; Type 54, 105; Type 55, 105; Type 61, 108; Type 62, 110. October 1, 1960 figures subject to revision. 3/ For explanation of stocks included in this classification, see footnote 5 on page 15. 4/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

* Revisions. (In connection with revisions shown for burley, see explanation on page 6.)

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1955-60 1/

	c	arry-over	2/		:	:	D	isappearan	ce	Average
Marketing year	Manu- facturers	Under loan	Other	_	Pro- duction	Total supply	 Total	: Export	: Other	price to growers
: :	Million pounds	Million pounds	Million pounds	Million pounds	: Million pounds	Million pounds	Million pounds	Million pounds	: Million pounds	Cents
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	2,839.2 2,959.9	867.3 947.9 1,026.9 999.7 955.8 724.9	424.1 382.2 422.3 422.3 367.5 399.6	4,036.0 4,169.3 4,4091 4,175.4 3,961.8 3.832.9	2,222.7 2,199.4 1,694.1 1,761.9 1,825.6 <u>4</u> /1,978.4	6,258.7 6,368.7 6,103.2 5,917.3 5,786.4 <u>3</u> /5,811.3	2,089.4 1,959.6 1,947.8 1,955.5 <u>3</u> /1,953.5	647.8 556.7 528.1 535.8 503.8	1,441.6 1,402.9 1,419.7 1,419.7 1,449.7	52.8 53.5 55.7 59.5 5 7.7
					-CURED, TYPE June Marketi					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	1,576.6 1,593.8 1,405.6 1,328.0	329.7 456.3 643.3 616.7 639.9 557.3	241.9 225.4 274.2 285.8 242.5 262.8	2,056.6 2,258.3 2,511.3 2,308.1 2,210.4 2,106.1	1,483.0 1,422.5 975.0 1,081.0 1,080.7 4/1,241.9	3,539.6 3,680.8 3,486.3 3,389.1 3,291.1 <u>3</u> /3,348.0	1,281.3 1,169.5 1,178.2 1,179.0 <u>3</u> /1,185.0	553.0 465.1 442.3 443.0 419.5	728.3 704.4 735.9 736.0 765.5	52.7 51.5 55.4 58.2 58.3
					IA FIRE-CURE September Ma		r)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	11.7 12.4 12.9 11.5	9.3 8.4 7.9 7.7 8.2 7.9	4.4 4.3 4.5 3.2 2.8 3.3	26.6 24.4 24.8 23.8 22.5 22.2	10.5 10.7 8.6 9.4 10.1 <u>4</u> /10.1	37.1 35.1 33.4 33.2 32.6 <u>3</u> /32.3	12.7 10.3 9.6 10.7 <u>3</u> /10.4	6.0 5.5 5.4 5.4 5.1	6.7 4.8 4.2 5.3 5.3	31.3 39.5 38.7 36.9 37.6
					TAL, TYPES 2 September Mar)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	55.8 56.9 52.5 48.4	34.4 37.3 37.9 38.6 37.3 35.6	23.0 20.1 26.0 18.3 13.6 17.6	110.5 113.2 120.8 109.4 99.3 101.2	54.7 59.9 41.9 33.9 43.0 <u>4</u> /38.9	165.2 173.1 162.7 143.2 142.3 <u>3</u> /140.1	52.0 52.3 53.3 43.9 <u>3</u> / 41.1	27.4 24.8 23.8 19.5 18.6	24.6 27.5 29.5 24.4 22.5	38.4 36.1 36.4 38.1 38.3
			TENI		KENTUCKY FIR September Mar					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 : :	46.9 49.0 46.0 42.2 41.6	23.3 26.9 27.4 28.8 28.8 28.8 27.4	18.2 15.0 20.6 14.7 10.7 13.4	84.8 88.8 97.0 89.5 81.7 82.4	40.5 43.7 33.6 26.4 32.1 <u>4</u> /29.8	125.3 132.5 130.6 115.9 113.8 <u>3</u> /112.2	36.5 35.5 41.1 34.2 <u>3</u> /31.4			40.5 37.3 36.8 38.4 39.0
			KENI		ENNESSEE FIR September Mar					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	8.9 7.9 6.5 6.2	11.1 10.4 10.5 9.8 8.5 8.2	4.8 5.1 5.4 3.6 2.9 4.2	25.7 24.4 23.8 19.9 17.6 18. 8	14.2 16.2 8.3 7.5 10.9 <u>4</u> /9.1	39.9 40.6 32.1 27.3 28.5 <u>3</u> /27.9	15.5 16.8 12.2 9.7 <u>3</u> / 9.7			32.4 32.7 34.8 37.0 36.2

TOTAL ALL TYPES 11-62

See footnotes at end of table.

Continued --

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1955-60 1/--Continued

BURLEY, TYPE 31 (October-September Marketing Year)

Marketing	c	arry-over	2/		: : :	: . Total	D	isappearan	ce	Average
year	Manu- facturers	Under	Other	Total	Pro- duction	supply	Total	Exports	Other	price to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1955 1956 1957 1958 1959 1960	867.1 884.8 981.4 960.2 954.8 1,050.0	431.3 376.1 277.4 276.3 229.7 89.2	48.3 37.9 35.9 40.0 39.8 52.2	1,346.7 1,298.8 1,294.7 1,276.5 1,224.3 1,191.4	470.0 506.4 488.1 465.5 502.3 <u>4</u> /496.6	1,816.7 1,805,2 1,782.8 1,742.0 1,726.6 <u>3</u> /1,688.0	517.9 510.5 506.3 517.7 <u>3</u> /535.2	34.4 28.2 28.0 34.8 36.3	483.5 482.3 478.3 482.9 498.9	58.6 63.6 60.3 66.1 60.4
					RYLAND, TYPE eptember Mar)			
1955 1956 1957 1958 1959 1960	45.3 48.1 47.5 46.1	11.0 8.4 9.0 11.1 9.7 3.2	26.2 23.5 21.8 21.7 16.2 18.1	84.3 77.2 78.9 80.3 72.0 70.9	31.5 36.5 38.5 31.1 32.3 <u>4</u> /33.3	115.8 113.7 117.4 111.4 104.3 <u>3</u> /104.2	38.6 34.9 37.0 39.4 <u>3</u> /33.4	12.9 13.5 11.7 15.3 11.9	25.7 21.4 25.3 24.1 21.5	50.8 51.7 44.9 62.5 62.5
					AL, TYPES 35 eptember Mar)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	34.5 38.3 36.2 41.0	36.9 37.7 31.5 30.2 18.1 17.7	7.7 8.6 7.7 6.2 4.5 6.7	76.5 80.8 77.5 72.6 63.6 60.9	28.0 30.7 19.8 16.1 19.3 <u>4</u> /21.4	104.4 111.5 97.3 88.7 82.9 <u>3</u> /82.3	23.6 34.1 24.8 25.1 <u>3</u> /22.0	5.2 10.6 6.3 7.5 5.5	18.4 23.5 18.6 17.6 16.5	31.8 34.0 36.1 38.4 34.5
ONE SUCKER, TYPE 35 (October-September Marketing Year)										
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	18.5	26.7 26.8 21.5 21.2 11.3 12.2	5.4 5.4 5.9 4.4 4.0 5.8	48.2 50.7 49.7 47.6 42.8 41.0	18.1 20.2 13.9 11.6 14.0 <u>4</u> / 13.1	66.3 70.9 63.6 59.2 56.8 <u>3</u> /54.1	15.6 21.3 16.1 16.4 <u>3</u> /15.8	3.9 8.3 4.6 6.2 4.3	11.7 13.0 11.5 10.2 11.5	33.1 36.0 36.9 39.0 34.7
					EN RIVER, TY eptember Mar)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	16.0	10.2 10.9 10.0 9.0 6.8 5.5	2.3 3.2 1.8 1.8 .5 .9	28.3 30.1 27.8 25.0 20.8 19.9	9.7 10.5 5.9 4.5 5.3 <u>4</u> /6.1	38.0 40.6 33.7 29.5 26.1 <u>3</u> /26.0	8.0 12.8 8.8 8.7 <u>3</u> /6.2	1.3 2.3 1.7 1.3 1.2	6.7 10.5 7.1 7.4 5.0	29.3 30.0 34.4 36.7 34.0
					IA SUN-CURED September Ma		r)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	4.5 4.7 44	0 0 0 0 0	1.1 .8 .8 .8 .5 .4	4.2 4.6 5.3 5.5 4.9 5.2	3.2 3.2 2.7 1.9 2.2 <u>4</u> /2.2	7.4 7.8 8.0 7.4 7.1 3/7.4	2.8 2.4 2.5 2.4 <u>3</u> /1.9	.8 .6 .6 .3 .3	2.0 1.8 1.9 2.1 1.6	25.3 25.7 34.0 36.8 34.4

See footnotes at end of table.

Continued --

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1955-60 1/--Continued

PENNSYLVANIA SEEDLEAF, TYPE 41 (October-September Marketing Year)

	c	arry-over	2/	<u></u>	:		I	Disappearanc	e	Average price
Marketing uear	Manu- facturers	Under loan	Other		Pro- duction	Total supply	Total	: Exports :	Other	to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	00.1	0 0 0 0 0	22.7 19.6 18.5 22.4 18.2 13.5	113.0 103.7 105.3 103.7 104.3 109.7	45.7 48.4 41.2 51.0 53.5 <u>4</u> /51.0	158.7 152.1 146.5 154.7 157.8 <u>3</u> /160.7	55.0 46.8 42.8 50.4 <u>3</u> / 48.1	.4 .2 .1 .3 .1	54.6 46.6 42.7 50.1 48.0	24.5 24.0 20.5 28.0 31.5
					EY (OHIO) FI -September Ma					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	19.3 19.2	1.4 1.9 2.2 0 0	2.2 2.0 1.7 1.1 .5	22.9 23.2 23.1 20.5 17.1 17.4	7.5 6.3 4.6 2.5 6.8 4/6.6	30.4 29.5 27.7 23.0 23.9 <u>3</u> /24.0	7.2 6.4 7.2 5.9 <u>3</u> / 6.5		7.2 6.4 7.2 5.9 6.5	21.8 22.0 22.8 24.2 27.3
					RICAN FILLE September Ma		r)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	35.3 38.0 41.3 27.6	3.5 2.0 1.0 1.0 0 0	26.0 20.3 11.3 7.3 14.8 8.0	59.3 57.6 50.3 49.6 42.4 45.1	30.0 24.0 26.7 25.6 27.6 <u>4</u> / 27.0	89.3 81.6 77.0 75.2 70.0 <u>3</u> /72.1	31.7 31.3 27.4 32.8 <u>3</u> /24.8	.1 .5 .1 1.2 .5	31.6 30.8 27.3 31.6 24.3	25.2 30.8 27.5 30.0 32.2
					ICUT BROADLE September Max		r)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	19.3 14.0 11.4 9.9	.9 6.5 7.9 7.7 6.5 7.7	6.8 5.0 3.6 3.1 3.6 1.7	33.4 30.8 25.5 22.2 20.0 19.6	12.1 7.5 5.1 3.6 4.4 <u>4</u> /4.1	45.5 38.3 30.6 25.8 24.4 <u>3</u> /23.7	14.6 12.8 8.4 5.7 <u>3</u> /4.8	.4 1.5 •7 .2 .2	14.2 11.3 7.7 5.5 4.6	44.9 59.0 50.0 54.0 44.0
					CUT HAVANA SI September Ma:					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	11.6 9.0 6.4 7.2	3.3 5.8 6.8 6.4 5.7 4.8	2.8 4.2 4.4 3.1 1.6 1.5	23.3 21.6 20.2 15.9 14.5 13.7	9.9 5.8 3.2 1.8 3.2 <u>4</u> /3.6	33.2 27.4 23.4 17.7 17.7 <u>3</u> /17.3	11.6 7.2 7.5 3.2 3/4.0	1.5 1.5 1.2 .6 .7	10.1 5.7 6.3 2.6 3.3	35.0 42.3 44.9 49.4 41.2
					ERN WISCONSI September Ma		r)			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	20.5	4.4 4.2 •5 •5 0 •9	•9 •7 •3 1.4 4.3	29.0 25.4 21.0 20.0 20.9 22.2	6.7 6.8 7.7 8.9 9.2 <u>4</u> /9.6	35.7 32.2 28.7 28.9 30.1 <u>3</u> /31.8	10.3 11.1 8.6 8.0 <u>3</u> /7.9	•3 •1 •4 •3	10.0 11.0 8.2 7.6 7.6	22.9 26.1 31.1 34.6 29.3

See footnotes at end of table.

Continued--

NORTHERN WISCONSIN, TYPE 55 (October-September Marketing Year)

:	с	arry-over	2/]	Disappearanc	e	Average price
Marketing year	Manu- facturers	Under loan	Other		Pro- duction	Total supply	Total	: Exports	Other	to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	25.8 23.6 23.7 21.9 21.1 21.0	1.2 3.3 1.5 1.5 .7 .6	3.9 4.9 6.4 3.2 3.5 2.8	30.9 31.8 31.6 26.6 25.3 24.4	14.3 13.4 12.2 13.0 11.7 4/14.7	45.1 45.2 43.8 39.6 37.0 <u>3</u> / 39.1	13.4 13.5 17.1 14.3 <u>3</u> /12.5	.3 .1 2.0 2.3 .9	13.1 13.4 15.1 12.0 11.6	24.6 30.9 33.5 35.2 37.1
					CIGAR WRAPPE Ly-June Marke		-62			
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	11.8 12.3 13.5 14.9 14.8 16.7		6.2 4.7 5.0 5.8 5.5 5.9	18.0 17.0 18.5 20.7 20.3 22.6	15.6 17.1 18.9 16.5 18.3 <u>4</u> /19.6	33.6 34.1 37.4 37.2 38.6 <u>3</u> / 4 2.2	16.7 15.6 16.8 16.8 <u>3</u> / 15.9	5. 1 4.5 5.3 5.3 3.8	11.6 11.1 11.5 11.5 12.1	202.0 186.0 199.0 215.8 186.3
					NECTICUT SHAI ly-June Marke					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	7.8		3.6 2.8 2.7 4.1 4.0 4.2	11.1 10.6 11.4 13.1 13.0 15.0	8.8 10.3 11.8 10.2 10.6 4/11.4	19.9 20.9 23.2 23.3 23.6 <u>3</u> /26.4	9.4 9.5 10.1 10.3 <u>3</u> /8.5	2.6 3.0 3.3 3.3 2.5	6.8 6.5 6.8 7.0 6.0	215.0 190.0 205.0 235.0 180.0
					A AND FLORIDA uly-June Marl					
1955 : 1956 : 1957 : 1958 : 1959 : 1960 :	4.5		2.6 1.9 2.3 1.7 1.5 1.7	6.9 6.4 7.1 7.6 7.3 7.6	6.8 6.8 7.1 6.3 7.7 <u>4</u> /8.2	$ 13.7 \\ 13.2 \\ 14.2 \\ 13.9 \\ 15.0 \\ 3/15.8 $	7.3 6.1 6.7 6.5 <u>3</u> / 7.4	1.9 1.3	4.6 6.1	185.0 180.0 190.0 185.0 195.0

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ The carry-over stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

3/ Subject to revision.

4/ November 1 estimate, U. S. Crop Reporting Board.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1960 compared with October 1, 1959, and July 1, 1960

REPORTED WEIGHT

TYPES 11-14 - FLUE-CURED

Tyme 11 01d	hand	Middle Belt	flue_cured		TYPES 11-14	- FLUE-CURED				
Group	:		ober 1, 1960	2/ :	0	ctober 1, 1959	:		July 1, 1960	
Group	:	Instammed .	Stemmed :	Total :	Unstermed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
		L,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	:	318,287	263,248	581,535 :	353,426	272,315	625,741 :	302,504	266,397	568,901
Type 12, Eas	stern	North Carol	ina flue-cur	ed						
Total Leaf	;	323,809	341,180	664,989 :	379,824	333,644	713,468 :	269,839*	299,957	569,796*
Type 13, Sou	rth Ca	arolina flue	-cured (inclu	ding southeas	tern North C	arolina)	170 1			
otal Leaf		223,019	221,439	<u>444,458</u> :	263,623	188,807	452,430 :	194,441	158,596	353,037
ype 14, Geo	orgia	and Florida	flue-cured	007 570	28 616	176 115	011. 701	02.200	100 500	115 000
otal Leaf	:	51,653	175,919	227,572 :	38,616	176,115	214,731 :	23,308	122,529	145,837
ypes 11-14, Notal Leaf	Tota	al flue-cure	d 1,001,786_	1,918,554 :	1 025 1/80	970,881	2,006,370 :	790,092*	847,479	1,637,571*
Other Leaf 1		<u>916,768</u> 94	2,407	2,501 :	5*	1,205*	1,210 :	90	2,941	
Total	<u>-/ · </u>	916,862	1,004,193	1,921,055 :	1 035 404*	972,086*	2,007,580 :	790,182*	850,420	3,031
IUtar	• • •	910,002	1,004,195	1,921,022 .		912,000-	2,001,000 .	190,102*	0)0,420	1,040,002.
					TYPES 21-23	- FIRE-CURED				
Type 21, Vir Total Leaf		17.618	205	17,823 :	17,874	232	18,106 :	19,772	220	19,992
							20,200 1			
Type 22, Ten Fotal Leaf	inesse	78,724	cky fire-cure 389	ed, (Eastern D 79,113 :	78,008	367	78,375 :	85,033	365	85,398
							10,017			
Type 23, Ken Fotal Leaf	ituckį	and Tennes 18.060	see fire-cure	ed (Western Di 18.070 :	strict) 16,916	16	16,932 :	20,020	29	20,049
				10,010 .	10,710					20,019
Types 21-23, Fotal Leaf	Tota	114,402	<u>d</u> 604	115,006 :	112,798	615	113,413 :	124,825	614	125,439
TO VAL DOAL				12),000 .						
					TYPES 31-32	- LIGHT AIR-	CURED			
Type 31, Bur Fotal Leaf		226,748	627,897	854,645 :	419,627	505,171	924,798 :	283,172	685,463*	968,635*
Other Leaf 1		220, (40	1,447	1,447 :	<u>+++7,02</u>	805*	805 :	20371	1,500	1,500
Total	·/ • :	226,748	629,344	856,092 :	419,627*	505,976*	925,603 :	283,172	686,963*	970,135*
lype 32, Sou Notal Leaf		33.766	26,405	60,171 :	34,480*	26,717	61,197*:	48,306*	16,811	65,117*
Other Leaf 1			48	48 :	3	33	36 :		44	44
Total	:	33,766	26,453	60,219 :	34,483*	26,750	61,233*:	48,306*	16,855	65,161*
Type 35, One	Such	er			TYPES 35-37	- DARK AIR-C	URED			
Total Leaf		35,809	1,294	37,103 :	37,199	1,443	38,642 :	38,938	1,500	40,438
Type 36, Gre	en Ri	ver								
	:	16,606	765	17,371 :	16,986	1,087	18,073 :	17,561	946	18,507
Type 37, Vir	ginia	sun-cured								
Total Leaf		4,321	138	4,459 :	3,959	232	4,191 :	5,008	150	5,158
		a dealer of a	cured							
Types 35-37,	Tota	uark air-	CHICLE							

TYPES 41-46 - CIGAR LEAF FILLER

Type 41, Pennsylvania Seedleaf

B	:	1,786	17	1,803 :	1,717	25	1,742 :	1,692	20	1,712
С	:	59,686	2,205	61,891 :	59,005	2,396	61,401 :	64,480	2,439	66,919
Х	:	23,821	759	24,580 :	17,227	833	18,060 :	25,827	892	26,719
Y	:	7,877	468	8,345 :	6 ,8 25	644	7,469 :	12,714	539	13,253
S	:	32	4,430	4,462 :	71	4,965	5,036 :	49	4,452	4,501
Total Leaf	:	93,202	7,879	101,081 :	84,845	8,863	93,708 :	104,762	8,342	113,104
Other Leaf	1/:	երի	235	279 :	103	160	263 :	68	251	319
Total	:	93,246	8,114	101.360 :	84,948	9,023	93,971 :	104.830	8,593	113,423

See footnotes at end of table.

Continued --

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1960 compared with October 1, 1959, and July 1, 1960--Continued

REPORTED WEIGHT

TYPES 41-46 - CIGAR LEAF FILLER--Continued

Creation	:	Oc	tober 1, 1960 2	:/	0c	tober 1, 1959	:		July 1, 1960	
Group		Unstemmed		Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
		1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb
	:		<u> </u>	:			:			
C	:	1,689	103	1,792 :	1,173	43	1,216 :	2,143	109	2,25
Х	:	13,401		13,401 :	12,120	243	12,363 :	14,141		14,14
Y	:	12	27	39 :	342	706	1,048 :	14	30	4
S	:		218	218 :	1	192	193 :		367	36
otal Leaf	:	15,102	348	15,450 :	13,636	1,184	14,820 :	16,298	506	16,80
ther Leaf	1/:		4	4 :		6	6 :		6	
Total	:	15,102	352	15,454 :	13,636	1,190	14,826 :	16,298	512	16,81
ype 46, Pu	erto	Rican (In	Continental Uni	ted States)						
C	:	745	5,012	5,757 :	8	3,932	3,940 :	192	4,752	4,94
Х	:	5,491	710	6,201 :	5,608	1,038	6,646 :	3,436	729	4,16
Y	:	129		129 :	159	17	176 :	129		12
S	:	742	2,966	3,708 :	701	3,662	4,363 :	742	2,913	3,65
otal Leaf	:	7,107	8,688	15,795 :	6,476	8,649	15,125 :	4,499	8,394	12,89
ther Leaf	1/:		2	2 :		9	9:		2	
Total	:	7,107	8,690	15,797 :	6,476	8,658	15,134 :	4,499	8,396	12,89
ype 46, Pu	erto		Puerto Rico)							
С	:	10,780	1,107	11,887 :	8,602	2,026	10,628 :	17,709	1,739	19,44
Х	:	7,485	145	7,630 :	3,633	365	3,998 :	10,774	270	11,04
Y	:	144		144 :	2,939	190	3,129 :	724		72
S-N	:	128	246	374 :	120	100	220 :	350	164	51
otal Leaf	:	18,537	1,498	20,035 :	15,294	2,681	17,975 :	29,557	2,173	31,73
уре 46, То	tal	Puerto Rica	n							
C	:	11,525	6,119	17,644 :	8,610	5,958	14,568 :	17,901	6,491	24,39
Х	:	12,976	855	13,831 :	9,241	1,403	10,644 :	14,210	999	15,20
Y	:	273		273 :	3,098	207	3,305 :	853		85
S-N	:	870	3,212	4,082 :	821	3,762	4,583 :	1,092	3,077	4,16
otal Leaf	:	25,644	10,186	35,830 :	21,770	11,330	33,100 :	34,056	10,567	44,62
ther Leaf	1/:		2	2 :		9	9:		2	
Total	:	25,644	10,188	35,832 :	21,770	11,339	33,109 :	34,056	10,569	44,62

TYPES 51-55 - CIGAR LEAF BINDER

Type 51, C	onnect	icut Valle	y Broadleaf							
A	:	1,021	15	1,036 :	1,220	12	1,232 :	1,122	17	1,139
В	:	14,283	30	14,313 :	13,873	180	14,053 :	14,317	30	14,347
С	:	50		50 :	25	8	38 :	126	1	127
Х	:	2,449	2	2,451 :	2,398	35	2,433 :	2,491		2,491
S	:	45	269	314 :	71	357	428 :	40	287	327
Total Leaf	:	17.848	316	18,164 :	17,587	592	18,179 :	18,096	335	18,431
Other Leaf	1/:	305	206	511 :	368	145	513 :	310	229	539
Total	:	18,153	522	18,675 :	17,955	737	18,692 :	18,406	564	18,970
Type 52, C	onnect	icut Valle	y Havana Seed							
A	:	722	3	725 :	750	1	751 :	813	2	815
В	:	8,041	45	8,086 :	10,235	136	10,371 :	8,319	81	8,400
С	:	7		7 :	8	4	12 :	133	1	134
Х	:	2,448	861	3,309 :	1,888	53	1,941 :	2,512	1,083	3,595
S	:		228	228 :	33	156	189 :	1	232	233
Total Leaf	:	11,218	1,137	12,355 :	12,914	350	13,264 :	11,778	1,399	13,177
Other Leaf		190		190 :	335		335 :	191		191
Total	:	11,408	1,137	12,545 :	13,249	350	13,599 :	11,969	1,399	13,368
Type 54, S	outher	n Wisconsi	n							
В	:	84	10	94 :	74	40	114 :	- 84	11	95
С	:	19		19 :	26		26 :	13		13
Х	:	20,658	99	20,757 :	19,663	208	19,871 :	22,778	81	22,859
S	:	123	86	209 :	6	1	7:	246	51	297
Total Leaf	:	20,884	195	21,079 :	19,769	249	20,018 :	23,121	143	23,264
Other Leaf				4 :		7	7:		5	5
Total	:	20,884	199	21.083 :	19,769	256	20,025 :	23,121	148	23,269
							and the second sec	the second se		

See footnotes at end of table.

Continued --

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1960 compared with October 1, 1959, and July 1, 1960--Continued

REPORTED WEIGHT

TYPES 51-55 - CIGAR LEAF BINDER--Continued

Type 55, Northern Wisconsin

Type //; sor dern "ibeoddin											
Group	:	Octo	ber 1, 1960	2/	Oc	tober 1, 195	9	July 1, 1960			
	:	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total	
	:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 1b.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.	
	:			:			:				
В	:	2,205	100	2,305 :	4,550	127	4,677 :	3,068	126	3,194	
С	:	14		14 :	19		19 :	15		15	
Х	:	19,910	471	20,381 :	18,550	453	19,003 :	22,384	506	22,890	
S	:	18	88	106 :	10	24	34 :	24	110	137	
Total Leaf	:	22,147	659	22,806 :	23,129	604	23,773 :	25,494	742	26,236	
Other Leaf	1/:	214	8	222 :	111	2	120 :	182	7	189	
Total	:	22,361	667	23,028 :	23,240	613	23,853 :	25,676	749	26,425	

TYPES 61-62 - CIGAR LEAF WRAPPER

Type 61, C	onnecti	cut Shade								
A	:	12,802	479	13,281 :	10,086	410	10,496 :	9,671	577	10,248
В	:	1,306		1,306 :	1,136	2	1,138 :	704		704
C	:	694		694 :	315		315 :	252	11	263
S	:	121	1,261	1,382 :	157	1,167	1,324 :	116	1,468	1,584
Total Leaf	:	14,923	1,740	16,663 :	11,694	1,579	13,273 :	10,743	2,056	12,799
Other Leaf	1/:	64	384	448 :	48	310	358 :	45	335	380
(T) + 4 + 3	:	14,987	2,124	17,111 :	11,742	1,889	13,631 :	10,788	2,391	13,179
Total										
	eorgia	and Florida	Shade							
	eorgia :	8,014	Shade 96	8,110 :	7,646	162	7,808 :	5,468	142	5,610
	eorgia :	8,014 60		8,110 : 60 :	7,646	162	7,808 : 68 :	5,468 71	142	5,610 71
	eorgia : :	8,014	96 2	60 : 63 :				5,468 71 41	26	5,610 71 67
	eorgia : :	8,014 60	96	60 :	68		68 :	71		71
Type 62, G A B C S Total Leaf	•	8,014 60 61	96 2	60 : 63 :	68	3	68 : 30 :	71	26	71 67
Type 62, G A B C S	•	8,014 60 61	96 2 676	60 : 63 : 676 :	68 27 1	3	68 : 30 : 551 :	71 41 5	26 724	71 67 729

GROUP SUMMARY ALL CIGAR TOBACCO 3/

October 1, 1960

	:			Group			
Class	: A	: B	: C :	X	: Y	: S-N	: Total
	: <u>1,000 lb.</u>	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Filler, Types 41-46 4/ Binder, Types 51-55 Wrapper, Types 61-62 Foreign, Types 81-84	1,761 21,391 1,882	1,803 24,798 1,366	81,327 90 757 44,232	51,812 46,898	8,657	8,762 857 2,058 12,782	152,361 74,404 25,572 58,896
Total Leaf	25,034	27,967	126,406	98,710	8,657	24,459	311,233
Other Leaf <u>1</u> / Total	: 						<u>1,708</u> <u>312,941</u>
	*		October 1, 195	59			
Filler, Types 41-46 4/ Binder, Types 51-55 Wrapper, Types 61-62 Foreign, Types 81-84 Total Leaf	1,983 18,304 1,223 21,510	1,742 29,215 1,206 	77,185 90 345 <u>28,004</u> 105,624	41,067 43,248 84,315	11,822	9,812 658 1,875 12,159 24,504	141,628 75,194 21,730 41,386 279,938
Other Leaf 1/ Total			10),024			2+3/0+	1,638
	:		July 1, 1960)			
Filler, Types 41-46 4/ Binder, Types 51-55 Wrapper, Types 61-62 Foreign, Types 81-84 Total Leaf Other Leaf 1/ Total	1,954 15,858 1,321* 19,133*		93,563 289 330 43,243* 137,425*	56,069 51,835 107,904	14,150	9,037 994 2,313 13,488* 25,832*	174,531 81,108 19,276 58,052* 332,967* 1,664 334,631*

See footnotes at end of table.

- 15 -

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, October 1, 1960 compared with October 1, 1959, and July 1, 1960--Continued

REPORTED WEIGHT

TYPES 31-V and 70-77 - MISCELLANEOUS DOMESTIC

Type 3	1-V.	Low	N1	cot	tine
--------	------	-----	----	-----	------

....

Type ST-V,	TOM	nicotine								
Group	:	Oct	ober 1, 1960 <u>2</u>	/ :	0	ctober 1, 1959			July 1, 1960	
	: -	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
	:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
	:			:			:			
Total Leaf	:		28	28 :		53	53 :		30	30
m										
Type 70, Lo	W N1									
Total Leaf	:		46	46 :		64	64 :		60	60
Type 72, Pe	riau	e								
Total Leaf	:	13	324	337 :		348	348 :		402	402
B 72 0t			s domestic 5/							
Total Leaf	ner			1 1 (0 1	2	1 650	1,661 :		011	016
Total Leal		73	1,387	1,460 :	<u></u>	1,659	1,001 :	2	914	916
Type 77, Do	mest	ic Aromatic								
Total Leaf	:	344		344 :	392		392 :	273		273
Types 31-V	and	70-77, Total	miscellaneous	domestic						
Total Leaf	:	430	1,785	2,215 :	394	2,124	2,518 :	275	1,406	1,681
	_		-1107					=12 .		

TYPES 81-84 - FOREIGN-GROWN CIGAR-LEAF

Type 81, Cu	ාරය (සිං	vana)								
A	:	1,878	3	1,881 :	1,212	2	1,214 :	1,281*	38	1,319*
C	:	22,916	5,317	28,233 :	13,017	4,612	17,629 :	23,610*	4,897*	28,507*
S	:	5,322	5,884	11.206 :	3,301	5,175	8,476 :	5,754*	6,562*	12,316*
Total Leaf	:	30,116	11,204	41.320 :	17,530	9,789	27,319 :	30,645*	11,497*	42,142*
Other Leaf	1/:	23		23 :	16	8	24 :	18		18
Total	:	30,139	11.204	41.343 :	17,546	9,797	27,343 :	30,663*	11,497*	42,160*
Type 82, St	matra	and Java 6/								
A	:	1		1:	9		9:	1	1	2
С	:	397	11	408 :	5		5 :	93	25	118
S	:	58	37	95 :	9		9 :			
Total Leaf	:	456	48	504 :	23		23 :	94	26	120
Type 83, Ph	1 i li ppi	ne Islands	(Manila)							
C	:	3,678	5,501	9,179 :	2,997	1,955	4,952 :	5,390	4,759	10,149
S	:	28	1,453	1,481 :	2,435	1,239	3,674 :	10	1,162	1,172
Total Leaf	:	3,706	6,954	10,660 :	5,432	3,194	8,626 :	5,400	5,921	11,321
Other Leaf	1/:		4	4 :		3	3 :		9	9
Total	:	3,706	6,958	10,664 :	5,432	3,197	8,629 :	5,400	5,930	11,330
	ther fo	reign-grown	cigar-leaf							
Total Leaf	:	5,099	1,313	6,412 :	5,320	98	5,418 :	3,532	931	4,463
Other Leaf	1/:		20	20 :			:		6	6
Total	:	5,099	1,333	6,432 :	5,320	98	5,418 :	3,532	937	4,469

TYPE 90 - FOREIGN-GROWN CIGARETTE AND SMOKING TOBACCO (TURKISH AND OTHER)

Total Leaf :	209,164	73	209,237 :	208,614	272	208,886 :	241,077	76	241,153
Other Leaf 1/:	53	218	271 :	35	21	56 :	60	181	241
Total :	209,217	291	209.508 :	208,649	293	208,942 :	241,137	257	241,394

TYPES 11-90 - TOTAL ALL TYPES

Total Leaf :	1,826,494	1,703,500	3,529,994 :	2,110,937*	1,547,089*	3,658,026 :	1,838,858*	1,597,802*	3,436,660*
Other Leaf 1/:	988	4,987	5,975 :	1,024*	2,721*	3,745 :	964	5,516	6,480
Total :	1,827,482	1,708,487	3,535,969 :	2,111,961*	1,549,810*	3,661,771 :	1,839,822*	1,603,318*	3,443,140*

 $\underline{l}/$ Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet. $\underline{2}/$ Subject to revision.

2/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.
4/ Includes Puerto Rican on the Island, Type 46.

4/ Includes Puerto Alcan on the Island, Type 46.
 5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
 6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

* Revisions.

Table 5 .-- Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately 1/

Cigar Binder October 1, U.S. April 1, 1960 July 1, 1960 January 1, 1960 type 1960 1959 1958 number 1,000 lb. 1,000 lb. 1,000 lb. 1,000 lb. 1,000 lb. 1,000 lb. 4 5 2 6 11-14 Unstermed _ 1 Stermed Total 1 9 32 Unstemmed 3 Stemmed 21 26 19 21 40 17 Total 29 19 21 17 40 41 Unstemmed 44 103 160 68 118 110 Stemmed 160 67 251 189 216 <u>237</u> 279 Total 263 223 307 326 42-44 Stemmed 4 6 16 6 14 10 46 Stemmed 2 9 4 2 2 1 51 368 310 347 Unstermed 305 271 319 206 214 237 584 196 515 Stenned 145 511 485 539 Total 52 Unstermed 190 335 249 191 369 340 54 Stemmed 4 7 5 6 7 -214 111 182 55 Unstemmed 115 121 101 8 24 8 Stemmed <u>9</u> 110 120 Total 139 129 61 64 48 69 45 46 69 Unstemmed 384 448 <u>327</u> 396 419 <u>310</u> 358 <u>335</u> 380 Stemmed 135 Total 62 1 Unsterned -.... . . -5 81 Unstemmed 23 16 18 n 13 8 Stemmed 1 Total 16 18 11 14 83 4 7 9 8 9 Stermed 3 84 6 Stemmed 20 _ _ 1,018 845 816 953 816 Unstemmed 989 <u>893</u> 1,738 68-49 874 Total Stemmed 900 1,918 1,672 . 690 .,769 Total Cigarettes (Including smoking tobacco) 11-14 Unstemmed 90 88 75 452 2,442 Stemmed 2,402 1,205 651 2,938 1,219 Total 2,492 1,205 651 3,026 2,517 1,671 Unstermed 301 666 805 1,500 1,500 1,572 1,572 31 Stemmed 417 Total 80 417 967 32 Stemmed 27 2 23 17 5 53 218 Unstemmed 35 60 51 -90 Stemmed 21 181 127 83 Total 271 241 148 178 144 -Unstemmed 143 3 814 Total Stemmed 4,094 4,237 2,038 1,070 4,642 4,158 1,973 2,787 2,073 1,070 Total 4,790 Grand Total Total Unstermed 1,024 869 1,964 1,144 953 814 988 all Stemmed 4,987 2,721 ,56 5,516 5,058 2,432

REPORTED WEIGHT

1/ These stocks included in table 4 under respective type as "Other Leaf".

3,745

4,556

5,975

Total

types

Table 6 .-- Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, October 1, 1960 compared with October 1, 1959 1/ 2/

REPORTED WEIGHT

U.S. :	Rej	ported as owne	d by manufactu	rers <u>3</u> /	Reported as	wned by dealer	в (including]	oan stocks) <u>3</u> /
type :	(October 1, 196	0 <u>:</u>	0-+-1	:(october 1, 1960	:	
number :	Unstemmed	Stemmed	Total	October 1, 1959	Unstemmed	Stemmed	Total	October 1, 1959
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	87,803	255,185	342,988	374,673	230,484	8,063	238,547	251,068
12	95,091	329,728	424,819	421,817	228,718	11,452	240,170	291,651
13	65,201	206,647	271,848	266,353	157,818	14,792	172,610	186,077
14	3.184	162,340	165,524	168,623	48.469	13,579	62,048	46,108
11-14	251,373	956,307	1,207,6801/	1,232,676	665,489	47,886	713,375	774,904
21	0 1/2	205	9,348	0.506	8,475		8,475	8 510
22	9,143	205 387	42,926	9,596 42,210	36,185	2	36,187	8,510 36,165
23	42,539 6,113	8	6,121	6,021	11,947	2	11,949	10,911
21-23	57,795	600	58, 395	57,827	56,607		56,611	55,586
31	121,961	621,797	743,758	697,530	104,787	7,547	112,334	228,073
32	12,900	26,440	39,340	37,361	20,866	13	20,879	23,872
31-32	134,861	648,237	783,098	734,891	125,653	7,560	133,213	251,945
35	19,408	1,231	20,639	24,726	16,401	63	16,464	13,916
35 36	11,081	749	11,830	11,709	5,525	16	5,541	6,364
37	4,004	138	4,142	3,768	317		317	423
35-37	34,493	2,118	36,611	40,203	22,243	79	22,322	20,703
41	81,747	7,145	88,892	77,285	11,499	969	12,468	16,686
42_44	14,691	351	15,042	14,345	411	909	412	481
46 4/	19,236	9,791	29,027	21,014	6,408	397	6,805	12,094
41-46	115,674	17,287	132,961	112,644	18,318	1,367	19,685	29,261
		1.50	0	0.000	0 00/	50	9 056	0 490
51	9,267	452	9,719	9,203	8,886 5,822	70 10	8,956	9,489 6,871
52 54	5,586	1,127 121	6,713 16,160	6,728 18,701	4,845	78	5,832 4,923	1,324
55	16,039 19,133	594	19,727	19,902	3,228	73	3,301	3,951
51-55	50,025	2,294	52,319	54,534	22,781	231	23,012	21,635
61	10,712	1,855	12,567	10,080	4,275	269	4,544	3,551
62	3,917	768	4,685	4,759	4,219	6	4,225	3,698
61-62	14,629	2,623	17,252	14,839	8,494	275	8,769	7,249
31-V		28	28	53 64				
70		46	46					40 40 40
72	13	200	213	238		124	124	110
73 <u>5</u> /	2	1,387	1,389	1,600	71		71	61
77	214	1,661	214	249	<u>130</u> 201	124	<u>130</u> 325	<u>143</u> 314
31-V & 70	-77 229	1,001	1,090	2,204	201	124		
81	23,865	10,770	34,635	25,654	6,274	434	6,708	1,690
82 6/	358	11	369	9	98	, 37	135	14
83 - 84	522	3,543	4,065	4,738	3,184	3,415	6,599	3,891
	2,127	791	2,918	532	2,972	542 4.428	3,514	4,886 10,481
81-84	26,872	15,115	41,987	30,933	12,528	4,420	10,970	10,401
90	208,972	238	209,210	207,769	245	53	298	1,173
11-90	894,923	1,646,480	2,541,403	2,488,520	932,559	62,007	994,566	1,173,251

1/ Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

3/ This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

 $\frac{4}{2}$ [Includes stocks on the Island of Puerto Rico. $\frac{5}{2}$ For explanation of stocks included in this classification see footnote 5 on page 15.

Table 7.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1960 compared with other quarters 1/2/

REPORTED WEIGHT

	:	:				: :	
	: U.S.	:C	october 1, 3	/	October 1,	July 1,	July 1,
Type name	: type	: Unstemmed :	Stermed	Total	1959	1960	1959
	: number	: Unstemmed :	Stermed	10041		: :	
	:	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
	:	:	0(0,0),0	5 93 5 35			(
Old and Middle Belt flue-cured Eastern North Carolina flue-cured	: 11 : 12	: 318,287 : 323,809	263,248 341,180	581,535 664,989	625,741 713,468	568,901 569,796*	600,676
South Carolina flue-cured	: 13	: 223,019	221,439	444,458	452,430	353,037	627,027 376,068
(including Southeastern N. C.)	:	:		,.,.	-72,-50	575,051	510,000
Georgia and Florida flue-cured	: 14	: 51,653	175,919	227,572	214,731	145,837	147,104
Total Flue-cured	: 11-14	916,862	1,004,193	1,921,0551	2,007,580	1,640,602*	1,751,566
Virginia fire-cured	21	17,618	205	17,823	18,106	19,992	20,405
Tennessee and Kentucky fire-cured	: 22	78,724	389	79,113	78,375	85,398	86,375
(Eastern District)	:		500	()))	(-)5()	-7957-	
Kentucky and Tennessee fire-cured	: 23 :	18,060	10	18,070	16,932	20,049	18,757
(Western District)			(+ 1		110 110	105 100	
Total Fire-cured	: 21-23	: 114,402	604	115,006	113,413	125,439	125,537
Burley	: 31	226,748	629,344	856,092	925,603	970,135*	1,022,237
Southern Maryland	: 32	: 33,766	629,344 26,453	60,219	61,233	65,161*	67,696
Total Light Air-cured	: 31-32	260,514	655,797	916,311	986,836	1,035,296*	1,089,933
One Sucker	: 35	35,809	1,294	37,103	38,642	40,438	41,482
Green River	: 36	16,606	765	17,371	18,073	18,507	20,086
Virginia sun-cured	: 37	4,321	138	4,459	4,191	5,158	4,702
Total Dark Air-cured	35-37		2,197	58,933	60,906	64,103	66,270
Pennsylvania Seedleaf	: : 41		9 11	101 260	02 071	113,423	108,275
Ohio Filler (Miami Valley)	: 42 <u>-</u> 44	: 93,246 : 15,102	8,114 352	101,360 15,454	93,971 14,826	16,810	16,146
Puerto Rico:	:	: 1),102	270		1,020	10,010	
In United States	: 46	; 7,107	8,690	15,797	15,134	12,895	12,868
In Puerto Rico	: 46	18,537	1,498	20,035	17,975	<u>31,730</u> 174,858	32,418
Total Cigar-filler	: 41-46	133,992	18,654	152,646	141,906	174,858	169,707
Connecticut Valley Broadleaf	: 51	. 18,153	522	18,675	18,692	18,970	19,632
Connecticut Valley Havana Seed	: 52	: 11,408	1,137	12,545	13,599	13,368	15,464
Southern Wisconsin	: 54	: 20,884	199	21,083	20,025	23,269	22,262
Northern Wisconsin	: 55	22,361	667	23,028	23,853	26,425	26,965
Total Cigar-binder	: 51-55	72,806	2,525	75,331	76,169	82,032	84,323
Connecticut shade	. 61	14,987	2,124	17,111	13,631	13,179	11,497
Georgia and Florida shade	: 62	8,136	774	8,910	8,457	6,477	6,262
Total Cigar-wrapper	: 61-62	: 23,123	2,898	26,021	22,088	19,656	17,759
Low-nicotine	: : 31-V		28	28	52	30	58
Low-nicotine	: 70	:	46	46	53 64	60	69
Perique	: 72	: 13	324	337	348	402	415
Other Miscellaneous Domestic 4/	: 73	: 73	1,387	1,460	1,661	916	1,672
Domestic Aromatic	: <u>77</u> : 31-V &	: 344		344	392	273	193
Total Miscellaneous Domestic	: <u>7</u> 0-77	: 430	1,785	2,215	2,518	1,681	2,407
	:	:					
Cuba (Havana)	: 81	: 30,139	11,204	41,343	27,343	42,160*	23,256
Sumatra and Java 5/	: 82 : 83	: 456	48	504	23	120	72
Philippine Islands (Manila) Other foreign-grown cigar-leaf	: 03 : 84	: 3,706 : 5,099	6,958 <u>1,333</u>	10,664 6,432	8,629 5,418	11,330 4,469	11,300 5,244
Total Foreign-grown Cigar-leaf	81-84	39,400	19,543	58,943	41,413	58,079*	39,872
	:	*					
Foreign-grown cigarette and smoking	:			000 5-0			000 000
tobacco (Turkish and other)	:90	: 209,217	291	209,508	208,942	241,394	235,518
Total All Types	: : 11-90	: 1,827,482	1,708,487	3,535,969	3,661,771	3,443,140*	3,582,892
	:	:	-,,,(5,,5,,,-,	5,	5, 5,=.0	5,,,,,,-,-

: 1/ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5. 2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1959, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the mendments there to passed in the 72nd and 74th Commence

amendments thereto passed in the 72nd and 74th Congress.

3/ Subject to revision.
 4/ For explanation of stocks included in this classification see footnote 5 on page 15.

 $\frac{1}{5}$ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

* Revisions.

UNITED STATES DEPARTMENT OF AGRICULTURE WASHINGTON 25, D. C.

POSTAGE AND FEES PAID U. S. DEPARTMENT OF AGRICULTURE

October 1960

OFFICIAL BUSINESS

• . NOTICE • : If you no longer need this • publication, check here . return this sheet, and your name • will be dropped from the mailing 4 list. ĉ : : If your address should be changed, . write the new address on this : sheet and return the whole sheet to: 1 : Tobacco Division, . . Agricultural Marketing Service . U. S. Department of Agriculture Washington 25, D. C. •